

APPENDIX D
SHELLFISH MONITORING REPORT FOR
SEASON 1



YEAR 1 SHELLFISH MONITORING DATA REPORT PORT GAMBLE BAY CLEANUP PROJECT

Prepared for

Washington State Department of Ecology
Washington State Department of Health
Washington State Department of Fish and Wildlife
U.S. Army Corps of Engineers
Pope Resources, LP/OPG Properties, LLC

Prepared by

Anchor QEA, LLC
Port Gamble S'Klallam Tribe

May 2016

YEAR 1 SHELLFISH MONITORING DATA REPORT PORT GAMBLE BAY CLEANUP PROJECT

Prepared for

Washington State Department of Ecology

Washington State Department of Health

Washington State Department of Fish and Wildlife

U.S. Army Corps of Engineers

Pope Resources, LP/OPG Properties, LLC

Prepared by

Anchor QEA, LLC

Port Gamble S'Klallam Tribe

May 2016

TABLE OF CONTENTS

| | |
|---|----|
| EXECUTIVE SUMMARY | 1 |
| 1 INTRODUCTION | 2 |
| 2 SAMPLE COLLECTION SUMMARY | 3 |
| 2.1 Caged Mussel Biotoxin Sampling..... | 3 |
| 2.2 Caged Mussel CoC Sampling..... | 3 |
| 2.3 PEMD Sampling..... | 4 |
| 3 SMP DATA SUMMARY | 6 |
| 3.1 Data Validation and Usability | 6 |
| 3.2 Caged Mussel Biotoxin Data | 6 |
| 3.3 Caged Mussel CoC Data..... | 7 |
| 3.3.1 WDFW and ARI Laboratory Method Comparison | 7 |
| 3.3.2 Mussel Tissue CoC Concentrations | 7 |
| 3.4 PEMD Data | 9 |
| 4 RECOMMENDED YEAR 2 SMP MODIFICATIONS..... | 11 |
| 4.1 Year 2 Construction Schedule..... | 11 |
| 4.2 Shellfish Biotoxin Monitoring | 11 |
| 4.3 Shellfish and PEMD CoC Monitoring..... | 12 |
| 4.4 In Situ Shellfish Monitoring | 12 |
| 5 REFERENCES | 13 |

List of Tables

| | |
|---------|---|
| Table 1 | Intermediate Risk Screening Criteria |
| Table 2 | DOH Biotoxin Data Summary |
| Table 3 | Caged Mussel Data Summary, Wet Weight Basis |
| Table 4 | Caged Mussel Data Summary, Dry Weight Basis |
| Table 5 | PEMD Data Summary |

List of Figures

| | |
|----------|--|
| Figure 1 | Vicinity Map |
| Figure 2 | Mussel Cage Deployment Locations |
| Figure 3 | PEMD Deployment Locations |
| Figure 4 | Caged Mussel Total PAH Levels |
| Figure 5 | Caged Mussel Cadmium Levels |
| Figure 6 | Caged Mussel Dioxins/Furans TEQ Levels |
| Figure 7 | Caged Mussel Total PCB Levels |
| Figure 8 | PEMD Total PAH Levels |

List of Appendices

| | |
|------------|---|
| Appendix A | Port Gamble Bay Shellfish Monitoring Plan |
| Appendix B | Field Forms |
| Appendix C | Mussel Mortality Log |
| Appendix D | Laboratory Reports |
| Appendix E | Data Validation Reports |

LIST OF ACRONYMS AND ABBREVIATIONS

| | |
|-----------|--|
| µg | micrograms |
| ARI | Analytical Resources, Inc. |
| cm | centimeter |
| CoC | contaminant of concern |
| DOH | Washington State Department of Health |
| Ecology | Washington State Department of Ecology |
| g | gram |
| LDC | Laboratory Data Consultants, Inc. |
| mg/kg | milligrams per kilogram |
| ng/kg | nanograms per kilogram |
| PAH | polycyclic aromatic hydrocarbon |
| PCB | polychlorinated biphenyl |
| PEMD | polyethylene membrane device |
| Penn Cove | Penn Cove Shellfish, Inc. |
| PSP | paralytic shellfish poisoning |
| RPD | relative percent difference |
| Site | Port Gamble Bay Cleanup Site |
| SMA | sediment management area |
| SMP | Shellfish Monitoring Plan |
| T0 | time zero |
| USACE | U.S. Army Corps of Engineers |
| WDFW | Washington Department of Fish and Wildlife |

EXECUTIVE SUMMARY

From September 2015 to January 2016, sediment cleanup actions were performed in Port Gamble Bay, including creosote-treated pile removal, intertidal excavation, subtidal dredging, and capping/cover placement. Concurrent with these cleanup activities, shellfish monitoring of biotoxins and chemicals of concern was performed to evaluate potential short-term construction-related effects of the cleanup, consistent with project permit requirements. Shellfish monitoring was performed as a collaborative effort between Pope Resources, LP/OPG Properties, LLC, the Port Gamble S’Klallam Tribe, and the Washington State Department of Health.

Shellfish monitoring data collected during Port Gamble Bay cleanup activities were compared with baseline data collected prior to cleanup, using equivalent methods and procedures. The results of the shellfish monitoring are summarized below:

- Biotoxin results during construction were below detection limits
- Polynuclear aromatic hydrocarbons concentrations in shellfish tissue and water column passive samplers during construction were similar to or slightly elevated (within a factor of roughly two-fold) compared to baseline levels, but were well below the intermediate-duration shellfish consumption screening criterion
- Cadmium concentrations in shellfish tissue during construction were similar to or lower than baseline concentrations, and were also below the natural background screening criterion
- Dioxin/furan concentrations in shellfish tissue during construction were similar to or lower than baseline concentrations, and were also below the intermediate-duration shellfish consumption screening criterion
- Polychlorinated biphenyl concentrations in shellfish tissue during construction were similar to or lower than baseline concentrations, and were also at or below the intermediate-duration shellfish consumption screening criterion

Building on these data, relatively minor modifications to the 2016/2017 shellfish monitoring program are recommended.

1 INTRODUCTION

This data report describes the results of the shellfish biotoxin and chemical of concern (CoC) monitoring performed during the first year (Year 1) of remedial actions at the Port Gamble Cleanup Site (Site), including creosote-treated pile removal, intertidal excavation, and subtidal dredging activities performed within sediment management area (SMA)-2 (Figure 1). Shellfish monitoring was performed as requested by the Port Gamble S'Klallam Tribe, and consistent with U.S. Army Corps of Engineers (USACE) permit requirements for the Site cleanup project (NWS-2013-1270). Shellfish monitoring activities during Year 1 remedial actions were performed in accordance with the *Port Gamble Cleanup Project Shellfish Monitoring Plan* (SMP; Appendix A) as approved by the Washington State Department of Ecology (Ecology).

This report summarizes sample collection activities, deviations from the SMP, as well as biological and chemical results for the biotoxin and CoC monitoring, including both caged mussel and polyethylene membrane devices (PEMDs) sampling. This report concludes with recommended modifications to the Year 2 SMP.

2 SAMPLE COLLECTION SUMMARY

Sample collection, processing, and analysis were conducted in accordance with the methods described in the SMP. This section describes details of the sample collection for each media and deviations from the SMP, where applicable.

2.1 Caged Mussel Biotoxin Sampling

Shellfish biotoxin monitoring was conducted in conjunction with the Port Gamble S'Klallam Tribe's and Washington State Department of Health's (DOH's) ongoing paralytic shellfish poisoning (PSP) monitoring in Port Gamble Bay, which followed methods and procedures described in the *Marine Biotoxin Contingency Plan* (DOH 2015a). Adult Pacific blue mussels (*Mytilus trossulus*; obtained from Penn Cove Shellfish, Inc. (Penn Cove), in Whidbey Island, Washington) were deployed during the Year 1 in-water construction period. No deviations to the SMP caged mussel biotoxin sampling or analysis plan occurred during Year 1.

2.2 Caged Mussel CoC Sampling

The caged mussel CoC sampling generally followed methods and procedures used during the baseline study in Port Gamble Bay (WDFW 2014a), as described in the SMP. However, both adult Pacific blue mussels (*Mytilus trossulus*) and hybrid Pacific blue/Mediterranean mussels (*M. trossulus* x *M. galloprovincialis*) were obtained from Penn Cove and deployed to the Site. Forty-eight mussels were placed in each cage.

Consistent with the SMP (Appendix A), a pre-deployment time zero (T0) sample comprised of a representative distribution of the Penn Cove mussels was shipped to the analytical laboratories to characterize baseline CoC concentrations in mussel tissue. On October 29 and 30, 2015, three mussel cages were deployed at each of eight stations, as described in the SMP (Appendix A). The caged mussels were retrieved on January 4 and 5, 2016, corresponding to a deployment period of approximately 67 days. The SMA-2 cages were located approximately 300 feet beyond the SMA-2 dredging area boundary, to help minimize cage loss due to vessel movement and construction activities. However, despite repeated efforts to locate the cages deployed at stations SMA2-1 and SMA2-3 (Figure 2 of Appendix A), they

were not recovered. Mussel cage deployment and retrieval field forms and chain-of-custody documents are included in Appendix B1 and B2, respectively.

Figure 2 depicts the six Port Gamble stations (three in SMA-2 and three in other areas of Port Gamble Bay) where mussel cages were retrieved (three cages per station, resulting in retrieval of 18 cages). Upon retrieval, mussel mortality was assessed (Appendix C), and living mussels were submitted to the lab for processing. At the laboratory, the mussels were scrubbed free of debris and shucked. Because, as discussed above, two types of Penn Cove mussels were deployed, a composite extraction aliquot composed of an equal mass of each sub-species was prepared for all stations except the Western Shoreline station, which was comprised of 75 individuals from each species. Composites were analyzed for in accordance with the SMP, including total solids analysis to allow for dry weight correction.

2.3 PEMD Sampling

PEMDs and their deployment apparatus were cleaned and prepared by Analytical Resources, Inc. (ARI). The PEMDs were then shipped to the SMP field staff for deployment. In an effort to eliminate bias due to moisture in or on the PEMD strip, and eliminate the contamination potential inherent in additional sample handling steps prior to extraction, the lab measured the average dry weight of the PEMDs. Seven 20 centimeter (cm) strips of PEMD tubing were weighed. The average weight was 0.89 ± 0.03 grams (g). This mass was used to calculate final results in dry weight. The average weight of three 20 cm lengths of PEMDs after retrieval was 0.82 ± 0.12 g.

Concurrent with the caged mussel CoC sampling discussed above, PEMDs were co-deployed at the same caged mussel locations in Port Gamble Bay (Figure 3). The PEMD sampling design followed methods and procedures used during the baseline study in Port Gamble Bay (WDFW 2014b). The PEMDs were deployed on October 29 and 30, 2015, and retrieved on November 9 and 10, 2015, corresponding to a deployment period of approximately 11 days (i.e., retrieved prior to completion of the caged mussel CoC deployments, consistent with the baseline sampling [WDFW 2014b]). PEMDs were analyzed for polynuclear aromatic hydrocarbons (PAHs). PEMD deployment and retrieval field forms and chain-of-custody documents are included in Appendix B1 and B3, respectively.

Following retrieval of PEMDs, the cages were placed immediately into a sealed bag and shipped overnight, on ice, to ARI. Once received at ARI, PEMD strips were removed from the cages, cut to 20 cm, and surface particulates were wiped off and discarded. Samples were prepared by solvent extraction and sonication prior to analysis by U.S. Environmental Protection Agency (EPA) Method 8270D using selected ion monitoring.

3 SMP DATA SUMMARY

This section summarizes the results of the SMP biotoxin, caged mussel CoC, and PEMD analytical data. Caged mussel CoC and PEMD laboratory reports are presented in Appendix E.

3.1 Data Validation and Usability

With the exception of DOH analyzed biotoxin data, all analytical data presented in this report were validated by Laboratory Data Consultants, Inc. (LDC), of Carlsbad, California. The data validation was performed under EPA guidelines, as described in the SMP and the National Functional Guidelines for Data Review (EPA 2004, 2008, 2011). Data validation verified the accuracy and precision of chemical determinations performed during this investigation. Data qualifiers assigned as a result of the data validation and their definitions are shown on each of the respective analytical results tables. Data validation reports are included in Appendix F. Data may have been qualified as biased or estimated for a particular analysis, based on method or technical criteria. Data qualified with a “J” indicates that the associated numerical value is the approximate concentration of the analyte. Data qualified with a “UJ” indicates the approximate reporting limit below which the analyte was not detected. Data qualifications are not expected to impact the data quality objectives, and all data were determined to be useable as reported from the laboratory or as qualified in this data report.

3.2 Caged Mussel Biotoxin Data

Caged mussel tissue samples were analyzed for the PSP biotoxin by DOH, consistent with the SMP. More than 3 months prior to the initiation the remedial construction, elevated PSP concentrations of up to 112 micrograms (μg)/100 g wet weight, which exceeded the 80 μg /100 g saxitoxin equivalents DOH advisory criterion (Table 1), were reported in a cockle just outside Port Gamble Bay at the Bars. However, all biotoxin results from samples collected during Year 1 construction activities were below detection limits (less than 38 μg /100 g; Table 2).

3.3 Caged Mussel CoC Data

As described in the SMP, mussel tissues were processed, extracted, and analyzed by ARI for total solids, lipids, PAHs, cadmium, and dioxins/furans. A sample aliquot was also submitted to Maxxam Analytics in Burnaby, British Columbia, Canada, for polychlorinated biphenyl (PCB) congener analysis. All sample results are reported in wet weight (Table 3) and dry weight (Table 4).

3.3.1 WDFW and ARI Laboratory Method Comparison

To provide a comparison of baseline tissue data collected and analyzed by the Washington State Department of Fish and Wildlife (WDFW) with Year 1 SMP samples analyzed by ARI, samples of archived mussel tissue previously analyzed by WDFW were also analyzed by ARI to compare methodologies and results. WDFW provided three samples that had been analyzed at the Northwest Fisheries Lab for PAHs, which spanned a range of PAH concentrations. Samples from each lab were reported on a wet weight basis. Only the PAH compounds listed in the SMP were used for comparison. The WDFW and ARI sample results are presented on a wet weight basis and dry weight basis in Tables 3 and 4, respectively.

Certified reference material (NIST 1974c) was also analyzed by both WDFW and ARI. For those compounds that had a certified value, WDFW's results were an average of 117% higher than ARI's. The WDFW method resulted in values that were closer to the certified values, and were consistently higher than the data reported by ARI. Based on these data, it is likely the ARI data have a low bias for PAHs, compared with the WDFW baseline data. However, as discussed above, the ARI tissue data were determined to be useable as reported from the laboratory or as qualified in this data report.

3.3.2 Mussel Tissue CoC Concentrations

Wet weight mussel tissue CoC concentrations are summarized as follows:

- Eleven PAH compounds were detected in the Penn Cove T0 mussel tissue sample with a total PAH concentration (non-detects are summed at one-half the detection limit [$U=1/2$]) of approximately 23 $\mu\text{g}/\text{kg}$ (Table 3). The total PAH concentrations in Year 1 mussel samples ranged from approximately 23 $\mu\text{g}/\text{kg}$ at Point Julia, to

approximately 112 µg/kg at SMA2-5. While average Year 1 mussel total PAH concentrations in SMA-2 and in harvestable beach areas appear similar to baseline concentrations (Figure 4), the low bias in the ARI PAH data compared with the WDFW baseline data discussed above, suggests that Year 1 PAH concentrations may have been slightly elevated relative to baseline. However, Year 1 total PAH concentrations were well below the DOH intermediate-duration shellfish consumption exposure criterion reported in the SMP (63,000 µg/kg; Table 1).

- Cadmium was detected in the T0 mussel tissue sample at a concentration of approximately 0.31 milligrams per kilogram wet weight (mg/kg; Table 3). Cadmium concentrations in the Year 1 mussel tissue samples ranged from approximately 0.27 mg/kg at SMA2-4 to approximately 0.38 mg/kg at SMA2-2. Average Year 1 mussel cadmium concentrations in SMA-2 and in harvestable beach areas were lower than baseline concentrations (Figure 5), and also below the SMP tissue screening criterion of 0.52 mg/kg (based on natural background levels; Table 1).
- The total dioxin/furan toxicity equivalence (TEQ; U=1/2) for the T0 sample was 0.11 nanograms per kilogram (ng/kg). Dioxins/furan TEQs in the Year 1 samples ranged from 0.096 ng/kg at PG-GP to 0.13 ng/kg at location SMA2-5. The average concentration for the SMA-2 and harvestable beach areas both 0.11 ng/kg wet weight, respectively.
- The total PCB concentration in the T0 mussel tissue sample was approximately 0.98 µg/kg (where non-detects are summed at zero for consistency with WDFW methodology). Total PCB concentrations in the Year 1 mussel tissue samples ranged from approximately 2.8 µg/kg at Point Julia to approximately 5.5 µg/kg at SMA2-2 (Table 3). Average Year 1 mussel tissue total PCB concentrations in SMA-2 and harvestable beach areas were similar. While the WDFW baseline PCB tissue data included only a subset of the 209 PCB congeners analyzed in Year 1, estimated total baseline PCB tissue concentrations based on regression relationships presented in Lauenstein and Cantillo (1993) ranged from approximately 3.9 µg/kg at the Gravel Plot to 10.7 µg/kg at SMA-2 (Figure 6), similar to or higher than the Year 1 data, indicating no increase over baseline conditions.

3.4 PEMD Data

Two PEMD blanks were analyzed along with the samples. A PEMD trip blank was prepared to evaluate the potential for contamination during sample transport. Each blank was prepared in the same manner as the samples. The trip blank accompanied the samples to the field and back to the lab without being exposed to site conditions while the field blank was conducted to evaluate potential contamination during transport and deployment. The field blank was exposed to site conditions during deployment at site SMA 2-2 on October 30, 2015.

All detected PEMD results for acenaphthene, fluoranthene, fluorene, phenanthrene and pyrene were significantly (greater than five times) higher than concentration detected in the trip blank. Detected concentrations of 2-methylnaphthalene and naphthalene in all PEMDs, as well as anthracene results in the three reference areas, were less than five times the trip blank detections, which indicates that these PEMD results could potentially be biased high.

Nine PAHs were detected in the field blank. All detected PEMD results for fluoranthene and pyrene were more than five times greater than the field blank concentrations. Results for 2-methylnaphthalene, acenaphthene, naphthalene and fluorene were less than five times the field blank results, indicating that these PEMD results could potentially be biased high.

To ensure that a PEMD would be recovered at each station, two were deployed at each station and designated as “A” and “B” samples. In most cases, the “A” sample was analyzed and the “B” sample archived. At location SMA2-3, both samples were analyzed, and the “B” sample was evaluated as a field duplicate. Relative percent differences (RPDs) were calculated for all samples as part of data validation. The RPD values for 2-methylnaphthalene, acenaphthylene, anthracene, fluoranthene, and naphthalene were below 35%, indicating a low level of variability between the sample and duplicate for these compounds. Acenaphthene, benzo(a)anthracene, chrysene, fluorine, phenanthrene, and pyrene RPD values indicated the highest amount of variability. Concentrations of the remaining compounds were too low to provide meaningful precision data.

Consistent with the SMP, PEMD samples were analyzed only for PAHs. Total PAH concentrations ranged in the PEMDs ranged from approximately 225 µg/kg at PG-GP to

approximately 1,020 µg/kg at station PG-SMA2-5 (Table 5). PEMD results are summarized in Table 5. Baseline and Year 1 PEMD data for total PAHs are summarized in Figure 7. While there is considerable variability in the PEMD data, Year 1 PEMD total PAH concentrations in SMA-2 and in harvestable beach areas were somewhat higher than baseline levels, generally consistent with the caged mussel data (Section 3.3.2).

4 RECOMMENDED YEAR 2 SMP MODIFICATIONS

As contemplated in the SMP, the Year 2 program will be modified based on the Year 1 results and the construction schedule. This section describes recommended updates to the Year 2 SMP approach, including the following:

- Shellfish biotoxin monitoring
- Shellfish CoC monitoring
- In situ shellfish monitoring

The SMP provides a detailed description of sampling and analytical methods; quality assurance/quality control; project management; assessments and oversight; and data validation and usability. Changes or additional requirements for the SMP program in Year 2 are discussed below.

4.1 Year 2 Construction Schedule

The cleanup project will be completed in Year 2, which ends in January 2017. Work will occur during approved in-water work windows, with pile removal preceding excavation and capping activities. Depending on the outcome of USACE permit modifications, Year 2 in-water work including intertidal excavation and pile removal activities is scheduled to commence in late June to early July 2016, and will largely be focused in SMA-1, though more limited activities will occur in SMA-2 and other more broadly distributed areas of Port Gamble Bay. Again, depending on the outcome of USACE permit modifications, Year 2 subtidal dredging will commence in mid-October to early November, and will include concurrent dredging activities in SMA-1 and SMA-2.

4.2 Shellfish Biotoxin Monitoring

Caged mussels will be analyzed for PSP and other marine biotoxins to provide supplemental data to ongoing monitoring conducted by DOH. Marine biotoxin monitoring will be conducted as outlined in the SMP, with no modifications to the Year 2 SMP program.

4.3 Shellfish and PEMD CoC Monitoring

Caged mussels will be analyzed for PAHs, dioxins/furans, cadmium, PCBs, and lipids; PEMDs will be analyzed for PAHs. Caged mussels will remain in situ for 60 days, and PEMDs will be retrieved after 10 days. Modifications to the SMP program for Year 2 include the following:

- Two caged mussel deployments will be necessary to cover the duration of Site construction activities.
 - Deployment 1 – July 15 to October 1: Caged mussels will be deployed at three stations within SMA-1 and in the three harvestable beach areas depicted in the SMP. This first deployment will be concurrent with pile removal and intertidal excavation activities.
 - Deployment 2 – November 1 to January 15: Caged mussels will be deployed at all stations described in the SMP, including the same 3 SMA-1 stations discussed above, as well as five SMA-2 stations and the three harvestable beach areas (i.e., 11 stations total). This second deployment will be concurrent with dredging activities.
- PEMDs will be co-located with the caged mussel deployments as in Year 1.
- Some cages were unable to be located and retrieved during Year 1. Vessel traffic in the area may have caused the buoy marker lines to be severed at these stations. Cages will be placed with an offset line along the sediment bed to improve the likelihood of cage recovery at all stations in Year 2.

4.4 In Situ Shellfish Monitoring

As described in the SMP, in situ shellfish monitoring will be performed following completion of Year 2 in-water activities, to document post-construction shellfish quality conditions. Shellfish will be collected from three harvestable beaches in Port Gamble Bay and will target mussels, oysters, cockles, and clams. In addition, geoduck and Dungeness crab will be collected near SMA-3. Details of the collection of in situ shellfish and station locations are provided in the SMP.

5 REFERENCES

- EPA (U.S. Environmental Protection Agency), 2004. *USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review*. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation (OSRTI). EPA 540-R-04-004. October 2004.
- EPA, 2008. *USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review*. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation. USEPA 540-R-08-01. June 2008.
- EPA, 2011. *USEPA Contract Laboratory Program National Functional Guidelines for Dioxin/Furan Data Review*. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation. USEPA 540-R-11-16. September 2011.
- Ecology (Washington State Department of Ecology), 2015. *Sediment Cleanup User Manual II. Toxics Cleanup Program*. Publication No. 12-09-057. March 2015.
- Lauenstein, G. G. and A. Y. Cantillo, 1993. Sampling and analytical methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects. 1984-1992. Silver Spring, MD, National Oceanic and Atmospheric Administration. Report No. NOS ORCA 71.
- West et al., 2015. *Toxic contaminants in embryonic and adult Pacific Herring (*Clupea pallasii*) from Port Gamble Bay, Washington: extent and magnitude of contamination by polycyclic aromatic hydrocarbons (PAHs) and other toxic contaminants*. Washington Department of Fish and Wildlife. 2015.

TABLES



WDOH PSP RESULTS - PORT GAMBLE
2015

| PSP# | Collect Date | Waterbody | Site Name | Species | Tissue | Org | PSP Result |
|-----------|--------------|-----------|------------------------------|----------------|--------|-----------------------|------------|
| 201503898 | 12/22/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503829 | 12/7/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503729 | 11/24/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503634 | 11/12/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503432 | 10/27/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503356 | 10/21/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503293 | 10/13/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503233 | 10/7/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503169 | 9/29/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503086 | 9/23/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201503015 | 9/16/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201502885 | 9/8/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201502829 | 9/2/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201502722 | 8/25/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201502640 | 8/18/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201502515 | 8/11/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201502421 | 8/4/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201502306 | 7/29/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201502199 | 7/21/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201502100 | 7/15/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201501929 | 7/7/2015 | Port | Reservation Tidelands (Bars) | Cockle | Whole | Port Gamble S'Klallam | <38 |
| 201501692 | 6/23/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |
| 201501514 | 6/16/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | <38 |
| 201501513 | 6/16/2015 | Port | Reservation Tidelands (Bars) | Cockle | Whole | Port Gamble S'Klallam | 59 |
| 201501463 | 6/15/2015 | Port | Gravel Plot | Cockle | Whole | Port Gamble S'Klallam | <38 |
| 201501468 | 6/15/2015 | Port | Gravel Plot | Manila Clam | Whole | Port Gamble S'Klallam | NTD |
| 201501467 | 6/15/2015 | Port | Point Julia | Pacific Oyster | Whole | Port Gamble S'Klallam | NTD |
| 201501462 | 6/15/2015 | Port | Gravel Plot | Pacific Oyster | Whole | Port Gamble S'Klallam | NTD |
| 201501461 | 6/15/2015 | Port | Reservation Tidelands (Bars) | Pacific Oyster | Whole | Port Gamble S'Klallam | NTD |
| 201501423 | 6/9/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | <38 |
| 201501330 | 6/4/2015 | Port | Gravel Plot | Cockle | Whole | Port Gamble S'Klallam | 50 |

| PSP# | Collect Date | Waterbody | Site Name | Species | Tissue | Org | PSP Result |
|-----------|--------------|-----------|------------------------------|-----------------|--------|-----------------------|------------|
| 201501342 | 6/4/2015 | Port | Point Julia | Littleneck Clam | Whole | Port Gamble S'Klallam | NTD |
| 201501332 | 6/4/2015 | Port | Point Julia | Manila Clam | Whole | Port Gamble S'Klallam | NTD |
| 201501331 | 6/4/2015 | Port | Gravel Plot | Manila Clam | Whole | Port Gamble S'Klallam | NTD |
| 201501329 | 6/4/2015 | Port | Point Julia | Pacific Oyster | Whole | Port Gamble S'Klallam | <38 |
| 201501328 | 6/4/2015 | Port | Gravel Plot | Pacific Oyster | Whole | Port Gamble S'Klallam | <38 |
| 201501327 | 6/4/2015 | Port | Reservation Tidelands (Bars) | Pacific Oyster | Whole | Port Gamble S'Klallam | <38 |
| 201501308 | 6/3/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | 78 |
| 201501250 | 6/2/2015 | Port | Reservation Tidelands (Bars) | Cockle | Whole | Port Gamble S'Klallam | 112 |
| 201501145 | 5/27/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | <38 |
| 201501078 | 5/20/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | <38 |
| 201500869 | 5/8/2015 | Port | Port Gamble Bay | Blue Mussel | Whole | Port Gamble S'Klallam | NTD |

Table 2
Caged Mussel Result Summary

| Parameter | Units | Tissue Screening Criteria | Year 1 SMA-2 Average Results | Year 1 Harvestable Beach Average Results |
|--|---------------|----------------------------------|-------------------------------------|---|
| Paralytic Shellfish Poisoning | µg/100 gm wet | 80 ^a | NA | ND |
| Total Polycyclic Aromatic Hydrocarbons | mg/kg wet | 63 ^b | 0.059 | 0.029 |
| Dioxin/Furan Toxic Equivalency | ng/kg wet | 3.2 ^b | 0.11 | 0.11 |
| Cadmium | mg/kg wet | 0.52 ^c | 0.32 | 0.36 |
| Polychlorinated Biphenyls | µg/kg wet | 4.7 ^b | 4.5 | 3.5 |

Notes:

a = Advisory criterion from WDOH (2015a)

b = Intermediate-duration shellfish consumption exposure criteria from WDOH (2015b), based on a high shellfish consumption rate (499 grams per day)

c = Two times the natural background tissue concentration from Ecology (2012)

ND = not detected

µg/100 gm = micrograms per 100 grams

µg/kg = micrograms per kilogram

mg/kg = milligrams per kilogram

ng/kg = nanograms per kilogram

Table 3
Caged Mussel Results - Wet Weight

FINAL VALIDATED DATA

| Location ID Sample ID Sample Date X Y | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 1212056.16326 316262.151069 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 1211788.46725 315424.288965 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 1211104.65844 315172.44362 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 1210323.39 312230.28 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 1213706.45 313556.13 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 1213098.71 315818.33 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_C1AR2-MTW01Z 1/14/2013 |
|---|---|---|---|--|--|--|--|------------------------------------|----------------------------------|---------------------------------------|
| Conventional Parameters (pct) | | | | | | | | | | |
| Lipids | 1.28 | 1.11 | 0.926 | 1.07 | 1.21 | 1.1 | 0.979 | 1.39 | 1.32 | 1.29 |
| Total solids | 17.55 | 17.35 | 13.56 | 14.73 | 17.4 | 16.32 | 14.33 | 15.47 | 15.89 | 15.5 |
| Metals (mg/kg) | | | | | | | | | | |
| Cadmium | 0.31 | 0.4 | 0.27 | 0.28 | 0.38 | 0.38 | 0.31 | -- | -- | -- |
| Polycyclic Aromatic Hydrocarbons (µg/kg) | | | | | | | | | | |
| 2-Methylnaphthalene | 0.81 J | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.5 U | 1.43 | 0.5 U |
| Acenaphthene | 1.45 | 0.5 U | 0.5 U | 1.22 | 0.58 | 0.5 U | 0.5 UJ | 0.5 U | 4.62 | 0.5 U |
| Acenaphthylene | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.5 UJ | 0.86 J | 0.5 UJ |
| Anthracene | 1.03 | 1.23 | 1.75 | 4.69 | 1.7 | 0.95 | 0.99 | 0.5 U | 8.54 | 0.5 U |
| Benzo(a)anthracene | 0.86 J | 1.64 J | 2.96 J | 7.53 J | 2.83 J | 1.42 J | 1.51 J | 0.51 | 15 | 0.5 U |
| Benzo(a)pyrene | 0.5 U | 0.59 | 1.13 | 2.76 | 0.97 | 0.5 U | 0.5 U | 0.5 U | 5.81 | 0.5 U |
| Benzo(b)fluoranthene | 0.5 | 1.52 | 2.45 | 5.99 | 2.45 | 1.18 | -- | 0.6 | 12.1 | 0.5 U |
| Benzo(e)pyrene | 0.5 U | 1.11 | 1.58 | 5.24 | 1.67 | 0.82 | 0.87 | 0.5 U | 8.9 | 0.5 U |
| Benzo(g,h,i)perylene | 0.5 U | 0.5 U | 0.71 | 0.99 | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 2.31 | 0.5 U |
| Benzo(k)fluoranthene | 0.5 UJ | 1.19 J | 1.49 J | 4.12 J | 1.58 J | 0.74 J | 0.78 J | 0.5 UJ | 7.11 J | 0.5 UJ |
| Chrysene | 1.06 J | 2.14 J | 3.17 J | 8.65 J | 3.44 J | 1.99 J | 2.06 J | 1.09 | 17 | 0.5 U |
| Dibenzo(a,h)anthracene | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.51 | 0.5 U |
| Fluoranthene | 4.81 J | 6.5 J | 10.7 J | 33.6 J | 9.95 J | 5.98 J | 6.28 J | 2.19 | 81.4 | 0.75 |
| Fluorene | 2.01 J | 0.65 J | 0.77 J | 1.8 J | 0.86 J | 0.73 J | 0.66 J | 0.5 U | 6.66 | 0.5 U |
| Indeno(1,2,3-c,d)pyrene | 0.5 U | 0.5 U | 0.5 U | 0.7 | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 1.67 | 0.5 U |
| Naphthalene | 1.1 | 0.6 | 0.56 | 0.84 | 0.55 | 0.59 | 0.56 J | 0.56 | 1.09 | 0.66 |
| Perylene | 0.5 UJ | 0.5 UJ | 0.76 J | 1.75 J | 0.65 J | 0.5 UJ | 0.5 UJ | 0.5 U | 2.82 | 0.5 U |
| Phenanthrene | 5.94 | 4.2 | 5.47 | 13.1 | 5.94 | 4.52 | 4.29 J | 1.24 | 30.1 | 0.66 |
| Pyrene | 3.18 | 4.98 | 7.09 | 25.2 | 7.33 | 4.33 | 4.34 | 1.57 | 33.4 | 0.58 |
| Total cPAH TEQ (7 minimum CAEPA 2005) (U = 1/2) | 0.4716 J | 1.0964 J | 1.9017 J | 4.7055 J | 1.7404 J | 0.6539 J | 0.5496 J | 0.4469 J | 9.619 J | 0.5 UJ |
| Total HPAH (SMS) (U = 1/2) | 11.66 J | 19.31 J | 30.2 J | 89.79 J | 29.3 J | 16.64 J | 15.97 J | 7.21 J | 176.31 J | 3.33 J |
| Total LPAH (SMS) (U = 1/2) | 11.78 J | 7.18 J | 9.05 J | 21.9 J | 9.88 J | 7.29 J | 7 J | 2.8 J | 51.87 J | 2.32 J |
| Total PAH (SMS) (U = 1/2) | 23.44 J | 26.49 J | 39.25 J | 111.69 J | 39.18 J | 23.93 J | 22.97 J | 10.01 J | 228.18 J | 5.65 J |
| Total cPAH TEQ (7 minimum CAEPA 2005) (U = 0) | 0.1466 J | 1.0464 J | 1.8517 J | 4.6805 J | 1.6904 J | 0.3539 J | 0.2496 J | 0.1219 J | 9.619 J | 0.5 UJ |
| Total HPAH (SMS) (U = 0) | 10.41 J | 18.56 J | 29.7 J | 89.54 J | 28.55 J | 15.64 J | 14.97 J | 5.96 J | 176.31 J | 1.33 J |
| Total LPAH (SMS) (U = 0) | 11.53 J | 6.68 J | 8.55 J | 21.65 J | 9.63 J | 6.79 J | 6.5 J | 1.8 J | 51.87 J | 1.32 J |
| Total PAH (SMS) (U = 0) | 21.94 J | 25.24 J | 38.25 J | 111.19 J | 38.18 J | 22.43 J | 21.47 J | 7.76 J | 228.18 J | 2.65 J |
| Dioxin Furans (ng/kg) | | | | | | | | | | |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) | 0.0398 U | 0.038 U | 0.0339 U | 0.0479 U | 0.0379 U | 0.0379 U | 0.0458 U | -- | -- | -- |
| 1,2,3,7,8-Pentachlorodibenzo-p-dioxin (PeCDD) | 0.0478 J | 0.052 U | 0.0599 U | 0.0639 U | 0.0518 U | 0.0419 U | 0.0518 U | -- | -- | -- |
| 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (HxCDD) | 0.0618 U | 0.048 U | 0.0559 U | 0.0579 U | 0.0379 U | 0.0578 U | 0.0797 U | -- | -- | -- |
| 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (HxCDD) | 0.0618 U | 0.0808 J | 0.0711 J | 0.116 J | 0.117 J | 0.0658 J | 0.102 J | -- | -- | -- |
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (HxCDD) | 0.0837 J | 0.05 U | 0.0513 J | 0.0599 J | 0.062 J | 0.0598 U | 0.0817 U | -- | -- | -- |
| 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (HpCDD) | 0.775 U | 1.01 U | 0.866 U | 1.61 U | 1.2 U | 0.821 U | 1.36 U | -- | -- | -- |
| 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD) | 7.46 U | 13.6 U | 11 U | 19.6 U | 16.1 U | 9.47 U | 14 U | -- | -- | -- |
| Total Tetrachlorodibenzo-p-dioxin (TCDD) | 0.0914 J | 0.613 J | 0.465 J | 0.898 J | 0.704 J | 0.491 J | 0.235 | -- | -- | -- |
| Total Pentachlorodibenzo-p-dioxin (PeCDD) | 0.0474 J | 0.052 U | 0.0667 J | 0.307 J | 0.247 J | 0.133 J | 0.173 J | -- | -- | -- |
| Total Hexachlorodibenzo-p-dioxin (HxCDD) | 0.249 J | 0.494 J | 0.646 J | 1.25 J | 0.985 J | 0.675 J | 0.9 J | -- | -- | -- |
| Total Heptachlorodibenzo-p-dioxin (HpCDD) | 3.03 J | 11.7 J | 5.86 J | 14.5 | 12.4 J | 4.89 | 11.2 | -- | -- | -- |
| 2,3,7,8-Tetrachlorodibenzofuran (TCDF) | 0.0458 J | 0.158 J | 0.0699 J | 0.15 J | 0.162 J | 0.148 J | 0.13 J | -- | -- | -- |
| 1,2,3,7,8-Pentachlorodibenzofuran (PeCDF) | 0.0518 U | 0.046 U | 0.0449 U | 0.0639 U | 0.0612 U | 0.0658 U | 0.0538 U | -- | -- | -- |
| 2,3,4,7,8-Pentachlorodibenzofuran (PeCDF) | 0.0378 U | 0.0464 J | 0.0359 J | 0.0599 U | 0.0379 J | 0.0618 U | 0.0518 U | -- | -- | -- |
| 1,2,3,4,7,8-Hexachlorodibenzofuran (HxCDF) | 0.0558 U | 0.05 U | 0.0299 U | 0.0439 U | 0.0399 U | 0.0393 J | 0.0518 U | -- | -- | -- |
| 1,2,3,6,7,8-Hexachlorodibenzofuran (HxCDF) | 0.0538 U | 0.048 U | 0.0279 U | 0.0399 U | 0.0379 U | 0.0399 U | 0.0478 U | -- | -- | -- |
| 1,2,3,7,8,9-Hexachlorodibenzofuran (HxCDF) | 0.0657 J | 0.0742 J | 0.0659 J | 0.078 J | 0.0648 J | 0.0439 J | 0.0518 U | -- | -- | -- |
| 2,3,4,6,7,8-Hexachlorodibenzofuran (HxCDF) | 0.0538 U | 0.046 U | 0.0279 U | 0.0419 U | 0.0379 U | 0.0399 U | 0.0478 U | -- | -- | -- |
| 1,2,3,4,6,7,8-Heptachlorodibenzofuran (HpCDF) | 0.189 U | 0.127 U | 0.152 U | 0.252 U | 0.173 U | 0.127 U | 0.175 U | -- | -- | -- |
| 1,2,3,4,7,8,9-Heptachlorodibenzofuran (HpCDF) | 0.043 J | 0.038 U | 0.024 U | 0.0419 J | 0.0279 U | 0.0359 U | 0.0319 U | -- | -- | -- |
| 1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF) | 0.502 U | 0.376 U | 0.313 U | 0.768 U | 0.443 U | 0.32 U | 0.437 U | -- | -- | -- |
| Total Tetrachlorodibenzofuran (TCDF) | 0.169 J | 1.14 J | 0.71 J | 1.34 J | 0.927 J | 0.8 J | 0.599 J | -- | -- | -- |
| Total Pentachlorodibenzofuran (PeCDF) | 0.314 J | 0.371 J | 0.41 J | 0.354 J | 0.576 J | 0.215 J | 0.269 J | -- | -- | -- |

Table 3
Caged Mussel Results - Wet Weight

| Location ID Sample ID Sample Date X Y | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_CJAR2-MTW01Z 1/14/2013 |
|---|---|---|---|---|---|---|---|------------------------------------|----------------------------------|---------------------------------------|
| | -- | 1212056.16326 | 1211788.46725 | 1211104.65844 | 1210323.39 | 1213706.45 | 1213098.71 | -- | -- | -- |
| | -- | 316262.151069 | 315424.288965 | 315172.44362 | 312230.28 | 313556.13 | 315818.33 | -- | -- | -- |
| Total Hexachlorodibenzofuran (HxCDF) | 0.187 J | 0.213 J | 0.208 J | 0.304 | 0.25 J | 0.204 J | 0.157 J | -- | -- | -- |
| Total Heptachlorodibenzofuran (HpCDF) | 0.446 J | 0.296 J | 0.373 J | 0.663 J | 0.393 J | 0.306 J | 0.496 J | -- | -- | -- |
| Total Dioxin/Furan (U = 1/2) | 4.9572 J | 8.1239 J | 6.6118 J | 11.7704 J | 9.5679 J | 5.8864 J | 8.5159 J | -- | -- | -- |
| Total Dioxin/Furan (U = 0) | 0.286 J | 0.3594 J | 0.2941 J | 0.4458 J | 0.4437 J | 0.297 J | 0.232 J | -- | -- | -- |
| Total Dioxin/Furan TEQ 2005 (Mammal) (U = 1/2) | 0.1144613 J | 0.1109814 J | 0.09815045 J | 0.1281977 J | 0.11488395 J | 0.096115 J | 0.10860705 J | -- | -- | -- |
| Total Dioxin/Furan TEQ 2005 (Mammal) (U = 0) | 0.06775 J | 0.04522 J | 0.03659 J | 0.040809 J | 0.05195 J | 0.0297 J | 0.0232 J | -- | -- | -- |
| PCB Congeners (ng/kg) | | | | | | | | | | |
| PCB-001 | 0.74 U | 0.7 U | 0.66 U | 0.5 U | 0.62 U | 0.73 U | 0.63 U | -- | -- | -- |
| PCB-002 | 0.64 U | 0.63 U | 0.57 U | 0.44 U | 0.56 U | 0.66 U | 0.57 U | -- | -- | -- |
| PCB-003 | 0.74 U | 0.7 U | 0.66 U | 0.63 J | 0.62 U | 0.73 U | 0.63 U | -- | -- | -- |
| PCB-004 | 5.8 J | 3.2 U | 3.7 J | 6.2 J | 2.6 U | 2.4 U | 2.5 U | -- | -- | -- |
| PCB-005 | 15.3 | 3.9 U | 1.1 U | 1.2 U | 4.4 U | 3.8 U | 3.9 U | -- | -- | -- |
| PCB-006 | 2.94 J | 2.9 U | 2.37 J | 4 J | 3.3 U | 2.9 U | 2.9 U | -- | -- | -- |
| PCB-007 | 1 U | 3.3 U | 1.1 U | 1.2 U | 3.7 U | 3.2 U | 3.3 U | -- | -- | -- |
| PCB-008 | 0.9 U | 6.8 J | 9.6 J | 18.4 | 9.8 J | 6.9 J | 7 J | -- | -- | -- |
| PCB-009 | 0.87 U | 2.9 U | 0.92 U | 1.2 J | 3.3 U | 2.9 U | 2.9 U | -- | -- | -- |
| PCB-010 | 0.92 U | 2.5 U | 0.83 U | 0.81 U | 2 U | 1.8 U | 1.9 U | -- | -- | -- |
| PCB-011 | 9.12 U | 6.9 U | 7.85 U | 7.8 U | 9.9 U | 6.9 U | 7 U | -- | -- | -- |
| PCB-012/013 | 0.71 J | 3.2 U | 1.5 J | 2 J | 3.5 U | 3.1 U | 3.1 U | -- | -- | -- |
| PCB-014 | 0.87 U | 2.9 U | 0.93 U | 1 U | 3.2 U | 2.8 U | 2.9 U | -- | -- | -- |
| PCB-015 | 15.1 | 22.9 | 29.6 | 43.8 | 28.4 | 22.4 | 19.4 | -- | -- | -- |
| PCB-016 | 8.81 J | 16.5 | 14.1 | 21.4 | 24.2 | 17.8 | 14.4 | -- | -- | -- |
| PCB-017 | 8.43 J | 5.6 J | 7.59 J | 15.7 | 9.9 J | 7.8 J | 7.6 J | -- | -- | -- |
| PCB-018/030 | 18.8 J | 27.7 | 32.8 | 52.9 | 42.9 | 30.3 | 28.9 | -- | -- | -- |
| PCB-019 | 5.93 J | 3.3 J | 5.35 J | 10.2 | 5.6 J | 4.4 J | 4.1 J | -- | -- | -- |
| PCB-020/028 | 84.4 | 306 | 276 | 376 | 353 | 263 | 230 | -- | -- | -- |
| PCB-021/033 | 19 J | 40.9 | 47.6 | 68.1 | 60.5 | 43.9 | 39.8 | -- | -- | -- |
| PCB-022 | 20.9 | 36.1 | 45.4 | 63.9 | 57.9 | 39.9 | 39.6 | -- | -- | -- |
| PCB-023 | 0.7 U | 1.3 U | 0.78 U | 0.69 U | 1.1 U | 0.93 U | 1.5 U | -- | -- | -- |
| PCB-024 | 0.76 U | 2.6 U | 0.71 U | 1.3 J | 2.3 U | 1.7 U | 1.2 U | -- | -- | -- |
| PCB-025 | 3.6 J | 8.1 J | 9.44 J | 13.4 | 11 | 7.99 J | 7.6 J | -- | -- | -- |
| PCB-026/029 | 6.98 J | 19.5 J | 20.1 | 29.2 | 25 | 18.1 J | 16.9 J | -- | -- | -- |
| PCB-027 | 2.74 J | 5.2 J | 5.57 J | 8.4 J | 7.1 J | 5 J | 4.5 J | -- | -- | -- |
| PCB-031 | 32.9 | 87.3 | 91.8 | 134 | 120 | 83.2 | 76.8 | -- | -- | -- |
| PCB-032 | 9.04 J | 6.6 J | 8.59 J | 16.7 | 10.3 | 8.2 J | 7 J | -- | -- | -- |
| PCB-034 | 0.68 U | 1.1 U | 0.76 U | 0.99 J | 0.89 U | 0.78 U | 1.2 U | -- | -- | -- |
| PCB-035 | 0.77 J | 0.86 U | 2.2 J | 3.11 J | 1.5 J | 0.6 U | 0.94 U | -- | -- | -- |
| PCB-036 | 0.54 U | 0.87 U | 0.61 U | 0.54 U | 0.7 U | 0.61 U | 0.96 U | -- | -- | -- |
| PCB-037 | 12.7 | 40.2 | 50.5 | 66.3 | 43.6 | 32.4 | 28.4 | -- | -- | -- |
| PCB-038 | 0.64 U | 0.95 U | 0.72 U | 0.64 U | 0.77 U | 0.67 U | 1 U | -- | -- | -- |
| PCB-039 | 0.67 U | 1.8 J | 2.34 J | 2.84 J | 2.21 J | 1.71 J | 1.5 J | -- | -- | -- |
| PCB-040/041/071 | 28 J | 95.6 | 110 | 159 | 117 | 83.1 | 75.8 | -- | -- | -- |
| PCB-042 | 14.9 | 43.4 | 56.9 | 79 | 54.4 | 37.5 | 36 | -- | -- | -- |
| PCB-043 | 3.4 J | 15.8 | 15 | 20.3 | 16 | 12.2 | 11.5 | -- | -- | -- |
| PCB-044/047/065 | 52.3 | 207 | 216 | 293 | 238 | 171 | 155 | -- | -- | -- |
| PCB-045/051 | 8 J | 18.1 J | 19.6 J | 28.6 | 24.7 | 17.4 J | 16 J | -- | -- | -- |
| PCB-046 | 4 J | 11.6 | 12.2 | 17.8 | 14.9 | 11.6 | 10.2 | -- | -- | -- |
| PCB-048 | 12.8 | 63.3 | 64.5 | 91 | 72.7 | 54.1 | 47.4 | -- | -- | -- |
| PCB-049/069 | 25 | 71.3 | 92.8 | 125 | 102 | 66.7 | 63.9 | -- | -- | -- |
| PCB-050/053 | 9.9 J | 35.6 | 30.1 | 43.8 | 39.5 | 29.3 | 25.7 | -- | -- | -- |
| PCB-052 | 60.7 | 206 | 235 | 320 | 234 | 168 | 150 | -- | -- | -- |
| PCB-054 | 0.63 U | 1.6 U | 0.6 U | 1.2 U | 1.2 U | 1.1 U | 0.89 U | -- | -- | -- |
| PCB-055 | 1.1 U | 1.2 U | 0.83 U | 0.89 U | 1.5 U | 1.7 U | 1.4 U | -- | -- | -- |
| PCB-056 | 2.6 J | 6.1 J | 5.26 J | 7.41 J | 7.8 J | 5.5 J | 5.8 J | -- | -- | -- |
| PCB-057 | 0.93 U | 1.1 J | 0.76 J | 0.95 J | 1.2 J | 1.4 U | 1.2 U | -- | -- | -- |
| PCB-058 | 1.1 U | 1.2 U | 0.81 U | 0.85 U | 1.4 U | 1.7 U | 1.4 U | -- | -- | -- |
| PCB-059/062/075 | 5.2 J | 21.4 J | 22.3 J | 30.6 | 24.8 J | 17.6 J | 15.5 J | -- | -- | -- |
| PCB-060 | 2.6 J | 5.8 J | 5.03 J | 6.88 J | 6.4 J | 4.7 J | 4.5 J | -- | -- | -- |

Table 3
Caged Mussel Results - Wet Weight

| Location ID Sample ID Sample Date X Y | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_CJAR2-MTW01Z 1/14/2013 |
|---|---|---|---|---|---|---|---|------------------------------------|----------------------------------|---------------------------------------|
| | -- | 1212056.16326 | 1211788.46725 | 1211104.65844 | 1210323.39 | 1213706.45 | 1213098.71 | -- | -- | -- |
| | -- | 316262.151069 | 315424.288965 | 315172.44362 | 312230.28 | 313556.13 | 315818.33 | -- | -- | -- |
| PCB-061/070/074/076 | 30.1 J | 112 | 91.2 | 122 | 117 | 88.6 | 77.7 | -- | -- | -- |
| PCB-063 | 1.05 J | 4.21 J | 3.42 J | 4.71 J | 4.4 J | 3.2 J | 2.5 J | -- | -- | -- |
| PCB-064 | 15.8 | 39.3 | 56.6 | 76.1 | 57.3 | 37 | 35.5 | -- | -- | -- |
| PCB-066 | 12.4 U | 43.7 | 33.4 | 44.4 | 43.8 | 33.9 | 29.9 | -- | -- | -- |
| PCB-067 | 0.83 U | 3.87 J | 3.73 J | 4.68 J | 4.2 J | 3.1 J | 2.6 J | -- | -- | -- |
| PCB-068 | 1.1 U | 1.7 J | 1.58 J | 1.78 J | 1.5 J | 1.4 U | 1.2 U | -- | -- | -- |
| PCB-072 | 1.1 U | 2.04 J | 2.09 J | 2.66 J | 1.9 J | 1.7 J | 1.3 J | -- | -- | -- |
| PCB-073 | 1.1 U | 2.3 U | 0.77 U | 1.1 U | 2.4 U | 1.4 U | 1.5 U | -- | -- | -- |
| PCB-077 | 1.6 J | 3.7 J | 2.05 J | 2.8 J | 2.3 J | 1.6 J | 1.3 U | -- | -- | -- |
| PCB-078 | 0.95 U | 0.95 U | 0.72 U | 0.76 U | 1.1 U | 1.4 U | 1.1 U | -- | -- | -- |
| PCB-079 | 0.81 U | 0.84 U | 0.61 U | 0.82 J | 0.99 U | 1.2 U | 0.99 U | -- | -- | -- |
| PCB-080 | 0.86 U | 1 U | 0.64 U | 0.68 U | 1.2 U | 1.4 U | 1.2 U | -- | -- | -- |
| PCB-081 | 1.3 U | 2 J | 1 U | 1.1 U | 1.4 U | 1.7 U | 1.4 U | -- | -- | -- |
| PCB-082 | 1.9 J | 4.7 J | 4 J | 5.3 J | 5.2 J | 3.9 J | 3.8 J | -- | -- | -- |
| PCB-083/099 | 40.2 | 72.7 | 64.1 | 83.7 | 88.1 | 59.7 | 53.3 | -- | -- | -- |
| PCB-084 | 4.3 J | 9.9 | 9.8 J | 12.9 | 11.7 | 8.7 J | 8.3 J | -- | -- | -- |
| PCB-085/116/117 | 5.71 J | 13.6 J | 9.9 J | 13 J | 12.4 J | 11.5 J | 9.9 J | -- | -- | -- |
| PCB-086/087/097/109/119/125 | 14.2 J | 37.6 J | 32.8 J | 45.1 J | 41.7 J | 31 J | 29.4 J | -- | -- | -- |
| PCB-088/091 | 2.5 J | 6.6 J | 7 J | 11 J | 8.5 J | 5.59 J | 5.3 J | -- | -- | -- |
| PCB-089 | 1.1 U | 1.6 U | 1.3 U | 1.4 U | 1.7 U | 0.96 U | 1.5 U | -- | -- | -- |
| PCB-090/101/113 | 43.9 | 144 | 119 | 165 | 147 | 105 | 97.1 | -- | -- | -- |
| PCB-092 | 9.2 J | 23.9 | 18.2 | 24.5 | 24.1 | 17.9 | 16.5 | -- | -- | -- |
| PCB-093/095/098/100/102 | 3 J | 8 J | 8.8 J | 12.5 J | 10.1 J | 7.76 J | 6.8 J | -- | -- | -- |
| PCB-094 | 1.1 U | 1.8 U | 1.4 U | 1.8 J | 1.8 U | 1 U | 1.6 U | -- | -- | -- |
| PCB-095 | 26 | 86.6 | 81.1 | 115 | 87.3 | 64.7 | 61 | -- | -- | -- |
| PCB-096 | 0.74 U | 1.3 J | 1.66 J | 2.4 J | 1.88 J | 1.1 J | 1.1 J | -- | -- | -- |
| PCB-103 | 1.07 J | 2.5 J | 2 J | 3.1 J | 2.4 J | 1.59 J | 1.7 J | -- | -- | -- |
| PCB-104 | 0.54 U | 0.2 U | 0.61 U | 1 U | 0.3 U | 0.43 U | 0.53 U | -- | -- | -- |
| PCB-105 | 10 U | 28.2 | 24.4 | 34.1 | 31.8 | 23.5 | 20.8 | -- | -- | -- |
| PCB-106 | 0.86 U | 0.62 U | 1 U | 0.7 U | 0.96 U | 0.88 U | 0.76 U | -- | -- | -- |
| PCB-107 | 3.07 U | 7.76 J | 5.7 J | 7.61 J | 8.1 J | 6.7 J | 6.2 J | -- | -- | -- |
| PCB-108/124 | 1.19 J | 2.42 J | 2.5 J | 3.19 J | 2.9 J | 2.42 J | 1.91 J | -- | -- | -- |
| PCB-110/115 | 27.8 | 81.3 | 78 | 107 | 93.7 | 64.8 | 61.2 | -- | -- | -- |
| PCB-111 | 0.79 U | 1.2 U | 0.96 U | 1 U | 1.2 U | 0.69 U | 1.1 U | -- | -- | -- |
| PCB-112 | 0.72 U | 1.2 U | 0.87 U | 0.93 U | 1.2 U | 0.69 U | 1 U | -- | -- | -- |
| PCB-114 | 1.2 U | 1.91 J | 1.4 U | 2 J | 1.5 J | 1.1 U | 0.91 U | -- | -- | -- |
| PCB-118 | 30.4 U | 90.5 | 78.7 | 108 | 95.3 | 70 | 63.6 | -- | -- | -- |
| PCB-120 | 0.7 U | 1 U | 0.85 U | 0.9 U | 1 U | 0.59 U | 0.9 U | -- | -- | -- |
| PCB-121 | 0.81 U | 1.3 U | 0.98 U | 1 U | 1.3 U | 0.74 U | 1.1 U | -- | -- | -- |
| PCB-122 | 0.97 U | 0.7 U | 1.2 U | 0.79 U | 1.1 U | 0.99 U | 0.86 U | -- | -- | -- |
| PCB-123 | 1.3 U | 1.62 J | 1.6 U | 1.1 U | 1.3 U | 1.2 U | 1 U | -- | -- | -- |
| PCB-126 | 1.2 U | 2.52 J | 1.5 U | 0.98 U | 1.2 U | 1.1 U | 0.95 U | -- | -- | -- |
| PCB-127 | 0.88 U | 0.62 U | 1.1 U | 0.71 U | 0.95 U | 0.87 U | 0.75 U | -- | -- | -- |
| PCB-128/166 | 6.9 J | 30.4 | 25 | 33.5 | 32.8 | 22.8 | 21.1 | -- | -- | -- |
| PCB-129/138/163 | 58.6 | 356 | 306 | 423 | 368 | 245 | 221 | -- | -- | -- |
| PCB-130 | 3.1 J | 12.1 | 11 | 13.5 | 14.5 | 9.6 J | 8.6 J | -- | -- | -- |
| PCB-131 | 1.6 U | 2.3 U | 2 J | 2.1 J | 2.2 U | 3.6 U | 3.2 U | -- | -- | -- |
| PCB-132 | 5.3 J | 35.5 | 37.9 | 52.5 | 39.3 | 23.8 | 24.9 | -- | -- | -- |
| PCB-133 | 1.3 J | 5.3 J | 3.9 J | 5.2 J | 6.1 J | 4.4 J | 3.6 J | -- | -- | -- |
| PCB-134/143 | 2.3 J | 10.2 J | 9.7 J | 13.7 J | 6.8 J | 5.1 J | 5 J | -- | -- | -- |
| PCB-135/151 | 17.2 J | 97.7 | 95.8 | 138 | 85.1 | 61.1 | 58.8 | -- | -- | -- |
| PCB-136 | 4 J | 23.8 | 23.4 | 34.9 | 21.8 | 15 | 13.9 | -- | -- | -- |
| PCB-137 | 1.5 U | 2.9 J | 12.9 | 3 J | 3.1 J | 3.2 U | 2.8 U | -- | -- | -- |
| PCB-139/140 | 1.3 U | 2.6 J | 2.3 J | 2.9 J | 3.1 J | 2.8 U | 2.5 U | -- | -- | -- |
| PCB-141 | 1.7 J | 8.6 J | 10.3 | 14.8 | 10.6 | 6.9 J | 6.6 J | -- | -- | -- |
| PCB-142 | 1.4 U | 2 U | 1.3 U | 1.4 U | 1.9 U | 3.1 U | 2.8 U | -- | -- | -- |
| PCB-144 | 1.6 J | 12.3 | 12.7 | 19.3 | 10.9 | 6.7 J | 7.5 J | -- | -- | -- |
| PCB-145 | 1.2 U | 1.7 U | 1.1 U | 1.1 U | 2.6 U | 2 U | 1.6 U | -- | -- | -- |

Table 3
Caged Mussel Results - Wet Weight

| Location ID Sample ID Sample Date X Y | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_CJAR2-MTW01Z 1/14/2013 |
|---|---|---|---|---|---|---|---|------------------------------------|----------------------------------|---------------------------------------|
| | -- | 1212056.16326 | 1211788.46725 | 1211104.65844 | 1210323.39 | 1213706.45 | 1213098.71 | -- | -- | -- |
| | -- | 316262.151069 | 315424.288965 | 315172.44362 | 312230.28 | 313556.13 | 315818.33 | -- | -- | -- |
| PCB-146 | 13.2 U | 57.7 | 44.4 | 60.8 | 62.8 | 42.3 | 36.7 | -- | -- | -- |
| PCB-147/149 | 37.3 | 248 | 222 | 321 | 235 | 168 | 147 | -- | -- | -- |
| PCB-148 | 1.4 U | 2.1 U | 1.3 U | 1.4 U | 3.1 U | 2.4 U | 2 U | -- | -- | -- |
| PCB-150 | 1.1 U | 1.8 U | 0.98 U | 1 U | 2.6 U | 2 U | 1.7 U | -- | -- | -- |
| PCB-152 | 1 U | 1.4 U | 0.93 U | 0.98 U | 2.1 U | 1.6 U | 1.3 U | -- | -- | -- |
| PCB-153/168 | 73.9 | 402 | 330 | 468 | 431 | 284 | 255 | -- | -- | -- |
| PCB-154 | 1.8 J | 4.3 J | 4.1 J | 6 J | 4.9 J | 3.2 J | 3.3 J | -- | -- | -- |
| PCB-155 | 0.69 U | 1.1 U | 0.63 U | 0.66 U | 1.7 U | 1.3 U | 1.1 U | -- | -- | -- |
| PCB-156/157 | 2.9 U | 20.5 | 17.7 J | 24.2 | 19 J | 12.1 J | 11.8 J | -- | -- | -- |
| PCB-158 | 3.3 J | 23.8 | 20.6 | 29.5 | 23 | 15.4 | 14.7 | -- | -- | -- |
| PCB-159 | 0.6 U | 0.74 U | 0.56 U | 1 U | 1.3 U | 0.86 U | 0.98 U | -- | -- | -- |
| PCB-160 | 1.1 U | 1.5 U | 1.1 U | 1.2 U | 1.5 U | 2.3 U | 2.1 U | -- | -- | -- |
| PCB-161 | 0.93 U | 1.3 U | 0.87 U | 0.94 U | 1.2 U | 2 U | 1.8 U | -- | -- | -- |
| PCB-162 | 0.66 U | 0.79 U | 0.62 U | 4.4 J | 1.4 U | 0.92 U | 1 U | -- | -- | -- |
| PCB-164 | 1.4 J | 7 J | 0.94 U | 10 | 7.7 J | 5.2 J | 4.7 J | -- | -- | -- |
| PCB-165 | 1.2 U | 1.6 U | 1.1 U | 1.2 U | 1.6 U | 2.5 U | 2.3 U | -- | -- | -- |
| PCB-167 | 1.78 J | 9.64 J | 8.67 J | 11.7 | 8.7 J | 6.5 J | 6.2 J | -- | -- | -- |
| PCB-169 | 0.87 U | 0.91 U | 0.81 U | 1.5 U | 1.6 U | 1.1 U | 1.2 U | -- | -- | -- |
| PCB-170 | 2.5 J | 21.8 | 23.3 | 32.9 | 25.6 | 14.7 | 14.2 | -- | -- | -- |
| PCB-171/173 | 2.1 J | 22.7 | 19.3 J | 27.9 | 22.2 | 14.3 J | 14.4 J | -- | -- | -- |
| PCB-172 | 1.8 U | 2.4 U | 2 J | 1.4 U | 3.1 U | 2.2 U | 1.7 U | -- | -- | -- |
| PCB-174 | 1.7 U | 2.4 U | 1.2 U | 1.3 U | 3.1 U | 2.2 U | 1.7 U | -- | -- | -- |
| PCB-175 | 2 U | 3.2 J | 2.8 J | 4.29 J | 2.5 U | 1.6 U | 1.6 U | -- | -- | -- |
| PCB-176 | 1.4 U | 9 J | 7.97 J | 11.7 | 8 J | 5 J | 4.9 J | -- | -- | -- |
| PCB-177 | 4.7 J | 44.3 | 36.2 | 51.6 | 41.8 | 27.9 | 28.3 | -- | -- | -- |
| PCB-178 | 3.2 J | 18 | 14.3 | 20.5 | 18.3 | 12.4 | 11.7 | -- | -- | -- |
| PCB-179 | 3.4 J | 29.1 | 26.6 | 39.3 | 26.5 | 18.9 | 17.6 | -- | -- | -- |
| PCB-180/193 | 9.1 U | 114 | 106 | 152 | 112 | 69.3 | 66.9 | -- | -- | -- |
| PCB-181 | 1.9 U | 2.6 U | 1.3 U | 1.4 U | 3.3 U | 2.4 U | 1.8 U | -- | -- | -- |
| PCB-182 | 2 U | 1.4 U | 1.2 U | 0.96 U | 2.5 U | 1.6 U | 1.7 U | -- | -- | -- |
| PCB-183 | 5.2 J | 52 | 44.2 | 58.3 | 51.7 | 33.4 | 31.4 | -- | -- | -- |
| PCB-184 | 1.5 U | 1.1 U | 0.87 U | 0.69 U | 2 U | 1.2 U | 1.3 U | -- | -- | -- |
| PCB-185 | 2.1 U | 2.7 U | 1.4 U | 1.6 U | 3.5 U | 2.5 U | 1.9 U | -- | -- | -- |
| PCB-186 | 1.6 U | 1.2 U | 0.95 U | 0.75 U | 2.1 U | 1.3 U | 1.4 U | -- | -- | -- |
| PCB-187 | 18.7 U | 123 | 108 | 153 | 121 | 79.9 | 75.2 | -- | -- | -- |
| PCB-188 | 1.4 U | 1 U | 0.81 U | 0.64 U | 1.9 U | 1.2 U | 1.2 U | -- | -- | -- |
| PCB-189 | 0.52 U | 5.36 J | 2.63 J | 3.9 J | 2.47 J | 1.84 J | 1.92 J | -- | -- | -- |
| PCB-190 | 1.3 U | 11.5 | 9.99 | 14.1 | 9.9 J | 6.3 J | 6.7 J | -- | -- | -- |
| PCB-191 | 1.3 U | 1.9 J | 2.23 J | 3.3 J | 2.2 U | 1.6 U | 1.2 U | -- | -- | -- |
| PCB-192 | 1.6 U | 2.1 U | 1.1 U | 1.2 U | 2.8 U | 1.9 U | 1.5 U | -- | -- | -- |
| PCB-194 | 1.23 J | 7.8 J | 7.8 J | 10.9 | 8.5 J | 4.6 J | 5.3 J | -- | -- | -- |
| PCB-195 | 1 U | 1.7 U | 0.93 U | 1.96 J | 1.5 U | 0.8 U | 1.3 U | -- | -- | -- |
| PCB-196 | 1.6 U | 1.8 U | 1.1 U | 1.5 J | 2.7 U | 1.7 U | 3.1 U | -- | -- | -- |
| PCB-197 | 1.2 U | 1.8 J | 1.43 J | 2.3 J | 2.1 U | 1.3 U | 2.4 U | -- | -- | -- |
| PCB-198/199 | 1.7 U | 1.8 U | 1.2 U | 1.3 J | 2.8 U | 1.7 U | 3.2 U | -- | -- | -- |
| PCB-200 | 1.1 U | 1.2 U | 0.77 U | 0.81 U | 1.8 U | 1.1 U | 2.1 U | -- | -- | -- |
| PCB-201 | 1.1 U | 4.8 J | 3.67 J | 4.98 J | 4.3 J | 3.2 J | 2.5 J | -- | -- | -- |
| PCB-202 | 1.8 J | 10.1 | 7.85 J | 10 | 11.1 | 7.3 J | 6 J | -- | -- | -- |
| PCB-203 | 1.7 U | 8.8 J | 7.9 J | 11.8 | 9.2 J | 5.4 J | 5.6 J | -- | -- | -- |
| PCB-204 | 1.1 U | 1.2 U | 0.78 U | 0.81 U | 1.9 U | 1.2 U | 2.1 U | -- | -- | -- |
| PCB-205 | 0.96 U | 1.5 U | 1.05 J | 1.58 J | 1.4 U | 0.74 U | 1.2 U | -- | -- | -- |
| PCB-206 | 0.84 U | 1.2 U | 0.84 U | 0.8 U | 2.2 U | 1.5 U | 2.7 U | -- | -- | -- |
| PCB-207 | 0.66 U | 0.97 U | 0.66 U | 0.63 U | 1.7 U | 1.2 U | 2.1 U | -- | -- | -- |
| PCB-208 | 0.84 U | 1.3 U | 0.84 U | 0.8 U | 2.2 U | 1.5 U | 2.7 U | -- | -- | -- |
| PCB-209 | 0.91 U | 1.4 U | 0.81 U | 0.97 U | 2.9 U | 2.5 U | 2.1 U | -- | -- | -- |
| Total PCB Congener (U = 1/2) | 1078.21 J | 4191.725 J | 3962.895 J | 5541.795 J | 4611.99 J | 3232.935 J | 2959.205 J | -- | -- | -- |
| Total PCB Congener (U = 0) | 979.38 J | 4136.25 J | 3928.92 J | 5512.27 J | 4539.16 J | 3168.2 J | 2891.23 J | -- | -- | -- |
| Total PCB Congener TEQ 2005 (Mammal) (U = 1/2) | 0.0741532 J | 0.2713519 J | 0.091513 J | 0.0774785 J | 0.0892226 J | 0.0753677 J | 0.06893325 J | -- | -- | -- |

Table 3
Caged Mussel Results - Wet Weight

| Location ID Sample ID Sample Date | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_CJAR2-MTW01Z 1/14/2013 |
|--|---|---|---|---|---|---|---|------------------------------------|----------------------------------|---------------------------------------|
| X | -- | 1212056.16326 | 1211788.46725 | 1211104.65844 | 1210323.39 | 1213706.45 | 1213098.71 | -- | -- | -- |
| Y | -- | 316262.151069 | 315424.288965 | 315172.44362 | 312230.28 | 313556.13 | 315818.33 | -- | -- | -- |
| Total PCB Congener TEQ 2005 (Mammal) (U = 0) | | | | | | | | | | |
| | 0.0002134 J | 0.2577019 J | 0.004168 J | 0.005797 J | 0.0049931 J | 0.0035782 J | 0.0031296 J | -- | -- | -- |
| Dioxin Furans and PCB Congeners (ng/kg) | | | | | | | | | | |
| Total Dioxin/Furan and PCB Congener TEQ 2005 (Mammal) (Calculated U = 1/2) | | | | | | | | | | |
| | 0.1886145 J | 0.3823333 J | 0.18966345 J | 0.2056762 J | 0.20410655 J | 0.1714827 J | 0.1775403 J | -- | -- | -- |
| Total Dioxin/Furan and PCB Congener TEQ 2005 (Mammal) (Calculated U = 0) | | | | | | | | | | |
| | 0.0679634 J | 0.3029219 J | 0.040758 J | 0.046606 J | 0.0569431 J | 0.0332782 J | 0.0263296 J | -- | -- | -- |

Notes:

Bold = detected result

-- = results not reported or not applicable

µg/kg = micrograms per kilogram

cPAH = carcinogenic polycyclic aromatic hydrocarbon

HPAH = high molecular weight PAH

J = estimated value

LPAH = low molecular weight PAH

ng/kg = nanograms per kilogram

PAH = polycyclic aromatic hydrocarbons

PCB = polychlorinated biphenyls

pct = percent

TEQ = toxic equivalency

U = compound analyzed, but not detected above detection limit

UJ = compound analyzed, but not detected above estimated detection limit

Horizontal coordinate datum is NAD 1983 State Plane Washington North FIPS 4601 (US Survey Feet).

Results presented in this table are reported in wet-weight (as-received) basis.

Totals are calculated as the sum of all detected results (U=0). If all results are not detected, the highest method detection limit value is reported as the sum.

Totals are calculated as the sum of all detected results and half of the reporting limit of undetected results (U=1/2). If all results are not detected, the highest reporting limit value is reported as the sum.

USEPA Stage 2B and/or Stage 4 data validation was completed by Laboratory Data Consultants (LDC).

Total cPAH TEQ (7 minimum CAEPA 2005) calculation includes benzo(a)pyrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene and indeno(1,2,3-c,d)pyrene. Per MTCA cleanup Regulation, Table 708-2 "Toxicity Equivalency Factors for Minimum Required Carcinogenic Polyaromatic Hydrocarbons (cPAHs) under WAC 173-340-708(e).

Total HPAH are the total of benzo(a)anthracene, benzo(a)pyrene, benzo(x)fluoranthenes, benzo(g,h,i)perylene, chrysene, dibenzo(a,h)anthracene, fluoranthene, indeno(1,2,3-c,d)pyrene, and pyrene.

Total LPAH are the total of acenaphthene, acenaphthylene, anthracene, fluorene, naphthalene, and phenanthrene. 2-Methylnaphthalene is not included in the sum of LPAHs.

Total PAH are the total of acenaphthene, acenaphthylene, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(x)fluoranthenes, benzo(g,h,i)perylene, chrysene, dibenzo(a,h)anthracene, fluoranthene, fluorene, indeno(1,2,3-c,d)pyrene, naphthalene, phenanthrene, and pyrene. 2-Methylnaphthalene is not included.

Total PCB congeners is the sum of all PCB congeners listed in this table.

Dioxin/furan TEQ values were calculated with 2005 World Health Organization (WHO) TEF values for mammals.

FINAL VALIDATED DATA

Table 4
Caged Mussel Results - Dry Weight

FINAL VALIDATED DATA

| Location ID Sample ID Sample Date X Y | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 1212056.16326 316262.151069 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 1211788.46725 315424.288965 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 1211104.65844 315172.44362 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 1210323.39 312230.28 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 1213706.45 313556.13 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 1213098.71 315818.33 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_CIAR2-MTW01Z 1/14/2013 |
|---|---|---|---|--|--|--|--|------------------------------------|----------------------------------|---------------------------------------|
| Metals (mg/kg) | | | | | | | | | | |
| Cadmium | 1.77 | 2.31 | 1.99 | 1.9 | 2.18 | 2.33 | 2.16 | -- | -- | -- |
| Polycyclic Aromatic Hydrocarbons (µg/kg) | | | | | | | | | | |
| 2-Methylnaphthalene | 4.62 J | 2.88 UJ | 3.69 UJ | 3.39 UJ | 2.87 UJ | 3.06 UJ | 3.49 UJ | 3.23 U | 9 | 3.23 U |
| Acenaphthene | 8.26 | 2.88 U | 3.69 U | 8.28 | 3.33 | 3.06 U | 3.49 UJ | 3.23 U | 29.1 | 3.23 U |
| Acenaphthylene | 2.85 UJ | 2.88 UJ | 3.69 UJ | 3.39 UJ | 2.87 UJ | 3.06 UJ | 3.49 UJ | 3.23 UJ | 5.41 J | 3.23 UJ |
| Anthracene | 5.87 | 7.09 | 12.9 | 31.8 | 9.77 | 5.82 | 6.91 | 3.23 U | 53.7 | 3.23 U |
| Benzo(a)anthracene | 4.9 J | 9.45 J | 21.8 J | 51.1 J | 16.3 J | 8.7 J | 10.5 J | 3.3 | 94.4 | 3.23 U |
| Benzo(a)pyrene | 2.85 U | 3.4 | 8.33 | 18.7 | 5.57 | 3.06 U | 3.49 U | 3.23 U | 36.6 | 3.23 U |
| Benzo(b)fluoranthene | 2.85 | 8.76 | 18.1 | 40.7 | 14.1 | 7.23 | -- | 3.88 | 76.1 | 3.23 U |
| Benzo(e)pyrene | 2.85 U | 6.4 | 11.7 | 35.6 | 9.6 | 5.02 | 6.07 | 3.23 U | 56 | 3.23 U |
| Benzo(g,h,i)perylene | 2.85 U | 2.88 U | 5.24 | 6.72 | 2.87 U | 3.06 U | 3.49 U | 3.23 U | 14.5 | 3.23 U |
| Benzo(k)fluoranthene | 2.85 UJ | 6.86 J | 11 J | 28 J | 9.08 J | 4.53 J | 5.44 J | 3.23 UJ | 44.7 J | 3.23 UJ |
| Chrysene | 6.04 J | 12.3 J | 23.4 J | 58.7 J | 19.8 J | 12.2 J | 14.4 J | 7.05 | 107 | 3.23 U |
| Dibenzo(a,h)anthracene | 2.85 U | 2.88 U | 3.69 U | 3.39 U | 2.87 U | 3.06 U | 3.49 U | 3.23 U | 3.21 | 3.23 U |
| Fluoranthene | 27.4 J | 37.5 J | 78.9 J | 228 J | 57.2 J | 36.6 J | 43.8 J | 14.2 | 512 | 4.84 |
| Fluorene | 11.5 J | 3.75 J | 5.68 J | 12.2 J | 4.94 J | 4.47 J | 4.61 J | 3.23 U | 41.9 | 3.23 U |
| Indeno(1,2,3-c,d)pyrene | 2.85 U | 2.88 U | 3.69 U | 4.75 | 2.87 U | 3.06 U | 3.49 U | 3.23 U | 10.5 | 3.23 U |
| Naphthalene | 6.27 | 3.46 | 4.13 | 5.7 | 3.16 | 3.62 | 3.91 J | 3.62 | 6.86 | 4.26 |
| Perylene | 2.85 UJ | 2.88 UJ | 5.6 J | 11.9 J | 3.74 J | 3.06 UJ | 3.49 UJ | 3.23 U | 17.7 | 3.23 U |
| Phenanthrene | 33.8 | 24.2 | 40.3 | 88.9 | 34.1 | 27.7 | 29.9 J | 8.02 | 189 | 4.26 |
| Pyrene | 18.1 | 28.7 | 52.3 | 171 | 42.1 | 26.5 | 30.3 | 10.1 | 210 | 3.74 |
| Total cPAH TEQ (7 minimum CAEPA 2005) (U = 1/2) | 2.6879 J | 6.318 J | 14.023 J | 31.9115 J | 10.003 J | 4.004 J | 3.832 J | 2.888 J | 60.561 J | 3.23 UJ |
| Total HPAH (SMS) (U = 1/2) | 66.42 J | 111.29 J | 222.76 J | 609.37 J | 168.46 J | 101.88 J | 111.42 J | 46.61 J | 1109.01 J | 21.5 J |
| Total LPAH (SMS) (U = 1/2) | 67.13 J | 41.38 J | 66.7 J | 148.58 J | 56.74 J | 44.67 J | 48.82 J | 18.1 J | 325.97 J | 14.98 J |
| Total PAH (SMS) (U = 1/2) | 133.54 J | 152.67 J | 289.46 J | 757.94 J | 225.19 J | 146.55 J | 160.24 J | 64.71 J | 1434.98 J | 36.48 J |
| Total cPAH TEQ (7 minimum CAEPA 2005) (U = 0) | 0.8354 J | 6.03 J | 13.654 J | 31.742 J | 9.716 J | 2.168 J | 1.738 J | 0.7885 J | 60.561 J | 3.23 UJ |
| Total HPAH (SMS) (U = 0) | 59.29 J | 106.97 J | 219.07 J | 607.67 J | 164.15 J | 95.76 J | 104.44 J | 38.53 J | 1109.01 J | 8.58 J |
| Total LPAH (SMS) (U = 0) | 65.7 J | 38.5 J | 63.01 J | 146.88 J | 55.3 J | 41.61 J | 45.33 J | 11.64 J | 325.97 J | 8.52 J |
| Total PAH (SMS) (U = 0) | 124.99 J | 145.47 J | 282.08 J | 754.55 J | 219.45 J | 137.37 J | 149.77 J | 50.17 J | 1434.98 J | 17.1 J |
| Dioxin Furans (ng/kg) | | | | | | | | | | |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) | 0.227 U | 0.219 U | 0.25 U | 0.325 U | 0.218 U | 0.232 U | 0.32 U | -- | -- | -- |
| 1,2,3,7,8-Pentachlorodibenzo-p-dioxin (PeCDD) | 0.272 J | 0.3 U | 0.442 U | 0.434 U | 0.298 U | 0.257 U | 0.361 U | -- | -- | -- |
| 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (HxCDD) | 0.352 U | 0.277 U | 0.412 U | 0.393 U | 0.218 U | 0.354 U | 0.556 U | -- | -- | -- |
| 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (HxCDD) | 0.352 U | 0.466 J | 0.524 J | 0.788 J | 0.672 J | 0.403 J | 0.712 J | -- | -- | -- |
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (HxCDD) | 0.477 J | 0.288 U | 0.378 J | 0.407 J | 0.356 J | 0.366 U | 0.57 U | -- | -- | -- |
| 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (HpCDD) | 5.68 U | 5.76 U | 7.36 U | 6.78 U | 5.73 U | 6.11 U | 6.95 U | -- | -- | -- |
| 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD) | 53.4 U | 54.3 U | 69.3 U | 63.8 U | 54 U | 57.5 U | 65.5 U | -- | -- | -- |
| Total Tetrachlorodibenzo-p-dioxin (TCDD) | 0.521 J | 3.53 J | 3.43 J | 6.1 J | 4.05 J | 3.01 J | 1.64 | -- | -- | -- |
| Total Pentachlorodibenzo-p-dioxin (PeCDD) | 0.27 J | 0.3 U | 0.492 J | 2.08 J | 1.42 J | 0.815 J | 1.21 J | -- | -- | -- |
| Total Hexachlorodibenzo-p-dioxin (HxCDD) | 1.42 J | 2.85 J | 4.76 J | 8.49 J | 5.66 J | 4.14 J | 6.28 J | -- | -- | -- |
| Total Heptachlorodibenzo-p-dioxin (HpCDD) | 17.3 J | 67.4 J | 43.2 J | 98.4 | 71.3 J | 30 | 78.2 | -- | -- | -- |
| 2,3,7,8-Tetrachlorodibenzofuran (TCDF) | 0.261 J | 0.911 J | 0.515 J | 1.02 J | 0.931 J | 0.907 J | 0.907 J | -- | -- | -- |
| 1,2,3,7,8-Pentachlorodibenzofuran (PeCDF) | 2.68 U | 2.72 U | 3.47 U | 0.434 U | 2.71 U | 0.403 U | 0.375 U | -- | -- | -- |
| 2,3,4,7,8-Pentachlorodibenzofuran (PeCDF) | 0.215 U | 0.267 J | 0.265 J | 0.407 U | 0.218 J | 0.379 U | 0.361 U | -- | -- | -- |
| 1,2,3,4,7,8-Hexachlorodibenzofuran (HxCDF) | 0.318 U | 0.288 U | 0.221 U | 0.298 U | 0.229 U | 0.241 J | 0.361 U | -- | -- | -- |
| 1,2,3,6,7,8-Hexachlorodibenzofuran (HxCDF) | 0.307 U | 0.277 U | 0.206 U | 0.271 U | 0.218 U | 0.244 U | 0.334 U | -- | -- | -- |
| 1,2,3,7,8,9-Hexachlorodibenzofuran (HxCDF) | 0.374 J | 0.428 J | 0.486 J | 0.53 J | 0.372 J | 0.269 J | 0.361 U | -- | -- | -- |
| 2,3,4,6,7,8-Hexachlorodibenzofuran (HxCDF) | 0.307 U | 0.265 U | 0.206 U | 0.284 U | 0.218 U | 0.244 U | 0.334 U | -- | -- | -- |
| 1,2,3,4,6,7,8-Heptachlorodibenzofuran (HpCDF) | 5 U | 5.08 U | 6.48 U | 5.97 U | 5.05 U | 5.38 U | 6.12 U | -- | -- | -- |
| 1,2,3,4,7,8,9-Heptachlorodibenzofuran (HpCDF) | 0.245 J | 0.219 U | 0.177 U | 0.284 J | 0.16 U | 0.22 U | 0.223 U | -- | -- | -- |
| 1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF) | 10 U | 10.2 U | 13.1 U | 12 U | 10.1 U | 10.8 U | 12.3 U | -- | -- | -- |
| Total Tetrachlorodibenzofuran (TCDF) | 0.963 J | 6.57 J | 5.24 J | 9.1 J | 5.33 J | 4.9 J | 4.18 J | -- | -- | -- |
| Total Pentachlorodibenzofuran (PeCDF) | 1.79 J | 2.14 J | 3.02 J | 2.4 J | 3.31 J | 1.32 J | 1.88 J | -- | -- | -- |

Table 4
Caged Mussel Results - Dry Weight

| Location ID Sample ID Sample Date X Y | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 1212056.16326 316262.151069 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 1211788.46725 315424.288965 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 1211104.65844 315172.44362 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 1210323.39 312230.28 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 1213706.45 313556.13 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 1213098.71 315818.33 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_CJAR2-MTW01Z 1/14/2013 |
|---|---|---|---|--|--|--|--|------------------------------------|----------------------------------|---------------------------------------|
| Total Hexachlorodibenzofuran (HxCDF) | 1.07 J | 1.23 J | 1.53 J | 2.06 | 1.44 J | 1.25 J | 1.1 J | -- | -- | -- |
| Total Heptachlorodibenzofuran (HpCDF) | 2.54 J | 1.71 J | 2.75 J | 4.5 J | 2.26 J | 1.88 J | 3.46 J | -- | -- | -- |
| Total Dioxin/Furan (U = 1/2) | 41.048 J | 42.169 J | 52.98 J | 48.727 J | 42.124 J | 43.065 J | 49.132 J | -- | -- | -- |
| Total Dioxin/Furan (U = 0) | 1.629 J | 2.072 J | 2.168 J | 3.029 J | 2.549 J | 1.82 J | 1.619 J | -- | -- | -- |
| Total Dioxin/Furan TEQ 2005 (Mammal) (U = 1/2) | 0.71631 J | 0.69562 J | 0.802545 J | 0.86182 J | 0.705615 J | 0.61859 J | 0.76611 J | -- | -- | -- |
| Total Dioxin/Furan TEQ 2005 (Mammal) (U = 0) | 0.38565 J | 0.2606 J | 0.2698 J | 0.27734 J | 0.2985 J | 0.182 J | 0.1619 J | -- | -- | -- |
| PCB Congeners (ng/kg) | | | | | | | | | | |
| PCB-001 | 4.22 U | 4.03 U | 4.87 U | 3.39 U | 3.56 U | 4.47 U | 4.4 U | -- | -- | -- |
| PCB-002 | 3.65 U | 3.63 U | 4.2 U | 2.99 U | 3.22 U | 4.04 U | 3.98 U | -- | -- | -- |
| PCB-003 | 4.22 U | 4.03 U | 4.87 U | 4.28 J | 3.56 U | 4.47 U | 4.4 U | -- | -- | -- |
| PCB-004 | 33 J | 18.4 U | 27.3 J | 42.1 J | 14.9 U | 14.7 U | 17.4 U | -- | -- | -- |
| PCB-005 | 87.2 | 22.5 U | 8.11 U | 8.15 U | 25.3 U | 23.3 U | 27.2 U | -- | -- | -- |
| PCB-006 | 16.8 J | 16.7 U | 17.5 J | 27.2 J | 19 U | 17.8 U | 20.2 U | -- | -- | -- |
| PCB-007 | 5.7 U | 19 U | 8.11 U | 8.15 U | 21.3 U | 19.6 U | 23 U | -- | -- | -- |
| PCB-008 | 5.13 U | 39.2 J | 70.8 J | 125 | 56.3 J | 42.3 J | 48.8 J | -- | -- | -- |
| PCB-009 | 4.96 U | 16.7 U | 6.78 U | 8.15 J | 19 U | 17.8 U | 20.2 U | -- | -- | -- |
| PCB-010 | 5.24 U | 14.4 U | 6.12 U | 5.5 U | 11.5 U | 11 U | 13.3 U | -- | -- | -- |
| PCB-011 | 5.07 U | 17.3 U | 6.93 U | 6.79 U | 19 U | 17.8 U | 20.9 U | -- | -- | -- |
| PCB-012/013 | 4.05 J | 18.4 U | 11.1 J | 13.6 J | 20.1 U | 19 U | 21.6 U | -- | -- | -- |
| PCB-014 | 4.96 U | 16.7 U | 6.86 U | 6.79 U | 18.4 U | 17.2 U | 20.2 U | -- | -- | -- |
| PCB-015 | 86 | 132 | 218 | 297 | 163 | 137 | 135 | -- | -- | -- |
| PCB-016 | 50.2 J | 95.1 | 104 | 145 | 139 | 109 | 100 | -- | -- | -- |
| PCB-017 | 48 J | 32.3 J | 56 J | 107 | 56.9 J | 47.8 J | 53 J | -- | -- | -- |
| PCB-018/030 | 107 J | 160 | 242 | 359 | 247 | 186 | 202 | -- | -- | -- |
| PCB-019 | 33.8 J | 19 J | 39.5 J | 69.2 | 32.2 J | 27 J | 28.6 J | -- | -- | -- |
| PCB-020/028 | 481 | 1760 | 2040 | 2550 | 2030 | 1610 | 1610 | -- | -- | -- |
| PCB-021/033 | 108 J | 236 | 351 | 462 | 348 | 269 | 278 | -- | -- | -- |
| PCB-022 | 119 | 208 | 335 | 434 | 333 | 244 | 276 | -- | -- | -- |
| PCB-023 | 3.99 U | 7.49 U | 5.75 U | 4.68 U | 6.32 U | 5.7 U | 10.5 U | -- | -- | -- |
| PCB-024 | 4.33 U | 15 U | 5.24 U | 8.83 J | 13.2 U | 10.4 U | 8.37 U | -- | -- | -- |
| PCB-025 | 20.5 J | 46.7 J | 69.6 J | 91 | 63.2 | 49 J | 53 J | -- | -- | -- |
| PCB-026/029 | 39.8 J | 112 J | 148 | 198 | 144 | 111 J | 118 J | -- | -- | -- |
| PCB-027 | 15.6 J | 30 J | 41.1 J | 57 J | 40.8 J | 30.6 J | 31.4 J | -- | -- | -- |
| PCB-031 | 187 | 503 | 677 | 910 | 690 | 510 | 536 | -- | -- | -- |
| PCB-032 | 51.5 J | 38 J | 63.3 J | 113 | 59.2 | 50.2 J | 48.8 J | -- | -- | -- |
| PCB-034 | 3.87 U | 6.34 U | 5.6 U | 6.72 J | 5.11 U | 4.78 U | 8.37 U | -- | -- | -- |
| PCB-035 | 4.39 J | 4.96 U | 16.2 J | 21.1 J | 8.62 J | 3.68 U | 6.56 U | -- | -- | -- |
| PCB-036 | 3.08 U | 5.01 U | 4.5 U | 3.67 U | 4.02 U | 3.74 U | 6.7 U | -- | -- | -- |
| PCB-037 | 72.4 | 232 | 372 | 450 | 251 | 199 | 198 | -- | -- | -- |
| PCB-038 | 3.65 U | 5.48 U | 5.31 U | 4.34 U | 4.43 U | 4.11 U | 6.98 U | -- | -- | -- |
| PCB-039 | 3.82 U | 10.4 J | 17.3 J | 19.3 J | 12.7 J | 10.5 J | 10.5 J | -- | -- | -- |
| PCB-040/041/071 | 160 J | 551 | 811 | 1080 | 672 | 509 | 529 | -- | -- | -- |
| PCB-042 | 84.9 | 250 | 420 | 536 | 313 | 230 | 251 | -- | -- | -- |
| PCB-043 | 19.4 J | 91.1 | 111 | 138 | 92 | 74.8 | 80.3 | -- | -- | -- |
| PCB-044/047/065 | 298 | 1190 | 1590 | 1990 | 1370 | 1050 | 1080 | -- | -- | -- |
| PCB-045/051 | 45.6 J | 104 J | 145 J | 194 | 142 | 107 J | 112 J | -- | -- | -- |
| PCB-046 | 22.8 J | 66.9 | 90 | 121 | 85.6 | 71.1 | 71.2 | -- | -- | -- |
| PCB-048 | 72.9 | 365 | 476 | 618 | 418 | 331 | 331 | -- | -- | -- |
| PCB-049/069 | 142 | 411 | 684 | 849 | 586 | 409 | 446 | -- | -- | -- |
| PCB-050/053 | 56.4 J | 205 | 222 | 297 | 227 | 180 | 179 | -- | -- | -- |
| PCB-052 | 346 | 1190 | 1730 | 2170 | 1340 | 1030 | 1050 | -- | -- | -- |
| PCB-054 | 3.59 U | 9.22 U | 4.42 U | 8.15 U | 6.9 U | 6.74 U | 6.21 U | -- | -- | -- |
| PCB-055 | 6.27 U | 6.92 U | 6.12 U | 6.04 U | 8.62 U | 10.4 U | 9.77 U | -- | -- | -- |
| PCB-056 | 14.8 J | 35.2 J | 38.8 J | 50.3 J | 44.8 J | 33.7 J | 40.5 J | -- | -- | -- |
| PCB-057 | 5.3 U | 6.34 J | 5.6 J | 6.45 J | 6.9 J | 8.58 U | 8.37 U | -- | -- | -- |

Table 4
Caged Mussel Results - Dry Weight

| Location ID Sample ID Sample Date X Y | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 1212056.16326 316262.151069 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 1211788.46725 315424.288965 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 1211104.65844 315172.44362 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 1210323.39 312230.28 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 1213706.45 313556.13 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 1213098.71 315818.33 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_CJAR2-MTW01Z 1/14/2013 |
|---|---|---|---|--|--|--|--|------------------------------------|----------------------------------|---------------------------------------|
| PCB-058 | 6.27 U | 6.92 U | 5.97 U | 5.77 U | 8.05 U | 10.4 U | 9.77 U | -- | -- | -- |
| PCB-059/062/075 | 29.6 J | 123 J | 164 J | 208 | 143 J | 108 J | 108 J | -- | -- | -- |
| PCB-060 | 14.8 J | 33.4 J | 37.1 J | 46.7 J | 36.8 J | 28.8 J | 31.4 J | -- | -- | -- |
| PCB-061/070/074/076 | 172 J | 646 | 673 | 828 | 672 | 543 | 542 | -- | -- | -- |
| PCB-063 | 5.98 J | 24.3 J | 25.2 J | 32 J | 25.3 J | 19.6 J | 17.4 J | -- | -- | -- |
| PCB-064 | 90 | 227 | 417 | 517 | 329 | 227 | 248 | -- | -- | -- |
| PCB-066 | 4.9 U | 252 | 246 | 301 | 252 | 208 | 209 | -- | -- | -- |
| PCB-067 | 4.73 U | 22.3 J | 27.5 J | 31.8 J | 24.1 J | 19 J | 18.1 J | -- | -- | -- |
| PCB-068 | 6.27 U | 9.8 J | 11.7 J | 12.1 J | 8.62 J | 8.58 U | 8.37 U | -- | -- | -- |
| PCB-072 | 6.27 U | 11.8 J | 15.4 J | 18.1 J | 10.9 J | 10.4 J | 9.07 J | -- | -- | -- |
| PCB-073 | 6.27 U | 13.3 U | 5.68 U | 7.47 U | 13.8 U | 8.58 U | 10.5 U | -- | -- | -- |
| PCB-077 | 9.12 J | 21.3 J | 15.1 J | 19 J | 13.2 J | 9.8 J | 9.07 U | -- | -- | -- |
| PCB-078 | 5.41 U | 5.48 U | 5.31 U | 5.16 U | 6.32 U | 8.58 U | 7.68 U | -- | -- | -- |
| PCB-079 | 4.62 U | 4.84 U | 4.5 U | 5.57 J | 5.69 U | 7.35 U | 6.91 U | -- | -- | -- |
| PCB-080 | 4.9 U | 5.76 U | 4.72 U | 4.62 U | 6.9 U | 8.58 U | 8.37 U | -- | -- | -- |
| PCB-081 | 7.41 U | 11.5 J | 7.37 U | 7.47 U | 8.05 U | 10.4 U | 9.77 U | -- | -- | -- |
| PCB-082 | 10.8 J | 27.1 J | 29.5 J | 36 J | 29.9 J | 23.9 J | 26.5 J | -- | -- | -- |
| PCB-083/099 | 229 | 419 | 473 | 568 | 506 | 366 | 372 | -- | -- | -- |
| PCB-084 | 24.5 J | 57.1 | 72.3 J | 87.6 | 67.2 | 53.3 J | 57.9 J | -- | -- | -- |
| PCB-085/116/117 | 32.5 J | 78.4 J | 73 J | 88.3 J | 71.3 J | 70.5 J | 69.1 J | -- | -- | -- |
| PCB-086/087/097/109/119/125 | 80.9 J | 217 J | 242 J | 306 J | 240 J | 190 J | 205 J | -- | -- | -- |
| PCB-088/091 | 14.2 J | 38 J | 51.6 J | 74.7 J | 48.9 J | 34.3 J | 37 J | -- | -- | -- |
| PCB-089 | 6.27 U | 9.22 U | 9.59 U | 9.5 U | 9.77 U | 5.88 U | 10.5 U | -- | -- | -- |
| PCB-090/101/113 | 250 | 830 | 878 | 1120 | 845 | 643 | 678 | -- | -- | -- |
| PCB-092 | 52.4 J | 138 | 134 | 166 | 139 | 110 | 115 | -- | -- | -- |
| PCB-093/095/098/100/102 | 17.1 J | 46.1 J | 64.9 J | 84.9 J | 58 J | 47.5 J | 47.5 J | -- | -- | -- |
| PCB-094 | 6.27 U | 10.4 U | 10.3 U | 12.2 J | 10.3 U | 6.13 U | 11.2 U | -- | -- | -- |
| PCB-095 | 148 | 499 | 598 | 781 | 502 | 396 | 426 | -- | -- | -- |
| PCB-096 | 4.22 U | 7.49 J | 12.2 J | 16.3 J | 10.8 J | 6.74 J | 7.68 J | -- | -- | -- |
| PCB-103 | 6.1 J | 14.4 J | 14.7 J | 21 J | 13.8 J | 9.74 J | 11.9 J | -- | -- | -- |
| PCB-104 | 3.08 U | 1.15 U | 4.5 U | 6.79 U | 1.72 U | 2.63 U | 3.7 U | -- | -- | -- |
| PCB-105 | 6.84 U | 163 | 180 | 232 | 183 | 144 | 145 | -- | -- | -- |
| PCB-106 | 4.9 U | 3.57 U | 7.37 U | 4.75 U | 5.52 U | 5.39 U | 5.3 U | -- | -- | -- |
| PCB-107 | 5.13 U | 44.7 J | 42 J | 51.7 J | 46.6 J | 41.1 J | 43.3 J | -- | -- | -- |
| PCB-108/124 | 6.78 J | 13.9 J | 18.4 J | 21.7 J | 16.7 J | 14.8 J | 13.3 J | -- | -- | -- |
| PCB-110/115 | 158 | 469 | 575 | 726 | 539 | 397 | 427 | -- | -- | -- |
| PCB-111 | 4.5 U | 6.92 U | 7.08 U | 6.79 U | 6.9 U | 4.23 U | 7.68 U | -- | -- | -- |
| PCB-112 | 4.1 U | 6.92 U | 6.42 U | 6.31 U | 6.9 U | 4.23 U | 6.98 U | -- | -- | -- |
| PCB-114 | 6.84 U | 11 J | 10.3 U | 13.6 J | 8.62 J | 6.74 U | 6.35 U | -- | -- | -- |
| PCB-118 | 6.84 U | 522 | 580 | 733 | 548 | 429 | 444 | -- | -- | -- |
| PCB-120 | 3.99 U | 5.76 U | 6.27 U | 6.11 U | 5.75 U | 3.62 U | 6.28 U | -- | -- | -- |
| PCB-121 | 4.62 U | 7.49 U | 7.23 U | 6.79 U | 7.47 U | 4.53 U | 7.68 U | -- | -- | -- |
| PCB-122 | 5.53 U | 4.03 U | 8.85 U | 5.36 U | 6.32 U | 6.07 U | 6 U | -- | -- | -- |
| PCB-123 | 7.41 U | 9.34 J | 11.8 U | 7.47 U | 7.47 U | 7.35 U | 6.98 U | -- | -- | -- |
| PCB-126 | 6.84 U | 14.5 J | 11.1 U | 6.65 U | 6.9 U | 6.74 U | 6.63 U | -- | -- | -- |
| PCB-127 | 5.01 U | 3.57 U | 8.11 U | 4.82 U | 5.46 U | 5.33 U | 5.23 U | -- | -- | -- |
| PCB-128/166 | 39.3 J | 175 | 184 | 227 | 189 | 140 | 147 | -- | -- | -- |
| PCB-129/138/163 | 334 | 2050 | 2260 | 2870 | 2110 | 1500 | 1540 | -- | -- | -- |
| PCB-130 | 17.7 J | 69.7 | 81.1 | 91.6 | 83.3 | 58.8 J | 60 J | -- | -- | -- |
| PCB-131 | 9.12 U | 13.3 U | 14.7 J | 14.3 J | 12.6 U | 22.1 U | 22.3 U | -- | -- | -- |
| PCB-132 | 30.2 J | 205 | 279 | 356 | 226 | 146 | 174 | -- | -- | -- |
| PCB-133 | 7.41 J | 30.5 J | 28.8 J | 35.3 J | 35.1 J | 27 J | 25.1 J | -- | -- | -- |
| PCB-134/143 | 13.1 J | 58.8 J | 71.5 J | 93 J | 39.1 J | 31.3 J | 34.9 J | -- | -- | -- |
| PCB-135/151 | 98 J | 563 | 706 | 937 | 489 | 374 | 410 | -- | -- | -- |
| PCB-136 | 22.8 J | 137 | 173 | 237 | 125 | 91.9 | 97 | -- | -- | -- |

Table 4
Caged Mussel Results - Dry Weight

| Location ID Sample ID Sample Date X Y | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 1212056.16326 316262.151069 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 1211788.46725 315424.288965 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 1211104.65844 315172.44362 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 1210323.39 312230.28 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 1213706.45 313556.13 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 1213098.71 315818.33 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_CJAR2-MTW01Z 1/14/2013 |
|---|---|---|---|--|--|--|--|------------------------------------|----------------------------------|---------------------------------------|
| PCB-137 | 8.55 U | 16.7 J | 95.1 | 20.4 J | 17.8 J | 19.6 U | 19.5 U | -- | -- | -- |
| PCB-139/140 | 7.41 U | 15 J | 17 J | 19.7 J | 17.8 J | 17.2 U | 17.4 U | -- | -- | -- |
| PCB-141 | 9.69 J | 49.6 J | 76 | 100 | 60.9 | 42.3 J | 46.1 J | -- | -- | -- |
| PCB-142 | 7.98 U | 11.5 U | 9.59 U | 9.5 U | 10.9 U | 19 U | 19.5 U | -- | -- | -- |
| PCB-144 | 9.12 J | 70.9 | 93.7 | 131 | 62.6 | 41.1 J | 52.3 J | -- | -- | -- |
| PCB-145 | 6.84 U | 9.8 U | 8.11 U | 7.47 U | 14.9 U | 12.3 U | 11.2 U | -- | -- | -- |
| PCB-146 | 7.41 U | 333 | 327 | 413 | 361 | 259 | 256 | -- | -- | -- |
| PCB-147/149 | 213 | 1430 | 1640 | 2180 | 1350 | 1030 | 1030 | -- | -- | -- |
| PCB-148 | 7.98 U | 12.1 U | 9.59 U | 9.5 U | 17.8 U | 14.7 U | 14 U | -- | -- | -- |
| PCB-150 | 6.27 U | 10.4 U | 7.23 U | 6.79 U | 14.9 U | 12.3 U | 11.9 U | -- | -- | -- |
| PCB-152 | 5.7 U | 8.07 U | 6.86 U | 6.65 U | 12.1 U | 9.8 U | 9.07 U | -- | -- | -- |
| PCB-153/168 | 421 | 2320 | 2430 | 3180 | 2480 | 1740 | 1780 | -- | -- | -- |
| PCB-154 | 10.3 J | 24.8 J | 30.2 J | 40.7 J | 28.2 J | 19.6 J | 23 J | -- | -- | -- |
| PCB-155 | 3.93 U | 6.34 U | 4.65 U | 4.48 U | 9.77 U | 7.97 U | 7.68 U | -- | -- | -- |
| PCB-156/157 | 4.67 U | 118 | 131 J | 164 | 109 J | 74.1 J | 82.3 J | -- | -- | -- |
| PCB-158 | 18.8 J | 137 | 152 | 200 | 132 | 94.4 | 103 | -- | -- | -- |
| PCB-159 | 3.42 U | 4.27 U | 4.13 U | 6.79 U | 7.47 U | 5.27 U | 6.84 U | -- | -- | -- |
| PCB-160 | 6.27 U | 8.65 U | 8.11 U | 8.15 U | 8.62 U | 14.1 U | 14.7 U | -- | -- | -- |
| PCB-161 | 5.3 U | 7.49 U | 6.42 U | 6.38 U | 6.9 U | 12.3 U | 12.6 U | -- | -- | -- |
| PCB-162 | 3.76 U | 4.55 U | 4.57 U | 29.9 J | 8.05 U | 5.64 U | 6.98 U | -- | -- | -- |
| PCB-164 | 7.98 J | 40.3 J | 6.93 U | 67.9 | 44.3 J | 31.9 J | 32.8 J | -- | -- | -- |
| PCB-165 | 6.84 U | 9.22 U | 8.11 U | 8.15 U | 9.2 U | 15.3 U | 16.1 U | -- | -- | -- |
| PCB-167 | 10.1 J | 55.6 J | 63.9 J | 79.4 | 50 J | 39.8 J | 43.3 J | -- | -- | -- |
| PCB-169 | 4.96 U | 5.24 U | 5.97 U | 10.2 U | 9.2 U | 6.74 U | 8.37 U | -- | -- | -- |
| PCB-170 | 14.2 J | 126 | 172 | 223 | 147 | 90.1 | 99.1 | -- | -- | -- |
| PCB-171/173 | 12 J | 131 | 142 J | 189 | 128 | 87.6 J | 100 J | -- | -- | -- |
| PCB-172 | 10.3 U | 13.8 U | 14.7 J | 9.5 U | 17.8 U | 13.5 U | 11.9 U | -- | -- | -- |
| PCB-174 | 9.69 U | 13.8 U | 8.85 U | 8.83 U | 17.8 U | 13.5 U | 11.9 U | -- | -- | -- |
| PCB-175 | 11.4 U | 18.4 J | 20.6 J | 29.1 J | 14.4 U | 9.8 U | 11.2 U | -- | -- | -- |
| PCB-176 | 7.98 U | 51.9 J | 58.8 J | 79.4 | 46 J | 30.6 J | 34.2 J | -- | -- | -- |
| PCB-177 | 26.8 J | 255 | 267 | 350 | 240 | 171 | 197 | -- | -- | -- |
| PCB-178 | 18.2 J | 104 | 105 | 139 | 105 | 76 | 81.6 | -- | -- | -- |
| PCB-179 | 19.4 J | 168 | 196 | 267 | 152 | 116 | 123 | -- | -- | -- |
| PCB-180/193 | 6.84 U | 657 | 782 | 1030 | 644 | 425 | 467 | -- | -- | -- |
| PCB-181 | 10.8 U | 15 U | 9.59 U | 9.5 U | 19 U | 14.7 U | 12.6 U | -- | -- | -- |
| PCB-182 | 11.4 U | 8.07 U | 8.85 U | 6.52 U | 14.4 U | 9.8 U | 11.9 U | -- | -- | -- |
| PCB-183 | 29.6 J | 300 | 326 | 396 | 297 | 205 | 219 | -- | -- | -- |
| PCB-184 | 8.55 U | 6.34 U | 6.42 U | 4.68 U | 11.5 U | 7.35 U | 9.07 U | -- | -- | -- |
| PCB-185 | 12 U | 15.6 U | 10.3 U | 10.9 U | 20.1 U | 15.3 U | 13.3 U | -- | -- | -- |
| PCB-186 | 9.12 U | 6.92 U | 7.01 U | 5.09 U | 12.1 U | 7.97 U | 9.77 U | -- | -- | -- |
| PCB-187 | 11.4 U | 709 | 796 | 1040 | 695 | 490 | 525 | -- | -- | -- |
| PCB-188 | 7.98 U | 5.76 U | 5.97 U | 4.34 U | 10.9 U | 7.35 U | 8.37 U | -- | -- | -- |
| PCB-189 | 2.96 U | 30.9 J | 19.4 J | 26.5 J | 14.2 J | 11.3 J | 13.4 J | -- | -- | -- |
| PCB-190 | 7.41 U | 66.3 | 73.7 | 95.7 | 56.9 J | 38.6 J | 46.8 J | -- | -- | -- |
| PCB-191 | 7.41 U | 11 J | 16.4 J | 22.4 J | 12.6 U | 9.8 U | 8.37 U | -- | -- | -- |
| PCB-192 | 9.12 U | 12.1 U | 8.11 U | 8.15 U | 16.1 U | 11.6 U | 10.5 U | -- | -- | -- |
| PCB-194 | 7.01 J | 45 J | 57.5 J | 74 | 48.9 J | 28.2 J | 37 J | -- | -- | -- |
| PCB-195 | 5.7 U | 9.8 U | 6.86 U | 13.3 J | 8.62 U | 4.9 U | 9.07 U | -- | -- | -- |
| PCB-196 | 9.12 U | 10.4 U | 8.11 U | 10.2 J | 15.5 U | 10.4 U | 21.6 U | -- | -- | -- |
| PCB-197 | 6.84 U | 10.4 J | 10.5 J | 15.6 J | 12.1 U | 7.97 U | 16.7 U | -- | -- | -- |
| PCB-198/199 | 9.69 U | 10.4 U | 8.85 U | 8.83 J | 16.1 U | 10.4 U | 22.3 U | -- | -- | -- |
| PCB-200 | 6.27 U | 6.92 U | 5.68 U | 5.5 U | 10.3 U | 6.74 U | 14.7 U | -- | -- | -- |
| PCB-201 | 6.27 U | 27.7 J | 27.1 J | 33.8 J | 24.7 J | 19.6 J | 17.4 J | -- | -- | -- |
| PCB-202 | 10.3 J | 58.2 | 57.9 J | 67.9 | 63.8 | 44.7 J | 41.9 J | -- | -- | -- |
| PCB-203 | 9.69 U | 50.7 J | 58.3 J | 80.1 | 52.9 J | 33.1 J | 39.1 J | -- | -- | -- |

Table 4
Caged Mussel Results - Dry Weight

| Location ID Sample ID Sample Date | Composite PG-T0-MUS-COC-151030 10/30/2016 | PG-SMA2-2 PG-SMA2-2-MUS-COC-160104 1/4/2016 | PG-SMA2-4 PG-SMA2-4-MUS-COC-160105 1/5/2016 | PG-SMA2-5 PG-SMA2-5-MUS-COC-160104 1/4/2016 | PG-WS-1 PG-WS-1-MUS-COC-160104 1/4/2016 | PG-GP-1 PG-GP-1-MUS-COC-160104 1/4/2016 | PG-PJ-1 PG-PJ-1-MUS-COC-160104 1/4/2016 | -- 13CPS_DB-MTW01Z 1/10/2013 | -- 13EB_ME-MTW01Z 1/7/2013 | -- 13NPS_CJAR2-MTW01Z 1/14/2013 |
|--|---|---|---|---|---|---|---|------------------------------------|----------------------------------|---------------------------------------|
| X | -- | 1212056.16326 | 1211788.46725 | 1211104.65844 | 1210323.39 | 1213706.45 | 1213098.71 | -- | -- | -- |
| Y | -- | 316262.151069 | 315424.288965 | 315172.44362 | 312230.28 | 313556.13 | 315818.33 | -- | -- | -- |
| PCB-204 | 6.27 U | 6.92 U | 5.75 U | 5.5 U | 10.9 U | 7.35 U | 14.7 U | -- | -- | -- |
| PCB-205 | 5.47 U | 8.65 U | 7.74 J | 10.7 J | 8.05 U | 4.53 U | 8.37 U | -- | -- | -- |
| PCB-206 | 4.79 U | 6.92 U | 6.19 U | 5.43 U | 12.6 U | 9.19 U | 18.8 U | -- | -- | -- |
| PCB-207 | 3.76 U | 5.59 U | 4.87 U | 4.28 U | 9.77 U | 7.35 U | 14.7 U | -- | -- | -- |
| PCB-208 | 4.79 U | 7.49 U | 6.19 U | 5.43 U | 12.6 U | 9.19 U | 18.8 U | -- | -- | -- |
| PCB-209 | 5.19 U | 8.07 U | 5.97 U | 6.59 U | 16.7 U | 15.3 U | 14.7 U | -- | -- | -- |
| Total PCB Congener (U = 1/2) | 5862.385 J | 24149.58 J | 29198.39 J | 37593.615 J | 26486 J | 19800.96 J | 20645.06 J | -- | -- | -- |
| Total PCB Congener (U = 0) | 5579.83 J | 23841.07 J | 28973.34 J | 37416.23 J | 26086.46 J | 19416.48 J | 20184.55 J | -- | -- | -- |
| Total PCB Congener TEQ 2005 (Mammal) (U = 1/2) | 0.4192599 J | 1.5614752 J | 0.676726 J | 0.52608755 J | 0.51302415 J | 0.46179735 J | 0.48100895 J | -- | -- | -- |
| Total PCB Congener TEQ 2005 (Mammal) (U = 0) | 0.001215 J | 1.4828752 J | 0.030739 J | 0.039355 J | 0.0287046 J | 0.021926 J | 0.02184 J | -- | -- | -- |
| Dioxin Furans and PCB Congeners (ng/kg) | | | | | | | | | | |
| Total Dioxin/Furan and PCB Congener TEQ 2005 (Mammal) (Calculated U = 1/2) | 1.1355699 J | 2.2570952 J | 1.479271 J | 1.38790755 J | 1.21863915 J | 1.08038735 J | 1.24711895 J | -- | -- | -- |
| Total Dioxin/Furan and PCB Congener TEQ 2005 (Mammal) (Calculated U = 0) | 0.386865 J | 1.7434752 J | 0.300539 J | 0.316695 J | 0.3272046 J | 0.203926 J | 0.18374 J | -- | -- | -- |

Notes:

Bold = detected result

-- = results not reported or not applicable

µg/kg = micrograms per kilogram

cPAH = carcinogenic polycyclic aromatic hydrocarbon

HPAH = high molecular weight PAH

J = estimated value

LPAH = low molecular weight PAH

ng/kg = nanograms per kilogram

PAH = polycyclic aromatic hydrocarbons

PCB = polychlorinated biphenyls

pct = percent

TEQ = toxic equivalency

U = compound analyzed, but not detected above detection limit

UJ = compound analyzed, but not detected above estimated detection limit

Horizontal coordinate datum is NAD 1983 State Plane Washington North FIPS 4601 (US Survey Feet).

Results presented in this table are reported in dry weight basis.

Totals are calculated as the sum of all detected results (U=0). If all results are not detected, the highest method detection limit value is reported as the sum.

Totals are calculated as the sum of all detected results and half of the reporting limit of undetected results (U=1/2). If all results are not detected, the highest reporting limit value is reported as the sum.

USEPA Stage 2B and/or Stage 4 data validation was completed by Laboratory Data Consultants (LDC).

Total cPAH TEQ (7 minimum CAEPA 2005) calculation includes benzo(a)pyrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene and indeno(1,2,3-c,d)pyrene. Per MTCA

cleanup Regulation, Table 708-2 "Toxicity Equivalency Factors for Minimum Required Carcinogenic Polyaromatic Hydrocarbons (cPAHs) under WAC 173-340-708(e).

Total HPAH are the total of benzo(a)anthracene, benzo(a)pyrene, benzo(x)fluoranthenes, benzo(g,h,i)perylene, chrysene, dibenzo(a,h)anthracene, fluoranthene, indeno(1,2,3-c,d)pyrene, and pyrene.

Total LPAH are the total of acenaphthene, acenaphthylene, anthracene, fluorene, naphthalene, and phenanthrene. 2-Methylnaphthalene is not included in the sum of LPAHs.

Total PAH are the total of acenaphthene, acenaphthylene, anthracene, fluorene, naphthalene, and phenanthrene. 2-Methylnaphthalene is not included in the sum of LPAHs.

Total PAH are the total of acenaphthene, acenaphthylene, anthracene, fluorene, naphthalene, and phenanthrene. 2-Methylnaphthalene is not included.

Total PCB congeners is the sum of all PCB congeners listed in this table.

Dioxin/furan TEQ values were calculated with 2005 World Health Organization (WHO) TEF values for mammals.

FINAL VALIDATED DATA

Table 5
PEMD Data Summary

FINAL VALIDATED DATA

| Location ID Sample ID Sample Date Sample Type Matrix | FieldQC PG-FB-PEMD-151110 11/10/2015 FB PEMD | FieldQC PG-TB-PEMD-151110 11/10/2015 TB PEMD | PG-GP-1 PG-GP-1-PEMD-151109-A 11/9/2015 N PEMD | PG-PJ-1 PG-PJ-1-PEMD-151109-A 11/9/2015 N PEMD | PG-SMA2-1 PG-SMA2-1-PEMD-151110 11/10/2015 N PEMD | PG-SMA2-2 PG-SMA2-2-PEMD-151110 11/10/2015 N PEMD | PG-SMA2-3 PG-SMA2-3-PEMD-151110 11/10/2015 N PEMD | PG-SMA2-3 PG-SMA2-3-PEMD-151110 11/10/2015 N PEMD | PG-SMA2-4 PG-SMA2-4-PEMD-151109-A 11/9/2015 N PEMD | PG-SMA2-5 PG-SMA2-5-PEMD-151109-A 11/9/2015 N PEMD | PG-WS-1 PG-WS-1-PEMD-151109-A 11/9/2015 N PEMD | |
|--|--|--|--|--|---|---|---|---|--|--|--|--|
| | -- | -- | 1213706.45 | 1213098.71 | 1211968.535 | 1212056.163 | 1211903.837 | 1211903.837 | 1211788.467 | 121104.658 | 1210323.39 | |
| | -- | -- | 313556.13 | 315818.33 | 316739.5296 | 316262.1511 | 315728.9093 | 315728.9093 | 315424.289 | 315172.4436 | 312230.28 | |
| Polycyclic Aromatic Hydrocarbons (µg/kg) | | | | | | | | | | | | |
| 2-Methylnaphthalene | 58.7 J | 7.28 J | 8.97 J | 8.56 J | 7.17 J | 5.38 J | 5.79 J | 7.41 J | 13.5 J | 5.04 J | 10.8 J | |
| Acenaphthene | 48.4 J | 1.24 J | 11.7 J | 13.3 J | 10.3 J | 16.3 J | 13.2 J | 67.5 J | 54.3 J | 13.9 J | 14.5 J | |
| Acenaphthylene | 1.61 J | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.26 J | 1.29 J | 1.75 J | 1.51 J | 1.4 UJ | 1.12 UJ | |
| Anthracene | 1.71 J | 2.4 J | 7.53 J | 8.87 J | 13.5 J | 19.1 J | 24.3 J | 34.2 J | 22.2 J | 12.7 J | 7.33 J | |
| Benzo(a)anthracene | 1.12 UJ | 1.12 UJ | 5.69 J | 6.71 J | 18.9 J | 11.7 J | 32.4 J | 15.8 J | 14.2 J | 8.82 J | 4.94 J | |
| Benzo(a)pyrene | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 2.21 J | 1.84 J | 7.07 J | 1.86 J | 1.4 J | 1.4 UJ | 1.12 UJ | |
| Benzo(b)fluoranthene | 1.12 UJ | 1.12 UJ | 2.2 J | 2.29 J | 4.49 J | 3.13 J | 9.23 J | 3.87 J | 3.24 J | 2.3 J | 1.87 J | |
| Benzo(e)pyrene | 1.12 UJ | 1.12 UJ | 1.33 J | 1.44 J | 2.72 J | 1.97 J | 5.71 J | 2.43 J | 2.02 J | 1.4 UJ | 1.19 J | |
| Benzo(g,h,i)perylene | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.48 J | 1.12 UJ | 1.12 UJ | 1.4 UJ | 1.12 UJ | |
| Benzo(k)fluoranthene | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.81 J | 1.3 J | 4.1 J | 1.52 J | 1.24 J | 1.4 UJ | 1.12 UJ | |
| Chrysene | 1.12 UJ | 1.12 UJ | 5.93 J | 7.48 J | 17.3 J | 11 J | 28.6 J | 14.1 J | 13.2 J | 8.11 J | 5.66 J | |
| Dibenzo(a,h)anthracene | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.4 UJ | 1.12 UJ | |
| Fluoranthene | 12.6 J | 4.17 J | 63.5 J | 75.9 J | 280 J | 186 J | 353 J | 332 J | 231 J | 88.9 J | 68.2 J | |
| Fluorene | 23.6 J | 1.48 J | 12.5 J | 16.1 J | 12 J | 22.7 J | 19.1 J | 63.2 J | 44.6 J | 18.4 J | 16.8 J | |
| Indeno(1,2,3-c,d)pyrene | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.35 J | 1.12 UJ | 1.12 UJ | 1.4 UJ | 1.12 UJ | |
| Naphthalene | 41.9 J | 19.9 J | 15.6 J | 15.3 J | 14.6 J | 5.47 UJ | 10.8 J | 9.72 J | 19.6 J | 9.1 J | 19.1 J | |
| Perylene | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.12 UJ | 1.75 J | 1.12 UJ | 1.12 UJ | 1.4 UJ | 1.12 UJ | |
| Phenanthrene | 32.1 J | 3.44 J | 59.5 J | 72.3 J | 80.5 J | 186 J | 204 J | 364 J | 216 J | 75.2 J | 70.9 J | |
| Pyrene | 7.47 | 5.21 | 37.6 | 50.2 | 179 | 77.6 | 198 | 110 | 102 | 56.9 | 40.6 | |
| Total cPAH TEQ (7 minimum CAEPA 2005) (U = 1/2) | 1.12 UJ | 1.12 UJ | 1.5763 J | 1.7028 J | 5.015 J | 3.675 J | 12.12 J | 4.232 J | 3.512 J | 2.1031 J | 1.4656 J | |
| Total HPAH (SMS) (U = 1/2) | 24.55 J | 13.86 J | 117.72 J | 145.38 J | 505.39 J | 294.25 J | 635.79 J | 480.83 J | 367.96 J | 168.53 J | 124.07 J | |
| Total LPAH (SMS) (U = 1/2) | 149.32 J | 29.02 J | 107.39 J | 126.43 J | 131.46 J | 248.1 J | 272.69 J | 540.37 J | 358.21 J | 130 J | 129.19 J | |
| Total PAH (SMS) (U = 1/2) | 173.87 J | 42.88 J | 225.11 J | 271.81 J | 636.85 J | 542.35 J | 908.48 J | 1021.2 J | 726.17 J | 298.53 J | 253.26 J | |
| Total cPAH TEQ (7 minimum CAEPA 2005) (U = 0) | 1.12 UJ | 1.12 UJ | 0.8483 J | 0.9748 J | 4.903 J | 3.563 J | 12.064 J | 4.12 J | 3.4 J | 1.1931 J | 0.7376 J | |
| Total HPAH (SMS) (U = 0) | 20.07 J | 9.38 J | 114.92 J | 142.58 J | 503.71 J | 292.57 J | 635.23 J | 479.15 J | 366.28 J | 165.03 J | 121.27 J | |
| Total LPAH (SMS) (U = 0) | 149.32 J | 28.46 J | 106.83 J | 125.87 J | 130.9 J | 245.36 J | 272.69 J | 540.37 J | 358.21 J | 129.3 J | 128.63 J | |
| Total PAH (SMS) (U = 0) | 169.39 J | 37.84 J | 221.75 J | 268.45 J | 634.61 J | 537.93 J | 907.92 J | 1019.52 J | 724.49 J | 294.33 J | 249.9 J | |

Notes:

Bold = Detected result

-- = results not reported or not applicable

cPAH = carcinogenic polycyclic aromatic hydrocarbon

FB = field blank sample

HPAH = high molecular weight PAH

J = estimated value

LPAH = low molecular weight PAH

N = normal field sample

PAH = polycyclic aromatic hydrocarbons

TEQ = toxic equivalency

U = compound analyzed, but not detected above detection limit

µg/kg = micrograms per kilogram

UJ = Compound analyzed, but not detected above estimated detection limit

Horizontal coordinate datum is NAD 1983 State Plane Washington North FIPS 4601 (US Survey Feet).

All undetect results are reported at the reporting limit.

USEPA Stage 2B data validation was completed by Laboratory Data Consultants (LDC).

Total cPAH TEQ (7 minimum CAEPA 2005) calculation includes benzo(a)pyrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene and indeno(1,2,3-c,d)pyrene. Per MTCA cleanup Regulation, Table 708-2 "Toxicity Equivalency Factors for Minimum Required Carcinogenic Polyaromatic Hydrocarbons (cPAHs) under WAC 173-340-708(e).

Total HPAH are the total of benzo(a)anthracene, benzo(a)pyrene, benzo(x)fluoranthenes, benzo(g,h,i)perylene, chrysene, dibenzo(a,h)anthracene, fluoranthene, indeno(1,2,3-c,d)pyrene, and pyrene.


Total LPAH are the total of acenaphthene, acenaphthylene, anthracene, fluorene, naphthalene, and phenanthrene. 2-Methylnaphthalene is not included in the sum of LPAHs.

Total PAH are the total of acenaphthene, acenaphthylene, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(x)fluoranthenes, benzo(g,h,i)perylene, chrysene, dibenzo(a,h)anthracene, fluoranthene, fluorene, indeno(1,2,3-c,d)pyrene, naphthalene, phenanthrene, and pyrene. 2-Methylnaphthalene is not included.


FINAL VALIDATED DATA


FIGURES

Apr 08, 201 10:09pm chawett
C:\Projects\0388-Pope Resources\Port Gamble Sediment Cleanup RI-FSI\Strategic Technical Support\0388-01-001 (SMA) - ffsets.dwg Ft (vicinity)



HORIZONTAL DATUM: Washington State Plane North, AD83, S. Feet.






HORIZONTAL DATUM: Washington State Plane North, NAD83, U.S. Feet.


LEGEND:

- SMA Area
- ◆ WDFW PEMD Sample Location
- Actual CoC Caged Mussel Sample Locations, Year 1

NOTES:

1. For in-situ wild shellfish sampling, historical sampling areas will be reoccupied and target species to be collected will consist of those previously sampled (see Tables 2-5).






HORIZONTAL DATUM: Washington State Plane North, NAD83, U.S. Feet.


LEGEND:


- SMA Area
- WDFW Caged Mussel Sampling Location (2014/2015)
- Actual CoC PEMD Sample Locations, Year 1


NOTES:


1. For in-situ wild shellfish sampling, historical sampling areas will be reoccupied and target species to collected will consist of those previously sampled (see Tables 2-5).














Figure 8
PEMD Total PAH Levels
Year 1 Shellfish Monitoring Data Report
Port Gamble Bay Cleanup Project

APPENDIX A
PORT GAMBLE BAY SHELLFISH
MONITORING PLAN



SHELLFISH MONITORING PLAN PORT GAMBLE BAY CLEANUP PROJECT

Prepared for

Washington State Department of Ecology

Washington Department of Health

Pope Resources, LP/OPG Properties, LLC

Prepared by

Anchor QEA, LLC

Port Gamble S'Klallam Tribe

May 2015

SHELLFISH MONITORING PLAN

PORT GAMBLE BAY CLEANUP PROJECT

Prepared for

Washington State Department of Ecology

Washington Department of Health

Pope Resources, LP/OPG Properties, LLC

Prepared by

Anchor QEA, LLC

Port Gamble S'Klallam Tribe

May 2015

TABLE OF CONTENTS

| | | |
|----------|--|----------|
| 1 | INTRODUCTION | 1 |
| 1.1 | Project Overview | 1 |
| 1.2 | Study Area | 3 |
| 1.3 | Construction Sequencing..... | 3 |
| 1.4 | Human Health Contaminants..... | 4 |
| 1.5 | Tissue Screening Levels | 4 |
| 1.5.1 | Shellfish Biotoxin Monitoring..... | 4 |
| 1.5.2 | Shellfish CoC Monitoring..... | 6 |
| 1.6 | Baseline Monitoring Data..... | 7 |
| 1.7 | Document Organization | 8 |
| 2 | DATA GENERATION AND ACQUISITION | 0 |
| 2.1 | Sampling Design..... | 0 |
| 2.1.1 | Shellfish Tissue Sampling..... | 0 |
| 2.1.1.1 | Caged Mussel Biotoxin Sampling Design | 0 |
| 2.1.1.2 | Caged Mussel CoC Sampling Design | 1 |
| 2.1.1.3 | In Situ Shellfish Biotoxin Sampling Design | 2 |
| 2.1.1.4 | In Situ Shellfish CoC Sampling Design | 2 |
| 2.1.2 | Water Column PAH Monitoring Using PEMDs | 2 |
| 2.2 | Sample Collection, Processing, and Handling Procedures | 3 |
| 2.2.1 | Caged Mussels..... | 3 |
| 2.2.1.1 | Species | 3 |
| 2.2.1.2 | Equipment..... | 3 |
| 2.2.1.3 | Deployment of Caged Mussels for Biotoxin Analyses..... | 4 |
| 2.2.1.4 | Deployment of Caged Mussels for CoC Analyses..... | 4 |
| 2.2.2 | In Situ Shellfish Sampling for CoCs | 5 |
| 2.2.3 | Passive Sampling with PEMDs | 5 |
| 2.2.3.1 | Equipment..... | 5 |
| 2.2.3.2 | Deployment of PEMDs | 6 |
| 2.2.4 | Sample Identification and Labels..... | 6 |
| 2.2.5 | Station Positioning | 7 |
| 2.2.6 | Shellfish Tissue Retrieval and Processing..... | 7 |

| | | |
|----------|--|-----------|
| 2.2.6.1 | Caged Mussels for Biotoxins | 7 |
| 2.2.6.2 | Caged Mussels for CoCs | 8 |
| 2.2.6.3 | In Situ Shellfish for CoCs | 8 |
| 2.2.7 | PEMD Retrieval and Processing..... | 8 |
| 2.3 | Sample Handling Requirements..... | 9 |
| 2.3.1 | Decontamination Procedures | 9 |
| 2.3.1.1 | Field Sampling Equipment..... | 9 |
| 2.3.2 | Investigation Derived Waste Management..... | 9 |
| 2.3.3 | Sample Custody and Shipping Requirements | 10 |
| 2.4 | Laboratory Analytical Methods..... | 11 |
| 2.4.1 | Tissue for Biotoxins | 11 |
| 2.4.2 | Tissue for CoCs | 12 |
| 2.4.2.1 | Tissue Analyses..... | 12 |
| 2.4.2.2 | Tissue Processing..... | 12 |
| 2.4.3 | PEMDs | 12 |
| 2.5 | Quality Assurance/Quality Control | 12 |
| 2.6 | Instrument/Equipment Testing, Inspection, and Maintenance Requirements | 13 |
| 2.6.1 | Field Instruments/Equipment..... | 13 |
| 2.6.2 | Laboratory Instruments/Equipment..... | 13 |
| 2.7 | Inspection/Acceptance of Supplies and Consumables | 14 |
| 2.8 | Non-Direct Measurements | 14 |
| 2.9 | Data Management | 14 |
| 3 | PROJECT MANAGEMENT | 15 |
| 3.1 | Data Quality Objectives..... | 15 |
| 3.1.1 | Precision..... | 15 |
| 3.1.2 | Accuracy | 15 |
| 3.1.3 | Representativeness | 15 |
| 3.1.4 | Comparability | 15 |
| 3.1.5 | Completeness..... | 16 |
| 3.1.6 | Sensitivity | 16 |
| 3.2 | Special Training Requirements/Certifications..... | 16 |
| 3.3 | Documentation and Records | 16 |
| 3.3.1 | Field Records | 16 |

| | | |
|----------|--|-----------|
| 3.3.2 | Analytical Records..... | 17 |
| 3.3.3 | Data Reduction | 19 |
| 4 | ASSESSMENTS AND OVERSIGHT..... | 20 |
| 4.1 | Compliance Assessments | 20 |
| 4.2 | Response and Corrective Actions..... | 20 |
| 4.2.1 | Field Activities..... | 20 |
| 4.2.2 | Laboratory..... | 20 |
| 4.3 | Reports to Management..... | 21 |
| 5 | DATA VALIDATION AND USABILITY..... | 22 |
| 5.1 | Data Review, Validation, and Verification..... | 22 |
| 5.2 | Validation and Verification Methods | 22 |
| 5.3 | Reconciliation with User Requirements..... | 23 |
| 6 | REFERENCES | 25 |

List of Tables

| | |
|---------|--|
| Table 1 | Shellfish Screening Levels |
| Table 2 | Sampling Design Summary |
| Table 3 | Sample Size, Holding Time, and Preservation for Physical/Chemical Analyses |
| Table 4 | Tissue Parameters for Chemical Analyses and Analytical Methods |
| Table 5 | PEMD Parameters for Chemical Analyses and Analytical Methods |
| Table 6 | Laboratory Quality Control Sample Analysis Summary |
| Table 7 | Data Quality Objectives |

List of Figures

| | |
|----------|--|
| Figure 1 | Vicinity Map |
| Figure 2 | Proposed and Historical Bay Sampling Locations |
| Figure 3 | SMA-1 and SMA-2 Caged Mussel and PEMD Sampling Locations |

List of Appendices

| | |
|------------|-------------------------------|
| Appendix A | Port Gamble Bay Baseline Data |
|------------|-------------------------------|

LIST OF ACRONYMS AND ABBREVIATIONS

| | |
|----------|--|
| µg | micrograms |
| CAP | <i>Final Cleanup Action Plan</i> |
| CD | Consent Decree |
| cPAH | carcinogenic polycyclic aromatic hydrocarbon |
| CLP | Contract Laboratory Program |
| CoC | contaminant of concern |
| cy | cubic yard |
| DGPS | Differential Global Positioning System |
| DQO | data quality objective |
| Ecology | Washington State Department of Ecology |
| EDL | estimated detection limit |
| EDR | <i>Engineering Design Report</i> |
| EMNR | enhanced monitored natural recovery |
| FDA | Food and Drug Administration |
| GPS | global positioning system |
| HAZWOPER | Hazardous Waste Operations and Emergency Response |
| HDPE | high-density polyethylene |
| MDL | method detection limit |
| mg/kg | milligrams per kilogram |
| MLLW | mean lower low water |
| mm | millimeters |
| MRL | method reporting limit |
| MTCA | Model Toxics Control Act |
| NELAC | National Environmental Laboratory Accreditation Conference |
| PAH | polycyclic aromatic hydrocarbon |
| PCB | polychlorinated biphenyl |
| PEMD | polyethylene membrane device |

| | |
|--------|--|
| PGST | Port Gamble S'Klallam Tribe |
| PR/OPG | Pope Resources, LP/OPG Properties, LLC |
| PSP | paralytic shellfish poisoning |
| RCW | Revised Code of Washington |
| QA | quality assurance |
| QC | quality control |
| SOP | standard operating procedure |
| SMA | sediment management area |
| SMS | Sediment Management Standards |
| SMP | Shellfish Monitoring Plan |
| USACE | U.S. Army Corps of Engineers |
| WAC | Washington Administrative Code |
| WDFW | Washington Department of Fish and Wildlife |
| WDOH | Washington Department of Health |

1 INTRODUCTION

Port Gamble Bay (“Site”) is one of seven bays in Puget Sound identified for sediment cleanup under Ecology’s Toxics Cleanup Program Puget Sound Initiative. Site cleanup requirements are described in the *Final Cleanup Action Plan* (CAP; Ecology 2013), and will be implemented in accordance with the requirements of Consent Decree (CD) 13-2-02720-0 between the Washington State Department of Ecology (Ecology) and Pope Resources, LP/Olympic Property Group, LLC (PR/OPG), entered in December 2013. The *Engineering Design Report* (EDR; Anchor QEA 2014) presents detailed plans for the cleanup project, which will be performed by PR/OPG under Ecology oversight.

Cleanup of the Site is being performed consistent with the requirements of the Model Toxics Control Act (MTCA), Chapter 70.105D in the Revised Code of Washington (RCW), as administered by Ecology under the MTCA Cleanup Regulation, Chapter 173-340 of the Washington Administrative Code (WAC), and with the Sediment Management Standards (SMS) Chapter 173-204 WAC. Cleanup actions will also comply with the requirements of the U.S. Army Corps of Engineers (USACE) Nationwide 38 Permit for the Port Gamble Bay Cleanup Project (NWS-2013-1270).

This *Shellfish Monitoring Plan* (SMP) describes the sampling and analysis plan for shellfish monitoring to be conducted during pile removal, intertidal excavation, and dredging activities and immediately following completion of cleanup construction actions at the Site. While not a MTCA or SMS requirement, shellfish monitoring will be performed as requested by tribes, consistent with USACE permit requirements. This SMP describes data quality objectives (DQOs), sampling and analytical methods, quality assurance/quality control (QA/QC) procedures, and data management to monitor shellfish during pile removal, intertidal excavation, and dredging activities and immediately following completion of cleanup construction actions.

1.1 Project Overview

Cleanup construction activities within individual sediment management areas (SMAs) of the Site will include the following (Figure 1):

- Removal of approximately 5,800 creosote-treated wood piles as practicable (including piles supporting overwater structures), along with approximately 55,000 square feet of overwater structure
- Excavation (primarily during low tide conditions) of approximately 26,000 cubic yards (cy) of intertidal sediments in SMA-1 and SMA-2, and capping/backfilling the excavation areas with 24 inches of clean material
- Dredging of approximately 40,000 cy of subtidal wood waste in SMA-1 and SMA-2, and placement of a 6-inch-thick layer of clean sand/silt to manage dredging residuals
- Advanced mitigation of impacts to existing native eelgrass in some of the SMA-1 and SMA-2 dredging areas by constructing and planting 24,000 square feet of eelgrass habitat at a 1:1 ratio in a mitigation area located in the southern portion of SMA-2
- Placement of a 1-foot-thick layer of silty sand and/or gravel material over approximately 3 subtidal acres in SMA-1, and placement of a 4-foot-thick sand and/or silt cap over approximately 7 subtidal acres in SMA-2
- Placement of 6 inches of sand/silt enhanced monitored natural recovery (EMNR) material over approximately 68 subtidal acres in SMA-2 and SMA-3

The cleanup action is described in detail in the EDR (Anchor QEA 2014).

Sampling and analysis during construction will be performed using various methods to address overall project monitoring objectives, including:

- **Water Quality Monitoring:** described in the *Water Quality Monitoring Plan* included as a part of Appendix E to the EDR, and performed by PR/OPG's contractors with Ecology oversight (separate from this SMP)
- **Shellfish Biotoxin Monitoring:** described in this SMP using caged mussel sampling performed by the Port Gamble S'Klallam Tribe (PGST) and paralytic shellfish poisoning (PSP) analysis performed by Washington Department of Health (WDOH)
- **Shellfish Contaminant of Concern (CoC) Monitoring:** described in this SMP using three complementary monitoring approaches performed by PR/OPG's contractors:
 - Caged mussel sampling and analysis of CoCs
 - Monitoring of water column carcinogenic polycyclic aromatic hydrocarbon (cPAH) concentrations using passive ethylene membrane devices (PEMDs)

- In situ shellfish monitoring if caged mussel tissue concentrations exceed intermediate risk screening levels, and at the completion of in-water construction (currently anticipated in January 2017)

The shellfish biotoxin and CoC monitoring plans are described in detail in this SMP.

1.2 Study Area

Port Gamble Bay is located in Kitsap County and encompasses more than 2 square miles of intertidal and subtidal habitat. The bay and surrounding areas support diverse aquatic and upland habitats, as well as resources for fishing, shellfish harvesting, and many other aquatic uses. The area surrounding the bay remains largely rural in nature, though more than 100 acres of the basin are currently in commercial land use, largely in the Gamble Creek watershed. The PGST Reservation is located east of the bay.

The Site is divided into SMAs as shown on Figure 1. Shellfish monitoring will be conducted during cleanup construction activities within SMA-1, SMA-2, and SMA-3.

1.3 Construction Sequencing

The cleanup project is anticipated to be completed within two construction seasons, and will be sequenced to maximize overall protectiveness. Subject to final permitting approvals, full-scale construction is scheduled to begin in July/August 2015. Work will occur during approved in-water work windows, with demolition preceding excavation, and intertidal excavation above mean lower low water (MLLW) occurring in dry conditions prior to subtidal dredging. Dredging and excavation will be followed by placement of clean residuals cover, EMNR material, and in-water engineered caps. All construction actions within an individual SMA are targeted to be completed within a single construction season; placement of eelgrass habitat bench material in SMA-2 will occur in Year 1. This SMP assumes that 2015 construction will begin in SMA-2; however, the selected contractor will refine the construction sequence and schedule as appropriate, subject to Ecology approval.

1.4 Human Health Contaminants

The CAP (Ecology 2013) evaluated a series of human health CoCs: metals (arsenic, cadmium, copper, and mercury), cPAHs, polychlorinated biphenyls (PCBs), and dioxins/furans. Of this list, cadmium, cPAHs, and dioxins/furans were identified as Site-related human health CoCs. Ecology identified cPAHs as the primary human health CoC throughout the Site; dioxins/furans were identified as a human health CoC in limited areas of the Site, and cadmium was identified as a low-level human health CoC.

In addition to the Site-related CoCs, the affected tribes are also interested in expanding shellfish monitoring to include PCBs. Moreover, PGST and WDOH currently monitor biotoxins to inform tribal members and the public about potential PSP risks from consumption of shellfish harvested from Port Gamble Bay. These additional monitoring elements are included in this SMP.

1.5 Tissue Screening Levels

This section describes shellfish tissue screening levels and response actions if screening levels are exceeded for biotoxins and/or CoCs resulting from in-water construction activities. A summary of the screening levels are presented in Table 1; further details are provided in Sections 1.5.1 and 1.5.2.

1.5.1 Shellfish Biotoxin Monitoring

PSP is a serious illness, caused by eating shellfish that have consumed large amounts of toxin-producing microscopic phytoplankton. Throughout the Pacific Coast, *Alexandrium sp.* is the primary cause of PSP, and most species of shellfish in Washington have been found to contain PSP toxin at one time or another (WDOH 2015a). *Alexandrium* is a dinoflagellate that spends part of its life cycle as a cyst in the sediment before germinating to become a vegetative cell (Anderson 1998). Once vegetative cells enter the water following cyst germination, their growth and transport are affected by circulation, nutrients, stratification, and other chemical and physical factors including sunlight, water temperature, and salinity (Anderson 1998; USEPA 2013). Mussels have been shown to rapidly accumulate PSP toxin. As a result, the PSP toxin levels in mussels are a good index of the abundance of *Alexandrium sp.* present in the water column.

Mussels placed in cages at strategic sites are currently used as the primary element of the WDOH marine biotoxin monitoring and contingency plan (WDOH 2015a). Within Port Gamble Bay, a single sentinel caged mussel tissue location has been established at a primary PGST shellfish harvesting beach (Figure 2), and is currently monitored by PGST and WDOH every other week from May through October. Advisory closures are in effect when any mussel sample equals or exceeds Food and Drug Administration (FDA) regulatory levels (equal to or greater than 80 micrograms [μg] of PSP toxin per 100 g of shellfish tissue; Table 1). An area is reopened when two successive samples, collected at least 7 days apart, fall below 80 $\mu\text{g}/100$ g of PSP toxin.

In addition to the current monitoring by WDOH and PGST, PGST will perform additional weekly sampling of caged mussels during in-water construction (i.e., pile removal, intertidal excavation, and/or subtidal dredging) from July 15 to October 31. Between November 1 and January 14, PGST will sample caged mussels every other week. Additional sampling will be conducted by PGST using the same procedures currently used by WDOH for their ongoing PSP monitoring in Port Gamble Bay. PR/OPG will be responsible for payment of these additional samples that are above and beyond the current every other week sampling between May and October.

If PSP toxins are detected above FDA regulatory levels in caged mussels, WDOH performs in situ sampling and PSP analysis of subsistence species (oyster, manila, cockle, and butter clam), as this constitutes a public health necessity. WDOH will determine the appropriate frequency for in situ subsistence sampling based on results, and will continue sampling until all species are non-detect for PSP.

Because PSP outbreaks cannot generally be controlled once they are initiated, no contingency actions related to the cleanup will be required if a PSP outbreak occurs in Port Gamble Bay during the first in-water construction season. WDOH may decide to initiate closures of shellfish beds depending on the nature and extent of the PSP outbreak. If a PSP exceedance occurs during the first in-water construction season, adaptive management measures may be implemented during the second in-water construction season, depending on the cause of the PSP outbreak. In addition, if no potential cleanup-related PSP

exceedances occur during the first construction season, the PSP monitoring may be adjusted as appropriate during the second construction season.

1.5.2 Shellfish CoC Monitoring

As discussed in the CAP (Ecology 2013), in addition to reducing risks to benthic organisms from wood waste exposure, one of the other primary objectives of the Port Gamble Bay cleanup project is to:

Eliminate, reduce, or otherwise control to the extent practicable risks to humans from ingestion of seafood containing chemicals that exceed risk-based concentrations and/or natural background concentrations.

The CAP (Ecology 2013) recognized the potential for short-term increases in risks from pile and sediment removal, and balanced such short-term risks with the long-term protection that will result from removing these materials. The EDR incorporates best management practices and other engineering controls to minimize cleanup-related CoC releases and exposures to the extent practicable. Nevertheless, increases in short-term shellfish tissue CoC concentrations, particularly at locations immediately adjacent to SMA-1 and SMA-2, are possible during construction of the Port Gamble Bay cleanup project, followed by accelerated long-term recovery.

In consideration of the overall objectives of the Port Gamble Bay cleanup project, WDOH (2015b) developed short-term shellfish tissue screening levels for intermediate-duration shellfish consumption exposures using toxicological profile data for Site CoCs (as well as PCBs) available from the Agency for Toxic Substances and Disease Control for non-cancer endpoints, based the most sensitive endpoint that, in their best judgment, represents the most sensitive human health effect for a given exposure route and duration. The WDOH screening levels, which assumed a high-level (subsistence) shellfish consumption rate of 499 g per day, are summarized in Table 1. Because the WDOH calculated screening level for cadmium (0.079 milligrams per kilogram [mg/kg]) is below the natural background tissue concentration reported by Ecology (2012), the cadmium screening level was revised upwards to two times the natural background tissue level (0.52 mg/kg; see Table 1). The screening levels will be refined and updated as necessary during implementation of this SMP.

The caged mussel PSP and CoC monitoring data will be compared with appropriate tissue screening levels. If tissue screening levels are exceeded in caged mussel tissue samples during in-water removal actions (i.e., pile removal, intertidal excavation, and subtidal dredging), supplemental in situ shellfish monitoring will be conducted as specified in Sections 2.1.1.3 and 2.1.1.4. In situ shellfish monitoring for CoCs will also be performed at the completion of in-water construction in Year 2 (currently anticipated January 2017) to document post-construction shellfish quality conditions.

There are no screening levels for in situ shellfish monitoring, though the values summarized in Table 1 may be used by tribal shellfish managers and WDOH to provide advisories to tribal members and the public. Similarly, there are no screening levels for passive sampling of water column PAH concentrations using PEMDs. However, PEMD results will be compared with caged mussel tissue PAH concentrations to evaluate the effectiveness of PEMDs as a proxy to more precisely monitor tissue PAH concentration trends.

1.6 Baseline Monitoring Data

Baseline data are available for all shellfish monitoring elements to allow comparison with data collected during the in-water construction period. As described in more detail in later sections of this document, all data collected under this SMP will be obtained using methods and procedures equivalent to those used during the baseline monitoring. Baseline monitoring stations to be reoccupied as part of this SMP are depicted in Figure 2. The available SMP baseline data are summarized as follows:

- **Shellfish Biotoxin Monitoring:** Biweekly PSP analyses of samples collected during the May to October period since 2008 from the PGST beach location (Figure 2) are summarized in Appendix A-1.
- **Shellfish CoC Monitoring:**
 - *Caged mussel sampling and analysis of CoCs:* Caged mussels were deployed at 28 locations in Port Gamble Bay in December 2014, and successfully retrieved in February 2015 (WDFW 2014a). Mussel tissue samples were analyzed for cPAHs, dioxins/furans, cadmium, PCBs, and other ancillary chemicals; the baseline data are summarized in Appendix A-2 (*pending until June/July 2015*).

- *Water column cPAH monitoring using PEMDs:* As part of the Ecology/ Washington Department of Fish and Wildlife (WDFW) herring embryo study (WDFW 2014b), PEMDs were deployed at 40 locations in Port Gamble Bay between February and April 2014, and equilibrated for 10 days before retrieval. PEMDs were analyzed for cPAHs and other ancillary chemicals; the baseline data are summarized in Appendix A-3 (*pending until June/July 2015*).
- *In situ shellfish monitoring:* In situ shellfish tissue sampling data have been collected by Ecology and PGST since 2008 within six primary shellfish harvesting areas of Port Gamble Bay (Point Julia, Gravel Plot, The Bars, Central Bay, Western Shoreline, and Mill Site). Sampled species have included mussels, oysters, cockles, littleneck clams, horse clams, manila clams, geoduck, and Dungeness crab. Tissue samples were analyzed for cPAHs, dioxins/furans, cadmium, PCBs, and other ancillary chemicals. The baseline data for harvesting areas targeted in this SMP (i.e., Point Julia, Gravel Plot, Western Shoreline, and SMA-3) are summarized in Appendix A-4.

1.7 Document Organization

The remainder of this document is organized as follows:

- **Section 2, Data Generation and Acquisition:** This section summarizes the sampling design, sampling and processing methods, sample handling and chain-of-custody procedures, laboratory analytical methods, QA/QC procedures, and data management.
- **Section 3, Project Management:** This section describes the project purpose, project organization and responsibilities, project task schedule, DQOs, and special training requirements.
- **Section 4, Assessments and Oversight:** This section includes compliance assessments, response and corrective actions, and reports to management.
- **Section 5, Data Validation and Usability:** This section describes data validation and verification methods and criteria for usability of data.
- **Section 6, References:** This section presents relevant citations or reference material.

2 DATA GENERATION AND ACQUISITION

This section summarizes the sampling design, sampling and processing methods, sample handling, laboratory methods, and QA/QC measures.

2.1 Sampling Design

The shellfish monitoring sampling design is summarized in Table 2 and described in detail in subsequent sections. Monitoring includes the collection and analysis of shellfish tissue for biotoxin and CoC analyses as well as passive sampling with PEMDs for PAH analysis.

2.1.1 Shellfish Tissue Sampling

Shellfish tissue sampling includes using caged mussels to monitor biotoxin and CoC concentrations during in-water construction (i.e., pile removal, intertidal excavation, and/or subtidal dredging) in SMA-1 and SMA-2. In addition, in situ shellfish sampling will be performed if caged mussel tissue concentrations exceed intermediate risk screening levels, and also at the completion of in-water construction actions in Year 2 (anticipated January 2017).

2.1.1.1 Caged Mussel Biotoxin Sampling Design

Shellfish biotoxin monitoring will be conducted in conjunction with PGST's and WDOH's ongoing PSP monitoring in Port Gamble Bay, and will follow methods and procedures described in the *Marine Biotoxin Contingency Plan* (WDOH 2015a). Adult Pacific blue mussels (*Mytilus trossulus*; obtained from Penn Cove Shellfish, Inc. in Whidbey Island, Washington) will be deployed during Years 1 and 2 in-water construction periods to assess effects during pile removal, intertidal excavation, and/or subtidal dredging. Sampling will occur weekly from July 15 to October 31 and every other week from November 1 to January 14.

Caged mussel deployment and sampling will be performed by PGST at the same sentinel station used historically within Port Gamble Bay, placed within the subtidal zone near a primary PGST shellfish harvesting beach (Figure 2). Composite mussel tissue will be

analyzed for PSP by the WDOH laboratory as described in the *Marine Biotoxin Contingency Plan* (WDOH 2015a).

2.1.1.2 Caged Mussel CoC Sampling Design

The caged mussel CoC sampling design follows methods and procedures used during the baseline study in Port Gamble Bay (WDFW 2014a). All cages will be placed immediately above the sediment surface. Adult Pacific blue mussels will be placed in cages and will remain in situ for 60 days prior to retrieval and tissue resection/analysis.

During Year 1 construction actions, and subject to refinement of project sequencing and scheduling (see Section 1.3), caged mussels will be deployed at five locations located 300 feet offshore of the SMA-2 subtidal dredging areas (Figure 3), as well as at three primary shellfish harvesting beaches in Port Gamble Bay (Point Julia, Gravel Plot, and Western Shoreline; see Figure 2). The 300-foot offset from subtidal dredging areas will help ensure that the cages remain intact during construction actions, and are also located close enough to the removal areas to reflect potential transport of CoCs. During Year 2 construction actions, and again subject to refinement of project sequencing and scheduling (see Section 1.3), caged mussels will be deployed at three locations located 300 feet offshore of SMA-1 dredging areas, two representative locations adjacent to SMA-2 (identified based on review of Year 1 sampling data), and at the three primary shellfish harvesting beaches in Port Gamble Bay (Point Julia, Gravel Plot, and Western Shoreline).

Deployment of caged mussels for CoC monitoring will occur during two periods in Year 1:

- September/October 2015 – after pile removal and/or intertidal excavation is underway, but prior to the initiation of subtidal dredging
- January/February 2016 – shortly following completion of Year 1 in-water construction actions

A similar deployment schedule is anticipated in Year 2, subject to refinement based on the results of the Year 1 monitoring.

Composite samples of caged mussel tissue collected from each of the sampling locations will be analyzed for PAHs, dioxins/furans, cadmium, PCBs, and lipids (Table 2).

2.1.1.3 *In Situ Shellfish Biotoxin Sampling Design*

As discussed in Section 1.5.2, contingent in situ shellfish PSP monitoring will be performed by WDOH if caged mussel tissue concentrations exceed the screening level provided in Table 1.

2.1.1.4 *In Situ Shellfish CoC Sampling Design*

In situ shellfish monitoring for CoCs will be performed if caged mussel tissue concentrations exceed intermediate risk screening levels listed in Table 1, and also at the completion of in-water construction actions in Year 2 (anticipated January 2017). In situ shellfish sampling will be performed at three primary intertidal shellfish harvesting beaches in Port Gamble Bay (Point Julia, Gravel Plot, and Western Shoreline; see Figure 2), and will target species included in the baseline sampling (mussels, oysters, cockles, littleneck clams, horse clams, and manila clams; see Appendix A-4). In addition, geoduck and Dungeness crab (muscle and hepatopancreas tissue) sampling will be performed in subtidal areas of SMA-3 using divers (Table 2).

At each of the four in situ shellfish sampling locations (Point Julia, Gravel Plot, Western Shoreline, and SMA-3), approximately 5 to 20 composite tissue samples of the predominant shellfish species will be collected, consistent with the baseline data set, and analyzed for PAHs, dioxins/furans, cadmium, PCBs, and lipids (Table 2).

2.1.2 *Water Column PAH Monitoring Using PEMDs*

Concurrent with the caged mussel CoC sampling discussed above, PEMDs will be co-deployed at the same caged mussel locations in Port Gamble Bay (Figures 2 and 3), and during four separate sampling events (mid-season and post season events in Years 1 and 2). The PEMD sampling design follows methods and procedures used during the baseline study in Port Gamble Bay (WDFW 2014b).

Consistent with the baseline study (WDFW 2014b), PEMDs will equilibrate in situ for 10 days (i.e., retrieved prior to completion of the caged mussel CoC deployments). PEMDs will be analyzed for PAHs. Because a 10-day deployment is far too short for dioxins/furans to reach near-equilibrium in the PEMDs, and also because no baseline dioxin/furan PEMD data were collected (WDFW 2014b), dioxin/furan analysis will not be performed on the PEMD samples. However, as discussed in Section 2.1.1.2, dioxins/furans will be analyzed as part of the caged mussel CoC monitoring (Table 2).

2.2 Sample Collection, Processing, and Handling Procedures

This section describes activities, methods, and procedures for sample collection, processing, and handling. A list of station identifications, sampling locations, sample type and method, and analytical testing is provided in Table 2.

2.2.1 Caged Mussels

Biotoxin and CoC concentrations in shellfish during construction will be determined using methods provided in *Standard Guide for Conducting In-situ Field Bioassays with Caged Bivalves* (ASTM E2122-02, 2007) and the WDFW Port Gamble Bay baseline study (2014a). Caged mussels will be deployed from a sampling vessel with adequate deck space for storing and assembling equipment.

2.2.1.1 Species

Blue mussels will be acquired from Penn Cove Shellfish, Inc., as discussed in Section 2.1.1.1. Adult mussels (45 millimeters [mm] \pm 5 mm) will be selected for deployment in the cages. An adequate number of mussels will be placed in each cage to provide sufficient tissue for analyses and to account for potential survival issues during the exposure period. In addition, a ‘time zero’ sample from each batch of mussels will be shipped to the analytical laboratories to establish background concentrations in mussel tissue prior to deployment.

2.2.1.2 Equipment

Mussels will be placed in cages to prevent predation. Cages will consist of plastic-coated wire mesh with mesh openings of 1.25 cm by 2.5 cm to allow water to flow through the

cages. Mussels will be placed in high-density polyethylene (HDPE) mesh bags, which will be secured inside the cages with zip-ties, or similar, so that mussels are suspended approximately 35 cm above the cage bottom.

The mussel cages will be anchored into the sediment surface using rebar or equivalent materials. In addition, extra wire mesh panels will be affixed to the bottom of the cages and rebar to prevent the cages from sinking into the sediment. Cages will be affixed with metal labels with the project and contact information. Subsurface buoys will also be labeled and attached to cages with rope to aid in recovery. Depths at the proposed sampling stations range from -8.7 to -38.2 feet MLLW. An adequate rope length will be used so that buoys remain underwater except at lower tides.

Once deployed, cages will remain in situ for 7 days (biotoxin monitoring) or 60 days (CoC monitoring). All materials will be either rinsed with high-pressure freshwater or soaked in seawater for 24 hours prior to deployment at sampling locations.

2.2.1.3 Deployment of Caged Mussels for Biotoxin Analyses

Mussels will be placed into one or more cages for deployment at the PGST/WDOH sentinel monitoring station (Figure 2). The minimum tissue volume needed for biotoxin analysis is 150 g per sample; an adequate number of mussels will be distributed evenly amongst the cage(s) to provide sufficient volume for analysis of composited replicates.

Cages will be lowered to target depth and the global positioning system (GPS) locations will be recorded on field forms. Cages will remain in situ for 7 days prior to retrieval.

2.2.1.4 Deployment of Caged Mussels for CoC Analyses

Mussels will be placed into three cages (replicates) for deployment at each of the sampling locations in the SMA that is undergoing active construction (Figure 3). The minimum tissue volume needed for COC analysis is 400 g per sample; an adequate number of mussels will be distributed evenly amongst the replicate cages at each station to provide sufficient volume for analysis of composited replicates.

Cages will also be affixed with PEMD samplers (see Section 2.1.2) and lowered to target depth. The GPS locations will be recorded on field forms. Cages will be retrieved and PEMDs recovered after 10 days. Cages will then be re-deployed and remain in situ for 50 more days.

2.2.2 In Situ Shellfish Sampling for CoCs

In situ shellfish sampling methods will follow guidance provided in the *Port Gamble S’Klallam Tribe Brownfields Supplemental Quality Assurance Project Plan Addendum: Standard Operating Procedure: Marine Tissue Sampling* (RIDOLFI Inc. 2011).

Only living, adult organisms will be collected, and Dungeness crab must meet legal take requirements; only males with a carapace length of at least 6.25 inches may be collected. Sampling of shallow-dwelling species (all species except geoduck and crab) will be conducted from harvestable beaches (see Figure 2) in the intertidal or shallow subtidal zone at low tide. Geoducks will be collected using divers; Dungeness crab will be collected using crab pots deployed from a vessel. Individuals will be separated by species and placed in buckets, or equivalent, with site water until processing occurs.

2.2.3 Passive Sampling with PEMDs

Passive sampling will be conducted with PEMDs consistent with methods used in a herring study within Port Gamble Bay (WDFW 2014b) and the methods detailed by Carls et al. (2004).

2.2.3.1 Equipment

PEMDs consist of low-density polyethylene strips that attract and absorb non-polar hydrocarbons. PEMDs will be prepared by the chemical laboratory and constructed from “lay-flat” tubing cut longitudinally to create strips approximately 20 cm by 5 cm. Strips will be placed in a sonicator with methylene chloride for 5 minutes and then rinsed with fresh methylene chloride, wrapped in solvent-rinsed aluminum foil, and placed in zip-top baggies. PEMDs will be shipped or couriered to the field staff.

2.2.3.2 *Deployment of PEMDs*

PEMDs will be deployed with caged mussels at the stations targeted for CoC analyses (see Figures 2 and 3). PEMDs are easily contaminated; therefore, they will remain sealed in baggies until deployment at each station. One PEMD will be deployed with each cage (for a total of three replicates per station).

Upon arrival at a station, the vessel engine will be turned off. The field staff handling PEMDs will wear clean gloves and be cautious to avoid touching any surface that has not been decontaminated. Each PEMD will be removed from the baggie, fastened to a mussel cage with a zip-tie, or similar, and deployed with the cage.

2.2.4 *Sample Identification and Labels*

Each composite sample will be assigned a unique alphanumeric identifier. The identifier will have the format of “Project Identifier-Station ID-Species or Media Code-Analytical Program-Date.” Samples will be identified according to the following procedure:

- The project designator will be PG to denote Port Gamble
- The station ID will correspond to sample locations shown on Figures 2 and 3
- Species/media codes are as follows:
 - COC = cockles
 - MAN = manila clams
 - BUT = butter clams
 - OYS = oysters
 - GEO = geoducks
 - DUNH = Dungeness crab hepatopancreas
 - DUNM = Dungeness crab muscle
 - PEMD = polyethylene membrane device
- Analytical program will be coded as either BIO for biotoxins or CoC for contaminants of concern
- Date of collection, in the form of YYMMDD
- As an example, a Dungeness crab muscle tissue sample collected on August 24, 2015 from station SMA2-2 will have an ID of PG-SMA2-2-DUNM-COC-150824

Each sample will have an adhesive plastic or waterproof paper label affixed to the container or baggie and will be labeled at the time of collection. The following information will be recorded on the container label at the time of collection:

- Project name
- Sample identifier
- Date and time of sample collection
- Analysis to be performed

2.2.5 Station Positioning

A handheld or vessel-mounted Differential Global Positioning System (DGPS) will be used to navigate to the desired sampling location. GPS coordinates for each sampling station are provided in Table 2. Collection at the sampling location will be guided by the navigation system with an accuracy of ± 10 feet. The coordinates will be recorded, when positioned at the sampling location, in latitude and longitude in decimal degrees (to 5 decimal places). Positions will be relative to the Washington State Plane Coordinates, North, North American Datum of 1983.

2.2.6 Shellfish Tissue Retrieval and Processing

2.2.6.1 Caged Mussels for Biotoxins

Mussels will be retrieved after a 7-day exposure period. GPS coordinates and/or cage buoys will be used to locate cages. Mussels from replicates at each station will be composited to create one sample per station. Approximately 150 g of tissue is needed per species composite for PSP analysis. The recommended number of individuals per composite for blue mussels is 75 to 100 individuals. Mussels will be submitted to the WDOH laboratory for PSP analysis under the following conditions:

- Shells will be rinsed free of sediment with either fresh or saltwater.
- Mussels will arrive fresh, alive, and in the shell.
- No cracked or crushed shells will be included in the sampling.
- Mussels will be packed on ice in waterproof plastic bags and maintained cold. If stored overnight, mussels will be refrigerated in a bowl covered by a wet towel.
- Mussels will be held dry; holding in fresh or saltwater will be prohibited.

New mussels will be obtained and placed in cages to ensure sufficient tissue volume is available for weekly monitoring (during July 15 to October 31) and every other week monitoring (during November 1 to January 14) during construction.

2.2.6.2 *Caged Mussels for CoCs*

Mussels will be retrieved after a 60-day exposure. GPS coordinates and/or cage buoys will be used to locate cages. Mussels from replicates at each station will be composited to create one sample per station. Mussels will be left in mesh bags, placed in zip-top baggies, labeled, and stored in coolers on ice until delivery to the analytical laboratory. Mussels will be composited and processed at the analytical laboratory.

2.2.6.3 *In Situ Shellfish for CoCs*

One composite sample per beach will be created for each species. Approximately 400 g of tissue is needed per species composite for CoC analysis. The recommended number of individuals per composite is as follows:

- Cockles and small clams: 30
- Oysters: 15 to 20
- Geoduck clams: 5
- Dungeness crab: 1

Samples will be stored in zip-top baggies in coolers on ice until delivery to the analytical laboratory.

2.2.7 *PEMD Retrieval and Processing*

PEMDs will be retrieved with caution to avoid contamination. Upon arrival at a station, the vessel engine will be shut off. Each cage/PEMD will be located by its float and/or GPS location and retrieved. The PEMD will be removed from its anchoring device, wrapped in aluminum foil, and placed in a zip-top baggie. Each baggie will be labeled consistent with methods described in Section 2.2.4 and stored in a cooler on ice until delivery to the analytical laboratory.

2.3 Sample Handling Requirements

Sample container requirements, holding times, and preservation requirements are outlined in Table 3. Sample containers, instruments, working surfaces, technician protective gear, and other items that may come into contact with sample material must meet high standards of cleanliness. All equipment and instruments that will be used and are in direct contact with various media collected for chemical analyses must be made of glass, stainless steel, HDPE, or polytetrafluoroethylene and will be cleaned prior to each day's use and between sampling or compositing events.

Extra caution will be taken when handling PEMD samples, because they are easily contaminated. PEMDs will only be handled with clean, gloved hands and never come into contact with dirty gloves or any other surface.

2.3.1 Decontamination Procedures

2.3.1.1 Field Sampling Equipment

The following general decontamination procedures will be followed for field sampling equipment:

1. Pre-wash rinse with tap or site water
2. Wash with solution of tap water or site water and phosphate-free soap (e.g., Alconox)
3. Rinse three times with distilled water
4. Cover (no contact) all decontaminated items with aluminum foil
5. Store in a clean, closed container for next use

Cages and associated equipment (mesh, ropes, anchors, etc.) will be pressure-washed with freshwater or soaked in saltwater for 24 hours prior to use and kept clean until deployment.

2.3.2 Investigation Derived Waste Management

All disposable sampling materials and personal protective equipment used in sample collection and processing (e.g., disposable gloves and paper towels) will be placed in heavy-duty garbage bags for disposal in the municipal waste. No hazardous materials will be used during fieldwork for this study.

2.3.3 Sample Custody and Shipping Requirements

Chain-of-custody procedures will be followed for all samples throughout the collection, handling, and analysis process. The principal document used to track possession and transfer of samples is the chain-of-custody form. Each sample will be represented on a chain-of-custody form the day it is collected. All manual data entries will be made using an indelible ink pen. Corrections will be made by drawing a single line through the error, writing in the correct information, and then dating and initialing the change. Blank lines and spaces on the chain-of-custody form will be lined out, dated, and initialed by the individual maintaining custody. Electronic chain-of-custody forms generated from a custom field application will be emailed directly to the laboratory and QA managers.

A chain-of-custody form will accompany each shipment of samples to the analytical laboratory. Each person in custody of samples will sign the chain-of-custody form and ensure the samples are not left unattended unless properly secured. Copies of all chain-of-custody forms will be retained in the project files.

All samples will be shipped or hand delivered to the analytical laboratory no later than 1 day after collection. Samples collected on Friday may be held until the following Monday for shipment, provided that this delay does not jeopardize any holding time requirements.

Specific sample shipping procedures are as follows:

- Each cooler or container containing samples for analysis will be shipped via overnight delivery to the laboratory. In the event that Saturday delivery is required, the field coordinator will contact the analytical laboratory before 3 p.m. on Friday to ensure that the laboratory is aware of the number of containers shipped and the airbill tracking numbers for those containers. Following each shipment, the field coordinator will call the laboratory and verify that the shipment from the day before has been received and is in good condition.
- Coolant ice will be sealed in separate plastic bags and placed in the shipping containers.
- Individual sample containers will be placed in a sealable plastic bag, packed to prevent breakage, and transported in a sealed ice chest or other suitable container.

- Glass jars will be separated in the shipping container by shock-absorbent material (e.g., bubble wrap) to prevent breakage.
- The shipping containers will be clearly labeled with sufficient information (name of project, time and date container was sealed, person sealing the container, and consultant's office name and address) to enable positive identification.
- The shipping waybill number will be documented on all chain-of-custody forms accompanying samples.
- A sealed envelope containing chain-of-custody forms will be enclosed in a plastic bag and taped to the inside lid of the cooler.
- A minimum of two signed and dated custody seals will be placed on adjacent sides of each cooler prior to shipping.
- Each cooler will be wrapped securely with strapping tape, labeled "Glass – Fragile" and "This End Up," and will be clearly labeled with the laboratory's shipping address and the consultant's return address.

Upon transfer of sample possession to the analytical laboratory, the person(s) transferring custody of the sample container will sign the chain-of-custody form. Upon receipt of samples at the laboratory, the custody seals will be broken, and the receiver will record the condition of the samples on a sample receipt form. Chain-of-custody forms will be used internally in the laboratory to track sample handling and final disposition.

2.4 Laboratory Analytical Methods

Analytical parameters, methods, and target reporting limits for tissue and PEMD analyses are listed in Tables 4 and 5, respectively. These methods are consistent with methods used in prior studies within Port Gamble Bay.

2.4.1 Tissue for Biotoxins

Caged mussels will be scrubbed free of debris and shucked. One composited sample will be created for each station by combining tissue from the replicates. Organisms will be processed and composited at the WDOH laboratory and tissue will be analyzed for PSP.

2.4.2 Tissue for CoCs

2.4.2.1 Tissue Analyses

Mussel and in situ shellfish tissue collected for CoC analyses will be analyzed by a National Environmental Laboratory Accreditation Conference (NELAC)-accredited chemistry laboratory. CoC analytes will include PAHs (cPAH and total PAH [sum of 16]), dioxin/furan congeners, cadmium, PCB congeners, and lipids. The analyte list, analytical methods, and reporting limits are summarized in Table 4. All analyses will be conducted with a target 3-week turn-around-time.

2.4.2.2 Tissue Processing

Organisms will be processed at the analytical chemistry laboratory. Caged mussels will be scrubbed free of debris, shucked, and composited. Mussels from the replicate cages at each location will be used to create composites, and a single composited sample from each station will be analyzed for CoCs.

Organisms will be analyzed by major taxonomic group (i.e., clams and cockles, geoducks, oysters, and crabs) from each harvestable beach. Dungeness crabs will be dissected and hepatopancreas and muscle tissues will be composited and analyzed separately.

2.4.3 PEMDs

PEMDs will be analyzed for PAHs using methods consistent with those used by WDFW for the baseline study (WDFW 2014b). A complete list of PAH compounds and analytical methods is provided in Table 5.

2.5 Quality Assurance/Quality Control

QA/QC samples will be prepared in the laboratories to monitor the bias and precision of the analyses procedures.

The quality of laboratory data is assessed by precision, accuracy, representativeness, comparability, completeness, and sensitivity as defined in Section 3.1. Laboratory QA/QC samples include method blanks, laboratory control samples, matrix spike/matrix spike

duplicates, and matrix duplicates. Laboratory QA/QC analytical frequencies are provided in Table 6. Laboratory DQOs for precision, accuracy, and completeness are listed in Table 7.

2.6 Instrument/Equipment Testing, Inspection, and Maintenance Requirements

This section describes procedures for testing, inspection, and maintenance of field and laboratory equipment.

2.6.1 Field Instruments/Equipment

The field coordinator or designee will maintain inventories of field instruments and equipment and will be responsible for the preparation, documentation, and implementation of preventative maintenance. The frequency and types of maintenance will be based on the manufacturer's recommendations and/or previous experience with the equipment. The frequency of maintenance is dependent on the type and stability of the equipment, the methods used, the intended use of the equipment, and recommendations of the manufacturer. Detailed information regarding the calibration and frequency of equipment calibration is provided in specific manufacturers' instruction manuals.

The field coordinator or designee will also be responsible for navigation and will confirm proper operation of the navigation equipment daily. This verification may consist of internal diagnostics or visiting a location with known coordinates to confirm the coordinates indicated by the navigation system. Samplers will be inspected daily for any mechanical problems, and problems will be noted in the field logbook and corrected prior to continuing sampling operations.

2.6.2 Laboratory Instruments/Equipment

Analytical instrument testing, inspection, maintenance, setup, and calibration will be conducted by each laboratory in accordance with the requirements identified in the laboratory's standard operating procedures (SOPs) and manufacturer instructions. In addition, each of the specified analytical methods provides protocols for proper instrument setup, tuning, and critical operating parameters. Instrument maintenance and repair will be documented in the maintenance log or record book.

2.7 Inspection/Acceptance of Supplies and Consumables

The quality of supplies and consumables used during sample collection and laboratory analysis can affect the quality of the project data. All equipment that comes into contact with the samples and extracts must be sufficiently clean to prevent detectable contamination, and the analyte concentrations must be accurate in all standards used for calibration and QC purposes.

Reagents of appropriate purity and suitably cleaned laboratory equipment will be used for all stages of laboratory analyses. Details of acceptance requirements for supplies and consumables at the laboratories are provided in the laboratory SOPs. All supplies will be obtained from reputable suppliers with appropriate documentation or certification.

2.8 Non-Direct Measurements

Existing chemical data from previous baseline investigations will be used to guide this SMP.

2.9 Data Management

Field data sheets will be checked for completeness and accuracy by the field lead prior to delivery to the QA/QC manager. Data generated in the field will be documented on paper and provided to the QA/QC manager, who is responsible for the entering data into the database. Manually entered data will be checked by a second party. Field documentation will be filed in the main project file after data entry and checking are complete.

Laboratory data will be provided to the QA/QC manager in the EQUIS electronic format. Laboratory data that are electronically provided and loaded into the database will undergo a 10% check against the laboratory print copy data. Data will be validated or reviewed manually, and qualifiers, if assigned, will be entered manually. The accuracy of manually entered qualifiers will be verified by a second party. Data tables and reports will be exported from EQUIS to Microsoft Excel tables.

3 PROJECT MANAGEMENT

This section provides a description of DQOs, special training needed to perform the tasks, and documentation procedures.

3.1 Data Quality Objectives

The overall DQO for field sampling and laboratory analysis is to produce data of known and appropriate quality to support the project objectives. DQOs for the project are provided in Table 7. The quality of laboratory data is assessed by precision, accuracy, representativeness, comparability, completeness, and sensitivity. The definitions for the data quality indicators are as follows.

3.1.1 Precision

Precision is the ability of an analytical method or instrument to reproduce its own measurement. It is a measure of the variability, or random error, in sampling, sample handling, and laboratory analysis.

3.1.2 Accuracy

Accuracy is a measure of the closeness of an individual measurement (or an average of multiple measurements) to the true or expected value.

3.1.3 Representativeness

Representativeness expresses the degree to which data accurately and precisely represent an environmental condition.

3.1.4 Comparability

Comparability expresses the confidence with which one dataset can be evaluated in relation to another dataset. For this program, comparability of data will be established through the use of standard analytical methodologies and reporting formats and the use of common traceable calibration and reference materials.

3.1.5 Completeness

Completeness is a measure of the amount of data that is determined to be valid in proportion to the amount of data collected.

3.1.6 Sensitivity

Sensitivity is related to the instrument calibration low-level standard, method detection limits (MDLs) and/or estimated detection limits (EDLs). Analytical methods will be selected to achieve reporting limits that comply with, or are close to, target detection limits.

3.2 Special Training Requirements/Certifications

A technical team will be assembled with the requisite experience and technical skills to successfully complete the sampling for this monitoring program. Personnel involved in sample collection will have extensive environmental sampling experience. All sampling personnel will be required to have 40-hour Hazardous Waste Operations and Emergency Response (HAZWOPER) training and the 8-hour refresher course, as necessary, to meet the 29 Code of Federal Regulations 1910.120 Occupational Safety and Health Administration regulations. The training provides employees with knowledge and skills that enable them to perform their jobs safely and with minimum risk to their personal health. Documentation of course completion will be maintained in personnel files.

3.3 Documentation and Records

Records will be maintained documenting all activities and data related to sample collection and laboratory analyses. Results of data verification and validation activities will also be documented. Procedures for documentation of these activities are described in this section.

3.3.1 Field Records

All collected field samples will be documented using a custom field application or field collection logs. Additionally, the field coordinator or designee will keep a daily record of significant events, observations, and measurements on a daily log. Entries for each day will begin on a new page. The person recording information must enter the date and time and initial each entry.

In general, sufficient information will be recorded during sampling to reconstruct the event without relying on the memory of the field personnel.

The daily log will contain the following information, at a minimum:

- Project name
- Field personnel on site
- Site visitors
- Weather conditions
- Field observations
- Maps and/or drawings
- Sample collection date and time
- Sample collection method and description of activities
- Deviations from this SMP
- Conferences associated with field sampling activities

3.3.2 Analytical Records

Analytical data records (bookmarked PDF and electronic data deliverable formats) will be generated by the laboratory and submitted to the QA manager upon completion. If files are too large to be emailed, a notification email with download instructions will be sent to the data management team at labdata@anchorqea.com. Level IV data reports will be provided by the laboratory.

The analytical laboratory will be required to report the following, where applicable:

- **Case narrative:** This summary will discuss problems encountered during any aspect of analysis, if any. It should discuss, but is not be limited to, QC issues, sample shipment, sample storage, and analytical difficulties. Any problems encountered, actual or perceived, and their resolutions will be documented in as much detail as appropriate. Analytical QC samples that exceed project performance criteria and/or laboratory performance criteria should also be discussed in the case narrative.
- **Chain-of-custody records:** Legible copies of chain-of-custody forms will be provided as part of the data package. This documentation will include the time of receipt and condition of each sample received by the laboratory. Additional internal tracking of

sample custody by the laboratory will also be documented on a sample receipt form. The form must include all sample shipping container temperatures measured at the time of sample receipt.

- **Sample results:** The data package will summarize results for each sample analyzed. The summary will include the following information when applicable:
 - Field sample identifier and corresponding laboratory identification code
 - Sample matrix
 - Date and time of sample extraction
 - Date and time of analysis
 - Final concentration volumes and dilution factors
 - Instrument and analyst identification
 - Method reporting limits (MRLs) and MDLs accounting for sample-specific factors (e.g., dilution and total solids)
 - Analytical results with reporting units identified
 - Data qualifiers and their definitions
 - Raw data including instrument printouts, chromatograms, and bench sheets (required for full data packages)
- **QA/QC summaries:** Contract Laboratory Program (CLP)-like form summaries should be generated for all required laboratory QC components and samples (i.e., method blanks, instrument daily tunes, surrogate spikes, internal standards, and laboratory control samples). These summaries should include spike volumes, parent sample concentrations, percent recoveries, relative percent differences, area counts, and laboratory control limits as applicable. For full data packages, associated raw data files should be included.
- **Instrument calibration data:** CLP-like form summaries of calibration data (i.e., initial calibration, initial calibration verification, and continuing calibration verification) should be included in all data packages. For full data packages, associated raw data files should be included.

All instrument data shall be fully restorable at the laboratory from electronic backup. The laboratory will be required to maintain all records relevant to project analyses for a minimum of 5 years.

3.3.3 Data Reduction

Data reduction is the conversion of raw data to final results. Methods or procedures for data reduction shall be documented. The following procedures will be implemented to verify the accuracy of data reduction:

- Technical staff will document, review, and QC their own work to ensure accuracy.
- Major calculations will be subject to an independent senior technical review to ensure that both the methods and the calculations are correct and consistent with the approved work plan.
- The project manager will be responsible for ensuring that data reduction is conducted in a manner that produces high quality data via review and approval of concepts, methods, assumptions, and calculations.

4 ASSESSMENTS AND OVERSIGHT

Once data are received from the laboratory, a number of QC procedures will be followed to provide an accurate evaluation of the data quality. Specific procedures will be followed to assess data precision, accuracy, and completeness.

4.1 Compliance Assessments

Laboratory and field performance audits consist of on-site reviews of QA systems and equipment for sampling, calibration, and measurement. Audits will not be conducted as part of this study. However, laboratory audit reports will be made available to the project QA manager upon request. The laboratory is required to have written procedures addressing internal QA/QC. When these procedures have been submitted, the project QA manager will review them to ensure compliance with this SMP. The laboratory must ensure that personnel engaged in sampling and analysis tasks have appropriate training. As part of the audit process, the laboratory will provide the consultant with written details of any method modifications planned.

4.2 Response and Corrective Actions

Sections 4.2.1 and 4.2.2 identify the responsibilities of key project team members and actions to be taken in the event of an error, problem, or nonconformance to protocols identified in this SMP.

4.2.1 Field Activities

The field coordinator will be responsible for correcting equipment malfunctions during the field sampling effort. The QA manager will be responsible for resolving situations identified by the field coordinator that may result in noncompliance with the SMP. All corrective measures will be immediately documented in the field logbook.

4.2.2 Laboratory

The laboratory is required to comply with its SOPs. The laboratory manager will be responsible for ensuring that appropriate corrective actions are initiated as required for

conformance with this SMP. All laboratory personnel will be responsible for reporting problems that may compromise quality data.

The laboratory manager will be notified if any QC sample grossly exceeds the laboratory in-house control limits. The analyst will identify and correct the anomaly before continuing with the sample analysis. If the anomaly cannot be corrected, the laboratory manager will notify the QA manager. A narrative describing the anomaly, steps taken to identify and correct the anomaly, and the treatment of the relevant sample batch (i.e., recalculation, reanalysis, and re-extraction) will be submitted with the data package.

4.3 Reports to Management

QA reports to project management will include verbal status reports, written reports on field sampling activities and laboratory processes, data validation reports, and final project reports. These reports shall be the responsibility of the project manager.

5 DATA VALIDATION AND USABILITY

Data generated in the field and at the laboratories will be verified and validated according to methods and procedures described in this section.

5.1 Data Review, Validation, and Verification

During the validation process, analytical data will be electronically and/or manually evaluated for method and laboratory QC compliance, and their validity and applicability for program purposes will be determined.

Based on findings of the validation process, data validation qualifiers may be assigned. Validated project data, including qualifiers, will be entered into the project database, thus enabling this information to be retained or retrieved as needed.

5.2 Validation and Verification Methods

Field and laboratory data for this task will undergo a formal verification and validation process. All entries into the database will be verified. All errors found during the verification of field data, laboratory data, and the database will be corrected prior to release of the final data.

Data verification includes a review for completeness and accuracy by the field coordinator and laboratory manager; review by the data manager for outliers and omissions; and the use of performance criteria to identify laboratory QC sample outliers. Data verification will be conducted manually by Anchor QEA staff or an external validator.

For this program, Stage 2B validation (USEPA 2009) will be conducted following National Functional Guidelines for data validation (USEPA 1999, 2004, 2005, 2008), this SMP, and by using professional judgment. Data will be reviewed with regard to the following, as appropriate to the particular analysis:

- Completeness
- Holding times
- MRLs, MDLs, and EDLs

- Laboratory control samples
- Matrix spike/matrix spike duplicates
- Standard reference materials
- Surrogate recoveries
- Method blanks
- Field QC samples
- Initial calibration data
- Continuing calibration data
- Instrument performance check

A data validation report will be generated to document any issues with data quality and any qualifications applied to data. All validated data will be entered into the database established for this program, and a final data file will be exported. Verification of the database export against the PDF data report will be performed by the QA manager or designee. Any errors found in the data file export will be corrected in the database and reviewed for systemic reporting errors. Once all discrepancies are resolved, the database will be established.

The QA manager will be responsible for the final review of all data validation reports.

5.3 Reconciliation with User Requirements

The QA manager will review data at the completion of the task to determine if DQOs have been met. If data do not meet the project's specifications, the QA manager will review the errors and determine if the problem is due to calibration/maintenance, sampling techniques, or other factors and will suggest corrective action, if appropriate. It is expected that the problem would be able to be corrected by retraining, revising techniques, or replacing supplies/equipment; if not, the DQOs will be reviewed for feasibility. If specific DQOs are not achievable, the QA manager will recommend appropriate modifications. If matrix interference is suspected to have attributed to the exceedance, adequate laboratory documentation must be presented to demonstrate that instrument performance and/or laboratory technique did not bias the result. In cases where the DQOs have been exceeded and corrective actions did not resolve the outlier, data will be qualified per USEPA National Functional Guidelines (1999, 2004, 2005, 2008). In these instances, the usability of data will

be determined by the extent of the exceedance. Rejected data will be assigned an “R” qualifier and will not be used for any purposes.

6 REFERENCES

- Anchor QEA, 2014. *Engineering Design Report, Port Gamble Bay Cleanup Project*. Report prepared for Pope Resources, LP/OPG Properties, LLC, and Washington State Department of Ecology. November 2014.
- Anderson, D.M., 1998. In: Anderson, D.M. Cembella, A.D., Hallegraeff, G.M. (Eds.), *Physiological Ecology of Harmful Algal Blooms*. NATO ASI Series, Series G, Ecological sciences no. 41. Springer-Verlag, Berlin, pp. 29-48.
- Carls, M.G., L.G Holland, J.W. Short, R.A. Heintz, and S.D. Rice, 2004. Monitoring Polynuclear Aromatic Hydrocarbons in Aqueous Environments with Passive Low-Density Polyethylene Membrane Devices. *Environmental Toxicology and Chemistry* 23(6): 1416-1424.
- Ecology (Washington State Department of Ecology), 2012. *Final Partial Remedial Investigation and Feasibility Study for Port Gamble Bay, Washington*. December 2012.
- Ecology, 2013. *Final Cleanup Action Plan*. Exhibit A to the Port Gamble Bay Consent Decree No. 13-2-02720-0.
- RIDOLFI Inc., 2011. *Port Gamble S'Klallam Tribe Brownfields Supplemental Quality Assurance Project Plan Addendum: Standard Operating Procedure: Marine Tissue Sampling*. May 2011.
- USEPA (U.S. Environmental Agency), 1999. *USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review*. U.S. Environmental Protection Agency, Office of Emergency Response. EPA 540/R-99/008. October 1999.
- USEPA, 2004. *USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review*. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation (OSRTI). EPA 540-R-04-004. October 2004.
- USEPA, 2005. *USEPA Contract Laboratory Program National Functional Guidelines for Chlorinated Dibenzo-*p*-Dioxins (CDDs) and Chlorinated Dibenzofurans (CDFs) Data Review*. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation (OSRTI). EPA 540-R-05-001. September 2005.

-
- USEPA, 2008. *Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review*. Office of Superfund Remediation and Technical Innovation. EPA 540-R-08-01. June 2008.
- USEPA, 2009. *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use*. EPA 540-R-08-005. January 2009.
- USEPA, 2013. *Impacts of Climate Change on the Occurrence of Harmful Algal Blooms*. EPA 820-S-13-001. May 2013. Available from:
<http://www2.epa.gov/sites/production/files/documents/climatehabs.pdf>.
- WDFW (Washington Department of Fish and Wildlife), 2014a. *Toxic Contaminants in Bay Mussels (*Mytilus trossulus*) Transplanted to Port Gamble Bay, Washington Before and After Cleanup and Restoration (2015 – 2017), Quality Assurance Project Plan*. Prepared for Washington State Department of Ecology, December 2014.
- WDFW, 2014b. *Toxic Contaminants in Embryos of Pacific Herring (*Clupea pallasii*) from Port Gamble Bay, Washington: Extent and Magnitude of Contamination by Polycyclic Aromatic Hydrocarbons*. Draft Quality Assurance Project Plan Addendum: Analysis of PAHs and Other Contaminants in Polyethylene Membrane Devices Deployed in Port Gamble Bay as a Proxy for Biological Tissues. Prepared for Washington State Department of Ecology, August 2014.
- WDOH (Washington Department of Health), 2015a. *Marine Biotoxin Contingency Plan*. Office of Shellfish & Water Protection. Updated February 20, 2015.
- WDOH, 2015b. Port Gamble Bay Minimal Risk Levels and Screening Values. Correspondence from Lenford O'Garro, Site Assessment & Toxicology Section, Office of Environmental Health, Safety & Toxicology, Division of Environmental Public Health. March 11, 2015.

TABLES

Table 1
Shellfish Screening Levels

| Parameter | Units | Tissue Screening Criteria |
|---|--------------|----------------------------------|
| Paralytic Shellfish Poisoning | µg/100gm wet | 80 ^a |
| Total Polycyclic Aromatic Hydrocarbons | mg/kg wet | 63 ^b |
| Dioxin/Furan Toxicity Equivalent Quotient | ng/kg wet | 3.2 ^b |
| Cadmium | mg/kg wet | 0.52 ^c |
| Polychlorinated Biphenyls | µg/kg wet | 4.7 ^b |

Notes:

a Advisory criterion from WDOH (2015a)

b Intermediate-duration shellfish consumption exposure criteria from WDOH (2015b), based on a high shellfish consumption rate (499 grams per day)

c Two times the natural background tissue concentration from Ecology (2012)

µg/100gm = micrograms per 100 grams

µg/kg = micrograms per kilogram

mg/kg = milligrams per kilogram

ng/kg = nanograms per kilogram

Table 2
Sampling Design Summary

| Sampling Area | Station ID | Proposed Coordinates ¹ | | Sample Media | Sampling Method | Composite Sample Analytical Testing Chemistry | Archive |
|---------------|------------|-----------------------------------|-------------|---------------|-----------------------|---|--------------------------|
| | | Northing | Easting | | | | |
| SMA-1 | SMA-1-1 | 317971.442 | 1211765.078 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| | SMA-1-2 | 317559.819 | 1212023.905 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| | SMA-1-3 | 317123.527 | 1212194.029 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| SMA-2 | SMA-2-1 | 316739.530 | 1211968.535 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| | SMA-2-2 | 316303.466 | 1211795.518 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| | SMA-2-3 | 315844.882 | 1211706.056 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| | SMA-2-4 | 315474.392 | 1211446.785 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| | SMA-2-5 | 315172.444 | 1211104.658 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |

Table 2
Sampling Design Summary

| Sampling Area | Station ID | Proposed Coordinates ¹ | | Sample Media | Sampling Method | Composite Sample Analytical Testing Chemistry | Archive |
|--------------------------------------|----------------------|-----------------------------------|-------------|---|--|---|-----------------------------|
| | | Northing | Easting | | | | |
| SMA-3 | SMA-3-1 ² | 308268.920 | 1212681.470 | In Situ Geoduck and Dungeness Crab Muscle and Hepatopancreas Tissue | Diver collection (with crab pot) | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual shellfish tissue |
| Intertidal Sampling Locations | | | | | | | |
| Point Julia | PJ-1 ² | 315818.330 | 1213098.710 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| | | | | In Situ Shellfish Tissue | Hand collection on harvestable beaches | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual shellfish tissue |
| | PJ-2 ³ | 315532.680 | 1213791.050 | Mussel Tissue | In situ caged mussels | Biotoxin | Individual mussel tissue |
| Gravel Plot | GP-1 ² | 313556.130 | 1213706.450 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| | | | | In Situ Shellfish Tissue | Hand collection on harvestable beaches | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual shellfish tissue |
| West Shoreline | WS-1 ² | 312230.280 | 1210323.390 | Mussel Tissue | In situ caged mussels | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual mussel tissue |
| | | | | Water | PEMD | PAHs | -- |
| | | | | In Situ Shellfish Tissue | Hand collection on harvestable beaches | PAHs, dioxins/furans, cadmium, PCBs, and lipids | Individual shellfish tissue |

Notes:

1 Horizontal datum: Washington State Plane North Zone, NAD83, US Feet

2 In situ shellfish will be collected from sampling areas shown on Figure 2. Coordinates are provided for reference; actual sampling area will be determined based on availability of target species. All species except geoducks and crabs will be collected at low tide from the beach. Geoducks will be collected using divers deployed from a vessel; crabs will be collected using crab pots.

3 Point Julia biotoxin sampling location is provisional and subject to PGST Refinement.

NAD 83 = North American Datum of 1983

PAH = polycyclic aromatic hydrocarbon

PCB = polychlorinated biphenyl

PEMD = polyethylene membrane device

Table 3
Sample Size, Holding Time, and Preservation for Physical/Chemical Analyses

| Parameter | Sample Size | Container Size and Type | Holding Time | Preservative |
|------------------------------|-------------------------|--|-------------------------|--------------|
| Mussel Tissue Samples | | | | |
| Biotoxin | 120 g | Zip-top baggie | 5 days | Freeze -20°C |
| Lipids | 400 g | Wrap in foil and place in Zip-top baggie | 1 year | Freeze -20°C |
| Cadmium | | | 1 year | Freeze -20°C |
| Dioxins/furans | | | 1 year to extraction | Freeze -20°C |
| | | | 1 year after extraction | |
| PCB congeners | | | 1 year to extraction | Freeze -20°C |
| | | | 1 year after extraction | |
| PAHs | 1 year to extraction | Freeze -20°C | | |
| | 1 year after extraction | | | |
| PEMD Samples | | | | |
| PAHs | 1 - 20 x 5 cm PEMD | Wrap in foil and plastic | 14 days to extraction | Cool 4°C |
| | | | 40 days to analysis | |

Notes:

°C = degrees Celsius

cm = centimeter

g = grams

PAH = polycyclic aromatic hydrocarbon

PCB = polychlorinated biphenyl

PEMD = polyethylene membrane device

Table 4
Tissue Parameters for Chemical Analyses and Analytical Methods

| Parameter | Recommended Analytical Method | Reporting Limit ^a |
|---|-------------------------------|------------------------------|
| Conventional Parameters (%) | | |
| Lipids | Bligh & Dyer | 0.1 |
| Metals (mg/kg) | | |
| Cadmium | 6020A | 0.1 |
| Dioxin/Furans (ng/kg) | | |
| Dioxins | | |
| 2,3,7,8-TCDD | EPA 1613B | 0.5 |
| 1,2,3,7,8-PeCDD | EPA 1613B | 2.5 |
| 1,2,3,4,7,8-HxCDD | EPA 1613B | 2.5 |
| 1,2,3,6,7,8-HxCDD | EPA 1613B | 2.5 |
| 1,2,3,7,8,9-HxCDD | EPA 1613B | 2.5 |
| 1,2,3,4,6,7,8-HpCDD | EPA 1613B | 2.5 |
| OCDD | EPA 1613B | 5 |
| Furans | | |
| 2,3,7,8-TCDF | EPA 1613B | 0.5 |
| 1,2,3,7,8-PeCDF | EPA 1613B | 2.5 |
| 2,3,4,7,8,-PeCDF | EPA 1613B | 2.5 |
| 1,2,3,4,7,8-HxCDF | EPA 1613B | 2.5 |
| 1,2,3,6,7,8-HxCDF | EPA 1613B | 2.5 |
| 1,2,3,7,8,9-HxCDF | EPA 1613B | 2.5 |
| 2,3,4,6,7,8-HxCDF | EPA 1613B | 2.5 |
| 1,2,3,4,6,7,8-HpCDF | EPA 1613B | 2.5 |
| 1,2,3,4,7,8,9-HpCDF | EPA 1613B | 2.5 |
| OCDF | EPA 1613B | 5 |
| Polychlorinated Biphenyls (ng/kg) | | |
| PCB Congeners 1-209 | EPA 1668A | 10 |
| Polycyclic Aromatic Hydrocarbons (µg/kg) | | |
| 2-Methylnaphthalene | EPA 8270D SIM | 0.5 |
| Acenaphthene | EPA 8270D SIM | 0.5 |
| Acenaphthylene | EPA 8270D SIM | 0.5 |
| Anthracene | EPA 8270D SIM | 0.5 |
| Benzo(a)anthracene | EPA 8270D SIM | 0.5 |
| Benzo(a)pyrene | EPA 8270D SIM | 0.5 |
| Benzo(b)fluoranthene | EPA 8270D SIM | 0.5 |
| Benzo(e)pyrene | EPA 8270D SIM | 0.5 |
| Benzo(g,h,i)perylene | EPA 8270D SIM | 0.5 |
| Benzo(k)fluoranthene | EPA 8270D SIM | 0.5 |
| Chrysene | EPA 8270D SIM | 0.5 |
| Dibenzo(a,h)anthracene | EPA 8270D SIM | 0.5 |
| Fluoranthene | EPA 8270D SIM | 0.5 |
| Fluorene | EPA 8270D SIM | 0.5 |
| Indeno(1,2,3-c,d)pyrene | EPA 8270D SIM | 0.5 |
| Naphthalene | EPA 8270D SIM | 0.5 |
| Perylene | EPA 8270D SIM | 0.5 |
| Phenanthrene | EPA 8270D SIM | 0.5 |
| Pyrene | EPA 8270D SIM | 0.5 |

Notes:

a Achievable reporting limits may be increased due to sample size and/or matrix interference.

µg/kg = micrograms per kilogram; mg/kg = milligrams per kilogram; ng/kg = nanograms per kilogram

Table 5
PEMD Parameters for Chemical Analyses and Analytical Methods

| Parameter | Analytical Method | Reporting Limit |
|--|-------------------|-----------------|
| Polycyclic Aromatic Hydrocarbons (ng) | | |
| 2-Methylnaphthalene | 8270D SIM | TBD |
| Acenaphthene | 8270D SIM | TBD |
| Acenaphthylene | 8270D SIM | TBD |
| Anthracene | 8270D SIM | TBD |
| Benzo(a)anthracene | 8270D SIM | TBD |
| Benzo(a)pyrene | 8270D SIM | TBD |
| Benzo(b)fluoranthene | 8270D SIM | TBD |
| Benzo(e)pyrene | 8270D SIM | TBD |
| Benzo(g,h,i)perylene | 8270D SIM | TBD |
| Benzo(k)fluoranthene | 8270D SIM | TBD |
| Chrysene | 8270D SIM | TBD |
| Dibenzo(a,h)anthracene | 8270D SIM | TBD |
| Fluoranthene | 8270D SIM | TBD |
| Fluorene | 8270D SIM | TBD |
| Indeno(1,2,3-c,d)pyrene | 8270D SIM | TBD |
| Naphthalene | 8270D SIM | TBD |
| Perylene | 8270D SIM | TBD |
| Phenanthrene | 8270D SIM | TBD |
| Pyrene | 8270D SIM | TBD |

Notes:

ng = nanogram

PEMD = polyethylene membrane device

TBD = to be decided

Table 6
Laboratory Quality Control Sample Analysis Summary

| Analysis Type | Initial Calibration | Ongoing Calibration | Standard Reference Material^a | Replicates | Matrix Spikes | Matrix Spike Duplicates | Method Blanks | Surrogate Spikes | Laboratory Control Samples |
|----------------------------------|----------------------------|----------------------------|--|-------------------|----------------------|--------------------------------|----------------------|-------------------------|-----------------------------------|
| Polycyclic Aromatic Hydrocarbons | As needed ^b | 1 per 10 samples | 1 per 20 samples | NA | 1 per 20 samples | 1 per 20 samples | Each batch | Every sample | 1 per 20 samples |
| Dioxins/Furans | As needed ^b | Every 12 hours | 1 per 20 samples | NA | NA ^c | NA ^c | 1 per 20 samples | Every sample | 1 per 20 samples |
| Cadmium | Daily or each batch | 1 per 10 samples | 1 per 20 samples | 1 per 20 samples | 1 per 20 samples | NA | Each batch | NA | 1 per 20 samples |
| Polychlorinated biphenyls | As needed ^d | 1 per 10 samples | 1 per 20 samples | NA | NA ^c | NA ^c | Each batch | Every sample | 1 per 20 samples |
| Lipids | Daily ^e | NA | NA | 1 per 20 samples | NA | NA | NA | NA | NA |

Notes:

Calibration and certification of drying ovens and weighing scales are conducted bi-annually.

a When a Standard Reference Material is available.

b Initial calibrations are considered valid until the ongoing continuing calibration no longer meets method specifications. At that point, a new initial calibration is performed.

c Isotope dilution required by method

d Initial calibration verification and calibration blank must be analyzed at the beginning of each batch.

e Scale should be calibrated with class 5 weights daily; weights must bracket the weight of sample and weighing vessel.

NA = Not applicable

Table 7
Data Quality Objectives

| Parameter | Precision | Accuracy ^a | Method Blank | Completeness |
|------------------------------------|-----------|-----------------------|--------------------|--------------|
| Tissue Samples | | | | |
| Lipids | ± 20% RPD | NA | NA | 95% |
| Cadmium | ± 25% RPD | 75-125% R | ≤ PQL ^b | 95% |
| Polycyclic aromatic hydrocarbons | ±35 % RPD | 50-150% R | ≤ PQL ^b | 95% |
| Dioxins/Furans | ±35 % RPD | 50-150% R | ≤ PQL ^b | 95% |
| Polychlorinated biphenyl Congeners | ±35 % RPD | 50-150% R | ≤ PQL ^b | 95% |
| PEMD Samples | | | | |
| Polycyclic aromatic hydrocarbons | ±35 % RPD | 50-150% R | ≤ PQL ^b | 95% |

Notes:

a Accuracy goals apply to laboratory control samples and matrix spike samples, as applicable to the analysis.

b When the sample concentration is < 5x the method blank concentration.

NA = not applicable


PQL = practical quantitation limit

RPD = relative percent difference


R = recovery


FIGURES

Apr 08, 201 10:09pm chawett
D:\Projects\0388-Pope Resources\Port Gamble Sediment Cleanup RI-FSI\Strategic Technical Support\0388-01-001 (SMA) - fsets.dwg F1 (vicinity)



HORIZONTAL DATUM: Washington State Plane North, AD83, S. Feet.





HORIZONTAL DATUM: Washington State Plane North, AD83, S. Feet.

NOTES:

- For in-situ wild shellfish sampling, historical sampling areas will be reoccupied and target species to be collected will consist of those previously sampled (see Tables 2-1).
- Year 2 Caged Mussel locations adjacent to SMA-2 will be identified based on Year 1 sampling data.
- Provisional Sampling location - subject to PGST refinement.

LEGEND:

- Proposed CoC Caged Mussel, and PEMD Sampling Location, Year 1 and 2
- Proposed Biotoxin Sampling Location (See Note 3), Year 1 and 2
- SMA Area
- Historical Caged Mussel Sampling Location
- Historical PEMD Sampling Location
- Historical Sampling Location, Other
- Geoduck and Crab Tissue Sampling to be Conducted Within SMA-3
- Wild Shellfish Sampling Area
- Proposed CoC Caged Mussel and PEMD Sample Location, Year 1
- Proposed CoC Caged Mussel and PEMD Sample Location, Year 2 (See Note 2)





Figure 2
Proposed and Historical Bay Sampling Locations
Shellfish Monitoring Plan
Port Gamble, Washington

\\Projects\0388-Pope Resources\Port Gamble Sediment Cleanup RI-FSI\Strategic Technical Support\0388-001 (SMA-1 and -2) F3 (SMA-1 and -2)



Apr 08, 2011 10:03pm chawett

HORIZONTAL DATUM: Washington State Plane North, NAD83, S. Feet.

LEGEND:

- Dredge Area
- 300-foot offset from Dredge Area

- Proposed CoC Caged Mussel and PEMD Sample Locations (SMA-1)
- Proposed CoC Caged Mussel and PEMD Sample Locations (SMA-2)




Figure 3
SMA-1 and SMA-2 Caged Mussel and PEMD Sampling Locations
Shellfish Monitoring Plan
Port Gamble, Washington

APPENDIX A
PORT GAMBLE BAY BASELINE DATA

APPENDIX A-1

HISTORICAL MUSSEL BIOTOXIN DATA

**Table A-1
Historical PSP Mussel Tissue Results**

| Date | Location | PSP Concentration (µg/100g wet weight)¹ |
|-------------|-----------------|---|
| 6/9/2008 | Port Gamble Bay | ND |
| 6/16/2008 | Port Gamble Bay | ND |
| 6/30/2008 | Port Gamble Bay | ND |
| 7/14/2008 | Port Gamble Bay | ND |
| 7/28/2008 | Port Gamble Bay | ND |
| 8/11/2008 | Port Gamble Bay | ND |
| 8/25/2008 | Port Gamble Bay | ND |
| 9/10/2008 | Port Gamble Bay | ND |
| 9/23/2008 | Port Gamble Bay | ND |
| 5/11/2009 | Port Gamble Bay | ND |
| 5/26/2009 | Port Gamble Bay | ND |
| 6/8/2009 | Port Gamble Bay | ND |
| 6/21/2009 | Port Gamble Bay | ND |
| 7/6/2009 | Port Gamble Bay | ND |
| 7/20/2009 | Port Gamble Bay | ND |
| 8/4/2009 | Port Gamble Bay | ND |
| 8/17/2009 | Port Gamble Bay | ND |
| 6/7/2010 | Port Gamble Bay | ND |
| 6/22/2010 | Port Gamble Bay | ND |
| 7/6/2010 | Port Gamble Bay | ND |
| 7/20/2010 | Port Gamble Bay | <38 |
| 7/26/2010 | Port Gamble Bay | ND |
| 8/3/2010 | Port Gamble Bay | ND |
| 8/24/2010 | Port Gamble Bay | ND |
| 4/18/2011 | Point Julia | ND |
| 5/3/2011 | Point Julia | ND |
| 5/16/2011 | Point Julia | ND |
| 6/6/2011 | Point Julia | ND |
| 6/20/2011 | Point Julia | ND |
| 7/5/2011 | Point Julia | ND |
| 7/18/2011 | Point Julia | ND |
| 8/1/2011 | Point Julia | ND |
| 8/18/2011 | Point Julia | ND |
| 9/8/2011 | Point Julia | ND |
| 9/22/2011 | Point Julia | ND |
| 9/29/2011 | Point Julia | ND |
| 10/6/2011 | Point Julia | ND |
| 12/11/2011 | Point Julia | ND |
| 1/3/2012 | Port Gamble Bay | ND |
| 1/23/2012 | Port Gamble Bay | ND |
| 2/6/2012 | Port Gamble Bay | ND |
| 2/20/2012 | Port Gamble Bay | ND |

**Table A-1
Historical PSP Mussel Tissue Results**

| Date | Location | PSP Concentration (µg/100g wet weight)¹ |
|-------------|--------------------------|---|
| 3/12/2012 | Port Gamble Bay | ND |
| 4/17/2012 | Port Gamble Bay | ND |
| 5/1/2012 | Port Gamble Bay | ND |
| 5/15/2012 | Port Gamble Bay | ND |
| 5/29/2012 | Port Gamble Bay | ND |
| 6/7/2012 | Point Julia | ND |
| 7/11/2012 | Point Julia | ND |
| 7/23/2012 | Point Julia | ND |
| 8/5/2012 | Port Gamble Bay | ND |
| 8/14/2012 | Port Gamble Bay | ND |
| 8/19/2012 | Port Gamble Bay | 150 |
| 8/27/2012 | Port Gamble Bay | 43 |
| 9/4/2012 | Port Gamble Bay | <38 |
| 9/10/2012 | Port Gamble Bay | 46 |
| 9/17/2012 | Port Gamble Bay | <38 |
| 9/24/2012 | Port Gamble Bay | ND |
| 10/8/2012 | Point Julia | <38 |
| 10/15/2012 | Port Gamble Bay | ND |
| 1/2/2013 | Port Gamble Tract #20100 | ND |
| 1/14/2013 | Port Gamble Tract #20100 | ND |
| 1/28/2013 | Port Gamble Tract #20100 | ND |
| 2/11/2013 | Port Gamble Tract #20100 | ND |
| 5/20/2013 | Port Gamble Tract #20100 | ND |
| 6/17/2013 | Port Gamble Bay | ND |
| 6/17/2013 | Port Gamble Bay | ND |
| 6/25/2013 | Port Gamble Tract #20100 | ND |
| 7/1/2013 | Port Gamble Bay | ND |
| 7/1/2013 | Port Gamble Bay | ND |
| 7/9/2013 | Port Gamble Tract #20100 | ND |
| 7/11/2013 | Port Gamble Tract #20100 | ND |
| 7/30/2013 | Port Gamble Bay | ND |
| 7/30/2013 | Port Gamble Bay | ND |
| 8/6/2013 | Port Gamble Tract #20100 | ND |
| 8/19/2013 | Port Gamble Tract #20100 | ND |
| 8/29/2013 | Port Gamble Bay | ND |
| 8/29/2013 | Port Gamble Bay | ND |
| 9/3/2013 | Port Gamble Tract #20100 | ND |
| 9/19/2013 | Port Gamble Bay | ND |
| 9/19/2013 | Port Gamble Bay | ND |
| 9/24/2013 | Port Gamble Tract #20100 | <38 |
| 10/16/2013 | Port Gamble Tract #20100 | <38 |
| 6/24/2014 | Point Julia | ND |

**Table A-1
Historical PSP Mussel Tissue Results**

| Date | Location | PSP Concentration (µg/100g wet weight)¹ |
|-------------|--------------------------|---|
| 8/20/2014 | Port Gamble Bay | ND |
| 9/15/2014 | Port Gamble Bay | ND |
| 10/7/2014 | Port Gamble Bay | ND |
| 12/15/2014 | Port Gamble Tract #20100 | ND |
| 1/8/2015 | Port Gamble Tract #20100 | ND |

Notes:

from 2008 - 2014.

1 Analysis performed on whole-body tissue samples from blue mussels.

Bold text indicates detected result greater than advisory screening criterion (80 µg/100g wet weight; WDOH 2015).

µg/100g = micrograms per 100 grams

ND = not detected

PSP = paralytic shellfish poisoning

APPENDIX A-2

2014 CAGED MUSSEL COC DATA

Pending until June/July 2015

APPENDIX A-3

2014 WATER COLUMN CPAH DATA

Pending until June/July 2015

APPENDIX A-4

HISTORICAL IN SITU SHELLFISH DATA

Table A-4-1
Historical Tissue Data - Point Julia

| Parameters | Species | Cockle | | | Horse Clam | | | | Oyster | | | | Manila Clam | | | Littleneck Clam | | | Mussel | | | |
|---------------------------------|---------------------|-----------|-----------|-----------|------------|-----------|-----------|-----------|------------|------------------|-----------|-----------|-------------|-----------|-----------|-----------------|-----------|---------------|-----------|-----------|-----------|----------|
| | Sampling ID | SB CO-01 | SB CO-02 | SB CO-03 | SB HC-01 | SB HC-02 | SB HC-03 | SB HC-04 | Oyster 1A | PJ_O_PGST_100429 | SB OY-01 | SB OY-02 | SB OY-03 | SB OY-04 | SB MN-01 | SB MN-02 | SB MN-03 | HART14_CLAM1A | SB LN-01 | SB LN-02 | SB LN-03 | HC_PGPI |
| | Sampling Date | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 12/15/2008 | 4/29/2010 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 12/15/2008 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 1/8/2013 |
| | TEF (as applicable) | | | | | | | | | | | | | | | | | | | | | |
| PCB-033 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-044 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-049 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-052 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-066 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-070 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-074 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-077 | 0.0001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| PCB-081 | 0.0003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| PCB-082 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-087 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-095 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-099 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-101 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-105 | 0.00003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-110 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-114 | 0.00003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| PCB-118 | 0.00003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-123 | 0.00003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| PCB-126 | 0.1 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| PCB-128 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-138 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-149 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-151 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-153 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-156/157 | 0.00003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-158 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-167 | 0.00003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| PCB-169 | 0.03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| PCB-170 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-171 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-177 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-180 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-183 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-187 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-189 | 0.00003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| PCB-191 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-194 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-195 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-199 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-205 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-206 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-208 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB-209 | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 0.26 U |
| PCB Congener TEQ | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | * |
| Dioxins / Furans (µg/kg) | | | | | | | | | | | | | | | | | | | | | | |
| 2,3,7,8-TCDD | 1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.117 U | NA | 0.070 J | NA | NA | NA | NA | NA | NA | 0.111 U | NA | NA | NA | NA |
| 1,2,3,7,8-PECDD | 1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.272 U | NA | 0.0480 U | NA | NA | NA | NA | NA | NA | 0.26 U | NA | NA | NA | NA |

Table A-4-1
Historical Tissue Data - Point Julia

| Parameters | Species | Cockle | | | Horse Clam | | | | Oyster | | | | | | Manila Clam | | | Littleneck Clam | | | Mussel | |
|---------------------|---------------------|-----------|-----------|-----------|------------|-----------|-----------|-----------|------------|------------------|-----------|-----------|-----------|-----------|-------------|-----------|-----------|-----------------|-----------|-----------|-----------|----------|
| | Sampling ID | SB CO-01 | SB CO-02 | SB CO-03 | SB HC-01 | SB HC-02 | SB HC-03 | SB HC-04 | Oyster 1A | PJ_O_PGST_100429 | SB OY-01 | SB OY-02 | SB OY-03 | SB OY-04 | SB MN-01 | SB MN-02 | SB MN-03 | HART14_CLAM1A | SB LN-01 | SB LN-02 | SB LN-03 | HC_PGJ |
| | Sampling Date | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 12/15/2008 | 4/29/2010 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 12/15/2008 | 9/22/2011 | 9/22/2011 | 9/22/2011 | 1/8/2013 |
| | TEF (as applicable) | | | | | | | | | | | | | | | | | | | | | |
| 1,2,3,4,7,8-HXCDD | 0.1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.399 U | NA | 0.0480 U | NA | NA | NA | NA | NA | NA | 0.381 U | NA | NA | NA | NA |
| 1,2,3,6,7,8-HXCDD | 0.1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.421 U | NA | 0.104 J | NA | NA | NA | NA | NA | NA | 0.402 U | NA | NA | NA | NA |
| 1,2,3,7,8,9-HXCDD | 0.1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.231 U | NA | 0.081 J | NA | NA | NA | NA | NA | NA | 0.221 U | NA | NA | NA | NA |
| 1,2,3,4,6,7,8-HPCDD | 0.01 | NA | NA | NA | NA | NA | NA | 0.176 J | 0.421 U | NA | 0.163 J | NA | NA | NA | NA | NA | NA | 0.402 U | NA | NA | NA | NA |
| OCDD | 0.0003 | NA | NA | NA | NA | NA | NA | 1.06 J | 0.816 U | NA | 0.872 J | NA | NA | NA | NA | NA | NA | 0.779 U | NA | NA | NA | NA |
| 2,3,7,8-TCDF | 0.1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.111 U | NA | 0.308 J | NA | NA | NA | NA | NA | NA | 0.106 U | NA | NA | NA | NA |
| 1,2,3,7,8-PECDF | 0.03 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.313 U | NA | 0.0480 U | NA | NA | NA | NA | NA | NA | 0.299 U | NA | NA | NA | NA |
| 2,3,4,7,8-PECDF | 0.3 | NA | NA | NA | NA | NA | NA | 0.050 J | 0.256 U | NA | 0.108 J | NA | NA | NA | NA | NA | NA | 0.245 U | NA | NA | NA | NA |
| 1,2,3,4,7,8-HXCDF | 0.1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.563 U | NA | 0.0480 U | NA | NA | NA | NA | NA | NA | 0.537 U | NA | NA | NA | NA |
| 1,2,3,6,7,8-HXCDF | 0.1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.135 U | NA | 0.0480 U | NA | NA | NA | NA | NA | NA | 0.129 U | NA | NA | NA | NA |
| 1,2,3,7,8,9-HXCDF | 0.1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.26 U | NA | 0.0480 U | NA | NA | NA | NA | NA | NA | 0.248 U | NA | NA | NA | NA |
| 2,3,4,6,7,8-HXCDF | 0.1 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.307 U | NA | 0.0480 U | NA | NA | NA | NA | NA | NA | 0.293 U | NA | NA | NA | NA |
| 1,2,3,4,6,7,8-HPCDF | 0.01 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.562 U | NA | 0.0480 U | NA | NA | NA | NA | NA | NA | 0.537 U | NA | NA | NA | NA |
| 1,2,3,4,7,8,9-HPCDF | 0.01 | NA | NA | NA | NA | NA | NA | 0.0495 U | 0.582 U | NA | 0.0480 U | NA | NA | NA | NA | NA | NA | 0.556 U | NA | NA | NA | NA |
| OCDF | 0.0003 | NA | NA | NA | NA | NA | NA | 0.051 J | 0.725 U | NA | 0.064 J | NA | NA | NA | NA | NA | NA | 0.692 U | NA | NA | NA | NA |
| Total TEQ | | NA | NA | NA | NA | NA | NA | 0.210 | 0.367 | NA | 0.191 | NA | NA | NA | NA | NA | NA | 0.35028 | NA | NA | NA | NA |

Notes:

For TEQ calculations, non-detects were assumed to be half the quantitation limit

* = Not enough congeners with assigned TEFs were analyzed to make a TEQ

µg/kg = micrograms per kilogram

J = estimated concentration

mg/kg = milligrams per kilogram

NA = Not analyzed

ng/kg = nanograms per kilogram

TEF = toxic equivalency factor

TEQ = toxicity equivalent quotient

U = Not detected at the method detection limit

Table A-4-2
Historical Tissue Data - Gravel Plot

| Parameters | Species | Oyster | | | | | | Cockle | Littleneck Clam |
|--|---------------------|-----------------|----------------|----------------|----------------|--------------|------------|-----------------|-----------------|
| | Sampling ID | HART14_OYSTER2A | Port Gamble A1 | Port Gamble A2 | Port Gamble A3 | S_O_PGST_100 | 12110604 | RS_C_PGST_10042 | HART14_CLAM2A |
| | Sampling Date | 12/15/2008 | 9/22/2004 | 9/22/2004 | 9/22/2004 | 4/29/2010 | 11/28/2012 | 4/29/2010 | 12/15/2008 |
| | TEF (as applicable) | | | | | | | | |
| Conventionals (%) | | | | | | | | | |
| Percent Lipids | | 1.97 | | | | 2.63 | 1.96 | 0.28 | 0.487 |
| Metals (mg/kg) | | | | | | | | | |
| Arsenic | | 1 | 0.44 | 0.56 | 0.46 | 2 | 1 | 1 U | 2 |
| Cadmium | | 0.96 | 0.78 | 0.71 | 0.73 | 1.49 | 1 | 0.04 | 0.24 |
| Chromium | | 0.2 | NA | NA | NA | 0.2 | 0.2 | 0.2 | 0.3 |
| Copper | | 4.45 | NA | NA | NA | 9.5 | 3.64 | 1.5 | 1.02 |
| Lead | | 0.4 U | NA | NA | NA | 0.4 U | 0.4 U | 0.4 U | 0.4 U |
| Mercury | | 0.01 | NA | NA | NA | 0.012 | 0.008 | 0.005 U | 0.01 U |
| Silver | | 0.1 | NA | NA | NA | 0.16 J | 0.06 U | --R | 0.09 |
| Zinc | | 124 | 78 | 72 | 78 | 174 | 75.2 | 9 | 10.5 |
| Polycyclic Aromatic Hydrocarbons (PAHs) (µg/kg) | | | | | | | | | |
| Napthalene | | NA | NA | NA | NA | NA | 0.7 | NA | NA |
| 2-Methylnaphthalene | | NA | NA | NA | NA | NA | 0.6 | NA | NA |
| 1-Methylnaphthalene | | NA | NA | NA | NA | NA | 0.5 U | NA | NA |
| Acenaphthylene | | NA | NA | NA | NA | NA | 0.5 U | NA | NA |
| Acenaphthene | | NA | NA | NA | NA | NA | 0.5 U | NA | NA |
| Fluorene | | NA | NA | NA | NA | NA | 0.7 | NA | NA |
| Phenanthrene | | NA | NA | NA | NA | NA | 3 | NA | NA |
| Anthracene | | NA | NA | NA | NA | NA | 0.6 | NA | NA |
| Fluoranthene | | NA | NA | NA | NA | NA | 12 | NA | NA |
| Pyrene | | NA | NA | NA | NA | NA | 6.5 | NA | NA |
| Benzo(g,h,i)perylene | | NA | NA | NA | NA | NA | 0.5 U | NA | NA |
| Dibenzofuran | | NA | NA | NA | NA | NA | 0.6 | NA | NA |
| Carcinogenic Polycyclic Aromatic Hydrocarbons (µg/kg) | | | | | | | | | |
| Total Benzofluoranthenes | 0.1 | NA | NA | NA | NA | 4.0 | 1.8 | 0.5 U | 4.9 U |
| Benzo(b)fluoranthene | 0.1 | NA | NA | NA | NA | 2.0 | 1.2 | 0.5 U | 4.9 U |
| Benzo(k)fluoranthene | 0.1 | NA | NA | NA | NA | 2.0 | 0.6 | 0.5 U | 4.9 U |
| Benz(a)anthracene | 0.1 | NA | NA | NA | NA | 1.3 | 1 | 0.5 U | 4.9 U |
| Chrysene | 0.01 | NA | NA | NA | NA | 3.8 | 3.1 | 0.5 U | 4.9 U |
| Benzo(a)pyrene | 1 | NA | NA | NA | NA | 0.5 | 0.5 U | 0.5 U | 4.9 U |
| Indeno(1,2,3-cd)pyrene | 0.1 | NA | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 4.9 U |
| Dibenz(a,h)anthracene | 0.1 | NA | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 4.9 U |
| cPAHs TEQ | | NA | NA | NA | NA | 1.14 | 0.5831 | 0.353 | 3.45 |
| Polychlorinated Biphenyls (PCBs) Aroclors (µg/kg) | | | | | | | | | |
| Aroclor-1016 | | 8 U | NA | NA | NA | 4.0 U | 4 U | 4.0 U | 8.0 U |
| Aroclor-1242 | | 8 U | NA | NA | NA | 4.0 U | 4 U | 4.0 U | 8.0 U |

**Table A-4-2
Historical Tissue Data - Gravel Plot**

| Parameters | Species | Oyster | | | | | | Cockle | Littleneck Clam |
|---------------------------------|---------------------|-----------------|----------------|----------------|----------------|-------------|------------|-----------------|-----------------|
| | Sampling ID | HART14_OYSTER2A | Port Gamble A1 | Port Gamble A2 | Port Gamble A3 | _O_PGST_100 | 12110604 | RS_C_PGST_10042 | HART14_CLAM2A |
| | Sampling Date | 12/15/2008 | 9/22/2004 | 9/22/2004 | 9/22/2004 | 4/29/2010 | 11/28/2012 | 4/29/2010 | 12/15/2008 |
| | TEF (as applicable) | | | | | | | | |
| Aroclor-1248 | | 8 U | NA | NA | NA | 4.0 U | 4 U | 4.0 U | 8.0 U |
| Aroclor-1254 | | 8 U | NA | NA | NA | 4.0 U | 6.2 | 4.0 U | 8.0 U |
| Aroclor-1260 | | 8 U | NA | NA | NA | 4.0 U | 4 U | 4.0 U | 8.0 U |
| Aroclor-1221 | | 8 U | NA | NA | NA | 4.0 U | 4 U | 4.0 U | 8.0 U |
| Aroclor-1232 | | 8 U | NA | NA | NA | 4.0 U | 4 U | 4.0 U | 8.0 U |
| Total Aroclors | | 8 U | NA | NA | NA | 4.0 U | 6.2 | 4.0 U | 8.0 U |
| Dioxins / Furans (µg/kg) | | | | | | | | | |
| 2,3,7,8-TCDD | 1 | 0.108 U | NA | NA | NA | NA | NA | NA | 0.117 U |
| 1,2,3,7,8-PECDD | 1 | 0.252 U | NA | NA | NA | NA | NA | NA | 0.273 U |
| 1,2,3,4,7,8-HXCDD | 0.1 | 0.37 U | NA | NA | NA | NA | NA | NA | 0.4 U |
| 1,2,3,6,7,8-HXCDD | 0.1 | 0.391 U | NA | NA | NA | NA | NA | NA | 0.423 U |
| 1,2,3,7,8,9-HXCDD | 0.1 | 0.214 U | NA | NA | NA | NA | NA | NA | 0.232 U |
| 1,2,3,4,6,7,8-HPCDD | 0.01 | 0.391 U | NA | NA | NA | NA | NA | NA | 0.422 U |
| OCDD | 0.0003 | 1.78 T | NA | NA | NA | NA | NA | NA | 0.818 U |
| 2,3,7,8-TCDF | 0.1 | 0.375 T | NA | NA | NA | NA | NA | NA | 0.111 U |
| 1,2,3,7,8-PECDF | 0.03 | 0.29 U | NA | NA | NA | NA | NA | NA | 0.314 U |
| 2,3,4,7,8-PECDF | 0.3 | 0.237 U | NA | NA | NA | NA | NA | NA | 0.257 U |
| 1,2,3,4,7,8-HXCDF | 0.1 | 0.522 U | NA | NA | NA | NA | NA | NA | 0.564 U |
| 1,2,3,6,7,8-HXCDF | 0.1 | 0.125 U | NA | NA | NA | NA | NA | NA | 0.135 U |
| 1,2,3,7,8,9-HXCDF | 0.1 | 0.241 U | NA | NA | NA | NA | NA | NA | 0.261 U |
| 2,3,4,6,7,8-HXCDF | 0.1 | 0.285 U | NA | NA | NA | NA | NA | NA | 0.308 U |
| 1,2,3,4,6,7,8-HPCDF | 0.01 | 0.521 U | NA | NA | NA | NA | NA | NA | 0.564 U |
| 1,2,3,4,7,8,9-HPCDF | 0.01 | 0.54 U | NA | NA | NA | NA | NA | NA | 0.584 U |
| OCDF | 0.0003 | 0.672 U | NA | NA | NA | NA | NA | NA | 0.727 U |
| Total Dioxin TEQ | | 0.373 | NA | NA | NA | NA | NA | NA | 0.368 |

Notes:

For TEQ calculations, non-detects were assumed to be half the quantitation limit

µg/kg = micrograms per kilogram

J = estimated concentration

mg/kg = milligrams per kilogram

NA = not analyzed

ng/kg = nanograms per kilogram

TEF = toxic equivalency factor

TEQ = toxicity equivalent quotient

U = not detected at the method detection limit

**Table A-4-3
Historical Tissue Data - SMA-3**

| Parameters | Species | Crab Hepatopancreas | | | | | Crab Muscle | | | | | | |
|--|---------------------|---------------------|-------------------|-------------------|------------|------------|--------------------|-------------------|-------------------|-------------------------|-------------------------|------------|------------|
| | Sampling ID | HART14_CRAB1A PAN | PG11-BW-04-DCH-R1 | PG11-BW-04-DCH-R2 | 12112801 | 12112803 | HART14_CRAB1A MEAT | PG11-BW-04-DCM-R1 | PG11-BW-04-DCM-R2 | 12PTGB1-DCM01A (muscle) | 12PTGB3-DCM01A (muscle) | 12112802 | 12112804 |
| | Sampling Date | 12/23/2008 | 8/2/2011 | 8/2/2011 | 11/28/2012 | 11/28/2012 | 12/23/2008 | 8/2/2011 | 8/3/2011 | 8/13/2012 | 8/13/2012 | 11/28/2012 | 11/28/2012 |
| | TEF (as applicable) | | | | | | | | | | | | |
| Conventionals (%) | | | | | | | | | | | | | |
| Percent Lipids | | 3.01 | 6.9 | 6.36 | 5.11 | 2.27 | 0.208 | 0.22 | 0.24 | 0.22 | 0.17 | 0.487 | 0.512 |
| Metals (mg/kg) | | | | | | | | | | | | | |
| Arsenic | | 4 | 8 | 8 | 8 | 7 | 7 | 5 | 5 | 6.89 | 7.54 | 8 | 8 |
| Cadmium | | 0.34 | 0.83 | 1.44 | 0.51 | 0.24 | 0.04 | 0.04 U | 0.04 U | 0.0027 | 0.0033 | 0.04 U | 0.04 U |
| Chromium | | 0.1 | 0.1 J | 0.1 J | 0.1 | 0.1 U | 0.1 | 0.1 U | 0.1 J | NA | NA | 0.1 | 0.2 |
| Copper | | 19.2 | 4.01 | 4.07 | 15.9 | 23.2 | 8.65 | 5.74 | 3.75 | 6.84 | 7.42 | 8.47 | 7.2 |
| Lead | | 0.4 U | 0.4 U | 0.4 U | 0.4 U | 0.4 U | 0.4 U | 0.4 U | 0.4 U | 0.0046 | 0.0041 U | 0.4 U | 0.4 U |
| Mercury | | 0.03 | 0.02 | 0.028 | 0.023 | 0.023 | 0.047 | 0.027 | 0.036 | 0.0295 | 0.0383 | 0.034 | 0.054 |
| Silver | | 0.5 | .11 J | 0.1 J | 0.28 | 0.47 | 0.19 | 0.12 J | 0.1 J | NA | NA | 0.13 | 0.13 |
| Zinc | | 15.1 | 17.6 | 15.5 | 18.8 | 15.4 | 50.2 | 30.3 | 38.3 | 44.1 | 42.3 | 40.4 | 37.1 |
| Polycyclic Aromatic Hydrocarbons (PAHs) (µg/kg) | | | | | | | | | | | | | |
| Napthalene | | NA | 1 B | 1.3 B | 0.8 | 0.5 | NA | 0.5 B | 0.5 B | 0.86 B | 0.83 B | 0.5 U | 0.5 U |
| 2-Methylnaphthalene | | NA | 0.5 U | 0.6 | 0.7 | 0.5 U | NA | 0.5 U | 0.5 U | NA | NA | 0.5 U | 0.5 U |
| 1-Methylnaphthalene | | NA | NA | NA | 0.5 U | 0.5 U | NA | NA | NA | NA | NA | 0.5 U | 0.5 U |
| Acenaphthylene | | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.26 U | 0.32 U | 0.5 U | 0.5 U |
| Acenaphthene | | NA | 0.6 | 0.8 | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.28 U | 0.34 U | 0.5 U | 0.5 U |
| Fluorene | | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.27 U | 0.33 U | 0.5 U | 0.5 U |
| Phenanthrene | | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.3 | 0.33 U | 0.5 U | 0.5 U |
| Anthracene | | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.21 U | 0.25 U | 0.5 U | 0.5 U |
| Fluoranthene | | NA | 0.5 U | 0.6 | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.27 U | 0.33 U | 0.5 U | 0.5 U |
| Pyrene | | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.27 U | 0.33 U | 0.5 U | 0.5 U |
| Benzo(g,h,i)perylene | | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.34 U | 0.4 U | 0.5 U | 0.5 U |
| Dibenzofuran | | NA | NA | NA | 0.5 U | 0.5 U | NA | NA | NA | NA | NA | 0.5 U | 0.5 U |
| Carcinogenic Polycyclic Aromatic Hydrocarbons (µg/kg) | | | | | | | | | | | | | |
| Total Benzofluoranthenes | 0.1 | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.38 U | 0.45 U | 0.5 U | 0.5 U |
| Benzo(b)fluoranthene | 0.1 | NA | NA | NA | 0.5 U | 0.5 U | NA | NA | NA | 0.38 U | 0.45 U | 0.5 U | 0.5 U |
| Benzo(k)fluoranthene | 0.1 | NA | NA | NA | 0.5 U | 0.5 U | NA | NA | NA | 0.38 U | 0.45 U | 0.5 U | 0.5 U |
| Benz(a)anthracene | 0.1 | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.33 U | 0.39 U | 0.5 U | 0.5 U |
| Chrysene | 0.01 | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.38 U | 0.46 U | 0.5 U | 0.5 U |
| Benzo(a)pyrene | 1 | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.34 U | 0.41 U | 0.5 U | 0.5 U |
| Indeno(1,2,3-cd)pyrene | 0.1 | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.34 U | 0.4 U | 0.5 U | 0.5 U |
| Dibenz(a,h)anthracene | 0.1 | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U | NA | 0.5 U | 0.5 U | 0.29 U | 0.34 U | 0.5 U | 0.5 U |
| cPAHs TEQ | | NA | 0.353 | 0.353 | 0.3775 | 0.3775 | NA | 0.353 | 0.353 | 0.3884 | 0.4618 | 0.3775 | 0.3775 |
| Polychlorinated Biphenyls (PCBs) Aroclors (µg/kg) | | | | | | | | | | | | | |
| Aroclor-1016 | | 8 U | NA | NA | 4 U | 3.9 U | 8 U | NA | NA | NA | NA | 4 U | 4 U |
| Aroclor-1242 | | 8 U | NA | NA | 4 U | 3.9 U | 8 U | NA | NA | NA | NA | 4 U | 4 U |
| Aroclor-1248 | | 8 U | NA | NA | 4 U | 3.9 U | 8 U | NA | NA | NA | NA | 4 U | 4 U |
| Aroclor-1254 | | 20 U | NA | NA | 12 | 11 | 8 U | NA | NA | NA | NA | 4 U | 6.2 |
| Aroclor-1260 | | 15 P | NA | NA | 6.7 | 4.4 | 8 U | NA | NA | NA | NA | 4 U | 4 U |
| Aroclor-1221 | | 8 U | NA | NA | 4 U | 3.9 U | 8 U | NA | NA | NA | NA | 4 U | 4 U |
| Aroclor-1232 | | 8 U | NA | NA | 4 U | 3.9 U | 8 U | NA | NA | NA | NA | 4 U | 4 U |
| Total Aroclors | | 8 U | NA | NA | 18.7 | 15.4 | 8 U | NA | NA | NA | NA | 4 U | 6.2 |

**Table A-4-3
Historical Tissue Data - SMA-3**

| Parameters | Species | Crab Hepatopancreas | | | | | Crab Muscle | | | | | | |
|------------------------------|---------------------|---------------------|-------------------|-------------------|------------|------------|--------------------|-------------------|-------------------|-------------------------|-------------------------|------------|------------|
| | Sampling ID | HART14_CRAB1A PAN | PG11-BW-04-DCH-R1 | PG11-BW-04-DCH-R2 | 12112801 | 12112803 | HART14_CRAB1A MEAT | PG11-BW-04-DCM-R1 | PG11-BW-04-DCM-R2 | 12PTGB1-DCM01A (muscle) | 12PTGB3-DCM01A (muscle) | 12112802 | 12112804 |
| | Sampling Date | 12/23/2008 | 8/2/2011 | 8/2/2011 | 11/28/2012 | 11/28/2012 | 12/23/2008 | 8/2/2011 | 8/3/2011 | 8/13/2012 | 8/13/2012 | 11/28/2012 | 11/28/2012 |
| | TEF (as applicable) | | | | | | | | | | | | |
| PCB Congeners (ng/kg) | | | | | | | | | | | | | |
| PCB-017 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-018 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-028 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-031 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-033 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-044 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-049 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-052 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-066 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-070 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-074 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-077 | 0.0001 | 20.8 | 35.4 | 37.1 | NA | NA | 0.91 U | 1.78 | 1.71 | NA | NA | NA | NA |
| PCB-081 | 0.0003 | 0.923 U | 1.42 U | 1.69 U | NA | NA | 0.91 U | 0.156 U | 0.227 U | NA | NA | NA | NA |
| PCB-082 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-087 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-095 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-099 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-101 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.34 | NA | NA |
| PCB-105 | 0.00003 | 425 | 802 | 714 | NA | NA | 29.5 | 25.3 | 28.4 | 0.21 U | 0.25 U | NA | NA |
| PCB-110 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 | 0.27 | NA | NA |
| PCB-114 | 0.00003 | 24.6 | 44.2 | 39.4 | NA | NA | 0.91 U | 1.24 | 1.45 | NA | NA | NA | NA |
| PCB-118 | 0.00003 | 1210 | 2120 | 1990 | NA | NA | 79.2 | 66.4 | 74.4 | 0.22 | 0.32 | NA | NA |
| PCB-123 | 0.00003 | 20.7 | 35.6 | 40.2 | NA | NA | 0.91 U | 1.14 | 1.09 | NA | NA | NA | NA |
| PCB-126 | 0.1 | 15.8 | 6.82 U | 7.03 | NA | NA | 0.91 U | 0.396 U | 0.282 U | NA | NA | NA | NA |
| PCB-128 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-138 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.43 | 0.86 | NA | NA |
| PCB-149 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 | 0.3 | NA | NA |
| PCB-151 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.20 U | 0.25 U | NA | NA |
| PCB-153 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.42 | 0.83 | NA | NA |
| PCB-156/157 | 0.00003 | 192 | 429 | 315 | NA | NA | 11.3 | 11.9 | 11 | 0.2 U | 0.25 U | NA | NA |
| PCB-158 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-167 | 0.00003 | 96.1 | 188 | 157 | NA | NA | 5.18 | 4.47 | 4.81 | NA | NA | NA | NA |
| PCB-169 | 0.03 | 0.923 U | 3.01 U | 3.33 U | NA | NA | 0.91 U | 0.163 U | 0.168 U | NA | NA | NA | NA |
| PCB-170 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-171 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-177 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-180 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-183 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-187 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.38 | NA | NA |
| PCB-189 | 0.00003 | 16 J | 46.9 | 31.6 | NA | NA | 0.91 U | 1.01 | 0.857 U | NA | NA | NA | NA |
| PCB-191 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-194 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-195 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |

**Table A-4-3
Historical Tissue Data - SMA-3**

| Parameters | Species | Crab Hepatopancreas | | | | | Crab Muscle | | | | | | |
|---------------------------------|---------------------|---------------------|-------------------|-------------------|------------|------------|--------------------|-------------------|-------------------|-------------------------|-------------------------|------------|------------|
| | Sampling ID | HART14_CRAB1A PAN | PG11-BW-04-DCH-R1 | PG11-BW-04-DCH-R2 | 12112801 | 12112803 | HART14_CRAB1A MEAT | PG11-BW-04-DCM-R1 | PG11-BW-04-DCM-R2 | 12PTGB1-DCM01A (muscle) | 12PTGB3-DCM01A (muscle) | 12112802 | 12112804 |
| | Sampling Date | 12/23/2008 | 8/2/2011 | 8/2/2011 | 11/28/2012 | 11/28/2012 | 12/23/2008 | 8/2/2011 | 8/3/2011 | 8/13/2012 | 8/13/2012 | 11/28/2012 | 11/28/2012 |
| | TEF (as applicable) | | | | | | | | | | | | |
| PCB-199 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-205 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-206 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB-208 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.21 U | 0.25 U | NA | NA |
| PCB-209 | | NA | NA | NA | NA | NA | NA | NA | NA | 0.2 U | 0.25 U | NA | NA |
| PCB Congener TEQ | | 1.65 | 0.809 | 0.817 | NA | NA | 0.0631 | 0.0436 | 0.0325 | * | * | NA | NA |
| Dioxins / Furans (ng/kg) | | | | | | | | | | | | | |
| 2,3,7,8-TCDD | 1 | .106 U | 0.275 | 0.212 U | NA | NA | 0.112 U | 0.056 U | 0.05 U | NA | NA | NA | 0.057 U |
| 1,2,3,7,8-PECDD | 1 | .428 T | 0.96 J | 0.736 J | NA | NA | 0.262 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.057 U |
| 1,2,3,4,7,8-HXCDD | 0.1 | .364 U | 0.573 J | 0.357 J | NA | NA | 0.384 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.057 U |
| 1,2,3,6,7,8-HXCDD | 0.1 | 1.05 T | 2.45 | 1.86 | NA | NA | 0.406 U | 0.081 U | 0.099 U | NA | NA | NA | 0.187 |
| 1,2,3,7,8,9-HXCDD | 0.1 | .211 U | 0.954 J | 0.665 J | NA | NA | 0.223 U | 0.049 U | 0.057 U | NA | NA | NA | 0.057 U |
| 1,2,3,4,6,7,8-HPCDD | 0.01 | 1.8 T | 3.88 | 2.64 | NA | NA | 0.406 U | 0.119 U | 0.181 U | NA | NA | NA | 0.443 |
| OCDD | 0.0003 | 2.3 T | 4.13 | 3.32 | NA | NA | 0.786 U | 0.231 U | 0.224 U | NA | NA | NA | 0.612 |
| 2,3,7,8-TCDF | 0.1 | 1.03 | 1.85 | 1.58 | NA | NA | 0.223 T | 0.065 J | 0.071 U | NA | NA | NA | 0.169 |
| 1,2,3,7,8-PECDF | 0.03 | .286 U | 0.494 J | 0.242 J | NA | NA | 0.301 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.057 U |
| 2,3,4,7,8-PECDF | 0.3 | .455 T | 0.874 J | 0.558 J | NA | NA | 0.247 U | 0.052 J | 0.0491 U | NA | NA | NA | 0.064 |
| 1,2,3,4,7,8-HXCDF | 0.1 | .513 U | 0.438 J | 0.303 U | NA | NA | 0.542 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.057 U |
| 1,2,3,6,7,8-HXCDF | 0.1 | .123 U | 0.213 J | 0.181 J | NA | NA | 0.13 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.057 U |
| 1,2,3,7,8,9-HXCDF | 0.1 | .237 U | 0.0497 U | 0.047 U | NA | NA | 0.25 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.057 U |
| 2,3,4,6,7,8-HXCDF | 0.1 | .28 U | 0.237 U | 0.168 J | NA | NA | 0.296 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.057 U |
| 1,2,3,4,6,7,8-HPCDF | 0.01 | .513 U | 0.935 | 0.766 | NA | NA | 0.542 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.087 |
| 1,2,3,4,7,8,9-HPCDF | 0.01 | .531 U | 0.0497 U | 0.047 U | NA | NA | 0.561 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.057 U |
| OCDF | 0.0003 | .661 U | 0.28 U | 0.227 U | NA | NA | 0.698 U | 0.049 U | 0.0491 U | NA | NA | NA | 0.057 |
| Total Dioxin TEQ | | 0.940 | 2.220 | 1.480 | NA | NA | 0.370 | 0.0952 | 0.0827 | NA | NA | NA | 0.14 |

Table A-4-3
Historical Tissue Data - SMA-3

| Parameters | Geoduck | | | | | | |
|--|-------------|-------------|-------------|------------|------------|------------|------------|
| | HART14_GD1A | HART14_GD2A | HART14_GD3A | 12111903 | 12111904 | 12111905 | 12111906 |
| | 12/16/2008 | 12/16/2008 | 12/16/2008 | 11/19/2012 | 11/19/2012 | 11/19/2012 | 11/19/2012 |
| Conventional (%) | | | | | | | |
| Percent Lipids | 0.481 | 0.426 | 0.823 | 0.47 | 0.694 | 0.222 | 0.34 |
| Metals (mg/kg) | | | | | | | |
| Arsenic | 1 | 2 | 2 | 3 | 2 | 9 | 4 |
| Cadmium | 0.19 | 0.19 | 0.26 | 0.36 | 0.2 | 1.37 | 0.76 |
| Chromium | 0.1 | 0.1 | 0.2 | 0.5 | 0.3 | 0.9 | 0.4 |
| Copper | 3.25 | 2.85 | 6.29 | 6.32 | 6.44 | 7.37 | 4.04 |
| Lead | 0.4 U | 0.4 U | 0.4 U | 0.8 | 0.4 U | 1.8 | 0.4 U |
| Mercury | 0.01 | 0.01 | 0.02 | 0.01 | 0.008 | 0.052 | 0.014 |
| Silver | 0.93 | 1.15 | 1.47 | 0.75 | 0.15 | 3.47 | 2.74 |
| Zinc | 16.5 | 14.5 | 30.8 | 28.1 | 14.9 | 14.8 | 24.7 |
| Polycyclic Aromatic Hydrocarbons | | | | | | | |
| Napthalene | NA | NA | NA | 0.5 | 0.5 U | 0.5 U | 0.5 U |
| 2-Methylnaphthalene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| 1-Methylnaphthalene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Acenaphthylene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Acenaphthene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Fluorene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Phenanthrene | NA | NA | NA | 0.7 | 0.7 | 0.5 U | 0.6 |
| Anthracene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Fluoranthene | NA | NA | NA | 1 | 1.7 | 0.9 | 0.8 |
| Pyrene | NA | NA | NA | 0.5 U | 0.5 | 0.5 | 0.5 U |
| Benzo(g,h,i)perylene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Dibenzofuran | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Carcinogenic Polycyclic Aromatics | | | | | | | |
| Total Benzo(a)fluoranthenes | NA | NA | NA | 0.9 | 1.2 | 0.5 U | 0.7 |
| Benzo(b)fluoranthene | NA | NA | NA | 0.5 | 0.6 | 0.5 U | 0.5 U |
| Benzo(k)fluoranthene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Benzo(a)anthracene | NA | NA | NA | 0.5 | 0.5 | 0.5 U | 0.5 U |
| Chrysene | NA | NA | NA | 0.7 | 0.7 | 0.5 U | 0.5 |
| Benzo(a)pyrene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Indeno(1,2,3-cd)pyrene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Dibenz(a,h)anthracene | NA | NA | NA | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| cPAHs TEQ | NA | NA | NA | 0.43 | 0.44 | 0.38 | 0.38 |
| Polychlorinated Biphenyls (PCBs) | | | | | | | |
| Aroclor-1016 | 4.0 U | 4.0 U | 4.0 U | 4 U | 4 U | 4 U | 4 U |
| Aroclor-1242 | 4.0 U | 4.0 U | 4.0 U | 4 U | 4 U | 4 U | 4 U |
| Aroclor-1248 | 4.0 U | 4.0 U | 4.0 U | 4 U | 4 U | 4 U | 4 U |
| Aroclor-1254 | 4.0 U | 4.0 U | 4.0 U | 4 U | 4 U | 4 U | 4 U |
| Aroclor-1260 | 4.0 U | 4.0 U | 4.0 U | 4 U | 4 U | 4 U | 4 U |
| Aroclor-1221 | 4.0 U | 4.0 U | 4.0 U | 4 U | 4 U | 4 U | 4 U |
| Aroclor-1232 | 4.0 U | 4.0 U | 4.0 U | 4 U | 4 U | 4 U | 4 U |
| Total Aroclors | 4.0 U | 4.0 U | 4.0 U | 4 U | 4 U | 4 U | 4 U |

**Table A-4-3
Historical Tissue Data - SMA-3**

| Parameters | Geoduck | | | | | | |
|------------------------------|-------------|-------------|-------------|------------|------------|------------|------------|
| | HART14_GD1A | HART14_GD2A | HART14_GD3A | 12111903 | 12111904 | 12111905 | 12111906 |
| | 12/16/2008 | 12/16/2008 | 12/16/2008 | 11/19/2012 | 11/19/2012 | 11/19/2012 | 11/19/2012 |
| PCB Congeners (ng/kg) | | | | | | | |
| PCB-017 | NA | NA | NA | NA | NA | NA | NA |
| PCB-018 | NA | NA | NA | NA | NA | NA | NA |
| PCB-028 | NA | NA | NA | NA | NA | NA | NA |
| PCB-031 | NA | NA | NA | NA | NA | NA | NA |
| PCB-033 | NA | NA | NA | NA | NA | NA | NA |
| PCB-044 | NA | NA | NA | NA | NA | NA | NA |
| PCB-049 | NA | NA | NA | NA | NA | NA | NA |
| PCB-052 | NA | NA | NA | NA | NA | NA | NA |
| PCB-066 | NA | NA | NA | NA | NA | NA | NA |
| PCB-070 | NA | NA | NA | NA | NA | NA | NA |
| PCB-074 | NA | NA | NA | NA | NA | NA | NA |
| PCB-077 | 0.977 U | 0.836 U | NA | NA | NA | NA | NA |
| PCB-081 | 0.977 U | 0.836 U | NA | NA | NA | NA | NA |
| PCB-082 | NA | NA | NA | NA | NA | NA | NA |
| PCB-087 | NA | NA | NA | NA | NA | NA | NA |
| PCB-095 | NA | NA | NA | NA | NA | NA | NA |
| PCB-099 | NA | NA | NA | NA | NA | NA | NA |
| PCB-101 | NA | NA | NA | NA | NA | NA | NA |
| PCB-105 | 20.2 | 18.1 | NA | NA | NA | NA | NA |
| PCB-110 | NA | NA | NA | NA | NA | NA | NA |
| PCB-114 | 0.977 U | 0.836 U | NA | NA | NA | NA | NA |
| PCB-118 | 70.4 | 50.4 | NA | NA | NA | NA | NA |
| PCB-123 | 0.977 U | 0.836 U | NA | NA | NA | NA | NA |
| PCB-126 | 0.977 U | 0.836 U | NA | NA | NA | NA | NA |
| PCB-128 | NA | NA | NA | NA | NA | NA | NA |
| PCB-138 | NA | NA | NA | NA | NA | NA | NA |
| PCB-149 | NA | NA | NA | NA | NA | NA | NA |
| PCB-151 | NA | NA | NA | NA | NA | NA | NA |
| PCB-153 | NA | NA | NA | NA | NA | NA | NA |
| PCB-156/157 | 7.93 | 2.21 J | NA | NA | NA | NA | NA |
| PCB-158 | NA | NA | NA | NA | NA | NA | NA |
| PCB-167 | 5.31 J | 2.79 J | NA | NA | NA | NA | NA |
| PCB-169 | 0.977 U | 0.836 U | NA | NA | NA | NA | NA |
| PCB-170 | NA | NA | NA | NA | NA | NA | NA |
| PCB-171 | NA | NA | NA | NA | NA | NA | NA |
| PCB-177 | NA | NA | NA | NA | NA | NA | NA |
| PCB-180 | NA | NA | NA | NA | NA | NA | NA |
| PCB-183 | NA | NA | NA | NA | NA | NA | NA |
| PCB-187 | NA | NA | NA | NA | NA | NA | NA |
| PCB-189 | 0.977 UJ | 0.836 U | NA | NA | NA | NA | NA |
| PCB-191 | NA | NA | NA | NA | NA | NA | NA |
| PCB-194 | NA | NA | NA | NA | NA | NA | NA |
| PCB-195 | NA | NA | NA | NA | NA | NA | NA |

**Table A-4-3
Historical Tissue Data - SMA-3**

| Parameters | Geoduck | | | | | | |
|---------------------------------|-------------|-------------|-------------|------------|------------|------------|------------|
| | HART14_GD1A | HART14_GD2A | HART14_GD3A | 12111903 | 12111904 | 12111905 | 12111906 |
| | 12/16/2008 | 12/16/2008 | 12/16/2008 | 11/19/2012 | 11/19/2012 | 11/19/2012 | 11/19/2012 |
| PCB-199 | NA | NA | NA | NA | NA | NA | NA |
| PCB-205 | NA | NA | NA | NA | NA | NA | NA |
| PCB-206 | NA | NA | NA | NA | NA | NA | NA |
| PCB-208 | NA | NA | NA | NA | NA | NA | NA |
| PCB-209 | NA | NA | NA | NA | NA | NA | NA |
| PCB Congener TEQ | 0.0669 | 0.0567 | NA | NA | NA | NA | NA |
| Dioxins / Furans (ng/kg) | | | | | | | |
| 2,3,7,8-TCDD | 0.111 U | 0.107 U | 0.107 U | NA | NA | NA | NA |
| 1,2,3,7,8-PECDD | 0.258 U | 0.25 U | 0.25 U | NA | NA | NA | NA |
| 1,2,3,4,7,8-HXCDD | 0.378 U | 0.367 U | 0.367 U | NA | NA | NA | NA |
| 1,2,3,6,7,8-HXCDD | 0.399 U | 0.387 U | 0.387 U | NA | NA | NA | NA |
| 1,2,3,7,8,9-HXCDD | 0.219 U | 0.212 U | 0.212 U | NA | NA | NA | NA |
| 1,2,3,4,6,7,8-HPCDD | 0.399 U | 0.387 U | 0.387 U | NA | NA | NA | NA |
| OCDD | 2.58 J | 1.51 J | 1.05 J | NA | NA | NA | NA |
| 2,3,7,8-TCDF | 0.105 U | 0.102 U | 0.102 U | NA | NA | NA | NA |
| 1,2,3,7,8-PECDF | 0.297 U | 0.288 U | 0.288 U | NA | NA | NA | NA |
| 2,3,4,7,8-PECDF | 0.243 U | 0.235 U | 0.235 U | NA | NA | NA | NA |
| 1,2,3,4,7,8-HXCDF | 0.533 U | 0.517 U | 0.517 U | NA | NA | NA | NA |
| 1,2,3,6,7,8-HXCDF | 0.128 U | 0.124 U | 0.124 U | NA | NA | NA | NA |
| 1,2,3,7,8,9-HXCDF | 0.246 U | 0.239 U | 0.239 U | NA | NA | NA | NA |
| 2,3,4,6,7,8-HXCDF | 0.291 U | 0.282 U | 0.282 U | NA | NA | NA | NA |
| 1,2,3,4,6,7,8-HPCDF | 0.533 U | 0.517 U | 0.517 U | NA | NA | NA | NA |
| 1,2,3,4,7,8,9-HPCDF | 0.552 U | 0.535 U | 0.535 U | NA | NA | NA | NA |
| OCDF | 0.687 U | 0.666 U | 0.666 U | NA | NA | NA | NA |
| Total Dioxin TEQ | 0.349 | 0.337 | 0.337 | NA | NA | NA | NA |

Notes:

For TEQ calculations, non-detects were assumed to be half the quantitation limit

* = not enough congeners with assigned TEFs were analyzed to make a TEQ

µg/kg = micrograms per kilogram

B = analyte was detected in the Method Blank. If the sample value is less than three times the blank value, the sample value is suspect.

J = estimated concentration

mg/kg = milligrams per kilogram

NA = not analyzed

ng/kg = nanograms per kilogram

TEF = toxic equivalency factor

TEQ = toxicity equivalent quotient

U = not detected at the method detection limit

**Table A-4-4
Historical Tissue Data - Western Shoreline**

| Parameters | Species | Oyster | Cockle | Littleneck | Manila |
|--|---------------------|------------------|------------------|-------------------|------------------|
| | Sampling ID | LS_O_PGST_100429 | LS_C_PGST_100429 | LS_LN_PGST_100429 | LS_M_PGST_100429 |
| | Sampling Date | 4/29/2010 | 4/29/2010 | 4/29/2010 | 4/29/2010 |
| | TEF (as applicable) | | | | |
| Conventionals (%) | | | | | |
| Percent Lipids | | 1.65 | 0.39 | 0.47 | 0.38 |
| Metals (mg/kg) | | | | | |
| Arsenic | | 1 | 1 U | 3 | 3 |
| Cadmium | | 1.28 | 0.04 | 0.45 | 0.35 |
| Chromium | | 0.2 | 0.20 | 0.20 | 0.2 |
| Copper | | 9.9 | 1.1 | 3.3 | 6.68 |
| Lead | | 0.4 U | 0.4 U | 0.4 U | 0.4 U |
| Mercury | | 0.011 | 0.005 U | 0.008 | 0.008 |
| Silver | | 0.14 J | 0.06 UJ | 0.07 J | 0.08 J |
| Zinc | | 130 | 10 | 13 | 11.5 |
| Polycyclic Aromatic Hydrocarbons (PAHs) (µg/kg) | | | | | |
| Napthalene | | NA | NA | NA | NA |
| 2-Methylnapthalene | | NA | NA | NA | NA |
| 1-Methylnapthalene | | NA | NA | NA | NA |
| Acenaphthylene | | NA | NA | NA | NA |
| Acenaphthene | | NA | NA | NA | NA |
| Fluorene | | NA | NA | NA | NA |
| Phenanthrene | | NA | NA | NA | NA |
| Anthracene | | NA | NA | NA | NA |
| Fluoranthene | | NA | NA | NA | NA |
| Pyrene | | NA | NA | NA | NA |
| Benzo(g,h,i)perylene | | NA | NA | NA | NA |
| Dibenzofuran | | NA | NA | NA | NA |
| Carcinogenic Polycyclic Aromatic Hydrocarbons (µg/kg) | | | | | |
| Total Benzofluoranthenes | 0.1 | 1.6 | 0.5 U | 0.5 U | 0.5 U |

**Table A-4-4
Historical Tissue Data - Western Shoreline**

| Parameters | Species | Oyster | Cockle | Littleneck | Manila |
|---|---------------------|------------------|------------------|-------------------|------------------|
| | Sampling ID | LS_O_PGST_100429 | LS_C_PGST_100429 | LS_LN_PGST_100429 | LS_M_PGST_100429 |
| | Sampling Date | 4/29/2010 | 4/29/2010 | 4/29/2010 | 4/29/2010 |
| | TEF (as applicable) | | | | |
| Benzo(b)fluoranthene | 0.1 | 0.8 | 0.5 U | 0.5 U | 0.5 U |
| Benzo(k)fluoranthene | 0.1 | 0.8 | 0.5 U | 0.5 U | 0.5 U |
| Benz(a)anthracene | 0.1 | 0.9 | 0.5 U | 0.5 U | 1.1 |
| Chrysene | 0.01 | 2.4 | 0.9 | 0.5 U | 1.2 |
| Benzo(a)pyrene | 1 | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Indeno(1,2,3-cd)pyrene | 0.1 | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Dibenz(a,h)anthracene | 0.1 | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| cPAHs TEQ | | 0.7054 | 0.5784 | 0.57775 | 0.6637 |
| <i>Polychlorinated Biphenyls (PCBs) Aroclors (µg/kg)</i> | | | | | |
| Aroclor-1016 | | 3.9 U | 4.0 U | 4 U | 4 U |
| Aroclor-1242 | | 3.9 U | 4.0 U | 4 U | 4 U |
| Aroclor-1248 | | 3.9 U | 4.0 U | 4 U | 4 U |
| Aroclor-1254 | | 3.9 U | 4.0 U | 4 U | 4 U |
| Aroclor-1260 | | 3.9 U | 4.0 U | 4 U | 4 U |
| Aroclor-1221 | | 3.9 U | 4.0 U | 4 U | 4 U |
| Aroclor-1232 | | 3.9 U | 4.0 U | 4 U | 4 U |
| Total Aroclors | | | | | 4 U |
| <i>PCB Congeners (ng/kg)</i> | | | | | |
| PCB-017 | | NA | NA | NA | NA |
| PCB-018 | | NA | NA | NA | NA |
| PCB-028 | | NA | NA | NA | NA |
| PCB-031 | | NA | NA | NA | NA |
| PCB-033 | | NA | NA | NA | NA |
| PCB-044 | | NA | NA | NA | NA |
| PCB-049 | | NA | NA | NA | NA |
| PCB-052 | | NA | NA | NA | NA |

**Table A-4-4
Historical Tissue Data - Western Shoreline**

| Parameters | Species | Oyster | Cockle | Littleneck | Manila |
|-------------|---------------------|------------------|------------------|-------------------|------------------|
| | Sampling ID | LS_O_PGST_100429 | LS_C_PGST_100429 | LS_LN_PGST_100429 | LS_M_PGST_100429 |
| | Sampling Date | 4/29/2010 | 4/29/2010 | 4/29/2010 | 4/29/2010 |
| | TEF (as applicable) | | | | |
| PCB-066 | | NA | NA | NA | NA |
| PCB-070 | | NA | NA | NA | NA |
| PCB-074 | | NA | NA | NA | NA |
| PCB-077 | 0.0001 | NA | NA | NA | NA |
| PCB-081 | 0.0003 | NA | NA | NA | NA |
| PCB-082 | | NA | NA | NA | NA |
| PCB-087 | | NA | NA | NA | NA |
| PCB-095 | | NA | NA | NA | NA |
| PCB-099 | | NA | NA | NA | NA |
| PCB-101 | | NA | NA | NA | NA |
| PCB-105 | 0.00003 | NA | NA | NA | NA |
| PCB-110 | | NA | NA | NA | NA |
| PCB-114 | 0.00003 | NA | NA | NA | NA |
| PCB-118 | 0.00003 | NA | NA | NA | NA |
| PCB-123 | 0.00003 | NA | NA | NA | NA |
| PCB-126 | 0.1 | NA | NA | NA | NA |
| PCB-128 | | NA | NA | NA | NA |
| PCB-138 | | NA | NA | NA | NA |
| PCB-149 | | NA | NA | NA | NA |
| PCB-151 | | NA | NA | NA | NA |
| PCB-153 | | NA | NA | NA | NA |
| PCB-156/157 | 0.00003 | NA | NA | NA | NA |
| PCB-158 | | NA | NA | NA | NA |
| PCB-167 | 0.00003 | NA | NA | NA | NA |
| PCB-169 | 0.03 | NA | NA | NA | NA |
| PCB-170 | | NA | NA | NA | NA |

**Table A-4-4
Historical Tissue Data - Western Shoreline**

| Parameters | Species | Oyster | Cockle | Littleneck | Manila |
|--|---------------------|------------------|------------------|-------------------|------------------|
| | Sampling ID | LS_O_PGST_100429 | LS_C_PGST_100429 | LS_LN_PGST_100429 | LS_M_PGST_100429 |
| | Sampling Date | 4/29/2010 | 4/29/2010 | 4/29/2010 | 4/29/2010 |
| | TEF (as applicable) | | | | |
| PCB-171 | | NA | NA | NA | NA |
| PCB-177 | | NA | NA | NA | NA |
| PCB-180 | | NA | NA | NA | NA |
| PCB-183 | | NA | NA | NA | NA |
| PCB-187 | | NA | NA | NA | NA |
| PCB-189 | 0.00003 | NA | NA | NA | NA |
| PCB-191 | | NA | NA | NA | NA |
| PCB-194 | | NA | NA | NA | NA |
| PCB-195 | | NA | NA | NA | NA |
| PCB-199 | | NA | NA | NA | NA |
| PCB-205 | | NA | NA | NA | NA |
| PCB-206 | | NA | NA | NA | NA |
| PCB-208 | | NA | NA | NA | NA |
| PCB-209 | | NA | NA | NA | NA |
| PCB Congener TEQ | | NA | NA | NA | NA |
| <i>Dioxins / Furans (ng/kg)</i> | | | | | |
| 2,3,7,8-TCDD | 1 | NA | NA | NA | NA |
| 1,2,3,7,8-PECDD | 1 | NA | NA | NA | NA |
| 1,2,3,4,7,8-HXCDD | 0.1 | NA | NA | NA | NA |
| 1,2,3,6,7,8-HXCDD | 0.1 | NA | NA | NA | NA |
| 1,2,3,7,8,9-HXCDD | 0.1 | NA | NA | NA | NA |
| 1,2,3,4,6,7,8-HPCDD | 0.01 | NA | NA | NA | NA |
| OCDD | 0.0003 | NA | NA | NA | NA |
| 2,3,7,8-TCDF | 0.1 | NA | NA | NA | NA |
| 1,2,3,7,8-PECDF | 0.03 | NA | NA | NA | NA |
| 2,3,4,7,8-PECDF | 0.3 | NA | NA | NA | NA |

**Table A-4-4
Historical Tissue Data - Western Shoreline**

| Parameters | Species | Oyster | Cockle | Littleneck | Manila |
|---------------------|---------------------|------------------|------------------|-------------------|------------------|
| | Sampling ID | LS_O_PGST_100429 | LS_C_PGST_100429 | LS_LN_PGST_100429 | LS_M_PGST_100429 |
| | Sampling Date | 4/29/2010 | 4/29/2010 | 4/29/2010 | 4/29/2010 |
| | TEF (as applicable) | | | | |
| 1,2,3,4,7,8-HXCDF | 0.1 | NA | NA | NA | NA |
| 1,2,3,6,7,8-HXCDF | 0.1 | NA | NA | NA | NA |
| 1,2,3,7,8,9-HXCDF | 0.1 | NA | NA | NA | NA |
| 2,3,4,6,7,8-HXCDF | 0.1 | NA | NA | NA | NA |
| 1,2,3,4,6,7,8-HPCDF | 0.01 | NA | NA | NA | NA |
| 1,2,3,4,7,8,9-HPCDF | 0.01 | NA | NA | NA | NA |
| OCDF | 0.0003 | NA | NA | NA | NA |
| Total Dioxin TEQ | | NA | NA | NA | NA |

Notes:

For TEQ calculations, non-detects were assumed to be half the quantitation limit.

µg/kg = micrograms per kilogram

B = analyte was detected in the Method Blank. If the sample value is less than three times the blank value, the sample value is suspect.

J = estimated concentration

mg/kg = milligrams per kilogram

NA = not analyzed

ng/kg = nanograms per kilogram

TEF = toxic equivalency factor

TEQ = toxicity equivalent quotient

U = not detected at the method detection limit

APPENDIX B

FIELD FORMS

Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)
 www.arilabs.com

| | | |
|--|---|---|
| ARI Assigned Number: | Turn-around Requested: Standard | Page: 1 of 1 |
| ARI Client Company: Anchor QEA | Phone: 206-287-9130 | Date: 11/02/15 Ice Present? <input type="checkbox"/> |
| Client Contact: Cindy Fields | | No. of Coolers: Cooler Temps: <input type="checkbox"/> |

| Sample ID | Date | Time | Matrix | No. Containers | Analysis Requested * | | | | | | Notes/Comments | |
|-----------------------------|-----------------|-------------|---------------|----------------|----------------------|--------------------|----------|------------------|--|--|----------------|---|
| | | | | | Lipids | Proxins/ Furans | CPAHs | PCB Congeners | | | | |
| P6-T0-MUS-COL-151030 | 10/30/15 | 1500 | tissue | 1 | X | X | X | X | | | | Shock + homogenize send out tissue for PCB congener analysis |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

| | | | | |
|--|---|---------------------------------------|---------------------------------|-----------------------------|
| Comments/Special Instructions *archive frozen until additional mussel samples are submitted late Dec 2015 | Relinquished by: (Signature) <i>J.A.</i> | Received by: (Signature) <i>wo</i> | Relinquished by: (Signature) | Received by: (Signature) |
| | Printed Name: Joanna Floer | Printed Name: Emily Litwin | Printed Name: | Printed Name: |
| | Company: Anchor QEA | Company: ARI | Company: | Company: |
| | Date & Time: 11/02/15 1128 | Date & Time: 11/02/15 1128 | Date & Time: | Date & Time: |

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

Daily Log



Anchor QEA, L.L.C.
 720 Olive Way, Suite 1900
 Seattle, WA 98101
 Phone 206.287.9130 Fax 206.287.9131

PROJECT NAME: PG Clean-up

DATE: 10/29/15

SITE ADDRESS:

PERSONNEL: J. Flower, Mike Rony (on boat)

| | | | | | | | | | | | | |
|----------------------------|------------|---|----|--------|----|------|----|---|----|----------------------|--------|-------|
| WEATHER: | WIND FROM: | N | NE | E | SE | S | SW | W | NW | LIGHT | MEDIUM | HEAVY |
| <u>overcast + calm</u> | | | | CLOUDY | | RAIN | | ? | | TEMPERATURE: ° F ° C | | |
| [Circle appropriate units] | | | | | | | | | | | | |

| TIME | COMMENTS |
|------------------------|--|
| 0700 | Arrive Salisbury Park boat ramp |
| 0800 | Arrive SMA-1 dock + loaded cages + conducted H&S + daily plan. |
| 0830 | departed SMA-1 dock, headed to mussel pen |
| 0845 | collected mussels for 2 locations - headed to GP-1 |
| 0900 | Arrive GP-1 + deployed 3 cages w/ mussels (PEMDS in 2 cages) |
| 1000 | left GP-1 + headed to PJ-1 |
| 1030 | Arrive PJ-1 + deployed 3 cages w/ mussels (PEMDS in 2 cages) |
| 1130 | left PJ-1 headed to SMA-1 dock to pln more cages |
| 1145 | arrived SMA-1 dock pln cages + David + went to mussel pen to get more mussels |
| 1200 | headed to WS-1 |
| 1210 | Arrive WS-1 + deployed 3 cages w/ mussels (PEMDS in 2 cages) |
| 1251 | Departed WS-1 + headed to net pen to pln more mussels + then to SMA dock |
| 1315 | Arrive SMA dock to pln another cage set. |
| 1340 | Arrive SMA-2-5 + deployed 3 cages w/ mussels (PEMDS in 2 cages) offset anchor rigged location south of construction (SMA) |
| 1430 | finished SMA-2-5 + headed to SMA-2-4 |
| 1500/1445 | arrive SMA-2-4 + deployed 3 cages w/ mussels (PEMDS 2 cages) |
| 1530/1520 | finished at SMA-2-4 + headed to net pen to pln more mussels |
| 1600 | back to SMA dock + set up cages for SMA-2-3 |
| 1620 | arrive SMA-2-3 + deployed 3 cages w/ mussels (PEMDS 2 cages) |
| 1645 | finish w/ deploying at SMA-2-3 + re turned to SMA dock |
| 1700 | left SMA dock - returned to Salisbury Park |
| End of day 10/29/15 | |

Signature: _____

J. Flower

Daily Log



Anchor QEA, L.L.C.
 720 Olive Way, Suite 1900
 Seattle, WA 98101
 Phone 206.287.9130 Fax 206.287.9131

PROJECT NAME: P6 Clean-up

DATE: 10/30/15
 PERSONNEL: J. Flower, Mike + Chris Jones

SITE ADDRESS: _____

WEATHER: Overcast

| | | | | | | | | |
|------------|-------|--------|------|----|---|----|---|----|
| WIND FROM: | N | NE | E | SE | S | SW | W | NW |
| | SUNNY | CLOUDY | RAIN | | | | | ? |

| | | |
|----------------------------------|--------|-------|
| <u>LIGHT</u> | MEDIUM | HEAVY |
| TEMPERATURE: _____ ° F _____ ° C | | |

(Circle appropriate units)

| TIME | COMMENTS |
|------|---|
| 1230 | began mussel deployment by picking up mussels from net pen + loading 1st set of cages |
| 1245 | departed SMA dock + headed to location SMA-2-2 deployed 3 mussel cages (PEMDs 2 cages) |
| 1315 | opened trip blank PEMD for 5min while deployment cases. |
| 1320 | headed back to SMA dock + set up cages for SMA-2-1 |
| 1410 | Deployed 3 mussel cages at SMA-2-1 |
| 1440 | Returned to SMA dock |
| 1445 | Arrives SMA dock + unloaded |
| 1500 | created type O mussel sample (#101, 58, 19, 142) |
| 1530 | Mussel deployment demobilization - End of day note: T-O mussels to be submitted to ARI on Monday |

JMF
10/30/15

Signature: _____

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|--------------------------------------|--|
| Station ID: <u>GP-1</u> | Weather: <u>cloudy</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>12.8 ft lead line of fathometer</u> |
| Time: <u>0900</u> | Tide height (ft MLLW) (B): <u>+9.6</u> flood or <u>ebb</u> |
| Latitude/Easting: <u>on target</u> | Water Depth (ft MLLW) (A-B): <u>3.2</u> |
| Longitude/Northing: <u>on target</u> | |
| Field Staff: <u>JMF, MT, RD</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

^{white} yellow buoys have PEMDs, red/white ~~white~~ ⁹⁹ = non PEMD
 GP-1 cage 1 - 77, 117, 75, 118' bag #'s cage 2 bag #'s - 115, 116, 7, 79
 cage 3 bag# - 119, 76, 120, 1
 JA 10/29/15

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

down west of Mike's house + east of net pen
 halfway between the shoreline + net pens
 JA 10/29/15

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|--|---|
| Station ID: <u>PJ-1</u> | Weather: <u>cloudy</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>9.5</u> lead line of <u>fathometer</u> |
| Time: <u>10:30</u> | Tide height (ft MLLW) (B): <u>17.2</u> flood or <u>(ebb)</u> |
| Latitude/Easting: <u>315796.32</u> | Water Depth (ft MLLW) (A-B): <u>2.3</u> |
| Longitude/Northing: <u>1212999.14</u> | |
| Field Staff: <u>J. Flower, Rovy + Mike</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

non-PEMD = red/white buoy ; yellow or white buoy = PEMD

Cage 1 (no PEMD) bag #'s - 155, 4, 80, 157

Cage 2 (PEMD) Bag #'s - 158, 3, 156, 78

Cage 3 (PEMD) bag #'s - 2, 160, 159, 74

JF
10/29/15

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

due west of church (Pg) + NE of turquoise house, due south of Point Julia light post. Moved location 160ft SW to deeper location.

JF
10/29/15

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|---|
| Station ID: <u>WS-1</u> | Weather: <u>partially cloudy</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>7.0</u> lead line or <u>fathometer</u> |
| Time: <u>1210</u> | Tide height (ft MLLW) (B): <u>5.0</u> flood or ebb |
| Latitude/Easting: <u>312185.73</u> | Water Depth (ft MLLW) (A-B): <u>2ft</u> |
| Longitude/Northing: <u>1210499.80</u> | |
| Field Staff: <u>J. Plover, Cory, Mike</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

cage 1 - 8, 153, 152, 5
 bag #'s
 cage 2 - 113, 73, 71, 112
 bag #'s
 cage 3 - 114, 10, 72, 154
 bag #'s

PEMDs in cages w/
 white or yellow buoys
 Red/white buoy - no PEMD

~~JA 10/29/15~~

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

WS-1 moved east from original location to deeper water ~ 200ft.
 due south of construction, east of cable crossing sign
 150ft east of pilings

~~JA 10/29/15~~

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|---|
| Station ID: <u>SMA-2-5</u> | Weather: <u>overcast</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>16.0</u> lead line or fathometer |
| Time: <u>1340</u> | Tide height (ft MLLW) (B): <u>5.2</u> flood or ebb |
| Latitude/Easting: <u>on target</u> | Water Depth (ft MLLW) (A-B): <u>10.8</u> |
| Longitude/Northing: <u>on target</u> | |
| Field Staff: <u>J. Flores, Rory, M. Kie</u> <u>D. Gillingham</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Offset location with one ^{white} buoy marker. PEMD cage lines marked w/ zipties.

Cage 1 bag# - 106, 107, 65, 17

Cage 2 bag# - 66, 108, 147, 12

Cage 3 bag# - 110, 14, 67, 148

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

Pure west of shoreline w/ 4 evergreen trees, SW of shore line

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|--|
| Station ID: <u>SMA-2-4</u> | Weather: <u>overcast</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>37.7</u> lead line or <u>fathometer</u> |
| Time: <u>1515</u> | Tide height (ft MLLW) (B): <u>+7.1</u> <u>flood</u> or ebb |
| Latitude/Easting: <u>1211025.49</u> | Water Depth (ft MLLW) (A-B): <u>37.7 30.6</u> |
| Longitude/Northing: <u>315378.62</u> | <u>87</u> |
| Field Staff: <u>J. Plover, Mike, Rory</u> <u>D. Gillingham</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Cage 1 - 69, 70, 109, 151
Cage 2 - 146, 13, 111, 11
Cage 3 - 150, 68, 6, 149

off set location w/
zip ties on lines for cages
w/ PEMDs. one buoy
94

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

due east of beige house + due west of turquoise house

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|--|
| Station ID: <u>SMA-7-3</u> | Weather: <u>overcast</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>45.5</u> lead line or <u>fathometer</u> |
| Time: <u>10:20</u> | Tide height (ft MLLW) (B): <u>8.7</u> <u>flood</u> or ebb |
| Latitude/Easting: <u>1211898.18</u> | Water Depth (ft MLLW) (A-B): <u>36.8</u> |
| Longitude/Northing: <u>315098.12</u> | |
| Field Staff: <u>J. Flower, Rory, Mike</u> <u>D. Gillingham</u> | |


DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

| | |
|--|---|
| <p>Cage 1 - 16, 15, 144, 105 Cage 2 - 103, 62, 184, 63 Cage 3 - 64, 143, 145, 18</p> | <p>offset anchor rigging set-up w/ 1 white buoy due to strong wind from the north engine was left on + bowed into wind to stay on location. PEMD were upwind of engine.</p> |
|--|---|

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity



Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|---|
| Station ID: <u>SMA-2-2</u> | Weather: <u>overcast</u> |
| Date: <u>10/30/15</u> | Water Depth (ft) (A): <u>49.5</u> lead line or fathometer |
| Time: <u>1320</u> | Tide height (ft MLLW) (B): <u>+5.4</u> flood or ebb |
| Latitude/Easting: <u>See GPS 121265.76</u> | Water Depth (ft MLLW) (A-B): <u>44.1</u> |
| Longitude/Northing: <u>± 316263.11</u> | |
| Field Staff: <u>J. Flaker, Mike Chris Jones</u> | |

DESCRIPTION OF CAGE DEPLOYMENT


e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Cage 1 - 137, 59, 97, 24
Cage 2 - 25, 139, 56, 96
Cage 3 - 98, 140, 23, 60

offset system w/ one buoy (white)

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity



Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|---|
| Station ID: <u>SMA-2-1</u> | Weather: <u>overcast</u> |
| Date: <u>10/30/15</u> | Water Depth (ft) (A): <u>44</u> lead line or fathometer |
| Time: <u>1410</u> | Tide height (ft MLLW) (B): <u>+5.4</u> flood or ebb |
| Latitude/Easting: <u>on target</u> | Water Depth (ft MLLW) (A-B): <u>39</u> |
| Longitude/Northing: <u>"</u> | |
| Field Staff: <u>J. Flower, Mike & Chris Jones</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Cage 1 - 61, 21, 136, 99
Cage 2 - 141, 22, 55, 100
Cage 3 - 102, 20, 57, 138

yellow marker buoy
offset system

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

East of green water tower, west of light pole at Point Julia boat launch



DAILY SAFETY BRIEFING

Date: 10/29/15
Project Name: PG Clean-up
Project No: 15038801 tasks

Person Conducting Meeting: J. Florer
Health and Safety Officer: C. Torrell
Project Manager: N. Saccorzy

Topics Covered:

- Emergency Procedures and Evacuation Route
Directions to Hospital
HASP Review and Location
Safety Equipment Location
Proper Safety Equipment Use
Employee Right-to-Know/MSDS Location
Fire Extinguisher Location
Eye-wash Station Location
Buddy System
Self and Coworker Monitoring
Lines of Authority
Communication
Site Security
Vessel Safety Protocols
Work Zones
Vehicle Safety and Driving/Road Conditions
Equipment Safety and Operation
Proper Use of PPE
Decontamination Procedures
Other:
Lifting Techniques
Slips, Trips, and Falls
Hazard Exposure Routes
Heat and Cold Stress
Overhead and Underfoot Hazards
Chemical Hazards
Flammable Hazards
Biological Hazards
Eating/Drinking/Smoking

Weather conditions: overcast
Daily work scope: massel cage deployment
Site-specific hazards: falling over board + entanglement w/ ropes
Safety comments: keep an eye out for vessel traffic awake

Table with 2 columns: Printed Name, Signature. Row 1: J. Florer, [Signature]

Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)
 www.arilabs.com

ARI Assigned Number: _____ Turn-around Requested: Standard

Page: 1 of 1

ARI Client Company: Anchor Q&A Phone: 206-287-9130

Date: 01/16/16 Ice Present? Yes

Client Contact: Cindy Fields

No. of Coolers: 2 Cooler Temps: 0.6, 0.9°C

Client Project Name: Port Gambly Clean-up

| Analysis Requested | | | | | Notes/Comments |
|--------------------|----------------|---------------|---------|------------|----------------|
| Lipids | PCBs Congeners | Dioxin Furans | Cadmium | PAHs (SIM) | |

Client Project #: 15D388-01.01 Samplers: J. Florer, R.D'Rauke

| Sample ID | Date | Time | Matrix | No. Containers |
|-----------|------|------|--------|----------------|
|-----------|------|------|--------|----------------|

| Sample ID | Date | Time | Matrix | No. Containers | Lipids | PCBs Congeners | Dioxin Furans | Cadmium | PAHs (SIM) | Notes/Comments |
|--------------------------|----------|------|--------|----------------|--------|----------------|---------------|---------|------------|-------------------------------------|
| PG-SMA2-2-MUS-COC-160104 | 01/04/16 | 1400 | Tissue | 1 | X | X | X | X | X | Composite rice 2 bags per sample |
| PG-PJ-1-MUS-COC-160104 | | 0900 | | 1 | X | X | X | X | X | " |
| PG-WS-1-MUS-COC-160104 | | 1145 | | 1 | X | X | X | X | X | " |
| PG-GP-1-MUS-COC-160104 | | 1010 | | 1 | X | X | X | X | X | " |
| PG-SMA2-5-MUS-COC-160104 | 01/04/16 | 1600 | | 1 | X | X | X | X | X | " |
| PG-SMA2-4-MUS-COC-160105 | 01/05/16 | 0940 | tissue | 1 | X | X | X | X | X | " |

| | | | | |
|---|---|--|------------------------------|--------------------------|
| Comments/Special Instructions <u>Rinse, shuck & composite, homogenize all mussels for each sample.</u> | Relinquished by: (Signature) <u>J. Florer</u> | Received by: (Signature) <u>Tyler Rankin</u> | Relinquished by: (Signature) | Received by: (Signature) |
| | Printed Name: <u>Joanna Florer</u> | Printed Name: <u>Tyler Rankin</u> | Printed Name: | Printed Name: |
| | Company: <u>Anchor Q&A</u> | Company: <u>ARI</u> | Company: | Company: |
| | Date & Time: <u>1/6/15 1033</u> | Date & Time: <u>1/6/15 1033</u> | Date & Time: | Date & Time: |

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

Daily Log



Shellfish Monitoring WQ Retrieval

Anchor QEA, LLC
720 Olive Way, Suite 1900
Seattle, WA 98101
Phone 206.287.9130 Fax 206.287.9131

PROJECT NAME: Port Gamble Clean-up

DATE: 01/4/16

SITE ADDRESS:

PERSONNEL: J. Flores + R. O'Rourke (PGS)

WEATHER:

WIND FROM:

| | | | | | | | |
|-------|----|--------|----|------|----|---|----|
| N | NE | E | SE | S | SW | W | NW |
| SUNNY | | CLOUDY | | RAIN | | | ? |

LIGHT MEDIUM HEAVY

TEMPERATURE: 38 °F °C

[Circle appropriate units]

| TIME | COMMENTS |
|------|---|
| 0800 | Arrive Point Julia, met Rory O'Rourke + Mike Jones (PGST) + setup |
| 0830 | conducted daily scope + H+S mtgs |
| 0900 | Arrive PJ-1. GPS coords collected from 2nd cage (central location) |
| | Bag # Trossulus: 3, 4, 70, 80, 74, 2 Mortalities: 14 |
| | Hybrid: 155, 156, 157, 158, 159, 160 " 17 |
| 0955 | Returned to Pt. Julia to drop off empty cages |
| 1010 | Arrive GP-1 |
| | Bag # Trossulus: 1, 76, 75, 77, 7, 9, 79 (extra) Mortalities: 25 |
| | Hybrid: 115, 116, 117, 118, 119, 120 " : 20 |
| 1050 | Returned to Pt. Julia to drop off cages + take lunch break |
| 1145 | Arrive WS-1. Buoys were submerged, a seal was ensnared in the lines + died. |
| | Bag # Trossulus: 5, 8, 10, 71, 72, 73 Mortalities: 21 |
| | Hybrid: 112, 113, 114, 152, 153, 154 " : 3 |
| 1250 | Returned to Pt. Julia to drop off cages + wait for WQ boat to collect SMA2 loc. lines |
| 1400 | Retrieved SMA2-2 from WQ boat |
| | Bag # Trossulus: 23, 24, 25, 56, 59, 60 Mortalities: 35 44 |
| | Hybrid: 96, 97, 98, 137, 139, 140 " : 38 |
| 1500 | Completed processing SMA2-2 mussels + waited for WQ team to complete monitoring + bring another SMA2 set of cages |
| 1600 | Retrieved SMA2-5 from WQ boat |
| | bag # Trossulus: 12, 14, 17, 65, 66, 67 Mortalities: 24 |
| | Hybrid: 106, 107, 108, 110, 147, 148 " 12 |
| 1640 | finished processing SMA2-5 + daily demobe |
| 1700 | left Pt. Julia |
| 1715 | Daily debrief call w/ Nathan + prep for next day |
| 1800 | End of day |
| | / |
| | / |
| | / |

Signature: _____

J. Flores

Daily Log



Anchor QEA, LLC
720 Olive Way, Suite 1900
Seattle, WA 98101
Phone 206.287.9130 Fax 206.287.9131

PROJECT NAME: Port Gamble Clean-up

DATE: _____

SITE ADDRESS: _____

PERSONNEL: J. Flores

| | | | | | | | | | | | | |
|----------|------------|-------|--------|------|----|---|----|---|----|-----------------|--------|----------------------------|
| WEATHER: | WIND FROM: | N | NE | E | SE | S | SW | W | NW | LIGHT | MEDIUM | HEAVY |
| | | SUNNY | CLOUDY | RAIN | | | | | ? | TEMPERATURE: °F | °C | [Circle appropriate units] |

| TIME | COMMENTS |
|-----------|--|
| 0940 | Retrieval of SMA2-4. coordinates: N 47' 50.973 W 122' 34.741 silt observed on mussels |
| | log # Trossulus: 11, 13, 14, 69, 70, 68 mortals: 33 Hybrid: 111, 146, 150, 149, 151, 109 " 35 |
| 1110 | Completed processing of SMA2-4 |
| 1030-1200 | WR boat searched for SMA2-1 + SMA-3 #buoys are not visible |
| 1230-1330 | PGST boat searched for lost cages |
| 1400 | Returned to Mill site dock + demobilized |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Signature: J. Flores

Daily Log



Anchor QEA, L.L.C.
720 Olive Way, Suite 1900
Seattle, WA 98101
Phone 206.287.9130

PROJECT NAME: Port Gamble Clean-up and Restoration

DATE: 11/9/15

SITE ADDRESS: Port Gamble Bay, WA

PERSONNEL: J. Floyer, R. Drouke, T. Schum

WEATHER:

WIND FROM:

| | | | | | | | |
|----------|--------|---|----|----------|----|---|----|
| <u>N</u> | NE | E | SE | <u>S</u> | SW | W | NW |
| SUNNY | CLOUDY | | | RAIN | | | ? |

LIGHT

MEDIUM

HEAVY

TEMPERATURE: (F) 50 °C

(Circle appropriate units)

| TIME | COMMENTS |
|-----------|--|
| 0715 | Arrive at the Mill site |
| 0730 | Conducted H+S + set-up |
| 0800 | Headed to boat conducted H+S (vessel specific) + discussed daily scope |
| 0825 | Departed Mill site dock to begin PEMD retrieval |
| 0835 | Retrieved PEMDs from GP-1 GP-1. A buoy was lost from one cage, so the yellow buoy is tied to 2 cages. |
| 0855 | Departed GP-1 GP-1 + headed to PJ-1 Mill dock GA GA |
| | because wQ needed to commence. |
| 0915 | Returned to A/Q trailer on Mill site + prepped samples for submission + prepped for next locations |
| 1015 | Returned to Mill site dock to retrieve additional PEMDs; departed dock |
| 1020 | Arrive WS-1 + retrieved PEMDs |
| 1045 | Departed WS-1 + headed to PJ-1 |
| 1055 | Arrive PJ-1 retrieved PEMDs |
| 1115 | Returned to Mill site dock to set-up for SMA location retrieval |
| 1145 | departed PJ-1 dock + headed to SMAZ-5 |
| 1200 | Arrived SMAZ-5 |
| 1220 | retrieved PEMDs from SMAZ-5 + re-deployed cages |
| 1300 | returned to Mill site dock, so wQ monitoring could commence |
| 1430 | departed Mill site dock to retrieve PEMDs from SMAZ-4 |
| 1440 | Arrive SMAZ-4 + began pulling in cages |
| 1450 | retrieved PEMDs |
| 1500-1505 | opened field blank while motor off |
| 1540 | Departed SMAZ-4 + headed back to Mill site dock |
| 1600 | End of Day |
| | JMF 11/9/15 |

Signature: J Floyer

Daily Log



Anchor QEA, L.L.C.
720 Olive Way, Suite 1900
Seattle, WA 98101
Phone 206.287.9130

PROJECT NAME: Port Gamble Clean-up and Restoration

DATE: 11/10/15

SITE ADDRESS: Port Gamble Bay, WA

PERSONNEL: T. Schun, D. Gillingham, J. Flan ^{P.O. Guide}

WEATHER:

Foggy

WIND FROM:


None


| | | | | | | | |
|-------|--------|------|--------|---|----|---|----|
| N | NE | E | SE | S | SW | W | NW |
| SUNNY | CLOUDY | RAIN | Foggy? | | | | |

| | | |
|----------------------|--------|-------|
| LIGHT | MEDIUM | HEAVY |
| TEMPERATURE: 40.4 °C | | |

(Circle appropriate units)

| TIME | COMMENTS |
|------|--|
| 0915 | Departed Mill site dock to retrieve PEMDs |
| 0930 | Arrive SMAZ-3 |
| 0945 | Retrieved PEMDs from SMAZ-3 |
| 1005 | Arrive SMAZ-2 |
| 1020 | Retrieved SMAZ-2 PEMDs |
| 1040 | Redeployed cages at SMAZ-2 |
| 1050 | Arrive SMAZ-1 |
| 1110 | Retrieved SMAZ-1 PEMDs _{g^a} |
| 1130 | Redeployed SMAZ-1 cages + collected buoy coordinates for SMAZ-1 thru SMAZ-5 |
| 1145 | returned to mill site dock |
| 1200 | demobilized field effort + lunch break |
| 1300 | left mill site to drop samples to metalab |
| 1600 | dropped samples at ARTI - End of Day |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Signature: 


11/10/15

Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)

| | | |
|---|------------------------------------|-------------------|
| ARI Assigned Number: | Turn-around Requested: Standard | Page: 1 of 2 |
| ARI Client Company: Anchor QEA | Phone: 206-287-9130 | Date: 11/10/15 |
| Client Contact: Cindy Fields / Nathan Socorsky | | Ice Present? |
| Client Project Name: Port Kumble Clean-Up | | No. of Coolers: |
| Client Project #: | Samplers: J. Florer, R. D'Arcy | Cooler Temps: |

| Sample ID | Date | Time | Matrix | No. Containers | Analysis Requested | | | | | | | Notes/Comments | |
|--|--|---------------------------------------|---------------------------------|-----------------------------|--------------------|--|--|--|--|--|--|----------------|-------------------|
| | | | | | * PAHs | | | | | | | | |
| PG-GP-1-PEMD-151109-A | 11/9/15 | 0835 | PEMD | 1 | X | | | | | | | | |
| PG-GP-1-PEMD-151109-B | | 0835 | | 1 | X | | | | | | | | Extract + archive |
| PG-PJ-1-PEMD-151109-A | | 1055 | | 1 | X | | | | | | | | |
| PG-PJ-1-PEMD-151109-B | | 1055 | | 1 | X | | | | | | | | Extract + archive |
| PG-WS-1-PEMD-151109-A | | 1020 | | 1 | X | | | | | | | | |
| PG-WS-1-PEMD-151109-B | | 1020 | | 1 | X | | | | | | | | Extract + archive |
| PG-SMA2-5-PEMD-151109-A | | 1220 | | 1 | X | | | | | | | | |
| PG-SMA2-5-PEMD-151109-B | | 1220 | | 1 | X | | | | | | | | Extract + archive |
| PG-SMA2-4-PEMD-151109-A | | 1450 | | 1 | X | | | | | | | | |
| PG-SMA2-4-PEMD-151109-B | 11/9/15 | 1450 | PEMD | 1 | X | | | | | | | | Extract + archive |
| Comments/Special Instructions * All "B" samples to be extracted + then archived | Relinquished by: (Signature) <i>J. Florer</i> | Received by: (Signature) <i>WJ</i> | Relinquished by: (Signature) | Received by: (Signature) | | | | | | | | | |
| | Printed Name: Joanna Florer | Printed Name: Emily Litwin | Printed Name: | Printed Name: | | | | | | | | | |
| | Company: Anchor QEA | Company: ARI | Company: | Company: | | | | | | | | | |
| | Date & Time: 11/10/15 1557 | Date & Time: 11/10/15 1957 | Date & Time: | Date & Time: | | | | | | | | | |

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

Chain of Custody Record & Laboratory Analysis Request



Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)

| | | |
|---|---|----------------------------|
| ARI Assigned Number: | Turn-around Requested: <i>Standard</i> | Page: <i>2</i> of <i>2</i> |
| ARI Client Company: <i>Anchor QEA</i> | Phone: | Date: <i>11/10/15</i> |
| Client Contact: <i>Cindy Fields / Nathan Socorsy</i> | | Ice Present? |
| Client Project Name: <i>Port Gamble Clean-up</i> | | No. of Coolers: |
| Client Project #: | Samplers: <i>J. Florer, R. O'Pauke</i> | Cooler Temps: |

| Sample ID | Date | Time | Matrix | No. Containers | Analysis Requested | | | | | | | Notes/Comments | |
|---|--|-------------|---------------------------------------|----------------|--------------------|---------------------------------|--|--|-----------------------------|--|--|----------------|--------------------------|
| | | | | | * PAHS | | | | | | | | |
| <i>PG-SMAZ-3-PEMD-15110-A</i> | <i>11/10/15</i> | <i>0945</i> | <i>PEMD</i> | <i>1</i> | <i>X</i> | | | | | | | | |
| <i>PG-SMAZ-3-PEMD-15110-B</i> | | <i>0945</i> | | <i>1</i> | <i>X</i> | | | | | | | | <i>extract + archive</i> |
| <i>PG-SMAZ-2-PEMD-15110-A</i> | | <i>1020</i> | | <i>1</i> | <i>X</i> | | | | | | | | |
| <i>PG-SMAZ-2-PEMD-15110-B</i> | | <i>1020</i> | | <i>1</i> | <i>X</i> | | | | | | | | <i>extract + archive</i> |
| <i>PG-SMAZ-1-PEMD-15110-A</i> | | <i>1110</i> | | <i>1</i> | <i>X</i> | | | | | | | | |
| <i>PG-SMAZ-1-PEMD-15110-B</i> | | <i>1110</i> | | <i>1</i> | <i>X</i> | | | | | | | | <i>extract + archive</i> |
| <i>PG-FB-PEMD-15110</i> | | <i>1200</i> | | <i>1</i> | <i>X</i> | | | | | | | | <i>Field blank</i> |
| <i>PG-TB-PEMD-15110</i> | <i>11/10/15</i> | <i>1530</i> | <i>PEMD</i> | <i>1</i> | <i>X</i> | | | | | | | | <i>Tri blank</i> |
| | | | | | | | | | | | | | |
| Comments/Special Instructions <i>* All "B" samples to be extracted + then archived</i> | Relinquished by: (Signature) <i>J. Florer</i> | | Received by: (Signature) <i>WJ</i> | | | Relinquished by: (Signature) | | | Received by: (Signature) | | | | |
| | Printed Name: <i>Joanna Florer</i> | | Printed Name: <i>EMILY WITKOW</i> | | | Printed Name: | | | Printed Name: | | | | |
| | Company: <i>Anchor QEA</i> | | Company: <i>ARI</i> | | | Company: | | | Company: | | | | |
| | Date & Time: <i>11/10/15 1557</i> | | Date & Time: <i>11/10/15 1557</i> | | | Date & Time: | | | Date & Time: | | | | |

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

APPENDIX C
MUSSEL MORTALITY LOG

Appendix C
Mortality Log

| Location ID | Trossulus | | | Hybrid | | |
|-------------------|-------------|-------------|-----------|-------------|-------------|-----------|
| | Count Begin | Mortalities | Count End | Count Begin | Mortalities | Count End |
| PJ-1 | 96 | 14 | 82 | 96 | 17 | 79 |
| GP-1 ^a | 112 | 25 | 87 | 96 | 20 | 76 |
| WS-1 | 96 | 21 | 75 | 96 | 3 | 93 |
| SMA-2-2 | 96 | 44 | 52 | 96 | 38 | 58 |
| SMA-2-5 | 96 | 24 | 72 | 96 | 12 | 84 |
| SMA-2-4 | 96 | 33 | 63 | 96 | 35 | 61 |

Notes:

a = Extra bag inadvertently included when deployed.

APPENDIX D
LABORATORY REPORTS

Table of Contents: ARI Job AQJ9

Client: Anchor QEA, LLC

Project: Port Gamble Clean-Up

Page From: Page To:

| | | |
|---|------------|------------|
| Inventory Sheet | | |
| Cover Letter | <u>1</u> | <u>1</u> |
| Chain of Custody Documentation | <u>2</u> | <u>6</u> |
| Case Narrative, Data Qualifiers, Control Limits | <u>7</u> | <u>12</u> |
| SIM PAH Analysis | | |
| Report and Summary QC Forms | <u>13</u> | <u>45</u> |
| SIM PAH Raw Data | | |
| Extractions Bench Sheets and Notes | <u>46</u> | <u>52</u> |
| Initial Calibration | <u>53</u> | <u>130</u> |
| Run Logs, Continuing Calibrations, and Raw Data | <u>131</u> | <u>517</u> |

AN
Signature

December-17-2015
Date



Analytical Resources, Incorporated
Analytical Chemists and Consultants

December 17, 2015

Cindy Fields
Anchor QEA
720 Olive Way, Suite 1900
Seattle, WA 98101

RE: Project: Port Gamble Bay Clean-up
ARI Job No.: AQJ9

Dear Ms. Fields:

Please find enclosed the Chain of Custody records (COCs), sample receipt documentation, and the final data package for samples from the project referenced above.

Sample receipt and details regarding requested analyses are discussed in the Case Narrative.

An electronic copy of this package will remain on file with ARI. Should you have any questions or problems, please feel free to contact me at your convenience.

Sincerely,

ANALYTICAL RESOURCES, INC.

Cheronne Oreiro
Project Manager
(206) 695-6214
cheronneo@arilabs.com
www.arilabs.com

cc: eFile: AQJ9

Enclosures

Chain of Custody Documentation

ARI Job ID: AQJ9

AQJ9:00002

Chain of Custody Record & Laboratory Analysis Request

ARI Assigned Number: **ADJ9** Turn-around Requested: **Standard**

ARI Client Company: **Anchor QEA** Phone: **206-287-9130**

Client Contact: **Cindy Fields | Nathan Soccorsy**

Client Project Name: **Port Gamble Clean-up**

Client Project #: _____


Samplers: **J. Florer, R. O'Rourke**

Page: **1** of **2**

Date: **11/10/15** Ice Present? _____

No. of Coolers: _____ Cooler Temps: _____

Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)



| Sample ID | Date | Time | Matrix | No. Containers | Analysis Requested | | | | Notes/Comments | |
|---|---|------|--------|----------------|--------------------|--|--|--|----------------|-------------------|
| | | | | | | | | | | |
| PG-GP-1-PEMD-151109-A | 11/9/15 | 0835 | PEMD | 1 | | | | | | |
| PG-GP-1-PEMD-151109-B | | 0835 | | 1 | | | | | | Extract + archive |
| PG-PJ-1-PEMD-151109-A | | 1055 | | 1 | | | | | | Extract + archive |
| PG-PJ-1-PEMD-151109-B | | 1055 | | 1 | | | | | | Extract + archive |
| PG-US-1-PEMD-151109-A | | 1020 | | 1 | | | | | | Extract + archive |
| PG-US-1-PEMD-151109-B | | 1020 | | 1 | | | | | | Extract + archive |
| PG-SMA2-5-PEMD-151109-A | | 1220 | | 1 | | | | | | Extract + archive |
| PG-SMA2-5-PEMD-151109-B | | 1220 | | 1 | | | | | | Extract + archive |
| PG-SMA2-4-PEMD-151109-A | | 1450 | | 1 | | | | | | Extract + archive |
| PG-SMA2-4-PEMD-151109-B | 11/9/15 | 1450 | PEMD | 1 | | | | | | Extract + archive |
| Comments/Special Instructions | Relinquished by: (Signature) J. Florer Received by: (Signature) WJ Relinquished by: (Printed Name) Joanna Florer Received by: (Printed Name) EMILY LITWIN Company: Anchor QEA Company: ARI Date & Time: 11/10/15 1557 Date & Time: 11/10/15 1557 | | | | | | | | | |
| * All "B" samples to be extracted + then archived | | | | | | | | | | |

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, not withstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

ADJ9 : 00003

Chain of Custody Record & Laboratory Analysis Request

ARI Assigned Number: AG19 Turn-around Requested: Standard Phone: _____
 ARI Client Company: Anchor QEA
 Client Contact: Cindy Fields / Nathan Socorsky
 Client Project Name: Port Gamble Clean-up
 Client Project #: _____
 Samples: J. Flaw R. O'Pauke

Page: 2 of 2
 Date: 11/10/15 Ice Present? _____
 No. of Coolers: _____ Cooler Temps: _____

Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)



| Sample ID | Date | Time | Matrix | No. Containers | Analysis Requested | | | | Notes/Comments | |
|---|----------|------|--------|----------------|-----------------------------------|-----------------------------------|--|--|----------------|-------------------|
| | | | | | | | | | | |
| P6-SMA2-3-PEMD-15110-A | 11/10/15 | 0945 | PEMD | 1 | | | | | | |
| P6-SMA2-3-PEMD-15110-B | 11/10/15 | 0945 | | 1 | | | | | | extract + archive |
| P6-SMA2-2-PEMD-15110-A | 11/10/15 | 1020 | | 1 | | | | | | extract + archive |
| P6-SMA2-2-PEMD-15110-B | 11/10/15 | 1020 | | 1 | | | | | | extract + archive |
| P6-SMA2-1-PEMD-15110-A | 11/10/15 | 1110 | | 1 | | | | | | Field blank |
| P6-SMA2-1-PEMD-15110-B | 11/10/15 | 1200 | | 1 | | | | | | Trip blank |
| P6-FB-PEMD-15110 | 11/10/15 | 1530 | PEMD | 1 | | | | | | |
| Comments/Special Instructions | | | | | Relinquished by: (Signature) | Received by: (Signature) | | | | |
| * All "B" samples to be extracted then archived | | | | | <u>J. Flaw</u> | <u>J. Flaw</u> | | | | |
| | | | | | Printed Name: <u>Joanna Flaw</u> | Printed Name: <u>EMILY VITON</u> | | | | |
| | | | | | Company: <u>Anchor QEA</u> | Company: <u>ARI</u> | | | | |
| | | | | | Date & Time: <u>11/10/15 1557</u> | Date & Time: <u>11/10/15 1657</u> | | | | |

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, not withstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



Cooler Receipt Form

ARI Client: Anchor

Project Name: port gamble cleanup

COC No(s): _____ (NA)

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: AQJ9

Tracking No: _____ (NA)

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of to cooler? YES (NO) NO

Were custody papers included with the cooler? YES NO

Were custody papers properly filled out (ink, signed, etc.) YES NO

Temperature of Cooler(s) (°C) (recommended 2.0-6.0 °C for chemistry) Time: 4.6 6.8 3.1

If cooler temperature is out of compliance fill out form 00070F Temp Gun ID#: DOORSCPS

Cooler Accepted by: UP Date: 11/10/15 Time: 1557

Complete custody forms and attach all shipping documents

Log-In Phase:

Was a temperature blank included in the cooler? YES (NO) NO

What kind of packing material was used? ... Bubble Wrap (Wet Ice) Gel Packs (Baggies) Foam Block Paper Other: _____

Was sufficient ice used (if appropriate)? NA YES NO

Were all bottles sealed in individual plastic bags? YES NO

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs)... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? YES NO

Date VOC Trip Blank was made at ARI... (NA)

Was Sample Split by ARI: (NA) YES Date/Time: _____ Equipment: _____ Split by: _____


Samples Logged by: UP Date: 11/11/15 Time: 1556

**** Notify Project Manager of discrepancies or concerns ****

| Sample ID on Bottle | Sample ID on COC | Sample ID on Bottle | Sample ID on COC |
|---------------------|------------------|---------------------|------------------|
| | | | |
| | | | |
| | | | |

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



- Small → "sm" (< 2 mm)
- Peabubbles → "pb" (2 to < 4 mm)
- Large → "lg" (4 to < 6 mm)
- Headspace → "hs" (> 6 mm)

Subject: Port Gamble PEMDs

From: Cindy Fields <cfields@anchorage.com>

Date: 11/11/2015 11:29 AM

To: "Cheronne Oreiro (cheronneo@arilabs.com)" <cheronneo@arilabs.com>

CC: Nathan Soccorsy <nsoccorsy@anchorage.com>

Hi Cheronne,

I discussed with Nathan and here's what we would like for the PEMDs:

- Please extract all "A" and "B" samples and archive the "B" extracts
- The "B" extract for the sample at location SMA2-3 should be analyzed. We will treat this as a field duplicate to assess precision (even though it's really a separate sample).
 - Is it possible to run a lab replicate (ie: two analyses from one extract?)
- Please extract and analyze 1 rep of the tissue SRM with the PEMDs (and later, one with the mussel tissue).

Please let me know if any of things sound problematic.

Thank you!

Cindy Fields
Scientist

ANCHOR QEA, LLC
cfields@anchorage.com
720 Olive Way, Suite 1900
Seattle, WA 98101

T 206.287.9130

D 206.903.3394

C 206.326.8170

F 206.287.9131

ANCHOR QEA, LLC
www.anchorage.com

Please consider the environment before printing this email.

This electronic message transmission contains information that may be confidential and/or privileged work product prepared in anticipation of litigation. The information is intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130.

Case Narrative, Data Qualifiers, Control Limits

ARI Job ID: AQJ9



Case Narrative

Client: Anchor QEA
Project: Port Gamble Bay Clean-up
ARI Job No.: AQJ9

Sample Receipt

Eighteen polyethylene membrane devices (PEMDs) were received on November 10, 2015 under ARI job AQJ9. Select samples were extracted and archived, as requested. The cooler temperatures measured by IR thermometer following ARI SOP were 3.1, 4.6, and 5.8°C. For further details regarding sample receipt, please refer to the Cooler Receipt Form.

PAHs by SW8270D-SIM

The samples were extracted and analyzed within the method recommended holding times.

Several PEMDs were weighed prior to deployment and an average dry weight of 0.89g was used to calculate results.

All control limits should be considered advisory, 30-160%.

Initial calibrations were within method requirements.

The initial calibration verification (ICV) on 12/14/15 fell outside the 20% control limit low for Indeno(1,2,3-cd)pyrene, Dibenzo(a,h)anthracene, and Benzo(g,h,i)perylene. Sample results associated with this ICV were undetected for these compounds. No corrective action was taken.

Due to laboratory error, **LCS-111815** was double spiked with internal standard spike therefore all areas were outside control limits high. All other internal standard areas were within control limits. No corrective action was taken.

The surrogate percent recovery of d10-2-Methylnaphthalene fell outside advisory control limits low for sample **PG-SMA2-5-PEMD-151109-A** due to loss during extraction. All other surrogate percent recoveries were within advisory control limits. No corrective action was taken.

Naphthalene was present in **MB-111815** at a level that was greater than the reporting limit. All detected results for this compound have been flagged with a "B" qualifier. No further corrective action was taken.

The LCS and LCSD percent recoveries of Perylene fell advisory control limits low for **LCS-111815**. All other percent recoveries were within advisory control limits. No corrective action was taken.

Sample ID Cross Reference Report



ARI Job No: AQJ9
Client: Anchor QEA, LLC
Project Event: N/A
Project Name: Port Gamble Clean-Up

| Sample ID | ARI Lab ID | ARI LIMS ID | Matrix | Sample Date/Time | VTSR |
|-----------|-------------------------|-------------|-----------------|------------------|----------------|
| 1. | PG-GP-1-PEMD-151109-A | AQJ9A | 15-21388 Tissue | 11/09/15 08:35 | 11/10/15 15:57 |
| 2. | PG-GP-1-PEMD-151109-B | AQJ9B | 15-21389 Tissue | 11/09/15 08:35 | 11/10/15 15:57 |
| 3. | PG-PJ-1-PEMD-151109-A | AQJ9C | 15-21390 Tissue | 11/09/15 10:55 | 11/10/15 15:57 |
| 4. | PG-PJ-1-PEMD-151109-B | AQJ9D | 15-21391 Tissue | 11/09/15 10:55 | 11/10/15 15:57 |
| 5. | PG-WS-1-PEMD-151109-A | AQJ9E | 15-21392 Tissue | 11/09/15 10:20 | 11/10/15 15:57 |
| 6. | PG-WS-1-PEMD-151109-B | AQJ9F | 15-21393 Tissue | 11/09/15 10:20 | 11/10/15 15:57 |
| 7. | PG-SMA2-5-PEMD-151109-A | AQJ9G | 15-21394 Tissue | 11/09/15 12:20 | 11/10/15 15:57 |
| 8. | PG-SMA2-5-PEMD-151109-B | AQJ9H | 15-21395 Tissue | 11/09/15 12:20 | 11/10/15 15:57 |
| 9. | PG-SMA2-4-PEMD-151109-A | AQJ9I | 15-21396 Tissue | 11/09/15 14:50 | 11/10/15 15:57 |
| 10. | PG-SMA2-4-PEMD-151109-B | AQJ9J | 15-21397 Tissue | 11/09/15 14:50 | 11/10/15 15:57 |
| 11. | PG-SMA2-3-PEMD-151110-A | AQJ9K | 15-21398 Tissue | 11/10/15 09:45 | 11/10/15 15:57 |
| 12. | PG-SMA2-3-PEMD-151110-B | AQJ9L | 15-21399 Tissue | 11/10/15 09:45 | 11/10/15 15:57 |
| 13. | PG-SMA2-2-PEMD-151110-A | AQJ9M | 15-21400 Tissue | 11/10/15 10:20 | 11/10/15 15:57 |
| 14. | PG-SMA2-2-PEMD-151110-B | AQJ9N | 15-21401 Tissue | 11/10/15 10:20 | 11/10/15 15:57 |
| 15. | PG-SMA2-1-PEMD-151110-A | AQJ9O | 15-21402 Tissue | 11/10/15 11:10 | 11/10/15 15:57 |
| 16. | PG-SMA2-1-PEMD-151110-B | AQJ9P | 15-21403 Tissue | 11/10/15 11:10 | 11/10/15 15:57 |
| 17. | PG-FB-PEMD-151110 | AQJ9Q | 15-21404 Tissue | 11/10/15 12:00 | 11/10/15 15:57 |
| 18. | PG-TB-PEMD-151110 | AQJ9R | 15-21405 Tissue | 11/10/15 15:30 | 11/10/15 15:57 |



Data Reporting Qualifiers

Effective 2/14/2011

Inorganic Data

- U Indicates that the target analyte was not detected at the reported concentration
- * Duplicate RPD is not within established control limits
- B Reported value is less than the CRDL but \geq the Reporting Limit
- N Matrix Spike recovery not within established control limits
- NA Not Applicable, analyte not spiked
- H The natural concentration of the spiked element is so much greater than the concentration spiked that an accurate determination of spike recovery is not possible
- L Analyte concentration is ≤ 5 times the Reporting Limit and the replicate control limit defaults to ± 1 RL instead of the normal 20% RPD

Organic Data

- U Indicates that the target analyte was not detected at the reported concentration
- * Flagged value is not within established control limits
- B Analyte detected in an associated Method Blank at a concentration greater than one-half of ARI's Reporting Limit or 5% of the regulatory limit or 5% of the analyte concentration in the sample.
- J Estimated concentration when the value is less than ARI's established reporting limits
- D The spiked compound was not detected due to sample extract dilution
- E Estimated concentration calculated for an analyte response above the valid instrument calibration range. A dilution is required to obtain an accurate quantification of the analyte.
- Q Indicates a detected analyte with an initial or continuing calibration that does not meet established acceptance criteria ($< 20\%$ RSD, $< 20\%$ Drift or minimum RRF).



- S Indicates an analyte response that has saturated the detector. The calculated concentration is not valid; a dilution is required to obtain valid quantification of the analyte
- NA The flagged analyte was not analyzed for
- NR Spiked compound recovery is not reported due to chromatographic interference
- NS The flagged analyte was not spiked into the sample
- M Estimated value for an analyte detected and confirmed by an analyst but with low spectral match parameters. This flag is used only for GC-MS analyses
- M2 The sample contains PCB congeners that do not match any standard Aroclor pattern. The PCBs are identified and quantified as the Aroclor whose pattern most closely matches that of the sample. The reported value is an estimate.
- N The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification"
- Y The analyte is not detected at or above the reported concentration. The reporting limit is raised due to chromatographic interference. The Y flag is equivalent to the U flag with a raised reporting limit.
- EMPC Estimated Maximum Possible Concentration (EMPC) defined in EPA Statement of Work DLM02.2 as a value "calculated for 2,3,7,8-substituted isomers for which the quantitation and /or confirmation ion(s) has signal to noise in excess of 2.5, but does not meet identification criteria" **(Dioxin/Furan analysis only)**
- C The analyte was positively identified on only one of two chromatographic columns. Chromatographic interference prevented a positive identification on the second column
- P The analyte was detected on both chromatographic columns but the quantified values differ by $\geq 40\%$ RPD with no obvious chromatographic interference
- X Analyte signal includes interference from polychlorinated diphenyl ethers. **(Dioxin/Furan analysis only)**
- Z Analyte signal includes interference from the sample matrix or perfluorokerosene ions. **(Dioxin/Furan analysis only)**



Geotechnical Data


- A The total of all fines fractions. This flag is used to report total fines when only sieve analysis is requested and balances total grain size with sample weight.
- F Samples were frozen prior to particle size determination
- SM Sample matrix was not appropriate for the requested analysis. This normally refers to samples contaminated with an organic product that interferes with the sieving process and/or moisture content, porosity and saturation calculations
- SS Sample did not contain the proportion of "fines" required to perform the pipette portion of the grain size analysis
- W Weight of sample in some pipette aliquots was below the level required for accurate weighting

**SIM PAH Analysis
Report and Summary QC Forms**

ARI Job ID: AQJ9

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-GP-1-PEMD-151109-A
SAMPLE

Lab Sample ID: AQJ9A
 LIMS ID: 15-21388
 Matrix: Tissue
 Data Release Authorized: 
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/09/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 13:15
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 15.6 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 8.97 |
| 208-96-8 | Acenaphthylene | 1.12 | < 1.12 U |
| 83-32-9 | Acenaphthene | 1.12 | 11.7 |
| 86-73-7 | Fluorene | 1.12 | 12.5 |
| 85-01-8 | Phenanthrene | 1.12 | 59.5 |
| 120-12-7 | Anthracene | 1.12 | 7.53 |
| 206-44-0 | Fluoranthene | 1.12 | 63.5 |
| 129-00-0 | Pyrene | 1.12 | 37.6 |
| 56-55-3 | Benzo (a) anthracene | 1.12 | 5.69 |
| 218-01-9 | Chrysene | 1.12 | 5.93 |
| 205-99-2 | Benzo (b) fluoranthene | 1.12 | 2.20 |
| 207-08-9 | Benzo (k) fluoranthene | 1.12 | < 1.12 U |
| 50-32-8 | Benzo (a) pyrene | 1.12 | < 1.12 U |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz (a,h) anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo (g,h,i) perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo (e) pyrene | 1.12 | 1.33 |
| TOTBFA | Total Benzofluoranthenes | 1.12 | 2.20 |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 61.0% |
| d10-2-Methylnaphthalene | 46.3% |
| d14-Dibenzo (a,h) anthracene | 59.3% |

ORGANICS ANALYSIS DATA SHEET
PNAs by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-PJ-1-PEMD-151109-A
SAMPLE

Lab Sample ID: AQJ9C
 LIMS ID: 15-21390
 Matrix: Tissue
 Data Release Authorized: 
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/09/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 13:45
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 15.3 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 8.56 |
| 208-96-8 | Acenaphthylene | 1.12 | < 1.12 U |
| 83-32-9 | Acenaphthene | 1.12 | 13.3 |
| 86-73-7 | Fluorene | 1.12 | 16.1 |
| 85-01-8 | Phenanthrene | 1.12 | 72.3 |
| 120-12-7 | Anthracene | 1.12 | 8.87 |
| 206-44-0 | Fluoranthene | 1.12 | 75.9 |
| 129-00-0 | Pyrene | 1.12 | 50.2 |
| 56-55-3 | Benzo (a) anthracene | 1.12 | 6.71 |
| 218-01-9 | Chrysene | 1.12 | 7.48 |
| 205-99-2 | Benzo (b) fluoranthene | 1.12 | 2.29 |
| 207-08-9 | Benzo (k) fluoranthene | 1.12 | < 1.12 U |
| 50-32-8 | Benzo (a) pyrene | 1.12 | < 1.12 U |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz (a,h) anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo (g,h,i) perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo (e) pyrene | 1.12 | 1.44 |
| TOTBFA | Total Benzofluoranthenes | 1.12 | 2.29 |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 63.7% |
| d10-2-Methylnaphthalene | 47.7% |
| d14-Dibenzo (a,h) anthracene | 68.7% |

ORGANICS ANALYSIS DATA SHEET
PNAs by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
Page 1 of 1

Sample ID: PG-WS-1-PEMD-151109-A
SAMPLE

Lab Sample ID: AQJ9E
LIMS ID: 15-21392
Matrix: Tissue
Data Release Authorized: 
Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
Project: Port Gamble Clean-Up
Event: NA
Date Sampled: 11/09/15
Date Received: 11/10/15

Date Extracted: 11/18/15
Date Analyzed: 12/05/15 14:15
Instrument/Analyst: NT11/JLW
GPC Cleanup: No
Silica Gel Cleanup: Yes
Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
Final Extract Volume: 0.1 mL
Dilution Factor: 1.00
Percent Moisture: NA
Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 19.1 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 10.8 |
| 208-96-8 | Acenaphthylene | 1.12 | < 1.12 U |
| 83-32-9 | Acenaphthene | 1.12 | 14.5 |
| 86-73-7 | Fluorene | 1.12 | 16.8 |
| 85-01-8 | Phenanthrene | 1.12 | 70.9 |
| 120-12-7 | Anthracene | 1.12 | 7.33 |
| 206-44-0 | Fluoranthene | 1.12 | 68.2 |
| 129-00-0 | Pyrene | 1.12 | 40.6 |
| 56-55-3 | Benzo (a) anthracene | 1.12 | 4.94 |
| 218-01-9 | Chrysene | 1.12 | 5.66 |
| 205-99-2 | Benzo (b) fluoranthene | 1.12 | 1.87 |
| 207-08-9 | Benzo (k) fluoranthene | 1.12 | < 1.12 U |
| 50-32-8 | Benzo (a) pyrene | 1.12 | < 1.12 U |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz (a,h) anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo (g,h,i) perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo (e) pyrene | 1.12 | 1.19 |
| TOTBFA | Total Benzofluoranthenes | 1.12 | 1.87 |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 61.0% |
| d10-2-Methylnaphthalene | 49.3% |
| d14-Dibenzo (a,h) anthracene | 50.3% |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-SMA2-5-PEMD-151109-A
SAMPLE

Lab Sample ID: AQJ9G
 LIMS ID: 15-21394
 Matrix: Tissue
 Data Release Authorized: 
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/09/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 14:45
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.0 mL
 Dilution Factor: 2.50
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|---------------|---------------------------------|-------------|-------------|
| 91-20-3 | Naphthalene | 1.40 | 9.10 B |
| 91-57-6 | 2-Methylnaphthalene | 1.40 | 5.04 |
| 208-96-8 | Acenaphthylene | 1.40 | < 1.40 U |
| 83-32-9 | Acenaphthene | 1.40 | 13.9 |
| 86-73-7 | Fluorene | 1.40 | 18.4 |
| 85-01-8 | Phenanthrene | 1.40 | 75.2 |
| 120-12-7 | Anthracene | 1.40 | 12.7 |
| 206-44-0 | Fluoranthene | 1.40 | 88.9 |
| 129-00-0 | Pyrene | 1.40 | 56.9 |
| 56-55-3 | Benzo (a) anthracene | 1.40 | 8.82 |
| 218-01-9 | Chrysene | 1.40 | 8.11 |
| 205-99-2 | Benzo (b) fluoranthene | 1.40 | 2.30 |
| 207-08-9 | Benzo (k) fluoranthene | 1.40 | < 1.40 U |
| 50-32-8 | Benzo (a) pyrene | 1.40 | < 1.40 U |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 1.40 | < 1.40 U |
| 53-70-3 | Dibenz (a,h) anthracene | 1.40 | < 1.40 U |
| 191-24-2 | Benzo (g,h,i) perylene | 1.40 | < 1.40 U |
| 198-55-0 | Perylene | 1.40 | < 1.40 U |
| 192-97-2 | Benzo (e) pyrene | 1.40 | < 1.40 U |
| TOTBEA | Total Benzofluoranthenes | 1.40 | 2.30 |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 34.9% |
| d10-2-Methylnaphthalene | 25.0% |
| d14-Dibenzo (a,h) anthracene | 32.7% |

ORGANICS ANALYSIS DATA SHEET
PNAs by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-SMA2-4-PEMD-151109-A
SAMPLE

Lab Sample ID: AQJ9I
 LIMS ID: 15-21396
 Matrix: Tissue
 Data Release Authorized: *AB*
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/09/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 15:16
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 19.6 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 13.5 |
| 208-96-8 | Acenaphthylene | 1.12 | 1.51 |
| 83-32-9 | Acenaphthene | 1.12 | 54.3 |
| 86-73-7 | Fluorene | 1.12 | 44.6 |
| 85-01-8 | Phenanthrene | 1.12 | 152 E |
| 120-12-7 | Anthracene | 1.12 | 22.2 |
| 206-44-0 | Fluoranthene | 1.12 | 155 E |
| 129-00-0 | Pyrene | 1.12 | 102 |
| 56-55-3 | Benzo (a) anthracene | 1.12 | 14.2 |
| 218-01-9 | Chrysene | 1.12 | 13.2 |
| 205-99-2 | Benzo (b) fluoranthene | 1.12 | 3.24 |
| 207-08-9 | Benzo (k) fluoranthene | 1.12 | 1.24 |
| 50-32-8 | Benzo (a) pyrene | 1.12 | 1.40 |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz (a,h) anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo (g,h,i) perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo (e) pyrene | 1.12 | 2.02 |
| TOTBFA | Total Benzofluoranthenes | 1.12 | 5.94 |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 70.7% |
| d10-2-Methylnaphthalene | 53.7% |
| d14-Dibenzo (a,h) anthracene | 60.0% |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-SMA2-4-PEMD-151109-A
DILUTION

Lab Sample ID: AQJ9I
 LIMS ID: 15-21396
 Matrix: Tissue
 Data Release Authorized: 
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/09/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/14/15 10:42
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 10.0
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 11.2 | 22.6 B |
| 91-57-6 | 2-Methylnaphthalene | 11.2 | 14.0 |
| 208-96-8 | Acenaphthylene | 11.2 | < 11.2 U |
| 83-32-9 | Acenaphthene | 11.2 | 62.5 |
| 86-73-7 | Fluorene | 11.2 | 53.8 |
| 85-01-8 | Phenanthrene | 11.2 | 216 |
| 120-12-7 | Anthracene | 11.2 | 28.3 |
| 206-44-0 | Fluoranthene | 11.2 | 231 |
| 129-00-0 | Pyrene | 11.2 | 140 |
| 56-55-3 | Benzo (a) anthracene | 11.2 | 16.4 |
| 218-01-9 | Chrysene | 11.2 | 16.2 |
| 205-99-2 | Benzo (b) fluoranthene | 11.2 | < 11.2 U |
| 207-08-9 | Benzo (k) fluoranthene | 11.2 | < 11.2 U |
| 50-32-8 | Benzo (a) pyrene | 11.2 | < 11.2 U |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 11.2 | < 11.2 U |
| 53-70-3 | Dibenz (a,h) anthracene | 11.2 | < 11.2 U |
| 191-24-2 | Benzo (g,h,i) perylene | 11.2 | < 11.2 U |
| 198-55-0 | Perylene | 11.2 | < 11.2 U |
| 192-97-2 | Benzo (e) pyrene | 11.2 | < 11.2 U |
| TOTBFA | Total Benzofluoranthenes | 11.2 | < 11.2 U |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|---------|
| d10-Fluoranthene | 85.0% |
| d10-2-Methylnaphthalene | 57.0% |
| d14-Dibenzo (a,h) anthracene | 60.3% Q |

ORGANICS ANALYSIS DATA SHEET
PNAs by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
Page 1 of 1

Sample ID: PG-SMA2-3-PEMD-151110-A
SAMPLE

Lab Sample ID: AQJ9K
LIMS ID: 15-21398
Matrix: Tissue
Data Release Authorized: 
Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
Project: Port Gamble Clean-Up
Event: NA
Date Sampled: 11/10/15
Date Received: 11/10/15

Date Extracted: 11/18/15
Date Analyzed: 12/05/15 15:46
Instrument/Analyst: NT11/JLW
GPC Cleanup: No
Silica Gel Cleanup: Yes
Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
Final Extract Volume: 0.1 mL
Dilution Factor: 1.00
Percent Moisture: NA
Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 10.8 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 5.79 |
| 208-96-8 | Acenaphthylene | 1.12 | 1.29 |
| 83-32-9 | Acenaphthene | 1.12 | 13.2 |
| 86-73-7 | Fluorene | 1.12 | 19.1 |
| 85-01-8 | Phenanthrene | 1.12 | 126 E |
| 120-12-7 | Anthracene | 1.12 | 24.3 |
| 206-44-0 | Fluoranthene | 1.12 | 185 E |
| 129-00-0 | Pyrene | 1.12 | 119 E |
| 56-55-3 | Benzo (a) anthracene | 1.12 | 32.4 |
| 218-01-9 | Chrysene | 1.12 | 28.6 |
| 205-99-2 | Benzo (b) fluoranthene | 1.12 | 9.23 |
| 207-08-9 | Benzo (k) fluoranthene | 1.12 | 4.10 |
| 50-32-8 | Benzo (a) pyrene | 1.12 | 7.07 |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 1.12 | 1.35 |
| 53-70-3 | Dibenz (a,h) anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo (g,h,i) perylene | 1.12 | 1.48 |
| 198-55-0 | Perylene | 1.12 | 1.75 |
| 192-97-2 | Benzo (e) pyrene | 1.12 | 5.71 |
| TOTBFA | Total Benzofluoranthenes | 1.12 | 17.8 |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 65.0% |
| d10-2-Methylnaphthalene | 48.7% |
| d14-Dibenzo (a,h) anthracene | 58.3% |

ORGANICS ANALYSIS DATA SHEET
PNAs by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
Page 1 of 1

Sample ID: PG-SMA2-3-PEMD-151110-A
DILUTION

Lab Sample ID: AQJ9K
LIMS ID: 15-21398
Matrix: Tissue
Data Release Authorized: *[Signature]*
Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
Project: Port Gamble Clean-Up
Event: NA
Date Sampled: 11/10/15
Date Received: 11/10/15

Date Extracted: 11/18/15
Date Analyzed: 12/14/15 11:12
Instrument/Analyst: NT11/JLW
GPC Cleanup: No
Silica Gel Cleanup: Yes
Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
Final Extract Volume: 0.1 mL
Dilution Factor: 10.0
Percent Moisture: NA
Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 11.2 | 14.3 B |
| 91-57-6 | 2-Methylnaphthalene | 11.2 | < 11.2 U |
| 208-96-8 | Acenaphthylene | 11.2 | < 11.2 U |
| 83-32-9 | Acenaphthene | 11.2 | 16.7 |
| 86-73-7 | Fluorene | 11.2 | 25.2 |
| 85-01-8 | Phenanthrene | 11.2 | 204 |
| 120-12-7 | Anthracene | 11.2 | 39.3 |
| 206-44-0 | Fluoranthene | 11.2 | 353 |
| 129-00-0 | Pyrene | 11.2 | 198 |
| 56-55-3 | Benzo (a) anthracene | 11.2 | 45.6 |
| 218-01-9 | Chrysene | 11.2 | 42.8 |
| 205-99-2 | Benzo (b) fluoranthene | 11.2 | 13.2 |
| 207-08-9 | Benzo (k) fluoranthene | 11.2 | < 11.2 U |
| 50-32-8 | Benzo (a) pyrene | 11.2 | < 11.2 U |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 11.2 | < 11.2 U |
| 53-70-3 | Dibenz (a,h) anthracene | 11.2 | < 11.2 U |
| 191-24-2 | Benzo (g,h,i) perylene | 11.2 | < 11.2 U |
| 198-55-0 | Perylene | 11.2 | < 11.2 U |
| 192-97-2 | Benzo (e) pyrene | 11.2 | < 11.2 U |
| TOTBFA | Total Benzofluoranthenes | 11.2 | 13.2 |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|---------|
| d10-Fluoranthene | 89.7% |
| d10-2-Methylnaphthalene | 61.3% |
| d14-Dibenzo (a,h) anthracene | 65.0% Q |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-SMA2-3-PEMD-151110-B
SAMPLE

Lab Sample ID: AQJ9L
 LIMS ID: 15-21399
 Matrix: Tissue
 Data Release Authorized: 
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/10/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 16:16
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 9.72 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 7.41 |
| 208-96-8 | Acenaphthylene | 1.12 | 1.75 |
| 83-32-9 | Acenaphthene | 1.12 | 67.5 |
| 86-73-7 | Fluorene | 1.12 | 63.2 |
| 85-01-8 | Phenanthrene | 1.12 | 189 E |
| 120-12-7 | Anthracene | 1.12 | 34.2 |
| 206-44-0 | Fluoranthene | 1.12 | 164 E |
| 129-00-0 | Pyrene | 1.12 | 110 |
| 56-55-3 | Benzo (a) anthracene | 1.12 | 15.8 |
| 218-01-9 | Chrysene | 1.12 | 14.1 |
| 205-99-2 | Benzo (b) fluoranthene | 1.12 | 3.87 |
| 207-08-9 | Benzo (k) fluoranthene | 1.12 | 1.52 |
| 50-32-8 | Benzo (a) pyrene | 1.12 | 1.86 |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz (a,h) anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo (g,h,i) perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo (e) pyrene | 1.12 | 2.43 |
| TOTBFA | Total Benzofluoranthenes | 1.12 | 7.15 |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 56.7% |
| d10-2-Methylnaphthalene | 43.7% |
| d14-Dibenzo (a,h) anthracene | 46.0% |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-SMA2-3-PEMD-151110-B
DILUTION

Lab Sample ID: AQJ9L
 LIMS ID: 15-21399
 Matrix: Tissue
 Data Release Authorized: *B*
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/10/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/14/15 11:42
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 10.0
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 11.2 | 13.3 B |
| 91-57-6 | 2-Methylnaphthalene | 11.2 | < 11.2 U |
| 208-96-8 | Acenaphthylene | 11.2 | < 11.2 U |
| 83-32-9 | Acenaphthene | 11.2 | 99.9 |
| 86-73-7 | Fluorene | 11.2 | 93.5 |
| 85-01-8 | Phenanthrene | 11.2 | 364 |
| 120-12-7 | Anthracene | 11.2 | 64.3 |
| 206-44-0 | Fluoranthene | 11.2 | 332 |
| 129-00-0 | Pyrene | 11.2 | 196 |
| 56-55-3 | Benzo (a) anthracene | 11.2 | 23.6 |
| 218-01-9 | Chrysene | 11.2 | 22.2 |
| 205-99-2 | Benzo (b) fluoranthene | 11.2 | < 11.2 U |
| 207-08-9 | Benzo (k) fluoranthene | 11.2 | < 11.2 U |
| 50-32-8 | Benzo (a) pyrene | 11.2 | < 11.2 U |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 11.2 | < 11.2 U |
| 53-70-3 | Dibenz (a,h) anthracene | 11.2 | < 11.2 U |
| 191-24-2 | Benzo (g,h,i) perylene | 11.2 | < 11.2 U |
| 198-55-0 | Perylene | 11.2 | < 11.2 U |
| 192-97-2 | Benzo (e) pyrene | 11.2 | < 11.2 U |
| TOTBFA | Total Benzofluoranthenes | 11.2 | < 11.2 U |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|---------|
| d10-Fluoranthene | 87.0% |
| d10-2-Methylnaphthalene | 57.3% |
| d14-Dibenzo (a,h) anthracene | 56.3% Q |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-SMA2-2-PEMD-151110-A
SAMPLE

Lab Sample ID: AQJ9M
 LIMS ID: 15-21400
 Matrix: Tissue
 Data Release Authorized: 
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/10/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 16:46
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 5.47 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 5.38 |
| 208-96-8 | Acenaphthylene | 1.12 | 1.26 |
| 83-32-9 | Acenaphthene | 1.12 | 16.3 |
| 86-73-7 | Fluorene | 1.12 | 22.7 |
| 85-01-8 | Phenanthrene | 1.12 | 119 E |
| 120-12-7 | Anthracene | 1.12 | 19.1 |
| 206-44-0 | Fluoranthene | 1.12 | 114 E |
| 129-00-0 | Pyrene | 1.12 | 77.6 |
| 56-55-3 | Benzo (a) anthracene | 1.12 | 11.7 |
| 218-01-9 | Chrysene | 1.12 | 11.0 |
| 205-99-2 | Benzo (b) fluoranthene | 1.12 | 3.13 |
| 207-08-9 | Benzo (k) fluoranthene | 1.12 | 1.30 |
| 50-32-8 | Benzo (a) pyrene | 1.12 | 1.84 |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz (a,h) anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo (g,h,i) perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo (e) pyrene | 1.12 | 1.97 |
| TOTBFA | Total Benzofluoranthenes | 1.12 | 5.89 |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 61.3% |
| d10-2-Methylnaphthalene | 39.7% |
| d14-Dibenzo (a,h) anthracene | 51.0% |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-SMA2-2-PEMD-151110-A
DILUTION

Lab Sample ID: AQJ9M
 LIMS ID: 15-21400
 Matrix: Tissue
 Data Release Authorized: *B*
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/10/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/14/15 12:12
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 10.0
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|-----------------|-----------------------------|-------------|-------------|
| 91-20-3 | Naphthalene | 11.2 | < 11.2 U |
| 91-57-6 | 2-Methylnaphthalene | 11.2 | < 11.2 U |
| 208-96-8 | Acenaphthylene | 11.2 | < 11.2 U |
| 83-32-9 | Acenaphthene | 11.2 | 20.1 |
| 86-73-7 | Fluorene | 11.2 | 29.4 |
| 85-01-8 | Phenanthrene | 11.2 | 186 |
| 120-12-7 | Anthracene | 11.2 | 32.0 |
| 206-44-0 | Fluoranthene | 11.2 | 186 |
| 129-00-0 | Pyrene | 11.2 | 116 |
| 56-55-3 | Benzo (a) anthracene | 11.2 | 15.9 |
| 218-01-9 | Chrysene | 11.2 | 15.8 |
| 205-99-2 | Benzo(b) fluoranthene | 11.2 | < 11.2 U |
| 207-08-9 | Benzo(k) fluoranthene | 11.2 | < 11.2 U |
| 50-32-8 | Benzo(a)pyrene | 11.2 | < 11.2 U |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | 11.2 | < 11.2 U |
| 53-70-3 | Dibenz(a,h)anthracene | 11.2 | < 11.2 U |
| 191-24-2 | Benzo(g,h,i)perylene | 11.2 | < 11.2 U |
| 198-55-0 | Perylene | 11.2 | < 11.2 U |
| 192-97-2 | Benzo(e)pyrene | 11.2 | < 11.2 U |
| TOTBFA | Total Benzofluoranthenes | 11.2 | < 11.2 U |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|----------------------------|---------|
| d10-Fluoranthene | 87.0% |
| d10-2-Methylnaphthalene | 49.3% |
| d14-Dibenzo(a,h)anthracene | 61.3% Q |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-SMA2-1-PEMD-151110-A
SAMPLE

Lab Sample ID: AQJ90
 LIMS ID: 15-21402
 Matrix: Tissue
 Data Release Authorized: *[Signature]*
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/10/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 17:16
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 14.6 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 7.17 |
| 208-96-8 | Acenaphthylene | 1.12 | < 1.12 U |
| 83-32-9 | Acenaphthene | 1.12 | 10.3 |
| 86-73-7 | Fluorene | 1.12 | 12.0 |
| 85-01-8 | Phenanthrene | 1.12 | 80.5 |
| 120-12-7 | Anthracene | 1.12 | 13.5 |
| 206-44-0 | Fluoranthene | 1.12 | 160 E |
| 129-00-0 | Pyrene | 1.12 | 118 E |
| 56-55-3 | Benzo (a) anthracene | 1.12 | 18.9 |
| 218-01-9 | Chrysene | 1.12 | 17.3 |
| 205-99-2 | Benzo (b) fluoranthene | 1.12 | 4.49 |
| 207-08-9 | Benzo (k) fluoranthene | 1.12 | 1.81 |
| 50-32-8 | Benzo (a) pyrene | 1.12 | 2.21 |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz (a,h) anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo (g,h,i) perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo (e) pyrene | 1.12 | 2.72 |
| TOTBFA | Total Benzofluoranthenes | 1.12 | 8.44 |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 72.0% |
| d10-2-Methylnaphthalene | 52.7% |
| d14-Dibenzo (a,h) anthracene | 60.3% |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-SMA2-1-PEMD-151110-A
DILUTION

Lab Sample ID: AQJ90
 LIMS ID: 15-21402
 Matrix: Tissue
 Data Release Authorized: 
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/10/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/14/15 12:42
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 10.0
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 11.2 | 18.5 B |
| 91-57-6 | 2-Methylnaphthalene | 11.2 | < 11.2 U |
| 208-96-8 | Acenaphthylene | 11.2 | < 11.2 U |
| 83-32-9 | Acenaphthene | 11.2 | 12.0 |
| 86-73-7 | Fluorene | 11.2 | 14.5 |
| 85-01-8 | Phenanthrene | 11.2 | 119 |
| 120-12-7 | Anthracene | 11.2 | 19.7 |
| 206-44-0 | Fluoranthene | 11.2 | 280 |
| 129-00-0 | Pyrene | 11.2 | 179 |
| 56-55-3 | Benzo (a) anthracene | 11.2 | 24.5 |
| 218-01-9 | Chrysene | 11.2 | 23.6 |
| 205-99-2 | Benzo (b) fluoranthene | 11.2 | < 11.2 U |
| 207-08-9 | Benzo (k) fluoranthene | 11.2 | < 11.2 U |
| 50-32-8 | Benzo (a) pyrene | 11.2 | < 11.2 U |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 11.2 | < 11.2 U |
| 53-70-3 | Dibenz (a,h) anthracene | 11.2 | < 11.2 U |
| 191-24-2 | Benzo (g,h,i) perylene | 11.2 | < 11.2 U |
| 198-55-0 | Perylene | 11.2 | < 11.2 U |
| 192-97-2 | Benzo (e) pyrene | 11.2 | < 11.2 U |
| TOTBFA | Total Benzofluoranthenes | 11.2 | < 11.2 U |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|---------|
| d10-Fluoranthene | 101% |
| d10-2-Methylnaphthalene | 62.3% |
| d14-Dibenzo (a,h) anthracene | 70.7% Q |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-FB-PEMD-151110
SAMPLE

Lab Sample ID: AQJ9Q
 LIMS ID: 15-21404
 Matrix: Tissue
 Data Release Authorized: 
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/10/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 17:46
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 41.9 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 58.7 |
| 208-96-8 | Acenaphthylene | 1.12 | 1.61 |
| 83-32-9 | Acenaphthene | 1.12 | 48.4 |
| 86-73-7 | Fluorene | 1.12 | 23.6 |
| 85-01-8 | Phenanthrene | 1.12 | 32.1 |
| 120-12-7 | Anthracene | 1.12 | 1.71 |
| 206-44-0 | Fluoranthene | 1.12 | 12.6 |
| 129-00-0 | Pyrene | 1.12 | 7.47 |
| 56-55-3 | Benzo(a)anthracene | 1.12 | < 1.12 U |
| 218-01-9 | Chrysene | 1.12 | < 1.12 U |
| 205-99-2 | Benzo(b)fluoranthene | 1.12 | < 1.12 U |
| 207-08-9 | Benzo(k)fluoranthene | 1.12 | < 1.12 U |
| 50-32-8 | Benzo(a)pyrene | 1.12 | < 1.12 U |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz(a,h)anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo(g,h,i)perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo(e)pyrene | 1.12 | < 1.12 U |
| TOTBFA | Total Benzofluoranthenes | 1.12 | < 1.12 U |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|----------------------------|-------|
| d10-Fluoranthene | 63.0% |
| d10-2-Methylnaphthalene | 48.0% |
| d14-Dibenzo(a,h)anthracene | 42.3% |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: PG-TB-PEMD-151110
SAMPLE

Lab Sample ID: AQJ9R
 LIMS ID: 15-21405
 Matrix: Tissue
 Data Release Authorized:
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: 11/10/15
 Date Received: 11/10/15

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 18:16
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 19.9 B |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | 7.28 |
| 208-96-8 | Acenaphthylene | 1.12 | < 1.12 U |
| 83-32-9 | Acenaphthene | 1.12 | 1.24 |
| 86-73-7 | Fluorene | 1.12 | 1.48 |
| 85-01-8 | Phenanthrene | 1.12 | 3.44 |
| 120-12-7 | Anthracene | 1.12 | 2.40 |
| 206-44-0 | Fluoranthene | 1.12 | 4.17 |
| 129-00-0 | Pyrene | 1.12 | 5.21 |
| 56-55-3 | Benzo(a)anthracene | 1.12 | < 1.12 U |
| 218-01-9 | Chrysene | 1.12 | < 1.12 U |
| 205-99-2 | Benzo(b)fluoranthene | 1.12 | < 1.12 U |
| 207-08-9 | Benzo(k)fluoranthene | 1.12 | < 1.12 U |
| 50-32-8 | Benzo(a)pyrene | 1.12 | < 1.12 U |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz(a,h)anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo(g,h,i)perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo(e)pyrene | 1.12 | < 1.12 U |
| TOTBFA | Total Benzofluoranthenes | 1.12 | < 1.12 U |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|----------------------------|-------|
| d10-Fluoranthene | 59.7% |
| d10-2-Methylnaphthalene | 43.7% |
| d14-Dibenzo(a,h)anthracene | 46.0% |

SIM SW8270 SURROGATE RECOVERY SUMMARY

Matrix: Tissue

QC Report No: AQJ9-Anchor QEA, LLC
Project: Port Gamble Clean-Up

| <u>Client ID</u> | <u>FLN</u> | <u>MNP</u> | <u>DBA</u> | <u>TOT OUT</u> |
|---------------------------|------------|------------|------------|----------------|
| MB-111815 | 41.7% | 31.5% | 41.3% | 0 |
| LCS-111815 | 60.0% | 43.0% | 61.7% | 0 |
| LCSD-111815 | 49.7% | 35.3% | 53.0% | 0 |
| PG-GP-1-PEMD-151109-A | 61.0% | 46.3% | 59.3% | 0 |
| PG-PJ-1-PEMD-151109-A | 63.7% | 47.7% | 68.7% | 0 |
| PG-WS-1-PEMD-151109-A | 61.0% | 49.3% | 50.3% | 0 |
| PG-SMA2-5-PEMD-151109- | 34.9% | 25.0%* | 32.7% | 1 |
| PG-SMA2-4-PEMD-151109- | 70.7% | 53.7% | 60.0% | 0 |
| PG-SMA2-4-PEMD-151109- DL | 85.0% | 57.0% | 60.3% | 0 |
| PG-SMA2-3-PEMD-151110- | 65.0% | 48.7% | 58.3% | 0 |
| PG-SMA2-3-PEMD-151110- DL | 89.7% | 61.3% | 65.0% | 0 |
| PG-SMA2-3-PEMD-151110- | 56.7% | 43.7% | 46.0% | 0 |
| PG-SMA2-3-PEMD-151110- DL | 87.0% | 57.3% | 56.3% | 0 |
| PG-SMA2-2-PEMD-151110- | 61.3% | 39.7% | 51.0% | 0 |
| PG-SMA2-2-PEMD-151110- DL | 87.0% | 49.3% | 61.3% | 0 |
| PG-SMA2-1-PEMD-151110- | 72.0% | 52.7% | 60.3% | 0 |
| PG-SMA2-1-PEMD-151110- DL | 101% | 62.3% | 70.7% | 0 |
| PG-FB-PEMD-151110 | 63.0% | 48.0% | 42.3% | 0 |
| PG-TB-PEMD-151110 | 59.7% | 43.7% | 46.0% | 0 |

| | |
|----------------------|-------------------|
| LCS/MB LIMITS | QC LIMITS |
| (Advisory) | (Advisory) |

| | | |
|------------------------------------|----------|----------|
| (FLN) = d10-Fluoranthene | (30-160) | (30-160) |
| (MNP) = d10-2-Methylnaphthalene | (30-160) | (30-160) |
| (DBA) = d14-Dibenzo(a,h)anthracene | (30-160) | (30-160) |

Prep Method: SW3550C
Log Number Range: 15-21388 to 15-21405

ORGANICS ANALYSIS DATA SHEET
PNAs by Low Level SW8270D-SIM GC/MS
Page 1 of 1

Sample ID: LCS-111815
LAB CONTROL SAMPLE

Lab Sample ID: LCS-111815
LIMS ID: 15-21388
Matrix: Tissue
Data Release Authorized: *AB*
Reported: 12/17/15

QC Report No: AQJ9-Anchor QEA, LLC
Project: Port Gamble Clean-Up
Event: NA
Date Sampled: NA
Date Received: NA

Date Extracted: 11/18/15
Date Analyzed LCS: 12/05/15 11:45
LCSD: 12/05/15 12:45
Instrument/Analyst LCS: NT11/JLW
LCSD: NT11/JLW

Sample Amount LCS: 0.89 g-as-rec
LCSD: 0.89 g-as-rec
Final Extract Volume LCS: 0.10 mL
LCSD: 0.10 mL
Dilution Factor LCS: 1.00
LCSD: 1.00

| Analyte | LCS | Spike Added-LCS | LCS Recovery | LCSD | Spike Added-LCSD | LCSD Recovery | RPD |
|--------------------------|--------|-----------------|--------------|--------|------------------|---------------|-------|
| Naphthalene | 16.1 B | 33.7 | 47.8% | 12.2 B | 33.7 | 36.2% | 27.6% |
| 2-Methylnaphthalene | 15.0 | 33.7 | 44.5% | 12.5 | 33.7 | 37.1% | 18.2% |
| Acenaphthylene | 15.2 | 33.7 | 45.1% | 11.8 | 33.7 | 35.0% | 25.2% |
| Acenaphthene | 15.0 | 33.7 | 44.5% | 11.4 | 33.7 | 33.8% | 27.3% |
| Fluorene | 17.1 | 33.7 | 50.7% | 13.6 | 33.7 | 40.4% | 22.8% |
| Phenanthrene | 21.7 | 33.7 | 64.4% | 16.7 | 33.7 | 49.6% | 26.0% |
| Anthracene | 17.1 | 33.7 | 50.7% | 13.9 | 33.7 | 41.2% | 20.6% |
| Fluoranthene | 19.4 | 33.7 | 57.6% | 16.7 | 33.7 | 49.6% | 15.0% |
| Pyrene | 20.8 | 33.7 | 61.7% | 17.8 | 33.7 | 52.8% | 15.5% |
| Benzo(a)anthracene | 19.7 | 33.7 | 58.5% | 16.4 | 33.7 | 48.7% | 18.3% |
| Chrysene | 18.7 | 33.7 | 55.5% | 15.0 | 33.7 | 44.5% | 22.0% |
| Benzo(b)fluoranthene | 18.9 | 33.7 | 56.1% | 15.9 | 33.7 | 47.2% | 17.2% |
| Benzo(k)fluoranthene | 17.6 | 33.7 | 52.2% | 14.8 | 33.7 | 43.9% | 17.3% |
| Benzo(a)pyrene | 16.0 | 33.7 | 47.5% | 13.4 | 33.7 | 39.8% | 17.7% |
| Indeno(1,2,3-cd)pyrene | 18.5 | 33.7 | 54.9% | 15.5 | 33.7 | 46.0% | 17.6% |
| Dibenz(a,h)anthracene | 19.0 | 33.7 | 56.4% | 15.9 | 33.7 | 47.2% | 17.8% |
| Benzo(g,h,i)perylene | 18.0 | 33.7 | 53.4% | 15.1 | 33.7 | 44.8% | 17.5% |
| Perylene | 8.11 | 33.7 | 24.1% | 7.91 | 33.7 | 23.5% | 2.5% |
| Benzo(e)pyrene | 16.2 | 33.7 | 48.1% | 13.8 | 33.7 | 40.9% | 16.0% |
| Total Benzofluoranthenes | 52.6 | 101 | 52.1% | 44.3 | 101 | 43.9% | 17.1% |

Reported in µg/kg (ppb)

RPD calculated using sample concentrations per SW846.

SIM Semivolatile Surrogate Recovery

| | LCS | LCSD |
|----------------------------|-------|-------|
| d10-Fluoranthene | 60.0% | 49.7% |
| d10-2-Methylnaphthalene | 43.0% | 35.3% |
| d14-Dibenzo(a,h)anthracene | 61.7% | 53.0% |

4B
SEMIVOLATILE METHOD BLANK SUMMARY

BLANK NO.

AQJ9MBS1

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Lab File ID: 15120505

Date Extracted: 11/18/15

Instrument ID: NT11

Date Analyzed: 12/05/15

Matrix: SOLID

Time Analyzed: 1215

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE NO. | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED |
|----|----------------------|------------------|----------------|------------------|
| 01 | AQJ9LCSS1 | AQJ9LCSS1 | 15120504 | 12/05/15 |
| 02 | AQJ9LCSDS1 | AQJ9LCSDS1 | 15120506 | 12/05/15 |
| 03 | PG-GP-1-PEMD-151 | AQJ9A | 15120507 | 12/05/15 |
| 04 | PG-PJ-1-PEMD-151 | AQJ9C | 15120508 | 12/05/15 |
| 05 | PG-WS-1-PEMD-151 | AQJ9E | 15120509 | 12/05/15 |
| 06 | PG-SMA2-5-PEMD-1 | AQJ9G | 15120510 | 12/05/15 |
| 07 | PG-SMA2-4-PEMD-1 | AQJ9I | 15120511 | 12/05/15 |
| 08 | PG-SMA2-3-PEMD-1 | AQJ9K | 15120512 | 12/05/15 |
| 09 | PG-SMA2-3-PEMD-1 | AQJ9L | 15120513 | 12/05/15 |
| 10 | PG-SMA2-2-PEMD-1 | AQJ9M | 15120514 | 12/05/15 |
| 11 | PG-SMA2-1-PEMD-1 | AQJ9O | 15120515 | 12/05/15 |
| 12 | PG-FB-PEMD-15111 | AQJ9Q | 15120516 | 12/05/15 |
| 13 | PG-TB-PEMD-15111 | AQJ9R | 15120517 | 12/05/15 |
| 14 | PG-SMA2-4-PEMD-1 | AQJ9I | 15121404 | 12/14/15 |
| 15 | PG-SMA2-3-PEMD-1 | AQJ9K | 15121405 | 12/14/15 |
| 16 | PG-SMA2-3-PEMD-1 | AQJ9L | 15121406 | 12/14/15 |
| 17 | PG-SMA2-2-PEMD-1 | AQJ9M | 15121407 | 12/14/15 |
| 18 | PG-SMA2-1-PEMD-1 | AQJ9O | 15121408 | 12/14/15 |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |
| 26 | | | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | | | |
| 30 | | | | |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: SW3550C
 Page 1 of 1

Sample ID: MB-111815
METHOD BLANK

Lab Sample ID: MB-111815
 LIMS ID: 15-21388
 Matrix: Tissue
 Data Release Authorized:
 Reported: 12/16/15

QC Report No: AQJ9-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 Event: NA
 Date Sampled: NA
 Date Received: NA

Date Extracted: 11/18/15
 Date Analyzed: 12/05/15 12:15
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: No
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 0.89 g-as-rec
 Final Extract Volume: 0.1 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 1.12 | 1.33 |
| 91-57-6 | 2-Methylnaphthalene | 1.12 | < 1.12 U |
| 208-96-8 | Acenaphthylene | 1.12 | < 1.12 U |
| 83-32-9 | Acenaphthene | 1.12 | < 1.12 U |
| 86-73-7 | Fluorene | 1.12 | < 1.12 U |
| 85-01-8 | Phenanthrene | 1.12 | < 1.12 U |
| 120-12-7 | Anthracene | 1.12 | < 1.12 U |
| 206-44-0 | Fluoranthene | 1.12 | < 1.12 U |
| 129-00-0 | Pyrene | 1.12 | < 1.12 U |
| 56-55-3 | Benzo(a)anthracene | 1.12 | < 1.12 U |
| 218-01-9 | Chrysene | 1.12 | < 1.12 U |
| 205-99-2 | Benzo(b)fluoranthene | 1.12 | < 1.12 U |
| 207-08-9 | Benzo(k)fluoranthene | 1.12 | < 1.12 U |
| 50-32-8 | Benzo(a)pyrene | 1.12 | < 1.12 U |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | 1.12 | < 1.12 U |
| 53-70-3 | Dibenz(a,h)anthracene | 1.12 | < 1.12 U |
| 191-24-2 | Benzo(g,h,i)perylene | 1.12 | < 1.12 U |
| 198-55-0 | Perylene | 1.12 | < 1.12 U |
| 192-97-2 | Benzo(e)pyrene | 1.12 | < 1.12 U |
| TOTBFA | Total Benzofluoranthenes | 1.12 | < 1.12 U |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|----------------------------|-------|
| d10-Fluoranthene | 41.7% |
| d10-2-Methylnaphthalene | 31.5% |
| d14-Dibenzo(a,h)anthracene | 41.3% |

5B
SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

Instrument ID: NT11

Project: PORT GAMBLE CLEAN-UP

DFTPP Injection Date: 12/04/15

DFTPP Injection Time: 0845

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51 | 10.0 - 80.0% of mass 198 | 36.7 |
| 68 | Less than 2.0% of mass 69 | 0.0 (0.0)1 |
| 69 | Mass 69 relative abundance | 46.7 |
| 70 | Less than 2.0% of mass 69 | 0.2 (0.5)1 |
| 127 | 10.0 - 80.0% of mass 198 | 50.3 |
| 197 | Less than 2.0% of mass 198 | 0.0 |
| 198 | Base Peak, 100% relative abundance | 100.0 |
| 199 | 5.0 to 9.0% of mass 198 | 8.8 |
| 275 | 10.0 - 60.0% of mass 198 | 29.8 |
| 365 | Greater than 1.0% of mass 198 | 3.54 |
| 441 | 0.0 - 24.0% of mass 442 | 13.4 (16.4)2 |
| 442 | 50.0 - 200.0% of mass 198 | 81.9 |
| 443 | 15.0 - 24.0% of mass 442 | 18.6 (22.7)2 |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| CLIENT SAMPLE NO. | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|----------------------|------------------|----------------|------------------|------------------|
| 01 | LLSIM 250 | 15120402 | 12/04/15 | 0903 |
| 02 | LLSIM 100 | 15120403 | 12/04/15 | 0933 |
| 03 | LLSIM 10 | 15120404 | 12/04/15 | 1003 |
| 04 | LLSIM 50 | 15120405 | 12/04/15 | 1033 |
| 05 | LLSIM 500 | 15120406 | 12/04/15 | 1103 |
| 06 | LLSIM 1000 | 15120407 | 12/04/15 | 1133 |
| 07 | LLSIM SCV 25 | 15120408 | 12/04/15 | 1204 |
| 08 | | | | |
| 09 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |

5B
SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

Instrument ID: NF11

Project: PORT GAMBLE CLEAN-UP

DFTPP Injection Date: 12/05/15

DFTPP Injection Time: 1012

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51 | 10.0 - 80.0% of mass 198 | 39.8 |
| 68 | Less than 2.0% of mass 69 | 0.0 (0.0)1 |
| 69 | Mass 69 relative abundance | 50.8 |
| 70 | Less than 2.0% of mass 69 | 0.3 (0.6)1 |
| 127 | 10.0 - 80.0% of mass 198 | 52.3 |
| 197 | Less than 2.0% of mass 198 | 0.2 |
| 198 | Base Peak, 100% relative abundance | 100.0 |
| 199 | 5.0 to 9.0% of mass 198 | 8.6 |
| 275 | 10.0 - 60.0% of mass 198 | 27.1 |
| 365 | Greater than 1.0% of mass 198 | 3.17 |
| 441 | 0.0 - 24.0% of mass 442 | 11.2 (16.3)2 |
| 442 | 50.0 - 200.0% of mass 198 | 68.7 |
| 443 | 15.0 - 24.0% of mass 442 | 15.6 (22.6)2 |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| CLIENT SAMPLE NO. | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED | |
|-------------------|------------------|-------------|---------------|---------------|------|
| 01 | LLSIM 250 | 15120502 | 12/05/15 | 1030 | |
| 02 | AQJ9LCSS1 | 15120504 | 12/05/15 | 1145 | |
| 03 | AQJ9MBS1 | 15120505 | 12/05/15 | 1215 | |
| 04 | AQJ9LCSDS1 | 15120506 | 12/05/15 | 1245 | |
| 05 | PG-GP-1-PEMD-151 | AQJ9A | 15120507 | 12/05/15 | 1315 |
| 06 | PG-PJ-1-PEMD-151 | AQJ9C | 15120508 | 12/05/15 | 1345 |
| 07 | PG-WS-1-PEMD-151 | AQJ9E | 15120509 | 12/05/15 | 1415 |
| 08 | PG-SMA2-5-PEMD-1 | AQJ9G | 15120510 | 12/05/15 | 1445 |
| 09 | PG-SMA2-4-PEMD-1 | AQJ9I | 15120511 | 12/05/15 | 1516 |
| 10 | PG-SMA2-3-PEMD-1 | AQJ9K | 15120512 | 12/05/15 | 1546 |
| 11 | PG-SMA2-3-PEMD-1 | AQJ9L | 15120513 | 12/05/15 | 1616 |
| 12 | PG-SMA2-2-PEMD-1 | AQJ9M | 15120514 | 12/05/15 | 1646 |
| 13 | PG-SMA2-1-PEMD-1 | AQJ9O | 15120515 | 12/05/15 | 1716 |
| 14 | PG-FB-PEMD-15111 | AQJ9Q | 15120516 | 12/05/15 | 1746 |
| 15 | PG-TB-PEMD-15111 | AQJ9R | 15120517 | 12/05/15 | 1816 |
| 16 | LLSIM CCV 25 | 15120518 | 12/05/15 | 1846 | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |

5B
SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

Instrument ID: NT11

Project: PORT GAMBLE CLEAN-UP

DFTPP Injection Date: 12/14/15

DFTPP Injection Time: 0852

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51 | 10.0 - 80.0% of mass 198 | 36.2 |
| 68 | Less than 2.0% of mass 69 | 0.0 (0.0)1 |
| 69 | Mass 69 relative abundance | 42.7 |
| 70 | Less than 2.0% of mass 69 | 0.4 (0.9)1 |
| 127 | 10.0 - 80.0% of mass 198 | 47.3 |
| 197 | Less than 2.0% of mass 198 | 0.2 |
| 198 | Base Peak, 100% relative abundance | 100.0 |
| 199 | 5.0 to 9.0% of mass 198 | 7.7 |
| 275 | 10.0 - 60.0% of mass 198 | 27.5 |
| 365 | Greater than 1.0% of mass 198 | 3.39 |
| 441 | 0.0 - 24.0% of mass 442 | 12.8 (15.3)2 |
| 442 | 50.0 - 200.0% of mass 198 | 83.5 |
| 443 | 15.0 - 24.0% of mass 442 | 17.2 (20.6)2 |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| | CLIENT SAMPLE NO. | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|----|-------------------|---------------|-------------|---------------|---------------|
| 01 | | LLPAH 250 | 15121402 | 12/14/15 | 0909 |
| 02 | | LLPAH MRL | 15121403 | 12/14/15 | 0959 |
| 03 | PG-SMA2-4-PEMD-1 | AQJ9I | 15121404 | 12/14/15 | 1042 |
| 04 | PG-SMA2-3-PEMD-1 | AQJ9K | 15121405 | 12/14/15 | 1112 |
| 05 | PG-SMA2-3-PEMD-1 | AQJ9L | 15121406 | 12/14/15 | 1142 |
| 06 | PG-SMA2-2-PEMD-1 | AQJ9M | 15121407 | 12/14/15 | 1212 |
| 07 | PG-SMA2-1-PEMD-1 | AQJ9O | 15121408 | 12/14/15 | 1242 |
| 08 | | LLPAH CCV | 15121409 | 12/14/15 | 1313 |
| 09 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |

SEMIVOLATILE 8270-D INITIAL CALIBRATION DATA

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Instrument ID: NT11

Calibration Date: 12/04/15

| | | | |
|--------------|-----------------|-----------------|------------------|
| LAB FILE ID: | RRF10 =15120404 | RRF50 =15120405 | RRF100=15120403 |
| | RRF250=15120402 | RRF500=15120406 | RRF1000=15120407 |

| COMPOUND | RRF 10 | RRF 50 | RRF 100 | RRF 250 | RRF 500 | RRF 1000 | RRF | %RSD /R ² |
|----------------------------|-----------|-----------|------------|------------|------------|-------------|-------|-------------------------|
| Naphthalene | 1.199 | 1.257 | 1.208 | 1.138 | 1.095 | 1.034 | 1.155 | 7.1 |
| 2-Methylnaphthalene | 0.757 | 0.822 | 0.818 | 0.825 | 0.787 | 0.754 | 0.794 | 4.1 |
| Acenaphthylene | 1.587 | 1.688 | 1.646 | 1.628 | 1.602 | 1.535 | 1.614 | 3.3 |
| Acenaphthene | 1.084 | 1.136 | 1.097 | 1.066 | 1.041 | 1.005 | 1.072 | 4.3 |
| Dibenzofuran | 1.637 | 1.742 | 1.685 | 1.623 | 1.559 | 1.437 | 1.614 | 6.6 |
| Fluorene | 1.159 | 1.259 | 1.248 | 1.231 | 1.209 | 1.156 | 1.210 | 3.7 |
| Phenanthrene | 1.201 | 1.339 | 1.261 | 1.223 | 1.143 | 1.063 | 1.205 | 7.9 |
| Anthracene | 1.014 | 1.089 | 1.089 | 1.118 | 1.122 | 1.039 | 1.078 | 4.0 |
| Fluoranthene | 1.095 | 1.291 | 1.250 | 1.266 | 1.227 | 1.130 | 1.210 | 6.5 |
| Pyrene | 1.570 | 1.718 | 1.639 | 1.574 | 1.557 | 1.445 | 1.584 | 5.8 |
| Benzo(a)anthracene | 1.264 | 1.424 | 1.349 | 1.340 | 1.338 | 1.285 | 1.333 | 4.2 |
| Chrysene | 1.461 | 1.649 | 1.511 | 1.434 | 1.412 | 1.314 | 1.464 | 7.6 |
| Benzo(b)fluoranthene | 1.236 | 1.449 | 1.335 | 1.309 | 1.428 | 1.373 | 1.355 | 5.8 |
| Benzo(k)fluoranthene | 1.404 | 1.665 | 1.575 | 1.601 | 1.638 | 1.592 | 1.579 | 5.8 |
| Benzo(j)fluoranthene | 1.324 | 1.581 | 1.430 | 1.419 | 1.477 | 1.400 | 1.438 | 6.0 |
| Benzo(a)pyrene | 1.122 | 1.390 | 1.285 | 1.305 | 1.392 | 1.352 | 1.308 | 7.7 |
| Indeno(1,2,3-cd)pyrene | 1.070 | 1.396 | 1.342 | 1.372 | 1.529 | 1.530 | 1.373 | 12.3 |
| Dibenzo(a,h)anthracene | 0.794 | 1.057 | 1.071 | 1.111 | 1.233 | 1.249 | 1.086 | 15.1 |
| Benzo(g,h,i)perylene | 1.030 | 1.235 | 1.174 | 1.174 | 1.272 | 1.268 | 1.192 | 7.6 |
| 1-Methylnaphthalene | 0.672 | 0.743 | 0.744 | 0.740 | 0.711 | 0.681 | 0.715 | 4.6 |
| Perylene | 1.258 | 1.475 | 1.355 | 1.306 | 1.390 | 1.351 | 1.356 | 5.5 |
| Benzo(e)pyrene | 1.300 | 1.485 | 1.371 | 1.324 | 1.391 | 1.346 | 1.370 | 4.8 |
| 2-Methylnaphthalene-d10 | 0.706 | 0.768 | 0.761 | 0.766 | 0.738 | 0.714 | 0.742 | 3.7 |
| Dibenzo(a,h)anthracene-d14 | 0.593 | 0.781 | 0.799 | 0.816 | 0.911 | 0.944 | 0.807 | 15.3 |
| Fluoranthene-d10 | 1.015 | 1.152 | 1.114 | 1.133 | 1.122 | 1.062 | 1.100 | 4.7 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

<- Outside QC limits: %RSD <20% or R² > 0.990

SEMIVOLATILE 8270-D CONTINUING CALIBRATION CHECK

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Instrument ID: NT11

Cont. Calib. Date: 12/05/15

Init. Calib. Date: 12/04/15

Cont. Calib. Time: 1030

| COMPOUND | CalAmt or ARF | CC Amt or RF | MIN RRF | CURVE TYPE | %D or Drift |
|-------------------------------|------------------|-----------------|------------|---------------|----------------|
| Naphthalene | 1.155 | 1.109 | 0.700 | AVRG | -4.0 |
| 2-Methylnaphthalene | 0.794 | 0.792 | 0.400 | AVRG | -0.2 |
| Acenaphthylene | 1.614 | 1.545 | 0.900 | AVRG | -4.3 |
| Acenaphthene | 1.072 | 1.041 | 0.900 | AVRG | -2.9 |
| Dibenzofuran | 1.614 | 1.559 | 0.800 | AVRG | -3.4 |
| Fluorene | 1.210 | 1.186 | 0.900 | AVRG | -2.0 |
| Phenanthrene | 1.205 | 1.177 | 0.700 | AVRG | -2.3 |
| Anthracene | 1.078 | 1.055 | 0.700 | AVRG | -2.1 |
| Fluoranthene | 1.210 | 1.210 | 0.600 | AVRG | 0.0 |
| Pyrene | 1.584 | 1.545 | 0.600 | AVRG | -2.5 |
| Benzo (a) anthracene | 1.333 | 1.292 | 0.800 | AVRG | -3.1 |
| Chrysene | 1.464 | 1.428 | 0.700 | AVRG | -2.4 |
| Benzo (b) fluoranthene | 1.355 | 1.325 | 0.700 | AVRG | -2.2 |
| Benzo (k) fluoranthene | 1.579 | 1.579 | 0.700 | AVRG | 0.0 |
| Benzo (j) fluoranthene | 1.438 | 1.453 | 0.010 | AVRG | 1.0 |
| Benzo (a) pyrene | 1.308 | 1.298 | 0.700 | AVRG | -0.8 |
| Indeno (1, 2, 3 -cd) pyrene | 1.373 | 1.391 | 0.500 | AVRG | 1.3 |
| Dibenzo (a, h) anthracene | 1.086 | 1.115 | 0.400 | AVRG | 2.7 |
| Benzo (g, h, i) perylene | 1.192 | 1.177 | 0.500 | AVRG | -1.2 |
| 1-Methylnaphthalene | 0.715 | 0.718 | 0.010 | AVRG | 0.4 |
| Perylene | 1.356 | 1.321 | 0.010 | AVRG | -2.6 |
| Benzo (e) pyrene | 1.370 | 1.342 | 0.010 | AVRG | -2.0 |
| 2-Methylnaphthalene-d10 | 0.742 | 0.737 | 0.010 | AVRG | -0.7 |
| Dibenzo (a, h) anthracene-d14 | 0.807 | 0.818 | 0.010 | AVRG | 1.4 |
| Fluoranthene-d10 | 1.100 | 1.061 | 0.010 | AVRG | -3.5 |

<- Exceeds QC limit of 20% D

* RF less than minimum RF

SEMIVOLATILE 8270-D CONTINUING CALIBRATION CHECK

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Instrument ID: NT11

Cont. Calib. Date: 12/14/15

Init. Calib. Date: 12/04/15

Cont. Calib. Time: 0909

| COMPOUND | CalAmt or ARF | CC Amt or RF | MIN RRF | CURVE TYPE | %D or Drift |
|-------------------------------|------------------|-----------------|------------|---------------|----------------|
| Naphthalene | 1.155 | 1.104 | 0.700 | AVRG | -4.4 |
| 2-Methylnaphthalene | 0.794 | 0.788 | 0.400 | AVRG | -0.8 |
| Acenaphthylene | 1.614 | 1.622 | 0.900 | AVRG | 0.5 |
| Acenaphthene | 1.072 | 1.028 | 0.900 | AVRG | -4.1 |
| Dibenzofuran | 1.614 | 1.534 | 0.800 | AVRG | -5.0 |
| Fluorene | 1.210 | 1.191 | 0.900 | AVRG | -1.6 |
| Phenanthrene | 1.205 | 1.129 | 0.700 | AVRG | -6.3 |
| Anthracene | 1.078 | 1.104 | 0.700 | AVRG | 2.4 |
| Fluoranthene | 1.210 | 1.197 | 0.600 | AVRG | -1.1 |
| Pyrene | 1.584 | 1.555 | 0.600 | AVRG | -1.8 |
| Benzo (a) anthracene | 1.333 | 1.310 | 0.800 | AVRG | -1.7 |
| Chrysene | 1.464 | 1.358 | 0.700 | AVRG | -7.2 |
| Benzo (b) fluoranthene | 1.355 | 1.301 | 0.700 | AVRG | -4.0 |
| Benzo (k) fluoranthene | 1.579 | 1.564 | 0.700 | AVRG | -0.9 |
| Benzo (j) fluoranthene | 1.438 | 1.319 | 0.010 | AVRG | -8.3 |
| Benzo (a) pyrene | 1.308 | 1.246 | 0.700 | AVRG | -4.7 |
| Indeno (1, 2, 3-cd) pyrene | 1.373 | 1.016 | 0.500 | AVRG | -26.0 <- |
| Dibenzo (a, h) anthracene | 1.086 | 0.818 | 0.400 | AVRG | -24.7 <- |
| Benzo (g, h, i) perylene | 1.192 | 0.750 | 0.500 | AVRG | -37.1 <- |
| 1-Methylnaphthalene | 0.715 | 0.708 | 0.010 | AVRG | -1.0 |
| Perylene | 1.356 | 1.255 | 0.010 | AVRG | -7.4 |
| Benzo (e) pyrene | 1.370 | 1.278 | 0.010 | AVRG | -6.7 |
| 2-Methylnaphthalene-d10 | 0.742 | 0.724 | 0.010 | AVRG | -2.4 |
| Dibenzo (a, h) anthracene-d14 | 0.807 | 0.626 | 0.010 | AVRG | -22.4 <- |
| Fluoranthene-d10 | 1.100 | 1.087 | 0.010 | AVRG | -1.2 |

<- Exceeds QC limit of 20% D

* RF less than minimum RF

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Ical Midpoint ID: 15120402

Ical Date: 12/04/15

Instrument ID: NT11

Cont. Cal Date: 12/04/15

| | IS1 (NPT) AREA # | RT # | IS2 (ANT) AREA # | RT # | IS3 (PHN) AREA # | RT # |
|-------------|---------------------|------|---------------------|-------|---------------------|-------|
| ICAL MIDPT | 327896 | 6.60 | 239179 | 9.60 | 372253 | 12.27 |
| UPPER LIMIT | 655792 | | 478358 | | 744506 | |
| LOWER LIMIT | 163948 | | 119590 | | 186127 | |
| CCAL | 337457 | 6.60 | 238950 | 9.60 | 380348 | 12.27 |
| UPPER LIMIT | | 7.10 | | 10.10 | | 12.77 |
| LOWER LIMIT | | 6.10 | | 9.10 | | 11.77 |
| 01 | 330144 | 6.60 | 236381 | 9.60 | 360337 | 12.27 |
| 02 | | | | | | |
| 03 | | | | | | |
| 04 | | | | | | |
| 05 | | | | | | |
| 06 | | | | | | |
| 07 | | | | | | |
| 08 | | | | | | |
| 09 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS1 = Naphthalene-d8
IS2 = Acenaphthene-d10
IS3 = Phenanthrene-d10

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
 AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Ical Midpoint ID: 15120402

Ical Date: 12/04/15

Instrument ID: NT11

Cont. Cal Date: 12/04/15

| | IS4 (CRY) AREA # | RT # | IS5 (PRY) AREA # | RT # | AREA # | RT # |
|-------------|---------------------|-------|---------------------|-------|--------|-------|
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| ICAL MIDPT | 294711 | 17.02 | 260595 | 19.84 | | |
| UPPER LIMIT | 589422 | | 521190 | | | |
| LOWER LIMIT | 147356 | | 130298 | | | |
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| CCAL | 298514 | 17.01 | 256244 | 19.84 | | |
| UPPER LIMIT | | 17.51 | | 20.34 | | |
| LOWER LIMIT | | 16.51 | | 19.34 | | |
| 01 | 291007 | 17.01 | 242244 | 19.83 | | |
| 02 | | | | | | |
| 03 | | | | | | |
| 04 | | | | | | |
| 05 | | | | | | |
| 06 | | | | | | |
| 07 | | | | | | |
| 08 | | | | | | |
| 09 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS4 = Chrysene-d12

IS5 = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
 AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Ical Midpoint ID: 15120402

Ical Date: 12/04/15

Instrument ID: NT11

Cont. Cal Date: 12/05/15

| | IS1 (NPT) AREA # | RT # | IS2 (ANT) AREA # | RT # | IS3 (PHN) AREA # | RT # |
|-----------------|---------------------|------|---------------------|-------|---------------------|-------|
| ICAL MIDPT | 327896 | 6.60 | 239179 | 9.60 | 372253 | 12.27 |
| UPPER LIMIT | 655792 | | 478358 | | 744506 | |
| LOWER LIMIT | 163948 | | 119590 | | 186127 | |
| CCAL | 259155 | 6.60 | 222472 | 9.60 | 373365 | 12.28 |
| UPPER LIMIT | | 7.10 | | 10.10 | | 12.78 |
| LOWER LIMIT | | 6.10 | | 9.10 | | 11.78 |
| 01 AQJ9LCSS1 | 975072* | 6.58 | 685451* | 9.59 | 1077117* | 12.27 |
| 02 AQJ9MBS1 | 438288 | 6.59 | 366527 | 9.59 | 602619 | 12.27 |
| 03 AQJ9LCSDS1 | 377538 | 6.58 | 322593 | 9.59 | 523037 | 12.27 |
| 04 PG-GP-1-PEMD | 329948 | 6.59 | 276926 | 9.59 | 455160 | 12.27 |
| 05 PG-PJ-1-PEMD | 347293 | 6.58 | 286981 | 9.59 | 493459 | 12.27 |
| 06 PG-WS-1-PEMD | 324170 | 6.59 | 268869 | 9.59 | 444544 | 12.27 |
| 07 PG-SMA2-5-PE | 297768 | 6.58 | 252418 | 9.59 | 432491 | 12.27 |
| 08 PG-SMA2-4-PE | 291014 | 6.59 | 238819 | 9.59 | 387727 | 12.27 |
| 09 PG-SMA2-3-PE | 329170 | 6.59 | 272591 | 9.59 | 446217 | 12.27 |
| 10 PG-SMA2-3-PE | 345794 | 6.59 | 286502 | 9.59 | 478323 | 12.27 |
| 11 PG-SMA2-2-PE | 307876 | 6.59 | 255620 | 9.59 | 411968 | 12.27 |
| 12 PG-SMA2-1-PE | 308997 | 6.59 | 253688 | 9.59 | 419421 | 12.27 |
| 13 PG-FB-PEMD-1 | 348938 | 6.59 | 285660 | 9.59 | 466630 | 12.27 |
| 14 PG-TB-PEMD-1 | 335866 | 6.59 | 274447 | 9.60 | 451003 | 12.27 |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS1 = Naphthalene-d8
IS2 = Acenaphthene-d10
IS3 = Phenanthrene-d10

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Ical Midpoint ID: 15120402

Ical Date: 12/04/15

Instrument ID: NT11

Cont. Cal Date: 12/05/15

| | IS4 (CRY) AREA # | RT # | IS5 (PRY) AREA # | RT # | AREA # | RT # |
|-----------------|---------------------|-------|---------------------|-------|--------|------|
| ICAL MIDPT | 294711 | 17.02 | 260595 | 19.84 | | |
| UPPER LIMIT | 589422 | | 521190 | | | |
| LOWER LIMIT | 147356 | | 130298 | | | |
| CCAL | 284920 | 17.02 | 217601 | 19.84 | | |
| UPPER LIMIT | | 17.52 | | 20.34 | | |
| LOWER LIMIT | | 16.52 | | 19.34 | | |
| 01 AQJ9LCSS1 | 790706* | 17.01 | 732910* | 19.84 | | |
| 02 AQJ9MBS1 | 445515 | 17.02 | 407440 | 19.84 | | |
| 03 AQJ9LCSDS1 | 383735 | 17.01 | 343460 | 19.84 | | |
| 04 PG-GP-1-PEMD | 342230 | 17.02 | 315896 | 19.84 | | |
| 05 PG-PJ-1-PEMD | 330591 | 17.02 | 298465 | 19.84 | | |
| 06 PG-WS-1-PEMD | 330321 | 17.02 | 300363 | 19.84 | | |
| 07 PG-SMA2-5-PE | 311806 | 17.02 | 281081 | 19.84 | | |
| 08 PG-SMA2-4-PE | 283013 | 17.02 | 256301 | 19.84 | | |
| 09 PG-SMA2-3-PE | 330667 | 17.02 | 292938 | 19.84 | | |
| 10 PG-SMA2-3-PE | 347514 | 17.02 | 308933 | 19.84 | | |
| 11 PG-SMA2-2-PE | 294435 | 17.02 | 257227 | 19.84 | | |
| 12 PG-SMA2-1-PE | 292332 | 17.02 | 252868 | 19.84 | | |
| 13 PG-FB-PEMD-1 | 323985 | 17.02 | 278293 | 19.84 | | |
| 14 PG-TB-PEMD-1 | 314713 | 17.02 | 267996 | 19.84 | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS4 = Chrysene-d12

IS5 = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
 AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Ical Midpoint ID: 15120402

Ical Date: 12/04/15

Instrument ID: NT11

Cont. Cal Date: 12/14/15

| | IS1 (NPT) AREA # | RT # | IS2 (ANT) AREA # | RT # | IS3 (PHN) AREA # | RT # |
|-----------------|---------------------|------|---------------------|-------|---------------------|-------|
| ICAL MIDPT | 327896 | 6.60 | 239179 | 9.60 | 372253 | 12.27 |
| UPPER LIMIT | 655792 | | 478358 | | 744506 | |
| LOWER LIMIT | 163948 | | 119590 | | 186127 | |
| CCAL | 270472 | 6.61 | 216392 | 9.61 | 358358 | 12.28 |
| UPPER LIMIT | | 7.11 | | 10.11 | | 12.78 |
| LOWER LIMIT | | 6.11 | | 9.11 | | 11.78 |
| 01 | 273233 | 6.61 | 204199 | 9.61 | 340081 | 12.29 |
| 02 PG-SMA2-4-PE | 296401 | 6.61 | 215875 | 9.61 | 345178 | 12.28 |
| 03 PG-SMA2-3-PE | 301887 | 6.61 | 222712 | 9.61 | 358654 | 12.28 |
| 04 PG-SMA2-3-PE | 298203 | 6.61 | 216970 | 9.60 | 347616 | 12.28 |
| 05 PG-SMA2-2-PE | 291558 | 6.60 | 217109 | 9.60 | 342997 | 12.28 |
| 06 PG-SMA2-1-PE | 295716 | 6.61 | 218344 | 9.60 | 344692 | 12.28 |
| 07 | | | | | | |
| 08 | | | | | | |
| 09 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS1 = Naphthalene-d8
IS2 = Acenaphthene-d10
IS3 = Phenanthrene-d10

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: AQJ9

Project: PORT GAMBLE CLEAN-UP

Ical Midpoint ID: 15120402

Ical Date: 12/04/15

Instrument ID: NT11

Cont. Cal Date: 12/14/15

| | IS4 (CRY) | | IS5 (PRY) | | | |
|-----------------|-----------|-------|-----------|-------|--------|-------|
| | AREA # | RT # | AREA # | RT # | AREA # | RT # |
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| ICAL MIDPT | 294711 | 17.02 | 260595 | 19.84 | | |
| UPPER LIMIT | 589422 | | 521190 | | | |
| LOWER LIMIT | 147356 | | 130298 | | | |
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| CCAL | 283003 | 17.02 | 242204 | 19.85 | | |
| UPPER LIMIT | | 17.52 | | 20.35 | | |
| LOWER LIMIT | | 16.52 | | 19.35 | | |
| 01 | 256902 | 17.03 | 220992 | 19.86 | | |
| 02 PG-SMA2-4-PE | 254462 | 17.03 | 225753 | 19.86 | | |
| 03 PG-SMA2-3-PE | 272267 | 17.02 | 239176 | 19.85 | | |
| 04 PG-SMA2-3-PE | 262654 | 17.02 | 233657 | 19.85 | | |
| 05 PG-SMA2-2-PE | 253845 | 17.02 | 229648 | 19.85 | | |
| 06 PG-SMA2-1-PE | 257252 | 17.02 | 231462 | 19.85 | | |
| 07 | | | | | | |
| 08 | | | | | | |
| 09 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS4 = Chrysene-d12

IS5 = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
 AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

**SIM PAH Raw Data
Extraction Bench Sheets and Notes**

ARI Job ID: AQJ9



Miscellaneous
Water/Soil/Sediment/Other
Separatory Funnel (3510C)/Liq-Liq (3520C)
Sonication (3550C)/Microwave (3546)
TissueMize (Modified 3550C)

Analysis SIM PNA Low Level

Preparation Test Misc # 1

ARI Job No(s) AQ59

Batch set up by: SA

Batch # _____

EPH
Aromatic

| Boottle # | ARI Sample I.D. | Weight or Volume Extracted | Sonic Horn ID + Chk | (REQ/Opt) GPC Y/N | (REQ/Opt) Acid Clean Y/N | (REQ/Opt) Sulfur Clean Y/N | (REQ/Opt) SPE Clean Y/N Silica Gel | Final Effective Volume | Vol to Lab | Comments | Verify Client ID |
|--------------|---------------------------|----------------------------|---------------------|-------------------|--------------------------|----------------------------|---------------------------------------|------------------------|------------|-------------------------|---|
| | AQ59 BLK | 1 each | 1 | | | | | φ-1 ML | φ-1 ML | | TH 11/18/15 Analyst/Date |
| | BS | 1 each | 3 | | | | | φ-1 ML | φ-1 ML | | Pre-GPC KD 1 2 3 4 5 6 -50°C |
| | BS Dup | 1 each | 4 | | | | | φ-1 ML | φ-1 ML | | Exchange to Hex? Analyst/Date |
| 1 | MRL Spike A | 1 each | 5 | | | | | φ-1 ML | φ-1 ML | | TurboVap Pre-GPC 1 2 3 4 5 |
| 1 | B | 1 each | 6 | | | | | φ-1 ML | φ-1 ML | | |
| 1 | C | 1 each | 7 | | | | | φ-1 ML | φ-1 ML | | |
| 1 | D | 1 each | 9 | | | | | φ-1 ML | φ-1 ML | | Analyst/Date |
| 1 | E | 1 each | 10 | | | | | φ-1 ML | φ-1 ML | | Post-GPC 2H KD 1 2 3 4 5 6 -50°C |
| 1 | F | 1 each | 1 | | | | | φ-1 ML | φ-1 ML | | Exchange to Hex? Analyst/Date 11/23/15 |
| 1 | G | 1 each | 3 | | | | | φ-1 ML | φ-1 ML | U-650 STR X NOTES | TurboVap Post-GPC 1 2 3 4 5 |
| 1 | H | 1 each | 4 | | | | | φ-1 ML | φ-1 ML | | |
| 1 | I | 1 each | 5 | | | | | φ-1 ML | φ-1 ML | | |
| 1 | J | 1 each | 6 | | | | | φ-1 ML | φ-1 ML | | |
| 1 | K | 1 each | 7 | | | | | φ-1 ML | φ-1 ML | | Analyst/Date |
| 1 | L | 1 each | 9 | | | | | φ-1 ML | φ-1 ML | | TurboVap Pre-Cleanups 1 2 3 4 5 |
| 1 | M | 1 each | 10 | | | | | φ-1 ML | φ-1 ML | See notes | |
| 1 | N | 1 each | 1 | | | | | φ-1 ML | φ-1 ML | | SR 11/27/15 |
| 1 | O | 1 each | 3 | | | | | φ-1 ML | φ-1 ML | | Analyst/Date |
| 1 | P | 1 each | 4 | | | | | φ-1 ML | φ-1 ML | | TurboVap Post-Cleanups 1 2 3 4 5 |
| 1 | Q | 1 each | 5 | | | | | φ-1 ML | φ-1 ML | | |
| 1 | R | 1 each | 6 | | | | | φ-1 ML | φ-1 ML | | SR 12/1/15 |
| Analyst/Date | | | TH 11/18/15 | TH 11/18/15 | | | | SR 11/27/15 | SR 12/1/15 | SR 12/1/15 | SR 12/1/15 |

| Standard | Standard ID | Concentration | Volume | Expiration Date | Analyst | Witness |
|---------------------------|-------------|---------------|--------|-----------------|---------|---------|
| Low Lvl SIM PNA Surrogate | I (Dφφ442) | 1.5/7.5ppm | 2φ μL | 12/12/15 | TH | YL |
| Spike | () | | μL | | | |
| Low Lvl SIM PNA Spike | 18 (Dφφ441) | 1.5/7.5ppm | 2φ μL | 11/11/16 | TH | YL |
| Spike | () | | μL | | | |
| MRL Spike | () | | μL | | | |

Extraction Time: 16:50 Liq/Liq Start: _____ Liq/Liq Stop: _____ Balance ID: _____

SPECIAL INSTRUCTIONS: (2X) 151 Low Lvl DCM/Pentane
KD: LL DCM @ 80°C (Hex X 2X 20mL 100°C) → Hex to T. Tube
EPH AROMATIC = LL DCM
11/11/16 at 0.5mL in 151 DCM (max in vial at 0.1mL in 150-OCTANE)

Revision 07
06/23/15

AQ59: 00047

Organic Extractions Reagent and Solutions Identification

Analysis: SIM FNA Low Level
Method: Sonication (355°C)

ARI Job No(s) AQJ9

| Soil/Sediment/Solid/Tissue/Other: | Analyst/Date |
|---|--|
| <u>Sonication/Microwave/Tissuemize Station:</u> | Sonication/Microwave/Tissuemize |
| Neutral Sodium Sulfate: () | TH 11/18/15 |
| Pre-deactivated Sodium Sulfate: () | |
| Neutral Glasswool: () | |
| Pre-deactivated Glasswool: () | |
| 1:1 Hexane/Acetone: () | |
| 80:20 Hexane/Acetone: () | |
| 1:1 DCM/Acetone: () | |
| 80:20 DCM/Acetone: () | |
| Hexane: () | |
| DCM: () | |
| Other: <u>1:1 Low Lvl DCM/Pentant D004539</u> () | Pre-GPC KD |
| Other: <u>Low Lvl DCM D002862</u> () | RH 11/23/15 |
| <u>Pre-GPC KD Station:</u> | Pre-GPC KD |
| Hexane: () | |
| DCM: () | |
| Neutral Sodium Sulfate: () | |
| Pre-deactivated Sodium Sulfate: () | |
| Neutral Glasswool: () | |
| Pre-deactivated Glasswool: () | |
| Other: () | |
| Other: () | |
| <u>GPC Filter Prep:</u> | |
| DCM: () | GPC |
| Other: () | |
| Other: () | |
| <u>GPC Station:</u> | |
| Acetone: () | |
| DCM: () | |
| 1:1 DCM/Acetone: () | |
| Other: () | |
| Other: () | |
| <u>Post GPC KD Station:</u> | |
| DCM: <u>D002862</u> () | RH 11/23/15 |
| Hexane: <u>D004494</u> () | |
| Other: () | |
| Other: () | |
| <u>Vialing Station:</u> | Vialing SE 11/29/15 |
| Hexane: <u>D004494</u> () | |
| DCM: () | |
| Concentrated Sulfuric Acid: () | |
| Ethyl Acetate: () | |
| Tetrabutylammonium hydrogensulfate (TBAS): () | |
| Sodium Sulfite: () | |
| Copper: () | |
| Silica Gel (SPE) Darts: () | |
| 0% Silica Gel: () | |
| Alumina: () | |
| HexMgBr: () | |
| Other: () | |
| Other: () | |
| | 100%L 11/23/15 |
| | LL DCM D002862 Na2SO4 D004535 60/40 Pent/DCM D004463 Glass wool D001829 ISO-Octane D000647 |



Analytical Resources,
Incorporated
Analytical Chemists and
Consultants

Organic Extractions Laboratory Analyst Notes

ARI Job No.: AQJ9

Client ID: Anchor QEA, LLC

Batch ID: _____

Parameter: SIM PNA Low Level

Client Project: Port Gamble Clean-up

| Screens: Soil/Sediment/Solid/Other: | Analyst/Date |
|--|-------------------------------------|
| <input type="checkbox"/> No Anomalies (standard soil/wet sediment/sand/gravel)= | |
| <input type="checkbox"/> Standing Water Decanted (Not shared)= | |
| <input type="checkbox"/> Standing Water Homogenized (Shared samples)= | |
| <input type="checkbox"/> Clay/Clumps (Difficult to homogenize)= | |
| <input type="checkbox"/> Rocks (%+size)? | |
| <input type="checkbox"/> Organics (Leaves/sticks/grass)= | |
| <input type="checkbox"/> Oily, obvious fuel/sulfur odors= | |
| <input type="checkbox"/> Received in 32oz jar(s)=Homogenized in Pyrex dish= | |
| <input type="checkbox"/> Other (Details)= | |
| Aqueous: | |
| <input type="checkbox"/> No Anomalies | |
| <input type="checkbox"/> Turbid/Color= | |
| <input type="checkbox"/> Particulates(%)=(Note: >5%=Notify Supervisor/Lead) | |
| <input type="checkbox"/> Emulsions (%)= | |
| <input type="checkbox"/> Oily, obvious fuel/sulfur odors= | |
| <input type="checkbox"/> Other (Details)= | |
| <input type="checkbox"/> Received in 1.0L Bottle(s)=No Bottle Rinse= | |
| <input checked="" type="checkbox"/> Other Notes/Comments= (Note problems, concerns, corrective actions). | |
| <u>M - went to 250µl prior to vialing at 500µl</u> | <u>12/1/15</u> <u>SP 12/1/15</u> |
| <u>Sample C - Spilled 300µl of 500µl / 200µl taken to 100µl</u> | <u>SP 12/1/15</u> |
| <u>50 µl P/B</u> | <u>12/3/15</u> |
| <input type="checkbox"/> Share Samples Y / N | |
| <input type="checkbox"/> Multiple Jars Y / N | |
| <input type="checkbox"/> Sample Pre-Screens indicate analyte activity= | |
| <input type="checkbox"/> Sample weights/volumes reduced based on Pre-Screen= | |



ARI Job No.: AQJ9

Client ID: Ancho: QEA, LLC

Parameter: SIM PNA Low Level

Client Project: Port Gamble clean-up

Matrix: Filter bag/tissue/other

Using CLEAN (ULDM Rinsed) Razor Blade & Forceps & clean gloves Between samples:
PEMO CAGES WERE OPENED & DISASSEMBLED. 20CM WAS CUT FROM THE CENTER OF EACH STRIP.
EACH STRIP WAS WIPED OF PARTICULATES USING A KIMWIPE. (3) RANDOM STRIPS WERE
WEIGHED ON AN ANALYTICAL BALANCE A = 0.860, I = 0.9240, M = 0.6883
AFTER DISASSEMBLING, CAGE & RETRIEVING STRIP: FRESH GLOVES WERE WORN TO CUT THE STRIP
TO 20CM & GROSS PARTICULATES REMOVED WITH A KIMWIPE. STRIPS WERE PLACED INTO
INDIVIDUAL LABELED BEAKERS FOR SONICATION. SURROGATE & SPIKE WERE ADDED AND
125MLS 1:1 LOW LEVEL DCM/PENTANE. ALL SAMPLES WERE SONICATED 2 X 5MIN EACH

| | | | | |
|---------------------------------|---------------------------------|---------------------|---------------|---------------------------------------|
| Pre-Dry Prep Time: <u>5 hrs</u> | Analyst/Date: <u>JH 11/8/15</u> | Post-Dry Prep Time: | Analyst/Date: | Balance ID: <u>ANALYTICAL B041108</u> |
|---------------------------------|---------------------------------|---------------------|---------------|---------------------------------------|

Special Instructions:

(8270) PNA Filter Bag:

1. Follow prep and extraction instructions on bench sheet.

Small PCB Filter Bag:

1. Weigh wet filter bag and record weight on blue prep sheet.
2. Any solids splits taken at this time. (Record weights on blue prep sheet).
3. Filter bags are dried overnight by attaching them to the drying apparatus (wrapped in aluminum foil in a tube shape).
4. Re-weigh dried samples and record weight on blue prep sheet.
5. Cut off plastic rings and record weights on blue prep sheet.
6. Record sample dry weights without plastic rings on blue prep sheet and bench sheet.
7. Roll up filter bag and place in labeled 32oz jars.
8. Add Hexane until jar is half full.
9. Add 20g sodium sulfate to filter bag in jar.
10. Blanks=Weigh 10g Sodium Sulfate into labeled 32oz jars. Add Hexane until jar is 1/4 full.
11. Add surr/spike.
12. Tighten lids and place in large ziplock bags.
13. Tumble for 12 hours (min 6 hours).
14. Record "prep time" on blue prep sheet.
15. KD (normal drying columns) on 100°C water bath.
16. Turbovap to approx. 4mL.
17. Vial with Hexane at 5mL in scintillation vials for required cleanups. (Acid/Sulfur/SPE).
18. Pre-SPE Screen 1mL. (Note: Determination of Required SPE cleanup is based on Pre-SPE Screen.
19. After cleanups: TurboVap and vial 1mL in Hexane.

Large PCB Filter Bag instructions on the back of this prep sheet. (Turn over)



ARI Job No.: PEND R&D

Client ID: ANCHOR

Parameter: LLSIMPNA

Client Project: _____

Matrix: Filter bag/tissue/other

Aug 0.89

PEND STRIPS WERE CUT 20CM LONG, USING A PRE-CLEANED RAZOR BLADE THE TUBING WAS SLIT OPEN. (7) STRIPS WERE PLACED IN A 600ML BEAKER WITH LOW LEVEL DCM AND SONICATED FOR 5min. USING PRE-CLEANED FORCEPTS: 1 STRIP EACH WAS PLACED IN A NEW 4OZ JAR. SAMPLES 1-4 100ML DI H₂O RINSED w/LLDCM AND WAS ADDED TO THE JAR, AND 5-7 100ML SEA H₂O WAS ADDED TO THE JAR. SURROGATES/SPIKES WERE ADDED APPROPRIATELY TO JARS - 2-7. JAR #1 IS A LAB BLANK (NO SURR/SPK) ALL JARS WERE CAPPED TIGHTLY AND SHOOK FOR 1min. ALL (7) JARS WERE PLACED IN REF 05. SHAKE EACH JAR FOR 1 min UNTIL THE EXTRACTION DATE OF OCT. 13 (= 13 DAYS). 9/30/15 T.H. PREP
Prepared Aluminum foil strips (RINSED 2X LLDCM) FOR ANALYTICAL BALANCE. RINSED FORCEPTS BETWEEN EACH STRIP. #1 = 0.904 #2 = 0.892 #3 = 0.891 #4 = 0.938 #5 = 0.854 #6 = 0.886 #7 = 0.886 RINSED ALUMINUM FOIL OFF & PLACED EACH STRIP INTO PRE-RINSED 400ML BEAKER w/ 100ML 1:1 LLDCM/SEA H₂O SONICATED 2X FOR 5min EACH. AFTER SONICATION: (PLACED EA. STRIP IN LABELED 4OZ JAR w/ 75ML LLDCM FOR ARCHIVE) #3B 4B 6B 7B = DI H₂O/SEA H₂O (THAT THE STRIPS SAT IN FOR 13 DAYS) WERE EXTRACTED 3X w/LL DCM ALL EXTRACTS WERE KD'd @ 80°C w/ 2X 20ML Hexane EXCHANGED. 10/14/15 TH ALL EXTRACTS WERE FRACTIONATED FOR EPH AROMATIC BY MANUAL COLUMN. 10/15/16 LWL ALL EXTRACTS WERE VIALED AT ~ 0.5ML IN PCM AND FURTHER CONCENTRATED & EXCHANGED TO ISO-OCTANE IN DIXON LAB BY RB 10/16/15
10/14/15 T.H.

| | | | | |
|--------------------|---------------|---------------------|---------------|-------------|
| Pre-Dry Prep Time: | Analyst/Date: | Post-Dry Prep Time: | Analyst/Date: | Balance ID: |
|--------------------|---------------|---------------------|---------------|-------------|

Special Instructions:

(8270) PNA Filter Bag:

- Follow prep and extraction instructions on bench sheet.

Small PCB Filter Bag:

1. Weigh wet filter bag and record weight on blue prep sheet.
2. Any solids splits taken at this time. (Record weights on blue prep sheet).
3. Filter bags are dried overnight by attaching them to the drying apparatus (wrapped in aluminum foil in a tube shape).
4. Re-weigh dried samples and record weight on blue prep sheet.
5. Cut off plastic rings and record weights on blue prep sheet.
6. Record sample dry weights without plastic rings on blue prep sheet and bench sheet.
7. Roll up filter bag and place in labeled 32oz jars.
8. Add Hexane until jar is half full.
9. Add 20g sodium sulfate to filter bag in jar.
10. Blanks=Weigh 10g Sodium Sulfate into labeled 32oz jars. Add Hexane until jar is 1/4 full.
11. Add surr/spike.
12. Tighten lids and place in large ziplock bags.
13. Tumble for 12 hours (min 6 hours).
14. Record "prep time" on blue prep sheet.
15. KD (normal drying columns) on 100°C water bath.
16. Turbovap to approx. 4mL.
17. Vial with Hexane at 5mL in scintillation vials for required cleanups. (Acid/Sulfur/SPE).
18. Pre-SPE Screen 1mL. (Note: Determination of Required SPE cleanup is based on Pre-SPE Screen.
19. After cleanups: TurboVap and vial 1mL in Hexane.

Large PCB Filter Bag instructions on the back of this prep sheet. (Turn over)



Analytical Resources, Incorporated
Analytical Chemists and Consultants

Extract Dilution Bench Sheet

ARI Job#: A 0889 Client ID: _____
Analyst: RU Date: 12/14/15

| ARI Sample ID | Primary Dilution | | | Secondary Dilution | | | | |
|---------------|---------------------|--------------------|---------------------|--------------------|-----------------------|--------------------|---------------------|-----------------------|
| | Extract Volume (uL) | Diluent/Diluent ID | Diluent Volume (uL) | Dilution Factor | Primary Dilution (uL) | Diluent/Diluent ID | Diluent Volume (uL) | Final Dilution Factor |
| A0889 I | 30 | Prim Dec 4059 | 270 | 10x | | | | |
| I K | | | | | | | | |
| I L | | | | | | | | |
| I M | | | | | | | | |
| I O | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

AQJ9: 00052

**SIM PAH Raw Data
Initial Calibration**

ARI Job ID: AQJ9

| <u>Analysis</u> | <u>Matrix</u> | <u>Method</u> |
|---------------------------|---------------|---------------|
| 8270D-SIM PAH (0.5 ug/kg) | Solid | EPA 8270D-SIM |

Checklist: Initial Calibration Checklist-SVOA

| # | Checklist Item | Response | Analyst Initials | Date |
|----|--|----------|------------------|------------|
| 1 | Element Calibration Code Comments: <i>YL00008</i> | YES | JLW | 12/05/2015 |
| 2 | DFTPP Tune met criteria | YES | JLW | 12/05/2015 |
| 3 | DDT breakdown <20% | YES | JLW | 12/05/2015 |
| 4 | Peak Tailing factor <= 2% Comments: <i>Benzidine TD @ 2.11</i> | NO | JLW | 12/05/2015 |
| 5 | ICal meets 20% RSD, LR COD, and QR COD limits | YES | JLW | 12/05/2015 |
| 6 | NO ICAL Q Flag applied | YES | JLW | 12/05/2015 |
| 7 | Manual integrations include before/after pictures | NA | JLW | 12/05/2015 |
| 8 | Spectral Library matches updated | YES | JLW | 12/05/2015 |
| 9 | Internal Standard areas within 50-200% from reference | YES | JLW | 12/05/2015 |
| 10 | Minimum response factors met | | | 12/30/1899 |
| 11 | All SCV within +/- 20% (DOD) | YES | JLW | 12/05/2015 |
| 12 | All SCV within +/- 30% | YES | JLW | 12/05/2015 |
| 13 | NO Linear or Quadratic fits used | YES | JLW | 12/05/2015 |
| 14 | NO Calibration points dropped | YES | JLW | 12/05/2015 |
| 15 | Additional notes | NA | JLW | 12/05/2015 |
| 16 | Reviewer approval (Reviewer) | YES | BB | 12/07/2015 |

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 04-DEC-2015 09:03
 End Cal Date : 04-DEC-2015 11:33
 Quant Method : ISTD
 Origin : Disabled
 Target Version : 4.14
 Integrator : HP RTE
 Method file : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Last Edit : 05-Dec-2015 09:24 jonathonw
 Curve Type : Average

Calibration File Names:

Level 1: \\target\share\chem3\nt11.i\20151204.b\15120404.D
 Level 2: \\target\share\chem3\nt11.i\20151204.b\15120405.D
 Level 3: \\target\share\chem3\nt11.i\20151204.b\15120403.D
 Level 4: \\target\share\chem3\nt11.i\20151204.b\15120402.D
 Level 5: \\target\share\chem3\nt11.i\20151204.b\15120406.D
 Level 6: \\target\share\chem3\nt11.i\20151204.b\15120407.D

| Compound | 10.000 | 50.000 | 100.000 | 250.000 | 500.000 | 1000.000 | RRF | % RSD |
|------------------------------|---------|---------|---------|---------|---------|----------|---------|--------|
| | Level 1 | Level 2 | Level 3 | Level 4 | Level 5 | Level 6 | | |
| 5 Naphthalene | 1.19875 | 1.25660 | 1.20859 | 1.13779 | 1.09546 | 1.03421 | 1.15523 | 7.090 |
| 7 2-Methylnaphthalene | 0.75696 | 0.82162 | 0.81758 | 0.82518 | 0.78721 | 0.75401 | 0.79376 | 4.105 |
| 8 1-Methylnaphthalene | 0.67221 | 0.74285 | 0.74457 | 0.74059 | 0.71073 | 0.68104 | 0.71533 | 4.554 |
| 10 Acenaphthylene | 1.58688 | 1.68774 | 1.64577 | 1.62759 | 1.60202 | 1.53483 | 1.61414 | 3.252 |
| 12 Acenaphthene | 1.08363 | 1.13588 | 1.09716 | 1.06578 | 1.04086 | 1.00481 | 1.07135 | 4.251 |
| 14 Dibenzofuran | 1.63702 | 1.74172 | 1.68518 | 1.62325 | 1.55902 | 1.43742 | 1.61394 | 6.569 |
| 15 Fluorene | 1.15912 | 1.25912 | 1.24842 | 1.23125 | 1.20885 | 1.15567 | 1.21040 | 3.673 |
| 17 Pentachlorophenol | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ |
| 19 Phenanthrene | 1.20070 | 1.33868 | 1.26117 | 1.22278 | 1.14299 | 1.06348 | 1.20497 | 7.894 |
| 20 Anthracene | 1.01417 | 1.08937 | 1.08864 | 1.11858 | 1.12165 | 1.03900 | 1.07857 | 4.018 |
| 22 Carbazole | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ |
| 24 Fluoranthene | 1.09490 | 1.29137 | 1.25014 | 1.26562 | 1.22706 | 1.12956 | 1.20977 | 6.544 |
| 25 Pyrene | 1.56990 | 1.71816 | 1.63928 | 1.57402 | 1.55717 | 1.44465 | 1.58387 | 5.751 |
| 28 Benzo (a) anthracene | 1.26389 | 1.42412 | 1.34869 | 1.34036 | 1.33833 | 1.28529 | 1.33345 | 4.200 |
| 30 Chrysene | 1.46075 | 1.64931 | 1.51090 | 1.43415 | 1.41191 | 1.31399 | 1.46350 | 7.649 |
| 44 Benzo (b) fluoranthene | 1.23590 | 1.44922 | 1.33506 | 1.30908 | 1.42782 | 1.37318 | 1.35504 | 5.830 |
| 45 Benzo (k) fluoranthene | 1.40405 | 1.66492 | 1.57480 | 1.60115 | 1.63773 | 1.59156 | 1.57904 | 5.812 |
| 46 Benzo (j) fluoranthene | 1.32355 | 1.58148 | 1.42960 | 1.41908 | 1.47673 | 1.39992 | 1.43839 | 5.986 |
| 34 Benzo (a) pyrene | 1.12243 | 1.39016 | 1.28482 | 1.30477 | 1.39200 | 1.35226 | 1.30774 | 7.704 |
| 37 Indeno (1,2,3-cd) pyrene | 1.07019 | 1.39573 | 1.34204 | 1.37226 | 1.52877 | 1.52953 | 1.37309 | 12.270 |
| 38 Dibenzo (a, h) anthracene | 0.79381 | 1.05747 | 1.07068 | 1.11092 | 1.23311 | 1.24877 | 1.08579 | 15.143 |
| 39 Benzo (g, h, i) perylene | 1.03016 | 1.23486 | 1.17375 | 1.17405 | 1.27154 | 1.26755 | 1.19199 | 7.571 |
| 47 Perylene | 1.25753 | 1.47517 | 1.35486 | 1.30583 | 1.39016 | 1.35136 | 1.35582 | 5.480 |
| 48 Benzo (e) pyrene | 1.29965 | 1.48474 | 1.37096 | 1.32360 | 1.39138 | 1.34634 | 1.36945 | 4.764 |
| \$ 6 2-Methylnaphthalene-d10 | 0.70562 | 0.76809 | 0.76144 | 0.76607 | 0.73856 | 0.71434 | 0.74235 | 3.683 |
| \$ 16 2,4,6-Tribromophenol | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ |
| \$ 23 Fluoranthene-d10 | 1.01495 | 1.15239 | 1.11432 | 1.13346 | 1.12157 | 1.06256 | 1.09988 | 4.666 |

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 04-DEC-2015 09:03
 End Cal Date : 04-DEC-2015 11:33
 Quant Method : ISTD
 Origin : Disabled
 Target Version : 4.14
 Integrator : HP RTE
 Method file : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Last Edit : 05-Dec-2015 09:24 jonathonw
 Curve Type : Average

| Compound | 10.000 Level 1 | 50.000 Level 2 | 100.000 Level 3 | 250.000 Level 4 | 500.000 Level 5 | 1000.000 Level 6 | RRF | % RSD |
|----------------------------------|-------------------|-------------------|--------------------|--------------------|--------------------|---------------------|---------|--------|
| \$ 36 Dibenzo(a,h)anthracene-d14 | 0.59288 | 0.78076 | 0.79874 | 0.81630 | 0.91118 | 0.94354 | 0.80723 | 15.292 |




Calibration Report

Instrument: NT11
Calibration ID: YL00008
Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k)


Naphthalene

8270D-SIM PAH (0.5 ug/kg) - Naphthalene



1-Methylnaphthalene

8270D-SIM PAH (0.5 ug/kg) - 1-Methylnaphthalene






Calibration Report

Instrument: NT11
Calibration ID: YL00008
Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;


2-Methylnaphthalene

8270D-SIM PAH (0.5 ug/kg) - 2-Methylnaphthalene



Biphenyl

8270D-SIM PAH (0.5 ug/kg) - Biphenyl



AQJ9: 00058




Calibration Report


Instrument: NT11 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;

2,6-Dimethylnaphthalene
8270D-SIM PAH (0.5 ug/kg) - 2,6-Dimethylnaphthalene



Acenaphthylene
8270D-SIM PAH (0.5 ug/kg) - Acenaphthylene





Calibration Report

Instrument: NT11 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/kg)

Acenaphthene
8270D-SIM PAH (0.5 ug/kg) - Acenaphthene



Dibenzofuran
8270D-SIM PAH (0.5 ug/kg) - Dibenzofuran







Calibration Report

Instrument: NT11 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;
2,3,5-Trimethylnaphthalene
8270D-SIM PAH (0.5 ug/kg) - 2,3,5-Trimethylnaphthalene






Calibration Report

Instrument: NT11 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;


Dibenzothiophene

8270D-SIM PAH (0.5 ug/kg) - Dibenzothiophene



Phenanthrene

8270D-SIM PAH (0.5 ug/kg) - Phenanthrene






Calibration Report

Instrument: NT11 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k)

Anthracene

8270D-SIM PAH (0.5 ug/kg) - Anthracene



Carbazole

8270D-SIM PAH (0.5 ug/kg) - Carbazole



AQJ9: 00063




Calibration Report

Instrument: NT11 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;


1-Methylphenanthrene

8270D-SIM PAH (0.5 ug/kg) - 1-Methylphenanthrene



Fluoranthene

8270D-SIM PAH (0.5 ug/kg) - Fluoranthene






Calibration Report

Instrument: NT11 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/kg)

Pyrene

8270D-SIM PAH (0.5 ug/kg) - Pyrene




Average RF

RF RSD: 5.75149

[Conc] = 1.583866 * [Response]

Benzo(a)anthracene

8270D-SIM PAH (0.5 ug/kg) - Benzo(a)anthracene



Average RF

RF RSD: 4.20089

[Conc] = 1.333447 * [Response]




Calibration Report

Instrument: NT11 **Calibration Date:** 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 **Last Edit Date:** 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;


Chrysene

8270D-SIM PAH (0.5 ug/kg) - Chrysene



Benzo(b)fluoranthene

8270D-SIM PAH (0.5 ug/kg) - Benzo(b)fluoranthene






Calibration Report

Instrument: NTH1 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;


Benzo(k)fluoranthene

8270D-SIM PAH (0.5 ug/kg) - Benzo(k)fluoranthene



Benzo(j)fluoranthene

8270D-SIM PAH (0.5 ug/kg) - Benzo(j)fluoranthene






Calibration Report

Instrument: NT11 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;


Benzo(e)pyrene

8270D-SIM PAH (0.5 ug/kg) - Benzo(e)pyrene



Benzo(a)pyrene

8270D-SIM PAH (0.5 ug/kg) - Benzo(a)pyrene






Calibration Report

Instrument: NT11
Calibration ID: YL00008
Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;


Indeno(1,2,3-cd)pyrene

8270D-SIM PAH (0.5 ug/kg) - Indeno(1,2,3-cd)pyrene



Dibenzo(a,h)anthracene

8270D-SIM PAH (0.5 ug/kg) - Dibenzo(a,h)anthracene







Calibration Report

Instrument: NT11
Calibration ID: YL00008
Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;

Benzo(g,h,i)perylene
8270D-SIM PAH (0.5 ug/kg) - Benzo(g,h,i)perylene






Calibration Report

Instrument: NT11
Calibration ID: YL00008
Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;


2-Methylnaphthalene-d10

8270D-SIM PAH (0.5 ug/kg) - 2-Methylnaphthalene-d10



Dibenzo[a,h]anthracene-d14

8270D-SIM PAH (0.5 ug/kg) - Dibenzo[a,h]anthracene-d14






Calibration Report

Instrument: NT11 Calibration Date: 04-Dec-2015 08:45 By JLW
Calibration ID: YL00008 Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;

Fluoranthene-d10

8270D-SIM PAH (0.5 ug/kg) - Fluoranthene-d10



Naphthalene-d8

Average RF
RF RSD:
[Conc] = * [Response]

AQJ9: 00072

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem3\nt11.i\20151204.b

ARI Job No.: TUNE Method: DFIPP.m Instrument: nt11.i Date: 04-DEC-2015

Time Filename LabID ClientId DF Manually Integrated Compounds

0845 15120401.D TUNE 10 1 NO MANUAL INTEGRATION

0903 15120402.D LLSIM 250 1 NO MANUAL INTEGRATION

0933 15120403.D LLSIM 100 1 NO MANUAL INTEGRATION

1003 15120404.D LLSIM 10 1 NO MANUAL INTEGRATION

1033 15120405.D LLSIM 50 1 NO MANUAL INTEGRATION

1103 15120406.D LLSIM 500 1 NO MANUAL INTEGRATION

1133 15120407.D LLSIM 1000 1 NO MANUAL INTEGRATION

1204 15120408.D LLSIM SCV 250 1 NO MANUAL INTEGRATION

INTERNAL STANDARD SUMMARY FOR DATABATCH - \\target\share\chem3\nt11.i\20151204.b

| Time | Filename | LabID | ClientID | DF | NO ISTDs FOUND | | | | | | | | | | | |
|--------|------------|---------------|----------|----|----------------|--------|------|--------|-------|--------|-------|--------|-------|--------|--|--|
| 1 0845 | 15120401.D | TUNE 10 | | 1 | 6.60 | 327896 | 9.60 | 239179 | 12.27 | 372253 | 17.02 | 294711 | 19.84 | 260595 | | |
| 2 0903 | 15120402.D | LLSIM 250 | | 1 | 6.60 | 322094 | 9.60 | 228988 | 12.27 | 364343 | 17.02 | 276576 | 19.84 | 245162 | | |
| 4 1003 | 15120404.D | LLSIM 10 | | 1 | 6.60 | 325673 | 9.60 | 218580 | 12.27 | 358974 | 17.01 | 262207 | 19.84 | 229323 | | |
| 5 1033 | 15120405.D | LLSIM 50 | | 1 | 6.60 | 322810 | 9.60 | 219192 | 12.27 | 354307 | 17.01 | 262604 | 19.84 | 229726 | | |
| 6 1103 | 15120406.D | LLSIM 500 | | 1 | 6.60 | 340768 | 9.60 | 241553 | 12.27 | 382017 | 17.01 | 296788 | 19.84 | 253397 | | |
| 7 1133 | 15120407.D | LLSIM 1000 | | 1 | 6.60 | 337457 | 9.60 | 238950 | 12.27 | 380348 | 17.01 | 298514 | 19.84 | 256244 | | |
| 8 1204 | 15120408.D | LLSIM SCV 250 | | 1 | 6.60 | 330144 | 9.60 | 236381 | 12.27 | 360337 | 17.01 | 291007 | 19.83 | 242244 | | |

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
Batch File: \\target\share\chem3\nt11.i\20151204.b
Inst ID: nt11.i

| Compound | RT01 | RT02 | RT03 | RT04 | RT05 | RT06 | EXPEC RT | RT WINDOW | AVG RT | STD DEV |
|-----------------------------|--------|--------|--------|--------|--------|--------|----------|---------------|--------|---------|
| * 4 Naphthalene-d8 | 6.598 | 6.597 | 6.598 | 6.598 | 6.598 | 6.598 | 6.598 | 6.348-6.848 | 6.598 | 0.000 |
| 5 Naphthalene | 6.640 | 6.629 | 6.629 | 6.629 | 6.629 | 6.629 | 6.629 | 6.379-6.879 | 6.631 | 0.004 |
| \$ 6 2-Methylnaphthalene-d1 | 7.575 | 7.575 | 7.575 | 7.575 | 7.575 | 7.575 | 7.575 | 7.325-7.825 | 7.575 | 0.000 |
| 7 2-Methylnaphthalene | 7.638 | 7.638 | 7.638 | 7.627 | 7.627 | 7.627 | 7.627 | 7.377-7.877 | 7.632 | 0.006 |
| 8 1-Methylnaphthalene | 7.890 | 7.890 | 7.890 | 7.890 | 7.890 | 7.890 | 7.890 | 7.640-8.140 | 7.890 | 0.000 |
| 10 Acenaphthylene | 9.446 | 9.446 | 9.446 | 9.446 | 9.446 | 9.446 | 9.446 | 9.196-9.696 | 9.446 | 0.000 |
| * 11 Acenaphthene-d10 | 9.601 | 9.601 | 9.601 | 9.601 | 9.601 | 9.601 | 9.601 | 9.351-9.851 | 9.601 | 0.000 |
| 12 Acenaphthene | 9.656 | 9.656 | 9.656 | 9.656 | 9.656 | 9.656 | 9.656 | 9.406-9.906 | 9.656 | 0.000 |
| 14 Dibenzofuran | 9.867 | 9.867 | 9.867 | 9.867 | 9.867 | 9.867 | 9.867 | 9.617-10.117 | 9.867 | 0.000 |
| 15 Fluorene | 10.487 | 10.487 | 10.487 | 10.487 | 10.487 | 10.487 | 10.487 | 10.237-10.737 | 10.487 | 0.000 |
| \$ 16 2,4,6-Tribromophenol | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | 12.499 | 12.249-12.749 | +++++ | +++++ |
| 17 Pentachlorophenol | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | 4.785 | 4.535-5.035 | +++++ | +++++ |
| * 18 Phenanthrene-d10 | 12.269 | 12.269 | 12.269 | 12.269 | 12.269 | 12.269 | 12.269 | 12.019-12.519 | 12.269 | 0.000 |
| 19 Phenanthrene | 12.314 | 12.313 | 12.314 | 12.314 | 12.313 | 12.313 | 12.313 | 12.063-12.563 | 12.313 | 0.000 |
| 20 Anthracene | 12.369 | 12.369 | 12.369 | 12.369 | 12.369 | 12.369 | 12.369 | 12.119-12.619 | 12.369 | 0.000 |
| 22 Carbazole | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | 14.533 | 14.283-14.783 | +++++ | +++++ |
| \$ 23 Fluoranthene-d10 | 14.375 | 14.375 | 14.375 | 14.365 | 14.375 | 14.375 | 14.375 | 14.125-14.625 | 14.373 | 0.004 |

Reviewer 1: JS Date: 12/5/15
Reviewer 2: [Signature] Date: 12/7/15



ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
Batch File: \\target\share\chem3\nt11.i\20151204.b
Inst ID: nt11.i


| Compound | RT01 | RT02 | RT03 | RT04 | RT05 | RT06 | EXPERC RT | RT WINDOW | AVG RT | STD DEV |
|---------------------------------|--------|--------|--------|--------|--------|--------|-----------|---------------|--------|---------|
| 24 Fluoranthene | 14.404 | 14.404 | 14.404 | 14.404 | 14.404 | 14.404 | 14.404 | 14.154-14.654 | 14.404 | 0.000 |
| 25 Pyrene | 14.903 | 14.903 | 14.903 | 14.903 | 14.903 | 14.903 | 14.903 | 14.653-15.153 | 14.903 | 0.000 |
| 28 Benzo (a) anthracene | 16.918 | 16.918 | 16.918 | 16.918 | 16.918 | 16.918 | 16.918 | 16.668-17.168 | 16.918 | 0.000 |
| * 29 Chrysene-d12 | 17.018 | 17.018 | 17.010 | 17.010 | 17.010 | 17.010 | 17.010 | 16.760-17.260 | 17.012 | 0.004 |
| 30 Chrysene | 17.068 | 17.059 | 17.060 | 17.060 | 17.059 | 17.059 | 17.059 | 16.809-17.309 | 17.061 | 0.003 |
| 44 Benzo (b) fluoranthene | 18.785 | 18.785 | 18.785 | 18.785 | 18.785 | 18.785 | 18.785 | 18.535-19.035 | 18.785 | 0.000 |
| 45 Benzo (k) fluoranthene | 18.833 | 18.833 | 18.824 | 18.824 | 18.833 | 18.833 | 18.833 | 18.583-19.083 | 18.828 | 0.005 |
| 46 Benzo (j) fluoranthene | 18.891 | 18.891 | 18.891 | 18.891 | 18.891 | 18.891 | 18.891 | 18.641-19.141 | 18.891 | 0.000 |
| 34 Benzo (a) pyrene | 19.640 | 19.630 | 19.631 | 19.631 | 19.631 | 19.631 | 19.631 | 19.381-19.881 | 19.632 | 0.004 |
| * 35 Perylene-d12 | 19.842 | 19.842 | 19.842 | 19.842 | 19.842 | 19.842 | 19.842 | 19.592-20.092 | 19.842 | 0.000 |
| \$ 36 Dibenzo (a, h) anthracene | 22.208 | 22.197 | 22.197 | 22.197 | 22.197 | 22.197 | 22.197 | 21.947-22.447 | 22.199 | 0.005 |
| 37 Indeno (1, 2, 3-cd) pyrene | 22.330 | 22.330 | 22.330 | 22.330 | 22.330 | 22.330 | 22.330 | 22.080-22.580 | 22.330 | 0.000 |
| 38 Dibenzo (a, h) anthracene | 22.319 | 22.319 | 22.319 | 22.308 | 22.308 | 22.308 | 22.308 | 22.058-22.558 | 22.313 | 0.006 |
| 39 Benzo (g, h, i) perylene | 23.427 | 23.426 | 23.427 | 23.427 | 23.426 | 23.426 | 23.426 | 23.176-23.676 | 23.426 | 0.000 |
| 47 Perylene | 19.900 | 19.900 | 19.900 | 19.900 | 19.900 | 19.900 | 19.900 | 19.650-20.150 | 19.900 | 0.000 |
| 48 Benzo (e) pyrene | 19.525 | 19.525 | 19.525 | 19.525 | 19.525 | 19.525 | 19.525 | 19.275-19.775 | 19.525 | 0.000 |

DFTPP TAILING FACTOR AND BREAKDOWN GRAPHIC REPORT

Datafile Analyzed: /20151204.b/15120401.D/15120401.D
 Method Used: \20151204.b\DFTPP.m Inst: nt11
 Injection Date: 04-DEC-2015 08:45 Operator: JW
 Sample Info: TUNE 10 TUNE 10
 Report Date: 12/04/2015 09:41




Datafile Analyzed: /20151204.b/15120401.D/15120401.D
Method Used: \20151204.b\DFTPP.m\sw846ddt.m Inst: nt11
Injection Date: 04-DEC-2015 08:45 Operator: JR
Sample Info: TUNE 10
Report Date: 12/04/2015 09:41



Pentachlorophenol

=====
Exp. RT = 4.914
Found RT = 4.871

Tail Factor = 1.489 Maximum Allowed = 2.0



Benzidine

=====
Exp. RT = 7.141
Found RT = 7.093

The tailing factor for Benzidine EXCEEDED

Tail Factor = 2.112 Maximum Allowed = 2.0

8270 TAILING FACTOR/BREAKDOWN SUMMARY RESULTS

TAILING ANALYSIS SUMMARY

| Compound | Tail Factor | Max Allowed | Test |
|-------------------|-------------|-------------|------|
| Pentachlorophenol | 1.4888179 | 2.000 | PASS |
| Benzidine | 2.1122449 | 2.000 | FAIL |

[Failure]

AB
12/7/15

DDT DEGRADATION BREAKDOWN ANALYSIS SUMMARY

| Compound | Response | %Breakdown | Max Allowed | Test |
|---------------|----------|------------|-------------|------|
| 4,4-DDT | 2078544 | | | N/A |
| 4,4-DDE | 12541 | 0.6 | 20.0 | PASS |
| 4,4-DDD | 100432 | 4.6 | 20.0 | PASS |
| 4,4-DDD + DDE | 112973 | 5.2 | 20.0 | PASS |

Tuning Sample, nt11.i/20151204.b/15120401.D, *** FAILED ***

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 198 | Base Peak, 100% relative abundance | 100.00 |
| 51 | 10.00 - 80.00% of mass 198 | 36.71 |
| 68 | Less than 2.00% of mass 69 | 0.00 (0.00) |
| 69 | Mass 69 relative abundance | 46.72 |
| 70 | Less than 2.00% of mass 69 | 0.25 (0.53) |
| 127 | 10.00 - 80.00% of mass 198 | 50.34 |
| 197 | Less than 2.00% of mass 198 | 0.00 |
| 199 | 5.00 - 9.00% of mass 198 | 8.78 |
| 275 | 10.00 - 60.00% of mass 198 | 29.75 |
| 365 | Greater than 1.00% of mass 198 | 3.54 |
| 441 | 0.01 - 24.00% of mass 442 | 13.40 (16.36) |
| 442 | 50.00 - 200.00% of mass 198 | 81.93 |
| 443 | 15.00 - 24.00% of mass 442 | 18.59 (22.69) |

Data File: 15120401.D
 Spectrum: Avg. Scans 462-464 (4.56), Background Scan 456
 Location of Maximum: 198.00
 Number of points: 252

| m/z | Y | m/z | Y | m/z | Y | m/z | Y |
|--------|--------|--------|--------|--------|--------|--------|-------|
| 38.00 | 5903 | 123.00 | 15321 | 191.00 | 4529 | 276.00 | 37792 |
| 39.00 | 32472 | 124.00 | 6008 | 192.00 | 15383 | 277.00 | 25616 |
| 40.00 | 2234 | 125.00 | 8697 | 193.00 | 14981 | 278.00 | 5143 |
| 44.00 | 1291 | 127.00 | 487424 | 194.00 | 2969 | 279.00 | 797 |
| 49.00 | 2336 | 128.00 | 36048 | 195.00 | 935 | 282.00 | 1077 |
| 50.00 | 99976 | 129.00 | 198784 | 196.00 | 36952 | 283.00 | 4344 |
| 51.00 | 355456 | 130.00 | 17864 | 198.00 | 968192 | 285.00 | 4257 |
| 52.00 | 19288 | 131.00 | 3029 | 199.00 | 85016 | 290.00 | 736 |
| 53.00 | 699 | 132.00 | 770 | 200.00 | 7648 | 292.00 | 695 |
| 55.00 | 817 | 134.00 | 4444 | 201.00 | 4181 | 293.00 | 3995 |
| 56.00 | 12284 | 135.00 | 17328 | 202.00 | 2800 | 294.00 | 1601 |
| 57.00 | 28160 | 136.00 | 7249 | 203.00 | 7062 | 296.00 | 79296 |
| 58.00 | 882 | 137.00 | 7197 | 204.00 | 45768 | 297.00 | 10726 |
| 61.00 | 4027 | 139.00 | 686 | 205.00 | 78432 | 301.00 | 1083 |
| 62.00 | 4478 | 140.00 | 3181 | 206.00 | 296256 | 303.00 | 9535 |
| 63.00 | 21296 | 141.00 | 26728 | 207.00 | 40064 | 304.00 | 2760 |
| 64.00 | 2870 | 142.00 | 9703 | 208.00 | 13008 | 310.00 | 1258 |
| 65.00 | 7567 | 143.00 | 5423 | 209.00 | 4174 | 314.00 | 5255 |
| 69.00 | 452352 | 144.00 | 1270 | 210.00 | 2826 | 315.00 | 11430 |
| 70.00 | 2404 | 145.00 | 2146 | 211.00 | 10991 | 316.00 | 4496 |
| 71.00 | 1729 | 146.00 | 3758 | 212.00 | 1343 | 317.00 | 1730 |
| 74.00 | 51136 | 147.00 | 11875 | 213.00 | 1135 | 321.00 | 2836 |
| 75.00 | 72784 | 148.00 | 28688 | 215.00 | 5759 | 322.00 | 766 |
| 76.00 | 27064 | 149.00 | 7601 | 216.00 | 5158 | 323.00 | 27808 |
| 77.00 | 512768 | 150.00 | 1111 | 217.00 | 87992 | 324.00 | 3710 |
| 78.00 | 35304 | 151.00 | 3226 | 218.00 | 10624 | 327.00 | 3445 |
| 79.00 | 35128 | 152.00 | 2009 | 221.00 | 58632 | 328.00 | 2747 |
| 80.00 | 28640 | 153.00 | 8844 | 222.00 | 12655 | 332.00 | 2890 |
| 81.00 | 40048 | 154.00 | 6510 | 223.00 | 18704 | 333.00 | 2909 |
| 82.00 | 10036 | 155.00 | 17848 | 224.00 | 170624 | 334.00 | 18896 |
| 83.00 | 13510 | 156.00 | 20976 | 225.00 | 44928 | 335.00 | 3574 |
| 84.00 | 155 | 157.00 | 5537 | 226.00 | 4319 | 341.00 | 3496 |
| 85.00 | 9792 | 158.00 | 5165 | 227.00 | 75184 | 342.00 | 946 |
| 86.00 | 11647 | 159.00 | 2604 | 228.00 | 10251 | 346.00 | 5555 |
| 87.00 | 6242 | 160.00 | 7198 | 229.00 | 15494 | 350.00 | 704 |
| 88.00 | 2104 | 161.00 | 9881 | 231.00 | 4886 | 352.00 | 9894 |
| 91.00 | 8456 | 162.00 | 2652 | 233.00 | 1517 | 353.00 | 6975 |
| 92.00 | 8959 | 163.00 | 959 | 234.00 | 3642 | 354.00 | 7491 |
| 93.00 | 59144 | 164.00 | 701 | 235.00 | 4833 | 355.00 | 2236 |
| 94.00 | 4278 | 165.00 | 10199 | 236.00 | 1621 | 365.00 | 34240 |
| 95.00 | 1022 | 166.00 | 9417 | 237.00 | 5726 | 366.00 | 4979 |
| 96.00 | 2824 | 167.00 | 49792 | 239.00 | 1926 | 371.00 | 2016 |
| 98.00 | 40528 | 168.00 | 25208 | 241.00 | 6592 | 372.00 | 17560 |
| 99.00 | 34656 | 169.00 | 4359 | 242.00 | 9932 | 373.00 | 3339 |
| 100.00 | 3425 | 170.00 | 2037 | 243.00 | 9154 | 383.00 | 2922 |
| 101.00 | 24160 | 171.00 | 2039 | 244.00 | 122792 | 390.00 | 1755 |
| 102.00 | 687 | 172.00 | 5959 | 245.00 | 17280 | 391.00 | 814 |
| 103.00 | 7164 | 173.00 | 5076 | 246.00 | 28232 | 402.00 | 5209 |
| 104.00 | 12935 | 174.00 | 11539 | 247.00 | 4557 | 403.00 | 6386 |

| | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 105.00 | 10605 | 175.00 | 20720 | 249.00 | 3982 | 404.00 | 2710 |
| 106.00 | 7128 | 176.00 | 7696 | 250.00 | 1046 | 421.00 | 6452 |
| 107.00 | 162176 | 177.00 | 11926 | 252.00 | 969 | 422.00 | 10014 |
| 108.00 | 27064 | 178.00 | 3414 | 253.00 | 5072 | 423.00 | 50464 |
| 109.00 | 2954 | 179.00 | 42472 | 255.00 | 572352 | 424.00 | 9853 |
| 110.00 | 279360 | 180.00 | 32368 | 256.00 | 86752 | 425.00 | 909 |
| 111.00 | 42360 | 181.00 | 14321 | 257.00 | 6074 | 441.00 | 129768 |
| 112.00 | 6933 | 182.00 | 2960 | 258.00 | 40416 | 442.00 | 793216 |
| 113.00 | 1332 | 184.00 | 4180 | 259.00 | 6964 | 443.00 | 179968 |
| 114.00 | 829 | 185.00 | 19872 | 265.00 | 16576 | 444.00 | 15867 |
| 116.00 | 8676 | 186.00 | 147328 | 271.00 | 1077 | 445.00 | 897 |
| 117.00 | 106856 | 187.00 | 42160 | 272.00 | 2517 | | |
| 118.00 | 7215 | 188.00 | 5898 | 273.00 | 20392 | | |
| 120.00 | 674 | 189.00 | 10119 | 274.00 | 55504 | | |
| 122.00 | 7466 | 190.00 | 1772 | 275.00 | 288064 | | |

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120402.D
 Lab Smp Id: LLSIM 250
 Inj Date : 04-DEC-2015 09:03 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 250
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 09:03 Cal File: 15120402.D
 Als bottle: 5 Calibration Sample, Level: 4
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14

JW
12/5/15

| Compounds | QUANT | SIG | | | | | AMOUNTS | |
|----------------------------------|-------|-----|--------|--------|---------|--------|----------|-----------------|
| | | | MASS | RT | EXP RT | REL RT | RESPONSE | CAL-AMT (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.597 | 6.597 | (1.000) | 327896 | 200.000 | |
| 5 Naphthalene | 128 | | 6.639 | 6.629 | (1.006) | 466348 | 250.000 | 246 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.574 | 7.574 | (1.148) | 313990 | 250.000 | 258 |
| 7 2-Methylnaphthalene | 142 | | 7.637 | 7.627 | (1.158) | 338215 | 250.000 | 260 |
| 8 1-Methylnaphthalene | 142 | | 7.889 | 7.889 | (1.196) | 303545 | 250.000 | 259 |
| 10 Acenaphthylene | 152 | | 9.446 | 9.445 | (0.984) | 486608 | 250.000 | 252 |
| * 11 Acenaphthene-d10 | 164 | | 9.601 | 9.600 | (1.000) | 239179 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.656 | 9.656 | (1.006) | 318640 | 250.000 | 249 |
| 14 Dibenzofuran | 168 | | 9.866 | 9.866 | (1.028) | 485308 | 250.000 | 251 |
| 15 Fluorene | 166 | | 10.486 | 10.486 | (1.092) | 368110 | 250.000 | 254 |
| * 18 Phenanthrene-d10 | 188 | | 12.269 | 12.269 | (1.000) | 372253 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.313 | 12.313 | (1.004) | 568980 | 250.000 | 254 |
| 20 Anthracene | 178 | | 12.368 | 12.368 | (1.008) | 520493 | 250.000 | 259 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.375 | 14.374 | (1.172) | 527419 | 250.000 | 258 |
| 24 Fluoranthene | 202 | | 14.403 | 14.403 | (1.174) | 588912 | 250.000 | 262 |
| 25 Pyrene | 202 | | 14.903 | 14.903 | (0.876) | 579853 | 250.000 | 248 |
| 28 Benzo(a)anthracene | 228 | | 16.918 | 16.918 | (0.994) | 493775 | 250.000 | 251 |
| * 29 Chrysene-d12 | 240 | | 17.018 | 17.009 | (1.000) | 294711 | 200.000 | |
| 30 Chrysene | 228 | | 17.067 | 17.059 | (1.003) | 528325 | 250.000 | 245 |
| 44 Benzo(b)fluoranthene | 252 | | 18.785 | 18.785 | (0.947) | 426424 | 250.000 | 242 |
| 45 Benzo(k)fluoranthene | 252 | | 18.833 | 18.833 | (0.949) | 521565 | 250.000 | 254 |
| 46 Benzo(j)fluoranthene | 252 | | 18.890 | 18.890 | (0.952) | 462257 | 250.000 | 247 |
| 34 Benzo(a)pyrene | 252 | | 19.640 | 19.630 | (0.990) | 425021 | 250.000 | 249 |
| * 35 Perylene-d12 | 264 | | 19.842 | 19.842 | (1.000) | 260595 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | 22.208 | 22.197 | (1.119) | 265906 | 250.000 | 253 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | 22.330 | 22.329 | (1.125) | 447004 | 250.000 | 250 |
| 38 Dibenzo(a,h)anthracene | 278 | | 22.318 | 22.307 | (1.125) | 361875 | 250.000 | 256 |
| 39 Benzo(g,h,i)perylene | 276 | | 23.426 | 23.426 | (1.181) | 382439 | 250.000 | 246 |
| 47 Perylene | 252 | | 19.899 | 19.899 | (1.003) | 425367 | 250.000 | 241 |
| 48 Benzo(e)pyrene | 252 | | 19.524 | 19.524 | (0.984) | 431155 | 250.000 | 242 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
AREA AND RT SUMMARY

Instrument ID: nt11.i
Lab File ID: 15120402.D
Lab Smp Id: LLSIM 250
Analysis Type: SV
Quant Type: ISTD
Operator: JW
Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
Misc Info:

Calibration Date: 04-DEC-2015
Calibration Time: 09:03

Level:
Sample Type:

Test Mode:
Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 327896 | 0.00 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 239179 | 0.00 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 372253 | 0.00 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 294711 | 0.00 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 260595 | 0.00 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | 0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | 0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
AREA LOWER LIMIT = - 50% of internal standard area.
RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Date : 04-DEC-2015 09:03

Client ID:

Sample Info: LLSIH 250


Column phase: Rxi-17S11 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151204.b\15120402.D



REVIEW SUMMARY FOR FILE - 15120402.D

Lab ID: LLSIM 250

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 09:03

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

RRT CCV RRT DELTA COMPOUND

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

AQJ9:00086

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120403.D
 Lab Smp Id: LLSIM 100
 Inj Date : 04-DEC-2015 09:33 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 100
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 09:33 Cal File: 15120403.D
 Als bottle: 4 Calibration Sample, Level: 3
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14

80 2/5/15

| Compounds | QUANT SIG MASS | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|----------------------------------|-------------------|--------|--------|---------|----------|--------------------|-------------------|
| | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | 6.597 | 6.597 | (1.000) | 322094 | 200.000 | |
| 5 Naphthalene | 128 | 6.628 | 6.629 | (1.005) | 194640 | 100.000 | 105 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.574 | 7.574 | (1.148) | 122627 | 100.000 | 103 |
| 7 2-Methylnaphthalene | 142 | 7.637 | 7.627 | (1.158) | 131669 | 100.000 | 103 |
| 8 1-Methylnaphthalene | 142 | 7.889 | 7.889 | (1.196) | 119911 | 100.000 | 104 |
| 10 Acenaphthylene | 152 | 9.445 | 9.445 | (0.984) | 188431 | 100.000 | 102 |
| * 11 Acenaphthene-d10 | 164 | 9.600 | 9.600 | (1.000) | 228988 | 200.000 | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.006) | 125618 | 100.000 | 102 |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.028) | 192943 | 100.000 | 104 |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.092) | 142937 | 100.000 | 103 |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 364343 | 200.000 | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 229750 | 100.000 | 105 |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 198320 | 100.000 | 101 |
| \$ 23 Fluoranthene-d10 | 212 | 14.374 | 14.374 | (1.172) | 202998 | 100.000 | 101 |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 227740 | 100.000 | 103 |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 226693 | 100.000 | 103 |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.918 | (0.994) | 186507 | 100.000 | 101 |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.009 | (1.000) | 276576 | 200.000 | |
| 30 Chrysene | 228 | 17.059 | 17.059 | (1.002) | 208940 | 100.000 | 103 |
| 44 Benzo(b)fluoranthene | 252 | 18.784 | 18.785 | (0.947) | 163653 | 100.000 | 98.5 |
| 45 Benzo(k)fluoranthene | 252 | 18.832 | 18.833 | (0.949) | 193041 | 100.000 | 99.7 |
| 46 Benzo(j)fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 175242 | 100.000 | 99.4 |
| 34 Benzo(a)pyrene | 252 | 19.630 | 19.630 | (0.989) | 157495 | 100.000 | 98.2 |
| * 35 Perylene-d12 | 264 | 19.841 | 19.842 | (1.000) | 245162 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.196 | 22.197 | (1.119) | 97910 | 100.000 | 98.9 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.329 | 22.329 | (1.125) | 164508 | 100.000 | 97.7 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.318 | 22.307 | (1.125) | 131245 | 100.000 | 98.6 |
| 39 Benzo(g,h,i)perylene | 276 | 23.426 | 23.426 | (1.181) | 143879 | 100.000 | 98.5 |
| 47 Perylene | 252 | 19.899 | 19.899 | (1.003) | 166080 | 100.000 | 99.9 |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 168054 | 100.000 | 100 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120403.D
 Lab Smp Id: LLSIM 100
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03


Level:
 Sample Type:

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 322094 | -1.77 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 228988 | -4.26 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 364343 | -2.12 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 276576 | -6.15 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 245162 | -5.92 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | -0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.



REVIEW SUMMARY FOR FILE - 15120403.D

Lab ID: LLSIM 100

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 09:33

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

AQJS: 00090

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120404.D
 Lab Smp Id: LLSIM 10
 Inj Date : 04-DEC-2015 10:03 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 10
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 10:03 Cal File: 15120404.D
 Als bottle: 2 Calibration Sample, Level: 1
 Dil Factor: 1.00000
 Integrator: HP RTE
 Target Version: 4.14

Compound Sublist: PEMD.sub

*SW
12/5/15*

| Compounds | QUANT | SIG | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|----------------------------------|-------|-----|--------|--------|---------|----------|--------------------|-------------------|
| | | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.597 | 6.597 | (1.000) | 325673 | 200.000 | |
| 5 Naphthalene | 128 | | 6.629 | 6.629 | (1.005) | 19520 | 10.0000 | 10.4 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.574 | 7.574 | (1.148) | 11490 | 10.0000 | 9.51 |
| 7 2-Methylnaphthalene | 142 | | 7.637 | 7.627 | (1.158) | 12326 | 10.0000 | 9.54 |
| 8 1-Methylnaphthalene | 142 | | 7.889 | 7.889 | (1.196) | 10946 | 10.0000 | 9.40 |
| 10 Acenaphthylene | 152 | | 9.446 | 9.445 | (0.984) | 17343 | 10.0000 | 9.83 |
| * 11 Acenaphthene-d10 | 164 | | 9.601 | 9.600 | (1.000) | 218580 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.656 | 9.656 | (1.006) | 11843 | 10.0000 | 10.1 |
| 14 Dibenzofuran | 168 | | 9.866 | 9.866 | (1.028) | 17891 | 10.0000 | 10.1 |
| 15 Fluorene | 166 | | 10.486 | 10.486 | (1.092) | 12668 | 10.0000 | 9.58 |
| * 18 Phenanthrene-d10 | 188 | | 12.269 | 12.269 | (1.000) | 358974 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.313 | 12.313 | (1.004) | 21551 | 10.0000 | 9.96 |
| 20 Anthracene | 178 | | 12.368 | 12.368 | (1.008) | 18203 | 10.0000 | 9.40 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.375 | 14.374 | (1.172) | 18217 | 10.0000 | 9.23 |
| 24 Fluoranthene | 202 | | 14.403 | 14.403 | (1.174) | 19652 | 10.0000 | 9.05 |
| 25 Pyrene | 202 | | 14.903 | 14.903 | (0.876) | 20582 | 10.0000 | 9.91 |
| 28 Benzo(a)anthracene | 228 | | 16.918 | 16.918 | (0.995) | 16570 | 10.0000 | 9.48 |
| * 29 Chrysene-d12 | 240 | | 17.009 | 17.009 | (1.000) | 262207 | 200.000 | |
| 30 Chrysene | 228 | | 17.059 | 17.059 | (1.003) | 19151 | 10.0000 | 9.98 |
| 44 Benzo(b)fluoranthene | 252 | | 18.785 | 18.785 | (0.947) | 14171 | 10.0000 | 9.12 |
| 45 Benzo(k)fluoranthene | 252 | | 18.823 | 18.833 | (0.949) | 16099 | 10.0000 | 8.89 |
| 46 Benzo(j)fluoranthene | 252 | | 18.890 | 18.890 | (0.952) | 15176 | 10.0000 | 9.20 |
| 34 Benzo(a)pyrene | 252 | | 19.630 | 19.630 | (0.989) | 12870 | 10.0000 | 8.58 |
| * 35 Perylene-d12 | 264 | | 19.842 | 19.842 | (1.000) | 229323 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | 22.197 | 22.197 | (1.119) | 6798 | 10.0000 | 7.34 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | 22.329 | 22.329 | (1.125) | 12271 | 10.0000 | 7.79 |
| 38 Dibenzo(a,h)anthracene | 278 | | 22.318 | 22.307 | (1.125) | 9102 | 10.0000 | 7.31 |
| 39 Benzo(g,h,i)perylene | 276 | | 23.426 | 23.426 | (1.181) | 11812 | 10.0000 | 8.64 |
| 47 Perylene | 252 | | 19.899 | 19.899 | (1.003) | 14419 | 10.0000 | 9.28 |
| 48 Benzo(e)pyrene | 252 | | 19.524 | 19.524 | (0.984) | 14902 | 10.0000 | 9.49 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120404.D
 Lab Smp Id: LLSIM 10
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level:
 Sample Type:


Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 325673 | -0.68 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 218580 | -8.61 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 358974 | -3.57 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 262207 | -11.03 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 229323 | -12.00 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

\\target\share\chem3\nt11.i\20151204.b\15120404.D



REVIEW SUMMARY FOR FILE - 15120404.D

Lab ID: LLSIM 10

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 10:03

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

AQJ9:00094

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120405.D
 Lab Smp Id: LLSIM 50
 Inj Date : 04-DEC-2015 10:33 MS Autotune Date: 23-APR-2014 12:5
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 50
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 10:33 Cal File: 15120405.D
 Als bottle: 3 Calibration Sample, Level: 2
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14

*80
12/5/15*

| Compounds | QUANT | SIG | | | | | | AMOUNTS | |
|----------------------------------|-------|-----|--------|--------|---------|--------|----------|--------------------|-------------------|
| | | | MASS | RT | EXP RT | REL RT | RESPONSE | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.597 | 6.597 | (1.000) | 322810 | 200.000 | | |
| 5 Naphthalene | 128 | | 6.629 | 6.629 | (1.005) | 101411 | 50.0000 | 54.4 | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.574 | 7.574 | (1.148) | 61987 | 50.0000 | 51.7 | |
| 7 2-Methylnaphthalene | 142 | | 7.627 | 7.627 | (1.156) | 66307 | 50.0000 | 51.8 | |
| 8 1-Methylnaphthalene | 142 | | 7.889 | 7.889 | (1.196) | 59950 | 50.0000 | 51.9 | |
| 10 Acenaphthylene | 152 | | 9.446 | 9.445 | (0.984) | 92485 | 50.0000 | 52.3 | |
| * 11 Acenaphthene-d10 | 164 | | 9.601 | 9.600 | (1.000) | 219192 | 200.000 | | |
| 12 Acenaphthene | 153 | | 9.656 | 9.656 | (1.006) | 62244 | 50.0000 | 53.0 | |
| 14 Dibenzofuran | 168 | | 9.866 | 9.866 | (1.028) | 95443 | 50.0000 | 54.0 | |
| 15 Fluorene | 166 | | 10.486 | 10.486 | (1.092) | 68997 | 50.0000 | 52.0 | |
| * 18 Phenanthrene-d10 | 188 | | 12.269 | 12.269 | (1.000) | 354307 | 200.000 | | |
| 19 Phenanthrene | 178 | | 12.313 | 12.313 | (1.004) | 118576 | 50.0000 | 55.5 | |
| 20 Anthracene | 178 | | 12.368 | 12.368 | (1.008) | 96493 | 50.0000 | 50.5 | |
| \$ 23 Fluoranthene-d10 | 212 | | 14.365 | 14.374 | (1.171) | 102075 | 50.0000 | 52.4 | |
| 24 Fluoranthene | 202 | | 14.403 | 14.403 | (1.174) | 114385 | 50.0000 | 53.4 | |
| 25 Pyrene | 202 | | 14.903 | 14.903 | (0.876) | 112799 | 50.0000 | 54.2 | |
| 28 Benzo(a)anthracene | 228 | | 16.918 | 16.918 | (0.995) | 93495 | 50.0000 | 53.4 | |
| * 29 Chrysene-d12 | 240 | | 17.009 | 17.009 | (1.000) | 262604 | 200.000 | | |
| 30 Chrysene | 228 | | 17.059 | 17.059 | (1.003) | 108279 | 50.0000 | 56.3 | |
| 44 Benzo(b)fluoranthene | 252 | | 18.785 | 18.785 | (0.947) | 83231 | 50.0000 | 53.5 | |
| 45 Benzo(k)fluoranthene | 252 | | 18.823 | 18.833 | (0.949) | 95619 | 50.0000 | 52.7 | |
| 46 Benzo(j)fluoranthene | 252 | | 18.890 | 18.890 | (0.952) | 90827 | 50.0000 | 55.0 | |
| 34 Benzo(a)pyrene | 252 | | 19.630 | 19.630 | (0.989) | 79839 | 50.0000 | 53.2 | |
| * 35 Perylene-d12 | 264 | | 19.842 | 19.842 | (1.000) | 229726 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | 22.197 | 22.197 | (1.119) | 44840 | 50.0000 | 48.4 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | 22.330 | 22.329 | (1.125) | 80159 | 50.0000 | 50.8 | |
| 38 Dibenzo(a,h)anthracene | 278 | | 22.307 | 22.307 | (1.124) | 60732 | 50.0000 | 48.7 | |
| 39 Benzo(g,h,i)perylene | 276 | | 23.426 | 23.426 | (1.181) | 70920 | 50.0000 | 51.8 | |
| 47 Perylene | 252 | | 19.899 | 19.899 | (1.003) | 84721 | 50.0000 | 54.4 | |
| 48 Benzo(e)pyrene | 252 | | 19.525 | 19.524 | (0.984) | 85271 | 50.0000 | 54.2 | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120405.D
 Lab Smp Id: LLSIM 50
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level:
 Sample Type:


Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 322810 | -1.55 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 219192 | -8.36 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 354307 | -4.82 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 262604 | -10.89 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 229726 | -11.85 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | 0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | 0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

\\target\share\chem3\nt11.i\20151204.B\15120405.D



REVIEW SUMMARY FOR FILE - 15120405.D

Lab ID: LLSIM 50

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 10:33

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

AQJ9:00098

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120406.D
 Lab Smp Id: LLSIM 500
 Inj Date : 04-DEC-2015 11:03 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 500
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:03 Cal File: 15120406.D
 Als bottle: 6 Calibration Sample, Level: 5
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14

JW
2/5/15

| Compounds | QUANT | SIG | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|----------------------------------|-------|-----|--------|--------|---------|----------|--------------------|-------------------|
| | | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.597 | 6.597 | (1.000) | 340768 | 200.000 | |
| 5 Naphthalene | 128 | | 6.629 | 6.629 | (1.005) | 933248 | 500.000 | 474 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.574 | 7.574 | (1.148) | 629193 | 500.000 | 497 |
| 7 2-Methylnaphthalene | 142 | | 7.627 | 7.627 | (1.156) | 670644 | 500.000 | 496 |
| 8 1-Methylnaphthalene | 142 | | 7.889 | 7.889 | (1.196) | 605485 | 500.000 | 497 |
| 10 Acenaphthylene | 152 | | 9.445 | 9.445 | (0.984) | 967430 | 500.000 | 496 |
| * 11 Acenaphthene-d10 | 164 | | 9.600 | 9.600 | (1.000) | 241553 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.656 | 9.656 | (1.006) | 628559 | 500.000 | 486 |
| 14 Dibenzofuran | 168 | | 9.866 | 9.866 | (1.028) | 941463 | 500.000 | 483 |
| 15 Fluorene | 166 | | 10.486 | 10.486 | (1.092) | 730006 | 500.000 | 499 |
| * 18 Phenanthrene-d10 | 188 | | 12.269 | 12.269 | (1.000) | 382017 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.313 | 12.313 | (1.004) | 1091600 | 500.000 | 474 |
| 20 Anthracene | 178 | | 12.368 | 12.368 | (1.008) | 1071225 | 500.000 | 520 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.374 | 14.374 | (1.172) | 1071150 | 500.000 | 510 |
| 24 Fluoranthene | 202 | | 14.403 | 14.403 | (1.174) | 1171890 | 500.000 | 507 |
| 25 Pyrene | 202 | | 14.903 | 14.903 | (0.876) | 1155377 | 500.000 | 492 |
| 28 Benzo(a)anthracene | 228 | | 16.918 | 16.918 | (0.995) | 993004 | 500.000 | 502 |
| * 29 Chrysene-d12 | 240 | | 17.009 | 17.009 | (1.000) | 296788 | 200.000 | |
| 30 Chrysene | 228 | | 17.059 | 17.059 | (1.003) | 1047594 | 500.000 | 482 |
| 44 Benzo(b)fluoranthene | 252 | | 18.785 | 18.785 | (0.947) | 904516 | 500.000 | 527 |
| 45 Benzo(k)fluoranthene | 252 | | 18.823 | 18.833 | (0.949) | 1037488 | 500.000 | 519 |
| 46 Benzo(j)fluoranthene | 252 | | 18.890 | 18.890 | (0.952) | 935496 | 500.000 | 513 |
| 34 Benzo(a)pyrene | 252 | | 19.630 | 19.630 | (0.989) | 881824 | 500.000 | 532 |
| * 35 Perylene-d12 | 264 | | 19.841 | 19.842 | (1.000) | 253397 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | 22.196 | 22.197 | (1.119) | 577224 | 500.000 | 564 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | 22.329 | 22.329 | (1.125) | 968463 | 500.000 | 557 |
| 38 Dibenzo(a,h)anthracene | 278 | | 22.307 | 22.307 | (1.124) | 781168 | 500.000 | 568 |
| 39 Benzo(g,h,i)perylene | 276 | | 23.426 | 23.426 | (1.181) | 805513 | 500.000 | 533 |
| 47 Perylene | 252 | | 19.899 | 19.899 | (1.003) | 880659 | 500.000 | 513 |
| 48 Benzo(e)pyrene | 252 | | 19.524 | 19.524 | (0.984) | 881426 | 500.000 | 508 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120406.D
 Lab Smp Id: LLSIM 500
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03


Level:
 Sample Type:

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 340768 | 3.93 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 241553 | 0.99 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 382017 | 2.62 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 296788 | 0.70 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 253397 | -2.76 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.



REVIEW SUMMARY FOR FILE - 15120406.D

Lab ID: LLSIM 500

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 11:03

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

AQJ9:00102

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120407.D
 Lab Smp Id: LLSIM 1000
 Inj Date : 04-DEC-2015 11:33 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 1000
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\llsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 7 Calibration Sample, Level: 6
 Dil Factor: 1.00000
 Integrator: HP RTE
 Target Version: 4.14
 Compound Sublist: PEMD.sub

82
12/5/15

| Compounds | QUANT | SIG | MASS | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|----------------------------------|-------|-----|--------|--------|---------|---------|----------|--------------------|-------------------|
| | | | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.597 | 6.597 | (1.000) | 337457 | 200.000 | | |
| 5 Naphthalene | 128 | | 6.629 | 6.629 | (1.005) | 1745003 | 1000.00 | 895 | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.574 | 7.574 | (1.148) | 1205300 | 1000.00 | 962 | |
| 7 2-Methylnaphthalene | 142 | | 7.627 | 7.627 | (1.156) | 1272236 | 1000.00 | 950 | |
| 8 1-Methylnaphthalene | 142 | | 7.889 | 7.889 | (1.196) | 1149104 | 1000.00 | 952 | |
| 10 Acenaphthylene | 152 | | 9.445 | 9.445 | (0.984) | 1833736 | 1000.00 | 951 | |
| * 11 Acenaphthene-d10 | 164 | | 9.600 | 9.600 | (1.000) | 238950 | 200.000 | | |
| 12 Acenaphthene | 153 | | 9.656 | 9.656 | (1.006) | 1200492 | 1000.00 | 938 | |
| 14 Dibenzofuran | 168 | | 9.866 | 9.866 | (1.028) | 1717363 | 1000.00 | 891 | |
| 15 Fluorene | 166 | | 10.486 | 10.486 | (1.092) | 1380739 | 1000.00 | 955 | |
| * 18 Phenanthrene-d10 | 188 | | 12.269 | 12.269 | (1.000) | 380348 | 200.000 | | |
| 19 Phenanthrene | 178 | | 12.313 | 12.313 | (1.004) | 2022457 | 1000.00 | 883 | |
| 20 Anthracene | 178 | | 12.368 | 12.368 | (1.008) | 1975909 | 1000.00 | 963 | |
| \$ 23 Fluoranthene-d10 | 212 | | 14.374 | 14.374 | (1.172) | 2020716 | 1000.00 | 966 | |
| 24 Fluoranthene | 202 | | 14.403 | 14.403 | (1.174) | 2148123 | 1000.00 | 934 | |
| 25 Pyrene | 202 | | 14.903 | 14.903 | (0.876) | 2156236 | 1000.00 | 912 | |
| 28 Benzo(a)anthracene | 228 | | 16.918 | 16.918 | (0.995) | 1918385 | 1000.00 | 964 | |
| * 29 Chrysene-d12 | 240 | | 17.009 | 17.009 | (1.000) | 298514 | 200.000 | | |
| 30 Chrysene | 228 | | 17.059 | 17.059 | (1.003) | 1961226 | 1000.00 | 898 | |
| 44 Benzo(b)fluoranthene | 252 | | 18.785 | 18.785 | (0.947) | 1759341 | 1000.00 | 1010 | |
| 45 Benzo(k)fluoranthene | 252 | | 18.833 | 18.833 | (0.949) | 2039144 | 1000.00 | 1010 | |
| 46 Benzo(j)fluoranthene | 252 | | 18.890 | 18.890 | (0.952) | 1793610 | 1000.00 | 973 | |
| 34 Benzo(a)pyrene | 252 | | 19.630 | 19.630 | (0.989) | 1732537 | 1000.00 | 1030 | |
| * 35 Perylene-d12 | 264 | | 19.842 | 19.842 | (1.000) | 256244 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | 22.197 | 22.197 | (1.119) | 1208888 | 1000.00 | 1170 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | 22.329 | 22.329 | (1.125) | 1959663 | 1000.00 | 1110 | |
| 38 Dibenzo(a,h)anthracene | 278 | | 22.307 | 22.307 | (1.124) | 1599951 | 1000.00 | 1150 | |
| 39 Benzo(g,h,i)perylene | 276 | | 23.426 | 23.426 | (1.181) | 1624015 | 1000.00 | 1060 | |
| 47 Perylene | 252 | | 19.899 | 19.899 | (1.003) | 1731385 | 1000.00 | 997 | |
| 48 Benzo(e)pyrene | 252 | | 19.524 | 19.524 | (0.984) | 1724956 | 1000.00 | 983 | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120407.D
 Lab Smp Id: LLSIM 1000
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level:
 Sample Type:

Test Mode:
 Use Initial Calibration Level 4.


| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 337457 | 2.92 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 238950 | -0.10 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 380348 | 2.17 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 298514 | 1.29 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 256244 | -1.67 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Data File: \\target\share\chems\nt11.1\20151204.16\15120407.D
Date : 04-DEC-2015 11:33
Client ID:
Sample Info: LLSIM 1000
Column phase: Rxi-17S11 MS

Instrument: nt11.1
Operator: JM
Column diameter: 0.25



REVIEW SUMMARY FOR FILE - 15120407.D

Lab ID: LLSIM 1000

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 11:33

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

RRT CCV RRT DELTA COMPOUND

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

AQJ9:00106

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120408.D
 Lab Smp Id: LLSIM SCV 250
 Inj Date : 04-DEC-2015 12:04 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM SCV 250
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 8
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / Vo * CpndVariable

| Name | Value | Description |
|---------------|---------|------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Final Extract Volume (uL) |
| Vo | 500.000 | Sample Volume extracted (mL) |
| Cpnd Variable | | Local Compound Variable |

JW
12/5/15

| Compounds | QUANT SIG | CONCENTRATIONS | | | | | |
|------------------------------|-----------|------------------------|--------|---------|--------|----------|-------------------|
| | | MASS | RT | EXP RT | REL RT | RESPONSE | ON-COLUMN (ng/mL) |
| * 4 Naphthalene-d8 | 136 | 6.597 | 6.597 | (1.000) | 330144 | 200.000 | |
| 5 Naphthalene | 128 | 6.629 | 6.629 | (1.005) | 446422 | 234.100 | 234 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | Compound Not Detected. | | | | | |
| 7 2-Methylnaphthalene | 142 | 7.627 | 7.627 | (1.156) | 286909 | 218.968 | 219 |
| 8 1-Methylnaphthalene | 142 | 7.889 | 7.889 | (1.196) | 286856 | 242.931 | 243 |
| 10 Acenaphthylene | 152 | 9.445 | 9.445 | (0.984) | 450083 | 235.922 | 236 |
| * 11 Acenaphthene-d10 | 164 | 9.600 | 9.600 | (1.000) | 236381 | 200.000 | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.006) | 307274 | 242.667 | 243 |
| 14 Dibenzofuran | 168 | Compound Not Detected. | | | | | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.092) | 337933 | 236.220 | 236 |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 360337 | 200.000 | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 535994 | 246.891 | 247 |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 485229 | 249.701 | 250 |
| \$ 23 Fluoranthene-d10 | 212 | Compound Not Detected. | | | | | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 518632 | 237.945 | 238 |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 586418 | 254.458 | 254 |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.918 | (0.995) | 456787 | 235.431 | 235 |
| * 29 Chrysene-d12 | 240 | 17.009 | 17.009 | (1.000) | 291007 | 200.000 | |
| 30 Chrysene | 228 | 17.059 | 17.059 | (1.003) | 500271 | 234.930 | 235 |
| 44 Benzo(b)fluoranthene | 252 | 18.784 | 18.785 | (0.947) | 394832 | 240.567 | 241 |
| 45 Benzo(k)fluoranthene | 252 | 18.823 | 18.833 | (0.949) | 474361 | 248.024 | 248 |
| 46 Benzo(j)fluoranthene | 252 | Compound Not Detected. | | | | | |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | | |
|----------------------------------|-----------|------------------------|--------|---------|----------|----------------------|------------------|--|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ng/L) | |
| 34 Benzo(a)pyrene. | 252 | 19.630 | 19.630 | (0.990) | 391410 | 247.108 | 247 | |
| * 35 Perylene-d12 | 264 | 19.832 | 19.842 | (1.000) | 242244 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | Compound Not Detected. | | | | | | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.329 | 22.329 | (1.126) | 412835 | 248.231 | 248 | |
| 38 Dibenzo(a,h)anthracene | 278 | 22.307 | 22.307 | (1.125) | 328597 | 249.858 | 250 | |
| 39 Benzo(g,h,i)perylene | 276 | 23.426 | 23.426 | (1.181) | 360543 | 249.725 | 250 | |
| 47 Perylene | 252 | Compound Not Detected. | | | | | | |
| 48 Benzo(e)pyrene | 252 | Compound Not Detected. | | | | | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120408.D
 Lab Smp Id: LLSIM SCV 250
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03
 Level: LOW
 Sample Type: WATER

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 330144 | 0.69 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 236381 | -1.17 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 360337 | -3.20 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 291007 | -1.26 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 242244 | -7.04 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.83 | -0.05 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Client SDG: SDGa03180
 Sample Matrix: LIQUID Fraction: SV
 Lab Smp Id: LLSIM SCV 250
 Level: LOW Operator: JW
 Data Type: MS DATA SampleType: SAMPLE
 SpikeList File: waterlcs.spk Quant Type: ISTD
 Sublist File: PEMD.sub
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

| SURROGATE COMPOUND | CONC ADDED ng/L | CONC RECOVERED ng/L | % RECOVERED | LIMITS |
|----------------------------|-----------------------|---------------------------|----------------|----------|
| \$ 6 2-Methylnaphthale | 6000 | 0.000 | <i>no sum</i> | * 42-120 |
| \$ 23 Fluoranthene-d10 | 6000 | 0.000 | | * 57-120 |
| \$ 36 Dibenzo (a, h) anthr | 6000 | 0.000 | | * 29-120 |

Data File: \\target\share\chem3\nt11.1\20151204.b\15120408.D
Date: 04-DEC-2015 12:04

Client ID:

Sample Info: LSGH SCV 250

Volume Injected (uL): 2.0


Column phases: Rxi-17Si11 HS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151204.b\15120408.D



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0






Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 234 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 219 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 243 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIH SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

10 Acenaphthylene

Concentration: 236 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIH SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 243 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 236 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-178il MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 247 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 250 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 238 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 254 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 235 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

30 Chrysene

Concentration: 235 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 241 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

45 Benzo(k)fluoranthene

Concentration: 248 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

34 Benzo(a)pyrene

Concentration: 247 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

37 Indeno(1,2,3-cd)pyrene

Concentration: 248 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

38 Dibenzo(a,h)anthracene

Concentration: 250 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0







Operator: JM

Column phase: Rxi-17Si11 MS

Column diameter: 0.25

39 Benzo(g,h,i)perylene

Concentration: 250 ng/L



REVIEW SUMMARY FOR FILE - 15120408.D

Lab ID: LLSIM SCV 250

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 12:04

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

** FIRST SURROGATE NOT FOUND. ICAL Check not performed **

RRT CHECK

RRT CCV RRT DELTA COMPOUND

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

AQJ9:00130

SIM PAH Raw Data
Run Logs, Continuing Calibrations, and Raw Data

ARI Job ID: AQJ9



GC/MS SVOA Analyst Notes / Data Review Checklist

ELEMENT/NWA #.: AQJ9 Client: Anchor GEA, LLC

METHOD: 8270D (SIM-SVOA) KRONE (Butyl Tins) 8270D (SVOA) 8270D (OP-Pest)

Instrument: NT-6 NT-8 NT-10 NT-11 NT-12 NT-14

Calibration Code: YL00008 Analysis Start Date: 12/5/15

| | REVIEW 1/REVIEW 2 | | REVIEW 1/REVIEW 2 |
|--------------------------|-------------------|--|-----------------------------|
| DFTPP Tune met Criteria? | <u>Y/N/</u> | Internal Standard within 50-200%? | <u>Y/N/</u> |
| DDT Breakdown <20%? | <u>Y/N/</u> | Retention Times within Windows? | <u>Y/N/</u> |
| Peak Tailing Factor ≤2? | <u>Y/N/</u> | Method Blank in Control? | <u>4 Y/N/</u> |
| ICV/CCV Meets %D? | <u>1 Y/N/</u> | BS/BSD Recovery in Control? | <u>5 Y/N/</u> |
| ICAL Q Flag applied? | <u>Y/N/</u> | MS/MSD Recovery in Control? | Y/N/ |
| ICV/CCV Q flag applied? | <u>1 Y/N/</u> | Samples Diluted? | <u>Y/N/</u> |
| Surrogate Recovery met? | <u>2 Y/N/</u> | Special Analysis Request? | <u>Benzo(e) pyrene Y/N/</u> |
| Manual Integrations? | <u>Y/N/</u> | VDP Completed? | <u>NA Y/N/</u> |
| Integration Summary? | <u>Y/N/</u> | Technical Review? | <u>✓</u> |

Detail problems, corrective actions and/or other pertinent information below.

- 1 Dibenzo (ah)anthracene on 12/15 @ 2.5% low Q flag applied to dilution
 - 2 G surr 2-meth @ 25.04 (30-160) sample adjusted w/ dilution factor to account for only 40% of extract conc., see ext notes
 - 3 Possible IS in LCS, used same curve but w/ low sim IS Fix.m to correct values
 - 4 Naphth. above RL in MB, two B flags
 - 5 LCS perylene @ 24.85% & LCSD @ 23.46% - poor performance (Active gel strips?)
- Rec ~~error~~ running back-up of G for better results as of now its approx.

(Review 1) Analyst: TR Date: 12/15/15




(Review 2) Peer: _____ Date: _____

(Final Review) Reviewer: [Signature] Date: 12/16/15

Analytical Resources Inc.: Organics Instrument Log

NT-11 Serial No.: GC=US10140004, MS=US10481502

Date: 12.5.15 Analysis: LOW PAH Analyst: JW
 GC Program: low sim Column No: D001724 Column Type: Pxi-7S/m
 Instrument Tune (.U or .CT.): 150115.u EM Voltage: 1847
 Calibration File: 1512050.D Cali Code: YLC0008 Injection Vol.: 2ul

| IS/SS | Ical/Ccal | LCS/ICV |
|---|--|---|
| <u>D000895</u> | <u>D004112</u> <u>D000052</u> | |
|  |  |  |

| Time | Filename | LabID | ClientId | DF | | | | | | | | | | | | | | | | |
|------|----------|------------|---------------|--------------|---|------------------|-------------|---------------|--------------|--------------|--|--|--|--|--|--|--|--|--|--|
| 1 | 1012 | 15120501.D | TUNE 10 | | 1 | [NO ISFDS FOUND] | | | | | | | | | | | | | | |
| 2 | 1030 | 15120502.D | LLSIM 250 | | 1 | 6.60 327903 | 9.60 235603 | 12.27 369128 | 17.02 278802 | 19.84 239693 | | | | | | | | | | |
| 3 | 1115 | 15120503.D | Miss Inj | | 1 | 6.60 382012 | 9.60 271262 | 12.28 431333 | 17.02 335834 | 19.84 284135 | | | | | | | | | | |
| 4 | 1145 | 15120504.D | AQJ9LCSS1 | AQJ9LCSS1 | 1 | 6.58 975072 | 9.59 685451 | 12.27 1077117 | 17.01 790706 | 19.84 732910 | | | | | | | | | | |
| 5 | 1215 | 15120505.D | AQJ9MBS1 | AQJ9MBS1 | 1 | 6.59 438288 | 9.59 368527 | 12.27 602619 | 17.02 445515 | 19.84 407440 | | | | | | | | | | |
| 6 | 1245 | 15120506.D | AQJ9LCSB1 | AQJ9LCSB1 | 1 | 6.58 377538 | 9.59 322593 | 12.27 523037 | 17.01 383735 | 19.84 343460 | | | | | | | | | | |
| 7 | 1315 | 15120507.D | AQJ9A | PG-CP-1-PEND | 1 | 6.59 329948 | 9.59 276926 | 12.27 455160 | 17.02 342230 | 19.84 315896 | | | | | | | | | | |
| 8 | 1345 | 15120508.D | AQJ9C | PG-PJ-1-PEND | 1 | 6.58 347293 | 9.59 286981 | 12.27 493459 | 17.02 330591 | 19.84 298665 | | | | | | | | | | |
| 9 | 1415 | 15120509.D | AQJ9E | PG-RS-1-PEND | 1 | 6.59 324170 | 9.59 268869 | 12.27 444544 | 17.02 330321 | 19.84 300363 | | | | | | | | | | |
| 10 | 1445 | 15120510.D | AQJ9G | PG-SMA2-5-PE | 1 | 6.58 297768 | 9.59 252418 | 12.27 432491 | 17.02 311806 | 19.84 281081 | | | | | | | | | | |
| 11 | 1516 | 15120511.D | AQJ9I | PG-SMA2-4-PE | 1 | 6.59 291014 | 9.59 238819 | 12.27 387727 | 17.02 283013 | 19.84 256301 | | | | | | | | | | |
| 12 | 1546 | 15120512.D | AQJ9K | PG-SMA2-3-PE | 1 | 6.59 329170 | 9.59 272591 | 12.27 446217 | 17.02 330667 | 19.84 292958 | | | | | | | | | | |
| 13 | 1616 | 15120513.D | AQJ9L | PG-SMA2-3-PE | 1 | 6.59 345794 | 9.59 286502 | 12.27 478323 | 17.02 347514 | 19.84 308933 | | | | | | | | | | |
| 14 | 1646 | 15120514.D | AQJ9M | PG-SMA2-2-PE | 1 | 6.59 307876 | 9.59 255620 | 12.27 411968 | 17.02 294435 | 19.84 257227 | | | | | | | | | | |
| 15 | 1716 | 15120515.D | AQJ9O | PG-SMA2-1-PE | 1 | 6.59 308997 | 9.59 253688 | 12.27 419421 | 17.02 292332 | 19.84 252868 | | | | | | | | | | |
| 16 | 1746 | 15120516.D | AQJ9Q | PG-PB-PEND-1 | 1 | 6.59 348938 | 9.59 285660 | 12.27 466630 | 17.02 323985 | 19.84 278293 | | | | | | | | | | |
| 17 | 1816 | 15120517.D | AQJ9R | PG-TB-PEND-1 | 1 | 6.59 335866 | 9.60 274447 | 12.27 451003 | 17.02 314713 | 19.84 267996 | | | | | | | | | | |
| 18 | 1846 | 15120518.D | LLSIM CCV 250 | | 1 | 6.60 259155 | 9.60 222472 | 12.28 373365 | 17.02 284920 | 19.84 217601 | | | | | | | | | | |
| 19 | 1916 | 15120519.D | D004689 | | 1 | 6.60 251075 | 9.60 206797 | 12.28 346328 | 17.02 268384 | 19.84 206963 | | | | | | | | | | |
| 20 | 1946 | 15120520.D | D004497 | | 1 | 6.60 258875 | 9.60 208077 | 12.28 351126 | 17.02 273966 | 19.85 216333 | | | | | | | | | | |
| 21 | 2016 | 15120521.D | D004686 | | 1 | 6.60 265420 | 9.60 212567 | 12.28 357038 | 17.02 278541 | 19.85 224573 | | | | | | | | | | |

Every line must contain information or be lined out. Make all entries legible.
 Start a new page for each QC period. Document All Maintenance Tasks In Element

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem3\nt11.i\20151205.b

ARI Job No.: TUNE Method: DFTPP.m Instrument: nt11.i Date: 05-DEC-2015

Time Filename LabID ClientId DF Manually Integrated Compounds

1012 15120501.D TUNE 10 1 NO MANUAL INTEGRATION

1030 15120502.D LLSIM 250 1 NO MANUAL INTEGRATION

1145 15120504.D AQJ9LCSS1 AQJ9LCSS1 1 NO MANUAL INTEGRATION

1215 15120505.D AQJ9MBS1 AQJ9MBS1 1 NO MANUAL INTEGRATION

1245 15120506.D AQJ9LCSDS1 AQJ9LCSDS1 1 NO MANUAL INTEGRATION

1315 15120507.D AQJ9A PG-GP-1-PE 1 NO MANUAL INTEGRATION

1345 15120508.D AQJ9C PG-PJ-1-PE 1 NO MANUAL INTEGRATION

1415 15120509.D AQJ9E PG-WS-1-PE 1 NO MANUAL INTEGRATION

1445 15120510.D AQJ9G PG-SMA2-5- 1 NO MANUAL INTEGRATION

1516 15120511.D AQJ9I PG-SMA2-4- 1 NO MANUAL INTEGRATION

1546 15120512.D AQJ9K PG-SMA2-3- 1 NO MANUAL INTEGRATION

1616 15120513.D AQJ9L PG-SMA2-3- 1 NO MANUAL INTEGRATION

1646 15120514.D AQJ9M PG-SMA2-2- 1 NO MANUAL INTEGRATION

1716 15120515.D AQJ9O PG-SMA2-1- 1 NO MANUAL INTEGRATION

1746 15120516.D AQJ9Q PG-FB-PEMD 1 NO MANUAL INTEGRATION



1816 15120517.D AQJ9R PG-TB-PEMD 1 NO MANUAL INTEGRATION

1846 15120518.D LLSIM CCV 250 1 NO MANUAL INTEGRATION

101
102
103
104
105
106
107
108
109
110


DFTPP TAILING FACTOR AND BREAKDOWN GRAPHIC REPORT

Datafile Analyzed: /20151205.b/15120501.D/15120501.D
Method Used: \20151205.b\DFTPP.m Inst: nt11
Injection Date: 05-DEC-2015 10:12 Operator: JW
Sample Info: TUNE 10 TUNE 10
Report Date: 12/05/2015 10:33



AQJ9:00135


Datafile Analyzed: /20151205.b/15120501.D/15120501.D
Method Used: \20151205.b\DFTPP.m\sw846ddt.m Inst: nt11
Injection Date: 05-DEC-2015 10:12 Operator: JR
Sample Info: TUNE 10
Report Date: 12/05/2015 10:33



Pentachlorophenol

=====
Exp. RT = 4.914
Found RT = 4.871

Tail Factor = 1.471 Maximum Allowed = 2.0



Benzidine

=====
Exp. RT = 7.141
Found RT = 7.093

Tail Factor = 1.948 Maximum Allowed = 2.0

8270 TAILING FACTOR/BREAKDOWN SUMMARY RESULTS

TAILING ANALYSIS SUMMARY

| Compound | Tail Factor | Max Allowed | Test |
|-------------------|-------------|-------------|------|
| Pentachlorophenol | 1.4712460 | 2.000 | PASS |
| Benzidine | 1.9481583 | 2.000 | PASS |

DDT DEGRADATION BREAKDOWN ANALYSIS SUMMARY

| Compound | Response | %Breakdown | Max Allowed | Test |
|---------------|----------|------------|-------------|------|
| 4,4-DDT | 2031855 | | | N/A |
| 4,4-DDE | 11546 | 0.6 | 20.0 | PASS |
| 4,4-DDD | 74265 | 3.5 | 20.0 | PASS |
| 4,4-DDD + DDE | 85811 | 4.1 | 20.0 | PASS |

Tuning Sample, nt11.i/20151205.b/15120501.D, *** PASSED ***

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 198 | Base Peak, 100% relative abundance | 100.00 |
| 51 | 10.00 - 80.00% of mass 198 | 39.81 |
| 68 | Less than 2.00% of mass 69 | 0.00 (0.00) |
| 69 | Mass 69 relative abundance | 50.80 |
| 70 | Less than 2.00% of mass 69 | 0.31 (0.60) |
| 127 | 10.00 - 80.00% of mass 198 | 52.35 |
| 197 | Less than 2.00% of mass 198 | 0.22 |
| 199 | 5.00 - 9.00% of mass 198 | 8.57 |
| 275 | 10.00 - 60.00% of mass 198 | 27.08 |
| 365 | Greater than 1.00% of mass 198 | 3.17 |
| 441 | 0.01 - 24.00% of mass 442 | 11.20 (16.29) |
| 442 | 50.00 - 200.00% of mass 198 | 68.74 |
| 443 | 15.00 - 24.00% of mass 442 | 15.55 (22.63) |

Data File: 15120501.D

Spectrum: Avg. Scans 461-463 (4.55), Background Scan 456

Location of Maximum: 198.00

Number of points: 247

| m/z | Y | m/z | Y | m/z | Y | m/z | Y |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 37.00 | 796 | 127.00 | 501248 | 192.00 | 13274 | 272.00 | 3625 |
| 38.00 | 5144 | 128.00 | 43680 | 193.00 | 14408 | 273.00 | 18768 |
| 39.00 | 35552 | 129.00 | 200960 | 194.00 | 2035 | 274.00 | 45816 |
| 44.00 | 1425 | 130.00 | 16960 | 196.00 | 33200 | 275.00 | 259264 |
| 49.00 | 361 | 131.00 | 2741 | 197.00 | 2080 | 276.00 | 33840 |
| 50.00 | 100568 | 132.00 | 1490 | 198.00 | 957568 | 277.00 | 26368 |
| 51.00 | 381184 | 134.00 | 4770 | 199.00 | 82088 | 278.00 | 5277 |
| 52.00 | 23280 | 135.00 | 16123 | 200.00 | 7074 | 279.00 | 1401 |
| 55.00 | 816 | 136.00 | 5838 | 201.00 | 6432 | 282.00 | 697 |
| 56.00 | 9987 | 137.00 | 9798 | 202.00 | 1312 | 283.00 | 1016 |
| 57.00 | 28664 | 138.00 | 849 | 203.00 | 7024 | 284.00 | 1435 |
| 58.00 | 1407 | 140.00 | 2606 | 204.00 | 45584 | 285.00 | 3292 |
| 61.00 | 4808 | 141.00 | 25944 | 205.00 | 71168 | 289.00 | 754 |
| 62.00 | 7999 | 142.00 | 11518 | 206.00 | 288064 | 293.00 | 4321 |
| 63.00 | 21864 | 143.00 | 6099 | 207.00 | 38760 | 294.00 | 1189 |
| 64.00 | 923 | 145.00 | 989 | 208.00 | 9260 | 296.00 | 71312 |
| 65.00 | 9278 | 146.00 | 2919 | 209.00 | 1293 | 297.00 | 10554 |
| 69.00 | 486400 | 147.00 | 10303 | 210.00 | 8090 | 301.00 | 1069 |
| 70.00 | 2938 | 148.00 | 27368 | 211.00 | 10991 | 302.00 | 1023 |
| 74.00 | 54048 | 149.00 | 6831 | 212.00 | 1056 | 303.00 | 9746 |
| 75.00 | 83680 | 150.00 | 1851 | 215.00 | 975 | 304.00 | 3651 |
| 76.00 | 30616 | 151.00 | 5045 | 216.00 | 6117 | 314.00 | 4463 |
| 77.00 | 552960 | 152.00 | 1961 | 217.00 | 76720 | 315.00 | 8704 |
| 78.00 | 40144 | 153.00 | 7538 | 218.00 | 11435 | 316.00 | 3742 |
| 79.00 | 36160 | 154.00 | 5080 | 221.00 | 57040 | 321.00 | 2867 |
| 80.00 | 29512 | 155.00 | 16728 | 222.00 | 4043 | 322.00 | 978 |
| 81.00 | 43008 | 156.00 | 20288 | 223.00 | 18136 | 323.00 | 24848 |
| 82.00 | 10154 | 157.00 | 5918 | 224.00 | 163648 | 324.00 | 4070 |
| 83.00 | 8762 | 158.00 | 6163 | 225.00 | 39520 | 325.00 | 711 |
| 84.00 | 624 | 159.00 | 3734 | 226.00 | 3450 | 327.00 | 2995 |
| 85.00 | 8726 | 160.00 | 6422 | 227.00 | 70488 | 328.00 | 2890 |
| 86.00 | 12436 | 161.00 | 11331 | 228.00 | 10702 | 332.00 | 989 |
| 87.00 | 5944 | 162.00 | 4706 | 229.00 | 13894 | 333.00 | 1602 |
| 88.00 | 3214 | 163.00 | 1117 | 230.00 | 986 | 334.00 | 14854 |
| 90.00 | 889 | 164.00 | 2594 | 231.00 | 4112 | 335.00 | 2636 |
| 91.00 | 10302 | 165.00 | 10268 | 233.00 | 712 | 341.00 | 2623 |
| 92.00 | 9586 | 166.00 | 6533 | 234.00 | 3354 | 346.00 | 2813 |
| 93.00 | 61336 | 167.00 | 50808 | 235.00 | 4416 | 352.00 | 7676 |
| 94.00 | 2599 | 168.00 | 25056 | 236.00 | 2699 | 353.00 | 5339 |
| 95.00 | 743 | 169.00 | 4268 | 237.00 | 3565 | 354.00 | 7348 |
| 96.00 | 2275 | 170.00 | 2742 | 239.00 | 2405 | 365.00 | 30352 |
| 98.00 | 43016 | 171.00 | 1323 | 240.00 | 1264 | 366.00 | 4519 |
| 99.00 | 37288 | 172.00 | 3669 | 241.00 | 3770 | 371.00 | 2220 |
| 100.00 | 4435 | 173.00 | 3041 | 242.00 | 8426 | 372.00 | 13581 |
| 101.00 | 21864 | 174.00 | 9512 | 243.00 | 10488 | 373.00 | 2484 |
| 103.00 | 5770 | 175.00 | 25224 | 244.00 | 115096 | 377.00 | 694 |
| 104.00 | 12738 | 176.00 | 6823 | 245.00 | 14387 | 383.00 | 3383 |
| 105.00 | 13886 | 177.00 | 10559 | 246.00 | 25112 | 390.00 | 2644 |
| 106.00 | 1701 | 178.00 | 4111 | 247.00 | 5999 | 391.00 | 897 |

AQJ9:00139

| | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 107.00 | 162688 | 179.00 | 42448 | 249.00 | 2766 | 392.00 | 683 |
| 108.00 | 23536 | 180.00 | 24720 | 250.00 | 2126 | 402.00 | 5449 |
| 110.00 | 288768 | 181.00 | 13449 | 253.00 | 2882 | 403.00 | 6114 |
| 111.00 | 48928 | 182.00 | 2699 | 254.00 | 1658 | 404.00 | 2398 |
| 112.00 | 6558 | 183.00 | 837 | 255.00 | 563712 | 421.00 | 6125 |
| 113.00 | 1079 | 184.00 | 3745 | 256.00 | 93960 | 422.00 | 3809 |
| 116.00 | 8181 | 185.00 | 21768 | 257.00 | 7815 | 423.00 | 46944 |
| 117.00 | 108592 | 186.00 | 161088 | 258.00 | 35752 | 424.00 | 10124 |
| 118.00 | 6971 | 187.00 | 45336 | 259.00 | 5218 | 441.00 | 107216 |
| 122.00 | 10497 | 188.00 | 4923 | 264.00 | 912 | 442.00 | 658240 |
| 123.00 | 13586 | 189.00 | 9086 | 265.00 | 14748 | 443.00 | 148928 |
| 124.00 | 7987 | 190.00 | 2373 | 266.00 | 1863 | 444.00 | 15561 |
| 125.00 | 4756 | 191.00 | 3589 | 271.00 | 2472 | | |

ARI Labs, Inc.

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: nt11.i Injection Date: 05-DEC-2015 10:30
 Lab File ID: 15120502.D Init. Cal. Date(s): 04-DEC-2015 04-DEC-2015
 Analysis Type: Init. Cal. Times: 09:03 11:33
 Lab Sample ID: LLSIM 250 Quant Type: ISTD
 Method: \\target\share\chem3\nt11.i\20151205.b\lowsim.m

| COMPOUND | RRF / AMOUNT | RF250 | MIN RRF | %D / %DRIFT | MAX RRF | %D / %DRIFT | CURVE TYPE |
|-------------------------------|--------------|---------|---------|-------------|----------|-------------|------------|
| 15 Naphthalene | 1.15523 | 1.10894 | 0.010 | -4.00739 | 20.00000 | | Averaged |
| 6 2-Methylnaphthalene-d10 | 0.74235 | 0.73710 | 0.010 | -0.70717 | 20.00000 | | Averaged |
| 17 2-Methylnaphthalene | 0.79376 | 0.79183 | 0.010 | -0.24302 | 20.00000 | | Averaged |
| 18 1-Methylnaphthalene | 0.71533 | 0.71855 | 0.010 | 0.44985 | 20.00000 | | Averaged |
| 10 Acenaphthylene | 1.61414 | 1.54517 | 0.010 | -4.27288 | 20.00000 | | Averaged |
| 12 Acenaphthene | 1.07135 | 1.04113 | 0.010 | -2.82091 | 20.00000 | | Averaged |
| 14 Dibenzofuran | 1.61394 | 1.55931 | 0.010 | -3.38475 | 20.00000 | | Averaged |
| 15 Fluorene | 1.21040 | 1.18604 | 0.010 | -2.01300 | 20.00000 | | Averaged |
| 19 Phenanthrene | 1.20497 | 1.17708 | 0.010 | -2.31456 | 20.00000 | | Averaged |
| 20 Anthracene | 1.07857 | 1.05537 | 0.010 | -2.15058 | 20.00000 | | Averaged |
| 23 Fluoranthene-d10 | 1.09988 | 1.06102 | 0.200 | -3.53327 | 20.00000 | | Averaged |
| 24 Fluoranthene | 1.20977 | 1.21007 | 0.010 | 0.02436 | 20.00000 | | Averaged |
| 25 Pyrene | 1.58387 | 1.54514 | 0.010 | -2.44503 | 20.00000 | | Averaged |
| 28 Benzo(a)anthracene | 1.33345 | 1.29159 | 0.010 | -3.13930 | 20.00000 | | Averaged |
| 30 Chrysene | 1.46350 | 1.42858 | 0.010 | -2.38626 | 20.00000 | | Averaged |
| 44 Benzo(b)fluoranthene | 1.35504 | 1.32521 | 0.200 | -2.20200 | 20.00000 | | Averaged |
| 45 Benzo(k)fluoranthene | 1.57904 | 1.57933 | 0.200 | 0.01865 | 20.00000 | | Averaged |
| 46 Benzo(j)fluoranthene | 1.43839 | 1.45324 | 0.200 | 1.03179 | 20.00000 | | Averaged |
| 34 Benzo(a)pyrene | 1.30774 | 1.29832 | 0.010 | -0.72064 | 20.00000 | | Averaged |
| 36 Dibenzo(a,h)anthracene-d14 | 0.80723 | 0.81780 | 0.010 | 1.30903 | 20.00000 | | Averaged |
| 37 Indeno(1,2,3-cd)pyrene | 1.37309 | 1.39143 | 0.010 | 1.33574 | 20.00000 | | Averaged |
| 38 Dibenzo(a,h)anthracene | 1.08579 | 1.11469 | 0.010 | 2.66116 | 20.00000 | | Averaged |
| 39 Benzo(g,h,i)perylene | 1.19199 | 1.17695 | 0.010 | -1.26125 | 20.00000 | | Averaged |
| 47 Perylene | 1.35582 | 1.32137 | 0.200 | -2.54073 | 20.00000 | | Averaged |
| 48 Benzo(e)pyrene | 1.36945 | 1.34177 | 0.200 | -2.02071 | 20.00000 | | Averaged |

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120502.D
 Lab Smp Id: LLSIM 250
 Inj Date : 05-DEC-2015 10:30 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 250
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 2 Continuing Calibration Sample
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

| Compounds | QUANT | SIG | AMOUNTS | | | | | |
|----------------------------------|-------|-----|---------|--------|---------|--------|----------|-----------------|
| | | | MASS | RT | EXP RT | REL RT | RESPONSE | CAL-AMT (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.597 | 6.597 | (1.000) | 327903 | 200.000 | |
| 5 Naphthalene | 128 | | 6.629 | 6.629 | (1.005) | 454531 | 250.000 | 240 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.574 | 7.574 | (1.148) | 302123 | 250.000 | 248 |
| 7 2-Methylnaphthalene | 142 | | 7.627 | 7.627 | (1.156) | 324555 | 250.000 | 249 |
| 8 1-Methylnaphthalene | 142 | | 7.889 | 7.889 | (1.196) | 294518 | 250.000 | 251 |
| 10 Acenaphthylene | 152 | | 9.445 | 9.445 | (0.984) | 455058 | 250.000 | 239 |
| * 11 Acenaphthene-d10 | 164 | | 9.600 | 9.600 | (1.000) | 235603 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.656 | 9.656 | (1.006) | 306617 | 250.000 | 243 |
| 14 Dibenzofuran | 168 | | 9.866 | 9.866 | (1.028) | 459222 | 250.000 | 242 |
| 15 Fluorene | 166 | | 10.486 | 10.486 | (1.092) | 349293 | 250.000 | 245 |
| * 18 Phenanthrene-d10 | 188 | | 12.269 | 12.269 | (1.000) | 369128 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.313 | 12.313 | (1.004) | 543115 | 250.000 | 244 |
| 20 Anthracene | 178 | | 12.368 | 12.368 | (1.008) | 486960 | 250.000 | 245 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.374 | 14.374 | (1.172) | 489563 | 250.000 | 241 |
| 24 Fluoranthene | 202 | | 14.403 | 14.403 | (1.174) | 558337 | 250.000 | 250 |
| 25 Pyrene | 202 | | 14.903 | 14.903 | (0.876) | 538485 | 250.000 | 244 |
| 28 Benzo(a)anthracene | 228 | | 16.918 | 16.918 | (0.994) | 450121 | 250.000 | 242 |
| * 29 Chrysene-d12 | 240 | | 17.017 | 17.017 | (1.000) | 278802 | 200.000 | |
| 30 Chrysene | 228 | | 17.059 | 17.059 | (1.002) | 497864 | 250.000 | 244 |
| 44 Benzo(b)fluoranthene | 252 | | 18.784 | 18.784 | (0.947) | 397053 | 250.000 | 244 |
| 45 Benzo(k)fluoranthene | 252 | | 18.833 | 18.833 | (0.949) | 473193 | 250.000 | 250 |
| 46 Benzo(j)fluoranthene | 252 | | 18.890 | 18.890 | (0.952) | 435413 | 250.000 | 253 |
| 34 Benzo(a)pyrene | 252 | | 19.630 | 19.630 | (0.989) | 388997 | 250.000 | 248 |
| * 35 Perylene-d12 | 264 | | 19.841 | 19.841 | (1.000) | 239693 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | 22.208 | 22.208 | (1.119) | 245026 | 250.000 | 253 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | 22.329 | 22.329 | (1.125) | 416894 | 250.000 | 253 |
| 38 Dibenzo(a,h)anthracene | 278 | | 22.318 | 22.318 | (1.125) | 333979 | 250.000 | 257 |
| 39 Benzo(g,h,i)perylene | 276 | | 23.426 | 23.426 | (1.181) | 352634 | 250.000 | 247 |
| 47 Perylene | 252 | | 19.899 | 19.899 | (1.003) | 395904 | 250.000 | 244 |
| 48 Benzo(e)pyrene | 252 | | 19.524 | 19.524 | (0.984) | 402017 | 250.000 | 245 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120502.D
 Lab Smp Id: LLSIM 250
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info:

Calibration Date: 05-DEC-2015
 Calibration Time: 18:46

Level:
 Sample Type:

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 327903 | 0.00 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 235603 | -1.50 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 369128 | -0.84 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 278802 | -5.40 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 239693 | -8.02 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | 0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | 0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Date : 05-DEC-2015 10:30

Client ID:

Sample Info: LLSIH 250


Column phase: Rxi-17S11 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.i\20151205.b\15120502.D



REVIEW SUMMARY FOR FILE - 15120502.D

Lab ID: LLSIM 250

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 10:30

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 0.0000

AQJ9:00145

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120504.D
 Lab Smp Id: AQJ9LCSS1 Client Smp ID: AQJ9LCSS1
 Inj Date : 05-DEC-2015 11:45 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9LCSS1
 Misc Info : 15-21388
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsimISFix.m
 Meth Date : 15-Dec-2015 08:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 5 QC Sample: LCS
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

SW
12/15/15

| Compounds | QUANT | SIG | CONCENTRATIONS | | | | ON-COLUMN | FINAL |
|-----------------------------|-------|-----|----------------|--------|---------|---------|-----------|---------|
| | | | MASS | RT | EXP RT | REL RT | RESPONSE | (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.576 | 6.597 | (1.000) | 975072 | 400.000 | |
| 5 Naphthalene | 128 | | 6.618 | 6.639 | (1.006) | 402429 | 142.903 | 16100 B |
| § 6 2-Methylnaphthalene-d10 | 152 | | 7.563 | 7.574 | (1.150) | 233908 | 129.258 | 14500 |
| 7 2-Methylnaphthalene | 142 | | 7.616 | 7.637 | (1.158) | 257985 | 133.330 | 15000 |
| 8 1-Methylnaphthalene | 142 | | 7.868 | 7.889 | (1.196) | 227568 | 130.505 | 14700 |
| 10 Acenaphthylene | 152 | | 9.434 | 9.445 | (0.984) | 374966 | 135.561 | 15200 |
| * 11 Acenaphthene-d10 | 164 | | 9.589 | 9.600 | (1.000) | 685451 | 400.000 | |
| 12 Acenaphthene | 153 | | 9.645 | 9.667 | (1.006) | 244475 | 133.164 | 15000 |
| 14 Dibenzofuran | 168 | | 9.855 | 9.866 | (1.028) | 374641 | 135.461 | 15200 |
| 15 Fluorene | 166 | | 10.475 | 10.486 | (1.092) | 315168 | 151.948 | 17100 |
| * 18 Phenanthrene-d10 | 188 | | 12.269 | 12.280 | (1.000) | 1077117 | 400.000 | |
| 19 Phenanthrene | 178 | | 12.302 | 12.313 | (1.003) | 625118 | 192.657 | 21600 |
| 20 Anthracene | 178 | | 12.357 | 12.368 | (1.007) | 443265 | 152.620 | 17100 |
| § 23 Fluoranthene-d10 | 212 | | 14.365 | 14.374 | (1.171) | 532654 | 179.845 | 20200 |
| 24 Fluoranthene | 202 | | 14.403 | 14.413 | (1.174) | 563076 | 172.846 | 19400 |
| 25 Pyrene | 202 | | 14.893 | 14.903 | (0.876) | 578518 | 184.775 | 20800 |
| 28 Benzo(a)anthracene | 228 | | 16.918 | 16.926 | (0.995) | 462181 | 175.340 | 19700 |
| * 29 Chrysene-d12 | 240 | | 17.009 | 17.017 | (1.000) | 790706 | 400.000 | |
| 30 Chrysene | 228 | | 17.059 | 17.067 | (1.003) | 480150 | 165.969 | 18600 |
| 44 Benzo(b)fluoranthene | 252 | | 18.784 | 18.785 | (0.947) | 418489 | 168.554 | 18900 |
| 45 Benzo(k)fluoranthene | 252 | | 18.832 | 18.833 | (0.949) | 451781 | 156.151 | 17500 |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|----------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j) fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 378845 | 143.745 | 16200 |
| 34 Benzo(a) pyrene | 252 | 19.630 | 19.640 | (0.989) | 341240 | 142.412 | 16000 |
| * 35 Perylene-d12 | 264 | 19.841 | 19.842 | (1.000) | 732910 | 400.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.207 | 22.208 | (1.119) | 273937 | 185.209 | 20800 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.329 | 22.341 | (1.125) | 415230 | 165.044 | 18500 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.318 | 22.318 | (1.125) | 336258 | 169.019 | 19000 |
| 39 Benzo(g,h,i)perylene | 276 | 23.426 | 23.437 | (1.181) | 348966 | 159.780 | 18000 |
| 47 Perylene | 252 | 19.899 | 19.909 | (1.003) | 179236 | 72.1495 | 8110(R) |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.534 | (0.984) | 361944 | 144.247 | 16200 |

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120504.D
 Lab Smp Id: AQJ9LCSS1
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW

Calibration Date: 05-DEC-2015
 Calibration Time: 18:46
 Client Smp ID: AQJ9LCSS1
 Level: LOW
 Sample Type: Solid

Method File: \\target\share\chem3\nt11.i\20151205.b\lowsimISFix.m
 Misc Info: 15-21388

Test Mode:
 Use Initial Calibration Level 4.

Double IS ok

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|---------|----------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 975072 | 197.37 < |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 685451 | 186.58 < |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 1077117 | 189.35 < |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 790706 | 168.30 < |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 732910 | 181.24 < |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.58 | -0.32 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.12 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.27 | -0.09 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
 Sample Matrix: SOLID
 Lab Smp Id: AQJ9LCSS1
 Level: LOW
 Data Type: MS DATA
 SpikeList File: PEMD.spk
 Sublist File: PEMD.sub
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsimISFix.m
 Misc Info: 15-21388

Client SDG: AQJ9
 Fraction: SV
 Client Smp ID: AQJ9LCSS1
 Operator: JW
 SampleType: LCS
 Quant Type: ISTD

| SPIKE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|-------------------------|------------------------|----------------------------|----------------|--------|
| 5 Naphthalene | 33700 | 16100 | 47.63 | 30-160 |
| 7 2-Methylnaphthalen | 33700 | 15000 | 44.44 | 30-160 |
| 10 Acenaphthylene | 33700 | 15200 | 45.19 | 30-160 |
| 12 Acenaphthene | 33700 | 15000 | 44.39 | 30-160 |
| 15 Fluorene | 33700 | 17100 | 50.65 | 30-160 |
| 19 Phenanthrene | 33700 | 21600 | 64.22 | 30-160 |
| 20 Anthracene | 33700 | 17100 | 50.87 | 30-160 |
| 24 Fluoranthene | 33700 | 19400 | 57.62 | 30-160 |
| 25 Pyrene | 33700 | 20800 | 61.59 | 30-160 |
| 28 Benzo (a) anthracene | 33700 | 19700 | 58.45 | 30-160 |
| 30 Chrysene | 33700 | 18600 | 55.32 | 30-160 |
| 44 Benzo (b) fluoranthe | 33700 | 18900 | 56.18 | 30-160 |
| 45 Benzo (k) fluoranthe | 33700 | 17500 | 52.05 | 30-160 |
| 34 Benzo (a) pyrene | 33700 | 16000 | 47.47 | 30-160 |
| 37 Indeno (1,2,3-cd) py | 33700 | 18500 | 55.01 | 30-160 |
| 38 Dibenzo (a,h) anthra | 33700 | 19000 | 56.34 | 30-160 |
| 39 Benzo (g,h,i) peryle | 33700 | 18000 | 53.26 | 30-160 |
| 47 Perylene | 33700 | 8110 | 24.05* | 30-160 |
| 48 Benzo (e) pyrene | 33700 | 16200 | 48.08 | 30-160 |

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|----------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 14500 | 43.09 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 20200 | 59.95 | 30-160 |
| \$ 36 Dibenzo (a,h) anthra | 33700 | 20800 | 61.74 | 30-160 |

Date: 05-DEC-2015 11:45

Client ID: AQJ9LCSS4

Instrument: nt11.i


Sample Infol AQJ9LCSS4

Volume Injected (uL): 2.0

Operator: JM

Column Phase: Rxi-17S11 MS

Column diameter: 0.25



Lab ID: AQJ9LCSS1

nt11.i, 20151205.b\lowsimISFix.m,

05-DEC-2015 11:45

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsimISFix.m,Sublist: PEMD.sub = 3.000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120505.D
 Lab Smp Id: AQJ9MBS1 Client Smp ID: AQJ9MBS1
 Inj Date : 05-DEC-2015 12:15 MS Autotune Date: 23-APR-2014 12:5
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9MBS1
 Misc Info : 15-21388
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:48 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 4 QC Sample: BLANK
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

Handwritten: 81
12/15/15

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|----------|-------------------|---------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.587 | 6.597 | (1.000) | 438288 | 200.000 | |
| 5 Naphthalene | 128 | 6.618 | 6.639 | (1.005) | 29996 | 11.8485 | 1330 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.148) | 153831 | 94.5592 | 10600 |
| 7 2-Methylnaphthalene | 142 | 7.616 | 7.637 | (1.156) | 11564 | 6.64797 | 747(H) |
| 8 1-Methylnaphthalene | 142 | 7.879 | 7.889 | (1.196) | 6749 | 4.30529 | 484(H) |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 366527 | 200.000 | |
| 12 Acenaphthene | 153 | Compound Not Detected. | | | | | |
| 14 Dibenzofuran | 168 | Compound Not Detected. | | | | | |
| 15 Fluorene | 166 | Compound Not Detected. | | | | | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.280 | (1.000) | 602619 | 200.000 | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 13839 | 3.81168 | 428(H) |
| 20 Anthracene | 178 | Compound Not Detected. | | | | | |
| \$ 23 Fluoranthene-d10 | 212 | 14.365 | 14.374 | (1.171) | 414921 | 125.201 | 14100 |
| 24 Fluoranthene | 202 | 14.403 | 14.413 | (1.174) | 12655 | 3.47173 | 390(H) |
| 25 Pyrene | 202 | 14.893 | 14.903 | (0.875) | 15028 | 4.25942 | 479(H) |
| 28 Benzo(a)anthracene | 228 | Compound Not Detected. | | | | | |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.017 | (1.000) | 445515 | 200.000 | |
| 30 Chrysene | 228 | Compound Not Detected. | | | | | |
| 44 Benzo(b)fluoranthene | 252 | Compound Not Detected. | | | | | |
| 45 Benzo(k)fluoranthene | 252 | Compound Not Detected. | | | | | |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| ----- | ---- | ==== | ===== | ===== | ===== | ----- | ----- |
| 46 Benzo(j)fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a)pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.841 | 19.842 | (1.000) | 407440 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 204191 | 124.166 | 14000 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | | | | Compound Not Detected. | | |

QC Flag Legend

H - Operator selected an alternate compound hit.

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120505.D
 Lab Smp Id: AQJ9MBS1
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21388

Calibration Date: 05-DEC-2015
 Calibration Time: 18:46
 Client Smp ID: AQJ9MBS1
 Level: LOW
 Sample Type: Solid

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 438288 | 33.67 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 366527 | 53.24 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 602619 | 61.88 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 445515 | 51.17 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 407440 | 56.35 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.12 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.27 | -0.09 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | -0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9MBS1
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21388


Client SDG: AQJ9
Fraction: SV
Client Smp ID: AQJ9MBS1
Operator: JW
SampleType: BLANK
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 10600 | 31.52 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 14100 | 41.73 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 14000 | 41.39 | 30-160 |

Client ID: AQJ9HBS1
Sample Infol: AQJ9HBS1
Volume Injected (uL): 2.0
Column phase: Rxi-17Sil MS

Instrument: nt11.1

Operator: JM
Column diameter: 0.25



Date : 05-DEC-2015 12:15

Client ID: AQJ9MBS1

Instrument: nt11.i

Sample Info: AQJ9MBS1

Volume Injected (uL): 2.0






Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 1330 ug/kg



Date : 06-DEC-2015 12:15

Client ID: AQJ9MBS1

Instrument: nt11.i

Sample Info: AQJ9MBS1

Volume Injected (uL): 2.0

Operator: JM








Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 747 ug/kg

CAL



Date : 05-DEC-2015 12:15

Client ID: AQJ9MBS1

Instrument: nt11.i

Sample Info: AQJ9MBS1

Volume Injected (uL): 2.0

Operator: JW







Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 484 ug/kg

UP



Date : 05-DEC-2015 12:15

Client ID: AQJ9MBS1

Instrument: nt11.i

Sample Info: AQJ9MBS1

Volume Injected (uL): 2.0

Operator: JW








Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 428 ug/kg

CP



Date : 05-DEC-2015 12:15

Client ID: AQJ9MBS1

Instrument: nt11.i

Sample Info: AQJ9MBS1

Volume Injected (uL): 2.0

Operator: JH








Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 390 ug/kg

AMM



Date : 05-DEC-2015 12:15

Client ID: AQJ9HBS1

Instrument: nt11.i

Sample Info: AQJ9HBS1

Volume Injected (uL): 2.0

Operator: JW








Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 479 ug/kg

CMO



Lab ID: AQJ9MBS1

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 12:15

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAS BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120506.D
 Lab Smp Id: AQJ9LCSDS1 Client Smp ID: AQJ9LCSDS1
 Inj Date : 05-DEC-2015 12:45 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9LCSDS1
 Misc Info : 15-21388
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 6 QC Sample: LCSD
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

80
12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|--------|--------|---------|--------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.576 | 6.597 | (1.000) | 377538 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.006) | 236245 | 108.333 | 12200 | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.150) | 148567 | 106.018 | 11900 | |
| 7 2-Methylnaphthalene | 142 | 7.616 | 7.627 | (1.158) | 166919 | 111.400 | 12500 | |
| 8 1-Methylnaphthalene | 142 | 7.868 | 7.889 | (1.196) | 150592 | 111.523 | 12500 | |
| 10 Acenaphthylene | 152 | 9.434 | 9.445 | (0.984) | 274359 | 105.379 | 11800 | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 322593 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.007) | 175614 | 101.625 | 11400 | |
| 14 Dibenzofuran | 168 | 9.855 | 9.866 | (1.028) | 269904 | 103.681 | 11600 | |
| 15 Fluorene | 166 | 10.475 | 10.486 | (1.092) | 235804 | 120.780 | 13600 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 523037 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 466901 | 148.166 | 16600 | |
| 20 Anthracene | 178 | 12.357 | 12.368 | (1.007) | 349269 | 123.825 | 13900 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.365 | 14.374 | (1.171) | 429604 | 149.356 | 16800 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 469298 | 148.335 | 16700 | |
| 25 Pyrene | 202 | 14.893 | 14.903 | (0.876) | 480438 | 158.095 | 17800 | |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.918 | (0.995) | 373003 | 145.792 | 16400 | |
| * 29 Chrysene-d12 | 240 | 17.009 | 17.017 | (1.000) | 383735 | 200.000 | | |
| 30 Chrysene | 228 | 17.059 | 17.059 | (1.003) | 374544 | 133.385 | 15000 | |
| 44 Benzo(b)fluoranthene | 252 | 18.785 | 18.784 | (0.947) | 328827 | 141.308 | 15900 | |
| 45 Benzo(k)fluoranthene | 252 | 18.833 | 18.833 | (0.949) | 356321 | 131.402 | 14800 | |

| Compounds | QUANT SIG | | | | | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|----------|----------------------|------------------|
| | MASS | RT | EXP RT | REL RT | RESPONSE | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| ===== | ==== | ---- | ----- | ----- | ----- | ----- | ----- |
| 46 Benzo(j)fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 299760 | 121.353 | 13600 |
| 34 Benzo(a)pyrene | 252 | 19.630 | 19.630 | (0.989) | 267677 | 119.191 | 13400 |
| * 35 Perylene-d12 | 264 | 19.842 | 19.841 | (1.000) | 343460 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 220286 | 158.907 | 17900 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.329 | 22.329 | (1.125) | 324939 | 137.803 | 15500 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.318 | 22.318 | (1.125) | 263633 | 141.386 | 15900 |
| 39 Benzo(g,h,i)perylene | 276 | 23.426 | 23.426 | (1.181) | 274328 | 134.015 | 15100 |
| 47 Perylene | 252 | 19.899 | 19.899 | (1.003) | 163883 | 70.3860 | 7910(R) |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 287952 | 122.442 | 13800 |

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120506.D
 Lab Smp Id: AQJ9LCSDS1
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21388

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: AQJ9LCSDS1
 Level: LOW
 Sample Type: Solid

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 377538 | 15.14 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 322593 | 34.88 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 523037 | 40.51 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 383735 | 30.21 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 343460 | 31.80 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.58 | -0.32 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.11 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
 Sample Matrix: SOLID
 Lab Smp Id: AQJ9LCSDS1
 Level: LOW
 Data Type: MS DATA
 SpikeList File: PEMD.spk
 Sublist File: PEMD.sub
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21388

Client SDG: AQJ9
 Fraction: SV
 Client Smp ID: AQJ9LCSDS1
 Operator: JW
 SampleType: LCSD
 Quant Type: ISTD


| SPIKE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|-------------------------|------------------------|----------------------------|----------------|--------|
| 5 Naphthalene | 33700 | 12200 | 36.11 | 30-160 |
| 7 2-Methylnaphthalen | 33700 | 12500 | 37.13 | 30-160 |
| 10 Acenaphthylene | 33700 | 11800 | 35.13 | 30-160 |
| 12 Acenaphthene | 33700 | 11400 | 33.88 | 30-160 |
| 15 Fluorene | 33700 | 13600 | 40.26 | 30-160 |
| 19 Phenanthrene | 33700 | 16600 | 49.39 | 30-160 |
| 20 Anthracene | 33700 | 13900 | 41.28 | 30-160 |
| 24 Fluoranthene | 33700 | 16700 | 49.44 | 30-160 |
| 25 Pyrene | 33700 | 17800 | 52.70 | 30-160 |
| 28 Benzo(a)anthracene | 33700 | 16400 | 48.60 | 30-160 |
| 30 Chrysene | 33700 | 15000 | 44.46 | 30-160 |
| 44 Benzo(b)fluoranthene | 33700 | 15900 | 47.10 | 30-160 |
| 45 Benzo(k)fluoranthene | 33700 | 14800 | 43.80 | 30-160 |
| 34 Benzo(a)pyrene | 33700 | 13400 | 39.73 | 30-160 |
| 37 Indeno(1,2,3-cd)py | 33700 | 15500 | 45.93 | 30-160 |
| 38 Dibenzo(a,h)anthra | 33700 | 15900 | 47.13 | 30-160 |
| 39 Benzo(g,h,i)perylene | 33700 | 15100 | 44.67 | 30-160 |
| 47 Perylene | 33700 | 7910 | 23.46* | 30-160 |
| 48 Benzo(e)pyrene | 33700 | 13800 | 40.81 | 30-160 |

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|--------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 11900 | 35.34 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 16800 | 49.79 | 30-160 |
| \$ 36 Dibenzo(a,h)anthra | 33700 | 17900 | 52.97 | 30-160 |

Data File: \\target\share\chem3\nt11.1\20151205.b\15120506.D
Date: 05-DEC-2015 12:45
Client ID: AQJ9LCS0S1
Sample Info: AQJ9LCS0S1
Volume Injected (uL): 2.0
Column phase: Rxi-17S11 MS

Instrument: nt11.i
Operator: JM
Column diameter: 0.25

\\target\share\chem3\nt11.1\20151205.b\15120506.D



Lab ID: AQJ9LCSDS1
nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 12:45

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120507.D
 Lab Smp Id: AQJ9A Client Smp ID: PG-GP-1-PEMD-151109
 Inj Date : 05-DEC-2015 13:15 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9A
 Misc Info : 15-21388
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 7
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

*JW
12/15/15*

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|---------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.587 | 6.597 | (1.000) | 329948 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.005) | 265038 | 139.066 | 15600 B | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.148) | 170807 | 139.470 | 15700 | |
| 7 2-Methylnaphthalene | 142 | 7.616 | 7.627 | (1.156) | 104495 | 79.7977 | 8970 | |
| 8 1-Methylnaphthalene | 142 | 7.879 | 7.889 | (1.196) | 60596 | 51.3477 | 5770 | |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 276926 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.007) | 155009 | 104.494 | 11700 | |
| 14 Dibenzofuran | 168 | 9.855 | 9.866 | (1.028) | 126127 | 56.4402 | 6340 | |
| 15 Fluorene | 166 | 10.475 | 10.486 | (1.092) | 185942 | 110.946 | 12500 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 455160 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 1452263 | 529.586 | 59500 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 164500 | 67.0168 | 7530 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.365 | 14.374 | (1.171) | 457748 | 182.872 | 20500 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 1555776 | 565.079 | 63500 | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 906267 | 334.387 | 37600 | |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.918 | (0.994) | 115512 | 50.6248 | 5690 | |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.017 | (1.000) | 342230 | 200.000 | | |
| 30 Chrysene | 228 | 17.059 | 17.059 | (1.002) | 132139 | 52.7654 | 5930 | |
| 44 Benzo(b)fluoranthene | 252 | 18.785 | 18.784 | (0.947) | 41996 | 19.6219 | 2200 | |
| 45 Benzo(k)fluoranthene | 252 | Compound Not Detected. | | | | | | |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| ----- | ---- | ---- | ----- | ----- | ----- | ----- | ----- |
| 46 Benzo(j) fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a)pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.841 | 19.841 | (1.000) | 315896 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 226531 | 177.670 | 20000 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 25694 | 11.8788 | 1330 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120507.D
 Lab Smp Id: AQJ9A
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21388

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-GP-1-PEMD-1!
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 329948 | 0.63 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 276926 | 15.78 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 455160 | 22.27 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 342230 | 16.12 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 315896 | 21.22 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.12 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9A
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21388

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-GP-1-PEMD-151109
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 15700 | 46.49 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 20500 | 60.96 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 20000 | 59.22 | 30-160 |

Date: 05-DEC-2015 13:15

Client ID: PG-GP-1-PEND-151109

Sample Info: AQJ9A

Volume Injected (uL): 2.0


Column phase: Rxi-17S11 MS

Instrument: nt11.1

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151205.b\15120507.D



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0






Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 15600 ug/kg



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 8970 ug/kg



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0

Operator: JM







Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 5770 ug/kg

pic up



Date : 06-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JN

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 11700 ug/kg



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0

Operator: JW







Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 6340 ug/kg

JW



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 12500 ug/kg



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25




19 Phenanthrene

Concentration: 59500 ug/kg




Data File: \\target\share\chem3\nt11.1\20151205.b\15120507.D
Injection Date: 05-DEC-2015 13:15
Instrument: nt11.1
Client Sample ID: FG-GP-1-PEMD-151109

Compound: Anthracene
CAS Number:



Data File: \\target\share\chem3\nt11.1\20151205.1b\15120507.D
Injection Date: 05-DEC-2015 13:15
Instrument: nt11.1
Client Sample ID: PG-GP-1-PEWD-151109

HP ChemStation MS 15120507.D, Scan 553: 12.369 min.
178



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 63500 ug/kg



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JN

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 37600 ug/kg



Date : 05-DEC-2015 13:15

Client ID: PG-CP-1-PEND-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 5690 ug/kg



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEHD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 5930 ug/kg



Date : 05-DEC-2015 13:15

Client ID: PG-CP-1-FEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 2200 ug/kg



Date : 05-DEC-2015 13:15

Client ID: PG-GP-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9A

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

48 Benzo(e)pyrene

Concentration: 1330 ug/kg



Lab ID: AQJ9A
nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 13:15

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120508.D
 Lab Smp Id: AQJ9C Client Smp ID: PG-PJ-1-PEMD-151109
 Inj Date : 05-DEC-2015 13:45 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9C
 Misc Info : 15-21390
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 8
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

*80
12/15/15*

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|---------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.576 | 6.597 | (1.000) | 347293 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.006) | 272534 | 135.858 | 15300 B | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.150) | 184868 | 143.412 | 16100 | |
| 7 2-Methylnaphthalene | 142 | 7.616 | 7.627 | (1.158) | 105005 | 76.1823 | 8560 | |
| 8 1-Methylnaphthalene | 142 | 7.868 | 7.889 | (1.196) | 61321 | 49.3669 | 5550 | |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 286981 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.007) | 181398 | 117.999 | 13300 | |
| 14 Dibenzofuran | 168 | 9.855 | 9.866 | (1.028) | 164300 | 70.9461 | 7970 | |
| 15 Fluorene | 166 | 10.475 | 10.486 | (1.092) | 249054 | 143.397 | 16100 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 493459 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 1914142 | 643.840 | 72300 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 209966 | 78.9005 | 8870 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.365 | 14.374 | (1.171) | 518865 | 191.201 | 21500 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 2015377 | 675.199 | 75900 | |
| 25 Pyrene | 202 | 14.893 | 14.903 | (0.875) | 1169728 | 446.792 | 50200 | |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.918 | (0.994) | 131711 | 59.7565 | 6710 | |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.017 | (1.000) | 330591 | 200.000 | | |
| 30 Chrysene | 228 | 17.059 | 17.059 | (1.002) | 160999 | 66.5531 | 7480 | |
| 44 Benzo(b)fluoranthene | 252 | 18.784 | 18.784 | (0.947) | 41274 | 20.4108 | 2290 | |
| 45 Benzo(k)fluoranthene | 252 | Compound Not Detected. | | | | | | |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j) fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a)pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.841 | 19.841 | (1.000) | 298465 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 247785 | 205.690 | 23100 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 26215 | 12.8275 | 1440 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120508.D
 Lab Smp Id: AQJ9C
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21390

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-PJ-1-PEMD-1!
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 347293 | 5.92 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 286981 | 19.99 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 493459 | 32.56 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 330591 | 12.17 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 298465 | 14.53 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.58 | -0.32 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.12 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9C
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21390

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-PJ-1-PEMD-151109
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 16100 | 47.80 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 21500 | 63.73 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 23100 | 68.56 | 30-160 |

Date: 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEND-151109

Sample Info: AQJ9C

Volume Injected (uL): 2.0


Column phase: RXI-17S11 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151205.b\15120508.D



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0

Operator: JM






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 15300 ug/kg

B



Date : 06-DEC-2015 13:45

Client ID: PG-PJ-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 8560 ug/kg



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0

Operator: JW







Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 5550 ug/kg

MJ



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 13300 ug/kg



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0

Operator: JM







Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 7970 ug/kg

MR4



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 16100 ug/kg



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 72300 ug/kg






REVIEW SUMMARY FOR FILE - 15120508.D


AQJ9:00202

Data File: \\target\share\chem3\nt11.i\20151205.b\15120508.D
Injection Date: 05-DEC-2015 13:45
Instrument: nt11.i
Client Sample ID: PG-PJ-1-PEMD-151109

Compound: Anthracene
CAS Number:



Data File: \\target\share\chem3\nt11.1\20151205.1\15120508.D
Injection Date: 05-DEC-2015 13:45
Instrument: nt11.1
Client Sample ID: PG-PJ-1-PEMD-151109



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEND-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17S11 MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 75900 ug/kg



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEND-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

25 Pyrene

Concentration: 50200 ug/kg



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEHD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17S11 MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 6710 ug/kg



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEND-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 7480 ug/kg



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 2290 ug/kg



Date : 05-DEC-2015 13:45

Client ID: PG-PJ-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JN

Column phase: Rxi-17Sil MS

Column diameter: 0.25

48 Benzo(e)pyrene

Concentration: 1440 ug/kg



Lab ID: AQJ9C
nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 13:45

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120509.D
 Lab Smp Id: AQJ9E Client Smp ID: PG-WS-1-PEMD-151109
 Inj Date : 05-DEC-2015 14:15 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9E
 Misc Info : 15-21392
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 9
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JW
12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|---------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.587 | 6.597 | (1.000) | 324170 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.005) | 317961 | 169.809 | 19100 B | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.148) | 178156 | 148.063 | 16600 | |
| 7 2-Methylnaphthalene | 142 | 7.616 | 7.627 | (1.156) | 124036 | 96.4085 | 10800 | |
| 8 1-Methylnaphthalene | 142 | 7.879 | 7.889 | (1.196) | 72574 | 62.5938 | 7030 | |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 268869 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.007) | 185368 | 128.704 | 14500 | |
| 14 Dibenzofuran | 168 | 9.855 | 9.866 | (1.028) | 173697 | 80.0563 | 9000 | |
| 15 Fluorene | 166 | 10.475 | 10.486 | (1.092) | 243173 | 149.442 | 16800 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 444544 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 1690671 | 631.247 | 70900 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 156332 | 65.2101 | 7330 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.374 | 14.374 | (1.172) | 448561 | 183.482 | 20600 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 1631259 | 606.645 | 68200 | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 946112 | 361.675 | 40600 | |
| 28 Benzo(a)anthracene | 228 | 16.926 | 16.918 | (0.995) | 96765 | 43.9376 | 4940 | |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.017 | (1.000) | 330321 | 200.000 | | |
| 30 Chrysene | 228 | 17.067 | 17.059 | (1.003) | 121677 | 50.3394 | 5660 | |
| 44 Benzo(b)fluoranthene | 252 | 18.784 | 18.784 | (0.947) | 33773 | 16.5959 | 1860 | |
| 45 Benzo(k)fluoranthene | 252 | Compound Not Detected. | | | | | | |

| Compounds | QUANT SIG | | CONCENTRATIONS | | | | | |
|----------------------------------|-----------|--|------------------------|--------|---------|----------|----------------------|------------------|
| | MASS | | RT | EXP RT | REL RT | RESPONSE | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| ----- | ---- | | ==== | ===== | ===== | ===== | ===== | ===== |
| 46 Benzo(j) fluoranthene | 252 | | Compound Not Detected. | | | | | |
| 34 Benzo(a) pyrene | 252 | | Compound Not Detected. | | | | | |
| * 35 Perylene-d12 | 264 | | 19.841 | 19.841 | (1.000) | 300363 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | 22.207 | 22.208 | (1.119) | 183649 | 151.486 | 17000 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | Compound Not Detected. | | | | | |
| 38 Dibenzo(a,h)anthracene | 278 | | Compound Not Detected. | | | | | |
| 39 Benzo(g,h,i)perylene | 276 | | Compound Not Detected. | | | | | |
| 47 Perylene | 252 | | Compound Not Detected. | | | | | |
| 48 Benzo(e)pyrene | 252 | | 19.524 | 19.524 | (0.984) | 21802 | 10.6007 | 1190 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120509.D
 Lab Smp Id: AQJ9E
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21392

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-WS-1-PEMD-1
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 324170 | -1.14 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 268869 | 12.41 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 444544 | 19.42 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 330321 | 12.08 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 300363 | 15.26 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.12 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | -0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.


RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9E
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21392

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-WS-1-PEMD-151109
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 16600 | 49.35 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 20600 | 61.16 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 17000 | 50.50 | 30-160 |

\\target\share\chem3\nt11.1\20151205.6\15120509.D



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0

Operator: JM






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 19100 ug/kg

B



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEHD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 10800 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0

Operator: JM







Column phase: Rxi-17Sil MS

Column diameter: 0,25

8 1-Methylnaphthalene

Concentration: 7030 ug/kg

Handwritten signature



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 14500 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-WS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0







Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 9000 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 16800 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 70900 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEND-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 7330 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-WS-1-PEHD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0


Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 68200 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 40600 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

28 Benzo(a)anthracene

Concentration: 4940 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 5660 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-MS-1-PEMD-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 1860 ug/kg



Date : 05-DEC-2015 14:15

Client ID: PG-WS-1-PEND-151109

Instrument: nt11.i

Sample Info: AQJ9E

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

48 Benzo(e)pyrene

Concentration: 1190 ug/kg



Lab ID: AQJ9E

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 14:15

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

RRT CCV RRT DELTA COMPOUND

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120510.D
 Lab Smp Id: AQJ9G Client Smp ID: PG-SMA2-5-PEMD-1511
 Inj Date : 05-DEC-2015 14:45 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9G
 Misc Info : 15-21394
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:48 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 10
 Dil Factor: 2.50000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 2.500 | Dilution Factor |
| Vt | 50.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

82
12/15/15

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|----------|-------------------|---------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.576 | 6.597 | (1.000) | 297768 | 200.000 | |
| 5 Naphthalene | 128 | 6.618 | 6.639 | (1.006) | 111437 | 64.7905 | 9100 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.150) | 66422 | 60.0971 | 8440(R) |
| 7 2-Methylnaphthalene | 142 | 7.616 | 7.637 | (1.158) | 42428 | 35.9017 | 5040 |
| 8 1-Methylnaphthalene | 142 | 7.868 | 7.889 | (1.196) | 25384 | 23.8344 | 3350 |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 252418 | 200.000 | |
| 12 Acenaphthene | 153 | 9.656 | 9.667 | (1.007) | 133802 | 98.9554 | 13900 |
| 14 Dibenzofuran | 168 | 9.855 | 9.866 | (1.028) | 118110 | 57.9843 | 8140 |
| 15 Fluorene | 166 | 10.475 | 10.486 | (1.092) | 199762 | 130.765 | 18400 |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.280 | (1.000) | 432491 | 200.000 | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 1394966 | 535.355 | 75200 |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 211686 | 90.7605 | 12700 |
| \$ 23 Fluoranthene-d10 | 212 | 14.365 | 14.374 | (1.171) | 198994 | 83.6660 | 11800 |
| 24 Fluoranthene | 202 | 14.403 | 14.413 | (1.174) | 1655596 | 632.854 | 88900 |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 999630 | 404.824 | 56900 |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.926 | (0.994) | 130557 | 62.8015 | 8820 |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.017 | (1.000) | 311806 | 200.000 | |
| 30 Chrysene | 228 | 17.059 | 17.067 | (1.002) | 131788 | 57.7600 | 8110 |
| 44 Benzo(b)fluoranthene | 252 | 18.785 | 18.785 | (0.947) | 31146 | 16.3549 | 2300 |
| 45 Benzo(k)fluoranthene | 252 | Compound Not Detected. | | | | | |

| Compounds | QUANT SIG MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-------------------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| ----- | ---- | ---- | ----- | ----- | ----- | ----- | ----- |
| 46 Benzo(j)fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a)pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.842 | 19.842 | (1.000) | 281081 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 88893 | 78.3551 | 11000 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | | | | Compound Not Detected. | | |

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120510.D
 Lab Smp Id: AQJ9G
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21394

Calibration Date: 05-DEC-2015
 Calibration Time: 18:46
 Client Smp ID: PG-SMA2-5-PEMD-
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 297768 | -9.19 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 252418 | 5.54 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 432491 | 16.18 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 311806 | 5.80 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 281081 | 7.86 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.58 | -0.32 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.12 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.27 | -0.09 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9G
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21394

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-SMA2-5-PEMD-1511
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|--------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 8440 | 25.04* | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 11800 | 34.86 | 30-160 |
| \$ 36 Dibenzo(a,h)anthra | 33700 | 11000 | 32.65 | 30-160 |

Date: 05-DEC-2015 14:45

Client ID: PG-SMR2-5-PEND-1511

Sample Info: AQJ9G

Volume Injected (uL): 2.0


Column phase: Rx1-17511 MS

Instrument: nt11.1

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151205.b\15120510.D



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9G

Volume Injected (uL): 2.0

Operator: JH






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 9100 ug/kg

B



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-FEMD-1511

Instrument: nt11.i

Sample Info: AQJ9G

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 5040 ug/kg



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9G

Volume Injected (uL): 2.0







Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 3350 ug/kg



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Si11 MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 13900 ug/kg



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9G

Volume Injected (uL): 2.0







Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0,25

14 Dibenzofuran

Concentration: 8140 ug/kg



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9G

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 18400 ug/kg



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 75200 ug/kg






REVIEW SUMMARY FOR FILE - 15120510.D

AQJ9:00243


Data File: \\target\share\chem3\nt11.i\20151205.b\15120510.D
Injection Date: 05-DEC-2015 14:45
Instrument: nt11.i
Client Sample ID: PG-SMA2-5-PEMD-1511

Compound: Anthracene
CAS Number:



Data File: \\target\share\chem3\nt11.1\20151205.1\15120510.D
Injection Date: 05-DEC-2015 14:45
Instrument: nt11.1
Client Sample ID: PG-SMA2-5-PEND-1511

Average Spectrum: 12.358 to 12.369 min.
178



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 88900 ug/kg



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 56900 ug/kg



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9G

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 8820 ug/kg



Date : 05-DEC-2015 14:45

Client ID: PG-SMA2-5-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9G

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 8110 ug/kg



Date : 06-DEC-2015 14:45

Client ID: PG-SMA2-5-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9C

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 2300 ug/kg



Lab ID: AQJ9G
nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 14:45

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120511.D
 Lab Smp Id: AQJ9I Client Smp ID: PG-SMA2-4-PEMD-1511
 Inj Date : 05-DEC-2015 15:16 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9I
 Misc Info : 15-21396
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 11
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt/(Ws * (100-M)/100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JW
12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|--------|--------|---------|---------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.587 | 6.597 | (1.000) | 291014 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.005) | 293769 | 174.764 | 19600 B | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.148) | 174381 | 161.438 | 18100 | |
| 7 2-Methylnaphthalene | 142 | 7.627 | 7.627 | (1.158) | 138943 | 120.299 | 13500 | |
| 8 1-Methylnaphthalene | 142 | 7.879 | 7.889 | (1.196) | 88305 | 84.8388 | 9530 | |
| 10 Acenaphthylene | 152 | 9.434 | 9.445 | (0.984) | 25942 | 13.4593 | 1510 | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 238819 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.007) | 618712 | 483.634 | 54300 | |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.029) | 443710 | 230.237 | 25900 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.094) | 573542 | 396.822 | 44600 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 387727 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 3154508 | 1350.39 | 152000 E | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 413820 | 197.910 | 22200 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.375 | 14.374 | (1.172) | 453067 | 212.482 | 23900 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 3239827 | 1381.41 | 155000 E | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 2039177 | 909.830 | 102000 | |
| 28 Benzo(a)anthracene | 228 | 16.926 | 16.918 | (0.995) | 239240 | 126.789 | 14200 | |
| * 29 Chrysene-d12 | 240 | 17.018 | 17.017 | (1.000) | 283013 | 200.000 | | |
| 30 Chrysene | 228 | 17.067 | 17.059 | (1.003) | 243059 | 117.366 | 13200 | |
| 44 Benzo(b)fluoranthene | 252 | 18.785 | 18.784 | (0.947) | 50035 | 28.8138 | 3240 | |
| 45 Benzo(k)fluoranthene | 252 | 18.833 | 18.833 | (0.949) | 22253 | 10.9971 | 1240 | |

| Compounds | QUANT SIG MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | | |
|----------------------------------|-------------------|------------------------|--------|---------|----------|----------------------|------------------|--|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) | |
| ----- | ---- | ---- | ----- | ----- | ----- | ----- | ----- | |
| 46 Benzo(j) fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 24010 | 13.0255 | 1460 | |
| 34 Benzo(a)pyrene | 252 | 19.640 | 19.630 | (0.990) | 20857 | 12.4454 | 1400 | |
| * 35 Perylene-d12 | 264 | 19.842 | 19.841 | (1.000) | 256301 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 185826 | 179.634 | 20200 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | Compound Not Detected. | | | | | | |
| 38 Dibenzo(a,h)anthracene | 278 | Compound Not Detected. | | | | | | |
| 39 Benzo(g,h,i)perylene | 276 | Compound Not Detected. | | | | | | |
| 47 Perylene | 252 | Compound Not Detected. | | | | | | |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 31540 | 17.9720 | 2020 | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120511.D
 Lab Smp Id: AQJ9I
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21396

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-SMA2-4-PEMD-
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 291014 | -11.25 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 238819 | -0.15 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 387727 | 4.16 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 283013 | -3.97 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 256301 | -1.65 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.11 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9I
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21396

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-SMA2-4-PEMD-1511
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|--------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 18100 | 53.81 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 23900 | 70.83 | 30-160 |
| \$ 36 Dibenzo(a,h)anthra | 33700 | 20200 | 59.88 | 30-160 |

Date: 05-DEC-2015 15:16

Client ID: PG-SM2-4-FEND-1511

Sample Info: AQJ91

Volume Injected (uL): 2.0


Column phase: Rxi-17S11 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.i\20151205.b\15120511.D



Date : 05-DEC-2015 15:16

Client ID: PG-SHA2-4-PEHD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0

Operator: JM






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 19600 ug/kg

β



Date : 05-DEC-2015 15:16

Client ID: PG-SHA2-4-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 13500 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ91

Volume Injected (uL): 2.0

Operator: JM







Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 9530 ug/kg

Handwritten initials



Date : 05-DEC-2015 15:16

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

10 Acenaphthylene

Concentration: 1510 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 54300 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0

Operator: JW







Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 25900 ug/kg

Morgan



Date : 05-DEC-2015 15:16

Client ID: PG-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

15 Fluorene

Concentration: 44600 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0

Operator: JM








Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 152000 ug/kg

4



Date : 05-DEC-2015 15:16

Client ID: PG-SMA2-4-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 22200 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0

Operator: JM








Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 155000 ug/kg

E



Date : 05-DEC-2015 15:16

Client ID: PG-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 102000 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

28 Benzo(a)anthracene

Concentration: 14200 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ91

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 13200 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SMA2-4-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 3240 ug/kg



Date : 05-DEC-2015 18:16

Client ID: PG-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

45 Benzo(k)fluoranthene

Concentration: 1240 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0,25

46 Benzo(j)fluoranthene

Concentration: 1460 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

34 Benzo(a)pyrene

Concentration: 1400 ug/kg



Date : 05-DEC-2015 15:16

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

48 Benzo(e)pyrene

Concentration: 2020 ug/kg



Lab ID: AQJ9I

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 15:16

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120512.D
 Lab Smp Id: AQJ9K Client Smp ID: PG-SMA2-3-PEMD-1511
 Inj Date : 05-DEC-2015 15:46 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9K
 Misc Info : 15-21398
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 12
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JW
12/15/15

| Compounds | QUANT | SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-------|-----|------|--------|--------|---------|----------|-------------------|-----------------|
| | | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | | 136 | 6.587 | 6.597 | (1.000) | 329170 | 200.000 | |
| 5 Naphthalene | 128 | | 128 | 6.618 | 6.629 | (1.005) | 182997 | 96.2462 | 10800 B |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 152 | 7.564 | 7.574 | (1.148) | 178331 | 145.957 | 16400 |
| 7 2-Methylnaphthalene | 142 | | 142 | 7.627 | 7.627 | (1.158) | 67315 | 51.5267 | 5790 |
| 8 1-Methylnaphthalene | 142 | | 142 | 7.879 | 7.889 | (1.196) | 38568 | 32.7589 | 3680 |
| 10 Acenaphthylene | 152 | | 152 | 9.434 | 9.445 | (0.984) | 25169 | 11.4405 | 1290 |
| * 11 Acenaphthene-d10 | 164 | | 164 | 9.589 | 9.600 | (1.000) | 272591 | 200.000 | |
| 12 Acenaphthene | 153 | | 153 | 9.656 | 9.656 | (1.007) | 171449 | 117.414 | 13200 |
| 14 Dibenzofuran | 168 | | 168 | 9.855 | 9.866 | (1.028) | 142783 | 64.9096 | 7290 |
| 15 Fluorene | 166 | | 166 | 10.486 | 10.486 | (1.094) | 280972 | 170.314 | 19100 |
| * 18 Phenanthrene-d10 | 188 | | 188 | 12.269 | 12.269 | (1.000) | 446217 | 200.000 | |
| 19 Phenanthrene | 178 | | 178 | 12.313 | 12.313 | (1.004) | 3006310 | 1118.26 | 126000 E |
| 20 Anthracene | 178 | | 178 | 12.368 | 12.368 | (1.008) | 520276 | 216.207 | 24300 |
| \$ 23 Fluoranthene-d10 | 212 | | 212 | 14.374 | 14.374 | (1.172) | 478777 | 195.107 | 21900 |
| 24 Fluoranthene | 202 | | 202 | 14.403 | 14.403 | (1.174) | 4436718 | 1643.77 | 185000 E |
| 25 Pyrene | 202 | | 202 | 14.903 | 14.903 | (0.876) | 2764840 | 1055.82 | 119000 E |
| 28 Benzo(a)anthracene | 228 | | 228 | 16.926 | 16.918 | (0.995) | 636180 | 288.565 | 32400 |
| * 29 Chrysene-d12 | 240 | | 240 | 17.017 | 17.017 | (1.000) | 330667 | 200.000 | |
| 30 Chrysene | 228 | | 228 | 17.067 | 17.059 | (1.003) | 616786 | 254.906 | 28600 |
| 44 Benzo(b)fluoranthene | 252 | | 252 | 18.784 | 18.784 | (0.947) | 163113 | 82.1845 | 9230 |
| 45 Benzo(k)fluoranthene | 252 | | 252 | 18.833 | 18.833 | (0.949) | 84343 | 36.4679 | 4100 |

| Compounds | QUANT SIG | | CONCENTRATIONS | | | | | |
|----------------------------------|-----------|------------------------|----------------|---------|----------|----------------------|------------------|--|
| | MASS | RT | EXP RT | REL RT | RESPONSE | ON-COLUMN (ng/mL) | FINAL (ug/kg) | |
| 46 Benzo(j) fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 83928 | 39.8367 | 4480 | |
| 34 Benzo(a) pyrene | 252 | 19.640 | 19.630 | (0.990) | 120581 | 62.9522 | 7070 | |
| * 35 Perylene-d12 | 264 | 19.841 | 19.841 | (1.000) | 292938 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.207 | 22.208 | (1.119) | 206429 | 174.593 | 19600 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.329 | 22.329 | (1.125) | 24109 | 11.9877 | 1350 | |
| 38 Dibenzo(a,h)anthracene | 278 | Compound Not Detected. | | | | | | |
| 39 Benzo(g,h,i)perylene | 276 | 23.426 | 23.426 | (1.181) | 22994 | 13.1704 | 1480 | |
| 47 Perylene | 252 | 19.909 | 19.899 | (1.003) | 30906 | 15.5631 | 1750 | |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 101994 | 50.8492 | 5710 | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120512.D
 Lab Smp Id: AQJ9K
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21398

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-SMA2-3-PEMD-
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 329170 | 0.39 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 272591 | 13.97 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 446217 | 19.87 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 330667 | 12.20 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 292938 | 12.41 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.12 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | -0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9K
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21398

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-SMA2-3-PEMD-1511
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 16400 | 48.65 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 21900 | 65.04 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 19600 | 58.20 | 30-160 |

Date: 05-DEC-2015 15:46

Client ID: PG-SM2-3-PEHD-1511

Sample Info: AQJ9K

Volume Injected (uL): 2.0


Column Phase: Rx1-17511 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151205.b\15120512.D



Date : 05-DEC-2015 15:46

Client ID: PG-SMA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0

Operator: JM






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 10800 ug/kg

B



Date : 05-DEC-2015 15:46

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 5790 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0

Operator: JM







Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 3680 ug/kg

Handwritten signature



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

10 Acenaphthylene

Concentration: 1290 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 13200 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0







Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 7290 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0,25

15 Fluorene

Concentration: 19100 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0

Operator: JM








Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 126000 ug/kg

FE



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 24300 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0

Operator: JM








Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 185000 ug/kg

F



Date : 05-DEC-2015 15:46

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 119000 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 32400 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEHD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 28600 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 9230 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

45 Benzo(k)fluoranthene

Concentration: 4100 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

46 Benzo(j)fluoranthene

Concentration: 4480 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

34 Benzo(a)pyrene

Concentration: 7070 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0







Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

37 Indeno(1,2,3-cd)pyrene

Concentration: 1350 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0







Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

39 Benzo(g,h,i)perylene

Concentration: 1480 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SHA2-3-PEHD-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0,25

47 Perylene

Concentration: 1750 ug/kg



Date : 05-DEC-2015 15:46

Client ID: PG-SMA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9K

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

48 Benzo(e)pyrene

Concentration: 5710 ug/kg



Lab ID: AQJ9K

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 15:46

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120513.D
 Lab Smp Id: AQJ9L Client Smp ID: PG-SMA2-3-PEMD-1511
 Inj Date : 05-DEC-2015 16:16 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9L
 Misc Info : 15-21399
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 13
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt/(Ws * (100-M)/100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

EW
12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|--------|--------|---------|---------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.587 | 6.597 | (1.000) | 345794 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.005) | 172736 | 86.4819 | 9720 <i>B</i> | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.148) | 167889 | 130.805 | 14700 | |
| 7 2-Methylnaphthalene | 142 | 7.616 | 7.627 | (1.156) | 90563 | 65.9893 | 7410 | |
| 8 1-Methylnaphthalene | 142 | 7.879 | 7.889 | (1.196) | 60568 | 48.9721 | 5500 | |
| 10 Acenaphthylene | 152 | 9.434 | 9.445 | (0.984) | 35959 | 15.5514 | 1750 | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 286502 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.007) | 922119 | 600.837 | 67500 | |
| 14 Dibenzofuran | 168 | 9.855 | 9.866 | (1.028) | 590342 | 255.341 | 28700 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.094) | 976074 | 562.930 | 63300 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 478323 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 4843873 | 1680.84 | 189000 <i>E</i> | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 786359 | 304.847 | 34300 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.375 | 14.374 | (1.172) | 446287 | 169.660 | 19100 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 4218029 | 1457.86 | 164000 <i>E</i> | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 2695239 | 979.347 | 110000 | |
| 28 Benzo(a)anthracene | 228 | 16.926 | 16.918 | (0.995) | 325631 | 140.543 | 15800 | |
| * 29 Chrysene-d12 | 240 | 17.018 | 17.017 | (1.000) | 347514 | 200.000 | | |
| 30 Chrysene | 228 | 17.067 | 17.059 | (1.003) | 318730 | 125.339 | 14100 | |
| 44 Benzo(b)fluoranthene | 252 | 18.785 | 18.784 | (0.947) | 72087 | 34.4405 | 3870 | |
| 45 Benzo(k)fluoranthene | 252 | 18.833 | 18.833 | (0.949) | 33079 | 13.5621 | 1520 | |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | | |
|----------------------------------|-----------|------------------------|--------|---------|----------|----------------------|------------------|--|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) | |
| 46 Benzo(j)fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 34719 | 15.6263 | 1760 | |
| 34 Benzo(a)pyrene | 252 | 19.640 | 19.630 | (0.990) | 33371 | 16.5201 | 1860 | |
| * 35 Perylene-d12 | 264 | 19.842 | 19.841 | (1.000) | 308933 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 171626 | 137.642 | 15500 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | Compound Not Detected. | | | | | | |
| 38 Dibenzo(a,h)anthracene | 278 | Compound Not Detected. | | | | | | |
| 39 Benzo(g,h,i)perylene | 276 | Compound Not Detected. | | | | | | |
| 47 Perylene | 252 | Compound Not Detected. | | | | | | |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 45692 | 21.6004 | 2430 | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120513.D
 Lab Smp Id: AQJ9L
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21399

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-SMA2-3-PEMD-
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 345794 | 5.46 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 286502 | 19.79 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 478323 | 28.49 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 347514 | 17.92 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 308933 | 18.55 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.11 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9L
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21399

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-SMA2-3-PEMD-1511
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 14700 | 43.60 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 19100 | 56.55 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 15500 | 45.88 | 30-160 |


Date : 05-DEC-2015 16:16
Client ID: PG-SM2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L
Volume Injected (uL): 2.0
Column phase: Rxi-17S11 MS

Operator: JM
Column diameter: 0.25

\\target\share\chem3\nt11.1\20151205.6\15120513.D



Date : 05-DEC-2015 16:16

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0

Operator: JN






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 9720 ug/kg

6



Date : 05-DEC-2015 16:16

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.1

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 7410 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11,i

Sample Info: AQJ9L

Volume Injected (uL): 2.0

Operator: JW







Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 5500 ug/kg

Handwritten signature



Date : 05-DEC-2015 16:16

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

10 Acenaphthylene

Concentration: 1750 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SMA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 67500 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PC-SMA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0

Operator: JM







Column phase: Rxi-17Sil MS

Column diameter: 0.25

Handwritten signature

14 Dibenzofuran

Concentration: 28700 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 63300 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0

Operator: JW








Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 189000 ug/kg

F



Date : 05-DEC-2015 16:16

Client ID: PG-SNA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 34300 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SHA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0

Operator: JW








Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 164000 ug/kg

F



Date : 05-DEC-2015 16:16

Client ID: PG-SHA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 110000 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 15800 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 14100 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SMA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 3970 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

45 Benzo(k)fluoranthene

Concentration: 1520 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

46 Benzo(j)fluoranthene

Concentration: 1760 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SMA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0,25

34 Benzo(a)pyrene

Concentration: 1860 ug/kg



Date : 05-DEC-2015 16:16

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

48 Benzo(e)pyrene

Concentration: 2430 ug/kg



Lab ID: AQJ9L
nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 16:16

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120514.D
 Lab Smp Id: AQJ9M Client Smp ID: PG-SMA2-2-PEMD-1511
 Inj Date : 05-DEC-2015 16:46 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9M
 Misc Info : 15-21400
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 14
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt/(Ws * (100-M)/100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

*80
12/15/15*

| Compounds | QUANT SIG | CONCENTRATIONS | | | | | ON-COLUMN | FINAL |
|------------------------------|-----------|----------------|--------|---------|---------|----------|-----------|---------|
| | | MASS | RT | EXP RT | REL RT | RESPONSE | (ng/mL) | (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.587 | 6.597 | (1.000) | 307876 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.005) | 86533 | 48.6593 | 5470 B | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.148) | 136541 | 119.483 | 13400 | |
| 7 2-Methylnaphthalene | 142 | 7.627 | 7.627 | (1.158) | 58503 | 47.8787 | 5380 | |
| 8 1-Methylnaphthalene | 142 | 7.879 | 7.889 | (1.196) | 35414 | 32.1604 | 3610 | |
| 10 Acenaphthylene | 152 | 9.434 | 9.445 | (0.984) | 23149 | 11.2209 | 1260 | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 255620 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.007) | 198741 | 145.141 | 16300 | |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.029) | 178089 | 86.3348 | 9700 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.094) | 312002 | 201.680 | 22700 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 411968 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 2633370 | 1060.97 | 119000 E | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 377978 | 170.132 | 19100 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.375 | 14.374 | (1.172) | 417025 | 184.071 | 20700 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 2523155 | 1012.53 | 114000 E | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 1610415 | 690.653 | 77600 | |
| 28 Benzo(a)anthracene | 228 | 16.926 | 16.918 | (0.995) | 204081 | 103.960 | 11700 | |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.017 | (1.000) | 294435 | 200.000 | | |
| 30 Chrysene | 228 | 17.067 | 17.059 | (1.003) | 211370 | 98.1047 | 11000 | |
| 44 Benzo(b)fluoranthene | 252 | 18.794 | 18.784 | (0.947) | 48551 | 27.8585 | 3130 | |
| 45 Benzo(k)fluoranthene | 252 | 18.833 | 18.833 | (0.949) | 23456 | 11.5498 | 1300 | |

| Compounds | QUANT SIG | CONCENTRATIONS | | | | | |
|----------------------------------|-----------|------------------------|--------|---------|--------|----------|-------------------|
| | | MASS | RT | EXP RT | REL RT | RESPONSE | ON-COLUMN (ng/mL) |
| 46 Benzo(j) fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 24109 | 13.0321 | 1460 |
| 34 Benzo(a)pyrene | 252 | 19.640 | 19.630 | (0.990) | 27518 | 16.3609 | 1840 |
| * 35 Perylene-d12 | 264 | 19.842 | 19.841 | (1.000) | 257227 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 158599 | 152.762 | 17200 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | Compound Not Detected. | | | | | |
| 38 Dibenzo(a,h)anthracene | 278 | Compound Not Detected. | | | | | |
| 39 Benzo(g,h,i)perylene | 276 | Compound Not Detected. | | | | | |
| 47 Perylene | 252 | Compound Not Detected. | | | | | |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 30933 | 17.5627 | 1970 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120514.D
 Lab Smp Id: AQJ9M
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21400

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-SMA2-2-PEMD
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 307876 | -6.11 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 255620 | 6.87 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 411968 | 10.67 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 294435 | -0.09 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 257227 | -1.29 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.11 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9M
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21400

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-SMA2-2-PEMD-1511
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 13400 | 39.83 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 20700 | 61.36 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 17200 | 50.92 | 30-160 |

Date: 05-DEC-2015 16:46

Client ID: PG-SHA2-2-PEND-1514

Sample Info: AQJ9H

Volume Injected (uL): 2.0


Column phase: Rx1-17S11 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151205.b\15120514.D



Date : 05-DEC-2015 16:46

Client ID: PG-SHA2-2-PEHD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0

Operator: JM






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 5470 ug/kg

B



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Si11 MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 5380 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SHA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0

Operator: JM







Column phase: Rxi-17Sil MS

Column diameter: 0,25

8 1-Methylnaphthalene

Concentration: 3610 ug/kg

Handwritten signature



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

10 Acenaphthylene

Concentration: 1260 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SHA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9H

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 16300 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9H

Volume Injected (uL): 2.0







Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 9700 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SHA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9H

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 22700 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SHA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0

Operator: JN








Column phase: Rxi-17S11 MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 119000 ug/kg

FE



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

20 Anthracene

Concentration: 19100 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0

Operator: JM








Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 114000 ug/kg

E



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 77600 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SHA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 11700 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SHA2-2-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 11000 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Si11 MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 3130 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SHA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

45 Benzo(k)fluoranthene

Concentration: 1300 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9H

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

46 Benzo(j)fluoranthene

Concentration: 1460 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

34 Benzo(a)pyrene

Concentration: 1840 ug/kg



Date : 05-DEC-2015 16:46

Client ID: PG-SMA2-2-PEHD-1511

Instrument: nt11.i

Sample Info: AQJ9M

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

48 Benzo(e)pyrene

Concentration: 1970 ug/kg



Lab ID: AQJ9M

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 16:46

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120515.D
 Lab Smp Id: AQJ90 Client Smp ID: PG-SMA2-1-PEMD-1511
 Inj Date : 05-DEC-2015 17:16 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ90
 Misc Info : 15-21402
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 15
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt/(Ws * (100-M)/100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

*30
12/15/15*

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|---------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.587 | 6.597 | (1.000) | 308997 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.005) | 232085 | 130.033 | 14600 B | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.148) | 180995 | 157.809 | 17700 | |
| 7 2-Methylnaphthalene | 142 | 7.627 | 7.627 | (1.158) | 78241 | 63.8000 | 7170 | |
| 8 1-Methylnaphthalene | 142 | 7.879 | 7.889 | (1.196) | 45123 | 40.8288 | 4590 | |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 253688 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.007) | 124876 | 91.8917 | 10300 | |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.029) | 109401 | 53.4398 | 6000 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.094) | 164251 | 106.981 | 12000 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 419421 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 1810541 | 716.495 | 80500 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 271667 | 120.107 | 13500 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.374 | 14.374 | (1.172) | 498776 | 216.243 | 24300 | |
| 24 Fluoranthene | 202 | 14.413 | 14.403 | (1.175) | 3602352 | 1419.92 | 160000 E | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 2420545 | 1045.56 | 117000 F | |
| 28 Benzo(a)anthracene | 228 | 16.926 | 16.918 | (0.995) | 328208 | 168.394 | 18900 | |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.017 | (1.000) | 292332 | 200.000 | | |
| 30 Chrysene | 228 | 17.067 | 17.059 | (1.003) | 329356 | 153.966 | 17300 | |
| 44 Benzo(b)fluoranthene | 252 | 18.794 | 18.784 | (0.947) | 68482 | 39.9723 | 4490 | |
| 45 Benzo(k)fluoranthene | 252 | 18.833 | 18.833 | (0.949) | 32208 | 16.1327 | 1810 | |

| Compounds | QUANT SIG MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | | |
|----------------------------------|-------------------|------------------------|--------|---------|----------|----------------------|------------------|--|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) | |
| ----- | ---- | ---- | ----- | ----- | ----- | ----- | ----- | |
| 46 Benzo(j) fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 34550 | 18.9979 | 2130 | |
| 34 Benzo(a)pyrene | 252 | 19.640 | 19.630 | (0.990) | 32537 | 19.6785 | 2210 | |
| * 35 Perylene-d12 | 264 | 19.841 | 19.841 | (1.000) | 252868 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 184932 | 181.196 | 20400 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | Compound Not Detected. | | | | | | |
| 38 Dibenzo(a,h)anthracene | 278 | Compound Not Detected. | | | | | | |
| 39 Benzo(g,h,i)perylene | 276 | Compound Not Detected. | | | | | | |
| 47 Perylene | 252 | Compound Not Detected. | | | | | | |
| 48 Benzo(e)pyrene | 252 | 19.534 | 19.524 | (0.985) | 41984 | 24.2480 | 2720 | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120515.D
 Lab Smp Id: AQJ90
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21402

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-SMA2-1-PEMD-
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 308997 | -5.76 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 253688 | 6.07 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 419421 | 12.67 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 292332 | -0.81 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 252868 | -2.97 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.12 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.


RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ90
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21402

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-SMA2-1-PEMD-1511
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 17700 | 52.60 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 24300 | 72.08 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 20400 | 60.40 | 30-160 |

\\target\share\chem3\nt11.i\20151205.6\15120515.D



Date : 05-DEC-2015 17:16

Client ID: PG-SHA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0

Operator: JW






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 14600 ug/kg

B



Date : 05-DEC-2015 17:16

Client ID: PG-SMA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 7170 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 4590 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SHA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 10300 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SNA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0







Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 6000 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SHA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 12000 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SNA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 80500 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SMA2-1-PEHD-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 13500 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SMA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0

Operator: JM








Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 160000 ug/kg

E



Date : 05-DEC-2015 17:16

Client ID: PG-SHA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0

Operator: JM








Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 117000 ug/kg

E



Date : 05-DEC-2015 17:16

Client ID: PG-SHA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 18900 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SHA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 17300 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 4490 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0,25

45 Benzo(k)fluoranthene

Concentration: 1810 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

46 Benzo(j)fluoranthene

Concentration: 2130 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0


Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

34 Benzo(a)pyrene

Concentration: 2210 ug/kg



Date : 05-DEC-2015 17:16

Client ID: PG-SMA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

48 Benzo(e)pyrene

Concentration: 2720 ug/kg



Lab ID: AQJ90

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 17:16

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120516.D
 Lab Smp Id: AQJ9Q Client Smp ID: PG-FB-PEMD-151110
 Inj Date : 05-DEC-2015 17:46 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9Q
 Misc Info : 15-21404
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 16
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

Handwritten: 12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|--------|--------|---------|------------------------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.586 | 6.597 | (1.000) | 348938 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.005) | 751114 | 372.664 | 41900 B | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.148) | 186445 | 143.953 | 16200 | |
| 7 2-Methylnaphthalene | 142 | 7.627 | 7.627 | (1.158) | 722976 | 522.055 | 58700 | |
| 8 1-Methylnaphthalene | 142 | 7.879 | 7.889 | (1.196) | 436114 | 349.442 | 39300 | |
| 10 Acenaphthylene | 152 | 9.434 | 9.445 | (0.984) | 33027 | 14.3255 | 1610 | |
| * 11 Acenaphthene-d10 | 164 | 9.589 | 9.600 | (1.000) | 285660 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.007) | 659079 | 430.711 | 48400 | |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.029) | 518428 | 224.897 | 25300 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.094) | 362319 | 209.576 | 23500 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 466630 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 804293 | 286.086 | 32100 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 38193 | 15.1772 | 1710 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.374 | 14.374 | (1.172) | 484609 | 188.845 | 21200 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 316231 | 112.036 | 12600 | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 170632 | 66.5039 | 7470 | |
| 28 Benzo(a)anthracene | 228 | | | | Compound Not Detected. | | | |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.017 | (1.000) | 323985 | 200.000 | | |
| 30 Chrysene | 228 | | | | Compound Not Detected. | | | |
| 44 Benzo(b)fluoranthene | 252 | | | | Compound Not Detected. | | | |
| 45 Benzo(k)fluoranthene | 252 | | | | Compound Not Detected. | | | |

| Compounds | QUANT SIG MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-------------------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j)fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a)pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.841 | 19.841 | (1.000) | 278293 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.207 | 22.208 | (1.119) | 143120 | 127.418 | 14300 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | | | | Compound Not Detected. | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120516.D
 Lab Smp Id: AQJ9Q
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21404

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-FB-PEMD-1511
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 348938 | 6.42 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 285660 | 19.43 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 466630 | 25.35 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 323985 | 9.93 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 278293 | 6.79 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.59 | -0.12 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | -0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
 Sample Matrix: SOLID
 Lab Smp Id: AQJ9Q
 Level: LOW
 Data Type: MS DATA
 SpikeList File: waterlcs.spk
 Sublist File: PEMD.sub
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21404

Client SDG: AQJ9
 Fraction: SV
 Client Smp ID: PG-FB-PEMD-151110
 Operator: JW
 SampleType: SAMPLE
 Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 16200 | 47.98 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 21200 | 62.95 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 14300 | 42.47 | 30-160 |

Date: 05-DEC-2015 17:46

Client ID: PG-FB-PEND-151110

Sample Info: AQJ9Q

Volume Injected (uL): 2.0


Column phase: Rx1-17S11 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151205.b\15120516.D



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEND-151110

Instrument: nt11.i

Sample Info: AQJ9Q

Volume Injected (uL): 2.0

Operator: JW






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 41900 ug/kg

B



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9Q

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 58700 ug/kg



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9Q

Volume Injected (uL): 2.0







Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 39300 ug/kg



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9Q

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

10 Acenaphthylene

Concentration: 1610 ug/kg



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9Q

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 48400 ug/kg



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ90

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 25300 ug/kg



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9Q

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 23500 ug/kg



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEND-151110

Instrument: nt11.i

Sample Info: AQJ9Q

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 32100 ug/kg



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEMD-151110

Instrument: nt11.1

Sample Info: AQJ9Q

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

20 Anthracene

Concentration: 1710 ug/kg



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEND-151110

Instrument: nt11.i

Sample Info: AQJ9Q

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 12600 ug/kg



Date : 05-DEC-2015 17:46

Client ID: PG-FB-PEND-151110

Instrument: nt11.i

Sample Info: AQJ9Q

Volume Injected (uL): 2.0


Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 7470 ug/kg



Lab ID: AQJ9Q

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 17:46

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAS BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120517.D
 Lab Smp Id: AQJ9R Client Smp ID: PG-TB-PEMD-151110
 Inj Date : 05-DEC-2015 18:16 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : AQJ9R
 Misc Info : 15-21405
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 17
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

Handwritten: 12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|--------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.587 | 6.597 | (1.000) | 335866 | 200.000 | | |
| 5 Naphthalene | 128 | 6.618 | 6.629 | (1.005) | 343155 | 176.882 | 19900 B | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.564 | 7.574 | (1.148) | 163829 | 131.415 | 14800 | |
| 7 2-Methylnaphthalene | 142 | 7.627 | 7.627 | (1.158) | 86393 | 64.8116 | 7280 | |
| 8 1-Methylnaphthalene | 142 | 7.879 | 7.889 | (1.196) | 44451 | 37.0031 | 4160 | |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.601 | 9.600 | (1.000) | 274447 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.006) | 16244 | 11.0492 | 1240 | |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.028) | 22413 | 10.1201 | 1140 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.092) | 21819 | 13.1364 | 1480 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 451003 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 83098 | 30.5820 | 3440 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 51871 | 21.3269 | 2400 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.375 | 14.374 | (1.172) | 444699 | 179.297 | 20100 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 101275 | 37.1235 | 4170 | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 115584 | 46.3762 | 5210 | |
| 28 Benzo(a)anthracene | 228 | Compound Not Detected. | | | | | | |
| * 29 Chrysene-d12 | 240 | 17.018 | 17.017 | (1.000) | 314713 | 200.000 | | |
| 30 Chrysene | 228 | Compound Not Detected. | | | | | | |
| 44 Benzo(b)fluoranthene | 252 | Compound Not Detected. | | | | | | |
| 45 Benzo(k)fluoranthene | 252 | Compound Not Detected. | | | | | | |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j) fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a) pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.842 | 19.841 | (1.000) | 267996 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 149040 | 137.786 | 15500 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | | | | Compound Not Detected. | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120517.D
 Lab Smp Id: AQJ9R
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info: 15-21405

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Client Smp ID: PG-TB-PEMD-1511
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 335866 | 2.43 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 274447 | 14.75 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 451003 | 21.15 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 314713 | 6.79 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 267996 | 2.84 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.59 | -0.16 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | 0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.


RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9R
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
Misc Info: 15-21405

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-TB-PEMD-151110
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 14800 | 43.80 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 20100 | 59.77 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 15500 | 45.93 | 30-160 |

\\target\share\chem3\nt11.1\20151205.6\15120517.D



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEND-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0

Operator: JM






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 19900 ug/kg

B



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEND-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 7280 ug/kg



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0







Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 4160 ug/kg



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 1240 ug/kg



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 1140 ug/kg



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 1480 ug/kg



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

19 Phenanthrene

Concentration: 3440 ug/kg



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

20 Anthracene

Concentration: 2400 ug/kg



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 4170 ug/kg



Date : 05-DEC-2015 18:16

Client ID: PG-TB-PEMD-151110

Instrument: nt11.i

Sample Info: AQJ9R

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 5210 ug/kg



Lab ID: AQJ9R

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 18:16

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: nt11.i Injection Date: 05-DEC-2015 18:46
 Lab File ID: 15120518.D Init. Cal. Date(s): 04-DEC-2015 04-DEC-2015
 Analysis Type: SOIL Init. Cal. Times: 09:03 11:33
 Lab Sample ID: LLSIM CCV 250 Quant Type: ISTD
 Method: \\target\share\chem3\nt11.i\20151205.b\lowsim.m

| COMPOUND | RRF / AMOUNT | RF250 | MIN RRF | %D / %DRIFT | MAX RRF | %D / %DRIFT | CURVE TYPE |
|-------------------------------|--------------|---------|---------|-------------|----------|-------------|------------|
| 15 Naphthalene | 1.15523 | 1.09128 | 0.010 | -5.53592 | 20.00000 | | Averaged |
| 16 2-Methylnaphthalene-d10 | 0.74235 | 0.79876 | 0.010 | 7.59827 | 20.00000 | | Averaged |
| 17 2-Methylnaphthalene | 0.79376 | 0.85162 | 0.010 | 7.28927 | 20.00000 | | Averaged |
| 18 1-Methylnaphthalene | 0.71533 | 0.78379 | 0.010 | 9.56985 | 20.00000 | | Averaged |
| 10 Acenaphthylene | 1.61414 | 1.69011 | 0.010 | 4.70666 | 20.00000 | | Averaged |
| 12 Acenaphthene | 1.07135 | 1.03513 | 0.010 | -3.38081 | 20.00000 | | Averaged |
| 14 Dibenzofuran | 1.61394 | 1.54425 | 0.010 | -4.31762 | 20.00000 | | Averaged |
| 15 Fluorene | 1.21040 | 1.24800 | 0.010 | 3.10562 | 20.00000 | | Averaged |
| 19 Phenanthrene | 1.20497 | 1.14248 | 0.010 | -5.18602 | 20.00000 | | Averaged |
| 20 Anthracene | 1.07857 | 1.14104 | 0.010 | 5.79210 | 20.00000 | | Averaged |
| 23 Fluoranthene-d10 | 1.09988 | 1.16265 | 0.200 | 5.70749 | 20.00000 | | Averaged |
| 24 Fluoranthene | 1.20977 | 1.24484 | 0.010 | 2.89842 | 20.00000 | | Averaged |
| 25 Pyrene | 1.58387 | 1.66686 | 0.010 | 5.24013 | 20.00000 | | Averaged |
| 28 Benzo(a)anthracene | 1.33345 | 1.38038 | 0.010 | 3.52003 | 20.00000 | | Averaged |
| 30 Chrysene | 1.46350 | 1.36878 | 0.010 | -6.47241 | 20.00000 | | Averaged |
| 144 Benzo(b)fluoranthene | 1.35504 | 1.48949 | 0.200 | 9.92191 | 20.00000 | | Averaged |
| 145 Benzo(k)fluoranthene | 1.57904 | 1.50346 | 0.200 | -4.78620 | 20.00000 | | Averaged |
| 146 Benzo(j)fluoranthene | 1.43839 | 1.38630 | 0.200 | -3.62179 | 20.00000 | | Averaged |
| 134 Benzo(a)pyrene | 1.30774 | 1.27626 | 0.010 | -2.40713 | 20.00000 | | Averaged |
| 36 Dibenzo(a,h)anthracene-d14 | 0.80723 | 0.57053 | 0.010 | -29.32311 | 20.00000 | | Averaged<- |
| 37 Indeno(1,2,3-cd)pyrene | 1.37309 | 0.90518 | 0.010 | -34.07697 | 20.00000 | | Averaged<- |
| 38 Dibenzo(a,h)anthracene | 1.08579 | 0.72204 | 0.010 | -33.50149 | 20.00000 | | Averaged<- |
| 39 Benzo(g,h,i)perylene | 1.19199 | 0.67272 | 0.010 | -43.56300 | 20.00000 | | Averaged<- |
| 47 Perylene | 1.35582 | 1.26297 | 0.200 | -6.84822 | 20.00000 | | Averaged |
| 48 Benzo(e)pyrene | 1.36945 | 1.27933 | 0.200 | -6.58027 | 20.00000 | | Averaged |

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151205.b\15120518.D
 Lab Smp Id: LLSIM CCV 250
 Inj Date : 05-DEC-2015 18:46 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM CCV 250
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Meth Date : 14-Dec-2015 10:48 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 2 Continuing Calibration Sample
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JD
12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|------------------------------|-----------|--------|--------|---------|--------|----------|-----------------|----------------|
| | | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | 6.597 | 6.597 | (1.000) | 259155 | 200.000 | | |
| 5 Naphthalene | 128 | 6.639 | 6.639 | (1.006) | 353514 | 250.000 | 236 | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.574 | 7.574 | (1.148) | 258753 | 250.000 | 269 | |
| 7 2-Methylnaphthalene | 142 | 7.637 | 7.637 | (1.158) | 275877 | 250.000 | 268 | |
| 8 1-Methylnaphthalene | 142 | 7.889 | 7.889 | (1.196) | 253903 | 250.000 | 274 | |
| 10 Acenaphthylene | 152 | 9.445 | 9.445 | (0.984) | 470003 | 250.000 | 262 | |
| * 11 Acenaphthene-d10 | 164 | 9.600 | 9.600 | (1.000) | 222472 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.667 | 9.667 | (1.007) | 287860 | 250.000 | 242 | |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.028) | 429441 | 250.000 | 239 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.092) | 347055 | 250.000 | 258 | |
| * 18 Phenanthrene-d10 | 188 | 12.280 | 12.280 | (1.000) | 373365 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.003) | 533201 | 250.000 | 237 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.007) | 532531 | 250.000 | 264 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.374 | 14.374 | (1.171) | 542617 | 250.000 | 264 | |
| 24 Fluoranthene | 202 | 14.413 | 14.413 | (1.174) | 580973 | 250.000 | 257 | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 593653 | 250.000 | 263 | |
| 28 Benzo(a)anthracene | 228 | 16.926 | 16.926 | (0.995) | 491624 | 250.000 | 259 | |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.017 | (1.000) | 284920 | 200.000 | | |
| 30 Chrysene | 228 | 17.067 | 17.067 | (1.003) | 487491 | 250.000 | 234 | |
| 44 Benzo(b)fluoranthene | 252 | 18.785 | 18.785 | (0.947) | 405143 | 250.000 | 275 | |
| 45 Benzo(k)fluoranthene | 252 | 18.833 | 18.833 | (0.949) | 408943 | 250.000 | 238 | |

| Compounds | QUANT SIG | | AMOUNTS | | | | |
|----------------------------------|-----------|--------|---------|---------|----------|--------------------|-------------------|
| | MASS | RT | EXP RT | REL RT | RESPONSE | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| 46 Benzo(j)fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 377075 | 250.000 | 241 |
| 34 Benzo(a)pyrene | 252 | 19.640 | 19.640 | (0.990) | 347145 | 250.000 | 244 |
| * 35 Perylene-d12 | 264 | 19.842 | 19.842 | (1.000) | 217601 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.208 | (1.119) | 155184 | 250.000 | 177 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.341 | 22.341 | (1.126) | 246210 | 250.000 | 165 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.318 | 22.318 | (1.125) | 196395 | 250.000 | 166 |
| 39 Benzo(g,h,i)perylene | 276 | 23.437 | 23.437 | (1.181) | 182981 | 250.000 | 141 |
| 47 Perylene | 252 | 19.909 | 19.909 | (1.003) | 343529 | 250.000 | 233 |
| 48 Benzo(e)pyrene | 252 | 19.534 | 19.534 | (0.985) | 347980 | 250.000 | 234 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120518.D
 Lab Smp Id: LLSIM CCV 250
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151205.b\lowsim.m
 Misc Info:

Calibration Date: 05-DEC-2015
 Calibration Time: 10:30
 Level: LOW
 Sample Type: SOIL

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 259155 | -20.96 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 222472 | -6.99 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 373365 | 0.30 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 284920 | -3.32 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 217601 | -16.50 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | 0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | 0.00 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.28 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Date: 05-DEC-2015 18:46

Client ID:

Instrument: nt11.1

Sample Info: LLSIH CCV 250


Volume Injected (uL): 2.0

Operator: JM

Column phase: Rxi-17S11 MS

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151205.6\15120518.D



Lab ID: LLSIM CCV 250

nt11.i, 20151205.b\lowsim.m, 05-DEC-2015 18:46

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

On Column LOD for nt11.i,20151205.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

Analytical Resources Inc.: Organics Instrument Log

NT-11 Serial No.: GC=US10140004, MS=US10481502

Date: 12/14/15 Analysis: Low PAH Analyst: EW
 GC Program: low SIM Column No: D001724 Column Type: RTi-175iH
 Instrument Tune (.U or .CT.): 150115.U EM Voltage: 1847
 Calibration File: 1501401.D Cali Code: 460008 Injection Vol.: 1ul

| IS/SS | Ical/Ccal | LCS/ICV |
|----------------|----------------|---------|
| <u>D002835</u> | <u>D004412</u> | |
| | <u>D000252</u> | |
| | | |
| | | |
| | | |
| | | |

Document All Maintenance Tasks In Element

| Time | Filename | LabID | ClientID | DP | | | | | | | | | | | | | | |
|---------|------------|-----------|--------------|----|---|------|--------|------|--------|-------|--------|-------|--------|-------|--------|--|--|--|
| 1 0852 | 15121401.D | TUNE 10 | | | 1 | | | | | | | | | | | | | |
| 2 0909 | 15121402.D | LLPAH 250 | | | 1 | 6.61 | 308705 | 9.61 | 225310 | 12.28 | 368978 | 17.03 | 282985 | 19.85 | 241047 | | | |
| 3 0959 | 15121403.D | LLPAH MRL | | | 1 | 6.61 | 273233 | 9.61 | 204199 | 12.29 | 340081 | 17.03 | 356902 | 19.86 | 220992 | | | |
| 4 1042 | 15121404.D | AQJ9I | PG-SMA2-4-PE | 10 | | 6.61 | 296401 | 9.61 | 215875 | 12.28 | 345178 | 17.03 | 254462 | 19.86 | 225792 | | | |
| 5 1112 | 15121405.D | AQJ9K | PG-SMA2-3-PE | 10 | | 6.61 | 301887 | 9.61 | 222712 | 12.28 | 358654 | 17.02 | 272267 | 19.85 | 239176 | | | |
| 6 1142 | 15121406.D | AQJ9L | PG-SMA2-3-PE | 10 | | 6.61 | 298203 | 9.60 | 216970 | 12.28 | 347616 | 17.02 | 262654 | 19.85 | 233657 | | | |
| 7 1212 | 15121407.D | AQJ9M | PG-SMA2-2-PE | 10 | | 6.60 | 291558 | 9.60 | 217109 | 12.28 | 342997 | 17.02 | 253845 | 19.85 | 229648 | | | |
| 8 1242 | 15121408.D | AQJ9O | PG-SMA2-1-PE | 10 | | 6.61 | 295716 | 9.60 | 218344 | 12.28 | 344592 | 17.02 | 257252 | 19.85 | 231462 | | | |
| 9 1313 | 15121409.D | LLPAH CCV | | | 1 | 6.61 | 270472 | 9.61 | 216392 | 12.28 | 358358 | 17.02 | 283003 | 19.85 | 242204 | | | |
| 10 1343 | 15121410.D | D005238 | | | 1 | 6.61 | 285014 | 9.60 | 212740 | 12.28 | 355040 | 17.03 | 265033 | 19.85 | 230015 | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

EW
12/15/15

Every line must contain information or be lined out. Make all entries legible.
 Start a new page for each QC period. Document All Maintenance Tasks In Element

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem3\nt11.i\20151214.b

ARI Job No.: TUNE Method: DFIPP.m Instrument: nt11.i Date: 14-DEC-2015

Time Filename LabID ClientId DF Manually Integrated Compounds

0852 15121401.D TUNE 10 1 NO MANUAL INTEGRATION

0909 15121402.D LLPAH 250 1 NO MANUAL INTEGRATION

0959 15121403.D LLPAH MRL 1 Benzo(e)pyrene,

1042 15121404.D AQJ9I PG-SMA2-4- 10 NO MANUAL INTEGRATION

1112 15121405.D AQJ9K PG-SMA2-3- 10 NO MANUAL INTEGRATION

1142 15121406.D AQJ9L PG-SMA2-3- 10 NO MANUAL INTEGRATION

1212 15121407.D AQJ9M PG-SMA2-2- 10 NO MANUAL INTEGRATION



1242 15121408.D AQJ9O PG-SMA2-1- 10 NO MANUAL INTEGRATION

1313 15121409.D LLPAH CCV 1 NO MANUAL INTEGRATION

AQJ9 : 00414


DFTPP TAILING FACTOR AND BREAKDOWN GRAPHIC REPORT

Datafile Analyzed: /20151214.b/15121401.D/15121401.D
Method Used: \20151214.b\DFTPP.m Inst: nt11
Injection Date: 14-DEC-2015 08:52 Operator: VTS
Sample Info: TUNE 10 TUNE 10
Report Date: 12/14/2015 09:38



AQJ9:00415


Datafile Analyzed: /20151214.b/15121401.D/15121401.D
Method Used: \20151214.b\DFTPP.m\sw846ddt.m Inst: nt11
Injection Date: 14-DEC-2015 08:52 Operator: JR
Sample Info: TUNE 10
Report Date: 12/14/2015 09:38



Pentachlorophenol

=====
Exp. RT = 4.914
Found RT = 4.876

Tail Factor = 1.669 Maximum Allowed = 2.0



Benzidine

=====
Exp. RT = 7.141
Found RT = 7.098

Tail Factor = 0.992 Maximum Allowed = 2.0

8270 TAILING FACTOR/BREAKDOWN SUMMARY RESULTS

TAILING ANALYSIS SUMMARY

| Compound | Tail Factor | Max Allowed | Test |
|-------------------|-------------|-------------|------|
| Pentachlorophenol | 1.6693811 | 2.000 | PASS |
| Benzidine | 0.9924812 | 2.000 | PASS |

DDT DEGRADATION BREAKDOWN ANALYSIS SUMMARY

| Compound | Response | %Breakdown | Max Allowed | Test |
|---------------|----------|------------|-------------|------|
| 4,4-DDT | 1615387 | | | N/A |
| 4,4-DDE | 0 | 0.0 | 20.0 | PASS |
| 4,4-DDD | 305430 | 15.9 | 20.0 | PASS |
| 4,4-DDD + DDE | 305430 | 15.9 | 20.0 | PASS |

Tuning Sample, nt11.i/20151214.b/15121401.D, *** PASSED ***

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 198 | Base Peak, 100% relative abundance | 100.00 |
| 51 | 10.00 - 80.00% of mass 198 | 36.23 |
| 68 | Less than 2.00% of mass 69 | 0.00 (0.00) |
| 69 | Mass 69 relative abundance | 42.67 |
| 70 | Less than 2.00% of mass 69 | 0.37 (0.87) |
| 127 | 10.00 - 80.00% of mass 198 | 47.31 |
| 197 | Less than 2.00% of mass 198 | 0.23 |
| 199 | 5.00 - 9.00% of mass 198 | 7.69 |
| 275 | 10.00 - 60.00% of mass 198 | 27.51 |
| 365 | Greater than 1.00% of mass 198 | 3.39 |
| 441 | 0.01 - 24.00% of mass 442 | 12.81 (15.34) |
| 442 | 50.00 - 200.00% of mass 198 | 83.47 |
| 443 | 15.00 - 24.00% of mass 442 | 17.21 (20.61) |

Data File: 15121401.D
 Spectrum: Avg. Scans 463-465 (4.56), Background Scan 458
 Location of Maximum: 198.00
 Number of points: 227

| m/z | Y | m/z | Y | m/z | Y | m/z | Y |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 38.00 | 4608 | 117.00 | 74232 | 187.00 | 34248 | 256.00 | 76280 |
| 39.00 | 19296 | 118.00 | 4225 | 188.00 | 3139 | 257.00 | 7153 |
| 40.00 | 909 | 122.00 | 6601 | 189.00 | 7245 | 258.00 | 29512 |
| 41.00 | 1885 | 123.00 | 9394 | 190.00 | 1474 | 259.00 | 4831 |
| 43.00 | 699 | 124.00 | 6478 | 191.00 | 5380 | 265.00 | 12688 |
| 44.00 | 4233 | 125.00 | 3411 | 192.00 | 9610 | 271.00 | 1381 |
| 49.00 | 1998 | 126.00 | 1126 | 193.00 | 13965 | 272.00 | 760 |
| 50.00 | 70488 | 127.00 | 357952 | 194.00 | 1866 | 273.00 | 16776 |
| 51.00 | 274176 | 128.00 | 27544 | 196.00 | 25960 | 274.00 | 41880 |
| 52.00 | 13907 | 129.00 | 151808 | 197.00 | 1735 | 275.00 | 208192 |
| 53.00 | 693 | 130.00 | 13207 | 198.00 | 756672 | 276.00 | 31688 |
| 55.00 | 2009 | 131.00 | 1991 | 199.00 | 58192 | 277.00 | 19032 |
| 56.00 | 8684 | 134.00 | 3545 | 200.00 | 4708 | 278.00 | 1368 |
| 57.00 | 21840 | 135.00 | 12477 | 201.00 | 4897 | 283.00 | 707 |
| 61.00 | 4129 | 136.00 | 5693 | 203.00 | 7897 | 284.00 | 1511 |
| 62.00 | 4389 | 137.00 | 5156 | 204.00 | 31672 | 285.00 | 3742 |
| 63.00 | 12948 | 140.00 | 1959 | 205.00 | 53368 | 293.00 | 4575 |
| 64.00 | 1013 | 141.00 | 18288 | 206.00 | 218304 | 296.00 | 57696 |
| 65.00 | 8270 | 142.00 | 5722 | 207.00 | 31704 | 297.00 | 7757 |
| 69.00 | 322880 | 143.00 | 2752 | 208.00 | 6032 | 302.00 | 941 |
| 70.00 | 2803 | 144.00 | 677 | 209.00 | 3628 | 303.00 | 7352 |
| 73.00 | 2616 | 145.00 | 670 | 210.00 | 3722 | 314.00 | 1875 |
| 74.00 | 30832 | 146.00 | 2776 | 211.00 | 9995 | 315.00 | 6374 |
| 75.00 | 55312 | 147.00 | 11307 | 215.00 | 2103 | 316.00 | 5022 |
| 76.00 | 20464 | 148.00 | 20904 | 216.00 | 5440 | 321.00 | 2328 |
| 77.00 | 386176 | 149.00 | 4519 | 217.00 | 55584 | 323.00 | 18440 |
| 78.00 | 28768 | 151.00 | 1837 | 218.00 | 7764 | 324.00 | 3675 |
| 79.00 | 23416 | 152.00 | 1521 | 221.00 | 46040 | 327.00 | 2295 |
| 80.00 | 18920 | 153.00 | 6896 | 222.00 | 4718 | 328.00 | 1737 |
| 81.00 | 27504 | 154.00 | 3335 | 223.00 | 14926 | 332.00 | 693 |
| 82.00 | 8323 | 155.00 | 10669 | 224.00 | 125232 | 334.00 | 10673 |
| 83.00 | 5083 | 156.00 | 16520 | 225.00 | 27664 | 335.00 | 2437 |
| 85.00 | 6279 | 157.00 | 3607 | 226.00 | 3824 | 341.00 | 1490 |
| 86.00 | 10970 | 158.00 | 2632 | 227.00 | 54704 | 346.00 | 4149 |
| 87.00 | 2453 | 159.00 | 3226 | 228.00 | 6250 | 352.00 | 6170 |
| 88.00 | 880 | 160.00 | 4862 | 229.00 | 10261 | 353.00 | 5120 |
| 91.00 | 7549 | 161.00 | 12884 | 230.00 | 1092 | 354.00 | 6737 |
| 92.00 | 8363 | 162.00 | 1712 | 231.00 | 3734 | 355.00 | 699 |
| 93.00 | 46176 | 165.00 | 6199 | 232.00 | 672 | 365.00 | 25672 |
| 94.00 | 4368 | 166.00 | 6102 | 234.00 | 2572 | 366.00 | 2064 |
| 96.00 | 1396 | 167.00 | 35408 | 235.00 | 3501 | 372.00 | 12527 |
| 98.00 | 33672 | 168.00 | 17824 | 236.00 | 1946 | 373.00 | 1750 |
| 99.00 | 21120 | 170.00 | 936 | 237.00 | 3359 | 383.00 | 3100 |
| 100.00 | 2104 | 172.00 | 2728 | 239.00 | 1261 | 390.00 | 1107 |
| 101.00 | 13488 | 173.00 | 4411 | 240.00 | 1135 | 402.00 | 4866 |
| 102.00 | 1866 | 174.00 | 9388 | 241.00 | 1891 | 403.00 | 4672 |
| 103.00 | 5151 | 175.00 | 17112 | 242.00 | 6945 | 404.00 | 1007 |
| 104.00 | 10531 | 176.00 | 4103 | 243.00 | 6397 | 421.00 | 4642 |
| 105.00 | 10479 | 177.00 | 6295 | 244.00 | 96680 | 422.00 | 4372 |

| | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 106.00 | 2427 | 178.00 | 888 | 245.00 | 11779 | 423.00 | 36232 |
| 107.00 | 115896 | 179.00 | 30800 | 246.00 | 18112 | 424.00 | 7916 |
| 108.00 | 18960 | 180.00 | 21704 | 247.00 | 3924 | 441.00 | 96912 |
| 109.00 | 1037 | 181.00 | 10736 | 248.00 | 864 | 442.00 | 631616 |
| 110.00 | 208576 | 182.00 | 2622 | 249.00 | 1920 | 443.00 | 130200 |
| 111.00 | 33344 | 184.00 | 1689 | 252.00 | 722 | 444.00 | 11693 |
| 112.00 | 3267 | 185.00 | 14698 | 253.00 | 2754 | 445.00 | 1093 |
| 116.00 | 5954 | 186.00 | 124872 | 255.00 | 442560 | | |

ARI Labs, Inc.

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: ntl1.i Injection Date: 14-DEC-2015 09:09
 Lab File ID: 15121402.D Init. Cal. Date(s): 04-DEC-2015 04-DEC-2015
 Analysis Type: SOIL Init. Cal. Times: 09:03 11:33
 Lab Sample ID: LLPAH 250 Quant Type: ISTD
 Method: \\target\share\chem3\ntl1.i\20151214.b\lowsim.m

| COMPOUND | RRF / AMOUNT | RF250 | MIN | RRF | %D / %DRIFT | MAX | %D / %DRIFT | CURVE TYPE |
|-------------------------------|--------------|---------|-------|-----------|-------------|----------|-------------|------------|
| 15 Naphthalene | 1.15523 | 1.10446 | 0.010 | -4.39552 | 20.00000 | Averaged | | |
| 16 2-Methylnaphthalene-d10 | 0.74235 | 0.72428 | 0.010 | -2.43389 | 20.00000 | Averaged | | |
| 17 2-Methylnaphthalene | 0.79376 | 0.78791 | 0.010 | -0.73731 | 20.00000 | Averaged | | |
| 18 1-Methylnaphthalene | 0.71533 | 0.70795 | 0.010 | -1.03208 | 20.00000 | Averaged | | |
| 10 Acenaphthylene | 1.61414 | 1.62245 | 0.010 | 0.51516 | 20.00000 | Averaged | | |
| 12 Acenaphthene | 1.07135 | 1.02849 | 0.010 | -4.00127 | 20.00000 | Averaged | | |
| 14 Dibenzofuran | 1.61394 | 1.53426 | 0.010 | -4.93653 | 20.00000 | Averaged | | |
| 15 Fluorene | 1.21040 | 1.19089 | 0.010 | -1.61233 | 20.00000 | Averaged | | |
| 19 Phenanthrene | 1.20497 | 1.12906 | 0.010 | -6.29981 | 20.00000 | Averaged | | |
| 20 Anthracene | 1.07857 | 1.10448 | 0.010 | 2.40232 | 20.00000 | Averaged | | |
| 23 Fluoranthene-d10 | 1.09988 | 1.08711 | 0.200 | -1.16106 | 20.00000 | Averaged | | |
| 24 Fluoranthene | 1.20977 | 1.19735 | 0.010 | -1.02714 | 20.00000 | Averaged | | |
| 25 Pyrene | 1.58387 | 1.55519 | 0.010 | -1.81054 | 20.00000 | Averaged | | |
| 28 Benzo(a)anthracene | 1.33345 | 1.30962 | 0.010 | -1.78719 | 20.00000 | Averaged | | |
| 30 Chrysene | 1.46350 | 1.35821 | 0.010 | -7.19432 | 20.00000 | Averaged | | |
| 144 Benzo(b)fluoranthene | 1.35504 | 1.30088 | 0.200 | -3.99729 | 20.00000 | Averaged | | |
| 145 Benzo(k)fluoranthene | 1.57904 | 1.56424 | 0.200 | -0.93706 | 20.00000 | Averaged | | |
| 146 Benzo(j)fluoranthene | 1.43839 | 1.31929 | 0.200 | -8.28029 | 20.00000 | Averaged | | |
| 134 Benzo(a)pyrene | 1.30774 | 1.24654 | 0.010 | -4.68004 | 20.00000 | Averaged | | |
| 36 Dibenzo(a,h)anthracene-d14 | 0.80723 | 0.62553 | 0.010 | -22.50958 | 20.00000 | Averaged | <- | |
| 137 Indeno(1,2,3-cd)pyrene | 1.37309 | 1.01586 | 0.010 | -26.01591 | 20.00000 | Averaged | <- | |
| 138 Dibenzo(a,h)anthracene | 1.08579 | 0.81836 | 0.010 | -24.63031 | 20.00000 | Averaged | <- | |
| 139 Benzo(g,h,i)perylene | 1.19199 | 0.74995 | 0.010 | -37.08358 | 20.00000 | Averaged | <- | |
| 147 Perylene | 1.35582 | 1.25529 | 0.200 | -7.41428 | 20.00000 | Averaged | | |
| 148 Benzo(e)pyrene | 1.36945 | 1.27781 | 0.200 | -6.69127 | 20.00000 | Averaged | | |

ARI Labs, Inc.

LOW LEVEL PNAS BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151214.b\15121402.D
 Lab Smp Id: LLPAH 250
 Inj Date : 14-DEC-2015 09:09 MS Autotune Date: 23-APR-2014 12:54
 Operator : VTS Inst ID: nt11.i
 Smp Info : LLPAH 250
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Meth Date : 15-Dec-2015 08:23 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 2 Continuing Calibration Sample
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

*SW
12/15/15*

| Compounds | QUANT | SIG | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|------------------------------|-------|-----|--------|--------|---------|----------|--------------------|-------------------|
| | | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.608 | 6.608 | (1.000) | 308705 | 200.000 | |
| 5 Naphthalene | 128 | | 6.639 | 6.639 | (1.005) | 426189 | 250.000 | 239 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.585 | 7.585 | (1.148) | 279488 | 250.000 | 244 |
| 7 2-Methylnaphthalene | 142 | | 7.637 | 7.637 | (1.156) | 304039 | 250.000 | 248 |
| 8 1-Methylnaphthalene | 142 | | 7.889 | 7.889 | (1.194) | 273184 | 250.000 | 247 |
| 10 Acenaphthylene | 152 | | 9.456 | 9.456 | (0.984) | 456944 | 250.000 | 251 |
| * 11 Acenaphthene-d10 | 164 | | 9.611 | 9.611 | (1.000) | 225310 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.667 | 9.667 | (1.006) | 289660 | 250.000 | 240 |
| 14 Dibenzofuran | 168 | | 9.877 | 9.877 | (1.028) | 432106 | 250.000 | 238 |
| 15 Fluorene | 166 | | 10.497 | 10.497 | (1.092) | 335399 | 250.000 | 246 |
| * 18 Phenanthrene-d10 | 188 | | 12.280 | 12.280 | (1.000) | 368978 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.324 | 12.324 | (1.004) | 520746 | 250.000 | 234 |
| 20 Anthracene | 178 | | 12.379 | 12.379 | (1.008) | 509411 | 250.000 | 256 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.384 | 14.384 | (1.171) | 501398 | 250.000 | 247 |
| 24 Fluoranthene | 202 | | 14.413 | 14.413 | (1.174) | 552243 | 250.000 | 247 |
| 25 Pyrene | 202 | | 14.912 | 14.912 | (0.876) | 550119 | 250.000 | 245 |
| 28 Benzo (a) anthracene | 228 | | 16.926 | 16.926 | (0.994) | 463252 | 250.000 | 246 |
| * 29 Chrysene-d12 | 240 | | 17.026 | 17.026 | (1.000) | 282985 | 200.000 | |
| 30 Chrysene | 228 | | 17.075 | 17.075 | (1.003) | 480443 | 250.000 | 232 |
| 44 Benzo (b) fluoranthene | 252 | | 18.794 | 18.794 | (0.947) | 391966 | 250.000 | 240 |
| 45 Benzo (k) fluoranthene | 252 | | 18.842 | 18.842 | (0.949) | 471319 | 250.000 | 248 |

| Compounds | QUANT SIG | | AMOUNTS | | | | |
|-----------------------------------|-----------|--------|---------|---------|----------|--------------------|-------------------|
| | MASS | RT | EXP RT | REL RT | RESPONSE | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| 46 Benzo(j) fluoranthene | 252 | 18.900 | 18.900 | (0.952) | 397514 | 250.000 | 229 |
| 34 Benzo(a) pyrene | 252 | 19.649 | 19.649 | (0.990) | 375593 | 250.000 | 238 |
| * 35 Perylene-d12 | 264 | 19.851 | 19.851 | (1.000) | 241047 | 200.000 | |
| \$ 36 Dibenzo(a,h) anthracene-d14 | 292 | 22.219 | 22.219 | (1.119) | 188477 | 250.000 | 194 |
| 37 Indeno(1,2,3-cd) pyrene | 276 | 22.351 | 22.351 | (1.126) | 306089 | 250.000 | 185 |
| 38 Dibenzo(a,h) anthracene | 278 | 22.329 | 22.329 | (1.125) | 246579 | 250.000 | 188 |
| 39 Benzo(g,h,i) perylene | 276 | 23.448 | 23.448 | (1.181) | 225968 | 250.000 | 157 |
| 47 Perylene | 252 | 19.918 | 19.918 | (1.003) | 378231 | 250.000 | 231 |
| 48 Benzo(e) pyrene | 252 | 19.534 | 19.534 | (0.984) | 385016 | 250.000 | 233 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15121402.D
 Lab Smp Id: LLPAH 250
 Analysis Type: SV
 Quant Type: ISTD
 Operator: VTS
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info:

Calibration Date: 14-DEC-2015
 Calibration Time: 13:13

Level: LOW
 Sample Type: SOIL

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 308705 | -5.85 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 225310 | -5.80 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 368978 | -0.88 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 282985 | -3.98 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 241047 | -7.50 |


| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.61 | 6.11 | 7.11 | 6.61 | 0.00 |
| 11 Acenaphthene-d10 | 9.61 | 9.11 | 10.11 | 9.61 | 0.00 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.28 | 0.00 |
| 29 Chrysene-d12 | 17.03 | 16.53 | 17.53 | 17.03 | 0.00 |
| 35 Perylene-d12 | 19.85 | 19.35 | 20.35 | 19.85 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Client ID:
Sample Info: LLP# 250
Volume Injected (uL): 2.0
Column phase: Rxi-17S11 HS

Instrument: nt11.1
Operator: VTS
Column diameter: 0.25

\\target\share\chem3\nt11.1\20151214.6\15121402.D



REVIEW SUMMARY FOR FILE - 15121402.D

Lab ID: LLPAH 250

nt11.i, 20151214.b\lowsim.m, 14-DEC-2015 09:09

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

On Column LOD for nt11.i,20151214.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000

Exception: Phenanthrene 2.5000

Exception: Anthracene 2.0000

Exception: Pyrene 4.0000

Exception: Benzo(j)fluoranthene 2.5000

Exception: Benzo(a)pyrene 2.0000

Exception: Perylene 3.5000

Exception: Benzo(e)pyrene 2.0000

Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000

Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000

Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151214.b\15121403.D
 Lab Smp Id: LLPAH MRL
 Inj Date : 14-DEC-2015 09:59 MS Autotune Date: 23-APR-2014 12:54
 Operator : VTS Inst ID: nt11.i
 Smp Info : LLPAH MRL
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Meth Date : 15-Dec-2015 08:23 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 3
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt/(Ws * (100-M)/100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

dy
12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|--------|--------|---------|--------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ng/Kg) |
| * 4 Naphthalene-d8 | 136 | 6.608 | 6.608 | (1.000) | 273233 | 200.000 | | |
| 5 Naphthalene | 128 | 6.639 | 6.639 | (1.005) | 17941 | 11.3677 | 568 | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.585 | 7.585 | (1.148) | 11886 | 11.7199 | 586 (R) | |
| 7 2-Methylnaphthalene | 142 | 7.648 | 7.637 | (1.157) | 12282 | 11.3260 | 566 | |
| 8 1-Methylnaphthalene | 142 | 7.900 | 7.889 | (1.196) | 11237 | 11.4985 | 575 | |
| 10 Acenaphthylene | 152 | 9.457 | 9.456 | (0.984) | 19861 | 12.0514 | 603 | |
| * 11 Acenaphthene-d10 | 164 | 9.612 | 9.611 | (1.000) | 204199 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.667 | 9.667 | (1.006) | 12513 | 11.4395 | 572 | |
| 14 Dibenzofuran | 168 | 9.877 | 9.877 | (1.028) | 18756 | 11.3823 | 569 | |
| 15 Fluorene | 166 | 10.497 | 10.497 | (1.092) | 14330 | 11.5956 | 580 | |
| * 18 Phenanthrene-d10 | 188 | 12.291 | 12.280 | (1.000) | 340081 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.324 | 12.324 | (1.003) | 23630 | 11.5328 | 577 | |
| 20 Anthracene | 178 | 12.379 | 12.379 | (1.007) | 22801 | 12.4324 | 622 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.384 | 14.384 | (1.170) | 21651 | 11.5766 | 579 (R) | |
| 24 Fluoranthene | 202 | 14.423 | 14.413 | (1.173) | 23535 | 11.4408 | 572 | |
| 25 Pyrene | 202 | 14.913 | 14.912 | (0.876) | 24101 | 11.8462 | 592 | |
| 28 Benzo(a)anthracene | 228 | 16.935 | 16.926 | (0.995) | 19610 | 11.4489 | 572 | |
| * 29 Chrysene-d12 | 240 | 17.026 | 17.026 | (1.000) | 256902 | 200.000 | | |
| 30 Chrysene | 228 | 17.076 | 17.075 | (1.003) | 21268 | 11.3135 | 566 | |
| 44 Benzo(b)fluoranthene | 252 | 18.804 | 18.794 | (0.947) | 16815 | 11.2304 | 562 | |
| 45 Benzo(k)fluoranthene | 252 | 18.842 | 18.842 | (0.949) | 18332 | 10.5068 | 525 | |

| Compounds | QUANT SIG MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-------------------|--------|--------|---------|----------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ng/Kg) |
| 46 Benzo(j)fluoranthene | 252 | 18.910 | 18.900 | (0.952) | 15807 | 9.94546 | 497 |
| 34 Benzo(a)pyrene | 252 | 19.649 | 19.649 | (0.989) | 14962 | 10.3543 | 518 |
| * 35 Perylene-d12 | 264 | 19.861 | 19.851 | (1.000) | 220992 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.241 | 22.219 | (1.120) | 6557 | 7.35123 | 368 (R) |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.363 | 22.351 | (1.126) | 10658 | 7.02476 | 351 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.352 | 22.329 | (1.125) | 8476 | 7.06475 | 353 |
| 39 Benzo(g,h,i)perylene | 276 | 23.470 | 23.448 | (1.182) | 9212 | 6.99417 | 350 |
| 47 Perylene | 252 | 19.928 | 19.918 | (1.003) | 15601 | 10.4137 | 521 |
| 48 Benzo(e)pyrene | 252 | 19.544 | 19.534 | (0.984) | 16077 | 10.6246 | 531 (M) |

QC Flag Legend

R - Spike/Surrogate failed recovery limits.
 M - Compound response manually integrated.

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15121403.D
 Lab Smp Id: LLPAH MRL
 Analysis Type: SV
 Quant Type: ISTD
 Operator: VTS
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info:

Calibration Date: 14-DEC-2015
 Calibration Time: 09:09

Level: LOW
 Sample Type: SOIL

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 273233 | -16.67 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 204199 | -14.63 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 340081 | -8.64 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 256902 | -12.83 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 220992 | -15.20 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.61 | 6.11 | 7.11 | 6.61 | 0.00 |
| 11 Acenaphthene-d10 | 9.61 | 9.11 | 10.11 | 9.61 | 0.00 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.29 | 0.09 |
| 29 Chrysene-d12 | 17.03 | 16.53 | 17.53 | 17.03 | 0.00 |
| 35 Perylene-d12 | 19.85 | 19.35 | 20.35 | 19.86 | 0.05 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Client SDG: SDGa04420
 Sample Matrix: SOLID Fraction: SV
 Lab Smp Id: LLPAH MRL Operator: VTS
 Level: LOW SampleType: SAMPLE
 Data Type: MS DATA Quant Type: ISTD
 SpikeList File: waterlcs.spk
 Sublist File: PEMD.sub
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info:

| SURROGATE COMPOUND | CONC ADDED ng/Kg | CONC RECOVERED ng/Kg | % RECOVERED | LIMITS |
|--------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 15000 | 586 | 3.91* | 30-160 |
| \$ 23 Fluoranthene-d10 | 15000 | 579 | 3.86* | 30-160 |
| \$ 36 Dibenzo(a,h)anthra | 15000 | 368 | 2.45* | 30-160 |

Date : 14-DEC-2015 09:59

Client ID:

Instrument: nt11.i


Sample Info: LLP#H MRL

Volume Injected (uL): 2.0

Operator: VTS

Column phase: Rxi-17S11 MS

Column diameter: 0.25



Lab ID: LLPAAH MRL
nt11.i, 20151214.b\lowsim.m, 14-DEC-2015 09:59

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151214.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000



Quant Ion Manual Integrations Report

Datafile: //target/share/chem3/nt11.i/20151214.b/15121403.D

Injection Date: 14-DEC-2015 09:59

Lab ID:LLPAH MRL Client ID:

Report Date: 12/15/2015 08:23



ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151214.b\15121404.D
 Lab Smp Id: AQJ9I Client Smp ID: PG-SMA2-4-PEMD-1511
 Inj Date : 14-DEC-2015 10:42 MS Autotune Date: 23-APR-2014 12:54
 Operator : VTS Inst ID: nt11.i
 Smp Info : AQJ9I,10
 Misc Info : 15-21396
 Comment :
 Method : \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Meth Date : 15-Dec-2015 08:23 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 4
 Dil Factor: 10.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt/(Ws * (100-M)/100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 10.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JW
12/15/15

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|----------|-------------------|---------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.608 | 6.608 | (1.000) | 296401 | 200.000 | |
| 5 Naphthalene | 128 | 6.639 | 6.639 | (1.005) | 34422 | 20.1056 | 22600 B |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.585 | 7.585 | (1.148) | 18775 | 17.0655 | 19200 |
| 7 2-Methylnaphthalene | 142 | 7.637 | 7.637 | (1.156) | 14665 | 12.4665 | 14000 |
| 8 1-Methylnaphthalene | 142 | Compound Not Detected. | | | | | |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.611 | 9.611 | (1.000) | 215875 | 200.000 | |
| 12 Acenaphthene | 153 | 9.667 | 9.667 | (1.006) | 64286 | 55.5919 | 62500 |
| 14 Dibenzofuran | 168 | 9.877 | 9.877 | (1.028) | 47921 | 27.5085 | 30900 |
| 15 Fluorene | 166 | 10.497 | 10.497 | (1.092) | 62539 | 47.8683 | 53800 |
| * 18 Phenanthrene-d10 | 188 | 12.280 | 12.280 | (1.000) | 345178 | 200.000 | |
| 19 Phenanthrene | 178 | 12.324 | 12.324 | (1.004) | 398817 | 191.772 | 215000 |
| 20 Anthracene | 178 | 12.379 | 12.379 | (1.008) | 46883 | 25.1857 | 28300 |
| \$ 23 Fluoranthene-d10 | 212 | 14.384 | 14.384 | (1.171) | 48363 | 25.4775 | 28600 |
| 24 Fluoranthene | 202 | 14.422 | 14.413 | (1.174) | 429785 | 205.842 | 231000 |
| 25 Pyrene | 202 | 14.912 | 14.912 | (0.876) | 250282 | 124.199 | 140000 |
| 28 Benzo (a) anthracene | 228 | 16.934 | 16.926 | (0.995) | 24764 | 14.5966 | 16400 |
| * 29 Chrysene-d12 | 240 | 17.026 | 17.026 | (1.000) | 254462 | 200.000 | |
| 30 Chrysene | 228 | 17.075 | 17.075 | (1.003) | 26792 | 14.3886 | 16200 |
| 44 Benzo (b) fluoranthene | 252 | Compound Not Detected. | | | | | |
| 45 Benzo (k) fluoranthene | 252 | Compound Not Detected. | | | | | |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j)fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a)pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.861 | 19.851 | (1.000) | 225753 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.230 | 22.219 | (1.119) | 16513 | 18.1227 | 20400 Q |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | | | | Compound Not Detected. | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15121404.D
 Lab Smp Id: AQJ9I
 Analysis Type: SV
 Quant Type: ISTD
 Operator: VTS
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info: 15-21396

Calibration Date: 14-DEC-2015
 Calibration Time: 09:09
 Client Smp ID: PG-SMA2-4-PEMD-
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 296401 | -9.61 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 215875 | -9.74 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 345178 | -7.27 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 254462 | -13.66 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 225753 | -13.37 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.61 | 6.11 | 7.11 | 6.61 | 0.00 |
| 11 Acenaphthene-d10 | 9.61 | 9.11 | 10.11 | 9.61 | 0.00 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.28 | 0.00 |
| 29 Chrysene-d12 | 17.03 | 16.53 | 17.53 | 17.03 | 0.00 |
| 35 Perylene-d12 | 19.85 | 19.35 | 20.35 | 19.86 | 0.05 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
 Sample Matrix: SOLID
 Lab Smp Id: AQJ9I
 Level: LOW
 Data Type: MS DATA
 SpikeList File: waterlcs.spk
 Sublist File: PEMD.sub
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info: 15-21396


Client SDG: AQJ9
 Fraction: SV
 Client Smp ID: PG-SMA2-4-PEMD-1511
 Operator: VTS
 SampleType: SAMPLE
 Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 19200 | 56.89 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 28600 | 84.92 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 20400 | 60.41 | 30-160 |

Data File: \\target\share\chem3\nt11.1\20151214.0\15121404.D
Date: 14-DEC-2015 10:42
Client ID: PG-SMR-4-PEND-1511
Sample Info: AQJ91.10
Volume Injected (uL): 2.0
Column phase: Rxi-17S11 MS

Instrument: nt11.i
Operator: VTS
Column diameter: 0.25

\\target\share\chem3\nt11.1\20151214.0\15121404.D



Date : 14-DEC-2015 10:42

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I,10

Volume Injected (uL): 2.0

Operator: VTS






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 22600 ug/kg

B



Date : 14-DEC-2015 10:42

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

7 2-Methylnaphthalene

Concentration: 14000 ug/kg



Date : 14-DEC-2015 10:42

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 62500 ug/kg



Date : 14-DEC-2015 10:42

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I,10

Volume Injected (uL): 2.0







Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 30900 ug/kg



Date : 14-DEC-2015 10:42

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 53800 ug/kg



Date : 14-DEC-2015 10:42

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 215000 ug/kg



Date : 14-DEC-2015 10:42

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

20 Anthracene

Concentration: 28300 ug/kg



Date : 14-DEC-2015 10:42

Client ID: PG-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 231000 ug/kg



Date : 14-DEC-2015 10:42

Client ID: PG-SMA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ91.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 140000 ug/kg



Date : 14-DEC-2015 10:42

Client ID: PG-SMA2-4-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9I,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

28 Benzo(a)anthracene

Concentration: 16400 ug/kg



Date : 14-DEC-2015 10:42

Client ID: PC-SHA2-4-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9I,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 16200 ug/kg



Lab ID: AQJ9I

nt11.i, 20151214.b\lowsim.m, 14-DEC-2015 10:42

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151214.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151214.b\15121405.D
 Lab Smp Id: AQJ9K Client Smp ID: PG-SMA2-3-PEMD-1511
 Inj Date : 14-DEC-2015 11:12 MS Autotune Date: 23-APR-2014 12:5
 Operator : VTS Inst ID: nt11.i
 Smp Info : AQJ9K,10
 Misc Info : 15-21398
 Comment :
 Method : \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Meth Date : 15-Dec-2015 08:23 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 5
 Dil Factor: 10.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 10.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

aw
12/15/15

| Compounds | QUANT | SIG | CONCENTRATIONS | | | | | |
|------------------------------|-------|-----|------------------------|--------|---------|----------|---------|---------|
| | | | ON-COLUMN | FINAL | | | | |
| | MASS | | RT | EXP RT | REL RT | RESPONSE | (ng/mL) | (ug/kg) |
| * 4 Naphthalene-d8 | 136 | | 6.608 | 6.608 | (1.000) | 301887 | 200.000 | |
| 5 Naphthalene | 128 | | 6.639 | 6.639 | (1.005) | 22221 | 12.7432 | 14300 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.585 | 7.585 | (1.148) | 20605 | 18.3886 | 20700 |
| 7 2-Methylnaphthalene | 142 | | Compound Not Detected. | | | | | |
| 8 1-Methylnaphthalene | 142 | | Compound Not Detected. | | | | | |
| 10 Acenaphthylene | 152 | | Compound Not Detected. | | | | | |
| * 11 Acenaphthene-d10 | 164 | | 9.611 | 9.611 | (1.000) | 222712 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.667 | 9.667 | (1.006) | 17679 | 14.8187 | 16700 |
| 14 Dibenzofuran | 168 | | Compound Not Detected. | | | | | |
| 15 Fluorene | 166 | | 10.497 | 10.497 | (1.092) | 30292 | 22.4742 | 25300 |
| * 18 Phenanthrene-d10 | 188 | | 12.280 | 12.280 | (1.000) | 358654 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.324 | 12.324 | (1.004) | 392754 | 181.761 | 204000 |
| 20 Anthracene | 178 | | 12.379 | 12.379 | (1.008) | 67741 | 35.0234 | 39400 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.374 | 14.384 | (1.171) | 53107 | 26.9254 | 30300 |
| 24 Fluoranthene | 202 | | 14.413 | 14.413 | (1.174) | 682411 | 314.555 | 353000 |
| 25 Pyrene | 202 | | 14.912 | 14.912 | (0.876) | 379924 | 176.203 | 198000 |
| 28 Benzo(a)anthracene | 228 | | 16.926 | 16.926 | (0.995) | 73623 | 40.5576 | 45600 |
| * 29 Chrysene-d12 | 240 | | 17.017 | 17.026 | (1.000) | 272267 | 200.000 | |
| 30 Chrysene | 228 | | 17.067 | 17.075 | (1.003) | 75914 | 38.1033 | 42800 |
| 44 Benzo(b)fluoranthene | 252 | | 18.794 | 18.794 | (0.947) | 18974 | 11.7090 | 13200 |
| 45 Benzo(k)fluoranthene | 252 | | Compound Not Detected. | | | | | |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j)fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a)pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.851 | 19.851 | (1.000) | 239176 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.219 | 22.219 | (1.119) | 18828 | 19.5037 | 21900 Q |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | | | | Compound Not Detected. | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15121405.D
 Lab Smp Id: AQJ9K
 Analysis Type: SV
 Quant Type: ISTD
 Operator: VTS
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info: 15-21398

Calibration Date: 14-DEC-2015
 Calibration Time: 09:09
 Client Smp ID: PG-SMA2-3-PEMD-
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 301887 | -7.93 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 222712 | -6.88 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 358654 | -3.65 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 272267 | -7.62 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 239176 | -8.22 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.61 | 6.11 | 7.11 | 6.61 | 0.00 |
| 11 Acenaphthene-d10 | 9.61 | 9.11 | 10.11 | 9.61 | 0.00 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.28 | 0.00 |
| 29 Chrysene-d12 | 17.03 | 16.53 | 17.53 | 17.02 | -0.05 |
| 35 Perylene-d12 | 19.85 | 19.35 | 20.35 | 19.85 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT


Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9K
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
Misc Info: 15-21398

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-SMA2-3-PEMD-1511
Operator: VTS
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|--------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 20700 | 61.30 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 30300 | 89.75 | 30-160 |
| \$ 36 Dibenzo(a,h)anthra | 33700 | 21900 | 65.01 | 30-160 |

Date : 14-DEC-2015 11:12
Client ID: PG-SMR2-3-PEND-1511
Sample Info: AQJ9K,10
Volume Injected (uL): 2.0
Column phases: Rxi-17S11 MS

Instrument: nt11.i
Operator: VTS
Column diameter: 0.25



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11,i

Sample Info: AQJ9K,10

Volume Injected (uL): 2.0

Operator: VTS






Column phase: Rxi-17Sil MS

Column diameter: 0,25

5 Naphthalene

Concentration: 14300 ug/kg

B



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 16700 ug/kg



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 25300 ug/kg



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 204000 ug/kg



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

20 Anthracene

Concentration: 39400 ug/kg



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 363000 ug/kg



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 198000 ug/kg



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 45600 ug/kg



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

30 Chrysene

Concentration: 42800 ug/kg



Date : 14-DEC-2015 11:12

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9K,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 13200 ug/kg



Lab ID: AQJ9K

nt11.i, 20151214.b\lowsim.m, 14-DEC-2015 11:12

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151214.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151214.b\15121406.D
 Lab Smp Id: AQJ9L Client Smp ID: PG-SMA2-3-PEMD-1511
 Inj Date : 14-DEC-2015 11:42 MS Autotune Date: 23-APR-2014 12:54
 Operator : VTS Inst ID: nt11.i
 Smp Info : AQJ9L,10
 Misc Info : 15-21399
 Comment :
 Method : \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Meth Date : 15-Dec-2015 08:23 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 6
 Dil Factor: 10.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 10.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

SW
12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|--------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.608 | 6.608 | (1.000) | 298203 | 200.000 | | |
| 5 Naphthalene | 128 | 6.639 | 6.639 | (1.005) | 20393 | 11.8394 | 13300 B | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.585 | 7.585 | (1.148) | 19054 | 17.2145 | 19300 | |
| 7 2-Methylnaphthalene | 142 | Compound Not Detected. | | | | | | |
| 8 1-Methylnaphthalene | 142 | Compound Not Detected. | | | | | | |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.601 | 9.611 | (1.000) | 216970 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.667 | 9.667 | (1.007) | 103329 | 88.9037 | 99900 | |
| 14 Dibenzofuran | 168 | 9.877 | 9.877 | (1.029) | 67605 | 38.6121 | 43400 | |
| 15 Fluorene | 166 | 10.497 | 10.497 | (1.093) | 109321 | 83.2537 | 93500 | |
| * 18 Phenanthrene-d10 | 188 | 12.280 | 12.280 | (1.000) | 347616 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.324 | 12.324 | (1.004) | 679383 | 324.392 | 364000 | |
| 20 Anthracene | 178 | 12.379 | 12.379 | (1.008) | 107316 | 57.2462 | 64300 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.375 | 14.384 | (1.171) | 49825 | 26.0635 | 29300 | |
| 24 Fluoranthene | 202 | 14.413 | 14.413 | (1.174) | 621293 | 295.477 | 332000 | |
| 25 Pyrene | 202 | 14.903 | 14.912 | (0.876) | 362915 | 174.475 | 196000 | |
| 28 Benzo(a)anthracene | 228 | 16.926 | 16.926 | (0.995) | 36723 | 20.9705 | 23600 | |
| * 29 Chrysene-d12 | 240 | 17.018 | 17.026 | (1.000) | 262654 | 200.000 | | |
| 30 Chrysene | 228 | 17.067 | 17.075 | (1.003) | 37953 | 19.7469 | 22200 | |
| 44 Benzo(b)fluoranthene | 252 | Compound Not Detected. | | | | | | |
| 45 Benzo(k)fluoranthene | 252 | Compound Not Detected. | | | | | | |

| Compounds | QUANT SIG MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-------------------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j) fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a)pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.851 | 19.851 | (1.000) | 233657 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.219 | 22.219 | (1.119) | 15918 | 16.8788 | 19000 Q |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | | | | Compound Not Detected. | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15121406.D
 Lab Smp Id: AQJ9L
 Analysis Type: SV
 Quant Type: ISTD
 Operator: VTS
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info: 15-21399

Calibration Date: 14-DEC-2015
 Calibration Time: 09:09
 Client Smp ID: PG-SMA2-3-PEMD-
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 298203 | -9.06 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 216970 | -9.29 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 347616 | -6.62 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 262654 | -10.88 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 233657 | -10.34 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.61 | 6.11 | 7.11 | 6.61 | 0.00 |
| 11 Acenaphthene-d10 | 9.61 | 9.11 | 10.11 | 9.60 | -0.11 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.28 | 0.00 |
| 29 Chrysene-d12 | 17.03 | 16.53 | 17.53 | 17.02 | -0.05 |
| 35 Perylene-d12 | 19.85 | 19.35 | 20.35 | 19.85 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ9L
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
Misc Info: 15-21399

Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-SMA2-3-PEMD-1511
Operator: VTS
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|--------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 19300 | 57.38 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 29300 | 86.88 | 30-160 |
| \$ 36 Dibenzo(a,h)anthra | 33700 | 19000 | 56.26 | 30-160 |

Date: 14-DEC-2015 11:42

Client ID: PG-SHA2-3-PEWD-1511

Sample Info: AQJ9L10


Volume Injected (uL): 2.0

Column Phase: Rxi-17S11 HS

Instrument: ntl1.i

Operator: VTS

Column diameter: 0.25



Date : 14-DEC-2015 11:42

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L10

Volume Injected (uL): 2.0






Operator: VTS

Column phase: Rxi-17Si11 MS

Column diameter: 0.25

5 Naphthalene

Concentration: 13300 ug/kg



Date : 14-DEC-2015 11:42

Client ID: PG-SMA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Si11 MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 99900 ug/kg



Date : 14-DEC-2015 11:42

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L10

Volume Injected (uL): 2.0







Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 43400 ug/kg



Date : 14-DEC-2015 11:42

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

15 Fluorene

Concentration: 93500 ug/kg



Date : 14-DEC-2015 11:42

Client ID: PG-SMA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

19 Phenanthrene

Concentration: 364000 ug/kg



Date : 14-DEC-2015 11:42

Client ID: PG-SHA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 64300 ug/kg



Date : 14-DEC-2015 11:42

Client ID: PG-SMA2-3-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9L,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17S11 MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 332000 ug/kg



Date : 14-DEC-2015 11:42

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 196000 ug/kg



Date : 14-DEC-2015 11:42

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 23600 ug/kg



Date : 14-DEC-2015 11:42

Client ID: PG-SMA2-3-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9L10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 22200 ug/kg



Lab ID: AQJ9L

nt11.i, 20151214.b\lowsim.m, 14-DEC-2015 11:42

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151214.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151214.b\15121407.D
 Lab Smp Id: AQJ9M Client Smp ID: PG-SMA2-2-PEMD-1511
 Inj Date : 14-DEC-2015 12:12 MS Autotune Date: 23-APR-2014 12:54
 Operator : VTS Inst ID: nt11.i
 Smp Info : AQJ9M,10
 Misc Info : 15-21400
 Comment :
 Method : \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Meth Date : 15-Dec-2015 08:23 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 7
 Dil Factor: 10.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 10.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

Handwritten: SW 12/15/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------|------------------------|--------|---------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | | 6.597 | 6.608 | (1.000) | 291558 | 200.000 | |
| 5 Naphthalene | 128 | | Compound Not Detected. | | | | | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.585 | 7.585 | (1.150) | 15981 | 14.7672 | 16600 |
| 7 2-Methylnaphthalene | 142 | | Compound Not Detected. | | | | | |
| 8 1-Methylnaphthalene | 142 | | Compound Not Detected. | | | | | |
| 10 Acenaphthylene | 152 | | Compound Not Detected. | | | | | |
| * 11 Acenaphthene-d10 | 164 | | 9.600 | 9.611 | (1.000) | 217109 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.667 | 9.667 | (1.007) | 20814 | 17.8968 | 20100 |
| 14 Dibenzofuran | 168 | | 9.877 | 9.877 | (1.029) | 20489 | 11.6946 | 13100 |
| 15 Fluorene | 166 | | 10.497 | 10.497 | (1.093) | 34349 | 26.1418 | 29400 |
| * 18 Phenanthrene-d10 | 188 | | 12.280 | 12.280 | (1.000) | 342997 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.324 | 12.324 | (1.004) | 341631 | 165.319 | 186000 |
| 20 Anthracene | 178 | | 12.379 | 12.379 | (1.008) | 52709 | 28.4955 | 32000 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.374 | 14.384 | (1.171) | 49293 | 26.1325 | 29400 |
| 24 Fluoranthene | 202 | | 14.413 | 14.413 | (1.174) | 343693 | 165.656 | 186000 |
| 25 Pyrene | 202 | | 14.903 | 14.912 | (0.876) | 208087 | 103.511 | 116000 |
| 28 Benzo (a) anthracene | 228 | | 16.926 | 16.926 | (0.995) | 23963 | 14.1588 | 15900 |
| * 29 Chrysene-d12 | 240 | | 17.017 | 17.026 | (1.000) | 253845 | 200.000 | |
| 30 Chrysene | 228 | | 17.067 | 17.075 | (1.003) | 26142 | 14.0736 | 15800 |
| 44 Benzo (b) fluoranthene | 252 | | Compound Not Detected. | | | | | |
| 45 Benzo (k) fluoranthene | 252 | | Compound Not Detected. | | | | | |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j) fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a) pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.851 | 19.851 | (1.000) | 229648 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.219 | 22.219 | (1.119) | 17090 | 18.4379 | 20700 G2 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | | | | Compound Not Detected. | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15121407.D
 Lab Smp Id: AQJ9M
 Analysis Type: SV
 Quant Type: ISTD
 Operator: VTS
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info: 15-21400

Calibration Date: 14-DEC-2015
 Calibration Time: 09:09
 Client Smp ID: PG-SMA2-2-PEMD
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 291558 | -11.08 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 217109 | -9.23 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 342997 | -7.86 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 253845 | -13.87 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 229648 | -11.88 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.61 | 6.11 | 7.11 | 6.60 | -0.16 |
| 11 Acenaphthene-d10 | 9.61 | 9.11 | 10.11 | 9.60 | -0.11 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.28 | 0.00 |
| 29 Chrysene-d12 | 17.03 | 16.53 | 17.53 | 17.02 | -0.05 |
| 35 Perylene-d12 | 19.85 | 19.35 | 20.35 | 19.85 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
 Sample Matrix: SOLID
 Lab Smp Id: AQJ9M
 Level: LOW
 Data Type: MS DATA
 SpikeList File: waterlcs.spk
 Sublist File: PEMD.sub
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info: 15-21400

Client SDG: AQJ9
 Fraction: SV
 Client Smp ID: PG-SMA2-2-PEMD-1511
 Operator: VTS
 SampleType: SAMPLE
 Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|--------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 16600 | 49.22 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 29400 | 87.11 | 30-160 |
| \$ 36 Dibenzo(a,h)anthra | 33700 | 20700 | 61.46 | 30-160 |

Date: 14-DEC-2015 12:12

Client ID: PG-SHA2-2-PEND-1511

Sample Info: AQJ9H.10


Volume Injected (uL): 2.0

Column Phase: Rx1-17S11 HS

Instrument: nt11.1

Operator: VTS

Column diameter: 0.25



Date : 14-DEC-2015 12:12

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9H.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 20100 ug/kg



Date : 14-DEC-2015 12:12

Client ID: PG-SHA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M,10

Volume Injected (uL): 2,0







Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

14 Dibenzofuran

Concentration: 13100 ug/kg



Date : 14-DEC-2015 12:12

Client ID: PG-SMA2-2-PEND-1511

Instrument: nt11.i

Sample Info: AQJ9M,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17S11 MS

Column diameter: 0.25

15 Fluorene

Concentration: 29400 ug/kg



Date : 14-DEC-2015 12:12

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 186000 ug/kg



Date : 14-DEC-2015 12:12

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11,i

Sample Info: AQJ9H,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 32000 ug/kg



Date : 14-DEC-2015 12:12

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 186000 ug/kg



Date : 14-DEC-2015 12:12

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

25 Pyrene

Concentration: 116000 ug/kg



Date : 14-DEC-2015 12:12

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.1

Sample Info: AQJ9M,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 15900 ug/kg



Date : 14-DEC-2015 12:12

Client ID: PG-SMA2-2-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ9M,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 15800 ug/kg



Lab ID: AQJ9M

nt11.i, 20151214.b\lowsim.m, 14-DEC-2015 12:12

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151214.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151214.b\15121408.D
 Lab Smp Id: AQJ90 Client Smp ID: PG-SMA2-1-PEMD-1511
 Inj Date : 14-DEC-2015 12:42 MS Autotune Date: 23-APR-2014 12:54
 Operator : VTS Inst ID: nt11.i
 Smp Info : AQJ90,10
 Misc Info : 15-21402
 Comment :
 Method : \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Meth Date : 15-Dec-2015 08:23 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 8
 Dil Factor: 10.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 10.000 | Dilution Factor |
| Vt | 100.000 | Volume of final extract (uL) |
| Ws | 0.89000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

Handwritten: 12/15/15

| Compounds | QUANT | SIG | CONCENTRATIONS | | | | | |
|------------------------------|-------|-----|------------------------|--------|---------|--------|---------|----------|
| | | | ON-COLUMN | FINAL | RT | EXP RT | REL RT | RESPONSE |
| * 4 Naphthalene-d8 | 136 | | 6.608 | 6.608 | (1.000) | 295716 | 200.000 | |
| 5 Naphthalene | 128 | | 6.639 | 6.639 | (1.005) | 28084 | 16.4416 | 18500 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.585 | 7.585 | (1.148) | 20575 | 18.7450 | 21100 |
| 7 2-Methylnaphthalene | 142 | | Compound Not Detected. | | | | | |
| 8 1-Methylnaphthalene | 142 | | Compound Not Detected. | | | | | |
| 10 Acenaphthylene | 152 | | Compound Not Detected. | | | | | |
| * 11 Acenaphthene-d10 | 164 | | 9.600 | 9.611 | (1.000) | 218344 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.667 | 9.667 | (1.007) | 12533 | 10.7155 | 12000 |
| 14 Dibenzofuran | 168 | | Compound Not Detected. | | | | | |
| 15 Fluorene | 166 | | 10.497 | 10.497 | (1.093) | 17083 | 12.9277 | 14500 |
| * 18 Phenanthrene-d10 | 188 | | 12.280 | 12.280 | (1.000) | 344692 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.324 | 12.324 | (1.004) | 220575 | 106.214 | 119000 |
| 20 Anthracene | 178 | | 12.379 | 12.379 | (1.008) | 32657 | 17.5682 | 19700 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.374 | 14.384 | (1.171) | 57265 | 30.2095 | 33900 |
| 24 Fluoranthene | 202 | | 14.413 | 14.413 | (1.174) | 518729 | 248.792 | 280000 |
| 25 Pyrene | 202 | | 14.903 | 14.912 | (0.876) | 324845 | 159.452 | 179000 |
| 28 Benzo(a)anthracene | 228 | | 16.926 | 16.926 | (0.995) | 37447 | 21.8330 | 24500 |
| * 29 Chrysene-d12 | 240 | | 17.017 | 17.026 | (1.000) | 257252 | 200.000 | |
| 30 Chrysene | 228 | | 17.067 | 17.075 | (1.003) | 39613 | 21.0434 | 23600 |
| 44 Benzo(b)fluoranthene | 252 | | Compound Not Detected. | | | | | |
| 45 Benzo(k)fluoranthene | 252 | | Compound Not Detected. | | | | | |

Handwritten: B

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j) fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a) pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 19.851 | 19.851 | (1.000) | 231462 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.219 | 22.219 | (1.119) | 19781 | 21.1739 | 23800 Q |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h)anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i)perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e)pyrene | 252 | | | | Compound Not Detected. | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15121408.D
 Lab Smp Id: AQJ90
 Analysis Type: SV
 Quant Type: ISTD
 Operator: VTS
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info: 15-21402

Calibration Date: 14-DEC-2015
 Calibration Time: 09:09
 Client Smp ID: PG-SMA2-1-PEMI
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 295716 | -9.81 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 218344 | -8.71 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 344692 | -7.40 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 257252 | -12.71 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 231462 | -11.18 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.61 | 6.11 | 7.11 | 6.61 | 0.00 |
| 11 Acenaphthene-d10 | 9.61 | 9.11 | 10.11 | 9.60 | -0.11 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.28 | 0.00 |
| 29 Chrysene-d12 | 17.03 | 16.53 | 17.53 | 17.02 | -0.05 |
| 35 Perylene-d12 | 19.85 | 19.35 | 20.35 | 19.85 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: AQJ90
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
Misc Info: 15-21402


Client SDG: AQJ9
Fraction: SV
Client Smp ID: PG-SMA2-1-PEMD-1511
Operator: VTS
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 33700 | 21100 | 62.48 | 30-160 |
| \$ 23 Fluoranthene-d10 | 33700 | 33900 | 100.70 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 33700 | 23800 | 70.58 | 30-160 |

Data File: \\target\share\chem3\nt11.i\20151214.b\15121408.D
Date: 14-DEC-2015 12:42
Client ID: PG-SM2-1-PEND-1511
Sample Info: AQJ90,10
Volume Injected (uL): 2.0
Column phase: Kx1-17S11 MS

Instrument: nt11.i
Operator: VTS
Column diameter: 0.25

\\target\share\chem3\nt11.i\20151214.b\15121408.D



Date : 14-DEC-2015 12:42

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90,10

Volume Injected (uL): 2.0

Operator: VTS






Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 18500 ug/kg

3



Date : 14-DEC-2015 12:42

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

12 Acenaphthene

Concentration: 12000 ug/kg



Date : 14-DEC-2015 12:42

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

15 Fluorene

Concentration: 14500 ug/kg



Date : 14-DEC-2015 12:42

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 119000 ug/kg



Date : 14-DEC-2015 12:42

Client ID: PG-SMA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 19700 ug/kg



Date : 14-DEC-2015 12:42

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 280000 ug/kg



Date : 14-DEC-2015 12:42

Client ID: PG-SMA2-1-PEND-1511

Instrument: nt11.i

Sample Info: AQJ90.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 179000 ug/kg



Date : 14-DEC-2015 12:42

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90,10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0,25

28 Benzo(a)anthracene

Concentration: 24500 ug/kg



Date : 14-DEC-2015 12:42

Client ID: PG-SMA2-1-PEMD-1511

Instrument: nt11.i

Sample Info: AQJ90.10

Volume Injected (uL): 2.0








Operator: VTS

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 23600 ug/kg



Lab ID: AQJ90

nt11.i, 20151214.b\lowsim.m, 14-DEC-2015 12:42

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

RRT CCV RRT DELTA COMPOUND

NONE

On Column LOD for nt11.i,20151214.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: nt11.i Injection Date: 14-DEC-2015 13:13
 Lab File ID: 15121409.D Init. Cal. Date(s): 04-DEC-2015 04-DEC-2015
 Analysis Type: SOIL Init. Cal. Times: 09:03 11:33
 Lab Sample ID: LLPAH CCV Quant Type: ISTD
 Method: \\target\share\chem3\nt11.i\20151214.b\lowsim.m

| COMPOUND | RRF / AMOUNT | RF250 | MIN | MAX | CURVE TYPE |
|-------------------------------|--------------|---------|-------------------|-------------|------------|
| | | | RRF %D / %DRIFT | %D / %DRIFT | |
| 5 Naphthalene | 1.15523 | 1.09513 | 0.010 -5.20245 | 20.00000 | Averaged |
| 6 2-Methylnaphthalene-d10 | 0.74235 | 0.75802 | 0.010 2.11085 | 20.00000 | Averaged |
| 7 2-Methylnaphthalene | 0.79376 | 0.81563 | 0.010 2.75539 | 20.00000 | Averaged |
| 8 1-Methylnaphthalene | 0.71533 | 0.73931 | 0.010 3.35200 | 20.00000 | Averaged |
| 10 Acenaphthylene | 1.61414 | 1.64000 | 0.010 1.60224 | 20.00000 | Averaged |
| 12 Acenaphthene | 1.07135 | 1.01102 | 0.010 -5.63175 | 20.00000 | Averaged |
| 14 Dibenzofuran | 1.61394 | 1.52624 | 0.010 -5.43333 | 20.00000 | Averaged |
| 15 Fluorene | 1.21040 | 1.20003 | 0.010 -0.85747 | 20.00000 | Averaged |
| 19 Phenanthrene | 1.20497 | 1.12311 | 0.010 -6.79332 | 20.00000 | Averaged |
| 20 Anthracene | 1.07857 | 1.11754 | 0.010 3.61293 | 20.00000 | Averaged |
| 23 Fluoranthene-d10 | 1.09988 | 1.11772 | 0.200 1.62252 | 20.00000 | Averaged |
| 24 Fluoranthene | 1.20977 | 1.22222 | 0.010 1.02923 | 20.00000 | Averaged |
| 25 Pyrene | 1.58387 | 1.55421 | 0.010 -1.87265 | 20.00000 | Averaged |
| 28 Benzo(a)anthracene | 1.33345 | 1.32399 | 0.010 -0.70888 | 20.00000 | Averaged |
| 30 Chrysene | 1.46350 | 1.34780 | 0.010 -7.90620 | 20.00000 | Averaged |
| 44 Benzo(b)fluoranthene | 1.35504 | 1.34277 | 0.200 -0.90558 | 20.00000 | Averaged |
| 45 Benzo(k)fluoranthene | 1.57904 | 1.51917 | 0.200 -3.79135 | 20.00000 | Averaged |
| 46 Benzo(j)fluoranthene | 1.43839 | 1.29128 | 0.200 -10.22802 | 20.00000 | Averaged |
| 34 Benzo(a)pyrene | 1.30774 | 1.24810 | 0.010 -4.56028 | 20.00000 | Averaged |
| 36 Dibenzo(a,h)anthracene-d14 | 0.80723 | 0.62694 | 0.010 -22.33473 | 20.00000 | Averaged<- |
| 37 Indeno(1,2,3-cd)pyrene | 1.37309 | 1.01206 | 0.010 -26.29283 | 20.00000 | Averaged<- |
| 38 Dibenzo(a,h)anthracene | 1.08579 | 0.81387 | 0.010 -25.04389 | 20.00000 | Averaged<- |
| 39 Benzo(g,h,i)perylene | 1.19199 | 0.75105 | 0.010 -36.99176 | 20.00000 | Averaged<- |
| 47 Perylene | 1.35582 | 1.24944 | 0.200 -7.84608 | 20.00000 | Averaged |
| 48 Benzo(e)pyrene | 1.36945 | 1.25496 | 0.200 -8.35985 | 20.00000 | Averaged |

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151214.b\15121409.D
 Lab Smp Id: LLPAH CCV
 Inj Date : 14-DEC-2015 13:13 MS Autotune Date: 23-APR-2014 12:54
 Operator : VTS Inst ID: nt11.i
 Smp Info : LLPAH CCV
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Meth Date : 15-Dec-2015 08:23 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 2 Continuing Calibration Sample
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

Handwritten: JAL 12/15/15

| Compounds | QUANT | SIG | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|------------------------------|-------|-----|--------|--------|---------|----------|-----------------|----------------|
| | | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.608 | 6.608 | (1.000) | 270472 | 200.000 | |
| 5 Naphthalene | 128 | | 6.639 | 6.639 | (1.005) | 370254 | 250.000 | 237 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.585 | 7.585 | (1.148) | 256280 | 250.000 | 255 |
| 7 2-Methylnaphthalene | 142 | | 7.637 | 7.637 | (1.156) | 275757 | 250.000 | 257 |
| 8 1-Methylnaphthalene | 142 | | 7.889 | 7.889 | (1.194) | 249953 | 250.000 | 258 |
| 10 Acenaphthylene | 152 | | 9.457 | 9.457 | (0.984) | 443604 | 250.000 | 254 |
| * 11 Acenaphthene-d10 | 164 | | 9.612 | 9.612 | (1.000) | 216392 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.667 | 9.667 | (1.006) | 273470 | 250.000 | 236 |
| 14 Dibenzofuran | 168 | | 9.877 | 9.877 | (1.028) | 412834 | 250.000 | 236 |
| 15 Fluorene | 166 | | 10.497 | 10.497 | (1.092) | 324595 | 250.000 | 248 |
| * 18 Phenanthrene-d10 | 188 | | 12.280 | 12.280 | (1.000) | 358358 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.324 | 12.324 | (1.004) | 503094 | 250.000 | 233 |
| 20 Anthracene | 178 | | 12.379 | 12.379 | (1.008) | 500598 | 250.000 | 259 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.375 | 14.375 | (1.171) | 500681 | 250.000 | 254 |
| 24 Fluoranthene | 202 | | 14.413 | 14.413 | (1.174) | 547492 | 250.000 | 253 |
| 25 Pyrene | 202 | | 14.903 | 14.903 | (0.876) | 549806 | 250.000 | 245 |
| 28 Benzo(a)anthracene | 228 | | 16.926 | 16.926 | (0.995) | 468368 | 250.000 | 248 |
| * 29 Chrysene-d12 | 240 | | 17.018 | 17.018 | (1.000) | 283003 | 200.000 | |
| 30 Chrysene | 228 | | 17.067 | 17.067 | (1.003) | 476788 | 250.000 | 230 |
| 44 Benzo(b)fluoranthene | 252 | | 18.794 | 18.794 | (0.947) | 406531 | 250.000 | 248 |
| 45 Benzo(k)fluoranthene | 252 | | 18.842 | 18.842 | (0.949) | 459936 | 250.000 | 241 |

| Compounds | QUANT SIG | | AMOUNTS | | | | |
|------------------------------------|-----------|--------|---------|---------|----------|--------------------|-------------------|
| | MASS | RT | EXP RT | REL RT | RESPONSE | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| 46 Benzo (j) fluoranthene | 252 | 18.900 | 18.900 | (0.952) | 390940 | 250.000 | 224 |
| 34 Benzo (a) pyrene | 252 | 19.649 | 19.649 | (0.990) | 377870 | 250.000 | 239 |
| * 35 Perylene-d12 | 264 | 19.851 | 19.851 | (1.000) | 242204 | 200.000 | |
| \$ 36 Dibenzo (a,h) anthracene-d14 | 292 | 22.219 | 22.219 | (1.119) | 189809 | 250.000 | 194 |
| 37 Indeno (1,2,3-cd) pyrene | 276 | 22.341 | 22.341 | (1.125) | 306407 | 250.000 | 184 |
| 38 Dibenzo (a,h) anthracene | 278 | 22.330 | 22.330 | (1.125) | 246403 | 250.000 | 187 |
| 39 Benzo (g,h,i) perylene | 276 | 23.448 | 23.448 | (1.181) | 227384 | 250.000 | 158 |
| 47 Perylene | 252 | 19.909 | 19.909 | (1.003) | 378274 | 250.000 | 230 |
| 48 Benzo (e) pyrene | 252 | 19.534 | 19.534 | (0.984) | 379946 | 250.000 | 229 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15121409.D
 Lab Smp Id: LLPAH CCV
 Analysis Type: SV
 Quant Type: ISTD
 Operator: VTS
 Method File: \\target\share\chem3\nt11.i\20151214.b\lowsim.m
 Misc Info:

Calibration Date: 14-DEC-2015
 Calibration Time: 09:09

Level: LOW
 Sample Type: SOIL

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 270472 | -17.51 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 216392 | -9.53 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 358358 | -3.73 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 283003 | -3.97 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 242204 | -7.06 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.61 | 6.11 | 7.11 | 6.61 | 0.00 |
| 11 Acenaphthene-d10 | 9.61 | 9.11 | 10.11 | 9.61 | 0.00 |
| 18 Phenanthrene-d10 | 12.28 | 11.78 | 12.78 | 12.28 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.85 | 19.35 | 20.35 | 19.85 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Date : 14-DEC-2015 13:13

Client ID:

Instrument: nt11.i

Sample Info: LPPH CCV


Volume Injected (uL): 2.0

Operator: VTS

Column phase: Rxi-17S11 MS

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151214.0\15121409.D



Lab ID: LLPAH CCV

nt11.i, 20151214.b\lowsim.m, 14-DEC-2015 13:13

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

On Column LOD for nt11.i,20151214.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

Table of Contents: ARI Job APR4

Client: Anchor QEA, LLC

Project: 1503880101 Port Gamble Clean-up

| | Page From: | Page To: |
|---|------------|------------|
| Inventory Sheet | <u>1</u> | <u>1</u> |
| Cover Letter | <u>2</u> | <u>19</u> |
| Chain of Custody Documentation | <u>20</u> | <u>29</u> |
| Case Narrative, Data Qualifiers, Control Limits | | |
| SIM PAH Analysis | | |
| Report and Summary QC Forms | <u>30</u> | <u>44</u> |
| Dioxin Analysis | | |
| Report and Summary QC Forms | <u>45</u> | <u>62</u> |
| Metals Analysis | | |
| Report and Summary QC Forms | <u>63</u> | <u>79</u> |
| Lipids | | |
| Report and Summary QC Forms | <u>80</u> | <u>84</u> |
| Subcontracted Analysis | | |
| Report and Summary QC Forms | <u>NA</u> | <u>NA</u> |
| SIM PAH Raw Data | | |
| Extractions Bench Sheets and Notes | <u>85</u> | <u>88</u> |
| Initial Calibration | <u>89</u> | <u>166</u> |
| Run Logs, Continuing Calibrations, and Raw Data | <u>167</u> | <u>250</u> |
| Dioxin Raw Data | | |
| Extractions Bench Sheets and Notes | <u>251</u> | <u>253</u> |
| Initial Calibration | <u>254</u> | <u>365</u> |
| Run Logs, Continuing Calibrations, and Raw Data | <u>366</u> | <u>469</u> |
| Metals Raw Data | | |
| Preparation Bench Sheets and Notes | <u>470</u> | <u>472</u> |
| Run Logs, Calibrations, and Raw Data | <u>473</u> | <u>511</u> |

AV
Signature

January-25-2016
Date



Analytical Resources, Incorporated
Analytical Chemists and Consultants

February 2, 2016

Cindy Fields
Anchor QEA
720 Olive Way, Suite 1900
Seattle, WA 98101

RE: Project: Port Gamble Clean-up, 150388010
ARI Job No.: APR4

Dear Ms. Fields:

Please find enclosed the Chain-of-Custody record (COC), sample receipt documentation, and the final data package for samples from the project referenced above.

Sample receipt and details regarding requested analyses are discussed in the Case Narrative.

An electronic copy of this package will remain on file with ARI. Should you have any questions or problems, please feel free to contact me at your convenience.

Sincerely,

ANALYTICAL RESOURCES, INC.

A handwritten signature in black ink, appearing to read "Cheronne Oreiro".

Cheronne Oreiro
Project Manager
(206) 695-6214
cheronneo@arilabs.com
www.arilabs.com

cc: eFile: APR4

Enclosures

Chain of Custody Documentation

ARI Job ID: APR4

APR4 : 00002

Chain of Custody Record & Laboratory Analysis Request

ARI Assigned Number: **APP 24** Turn-around Requested: **stand and** Page: **1** of **1**

ARI Client Company: **MUNOR QEA** Phone: **206-287-9130** Date: **11/02/15** Ice Present?

Client Contact: **VandyFields** Cooler Temps:

No. of Coolers:

Client Project Name: **Port Gamble Clean-up**

Client Project #: **150388 0101** Samplers: **J. Floer**

| Sample ID | Date | Time | Matrix | No. Containers |
|-----------------------------|-----------------|-------------|-------------|----------------|
| P6-T6-MUS-COC-151030 | 10/30/15 | 1500 | home | 1 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Analysis Requested * | No. of Containers | Date | Time | Matrix | No. Containers | Notes/Comments |
|----------------------|-------------------|-----------------|-------------|-------------|----------------|---|
| Lipids | X | 11/02/15 | 1128 | 1128 | 1 | submit & minimize send out to site for P6 container analysis |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Comments/Special Instructions: ***archive frozen with 1 additional mouse / sample same submitted at Dec 2015**

Relinquished by: **JAF** (Signature) Received by: **W** (Signature)

Printed Name: **Sanna Floer** Company: **ARI** Company: **ARI**

Date & Time: **11/02/15 1128** Date & Time: **11/02/15 1128**

Analytical Resources, Incorporated
 Analytical Chemists and Consultants
 4611 South 134th Place, Suite 100
 Tukwila, WA 98168
 206-695-6200 206-695-6201 (fax)
 www.arilabs.com



Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, not withstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



Cooler Receipt Form

ARI Client: Anchor

Project Name: Port Gamble Clean-up

COC No(s): _____ (NA)

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: ARP4

Tracking No: _____ (NA)

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of to cooler? YES NO

Were custody papers included with the cooler? YES YES NO

Were custody papers properly filled out (ink, signed, etc.) YES YES NO

Temperature of Cooler(s) (°C) (recommended 2.0-6.0 °C for chemistry) 5.2

Time: _____

Temp Gun ID#: DO02505

If cooler temperature is out of compliance fill out form 00070F

Cooler Accepted by: W Date: 11/2/15 Time: 1120

Complete custody forms and attach all shipping documents

Log-In Phase:

Was a temperature blank included in the cooler? YES NO

What kind of packing material was used? ... Bubble Wrap Wet Ice Gel Packs Baggies Foam Block Paper Other: foil

Was sufficient ice used (if appropriate)? NA YES NO

Were all bottles sealed in individual plastic bags? YES NO

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs)... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? YES NO

Date VOC Trip Blank was made at ARI: NA YES Date/Time: _____ Equipment: _____ Split by: _____


Samples Logged by: W Date: 11/2/15 Time: 1120

**** Notify Project Manager of discrepancies or concerns ****

| Sample ID on Bottle | Sample ID on COC | Sample ID on Bottle | Sample ID on COC |
|---------------------|------------------|---------------------|------------------|
| | | | |
| | | | |
| | | | |

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



- Small → "sm" (< 2 mm)
- Peabubbles → "pb" (2 to < 4 mm)
- Large → "lg" (4 to < 6 mm)
- Headspace → "hs" (> 6 mm)

Daily Log

Anchor QEA, L.L.C.
 720 Olive Way, Suite 1900
 Seattle, WA 98101
 Phone 206.287.9130 Fax 206.287.9131



PROJECT NAME: PG Clean-up
 SITE ADDRESS: _____

DATE: 10/29/15

PERSONNEL: J. Flower, Mike + Rony (on boat)

WEATHER: Overcast + calm WIND FROM:

| | | | | | | | |
|-------|----|---------------|----|------|----|---|----|
| N | NE | E | SE | S | SW | W | NW |
| SUNNY | | <u>CLOUDY</u> | | RAIN | | | ? |

 LIGHT: Light MEDIUM: _____ HEAVY: _____
 TEMPERATURE: _____ °F _____ °C (Circle appropriate units)

| TIME | COMMENTS |
|-----------|--|
| 0700 | Arrive Salisbury Park boat ramp |
| 0800 | Arrive SMA-1 dock + loaded cages + conducted H&S + daily plan |
| 0830 | departed SMA-1 dock, headed to mussel pen |
| 0845 | collected mussels for 2 locations - headed to GP-1 |
| 0900 | Arrive GP-1 + deployed 3 cages w/ mussels (PEMOs in 2 cages) |
| 1000 | left GP-1 + headed to PJ-1 |
| 1030 | Arrive PJ-1 + deployed 3 cages w/ mussels (PEMOs in 2 cages) |
| 1130 | left PJ-1 headed to SMA-1 dock to pln more cages |
| 1145 | arrived SMA-1 dock pln cages + David + went to mussel pen to get more mussels |
| 1200 | headed to WS-1 |
| 1210 | Arrive WS-1 + deployed 3 cages w/ mussels (PEMOs in 2 cages) |
| 1251 | Departed WS-1 + headed to net pen to pln more mussels + then to SMA dock |
| 1315 | Arrive SMA dock to pln another cage set. |
| 1340 | Arrive SMA-2-5 + deployed 3 cages w/ mussels (PEMOs in 2 cages) offset anchor rigged location south of construction (SMA) |
| 1430 | finished SMA-2-5 + headed to SMA-2-4 |
| 1500/1445 | arrive SMA-2-4 + deployed 3 cages w/ mussels (PEMOs 2 cages) |
| 1530/1520 | finished at SMA-2-4 + headed to net pen to pln more mussels |
| 1600 | back to SMA dock + set up cages for SMA-2-3 |
| 1620 | arrive SMA-2-3 + deployed 3 cages w/ mussels (PEMOs 2 cages) |
| 1645 | finish w/ deploying at SMA-2-3 + re. turned to SMA dock |
| 1700 | left SMA dock - returned to Salisbury Pt Park |

End of day
 at 10/29/15

Signature: J. Flower

Daily Log



Anchor QEA, L.L.C.
 720 Olive Way, Suite 1900
 Seattle, WA 98101
 Phone 206.287.9130 Fax 206.287.9131

PROJECT NAME: P6 Clean-up

DATE: 10/30/15

SITE ADDRESS: _____

PERSONNEL: J. F. [unclear], Mike + Chris Jones

WEATHER: Overcast

WIND FROM:

| | | | | | | | |
|-------|--------|------|----|---|----|---|-----------|
| N | NE | E | SE | S | SW | W | <u>NW</u> |
| SUNNY | CLOUDY | RAIN | | | | | ? |

LIGHT | MEDIUM | HEAVY

TEMPERATURE: _____ °F _____ °C
(Circle appropriate units)

| TIME | COMMENTS |
|------|---|
| 1230 | began mussel deployment by picking up mussels from net pen + loading 1st set of cages |
| 1245 | departed SMA dock + headed to location SMA-2-2 deployed 3 mussel cages (PEMDs 2 cages) |
| 1315 | cost opened trip blank PEMD for 5 min while deployment ^{was} in progress. |
| 1320 | headed back to SMA dock + set up cages for SMA-2-1 |
| 1410 | Deployed 3 mussel cages at SMA-2-1 |
| 1440 | Returned to SMA dock |
| 1445 | Arrived SMA dock + unloaded |
| 1500 | created type O mussel sample (#101, 58, 19, 142) |
| 1530 | Mussel deployment + demobilization - End of day note: T-O mussels to be submitted to ARI on Monday |

J. M. F.
 10/30/15

Signature: _____

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|--------------------------------------|--|
| Station ID: <u>GP-1</u> | Weather: <u>cloudy</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>12.8</u> <small>After lead line of fathometer</small> |
| Time: <u>0900</u> | Tide height (ft MLLW) (B): <u>+9.6</u> <small>flood or ebb</small> |
| Latitude/Easting: <u>on target</u> | Water Depth (ft MLLW) (A-B): <u>3.2</u> |
| Longitude/Northing: <u>on target</u> | |
| Field Staff: <u>JMF, MT, RD</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

^{9A}
^{subtle}
 yellow buoys have PEMDs, red/white ~~of state~~ = non PEMD
 GP-1 cage 1 - 77, 117, 75, 118 ^{9A} cage 2 bag #'s - 115, 116, 7, 79
 bag #'s
 cage 3 bag # - 119, 76, 120, 1

JF
 10/29/15

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

down west of Mike's house + east of net pen
 halfway between the shore line + net pens

JF 10/29/15

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|--|---|
| Station ID: <u>PJ-1</u> | Weather: <u>cloudy</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>9.5</u> lead line of <u>fathometer</u> |
| Time: <u>10:30</u> | Tide height (ft MLLW) (B): <u>17.2</u> flood or <u>ebb</u> |
| Latitude/Easting: <u>315796.32</u> | Water Depth (ft MLLW) (A-B): <u>2.3</u> |
| Longitude/Northing: <u>1212999.16</u> | |
| Field Staff: <u>J. Plover, Bory + Mike</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

non-PEMD = red/white buoy ; yellow or white buoy = PEMD
 cage 1 (no PEMD) bag #'s - 155, 4, 80, 157
 cage 2 (PEMD) bag #'s - 158, 3, 156, 78
 cage 3 (PEMD) bag #'s - 2, 160, 159, 74

JA
10/29/15

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

due west of church (Pg) + NE of turquoise house, due south of Point Julia light post. Moved location 100ft SW to deeper location.

JA
10/29/15

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|---|
| Station ID: <u>WS-1</u> | Weather: <u>partially cloudy</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>7.0</u> lead line or <u>fathometer</u> |
| Time: <u>1210</u> | Tide height (ft MLLW) (B): <u>5.0</u> flood or ebb |
| Latitude/Easting: <u>312185.73</u> | Water Depth (ft MLLW) (A-B): <u>2ft</u> |
| Longitude/Northing: <u>1210499.80</u> | |
| Field Staff: <u>S. Plover, Rory, Mike</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Cage 1 - 8, 153, 152, 5
bag #'s

Cage 2 - 113, 73, 71, 112
bag #'s

Cage 3 - 114, 10, 72, 154
bag #'s

PEMDs in cages w/
white or yellow buoys
Red/white buoy - no PEMD

~~87 10/29/15~~

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

WS-1 moved east from original location to deeper water ~ 200ft.
due south of construction, east of cable crossing sign
150ft east of pilings

~~87 10/29/15~~

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|---|
| Station ID: <u>SMA-2-5</u> | Weather: <u>Overcast</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>16.0</u> lead line or fathometer |
| Time: <u>1340</u> | Tide height (ft MLLW) (B): <u>5.2</u> flood or ebb |
| Latitude/Easting: <u>on target</u> | Water Depth (ft MLLW) (A-B): <u>10.8</u> |
| Longitude/Northing: <u>on target</u> | |
| Field Staff: <u>J. Plover, Rory, M. Kie D. Gillingham</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Offset location with one ^{white} buoy marker. PEMD cage lines marked w/ 21pties.

Cage 1 buoy# - 106, 107, 65, 17

Cage 2 buoy# - 66, 108, 147, 12

Cage 3 buoy# - 110, 14, 67, 148

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

Pue west of shoreline w/ 4 evergreen trees, SW of shore line

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|--|
| Station ID: <u>SMA-2-4</u> | Weather: <u>overcast</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>37.7</u> lead line or <u>fathometer</u> |
| Time: <u>1515</u> | Tide height (ft MLLW) (B): <u>+7.1</u> <u>flood</u> or ebb |
| Latitude/Easting: <u>1211825.49</u> | Water Depth (ft MLLW) (A-B): <u>37.7</u> <u>30.6</u> |
| Longitude/Northing: <u>315378.62</u> | <u>87</u> |
| Field Staff: <u>J. Plover, Mike, Rory</u> <u>D. Gillingham</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Cage 1 - 69, 70, 109, 151
 Cage 2 - 146, 113, 111, 11
 Cage 3 - 150, 68, 6, 149

off set location w/
 zip ties on lines for cages
 w/ PEMDs. One buoy
 94

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

due east of beige house + due west of turquoise house

Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|--|
| Station ID: <u>SMA-7-3</u> | Weather: <u>overcast</u> |
| Date: <u>10/29/15</u> | Water Depth (ft) (A): <u>45.5</u> lead line or <u>fathometer</u> |
| Time: <u>1620</u> | Tide height (ft MLLW) (B): <u>8.7</u> <u>flood</u> or ebb |
| Latitude/Easting: <u>1211898.18</u> | Water Depth (ft MLLW) (A-B): <u>36.8</u> |
| Longitude/Northing: <u>315098.12</u> | |
| Field Staff: <u>J. Florer, Rory, Mike</u> <u>D. Gillingham</u> | |

DESCRIPTION OF CAGE DEPLOYMENT


e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Cage 1 - 16, 15, 144, 105
 Cage 2 - 103, 62, 184, 63
 Cage 3 - 64, 143, 145, 18

offset anchor rigging
 set-up w/ 1 white buoy
 due to strong wind from the
 north engine was left on +
 bowed into wind to stay on
 location. PEMD were upwind
 of engine.

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity



Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|--|---|
| Station ID: <u>SMA-2-2</u> | Weather: <u>overcast</u> |
| Date: <u>10/30/15</u> | Water Depth (ft) (A): <u>49.5</u> lead line or fathometer |
| Time: <u>1320</u> | Tide height (ft MLLW) (B): <u>+5.4</u> flood or ebb |
| Latitude/Easting: <u>89 29 22 S 121 26 55.76 W</u> | Water Depth (ft MLLW) (A-B): <u>44.1</u> |
| Longitude/Northing: <u>± 316 263.11</u> | |
| Field Staff: <u>J. Fløer, Mike Chris Jones</u> | |

DESCRIPTION OF CAGE DEPLOYMENT


e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Cage 1 - 137, 59, 97, 24
Cage 2 - 25, 139, 56, 96
Cage 3 - 98, 140, 23, 60

offset system w/ one buoy (white)

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity



Caged Bivalve Deployment



Project: Shellfish Monitoring Plan Port Gamble Bay Cleanup

Project Number: 130388-01.02

| | |
|---|---|
| Station ID: <u>SMA-2-1</u> | Weather: <u>overcast</u> |
| Date: <u>10/30/15</u> | Water Depth (ft) (A): <u>44</u> lead line or fathometer |
| Time: <u>1410</u> | Tide height (ft MLLW) (B): <u>+5.4</u> flood or ebb |
| Latitude/Easting: <u>on target</u> | Water Depth (ft MLLW) (A-B): <u>39</u> |
| Longitude/Northing: <u>"</u> | |
| Field Staff: <u>J. Flower, Mike + Chris Jones</u> | |

DESCRIPTION OF CAGE DEPLOYMENT

e.g., deployment design (offset, anchor/rigging system), how to identify the cages with PEMDs, type of mussels placed in the cages

Cage 1 - 61, 21, 136, 99
Cage 2 - 141, 22, 55, 100
Cage 3 - 102, 20, 57, 138

yellow marker buoy
offset system

LOCATION DESCRIPTION

e.g., nearby landmarks/feature/facility and approximate distance, hydrologic observations such as flow, currents and direction, wave action, vessel activity

East of green water tower, west of light pole at Point Julia boat launch



DAILY SAFETY BRIEFING

Date: 10/29/15
 Project Name: P6 Cleanup
 Project No: 1503880101 tasks

Person Conducting Meeting: J. Flower Health and Safety Officer: C. Correll Project Manager: N. Solinsky

Topics Covered:

- Emergency Procedures and Evacuation Route
- Directions to Hospital
- HASP Review and Location
- Safety Equipment Location
- Proper Safety Equipment Use
- Employee Right-to-Know/MSDS Location
- Fire Extinguisher Location
- Eye-wash Station Location
- Buddy System
- Self and Coworker Monitoring
- Lines of Authority
- Communication
- Site Security
- Vessel Safety Protocols
- Work Zones
- Vehicle Safety and Driving/Road Conditions
- Equipment Safety and Operation
- Proper Use of PPE
- Decontamination Procedures
- Other:
- Lifting Techniques
- Slips, Trips, and Falls
- Hazard Exposure Routes
- Heat and Cold Stress
- Overhead and Underfoot Hazards
- Chemical Hazards
- Flammable Hazards
- Biological Hazards
- Eating/Drinking/Smoking

Weather conditions:
Overcast, no wind

Daily work scope:
deployment of SMP

Site-specific hazards:
water, ropes

Safety comments:
be careful w/entanglement

| Attendees | |
|------------------|-----------|
| Printed Name | Signature |
| Jama Flower | |
| David Billingham | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



DAILY SAFETY BRIEFING

Date: 10/29/15
 Project Name: PG Clean-up
 Project No: 15038901 tasks

Person Conducting Meeting: J. Florer Health and Safety Officer: C. Tarrell Project Manager: N. Saccorsy

Topics Covered:

- Emergency Procedures and Evacuation Route
- Directions to Hospital
- HASP Review and Location
- Safety Equipment Location
- Proper Safety Equipment Use
- Employee Right-to-Know/MSDS Location
- Fire Extinguisher Location
- Eye-wash Station Location
- Buddy System
- Self and Coworker Monitoring
- Lines of Authority
- Communication
- Site Security
- Vessel Safety Protocols
- Work Zones
- Vehicle Safety and Driving/Road Conditions
- Equipment Safety and Operation
- Proper Use of PPE
- Decontamination Procedures
- Other:
- Lifting Techniques
- Slips, Trips, and Falls
- Hazard Exposure Routes
- Heat and Cold Stress
- Overhead and Underfoot Hazards
- Chemical Hazards
- Flammable Hazards
- Biological Hazards
- Eating/Drinking/Smoking

| |
|--|
| Weather conditions: |
| <u>overcast</u> |
| Daily work scope: |
| <u>vessel cage deployment</u> |
| Site-specific hazards: |
| <u>falling over board + entanglement w/ropes</u> |
| Safety comments: |
| <u>keep an eye out for vessel traffic wake</u> |

| Attendees | |
|------------------|------------------|
| Printed Name | Signature |
| <u>J. Florer</u> | <u>J. Florer</u> |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



ARI Job No.: ATSφ / APR4

Client ID: Anchor QEA

Parameter: Tissue Prep

Client Project: Port Gamble Clean-up

Matrix: Filter bag (tissue) other

Samples were rinsed with D-I Water to remove any sand, seaweed, etc., then shelled, homogenized and blended.
Sample weights after prep are as follows.

| | | | |
|--|-------------------------|--|---------------|
| (H) ATSφ A = 431.15g | (H) ATSφ B = 670.25 | 1:1 (T)/(H) ATSφ C ¹ = 587.54 | * SEE NOTES |
| (T) ↓ = 320.70g | (T) ↓ = 715.94 | 1:1 (H)/(T) ↓ C ² = 497.37 | |
| (H) ATSφ D = 594.16g | (H) ATSφ E = 564.11 | (H) ATSφ F = 489.40 | |
| (T) ↓ = 580.71g | (T) ↓ = 567.77 | (T) ↓ = 589.84 | |
| (H) APR4 A = 225.18 | | | |
| (T) ↓ = 227.55 | | | |
| ATSφ C (Hybrid only) - ARCHIVE = 189.36g Schucked | | | |
| ATSφ C = Approximately 21 HYBRID WERE ADDED TO THE SCHUCKED TRUSSULUS JAR. AN ADDITIONAL 54 SCHUCKED HYBRID WERE THEN ADDED TO THE TRUSSULUS TO HAVE A MORE 50/50 MIX OF EACH SPECIES. | | | |
| 14 HRS (2 TESTS) | | | |
| Pre-Dry Prep Time: <u>1/2/11</u> | Analyst/Date: <u>TH</u> | Post-Dry Prep Time: | Analyst/Date: |
| Special Instructions: | | Balance ID: <u>B334705934</u> | |

(8270) PNA Filter Bag:

- Follow prep and extraction instructions on bench sheet.

Small PCB Filter Bag:

1. Weigh wet filter bag and record weight on blue prep sheet.
2. Any solids splits taken at this time. (Record weights on blue prep sheet).
3. Filter bags are dried overnight by attaching them to the drying apparatus (wrapped in aluminum foil in a tube shape).
4. Re-weigh dried samples and record weight on blue prep sheet.
5. Cut off plastic rings and record weights on blue prep sheet.
6. Record sample dry weights without plastic rings on blue prep sheet and bench sheet.
7. Roll up filter bag and place in labeled 32oz jars.
8. Add Hexane until jar is half full.
9. Add 20g sodium sulfate to filter bag in jar.
10. Blanks=Weigh 10g Sodium Sulfate into labeled 32oz jars. Add Hexane until jar is 1/4 full.
11. Add surr/spike.
12. Tighten lids and place in large ziplock bags.
13. Tumble for 12 hours (min 6 hours).
14. Record "prep time" on blue prep sheet.
15. KD (normal drying columns) on 100°C water bath.
16. Turbovap to approx. 4mL.
17. Vial with Hexane at 5mL in scintillation vials for required cleanups. (Acid/Sulfur/SPE).
18. Pre-SPE Screen 1mL. (Note: Determination of Required SPE cleanup is based on Pre-SPE Screen.
19. After cleanups: TurboVap and vial 1mL in Hexane.

Large PCB Filter Bag instructions on the back of this prep sheet. (Turn over)



ARI Job No.: ATSΦ / APR4

Client ID: Anchor QEA

Parameter: Sample Compositing

Client Project: Port Gambler Clean-up

Matrix: Filter bag/tissue (other)

Sample Component Weights for Composites.

| | |
|---|----------------------------------|
| ATSΦ A (H) = 25Φ.35 (T) = 25Φ.25 | ATSΦ B (H) = 25Φ.49 (T) = 25Φ.29 |
| ATSΦ C (H) = 25Φ. (T) = 25Φ.34 | ATSΦ D (H) = 25Φ.51 (T) = 25Φ.86 |
| ATSΦ E (H) = 25Φ.56 (T) = 25Φ.22 | ATSΦ F (H) = 25Φ.17 (T) = 25Φ.50 |
| APR4 A (H) = 1ΦΦ.26 (T) = 1ΦΦ.41 | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | | | | |
|------------------------------------|---|---------------------|---------------|-------------|
| Pre-Dry Prep Time: <u>1.15 hrs</u> | Analyst/Date: <u>[Signature] 01/13/16</u> | Post-Dry Prep Time: | Analyst/Date: | Balance ID: |
|------------------------------------|---|---------------------|---------------|-------------|

(8270) PNA Filter Bag:

1. Follow prep and extraction instructions on bench sheet.

Small PCB Filter Bag:

1. Weigh wet filter bag and record weight on blue prep sheet.
2. Any solids splits taken at this time. (Record weights on blue prep sheet).
3. Filter bags are dried overnight by attaching them to the drying apparatus (wrapped in aluminum foil in a tube shape).
4. Re-weigh dried samples and record weight on blue prep sheet.
5. Cut off plastic rings and record weights on blue prep sheet.
6. Record sample dry weights without plastic rings on blue prep sheet and bench sheet.
7. Roll up filter bag and place in labeled 32oz jars.
8. Add Hexane until jar is half full.
9. Add 20g sodium sulfate to filter bag in jar.
10. Blanks=Weigh 10g Sodium Sulfate into labeled 32oz jars. Add Hexane until jar is 1/4 full.
11. Add surr/spike.
12. Tighten lids and place in large ziplock bags.
13. Tumble for 12 hours (min 6 hours).
14. Record "prep time" on blue prep sheet.
15. KD (normal drying columns) on 100°C water bath.
16. Turbovap to approx. 4mL.
17. Vial with Hexane at 5mL in scintillation vials for required cleanups. (Acid/Sulfur/SPE).
18. Pre-SPE Screen 1mL. (Note: Determination of Required SPE cleanup is based on Pre-SPE Screen.
19. After cleanups: TurboVap and vial 1mL in Hexane.

Large PCB Filter Bag instructions on the back of this prep sheet. (Turn over)

Case Narrative, Data Qualifiers, Control Limits

ARI Job ID: APR4

ARP4 : 00020



Case Narrative

Client: Anchor QEA
Project: Port Gamble Clean-up, 150388010
ARI Job No.: APR4

Sample Receipt

One tissue sample was received on November 2, 2016 under ARI job APR4. The cooler temperature measured by IR thermometer following ARI SOP was 5.2°C. For further details regarding sample receipt, please refer to the Cooler Receipt Form.

PAHs by SW8270D-SIM

The sample was extracted and analyzed within the method recommended holding times for samples stored frozen.

Initial calibrations were within method requirements.

The initial calibration verification (ICV) on 1/22/16 fell outside the 20% control limit low for Benzo(b)fluoranthene and Total Benzofluoranthenes. All detected results associated with this ICV have been flagged with a "Q" qualifier. No further corrective action was taken.

Internal standard areas were within control limits.

The surrogate percent recoveries were within control limits.

The method blank was clean at the reporting limit. The LCS percent recoveries were within control limits. NIST 1974C was analyzed as a reference material.

Dioxin/Furans by EPA 1613B

The sample was extracted and analyzed within the method recommended holding times.

Analysis was performed using the application specific RTX-Dioxin 2 column, which has a unique isomer separation for the 2378-TCDF, eliminating the need for second column confirmation.

Initial and continuing calibration results were within method requirements.

Both extraction and cleanup surrogates had recoveries within control limits.



The method blank contained reportable responses below the reporting limit for several compounds. "B" qualifiers were applied to associated results that were less than ten times the levels found in the method blank. No further corrective action was taken.

The OPR (Ongoing Precision and Accuracy or LCS) percent recoveries were within control limits.

Specific results have been "EMPC"-flagged indicating a response not meeting requirements of positive identification. The EMPC values are treated as undetects under some programs and as hits under programs with more conservative protocols.

The TEQ is presented with WHO2005 with ND=0 for undetects and ND=1/2 for undetects, with EMPCs included as hits.

Cadium by SW6010C

The sample and associated laboratory QC were digested and analyzed within the method recommended holding times for samples stored frozen.

The method blank was clean at the reporting limit. The LCS percent recovery was within control limits.

The matrix spike percent recovery and duplicate RPD were within control limits.

Lipids by Method Bligh&Dyer

The sample was prepared and analyzed within the method recommended holding times for samples stored frozen.

The method blank had a result that was greater than the reporting limit. The associated sample result was greater than ten times the level reported in the method blank. No corrective action was taken.

Sample ID Cross Reference Report



ARI Job No: APR4
Client: Anchor QEA, LLC
Project Event: 1503880101
Project Name: Port Gamble Clean-up

| Sample ID | ARI Lab ID | ARI LIMS ID | Matrix | Sample Date/Time | VTSR |
|-------------------------|---------------|----------------|--------|------------------|----------------|
| 1. PG-T0-MUS-COC-151030 | APR4A | 15-20439 | Tissue | 10/30/15 15:00 | 11/02/15 11:28 |



Data Reporting Qualifiers

Effective 2/14/2011

Inorganic Data

- U Indicates that the target analyte was not detected at the reported concentration
- * Duplicate RPD is not within established control limits
- B Reported value is less than the CRDL but \geq the Reporting Limit
- N Matrix Spike recovery not within established control limits
- NA Not Applicable, analyte not spiked
- H The natural concentration of the spiked element is so much greater than the concentration spiked that an accurate determination of spike recovery is not possible
- L Analyte concentration is ≤ 5 times the Reporting Limit and the replicate control limit defaults to ± 1 RL instead of the normal 20% RPD

Organic Data

- U Indicates that the target analyte was not detected at the reported concentration
- * Flagged value is not within established control limits
- B Analyte detected in an associated Method Blank at a concentration greater than one-half of ARI's Reporting Limit or 5% of the regulatory limit or 5% of the analyte concentration in the sample.
- J Estimated concentration when the value is less than ARI's established reporting limits
- D The spiked compound was not detected due to sample extract dilution
- E Estimated concentration calculated for an analyte response above the valid instrument calibration range. A dilution is required to obtain an accurate quantification of the analyte.
- Q Indicates a detected analyte with an initial or continuing calibration that does not meet established acceptance criteria ($< 20\%$ RSD, $< 20\%$ Drift or minimum RRF).



- S Indicates an analyte response that has saturated the detector. The calculated concentration is not valid; a dilution is required to obtain valid quantification of the analyte
- NA The flagged analyte was not analyzed for
- NR Spiked compound recovery is not reported due to chromatographic interference
- NS The flagged analyte was not spiked into the sample
- M Estimated value for an analyte detected and confirmed by an analyst but with low spectral match parameters. This flag is used only for GC-MS analyses
- M2 The sample contains PCB congeners that do not match any standard Aroclor pattern. The PCBs are identified and quantified as the Aroclor whose pattern most closely matches that of the sample. The reported value is an estimate.
- N The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification"
- Y The analyte is not detected at or above the reported concentration. The reporting limit is raised due to chromatographic interference. The Y flag is equivalent to the U flag with a raised reporting limit.
- EMPC Estimated Maximum Possible Concentration (EMPC) defined in EPA Statement of Work DLM02.2 as a value "calculated for 2,3,7,8-substituted isomers for which the quantitation and /or confirmation ion(s) has signal to noise in excess of 2.5, but does not meet identification criteria"
(Dioxin/Furan analysis only)
- C The analyte was positively identified on only one of two chromatographic columns. Chromatographic interference prevented a positive identification on the second column
- P The analyte was detected on both chromatographic columns but the quantified values differ by $\geq 40\%$ RPD with no obvious chromatographic interference
- X Analyte signal includes interference from polychlorinated diphenyl ethers.
(Dioxin/Furan analysis only)
- Z Analyte signal includes interference from the sample matrix or perfluorokerosene ions. **(Dioxin/Furan analysis only)**



Geotechnical Data

- A The total of all fines fractions. This flag is used to report total fines when only sieve analysis is requested and balances total grain size with sample weight.
- F Samples were frozen prior to particle size determination
- SM Sample matrix was not appropriate for the requested analysis. This normally refers to samples contaminated with an organic product that interferes with the sieving process and/or moisture content, porosity and saturation calculations
- SS Sample did not contain the proportion of "fines" required to perform the pipette portion of the grain size analysis
- W Weight of sample in some pipette aliquots was below the level required for accurate weighting

Analytical Method Information

Printed: 01/25/2016 11:51 am

8270D-SIM PAH (0.5 ug/kg) in Tissue (EPA 8270D-SIM)

Preservation: Cool <6°C

Container: Glass WM, Clear, 8 oz

Amount Required: 150 g

Hold Time: 14 days

| Analyte | MDL | Reporting Limit | Surrogate %Rec | Duplicate RPD | ----Matrix Spike---- | | --Blank Spike / LCS-- | |
|----------------------------------|-------|-----------------|----------------|---------------|----------------------|-----|-----------------------|-----|
| | | | | | %Rec | RPD | %Rec | RPD |
| Naphthalene | 0.500 | 0.600 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| 1-Methylnaphthalene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| 2-Methylnaphthalene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Biphenyl | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| 2,6-Dimethylnaphthalene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Acenaphthylene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Acenaphthene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Dibenzofuran | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| 2,3,5-Trimethylnaphthalene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Fluorene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Dibenzothiophene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Phenanthrene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Anthracene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Carbazole | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| 1-Methylphenanthrene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Fluoranthene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Pyrene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Benzo(a)anthracene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Chrysene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Benzo(b)fluoranthene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Benzo(k)fluoranthene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Benzo(j)fluoranthene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Benzo(e)pyrene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Benzo(a)pyrene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Indeno(1,2,3-cd)pyrene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Dibenzo(a,h)anthracene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Benzo(g,h,i)perylene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Perylene | 0.500 | 0.500 ug/kg | | 30 | 30-160 | 30 | 30-160 | 30 |
| Benzofluoranthenes, Total | 1.00 | 1.00 ug/kg | | 30 | 30-160 | 30 | 46-120 | 30 |
| Surr: 2-Methylnaphthalene-d10 | | | | 30-160 | | | | |
| Surr: Dibenzo[a,h]anthracene-d14 | | | | 30-160 | | | | |
| Surr: Fluoranthene-d10 | | | | 30-160 | | | | |
| Naphthalene-d8 | | | | | | | | |
| Acenaphthene-d10 | | | | | | | | |
| Phenanthrene-d10 | | | | | | | | |
| Chrysene-d12 | | | | | | | | |
| Perylene-d12 | | | | | | | | |

Analytical Method Information

Printed: 01/25/2016 11:51 am

1613B Dioxin in Tissue (EPA 1613B)

Preservation: Cool <6°C

Container: Glass WM, Amber, 8 oz

Amount Required: 150 g

Hold Time: 365 days

| Analyte | MDL | Reporting Limit | Surrogate %Rec | Duplicate RPD | ----Matrix Spike---- %Rec | RPD | --Blank Spike / LCS-- %Rec | RPD |
|---------------------------------|--------|-----------------|----------------|---------------|---------------------------|-----|----------------------------|-----|
| 2,3,7,8-TCDF | 0.0500 | 1.00 ng/kg | | 25 | | | 75-158 | 25 |
| 2,3,7,8-TCDD | 0.160 | 1.00 ng/kg | | 25 | | | 67-158 | 25 |
| 1,2,3,7,8-PeCDF | 0.470 | 5.00 ng/kg | | 25 | | | 80-134 | 25 |
| 2,3,4,7,8-PeCDF | 0.410 | 5.00 ng/kg | | 25 | | | 68-160 | 25 |
| 1,2,3,7,8-PeCDD | 0.490 | 5.00 ng/kg | | 25 | | | 70-142 | 25 |
| 1,2,3,4,7,8-HxCDF | 0.440 | 5.00 ng/kg | | 25 | | | 72-134 | 25 |
| 1,2,3,6,7,8-HxCDF | 0.390 | 5.00 ng/kg | | 25 | | | 84-130 | 25 |
| 2,3,4,6,7,8-HxCDF | 0.410 | 5.00 ng/kg | | 25 | | | 70-156 | 25 |
| 1,2,3,7,8,9-HxCDF | 0.490 | 5.00 ng/kg | | 25 | | | 78-130 | 25 |
| 1,2,3,4,7,8-HxCDD | 0.480 | 5.00 ng/kg | | 25 | | | 70-164 | 25 |
| 1,2,3,6,7,8-HxCDD | 0.370 | 5.00 ng/kg | | 25 | | | 76-134 | 25 |
| 1,2,3,7,8,9-HxCDD | 0.350 | 5.00 ng/kg | | 25 | | | 64-162 | 25 |
| 1,2,3,4,6,7,8-HpCDF | 0.470 | 5.00 ng/kg | | 25 | | | 82-122 | 25 |
| 1,2,3,4,7,8,9-HpCDF | 0.450 | 5.00 ng/kg | | 25 | | | 78-138 | 25 |
| 1,2,3,4,6,7,8-HpCDD | 0.580 | 5.00 ng/kg | | 25 | | | 70-140 | 25 |
| OCDF | 0.740 | 10.0 ng/kg | | 25 | | | 63-170 | 25 |
| OCDD | 1.83 | 10.0 ng/kg | | 25 | | | 78-144 | 25 |
| Total TCDF | | 1.00 ng/kg | | | | | | |
| Total TCDD | | 1.00 ng/kg | | | | | | |
| Total PeCDF | | 1.00 ng/kg | | | | | | |
| Total PeCDD | | 1.00 ng/kg | | | | | | |
| Total HxCDF | | 1.00 ng/kg | | | | | | |
| Total HxCDD | | 1.00 ng/kg | | | | | | |
| Total HpCDF | | 1.00 ng/kg | | | | | | |
| Total HpCDD | | 1.00 ng/kg | | | | | | |
| Surr: 13C12-2,3,7,8-TCDF | | | | 24-169 | | | | |
| Surr: 13C12-2,3,7,8-TCDD | | | | 25-164 | | | | |
| Surr: 13C12-1,2,3,7,8-PeCDF | | | | 24-185 | | | | |
| Surr: 13C12-2,3,4,7,8-PeCDF | | | | 21-178 | | | | |
| Surr: 13C12-1,2,3,7,8-PeCDD | | | | 25-181 | | | | |
| Surr: 13C12-1,2,3,4,7,8-HxCDF | | | | 26-152 | | | | |
| Surr: 13C12-1,2,3,6,7,8-HxCDF | | | | 26-123 | | | | |
| Surr: 13C12-2,3,4,6,7,8-HxCDF | | | | 28-136 | | | | |
| Surr: 13C12-1,2,3,7,8,9-HxCDF | | | | 29-147 | | | | |
| Surr: 13C12-1,2,3,4,7,8-HxCDD | | | | 32-141 | | | | |
| Surr: 13C12-1,2,3,6,7,8-HxCDD | | | | 28-130 | | | | |
| Surr: 13C12-1,2,3,4,6,7,8-HpCDF | | | | 28-143 | | | | |
| Surr: 13C12-1,2,3,4,7,8,9-HpCDF | | | | 26-138 | | | | |
| Surr: 13C12-1,2,3,4,6,7,8-HpCDD | | | | 23-140 | | | | |
| Surr: 13C12-OCDD | | | | 17-157 | | | | |
| Surr: 37Cl4-2,3,7,8-TCDD | | | | 35-197 | | | | |
| 13C12-1,2,3,4-TCDD | | | | | | | | |
| 13C12-1,2,3,7,8,9-HxCDD | | | | | | | | |

Analytical Method Information

Printed: 01/25/2016 11:52 am

Met 6010C - Cd in Tissue (EPA 6010C)

Preservation: Cool <6°C

Container: Glass WM, Clear, 4 oz

Amount Required: 100 g

Hold Time: 180 days

| Analyte | MDL | Reporting Limit | Surrogate %Rec | Duplicate RPD | ----Matrix Spike---- %Rec | RPD | --Blank Spike / LCS-- %Rec | RPD |
|---------|---------|-----------------|----------------|---------------|---------------------------|-----|----------------------------|-----|
| Cadmium | 0.00248 | 0.0400 mg/kg | | 20 | 75-125 | 20 | 80-120 | 20 |

SIM PAH Analysis
Report and Summary QC Forms

ARI Job ID: APR4

ORGANICS ANALYSIS DATA SHEET
PNAs by Low Level SW8270D-SIM GC/MS
Extraction Method: TissM
 Page 1 of 1

Sample ID: PG-T0-MUS-COC-151030
SAMPLE

Lab Sample ID: APR4A
 LIMS ID: 15-20439
 Matrix: Tissue
 Data Release Authorized: *MW*
 Reported: 01/25/16

QC Report No: APR4-Anchor QEA, LLC
 Project: Port Gamble Clean-up
 Event: 1503880101
 Date Sampled: 10/30/15
 Date Received: 11/02/15

Date Extracted: 01/14/16
 Date Analyzed: 01/22/16 11:58
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: Yes
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 10.02 g-as-rec
 Final Extract Volume: 0.5 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

Lipids: 1.28 %

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 0.50 | 1.10 |
| 91-57-6 | 2-Methylnaphthalene | 0.50 | 0.81 |
| 208-96-8 | Acenaphthylene | 0.50 | < 0.50 U |
| 83-32-9 | Acenaphthene | 0.50 | 1.45 |
| 86-73-7 | Fluorene | 0.50 | 2.01 |
| 85-01-8 | Phenanthrene | 0.50 | 5.94 |
| 120-12-7 | Anthracene | 0.50 | 1.03 |
| 206-44-0 | Fluoranthene | 0.50 | 4.81 |
| 129-00-0 | Pyrene | 0.50 | 3.18 |
| 56-55-3 | Benzo (a) anthracene | 0.50 | 0.86 |
| 218-01-9 | Chrysene | 0.50 | 1.06 |
| 205-99-2 | Benzo (b) fluoranthene | 0.50 | 0.50 |
| 207-08-9 | Benzo (k) fluoranthene | 0.50 | < 0.50 U |
| 50-32-8 | Benzo (a) pyrene | 0.50 | < 0.50 U |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 0.50 | < 0.50 U |
| 53-70-3 | Dibenz (a,h) anthracene | 0.50 | < 0.50 U |
| 191-24-2 | Benzo (g,h,i) perylene | 0.50 | < 0.50 U |
| 198-55-0 | Perylene | 0.50 | < 0.50 U |
| 192-97-2 | Benzo (e) pyrene | 0.50 | < 0.50 U |
| TOTBFA | Total Benzofluoranthenes | 0.50 | 0.98 Q |


Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 58.7% |
| d10-2-Methylnaphthalene | 52.3% |
| d14-Dibenzo (a,h) anthracene | 63.3% |

ORGANICS ANALYSIS DATA SHEET
PNAs by Low Level SW8270D-SIM GC/MS
Extraction Method: TissM
Page 1 of 1

Sample ID: SRM 1974C 011416
STANDARD REFERENCE

Lab Sample ID: SRM-011416
LIMS ID: 15-20439
Matrix: Tissue
Data Release Authorized: 
Reported: 02/02/16

QC Report No: APR4-Anchor QEA, LLC
Project: Port Gamble Clean-up
Event: 1503880101
Date Sampled: NA
Date Received: NA

Date Extracted: 01/14/16
Date Analyzed: 01/22/16 11:28
Instrument/Analyst: NT11/JLW
GPC Cleanup: Yes
Silica Gel Cleanup: Yes
Alumina Cleanup: No

Sample Amount: 10.00 g-dry-wt
Final Extract Volume: 0.5 mL
Dilution Factor: 1.00
Percent Moisture: 0.0
Sulfur Cleanup: No

Lipids: NA

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 0.50 | 0.70 |
| 91-57-6 | 2-Methylnaphthalene | 0.50 | 0.59 |
| 208-96-8 | Acenaphthylene | 0.50 | 0.28 J |
| 83-32-9 | Acenaphthene | 0.50 | 0.45 J |
| 86-73-7 | Fluorene | 0.50 | 0.98 |
| 85-01-8 | Phenanthrene | 0.50 | 9.43 |
| 120-12-7 | Anthracene | 0.50 | 0.76 |
| 206-44-0 | Fluoranthene | 0.50 | 22.4 |
| 129-00-0 | Pyrene | 0.50 | 13.6 |
| 56-55-3 | Benzo (a) anthracene | 0.50 | 2.27 |
| 218-01-9 | Chrysene | 0.50 | 8.90 |
| 205-99-2 | Benzo (b) fluoranthene | 0.50 | 2.98 |
| 207-08-9 | Benzo (k) fluoranthene | 0.50 | 1.31 Q |
| 50-32-8 | Benzo (a) pyrene | 0.50 | 1.17 |
| 193-39-5 | Indeno (1,2,3-cd) pyrene | 0.50 | 0.89 |
| 53-70-3 | Dibenz (a,h) anthracene | 0.50 | 0.18 J |
| 191-24-2 | Benzo (g,h,i) perylene | 0.50 | 1.52 |
| 198-55-0 | Perylene | 0.50 | < 0.50 U |
| 192-97-2 | Benzo (e) pyrene | 0.50 | 4.38 |
| TOTBFA | Total Benzofluoranthenes | 0.50 | 5.55 Q |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|------------------------------|-------|
| d10-Fluoranthene | 61.3% |
| d10-2-Methylnaphthalene | 47.7% |
| d14-Dibenzo (a,h) anthracene | 65.0% |

SIM SW8270 SURROGATE RECOVERY SUMMARY

Matrix: Tissue

QC Report No: APR4-Anchor QEA, LLC
Project: Port Gamble Clean-up
1503880101

| <u>Client ID</u> | <u>FLN</u> | <u>MNP</u> | <u>DBA</u> | <u>TOT OUT</u> |
|----------------------|------------|------------|------------|----------------|
| MB-011416 | 61.3% | 47.0% | 65.7% | 0 |
| LCS-011416 | 61.3% | 48.0% | 64.3% | 0 |
| SRM SRM 1974C | 61.3% | 47.7% | 65.0% | 0 |
| PG-T0-MUS-COC-151030 | 58.7% | 52.3% | 63.3% | 0 |

| | <u>LCS/MB LIMITS (Advisory)</u> | <u>QC LIMITS (Advisory)</u> |
|------------------------------------|-------------------------------------|---------------------------------|
| (FLN) = d10-Fluoranthene | (30-160) | (30-160) |
| (MNP) = d10-2-Methylnaphthalene | (30-160) | (30-160) |
| (DBA) = d14-Dibenzo(a,h)anthracene | (30-160) | (30-160) |

Prep Method: TissM
Log Number Range: 15-20439 to 15-20439

ORGANICS ANALYSIS DATA SHEET
PNAs by Low Level SW8270D-SIM GC/MS
 Page 1 of 1

Sample ID: LCS-011416
LAB CONTROL SAMPLE

Lab Sample ID: LCS-011416
 LIMS ID: 15-20439
 Matrix: Tissue
 Data Release Authorized: *TW*
 Reported: 01/27/16

QC Report No: APR4-Anchor QEA, LLC
 Project: Port Gamble Clean-up
 Event: 1503880101
 Date Sampled: NA
 Date Received: NA

Date Extracted: 01/14/16
 Date Analyzed LCS: 01/22/16 10:57
 Instrument/Analyst LCS: NT11/JLW

Sample Amount LCS: 10.00 g-as-rec
 Final Extract Volume LCS: 0.50 mL
 Dilution Factor LCS: 1.00

| Analyte | LCS | Spike Added | Recovery |
|--------------------------|--------|-------------|----------|
| Naphthalene | 7.68 | 15.0 | 51.2% |
| 2-Methylnaphthalene | 7.96 | 15.0 | 53.1% |
| Acenaphthylene | 7.38 | 15.0 | 49.2% |
| Acenaphthene | 7.76 | 15.0 | 51.7% |
| Fluorene | 8.68 | 15.0 | 57.9% |
| Phenanthrene | 8.55 | 15.0 | 57.0% |
| Anthracene | 8.47 | 15.0 | 56.5% |
| Fluoranthene | 9.45 | 15.0 | 63.0% |
| Pyrene | 9.67 | 15.0 | 64.5% |
| Benzo(a)anthracene | 9.99 | 15.0 | 66.6% |
| Chrysene | 9.34 | 15.0 | 62.3% |
| Benzo(b)fluoranthene | 9.32 | 15.0 | 62.1% |
| Benzo(k)fluoranthene | 8.44 Q | 15.0 | 56.3% |
| Benzo(a)pyrene | 8.44 | 15.0 | 56.3% |
| Indeno(1,2,3-cd)pyrene | 9.88 | 15.0 | 65.9% |
| Dibenz(a,h)anthracene | 10.2 | 15.0 | 68.0% |
| Benzo(g,h,i)perylene | 9.84 | 15.0 | 65.6% |
| Perylene | 8.42 | 15.0 | 56.1% |
| Benzo(e)pyrene | 8.96 | 15.0 | 59.7% |
| Total Benzofluoranthenes | 26.3 Q | 45.0 | 58.4% |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|----------------------------|-------|
| d10-Fluoranthene | 61.3% |
| d10-2-Methylnaphthalene | 48.0% |
| d14-Dibenzo(a,h)anthracene | 64.3% |

4B
SEMIVOLATILE METHOD BLANK SUMMARY

BLANK NO.

APR4MBS1

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: APR4

Project: PORT GAMBLE CLEAN-UP

Lab File ID: 16012207

Date Extracted: 01/14/16

Instrument ID: NT11

Date Analyzed: 01/22/16

Matrix: SOLID

Time Analyzed: 1027

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE NO. | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED |
|----|----------------------|------------------|----------------|------------------|
| 01 | APR4LCSS1 | APR4LCSS1 | 16012208 | 01/22/16 |
| 02 | SRM 1974C | APR4SRM1 | 16012209 | 01/22/16 |
| 03 | PG-T0-MUS-COC-15 | APR4A | 16012210 | 01/22/16 |
| 04 | PG-SMA2-2-MUS-CO | ATSOA | 16012211 | 01/22/16 |
| 05 | PG-PJ-1-MUS-COC- | ATSOB | 16012212 | 01/22/16 |
| 06 | PG-PJ-1-MUS-COC | ATSOBMS | 16012213 | 01/22/16 |
| 07 | PG-PJ-1-MUS-COC | ATSOBMSD | 16012214 | 01/22/16 |
| 08 | PG-WS-1-MUS-COC- | ATSOC | 16012215 | 01/22/16 |
| 09 | PG-GP-1-MUS-COC- | ATSOB | 16012216 | 01/22/16 |
| 10 | PG-SMA2-5-MUS-CO | ATSOE | 16012217 | 01/22/16 |
| 11 | PG-SMA2-4-MUS-CO | ATSOE | 16012218 | 01/22/16 |
| 12 | 13EB ME-MTW01Z | AUA2A | 16012219 | 01/22/16 |
| 13 | 13CPS DB-MTW01Z | AUA2B | 16012220 | 01/22/16 |
| 14 | 13NPS CIAR2-MTWO | AUA2C | 16012221 | 01/22/16 |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |
| 26 | | | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | | | |
| 30 | | | | |

ORGANICS ANALYSIS DATA SHEET
PNA's by Low Level SW8270D-SIM GC/MS
Extraction Method: TissM
 Page 1 of 1

Sample ID: MB-011416
 METHOD BLANK

Lab Sample ID: MB-011416
 LIMS ID: 15-20439
 Matrix: Tissue
 Data Release Authorized: *MW*
 Reported: 01/25/16

QC Report No: APR4-Anchor QEA, LLC
 Project: Port Gamble Clean-up
 Event: 1503880101
 Date Sampled: NA
 Date Received: NA

Date Extracted: 01/14/16
 Date Analyzed: 01/22/16 10:27
 Instrument/Analyst: NT11/JLW
 GPC Cleanup: Yes
 Silica Gel Cleanup: Yes
 Alumina Cleanup: No

Sample Amount: 10.00 g-as-rec
 Final Extract Volume: 0.5 mL
 Dilution Factor: 1.00
 Percent Moisture: NA
 Sulfur Cleanup: No

Lipids: NA

| CAS Number | Analyte | LOQ | Result |
|------------|--------------------------|------|----------|
| 91-20-3 | Naphthalene | 0.50 | < 0.50 U |
| 91-57-6 | 2-Methylnaphthalene | 0.50 | < 0.50 U |
| 208-96-8 | Acenaphthylene | 0.50 | < 0.50 U |
| 83-32-9 | Acenaphthene | 0.50 | < 0.50 U |
| 86-73-7 | Fluorene | 0.50 | < 0.50 U |
| 85-01-8 | Phenanthrene | 0.50 | < 0.50 U |
| 120-12-7 | Anthracene | 0.50 | < 0.50 U |
| 206-44-0 | Fluoranthene | 0.50 | < 0.50 U |
| 129-00-0 | Pyrene | 0.50 | < 0.50 U |
| 56-55-3 | Benzo(a)anthracene | 0.50 | < 0.50 U |
| 218-01-9 | Chrysene | 0.50 | < 0.50 U |
| 205-99-2 | Benzo(b)fluoranthene | 0.50 | < 0.50 U |
| 207-08-9 | Benzo(k)fluoranthene | 0.50 | < 0.50 U |
| 50-32-8 | Benzo(a)pyrene | 0.50 | < 0.50 U |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | 0.50 | < 0.50 U |
| 53-70-3 | Dibenz(a,h)anthracene | 0.50 | < 0.50 U |
| 191-24-2 | Benzo(g,h,i)perylene | 0.50 | < 0.50 U |
| 198-55-0 | Perylene | 0.50 | < 0.50 U |
| 192-97-2 | Benzo(e)pyrene | 0.50 | < 0.50 U |
| TOTBFA | Total Benzofluoranthenes | 0.50 | < 0.50 U |

Reported in µg/kg (ppb)

SIM Semivolatile Surrogate Recovery

| | |
|----------------------------|-------|
| d10-Fluoranthene | 61.3% |
| d10-2-Methylnaphthalene | 47.0% |
| d14-Dibenzo(a,h)anthracene | 65.7% |

5B
SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR OEA, LLC

Instrument ID: NT11

Project: PORT GAMBLE CLEAN-UP

DFTPP Injection Date: 12/04/15

DFTPP Injection Time: 0845

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51 | 10.0 - 80.0% of mass 198 | 36.7 |
| 68 | Less than 2.0% of mass 69 | 0.0 (0.0)1 |
| 69 | Mass 69 relative abundance | 46.7 |
| 70 | Less than 2.0% of mass 69 | 0.2 (0.5)1 |
| 127 | 10.0 - 80.0% of mass 198 | 50.3 |
| 197 | Less than 2.0% of mass 198 | 0.0 |
| 198 | Base Peak, 100% relative abundance | 100.0 |
| 199 | 5.0 to 9.0% of mass 198 | 8.8 |
| 275 | 10.0 - 60.0% of mass 198 | 29.8 |
| 365 | Greater than 1.0% of mass 198 | 3.54 |
| 441 | 0.0 - 24.0% of mass 442 | 13.4 (16.4)2 |
| 442 | 50.0 - 200.0% of mass 198 | 81.9 |
| 443 | 15.0 - 24.0% of mass 442 | 18.6 (22.7)2 |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| | CLIENT SAMPLE NO. | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|----|-------------------|---------------|-------------|---------------|---------------|
| 01 | | LLSIM 250 | 15120402 | 12/04/15 | 0903 |
| 02 | | LLSIM 100 | 15120403 | 12/04/15 | 0933 |
| 03 | | LLSIM 10 | 15120404 | 12/04/15 | 1003 |
| 04 | | LLSIM 50 | 15120405 | 12/04/15 | 1033 |
| 05 | | LLSIM 500 | 15120406 | 12/04/15 | 1103 |
| 06 | | LLSIM 1000 | 15120407 | 12/04/15 | 1133 |
| 07 | | LLSIM SCV 25 | 15120408 | 12/04/15 | 1204 |
| 08 | | | | | |
| 09 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |

5B
SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

Instrument ID: NT11

Project: PORT GAMBLE CLEAN-UP

DFTPP Injection Date: 01/22/16

DFTPP Injection Time: 0848

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51 | 10.0 - 80.0% of mass 198 | 32.7 |
| 68 | Less than 2.0% of mass 69 | 0.2 (0.4)1 |
| 69 | Mass 69 relative abundance | 41.6 |
| 70 | Less than 2.0% of mass 69 | 0.3 (0.6)1 |
| 127 | 10.0 - 80.0% of mass 198 | 47.8 |
| 197 | Less than 2.0% of mass 198 | 0.4 |
| 198 | Base Peak, 100% relative abundance | 100.0 |
| 199 | 5.0 to 9.0% of mass 198 | 7.7 |
| 275 | 10.0 - 60.0% of mass 198 | 27.2 |
| 365 | Greater than 1.0% of mass 198 | 3.32 |
| 441 | 0.0 - 24.0% of mass 442 | 12.5 (16.3)2 |
| 442 | 50.0 - 200.0% of mass 198 | 77.1 |
| 443 | 15.0 - 24.0% of mass 442 | 16.8 (21.8)2 |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| | CLIENT SAMPLE NO. | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|----|-------------------|---------------|-------------|---------------|---------------|
| 01 | | LL SIM ICV | 16012205 | 01/22/16 | 0905 |
| 02 | | LL SIM MRL | 16012206 | 01/22/16 | 0957 |
| 03 | APR4MBS1 | APR4MBS1 | 16012207 | 01/22/16 | 1027 |
| 04 | APR4LCSS1 | APR4LCSS1 | 16012208 | 01/22/16 | 1057 |
| 05 | SRM 1974C | APR4SRM1 | 16012209 | 01/22/16 | 1128 |
| 06 | PG-T0-MUS-COC-15 | APR4A | 16012210 | 01/22/16 | 1158 |
| 07 | PG-SMA2-2-MUS-CO | ATS0A | 16012211 | 01/22/16 | 1228 |
| 08 | PG-PJ-1-MUS-COC- | ATS0B | 16012212 | 01/22/16 | 1258 |
| 09 | PG-PJ-1-MUS-COC | ATS0BMS | 16012213 | 01/22/16 | 1328 |
| 10 | PG-PJ-1-MUS-COC | ATS0BMSD | 16012214 | 01/22/16 | 1359 |
| 11 | PG-WS-1-MUS-COC- | ATS0C | 16012215 | 01/22/16 | 1429 |
| 12 | PG-GP-1-MUS-COC- | ATS0D | 16012216 | 01/22/16 | 1459 |
| 13 | PG-SMA2-5-MUS-CO | ATS0E | 16012217 | 01/22/16 | 1529 |
| 14 | PG-SMA2-4-MUS-CO | ATS0F | 16012218 | 01/22/16 | 1559 |
| 15 | 13EB ME-MTW01Z | AUA2A | 16012219 | 01/22/16 | 1630 |
| 16 | 13CPS DB-MTW01Z | AUA2B | 16012220 | 01/22/16 | 1700 |
| 17 | 13NPS CIAR2-MTW0 | AUA2C | 16012221 | 01/22/16 | 1730 |
| 18 | | LL SIM CCV | 16012222 | 01/22/16 | 1800 |
| 19 | | | | | |
| 20 | | | | | |

6B
SEMIVOLATILE 8270-D INITIAL CALIBRATION DATA

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: APR4

Project: PORT GAMBLE CLEAN-UP

Instrument ID: NT11

Calibration Date: 12/04/15

LAB FILE ID: RRF10 =15120404 RRF50 =15120405 RRF100=15120403
 RRF250=15120402 RRF500=15120406 RRF1000=15120407

| COMPOUND | RRF 10 | RRF 50 | RRF 100 | RRF 250 | RRF 500 | RRF 1000 | RRF | %RSD /R ² |
|-----------------------------|-----------|-----------|------------|------------|------------|-------------|-------|-------------------------|
| Naphthalene | 1.199 | 1.257 | 1.208 | 1.138 | 1.095 | 1.034 | 1.155 | 7.1 |
| 2-Methylnaphthalene | 0.757 | 0.822 | 0.818 | 0.825 | 0.787 | 0.754 | 0.794 | 4.1 |
| Acenaphthylene | 1.587 | 1.688 | 1.646 | 1.628 | 1.602 | 1.535 | 1.614 | 3.3 |
| Acenaphthene | 1.084 | 1.136 | 1.097 | 1.066 | 1.041 | 1.005 | 1.072 | 4.3 |
| Dibenzofuran | 1.637 | 1.742 | 1.685 | 1.623 | 1.559 | 1.437 | 1.614 | 6.6 |
| Fluorene | 1.159 | 1.259 | 1.248 | 1.231 | 1.209 | 1.156 | 1.210 | 3.7 |
| Phenanthrene | 1.201 | 1.339 | 1.261 | 1.223 | 1.143 | 1.063 | 1.205 | 7.9 |
| Anthracene | 1.014 | 1.089 | 1.089 | 1.118 | 1.122 | 1.039 | 1.078 | 4.0 |
| Fluoranthene | 1.095 | 1.291 | 1.250 | 1.266 | 1.227 | 1.130 | 1.210 | 6.5 |
| Pyrene | 1.570 | 1.718 | 1.639 | 1.574 | 1.557 | 1.445 | 1.584 | 5.8 |
| Benzo(a) anthracene | 1.264 | 1.424 | 1.349 | 1.340 | 1.338 | 1.285 | 1.333 | 4.2 |
| Chrysene | 1.461 | 1.649 | 1.511 | 1.434 | 1.412 | 1.314 | 1.464 | 7.6 |
| Benzo(b) fluoranthene | 1.236 | 1.449 | 1.335 | 1.309 | 1.428 | 1.373 | 1.355 | 5.8 |
| Benzo(k) fluoranthene | 1.404 | 1.665 | 1.575 | 1.601 | 1.638 | 1.592 | 1.579 | 5.8 |
| Benzo(j) fluoranthene | 1.324 | 1.581 | 1.430 | 1.419 | 1.477 | 1.400 | 1.438 | 6.0 |
| Benzo(a) pyrene | 1.122 | 1.390 | 1.285 | 1.305 | 1.392 | 1.352 | 1.308 | 7.7 |
| Indeno(1,2,3-cd) pyrene | 1.070 | 1.396 | 1.342 | 1.372 | 1.529 | 1.530 | 1.373 | 12.3 |
| Dibenzo(a,h) anthracene | 0.794 | 1.057 | 1.071 | 1.111 | 1.233 | 1.249 | 1.086 | 15.1 |
| Benzo(g,h,i) perylene | 1.030 | 1.235 | 1.174 | 1.174 | 1.272 | 1.268 | 1.192 | 7.6 |
| 1-Methylnaphthalene | 0.672 | 0.743 | 0.744 | 0.740 | 0.711 | 0.681 | 0.715 | 4.6 |
| Perylene | 1.258 | 1.475 | 1.355 | 1.306 | 1.390 | 1.351 | 1.356 | 5.5 |
| Benzo(e) pyrene | 1.300 | 1.485 | 1.371 | 1.324 | 1.391 | 1.346 | 1.370 | 4.8 |
| 2-Methylnaphthalene-d10 | 0.706 | 0.768 | 0.761 | 0.766 | 0.738 | 0.714 | 0.742 | 3.7 |
| Dibenzo(a,h) anthracene-d14 | 0.593 | 0.781 | 0.799 | 0.816 | 0.911 | 0.944 | 0.807 | 15.3 |
| Fluoranthene-d10 | 1.015 | 1.152 | 1.114 | 1.133 | 1.122 | 1.062 | 1.100 | 4.7 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

<- Outside QC limits: %RSD <20% or R² > 0.990

SEMIVOLATILE 8270-D CONTINUING CALIBRATION CHECK

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: APR4

Project: PORT GAMBLE CLEAN-UP

Instrument ID: NT11

Cont. Calib. Date: 01/22/16

Init. Calib. Date: 12/04/15

Cont. Calib. Time: 0905

| COMPOUND | CalAmt or ARF | CC Amt or RF | MIN RRF | CURVE TYPE | %D or Drift |
|-------------------------------|------------------|-----------------|------------|---------------|----------------|
| Naphthalene | 1.155 | 1.010 | 0.700 | AVRG | -12.6 |
| 2-Methylnaphthalene | 0.794 | 0.729 | 0.400 | AVRG | -8.2 |
| Acenaphthylene | 1.614 | 1.497 | 0.900 | AVRG | -7.2 |
| Acenaphthene | 1.072 | 0.947 | 0.900 | AVRG | -11.7 |
| Dibenzofuran | 1.614 | 1.441 | 0.800 | AVRG | -10.7 |
| Fluorene | 1.210 | 1.133 | 0.900 | AVRG | -6.4 |
| Phenanthrene | 1.205 | 1.029 | 0.700 | AVRG | -14.6 |
| Anthracene | 1.078 | 1.003 | 0.700 | AVRG | -7.0 |
| Fluoranthene | 1.210 | 1.061 | 0.600 | AVRG | -12.3 |
| Pyrene | 1.584 | 1.428 | 0.600 | AVRG | -9.8 |
| Benzo (a) anthracene | 1.333 | 1.185 | 0.800 | AVRG | -11.1 |
| Chrysene | 1.464 | 1.224 | 0.700 | AVRG | -16.4 |
| Benzo (b) fluoranthene | 1.355 | 1.162 | 0.700 | AVRG | -14.2 |
| Benzo (k) fluoranthene | 1.579 | 1.250 | 0.700 | AVRG | -20.8 |
| Benzo (j) fluoranthene | 1.438 | 1.183 | 0.010 | AVRG | -17.7 |
| Benzo (a) pyrene | 1.308 | 1.118 | 0.700 | AVRG | -14.5 |
| Indeno (1, 2, 3-cd) pyrene | 1.373 | 1.186 | 0.500 | AVRG | -13.6 |
| Dibenzo (a, h) anthracene | 1.086 | 0.964 | 0.400 | AVRG | -11.2 |
| Benzo (g, h, i) perylene | 1.192 | 1.035 | 0.500 | AVRG | -13.2 |
| 1-Methylnaphthalene | 0.715 | 0.651 | 0.010 | AVRG | -9.0 |
| Perylene | 1.356 | 1.117 | 0.010 | AVRG | -17.6 |
| Benzo (e) pyrene | 1.370 | 1.107 | 0.010 | AVRG | -19.2 |
| 2-Methylnaphthalene-d10 | 0.742 | 0.671 | 0.010 | AVRG | -9.6 |
| Dibenzo (a, h) anthracene-d14 | 0.807 | 0.735 | 0.010 | AVRG | -8.9 |
| Fluoranthene-d10 | 1.100 | 0.976 | 0.010 | AVRG | -11.3 |

<- Exceeds QC limit of 20% D

* RF less than minimum RF

FORM VII SV-1

ARP4: 00040

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.
ARI Job No: APR4
Ical Midpoint ID: 15120402
Instrument ID: NT11

Client: ANCHOR QEA, LLC
Project: PORT GAMBLE CLEAN-UP
Ical Date: 12/04/15
Cont. Cal Date: 12/04/15

| | IS1 (NPT) AREA # | RT # | IS2 (ANT) AREA # | RT # | IS3 (PHN) AREA # | RT # |
|-------------|---------------------|-------|---------------------|-------|---------------------|-------|
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| ICAL MIDPT | 327896 | 6.60 | 239179 | 9.60 | 372253 | 12.27 |
| UPPER LIMIT | 655792 | | 478358 | | 744506 | |
| LOWER LIMIT | 163948 | | 119590 | | 186127 | |
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| CCAL | 337457 | 6.60 | 238950 | 9.60 | 380348 | 12.27 |
| UPPER LIMIT | | 7.10 | | 10.10 | | 12.77 |
| LOWER LIMIT | | 6.10 | | 9.10 | | 11.77 |
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| | 330144 | 6.60 | 236381 | 9.60 | 360337 | 12.27 |
| 01 | | | | | | |
| 02 | | | | | | |
| 03 | | | | | | |
| 04 | | | | | | |
| 05 | | | | | | |
| 06 | | | | | | |
| 07 | | | | | | |
| 08 | | | | | | |
| 09 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS1 = Naphthalene-d8
IS2 = Acenaphthene-d10
IS3 = Phenanthrene-d10

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.
ARI Job No: APR4
Ical Midpoint ID: 15120402
Instrument ID: NT11

Client: ANCHOR QEA, LLC
Project: PORT GAMBLE CLEAN-UP
Ical Date: 12/04/15
Cont. Cal Date: 12/04/15

| | IS4 (CRY) AREA # | RT # | IS5 (PRY) AREA # | RT # | AREA # | RT # |
|-------------|---------------------|-------|---------------------|-------|--------|-------|
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| ICAL MIDPT | 294711 | 17.02 | 260595 | 19.84 | | |
| UPPER LIMIT | 589422 | | 521190 | | | |
| LOWER LIMIT | 147356 | | 130298 | | | |
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| CCAL | 298514 | 17.01 | 256244 | 19.84 | | |
| UPPER LIMIT | | 17.51 | | 20.34 | | |
| LOWER LIMIT | | 16.51 | | 19.34 | | |
| | 291007 | 17.01 | 242244 | 19.83 | | |
| 01 | | | | | | |
| 02 | | | | | | |
| 03 | | | | | | |
| 04 | | | | | | |
| 05 | | | | | | |
| 06 | | | | | | |
| 07 | | | | | | |
| 08 | | | | | | |
| 09 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS4 = Chrysene-d12
IS5 = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
 AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: APR4

Project: PORT GAMBLE CLEAN-UP

Ical Midpoint ID: 15120402

Ical Date: 12/04/15

Instrument ID: NT11

Cont. Cal Date: 01/22/16

| | IS1 (NPT) AREA # | RT # | IS2 (ANT) AREA # | RT # | IS3 (PHN) AREA # | RT # |
|-----------------|---------------------|-------|---------------------|-------|---------------------|-------|
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| ICAL MIDPT | 327896 | 6.60 | 239179 | 9.60 | 372253 | 12.27 |
| UPPER LIMIT | 655792 | | 478358 | | 744506 | |
| LOWER LIMIT | 163948 | | 119590 | | 186127 | |
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| CCAL | 368312 | 6.73 | 275119 | 9.74 | 442913 | 12.42 |
| UPPER LIMIT | | 7.23 | | 10.24 | | 12.92 |
| LOWER LIMIT | | 6.23 | | 9.24 | | 11.92 |
| 01 | 345356 | 6.74 | 235311 | 9.76 | 378135 | 12.42 |
| 02 APR4MBS1 | 368895 | 6.73 | 251480 | 9.74 | 405369 | 12.42 |
| 03 APR4LCSS1 | 360526 | 6.73 | 257556 | 9.74 | 412183 | 12.42 |
| 04 SRM 1974C | 362258 | 6.73 | 249465 | 9.74 | 398741 | 12.42 |
| 05 PG-T0-MUS-CO | 371890 | 6.72 | 259279 | 9.74 | 437520 | 12.42 |
| 06 PG-SMA2-2-MU | 363469 | 6.73 | 256352 | 9.74 | 419386 | 12.42 |
| 07 PG-PJ-1-MUS- | 374753 | 6.73 | 264386 | 9.74 | 426020 | 12.42 |
| 08 PG-PJ-1-MUS- | 373582 | 6.73 | 269039 | 9.74 | 428623 | 12.42 |
| 09 PG-PJ-1-MUS- | 377287 | 6.73 | 271691 | 9.74 | 435691 | 12.42 |
| 10 PG-WS-1-MUS- | 376882 | 6.73 | 268849 | 9.74 | 435864 | 12.42 |
| 11 PG-GP-1-MUS- | 377268 | 6.72 | 268633 | 9.74 | 436597 | 12.41 |
| 12 PG-SMA2-5-MU | 384886 | 6.73 | 273475 | 9.74 | 449495 | 12.42 |
| 13 PG-SMA2-4-MU | 381586 | 6.72 | 270392 | 9.74 | 439377 | 12.42 |
| 14 13EB ME-MIWO | 373510 | 6.73 | 268987 | 9.74 | 440845 | 12.42 |
| 15 13CPS DB-MIW | 370975 | 6.73 | 264737 | 9.74 | 432287 | 12.42 |
| 16 13NPS CIAR2- | 382765 | 6.72 | 270341 | 9.75 | 435855 | 12.42 |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS1 = Naphthalene-d8
IS2 = Acenaphthene-d10
IS3 = Phenanthrene-d10

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

8B
SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: ANALYTICAL RESOURCES INC.

Client: ANCHOR QEA, LLC

ARI Job No: APR4

Project: PORT GAMBLE CLEAN-UP

Ical Midpoint ID: 15120402

Ical Date: 12/04/15

Instrument ID: NT11

Cont. Cal Date: 01/22/16

| | IS4 (CRY) AREA # | RT # | IS5 (PRY) AREA # | RT # | AREA # | RT # |
|-----------------|---------------------|-------|---------------------|-------|--------|-------|
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| ICAL MIDPT | 294711 | 17.02 | 260595 | 19.84 | | |
| UPPER LIMIT | 589422 | | 521190 | | | |
| LOWER LIMIT | 147356 | | 130298 | | | |
| ===== | ===== | ===== | ===== | ===== | ===== | ===== |
| CCAL | 337848 | 17.17 | 324201 | 20.06 | | |
| UPPER LIMIT | | 17.67 | | 20.56 | | |
| LOWER LIMIT | | 16.67 | | 19.56 | | |
| 01 | 274122 | 17.18 | 249583 | 20.07 | | |
| 02 APR4MBS1 | 295936 | 17.17 | 283292 | 20.06 | | |
| 03 APR4LCSS1 | 314530 | 17.17 | 306666 | 20.06 | | |
| 04 SRM 1974C | 300525 | 17.17 | 299419 | 20.06 | | |
| 05 PG-T0-MUS-CO | 299515 | 17.17 | 303212 | 20.06 | | |
| 06 PG-SMA2-2-MU | 310418 | 17.17 | 308119 | 20.06 | | |
| 07 PG-PJ-1-MUS- | 316427 | 17.17 | 315181 | 20.07 | | |
| 08 PG-PJ-1-MUS- | 324379 | 17.17 | 323020 | 20.06 | | |
| 09 PG-PJ-1-MUS- | 325376 | 17.17 | 324453 | 20.06 | | |
| 10 PG-WS-1-MUS- | 322334 | 17.17 | 323010 | 20.06 | | |
| 11 PG-GP-1-MUS- | 322279 | 17.17 | 320562 | 20.06 | | |
| 12 PG-SMA2-5-MU | 339179 | 17.17 | 335158 | 20.06 | | |
| 13 PG-SMA2-4-MU | 325728 | 17.17 | 325370 | 20.06 | | |
| 14 13EB ME-MTW0 | 336414 | 17.17 | 339083 | 20.06 | | |
| 15 13CPS DB-MTW | 321859 | 17.17 | 327843 | 20.06 | | |
| 16 13NPS CIAR2- | 323444 | 17.17 | 326352 | 20.06 | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

IS4 = Chrysene-d12

IS5 = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area from Ical midpoint
 AREA LOWER LIMIT = - 50% of internal standard area from Ical midpoint
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT from Cont. Cal
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT from Cont. Cal

* Values outside of QC limits.

Dioxin Analysis
Report and Summary QC Forms

ARI Job ID: APR4

ORGANICS ANALYSIS DATA SHEET
Dioxins/Furans by EPA 1613B
Page 1 of 1

Sample ID: PG-T0-MUS-COC-151030

Lab Sample ID: APR4A
LIMS ID: 15-20439
Matrix: Tissue
Data Release Authorized: *MW*
Reported: 02/02/16

QC Report No: APR4-Anchor QEA, LLC
Project: Port Gamble Clean-up
1503880101
Date Sampled: 10/30/15
Date Received: 11/02/15

Date Extracted: 01/25/16
Date Analyzed: 01/29/16 16:13
Instrument/Analyst: AS1/PK
Acid Cleanup: Yes
Silica-Carbon Cleanup: No

Sample Amount: 10.0 g-as-rec
Final Extract Volume: 20 uL
Extract Split: 1.00
Silica-Florisil Cleanup: Yes
Dilution Factor: 1.00

| Analyte | Ion Ratio | Ratio Limits | EDL | RL | Result | |
|---------------------|-----------|--------------|--------|-------|----------|--------|
| 2,3,7,8-TCDF | 0.88 | 0.65-0.89 | | 0.996 | 0.0458 | J |
| 2,3,7,8-TCDD | | 0.65-0.89 | 0.0398 | 0.996 | < 0.0398 | U |
| 1,2,3,7,8-PeCDF | 5.39 | 1.32-1.78 | | 0.996 | 0.0518 | BJEMPC |
| 2,3,4,7,8-PeCDF | | 1.32-1.78 | 0.0378 | 0.996 | < 0.0378 | U |
| 1,2,3,7,8-PeCDD | 0.69 | 1.32-1.78 | | 0.996 | 0.0478 | JEMPC |
| 1,2,3,4,7,8-HxCDF | | 1.05-1.43 | 0.0558 | 0.996 | < 0.0558 | U |
| 1,2,3,6,7,8-HxCDF | | 1.05-1.43 | 0.0538 | 0.996 | < 0.0538 | U |
| 2,3,4,6,7,8-HxCDF | | 1.05-1.43 | 0.0538 | 0.996 | < 0.0538 | U |
| 1,2,3,7,8,9-HxCDF | 0.68 | 1.05-1.43 | | 0.996 | 0.0657 | JEMPC |
| 1,2,3,4,7,8-HxCDD | | 1.05-1.43 | 0.0618 | 0.996 | < 0.0618 | U |
| 1,2,3,6,7,8-HxCDD | | 1.05-1.43 | 0.0618 | 0.996 | < 0.0618 | U |
| 1,2,3,7,8,9-HxCDD | 0.90 | 1.05-1.43 | | 0.996 | 0.0837 | JEMPC |
| 1,2,3,4,6,7,8-HpCDF | 1.19 | 0.88-1.20 | | 0.996 | 0.189 | BJ |
| 1,2,3,4,7,8,9-HpCDF | 1.00 | 0.88-1.20 | | 0.996 | 0.0430 | J |
| 1,2,3,4,6,7,8-HpCDD | 1.08 | 0.88-1.20 | | 0.996 | 0.775 | BJ |
| OCDF | 0.90 | 0.76-1.02 | | 1.99 | 0.502 | BJ |
| OCDD | 0.88 | 0.76-1.02 | | 9.96 | 7.46 | B |

| Homologue Group | EDL | RL | Result |
|-----------------|--------|-------|-------------|
| Total TCDF | | 0.996 | 0.169 EMPC |
| Total TCDD | 0.0398 | 0.996 | 0.0914 EMPC |
| Total PeCDF | | 1.99 | 0.314 EMPC |
| Total PeCDD | | 0.996 | 0.0474 EMPC |
| Total HxCDF | | 1.99 | 0.187 EMPC |
| Total HxCDD | | 1.99 | 0.249 EMPC |
| Total HpCDF | | 1.99 | 0.446 EMPC |
| Total HpCDD | | 1.99 | 3.03 |

Total 2,3,7,8-TCDD Equivalence (WHO2005, ND=0, Including EMPC): 0.08
Total 2,3,7,8-TCDD Equivalence (WHO2005, ND=1/2 EDL, Including EMPC): 0.12

Reported in pg/g

ORGANICS ANALYSIS DATA SHEET
Dioxins/Furans by EPA 1613B
Page 1 of 1

Sample ID: PG-T0-MUS-COC-151030

Lab Sample ID: APR4A
LIMS ID: 15-20439
Matrix: Tissue
Data Release Authorized: *mm*
Reported: 02/02/16

QC Report No: APR4-Anchor QEA, LLC
Project: Port Gamble Clean-up
1503880101
Date Sampled: 10/30/15
Date Received: 11/02/15

Date Extracted: 01/25/16
Date Analyzed: 01/29/16 16:13
Instrument/Analyst: AS1/PK

Sample Amount: 10.0 g-as-rec
Final Extract Volume: 20 uL
Extract Split: 1.00
Dilution Factor: 1.00

| Analyte | Ion Ratio | Ratio Limits | Result | Limits | Exceedance |
|-------------------------|-----------|--------------|--------|--------|------------|
| 13C-2,3,7,8-TCDF | 0.78 | 0.65-0.89 | 92.3 | 24-169 | |
| 13C-2,3,7,8-TCDD | 0.79 | 0.65-0.89 | 85.5 | 25-164 | |
| 13C-1,2,3,7,8-PeCDF | 1.58 | 1.32-1.78 | 92.7 | 24-185 | |
| 13C-2,3,4,7,8-PeCDF | 1.58 | 1.32-1.78 | 93.2 | 21-178 | |
| 13C-1,2,3,7,8-PeCDD | 1.57 | 1.32-1.78 | 89.5 | 25-181 | |
| 13C-1,2,3,4,7,8-HxCDF | 0.52 | 0.43-0.59 | 84.8 | 26-152 | |
| 13C-1,2,3,6,7,8-HxCDF | 0.53 | 0.43-0.59 | 84.4 | 26-123 | |
| 13C-2,3,4,6,7,8-HxCDF | 0.52 | 0.43-0.59 | 90.6 | 28-136 | |
| 13C-1,2,3,7,8,9-HxCDF | 0.52 | 0.43-0.59 | 86.1 | 29-147 | |
| 13C-1,2,3,4,7,8-HxCDD | 1.27 | 1.05-1.43 | 88.0 | 32-141 | |
| 13C-1,2,3,6,7,8-HxCDD | 1.25 | 1.05-1.43 | 86.4 | 28-130 | |
| 13C-1,2,3,4,6,7,8-HpCDF | 0.45 | 0.37-0.51 | 87.3 | 28-143 | |
| 13C-1,2,3,4,7,8,9-HpCDF | 0.44 | 0.37-0.51 | 89.8 | 26-138 | |
| 13C-1,2,3,4,6,7,8-HpCDD | 1.07 | 0.88-1.20 | 88.7 | 23-140 | |
| 13C-OCDD | 0.90 | 0.76-1.02 | 70.3 | 17-157 | |
| 37C14-2,3,7,8-TCDD | | | 94.6 | 35-197 | |

Reported in Percent Recovery

ORGANICS ANALYSIS DATA SHEET
Dioxins/Furans by EPA 1613B
 Page 1 of 1

Sample ID: OPR-012516

Lab Sample ID: OPR-012516
 LIMS ID: 16-135
 Matrix: Tissue
 Data Release Authorized: *mw*
 Reported: 02/02/16

QC Report No: ATSO-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 150388-01.01
 Date Sampled: NA
 Date Received: NA

Date Extracted: 01/25/16
 Date Analyzed: 01/29/16 15:20
 Instrument/Analyst: AS1/PK
 Acid Cleanup: Yes
 Silica-Carbon Cleanup: No

Sample Amount: 10.0 g-as-rec
 Final Extract Volume: 20 uL
 Dilution Factor: 1.00
 Silica-Florisil Cleanup: Yes

| Analyte | Ion Ratio | Ratio Limits | RL | Result |
|---------------------|-----------|--------------|------|--------|
| 2,3,7,8-TCDF | 0.71 | 0.65-0.89 | 1.00 | 23.1 |
| 2,3,7,8-TCDD | 0.80 | 0.65-0.89 | 1.00 | 23.6 |
| 1,2,3,7,8-PeCDF | 1.47 | 1.32-1.78 | 1.00 | 117 |
| 2,3,4,7,8-PeCDF | 1.46 | 1.32-1.78 | 1.00 | 115 |
| 1,2,3,7,8-PeCDD | 1.56 | 1.32-1.78 | 1.00 | 112 |
| 1,2,3,4,7,8-HxCDF | 1.15 | 1.05-1.43 | 1.00 | 116 |
| 1,2,3,6,7,8-HxCDF | 1.16 | 1.05-1.43 | 1.00 | 115 |
| 2,3,4,6,7,8-HxCDF | 1.18 | 1.05-1.43 | 1.00 | 116 |
| 1,2,3,7,8,9-HxCDF | 1.17 | 1.05-1.43 | 1.00 | 114 |
| 1,2,3,4,7,8-HxCDD | 1.24 | 1.05-1.43 | 1.00 | 113 |
| 1,2,3,6,7,8-HxCDD | 1.24 | 1.05-1.43 | 1.00 | 116 |
| 1,2,3,7,8,9-HxCDD | 1.25 | 1.05-1.43 | 1.00 | 115 |
| 1,2,3,4,6,7,8-HpCDF | 0.97 | 0.88-1.20 | 1.00 | 117 |
| 1,2,3,4,7,8,9-HpCDF | 0.97 | 0.88-1.20 | 1.00 | 115 |
| 1,2,3,4,6,7,8-HpCDD | 1.02 | 0.88-1.20 | 1.00 | 115 |
| OCDF | 0.84 | 0.76-1.02 | 2.00 | 217 |
| OCDD | 0.90 | 0.76-1.02 | 10.0 | 224 |

| Homologue Group | EDL | RL | Result |
|-----------------|-----|------|----------|
| Total TCDF | | 1.00 | 23.9 |
| Total TCDD | | 1.00 | 24.2 |
| Total PeCDF | | 2.00 | 238 EMPC |
| Total PeCDD | | 1.00 | 112 EMPC |
| Total HxCDF | | 2.00 | 461 |
| Total HxCDD | | 2.00 | 345 EMPC |
| Total HpCDF | | 2.00 | 232 EMPC |
| Total HpCDD | | 2.00 | 116 |

Reported in pg/g

ORGANICS ANALYSIS DATA SHEET
Dioxins/Furans by EPA 1613B
Page 1 of 1

Sample ID: OPR-012516

Lab Sample ID: OPR-012516
LIMS ID: 16-135
Matrix: Tissue
Data Release Authorized: *YTW*
Reported: 02/02/16

QC Report No: ATSO-Anchor QEA, LLC
Project: Port Gamble Clean-Up
150388-01.01
Date Sampled: NA
Date Received: NA

Date Extracted: 01/25/16
Date Analyzed: 01/29/16 15:20
Instrument/Analyst: AS1/PK

Sample Amount: 10.0 g-as-rec
Final Extract Volume: 20 uL
Dilution Factor: 1.00

| Analyte | Ion Ratio | Ratio Limits | Result | Limits | Exceedance |
|-------------------------|-----------|--------------|--------|--------|------------|
| 13C-2,3,7,8-TCDF | 0.78 | 0.65-0.89 | 90.4 | 24-169 | |
| 13C-2,3,7,8-TCDD | 0.78 | 0.65-0.89 | 87.0 | 25-164 | |
| 13C-1,2,3,7,8-PeCDF | 1.57 | 1.32-1.78 | 94.9 | 24-185 | |
| 13C-2,3,4,7,8-PeCDF | 1.59 | 1.32-1.78 | 95.0 | 21-178 | |
| 13C-1,2,3,7,8-PeCDD | 1.58 | 1.32-1.78 | 92.3 | 25-181 | |
| 13C-1,2,3,4,7,8-HxCDF | 0.52 | 0.43-0.59 | 87.1 | 26-152 | |
| 13C-1,2,3,6,7,8-HxCDF | 0.52 | 0.43-0.59 | 84.4 | 26-123 | |
| 13C-2,3,4,6,7,8-HxCDF | 0.52 | 0.43-0.59 | 89.4 | 28-136 | |
| 13C-1,2,3,7,8,9-HxCDF | 0.52 | 0.43-0.59 | 85.4 | 29-147 | |
| 13C-1,2,3,4,7,8-HxCDD | 1.26 | 1.05-1.43 | 86.4 | 32-141 | |
| 13C-1,2,3,6,7,8-HxCDD | 1.26 | 1.05-1.43 | 82.8 | 28-130 | |
| 13C-1,2,3,4,6,7,8-HpCDF | 0.45 | 0.37-0.51 | 82.8 | 28-143 | |
| 13C-1,2,3,4,7,8,9-HpCDF | 0.45 | 0.37-0.51 | 83.2 | 26-138 | |
| 13C-1,2,3,4,6,7,8-HpCDD | 1.07 | 0.88-1.20 | 83.3 | 23-140 | |
| 13C-OCDD | 0.90 | 0.76-1.02 | 75.0 | 17-157 | |
| 37Cl4-2,3,7,8-TCDD | | | 102 | 35-197 | |

Reported in Percent Recovery

ORGANICS ANALYSIS DATA SHEET
Dioxins/Furans by EPA 1613B
Page 1 of 1

Sample ID: OPR-012516

Lab Sample ID: OPR-012516
LIMS ID: 16-135
Matrix: Tissue
Data Release Authorized: *MW*
Reported: 02/02/16

QC Report No: ATSO-Anchor QEA, LLC
Project: Port Gamble Clean-Up
150388-01.01
Date Sampled: NA
Date Received: NA

Date Extracted: 01/25/16
Date Analyzed: 01/29/16 15:20
Instrument/Analyst: AS1/PK

Sample Amount: 10.0 g-as-rec
Final Extract Volume: 20 uL
Dilution Factor: 1.00

| Analyte | OPR | Spiked | Recovery | Limits |
|---------------------|------|--------|----------|--------|
| 2,3,7,8-TCDF | 23.1 | 20.0 | 116 | 75-158 |
| 2,3,7,8-TCDD | 23.6 | 20.0 | 118 | 67-158 |
| 1,2,3,7,8-PeCDF | 117 | 100 | 117 | 80-134 |
| 2,3,4,7,8-PeCDF | 115 | 100 | 115 | 68-160 |
| 1,2,3,7,8-PeCDD | 112 | 100 | 112 | 70-142 |
| 1,2,3,4,7,8-HxCDF | 116 | 100 | 116 | 72-134 |
| 1,2,3,6,7,8-HxCDF | 115 | 100 | 115 | 84-130 |
| 2,3,4,6,7,8-HxCDF | 116 | 100 | 116 | 70-156 |
| 1,2,3,7,8,9-HxCDF | 114 | 100 | 114 | 78-130 |
| 1,2,3,4,7,8-HxCDD | 113 | 100 | 113 | 70-164 |
| 1,2,3,6,7,8-HxCDD | 116 | 100 | 116 | 76-134 |
| 1,2,3,7,8,9-HxCDD | 115 | 100 | 115 | 64-162 |
| 1,2,3,4,6,7,8-HpCDF | 117 | 100 | 117 | 82-132 |
| 1,2,3,4,7,8,9-HpCDF | 115 | 100 | 115 | 78-138 |
| 1,2,3,4,6,7,8-HpCDD | 115 | 100 | 115 | 70-140 |
| OCDF | 217 | 200 | 108 | 63-170 |
| OCDD | 224 | 200 | 112 | 78-144 |

Reported in pg/g

4DF - FORM IV-HR CDD
 CDD/CDF METHOD BLANK SUMMARY
 HIGH RESOLUTION

Blank No.

ATSOMBT

Lab Name: ANALYTICAL RESOURCES, INC.

Contract: ANCHOR

Lab Code: ATSO

Project: PORT GAMBLE

Matrix: (Soil/Water/Ash/Tissue/Oil) TISSUE

Lab Sample ID: ATSOMBT

Sample wt/vol: 10 (g/ml) g

Lab File ID: 16012904

Water Sample Prep: (sep/spe)

Date Received: 06-JAN-16

GC Column: RTX-DIOXIN2 ID: 0.25 mm

Date Extracted: 25-JAN-16

Instrument ID: AUTOSPEC1

Date Analyzed: 29-JAN-16

| Client Sample No. | Lab Sample ID | Lab File ID | Date Analyzed |
|---------------------------|---------------|-------------|---------------|
| ATS0OPR | ATS0OPR | 16012905 | 01/29/16 |
| PG-T0-MUS-COC-151030 | APR4A | 16012906 | 01/29/16 |
| PG-SMA2-2-MUS-COC-160104T | AT50A | 16012907 | 01/29/16 |
| PG-PJ-1-MUS-COC-160104T | AT50B | 16012908 | 01/29/16 |
| PG-WS-1-MUS-COC-160104T | AT50C | 16012909 | 01/29/16 |
| PG-GP-1-MUS-COC-160104T | AT50D | 16012910 | 01/29/16 |
| PG-SMA2-5-MUS-COC-160104T | AT50E | 16012911 | 01/29/16 |
| PG-SMA2-4-MUS-COC-160104T | AT50F | 16012912 | 01/29/16 |

ORGANICS ANALYSIS DATA SHEET
Dioxins/Furans by EPA 1613B
 Page 1 of 1

Sample ID: MB-012516

Lab Sample ID: MB-012516
 LIMS ID: 16-135
 Matrix: Tissue
 Data Release Authorized: *Ymw*
 Reported: 02/02/16

QC Report No: ATSO-Anchor QEA, LLC
 Project: Port Gamble Clean-Up
 150388-01.01
 Date Sampled: NA
 Date Received: NA

Date Extracted: 01/25/16
 Date Analyzed: 01/29/16 14:28
 Instrument/Analyst: ASI/PK
 Acid Cleanup: Yes
 Silica-Carbon Cleanup: No

Sample Amount: 10.0 g-as-rec
 Final Extract Volume: 20 uL
 Dilution Factor: 1.00
 Silica-Florisil Cleanup: Yes

| Analyte | Ion Ratio | Ratio Limits | EDL | RL | Result | |
|---------------------|-----------|--------------|--------|------|----------|-------|
| 2,3,7,8-TCDF | | 0.65-0.89 | 0.0320 | 1.00 | < 0.0320 | U |
| 2,3,7,8-TCDD | | 0.65-0.89 | 0.0380 | 1.00 | < 0.0380 | U |
| 1,2,3,7,8-PeCDF | 0.65 | 1.32-1.78 | | 1.00 | 0.0500 | JEMPC |
| 2,3,4,7,8-PeCDF | | 1.32-1.78 | 0.0340 | 1.00 | < 0.0340 | U |
| 1,2,3,7,8-PeCDD | | 1.32-1.78 | 0.0440 | 1.00 | < 0.0440 | U |
| 1,2,3,4,7,8-HxCDF | | 1.05-1.43 | 0.0360 | 1.00 | < 0.0360 | U |
| 1,2,3,6,7,8-HxCDF | | 1.05-1.43 | 0.0340 | 1.00 | < 0.0340 | U |
| 2,3,4,6,7,8-HxCDF | | 1.05-1.43 | 0.0360 | 1.00 | < 0.0360 | U |
| 1,2,3,7,8,9-HxCDF | | 1.05-1.43 | 0.0400 | 1.00 | < 0.0400 | U |
| 1,2,3,4,7,8-HxCDD | | 1.05-1.43 | 0.0480 | 1.00 | < 0.0480 | U |
| 1,2,3,6,7,8-HxCDD | | 1.05-1.43 | 0.0500 | 1.00 | < 0.0500 | U |
| 1,2,3,7,8,9-HxCDD | | 1.05-1.43 | 0.0500 | 1.00 | < 0.0500 | U |
| 1,2,3,4,6,7,8-HpCDF | 0.62 | 0.88-1.20 | | 1.00 | 0.142 | JEMPC |
| 1,2,3,4,7,8,9-HpCDF | | 0.88-1.20 | 0.0740 | 1.00 | < 0.0740 | U |
| 1,2,3,4,6,7,8-HpCDD | 1.13 | 0.88-1.20 | | 1.00 | 0.374 | J |
| OCDF | 0.77 | 0.76-1.02 | | 2.00 | 0.541 | J |
| OCDD | 0.93 | 0.76-1.02 | | 10.0 | 6.16 | |

| Homologue Group | EDL | RL | Result |
|-----------------|--------|------|-------------|
| Total TCDF | 0.0320 | 1.00 | < 0.0320 U |
| Total TCDD | 0.0380 | 1.00 | < 0.0380 U |
| Total PeCDF | | 2.00 | 0.0500 EMPC |
| Total PeCDD | 0.0440 | 1.00 | 0.0378 EMPC |
| Total HxCDF | 0.0400 | 2.00 | < 0.0400 U |
| Total HxCDD | 0.0500 | 2.00 | 0.124 EMPC |
| Total HpCDF | | 2.00 | 0.286 EMPC |
| Total HpCDD | | 2.00 | 0.743 |

Total 2,3,7,8-TCDD Equivalence (WHO2005, ND=0, Including EMPC): 0.01

Total 2,3,7,8-TCDD Equivalence (WHO2005, ND=1/2 EDL, Including EMPC): 0.07

Reported in pg/g

ORGANICS ANALYSIS DATA SHEET
Dioxins/Furans by EPA 1613B
Page 1 of 1

Sample ID: MB-012516

Lab Sample ID: MB-012516
LIMS ID: 16-135
Matrix: Tissue
Data Release Authorized: *MMW*
Reported: 02/02/16

QC Report No: ATSO-Anchor QEA, LLC
Project: Port Gamble Clean-Up
150388-01.01
Date Sampled: NA
Date Received: NA

Date Extracted: 01/25/16
Date Analyzed: 01/29/16 14:28
Instrument/Analyst: AS1/PK

Sample Amount: 10.0 g-as-rec
Final Extract Volume: 20 uL
Dilution Factor: 1.00

| Analyte | Ion Ratio | Ratio Limits | Result | Limits | Exceedance |
|-------------------------|-----------|--------------|--------|--------|------------|
| 13C-2,3,7,8-TCDF | 0.78 | 0.65-0.89 | 96.0 | 24-169 | |
| 13C-2,3,7,8-TCDD | 0.79 | 0.65-0.89 | 92.1 | 25-164 | |
| 13C-1,2,3,7,8-PeCDF | 1.58 | 1.32-1.78 | 103 | 24-185 | |
| 13C-2,3,4,7,8-PeCDF | 1.58 | 1.32-1.78 | 104 | 21-178 | |
| 13C-1,2,3,7,8-PeCDD | 1.57 | 1.32-1.78 | 100 | 25-181 | |
| 13C-1,2,3,4,7,8-HxCDF | 0.52 | 0.43-0.59 | 87.9 | 26-152 | |
| 13C-1,2,3,6,7,8-HxCDF | 0.51 | 0.43-0.59 | 86.7 | 26-123 | |
| 13C-2,3,4,6,7,8-HxCDF | 0.52 | 0.43-0.59 | 89.4 | 28-136 | |
| 13C-1,2,3,7,8,9-HxCDF | 0.52 | 0.43-0.59 | 86.6 | 29-147 | |
| 13C-1,2,3,4,7,8-HxCDD | 1.28 | 1.05-1.43 | 86.4 | 32-141 | |
| 13C-1,2,3,6,7,8-HxCDD | 1.28 | 1.05-1.43 | 84.0 | 28-130 | |
| 13C-1,2,3,4,6,7,8-HpCDF | 0.44 | 0.37-0.51 | 91.2 | 28-143 | |
| 13C-1,2,3,4,7,8,9-HpCDF | 0.45 | 0.37-0.51 | 90.0 | 26-138 | |
| 13C-1,2,3,4,6,7,8-HpCDD | 1.08 | 0.88-1.20 | 90.6 | 23-140 | |
| 13C-OCDD | 0.89 | 0.76-1.02 | 79.0 | 17-157 | |
| 37C14-2,3,7,8-TCDD | | | 116 | 35-197 | |

Reported in Percent Recovery

5DFA - FORM V-HR CDD-1
CDD/CDF WINDOW DEFINING MIX (WDM) SUMMARY
HIGH RESOLUTION

Standard No.

CS3

Lab Name: ANALYTICAL RESOURCES, INC.
Lab Code: ATSO
GC Column: RTX-DIOXIN2 ID: 0.25 mm
Instrument ID: AUTOSPEC1

Contract: ANCHOR
Project: PORT GAMBLE
Lab File ID: 16012902
Date Analyzed: 29-JAN-16
Time Analyzed: 10:58

| CDD/CDF | RT First Eluting | RT Last Eluting |
|---------|------------------|-----------------|
| TCDD | 24.32 | 27.78 |
| TCDF | 23.03 | 28.02 |
| PeCDD | 29.57 | 32.69 |
| PeCDF | 27.90 | 33.07 |
| HxCDD | 34.80 | 37.50 |
| HxCDF | 34.00 | 37.93 |
| HpCDD | 40.62 | 41.92 |
| HpCDF | 40.05 | 42.83 |

5DFB - FORM V-HR CDD-2
CDD/CDF CHROMATOGRAPHIC RESOLUTION SUMMARY
HIGH RESOLUTION

Standard No.

TETRA ISC

Lab Name: ANALYTICAL RESOURCES, INC.
Lab Code: ATSO
GC Column: RTX-DIOXIN2 ID: .25 mm
Instrument: AUTOSPEC1

Contract: ANCHOR
Project: PORT GAMBLE
Lab File ID: 16012903
Date Analyzed: 29-JAN-16
Time Analyzed: 11:49

Percent Valley determination for RTX-DIOXIN2 column -

1278-TCDD/2378-TCDD: 13.2

3467-TCDF/2378-TCDF: 10.3

QC Limits:

Percent Valley between TCDD/TCDF isomers must be less than or equal to 25%

5DFB - FORM V-HR CDD-3
 CDD/CDF ANALYTICAL SEQUENCE SUMMARY
 HIGH RESOLUTION

Lab Name: ANALYTICAL RESOURCES, INC.

Contract: ANCHOR

Lab Code: ATSO

Project: PORT GAMBLE

GC Column: RTX-DIOXIN2 ID: 0.25 mm

Instrument ID: AUTOSPEC1

Init. Calib. Date(s): 15-OCT-15

Init: Calib. Times: 15:02 to 19:31

The Analytical Sequence of standards, samples, blanks, and Laboratory Control Samples (LCS) is as follows:

| Client Sample No. | Lab Sample ID | Lab File ID | Date Analyzed | Time Analyzed |
|---------------------------|---------------|-------------|---------------|---------------|
| CS3 | CS3 | 16012902 | 01/29/16 | 1058 |
| ISC | ISC | 16012903 | 01/29/16 | 1149 |
| ATS0MB | ATS0MBS | 16012904 | 01/29/16 | 1428 |
| ATS0OPR | ATS0OPR | 16012905 | 01/29/16 | 1520 |
| PG-T0-MUS-COC-151030 | APR4A | 16012906 | 01/29/16 | 1613 |
| PG-SMA2-2-MUS-COC-160104T | AT50A | 16012907 | 01/29/16 | 1707 |
| PG-PJ-1-MUS-COC-160104T | AT50B | 16012908 | 01/29/16 | 1801 |
| PG-WS-1-MUS-COC-160104T | AT50C | 16012909 | 01/29/16 | 1855 |
| PG-GP-1-MUS-COC-160104T | AT50D | 16012910 | 01/29/16 | 1948 |
| PG-SMA2-5-MUS-COC-160104T | AT50E | 16012911 | 01/29/16 | 2042 |
| PG-SMA2-4-MUS-COC-160104T | AT50F | 16012912 | 01/29/16 | 2136 |
| CS3 | CS3 | 16012913 | 01/29/16 | 2229 |

6DFA - Form VI-HR CDD-1
CDD/CDF INITIAL CALIBRATION RESPONSE FACTOR SUMMARY
HIGH RESOLUTION

| | | | |
|----------------------|----------------------|----------------------|-------------|
| Lab Name: | ANALYTICAL RESOURCES | Contract: | ANCHOR |
| Lab Code: | ATS0 | Case No.: | PORT GAMBLE |
| TO No.: | | SDG No.: | |
| GC Column: | RTX-DIOXIN2 | ID (mm): | .25 |
| Instrument ID: | AUTOSPEC1 | | |
| Init.Calib.Date CSL: | 15-Oct-15 | Init.Calib.Time CSL: | 15:02:44 |
| Init.Calib.Date CS1: | 15-Oct-15 | Init.Calib.Time CS1: | 16:02:00 |
| Init.Calib.Date CS2: | 15-Oct-15 | Init.Calib.Time CS2: | 16:52:59 |
| Init.Calib.Date CS3: | 15-Oct-15 | Init.Calib.Time CS3: | 17:45:44 |
| Init.Calib.Date CS4: | 15-Oct-15 | Init.Calib.Time CS4: | 18:38:36 |
| Init.Calib.Date CS5: | 15-Oct-15 | Init.Calib.Time CS5: | 19:31:22 |

| Target Analytes | RR/RRF | | | | | | Mean RR/RRF | % RSD | Limits (% +/-) |
|---------------------------|--------|------|------|------|------|------|-------------|-------|----------------|
| | CSL | CS1 | CS2 | CS3 | CS4 | CS5 | | | |
| 2378-TCDD | 0.00 | 1.05 | 0.96 | 0.98 | 1.01 | 1.12 | 1.02 | 6.1 | 20.0 |
| 2378-TCDF | 0.00 | 0.79 | 0.81 | 0.82 | 0.85 | 0.86 | 0.83 | 3.2 | 20.0 |
| 12378-PeCDF | 0.78 | 0.78 | 0.81 | 0.84 | 0.85 | 0.88 | 0.82 | 4.9 | 20.0 |
| 12378-PeCDD | 0.90 | 0.92 | 0.95 | 0.94 | 0.97 | 0.96 | 0.94 | 3.2 | 20.0 |
| 23478-PeCDF | 0.81 | 0.83 | 0.85 | 0.86 | 0.87 | 0.89 | 0.85 | 3.6 | 20.0 |
| 123478-HxCDF | 0.92 | 0.95 | 0.96 | 0.98 | 0.99 | 1.02 | 0.97 | 3.5 | 20.0 |
| 123678-HxCDF | 0.90 | 0.91 | 0.95 | 0.96 | 1.00 | 0.98 | 0.95 | 4.2 | 20.0 |
| 123478-HxCDD | 0.92 | 0.91 | 0.95 | 0.98 | 1.00 | 1.01 | 0.96 | 4.3 | 20.0 |
| 123678-HxCDD | 0.90 | 0.86 | 0.87 | 0.89 | 0.92 | 0.93 | 0.89 | 3.0 | 20.0 |
| 123789-HxCDD ² | 0.87 | 0.88 | 0.89 | 0.90 | 0.91 | 0.95 | 0.90 | 3.0 | 20.0 |
| 234678-HxCDF | 0.96 | 0.98 | 1.00 | 1.04 | 1.07 | 1.09 | 1.02 | 5.0 | 20.0 |
| 123789-HxCDF | 0.99 | 0.96 | 0.92 | 0.92 | 0.93 | 1.01 | 0.96 | 4.1 | 20.0 |
| 1234678-HpCDF | 1.13 | 1.09 | 1.14 | 1.18 | 1.17 | 1.21 | 1.15 | 3.6 | 20.0 |
| 1234678-HpCDD | 0.89 | 0.92 | 0.97 | 0.99 | 1.00 | 1.01 | 0.96 | 4.7 | 20.0 |
| 1234789-HpCDF | 1.02 | 1.07 | 1.13 | 1.17 | 1.18 | 1.22 | 1.13 | 6.6 | 20.0 |
| OCDD | 0.98 | 0.89 | 0.95 | 0.98 | 0.98 | 1.03 | 0.97 | 4.8 | 20.0 |
| OCDF ¹ | 0.93 | 0.92 | 1.02 | 1.04 | 1.12 | 1.11 | 1.02 | 8.4 | 20.0 |
| 37CL-2378-TCDD | 1.05 | 1.06 | 1.06 | 1.09 | 1.08 | 1.20 | 1.09 | 5.2 | 20.0 |

(1) The Relative Response (RR) is calculated based on the labeled analogs of the other two HxCDDs.
(2) The RR is calculated based on the labeled analog of OCDD.

| Labeled Compounds | RR/RRF | | | | | | Mean RR/RRF | % RSD | Limits (% +/-) |
|-------------------|--------|------|------|------|------|------|-------------|-------|----------------|
| | CSL | CS1 | CS2 | CS3 | CS4 | CS5 | | | |
| 13C-2378-TCDD | 0.94 | 0.95 | 1.02 | 1.01 | 0.98 | 0.99 | 0.98 | 3.1 | 35.0 |
| 13C-12378-PeCDD | 0.77 | 0.79 | 0.77 | 0.75 | 0.75 | 0.89 | 0.79 | 6.9 | 35.0 |
| 13C-123478-HxCDD | 1.04 | 1.04 | 1.00 | 1.05 | 1.01 | 1.05 | 1.03 | 2.2 | 35.0 |
| 13C-123678-HxCDD | 1.15 | 1.15 | 1.12 | 1.18 | 1.10 | 1.12 | 1.14 | 2.5 | 35.0 |
| 13C-1234678-HpCDD | 0.92 | 0.91 | 0.88 | 0.91 | 0.85 | 0.88 | 0.89 | 2.8 | 35.0 |
| 13C-OCDD | 0.88 | 0.88 | 0.82 | 0.84 | 0.83 | 0.86 | 0.85 | 3.4 | 35.0 |
| 13C-2378-TCDF | 1.52 | 1.53 | 1.51 | 1.49 | 1.44 | 1.52 | 1.50 | 2.2 | 35.0 |
| 13C-12378-PeCDF | 1.21 | 1.23 | 1.20 | 1.17 | 1.15 | 1.33 | 1.22 | 5.1 | 35.0 |
| 13C-23478-PeCDF | 1.17 | 1.20 | 1.16 | 1.14 | 1.11 | 1.32 | 1.18 | 6.3 | 35.0 |
| 13C-123478-HxCDF | 1.25 | 1.24 | 1.23 | 1.28 | 1.23 | 1.24 | 1.25 | 1.7 | 35.0 |
| 13C-123678-HxCDF | 1.41 | 1.39 | 1.36 | 1.40 | 1.31 | 1.38 | 1.38 | 2.6 | 35.0 |
| 13C-234678-HxCDF | 1.21 | 1.20 | 1.17 | 1.21 | 1.14 | 1.18 | 1.19 | 2.4 | 35.0 |
| 13C-123789-HxCDF | 1.13 | 1.13 | 1.14 | 1.18 | 1.13 | 1.10 | 1.13 | 2.4 | 35.0 |
| 13C-1234678-HpCDF | 1.05 | 1.05 | 1.00 | 1.04 | 0.99 | 1.00 | 1.02 | 2.7 | 35.0 |
| 13C-1234789-HpCDF | 0.84 | 0.86 | 0.81 | 0.83 | 0.80 | 0.81 | 0.82 | 2.7 | 35.0 |

6DFB - Form VI-HR CDD-2
CDD/CDF INITIAL CALIBRATION ION ABUNDANCE RATIO SUMMARY
HIGH RESOLUTION

| | | | |
|----------------------|----------------------|----------------------|-------------|
| Lab Name: | ANALYTICAL RESOURCES | Contract: | ANCHOR |
| Lab Code: | ATS0 | Case No.: | PORT GAMBLE |
| TO No.: | | SDG No.: | |
| GC Column: | RTX-DIOXIN2 | ID (mm): | .25 |
| Instrument ID: | AUTOSPEC1 | | |
| Init.Calib.Date CSL: | 15-Oct-15 | Init.Calib.Time CSL: | 15:02:44 |
| Init.Calib.Date CS1: | 15-Oct-15 | Init.Calib.Time CS1: | 16:02:00 |
| Init.Calib.Date CS2: | 15-Oct-15 | Init.Calib.Time CS2: | 16:52:59 |
| Init.Calib.Date CS3: | 15-Oct-15 | Init.Calib.Time CS3: | 17:45:44 |
| Init.Calib.Date CS4: | 15-Oct-15 | Init.Calib.Time CS4: | 18:38:36 |
| Init.Calib.Date CS5: | 15-Oct-15 | Init.Calib.Time CS5: | 19:31:22 |

| Target Analytes | Selected Ions | Ion Abundance Ratio | | | | | | Ratio Flag | Ratio QC Limits [#] |
|-----------------|---------------|---------------------|------|------|------|------|------|------------|------------------------------|
| | | CSL | CS1 | CS2 | CS3 | CS4 | CS5 | | |
| 2378-TCDD | 320/322 | 0.00 | 0.73 | 0.80 | 0.80 | 0.78 | 0.78 | | 0.65 - 0.89 |
| 2378-TCDF | 304/306 | 0.00 | 0.67 | 0.66 | 0.66 | 0.67 | 0.68 | | 0.65 - 0.89 |
| 12378-PeCDF | 340/342 | 1.38 | 1.37 | 1.35 | 1.40 | 1.43 | 1.42 | | 1.32 - 1.78 |
| 12378-PeCDD | 356/358 | 1.58 | 1.56 | 1.55 | 1.53 | 1.55 | 1.55 | | 1.32 - 1.78 |
| 23478-PeCDF | 340/342 | 1.45 | 1.36 | 1.42 | 1.39 | 1.41 | 1.41 | | 1.32 - 1.78 |
| 123478-HxCDF | 374/376 | 1.23 | 1.12 | 1.12 | 1.14 | 1.12 | 1.13 | | 1.05 - 1.43 |
| 123678-HxCDF | 374/376 | 1.10 | 1.08 | 1.08 | 1.07 | 1.13 | 1.13 | | 1.05 - 1.43 |
| 123478-HxCDD | 390/392 | 1.19 | 1.31 | 1.25 | 1.24 | 1.24 | 1.25 | | 1.05 - 1.43 |
| 123678-HxCDD | 390/392 | 1.19 | 1.18 | 1.23 | 1.25 | 1.22 | 1.24 | | 1.05 - 1.43 |
| 123789-HxCDD | 390/392 | 1.33 | 1.29 | 1.20 | 1.20 | 1.25 | 1.24 | | 1.05 - 1.43 |
| 234678-HxCDF | 374/376 | 1.14 | 1.17 | 1.12 | 1.11 | 1.13 | 1.12 | | 1.05 - 1.43 |
| 123789-HxCDF | 374/376 | 1.17 | 1.10 | 1.14 | 1.10 | 1.12 | 1.14 | | 1.05 - 1.43 |
| 1234678-HpCDF | 408/410 | 0.96 | 0.90 | 0.94 | 0.92 | 0.94 | 0.95 | | 0.89 - 1.21 |
| 1234678-HpCDD | 424/426 | 1.01 | 1.03 | 1.06 | 1.05 | 1.03 | 1.04 | | 0.89 - 1.21 |
| 1234789-HpCDF | 408/410 | 0.94 | 0.92 | 0.92 | 0.93 | 0.97 | 0.95 | | 0.89 - 1.21 |
| OCDD | 458/460 | 0.92 | 0.94 | 0.88 | 0.89 | 0.86 | 0.88 | | 0.76 - 1.02 |
| OCDF | 442/444 | 0.84 | 0.83 | 0.81 | 0.83 | 0.83 | 0.83 | | 0.76 - 1.02 |

| Labeled Compounds | Selected Ions | Ion Abundance Ratio | | | | | | Ratio Flag | Ratio QC Limits |
|-------------------|---------------|---------------------|------|------|------|------|------|------------|-----------------|
| | | CSL | CS1 | CS2 | CS3 | CS4 | CS5 | | |
| 13C-2378-TCDD | 332/334 | 0.79 | 0.78 | 0.78 | 0.79 | 0.78 | 0.78 | | 0.65 - 0.89 |
| 13C-12378-PeCDD | 368/370 | 1.57 | 1.57 | 1.54 | 1.57 | 1.60 | 1.57 | | 1.32 - 1.78 |
| 13C-123478-HxCDD | 402/404 | 1.26 | 1.26 | 1.27 | 1.26 | 1.26 | 1.27 | | 1.05 - 1.43 |
| 13C-123678-HxCDD | 402/404 | 1.25 | 1.24 | 1.25 | 1.23 | 1.25 | 1.28 | | 1.05 - 1.43 |
| 13C-1234678-HpCDD | 436/438 | 1.04 | 1.03 | 1.04 | 1.05 | 1.05 | 1.04 | | 0.89 - 1.21 |
| 13C-OCDD | 470/472 | 0.87 | 0.89 | 0.90 | 0.90 | 0.89 | 0.89 | | 0.76 - 1.02 |
| 13C-2378-TCDF | 316/318 | 0.78 | 0.77 | 0.77 | 0.78 | 0.77 | 0.78 | | 0.65 - 0.89 |
| 13C-12378-PeCDF | 352/354 | 1.60 | 1.61 | 1.54 | 1.56 | 1.61 | 1.57 | | 1.32 - 1.78 |
| 13C-23478-PeCDF | 352/354 | 1.57 | 1.57 | 1.58 | 1.57 | 1.57 | 1.57 | | 1.32 - 1.78 |
| 13C-123478-HxCDF | 384/386 | 0.51 | 0.51 | 0.51 | 0.51 | 0.51 | 0.51 | | 0.43 - 0.59 |
| 13C-123678-HxCDF | 384/386 | 0.51 | 0.51 | 0.51 | 0.50 | 0.52 | 0.52 | | 0.43 - 0.59 |
| 13C-234678-HxCDF | 384/386 | 0.51 | 0.51 | 0.53 | 0.52 | 0.52 | 0.53 | | 0.43 - 0.59 |
| 13C-123789-HxCDF | 384/386 | 0.51 | 0.52 | 0.52 | 0.51 | 0.51 | 0.51 | | 0.43 - 0.59 |
| 13C-1234678-HpCDF | 418/420 | 0.45 | 0.45 | 0.45 | 0.44 | 0.45 | 0.45 | | 0.37 - 0.51 |
| 13C-1234789-HpCDF | 418/420 | 0.44 | 0.43 | 0.43 | 0.44 | 0.45 | 0.45 | | 0.37 - 0.51 |

| Internal Standards | Selected Ions | Ion Abundance Ratio | | | | | | Ratio Flag | Ion Ratio QC Limits |
|--------------------|---------------|---------------------|------|------|------|------|------|------------|---------------------|
| | | CSL | CS1 | CS2 | CS3 | CS4 | CS5 | | |
| 13C-1234-TCDD | 332/334 | 0.79 | 0.80 | 0.79 | 0.79 | 0.79 | 0.78 | | 0.65 - 0.89 |
| 13C-123789-HxCDD | 402/404 | 1.25 | 1.23 | 1.25 | 1.24 | 1.26 | 1.25 | | 1.05 - 1.43 |

(#) Quality Control (QC) limits represent ±15% window around the theoretical ion abundance ratio. The laboratory must flag any analyte in any calibration solution which does not meet the ion abundance ratio QC limit by placing an asterisk in the flag column.

**7DFA - Form VII-HR CDD-1
CDD/CDF CONTINUING CALIBRATION SUMMARY
HIGH RESOLUTION**

| | | | |
|--------------------|----------------------|--------------------|-------------|
| Lab Name: | ANALYTICAL RESOURCES | Contract: | ANCHOR |
| Lab Code: | ATS0 | Case No.: | PORT GAMBLE |
| TO No.: | | SDG No.: | |
| GC Column: | RTX-DIOXIN2 | ID (mm): | .25 |
| Instrument ID: | AUTOSPEC1 | Lab File ID: | 16012902 |
| Date Analysed: | 29-Jan-16 | Time Analysed: | 10:58:17 |
| Init. Calib. Date: | 15-OCT-15 | Init. Calib. Time: | |

| Target Analytes | Selected Ions | RRF | Mean RRF | %D | %D Flag [#] | Ion Ratio | Ratio Flag [#] | Ratio QC Limits |
|-----------------|---------------|------|----------|------|----------------------|-----------|-------------------------|-----------------|
| 2378-TCDD | 320/322 | 1.04 | 1.02 | 1.2 | | 0.77 | | 0.65 - 0.89 |
| 2378-TCDF | 304/306 | 0.86 | 0.83 | 3.8 | | 0.69 | | 0.65 - 0.89 |
| 12378-PeCDF | 340/342 | 0.85 | 0.82 | 2.7 | | 1.44 | | 1.32 - 1.78 |
| 12378-PeCDD | 356/358 | 0.97 | 0.94 | 3.5 | | 1.56 | | 1.32 - 1.78 |
| 23478-PeCDF | 340/342 | 0.89 | 0.85 | 4.3 | | 1.46 | | 1.32 - 1.78 |
| 123478-HxCDF | 374/376 | 1.01 | 0.97 | 4.2 | | 1.16 | | 1.05 - 1.43 |
| 123678-HxCDF | 374/376 | 1.00 | 0.95 | 4.6 | | 1.16 | | 1.05 - 1.43 |
| 123478-HxCDD | 390/392 | 0.98 | 0.96 | 2.0 | | 1.23 | | 1.05 - 1.43 |
| 123678-HxCDD | 390/392 | 0.91 | 0.89 | 1.5 | | 1.24 | | 1.05 - 1.43 |
| 123789-HxCDD | 390/392 | 0.96 | 0.90 | 6.3 | | 1.24 | | 1.05 - 1.43 |
| 234678-HxCDF | 374/376 | 1.08 | 1.02 | 5.4 | | 1.15 | | 1.05 - 1.43 |
| 123789-HxCDF | 374/376 | 0.94 | 0.96 | -1.6 | | 1.14 | | 1.05 - 1.43 |
| 1234678-HpCDF | 408/410 | 1.19 | 1.15 | 3.5 | | 0.95 | | 0.89 - 1.21 |
| 1234678-HpCDD | 424/426 | 1.01 | 0.96 | 4.3 | | 1.03 | | 0.89 - 1.21 |
| 1234789-HpCDF | 408/410 | 1.19 | 1.13 | 5.0 | | 0.97 | | 0.89 - 1.21 |
| OCDD | 458/460 | 0.99 | 0.97 | 2.4 | | 0.90 | | 0.76 - 1.02 |
| OCDF | 442/444 | 1.08 | 1.02 | 5.7 | | 0.85 | | 0.76 - 1.02 |

| Labeled Compounds | Selected Ions | RRF | Mean RRF | %D | %D Flag [#] | Ion Ratio | Ratio Flag [#] | Ratio QC Limits |
|-------------------|---------------|------|----------|------|----------------------|-----------|-------------------------|-----------------|
| 13C-2378-TCDD | 332/334 | 1.03 | 0.98 | 5.0 | | 0.79 | | 0.65 - 0.89 |
| 13C-12378-PeCDD | 368/370 | 0.78 | 0.79 | -0.7 | | 1.58 | | 1.32 - 1.78 |
| 13C-123478-HxCDD | 402/404 | 1.04 | 1.03 | 0.5 | | 1.30 | | 1.05 - 1.43 |
| 13C-123678-HxCDD | 402/404 | 1.09 | 1.14 | -4.0 | | 1.23 | | 1.05 - 1.43 |
| 13C-1234678-HpCDD | 436/438 | 0.91 | 0.89 | 2.1 | | 1.07 | | 0.89 - 1.21 |
| 13C-OCDD | 470/472 | 0.83 | 0.85 | -2.6 | | 0.88 | | 0.76 - 1.02 |
| 13C-2378-TCDF | 316/318 | 1.59 | 1.50 | 5.5 | | 0.77 | | 0.65 - 0.89 |
| 13C-12378-PeCDF | 352/354 | 1.27 | 1.22 | 4.4 | | 1.57 | | 1.32 - 1.78 |
| 13C-23478-PeCDF | 352/354 | 1.23 | 1.18 | 3.8 | | 1.57 | | 1.32 - 1.78 |
| 13C-123478-HxCDF | 384/386 | 1.27 | 1.25 | 2.3 | | 0.51 | | 0.43 - 0.59 |
| 13C-123678-HxCDF | 384/386 | 1.32 | 1.38 | -3.8 | | 0.52 | | 0.43 - 0.59 |
| 13C-234678-HxCDF | 384/386 | 1.20 | 1.19 | 1.5 | | 0.52 | | 0.43 - 0.59 |
| 13C-123789-HxCDF | 384/386 | 1.23 | 1.13 | 8.4 | | 0.52 | | 0.43 - 0.59 |
| 13C-1234678-HpCDF | 418/420 | 1.05 | 1.02 | 2.7 | | 0.45 | | 0.37 - 0.51 |
| 13C-1234789-HpCDF | 418/420 | 0.86 | 0.82 | 4.9 | | 0.45 | | 0.37 - 0.51 |

| Clean-up | Selected Ions | RRF | Mean RRF | %D | %D Flag [#] | Ion Ratio | Ratio Flag [#] | Ratio QC Limits |
|----------------|---------------|------|----------|-----|----------------------|-----------|-------------------------|-----------------|
| 37CL-2378-TCDD | 328 | 1.13 | 1.09 | 3.4 | | NA | NA | NA |

| Internal Standards | Selected Ions | RRF | Mean RRF | %D | %D Flag [#] | Ion Ratio | Ion Ratio Flag [#] | Ion Ratio QC Limits |
|--------------------|---------------|-----|----------|----|----------------------|-----------|-----------------------------|---------------------|
| 13C-1234-TCDD | 332/334 | NA | NA | NA | NA | 0.79 | | 0.65 - 0.89 |
| 13C-123789-HxCDD | 402/404 | NA | NA | NA | NA | 1.25 | | 1.05 - 1.43 |

(#) The laboratory must flag any analyte which does not meet the criteria for Percentage Difference (%D) or ion abundance ratio by placing an asterisk in the appropriate flag column.

7DFB - Form VII-HR CDD-2
CDD/CDF CONTINUING CALIBRATION RETENTION TIME SUMMARY
HIGH RESOLUTION

| | | | |
|------------------|----------------------|------------------|-------------|
| Lab Name: | ANALYTICAL RESOURCES | Contract: | ANCHOR |
| Lab Code: | ATS0 | Case No.: | PORT GAMBLE |
| TO No.: | | SDG No.: | |
| GC Column: | RTX-DIOXIN2 | ID (mm): | .25 |
| Instrument ID: | AUTOSPEC1 | Lab File ID: | 16012902 |
| Date Analysed: | 29-Jan-16 | Time Analysed: | 10:58:17 |
| Init.Calib.Date: | 15-OCT-15 | Init.Calib.Time: | |

| Target Analytes | RRT [#] | RT |
|-----------------|------------------|-------|
| 2378-TCDD | 1.001 | 27.18 |
| 2378-TCDF | 1.001 | 26.53 |
| 12378-PeCDF | 1.000 | 30.69 |
| 12378-PeCDD | 1.001 | 32.30 |
| 23478-PeCDF | 1.001 | 32.04 |
| 123478-HxCDF | 1.001 | 35.73 |
| 123678-HxCDF | 1.001 | 35.88 |
| 123478-HxCDD | 1.000 | 36.96 |
| 123678-HxCDD | 1.000 | 37.09 |
| 123789-HxCDD | 1.012 | 37.50 |
| 234678-HxCDF | 1.001 | 36.83 |
| 123789-HxCDF | 1.001 | 37.93 |
| 1234678-HpCDF | 1.000 | 40.05 |
| 1234678-HpCDD | 1.000 | 41.92 |
| 1234789-HpCDF | 1.000 | 42.83 |
| OCDD | 1.000 | 48.04 |
| OCDF | 1.006 | 48.32 |

| Labeled Compounds | RRT [#] | RT |
|-------------------|------------------|-------|
| 13C-2378-TCDD | 1.031 | 27.15 |
| 13C-12378-PeCDD | 1.225 | 32.28 |
| 13C-123478-HxCDD | 0.985 | 36.95 |
| 13C-123678-HxCDD | 0.989 | 37.08 |
| 13C-1234678-HpCDD | 1.117 | 41.90 |
| 13C-OCDD | 1.281 | 48.03 |
| 13C-2378-TCDF | 1.006 | 26.51 |
| 13C-12378-PeCDF | 1.164 | 30.68 |
| 13C-23478-PeCDF | 1.215 | 32.01 |
| 13C-123478-HxCDF | 0.952 | 35.71 |
| 13C-123678-HxCDF | 0.956 | 35.86 |
| 13C-234678-HxCDF | 0.982 | 36.80 |
| 13C-123789-HxCDF | 1.011 | 37.91 |
| 13C-1234678-HpCDF | 1.068 | 40.04 |
| 13C-1234789-HpCDF | 1.142 | 42.81 |

| Clean up Standard | RRT [#] | RT |
|-------------------|------------------|-------|
| 37CL-2378-TCDD | 1.03 | 27.18 |

| Internal Standards | RRT [#] | RT |
|--------------------|------------------|-------|
| 13C-1234-TCDD | 0.00 | 26.35 |
| 13C-123789-HxCDD | 0.00 | 37.49 |

(#) RRT = (RT of Analyte)/(RT of appropriate labeled compound).

**7DFA - Form VII-HR CDD-1
CDD/CDF CONTINUING CALIBRATION SUMMARY
HIGH RESOLUTION**

| | | | |
|--------------------|----------------------|--------------------|-------------|
| Lab Name: | ANALYTICAL RESOURCES | Contract: | ANCHOR |
| Lab Code: | ATS0 | Case No.: | PORT GAMBLE |
| TO No.: | | SDG No.: | |
| GC Column: | RTX-DIOXIN2 | ID (mm): | .25 |
| Instrument ID: | AUTOSPEC1 | Lab File ID: | 16012913 |
| Date Analysed: | 29-Jan-16 | Time Analysed: | 22:29:47 |
| Init. Calib. Date: | 15-OCT-15 | Init. Calib. Time: | |

| Target Analytes | Selected Ions | RRF | Mean RRF | %D | %D Flag [#] | Ion Ratio | Ratio Flag [#] | Ratio QC Limits |
|-----------------|---------------|------|----------|------|----------------------|-----------|-------------------------|-----------------|
| 2378-TCDD | 320/322 | 1.04 | 1.02 | 1.2 | | 0.76 | | 0.65 - 0.89 |
| 2378-TCDF | 304/306 | 0.86 | 0.83 | 3.5 | | 0.69 | | 0.65 - 0.89 |
| 12378-PeCDF | 340/342 | 0.88 | 0.82 | 6.9 | | 1.45 | | 1.32 - 1.78 |
| 12378-PeCDD | 356/358 | 0.97 | 0.94 | 2.9 | | 1.55 | | 1.32 - 1.78 |
| 23478-PeCDF | 340/342 | 0.89 | 0.85 | 4.6 | | 1.45 | | 1.32 - 1.78 |
| 123478-HxCDF | 374/376 | 1.02 | 0.97 | 4.8 | | 1.16 | | 1.05 - 1.43 |
| 123678-HxCDF | 374/376 | 1.00 | 0.95 | 4.8 | | 1.14 | | 1.05 - 1.43 |
| 123478-HxCDD | 390/392 | 0.98 | 0.96 | 1.3 | | 1.24 | | 1.05 - 1.43 |
| 123678-HxCDD | 390/392 | 0.92 | 0.89 | 2.8 | | 1.25 | | 1.05 - 1.43 |
| 123789-HxCDD | 390/392 | 0.96 | 0.90 | 6.3 | | 1.24 | | 1.05 - 1.43 |
| 234678-HxCDF | 374/376 | 1.07 | 1.02 | 4.2 | | 1.15 | | 1.05 - 1.43 |
| 123789-HxCDF | 374/376 | 0.94 | 0.96 | -1.3 | | 1.16 | | 1.05 - 1.43 |
| 1234678-HpCDF | 408/410 | 1.21 | 1.15 | 4.5 | | 0.98 | | 0.89 - 1.21 |
| 1234678-HpCDD | 424/426 | 1.01 | 0.96 | 4.3 | | 1.05 | | 0.89 - 1.21 |
| 1234789-HpCDF | 408/410 | 1.19 | 1.13 | 5.2 | | 0.96 | | 0.89 - 1.21 |
| OCDD | 458/460 | 0.99 | 0.97 | 2.3 | | 0.88 | | 0.76 - 1.02 |
| OCDF | 442/444 | 1.08 | 1.02 | 6.0 | | 0.85 | | 0.76 - 1.02 |

| Labeled Compounds | Selected Ions | RRF | Mean RRF | %D | %D Flag [#] | Ion Ratio | Ratio Flag [#] | Ratio QC Limits |
|-------------------|---------------|------|----------|------|----------------------|-----------|-------------------------|-----------------|
| 13C-2378-TCDD | 332/334 | 1.00 | 0.98 | 2.3 | | 0.79 | | 0.65 - 0.89 |
| 13C-12378-PeCDD | 368/370 | 0.79 | 0.79 | 1.0 | | 1.57 | | 1.32 - 1.78 |
| 13C-123478-HxCDD | 402/404 | 1.06 | 1.03 | 2.6 | | 1.27 | | 1.05 - 1.43 |
| 13C-123678-HxCDD | 402/404 | 1.11 | 1.14 | -2.6 | | 1.27 | | 1.05 - 1.43 |
| 13C-1234678-HpCDD | 436/438 | 0.90 | 0.89 | 0.5 | | 1.04 | | 0.89 - 1.21 |
| 13C-OCDD | 470/472 | 0.77 | 0.85 | -9.5 | | 0.88 | | 0.76 - 1.02 |
| 13C-2378-TCDF | 316/318 | 1.57 | 1.50 | 4.6 | | 0.78 | | 0.65 - 0.89 |
| 13C-12378-PeCDF | 352/354 | 1.26 | 1.22 | 3.6 | | 1.56 | | 1.32 - 1.78 |
| 13C-23478-PeCDF | 352/354 | 1.24 | 1.18 | 5.2 | | 1.57 | | 1.32 - 1.78 |
| 13C-123478-HxCDF | 384/386 | 1.31 | 1.25 | 4.9 | | 0.51 | | 0.43 - 0.59 |
| 13C-123678-HxCDF | 384/386 | 1.36 | 1.38 | -0.8 | | 0.52 | | 0.43 - 0.59 |
| 13C-234678-HxCDF | 384/386 | 1.22 | 1.19 | 3.1 | | 0.52 | | 0.43 - 0.59 |
| 13C-123789-HxCDF | 384/386 | 1.23 | 1.13 | 8.2 | | 0.52 | | 0.43 - 0.59 |
| 13C-1234678-HpCDF | 418/420 | 1.04 | 1.02 | 1.5 | | 0.45 | | 0.37 - 0.51 |
| 13C-1234789-HpCDF | 418/420 | 0.86 | 0.82 | 4.0 | | 0.45 | | 0.37 - 0.51 |

| Clean-up | Selected Ions | RRF | Mean RRF | %D | %D Flag [#] | Ion Ratio | Ratio Flag [#] | Ratio QC Limits |
|----------------|---------------|------|----------|-----|----------------------|-----------|-------------------------|-----------------|
| 37CL-2378-TCDD | 328 | 1.11 | 1.09 | 2.0 | | NA | NA | NA |

| Internal Standards | Selected Ions | RRF | Mean RRF | %D | %D Flag [#] | Ion Ratio | Ion Ratio Flag [#] | Ion Ratio QC Limits |
|--------------------|---------------|-----|----------|----|----------------------|-----------|-----------------------------|---------------------|
| 13C-1234-TCDD | 332/334 | NA | NA | NA | NA | 0.79 | | 0.65 - 0.89 |
| 13C-123789-HxCDD | 402/404 | NA | NA | NA | NA | 1.26 | | 1.05 - 1.43 |

(#) The laboratory must flag any analyte which does not meet the criteria for Percentage Difference (%D) or ion abundance ratio by placing an asterisk in the appropriate flag column.

7DFB - Form VII-HR CDD-2
CDD/CDF CONTINUING CALIBRATION RETENTION TIME SUMMARY
HIGH RESOLUTION

| | | | |
|------------------|----------------------|------------------|-------------|
| Lab Name: | ANALYTICAL RESOURCES | Contract: | ANCHOR |
| Lab Code: | ATS0 | Case No.: | PORT GAMBLE |
| TO No.: | | SDG No.: | |
| GC Column: | RTX-DIOXIN2 | ID (mm): | .25 |
| Instrument ID: | AUTOSPEC1 | Lab File ID: | 16012913 |
| Date Analysed: | 29-Jan-16 | Time Analysed: | 22:29:47 |
| Init.Calib.Date: | 15-OCT-15 | Init.Calib.Time: | |

| Target Analytes | RRT [#] | RT |
|-----------------|------------------|-------|
| 2378-TCDD | 1.001 | 27.14 |
| 2378-TCDF | 1.001 | 26.50 |
| 12378-PeCDF | 1.001 | 30.67 |
| 12378-PeCDD | 1.001 | 32.27 |
| 23478-PeCDF | 1.001 | 32.00 |
| 123478-HxCDF | 1.000 | 35.70 |
| 123678-HxCDF | 1.001 | 35.85 |
| 123478-HxCDD | 1.000 | 36.92 |
| 123678-HxCDD | 1.000 | 37.06 |
| 123789-HxCDD | 1.012 | 37.48 |
| 234678-HxCDF | 1.001 | 36.79 |
| 123789-HxCDF | 1.000 | 37.90 |
| 1234678-HpCDF | 1.000 | 40.03 |
| 1234678-HpCDD | 1.000 | 41.89 |
| 1234789-HpCDF | 1.000 | 42.79 |
| OCDD | 1.001 | 48.01 |
| OCDF | 1.006 | 48.28 |

| Labeled Compounds | RRT [#] | RT |
|-------------------|------------------|-------|
| 13C-2378-TCDD | 1.031 | 27.12 |
| 13C-12378-PeCDD | 1.225 | 32.24 |
| 13C-123478-HxCDD | 0.985 | 36.91 |
| 13C-123678-HxCDD | 0.989 | 37.04 |
| 13C-1234678-HpCDD | 1.118 | 41.87 |
| 13C-OCDD | 1.281 | 47.98 |
| 13C-2378-TCDF | 1.006 | 26.48 |
| 13C-12378-PeCDF | 1.164 | 30.64 |
| 13C-23478-PeCDF | 1.215 | 31.98 |
| 13C-123478-HxCDF | 0.953 | 35.69 |
| 13C-123678-HxCDF | 0.956 | 35.83 |
| 13C-234678-HxCDF | 0.982 | 36.77 |
| 13C-123789-HxCDF | 1.011 | 37.89 |
| 13C-1234678-HpCDF | 1.068 | 40.00 |
| 13C-1234789-HpCDF | 1.142 | 42.78 |

| Clean up Standard | RRT [#] | RT |
|-------------------|------------------|-------|
| 37CL-2378-TCDD | 1.03 | 27.14 |

| Internal Standards | RRT [#] | RT |
|--------------------|------------------|-------|
| 13C-1234-TCDD | 0.00 | 26.32 |
| 13C-123789-HxCDD | 0.00 | 37.46 |

(#) RRT = (RT of Analyte)/(RT of appropriate labeled compound).

Metals Analysis
Report and Summary QC Forms

ARI Job ID: APR4

Cover Page

INORGANIC ANALYSIS DATA PACKAGE



CLIENT: Anchor QEA, LLC

PROJECT: Port Gamble Clean-up


SDG: APR4

| CLIENT ID | ARI ID | ARI LIMS ID | REPREP |
|---------------------|------------|-------------|--------|
| PG-T0-MUS-COC-1510 | APR4A | 15-20439 | |
| PG-T0-MUS-COC-1510D | APR4ADUP | 15-20439 | |
| PG-T0-MUS-COC-1510S | APR4ASPK | 15-20439 | |
| PBS | APR4MB1 | 15-20439 | |
| LCSS | APR4MB1SPK | 15-20439 | |
| PG-SMA2-2-MUS-COC- | ATS0A | 16-135 | |
| PG-PJ-1-MUS-COC-16 | ATS0B | 16-136 | |
| PG-WS-1-MUS-COC-16 | ATS0C | 16-137 | |
| PG-GP-1-MUS-COC-16 | ATS0D | 16-138 | |
| PG-SMA2-5-MUS-COC- | ATS0E | 16-139 | |
| PG-SMA2-4-MUS-COC- | ATS0F | 16-140 | |

Were ICP interelement corrections applied ? Yes/No YES
Were ICP background corrections applied ? Yes/No YES
If yes - were raw data generated before application of background corrections ? Yes/No NO

Comments: _____

THIS DATA PACKAGE HAS BEEN REVIEWED AND AUTHORIZED FOR RELEASE BY:

Signature:  Name: Eric Larson

Date: 1-20-10 Title: Inorganics Director

COVER PAGE

AR4: 00064

INORGANICS ANALYSIS DATA SHEET
TOTAL METALS
Page 1 of 1

Sample ID: PG-T0-MUS-COC-151030
SAMPLE

Lab Sample ID: APR4A
LIMS ID: 15-20439
Matrix: Tissue
Data Release Authorized:
Reported: 01/20/16




QC Report No: APR4-Anchor QEA, LLC
Project: Port Gamble Clean-up
1503880101
Date Sampled: 10/30/15
Date Received: 11/02/15

| Prep Meth | Prep Date | Analysis Method | Analysis Date | CAS Number | Analyte | LOQ | mg/kg-as-rec Q |
|-----------|-----------|-----------------|---------------|------------|---------|------|----------------|
| 3050B | 01/15/16 | 6010C | 01/19/16 | 7440-43-9 | Cadmium | 0.04 | 0.31 |

U-Analyte undetected at given LOQ
LOQ-Limit of Quantitation

INORGANICS ANALYSIS DATA SHEET
TOTAL METALS
Page 1 of 1

Sample ID: PG-T0-MUS-COC-151030
MATRIX SPIKE

Lab Sample ID: APR4A
LIMS ID: 15-20439
Matrix: Tissue
Data Release Authorized: 
Reported: 01/20/16

QC Report No: APR4-Anchor QEA, LLC
Project: Port Gamble Clean-up
1503880101
Date Sampled: 10/30/15
Date Received: 11/02/15

MATRIX SPIKE QUALITY CONTROL REPORT

| Analyte | Analysis Method | Sample | Spike | Spike Added | % Recovery | Q |
|---------|-----------------|--------|-------|-------------|------------|---|
| Cadmium | 6010C | 0.31 | 20.1 | 19.4 | 102% | |

Reported in mg/kg-as-rec

N-Control Limit Not Met
H-% Recovery Not Applicable, Sample Concentration Too High
NA-Not Applicable, Analyte Not Spiked

Percent Recovery Limits: 75-125%

INORGANICS ANALYSIS DATA SHEET
TOTAL METALS
 Page 1 of 1

Sample ID: PG-T0-MUS-COC-151030
 DUPLICATE

Lab Sample ID: APR4A
 LIMS ID: 15-20439
 Matrix: Tissue
 Data Release Authorized:
 Reported: 01/20/16



QC Report No: APR4-Anchor QEA, LLC
 Project: Port Gamble Clean-up
 1503880101
 Date Sampled: 10/30/15
 Date Received: 11/02/15

MATRIX DUPLICATE QUALITY CONTROL REPORT


| Analyte | Analysis Method | Sample | Duplicate | RPD | Control Limit | Q |
|---------|-----------------|--------|-----------|------|---------------|---|
| Cadmium | 6010C | 0.31 | 0.32 | 3.2% | +/- 20% | |

Reported in mg/kg-as-rec

*-Control Limit Not Met
 L-RPD Invalid, Limit = Detection Limit

INORGANICS ANALYSIS DATA SHEET
TOTAL METALS
Page 1 of 1

Sample ID: LAB CONTROL

Lab Sample ID: APR4LCS
LIMS ID: 15-20439
Matrix: Tissue
Data Release Authorized: 
Reported: 01/20/16

QC Report No: APR4-Anchor QEA, LLC
Project: Port Gamble Clean-up
1503880101
Date Sampled: NA
Date Received: NA

BLANK SPIKE QUALITY CONTROL REPORT

| Analyte | Analysis Method | Spike Found | Spike Added | % Recovery | Q |
|---------|-----------------|-------------|-------------|------------|---|
| Cadmium | 6010C | 20.4 | 20.0 | 102% | |

Reported in mg/kg-wet

N-Control limit not met
NA-Not Applicable, Analyte Not Spiked
Control Limits: 80-120%

INORGANICS ANALYSIS DATA SHEET

Sample ID: METHOD BLANK


TOTAL METALS

Page 1 of 1

Lab Sample ID: APR4MB

LIMS ID: 15-20439

Matrix: Tissue

Data Release Authorized: 

Reported: 01/20/16

QC Report No: APR4-Anchor QEA, LLC

Project: Port Gamble Clean-up
1503880101

Date Sampled: NA

Date Received: NA

Percent Total Solids: NA

| Prep Meth | Prep Date | Analysis Method | Analysis Date | CAS Number | Analyte | LOQ | mg/kg-as-rec Q | |
|-----------|-----------|-----------------|---------------|------------|---------|------|----------------|---|
| 3050B | 01/15/16 | 6010C | 01/19/16 | 7440-43-9 | Cadmium | 0.04 | 0.04 | U |

U-Analyte undetected at given LOQ
LOQ-Limit of Quantitation



Calibration Verification

CLIENT: Anchor QEA, LLC

PROJECT: Port Gamble Clean-up

UNITS: ug/L

SDG: APR4

| ANALYTE | EL | M | RUN | ICV | ICVTV | ICV | %R | CCVTV | CCV1 | %R | CCV2 | %R | CCV3 | %R | CCV4 | %R | CCV5 | %R |
|---------|----|-----|----------|--------|---------|-------|--------|---------|-------|---------|-------|---------|-------|----|------|----|------|----|
| Cadmium | CD | ICP | IP011971 | 1000.0 | 1042.74 | 104.3 | 1000.0 | 1045.76 | 104.6 | 1041.40 | 104.1 | 1040.58 | 104.1 | | | | | |

Control Limits: Mercury 80-120; Other Metals 90-110



CRDL Standard

CLIENT: Anchor QEA, LLC

PROJECT: Port Gamble Clean-up

SDG: APR4

UNITS: ug/L

| ANALYTE | EL | M | RUN | CRA/I | TV | CR-1 | %R | CR-2 | %R | CR-3 | %R | CR-4 | %R | CR-5 | %R | CR-6 | %R |
|---------|----|-----|----------|-------|----|------|-------|------|----|------|----|------|----|------|----|------|----|
| Cadmium | CD | ICP | IP011971 | 2.0 | | 2.11 | 105.5 | | | | | | | | | | |

ARP4 : 00071

Control Limits: no control limits have been established by the EPA at this time.

Calibration Blanks

CLIENT: Anchor QEA, LLC

PROJECT: Port Gamble Clean-up

SDG: APR4



UNITS: ug/L

| ANALYTE | EL METH | RUN | CRDL | IDL | ICB | CCB1 | CCB2 | CCB3 | CCB4 | CCB5 | C |
|---------|---------|-----|----------|-----|-----|------|------|------|------|------|---|
| Cadmium | CD | ICP | IP011971 | 5.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | U |



ICP Interference Check Sample

CLIENT: Anchor QEA, LLC
 PROJECT: Port Gamble Clean-up
 SDG: APR4

ICS SOURCE: I.V.
 RUNID: IP011971
 INSTRUMENT ID: OPTIMA ICP 2
 UNITS: ug/L

| ANALYTE | ICSA TV | ICSAB TV | ICSA1 | ICSA1 %R | ICSA2 | ICSA2 %R | ICSA3 | ICSA3 %R |
|------------|---------|----------|----------|----------|-------|----------|-------|----------|
| Aluminum | 200000 | 200000 | 201753.5 | 199981.7 | 100.0 | | | |
| Antimony | 1000 | 1000 | 13.6 | 1036.8 | 103.7 | | | |
| Arsenic | 1000 | 1000 | 27.3 | 1037.0 | 103.7 | | | |
| Barium | 1000 | 1000 | 2.9 | 1014.9 | 101.5 | | | |
| Beryllium | 1000 | 1000 | 0.1 | 982.1 | 98.2 | | | |
| Boron | | | 1.3 | 0.7 | | | | |
| Cadmium | 1000 | 1000 | -1.2 | 1035.9 | 103.6 | | | |
| Calcium | 100000 | 100000 | 100350.8 | 99635.7 | 99.6 | | | |
| Chromium | 1000 | 1000 | 0.1 | 1015.8 | 101.6 | | | |
| Cobalt | 1000 | 1000 | 2.9 | 955.5 | 95.6 | | | |
| Copper | 1000 | 1000 | 1.8 | 1049.4 | 104.9 | | | |
| Iron | 200000 | 200000 | 196759.8 | 196913.6 | 98.5 | | | |
| Lead | 1000 | 1000 | 2.3 | 1002.9 | 100.3 | | | |
| Magnesium | 100000 | 100000 | 105423.2 | 99682.4 | 99.7 | | | |
| Manganese | 1000 | 1000 | -1.1 | 966.2 | 96.6 | | | |
| Molybdenum | | | 3.6 | 2.9 | | | | |
| Nickel | 1000 | 1000 | 1.4 | 952.4 | 95.2 | | | |
| Potassium | | | 27.9 | 7.3 | | | | |
| Selenium | 1000 | 1000 | 16.8 | 1020.5 | 102.1 | | | |
| Silicon | | | -11.3 | -12.9 | | | | |
| Silver | 1000 | 1000 | -1.0 | 1073.3 | 107.3 | | | |
| Sodium | | | 3.1 | -2.3 | | | | |
| Strontium | | | 6.4 | 6.3 | | | | |
| Thallium | 1000 | 1000 | -6.2 | 950.3 | 95.0 | | | |
| Tin | | | -20.9 | -21.8 | | | | |
| Titanium | | | 4.1 | 4.1 | | | | |
| Vanadium | 1000 | 1000 | 3.1 | 992.8 | 99.3 | | | |
| Zinc | 1000 | 1000 | 5.5 | 937.5 | 93.8 | | | |

IDLs and ICP Linear Ranges

ANALYTICAL
RESOURCES 
INCORPORATED

CLIENT: Anchor QEA, LLC

PROJECT: Port Gamble Clean-up

SDG: APR4

UNITS: ug/L

| ANALYTE | EL | METH | INSTRUMENT | WAVELENGTH (nm) | GFA BACK- GROUND | CLP CRDL | RL | RL DATE | ICP LINEAR RANGE (ug/L) | ICP LR DATE |
|---------|----|------|--------------|--------------------|------------------------|-------------|-----|------------|----------------------------|----------------|
| Cadmium | CD | ICP | OPTIMA ICP 2 | 228.80 | | 5 | 2.0 | 4/1/2012 | 20000.0 | 5/27/2015 |

FORM X/XII

ARP4 : 00074



ICP Interelement Correction Factors

CLIENT: Anchor QEA, LLC

IEC DATE: 1/5/2016

PROJECT: Port Gamble Clean-up

INSTRUMENT ID: OPTIMA ICP 1

SDG: APR4

| ANALYTE | WAVELENGTH | AL | AS | EA | BE | CA | CD | CO | CR | CU | FE |
|------------|------------|------------|-----------|-----------|-----------|-----------|------------|------------|------------|-----------|------------|
| Aluminum | 308.22 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Antimony | 206.84 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 14.7924220 | 0.000000 | 0.000000 |
| Arsenic | 188.98 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.1347330 | 0.000000 | -1.0660850 | 1.6287880 | 0.000000 | 0.000000 |
| Barium | 233.53 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -0.1619400 | 0.000000 | 0.000000 | 0.1406640 |
| Beryllium | 313.04 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Cadmium | 228.80 | 0.000000 | 5.6057370 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.1250180 | 0.000000 | 0.000000 | 0.0079490 |
| Calcium | 317.93 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Chromium | 267.72 | 0.000000 | 0.000000 | 0.000000 | 0.5200790 | 0.000000 | 0.000000 | -0.0359620 | 0.000000 | 0.000000 | 0.000000 |
| Cobalt | 228.62 | 0.000000 | 0.000000 | 0.1021560 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -0.0313664 | 0.000000 | 0.000000 |
| Copper | 324.75 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -0.1747430 | -0.0205733 | 0.000000 | -0.0443630 |
| Iron | 273.96 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -1.0269110 | 0.000000 | 0.000000 |
| Lead | 220.35 | -0.2304480 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -1.7905170 | 1.3513780 | 0.0487660 |
| Magnesium | 279.08 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.1232790 | 0.000000 | -1.6648310 | -1.2729830 | 0.000000 | 0.6500090 |
| Manganese | 257.61 | 0.0068696 | 0.000000 | 0.000000 | 0.000000 | 0.0039080 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Molybdenum | 202.03 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.0182900 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Nickel | 231.60 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Potassium | 766.49 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Selenium | 196.03 | 0.1733140 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.505300 | 0.000000 | 0.000000 | 0.000000 |
| Silicon | 288.16 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -3.4810440 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Silver | 328.07 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -0.0322879 |
| Sodium | 330.24 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Thallium | 190.80 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 6.2416330 | 0.4098520 | 0.000000 | -0.1141150 |
| Tin | 189.93 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Titanium | 334.90 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.0674280 | 0.000000 | 0.000000 | 0.2004620 | 0.000000 | 0.000000 |
| Vanadium | 292.40 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -4.1323790 | 0.000000 | 0.0433830 |
| Zinc | 206.20 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -0.1277681 | 0.000000 | 0.000000 |



ICP Interelement Correction Factors

CLIENT: Anchor QEA, LLC

IEC DATE: 1/5/2016

PROJECT: Port Gamble Clean-up

INSTRUMENT ID: OPTIMA ICP 1

SDG: APR4

| ANALYTE | WAVELENGTH | MG | MN | MO | NI | PB | SB | TI | TL | V | ZN |
|------------|------------|-----------|------------|------------|------------|------------|----------|-------------|-----------|------------|----------|
| Aluminum | 308.22 | 0.000000 | 0.000000 | 16.6791990 | 0.000000 | 0.000000 | 0.000000 | 1.6050850 | 0.000000 | 14.4572670 | 0.000000 |
| Antimony | 206.84 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -0.5069520 | 0.000000 | -4.0601450 | 0.000000 |
| Arsenic | 188.98 | 0.000000 | 0.000000 | 3.6223120 | 0.000000 | 0.000000 | 0.000000 | -27.5814050 | 0.000000 | 0.000000 | 0.000000 |
| Barium | 233.53 | 0.000000 | 0.000000 | 0.000000 | 0.0895220 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.1953560 | 0.000000 |
| Beryllium | 313.04 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.0125780 | 0.000000 | 0.2292760 | 0.000000 |
| Cadmium | 228.80 | 0.000000 | 0.000000 | 0.000000 | -0.9227370 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.0671390 | 0.000000 |
| Calcium | 317.93 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Chromium | 267.72 | 0.1010740 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.3494600 | 0.000000 |
| Cobalt | 228.62 | 0.000000 | 0.000000 | -0.1298730 | 0.1583160 | 0.000000 | 0.000000 | 1.7862780 | 0.000000 | 0.000000 | 0.000000 |
| Copper | 324.75 | 0.0057160 | 0.000000 | 0.3208870 | 0.000000 | 0.000000 | 0.000000 | 0.1832950 | 0.000000 | 0.000000 | 0.000000 |
| Iron | 273.96 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 8.2567580 | 0.000000 |
| Lead | 220.35 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Magnesium | 279.08 | 0.000000 | 0.000000 | -5.6138960 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Manganese | 257.61 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -0.0220710 | 0.000000 |
| Molybdenum | 202.03 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Nickel | 231.60 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.4463050 | 0.000000 | 0.000000 |
| Potassium | 766.49 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Selenium | 196.03 | 0.0481990 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Silicon | 288.16 | 0.000000 | 0.000000 | -1.5952730 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Silver | 328.07 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | -0.2760730 | 0.000000 |
| Sodium | 330.24 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Thallium | 190.80 | 0.000000 | 0.000000 | -1.5056600 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 3.6978960 | 0.000000 |
| Tin | 189.93 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Titanium | 334.90 | 0.000000 | 0.000000 | 0.9947150 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |
| Vanadium | 292.40 | 0.000000 | -0.1465610 | -0.3842450 | 0.000000 | 0.000000 | 0.000000 | 0.5446660 | 0.000000 | 0.000000 | 0.000000 |
| Zinc | 206.20 | 0.000000 | 0.000000 | 0.2762240 | 0.000000 | -0.0714258 | 0.000000 | 0.000000 | 0.000000 | 0.000000 | 0.000000 |

Preparation Log



CLIENT: Anchor QEA, LLC
PROJECT: Port Gamble Clean-up
SDG: APR4

ANALYSIS METHOD: ICP
ARI PREP CODE: FRN
PREPDATE: 1/15/2016

| CLIENT ID | ARI ID | MASS (g) | INITIAL VOLUME (mL) | FINAL VOLUME (mL) |
|---------------------|------------|----------|---------------------|-------------------|
| PG-T0-MUS-COC-1510 | APR4A | 2.579 | 0.0 | 50.0 |
| PG-T0-MUS-COC-1510D | APR4ADUP | 2.583 | 0.0 | 50.0 |
| PG-T0-MUS-COC-1510S | APR4ASPK | 2.582 | 0.0 | 50.0 |
| PBS | APR4MB1 | 2.500 | 0.0 | 50.0 |
| LCSW | APR4MB1SPK | 2.500 | 0.0 | 50.0 |
| PG-SMA2-2-MUS-COC- | ATSOA | 2.509 | 0.0 | 50.0 |
| PG-PJ-1-MUS-COC-16 | ATSOB | 2.555 | 0.0 | 50.0 |
| PG-WS-1-MUS-COC-16 | ATSOC | 2.577 | 0.0 | 50.0 |
| PG-GP-1-MUS-COC-16 | ATSOD | 2.584 | 0.0 | 50.0 |
| PG-SMA2-5-MUS-COC- | ATSOE | 2.507 | 0.0 | 50.0 |
| PG-SMA2-4-MUS-COC- | ATSOE | 2.577 | 0.0 | 50.0 |

Analysis Run Log

CLIENT: Anchor QEA, LLC
 PROJECT: Port Gamble Clean-up
 SDG: APR4
 INSTRUMENT ID: OPTIMA ICP 2
 RUNID: IP011971 METHOD: ICP
 START DATE: 1/19/2016
 END DATE: 1/19/2016

| CLIENT ID | ARI ID | DIL. | TIME | %R | AG | AL | AS | B | BA | BE | CA | CD | CO | CR | CU | FE | HG | K | MG | MN | MO | NA | NI | PB | SB | SE | SI | SN | TI | TL | U | V | ZN | | |
|---------------------|------------|------|------|-------|----|----|----|---|----|----|----|----|----|----|----|----|----|---|----|----|----|----|----|----|----|----|----|----|----|----|---|---|----|--|--|
| S0 | | | 1.00 | 10022 | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| S2 | | | 1.00 | 10062 | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| S3 | | | 1.00 | 10080 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| S4 | | | 1.00 | 10110 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| S5 | | | 1.00 | 10132 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ICV | | | 1.00 | 10150 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ICB | | | 1.00 | 10190 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CRII | | | 1.00 | 10230 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ICSAI | | | 1.00 | 10271 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ICSABI | | | 1.00 | 10312 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DICHECK | | | 1.00 | 10364 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV1 | | | 1.00 | 10404 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB1 | | | 1.00 | 10445 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| APR4MB1 | | | 1.00 | 10485 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PG-SMA2-2-MUS-COC- | ATS0A | | 1.00 | 10525 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PG-PJ-1-MUS-COC-16 | ATS0B | | 1.00 | 10570 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PG-WS-1-MUS-COC-16 | ATS0C | | 1.00 | 11012 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PG-GP-1-MUS-COC-16 | ATS0D | | 1.00 | 11073 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PG-SMA2-5-MUS-COC- | ATS0E | | 1.00 | 11115 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PG-T0-MUS-COC-1510D | APR4ADUP | | 1.00 | 11160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PG-T0-MUS-COC-1510 | APR4A | | 1.00 | 11202 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PG-T0-MUS-COC-1510S | APR4ASPK | | 1.00 | 11244 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LCSW | APR4MB1SPK | | 1.00 | 11290 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV | CCV2 | | 1.00 | 11331 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB | CCB2 | | 1.00 | 11371 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | ATZ2MB2 | | 1.00 | 11411 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | ATZ2MB1 | | 1.00 | 11451 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | ATZ4MB1 | | 1.00 | 11491 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | ATZ2A | | 1.00 | 11531 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | ATZ2B | | 1.00 | 11575 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PG-SMA2-4-MUS-COC- | ATS0F | | 1.00 | 12023 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | ATZ4B | | 1.00 | 12064 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | ATZ4MB1SPK | | 1.00 | 12104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | ATZ2MB1SPK | | 1.00 | 12150 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | ATZ2MB2SPK | | 1.00 | 12190 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Analysis Run Log

CLIENT: Anchor QEA, LLC
 PROJECT: Port Gamble Clean-up
 SDG: APR4
 INSTRUMENT ID: OPTIMA ICP 2
 RUNID: IP011971
 METHOD: ICP
 START DATE: 1/19/2016
 END DATE: 1/19/2016

| CLIENT ID | ARI ID | DIL. | TIME | %R | AG | AL | AS | B | BA | BE | CA | CD | CO | CR | CU | FE | HG | K | MG | MN | MO | NA | NI | PB | SB | SE | SI | SN | TI | TL | U | V | ZN | |
|-----------|--------|------|------|-------|----|----|----|---|----|----|----|----|----|----|----|----|----|---|----|----|----|----|----|----|----|----|----|----|----|----|---|---|----|--|
| CCV | CCV3 | | 1.00 | 12231 | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| CCB | CCB3 | | 1.00 | 12272 | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |

Percent Lipids

ARI Job ID: APR4

LIPIDS ANALYSIS DATA SHEET
Percent Lipids by Method Bligh&Dyer



Data Release Authorized: *B*
Reported: 01/20/16
Date Received: 11/02/15
Page 1 of 1

QC Report No: APR4-Anchor QEA, LLC
Project: Port Gamble Clean-up
1503880101

| Client/ ARI ID | Date Sampled | Matrix | Analysis Date | RL | Result |
|--|-----------------|--------|------------------|--------|----------|
| PG-T0-MUS-COC-151030 APR4A 15-20439 | 10/30/15 | Tissue | 01/14/16 | 0.0010 | 1.28 % |
| Method Blank | | | 01/14/16 | 0.0010 | 0.0700 % |

Results Are On A Wet Weight Basis

RL-Analytical reporting limit
U-Undetected at reported detection limit



Preparation Test % Lipid Test # 1
ARI JOB No(s) ATS0/APR4/AUAZ

In-House
Batch set up by: SP

| Jar # | ARI Sample ID | Original Extracted Weight (wet wt) | Original Volume (FEV) (mL) | (split aliquot) Y/N | Volume Taken (µL) | Tare Weight (g) | Tare+Sample Weight (g) | Comments | Verify Client ID |
|--------------|---------------|------------------------------------|----------------------------|---------------------|-------------------|-----------------------------------|------------------------|------------------|---|
| | MBT ATS0 | 10.00g | 1 mL | (Y/N) | (1,000 µL) | 1.1628 | 1.1705 | | |
| 1 | A | 10.23 | 1 mL | (Y/N) | (1,000 µL) | 1.1603 | 1.2738 | | |
| 1 | Adul | 10.75 | 1 mL | (Y/N) | (1,000 µL) | 1.1649 | 1.2869 | | |
| 1 | Atrip | 10.21 | 1 mL | (Y/N) | (1,000 µL) | 1.1636 | 1.2837 | | |
| 1 | B | 10.73 | 1 mL | (Y/N) | (1,000 µL) | 1.1608 | 1.2660 | | TA 1/14/16 |
| 1 | C | 10.41 | 1 mL | (Y/N) | (1,000 µL) | 1.1602 | 1.2856 | | Analyst/Date KD 80-85°C 003456 |
| 1 | D | 10.21 | 1 mL | (Y/N) | (1,000 µL) | 1.1618 | 1.2739 | | |
| 1 | E | 10.22 | 1 mL | (Y/N) | (1,000 µL) | 1.1663 | 1.2747 | | |
| 1 | F | 10.37 | 1 mL | (Y/N) | (1,000 µL) | 1.1673 | 1.2626 | | RMH 1-18-16 |
| 1 | APR4 A | 10.28 | 1 mL | (Y/N) | (1,000 µL) | 1.1606 | 1.2957 | | |
| 1 | AUAZ A | 10.39 | 1 mL | (Y/N) | (1,000 µL) | 1.1628 | 1.2992 | | |
| 1 | B | 10.55 | 1 mL | (Y/N) | (1,000 µL) | 1.1636 | 1.3107 | | |
| 1 | C | 10.30 | 1 mL | (Y/N) | (1,000 µL) | 1.1598 | 1.2926 | | Analyst/Date |
| | | | mL | (Y/N) | (µL) | | | | TurboVap 123 |
| | | | mL | (Y/N) | (µL) | | | | |
| | | | mL | (Y/N) | (µL) | | | | |
| | | | mL | (Y/N) | (µL) | | | | |
| | | | mL | (Y/N) | (µL) | | | | |
| | | | mL | (Y/N) | (µL) | | | | |
| | | | mL | (Y/N) | (µL) | | | | |
| Analyst/Date | TH 1/14/16 | | | | | SP 1/19/16 | SP 1/20/16 | Reviewed by/Date | Analyst/Date |
| Balance ID: | B139298 002 | | | | | Analytical Balance ID: B146454145 | | | |

SPECIAL INSTRUCTIONS: 1. Weigh into 250mL Centrifuge bottles. 2. Use 10 g neutral Sodium Sulfate for the blanks. 3. Add 1:1 DCM/Acetone. 4. Add Sodium Sulfate to samples just prior to tissuemizing. 5. Tissuemize (2X) with 1:1 DCM/Acetone + (1X) DCM only. 6. Collect in 500mL flask + Lg Funnel with glasswool (NO Sodium Sulfate). 7. KD (Normal drying column) at 80-85°C. 8. Turbovap to 1mL. 9. Record weights of empty tins from Analytical Balance in Tare Weight column. 10. Transfer the 1mL extract into the empty tins. 11. Dry extracts in tins under hood for a minimum of 2 hours. 12. Store extracts in a desiccator over night. 13. Re-weigh tins with Analytical Balance. 14. Record weights in Tare+Sample Weight column. 15. %Lipids are calculated by entering on LIMS.

* NOTE: GENERALLY A 10:1 RATIO IS THE TARGET (10g sample To 1mL FEV)

Freeze Y(N)

Reagent and Solutions Identification

(Modified Bligh/Dyer) % Lipids - Tissue
 Modified TissueMizer (3550C) (SOP # 340S)

ARI JOB No(s) ATSΦ/APR4/AUAZ

| (Modified Bligh/Dyer) % Lipids Tissue: | Analyst/Date |
|--|---|
| <u>TissueMizing Station:</u> Anhydrous Sodium Sulfate: (I# + jar date) <u>DΦΦ5348</u> 1:1 Methylene Chloride/Acetone: (H#) <u>EΦΦΦ48</u> Methylene Chloride: (I#) <u>EΦΦΦ42</u> Neutral Glasswool: (I#) <u>DΦΦ3978</u> | TissueMize <u>CT 4/15/16</u> <u>YPC</u> |
| <u>KD Station:</u> Neutral Glasswool: (I#) Anhydrous Sodium Sulfate: (I# + jar date) Methylene Chloride: (I#) <u>EΦΦΦ42</u> | KD <u>RMH</u> <u>1-18-16</u> |
| <u>Vialing Station:</u> Methylene Chloride: (I#) <u>EΦΦΦ42</u> | Vialing <u>SP</u> |



Analytical Resources,
Incorporated
Analytical Chemists and
Consultants

Organic Extractions Laboratory Analyst Notes

ARI Job No.: ATS4/APRY

Client ID: Anchor QEA, LLC

Batch ID: _____

Parameter: % Lipids

Client Project: Port Gamble Cleanup

| Screens: Soil/Sediment/Solid/Other: | Analyst/Date |
|---|--------------|
| <input type="checkbox"/> No Anomalies (standard soil/wet sediment/sand/gravel)= | |
| <input type="checkbox"/> Standing Water Decanted (Not shared)= | |
| <input type="checkbox"/> Standing Water Homogenized (Shared samples)= | |
| <input type="checkbox"/> Clay/Clumps (Difficult to homogenize)= | |
| <input type="checkbox"/> Rocks (%+size)? | |
| <input type="checkbox"/> Organics (Leaves/sticks/grass)= | |
| <input type="checkbox"/> Oily, obvious fuel/sulfur odors= | |
| <input type="checkbox"/> Received in 32oz jar(s)=Homogenized in Pyrex dish= | |
| <input type="checkbox"/> Other (Details)= | |
| Aqueous: | |
| <input type="checkbox"/> No Anomalies | |
| <input type="checkbox"/> Turbid/Color= | |
| <input type="checkbox"/> Particulates(%)=(Note: >5%=Notify Supervisor/Lead) | |
| <input type="checkbox"/> Emulsions (%)= | |
| <input type="checkbox"/> Oily, obvious fuel/sulfur odors= | |
| <input type="checkbox"/> Other (Details)= | |
| <input type="checkbox"/> Received in 1.0L Bottle(s)=No Bottle Rinse= | |
| <input type="checkbox"/> Other Notes/Comments= (Note problems, concerns, corrective actions). | |
| <input type="checkbox"/> Share Samples Y / N | |
| <input type="checkbox"/> Multiple Jars Y / N | |
| <input type="checkbox"/> Sample Pre-Screens indicate analyte activity= | |
| <input type="checkbox"/> Sample weights/volumes reduced based on Pre-Screen= | |

[Signature] 1/10/16

SIM PAH Raw Data
Extraction Bench Sheets and Notes

ARI Job ID: APR4



Analytical Resources,
Incorporated
Analytical Chemists and
Consultants

Organic Extractions Benchsheet

Miscellaneous
Water/Soil/Sed/Tissue/Other
Separatory Funnel (3510C)/Liq-Liq (3520C)
Sonication (3550C)/Microwave (3546)
TissueMize (Modified 3550C)

Analysis Low level / Simple

Preparation Test Misc # 1

ARI Job No(s) APR4 / ATSO / AUAZ
Batch # _____

*EPH Aromatic
LLDCM*

Batch set up by SP

| ARI Sample I.D. | Weight or Volume Extracted | Sonic Hom + Chk | (REQ/Opt) GPC | (REQ/Opt) Acid Clean | (REQ/Opt) Sulfur Clean | (REQ/Opt) SPE Clean | Final Effective Volume | Vol to Lab | Comments | Verify Client ID |
|-----------------|----------------------------|-----------------|---------------|----------------------|------------------------|---------------------|------------------------|------------|------------|--|
| APR4 BLK | 10.00 g | | Y/N | Y/N | Y/N | Y/N | 0.5 mL | 0.5 mL | | 11/14/16 Analyst/Date |
| BS | 10.00 g | | | | | | | | | Pre-GPC KD 123456 50 °C Exchange to Hex 2 Analyst/Date 11/15/16 |
| BS Dup | | | | | | | | | | |
| MRL Check | | | | | | | | | | |
| APR4 SRM | 10.04 | | | | | | | | SRM 1974C | TurboVap Pre-GPC 12345 6/19/16 Analyst/Date |
| L A | 10.02 | | | | | | | | | Post GPC 6/24/16 KD 123456 100 °C Exchange to Hex 7 Analyst/Date |
| ATSO A | 10.04 | | | | | | | | | |
| B | 10.01 | | | | | | | | | |
| BMS | 10.01 | | | | | | | | | |
| BMSD | 10.04 | | | | | | | | | |
| C | 10.04 | | | | | | | | | |
| D | 10.03 | | | | | | | | | |
| E | 10.05 | | | | | | | | | |
| F | 10.04 | | | | | | | | | |
| AUAZ A | 10.04 | | | | | | | | | TurboVap Post-GPC 12345 SP 1/20/16 Analyst/Date |
| B | 10.02 | | | | | | | | | |
| C | 10.01 | | | | | | | | | |
| SP 1/21/16 | | | | | | | | | | TurboVap Post-Cleanups 12345 SP 1/20/16 Analyst/Date |
| SP 1/21/16 | | | | | | | | | | TurboVap Post-Cleanups 12345 SP 1/21/16 Analyst/Date |
| Analyst/Date | 6/11/16 | | 6/11/16 | | | | SP 1/20/16 | SP 1/21/16 | SP 1/21/16 | Reviewed by/Date SP 1/21/16 |

| Standard | Standard ID | Concentration | Volume | Expiration Date | Analyst | Witness |
|---------------------------|--------------------|-----------------|--------|-----------------|---------|---------|
| Low level Surrogate Spike | I (0045230) | 1.5 / 7.5 µg/mL | 100 µL | 11/11/14 | CT | |
| Spike | () | | µL | | | |
| Low level Spike | SIM A 18 (0044411) | 1.5 / 7.5 µg/mL | 100 µL | 11/11/16 | CT | |
| MRL Spike | () | | µL | | | |

Extraction Time: 16.50 Liq/Liq Start: LL Liq/Liq Stop: _____ Balance ID: 2139297442
SPECIAL INSTRUCTIONS: (2+) 1:1 DCM/Acetone
3057F (1x) LLDCM only
KD = LLDCM!
GRC = LLDCM!
VIALER = LLDCM!
Revision 07 06/23/15
ARP4: 00086

Organic Extractions Reagent and Solutions Identification

Analysis: LL-SIMPNA
Method: _____

ARI Job No(s) APR4, A550

| Soil/Sediment/Solid/Tissue/Other: | Analyst/Date |
|--|--|
| Sonication/Microwave/Tissue/Station: Neutral Sodium Sulfate: (<u>D005308</u>) Pre-deactivated Sodium Sulfate: (<u>N/A</u>) Neutral Glasswool: (<u>D003978</u>) Pre-deactivated Glasswool: (<u>N/A</u>) 1:1 Hexane/Acetone: (<u>N/A</u>) 80:20 Hexane/Acetone: (<u>N/A</u>) 4L 1:1 DCM/Acetone: (<u>E000167</u>) 80:20 DCM/Acetone: (<u>N/A</u>) 4L Hexane: (<u>N/A</u>) DCM: (<u>D004497</u>) Other: () Other: () | Sonication/Microwave Tissue/Station <u>01/15/16</u> <u>4L/CT</u> |
| Pre-GPC KD Station: Hexane: () DCM: (<u>D004685</u>) Neutral Sodium Sulfate: () Pre-deactivated Sodium Sulfate: () Neutral Glasswool: () Pre-deactivated Glasswool: () Other: () Other: () | Pre-GPC KD <u>EU</u> <u>1/15/16</u> |
| GPC Filter Prep: DCM: (<u>D004685</u>) Other: () Other: () | GPC Filter Prep <u>W</u> <u>1/18/16</u> |
| GPC Station: Acetone: (<u>D003482</u>) 2L DCM: (<u>D004685</u>) 1:1 DCM/Acetone: () Other: () Other: () | GPC <u>G</u> <u>1/18/16</u> |
| Post GPC KD Station: 4L DCM: (<u>D004685</u>) Hexane: (<u>D005308</u>) Other: () Other: () | Post GPC KD <u>W</u> <u>01/20/16</u> |
| Vialing Station: Hexane: (<u>D005345</u>) DCM: (<u>D004685</u>) Concentrated Sulfuric Acid: () Ethyl Acetate: () Tetraethylammonium hydrogensulfate (TEAH): () Sodium Sulfite: () Copper: () Silica Gel (SPE) Darts: () 0% Silica Gel: (<u>D004343</u>) Alumina: () HexMgBr: () Other: Glass wool (<u>D001829</u>) Other: Sodium Sulfate (<u>D005373</u>) | Vialing <u>SP</u> <u>4/20/16</u> <u>01/21/16</u> |

60:40 Pent/DCM
E000235



Analytical Resources,
Incorporated
Analytical Chemists and
Consultants

Organic Extractions Laboratory Analyst Notes

ARI Job No.: APR4/ATSC

Client ID: Anchor QEA, LLC

Batch ID: _____

Parameter: Low level SIM pVA

Client Project: Port Gamble Cleanup

| Screens: Soil/Sediment/Solid/Other: | Analyst/Date |
|---|--------------|
| <input type="checkbox"/> No Anomalies (standard soil/wet sediment/sand/gravel)= | |
| <input type="checkbox"/> Standing Water Decanted (Not shared)= | |
| <input type="checkbox"/> Standing Water Homogenized (Shared samples)= | |
| <input type="checkbox"/> Clay/Clumps (Difficult to homogenize)= | |
| <input type="checkbox"/> Rocks (%+size)? | |
| <input type="checkbox"/> Organics (Leaves/sticks/grass)= | |
| <input type="checkbox"/> Oily, obvious fuel/sulfur odors= | |
| <input type="checkbox"/> Received in 32oz jar(s)=Homogenized in Pyrex dish= | |
| <input type="checkbox"/> Other (Details)= | |
| | |
| Aqueous: | |
| <input type="checkbox"/> No Anomalies | |
| <input type="checkbox"/> Turbid/Color= | |
| <input type="checkbox"/> Particulates(%)=(Note: >5%=Notify Supervisor/Lead) | |
| <input type="checkbox"/> Emulsions (%)= | |
| <input type="checkbox"/> Oily, obvious fuel/sulfur odors= | |
| <input type="checkbox"/> Other (Details)= | |
| <input type="checkbox"/> Received in 1.0L Bottle(s)=No Bottle Rinse= | |
| <input type="checkbox"/> Other Notes/Comments= (Note problems, concerns, corrective actions). | |
| | |
| | |
| | |
| | |
| <input type="checkbox"/> Share Samples Y / N | |
| <input type="checkbox"/> Multiple Jars Y / N | |
| <input type="checkbox"/> Sample Pre-Screens indicate analyte activity= | |
| <input type="checkbox"/> Sample weights/volumes reduced based on Pre-Screen= | |

SIM PAH Raw Data
Initial Calibration

ARI Job ID: APR4

| <u>Analysis</u> | <u>Matrix</u> | <u>Method</u> |
|---------------------------|---------------|---------------|
| 8270D-SIM PAH (0.5 ug/kg) | Solid | EPA 8270D-SIM |

Checklist: Initial Calibration Checklist-SVOA

| # | Checklist Item | Response | Analyst Initials | Date |
|----|--|----------|------------------|------------|
| 1 | Element Calibration Code Comments: <i>YL00008</i> | YES | JLW | 12/05/2015 |
| 2 | DFTPP Tune met criteria | YES | JLW | 12/05/2015 |
| 3 | DDT breakdown <20% | YES | JLW | 12/05/2015 |
| 4 | Peak Tailing factor <= 2% Comments: <i>Benzidine TD @ 2.11</i> | NO | JLW | 12/05/2015 |
| 5 | ICal meets 20% RSD, LR COD, and QR COD limits | YES | JLW | 12/05/2015 |
| 6 | NO ICAL Q Flag applied | YES | JLW | 12/05/2015 |
| 7 | Manual integrations include before/after pictures | NA | JLW | 12/05/2015 |
| 8 | Spectral Library matches updated | YES | JLW | 12/05/2015 |
| 9 | Internal Standard areas within 50-200% from reference | YES | JLW | 12/05/2015 |
| 10 | Minimum response factors met | | | 12/30/1899 |
| 11 | All SCV within +/- 20% (DOD) | YES | JLW | 12/05/2015 |
| 12 | All SCV within +/- 30% | YES | JLW | 12/05/2015 |
| 13 | NO Linear or Quadratic fits used | YES | JLW | 12/05/2015 |
| 14 | NO Calibration points dropped | YES | JLW | 12/05/2015 |
| 15 | Additional notes | NA | JLW | 12/05/2015 |
| 16 | Reviewer approval (Reviewer) | YES | BB | 12/07/2015 |

* = Indicates Automated Response from Element DataSystem

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 04-DEC-2015 09:03
 End Cal Date : 04-DEC-2015 11:33
 Quant Method : ISTD
 Origin : Disabled
 Target Version : 4.14
 Integrator : HP RTE
 Method file : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Last Edit : 05-Dec-2015 09:24 jonathonw
 Curve Type : Average

Calibration File Names:

Level 1: \\target\share\chem3\nt11.i\20151204.b\15120404.D
 Level 2: \\target\share\chem3\nt11.i\20151204.b\15120405.D
 Level 3: \\target\share\chem3\nt11.i\20151204.b\15120403.D
 Level 4: \\target\share\chem3\nt11.i\20151204.b\15120402.D
 Level 5: \\target\share\chem3\nt11.i\20151204.b\15120406.D
 Level 6: \\target\share\chem3\nt11.i\20151204.b\15120407.D

| Compound | 10.000 Level 1 | 50.000 Level 2 | 100.000 Level 3 | 250.000 Level 4 | 500.000 Level 5 | 1000.000 Level 6 | RRF | % RSD |
|------------------------------|-------------------|-------------------|--------------------|--------------------|--------------------|---------------------|---------|--------|
| 5 Naphthalene | 1.19875 | 1.25660 | 1.20859 | 1.13779 | 1.09546 | 1.03421 | 1.15523 | 7.090 |
| 7 2-Methylnaphthalene | 0.75696 | 0.82162 | 0.81758 | 0.82518 | 0.78721 | 0.75401 | 0.79376 | 4.105 |
| 8 1-Methylnaphthalene | 0.67221 | 0.74285 | 0.74457 | 0.74059 | 0.71073 | 0.68104 | 0.71533 | 4.554 |
| 10 Acenaphthylene | 1.58688 | 1.68774 | 1.64577 | 1.62759 | 1.60202 | 1.53483 | 1.61414 | 3.252 |
| 12 Acenaphthene | 1.08363 | 1.13588 | 1.09716 | 1.06578 | 1.04086 | 1.00481 | 1.07135 | 4.251 |
| 14 Dibenzofuran | 1.63702 | 1.74172 | 1.68518 | 1.62325 | 1.55902 | 1.43742 | 1.61394 | 6.569 |
| 15 Fluorene | 1.15912 | 1.25912 | 1.24842 | 1.23125 | 1.20885 | 1.15567 | 1.21040 | 3.673 |
| 17 Pentachlorophenol | ++++ | ++++ | ++++ | ++++ | ++++ | ++++ | ++++ | ++++ |
| 19 Phenanthrene | 1.20070 | 1.33868 | 1.26117 | 1.22278 | 1.14299 | 1.06348 | 1.20497 | 7.894 |
| 20 Anthracene | 1.01417 | 1.08937 | 1.08864 | 1.11858 | 1.12165 | 1.03900 | 1.07857 | 4.018 |
| 22 Carbazole | ++++ | ++++ | ++++ | ++++ | ++++ | ++++ | ++++ | ++++ |
| 24 Fluoranthene | 1.09490 | 1.29137 | 1.25014 | 1.26562 | 1.22706 | 1.12956 | 1.20977 | 6.544 |
| 25 Pyrene | 1.56990 | 1.71816 | 1.63928 | 1.57402 | 1.55717 | 1.44465 | 1.58387 | 5.751 |
| 28 Benzo (a) anthracene | 1.26389 | 1.42412 | 1.34869 | 1.34036 | 1.33833 | 1.28529 | 1.33345 | 4.200 |
| 30 Chrysene | 1.46075 | 1.64931 | 1.51090 | 1.43415 | 1.41191 | 1.31399 | 1.46350 | 7.649 |
| 44 Benzo (b) fluoranthene | 1.23590 | 1.44922 | 1.33506 | 1.30908 | 1.42782 | 1.37318 | 1.35504 | 5.830 |
| 45 Benzo (k) fluoranthene | 1.40405 | 1.66492 | 1.57480 | 1.60115 | 1.63773 | 1.59156 | 1.57904 | 5.812 |
| 46 Benzo (j) fluoranthene | 1.32355 | 1.58148 | 1.42960 | 1.41908 | 1.47673 | 1.39992 | 1.43839 | 5.986 |
| 34 Benzo (a) pyrene | 1.12243 | 1.39016 | 1.28482 | 1.30477 | 1.39200 | 1.35226 | 1.30774 | 7.704 |
| 37 Indeno (1,2,3-cd) pyrene | 1.07019 | 1.39573 | 1.34204 | 1.37226 | 1.52877 | 1.52953 | 1.37309 | 12.270 |
| 38 Dibenzo (a,h) anthracene | 0.79381 | 1.05747 | 1.07068 | 1.11092 | 1.23311 | 1.24877 | 1.08579 | 15.143 |
| 39 Benzo (g,h,i) perylene | 1.03016 | 1.23486 | 1.17375 | 1.17405 | 1.27154 | 1.26755 | 1.19199 | 7.571 |
| 47 Perylene | 1.25753 | 1.47517 | 1.35486 | 1.30583 | 1.39016 | 1.35136 | 1.35582 | 5.480 |
| 48 Benzo (e) pyrene | 1.29965 | 1.48474 | 1.37096 | 1.32360 | 1.39138 | 1.34634 | 1.36945 | 4.764 |
| \$ 6 2-Methylnaphthalene-d10 | 0.70562 | 0.76809 | 0.76144 | 0.76607 | 0.73856 | 0.71434 | 0.74235 | 3.683 |
| \$ 16 2,4,6-Tribromophenol | ++++ | ++++ | ++++ | ++++ | ++++ | ++++ | ++++ | ++++ |
| \$ 23 Fluoranthene-d10 | 1.01495 | 1.15239 | 1.11432 | 1.13346 | 1.12157 | 1.06256 | 1.09988 | 4.666 |

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 04-DEC-2015 09:03
End Cal Date : 04-DEC-2015 11:33
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP RTE
Method file : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
Last Edit : 05-Dec-2015 09:24 jonathonw
Curve Type : Average

| Compound | 10.000 | 50.000 | 100.000 | 250.000 | 500.000 | 1000.000 | RRF | % RSD |
|----------------------------------|---------|---------|---------|---------|---------|----------|---------|--------|
| | Level 1 | Level 2 | Level 3 | Level 4 | Level 5 | Level 6 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 0.59288 | 0.78076 | 0.79874 | 0.81630 | 0.91118 | 0.94354 | 0.80723 | 15.292 |



Analytical Resources, Incorporated
Analytical Chemists and Consultants


Calibration Report

Instrument: NT11
Calibration ID: YL00008

Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW


8270D-SIM PAH (0.5 ug/kg)

Naphthalene
8270D-SIM PAH (0.5 ug/kg) - Naphthalene



1-Methylnaphthalene

8270D-SIM PAH (0.5 ug/kg) - 1-Methylnaphthalene






Analytical Resources, Incorporated
Analytical Chemists and Consultants

Calibration Report


Instrument: NT11
Calibration ID: YL00008
04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/kg)

2-Methylnaphthalene
8270D-SIM PAH (0.5 ug/kg) - 2-Methylnaphthalene



Biphenyl
8270D-SIM PAH (0.5 ug/kg) - Biphenyl



ARPH: 00004





Analytical Resources, Incorporated
Analytical Chemists and Consultants

Calibration Report

Instrument: NT11
Calibration ID: YL00008
Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k)

2,6-Dimethylnaphthalene
8270D-SIM PAH (0.5 ug/kg) - 2,6-Dimethylnaphthalene





Analytical Resources, Incorporated
Analytical Chemists and Consultants


Calibration Report

Instrument: NT11
Calibration ID: YL00008
8270D-SIM PAH (0.5 ug/k;
Acenaphthene

04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW


8270D-SIM PAH (0.5 ug/kg) - Acenaphthene

Acenaphthene



Dibenzofuran

8270D-SIM PAH (0.5 ug/kg) - Dibenzofuran







Analytical Resources, Incorporated
Analytical Chemists and Consultants

Calibration Report

Instrument: NT11
Calibration ID: YL00008
8270D-SIM PAH (0.5 ug/k;
2,3,5-Trimethylnaphthalene
8270D-SIM PAH (0.5 ug/kg) - 2,3,5-Trimethylnaphthalene

Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW







Analytical Resources, Incorporated
Analytical Chemists and Consultants

Calibration Report

Instrument: NT11
Calibration ID: YL00008
8270D-SIM PAH (0.5 ug/k;
Dibenzothiophene

04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/kg) - Dibenzothiophene



ARPH: 00000




Analytical Resources, Incorporated
Analytical Chemists and Consultants

Calibration Report

Instrument: NT11
Calibration ID: YL00008
04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW


8270D-SIM PAH (0.5 ug/k;

Anthracene
8270D-SIM PAH (0.5 ug/kg) - Anthracene



Carbazole

8270D-SIM PAH (0.5 ug/kg) - Carbazole



APP4: 00000



Analytical Resources, Incorporated
Analytical Chemists and Consultants


Calibration Report

Instrument: NT11
Calibration ID: YL00008


Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;

1-Methylphenanthrene
8270D-SIM PAH (0.5 ug/kg) - 1-Methylphenanthrene



Fluoranthene
8270D-SIM PAH (0.5 ug/kg) - Fluoranthene





Analytical Resources, Incorporated
Analytical Chemists and Consultants


Calibration Report

Instrument: NT11
Calibration ID: YL00008
8270D-SIM PAH (0.5 ug/k;

04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW


Pyrene

8270D-SIM PAH (0.5 ug/kg) - Pyrene



Benzo(a)anthracene

8270D-SIM PAH (0.5 ug/kg) - Benzo(a)anthracene



ARPH-00101



Analytical Resources, Incorporated
Analytical Chemists and Consultants

Calibration Report


Instrument: NT11
Calibration ID: YL00008

04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/kg)


Chrysene

8270D-SIM PAH (0.5 ug/kg) - Chrysene



Benzo(b)fluoranthene

8270D-SIM PAH (0.5 ug/kg) - Benzo(b)fluoranthene





Analytical Resources, Incorporated
Analytical Chemists and Consultants

Calibration Report

Instrument: NT11
Calibration ID: YL00008
8270D-SIM PAH (0.5 ug/k;
Benzo(k)fluoranthene
8270D-SIM PAH (0.5 ug/kg) - Benzo(k)fluoranthene


04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW

Calibration Date:
Last Edit Date:

8270D-SIM PAH (0.5 ug/k;


Benzo(k)fluoranthene

8270D-SIM PAH (0.5 ug/kg) - Benzo(k)fluoranthene



Benzo(j)fluoranthene

8270D-SIM PAH (0.5 ug/kg) - Benzo(j)fluoranthene






Analytical Resources, Incorporated
Analytical Chemists and Consultants

Calibration Report


Instrument: NT11
Calibration ID: YL00008
04-Dec-2015 08:45 By JILW
05-Dec-2015 10:30 By JILW

8270D-SIM PAH (0.5 ug/kg)

Benzo(e)pyrene
8270D-SIM PAH (0.5 ug/kg) - Benzo(e)pyrene



Benzo(a)pyrene
8270D-SIM PAH (0.5 ug/kg) - Benzo(a)pyrene





Analytical Resources, Incorporated
Analytical Chemists and Consultants


Calibration Report

Instrument: NT11
Calibration ID: YL00008


04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;

Indeno(1,2,3-cd)pyrene
8270D-SIM PAH (0.5 ug/kg) - Indeno(1,2,3-cd)pyrene



Dibenzo(a,h)anthracene
8270D-SIM PAH (0.5 ug/kg) - Dibenzo(a,h)anthracene



ARPL: 00105



Analytical Resources, Incorporated
Analytical Chemists and Consultants


Calibration Report

Instrument: NT11
Calibration ID: YL00008
8270D-SIM PAH (0.5 ug/k)

04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW


Benzo(g,h,i)perylene

8270D-SIM PAH (0.5 ug/kg) - Benzo(g,h,i)perylene



Perylene

8270D-SIM PAH (0.5 ug/kg) - Perylene



ARPH: 00106




Analytical Resources, Incorporated
Analytical Chemists and Consultants

Calibration Report


Instrument: NT11
Calibration ID: YL00008
Calibration Date: 04-Dec-2015 08:45 By JLW
Last Edit Date: 05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/k;

2-Methylnaphthalene-d10
8270D-SIM PAH (0.5 ug/kg) - 2-Methylnaphthalene-d10



Dibenzo[a,h]anthracene-d14
8270D-SIM PAH (0.5 ug/kg) - Dibenzo[a,h]anthracene-d14



ARPH: 00107



Analytical Resources, Incorporated
Analytical Chemists and Consultants


Calibration Report

Instrument: NT11
Calibration ID: YL00008
04-Dec-2015 08:45 By JLW
05-Dec-2015 10:30 By JLW

8270D-SIM PAH (0.5 ug/kg)

Fluoranthene-d10

8270D-SIM PAH (0.5 ug/kg) - Fluoranthene-d10



Average RF
RF RSD: 4.666284
[Conc] = 1.099877 * [Response]

Naphthalene-d8

Average RF
RF RSD:
[Conc] = * [Response]

AR04 : 00100

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem3\nt11.i\20151204.b

ARI Job No.: TUNE Method: DFPPP.m Instrument: nt11.i Date: 04-DEC-2015

| Time | Filename | LabID | ClientID | DF | Manually Integrated Compounds |
|------|------------|---------------|----------|----|-------------------------------|
| 0845 | 15120401.D | TUNE 10 | | 1 | NO MANUAL INTEGRATION |
| 0903 | 15120402.D | LLSIM 250 | | 1 | NO MANUAL INTEGRATION |
| 0933 | 15120403.D | LLSIM 100 | | 1 | NO MANUAL INTEGRATION |
| 1003 | 15120404.D | LLSIM 10 | | 1 | NO MANUAL INTEGRATION |
| 1033 | 15120405.D | LLSIM 50 | | 1 | NO MANUAL INTEGRATION |
| 1103 | 15120406.D | LLSIM 500 | | 1 | NO MANUAL INTEGRATION |
| 1133 | 15120407.D | LLSIM 1000 | | 1 | NO MANUAL INTEGRATION |
| 1204 | 15120408.D | LLSIM SCV 250 | | 1 | NO MANUAL INTEGRATION |

INTERNAL STANDARD SUMMARY FOR DATAATCH - \\target\share\chem3\nt11.i\20151204.b

| Time | Filename | LabID | ClientID | DF | NO ISTDs FOUND | | | | | | | | | | | |
|--------|------------|---------------|----------|----|----------------|--------|------|--------|-------|--------|-------|--------|-------|--------|--|--|
| 1 0845 | 15120401.D | TUNE 10 | | 1 | 6.60 | 327896 | 9.60 | 239179 | 12.27 | 372253 | 17.02 | 294711 | 19.84 | 260595 | | |
| 2 0903 | 15120402.D | LLSIM 250 | | 1 | 6.60 | 322094 | 9.60 | 228988 | 12.27 | 364343 | 17.02 | 276576 | 19.84 | 245162 | | |
| 3 0933 | 15120403.D | LLSIM 100 | | 1 | 6.60 | 325673 | 9.60 | 218580 | 12.27 | 358974 | 17.01 | 262207 | 19.84 | 229323 | | |
| 4 1003 | 15120404.D | LLSIM 10 | | 1 | 6.60 | 322810 | 9.60 | 219192 | 12.27 | 354307 | 17.01 | 262604 | 19.84 | 229726 | | |
| 5 1033 | 15120405.D | LLSIM 50 | | 1 | 6.60 | 340768 | 9.60 | 241553 | 12.27 | 382017 | 17.01 | 296788 | 19.84 | 253397 | | |
| 6 1103 | 15120406.D | LLSIM 500 | | 1 | 6.60 | 337457 | 9.60 | 238950 | 12.27 | 380348 | 17.01 | 298514 | 19.84 | 256244 | | |
| 7 1133 | 15120407.D | LLSIM 1000 | | 1 | 6.60 | 330144 | 9.60 | 236381 | 12.27 | 360337 | 17.01 | 291007 | 19.83 | 242244 | | |
| 8 1204 | 15120408.D | LLSIM SCV 250 | | 1 | 6.60 | | | | | | | | | | | |

Report Date : 05-Dec-2015 10:32

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
Batch File: \\target\share\chem3\nt11.i\20151204.b
Inst ID: nt11.1

| Compound | RT01 | RT02 | RT03 | RT04 | RT05 | RT06 | EXPEC RT | RT WINDOW | AVG RT | STD DEV |
|-----------------------------|--------|--------|--------|--------|--------|--------|----------|---------------|--------|---------|
| * 4 Naphthalene-d8 | 6.598 | 6.597 | 6.598 | 6.598 | 6.598 | 6.598 | 6.598 | 6.348-6.848 | 6.598 | 0.000 |
| 5 Naphthalene | 6.640 | 6.629 | 6.629 | 6.629 | 6.629 | 6.629 | 6.629 | 6.379-6.879 | 6.631 | 0.004 |
| \$ 6 2-Methylnaphthalene-d1 | 7.575 | 7.575 | 7.575 | 7.575 | 7.575 | 7.575 | 7.575 | 7.325-7.825 | 7.575 | 0.000 |
| 7 2-Methylnaphthalene | 7.638 | 7.638 | 7.638 | 7.627 | 7.627 | 7.627 | 7.627 | 7.377-7.877 | 7.632 | 0.006 |
| 8 1-Methylnaphthalene | 7.890 | 7.890 | 7.890 | 7.890 | 7.890 | 7.890 | 7.890 | 7.640-8.140 | 7.890 | 0.000 |
| 10 Acenaphthylene | 9.446 | 9.446 | 9.446 | 9.446 | 9.446 | 9.446 | 9.446 | 9.196-9.696 | 9.446 | 0.000 |
| * 11 Acenaphthene-d10 | 9.601 | 9.601 | 9.601 | 9.601 | 9.601 | 9.601 | 9.601 | 9.351-9.851 | 9.601 | 0.000 |
| 12 Acenaphthene | 9.656 | 9.656 | 9.656 | 9.656 | 9.656 | 9.656 | 9.656 | 9.406-9.906 | 9.656 | 0.000 |
| 14 Dibenzofuran | 9.867 | 9.867 | 9.867 | 9.867 | 9.867 | 9.867 | 9.867 | 9.617-10.117 | 9.867 | 0.000 |
| 15 Fluorene | 10.487 | 10.487 | 10.487 | 10.487 | 10.487 | 10.487 | 10.487 | 10.237-10.737 | 10.487 | 0.000 |
| \$ 16 2,4,6-Tribromophenol | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | 12.499 | 12.249-12.749 | +++++ | +++++ |
| 17 Pentachlorophenol | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | 4.785 | 4.535-5.035 | +++++ | +++++ |
| * 18 Phenanthrene-d10 | 12.269 | 12.269 | 12.269 | 12.269 | 12.269 | 12.269 | 12.269 | 12.019-12.519 | 12.269 | 0.000 |
| 19 Phenanthrene | 12.314 | 12.313 | 12.314 | 12.314 | 12.313 | 12.313 | 12.313 | 12.063-12.563 | 12.313 | 0.000 |
| 20 Anthracene | 12.369 | 12.369 | 12.369 | 12.369 | 12.369 | 12.369 | 12.369 | 12.119-12.619 | 12.369 | 0.000 |
| 22 Carbazole | +++++ | +++++ | +++++ | +++++ | +++++ | +++++ | 14.533 | 14.283-14.783 | +++++ | +++++ |
| \$ 23 Fluoranthene-d10 | 14.375 | 14.375 | 14.375 | 14.365 | 14.375 | 14.375 | 14.375 | 14.125-14.625 | 14.373 | 0.004 |

Reviewer 1 JL Date: 12/5/15
Reviewer 2 [Signature] Date: 12/7/15

Report Date : 05-Dec-2015 10:32



ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
Batch File: \\target\share\chem3\nt11.i\20151204.b
Inst ID: nt11.i


| Compound | RT01 | RT02 | RT03 | RT04 | RT05 | RT06 | EXPEC RT | RT WINDOW | AVG RT | STD DEV |
|-----------------------------|--------|--------|--------|--------|--------|--------|----------|---------------|--------|---------|
| 24 Fluoranthene | 14.404 | 14.404 | 14.404 | 14.404 | 14.404 | 14.404 | 14.404 | 14.154-14.654 | 14.404 | 0.000 |
| 25 Pyrene | 14.903 | 14.903 | 14.903 | 14.903 | 14.903 | 14.903 | 14.903 | 14.653-15.153 | 14.903 | 0.000 |
| 28 Benzo(a)anthracene | 16.918 | 16.918 | 16.918 | 16.918 | 16.918 | 16.918 | 16.918 | 16.668-17.168 | 16.918 | 0.000 |
| * 29 Chrysene-d12 | 17.018 | 17.018 | 17.010 | 17.010 | 17.010 | 17.010 | 17.010 | 16.760-17.260 | 17.012 | 0.004 |
| 30 Chrysene | 17.068 | 17.059 | 17.060 | 17.060 | 17.059 | 17.059 | 17.059 | 16.809-17.309 | 17.061 | 0.003 |
| 44 Benzo(b)fluoranthene | 18.785 | 18.785 | 18.785 | 18.785 | 18.785 | 18.785 | 18.785 | 18.535-19.035 | 18.785 | 0.000 |
| 45 Benzo(k)fluoranthene | 18.833 | 18.833 | 18.824 | 18.824 | 18.823 | 18.833 | 18.833 | 18.583-19.083 | 18.828 | 0.005 |
| 46 Benzo(j)fluoranthene | 18.891 | 18.891 | 18.891 | 18.891 | 18.891 | 18.891 | 18.891 | 18.641-19.141 | 18.891 | 0.000 |
| 34 Benzo(a)pyrene | 19.640 | 19.630 | 19.631 | 19.631 | 19.631 | 19.631 | 19.631 | 19.381-19.881 | 19.632 | 0.004 |
| * 35 Perylene-d12 | 19.842 | 19.842 | 19.842 | 19.842 | 19.842 | 19.842 | 19.842 | 19.592-20.092 | 19.842 | 0.000 |
| § 36 Dibenzo(a,h)anthracene | 22.208 | 22.197 | 22.197 | 22.197 | 22.197 | 22.197 | 22.197 | 21.947-22.447 | 22.199 | 0.005 |
| 37 Indeno(1,2,3-cd)pyrene | 22.330 | 22.330 | 22.330 | 22.330 | 22.330 | 22.330 | 22.330 | 22.080-22.580 | 22.330 | 0.000 |
| 38 Dibenzo(a,h)anthracene | 22.319 | 22.319 | 22.319 | 22.308 | 22.308 | 22.308 | 22.308 | 22.058-22.558 | 22.313 | 0.006 |
| 39 Benzo(g,h,i)perylene | 23.427 | 23.426 | 23.427 | 23.427 | 23.426 | 23.426 | 23.426 | 23.176-23.676 | 23.426 | 0.000 |
| 47 Perylene | 19.900 | 19.900 | 19.900 | 19.900 | 19.900 | 19.900 | 19.900 | 19.650-20.150 | 19.900 | 0.000 |
| 48 Benzo(e)pyrene | 19.525 | 19.525 | 19.525 | 19.525 | 19.525 | 19.525 | 19.525 | 19.275-19.775 | 19.525 | 0.000 |

DFTPP TAILING FACTOR AND BREAKDOWN GRAPHIC REPORT

Datafile Analyzed: /20151204.b/15120401.D/15120401.D
 Method Used: \20151204.b\DFTPP.m Inst: nt11
 Injection Date: 04-DEC-2015 08:45 Operator: JW
 Sample Info: TUNE 10 TUNE 10
 Report Date: 12/04/2015 09:41




Datafile Analyzed: /20151204.b/15120401.D/15120401.D
Method Used: \20151204.b\DFTPP.m\sw846ddt.m Inst: nt11
Injection Date: 04-DEC-2015 08:45 Operator: JR
Sample Info: TUNE 10
Report Date: 12/04/2015 09:41



Pentachlorophenol

=====
Exp. RT = 4.914
Found RT = 4.871

Tail Factor = 1.489 Maximum Allowed = 2.0



Benzidine

=====
Exp. RT = 7.141
Found RT = 7.093

The tailing factor for Benzidine EXCEEDED

Tail Factor = 2.112 Maximum Allowed = 2.0

8270 TAILING FACTOR/BREAKDOWN SUMMARY RESULTS

TAILING ANALYSIS SUMMARY

| Compound | Tail Factor | Max Allowed | Test |
|-------------------|-------------|-------------|------|
| Pentachlorophenol | 1.4888179 | 2.000 | PASS |
| Benzidine | 2.1122449 | 2.000 | FAIL |

[Failure]

BB
12/7/15

DDT DEGRADATION BREAKDOWN ANALYSIS SUMMARY

| Compound | Response | %Breakdown | Max Allowed | Test |
|---------------|----------|------------|-------------|------|
| 4,4-DDT | 2078544 | | | N/A |
| 4,4-DDE | 12541 | 0.6 | 20.0 | PASS |
| 4,4-DDD | 100432 | 4.6 | 20.0 | PASS |
| 4,4-DDD + DDE | 112973 | 5.2 | 20.0 | PASS |

Tuning Sample, nt11.i/20151204.b/15120401.D, *** FAILED ***

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 198 | Base Peak, 100% relative abundance | 100.00 |
| 51 | 10.00 - 80.00% of mass 198 | 36.71 |
| 68 | Less than 2.00% of mass 69 | 0.00 (0.00) |
| 69 | Mass 69 relative abundance | 46.72 |
| 70 | Less than 2.00% of mass 69 | 0.25 (0.53) |
| 127 | 10.00 - 80.00% of mass 198 | 50.34 |
| 197 | Less than 2.00% of mass 198 | 0.00 |
| 199 | 5.00 - 9.00% of mass 198 | 8.78 |
| 275 | 10.00 - 60.00% of mass 198 | 29.75 |
| 365 | Greater than 1.00% of mass 198 | 3.54 |
| 441 | 0.01 - 24.00% of mass 442 | 13.40 (16.36) |
| 442 | 50.00 - 200.00% of mass 198 | 81.93 |
| 443 | 15.00 - 24.00% of mass 442 | 18.59 (22.69) |

Data File: 15120401.D
 Spectrum: Avg. Scans 462-464 (4.56), Background Scan 456
 Location of Maximum: 198.00
 Number of points: 252

| m/z | Y | m/z | Y | m/z | Y | m/z | Y |
|--------|--------|--------|--------|--------|--------|--------|-------|
| 38.00 | 5903 | 123.00 | 15321 | 191.00 | 4529 | 276.00 | 37792 |
| 39.00 | 32472 | 124.00 | 6008 | 192.00 | 15383 | 277.00 | 25616 |
| 40.00 | 2234 | 125.00 | 8697 | 193.00 | 14981 | 278.00 | 5143 |
| 44.00 | 1291 | 127.00 | 487424 | 194.00 | 2969 | 279.00 | 797 |
| 49.00 | 2336 | 128.00 | 36048 | 195.00 | 935 | 282.00 | 1077 |
| 50.00 | 99976 | 129.00 | 198784 | 196.00 | 36952 | 283.00 | 4344 |
| 51.00 | 355456 | 130.00 | 17864 | 198.00 | 968192 | 285.00 | 4257 |
| 52.00 | 19288 | 131.00 | 3029 | 199.00 | 85016 | 290.00 | 736 |
| 53.00 | 699 | 132.00 | 770 | 200.00 | 7648 | 292.00 | 695 |
| 55.00 | 817 | 134.00 | 4444 | 201.00 | 4181 | 293.00 | 3995 |
| 56.00 | 12284 | 135.00 | 17328 | 202.00 | 2800 | 294.00 | 1601 |
| 57.00 | 28160 | 136.00 | 7249 | 203.00 | 7062 | 296.00 | 79296 |
| 58.00 | 882 | 137.00 | 7197 | 204.00 | 45768 | 297.00 | 10726 |
| 61.00 | 4027 | 139.00 | 686 | 205.00 | 78432 | 301.00 | 1083 |
| 62.00 | 4478 | 140.00 | 3181 | 206.00 | 296256 | 303.00 | 9535 |
| 63.00 | 21296 | 141.00 | 26728 | 207.00 | 40064 | 304.00 | 2760 |
| 64.00 | 2870 | 142.00 | 9703 | 208.00 | 13008 | 310.00 | 1258 |
| 65.00 | 7567 | 143.00 | 5423 | 209.00 | 4174 | 314.00 | 5255 |
| 69.00 | 452352 | 144.00 | 1270 | 210.00 | 2826 | 315.00 | 11430 |
| 70.00 | 2404 | 145.00 | 2146 | 211.00 | 10991 | 316.00 | 4496 |
| 71.00 | 1729 | 146.00 | 3758 | 212.00 | 1343 | 317.00 | 1730 |
| 74.00 | 51136 | 147.00 | 11875 | 213.00 | 1135 | 321.00 | 2836 |
| 75.00 | 72784 | 148.00 | 28688 | 215.00 | 5759 | 322.00 | 766 |
| 76.00 | 27064 | 149.00 | 7601 | 216.00 | 5158 | 323.00 | 27808 |
| 77.00 | 512768 | 150.00 | 1111 | 217.00 | 87992 | 324.00 | 3710 |
| 78.00 | 35304 | 151.00 | 3226 | 218.00 | 10624 | 327.00 | 3445 |
| 79.00 | 35128 | 152.00 | 2009 | 221.00 | 58632 | 328.00 | 2747 |
| 80.00 | 28640 | 153.00 | 8844 | 222.00 | 12655 | 332.00 | 2890 |
| 81.00 | 40048 | 154.00 | 6510 | 223.00 | 18704 | 333.00 | 2909 |
| 82.00 | 10036 | 155.00 | 17848 | 224.00 | 170624 | 334.00 | 18896 |
| 83.00 | 13510 | 156.00 | 20976 | 225.00 | 44928 | 335.00 | 3574 |
| 84.00 | 155 | 157.00 | 5537 | 226.00 | 4319 | 341.00 | 3496 |
| 85.00 | 9792 | 158.00 | 5165 | 227.00 | 75184 | 342.00 | 946 |
| 86.00 | 11647 | 159.00 | 2604 | 228.00 | 10251 | 346.00 | 5555 |
| 87.00 | 6242 | 160.00 | 7198 | 229.00 | 15494 | 350.00 | 704 |
| 88.00 | 2104 | 161.00 | 9881 | 231.00 | 4886 | 352.00 | 9894 |
| 91.00 | 8456 | 162.00 | 2652 | 233.00 | 1517 | 353.00 | 6975 |
| 92.00 | 8959 | 163.00 | 959 | 234.00 | 3642 | 354.00 | 7491 |
| 93.00 | 59144 | 164.00 | 701 | 235.00 | 4833 | 355.00 | 2236 |
| 94.00 | 4278 | 165.00 | 10199 | 236.00 | 1621 | 365.00 | 34240 |
| 95.00 | 1022 | 166.00 | 9417 | 237.00 | 5726 | 366.00 | 4979 |
| 96.00 | 2824 | 167.00 | 49792 | 239.00 | 1926 | 371.00 | 2016 |
| 98.00 | 40528 | 168.00 | 25208 | 241.00 | 6592 | 372.00 | 17560 |
| 99.00 | 34656 | 169.00 | 4359 | 242.00 | 9932 | 373.00 | 3339 |
| 100.00 | 3425 | 170.00 | 2037 | 243.00 | 9154 | 383.00 | 2922 |
| 101.00 | 24160 | 171.00 | 2039 | 244.00 | 122792 | 390.00 | 1755 |
| 102.00 | 687 | 172.00 | 5959 | 245.00 | 17280 | 391.00 | 814 |
| 103.00 | 7164 | 173.00 | 5076 | 246.00 | 28232 | 402.00 | 5209 |
| 104.00 | 12935 | 174.00 | 11539 | 247.00 | 4557 | 403.00 | 6386 |

| | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 105.00 | 10605 | 175.00 | 20720 | 249.00 | 3982 | 404.00 | 2710 |
| 106.00 | 7128 | 176.00 | 7696 | 250.00 | 1046 | 421.00 | 6452 |
| 107.00 | 162176 | 177.00 | 11926 | 252.00 | 969 | 422.00 | 10014 |
| 108.00 | 27064 | 178.00 | 3414 | 253.00 | 5072 | 423.00 | 50464 |
| 109.00 | 2954 | 179.00 | 42472 | 255.00 | 572352 | 424.00 | 9853 |
| 110.00 | 279360 | 180.00 | 32368 | 256.00 | 86752 | 425.00 | 909 |
| 111.00 | 42360 | 181.00 | 14321 | 257.00 | 6074 | 441.00 | 129768 |
| 112.00 | 6933 | 182.00 | 2960 | 258.00 | 40416 | 442.00 | 793216 |
| 113.00 | 1332 | 184.00 | 4180 | 259.00 | 6964 | 443.00 | 179968 |
| 114.00 | 829 | 185.00 | 19872 | 265.00 | 16576 | 444.00 | 15867 |
| 116.00 | 8676 | 186.00 | 147328 | 271.00 | 1077 | 445.00 | 897 |
| 117.00 | 106856 | 187.00 | 42160 | 272.00 | 2517 | | |
| 118.00 | 7215 | 188.00 | 5898 | 273.00 | 20392 | | |
| 120.00 | 674 | 189.00 | 10119 | 274.00 | 55504 | | |
| 122.00 | 7466 | 190.00 | 1772 | 275.00 | 288064 | | |

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120402.D

Lab Smp Id: LLSIM 250

Inj Date : 04-DEC-2015 09:03

MS Autotune Date: 23-APR-2014 12:54

Operator : JW

Inst ID: nt11.i

Smp Info : LLSIM 250

Misc Info :

Comment :

Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m

Meth Date : 05-Dec-2015 09:24 jonathonw

Quant Type: ISTD

Cal Date : 04-DEC-2015 09:03

Cal File: 15120402.D

Als bottle: 5

Calibration Sample, Level: 4

Dil Factor: 1.00000

Integrator: HP RTE

Compound Sublist: PEMD.sub

Target Version: 4.14

JW
12/5/15

| Compounds | QUANT SIG | AMOUNTS | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
|----------------------------------|-----------|---------|--------|---------|--------|----------|--------------------|-------------------|
| | | MASS | RT | EXP RT | REL RT | RESPONSE | | |
| * 4 Naphthalene-d8 | 136 | 6.597 | 6.597 | (1.000) | 327896 | 200.000 | | |
| 5 Naphthalene | 128 | 6.639 | 6.629 | (1.006) | 466348 | 250.000 | 246 | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.574 | 7.574 | (1.148) | 313990 | 250.000 | 258 | |
| 7 2-Methylnaphthalene | 142 | 7.637 | 7.627 | (1.158) | 338215 | 250.000 | 260 | |
| 8 1-Methylnaphthalene | 142 | 7.889 | 7.889 | (1.196) | 303545 | 250.000 | 259 | |
| 10 Acenaphthylene | 152 | 9.446 | 9.445 | (0.984) | 486608 | 250.000 | 252 | |
| * 11 Acenaphthene-d10 | 164 | 9.601 | 9.600 | (1.000) | 239179 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.006) | 318640 | 250.000 | 249 | |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.028) | 485308 | 250.000 | 251 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.092) | 368110 | 250.000 | 254 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 372253 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 568980 | 250.000 | 254 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 520493 | 250.000 | 259 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.375 | 14.374 | (1.172) | 527419 | 250.000 | 258 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 588912 | 250.000 | 262 | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 579853 | 250.000 | 248 | |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.918 | (0.994) | 493775 | 250.000 | 251 | |
| * 29 Chrysene-d12 | 240 | 17.018 | 17.009 | (1.000) | 294711 | 200.000 | | |
| 30 Chrysene | 228 | 17.067 | 17.059 | (1.003) | 528325 | 250.000 | 245 | |
| 44 Benzo(b)fluoranthene | 252 | 18.785 | 18.785 | (0.947) | 426424 | 250.000 | 242 | |
| 45 Benzo(k)fluoranthene | 252 | 18.833 | 18.833 | (0.949) | 521565 | 250.000 | 254 | |
| 46 Benzo(j)fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 462257 | 250.000 | 247 | |
| 34 Benzo(a)pyrene | 252 | 19.640 | 19.630 | (0.990) | 425021 | 250.000 | 249 | |
| * 35 Perylene-d12 | 264 | 19.842 | 19.842 | (1.000) | 260595 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.208 | 22.197 | (1.119) | 265906 | 250.000 | 253 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.330 | 22.329 | (1.125) | 447004 | 250.000 | 250 | |
| 38 Dibenzo(a,h)anthracene | 278 | 22.318 | 22.307 | (1.125) | 361875 | 250.000 | 256 | |
| 39 Benzo(g,h,i)perylene | 276 | 23.426 | 23.426 | (1.181) | 382439 | 250.000 | 246 | |
| 47 Perylene | 252 | 19.899 | 19.899 | (1.003) | 425367 | 250.000 | 241 | |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 431155 | 250.000 | 242 | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120402.D
 Lab Smp Id: LLSIM 250
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level:
 Sample Type:

Test Mode: Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 327896 | 0.00 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 239179 | 0.00 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 372253 | 0.00 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 294711 | 0.00 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 260595 | 0.00 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | 0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | 0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | 0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Data File: \\target\share\chem3\nt11.1\20151204.b\15120402.D

Date : 04-DEC-2015 09:03

Client ID:

Sample Info: LLSIM 250


Column phase: RX1-17511 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151204.b\15120402.D



REVIEW SUMMARY FOR FILE - 15120402.D

Lab ID: LLSIM 250

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 09:03

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV RRT | DELTA | COMPOUND |
|-----|---------|-------|----------|
|-----|---------|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

ARI Labs, Inc.

LOW LEVEL PNAS BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120403.D
 Lab Smp Id: LLSIM 100
 Inj Date : 04-DEC-2015 09:33 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 100
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 09:33 Cal File: 15120403.D
 Als bottle: 4 Calibration Sample, Level: 3
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14

80 12/5/15

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|----------------------------------|-----------|--------|----------------|--------|----------|-----------------|----------------|
| | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | 6.597 | 6.597 (1.000) | | 322094 | 200.000 | |
| 5 Naphthalene | 128 | 6.628 | 6.629 (1.005) | | 194640 | 100.000 | 105 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.574 | 7.574 (1.148) | | 122627 | 100.000 | 103 |
| 7 2-Methylnaphthalene | 142 | 7.637 | 7.627 (1.158) | | 131669 | 100.000 | 103 |
| 8 1-Methylnaphthalene | 142 | 7.889 | 7.889 (1.196) | | 119911 | 100.000 | 104 |
| 10 Acenaphthylene | 152 | 9.445 | 9.445 (0.984) | | 188431 | 100.000 | 102 |
| * 11 Acenaphthene-d10 | 164 | 9.600 | 9.600 (1.000) | | 228988 | 200.000 | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 (1.006) | | 125618 | 100.000 | 102 |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 (1.028) | | 192943 | 100.000 | 104 |
| 15 Fluorene | 166 | 10.486 | 10.486 (1.092) | | 142937 | 100.000 | 103 |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 (1.000) | | 364343 | 200.000 | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 (1.004) | | 229750 | 100.000 | 105 |
| 20 Anthracene | 178 | 12.368 | 12.368 (1.008) | | 198320 | 100.000 | 101 |
| \$ 23 Fluoranthene-d10 | 212 | 14.374 | 14.374 (1.172) | | 202998 | 100.000 | 101 |
| 24 Fluoranthene | 202 | 14.403 | 14.403 (1.174) | | 227740 | 100.000 | 103 |
| 25 Pyrene | 202 | 14.903 | 14.903 (0.876) | | 226693 | 100.000 | 103 |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.918 (0.994) | | 186507 | 100.000 | 101 |
| * 29 Chrysene-d12 | 240 | 17.017 | 17.009 (1.000) | | 276576 | 200.000 | |
| 30 Chrysene | 228 | 17.059 | 17.059 (1.002) | | 208940 | 100.000 | 103 |
| 44 Benzo(b)fluoranthene | 252 | 18.784 | 18.785 (0.947) | | 163653 | 100.000 | 98.5 |
| 45 Benzo(k)fluoranthene | 252 | 18.832 | 18.833 (0.949) | | 193041 | 100.000 | 99.7 |
| 46 Benzo(j)fluoranthene | 252 | 18.890 | 18.890 (0.952) | | 175242 | 100.000 | 99.4 |
| 34 Benzo(a)pyrene | 252 | 19.630 | 19.630 (0.989) | | 157495 | 100.000 | 98.2 |
| * 35 Perylene-d12 | 264 | 19.841 | 19.842 (1.000) | | 245162 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.196 | 22.197 (1.119) | | 97910 | 100.000 | 98.9 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.329 | 22.329 (1.125) | | 164508 | 100.000 | 97.7 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.318 | 22.307 (1.125) | | 131245 | 100.000 | 98.6 |
| 39 Benzo(g,h,i)perylene | 276 | 23.426 | 23.426 (1.181) | | 143879 | 100.000 | 98.5 |
| 47 Perylene | 252 | 19.899 | 19.899 (1.003) | | 166080 | 100.000 | 99.9 |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 (0.984) | | 168054 | 100.000 | 100 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120403.D
 Lab Smp Id: LLSIM 100
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level:
 Sample Type:

Test Mode: Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 322094 | -1.77 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 228988 | -4.26 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 364343 | -2.12 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 276576 | -6.15 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 245162 | -5.92 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.02 | -0.00 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Data File: \\target\share\chem3\nt11.1\20151204.b\15120403.D

Date: 04-DEC-2015 09:33

Client ID:


Sample Info: LLSIH 100

Column phase: Rxi-17S11 HS

Instrument: nt11.1

Operator: JM

Column diameter: 0.25



REVIEW SUMMARY FOR FILE - 15120403.D

Lab ID: LLSIM 100

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 09:33

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120404.D

Lab Smp Id: LLSIM 10

Inj Date : 04-DEC-2015 10:03

MS Autotune Date: 23-APR-2014 12:54

Operator : JW

Inst ID: nt11.i

Smp Info : LLSIM 10

Misc Info :

Comment :

Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m

Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD

Cal Date : 04-DEC-2015 10:03

Cal File: 15120404.D

Als bottle: 2

Calibration Sample, Level: 1

Dil Factor: 1.00000

Integrator: HP RTE

Compound Sublist: PEMD.sub

Target Version: 4.14

*JW
12/5/15*

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|----------------------------------|-----------|--------|--------|---------|--------|----------|--------------------|-------------------|
| | | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | 6.597 | 6.597 | (1.000) | 325673 | 200.000 | | |
| 5 Naphthalene | 128 | 6.629 | 6.629 | (1.005) | 19520 | 10.0000 | 10.4 | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.574 | 7.574 | (1.148) | 11490 | 10.0000 | 9.51 | |
| 7 2-Methylnaphthalene | 142 | 7.637 | 7.627 | (1.158) | 12326 | 10.0000 | 9.54 | |
| 8 1-Methylnaphthalene | 142 | 7.889 | 7.889 | (1.196) | 10946 | 10.0000 | 9.40 | |
| 10 Acenaphthylene | 152 | 9.446 | 9.445 | (0.984) | 17343 | 10.0000 | 9.83 | |
| * 11 Acenaphthene-d10 | 164 | 9.601 | 9.600 | (1.000) | 218580 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.006) | 11843 | 10.0000 | 10.1 | |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.028) | 17891 | 10.0000 | 10.1 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.092) | 12668 | 10.0000 | 9.58 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 358974 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 21551 | 10.0000 | 9.96 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 18203 | 10.0000 | 9.40 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.375 | 14.374 | (1.172) | 18217 | 10.0000 | 9.23 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 19652 | 10.0000 | 9.05 | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 20582 | 10.0000 | 9.91 | |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.918 | (0.995) | 16570 | 10.0000 | 9.48 | |
| * 29 Chrysene-d12 | 240 | 17.009 | 17.009 | (1.000) | 262207 | 200.000 | | |
| 30 Chrysene | 228 | 17.059 | 17.059 | (1.003) | 19151 | 10.0000 | 9.98 | |
| 44 Benzo(b)fluoranthene | 252 | 18.785 | 18.785 | (0.947) | 14171 | 10.0000 | 9.12 | |
| 45 Benzo(k)fluoranthene | 252 | 18.823 | 18.833 | (0.949) | 16099 | 10.0000 | 8.89 | |
| 46 Benzo(j)fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 15176 | 10.0000 | 9.20 | |
| 34 Benzo(a)pyrene | 252 | 19.630 | 19.630 | (0.989) | 12870 | 10.0000 | 8.58 | |
| * 35 Perylene-d12 | 264 | 19.842 | 19.842 | (1.000) | 229323 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.197 | 22.197 | (1.119) | 6798 | 10.0000 | 7.34 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.329 | 22.329 | (1.125) | 12271 | 10.0000 | 7.79 | |
| 38 Dibenzo(a,h)anthracene | 278 | 22.318 | 22.307 | (1.125) | 9102 | 10.0000 | 7.31 | |
| 39 Benzo(g,h,i)perylene | 276 | 23.426 | 23.426 | (1.181) | 11812 | 10.0000 | 8.64 | |
| 47 Perylene | 252 | 19.899 | 19.899 | (1.003) | 14419 | 10.0000 | 9.28 | |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 14902 | 10.0000 | 9.49 | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120404.D
 Lab Smp Id: LLSIM 10
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level:
 Sample Type:

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 325673 | -0.68 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 218580 | -8.61 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 358974 | -3.57 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 262207 | -11.03 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 229323 | -12.00 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Data File: \\target\share\chem3\nt11.i\20151204.b\15120404.D

Date: 04-DEC-2015 10:03

Client ID:


Sample Info: LLSIH 10

Column phase: Rxi-17511 HS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25



REVIEW SUMMARY FOR FILE - 15120404.D

Lab ID: LLSIM 10

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 10:03

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120405.D
 Lab Smp Id: LLSIM 50
 Inj Date : 04-DEC-2015 10:33 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 50
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 10:33 Cal File: 15120405.D
 Als bottle: 3 Calibration Sample, Level: 2
 Dil Factor: 1.00000
 Integrator: HP RTE
 Target Version: 4.14
 Compound Sublist: PEMD.sub

80
12/5/15

| Compounds | QUANT | SIG | AMOUNTS | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
|----------------------------------|-------|-----|---------|--------|---------|--------|--------------------|-------------------|
| | | | MASS | RT | EXP RT | REL RT | | |
| * 4 Naphthalene-d8 | 136 | | 6.597 | 6.597 | (1.000) | 322810 | 200.000 | |
| 5 Naphthalene | 128 | | 6.629 | 6.629 | (1.005) | 101411 | 50.0000 | 54.4 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.574 | 7.574 | (1.148) | 61987 | 50.0000 | 51.7 |
| 7 2-Methylnaphthalene | 142 | | 7.627 | 7.627 | (1.156) | 66307 | 50.0000 | 51.8 |
| 8 1-Methylnaphthalene | 142 | | 7.889 | 7.889 | (1.196) | 59950 | 50.0000 | 51.9 |
| 10 Acenaphthylene | 152 | | 9.446 | 9.445 | (0.984) | 92485 | 50.0000 | 52.3 |
| * 11 Acenaphthene | 164 | | 9.601 | 9.600 | (1.000) | 219192 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.656 | 9.656 | (1.006) | 62244 | 50.0000 | 53.0 |
| 14 Dibenzofuran | 168 | | 9.866 | 9.866 | (1.028) | 95443 | 50.0000 | 54.0 |
| 15 Fluorene | 166 | | 10.486 | 10.486 | (1.092) | 68997 | 50.0000 | 52.0 |
| * 18 Phenanthrene-d10 | 188 | | 12.269 | 12.269 | (1.000) | 354307 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.313 | 12.313 | (1.004) | 118576 | 50.0000 | 55.5 |
| 20 Anthracene | 178 | | 12.368 | 12.368 | (1.008) | 96493 | 50.0000 | 50.5 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.365 | 14.374 | (1.171) | 102075 | 50.0000 | 52.4 |
| 24 Fluoranthene | 202 | | 14.403 | 14.403 | (1.174) | 114385 | 50.0000 | 53.4 |
| 25 Pyrene | 202 | | 14.903 | 14.903 | (0.876) | 112799 | 50.0000 | 54.2 |
| 28 Benzo(a)anthracene | 228 | | 16.918 | 16.918 | (0.995) | 93495 | 50.0000 | 53.4 |
| * 29 Chrysene-d12 | 240 | | 17.009 | 17.009 | (1.000) | 262604 | 200.000 | |
| 30 Chrysene | 228 | | 17.059 | 17.059 | (1.003) | 108279 | 50.0000 | 56.3 |
| 44 Benzo(b)fluoranthene | 252 | | 18.785 | 18.785 | (0.947) | 83231 | 50.0000 | 53.5 |
| 45 Benzo(k)fluoranthene | 252 | | 18.823 | 18.833 | (0.949) | 95619 | 50.0000 | 52.7 |
| 46 Benzo(j)fluoranthene | 252 | | 18.890 | 18.890 | (0.952) | 90827 | 50.0000 | 55.0 |
| 34 Benzo(a)pyrene | 252 | | 19.630 | 19.630 | (0.989) | 79839 | 50.0000 | 53.2 |
| * 35 Perylene-d12 | 264 | | 19.842 | 19.842 | (1.000) | 229726 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | 22.197 | 22.197 | (1.119) | 44840 | 50.0000 | 48.4 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | 22.330 | 22.329 | (1.125) | 80159 | 50.0000 | 50.8 |
| 38 Dibenzo(a,h)anthracene | 278 | | 22.307 | 22.307 | (1.124) | 60732 | 50.0000 | 48.7 |
| 39 Benzo(g,h,i)perylene | 276 | | 23.426 | 23.426 | (1.181) | 70920 | 50.0000 | 51.8 |
| 47 Perylene | 252 | | 19.899 | 19.899 | (1.003) | 84721 | 50.0000 | 54.4 |
| 48 Benzo(e)pyrene | 252 | | 19.525 | 19.524 | (0.984) | 85271 | 50.0000 | 54.2 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120405.D
 Lab Smp Id: LLSIM 50
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level:
 Sample Type:

Test Mode:
 Use Initial Calibration Level 4.


| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|--------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 322810 | -1.55 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 219192 | -8.36 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 354307 | -4.82 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 262604 | -10.89 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 229726 | -11.85 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | 0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | 0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | 0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Data File: \\target\share\chem3\nt11.1\20151204.1\15120405.D
Date : 04-DEC-2015 10:33
Client ID:
Sample Info: LLSIH 50
Column phase: Rx1-17S11 HS

Instrument: nt11.1
Operator: JM
Column diameter: 0.25



REVIEW SUMMARY FOR FILE - 15120405.D

Lab ID: LLSIM 50

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 10:33

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120406.D
 Lab Smp Id: LLSIM 500
 Inj Date : 04-DEC-2015 11:03 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 500
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:03 Cal File: 15120406.D
 Als bottle: 6 Calibration Sample, Level: 5
 Dil Factor: 1.00000
 Integrator: HP RTE
 Target Version: 4.14
 Compound Sublist: PEMD.sub

*JW
2/5/15*

| Compounds | QUANT SIG | | | | | | AMOUNTS | |
|----------------------------------|-----------|--------|--------|---------|---------|----------|--------------------|-------------------|
| | | MASS | RT | EXP RT | REL RT | RESPONSE | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | 6.597 | 6.597 | (1.000) | 340768 | 200.000 | | |
| 5 Naphthalene | 128 | 6.629 | 6.629 | (1.005) | 933248 | 500.000 | 474 | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.574 | 7.574 | (1.148) | 629193 | 500.000 | 497 | |
| 7 2-Methylnaphthalene | 142 | 7.627 | 7.627 | (1.156) | 670644 | 500.000 | 496 | |
| 8 1-Methylnaphthalene | 142 | 7.889 | 7.889 | (1.196) | 605485 | 500.000 | 497 | |
| 10 Acenaphthylene | 152 | 9.445 | 9.445 | (0.984) | 967430 | 500.000 | 496 | |
| * 11 Acenaphthene-d10 | 164 | 9.600 | 9.600 | (1.000) | 241553 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.656 | 9.656 | (1.006) | 628559 | 500.000 | 486 | |
| 14 Dibenzofuran | 168 | 9.866 | 9.866 | (1.028) | 941463 | 500.000 | 483 | |
| 15 Fluorene | 166 | 10.486 | 10.486 | (1.092) | 730006 | 500.000 | 499 | |
| * 18 Phenanthrene-d10 | 188 | 12.269 | 12.269 | (1.000) | 382017 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.313 | 12.313 | (1.004) | 1091600 | 500.000 | 474 | |
| 20 Anthracene | 178 | 12.368 | 12.368 | (1.008) | 1071225 | 500.000 | 520 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.374 | 14.374 | (1.172) | 1071150 | 500.000 | 510 | |
| 24 Fluoranthene | 202 | 14.403 | 14.403 | (1.174) | 1171890 | 500.000 | 507 | |
| 25 Pyrene | 202 | 14.903 | 14.903 | (0.876) | 1155377 | 500.000 | 492 | |
| 28 Benzo(a)anthracene | 228 | 16.918 | 16.918 | (0.995) | 993004 | 500.000 | 502 | |
| * 29 Chrysene-d12 | 240 | 17.009 | 17.009 | (1.000) | 296788 | 200.000 | | |
| 30 Chrysene | 228 | 17.059 | 17.059 | (1.003) | 1047594 | 500.000 | 482 | |
| 44 Benzo(b)fluoranthene | 252 | 18.785 | 18.785 | (0.947) | 904516 | 500.000 | 527 | |
| 45 Benzo(k)fluoranthene | 252 | 18.823 | 18.833 | (0.949) | 1037488 | 500.000 | 519 | |
| 46 Benzo(j)fluoranthene | 252 | 18.890 | 18.890 | (0.952) | 935496 | 500.000 | 513 | |
| 34 Benzo(a)pyrene | 252 | 19.630 | 19.630 | (0.989) | 881824 | 500.000 | 532 | |
| * 35 Perylene-d12 | 264 | 19.841 | 19.842 | (1.000) | 253397 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.196 | 22.197 | (1.119) | 577224 | 500.000 | 564 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.329 | 22.329 | (1.125) | 968463 | 500.000 | 557 | |
| 38 Dibenzo(a,h)anthracene | 278 | 22.307 | 22.307 | (1.124) | 781168 | 500.000 | 568 | |
| 39 Benzo(g,h,i)perylene | 276 | 23.426 | 23.426 | (1.181) | 805513 | 500.000 | 533 | |
| 47 Perylene | 252 | 19.899 | 19.899 | (1.003) | 880659 | 500.000 | 513 | |
| 48 Benzo(e)pyrene | 252 | 19.524 | 19.524 | (0.984) | 881426 | 500.000 | 508 | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120406.D
 Lab Smp Id: LLSIM 500
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level:
 Sample Type:

Test Mode: Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 340768 | 3.93 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 241553 | 0.99 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 382017 | 2.62 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 296788 | 0.70 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 253397 | -2.76 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Data File: \\target\share\chem3\nt11.1\20151204_b\15120406.D

Date: 04-DEC-2015 11:03

Client ID:

Sample Info: LLSIM 500


Column phase: Rxi-17S11 HS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

Page 3



REVIEW SUMMARY FOR FILE - 15120406.D

Lab ID: LLSIM 500

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 11:03

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120407.D
 Lab Smp Id: LLSIM 1000
 Inj Date : 04-DEC-2015 11:33 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM 1000
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 7 Calibration Sample, Level: 6
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14

BW
12/5/15

| Compounds | QUANT | SIG | MASS | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|----------------------------------|-------|-----|------|--------|--------|---------|----------|--------------------|-------------------|
| | | | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | | 6.597 | 6.597 | (1.000) | 337457 | 200.000 | |
| 5 Naphthalene | 128 | | | 6.629 | 6.629 | (1.005) | 1745003 | 1000.00 | 895 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | | 7.574 | 7.574 | (1.148) | 1205300 | 1000.00 | 962 |
| 7 2-Methylnaphthalene | 142 | | | 7.627 | 7.627 | (1.156) | 1272236 | 1000.00 | 950 |
| 8 1-Methylnaphthalene | 142 | | | 7.889 | 7.889 | (1.196) | 1149104 | 1000.00 | 952 |
| 10 Acenaphthylene | 152 | | | 9.445 | 9.445 | (0.984) | 1833736 | 1000.00 | 951 |
| * 11 Acenaphthene-d10 | 164 | | | 9.600 | 9.600 | (1.000) | 238950 | 200.000 | |
| 12 Acenaphthene | 153 | | | 9.656 | 9.656 | (1.006) | 1200492 | 1000.00 | 938 |
| 14 Dibenzofuran | 168 | | | 9.866 | 9.866 | (1.028) | 1717363 | 1000.00 | 891 |
| 15 Fluorene | 166 | | | 10.486 | 10.486 | (1.092) | 1380739 | 1000.00 | 955 |
| * 18 Phenanthrene-d10 | 188 | | | 12.269 | 12.269 | (1.000) | 380348 | 200.000 | |
| 19 Phenanthrene | 178 | | | 12.313 | 12.313 | (1.004) | 2022457 | 1000.00 | 883 |
| 20 Anthracene | 178 | | | 12.368 | 12.368 | (1.008) | 1975909 | 1000.00 | 963 |
| \$ 23 Fluoranthene-d10 | 212 | | | 14.374 | 14.374 | (1.172) | 2020716 | 1000.00 | 966 |
| 24 Fluoranthene | 202 | | | 14.403 | 14.403 | (1.174) | 2148123 | 1000.00 | 934 |
| 25 Pyrene | 202 | | | 14.903 | 14.903 | (0.876) | 2156236 | 1000.00 | 912 |
| 28 Benzo(a)anthracene | 228 | | | 16.918 | 16.918 | (0.995) | 1918385 | 1000.00 | 964 |
| * 29 Chrysene-d12 | 240 | | | 17.009 | 17.009 | (1.000) | 298514 | 200.000 | |
| 30 Chrysene | 228 | | | 17.059 | 17.059 | (1.003) | 1961226 | 1000.00 | 898 |
| 44 Benzo(b)fluoranthene | 252 | | | 18.785 | 18.785 | (0.947) | 1759341 | 1000.00 | 1010 |
| 45 Benzo(k)fluoranthene | 252 | | | 18.833 | 18.833 | (0.949) | 2039144 | 1000.00 | 1010 |
| 46 Benzo(j)fluoranthene | 252 | | | 18.890 | 18.890 | (0.952) | 1793610 | 1000.00 | 973 |
| 34 Benzo(a)pyrene | 252 | | | 19.630 | 19.630 | (0.989) | 1732537 | 1000.00 | 1030 |
| * 35 Perylene-d12 | 264 | | | 19.842 | 19.842 | (1.000) | 256244 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | | 22.197 | 22.197 | (1.119) | 1208888 | 1000.00 | 1170 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | | 22.329 | 22.329 | (1.125) | 1959663 | 1000.00 | 1110 |
| 38 Dibenzo(a,h)anthracene | 278 | | | 22.307 | 22.307 | (1.124) | 1599951 | 1000.00 | 1150 |
| 39 Benzo(g,h,i)perylene | 276 | | | 23.426 | 23.426 | (1.181) | 1624015 | 1000.00 | 1060 |
| 47 Perylene | 252 | | | 19.899 | 19.899 | (1.003) | 1731385 | 1000.00 | 997 |
| 48 Benzo(e)pyrene | 252 | | | 19.524 | 19.524 | (0.984) | 1724956 | 1000.00 | 983 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120407.D
 Lab Smp Id: LLSIM 1000
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level:
 Sample Type:

Test Mode: Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 337457 | 2.92 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 238950 | -0.10 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 380348 | 2.17 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 298514 | 1.29 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 256244 | -1.67 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.84 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

Data File: \\target\share\chem3\nt11.1\20151204.16\15120407.D

Date: 04-DEC-2015 11:53

Client ID:

Sample Info: LLSIM 1000


Column phase: RXI-17S11 MS

Instrument: nt11.1

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20151204.16\15120407.D



REVIEW SUMMARY FOR FILE - 15120407.D

Lab ID: LLSIM 1000

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 11:33

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 0.0000

ARI Labs, Inc.

LOW LEVEL PNAS BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20151204.b\15120408.D
 Lab Smp Id: LLSIM SCV 250
 Inj Date : 04-DEC-2015 12:04 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LLSIM SCV 250
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Meth Date : 05-Dec-2015 09:24 jonathonw Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 8
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / Vo * CpndVariable

| Name | Value | Description |
|---------------|---------|------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Final Extract Volume (uL) |
| Vo | 500.000 | Sample Volume extracted (mL) |
| Cpnd Variable | | Local Compound Variable |

JW
12/5/15

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------|------------------------|--------|---------|----------|-------------------|--------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ng/L) |
| * 4 Naphthalene-d8 | | 136 | 6.597 | 6.597 | (1.000) | 330144 | 200.000 | |
| 5 Naphthalene | | 128 | 6.629 | 6.629 | (1.005) | 446422 | 234.100 | 234 |
| \$ 6 2-Methylnaphthalene-d10 | | 152 | Compound Not Detected. | | | | | |
| 7 2-Methylnaphthalene | | 142 | 7.627 | 7.627 | (1.156) | 286909 | 218.968 | 219 |
| 8 1-Methylnaphthalene | | 142 | 7.889 | 7.889 | (1.196) | 286856 | 242.931 | 243 |
| 10 Acenaphthylene | | 152 | 9.445 | 9.445 | (0.984) | 450083 | 235.922 | 236 |
| * 11 Acenaphthene-d10 | | 164 | 9.600 | 9.600 | (1.000) | 236381 | 200.000 | |
| 12 Acenaphthene | | 153 | 9.656 | 9.656 | (1.006) | 307274 | 242.667 | 243 |
| 14 Dibenzofuran | | 168 | Compound Not Detected. | | | | | |
| 15 Fluorene | | 166 | 10.486 | 10.486 | (1.092) | 337933 | 236.220 | 236 |
| * 18 Phenanthrene-d10 | | 188 | 12.269 | 12.269 | (1.000) | 360337 | 200.000 | |
| 19 Phenanthrene | | 178 | 12.313 | 12.313 | (1.004) | 535994 | 246.891 | 247 |
| 20 Anthracene | | 178 | 12.368 | 12.368 | (1.008) | 485229 | 249.701 | 250 |
| \$ 23 Fluoranthene-d10 | | 212 | Compound Not Detected. | | | | | |
| 24 Fluoranthene | | 202 | 14.403 | 14.403 | (1.174) | 518632 | 237.945 | 238 |
| 25 Pyrene | | 202 | 14.903 | 14.903 | (0.876) | 586418 | 254.458 | 254 |
| 28 Benzo(a)anthracene | | 228 | 16.918 | 16.918 | (0.995) | 456787 | 235.431 | 235 |
| * 29 Chrysene-d12 | | 240 | 17.009 | 17.009 | (1.000) | 291007 | 200.000 | |
| 30 Chrysene | | 228 | 17.059 | 17.059 | (1.003) | 500271 | 234.930 | 235 |
| 44 Benzo(b)fluoranthene | | 252 | 18.784 | 18.785 | (0.947) | 394832 | 240.567 | 241 |
| 45 Benzo(k)fluoranthene | | 252 | 18.823 | 18.833 | (0.949) | 474361 | 248.024 | 248 |
| 46 Benzo(j)fluoranthene | | 252 | Compound Not Detected. | | | | | |

| Compounds | QUANT SIG | | | | | | | CONCENTRATIONS | |
|----------------------------------|-----------|--|------------------------|--------|---------|----------|----------------------|------------------|--|
| | MASS | | RT | EXP RT | REL RT | RESPONSE | ON-COLUMN (ng/mL) | FINAL (ng/L) | |
| 34 Benzo(a)pyrene. | 252 | | 19.630 | 19.630 | (0.990) | 391410 | 247.108 | 247 | |
| * 35 Perylene-d12 | 264 | | 19.832 | 19.842 | (1.000) | 242244 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | Compound Not Detected. | | | | | | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | 22.329 | 22.329 | (1.126) | 412835 | 248.231 | 248 | |
| 38 Dibenzo(a,h)anthracene | 278 | | 22.307 | 22.307 | (1.125) | 328597 | 249.858 | 250 | |
| 39 Benzo(g,h,i)perylene | 276 | | 23.426 | 23.426 | (1.181) | 360543 | 249.725 | 250 | |
| 47 Perylene | 252 | | Compound Not Detected. | | | | | | |
| 48 Benzo(e)pyrene | 252 | | Compound Not Detected. | | | | | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 15120408.D
 Lab Smp Id: LLSIM SCV 250
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
 Misc Info:

Calibration Date: 04-DEC-2015
 Calibration Time: 09:03

Level: LOW
 Sample Type: WATER

Test Mode: Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 330144 | 0.69 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 236381 | -1.17 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 360337 | -3.20 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 291007 | -1.26 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 242244 | -7.04 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.60 | 6.10 | 7.10 | 6.60 | -0.00 |
| 11 Acenaphthene-d10 | 9.60 | 9.10 | 10.10 | 9.60 | -0.00 |
| 18 Phenanthrene-d10 | 12.27 | 11.77 | 12.77 | 12.27 | -0.00 |
| 29 Chrysene-d12 | 17.02 | 16.52 | 17.52 | 17.01 | -0.05 |
| 35 Perylene-d12 | 19.84 | 19.34 | 20.34 | 19.83 | -0.05 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.


RECOVERY REPORT

Client Name: Client SDG: SDGa03180
Sample Matrix: LIQUID Fraction: SV
Lab Smp Id: LLSIM SCV 250
Level: LOW Operator: JW
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: waterlcs.spk Quant Type: ISTD
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20151204.b\lowsim.m
Misc Info:

| SURROGATE COMPOUND | CONC ADDED ng/L | CONC RECOVERED ng/L | % RECOVERED | LIMITS |
|----------------------------|-----------------------|---------------------------|----------------|----------|
| \$ 6 2-Methylnaphthale | 6000 | 0.000 | <i>no S/N</i> | * 42-120 |
| \$ 23 Fluoranthene-d10 | 6000 | 0.000 | | * 57-120 |
| \$ 36 Dibenzo (a, h) anthr | 6000 | 0.000 | | * 29-120 |

Data File: \\target\share\chem3\nt11.1\20151204.16\15120408.D
Date : 04-DEC-2015 12:04
Client ID:
Sample Info: LLSIM SCV 250
Volume Injected (uL): 2.0
Column phase: Rxi-17S11 HS

Instrument: nt11.1
Operator: JM
Column diameter: 0.25



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0






Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 234 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 219 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIH SCV 250

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 243 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

10 Acenaphthylene

Concentration: 236 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 243 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil HS

Column diameter: 0.25

15 Fluorene

Concentration: 236 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 247 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

20 Anthracene

Concentration: 250 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIH SCV 250

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17S11 HS

Column diameter: 0.25

24 Fluoranthene

Concentration: 238 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

25 Pyrene

Concentration: 254 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil HS

Column diameter: 0,25

28 Benzo(a)anthracene

Concentration: 235 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

30 Chrysene

Concentration: 235 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 241 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

45 Benzo(k)fluoranthene

Concentration: 248 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0.25

34 Benzo(a)pyrene

Concentration: 247 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIH SCV 250

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

37 Indeno(1,2,3-cd)pyrene

Concentration: 248 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

38 Dibenzo(a,h)anthracene

Concentration: 250 ng/L



Date : 04-DEC-2015 12:04

Client ID:

Instrument: nt11.i

Sample Info: LLSIM SCV 250

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil HS

Column diameter: 0.25

39 Benzo(g,h,i)perylene

Concentration: 250 ng/L



REVIEW SUMMARY FOR FILE - 15120408.D

Lab ID: LLSIM SCV 250

nt11.i, 20151204.b\lowsim.m, 04-DEC-2015 12:04

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

** FIRST SURROGATE NOT FOUND. ICAL Check not performed **

RRT CHECK

RRT CCV RRT DELTA COMPOUND

NONE

On Column LOD for nt11.i,20151204.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

SIM PAH Raw Data
Run Logs, Continuing Calibrations, and Raw Data

ARI Job ID: APR4



GC/MS SVOA Analyst Notes / Data Review Checklist

ELEMENT/NWA #: APR4 Client: Ancor GEA, LLC

METHOD: 8270D (SIM-SVOA) KRONE (Butyl Tins) 8270D (SVOA) 8270D (OP-Pest)

Instrument: NT-6 NT-8 NT-10 NT-11 NT-12 NT-14

Calibration Code: Y200008 Analysis Start Date: 1/22/16

| | | | |
|--------------------------|-----------------------|--|-----------------------|
| DFTPP Tune met Criteria? | <u>Y</u> /N/ <u>✓</u> | Internal Standard within 50-200%? | <u>Y</u> /N/ <u>✓</u> |
| DDT Breakdown <20%? | <u>Y</u> /N/ <u>✓</u> | Retention Times within Windows? | <u>Y</u> /N/ <u>✓</u> |
| Peak Tailing Factor ≤2? | <u>Y</u> /N/ <u>✓</u> | Method Blank in Control? | <u>Y</u> /N/ <u>✓</u> |
| ICV/CCV Meets %D? | <u>Y</u> /N/ <u>✓</u> | BS/BSD Recovery in Control? | <u>Y</u> /N/ <u>✓</u> |
| ICAL Q Flag applied? | Y/ <u>N</u> / | MS/MSD Recovery in Control? | Y/N/ |
| ICV/CCV Q flag applied? | <u>Y</u> /N/ <u>✓</u> | Samples Diluted? | Y/ <u>N</u> / |
| Surrogate Recovery met? | <u>Y</u> /N/ <u>✓</u> | Special Analysis Request? | <u>Y</u> /N/ |
| Manual Integrations? | Y/ <u>N</u> / | VDP Completed? | NA/ <u>Y</u> /N/ |
| Integration Summary? | <u>Y</u> /N/ | Technical Review? | / |

Detail problems, corrective actions and/or other pertinent information below.

Q-flag for benzo(k)fluoranthene, which applies a flag to total benzo(a)fluoranthenes. Note total contains benzo(j)fluoranthene as well, column has ~~complete~~ separation of all three.

J flags applied to SRM to get values to go thru

Forms/Job batched w ATSO & ADAZ

MRL std run due to Q flag on benzo(k)

(Review 1) Analyst: JJ Date: 1/25/16


(Review 2) Peer: _____ Date: _____

(Final Review) Reviewer: [Signature] Date: 1/25

Analytical Resources Inc.: Organics Instrument Log

NT-11 Serial No.: GC=US10140004, MS=US10481502

Date: 1/22/16 Analysis: low PATT Analyst: JW
 GC Program: lowsim Column No: D001726 Column Type: 150 Rxi-17silva
 Instrument Tune (.U or .CT.): 150115.U EM Voltage: 1847
 Calibration File: 16012204.D Cali Code: Y60008 Injection Vol.: 2ul



Document All Maintenance Tasks In Element

| Time | Filename | LabID | ClientID | DF | |
|------|----------|------------|------------|--------------|---|
| 1 | 0708 | 16012201.D | TUNE 10 | 1 | [NO ISTDs FOUND] |
| 2 | 0725 | 16012202.D | LL SIM ICV | 1 | 6.77 290356 9.77 200396 12.45 328472 17.19 243652 20.11 215215 |
| 3 | 0824 | 16012203.D | | 1 | 6.76 302565 9.77 213697 12.46 342867 17.21 264433 20.13 259585 |
| 4 | 0848 | 16012204.D | TUNE 10 | 1 | [NO ISTDs FOUND] |
| 5 | 0905 | 16012205.D | LL SIM ICV | 1 | 6.74 342116 9.74 244162 12.42 395241 17.17 296129 20.06 267218 |
| 6 | 0957 | 16012206.D | LL SIM MRL | 1 | 6.74 345356 9.76 235311 12.42 378135 17.18 274122 20.07 249583 |
| 7 | 1027 | 16012207.D | APRAMBS1 | APRAMBS1 | 1 6.73 368895 9.74 251680 12.42 405369 17.17 295936 20.06 283292 |
| 8 | 1057 | 16012208.D | APRALCSS1 | APRALCSS1 | 1 6.73 360526 9.74 257556 12.42 412183 17.17 314530 20.06 306686 |
| 9 | 1128 | 16012209.D | APRASRMI | SRM 1974C | 1 6.73 362258 9.74 249465 12.42 398741 17.17 300525 20.06 299419 |
| 10 | 1158 | 16012210.D | APRAA | PG-T0-MUS-CO | 1 6.72 371890 9.74 259279 12.42 437520 17.17 299515 20.06 303212 |
| 11 | 1228 | 16012211.D | ATSOA | PG-SMA2-2-MU | 1 6.73 363469 9.74 256352 12.42 419386 17.17 310418 20.06 308119 |
| 12 | 1258 | 16012212.D | ATSOB | PG-PJ-1-MUS- | 1 6.73 374753 9.74 264386 12.42 426020 17.17 316427 20.07 315181 |
| 13 | 1328 | 16012213.D | ATSOBMS | PG-PJ-1-MUS- | 1 6.73 373582 9.74 269039 12.42 428623 17.17 324379 20.06 323020 |
| 14 | 1359 | 16012214.D | ATSOBMSD | PG-PJ-1-MUS- | 1 6.73 377287 9.74 271691 12.42 435691 17.17 325376 20.06 324453 |
| 15 | 1429 | 16012215.D | ATSOC | PG-WS-1-MUS- | 1 6.73 376882 9.74 268849 12.42 435864 17.17 322334 20.06 323010 |
| 16 | 1459 | 16012216.D | ATSOE | PG-GP-1-MUS- | 1 6.72 377268 9.74 268633 12.41 436597 17.17 322279 20.06 320562 |
| 17 | 1529 | 16012217.D | ATSOE | PG-SMA2-5-MU | 1 6.73 384886 9.74 273475 12.42 449495 17.17 339179 20.06 335158 |
| 18 | 1559 | 16012218.D | ATSOE | PG-SMA2-4-MU | 1 6.72 381586 9.74 270392 12.42 439377 17.17 325728 20.06 325370 |
| 19 | 1630 | 16012219.D | AUA2A | 13EB_ME-MTWO | 1 6.73 373510 9.74 268987 12.42 440845 17.17 336414 20.06 339083 |
| 20 | 1700 | 16012220.D | AUA2B | 13CPS_DB-MTW | 1 6.73 370975 9.74 264737 12.42 432287 17.17 321859 20.06 327843 |
| 21 | 1730 | 16012221.D | AUA2C | 13NPS_CTAR2- | 1 6.72 382765 9.75 270341 12.42 435855 17.17 323444 20.06 326352 |
| 22 | 1800 | 16012222.D | LL SIM CCV | | 1 6.73 368312 9.74 275119 12.42 442913 17.17 337848 20.06 332420 |

Every line must contain information or be lined out. Make all entries legible.
 Start a new page for each QC period. Document All Maintenance Tasks In Element

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem3\nt11.i\20160122.b

ARI Job No.: TUNE Method: DFIPP.m Instrument: nt11.i Date: 22-JAN-2016

Time Filename LabID ClientId DF Manually Integrated Compounds

0848 16012204.D TUNE 10 1 NO MANUAL INTEGRATION

0905 16012205.D LL SIM ICV 1 NO MANUAL INTEGRATION

0957 16012206.D LL SIM MRL 1 NO MANUAL INTEGRATION

1027 16012207.D APR4MBS1 APR4MBS1 1 NO MANUAL INTEGRATION

1057 16012208.D APR4LCSS1 APR4LCSS1 1 NO MANUAL INTEGRATION

1128 16012209.D APR4SRM1 SRM 1974C 1 NO MANUAL INTEGRATION

1158 16012210.D APR4A PG-T0-MUS- 1 NO MANUAL INTEGRATION

1228 16012211.D ATSOA PG-SMA2-2- 1 NO MANUAL INTEGRATION

1258 16012212.D ATSOB PG-PJ-1-MU 1 NO MANUAL INTEGRATION

1328 16012213.D ATSOBMS PG-PJ-1-MU 1 NO MANUAL INTEGRATION

1359 16012214.D ATSOBMSD PG-PJ-1-MU 1 NO MANUAL INTEGRATION

1429 16012215.D ATSOC PG-WS-1-MU 1 NO MANUAL INTEGRATION

1459 16012216.D ATSOB PG-GP-1-MU 1 NO MANUAL INTEGRATION

1489 16012217.D ATSOE PG-SMA2-5- 1 NO MANUAL INTEGRATION

1459 16012218.D ATSOE PG-SMA2-4- 1 NO MANUAL INTEGRATION

1480 16012219.D AUA2A 13EB_ME-MT 1 NO MANUAL INTEGRATION

1470 16012220.D AUA2B 13CPS_DB-M 1 NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem3\nt11.i\20160122.b

Time Filename LabID ClientID DF Manually Integrated Compounds

1730 16012221.D AUA2C 13NPS_CTAR 1 NO MANUAL INTEGRATION

1800 16012222.D LL SIM CCV 1 NO MANUAL INTEGRATION

Q-FLAG SUMMARY FOR DATABATCH - \\target\share\chem3\nt11.i\20160122.b

Instrument: nt11.i Date: 22-JAN-2016 Method: lowsim.m

INITIAL CAL: 04-DEC-2015



| Compound | %RSD or R ² |
|------------|------------------------|
| ----- | |
| NO Q-FLAGS | |
| ----- | |

CONTINUING CAL: 22-JAN-2016


| Compound | %D |
|-----------------------|-------|
| ----- | |
| Benzo(k) fluoranthene | -20.8 |
| ----- | |

DFTPP TAILING FACTOR AND BREAKDOWN GRAPHIC REPORT

Datafile Analyzed: /20160122.b/16012204.D/16012204.D
Method Used: \20160122.b\DFTPP.m Inst: ntl1
Injection Date: 22-JAN-2016 08:48 Operator: JW
Sample Info: TUNE 10 TUNE 10
Report Date: 01/22/2016 09:02




Datafile Analyzed: /20160122.b/16012204.D/16012204.D
Method Used: \20160122.b\DFTPP.m\sw846ddt.m Inst: nt11
Injection Date: 22-JAN-2016 08:48 Operator: JR
Sample Info: TUNE 10
Report Date: 01/22/2016 09:02



Pentachlorophenol

=====
Exp. RT = 4.993
Found RT = 4.978

Tail Factor = 1.007 Maximum Allowed = 2.0



Benzidine

=====
Exp. RT = 7.221
Found RT = 7.200

Tail Factor = 1.727 Maximum Allowed = 2.0

| m/e | ION ABUNDANCE CRITERIA | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 198 | Base Peak, 100% relative abundance | 100.00 |
| 51 | 10.00 - 80.00% of mass 198 | 32.73 |
| 68 | Less than 2.00% of mass 69 | 0.16 (0.39) |
| 69 | Mass 69 relative abundance | 41.63 |
| 70 | Less than 2.00% of mass 69 | 0.25 (0.61) |
| 127 | 10.00 - 80.00% of mass 198 | 47.78 |
| 197 | Less than 2.00% of mass 198 | 0.40 |
| 199 | 5.00 - 9.00% of mass 198 | 7.71 |
| 275 | 10.00 - 60.00% of mass 198 | 27.24 |
| 365 | Greater than 1.00% of mass 198 | 3.32 |
| 441 | 0.01 - 24.00% of mass 442 | 12.54 (16.26) |
| 442 | 50.00 - 200.00% of mass 198 | 77.14 |
| 443 | 15.00 - 24.00% of mass 442 | 16.83 (21.81) |

8270 TAILING FACTOR/BREAKDOWN SUMMARY RESULTS

TAILING ANALYSIS SUMMARY

| Compound | Tail Factor | Max Allowed | Test |
|-------------------|-------------|-------------|------|
| Pentachlorophenol | 1.0072727 | 2.000 | PASS |
| Benzidine | 1.7266388 | 2.000 | PASS |

DDT DEGRADATION BREAKDOWN ANALYSIS SUMMARY

| Compound | Response | %Breakdown | Max Allowed | Test |
|---------------|----------|------------|-------------|------|
| 4,4-DDT | 1726805 | | | N/A |
| 4,4-DDE | 3549 | 0.2 | 20.0 | PASS |
| 4,4-DDD | 52618 | 3.0 | 20.0 | PASS |
| 4,4-DDD + DDE | 56167 | 3.2 | 20.0 | PASS |

Tuning Sample, nt11.i/20160122.b/16012204.D, *** PASSED ***

Data File: 16012204.D

Spectrum: Avg. Scans 480-482 (4.65), Background Scan 474

Location of Maximum: 198.00

Number of points: 234

| m/z | Y | m/z | Y | m/z | Y | m/z | Y |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 38.00 | 3607 | 122.00 | 7336 | 189.00 | 6814 | 259.00 | 4520 |
| 39.00 | 25272 | 123.00 | 12165 | 190.00 | 687 | 265.00 | 10616 |
| 40.00 | 1066 | 124.00 | 5804 | 191.00 | 3058 | 267.00 | 824 |
| 41.00 | 1087 | 125.00 | 6712 | 192.00 | 9991 | 271.00 | 1786 |
| 44.00 | 2951 | 126.00 | 715 | 193.00 | 11855 | 273.00 | 17288 |
| 47.00 | 1915 | 127.00 | 371968 | 194.00 | 2573 | 274.00 | 41440 |
| 48.00 | 965 | 128.00 | 27128 | 195.00 | 969 | 275.00 | 212032 |
| 49.00 | 343 | 129.00 | 147840 | 196.00 | 26288 | 276.00 | 33296 |
| 50.00 | 69008 | 130.00 | 14201 | 197.00 | 3102 | 277.00 | 19368 |
| 51.00 | 254784 | 131.00 | 2791 | 198.00 | 778432 | 278.00 | 1718 |
| 52.00 | 12897 | 132.00 | 1860 | 199.00 | 60048 | 283.00 | 2182 |
| 56.00 | 8355 | 134.00 | 4232 | 200.00 | 5671 | 285.00 | 2120 |
| 57.00 | 22680 | 135.00 | 13298 | 201.00 | 3467 | 293.00 | 3851 |
| 61.00 | 3516 | 136.00 | 3638 | 202.00 | 2557 | 296.00 | 55384 |
| 62.00 | 3826 | 137.00 | 5257 | 203.00 | 5846 | 297.00 | 8144 |
| 63.00 | 9940 | 138.00 | 1734 | 204.00 | 32288 | 299.00 | 707 |
| 64.00 | 1093 | 141.00 | 18984 | 205.00 | 57688 | 301.00 | 924 |
| 65.00 | 7427 | 142.00 | 6237 | 206.00 | 232576 | 303.00 | 9467 |
| 68.00 | 1278 | 143.00 | 3531 | 207.00 | 29320 | 304.00 | 667 |
| 69.00 | 324032 | 146.00 | 4949 | 208.00 | 8015 | 308.00 | 766 |
| 70.00 | 1962 | 147.00 | 9660 | 209.00 | 1911 | 309.00 | 753 |
| 73.00 | 723 | 148.00 | 22696 | 210.00 | 4960 | 313.00 | 666 |
| 74.00 | 36448 | 149.00 | 2795 | 211.00 | 10724 | 314.00 | 3828 |
| 75.00 | 55760 | 150.00 | 734 | 215.00 | 1660 | 315.00 | 6576 |
| 76.00 | 19528 | 151.00 | 2894 | 216.00 | 5836 | 316.00 | 3799 |
| 77.00 | 385408 | 152.00 | 1966 | 217.00 | 56960 | 321.00 | 1720 |
| 78.00 | 29584 | 153.00 | 6313 | 218.00 | 7526 | 323.00 | 17272 |
| 79.00 | 25288 | 154.00 | 5608 | 219.00 | 1661 | 324.00 | 1938 |
| 80.00 | 16616 | 155.00 | 12727 | 220.00 | 890 | 327.00 | 4736 |
| 81.00 | 28720 | 156.00 | 18096 | 221.00 | 44040 | 328.00 | 2031 |
| 82.00 | 7311 | 157.00 | 4106 | 222.00 | 6970 | 333.00 | 2333 |
| 83.00 | 8522 | 158.00 | 3387 | 223.00 | 15012 | 334.00 | 16114 |
| 85.00 | 5376 | 159.00 | 2361 | 224.00 | 125528 | 335.00 | 2065 |
| 86.00 | 4792 | 160.00 | 6722 | 225.00 | 31192 | 341.00 | 1930 |
| 87.00 | 3303 | 161.00 | 8069 | 226.00 | 4356 | 346.00 | 3920 |
| 88.00 | 2091 | 162.00 | 3527 | 227.00 | 50936 | 347.00 | 798 |
| 91.00 | 4565 | 164.00 | 1307 | 228.00 | 7585 | 352.00 | 6058 |
| 92.00 | 7896 | 165.00 | 7812 | 229.00 | 11279 | 353.00 | 4458 |
| 93.00 | 39608 | 166.00 | 4164 | 230.00 | 1526 | 354.00 | 5282 |
| 94.00 | 2439 | 167.00 | 35072 | 231.00 | 5218 | 355.00 | 805 |
| 96.00 | 2499 | 168.00 | 16007 | 234.00 | 3064 | 365.00 | 25832 |
| 98.00 | 27064 | 169.00 | 3806 | 235.00 | 4198 | 366.00 | 4228 |
| 99.00 | 25248 | 171.00 | 980 | 236.00 | 2314 | 372.00 | 8757 |
| 100.00 | 1800 | 172.00 | 3057 | 237.00 | 5032 | 373.00 | 1989 |
| 101.00 | 16026 | 173.00 | 4470 | 239.00 | 1814 | 383.00 | 2358 |
| 103.00 | 3544 | 174.00 | 8647 | 241.00 | 1057 | 391.00 | 1271 |
| 104.00 | 11351 | 175.00 | 15815 | 242.00 | 6205 | 402.00 | 5535 |
| 105.00 | 8415 | 176.00 | 5995 | 243.00 | 4414 | 403.00 | 5821 |
| 106.00 | 1019 | 177.00 | 7242 | 244.00 | 90744 | 404.00 | 1129 |

ARP4: 00177

| | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 107.00 | 114800 | 178.00 | 1626 | 245.00 | 14417 | 421.00 | 4462 |
| 108.00 | 24152 | 179.00 | 29840 | 246.00 | 18184 | 422.00 | 4482 |
| 109.00 | 4094 | 180.00 | 23120 | 247.00 | 3106 | 423.00 | 33288 |
| 110.00 | 220544 | 181.00 | 12070 | 249.00 | 2530 | 424.00 | 9008 |
| 111.00 | 29816 | 183.00 | 712 | 250.00 | 747 | 441.00 | 97608 |
| 112.00 | 3512 | 184.00 | 1794 | 253.00 | 1957 | 442.00 | 600448 |
| 113.00 | 690 | 185.00 | 14309 | 255.00 | 445120 | 443.00 | 130976 |
| 116.00 | 5974 | 186.00 | 118168 | 256.00 | 66840 | 444.00 | 13357 |
| 117.00 | 71488 | 187.00 | 35616 | 257.00 | 3449 | | |
| 118.00 | 4363 | 188.00 | 3220 | 258.00 | 25832 | | |

ARI Labs, Inc.

CONTINUING CALIBRATION COMPOUNDS

Instrument ID: nt11.i Injection Date: 22-JAN-2016 09:05
 Lab File ID: 16012205.D Init. Cal. Date(s): 04-DEC-2015 04-DEC-2015
 Analysis Type: SOIL Init. Cal. Times: 09:03 11:33
 Lab Sample ID: LL SIM ICV Quant Type: ISTD
 Method: \\target\share\chem3\nt11.i\20160122.b\lowsim.m

| COMPOUND | RRF / AMOUNT | RF250 | MIN | | MAX | | CURVE TYPE |
|-------------------------------|--------------|---------|-------|-------------|-------------|-------------|------------|
| | | | RRF | %D / %DRIFT | %D / %DRIFT | %D / %DRIFT | |
| 5 Naphthalene | 1.15523 | 1.01008 | 0.010 | -12.56490 | 20.00000 | Averaged | |
| 6 2-Methylnaphthalene-d10 | 0.74235 | 0.67060 | 0.010 | -9.66554 | 20.00000 | Averaged | |
| 7 2-Methylnaphthalene | 0.79376 | 0.72881 | 0.010 | -8.18323 | 20.00000 | Averaged | |
| 8 1-Methylnaphthalene | 0.71533 | 0.65102 | 0.010 | -8.99055 | 20.00000 | Averaged | |
| 10 Acenaphthylene | 1.61414 | 1.49736 | 0.010 | -7.23476 | 20.00000 | Averaged | |
| 12 Acenaphthene | 1.07135 | 0.94674 | 0.010 | -11.63119 | 20.00000 | Averaged | |
| 14 Dibenzofuran | 1.61394 | 1.44144 | 0.010 | -10.68769 | 20.00000 | Averaged | |
| 15 Fluorene | 1.21040 | 1.13274 | 0.010 | -6.41645 | 20.00000 | Averaged | |
| 19 Phenanthrene | 1.20497 | 1.02916 | 0.010 | -14.58979 | 20.00000 | Averaged | |
| 20 Anthracene | 1.07857 | 1.00293 | 0.010 | -7.01252 | 20.00000 | Averaged | |
| 23 Fluoranthene-d10 | 1.09988 | 0.97587 | 0.200 | -11.27457 | 20.00000 | Averaged | |
| 24 Fluoranthene | 1.20977 | 1.06068 | 0.010 | -12.32404 | 20.00000 | Averaged | |
| 25 Pyrene | 1.58387 | 1.42756 | 0.010 | -9.86851 | 20.00000 | Averaged | |
| 28 Benzo(a)anthracene | 1.33345 | 1.18471 | 0.010 | -11.15468 | 20.00000 | Averaged | |
| 30 Chrysene | 1.46350 | 1.22447 | 0.010 | -16.33287 | 20.00000 | Averaged | |
| 44 Benzo(b)fluoranthene | 1.35504 | 1.16216 | 0.200 | -14.23482 | 20.00000 | Averaged | |
| 45 Benzo(k)fluoranthene | 1.57904 | 1.24997 | 0.200 | -20.83950 | 20.00000 | Averaged<- | |
| 46 Benzo(j)fluoranthene | 1.43839 | 1.18290 | 0.200 | -17.76252 | 20.00000 | Averaged | |
| 134 Benzo(a)pyrene | 1.30774 | 1.11820 | 0.010 | -14.49403 | 20.00000 | Averaged | |
| 36 Dibenzo(a,h)anthracene-d14 | 0.80723 | 0.73518 | 0.010 | -8.92537 | 20.00000 | Averaged | |
| 37 Indeno(1,2,3-cd)pyrene | 1.37309 | 1.18637 | 0.010 | -13.59810 | 20.00000 | Averaged | |
| 38 Dibenzo(a,h)anthracene | 1.08579 | 0.96395 | 0.010 | -11.22141 | 20.00000 | Averaged | |
| 39 Benzo(g,h,i)perylene | 1.19199 | 1.03495 | 0.010 | -13.17397 | 20.00000 | Averaged | |
| 47 Perylene | 1.35582 | 1.11738 | 0.200 | -17.58607 | 20.00000 | Averaged | |
| 48 Benzo(e)pyrene | 1.36945 | 1.10703 | 0.200 | -19.16194 | 20.00000 | Averaged | |

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20160122.b\16012205.D
 Lab Smp Id: LL SIM ICV
 Inj Date : 22-JAN-2016 09:05 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LL SIM ICV
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Meth Date : 25-Jan-2016 07:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 2 Continuing Calibration Sample
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M)/100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JW
1/25/16

| Compounds | QUANT | SIG | RT | EXP RT | REL RT | RESPONSE | AMOUNTS | |
|-----------------------------|-------|-----|--------|--------|---------|----------|-----------------|----------------|
| | | | | | | | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| * 4 Naphthalene-d8 | 136 | | 6.744 | 6.744 | (1.000) | 342116 | 200.000 | |
| 5 Naphthalene | 128 | | 6.776 | 6.776 | (1.005) | 431956 | 250.000 | 219 |
| § 6 2-Methylnaphthalene-d10 | 152 | | 7.721 | 7.721 | (1.145) | 286779 | 250.000 | 226 |
| 7 2-Methylnaphthalene | 142 | | 7.774 | 7.774 | (1.153) | 311670 | 250.000 | 230 |
| 8 1-Methylnaphthalene | 142 | | 8.026 | 8.026 | (1.190) | 278405 | 250.000 | 228 |
| 10 Acenaphthylene | 152 | | 9.589 | 9.589 | (0.984) | 456998 | 250.000 | 232 |
| * 11 Acenaphthene-d10 | 164 | | 9.744 | 9.744 | (1.000) | 244162 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.811 | 9.811 | (1.007) | 288948 | 250.000 | 221 |
| 14 Dibenzofuran | 168 | | 10.010 | 10.010 | (1.027) | 439932 | 250.000 | 223 |
| 15 Fluorene | 166 | | 10.630 | 10.630 | (1.091) | 345715 | 250.000 | 234 |
| * 18 Phenanthrene-d10 | 188 | | 12.424 | 12.424 | (1.000) | 395241 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.468 | 12.468 | (1.004) | 508460 | 250.000 | 214 |
| 20 Anthracene | 178 | | 12.523 | 12.523 | (1.008) | 495501 | 250.000 | 232 |
| § 23 Fluoranthene-d10 | 212 | | 14.518 | 14.518 | (1.169) | 482130 | 250.000 | 222 |
| 24 Fluoranthene | 202 | | 14.557 | 14.557 | (1.172) | 524030 | 250.000 | 219 |
| 25 Pyrene | 202 | | 15.057 | 15.057 | (0.877) | 528428 | 250.000 | 225 |
| 28 Benzo(a)anthracene | 228 | | 17.075 | 17.075 | (0.995) | 438532 | 250.000 | 222 |
| * 29 Chrysene-d12 | 240 | | 17.167 | 17.167 | (1.000) | 296129 | 200.000 | |
| 30 Chrysene | 228 | | 17.217 | 17.217 | (1.003) | 453252 | 250.000 | 209 |
| 44 Benzo(b)fluoranthene | 252 | | 18.967 | 18.967 | (0.945) | 388186 | 250.000 | 214 (H) |
| 45 Benzo(k)fluoranthene | 252 | | 19.015 | 19.015 | (0.948) | 417519 | 250.000 | 198 (H) |

| Compounds | QUANT SIG | | AMOUNTS | | | | |
|----------------------------------|-----------|--------|---------|---------|----------|--------------------|-------------------|
| | MASS | RT | EXP RT | REL RT | RESPONSE | CAL-AMT (ng/mL) | ON-COL (ng/mL) |
| 46 Benzo(j)fluoranthene | 252 | 19.082 | 19.082 | (0.951) | 395115 | 250.000 | 206 |
| 34 Benzo(a)pyrene | 252 | 19.851 | 19.851 | (0.989) | 373503 | 250.000 | 214 |
| * 35 Perylene-d12 | 264 | 20.062 | 20.062 | (1.000) | 267218 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.529 | 22.529 | (1.123) | 245568 | 250.000 | 228 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.662 | 22.662 | (1.130) | 396275 | 250.000 | 216 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.651 | 22.651 | (1.129) | 321982 | 250.000 | 222 |
| 39 Benzo(g,h,i)perylene | 276 | 23.814 | 23.814 | (1.187) | 345698 | 250.000 | 217 |
| 47 Perylene | 252 | 20.130 | 20.130 | (1.003) | 373231 | 250.000 | 206 |
| 48 Benzo(e)pyrene | 252 | 19.736 | 19.736 | (0.984) | 369774 | 250.000 | 202 |

QC Flag Legend

H - Operator selected an alternate compound hit.

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 16012205.D
 Lab Smp Id: LL SIM ICV
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Misc Info:

Calibration Date: 22-JAN-2016
 Calibration Time: 18:00


Level: LOW
 Sample Type: SOIL

Test Mode: Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 342116 | 4.34 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 244162 | 2.08 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 395241 | 6.18 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 296129 | 0.48 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 267218 | 2.54 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.74 | 6.24 | 7.24 | 6.74 | 0.00 |
| 11 Acenaphthene-d10 | 9.74 | 9.24 | 10.24 | 9.74 | 0.00 |
| 18 Phenanthrene-d10 | 12.42 | 11.92 | 12.92 | 12.42 | 0.00 |
| 29 Chrysene-d12 | 17.17 | 16.67 | 17.67 | 17.17 | 0.00 |
| 35 Perylene-d12 | 20.06 | 19.56 | 20.56 | 20.06 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.



REVIEW SUMMARY FOR FILE - 16012205.D

Lab ID: LL SIM ICV

nt11.i, 20160122.b\lowsim.m, 22-JAN-2016 09:05

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

On Column LOD for nt11.i,20160122.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAS BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20160122.b\16012206.D
 Lab Smp Id: LL SIM MRL
 Inj Date : 22-JAN-2016 09:57 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : LL SIM MRL
 Misc Info :
 Comment :
 Method : \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Meth Date : 25-Jan-2016 07:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 1
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M)/100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JD
1/25/16

| Compounds | QUANT SIG | CONCENTRATIONS | | | | | |
|------------------------------|-----------|----------------|--------|---------|----------|---------|---------|
| | | ON-COLUMN | FINAL | | | | |
| | MASS | RT | EXP RT | REL RT | RESPONSE | (ng/mL) | (ng/Kg) |
| * 4 Naphthalene-d8 | 136 | 6.744 | 6.744 | (1.000) | 345356 | 200.000 | |
| 5 Naphthalene | 128 | 6.776 | 6.776 | (1.005) | 23679 | 11.8701 | 594 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.721 | 7.721 | (1.145) | 14635 | 11.4168 | 571 (R) |
| 7 2-Methylnaphthalene | 142 | 7.774 | 7.774 | (1.153) | 15554 | 11.3479 | 567 |
| 8 1-Methylnaphthalene | 142 | 8.036 | 8.026 | (1.192) | 14016 | 11.3470 | 567 |
| 10 Acenaphthylene | 152 | 9.600 | 9.589 | (0.984) | 23264 | 12.2499 | 612 |
| * 11 Acenaphthene-d10 | 164 | 9.755 | 9.744 | (1.000) | 235311 | 200.000 | |
| 12 Acenaphthene | 153 | 9.811 | 9.811 | (1.006) | 14766 | 11.7143 | 586 |
| 14 Dibenzofuran | 168 | 10.021 | 10.010 | (1.027) | 23440 | 12.3441 | 617 |
| 15 Fluorene | 166 | 10.641 | 10.630 | (1.091) | 17626 | 12.3769 | 619 |
| * 18 Phenanthrene-d10 | 188 | 12.424 | 12.424 | (1.000) | 378135 | 200.000 | |
| 19 Phenanthrene | 178 | 12.468 | 12.468 | (1.004) | 30106 | 13.2148 | 661 |
| 20 Anthracene | 178 | 12.523 | 12.523 | (1.008) | 24053 | 11.7952 | 590 |
| \$ 23 Fluoranthene-d10 | 212 | 14.528 | 14.518 | (1.169) | 25449 | 12.2380 | 612 (R) |
| 24 Fluoranthene | 202 | 14.557 | 14.557 | (1.172) | 27112 | 11.8533 | 593 |
| 25 Pyrene | 202 | 15.057 | 15.057 | (0.877) | 28035 | 12.9142 | 646 |
| 28 Benzo (a) anthracene | 228 | 17.076 | 17.075 | (0.994) | 22208 | 12.1512 | 608 |
| * 29 Chrysene-d12 | 240 | 17.175 | 17.167 | (1.000) | 274122 | 200.000 | |
| 30 Chrysene | 228 | 17.225 | 17.217 | (1.003) | 23055 | 11.4936 | 575 |
| 44 Benzo (b) fluoranthene | 252 | 18.977 | 18.967 | (0.945) | 17108 | 10.1172 | 506 |
| 45 Benzo (k) fluoranthene | 252 | 19.025 | 19.015 | (0.948) | 20372 | 10.3385 | 517 |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|----------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ng/Kg) |
| 46 Benzo(j)fluoranthene | 252 | 19.092 | 19.082 | (0.951) | 19922 | 11.0986 | 555 |
| 34 Benzo(a)pyrene | 252 | 19.861 | 19.851 | (0.989) | 17153 | 10.5107 | 526 |
| * 35 Perylene-d12 | 264 | 20.072 | 20.062 | (1.000) | 249583 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.540 | 22.529 | (1.123) | 9288 | 9.22016 | 461(R) |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.673 | 22.662 | (1.130) | 16178 | 9.44153 | 472 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.651 | 22.651 | (1.128) | 12483 | 9.21269 | 461 |
| 39 Benzo(g,h,i)perylene | 276 | 23.836 | 23.814 | (1.188) | 14357 | 9.65178 | 483 |
| 47 Perylene | 252 | 20.139 | 20.130 | (1.003) | 17838 | 10.5429 | 527 |
| 48 Benzo(e)pyrene | 252 | 19.745 | 19.736 | (0.984) | 18320 | 10.7200 | 536 |

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 16012206.D
 Lab Smp Id: LL SIM MRL
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Misc Info:

Calibration Date: 22-JAN-2016
 Calibration Time: 09:05

Level: LOW
 Sample Type: SOIL

Test Mode: Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 345356 | 5.32 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 235311 | -1.62 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 378135 | 1.58 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 274122 | -6.99 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 249583 | -4.23 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.74 | 6.24 | 7.24 | 6.74 | 0.00 |
| 11 Acenaphthene-d10 | 9.74 | 9.24 | 10.24 | 9.76 | 0.11 |
| 18 Phenanthrene-d10 | 12.42 | 11.92 | 12.92 | 12.42 | 0.00 |
| 29 Chrysene-d12 | 17.17 | 16.67 | 17.67 | 17.18 | 0.05 |
| 35 Perylene-d12 | 20.06 | 19.56 | 20.56 | 20.07 | 0.05 |


AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Client SDG: SDGa04420
Sample Matrix: SOLID Fraction: SV
Lab Smp Id: LL SIM MRL
Level: LOW Operator: JW
Data Type: MS DATA SampleType: SAMPLE
SpikeList File: waterlcs.spk Quant Type: ISTD
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
Misc Info:

| SURROGATE COMPOUND | CONC ADDED ng/Kg | CONC RECOVERED ng/Kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 15000 | 571 | 3.81* | 30-160 |
| \$ 23 Fluoranthene-d10 | 15000 | 612 | 4.08* | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 15000 | 461 | 3.07* | 30-160 |



Lab ID: LL SIM MRL
nt11.i, 20160122.b\lowsim.m, 22-JAN-2016 09:57

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-------|-----|-----|-------|----------|
| <hr/> | | | | |
| NONE | | | | |

On Column LOD for nt11.i,20160122.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAS BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20160122.b\16012207.D
 Lab Smp Id: APR4MBS1 Client Smp ID: APR4MBS1
 Inj Date : 22-JAN-2016 10:27 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : APR4MBS1
 Misc Info : 15-20439
 Comment :
 Method : \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Meth Date : 25-Jan-2016 07:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 1 QC Sample: BLANK
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JW
1/25/16

| Compounds | QUANT | SIG | CONCENTRATIONS | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) | |
|------------------------------|-------|-----|------------------------|--------|---------|----------|----------------------|------------------|--|
| | | | RT | EXP RT | REL RT | RESPONSE | | | |
| * 4 Naphthalene-d8 | 136 | | 6.734 | 6.744 | (1.000) | 368895 | 200.000 | | |
| 5 Naphthalene | 128 | | Compound Not Detected. | | | | | | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.711 | 7.721 | (1.145) | 192954 | 140.919 | 7050 | |
| 7 2-Methylnaphthalene | 142 | | Compound Not Detected. | | | | | | |
| 8 1-Methylnaphthalene | 142 | | Compound Not Detected. | | | | | | |
| 10 Acenaphthylene | 152 | | Compound Not Detected. | | | | | | |
| * 11 Acenaphthene-d10 | 164 | | 9.744 | 9.744 | (1.000) | 251480 | 200.000 | | |
| 12 Acenaphthene | 153 | | Compound Not Detected. | | | | | | |
| 14 Dibenzofuran | 168 | | Compound Not Detected. | | | | | | |
| 15 Fluorene | 166 | | Compound Not Detected. | | | | | | |
| * 18 Phenanthrene-d10 | 188 | | 12.424 | 12.424 | (1.000) | 405369 | 200.000 | | |
| 19 Phenanthrene | 178 | | Compound Not Detected. | | | | | | |
| 20 Anthracene | 178 | | Compound Not Detected. | | | | | | |
| \$ 23 Fluoranthene-d10 | 212 | | 14.519 | 14.518 | (1.169) | 409079 | 183.503 | 9180 | |
| 24 Fluoranthene | 202 | | Compound Not Detected. | | | | | | |
| 25 Pyrene | 202 | | Compound Not Detected. | | | | | | |
| 28 Benzo(a)anthracene | 228 | | Compound Not Detected. | | | | | | |
| * 29 Chrysene-d12 | 240 | | 17.167 | 17.167 | (1.000) | 295936 | 200.000 | | |
| 30 Chrysene | 228 | | Compound Not Detected. | | | | | | |
| 44 Benzo(b)fluoranthene | 252 | | Compound Not Detected. | | | | | | |
| 45 Benzo(k)fluoranthene | 252 | | Compound Not Detected. | | | | | | |

| Compounds | QUANT SIG MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|-----------------------------------|-------------------|--------|--------|---------|------------------------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| ===== 46 Benzo(j) fluoranthene | 252 | | | | Compound Not Detected. | | |
| 34 Benzo(a) pyrene | 252 | | | | Compound Not Detected. | | |
| * 35 Perylene-d12 | 264 | 20.063 | 20.062 | (1.000) | 283292 | 200.000 | |
| \$ 36 Dibenzo(a,h) anthracene-d14 | 292 | 22.529 | 22.529 | (1.123) | 225250 | 196.998 | 9850 |
| 37 Indeno(1,2,3-cd) pyrene | 276 | | | | Compound Not Detected. | | |
| 38 Dibenzo(a,h) anthracene | 278 | | | | Compound Not Detected. | | |
| 39 Benzo(g,h,i) perylene | 276 | | | | Compound Not Detected. | | |
| 47 Perylene | 252 | | | | Compound Not Detected. | | |
| 48 Benzo(e) pyrene | 252 | | | | Compound Not Detected. | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 16012207.D
 Lab Smp Id: APR4MBS1
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Misc Info: 15-20439

Calibration Date: 22-JAN-2016
 Calibration Time: 09:05
 Client Smp ID: APR4MBS1
 Level: LOW
 Sample Type: Solid

Test Mode: Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 368895 | 12.50 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 251480 | 5.14 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 405369 | 8.90 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 295936 | 0.42 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 283292 | 8.71 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.74 | 6.24 | 7.24 | 6.73 | -0.15 |
| 11 Acenaphthene-d10 | 9.74 | 9.24 | 10.24 | 9.74 | 0.00 |
| 18 Phenanthrene-d10 | 12.42 | 11.92 | 12.92 | 12.42 | 0.00 |
| 29 Chrysene-d12 | 17.17 | 16.67 | 17.67 | 17.17 | 0.00 |
| 35 Perylene-d12 | 20.06 | 19.56 | 20.56 | 20.06 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: APR4MBS1
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
Misc Info: 15-20439

Client SDG: APR4
Fraction: SV
Client Smp ID: APR4MBS1
Operator: JW
SampleType: BLANK
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 15000 | 7050 | 46.97 | 30-160 |
| \$ 23 Fluoranthene-d10 | 15000 | 9180 | 61.17 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 15000 | 9850 | 65.67 | 30-160 |

Data File: \\target\share\chem3\nt11.i\20160122.b\16012207.D
Date: 22-JAN-2016 10:27

Client ID: APR4MBS1

Sample Info: APR4MBS1

Volume Injected (uL): 2.0


Column phase: Rxi-17S11 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.i\20160122.b\16012207.D



Lab ID: APR4MBS1

nt11.i, 20160122.b\lowsim.m, 22-JAN-2016 10:27

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20160122.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20160122.b\16012208.D
 Lab Smp Id: APR4LCSS1 Client Smp ID: APR4LCSS1
 Inj Date : 22-JAN-2016 10:57 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : APR4LCSS1
 Misc Info : 15-20439
 Comment :
 Method : \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Meth Date : 25-Jan-2016 07:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 2 QC Sample: LCS
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt/(Ws * (100-M)/100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JW
1/25/16

| Compounds | QUANT SIG | CONCENTRATIONS | | | | | |
|------------------------------|-----------|----------------|--------|---------|----------|---------|---------|
| | | ON-COLUMN | FINAL | | | | |
| | MASS | RT | EXP RT | REL RT | RESPONSE | (ng/mL) | (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.734 | 6.744 | (1.000) | 360526 | 200.000 | |
| 5 Naphthalene | 128 | 6.765 | 6.776 | (1.005) | 319931 | 153.631 | 7680 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.711 | 7.721 | (1.145) | 192117 | 143.565 | 7180 |
| 7 2-Methylnaphthalene | 142 | 7.763 | 7.774 | (1.153) | 227764 | 159.180 | 7960 |
| 8 1-Methylnaphthalene | 142 | 8.026 | 8.026 | (1.192) | 202850 | 157.312 | 7870 |
| 10 Acenaphthylene | 152 | 9.589 | 9.589 | (0.984) | 306764 | 147.578 | 7380 |
| * 11 Acenaphthene-d10 | 164 | 9.744 | 9.744 | (1.000) | 257556 | 200.000 | |
| 12 Acenaphthene | 153 | 9.800 | 9.811 | (1.006) | 214202 | 155.256 | 7760 |
| 14 Dibenzofuran | 168 | 10.010 | 10.010 | (1.027) | 330618 | 159.074 | 7950 |
| 15 Fluorene | 166 | 10.630 | 10.630 | (1.091) | 270755 | 173.702 | 8690 |
| * 18 Phenanthrene-d10 | 188 | 12.424 | 12.424 | (1.000) | 412183 | 200.000 | |
| 19 Phenanthrene | 178 | 12.457 | 12.468 | (1.003) | 424716 | 171.027 | 8550 |
| 20 Anthracene | 178 | 12.512 | 12.523 | (1.007) | 376504 | 169.380 | 8470 |
| \$ 23 Fluoranthene-d10 | 212 | 14.519 | 14.518 | (1.169) | 417313 | 184.102 | 9210 |
| 24 Fluoranthene | 202 | 14.557 | 14.557 | (1.172) | 471193 | 188.988 | 9450 |
| 25 Pyrene | 202 | 15.047 | 15.057 | (0.877) | 481761 | 193.411 | 9670 |
| 28 Benzo(a)anthracene | 228 | 17.067 | 17.075 | (0.994) | 419082 | 199.844 | 9990 |
| * 29 Chrysene-d12 | 240 | 17.167 | 17.167 | (1.000) | 314530 | 200.000 | |
| 30 Chrysene | 228 | 17.217 | 17.217 | (1.003) | 430198 | 186.914 | 9350 |
| 44 Benzo(b)fluoranthene | 252 | 18.967 | 18.967 | (0.945) | 387411 | 186.459 | 9320 |
| 45 Benzo(k)fluoranthene | 252 | 19.015 | 19.015 | (0.948) | 408726 | 168.813 | 8440 |

| Compounds | QUANT SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-----------|--------|--------|---------|----------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| 46 Benzo(j)fluoranthene | 252 | 19.082 | 19.082 | (0.951) | 378018 | 171.395 | 8570 |
| 34 Benzo(a)pyrene | 252 | 19.851 | 19.851 | (0.989) | 338391 | 168.757 | 8440 |
| * 35 Perylene-d12 | 264 | 20.063 | 20.062 | (1.000) | 306666 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.529 | 22.529 | (1.123) | 238624 | 192.788 | 9640 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.662 | 22.662 | (1.130) | 416120 | 197.645 | 9880 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.640 | 22.651 | (1.128) | 338705 | 203.441 | 10200 |
| 39 Benzo(g,h,i)perylene | 276 | 23.814 | 23.814 | (1.187) | 359662 | 196.783 | 9840 |
| 47 Perylene | 252 | 20.130 | 20.130 | (1.003) | 349791 | 168.256 | 8410 |
| 48 Benzo(e)pyrene | 252 | 19.736 | 19.736 | (0.984) | 376360 | 179.235 | 8960 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 16012208.D
 Lab Smp Id: APR4LCSS1
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Misc Info: 15-20439

Calibration Date: 22-JAN-2016
 Calibration Time: 09:05
 Client Smp ID: APR4LCSS1
 Level: LOW
 Sample Type: Solid

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 360526 | 9.95 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 257556 | 7.68 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 412183 | 10.73 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 314530 | 6.72 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 306666 | 17.68 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.74 | 6.24 | 7.24 | 6.73 | -0.15 |
| 11 Acenaphthene-d10 | 9.74 | 9.24 | 10.24 | 9.74 | 0.00 |
| 18 Phenanthrene-d10 | 12.42 | 11.92 | 12.92 | 12.42 | 0.00 |
| 29 Chrysene-d12 | 17.17 | 16.67 | 17.67 | 17.17 | 0.00 |
| 35 Perylene-d12 | 20.06 | 19.56 | 20.56 | 20.06 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
 Sample Matrix: SOLID
 Lab Smp Id: APR4LCSS1
 Level: LOW
 Data Type: MS DATA
 SpikeList File: PEMDTISS.spk
 Sublist File: PEMD.sub
 Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Misc Info: 15-20439

Client SDG: APR4
 Fraction: SV
 Client Smp ID: APR4LCSS1
 Operator: JW
 SampleType: LCS
 Quant Type: ISTD

| SPIKE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|-------------------------|------------------------|----------------------------|----------------|--------|
| 5 Naphthalene | 15000 | 7680 | 51.21 | 30-160 |
| 7 2-Methylnaphthalen | 15000 | 7960 | 53.06 | 30-160 |
| 10 Acenaphthylene | 15000 | 7380 | 49.19 | 30-160 |
| 12 Acenaphthene | 15000 | 7760 | 51.75 | 30-160 |
| 15 Fluorene | 15000 | 8690 | 57.90 | 30-160 |
| 19 Phenanthrene | 15000 | 8550 | 57.01 | 30-160 |
| 20 Anthracene | 15000 | 8470 | 56.46 | 30-160 |
| 24 Fluoranthene | 15000 | 9450 | 63.00 | 30-160 |
| 25 Pyrene | 15000 | 9670 | 64.47 | 30-160 |
| 28 Benzo (a) anthracene | 15000 | 9990 | 66.61 | 30-160 |
| 30 Chrysene | 15000 | 9350 | 62.30 | 30-160 |
| 44 Benzo (b) fluoranthe | 15000 | 9320 | 62.15 | 30-160 |
| 45 Benzo (k) fluoranthe | 15000 | 8440 | 56.27 | 30-160 |
| 34 Benzo (a) pyrene | 15000 | 8440 | 56.25 | 30-160 |
| 37 Indeno (1,2,3-cd) py | 15000 | 9880 | 65.88 | 30-160 |
| 38 Dibenzo (a,h) anthra | 15000 | 10200 | 67.81 | 30-160 |
| 39 Benzo (g,h,i) peryle | 15000 | 9840 | 65.59 | 30-160 |
| 47 Perylene | 15000 | 8410 | 56.09 | 30-160 |
| 48 Benzo (e) pyrene | 15000 | 8960 | 59.75 | 30-160 |

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|----------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 15000 | 7180 | 47.86 | 30-160 |
| \$ 23 Fluoranthene-d10 | 15000 | 9210 | 61.37 | 30-160 |
| \$ 36 Dibenzo (a,h) anthra | 15000 | 9640 | 64.26 | 30-160 |

Date : 22-JAN-2016 10:57

Client ID: APP4LCSS1

Sample Info: APP4LCSS1

Volume Injected (uL): 2.0


Column phase: Rxi-17S11 MS

Instrument: nt11.i

Operator: JM

Column diameter: 0.25

\\target\share\chem3\nt11.1\20160122.16\16012208.D



Lab ID: APR4LCSS1

nt11.i, 20160122.b\lowsim.m, 22-JAN-2016 10:57

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20160122.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAs BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20160122.b\16012209.D
 Lab Smp Id: APR4SRM1 Client Smp ID: SRM 1974C
 Inj Date : 22-JAN-2016 11:28 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : APR4SRM1
 Misc Info : 15-20439
 Comment :
 Method : \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Meth Date : 25-Jan-2016 07:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 3 QC Sample: SRM
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.000 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

JW
1/25/16

| Compounds | QUANT | SIG | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-------|-----|--------|--------|---------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | | 6.734 | 6.744 | (1.000) | 362258 | 200.000 | |
| 5 Naphthalene | 128 | | 6.776 | 6.776 | (1.006) | 29301 | 14.0031 | 700 |
| \$ 6 2-Methylnaphthalene-d10 | 152 | | 7.711 | 7.721 | (1.145) | 192181 | 142.926 | 7150 |
| 7 2-Methylnaphthalene | 142 | | 7.774 | 7.774 | (1.154) | 16952 | 11.7908 | 590 |
| 8 1-Methylnaphthalene | 142 | | 8.026 | 8.026 | (1.192) | 11376 | 8.78000 | 439 |
| 10 Acenaphthylene | 152 | | 9.589 | 9.589 | (0.984) | 11298 | 5.61153 | 281 |
| * 11 Acenaphthene-d10 | 164 | | 9.744 | 9.744 | (1.000) | 249465 | 200.000 | |
| 12 Acenaphthene | 153 | | 9.811 | 9.811 | (1.007) | 12143 | 9.08686 | 454 |
| 14 Dibenzofuran | 168 | | 10.010 | 10.010 | (1.027) | 25472 | 12.6531 | 633 |
| 15 Fluorene | 166 | | 10.630 | 10.630 | (1.091) | 29582 | 19.5937 | 980 |
| * 18 Phenanthrene-d10 | 188 | | 12.424 | 12.424 | (1.000) | 398741 | 200.000 | |
| 19 Phenanthrene | 178 | | 12.468 | 12.468 | (1.004) | 453061 | 188.591 | 9430 |
| 20 Anthracene | 178 | | 12.523 | 12.523 | (1.008) | 32763 | 15.2361 | 762 |
| \$ 23 Fluoranthene-d10 | 212 | | 14.519 | 14.518 | (1.169) | 404383 | 184.411 | 9220 |
| 24 Fluoranthene | 202 | | 14.557 | 14.557 | (1.172) | 1080599 | 448.023 | 22400 |
| 25 Pyrene | 202 | | 15.057 | 15.057 | (0.877) | 646997 | 271.852 | 13600 |
| 28 Benzo (a) anthracene | 228 | | 17.076 | 17.075 | (0.995) | 91021 | 45.4271 | 2270 |
| * 29 Chrysene-d12 | 240 | | 17.167 | 17.167 | (1.000) | 300525 | 200.000 | |
| 30 Chrysene | 228 | | 17.217 | 17.217 | (1.003) | 391160 | 177.873 | 8890 |
| 44 Benzo (b) fluoranthene | 252 | | 18.967 | 18.967 | (0.945) | 120709 | 59.5028 | 2980 |
| 45 Benzo (k) fluoranthene | 252 | | 19.015 | 19.015 | (0.948) | 62057 | 26.2512 | 1310 |

| Compounds | QUANT SIG MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|----------------------------------|-------------------|--------|--------|---------|----------|----------------------|------------------|
| | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| ===== 46 Benzo(j)fluoranthene | 252 | 19.082 | 19.082 | (0.951) | 54437 | 25.2794 | 1260 |
| 34 Benzo(a)pyrene | 252 | 19.851 | 19.851 | (0.989) | 45805 | 23.3960 | 1170 |
| * 35 Perylene-d12 | 264 | 20.063 | 20.062 | (1.000) | 299419 | 200.000 | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | 22.529 | 22.529 | (1.123) | 236092 | 195.359 | 9770 |
| 37 Indeno(1,2,3-cd)pyrene | 276 | 22.662 | 22.662 | (1.130) | 36443 | 17.7283 | 886 |
| 38 Dibenzo(a,h)anthracene | 278 | 22.640 | 22.651 | (1.128) | 5904 | 3.63203 | 182 |
| 39 Benzo(g,h,i)perylene | 276 | 23.814 | 23.814 | (1.187) | 54307 | 30.4323 | 1520 |
| 47 Perylene | 252 | 20.130 | 20.130 | (1.003) | 15210 | 7.49339 | 375 |
| 48 Benzo(e)pyrene | 252 | 19.736 | 19.736 | (0.984) | 179589 | 87.5963 | 4380 |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 16012209.D
 Lab Smp Id: APR4SRM1
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Misc Info: 15-20439

Calibration Date: 22-JAN-2016
 Calibration Time: 09:05
 Client Smp ID: SRM 1974C
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 362258 | 10.48 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 249465 | 4.30 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 398741 | 7.12 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 300525 | 1.97 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 299419 | 14.90 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.74 | 6.24 | 7.24 | 6.73 | -0.15 |
| 11 Acenaphthene-d10 | 9.74 | 9.24 | 10.24 | 9.74 | 0.00 |
| 18 Phenanthrene-d10 | 12.42 | 11.92 | 12.92 | 12.42 | 0.00 |
| 29 Chrysene-d12 | 17.17 | 16.67 | 17.67 | 17.17 | 0.00 |
| 35 Perylene-d12 | 20.06 | 19.56 | 20.56 | 20.06 | 0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.

RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: APR4SRM1
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
Misc Info: 15-20439


Client SDG: APR4
Fraction: SV
Client Smp ID: SRM 1974C
Operator: JW
SampleType: SRM
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 15000 | 7150 | 47.64 | 30-160 |
| \$ 23 Fluoranthene-d10 | 15000 | 9220 | 61.47 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 15000 | 9770 | 65.12 | 30-160 |

Date : 22-JAN-2016 11:28
Client ID: SRM 1974C
Sample Info: APR4SRM1
Volume Injected (uL): 2.0
Column phase: Rx1-17S11 HS

Instrument: nt11.i
Operator: JM
Column diameter: 0.25

\\target\share\chem3\nt11.1\20160122.16\16012209.D



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0






Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 700 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 590 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRH 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

8 1-Methylnaphthalene

Concentration: 439 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

10 Acenaphthylene

Concentration: 281 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

12 Acenaphthene

Concentration: 454 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

14 Dibenzofuran

Concentration: 633 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

15 Fluorene

Concentration: 980 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 9430 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Si11 MS

Column diameter: 0.25

20 Anthracene

Concentration: 762 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0


Operator: JW

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 22400 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRH 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0


Operator: JN

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

25 Pyrene

Concentration: 13600 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 2270 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

30 Chrysene

Concentration: 8890 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0


Operator: JM

Column phase: Rxi-17Sil MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 2980 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

45 Benzo(k)fluoranthene

Concentration: 1310 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0


Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

46 Benzo(j)fluoranthene

Concentration: 1260 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

34 Benzo(a)pyrene

Concentration: 1170 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRH 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

37 Indeno(1,2,3-cd)pyrene

Concentration: 886 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

38 Dibenzo(a,h)anthracene

Concentration: 182 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

39 Benzo(g,h,i)perylene

Concentration: 1520 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

47 Perylene

Concentration: 375 ug/kg



Date : 22-JAN-2016 11:28

Client ID: SRM 1974C

Instrument: nt11.i

Sample Info: APR4SRM1

Volume Injected (uL): 2.0


Operator: JW

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

48 Benzo(e)pyrene

Concentration: 4380 ug/kg



Lab ID: APR4SRM1

nt11.i, 20160122.b\lowsim.m, 22-JAN-2016 11:28

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20160122.b\lowsim.m,Sublist: PEMD.sub = 3.0000

Exception: Naphthalene 7.0000
Exception: Phenanthrene 2.5000
Exception: Anthracene 2.0000
Exception: Pyrene 4.0000
Exception: Benzo(j)fluoranthene 2.5000
Exception: Benzo(a)pyrene 2.0000
Exception: Perylene 3.5000
Exception: Benzo(e)pyrene 2.0000
Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
Exception: Fluoranthene-d10 (Surr) 0.1000

ARI Labs, Inc.

LOW LEVEL PNAS BY SW8270D-SIM

Data file : \\target\share\chem3\nt11.i\20160122.b\16012210.D
 Lab Smp Id: APR4A Client Smp ID: PG-T0-MUS-COC-15103
 Inj Date : 22-JAN-2016 11:58 MS Autotune Date: 23-APR-2014 12:54
 Operator : JW Inst ID: nt11.i
 Smp Info : APR4A
 Misc Info : 15-20439
 Comment :
 Method : \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Meth Date : 25-Jan-2016 07:43 nt11.i Quant Type: ISTD
 Cal Date : 04-DEC-2015 11:33 Cal File: 15120407.D
 Als bottle: 4
 Dil Factor: 1.00000
 Integrator: HP RTE Compound Sublist: PEMD.sub
 Target Version: 4.14
 Processing Host: AUTOSPECDATA2

Concentration Formula: Amt * DF * Vt / (Ws * (100-M) / 100) * CpndVariable

| Name | Value | Description |
|---------------|---------|--------------------------------|
| DF | 1.000 | Dilution Factor |
| Vt | 500.000 | Volume of final extract (uL) |
| Ws | 10.020 | Weight of sample extracted (g) |
| M | 0.00000 | % Moisture (not decanted) |
| Cpnd Variable | | Local Compound Variable |

*JW
1/25/16*

| Compounds | QUANT SIG | MASS | RT | EXP RT | REL RT | RESPONSE | CONCENTRATIONS | |
|------------------------------|-----------|------------------------|--------|---------|--------|----------|-------------------|---------------|
| | | | | | | | ON-COLUMN (ng/mL) | FINAL (ug/kg) |
| * 4 Naphthalene-d8 | 136 | 6.723 | 6.744 | (1.000) | 371890 | 200.000 | | |
| 5 Naphthalene | 128 | 6.765 | 6.776 | (1.006) | 47348 | 22.0418 | 1100 | |
| \$ 6 2-Methylnaphthalene-d10 | 152 | 7.711 | 7.721 | (1.147) | 216233 | 156.649 | 7820 | |
| 7 2-Methylnaphthalene | 142 | 7.763 | 7.774 | (1.155) | 23870 | 16.1725 | 807 | |
| 8 1-Methylnaphthalene | 142 | Compound Not Detected. | | | | | | |
| 10 Acenaphthylene | 152 | Compound Not Detected. | | | | | | |
| * 11 Acenaphthene-d10 | 164 | 9.744 | 9.744 | (1.000) | 259279 | 200.000 | | |
| 12 Acenaphthene | 153 | 9.800 | 9.811 | (1.006) | 40312 | 29.0245 | 1450 | |
| 14 Dibenzofuran | 168 | 10.010 | 10.010 | (1.027) | 71495 | 34.1706 | 1710 | |
| 15 Fluorene | 166 | 10.630 | 10.630 | (1.091) | 63344 | 40.3680 | 2010 | |
| * 18 Phenanthrene-d10 | 188 | 12.424 | 12.424 | (1.000) | 437520 | 200.000 | | |
| 19 Phenanthrene | 178 | 12.457 | 12.468 | (1.003) | 313936 | 119.096 | 5940 | |
| 20 Anthracene | 178 | 12.512 | 12.523 | (1.007) | 48810 | 20.6868 | 1030 | |
| \$ 23 Fluoranthene-d10 | 212 | 14.518 | 14.518 | (1.169) | 422581 | 175.630 | 8760 | |
| 24 Fluoranthene | 202 | 14.557 | 14.557 | (1.172) | 255167 | 96.4169 | 4810 | |
| 25 Pyrene | 202 | 15.047 | 15.057 | (0.877) | 151039 | 63.6769 | 3180 | |
| 28 Benzo (a) anthracene | 228 | 17.067 | 17.075 | (0.994) | 34373 | 17.2129 | 859 | |
| * 29 Chrysene-d12 | 240 | 17.167 | 17.167 | (1.000) | 299515 | 200.000 | | |
| 30 Chrysene | 228 | 17.217 | 17.217 | (1.003) | 46365 | 21.1547 | 1060 | |
| 44 Benzo (b) fluoranthene | 252 | 18.967 | 18.967 | (0.945) | 20733 | 10.0924 | 504 | |
| 45 Benzo (k) fluoranthene | 252 | 19.015 | 19.015 | (0.948) | 11690 | 4.88322 | 244 | |

| Compounds | QUANT SIG | | | | | | | CONCENTRATIONS | |
|-----------------------------------|-----------|--|------------------------|--------|---------|----------|----------------------|------------------|--|
| | MASS | | RT | EXP RT | REL RT | RESPONSE | ON-COLUMN (ng/mL) | FINAL (ug/kg) | |
| ===== 46 Benzo(j) fluoranthene | 252 | | 19.082 | 19.082 | (0.951) | 10273 | 4.71089 | 235 | |
| 34 Benzo(a) pyrene | 252 | | Compound Not Detected. | | | | | | |
| * 35 Perylene-d12 | 264 | | 20.062 | 20.062 | (1.000) | 303212 | 200.000 | | |
| \$ 36 Dibenzo(a,h)anthracene-d14 | 292 | | 22.529 | 22.529 | (1.123) | 232034 | 189.599 | 9460 | |
| 37 Indeno(1,2,3-cd)pyrene | 276 | | Compound Not Detected. | | | | | | |
| 38 Dibenzo(a,h)anthracene | 278 | | Compound Not Detected. | | | | | | |
| 39 Benzo(g,h,i)perylene | 276 | | Compound Not Detected. | | | | | | |
| 47 Perylene | 252 | | Compound Not Detected. | | | | | | |
| 48 Benzo(e)pyrene | 252 | | Compound Not Detected. | | | | | | |

ARI Labs, Inc.

INTERNAL STANDARD COMPOUNDS
 AREA AND RT SUMMARY

Instrument ID: nt11.i
 Lab File ID: 16012210.D
 Lab Smp Id: APR4A
 Analysis Type: SV
 Quant Type: ISTD
 Operator: JW
 Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
 Misc Info: 15-20439

Calibration Date: 22-JAN-2016
 Calibration Time: 09:05
 Client Smp ID: PG-T0-MUS-COC-1
 Level: LOW
 Sample Type: Tissue

Test Mode:
 Use Initial Calibration Level 4.

| COMPOUND | STANDARD | AREA LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|------------|--------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 327896 | 163948 | 655792 | 371890 | 13.42 |
| 11 Acenaphthene-d10 | 239179 | 119590 | 478358 | 259279 | 8.40 |
| 18 Phenanthrene-d10 | 372253 | 186127 | 744506 | 437520 | 17.53 |
| 29 Chrysene-d12 | 294711 | 147356 | 589422 | 299515 | 1.63 |
| 35 Perylene-d12 | 260595 | 130298 | 521190 | 303212 | 16.35 |

| COMPOUND | STANDARD | RT LIMIT | | SAMPLE | %DIFF |
|---------------------|----------|----------|-------|--------|-------|
| | | LOWER | UPPER | | |
| 4 Naphthalene-d8 | 6.74 | 6.24 | 7.24 | 6.72 | -0.31 |
| 11 Acenaphthene-d10 | 9.74 | 9.24 | 10.24 | 9.74 | -0.00 |
| 18 Phenanthrene-d10 | 12.42 | 11.92 | 12.92 | 12.42 | -0.00 |
| 29 Chrysene-d12 | 17.17 | 16.67 | 17.67 | 17.17 | -0.00 |
| 35 Perylene-d12 | 20.06 | 19.56 | 20.56 | 20.06 | -0.00 |

AREA UPPER LIMIT = +100% of internal standard area.
 AREA LOWER LIMIT = - 50% of internal standard area.
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT.
 RT LOWER LIMIT = - 0.50 minutes of internal standard RT.

ARI Labs, Inc.


RECOVERY REPORT

Client Name: Anchor QEA, LLC
Sample Matrix: SOLID
Lab Smp Id: APR4A
Level: LOW
Data Type: MS DATA
SpikeList File: waterlcs.spk
Sublist File: PEMD.sub
Method File: \\target\share\chem3\nt11.i\20160122.b\lowsim.m
Misc Info: 15-20439

Client SDG: APR4
Fraction: SV
Client Smp ID: PG-T0-MUS-COC-15103
Operator: JW
SampleType: SAMPLE
Quant Type: ISTD

| SURROGATE COMPOUND | CONC ADDED ug/kg | CONC RECOVERED ug/kg | % RECOVERED | LIMITS |
|---------------------------|------------------------|----------------------------|----------------|--------|
| \$ 6 2-Methylnaphthalen | 15000 | 7820 | 52.22 | 30-160 |
| \$ 23 Fluoranthene-d10 | 15000 | 8760 | 58.54 | 30-160 |
| \$ 36 Dibenzo(a,h) anthra | 15000 | 9460 | 63.20 | 30-160 |

\\target\share\chem3\nt11.i\20160122.b\16012210.D



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0






Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

5 Naphthalene

Concentration: 1100 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

7 2-Methylnaphthalene

Concentration: 807 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

12 Acenaphthene

Concentration: 1450 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0







Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0,25

14 Dibenzofuran

Concentration: 1710 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Si11 MS

Column diameter: 0.25

15 Fluorene

Concentration: 2010 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

19 Phenanthrene

Concentration: 5940 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-HUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

20 Anthracene

Concentration: 1030 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

24 Fluoranthene

Concentration: 4810 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0


Operator: JW

Column phase: Rxi-17S11 MS

Column diameter: 0.25

25 Pyrene

Concentration: 3180 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Sil MS

Column diameter: 0.25

28 Benzo(a)anthracene

Concentration: 859 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17Sil MS

Column diameter: 0,25

30 Chrysene

Concentration: 1060 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0


Operator: JW

Column phase: Rxi-17Si11 MS

Column diameter: 0.25

44 Benzo(b)fluoranthene

Concentration: 504 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JW

Column phase: Rxi-17Si1 MS

Column diameter: 0.25

45 Benzo(k)fluoranthene

Concentration: 244 ug/kg



Date : 22-JAN-2016 11:58

Client ID: PG-T0-MUS-COC-15103

Instrument: nt11.i

Sample Info: APR4A

Volume Injected (uL): 2.0








Operator: JH

Column phase: Rxi-17S11 MS

Column diameter: 0.25

46 Benzo(j)fluoranthene

Concentration: 235 ug/kg



Lab ID: APR4A

nt11.i, 20160122.b\lowsim.m, 22-JAN-2016 11:58

RT CO-ELUTION COMPOUNDS

NO CO-ELUTIONS

Quant Method: ICAL

RRT CHECK

| RRT | CCV | RRT | DELTA | COMPOUND |
|-----|-----|-----|-------|----------|
|-----|-----|-----|-------|----------|

NONE

On Column LOD for nt11.i,20160122.b\lowsim.m,Sublist: PEMD.sub = 3.0000

- Exception: Naphthalene 7.0000
- Exception: Phenanthrene 2.5000
- Exception: Anthracene 2.0000
- Exception: Pyrene 4.0000
- Exception: Benzo(j)fluoranthene 2.5000
- Exception: Benzo(a)pyrene 2.0000
- Exception: Perylene 3.5000
- Exception: Benzo(e)pyrene 2.0000
- Exception: 2-Methylnaphthalene-d10 (Surr) 0.1000
- Exception: Dibenzo(a,h)anthracene-d14 (Surr) 0.1000
- Exception: Fluoranthene-d10 (Surr) 0.1000

Dioxin Raw Data
Extraction Bench Sheets and Notes

ARI Job ID: APR4



ARI Job No.: APR4

Client ID: Anchor QEA, LLC

Batch ID: _____

Parameter: Dioxin

Client Project: Port Gumble Clean-up

| Screens: Soil/Sediment/Solid/Other: | Analyst/Date |
|--|------------------|
| <input type="checkbox"/> No Anomalies (standard soil/wet sediment/sand/gravel)= | |
| <input type="checkbox"/> Standing Water Decanted (Not shared)= | |
| <input type="checkbox"/> Standing Water Homogenized (Shared samples)= | |
| <input type="checkbox"/> Clay/Clumps (Difficult to homogenize)= | |
| <input type="checkbox"/> Rocks (%+size)? | |
| <input type="checkbox"/> Organics (Leaves/sticks/grass)= | |
| <input type="checkbox"/> Oily, obvious fuel/sulfur odors= | |
| <input type="checkbox"/> Received in 32oz jar(s)=Homogenized in Pyrex dish= | |
| <input type="checkbox"/> Other (Details)= | |
| Aqueous: | |
| <input type="checkbox"/> No Anomalies | |
| <input type="checkbox"/> Turbid/Color= | |
| <input type="checkbox"/> Particulates(%)=(Note: >5%=Notify Supervisor/Lead) | |
| <input type="checkbox"/> Emulsions (%)= | |
| <input type="checkbox"/> Oily, obvious fuel/sulfur odors= | |
| <input type="checkbox"/> Other (Details)= | |
| <input type="checkbox"/> Received in 1.0L Bottle(s)=No Bottle Rinse= | |
| <input checked="" type="checkbox"/> Other Notes/Comments= (Note problems, concerns, corrective actions). | |
| <u>- APR4 - A No client ID Label on the jar for ID check</u> | |
| <u>The ID on the Lid of sample jar matched the Lims sheet</u> | |
| | <u>M 1/25/16</u> |
| <input type="checkbox"/> Share Samples Y / N | |
| <input type="checkbox"/> Multiple Jars Y / N | |
| <input type="checkbox"/> Sample Pre-Screens indicate analyte activity= | |
| <input type="checkbox"/> Sample weights/volumes reduced based on Pre-Screen= | |

Dioxin Raw Data
Initial Calibration

ARI Job ID: APR4



Dioxin Curve 10/15/15

HR-GC/MS Analyst Notes / Data Review Checklist

ELEMENT/NWA: _____

Client ID: _____

Element Calibration Code: YJ00017

METHOD: 1613B (Dioxins) 8290A (Dioxins)

Instrument: **AutoSpec01**

Analysis Start Date: _____

Resolution Check > 10,000ppm ^{REVIEW 1/REVIEW 2} Y/N/ _____

Signal / Noise ≥ 3.0 ? ^{REVIEW 1/REVIEW 2} Y/N/ _____

TCDD /TCDF Resolution $\leq 25\%$ Y/N/ _____

Extraction STD Limits Met? Y/N/ _____

PCDF Windows Verified Y/N/ _____

Cleanup STD Limits Met? Y/N/ _____

ICV/CCV %D limits met? Y/N/ _____

Method Blank in Control? Y/N/ _____

ICV/CCV Ratios limits met? Y/N/ _____

OPR Recovery Limits Met? Y/N/ _____

ICV/CCV RRT limits met? Y/N/ _____

Values Exceeding Curve Range? Y/N/ _____

Manual Integrations? Y/N/ _____

Samples Diluted? Y/N/ _____

VDP Completed? NA/Y/N/ _____

Duplicate Sample RPD $\leq 25\%$? NA/ _____

EPA Case # NA/ _____

Technical Review? / _____

Detail problems, corrective actions and/or other pertinent information below:

- TCDD/TCDF are 5 point curves : CS1 - CS5 .
All others are 6 points : CSL - CS5 .
- All cpds = 20% RSD . All curves Avg .


(Review 1)Analyst: *Ally* Date: 10/16/15

(Review 2)Peer: _____ Date: _____

(Final Review)Reviewer: _____ Date: _____


15101503

1: Voltage SIR 15 Channels EI+
319.8965
2.05e6



15101503

1: Voltage SIR 15 Channels EI+
303.9016
2.00e6



15101511

100
%

1: Voltage SIR 15 Channels EI+
319.8965
2.21e6

25.00 25.25 25.50 25.75 26.00 26.25 26.50 26.75 27.00

$16/86 = 18.6\%$

2378-TCDD

26.41

26.54

86

16

15101511

100
%

1: Voltage SIR 15 Channels EI+
303.9016
2.08e6

25.00 25.25 25.50 25.75 26.00 26.25 26.50 26.75 27.00 Time

25.58

25.76

25.90

2378-TCDF


99

$15/99 = 15.2\%$

15


15101602

1: Voltage SIR 15 Channels EI+
319.8965
2.58e6




15101602

1: Voltage SIR 15 Channels EI+
303.9016
3.06e6



15101602

1: Voltage SIR 15 Channels EI+
339.8597
2.13e7




15101602

2: Voltage SIR 11 Channels EI+

355.8546

1.11e7




15101602

2: Voltage SIR 11 Channels EI+


339.8597

1.39e7




15101602

3: Voltage SIR 11 Channels EI+
389.8157
1.16e7




15101602

3: Voltage SIR 11 Channels EI+
373.8208
1.30e7




15101602

4: Voltage SIR 11 Channels EI+
423.7766
8.40e6



15101602

4: Voltage SIR 11 Channels EI+
407.7818
9.45e6




Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 11:05:14 Pacific Daylight Time


| Event | Details | Sample ID |
|-----------------------|---|-----------|
| Process Quantify | | |
| Process Integrate | | |
| Process Extract | | |
| Process Calibrate | | |
| Pre modification peak | Sample:15101504, Compound:HF, RT:35.021 | 1 |
| Pre modification peak | Sample:15101504, Compound:HF, RT:35.032 | 1 |
| Pre modification peak | Sample:15101505, Compound:TF, RT:25.749 | 2 |
| Pre modification peak | Sample:15101505, Compound:HPF, RT:41.805 | 2 |
| Pre modification peak | Sample:15101506, Compound:TF, RT:25.735 | 3 |
| Pre modification peak | Sample:15101506, Compound:TF, RT:25.735 | 3 |
| Pre modification peak | Sample:15101504, Compound:PF, RT:31.206 | 1 |
| Pre modification peak | Sample:15101504, Compound:HD, RT:36.654 | 1 |
| Pre modification peak | Sample:15101505, Compound:OD, RT:46.682 | 2 |
| Peak modified | Sample:15101504, Compound:HF, RT:35.021 | 1 |
| Peak modified | Sample:15101504, Compound:HF, RT:35.032 | 1 |
| Peak modified | Sample:15101505, Compound:TF, RT:25.749 | 2 |
| Peak modified | Sample:15101505, Compound:HPF, RT:41.805 | 2 |
| Peak modified | Sample:15101506, Compound:TF, RT:25.735 | 3 |
| Peak modified | Sample:15101506, Compound:TF, RT:25.735 | 3 |
| Peak modified | Sample:15101506, Compound:TF, RT:25.735 | 3 |
| Peak modified | Sample:15101504, Compound:PF, RT:31.206 | 1 |
| Peak modified | Sample:15101504, Compound:HD, RT:36.654 | 1 |
| Peak modified | Sample:15101505, Compound:OD, RT:46.682 | 2 |
| Peak deleted | Sample:15101504, Compound:TF, RT:25.734 | 1 |
| Peak deleted | Sample:15101504, Compound:TD, RT:26.377 | 1 |
| Dataset Saved | Saved to 'P:\DIOXIN8290.PRO\1510151C.qld' | |
| Dataset Saved | Saved to 'P:\DIOXIN8290.PRO\1510151C.qld' | |
| Dataset Created | | |
| Calibration Saved | Saved to 'P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb' | |

Printed: Thursday, October 15, 2015 14:08:48 Pacific Daylight Time


M 304.9824 R 12315




M 330.9792 R 11740




M 366.9792 R 11938




M 380.9760 R 11966




M 392.9760 R 11577




M 330.9792 R 12226




M 366.9792 R 12472




M 380.9760 R 12048




M 392.9760 R 11524




M 366.9792 R 12756




M 380.9760 R 12136




M 392.9760 R 12406




M 430.9728 R 11289




M 454.9728 R 11441



M 430.9728 R 12165




M 454.9728 R 11764




Printed: Thursday, October 15, 2015 14:08:48 Pacific Daylight Time


M 466.9728 R 12257




M 480.9696 R 11792




M 430.9728 R 12225




M 454.9728 R 11825




M 466.9728 R 12286



M 480.9696 R 11962




M 504.9696 R 11574




Printed: Thursday, October 15, 2015 21:21:49 Pacific Daylight Time


M 304.9824 R 12695




M 330.9792 R 12825




M 366.9792 R 12224




M 380.9760 R 11879




M 392.9760 R 12255




M 330.9792 R 12820




M 366.9792 R 12944




M 380.9760 R 12562




M 392.9760 R 12323




M 366.9792 R 13360




M 380.9760 R 12891




M 392.9760 R 12667




M 430.9728 R 12118




M 454.9728 R 11933



M 430.9728 R 12757




M 454.9728 R 11990




Printed: Thursday, October 15, 2015 21:21:49 Pacific Daylight Time


M 466.9728 R 12251




M 480.9696 R 11737




M 430.9728 R 12596




M 454.9728 R 12956




M 466.9728 R 12795



M 480.9696 R 12319



M 504.9696 R 12658



Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

Method: P:\DIOXIN8290.PRO\MethDB\Dioxin1510153SN.mdb 15 Oct 2015 16:11:27
 Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27

ID: CSL-, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk

| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | Pred R | Noise 1 | Noise 2 | Height 1 | Height 2 | SIN | EMPC? | EMPC | pg |
|-------------------|--------|-------|----------|----------|-------|-------|--------|---------|---------|----------|----------|--------|-------|---------|---------|
| 2378-TCDF | | | | | 0.827 | | 0.770 | 485 | 1056 | | | | | | |
| 12378-PeCDF | 29.869 | 1.000 | 6.57e3 | 4.76e3 | 0.824 | 1.382 | 1.550 | 904 | 1177 | 8.53e4 | 6.51e4 | 94.4 | NO | 0.474 | 0.474 |
| 23478-PeCDF | 31.206 | 1.000 | 6.69e3 | 4.60e3 | 0.850 | 1.454 | 1.550 | 904 | 1177 | 1.02e5 | 6.96e4 | 112.6 | NO | 0.475 | 0.475 |
| 123478-HxCDF | 34.867 | 1.000 | 5.40e3 | 4.39e3 | 0.973 | 1.230 | 1.240 | 744 | 561 | 7.07e4 | 5.60e4 | 95.0 | NO | 0.474 | 0.474 |
| 234678-HxCDF | 35.963 | 1.000 | 5.26e3 | 4.61e3 | 1.025 | 1.141 | 1.240 | 744 | 561 | 7.05e4 | 7.02e4 | 94.7 | NO | 0.470 | 0.470 |
| 123678-HxCDF | 35.021 | 1.000 | 5.63e3 | 5.10e3 | 0.953 | 1.105 | 1.240 | 744 | 561 | 8.34e4 | 7.01e4 | 112.0 | NO | 0.472 | 0.472 |
| 123789-HxCDF | 37.103 | 1.000 | 5.14e3 | 4.39e3 | 0.956 | 1.170 | 1.240 | 744 | 561 | 7.11e4 | 6.09e4 | 95.6 | NO | 0.520 | 0.520 |
| 1234678-HpCDF | 39.164 | 1.000 | 4.92e3 | 5.13e3 | 1.153 | 0.960 | 1.050 | 578 | 517 | 7.40e4 | 8.02e4 | 128.0 | NO | 0.489 | 0.489 |
| 1234789-HpCDF | 41.795 | 1.000 | 3.51e3 | 3.75e3 | 1.131 | 0.935 | 1.050 | 578 | 517 | 4.39e4 | 5.17e4 | 75.9 | NO | 0.450 | 0.450 |
| OCDF | 46.943 | 1.006 | 6.33e3 | 7.56e3 | 1.023 | 0.838 | 0.890 | 720 | 944 | 6.25e4 | 7.69e4 | 86.8 | NO | 0.907 | 0.907 |
| 2378-TCDD | | | | | 1.023 | | 0.770 | 1054 | 605 | | | | | | |
| 12378-PeCDD | 31.469 | 1.001 | 5.05e3 | 3.20e3 | 0.939 | 1.581 | 1.550 | 992 | 441 | 6.91e4 | 5.01e4 | 69.6 | NO | 0.476 | 0.476 |
| 123478-HxCDD | 36.106 | 1.001 | 4.40e3 | 3.70e3 | 0.963 | 1.188 | 1.240 | 776 | 794 | 5.97e4 | 5.71e4 | 77.0 | NO | 0.478 | 0.478 |
| 123678-HxCDD | 36.237 | 1.001 | 4.76e3 | 4.01e3 | 0.894 | 1.186 | 1.240 | 776 | 794 | 6.50e4 | 5.95e4 | 83.8 | NO | 0.504 | 0.504 |
| 123789-HxCDD | 36.654 | 1.012 | 4.61e3 | 3.47e3 | 0.900 | 1.327 | 1.240 | 776 | 794 | 6.29e4 | 5.45e4 | 81.0 | NO | 0.485 | 0.485 |
| 1234678-HpCDD | 40.940 | 1.000 | 3.51e3 | 3.46e3 | 0.964 | 1.015 | 1.050 | 577 | 531 | 4.71e4 | 3.99e4 | 81.6 | NO | 0.463 | 0.463 |
| OCDD | 46.674 | 1.000 | 7.05e3 | 7.69e3 | 0.969 | 0.917 | 0.890 | 531 | 718 | 6.90e4 | 7.76e4 | 130.0 | NO | 1.016 | 1.016 |
| 13C-2378-TCDF | 25.719 | 1.006 | 1.59e6 | 2.05e6 | 1.502 | 0.777 | 0.770 | 4767 | 2478 | 2.19e7 | 2.83e7 | 4595.4 | NO | 101.097 | 101.097 |
| 13C-12378-PeCDF | 29.858 | 1.168 | 1.79e6 | 1.11e6 | 1.215 | 1.603 | 1.550 | 3616 | 2786 | 2.42e7 | 1.54e7 | 6685.8 | NO | 99.644 | 99.644 |
| 13C-23478-PeCDF | 31.195 | 1.221 | 1.71e6 | 1.09e6 | 1.181 | 1.573 | 1.550 | 3616 | 2786 | 2.45e7 | 1.56e7 | 6762.9 | NO | 98.978 | 98.978 |
| 13C-123478-HxCDF | 34.856 | 0.951 | 7.18e5 | 1.41e6 | 1.246 | 0.511 | 0.510 | 2704 | 5337 | 1.02e7 | 1.98e7 | 3775.3 | NO | 100.653 | 100.653 |
| 13C-123678-HxCDF | 35.010 | 0.955 | 8.08e5 | 1.58e6 | 1.375 | 0.512 | 0.510 | 2704 | 5337 | 1.09e7 | 2.13e7 | 4045.0 | NO | 102.504 | 102.504 |
| 13C-234678-HxCDF | 35.952 | 0.981 | 6.93e5 | 1.36e6 | 1.186 | 0.511 | 0.510 | 2704 | 5337 | 9.67e6 | 1.88e7 | 3577.9 | NO | 102.098 | 102.098 |
| 13C-123789-HxCDF | 37.092 | 1.012 | 6.51e5 | 1.26e6 | 1.135 | 0.515 | 0.510 | 2704 | 5337 | 8.86e6 | 1.71e7 | 3276.9 | NO | 99.670 | 99.670 |
| 13C-1234678-HpCDF | 39.153 | 1.069 | 5.50e5 | 1.23e6 | 1.020 | 0.446 | 0.440 | 2443 | 3880 | 7.71e6 | 1.72e7 | 3157.9 | NO | 103.230 | 103.230 |
| 13C-1234789-HpCDF | 41.773 | 1.140 | 4.34e5 | 9.93e5 | 0.824 | 0.437 | 0.440 | 2443 | 3880 | 5.25e6 | 1.20e7 | 2149.4 | NO | 102.297 | 102.297 |
| 13C-1234-TCDD | 25.555 | 0.000 | 1.06e6 | 1.34e6 | 1.000 | 0.788 | 0.770 | 2931 | 1849 | 1.48e7 | 1.90e7 | 5036.6 | NO | 100.000 | 100.000 |
| 13C-2378-TCDD | 26.362 | 1.032 | 9.94e5 | 1.26e6 | 0.983 | 0.787 | 0.770 | 2931 | 1849 | 1.39e7 | 1.74e7 | 4736.2 | NO | 95.915 | 95.915 |
| 13C-12378-PeCDD | 31.447 | 1.231 | 1.13e6 | 7.16e5 | 0.787 | 1.573 | 1.550 | 2647 | 1211 | 1.59e7 | 1.01e7 | 5995.9 | NO | 97.787 | 97.787 |
| 13C-123478-HxCDD | 36.084 | 0.985 | 9.80e5 | 7.79e5 | 1.031 | 1.258 | 1.240 | 1671 | 1737 | 1.40e7 | 1.12e7 | 8361.8 | NO | 100.738 | 100.738 |
| 13C-123678-HxCDD | 36.215 | 0.988 | 1.08e6 | 8.64e5 | 1.137 | 1.252 | 1.240 | 1671 | 1737 | 1.47e7 | 1.17e7 | 8814.2 | NO | 101.126 | 101.126 |
| 13C-1234678-HpCDD | 40.918 | 1.117 | 7.98e5 | 7.64e5 | 0.892 | 1.044 | 1.050 | 2298 | 2622 | 9.97e6 | 9.59e6 | 4338.0 | NO | 103.400 | 103.400 |
| 13C-OCDD | 46.665 | 1.273 | 1.39e6 | 1.60e6 | 0.852 | 0.868 | 0.890 | 2424 | 2603 | 1.38e7 | 1.55e7 | 5677.4 | NO | 207.609 | 207.609 |

Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk





| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | Pred R | Noise1 | Noise2 | Height1 | Height2 | S/N | EMPC? | EMPC | pg |
|--------------------|--------|-------|----------|----------|-------|-------|--------|--------|--------|---------|---------|--------|-------|------|---------|
| 13C-123789-HxCDD | 36.643 | 0.000 | 9.41e5 | 7.52e5 | 1.000 | 1.252 | 1.240 | 1671 | 1737 | 1.29e7 | 1.05e7 | 7738.7 | NO | | 100.000 |
| Total-tetrafurans | | | 0.00e0 | | 0.827 | | | 485 | | 0.00e0 | | | | | |
| Total-penta1 | | | 0.00e0 | | | | | 637 | | 0.00e0 | | | | | |
| Total-pentafurans | | | 1.33e4 | | 0.837 | | | 904 | | 1.87e5 | | | | | 0.949 |
| Total-hexafurans | | | 2.14e4 | | 0.977 | | | 744 | | 2.96e5 | | | | | 1.936 |
| Total-heptafurans | | | 8.43e3 | | 1.142 | | | 578 | | 1.18e5 | | | | | 0.939 |
| Total-Furans | | | 4.95e4 | | 0.971 | | | 485 | | 6.63e5 | | | | | 4.731 |
| Total-tetradioxins | | | 4.69e2 | | 1.023 | | | 1054 | | 6.87e3 | | | | | 0.029 |
| Total-pentadioxins | | | 5.05e3 | | 0.939 | | | 992 | | 6.91e4 | | | | | 0.476 |
| Total-hexadioxins | | | 1.45e4 | | 0.919 | | | 776 | | 2.00e5 | | | | | 1.522 |
| Total-heptadioxins | | | 3.51e3 | | 0.964 | | | 577 | | 4.71e4 | | | | | 0.463 |
| Total-Dioxins | | | 3.06e4 | | 0.950 | | | 1054 | | 3.92e5 | | | | | 3.508 |
| Total-TEQ | | | 8.00e4 | | | | | 1054 | | 1.06e6 | | | | | 8.238 |
| 37CL-2378-TCDD | 26.377 | 1.032 | 2.51e3 | | 1.091 | | | 1500 | | 3.36e4 | | 22.4 | | | 0.096 |
| FUNCTION1 PFK | | | 1.87e6 | | | | | 603060 | | 3.14e7 | | | | | |
| FUNCTION2 PFK | | | 1.61e6 | | | | | 146963 | | 2.27e7 | | | | | 0.000 |
| FUNCTION3 PFK | | | 1.19e6 | | | | | 505723 | | 2.64e7 | | | | | 0.000 |
| FUNCTION4 PFK | | | 1.79e7 | | | | | 304568 | | 5.90e7 | | | | | |
| FUNCTION5 PFK | | | 1.94e5 | | | | | 243188 | | 8.67e6 | | | | | |
| FUNCTION1 HXCDPE | | | 0.00e0 | | | | | 477 | | 0.00e0 | | | | | |
| FUNCTION1 HPCDPE | | | 3.32e2 | | | | | 653 | | 7.06e3 | | | | | 0.000 |
| FUNCTION2 HPCDPE | | | 1.96e2 | | | | | 800 | | 4.03e3 | | | | | 0.000 |
| FUNCTION3 OCDPE | | | 0.00e0 | | | | | 338 | | 0.00e0 | | | | | |
| FUNCTION4 NCDPE | | | 0.00e0 | | | | | 765 | | 0.00e0 | | | | | |
| FUNCTION5 DCDPE | | | 0.00e0 | | | | | 278 | | 0.00e0 | | | | | |

Quantify Sample Report MassLynx MassLynx V4.1 SCN909






Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

Method: P:\DIOXIN8290.PRO\MethDB\Dioxin1510153SN.mdb 15 Oct 2015 16:11:27
Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27

ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk








ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time






ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\15101504.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time






ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909





Dataset: P:\DIOXIN8290.PRO\15101504.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
 Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time


ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk




Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qid
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk


13C-123478-HxCDD
15101504




13C-123478-HxCDD
15101504




Total-hexadioxins
15101504



Total-hexadioxins
15101504



FUNCTION3 PFK
15101504






MANUAL ADJUSTMENTS

- 1. Peak not 134.89
- 2. Peak Chromatography
- 3. Peak Chromatography
- 4. Baseline Correction
- 5. Total Calculation

Date 10/16/15

Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk




Quantify Sample Report MassLynx MassLynx V4.1 SCN909


Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk


13C-1234678-HpCDD




13C-1234678-HpCDD




Total-heptadioxins



Total-heptadioxins



FUNCTION4 PFK




Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk


13C-1234678-HpCDF

15101504




13C-1234678-HpCDF

15101504




Total-heptafurans

15101504




Total-heptafurans

15101504








FUNCTION4 NCDPE

15101504







Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:55 Pacific Daylight Time

ID: CSL, Name: 15101504, Date: 15-Oct-2015, Time: 15:02:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

Method: P:\DIOXIN8290.PRO\MethDB\Dioxin1510153SN.mdb 15 Oct 2015 16:11:27
 Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27

ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk

| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | Pred.R | Noise 1 | Noise 2 | Height 1 | Height 2 | S/N | EMPC? | EMPC | pg |
|-------------------|--------|-------|----------|----------|-------|-------|--------|---------|---------|----------|----------|--------|-------|---------|---------|
| 2378-TCDF | 25.749 | 1.001 | 5.93e3 | 8.82e3 | 0.827 | 0.672 | 0.770 | 584 | 991 | 7.13e4 | 1.16e5 | 122.2 | NO | 0.480 | 0.480 |
| 12378-PeCDF | 29.880 | 1.000 | 3.37e4 | 2.45e4 | 0.824 | 1.374 | 1.550 | 1606 | 1125 | 4.71e5 | 3.29e5 | 293.5 | NO | 2.360 | 2.360 |
| 23478-PeCDF | 31.217 | 1.000 | 3.46e4 | 2.54e4 | 0.850 | 1.361 | 1.550 | 1606 | 1125 | 5.18e5 | 3.49e5 | 322.4 | NO | 2.427 | 2.427 |
| 123478-HxCDF | 34.889 | 1.001 | 2.75e4 | 2.46e4 | 0.973 | 1.116 | 1.240 | 1175 | 875 | 4.00e5 | 3.50e5 | 340.0 | NO | 2.452 | 2.452 |
| 234678-HxCDF | 35.974 | 1.000 | 2.80e4 | 2.40e4 | 1.025 | 1.166 | 1.240 | 1175 | 875 | 4.02e5 | 3.37e5 | 341.8 | NO | 2.382 | 2.382 |
| 123678-HxCDF | 35.031 | 1.000 | 2.92e4 | 2.71e4 | 0.953 | 1.079 | 1.240 | 1175 | 875 | 4.03e5 | 3.73e5 | 342.7 | NO | 2.397 | 2.397 |
| 123789-HxCDF | 37.125 | 1.001 | 2.51e4 | 2.28e4 | 0.956 | 1.098 | 1.240 | 1175 | 875 | 3.33e5 | 3.04e5 | 283.7 | NO | 2.508 | 2.508 |
| 1234678-HpCDF | 39.174 | 1.001 | 2.40e4 | 2.65e4 | 1.153 | 0.903 | 1.050 | 770 | 799 | 3.38e5 | 3.72e5 | 438.7 | NO | 2.366 | 2.366 |
| 1234789-HpCDF | 41.805 | 1.000 | 1.94e4 | 2.11e4 | 1.131 | 0.922 | 1.050 | 770 | 799 | 2.44e5 | 2.86e5 | 317.5 | NO | 2.366 | 2.366 |
| OCDF | 46.951 | 1.006 | 3.25e4 | 3.93e4 | 1.023 | 0.828 | 0.890 | 966 | 954 | 3.16e5 | 3.79e5 | 326.5 | NO | 4.496 | 4.496 |
| 2378-TCDD | 26.392 | 1.001 | 5.13e3 | 7.07e3 | 1.023 | 0.725 | 0.770 | 887 | 473 | 6.59e4 | 9.62e4 | 74.3 | NO | 0.514 | 0.514 |
| 12378-PeCDD | 31.480 | 1.001 | 2.67e4 | 1.72e4 | 0.939 | 1.556 | 1.550 | 877 | 401 | 3.79e5 | 2.40e5 | 432.1 | NO | 2.435 | 2.435 |
| 123478-HxCDD | 36.116 | 1.001 | 2.37e4 | 1.81e4 | 0.963 | 1.307 | 1.240 | 784 | 671 | 3.36e5 | 2.68e5 | 428.4 | NO | 2.365 | 2.365 |
| 123678-HxCDD | 36.248 | 1.001 | 2.37e4 | 2.00e4 | 0.894 | 1.183 | 1.240 | 784 | 671 | 3.30e5 | 2.87e5 | 420.4 | NO | 2.412 | 2.412 |
| 123789-HxCDD | 36.664 | 1.012 | 2.40e4 | 1.85e4 | 0.900 | 1.292 | 1.240 | 784 | 671 | 3.24e5 | 2.58e5 | 413.3 | NO | 2.446 | 2.446 |
| 1234678-HpCDD | 40.950 | 1.000 | 1.88e4 | 1.83e4 | 0.964 | 1.026 | 1.050 | 713 | 739 | 2.34e5 | 2.25e5 | 328.2 | NO | 2.398 | 2.398 |
| OCDD | 46.682 | 1.000 | 3.36e4 | 3.59e4 | 0.969 | 0.938 | 0.890 | 601 | 722 | 3.52e5 | 3.55e5 | 585.9 | NO | 4.596 | 4.596 |
| 13C-2378-TCDF | 25.735 | 1.006 | 1.62e6 | 2.09e6 | 1.502 | 0.774 | 0.770 | 5261 | 2837 | 2.24e7 | 2.88e7 | 4261.1 | NO | 101.559 | 101.559 |
| 13C-12378-PeCDF | 29.869 | 1.168 | 1.85e6 | 1.14e6 | 1.215 | 1.613 | 1.550 | 4466 | 2387 | 2.48e7 | 1.58e7 | 5555.2 | NO | 101.124 | 101.124 |
| 13C-23478-PeCDF | 31.206 | 1.220 | 1.78e6 | 1.13e6 | 1.181 | 1.567 | 1.550 | 4466 | 2387 | 2.50e7 | 1.60e7 | 5603.3 | NO | 101.227 | 101.227 |
| 13C-123478-HxCDF | 34.867 | 0.951 | 7.41e5 | 1.44e6 | 1.246 | 0.513 | 0.510 | 2769 | 4074 | 1.05e7 | 2.07e7 | 3808.0 | NO | 99.206 | 99.206 |
| 13C-123678-HxCDF | 35.020 | 0.955 | 8.35e5 | 1.63e6 | 1.375 | 0.512 | 0.510 | 2769 | 4074 | 1.13e7 | 2.17e7 | 4088.3 | NO | 101.369 | 101.369 |
| 13C-234678-HxCDF | 35.963 | 0.981 | 7.23e5 | 1.41e6 | 1.186 | 0.514 | 0.510 | 2769 | 4074 | 1.01e7 | 1.95e7 | 3665.2 | NO | 101.537 | 101.537 |
| 13C-123789-HxCDF | 37.103 | 1.012 | 6.79e5 | 1.32e6 | 1.135 | 0.515 | 0.510 | 2769 | 4074 | 9.16e6 | 1.76e7 | 3309.0 | NO | 99.535 | 99.535 |
| 13C-1234678-HpCDF | 39.152 | 1.068 | 5.77e5 | 1.27e6 | 1.020 | 0.454 | 0.440 | 2333 | 3666 | 7.87e6 | 1.78e7 | 3374.5 | NO | 102.538 | 102.538 |
| 13C-1234789-HpCDF | 41.783 | 1.140 | 4.55e5 | 1.06e6 | 0.824 | 0.430 | 0.440 | 2333 | 3666 | 5.50e6 | 1.25e7 | 2357.7 | NO | 103.906 | 103.906 |
| 13C-1234-TCDD | 25.570 | 0.000 | 1.09e6 | 1.36e6 | 1.000 | 0.795 | 0.770 | 2900 | 1792 | 1.51e7 | 1.91e7 | 5208.6 | NO | 100.000 | 100.000 |
| 13C-2378-TCDD | 26.377 | 1.032 | 1.02e6 | 1.30e6 | 0.983 | 0.785 | 0.770 | 2900 | 1792 | 1.38e7 | 1.74e7 | 4767.5 | NO | 96.936 | 96.936 |
| 13C-12378-PeCDD | 31.458 | 1.230 | 1.17e6 | 7.48e5 | 0.787 | 1.566 | 1.550 | 1686 | 1300 | 1.65e7 | 1.05e7 | 9808.4 | NO | 100.157 | 100.157 |
| 13C-123478-HxCDD | 36.094 | 0.985 | 1.02e6 | 8.13e5 | 1.031 | 1.260 | 1.240 | 3984 | 1600 | 1.48e7 | 1.18e7 | 3710.6 | NO | 100.813 | 100.813 |
| 13C-123678-HxCDD | 36.226 | 0.988 | 1.12e6 | 9.02e5 | 1.137 | 1.245 | 1.240 | 3984 | 1600 | 1.55e7 | 1.25e7 | 3897.5 | NO | 100.794 | 100.794 |
| 13C-1234678-HpCDD | 40.928 | 1.117 | 8.13e5 | 7.91e5 | 0.892 | 1.028 | 1.050 | 2236 | 1618 | 1.03e7 | 9.76e6 | 4589.3 | NO | 101.780 | 101.780 |
| 13C-OCDD | 46.673 | 1.273 | 1.47e6 | 1.65e6 | 0.852 | 0.894 | 0.890 | 2822 | 2065 | 1.37e7 | 1.54e7 | 4866.9 | NO | 207.389 | 207.389 |

Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\151015\C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time





ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk

| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | Pred R | Noise 1 | Noise 2 | Height 1 | Height 2 | S/N | EMPC? | EMPC | pg |
|--------------------|--------|-------|----------|----------|-------|-------|--------|---------|---------|----------|----------|--------|-------|------|---------|
| 13C-123789-HxCDD | 36.653 | 0.000 | 9.74e5 | 7.93e5 | 1.000 | 1.228 | 1.240 | 3984 | 1600 | 1.33e7 | 1.07e7 | 3327.0 | NO | | 100.000 |
| Total-tetrafurans | | | 6.31e3 | | 0.827 | | | 584 | | 7.79e4 | | | | | 0.504 |
| Total-penta 1 | | | 0.00e0 | | | | | 489 | | 0.00e0 | | | | | 4.875 |
| Total-pentafurans | | | 6.94e4 | | 0.837 | | | 1606 | | 1.01e6 | | | | | 9.800 |
| Total-hexafurans | | | 1.11e5 | | 0.977 | | | 1175 | | 1.55e6 | | | | | 4.750 |
| Total-heptafurans | | | 4.36e4 | | 1.142 | | | 770 | | 5.87e5 | | | | | 24.425 |
| Total-Furans | | | 2.62e5 | | 0.971 | | | 584 | | 3.54e6 | | | | | 0.551 |
| Total-tetradioxins | | | 5.85e3 | | 1.023 | | | 887 | | 7.46e4 | | | | | 2.460 |
| Total-pentadioxins | | | 2.70e4 | | 0.939 | | | 877 | | 3.83e5 | | | | | 7.257 |
| Total-hexadioxins | | | 7.15e4 | | 0.919 | | | 784 | | 9.94e5 | | | | | 2.398 |
| Total-heptadioxins | | | 1.88e4 | | 0.964 | | | 713 | | 2.34e5 | | | | | 17.261 |
| Total-Dioxins | | | 1.57e5 | | 0.950 | | | 887 | | 2.04e6 | | | | | 41.687 |
| Total-TEQ | | | 4.19e5 | | | | | 887 | | 5.58e6 | | 119.1 | | | 0.485 |
| 37CL-2378-TCDD | 26.392 | 1.032 | 1.29e4 | | 1.091 | | | 1496 | | 1.78e5 | | | | | |
| FUNCTION1 PFK | | | 5.66e7 | | | | | 671431 | | 2.16e8 | | | | | 0.000 |
| FUNCTION2 PFK | | | 6.17e4 | | | | | 111219 | | 2.26e6 | | | | | 0.000 |
| FUNCTION3 PFK | | | 4.23e5 | | | | | 420338 | | 1.06e7 | | | | | |
| FUNCTION4 PFK | | | 4.50e5 | | | | | 241972 | | 1.35e7 | | | | | |
| FUNCTION5 PFK | | | 0.00e0 | | | | | 236957 | | 0.00e0 | | | | | |
| FUNCTION1 HXCDPE | | | 8.20e1 | | | | | 368 | | 1.35e3 | | | | | 0.000 |
| FUNCTION1 HPCDPE | | | 3.42e2 | | | | | 695 | | 7.44e3 | | | | | 0.000 |
| FUNCTION2 HPCDPE | | | 0.00e0 | | | | | 676 | | 0.00e0 | | | | | |
| FUNCTION3 OCDPE | | | 0.00e0 | | | | | 412 | | 0.00e0 | | | | | |
| FUNCTION4 NCDPE | | | 0.00e0 | | | | | 549 | | 0.00e0 | | | | | |
| FUNCTION5 DCDPE | | | 0.00e0 | | | | | 292 | | 0.00e0 | | | | | |

Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

Method: P:\DIOXIN8290.PRO\MethDB\Dioxin\1510153SN.mdb 15 Oct 2015 16:11:27
Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27





ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909




Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk








1. Peak not found
2. Peak Chromatography
3. Baseline Correction
4. Peaks Calculation

5. Out of Date 10/16/15

Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\15101505.C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time


ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk




Quantify Sample Report
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk


13C-12378-PeCDF




13C-12378-PeCDF




Total-penta1



Total-penta1



FUNCTION1 HPCDFE




Quantify Sample Report MassLynx V4.1 SCN909


Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk


13C-23478-PeCDF




13C-23478-PeCDF




Total-pentafurans



Total-pentafurans








FUNCTION2 HPCDPE








Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk








Quantify Sample Report
MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time





ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx V4.1 SCN909

Dataset: P:\D\OXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time






ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909





Dataset: P:\DIOXIN8290.PRO\151015\IC.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report
MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:57 Pacific Daylight Time

ID: CS1, Name: 15101505, Date: 15-Oct-2015, Time: 16:02:00, Conditions: AUTOSPEC01, User: pk



Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

Method: P:\DIOXIN8290.PRO\MethDB\Dioxin1510153SN.mdb 15 Oct 2015 16:11:27
 Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27

ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk

| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | PredR | Noise1 | Noise2 | Height1 | Height2 | S/N | EMPC? | EMPC | pg |
|-------------------|--------|-------|----------|----------|-------|-------|-------|--------|--------|---------|---------|---------|-------|---------|---------|
| 2378-TCDF | 25.735 | 1.001 | 2.52e4 | 3.83e4 | 0.827 | 0.657 | 0.770 | 839 | 1298 | 3.63e5 | 5.49e5 | 433.0 | NO | 1.958 | 1.958 |
| 12378-PeCDF | 29.869 | 1.001 | 1.45e5 | 1.07e5 | 0.824 | 1.352 | 1.550 | 937 | 1454 | 2.04e6 | 1.51e6 | 2181.0 | NO | 9.850 | 9.850 |
| 23478-PeCDF | 31.206 | 1.000 | 1.49e5 | 1.05e5 | 0.850 | 1.418 | 1.550 | 937 | 1454 | 2.14e6 | 1.52e6 | 2284.7 | NO | 9.966 | 9.966 |
| 123478-HxCDF | 34.878 | 1.001 | 1.18e5 | 1.05e5 | 0.973 | 1.125 | 1.240 | 1419 | 2043 | 1.72e6 | 1.57e6 | 1209.2 | NO | 9.879 | 9.879 |
| 234678-HxCDF | 35.963 | 1.000 | 1.17e5 | 1.05e5 | 1.025 | 1.116 | 1.240 | 1419 | 2043 | 1.65e6 | 1.50e6 | 1164.7 | NO | 9.805 | 9.805 |
| 123678-HxCDF | 35.020 | 1.000 | 1.27e5 | 1.18e5 | 0.953 | 1.082 | 1.240 | 1419 | 2043 | 1.69e6 | 1.60e6 | 1193.5 | NO | 10.006 | 10.006 |
| 123789-HxCDF | 37.114 | 1.001 | 1.06e5 | 9.27e4 | 0.956 | 1.142 | 1.240 | 1419 | 2043 | 1.43e6 | 1.25e6 | 1004.9 | NO | 9.648 | 9.648 |
| 1234678-HpCDF | 39.164 | 1.000 | 1.04e5 | 1.11e5 | 1.153 | 0.941 | 1.050 | 1298 | 1377 | 1.46e6 | 1.61e6 | 1122.2 | NO | 9.908 | 9.908 |
| 1234789-HpCDF | 41.794 | 1.000 | 8.31e4 | 9.01e4 | 1.131 | 0.923 | 1.050 | 1298 | 1377 | 1.03e6 | 1.07e6 | 789.9 | NO | 9.996 | 9.996 |
| OCDF | 46.951 | 1.006 | 1.40e5 | 1.74e5 | 1.023 | 0.807 | 0.890 | 1155 | 1576 | 1.38e6 | 1.70e6 | 1197.8 | NO | 19.937 | 19.937 |
| 2378-TCDD | 26.377 | 1.001 | 2.25e4 | 2.81e4 | 1.023 | 0.800 | 0.770 | 956 | 615 | 3.06e5 | 3.99e5 | 320.0 | NO | 1.878 | 1.878 |
| 12378-PeCDD | 31.469 | 1.001 | 1.15e5 | 7.41e4 | 0.939 | 1.554 | 1.550 | 1151 | 597 | 1.64e6 | 1.01e6 | 1421.8 | NO | 10.117 | 10.117 |
| 123478-HxCDD | 36.105 | 1.001 | 9.98e4 | 8.00e4 | 0.963 | 1.247 | 1.240 | 850 | 1765 | 1.47e6 | 1.18e6 | 1727.4 | NO | 9.916 | 9.916 |
| 123678-HxCDD | 36.237 | 1.001 | 1.01e5 | 8.20e4 | 0.894 | 1.234 | 1.240 | 850 | 1765 | 1.41e6 | 1.15e6 | 1656.6 | NO | 9.685 | 9.685 |
| 123789-HxCDD | 36.653 | 1.012 | 9.66e4 | 8.07e4 | 0.900 | 1.198 | 1.240 | 850 | 1765 | 1.34e6 | 1.09e6 | 1573.6 | NO | 9.850 | 9.850 |
| 1234678-HpCDD | 40.939 | 1.000 | 8.33e4 | 7.87e4 | 0.964 | 1.059 | 1.050 | 950 | 1252 | 1.05e6 | 1.00e6 | 1103.4 | NO | 10.074 | 10.074 |
| OCDD | 46.682 | 1.000 | 1.37e5 | 1.55e5 | 0.969 | 0.881 | 0.890 | 1241 | 1433 | 1.36e6 | 1.53e6 | 1099.0 | NO | 19.525 | 19.525 |
| 13C-2378-TCDF | 25.719 | 1.006 | 1.71e6 | 2.21e6 | 1.502 | 0.774 | 0.770 | 4466 | 2203 | 2.40e7 | 3.12e7 | 5378.2 | NO | 100.740 | 100.740 |
| 13C-12378-PeCDF | 29.847 | 1.168 | 1.88e6 | 1.23e6 | 1.215 | 1.536 | 1.550 | 3320 | 3079 | 2.61e7 | 1.70e7 | 7872.9 | NO | 98.692 | 98.692 |
| 13C-23478-PeCDF | 31.195 | 1.221 | 1.84e6 | 1.16e6 | 1.181 | 1.580 | 1.550 | 3320 | 3079 | 2.62e7 | 1.65e7 | 7879.7 | NO | 98.102 | 98.102 |
| 13C-123478-HxCDF | 34.856 | 0.951 | 7.85e5 | 1.54e6 | 1.246 | 0.511 | 0.510 | 4143 | 4385 | 1.14e7 | 2.22e7 | 2749.9 | NO | 98.524 | 98.524 |
| 13C-123678-HxCDF | 35.009 | 0.955 | 8.73e5 | 1.70e6 | 1.375 | 0.514 | 0.510 | 4143 | 4385 | 1.18e7 | 2.28e7 | 2849.3 | NO | 98.859 | 98.859 |
| 13C-234678-HxCDF | 35.952 | 0.981 | 7.60e5 | 1.45e6 | 1.186 | 0.525 | 0.510 | 4143 | 4385 | 1.05e7 | 2.02e7 | 2545.1 | NO | 98.304 | 98.304 |
| 13C-123789-HxCDF | 37.092 | 1.012 | 7.36e5 | 1.42e6 | 1.135 | 0.520 | 0.510 | 4143 | 4385 | 9.99e6 | 1.93e7 | 2410.5 | NO | 100.229 | 100.229 |
| 13C-1234678-HpCDF | 39.153 | 1.069 | 5.82e5 | 1.30e6 | 1.020 | 0.448 | 0.440 | 2174 | 3772 | 8.21e6 | 1.81e7 | 3776.4 | NO | 97.518 | 97.518 |
| 13C-1234789-HpCDF | 41.783 | 1.140 | 4.58e5 | 1.07e6 | 0.824 | 0.426 | 0.440 | 2174 | 3772 | 5.59e6 | 1.27e7 | 2572.1 | NO | 98.306 | 98.306 |
| 13C-1234-TCDD | 25.555 | 0.000 | 1.14e6 | 1.45e6 | 1.000 | 0.790 | 0.770 | 2845 | 1519 | 1.67e7 | 2.11e7 | 5865.5 | NO | 100.000 | 100.000 |
| 13C-2378-TCDD | 26.362 | 1.032 | 1.15e6 | 1.48e6 | 0.983 | 0.780 | 0.770 | 2845 | 1519 | 1.61e7 | 2.06e7 | 5645.0 | NO | 103.373 | 103.373 |
| 13C-12378-PeCDD | 31.447 | 1.231 | 1.21e6 | 7.84e5 | 0.787 | 1.539 | 1.550 | 1217 | 1716 | 1.71e7 | 1.09e7 | 14015.5 | NO | 97.611 | 97.611 |
| 13C-123478-HxCDD | 36.083 | 0.985 | 1.05e6 | 8.32e5 | 1.031 | 1.266 | 1.240 | 2022 | 1855 | 1.54e7 | 1.22e7 | 7608.2 | NO | 96.621 | 96.621 |
| 13C-123678-HxCDD | 36.215 | 0.988 | 1.17e6 | 9.41e5 | 1.137 | 1.248 | 1.240 | 2022 | 1855 | 1.62e7 | 1.30e7 | 7996.1 | NO | 98.403 | 98.403 |
| 13C-1234678-HpCDD | 40.917 | 1.117 | 8.49e5 | 8.19e5 | 0.892 | 1.037 | 1.050 | 2704 | 1983 | 1.08e7 | 1.04e7 | 3984.5 | NO | 98.878 | 98.878 |
| 13C-OCDD | 46.664 | 1.273 | 1.46e6 | 1.62e6 | 0.852 | 0.901 | 0.890 | 2413 | 2734 | 1.41e7 | 1.60e7 | 5839.2 | NO | 191.435 | 191.435 |

Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time





ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk

| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | Pred R | Noise 1 | Noise 2 | Height 1 | Height 2 | S/N | EMPC? | EMPC | pg |
|---------------------|--------|-------|----------|----------|-------|-------|--------|---------|---------|----------|----------|--------|-------|------|---------|
| 13C-123789-HxCDD | 36.643 | 0.000 | 1.05e6 | 8.40e5 | 1.000 | 1.251 | 1.240 | 2022 | 1855 | 1.43e7 | 1.14e7 | 7079.2 | NO | | 100.000 |
| Total-tetrafurans | | | 2.55e4 | | 0.827 | | | 839 | | 3.70e5 | | | | | 1.976 |
| Total-penta1 | | | 0.00e0 | | | | | 400 | | 0.00e0 | | | | | 20.262 |
| Total-pentafurans | | | 3.02e5 | | 0.837 | | | 937 | | 4.27e6 | | | | | 39.358 |
| Total-hexafurans | | | 4.69e5 | | 0.977 | | | 1419 | | 6.49e6 | | | | | 20.036 |
| Total-heptafurans | | | 1.88e5 | | 1.142 | | | 1298 | | 2.50e6 | | | | | 101.569 |
| Total-Furans | | | 1.12e6 | | 0.971 | | | 839 | | 1.50e7 | | | | | 1.906 |
| Total-tetra-dioxins | | | 2.31e4 | | 1.023 | | | 956 | | 3.16e5 | | | | | 10.154 |
| Total-penta-dioxins | | | 1.16e5 | | 0.939 | | | 1151 | | 1.65e6 | | | | | 29.500 |
| Total-hexa-dioxins | | | 2.98e5 | | 0.919 | | | 850 | | 4.22e6 | | | | | 10.198 |
| Total-hepta-dioxins | | | 8.45e4 | | 0.964 | | | 950 | | 1.07e6 | | | | | 71.283 |
| Total-Dioxins | | | 6.58e5 | | 0.950 | | | 956 | | 8.62e6 | | | | | 172.852 |
| Total-TEQ | | | 1.78e6 | | | | | 956 | | 2.36e7 | | | | | 1.950 |
| 37CL-2378-TCDD | 26.377 | 1.032 | 5.52e4 | | 1.091 | | | 1477 | | 7.70e5 | | 521.1 | | | 0.000 |
| FUNCTION1 PFK | | | 0.00e0 | | | | | 625796 | | 0.00e0 | | | | | 0.000 |
| FUNCTION2 PFK | | | 1.60e5 | | | | | 120675 | | 4.48e6 | | | | | |
| FUNCTION3 PFK | | | 0.00e0 | | | | | 435461 | | 0.00e0 | | | | | |
| FUNCTION4 PFK | | | 2.10e5 | | | | | 302741 | | 6.10e6 | | | | | |
| FUNCTION5 PFK | | | 0.00e0 | | | | | 260682 | | 0.00e0 | | | | | |
| FUNCTION1 HxCDPE | | | 0.00e0 | | | | | 411 | | 0.00e0 | | | | | 0.000 |
| FUNCTION1 HPCDPE | | | 1.84e2 | | | | | 576 | | 3.15e3 | | | | | 0.000 |
| FUNCTION2 HPCDPE | | | 3.96e2 | | | | | 960 | | 6.89e3 | | | | | |
| FUNCTION3 OCDPE | | | 0.00e0 | | | | | 365 | | 0.00e0 | | | | | |
| FUNCTION4 NCDPE | | | 0.00e0 | | | | | 566 | | 0.00e0 | | | | | |
| FUNCTION5 DCDPE | | | 0.00e0 | | | | | 278 | | 0.00e0 | | | | | |

Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

Method: P:\DIOXIN8290.PRO\MethDB\Dioxin1510153SN.mdb 15 Oct 2015 16:11:27
Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27






ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time






ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909






Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk








Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\151015IC.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk




Quantify Sample Report MassLynx MassLynx V4.1 SCN909


Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk


13C-23478-PeCDF




13C-23478-PeCDF




Total-pentafurans



Total-pentafurans








FUNCTION2 HPCDPE



Quantify Sample Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time






ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909






Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk








Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time






ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk




Quantify Sample Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:49:59 Pacific Daylight Time

ID: CS2, Name: 15101506, Date: 15-Oct-2015, Time: 16:52:59, Conditions: AUTOSPEC01, User: pk


37CL-2378-TCDD

15101506




OCDF

15101506




OCDF

15101506



FUNCTIONS DCDPE

15101506



Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

Method: P:\DIOXIN8290.PRO\MethDB\DiDioxin1510153SN.mdb 15 Oct 2015 16:11:27
 Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27

ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk

| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | Pred.R | Noise 1 | Noise 2 | Height 1 | Height 2 | SN | EMPC? | EMPC | P9 |
|-------------------|--------|-------|----------|----------|-------|-------|--------|---------|---------|----------|----------|---------|-------|---------|---------|
| 2378-TCDF | 25.750 | 1.001 | 1.48e5 | 2.24e5 | 0.827 | 0.661 | 0.770 | 1635 | 1444 | 2.09e6 | 3.19e6 | 1280.9 | NO | 9.965 | 9.965 |
| 12378-PeCDF | 29.880 | 1.000 | 8.77e5 | 6.25e5 | 0.824 | 1.404 | 1.550 | 2596 | 2474 | 1.25e7 | 8.98e6 | 4815.8 | NO | 51.210 | 51.210 |
| 23478-PeCDF | 31.218 | 1.000 | 8.61e5 | 6.18e5 | 0.850 | 1.394 | 1.550 | 2596 | 2474 | 1.25e7 | 8.96e6 | 4814.9 | NO | 50.437 | 50.437 |
| 123478-HxCDF | 34.889 | 1.001 | 6.87e5 | 6.04e5 | 0.973 | 1.138 | 1.240 | 3574 | 5225 | 9.98e6 | 8.86e6 | 2792.2 | NO | 50.593 | 50.593 |
| 234678-HxCDF | 35.975 | 1.001 | 6.80e5 | 6.15e5 | 1.025 | 1.106 | 1.240 | 3574 | 5225 | 9.64e6 | 8.64e6 | 2697.4 | NO | 50.959 | 50.959 |
| 123678-HxCDF | 35.032 | 1.000 | 7.12e5 | 6.64e5 | 0.953 | 1.073 | 1.240 | 3574 | 5225 | 8.99e6 | 8.94e6 | 2766.8 | NO | 50.555 | 50.555 |
| 123789-HxCDF | 37.126 | 1.001 | 5.81e5 | 5.30e5 | 0.956 | 1.097 | 1.240 | 3574 | 5225 | 8.04e6 | 7.22e6 | 2249.8 | NO | 48.065 | 48.065 |
| 1234678-HpCDF | 39.175 | 1.000 | 5.94e5 | 6.49e5 | 1.153 | 0.916 | 1.050 | 2948 | 2978 | 8.69e6 | 9.21e6 | 2947.4 | NO | 50.934 | 50.934 |
| 1234789-HpCDF | 41.806 | 1.000 | 4.74e5 | 5.09e5 | 1.131 | 0.930 | 1.050 | 2948 | 2978 | 5.89e6 | 6.25e6 | 1996.7 | NO | 51.541 | 51.541 |
| OCDF | 46.961 | 1.006 | 8.10e5 | 9.78e5 | 1.023 | 0.828 | 0.890 | 1918 | 3140 | 7.67e6 | 9.30e6 | 3999.3 | NO | 101.917 | 101.917 |
| 2378-TCDD | 26.392 | 1.001 | 1.33e5 | 1.67e5 | 1.023 | 0.795 | 0.770 | 1346 | 1088 | 1.93e6 | 2.40e6 | 1435.2 | NO | 9.546 | 9.546 |
| 12378-PeCDD | 31.481 | 1.001 | 6.50e5 | 4.24e5 | 0.939 | 1.534 | 1.550 | 3247 | 2345 | 9.31e6 | 5.99e6 | 2868.1 | NO | 49.938 | 49.938 |
| 123478-HxCDD | 36.117 | 1.001 | 5.83e5 | 4.70e5 | 0.963 | 1.241 | 1.240 | 3172 | 3754 | 8.45e6 | 6.74e6 | 2662.7 | NO | 50.751 | 50.751 |
| 123678-HxCDD | 36.249 | 1.001 | 5.95e5 | 4.76e5 | 0.894 | 1.250 | 1.240 | 3172 | 3754 | 8.34e6 | 6.60e6 | 2628.5 | NO | 49.635 | 49.635 |
| 123789-HxCDD | 36.665 | 1.012 | 5.63e5 | 4.67e5 | 0.900 | 1.205 | 1.240 | 3172 | 3754 | 7.99e6 | 6.49e6 | 2520.0 | NO | 50.097 | 50.097 |
| 1234678-HpCDD | 40.940 | 1.000 | 4.66e5 | 4.46e5 | 0.964 | 1.045 | 1.050 | 2500 | 2672 | 5.86e6 | 5.70e6 | 2342.8 | NO | 51.110 | 51.110 |
| OCDD | 46.692 | 1.000 | 7.93e5 | 8.94e5 | 0.969 | 0.887 | 0.890 | 1924 | 2997 | 7.73e6 | 8.76e6 | 4015.6 | NO | 101.536 | 101.536 |
| 13C-2378-TCDF | 25.735 | 1.006 | 1.98e6 | 2.54e6 | 1.502 | 0.777 | 0.770 | 4103 | 2128 | 2.80e7 | 3.61e7 | 6831.3 | NO | 99.121 | 99.121 |
| 13C-12378-PeCDF | 29.869 | 1.168 | 2.17e6 | 1.39e6 | 1.215 | 1.564 | 1.550 | 3436 | 3503 | 3.05e7 | 1.94e7 | 8869.4 | NO | 96.507 | 96.507 |
| 13C-23478-PeCDF | 31.207 | 1.220 | 2.11e6 | 1.34e6 | 1.181 | 1.569 | 1.550 | 3436 | 3503 | 2.98e7 | 1.89e7 | 8686.2 | NO | 96.216 | 96.216 |
| 13C-123478-HxCDF | 34.868 | 0.951 | 8.88e5 | 1.74e6 | 1.246 | 0.511 | 0.510 | 4050 | 5222 | 1.26e7 | 2.47e7 | 3107.0 | NO | 103.127 | 103.127 |
| 13C-123678-HxCDF | 35.021 | 0.955 | 9.55e5 | 1.90e6 | 1.375 | 0.502 | 0.510 | 4050 | 5222 | 1.33e7 | 2.57e7 | 3276.3 | NO | 101.719 | 101.719 |
| 13C-234678-HxCDF | 35.953 | 0.981 | 8.46e5 | 1.63e6 | 1.186 | 0.518 | 0.510 | 4050 | 5222 | 1.18e7 | 2.29e7 | 2925.5 | NO | 102.306 | 102.306 |
| 13C-123789-HxCDF | 37.104 | 1.012 | 8.22e5 | 1.60e6 | 1.135 | 0.515 | 0.510 | 4050 | 5222 | 1.12e7 | 2.18e7 | 2757.3 | NO | 104.332 | 104.332 |
| 13C-1234678-HpCDF | 39.164 | 1.069 | 6.46e5 | 1.47e6 | 1.020 | 0.440 | 0.440 | 2620 | 3278 | 9.11e6 | 2.04e7 | 3478.6 | NO | 101.503 | 101.503 |
| 13C-1234789-HpCDF | 41.784 | 1.140 | 5.18e5 | 1.17e6 | 0.824 | 0.443 | 0.440 | 2620 | 3278 | 6.14e6 | 1.38e7 | 2343.4 | NO | 100.233 | 100.233 |
| 13C-1234-TCDD | 25.570 | 0.000 | 1.34e6 | 1.70e6 | 1.000 | 0.788 | 0.770 | 2546 | 1117 | 1.91e7 | 2.42e7 | 7495.4 | NO | 100.000 | 100.000 |
| 13C-2378-TCDD | 26.377 | 1.032 | 1.35e6 | 1.72e6 | 0.983 | 0.786 | 0.770 | 2546 | 1117 | 1.85e7 | 2.35e7 | 7274.0 | NO | 103.155 | 103.155 |
| 13C-12378-PeCDD | 31.459 | 1.230 | 1.40e6 | 8.90e5 | 0.787 | 1.573 | 1.550 | 1509 | 1046 | 2.01e7 | 1.27e7 | 13319.8 | NO | 95.870 | 95.870 |
| 13C-123478-HxCDD | 36.095 | 0.985 | 1.20e6 | 9.53e5 | 1.031 | 1.260 | 1.240 | 1966 | 1269 | 1.74e7 | 1.39e7 | 8838.3 | NO | 102.307 | 102.307 |
| 13C-123678-HxCDD | 36.227 | 0.988 | 1.33e6 | 1.08e6 | 1.137 | 1.226 | 1.240 | 1966 | 1269 | 1.87e7 | 1.51e7 | 9507.2 | NO | 104.017 | 104.017 |
| 13C-1234678-HpCDD | 40.929 | 1.117 | 9.49e5 | 9.02e5 | 0.892 | 1.052 | 1.050 | 2167 | 2336 | 1.21e7 | 1.16e7 | 5603.6 | NO | 101.551 | 101.551 |
| 13C-OCDD | 46.674 | 1.273 | 1.62e6 | 1.81e6 | 0.852 | 0.900 | 0.890 | 2426 | 2975 | 1.56e7 | 1.75e7 | 6441.4 | NO | 197.193 | 197.193 |

Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time





ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk

| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | Pred.R | Noise 1 | Noise 2 | Height 1 | Height 2 | S/N | EMPC? | EMPC | pg |
|---------------------|--------|-------|----------|----------|-------|-------|--------|---------|---------|----------|----------|--------|-------|------|----------|
| 13C-123789-HXCDD | 36.654 | 0.000 | 1.13e6 | 9.11e5 | 1.000 | 1.242 | 1.240 | 1966 | 1269 | 1.56e7 | 1.26e7 | 7955.6 | NO | | 100.000 |
| Total-tetrafurans | | | 4.56e5 | | 0.827 | | | 1635 | | 6.51e6 | | | | | 30.520 |
| Total-penta1 | | | 1.35e6 | | | | | 1234 | | 1.90e7 | | | | | 69.154 |
| Total-pentafurans | | | 2.64e6 | | 0.837 | | | 2596 | | 3.78e7 | | | | | 154.462 |
| Total-hexafurans | | | 3.48e6 | | 0.977 | | | 3574 | | 4.92e7 | | | | | 261.036 |
| Total-heptafurans | | | 1.07e6 | | 1.142 | | | 2948 | | 1.46e7 | | | | | 102.756 |
| Total-Furans | | | 9.81e6 | | 0.971 | | | 1635 | | 1.35e8 | | | | | 719.863 |
| Total-tetra-dioxins | | | 7.33e5 | | 1.023 | | | 1346 | | 8.95e6 | | | | | 52.983 |
| Total-penta-dioxins | | | 2.33e6 | | 0.939 | | | 3247 | | 2.86e7 | | | | | 178.127 |
| Total-hexa-dioxins | | | 2.49e6 | | 0.919 | | | 3172 | | 3.56e7 | | | | | 215.714 |
| Total-hepta-dioxins | | | 1.01e6 | | 0.964 | | | 2500 | | 1.32e7 | | | | | 109.915 |
| Total-Dioxins | | | 7.35e6 | | 0.950 | | | 1346 | | 9.41e7 | | | | | 658.283 |
| Total-TEQ | | | 1.72e7 | | | | | 1346 | | 2.29e8 | | | | | 1378.147 |
| 37CL-2378-TCDD | 26.392 | 1.032 | 3.31e5 | | 1.091 | | | 1268 | | 4.73e6 | | 3727.2 | | | 10.009 |
| FUNCTION1 PFK | | | 4.74e5 | | | | | 551976 | | 6.71e6 | | | | | 0.000 |
| FUNCTION2 PFK | | | 1.12e5 | | | | | 96938 | | 3.54e6 | | | | | 0.000 |
| FUNCTION3 PFK | | | 6.72e5 | | | | | 408622 | | 1.67e7 | | | | | 0.000 |
| FUNCTION4 PFK | | | 5.25e5 | | | | | 291757 | | 1.63e7 | | | | | 0.000 |
| FUNCTION5 PFK | | | 2.09e5 | | | | | 199987 | | 7.29e6 | | | | | 0.000 |
| FUNCTION1 HXCDPE | | | 2.35e2 | | | | | 456 | | 3.03e3 | | | | | 0.000 |
| FUNCTION1 HPCDPE | | | 1.68e2 | | | | | 713 | | 4.25e3 | | | | | 0.000 |
| FUNCTION2 HPCDPE | | | 1.52e3 | | | | | 827 | | 2.45e4 | | | | | 0.000 |
| FUNCTION3 OCDPE | | | 0.00e0 | | | | | 292 | | 0.00e0 | | | | | 0.000 |
| FUNCTION4 NCDPE | | | 0.00e0 | | | | | 634 | | 0.00e0 | | | | | 0.000 |
| FUNCTION5 DCDPE | | | 0.00e0 | | | | | 288 | | 0.00e0 | | | | | 0.000 |

Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

Method: P:\DIOXIN8290.PRO\MethDB\Dioxin\1510153SN.mdb 15 Oct 2015 16:11:27
Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27






ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time


ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk




Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.d
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk


13C-2378-TCDF




13C-2378-TCDF




Total-tetrafurans



Total-tetrafurans








FUNCTION1 HXCDFE



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time




ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909






Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk








Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk




Quantify Sample Report MassLynx MassLynx V4.1 SCN909


Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk


13C-234678-HxCDF




13C-234678-HxCDF




Total-hexafurans



Total-hexafurans








FUNCTION3 OCDPE



Quantify Sample Report
MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time






ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909






Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk







Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.dld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:01 Pacific Daylight Time

ID: CS3, Name: 15101507, Date: 15-Oct-2015, Time: 17:45:44, Conditions: AUTOSPEC01, User: pk



Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:50:03 Pacific Daylight Time

Method: P:\DIOXIN8290.PRO\MethDB\Dioxin1510153SN.mdb 15 Oct 2015 16:11:27
 Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27

ID: CS4, Name: 15101508, Date: 15-Oct-2015, Time: 18:38:36, Conditions: AUTOSPEC01, User: pk

| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | Pred R | Noise 1 | Noise 2 | Height 1 | Height 2 | SN | EMPC? | EMPC | PG |
|-------------------|--------|-------|----------|----------|-------|-------|--------|---------|---------|----------|----------|---------|-------|---------|---------|
| 2378-TCDF | 25.735 | 1.001 | 4.97e5 | 7.43e5 | 0.827 | 0.688 | 0.770 | 1123 | 1359 | 6.87e6 | 1.02e7 | 6112.1 | NO | 41.111 | 41.111 |
| 12378-PeCDF | 29.869 | 1.000 | 2.92e6 | 2.05e6 | 0.824 | 1.428 | 1.550 | 3249 | 3383 | 4.12e7 | 2.88e7 | 12689.7 | NO | 207.004 | 207.004 |
| 23478-PeCDF | 31.206 | 1.000 | 2.86e6 | 2.02e6 | 0.850 | 1.412 | 1.550 | 3249 | 3383 | 4.06e7 | 2.90e7 | 12497.4 | NO | 205.103 | 205.103 |
| 123478-HxCDF | 34.878 | 1.001 | 2.24e6 | 1.99e6 | 0.973 | 1.121 | 1.240 | 4216 | 4631 | 3.21e7 | 2.87e7 | 7624.3 | NO | 204.181 | 204.181 |
| 234678-HxCDF | 35.963 | 1.000 | 2.25e6 | 2.00e6 | 1.025 | 1.128 | 1.240 | 4216 | 4631 | 3.19e7 | 2.83e7 | 7565.1 | NO | 209.149 | 209.149 |
| 123678-HxCDF | 35.020 | 1.000 | 2.41e6 | 2.14e6 | 0.953 | 1.127 | 1.240 | 4216 | 4631 | 3.30e7 | 2.95e7 | 7820.4 | NO | 210.494 | 210.494 |
| 123789-HxCDF | 37.114 | 1.001 | 1.92e6 | 1.71e6 | 0.956 | 1.124 | 1.240 | 4216 | 4631 | 2.57e7 | 2.30e7 | 6098.1 | NO | 194.774 | 194.774 |
| 1234678-HpCDF | 39.164 | 1.000 | 1.95e6 | 2.09e6 | 1.153 | 0.936 | 1.050 | 4135 | 3642 | 2.80e7 | 3.00e7 | 6762.6 | NO | 203.265 | 203.265 |
| 1234789-HpCDF | 41.794 | 1.000 | 1.60e6 | 1.66e6 | 1.131 | 0.969 | 1.050 | 4135 | 3642 | 1.91e7 | 2.02e7 | 4616.7 | NO | 209.362 | 209.362 |
| OCDF | 46.951 | 1.006 | 2.90e6 | 3.51e6 | 1.023 | 0.827 | 0.890 | 2913 | 2843 | 2.75e7 | 3.31e7 | 9452.7 | NO | 438.434 | 438.434 |
| 2378-TCDD | 26.377 | 1.001 | 4.40e5 | 5.66e5 | 1.023 | 0.776 | 0.770 | 1356 | 1109 | 6.16e6 | 7.82e6 | 4544.7 | NO | 39.514 | 39.514 |
| 12378-PeCDD | 31.469 | 1.001 | 2.24e6 | 1.45e6 | 0.939 | 1.545 | 1.550 | 2031 | 1389 | 3.16e7 | 2.04e7 | 15551.3 | NO | 207.432 | 207.432 |
| 123478-HxCDD | 36.105 | 1.001 | 1.94e6 | 1.57e6 | 0.963 | 1.236 | 1.240 | 2770 | 3087 | 2.79e7 | 2.24e7 | 10054.8 | NO | 207.948 | 207.948 |
| 123678-HxCDD | 36.237 | 1.001 | 1.93e6 | 1.58e6 | 0.894 | 1.224 | 1.240 | 2770 | 3087 | 2.69e7 | 2.18e7 | 9710.0 | NO | 205.453 | 205.453 |
| 123789-HxCDD | 36.653 | 1.012 | 1.85e6 | 1.48e6 | 0.900 | 1.246 | 1.240 | 2770 | 3087 | 2.53e7 | 2.03e7 | 9143.2 | NO | 202.511 | 202.511 |
| 1234678-HpCDD | 40.939 | 1.000 | 1.50e6 | 1.45e6 | 0.964 | 1.031 | 1.050 | 2609 | 2291 | 1.94e7 | 1.87e7 | 7417.1 | NO | 207.392 | 207.392 |
| OCDD | 46.682 | 1.000 | 2.59e6 | 3.02e6 | 0.969 | 0.857 | 0.890 | 2866 | 3171 | 2.63e7 | 2.98e7 | 9161.3 | NO | 405.395 | 405.395 |
| 13C-2378-TCDF | 25.720 | 1.006 | 1.59e6 | 2.06e6 | 1.502 | 0.772 | 0.770 | 5235 | 2968 | 2.20e7 | 2.83e7 | 4210.6 | NO | 95.964 | 95.964 |
| 13C-12378-PeCDF | 29.858 | 1.168 | 1.80e6 | 1.12e6 | 1.215 | 1.607 | 1.550 | 4176 | 2382 | 2.44e7 | 1.57e7 | 5842.7 | NO | 94.801 | 94.801 |
| 13C-23478-PeCDF | 31.195 | 1.221 | 1.71e6 | 1.09e6 | 1.181 | 1.570 | 1.550 | 4176 | 2382 | 2.35e7 | 1.50e7 | 5636.5 | NO | 93.696 | 93.696 |
| 13C-123478-HxCDF | 34.856 | 0.951 | 7.16e5 | 1.41e6 | 1.246 | 0.507 | 0.510 | 2592 | 3718 | 1.01e7 | 1.99e7 | 3888.3 | NO | 98.681 | 98.681 |
| 13C-123678-HxCDF | 35.009 | 0.955 | 7.75e5 | 1.50e6 | 1.375 | 0.518 | 0.510 | 2592 | 3718 | 1.07e7 | 2.06e7 | 4137.3 | NO | 95.336 | 95.336 |
| 13C-234678-HxCDF | 35.952 | 0.981 | 6.77e5 | 1.30e6 | 1.186 | 0.519 | 0.510 | 2592 | 3718 | 9.45e6 | 1.79e7 | 3646.4 | NO | 96.416 | 96.416 |
| 13C-123789-HxCDF | 37.092 | 1.012 | 6.62e5 | 1.29e6 | 1.135 | 0.514 | 0.510 | 2592 | 3718 | 8.97e6 | 1.74e7 | 3459.1 | NO | 99.237 | 99.237 |
| 13C-1234678-HpCDF | 39.153 | 1.069 | 5.37e5 | 1.18e6 | 1.020 | 0.453 | 0.440 | 2382 | 3645 | 7.34e6 | 1.66e7 | 3082.0 | NO | 97.411 | 97.411 |
| 13C-1234789-HpCDF | 41.783 | 1.140 | 4.27e5 | 9.51e5 | 0.824 | 0.449 | 0.440 | 2382 | 3645 | 5.06e6 | 1.14e7 | 2124.9 | NO | 96.517 | 96.517 |
| 13C-1234-TCDD | 25.555 | 0.000 | 1.12e6 | 1.41e6 | 1.000 | 0.793 | 0.770 | 2614 | 1198 | 1.59e7 | 2.01e7 | 6089.8 | NO | 100.000 | 100.000 |
| 13C-2378-TCDD | 26.362 | 1.032 | 1.09e6 | 1.40e6 | 0.983 | 0.783 | 0.770 | 2614 | 1198 | 1.52e7 | 1.94e7 | 5807.8 | NO | 100.005 | 100.005 |
| 13C-12378-PeCDD | 31.447 | 1.230 | 1.16e6 | 7.28e5 | 0.787 | 1.598 | 1.550 | 1517 | 1086 | 1.63e7 | 1.03e7 | 10730.7 | NO | 94.917 | 94.917 |
| 13C-123478-HxCDD | 36.083 | 0.985 | 9.77e5 | 7.75e5 | 1.031 | 1.260 | 1.240 | 3305 | 1270 | 1.39e7 | 1.11e7 | 4201.9 | NO | 98.104 | 98.104 |
| 13C-123678-HxCDD | 36.215 | 0.988 | 1.06e6 | 8.47e5 | 1.137 | 1.253 | 1.240 | 3305 | 1270 | 1.48e7 | 1.19e7 | 4483.3 | NO | 96.898 | 96.898 |
| 13C-1234678-HpCDD | 40.917 | 1.117 | 7.57e5 | 7.22e5 | 0.892 | 1.048 | 1.050 | 1582 | 2146 | 9.78e6 | 9.34e6 | 6180.4 | NO | 95.658 | 95.658 |
| 13C-OCDD | 46.664 | 1.273 | 1.35e6 | 1.52e6 | 0.852 | 0.887 | 0.890 | 2841 | 2482 | 1.32e7 | 1.47e7 | 4995.2 | NO | 193.888 | 193.888 |

Quantify Sample Summary Report MassLynx MassLynx V4.1 SCN909

Dataset: P:\DIOXIN8290.PRO\1510151C.qld
 Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
 Printed: Friday, October 16, 2015 09:50:03 Pacific Daylight Time





ID: CS4, Name: 15101508, Date: 15-Oct-2015, Time: 18:38:36, Conditions: AUTOSPEC01, User: pk

| Name | RT | RRT | Ion1Area | Ion2Area | RRF | Ratio | Pred R | Noise 1 | Noise 2 | Height 1 | Height 2 | SIN | EMPC? | EMPC | pg |
|--------------------|--------|-------|----------|----------|-------|-------|--------|---------|---------|----------|----------|--------|-------|------|----------|
| 13C-123789-HxCDD | 36.643 | 0.000 | 9.64e5 | 7.68e5 | 1.000 | 1.255 | 1.240 | 3305 | 1270 | 1.29e7 | 1.03e7 | 3889.3 | NO | | 100.000 |
| Total-tetrafurans | | | 5.05e5 | | 0.827 | | | 1123 | | 6.99e6 | | | | | 41.805 |
| Total-penta1 | | | 2.08e2 | | | | | 533 | | 3.31e3 | | | | | 0.016 |
| Total-pentafurans | | | 5.91e6 | | 0.837 | | | 3249 | | 8.35e7 | | | | | 421.701 |
| Total-hexafurans | | | 8.83e6 | | 0.977 | | | 4216 | | 1.23e8 | | | | | 819.301 |
| Total-heptafurans | | | 3.56e6 | | 1.142 | | | 4135 | | 4.71e7 | | | | | 412.886 |
| Total-Furans | | | 2.17e7 | | 0.971 | | | 1123 | | 2.88e8 | | | | | 2134.144 |
| Total-tetradioxins | | | 4.51e5 | | 1.023 | | | 1356 | | 6.29e6 | | | | | 40.609 |
| Total-pentadioxins | | | 2.24e6 | | 0.939 | | | 2031 | | 3.17e7 | | | | | 207.918 |
| Total-hexadioxins | | | 5.72e6 | | 0.919 | | | 2770 | | 8.01e7 | | | | | 615.939 |
| Total-heptadioxins | | | 1.51e6 | | 0.964 | | | 2609 | | 1.94e7 | | | | | 208.239 |
| Total-Dioxins | | | 1.25e7 | | 0.950 | | | 1356 | | 1.64e8 | | | | | 1478.112 |
| Total-TEQ | | | 3.42e7 | | | | | 1356 | | 4.52e8 | | | | | 3612.256 |
| 37CL-2378-TCDD | 26.377 | 1.032 | 1.10e6 | | 1.091 | | | 1545 | | 1.52e7 | | 9828.2 | | | 39.722 |
| FUNCTION1 PFK | | | 1.59e6 | | | | | 560264 | | 2.50e7 | | | | | 0.000 |
| FUNCTION2 PFK | | | 1.60e5 | | | | | 128870 | | 4.73e6 | | | | | 0.000 |
| FUNCTION3 PFK | | | 2.32e7 | | | | | 462327 | | 1.82e8 | | | | | 0.000 |
| FUNCTION4 PFK | | | 1.98e5 | | | | | 264875 | | 5.72e6 | | | | | 0.000 |
| FUNCTION5 PFK | | | 0.00e0 | | | | | 245762 | | 0.00e0 | | | | | 0.000 |
| FUNCTION1 HXCDPE | | | 1.99e2 | | | | | 407 | | 3.45e3 | | | | | 0.000 |
| FUNCTION1 HPCDPE | | | 2.47e2 | | | | | 631 | | 5.42e3 | | | | | 0.000 |
| FUNCTION2 HPCDPE | | | 5.39e3 | | | | | 741 | | 7.76e4 | | | | | 0.000 |
| FUNCTION3 OCDPE | | | 0.00e0 | | | | | 322 | | 0.00e0 | | | | | 0.000 |
| FUNCTION4 NCDPE | | | 0.00e0 | | | | | 558 | | 0.00e0 | | | | | 0.000 |
| FUNCTION5 DCDPE | | | 0.00e0 | | | | | 346 | | 0.00e0 | | | | | 0.000 |

Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:03 Pacific Daylight Time






Method: P:\DIOXIN8290.PRO\MethDB\Dioxin1510153SN.mdb 15 Oct 2015 16:11:27
Calibration: P:\DIOXIN8290.PRO\CurveDB\1510151CAL.cdb 16 Oct 2015 09:47:27

ID: CS4, Name: 15101508, Date: 15-Oct-2015, Time: 18:38:36, Conditions: AUTOSPEC01, User: pk








Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:03 Pacific Daylight Time

ID: CS4, Name: 15101508, Date: 15-Oct-2015, Time: 18:38:36, Conditions: AUTOSPEC01, User: pk








Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\151015\C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:03 Pacific Daylight Time

ID: CS4, Name: 15101508, Date: 15-Oct-2015, Time: 18:38:36, Conditions: AUTOSPEC01, User: pk






Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:03 Pacific Daylight Time

ID: CS4, Name: 15101508, Date: 15-Oct-2015, Time: 18:38:36, Conditions: AUTOSPEC01, User: pk








Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:03 Pacific Daylight Time

ID: CS4, Name: 15101508, Date: 15-Oct-2015, Time: 18:38:36, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report
MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:03 Pacific Daylight Time

ID: CS4, Name: 15101508, Date: 15-Oct-2015, Time: 18:38:36, Conditions: AUTOSPEC01, User: pk



Quantify Sample Report MassLynx MassLynx V4.1 SCN909
Dataset: P:\DIOXIN8290.PRO\1510151C.qld
Last Altered: Friday, October 16, 2015 09:47:27 Pacific Daylight Time
Printed: Friday, October 16, 2015 09:50:03 Pacific Daylight Time

ID: CS4, Name: 15101508, Date: 15-Oct-2015, Time: 18:38:36, Conditions: AUTOSPEC01, User: pk

