

Chevron Environmental Management Company

PROGRESS REPORT NO. 124
FIRST SEMI-ANNUAL 2018

Former Unocal Seattle
Marketing Terminal 0724
3001 Elliott Avenue
Seattle, Washington

September 7, 2018

Progress Report No. 124

First Semi-Annual 2018

Eric Krueger

AFS Environmental Scientist

Samuel Miles

AFS Project Manager

Rebecca K. Andresen, L.G.

Vice President

PROGRESS REPORT NO. 124

FIRST SEMI-ANNUAL 2018

Former Unocal Seattle Marketing
Terminal 0724

Prepared for:

Chevron Environmental Management
Company

Prepared by:

Arcadis U.S., Inc.

1100 Olive Way

Suite 800

Seattle

Washington 98101

Tel 206 325 5254

Fax 206 325 8218

Our Ref.:

B0045363

Date:

September 7, 2018

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENTS

1	Introduction	1-3
2	Background	1-3
2.1	Site Description	1-3
2.2	Site History	1-3
3	Groundwater Compliance Monitoring	1-7
3.1	Historical LNAPL Monitoring Program	1-7
3.2	Second Semi-Annual 2017 Groundwater Monitoring	1-8
3.2.1	Third Quarter 2017 Groundwater Monitoring	1-8
3.2.2	Fourth Quarter 2017 Groundwater Monitoring	1-9
3.2.3	Groundwater Monitoring Results	1-10
3.2.4	Laboratory Data Verification Results	1-10
4	Remedial Activities	1-11
4.1	Upper Yard and Elliott Avenue LNAPL Removal	1-11
4.2	Lower Yard LNAPL Recovery	1-11
4.3	Offsite Area Remediation System	1-12
5	Conclusions	1-12
6	References	1-13

TABLES

Table 1. Monitoring Well History

Table 2. Summary of Groundwater Elevation Data

Table 3. Summary of Groundwater Analytical Data

Table 4. Summary of Groundwater Compliance as of First Semi-Annual 2018

FIGURES

Figure 1. Site Location Map

Figure 2. Site Map

Figure 3a. Groundwater Elevations - March 26, 2018

Progress Report No. 124

First Semi-Annual 2018

Figure 3b. Groundwater Elevations - June 19, 2018

Figure 4. Groundwater Analytical Summary Map - March 26, 2018 and June 20, 2018

Figure 5. Groundwater cPAH Data - March 26, 2018 and June 20, 2018

APPENDICES

Appendix A. Standard Operating Procedure

Appendix B. Field Data Sheets

Appendix C. Historical Groundwater Analytical Results

Appendix D. Historical Trends Graphs

Appendix E. Laboratory Report and Chain of Custody Forms

1 INTRODUCTION

On behalf of Chevron Environmental Management Company (Chevron), Arcadis U.S., Inc. (Arcadis) has prepared this report to document the first semi-annual 2018 groundwater sampling results for the former Seattle Marketing Terminal (Unocal 0724) located at 3001 Elliott Avenue in Seattle, Washington. The site and surrounding area are shown in **Figure 1**. This report summarizes the results of the groundwater gauging and sampling events conducted on March 26 and June 19-20, 2018 by Arcadis.

2 BACKGROUND

2.1 Site Description

The site was operated by the Union Oil Company of California (Unocal) as a bulk fuel distribution facility from the early 1900s to approximately 1975. Leaded and unleaded gasoline, diesel, lube oil, motor oils and petroleum-based solvents (non-chlorinated) were stored at the site. In the 1980s, the above-ground site structures were demolished. The site is defined in Order on Consent DE88-N223 and is divided into four contiguous areas: Upper Yard, Elliott Avenue, Lower Yard and the Offsite Area. The Upper Yard consists of the approximate area between Elliott Avenue and Western Avenue to the east and west, and Bay Street and Broad Street to the north and south. The Elliott Avenue area includes the length of Elliott Avenue between Bay Street and Broad Street. The Lower Yard consists of the area between Elliott Avenue and the Burlington Northern Santa Fe (BNSF) railroad tracks to the east and west, and Bay Street and Broad Street to the north and south. The Offsite Area generally comprises the BNSF railroad tracks right-of-way and Alaskan Way between Bay Street and Broad Street. A site map is included as **Figure 2**.

2.2 Site History

Chevron, on behalf of Unocal, is conducting cleanup of the site as required by Order on Consent DE88-N223 and Amendments 1 through 5. The initial Order on Consent was signed by Unocal and the Washington State Department of Ecology (Ecology) in December 1988. In July 1995, Amendment No. 4 was signed and contains cleanup targets and remedial action levels (RALs) for groundwater in the Upper Yard, Elliott Avenue, Lower Yard, and Offsite Area. Cleanup activities conducted by Unocal at the site included: an excavation with onsite treatment and offsite disposal of approximately 50,000 tons of soil from the Upper Yard; light non-aqueous phase liquid (LNAPL) recovery; and groundwater remediation (pump and treat) and excavation and disposal of approximately 45,000 tons of soil from Elliott Avenue and the Offsite Area.

In addition, Unocal excavated approximately 60,000 tons of soil exceeding the total petroleum hydrocarbon (TPH) RAL and removed and treated petroleum-containing groundwater (GeoEngineers, 1998). Petroleum-containing soils were typically excavated to depths of 15 to 20 feet below ground surface. The Lower Yard excavation was backfilled with clean fill material and moderately impacted petroleum-containing soils from the Upper and Lower Yards. The upper 95 percent confidence level of the mean for TPH concentrations remaining in these impacted Lower Yard soils used for backfill was below the RAL of 7,500 milligrams per kilogram (mg/kg) (GeoEngineers, 1998). Several feet of imported rock were placed at the base of the

excavation. According to Unocal, the average TPH concentration in these backfill soils was approximately 1,000 mg/kg (SAM, 1999).

The Upper Yard and Lower Yard properties of the site were sold by Unocal to the Trust for Public Land for the Seattle Art Museum (SAM) in 1999. In 2004, SAM began construction for redevelopment of the property, including the Offsite Area (which is owned by the City of Seattle Parks and Recreation), as the Olympic Sculpture Park (OSP). SAM entered a Pre-Purchaser Agreement with Ecology prior to their purchase of the property. As part of the agreement, SAM submitted remediation design reports to Ecology for the OSP. As provided in a January 17, 2008, letter, Ecology indicated that the terms of the Pre-Purchaser Agreement were satisfied. A Stipulation and Order of Dismissal (No. 99-2-50226-4SEA) was issued on October 31, 2008.

In conjunction with the OSP construction in the Offsite Area, Unocal conducted a “hot spot” excavation from July to October of 2005. The goal of this remedial action was to remove a source area of petroleum hydrocarbons and LNAPL in soil. Approximately 4,435 tons of petroleum-impacted soils were removed during the “hot spot” excavation (GeoEngineers, January 2006). Following the soil removal, the excavation was backfilled and the surface was restored with asphalt pavement.

On October 4, 2009, Arcadis submitted the *Work Plan for LNAPL Mobility Assessment, Natural Attenuation Monitoring and Surfactant Application Pilot Testing* to Ecology (October 2009 Work Plan). The October 2009 Work Plan was prepared in response to a letter from Ecology to Chevron dated June 8, 2009, requesting that Chevron assess the monitoring well network, address options for active remediation in the Offsite Area, conduct several short-term multiphase extraction (MPE) events on monitoring well MW-204 and on wells where LNAPL is observed in the Elliott Avenue Area and the Offsite Area and to further evaluate unfiltered/filtered samples of carcinogenic polycyclic aromatic hydrocarbons (cPAHs). This work plan outlined proposed activities to evaluate the monitoring well network, evaluate remedial alternatives for the site, and discussed the potential risk of cPAH concentrations remaining in groundwater in the Offsite Area. Specific areas addressed included LNAPL located in the Elliott Avenue Area, LNAPL along the railroad tracks and dissolved-phase concentrations in the Offsite Area.

Ecology approved the October 2009 Work Plan, with specific comments, on November 16, 2009. Following meetings with stakeholders and Ecology, Arcadis submitted the *Revised Work Plan for LNAPL Mobility Assessment, Natural Attenuation Monitoring and Surfactant Application Pilot Testing* (January 2010 Revised Work Plan) to Ecology on January 19, 2010.

On December 8, 2009, Ecology submitted a letter to Chevron approving the cancellation of fourth quarter 2009 groundwater compliance monitoring. In addition, Ecology recommended conducting semi-annual groundwater compliance monitoring for 2010 and quarterly monitoring for visual inspection, measurement and removal (if applicable) at monitoring wells MW-30 and MW-61A-R and recovery wells RW-1 through RW-3 and RW-21. Monitoring well MW-61A-R is a replacement for well MW-61A, which was originally an Upper Yard monitoring well. However, MW-61A-R is located in the Elliott Avenue right-of-way (ROW) and is currently referred to as an Elliott Avenue Area monitoring well.

On March 19, 2010, Ecology approved the January 2010 Revised Work Plan with additional specific comments. Following additional meetings, Arcadis submitted the *Addendum to the Revised Work Plan for LNAPL Mobility Assessment, Natural Attenuation Monitoring and Surfactant Application Pilot Testing* (May 2010 Addendum to the Revised Work Plan) on May 3, 2010, to address the additional stakeholder and

Ecology comments on the January 2010 Revised Work Plan. On May 18, 2010, Ecology approved the May 2010 Addendum to the Revised Work Plan via electronic mail. Field work to implement the May 2010 Addendum to the Revised Work Plan began in the summer of 2010.

Arcadis submitted the *2010 Summary Report and Risk Evaluation* on February 1, 2011 with the following recommendations and responses from Ecology:

- Continue quarterly gauging and semi-annual groundwater monitoring of wells MW-30, MW-61A-R, RW-3 and RW-21. Ecology concurred; both gauging and groundwater monitoring are ongoing for monitoring wells MW-30 and MW-61A-R. Recovery wells RW-3 and RW-21 were decommissioned with Ecology approval in June 2014 (discussed below).
- Continue semi-annual groundwater monitoring of wells MW-200 through MW-207. Ecology concurred: semi-annual groundwater monitoring is ongoing.
- Remove dissolved lead from the list of site constituents of concern. Dissolved lead has not been detected at the site since November 2007 and monitoring wells in the Offsite Area have at least 12 consecutive monitoring events without a dissolved-lead concentration exceedance. The few concentrations that were detected remained more than two orders of magnitude below the site RAL. Ecology concurred: effective second semi-annual 2011 monitoring event, lead is no longer a constituent of concern.
- Abandon piezometers PZ-61A-R, PZ-203, and PZ-204 in place. Ecology recommended maintaining and gauging piezometers through quarterly gauging during next two semi-annual monitoring events, then to re-evaluate. Piezometers PZ-61A-R, PZ-203, and PZ-204 were decommissioned in June 2014 with the approval of Ecology (discussed below).
- Abandon Trench D extraction wells RW-1, RW-2, RW-5 through RW-13 and RW-15 in place. Ecology recommended maintaining and quarterly gauging of Trench D extraction wells through the next two semi-annual monitoring events, then to re-evaluate. Quarterly gauging of extraction wells RW-1, RW-2, RW-5 through RW-13 and RW-15 for two additional semi-annual monitoring events was fulfilled. The Trench D extraction wells were decommissioned in June 2014, as discussed below.
- The LNAPL occasionally observed in wells RW-3, RW-21 or MW-30 is not mobile. Arcadis does not recommend further remedial operations on these wells unless quarterly gauging activities indicates a change in the volume or type of LNAPL present in the wells compared to historical observations. Ecology concurred and recommended continuing quarterly gauging through two semi-annual monitoring events and then to re-evaluate. Quarterly gauging of RW-3, RW-21 and MW-30 for two semi-annual monitoring events was fulfilled. Recovery wells RW-3 and RW-21 were decommissioned in June 2014 with the approval of Ecology (discussed below).
- Add monitoring well MW-205 to the quarterly gauging program. Ecology concurred: MW-205 was gauged quarterly as part of the quarterly gauging program ending in 2014.

- If LNAPL is observed and is recoverable, submit a sample for chemical testing and possible mobility parameter analysis. Ecology concurred. Recoverable thicknesses of LNAPL were observed in Trench D wells PZ-4.5, PZ-6, PZ-10.5, PZ-11.5, and PZ-13 in February 2014. Samples of the LNAPL were submitted for chemical analysis and in some cases, mobility parameter analysis. The results of these analyses were submitted in the Trench D Recovery System Decommissioning Summary and Recommendation for Replacement Well Installation” (Arcadis July, 2014).

In December 2012, Chevron submitted a revised Draft Amendment to the Order to Ecology. The proposed Amendment, which was prepared with the input of the City of Seattle and the SAM, recommended abandonment of the Trench D recovery wells and piezometers, installation of up to five replacement wells along the Trench D area, and additional groundwater monitoring. At the request of Ecology, Arcadis submitted the “Work Plan for Decommissioning Trench D Recovery System and Three Piezometers Installed in 2010” (Arcadis, May 2013). This work plan describes a scope of work to decommission remaining wells and equipment associated with Trench D, as well as the piezometers installed as part of the 2010 site assessment activities. This work plan was approved by Ecology in email correspondence dated July 29, 2013.

The decommissioning work was conducted in two phases. Phase I was conducted from February 21 to 25, 2014 and included the following activities:

- Prepared the site to allow access for equipment and vehicles.
- Removed the remediation system compound and equipment.
- Attempted to locate missing piezometers and recovery wells.
- Gauged recovery wells and piezometers.
- Received variance approval for well abandonment.

Separate LNAPL sampling events were completed between the two phases of decommissioning work on February 26 and May 5, 2014.

Phase II was conducted from June 9 to 13, 2014 and included the following activities:

- Gauged recovery wells and piezometers.
- Vacuum extraction of fluids from each recovery well and piezometer located along Trench D.
- Decommissioned recovery wells, piezometers, 2-inch lateral remediation system piping, and a 6-foot long by 4-foot wide recovery vault where the piping entered the former remediation system.
- Decommissioned of piezometers installed in 2010 (PZ-61A-R, PZ-203, and PZ-204).
- Disposed of waste materials generated by the above activities.

A report of the Trench D decommissioning activities, LNAPL summary and work plan for the installation of the replacement monitoring wells was submitted under separate cover "Trench D Recovery System Decommissioning Summary and Recommendation for Replacement Well Installation" (Arcadis July, 2014).

At the request of Ecology, Arcadis submitted a work plan for the installation of up to six additional monitoring wells in the Offsite Area. The work plan was approved by Ecology in correspondence dated May 29, 2015. The work plan was implemented in January 2016. A report documenting installation activities was submitted to Ecology on April 29, 2016.

3 GROUNDWATER COMPLIANCE MONITORING

3.1 Historical LNAPL Monitoring Program

During a comprehensive gauging event in September 2007, prior to well abandonment, LNAPL was observed in recovery well RW-21, located on the eastern side of the BNSF railroad tracks. Recovery well RW-21 was part of the Trench C remediation system and does not serve as a compliance well for the Lower Yard. Due to the presence of LNAPL, recovery well RW-21 was gauged on a bi-monthly basis between October 2007 and November 2009. Less than one-tenth of an inch of LNAPL was present in RW-21 in each of the gauging events prior to well redevelopment in December 2007. Due to the viscous nature of the LNAPL, the LNAPL thickness could not be accurately measured using an oil/water interface probe and a disposable bailer was used to confirm the presence of LNAPL. Observations of the interior casing of recovery well RW-21 indicated that a tar-like substance was present inside the well casing. Recovery well RW-21 was re-developed in January 2008 with a surge block and vacuum truck and in October 2008, the polyvinyl chloride (PVC) casing of recovery well RW-21 was cleaned with absorbent pads and re-developed using a vacuum truck.

Recovery wells RW-1 through RW-3 and RW-21 were added to a bi-monthly gauging program in 2007 as discussed with Ecology (November 2, 2007 phone conversation) to monitor for the presence of LNAPL from recovery well RW-21. Following Ecology's approval in November 2009, recovery wells RW-1 through RW-3 and RW-21 were reduced to quarterly gauging. Recovery wells RW-5 through RW-13 and RW-15 were also included in the gauging program during compliance monitoring events. However, recovery wells RW-12 and RW-15 could not be located between 2010 and Trench D abandonment activities in 2015 and are suspected to have been destroyed during maintenance activities along the BNSF ROW.

Field crews had been unable to locate five of the recovery wells, so a site visit was conducted on January 9th, 2013 with the intention of locating the missing wells. RW-6 was rediscovered, but RW-4, RW-12, RW-14 and RW-15 were not located during this visit. Accordingly, these recovery wells were not included in quarterly gauging events.

Recovery wells and associated piezometers in Trench D were decommissioned with the approval of Ecology in June 2014. During the Trench D decommissioning activities, a soil vacuum truck was used to try to locate RW-4 and RW-12, but they could not be found. The locations of RW-14 and RW-15 were surrounded by utilities so the soil vacuum locating activities could not be conducted in that area. The recovery wells and piezometers that were located along Trench D were decommissioned in the first half of 2014.

Quarterly gauging was conducted on March 26 and June 19, 2018. During both events, monitoring wells MW-30, MW-61A-R, MW-70R, and MW-200 through MW-207 were gauged to determine the presence of LNAPL. Monitoring wells MW-209 through MW-211 were not gauged due to access limitations; updated access negotiations are ongoing with BNSF. Droplets of LNAPL were observed on the oil-water interface probe in MW-30 and LNAPL was also observed using a bailer in MW-61A-R during the June 2018 event. No LNAPL was observed in any of the remaining wells during both gauging events. During both 2018 events, gauging activities were conducted at low tide to ensure that groundwater levels were within the monitoring well screen intervals. However, during the March 2018 event, Arcadis field crews encountered a submerged screen at monitoring well MW-206. Monitoring well history is summarized in **Table 1** and gauging is summarized in **Table 2**.

3.2 First Semi-Annual 2018 Groundwater Monitoring

3.2.1 First Quarter 2018 Groundwater Monitoring

On March 28, 2018, Arcadis conducted a groundwater gauging and sampling event at the site. During the gauging event, monitoring wells MW-30, MW-61A-R, MW-70R, MW-200 through MW-207 were gauged with an oil/water interface probe to determine depth to water and LNAPL thickness. No measurable LNAPL was overserved during this event. Gauging is summarized in **Table 2**. MW-209 through MW-211 were not gauged or sampled during this event due to an expired access agreement with BNSF. Arcadis and Chevron are currently in negotiation with BNSF to renew the access agreement.

Monitoring well MW-70R was purged and sampled with a peristaltic pump in general accordance with the procedures outlined in *Low-Flow Groundwater Purging and Sampling Procedures for Monitoring Wells* (Arcadis, 2009). This standard operating procedure (SOP) is included in **Appendix A**. Note that at the request of site stakeholders, tubing placement deviated from specifications in the SOP; tubing was placed within 6-inches of the groundwater surface in each monitoring well. Groundwater levels were conducted from each well prior to purging to assure the tubing was placed correctly. New, disposable Teflon-lined polyethylene tubing was used for sampling. Water quality parameters including temperature, pH, electrical conductivity, dissolved oxygen and oxidation/reduction potential were measured approximately every three minutes using an In-Situ[®] Aqua Troll 600 low-flow groundwater sampling system and were recorded on the field data sheets included in **Appendix B**. Monitoring wells MW-209 through MW-211 were not sampled during the March 2018 event due to access issues along the BNSF right of way.

Samples were collected in clean, laboratory-supplied containers with appropriate preservatives and were stored in iced coolers. Samples were then shipped via overnight delivery, under chain-of-custody procedures, to Eurofins Lancaster Laboratories in Lancaster, Pennsylvania. Groundwater samples from the March 2018 event were analyzed for the following:

- Total petroleum hydrocarbons as gasoline (TPH-G) by Northwest Method NWTPH-Gx extended range;
- Total petroleum hydrocarbons as diesel and heavy oil (TPH-D and TPH-O) by Northwest Method NWTPH-Dx extended range with silica gel cleanup;

- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) by United States Environmental Protection Agency (USEPA) Method 8021B; and
- Benz(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, and indeno(1,2,3-c,d)pyrene collectively referred to as carcinogenic polycyclic aromatic hydrocarbons (cPAHs) by USEPA Method 8270C SIM.

3.2.2 Second Quarter 2018 Groundwater Monitoring

On June 19 and 20, 2018 Arcadis conducted a groundwater gauging and sampling event at the site. During the gauging event, monitoring wells MW-30, MW-61A-R, MW-70R, and MW-200 through MW-207 were gauged with an oil/water interface probe to determine depth to water and LNAPL thickness. Droplets of LNAPL were observed on the oil/water interface probe in MW-30 and LNAPL was observed using a bailer in MW-61A-R during the June 2018 event, therefore neither well was sampled. MW-209 through MW-211 were not gauged due to access issues along the BNSF right of way. Gauging is summarized in **Table 2**.

Monitoring wells MW-70R, and MW- 200 through MW-207 were purged and sampled with a peristaltic pump in general accordance with the procedures outlined in *Low-Flow Groundwater Purging and Sampling Procedures for Monitoring Wells* (Arcadis, 2009). This standard operating procedure (SOP) is included in **Appendix A**. Note that at the request of site stakeholders, tubing placement deviated from specifications in the SOP; tubing was placed within 6-inches of the groundwater surface in each monitoring well. Groundwater levels were conducted from each well prior to purging to assure the tubing was placed correctly. New, disposable Teflon-lined polyethylene tubing was used for sampling. Water quality parameters including temperature, pH, electrical conductivity, dissolved oxygen and oxidation/reduction potential were measured approximately every three minutes using an In-Situ[®] Aqua Troll 600 low-flow groundwater sampling system and were recorded on the field data sheets included in **Appendix B**. Monitoring wells MW-209 through MW-211 were not sampled during the June 2018 event due to access issues along the BNSF right of way.

Samples were collected in clean, laboratory-supplied containers with appropriate preservatives and were stored in iced coolers. Samples were then shipped via overnight delivery, under chain-of-custody procedures, to Eurofins Lancaster Laboratories in Lancaster, Pennsylvania. Groundwater samples from the June 2018 event were analyzed for the following:

- TPH-G by Northwest Method NWTPH-Gx extended range;
- TPH-D and TPH-O by Northwest Method NWTPH-Dx extended range with silica gel cleanup;
- BTEX by United States Environmental Protection Agency (USEPA) Method 8021B; and
- Benz(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, and indeno(1,2,3-c,d)pyrene collectively referred to as carcinogenic polycyclic aromatic hydrocarbons (cPAHs) by USEPA Method 8270C SIM.

3.2.3 Groundwater Monitoring Results

Depths to groundwater measured during the first quarter 2018 groundwater monitoring event ranged from 8.68 feet below top of casing (btoc) in monitoring well MW-200 to 21.91 feet btoc in monitoring well MW-205. Groundwater elevations ranged from 5.15 feet above mean sea level in monitoring well MW-206 to 8.76 feet above mean sea level in monitoring well MW-61A-R. Depths to groundwater measured during the second quarter 2018 groundwater monitoring event ranged from 9.42 feet btoc in monitoring well MW-200 to 22.80 feet btoc in monitoring well MW-205. Groundwater elevations ranged from 2.23 feet above mean sea level in monitoring well MW-206 to 7.99 feet above mean sea level in monitoring well MW-61A-R. These measurements indicate groundwater is generally flowing in a southwesterly direction, towards Elliott Bay, and is consistent with historical data. Groundwater gauging was conducted at low tide during both 2018 events and water levels were within screened intervals for all wells, with the exception of MW-206 during the March 2018 event. Current groundwater elevations are included in **Table 2** and historical groundwater elevations are presented in **Appendix C**. Groundwater elevations and contours from the first quarter 2018 sampling event are shown on **Figure 3a** and groundwater elevations and contours from the second quarter 2018 sampling event are shown on **Figure 3b**.

During the first quarter 2018 event, groundwater analytical results indicate that no exceedances of the applicable BTEX, TPH-G, TPH-D, TPH-O or cPAH RALs were detected in the sample collected from monitoring well MW-70R. MW-209 through MW-211 were not sampled during the first quarter 2018 event due to access issues along the BNSF right of way.

During the second quarter 2018 event, groundwater analytical results indicate that no exceedances of the applicable BTEX, TPH-G, TPH-D, TPH-O or cPAH RALs were detected in the samples collected from monitoring wells MW-70R, MW-200, MW-201, MW-202, MW-203, MW-205, MW-206 and MW-207. TPH-G was detected at 1.2 mg/L in the sample collected from MW-204. MW-209 through MW-211 were not sampled during the second quarter 2018 event due to access issues along the BNSF right of way.

Historical trend graphs for MW-30, MW-70R, MW-200 through MW-207, and MW-209 through MW-211 are provided in **Appendix D**. Analytical results for TPH-G, TPH-D, TPH-O, and BTEX, are summarized in **Table 3** and on **Figure 4**; results for cPAHs are summarized in **Table 3** and on **Figure 5**. Historical analytical results are presented in **Appendix C**.

As of the June 2018 event, four monitoring wells (MW-202, MW-203, MW-205, and MW-206) have met a minimum of fourteen consecutive sampling events in compliance with the RALs established for the site. Monitoring well MW-70R has meet nine consecutive sampling events in compliance with the RALs established for the site. A summary of groundwater compliance as of the June 2018 event is included in **Table 4**.

3.2.4 Laboratory Data Verification Results

A trip blank sample for BTEX and GRO analysis was submitted with the groundwater samples for the first quarter 2018 and second quarter 2018 sampling events. Analyte concentrations did not exceed their respective method detection limits (MDLs) in the trip blanks.

A duplicate sample was collected during the first and second quarter 2018 sampling events and were submitted to the laboratory for quality assurance purposes. During both the first quarter and second quarter 2018 sampling events, the duplicate sample was collected from monitoring well MW-70R. The duplicate samples were submitted for the same analyses as the parent sample. The duplicate analytical results were comparable to the parent samples collected from MW-70R.

All coolers were received in good condition within temperature requirements. The laboratory report and chains of custody are provided in **Appendix E**.

4 REMEDIAL ACTIVITIES

4.1 Upper Yard and Elliott Avenue LNAPL Removal

Monitoring well MW-61A-R was re-developed on September 3, 2008 using a disposable bailer and a vacuum truck to remove sediment and LNAPL which may have accumulated in the well and/or sand pack. Approximately ten well volumes of groundwater and residual LNAPL were removed. The re-development water and recovered LNAPL were collected in the vacuum truck and transported to an approved facility for recycling. The amount of LNAPL recovered was not quantified. Mobile multi-phase extraction (MPE) was initiated in August 2009 in monitoring wells MW-30 and MW-61A-R. Observations made during MPE operations indicate that short term MPE does not influence the groundwater table and subsurface vapor flow. MPE was determined to be an ineffective method to address the remaining LNAPL and dissolved-phase impacts at the site due to the minimal remaining hydrocarbon impacts at the site and associated low MPE mass removal rate.

To assess persistent measurable LNAPL observed during groundwater monitoring, a surfactant-enhanced LNAPL recovery pilot test was performed on monitoring well MW-61A-R in July 2010. Approximately 200 gallons of surfactant were injected into MW-61A-R. The surfactant solution was allowed to remain in the formation for approximately 24 hours and then approximately 900 gallons of fluids were extracted. Monitoring was completed weekly for the first month after extraction. After weekly monitoring was completed, monthly monitoring was initiated and quarterly monitoring is ongoing. A complete summary of the surfactant-enhanced LNAPL recovery pilot test was submitted in the *2010 Summary Report and Risk Evaluation* on February 1, 2011.

Monitoring wells MW-61A-R and MW-30 were gauged during the March 2018 and June 2018 gauging and sampling events with an oil/water interface probe to determine if LNAPL was present. LNAPL droplets were found on the probe in monitoring well MW-30 during the June 2018 gauging and sampling event. LNAPL was detected using a bailer in monitoring well MW-61A-R during the June 2018 event. Due to the presence of LNAPL in monitoring wells MW-30 and MW-61A-R, they were not sampled during the June 2018 event.

4.2 Lower Yard LNAPL Recovery

LNAPL was observed in recovery well RW-21 during the September 2013 groundwater monitoring event (visually observed on oil/water interface probe, a measurable thickness was not present). This recovery well, as well as the downgradient Trench D recovery wells (RW-1 through RW-3), were included in the quarterly gauging program. Manual LNAPL recovery from RW-21 had been unsuccessful due to the highly-

viscous nature of the LNAPL. LNAPL has not been observed in recovery wells RW-1 and RW-2 since the gauging program was implemented, and has not been observed in RW-3 since the first semi-annual groundwater monitoring event of 2013. Wells RW-1, RW-2 and RW-21 were decommissioned in 2014 during the Trench D decommissioning activities.

4.3 Offsite Area Remediation System

A groundwater extraction system was installed in the offsite area in 1989. The system included 24 extraction wells located along the BNSF right-of-way. In November and December 2006, the underground piping was severely damaged during the construction of the OSP, rendering the system inoperable.

From 1989 to November 2006, approximately 29,244,966 gallons of water and 4,809 gallons of LNAPL were recovered and treated by the groundwater extraction system. The extraction system last recovered LNAPL in fourth quarter 2004; no LNAPL was recovered during the last two years of operation. The associated Trench D recovery wells were gauged semi-annually until they were decommissioned in June 2014. The oil water separator was rehabilitated in May 2010 for use in disposal of purge water generated from routine groundwater sampling events and for well redevelopment and hydraulic conductivity testing approved by Ecology. The oil water separator was decommissioned during the June 2014 Trench D decommissioning activities and the King County Major Discharge Authorization Number 529-04 was discontinued.

Throughout the third and fourth quarter of 2011, monitoring well MW-205 was gauged on a bi-weekly (every other week) basis. During these events, no LNAPL or sheen was observed. Gauging was reduced to quarterly as of the first semi-annual 2012 reporting period at this location and continued on a quarterly basis through 2013. No LNAPL was observed in MW-205 during the March or June 2018 gauging and groundwater monitoring activities.

5 CONCLUSIONS

Gauging and groundwater monitoring was conducted on March 26, 2018 and June 19 through 20, 2018. During the first quarter sampling event, there were no exceedances of BTEX, TPH-G, TPH-D, or TPH-O RALs in the sample collected from monitoring well MW-70R. During the second quarter sampling event, there were no exceedances BTEX, TPH-G, TPH-D, or TPH-O RALs in the samples collected from monitoring wells MW-70R, MW-201 through MW-203 and MW-205 through MW-207. There were exceedances of the TPH-G RAL in the sample collected from monitoring well MW-204. Analytical results are summarized in **Table 3**, **Figure 4**, and **Figure 5**. Historical analytical results are presented in **Appendix C**. LNAPL was found in monitoring wells MW-30 and MW-61A-R during the June 2018 gauging and sampling event and therefore were not sampled.

As of the June 2018 event, four monitoring wells (MW-202, MW-203, MW-205, and MW-206,) have met a minimum of fourteen consecutive sampling events in compliance with the RALs established for the site. Monitoring wells MW-202, MW-203, MW-206, and MW-207 have met twenty-eight consecutive sampling events in compliance with the petroleum hydrocarbon constituent RALs. MW-70R has met nine consecutive sampling events in compliance with the RALs established for the site. A summary of groundwater compliance as of the June 2018 event is included in **Table 4**.

6 REFERENCES

Arcadis. 2009. Low-Flow Groundwater Purging and Sampling Procedures for Monitoring Wells. March 9.

Arcadis. 2013. Work Plan for Decommissioning Trench D Recovery System and Three Piezometers Installed in 2010. May 31.

Arcadis. 2014. Trench D Recovery System Decommissioning Summary and Recommendation for Replacement Well Installation. July.

Arcadis. 2015. Work Plan for Additional Well Installation in Former Trench D Area and Offsite Area, Former Unocal Seattle Marketing Terminal. May.

GeoEngineers, 1998. Final Cleanup Report – Lower Yard, Unocal Former Seattle Marketing Terminal Property. September 23.

Seattle Art Museum (SAM). 1999. Draft Cleanup Action Plan, Former Unocal Seattle Marketing Property. October 6. Numbered Heading Level 2

TABLES



Table 1

Monitoring Well History
Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well ID	Installation Date	Compliance Parameters	Compliance/Removal Date
Upper Yard			
MW-37	06/1990	LNAPL-TPH - BTEX (MW-61A-R)	12/1995
MW-38	06/1990		1992
MW-39	06/1990		1992
MW-40	06/1990		1992
MW-58	09/1995		01/2004
MW-61	1995		1997
MW-61A	01/1998		01/2004
MW-61A-R	03/2006		LNAPL
MW-62	1995		1997
MW-62A	01/1998		01/2004
MW-63	1995		1997
MW-63A	01/1998		01/2004
MW-64	1995		01/2004
Elliott Avenue			
MW-30	1989	LNAPL - TPH - BTEX (MW-30)	LNAPL
MW-31	1989		12/2003
MW-32	1989		04/1991
MW-59	03/1998		<i>no data</i>
MW-65	03/1998		ABANDONED 12/07
MW-66	03/1998		ABANDONED 12/07
MW-69	<i>no data</i>		<i>no data</i>
Lower Yard			
MW-1	<i>no data</i>	No wells in Lower Yard currently sampled for compliance parameters	1998
MW-2	<i>no data</i>		1998
MW-18	<i>no data</i>		1998
MW-22	<i>no data</i>		1998
MW-23	<i>no data</i>		1998
MW-33	<i>no data</i>		1998
MW-34	<i>no data</i>		1998
MW-35	<i>no data</i>		1998
MW-49	<i>no data</i>		1998
MW-50	<i>no data</i>		1998
MW-51	<i>no data</i>		1998
MW-53	<i>no data</i>		1998
MW-54	<i>no data</i>		1998
MW-55	<i>no data</i>		1998
MW-56	<i>no data</i>		1998

Table 1

Monitoring Well History
Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well ID	Installation Date	Compliance Parameters	Compliance/Removal Date
Lower Yard (continued)			
MW-57	<i>no data</i>	No wells in Lower Yard currently sampled for compliance parameters	1998
MW-60	<i>no data</i>		1998
MW-81	09/1998		06/2002
MW-82	09/1998		06/2002
MW-83	09/1998		06/2002
MW-84	09/1998		06/2002
MW-85	09/1998		06/2002
MW-86	09/1998		06/2002
Offsite Area			
MW-8	01/1989	LNAPL - TPH - BTEX - PAHs (MW-70R)	10/2005
MW-9	<i>no data</i>		07/2005
MW-10	01/1989		10/2005
MW-20	01/1989		10/2005
MW-25	01/1989		10/2005
MW-26	01/1989		10/2005
MW-27	01/1989		damaged 2006
MW-27R	12/2006		ABANDONED 12/07
MW-34	10/1989		<i>no data</i>
MW-35	10/1989		<i>no data</i>
MW-36	10/1989		07/2005
MW-41	10/1990		12/2002
MW-42	10/1990		12/1991
MW-43	10/1990		12/1991
MW-44	<i>no data</i>		<i>no data</i>
MW-52	06/1998		10/2005
MW-67	03/1998		10/2005
MW-68	03/1998		07/2005
MW-69	03/1998		<i>no data</i>
MW-70	03/1998		10/2005
MW-70R	09/2016		sampled
MW-71	03/1998		10/2005
MW-72	03/1998		07/2005
MW-76	03/1998		10/2005

Table 1

Monitoring Well History
Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well ID	Installation Date	Compliance Parameters	Compliance/Removal Date
Offsite Area- Amendment No. 4 Point of Compliance monitoring wells			
MW-200	10/2006	LNAPL - TPH - BTEX - PAHs (MW-200 to MW-207, MW-209 to MW-11)	sampled
MW-201	10/2006		sampled
MW-202	10/2006		sampled
MW-203	10/2006		sampled
MW-204	10/2006		sampled
MW-205	10/2006		sampled
MW-206	10/2006		sampled
MW-207	10/2006		sampled
MW-209	09/2016		not sampled in 1Q18 or 2Q18
MW-210	09/2016		not sampled in 1Q18 or 2Q18
MW-211	09/2016		not sampled in 1Q18 or 2Q18

Notes:

LNAPL = Light non-aqueous phase liquid

TPH = Total petroleum hydrocarbons

BTEX = Benzene, Toluene, Ethylbenzene and Xylenes (Total)

PAHs = Polycyclic Aromatic Hydrocarbons

Items in bold represent compliance wells sampled in the most recent sampling event.

Table 2
Summary of Groundwater Elevation Data

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)
MW-30	03/26/18	8:46	13.48	--	--	7.37	15.85
	6/19/18 ⁶	16:05	13.90	--	--	6.95	15.85
MW-61A-R	03/26/18	8:41	13.68	--	--	8.76	--
	6/19/18 ⁶	15:55	14.45	--	--	7.99	--
MW-200	03/26/18	8:20	8.68	--	--	5.68	9.36
	06/19/18	15:20	9.42	--	--	4.94	9.36
MW-201	03/26/18	8:25	9.29	--	--	5.57	9.86
	06/19/18	15:27	10.06	--	--	4.80	9.86
MW-202	03/26/18	8:15	8.95	--	--	5.63	6.78
	06/19/18	15:33	10.55	--	--	4.03	6.78
MW-203	03/26/18	8:30	11.89	--	--	5.66	7.05
	06/19/18	15:10	13.15	--	--	4.40	7.05
MW-204	03/26/18	8:34	18.00	--	--	5.93	6.58
	06/19/18	15:06	19.00	--	--	4.93	6.58
MW-205	03/26/18	8:36	21.91	--	--	5.98	9.89
	06/19/18	15:02	22.80	--	--	5.09	9.89
MW-206	03/26/18	8:08	10.00	--	--	5.15	4.15
	06/19/18	15:38	12.92	--	--	2.23	4.15
MW-207	03/26/18	8:00	10.01	--	--	5.39	5.90
	06/19/18	15:42	13.06	--	--	2.34	5.90
MW-209	03/26/18	--	NG	--	--	--	--
	06/19/18	--	NG	--	--	--	--
MW-210	03/26/18	--	NG	--	--	--	--
	06/19/18	--	NG	--	--	--	--
MW-211	03/26/18	--	NG	--	--	--	--
	06/19/18	--	NG	--	--	--	--
MW-70R	03/26/18	7:51	10.09	--	--	5.52	11.61
	06/19/18	15:45	12.64	--	--	2.97	11.61

Notes:

¹Well casing elevations listed in feet above mean sea level. Approximate monitoring well locations are shown in Figure 2.

²Below top of casing.

³Light non-aqueous phase liquid

⁴Elevation referenced to city of Seattle datum.

⁵Top of well screen elevation data from historic records.

⁶LNAPL indicated in field notes, unable to collect measurement

"--" = not measured or not obtainable

NG = Not Gauged during first or second quarter 2018 due to access issues.

**Table 3
Summary of Groundwater Analytical Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

		Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Indeno(1,2,3-cd)Pyrene	Naphthalene	Gasoline (C7-C12 Petroleum Hydrocarbons)	Diesel (C12-C24 DRO w/Si Gel)	Heavy Oil (C24-C40 w/Si Gel)	Benzene	Ethylbenzene	Toluene	Xylene (total)
Remedial Action Levels		0.03	0.03	0.03	0.03	0.03	0.03	0.03	NE	1	10	15	40	1,400	14,300	4,400
Location	Sample Date	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(mg/L)	(mg/L)	(mg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-70-R	3/26/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	--	<0.050	<0.029	<0.067	<0.5	<0.5	<0.5	<1.5
DUP	3/26/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	--	<0.050	<0.029	<0.067	<0.5	<0.5	<0.5	<1.5
MW-70-R	6/20/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	--	<0.050	<0.029	<0.067	<0.5	<0.5	<0.5	<1.5
DUP	6/20/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	--	<0.050	<0.028	<0.066	<0.5	<0.5	<0.5	<1.5
MW-200	6/20/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	--	0.370	0.110	<0.073	<0.5	<0.5	<0.5	<1.5
MW-201	6/20/2018	0.01	<0.01	<0.01	<0.01	0.01	<0.02	<0.01	--	0.340	0.063	<0.067	<0.5	<0.5	<0.5	<1.5
MW-202	6/20/2018	0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	--	<0.050	<0.031	<0.072	<0.5	<0.5	<0.5	<1.5
MW-203	6/20/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	--	<0.050	0.037	<0.068	<0.5	<0.5	<0.5	<1.5
MW-204	6/20/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	--	1.200	0.230	<0.066	<0.5	1.2	1.2	2.4
MW-205	6/20/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	--	<0.050	0.035	<0.070	<0.5	<0.5	<0.5	<1.5
MW-206	6/20/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	--	<0.050	<0.028	<0.066	<0.5	<0.5	<0.5	<1.5
MW-207	6/20/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	--	<0.050	<0.028	<0.066	<0.5	<0.5	<0.5	<1.5
MW-209 ¹	3/26/2018	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/20/2018	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-210 ¹	3/26/2018	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/20/2018	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-211 ¹	3/26/2018	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/20/2018	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:
 Shaded concentrations are greater than corresponding Remedial Action Levels
 -- = Not analyzed
 <0.50 = Not detected at or above the remedial action level
Bold = Value exceeds laboratory reporting limits
 µg/L = Micrograms per liter
 mg/L = Milligrams per liter
 DUP = duplicate
 NE = Not Established
¹ = Well not sampled during first or second quarter 2018 due to access issues

Table 4
Summary of Groundwater Compliance as of First Semi-Annual 2018

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

Monitoring Well	Petroleum Constituents and Sheen (BTEX, Gasoline-range, Diesel-range)		cPAHs		Lead	
	Current Sampling Interval	Consecutive Sampling Events in Compliance ¹	Current Sampling Interval	Consecutive Sampling Events in Compliance ¹	Current Sampling Interval	Consecutive Sampling Events in Compliance ¹
Upper Yard						
MW-61A-R	semi-annually	0	none	N/A	none	N/A
Elliott Avenue						
MW-30	semi-annually	0	none	0 ¹¹	none	N/A
Offsite Area- Amendment No. 4 Point of Compliance monitoring wells						
MW-70R	quarterly	9	quarterly	9	none	N/A
MW-200	semi-annually	17 ⁷	semi-annually ²	1 ^{4,5,8}	none	13
MW-201	semi-annually	16 ⁷	semi-annually ²	4	none	13
MW-202	semi-annually	28	semi-annually ²	24 ^{3,4,10}	none	13
MW-203	semi-annually	28	semi-annually ²	28 ^{4,8}	none	13
MW-204	semi-annually	0	semi-annually ²	28 ^{4,8,10}	none	13
MW-205	semi-annually	14	semi-annually ²	14 ^{4,8}	none	13
MW-206	semi-annually	28	semi-annually ²	28 ^{4,6,8}	none	13
MW-207	semi-annually	28	semi-annually ²	4	none	13
MW-209 ¹²	quarterly	0	quarterly	6	none	N/A
MW-210 ¹²	quarterly	0	quarterly	0	none	N/A
MW-211 ¹²	quarterly	6	quarterly	6	none	N/A

Notes:

¹"Consecutive events" are number of consecutive sampling events prior to and including the current reporting period that are in compliance with the groundwater remediation action levels. Events prior to 3/97 are not counted. Refer to progress reports for results.

²Quarterly sampling beginning June 2007. Semi-annual sampling beginning 2010.

³Field-Filtered sample below RAL.

⁴Field-Filtered and Un-Filtered samples below RAL.

⁵9/3/08 laboratory reporting limit above RAL.

⁶Confirmation samples indicate erroneous 9/4/08 field-filtered data.

⁷Sheen noted on groundwater during well redevelopment in August 2010.

⁸First Semi-Annual 2011 laboratory reporting limit above RAL.

⁹First Semi-Annual 2012 laboratory reporting limit above RAL.

¹⁰Second Semi-Annual 2012 laboratory reporting limit above RAL.

¹¹MW-30 analyzed for cPAHs only during the First Semi-Annual 2013 sampling event.

¹²Monitoring well not sampled during first quarter or second quarter 2018 due to access issues.


BTEX = benzene, toluene, ethylbenzene, xylenes

cPAHs = carcinogenic polycyclic aromatic hydrocarbons


N/A = not applicable


FIGURES







REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., SEATTLE SOUTH AND SEATTLE NORTH, WASHINGTON, 2014.




FORMER UNOCAL SEATTLE MARKETING TERMINAL SEATTLE, WASHINGTON	
GROUNDWATER MONITORING REPORT FIRST SEMI-ANNUAL 2018	
SITE LOCATION MAP	
	Design & Consultancy for natural and built assets
FIGURE	1



- LEGEND**
- MW-35 ● MONITORING WELL
 - RW-14 ● RECOVERY WELL
 - PZ-14.5 ● PIEZOMETER
 - ⊗ WELL DECOMMISSIONED
 - FORMER TRENCH D RECOVERY WELL SYSTEM
 - SIGNAL RAILROAD SIGNAL LINE
 - FIBER OPTICS FIBER OPTIC LINE
 - UTILITY CONTINUES BUT WAS NOT SURVEYED
 - SEWER LINE
 - * UNABLE TO LOCATE

- NOTES:**
1. HORIZONTAL DATUM: WASHINGTON COORDINATE SYSTEM NORTH ZONE (NAD 83/98).
 2. VERTICAL DATUM: N.A.V.D. 88. (PROJECT BENCHMARK WCCS SURVEY CONTROL POINT 1420 AKA CITY OF SEATTLE 5022 ELEV. = 16.11).
 3. HORIZONTAL & VERTICAL CONTROL WAS ESTABLISHED BY VRSN GPS. NOTE: CONTROL WAS BASED ON THE WSRN NETWORK (VIRTUAL REFERENCE STATION NETWORK). STATION S3HO WAS USED WITH VALUES OF N 252393.37 E 1275429.81.
 4. WELL LOCATIONS SURVEYED BY OTAK ON MAY 28, 2008 AND FEBRUARY 16, 2016.
 5. SITE MAPPING SURVEYED BY OTAK ON APRIL 30, 2013. THE PURPOSE OF THIS SURVEY IS TO SHOW PLANIMETRIC FEATURES AND LOCATED UNDERGROUND UTILITIES IN THE VICINITY OF MONITORING AND RECOVERY WELLS.
 6. (*) ALL SEWER INFORMATION IS FROM SEATTLE SEWER CARDS 3189-11A & 3189-11B, INVERTS, PIPE DIAMETERS AND LOCATIONS NOT VERIFIED.




**FORMER UNOCAL SEATTLE MARKETING TERMINAL
 SEATTLE, WASHINGTON
 GROUNDWATER MONITORING REPORT
 FIRST SEMI-ANNUAL 2018**

SITE MAP

ARCADIS Design & Consultancy
for natural and built assets


FIGURE
2

CITY: SAN RAFAEL, CA, DIV: GROUP: ENVCAD, DB: J. HARRIS, LD: E. MURESAN
 C:\Users\PA10141\OneDrive - ARCADIS\Documents\380 Dca\chevron corporation\seattle\terminal -1\SA18\2018\04\363\0010\0000301-DWG\45363\W01.dwg LAYOUT: 3A, SAVED: 7/24/2018 11:13 AM, ACADVER: 21.05 (LMS TECH), PAGESETUP: ---, PLOTSTYLETABLE: ARCADIS.CTB, PLOTTED: 7/24/2018 11:15 AM, BY: ANJANEYAKUMAR, PAVAN KUMAR
 XREFS: IMAGES: PROJECTNAME: ---
 45363\001



- LEGEND**
- MW-210 MONITORING WELL
 - RW-14 RECOVERY WELL
 - PZ-14.5 PIEZOMETER
 - FORMER TRENCH D RECOVERY WELL SYSTEM
 - * UNABLE TO LOCATE
 - (8.76) WATER-TABLE ELEVATION (FEET)
 - GROUNDWATER CONTOUR LINE (FEET, DASHED WHERE INFERRED)
 - GROUNDWATER FLOW DIRECTION
 - (NG) NOT GAUGED, NO ACCESS

- NOTES:**
1. HORIZONTAL DATUM: WASHINGTON COORDINATE SYSTEM NORTH ZONE (NAD 83/98).
 2. VERTICAL DATUM: N.A.V.D. 88. (PROJECT BENCHMARK WCCS SURVEY CONTROL POINT 1420 AKA CITY OF SEATTLE 5022 ELEV. = 16.11).
 3. HORIZONTAL & VERTICAL CONTROL WAS ESTABLISHED BY VRSN GPS. NOTE: CONTROL WAS BASED ON THE WRSN NETWORK (VIRTUAL REFERENCE STATION NETWORK). STATION SSHA WAS USED WITH VALUES OF N 252393.37 E 1275429.81.
 4. WELL LOCATIONS SURVEYED BY OTAK ON MAY 28, 2008 AND FEBRUARY 16, 2016.
 5. SITE MAPPING SURVEYED BY OTAK ON APRIL 30, 2013. THE PURPOSE OF THIS SURVEY IS TO SHOW PLANIMETRIC FEATURES AND LOCATED UNDERGROUND UTILITIES IN THE VICINITY OF MONITORING AND RECOVERY WELLS.
 6. MONITORING WELLS WERE GAUGED DURING INCOMING LOW TIDE.





FORMER UNOCAL SEATTLE MARKETING TERMINAL
 SEATTLE, WASHINGTON
GROUNDWATER MONITORING REPORT
 FIRST SEMI-ANNUAL 2018

GROUNDWATER ELEVATIONS
 MARCH 26, 2018

ARCADIS Design & Consultancy for natural and built assets


FIGURE **3a**

CITY: SAN RAFAEL, CA, DIV: GROUP - ENVICAD, DB: J. HARRIS, LD: E. MUIRESAN
 C:\Users\PA01041\OneDrive - ARCADIS\My Documents\PROJECTS\SEATTLE\SEATTLE\FIGURE 3B\FIGURE 3B.dwg LAYOUT: 3B, PAGES: 1, PLOT: 1, PLOT DATE: 7/24/2018 12:25 PM, BY: ANJANEYAKUMAR, PAVAN KUMAR
 XREFS: IMAGES: PROJECTNAME: -



- LEGEND**
- MW-210 MONITORING WELL
 - RW-14 RECOVERY WELL
 - PZ-14.5 PIEZOMETER
 - FORMER TRENCH D RECOVERY WELL SYSTEM
 - * UNABLE TO LOCATE
 - (7.99) WATER-TABLE ELEVATION (FEET)
 - GROUNDWATER CONTOUR LINE (FEET, DASHED WHERE INFERRED)
 - GROUNDWATER FLOW DIRECTION
 - (NG) NOT GAUGED, NO ACCESS

- NOTES:**
1. HORIZONTAL DATUM: WASHINGTON COORDINATE SYSTEM NORTH ZONE (NAD 83/98).
 2. VERTICAL DATUM: N.A.V.D. 88. (PROJECT BENCHMARK WCCS SURVEY CONTROL POINT 1420 AKA CITY OF SEATTLE 5022 ELEV. = 16.11).
 3. HORIZONTAL & VERTICAL CONTROL WAS ESTABLISHED BY VRSN GPS. NOTE: CONTROL WAS BASED ON THE VRSN NETWORK (VIRTUAL REFERENCE STATION NETWORK). STATION S5HO WAS USED WITH VALUES OF N 252393.37 E 1275429.81.
 4. WELL LOCATIONS SURVEYED BY OTAK ON MAY 28, 2008 AND FEBRUARY 16, 2016.
 5. SITE MAPPING SURVEYED BY OTAK ON APRIL 30, 2013. THE PURPOSE OF THIS SURVEY IS TO SHOW PLANIMETRIC FEATURES AND LOCATED UNDERGROUND UTILITIES IN THE VICINITY OF MONITORING AND RECOVERY WELLS.
 6. MONITORING WELLS WERE GAUGED DURING INCOMING LOW TIDE.





FORMER UNOCAL SEATTLE MARKETING TERMINAL
 SEATTLE, WASHINGTON
GROUNDWATER MONITORING REPORT
 FIRST SEMI-ANNUAL 2018

GROUNDWATER ELEVATIONS
 JUNE 19, 2018

ARCADIS Design & Consultancy for natural and built assets

FIGURE
3b

CITY: SAN RAFAEL, CA DIV: GROUP: ENV/CAID DB: J. HARRIS
 C:\Users\dk00633\OneDrive - ARCADIS\BIM 360 Docs\CHEVRON CORPORATION\SEATTLE TERMINAL - 1SA182018\B04045863_0010_0000301-DWG\45363C01.dwg LAYOUT: 4 SAVED: 7/25/2018 5:11 PM ACADVER: 21.0S (LMS TECH) PAGES: 10 PLOTTED: 7/25/2018 5:18 PM BY: KAMBLE, DEVESH
 XREFS: IMAGES: PROJECTNAME: 45363C01



LEGEND

- MW-210 MONITORING WELL
- RW-14 RECOVERY WELL
- PZ-14.5 PIEZOMETER
- FORMER TRENCH D RECOVERY WELL SYSTEM
- * UNABLE TO LOCATE
- (NS) NOT SAMPLED, NO ACCESS

SAMPLE LOCATION	
DATE	SAMPLE DATE
B	BENZENE
T	TOLUENE
E	ETHYLBENZENE
X	TOTAL XYLENES
TPH-G	TPH GASOLINE
TPH-D	TPH DIESEL
TPH-O	TPH HEAVY OIL

BTEX RESULTS REPORTED IN MICROGRAMS PER LITER (µg/L). TPH-G, TPH-D, AND TPH-O RESULTS REPORTED IN MILLIGRAMS PER LITER (mg/L).

BOLDED RESULTS ARE GREATER THAN SITE REMEDIAL ACTION LEVELS (RALs)


TPH = TOTAL PETROLEUM HYDROCARBON

<1.5 / [<1.5] = DUPLICATE SAMPLE

NOTES:

1. HORIZONTAL DATUM: WASHINGTON COORDINATE SYSTEM NORTH ZONE (NAD 83/98).
2. VERTICAL DATUM: N.A.V.D. 88. (PROJECT BENCHMARK WCCS SURVEY CONTROL POINT 1420 AKA CITY OF SEATTLE 5022 ELEV. = 16.11).
3. HORIZONTAL & VERTICAL CONTROL WAS ESTABLISHED BY VRSN GPS. NOTE: CONTROL WAS BASED ON THE WSRN NETWORK (VIRTUAL REFERENCE STATION NETWORK). STATION SSHA WAS USED WITH VALUES OF N 252393.37 E 1275429.81.
4. WELL LOCATIONS SURVEYED BY OTAK ON MAY 28, 2008 AND FEBRUARY 16, 2016.
5. SITE MAPPING SURVEYED BY OTAK ON APRIL 30, 2013. THE PURPOSE OF THIS SURVEY IS TO SHOW PLANIMETRIC FEATURES AND LOCATED UNDERGROUND UTILITIES IN THE VICINITY OF MONITORING AND RECOVERY WELLS.

ALASKAN WAY



MW-200	
Date	06/20/18
B	<0.5
T	<0.5
E	<0.5
X	<1.5
TPH-G	0.370
TPH-D	0.110
TPH-O	<0.073

MW-201	
Date	06/20/18
B	<0.5
T	<0.5
E	<0.5
X	<1.5
TPH-G	0.340
TPH-D	0.063
TPH-O	<0.067

MW-202	
Date	06/20/18
B	<0.5
T	<0.5
E	<0.5
X	<1.5
TPH-G	<0.050
TPH-D	<0.031
TPH-O	<0.072

MW-203	
Date	06/20/18
B	<0.5
T	<0.5
E	<0.5
X	<1.5
TPH-G	<0.050
TPH-D	0.037
TPH-O	<0.068

MW-206	
Date	06/20/18
B	<0.5
T	<0.5
E	<0.5
X	<1.5
TPH-G	<0.050
TPH-D	<0.028
TPH-O	<0.066

MW-204	
Date	06/20/18
B	<0.5
T	1.2
E	1.2
X	2.4
TPH-G	1.200
TPH-D	0.230
TPH-O	<0.066

MW-207	
Date	06/20/18
B	<0.5
T	<0.5
E	<0.5
X	<1.5
TPH-G	<0.050
TPH-D	<0.028
TPH-O	<0.066

MW-70-R		
Date	03/26/18	06/20/18
B	<0.5 / [<0.5]	<0.5 / [<0.5]
T	<0.5 / [<0.5]	<0.5 / [<0.5]
E	<0.5 / [<0.5]	<0.5 / [<0.5]
X	<1.5 / [<1.5]	<1.5 / [<1.5]
TPH-G	<0.050 / [<0.050]	<0.050 / [<0.050]
TPH-D	<0.029 / [<0.029]	<0.029 / [<0.028]
TPH-O	<0.067 / [<0.067]	<0.067 / [<0.066]



MW-205	
Date	06/20/18
B	<0.5
T	<0.5
E	<0.5
X	<1.5
TPH-G	<0.050
TPH-D	0.035
TPH-O	<0.070

FORMER UNOCAL SEATTLE MARKETING TERMINAL
 SEATTLE, WASHINGTON
**GROUNDWATER MONITORING REPORT
 FIRST SEMI-ANNUAL 2018**

**GROUNDWATER ANALYTICAL
 SUMMARY MAP
 MARCH 26, 2018 AND JUNE 20, 2018**



CITY: SAN RAFAEL, CA DIV/GROUP: ENV/CA/DB: J. HARRIS
 C:\Users\sk006530\OneDrive - ARCADIS\BIM 360 Docs\CHEVRON CORPORATION\SEATTLE TERMINAL - 1SA1802018\B0045363.0010.0000301-DWG4536302.dwg LAYOUT: 5 SAVED: 7/25/2018 5:11 PM ACADVER: 21.0S (LMS TECH) PAGES: 5 PLOTTED: 7/25/2018 5:17 PM BY: KAMBLE, DEVESH
 XREFS: IMAGES: PROJECTNAME: 4536301



LEGEND

- MW-210 MONITORING WELL
- RW-14 RECOVERY WELL
- PZ-14.5 PIEZOMETER
- FORMER TRENCH D RECOVERY WELL SYSTEM
- * UNABLE TO LOCATE
- (NS) NOT SAMPLED, NO ACCESS

SAMPLE LOCATION	
DATE	SAMPLE DATE
B(a)A	Benzo(a)anthracene
B(a)P	Benzo(a)pyrene
B(b)F	Benzo(b)fluoranthene
B(k)F	Benzo(k)fluoranthene
Chr	Chrysene
D(a,h)A	Dibenzo(a,h)anthracene
I(123cd)P	Indeno(1,2,3-cd)pyrene

RESULTS REPORTED IN MICROGRAMS PER LITER (µg/L)

<0.01 / [<0.01] = DUPLICATE SAMPLE

cPAH = CARCINOGENIC POLYNUCLEAR AROMATIC HYDROCARBONS

NOTES:

1. HORIZONTAL DATUM: WASHINGTON COORDINATE SYSTEM NORTH ZONE (NAD 83/98).
2. VERTICAL DATUM: N.A.V.D. 88. (PROJECT BENCHMARK WCCS SURVEY CONTROL POINT 1420 AKA CITY OF SEATTLE 5022 ELEV. = 16.11).
3. HORIZONTAL & VERTICAL CONTROL WAS ESTABLISHED BY VRSN GPS. NOTE: CONTROL WAS BASED ON THE WSRN NETWORK (VIRTUAL REFERENCE STATION NETWORK). STATION S8H0 WAS USED WITH VALUES OF N 252363.37 E 1275429.81.
4. WELL LOCATIONS SURVEYED BY OTAK ON MAY 28, 2008 AND FEBRUARY 16, 2016.
5. SITE MAPPING SURVEYED BY OTAK ON APRIL 30, 2013. THE PURPOSE OF THIS SURVEY IS TO SHOW PLANIMETRIC FEATURES AND LOCATED UNDERGROUND UTILITIES IN THE VICINITY OF MONITORING AND RECOVERY WELLS.

ALASKAN WAY



MW-201	
Date	06/20/18
B(a)A	0.01
B(a)P	<0.01
B(b)F	<0.01
B(k)F	<0.01
Chr	0.01
D(a,h)A	<0.02
I(123cd)P	<0.01

MW-205	
Date	06/20/18
B(a)A	<0.01
B(a)P	<0.01
B(b)F	<0.01
B(k)F	<0.01
Chr	<0.01
D(a,h)A	<0.02
I(123cd)P	<0.01

MW-200	
Date	06/20/18
B(a)A	<0.01
B(a)P	<0.01
B(b)F	<0.01
B(k)F	<0.01
Chr	<0.01
D(a,h)A	<0.02
I(123cd)P	<0.01

MW-202	
Date	06/20/18
B(a)A	0.01
B(a)P	<0.01
B(b)F	<0.01
B(k)F	<0.01
Chr	<0.01
D(a,h)A	<0.02
I(123cd)P	<0.01

MW-203	
Date	06/20/18
B(a)A	<0.01
B(a)P	<0.01
B(b)F	<0.01
B(k)F	<0.01
Chr	<0.01
D(a,h)A	<0.02
I(123cd)P	<0.01

MW-206	
Date	06/20/18
B(a)A	<0.01
B(a)P	<0.01
B(b)F	<0.01
B(k)F	<0.01
Chr	<0.01
D(a,h)A	<0.02
I(123cd)P	<0.01

MW-204	
Date	06/20/18
B(a)A	<0.01
B(a)P	<0.01
B(b)F	<0.01
B(k)F	<0.01
Chr	<0.01
D(a,h)A	<0.02
I(123cd)P	<0.01

MW-207	
Date	06/20/18
B(a)A	<0.01
B(a)P	<0.01
B(b)F	<0.01
B(k)F	<0.01
Chr	<0.01
D(a,h)A	<0.02
I(123cd)P	<0.01

MW-70-R		
Date	03/26/18	06/20/18
B(a)A	<0.01 / [<0.01]	<0.01 / [<0.01]
B(a)P	<0.01 / [<0.01]	<0.01 / [<0.01]
B(b)F	<0.01 / [<0.01]	<0.01 / [<0.01]
B(k)F	<0.01 / [<0.01]	<0.01 / [<0.01]
Chr	<0.01 / [<0.01]	<0.01 / [<0.01]
D(a,h)A	<0.01 / [<0.01]	<0.02 / [<0.02]
I(123cd)P	<0.01 / [<0.01]	<0.01 / [<0.01]

FORMER UNOCAL SEATTLE MARKETING TERMINAL
 SEATTLE, WASHINGTON
GROUNDWATER MONITORING REPORT
 FIRST SEMI-ANNUAL 2018

GROUNDWATER cPAH DATA
 MARCH 26, 2018 AND JUNE 20, 2018



APPENDIX A

Standard Operating Procedure



Appendix A

Standard Operating Procedure

**Low-Flow Groundwater
Purging and Sampling
Procedures for Monitoring
Wells**

Rev. #: 3

Rev Date: March 9, 2009

Approval Signatures

Prepared by:  Date: 3/9/2009

Reviewed by:  Date: 3/9/2009
(Technical Expert)

I. Scope and Application

Groundwater samples will be collected from monitoring wells to evaluate groundwater quality. The protocol presented in this standard operating procedure (SOP) describes the procedures to be used to purge monitoring wells and collect groundwater samples. This protocol has been developed in accordance with the United States Environmental Protection Agency (USEPA) Region I Low Stress (Low Flow) Purging and Sampling Procedures for the Collection of Groundwater Samples from Monitoring Wells (USEPA SOP No. GW0001; July 30, 1996). Both filtered and unfiltered groundwater samples may be collected using this low-flow sampling method. Filtered samples will be obtained using a 0.45-micron disposable filter. No wells will be sampled until well development has been performed in accordance with the procedures presented in the SOP titled Monitoring Well Development, unless that well has been sampled or developed within the prior 1-year time period. Groundwater samples will not be collected within 1 week following well development.

II. Personnel Qualifications

ARCADIS personnel directing, supervising, or leading groundwater sample collection activities should have a minimum of 2 years of previous groundwater sampling experience. ARCADIS personnel providing assistance to groundwater sample collection and associated activities should have a minimum of 6 months of related experience or an advanced degree in environmental sciences, engineering, hydrogeology, or geology.

The supervisor of the groundwater sampling team will have at least 1 year of previous supervised groundwater sampling experience.

Prior to mobilizing to the field, the groundwater sampling team should review and be thoroughly familiar with relevant site-specific documents including but not limited to the site work plan, field sampling plan, QAPP, HASP, and historical information. Additionally, the groundwater sampling team should review and be thoroughly familiar with documentation provided by equipment manufacturers for all equipment that will be used in the field prior to mobilization.

III. Equipment List

Specific to this activity, the following materials (or equivalent) will be available:

- Health and safety equipment (as required in the site Health and Safety Plan [HASP]).

- Site Plan, well construction records, prior groundwater sampling records (if available).
- Sampling pump, which may consist of one or more of the following:
 - submersible pump (e.g., Grundfos Redi-Flo 2);
 - peristaltic pump (e.g., ISCO Model 150); and/or
 - bladder pump (e.g., Marschalk System 1, QED Well Wizard, etc.).
- Appropriate controller and power source for pump:
 - Submersible and peristaltic pumps require electric power from either a generator or a deep cell battery.
 - Submersible pumps such as Grundfos require a pump controller to run the pump
 - Bladder pumps require a pump controller and a gas source (e.g., air compressor or compressed N₂ or CO₂ gas cylinders).
- Teflon[®] tubing or Teflon[®]-lined polyethylene tubing of an appropriate size for the pump being used. For peristaltic pumps, dedicated Tygon[®] tubing (or other type as specified by the manufacturer) will also be used through the pump apparatus.
- Water-level probe (e.g., Solinst Model 101).
- Water-quality (temperature/pH/specific conductivity/ORP/turbidity/dissolved oxygen) meter and flow-through measurement cell. Several brands may be used, including:
 - YSI 6-Series Multi-Parameter Instrument;
 - Hydrolab Series 3 or Series 4a Multiprobe and Display; and/or
 - Horiba U-10 or U-22 Water Quality Monitoring System.
- Supplemental turbidity meter (e.g., Horiba U-10, Hach 2100P, LaMotte 2020). Turbidity measurements collected with multi-parameter meters have been shown to sometimes be unreliable due to fouling of the optic lens of the

turbidity meter within the flow-through cell. A supplemental turbidity meter will be used to verify turbidity data during purging if such fouling is suspected. Note that industry improvements may eliminate the need for these supplemental measurements in the future.

- Appropriate water sample containers (supplied by the laboratory).
- Appropriate blanks (trip blank supplied by the laboratory).
- 0.45-micron disposable filters (if field filtering is required).
- Large glass mixing container (if sampling with a bailer).
- Teflon[®] stirring rod (if sampling with a bailer).
- Cleaning equipment.
- Groundwater sampling log (attached) or bound field logbook.

Note that in the future, the client may acquire different makes/models of some of this equipment if the listed makes/models are no longer available, or as a result of general upgrades or additional equipment acquisitions. In the event that the client uses a different make/model of the equipment listed, the client will use an equivalent type of equipment (e.g., pumps, flow-through analytical cells) and note the specific make/model of the equipment used during a sampling event on the groundwater sampling log. In addition, should the client desire to change to a markedly different sampling methodology (e.g., discrete interval samplers, passive diffusion bags, or a yet to be developed technique), the client will submit a proposed SOP for the new methodology for USEPA approval prior to implementing such a change.

The maintenance requirements for the above equipment generally involve decontamination or periodic cleaning, battery charging, and proper storage, as specified by the manufacturer. For operational difficulties, the equipment will be serviced by a qualified technician.

IV. Cautions

If heavy precipitation occurs and no cover over the sampling area and monitoring well can be erected, sampling must be discontinued until adequate cover is provided. Rain water could contaminate groundwater samples.

Do not use permanent marker or felt-tip pens for labels on sample container or sample coolers – use indelible ink. The permanent markers could introduce volatile constituents into the samples.

It may be necessary to field filter some parameters (e.g., metals) prior to collection, depending on preservation, analytical method, and project quality objectives.

Store and/or stage empty and full sample containers and coolers out of direct sunlight.

To mitigate potential cross-contamination, groundwater samples are to be collected in a pre-determined order from least impacted to impacted based on previous analytical data. If no analytical data are available, samples are collected in order of upgradient, then furthest downgradient to source area locations.

Be careful not to over-tighten lids with Teflon liners or septa (e.g., 40 mL vials). Over-tightening can cause the glass to shatter or impair the integrity of the Teflon seal.

V. Health and Safety Considerations

Use caution and appropriate cut resistant gloves when tightening lids to 40 mL vials. These vials can break while tightening and can lacerate hand. Amber vials (thinner glass) are more prone to breakage.

If thunder or lightning is present, discontinue sampling and take cover until 30 minutes have passed after the last occurrence of thunder or lightning.

Use caution when removing well caps as well may be under pressure, cap can dislodge forcefully and cause injury.

Use caution when opening protective casing on stickup wells as wasps frequently nest inside the tops of the covers. Also watch for fire ant mounds near well pads when sampling in the south or western U.S.

VI. Procedure

Groundwater will be purged from the wells using an appropriate pump. Peristaltic pumps will initially be used to purge and sample all wells when applicable. If the depth to water is below the sampling range of a peristaltic pump (approximately 25 feet), submersible pumps or bladder pumps will be used provided the well is constructed with a casing diameter greater than or equal to 2 inches (the minimum well diameter capable of accommodating such pumps). Bladder pumps are preferred over peristaltic and submersible pumps if sampling of VOCs is required to prevent volatilization. For

smaller diameter wells where the depth to water is below the sampling range of a peristaltic pump, alternative sampling methods (i.e., bailing or small diameter bladder pumps) will be used to purge and sample the groundwater. Purge water will be collected and containerized.

1. Calibrate field instruments according to manufacturer procedures for calibration.
2. Measure initial depth to groundwater prior to placement of pumps.
3. Prepare and install pump in well: For submersible and non-dedicated bladder pumps, decontaminate pump according to site decontamination procedures. Non-dedicated bladder pumps will require a new Teflon[®] bladder and attachment of an air line, sample discharge line, and safety cable prior to placement in the well. Attach the air line tubing to the air port on the top of the bladder pump. Attach the sample discharge tubing to the water port on the top of the bladder pump. Care should be taken not to reverse the air and discharge tubing lines during bladder pump set-up as this could result in bladder failure or rupture. Attach and secure a safety cable to the eyebolt on the top of bladder pump (if present, depending on pump model used). Slowly lower pump, safety cable, tubing, and electrical lines into the well to a depth corresponding to the approximate center of the saturated screen section of the well. Take care to avoid twisting and tangling of safety cable, tubing, and electrical lines while lowering pump into well; twisted and tangled lines could result in the pump becoming stuck in the well casing. Also, make sure to keep tubing and lines from touching the ground or other surfaces while introducing them into the well as this could lead to well contamination. If a peristaltic pump is being used, slowly lower the sampling tubing into the well to a depth corresponding to the approximate center of the saturated screen section of the well. The pump intake or sampling tube must be kept at least 2 feet above the bottom of the well to prevent mobilization of any sediment present in the bottom of the well.
4. Connect the pump to other equipment. If using a bladder pump, the discharge water line should be connected to the bottom inlet port on the flow-through cell connected to the water quality meter. Connect the air line to the pump controller output port. The pump controller should then be connected to a supply line from an air compressor or compressed gas cylinder using an appropriate regulator and air hose. Take care to tighten the regulator connector onto the gas cylinder (if used) to prevent leaks. Teflon tape may be used on the threads of the cylinder to provide a tighter seal. Once the air compressor or gas cylinder is connected to the pump controller, turn on the compressor or open the valve on the cylinder to begin the gas flow. Turn on the pump controller if an on/off switch

is present and verify that all batteries are charged and fully operating before beginning to pump.

5. Measure the water level again with the pump in the well before starting the pump. Start pumping the well at 200 to 500 milliliters (mL) per minute (or at lower site-specific rate if specified). The pump rate should be adjusted to cause little or no water level drawdown in the well (less than 0.3 feet below the initial static depth to water measurement) and the water level should stabilize. The water level should be monitored every 3 to 5 minutes (or as appropriate, lower flow rates may require longer time between readings) during pumping if the well diameter is of sufficient size to allow such monitoring. Care should be taken not to break pump suction or cause entrainment of air in the sample. Record pumping rate adjustments and depths to water. If necessary, pumping rates should be reduced to the minimum capabilities of the pump to avoid pumping the well dry and/or to stabilize indicator parameters. A steady flow rate should be maintained to the extent practicable. Groundwater sampling records from previous sampling events (if available) should be reviewed prior to mobilization to estimate the optimum pumping rate and anticipated drawdown for the well in order to more efficiently reach a stabilized pumping condition.

If the recharge rate of the well is very low, alternative purging techniques should be used, which will vary based on the well construction and screen position. For wells screened across the water table, the well should be pumped dry and sampling should commence as soon as the volume in the well has recovered sufficiently to permit collection of samples. For wells screened entirely below the water table, the well should be pumped until a stabilized level (which may be below the maximum displacement goal of 0.3 feet) can be maintained and monitoring for stabilization of field indicator parameters can commence. If a lower stabilization level cannot be maintained, the well should be pumped until the drawdown is at a level slightly higher than the bentonite seal above the well screen. Sampling should commence after one well volume has been removed and the well has recovered sufficiently to permit collection of samples.

During purging, monitor the field indicator parameters (e.g., turbidity, temperature, specific conductance, pH, etc.) every 3 to 5 minutes (or as appropriate). Field indicator parameters will be measured using a flow-through analytical cell or a clean container such as a glass beaker. Record field indicator parameters on the groundwater sampling log. The well is considered stabilized and ready for sample collection when turbidity values remain within 10% (or within 1 NTU if the turbidity reading is less than 10 NTU), the specific conductance and temperature values remain within 3%, and pH remains within 0.1 units for three consecutive readings collected at 3- to 5-minute intervals (or

other appropriate interval, alternate stabilization goals may exist in different geographic regions, consult the site-specific Work Plan for stabilization criteria). If the field indicator parameters do not stabilize within 1 hour of the start of purging, but the groundwater turbidity is below the goal of 50 NTU and the values for all other parameters are within 10%, the well can be sampled. If the parameters have stabilized but the turbidity is not in the range of the 50 NTU goal, the pump flow rate should be decreased to a minimum rate of 100 mL/min to reduce turbidity levels as low as possible. If dissolved oxygen values are not within acceptable range for the temperature of groundwater (Attachment 1), then check for and remove air bubbles on probe or in tubing. If the dissolved oxygen value is 0.00 or less, then the meter should be serviced and re-calibrated.

During extreme weather conditions, stabilization of field indicator parameters may be difficult to obtain. Modifications to the sampling procedures to alleviate these conditions (e.g., measuring the water temperature in the well adjacent to the pump intake) will be documented in the field notes. If other field conditions exist that preclude stabilization of certain parameters, an explanation of why the parameters did not stabilize will also be documented in the field logbook.

6. Complete the sample label and cover the label with clear packing tape to secure the label onto the container.
7. After the indicator parameters have stabilized, collect groundwater samples by diverting flow out of the unfiltered discharge tubing into the appropriate labeled sample container. If a flow-through analytical cell is being used to measure field parameters, the flow-through cell should be disconnected after stabilization of the field indicator parameters and prior to groundwater sample collection. Under no circumstances should analytical samples be collected from the discharge of the flow-through cell. When the container is full, tightly screw on the cap. Samples should be collected in the following order: VOCs, TOC, SVOCs, metals and cyanide, and others (or other order as defined in the site-specific Work Plan).
8. If sampling for total and filtered metals and/or PCBs, a filtered and unfiltered sample will be collected. Install an in-line, disposable 0.45-micron particle filter on the discharge tubing after the appropriate unfiltered groundwater sample has been collected. Continue to run the pump until an initial volume of "flush" water has been run through the filter in accordance with the manufacturer's directions (generally 100 to 300 mL). Collect filtered groundwater sample by diverting flow out of the filter into the appropriately labeled sample container. When the container is full, tightly screw on the cap.

9. Secure with packing material and store at 4°C in an insulated transport container provided by the laboratory.
10. Record on the groundwater sampling log or bound field logbook the time sampling procedures were completed, any pertinent observations of the sample (e.g., physical appearance, and the presence or lack of odors or sheens), and the values of the stabilized field indicator parameters as measured during the final reading during purging (Attachment 2 – Example Sampling Log).
11. Turn off the pump and air compressor or close the gas cylinder valve if using a bladder pump set-up. Slowly remove the pump, tubing, lines, and safety cable from the well. Do not allow the tubing or lines to touch the ground or any other surfaces which could contaminate them. .
12. If tubing is to be dedicated to a well, it should be folded to a length that will allow the well to be capped and also facilitate retrieval of the tubing during later sampling events. A length of rope or string should be used to tie the tubing to the well cap. Alternatively, if tubing and safety line are to be saved and reused for sampling the well at a later date they may be coiled neatly and placed in a clean plastic bag that is clearly labeled with the well ID. Make sure the bag is tightly sealed before placing it in storage.
13. Secure the well and properly dispose of personal protective equipment (PPE) and disposable equipment.
14. Complete the procedures for packaging, shipping, and handling with associated chain-of-custody.
15. Complete decontamination procedures for flow-through analytical cell and submersible or bladder pump, as appropriate.
16. At the end of the day, perform calibration check of field instruments.

If it is not technically feasible to use the low-flow sampling method, purging and sampling of monitoring wells may be conducted using the bailer method as outlined below:

1. Don appropriate PPE (as required by the HASP).
2. Place plastic sheeting around the well.
3. Clean sampling equipment.

4. Open the well cover while standing upwind of the well. Remove well cap and place on the plastic sheeting. Insert PID probe approximately 4 to 6 inches into the casing or the well headspace and cover with gloved hand. Record the PID reading in the field log. If the well headspace reading is less than 5 PID units, proceed; if the headspace reading is greater than 5 PID units, screen the air within the breathing zone. If the breathing zone reading is less than 5 PID units, proceed. If the PID reading in the breathing zone is above 5 PID units, move upwind from well for 5 minutes to allow the volatiles to dissipate. Repeat the breathing zone test. If the reading is still above 5 PID units, don appropriate respiratory protection in accordance with the requirements of the HASP. Record all PID readings. For wells that are part of the regular weekly monitoring program and prior PID measurements have not resulted in a breathing zone reading above 5 PID units, PID measurements will be taken monthly.
5. Measure the depth to water and determine depth of well by examining drilling log data or by direct measurement. Calculate the volume of water in the well (in gallons) by using the length of the water column (in feet), multiplying by 0.163 for a 2-inch well or by 0.653 for a 4-inch well. For other well diameters, use the formula:

$$\text{Volume (in gallons)} = \bullet \text{ TIMES well radius (in feet) squared TIMES length of water column (in feet) TIMES 7.481 (gallons per cubic foot)}$$
6. Measure a length of rope or twine at least 10 feet greater than the total depth of the well. Secure one end of the rope to the well casing and secure the other end to the bailer. Test the knots and make sure the rope will not loosen. Check bailers so that all parts are intact and will not be lost in the well.
7. Lower bailer into well and remove one well volume of water. Contain all water in appropriate containers.
8. Monitor the field indicator parameters (e.g., turbidity, temperature, specific conductance, and pH). Measure field indicator parameters using a clean container such as a glass beaker or sampling cups provided with the instrument. Record field indicator parameters on the groundwater sampling log.
9. Repeat Steps 7 and 8 until three or four well volumes have been removed. Examine the field indicator parameter data to determine if the parameters have stabilized. The well is considered stabilized and ready for sample collection when turbidity values remain within 10% (or within 1 NTU if the turbidity reading is less than 10 NTU), the specific conductance and temperature values remain

within 3%, and pH remains within 0.1 units for three consecutive readings collected once per well volume removed.

10. If the field indicator parameters have not stabilized, remove a maximum of five well volumes prior to sample collection. Alternatively, five well volumes may be removed without measuring the field indicator parameters.
11. If the recharge rate of the well is very low, wells screened across the water table may be bailed dry and sampling should commence as soon as the volume in the well has recovered sufficiently to permit collection of samples. For wells screened entirely below the water table, the well should only be bailed down to a level slightly higher than the bentonite seal above the well screen. The well should not be bailed completely dry, to maintain the integrity of the seal. Sampling should commence as soon as the well volume has recovered sufficiently to permit sample collection.
12. Following purging, allow water level in well to recharge to a sufficient level to permit sample collection.
13. Complete the sample label and cover the label with clear packing tape to secure the label onto the container.
14. Slowly lower the bailer into the screened portion of the well and carefully retrieve a filled bailer from the well causing minimal disturbance to the water and any sediment in the well.
15. The sample collection order (as appropriate) will be as follows:
 - a. VOCs;
 - b. TOC;
 - c. SVOCs;
 - d. metals and cyanide; and
 - e. others.
16. When sampling for volatiles, collect water samples directly from the bailer into 40-mL vials with Teflon[®]-lined septa.

17. For other analytical samples, remove the cap from the large glass mixing container and slowly empty the bailer into the large glass mixing container. The sample for dissolved metals and/or filtered PCBs should either be placed directly from the bailer into a pressure filter apparatus or pumped directly from the bailer with a peristaltic pump, through an in-line filter, into the pre-preserved sample bottle.
18. Continue collecting samples until the mixing container contains a sufficient volume for all laboratory samples.
19. Mix the entire sample volume with the Teflon[®] stirring rod and transfer the appropriate volume into the laboratory jar(s). Secure the sample jar cap(s) tightly.
20. If sampling for total and filtered metals and/or PCBs, a filtered and unfiltered sample will be collected. Sample filtration for the filtered sample will be performed in the field using a peristaltic pump prior to preservation. Install new medical-grade silicone tubing in the pump head. Place new Teflon[®] tubing into the sample mixing container and attach to the intake side of pump tubing. Attach (clamp) a new 0.45-micron filter (note the filter flow direction). Turn the pump on and dispense the filtered liquid directly into the laboratory sample bottles.
21. Secure with packing material and store at 4°C in an insulated transport container provided by the laboratory.
22. After sample containers have been filled, remove one additional volume of groundwater. Measure the pH, temperature, turbidity, and conductivity. Record on the groundwater sampling log or bound field logbook the time sampling procedures were completed, any pertinent observations of the sample (e.g., physical appearance, and the presence or lack of odors or sheens), and the values of the field indicator parameters.
23. Remove bailer from well, secure well, and properly dispose of PPE and disposable equipment.
24. If a bailer is to be dedicated to a well, it should be secured inside the well above the water table, if possible. Dedicated bailers should be tied to the well cap so that inadvertent loss of the bailer will not occur when the well is opened.
25. Complete the procedures for packaging, shipping, and handling with associated chain-of-custody.

VII. Waste Management

Materials generated during groundwater sampling activities, including disposable equipment, will be placed in appropriate containers. Containerized waste will be disposed of by the client consistent with the procedures identified in the HASP.

VIII. Data Recording and Management

Initial field logs and chain-of-custody records will be transmitted to the ARCADIS PM at the end of each day unless otherwise directed by the PM. The groundwater team leader retains copies of the groundwater sampling logs.

IX. Quality Assurance

In addition to the quality control samples to be collected in accordance with this SOP, the following quality control procedures should be observed in the field:

- Collect samples from monitoring wells in order of increasing concentration, to the extent known based on review of historical site information if available.
- Equipment blanks should include the pump and tubing (if using disposable tubing) or the pump only (if using tubing dedicated to each well).
- Collect equipment blanks after wells with higher concentrations (if known) have been sampled.
- Operate all monitoring instrumentation in accordance with manufacturer's instructions and calibration procedures. Calibrate instruments at the beginning of each day and verify the calibration at the end of each day. Record all calibration activities in the field notebook.
- Clean all groundwater sampling equipment prior to use in the first well and after each subsequent well using procedures for equipment decontamination.

X. References

United States Environmental Protection Agency (USEPA). 1986. RCRA Groundwater Monitoring Technical Enforcement Guidance Document (September 1986).

USEPA Region II. 1998. *Ground Water Sampling Procedure Low Stress (Low Flow) Purging and Sampling*.

USEPA. 1991. Handbook Groundwater, Volume II Methodology, Office of Research and Development, Washington, DC. USEPN62S, /6-90/016b (July, 1991).

U.S. Geological Survey (USGS). 1977. National Handbook of Recommended Methods for Water-Data Acquisition: USGS Office of Water Data Coordination. Reston, Virginia.

Attachment 1
Groundwater Sampling Log



Low-Flow Groundwater Sampling Log

Project _____
 Project Number _____ Site Location _____ Well ID _____
 Date _____ Sampled By _____
 Sampling Time _____ Recorded By _____
 Weather _____ Coded Replicate No. _____

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method _____
 Casing Diameter _____ Screen Interval (ft bmp) Top _____ Bottom _____
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) _____ Purge Time Start _____ Finish _____

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)

Collected Sample Condition Color _____ Odor _____ Appearance _____
 Parameter Container No. Preservative

PID Reading _____
 Comments _____

1) Circle one unit type

Attachment 2

Oxygen Solubility in Fresh Water

Temperature (degrees C)	Dissolved Oxygen (mg/L)
0	14.6
1	14.19
2	13.81
3	13.44
4	13.09
5	12.75
6	12.43
7	12.12
8	11.83
9	11.55
10	11.27
11	11.01
12	10.76
13	10.52
14	10.29
15	10.07
16	9.85
17	9.65
18	9.45
19	9.26
20	9.07
21	8.9
22	8.72
23	8.56
24	8.4
25	8.24
26	8.09
27	7.95
28	7.81
29	7.67
30	7.54
31	7.41
32	7.28
33	7.16
34	7.05
35	6.93

Reference: Vesilind, P.A., *Introduction to Environmental Engineering*, PWS Publishing Company, Boston, 468 pages (1996).

APPENDIX B

Field Data Sheets



Low-Flow Test Report:

Test Date / Time: 3/26/2018 12:07:15 PM

Project: Seattle Terminal 1Q18

Operator Name: EK

<p>Location Name: MW-70R Well Diameter: 2 in Casing Type: PVC Screen Length: 12 ft Top of Screen: 4 ft Total Depth: 16 ft Initial Depth to Water: 10.01 ft</p>	<p>Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4" Pump Intake From TOC: 10.07 ft Estimated Total Volume Pumped: 6750 ml Flow Cell Volume: 130 ml Final Flow Rate: 150 ml/min Final Draw Down: 0 ft</p>	<p>Instrument Used: Aqua TROLL 600 Vented Serial Number: 457166</p>
---	---	--

Test Notes:

Weather Conditions:

40 and overcast

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 10 %	+/- 15 %		
3/26/2018 12:07 PM	00:00	7.13 pH	51.91 °F	21,770 µS/cm	0.54 mg/L	0.00 NTU	256.1 mV	10.01 ft	150.00 ml/min
3/26/2018 12:10 PM	03:00	7.14 pH	52.65 °F	21,655 µS/cm	0.08 mg/L	0.00 NTU	231.3 mV	10.01 ft	150.00 ml/min
3/26/2018 12:13 PM	06:00	7.14 pH	52.85 °F	21,718 µS/cm	0.05 mg/L	0.00 NTU	210.3 mV	10.01 ft	150.00 ml/min
3/26/2018 12:16 PM	09:00	7.14 pH	52.95 °F	21,756 µS/cm	0.04 mg/L	0.00 NTU	194.7 mV	10.01 ft	150.00 ml/min
3/26/2018 12:19 PM	12:00	7.14 pH	52.99 °F	21,787 µS/cm	0.04 mg/L	0.00 NTU	180.6 mV	10.01 ft	150.00 ml/min
3/26/2018 12:22 PM	15:00	7.14 pH	53.03 °F	21,750 µS/cm	0.03 mg/L	0.00 NTU	168.3 mV	10.01 ft	150.00 ml/min
3/26/2018 12:25 PM	18:00	7.14 pH	53.10 °F	21,908 µS/cm	0.03 mg/L	0.00 NTU	157.4 mV	10.01 ft	150.00 ml/min
3/26/2018 12:28 PM	21:00	7.14 pH	53.10 °F	21,777 µS/cm	0.02 mg/L	0.00 NTU	147.7 mV	10.01 ft	150.00 ml/min
3/26/2018 12:31 PM	24:00	7.14 pH	53.13 °F	21,784 µS/cm	0.01 mg/L	0.00 NTU	137.0 mV	10.01 ft	150.00 ml/min
3/26/2018 12:34 PM	27:00	7.14 pH	53.15 °F	21,784 µS/cm	0.02 mg/L	0.00 NTU	128.6 mV	10.01 ft	150.00 ml/min
3/26/2018 12:37 PM	30:00	7.14 pH	53.10 °F	21,790 µS/cm	0.01 mg/L	1.29 NTU	121.5 mV	10.01 ft	150.00 ml/min
3/26/2018 12:40 PM	33:00	7.14 pH	53.14 °F	21,779 µS/cm	0.01 mg/L	0.00 NTU	115.8 mV	10.01 ft	150.00 ml/min

3/26/2018 12:43 PM	36:00	7.14 pH	53.12 °F	21,792 µS/cm	0.01 mg/L	0.00 NTU	110.3 mV	10.01 ft	150.00 ml/min
3/26/2018 12:46 PM	39:00	7.15 pH	53.12 °F	21,800 µS/cm	0.01 mg/L	0.00 NTU	105.2 mV	10.01 ft	150.00 ml/min
3/26/2018 12:49 PM	42:00	7.14 pH	53.09 °F	21,777 µS/cm	0.01 mg/L	0.00 NTU	100.8 mV	10.01 ft	150.00 ml/min
3/26/2018 12:52 PM	45:00	7.15 pH	53.08 °F	21,789 µS/cm	0.00 mg/L	0.00 NTU	96.5 mV	10.01 ft	150.00 ml/min

Samples

Sample ID:	Description:
MW-70R	Sample time: 1200 Final DTW: 9.55 ft btoc Final RDO: 0.00 mg/L
DUP-1	

Low-Flow Test Report:

Test Date / Time: 6/20/2018 5:45:35 PM

Project: 2Q18 Seattle Terminal

Operator Name: EK

Location Name: MW-70R Well Diameter: 2 in Casing Type: PVC Screen Length: 12 ft Top of Screen: 4 ft Total Depth: 16 ft Initial Depth to Water: 12.75 ft	Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4 Pump Intake From TOC: 13.3 ft Estimated Total Volume Pumped: 9000 ml Flow Cell Volume: 130 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.3 ft	Instrument Used: Aqua TROLL 600 Vented Serial Number: 467764
--	--	---

Test Notes:

Weather Conditions:

80 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 15 %		
6/20/2018 5:45 PM	00:00	7.00 pH	67.17 °F	20,231 µS/cm	2.86 mg/L	-41.5 mV	12.75 ft	200.00 ml/min
6/20/2018 5:48 PM	03:00	7.01 pH	66.25 °F	20,078 µS/cm	2.68 mg/L	-30.7 mV	12.75 ft	200.00 ml/min
6/20/2018 5:51 PM	06:00	7.00 pH	65.30 °F	19,915 µS/cm	2.67 mg/L	-22.2 mV	12.75 ft	200.00 ml/min
6/20/2018 5:54 PM	09:00	7.01 pH	64.90 °F	19,683 µS/cm	2.67 mg/L	-15.5 mV	12.75 ft	200.00 ml/min
6/20/2018 5:57 PM	12:00	7.01 pH	64.50 °F	18,950 µS/cm	2.66 mg/L	-9.3 mV	12.75 ft	200.00 ml/min
6/20/2018 6:00 PM	15:00	7.01 pH	64.45 °F	17,937 µS/cm	2.67 mg/L	-5.1 mV	12.75 ft	200.00 ml/min
6/20/2018 6:03 PM	18:00	7.02 pH	64.34 °F	17,472 µS/cm	2.66 mg/L	-3.1 mV	12.75 ft	200.00 ml/min
6/20/2018 6:06 PM	21:00	7.02 pH	64.44 °F	15,932 µS/cm	2.62 mg/L	-0.9 mV	12.75 ft	200.00 ml/min
6/20/2018 6:09 PM	24:00	7.02 pH	64.65 °F	14,933 µS/cm	2.60 mg/L	0.9 mV	12.75 ft	200.00 ml/min
6/20/2018 6:12 PM	27:00	7.02 pH	64.56 °F	13,124 µS/cm	2.57 mg/L	2.2 mV	12.75 ft	200.00 ml/min
6/20/2018 6:15 PM	30:00	7.03 pH	64.45 °F	11,934 µS/cm	2.55 mg/L	2.7 mV	12.75 ft	200.00 ml/min
6/20/2018 6:18 PM	33:00	7.03 pH	64.44 °F	10,733 µS/cm	2.50 mg/L	2.7 mV	12.75 ft	200.00 ml/min

6/20/2018 6:21 PM	36:00	7.02 pH	64.66 °F	10,033 µS/cm	2.45 mg/L	1.9 mV	12.75 ft	200.00 ml/min
6/20/2018 6:24 PM	39:00	7.03 pH	64.95 °F	9,656.7 µS/cm	2.38 mg/L	1.4 mV	12.75 ft	200.00 ml/min
6/20/2018 6:27 PM	42:00	7.03 pH	65.15 °F	8,400.5 µS/cm	2.32 mg/L	0.6 mV	12.75 ft	200.00 ml/min
6/20/2018 6:30 PM	45:00	7.03 pH	64.84 °F	7,640.4 µS/cm	2.21 mg/L	0.7 mV	12.75 ft	200.00 ml/min

Samples

Sample ID:	Description:
MW-70R	Sample time 1835 Final Dtw 13.05 ft btoc ORP AND SPECIFIC COND. NOT STAMBLE AFTER 45 MINUTES
DUP-1	

Low-Flow Test Report:

Test Date / Time: 6/20/2018 2:19:01 PM

Project: 2Q18 Seattle Terminal

Operator Name: JL

<p>Location Name: MW-200 Well Diameter: 2 in Casing Type: Pvc Screen Length: 18.9 m Top of Screen: 5 ft Total Depth: 23.9 ft Initial Depth to Water: 9.2 ft</p>	<p>Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4 Pump Intake From TOC: 9.8 ft Estimated Total Volume Pumped: 3600 ml Flow Cell Volume: 130 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.09 ft</p>	<p>Instrument Used: Aqua TROLL 600 Vented Serial Number: 457141</p>
--	---	--

Test Notes:

Weather Conditions:

80 sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 15 %		
6/20/2018 2:19 PM	00:00	7.32 pH	70.30 °F	1,907.0 µS/cm	2.46 mg/L	-129.1 mV	9.20 ft	200.00 ml/min
6/20/2018 2:22 PM	03:00	7.23 pH	65.15 °F	1,913.0 µS/cm	0.20 mg/L	-191.8 mV	9.20 ft	200.00 ml/min
6/20/2018 2:25 PM	06:00	7.24 pH	63.31 °F	2,041.1 µS/cm	0.12 mg/L	-207.0 mV	9.20 ft	200.00 ml/min
6/20/2018 2:28 PM	09:00	7.28 pH	62.39 °F	1,661.9 µS/cm	0.11 mg/L	-209.2 mV	9.20 ft	200.00 ml/min
6/20/2018 2:31 PM	12:00	7.33 pH	61.99 °F	1,658.1 µS/cm	0.07 mg/L	-224.0 mV	9.20 ft	200.00 ml/min
6/20/2018 2:34 PM	15:00	7.38 pH	61.67 °F	1,615.1 µS/cm	0.08 mg/L	-229.6 mV	9.20 ft	200.00 ml/min
6/20/2018 2:37 PM	18:00	7.43 pH	61.26 °F	1,644.8 µS/cm	0.07 mg/L	-235.2 mV	9.20 ft	200.00 ml/min

Samples

Sample ID:	Description:
Mw-200	Sample time-1445 Fdtw-9.29

Low-Flow Test Report:

Test Date / Time: 6/20/2018 2:11:29 PM

Project: 2Q18 Seattle Terminal

Operator Name: EK

<p>Location Name: MW-201 Well Diameter: 2 in Casing Type: PVC Screen Length: 14.2 ft Top of Screen: 5 ft Total Depth: 19.8 ft Initial Depth to Water: 9.88 ft</p>	<p>Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4 Pump Intake From TOC: 10.4 ft Estimated Total Volume Pumped: 6000 ml Flow Cell Volume: 130 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.13 ft</p>	<p>Instrument Used: Aqua TROLL 600 Vented Serial Number: 467764</p>
--	--	--

Test Notes:

Weather Conditions:

80 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 15 %		
6/20/2018 2:11 PM	00:00	7.05 pH	63.58 °F	786.06 µS/cm	0.26 mg/L	-162.9 mV	9.88 ft	200.00 ml/min
6/20/2018 2:14 PM	03:00	7.03 pH	62.92 °F	798.21 µS/cm	0.12 mg/L	-172.8 mV	9.88 ft	200.00 ml/min
6/20/2018 2:17 PM	06:00	6.99 pH	62.79 °F	786.34 µS/cm	0.14 mg/L	-178.4 mV	9.88 ft	200.00 ml/min
6/20/2018 2:20 PM	09:00	6.95 pH	62.59 °F	769.23 µS/cm	0.17 mg/L	-180.7 mV	9.88 ft	200.00 ml/min
6/20/2018 2:23 PM	12:00	6.91 pH	62.61 °F	759.34 µS/cm	0.09 mg/L	-182.3 mV	9.88 ft	200.00 ml/min
6/20/2018 2:26 PM	15:00	6.89 pH	62.43 °F	752.34 µS/cm	0.07 mg/L	-184.6 mV	9.88 ft	200.00 ml/min
6/20/2018 2:29 PM	18:00	6.87 pH	62.28 °F	750.38 µS/cm	0.06 mg/L	-187.1 mV	9.88 ft	200.00 ml/min
6/20/2018 2:32 PM	21:00	6.86 pH	62.13 °F	734.37 µS/cm	0.07 mg/L	-188.3 mV	9.88 ft	200.00 ml/min
6/20/2018 2:35 PM	24:00	6.83 pH	62.13 °F	745.02 µS/cm	0.05 mg/L	-189.7 mV	9.88 ft	200.00 ml/min
6/20/2018 2:38 PM	27:00	6.81 pH	62.10 °F	737.98 µS/cm	0.05 mg/L	-189.5 mV	9.88 ft	200.00 ml/min
6/20/2018 2:41 PM	30:00	6.79 pH	62.13 °F	727.60 µS/cm	0.06 mg/L	-189.7 mV	9.88 ft	200.00 ml/min

Samples

Sample ID:	Description:
MW-201	Sample time at 1450 Final DTW 9.95 ft btoc

Low-Flow Test Report:

Test Date / Time: 6/20/2018 5:10:31 PM

Project: 2Q18 Seattle Terminal

Operator Name: JL

Location Name: MW-202 Well Diameter: 2 in Casing Type: Pvc Screen Length: 19.55 ft Top of Screen: 7.8 ft Total Depth: 27.35 ft Initial Depth to Water: 10.58 ft	Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4 Pump Intake From TOC: 11.0 ft Estimated Total Volume Pumped: 2400 ml Flow Cell Volume: 130 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.13 ft	Instrument Used: Aqua TROLL 600 Vented Serial Number: 457141
--	---	---

Test Notes:

Weather Conditions:

81 degrees sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 15 %		
6/20/2018 5:10 PM	00:00	7.00 pH	70.63 °F	22,529 µS/cm	0.39 mg/L	-179.9 mV	10.58 ft	200.00 ml/min
6/20/2018 5:13 PM	03:00	7.03 pH	67.15 °F	22,715 µS/cm	0.23 mg/L	-258.3 mV	10.58 ft	200.00 ml/min
6/20/2018 5:16 PM	06:00	7.05 pH	62.87 °F	22,991 µS/cm	0.11 mg/L	-263.3 mV	10.58 ft	200.00 ml/min
6/20/2018 5:19 PM	09:00	7.06 pH	62.51 °F	22,082 µS/cm	0.11 mg/L	-269.8 mV	10.58 ft	200.00 ml/min
6/20/2018 5:22 PM	12:00	7.06 pH	61.88 °F	21,654 µS/cm	0.10 mg/L	-272.0 mV	10.58 ft	200.00 ml/min

Samples

Sample ID:	Description:
Mw-202	Sample time 1745 Final dtw-10.71

Low-Flow Test Report:

Test Date / Time: 6/20/2018 1:05:09 PM

Project: 2Q18 Seattle Terminal

Operator Name: EK

Location Name: MW-203 Well Diameter: 2 in Casing Type: PVC Screen Length: 15 ft Top of Screen: 10.5 ft Total Depth: 25.5 ft Initial Depth to Water: 12.39 ft	Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4 Pump Intake From TOC: 12.9 ft Estimated Total Volume Pumped: 4200 ml Flow Cell Volume: 130 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.1 ft	Instrument Used: Aqua TROLL 600 Vented Serial Number: 467764
---	--	---

Test Notes:

Weather Conditions:

80 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 15 %		
6/20/2018 1:05 PM	00:00	6.86 pH	66.83 °F	6,601.0 µS/cm	0.13 mg/L	-191.6 mV	12.39 ft	200.00 ml/min
6/20/2018 1:08 PM	03:00	6.94 pH	66.73 °F	6,611.8 µS/cm	0.10 mg/L	-198.6 mV	12.39 ft	200.00 ml/min
6/20/2018 1:11 PM	06:00	7.02 pH	66.45 °F	6,652.7 µS/cm	0.08 mg/L	-207.8 mV	12.39 ft	200.00 ml/min
6/20/2018 1:14 PM	09:00	7.07 pH	66.19 °F	6,697.2 µS/cm	0.07 mg/L	-214.2 mV	12.39 ft	200.00 ml/min
6/20/2018 1:17 PM	12:00	7.11 pH	65.97 °F	6,767.4 µS/cm	0.07 mg/L	-219.5 mV	12.39 ft	200.00 ml/min
6/20/2018 1:20 PM	15:00	7.14 pH	65.72 °F	6,763.3 µS/cm	0.06 mg/L	-223.2 mV	12.39 ft	200.00 ml/min
6/20/2018 1:23 PM	18:00	7.16 pH	65.60 °F	6,759.1 µS/cm	0.05 mg/L	-226.6 mV	12.39 ft	200.00 ml/min
6/20/2018 1:26 PM	21:00	7.18 pH	65.49 °F	6,719.9 µS/cm	0.05 mg/L	-229.2 mV	12.39 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

MW-203

Sample time 1330
Final DTW 12.49 ft btoc

Low-Flow Test Report:

Test Date / Time: 6/20/2018 11:44:51 AM

Project: 2Q18 Seattle Terminal

Operator Name: EK

Location Name: MW-204 Well Diameter: 2 in Casing Type: PVC Screen Length: 13 ft Top of Screen: 17.35 ft Total Depth: 30.9 ft Initial Depth to Water: 20.3 ft	Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4 Pump Intake From TOC: 20.9 ft Estimated Total Volume Pumped: 6000 ml Flow Cell Volume: 130 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.03 in	Instrument Used: Aqua TROLL 600 Vented Serial Number: 467764
---	---	---

Test Notes:

Weather Conditions:

80 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 15 %		
6/20/2018 11:44 AM	00:00	6.48 pH	61.30 °F	452.02 µS/cm	0.66 mg/L	-87.3 mV	20.30 ft	200.00 ml/min
6/20/2018 11:47 AM	03:00	6.70 pH	60.63 °F	453.12 µS/cm	0.19 mg/L	-82.1 mV	20.30 ft	200.00 ml/min
6/20/2018 11:50 AM	06:00	6.79 pH	60.01 °F	453.08 µS/cm	0.17 mg/L	-89.6 mV	20.30 ft	200.00 ml/min
6/20/2018 11:53 AM	09:00	6.82 pH	59.44 °F	455.28 µS/cm	0.17 mg/L	-96.6 mV	20.30 ft	200.00 ml/min
6/20/2018 11:56 AM	12:00	6.85 pH	59.67 °F	455.88 µS/cm	0.13 mg/L	-105.0 mV	20.30 ft	200.00 ml/min
6/20/2018 11:59 AM	15:00	6.85 pH	59.57 °F	456.75 µS/cm	0.17 mg/L	-107.9 mV	20.30 ft	200.00 ml/min
6/20/2018 12:02 PM	18:00	6.87 pH	59.34 °F	456.71 µS/cm	0.17 mg/L	-110.4 mV	20.30 ft	200.00 ml/min
6/20/2018 12:05 PM	21:00	6.86 pH	59.40 °F	456.54 µS/cm	0.15 mg/L	-110.9 mV	20.30 ft	200.00 ml/min
6/20/2018 12:08 PM	24:00	6.86 pH	59.32 °F	455.95 µS/cm	0.11 mg/L	-109.7 mV	20.30 ft	200.00 ml/min
6/20/2018 12:11 PM	27:00	6.87 pH	59.26 °F	455.86 µS/cm	0.12 mg/L	-112.5 mV	20.30 ft	200.00 ml/min
6/20/2018 12:14 PM	30:00	6.87 pH	59.24 °F	455.40 µS/cm	0.12 mg/L	-114.8 mV	20.30 ft	200.00 ml/min

Samples

Sample ID:	Description:
MW-204	Sample time 1220 Final Dtw 20.33 ft btoc

Low-Flow Test Report:

Test Date / Time: 6/20/2018 11:59:26 AM

Project: 2Q18 Seattle Terminal

Operator Name: JL

Location Name: MW-205 Well Diameter: 2 in Casing Type: PVC Screen Length: 20 ft Top of Screen: 18.5 ft Total Depth: 38.5 ft Initial Depth to Water: 22.5 ft	Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4 Pump Intake From TOC: 23 ft Estimated Total Volume Pumped: 6000 ml Flow Cell Volume: 130 ml Final Flow Rate: 200 ml/min Final Draw Down: 0 ft	Instrument Used: Aqua TROLL 600 Vented Serial Number: 457141
--	--	---

Test Notes:

Weather Conditions:

80 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 15 %		
6/20/2018 11:59 AM	00:00	6.97 pH	78.59 °F	562.47 µS/cm	0.59 mg/L	-106.2 mV	22.50 ft	200.00 ml/min
6/20/2018 12:02 PM	03:00	7.06 pH	66.39 °F	527.88 µS/cm	0.35 mg/L	-260.1 mV	22.50 ft	200.00 ml/min
6/20/2018 12:05 PM	06:00	7.12 pH	65.41 °F	529.71 µS/cm	0.36 mg/L	-261.4 mV	22.50 ft	200.00 ml/min
6/20/2018 12:08 PM	09:00	7.17 pH	63.68 °F	519.27 µS/cm	0.12 mg/L	-267.8 mV	22.50 ft	200.00 ml/min
6/20/2018 12:11 PM	12:00	7.17 pH	62.95 °F	518.79 µS/cm	0.09 mg/L	-264.9 mV	22.50 ft	200.00 ml/min
6/20/2018 12:14 PM	15:00	7.24 pH	63.25 °F	499.02 µS/cm	0.10 mg/L	-267.7 mV	22.50 ft	200.00 ml/min
6/20/2018 12:17 PM	18:00	7.20 pH	64.27 °F	493.81 µS/cm	0.12 mg/L	-260.3 mV	22.50 ft	200.00 ml/min
6/20/2018 12:20 PM	21:00	7.31 pH	63.18 °F	508.55 µS/cm	0.09 mg/L	-267.0 mV	22.50 ft	200.00 ml/min
6/20/2018 12:23 PM	24:00	7.29 pH	63.02 °F	495.28 µS/cm	0.07 mg/L	-264.5 mV	22.50 ft	200.00 ml/min
6/20/2018 12:26 PM	27:00	7.40 pH	61.40 °F	528.99 µS/cm	0.08 mg/L	-268.8 mV	22.50 ft	200.00 ml/min
6/20/2018 12:29 PM	30:00	7.53 pH	61.37 °F	486.90 µS/cm	0.07 mg/L	-271.3 mV	22.50 ft	200.00 ml/min

Samples

Sample ID:	Description:
MW-205	Sample time 1240 Final dtw-22.41

Low-Flow Test Report:

Test Date / Time: 6/20/2018 3:40:30 PM

Project: 2Q18 Seattle Terminal

Operator Name: EK

<p>Location Name: MW-206 Well Diameter: 2 in Casing Type: PVC Screen Length: 14.2 ft Top of Screen: 11 ft Total Depth: 25.8 ft Initial Depth to Water: 11.85 ft</p>	<p>Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4 Pump Intake From TOC: 12.4 ft Estimated Total Volume Pumped: 3000 ml Flow Cell Volume: 130 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.4 ft</p>	<p>Instrument Used: Aqua TROLL 600 Vented Serial Number: 467764</p>
--	---	--

Test Notes:

Weather Conditions:

80 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 15 %		
6/20/2018 3:40 PM	00:00	6.83 pH	62.19 °F	38,156 µS/cm	1.01 mg/L	37.7 mV	11.85 ft	200.00 ml/min
6/20/2018 3:43 PM	03:00	6.85 pH	61.65 °F	38,260 µS/cm	0.69 mg/L	37.3 mV	11.85 ft	200.00 ml/min
6/20/2018 3:46 PM	06:00	6.85 pH	60.61 °F	38,543 µS/cm	0.54 mg/L	38.6 mV	11.85 ft	200.00 ml/min
6/20/2018 3:49 PM	09:00	6.85 pH	60.28 °F	38,636 µS/cm	0.51 mg/L	41.2 mV	11.85 ft	200.00 ml/min
6/20/2018 3:52 PM	12:00	6.86 pH	60.22 °F	38,641 µS/cm	0.46 mg/L	39.9 mV	11.85 ft	200.00 ml/min
6/20/2018 3:55 PM	15:00	6.86 pH	60.19 °F	38,683 µS/cm	0.45 mg/L	39.4 mV	11.85 ft	200.00 ml/min

Samples

Sample ID:	Description:
MW-206	Sample time 1600 Final Dtw 12.25 ft btoc

Low-Flow Test Report:

Test Date / Time: 6/20/2018 4:47:18 PM

Project: 2Q18 Seattle Terminal

Operator Name: EK

Location Name: MW-207 Well Diameter: 2 in Casing Type: PVC Screen Length: 13.77 ft Top of Screen: 9.5 ft Total Depth: 23.27 ft Initial Depth to Water: 12.55 ft	Pump Type: Geotech geopump series 2 Tubing Type: Polyethylene 0.170 x 1/4 Pump Intake From TOC: 13 ft Estimated Total Volume Pumped: 3600 ml Flow Cell Volume: 130 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.35 ft	Instrument Used: Aqua TROLL 600 Vented Serial Number: 467764
--	---	---

Test Notes:

Weather Conditions:

80 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	ORP	Depth To Water	Flow
		+/- 10 %	+/- 10 %	+/- 10 %	+/- 15 %	+/- 15 %		
6/20/2018 4:47 PM	00:00	6.83 pH	67.31 °F	26,386 µS/cm	0.34 mg/L	-173.2 mV	12.55 ft	200.00 ml/min
6/20/2018 4:50 PM	03:00	6.86 pH	65.87 °F	26,242 µS/cm	0.27 mg/L	-194.9 mV	12.55 ft	200.00 ml/min
6/20/2018 4:53 PM	06:00	6.87 pH	65.29 °F	26,287 µS/cm	0.29 mg/L	-205.1 mV	12.55 ft	200.00 ml/min
6/20/2018 4:56 PM	09:00	6.88 pH	65.05 °F	25,760 µS/cm	0.33 mg/L	-209.8 mV	12.55 ft	200.00 ml/min
6/20/2018 4:59 PM	12:00	6.90 pH	64.60 °F	25,034 µS/cm	0.35 mg/L	-216.9 mV	12.55 ft	200.00 ml/min
6/20/2018 5:02 PM	15:00	6.90 pH	64.05 °F	24,488 µS/cm	0.36 mg/L	-223.3 mV	12.55 ft	200.00 ml/min
6/20/2018 5:05 PM	18:00	6.90 pH	63.68 °F	23,430 µS/cm	0.36 mg/L	-227.2 mV	12.55 ft	200.00 ml/min

Samples

Sample ID:	Description:
MW-207	Sample time 1705 Final Dtw 12.90 ft btoc

3-26-18

IQ18 GWM

E. Krueger
J. Little

0700 - ANA on site, don PPE, conduct H&S tailgate meeting. Review HASP, JSA, and today's SOW

Weather: 40°
Rain

0735 - Begin gauging round

Well ID	PID	DTW	DTP	Time	Notes
MW-30	0.1 ppm	13.48	—	0846	0 of 3 bolts
MW-61AR	341.2 ppm	13.68	—	0841	0 of 2 bolts
MW-70R	0.0 ppm	10.09	—	0751	1 of 3 bolts
MW-200	0.0 ppm	8.68	—	0820	0 of 3 bolts, buried
MW-201	0.0 ppm	9.29	—	0825	0 of 3 bolts, buried
MW-202	0.0 ppm	8.95	—	0815	1 of 3 bolts
MW-203	0.0 ppm	11.89	—	0830	0 of 3 bolts
MW-204	0.0 ppm	18.00	—	0834	0 of 3 bolts, buried
MW-205	0.0 ppm	21.91	—	0836	0 of 3 bolts, buried
★ MW-206	0.0 ppm	10.00	—	0898	1/3 bolts
MW-207	0.0 ppm	10.01	—	0820	2/3 bolts

★ MW-206 - encountered submerged screen. Gauged at low tide (758)

0930 - End gauging round, begin setting up sampling equipment

1200 - collect MW-70R sample and DUP-1

1315 - ANA off site

1400 - Drop Drum off at Emerald Services

1420 - Drop sample cooler off at UPS


Methodology: All wells were gauged using a 100' oil/water interface probe, during low tide. Samples were collected using low-flow purge techniques w/ new dedicated polyethylene tubing, a peristaltic pump, and an Aquatroun 600 multimeter. The polyethylene was placed in the well such that the intake pumping depth

3-26-18

1Q18 GWM

was six inches below water level. Well was purged at a rate of 150 mL/min until parameters stabilized or 45 minutes if parameters didn't stabilize. All samples were collected Lancaster Labs bottleware and immediately stored on ice. cooler was packed w/ fresh ice and sent to Lancaster on Monday, March 26th via priority overnight. MW-7012 and DUP-1 were analyzed for D120, H0, G20, BTEX and cpths.

Drum Inventory: During sampling activities, ~ 4.5 gallons of purged groundwater was produced and stored in one 25 gallon, new, steel drum. The drum was taken to Emerald Services on March 26th for disposal



3/26/18

6-19-2018

2018 GWM Event

E. Krueger
J. Little

1430 - ANA onsite. Don PPE, conduct H&S tailgate meeting, review HASP, JSA and Sow.

Weather:
80°F, Sunny

1500 - Begin gauging round

Well I.D.	PID	DTW	DTP	TIME	NOTES
MW-30	0.0 ppm	13.90	unmeasuring gives 0.00 at probe	1605	2/3 bolts, sock replaced
MW-61AR	172.7 ppm	14.45	—	1555	1/2 bolts, sock replaced
MW-70R	0.0 ppm	12.64	—	1545	1/3 bolts, water
MW-200	0.0 ppm	9.42	—	1520	Buried, water
MW-201	0.0 ppm	10.06	—	1527	Buried
MW-202	6.5 ppm	10.55	—	1533	1/3 bolts, water
MW-203	8.0 ppm	13.15	—	1510	Buried, water
MW-204	8.7 ppm	19.00	—	1506	Buried
MW-205	12.2 ppm	22.80	—	1502	Buried, water
MW-206	5.7 ppm	12.92	—	1538	1/3 bolts
MW-207	0.0 ppm	13.06	—	1542	2/3 bolts, water

1630 - End gauging round. Begin demob/decon of equipment and site

1650 - Call S. Miles - notify presence of NAPL in MW-30

1705 - ANA offsite

Em 6/19/18

6-20-18

ZGIS GWM Event

E. Krueger
J. Little

- 0730 - ANA onsite. Don PPE. Conduct H&S tailgate meeting. Review HASP, JSA, and today's SOW. weather: 75°F, Sunny
- 0800 - Remove & replace socks in MW-30 & MW-61A2
- 1000 - Geotech delivers AT600's (wrong tablets delivered, call S. Miles to discuss). Decide to use work phones until correct tablets arrive
- 1220 - Sample MW-204
- 1240 - Sample MW-205
- 1330 - Sample MW-203
- 1445 - Sample MW-200
- 1450 - Sample MW-201
- 1600 - J. Little offsite to buy more batteries for peri-pumps. Sample MW-206
- 1705 - Sample MW-207
- 1745 - Sample MW-202
- 1835 - Sample MW-70R - DUP-1
- 1900 - MW-30 and MW-61A2 NOT sampled due to the presence of NAPL. Call S. Miles. Begin to demob/decon equipment
- 2000 - ANA offsite

6-20-18

2018 GWM cont.

Methodology: GW samples were collected using Low Flow techniques w/ dedicated tubing, a geopump peristaltic pump, and an AquaTroll 600 multimeter. All wells were gauged using a 100 foot oil/water interface probe. All wells were gauged and sampled when water levels were within screened intervals. The polyethane tubing was placed in each well such that the intake depth was six inches below the water level. Each well was purged at a rate of 200 mL/min, until parameters stabilized or for 45 minutes if parameters didn't stabilize. All samples were collected in Lancaster Labs bottleware and immediately stored on ice. Coolers were packed w/ fresh ice and sent to Lancaster Labs on Thursday, June 21st via priority overnight.

Samples were collected from MW-70R, MW-200 through MW-207. LNAPL was detected in MW-61AR using a bailer and globes of LNAPL was found on the interface probe in MW-30. No samples collected from MW-30 or MW-61AR. All samples were analyzed for NWTPH-Ex, NWTPH-Dx w/ SHC, BTEX and CPATs.

Drum Inventory: During sampling activities, gallons of purge water was produced and stored in one gallon steel drum. On Thursday, June 21st, the drum was delivered to Emerald Services in Seattle for proper disposal.

 6/20/18

APPENDIX C

Historical Groundwater Analytical Results



**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)	
MW-30 (continued) (20.85) ³	08/20/09	8:41	14.18	--	--	6.67	--	
	09/10/09	10:11	14.15	--	--	6.70	--	
	09/23/09	9:33	14.07	Sheen	--	6.78	--	
	10/08/09	9:49	14.21	--	--	6.64	--	
	10/19/09	9:20	14.13	--	--	6.72	--	
	11/12/09	9:33	12.43	--	--	8.42	--	
	03/24/10	9:48	12.98	Sheen	--	7.87	--	
	04/13/10	10:31	12.98	Sheen	--	7.87	--	
	05/26/10	9:15	13.36	Sheen	--	7.49	--	
	07/28/10	14:40	14.11	--	--	6.74	--	
	08/05/10	11:49	14.10	--	--	6.75	--	
	08/13/10	10:10	13.90	--	--	6.95	--	
	08/18/10	8:36	13.92	--	--	6.93	--	
	09/21/10	10:29	13.30	--	--	7.55	--	
	10/11/10	11:01	13.40	--	--	7.45	--	
	11/19/10	14:54	12.41	--	--	8.44	--	
	03/04/11	9:44	12.54	Sheen	--	8.31	--	
	04/25/11	10:50	12.80	Sheen	--	8.05	--	
	09/21/11	9:32	13.55	--	--	7.30	--	
	11/21/11	11:00	13.74	--	--	7.11	--	
	02/20/12	8:59	13.16	--	--	7.69	--	
	04/17/12	11:55	12.90	Sheen	--	7.95	--	
	10/10/12	12:10	14.41	--	--	6.44	--	
	12/24/12	11:40	13.00	--	--	7.85	--	
	01/08/13	14:20	11.88	--	--	8.97	--	
	04/30/13	10:55	13.34	--	--	7.51	--	
	09/19/13	9:54	13.74	--	--	7.11	--	
	11/22/13	9:15	14.61	--	--	6.24	--	
	06/23/14	10:27	14.04	--	--	6.81	--	
	09/10/14	9:10	14.82	--	--	6.03	--	
	12/15/14	13:27	11.38	--	--	9.47	--	
	06/17/15	11:25	13.90	--	--	6.95	--	
	12/09/15	10:39	10.00	--	--	10.85	--	
	02/16/16	9:20	10.89	--	--	9.96	--	
	06/13/16	8:40	13.79	LNAPL	--	7.06	--	
	09/22/16	13:13	14.35	--	--	6.50	--	
	01/12/17	12:44	--	LNAPL	--	--	--	
	03/27/17	13:13	10.71	LNAPL	--	10.14	15.85	
	06/16/17	9:46	13.39	13.38	--	7.46	15.85	
	11/07/17	13:18	13.97	--	--	6.88	15.85	
	03/26/18	8:46	13.48	--	--	7.37	15.85	
06/19/18	16:05	13.90	--	--	6.95	15.85		
MW-34 (5.33)	12/11/02	13:45	9.45	NR	NR	-4.12	--	
	03/20/03	11:43	6.99	NR	NR	-1.66	--	
	07/03/03	8:29	9.02	NR	NR	-3.69	--	
	09/18/03	9:55	9.57	NR	NR	-4.24	--	
	12/02/03	11:45	7.00	NR	NR	-1.67	--	
	03/09/04	12:15	8.42	NR	NR	-3.09	--	
	06/03/04	11:25	8.95	NR	NR	-3.62	--	
	09/03/04	13:53	8.63	NR	NR	-3.30	--	
	12/06/04	9:45	9.48	NR	NR	-4.15	--	
	03/04/05	13:55	8.87	NR	NR	-3.54	--	
	06/03/05	--	9.08	NR	NR	-3.75	--	
	09/01/05	9:08	9.38	NR	NR	-4.05	--	
	12/01/05	10:49	6.72	NR	NR	-1.39	--	
	03/02/06	10:50	9.25	NR	NR	-3.92	--	
	06/06/06	9:20	8.82	NR	NR	-3.49	--	
	09/15/06	--	8.66	NR	NR	-3.33	--	
	03/07/07	--	--	NR	NR	--	--	
02/13/08	--	--	Well Possibly Removed During Previous Excavation Activities					--
MW-35 (5.11)	12/11/02	13:35	9.29	NR	NR	-4.18	--	
	03/20/03	11:42	7.65	NR	NR	-2.54	--	
	07/03/03	--	--	NR	NR	--	--	
	09/18/03	--	--	NR	NR	--	--	
	12/02/03	--	--	NR	NR	--	--	
	03/09/04	--	--	NR	NR	--	--	
	06/03/04	--	--	NR	NR	--	--	
	09/03/04	--	--	NR	NR	--	--	
	12/06/04	--	--	NR	NR	--	--	
	03/04/05	--	--	NR	NR	--	--	
	06/03/05	--	--	NR	NR	--	--	
	09/01/05	--	--	NR	NR	--	--	
	12/01/05	--	--	NR	NR	--	--	
	03/02/06	--	--	NR	NR	--	--	
	06/06/06	--	--	NR	NR	--	--	
09/15/06	--	--	NR	NR	--	--		
03/07/07	--	--	NR	NR	--	--		
02/13/08	--	--	Well Possibly Removed During Previous Excavation Activities					--
MW-42 (5.20)	12/11/02	13:30	9.38	NR	NR	-4.18	--	
	03/20/03	11:50	7.86	NR	NR	-2.66	--	
	07/03/03	8:11	9.44	NR	NR	-4.24	--	
	09/18/03	10:21	10.92	NR	NR	-5.72	--	
	12/02/03	11:36	9.14	NR	NR	-3.94	--	
	03/09/04	10:09	8.58	NR	NR	-3.38	--	
06/03/04	11:10	9.19	NR	NR	-3.99	--		

**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)	
MW-42 Continued (5.20)	09/03/04	14:01	9.02	NR	NR	-3.82	--	
	12/06/04	9:48	9.43	NR	NR	-4.23	--	
	03/04/05	13:56	8.99	NR	NR	-3.79	--	
	06/03/05	--	9.24	NR	NR	-4.04	--	
	09/01/05	9:00	9.55	NR	NR	-4.35	--	
	12/01/05	10:54	8.91	NR	NR	-3.71	--	
	03/02/06	10:45	9.25	NR	NR	-4.05	--	
	06/06/06	9:28	8.93	NR	NR	-3.73	--	
	09/15/06	--	8.87	NR	NR	-3.67	--	
	03/07/07	--	--	--	NR	NR	--	--
	02/13/08	--	--	--	Well Possibly Removed During Previous Excavation Activities			
	MW-43 (4.94)	12/11/02	13:40	9.06	NR	NR	-4.12	--
		03/20/03	11:30	7.10	NR	NR	-2.16	--
		07/03/03	8:15	8.86	NR	NR	-3.92	--
09/18/03		--	--	NR	NR	--	--	
12/02/03		--	--	NR	NR	--	--	
03/09/04		--	--	NR	NR	--	--	
06/03/04		--	--	NR	NR	--	--	
09/03/04		--	--	NR	NR	--	--	
12/06/04		--	--	NR	NR	--	--	
03/04/05		--	--	NR	NR	--	--	
06/03/05		--	--	NR	NR	--	--	
09/01/05		--	--	NR	NR	--	--	
12/01/05		--	--	NR	NR	--	--	
03/02/06		--	--	NR	NR	--	--	
06/06/06		--	--	NR	NR	--	--	
09/15/06		--	--	NR	NR	--	--	
03/07/07	--	--	NR	NR	--	--		
02/13/08	--	--	--	Well Possibly Removed During Previous Excavation Activities				
MW-44 (5.46)	12/11/02	--	--	NR	NR	--	--	
	03/20/03	--	--	NR	NR	--	--	
	07/03/03	--	--	NR	NR	--	--	
	09/18/03	--	--	NR	NR	--	--	
	12/02/03	--	--	NR	NR	--	--	
	03/09/04	--	--	NR	NR	--	--	
	06/03/04	--	--	NR	NR	--	--	
	09/03/04	--	--	NR	NR	--	--	
	12/06/04	--	--	NR	NR	--	--	
	03/04/05	--	--	NR	NR	--	--	
	06/03/05	--	--	NR	NR	--	--	
	09/01/05	--	--	NR	NR	--	--	
	12/01/05	--	--	NR	NR	--	--	
	03/02/06	--	--	NR	NR	--	--	
	06/06/06	--	--	NR	NR	--	--	
	09/15/06	--	--	NR	NR	--	--	
03/07/07	--	--	NR	NR	--	--		
MW-61A-R ⁶ (13.35) (22.44) ⁸	03/02/06	--	15.15 ⁶	NR	NR	-1.81	1.91	
	06/06/06	8:00	14.96	NR	NR	-1.61	--	
	09/15/06	--	14.26	NR	NR	-0.91	--	
	03/07/07	8:44	14.04	--	NR	-0.69	--	
	06/07/07	9:15	14.36	--	NR	-1.01	--	
	07/10/07	9:50	14.84	--	NR	-1.49	--	
	07/25/07	11:40	14.55	--	NR	-1.20	--	
	08/22/07	9:40	14.72	--	NR	-1.37	--	
	09/06/07	9:55	14.90	--	NR	-1.55	--	
	09/26/07	9:16	15.09	--	NR	-1.74	--	
	10/11/07	8:00	14.82	--	NR	-1.47	--	
	11/01/07	9:55	14.81	--	NR	-1.46	--	
	11/16/07	15:30	14.59	--	NR	-1.24	--	
	11/26/07	13:48	14.40	--	NR	-1.05	--	
	12/19/07	9:35	13.83	--	NR	-0.48	--	
	01/03/08	8:41	12.93	--	NR	0.42	--	
	01/17/08	9:00	12.76	--	NR	0.59	--	
	02/12/08	9:24	13.65	--	NR	-0.30	--	
	03/03/08	9:24	14.14	--	NR	-0.79	--	
	03/17/08	9:23	14.49	--	NR	-1.14	--	
	04/01/08	9:10	14.22	--	14.21	0.01	-0.87	--
	04/14/08	9:06	14.41	--	14.39	0.02	-1.06	--
	04/28/08	9:36	14.70	--	14.64	0.06	-1.35	--
	05/13/08	9:29	14.88	--	--	--	7.56	11.00
	05/27/08	13:53	14.93	--	Sheen	--	7.51	--
	06/10/08	10:20	14.73	--	--	--	7.71	--
	06/24/08	9:41	14.92	--	--	--	7.52	--
07/07/08	9:56	14.70	--	--	--	7.74	--	
07/22/08	9:34	14.72	--	14.70	0.02	7.72	--	
08/12/08	9:50	14.75	--	14.68	0.07	7.69	--	
09/03/08	--	15.58	--	15.56	0.02	6.86	--	
09/26/08	--	14.89	--	14.79	0.10	7.55	--	
10/17/08	9:03	15.12	--	14.92	0.20	7.32	--	
10/29/08	8:50	15.21	--	15.00	0.21	7.23	--	
11/12/08	10:51	13.95	--	13.81	0.14	8.49	--	
12/03/08	12:52	14.25	--	14.19	0.06	8.19	--	
01/06/09	9:40	13.12	--	12.99	0.13	9.32	--	
01/20/09	12:50	13.06	--	13.01	0.05	9.38	--	
02/03/09	9:43	14.40	--	13.88	0.52	8.04	--	

**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)	
MW-61A-R (continued)	02/17/09	11:20	14.30	13.80	0.50	8.14	--	
	03/12/09	12:16	14.20	14.05	0.15	8.24	--	
	03/25/09	8:50	14.01	13.91	0.10	8.43	--	
	04/08/09	10:21	13.81	13.71	0.10	8.63	--	
(22.44) ⁸	04/30/09	10:12	14.14	13.95	0.19	8.30	--	
	05/12/09	10:51	13.66	13.64	0.02	8.78	--	
	05/26/09	14:15	13.74	--	--	8.70	--	
	06/09/09	9:46	13.40	--	--	9.04	--	
	06/25/09	9:47	14.14	13.94	0.20	8.30	--	
	07/07/09	9:40	14.18	14.15	0.03	8.26	--	
	07/13/09	8:14	14.88	14.87	0.01	7.56	--	
	08/05/09	6:45	14.68	14.39	0.29	7.76	--	
	08/06/09	9:29	14.64	14.62	0.02	7.80	--	
	08/20/09	8:51	14.85	14.84	0.01	7.59	--	
	09/10/09	10:15	14.84	14.78	0.06	7.60	--	
	09/23/09	9:37	14.89	14.81	0.08	7.55	--	
	10/08/09	9:39	15.01	14.94	0.07	7.43	--	
	10/19/09	9:05	14.98	14.91	0.07	7.46	--	
	11/12/09	9:36	12.85	12.80	0.05	9.59	--	
	03/24/10	9:54	13.20	12.95	0.25	9.24	--	
	04/13/10	10:37	13.06	12.95	0.11	9.38	--	
	05/26/10	9:06	13.91	13.76	0.15	8.53	--	
	07/28/10	14:56	14.78	--	--	7.66	--	
	08/05/10	11:28	14.79	--	--	7.65	--	
	08/13/10	9:38	13.62	--	--	8.82	--	
	08/13/10	10:37	13.61	--	--	8.83	--	
	08/13/10	10:42	13.61	--	--	8.83	--	
	08/13/10	15:42	13.64	--	--	8.80	--	
	08/18/10	8:55	14.70	--	--	7.74	--	
	09/21/10	10:42	15.35	--	--	7.09	--	
	10/11/10	11:20	14.35	14.31	0.04	8.09	--	
	11/19/10	15:25	13.30	13.19	0.11	9.14	--	
	03/04/11	10:04	12.80	12.63	0.17	9.64	--	
	04/25/11	11:20	12.70	Sheen ¹⁰	--	9.74	--	
	09/21/11	9:45	14.65	14.10	0.55	7.79	--	
	11/21/11	11:05	14.82	14.26	0.56	7.62	--	
	02/20/12	9:15	13.55	13.15	0.40	8.89	--	
	04/17/12	12:10	13.18	12.79	0.39	9.26	--	
	10/10/12	12:25	14.80	14.39	0.41	7.64	--	
	12/24/12	11:28	12.61	12.20	0.41	9.83	--	
	01/08/13	14:30	11.84	11.74	0.10	10.60	--	
	04/30/13	11:10	13.59	13.35	0.24	8.85	--	
	09/19/13	9:48	14.45	14.40	0.05	7.99	--	
	11/22/13	9:25	15.28	15.22	0.06	7.16	--	
	06/23/14	10:36	14.60	--	--	7.84	--	
	06/24/14	--	14.80	14.61	0.19	7.64	--	
	09/10/14	9:30	14.92	--	--	7.52	--	
	12/15/14	13:35	11.71	--	--	10.73	--	
	12/16/14	15:25	11.90	11.81	0.01	10.54	--	
	06/17/15	11:15	14.79	14.78	0.01	7.65	--	
	12/09/15	10:45	10.99	10.98	0.01	11.45	--	
	02/16/16	9:15	11.08	--	--	11.36	--	
	06/13/16	8:30	14.40	--	--	8.04	--	
	09/22/16	13:21	15.00	--	--	7.44	--	
	01/12/17	13:09	12.26	--	--	10.18	--	
	03/27/17	13:22	10.62	--	--	11.82	--	
	06/16/17	9:41	14.73	13.84	0.89	7.71	--	
	11/07/17	13:21	14.93	14.84	0.09	7.51	--	
	03/26/18	8:41	13.68	--	--	8.76	--	
	06/19/18	15:55	14.45	--	--	7.99	--	
PZ-7.5	04/30/13	9:45	7.18	--	--	UK	--	
	09/15/13	8:46	7.19	--	--	UK	--	
	11/22/13	9:27	8.03	--	--	UK	--	
	06/11/14			Well Decommissioned				
PZ-9.5	04/30/13	9:53	9.00	--	--	UK	--	
	09/15/13	8:52	9.86	--	--	UK	--	
	11/22/13	9:37	9.86	--	--	UK	--	
	06/10/14			Well Decommissioned				
PZ-61A-R ¹¹	09/21/10	10:36	14.05	--	--	UK	--	
	09/28/09	8:50	14.04	--	--	UK	--	
	10/11/10	11:12	14.18	--	--	UK	--	
	03/04/11	9:55	12.46	--	--	UK	--	
	04/25/11	11:30	13.05	0.27	12.78	UK	--	
	09/21/11	9:40	14.18	14.17	0.01	UK	--	
	11/21/11	11:10	14.34	--	--	UK	--	
	02/20/12	9:10	13.28	13.18	0.10	UK	--	
	04/17/12	12:05	12.84	--	--	UK	--	
	10/10/12	12:30	14.89	--	--	UK	--	
	12/24/12	11:31	12.66	--	--	UK	--	
	01/08/13	14:31	11.73	--	--	UK	--	
	04/30/13	11:05	13.38	--	--	UK	--	
	09/19/13	9:51	14.10	--	--	UK	--	
	11/22/13	9:30	15.01	--	--	UK	--	
	06/12/14			Well Decommissioned				
PZ-203 ¹¹	09/21/10	11:24	13.29	--	--	UK	--	

**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)	
PZ-203 ¹¹ (continued)	04/25/11	13:50	11.80	--	--	UK	--	
	09/21/11	10:29	13.67	--	--	UK	--	
	11/21/11	10:24	12.60	--	--	UK	--	
	02/20/12				UNABLE TO LOCATE			
	04/17/12	12:25	13.00	--	--	UK	--	
	10/10/12				UNABLE TO LOCATE			
	12/24/12	10:39	14.52	--	--	UK	--	
	01/08/13	15:25	10.13	--	--	UK	--	
	04/30/13	10:26	11.53	--	--	UK	--	
	09/19/13	9:27	12.30	--	--	UK	--	
	11/22/13	10:10	12.03	--	--	UK	--	
	06/12/14							
	Well Decommissioned							
	PZ-204 ¹¹	09/21/10	11:32	19.02	--	--	UK	--
		04/25/11	14:05	17.67	--	--	UK	--
09/21/11		10:18	19.34	--	--	UK	--	
11/21/11		10:30	18.71	--	--	UK	--	
02/20/12					UNABLE TO LOCATE			
04/17/12		11:35	18.23	--	--	UK	--	
10/10/12					UNABLE TO LOCATE			
12/24/12		10:21	16.65	--	--	UK	--	
01/08/13		15:15	16.82	--	--	UK	--	
04/30/13		10:34	17.75	--	--	UK	--	
09/19/13		9:21	18.40	--	--	UK	--	
11/22/13		9:55	18.80	--	--	UK	--	
06/12/14								
Well Decommissioned								
MW-65 (10.83)		12/11/02	14:03	14.69	NR	NR	-3.86	--
	03/20/03	10:44	10.09	NR	NR	0.74	--	
	07/03/03	11:12	13.85	NR	NR	-3.02	--	
	09/18/03	10:40	14.15	NR	NR	-3.32	--	
	12/02/03	11:14	12.38	NR	NR	-1.55	--	
	03/09/04	10:50	13.63	NR	NR	-2.80	--	
	06/03/04	11:42	14.24	NR	NR	-3.41	--	
	09/03/04	14:08	13.77	NR	NR	-2.94	--	
	12/06/04	9:32	14.59	NR	NR	-3.76	--	
	03/04/05	14:04	14.06	NR	NR	-3.23	--	
	06/03/05	--	14.14	NR	NR	-3.31	--	
	09/01/05	9:55	14.67	NR	NR	-3.84	--	
	12/01/05	11:19	12.05	NR	NR	-1.22	--	
	03/02/06	11:12	14.28	NR	NR	-3.45	--	
	06/06/06	8:26	13.83	NR	NR	-3.00	--	
	09/15/06	--	13.90	NR	NR	-3.07	--	
	03/07/07	8:51	13.63	--	--	-2.80	--	
	06/07/07	8:30	13.69	--	--	-2.86	--	
	09/26/07	9:27	14.29	--	--	-3.46	--	
	11/26/07	10:00	13.62	--	--	-2.79	--	
12/03/07								
Well Decommissioned								
MW-66 (11.62)	12/11/02	14:15	15.36	NR	NR	-3.74	--	
	03/20/03	13:04	12.21	NR	NR	-0.59	--	
	07/03/03	11:22	14.73	NR	NR	-3.11	--	
	09/18/03	10:34	15.25	NR	NR	-3.63	--	
	12/02/03	11:27	11.99	NR	NR	-0.37	--	
	03/09/04	11:02	13.67	NR	NR	-2.05	--	
	06/03/04	11:45	14.78	NR	NR	-3.16	--	
	09/03/04	14:12	14.16	NR	NR	-2.54	--	
	12/06/04	9:39	15.22	NR	NR	-3.60	--	
	03/04/05	14:01	14.54	NR	NR	-2.92	--	
	06/03/05	--	14.69	NR	NR	-3.07	--	
	09/01/05	10:10	15.31	NR	NR	-3.69	--	
	12/01/05	11:26	11.78	NR	NR	-0.16	--	
	03/02/06	11:20	14.77	NR	NR	-3.15	--	
	06/06/06	8:15	14.35	NR	NR	-2.73	--	
	09/15/06	--	14.39	NR	NR	-2.77	--	
	03/07/07	9:00	14.11	--	--	-2.49	--	
	09/26/07	9:36	14.97	--	--	-3.35	--	
	11/26/07	13:42	14.23	--	--	-2.61	--	
	12/03/07							
Well Decommissioned								
MW-200 ⁸ (4.78)	03/07/07	9:45	8.88	--	--	-4.10	-0.22	
	06/07/07	15:53	9.26	--	--	-4.48	--	
	07/06/07	10:00	9.76	--	--	-4.98	--	
	09/26/07	8:08	9.43	--	--	-4.65	--	
	11/26/07	14:48	8.54	--	--	-3.76	--	
	02/13/08	11:15	8.57	--	--	-3.79	--	
	(14.36) ⁸	05/13/08	10:16	10.02	--	--	4.34	9.36
		09/03/08	--	9.56	--	--	4.80	--
		12/03/08	12:10	9.11	--	--	5.25	--
		02/17/09	10:43	8.28	--	--	6.08	--
		05/12/09	12:02	8.95	--	--	5.41	--
		05/26/09	13:54	9.40	--	--	4.96	--
		09/10/09	10:39	9.74	--	--	4.62	--
		04/13/10	11:21	9.23	--	--	5.13	--
		06/16/10	10:05	9.10	--	--	5.26	--
08/12/10		9:45	8.92	Sheen	--	5.44	--	
09/14/10	1:48	9.31	--	--	5.05	--		
09/14/10	1:53	9.31	--	--	5.05	--		
09/15/10	15:03	9.34	--	--	5.02	--		

**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)
MW-203 Continued (17.55) ⁸	05/13/08	10:32	13.56	--	--	3.99	7.05
	09/03/08	--	13.40	--	--	4.15	--
	12/03/08	12:26	11.76	--	--	5.79	--
	02/17/09	10:47	11.00	--	--	6.55	--
	05/12/09	12:21	12.81	--	--	4.74	--
	05/26/09	13:45	13.51	--	--	4.04	--
	08/28/09	15:14	12.67	--	--	4.88	--
	09/10/09	10:45	12.99	--	--	4.56	--
	04/13/10	11:12	12.92	--	--	4.63	--
	07/21/10	16:30	12.59	--	--	4.96	--
	08/11/10	11:12	11.68	--	--	5.87	--
	08/11/10	11:28	11.89	--	--	5.66	--
	08/11/10	11:29	11.84	--	--	5.71	--
	08/13/10	16:15	13.10	--	--	4.45	--
	08/16/10	7:12	13.96	--	--	3.59	--
	08/16/10	7:13	13.96	--	--	3.59	--
	09/02/10	14:45	12.76	--	--	4.79	--
	09/02/10	14:55	12.71	--	--	4.84	--
	09/02/10	15:10	12.31	--	--	5.24	--
	09/02/10	15:33	12.56	--	--	4.99	--
	09/15/10	6:47	14.20	--	--	3.35	--
	09/16/10	15:55	12.02	--	--	5.53	--
	09/16/10	16:00	12.01	--	--	5.54	--
	09/16/10	16:11	11.95	--	--	5.60	--
	09/16/10	16:20	11.90	--	--	5.65	--
	09/21/10	11:28	13.54	--	--	4.01	--
	04/25/11	13:45	12.06	--	--	5.49	--
	09/21/11	14:26	12.68	--	--	4.87	--
	11/21/11	10:21	11.69	--	--	5.86	--
	02/20/12	11:14	12.25	--	--	5.30	--
	04/17/12	13:45	13.39	--	--	4.16	--
	10/10/12	11:20	14.18	--	--	3.37	--
	12/24/12	10:35	9.67	--	--	7.88	--
	01/08/13	15:30	10.34	--	--	7.21	--
	04/30/13	10:28	11.76	--	--	5.79	--
	09/19/13	9:39	12.81	--	--	4.74	--
	11/22/13	10:05	12.48	--	--	5.07	--
	06/23/14	10:04	13.68	--	--	3.87	--
	12/15/14	12:46	10.46	--	--	7.09	--
	06/17/15	10:15	11.94	--	--	5.61	--
	12/09/15	10:19	9.63	--	--	7.92	--
	01/15/16	16:16	11.89	--	--	5.66	--
	02/16/16	8:30	11.48	--	--	6.07	--
	06/13/16	9:20	13.62	--	--	3.93	--
	09/22/16	12:50	12.01	--	--	5.54	--
	01/12/17	11:50	11.40	--	--	6.15	--
	03/27/17	12:50	12.41	--	--	5.14	7.05
06/16/17	8:38	12.31	--	--	5.24	7.05	
11/07/17	12:40	11.86	--	--	5.69	7.05	
03/26/18	8:30	11.89	--	--	5.66	7.05	
06/19/18	15:10	13.15	--	--	4.40	7.05	
MW-204 ⁶ (14.38)	03/07/07	10:15	18.12	--	--	-3.74	-2.87
	06/07/07	14:50	18.52	--	--	-4.14	--
	07/06/07	11:40	19.03	--	--	-4.65	--
	09/26/07	8:37	18.85	--	--	-4.47	--
	11/26/07	14:29	17.78	--	--	-3.40	--
	02/12/08	10:03	18.00	--	--	-3.62	--
	05/13/08	10:38	19.43	--	--	4.50	6.68
	09/03/08	--	18.76	--	--	5.17	--
	10/01/08	10:25	18.40	--	--	5.53	--
	10/17/08	9:29	18.72	--	--	5.21	--
	12/03/08	12:31	18.06	--	--	5.87	--
	02/17/09	10:54	17.42	--	--	6.51	--
	05/12/09	12:41	19.81	--	--	4.12	--
	05/26/09	13:41	19.20	--	--	4.73	--
	07/13/09	8:18	19.82	--	--	4.11	--
	08/04/09	--	18.88	--	--	5.05	--
	08/06/09	9:36	18.33	--	--	5.60	--
	08/20/09	9:02	18.21	--	--	5.72	--
	09/10/09	10:47	19.02	--	--	4.91	--
	04/13/10	10:59	18.71	--	--	5.22	--
	06/16/10	10:15	18.06	--	--	5.87	--
	08/11/10	16:16	18.65	--	--	5.28	--
	08/12/10	12:31	18.11	--	--	5.82	--
	08/12/10	12:34	18.12	--	--	5.81	--
	08/12/10	16:13	18.95	--	--	4.98	--
	08/12/10	16:15	18.94	--	--	4.99	--
	08/12/10	16:17	18.90	--	--	5.03	--
	08/13/10	16:25	18.79	--	--	5.14	--
	08/14/10	7:17	19.70	--	--	4.23	--
	08/14/10	7:18	19.70	--	--	4.23	--
09/02/10	14:33	18.93	--	--	5.00	--	
09/02/10	14:35	18.93	--	--	5.00	--	
09/02/10	14:39	18.93	--	--	5.00	--	
09/02/10	15:37	18.73	--	--	5.20	--	

Appendix C
Summary of Historical Groundwater Elevation Data

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)
MW-207 (continued) (15.40) ⁸	07/06/07	9:10	11.20	--	--	-5.38	--
	09/26/07	7:25	10.30	--	--	-4.48	--
	11/26/07	15:03	8.84	--	--	-3.02	--
	02/12/08	10:31	8.90	--	--	-3.08	--
	05/13/08	9:53	12.07	--	--	3.33	5.90
	09/03/08	--	10.14	--	--	5.26	--
	10/01/08	8:10	9.51	--	--	5.89	--
	12/03/08	11:46	9.05	--	--	6.35	--
	02/17/09	10:25	8.40	--	--	7.00	--
	05/12/09	11:43	11.70	--	--	3.70	--
	05/26/09	14:03	13.52	--	--	1.88	--
	08/11/09	9:46	10.41	--	--	4.99	--
	08/28/09	13:45	10.35	--	--	5.05	--
	09/10/09	11:25	10.20	--	--	5.20	--
	04/13/10	11:30	12.43	--	--	2.97	--
	06/16/10	9:54	9.70	--	--	5.70	--
	08/13/10	13:30	12.52	--	--	2.88	--
	08/16/10	11:22	10.35	--	--	5.05	--
	08/16/10	11:25	10.32	--	--	5.08	--
	08/16/10	11:28	10.32	--	--	5.08	--
	08/16/10	11:31	10.29	--	--	5.11	--
	08/16/10	11:33	10.26	--	--	5.14	--
	08/16/10	11:37	10.25	--	--	5.15	--
	08/16/10	11:50	9.70	--	--	5.70	--
	09/21/10	11:02	12.55	--	--	2.85	--
	04/25/11	14:55	10.83	--	--	4.57	--
	09/21/11	10:55	11.45	--	--	3.95	--
	11/21/11	9:45	10.08	--	--	5.32	--
	02/20/12	11:36	11.25	--	--	4.15	--
	04/17/12	10:45	12.30	--	--	3.10	--
	10/10/12	12:05	11.19	--	--	4.21	--
	12/24/12	11:15	8.73	--	--	6.67	--
01/08/13	15:52	8.42	--	--	6.98	--	
04/30/13	10:10	9.59	--	--	5.81	--	
09/19/13	9:45	12.23	--	--	3.17	--	
11/22/13	11:00	8.98	--	--	6.42	--	
06/23/14	9:01	12.88	--	--	2.52	--	
12/15/14	13:18	7.45	--	--	7.95	--	
06/17/15	10:55	10.24	--	--	5.16	--	
12/09/15	9:45	7.82	--	--	7.58	--	
01/15/16	15:38	10.63	--	--	4.77	--	
02/16/16	8:55	8.94	--	--	6.46	--	
06/13/16	8:55	12.48	--	--	2.92	--	
09/22/16	12:27	9.36	--	--	6.04	--	
01/12/17	10:11	9.24	--	--	6.16	--	
03/27/17	13:00	11.49	--	--	3.91	5.90	
06/16/17	8:53	10.25	--	--	5.15	5.90	
11/07/17	13:04	10.21	--	--	5.19	5.90	
03/26/18	8:00	10.01	--	--	5.39	5.90	
06/19/18	15:42	13.06	--	--	2.34	5.90	
MW-209 (15.53)	02/16/16	9:45	8.26	--	--	7.27	--
	06/13/16	9:50	10.31	--	--	5.22	--
	09/22/16	12:12	10.21	--	--	5.32	--
	01/12/17	11:51	8.01	--	--	7.52	--
	03/27/17	12:35	8.46	--	--	7.07	12.53
	06/16/17	9:26	9.59	--	--	5.94	12.53
MW-210 (15.13)	02/16/16	9:50	7.52	--	--	7.61	--
	06/13/16	9:45	9.59	--	--	5.54	--
	09/22/16	12:08	9.71	--	--	5.42	--
	01/12/17	11:56	8.31	--	--	6.82	--
	03/27/17	12:30	8.61	--	--	6.52	12.13
	06/16/17	9:24	8.94	--	--	6.19	12.13
MW-211 (15.02)	02/16/16	9:55	7.91	--	--	7.11	--
	06/13/16	9:40	9.79	--	--	5.23	--
	09/22/16	12:05	9.77	--	--	5.25	--
	01/12/17	11:59	8.18	--	--	6.84	--
	03/27/17	12:25	8.04	--	--	6.98	12.02
	06/16/17	9:20	9.55	--	--	5.47	12.02
MW-70R (15.61)	02/16/16	9:05	9.14	--	--	6.47	--
	06/13/16	8:50	12.41	--	--	3.20	--
	09/22/16	12:30	9.69	--	--	5.92	--
	01/12/17	9:48	9.25	--	--	6.36	--
	03/27/17	13:05	11.41	--	--	4.20	11.61
	06/16/17	8:59	10.42	--	--	5.19	11.61
	11/07/17	13:09	10.32	--	--	5.29	11.61
	03/26/18	7:51	10.09	--	--	5.52	11.61
	06/19/18	15:45	12.64	--	--	2.97	11.61
RW-1 (4.65)	09/13/07	--	9.12	--	--	-4.47	--
	11/01/07	10:45	9.60	--	--	-4.95	--
	11/26/07	11:57	8.43	--	--	-3.78	--
	12/07/07	11:55	7.00	--	--	-2.35	--
	12/19/07	9:25	7.75	--	--	-3.10	--
	01/03/08	9:05	7.78	--	--	-3.13	--
	01/30/07	8:34	8.22	--	--	-3.57	--
	02/12/08	9:00	8.55	--	--	-3.90	--

**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)	
RW-2 (continued)	11/12/09	9:12	7.16	--	--	7.14	--	
	03/24/10	9:28	8.42	--	--	5.88	--	
	04/13/10	10:12	8.35	--	--	5.95	--	
	05/24/10	10:16	8.46	--	--	5.84	--	
	08/16/10	7:40	7.87	--	--	6.43	--	
	08/16/10	7:42	7.87	--	--	6.43	--	
	09/02/10	10:14	9.24	--	--	5.06	--	
	09/02/10	10:42	9.25	--	--	5.05	--	
	09/02/10	11:45	9.32	--	--	4.98	--	
	09/02/10	11:46	9.32	--	--	4.98	--	
	09/02/10	11:47	9.32	--	--	4.98	--	
	09/02/10	11:48	9.32	--	--	4.98	--	
	09/02/10	11:49	9.32	--	--	4.98	--	
	09/02/10	11:55	9.33	--	--	4.97	--	
	09/02/10	12:00	9.33	--	--	4.97	--	
	09/02/10	12:05	9.33	--	--	4.97	--	
	09/02/10	12:10	9.33	--	--	4.97	--	
	09/02/10	12:15	9.34	--	--	4.96	--	
	09/02/10	12:20	9.34	--	--	4.96	--	
	09/02/10	12:25	9.34	--	--	4.96	--	
	09/02/10	12:42	9.35	--	--	4.95	--	
	09/02/10	13:00	9.36	--	--	4.94	--	
	09/02/10	13:32	9.36	--	--	4.94	--	
	09/03/10	9:12	9.52	--	--	4.78	--	
	09/03/10	10:26	9.48	--	--	4.82	--	
	09/03/10	10:54	9.55	--	--	4.75	--	
	09/03/10	11:08	9.54	--	--	4.76	--	
	09/21/10	9:57	8.10	--	--	6.20	--	
	11/19/10	16:24	7.62	--	--	6.68	--	
	03/04/11	9:16	7.80	--	--	6.50	--	
	04/25/11	9:15	8.20	--	--	6.10	--	
	09/21/11	8:33	8.39	--	--	5.91	--	
	11/21/11	8:36	8.82	--	--	5.48	--	
	02/20/12	9:57	8.53	--	--	5.77	--	
	(14.3) ⁶	04/17/12	9:25	8.38	--	--	5.92	--
		10/10/12	9:50	9.26	--	--	5.04	--
		12/24/12				UNABLE TO ACCESS		
		01/08/13	13:42	7.40	--	--	6.90	--
		04/30/13	9:25	8.35	--	--	5.95	--
		09/15/13	8:28	8.32	--	--	5.98	--
		11/22/13	8:05	9.22	--	--	5.08	--
		02/25/14	11:52	7.54	--	--	6.76	--
		05/05/14	08:55	7.00	--	--	7.30	--
		06/12/14				Well Decommissioned		
	RW-3 (4.70)	09/13/07	--	9.45	--	--	-4.75	--
		11/01/07	10:52	10.00	--	--	-5.30	--
		11/26/07	12:00	8.60	--	--	-3.90	--
	12/07/07	11:50	7.10	--	--	-2.40	--	
	12/19/07	9:20	7.63	--	--	-2.93	--	
	01/03/08	9:07	7.49	--	--	-2.79	--	
	01/30/08	8:38	8.44	--	--	-3.74	--	
	02/12/08	9:30	8.84	--	--	-4.14	--	
	03/03/08	9:02	9.11	--	--	-4.41	--	
	03/17/08	8:58	8.91	--	--	-4.21	--	
	04/01/08	8:43	9.01	--	--	-4.31	--	
	04/14/08	8:44	9.16	--	--	-4.46	--	
	04/28/08	9:16	9.10	--	--	-4.40	--	
(14.3) ⁶	05/13/08	9:03	9.53	--	--	4.77	--	
	05/27/08	10:20	9.36	--	--	4.94	--	
	06/10/08	10:41	9.34	Sheen	--	4.96	--	
	06/24/08	9:23	9.34	--	--	4.96	--	
	07/07/08	9:34	9.04	--	--	5.26	--	
	07/22/08	9:22	9.21	--	--	5.09	--	
	08/12/08	9:30	9.21	--	--	5.09	--	
	09/03/08	--	9.51	--	--	4.79	--	
	10/17/08	8:39	9.60	--	--	4.70	--	
	10/29/08	8:26	9.53	--	--	4.77	--	
	11/12/08	9:17	7.10	--	--	7.20	--	
	12/03/08	11:19	8.04	--	--	6.26	--	
	01/06/09	9:21	7.69	--	--	6.61	--	
	01/20/09	12:26	8.58	--	--	5.72	--	
	02/03/09	9:17	9.22	Sheen	--	5.08	--	
	02/17/09	9:11	8.69	--	--	5.61	--	
	03/12/09	11:24	9.08	--	--	5.22	--	
	03/25/09	9:09	8.91	8.90	0.01	5.39	--	
	04/08/09	9:20	8.83	8.82	0.01	5.47	--	
	04/30/09	9:25	8.90	Sheen	--	5.40	--	
	05/12/09	9:26	8.45	Sheen	--	5.85	--	
	05/26/09	14:38	9.09	--	--	5.21	--	
	06/09/09	9:16	8.40	--	--	5.90	--	
	06/25/09	9:23	8.35	--	--	5.95	--	
	07/07/09	9:21	8.62	--	--	5.68	--	
	08/20/09	8:26	8.60	Sheen	--	5.70	--	
	08/28/09	16:00	9.76	--	--	4.54	--	
	09/10/09	9:47	9.54	--	--	4.76	--	

Appendix C
Summary of Historical Groundwater Elevation Data

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)		
RW-3 (continued)	09/23/09	9:16	9.41	Sheen	--	4.89	--		
	10/08/09	9:30	9.46	--	--	4.84	--		
	10/19/09	9:45	9.13	--	--	5.17	--		
	11/12/09	9:15	8.36	--	--	5.94	--		
	03/24/10	9:31	8.60	Sheen	--	5.70	--		
	04/13/10	10:09	8.58	--	--	5.72	--		
	05/24/10	10:18	8.82	--	--	5.48	--		
	08/16/10	7:40	8.40	--	--	5.90	--		
	08/16/10	7:50	8.36	--	--	5.94	--		
	09/02/10	10:13	9.81	--	--	4.49	--		
	09/02/10	10:40	9.79	--	--	4.51	--		
	09/21/10	9:55	8.58	--	--	5.72	--		
	11/19/10	16:32	7.73	--	--	6.57	--		
	03/04/11	9:19	7.92	--	--	6.38	--		
	04/25/11	9:30	8.43	--	--	5.87	--		
	09/21/11	8:37	8.39	--	--	5.91	--		
	11/21/11	8:43	9.00	--	--	5.30	--		
	02/20/12	10:00	8.60	--	--	5.70	--		
	04/17/12	9:30	8.58	--	--	5.72	--		
	10/10/12	9:55	9.67	--	--	4.63	--		
	12/24/12				UNABLE TO ACCESS				
	01/08/13	13:43	7.46	--	--	6.84	--		
	04/30/13	9:28	8.49	--	LNAPL on probe	--	5.81	--	
	09/15/13	8:31	8.65	--	--	5.65	--		
	11/22/13	8:10	9.55	--	--	4.75	--		
	02/25/14	11:15	7.67	--	--	6.63	--		
	05/05/14	8:04	7.50	--	--	6.80	--		
				Well Decommissioned					
RW-4				UNABLE TO LOCATE					
RW-5 (13.9) ⁶	09/13/07	--	8.6	--	--	5.30	--		
	11/01/07	11:00	9.4	--	--	4.50	--		
	11/26/07	12:05	7.89	--	--	6.01	--		
	12/07/07	11:45	6.4	--	--	7.50	--		
	12/19/07	9:15	2.2	--	--	11.70	--		
	(13.9) ⁶	05/13/08	9:01	8.72	--	--	5.18	--	
		09/03/08	--	8.74	--	--	5.16	--	
		12/03/08	11:16	8.45	--	--	5.45	--	
		02/17/09	9:14	7.77	Sheen	--	6.13	--	
		05/12/09	9:12	7.48	--	--	6.42	--	
		05/26/09	13:15	7.94	--	--	5.96	--	
		09/10/09	9:44	8.95	--	--	4.95	--	
		04/13/10	10:07	7.75	--	--	6.15	--	
		09/21/10	9:52	7.82	--	--	6.08	--	
		04/25/11				UNABLE TO LOCATE			
		09/21/11	8:48	8.52	--	--	5.38	--	
		11/21/11	8:49	8.52	--	--	5.38	--	
		02/20/12	10:02	7.85	--	--	6.05	--	
		04/17/12	9:35	7.82	--	--	6.08	--	
		10/10/12	10:02	9.00	--	--	4.90	--	
		12/24/12				UNABLE TO ACCESS			
		01/08/13	13:44	6.90	--	--	7.00	--	
		04/30/13	9:35	7.75	--	--	6.15	--	
		09/15/13	8:34	8.00	--	--	5.90	--	
		11/22/13	8:15	9.20	--	--	4.70	--	
		02/25/14	11:35	7.43	--	--	6.47	--	
		05/05/14	09:27	7.23	--	--	6.67	--	
					Well Decommissioned				
RW-6 (13.9) ⁶		05/13/08 ⁷	8:58	8.35	--	--	5.55	--	
		09/03/08	--	8.14	--	--	5.76	--	
		12/03/08	11:13	7.95	--	--	5.95	--	
		02/17/09	9:17	7.80	--	--	6.10	--	
	05/12/09	9:10	7.57	--	--	6.33	--		
	05/26/09	13:12	7.65	--	--	6.25	--		
	09/10/09	9:43	7.90	--	--	6.00	--		
	04/13/10	10:05	7.42	--	--	6.48	--		
	09/21/10	9:50	6.74	--	--	7.16	--		
	04/25/11				UNABLE TO LOCATE				
	09/21/11				UNABLE TO LOCATE				
	11/21/11				UNABLE TO LOCATE				
	02/20/12				UNABLE TO LOCATE				
	04/17/12				UNABLE TO LOCATE				
	10/10/12				UNABLE TO LOCATE				
	12/24/12				UNABLE TO ACCESS				
	01/08/13	13:45	6.87	--	--	7.03	--		
	04/30/13	9:40	7.60	--	--	6.30	--		
	09/15/13	8:40	7.73	--	--	6.17	--		
	11/22/13	8:20	8.02	--	--	5.88	--		
02/25/14	11:25	6.98	--	--	6.92	--			
05/05/14	09:36	7.02	--	--	6.88	--			
				Well Decommissioned					
RW-7 (14.2) ⁶	09/13/07	--	8.75	--	--	5.45	--		
	11/01/07	11:20	9.3	--	--	4.90	--		
	11/26/07	12:07	8.1	--	--	6.10	--		
	12/07/07	11:40	6.45	--	--	7.75	--		
	12/07/07	9:10	6.4	--	--	7.80	--		

**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)	
RW-7 (continued)	05/13/08	8:43	8.80	--	--	5.40	--	
	09/03/08	--	8.84	--	--	5.36	--	
	12/03/08	11:11	8.60	--	--	5.60	--	
	02/17/09	9:20	8.95	--	--	5.25	--	
	05/12/09	9:08	7.41	--	--	6.79	--	
	05/26/09	13:10	7.81	--	--	6.39	--	
	08/04/09	--	8.18	--	--	6.02	--	
	09/10/09	9:40	8.83	--	--	5.37	--	
	04/13/10	10:03	7.78	--	--	6.42	--	
	09/21/10	9:47	7.88	--	--	6.32	--	
	04/25/11	9:40	7.62	--	--	6.58	--	
	09/21/11	8:51	8.49	--	--	5.71	--	
	11/21/11	8:56	4.62	--	--	9.58	--	
	02/20/12	10:04	7.92	--	--	6.28	--	
	04/17/12	9:40	7.87	--	--	6.33	--	
	10/10/12	10:07	8.99	--	--	5.21	--	
	12/24/12	--	--	--	UNABLE TO ACCESS	--	--	
	01/08/13	13:46	6.24	--	--	7.96	--	
	04/30/13	9:43	7.92	--	--	6.28	--	
	09/15/13	8:40	8.08	--	--	6.12	--	
	11/22/13	8:25	8.95	--	--	5.25	--	
	02/25/14	11:15	7.40	--	--	6.80	--	
	05/05/14	09:46	7.40	--	--	6.80	--	
	06/11/14	--	--	--	Well Decommissioned	--	--	
	RW-8 (13.9) ⁶	09/13/07	--	8.75	--	--	5.15	--
		11/01/07	11:25	8.9	--	--	5.00	--
11/26/07		12:09	7.9	--	--	6.00	--	
12/07/07		11:35	6.07	--	--	7.83	--	
12/19/07		9:05	7.18	--	--	6.72	--	
05/13/08		8:39	8.59	--	--	5.31	--	
09/03/08		--	8.53	--	--	5.37	--	
12/03/08		11:09	8.20	--	--	5.70	--	
02/17/09		9:24	7.70	--	--	6.20	--	
05/12/09		9:05	7.41	--	--	6.49	--	
05/26/09		13:07	7.59	--	--	6.31	--	
09/10/09		9:38	8.61	--	--	5.29	--	
04/13/10		10:00	7.39	--	--	6.51	--	
09/21/10		9:43	7.58	--	--	6.32	--	
04/25/11		9:45	7.21	--	--	6.69	--	
09/21/11		8:53	8.15	--	--	5.75	--	
11/21/11		9:03	8.24	--	--	5.66	--	
02/20/12		10:05	7.55	--	--	6.35	--	
04/17/12		9:45	7.56	--	--	6.34	--	
10/10/12		10:10	8.61	--	--	5.29	--	
12/24/12		--	--	--	UNABLE TO ACCESS	--	--	
01/08/13		13:54	6.65	--	--	7.25	--	
04/30/13		9:48	7.52	--	--	6.38	--	
09/15/13		8:43	7.71	--	--	6.19	--	
11/22/13		8:30	8.55	--	--	5.35	--	
02/25/14		11:00	7.00	--	--	6.90	--	
05/05/14	10:04	7.11	--	--	6.79	--		
06/11/14	--	--	--	Well Decommissioned	--	--		
RW-9 (14.1) ⁶	09/13/07	--	8.45	--	--	5.65	--	
	11/01/07	11:30	7.4	--	--	6.70	--	
	11/26/07	12:11	7.44	--	--	6.66	--	
	12/07/07	11:32	5.55	--	--	8.55	--	
	12/19/07	9:00	6.15	--	--	7.95	--	
	05/13/08	8:33	8.61	--	--	5.49	--	
	09/03/08	--	7.38	--	--	6.72	--	
	12/03/08	11:06	6.95	--	--	7.15	--	
	02/17/09	9:27	6.80	--	--	7.30	--	
	05/12/09	9:03	7.22	--	--	6.88	--	
	05/26/09	13:04	10.06	--	--	4.04	--	
	09/10/09	9:34	7.47	--	--	6.63	--	
	04/13/10	9:57	8.28	--	--	5.82	--	
	09/21/10	9:40	8.47	--	--	5.63	--	
	04/25/11	9:50	7.29	--	--	6.81	--	
	09/21/11	8:54	8.20	--	--	5.90	--	
	11/21/11	9:08	7.68	--	--	6.42	--	
	02/20/12	10:07	7.78	--	--	6.32	--	
	04/17/12	9:50	8.02	--	--	6.08	--	
	10/10/12	10:15	8.35	--	--	5.75	--	
	12/24/12	--	--	--	UNABLE TO ACCESS	--	--	
	01/08/13	13:55	5.55	--	--	8.55	--	
	04/30/13	9:51	7.02	--	--	7.08	--	
	09/15/13	8:49	8.88	--	--	5.22	--	
	11/22/13	8:35	7.06	--	--	7.04	--	
	02/25/14	10:50	6.28	--	--	7.82	--	
05/05/14	10:18	6.70	--	--	7.40	--		
06/10/14	--	--	--	Well Decommissioned	--	--		
RW-10 (14.3) ⁶	09/13/07	--	8.9	--	--	5.40	--	
	11/01/07	11:40	8.7	--	--	5.60	--	
	11/26/07	12:12	7.89	--	--	6.41	--	
	12/07/07	11:29	6.26	--	--	8.04	--	
	12/19/07	8:55	7.25	--	--	7.05	--	

**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)
RW-10 (continued)	05/13/08	8:31	8.86	--	--	5.44	--
	09/03/08	--	8.41	--	--	5.89	--
	12/03/08	11:03	7.87	--	--	6.43	--
	02/17/09	9:28	7.90	--	--	6.40	--
	05/12/09	9:01	7.47	--	--	6.83	--
	05/26/09	13:02	8.95	--	--	5.35	--
	09/10/09	9:32	8.58	--	--	5.72	--
	04/13/10	9:55	7.80	--	--	6.50	--
	09/21/10	9:38	8.12	--	--	6.18	--
	04/25/11	9:51	6.70	--	--	7.60	--
	09/21/11	8:56	8.76	--	--	5.54	--
	11/21/11	9:14	8.42	--	--	5.88	--
	02/20/12	10:10	7.75	--	--	6.55	--
	04/17/12	9:53	7.90	--	--	6.40	--
	10/10/12	10:18	9.09	--	--	5.21	--
	12/24/12				UNABLE TO ACCESS		
	01/08/13	13:59	6.32	--	--	7.98	--
	04/30/13	9:51	7.46	--	--	6.84	--
	09/15/13	8:55	8.66	--	--	5.64	--
	11/22/13	8:40	8.22	--	--	6.08	--
	02/25/14	10:38	7.07	--	--	7.23	--
05/05/14	10:33	7.22	--	--	7.08	--	
	06/10/14			Well Decommissioned			
RW-11 (14.1) ⁸	12/07/07	11:14	6.5	--	--	7.60	--
	12/19/07	8:50	7.6	--	--	6.50	--
	05/13/08	8:28	8.86	--	--	5.24	--
	09/03/08	--	8.79	--	--	5.31	--
	12/03/08	11:01	8.26	--	--	5.84	--
	02/17/09	9:31	7.80	--	--	6.30	--
	05/12/09	8:59	7.64	--	--	6.46	--
	05/26/09	12:59	8.33	--	--	5.77	--
	09/10/09	9:29	8.61	--	--	5.49	--
	04/13/10	9:53	7.85	--	--	6.25	--
	09/21/10	9:35	7.98	--	--	6.12	--
	04/25/11	9:55	7.46	--	--	6.64	--
	09/21/11	8:57	8.77	--	--	5.33	--
	11/21/11	9:20	8.52	--	--	5.58	--
	02/20/12	10:11	7.92	--	--	6.18	--
	04/17/12	10:00	7.90	--	--	6.20	--
	10/10/12	10:21	9.12	--	--	4.98	--
	12/24/12				UNABLE TO ACCESS		
	01/08/13	14:00	6.74	--	--	7.36	--
	04/30/13	9:54	7.73	--	--	6.37	--
	09/15/13	8:58	8.50	--	--	5.60	--
11/22/13	8:45	8.90	--	--	5.20	--	
02/25/14	10:30	7.40	--	--	6.70	--	
05/05/14	10:45	7.51	--	--	6.59	--	
	06/10/14			Well Decommissioned			
RW-12 (14.0) ⁸	12/07/07	11:08	6.78	--	--	7.22	--
	12/19/07	8:40	7.88	--	--	6.12	--
	05/13/08	8:25	8.97	--	--	5.03	--
	09/03/08	--	9.02	--	--	4.98	--
	12/03/08	10:48	8.56	--	--	5.44	--
	02/17/09	9:33	7.85	--	--	6.15	--
	05/12/09	8:56	7.76	--	--	6.24	--
	05/26/09	12:55	8.37	--	--	5.63	--
	09/10/09	9:27	9.22	--	--	4.78	--
	04/13/10	9:50	7.93	--	--	6.07	--
	09/21/10				UNABLE TO LOCATE		
	04/25/11				UNABLE TO LOCATE		
	09/21/11				UNABLE TO LOCATE		
	11/21/11				UNABLE TO LOCATE		
	02/20/12				UNABLE TO LOCATE		
	04/17/12				UNABLE TO LOCATE		
	10/10/12				UNABLE TO LOCATE		
	12/24/12				UNABLE TO ACCESS		
	01/08/13				UNABLE TO LOCATE		
	04/30/13				UNABLE TO LOCATE		
	09/15/13				UNABLE TO LOCATE		
11/22/13				UNABLE TO LOCATE			
06/09/14				UNABLE TO LOCATE DURING FINAL DECOMMISSIONING ACTIVITIES			
RW-13 (14.1) ⁸	12/07/07	11:05	6.83	--	--	7.27	--
	12/19/07	8:35	7.5	--	--	6.60	--
	05/13/08	8:22	9.01	--	--	5.09	--
	09/03/08	--	9.05	--	--	5.05	--
	12/03/08	10:45	8.64	--	--	5.46	--
	02/17/09	9:36	8.22	--	--	5.88	--
	05/12/09	8:53	7.85	--	--	6.25	--
	05/26/09	12:53	8.48	--	--	5.62	--
	09/10/09	9:22	8.89	--	--	5.21	--
	04/13/10	9:47	8.01	--	--	6.09	--
	09/21/10	9:30	8.15	--	--	5.95	--
	04/25/11	10:00	7.51	--	--	6.59	--
	09/21/11	9:00	8.99	--	--	5.11	--
	11/21/11	9:27	8.56	--	--	5.54	--

**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)
RW-13 Continued	02/20/12	10:13	8.24	--	--	5.86	--
	04/17/12	10:04	8.21	--	--	5.89	--
	10/10/12	10:25	9.47	--	--	4.63	--
	12/24/12			UNABLE TO ACCESS			
	01/08/13	14:02	7.07	--	--	7.03	--
	04/30/13	9:56	7.96	--	--	6.14	--
	09/15/13	9:01	8.68	--	--	5.42	--
	11/22/13	8:50	9.25	--	--	4.85	--
	02/25/14	10:00	8.16	--	--	5.94	--
	05/05/14	11:00	7.65	--	--	6.45	--
	06/10/14			Well Decommissioned			
RW-14				UNABLE TO LOCATE			
RW-15 (13.9) ⁸	09/13/07	--	8.83	--	--	5.07	--
	11/01/07	11:50	9	--	--	4.90	--
	11/26/07	12:18	8.4	--	--	5.50	--
	12/07/07	10:56	6.55	--	--	7.35	--
	12/19/07	8:25	6.31	--	--	7.59	--
	05/13/08	8:17	8.97	--	--	4.93	--
	09/03/08	--	8.52	--	--	5.38	--
	12/03/08	10:40	8.31	--	--	5.59	--
	02/17/09	9:44	8.24	--	--	5.66	--
	05/12/09	8:50	8.19	--	--	5.71	--
	05/26/09	12:48	8.25	--	--	5.65	--
	09/10/09	9:20	5.52	--	--	8.38	--
	04/13/10	9:45	7.88	--	--	6.02	--
	09/21/10			UNABLE TO LOCATE			
	04/25/11			UNABLE TO LOCATE			
	09/21/11			UNABLE TO LOCATE			
	11/21/11			UNABLE TO LOCATE			
	2/20/12			UNABLE TO LOCATE			
	04/17/12			UNABLE TO LOCATE			
	10/10/12			UNABLE TO LOCATE			
	12/24/12			UNABLE TO LOCATE			
	01/08/13			UNABLE TO LOCATE			
(13.9) ⁸	04/30/13			UNABLE TO LOCATE			
	09/15/13			UNABLE TO LOCATE			
	11/22/13			UNABLE TO LOCATE			
	06/09/14			UNABLE TO LOCATE DURING FINAL DECOMMISSIONING ACTIVITIES			
RW-21 (5.87)	09/13/07	--	9.85	Sheen	--	5.45	--
	11/01/07	10:35	9.90	7.90	2.00	7.00	--
	11/26/07	12:23	--	Sheen	--	--	--
	12/07/07	9:40	6.90	Sheen	--	8.40	--
	12/19/07	--	7.79	--	--	7.51	--
	01/03/07	9:25	7.88	--	--	7.42	--
	01/30/07	8:44	8.67	--	--	6.63	--
	02/12/08	9:11	8.80	--	--	6.50	--
	03/03/08	9:10	9.25	--	--	6.05	--
	03/17/08	9:07	9.21	--	--	6.09	--
	04/01/08	9:05	9.09	--	--	6.21	--
	04/14/08	8:55	9.32	--	--	5.98	--
	04/28/08	9:24	9.33	--	--	5.97	--
	05/13/08			UNABLE TO ACCESS			
(15.3) ⁸	05/27/08	11:20	9.45	--	--	5.85	--
	06/10/08	10:45	9.21	--	--	6.09	--
	06/24/08	9:29	9.49	--	--	5.81	--
	07/07/08	9:39	9.19	--	--	6.11	--
	07/22/08	9:00	9.38	--	--	5.92	--
	08/12/08	9:36	9.35	--	--	5.95	--
	09/03/08	--	9.36	Sheen	--	5.94	--
	10/08/08	8:30	9.72	Sheen	--	5.58	--
	10/17/08	8:41	9.50	--	--	5.80	--
	10/29/08	8:31	9.58	--	--	5.72	--
	11/12/08	9:27	7.83	--	--	7.47	--
	12/03/08	10:10	9.22	9.20	0.02	6.10	--
	01/06/09	9:26	7.89	Sheen	--	7.41	--
	01/20/09	12:29	8.56	8.55	0.01	6.75	--
	02/03/09	9:24	9.20	Sheen	--	6.10	--
	02/17/09	9:50	9.05	Sheen	--	6.25	--
	03/12/09	11:31	9.16	Sheen	--	6.14	--
	03/25/09	9:24	9.01	Sheen	--	6.29	--
	04/08/09	9:57	8.91	8.90	0.01	6.40	--
	04/30/09	9:49	8.88	Sheen	--	6.42	--
	05/12/09	9:43	8.45	8.44	0.01	6.86	--
	05/26/09	14:48	8.82	--	--	6.48	--
	06/09/09	9:26	8.64	--	--	6.66	--
	06/25/09	9:29	8.68	--	--	6.62	--
	07/07/09	9:26	8.95	Sheen	--	6.35	--
	07/13/09	8:05	9.45	--	--	5.85	--
	08/05/09	6:45	8.96	Sheen	--	6.34	--
	08/06/09	9:18	9.06	--	--	6.24	--
	08/20/09	8:34	9.15	--	--	6.15	--
	09/10/09	9:57	9.28	--	--	6.02	--
	09/23/09	9:21	9.25	Sheen	--	6.05	--
	10/08/09	9:16	9.31	Sheen	--	5.99	--
	10/19/09	9:50	9.23	Sheen	--	6.07	--

**Appendix C
Summary of Historical Groundwater Elevation Data**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Well Number ¹ (Well Casing Elevation)	Date Measured	Time Measured (hr:min)	Depth to Groundwater ² (feet)	Depth to LNAPL ³ (feet)	LNAPL Thickness ³ (feet)	Groundwater Elevation ⁴ (feet)	Top of Well Screen Elevation ⁵ (feet)
RW-21 Continued	11/12/09	9:19	7.82	Sheen	--	7.48	--
	03/24/10	9:37	8.62	Sheen	--	6.68	--
	04/13/10	10:19	8.61	Sheen	--	6.69	--
	05/26/10	9:32	8.73	Sheen	--	6.57	--
	09/21/10	10:05	8.46	Sheen	--	6.84	--
	11/19/10	16:01	9.21	Sheen	--	6.09	--
	03/04/11	9:31	8.18	Sheen	--	7.12	--
	04/25/11	8:50	8.50	8.49	0.01	6.81	--
	09/21/11	9:18	9.20	LNAPL on probe	--	6.10	--
	11/21/11	9:34	9.03	--	--	6.27	--
	02/20/12	10:23	8.76	LNAPL on probe	--	6.54	--
	04/17/12	10:10	8.65	--	--	6.65	--
	10/10/12	9:20	9.70	LNAPL on probe	--	5.60	--
	12/24/12				UNABLE TO ACCESS		
	01/08/13				UNABLE TO ACCESS		
	04/30/13	10:00	8.74	Tar on probe	--	6.56	--
	09/19/13	10:10	9.43	Tar on probe	--	5.87	--
	11/22/13	8:55	10.23	--	--	5.07	--
	06/12/14				Well Decommissioned		

Notes:
¹Well casing elevations listed in feet above mean sea level. Approximate monitoring well locations are shown in Figure 2. "--" = not measured or not obtainable
²Below top of casing.

³Light non-aqueous phase liquid
⁴Elevation referenced to city of Seattle datum.
⁵Top of well screen elevation data from historic records.
⁶TOC elevations for wells MW-200 to 207, MW-27R, and MW-61A-R were surveyed using an arbitrary datum point, 9.65 feet lower than the datum from the upper well survey.
⁷Depth to water was measured with pump in well.
⁸Survey by OTAK 5/27/08.
⁹Groundwater elevation recorded prior to pump testing at the site. Sheen observed on extracted groundwater during hydraulic conductivity testing on well MW-205.
¹⁰LNAPL indicated in field notes, measurement not taken
¹¹TOC elevations for wells PZ-61A-R, PZ-203, and PZ-204 unknown.
 NR = Not reported.
 UK = TOC elevations unknown.
 Bolded data are for the current reporting period.

Appendix C
Historical Summary of Groundwater Analytical Data
Total Petroleum Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

Monitoring Well ¹	Date Sampled	LNAPL ²	BTEX (EPA Method 8020 or 8021B) (µg/L)				TPH (EPA Method 418.1) (mg/L)	NWTPH-Gx (mg/L) Gasoline C ₇ - C ₁₂	NWTPH-D Extended ³ (mg/L)		Dissolved Lead (EPA 6000/7000 Series Method) (µg/L)
			B	T	E	X			Diesel C ₁₂ - C ₂₄	Heavy Oil >C ₂₄	
Upper Yard RALs		No visible sheen	40	14,300	1,400	4,400	--	1	10	15	50
Upper Yard											
MW-37	06/01/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5
	10/16/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5
	01/17/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5
	04/16/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<2
	09/15/95	ND	<0.50	<0.50	<0.50	<1.0	--	<1.0	<1.0	--	<0.75
	12/14/95	ND	<0.50	<0.50	<0.50	<1.0	--	<0.05	<0.27	--	<0.75
MW-38	06/01/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5
	10/16/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5
	01/17/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5
	04/16/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<2
MW-39	01/17/91	--	<0.5	0.5	0.6	2.2	--	<1	<1	--	<5
	04/16/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5
MW-40	06/01/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5
	10/16/90	--	<0.5	1.0	0.6	<0.5	<1	--	--	--	<5
	01/17/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5
	04/16/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5
MW-61A	03/13/98	ND	<0.500	<0.500	<0.500	<1.00	--	0.956	2.14	<0.750	--
	06/18/98	ND	<2.50	<2.50	<2.50	<5.00	--	1.01	3.49	<0.750	--
	09/03/98	ND	<0.500	<0.500	<0.500	<0.500	--	0.396	1.85	<0.750	<1.00
Duplicate	12/15/98	Sheen	<2.50	<2.50	2.82	12.8	--	10.2	146/73.0	<30.8/15.8	--
	12/15/98	Sheen	<2.50	<2.50	2.50	5.81	--	2.93	32.3/14.6	<3.75/0.750	--
Duplicate	03/23/99	Sheen	<0.500	<0.500	2.56	13.8	--	4.34	39.7/32.7	<8.25/3.75	--
	03/23/99	Sheen	<2.50	<2.50	<2.50	<5.00	--	1.56	52.8/42.1	<8.25/8.25	--
	07/01/99	ND	<0.500	<0.500	<0.300	<3.70	--	1.38 ⁶	4.43/2.08	<0.750/0.750	<1.00
Duplicate	07/01/99	ND	<1.00	<1.00	<1.40	<3.60	--	1.38 ⁶	4.45/3.08	<0.750/0.750	--
Duplicate	09/29/99	Sheen	<0.500	<5.00	<5.00	<1.00	--	2.16 ⁵	7.57/4.04	<0.750/0.750	--
Duplicate	09/29/99	Sheen	<0.500	<0.500	<5.00	<1.00	--	2.80 ⁵	19.7/2.1	0.758/1.57	--
	12/16/99	Sheen	<0.500	<5.00	<3.50	<10.0	--	7.61	33.4/30.1	<15.8/8.25	--
Duplicate	01/04/00 ⁹	Sheen	<0.500	<5.00	<5.00	<4.15	--	1.40	12.18/29	<1.34/1.34	--
	03/21/00	ND	<0.500	<0.500	<0.550	<1.85	--	0.831	13.17	<0.750 ⁷	--
Duplicate	03/21/00	ND	<0.500	<0.500	<0.720	<3.40	--	1.05	6.36 ⁷	<0.750 ⁷	--
	06/22/00 ⁸	ND	0.779	<0.500	<0.500	2.32	--	1.00	4.23/3.38	<0.750/0.750	<1.00
Duplicate	06/22/00	ND	0.880	<0.500	0.591	2.46	--	0.836	5.99/4.13	<0.750/0.750	--
	09/14/00	ND	<0.500	<0.500	<0.704	<3.11	--	1.36	2.49/1.50	<0.750/0.750	--
Duplicate	09/14/00	ND	<0.500	<0.500	0.986	<3.21	--	1.00	5.00/3.13	<0.750/0.750	--
	12/21/00	ND	<0.500	<1.24	<0.500	<3.87	--	1.18	4.62/2.48	<0.750/0.750	--
Duplicate	12/21/00 ⁷	ND	<0.500	<0.500	<0.500	<1.00	--	0.721	5.64/3.81	<0.750/0.750	--
	03/14/01	ND	<0.565	<0.500	<1.38	<4.31	--	0.652	2.55/1.28	<0.750/0.750	--
Duplicate	03/14/01	ND	<0.500	<0.500	<0.500	<1.12	--	0.498	1.82/0.868	<0.750/0.750	--
	06/21/01	ND	<0.500	0.855	<0.500	1.14	--	0.773	2.45/1.55	<0.750/0.750	<1.00
Duplicate	06/21/01	ND	<0.500	<0.500	<0.500	2.61	--	0.676	1.80/1.04	<0.750/0.750	--
	09/25/01	Sheen	<0.500	<0.500	<0.500	2.62	--	0.839	14.3/11.3	<8.25/0.750	--
Duplicate	09/25/01	Sheen	<0.500	0.923	0.592	4.22	--	0.918	5.12/4.47	<0.750/0.750	--
	12/19/01	Sheen	0.825	<2.00	<1.00	<1.50	--	2.54	19.4/14.8 ¹⁰	<3.00/3.00 ¹⁰	--
Duplicate	03/26/02	Sheen	<0.500	<0.500	<0.500	1.24	--	0.414	1.38/0.615	<0.750/0.750	--
Duplicate	03/26/02	Sheen	<0.500	<0.500	<0.500	1.85	--	0.592	1.99/0.847	<0.750/0.750	--
Duplicate	06/19/03	Sheen	<0.500	<0.500	<0.500	<1.00	--	0.360	1.43	<0.750	--
	09/18/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.728	<0.750	--
Duplicate	12/03/03	Sheen	<0.500	<0.500	<0.500	1.22	--	0.604	2.46	<0.750	--
Duplicate	12/03/03	Sheen	<0.500	<0.500	<0.500	1.30	--	0.701	2.35	<0.750	--
MW-61A-R	03/02/06	Sheen/LNAPL	--	--	--	<1.00	--	--	--	--	--
	06/06/06	Sheen	<2.50	<2.50	7.64	7.48	--	3.92	20.6	<3.75	--
	09/15/06	Sheen	396	79.7	26.4	243	--	17.2	200	<142	--
	03/07/07	ND	<0.5	<0.5	0.5	<1.5	--	0.18	0.29	<0.095	--
	06/08/07	ND	<0.500	<2.0 ¹⁶	1.500	1.7	--	0.400	0.600	<0.095	<0.037
	09/26/07	ND	<0.5	<0.5	1.4	<1.5	--	0.430	0.770	0.120	--
Duplicate	11/28/07	ND	<0.5	<0.5	0.9	<1.5	--	0.410	0.340	<0.100	--
	11/28/07	ND	<0.5	<0.5	0.9	<1.5	--	0.400	0.670	0.370	--
	02/13/08	ND	<0.500	<0.500	0.980	1.14	--	0.455	0.308	<0.485	--
	05/14/08	ND	<0.500	<0.500	1.24	1.43	--	0.363	0.406	<0.472	--
	09/04/08	Sheen	<0.500	1.16	3.58	1.13	--	0.933	0.380	<0.490	--
	12/03/08	LNAPL	--	--	--	--	--	--	--	--	--
	02/18/09	Sheen	<0.500	<0.500	<0.500	1.32	--	0.490	0.830	<0.481	--
	09/10/09	LNAPL	--	--	--	--	--	--	--	--	--
	04/14/10	--	--	--	--	--	--	--	--	--	--
	09/23/10	ND	<0.50	<0.50	0.68	<2.0	--	0.76	1.5	<0.26	--
	04/25/11	LNAPL	--	--	--	--	--	--	--	--	--
	09/21/11	LNAPL	--	--	--	--	--	--	--	--	--
	04/18/12	LNAPL	--	--	--	--	--	--	--	--	--
	10/10/12	LNAPL	--	--	--	--	--	--	--	--	--
	04/30/13	LNAPL	--	--	--	--	--	--	--	--	--
	09/19/13	LNAPL	--	--	--	--	--	--	--	--	--
	06/24/14	LNAPL	--	--	--	--	--	--	--	--	--
	12/16/15	LNAPL	--	--	--	--	--	--	--	--	--
	06/17/15	LNAPL	--	--	--	--	--	--	--	--	--
	12/09/15	LNAPL	--	--	--	--	--	--	--	--	--
	06/15/16	ND	<0.5	<0.5	<0.5	<1.5	--	0.220	0.120	<0.067	--
	01/13/17	ND	<0.5	<0.5	0.5	2	--	1.000	0.490	<0.074	--
	06/16/17	LNAPL	--	--	--	--	--	--	--	--	--
	11/08/17	LNAPL	--	--	--	--	--	--	--	--	--
	06/20/18	LNAPL	--	--	--	--	--	--	--	--	--
MW-62A	03/13/98	ND	<0.500	<0.500	<0.500	<1.00	--	0.288	<0.0250	<0.0750	--
	06/18/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--
	09/03/98	ND	<1.00	<0.500	0.901	2.79	--	0.134	<0.250	<0.750	<1.00
	12/14/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--
	03/23/99	ND	10.8	<5.00	<5.00	<10.0	--	<0.0500	0.371/0.250	<0.750/0.750	--
	07/01/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.311/0.250	<0.750/0.750	1.09
	09/29/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.709/0.250	<0.750/0.750	--
	12/16/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--
	03/21/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--
	06/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00
	09/14/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.376/0.250	<0.750/0.750	--
	12/21/00 ⁹	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--
	03/14/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--
	06/21/01	ND	<0.								

Appendix C
Historical Summary of Groundwater Analytical Data
Total Petroleum Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

Monitoring Well ¹	Date Sampled	LNAPL ²	BTEX (EPA Method 8020 or 8021B) (µg/L)				TPH (EPA Method 418.1) (mg/L)	NWTPH-Gx (mg/L)		NWTPH-D Extended ³ (mg/L)		Dissolved Lead (EPA 6000/7000 Series Method) (µg/L)
			B	T	E	X		Gasoline C ₇ - C ₁₂	Diesel C ₁₂ - C ₂₄	Heavy Oil >C ₂₄		
MW-63A (continued)	03/14/01	ND	<0.500	0.822	<0.500	1.92	--	<0.0500	<0.250	<0.750	--	
	06/21/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	09/25/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/18/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	0.468<0.250 ¹⁰	<0.750<0.750 ¹⁰	--	
	03/26/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.379<0.250	<0.750<0.750	--	
	06/19/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.299<0.250	<0.750<0.750	<1.00	
	12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.514	<0.750	--	
	12/03/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/18/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	09/03/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
12/14/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.325<0.250	<0.750<0.750	--		
03/23/99	ND	<0.500	<0.500	<0.500	2.42	--	<0.0500	0.354<0.250	<0.750<0.750	--		
07/01/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.319<0.250	<0.750<0.750	1.09		
09/29/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.448<0.250	<0.750<0.750	--		
01/04/00 ⁸	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250<0.250	<0.750<0.750	--		
03/21/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.255 ⁷	<0.750	--		
06/22/00 ⁹	ND	<0.500	1.39	0.654	5.39	--	0.0908	0.315<0.487	<0.750<1.46	<1.00		
07/25/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00		
09/14/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
12/21/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.298<0.250	<0.750<0.750	--		
03/14/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
06/21/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00		
09/25/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.263<0.250 ¹¹	<0.750<0.750 ¹¹	--		
12/18/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	0.372<0.250 ¹⁰	<0.750<0.750 ¹⁰	--		
03/26/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
06/19/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.498<0.250	<0.750<0.750	<1.00		
12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.38	<0.750	--		
12/03/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.379	<0.750	--		
Elliott Avenue RALS		No visible sheen	40	14,300	1,400	4,400	--	1	10	15	50	
Elliott Avenue												
MW-30 ¹²	01/31/89	--	4.0	0.6	<0.5	<0.5	6	<5	--	--	--	
	04/27/89	--	5.0	<0.5	0.6	<0.5	0.37	<5	--	--	--	
	07/25/89	--	8.0	4.9	17.0	11.1	13	<5	--	--	--	
	10/26/89	LNAPL	--	--	--	--	--	--	--	--	--	
	01/16/90	LNAPL	--	--	--	--	--	--	--	--	--	
	04/16/90	LNAPL	--	--	--	--	--	--	--	--	--	
	07/25/90	LNAPL	--	--	--	--	--	--	--	--	--	
	09/20/90	--	--	--	--	--	1	--	--	--	--	
	10/16/90	--	<5.0	<5.0	<5.0	<5.0	10	--	--	--	28	
	01/17/91	--	<0.5	<0.5	0.6	3.5	24	2	13	--	<5	
	04/16/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<2	
	09/17/91	LNAPL	--	--	--	--	--	--	--	--	--	
	12/10/91	LNAPL	--	--	--	--	--	--	--	--	--	
	01/29/92	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
	03/13/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.341	<0.750	--	
	03/13/98	ND	<0.500	<0.500	<0.500	<1.00	--	0.0522	<0.250	<0.750	--	
	06/29/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	06/29/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	09/04/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.575	<0.750	--	
	09/04/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.416	<0.750	--	
	12/15/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.900/0.310	<0.750<0.750	--	
	03/24/99	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	1.47/0.580	1.38<0.750	--	
	07/01/99	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.526<0.250	<0.750<0.750	<1.00	
	09/29/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	1.12<0.454	1.19<1.36	--	
	12/15/99	Sheen	<0.500	<0.500	<0.500	<1.00	--	0.0657	2.72/0.679	<1.43<1.43	--	
	03/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	1.68/0.753	1.35<0.750	--	
	06/21/00	Sheen	<0.500	<0.500	<0.500	<1.00	--	0.0545	0.345<0.250	<0.750<0.750	<1.00	
	09/14/00	--	--	--	--	--	--	--	--	--	--	
	12/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	0.0766	1.17/0.353	<0.750<0.750	--	
	03/15/01	ND	<0.500	<0.500	<0.500	<1.00	--	0.248	4.85/3.27	6.28/3.25	--	
	06/22/01	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.448<0.250	<0.750<0.750	--	
	09/25/01	Sheen	<0.500	<0.500	<0.500	1.12	--	<0.0500	2.73/1.60	2.20/1.22	--	
	12/18/01	Sheen	<0.500	<2.00	<1.00	<1.50	--	<0.100	1.09<0.250 ¹⁰	<0.750<0.750 ¹⁰	--	
	03/27/02	Sheen	<0.500	<2.00	<1.00	<1.50	--	0.107	1.05<0.250 ¹⁰	<0.750<0.750 ¹⁰	--	
	06/20/02	Sheen	<0.500	<0.500	<0.500	<1.00	--	0.0793	1.62/0.536	0.938<0.750	--	
	09/19/02	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.527<0.250	<0.750<0.750	--	
	12/13/02	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/19/03	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.419	<0.750	--	
	09/18/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/03/03	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
03/09/04	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
06/03/04	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.544	<0.750	--		
06/03/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.913	0.765	--		
09/03/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.451	<0.750	--		
09/03/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	1.33	0.765	--		
12/06/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.381	<0.750	--		
03/04/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.268	<0.750	--		
03/04/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.747	0.898	--		
06/03/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.835	0.976	--		
06/03/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.278	<0.750	--		
09/01/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
09/01/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.416	<0.750	--		
12/01/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.366	<0.750	--		
12/01/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.359	<0.708	--		
03/02/06	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.438	<0.714	--		
03/02/06	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.236	<0.708	--		
06/06/06	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.236	<0.750	--		
06/06/06	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
09/15/06	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.708	--		
09/15/06	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.708	--		
03/07/07	Sheen	<0.5	<0.5	<0.5	<1.5	--	<0.048	1.6	0.53	--		
06/08/07	ND	<0.500	<0.500	<0.500	<1.50	--	<0.050	0.800	<0.095	<0.037		
09/26/07	ND	<0.5	<0.5	<0.								

Appendix C
Historical Summary of Groundwater Analytical Data
Total Petroleum Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

Monitoring Well ¹	Date Sampled	LNAPL ²	BTEX (EPA Method 8020 or 8021B)				TPH (EPA Method 418.1) (mg/L)	NWTPH-Gx (mg/L)		NWTPH-D Extended ³ (mg/L)		Dissolved Lead (EPA 6000/7000 Series Method) (µg/L)
			B	T	E	X		Gasoline C ₇ - C ₁₂	Diesel C ₁₂ - C ₂₄	Heavy Oil >C ₂₄		
											(µg/L)	
MW-8 (continued)	12/10/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	--	--	<3.0	
	06/25/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	12/14/88	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.523/<0.250	<0.750/<0.750	--	
	07/01/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/16/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.501/<0.403	<1.21/<1.21	--	
	06/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	0.0558	0.273/<0.249	<0.750/<0.737	--	
	12/21/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.441/<0.245	<0.750/<0.750	--	
	06/21/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/19/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	0.464/<0.250 ¹⁰	<0.750/<0.750 ¹⁰	--	
	06/19/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.271/<0.250	<0.750/<0.750	--	
	12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.439	0.762	--	
	12/02/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	MW-10	01/31/89	--	<0.5	<0.5	<0.5	<0.5	0.96	--	--	--	<5
		04/27/89	--	<0.5	<0.5	<0.5	<0.5	2.2	--	--	--	<5
07/25/89		--	<0.5	<0.5	<0.5	<0.5	0.45	--	--	--	<5	
10/26/89		--	<0.5	<0.5	<0.5	<0.5	3.4	--	--	--	<5	
01/16/90		--	<0.5	<0.5	<0.5	<0.5	0.35	--	--	--	<5	
04/16/90		--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
07/25/90		--	<0.5	<0.5	<0.5	<0.5	6	--	--	--	<5	
10/16/90		--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
01/17/91		--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5	
04/16/91		--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5	
09/17/91		--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<2	
12/10/91		--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<3	
06/25/98		ND	<0.500	<0.500	<0.500	<1.00	--	0.0593	<0.250	<0.750	1.24	
12/14/98		ND	<0.500	<0.500	<0.500	<1.20	--	0.0715	0.853/<0.250	<0.750/<0.750	--	
07/01/99		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.652/<0.250	<0.750/<0.750	--	
12/16/99		ND	<0.500	<0.500	<0.500	<1.00	--	0.076	0.708/<0.475	<1.43/<1.43	--	
06/22/00		ND	<0.500	<0.500	<0.500	<1.00	--	0.0846	<0.503 ¹³	<1.51 ¹³	--	
12/21/00		ND	<0.500	<0.500	<0.500	1.10	--	0.0657	0.555/<0.250	<0.750/<0.750	--	
06/21/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.301/<0.250	<0.750/<0.750	--		
12/19/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	0.551/<0.250 ¹⁰	<0.750/<0.750 ¹⁰	--		
06/19/02	ND	<0.500	<0.500	<0.500	1.43	--	0.0545	0.656/<0.250	<0.750/<0.750	--		
12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
12/02/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
MW-20	01/31/89	--	<0.5	<0.5	<0.5	<0.5	1.1	--	--	--	<5	
	04/27/89	--	<0.5	<0.5	<0.5	<0.5	1.6	--	--	--	<5	
	07/25/89	--	1.0	<0.5	<0.5	<0.5	0.31	--	--	--	<5	
	10/26/89	--	<0.5	<0.5	<0.5	<0.5	3.2	--	--	--	<5	
	01/16/90	--	<0.5	<0.5	<0.5	<0.5	1.4	--	--	--	<5	
	04/16/90	--	0.6	<0.5	<0.5	<0.5	<1	--	--	--	<5	
	07/25/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
	10/16/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
	01/17/91	--	<0.5	<0.5	<0.5	<0.5	<1	--	<1	<1	<5	
	04/16/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<2	
	09/17/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<2	
	12/10/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	3.4	
	06/25/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	12/15/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.287/<0.250	<0.750/<0.750	--	
	07/01/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.291/<0.250	<0.750/<0.750	--	
	12/16/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.452/<0.250	<0.750/<0.750	--	
	06/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/21/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.569/<0.250	<0.750/<0.750	--	
06/21/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.277/<0.250	<0.750/<0.750	--		
12/19/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	1.05/<0.250 ¹⁰	<0.750/<0.750 ¹⁰	--		
06/20/02	ND	6.60	<0.500	<0.500	3.30	--	<0.0500	0.627/<0.250	<0.750/<0.750	--		
12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
12/02/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
MW-25	01/31/89	--	<0.5	4.7	<0.5	2.3	3.7	--	--	--	<5	
	04/27/89	--	7.2	1.2	1.6	<0.5	0.93	--	--	--	<5	
	07/25/89	--	1.4	0.8	<0.5	1.2	3.4	--	--	--	<5	
	10/26/89	--	<0.5	<0.5	<0.5	<0.5	7.8	--	--	--	<5	
	01/16/90	--	1.3	<0.5	<0.5	<0.5	4.9	--	--	--	<5	
	04/16/90	--	0.6	1.4	0.6	2.7	<1	--	--	--	<5	
	07/25/90	--	2.5	0.6	0.6	0.8	<1	--	--	--	<5	
	10/16/90	--	<0.5	<0.5	<0.5	0.8	<1	--	--	--	<5	
	01/17/91	--	1.0	0.7	<0.5	1.4	<1	<1	<1	--	<5	
	04/16/91	--	0.9	<0.5	<0.5	<0.5	<1	<1	<1	--	<20	
	09/19/91	--	<0.5	<0.5	<0.5	0.6	--	<1	<1	--	<20	
	12/10/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<3.0	
	03/13/98	ND	<0.500	<0.500	<0.500	<1.00	--	0.160	<0.250	<0.750	--	
	06/24/98	ND	<0.500	1.68	<0.500	<1.00	--	0.689	<0.250	<0.750	<1.00	
	09/03/98	ND	<0.500	<0.500	<0.500	<1.00	--	0.0716	<0.250	<0.750	--	
	12/14/98	ND	<0.500	<0.500	0.795	1.31	--	0.0697	1.26/<0.250	<0.750/<0.750	--	
	03/24/99	ND	<0.600	<0.700	<1.00	<2.50	--	0.118	0.968/<0.250	<0.750/<0.750	--	
	07/01/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.719/<0.250	<0.750/<0.750	<20.0	
09/29/99	ND	<0.500	3.52	<0.500	<10.00	--	0.1366	1.58/<0.475	<1.43/<1.43	--		
12/16/99	ND	<0.500	<0.500	0.632	1.81	--	0.166	1.31/<0.250	<0.750/<0.750	--		
03/22/00	ND	<0.500	1.94	<0.500	<1.00	--	0.148	1.36/<0.447	<1.34/<1.34	--		
06/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	0.0876	0.674/<0.250	<0.750/<0.750	<10.0		
09/15/00	ND	<0.500	<0.607	<0.500	<1.28	--	0.716	1.26/<0.250	<0.750/<0.750	--		
12/21/00	ND	<0.500	<0.500	<0.500	1.18	--	0.0991	1.25/<0.250	<0.750/<0.750	--		
03/15/01	ND	<0.500	<0.500	<0.500	1.75	--	0.0664	1.19/<0.250	<0.750/<0.750	--		
06/21/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.538/<0.250	<0.750/<0.750	<1.00		
09/25/01	ND	<0.500	<0.500	<0.500	<1.00	--	0.0596	0.864/<0.250	<0.750/<0.750	--		
12/19/01	ND	<0.500	<2.00	<1.00	<1.50	--	0.175	2.22/<0.250 ¹⁰	0.852/<0.750 ¹⁰	--		
03/26/02	ND	<0.500	<0.500	<0.500	1.39	--	0.12	0.861/<0.250	<0.750/<0.750	--		
06/19/02	ND	<0.500	<0.500	<0.500	1.44	--	0.108	0.706/<0.250	<0.750/<0.750	<1.00		
12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	0.0578	<0.250	<0.750	--		
12/02/03	ND	<0.500	<0.500	<0.500	<1.00	--	0.110	<0.250	<0.750	--		
MW-26	01/31/89	--	<0.5	<0.5	<0.5	<0.5	0.64	--	--	--	25	
	04/27/89	--	<0.5	<0.5	<0.5	<0.5	0.08	--	--	--	<5	
	07/25/89	--	<0.5	<0.5	<0.5	<0.5	1.4	--	--	--	<5	
	10/26/89	--	<0.5	<0.5	<0.5	<0.5	0.94	--				

Appendix C
Historical Summary of Groundwater Analytical Data
Total Petroleum Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

Monitoring Well ¹	Date Sampled	LNAPL ²	BTEX (EPA Method 8020 or 8021B) (µg/L)				TPH (EPA Method 418.1) (mg/L)	NWTPH-Gx (mg/L)		NWTPH-D Extended ³ (mg/L)		Dissolved Lead (EPA 6000/7000 Series Method) (µg/L)
			B	T	E	X		Gasoline C ₇ - C ₁₂	Diesel C ₁₂ - C ₂₄	Heavy Oil >C ₂₄		
MW-27 (continued)	10/26/89	--	1.3	0.7	<0.5	0.7	1.1	--	--	--	<5	
	01/16/90	--	<0.5	<0.5	<0.5	<0.5	1.3	--	--	--	<5	
	04/16/90	--	<0.5	<0.5	<0.5	0.6	<1	--	--	--	<5	
	07/25/90	--	<0.5	<0.5	<0.5	<0.5	2	--	--	--	<5	
	10/16/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
	01/17/91	--	0.6	<0.5	<0.5	<0.5	--	<1	<1	--	<5	
	04/16/91	--	<0.5	<0.5	<0.5	0.9	--	<1	<1	--	<2	
	09/19/91	--	<0.5	<0.5	<0.5	1.1	--	<1	<1	--	4	
	12/10/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<3.0	
	03/13/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/24/98	ND	<0.500	2.85	<0.500	<1.00	--	0.188	<0.250	<0.750	<1.00	
	09/03/98	ND	<0.800	<0.500	<0.500	<1.00	--	0.0961	0.316	<0.750	--	
	12/14/98	ND	<4.00	<0.500	<0.500	1.33	--	0.119	0.485/<0.250	<0.750/<0.750	--	
	03/24/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.394/<0.250	<0.750/<0.750	--	
	07/01/99	ND	<0.500	<2.20	<0.500	<1.00	--	0.0823	0.394/<0.250	<0.750/<0.750	--	
	09/29/99	ND	<0.500	1.87	<0.500	<1.00	--	<0.0500	0.830/<0.323	<0.750/<0.750	--	
	12/16/99	ND	<0.500	<0.500	<0.500	1.29	--	0.0925	0.544 ¹⁵	<0.750 ¹⁵	--	
	03/22/00	ND	<0.500	0.874	<0.500	<1.00	--	<0.0500	0.468/<0.250	<0.750/<0.750	--	
	06/22/00	ND	0.692	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	09/15/00	ND	<0.605	<0.500	<0.500	<1.00	--	<0.0500	0.420/<0.250	<0.750/<0.750	--	
	12/21/00	ND	1.89	<0.500	<0.500	<1.00	--	0.0727	0.308/<0.250	<0.750/<0.750	--	
	03/15/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.537/<0.250	<0.750/<0.750	--	
	06/21/01	Sheen	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.259/<0.250	<0.750/<0.750	--	
	09/25/01	ND	0.571	<0.500	<0.500	<1.00	--	<0.0500	1.380/0.547	<0.750/<0.750	--	
	12/19/01	Sheen	<0.500	<2.00	<1.00	<1.50	--	<0.100	<0.250 ¹⁰	<0.750 ¹⁰	--	
	03/26/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.257/<0.250	<0.750/<0.750	--	
	08/19/02	ND	<0.500	<0.500	<0.500	1.05	--	<0.250	<0.250	<0.750	--	
	09/19/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	03/21/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/19/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	09/18/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.672	<0.750	--	
	12/03/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	03/09/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
06/03/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
09/03/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
12/06/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
03/04/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
06/03/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
09/01/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
12/01/05	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.236	<0.708	--		
03/02/06	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.236	<0.708	--		
MW-27R	03/07/07	ND	<0.5	<0.5	<0.5	<1.5	--	<0.048	<0.076	<0.094	--	
	09/26/07	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.077	<0.096	<0.47	
	11/27/07	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.080	<0.100	0.091	
MW-34	10/26/89	--	1.7	3	<0.5	2.1	0.27	--	--	--	<5	
	01/16/90	--	<0.5	<0.5	<0.5	<0.5	0.08	--	--	--	<5	
	04/16/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
	07/25/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
	10/16/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
	01/17/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5	
	04/16/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5	
	09/17/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	3	
	12/01/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	3.0	
	MW-35	10/26/89	--	33	1.1	<0.5	1.4	<0.5	--	--	--	<5
01/16/90		--	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	<5	
04/16/90		--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
07/25/90		--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
10/16/90		--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
01/17/91		--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5	
04/16/91		--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5	
09/17/91		--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	2	
12/01/91		--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	3.3	
MW-36		10/26/89	--	330	1.9	<0.5	8.0	2	--	--	--	<5
	01/16/90	--	95	3.1	<0.5	9.4	0.39	--	--	--	<5	
	04/16/90	--	140	7.8	<0.5	<5.0	3.2	--	--	--	<5	
	07/25/90	--	<0.5	<0.5	3.4	17	4	--	--	--	<5	
	10/16/90	--	8.0	<0.5	<0.5	4.8	8	--	--	--	<5	
	01/17/91	--	1.2	5.6	12	58	6	11	20	--	<5	
	04/16/91	--	1.7	6.4	<0.5	4.9	--	<1	<1	--	<2	
	09/17/91	--	<0.5	<0.5	1.1	3.2	--	15	29	--	<2	
	12/01/91	--	<0.5	<0.5	2.5	6.5	--	<1	<1	--	<3.0	
	03/13/98	ND	<0.500	<0.500	<0.500	<1.00	--	0.609	12.5	2.69	--	
	06/25/98	ND	<0.500	<0.500	<0.500	<2.50	--	0.345	<0.250	<0.750	<1.00	
	09/03/98	ND	<0.800	<0.500	<0.750	<4.00	--	0.499	7.42	1.43	--	
	12/14/98	ND	1.24	0.699	0.707	4.12	--	0.536	1.43/<0.250	<0.750/<0.750	--	
	03/24/99	ND	1.66	<1.10	<1.40	<3.50	--	0.999	27.118 ¹	5.863 ³⁹	--	
	07/01/99	ND	<0.500	<0.500	<0.500	<2.00	--	0.257 ⁴	1.28/<0.250	<0.750/<0.750	--	
	09/29/99	ND	<0.500	<0.500	<5.00	<10.0	--	0.562 ⁴	4.632/0.1	0.849/<0.0750	--	
	12/16/99	ND	0.813	<1.50	<5.00	<2.00	--	0.344	0.867/<0.250	<0.750/<0.750	--	
	03/22/00	ND	<0.500	0.792	<0.500	<3.00	--	0.584	6.42/4.30	1.58/<0.750	--	
	06/22/00 ⁹	ND	5.80	70.0	33.2	240	--	2.17	0.850/<0.250	<0.750/<0.750	--	
	09/15/00	Sheen	<0.500	<2.39	<0.704	<5.46	--	0.923	9.25/6.10	1.700/927	--	
12/21/00	ND	0.636	<1.12	<0.500	<2.20	--	0.229	1.26/<0.250	<0.750/<0.750	--		
03/15/01	ND	2.00	<1.04	<0.500	<12.5	--	2.19	5.46/4.03	1.40/<0.750	--		
06/21/01	ND	<0.500	<0.500	<0.500	<1.00	--	0.207	0.643/<0.250	<0.750/<0.750	--		
09/25/01	Sheen	1.03	<0.500	<0.500	2.54	--	0.514	8.88/6.64	1.92/<0.750	--		
12/19/01	ND	1.49	<2.00	<1.00	<1.50	--	0.415	1.15/<0.250 ¹⁰	<0.750/<0.750 ¹⁰	--		
03/26/02	ND	1.91	<0.500	<0.500	<1.00	--	0.39	1.47/0.794	<0.750/<0.750	--		
06/20/02	ND	0.618	<0.500	<0.500	<1.00	--	0.106	1.01/<0.250	<0.750/<0.750	--		
09/19/02	Sheen	0.914	<0.500	<0.500	1.85	--	0.307	1.39 ¹³	<0.750 ⁸	--		
12/13/02	Sheen	<0.500	<0.500	<0.500	1.07	--	0.186	15.5	<0.750	--		
03/21/03	Sheen	0.846	<0.500	<0.500	2.4	--	0.398	3.25	<0.750	--		
06/19/03 ¹⁴	Sheen	0.691	0.508	0.503	2.93	--	0.623 ⁷	6.09	1.27	--		
09/18/03	Sheen	<0.500	<0.500	<0.500	1.29	--	0.219	4.87	0.943	--		
12/02/03	Sheen	0.538	<0.500	<0.500	1.37	--	0.242	1.97	<0.750	--		
MW-41	09/18/90	--	--	--	--	2	--	--	--	--	<5	
	10/16/90	--	<0.5	<0.5	<0.5	<0.5	<1	--	--	--	<5	
	01/17/91	--	<0.5	<0.5	1.2	3.9	<1	1	<1	--	<5	
	04/16/91	--	3.5	0.9	4.5	1.4	--	<1	<1	--	<2	
	09/17/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	4	--	<2	
	12/10/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<3.0	
	06/29/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/15/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	07/01/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/16/99	ND	<0.500	<0.500	<5.00	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/22/00 ⁹	ND	<0.500	6.55	3.97	35.8	--	0.433	<0.250	<0.750	--	
	06/22/01	ND	<0.500	<0.								

Appendix C
Historical Summary of Groundwater Analytical Data
Total Petroleum Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

Monitoring Well ¹	Date Sampled	LNAPL ²	BTEX (EPA Method 8020 or 8021B) (µg/L)				TPH (EPA Method 418.1) (mg/L)	NWTPH-Gx (mg/L)		NWTPH-D Extended ³ (mg/L)		Dissolved Lead (EPA 6000/7000 Series Method) (µg/L)
			B	T	E	X		Gasoline C ₇ - C ₁₂	Diesel C ₁₂ - C ₂₄	Heavy Oil >C ₂₄		
MW-42 (continued)	12/10/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<3.0	
MW-43	10/16/90	--	2.9	17	5.3	5.3	<1	<1	<1	--	<5	
	01/17/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<5	
	04/16/91	--	<0.5	<0.5	0.7	0.6	--	<1	<1	--	<2	
	09/17/91	--	<0.5	<0.5	0.7	0.6	--	3	9	--	3	
	12/10/91	--	<0.5	<0.5	<0.5	<0.5	--	<1	<1	--	<3.0	
MW-52	06/25/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	12/15/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	07/01/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.522/<0.250	<0.750/<0.750	--	
	12/16/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.250/<0.250	<0.750/<0.750	--	
	06/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/21/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.257/<0.250	<0.750/<0.750	--	
	06/22/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/19/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	0.325/<0.250 ¹⁰	<0.750/<0.750 ¹⁰	--	
	06/20/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.289/<0.250	<0.750/<0.750	--	
	12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/02/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
MW-67	03/13/98	ND	<0.500	0.658	1.57	3.37	--	0.237	<0.250	<0.750	--	
	06/24/98	ND	<0.500	1.44	<0.500	<1.00	--	0.0597	<0.250	<0.750	<1.00	
	09/03/98	ND	<1.00	<0.500	0.913	<1.00	--	0.0661	0.287	<0.750	--	
	12/14/98	ND	<0.800	<2.00	2.44	4.87	--	0.432	0.813/0.328	<0.750/<0.750	--	
	03/24/99	ND	4.84	<0.500	<0.500	<1.00	--	0.158	0.566/<0.250	<0.750/<0.750	--	
	07/01/99	ND	<4.20	<1.00	2.88	4.66	--	0.341	0.833/0.275	<0.750/<0.750	<20.0	
	09/29/99	ND	0.554	1.88	0.884	1.55	--	0.239	0.544/<0.250	<0.750/<0.750	--	
	12/16/99	ND	<8.20	<1.25	1.19	8.65	--	0.561	0.807/<0.250	<0.750/<0.750	--	
	03/21/00	ND	<0.500	1.71	1.46	1.46	--	0.156	0.651/0.292	<0.750/<0.750	--	
	06/22/00	ND	4.74	1.02	1.65	4.53	--	0.085/<0.250	0.95/<0.250	<0.750/<0.750	<10.0	
	09/15/00	ND	<3.00	<0.500	<0.520	<1.81	--	0.157	0.607/<0.250	<0.750/<0.750	--	
	12/21/00	ND	7.35	<1.38	<2.04	5.73	--	0.413	0.646/<0.250	<0.750/<0.750	--	
	03/15/01	ND	<0.500	<0.500	<0.624	<1.77	--	0.165	0.524/<0.250	<0.750/<0.750	--	
	06/21/01	ND	<0.500	1.21	2.47	2.61	--	0.403	0.479/<0.250	<0.750/<0.750	<1.00	
	09/25/01	ND	3.45	<0.500	1.46	2.10	--	0.230	0.585/0.295	<0.750/<0.750	--	
	12/19/01	ND	13.2	<2.00	1.46	2.97	--	1.01	0.760/<0.250 ¹⁰	<0.750/<0.750 ¹⁰	--	
	03/26/02	ND	3.01	<0.500	0.671	1.09	--	0.178	0.672/<0.250	0.839/<0.750	--	
	06/19/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	09/19/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250 ¹³	<0.750 ¹³	--	
	12/13/02	ND	<0.500	<0.500	0.751	2.99	--	<0.0500	<0.250	<0.750	--	
	03/21/03	ND	<0.500	<0.500	0.751	<1.00	--	<0.0500	0.352	1.44	--	
	09/19/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	09/18/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/03/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
MW-70	06/25/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	12/15/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.488/<0.250	<0.750/<0.750	--	
	07/01/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<20.0	
	12/16/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.392/<0.250	<0.750/<0.750	--	
	06/22/00 ⁹	ND	<0.500	1.31	0.610	3.83	--	0.0632	<0.250 ¹³	<0.750 ¹³	<1.00	
	12/21/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/21/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/19/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	0.372/<0.250 ¹⁰	<0.750/<0.750 ¹⁰	--	
	06/19/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/02/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/06/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
MW-70R	02/16/16	ND	<0.500	<0.500	<0.500	<1.50	--	<0.0500	<0.029	<0.067	--	
Duplicate	02/16/16	ND	<0.500	<0.500	<0.500	<1.50	--	<0.0500	<0.029	<0.067	--	
	06/14/16	ND	<0.500	<0.500	<0.500	<1.50	--	<0.0500	<0.028	<0.066	--	
	09/22/16	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.030	<0.070	--	
Duplicate	01/12/17	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	0.046	<0.070	--	
	01/12/17	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	0.046	<0.070	--	
	03/27/17	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.067	--	
	06/16/17	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.068	--	
	11/08/17	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.047	<0.100	--	
Duplicate	03/26/18	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.067	--	
	03/26/18	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.067	--	
	06/20/18	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.067	--	
Duplicate	06/20/18	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.066	--	
MW-71	06/25/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	12/14/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	3.77/<0.250	<0.750/<0.750	--	
	07/01/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<20.0	
	12/16/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.430 ¹⁵	<0.904 ¹⁵	--	
	06/22/00 ⁹	ND	<0.500	0.980	0.522	3.08	--	0.0746	<0.250	<0.750	<1.00	
	12/21/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/21/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	12/19/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	0.514/<0.250 ¹⁰	<0.750/<0.750 ¹⁰	--	
	06/19/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/02/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
MW-72	03/13/98	ND	<11.0	<3.00	<3.00	<11.0	--	1.30	0.369	<0.750	--	
	06/24/98	ND	<1.00	<1.00	<0.500	<2.00	--	0.699	0.286	<0.750	<1.00	
	09/03/98	ND	9.38	<2.50	<2.50	<4.50	--	1.03	3.11	1.78	--	
	12/14/98	Sheen	5.45	0.644	1.07	1.68	--	0.196	0.847/<0.250	<0.750/<0.750	--	
	03/24/98	Sheen	4.69	<0.950	<0.950	<3.30	--	0.269	1.74/0.744	1.42/<0.750	--	
	07/01/99	ND	<2.80	<0.900	<0.500	<2.26	--	0.248	1.05/<0.250	<0.750/<0.750	<1.00	
	09/29/99	Sheen	5.71	2.71	0.68	5.01	--	0.481	1.860/0.424 ¹³	1.01/<0.750 ¹³	--	
	12/16/99	Sheen	<7.40	<1.40	<0.500	6.87	--	0.421	0.905/<0.475	<1.43/<1.43	--	
	03/22/00	ND	2.88	5.40	0.846	6.42	--	0.596	1.40/0.462	<0.750/<		

Appendix C
Historical Summary of Groundwater Analytical Data
Total Petroleum Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

Monitoring Well ¹	Date Sampled	LNAPL ²	BTEX (EPA Method 8020 or 8021B) (µg/L)				TPH (EPA Method 418.1) (mg/L)	NWTPH-Gx (mg/L)		NWTPH-D Extended ³ (mg/L)		Dissolved Lead (EPA 6006/7000 Series Method) (µg/L)
			B	T	E	X		Gasoline C ₇ - C ₁₂	Diesel C ₉ - C ₂₄	Heavy Oil >C ₂₄		
MW-73 (continued)	06/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	0.0737	0.407<0.250	<0.750<0.750	<10.0	
	09/14/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.298<0.250	<0.750<0.750	--	
	12/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	03/15/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/22/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	09/25/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/18/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	0.693<0.250 ¹⁰	<0.750<0.750 ¹⁰	--	
	03/26/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.618<0.250	<0.750<0.750	--	
	06/20/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.287<0.250	<0.750<0.750	<1.00	
	MW-74	03/12/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--
06/29/98		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	1.93	
09/03/98		ND	<0.500	<0.500	<0.500	1.02	--	<0.0500	0.29	1.07	--	
12/15/98		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.517<0.250	<0.750<0.750	--	
03/24/99		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.600<0.250	0.993<0.750	--	
06/29/99		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.251<0.250	<0.750<0.750	<1.00	
09/29/99		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.462<0.250	<0.750<0.750	--	
12/15/99		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.659<0.250	<0.750<0.750	--	
03/22/00		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.500<0.250	0.923<0.750	--	
06/22/00		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.234	<0.748	<1.00	
09/14/00		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
12/22/00		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
03/15/01		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.273<0.250	0.863<0.750	--	
06/22/01		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.505<0.250	<0.750<0.750	--	
09/25/01		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
12/18/01		ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	1.06<0.250 ¹⁰	1.11<0.750 ¹⁰	--	
03/26/02		ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.430<0.250	<0.750<0.750	--	
06/20/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.305<0.250	<0.750<0.750	<1.00		
MW-75	03/12/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/29/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	09/03/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/15/98	ND	<0.500	<0.500	<0.500	1.33	--	<0.0500	<0.250	<0.750	--	
	03/24/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/29/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	09/29/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250<0.250	<0.750<0.750	--	
	12/15/99	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	03/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.239	<0.744	<1.00	
	09/14/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	03/15/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	06/22/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00	
	09/25/01	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	12/18/01	ND	<0.500	<2.00	<1.00	<1.50	--	<0.100	<0.250 ¹⁰	<0.750 ¹⁰	--	
	03/26/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
06/20/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<1.00		
MW-76	06/24/98	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	<5.00	
	09/03/98	ND	0.962	0.774	0.609	<1.00	--	0.0593	0.361	<0.750	--	
	12/14/98	ND	<1.00	<0.500	1.29	<1.00	--	0.0779	0.789<0.250	<0.750<0.750	--	
	03/24/99	ND	<1.00	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--	
	07/01/99	ND	<1.20	<0.500	1.64	1.31	--	0.0998	0.786<0.250	<0.750<0.750	<2.00	
	09/29/99	ND	<0.500	0.538	0.583	<1.00	--	0.0577	0.632<0.250	<0.750<0.750	--	
	12/15/99	ND	0.582	<0.500	0.631	<1.00	--	0.0728	0.667<0.250	<0.750<0.750	--	
	03/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.640<0.250	<0.750<0.750	--	
	06/22/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.259<0.250	<0.750<0.750	<1.00	
	09/15/00	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.605<0.250	<0.750<0.750	--	
	12/21/00	ND	<0.600	<0.500	0.628	<1.00	--	0.784	0.606<0.250	<0.750<0.750	--	
	03/15/01	ND	0.506	1.35	<0.500	1.22	--	<0.0500	0.278<0.250	<0.750<0.750	--	
	06/21/01	ND	<0.500	<0.500	0.808	<1.00	--	<0.0500	<0.250	<0.750	--	
	09/25/01	ND	0.508	<0.500	0.774	<1.00	--	<0.0500	0.461<0.316	<0.750<0.750	--	
	12/19/01	ND	<0.500	<2.00	<1.00	<1.50	--	0.114	0.549<0.250	<0.750<0.750	--	
	03/26/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	0.317<0.250	<0.750<0.750	--	
	06/19/02	ND	<0.500	<0.500	<0.500	1.11	--	<0.0500	<0.250	<0.750	--	
12/13/02	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
12/03/03	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
12/08/04	ND	<0.500	<0.500	<0.500	<1.00	--	<0.0500	<0.250	<0.750	--		
MW-200	03/08/07	Sheen	2.80	0.5	3.7	4	--	0.39	0.46	<0.095	--	
	06/07/07	ND	2.4	0.6	2.1	2.5	--	0.250	0.310	<0.095	<0.037	
	09/26/07	ND	1.6	<0.5	0.9	<1.5	--	0.230	0.270	<0.100	<0.047	
	09/26/07	ND	1.7	<0.5	0.8	<1.5	--	0.230	0.310	0.120	<0.047	
	11/28/07	ND	2.0	<0.5	1.2	2.1	--	0.250	0.330	<0.100	0.064	
	02/13/08	ND	3.44	<0.500	1.19	1.79	--	0.497	<0.236	<0.472	<1.00	
	05/13/08	ND	2.70	<0.500	1.15	2.07	--	0.426	<0.240	<0.481	<1.00	
	09/03/08	ND	<0.500	0.883	1.46	<1.00	--	0.337	<0.236	<0.472	<1.00	
	12/04/08	ND	3.19	<0.500	0.975	2.01	--	0.427	<0.238	<0.476	<1.00	
	02/18/09	ND	2.54	<0.500	0.619	1.91	--	0.355	<0.250	<0.500	<1.00	
	05/13/09	ND	3.45	<0.500	1.12	1.91	--	0.513	<0.278	<0.595	<1.00	
	08/11/09	ND	<0.500	<0.500	0.520	<1.00	--	0.350	<0.248	<0.495	<2.0	
	04/14/10	ND	<0.50	<0.50	0.54	<2.0	--	0.35	0.31	<0.25	<2.0	
	09/22/10	ND	<0.50	<0.50	0.56	1.2	--	0.43	0.56	<0.25	<2.0	
	04/28/11	ND	6.2	<0.50	0.59	1.5	--	0.39	--	--	<2.0	
	04/28/11	ND	--	--	--	--	--	--	0.33	<0.24	--	
	09/22/11	ND	6.7 ¹⁸	<0.50 ¹⁸	0.83 ¹⁸	1.9 ¹⁸	--	0.27	0.39 ¹⁷	<0.24	--	
09/22/11	ND	5.0	<0.50	0.65	1.4	--	0.24	0.37 ¹⁷	<0.24	--		
04/18/12	ND	3.7	<0.50	0.73	1.4	--	0.20	0.27 ¹⁷	<0.24	--		
10/11/12	ND	<0.50	0.75 ²¹	<0.50	<0.50	--	0.39	0.30 ^{17,19,20}	<0.24	--		
04/25/13	ND	6.5	<0.5	1.1	2.1	--	0.35	0.120	<0.068	--		
09/19/13	ND	2.3	<0.5	<0.5	<1.5	--	0.11	0.160	<0.068	--		
06/24/14	ND	2.4	<0.5	<0.5	<1.5	--	0.120 J	0.083	<0.067	--		
12/16/14	ND	<0.7	<0.5	1.1	<2.4	--	0.11	0.130				

Appendix C
Historical Summary of Groundwater Analytical Data
Total Petroleum Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

Monitoring Well ¹	Date Sampled	LNAPL ²	BTEX (EPA Method 8020 or 8021B) (µg/L)				TPH (EPA Method 418.1) (mg/L)	NWTPH-Gx (mg/L)		NWTPH-D Extended ³ (mg/L)		Dissolved Lead (EPA 6000/7000 Series Method) (µg/L)
			B	T	E	X		Gasoline C ₇ - C ₁₂	Diesel C ₁₂ - C ₂₄	Heavy Oil >C ₂₄		
MW-201 (continued) Duplicate	06/23/14	ND	2.2	<0.5	<0.5	<1.5	--	0.210 J	0.068	<0.067	--	
	12/16/14	ND	2.4	<0.7	0.6	2.3	--	0.450	0.32	<0.067	--	
	06/18/15	ND	<2.0	<0.5	<0.5	<1.5	--	0.130	0.32	0.46	--	
	12/08/15	ND	<0.5	<0.5	0.6	1.6	--	0.580	0.062	<0.066	--	
	12/08/15	ND	<0.5	<0.5	<0.5	<1.5	--	0.500	0.19	0.27	--	
	06/14/16	ND	<0.5	<0.5	<0.5	<1.5	--	0.160	0.072	<0.068	--	
	01/13/17	ND	2.6	<0.5	0.6	<1.5	--	0.400	0.062	<0.067	--	
	06/13/17	ND	1.3	0.9	<0.5	<1.5	--	0.350	0.260	0.350	--	
	11/08/17	ND	<3.0	0.5	<0.5	<1.5	--	0.370	0.053	<0.110	--	
	06/20/18	ND	<0.5	<0.5	<0.5	<1.5	--	0.340	0.063	<0.067	--	
MW-202	03/08/07	ND	0.60	<0.5	<0.5	<1.5	--	0.16	0.18	<0.095	--	
	06/07/07	ND	<0.5	<2.0 ¹⁶	0.9	<1.5	--	0.072	0.150	<0.095	0.19	
	09/27/07	ND	<0.5	<0.5	<0.5	<1.5	--	0.110	0.380	0.360	<0.24	
	11/26/07	ND	<0.5	<0.5	0.8	<1.5	--	0.100	0.290	0.120	0.37	
	02/12/08	ND	<0.500	<0.500	0.751	<1.00	--	0.249	<0.240	<0.481	<1.00	
	05/13/08	ND	<0.500	<0.500	0.620	<1.00	--	0.188	<0.236	<0.472	<1.00	
	09/04/08	ND	<0.500	<0.500	1.55	<1.00	--	0.135	<0.238	<0.476	<1.00	
	12/04/08	ND	<0.500	<0.500	<0.500	1.34	--	0.132	<0.245	<0.490	<1.00	
	02/18/09	ND	<0.500	<0.500	0.583	<1.00	--	0.314	<0.245	<0.490	<1.00	
	05/13/09	ND	<0.500	<0.500	<0.500	<1.00	--	0.233	<0.243	<0.485	<1.00	
	09/11/09	ND	<0.500	<0.500	<0.500	<1.00	--	0.120	<0.245	<0.490	<2.0	
	04/14/10	ND	<0.50	<0.50	<0.50	<2.0	--	0.10	<0.12	<0.25	<2.0	
	09/22/10	ND	<0.50	<0.50	<0.50	<2.0	--	0.090	<0.12	<0.25	<2.0	
	04/27/11	ND	<0.50	<0.50	<0.50	<1.0	--	0.072	--	--	<2.0	
	04/28/11	ND	--	--	--	--	--	--	<0.12	--	<0.24	
	09/21/11	ND	<0.50	<0.50	<0.50	<1.0	--	<0.050	0.18 ¹⁷	--	<0.24	
	04/18/12	ND	<0.50	<0.50	<0.50	<1.0	--	0.074	0.24 ¹⁷	--	<0.24	
	10/11/12	ND	<0.50	<0.50	<0.50	<0.50	--	0.100	0.19 ^{17,19,20}	--	<0.24	
	04/25/13	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.031	<0.073	--	
	09/19/13	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.030	<0.069	--	
	06/23/14	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050 UJ	<0.029	<0.067	--	
	12/16/14	ND	<0.5	<0.5	<0.5	<1.5	--	0.052	<0.028	<0.066	--	
	06/18/15	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.028	<0.066	--	
	12/08/15	ND	<0.5	<0.5	<0.5	<1.5	--	0.064	<0.029	<0.068	--	
	06/14/16	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.068	--	
	01/13/17	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.030	<0.070	--	
	06/13/17	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.028	<0.066	--	
	11/08/17	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.046	<0.100	--	
	06/20/18	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.031	<0.072	--	
	MW-203	03/08/07	ND	<0.5	<0.5	<0.5	<1.5	--	<0.048	0.32	<0.095	--
		06/07/07	ND	<0.5	<0.5	<0.5	<1.5	--	<0.0500	0.150	<0.097	0.045
		09/28/07	ND	<0.5	<0.5	<0.5	<1.5	--	<0.500	0.400	0.270	<0.047
11/27/07		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	0.290	<0.100	0.058	
02/12/08		ND	<0.500	<0.500	<0.500	<1.00	--	<0.050	<0.240	<0.481	<1.00	
02/12/08		ND	<0.500	<0.500	<0.500	<1.00	--	<0.050	<0.236	<0.472	<1.00	
05/14/08		ND	<0.500	<0.500	<0.500	<1.00	--	<0.050	<0.243	<0.485	<1.00	
05/14/08		ND	<0.500	<0.500	<0.500	<1.00	--	<0.050	--	--	--	
09/03/08		ND	<0.500	<0.500	<0.500	<1.00	--	<0.050	<0.236	<0.472	<1.00	
12/04/08		ND	<0.500	<0.500	<0.500	<1.00	--	<0.050	<0.240	<0.481	<1.00	
02/17/09		ND	<0.500	<0.500	<0.500	<1.00	--	<0.050	<0.236	<0.472	<1.00	
05/13/09		ND	<0.500	<0.500	<0.500	<1.00	--	<0.050	<0.243	<0.485	<1.00	
09/11/09		ND	<0.500	<0.500	<1.00	<1.00	--	0.062	<0.248	<0.495	<2.0	
04/14/10		ND	<0.50	<0.50	<0.50	<2.0	--	<0.050	<0.12	<0.25	<2.0	
09/22/10		ND	<0.50	<0.50	<0.50	<2.0	--	0.058	<0.12	<0.24	<2.0	
04/27/11		ND	<0.50	<0.50	<0.50	<1.0	--	<0.050	--	--	<2.0	
04/28/11		ND	--	--	--	--	--	--	<0.12	--	<0.24	
09/21/11		ND	<0.50	<0.50	<0.50	<1.0	--	<0.050	<0.12	--	<0.25	
04/18/12		ND	<0.50	<0.50	<0.50	<1.0	--	<0.050	0.14 ¹⁷	--	<0.24	
10/11/12		ND	<0.50	<0.50	<0.50	<1.0	--	<0.025	0.22 ^{17,19,20}	--	<0.24	
04/25/13		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.031	<0.072	--	
09/19/13		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.068	--	
06/24/14		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050 UJ	<0.029	<0.067	--	
06/24/14		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050 UJ	<0.029	<0.067	--	
12/16/14		ND	<0.5	<0.5	<0.5	<1.5	--	0.110	0.032	<0.067	--	
06/18/15		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.069	--	
12/07/15		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.030	<0.069	--	
06/15/16		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	0.047	<0.067	--	
06/15/16		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	0.035	<0.067	--	
01/13/17		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.069	--	
06/13/17		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.029	<0.067	--	
11/08/17		ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	<0.046	<0.100	--	
06/20/18	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	0.037	<0.068	--		
MW-204	03/08/07	Sheen	1.00	0.9	<0.5	<1.5	--	0.47	0.89	0.14	--	
	06/07/07	ND	1.40	1.8	<0.5	2.6	--	0.670	1.400	0.170	<0.037	
	09/28/07	ND	0.70	0.9	<0.5	1.6	--	0.640	1.000	0.260	<0.24	
	11/27/07	ND	0.8	0.9	0.9	<5.0 ¹⁶	--	0.670	0.700	0.160	<0.047	
	02/12/08	ND	1.76	1.09	<0.500	2.12	--	0.713	<0.240	<0.481	<1.00	
	05/14/08	ND	1.32	1.71	<0.500	4.17	--	0.782	0.310	0.784	<1.00	
	09/03/08	ND	4.42	1.06	3.07	1.47	--	1.070	0.384	<0.476	<1.00	
	10/01/08	ND	--	--	--	--	--	0.796	--	--	--	
	12/04/08	ND	1.45	1.20	1.05	4.22	--	0.869	0.291	<0.495	<1.00	
	02/17/09	ND	1.48	1.32	1.82	7.50	--	1.060	0.341	<0.500	<1.00	
	02/17/09	ND	1.54	1.30	1.81	7.45	--	1.120	0.332	<0.556	<1.00	
	05/13/09	ND	1.93	1.55	1.86	4.79	--	1.190	0.593	<0.500	<1.00	
	05/13/09	ND	1.82	1.58	1.88	7.70	--	1.230	0.553	<0.556	<1.00	
	09/11/09	ND	<0.500	1.10	<0.500	1.8	--	1.200	0.396	<0.495	<2.0	
	09/11/09	ND	<0.500	1.10	<0.500	1.8	--	1.100	0.393	<0.495	<2.0	
	04/14/10	ND	1.1	2.1	<0.50	3.6	--	1.5	1.2	0.84	<2.0	
	04/14/10	ND	1.1	2.1	<0.50	3.7	--	0.95	1.1	<0.25	<2.0	
	09/22/10	ND	<0.50	1.5	<0.50	3.2	--	1.3	1.5	<0.25	<2.0	
	04/28/11	ND	1.6	1.5	<0.50	3.9	--	0.71	--	--	<2.0	
	04/28/11	ND	1.9	1.7	<0.50	5.0	--	1.0	--	--	<2.0	
	04/28/11	ND	--	--	--	--	--	--	0.69	<0.24	--	
	04/28/11	ND	--	--	--	--	--	--	0.58	<0.24	--	
	09/22/11	ND	1.7	1.6	<0.50	6.1	--	0.92	0.88 ¹⁷	<0.25	--	
	09/22/11	ND	1.7	1.8	<0.50	6.5	--	0.92	0.65 ¹⁷	<0.24	--	
	09/22/11	ND	1.7	1.7	<0.50	6.3	--	0.94	0.91 ¹⁷			

**Appendix C
Historical Summary of Groundwater Analytical Data
Total Petroleum Hydrocarbons**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

Monitoring Well ¹	Date Sampled	LNAPL ²	BTEX (EPA Method 8020 or 8021B) (µg/L)				TPH (EPA Method 418.1) (mg/L)	NWTPH-Gx (mg/L)	NWTPH-D Extended ³ (mg/L)		Dissolved Lead (EPA 6006/7000 Series Method) (µg/L)
			B	T	E	X		Gasoline C ₇ - C ₁₂	Diesel C ₁₂ - C ₂₄	Heavy Oil >C ₂₄	
MW-210 Continued Duplicate	03/27/17	ND	<0.5	<0.5	<0.5	<1.5	--	0.220	1.500	0.320	--
	03/27/17	ND	<0.5	<0.5	<0.5	<1.5	--	0.160	0.200	<0.066	--
	06/16/17	ND	<0.5	0.5	0.6	2.6	--	1.200	2.800	0.550	--
MW-211	02/16/16	ND	<0.5	<0.5	<0.5	<1.5	--	0.210	0.069	<0.067	--
	06/13/16	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	0.084	<0.068	--
	09/22/16	ND	<0.5	<0.5	<0.5	<1.5	--	0.100	0.062	<0.069	--
	01/12/17	ND	<0.5	<0.5	<0.5	<1.5	--	0.065	0.049	<0.070	--
	03/27/17	ND	<0.5	<0.5	<0.5	<1.5	--	<0.050	0.061	<0.067	--
	06/16/17	ND	<0.5	<0.5	<0.5	<1.5	--	0.130	0.081	<0.066	--
	Duplicate	06/16/17	ND	<0.5	<0.5	<0.5	<1.5	--	0.130	0.072	<0.067

Notes:

- ¹Monitoring well locations are shown in Figure 2.
 - ²LNAPL = light nonaqueous phase liquid.
 - ³For December 2000 through June 2002, samples were first analyzed without the sulfuric acid/silica gel cleanup procedure (first or only result). If analytes were detected, the sulfuric acid/silica gel cleanup procedure was performed (second result). For September 2002 and after, samples obtained from Upper Yard wells were analyzed without the sulfuric acid/silica gel cleanup procedure, and samples obtained from Elliott Avenue and Offsite Area wells were analyzed with the sulfuric acid/silica gel cleanup procedure.
 - ⁴According to the laboratory, the sample chromatogram does not resemble the gasoline standard.
 - ⁵According to the laboratory, sample contains diesel-range hydrocarbons that extend into the hydrocarbon range quantified as gasoline.
 - ⁶Due to an error in the identification of two sets of samples, (MW-64 and Dup 121699), the results from the sampling date of 01/04/00 were not considered reliable. The 12/26/99 results were not reported by the laboratory and a resampling took place.
 - ⁷Due to an extraction anomaly during the silica gel cleanup procedure, a second analytical result is not available for this sample.
 - ⁸After review of field procedures and historic analytical results, the sample appears to have been cross-contaminated in the field or in the laboratory.
 - ⁹BTEX and gasoline-range hydrocarbon analyses were completed outside of the recommended holding time. Results should be qualified as estimated.
 - ¹⁰Samples were extracted 3 or 4 days after expiration of the recommended holding time.
 - ¹¹Results should be considered bias low or estimated due to laboratory QA/QC exception.
 - ¹²MW-30 was not sampled between July 1989 and September 1990 because of the presence of free product.
 - ¹³Due to an extraction anomaly, the surrogate recoveries in the WTPH-D extended analyses were outside the established control limits and the results should be considered a low estimated value, according to the laboratory.
 - ¹⁴The 03/23/99 data for diesel-range hydrocarbons (20.8/14.5 mg/L) for MW-84 appeared anomalous due to field sample handling or laboratory analytical error. The well was resampled on 04/01/99.
 - ¹⁵Due to a lab error, the sample extract evaporated before testing and was not analyzed with the silica gel cleanup.
 - ¹⁶Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for this compound. The presence of or concentration cannot be determined.
 - ¹⁷The chromatographic response resembles a typical fuel pattern.
 - ¹⁸Sample was reanalyzed due to a surrogate failure. The surrogates were within QC limits in the reanalysis.
 - ¹⁹Instrument related QC exceeds the control limits.
 - ²⁰Compound was found in the blank and sample.
 - ²¹The %RDP between the primary and confirmation column/detector is 40%. The lower value has been reported.
- µg/L = micrograms per liter mg/L = milligrams per liter ND = not detected RAL = remedial action level -- = not tested
- Shaded concentrations are greater than corresponding Remedial Action Levels. Bolded data are for the current reporting period.
- NEAR = The sample was collected from the top 12 inches of the water column within the respective monitoring well.
- UJ = Non-detect value was analyzed outside of hold time, but less than two times hold time, concentration is an estimated value.
- J = Concentration is an estimated value and was analyzed outside of hold time, but less than two times hold time.

Appendix C
Historical Summary of Groundwater Analytical Data
Carcinogenic Polycyclic Aromatic Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

OFFSITE AREA		Carcinogenic PAHs ^{2,3} (µg/L)								Noncarcinogenic PAHs ² (µg/L)								
Monitoring Well ¹	Sample Date	Benzo(a)anthracene	Benzo(e)pyrene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Indeno(1,2,3-cd)pyrene	Total CPAHs ⁴	Acenaphthene	Acenaphthylene	Anthracene	Benzo(g,h,i)perylene	Fluoranthene	Fluorene	Naphthalene ⁴	Phenanthrene	Pyrene
RAL		0.03	0.03	0.03	0.03	0.03	0.03	0.03	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-27	12/13/02	0.0282	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	0.0282	0.398	<0.100	<0.100	<0.100	0.149	<0.100	<0.100	<0.100	<0.100
	06/19/03	0.0639	<0.0100	<0.0100	<0.0100	<0.0100	0.0288	0.0232	0.1159	3.46	<0.100	0.226	<0.100	0.963	0.296	0.188	0.357	0.952
	12/03/03	0.0266	<0.0100	<0.0100	<0.0100	0.0195	<0.0100	<0.0100	0.0461	--	--	--	--	--	--	<0.100	--	--
	06/03/04	0.0357	<0.0100	<0.0100	<0.0100	<0.0100	0.0276	<0.0100	0.0633	2.66	<0.100	0.178	<0.100	0.962	0.348	0.821	0.299	0.826
	12/06/04	0.0286	<0.0100	<0.0100	<0.0100	0.0190	<0.0100	<0.0100	0.0476	1.57	<0.100	<0.100	<0.100	0.269	<0.100	<0.100	<0.100	0.488
	06/03/05	0.0709	0.0127	0.0157	0.0166	0.0440	<0.0100	<0.0100	0.1499	2.01	<0.100	<0.100	<0.100	0.995	<0.100	<0.100	<0.100	1.21
	12/01/05	0.0921	0.0576	0.0649	0.0393	0.0698	<0.0100	0.0444	0.3681	--	--	--	--	--	--	--	--	--
	03/08/07	<0.02	<0.02	<0.02	<0.009	<0.02	<0.02	<0.02	<0.129	--	--	--	--	--	--	--	--	--
MW-27R	09/26/07	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	--	--	--	--	--	--	0.079 ⁵	--	--
	11/27/07	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	0.19	--	--
MW-30	04/26/13	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
MW-67	06/19/03	0.0769	0.0195	<0.0100	<0.0100	0.0278	0.0849	0.0730	0.2821	1.99	<0.100	0.242	<0.100	0.602	0.106	<0.100	0.229	0.549
	12/03/03	0.0284	0.0101	<0.0100	0.0106	0.0337	<0.0100	<0.0100	0.0828	--	--	--	--	--	--	0.133	--	--
	06/03/04	0.0362	<0.0100	<0.0100	0.0132	0.0389	<0.0100	<0.0100	0.0883	1.25	<0.100	0.152	<0.100	0.839	<0.100	<0.100	<0.100	0.763
	12/06/04	0.0273	<0.0100	<0.0100	<0.0100	0.0258	<0.0100	<0.0100	0.0531	0.930	<0.100	<0.100	<0.100	0.342	<0.100	<0.100	<0.100	0.519
	03/04/05	0.0293	0.01	0.01	0.01	0.0221	0.01	0.01	0.0514	0.793	<0.100	0.148	<0.100	0.518	<0.100	<0.100	<0.100	0.511
06/03/05	0.0323	<0.0100	<0.0100	<0.0100	0.0262	<0.0100	<0.0100	0.0585	0.714	<0.100	<0.100	<0.100	0.816	<0.100	<0.100	<0.100	0.843	
MW-70R	02/16/16	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	Duplicate	02/16/16	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
		06/14/16	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	<0.030	--	--
		09/22/16	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--	--	--	--	<0.033	--	--
		01/12/17	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--	--	--	--	--	--	--
	Duplicate	01/12/17	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--	--	--	--	--	--	--
		03/27/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
		06/13/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
		11/08/17	0.018	0.015	0.026	0.018	0.019	0.019	0.015	0.13	--	--	--	--	--	--	--	--
	Duplicate	03/26/18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	--	--	--	--	--	--	--	--
	Duplicate	03/26/18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	--	--	--	--	--	--	--	--
	Duplicate	06/20/18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	--	--	--	--	--	--	--	--
	Duplicate	06/20/18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	--	--	--	--	--	--	--	--
	Duplicate	06/20/18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	--	--	--	--	--	--	--	--
	MW-76	12/13/02	0.0247	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	0.0247	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
06/19/03		0.0824	0.0262	<0.0100	<0.0100	0.0258	0.0718	0.0589	0.2651	0.484	<0.100	<0.100	<0.100	0.628	<0.100	<0.100	<0.100	0.342
12/03/03		0.0194	<0.0100	0.0107	<0.0100	0.0172	<0.0100	<0.0100	0.0473	--	--	--	--	--	--	<0.100	--	--
06/03/04		<0.0100	<0.0100	0.0104	<0.0100	0.0253	<0.0100	<0.0100	0.0357	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
12/06/04		<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
06/03/05		0.0725	0.0528	0.0448	0.0452	0.0797	0.0142	0.0267	0.3359	<0.100	<0.100	<0.100	<0.100	0.482	<0.100	<0.100	<0.100	0.369
MW-200	06/07/07	<1	<1	<1	<1	<1	<1	<1	<7	22	<1	<1	<1	<1	6	31	1	<1
	07/06/07	0.01	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	0.01	20	<0.30	0.51	<0.0095	0.7	5	24	0.93	0.46
	Duplicate	09/26/07	0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	0.011	--	--	--	--	--	24 ⁵	--	--
		9/26/07 ^D	0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	0.011	--	--	--	--	--	22 ⁵	--	--
		11/28/07	0.012	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.012	--	--	--	--	--	31	--	--
	02/13/08	0.0126	<0.00990	<0.00990	<0.00990	0.0137	<0.00990	<0.00990	0.0263	--	--	--	--	--	--	--	--	
	05/13/08	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	
	Filtered	05/13/08	<0.0101	<0.0101	<0.0101	<0.0101	<0.0101	<0.0101	<0.0101	--	--	--	--	--	--	--	--	
	09/03/08	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	--	--	--	--	--	--	--	--	
	Filtered	09/03/08	<0.0476	<0.0476	<0.0476	<0.0476	<0.0476	<0.0476	<0.0476	<0.0476	--	--	--	--	--	--	--	
	12/04/08	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	--	--	--	--	--	--	--	--	
	Filtered	12/04/08	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	--	--	--	--	--	--	--	--	
	02/18/09	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	
	Filtered	02/18/09	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	
	05/13/09	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	--	--	--	--	--	--	--	--	
	Filtered	05/13/09	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	--	--	--	--	--	--	--	--	
	09/11/09	<0.0111	<0.0220	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0220	--	--	--	--	--	--	--	--	
	Filtered	09/11/09	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	--	--	--	--	--	--	--	--	
	04/14/10	<0.0099	<0.020	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.020	--	--	--	--	--	--	--	--	
	Filtered	04/14/10	<0.0099	<0.020	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.020	--	--	--	--	--	--	--	
	09/22/10	0.013	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.013	--	--	--	--	--	--	--	--	
	Filtered	09/22/10	<0.0099	<0.020	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.020	--	--	--	--	--	--	--	
	04/26/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	17	0.26	0.77	<0.094	1.3	5.5	13	4.7	0.88
	Filtered	04/26/11	<0.094	<0.19	<0.													

Appendix C
Historical Summary of Groundwater Analytical Data
Carcinogenic Polycyclic Aromatic Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

OFFSITE AREA		Carcinogenic PAHs ^{2,3} (µg/L)									Noncarcinogenic PAHs ² (µg/L)								
Monitoring Well ¹	Sample Date	Benzo(a)anthracene	Benzo(b)pyrene	Benzo(k)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Indeno(1,2,3-cd)pyrene	Total CPAHs ⁴	Acenaphthene	Acenaphthylene	Anthracene	Benzo(g,h,i)perylene	Fluoranthene	Fluorene	Naphthalene ⁴	Phenanthrene	Pyrene	
		0.03	0.03	0.03	0.03	0.03	0.03	0.03	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	
RAL MW-200 (continued) Filtered	10/11/12	0.01	<0.019	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	0.01	23	0.23	0.92	<0.0095	1.00	4.4	8.6	4.4	0.73	
	10/11/12	<0.0095	<0.019	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.019	14	0.093	0.07	<0.0095	<0.0095	0.73	5.5	0.0099	<0.0095	
	04/25/13	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	--	--	--	--	--	--	--	--	--	
	09/19/13	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	--	--	--	--	--	--	--	--	--	
	06/24/14	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--	
	12/16/14	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	--	--	--	--	--	--	--	--	--	--
	06/18/15	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--	--
	12/08/15	0.017	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--	--
	06/14/15	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	--	--	--	--	--	--	8.36	--	--	--
	01/13/17	0.012	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.008	--	--	--	--	--	--	--	--	--	--
	06/13/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--	--
	11/08/17	0.064	0.037	0.11	0.096	0.072	0.081	0.088	0.548	--	--	--	--	--	--	--	--	--	--
	06/20/18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.02	--	--	--	--	--	--	--	--
	MW-201	06/07/07	<1	<1	<1	<1	<1	<1	<1	<1	6	<1	<1	<1	<1	2	1	<1	<1
07/06/07		0.027	0.014	0.017	<0.0096	0.02	<0.0096	<0.0096	0.078	6.7	<0.10	0.52	<0.0096	0.83	2	2.6	0.3	0.72	
09/27/07		0.018	<0.011	<0.011	<0.011	0.027	<0.011	<0.011	0.045	--	--	--	--	--	--	2.3 ⁵	--	--	
11/27/07		0.016	<0.0095	<0.0095	<0.0095	0.023	<0.0095	<0.0095	0.039	--	--	--	--	--	--	0.99	--	--	
02/12/08		0.0179	0.0584	<0.0490	<0.0490	0.0210	<0.00980	<0.00980	0.0973	--	--	--	--	--	--	--	--	--	
05/14/08		0.051	<0.0472	<0.0472	<0.0472	0.0756	<0.0472	<0.0472	0.1266	--	--	--	--	--	--	--	--	--	
Filtered		05/14/08	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	--	--	--	--	--	--	--	--	--	
09/05/08		0.0243	<0.00962	<0.00962	<0.00962	0.0175	<0.00962	<0.00962	0.0418	--	--	--	--	--	--	--	--	--	
Filtered		09/05/08	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	--	--	--	--	--	--	--	--	--	
12/05/08		0.0247	<0.00980	<0.00980	<0.00980	0.0268	<0.00980	<0.00980	0.0515	--	--	--	--	--	--	--	--	--	
Filtered		12/05/08	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	--	--	--	--	--	--	--	--	--	
02/17/09		<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	--	--	--	--	--	--	--	--	--	
Filtered		02/17/09	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	--	--	--	--	--	--	--	--	--	
05/13/09		0.0129	<0.0100	<0.0100	<0.0100	0.0191	<0.0100	<0.0100	0.0320	--	--	--	--	--	--	--	--	--	
Filtered		05/13/09	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	<0.0111	--	--	--	--	--	--	--	--	--	
09/11/09		0.021	<0.0200	<0.0100	<0.0100	0.025	<0.0100	<0.0100	0.0460	--	--	--	--	--	--	--	--	--	
Filtered		09/11/09	<0.0100	<0.0220	<0.0100	<0.0100	<0.0100	<0.0100	<0.0220	--	--	--	--	--	--	--	--	--	
04/14/10		0.014	<0.020	<0.0099	<0.0099	0.019	<0.0099	<0.0099	0.033	--	--	--	--	--	--	--	--	--	
Filtered		04/14/10	<0.0099	<0.020	<0.0099	<0.0099	<0.0099	<0.0099	<0.020	--	--	--	--	--	--	--	--	--	
09/22/10		0.026	<0.020	<0.0099	<0.0099	0.030	<0.0099	<0.0099	0.056	--	--	--	--	--	--	--	--	--	
Filtered		09/22/10	<0.0098	<0.020	<0.0098	<0.0098	<0.0098	<0.0098	<0.020	--	--	--	--	--	--	--	--	--	
04/26/11		<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	7.3	0.10	0.41	<0.094	1.2	1.2	0.25	0.50	0.97	
Filtered		04/26/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.19	5.5	0.12	<0.094	<0.094	<0.094	0.59	0.22	<0.094	<0.094	
Original		9/22/11 ^{8,9}	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.19	8.3	0.10	0.80	<0.094	1.5	1.8	0.40	0.94	1.3	
Original Filtered		9/22/11 ⁹	0.014	<0.019	<0.0094	<0.0094	0.014	<0.0094	<0.0094	0.028	6.3	0.077	0.37	<0.0094	0.63	1.1	0.33	0.55	0.52
Re-Analysis Filtered		9/22/11 ⁷	0.017	<0.019	<0.0094	<0.0094	0.017	<0.0094	<0.0094	0.032	7.9	0.072	0.47	<0.0094	0.82	1.3	0.48	0.74	0.66
04/18/12		0.025	<0.0096	<0.019	<0.019	0.021	<0.019	<0.019	0.046	8.2	0.11	0.44	<0.019	1.1	1.3	0.2	0.51	0.85	
Filtered		04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	1.4	0.022	0.054	<0.019	<0.019	<0.019	0.098	<0.019	<0.019
10/11/12		0.029	<0.019	<0.0095	<0.0095	0.027	<0.0095	<0.0095	0.056	9.7	0.11	0.6	<0.0095	1.1	0.92	0.27	0.53	1.0	
Filtered		10/11/12	<0.019	<0.038	<0.019	<0.019	<0.019	<0.019	<0.038	3.9	0.043	0.12	<0.019	<0.019	0.12	0.19	<0.019	<0.019	
04/25/13		0.022	<0.010	<0.010	<0.010	0.026	<0.010	<0.010	0.048	--	--	--	--	--	--	--	--	--	
09/19/13		0.02	<0.010	<0.010	<0.010	0.027	<0.010	<0.010	0.047	--	--	--	--	--	--	--	--	--	
06/23/14		0.032	<0.010	<0.010	<0.010	0.034	<0.010	<0.010	0.066	--	--	--	--	--	--	--	--	--	
12/16/14		0.016	<0.010	<0.010	<0.010	0.021	<0.010	<0.010	0.037	--	--	--	--	--	--	--	--	--	
06/18/15	0.034	0.025	0.029	<0.010	0.029	<0.010	0.023	0.140	--	--	--	--	--	--	--	--	--		
12/08/15	0.029	0.011	0.013	<0.010	0.030	<0.010	0.011	0.094	--	--	--	--	--	--	--	--	--		
Duplicate	12/08/15	0.022	<0.010	<0.010	<0.010	0.022	<0.010	0.044	--	--	--	--	--	--	--	--	--		
06/14/16	0.030	<0.010	0.014	<0.010	0.032	<0.010	<0.010	0.076	--	--	--	--	--	--	0.863	--	--		
01/13/17	0.017	<0.010	<0.010	<0.010	0.017	<0.010	<0.010	0.009	--	--	--	--	--	--	--	--	--		
06/13/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--		
11/08/17	0.018	<0.010	<0.010	<0.010	0.019	<0.010	<0.010	0.027	--	--	--	--	--	--	--	--	--		
06/20/18	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	0.02	--	--	--	--	--	--	--	--	--		
MW-202	06/07/07	<1	<1	<1	<1	<1	<1	<1	<7	2	<1	<1	<1	1	<1	<1	2	1	
	07/06/07	0.05	0.014	0.016	<0.0097	0.049	<0.0097	<0.0097	0.129	0.27	<0.025	0.22	<0.0097	0.66	0.073	0.27	0.15	0.53	
	09/27/07	0.042	<0.010	<0.010	<0.010	0.040	<0.010	<0.010	0.082	--	--	--	--	--	--	0.18 ⁵	--	--	
	11/26/07	0.043	<0.010	<0.010	<0.010	0.036	<0.010	<0.010	0.079	--	--	--	--	--	--	<0.010	--	--	
	Filtered	11/26/07	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--	--	--	--	0.057	--	--	
	02/12/08	0.0457	<0.00990	<0.00990	0.0184	0.0444	<0.00990	<0.00990	0.1085	--	--	--	--	--	--	--	--	--	
	Filtered	02/12/08	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	--	--	--	--	--	--	--	--	--	
	05/13/08	0.0406	<0.00943	0															

Appendix C
Historical Summary of Groundwater Analytical Data
Carcinogenic Polycyclic Aromatic Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

OFFSITE AREA		Carcinogenic PAHs ^{2,3} (µg/L)										Noncarcinogenic PAHs ² (µg/L)							
Monitoring Well ¹	Sample Date	Benzo(a)anthracene	Benzo(b)pyrene	Benzo(k)fluoranthene	Benzo(e)pyrene	Chrysene	Dibenz(a,h)anthracene	Indeno(1,2,3-cd)pyrene	Total CPAHs ⁴	Acenaphthene	Acenaphthylene	Anthracene	Benzo(g,h,i)perylene	Fluoranthene	Fluorene	Naphthalene ⁴	Phenanthrene	Pyrene	
		0.03	0.03	0.03	0.03	0.03	0.03	0.03	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	
RAL		0.03	0.03	0.03	0.03	0.03	0.03	0.03	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	
MW-202 (continued)	02/18/09	0.0181	<0.00980	<0.00980	<0.00980	0.0222	<0.00980	<0.00980	0.0403	--	--	--	--	--	--	--	--	--	
Filtered	02/18/09	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	--	
	05/13/09	0.0146	<0.00943	<0.00943	<0.00943	0.0160	<0.00943	<0.00943	0.0306	--	--	--	--	--	--	--	--	--	
Filtered	05/13/09	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	--	--	--	--	--	--	--	--	--	
	09/11/09	0.0490	<0.0200	0.0110	<0.0100	0.0470	<0.0100	<0.0100	0.1070	--	--	--	--	--	--	--	--	--	
Filtered	09/11/09	<0.0100	<0.0200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0200	--	--	--	--	--	--	--	--	--	
	04/14/10	0.013	<0.020	<0.0099	<0.0099	0.013	<0.0099	<0.0099	0.026	--	--	--	--	--	--	--	--	--	
Filtered	04/14/10	<0.0099	<0.020	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.020	--	--	--	--	--	--	--	--	--	
	09/22/10	0.041	<0.020	0.012	<0.010	0.043	<0.010	<0.010	0.096	--	--	--	--	--	--	--	--	--	
Filtered	09/22/10	<0.0095	<0.019	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.019	--	--	--	--	--	--	--	--	--	
	04/27/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	4.8	<0.094	<0.094	<0.094	0.55	0.36	2.9	<0.094	0.42	
Filtered	04/27/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	3.6	<0.094	<0.094	<0.094	<0.094	0.19	2.6	<0.094	<0.094	
	9/21/11 ^{8,9}	0.015	<0.019	<0.0094	<0.0094	0.013	<0.0094	<0.0094	0.028	0.35	<0.0094	0.021	<0.0094	0.17	0.019	0.16	0.013	0.19	
Re-Analysis Filtered	9/21/11 ⁹	<0.0094	<0.019	<0.0094	<0.0094	<0.0094	<0.0094	<0.0094	<0.019	0.28	<0.0094	0.0094	<0.0094	0.059	0.016	0.13	<0.0094	0.065	
	9/21/11 ⁷	<0.0094	<0.019	<0.0094	<0.0094	<0.0094	<0.0094	<0.0094	<0.019	0.35	<0.0094	0.031	<0.0094	0.13	0.026	0.12	0.016	0.14	
	04/18/12	0.029	<0.0096	<0.019	<0.019	0.031	<0.019	<0.019	0.06	6.5	0.058	0.051	<0.019	0.54	0.24	1.8	0.11	0.43	
Filtered	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	0.40	<0.019	<0.019	<0.019	<0.019	<0.019	0.76	<0.019	<0.019	
	10/11/12	0.027	<0.019	<0.0095	<0.0095	0.02	<0.0095	<0.0095	0.02	0.82	0.011	0.068	<0.0095	0.23	0.032	0.075	0.016	0.26	
Filtered	10/11/12	<0.019	<0.038	<0.019	<0.019	<0.019	<0.019	<0.019	<0.039	0.07	<0.019	<0.019	<0.019	<0.019	<0.019	0.03	<0.019	<0.019	
Filtered	10/11/12	<0.019	<0.038	<0.019	<0.019	<0.019	<0.019	<0.019	<0.039	0.07	<0.019	<0.019	<0.019	<0.019	<0.019	0.03	<0.019	<0.019	
	04/25/13	0.019	<0.010	<0.010	<0.010	0.017	<0.010	<0.010	0.036	--	--	--	--	--	--	--	--	--	
	09/19/13	0.025	<0.010	<0.010	<0.010	0.026	<0.010	<0.010	0.051	--	--	--	--	--	--	--	--	--	
	12/16/14	0.018	<0.010	<0.010	<0.010	0.014	<0.010	<0.010	0.032	--	--	--	--	--	--	--	--	--	
	06/18/15	0.013	<0.010	<0.010	<0.010	0.010	<0.010	<0.010	0.013	--	--	--	--	--	--	--	--	--	
	12/08/15	0.025	<0.011	<0.011	<0.011	0.023	<0.011	<0.011	0.048	--	--	--	--	--	--	--	--	--	
	06/14/16	0.014	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	0.014	--	--	--	--	--	0.98	--	--	--	
	01/13/17	0.023	<0.011	<0.011	<0.011	0.017	<0.011	<0.011	0.023	--	--	--	--	--	--	--	--	--	
	06/13/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--	
	11/08/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.021	--	--	--	--	--	--	--	--	--	
	06/20/18	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	--	--	--	--	--	--	--	--	--	
MW-203	06/07/07	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
	07/06/07	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	0.62	<0.0096	0.12	<0.0096	0.16	0.047	0.052	0.013	0.11	
	09/28/07	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.07	--	--	--	--	--	--	--	--	--	
	11/27/07	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	<0.010	--	--	--	
	02/12/08	0.0127	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	0.0127	--	--	--	--	--	--	--	--	--	
Duplicate	02/12/08	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	--	--	--	--	--	--	--	--	--	
	05/14/08	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	--	--	--	--	--	--	--	--	--	
Filtered	05/14/08	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	--	--	--	--	--	--	--	--	--	
	09/03/08	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	--	--	--	--	--	--	--	--	--	
Filtered	09/03/08	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	--	--	--	--	--	--	--	--	--	
	12/04/08	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	--	--	--	--	--	--	--	--	--	
Filtered	12/04/08	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	<0.00952	--	--	--	--	--	--	--	--	--	
	02/17/09	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	--	--	--	--	--	--	--	--	--	
Filtered	02/17/09	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	--	--	--	--	--	--	--	--	--	
	05/13/09	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	<0.00943	--	--	--	--	--	--	--	--	--	
Filtered	05/13/09	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	--	--	--	--	--	--	--	--	--	
	09/11/09	<0.0110	<0.0220	<0.0110	<0.0110	<0.0110	<0.0110	<0.0110	<0.0220	--	--	--	--	--	--	--	--	--	
Filtered	09/11/09	<0.0110	<0.0220	<0.0110	<0.0110	<0.0110	<0.0110	<0.0110	<0.0220	--	--	--	--	--	--	--	--	--	
	04/14/10	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	--	--	--	--	--	--	--	--	--	
Filtered	04/14/10	<0.0097	<0.019	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.019	--	--	--	--	--	--	--	--	--	
	09/22/10	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	--	--	--	--	--	--	--	--	--	
Filtered	09/22/10	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	--	--	--	--	--	--	--	--	--	
	04/27/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	0.44	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	
Filtered	04/27/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	0.45	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	
	9/21/11 ⁹	<0.0098	<0.020	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.020	0.34	<0.0098	0.012	<0.0098	0.039	0.0098	0.011	<0.0098	0.079	
Re-Analysis	9/21/11 ⁷	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	0.51	<0.010	0.022	<0.010	0.047	0.017	0.02	<0.010	0.10	
Filtered	9/21/11 ⁹	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	0.34	<0.010	0.011	<0.010						

Appendix C
Historical Summary of Groundwater Analytical Data
Carcinogenic Polycyclic Aromatic Hydrocarbons

Former Unocal Seattle Marketing Terminal
 3001 Elliott Avenue
 Seattle, Washington

OFFSITE AREA		Carcinogenic PAHs ^{2,3} (µg/L)								Noncarcinogenic PAHs ² (µg/L)								
Monitoring Well ¹	Sample Date	Benzo(a)anthracene	Benzo(b)pyrene	Benzo(k)fluoranthene	Benzo(e)pyrene	Chrysene	Dibenz(a,h)anthracene	Indeno(1,2,3-cd)pyrene	Total CPAHs ⁴	Acenaphthene	Acenaphthylene	Anthracene	Benzo(g,h,i)perylene	Fluoranthene	Fluorene	Naphthalene ⁴	Phenanthrene	Pyrene
RAL		0.03	0.03	0.03	0.03	0.03	0.03	0.03	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
MW-203 (continued)	12/07/15	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/15/16	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	0.128	--	--	--
Duplicate	06/15/16	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	0.099	--	--	--
	01/13/17	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--	--	--	--	--	--	--
	06/13/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	11/08/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/20/18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	--	--	--	--	--	--	--	--	--
MW-204	06/07/07	<1	<1	<1	<1	<1	<1	<1	<7	5	<1	<1	<1	<1	3	<1	<1	<1
	07/06/07	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	3.3	<0.30	0.19	<0.0095	0.06	2.7	0.45	1.1	0.061
Duplicate	07/06/07	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	3.3	<0.30	0.18	<0.0096	0.058	2.7	0.44	1	0.064
	09/28/07	0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	0.010	0.10	--	--
	11/27/07	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	<0.010	--	--	--
	02/12/08	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	<0.00971	--	--	--	--	--	--	--	--	--
	05/14/08	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	--
Filtered	05/14/08	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	--
	09/03/08	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	--	--	--	--	--	--	--	--	--
Filtered	09/03/08	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	<0.00962	--	--	--	--	--	--	--	--	--
	12/04/08	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	<0.00980	--	--	--	--	--	--	--	--	--
Filtered	12/04/08	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	<0.00990	--	--	--	--	--	--	--	--	--
	02/17/09	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	--	--	--	--	--	--	--	--	--
Duplicate	02/17/09	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	<0.0105	--	--	--	--	--	--	--	--	--
Filtered	02/17/09	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	--
Duplicate	02/17/09	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	--
	05/13/09	<0.0100	<0.0100	<0.0100	<0.0100	0.0193	<0.0100	<0.0100	0.0193	--	--	--	--	--	--	--	--	--
Duplicate	05/13/09	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	--
Filtered	05/13/09	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	--
Duplicate	05/13/09	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	--	--	--	--	--	--	--	--	--
	09/11/09	<0.0100	<0.0200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0200	--	--	--	--	--	--	--	--	--
Duplicate	09/11/09	<0.0100	<0.0200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0200	--	--	--	--	--	--	--	--	--
Filtered	09/11/09	<0.0110	<0.0220	<0.0110	<0.0110	<0.0110	<0.0110	<0.0110	<0.0220	--	--	--	--	--	--	--	--	--
Duplicate	09/11/09	<0.0096	<0.0190	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.0190	--	--	--	--	--	--	--	--	--
	04/14/10	<0.0097	<0.019	<0.0097	<0.0097	<0.0097	<0.0097	<0.0097	<0.019	--	--	--	--	--	--	--	--	--
Duplicate	04/14/10	<0.0099	<0.020	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	0.0099	--	--	--	--	--	--	--	--	--
Filtered	04/14/10	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	--	--	--	--	--	--	--	--	--
Duplicate	04/14/10	<0.0099	<0.020	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.020	--	--	--	--	--	--	--	--	--
	09/22/10	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	--	--	--	--	--	--	--	--	--
Filtered	09/22/10	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	--	--	--	--	--	--	--	--	--
	04/26/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	2.6	0.33	0.13	<0.094	<0.094	2.7	1.2	1.1	<0.094
Duplicate	04/26/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	2.5	0.30	0.14	<0.094	<0.094	2.6	1.3	1.0	<0.094
Filtered	04/26/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	2.6	0.28	<0.094	<0.094	<0.094	2.0	1.1	0.43	<0.094
Duplicate	04/26/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	2.1	0.23	0.094	<0.094	<0.094	1.7	1.1	0.53	<0.094
Original	09/22/11 ⁹	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	1.7	0.14	0.16	<0.010	0.039	1.6	0.63	1.0	0.034
Duplicate	09/22/11	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	2.3	0.15	0.13	<0.010	0.058	2.2	0.68	0.59	0.054
Re-Analysis	09/22/11 ⁷	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	2.4	0.19	0.13	<0.010	0.041	2.1	0.61	0.83	0.042
Filtered	09/22/11 ⁹	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	1.8	0.14	0.067	<0.010	0.018	1.4	0.52	0.72	0.014
Duplicate Filtered	09/22/11 ⁷	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	2.1	0.17	0.079	<0.010	<0.010	1.6	0.65	0.75	<0.010
Re-Analysis Filtered	09/22/11 ⁷	<0.0098	<0.020	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.020	1.6	0.13	0.073	<0.0098	0.015	1.4	0.36	0.54	0.012
NEAR	09/22/11 ⁹	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	21	0.21	0.98	<0.010	1.3	4.7	9.6	4.1	0.94
NEAR Re-Analysis	09/22/11 ⁷	<0.0096	<0.019	<0.0096	<0.0096	<0.0096	<0.0096	<0.0096	<0.019	1.8	0.21	0.83	<0.0096	1.2	6.0	5.7	4.6	0.89
NEAR Filtered	09/22/11	<0.010	<0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.020	1.7	0.14	0.076	<0.010	0.018	1.3	0.53	0.68	0.013
	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	3.3	0.37	0.21	<0.019	0.05	3.2	0.34	1.1	0.032
Filtered	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	2.8	0.19	0.10	<0.019	1.2	<0.019	0.28	<0.019	<0.019
Duplicate	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	3.8	0.41	0.19	<0.019	0.47	3.6	0.37	1.2	0.037
Duplicate Filtered	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	0.82	0.032	0.071	<0.019	<0.019	0.019	0.16	<0.019	<0.019
NEAR	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	3.3	0.36	0.19	<0.019	0.048	3.0	0.33	1.1	0.03
NEAR Duplicate	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	3.2	0.35	0.18	<0.019	0.045	2.9	0.31	1.2	0.037
NEAR Filtered	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	3.2	0.30	0.085	<0.019	<0.019				

**Appendix C
Historical Summary of Groundwater Analytical Data
Carcinogenic Polycyclic Aromatic Hydrocarbons**

Former Unocal Seattle Marketing Terminal
3001 Elliott Avenue
Seattle, Washington

OFFSITE AREA		Carcinogenic PAHs ^{2,3} (µg/L)								Noncarcinogenic PAHs ² (µg/L)								
Monitoring Well ¹	Sample Date	Benzo(a)anthracene	Benzo(b)pyrene	Benzo(k)fluoranthene	Benzo(i)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Indeno(1,2,3-cd)pyrene	Total cPAHs ⁴	Acenaphthene	Acenaphthylene	Anthracene	Benzo(g,h,i)perylene	Fluoranthene	Fluorene	Naphthalene ⁵	Phenanthrene	Pyrene
RAL		0.03	0.03	0.03	0.03	0.03	0.03	0.03	NE	NE	NE	NE	NE	NE	NE	NE	NE	
MW-207 (continued)	04/27/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	3.2	<0.094	0.10	<0.094	0.44	1.1	0.17	0.32	0.31
Filtered	04/27/11	<0.094	<0.19	<0.094	<0.094	<0.094	<0.094	<0.094	<0.19	2.6	<0.094	<0.094	<0.094	<0.094	0.53	0.22	<0.094	<0.094
	09/21/11	<0.0099	<0.020	<0.0099	<0.0099	<0.0099	<0.0099	<0.0099	<0.020	0.57	<0.0099	0.031	<0.0099	0.22	0.085	0.035	0.016	0.23
Filtered	09/21/11	<0.0098	<0.020	<0.0098	<0.0098	<0.0098	<0.0098	<0.0098	<0.020	0.35	<0.0098	0.012	<0.0098	0.047	0.045	0.019	<0.0098	0.042
	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	0.84	0.019	0.040	<0.019	0.19	0.074	0.23	0.021	0.17
Filtered	04/18/12	<0.019	<0.0096	<0.019	<0.019	<0.019	<0.019	<0.019	<0.038	0.93	0.021	0.047	<0.019	0.21	0.080	0.23	0.025	0.19
	10/11/12	0.017	<0.019	<0.0095	<0.0095	0.0097	<0.0095	<0.0095	0.0267	0.74	0.013	0.094	<0.0095	0.23	0.12	0.068	0.031	0.34
Filtered	10/11/12	<0.0095	<0.019	<0.0095	<0.0095	<0.0095	<0.0095	<0.0095	<0.019	0.18	<0.0095	0.029	<0.0095	<0.0095	<0.0095	0.033	0.017	<0.0095
	04/25/13	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	09/19/13	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/23/14	0.019	<0.010	<0.010	<0.010	0.011	<0.010	<0.010	0.03	--	--	--	--	--	--	--	--	--
	12/16/14	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/17/15	0.030	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.030	--	--	--	--	--	--	--	--	--
	12/08/15	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/14/16	1.0	0.98	1.0	0.84	0.85	0.95	0.93	6.55	--	--	--	--	--	--	3.49	--	--
	01/13/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
Duplicate	01/13/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/13/17	0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	11/08/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
Duplicate	11/08/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/20/18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.02	--	--	--	--	--	--	--	--	--
MW-209	02/16/16	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--	--	--	--	--	--	--
	06/13/16	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	0.21	--	--
	09/22/16	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	<0.030	--	--
	01/12/17	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--	--	--	--	--	--	--
	03/27/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/13/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
MW-210	02/16/16	0.100	0.042	0.050	0.016	0.170	0.012	0.021	0.411	--	--	--	--	--	--	--	--	--
	06/13/16	0.110	0.056	0.073	0.027	0.210	0.015	0.024	0.515	--	--	--	--	--	--	<0.031	--	--
	09/22/16	0.016	0.014	0.016	<0.012	0.029	<0.012	<0.012	0.019	--	--	--	--	--	--	<0.037	0.019	--
	01/12/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	03/27/17	0.016	<0.010	0.011	<0.010	0.020	<0.010	<0.010	0.009	--	--	--	--	--	--	--	--	--
Duplicate	03/27/17	<0.010	<0.010	<0.010	<0.010	0.012	<0.010	<0.010	0.008	--	--	--	--	--	--	--	--	--
	06/16/17	0.075	0.042	0.044	0.020	0.13	0.017	0.034	0.06	--	--	--	--	--	--	--	--	--
MW-211	02/16/16	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/13/16	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	<0.031	--	--
	09/22/16	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	<0.011	--	--	--	--	--	--	<0.033	--	--
	01/12/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	03/27/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--
	06/16/17	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	--	--	--	--	--	--	--	--	--

Notes:


- ¹Monitoring well locations are shown on Figure 2.
 - ²Analyses by EPA Method 8310 or 8270 (SIM).
 - ³WAC 173-340-200 (MTCA).
 - ⁴Numeric sum of detected concentrations. Where no compounds were detected, this figure is equal to the highest reporting limit for an individual compound.
 - ⁵Naphthalene detected in the method blank, these data are from the initial extraction of the sample.
 - ⁶Sample was extracted past the holding time.
 - ⁷Sample was re-prepared outside of preparation holding time. Results have been flagged as "H" in the laboratory report.
 - ⁸There was insufficient sample to perform a re-extraction or re-analysis, therefore, the data have been reported.
 - ⁹LCS or LCSD exceeds the control limits/RPD of the LCS exceeds the control limits.
 - ¹⁰Duplicate of the preceding sample.
- RAL = Remedial Action Level per Amendments No. 4 and No. 5 to Order on Consent; applicable for Offsite Area only.
There is no cPAH RAL for groundwater in the Upper Yard, Lower Yard or Elliott Avenue.
µg/L = micrograms per liter
NE = not established
"--" not sampled
cPAHs = carcinogenic polycyclic aromatic hydrocarbons.
PAHs = polynuclear aromatic hydrocarbons.
LNAPL = light nonaqueous phase liquid
Laboratory analyses by TestAmerica of Tacoma, Washington and Lancaster Laboratories of Lancaster, Pennsylvania.
Bolted data are for the current reporting period.
Shading indicates concentration greater than the RAL.
NEAR = The sample was collected from the top of the water column within the respective monitoring well.
DL, RA, RE, IN = Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample.

APPENDIX D


Historical Trends Graph




MW-200




MW-201




MW-202




MW-203




MW-204




MW-205




MW-206




MW-207




MW-209




MW-210




MW-211



MW-70R



MW-30



APPENDIX E

Laboratory report and Chain of Custody Forms





ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Chevron Environmental Mgmt Co
BR1 X5139C
6101 Bollinger Canyon Road
San Ramon CA 94583

Report Date: April 11, 2018 10:27

Project: Seattle Terminal


Account #: 11964
Group Number: 1924100
PO Number: 0015268293
Release Number: JOLITZ
State of Sample Origin: WA

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our current scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>. To request copies of prior scopes of accreditation, contact your project manager.

Electronic Copy To ARCADIS U.S., Inc.
Electronic Copy To Arcadis

Attn: Sam Miles
Attn: Rebecca Andresen

Respectfully Submitted,



Elisabeth A. Knisley
Project Manager

(717) 556-7262



SAMPLE INFORMATION

<u>Client Sample Description</u>	<u>Sample Collection Date/Time</u>	<u>ELLE#</u>
MW-70R-W-180326 Grab Groundwater	03/26/2018 12:00	9525537
DUP-1-WD-180326 Grab Groundwater	03/26/2018	9525538
Trip_Blank-T-180326 NA Water	03/26/2018	9525539

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Sample Description: MW-70R-W-180326 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9525537
ELLE Group #: 1924100
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 03/27/2018 09:40
Collection Date/Time: 03/26/2018 12:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.01	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1

Trial ID: RE

14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.01	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1

Due to laboratory error surrogates were not spiked. The following action was taken:

The sample was re-extracted outside the method required holding time and the QC is compliant. All results are reported from both trials.

GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1

GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1

GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	N.D.	29	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	67	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
---------	---------------	--------	--------	--------	------------------------	---------	-----------------

Sample Description: MW-70R-W-180326 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9525537
ELLE Group #: 1924100
Matrix: Groundwater

Project Name: Seattle Terminal

Submittal Date/Time: 03/27/2018 09:40
Collection Date/Time: 03/26/2018 12:00

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18088WAA026	03/31/2018 00:46	Brandon K Cordova	1
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	2-RE	18095WAI026	04/09/2018 23:09	Anthony P Bauer	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18088WAA026	03/29/2018 16:30	Osvaldo R Sanchez	1
10466	BNA Water Extraction SIM	SW-846 3510C	2	18095WAI026	04/06/2018 08:30	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18089A94A	03/31/2018 05:07	Marie D Beamenderfer	1
02102	BTEX (8021)	SW-846 8021B	1	18089A94A	03/31/2018 05:07	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	18089A94A	03/31/2018 05:07	Marie D Beamenderfer	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	180880017A	04/03/2018 19:01	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	180880017A	03/30/2018 16:22	Christine E Gleim	1

Sample Description: DUP-1-WD-180326 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9525538
ELLE Group #: 1924100
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 03/27/2018 09:40
Collection Date/Time: 03/26/2018

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.01	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1

Trial ID: RE

14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.01	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1

Due to laboratory error surrogates were not spiked. The following action was taken:

The sample was re-extracted outside the method required holding time and the QC is compliant. All results are reported from both trials.

GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1

GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1

GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	N.D.	29	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	67	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
---------	---------------	--------	--------	--------	------------------------	---------	-----------------

Sample Description: DUP-1-WD-180326 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9525538
ELLE Group #: 1924100
Matrix: Groundwater

Project Name: Seattle Terminal

Submittal Date/Time: 03/27/2018 09:40
Collection Date/Time: 03/26/2018

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18088WAA026	03/31/2018 01:14	Brandon K Cordova	1
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	2-RE	18095WAI026	04/09/2018 23:36	Anthony P Bauer	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18088WAA026	03/29/2018 16:30	Osvaldo R Sanchez	1
10466	BNA Water Extraction SIM	SW-846 3510C	2	18095WAI026	04/06/2018 08:30	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18089A94A	03/31/2018 05:33	Marie D Beamenderfer	1
02102	BTEX (8021)	SW-846 8021B	1	18089A94A	03/31/2018 05:33	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	18089A94A	03/31/2018 05:33	Marie D Beamenderfer	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	180880017A	04/03/2018 19:23	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	180880017A	03/30/2018 16:22	Christine E Gleim	1

Sample Description: Trip_Blank-T-180326 NA Water
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9525539
ELLE Group #: 1924100
Matrix: Water

Project Name: Seattle Terminal

Submission Date/Time: 03/27/2018 09:40
Collection Date/Time: 03/26/2018

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Volatiles		ECY 97-602 NWT PH-Gx	ug/l	ug/l	
08274	NWT PH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1

Sample Comments

State of Washington Lab Certification No. C457

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08274	NWT PH-Gx water C7-C12	ECY 97-602 NWT PH-Gx	1	18089A94A	03/30/2018 18:03	Marie D Beamenderfer	1
02102	BTEX (8021)	SW-846 8021B	1	18089A94A	03/30/2018 18:03	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	18089A94A	03/30/2018 18:03	Marie D Beamenderfer	1

Quality Control Summary

Client Name: Chevron Environmental Mgmt Co
Reported: 04/11/2018 10:27

Group Number: 1924100

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Method Blank

Analysis Name	Result ug/l	MDL ug/l
Batch number: 18088WAA026	Sample number(s): 9525537-9525538	
Benzo(a)anthracene	N.D.	0.01
Benzo(a)pyrene	N.D.	0.01
Benzo(b)fluoranthene	N.D.	0.01
Benzo(k)fluoranthene	N.D.	0.01
Chrysene	N.D.	0.01
Dibenz(a,h)anthracene	N.D.	0.01
Indeno(1,2,3-cd)pyrene	N.D.	0.01
Batch number: 18095WAI026	Sample number(s): 9525537-9525538	
Benzo(a)anthracene	N.D.	0.01
Benzo(a)pyrene	N.D.	0.01
Benzo(b)fluoranthene	N.D.	0.01
Benzo(k)fluoranthene	N.D.	0.01
Chrysene	N.D.	0.01
Dibenz(a,h)anthracene	N.D.	0.01
Indeno(1,2,3-cd)pyrene	N.D.	0.01
Batch number: 18089A94A	Sample number(s): 9525537-9525539	
Benzene	N.D.	0.2
Ethylbenzene	N.D.	0.2
NWTPH-Gx water C7-C12	N.D.	50
Toluene	N.D.	0.2
Total Xylenes	N.D.	0.2
Batch number: 180880017A	Sample number(s): 9525537-9525538	
DRO C12-C24 w/Si Gel	N.D.	30
HRO C24-C40 w/Si Gel	N.D.	70

LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 18088WAA026	Sample number(s): 9525537-9525538								
Benzo(a)anthracene	1.00	0.903			90		65-129		
Benzo(a)pyrene	1.00	1.00			100		65-126		
Benzo(b)fluoranthene	1.00	1.01			101		65-136		

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Quality Control Summary

Client Name: Chevron Environmental Mgmt Co
Reported: 04/11/2018 10:27

Group Number: 1924100

LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Benzo(k)fluoranthene	1.00	0.990			99		65-131		
Chrysene	1.00	0.919			92		62-129		
Dibenz(a,h)anthracene	1.00	0.948			95		50-139		
Indeno(1,2,3-cd)pyrene	1.00	0.845			85		52-133		
Batch number: 18095WAI026	Sample number(s): 9525537-9525538								
Benzo(a)anthracene	1.00	0.943	1.00	0.915	94	91	65-129	3	30
Benzo(a)pyrene	1.00	1.05	1.00	1.03	105	103	65-126	3	30
Benzo(b)fluoranthene	1.00	1.06	1.00	1.01	106	101	65-136	5	30
Benzo(k)fluoranthene	1.00	1.00	1.00	0.988	100	99	65-131	1	30
Chrysene	1.00	0.946	1.00	0.913	95	91	62-129	4	30
Dibenz(a,h)anthracene	1.00	1.02	1.00	0.993	102	99	50-139	2	30
Indeno(1,2,3-cd)pyrene	1.00	0.931	1.00	0.922	93	92	52-133	1	30
	ug/l	ug/l	ug/l	ug/l					
Batch number: 18089A94A	Sample number(s): 9525537-9525539								
Benzene	20	20.01			100		80-120		
Ethylbenzene	20.1	19.59			97		80-120		
NWTPH-Gx water C7-C12	1100	1322.64			120		80-120		
Toluene	20.1	19.86			99		80-120		
Total Xylenes	60.2	60.47			100		80-120		
	ug/l	ug/l	ug/l	ug/l					
Batch number: 180880017A	Sample number(s): 9525537-9525538								
DRO C12-C24 w/Si Gel	1610	998.86	1610	935.51	62	58	32-117	7	20

MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 18088WAA026	Sample number(s): 9525537-9525538 UNSPK: P88WAUS									
Benzo(a)anthracene	N.D.	1.04	0.873	1.04	0.878	84	85	65-129	1	30
Benzo(a)pyrene	N.D.	1.04	0.748	1.04	0.836	72	81	65-126	11	30
Benzo(b)fluoranthene	N.D.	1.04	0.874	1.04	0.889	84	86	65-136	2	30
Benzo(k)fluoranthene	N.D.	1.04	0.833	1.04	0.862	80	83	65-131	3	30
Chrysene	N.D.	1.04	0.873	1.04	0.899	84	87	62-129	3	30
Dibenz(a,h)anthracene	N.D.	1.04	0.605	1.04	0.695	58	67	50-139	14	30
Indeno(1,2,3-cd)pyrene	N.D.	1.04	0.611	1.04	0.659	59	63	52-133	7	30

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Quality Control Summary

Client Name: Chevron Environmental Mgmt Co
Reported: 04/11/2018 10:27

Group Number: 1924100

MS/MSD (continued)

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 18089A94A	Sample number(s): 9525537-9525539 UNSPK: P517315									
Benzene	N.D.	20	20.88	20	21.18	104	106	80-120	1	30
Ethylbenzene	N.D.	20.1	20.35	20.1	20.51	101	102	80-120	1	30
NWTPH-Gx water C7-C12	N.D.	1100	1481.99	1100	1486.27	135*	135*	80-120	0	30
Toluene	N.D.	20.1	20.6	20.1	20.99	102	104	80-120	2	30
Total Xylenes	N.D.	60.2	62.89	60.2	63.76	104	106	80-120	1	30

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: SIM SVOAs 8270C MINI

Batch number: 18088WAA026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-d10
9525537	0*	0*	0*
9525538	0*	0*	0*
Blank	82	88	77
LCS	82	97	81
MS	76	68	80
MSD	0*	0*	0*
Limits:	43-130	23-144	31-121

Analysis Name: SIM SVOAs 8270C MINI

Batch number: 18095WAI026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-d10
9525537RE	79	57	72
9525538RE	76	54	67
Blank	81	95	77
LCS	83	99	81
LCSD	74	97	87
Limits:	43-130	23-144	31-121

Analysis Name: BTEX (8021)

Batch number: 18089A94A

	Trifluorotoluene-P	Trifluorotoluene-F
9525537	83	77
9525538	82	76
9525539	82	78

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Quality Control Summary

Client Name: Chevron Environmental Mgmt Co
Reported: 04/11/2018 10:27

Group Number: 1924100

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX (8021)

Batch number: 18089A94A

	Trifluorotoluene-P	Trifluorotoluene-F
Blank	82	79
LCS	81	93
MS	81	97
MSD	81	97
Limits:	51-120	50-150

Analysis Name: NWTPH-Dx water w/ 10g Si Gel

Batch number: 180880017A

	Orthoterphenyl
9525537	83
9525538	75
Blank	84
LCS	84
LCSD	82
Limits:	50-150

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Chevron Generic Analysis Request/Chain of Custody



Lancaster Laboratories

Acct. # 11964

Group # 1924100

Sample # 9525537-39

For Lancaster Laboratories use only.
Instructions on reverse side correspond with circled numbers.

1 Client Information				4 Matrix				5 Analyses Requested										6 Remarks				
Facility # <u>Seattle Terminal</u> WBS <u>MWENV-PMC001400802</u> Site Address <u>3001 Elliot Ave Seattle, WA 98121</u> Chevron PM <u>Kim Jolitz</u> Lead Consultant <u>Arcadis</u> Consultant/Office <u>1100 Olive Way, Suite 800, Seattle, WA 98101</u> Consultant Project Mgr. <u>Rebecca Andresen</u> Consultant Phone # <u>(509) 438-9828</u> Sampler <u>Eric Krueger</u>				<input type="checkbox"/> Sediment <input checked="" type="checkbox"/> Ground <input type="checkbox"/> Surface <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil				Total Number of Containers BTEX <input checked="" type="checkbox"/> 8021 <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> Naphth 8260 full scan Oxygenates <u>NWTPH-616</u> <u>NWTPH-416</u> Silica Gel Cleanup <input checked="" type="checkbox"/> Lead Total <input type="checkbox"/> Diss. <input type="checkbox"/> Method VPH/EPH Method <u>CPAHs by 8270C</u>										SCR #: _____ <input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds <input type="checkbox"/> 8021 MTBE Confirmation <input type="checkbox"/> Confirm MTBE + Naphthalene <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run _____ oxy's on highest hit <input type="checkbox"/> Run _____ oxy's on all hits				
2 Sample Identification		3 Collected		Grab	Composite	Soil	Water	Oil	Total Number of Containers	BTEX	8021	8260	Naphth	Oxygenates	Silica Gel Cleanup	Lead	Total	Diss.	Method	VPH/EPH Method	CPAHs by 8270C	
Date	Time	Date	Time																			
<u>MW-FOR</u>	<u>3/26/18</u>	<u>1200</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>4</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<u>DUP-1</u>	<u>3/26/18</u>	<u>---</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>7</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<u>Trip Blank</u>	<u>---</u>	<u>---</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7 Turnaround Time Requested (TAT) (please circle) <input checked="" type="radio"/> Standard 5 day 4 day 72 hour 48 hour 24 hour				Relinquished by <u>[Signature]</u> Date <u>3/26/18</u> Time <u>1400</u> Relinquished by _____ Date _____ Time _____				Received by <u>UPS</u> Date <u>3/26/18</u> Time <u>1400</u> Received by _____ Date _____ Time _____				9										
8 Data Package Options (please circle if required) <input checked="" type="radio"/> Type I - Full Type VI (Raw Data) Alaska/Type III				Relinquished by Commerical Carrier: UPS <input checked="" type="checkbox"/> FedEx _____ Other _____				Received by <u>[Signature]</u> Date <u>3/27/18</u> Time <u>9:40</u>				Temperature Upon Receipt <u>1.0</u> °C Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No										



Client: Chevron Seattle

Delivery and Receipt Information

Delivery Method:	<u>UPS</u>	Arrival Timestamp:	<u>03/27/2018 9:40</u>
Number of Packages:	<u>1</u>	Number of Projects:	<u>1</u>
State/Province of Origin:	<u>WA</u>		

Arrival Condition Summary

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	Yes	Sample Date/Times match COC:	Yes
Custody Seal Intact:	Yes	VOA Vial Headspace \geq 6mm:	No
Samples Chilled:	Yes	Total Trip Blank Qty:	2
Paperwork Enclosed:	Yes	Trip Blank Type:	HCI
Samples Intact:	Yes	Air Quality Samples Present:	No
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

Unpacked by Zane Hollinger (10251) at 12:47 on 03/27/2018

Samples Chilled Details

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

<u>Cooler #</u>	<u>Thermometer ID</u>	<u>Corrected Temp</u>	<u>Therm. Type</u>	<u>Ice Type</u>	<u>Ice Present?</u>	<u>Ice Container</u>	<u>Elevated Temp?</u>
1	DT146	1.0	DT	Wet	Y	Bagged	N

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

BMQL	Below Minimum Quantitation Level	mL	milliliter(s)
C	degrees Celsius	MPN	Most Probable Number
cfu	colony forming units	N.D.	non-detect
CP Units	cobalt-chloroplatinate units	ng	nanogram(s)
F	degrees Fahrenheit	NTU	nephelometric turbidity units
g	gram(s)	pg/L	picogram/liter
IU	International Units	RL	Reporting Limit
kg	kilogram(s)	TNTC	Too Numerous To Count
L	liter(s)	µg	microgram(s)
lb.	pound(s)	µL	microliter(s)
m3	cubic meter(s)	umhos/cm	micromhos/cm
meq	milliequivalents	MCL	Maximum Contamination Limit
mg	milligram(s)		
<	less than		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value \geq the Method Detection Limit (MDL or DL) and $<$ the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column $>40\%$. The lower result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column $>100\%$. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Chevron Environmental Mgmt Co
BR1 X5139C
6101 Bollinger Canyon Road
San Ramon CA 94583

Report Date: July 05, 2018 11:42

Project: Seattle Terminal


Account #: 11964
Group Number: 1958610
PO Number: 0015268293
Release Number: JOLITZ
State of Sample Origin: WA

To view our laboratory's current scopes of accreditation please go to <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>. Historical copies may be requested through your project manager.

Electronic Copy To ARCADIS U.S., Inc.
Electronic Copy To Arcadis

Attn: Sam Miles
Attn: Rebecca Andresen

Respectfully Submitted,



Elisabeth A. Knisley
Project Manager

(717) 556-7262



SAMPLE INFORMATION

<u>Client Sample Description</u>	<u>Sample Collection Date/Time</u>	<u>ELLE#</u>
MW-200-W-180620 Grab Groundwater	06/20/2018 14:45	9674428
MW-201-W-180620 Grab Groundwater	06/20/2018 14:50	9674429
MW-202-W-180620 Grab Groundwater	06/20/2018 17:45	9674430
MW-203-W-180620 Grab Groundwater	06/20/2018 13:30	9674431
MW-204-W-180620 Grab Groundwater	06/20/2018 12:20	9674432
MW-205-W-180620 Grab Groundwater	06/20/2018 12:40	9674433
MW-206-W-180620 Grab Groundwater	06/20/2018 16:00	9674434
MW-207-W-180620 Grab Groundwater	06/20/2018 17:05	9674435
MW-70R-W-180620 Grab Groundwater	06/20/2018 18:35	9674436
DUP-1-WD-180620 Grab Groundwater	06/20/2018	9674437
Trip_Blank-T-180620 NA Water	06/20/2018	9674438

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Sample Description: MW-200-W-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674428
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018 14:45

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	370	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	110	31	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	73	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/26/2018 23:13	Brandon K Cordova	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18179B20A	06/30/2018 02:51	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 15:00	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 15:00	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	2	18179B20A	06/30/2018 02:51	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 17:28	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: MW-201-W-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674429
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018 14:50

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	0.01	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	0.01	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	340	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	63	29	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	67	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/26/2018 23:41	Brandon K Cordova	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18179B20A	06/30/2018 03:18	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 15:26	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 15:26	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	2	18179B20A	06/30/2018 03:18	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 17:50	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: MW-202-W-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674430
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018 17:45

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	0.01	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	N.D.	31	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	72	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/27/2018 00:09	Brandon K Cordova	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18178C94A	06/28/2018 15:51	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 15:51	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 15:51	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 18:12	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: MW-203-W-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674431
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018 13:30

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	37	29	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	68	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/27/2018 00:36	Brandon K Cordova	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18178C94A	06/28/2018 16:17	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 16:17	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 16:17	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 18:34	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: MW-204-W-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674432
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018 12:20

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	1,200	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	1.2	0.5	1
02102	Toluene	108-88-3	1.2	0.5	1
02102	Total Xylenes	1330-20-7	2.4	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	230	28	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	66	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/27/2018 01:04	Brandon K Cordova	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18179B20A	06/30/2018 03:47	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 16:42	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 16:42	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	2	18179B20A	06/30/2018 03:47	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 18:56	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: MW-205-W-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674433
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018 12:40

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	35	30	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	70	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/27/2018 01:32	Brandon K Cordova	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18178C94A	06/28/2018 17:08	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 17:08	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 17:08	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 19:17	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: MW-206-W-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674434
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018 16:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	N.D.	28	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	66	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/27/2018 02:00	Brandon K Cordova	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18178C94A	06/28/2018 17:33	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 17:33	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 17:33	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 19:39	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: MW-207-W-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674435
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018 17:05

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	N.D.	28	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	66	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/27/2018 02:27	Brandon K Cordova	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18178C94A	06/28/2018 17:59	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 17:59	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 17:59	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 20:44	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: MW-70R-W-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674436
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018 18:35

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	N.D.	29	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	67	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/27/2018 15:05	Kira N Klaassen	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18178C94A	06/28/2018 18:25	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 18:25	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 18:25	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 21:06	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: DUP-1-WD-180620 Grab Groundwater
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674437
ELLE Group #: 1958610
Matrix: Groundwater

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Semivolatiles		SW-846 8270C SIM	ug/l	ug/l	
14243	Benzo(a)anthracene	56-55-3	N.D.	0.01	1
14243	Benzo(a)pyrene	50-32-8	N.D.	0.01	1
14243	Benzo(b)fluoranthene	205-99-2	N.D.	0.01	1
14243	Benzo(k)fluoranthene	207-08-9	N.D.	0.01	1
14243	Chrysene	218-01-9	N.D.	0.01	1
14243	Dibenz(a,h)anthracene	53-70-3	N.D.	0.02	1
14243	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.01	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Petroleum Hydrocarbons w/Si		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	N.D.	28	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	66	1

The reverse surrogate, capric acid, is present at <1%.

Sample Comments

State of Washington Lab Certification No. C457
Carcinogenic PAHs have been reported for this sample

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14243	SIM SVOAs 8270C MINI	SW-846 8270C SIM	1	18176WAJ026	06/27/2018 15:33	Kira N Klaassen	1
10466	BNA Water Extraction SIM	SW-846 3510C	1	18176WAJ026	06/26/2018 08:00	Logan M Brosemer	1
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	18178C94A	06/28/2018 19:41	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 19:41	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 19:41	Jeremy C Giffin	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	181770012A	07/03/2018 21:27	Thomas C Wildermuth	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	181770012A	06/26/2018 16:00	Kailah L Ortiz	1

Sample Description: Trip_Blank-T-180620 NA Water
Seattle Terminal
3001 Elliott Ave - Seattle, WA

Chevron Environmental Mgmt Co
ELLE Sample #: WW 9674438
ELLE Group #: 1958610
Matrix: Water

Project Name: Seattle Terminal

Submission Date/Time: 06/22/2018 09:50
Collection Date/Time: 06/20/2018

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Volatiles		ECY 97-602 NWT PH-Gx	ug/l	ug/l	
08274	NWT PH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles		SW-846 8021B	ug/l	ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1

Sample Comments

State of Washington Lab Certification No. C457

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08274	NWT PH-Gx water C7-C12	ECY 97-602 NWT PH-Gx	1	18178C94A	06/28/2018 14:34	Jeremy C Giffin	1
02102	BTEX (8021)	SW-846 8021B	1	18178C94A	06/28/2018 14:34	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	18178C94A	06/28/2018 14:34	Jeremy C Giffin	1

Quality Control Summary

Client Name: Chevron Environmental Mgmt Co
Reported: 07/05/2018 11:42

Group Number: 1958610

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Method Blank

Analysis Name	Result ug/l	MDL ug/l
Batch number: 18176WAJ026	Sample number(s): 9674428-9674437	
Benzo(a)anthracene	N.D.	0.01
Benzo(a)pyrene	N.D.	0.01
Benzo(b)fluoranthene	N.D.	0.01
Benzo(k)fluoranthene	N.D.	0.01
Chrysene	N.D.	0.01
Dibenz(a,h)anthracene	N.D.	0.02
Indeno(1,2,3-cd)pyrene	N.D.	0.01
Batch number: 18178C94A	Sample number(s): 9674428-9674438	
Benzene	N.D.	0.2
Ethylbenzene	N.D.	0.2
NWTPH-Gx water C7-C12	N.D.	50
Toluene	N.D.	0.2
Total Xylenes	N.D.	0.2
Batch number: 18179B20A	Sample number(s): 9674428-9674429,9674432	
NWTPH-Gx water C7-C12	N.D.	50
Batch number: 181770012A	Sample number(s): 9674428-9674437	
DRO C12-C24 w/Si Gel	N.D.	30
HRO C24-C40 w/Si Gel	N.D.	70

LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 18176WAJ026	Sample number(s): 9674428-9674437								
Benzo(a)anthracene	1.00	0.843	1.00	0.847	84	85	65-129	1	30
Benzo(a)pyrene	1.00	0.906	1.00	0.924	91	92	65-126	2	30
Benzo(b)fluoranthene	1.00	0.975	1.00	0.991	97	99	65-136	2	30
Benzo(k)fluoranthene	1.00	0.892	1.00	0.918	89	92	65-131	3	30
Chrysene	1.00	0.841	1.00	0.859	84	86	62-129	2	30
Dibenz(a,h)anthracene	1.00	0.748	1.00	0.765	75	76	50-139	2	30
Indeno(1,2,3-cd)pyrene	1.00	0.765	1.00	0.984	76	98	52-133	25	30
	ug/l	ug/l	ug/l	ug/l					

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron Environmental Mgmt Co
Reported: 07/05/2018 11:42

Group Number: 1958610

LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 18178C94A	Sample number(s): 9674428-9674438								
Benzene	20	19.21	20	19.31	96	97	80-120	1	30
Ethylbenzene	20.1	18.39	20.1	18.53	91	92	80-120	1	30
NWTPH-Gx water C7-C12	1100	1354	1100	1349.62	123*	123*	80-120	0	30
Toluene	20.1	19.71	20.1	19.73	98	98	80-120	0	30
Total Xylenes	60.2	56.92	60.2	57.52	95	96	80-120	1	30
Batch number: 18179B20A	Sample number(s): 9674428-9674429,9674432								
NWTPH-Gx water C7-C12	1100	1241.03	1100	1274.03	113	116	80-120	3	30
	ug/l	ug/l	ug/l	ug/l					
Batch number: 181770012A	Sample number(s): 9674428-9674437								
DRO C12-C24 w/Si Gel	1600	967.81	1600	979.42	60	61	32-117	1	20

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: SIM SVOAs 8270C MINI
Batch number: 18176WAJ026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-d10
9674428	62	37	68
9674429	61	57	68
9674430	55	31	59
9674431	60	37	67
9674432	61	50	67
9674433	59	41	62
9674434	62	29	67
9674435	61	46	62
9674436	63	42	61
9674437	71	49	61
Blank	78	75	77
LCS	68	73	75
LCSD	74	75	79
Limits:	43-130	23-144	31-121

Analysis Name: BTEX (8021)
Batch number: 18178C94A

	Trifluorotoluene-P
9674428	82

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron Environmental Mgmt Co
Reported: 07/05/2018 11:42

Group Number: 1958610

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX (8021)

Batch number: 18178C94A

Trifluorotoluene-P

9674429	91
9674432	74

Limits: 51-120

	Trifluorotoluene-P	Trifluorotoluene-F
9674430	82	83
9674431	83	85
9674433	82	79
9674434	83	81
9674435	82	80
9674436	83	80
9674437	83	81
9674438	82	81
Blank	82	81
LCS	80	96
LCSD	81	96

Limits: 51-120 50-150

Analysis Name: NWTPH-Gx water C7-C12

Batch number: 18179B20A

Trifluorotoluene-F

9674428	86
9674429	100
9674432	94
Blank	88
LCS	96
LCSD	97

Limits: 50-150

Analysis Name: NWTPH-Dx water w/ 10g Si Gel

Batch number: 181770012A

Orthoterphenyl

9674428	78
9674429	76
9674430	78
9674431	78
9674432	76
9674433	75
9674434	76

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron Environmental Mgmt Co
Reported: 07/05/2018 11:42

Group Number: 1958610

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: NWTPH-Dx water w/ 10g Si Gel

Batch number: 181770012A

Orthoterphenyl

9674435 80

9674436 80

9674437 83

Blank 74

LCS 81

LCSD 81

Limits: 50-150

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron Generic Analysis Request/Chain of Custody



Lancaster Laboratories

Acct. # 11964

For Lancaster Laboratories use only
 Group # 1958610 Sample # 9674428-38
Instructions on reverse side correspond with circled numbers.

1 Client Information			4 Matrix			5 Analyses Requested									
Facility # <u>Seattle Terminal</u> WBS <u>NWFNW-PMCO01400802</u>			Sediment <input type="checkbox"/> Ground <input checked="" type="checkbox"/> Surface <input type="checkbox"/>	Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/>	Oil <input type="checkbox"/>	Total Number of Containers	<input type="checkbox"/> BTEX <input checked="" type="checkbox"/> MTBE <input type="checkbox"/> 8021 <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> Naphth <input type="checkbox"/> 8260 full scan <input type="checkbox"/> Oxygenates <input type="checkbox"/> NWTPH-GXPHG <input type="checkbox"/> NWTPH-D&TPHD <input checked="" type="checkbox"/> Silica Gel Cleanup <input checked="" type="checkbox"/> Lead Total <input type="checkbox"/> Diss. <input type="checkbox"/> Method <input type="checkbox"/> VPH/EPH Method <input type="checkbox"/> CRAMS by 8270C								
Site Address <u>3001 Elliot Ave, Seattle, WA 98121</u>															
Chevron PM <u>Kim Jolitz</u> Lead Consultant <u>Arcadis</u>															
Consultant/Office <u>1100 Olive Way, Suite 800, Seattle, WA 98101</u>															
Consultant Project Mgr. <u>Rebecca Andresen</u>															
Consultant Phone # <u>(509) 438-9828</u>															
Sampler <u>Eric Krueger (EK) & Jason Little (JL)</u>			3												
2 Sample Identification		Collected		Composite <input type="checkbox"/>	Soil <input type="checkbox"/>	Water <input type="checkbox"/>	Oil <input type="checkbox"/>	Total Number of Containers							
		Date	Time												Grab
<u>MW-200</u>		<u>6/20/18</u>	<u>1445</u>												<input checked="" type="checkbox"/>
<u>MW-201</u>			<u>1450</u>												<input checked="" type="checkbox"/>
<u>MW-202</u>			<u>1745</u>												<input checked="" type="checkbox"/>
<u>MW-203</u>			<u>1330</u>												<input checked="" type="checkbox"/>
<u>MW-204</u>			<u>1220</u>												<input checked="" type="checkbox"/>
<u>MW-205</u>			<u>1240</u>												<input checked="" type="checkbox"/>
<u>MW-206</u>			<u>1600</u>												<input checked="" type="checkbox"/>
<u>MW-207</u>			<u>1705</u>												<input checked="" type="checkbox"/>
<u>MW-70R</u>			<u>1835</u>	<input checked="" type="checkbox"/>											
<u>DUP-1</u>				<input checked="" type="checkbox"/>											
<u>Trip Blank</u>				<input checked="" type="checkbox"/>											

SCR #: _____

- Results in Dry Weight
- J value reporting needed
- Must meet lowest detection limits possible for 8260 compounds
- 8021 MTBE Confirmation
- Confirm MTBE + Naphthalene
- Confirm highest hit by 8260
- Confirm all hits by 8260
- Run _____ oxy's on highest hit
- Run _____ oxy's on all hits

6 Remarks

7 Turnaround Time Requested (TAT) (please circle)

Standard 5 day 4 day
 72 hour 48 hour 24 hour

Relinquished by <u>[Signature]</u>	Date <u>6/21/18</u>	Time <u>1100</u>	Received by _____	Date _____	Time _____
Relinquished by _____	Date _____	Time _____	Received by _____	Date _____	Time _____

8 Data Package Options (please circle if required)

Type I - Full Type VI (Raw Data) Alaska/Type III

Relinquished by Commercial Carrier:	Received by <u>[Signature]</u>	Date <u>6/21/18</u>	Time <u>0950</u>
UPS _____ FedEx <input checked="" type="checkbox"/> Other _____	Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Temperature Upon Receipt <u>17-4.4°C</u>			



Client: Chevron c/o Arcadis

Delivery and Receipt Information

Delivery Method: Fed Ex Arrival Timestamp: 06/22/2018 9:50
 Number of Packages: 4 Number of Projects: 1

Arrival Condition Summary

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	Yes	Sample Date/Times match COC:	Yes
Custody Seal Intact:	Yes	VOA Vial Headspace \geq 6mm:	Yes
Samples Chilled:	Yes	VOA IDs (\geq 6mm):	See Below
Paperwork Enclosed:	Yes	Total Trip Blank Qty:	2
Samples Intact:	Yes	Trip Blank Type:	HCl
Missing Samples:	No	Air Quality Samples Present:	No
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

VOA Vial IDs (Headspace \geq 6mm): MW-206, Tripblank

Unpacked by Nicole Reiff (25684) at 15:11 on 06/22/2018

Samples Chilled Details

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	DT146	2.2	DT	Wet	Y	Bagged	N
2	DT146	1.7	DT	Wet	Y	Bagged	N
3	DT146	4.4	DT	Wet	Y	Bagged	N
4	DT146	2.1	DT	Wet	Y	Bagged	N

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

BMQL	Below Minimum Quantitation Level	mL	milliliter(s)
C	degrees Celsius	MPN	Most Probable Number
cfu	colony forming units	N.D.	non-detect
CP Units	cobalt-chloroplatinate units	ng	nanogram(s)
F	degrees Fahrenheit	NTU	nephelometric turbidity units
g	gram(s)	pg/L	picogram/liter
IU	International Units	RL	Reporting Limit
kg	kilogram(s)	TNTC	Too Numerous To Count
L	liter(s)	µg	microgram(s)
lb.	pound(s)	µL	microliter(s)
m3	cubic meter(s)	umhos/cm	micromhos/cm
meq	milliequivalents	MCL	Maximum Contamination Limit
mg	milligram(s)		
<	less than		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value \geq the Method Detection Limit (MDL or DL) and $<$ the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column $>40\%$. The lower result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column $>100\%$. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

Arcadis U.S., Inc.

1100 Olive Way

Suite 800

Seattle, Washington 98101

Tel 206 325 5254

Fax 206 325 8218

www.arcadis.com

A decorative graphic consisting of three thin orange lines. One line is horizontal, extending across the bottom of the page. Two other lines are diagonal, starting from the bottom left and extending towards the top right, crossing the horizontal line.