



REPORT

Groundwater Monitoring November 2018 Bear Creek Village Shopping Center

Submitted to:

TMT Bear Creek Shopping Center, Inc.

c/o JSH Properties, Inc.
7325 166th Ave NE, Suite F260
Redmond, WA 98052

Submitted by:


Golder Associates Inc.

18300 NE Union Hill Road, Suite 200 Redmond, Washington, USA 98052

+1 425 883-0777

1525393-18.200

February 25, 2019



Distribution List

1 PDF Courtney Klein, JSH Properties

1 Copy Grant Yang, Department of Ecology, Bellevue

1 Copy Amanda Blazer, City of Redmond

Table of Contents

1.0	INTRODUCTION	1
1.1	Site Description	1
1.2	Purpose and Scope	1
2.0	BACKGROUND	1
2.1	Previous Environmental Investigations	1
2.2	Independent Remedial Actions	2
2.3	Groundwater Monitoring Frequency	2
3.0	NOVEMBER 2018 GROUNDWATER SAMPLING	3
3.1	Groundwater Investigation Methods	3
3.2	Water Level Measurements and Groundwater Flow Direction	3
3.3	Groundwater Quality	4
3.3.1	Perchloroethylene	4
3.3.2	Trichloroethene	4
3.3.3	Cis-1,2-Dichloroethene	4
3.3.4	Vinyl Chloride	5
3.3.5	1,3-Dichlorobenzene	5
3.3.6	Seasonal Fluctuation	5
4.0	CONCLUSIONS AND RECOMMENDATIONS	6
4.1	Findings and Conclusions	6
4.2	Recommendations	6
5.0	CLOSING	6
6.0	REFERENCES	8

TABLES

Table 1: November 2018 Groundwater Analytical Results

Table 2: Historical Groundwater Analytical Results

Table 3: Historical Groundwater Elevations

FIGURES

Figure 1: Site Location Map

Figure 2: Groundwater Monitoring Well Locations

Figure 3: Groundwater Elevations, November 2018 Groundwater Monitoring

Figure 4: Groundwater Concentrations – Southeast Area November 2018 Groundwater Monitoring

Figure 5: MW-2 HVOC Detections Over Time

Figure 6: MW-3 HVOC Detections Over Time

Figure 7: MW-4 HVOC Detections Over Time

Figure 8: MW-10 and MW-10A HVOC Detections Over Time

Figure 9: MW-13 HVOC Detections Over Time

Figure 10: PCE Detections Over Time

Figure 11: TCE Detections Over Time

Figure 12: Vinyl Chloride Detections Over Time

APPENDICES

APPENDIX A

Sample Integrity Data Sheets

APPENDIX B

Laboratory Analytical Reports

1.0 INTRODUCTION

This report presents the results of groundwater monitoring conducted by Golder Associates Inc. (Golder) at the Bear Creek Village Shopping Center during the month of November 2018.

1.1 Site Description

The site is currently developed as a shopping center known as the Bear Creek Village Shopping Center, located at 17100 - 17262 Redmond Way, in Redmond, King County, Washington (site). Figure 1 depicts the location of the site on a United States Geological Survey (USGS) topographic map. The existing shopping center development was constructed in phases in approximately 1969, 1977, and 1985. Before the existing shopping center, the site was agricultural land with several houses, outbuildings, and a small warehouse complex along the northern side. The shopping center includes two core building complexes, one stand-alone multi-tenant retail-strip building, and three pad buildings (Taco Time, Jiffy Lube [previously Q-Lube], and O'Reilly Auto Parts [previously Schuck's]). Paved parking areas and limited landscaped areas comprise the remaining area. A dry cleaning establishment known as Bear Creek Cleaners formerly operated on the site. Bear Creek Cleaners was located at the southeastern portion of the site and is the focus of this groundwater monitoring program. A brief background on the history of Bear Creek Cleaners and the resulting remedial investigations is provided below in Section 2.0.

1.2 Purpose and Scope

The purpose of this groundwater monitoring was to determine groundwater quality with respect to the presence of halogenated volatile organic compounds (HVOCs) as a result of the former Bear Creek Cleaners operations, and to obtain groundwater elevation data to determine the groundwater flow direction.

The scope of work for this groundwater monitoring included the following:

- Collection of groundwater samples from six on-site groundwater-monitoring wells (MW) (MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13).
- Collection of other data from these wells including groundwater level measurements, pH, conductivity, dissolved oxygen, turbidity, oxidation-reduction potential, and temperature.
- Quality control procedures, including the analysis of a duplicate sample (duplicate collected from MW-3, which was identified with the sample number MW-33), an equipment blank, and a trip blank.
- Analysis of the groundwater and quality control samples for the presence of HVOCs using United States Environmental Protection Agency (EPA) Method 8260C.

2.0 BACKGROUND

2.1 Previous Environmental Investigations

Previous environmental investigations concerning the dry cleaner facility included the following:

- Letter Report – Additional Soil and Groundwater Investigation – Bear Creek Cleaners, Dames & Moore, November 20, 1996.
- Summary Letter of Field Activities at the Bear Creek Cleaners and Q-Lube, Versar Inc., May 21, 1997.

- Memorandum – Preliminary Summary of Results, Delta Environmental Consultants, Inc., September 3, 1997.

2.2 Independent Remedial Actions

An independent remedial action related to the release of perchloroethylene (PCE), also known as tetrachloroethene, from the former Bear Creek Cleaners was conducted in the latter part of 1997 and the early part of 1998. The remedial action is discussed in the following report:

- Report – Voluntary Soil Cleanup – Former Bear Creek Cleaners – Bear Creek Village Shopping Center – Redmond, Washington, Dames & Moore, February 25, 1998.

Previous investigations conducted in 1996 and 1997 indicated the presence of HVOCs, primarily PCE, in soil and groundwater beneath and behind the dry cleaning establishment (Dames & Moore 1996; Versar Inc. 1997; Delta Environmental Consultants, Inc. 1997). Subsequent remedial action and investigation by Dames & Moore during the latter part of 1997 included the excavation of PCE-impacted soil from beneath and behind the dry cleaning establishment and the installation of 12 groundwater-monitoring wells (Dames & Moore 1998). The monitoring wells were placed in various locations at the site for the following reasons:

- To determine the extent of HVOC-impacted groundwater around the dry cleaning establishment.
- To determine background groundwater quality to identify any HVOC-impacted groundwater coming from off-site sources or leaving the site.
- To assess the possible presence of petroleum hydrocarbons in groundwater near the Jiffy Lube facility.

Dames & Moore sampled groundwater from the monitoring wells on October 22, 1997 (Dames & Moore 1998). Analytical results for these samples (using EPA Method 8021B) indicated the presence of PCE and other HVOCs in groundwater along the eastern margin of the shopping center property. No petroleum hydrocarbons were detected in groundwater at the Jiffy Lube facility.

2.3 Groundwater Monitoring Frequency

Groundwater monitoring occurred at the site on a quarterly schedule from February 1999 through September 2005. ATC Associates Inc. (ATC) performed quarterly monitoring from February 1999 through March 2000.

Two additional monitoring wells, MW-13 and MW-14, were installed by ATC in June 1999.

No sampling of groundwater was conducted during June 2000 due to changing consultants from ATC to Golder. Written notification of this change was submitted to the Washington State Department of Ecology (Ecology) in a letter dated September 7, 2000.

Quarterly groundwater monitoring resumed in September 2000 with the sampling of MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13 (in addition to water level monitoring in MW-1, MW-5, MW-6, and MW-14) Golder performed quarterly monitoring from 2000 through September 2005.

After the September 2005 sampling event, the sampling frequency was reduced from quarterly to semi-annually. On behalf of the property owner, Golder provided notice to Ecology regarding the change in sampling frequency (Golder 2005). The semi-annual sampling has been continued from March 2006 through to the most recent November 2018 sampling event.

The November 2018 analytical results are presented in Table 1. Historical analytical results for groundwater sampling conducted since 1999 are summarized in Table 2. A narrative of historical sampling activities was provided in previous monitoring reports.

3.0 NOVEMBER 2018 GROUNDWATER SAMPLING

3.1 Groundwater Investigation Methods

On November 28, 2018, Golder sampled groundwater from six groundwater monitoring wells (MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13). The wells were purged and sampled in accordance with EPA low-flow sampling guidelines. Figure 2 depicts the location of all pertinent on-site monitoring wells. Sampling conditions and data collected during the monitoring event were recorded on the Sample Integrity Data Sheets (SIDS) contained in Appendix A. The following methods and procedures were used in collecting the groundwater samples:

- Depth to groundwater was measured in all on-site wells (MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-9, MW-10A, MW-13, and MW-14) prior to purging and sampling. Water levels were recorded on the SIDS. Table 3 presents depth to water measurements and elevations. Figure 3 depicts groundwater elevations and contours.
- Dedicated tubing is located in all groundwater-monitoring wells and is replaced as needed. Each well was slowly purged of water at a rate of approximately 160 to 230 milliliters (mL) per minute using a peristaltic pump connected to the dedicated tubing.
- Field parameters of temperature, pH, conductivity, turbidity, dissolved oxygen, and oxidation-reduction potential were measured and recorded during purging at approximate 5-minute intervals until parameters were stable. All field parameters were recorded on the SIDS (Appendix A).
- Upon completion of purging, groundwater samples were collected by directly capturing groundwater in three 40-mL vials pre-preserved with hydrochloric acid. The 40-mL VOA vials were sealed with septa-lined caps and sealed void of air bubbles. The samples were labeled, and placed in a cooler with ice.
- For quality control purposes, a duplicate sample and equipment blank were collected. The duplicate sample was collected from MW-3, which was identified with the sample label MW-33. The equipment blank was collected after sampling at MW-10A.
- The collected samples were transported to OnSite Environmental Inc. in Redmond, Washington for chemical analysis on the same day as sample collection, following chain-of-custody protocols.

All groundwater and quality control samples were analyzed for the presence of HVOCs using EPA Method 8260C. The results of the field duplicate (MW-33) performed at MW-3 and the equipment blank were within acceptable limits and no quality assurance/quality control concerns were indicated. Results for the duplicate are included in Table 2 as bracketed results associated with MW-3. Figure 4 depicts the detected HVOC concentrations for the wells sampled in November 2018. Figures 5 through 9 depict the detected concentrations of HVOCs for each well over time.

3.2 Water Level Measurements and Groundwater Flow Direction

Static groundwater levels were measured in September and October 2018 and it was determined that there was not enough water in the wells to accommodate sampling. Static groundwater levels were measured in all on-site monitoring wells (including those that are not sampled for HVOCs) on November 28, 2018 for the November 2018

groundwater sampling event. The groundwater levels measured that day (as well as during historical sampling) are summarized in Table 3. Groundwater elevations on the site are generally at their highest levels during the wetter winter/spring months and lower during the drier summer/fall months. The November 2018 sampling event groundwater levels were similar to previous Fall events and the seasonal trend remained consistent with previous events.

The groundwater elevation contour map for November 28, 2018 data is presented in Figure 3. There is some variability in groundwater flow direction across the site, but the inferred groundwater flow direction is generally west or northwesterly, away from Bear Creek, which suggests that Bear Creek loses water to the aquifer. The groundwater gradient measured on November 28, 2018 is generally consistent with historical monitoring results. Low groundwater elevations are observed in MW-4 and MW-10A compared with elevation in surrounding wells. Possible causes for the low groundwater elevations could be from excavations in the area during cleanup actions or storm water pipe installations. Further evaluation is needed to understand the low groundwater elevation anomalies. MW-4 and MW-10A values were not used in contouring for Figure 3.

3.3 Groundwater Quality

The groundwater analytical data for PCE, and PCE's HVOC degradation compounds [trichloroethene (TCE), 1,3-Dichlorobenzene, cis-1,2-dichloroethene (cis-1,2-DCE), and vinyl chloride] detected in this round of sampling are summarized in Table 1. Table 2 contains the historical sampling results. Appendix B contains a copy of the laboratory analytical data report. The HVOC concentrations detected during this round of sampling are depicted in Figure 4. Groundwater HVOC concentrations and elevations with respect to time for MW-2, MW-3, MW-4, MW-10/10A, and MW-13 are depicted in Figures 5, 6, 7, 8, and 9 for the last 18 years.

PCE or its degradation compounds were detected in five of the six monitoring wells sampled during this period. All four wells with PCE or degradation compound detections were located on the eastern side of the former dry cleaner facility (MW-2, MW-3, MW-4, MW-10A, and MW-13).

3.3.1 Perchloroethylene

PCE was detected in MW-2 and MW-13 at concentrations of 2.2 micrograms per liter ($\mu\text{g/L}$), and 4.0 $\mu\text{g/L}$, respectively. The practical quantitation limit, or PQL, is 0.20 $\mu\text{g/L}$. PCE concentrations did not exceed the Model Toxics Control Act (MTCA) Method A Cleanup Level of 5.0 $\mu\text{g/L}$ in any wells during the November 2018 sampling event. Perchloroethylene has not been detected in MW-9 for period of record. Concentrations of PCE in MW-2 have been less than the MTCA cleanup level for the past ten sampling events (since September 2012). Figure 10 depicts the PCE detections for all of the routinely sampled wells since 1999. This figure shows an overall decline of PCE concentrations over time across the site. The PCE trend of MW-13 has shown a slight decline since 2015.

3.3.2 Trichloroethene

TCE was detected at concentrations greater than the PQL (0.20 $\mu\text{g/L}$) in MW-13 at a concentration of 2.5 $\mu\text{g/L}$. TCE concentrations did not exceed the MTCA Method A Cleanup Level of 5.0 $\mu\text{g/L}$ in any of the sampled wells. Figure 11 depicts the TCE detections for MW-2, MW-3, MW-4, MW-10A, and MW-13 since 1997. TCE has never been detected in MW-9. This figure shows an overall decline of TCE concentrations over time across the site. MW-13 has a slight increasing TCE trend since 2011 with seasonal fluctuations.

3.3.3 Cis-1,2-Dichloroethene

Cis-1,2-DCE was detected at concentrations greater than the PQL (0.20 $\mu\text{g/L}$) in four of the six sampled wells (MW-3, MW-4, MW-10A, and MW-13) at concentrations of 0.27, 5.2, 3.7, and 0.64 $\mu\text{g/L}$, respectively. The

concentrations of cis-1,2-DCE detected during the November 2018 sampling event were less than the current MTCA Method B Cleanup Level of 16 µg/L in all wells. Cis-1,2-DCE has never been detected at a concentration exceeding the current or historical (80 µg/L) MTCA Method B Cleanup Level in effect in any of the wells. Cis-1,2-DCE was detected in MW-9 during the 2002 sampling periods, but not during previous or subsequent sampling periods.

3.3.4 Vinyl Chloride

Vinyl chloride was detected at concentrations greater than the PQL of 0.2 µg/L in MW-10A at a concentration of 0.32 µg/L during the November 2018 sampling event. The concentration of vinyl chloride detected during the November 2018 sampling event was greater than the MTCA Method A Cleanup Level of 0.2 µg/L. Figure 12 depicts the vinyl chloride detections for MW-2, MW-3, MW-4, MW-10A, and MW-13 since 1997. Vinyl chloride has never been detected in MW-9. With the exception of MW-10A, this figure shows an overall site-wide decline of vinyl chloride concentrations.

3.3.5 1,3-Dichlorobenzene

1,3-Dichlorobenzene was not detected in any of the groundwater samples, or equipment blank samples, collected during the November 2018 event. During the September 2007, March 2008, and more recently in the September 2011 event, 1,3-Dichlorobenzene was detected at concentrations greater than the PQL (0.20 µg/L) in groundwater samples. The detection of this compound during the 2007, 2008, and 2011 events is attributed to the degradation of the dedicated tubing located in the monitoring wells at that time. The dedicated tubing in all wells was replaced before the September 2008 and March 2012 events and as a result, 1,3-Dichlorobenzene was not detected in any of the groundwater samples or equipment blank samples in subsequent sampling events.

3.3.6 Seasonal Fluctuation

Figures 5, 6, 7, 8, and 9 depict the groundwater levels along with the detected HVOC concentrations for each well over time. These figures show that groundwater levels fluctuate seasonally and some of the HVOC concentrations appear to fluctuate as well. For example, concentrations of TCE and cis-1,2-DCE in MW-2 appear to be inversely proportional to the groundwater levels such that when the groundwater is at its lowest point (typically during the September sampling events) the TCE and cis-1,2-DCE concentrations are at their highest (Figure 5). During high groundwater levels, the concentrations of TCE and cis-1,2-DCE appear to be below detection limits. This trend was also occurring in MW-4 for cis-1,2-DCE until the September 2007 sampling event when a potential increase in degradation of PCE seems to have occurred, as indicated by the drop in PCE accompanied by an increase in TCE and cis-1,2-DCE concentrations (Figure 7). The degradation rate seems to have leveled off around March 2011 and the seasonal fluctuations seen before have returned.

PCE concentrations appear to be directly proportional to the seasonal variations in groundwater levels such that when groundwater levels are high, the PCE concentrations are high, and when groundwater levels decrease, the PCE concentrations decrease as well. This seasonal fluctuation is most notable in wells MW-13 (Figure 9) and until recently MW-4 (Figure 7). Conversely, PCE and TCE concentrations in MW-4 have been high during low groundwater levels since 2016. The evaluation of HVOC concentration trends will continue to be evaluated in future monitoring event reports.

4.0 CONCLUSIONS AND RECOMMENDATIONS

4.1 Findings and Conclusions

The findings and conclusions of this Groundwater Monitoring Report are summarized as follows:

- During the November 2018 sampling event, there were no detections of any of the constituents of concern (COCs) exceeding MTCA Method A Cleanup Levels, with only one exception; MW-10A had a detection of vinyl chloride exceeding the MTCA Method A Cleanup Level.
- The current results indicate an overall decrease in PCE concentrations has occurred in MW-2, MW-4, MW-10A, and MW-13 since March 2007. PCE has not exceeded the MTCA cleanup level in any of the wells since 2012. PCE has not been detected in MW-10A since the March 2007 sampling event.
- The review of the last five years of groundwater monitoring results indicate that the rate of biodegradation of HVOCs appears to have slowed down, i.e. the decrease in concentrations of HVOCs has levels off to some degree, particularly MW-2 and MW-13.

4.2 Recommendations

Based on the findings and conclusions of the November 2018 groundwater monitoring period, the following recommendations are made:

- The sampling program at the site will continue on the semi-annual sampling schedule (typically March and September) until two consecutive monitoring events below MTCA cleanup levels are achieved at which time the frequency will be increased to quarterly sampling to confirm that results are clean during all seasons of the year. Thus, the next routine semi-annual monitoring event should be scheduled for March 2019.
- The wells sampled during the next groundwater monitoring event should include MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13, for the following reasons:
 - Sampling of all six wells should continue in order to confirm trends in HVOC concentrations and to support the goal of four consecutive sampling periods with HVOC concentrations that are less than MTCA Method A Cleanup Levels.
 - Sampling of MW-9 should continue because it represents the nearest down-gradient well from the former dry cleaner facility.

5.0 CLOSING

Golder is pleased to continue working with you on the Bear Creek Village Shopping Center project. If you have any questions regarding this report, please feel free to contact Eric Adams at (425) 883-0777.

Golder Associates Inc.



Eric Adams

Project Hydrogeologist



Ted Norton

Senior Consultant/Associate

EA/TJN/sb

Golder and the G logo are trademarks of Golder Associates Corporation

6.0 REFERENCES

Dames & Moore. 1996. Additional Soil and Groundwater Investigation - Bear Creek Cleaners. November 20.

Dames & Moore. 1998. Voluntary Soil Cleanup – Former Bear Creek Cleaners – Bear Creek Village Shopping Center – Redmond, Washington. February 25.

Delta Environmental Consultants, Inc. 1997. Memorandum - Preliminary Summary of Results. September 3.

Golder Associates Inc. (Golder). 2005. Correspondence Re: Notice of Revised Groundwater Monitoring Schedule Bear Creek Village Shopping Center 17100-17262 Redmond Way, Redmond, Washington. Prepared for Ching-Pi Wang, Washington State Department of Ecology. November 29.

Versar Inc. 1997. Summary Letter of Field Activities at the Bear Creek Cleaners and Q-Lube. May 21.

<https://golderassociates.sharepoint.com/sites/28608g/deliverables/x200/final/152539318-r-rev0-nov 2018 bear creek mon-022519.docx>

TABLES

Table 1: November 2018 Groundwater Analytical Results

Analytes	Cleanup Level	Units	Monitoring Well						
			MW-2	MW-3	MW-4	MW-9	MW-10A	MW-13	MW-33*
PCE	5.0 (A)	µg/L	2.2	ND	ND	ND	ND	4.0	ND
TCE	5.0 (A)	µg/L	ND	ND	ND	ND	ND	2.5	ND
VC	0.2 (A)	µg/L	ND	ND	ND	ND	0.32	ND	ND
cis-1,2-DCE	16 (B)	µg/L	ND	0.27	5.2	ND	3.7	0.64	0.25
1,3-DCB	---	µg/L	ND	ND	ND	ND	ND	ND	ND
Groundwater Elevation		ft amsl	39.15	34.93	31.98	32.19	31.11	39.37	34.93

Notes:

cis-1,2-DCE = *cis*-1,2-Dichloroethene

PCE = Perchloroethylene = Tetrachloroethene

1,3-DCB = 1,3-Dichlorobenzene

TCE = Trichloroethene

VC = Vinyl Chloride

ND = indicates sample was not detected above the laboratory analytical detection limit.

(A) = MTCA Method A Cleanup Level (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC).

(B) = MTCA Method B formula value (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC and Model Toxics Control Act Cleanup Levels and Risk Calculations - February 1996).

Analytical results in parentheses represent duplicate samples.

Bold Italic = indicates the analytical result exceeds the MTCA Method A or B Cleanup Level.

* Duplicate sample collected at MW-3.

Groundwater elevation determined using the surveyed elevation (NAVD 88 datum) of the top of each well casing.

Elevations given in feet above mean sea level.

Table 2: Historical Groundwater Reuslts

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis -1,2-DCE
MW-2	10/22/1997	36.7	2.23	ND	7.52
	2/19/1999	270	6	ND	6
	6/29/1999	ND	ND	ND	ND
	9/15/1999	51	ND	ND	ND
	12/14/1999	150	ND	ND	ND
	3/22/2000	39	ND	ND	ND
	9/27/2000	41	ND	ND	ND
	12/20/2000	34	ND	ND	ND
	3/29/2001	82	2.3	ND	3
	6/14/2001	51	1.7	ND	0.42
	9/12/2001	36	3.8	0.22	3.3
	12/18/2001	50	1.2	ND	0.33
	3/26/2002	17 (18)	0.46 (0.45)	ND	0.31 (0.37)
	6/10/2002	21 (21)	8.6 (7.0)	ND (ND)	2.6 (2.4)
	9/12/2002	4.4	ND	ND	ND
	12/9/2002	4.8	0.46	ND	0.33
	3/13/2003	11	1.2	ND	1.1
	6/17/2003	11	2.1	0.47	3
	9/9/2003	*	*	*	*
	12/9/2003	30 (28)	0.63 (0.68)	ND	ND
	3/10/2004	17	0.6	ND	ND
	6/9/2004	5.2	3.6	ND	2.3
	9/22/2004	11	5.2	ND	3.6
	12/13/2004	19	0.35	ND	ND
	3/23/2005	10	2.1	ND	1.5
	6/20/2005	13	0.74	ND	ND
	9/8/2005	4.5	5.4	ND	6.2
	3/6/2006	16	0.33	ND	ND
	9/21/2006	6.1	3.6	ND	3.6
	3/16/2007	14	0.47	ND	0.28
	9/13/2007	8.8	4.4	ND	4.5
	2/28/2008	9.6	0.22	ND	ND
	9/8/2008	8.6 (8.1)	1.9 (1.9)	ND	0.96 (1.0)
	3/24/2009	11(11)	0.38 (0.28)	ND	ND
	9/18/2009	5.2	4	ND	6.4
	5/18/2010	6	ND	ND	ND
	10/7/2010	8.3	1.3	ND	1.1
	3/23/2011	7.9	ND	ND	ND
	9/8/2011	7.2	1.5	ND	1.2
	3/23/2012	7.0	ND	ND	ND
	9/14/2012	5.3	0.74	ND	0.52
	3/28/2013	2.8	ND	ND	ND
	9/4/2013	4.4	0.70	ND	0.53
	4/4/2014	3.3	ND	ND	ND
	9/23/2014	2.9	0.73	ND	1.7
	3/17/2015	2.6	ND	ND	ND
	9/28/2015	1.2	0.54	ND	6.2
	6/15/2016	2.3	0.2	ND	ND
	9/27/2016	1.6	0.47	ND	4.4
	3/29/2017	0.6	ND	ND	ND
	9/14/2017	*	*	*	*
	3/27/2018	0.57	ND	ND	ND
	11/28/2018	2.2	ND	ND	ND

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis -1,2-DCE
MW-3	10/22/1997	ND	ND	ND	1.09
	2/19/1999	28	11	7	18
	6/29/1999	12	8	4	8
	9/15/1999	ND	10	ND	10
	12/14/1999	12	8	10	14
	3/22/2000	7	5	ND	7
	9/27/2000	ND	ND	ND	12
	12/20/2000	2	ND	ND	8
	3/29/2001	3.8	4.5	3.3	8.5
	6/14/2001	3.8	4.6	1.5	4.1
	9/12/2001	ND	1.4	0.79	6.2
	12/18/2001	1.8	5.7	0.98	5.2
	3/26/2002	0.39	1.5	0.9	3.5
	6/10/2002	ND	0.95	0.96	3.3
	9/10/2002	0.23	1.3	0.74	4.3
	12/9/2002	ND	0.55	0.74	2.6
	3/13/2003	ND	0.5(0.50)	0.45(0.45)	2.7(2.7)
	6/17/2003	ND	0.22	0.53	3
	9/9/2003	ND	ND	0.36	2.7
	12/9/2003	ND	0.45	0.33	3.1
	3/11/2004	ND	0.48	0.42	1.8
	6/9/2004	ND	ND	0.35	1.9
	9/22/2004	ND	ND	0.51	2.0
	12/13/2004	ND	0.25	0.31	2.4
	3/23/2005	ND	ND	0.28	2.0
	6/20/2005	ND	ND	ND	1.2 (1.3)
	9/8/2005	ND	ND	0.23	1.1
	3/16/2007	ND	ND	ND	0.88
	9/13/2007	ND	ND	ND	0.62
	2/28/2008	ND	ND	0.22	0.88
	9/8/2008	ND	ND	ND	0.47
	3/24/2009	ND	ND	ND	0.56
	9/18/2009	ND	ND	ND	0.72 (0.73)
	5/18/2010	ND	ND	ND	0.48 (0.52)
	10/7/2010	ND	ND	ND	0.36
	3/23/2011	ND	ND	ND	0.41
	9/8/2011	ND	ND	ND	0.32
	3/23/2012	ND	ND	ND	0.53
	9/14/2012	ND	ND	ND	0.24
	3/28/2013	ND	ND	ND	0.35
	9/4/2013	ND	ND	ND	0.34
	4/4/2014	ND	ND	ND	0.38
	9/23/2014	ND	ND	ND	0.23
	3/17/2015	ND	ND	ND	0.41
	9/28/2015	ND	ND	ND	0.31
	6/15/2016	ND	ND	ND	0.27
	9/27/2016	*	*	*	*
	3/29/2017	ND	ND	ND	0.29
	9/14/2017	*	*	*	*
	3/27/2018	ND (ND)	ND (ND)	ND (ND)	ND (ND)
	11/28/2018	ND (ND)	ND (ND)	ND (ND)	0.27 (0.25)

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis -1,2-DCE
MW-4	10/22/1997	11.8	5.99(0.50)	1.9	6.84
	2/19/1999	74	17	16	26
	6/29/1999	60	16	14	14
	9/15/1999	42	19	19	16
	12/14/1999	38	14	12	12
	3/22/2000	36	9	ND	8
	9/27/2000	16	12	8	14
	12/20/2000	16	8	ND	8
	3/29/2001	11	7.5	2.8	5.1
	6/14/2001	6.8	6.1	1	2.1
	9/12/2001	8.3	6.8	1.3	5.7
	12/18/2001	12	6.3	1.7	3.4
	3/26/2002	5.1	2.4	ND	1.1
	6/10/2002	5.7	2.7	0.57	2
	9/12/2002	5.4	3.9	0.66	3.4
	12/9/2002	5	3	1.6	2.9
	3/13/2003	6.3	1.8	ND	0.71
	6/17/2003	2.7	2.6	0.69	4.4
	9/9/2003	3.5	2.8	0.42	3.2
	12/9/2003	5.7	2.5	0.37	2.9
	3/11/2004	4.1	1.8	0.23	2.0
	6/9/2004	1.8	2.2	0.33	2.4
	9/22/2004	1	1.4	0.68	2.1
	12/13/2004	3.8	1.3	ND	0.93
	3/23/2005	2.2	1.0	ND	1.5
	6/20/2005	0.74	0.93	0.57	2.1
	9/8/2005	0.64 (0.65)	0.88 (0.88)	ND (ND)	2.3 (2.3)
	3/6/2006	1.5 (1.4)	1.2 (1.3)	0.36 (0.33)	0.82 (0.85)
	9/21/2006	0.99 (0.85)	1.1 (1.1)	0.22 (0.25)	1.7 (2.1)
	3/16/2007	2.6 (2.7)	1.7 (1.7)	ND (ND)	1.2 (1.2)
	9/13/2007	0.68 (0.63)	0.65 (0.71)	ND (ND)	1.2 (1.3)
	2/28/2008	0.73 (0.72)	0.64 (0.61)	0.2 (ND)	1.1 (1.1)
	9/8/2008	0.23	2.2	ND	4.6
	3/24/2009	0.56	2.9	ND	4.8
	9/18/2009	ND	1.2	ND	8.8
	5/18/2010	0.27	1.6	ND	6.9
	10/7/2010	ND	0.52	ND	2.4
	3/23/2011	0.46	0.48	ND	0.66
	9/8/2011	0.23 (0.25)	0.52 (0.58)	ND (ND)	5.6 (5.1)
	3/23/2012	0.36 (0.34)	0.58 (0.57)	ND (ND)	0.48 (0.47)
	9/14/2012	ND (ND)	0.23 (0.29)	ND (ND)	5.4 (6.1)
	3/28/2013	ND (ND)	0.63 (0.62)	ND (ND)	3.4 (3.5)
	9/4/2013	ND (ND)	0.21 (0.21)	ND (ND)	6.8 (6.7)
	4/4/2014	0.31 (0.29)	0.37 (0.36)	ND (ND)	0.83 (0.85)
	9/23/2014	ND (ND)	ND (ND)	ND (ND)	3.8 (3.9)
	3/17/2015	ND (ND)	0.32 (0.34)	ND (ND)	5.1 (5.4)
	9/28/2015	ND (ND)	ND (ND)	ND (ND)	4.6 (4.6)
	6/15/2016	ND (ND)	ND (ND)	ND (ND)	6.0 (5.7)
	9/27/2016	0.42 (0.37)	1.1 (1.1)	ND (ND)	5.5 (5.5)
	3/29/2017	ND (ND)	0.35 (0.36)	ND (ND)	3.6 (3.8)
	9/14/2017	1.4 (1.5)	3.0 (3.0)	ND (ND)	8.0 (8.1)
	3/27/2018	ND	ND	ND	2.4
	11/28/2018	ND	ND	ND	5.2

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis -1,2-DCE
MW-9	10/22/1997	ND	ND	ND	ND
	2/19/1999	ND	ND	ND	ND
	6/29/1999	ND	ND	ND	ND
	9/15/1999	ND	ND	ND	ND
	12/14/1999	ND	ND	ND	ND
	3/22/2000	ND	ND	ND	ND
	9/28/2000	ND	ND	ND	ND
	12/20/2000	ND	ND	ND	ND
	3/28/2001	ND	ND	ND	ND
	6/14/2001	ND	ND	ND	ND
	9/12/2001	ND	ND	ND	ND
	12/18/2001	ND	ND	ND	ND
	3/26/2002	ND	ND	0.21	0.44
	6/10/2002	ND	ND	ND	0.21
	9/10/2002	ND	ND	ND	0.46
	12/9/2002	ND	ND	ND	0.26
	3/13/2003	ND	ND	ND	ND
	6/18/2003	ND	ND	ND	ND
	9/9/2003	ND	ND	ND	ND
	12/9/2003	ND	ND	ND	ND
	3/10/2004	ND	ND	ND	ND
	6/9/2004	ND	ND	ND	ND
	9/22/2004	ND	ND	ND	ND
	12/13/2004	ND	ND	ND	ND
	3/23/2005	ND	ND	ND	ND
	6/20/2005	ND	ND	ND	ND
	9/8/2005	ND	ND	ND	ND
	3/6/2006	ND	ND	ND	ND
	9/21/2006	ND	ND	ND	ND
	3/16/2007	ND	ND	ND	ND
	9/13/2007	ND	ND	ND	ND
	2/28/2008	ND	ND	ND	ND
	9/8/2008	ND	ND	ND	ND
	3/24/2009	ND	ND	ND	ND
	9/18/2009	ND	ND	ND	ND
	5/18/2010	ND	ND	ND	ND
	10/7/2010	ND	ND	ND	ND
	3/23/2011	ND	ND	ND	ND
	9/8/2011	ND	ND	ND	ND
	3/23/2012	ND	ND	ND	ND
	9/14/2012	ND	ND	ND	ND
	3/28/2013	ND	ND	ND	ND
	9/4/2013	ND	ND	ND	ND
	4/4/2014	ND	ND	ND	ND
	9/23/2014	ND	ND	ND	ND
	3/17/2015	ND	ND	ND	ND
	9/28/2015	ND	ND	ND	ND
	6/15/2016	ND	ND	ND	ND
	9/27/2016	ND	ND	ND	ND
	3/29/2017	ND	ND	ND	ND
	9/14/2017	ND	ND	ND	ND
	3/27/2018	ND	ND	ND	ND
	11/28/2018	ND	ND	ND	ND

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis -1,2-DCE
MW-10	10/22/1997	ND	ND	1.39	2.53
	2/19/1999	67	14	ND	22
	6/29/1999	30	14	ND	11
	9/15/1999	7	8	ND	7
	12/14/1999	15	14	ND	21
	3/22/2000	17	9	ND	11
	9/28/2000	3	5	ND	5
	12/20/2000	4	ND	ND	6
	3/28/2001	4.2 (4.6)	6.6 (6.2)	2.1 (2.2)	11 (10)
	6/14/2001	4.4	6	0.97	4.6
	9/12/2001	1.1	4.4	1.2	3.6
	12/18/2001	1.8	5.7	0.98	5.2
	3/26/2002	1.1	5.1	0.76	5.1
	6/10/2002	0.28	4.8	0.95	4.5
	9/10/2002	1.3	2	ND	2.4
	12/9/2002	ND	2.5	0.61	4.9
	3/13/2003	ND	2.2	0.22	3.1
	6/18/2003	ND	1.6	0.38	5.7
	9/9/2003	ND	0.84	0.33	1.9
	12/9/2003	0.31	3.6	0.59	7.5
	3/11/2004	ND	2.8	0.53	5.7
	6/9/2004	ND	0.64	1.3	4.4
	9/22/2004	ND	0.94	1.1	3.2
	12/13/2004	ND	0.81	0.51	4.8
MW-10A	3/23/2005	ND	0.62	0.62	4.1
	6/20/2005	0.5	1.5	0.25	3.9
	3/16/2007	1.1	1.1	0.28	7.10
	9/13/2007	ND	1.5	ND	9.1
	2/28/2008	ND	0.82	0.33	14
	9/8/2008	ND	0.21	0.34	8.7
	3/24/2009	ND	ND	0.24	6.5
	9/18/2009	ND	ND	0.27	5
	5/18/2010	ND	ND	0.52	5.2
	10/7/2010	ND	ND	0.26 (0.21)	6.4 (6.3)
	3/23/2011	ND	ND	ND (ND)	6.8 (6.8)
	9/8/2011	ND	ND	0.43	4.1
	3/23/2012	ND	ND	0.21	4.5
	9/14/2012	ND	ND	ND	4.1
	3/28/2013	ND	ND	ND	4.7
	9/4/2013	ND	ND	0.54	5.9
	4/4/2014	ND	ND	ND	4.2
	9/23/2014	ND	ND	0.39	5.5
	3/17/2015	ND	ND	0.65	5.9
	9/28/2015	ND	ND	0.41	3.7
	6/15/2016	ND	ND	0.91	5.8
	9/27/2016	ND	ND	0.37	3.2
	3/29/2017	ND	ND	0.59	3.8
	9/14/2017	ND	ND	0.29	2.3
	3/27/2018	ND	ND	1.3	3.7
	11/28/2018	ND	ND	0.32	3.7

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis -1,2-DCE
MW-13	6/29/1999	54	42	ND	45
	9/15/1999	38	35	ND	41
	12/14/1999	53	48	ND	67
	3/22/2000	58	40	ND	28
	9/27/2000	27	19	ND	16
	12/20/2000	24	13	ND	9
	3/28/2001	19	18	0.78	15
	6/14/2001	24	17	0.49	6
	9/12/2001	20	12	ND	4.5
	12/18/2001	26	27	0.44	14
	3/26/2002	24	21	ND	12
	6/11/2002	22	14	ND	6.5
	9/12/2002	14 (12)	11 (9.2)	ND (0.24)	5.8 (4.6)
	12/9/2002	10 (10)	6.5 (6.6)	0.30 (0.29)	2.8 (2.7)
	3/13/2003	12	9.3	0.27	3.8
	6/18/2003	10	6.8	ND	4.3
	9/9/2003	10	6.7	ND	1.9
	12/9/2003	12	7.2	ND	2.7
	3/10/2004	16 (15)	7.7 (7.4)	ND	2.2 (2.2)
	6/9/2004	7.9	5.9	ND	2.3
	9/22/2004	11(11)	7.7 (7.8)	ND (ND)	2.7 (2.7)
	12/13/2004	9.7	5.9	ND	2.3
	3/23/2005	8.0	5.1	ND	1.7
	6/20/2005	4.9	3.1	ND	1.0
	9/8/2005	5.0	3.9	ND	1.5
	3/6/2006	8.2	3.5	ND	0.78
	9/21/2006	4.2	2.8	ND	0.67
	3/16/2007	6.8	3.1	ND	0.81
	9/13/2007	3.1	2.2	ND	0.59
	2/28/2008	5.7	1.4	ND	0.35
	9/8/2008	1.8	2.4	ND	0.57
	3/24/2009	4.3	1.4	ND	0.47
	9/18/2009	2	2.2	ND	0.66
	5/18/2010	4	1.4	ND	0.37
	10/7/2010	1.9	2.5	ND	0.66
	3/23/2011	4.8	1	ND	ND
	9/8/2011	1.5	2.2	ND	0.47
	3/23/2012	4.5	2.1	ND	0.55
	9/14/2012	1.5	2	ND	0.51
	3/28/2013	4.1	2.7	ND	0.87
	9/4/2013	3.1	3.4	ND	1.4
	4/4/2014	4.4	2.2	ND	0.54
	9/23/2014	3.7	3.8	ND	1.1
	3/17/2015	3.5	2.9	ND	1.2
	9/28/2015	4.3	3.6	ND	1.1
	6/15/2016	3	3.4	ND	0.74
	9/27/2016	3.2	3.9	ND	1.1
	3/29/2017	3.6	2.3	ND	0.49
	9/14/2017	1.2	5.1	ND	1.5
	3/27/2018	2.9	2	ND	0.46
	11/28/2018	4	2.5	ND	0.64

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis -1,2-DCE
MW-1	10/22/1997	ND	ND	7.7	25.2
	2/19/1999	ND	ND	ND	ND
	6/29/1999	ND	ND	ND	ND
	9/15/1999	ND	ND	ND	ND
	12/14/1999	ND	ND	ND	ND
	3/22/2000	ND	ND	ND	ND
MW-5	10/22/1997	1.58	2.55	ND	ND
	2/19/1999	ND	ND	ND	ND
	6/29/1999	ND	ND	ND	ND
	9/15/1999	ND	ND	ND	ND
	12/14/1999	ND	ND	ND	ND
MW-6	10/22/1997	ND	ND	ND	ND
	2/19/1999	ND	ND	ND	ND
MW-7	10/22/1997	ND	ND	ND	ND
	2/18/1999	ND	ND	ND	ND
MW-8	10/22/1997	ND	ND	ND	ND
	2/18/1999	ND	ND	ND	ND
MW-11	10/22/1997	ND	ND	ND	ND
	2/18/1999	ND	ND	ND	ND
MW-12	10/22/1997	ND	ND	ND	ND
	2/19/1999	ND	ND	ND	ND
MW-14	6/29/1999	ND	ND	ND	ND
	9/15/1999	ND	ND	ND	ND
	12/14/1999	ND	ND	ND	ND
	3/22/2000	ND	ND	ND	ND
	9/27/2000	ND	ND	ND	ND
	12/20/2000	ND	ND	ND	ND
	3/28/2001	ND	ND	ND	ND
	6/14/2001	ND	ND	ND	ND
	9/12/2001	ND	ND	ND	ND
MTCA Cleanup Levels		5.0 A	5.0 A	0.2 A	16 B¹

Notes:

Analytical results in parentheses represent duplicate samples.

Bold Italic = indicates the analytical result exceeds the MTCA Method A or B Cleanup Level.

ND = indicates sample was not detected above the laboratory analytical detection limit.

A = MTCA Method A Cleanup Level (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC).

Toxics Control Act Cleanup Levels and Risk Calculations - February 1996).

¹ Current (2014) MTCA Method B value. Historical value was 80 µg/L.

* Groundwater elevation resided beneath the well screen. Sample could not be collected.

cis -1,2-DCE = cis -1,2-Dichloroethene

PCE = Perchloroethylene = Tetrachloroethene

TCE = Trichloroethene

VC = Vinyl Chloride

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-1	10 - 20	43.70	10/22/1997	12.41	31.29	
			1/14/1998	10.06	33.64	
			2/18/1999	8.86	34.84	
			6/29/1999	12.35	31.35	
			9/15/1999	13.45	30.25	
			12/14/1999	9.01	34.69	
			3/22/2000	10.14	33.56	
			9/27/2000	13.59	30.11	
			12/20/2000	12.60	31.10	
			3/29/2001	12.30	31.40	
			6/13/2001	12.06	31.64	
			9/12/2001	13.43	30.27	
			12/17/2001	6.63	37.07	
			3/26/2002	9.82	33.88	
			6/10/2002	11.85	31.85	
			9/10/2002	13.33	30.37	
			12/9/2002	13.80	29.90	
			3/12/2003	11.22	32.48	
			6/17/2003	12.41	31.29	
			9/9/2003	14.02	29.68	
			12/9/2003	9.59	34.11	
			3/10/2004	10.21	33.49	
			6/9/2004	12.85	30.85	
			9/22/2004	12.91	30.79	
			12/13/2004	11.17	32.53	
			3/23/2005	12.55	31.15	
			6/20/2005	10.95	32.75	
			9/8/2005	13.49	30.21	
			3/6/2006	9.89	33.81	
			9/21/2006	12.55	31.15	
			3/16/2007	9.77	33.93	
			9/13/2007	13.26	30.44	
		43.69	2/28/2008	9.68	34.01	New Elevation***
			9/8/2008	NC	NC	
			3/24/2009	9.91	33.78	
			9/18/2009	12.91	30.78	
			5/18/2010	10.01	33.68	
			10/7/2010	12.58	31.11	
			3/23/2011	9.01	34.68	
			9/8/2011	13.03	30.66	
			3/23/2012	8.27	35.42	
		47.39	7/9/2012	---	---	New Elevation****
			9/14/2012	Dry	Dry	
			3/28/2013	10.34	37.05	
			9/4/2013	14.15	33.24	
			4/4/2014	9.27	38.12	
			9/23/2014	12.44	34.95	
			3/17/2015	9.52	37.87	
			9/28/2015	Dry	Dry	
			6/15/2016	11.33	36.06	
			9/27/2016	Dry	Dry	
			3/29/2017	8.65	38.74	
			9/14/2017	Dry	Dry	
			3/27/2018	12.47	34.92	
			9/13/2018	Dry	Dry	
			10/4/2018	Dry	Dry	
			11/28/2018	12.76	34.63	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-2	10 - 20	44.95	10/22/1997	16.70	28.25	
			1/14/1998	11.51	33.44	
			2/18/1999	7.43	37.52	
			6/29/1999	12.97	31.98	
			9/15/1999	15.46	29.49	
			12/14/1999	7.77	37.18	
			3/22/2000	7.77	37.18	
			9/27/2000	16.41	28.54	
			12/20/2000	11.83	33.12	
			3/28/2001	9.67	35.28	
			6/13/2001	9.85	35.10	
			9/12/2001	17.30	27.65	
			12/17/2001	6.42	38.53	
			3/26/2002	7.72	37.23	
			6/10/2002	10.05	34.90	
			9/10/2002	7.11	37.84	
			12/9/2002	15.10	29.85	
			3/12/2003	9.40	35.55	
			6/17/2003	14.94	30.01	
			9/9/2003	below screen	below screen	
			12/9/2003	8.96	35.99	
			3/10/2004	10.42	34.53	
			6/9/2004	12.32	32.63	
			9/22/2004	12.25	32.70	
			12/13/2004	9.45	35.50	
			3/23/2005	10.21	34.74	
			6/20/2005	9.71	35.24	
			9/8/2005	13.20	31.75	
			3/6/2006	8.06	36.89	
			9/21/2006	12.07	32.88	
			3/16/2007	8.00	36.95	
			9/13/2007	12.58	32.37	
		45.01	2/28/2008	8.69	36.32	New Elevation***
			9/8/2008	10.8	34.21	
			3/24/2009	8.85	36.16	
			9/18/2009	13.15	31.86	
			5/18/2010	9.1	35.91	
			10/7/2010	11.17	33.84	
			3/23/2011	7.55	37.46	
			9/8/2011	11.57	33.44	
			3/23/2012	6.97	38.04	
		48.59	7/9/2012	---	---	New Elevation****
			9/14/2012	11.8	36.79	
			3/28/2013	8.01	40.58	
			9/4/2013	11.41	37.18	
			4/4/2014	7.54	41.05	
			9/23/2014	12.25	36.34	
			3/17/2015	7.84	40.75	
			9/28/2015	13.56	35.03	
			6/15/2016	10.18	38.41	
			9/27/2016	13.83	34.76	
			3/29/2017	6.29	42.30	
			9/14/2017	16.93	31.66	
			3/27/2018	8.38	40.21	
			9/13/2018	Dry	Dry	
			10/4/2018	17.2	31.39	
			11/28/2018	9.44	39.15	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-3	10 - 20	45.27	10/22/1997	17.11	28.16	
			1/14/1998	14.26	31.01	
			2/18/1999	12.43	32.84	
			6/29/1999	17.36	27.91	
			9/15/1999	18.70	26.57	
			12/14/1999	12.72	32.55	
			3/22/2000	14.22	31.05	
			9/27/2000	18.72	26.55	
			12/20/2000	17.13	28.14	
			3/28/2001	16.81	28.46	
			6/13/2001	16.82	28.45	
			9/12/2001	18.40	26.87	
			12/17/2001	10.67	34.60	
			3/26/2002	13.52	31.75	
			6/10/2002	16.53	28.74	
			9/10/2002	18.35	26.92	
			12/9/2002	18.12	27.15	
			3/12/2003	15.50	29.77	
			6/17/2003	17.09	28.18	
			9/9/2003	19.30	25.97	
			12/9/2003	13.70	31.57	
			3/10/2004	14.02	31.25	
			6/9/2004	17.46	27.81	
			9/22/2004	17.68	27.59	
			12/13/2004	16.31	28.96	
			3/23/2005	15.04	30.23	
			6/20/2005	16.11	29.16	
			9/8/2005	18.48	26.79	
			3/16/2007	13.15	32.12	
			9/13/2007	17.93	27.34	
			2/28/2008	12.45	32.82	
			9/8/2008	15.15	30.12	
			3/24/2009	13.99	31.28	
			9/18/2009	17.73	27.54	
			5/18/2010	13.96	31.31	
			10/7/2010	16.73	28.54	
			3/23/2011	10.34	34.93	
			9/8/2011	17.47	27.80	
			3/23/2012	9.03	36.24	
		48.91	7/9/2012	---	---	New Elevation****
			9/14/2012	18.41	30.5	
			3/28/2013	10.47	38.44	
			9/4/2013	17.46	31.45	
			4/4/2014	9.34	39.57	
			9/23/2014	15.47	33.44	
			3/17/2015	8.54	40.37	
			9/28/2015	17.56	31.35	
			6/15/2016	12.52	36.39	
			9/27/2016	Dry	Dry	
			3/29/2017	8.80	40.11	
			9/14/2017	Dry	Dry	
			3/27/2018	13.54	35.37	
			9/13/2018	18.40	30.51	
			10/4/2018	17.66	31.25	
			11/28/2018	13.98	34.93	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-4	10 - 20	44.44	10/22/1997	16.18	28.26	
			1/14/1998	13.13	31.31	silted up to 18-19'
			2/18/1999	11.85	32.59	
			6/29/1999	15.44	29.00	
			9/15/1999	17.76	26.68	
			12/14/1999	9.46	34.98	
			3/22/2000	10.50	33.94	
			12/9/2002	15.97	28.47	
			12/20/2000	12.66	31.78	
			3/28/2001	9.64	34.80	
			6/13/01/	9.68	34.76	
			9/12/2001	15.32	29.12	
			12/17/2001	8.42	36.02	
			3/26/2002	8.60	35.84	
			6/10/2002	10.24	34.20	
			9/10/2002	14.40	30.04	
			12/9/2002	15.50	28.94	
			3/12/2003	9.00	35.44	
			6/17/2003	10.53	33.91	
			9/9/2003	13.2	31.24	
			12/9/2003	9.56	34.88	
			3/10/2004	8.46	35.98	
			6/9/2004	11.97	32.47	
			9/22/2004	12.83	31.61	
			12/13/2004	9.86	34.58	
			3/23/2005	16.36	28.08	
			6/20/2005	10.03	34.41	
			9/8/2005	13.53	30.91	
			3/6/2006	8.10	36.34	
			9/21/2006	14.81	29.63	
			3/16/2007	10.45	33.99	
			9/13/2007	14.45	29.99	
		44.32	2/28/2008	10.74	33.58	New Elevation***
			9/8/2008	14.70	29.62	
			3/24/2009	12.80	31.52	
			9/18/2009	16.56	27.76	
			5/18/2010	14.00	30.32	
			10/7/2010	15.48	28.84	
			3/23/2011	10.43	33.89	
			9/8/2011	16.62	27.70	
			3/23/2012	9.02	35.30	
		47.96	7/9/2012	---	---	New Elevation****
			9/14/2012	17.36	30.6	
			3/28/2013	12.08	35.88	
			9/4/2013	17.19	30.77	
			4/4/2014	11.70	36.26	
			9/23/2014	16.66	31.30	
			3/17/2015	12.37	35.59	
			9/28/2015	17.37	30.59	
			6/15/2016	16.47	31.49	
			9/27/2016	18.02	29.94	
			3/29/2017	13.33	34.63	
			9/14/2017	18.33	29.63	
			3/27/2018	16.08	31.88	
			9/13/2018	19.38	28.58	
			10/4/2018	19.15	28.81	
			11/28/2018	15.98	31.98	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-5	10 - 20	44.87	10/22/1997	14.42	30.02	
			1/14/1998	NA	NA	Well not accessible
			2/18/1999	7.69	37.18	
			6/29/1999	10.10	34.77	
			9/15/1999	11.12	33.75	
			12/14/1999	8.06	36.81	
			3/22/2000	8.25	36.62	
			9/27/2000	11.58	33.29	
			12/20/2000	9.84	35.03	
			3/29/2001	9.51	35.36	
			6/13/2001	9.32	35.55	
			9/12/2001	10.63	34.24	
			12/17/2001	6.60	38.27	
			3/26/2002	7.21	37.66	
			6/10/2002	9.65	35.22	
			9/10/2002	9.30	35.57	
			12/9/2002	9.66	35.21	
			3/12/2003	8.38	36.49	
			6/17/2003	9.97	34.9	
			9/9/2003	11.64	33.23	
			12/9/2003	8.66	36.21	
			3/10/2004	7.91	36.96	
			6/9/2004	11.36	33.51	
			9/22/2004	10.15	34.72	
			12/13/2004	8.91	35.96	
			3/23/2005	10.04	34.83	
			6/20/2005	9.00	35.87	
			9/8/2005	10.83	34.04	
			3/6/2006	7.77	37.10	
			9/21/2006	10.61	34.26	
			3/16/2007	7.15	37.72	
			9/13/2007	10.44	34.43	
		44.92	2/28/2008	8.82	36.10	New Elevation***
			9/8/2008	9.79	35.13	
			3/24/2009	8.71	36.21	
			9/18/2009	10.97	33.95	
			5/18/2010	9.02	35.90	
			10/7/2010	9.98	34.94	
			3/23/2011	6.86	38.06	
			9/8/2011	10.42	34.50	
			3/23/2012	6.35	38.57	
		48.52	7/9/2012	---	---	New Elevation****
			9/14/2012	10.69	37.83	
			3/28/2013	7.93	40.59	
			9/4/2013	10.43	38.09	
			4/4/2014	8.09	40.43	
			9/23/2014	10.13	38.39	
			3/17/2015	6.37	42.15 ¹	
			9/28/2015	10.52	38.00	
			6/15/2016	9.73	38.79	
			9/27/2016	11.13	37.39	
			3/29/2017	5.87	42.65	
			9/14/2017	11.28	37.24	
			3/27/2018	7.70	40.82	
			9/13/2018	10.47	38.05	
			10/4/2018	10.11	38.41	
			11/28/2018	8.79	39.73	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-6	10 - 20	45.22	10/22/1997	11.01	33.43	
			1/14/1998	9.63	35.59	
			2/18/1999	8.43	36.79	
			6/29/1999	10.70	34.52	
			9/15/1999	11.86	33.36	
			12/14/1999	8.69	36.53	
			3/22/2000	8.80	36.42	
			9/27/2000	11.24	33.98	
			12/20/2000	10.45	34.77	
			3/28/2001	10.19	35.03	
			6/13/2001	9.83	35.39	
			9/12/2001	10.69	34.53	
			12/17/2001	7.61	37.61	
			3/26/2002	8.01	37.21	
			6/10/2002	9.62	35.60	
			12/9/2002	10.30	34.92	
			3/12/2003	9.40	35.82	
			6/17/2003	10.03	35.19	
			9/9/2003	13.11	32.11	
			12/9/2003	9.05	36.17	
			3/10/2004	8.79	36.43	
			6/9/2004	11.40	33.82	
			9/22/2004	10.21	35.01	
			12/13/2004	9.71	35.51	
			3/23/2005	9.84	35.38	
			6/20/2005	8.44	36.78	
			9/8/2005	10.55	34.67	
			3/6/2006	8.00	37.22	
			9/21/2006	10.06	35.16	
			3/16/2007	8.48	36.74	
			9/13/2007	10.17	35.05	
		45.27	2/28/2008	9.13	36.14	New Elevation***
			9/8/2008	9.50	35.77	
			3/24/2009	9.09	36.18	
			9/18/2009	10.76	34.51	
			5/18/2010	9.30	35.97	
			10/7/2010	9.62	35.65	
			3/23/2011	7.84	37.43	
			9/8/2011	10.18	35.09	
			3/23/2012	7.52	37.75	
		48.84	7/9/2012	---	---	New Elevation****
			9/14/2012	10.51	38.33	
			3/28/2013	8.20	40.64	
			9/4/2013	9.81	39.03	
			4/4/2014	7.90	40.94	
			9/23/2014	9.30	39.54	
			3/17/2015	7.95	40.89	
			9/28/2015	10.54	38.30	
			6/15/2016	9.58	39.26	
			9/27/2016	10.96	37.88	
			3/29/2017	7.32	41.52	
			9/14/2017	10.75	38.09	
			3/27/2018	8.31	40.53	
			9/13/2018	8.72	40.12	
			10/4/2018	8.49	40.35	
			11/28/2018	9.39	39.45	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-7	10 - 20	44.01	10/22/1997	18.59	25.85	
			1/14/1998	15.79	28.22	
			2/18/1999	14.27	29.74	
			6/29/1999	18.89	25.12	
			9/15/1999	19.91	24.10	
			12/14/1999	14.19	29.82	
			3/22/2000	16.16	27.85	
			9/27/2000	19.75	24.26	
			12/20/2000	18.44	25.57	
			3/28/2001	18.36	25.65	
			6/13/2001	18.36	25.65	
			9/12/2001	19.43	24.58	
			12/17/2001	12.65	31.36	
			3/26/2002	15.81	28.20	
			6/10/2002	18.21	25.80	
			9/10/2002	19.79	24.22	
			12/9/2002	19.52	24.49	
			3/12/2003	17.02	26.99	
			6/17/2003	18.44	25.57	
			9/9/2003	19.88	24.13	
MW-8	10 - 20	46.23	9/16/2003	abandoned	abandoned	
			10/22/1997	20.79	23.65	
			1/14/1998	17.95	28.28	
			2/18/1999	16.51	29.72	
			6/29/1999	21.11	25.12	
			9/15/1999	22.17	24.06	
			12/14/1999	16.43	29.80	
			3/22/2000	18.34	27.89	
			9/27/2000	22.02	24.21	
			12/20/2000	20.66	25.57	
			3/28/2001	20.52	25.71	
			6/13/2001	20.54	25.69	
			9/12/2001	21.63	24.60	
			12/17/2001	14.86	31.37	
			3/26/2002	18.00	28.23	
			6/10/2002	20.38	25.85	
			9/10/2002	22.00	24.23	
			12/9/2002	21.74	24.49	
			3/12/2003	19.22	27.01	
			6/17/2003	20.60	25.63	
			9/9/2003	22.09	24.14	
			9/16/2003	abandoned	abandoned	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-9	10 - 20	44.83	10/22/1997	16.15	28.29	
			1/14/1998	13.23	31.60	
			2/18/1999	10.51	34.32	
			6/29/1999	15.60	29.23	
			9/15/1999	17.67	27.16	
			12/14/1999	11.02	33.81	
			3/22/2000	11.89	32.94	
			9/27/2000	17.01	27.82	
			12/20/2000	15.58	29.25	
			3/28/2001	15.02	29.81	
			6/13/2001	14.84	29.99	
			9/12/2001	16.88	27.95	
			12/17/2001	8.74	36.09	
			3/26/2002	11.42	33.44	
			6/10/1992	14.64	30.19	
			9/10/2002	16.23	28.60	
			12/9/2002	16.78	28.05	
			3/12/2003	13.65	31.18	
			6/17/2003	15.34	29.49	
			9/9/2003	18.15	26.68	
			12/9/2003	12.59	32.44	
			3/10/2004	12.68	32.15	
			6/9/2004	15.76	29.07	
			9/22/2004	15.94	28.89	
			12/13/2004	14.04	30.79	
			3/23/2005	14.08	30.75	
			6/20/2005	14.51	30.32	
			9/8/2005	17.33	27.5	
			3/6/2006	11.65	33.18	
			9/21/2006	16.15	28.68	
			3/16/2007	12.07	32.76	
			9/13/2007	16.94	27.89	
			2/28/2008	12.57	32.26	
			9/8/2008	15.32	29.51	
			3/24/2009	14.18	30.65	
			9/18/2009	16.79	28.04	
			5/18/2010	13.68	31.15	
			10/7/2010	15.73	29.1	
			3/23/2011	10.47	34.36	*Well box replaced.
			9/8/2011	16.63	31.81	These water levels were corrected using the 7/9/12 survey data.
			3/23/2012	10.10	38.3	
		48.44	7/9/2012	---	---	New Elevation****
			9/14/2012	16.09	32.35	
			3/28/2013	12.34	36.1	
			9/4/2013	16.29	32.15	
			4/4/2014	11.25	37.19	
			9/23/2014	15.66	32.78	
			3/17/2015	11.61	36.83	
			9/28/2015	16.77	31.67	
			6/15/2016	15.12	33.32	
			9/27/2016	18.02	30.42	
			3/29/2017	9.71	38.73	
			9/14/2017	17.57	30.87	
			3/27/2018	14.09	34.35	
			9/13/2018	18.67	29.77	
			10/4/2018	18.48	29.96	
			11/28/2018	16.25	32.19	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-10	10 - 20	44.84	10/22/1997	16.61	27.83	
			1/14/1998	13.86	30.98	
			2/18/1999	12.11	32.73	
			6/29/1999	16.91	27.93	
			9/15/1999	18.22	26.62	
			12/14/1999	12.37	32.47	
			3/22/2000	13.87	30.97	
			9/27/2000	18.24	26.60	
			12/20/2000	16.63	28.21	
			3/28/2001	16.40	28.44	
			6/13/2001	16.43	28.41	
			9/12/2001	17.92	26.92	
			12/17/2001	9.92	34.92	
			3/26/2002	12.32	35.52	
			6/10/2002	16.14	28.70	
			9/10/2002	12.84	32.00	
			12/9/2002	18.08	26.76	
			3/12/2003	15.12	29.72	
			6/17/2003	16.67	28.17	
			9/9/2003	18.80	26.04	
			12/9/2003	13.56	31.28	
			3/10/2004	13.75	31.09	
			6/9/2004	17.04	27.80	
			9/22/2004	17.22	27.62	
			12/13/2004	14.97	29.87	
			3/23/2005	16.21	28.63	
			6/20/2005	15.88	28.96	
			8/31/2005	abandoned	abandoned	
MW-10A	15 - 20	44.74	3/16/2007	13.80	30.94	
			9/13/2007	17.67	27.07	
			2/28/2008	13.80	30.94	
			9/8/2008	15.93	28.81	
			3/24/2009	15.26	29.48	
			9/18/2009	17.19	27.55	
			5/18/2010	14.89	29.85	
			10/7/2010	16.72	28.02	
			3/23/2011	12.83	31.91	
			9/8/2011	17.64	27.10	
			3/23/2012	12.03	32.71	
		48.37	7/9/2012	---	---	New Elevation****
			9/14/2012	17.52	30.85	
			3/28/2013	14.20	34.17	
			9/4/2013	17.39	30.98	
			4/4/2014	13.40	34.97	
			9/23/2014	17.26	31.11	
			3/17/2015	14.27	34.10	
			9/28/2015	17.91	30.46	
			6/15/2016	16.95	31.42	
			9/27/2016	18.45	29.92	
			3/29/2017	13.93	34.44	
			9/14/2017	18.78	29.59	
			3/27/2018	17.25	31.12	
			9/13/2018	Dry	Dry	
			10/4/2018	Dry	Dry	
			11/28/2018	17.26	31.11	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-11	10 - 25	47.18	10/22/1997	21.91	22.53	
			1/14/1998	19.05	28.13	
			2/18/1999	17.51	29.67	
			6/29/1999	22.24	24.94	
			9/15/1999	23.31	23.87	
			12/14/1999	17.44	29.74	
			3/22/2000	19.42	27.76	
			9/27/2000	23.13	24.05	
			12/20/2000	21.75	25.43	
			3/28/2001	21.64	25.54	
			6/13/2001	21.85	25.33	
			9/12/2001	22.73	24.45	
			12/17/2001	15.94	31.24	
			3/26/2002	19.10	28.08	
			6/10/2002	21.50	25.68	
			9/10/2002	23.13	24.05	
			12/9/2002	22.84	24.34	
			3/12/2003	20.28	26.90	
			6/17/2003	21.78	25.40	
			9/9/2003	23.20	23.98	
MW-12			9/16/2003	abandoned	abandoned	
	10 - 25	44.03	10/22/1997	17.41	27.03	
			1/14/1998	14.16	29.87	
			2/18/1999	12.95	31.08	
			6/29/1999	17.65	26.38	
			9/15/1999	18.81	25.22	
			12/14/1999	12.84	31.19	
			3/22/2000	14.68	29.35	
			9/27/2000	18.78	25.25	
			12/20/2000	17.30	26.73	
			3/28/2001	17.25	26.78	
			6/13/2001	17.25	26.78	
			9/12/2001	18.49	25.54	
			12/17/2001	11.11	32.92	
			3/26/2002	14.46	29.57	
			6/10/2002	17.05	26.98	
			9/10/2002	18.78	25.25	
			12/9/2002	18.62	25.41	
			3/12/2003	15.94	28.09	
			6/17/2003	17.39	26.64	
			9/9/2003	19.06	24.97	
			9/16/2003	abandoned	abandoned	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-13	10 - 20	43.86	6/29/1999	11.27	32.59	
			9/15/1999	12.50	31.36	
			12/14/1999	6.86	37.00	
			3/22/2000	7.47	36.39	
			9/27/2000	12.26	31.60	
			12/20/2000	12.02	31.84	
			3/28/2001	9.86	34.00	
			6/13/2001	10.71	33.15	
			9/12/2001	12.00	31.86	
			12/17/2001	5.49	38.37	
			3/26/2002	7.12	36.74	
			6/10/2002	9.84	34.02	
			9/10/2002	9.59	34.27	
			12/9/2002	10.10	33.76	
			3/12/2003	9.61	34.25	
			6/17/2003	10.66	33.20	
			9/9/2003	12.62	31.24	
			3/10/2004	7.61	36.25	
			6/9/2004	10.99	32.87	
			9/22/2004	11.85	32.01	
			12/13/2004	12.47	31.39	
			3/23/2005	9.57	34.29	
			6/20/2005	9.90	33.96	
			9/8/2005	11.78	32.08	
			3/6/2006	7.27	36.59	
			9/21/2006	11.78	32.08	
			3/16/2007	7.45	36.41	
			9/13/2007	11.76	32.10	
		43.89	2/28/2008	7.80	36.09	New Elevation***
			9/8/2008	10.74	33.15	
			3/24/2009	8.41	35.48	
			9/18/2009	11.93	31.96	
			5/18/2010	8.6	35.29	
			10/7/2010	11.52	32.37	
			3/23/2011	7.02	36.87	
			9/8/2011	11.52	32.37	
			3/23/2012	6.70	37.19	
		47.47	7/9/2012	---	---	New Elevation****
			9/14/2012	11.28	36.19	
			3/28/2013	7.74	39.73	
			9/4/2013	10.34	37.13	
			4/4/2014	7.45	40.02	
			9/23/2014	10.96	36.51	
			3/17/2015	7.01	40.46	
			9/28/2015	10.62	36.85	
			6/15/2016	9.31	38.16	
			9/27/2016	10.95	36.52	
			3/29/2017	5.85	41.62	
			9/14/2017	11.97	35.5	
			3/27/2018	7.52	39.95	
			9/13/2018	11.2	36.27	
			10/4/2018	10.35	37.12	
			11/28/2018	8.10	39.37	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-14	10 - 20	45.90	6/29/1999	17.02	28.88	
			9/15/1999	18.39	27.51	
			12/14/1999	12.33	33.5 7	
			3/22/2000	13.77	32.13	
			9/27/2000	18.45	27.45	
			12/20/2000	17.00	28.90	
			3/28/2001	16.56	29.34	
			6/13/2001	16.58	29.32	
			9/12/2001	18.12	27.78	
			12/17/2001	9.94	35.96	
			3/26/2002	13.40	32.50	
			6/10/2002	16.22	29.68	
			9/10/2002	18.95	26.95	
			12/9/2002	18.19	27.71	
			3/12/2003	15.22	30.68	
			6/17/2003	16.79	29.11	
			9/9/2003	18.98	26.92	
			3/10/2004	13.81	32.09	
			6/9/2004	17.20	28.70	
			9/22/2004	17.41	28.49	
			12/13/2004	15.36	30.54	
			3/23/2005	16.36	29.54	
			6/20/2005	16.06	29.84	
			9/8/2005	18.25	27.65	
			3/6/2006	13.01	32.89	
			9/21/2006	17.04	28.86	
			3/16/2007	13.64	32.26	
			9/13/2007	17.96	27.94	
		45.89	2/28/2008	12.75	33.14	New Elevation***
			9/8/2008	16.19	29.70	
			3/24/2009	11.37	34.52	
			9/18/2009	Dry	Dry	
			5/18/2010	11.49	34.40	
			10/7/2010	Dry	Dry	
			3/23/2011	10.17	35.72	
			9/8/2011	Dry	Dry	
			3/23/2012	9.67	36.22	
		49.5	7/9/2012	---	---	New Elevation****
			9/14/2012	Dry	Dry	
			3/28/2013	Dry	Dry	
			5/2/2013	12.05	37.45	
			9/4/2013	16.21	33.29	
			4/4/2014	10.58	38.92	
			9/23/2014	16.96	32.54	
			3/17/2015	11.61	37.89	
			9/28/2015	Dry	Dry	
			6/15/2016	16.70	32.80	
			9/27/2016	Dry	Dry	
			3/29/2017	10.78	38.72	
			9/14/2017	Dry	Dry	
			3/27/2018	16.07	33.43	
			9/13/2018	Dry	Dry	
			10/4/2018	Dry	Dry	
			11/28/2018	12.19	37.31	

Notes:

* These elevations are of the top of the PVC well casing measured in feet above mean sea level (MSL).

***Wells re-surveyed November 2007 and reported in NGVD29 datum.

****Wells re-surveyed in July 2013 and reported in NAVD88 datum.

1 Anomalous groundwater elevation reading. Value was not used in contouring.


TOC = top of PVC well casing.

NC = Not Collected due to damaged well monument.

bgs = below ground surface.

Dry = water level at or below well casing

FIGURES



CLIENT
TMT BEAR CREEK SHOPPING CENTER, INC

CONSULTANT



YYYY-MM-DD 2018-12-18

DESIGNED

PREPARED REDMOND

REVIEWED

APPROVED

PROJECT
BEAR CREEK GROUNDWATER MONITORING - NOVEMBER 2018
BEAR CREEK SHOPPING CENTER
REDMOND, WA

TITLE
SITE LOCATION MAP


PROJECT NO.
152539318

PHASE
200

REV.
A

FIGURE
1

Path: \\veemond\goldr\gis\geomatics\lmt_bear_creek_shopping_center\Redmond\09_projects\152539318_gw_monitoring\2018\100_MarchMonitoring\02_PRODUCTION\DWG\ | File Name: 152539318_200_002.dwg



LEGEND	
	PROPERTY BOUNDARY
	MW-12 EXISTING MONITORING WELL
	NOT SAMPLED

CLIENT
TMT BEAR CREEK SHOPPING CENTER, INC

CONSULTANT	YYYY-MM-DD	2018-12-18
	DESIGNED	
	PREPARED	REDMOND
	REVIEWED	EA
	APPROVED	

PROJECT
BEAR CREEK GROUNDWATER MONITORING - NOVEMBER 2018
BEAR CREEK SHOPPING CENTER
REDMOND, WA


TITLE
GROUNDWATER MONITORING WELL LOCATIONS

PROJECT NO.	PHASE	REV.	FIGURE
152539318	200	A	2

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B



- LEGEND**
- MW-2 42.30 MONITORING WELL LOCATION WITH GROUNDWATER ELEVATION, FEET ABOVE MSL.
 - 31 APPROXIMATE GROUNDWATER CONTOUR WITH ELEVATION, FEET ABOVE MSL. DASHED WHERE APPROPRIATE.
 - (NA) WATER ELEVATION COULD NOT BE MEASURED BECAUSE WELL WAS DRY.
 - GROUNDWATER FLOW DIRECTION



CLIENT
TMT BEAR CREEK SHOPPING CENTER, INC

PROJECT
BEAR CREEK GROUNDWATER MONITORING - NOVEMBER 2018
BEAR CREEK SHOPPING CENTER
REDMOND, WA

CONSULTANT

YYYY-MM-DD 2018-12-18

TITLE




DESIGNED
PREPARED REDMOND
REVIEWED EA
APPROVED

PROJECT NO.
152539318

PHASE
200

REV.
A

FIGURE
3



CLIENT
TMT BEAR CREEK SHOPPING CENTER, INC

CONSULTANT



YYYY-MM-DD 2018-12-18

DESIGNED

PREPARED REDMOND

REVIEWED EA

APPROVED

PROJECT
BEAR CREEK GROUNDWATER MONITORING - NOVEMBER 2018
BEAR CREEK SHOPPING CENTER
REDMOND, WA


TITLE
GROUNDWATER CONCENTRATIONS - SOUTHEAST AREA

PROJECT NO.
152539318

PHASE
200

REV.
A

FIGURE
4



LEGEND

- Concentration of PCE
- ▲— Concentration of TCE
- Concentration of cis-1,2-DCE
- *— Concentration of Vinyl Chloride
- *— Laboratory Detection Limit
- Groundwater Elevation

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
MW-2 HVOC Detections Over Time
November 2018 Groundwater Monitoring Event

PROJECT NO.
1525393-18

PHASE
200

REV.
A

FIGURE
5



LEGEND

- Concentration of PCE
- ▲— Concentration of TCE
- Concentration of cis-1,2-DCE
- *— Concentration of Vinyl Chloride
- — Laboratory Detection Limit
- Groundwater Elevation

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
MW-3 HVOC Detections Over Time
November 2018 Groundwater Monitoring Event

PROJECT NO.
1525393-18

PHASE
200

REV.
A

FIGURE
6



LEGEND

- Concentration of PCE
- ▲— Concentration of TCE
- Concentration of cis-1,2-DCE
- ×— Concentration Of Vinyl Chloride
- - - Laboratory Detection Limit
- - -□- - - Groundwater Elevation

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
MW-4 HVOC Detections Over Time
November 2018 Groundwater Monitoring Event

PROJECT NO.
1525393-18

PHASE
200

REV.
A

FIGURE
7



Monitoring well decommissioned in 2005 and a replacement

LEGEND

- Concentration of PCE
- ▲— Concentration of TCE
- Concentration of cis-1,2-DCE
- ×— Concentration Of Vinyl Chloride
- — Laboratory Detection Limit
- Groundwater Elevation

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
MW-10 and MW-10A HVOC Detections Over Time
November 2018 Groundwater Monitoring Event

PROJECT NO.
1525393-18

PHASE
200

REV.
A

FIGURE
8



LEGEND

- Concentration of PCE
- ▲— Concentration of TCE
- Concentration of cis-1,2-DCE
- ×— Concentrations Of Vinyl Chloride
- Laboratory Detection Limit
- Groundwater Elevation

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
MW-13 HVOC Detections Over Time
November 2018 Groundwater Monitoring Event

PROJECT NO.
1525393-18

PHASE
200

REV.
A

FIGURE
9



LEGEND

- MW-2 Concentration of PCE
- ▲— MW-3 Concentration of PCE
- ×— MW-4 Concentration of PCE
- MW-10/10A Concentration of PCE
- ◆— MW-13 Concentration of PCE
- — Laboratory Detection Limit
- Cleanup Level (5 ug/L)

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
PCE Detections Over Time
November 2018 Groundwater Monitoring Event

PROJECT NO.
1525393-18

PHASE
200

REV.
A

FIGURE
10



LEGEND

- MW-2 Concentration of TCE
- ▲ MW-3 Concentration of TCE
- × MW-4 Concentration of TCE
- MW-10/10A Concentration of TCE
- ◆ MW-13 Concentration of TCE
- Laboratory Detection Limit
- Cleanup Level (5 ug/L)

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
TCE Detections Over Time
November 2018 Groundwater Monitoring Event

PROJECT NO.
1525393-18

PHASE
200

REV.
A

FIGURE
11



LEGEND

- MW-2 Concentration of Vinyl Chloride
- ▲— MW-3 Concentration of Vinyl Chloride
- ×— MW-4 Concentration of Vinyl Chloride
- MW-10/10A Concentration of Vinyl Chloride
- ◆— MW-13 Concentration of Vinyl Chloride
- — — Laboratory Detection Limit
- Cleanup Level (5 ug/L)

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington

TITLE
Vinyl Chloride Detections Over Time
November 2018 Groundwater Monitoring Event

PROJECT NO.
1525393-18

PHASE
200

REV.
A

FIGURE
12

APPENDIX A

Sample Integrity Data Sheets

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-18.200
 Site Location Redmond, WA Sample ID MW-2
 Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 11/28/18 Time 1214

Media water Station MW-2

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 9.44 BTOC @ 0915

Screened Interval: 10-17

Pump intake at: 15 BTOC

Sample Description slightly cloudy

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

Sampler (signature) Eric Adams Date 11/28/18

Supervisor (signature) [Signature] Date 11/29/18

Well ID MW-2
 Date 11/28/18
 Time Begin Purge 1130
 Time Collect Sample 1214

Water Level feet bmp	Time	Volume Purged	pH	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
9.47	1135	—	5.88	44.5	13.4	34.1	7.40	129.1
9.51	1140	—	5.89	44.6	13.5	16.3	7.30	130.1
9.50	1145	—	5.93	42.8	13.4	12.7	7.73	132.5
9.50	1150	—	5.92	43.1	13.5	12.4	7.38	133.9
9.50	1155	—	5.93	43.4	13.6	12.2	7.33	135.2
9.50	1200	—	5.94	42.7	13.6	12.1	7.38	137.3
9.52	1205	—	5.96	41.8	13.5	11.9	7.31	140.0
9.54	1210	—	5.95	41.5	13.5	11.8	7.37	141.8

Comments:

Purge Rate: 130 ml/min

Sampler's Initials EA

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-18.200
 Site Location Redmond, WA Sample ID MW-3, mw-33
 Sampling Location Groundwater Monitoring well – end of dedicated sampling tube *duplicate*

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 11-28-18 Time 1502 1505 *-duplicate*

Media water Station MW-3

Sample Type: ☒ **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 13.98 BTOC @ 0913

Screened Interval: 10-20

Pump intake at: ~16 BTOC

Sample Description Clear, slight odor

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount	Container	Preservation / Amount
----------------	-----------	-----------------------

6 3 40 mL	HVOC	VOA Vial
		HCl

Sampler (signature) Eric Adams Date 11-28-18

Supervisor (signature) [Signature] Date 11/29/18

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-18.200

Site Location Redmond, WA Sample ID NW-4

Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 11/28/18 Time 1418

Media water Station NW-4

Sample Type: ☒ **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 15.98 BTOC @ 0912

Screened Interval: 10-20

Pump intake at: ~18 BTOC

Sample Description Cloudy - started muddy orange with high turbidity

Field Measurements on Sample (pH, conductivity, etc.) _____

See Field Parameters Sheet _____

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

Sampler (signature) Eric Odams Date 11/28/18

Supervisor (signature) [Signature] Date 11/29/18

Well ID MW-4Date 11/28/18Time Begin Purge 1325Time Collect Sample 1418

Water Level feet bmp	Time	Volume Purged	pH	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
17.01	1335	—	5.78	254.5	12.7	532	1.12	52.6
17.22	1340	—	5.84	253.3	12.7	338	1.07	42.1
17.21	1345	—	5.90	249.1	12.7	173	1.60	39.6
17.45	1350	—	5.89	249.2	12.8	92.7	0.79	35.7
17.56	1355	—	5.91	247.4	12.7	42.1	0.58	31.8
17.65	1400	—	5.92	247.0	12.8	22.4	0.52	27.6
17.69	1405	—	5.94	246.4	12.7	11.9	0.48	23.9
17.72	1410	—	5.94	245.1	12.7	8.76	0.48	21.9
17.80	1415	—	5.94	244.8	12.7	5.28	0.48	21.8

Comments:

Purge Rate: 175 ml/minSampler's Initials EA

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-18.200

Site Location Redmond, WA Sample ID NW-9

Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 11/28/18 Time 1007

Media water Station NW-9

Sample Type: ☒ **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 16.25 BTOC @ 0930

Screened Interval: 10-20

Pump intake at: ~19 BTOC

Sample Description Clear

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

Sampler (signature) Eric Glass Date 11/28/18

Supervisor (signature) [Signature] Date 11/29/18

Time Collect Sample 1007

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-18.200
 Site Location Redmond, WA Sample ID MW-10A
 Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 11/28/18 Time 1258

Media water Station MW-10A

Sample Type: ☒ **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 17.26 BTOC @ 0917

Screened Interval: 15-20

Pump intake at: ~18.5 BTOC

Sample Description clear

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

Sampler (signature) Eric Adams Date 11/28/18

Supervisor (signature) [Signature] Date 11/29/18

Well ID MW-10ADate 11/28/18Time Begin Purge 1224Time Collect Sample 1258

Water Level feet bmp	Time	Volume Purged	pH	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
17.30	1230	—	5.29	427	14.8	16.6	0.05	140.8
17.30	1235	—	5.31	427.6	14.9	15.8	0.86	130.9
17.30	1240	—	5.32	420.6	14.9	13.2	0.60	126.7
17.30	1245	—	5.32	413.6	14.9	9.47	0.51	124.5
17.30	1250	—	5.30	405.6	14.9	6.69	0.47	124.1
17.30	1255	—	5.29	397.8	14.9	4.84	0.45	124.5

Comments:

Purge Rate: 150 mL/minSampler's Initials EA

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-18.200
 Site Location Redmond, WA Sample ID MW-13
 Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 11/28/18 Time 11:18

Media water Station MW-13

Sample Type: ☒ grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 8.10 BTOC @ 0919

Screened Interval: 10 - 20

Pump intake at: ~17 BTOC

Sample Description clear

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

Sampler (signature) Eric Olson Date 11/28/18

Supervisor (signature) [Signature] Date 11/29/18

Well ID MW-13Date 11/28/18Time Begin Purge 1029Time Collect Sample 1118

Water Level feet bmp	Time	Volume Purged	pH	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
8.35	1035	—	5.53	105.2	13.5	18.0	1.71	105.1
8.36	1040	—	5.48	105.2	13.5	16.5	0.86	106.2
8.37	1045	—	5.48	104.7	13.5	12.9	0.62	106.7
8.46	1050	—	5.48	105.9	13.6	7.84	0.56	106.4
8.38	1055	—	5.48	107.5	13.3	7.16	0.75	109.9
8.42	1100	—	5.48	107.8	13.5	6.19	0.60	109.1
8.42	1105	—	5.49	108.6	13.6	5.38	0.51	108.7
8.44	1110	—	5.49	107.8	13.6	5.28	0.48	109.2
8.46	1115	—	5.50	107.2	13.6	4.57	0.46	109.0

Comments:

Purge Rate: 175 ml/minSampler's Initials EA

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-18.200

Site Location Redmond, WA Sample ID FB

Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Equipment blank at mw-10A

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 11-28-18 Time 1310

Media water Station FB at mw-10A

Sample Type: ☒ grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: NA BTOC

Screened Interval: —

Pump intake at: NA BTOC

Sample Description Equipment blank using lab provided DI water
purged through tubing

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

Sampler (signature) Eric O'Leary Date 11-28-18

Supervisor (signature) [Signature] Date 11-29-18

Time Collect Sample _____

Comments: Equipment Blank

Sampler's Initials EA

APPENDIX B

Laboratory Analytical Reports



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

November 30, 2018

Eric Adams
Golder Associates Inc.
18300 NE Union Hill Road
Suite 200
Redmond, WA 98052-3333

Re: Analytical Data for Project 1525393-18.200
Laboratory Reference No. 1811-230

Dear Eric:

Enclosed are the analytical results and associated quality control data for samples submitted on November 28, 2018.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read 'D. Baumeister', with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 30, 2018
Samples Submitted: November 28, 2018
Laboratory Reference: 1811-230
Project: 1525393-18.200

Case Narrative

Samples were collected on November 28, 2018 and received by the laboratory on November 28, 2018. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-9					
Laboratory ID:	11-230-01					
Dichlorodifluoromethane	0.28	0.20	EPA 8260C	11-29-18	11-29-18	
Chloromethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Vinyl Chloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Trichlorofluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Iodomethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Methylene Chloride	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroform	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Carbon Tetrachloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Trichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromodichloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-9					
Laboratory ID:	11-230-01					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Tetrachloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromoethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromoform	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Bromobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
4-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Hexachlorobutadiene	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	96	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-13					
Laboratory ID:	11-230-02					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloromethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Vinyl Chloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Trichlorofluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Iodomethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Methylene Chloride	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(cis) 1,2-Dichloroethene	0.64	0.20	EPA 8260C	11-29-18	11-29-18	
Bromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroform	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Carbon Tetrachloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Trichloroethene	2.5	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromodichloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-13					
Laboratory ID:	11-230-02					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Tetrachloroethene	4.0	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromoethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromoform	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Bromobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
4-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Hexachlorobutadiene	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>101</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>96</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>100</i>	<i>78-125</i>				



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-2					
Laboratory ID:	11-230-03					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloromethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Vinyl Chloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Trichlorofluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Iodomethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Methylene Chloride	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroform	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Carbon Tetrachloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Trichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromodichloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-2					
Laboratory ID:	11-230-03					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Tetrachloroethene	2.2	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromoethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromoform	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Bromobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
4-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Hexachlorobutadiene	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>100</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>99</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>108</i>	<i>78-125</i>				



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-10A					
Laboratory ID:	11-230-04					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloromethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Vinyl Chloride	0.32	0.20	EPA 8260C	11-29-18	11-29-18	
Bromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Trichlorofluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Iodomethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Methylene Chloride	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(cis) 1,2-Dichloroethene	3.7	0.20	EPA 8260C	11-29-18	11-29-18	
Bromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroform	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Carbon Tetrachloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Trichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromodichloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-10A					
Laboratory ID:	11-230-04					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Tetrachloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromoethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromoform	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Bromobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
4-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Hexachlorobutadiene	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>97</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>97</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>106</i>	<i>78-125</i>				



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EB					
Laboratory ID:	11-230-05					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloromethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Vinyl Chloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Trichlorofluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Iodomethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Methylene Chloride	1.3	1.0	EPA 8260C	11-29-18	11-29-18	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroform	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Carbon Tetrachloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Trichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromodichloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EB					
Laboratory ID:	11-230-05					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Tetrachloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromoethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromoform	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Bromobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
4-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Hexachlorobutadiene	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>101</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>100</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>104</i>	<i>78-125</i>				



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-4					
Laboratory ID:	11-230-06					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloromethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Vinyl Chloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Trichlorofluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Iodomethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Methylene Chloride	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(cis) 1,2-Dichloroethene	5.2	0.20	EPA 8260C	11-29-18	11-29-18	
Bromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroform	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Carbon Tetrachloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Trichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromodichloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-4					
Laboratory ID:	11-230-06					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Tetrachloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromoethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromoform	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Bromobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
4-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Hexachlorobutadiene	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>95</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>101</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>106</i>	<i>78-125</i>				



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-3					
Laboratory ID:	11-230-07					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloromethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Vinyl Chloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Trichlorofluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Iodomethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Methylene Chloride	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(cis) 1,2-Dichloroethene	0.27	0.20	EPA 8260C	11-29-18	11-29-18	
Bromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroform	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Carbon Tetrachloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Trichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromodichloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-3					
Laboratory ID:	11-230-07					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Tetrachloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromoethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromoform	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Bromobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
4-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Hexachlorobutadiene	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>98</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>99</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>107</i>	<i>78-125</i>				



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-33					
Laboratory ID:	11-230-08					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloromethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Vinyl Chloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Trichlorofluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Iodomethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Methylene Chloride	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(cis) 1,2-Dichloroethene	0.25	0.20	EPA 8260C	11-29-18	11-29-18	
Bromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroform	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Carbon Tetrachloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Trichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromodichloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-33					
Laboratory ID:	11-230-08					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Tetrachloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromoethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromoform	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Bromobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
4-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Hexachlorobutadiene	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	98	80-127				
<i>4-Bromofluorobenzene</i>	109	78-125				



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID:	MB1129W1					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloromethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Vinyl Chloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Trichlorofluoromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Iodomethane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Methylene Chloride	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chloroform	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Carbon Tetrachloride	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Trichloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromomethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromodichloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	11-29-18	11-29-18	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	11-29-18	11-29-18	



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

VOLATILE ORGANICS EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID: MB1129W1						
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Tetrachloroethene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Dibromochloromethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromoethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Chlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Bromoform	ND	1.0	EPA 8260C	11-29-18	11-29-18	
Bromobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	11-29-18	11-29-18	
2-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
4-Chlorotoluene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
Hexachlorobutadiene	ND	1.0	EPA 8260C	11-29-18	11-29-18	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	11-29-18	11-29-18	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	75-127				
<i>Toluene-d8</i>	94	80-127				
<i>4-Bromofluorobenzene</i>	95	78-125				



Date of Report: November 30, 2018
 Samples Submitted: November 28, 2018
 Laboratory Reference: 1811-230
 Project: 1525393-18.200

**VOLATILE ORGANICS EPA 8260C
 SB/SBD QUALITY CONTROL**

Matrix: Water

Units: ug/L

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits		RPD	RPD Limit	Flags
					Recovery						
SPIKE BLANKS											
Laboratory ID:	SB1129W1										
	SB	SBD	SB	SBD	SB	SBD					
1,1-Dichloroethene	10.4	9.79	10.0	10.0	104	98	62-129	6		15	
Benzene	9.77	9.65	10.0	10.0	98	97	77-127	1		15	
Trichloroethene	10.1	9.62	10.0	10.0	101	96	70-120	5		15	
Toluene	9.89	9.65	10.0	10.0	99	97	82-123	2		15	
Chlorobenzene	9.30	9.12	10.0	10.0	93	91	79-120	2		15	
Surrogate:											
Dibromofluoromethane					95	99	75-127				
Toluene-d8					98	98	80-127				
4-Bromofluorobenzene					103	105	78-125				





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B - The analyte indicated was also found in the blank sample.
- C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E - The value reported exceeds the quantitation range and is an estimate.
- F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I - Compound recovery is outside of the control limits.
- J - The value reported was below the practical quantitation limit. The value is an estimate.
- K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L - The RPD is outside of the control limits.
- M - Hydrocarbons in the gasoline range are impacting the diesel range result.
- M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
- N - Hydrocarbons in the lube oil range are impacting the diesel range result.
- N1 - Hydrocarbons in diesel range are impacting lube oil range results.
- O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
- P - The RPD of the detected concentrations between the two columns is greater than 40.
- Q - Surrogate recovery is outside of the control limits.
- S - Surrogate recovery data is not available due to the necessary dilution of the sample.
- T - The sample chromatogram is not similar to a typical _____.
- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- U1 - The practical quantitation limit is elevated due to interferences present in the sample.
- V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X - Sample extract treated with a mercury cleanup procedure.
- X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
- Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
- Z -
- ND - Not Detected at PQL
- PQL - Practical Quantitation Limit
- RPD - Relative Percent Difference





Monsite Environmental Inc.
Analytical Laboratory Testing Services
14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.monsite-env.com

Chain of Custody

Turnaround Request
(in working days)

Laboratory Number: **11-230**

(Check One)

☐ Same Day ☐ 1 Day

☐ 2 Days ☐ 3 Days

☒ Standard (7 Days)

☐ (other) _____

Company:

Goldner

Project Number:

1525393-18.200

Project Name:

Bea Creek Village

Project Manager:

Eric Adams

Sampled by:

Eric Adams

Lab ID

Sample Identification

Date Sampled

Time Sampled

Matrix

Number of Containers

NWTPH-HCID

NWTPH-Gx/BTEX

NWTPH-Gx

NWTPH-Dx (☐ Acid / SG Clean-up)

Volatiles 8260C

Halogenated Volatiles 8260C

EDB EPA 8011 (Waters Only)

Semivolatiles 8270D/SIM
(with low-level PAHs)

PAHs 8270D/SIM (low-level)

PCBs 8082A

Organochlorine Pesticides 8081B

Organophosphorus Pesticides 8270D/SIM

Chlorinated Acid Herbicides 8151A

Total RCRA Metals

Total MTCA Metals

TCLP Metals

HEM (oil and grease) 1664A

% Moisture

1	MW-9	11-23-18	1007	W	3
2	MW-13	11-23-18	1118	W	3
3	MW-2	11-23-18	1214	W	3
4	MW-10A	11-23-18	1258	W	3
5	EB	11-23-18	1305	W	3
6	MW-4	11-23-18	1418	W	3
7	MW-3	11-23-18	1502	W	3
8	MW-33	11-23-18	1505	W	3
9	Trip Blank				

Signature

Company

Date

Time

Comments/Special Instructions

Relinquished

Eric Adams

Goldner

11-28-18

1536

Received

[Signature]

Goldner

11/28/18

1536

Relinquished

Received

Relinquished

Received

Reviewed/Date

Reviewed/Date

Data Package: Standard ☐ Level III ☐ Level IV ☐

Chromatograms with final report ☐ Electronic Data Deliverables (EDDs) ☒



golder.com