

Ms. Libby Goldstein Washington State Department of Ecology 3190 160th Ave. SE Bellevue, Washington 98008-5452

Re: Subsurface Injection Completion Report, ARCO Station No. 00217 (5377), 13131 Bothell Everett Highway, Everett, Washington

Dear Ms. Goldstein,

On behalf of BP West Coast Products, LLC, ARCADIS U.S. Inc. (ARCADIS) is pleased to present the enclosed Subsurface Injection Completion Report (report) for ARCO Station No. 00217 (5377) located at 13131 Bothell Everett Highway in Everett, Washington. Work presented in this report was performed pursuant to the Cleanup Action Plan submitted to the Washington State Department of Ecology on May 23, 2011.

If you have questions or comments regarding this report, please contact Alexander Lopez at 503.220.8201 x1122 or by email at alex.lopez.iii@arcadis-us.com.

Sincerely,

ARCADIS U.S., Inc.

Alexander Lopez^IIII, L.G. Project Geologist

ARCADIS U.S., Inc.
111 SW Columbia Street
Suite 670
Portland
Oregon 97201
Tel 503.220.8201
Fax 503.220.8209
www.arcadis-us.com

ENVIRONMENTAL

Date:

July 5, 2012

Contact:

Alexander Lopez III

Phone

503.220.8201 x 1122

Email:

alex.lopez.iii@arcadisus.com

Our ref:

GP09BPNA.WA01.K0000



BP West Coast Products, LLC

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

July 6, 2012

Brian Marcum

Environmental Engineer I

Alexander Lopez III, LG Project Manager

Peter Campbell, PE Project Engineer



Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell-Everett Highway Everett, Washington

Prepared for:

BP West Coast Products, LLC

Prepared by:
ARCADIS U.S., Inc.
111 SW Columbia Street
Suite 670
Portland
Oregon, 97201
Tel 503 220 8201
Fax 509 220 8209

Our Ref.: GP09BPNA.WA01

Date:

July 6, 2012

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

| 1 | introdi | iction | | 4 |
|---|---------|-----------|---|----|
| 2 | Site De | escriptio | on | 4 |
| | 2.1 | Site Hy | drogeology | 4 |
| | 2.2 | Site His | story | 5 |
| 3 | Limite | d Subsu | ırface Investigation and Injection Well Installation | 7 |
| | 3.1 | Utility (| Clearance | 7 |
| | 3.2 | Injectio | n Well Installation | 7 |
| | 3.3 | Injectio | on Well Construction | 8 |
| | 3.4 | Injectio | n Well Development | 9 |
| | 3.5 | Manag | ement of Investigation-Derived Wastes | 9 |
| 4 | Limite | d Subsu | ırface Investigation Analytical Results | 10 |
| 5 | Slug T | est | | 11 |
| 6 | Enhan | ced Ana | aerobic Bio-oxidation Pilot testing | 12 |
| | 6.1 | Underg | ground Injection Control Program Registration | 12 |
| | 6.2 | Injectio | on Activities | 12 |
| | 6.3 | Injectio | on Monitoring | 13 |
| 7 | Groun | dwater | Biogeochemical Analytical Sampling | 13 |
| | 7.1 | | dwater Geochemical Analytical Results for Upgradient and gradient Monitoring Wells | 15 |
| | 7.2 | | dwater Geochemical Analytical Results for Dose Response and gradient Reactive Zone Wells | 16 |
| | | 7.2.1 | Dose Response Well MW-2 | 16 |
| | | 7.2.2 | Dose Response Well MW-5 | 16 |
| | | 7.2.3 | Downgradient Reactive Zone Well MW-6 | 17 |
| 8 | Summ | ary and | Conclusions | 17 |
| 9 | Refere | nces | | 18 |

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

Tables

Table 1 Injection Well Soil Analytical Data Table 2 Injection Data Summary Table 3 Injection Tank Field Parameter Data Summary

Table 4 Dose Response Wells MW-2, MW-5, and MW-6 Groundwater Field

Parameter Data

Table 5 Site Groundwater Geochemical Analytical Data

Figures

Figure 1 Site Location Map

Figure 2 Site Aerial Photo

Figure 3 Site Plan

Figure 4 Historic Soil Boring Locations

Figure 5 Injection Well Soil Data

Appendices

Α **Boring Logs**

В Injection Slug Test Field Data Sheets

В **Groundwater Monitoring Field Data Sheets**

С Laboratory Analytical Reports

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

1 Introduction

On behalf of BP West Coast Products, LLC, ARCADIS U.S., Inc. (ARCADIS) has prepared this Subsurface Injection Completion Report (report) for Atlantic Richfield Company (ARCO) Station No. 00217 (5377)([Site) located at 13131 Bothell Everett Highway in Everett, Washington. The Site location is presented on Figure 1.

This report summarizes field activities and analytical results from limited subsurface investigation, injection well installation and development, and enhanced anaerobic bio-oxidation pilot testing using a magnesium sulfate (Epsom salt) solution and associated groundwater sampling results. This work was performed pursuant to the Cleanup Action Plan, ARCO Station 00217 (5377) (CAP;ARCADIS 2011).

2 Site Description

The Site is currently occupied by an ARCO retail fuel station and convenience store. Site features include the convenience store building, four dispenser islands under a single canopy, three underground storage tanks (USTs), and associated fueling system components. A Site aerial photograph is presented on Figure 2. A Site plan is presented on Figure 3.

The USTs are located in a common excavation in the northwest corner of the property and the station building is located in the northeast corner of the Site. Fuel dispensers are located in the southwest corner of the Site. The surface of the Site is paved with asphalt and concrete with landscaped areas on the western and southern margins of the property.

The Site is located at the northeast corner of Bothell Everett Highway (19th Avenue SE) and 132nd Street SE. The Site is bounded on the north and east by commercial properties, by 132nd Street SE to the south, and Bothell Everett Highway to the west. Local topography slopes slightly to the west. The approximate elevation of the Site is 460 feet above mean sea level.

2.1 Site Hydrogeology

The Site is located within the Puget-Willamette Trough Regional Aquifer System, which is a linear elongated basin stretching from the Canadian border to Central Oregon. Specifically, the Site is situated on Pleistocene-age Vashon Formation till deposits (Vashon Till). The Vashon Till generally consists of compact, unsorted sand, gravel,

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

and boulders in a matrix of silt and clay with sand and gravel lenses that typically act as a confining unit within the formation, but can yield usable amounts of water from thin lenses of sand and gravel (Thomas 1997).

Soil types encountered during previous drilling activities at the site consist primarily of silt with varying amounts of sand and gravel to an explored depth of 25 feet below ground surface (bgs). Measured depth to groundwater at the site during the March 2012 monitoring event ranged from approximately 4 to 7 feet bgs. Historically, measured groundwater depths at the site have ranged from 5 to 12 feet bgs. At the time of the last gauging event in March 2012, the groundwater horizontal gradient direction was to the west-southwest at approximately 0.036 foot per foot (ft/ft).

2.2 Site History

In January 2003, Evergreen Environmental Services, Inc. (Evergreen) of Mill Creek, Washington was contracted by BP West Coast Products, LLC to complete dispenser island and product distribution piping upgrades. Evergreen removed the concrete and asphalt surface, fill, and product piping bedding. The material removed was stockpiled on Site. No further documentation of the storage or disposal of the stockpiled material was provided by Delta Environmental Consultants, Inc. (Delta), the oversight contractor. During excavation activities, Delta collected one soil sample from beneath each of the four dispenser islands and two soil samples from beneath the product distribution piping.

Delta returned to the Site on February 4, 2003 and directed the over excavation of hydrocarbon-impacted soil beneath the northernmost dispenser island based on soil analytical results. Complete over excavation was not feasible due to field conditions and the extent of excavation was not documented. On February 4, 2003, Delta collected one soil sample from the base of the over excavation and four additional soil samples from the product distribution piping trenches. Concentrations of gasoline-range organics (GRO) and benzene were detected above their respective Washington State Department of Ecology (Ecology) Model Toxics Control Act (MTCA) Method A Soil Cleanup Levels (CLs) in samples PL4-4.0, PL5-4.0, and OE1-8.0. Boring locations are presented in Figure 4. On February 25, 2003 and March 6, 2003, Evergreen transported 105.39 tons of soil to Rinker Materials for thermal treatment and disposal; 16.91 tons of this soil was generated from over excavation and 88.48 tons of soil were generated during the station upgrade activities (Delta 2003).

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

In June 2004, Delta oversaw the installation of four soil borings completed as monitoring wells MW-1 through MW-4. The borings were installed by Cascade Drilling LP (Cascade), of Woodinville, Washington. Four soil samples were collected during drilling activities and analyzed for GRO, benzene, toluene, ethylbenzene, and xylenes (BTEX), methyl tert-butyl ether (MTBE), and total lead. GRO was detected in the soil samples collected from MW-2 and MW-3, with analytical results from MW-3 exceeding MTCA Method A CLs. Xylenes in MW-3 and total lead in each of the soil samples were detected at concentrations below MTCA Method A CLs. MW-3 was later abandoned in January 2005 to prepare for a WSDOT road widening project.

In July 2004, petroleum hydrocarbon odors were encountered by the Washington State Department of Transportation (WSDOT) during excavation activities in the vicinity of the northwest Site property boundary. On July 26, 2004, Delta collected six sidewall soil samples from the excavation at approximately 9.5 feet bgs. The excavation was approximately 37 feet long (north to south), 16 feet wide (east to west), and 12 feet deep. Water was encountered at approximately 11 feet bgs. Soil samples were not collected from the excavation bottom, however; one grab groundwater sample was collected. Soil and groundwater samples were analyzed for GRO, BTEX, MTBE and total lead. Constituents were not detected above the laboratory RLs in the soil samples with the exception of total lead which was detected in each of the soil samples at concentrations below MTCA Method A CLs. Concentrations of GRO, benzene, toluene, xylenes, and total lead were detected above their respective MTCA Method A CLs in the groundwater sample collected from the excavation bottom. Concentrations of ethylbenzene were detected above laboratory RLs but below MTCA Method A CLs. MTBE was not detected above laboratory RLs however, the RL equaled the MTCA Method A CL.

In August and November 2010, Cascade (under the direct supervision of ARCADIS) installed three on-site and three off-site soil borings completed as monitoring wells MW-5 through MW-7 and MW-8 through MW-10, respectively. Nine soil samples were collected during drilling activities and submitted for analysis of GRO, BTEX, and total lead. Soil samples collected from offsite borings MW-8 through MW-10 were submitted for an additional analysis of diesel range organics (DRO). COC concentrations were either below laboratory RLs or above laboratory RLs but below MTCA Method A CLs.

Quarterly groundwater monitoring and sampling began at the Site in 2004 and continued until July 2006 at which time monitoring was reduced to an annual frequency. In August 2010, monitoring frequency reverted back to quarterly, which is the current monitoring frequency. Historic analytical results indicate that well MW-2

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

contains GRO and benzene at concentrations above their respective MTCA Method A groundwater CLs. In addition, MW-5 has contained concentrations of GRO and total xylenes above their respective MTCA Method A CLs. Measureable light nonaqueous phase liquid (LNAPL) has not been detected at the site.

In the CAP (ARCADIS 2011) submitted to Ecology, ARCADIS proposed enhanced anaerobic bio-oxidation pilot testing to address remaining COC exceedances in groundwater. The remedial activities involved the installation of three injection wells for the purpose of injecting Epsom salt solution into the subsurface to enhance anaerobic bio-oxidation of petroleum hydrocarbons. Injection well locations were chosen based on the highest groundwater impacts observed in on site monitoring wells. Injection wells were located upgradient of the target monitoring wells to allow the existing groundwater gradient to deliver the solution to the impacted area. The following sections of this report describe the activities undertaken in the implementation of the proposed remedial action plan.

3 Limited Subsurface Investigation and Injection Well Installation

As part of a limited subsurface investigation and enhanced anaerobic bio-oxidation pilot testing, ARCADIS oversaw the installation of three injection wells on September 20 and November 1, 2011. This section describes the utility clearance procedures, injection well installation and sampling, injection well construction, and well development and waste disposal procedures.

3.1 Utility Clearance

ARCADIS contacted the Washington One-Call Utility Location Service to identify public underground utilities in the vicinity of the proposed injection well locations shown on Figure 3. In addition to the public locate, ARCADIS subcontracted Geomarkout of Seattle, Washington, a private utility location service, to locate onsite building utilities such as electrical, irrigation, sumps, security and electronic cables, etc. Finally, ARCADIS staff conducted a visual inspection of the Site to identify potential utility lines.

3.2 Injection Well Installation

Cascade (under the direct supervision of ARCADIS personnel) installed injection wells IW-1 and IW-3 on September 20, 2011 and injection well IW-2 on November 1, 2011. The injection well borings were pre-cleared using an air knife to 6.5 feet bgs to reduce the potential for damage to underground utilities. Soil samples were collected

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

continuously using an 18-inch split-spoon. Boring logs for each injection well were prepared by an ARCADIS field geologist using the Unified Soil Classification System; the logs are included in Appendix A.

Field screening of soil samples was performed using a photoionization detector (PID) and visual inspection methods. PID readings, soil types and other pertinent geologic observations were recorded on boring logs.

Soil samples were collected in the field in accordance with United Stated Environmental Protection Agency (USEPA) Method 5035A and placed in pre-weighed and preserved 40-milliliter volatile organic analysis vials. The samples were placed in a cooler with ice and submitted under standard chain of custody procedures to Pace Analytical Laboratories, Inc. located in Seattle, Washington (Pace).

Soil samples were selected based on visual and olfactory observations and PID head space screening in the field. A minimum of one soil sample was collected from each of the injection well borings. Samples were collected from the soil boring interval that had the highest VOC reading as indicated by PID field screening. An additional soil sample was collected if elevated VOC readings were measured at additional soil intervals.

Four soil samples, IW-1(7.5-8), IW-2(9-9.5), IW-3(6-6.5), and IW-3(9-9.5) were submitted for the following analyses:

- GRO by Northwest Method NWTPH-Gx; and
- BTEX by USEPA method 8260B (field preserved by USEPA method 5035A).

One composite soil sample, S-1, was submitted for Resource Conservation and Recovery Act 8 metals analysis by USEPA 6000/7000 Series for waste characterization.

Soil sample analytical data are summarized in Table 1 and presented on Figure 5.

3.3 Injection Well Construction

Injection wells were completed with 4-inch diameter Schedule 40 polyvinyl chloride casing and 10 feet of 0.010 inch slotted stainless steel screen. A #2/12 silica sand pack was placed from the bottom of the borings to 1 foot above the top of the screened interval in wells IW-1 and IW-3. The remaining annulus was filled with a 1 foot layer of

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

#10/20 silica sand followed by neat Portland cement to ground surface. The sand pack of IW-2 consisted of #2/12 silica sand from the bottom of the boring to 6 inches above the top of the screened interval, followed by a 6-inch layer of #10/20 silica sand. The remaining annulus was filled with neat Portland cement to ground surface. Water-tight well plugs and flush-mounted traffic-rated monitoring well monuments were installed at ground surface.

3.4 Injection Well Development

The injection wells were developed using a combination of surging and jetting techniques. Development through jetting introduces high-velocity water into the well screen through a small-diameter tube equipped with nozzles. Jetting was conducted simultaneously with water extraction to maintain a water level within the well column below static levels. Maintaining a water level below static levels creates a net flow of water and suspended sediments into the well. Each well was jetted in approximate two foot sections. Following jetting the well was gently surged to remove fines from the sand pack surrounding the well casing. Water in the well was then purged with a disposable polyethylene (PE) bailer to remove fine grained sediment suspended in the water column.

3.5 Management of Investigation-Derived Wastes

Soil cuttings and water generated during injection well installation, well development and groundwater monitoring activities were containerized in Department of Transportation-(DOT) approved 55-gallon steel drums. The investigation-derived waste (IDW) was labeled and stored on Site pending waste characterization. Following receipt of laboratory analytical data, the soil and water IDW was collected and transported by Kleen Environmental Technology for disposal at an appropriate offsite waste disposal facility.

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

4 Limited Subsurface Investigation Analytical Results

ARCADIS compared soil analytical data to the following MTCA Method A Soil CLs:

Soils

| Constituent | Cleanup Level (mg/kg) |
|---------------|--------------------------|
| GRO | 30/100 ¹ |
| Benzene | 0.03 |
| Toluene | 7 |
| Ethylbenzene | 6 |
| Total Xylenes | 9 |

Notes:

CL from the Washington State Department of Ecology (Ecology) MTCA Method A Soil CLs for Unrestricted Land Uses (WAC 173-340-900, Table 740-1).

mg/kg = milligrams per kilogram

1 Method A CLs for GRO are determined based on the absence/presence of benzene; gasoline mixtures where

benzene is present default to the lower cleanup standard.

Soil analytical results from the limited subsurface investigation and injection well installation are presented in Table 1 and on Figure 4.

GRO was detected in two of the soil samples at concentrations exceeding the MTCA Method A CL:

- IW-2 (9-9.5) at 32.5 mg/kg
- IW-3 (9-9.5) at 229 mg/kg

The remaining soil samples did not contain concentrations of GRO above laboratory RLs.

Benzene was detected above the laboratory RL but below Method A CL in soil sample IW-2 (9-9.5). Benzene was not detected at concentrations above the laboratory RL in the remaining soil samples

Toluene was detected above the laboratory RL but below the Method A CL in soil sample IW-3 (9-9.5). Toluene was not detected at concentrations above the laboratory RL in the remaining soil samples

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

Ethylbenzene was detected above the laboratory RL, but below the Method A CL in soil samples IW-1 (7.5-8), IW-2 (9-9.5), and IW-3 (9-9.5). The remaining soil samples did not contain concentrations of ethylbenzene above the laboratory RL.

Total xylenes were detected in soil sample IW-3 (9-9.5) at a concentration of 24.5 mg/kg, which exceeds the MTCA Method A CL of 9,mg/kg. Total xylenes were detected above the laboratory RLs, but below Method A CLs in soil samples IW-1 (7.5-8) and IW-2 (9-9.5). The remaining soil sample did not contain concentrations of total xylenes above the laboratory RL.

5 Slug Test

On December 5, 2011 ARCADIS conducted falling and rising-head aquifer testing at wells IW-1 and IW-2 to estimate the injection flow rate that could be expected during pilot testing. Groundwater elevation data were collected using a pressure transducer and a water level indicator.

The falling-head aquifer test was conducted by instantaneously injecting a five gallon potable water "slug" into the well. Water levels within each well were monitored at 15 second intervals until the water level returned to static. Rising-head testing was performed by adding potable water to the well column from a 35 gallon holding tank at varying flow rates. The rising-head test involved introducing water into the well column at known flow rates and measuring the change in water level and determining at which flow rate the water level stabilized in the well column.

The rising-head test flow rates were initiated at 0.5 gallons per minute (gpm) in IW-1 and 0.5, 0.25, and 1.5 gpm in IW-2. Depth to water measurements were collected at 15 second intervals for approximately five minutes at each flow rate. Flow rates established during rising head testing indicated injection rates of 0.5 to 1.0 gpm could be expected during pilot testing. Field notes from the injection slug test are included as Attachment B.

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

6 Enhanced Anaerobic Bio-oxidation Pilot testing

6.1 Underground Injection Control Program Registration

Prior to implementing injection activities, ARCADIS registered the injection wells with the State of Washington Department of Ecology Underground Injection Control (UIC) program. ARCADIS received approval from the UIC Program to begin injections provided the following requirements were met:

- Complete a thorough site characterization;
- Develop a groundwater monitoring program;
- Develop a conceptual site model balancing injection concentrations and volumes with subsurface oxidizable material,
- Keep the injection material within the site property boundaries; and
- Prepare a spill prevention and contingency plan.

UIC program registration requirements were met prior to injection activities.

6.2 Injection Activities

Epsom salt injection activities were conducted to enhance anaerobic biodegradation of petroleum hydrocarbons at the site. The Epsom salt solution was produced by batch mixing 25 pounds (lbs) of Epsom salt in a granulated form with approximately 250 gallons of potable water in four injection tanks. The Epsom salt solution was injected under gravity flow directly into the injection wells.

Batch mixing and delivery of the Epsom salt solution was conducted using an injection system trailer operated by ARCADIS field personnel. A target injection concentration of approximately 12 grams per liter of Epsom salt solution was used for each batch tank mixture based on an initial conservative approach for sulfate dosing.

Approximately 1,850 gallons of Epsom salt solution were injected into the following injection wells: IW-1 (12 gallons), IW-2 (1,800 gallons), and IW-3 (44 gallons). During injection at IW-1 and IW-3, seepage from the well casing was observed which limited their ability to receive the target injection volumes. The flow rates into injection wells ranged between gravity flow and 0.4 gpm during injection activities. A data summary of flow rates and volumes for injected wells is summarized in Table 2.

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

6.3 Injection Monitoring

During injection activities, field parameters were collected from each batch tank. Water quality parameter data were collected using a YSI 556 multi-parameter meter and included temperature, pH and specific conductivity adjusted for temperature. Batch tank data collected during injection activities are presented in Table 3.

During injection, specific conductivity was measured periodically in downgradient dose response wells MW-2, MW-5, and MW-6 to monitor for breakthrough of the injected Epsom salt solution. Specific conductivity readings from the dose response wells were compared to readings obtained from the batch tanks. Specific conductivity is an effective means of monitoring Epsom salt solution breakthrough due to the elevated conductivity of the injection solution relative to ambient groundwater and can be monitored real time in the field. If a spike in specific conductivity was measured in a dose response well it was used as a semi-qualitative indicator of relative solution breakthrough and injections ceased.

Batch tank specific conductivity ranged from 4.622 millisiemens per centimeter (mS/cm) to 5.922 mS/cm, with an average of 5.333 mS/cm. Specific conductivity readings in wells MW-2, MW-5, and MW-6 prior to injection activities were 0.548, 0.388, and 0.476 mS/cm, respectively. The difference in specific conductivity between the batch tank and the response wells allowed ARCADIS to effectively monitor and detect the arrival of the injection reagents.

Specific conductivity readings in well MW-2 increased from 0.548 to 4.952 mS/cm on the final day of injections, indicating that Epsom salt solution breakthrough was achieved at that well after approximately 1,800 gallons of solution were injected.

Specific conductivity readings in wells MW-5 and MW-6 increased from 0.388 to 0.416 mS/cm and 0.476 to 0.473 mS/cm, respectively, indicating little to no Epsom salt response at these monitoring wells . Groundwater field parameter data collected from monitoring wells MW-2, MW-5, and MW-6 are presented in Table 4.

7 Groundwater Biogeochemical Analytical Sampling

Groundwater samples were collected for biogeochemical analysis before and after injection activities. Samples were collected from upgradient/crossgradient monitoring well MW-1, downgradient monitoring wells MW-9 and MW-10, and target dose response wells MW-2, MW-5, and MW-6.

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

ARCADIS conducted pre-injection baseline groundwater geochemical sampling and post-injection sampling to confirm baseline biogeochemical conditions at the site, to validate field dose response data, to determine the rate of sulfate utilization and to evaluate changes in biogeochemical conditions. The monitoring dates, wells and analytes are listed below:

- On December 2 and 5, 2011, pre-injection baseline monitoring was performed
 in conjunction with routine groundwater monitoring activities. Monitoring wells
 MW-1, MW-2, MW-5, MW-6, MW-9, and MW-10 were low-flow purged and
 sampled using a peristaltic pump and new PE tubing. Groundwater samples
 were analyzed for methane, total alkalinity, nitrate-nitrite nitrogen, sulfate,
 sulfide, and total and dissolved iron.
- On February 3, 2012, the final day of injection activities, wells MW-2, MW-5, and MW-6 were purged of one casing volume and sampled using a new disposable PE bailer. Groundwater samples were analyzed for sulfate and sulfide.
- On March 9, 2011, one month post injection, dose response wells MW-2 and MW-6 were purged of one casing volume and sampled using a new disposable PE bailer Groundwater samples were analyzed for sulfate, sulfide, methane, and total and dissolved iron. Samples collected from MW-5 were not submitted for geochemical analysis due to a low Epsom salt solution volume injected into IW-1.

Groundwater monitoring field data sheets are presented in Appendix C.

Groundwater biogeochemical analysis was performed using the following analytical methodologies:

- Methane by Method RSK 175;
- Total alkalinity as calcium carbonate (CaCO₃) by Method SM 2320B;
- Nitrate-nitrite nitrogen by USEPA Method 353.2;
- Sulfate by USEPA Method 300.0;
- Sulfide by USEPA Method SM-4500-S-2; and
- Total and dissolved iron USEPA Method 6010.

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

Samples were collected in laboratory-provided bottles, packed in a cooler with ice, and submitted to Pace, under standard chain-of-custody procedures. Analytical results for groundwater geochemical analyses are presented in Table 5. The laboratory analytical reports and chain-of-custody documentation are included in Appendix D.

7.1 Groundwater Geochemical Analytical Results for Upgradient and Crossgradient Monitoring Wells

On December 5, 2011, ARCADIS collected samples for baseline geochemical analysis from upgradient/crossgradient monitoring well MW-1 and downgradient monitoring wells MW-9 and MW-10. Baseline sample results are presented in Table 5; results are summarized below:

- Total alkalinity as CaCO₃ was 37.4 mg/L at MW-1, 34.9 mg/L at MW-9, and 22.6 mg/L at MW-10.
- Sulfate concentrations were detected at 59.1 mg/L in well MW-1 and 8.3 and 9.2 mg/L in wells MW-9 and MW-10, respectively.
- Sulfide concentrations were not detected above laboratory RLs, (<0.40 mg/L), in MW-1, MW-9, or MW-10.
- Methane concentrations were not detected above laboratory RLs, (<0.010 mg/L), in MW-1, MW-9, or MW-10.
- Nitrate-nitrite nitrogen concentrations were detected at 2.0, 2.1, and 1.8 mg/L in wells MW-1, MW-9, and MW-10, respectively.
- Total iron was detected at a concentration of 113 μg/L in well MW-1. Total iron concentrations were detected at 59,600 and 37,800 μg/L in wells MW-9 and MW-10, respectively.
- Dissolved iron concentrations were not detected above laboratory RLs, (<0.10 mg/L), in MW-1, MW-9, or MW-10.

The sulfate concentrations at these wells suggest that ambient groundwater does not contain a significant source of sulfate. Additionally, marginal nitrate and dissolved iron concentrations suggest that ambient groundwater is not strongly reducing. ARCADIS will collect additional samples for geochemical analysis from wells MW-1, MW-9, and MW-10 during semiannual groundwater monitoring, currently planned for the third quarter of 2012.

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

7.2 Groundwater Geochemical Analytical Results for Dose Response and Downgradient Reactive Zone Wells

7.2.1 Dose Response Well MW-2

Dose response well MW-2 is downgradient and within the target ROI of injection well IW-2.

Sulfate analytical results indicate that breakthrough was achieved after approximately 1,800 gallons were injected at IW-2; however, the target sulfate concentration at the dose response well (4,600 mg/L, based on batch tank concentrations) was not achieved. Based on the volume of reagent injected required to achieve breakthrough at dose response well MW-2, the estimated mobile porosity at IW-2 is approximately 8-percent. An increase in sulfide concentrations from non-detect (less than 0.40 mg/L) to 33 mg/L, on the final day of injection activities, is a direct indication of sulfate-reducing conditions within the plume. Dissolved iron concentrations in MW-2 decreased relative to baseline conditions while total iron concentrations increased, which is likely attributed to the precipitation of ferrous sulfide.

The results of MW-2 dose response monitoring indicate that sulfate-reducing conditions are present. Sulfate reduction produces sulfide, which was observed following injection at MW-2, but then later reduced to non-detect levels. The production of sulfide was coupled with a decrease in the concentration of dissolved iron and an increase in total iron. Increased concentrations of total iron indicate that new iron solids are being formed, likely through the generation of ferrous iron sulfide precipitates. As ferrous sulfide precipitates sequester iron from solution, a decrease in dissolved iron concentrations are expected and were observed. Additional post injection monitoring will continue to evaluate long term trends.

7.2.2 Dose Response Well MW-5

Dose response well MW-5 is located within the target ROI of injection well IW-1.

Epsom salt solution injected into IW-1 totaled approximately 12 gallons. The injected volume likely did not impact the bio-availability of sulfate in the vicinity of the well however, post injection monitoring indicates a slight increase in sulfate concentrations in MW-5. The total iron concentration decreased in well MW-5 and sulfide concentrations were not detected above the laboratory RLs however, sulfate reducing conditions in MW-5 may be established. Additional post injection monitoring will

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

continue to determine long term trends. MW-5 geochemical analytical data are presented in Table 5.

7.2.3 Downgradient Reactive Zone Well MW-6

Dose response well MW-6 is located crossgradient/downgradient of monitoring well MW-2 and injection well IW-2. Dose response monitoring was conducted at MW-6 to determine the effective migration of the injected Epsom salt solution beyond the area directly influenced by injection.

Analytical results indicate that sulfate concentrations in MW-6 increased relative to baseline conditions and continued to do so after injection activities were complete. Sulfide and dissolved iron concentrations have not been detected above laboratory RLs and total iron concentrations decreased in well MW-6.

Sulfide concentrations have not been detected above laboratory RLs however, sulfate concentrations have increased in MW-6. The increasing sulfate concentrations observed at MW-6 are the result of downgradient migration from the injection at IW-2 and associated zone of influence, as characterized by post-injection data at MW-2. Although sulfate concentrations are still exhibiting an increasing trend at MW-6, the maximum concentration observed (325 mg/L) is an order of magnitude lower than the maximum concentration observed at dose response well MW-2. This trend, although still evolving, indicates that sulfate is being consumed along a flow path. Additional post injection monitoring will continue to determine long term trends.

8 Summary and Conclusions

On September 20 and November 1, 2011, three permanent injection wells, IW-1, IW-2, and IW-3, were installed to perform enhanced anaerobic bio-oxidation injection pilot testing at the site. Select soil samples from injection well borings were collected for laboratory analysis during well installation. Soil samples collected from the 9-9.5 foot depth range in IW-2 and IW-3 exceeded the MTCA Method A CL for GRO in IW-2 and GRO and total xylenes in IW-3.

From January 25 to February 3, 2012, Epsom salt solution injection activities took place at the site. A total of approximately 1,850 gallons of Epsom salt solution were injected into injection wells IW-1, IW-2, and IW-3. During the injection event, seepage from the well casings of IW-1 and IW-3 was observed and injections into these wells ceased. As a result, approximately only 50 gallons of Epsom salt solution was injected

Subsurface Injection Completion Report

ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, Washington

into IW-1 and IW-3. The majority of the solution, approxiamatley1,800 gallons, was injected into IW-2.

Groundwater geochemical samples were collected for laboratory analysis from dose response monitoring wells before and after the completion of injection activities. Results of the geochemical analysis suggest a sulfate reducing environment conducive to hydrocarbon degradation was created in the plume surrounding MW-2. Sulfate concentrations in the dose response monitoring wells did increase temporarily following injection activities. However, the target injection concentrations and volumes proposed in the CAP were not achieved. Increased sulfate concentrations observed in dose response well MW-2 reduced over time following the injection event, suggesting that sulfate is being consumed in the degradation of petroleum hydrocarbons. ARCADIS will continue to collect samples for geochemical analysis on a semiannual basis and the results will be presented to Ecology in conjunction with annual groundwater monitoring reporting.

Injection pilot testing results indicate that an alternative method of sulfate introduction may be a preferred approach to stimulate anaerobic bio-oxidation in the target area of elevated petroleum hydrocarbon related impacts. ARCADIS is currently considering sulfate application by alternative means. If an alternative sulfate delivery system is proposed, a revised Corrective Action Plan will be submitted to DOE for approval.

9 References

ARCADIS 2011, Cleanup Action Plan, ARCO Station 5377, 13131 Bothell-Everett Highway, Everett, Washington, May 23.

Delta 2003, Soil Sampling During Dispenser Island and Distribution Piping Upgrades, ARCO Facility No. 5377, Ecology Site ID# 5272, 13131 Bothell Everett Highway, Everett, Washington, April 17.

Thomas B.E., Wilkinson J.M., and Embry S.S., The Ground-Water System and Ground-Water Quality in Western Snohomish County, Washington. Washington State Department of Ecology. Tacoma, Washington 1997.

Tables

Table 1 Injection Well Soil Analytical Data

Subsurface Injection Completion Report ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, WA

| Sample ID | Depth (feet) | Sample Date | GRO (µg/kg) | Benzene ¹ (µg/kg) | Toluene ¹ (µg/kg) | Ethylbenzene ¹ (µg/kg) | Total Xylenes ¹ (µg/kg) |
|--------------|-----------------|-------------|----------------|---------------------------------|---------------------------------|-----------------------------------|--|
| IW-1 (7.5-8) | 7.5-8 | 9/20/2011 | <5,600 | <2.7 | <2.7 | 4.4 | 10.3 |
| IW-2 (9-9.5) | 9-9.5 | 11/1/2011 | 32,500 | 5.3 | <2.8 | 38.6 | 95.2 |
| IW-3 (6-6.5) | 6-6.5 | 9/20/2011 | <6,100 | <3.0 | <3.0 | <3.0 | <8.9 |
| IW-3 (9-9.5) | 9-9.5 | 9/20/2011 | 229,000 | <3.0 | 9.7 | 4,750 | 24,500 |

Notes:

GRO = Gasoline range organics, analyzed by NWTPH-Gx

 μ g/kg = Micrograms per kilogram

< = Analyte not detected above laboratory reporting limit

¹ Analyzed by United States Environmental Protection Agency Method 8260

Table 2 Injection Data Summary

Subsurface Injection Completion Report ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, WA

| | | | Totalizer | | IW-1 | | | IW-2 | | IW-3 | | | |
|-------|-----------|-------|--------------------------------|--------------------------------|----------------------------------|--------------------|--------------------------------|----------------------------------|--------------------|--------------------------------|----------------------------------|--------------------|--|
| Batch | Date | Time | Volume Reading (gallons) | Injection Pressure (psi) | Totalizer Volume (gallons) | Flow Rate (gpm) | Injection Pressure (psi) | Totalizer Volume (gallons) | Flow Rate (gpm) | Injection Pressure (psi) | Totalizer Volume (gallons) | Flow Rate (gpm) | |
| 1A | 1/26/2012 | 11:15 | 500 | 0 | 12.20 | 0.2 | 0 | 35 | 0.2 | 0 | 35 | 0.2 | |
| 1B/2A | 1/27/2012 | 10:30 | 1000 | 0 | 12.20 | 0.2 | 0 | 327 | 0.4 | 0 | 44 | 0.2 | |
| 3A | 1/30/2012 | 11:15 | 2000 | 0 | 12.20 | 0 | 0 | 1079 | | 0 | 44 | | |
| 3B | 1/31/2012 | 13:15 | 2600 | 0 | 12.20 | 0 | 0 | 1421 | | 0 | 44 | 0 | |
| 3B | 2/3/2012 | 9:30 | 3000 | 0 | 12.20 | 0 | 0 | 1782 | 0 | 0 | 44 | 0 | |

Notes:

psi = Pounds per square inch

gpm = Gallons per minute

-- = Not analyzed, not measured, or not applicable

Table 3 Injection Tank Field Paramaeter Data Summary

Subsurface Injection Completion Report ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, WA

| Tank ID | Batch | Date | Time | Specific Conductivity (mS/cm) | рН | Temp °C |
|---------|-------|-----------|-------|-------------------------------------|------|---------|
| 1 | 1A | 1/24/2012 | 15:30 | 4.622 | 7.54 | 4.30 |
| 2 | 1A | 1/24/2012 | 15:35 | 5.162 | 7.33 | 4.38 |
| 3 | 1B | 1/26/2012 | 13:00 | 5.626 | 7.67 | 4.65 |
| 4 | 1B | 1/26/2012 | 13:05 | 5.356 | 7.74 | 4.65 |
| 1 | 2A | 1/26/2012 | 14:10 | 5.914 | 7.45 | 4.77 |
| 2 | 2A | 1/26/2012 | 14:15 | 5.257 | 7.53 | 4.70 |
| 1 | 3A | 1/27/2012 | 13:15 | 5.922 | 6.96 | 3.92 |
| 2 | 3A | 1/27/2012 | 13:20 | 5.155 | 7.28 | 3.84 |
| 3 | 3A | 1/27/2012 | 13:25 | 5.210 | 7.44 | 3.80 |
| 4 | 3A | 1/27/2012 | 13:30 | 5.804 | 7.48 | 3.77 |
| 1 | 3B | 1/30/2012 | 13:00 | 5.010 | 6.92 | 5.75 |
| 2 | 3B | 1/30/2012 | 13:05 | 5.095 | 7.10 | 5.68 |
| 3 | 3B | 1/30/2012 | 13:10 | 5.298 | 7.21 | 5.72 |
| 4 | 3B | 1/30/2012 | 13:15 | 5.231 | 7.24 | 5.75 |

Notes:

mS/cm = Millisiemens per centimeter

°C = Degrees Celsius

Table 4 Dose Response Wells MW-2, MW-5, and MW-6 Groundwater Field Parameter Data

Subsurface Injection Completion Report ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, WA

| Well ID | Batch | Date | Time | Totalizer Volume (gallons) | DTW (ft BTOC) | Depth of reading (ft BTOC) | Specific Conductivity (mS/cm) | рН | Temperature °C | VOCs (ppm) | H₂S (ppm) |
|---------|-------|-----------|-------|-------------------------------|------------------|----------------------------|-------------------------------------|------|----------------|------------|-----------|
| | | 12/2/2011 | 13:20 | | | 15 | 0.548 | 6.58 | 12.07 | | |
| | | 1/25/2012 | 8:45 | 0 | 4.97 | 6.0 | 0.639 | 6.78 | 9.89 | 50.5 | 0 |
| | | | | | | 19.7 | 0.643 | 6.74 | 12.89 | | |
| | 1A | 1/26/2012 | 10:45 | 500 | 4.62 | 6.0 19.7 | 0.613 0.564 | 6.79 | 9.30 12.75 | 15.9 | 0 |
| | | | | | | 6.0 | 0.564 | 6.73 | 8.98 | | |
| MW-2 | 1B/2A | 1/27/2012 | 11:00 | 1,000 | 5.33 | 19.7 | 0.809 | 6.63 | 12.50 | 27.1 | 0 |
| 10177-2 | | | | | | 6.0 | 2.701 | 6.65 | 8.41 | | |
| | 3A | 1/30/2012 | 11:45 | 2,000 | 4.64 | 19.7 | 3.607 | 6.41 | 12.34 | 20.1 | 0 |
| | | | | | | 6.0 | 4.555 | 6.57 | 7.93 | | |
| | 3B | 1/31/2012 | 13:30 | 2,600 | 3.88 | 19.7 | 4.595 | 6.33 | 12.20 | 25.9 | 0 |
| | | - / - / | | | | 6.0 | 3.461 | 6.93 | 7.47 | 0.4 | |
| | 3B | 2/3/2012 | 9:30 | 3,000 | 4.66 | 19.7 | 4.952 | 6.54 | 11.71 | 8.4 | 0 |
| | | | | | | | | | | | |
| | | 12/2/2011 | 11:22 | | 6.47 | 12.0 | 0.388 | 6.56 | 13.27 | | |
| | | 1/25/2012 | 9:00 | 0 | 4.24 | | 0.375 | 6.72 | 8.99 | 7.8 | 0 |
| | 1A | 1/26/2012 | 11:15 | 500 | 3.71 | | 0.376 | 6.77 | 8.35 | 15.9 | 0 |
| MW-5 | 1B/2A | 1/27/2012 | 11:30 | 1,000 | 3.63 | | 0.372 | 6.69 | 8.33 | 11.9 | 0 |
| | 3A | 1/30/2012 | 12:00 | 2,000 | 3.80 | | 0.379 | 6.70 | 8.32 | 30.9 | 0 |
| | 3B | 1/31/2012 | 13:40 | 2,600 | 4.49 | | 0.385 | 6.73 | 8.51 | 17.7 | 0 |
| | 3B | 2/3/2012 | 10:00 | 3,000 | 4.35 | | 0.416 | 6.78 | 8.66 | 50.1 | 0 |
| | | 12/5/2011 | 14:00 | | 6.84 | 12.0 | 0.476 | 6.12 | 11.5 | | |
| | | 1/25/2011 | 8:30 | 0 | 5.16 | 12.0 | 0.462 | 6.31 | 9.46 | 0.0 | 0 |
| | 1A | 1/26/2012 | 11:00 | 500 | 4.87 | | 0.471 | 6.26 | 9.07 | 0.0 | 0 |
| MW-6 | 1B/2A | 1/27/2012 | 11:15 | 1,000 | 4.68 | | 0.426 | 6.28 | 9.33 | 0.0 | 0 |
| | 3A | 1/30/2012 | 11:30 | 2,000 | 5.82 | | 0.401 | 6.31 | 9.15 | 0.0 | 0 |
| | 3B | 1/31/2012 | 13:20 | 2,600 | 4.29 | | 0.419 | 6.33 | 9.21 | 0.0 | 0 |
| | 3B | 2/3/2012 | 9:55 | 3,000 | 4.75 | | 0.473 | 6.42 | 8.49 | 0.2 | 0 |

Notes:

DTW = Depth to water

mS/cm = Millisiemens per centimeter

°C = Degrees Celsius

ft BTOC = Feet below top of casing

VOCs = Volatile organic compounds

H₂S = Hydrogen sulfide

ppm = Parts per million

-- = Not analyzed, not measured, or not applicable

WA-00217 Subsurface Injection Completion Report

ARCADIS 6/28/2012

Table 5 Site Groundwater Geochemical Analytical Data

Subsurface Injection Completion Report ARCO Station No. 00217 (5377) 13131 Bothell Everett Highway Everett, WA

| Relative Location | Monitoring Well ID | Date Sampled | Total Alkalinity¹ (as CaCO₃) (mg/L) | Sulfate ² (mg/L) | Sulfide ³ (mg/L) | NO2 plus NO3 Nitrogen ⁴ (mg/L) | Nitrite as N (mg/L) | Methane ⁵ (μg/L) | Total Fe ⁶ (μg/L) | Dissolved Fe ⁶ (µg/L) |
|--------------------------|-----------------------|-----------------|---|--------------------------------|--------------------------------|--|------------------------|--------------------------------|------------------------------------|--|
| Upgradient/Crossgradient | MW-1 | 12/5/2011 | 37.4 | 59.1 | <0.40 | 2.0 | <0.010 | <10.0 | 113 | <100 |
| | | 12/2/2011 | 217 | 18.8 | <0.40 | <0.050 | 0.019 | 1,730 | 18,800 | 5,010 |
| | MW-2 | 2/3/2012 | | 3,100 | 33.3 | | | | - | |
| | | 3/9/2011 | | 238 | <0.40 | | | <6.6 | 37,700 | 2,720 |
| | | 12/2/2011 | 178 | 2.1 | <0.40 | <0.050 | <0.010 | 299 | 3,650 | 596 |
| Dose Response Wells | MW-5 | 2/3/2012 | | 44.6 | <0.40 | | | | | |
| | | 3/9/2012 | | | | | | | 2,440 | |
| | | 12/5/2011 | 121 | 14.6 | <0.40 | 0.15 | <0.010 | <10.0 | 6,870 | <100 |
| | MW-6 | 2/3/2012 | | 97.6 | <0.40 | | | | | |
| | | 3/9/2012 | | 325 | <0.40 | | | 90.1 | 2,290 | <100 |
| Down and diget | MW-9 | 12/5/2011 | 34.9 | 8.3 | <0.40 | 2.1 | <0.010 | <10.0 | 59,600 | <100 |
| Downgradient | MW-10 | 12/5/2011 | 22.6 | 9.2 | <0.40 | 1.8 | <0.010 | <10.0 | 37,800 | <100 |

Notes:

USEPA = United States Environmental Protection Agency

CaCO₃ = Calcium carbonate

mg/L = Milligrams per liter

μg/L = Micrograms per liter

mS/cm = Millisiemens per centimeter

-- = Not analyzed, not measured, or not applicable

Fe = Iron

N = Nitrogen

¹ Total alkalinity analyzed using Method SM 2320B

² Sulfate analyzed by USEPA method 300.0

³ Sulfide analyzed by Method SM 4500-S 2 F

⁴ Nitrogen, Nitrite/Nitrate analyzed by USEPA method 353.2

⁵ Methane analyzed using Method RSK 175


⁶ Total and dissolved iron analyzed by USEPA method 6010

Figures






IMAGE: GOOGLE EARTH PRO





ATLANTIC RICHFIELD COMPANY
ARCO STATION NO. 00217 (5377)
13131 BOTHELL EVERETT HIGHWAY, EVERETT, WASHINGTON
SUBSURFACE INJECTION COMPLETION REPORT

SITE AERIAL PHOTO









Appendix ${\bf A}$

Boring Logs

Date Start/Finish: 09/20/2011

Drilling Company: Cascade Drilling Company

Driller's Name: NA

Drilling Method: Hollow Stem Auger

Auger Size: NA Rig Type: NA

Sampling Method: Split Spoon (1.5')

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 15.5 feet Surface Elevation: NA

Descriptions By: EE/LW

Well/Boring ID: IW-1

Client: ARCADIS BP WA

Location: WA-00217 (5377)

13131 Bothell-Everett Highway

Everett, WA

| DEPTH ELEVATION | Sample Run Number | Sample/Int/Type | Recovery (Inches) | Blow Counts | N - Value | PID Headspace (ppm) | Analytical Sample | Geologic Column | Stratigraphic Description | Well/Boring Construction |
|--------------------|-------------------|--|-------------------|-------------------|-----------|---------------------|-------------------|-----------------|--|---|
| - | | | | | | | | | | Steel flushmount cover Locking J-Plug |
| -5 -5 - | | 2- 2.5 4- 4.5 6- 6.5 8 | NA 13" | NA 12 12 12 73 | NA NA | 0.0 | X | | Asphalt. Brown SAND, very loose, damp. Asphalt. Brown fine to medium SAND, very loose, moderately graded, little Pebbles, dry. Grey Silty SAND, moderately dense to dense, some Pebbles, dry. Grey Silty SAND, stiff, little Pebbles, dry. Grey Clayey SILT, little fine Sand, trace Gravel, soft, low to high plasticity, slightly moist. | Concrete Pad (0- 1' bgs) Neat Cement (1- 3' bgs) 4" Sch 40 PVC Riser (0.5-5.0' bgs) # 10/20 Sand Pack (3-4' bgs) |
| 10 -10 - | | 9.5 9.1 | 18" | 7 50/6 50/6 | NA NA | 0.7 | - | | Silty CLAY, stiff to moderately stiff, moderate plasticity, trace Gravel, slightly moist. Grey Clayey SILT, stiff to soft, trace fine to coarse Gravel, slightly moist. | # 2/12 Sand Pack (4-15' bgs) 4" Stainless Steel 0.010" Slot Screen (5-15' bgs) |
| - | | 11- 12.5 | 18" | 70/6 | NA | 0.0 | _ | | Silty CLAY, stiff to moderately stiff, moderate plasticity, trace Gravel, slightly moist. Silty CLAY, stiff to moderately stiff, moderate plasticity, some Gravel, dry. | |
| 15 -15 - | | 12.5- 14 14- 15.5 | 18" NA | 50/6 | NA NA | 0.1 | - | | NA | # 2/12 Sand Backfill (15-15.5' |
| 9 | F | \F | RC | A | D | IS | | | Remarks: bgs = below ground surface NA = Not Applicable/Available ' = Foot/Feet " = Inches. Sample: 7.5-8' bgs (PID= 9.8ppm) | |

Infrastructure · Water · Environment · Buildings

Date Start/Finish: 11/01/2011

Drilling Company: Cascade Drilling Company

Driller's Name: NA

Drilling Method: Hollow Stem Auger

Auger Size: NA Rig Type: NA

Sampling Method: Split Spoon (1.5')

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 16 Feet Surface Elevation: NA

Descriptions By: EE

Well/Boring ID: IW-2

Client: ARCADIS BP WA

Location: WA-00217 (5377)

13131 Bothell-Everett Highway

Everett, WA

| DЕРТН | ELEVATION Sample Run Number | Sample/Int/Type | Recovery (Inches) | Blow Counts | N - Value | PID Headspace (ppm) | Analytical Sample | Geologic Column | Stratigraphic Description | Well/Boring Construction |
|-------------|--------------------------------|------------------------------|-------------------|---------------------------|-----------|---------------------|-------------------|-----------------|---|---|
| - | | | | | | | | | | Steel flushmount cover Locking J-Plug Concrete Pad (0- |
| 5 - | | 2- 2.5 4- 4.5 | NA | NA | NA | 5.0 2.8 | | | Dark brown fine to coarse SAND, some Gravel, trace Silt, dense, well graded. Note: Asphalt at 2.7' bgs. Dark grey-brown fine to coarse SAND, some Clay and Gravel, dense, well graded, moderate plasticity Clay. | Concrete Pad (0- 0.1' bgs) Neat Cement (1- 4' bgs) 4" Sch 40 PVC Riser (0.5-5.0' bgs) # 10/20 Sand Pack(4-4.5' bgs) |
| - | | 6.5- 8 8- 9.5 | 0" | 16 21 20 8 10 | NA NA | NA 1689 | - | | Dark grey fine to coarse Clayey SAND, little Gravel, moderate plasticity, well graded, damp. Grey fine Silty SAND, little Clay, loose to dense, trace Gravel, moderately graded, damp. | |
| 10 -1 | 0 - | 9.5- | 18" | 11 15 16 | NA | 647 | X | | Grey fine to medium Clayey SAND, little Silt and Gravel, no to low plasticity, wet. | # 2/12 Sand Pack (4.5-15' bgs) 4" Stainless Steel 0.010" Slot Screen (5-15' |
| - | | 11- 12.5 12.5- 14.5 | | 16 21 35 NA | NA NA | 17.5 NA | | | Light brown Silty CLAY, very stiff, moderately plastic, trace Gravel. NA | bgs) |
| — 15 -1. | 5 | 14.5- 16 | 12" | 17 50/6 | NA | 92 | - | | Light brown Silty CLAY, little fine to medium Sand and Gravel, very stiff, moderate plasticity, moist to dry. Remarks: bgs = below ground surface | # 2/12 Sand Backfill (15-16' bgs) |



Remarks: bgs = below ground surface NA = Not Applicable/Available

' = Foot/Feet

" = Inches

Sample: 9-9.5' bgs (PID= 15.0ppm)

Date Start/Finish: 09/20/2011

Drilling Company: Cascade Drilling Company

Driller's Name: NA

Drilling Method: Hollow Stem Auger

Auger Size: NA Rig Type: NA

Sampling Method: Split Spoon (1.5')

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 16.5 Feet Surface Elevation: NA

Descriptions By: EE/LW

Well/Boring ID: IW-3

Client: ARCADIS BP WA

Location: WA-00217 (5377)

13131 Bothell-Everett Highway

Everett, WA

| DEPTH ELEVATION | Sample Run Number | Sample/Int/Type | Recovery (Inches) | Blow Counts | N - Value | PID Headspace (ppm) | Analytical Sample | Geologic Column | Stratigraphic Description | Well/Boring Construction |
|--------------------|-------------------|------------------------|-------------------|----------------|-----------|---------------------|-------------------|-----------------|--|---|
| - | | | | | | | | | | Steel flushmount cover Locking J-Plug |
| | | 2- 2.5 4- 4.5 | NA | NA | NA | 5.0 2.8 | | | Asphalt. Dark brown SAND, some fine to medium Gravel, trace Silt, well graded, dry. | Concrete Pad (0- 1' bgs) Neat Cement (1- 3' bgs) 4" Sch 40 PVC Riser (0.5-5.0' bgs) # 10/20 Sand Pack (3-4' bgs) |
| | - | 6.5- | 0" | 16 21 20 | NA | NA | | | No Recovery. Obstruction of split spoon probing. Grey Silty SAND, little Clay, trace fine to medium Pebbles, loose to very loose, | |
| - | | 8- 9.5 | 18" | 8 10 14 | NA | 1689 | X | | well graded, strong odor, moist. Grey Clayey SILT, little fine Sand and fine to medium gravel, moist. | # 2/12 Sand Pack (4-15' bgs) |
| -10 -10 - | | 9.5- 11 | 18" | 11 15 16 | NA | 647 | | | | 4" Stainless Steel 0.010" Slot Screen (5-15' bgs) |
| | | 11- 12.5 | 10" | 16 21 35 | NA | 17.5 | | | Grey Sandy SILT, little Clay, slight plasticity, stiff, trace fine to coarse Gravel, dry. | 595) |
| - 15 -15 - | - | 12.5- 15 | NA | NA | NA | NA | | | No Sample. | |
| | | 15- 16.5 | 12" | 17 50/6 | NA | 92 | | | Grey Sandy SILT, little Clay, slight plasticity, stiff, trace fine to coarse Gravel, dry. No Recovery. | # 2/12 Sand Backfill (15-16' bgs) |
| | 1 | | | | | | | | Remarks: bgs = below ground surface | |



NA = Not Applicable/Available

' = Foot/Feet

" = Inches

Sample: 6-6.5' bgs (PID= 12.7ppm); 9-9.5' bgs (PID= 1684ppm)

ARCADIS

Appendix ${\bf B}$

Injection Slug Test Field Data Sheets

Static Water Level: 6.62 1

Transducer Location (Well ID): 7 w-1 Transducer Log Title: Tw-1

Depth to well bottom: 14,444

Water Column: 3,42

90% of water column: 7,58

Total Volume Introduced: 5 gallons

| Time | Blug Yolume | Depth to Water (Feet) | Slup in Time | Slugdn Depth to Water | (Appearance) periodic transducer (ATV) |
|--------------|-------------|-----------------------|--------------|--------------------------|--|
| 3.10 | Jual. | 6,01 | 13:50 | NM | Staule Stug - FA |
| 347 30 | | 5,4(1 | | 3 · Ul' | |
| 1347.30 | | 3,64 | | | |
| 1347, 4D | | 3 72 | | | |
| 1547:56 | | 3.25 | | | |
| (3u) - (10 | | 3.78 | | | |
| 1348, 16 | | 3.79 | | | |
| 348,20 | | 3,25 | | | |
| 1344, 30 | | 3.83 | | | |
| 1348,40 | | 3, 24 | | | |
| 342.50 | | 3.8 | | | |
| THE IC | | S. 07 | | | |
| 249 30 | | 3,84 | | | |
| 344.50 | | 3.91 | | | |
| 350 120 | | 7,83 | | | |
| 03, 5K | | 3.96 | | | |
| 331, 20 | | 2197 | | | |
| 351,50 | | 3.4% | | | |
| \$52.50 | | 4,02 | | | |
| \$33,5°0 | | 4,03 | | | |
| 1755.00 | | 4.04 | | | |
| 137.50 | | 4.13 | | | |
| 1-31 1402.10 | | 4.20 | | | |
| 1407.50 | | 4128 | | | |
| 1412,30 | | 4.34 | | | |
| 1417.50 | | 4.41 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | . N | | |
| | | | | | |
| | | | | | |
| | | | | | |

Date: 12/5/11

Depth to pump inlet: 700 Depth to well bottom: 14441

Transducer 1 Test ID: +W-1

Transducer 1 Start Time:

| Target Injecti | on Rates: | | |
|----------------|-------------------------|-----------------------|---|
| Time | Injection Rate (gpm) | Depth to Water (Feet) | Notes (appearance, periodic transducer DTW) |
| 1420 | 0.1 P | 11.49 | |
| . 15 | A Section | 4.28 | |
| 50 | 34-77-W | 4.27 | |
| 145 | | 4.11 | |
| 1430,00 | | #3.98 | |
| 1430.15 | | 3.89 | |
| 1430.30 | | 3.77 | |
| 1430.45 | <u> </u> | 3,50 | |
| 1431.00 | | 3.51 | |
| 1482.45 | | 3,38 | |
| 132.30 | | 3,25 | |
| 1432.45 | | 3112 | |
| 1432.00 | <u></u> | 2.99 | |
| 1432,15 | | 7.81 | |
| 1432,30 | · | 2.75 | |
| 1432,45 | | 2.53' | |
| 1433.06 | · | 2,44 | - |
| 193342 | | 3.33, | |
| 1473.30 | | 2.18 | |
| 1434.0 | <u> </u> | 2.091 | |
| 1434.15 | | 1.991 | |
| 1434,30 | | 1.91 | |
| 143412 | | 1.00 | |
| | | + | |
| | | | |
| - | - | | |
| | | - | |
| | | | |
| | - ' | | · |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | - |
| | | | |
| | | | |
| | | | |

Static Water Level: 6.42
Depth to well bottom: 14.50
Water Column: 7.50
90% of water column: 6.32

Transducer Location (Well iD): 1 V Z Transducer Log Title: 1 V 2

Depth to pump intake: To €
Total Volume Introduced: \$\infty \int_{\infty} \(\int_{\infty} \)

| Time | Sing Volume | Depth to Water (Faet) | Slug in Time | Slug in Depth to Water | (representes, periodist transducer STW) |
|------------------|-------------|-----------------------|--------------|---------------------------|---|
| FW LFOC | | 6,42 | 1500 | - c 42 | 5 Gale Slag Introduced |
| 15700-30 | | 3,05 | | | - Ovi Trad In Trade |
| 500 40 | | #141 | | | |
| 500,50 | ==== | 4.25 | | | |
| 201100 | | 4. 33 | | | |
| EL VIO | | 4.31 | | | |
| 701,20 701,30 | | 4.21 | | | |
| 20(120 | | 4,32 | | | |
| 5010 40 | | G 32 | | | |
| Sti . 5 3 | | 4,321 | | | |
| 67,00 | | 4,33 | | | |
| 52,30 | | 4.321 | | | |
| 10,00 | | 4.32 | | | |
| 92. ES | | 4,32' | | | |
| 524.00 | | | | | |
| 305 | | -/ -/ - | | | |
| 1507 | - | | | | |
| 202 | | 4.38 | | | |
| 1513 | | 11.42 | | | |
| 1-18 | | 11.43: | | | |
| 723 | | 4.663 | | | |
| 5-28 E | | MIRE. | | | |
| 7 5 4 6 | | - | | | · · · · · · · · · · · · · · · · · · · |
| 1528 | | 4.79 | | | |
| 17-2 | | 4,71 | | | |
| | | | | | · · · · · · · · · · · · · · · · · · · |
| | | | | | · · · · · · · · · · · · · · · · · · · |
| | | | | | |
| | | | | | |
| | | | | | |
| | | E_ 1 | | | |
| | 7 | | | | - |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | ~ | |
| | | | " - | | |
| | | | | | * |
| | | | | | |

| Time | Injection Rate (gpm) | Depth to Water (Feet) | Notes (appearance, periodic transdocer DTW) |
|----------------------|-------------------------|---|---|
| 1234 | 0.5 | 4.76 | |
| 1540 | | 4,65 ¹ 4,53 ¹ 4,48 ¹ | |
| 1546 15 | | 4.531 | |
| 15 40 30 | | 4.48 | |
| .45 | | 4,40 | |
| 100 | | 4.35 | |
| 910 | | 4.30 | |
| , 15 , 20 , 45 | | 4.291 | |
| 1542:15 | 0.75 | 4.181 | |
| 130 | V 1 6 3 | 4.10 | |
| ,45 | | 41.07' | |
| 1543,00 | | 4-621 | |
| 15 | | JH 3.99" | |
| ,30 | | 3.911 | |
| .45 | | 3.91 | |
| ,00 | 113 | | |
| . 15 | | 1+20 | |
| | | | |
| | | | |
| | | | |
| | | | * |
| | | | |
| | | | · · · · · · · · · · · · · · · · · · · |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| - | | | |
| | | | |
| | -, | - | |
| | | | *** |
| | | | |
| | | | |
| | | ··· | |

ARCADIS

Appendix C

Groundwater Monitoring Field Data Sheets



Groundwater Monitoring Well Gauging Form

Site ID: WA-00217 Project #: GP09BPNA.WA01

Site Address: 13131 Bothell Everett Hwy Everett, WA Date: 12/2/2011

| | Well ID | Time | Sheen/ Odor | LNAPL Depth | LNAPL Thinkness | DTW | TD | Notes |
|-----|---------|-------|----------------|----------------|--------------------|---------|-------|----------|
| Alv | | | <u></u> | _ |) | 7.23 | 17.95 | 2" cose |
| MW- | 2 | 9:45 | (| _ | | 6.38 | 19.68 | 02" case |
| MW- | 4 | 10:12 | | | | 8.79 | 23.75 | 2" use |
| MW- | 5 | 9:20 | | | | 6.47 | 14.52 | l" cose |
| MW- | 6 | 9:51 | | | | 6.53 | 14.29 | l'ace |
| Mw- | 7 | 10:01 | | | | 7.37 | 13.90 | i" case |
| MW | -8 | 6:59 | _ | (| | 6.49 | 13.79 | 1" (ese |
| Mw- | 9 | 8:49 | | | | 7,38 | 14.49 | l' cae |
| MW- | 10 | \$141 | _ | | | TO 7.00 | 14.17 | I" we |
| | IW-1 | 9:07 | | | | 6.19 | 14.44 | y" case |
| | IV-2 | 9:37 | | ~ | | 6.77 | 14.50 | Y" cese |
| 1 | IW-3 | | | | | 6.32 | 14.45 | y" (cje |
| | | | , | | | | | |
| Ī | | | | | | | , , | , |

| A A | RC/ | ADIS | Groundwat | ter Sa | mpling f | Form | | | | | D | , of) |
|---------------------------------|---|--|--|--|--|--|-------------------------------------|--|--------------|--|-------------------|---|
| Project No. | GP09E | BPNA.WAO |)1.K0000 | _ | Well ID | MW- | | | | Date | Page 12/ /2011 | |
| Project Name | ∍/Locatio | νη WA-0021 | 17/13131 Bothell Ev | verett Hw | y, Everett, V | VA | | | | Weather | | |
| Measuring Pt Description | t. <u>TOC</u> | | Screen Setting (ft-bmp) | feler | to Lay | Casing Diameter (in.) | 2'' | _ | | Well Mat | erial | X PVC |
| Static Water Level (ft-btoc) | | o41 | Total Depth (ft-b | | -3 | Water Columni Gallons in Well | 10.1/1 | 6/10 | 75-9 | Initial PID Reading (| | 0.0 |
| TOC Elevatio | n <u> 1/</u> | N | Pump Intake (ft- | | | Purge Method: | | | | Sample | . = = | |
| | | , , , | Volumes Purge | d | | | Centrifugal Submersible Other | a | | Method | LFS | _ |
| Sample Time | : Label Start End | 1224 1224 1224 | Replicate/ Code No. | No Dur | plicates | - Fran | reas T. | - M | an . | Sampled | by | Kyle Haslam |
| Stabilized F | ₹anoe: | | ~.5 ft | | . 0.1 | 3% | 10% | AU IN L. THE | اس 3% | | | |
| Time | Minutes | • | Depth to | Gallons | s pH | Cond. | Turbidity | Dissolved | | Redox | Apr | pearance |
| | Elapsed | d (gpm) (mĽmin): | Water (ft) | Purged | | (µMhgs) (mS/cm) | (NTU) | Oxygen _(mg/L) | (°C) | ORP (mV) | Color | |
| 1212 | 3 | 2200 | NM < | 0.1 | 427 | 0,238 | NM | 7:11 | 13.73 | 257,4 | lbien | None |
| 1215 | 6 | | | 2.0 | 6.27 | 6.226 | NM | 5.66 | 13.45 | 263.0 | 11 | 11 |
| 1218 | 1 | V | <u> </u> | 0,3 | £.26 | 0:235 | NM | ي کند، ک | 14,12 | 266.5 | 1 17 | - 11 |
| 1221 | 12 | 1200 | N/M | 0.4 | 6,26 | 8.235 | NM | 5,84 | 14,14 | 268.7 | 11 | 1, |
| | | <u> </u> ' | | | <u> </u> | | | <u> </u> | <u> </u> | | | |
| ļ | | | _ | \vdash | — | <u> </u> | <u></u> | ↓ | <u> </u> | | <u> </u> | $-\!$ |
| <u> </u> | <u> </u> | ├ ── | | ┼── | | · · · · · · | | - | <u> </u> | | | |
| | | - | | \vdash | | | | ┼ | | | | |
| <u> </u> | | | | ├── | | | | | | 1 | | · - |
| ļ | | | | \vdash | | | | - | | | | |
| <u> </u> | | \vdash | | | | | | | | | | - |
| | | | | $\vdash \vdash$ | | - | | | | | | |
| | | | | | | | | - | | | | - |
| | | | | \vdash | | | | | | | | +- |
| l | | | | | | | | | | | | + |
| | | | | | | | | | | + | | + |
| | | | | | | | | | | | | |
| Constituents | Sample | 1 | | | Container | | | | Number | | Preservativ | 8 |
| | | | | • | | | | | _ | 8 | | |
| | | | | | | | | : : :: | | e . | <u>.</u> | |
| _ | | | | | | | | E: | | | | |
| | | | | ř. | | | | • | | | | |
| | | | | (0) | | | • | | | • | | |
| | | | | | | | | | | Ş | | |
| | | | | , , | | • | | . 54 | | iii - | | |
| _ | | | | | | | | 2 5 | | <u>.</u> | | |
| | | | | 2 | | | | | | • | | |
| | | | | () I | | | | , | | . . | | |
| | | _ | | и . | | | | | | 8 | | |
| | | | | | | | | • | | - | | |
| | | | | | | | | E | | - | | |
| | olumes 1" = 0.04 1.25" = 0.0 | قىلىر | | 2.5" = 0.26 3" = 0.37 | | 5" = 0.50 (' = 0.653 | 6" = 1.47 | | | | | |
| Well Informa | tion | | - | | | | | | | | | |
| Well Locat | | | No. 1r 2 | اللو: | , f j. 1e | | Well L | ocked at | Arrival: | Yes | | 福 |
| Condition of | - | | Good | | | | Well Lock | | | Yes | | |

Stick Up

Key Number To Well:

Flush Mount

Well Completion:

| M. A | NUF | CIU | Groundwa | ter Sar | mpling f | Form | | | | | Page | 5 | of. |
|---------------------------------|------------------------|-------------|--|-------------------|---------------|--|----------------------------|-------------------------------|----------|---------------------------|-------------|-------------------|-------------|
| Project No. | GP09B | BPNA.WAO |)1.K0000 | _ | Well ID | MW- 2 | | - | | Date | 12/4/201 | _ | |
| Project Name | /Locatio | n_WA-0021 | 17/13131 Bothell Ev | verett Hwy | y, Everett, V | <u>v</u> a | | | | Weather | | | |
| Measuring Pt. Description | <u>тос</u> | | Screen Setting (ft-bmp) | | | Casing Diameter (in.) | 2 | - | | Well Mate | erial | | PVC SS |
| Static Water Level (ft-btoc) | 6.39 | 8 | Total Depth (ft-b | _ | .68 | Water Column/ Gallons in Well | | | | Initial PID Reading (p | ppm) | | |
| TOC Elevation | n | | Pump Intake (ft- | -btoc) 15 | 5 | Purge Method: | Low-Flow | | | Sample | | _ | |
| Pump On/Off | 13:19 | 5 | Volumes Purge | :d | 1 | | Centrifugal Submersible | | | Method | LFS | | • |
| Sample Time: | : Label | 13:20 | Replicate/ | | | | Other | | | | | | |
| · | Start End | 13:50 | Code No. | No Dup | dicates | - | | | | Sampled | by | Kyle i | Haslam_ |
| Stabilized R | | T Data | ~.5 ft | I Callana | 0.1 | 3% | 10% | Interested | 3% | Lea | | | |
| Time | Minutes Elapsed | | Depth to Water (ft) | Gallons Purged | | Cond. (μMhos) (mS/cm) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Temp. | Redox ORP (mV) | Cole | ppearanc or | Odor |
| 13:17 | 0 | \$100 | 6.38 | 61 | 6.56 | 0.553 | • | 2.61 | 11.57 | 47.3 | cla | | 1000 |
| 13:20 | 3 | wo | 6,41 | 41 | 6.58 | 0.550 | - | 1,00 | 11.82 | 30.4 | 1 | | 1 |
| 13:23 | 6 | [00 | 6.45 | 4 | 6.55 | 0.548 | | 1,01 | 12.07 | 14.2 | - | | |
| 13:26 | 9 | 100 | 6.47 | 41 | 6.58 | 0.548 | | 0.83 | 12.07 | 7.8 | - ' | \longrightarrow | <u>l</u> |
| | $\vdash \vdash \vdash$ | \vdash | | +- | \vdash | | | | | - | ļ | | |
| — | $\vdash \vdash \vdash$ | | | | | | | | | | _ | \dashv | |
| | \square | | | + | - | | - | <u> </u> | | | | \dashv | |
| | | | | | | | | | | | | | |
| | | | | | İ | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Heteh | Kit | = | 10 MG | 1/1 | Fe | | | | | | | \dashv | |
| ļ | | <u> </u> | | ' | | | | | | | | | |
| | | | | | | | | | | \vdash | | \rightarrow | |
| - | | | | + | | | | | | | | | |
| 1 | | | | | | <u> </u> | | | | L | | | |
| Constituents | Sampler | ı | | | Container | r | | | Number | | Preserva | tive | |
| | | | | £ 6 | | | | ñ. | |) î | | | |
| | | | _ | - | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | 50 E | | | | E 9 | | 9 9 | | | |
| | | | | #01 · | | | | E 0 | | 0 | | | |
| | | | | | | | | • | | | | | |
| | | | | • | | | | | | - | | | |
| | | | | _ | | | | 14 | | | | | |
| | | | | | | | | | | 17 | | | |
| | | | | - C | | | | | | | | | |
| Well Casing Vo | olumes 1" = 0.04 | | .5" = 0.09 | 2.5" = 0.26 | 8 3 | i.5" = 0.50 | 6" = 1.47 | | - | | | | - |
| 1 | 1.25" = 0.0 | 6 2" | " = 0.162 | 3" = 0.37 | 4* | * = 0.653 | | | | | | | |
| Well Informa | | | | | | | | | <u> </u> | | | | |
| Well Locat | | Wester | 7 | ty 1 | <u>Edge</u> | | | ocked at | _ | Yes | | (No) | |
| Condition of | - | _ (vaz | | - | | | Well Locks | | _ | Yes | | No | |
| Well Comple | ation: | (F | lush Mount | / Sti | ick Up | | Key N | lumber To | o Well: | | | | G₩ SampForm |

ADCADIC

| Project No. | GP09B | PNA.WA0 | 1.K0000 | _ | Well ID | MW- 5 | | | | Date | 12/420 | | of |
|---------------------------------|----------------------------------|-----------------|----------------------------|--------------------------|--------------|---------------------------------|----------------------------|---------------------|--------|---------------------------|---------------------------------------|------------|-----------|
| Project Name | /Locatio | n_WA-0021 | 7/13131 Bothell Ev | erett Hwy | , Everett, W | VA | | _ | | Weather | cles | 2/ | |
| Measuring Pt. Description | тос | | Screen Setting (ft-bmp) | | <u> </u> | Casing Diameter (in.) | $= \ell''$ | | | Well Mate | erial | | PVC SS |
| Static Water Level (ft-btoc) | 6.4 | 7 | Total Depth (ft-b | toc) [4 | 1.52 | Water Column Gallons in Well | - | | | Initial PID Reading (p | nnm) | | |
| TOC Elevation | | _ | Pump Intake (ft- | 8.6 | | Purge Method: | | | | Sample | ppm) | | |
| Pump On/Off | 11:15 | | Volumes Purge | 9 | 1 | · · | Centrifugal Submersible | | | | LFS | | |
| Sample Time: | Label Start End | 11:30 14:18 | Replicate/ Code No. | No Dup | licates | - | Other | | | Sampled | by | Kyle | Haslam |
| Stabilized R | | I B-4- | ~.5 ft | To | 0.1 | 3% | 10% | In | 3% | | | | |
| ime | Minutes Elapsed | | Depth to Water | Gallons Purged | pН | Cond. (μMhos) | Turbidity | Dissolved Oxygen | Temp. | Redox | | ppearand | |
| 1:18 | O | (m⊔min) f 00 | 6,47 | Zt | 6.58 | (mS/cm) | (NTU) | (mg/L) | (°C) | (mV) 89.0 | Colec | - | Odor |
| 1:21 | 3 | 100 | 9.31 | LI | 6.54 | 0.340 | | 1.90 | 1311 | 74.6 | Clec | | none |
| 1:24 | 6 | 100 | 11.27 | 4 | 6.58 | 0.387 | | 3.10 | 13,33 | 589 | | | +- |
| 1:27 | 9 | 100 | 10219 [5.91] | 41 | 6.56 | 0.388 | _ | 2.95 | 13,27 | 51.0 | , , , , , , , , , , , , , , , , , , , | | |
| | | | (J. (() | | | | | | | | | | |
| Purged | ds | 4 43 | 11:34, | wil | allow | to r | echeze | inc | l sc | ple | e= + | <u>e10</u> | |
| _ | | of | day. | | | | | | | | | \dashv | |
| 111 000 | A = | - t- | 212 | | | | | | | | | | |
| 4:00 | יט | TW. | 9.65 | | | | | | | | | | |
| Filled | ren | cink | Container | 6 | 14:15 | | , | | | | | | |
| | | 1 | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | , | | | | | | | | | | | |
| onstituents (| Sample | j | | | Container | | | | Number | | Preserva | live | |
| | | | | - 8 | | | | 9 | - | - | | | |
| | | | | 55 57 | | | | • | | | | | |
| | | - | | | | | | - | | | | | |
| | | | | | | | | 2 | | G : | _ | _ | _ |
| | | | | 8 8 | | | | | | | | | |
| | | | _ | 99 | | | | - | | | | | |
| | | | | • | | | | • | | - | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | - | | - | | | |
| | olumes " = 0.04 .25" = 0.0 | | | 2.5" = 0.26 3" = 0.37 | | 5" = 0.50 ' = 0.653 | 6" = 1.47 | | - | | | | |

Well Completion:

Flush Mount

Stick Up

Key Number To Well:

ARCADIS Groundwater Sampling Form

| Project No. | GP09B | PNA,WA0 | 1.K0000 | _ | Well ID | MW-6 | | | | Date | 12/≨/20 | 11 | |
|---------------------------------|-------------------------|----------------|----------------------------|--------------------------|---|----------------------------------|-------------------------|---------------------|----------|---------------------------|----------|-------------|---------------|
| Project Name | /Locatio | n_WA-0021 | 7/13131 Bothell Ev | erett Hwy | , Everett, W | Ά | | | | Weather | | | |
| Measuring Pt. Description | тос | | Screen Setting (ft-bmp) | | | Casing Diameter (in.) | <i>]"</i> | | | Well Mate | ərial | _x | PVC SS |
| Static Water Level (ft-btoc) | 6.8 | 4 | Total Depth (ft-bi | toc) 14. | 29 | Water Column/ Galions in Well | 0.29 | 8 | | initial PID Reading (p | pm) | 0. | 6 |
| TOC Elevation | n | | Pump Intake (ft-l | 4.4 | <u>, </u> | Purge Method: | Low-Flow Centrifugal | | | Sample Method | LEC | | |
| Pump On/Off | 1117 | 7/ | Volumes Purgeo | <u>121</u> | | | Submersible | | | IVIÇINQO | LFS | | - |
| Sample Time: | Label Start End | 14:00 14:35 | Replicate/ Code No. | No Dup | licates | - | Other | | | Sampled | by | Kyle | <u>Haslam</u> |
| Stabilized R | tange: | | ~.5 ft | | 0.1 | 3% | 10% | | 3% | | | | |
| Time | Minutes Elapsed | Rate (gpm) | Depth to Water | Gallons Purged | ρН | Cond. (µMhos) | Turbidity | Dissolved Oxygen | Temp. | Redox ORP | Α | ppearanc | e |
| 1153 | | (mL/min) | (ft) | | (3.14 | (mS/cm) | (NTU) | (mg/L) | (°C) | (mV) | Col | or | Odor |
| 1120 | 3 | 250 | NM | 40,1 | 6.16 | 0.486 | NM | 2,73 | _ | 200.1 | 67N | | None |
| 1123 | () () | 250 | | 0.2 | 6,12 | 019 60 | N VV | 1-1.77 | 11.54 | 78.4 | 1,4 | | |
| 1126 | 1 | ~20 | NM | 0.25 | ef. | | | | | | | | |
| 1159 | 12 | | 10 30 1 | ტ, პ | હર્લ્ | - | | | _ | | | | |
| Well | went | Dr. | . W.11 | Wast | - Ab - | re i hara | e jo | colle | et su | mple | | | |
| | | | @ <0.2 ALL | - | ,,, | 7.00 | | | | .,, | | $\neg \neg$ | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | • | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| • | | | | | | | | | | | | | |
| | | | | \vdash | | | | | | | | | |
| | - | | | | | | | - | | + | | -+ | |
| | | | | | | <u> </u> | | | | | | | |
| Constituents | Sample | 1 | | | Container | | - | | Number | | Preserva | tive | |
| | | | | | - | | | 9. 15 | | | | | |
| | . : | | | s: 3: | | | | | | - | | | |
| | | | | - | | | | - | | - | | | |
| | | | | • | <u> </u> | - 2 | | - | | - | | | |
| | | | | | | | | - | _ | 2.7 | | | |
| | | | | | | | | | | - | | | _ |
| _ | | | , | • | | | | - | | - | | | · · |
| | | | | N 15 | | | | • | | - | | | |
| | | | _ | | | | | _ | | - | | | |
| | | | | | | | | _ | | _ | | | |
| | | | | _ | | | | | | A 15 | | | |
| | | | | | | | |) 15 } | | _ | | | |
| Well Casing-V | earfuile | | | | _ | | | | | | | | |
| Gallons/Foot 🔼 | " = 0.04 .25" = 0.0 | | | 2.5" = 0.26 3" = 0.37 | | 5" = 0.50 6 = 0.653 | s" = 1.47 | | | | | | |
| Well informa | tion | | | | | P. | | | | | | | |
| Well Locati | ion: | | | 15 my 20 | - o f 2.º | ie | Well Lo | ocked at / | Arrival: | Yes | 1 | Ne | |
| Condition of | - | | cod | | | | Well Locks | ed at Dep | arture: | Yes | / | (Na) | |
| Well Comple | etion: | <u> </u> | lush Mount / | Stig | k Up | | Key N | umber To | Well: | NN | 1 | | GW Samp Fam |

ARCADIS Groundwater Sampling Form

| Project No. | GP09B | PNA.WA0 | 1.K0000 | _ | Well ID | MW- G | | | | Date | 12/1/20 | | <u>. —</u> |
|--|--|-------------------|------------------------|-----------------|--------------|--------------------------------|----------------------|------------------|-------------|------------------|-----------|---|-------------|
| Project Nam | | | 7/13131 Bothell E | — verett Hwy | , Everett, W | • | Ţ. | - | | Weather | | ady 4 | 10. |
| Measuring F | | | Screen | | | Casing | . 11 | | | Well Mate | | _X (| |
| Description | TOC | | Setting (ft-bmp) | Refer | | Diameter (in.) | 111 | | | | | | SS |
| Static Water Level (fl-btoc) | / / | (\$) | Total Depth (ft-t | 12 | 1.49 | Water Column Gallons in Wel | | 10. | 27 | Initial PID | | 0. | <i>i</i> . |
| TOC Elevati | 1/ | M | Pump Intake (fi | | -12 | | | | | Reading (p | pm) | <u> </u> | <u>t</u> |
| | 44 | 15/ | | | | Purge Method: | Centrifugal | | | Sample Method | LFS | | |
| Pump On/Of | т <u>, , , , , , , , , , , , , , , , , , ,</u> | | Volumes Purge | :a | | | Submersible Other | | | | | | |
| Sample Time | e: Label Start | 1 | Replicate/ Code No. | No Dup | dicator | | | | | Sampled I | . | 17:45 | Jaalaus |
| | End | | 0000 110. | 140 000 | ilcates | - [a | bus Iroga | - (~.) | 84 | Sampleo | ру | Kyle F | laslam |
| Stabilized | Range: | | ~.5 ft | | 0.1 | 3% | | > 7.5 | | | | | |
| Time | Minutes | Rate | Depth to | Gallons | pН | Cond. | 10% Turbidity | Dissolved | 3% Temp. | Redox | Δ | ppearance | |
| | Elapsed | (gpm) (mL/min) | Water (ft) | Purged | | (µMhas) | (NTU) | Oxygen (mg/L) | (°C) · | ORP (mV) | Cole | | Odor |
| 1018 | 3 | ~15 | NM | 20:1 | 5-2 | 0.138 | NM | 3,65 | | 304.9 | Bron | | None |
| 1021 | 6 | 250 | 1 | 0.2 | 5.54 | 0.136 | NM | 2.2.4 | 41.10 | 304.0 | , 10 | | 11 |
| 1024 | 9 | マジン | <u> </u> | 0.25 | | 0.135 | NM | 257 | 11.55 | 304.6 | И | | 17 |
| 1027 | 15 | 250 | ΝM | 0.3 | 5.54 | 0.135 | NM | 2,13 | 11-22 | 309.3 | 11 | | U. |
| | | | | | <u> </u> | | | | <u> </u> | <u> </u> | | | |
| | +- | | | | <u> </u> | | | | | ļ <u>.</u> | | \longrightarrow | |
| | | | | | | | | | | | | $-\!$ | |
| | | | | | | | | | | | | | |
| | | | | | | | | , | | | | | |
| | | | | | | | - | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | · | | | |
| | | | | | | | | | | | | | |
| | \sqcup | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Constituents | Sampled | | | | Container | , | | | Number | | Preservat | tive | |
| | | | | | | | | | | | | | |
| | | | | 55 | | | _ | | | | | | |
| | | | | | | | | - 5 | | 8 | | , | |
| | | | | | | | | | | _ | | | |
| | | | | | | | | | | _ | | | |
| | | | | | | | | | | _ | | | |
| | | | | 0 | | | | | | - | | | |
| | | | | | | | | | | _ | | | |
| | | | | | | | | | | 2 - | | | |
| | - | | | | | | | 2 - | | - | | | |
| | | | | | - | _ | | - | | _ | | | |
| | | | | - | 75 | | | | | 1 1 1 | | | _ |
| | | | | | | | | | | - | | | |
| Well Casing \ Gallons/Foot (| /olumes 1" = 0.04) | 1.5 | 5" = 0.09 | 2.5" = 0.26 | 3 2 1 | 5" = 0.50 | 6° = 1.47 | | = | | | | |
| Januar Wi | 1.25 = 0.06 | | = 0.162 | 3" = 0.37 | | = 0.653 | J ~ 1.47 | | | | | | |
| Well Informa | ation | | | | | | | | | | | | |
| Well Loca | tion: | | Westor | 5, 40 | 2 | | Well Lo | ocked at | Arrival: | Yes | | (No) | |
| Condition of | f Well: | | ~~ (| ,00 e | | | Well Locke | | _ | Yes | | Ne | |
| Well Comp | letion: | (F | lush Mount | / Stic | ck Up | | Key N | umber To | Well: | NM | | G) | W Samp Forn |

| Description TOC Setting (ft-bmp) More Mor | Project No. | | ADIS | Groundwa | ater Sai — | mpling I | Form <u>мw- јо</u> | | . ' | | Date | Page |) of |
|--|--------------|------------------|-------------|-------------------|---------------|--------------|-----------------------|-------------|------------------|--------|------------------|--------------|-------------|
| Description TOC Setting (Rehmy Description TOC Setting (Rehmy Description Descriptio | Project Name | /Locatio | r_WA-0021 | 7/13131 Bothell I | Everett Hwy | , Everett, V | VA | | | | Weather | Cloudy | 100 |
| State | Measuring Pt | | | Screen | | | Casing | · } 21 | | | Well Mate | | X PVC |
| Pump On/Off | | | | Total Depth (ft | | 1.17 | | / / \ | 10. | 27 | | opm) | 0.0 |
| Sample Time: Label O 1/3 Replicate Start O 1/3 Code No. No Duplicates Sampled by Kyle Hass Sampled by Sam | | | | | | 12" | Purge Method: | Centrifugal | · | | Sample Method | LFS | |
| Time | | : Label Start | <u>0937</u> | Replicate/ | | licates | _ | | | | Sampled | by <u>I</u> | Kyle Haslam |
| Elapsed (agam) (with min) (ii) (with min) (iii) (with min) (with | | | Rate | | Gallons | | | | Dissolved | | Redox | | |
| 0926 6 250 PM 0.25 5.51 (1.15) PM 7.98 10.42 26.4 (1.15) 0929 9 250 NM 0.25 5.54 (1.16) NM 4.77 10.42 230.2 (1.15) 0952 12 250 NM 0.3 5.57 (1.10) NM 4.89 11.00 2750 11. 11. | | | (mL/min) | | Purged | | (mS/cm) | | | (°C) | ORP (mV) | Color | Odor |
| 1 | | | | | ₹6,1 | - | 0.123 | | | 10.24 | 5259 | Brown | Nent |
| Constituents Sampled Container Number Preservative | | | | 1 | | | 1 121 1 | | - / · | | | | 17 |
| Had hit = 5,4 mg/l Fe Constituents Sampled Container Number Preservative | | | _ | | | | | | | | | | 11 |
| Constituents Sampled Container Number Preservative | | | | | | | | | | | | - | |
| | Hady | المن أ | 0 | L | I ře | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | • | | | | | | _ | |
| | Constituents | Sample | j | | | Containe | r | | | Number | | Preservative | |
| | · | | <u> </u> | <u>.</u> | _ | | | | - 2 | | X SE | | |
| | | | | | =77 | | | | | | | | |
| | | | | | - | | . | | | | _ | | |
| | | | | | | | , | | | | - | | |
| | | | | | | | | | | | 12 | | |
| | | • | | | | | | | 2 2 | | | | |
| | | | | | - 3 | | | | 0 | | - | | |
| | | | | | | | | | • | | - | | |
| | | | | | _ : | | | | | | - | | |
| | | | | | | | | | | | - | | |

| Caliona, oct | 1.25" = 0.06 | 2" = 0.162 | 3" = 0.37 | 4" = 0.653 | 0 - 1.47 | | | | |
|--------------|--------------|------------|-------------|------------|---------------------------|-----|---|---------|---------|
| Well Inform | mation | | | | | | | | |
| Well Lo | cation: | west ef | s.'te. | | Well Locked at Arrival: | Yes | 1 | (Jg) | |
| Condition | of Well: | | Good | - | Well Locked at Departure: | Yes | 1 | (Vo) | |
| Well Com | pletion: | Flush Moun | t / Stick U | p | Key Number To Well: | MM | | GNV Ser | |
| | | | | | • | | | 1: | 2/12011 |



| Site ID: WA-00217 | Project #: GT0913PNA.WA01 K0000 |
|------------------------------|---------------------------------|
| City Address: 18131 17 1/ // | E IL II . Date 2 . 2 . 202 2 |

| MA/AIL ID | Time | Sheen/ | LNAPL | LNAPL | DTM | T. | Aleks |
|-----------|------|----------------------|--|--|------|-------|---|
| Well ID | Time | Odor | Depth | Thinkness | DTW | TD | Notes |
| MW-5 | 9:34 | None | | | 4.75 | 14.29 | O.Z PPM H |
| MW-Z | | None None None | | _ | 4.66 | 19.69 | 8.4 PPM H2 |
| MW-5 | 9:43 | None | _ | | 4,35 | 14.53 | 0.2 PPM H2 8.4 PPM H2 50.1 PPM H2 |
| | | | | | | | |
| | | | | | | | |
| | | | | <u>. </u> | | | |
| | | | THE PART OF THE PA | | | | |
| | | | | | | | |
| | | | | | | , | |
| | | | | | | | |
| | | | | | | | |
| | | | V. D. DOTTO, O D. AAAA LIINA | | | | |
| | | | | | | | |
| | | | | | | | |

| | | | 1.WA01.K | <u>o</u> 000 | Well ID | мw- 2 | | | | Date | <u>2-3-2</u> | 2 of 3 017 |
|--|--|---------------|------------------------------------|-------------------------|------------|----------------------------------|----------------------------|---------------------|-------------|---------------------------|---------------|---------------|
| Project Name Measuring Pt. Description | | · | Screen Setting (ft-bmp) | | | Casing Dlameter (in.) | 2" | _ | | Well Mate | | X PVC SS |
| Static Water Level (ft-btoc) | 4,6 | <u></u> | Total Depth (ft-b | toc) 19. | 69 | Water Column/ Gallons in Well | 27 1 | | | Initial PID Reading (p | ppm) | 8.4 |
| OC Elevation Pump On/Off | | | Pump Intake (ft- Volumes Purger | | | Purge Method: | Centrifugal Submersible | | | Sample Method | Biler | |
| Sample Time: | Start | 10:15 | Replicate/ Code No. | No Dup | | - | Other | | | Sampled | by | Kyle Haslam |
| Stabilized F | Range: Minutes Elapsed | Rate (gpm) | ~.5 ft Depth to Water | Gallons Purged | 0.1 pH | 3% Сопd. (µMhos) | 10% Turbidity | Dissolved Oxygen | 3% Temp. | Redox ORP | Apı | pearance |
| A. a. | | (mL/min) | (ft) | <u> </u> | 101 | (mS/cm) | (NTU) | (mg/L) | (°C) | (mV) | Color | |
| 1:30 | 0 | | 4.66 | 0 | 6.54 | 4.952 | | | 11.71 | | Cees | - voc |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| ultide | Fiel | d Te | s+ = | 10 | mg/L | | | - | | | | |
| • | | | | |) | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | _ | | | | | | | | |
| | | | | | | | | | | | | |
| onstituents | | d | | | Containe | ř | | | Number | | Preservati | ve |
| mlfice | | | | | | | | | 1 | - | None Na OH | + Zn Ac |
| | | | | E 15 | | | | | | | | |
| | | | | =; | | | | | | - | | |
| | | | | - | | - | | | | _ | | * |
| | | | | - | | | | | | | | |
| | | | | 5 K | | | | | === | | | |
| | | | | - | | | | | | - - | | |
| | /olumes 1" = 0.04 1.25" = 0.0 | 1. | 5" = 0.09 ' = 0.162 | 2.5" = 0.2 3" = 0.37 | | .5" = 0.50 " = 0.653 | 6" = 1.47 | | | | | <u></u> |
| Vell informa | ation | 1 | | | <u>~ 1</u> | | | | | | | - |
| Well Loca | | Good | | 4 | -dca | | | ocked at | _ | Yes | | (N) |
| Condition of | F VA/cIII | Ido | * | / | _ | | Well Lock | ad at Da- | ortura. | Yes | I | (Ne) |

| | | | Groundwat | | | | | | | | Page _ | 3_ of 3_ |
|---------------------------------|------------------------------------|---------------|-------------------------|--------------------------|----------|--------------------------|----------------------------|---------------------|----------------|---------------------------|----------------|---------------|
| Project No. Project Name | | | 4.WAOI.K | 0000 | Well ID | MW- 5 | === | ÷ | | Date | Uecs | <u>12</u> |
| Measuring Pr | | n <u>и/л-</u> | Screen Setting (ft-bmp) | | - | Casing Diameter (in.) | i" | | | Well Mate | | X PVC |
| Static Water Level (ft-btoc) | | 5 | - | 14 (toc) | 53 | Mater Column | 0.40 | -) | | Initial PID Reading (p | oom) S | —50 50, 1_ |
| TOC Elevation | | , | Pump Intake (ft- | | - | Purge Method: | | | | | | |
| Pump On/Off | | - | Volumes Purge | 0.5 | iello | | Centrifugal Submersible | | | Sample Method | Bale | |
| Sample Time | : Label | | Replicate/ Code No. | No Dupi | • | - | Other | | | Sampled | by <u>k</u> | Kyle Haslam |
| Stabilized I | Range: | • | ~.5 ft | | 0.1 | 3% | 10% | | 3% | | | |
| Time | Minutes | | Depth to Water | Gallons Purged | pН | Cond. (μMhos) | Turbidity | Dissolved Oxygen | | Redox | Appea | arance |
| | <u> </u> | (mL/min) | (ft) | | • | (mS/cm) | (NTU) | (mg/L) | (°C) | (mV) | Color | Odor |
| 0:00 | 10 | , | 4.35 | 0 | 6.78 | 0.416 | _ | - | 8.66 | _ | l/ec- | Vone |
| | - | 1 | | | | | | | | | | |
| | | | | | | | | | | | - | +- |
| | | | | | | - | | | | | | + |
| Sulfae | Fold | Tost | = 0 m | 11 | | <u>,</u> | | | | | | |
| - III | 1 | 1 2 31 | |) _ | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | ļ | | | | | | | | | | | |
| | <u> </u> | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | +- |
| | | | | | | | | | | | | +- |
| | | | | | | | | | | | | +- |
| | | | | | | · | | | | | | |
| Constituents | Sample | d | | | Containe | <u>*</u> | | | Number | | Preservative | |
| 5,160 | | | | | | | | - | - | - | None No 04 | + Zn 1 |
| JUITTAK. | | | | | | | | - | | | 1020H | 7 (4 / |
| | | | | | | | | - | | | | |
| | | | | | | | | S 0 | | | | |
| | | | | | | | | e 10 | | | | |
| | | | | | | | | | | | | |
| | | | | 7.1 | | | | | | | | |
| | | | · | | | | | | | | | |
| | | | | | | | | - | | . , | | |
| | | | | | | | | g 23 | | 6 | | |
| | | | | · · | | | | ē 18 | | ē | | |
| | | | | | | | | 3 Y | | 2 | | |
| Well Casing ' Gallons/Foot | Volumes 1" = 0.04 1.25" = 0. | 1. | .5" = 0.09 ' = 0.162 | 2.5" = 0.26 3" = 0.37 | | .5" = 0.50 " = 0.653 | 6" = 1.47 | | | | | |
| Well Inform | ation | | | | | | | | | | | |
| Well Loca | | | | | | | Well L | ocked at | Arrival: | Yes | · / | No |
| Condition of | | | | | | | Well Lock | | _ | Yes | | No |
| Well Comp | | F | lush Mount | / Stic | ck Up | | | Number T | _ | | | 3W ₹xmp Form |

| (A) | RCA | DIS | Groundwa | ter Sar | npling F | orm | | | | | Page | <u>/</u> of <u>'3</u> |
|-------------------------------|----------------------|----------------------|----------------------------|----------------|--------------------|----------------------------------|----------------------------|------------|-------------|---------------------------|--------------|--|
| roject No. | 6-P0 | 91317/ | VA, WAC | <u>1</u> . Kaw | Well ID | мw-6 | | _ | | Date | | 2012 |
| roject Name | /Location | WA | -0017 | | | | | | | Weather | Cley | |
| leasuring Pt. escription | тос | | Screen Setting (ft-bmp) | | | Casing Diameter (In.) | 1" | | | Well Mate | erial _ _ | X PVC SS |
| tatic Water evel (ft-btoc) | 4,75 | 5 | Total Depth (ft-I | ntoc) 14 | .29 | Water Column/ Gallons in Well | <u>0,38</u> | | | Initial PID Reading (p | opm) | 0.7 |
| OC Elevatio | | | Pump Intake (ft | btoc) — | <u>-</u> 8 adlo | Purge Method: | Centrifugal Submersible | | | Sample Method | Bule | |
| ample Time: | Label ' | 9:45 7:49 0:00 | Replicate/ Code No. | No Dup | | - | Other | | | Sampled | by <u>P</u> | Kyle Haslam |
| Stabilized F | Range: | Rate | ~.5 ft Depth to | Gallons | 0.1 | 3% Cond. | 10% Turbidity | Dissolved | 3% Temp. | Redox | | |
| | Elapsed | (gpm) (mL/min) | Water | Purged | | (µMhos) | /NITUS | Oxygen | (°C) | ORP | | arance |
| :50 | 0 | (MD/Min) | 4.75 | 0 | 6.42 | (mS/cm) 0.473 | (NTU) | (mg/L) | 8.49 | (mV) | Color | Odor None |
| | | | | | | | | | | | | |
| 147- | | 1 | | | - 11 | | · · · · · | | | | | |
| ulfide | riel | d Tes | /- = | 0 4 | 3/6 | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | İ | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| nstituents | Sample | d | | | Containe | | | | Number | | Preservative | 90 |
| dell | | - | | | 0011111111 | | | | 1 | | | |
| nlfale | | | | - | | | | 5 | - | - | None | No Of |
| | | | | - | | | | . . | | _ | | |
| | | | | 24 8 - | | | | a 16 | | 2 | | |
| | | | | | | | | e 00 | | e | | F-1 |
| | | | | _ | | | | | | - , | | |
| | | | | _ | | | _ | ÷! | | _ | | |
| ell Casing \ | /olumes 1" = 0.04 | | 5" = 0.09 | 2.5" = 0.2 | 6 3 | .5° = 0.50 | 6" = 1.47 | - (6 | | | | |
| /ell Informa | 1.25" = 0.0 | | = 0.162 | 3" = 0.37 | | " = 0.653 | | | | | | - |
| Well Loca | | Wester | Pruper | 1 Edg | <u>e</u> | | Well L | ocked at | Arrival: | Yes | 1 | THE COLUMN TO TH |
| Condition o | - | 600 | | | , _ | | Well Lock | | _ | Yes | | (N ₂) |
| Nell Comp | | | lush Mount | / St | ick Up | | - | Number T | _ | NA | | GM Earnp Form |

ARCADIS

Site ID: WA-00217

Project #: GP09BPNA.WA01.K/N0000

Site Address: 13131 19th Ave NE Everett, WA Date: 3 9 12

| г | | | | | - | | | | 7 |
|---|-----------|---------|---------|--------|--------|------|-------|--|--|
| | \A/-II ID | , T: | Sheen/ | LNAPL" | County | | | | X |
| 1 | Well ID | Time | Odor | Depth | カル | DTW | TD | Notes | Alexander of the same of the s |
| | MW-1 | 8:34 | ~- /M | NΔ | 2" | 431 | 17.68 | Wester in views | |
| | MW-2 | 8.23 | -/10 | NA | 2" | 4.99 | 19.5% | Wale mount | |
| 9 | MW-4 | €:10 | /N· | NΔ | 2" | 6.53 | 23.69 | Unit in walt gasket. | |
| | MW-5 | E131 | ··· /Nu | AN | 1" | 3.79 | 14.51 | 25.0 ppmv were in wayt | |
| | MW-6 | 8:20 | .) No | NA | j | 4.96 | 14.27 | were invest | |
| | MW-7 | 8:14 | ·-)No | AM | 10 | 5,88 | 13.76 | U.U ppnv, water in small Sea munkey | s in water |
| | MW-8 | 7:46 | 1 No | NA | 10 | 5.15 | 13.69 | U.S ppmv Welv movelt | |
| | MW-9 | 7:54 | ~~ / No | NA | 1" | 6.84 | 14.37 | Water in wand t | |
| | MW-10 | 8:01 | - 100 | NA | 1, | 6.54 | 14.25 | 0.0 | |
| | 2 1 | | | | | | e | | |
| | | | | | | | | | 4. |
| | | | | | | | | | |
| _ | | | | | | * | | | |
| | | | | | | | | | |

ARCADIS Groundwater Sampling Form

| ***** | | TIME II | Croundwa | ici Gai | ripinig i | Onn | | | | | Page | 6 0 | 19 |
|---------------------------------|--|-----------|----------------------|--------------------------|-------------|----------------------------------|----------------------------|---------------------|------------|---------------------------|-------------|---------------|--------------|
| Project No. | GP09B | PNA.WA0 | 1.K/N0000 | _ | Well ID | MW- 2 | | - | | Date | 3/9 | 112 | |
| Project Name | e/Locatio | | 13131 19th A | ve NE Eve | rett, WA 98 | 208 | | | | Weather | overe | set, de | 33.8.4.5 |
| Measuring Pt | | | Screen | | | Casing | | | | Well Mate | | X P | |
| Description | TOC | | Setting (ft-bmp) | . eterap. | | Diameter (in.) | 1. | - | | | | S | S |
| Static Water Level (ft-btoc) | 4, | 4 54 | Total Depth (ft-b | toc) 1 4 | .59 | Water Column/ Gallons in Well | 72 | | | Initial PID Reading (p | | 15.9 | |
| TOC Elevation | 072.00 | a | Pump Intake (ft- | - | | Purge Method: | | Pump | | Sample | ipiti) | | = |
| Pump On/Off | | ۸ | Volumes Purge | | | r argo mourou. | Centrifugal Submersible | | | Method | Peristal | ltic Pump | |
| Sample Time | · Lahol | 2 ml 12.5 | | | | | Other | | | | f . | | |
| Cample Time | | | | No Dup | licates | _ | | | | Sampled | by | Kyle Ha | aslam |
| | | 16.00 | | | | | | | | | | | |
| Stabilized F | Range: Minutes | Rate | ~.5 ft Depth to | Callana | 0.1 | 3% | 10% | 1= | 3% | / | | | |
| Time | Elapsed | (gpm) | Water | Gallons Purged | pН | Cond. (µMhos) | Turbidity | Dissolved Oxygen | Temp. | Redox ORP | A | ppearance | |
| 8:23 | | (mL/min) | (ft) | - | | (mS/cm) | (NTU) | (mg/L) | (°C) | (mV) | Cold | | Odor |
| 12027 | 1 | 266 | 4,95 | < | 5.92 | 1.79 | 41.6 | 1.82 | 011 | 12 | | | N 2 . |
| 12:31 | 5 | 200 | 5-01 | 61 | 5.73 | 1.65 | 40,8 | 0.00 | 9-66 | 282 | neury cl | 201 | |
| 12:34 | 9 | 200 | 4.48 | 41 | 5.74 | 1-60 | 423 | 200 | 9.64 | 191 | | _ | |
| 12:37 | 11 | 200 | 4.90 | 41 | 5.78 | 1.56 | 41.6 | 0.00 | 9.34 | 160 | | _ | |
| :2:40 | 14 | 260 | 6.02 | đ l | 5,60 | 1.52 | 41.1 | 6.00 | 7.38 | | | | |
| | | | | | | | | | 1.50 | 133 | | | |
| | | | | | | | | 21.1 | f | | | | |
| | | - 12 | | | -2 | | 30110 | | | | | | |
| | | | | | | | | | 1/ | | | | |
| | | | | | | | | | | | | | |
| | | | | , | | | | | / | | | | |
| | | | | | | | | | / | | | - | 1 |
| | | | | | | | | | | | | 77.5 | |
| | | | | | | | | - / | | | | US. | |
| | | | 1 | | | | | 1 | | | | | |
| | | | | | | | | | | | | | |
| Constituents | Sample | d | | | Containe | r | | | Number | | Preserva | tive | |
| GRO (NWTP) | | | | | - | Voal | | 7 | TTG THE CT | | LICI | | |
| BTEX (8260B | | | | | | 1 | | | 3 | | Hel | | |
| MTBE (8260E | 3) | | | | | 1 | | | | | Hel | | |
| Total Lead (6 | 020) | | | • | Dr | 1 my | 7 | | 7 | | PNG | | |
| Total/Dissolv | ed Iron (| (6010) | | - | 29.77 | , , | ch | | Z | | | Wa | |
| Methane (RS | K175) | | | | 3)~L | vials | | • | 3 | | | 13 | |
| Sulfide (4500 | S2F) | | | • | | SOUNE pary | 7 - | y - | 1 | | Ni Ni I | Zinc ace | inche |
| Sulfate (300.0 |)) | | | | | ouch boly | 77 | - | 1 | | Meat | Tine acc | :4 |
| | | | | | | | 7 | | , | . N. | | | |
| | | | | • | 300 | | 7 | | |) II 70 - | | | |
| | | | | | | | 7 | | | š | | | |
| Wall Casine | /olu | | | | | | | - | | | - Zent - St | | |
| Gallons/Foot | /olumes 1" = 0.04 1.25" = 0.0 | | 5" = 0.09 = 0.162 | 2.5" = 0.26 3" = 0.37 | | .5" = 0.50 " = 0.653 | 6" = 1.47 | | | | | | |
| Well Informa | ation | | | | | | | | | | | | |
| Well Loca | tion: | Ws | side of sife | - | | | Well Lo | ocked at | Arrival: | Yes | 7 | No | |
| Condition of | Well: | Walt | any site | | | 1 | Well Locke | | _ | Yes | / | No | |
| Well Compl | etion: | ř | lush Mount | / Stic | k Up | | Key N | lumber To | Well: | N | A | to the second | mp Form |

ARCADIS Groundwater Sampling Form

| NAME N. | | | Groundwat | ei Saii | ipiirig r | OTTI | | | | | Page | 8 of 9 |
|---------------------------------|-------------------------------------|-------------------|----------------------------|--------------------------|-------------|----------------------------------|----------------------------|------------------|-------------|---|-------------|-------------|
| Project No. | GP09B | PNA.WA0 | 1.K/N0000 | _ | Well ID | MW- 5 | | - | | Date | 3/9/1 | 2 |
| Project Name | /Location | · | 13131 19th Av | e NE Eve | rett, WA 98 | 208 | | | | Weather | drizzh | y collect |
| Measuring Pt Description | тос | | Screen Setting (ft-bmp) | - | | Casing Diameter (in.) |) | _ | | Well Mate | ərial | X PVC |
| Static Water Level (ft-btoc) | 3.7 | 9 | Total Depth (ft-b | toc) 14 | 51 | Water Column/ Gallons in Well | | 3 | | Initial PID Reading (p | opm) | 25.0 |
| TOC Elevation | n ¬ | _ | Pump Intake (ft- | otoc) 9 | 1 | Purge Method: | Peristaltion | Pump | | Sample | | |
| Pump On/Off | 68 | | Volumes Purgeo | q | | | Centrifugal Submersible | | | Method | Peristaltic | Pump |
| Sample Time | Label | 13:55 | Replicate/ | | | | Other | | | | *- | |
| | Start End | 13:55 | Code No. | No Dup | licates | <u>-</u> , | | | | Sampled | by . | Kyle Haslam |
| | | 140 | | 81 | | | | | | | * | |
| Stabilized F | Range: Minutes | Rate | ~.5 ft Depth to | Gallons | 0.1 pH | 3% Cond. | 10% Turbidity | Dissolved | 3% Temp. | Redox | Т | |
| | Elapsed | (gpm) (mL/min) | Water (ft) | Purged | pi, | (μMhos) (mS/cm) | (NTU) | Oxygen (mg/L) | (°C) | ORP (mV) | Appe | earance |
| \$131 | - | - | 379 | = | * | - | - | - | - | | - | A/j2 |
| 1344 | 2 | 200 | Sill | 4 | 5.62 | 0470 | 43,7 | 4.45 | 6.90 | 213 | nom les | , As |
| 13:46 | 5 | 200 | 5.36 | 41 | 5.62 | 0.468 | 41.0 | 0.56 | 2,80 | 292 | U | N. |
| 13149 | 9) | 200 | 6.21 | <1 | 9.64 | 0.468 | 200-1 | 0.00 | 8.59 | 290 | | 1 |
| 13:52 | 11 | 200 | 666 | <1 | 5.66 | 0469 | 41.6 | 3.00 | 8.59 | -286 | | V |
| | | | | | | | | | | | | |
| Constituents | | d | | 2. 4 | Containe | r | | | Number | | Preservativ | е |
| GRO (NWTP | | | | | 40 | 12.5 | | - | | | TCI | |
| BTEX (8260E | | | - | . , | Hu | | | - | 3 | | | |
| MTBE (8260E | | | | | И | | | | | - | | |
| Total Lead (6 | | (6040) | No | - | 250 | int bold | | - : | | - 16 | HNO3 | |
| Total/Dissolv Methane (RS | | (6010) | | | | - Some | | | | - | | |
| Sulfide (4500 | | - | | - | - 4 - 4 | | | | | -: | | |
| Sulfate (300. | | - | | - | | | | - 3 | | - | | |
| | | | | | | | | . , | | - · · · · · · · · · · · · · · · · · · · | | |
| Well Casing Gallons/Foot | Volumes 1" = 0.04 1.25" = 0.0 | 1 | .5" = 0.09 " = 0.162 | 2.5" = 0.26 3" = 0.37 | | i.5" = 0.50 " = 0.653 | 6" = 1.47 | | | | | |
| Well Inform | ation | | | | | | 1 | | | | 43 | * |
| Well Loca | ition: | | B. corner of st | te | | | Well L | ocked at | Arrival: | Yes | 1 | (Ng |
| Condition o | | | k | | 1000 | | Well Lock | | | Yes | | (N) |
| Well Comp | letion: | F | Flush Mount | / Stic | ck Up | | Kev N | Number T | o Well: | | ALA | GW Sama Er- |

| | The second second | |
|------|-------------------|------|
| (6) | ADCADIC | • |
| Titl | ARCADIS |) Gr |

Groundwater Sampling Form

| Ruec P C | | כועו | Groundwat | er San | npling F | -orm | | | | | Page | _ of |
|--|-------------------------------------|-------------------|----------------------------|-------------------------|-------------|--------------------------|-------------------------------------|-----------------------------------|--------|--------------|---------------|-------------|
| Project No. | GP09B | PNA.WA0 | 1.K/N0000 | _ | Well ID | MW- 💪 | | | | Date | 3/9/2 | |
| Project Name | /Location | | 13131 19th Av | e NE Eve | rett, WA 98 | 208 | | | | Weather | overcust | undy |
| Measuring Pt Description | TOC | | Screen Setting (ft-bmp) | 14 | ~ | Casing Diameter (in.) | 1 | •2 | | Well Mate | | X PVC SS |
| Static Water | | | | 70.00 | | Water Column/ | | | | Initial PID | - | |
| Level (ft-btoc) | 4.9 | € | Total Depth (ft-b | | | Gallons in Well | 0.37 | | | Reading (p | opm) | 0.0 |
| TOC Elevation | in | ` | Pump Intake (ft- | btoc) 9 | .5' | Purge Method: | | | | Sample | Daviataltia F | |
| Pump On/Off | - In | 11:25 | Volumes Purge | d | | | Centrifugal Submersible Other | | | Method | Peristaltic F | ump |
| Sample Time | : Label Start End | 5:20 N | Replicate/ Code No. | No Dup | licates | - | | | | Sampled | by <u>K</u> | yle Haslam |
| Stabilized F | Range: | | ~.5 ft | | 0.1 | 3% | 10% | | 3% | | | |
| Time | Minutes | Rate | Depth to | Gallons | pН | Cond. | Turbidity | Dissolved | Temp. | Redox | Appea | rance |
| AM BOOK STORE STOR | Elapsed | (gpm) (mL/min) | Water (ft) | Purged | | (μMhos) (mS/cm) | (NTU) | Oxygen (mg/L) | (°C) | ORP (mV) | Color | Odor |
| 8:20 | 200 | - | 4.98 | - | - | _ | - | - | - | - | | N> |
| 11:12 | 4 | 100 | 5.29 | 21 | 5.78 | 6.93 | 140.0 | 9.61 | 9.50 | 334 | torunity | 10.10 |
| 11: 18 | 7 | 160 | 5.80 | 41 | 5.51 | 0.13 | 138.0 | 0,00 | 1.08 | 346 |) | 7 |
| 14115 | -)1 | 90 | 5.88 | <1 | 5,50 | 0,92 | 131.0 | 0.00 | 9.59 | 347 | | |
| 11:22 | 14 | 20 | 5.72 | <1 | 5.50 | 0,93 | 120,0 | 0,00 | 9.41 | 345 | | |
| 11:25 | 17 | 9,0 | 5.78 | 41 | 5.52 | 0.95 | 73.2 | 0.00 | 9.27 | 343 | V | V |
| Constituents | Sample | d | | | Containe | · · | | | Number | | Preservative | |
| GRO (NWTP | H-Gx) | | | | 4 | YOUR UDA | | | | | HO | |
| BTEX (8260E | 3) | | | - | | 1 | | • | 3 | |)k | WW.44-2 |
| MTBE (8260 | 3) | | | | | V | | • | | | 1 | |
| Total Lead (6 | 5020) | | | - | 25 | onl poly | | | 1 | - | HNOS | |
| Total/Dissolv | ed Iron | (6010) | | _ | | | | 14 | | - | | |
| Methane (RS | K175) | | | _ | | | | | | - | | |
| Sulfide (4500 | S2F) | | | - | | | | | | - | | |
| Sulfate (300. | 0) | | | - | | 45.00.0 | | | | - | | |
| Well Casing Gallons/Foot | Volumes 1" = 0.04 1.25" = 0.0 | 1 | .5" = 0.09 " = 0.162 | 2.5" = 0.2 3" = 0.37 | | 3.5" = 0.50 " = 0.653 | 6" = 1.47 | | | - | | |
| Well Inform | | | | | | | | | | | | |
| Well Loca | 20 | | obsite, Nu | a by the | isp iglan | My SE of his | • | | _ | Yes | | No |
| Condition of Well Comm | | | Flush Mount | / 04: | ck Up | | . Well Lock | ed at De _l Jumber T | | Yes | | No |

ARCADIS

Appendix **D**

Laboratory Analytical Reports





December 16, 2011

Alex Lopez Arcadis 111 SW Columbia St. Ste. 725 Portland, OR 97201

RE: Project: WA-0217

Pace Project No.: 2510198

Dear Alex Lopez:

Enclosed are the analytical results for sample(s) received by the laboratory on December 02, 2011. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andy Brownfield


Andy Brownfield

andy.brownfield@pacelabs.com Project Manager

Enclosures

cc: Timothy Bellis, Arcadis OR Jonathan Flomerfelt, Arcadis U.S., Inc. Brian Marcum, Arcadis OR Lynne Stewart, Arcadis OR





Seattle, WA 98108 (206)767-5060



CERTIFICATIONS

Project: WA-0217 Pace Project No.: 2510198

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

A2LA Certification #: 2926.01
Alaska Certification #: UST-078
Alaska Certification #MN00064
Arizona Certification #: AZ-0014
Arkansas Certification #: 88-0680
California Certification #: 01155CA
EPA Region 8 Certification #: Pace
Florida/NELAP Certification #: E87605
Georgia Certification #: 959
Idaho Certification #: MN00064
Illinois Certification #: 200011

lowa Certification #: 200011 lowa Certification #: 368 Kansas Certification #: E-10167 Louisiana Certification #: 03086 Louisiana Certification #: LA080009 Maine Certification #: 2007029 Maryland Certification #: 322

Maryland Certification #: 322
Michigan DEQ Certification #: 9909
Minnesota Certification #: 027-053-137

Washington Certification IDs

940 South Harney Street, Seattle, WA 98108 Alaska CS Certification #: UST-025 Arizona Certification #: AZ0770 California Certification #: 01153CA Mississippi Certification #: Pace
Montana Certification #: MT CERT0092
Nevada Certification #: MN_00064
Nebraska Certification #: Pace
New Jersey Certification #: MN-002
New Mexico Certification #: Pace
New York Certification #: 11647
North Carolina Certification #: 530
North Dakota Certification #: R-036
North Dakota Certification #: R-036A
Ohio VAP Certification #: CL101
Oklahoma Certification #: 99921
Oklahoma Certification #: 9507
Oregon Certification #: MN200001
Pennsylvania Certification #: 68-00563

Puerto Rico Certification Tennessee Certification #: 02818 Texas Certification #: T104704192 Washington Certification #: C754 Wisconsin Certification #: 999407970

Florida/NELAP Certification #: E87617 Oregon Certification #: WA200007 Washington Certification #: C555



SAMPLE ANALYTE COUNT

Project: WA-0217
Pace Project No.: 2510198

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|------------|-----------|----------------|----------|----------------------|------------|
| 2510198001 | IW-1 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | SM 2320B | CMS | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| | | EPA 353.2 | CMS | 2 | PASI-S |
| | | SM 4500-NO2 B | CMS | 1 | PASI-S |
| 510198002 | IW-2 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | SM 2320B | CMS | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| | | EPA 353.2 | CMS | 2 | PASI-S |
| | | SM 4500-NO2 B | CMS | 1 | PASI-S |
| 510198003 | IW-3 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | SM 2320B | CMS | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| | | EPA 353.2 | CMS | 2 | PASI-S |
| | | SM 4500-NO2 B | CMS | 1 | PASI-S |
| 510198004 | MW-2 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | LPM | 9 | PASI-S |
| | | NWTPH-Gx | LNH | 2 | PASI-S |
| | | SM 2320B | CMS | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| | | EPA 353.2 | CMS | 2 | PASI-S |
| | | SM 4500-NO2 B | CMS | 1 | PASI-S |
| 2510198005 | MW-5 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |

REPORT OF LABORATORY ANALYSIS

Page 3 of 25

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: WA-0217
Pace Project No.: 2510198

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|------------|------------|----------------|----------|----------------------|------------|
| | | EPA 5030B/8260 | LPM | 9 | PASI-S |
| | | NWTPH-Gx | LPM | 2 | PASI-S |
| | | SM 2320B | CMS | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| | | EPA 353.2 | CMS | 2 | PASI-S |
| | | SM 4500-NO2 B | CMS | 1 | PASI-S |
| 2510198006 | TRIP BLANK | EPA 5030B/8260 | ERB | 9 | PASI-S |
| | | NWTPH-Gx | ERB | 2 | PASI-S |



Project: WA-0217
Pace Project No.: 2510198

| Sample: IW-1 | Lab ID: 2510198 | 3001 Collected | 1: 12/02/1 | 1 10:50 | Received: 12 | 2/02/11 16:05 N | Matrix: Water | | |
|--------------------------------|--------------------|--|------------|----------|----------------|-----------------|---------------|-----|--|
| Parameters | Results | Units Repo | ort Limit | DF | Prepared | Analyzed | CAS No. | Qua | |
| RSK 175 AIR Headspace | Analytical Method: | RSK 175 | | | | | | | |
| Methane | 51.0 ug/L | | 10.0 | 1 | | 12/06/11 13:15 | 74-82-8 | | |
| 6010 MET ICP | Analytical Method: | EPA 6010 Prepara | ation Meth | nod: EPA | A 3010 | | | | |
| Iron | 1020 ug/L | | 100 | 1 | 12/07/11 09:27 | 12/12/11 15:14 | 7439-89-6 | | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: | Analytical Method: EPA 6010 Preparation Method: EPA 3010 | | | | | | | |
| Iron, Dissolved | ND ug/L | | 100 | 1 | 12/07/11 09:27 | 12/12/11 12:10 | 7439-89-6 | | |
| 2320B Alkalinity | Analytical Method: | SM 2320B | | | | | | | |
| Alkalinity, Total as CaCO3 | 210 mg/L | | 1.0 | 1 | | 12/13/11 15:00 | | | |
| 4500S2F Sulfide, Iodometric | Analytical Method: | SM 4500-S-2 F | | | | | | | |
| Sulfide | ND mg/L | | 0.40 | 1 | | 12/05/11 15:00 | 18496-25-8 | | |
| 300.0 IC Anions 28 Days | Analytical Method: | EPA 300.0 | | | | | | | |
| Sulfate | 24.8 mg/L | | 2.0 | 2 | | 12/09/11 15:37 | 14808-79-8 | | |
| 353.2 Nitrogen, NO2/NO3 pres. | Analytical Method: | EPA 353.2 | | | | | | | |
| Nitrogen, Nitrate | ND mg/L | | 0.050 | 1 | | 12/12/11 16:08 | | | |
| Nitrogen, NO2 plus NO3 | ND mg/L | 014 4500 NOO D | 0.050 | 1 | | 12/12/11 16:08 | | | |
| SM4500NO2-B, Nitrite, unpres | Analytical Method: | SM 4500-NO2 B | 0.040 | | | 10/00/11 17 00 | 4.4707.05.0 | | |
| Nitrite as N | ND mg/L | | 0.010 | 1 | | 12/02/11 17:03 | 14/9/-65-0 | | |
| Sample: IW-2 | Lab ID: 2510198 | 3002 Collected | 12/02/1 | 1 12:55 | Received: 12 | 2/02/11 16:05 N | Matrix: Water | | |
| Parameters | Results | Units Repo | ort Limit | DF | Prepared | Analyzed | CAS No. | Qua | |
| RSK 175 AIR Headspace | Analytical Method: | RSK 175 | | | | | | | |
| Methane | 15.2 ug/L | | 10.0 | 1 | | 12/06/11 13:25 | 74-82-8 | | |
| 6010 MET ICP | Analytical Method: | EPA 6010 Prepara | ation Meth | nod: EPA | A 3010 | | | | |
| Iron | 686 ug/L | | 100 | 1 | 12/07/11 09:27 | 12/12/11 15:18 | 7439-89-6 | | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: | EPA 6010 Prepara | ation Meth | nod: EPA | A 3010 | | | | |
| Iron, Dissolved | ND ug/L | | 100 | 1 | 12/07/11 09:27 | 12/12/11 12:14 | 7439-89-6 | | |
| 2320B Alkalinity | Analytical Method: | SM 2320B | | | | | | | |
| Alkalinity, Total as CaCO3 | 186 mg/L | | 1.0 | 1 | | 12/13/11 15:00 | | | |
| 4500S2F Sulfide, Iodometric | Analytical Method: | SM 4500-S-2 F | | | | | | | |
| 450052F Sulfide, lodoffletific | , | OW 4300 G Z I | | | | | | | |

Date: 12/16/2011 04:23 PM

REPORT OF LABORATORY ANALYSIS

Page 5 of 25



Project: WA-0217
Pace Project No.: 2510198

| Sample: IW-2 | Lab ID: 251019800 | 2 Collected: | 12/02/1 | 1 12:55 | Received: 1 | 2/02/11 16:05 | Matrix: Water | |
|---|-----------------------------------|----------------|----------------|----------|----------------|----------------------------------|---------------|------|
| Parameters | Results Uni | ts Repor | t Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 300.0 IC Anions 28 Days | Analytical Method: EP | A 300.0 | | | | | | |
| Sulfate | 27.1 mg/L | | 2.0 | 2 | | 12/09/11 15:53 | 3 14808-79-8 | |
| 353.2 Nitrogen, NO2/NO3 pres. | Analytical Method: EP | A 353.2 | | | | | | |
| Nitrogen, Nitrate Nitrogen, NO2 plus NO3 | 0.86 mg/L 0.87 mg/L | | 0.050 0.050 | 1 1 | | 12/12/11 16:09 12/12/11 16:09 | | |
| SM4500NO2-B, Nitrite, unpres | Analytical Method: SM | I 4500-NO2 B | | | | | | |
| Nitrite as N | ND mg/L | | 0.010 | 1 | | 12/02/11 17:03 | 3 14797-65-0 | |
| Sample: IW-3 | Lab ID: 251019800 | 3 Collected: | 12/02/1 | 1 12:15 | Received: 1 | 2/02/11 16:05 | Matrix: Water | |
| Parameters | Results Uni | ts Repor | t Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| RSK 175 AIR Headspace | Analytical Method: RS | K 175 | | | • | • | • | |
| Methane | 201 ug/L | | 10.0 | 1 | | 12/06/11 13:36 | 3 74-82-8 | |
| 6010 MET ICP | Analytical Method: EP | A 6010 Prepara | tion Meth | nod: EPA | A 3010 | | | |
| Iron | 1710 ug/L | | 100 | 1 | 12/07/11 09:27 | 12/12/11 15:22 | 7439-89-6 | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: EP | A 6010 Prepara | tion Meth | nod: EPA | A 3010 | | | |
| Iron, Dissolved | ND ug/L | | 100 | 1 | 12/07/11 09:27 | 12/12/11 12:17 | 7439-89-6 | |
| 2320B Alkalinity | Analytical Method: SM | I 2320B | | | | | | |
| Alkalinity, Total as CaCO3 | 194 mg/L | | 1.0 | 1 | | 12/13/11 15:00 |) | |
| 4500S2F Sulfide, Iodometric | Analytical Method: SM | l 4500-S-2 F | | | | | | |
| Sulfide | ND mg/L | | 0.40 | 1 | | 12/05/11 15:00 | 18496-25-8 | |
| 300.0 IC Anions 28 Days | Analytical Method: EP | A 300.0 | | | | | | |
| Sulfate | 38.4 mg/L | | 2.0 | 2 | | 12/09/11 16:09 | 14808-79-8 | |
| 353.2 Nitrogen, NO2/NO3 pres. | Analytical Method: EP | A 353.2 | | | | | | |
| Nitrogen, Nitrate Nitrogen, NO2 plus NO3 | ND mg/L ND mg/L | | 0.050 0.050 | 1 1 | | 12/12/11 16:11 12/12/11 16:11 | | |
| SM4500NO2-B, Nitrite, unpres | Analytical Method: SM | I 4500-NO2 B | | | | | | |
| Nitrite as N | ND mg/L | | 0.010 | 1 | | 12/02/11 17:03 | 3 14797-65-0 | |
| | | | | | | | | |

Date: 12/16/2011 04:23 PM



Project: WA-0217
Pace Project No.: 2510198

| Sample: MW-2 | Lab ID: 2510198004 | 1 Collected: 12/02/1 | 1 13:30 | Received: 12 | 2/02/11 16:05 N | Matrix: Water | |
|---------------------------------------|------------------------|-------------------------|----------|----------------|-----------------|---------------|-----|
| Parameters | Results Unit | Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| RSK 175 AIR Headspace | Analytical Method: RSI | K 175 | | | | | |
| Methane | 1730 ug/L | 10.0 | 1 | | 12/06/11 13:46 | 74-82-8 | |
| 6010 MET ICP | Analytical Method: EPA | A 6010 Preparation Meth | nod: EP/ | A 3010 | | | |
| Iron | 18800 ug/L | 100 | 1 | 12/07/11 09:27 | 12/12/11 15:25 | 7439-89-6 | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: EPA | A 6010 Preparation Meth | nod: EP/ | A 3010 | | | |
| Iron, Dissolved | 5010 ug/L | 100 | 1 | 12/07/11 09:27 | 12/12/11 12:21 | 7439-89-6 | |
| 8260 MSV | Analytical Method: EPA | A 5030B/8260 | | | | | |
| Benzene | 0.82 ug/L | 0.20 | 1 | | 12/15/11 13:45 | | |
| Ethylbenzene | 348 ug/L | 1.0 | 1 | | 12/15/11 13:45 | | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 12/15/11 13:45 | | |
| Toluene | 1.9 ug/L | 1.0 | 1 | | 12/15/11 13:45 | | |
| Kylene (Total) Surrogates | 412 ug/L | 3.0 | 1 | | 12/15/11 13:45 | 1330-20-7 | |
| 4-Bromofluorobenzene (S) | 117 % | 79-121 | 1 | | 12/15/11 13:45 | 460-00-4 | |
| Dibromofluoromethane (S) | 94 % | 81-119 | 1 | | 12/15/11 13:45 | 1868-53-7 | |
| I,2-Dichloroethane-d4 (S) | 90 % | 72-127 | 1 | | 12/15/11 13:45 | 17060-07-0 | |
| Γoluene-d8 (S) | 107 % | 77-120 | 1 | | 12/15/11 13:45 | | |
| NWTPH-Gx MSV | Analytical Method: NW | TPH-Gx | | | | | |
| Gasoline Range Organics Surrogates | 4120 ug/L | 50.0 | 1 | | 12/10/11 05:07 | | |
| 4-Bromofluorobenzene (S) | 94 % | 50-150 | 1 | | 12/10/11 05:07 | 460-00-4 | |
| 2320B Alkalinity | Analytical Method: SM | 2320B | | | | | |
| Alkalinity, Total as CaCO3 | 217 mg/L | 1.0 | 1 | | 12/13/11 15:00 | | |
| 4500S2F Sulfide, Iodometric | Analytical Method: SM | 4500-S-2 F | | | | | |
| Sulfide | 0.40 mg/L | 0.40 | 1 | | 12/05/11 15:00 | 18496-25-8 | |
| 300.0 IC Anions 28 Days | Analytical Method: EPA | A 300.0 | | | | | |
| Sulfate | 18.8 mg/L | 2.0 | 2 | | 12/12/11 13:17 | 14808-79-8 | |
| 353.2 Nitrogen, NO2/NO3 pres. | Analytical Method: EPA | A 353.2 | | | | | |
| Nitrogen, Nitrate | ND mg/L | 0.050 | 1 | | 12/12/11 16:12 | | |
| Nitrogen, NO2 plus NO3 | ND mg/L | 0.050 | 1 | | 12/12/11 16:12 | | |
| SM4500NO2-B, Nitrite, unpres | Analytical Method: SM | | | | | | |
| Nitrite as N | 0.019 mg/L | 0.010 | 1 | | 12/02/11 17:03 | 14797-65-0 | |
| 11110 40 14 | 0.010 mg/L | 0.010 | • | | .2,02,11 17.00 | 1-101-00-0 | |

Date: 12/16/2011 04:23 PM



Project: WA-0217
Pace Project No.: 2510198

| Sample: MW-5 | Lab ID: 2510198005 | Collected: 12/02/1 | 1 14:15 | Received: 12 | 2/02/11 16:05 N | Matrix: Water | |
|---|------------------------|------------------------|----------|----------------|-----------------|---------------|-----|
| Parameters | Results Unit | Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| RSK 175 AIR Headspace | Analytical Method: RSk | K 175 | | | | | |
| Methane | 299 ug/L | 10.0 | 1 | | 12/06/11 13:57 | 74-82-8 | |
| 6010 MET ICP | Analytical Method: EPA | A 6010 Preparation Met | nod: EP/ | A 3010 | | | |
| Iron | 3650 ug/L | 100 | 1 | 12/07/11 09:27 | 12/12/11 15:29 | 7439-89-6 | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: EPA | A 6010 Preparation Met | nod: EP/ | A 3010 | | | |
| Iron, Dissolved | 596 ug/L | 100 | 1 | 12/07/11 09:27 | 12/12/11 12:32 | 7439-89-6 | |
| 8260 MSV | Analytical Method: EPA | A 5030B/8260 | | | | | |
| Benzene | 0.87 ug/L | 0.20 | 1 | | 12/15/11 14:02 | - | |
| Ethylbenzene | 448 ug/L | 10.0 | 10 | | 12/15/11 13:28 | | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 12/15/11 14:02 | | |
| Toluene | 1.3 ug/L | 1.0 | 1 | | 12/15/11 14:02 | | |
| Xylene (Total) | 845 ug/L | 30.0 | 10 | | 12/15/11 13:28 | 1330-20-7 | |
| Surrogates | 110 0/ | 79-121 | 1 | | 12/15/11 14:02 | 460 00 4 | |
| 4-Bromofluorobenzene (S) Dibromofluoromethane (S) | 112 % 93 % | 79-121 81-119 | 1 | | 12/15/11 14:02 | | |
| 1,2-Dichloroethane-d4 (S) | 91 % | 72-127 | 1 | | 12/15/11 14:02 | | |
| Toluene-d8 (S) | 108 % | 77-127 | 1 | | 12/15/11 14:02 | | |
| NWTPH-Gx MSV | Analytical Method: NW | | • | | 12/13/11 14.02 | 2007-20-0 | |
| | | | | | | | |
| Gasoline Range Organics | 11000 ug/L | 500 | 10 | | 12/15/11 13:28 | | |
| Surrogates | 119 % | 50-150 | 10 | | 12/15/11 13:28 | 460 00 4 | |
| 1-Bromofluorobenzene (S) | 119 70 | 50-150 | 10 | | 12/13/11 13.20 | 460-00-4 | |
| 2320B Alkalinity | Analytical Method: SM | 2320B | | | | | |
| Alkalinity, Total as CaCO3 | 178 mg/L | 1.0 | 1 | | 12/13/11 15:00 | | |
| 4500S2F Sulfide, Iodometric | Analytical Method: SM | 4500-S-2 F | | | | | |
| Sulfide | ND mg/L | 0.40 | 1 | | 12/05/11 15:00 | 18496-25-8 | |
| 300.0 IC Anions 28 Days | Analytical Method: EPA | 0.00E | | | | | |
| Sulfate | 2.1 mg/L | 1.0 | 1 | | 12/08/11 18:41 | 14808-79-8 | |
| 353.2 Nitrogen, NO2/NO3 pres. | Analytical Method: EPA | \ 353.2 | | | | | |
| Nitrogen, Nitrate | ND mg/L | 0.050 | 1 | | 12/12/11 16:14 | | |
| Nitrogen, NO2 plus NO3 | ND mg/L | 0.050 | 1 | | 12/12/11 16:14 | | |
| SM4500NO2-B, Nitrite, unpres | Analytical Method: SM | | | | | | |
| • | • | | | | 40/00/44 47 00 | 4 4707 05 0 | |
| Nitrite as N | ND mg/L | 0.010 | 1 | | 12/02/11 17:03 | 14/9/-65-0 | |
| | • | | | | | | |

Date: 12/16/2011 04:23 PM



Project: WA-0217
Pace Project No.: 2510198

| Sample: TRIP BLANK | Lab ID: 251019800 | 06 Collected: 12/02/ | 11 00:00 | Received: 12/02/11 16:05 | Matrix: Water | |
|------------------------------------|-----------------------|----------------------|----------|--------------------------|---------------|------|
| Parameters | Results Un | its Report Limit | DF | Prepared Analyzed | CAS No. | Qual |
| 8260 MSV | Analytical Method: EF | PA 5030B/8260 | | | | |
| Benzene | ND ug/L | 0.20 | 1 | 12/13/11 23 | 36 71-43-2 | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | 12/13/11 23 | 36 100-41-4 | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | 12/13/11 23 | 36 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | 12/13/11 23 | 36 108-88-3 | |
| Xylene (Total) | ND ug/L | 3.0 | 1 | 12/13/11 23 | 36 1330-20-7 | |
| Surrogates | - | | | | | |
| 4-Bromofluorobenzene (S) | 119 % | 79-121 | 1 | 12/13/11 23 | 36 460-00-4 | |
| Dibromofluoromethane (S) | 95 % | 81-119 | 1 | 12/13/11 23 | 36 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 92 % | 72-127 | 1 | 12/13/11 23 | 36 17060-07-0 | |
| Toluene-d8 (S) | 105 % | 77-120 | 1 | 12/13/11 23 | 36 2037-26-5 | |
| NWTPH-Gx MSV | Analytical Method: NV | VTPH-Gx | | | | |
| Gasoline Range Organics Surrogates | ND ug/L | 50.0 | 1 | 12/08/11 23 | 45 | |
| 4-Bromofluorobenzene (S) | 127 % | 50-150 | 1 | 12/08/11 23 | 45 460-00-4 | |



Project: WA-0217 Pace Project No.: 2510198

QC Batch: AIR/13773 Analysis Method: RSK 175

QC Batch Method: RSK 175 Analysis Description: RSK 175 AIR HEADSPACE

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

METHOD BLANK: 1110143 Matrix: Water

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Methane ug/L ND 10.0 12/06/11 08:23

LABORATORY CONTROL SAMPLE & LCSD: 1110144 1110145

Spike LCS LCSD LCS LCSD % Rec Max Parameter Units Conc. Result Result % Rec % Rec Limits **RPD RPD** Qualifiers

Methane ug/L 60.7 56.7 60.9 94 100 70-130 7 30

SAMPLE DUPLICATE: 1110613

 Parameter
 Units
 Result Result Result
 RPD Qualifiers

 Methane
 ug/L
 7980
 8770
 9 E



Project: WA-0217 Pace Project No.: 2510198

 QC Batch:
 MPRP/2678
 Analysis Method:
 EPA 6010

 QC Batch Method:
 EPA 3010
 Analysis Description:
 6010 MET

 Associated Lab Samples:
 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

METHOD BLANK: 96460 Matrix: Water

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Iron ug/L ND 100 12/12/11 14:24

LABORATORY CONTROL SAMPLE: 96461

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Iron ug/L 10000 9200 92 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96462 96463

MS MSD 2510186001 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual 437 10000 75-125 Iron ug/L 10000 9630 9540 92 91 1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96478 96479

MS MSD Spike MS MS 2510199001 Spike MSD MSD % Rec Parameter % Rec Units Result Conc. Conc. Result Result % Rec Limits RPD Qual 125000 Iron ug/L 10000 10000 103000 106000 -222 -184 75-125 4 M1



Project: WA-0217 Pace Project No.: 2510198

QC Batch: MPRP/2680 Analysis Method: EPA 6010

QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

METHOD BLANK: 96472 Matrix: Water

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Iron, Dissolved ug/L ND 100 12/12/11 12:03

LABORATORY CONTROL SAMPLE: 96473

Date: 12/16/2011 04:23 PM

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Iron, Dissolved ug/L 10000 9500 95 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96474 96475

MS MSD 2510199001 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Iron, Dissolved 402 10000 10000 10300 75-125 ug/L 9150 99 87 12



Project: WA-0217
Pace Project No.: 2510198

QC Batch: MSV/6024 Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge

Associated Lab Samples: 2510198006

METHOD BLANK: 97214 Matrix: Water

Associated Lab Samples: 2510198006

| | | Blank | Reporting | | |
|---------------------------|-------|--------|-----------|----------------|------------|
| Parameter | Units | Result | Limit | Analyzed | Qualifiers |
| Benzene | ug/L | ND ND | 0.20 | 12/13/11 20:14 | |
| Ethylbenzene | ug/L | ND | 1.0 | 12/13/11 20:14 | |
| Methyl-tert-butyl ether | ug/L | ND | 1.0 | 12/13/11 20:14 | |
| Toluene | ug/L | ND | 1.0 | 12/13/11 20:14 | |
| Xylene (Total) | ug/L | ND | 3.0 | 12/13/11 20:14 | |
| 1,2-Dichloroethane-d4 (S) | % | 96 | 72-127 | 12/13/11 20:14 | |
| 4-Bromofluorobenzene (S) | % | 116 | 79-121 | 12/13/11 20:14 | |
| Dibromofluoromethane (S) | % | 98 | 81-119 | 12/13/11 20:14 | |
| Toluene-d8 (S) | % | 106 | 77-120 | 12/13/11 20:14 | |

LABORATORY CONTROL SAMPLE: 97215

Date: 12/16/2011 04:23 PM

| Damanatan | 11-26- | Spike | LCS | LCS | % Rec | 0 |
|---------------------------|-------------|-------|--------|-------|--------|------------|
| Parameter | Units Units | Conc. | Result | % Rec | Limits | Qualifiers |
| Benzene | ug/L | 20 | 18.0 | 90 | 66-123 | |
| Ethylbenzene | ug/L | 20 | 17.7 | 88 | 67-122 | |
| Methyl-tert-butyl ether | ug/L | 20 | 19.6 | 98 | 65-138 | |
| Toluene | ug/L | 20 | 18.5 | 93 | 64-118 | |
| Xylene (Total) | ug/L | 60 | 55.4 | 92 | 68-122 | |
| 1,2-Dichloroethane-d4 (S) | % | | | 92 | 72-127 | |
| 4-Bromofluorobenzene (S) | % | | | 105 | 79-121 | |
| Dibromofluoromethane (S) | % | | | 96 | 81-119 | |
| Toluene-d8 (S) | % | | | 101 | 77-120 | |

| MATRIX SPIKE & MATRIX SP | IKE DUPLICAT | E: 97317 | | | 97318 | | | | | | |
|---------------------------|--------------|-----------|-------|-------|--------|--------|-------|-------|--------|-----|------|
| | | | MS | MSD | | | | | | | |
| | 2 | 510218004 | Spike | Spike | MS | MSD | MS | MSD | % Rec | | |
| Parameter | Units | Result | Conc. | Conc. | Result | Result | % Rec | % Rec | Limits | RPD | Qual |
| Benzene | ug/L | 1.4 | 20 | 20 | 19.7 | 22.5 | 91 | 105 | 63-138 | 13 | |
| Ethylbenzene | ug/L | ND | 20 | 20 | 18.8 | 21.6 | 92 | 106 | 65-135 | 14 | |
| Methyl-tert-butyl ether | ug/L | ND | 20 | 20 | 18.9 | 21.4 | 94 | 107 | 59-143 | 13 | |
| Toluene | ug/L | ND | 20 | 20 | 18.1 | 20.8 | 89 | 103 | 64-128 | 14 | |
| Xylene (Total) | ug/L | ND | 60 | 60 | 55.4 | 62.7 | 91 | 103 | 65-133 | 12 | |
| 1,2-Dichloroethane-d4 (S) | % | | | | | | 94 | 91 | 72-127 | | |
| 4-Bromofluorobenzene (S) | % | | | | | | 112 | 111 | 79-121 | | |
| Dibromofluoromethane (S) | % | | | | | | 96 | 94 | 81-119 | | |
| Toluene-d8 (S) | % | | | | | | 106 | 106 | 77-120 | | |



Project: WA-0217
Pace Project No.: 2510198

QC Batch: MSV/6044 Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge

Associated Lab Samples: 2510198004, 2510198005

METHOD BLANK: 97407 Matrix: Water

Associated Lab Samples: 2510198004, 2510198005

| | | Blank | Reporting | | |
|---------------------------|-------|--------|-----------|----------------|------------|
| Parameter | Units | Result | Limit | Analyzed | Qualifiers |
| Benzene | ug/L | ND ND | 0.20 | 12/15/11 10:54 | |
| Ethylbenzene | ug/L | ND | 1.0 | 12/15/11 10:54 | |
| Methyl-tert-butyl ether | ug/L | ND | 1.0 | 12/15/11 10:54 | |
| Toluene | ug/L | ND | 1.0 | 12/15/11 10:54 | |
| Xylene (Total) | ug/L | ND | 3.0 | 12/15/11 10:54 | |
| 1,2-Dichloroethane-d4 (S) | % | 93 | 72-127 | 12/15/11 10:54 | |
| 4-Bromofluorobenzene (S) | % | 121 | 79-121 | 12/15/11 10:54 | |
| Dibromofluoromethane (S) | % | 94 | 81-119 | 12/15/11 10:54 | |
| Toluene-d8 (S) | % | 107 | 77-120 | 12/15/11 10:54 | |

LABORATORY CONTROL SAMPLE: 97408

Date: 12/16/2011 04:23 PM

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---------------------------|-------|----------------|---------------|--------------|-----------------|------------|
| | | | | | | |
| Benzene | ug/L | 20 | 17.4 | 87 | 66-123 | |
| Ethylbenzene | ug/L | 20 | 17.0 | 85 | 67-122 | |
| Methyl-tert-butyl ether | ug/L | 20 | 18.3 | 92 | 65-138 | |
| Toluene | ug/L | 20 | 17.4 | 87 | 64-118 | |
| Xylene (Total) | ug/L | 60 | 50.9 | 85 | 68-122 | |
| 1,2-Dichloroethane-d4 (S) | % | | | 91 | 72-127 | |
| 4-Bromofluorobenzene (S) | % | | | 115 | 79-121 | |
| Dibromofluoromethane (S) | % | | | 93 | 81-119 | |
| Toluene-d8 (S) | % | | | 108 | 77-120 | |

| MATRIX SPIKE & MATRIX SP | IKE DUPLICAT | E: 97484 | | | 97485 | | | | | | |
|---------------------------|--------------|-----------|-------------|--------------|--------|--------|-------|-------|--------|-----|------|
| | 25 | 510266002 | MS Spike | MSD Spike | MS | MSD | MS | MSD | % Rec | | |
| Parameter | Units | Result | Conc. | Conc. | Result | Result | % Rec | % Rec | Limits | RPD | Qual |
| Benzene | ug/L | ND | 20 | 20 | 19.3 | 19.8 | 96 | 99 | 63-138 | 2 | |
| Ethylbenzene | ug/L | ND | 20 | 20 | 19.5 | 20.0 | 97 | 100 | 65-135 | 3 | |
| Methyl-tert-butyl ether | ug/L | 0.84 | 20 | 20 | 18.2 | 17.9 | 87 | 85 | 59-143 | 2 | |
| Toluene | ug/L | ND | 20 | 20 | 19.4 | 20.0 | 97 | 100 | 64-128 | 3 | |
| Xylene (Total) | ug/L | ND | 60 | 60 | 57.7 | 59.3 | 96 | 98 | 65-133 | 3 | |
| 1,2-Dichloroethane-d4 (S) | % | | | | | | 90 | 88 | 72-127 | | |
| 4-Bromofluorobenzene (S) | % | | | | | | 116 | 113 | 79-121 | | |
| Dibromofluoromethane (S) | % | | | | | | 93 | 93 | 81-119 | | |
| Toluene-d8 (S) | % | | | | | | 109 | 110 | 77-120 | | |



Project: WA-0217
Pace Project No.: 2510198

QC Batch: MSV/5993 Analysis Method: NWTPH-Gx

QC Batch Method: NWTPH-Gx Analysis Description: NWTPH-Gx MSV Water

Associated Lab Samples: 2510198006

METHOD BLANK: 96707 Matrix: Water

Associated Lab Samples: 2510198006

ParameterUnitsBlank ResultReporting LimitAnalyzedQualifiersGasoline Range Organicsug/LND50.012/08/11 23:11

Gasoline Range Organics ug/L ND 50.0 12/08/11 23:11 4-Bromofluorobenzene (S) % 116 50-150 12/08/11 23:11

LABORATORY CONTROL SAMPLE: 96708

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Gasoline Range Organics ug/L 500 542 108 65-139 4-Bromofluorobenzene (S) % 112 50-150

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96709 96710

MSD MS 2510199001 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits **RPD** Qual ND Gasoline Range Organics ug/L 500 500 619 1320 119 260 48-147 72 D6,M1 4-Bromofluorobenzene (S) % 112 110 50-150

SAMPLE DUPLICATE: 96711

Date: 12/16/2011 04:23 PM

2510199001 Dup **RPD** Parameter Units Result Result Qualifiers Gasoline Range Organics ug/L ND 28.6J % 111 3 4-Bromofluorobenzene (S) 115



Analysis Description:

Project: WA-0217
Pace Project No.: 2510198

1 400 1 10,000 140... 2010 100

QC Batch: MSV/6007
QC Batch Method: NWTPH-Gx

NWTPH-Gx

Analysis Method: NWTPH-Gx

NWTPH-Gx MSV Water

Associated Lab Samples: 2510198004

METHOD BLANK: 96907 Matrix: Water

Associated Lab Samples: 2510198004

Blank Reporting Limit Parameter Units Result Analyzed Qualifiers Gasoline Range Organics ug/L ND 50.0 12/10/11 03:19 % 50-150 4-Bromofluorobenzene (S) 98 12/10/11 03:19

LABORATORY CONTROL SAMPLE: 96908

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Gasoline Range Organics ug/L 500 577 115 65-139 4-Bromofluorobenzene (S) % 98 50-150

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96909 96910

MSD MS 2510190014 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits **RPD** Qual 6630 Gasoline Range Organics ug/L 500 500 7390 7670 152 208 48-147 4 M1 4-Bromofluorobenzene (S) % 97 98 50-150



Project:

WA-0217

Pace Project No.:

2510198

QC Batch: QC Batch Method: MSV/6047

NWTPH-Gx

Analysis Method:

NWTPH-Gx

Analysis Description:

NWTPH-Gx MSV Water

Associated Lab Samples:

2510198005

METHOD BLANK: 97478

Matrix: Water

Associated Lab Samples:

2510198005

Blank Result Reporting Limit

562

Analyzed

Qualifiers

Gasoline Range Organics 4-Bromofluorobenzene (S)

ug/L %

Units

Units

ND 121

50.0 12/15/11 10:54 50-150 12/15/11 10:54

LABORATORY CONTROL SAMPLE: 97479

Parameter

Parameter

Spike Conc.

LCS Result

LCS % Rec % Rec Limits

Qualifiers

Gasoline Range Organics 4-Bromofluorobenzene (S)

ug/L %

Units

ug/L

%

500

112 120 65-139

50-150

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:

97615

ND

Result

97616

610

MS

MSD

% Rec

RPD Qual

Parameter Gasoline Range Organics 4-Bromofluorobenzene (S) 2510348001

MSD MS Spike Spike Conc.

500

Conc.

500

MSD Result Result

MS % Rec 598 119

120

% Rec Limits 116

118

2

48-147 50-150

Date: 12/16/2011 04:23 PM

Qualifiers



QUALITY CONTROL DATA

Project: WA-0217 Pace Project No.: 2510198

QC Batch: WET/3325 Analysis Method: SM 2320B QC Batch Method: SM 2320B Analysis Description: 2320B Alkalinity

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

METHOD BLANK: 97099 Matrix: Water

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

Blank

Reporting Parameter Result Limit Units Analyzed

Alkalinity, Total as CaCO3 mg/L ND 1.0 12/13/11 15:00

LABORATORY CONTROL SAMPLE: 97100

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Alkalinity, Total as CaCO3 mg/L 100 97.0 97 90-110

SAMPLE DUPLICATE: 97101

Date: 12/16/2011 04:23 PM

2510198001 Dup **RPD** Qualifiers Parameter Units Result Result Alkalinity, Total as CaCO3 210 214 2 mg/L



Project: WA-0217
Pace Project No.: 2510198

QC Batch: WET/3308 Analysis Method: SM 4500-S-2 F

QC Batch Method: SM 4500-S-2 F Analysis Description: 4500S2F Sulfide, Iodometric

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

METHOD BLANK: 96239 Matrix: Water

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Sulfide mg/L ND 0.40 12/05/11 15:00

LABORATORY CONTROL SAMPLE: 96240

Date: 12/16/2011 04:23 PM

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Sulfide mg/L 8.6 8.6 100 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96241 96242

MS MSD 2510197001 MS Spike Spike MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Sulfide ND 8.7 75-125 mg/L 8.6 8.6 8.8 101 102 .9



Project: WA-0217
Pace Project No.: 2510198

QC Batch: WETA/2326 Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

METHOD BLANK: 96624 Matrix: Water

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

Blank Reporting

 Parameter
 Units
 Result
 Limit
 Analyzed
 Qualifiers

 Sulfate
 mg/L
 ND
 1.0
 12/08/11 10:31

LABORATORY CONTROL SAMPLE: 96625

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Sulfate mg/L 15.4 103 90-110

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96626 96627

MS MSD 2510197001 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Sulfate 221 mg/L 300 300 558 566 113 115 90-110 1 M1

MATRIX SPIKE SAMPLE: 96628

MS 2510215002 Spike MS % Rec % Rec Parameter Units Result Conc. Result Limits Qualifiers Sulfate 14.6 30.3 105 90-110 mg/L 15



Project: WA-0217
Pace Project No.: 2510198

QC Batch: WETA/2330 Analysis Method: EPA 353.2

QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

METHOD BLANK: 96755 Matrix: Water

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Nitrogen, NO2 plus NO3 mg/L ND 0.050 12/12/11 15:47

LABORATORY CONTROL SAMPLE: 96756

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Nitrogen, NO2 plus NO3 mg/L 1.0 101 90-110

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96757 96758

MS MSD MS 2510152001 Spike Spike MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Nitrogen, NO2 plus NO3 ND 1 1 90-110 mg/L 1.1 1.1 106 105 .4

MATRIX SPIKE SAMPLE: 96759

MS MS 2510214005 Spike % Rec Parameter Units Result Conc. Result % Rec Limits Qualifiers Nitrogen, NO2 plus NO3 356 ug/L 1.4 109 90-110 mg/L 1



Project: WA-0217 Pace Project No.: 2510198

QC Batch: WETA/2321 Analysis Method: SM 4500-NO2 B

QC Batch Method: SM 4500-NO2 B Analysis Description: SM4500NO2-B, Nitrite, unpres

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

METHOD BLANK: 96140 Matrix: Water

Associated Lab Samples: 2510198001, 2510198002, 2510198003, 2510198004, 2510198005

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Nitrite as N mg/L ND 0.010 12/02/11 17:03

LABORATORY CONTROL SAMPLE: 96141

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Nitrite as N mg/L .05 0.046 93 90-110

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96142 96143

MS MSD 2510198001 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Nitrite as N ND 0.051 0.056 71-109 mg/L .05 .05 92 100 8



QUALIFIERS

Project: WA-0217
Pace Project No.: 2510198

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel Clean-Up

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis
PASI-S Pace Analytical Services - Seattle

ANALYTE QUALIFIERS

Date: 12/16/2011 04:23 PM

D6 The relative percent difference (RPD) between the sample and sample duplicate exceeded laboratory control limits.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

(206)767-5060



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WA-0217
Pace Project No.: 2510198

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|------------|------------|-----------------|-----------|-------------------|---------------------|
| 2510198001 | IW-1 | RSK 175 | AIR/13773 | | |
| 2510198002 | IW-2 | RSK 175 | AIR/13773 | | |
| 2510198003 | IW-3 | RSK 175 | AIR/13773 | | |
| 2510198004 | MW-2 | RSK 175 | AIR/13773 | | |
| 2510198005 | MW-5 | RSK 175 | AIR/13773 | | |
| 2510198001 | IW-1 | EPA 3010 | MPRP/2678 | EPA 6010 | ICP/2536 |
| 2510198002 | IW-2 | EPA 3010 | MPRP/2678 | EPA 6010 | ICP/2536 |
| 510198003 | IW-3 | EPA 3010 | MPRP/2678 | EPA 6010 | ICP/2536 |
| 510198004 | MW-2 | EPA 3010 | MPRP/2678 | EPA 6010 | ICP/2536 |
| 510198005 | MW-5 | EPA 3010 | MPRP/2678 | EPA 6010 | ICP/2536 |
| 510198001 | IW-1 | EPA 3010 | MPRP/2680 | EPA 6010 | ICP/2538 |
| 510198002 | IW-2 | EPA 3010 | MPRP/2680 | EPA 6010 | ICP/2538 |
| 510198003 | IW-3 | EPA 3010 | MPRP/2680 | EPA 6010 | ICP/2538 |
| 510198004 | MW-2 | EPA 3010 | MPRP/2680 | EPA 6010 | ICP/2538 |
| 510198005 | MW-5 | EPA 3010 | MPRP/2680 | EPA 6010 | ICP/2538 |
| 2510198004 | MW-2 | EPA 5030B/8260 | MSV/6044 | | |
| 2510198005 | MW-5 | EPA 5030B/8260 | MSV/6044 | | |
| 2510198006 | TRIP BLANK | EPA 5030B/8260 | MSV/6024 | | |
| 510198004 | MW-2 | NWTPH-Gx | MSV/6007 | | |
| 2510198005 | MW-5 | NWTPH-Gx | MSV/6047 | | |
| 510198006 | TRIP BLANK | NWTPH-Gx | MSV/5993 | | |
| 2510198001 | IW-1 | SM 2320B | WET/3325 | | |
| 510198002 | IW-2 | SM 2320B | WET/3325 | | |
| 510198003 | IW-3 | SM 2320B | WET/3325 | | |
| 510198004 | MW-2 | SM 2320B | WET/3325 | | |
| 510198005 | MW-5 | SM 2320B | WET/3325 | | |
| 2510198001 | IW-1 | SM 4500-S-2 F | WET/3308 | | |
| 510198002 | IW-2 | SM 4500-S-2 F | WET/3308 | | |
| 510198003 | IW-3 | SM 4500-S-2 F | WET/3308 | | |
| 510198004 | MW-2 | SM 4500-S-2 F | WET/3308 | | |
| 510198005 | MW-5 | SM 4500-S-2 F | WET/3308 | | |
| 510198001 | IW-1 | EPA 300.0 | WETA/2326 | | |
| 510198002 | IW-2 | EPA 300.0 | WETA/2326 | | |
| 510198003 | IW-3 | EPA 300.0 | WETA/2326 | | |
| 510198004 | MW-2 | EPA 300.0 | WETA/2326 | | |
| 510198005 | MW-5 | EPA 300.0 | WETA/2326 | | |
| 510198001 | IW-1 | EPA 353.2 | WETA/2330 | | |
| 510198002 | IW-2 | EPA 353.2 | WETA/2330 | | |
| 510198003 | IW-3 | EPA 353.2 | WETA/2330 | | |
| 510198004 | MW-2 | EPA 353.2 | WETA/2330 | | |
| 2510198005 | MW-5 | EPA 353.2 | WETA/2330 | | |
| | | | | | |
| 2510198001 | IW-1 | SM 4500-NO2 B | WETA/2321 | | |

Date: 12/16/2011 04:23 PM

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WA-0217
Pace Project No.: 2510198

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|------------|-----------|-----------------|-----------|-------------------|---------------------|
| 2510198003 | IW-3 | SM 4500-NO2 B | WETA/2321 | _ | |
| 2510198004 | MW-2 | SM 4500-NO2 B | WETA/2321 | | |
| 2510198005 | MW-5 | SM 4500-NO2 B | WETA/2321 | | |



CHAIN-OF-CUSTODY / Analytical Request Document The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

2510198

| | ction A | Section B | | | | | | | | Section | C | | | | | | | | | | | | | | Page: | | 100 | of | | |
|----------|---|-------------|----------------|-----------------|------------|----------|---------|----------------|----|-----------------------------|--------------------------------|----------|---------|---|---------------|---------------|---------|--------|------------------|---------|-----------------------------------|--------|-------|--------|---------|-------------------------|--------------------------|----------------------------------|-------------------------|----------|
| _ | quired Client Information; | Required F | | 10 11 11 11 11 | March 1960 | | | | _ | Invoice In Attention | | ation: | | | | | | _ | | 7 | | | | | | 1 | 53 | 2670 |) | |
| | HICC/HULS | report to: | Al | ex | Lopez | odre III | | | 1 | | U | 200 | A | lob | 1250 | 01 | | | _ | \perp | _ | | | | - | | .001 | _010 | | _ |
| Ad | dress: 1300 Eatlake Are F Sink | Copy To: | 1L | rhe | 12 R | odreu | ez | | _ | Compan | 100 | ne: A | Ri | AL | DI | 5 | | | | RE | GUL | ATO | RY | AGEN | CY | | | | | |
| | Seattle, WA agrow | | | | | 0 | | 19173 | | Address: |) | ee | / | refi | | A | | | | F | NPDES GROUND WATER DRINKING WATER | | | | | | | | | |
| Em | allex, lopez 111 Occodis-us.com | Purchase C |)rder | No.: | | | | | | Pace Quote Reference: | | | | r | US | ST | Γ | RCI | RA | naffi. | X | OTHER | Ede | + | | | | | | |
| Ph 90 | one: 726-4721 Fax: | Project Nar | ne: | VA | -011 | 7 | | | | Pace Project Regue Se Marie | | | | S | Site Location | | | | | | | | | | | | | | | |
| Re | quested Due Date/TAT: | Project Nur | nber: | GP | 09BP | NA. L | VAOL. | 160000 | F | Pace Prof | ile #: | (| | | | | | 1 11 | | 100 | 5 | TATE | E: | W | 4 | _ | | | | |
| | | | | | | | | | _ | | | | | | | | | Requ | ieste | d An | alysi | s Fill | tere | d (Y/N |) | | | | Marine Marine | |
| Г | Section D Matrix C | | 2 | 0 | in E zor | | | | T | | | | | | | N/N | 1 | П | | | 1 | П | | | | 100 | | | | |
| | Required Client Information MATRIX / Drinking Wate | | codes to left) | SOME | | COLL | ECTED | | . | - | _ | Prese | ervat | lives | \neg | 7 | + | 0 | 0 | 1 | u | N | C 1 | | + | + | | | | - |
| | Water Waste Waste | WT | code | (G=GRAB C=COMP) | COMPO | OSITE | COMPO | | | | | | 2 | | | | | 890 | 1 6 | 50 | 13005 | 3 | 3 | 9 | | | | | | |
| | Product Soil/Solid | P SL | e valid | SRAB | STA | RT | END/G | RAB | | | - | | Archete | | mi | | 1 | ٥ | 5 , | 1 3 | B | 1 | 0 | 4 | 14 | Residual Chlorine (Y/N) | | | , | |
| ı | SAMPLE ID Oil Wipe | OL WP | ees) |)=9) | | | | AT C | | CONTAINERS | | | 4 | | | st | MATERIA | MTGE | 2 | م رم | 12 | 4 | 36 | 3 | | ine | | | | |
| | (A-Z, 0-9 / ,-) Air Sample IDs MUST BE UNIQUE Tissue | AR TS | CODE | TYPE | | 135 03 | Di men | d d | | MA | 3 | | 2 | 1 | 1 | S T | 1 | 7 | 3 | 5 | 2 | 3 | Diss. | 1 | u þu | 운 | | | | |
| 34 | Other | ОТ | × | ETY | | 1-1 | 187 | L L | | NOS | 2 | Ag. | + | õ | - Ou | Vsi | | X | 3 | 46 | 18 | 4 | 7 | 22 | 1 | nal | | | | |
| ITEM # | 200 | ad only | MATRIX | SAMPLE | | | | TIME OF CAMERA | | # OF (| H ₂ SO ₄ | HNO3 | NaOH | Na ₂ S ₂ O ₃ | Methanol | Analysis Test | 2 | _ | 1 | 2 4 | 4 | N | ¥= | 3 | III) 15 | esid | | | | |
| 트 | | - 101 | _ | 10 | DATE | TIME | DATE | | 5 | _ | _ | _ | _ | Ž | Me | 100 | 1. | 960 | 2: | 2 1 | V | 1 | 9: | | | | | | o./ Lab I.D | |
| 1 | | | WI | 6 | | | 14/1/11 | 10:50 | + | | 1 | 16 | 1 | H | | | 'X | 0 | 7 | XX | Y | 1 | 4 | X | | | NOTE | | | \dashv |
| 2 | | | + | \mathbf{H} | | | | 12:55 | + | 8 5 | 1 | - | 1 | H | - | - | 1 | - | 7 | 1 4 | 7 | ~/ | -1 | c | | + | NOT | SIL | | - |
| 3 | IW-3 | 133000 | + | H | | | | 12:15 | + | 8 5 | | 1 | 1 | H | + | - | K | 110 | X Y | CV | × | 7 | | c | + | + | 157.0 | 1-1 | | - |
| 4 | | 10/0 | + | | | | | 14:15 | | 14 5 | - | | 01 | H | | - | 1 | X | | CX | K | KI | | | | + | | 192 | | _ |
| 5 | | | • | 1 | | | 1 | 14.12 | + | 19 3 | + | 1 | 2 (| H | + | + | H | 1/2 | 71/ | 7 | 1/ | 7 | - | + | + | + | | | | |
| 6 | | | | | - 11 | dr.m | Time | 2010016 | + | 101 | | \vdash | + | | 13 31 | 1 | H | 1 64 | - | + | | | + | + | 4 10 | + | Mission | (4) | | _ |
| 7 8 | | | | | | | | | + | _ | + | | + | | | 7 | H | + | + | + | | + | | + | + | | V - 124 | THE RES | | |
| 9 | | | | | | | | | + | | + | \vdash | + | Н | + | 1 | H | + | | _ | | 1 | + | + | + | \top | | | | |
| 10 | | | | | | 100 | | | † | 137 | T | \vdash | 37. | 0.0 | | | r | 1 | | 200 | | | | | | | 12.1 | | | |
| 11 | | | | | | | | | 1 | 14110 | \top | | 100 | | | | r | | | | | | | 347 | | | | | | |
| 12 | | | | | | | | | 1 | | | | | | | | r | | | | | | | | | \top | | | | |
| | ADDITIONAL COMMENTS | | REL | INQU | SHED BY | AFFILIAT | ION | DATE | 1 | TIME | E | | 2 | ACC | EPTE | ED BY | Y/A | FFILIA | TION | | 1 | ATE | , | TIME | | | SAMP | LE CONDITI | ONS / | |
| | 16.12 | 1/2/ | 2 | Holo | 1 | AP CAD | TS | 12/11 | 1 | 16:05 | - | 1 | / | A | | P | 1 | 1_ | 400 | | 12 | 121 | 11 | 405 | 1 | 1.8 | 4 | N | 4 | |
| | | 100 | | 1730 | ~ () | 71 090 | | 14-711 | + | 10,00 | | 1 | | | | | | V | | m210 | 101 | - | | 4 / | | .0 | nt his | nor line | (| |
| | | | _ | | | | | | + | | | | _ | _ | | | | | | | - | | + | | + | _ | | | | |
| _ | | | | | | | | - Park | + | | _ | - | | _ | | | | | _ | 4 | ┢ | - | | | - | _ | 10 | - | | _ |
| | | | _ | | | | | | | | | | | - | | | | | | | | 1000 | | | | | | 0 C | Ħ | |
| | OR | IGINAL | | | | SAMPLE | | ND SIGNATU | | 17 | | | | | | | | | | | | | | | | ي د | Received on Ice (Y/N) | ody Coole | Samples Intact (Y/N) | |
| | | | | | | | | ne of SAMPLE | | K | Tle | | sla | m | | | ٦, | DATE | Clans | 1 | . / | - | | | _ | Temp in °C | ce (Y | Custody Sealed Coole (Y/N) | Will | |
| | | | | | | | SIGNATU | RE of SAMPLE | aç | ge 26 | 128 | 14 | 1 | / | | | 1 | (MM/D | Signed D/YY): | 11 | 1/1 | 10 | 14 | | | ۲ | - R | Se | San | |

Sample Container Count

2510198

| Pace | Analytical ⁻ |
|------|-------------------------|
| | muraesus con |

| CLIENT: | Arcades | | |
|---------|---------|-------------|--|
| | | | |

COC PAGE ____ of ___

Trip Blank(s) Provided?

| Sample Line Item | VG9H | AG1H | AG1U | BP1U | BP2U | BP3U | BP3N_ | BP3S | WGKU | WGFU | WG2U | DG9M | DG9B | VG9W | VSG | 15PIZ | · | Comments |
|---------------------|------|------|------|----------|----------|------|------------------|------|----------|------|------|------|------|------|--------------------------|-------|---|----------|
| 1 | | | | | | | 125 | 160 | | | | | | | 3_ | 17/2 | | |
| 2 | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | |
| 4 | 6 | | | | | 1 | $ \downarrow $ | 1 | | | | | | | $\underline{\downarrow}$ | 4 | | |
| 5 | 9 | | | | | (| 14 | 11 | | | | | | | 3 | 11/ | | |
| 6 | 2 | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | |
| 9 | | | | <u> </u> | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | <u> </u> | | | | | | | | | |
| 12 | | | | | <u> </u> | | | | | | | | | | | | | |

| AG1H | 1 liter HCL amber glass | BP2S | 500mL H2SO4 plastic | JGFU | 4 oz amber glass soil jar |
|------|--------------------------------|------|------------------------------|------|--|
| AG1U | 1liter unpreserved amber glass | BP2U | 500mL unpreserved plastic | WGKU | 8 oz clear glass soil jar |
| | 500mL H2SO4 amber glass | BP2Z | 500mL NaOH, Zn Ac | WGFU | 4 oz clear glass soil jar |
| AG2U | 500mL unpreserved amber glass | BP3C | 250mL NaOH plastic | WG2U | 2 oz clear glass soil jar |
| AG3S | 250mL H2SO4 amber glass | BP3N | 250mL HNO3 plastic | JGFM | 4 oz amber glass soil jar with MeOH |
| BG1H | 1 liter HCL clear glass | BP3S | 250mL H2SO4 plastic | VG9U | 40mL unpreserved clear vial |
| BG1U | 1 liter unpreserved glass | BP3U | 250mL unpreserved plastic | VG9W | 40mL clear vial pre-weighted with DI water |
| BP1N | 1 liter HNO3 plastic | DG9B | 40mL Na Bisulfate clear vial | VSG | Headspace septa vial |
| BP1S | 1 liter H2SO4 plastic | DG9H | 40mL HCL amber voa vial | VG9H | 40mL HCL clear vial |
| BP1U | 1 liter unpreserved plastic | DG9M | 40mL MeOH clear vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1Z | 1 liter NaOH, Zn, Ac | DG9T | 40mL Na Thio amber vial | VG9T | 40mL Na Thio. clear vial |
| BP2N | 500mL HNO3 plastic | DG9U | 40mL unpreserved amber vial | ZPLC | Ziploc Bag |
| BP2O | 500mL NaOH plastic | 1 | Wipe/Swab | Ų | Summa Can |

Sample Condition Upon Receipt Pace Analytical" Client Name: Project # Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace Other Tracking #: Seals intact: Yes Custody Seal on Cooler/Box Present: Temp. Blank Yes Packing Material: MBubble Wrap Bubble Bags None Other Samples on ice, cooling process has begun 132013 o (101731962 or 226099 Type of Ice: Wet Blue None Thermometer Used Date and Initials of person examining Biological Tissue is Frozen: Yes No contents: PC 12/2 Cooler Temperature Temp should be above freezing ≤ 6 °C Comments: Pres DNo □N/A 1 Chain of Custody Present: Dyes DNo □N/A Chain of Custody Filled Out: Dres ONo □N/A Chain of Custody Relinquished: Mes ONo □N/A 4. Sampler Name & Signature on COC: PYes ONo DN/A 5 Samples Arrived within Hold Time: res □No □N/A Short Hold Time Analysis (<72hr): ☐Yes ☐No ₽N/A Rush Turn Around Time Requested: KINO □N/A □Yes Follow Up / Hold Analysis Requested: Yes No □N/A Sufficient Volume: **Z**No □N/A 10 Correct Containers Used: Pres ONo □N/A -Pace Containers Used: Thes ENO □N/A 11. Containers Intact: Yes \ \ No □N/A 12. Filtered volume received for Dissolved tests Nes DNo □N/A 13. Sample Labels match COC: Matrix: -Includes date/time/ID/Analysis All containers needing preservation have been checked. □Yes ☑No □N/A All containers needing preservation are found to be in ☐Yes ☐No ☐M/A compliance with EPA recommendation. Lot # of added Initial when Exceptions: VOA, coliform, TOC, O&G completed preservative □Yes □No N/A Samples checked for dechlorination: ☐Yes ☐Mo □N/A Headspace in VOA Vials (>6mm): 16. Yes ONo □N/A 17. Trip Blanks Present: ☐Yes ☐No □N/A Trip Blank Custody Seals Present Pace Trip Blank Creation Date: Client Notification/ Resolution: Field Data Required? Person Contacted: Date/Time: Comments/ Resolution:

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Project Manager Review:

Date:





December 20, 2011

Alex Lopez Arcadis 111 SW Columbia St. Ste. 725 Portland, OR 97201

RE: Project: WA-0217

Pace Project No.: 2510215

Dear Alex Lopez:

Enclosed are the analytical results for sample(s) received by the laboratory on December 06, 2011. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andy Brownfield


Andy Brownfield

andy.brownfield@pacelabs.com Project Manager

Enclosures

cc: Timothy Bellis, Arcadis OR Jonathan Flomerfelt, Arcadis U.S., Inc. Brian Marcum, Arcadis OR Lynne Stewart, Arcadis OR





Seattle, WA 98108 (206)767-5060



CERTIFICATIONS

Project: WA-0217
Pace Project No.: 2510215

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

A2LA Certification #: 2926.01
Alaska Certification #: UST-078
Alaska Certification #MN00064
Arizona Certification #: AZ-0014
Arkansas Certification #: 88-0680
California Certification #: 01155CA
EPA Region 8 Certification #: Pace
Florida/NELAP Certification #: E87605
Georgia Certification #: 959
Idaho Certification #: MN00064
Illinois Certification #: 200011
Iowa Certification #: 368

Kansas Certification #: 508
Kansas Certification #: E-10167
Louisiana Certification #: 03086
Louisiana Certification #: LA080009
Maine Certification #: 2007029
Maryland Certification #: 322

Maryland Certification #: 322
Michigan DEQ Certification #: 9909
Minnesota Certification #: 027-053-137

Washington Certification IDs

940 South Harney Street, Seattle, WA 98108 Alaska CS Certification #: UST-025 Arizona Certification #: AZ0770 California Certification #: 01153CA Mississippi Certification #: Pace
Montana Certification #: MT CERT0092
Nevada Certification #: MN_00064
Nebraska Certification #: Pace
New Jersey Certification #: MN-002
New Mexico Certification #: Pace
New York Certification #: 11647
North Carolina Certification #: 530
North Dakota Certification #: R-036
North Dakota Certification #: R-036A
Ohio VAP Certification #: CL101
Oklahoma Certification #: D9921
Oklahoma Certification #: 9507
Oregon Certification #: MN200001

Pennsylvania Certification #: 68-00563 Puerto Rico Certification

Tennessee Certification #: 02818 Texas Certification #: T104704192 Washington Certification #: C754 Wisconsin Certification #: 999407970

Florida/NELAP Certification #: E87617 Oregon Certification #: WA200007 Washington Certification #: C555

(206)767-5060



SAMPLE ANALYTE COUNT

Project: WA-0217
Pace Project No.: 2510215

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|------------|-----------|----------------|----------|----------------------|------------|
| 2510215001 | | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | CC | 9 | PASI-S |
| | | NWTPH-Gx | CC | 2 | PASI-S |
| | | SM 2320B | CMS | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| | | EPA 353.2 | CMS | 2 | PASI-S |
| | | SM 4500-NO2 B | CMS | 1 | PASI-S |
| 2510215002 | MW-6 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | CC | 9 | PASI-S |
| | | NWTPH-Gx | CC | 2 | PASI-S |
| | | SM 2320B | CMS | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| | | EPA 353.2 | CMS | 2 | PASI-S |
| | | SM 4500-NO2 B | CMS | 1 | PASI-S |
| 2510215003 | MW-9 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | CC | 9 | PASI-S |
| | | NWTPH-Gx | CC | 2 | PASI-S |
| | | SM 2320B | CMS | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| | | EPA 353.2 | CMS | 2 | PASI-S |
| | | SM 4500-NO2 B | CMS | 1 | PASI-S |
| 2510215004 | MW-10 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | CC | 9 | PASI-S |
| | | NWTPH-Gx | CC | 2 | PASI-S |
| | | SM 2320B | CMS | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | | PASI-S |

REPORT OF LABORATORY ANALYSIS

Page 3 of 20

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..

(206)767-5060



SAMPLE ANALYTE COUNT

Project: WA-0217
Pace Project No.: 2510215

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory | |
|--------|-----------|---------------|----------|----------------------|------------|--|
| | | EPA 300.0 | CMS | 1 | PASI-S | |
| | | EPA 353.2 | CMS | 2 | PASI-S | |
| | | SM 4500-NO2 B | CMS | 1 | PASI-S | |



Project: WA-0217
Pace Project No.: 2510215

| Sample: MW-1 | Lab ID: 251021500 | 1 Collected: 12/05/1 | 1 12:24 | Received: 12 | 2/06/11 10:20 | Matrix: Water | |
|---|-----------------------|-------------------------|----------|----------------|----------------|---------------|-----|
| Parameters | Results Un | Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| RSK 175 AIR Headspace | Analytical Method: RS | sK 175 | | | | | |
| Methane | ND ug/L | 10.0 | 1 | | 12/07/11 17:30 | 74-82-8 | |
| 6010 MET ICP | Analytical Method: EP | A 6010 Preparation Meth | nod: EPA | A 3010 | | | |
| Iron | 113 ug/L | 100 | 1 | 12/14/11 12:12 | 12/15/11 14:30 | 7439-89-6 | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: EP | A 6010 Preparation Meth | nod: EPA | A 3010 | | | |
| ron, Dissolved | ND ug/L | 100 | 1 | 12/14/11 12:24 | 12/15/11 11:54 | 7439-89-6 | |
| 8260 MSV | Analytical Method: EP | A 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 12/13/11 04:12 | 2 71-43-2 | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 12/13/11 04:12 | 2 100-41-4 | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 12/13/11 04:12 | 2 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | | 12/13/11 04:12 | 2 108-88-3 | |
| <pre>⟨ylene (Total)</pre> <pre>Surrogates</pre> | ND ug/L | 3.0 | 1 | | 12/13/11 04:12 | 2 1330-20-7 | |
| 4-Bromofluorobenzene (S) | 95 % | 79-121 | 1 | | 12/13/11 04:12 | 2 460-00-4 | |
| Dibromofluoromethane (S) | 107 % | 81-119 | 1 | | 12/13/11 04:12 | 2 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 109 % | 72-127 | 1 | | 12/13/11 04:12 | 2 17060-07-0 | |
| Toluene-d8 (S) | 96 % | 77-120 | 1 | | 12/13/11 04:12 | 2 2037-26-5 | |
| NWTPH-Gx MSV | Analytical Method: NV | VTPH-Gx | | | | | |
| Gasoline Range Organics Surrogates | ND ug/L | 50.0 | 1 | | 12/13/11 04:12 | 2 | |
| 4-Bromofluorobenzene (S) | 95 % | 50-150 | 1 | | 12/13/11 04:12 | 2 460-00-4 | |
| 2320B Alkalinity | Analytical Method: SM | 1 2320B | | | | | |
| Alkalinity, Total as CaCO3 | 37.4 mg/L | 1.0 | 1 | | 12/13/11 15:00 |) | |
| 1500S2F Sulfide, Iodometric | Analytical Method: SM | 1 4500-S-2 F | | | | | |
| Sulfide | ND mg/L | 0.40 | 1 | | 12/12/11 14:50 | 18496-25-8 | |
| 300.0 IC Anions 28 Days | Analytical Method: EP | A 300.0 | | | | | |
| Sulfate | 59.1 mg/L | 5.0 | 5 | | 12/09/11 16:41 | 1 14808-79-8 | |
| 353.2 Nitrogen, NO2/NO3 pres. | Analytical Method: EP | A 353.2 | | | | | |
| Nitrogen, Nitrate | 2.0 mg/L | 0.050 | 1 | | 12/12/11 16:26 | 5 | |
| Nitrogen, NO2 plus NO3 | 2.0 mg/L | 0.050 | 1 | | 12/12/11 16:26 | | |
| SM4500NO2-B, Nitrite, unpres | Analytical Method: SM | | | | | | |
| Nitrite as N | ND mg/L | 0.010 | 1 | | 12/06/11 17:33 | 3 14797-65-0 | |
| | <i>3</i> – | 3.0.0 | | | | - | |

Date: 12/20/2011 08:50 AM REPOR

REPORT OF LABORATORY ANALYSIS



Project: WA-0217
Pace Project No.: 2510215

| Sample: MW-6 | Lab ID: 251021500 | O2 Collected: 12/05/1 | 1 14:15 | Received: 12 | 2/06/11 10:20 N | Matrix: Water | |
|---------------------------------------|-----------------------|--------------------------|----------|----------------|-----------------|---------------|-----|
| Parameters | Results Ur | Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| RSK 175 AIR Headspace | Analytical Method: RS | SK 175 | | | | | |
| Methane | ND ug/L | 10.0 | 1 | | 12/07/11 17:41 | 74-82-8 | |
| 6010 MET ICP | Analytical Method: EF | PA 6010 Preparation Meth | nod: EPA | A 3010 | | | |
| Iron | 6870 ug/L | 100 | 1 | 12/14/11 12:12 | 12/15/11 14:34 | 7439-89-6 | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: EF | PA 6010 Preparation Meth | nod: EPA | A 3010 | | | |
| Iron, Dissolved | ND ug/L | 100 | 1 | 12/14/11 12:24 | 12/15/11 12:05 | 7439-89-6 | |
| 8260 MSV | Analytical Method: EF | PA 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 12/13/11 04:30 | | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 12/13/11 04:30 | | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 12/13/11 04:30 | | |
| Toluene | ND ug/L | 1.0 | 1 | | 12/13/11 04:30 | | |
| Kylene (Total) S urrogates | ND ug/L | 3.0 | 1 | | 12/13/11 04:30 | 1330-20-7 | |
| 1-Bromofluorobenzene (S) | 95 % | 79-121 | 1 | | 12/13/11 04:30 | 460-00-4 | |
| Dibromofluoromethane (S) | 106 % | 81-119 | 1 | | 12/13/11 04:30 | 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 108 % | 72-127 | 1 | | 12/13/11 04:30 | 17060-07-0 | |
| Toluene-d8 (S) | 96 % | 77-120 | 1 | | 12/13/11 04:30 | 2037-26-5 | |
| NWTPH-Gx MSV | Analytical Method: N | NTPH-Gx | | | | | |
| Gasoline Range Organics Surrogates | ND ug/L | 50.0 | 1 | | 12/13/11 04:30 | | |
| 4-Bromofluorobenzene (S) | 95 % | 50-150 | 1 | | 12/13/11 04:30 | 460-00-4 | |
| 2320B Alkalinity | Analytical Method: SN | M 2320B | | | | | |
| Alkalinity, Total as CaCO3 | 121 mg/L | 1.0 | 1 | | 12/13/11 15:00 | | |
| 1500S2F Sulfide, Iodometric | Analytical Method: SN | M 4500-S-2 F | | | | | |
| Sulfide | ND mg/L | 0.40 | 1 | | 12/12/11 14:50 | 18496-25-8 | |
| 800.0 IC Anions 28 Days | Analytical Method: EF | PA 300.0 | | | | | |
| Sulfate | 14.6 mg/L | 1.0 | 1 | | 12/08/11 14:16 | 14808-79-8 | |
| 353.2 Nitrogen, NO2/NO3 pres. | Analytical Method: EF | PA 353.2 | | | | | |
| Nitrogen, Nitrate | 0.15 mg/L | 0.050 | 1 | | 12/12/11 16:27 | | |
| Nitrogen, NO2 plus NO3 | 0.15 mg/L | 0.050 | 1 | | 12/12/11 16:27 | | |
| SM4500NO2-B, Nitrite, unpres | Analytical Method: SN | | | | | | |
| Nitrite as N | ND mg/L | 0.010 | 1 | | 12/06/11 17:33 | 14797-65-0 | |
| | č | | | | | | |

Date: 12/20/2011 08:50 AM REPORT OI

REPORT OF LABORATORY ANALYSIS



Project: WA-0217
Pace Project No.: 2510215

| Sample: MW-9 | Lab ID: 251021500 | 3 Collected: 12/05/1 | 1 10:30 | Received: 12 | 2/06/11 10:20 | Matrix: Water | |
|--|-----------------------|-------------------------|----------|----------------|----------------|---------------|-----|
| Parameters | Results Un | its Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| RSK 175 AIR Headspace | Analytical Method: RS | SK 175 | | | | | |
| Methane | ND ug/L | 10.0 | 1 | | 12/07/11 17:5 | 1 74-82-8 | |
| 6010 MET ICP | Analytical Method: EF | A 6010 Preparation Meth | nod: EPA | A 3010 | | | |
| Iron | 59600 ug/L | 100 | 1 | 12/14/11 12:12 | 12/15/11 14:38 | 8 7439-89-6 | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: EF | A 6010 Preparation Meth | nod: EPA | A 3010 | | | |
| Iron, Dissolved | ND ug/L | 100 | 1 | 12/14/11 12:24 | 12/15/11 12:09 | 9 7439-89-6 | |
| 8260 MSV | Analytical Method: EF | A 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 12/13/11 04:48 | | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 12/13/11 04:48 | | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 12/13/11 04:48 | 8 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | | 12/13/11 04:48 | 3 108-88-3 | |
| Xylene (Total) Surrogates | ND ug/L | 3.0 | 1 | | 12/13/11 04:48 | 8 1330-20-7 | |
| 4-Bromofluorobenzene (S) | 95 % | 79-121 | 1 | | 12/13/11 04:48 | 8 460-00-4 | |
| Dibromofluoromethane (S) | 107 % | 81-119 | 1 | | 12/13/11 04:48 | 8 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 111 % | 72-127 | 1 | | 12/13/11 04:48 | 8 17060-07-0 | |
| Toluene-d8 (S) | 96 % | 77-120 | 1 | | 12/13/11 04:48 | | |
| NWTPH-Gx MSV | Analytical Method: NV | VTPH-Gx | | | | | |
| Gasoline Range Organics <i>Surrogates</i> | ND ug/L | 50.0 | 1 | | 12/13/11 04:48 | 3 | |
| 4-Bromofluorobenzene (S) | 95 % | 50-150 | 1 | | 12/13/11 04:48 | 8 460-00-4 | |
| 2320B Alkalinity | Analytical Method: SN | 1 2320B | | | | | |
| Alkalinity, Total as CaCO3 | 34.9 mg/L | 1.0 | 1 | | 12/13/11 15:00 | 0 | |
| 4500S2F Sulfide, Iodometric | Analytical Method: SN | 1 4500-S-2 F | | | | | |
| Sulfide | ND mg/L | 0.40 | 1 | | 12/12/11 14:50 | 0 18496-25-8 | |
| 300.0 IC Anions 28 Days | Analytical Method: EF | A 300.0 | | | | | |
| Sulfate | 8.3 mg/L | 1.0 | 1 | | 12/08/11 19:46 | 6 14808-79-8 | |
| 353.2 Nitrogen, NO2/NO3 pres. | Analytical Method: EF | A 353.2 | | | | | |
| Nitrogen, Nitrate | 2.1 mg/L | 0.050 | 1 | | 12/12/11 16:36 | | |
| Nitrogen, NO2 plus NO3 | 2.1 mg/L | 0.050 | 1 | | 12/12/11 16:36 | 6 | |
| SM4500NO2-B, Nitrite, unpres | Analytical Method: SN | 1 4500-NO2 B | | | | | |
| Nitrite as N | ND mg/L | 0.010 | 1 | | 12/06/11 17:33 | 3 14797-65-0 | |
| | | | | | | | |

Date: 12/20/2011 08:50 AM REPORT OF LABORATORY ANALYSIS

ABORATORY ANALYSIS Page 7 of 20



Project: WA-0217
Pace Project No.: 2510215

| Sample: MW-10 | Lab ID: 251021500 | 4 Collected: 12/05/1 | 1 09:37 | Received: 12 | 2/06/11 10:20 | Matrix: Water | |
|---|-----------------------|-------------------------|----------|----------------|----------------|---------------|-----|
| Parameters | Results Uni | ts Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| RSK 175 AIR Headspace | Analytical Method: RS | K 175 | | | | | |
| Methane | ND ug/L | 10.0 | 1 | | 12/07/11 18:02 | 2 74-82-8 | |
| 6010 MET ICP | Analytical Method: EP | A 6010 Preparation Meth | nod: EPA | 3010 | | | |
| Iron | 37800 ug/L | 100 | 1 | 12/14/11 12:12 | 12/15/11 14:56 | 7439-89-6 | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: EP | A 6010 Preparation Meth | nod: EPA | 3010 | | | |
| ron, Dissolved | ND ug/L | 100 | 1 | 12/14/11 12:24 | 12/15/11 12:12 | 2 7439-89-6 | |
| 3260 MSV | Analytical Method: EP | A 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 12/13/11 05:06 | 6 71-43-2 | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 12/13/11 05:06 | 6 100-41-4 | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 12/13/11 05:06 | 6 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | | 12/13/11 05:06 | 5 108-88-3 | |
| <pre>⟨ylene (Total)</pre> <pre>Surrogates</pre> | ND ug/L | 3.0 | 1 | | 12/13/11 05:06 | 6 1330-20-7 | |
| 4-Bromofluorobenzene (S) | 95 % | 79-121 | 1 | | 12/13/11 05:06 | 6 460-00-4 | |
| Dibromofluoromethane (S) | 107 % | 81-119 | 1 | | 12/13/11 05:06 | 5 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 110 % | 72-127 | 1 | | 12/13/11 05:06 | 6 17060-07-0 | |
| Γoluene-d8 (S) | 97 % | 77-120 | 1 | | 12/13/11 05:06 | 6 2037-26-5 | |
| NWTPH-Gx MSV | Analytical Method: NV | VTPH-Gx | | | | | |
| Gasoline Range Organics Surrogates | ND ug/L | 50.0 | 1 | | 12/13/11 05:06 | 6 | |
| 4-Bromofluorobenzene (S) | 95 % | 50-150 | 1 | | 12/13/11 05:06 | 6 460-00-4 | |
| 2320B Alkalinity | Analytical Method: SM | 1 2320B | | | | | |
| Alkalinity, Total as CaCO3 | 22.6 mg/L | 1.0 | 1 | | 12/13/11 15:00 |) | |
| 1500S2F Sulfide, Iodometric | Analytical Method: SN | 1 4500-S-2 F | | | | | |
| Sulfide | ND mg/L | 0.40 | 1 | | 12/12/11 14:50 | 18496-25-8 | |
| 300.0 IC Anions 28 Days | Analytical Method: EP | A 300.0 | | | | | |
| Sulfate | 9.2 mg/L | 1.0 | 1 | | 12/08/11 20:02 | 2 14808-79-8 | |
| 353.2 Nitrogen, NO2/NO3 pres. | Analytical Method: EP | A 353.2 | | | | | |
| Nitrogen, Nitrate | 1.8 mg/L | 0.050 | 1 | | 12/12/11 16:30 |) | |
| Nitrogen, NO2 plus NO3 | 1.8 mg/L | 0.050 | 1 | | 12/12/11 16:30 | | |
| SM4500NO2-B, Nitrite, unpres | Analytical Method: SM | | | | | | |
| Nitrite as N | ND mg/L | 0.010 | 1 | | 12/06/11 17:33 | 3 14797-65-0 | |
| | • | | | | | | |

Date: 12/20/2011 08:50 AM

REPORT OF LABORATORY ANALYSIS



Project: WA-0217
Pace Project No.: 2510215

QC Batch: AIR/13789 Analysis Method: RSK 175

QC Batch Method: RSK 175 Analysis Description: RSK 175 AIR HEADSPACE

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 1111239 Matrix: Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Methane ug/L ND 10.0 12/07/11 14:13

LABORATORY CONTROL SAMPLE & LCSD: 1111240 1111241

Spike LCS LCSD LCS LCSD % Rec Max Parameter Units Conc. Result Result % Rec % Rec Limits **RPD RPD** Qualifiers ug/L 60.7 63.4 62.9 104 104 70-130 8.

Methane ug/L 60.7 63.4 62.9 104 104 70-130 .8 30

SAMPLE DUPLICATE: 1111791

Parameter Units Result Result RPD Qualifiers

Methane ug/L ND 10.8

SAMPLE DUPLICATE: 1111792

 Parameter
 Units
 2510214006 Result
 Dup Result
 RPD
 Qualifiers

 Methane
 ug/L
 ND
 ND



Project: WA-0217
Pace Project No.: 2510215

QC Batch: MPRP/2689 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 97299 Matrix: Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Iron ug/L ND 100 12/15/11 14:04

LABORATORY CONTROL SAMPLE: 97300

Date: 12/20/2011 08:50 AM

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Iron ug/L 10000 10900 109 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 97301 97302

MS MSD 2510214005 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual 35400 10000 10000 47800 75-125 Iron ug/L 45000 124 96 6



Project: WA-0217
Pace Project No.: 2510215

Date: 12/20/2011 08:50 AM

QC Batch: MPRP/2690 Analysis Method: EPA 6010

QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 97303 Matrix: Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Iron, Dissolved ug/L ND 100 12/15/11 11:47

LABORATORY CONTROL SAMPLE: 97304

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Iron, Dissolved ug/L 10000 9380 94 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 97305 97306

MS MSD 2510215001 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Iron, Dissolved ND 10000 10000 75-125 ug/L 9550 10500 95 105 10



Project: WA-0217 Pace Project No.: 2510215

QC Batch: MSV/6014 Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 97065 Matrix: Water Associated Lab Samples:

2510215001, 2510215002, 2510215003, 2510215004

| | | Blank | Reporting | | |
|---------------------------|-------|--------|-----------|----------------|------------|
| Parameter | Units | Result | Limit | Analyzed | Qualifiers |
| Benzene | ug/L | ND ND | 0.20 | 12/12/11 23:40 | |
| Ethylbenzene | ug/L | ND | 1.0 | 12/12/11 23:40 | |
| Methyl-tert-butyl ether | ug/L | ND | 1.0 | 12/12/11 23:40 | |
| Toluene | ug/L | ND | 1.0 | 12/12/11 23:40 | |
| Xylene (Total) | ug/L | ND | 3.0 | 12/12/11 23:40 | |
| 1,2-Dichloroethane-d4 (S) | % | 103 | 72-127 | 12/12/11 23:40 | |
| 4-Bromofluorobenzene (S) | % | 94 | 79-121 | 12/12/11 23:40 | |
| Dibromofluoromethane (S) | % | 103 | 81-119 | 12/12/11 23:40 | |
| Toluene-d8 (S) | % | 96 | 77-120 | 12/12/11 23:40 | |

LABORATORY CONTROL SAMPLE:

Date: 12/20/2011 08:50 AM

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---------------------------|-------|----------------|---------------|--------------|-----------------|------------|
| | | | | | | Qualificis |
| Benzene | ug/L | 20 | 20.1 | 101 | 66-123 | |
| Ethylbenzene | ug/L | 20 | 20.8 | 104 | 67-122 | |
| Methyl-tert-butyl ether | ug/L | 20 | 22.0 | 110 | 65-138 | |
| Toluene | ug/L | 20 | 18.7 | 94 | 64-118 | |
| Xylene (Total) | ug/L | 60 | 60.7 | 101 | 68-122 | |
| 1,2-Dichloroethane-d4 (S) | % | | | 100 | 72-127 | |
| 4-Bromofluorobenzene (S) | % | | | 96 | 79-121 | |
| Dibromofluoromethane (S) | % | | | 105 | 81-119 | |
| Toluene-d8 (S) | % | | | 96 | 77-120 | |

| MATRIX SPIKE & MATRIX SP | IKE DUPLICAT | E: 97067 | | | 97068 | | | | | | |
|---------------------------|--------------|-----------|-------|-------|--------|--------|-------|-------|--------|-----|------|
| | | | MS | MSD | | | | | | | |
| | 2 | 510213004 | Spike | Spike | MS | MSD | MS | MSD | % Rec | | |
| Parameter | Units | Result | Conc. | Conc. | Result | Result | % Rec | % Rec | Limits | RPD | Qual |
| Benzene | ug/L | ND | 20 | 20 | 21.4 | 22.1 | 107 | 110 | 63-138 | 3 | |
| Ethylbenzene | ug/L | ND | 20 | 20 | 21.9 | 22.9 | 109 | 114 | 65-135 | 4 | |
| Methyl-tert-butyl ether | ug/L | 15.2 | 20 | 20 | 38.5 | 38.6 | 116 | 117 | 59-143 | .2 | |
| Toluene | ug/L | ND | 20 | 20 | 19.8 | 20.8 | 99 | 104 | 64-128 | 5 | |
| Xylene (Total) | ug/L | ND | 60 | 60 | 64.3 | 66.9 | 107 | 111 | 65-133 | 4 | |
| 1,2-Dichloroethane-d4 (S) | % | | | | | | 99 | 99 | 72-127 | | |
| 4-Bromofluorobenzene (S) | % | | | | | | 96 | 97 | 79-121 | | |
| Dibromofluoromethane (S) | % | | | | | | 104 | 104 | 81-119 | | |
| Toluene-d8 (S) | % | | | | | | 97 | 98 | 77-120 | | |

REPORT OF LABORATORY ANALYSIS



Project: WA-0217
Pace Project No.: 2510215

QC Batch: MSV/6015 Analysis Method: NWTPH-Gx

QC Batch Method: NWTPH-Gx Analysis Description: NWTPH-Gx MSV Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 97069 Matrix: Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Range Organics ug/L ND 50.0 12/12/11 23:22

 Gasoline Range Organics
 ug/L
 ND
 50.0
 12/12/11 23:22

 4-Bromofluorobenzene (S)
 %
 96
 50-150
 12/12/11 23:22

LABORATORY CONTROL SAMPLE: 97070

Date: 12/20/2011 08:50 AM

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Gasoline Range Organics ug/L 500 561 112 65-139 4-Bromofluorobenzene (S) % 95 50-150

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 97071 97072

MSD MS 2510213004 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits **RPD** Qual ND Gasoline Range Organics ug/L 500 500 595 628 117 124 48-147 5 4-Bromofluorobenzene (S) % 94 95 50-150



Project: WA-0217
Pace Project No.: 2510215

QC Batch: WET/3325 Analysis Method: SM 2320B
QC Batch Method: SM 2320B Analysis Description: 2320B Alkalinity

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 97099 Matrix: Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Alkalinity, Total as CaCO3 mg/L ND 1.0 12/13/11 15:00

LABORATORY CONTROL SAMPLE: 97100

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Alkalinity, Total as CaCO3 90-110 mg/L 100 97.0 97

SAMPLE DUPLICATE: 97101

Parameter Units 2510198001 Dup Result RPD Qualifiers

Alkalinity, Total as CaCO3 mg/L 210 214 2



Project: WA-0217
Pace Project No.: 2510215

QC Batch: WET/3322 Analysis Method: SM 4500-S-2 F

QC Batch Method: SM 4500-S-2 F Analysis Description: 4500S2F Sulfide, Iodometric

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 97007 Matrix: Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Sulfide mg/L ND 0.40 12/12/11 14:50

LABORATORY CONTROL SAMPLE: 97008

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Sulfide mg/L 8.6 8.7 100 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 97009 97010

97011

MS MSD 2510214005 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Sulfide ND 8.5 75-125 .5 mg/L 8.6 8.6 8.6 99 99

MS 2510233001 Spike MS % Rec Qualifiers Parameter Units Result Conc. Result % Rec Limits Sulfide 4.8 77 75-125 mg/L 8.6 11.4

MATRIX SPIKE SAMPLE:



Project: WA-0217
Pace Project No.: 2510215

QC Batch: WETA/2326 Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 96624 Matrix: Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Sulfate mg/L ND 1.0 12/08/11 10:31

LABORATORY CONTROL SAMPLE: 96625

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Sulfate mg/L 15 15.4 103 90-110

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96626 96627

MS MSD 2510197001 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Sulfate 221 mg/L 300 300 558 566 113 115 90-110 1 M1

MATRIX SPIKE SAMPLE: 96628

MS 2510215002 Spike MS % Rec % Rec Parameter Units Result Conc. Result Limits Qualifiers Sulfate 14.6 30.3 105 90-110 mg/L 15



Project: WA-0217
Pace Project No.: 2510215

QC Batch: WETA/2330 Analysis Method: EPA 353.2

QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 96755 Matrix: Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Nitrogen, NO2 plus NO3 mg/L ND 0.050 12/12/11 15:47

LABORATORY CONTROL SAMPLE: 96756

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Nitrogen, NO2 plus NO3 mg/L 1.0 101 90-110

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96757 96758

MS MSD MS 2510152001 Spike Spike MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Nitrogen, NO2 plus NO3 ND 1 1 90-110 mg/L 1.1 1.1 106 105 .4

MATRIX SPIKE SAMPLE: 96759

MS MS 2510214005 Spike % Rec Parameter Units Result Conc. Result % Rec Limits Qualifiers Nitrogen, NO2 plus NO3 356 ug/L 1.4 109 90-110 mg/L 1



Project: WA-0217
Pace Project No.: 2510215

QC Batch: WETA/2323 Analysis Method: SM 4500-NO2 B

QC Batch Method: SM 4500-NO2 B Analysis Description: SM4500NO2-B, Nitrite, unpres

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

METHOD BLANK: 96408 Matrix: Water

Associated Lab Samples: 2510215001, 2510215002, 2510215003, 2510215004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Nitrite as N mg/L ND 0.010 12/06/11 17:33

LABORATORY CONTROL SAMPLE: 96409

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Nitrite as N mg/L .05 0.048 96 90-110

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 96410 96411

MS MSD 2510215004 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Nitrite as N ND 0.050 0.054 71-109 7 mg/L .05 .05 80 88



QUALIFIERS

Project: WA-0217
Pace Project No.: 2510215

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel Clean-Up

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis
PASI-S Pace Analytical Services - Seattle

ANALYTE QUALIFIERS

Date: 12/20/2011 08:50 AM

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WA-0217
Pace Project No.: 2510215

Date: 12/20/2011 08:50 AM

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|--|---------------------------------------|--|--|--|--|
| 2510215001 2510215002 2510215003 2510215004 | MW-1 MW-6 MW-9 MW-10 | RSK 175 RSK 175 RSK 175 RSK 175 | AIR/13789 AIR/13789 AIR/13789 AIR/13789 | | |
| 2510215001 2510215002 2510215003 2510215004 2510215001 | MW-1 MW-6 MW-9 MW-10 MW-1 | EPA 3010 EPA 3010 EPA 3010 EPA 3010 | MPRP/2689 MPRP/2689 MPRP/2689 MPRP/2689 | EPA 6010 EPA 6010 EPA 6010 EPA 6010 | ICP/2544 ICP/2544 ICP/2544 ICP/2544 |
| 2510215002 2510215003 2510215004 | MW-6 MW-9 MW-10 | EPA 3010 EPA 3010 EPA 3010 | MPRP/2690 MPRP/2690 MPRP/2690 | EPA 6010 EPA 6010 EPA 6010 | ICP/2545 ICP/2545 ICP/2545 |
| 2510215001 2510215002 2510215003 2510215004 | MW-1 MW-6 MW-9 MW-10 | EPA 5030B/8260 EPA 5030B/8260 EPA 5030B/8260 EPA 5030B/8260 | MSV/6014 MSV/6014 MSV/6014 MSV/6014 | | |
| 2510215001 2510215002 2510215003 2510215004 | MW-1 MW-6 MW-9 MW-10 | NWTPH-Gx NWTPH-Gx NWTPH-Gx NWTPH-Gx | MSV/6015 MSV/6015 MSV/6015 MSV/6015 | | |
| 2510215001 2510215002 2510215003 2510215004 | MW-1 MW-6 MW-9 MW-10 | SM 2320B SM 2320B SM 2320B SM 2320B | WET/3325 WET/3325 WET/3325 WET/3325 | | |
| 2510215001 2510215002 2510215003 2510215004 | MW-1 MW-6 MW-9 MW-10 | SM 4500-S-2 F SM 4500-S-2 F SM 4500-S-2 F SM 4500-S-2 F | WET/3322 WET/3322 WET/3322 WET/3322 | | |
| 2510215001 2510215002 2510215003 2510215004 | MW-1 MW-6 MW-9 MW-10 | EPA 300.0 EPA 300.0 EPA 300.0 EPA 300.0 | WETA/2326 WETA/2326 WETA/2326 WETA/2326 | | |
| 2510215001 2510215002 2510215003 2510215004 | MW-1 MW-6 MW-9 MW-10 | EPA 353.2 EPA 353.2 EPA 353.2 EPA 353.2 | WETA/2330 WETA/2330 WETA/2330 WETA/2330 | | |
| 2510215001 2510215002 2510215003 2510215004 | MW-1 MW-6 MW-9 MW-10 | SM 4500-NO2 B SM 4500-NO2 B SM 4500-NO2 B SM 4500-NO2 B | WETA/2323 WETA/2323 WETA/2323 WETA/2323 | | |

REPORT OF LABORATORY ANALYSIS



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

2510215

| | ction A | Section B | | | | | | | | Sect | ion C | | | | | | | | | | | | | Pag | e: | 200 | of | 1 | | |
|--------|--|----------------------------|---------------------|---|---------------|------------------------------|-----------------|------------|------------------|-----------------|-------------|------------------|-------|--------|-----------|-----------------|----------|------------|--------------|------------------|------------|--------------|------------|--------|-------------------------|---|-----------|------------------------|--|------|
| | quired Client Information: | Required P Report To: | A 1 | 2.8 | | | | | | Atten | tion: | He | | , | 0- | | _ | | | 7 | | | | 16 | | L46 | 74 | 45 | | |
| Add | gress: | Copy To: | i | her | X il | draw | 1.1 | | | Comp | any N | | 40 | 101 | ez ot | S | | | | RE | GUL | ATO | RY | AGENCY | | | lin | PROVIDE N | | |
| S | eather, wa 98102 | Purchase O | | | C IN | Criza | | 1 | E. | Addre | 9 | Sec | 5 | ree | Lo | 1 | 1 | | ηÜ | Г | | DES | Г | | ND WAT | 122500000000000000000000000000000000000 | | | Eday | / |
| Pho | one: I Fax: | Project Nan | | | | | | | | Refere | | ./ | , | , | 1 | | | _ | | 1 | US | - | 1 | RCRA | | × | 01 | HER _ | curay. | |
| Re | 53) 779 - 7/60 quested Due Date/TAT: | | - | VA | -021 | 7 | -1 10 | HIV-MIN | | Manag | | Les | Jine. | 7 | te. | M | 14 | 2 | | - ° | | TATE | | LA | - | SE out | | | | |
| L | | | 100.0040 | Gre | MOTI | H. WA | poi. Ko | 000 | | | | | | - | _ | - | _ | Reau | este | d An | | | | (Y/N) | | | | | | |
| | Section D Matrix C Required Client Information MATRIX / | | to left) | MP) | ul m | COLL | ECTED | (see of | 51. | qr | Į. | Pre | serva | atives | S | N/A | _ | | 14 | | | | | | 19 | 230-1- | | | | |
| | Drinking Wat Water Waste Water Product Soil/Solid | WT WW P SL | (see valid codes to | (G=GRAB C=COMP) | COMPO | | COMPO END/GI | | COLLECTION | S | | H | 16 | etek | 61 | 1 | TPHAT | Ly 840 | 15/ 15 | STANDE STANDE | 300.0 | by 3000 | The tell | | (Y/N) | in Fire | | 7 | | |
| ITEM # | SAMPLE ID (A-Z, 0-9 /,-) Sample IDs MUST BE UNIQUE Other | OL WP AR TS OT | MATRIX CODE (s | SAMPLE TYPE (G= | DATE | TIME | DATE | TIME | SAMPLE TEMP AT C | # OF CONTAINERS | Unpreserved | HNO ₃ | HCI | | Methanol | L Analysis Test | Cho by M | STEX /NTDE | nettone by h | 120 L. /4 | 4 Ct 64 30 | V. rate do N | ok / Waled | | Residual Chlorine (Y/N) | Pac | e Pro | iest N | o./ Lab I.D | |
| 1 | | | WT | | DATE | THYLE | 12/5/11 | 12:24 | | 14 | 41 | 1 | 61 | | | | X | X | X | XX | X | XX | | | | 1 40 | 0110 | ,001111 | Jii Edb iib | |
| 2 | MW-6 | | 1 | i | and miles | t during to | 1 | 14:15 | | 14 | 5 | 1 | 61 | | 13 | 1 | X | X | X | XX | 4 | XX | | 7 9 | 11/10 | | ЩV. | | The state of | |
| 3 | MW-9 | | | | | | | 10:30 | | 14 | 5 | 11 | 6 | | | | X | X | X | CX | X | XX | | | | | | | | |
| 4 | MW-10 | to the | 1 | 1 | | 1 | 1 | 9:37 | | 14 | 8 | 111 | 61 | | | | X | X | X | XX | X | XX | | | | 10 | II(A) | | | |
| 5 | The second secon | | | | ally libraria | 11212 | 1 | MITTER | | | Н | | | 1 | | | L | | | | | | + | | | No. | | | | |
| 6 | | | | | | | | | | | Н | | | - | Н | - | L | \vdash | _ | - | \vdash | _ | + | | | | | | | |
| 7 | Attended to the state of the st | - 1417 | 10.17 | | | | | | | | | | | + | | - | L | | 4 | | | | - | | | | | | | - 15 |
| 8 | | | | | | | | | | | Н | | | | Н | - | L | | | | | _ | + | | | | | | | |
| 9 | | | | - | | | | | Ш | | Н | \perp | - | - | Н | | L | | | | | | + | | | | - | | | _ |
| 10 | 1 | | | | | | | | | | Н | | _ | + | | - | L | | | _ | | | | | | | | | | _ |
| 11 | | | | | | | | | | | \sqcup | | | + | | - | \vdash | | | _ | | _ | + | | | | | | | |
| 12 | | | | CONTRACTOR OF THE PARTY OF THE | | Anna I Service Anna I Hiller | | | | | Ш | - | | 1 | N-Dim/-To | | | - I | | 4000000 | | Sayou S | + | | | 1000000 | 50.55±0.0 | | -C. / C. / | _ |
| | ADDITIONAL COMMENTS | . 1 | REL | INQU | ISHED BY | AFFILIAT | ION | DATE | | 1 | IME | | | AC | CEPT | ED BY | / AF | FILIA | TION | | | ATE | 1 | TIME | | SAM | PLE C | ONDITIO | ONS | |
| P | lesse use any additional | Kyle | | Hes | an 1 | ARCAD | IS | 12/5/2 | 011 | 17: | 00 | 10 | etr | 260 | cter | Tau. | 161 | | | | 12/5 | hou | 11 | 7:00 | OLD, P. | - (6ta) | 177 | | | |
| h | der in the 250ml upones | Ref | M | 2 | | | _ | 2/4/2 | • | 100 | 00 | K | 92 | 少 | | 1 | 2 | _ | ugi | | 12/ | shi | (| 000 | i i | 27 | | | | |
| | ther to run analysis | Ro | t' | 1 | 1 | 5 | | 12/6/ | 4 | 16 | 01 | 16 |) | , | / | 0 | > | | | | 121 | 6/11 | 1 | 200 | | | | | | |
| 0 | son the 1 liter unperson | ac V | di | 9 | 11 | | | 2/10/ | 11 | | Two | 1 | Olet | Tu | W | all | R | PA | CE | | | 611 | | 020 | 3.0 | Y | 1 | į | Y | |
| , , | | | | | | SAMPLE | R NAME A | ND SIGNA | TURE | | | | | | 300 | | | H | - | | | | | | ņ | uo C | | | tact | |
| | O | RIGINAL | - | | | | PRINT Nan | ne of SAMP | LER: | γ. | IP. | 1 | cslo | ~ | | | | | | | | | T | | | N/N | Istody | N/N | les In | |
| | | | | | | | SIGNATUR | E of SAMP | LER? | - 1/1 | - | | | _ | / | | D | ATE S | Signe | 12 | 15 | 120 | 011 | | Temp in | Received on Ice (Y/N) | 0 | Sealed Cooler (Y/N) | Samples Intact (Y/N) | |

| CLIENT: | Arcadis | |
|---------|---------|--|
| | | |

Pace Analytical "

COC PAGE ___ of ___ COC ID#__ 1467445 Trip Blank(s) Provided?

| Sample Line Item | VG9H | AG1H | AG1U | BP1U | BP2U | BP3U | BP3N | BP3S | WGKU | WGFU | WG2U | DG9M | DG9B | VG9W | VSG | BP2 | 2 | Comments |
|---------------------|------|------|------|------|------|-----------|------|------|------|------|------|------|------|------|-----|-----|-----|----------|
| 1 | 6 | | | 1 | | j | 122 | | | | | | | | 3 | | 712 | |
| 2 | 1 | | | | | <u>ii</u> | | 1 | | | | | | | 1 | 1 | | |
| 3 | | | | | | | | | | | | | | | | | | |
| 4 | b | | | A | | 1 | 4 | J | | | | | | | 4 | 4 | 1 | |
| 5 | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | |

| AG1H | 1 liter HCL amber glass | BP2S | 500mL H2SO4 plastic | JGFU | 4 oz amber glass soil jar |
|------|--------------------------------|------|------------------------------|------|--|
| AG1U | 1liter unpreserved amber glass | BP2U | 500mL unpreserved plastic | WGKU | 8 oz clear glass soil jar |
| AG2S | 500mL H2SO4 amber glass | BP2Z | 500mL NaOH, Zn Ac | WGFU | 4 oz clear glass soil jar |
| AG2U | 500mL unpreserved amber glass | BP3C | 250mL NaOH plastic | WG2U | 2 oz clear glass soil jar |
| AG3S | 250mL H2SO4 amber glass | BP3N | 250mL HNO3 plastic | JGFM | 4 oz amber glass soil jar with MeOH |
| BG1H | 1 liter HCL clear glass | BP3S | 250mL H2SO4 plastic | VG9U | 40mL unpreserved clear vial |
| BG1U | 1 liter unpreserved glass | BP3U | 250mL unpreserved plastic | VG9W | 40mL clear vial pre-weighted with DI water |
| BP1N | 1 liter HNO3 plastic | DG9B | 40mL Na Bisulfate clear vial | VSG | Headspace septa vial |
| BP1S | 1 liter H2SO4 plastic | DG9H | 40mL HCL amber voa vial | VG9H | 40mL HCL clear vial |
| BP1U | 1 liter unpreserved plastic | DG9M | 40mL MeOH clear vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1Z | 1 liter NaOH, Zn, Ac | DG9T | 40mL Na Thio amber vial | VG9T | 40mL Na Thio. clear vial |
| BP2N | 500mL HNO3 plastic | DG9U | 40mL unpreserved amber vial | ZPLC | Ziploc Bag |
| BP2O | 500mL NaOH plastic | 1 | Wipe/Swab | U | Summa Can |

| | Sample Co | ndition Upon Receipt 25 1 0 2 1 |
|--|---|--|
| Pace Analytical Client Name | :_ Arca | |
| Courier: Fed Ex UPS USPS Clier Tracking #: | nt Commerc | ial Pace Other |
| Custody Seal on Cooler/Box Present: Yes | No S | eals intact: Yes No |
| Packing Material: Bubble Wrap Bubble | Bags Non | e Other Temp. Blank Yes No |
| Thermometer Used 132013 of 101731962 or 22609 | and the second second second second | 20 20 20 20 20 20 20 20 20 20 20 20 20 2 |
| Cooler Temperature 3.0≥ Temp should be above freezing ≤ 6℃ | | Sue is Frozen: Yes No Comments: Date and Initials of person examining contents: 120pl CW |
| Chain of Custody Present: | toyes □No □ | INA 1. |
| Chain of Custody Filled Out: | Yes No C | IN/A 2. |
| Chain of Custody Relinquished: | Yes 🗆 No 🗆 |]N/A 3. |
| Sampler Name & Signature on COC: | MYes □No □ | 3N/A 4. |
| Samples Arrived within Hold Time: | MYes □No □ | JN/A 5. |
| Short Hold Time Analysis (<72hr): | Yes DNo D | INVA 6. NITrate |
| Rush Turn Around Time Requested: | □Yes □No □ | IN/A 7. |
| Follow Up / Hold Analysis Requested: | □Yes □No □ | INA 8. |
| Sufficient Volume: | □Yes ☑No □ | INVA 9. RECEIVED IL poly 1/4 Full |
| Correct Containers Used: | · · | INA 10. |
| -Pace Containers Used: | ☑Yes ☐No ☐ | IN/A |
| Containers Intact: | Yes DNo D | 3N/A 11. |
| Filtered volume received for Dissolved tests | Yes ONo C | INA 12. to be lab filtered |
| Sample Labels match COC: | □Yes □No □ | INA 13. NO Sample ID OF date on for MW-6 |
| -Includes date/time/ID/Analysis Matrix: | | contained have information on them |
| All containers needing preservation have been checked. | MYes □No □ | 3NA 14. |
| All containers needing preservation are found to be in compliance with EPA recommendation. | Yes No C | |
| Exceptions: VOA, coliform, TOC, O&G | | Initial when Lot # of added completed preservative |
| Samples checked for dechlorination: | □Yes □No □ | 2KVA 15. |
| Headspace in VOA Vials (>6mm): | □Yes ☑No □ | INA 16. |
| Trip Blanks Present: | □Yes ☑No □ | JN/A 17. |
| Trip Blank Custody Seals Present | □Yes □No □ | ZKVA |
| Pace Trip Blank Creation Date: | | |
| Client Notification/ Resolution: | | Field Data Required? Y / N |
| Person Contacted: | D | ate/Time: |
| Comments/ Resolution: | *************************************** | |
| | | |
| | | |
| | | |
| | | |

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Project Manager Review:

Date:





February 17, 2012

Alex Lopez Arcadis 111 SW Columbia St. Ste. 725 Portland, OR 97201

RE: Project: ARCO 00217

Pace Project No.: 2510767

Dear Alex Lopez:

Enclosed are the analytical results for sample(s) received by the laboratory on February 06, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andy Brownfield

Andy Brownfield

andy.brownfield@pacelabs.com Project Manager

Enclosures

cc: Timothy Bellis, Arcadis OR Jonathan Flomerfelt, Arcadis U.S., Inc. Brian Marcum, Arcadis OR Lynne Stewart, Arcadis OR







CERTIFICATIONS

Project: ARCO 00217 Pace Project No.: 2510767

Washington Certification IDs
940 South Harney Street, Seattle, WA 98108
Alaska CS Certification #: UST-025
Arizona Certification #: AZ0770 California Certification #: 01153CA

Florida/NELAP Certification #: E87617 Oregon Certification #: WA200007 Washington Certification #: C555



SAMPLE ANALYTE COUNT

Project: ARCO 00217
Pace Project No.: 2510767

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|------------|-----------|---------------|-----------|----------------------|------------|
| - Lab ID | | | Allalysis | | Laboratory |
| 2510767001 | MW-5 | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| 2510767002 | MW-2 | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| 2510767003 | MW-6 | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |



Project: ARCO 00217
Pace Project No.: 2510767

| Sample: MW-5 | Lab ID: 251070 | 67001 | Collected: | 02/03/1 | 12 10:55 | Received: 0 | 2/06/12 12:45 I | Matrix: Water | |
|-----------------------------|-------------------|----------|------------|---------|----------|-------------|-----------------|---------------|------|
| Parameters | Results | Units | Repor | t Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 4500S2F Sulfide, Iodometric | Analytical Method | d: SM 45 | 00-S-2 F | | | | | | |
| Sulfide | ND mg/L | | | 0.40 | 1 | | 02/07/12 12:50 | 18496-25-8 | |
| 300.0 IC Anions 28 Days | Analytical Method | d: EPA 3 | 0.00 | | | | | | |
| Sulfate | 44.6 mg/L | | | 5.0 | 5 | | 02/13/12 17:59 | 14808-79-8 | |
| Sample: MW-2 | Lab ID: 251076 | 67002 | Collected: | 02/03/1 | 12 10:30 | Received: 0 |)2/06/12 12:45 | Matrix: Water | |
| Parameters | Results | Units | Repor | t Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 4500S2F Sulfide, lodometric | Analytical Method | d: SM 45 | 00-S-2 F | | | | | | |
| Sulfide | 33.3 mg/L | | | 0.40 | 1 | | 02/07/12 12:50 | 18496-25-8 | P4 |
| 300.0 IC Anions 28 Days | Analytical Method | d: EPA 3 | 0.00 | | | | | | |
| Sulfate | 3100 mg/L | | | 250 | 250 | | 02/13/12 18:35 | 14808-79-8 | |
| Sample: MW-6 | Lab ID: 251070 | 67003 | Collected: | 02/03/1 | 12 10:00 | Received: 0 |)2/06/12 12:45 | Matrix: Water | |
| Parameters | Results | Units | Repor | t Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 4500S2F Sulfide, Iodometric | Analytical Method | d: SM 45 | 00-S-2 F | | | | | | |
| Sulfide | ND mg/L | | | 0.40 | 1 | | 02/07/12 12:50 | 18496-25-8 | 1n |
| 300.0 IC Anions 28 Days | Analytical Method | d: EPA 3 | 0.00 | | | | | | |
| Sulfate | 97.6 mg/L | | | 10.0 | 10 | | 02/13/12 18:53 | 3 14808-79-8 | |



Project: ARCO 00217
Pace Project No.: 2510767

QC Batch: WET/3441 Analysis Method: SM 4500-S-2 F

QC Batch Method: SM 4500-S-2 F Analysis Description: 4500S2F Sulfide, Iodometric

Associated Lab Samples: 2510767001, 2510767002, 2510767003

METHOD BLANK: 101930 Matrix: Water

Associated Lab Samples: 2510767001, 2510767002, 2510767003

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Sulfide mg/L ND 0.40 02/07/12 12:50

LABORATORY CONTROL SAMPLE: 101931

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Sulfide mg/L 8.4 8.4 100 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 101932 101933

101934

MS MSD MS 2510703001 Spike Spike MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Sulfide ND 75-125 .5 mg/L 8.4 8.4 8.3 8.4 99 100

MS 2510742001 Spike MS % Rec Qualifiers Parameter Units Result Conc. Result % Rec Limits Sulfide ND 76 75-125 mg/L 8.4 6.4

MATRIX SPIKE SAMPLE:



Project: ARCO 00217
Pace Project No.: 2510767

QC Batch: WETA/2400 Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions

Associated Lab Samples: 2510767001, 2510767002, 2510767003

METHOD BLANK: 102143 Matrix: Water

Associated Lab Samples: 2510767001, 2510767002, 2510767003

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Sulfate mg/L ND 1.0 02/10/12 12:39

LABORATORY CONTROL SAMPLE: 102144

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Sulfate mg/L 15 14.7 98 90-110

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 102145 102146

MS MSD 2510742001 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Sulfate 10.6 25.5 25.5 90-110 mg/L 15 15 99 99 .3

MATRIX SPIKE SAMPLE: 102147

2510767001 MS Spike MS % Rec Qualifiers Parameter Units Result Conc. Result % Rec Limits Sulfate 44.6 123 105 90-110 mg/L 75



QUALIFIERS

Project: ARCO 00217
Pace Project No.: 2510767

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel Clean-Up

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-S Pace Analytical Services - Seattle

ANALYTE QUALIFIERS

Date: 02/17/2012 11:38 AM

1n Matrix interference noted.

P4 Sample field preservation does not meet EPA or method recommendations for this analysis.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ARCO 00217
Pace Project No.: 2510767

Date: 02/17/2012 11:38 AM

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|------------|-----------|-----------------|-----------|-------------------|---------------------|
| 2510767001 | MW-5 | SM 4500-S-2 F | WET/3441 | | |
| 2510767002 | MW-2 | SM 4500-S-2 F | WET/3441 | | |
| 2510767003 | MW-6 | SM 4500-S-2 F | WET/3441 | | |
| 2510767001 | MW-5 | EPA 300.0 | WETA/2400 | | |
| 2510767002 | MW-2 | EPA 300.0 | WETA/2400 | | |
| 2510767003 | MW-6 | EPA 300.0 | WETA/2400 | | |



CHAIN-OF-CUSTODY / Analytical Request Document The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

2510767

| Section A Section A | ion B | ilbeg | | none. | | onnin - | | | on C | | | | | | | | | | | Pa | ge: | Lair | of |) | |
|--|---------------------------------|---|-------------|-------------|----------------|--------------|----------------|-----------------|-----------------|--------------------------------|----------|----------|----------|---------------|---------|--------------------------|---------------------------|------------|-------|--|-------------------------|--------------------------|-----------------------------------|----------------|------|
| | ort To: | _ | v abla | lesc 1 | ower | 011 | | Attent | | mation | 2X | 1 | 0 96 | >7 | | or tiled | 7 | | | W. CE | delig | 49 | 170 | 0 | 1 |
| Address: Cartada Ana E Copy | To: V | ete | | 2mpl | ,) | Tell | | Comp | any N | | | | T | | | | REC | SULATO | ORY. | AGENC | Attached to the second | | | | |
| Address: O Eastlake Ave E Copy Seattle WA 98102 Email To: Alex Love 2 | tari | | | nmu | | til - hoi | had | Addre | ess: | Bal | disa | re i | er vi | Luzru | 117 | ni raril | Г | NPDES | 3 [| GRO | UND WA | TER | DRINK | ING WATE | ER |
| Email To: Alay 1 202 | hase Ord | | GRAD | BPNA | MAN | Kood | 7 | Pace C | | | | | | | | | | UST | Г | RCRA | A (1) | Г | OTHE | | |
| (20s)726-4712 Fax: | ct Name: | AT | 200 | 0021 | 7 | 14000 | | Pace F Manag | Project ger: | A | ndl | 11 | 3.00 | w | Ç. | eld | Sit | e Location | on | Jus. | 'A | | | | |
| Requested Due Date/TAT: | ct Numbe | | 150 | | 1110-15 | an Carata | | Pace F | Profile # | - 111 | Allocyti | 1 | CT-LLL | 10000 | | 3 IS E1 I.C | | STAT | | | 1-0 | 201.30 | | | |
| | _ | | | | | | | _ | _ | | | | _ | - | F | Requeste | d Anal | ysis Fil | tered | (Y/N) | _ | | | | |
| Section D Matrix Codes Required Client Information MATRIX / CODE | 1 49 | C=COMP) | s tal-ow | COLL | ECTED | missile | O I | liqui | RPD I | Pre | serva | tives | 3 | N/A | | 77 | a m | ию. | alegi | ajet / | na sin | 820.L | als i | | |
| Water Waste Water \ Waste Water \ Product Soil/Solid | OW WT WW P SL OL | (See valid codes to left) (G=GRAB C=COMP) | COMP STA | POSITE | COMPO END/G | | COLLECTION | 38 | 170 | dish | arotab | relation | | t | 6. 30,0 | 4500\$ | a jak | ridij | sill | erage Lyage | e (Y/N) | nisin. | | | |
| (A-Z, 0-9 / ,-) Air Sample IDs MUST BE UNIQUE Tissue | WP AR TS OT | CODE NYPE (C | aprie5qc | TIME | DATE | TIME | SAMPLE TEMP AT | # OF CONTAINERS | Unpreserved | H ₂ SO ₄ | 2 | 2 | Methanol | Analysis Test | Sulfate | Sulfid | De SK. Liubi Birtal | | d la | in the state of th | Residual Chlorine (Y/N) | Pac | | No./ Lab | LD. |
| 1 MW-5 | W | - | | | | | | 2 | 1 | | 1 | | | T | X | X | | | | | | 1 40 | c i roject | No.7 Lub | 1.0. |
| 2 MW-Z | T I | 1 | 1 | 10.30 | 0/ of | 20 Will | , L | 2 | 11 | Tiv | 1 | 1 | BIT S | 10 | X | X | th tr | lainy l | îl e | de la | TES 1 S | naid | alvi 🔻 | | 87 |
| 3 MW-6 | 1 | VV | 1 | 10.00 | | | | 2 | . 1 | | 1 | | | | X | X | | | | | | | | | |
| 4 - val emiliper salquas oili to | DOM: | 100% | all mide | ado is a | niq bn | n babro | ηq | 220 | | S m | R JK | 17 | 100 | | W. | Min o In | व्यक्त | at ort | 15 | 7:27 | GU S. | inte 30 | S. Bec | | |
| 5 Repairing to and both | 18131 | 10/1/8 | 15mcs | disub. | igns to | pattroq | N/E | 11.11 | pl str | it III | CO DE | 10 | 100 | | | 1011 | 10-65 | 21 (6) 1 | 1008 | TEGIN! | 883 374 | a)P. | SHE | | |
| 6 | | | | | | | | | | | | \perp | | | | | | | | | | | | | |
| 7 OF ACT I Self-to The Hold of the History | Suri A | | 9 0/10 4 | 1 20 2/13 | 19 14 LW | Heran | ESCI | 1101 | 14 | | | 100 | 71111 | | 7 | 2077 | 3 114 | 12 102 | | II D UI | 03 30 | MINES. | | | |
| 8 | | | | | | | | | | 211/ | 2.8 | 102 | | | | THE VALUE | | St. Dec | 101 | 101130 | He in | posterior | 7/11/ | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | i uli | A LO | mili mo | i i konas | Calculation | The Walth | |) I ESR | | | | | 9 | | | 2017017 | 250 | | 1 | 100 | | 25 1 112 | 2 10 11 | | |
| 11 | | | | | | The state of | - | | | O2235 | Int I | | WI DE | 1.03 | | District Co. | 20,21 | A FO | 1017 | 100 | | HALF BY | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ADDITIONAL COMMENTS | R | ELINO | UISHED BY | / AFFILIATI | ION | DATE | | Т | IME | | | AC | CEPTE | D BY | / AF | FILIATION | | DATE | | TIME | | SAM | PLE COND | ITIONS | |
| and the second s | 14.1 | . 61 | 28/91 | 1800 | ADK | 2-3- | 17 | K | 017 | 1 | 1.1 | 0 60 | ctor | -10 | N | 11 | 1 | -3,12 | i | 5:00 | one T | Leer La | a vol | | |
| E SE KNIGHTSHERE WIDO SOURT WOLF | 211 | | 1 1/ | 1/4/1 |) | 2-6-1 | | | | 1 | 5 | 150 | | | | | | 1/10 | 111 | 500 | | | 0.75 | | |
| | rem | er ro | 110 | 10/25 | | | | | | - | De | | D | 10 | 30 | 0 | 4 | 1412 | 11 | 30 | , | - 1 | , | + . | |
| | F | zu | 1K | fad | 2 | 2-6-12 | 2 | 12 | 45 | 10 | olev | te 1 | lle | aile | 2/ | PALE | - 1 | 2061 | 2 1 | 245 | 4.6 | 1 | N | X | |
| | | | | SAMPLE | R NAME A | ND SIGNA | TUR | E | | | 8018 | | | | | | | | | | 0 | E | e e | act | |
| ORIG | BINAL | 4// | | | PRINT Na | ne of SAMP | LER: | | 14 | 1/8 | - HA | 151 | AN | / | _ | | | | | | Temp in °C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact | (N/A |
| | | | | | SIGNATU | RE of SAMP | LER: | age | a of | 1/ | 1 | | | | D. | ATE Signed MM/DD/YY): | 2 | -3- | 17 | _ | Ten | Rec | Seale (| Samp | - |

Sample Container Count

2510767

| 25 | 7 |
|----|------------------|
| 18 | ace Analytical* |
| 1- | www.pacelata.com |

| CLIENT: | Arcadis | |
|---------|---------|--|
| | | |

COC PAGE _____ of ____ COC ID# ______ 14011700 Trip Blank(s) Provided?

| Sample Line Item | VG9H | AG1H | AG1U | BP1U | BP2U | BP3U | BP3N | BP3S | WGKU | WGFU | WG2U | DG9M | DG9B | VG9W | VSG | BP2Z | | Comments |
|---------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|--------|------|----------|
| 1 | | | | | | | | | | | | | | | | 7105 | | |
| 2 | | | | | | 1 | | | | | | | | | | 305 | | |
| 3 | | | | | | 1 | | | | | | | | | | 1710.5 | | |
| 4 | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | |

| AG1H | 1 liter HCL amber glass | BP2S | 500mL H2SO4 plastic | JGFU | 4 oz amber glass soil jar |
|------|--------------------------------|------|------------------------------|------|--|
| AG1U | 1liter unpreserved amber glass | BP2U | 500mL unpreserved plastic | WGKU | 8 oz clear glass soil jar |
| AG2S | 500mL H2SO4 amber glass | BP2Z | 500mL NaOH, Zn Ac | WGFU | 4 oz clear glass soil jar |
| AG2U | 500mL unpreserved amber glass | BP3C | 250mL NaOH plastic | WG2U | 2 oz clear glass soil jar |
| AG3S | 250mL H2SO4 amber glass | BP3N | 250mL HNO3 plastic | JGFM | 4 oz amber glass soil jar with MeOH |
| BG1H | 1 liter HCL clear glass | BP3S | 250mL H2SO4 plastic | VG9U | 40mL unpreserved clear vial |
| BG1U | 1 liter unpreserved glass | BP3U | 250mL unpreserved plastic | VG9W | 40mL clear vial pre-weighted with DI water |
| BP1N | 1 liter HNO3 plastic | DG9B | 40mL Na Bisulfate clear vial | VSG | Headspace septa vial |
| BP1S | 1 liter H2SO4 plastic | DG9H | 40mL HCL amber voa vial | VG9H | 40mL HCL clear vial |
| BP1U | 1 liter unpreserved plastic | DG9M | 40mL MeOH clear vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1Z | 1 liter NaOH, Zn, Ac | DG9T | 40mL Na Thio amber vial | VG9T | 40mL Na Thio. clear vial |
| BP2N | 500mL HNO3 plastic | DG9U | 40mL unpreserved amber vial | ZPLC | Ziploc Bag |
| BP2O | 500mL NaOH plastic | | Wipe/Swab | U | Summa Can |

Sample Condition Upon Receipt 25 1 0 7 6 7 Pace Analytical Client Name: Arcadis Project # Courier: Fed Ex UPS USPS Client Commercial Pace Other Tracking #: M No Seals intact: Yes Custody Seal on Cooler/Box Present: Yes Packing Material: Bubble Wrap Bubble Bags None Other Temp. Blank Yes 132013 or 101731962 or 226099 Type of Ice: Wet Blue None Samples on ice, cooling process has begun Thermometer Used Date and Initials of person examining Biological Tissue is Frozen: Yes No contents: 020612 Cooler Temperature Temp should be above freezing ≤ 6°C Comments: Myes DNo DNA 1. Chain of Custody Present: ØYes □No □N/A Chain of Custody Filled Out: DYes DNo □N/A 3. Chain of Custody Relinquished: Yes DNo □N/A Sampler Name & Signature on COC: □Ves □No □N/A Samples Arrived within Hold Time: □Yes □No □N/A Short Hold Time Analysis (<72hr): □Yes ☑No □N/A Rush Turn Around Time Requested: □Yes ☑No □N/A Follow Up / Hold Analysis Requested: ☑Yes ☐No ☐N/A Sufficient Volume: ☑Yes ☐No □N/A Correct Containers Used: ☑Yes □No □N/A -Pace Containers Used: ☑Yes □No □N/A Containers Intact: □Yes □No DN/A Filtered volume received for Dissolved tests ☑Yes ☐No □N/A Sample Labels match COC: -Includes date/time/ID/Analysis 14. added 2 pellets of NaOH All containers needing preservation have been checked. MYes □No □N/A All containers needing preservation are found to be in □Yes ☑No □N/A compliance with EPA recommendation. Initial when Lot # of added □Yes □No ☑N/A 106172 preservative completed Exceptions: VOA, coliform, TOC, O&G IDN/A □Yes □No Samples checked for dechlorination: □Yes □No MINIA 16. Headspace in VOA Vials (>6mm): □Yes □No N/A Trip Blanks Present: □Yes □No DN/A Trip Blank Custody Seals Present Pace Trip Blank Creation Date: Field Data Required? Client Notification/ Resolution: Person Contacted: Date/Time: Comments/ Resolution:

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Project Manager Review:





March 26, 2012

Alex Lopez Arcadis 111 SW Columbia St. Ste. 725 Portland, OR 97201

RE: Project: WA-00217

Pace Project No.: 2511180

Dear Alex Lopez:

Enclosed are the analytical results for sample(s) received by the laboratory on March 12, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andy Brownfield


Andy Brownfield

andy.brownfield@pacelabs.com Project Manager

Enclosures

cc: Timothy Bellis, Arcadis OR Jonathan Flomerfelt, Arcadis U.S., Inc. Brian Marcum, Arcadis OR Lynne Stewart, Arcadis OR





Seattle, WA 98108 (206)767-5060



CERTIFICATIONS

Project: WA-00217 Pace Project No.: 2511180

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

A2LA Certification #: 2926.01
Alaska Certification #: UST-078
Alaska Certification #: UST-078
Alaska Certification #: MN00064
Arizona Certification #: 88-0680
California Certification #: 01155CA
EPA Region 8 Certification #: Pace
Florida/NELAP Certification #: E87605
Georgia Certification #: 959
Idaho Certification #: MN00064
Illinois Certification #: 200011

Iowa Certification #: 368 Kansas Certification #: E-10167 Louisiana Certification #: 03086 Louisiana Certification #: LA080009 Maine Certification #: 2007029

Maryland Certification #: 322 Michigan DEQ Certification #: 9909 Minnesota Certification #: 027-053-137

Washington Certification IDs

940 South Harney Street, Seattle, WA 98108 Alaska CS Certification #: UST-025 Arizona Certification #: AZ0770 California Certification #: 01153CA Mississippi Certification #: Pace
Montana Certification #: MT CERT0092
Nevada Certification #: MN_00064
Nebraska Certification #: Pace
New Jersey Certification #: MN-002
New Mexico Certification #: Pace
New York Certification #: 11647
North Carolina Certification #: 530
North Dakota Certification #: R-036
North Dakota Certification #: R-036A
Ohio VAP Certification #: CL101
Oklahoma Certification #: D9921
Oklahoma Certification #: 9507
Oregon Certification #: MN200001
Pennsylvania Certification #: 68-00563

Puerto Rico Certification
Tennessee Certification #: 02818

Texas Certification #: 702016
Texas Certification #: T104704192
Washington Certification #: C754
Wisconsin Certification #: 999407970

Florida/NELAP Certification #: E87617 Oregon Certification #: WA200007 Washington Certification #: C555



SAMPLE ANALYTE COUNT

Project: WA-00217
Pace Project No.: 2511180

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|------------|-----------|---------------|----------|----------------------|------------|
| 2511180001 | MW-2 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |
| 2511180002 | MW-6 | RSK 175 | SK4 | 1 | PASI-M |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 6010 | BGA | 1 | PASI-S |
| | | SM 4500-S-2 F | KMT | 1 | PASI-S |
| | | EPA 300.0 | CMS | 1 | PASI-S |



Project: WA-00217
Pace Project No.: 2511180

| Sample: MW-2 | Lab ID: 2511180001 | Collected: 03/09/1 | 12 12:55 | Received: 03 | 3/12/12 12:00 N | Matrix: Water | |
|------------------------------|-------------------------|----------------------|----------|----------------|-----------------|---------------|------|
| Parameters | Results Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| RSK 175 AIR Headspace | Analytical Method: RSK | 175 | | | | | |
| Methane | ND ug/L | 6.6 | 1 | | 03/14/12 14:49 | 74-82-8 | |
| 6010 MET ICP | Analytical Method: EPA | 6010 Preparation Met | hod: EPA | A 3010 | | | |
| Iron | 37700 ug/L | 100 | 1 | 03/16/12 10:10 | 03/20/12 12:18 | 7439-89-6 | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: EPA | 6010 Preparation Met | hod: EPA | A 3010 | | | |
| Iron, Dissolved | 2720 ug/L | 100 | 1 | 03/16/12 07:42 | 03/21/12 14:50 | 7439-89-6 | |
| 4500S2F Sulfide, Iodometric | Analytical Method: SM 4 | 500-S-2 F | | | | | |
| Sulfide | ND mg/L | 0.40 | 1 | | 03/15/12 16:45 | 18496-25-8 | |
| 300.0 IC Anions 28 Days | Analytical Method: EPA | 300.0 | | | | | |
| Sulfate | 238 mg/L | 20.0 | 20 | | 03/21/12 01:54 | 14808-79-8 | |
| Sample: MW-6 | Lab ID: 2511180002 | Collected: 03/09/1 | 12 11:40 | Received: 03 | 3/12/12 12:00 N | Matrix: Water | |
| Parameters | Results Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| RSK 175 AIR Headspace | Analytical Method: RSK | 175 | | | | | |
| Methane | 90.1 ug/L | 6.6 | 1 | | 03/14/12 15:00 | 74-82-8 | |
| 6010 MET ICP | Analytical Method: EPA | 6010 Preparation Met | hod: EPA | A 3010 | | | |
| Iron | 2290 ug/L | 100 | 1 | 03/16/12 10:10 | 03/20/12 12:22 | 7439-89-6 | |
| 6010 MET ICP, Dissolved (LF) | Analytical Method: EPA | 6010 Preparation Met | hod: EPA | A 3010 | | | |
| Iron, Dissolved | ND ug/L | 100 | 1 | 03/16/12 07:42 | 03/21/12 14:54 | 7439-89-6 | |
| 4500S2F Sulfide, Iodometric | Analytical Method: SM 4 | 500-S-2 F | | | | | |
| C. If: da | ND mg/L | 0.40 | 1 | | 03/15/12 16:45 | 18496-25-8 | 1n |
| Sulfide | | | | | | | |
| 300.0 IC Anions 28 Days | Analytical Method: EPA | 300.0 | | | | | |

Date: 03/26/2012 01:51 PM



Project: WA-00217 Pace Project No.: 2511180

QC Batch: AIR/14447 Analysis Method: **RSK 175**

QC Batch Method: **RSK 175** Analysis Description: **RSK 175 AIR HEADSPACE**

Associated Lab Samples: 2511180001, 2511180002

METHOD BLANK: 1154114 Matrix: Water

Associated Lab Samples: 2511180001, 2511180002

> Reporting Blank Limit Parameter Result Analyzed Qualifiers Units

Methane ug/L ND 6.6 03/14/12 12:47

LABORATORY CONTROL SAMPLE & LCSD: 1154116 1154115

ug/L

Spike LCS LCSD LCS LCSD % Rec Max Parameter Units Conc. Result Result % Rec % Rec Limits **RPD RPD** Qualifiers Methane ug/L 60.7 58.8 59.3 97 70-130 .9 30

SAMPLE DUPLICATE: 1154607

Methane

10185526001 Dup **RPD** Parameter Units Result Result Qualifiers ND ND



EPA 6010

6010 MET

Project: WA-00217 Pace Project No.: 2511180

QC Batch: MPRP/2874 Analysis Method: QC Batch Method: EPA 3010 Analysis Description:

2511180001, 2511180002 Associated Lab Samples:

METHOD BLANK: 106729 Matrix: Water

Associated Lab Samples: 2511180001, 2511180002

> Blank Reporting Limit Parameter Result Analyzed Qualifiers Units ug/L ND 100 03/20/12 11:53

Iron

LABORATORY CONTROL SAMPLE: 106730

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Iron ug/L 10000 11400 114 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 106731 106732

MS MSD 2511209002 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual 13600 10000 10000 75-125 Iron ug/L 25900 25000 122 114 3



EPA 6010

Qualifiers

Analysis Method:

Project: WA-00217 Pace Project No.: 2511180

QC Batch: MPRP/2870

QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved

Associated Lab Samples: 2511180001, 2511180002

METHOD BLANK: 106685 Matrix: Water

Associated Lab Samples: 2511180001, 2511180002

Blank Reporting
Parameter Units Result Limit Analyzed

Iron, Dissolved ug/L ND 100 03/21/12 14:02

LABORATORY CONTROL SAMPLE: 106686

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Iron, Dissolved ug/L 10000 10900 109 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 106687 106688

MS MSD 2511189005 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Iron, Dissolved ND 10000 10000 10800 75-125 ug/L 10500 108 105 3

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 106689 106690

MS MSD MS MSD MS 2511214004 Spike Spike MSD % Rec RPD Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits Qual ND Iron, Dissolved ug/L 10000 10000 10800 10800 107 107 75-125 .09



Project: WA-00217 Pace Project No.: 2511180

QC Batch: WET/3532 Analysis Method: SM 4500-S-2 F

QC Batch Method: SM 4500-S-2 F Analysis Description: 4500S2F Sulfide, Iodometric

Associated Lab Samples: 2511180001, 2511180002

METHOD BLANK: 106527 Matrix: Water

Associated Lab Samples: 2511180001, 2511180002

Blank Reporting
Parameter Units Result Limit Analyzed Qualifiers

Sulfide mg/L ND 0.40 03/15/12 16:45

LABORATORY CONTROL SAMPLE: 106528

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Sulfide mg/L 7.6 7.6 100 80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 106529 106530

MS MSD MS 2511192001 Spike Spike MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits RPD Qual Sulfide ND 7.6 7.5 97 75-125 2 mg/L 7.6 7.4 99



Project: WA-00217 Pace Project No.: 2511180

QC Batch: WETA/2438 Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions

Associated Lab Samples: 2511180001, 2511180002

METHOD BLANK: 106531 Matrix: Water

Associated Lab Samples: 2511180001, 2511180002

Blank Reporting
Parameter Units Result Limit Analyzed Qualifiers

Sulfate mg/L ND 1.0 03/19/12 17:52

LABORATORY CONTROL SAMPLE: 106532

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Sulfate mg/L 15 16.1 107 90-110

MATRIX SPIKE SAMPLE: 106533

2511192001 Spike MS MS % Rec Parameter Units Result Conc. Result % Rec Limits Qualifiers 8.4 104 Sulfate 15 24.0 90-110 mg/L

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 106534 106535

MS MSD 2511216002 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits **RPD** Qual Sulfate 2.7 15 15 2 mg/L 18.5 18.9 105 108 90-110



QUALIFIERS

Project: WA-00217 Pace Project No.: 2511180

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel Clean-Up

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis
PASI-S Pace Analytical Services - Seattle

ANALYTE QUALIFIERS

Date: 03/26/2012 01:51 PM

1n Matrix interference noted.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WA-00217
Pace Project No.: 2511180

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|------------|-----------|-----------------|-----------|-------------------|---------------------|
| 2511180001 | MW-2 | RSK 175 | AIR/14447 | | |
| 2511180002 | MW-6 | RSK 175 | AIR/14447 | | |
| 2511180001 | MW-2 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511180002 | MW-6 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511180001 | MW-2 | EPA 3010 | MPRP/2870 | EPA 6010 | ICP/2696 |
| 2511180002 | MW-6 | EPA 3010 | MPRP/2870 | EPA 6010 | ICP/2696 |
| 2511180001 | MW-2 | SM 4500-S-2 F | WET/3532 | | |
| 2511180002 | MW-6 | SM 4500-S-2 F | WET/3532 | | |
| 2511180001 | MW-2 | EPA 300.0 | WETA/2438 | | |
| 2511180002 | MW-6 | EPA 300.0 | WETA/2438 | | |

CHAIN-OF-CUSTODY / Analytical Request Document

2511180

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

OTHER ELDING DRINKING WATER 1554336 o × GROUND WATER | Page: REGULATORY AGENCY RCRA M Requested Analysis Filtered (Y/N) Site Location STATE NPDES TSU T Andy Bramfield Alexander Luper Postland, or APLADIS Invoice Information: Company Name: Manager: A Reference: Pace Project Section C Address: Pace Quote GPOSTOPHAWAUL. NOODO Lugar Mem Project Name: WA- WILL Section B Required Project Information: Alexander Briga Purchase Order No.: Project Number: Report To: Copy To: 3 Address: 2500 Fastfelle Due E Ste Souther, wh alouz Pace Analytical www.pacelabs.com mail To: Alexand Lyper Section A Required Client Information: Phone:) qc4 -4762 Requested Due Date/TAT: Company: ARCADIS

| SAMPLE ID Water WT Waster WT G GUISOII OII OII OII OII OII OII OII OII OI | | ŭ | COLLECTED | 0 | | | Preservatives | | N/A | 5 | | | STATE OF | | |
|--|--------|-------------------------------|------------|-----------------------------|------------------|---|--|-------------------|---|--------------|----------|-------------------|----------------------------|-------------------|-----|
| SAMPLE ID WIP WP WP (A.Z. 0-91.7) Sample IDs MUST BE UNIQUE Tissue TS MW-7 MW-7 AMW-7 AM | | COMPOSITE | 2 m | COMPOSITE | | 5 | מלכלכ | | 0.00.0 728U015 6010 | Ap thing | | (N/A) | | 5 50 | 100 |
| AW-2 MW-6 MW-6 MW-6 MW-6 MW-7 | DATE | TE TIME | AE DATE | TIME | SAMPLE TEMP AT C | Unpreserved H ₂ SO ₄ | Na ₂ S ₂ O ₃ HCl HNO ₃ | Methanol Other | Surface by 3 Surface by 3 Surface by 7 Tokel Fe by Dist Fe by 6 | א אנו אנט | | Residual Chlorine | Pace Project No./ Lab I.D. | Proje | z z |
| AWU-G ADDITIONAL COMMENTS | . 0 | | 3/9/12 | 55:21 71 | 200 | | 1) | | メインメ | K | | | | | 1 |
| ADDITIONAL COMMENTS | | | 3/8 | 3/8/11/11:40 | 7 | 3 |)) | 39 | F F L 2 | K | | | | 8 | |
| ADDITIONAL COMMENTS | | | | | | | | | | | | | | | |
| ADDITIONAL COMMENTS | | | THE PERSON | | | | THE COUNTY | 100 | | | | | "Treeser | 2 | 100 |
| ADDITIONAL COMMENTS | 3111 | THE NEW | 1127 1101 | TO SHEET | | | LI LI LI LI LI LI LI LI LI LI LI LI LI L | | | area for the | CH NO IN | | THE STATE OF | | |
| ADDITIONAL COMMENTS | | | 70 | 177 | | | | | | | | | | | |
| ADDITIONAL COMMENTS | | | | | | | | | | | | 0 | 1 | | |
| ADDITIONAL COMMENTS | -1 | | | | | 3 | | | | | | | 1000 | | |
| ADDITIONAL COMMENTS | | | | | | | | | | | | | | | |
| ADDITIONAL COMMENTS | | | | | | | | | | | | | | | |
| ADDITIONAL COMMENTS | | | | | | | | | | | | | | | |
| 34 | | - | - | | | | | | | | | | 10 N. T. W. 152 | and the same | |
| | NISHED | RELINQUISHED BY / AFFILIATION | NOLLA | DATE | | TIME | A | CCEPTED | ACCEPTED BY / AFFILIATION | DATE | TIME | | SAMPL | SAMPLE CONDITIONS | |
| Sem, le. | 6 Henr | , | Richa | 3/2/12 | | W:22 | retricker | 13. | R. cur | 3/4/12 | 42:11 | H | 74145 | | |
| ng | 4,105 | | states | 3/12/4 | 7 | 3260 | 976 | | Pore | 3/2/19 | 12925 | | | | _ |
| | 2 | V | Back | 2 | 2 | 1200 | Opertie Mearke | Mean | REJ PACE | 21,21,2 | 7 1260 | = | 7 | Z | _ |
| | | 140 | DI ED MAR | POLITANOIS ON A BAND CLOURS | 1017 | | | | | | | | | ı | _ |
| ORIGINAL | | NAC. | LEE IN | IE AND SIGN | IONE | | | | | | | ٥. | | 9100 | |
| | | | PRINI | PRINT Name of SAMPLER: | LER: | 1 the | Tyle Haslan | | | | | uị du | 9 (Y) | (A/A) | |
| | | | SIGN | SIGNATURE of SAMPLER: | LER: | 3 | | | DATE Signed | 1/60/50 | 17 | 19T | | lead | |

F-ALL-Q-020rev.07, 15-May-2007

Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any involces not paid within 30 days.

Sample Container Count

2511180

| CLIENT: | Arcadis |
|---------|---------|
| | |

Pace Analytical www.pecsuata.com

COC PAGE ______ of _____ COC ID# ______ 1954336 Trip Blank(s) Provided?

| Sample Line Item | VG9H | AG1H | AG1U | BP1U | BP2U | BP3U | BP3N | BP3S | WGKU | WGFU | WG2U | DG9M | DG9B | VG9W | VSG | | | Comments |
|---------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|------|--|----------|
| 1 | | | *: | | | 7 | 1 22 | | | | | | | | 3 | 1712 | | |
| 2 | | | | | | 2 | 122 | | | | | | | | 3 | 1712 | | |
| 3 | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | |

| AG1H | 1 liter HCL amber glass | BP2S | 500mL H2SO4 plastic | JGFU | 4 oz amber glass soil jar |
|------|--------------------------------|------|------------------------------|------|--|
| AG1U | 1liter unpreserved amber glass | BP2U | 500mL unpreserved plastic | WGKU | 8 oz clear glass soil jar |
| AG2S | 500mL H2SO4 amber glass | BP2Z | 500mL NaOH, Zn Ac | WGFU | 4 oz clear glass soil jar |
| AG2U | 500mL unpreserved amber glass | BP3C | 250mL NaOH plastic | WG2U | 2 oz clear glass soil jar |
| AG3S | 250mL H2SO4 amber glass | BP3N | 250mL HNO3 plastic | JGFM | 4 oz amber glass soil jar with MeOH |
| BG1H | 1 liter HCL clear glass | BP3S | 250mL H2SO4 plastic | VG9U | 40mL unpreserved clear vial |
| BG1U | 1 liter unpreserved glass | BP3U | 250mL unpreserved plastic | VG9W | 40mL clear vial pre-weighted with DI water |
| BP1N | 1 liter HNO3 plastic | DG9B | 40mL Na Bisulfate clear vial | VSG | Headspace septa vial |
| BP1S | 1 liter H2SO4 plastic | DG9H | 40mL HCL amber voa vial | VG9H | 40mL HCL clear vial |
| BP1U | 1 liter unpreserved plastic | DG9M | 40mL MeOH clear vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1Z | 1 liter NaOH, Zn, Ac | DG9T | 40mL Na Thio amber vial | VG9T | 40mL Na Thio. clear vial |
| BP2N | 500mL HNO3 plastic | DG9U | 40mL unpreserved amber vial | ZPLC | Ziploc Bag |
| BP20 | 500mL NaOH plastic | 1 | Wipe/Swab | U | Summa Can |

Sample Condition Upon Receipt 2511180 Arcadis Client Name: Project # Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace Other Tracking #: Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Packing Material: Bubble Wrap Bubble Bags None Other Temp. Blank Yes 132013 oc 101731962 or 226099 Type of Ice: Wet Blue None Samples on ice, cooling process has begun Thermometer Used Date and Initials of person examining contents: 031212 CW Biological Tissue is Frozen: Yes No Cooler Temperature Temp should be above freezing ≤ 6°C Comments: Yes No NA Chain of Custody Present: TYES No DNA Chain of Custody Filled Out: TYes DNo DN/A Chain of Custody Relinquished: Cires ONO ON/A Sampler Name & Signature on COC: MYes □No □N/A Samples Arrived within Hold Time: ☐Yes ☑No □N/A Short Hold Time Analysis (<72hr): ☐Yes ☑No □N/A Rush Turn Around Time Requested: ☐Yes ☐No □N/A Follow Up / Hold Analysis Requested: Yes No 9. Rryd RSK vials almost full □N/A Sufficient Volume: TOYES ONO ONA 10. Correct Containers Used: MYes ONO ONA -Pace Containers Used: ☑Yes ☐No □N/A 11. Containers Intact: MYes ONO ON/A Filtered volume received for Dissolved tests MYes ONO ONA 13 Sample Labels match COC: -Includes date/time/ID/Analysis Matrix: All containers needing preservation have been checked. Yes ONO ONA 14. All containers needing preservation are found to be in ☑Yes ☐No ☐N/A compliance with EPA recommendation. Initial when Lot # of added ☐Yes ☐No ☑N/A preservative completed Exceptions: VOA, coliform, TOC, O&G □Yes □No □N/A 15 Samples checked for dechlorination: DN/A 16 ☐Yes ☐No Headspace in VOA Vials (>6mm): □Yes □No ☑N/A 17. Trip Blanks Present: ☐Yes ☐No ☑N/A Trip Blank Custody Seals Present Pace Trip Blank Creation Date: Client Notification/ Resolution: Field Data Required? Y / N Date/Time: Person Contacted: Comments/ Resolution:

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Project Manager Review:





March 26, 2012

Alex Lopez Arcadis 111 SW Columbia St. Ste. 725 Portland, OR 97201

RE: Project: WA-00217

Pace Project No.: 2511201

Dear Alex Lopez:

Enclosed are the analytical results for sample(s) received by the laboratory on March 12, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andy Brownfield

Andy Brownfield

andy.brownfield@pacelabs.com Project Manager

Enclosures

cc: Timothy Bellis, Arcadis OR Jonathan Flomerfelt, Arcadis U.S., Inc. Brian Marcum, Arcadis OR Lynne Stewart, Arcadis OR







CERTIFICATIONS

Project: WA-00217 Pace Project No.: 2511201

Washington Certification IDs
940 South Harney Street, Seattle, WA 98108
Alaska CS Certification #: UST-025
Arizona Certification #: AZ0770 California Certification #: 01153CA

Florida/NELAP Certification #: E87617 Oregon Certification #: WA200007 Washington Certification #: C555



SAMPLE ANALYTE COUNT

Project: WA-00217
Pace Project No.: 2511201

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|------------|------------|----------------|----------|----------------------|------------|
| 2511201001 | MW-1 | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | LPM | 9 | PASI-S |
| | | NWTPH-Gx | LPM | 2 | PASI-S |
| 2511201002 | MW-2 | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | LPM | 9 | PASI-S |
| | | NWTPH-Gx | LPM | 2 | PASI-S |
| 2511201003 | MW-4 | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | LPM | 9 | PASI-S |
| | | NWTPH-Gx | LPM | 2 | PASI-S |
| 2511201004 | MW-5 | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | LPM | 9 | PASI-S |
| | | NWTPH-Gx | LPM | 2 | PASI-S |
| 2511201005 | MW-6 | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | ERB | 9 | PASI-S |
| | | NWTPH-Gx | CC | 2 | PASI-S |
| 2511201006 | MW-7 | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | ERB | 9 | PASI-S |
| | | NWTPH-Gx | CC | 2 | PASI-S |
| 2511201007 | MW-8 | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | ERB | 9 | PASI-S |
| | | NWTPH-Gx | CC | 2 | PASI-S |
| 2511201008 | MW-9 | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | ERB | 9 | PASI-S |
| | | NWTPH-Gx | CC | 2 | PASI-S |
| 2511201009 | MW-10 | EPA 6010 | BGA | 1 | PASI-S |
| | | EPA 5030B/8260 | ERB | 9 | PASI-S |
| | | NWTPH-Gx | CC | 2 | PASI-S |
| 2511201010 | Trip Blank | EPA 5030B/8260 | ERB | 9 | PASI-S |



Project: WA-00217
Pace Project No.: 2511201

| Sample: MW-1 | Lab ID: 2511201001 | Collected: 03/09/1 | 2 13:25 | Received: 03 | 3/12/12 12:00 N | Matrix: Water | |
|---|---|---|--------------------------------------|----------------|--|--|-------|
| Parameters | Results Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| 6010 MET ICP | Analytical Method: EPA | 6010 Preparation Met | nod: EP | A 3010 | | | |
| Iron | 221 ug/L | 100 | 1 | 03/16/12 10:10 | 03/20/12 12:45 | 7439-89-6 | |
| 8260 MSV | Analytical Method: EPA | 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 03/18/12 00:29 | 71-43-2 | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 03/18/12 00:29 | 100-41-4 | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 03/18/12 00:29 | 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | | 03/18/12 00:29 | 108-88-3 | |
| Xylene (Total) | ND ug/L | 3.0 | 1 | | 03/18/12 00:29 | 1330-20-7 | |
| Surrogates | | | | | | | |
| 4-Bromofluorobenzene (S) | 103 % | 79-121 | 1 | | 03/18/12 00:29 | 460-00-4 | |
| Dibromofluoromethane (S) | 104 % | 81-119 | 1 | | 03/18/12 00:29 | 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 107 % | 72-127 | 1 | | 03/18/12 00:29 | 17060-07-0 | |
| Toluene-d8 (S) | 105 % | 77-120 | 1 | | 03/18/12 00:29 | 2037-26-5 | |
| NWTPH-Gx MSV | Analytical Method: NW | ГРН-Gx | | | | | |
| Gasoline Range Organics | ND ug/L | 50.0 | 1 | | 03/18/12 00:29 | | |
| Surrogates | | | | | | | |
| 4-Bromofluorobenzene (S) | 103 % | 50-150 | 1 | | 03/18/12 00:29 | 460-00-4 | |
| Sample: MW-2 | Lab ID: 2511201002 | Collected: 03/09/1 | 2 12:40 | Received: 03 | 3/12/12 12:00 N | Matrix: Water | |
| _ | | | 5- | | A b | | Qua |
| Parameters | Results Units | Report Limit | DF | Prepared | Analyzed | CAS No. | |
| | Results Units Analytical Method: EPA | | | | Analyzed | CAS No. | |
| 6010 MET ICP | | | | A 3010 | 03/20/12 12:48 | | |
| 6010 MET ICP Iron | Analytical Method: EPA | 6010 Preparation Meth | nod: EP | A 3010 | | | |
| 6010 MET ICP Iron 8260 MSV | Analytical Method: EPA 27500 ug/L Analytical Method: EPA | 6010 Preparation Meth | nod: EP | A 3010 | | 7439-89-6 | |
| 6010 MET ICP Iron 8260 MSV Benzene | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 | 1 1 | A 3010 | 03/20/12 12:48 | 7439-89-6 71-43-2 | — Que |
| 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene | Analytical Method: EPA 27500 ug/L Analytical Method: EPA | 6010 Preparation Meth 100 5030B/8260 | nod: EP | A 3010 | 03/20/12 12:48 | 7439-89-6 71-43-2 100-41-4 | |
| 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L 23.8 ug/L ND ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 1.0 1.0 | 1 1 1 | A 3010 | 03/20/12 12:48 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 | 7439-89-6 71-43-2 100-41-4 1634-04-4 | |
| 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L 23.8 ug/L ND ug/L ND ug/L ND ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 1.0 1.0 | 1 1 1 1 1 | A 3010 | 03/20/12 12:48 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 | |
| 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L 23.8 ug/L ND ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 1.0 1.0 | 1 1 1 1 1 1 | A 3010 | 03/20/12 12:48 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 | |
| Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L 23.8 ug/L ND ug/L ND ug/L ND ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 1.0 1.0 | 1 1 1 1 1 1 | A 3010 | 03/20/12 12:48 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 | |
| Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L 23.8 ug/L ND ug/L ND ug/L ND ug/L 10.7 ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 1.0 1.0 3.0 | 1 1 1 1 1 1 | A 3010 | 03/20/12 12:48 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 | |
| 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L 23.8 ug/L ND ug/L ND ug/L 10.7 ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 1.0 1.0 3.0 | 1 1 1 1 1 1 1 | A 3010 | 03/20/12 12:48 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 | |
| Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L 23.8 ug/L ND ug/L ND ug/L 10.7 ug/L 10.1 % 103 % | 6010 Preparation Meth 100 5030B/8260 0.20 1.0 1.0 3.0 79-121 81-119 | 1 1 1 1 1 1 1 | A 3010 | 03/20/12 12:48 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 | |
| 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L 23.8 ug/L ND ug/L ND ug/L 10.7 ug/L 10.1 % 10.3 % 10.8 % | 6010 Preparation Meth 100 5030B/8260 0.20 1.0 1.0 3.0 79-121 81-119 72-127 77-120 | 1 1 1 1 1 1 1 1 | A 3010 | 03/20/12 12:48 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 | |
| 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) Toluene-d8 (S) | Analytical Method: EPA 27500 ug/L Analytical Method: EPA ND ug/L 23.8 ug/L ND ug/L ND ug/L 10.7 ug/L 10.8 % 99 % | 6010 Preparation Meth 100 5030B/8260 0.20 1.0 1.0 3.0 79-121 81-119 72-127 77-120 | 1 1 1 1 1 1 1 1 | A 3010 | 03/20/12 12:48 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 03/18/12 00:47 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 2037-26-5 | |

Date: 03/26/2012 02:57 PM



Project: WA-00217
Pace Project No.: 2511201

| Sample: MW-4 | Lab ID: 2511201003 | Collected: 03/09/1 | 2 10:50 | Received: 03 | 3/12/12 12:00 I | Matrix: Water | |
|--|---|---|--|----------------|--|--|-----|
| Parameters | Results Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| 6010 MET ICP | Analytical Method: EPA | 6010 Preparation Meth | nod: EP/ | A 3010 | | | |
| Iron | 957 ug/L | 100 | 1 | 03/16/12 10:10 | 03/20/12 12:52 | 7439-89-6 | |
| 8260 MSV | Analytical Method: EPA | 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 03/18/12 01:05 | 5 71-43-2 | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 03/18/12 01:05 | 5 100-41-4 | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 03/18/12 01:05 | 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | | 03/18/12 01:05 | 108-88-3 | |
| Xylene (Total) | ND ug/L | 3.0 | 1 | | 03/18/12 01:05 | 1330-20-7 | |
| Surrogates | | | | | | | |
| 4-Bromofluorobenzene (S) | 104 % | 79-121 | 1 | | 03/18/12 01:05 | 460-00-4 | |
| Dibromofluoromethane (S) | 103 % | 81-119 | 1 | | 03/18/12 01:05 | 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 106 % | 72-127 | 1 | | 03/18/12 01:05 | 17060-07-0 | |
| Toluene-d8 (S) | 105 % | 77-120 | 1 | | 03/18/12 01:05 | | |
| NWTPH-Gx MSV | Analytical Method: NW | ГРН-Gx | | | | | |
| Gasoline Range Organics | ND ug/L | 50.0 | 1 | | 03/18/12 01:05 | | |
| Surrogates | 112 dg/2 | 00.0 | • | | 00/10/12 01:00 | , | |
| 4-Bromofluorobenzene (S) | 104 % | 50-150 | 1 | | 03/18/12 01:05 | 6 460-00-4 | |
| Sample: MW-5 | Lab ID: 2511201004 | Collected: 03/09/1 | 2 13:55 | Received: 03 | 3/12/12 12:00 | Matrix: Water | |
| Parameters | Desulte Heite | | D.F. | | A | 0404 | Qua |
| 1 didilictors | Results Units | Report Limit | DF | Prepared | Analyzed | CAS No. | -, |
| | Analytical Method: EPA | | | • | Analyzed | CAS No. | |
| 6010 MET ICP | | | | A 3010 | 03/20/12 12:56 | | |
| 6010 MET ICP Iron | Analytical Method: EPA | 6010 Preparation Meth | nod: EP/ | A 3010 | | | |
| 6010 MET ICP Iron 8260 MSV | Analytical Method: EPA 2440 ug/L Analytical Method: EPA | 6010 Preparation Meth 100 5030B/8260 | nod: EP/ | A 3010 | 03/20/12 12:56 | 7439-89-6 | |
| 6010 MET ICP Iron 3260 MSV Benzene | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 | nod: EP/ 1 | A 3010 | 03/20/12 12:56 | 7439-89-6 71-43-2 | |
| G010 MET ICP Iron 3260 MSV Benzene Ethylbenzene | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 | 1 1 1 1 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 | 7439-89-6 71-43-2 100-41-4 | |
| G010 MET ICP Iron 3260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 | 1 1 1 1 10 1 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 | 7439-89-6 71-43-2 100-41-4 1634-04-4 | |
| Iron 3260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L 2.9 ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 | 1 1 1 10 1 1 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 02:02 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 | |
| Iron B260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 | 1 1 1 1 10 1 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 | |
| Iron B260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L 2.9 ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 | 1 1 1 10 1 1 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 02:02 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 | |
| Iron Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L 2.9 ug/L 1610 ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 30.0 | 1 1 1 10 1 1 10 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 01:44 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 | |
| Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L 2.9 ug/L 1610 ug/L 87 % 99 % | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 1.0 30.0 79-121 81-119 | 1 1 10 1 1 10 1 1 10 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 | 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 2 460-00-4 2 1868-53-7 | |
| Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L 2.9 ug/L 1610 ug/L | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 30.0 | 1 1 1 10 1 1 10 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 02:02 | 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 2 460-00-4 1868-53-7 2 17060-07-0 | |
| Iron Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) Toluene-d8 (S) | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L 2.9 ug/L 1610 ug/L 87 % 99 % 107 % | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 30.0 79-121 81-119 72-127 77-120 | 1 1 10 1 1 10 1 1 10 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 | 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 2 460-00-4 1868-53-7 2 17060-07-0 | |
| Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) Toluene-d8 (S) NWTPH-Gx MSV | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L 2.9 ug/L 1610 ug/L 87 % 99 % 107 % 102 % | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 30.0 79-121 81-119 72-127 77-120 | 1 1 10 1 1 10 1 1 10 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 2037-26-5 | |
| 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) Toluene-d8 (S) NWTPH-Gx MSV Gasoline Range Organics Surrogates 4-Bromofluorobenzene (S) | Analytical Method: EPA 2440 ug/L Analytical Method: EPA 0.62 ug/L 514 ug/L ND ug/L 2.9 ug/L 1610 ug/L 87 % 99 % 107 % 102 % Analytical Method: NW | 6010 Preparation Meth 100 5030B/8260 0.20 10.0 1.0 30.0 79-121 81-119 72-127 77-120 | 1 1 10 1 1 10 1 1 10 | A 3010 | 03/20/12 12:56 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 01:44 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 03/18/12 02:02 | 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 2037-26-5 | |

Date: 03/26/2012 02:57 PM



Project: WA-00217
Pace Project No.: 2511201

| Sample: MW-6 | Lab ID: 2511201005 | Collected: 03/09/12 | 2 11:25 | Received: 03 | s/12/12 12:00 N | Matrix: Water | |
|---|---|--|----------------------------|----------------|--|---|------------|
| Parameters | Results Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 6010 MET ICP | Analytical Method: EPA | 6010 Preparation Meth | od: EPA | A 3010 | | | |
| Iron | 3990 ug/L | 100 | 1 | 03/16/12 10:10 | 03/20/12 12:59 | 7439-89-6 | |
| 8260 MSV | Analytical Method: EPA | 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 03/18/12 08:24 | 71-43-2 | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 03/18/12 08:24 | 100-41-4 | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 03/23/12 03:27 | 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | | 03/18/12 08:24 | 108-88-3 | |
| Xylene (Total) | ND ug/L | 3.0 | 1 | | 03/18/12 08:24 | 1330-20-7 | |
| Surrogates | • | | | | | | |
| 4-Bromofluorobenzene (S) | 104 % | 79-121 | 1 | | 03/18/12 08:24 | 460-00-4 | |
| Dibromofluoromethane (S) | 103 % | 81-119 | 1 | | 03/18/12 08:24 | 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 110 % | 72-127 | 1 | | 03/18/12 08:24 | 17060-07-0 | |
| Toluene-d8 (S) | 102 % | 77-120 | 1 | | 03/18/12 08:24 | 2037-26-5 | |
| NWTPH-Gx MSV | Analytical Method: NWT | PH-Gx | | | | | |
| Gasoline Range Organics | ND ug/L | 50.0 | 1 | | 03/18/12 08:24 | | |
| Surrogates (C) | 404.0/ | 50.450 | | | 00/40/40 00 04 | 400.00.4 | |
| 4-Bromofluorobenzene (S) | 104 % | 50-150 | 1 | | 03/18/12 08:24 | 460-00-4 | |
| Sample: MW-7 | Lab ID: 2511201006 | Collected: 03/09/12 | 2 14:30 | Received: 03 | 3/12/12 12:00 M | Matrix: Water | |
| Parameters | Results Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 6010 MET ICP | Analytical Method: EPA | 6010 Preparation Meth | od: EPA | A 3010 | | | |
| Iron | 14000 ug/L | 100 | 1 | 03/16/12 10:10 | 03/20/12 13:03 | 7420 00 6 | |
| 0000 1401/ | | | | | | 7439-09-0 | |
| 826U MSV | Analytical Method: EPA | 5030B/8260 | | | | 7439-09-0 | |
| | • | 5030B/8260 0.20 | 1 | | 03/22/12 22:23 | | |
| Benzene | ND ug/L | 0.20 | | | | 71-43-2 | |
| Benzene Ethylbenzene | ND ug/L ND ug/L | 0.20 1.0 | 1 | | 03/22/12 22:23 | 71-43-2 100-41-4 | |
| Benzene Ethylbenzene Methyl-tert-butyl ether | ND ug/L ND ug/L ND ug/L | 0.20 1.0 1.0 | 1 1 | | | 71-43-2 100-41-4 1634-04-4 | |
| Benzene Ethylbenzene Methyl-tert-butyl ether Toluene | ND ug/L ND ug/L ND ug/L ND ug/L | 0.20 1.0 1.0 1.0 | 1 1 1 | | 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 | 71-43-2 100-41-4 1634-04-4 108-88-3 | |
| Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) | ND ug/L ND ug/L ND ug/L | 0.20 1.0 1.0 | 1 1 | | 03/22/12 22:23 03/22/12 22:23 | 71-43-2 100-41-4 1634-04-4 108-88-3 | |
| Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates | ND ug/L ND ug/L ND ug/L ND ug/L | 0.20 1.0 1.0 1.0 | 1 1 1 | | 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 | 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 | S 3 |
| Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) | ND ug/L ND ug/L ND ug/L ND ug/L ND ug/L | 0.20 1.0 1.0 1.0 3.0 | 1 1 1 | | 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 | 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 | S 3 |
| Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) | ND ug/L ND ug/L ND ug/L ND ug/L ND ug/L | 0.20 1.0 1.0 1.0 3.0 79-121 | 1 1 1 1 1 | | 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 | 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 | S3 |
| Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) | ND ug/L ND ug/L ND ug/L ND ug/L ND ug/L 122 % 101 % | 0.20 1.0 1.0 1.0 3.0 79-121 81-119 | 1 1 1 1 | | 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 | 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 | S 3 |
| 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) Toluene-d8 (S) NWTPH-Gx MSV | ND ug/L ND ug/L ND ug/L ND ug/L ND ug/L 122 % 101 % 99 % | 0.20 1.0 1.0 1.0 3.0 79-121 81-119 72-127 77-120 | 1 1 1 1 1 1 | | 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 | 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 | S3 |
| Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) Toluene-d8 (S) | ND ug/L ND ug/L ND ug/L ND ug/L ND ug/L 122 % 101 % 99 % 99 % | 0.20 1.0 1.0 1.0 3.0 79-121 81-119 72-127 77-120 | 1 1 1 1 1 1 | | 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 03/22/12 22:23 | 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 2037-26-5 | \$3 |

Date: 03/26/2012 02:57 PM



Project: WA-00217
Pace Project No.: 2511201

| - | Lab ID: 2511201007 | Collected: 03/09/1 | 2 09:25 | Received: 03 | 3/12/12 12:00 M | latrix: Water | |
|---|---|--|--|-------------------|--|--|-----|
| Parameters | Results Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| 6010 MET ICP | Analytical Method: EPA | 6010 Preparation Metl | nod: EP | A 3010 | | | |
| Iron | 616 ug/L | 100 | 1 | 03/16/12 10:10 | 03/20/12 13:07 | 7439-89-6 | |
| B260 MSV | Analytical Method: EPA | 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 03/22/12 22:40 | 71-43-2 | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 03/22/12 22:40 | 100-41-4 | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 03/22/12 22:40 | 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | | 03/22/12 22:40 | 108-88-3 | |
| Xylene (Total) | ND ug/L | 3.0 | 1 | | 03/22/12 22:40 | 1330-20-7 | |
| Surrogates | | | | | | | |
| 4-Bromofluorobenzene (S) | 122 % | 79-121 | 1 | | 03/22/12 22:40 | 460-00-4 | S3 |
| Dibromofluoromethane (S) | 102 % | 81-119 | 1 | | 03/22/12 22:40 | 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 103 % | 72-127 | 1 | | 03/22/12 22:40 | 17060-07-0 | |
| Toluene-d8 (S) | 98 % | 77-120 | 1 | | 03/22/12 22:40 | 2037-26-5 | |
| NWTPH-Gx MSV | Analytical Method: NW | TPH-Gx | | | | | |
| Gasoline Range Organics | ND ug/L | 50.0 | 1 | | 03/18/12 09:00 | | |
| Surrogates | | | _ | | | | |
| 4-Bromofluorobenzene (S) | 104 % | 50-150 | 1 | | 03/18/12 09:00 | 460-00-4 | |
| Sample: MW-9 | Lab ID: 2511201008 | 0 11 1 1 20/20/4 | 0.00.50 | | | | |
| Sample. WW-9 | Lab ID. 2311201000 | Collected: 03/09/1 | 2 09:50 | Received: 03 | 3/12/12 12:00 N | latrix: Water | |
| Parameters | Results Units | | 2 09:50 DF | Prepared Prepared | 3/12/12 12:00 N Analyzed | latrix: Water CAS No. | Qua |
| Parameters | Results Units | | DF | Prepared | | | Qua |
| Parameters 6010 MET ICP | Results Units | s Report Limit | DF | Prepared A 3010 | | CAS No. | Qua |
| Parameters 5010 MET ICP ron | Results Units Analytical Method: EPA | Report Limit 6010 Preparation Meth | DF nod: EP | Prepared A 3010 | Analyzed | CAS No. | Qua |
| Parameters 6010 MET ICP ron 3260 MSV | Analytical Method: EPA 1160 ug/L Analytical Method: EPA | Report Limit 6010 Preparation Meth 100 5030B/8260 | DF nod: EP | Prepared A 3010 | Analyzed 03/20/12 13:11 | CAS No. 7439-89-6 | Qua |
| Parameters 5010 MET ICP ron 3260 MSV Benzene | Results Units Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L | Report Limit 100 15030B/8260 0.20 | DF nod: EP 1 | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 | Qua |
| Parameters 6010 MET ICP ron 8260 MSV Benzene Ethylbenzene | Results Units Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L ND ug/L | Report Limit 100 15030B/8260 0.20 1.0 | DF nod: EP 1 | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 | Qua |
| Parameters 5010 MET ICP ron 3260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether | Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L ND ug/L ND ug/L ND ug/L | Report Limit 100 15030B/8260 0.20 1.0 1.0 | DF | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 1634-04-4 | Qua |
| Parameters 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene | Results Units Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L | Report Limit 100 15030B/8260 0.20 1.0 1.0 1.0 | DF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 | Qua |
| Parameters 5010 MET ICP Iron 3260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) | Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L ND ug/L ND ug/L ND ug/L | Report Limit 100 15030B/8260 0.20 1.0 1.0 | DF | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 | Qua |
| Parameters 5010 MET ICP ron 3260 MSV Benzene Ethylbenzene Wethyl-tert-butyl ether Toluene Kylene (Total) Surrogates | Results Units Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L | Report Limit 100 15030B/8260 0.20 1.0 1.0 1.0 | DF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 | Qua |
| Parameters 5010 MET ICP ron 3260 MSV Benzene Ethylbenzene Wethyl-tert-butyl ether Toluene Kylene (Total) Surrogates 4-Bromofluorobenzene (S) | Results Units Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L | Report Limit 100 15030B/8260 0.20 1.0 1.0 1.0 3.0 79-121 | DF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 | |
| Parameters 5010 MET ICP Fron 3260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) | Results Units Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L ND ug/L ND ug/L ND ug/L ND ug/L 122 % 103 % | Report Limit 100 15030B/8260 0.20 1.0 1.0 1.0 3.0 79-121 81-119 | DF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 | |
| Parameters 5010 MET ICP ron 3260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Kylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) | Results Units Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L 122 % | Report Limit 100 15030B/8260 0.20 1.0 1.0 1.0 3.0 79-121 | DF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 | |
| | Results Units Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L ND ug/L ND ug/L ND ug/L ND ug/L 122 % 103 % 102 % | Report Limit 100 15030B/8260 0.20 1.0 1.0 3.0 79-121 81-119 72-127 77-120 | DF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 | |
| Parameters 6010 MET ICP Iron 8260 MSV Benzene Ethylbenzene Methyl-tert-butyl ether Toluene Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) Toluene-d8 (S) | Results Units Analytical Method: EPA 1160 ug/L Analytical Method: EPA ND ug/L 122 % 103 % 102 % 101 % | Report Limit 100 15030B/8260 0.20 1.0 1.0 3.0 79-121 81-119 72-127 77-120 | DF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Prepared A 3010 | Analyzed 03/20/12 13:11 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 03/22/12 22:57 | CAS No. 7439-89-6 71-43-2 100-41-4 1634-04-4 108-88-3 1330-20-7 460-00-4 1868-53-7 17060-07-0 | |

Date: 03/26/2012 02:57 PM



Project: WA-00217
Pace Project No.: 2511201

| Sample: MW-10 | Lab ID: 25112010 | 09 Collected: 03/09/ | 12 10:20 | Received: 03 | 3/12/12 12:00 I | Matrix: Water | |
|---|----------------------|-----------------------------|----------|----------------|----------------------------------|---------------|------|
| Parameters | Results U | nits Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 6010 MET ICP | Analytical Method: E | PA 6010 Preparation Met | hod: EPA | A 3010 | | | |
| Iron | 8520 ug/L | 100 | 1 | 03/16/12 10:10 | 03/20/12 13:22 | 7439-89-6 | |
| 8260 MSV | Analytical Method: E | PA 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 03/22/12 23:14 | 71-43-2 | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 03/22/12 23:14 | 100-41-4 | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 03/22/12 23:14 | 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | | 03/22/12 23:14 | 108-88-3 | |
| Xylene (Total) Surrogates | ND ug/L | 3.0 | 1 | | 03/22/12 23:14 | 1330-20-7 | |
| 4-Bromofluorobenzene (S) | 124 % | 79-121 | 1 | | 03/22/12 23:14 | 460-00-4 | S3 |
| Dibromofluoromethane (S) | 102 % | 81-119 | 1 | | 03/22/12 23:14 | 1868-53-7 | |
| 1,2-Dichloroethane-d4 (S) | 104 % | 72-127 | 1 | | 03/22/12 23:14 | 17060-07-0 | |
| Toluene-d8 (S) | 100 % | 77-120 | 1 | | 03/22/12 23:14 | 2037-26-5 | |
| NWTPH-Gx MSV | Analytical Method: N | WTPH-Gx | | | | | |
| Gasoline Range Organics Surrogates | ND ug/L | 50.0 | 1 | | 03/18/12 09:37 | | |
| 4-Bromofluorobenzene (S) | 103 % | 50-150 | 1 | | 03/18/12 09:37 | 460-00-4 | |
| Sample: Trip Blank | Lab ID: 25112010 | 10 Collected: 03/09/ | 12 00:00 | Received: 03 | 3/12/12 12:00 I | Matrix: Water | |
| Parameters | Results U | nits Report Limit | DF | Prepared | Analyzed | CAS No. | Qua |
| 8260 MSV | Analytical Method: E | PA 5030B/8260 | | | | | |
| Benzene | ND ug/L | 0.20 | 1 | | 03/22/12 22:06 | 71-43-2 | |
| Ethylbenzene | ND ug/L | 1.0 | 1 | | 03/22/12 22:06 | 100-41-4 | |
| Methyl-tert-butyl ether | ND ug/L | 1.0 | 1 | | 03/22/12 22:06 | 1634-04-4 | |
| Toluene | ND ug/L | 1.0 | 1 | | 03/22/12 22:06 | 108-88-3 | |
| V I (T / I) | ND ug/L | 3.0 | 1 | | 03/22/12 22:06 | 1330-20-7 | |
| Xylene (Total) | | | | | | | |
| , , | - | | | | | | |
| Surrogates | 119 % | 79-121 | 1 | | 03/22/12 22:06 | 460-00-4 | |
| Surrogates 4-Bromofluorobenzene (S) | 119 % 99 % | 79-121 81-119 | 1 1 | | 03/22/12 22:06 03/22/12 22:06 | | |
| Xylene (Total) Surrogates 4-Bromofluorobenzene (S) Dibromofluoromethane (S) 1,2-Dichloroethane-d4 (S) | | | | | | 1868-53-7 | |

Date: 03/26/2012 02:57 PM



WA-00217 Project: Pace Project No.: 2511201

Iron

QC Batch: MPRP/2874 Analysis Method: EPA 6010 QC Batch Method: EPA 3010 Analysis Description: 6010 MET

2511201001, 2511201002, 2511201003, 2511201004, 2511201005, 2511201006, 2511201007, 2511201008, Associated Lab Samples:

2511201009

METHOD BLANK: 106729 Matrix: Water

2511201001, 2511201002, 2511201003, 2511201004, 2511201005, 2511201006, 2511201007, 2511201008, 2511201007, 2511201008, 2511201007, 2511201008, 25112010008, 25112010008, 251120100008, 25112010008, 25112010008, 25112010008, 25112010008, 25112010Associated Lab Samples:

2511201009

Reporting Units Limit Qualifiers Parameter Result Analyzed ug/L ND 03/20/12 11:53

Blank

LABORATORY CONTROL SAMPLE: 106730

LCS LCS Spike % Rec Parameter Units Conc. Result % Rec Limits Qualifiers 114 80-120 Iron ug/L 10000 11400

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 106731 106732

MS MSD 2511209002 Spike Spike MS MSD MS MSD % Rec RPD Parameter Units Result Conc. % Rec % Rec Limits Qual Conc. Result Result Iron ug/L 13600 10000 10000 25900 25000 122 114 75-125 3



Project: WA-00217 Pace Project No.: 2511201

QC Batch: MSV/6624 Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge

Associated Lab Samples: 2511201001, 2511201002, 2511201003, 2511201004

METHOD BLANK: 106908 Matrix: Water Associated Lab Samples:

2511201001, 2511201002, 2511201003, 2511201004

| | | Blank | Reporting | | |
|---------------------------|-------|--------|-----------|----------------|------------|
| Parameter | Units | Result | Limit | Analyzed | Qualifiers |
| Benzene | ug/L | ND ND | 0.20 | 03/17/12 19:56 | |
| Ethylbenzene | ug/L | ND | 1.0 | 03/17/12 19:56 | |
| Methyl-tert-butyl ether | ug/L | ND | 1.0 | 03/17/12 19:56 | |
| Toluene | ug/L | ND | 1.0 | 03/17/12 19:56 | |
| Xylene (Total) | ug/L | ND | 3.0 | 03/17/12 19:56 | |
| 1,2-Dichloroethane-d4 (S) | % | 100 | 72-127 | 03/17/12 19:56 | |
| 4-Bromofluorobenzene (S) | % | 104 | 79-121 | 03/17/12 19:56 | |
| Dibromofluoromethane (S) | % | 97 | 81-119 | 03/17/12 19:56 | |
| Toluene-d8 (S) | % | 102 | 77-120 | 03/17/12 19:56 | |

| LABORATORY CONTROL SAMPLE: 106 | $^{\circ}$ |
|--------------------------------|------------|

Date: 03/26/2012 02:57 PM

| | .0000 | | | | | |
|---------------------------|-----------------|----------------|---------------|--------------|-----------------|------------|
| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
| Benzene | — ————— ug/L | | 16.3 | 82 | 66-123 | |
| Ethylbenzene | ug/L | 20 | 16.6 | 83 | 67-122 | |
| Methyl-tert-butyl ether | ug/L | 20 | 13.5 | 67 | 65-138 | |
| Toluene | ug/L | 20 | 16.3 | 81 | 64-118 | |
| Xylene (Total) | ug/L | 60 | 48.5 | 81 | 68-122 | |
| 1,2-Dichloroethane-d4 (S) | % | | | 100 | 72-127 | |
| 4-Bromofluorobenzene (S) | % | | | 100 | 79-121 | |
| Dibromofluoromethane (S) | % | | | 102 | 81-119 | |
| Toluene-d8 (S) | % | | | 98 | 77-120 | |

| MATRIX SPIKE & MATRIX SP | IKE DUPLICAT | E: 10764 | 2 | | 107643 | | | | | | |
|---------------------------|--------------|-----------|-------------|--------------|--------|--------|-------|-------|--------|-----|-------|
| | 2 | 511343001 | MS Spike | MSD Spike | MS | MSD | MS | MSD | % Rec | | |
| Parameter | Units | Result | Conc. | Conc. | Result | Result | % Rec | % Rec | Limits | RPD | Qual |
| Benzene | ug/L | ND | 20 | 20 | 15.3 | 10.4 | 77 | 52 | 63-138 | 39 | D6,M1 |
| Ethylbenzene | ug/L | ND | 20 | 20 | 15.9 | 9.6 | 79 | 47 | 65-135 | 50 | D6,M1 |
| Methyl-tert-butyl ether | ug/L | ND | 20 | 20 | 10.6 | 11.4 | 52 | 56 | 59-143 | 8 | M1 |
| Toluene | ug/L | ND | 20 | 20 | 15.2 | 10.0 | 76 | 50 | 64-128 | 41 | D6,M1 |
| Xylene (Total) | ug/L | ND | 60 | 60 | 46.2 | 27.8 | 77 | 46 | 65-133 | 50 | D6,M1 |
| 1,2-Dichloroethane-d4 (S) | % | | | | | | 96 | 134 | 72-127 | | S0 |
| 4-Bromofluorobenzene (S) | % | | | | | | 98 | 99 | 79-121 | | |
| Dibromofluoromethane (S) | % | | | | | | 101 | 111 | 81-119 | | |
| Toluene-d8 (S) | % | | | | | | 99 | 100 | 77-120 | | |



Project: WA-00217
Pace Project No.: 2511201

QC Batch: MSV/6667 Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge

Associated Lab Samples: 2511201005, 2511201006, 2511201007, 2511201008, 2511201009, 2511201010

METHOD BLANK: 107632 Matrix: Water

Associated Lab Samples: 2511201005, 2511201006, 2511201007, 2511201008, 2511201009, 2511201010

| | | Blank | Reporting | | |
|---------------------------|-------|--------|-----------|----------------|------------|
| Parameter | Units | Result | Limit | Analyzed | Qualifiers |
| Benzene | ug/L | ND ND | 0.20 | 03/22/12 21:49 | |
| Ethylbenzene | ug/L | ND | 1.0 | 03/22/12 21:49 | |
| Methyl-tert-butyl ether | ug/L | ND | 1.0 | 03/22/12 21:49 | |
| Toluene | ug/L | ND | 1.0 | 03/22/12 21:49 | |
| Xylene (Total) | ug/L | ND | 3.0 | 03/22/12 21:49 | |
| 1,2-Dichloroethane-d4 (S) | % | 101 | 72-127 | 03/22/12 21:49 | |
| 4-Bromofluorobenzene (S) | % | 121 | 79-121 | 03/22/12 21:49 | |
| Dibromofluoromethane (S) | % | 100 | 81-119 | 03/22/12 21:49 | |
| Toluene-d8 (S) | % | 101 | 77-120 | 03/22/12 21:49 | |

LABORATORY CONTROL SAMPLE: 107633

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---------------------------|--------|----------------|---------------|--------------|-----------------|------------|
| | Office | _ | | /0 IXEC | | Qualifiers |
| Benzene | ug/L | 20 | 16.9 | 84 | 66-123 | |
| Ethylbenzene | ug/L | 20 | 20.6 | 103 | 67-122 | |
| Methyl-tert-butyl ether | ug/L | 20 | 20.6 | 103 | 65-138 | |
| Toluene | ug/L | 20 | 19.8 | 99 | 64-118 | |
| Xylene (Total) | ug/L | 60 | 58.1 | 97 | 68-122 | |
| 1,2-Dichloroethane-d4 (S) | % | | | 93 | 72-127 | |
| 4-Bromofluorobenzene (S) | % | | | 96 | 79-121 | |
| Dibromofluoromethane (S) | % | | | 97 | 81-119 | |
| Toluene-d8 (S) | % | | | 102 | 77-120 | |

| MATRIX SPIKE & MATRIX SP | IKE DUPLICAT | E: 10799 | 5 | | 107996 | | | | | | |
|---------------------------|--------------|-----------|-------------|--------------|--------|--------|-------|-------|--------|-----|------|
| | 2 | 511238002 | MS Spike | MSD Spike | MS | MSD | MS | MSD | % Rec | | |
| Parameter | Units | Result | Conc. | Conc. | Result | Result | % Rec | % Rec | Limits | RPD | Qual |
| Benzene | ug/L | ND | 20 | 20 | 21.8 | 20.1 | 109 | 101 | 63-138 | 8 | |
| Ethylbenzene | ug/L | ND | 20 | 20 | 26.6 | 24.1 | 133 | 121 | 65-135 | 10 | |
| Methyl-tert-butyl ether | ug/L | ND | 20 | 20 | 24.8 | 22.0 | 124 | 110 | 59-143 | 12 | |
| Toluene | ug/L | ND | 20 | 20 | 25.0 | 22.6 | 125 | 113 | 64-128 | 10 | |
| Xylene (Total) | ug/L | ND | 60 | 60 | 73.7 | 67.1 | 123 | 112 | 65-133 | 9 | |
| 1,2-Dichloroethane-d4 (S) | % | | | | | | 92 | 94 | 72-127 | | |
| 4-Bromofluorobenzene (S) | % | | | | | | 94 | 95 | 79-121 | | |
| Dibromofluoromethane (S) | % | | | | | | 95 | 97 | 81-119 | | |
| Toluene-d8 (S) | % | | | | | | 101 | 101 | 77-120 | | |

Date: 03/26/2012 02:57 PM REPORT OF LABORATORY ANALYSIS



Project: WA-00217 Pace Project No.: 2511201

QC Batch: MSV/6625 Analysis Method: NWTPH-Gx

QC Batch Method: NWTPH-Gx Analysis Description: NWTPH-Gx MSV Water

Associated Lab Samples: 2511201001, 2511201002, 2511201003, 2511201004

METHOD BLANK: 106910 Matrix: Water

Associated Lab Samples: 2511201001, 2511201002, 2511201003, 2511201004

Blank Reporting

Parameter Units Result Limit Analyzed Qualifiers

Gasoline Range Organics ug/L ND 50.0 03/17/12 19:56

LABORATORY CONTROL SAMPLE: 106911

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Gasoline Range Organics ug/L 500 436 87 65-139 4-Bromofluorobenzene (S) % 103 50-150

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 107644 107645

MSD MS 2511343001 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits **RPD** Qual ND Gasoline Range Organics ug/L 500 500 463 457 88 87 48-147 4-Bromofluorobenzene (S) % 100 101 50-150



Project: WA-00217 Pace Project No.: 2511201

QC Batch: MSV/6627 Analysis Method: NWTPH-Gx

QC Batch Method: NWTPH-Gx Analysis Description: NWTPH-Gx MSV Water

Associated Lab Samples: 2511201005, 2511201006, 2511201007, 2511201008, 2511201009

METHOD BLANK: 106914 Matrix: Water

Associated Lab Samples: 2511201005, 2511201006, 2511201007, 2511201008, 2511201009

Blank Reporting

ParameterUnitsResultLimitAnalyzedQualifiersGasoline Range Organicsug/LND50.003/18/12 07:11

4-Bromofluorobenzene (S) % 105 50-150 03/18/12 07:11

LABORATORY CONTROL SAMPLE: 106915

Spike LCS LCS % Rec Parameter Units Conc. Result % Rec Limits Qualifiers Gasoline Range Organics ug/L 500 400 80 65-139 4-Bromofluorobenzene (S) % 102 50-150

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 107549 107550

MSD MS 2511214004 Spike Spike MS MSD MS MSD % Rec Parameter Units Result Conc. Conc. Result Result % Rec % Rec Limits **RPD** Qual ND Gasoline Range Organics ug/L 500 500 274 390 52 75 48-147 35 D6 4-Bromofluorobenzene (S) % 105 102 50-150



QUALIFIERS

Project: WA-00217 Pace Project No.: 2511201

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel Clean-Up

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-S Pace Analytical Services - Seattle

ANALYTE QUALIFIERS

Date: 03/26/2012 02:57 PM

| D6 | The relative percent difference (RPD) between the sample and sample duplicate exceeded laboratory control limits. |
|----|---|
| M1 | Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery. |

S0 Surrogate recovery outside laboratory control limits.

S3 Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated samples.

Results unaffected by high bias.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WA-00217
Pace Project No.: 2511201

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|------------|------------|-----------------|-----------|-------------------|---------------------|
| 2511201001 | MW-1 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511201002 | MW-2 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511201003 | MW-4 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511201004 | MW-5 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511201005 | MW-6 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511201006 | MW-7 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511201007 | MW-8 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511201008 | MW-9 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511201009 | MW-10 | EPA 3010 | MPRP/2874 | EPA 6010 | ICP/2699 |
| 2511201001 | MW-1 | EPA 5030B/8260 | MSV/6624 | | |
| 2511201002 | MW-2 | EPA 5030B/8260 | MSV/6624 | | |
| 2511201003 | MW-4 | EPA 5030B/8260 | MSV/6624 | | |
| 2511201004 | MW-5 | EPA 5030B/8260 | MSV/6624 | | |
| 2511201005 | MW-6 | EPA 5030B/8260 | MSV/6667 | | |
| 2511201006 | MW-7 | EPA 5030B/8260 | MSV/6667 | | |
| 2511201007 | MW-8 | EPA 5030B/8260 | MSV/6667 | | |
| 2511201008 | MW-9 | EPA 5030B/8260 | MSV/6667 | | |
| 2511201009 | MW-10 | EPA 5030B/8260 | MSV/6667 | | |
| 2511201010 | Trip Blank | EPA 5030B/8260 | MSV/6667 | | |
| 2511201001 | MW-1 | NWTPH-Gx | MSV/6625 | | |
| 2511201002 | MW-2 | NWTPH-Gx | MSV/6625 | | |
| 2511201003 | MW-4 | NWTPH-Gx | MSV/6625 | | |
| 2511201004 | MW-5 | NWTPH-Gx | MSV/6625 | | |
| 2511201005 | MW-6 | NWTPH-Gx | MSV/6627 | | |
| 2511201006 | MW-7 | NWTPH-Gx | MSV/6627 | | |
| 2511201007 | MW-8 | NWTPH-Gx | MSV/6627 | | |
| 2511201008 | MW-9 | NWTPH-Gx | MSV/6627 | | |
| 2511201009 | MW-10 | NWTPH-Gx | MSV/6627 | | |



CHAIN-OF-CUSTODY / Analytical Request Document

11 251

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

| Section A Required Client Information: | Section Required | | ct Infor | mation: | | | | | | tion | C | on: | | | | | | | | | | | Pa | ge: | nei | of | 1 |
|---|---------------------------|---------------------------|----------------|--|--|--------------------|----------|----------------|--------------------------|-------------|--------------------------------|------|-------|----------|-------|---------------|-----------------------------------|-------------------------|------------|--------|------------|--------------------------|-------------------------|-------------------|----------|--------------|---------------|
| Company: All ADTS | Report To | | | der | Lop | 07. | - V | | _ | ntion: | | | dor | - 1 | 01 | pez | | | | 1 | | | | | 155 | 433 | 15 |
| Address: 2300 Eastlete Are E Syle 200 | Сору То: | _ | ica | The state of the s | reun | | | | Com | pany | | | CAL | | 1 | | TV | | | REG | ULAT | ORY | AGENC | Υ | | THE STATE OF | |
| Seattle, WA 98102 | n'Sylet | UD! | | L. His | 16 | V 155 | | | Addr | ress: | 0 | -11 | nd | | 21 | | (Q) | | 1111 | Г | NPDE | S | GRO | JND WA | TER [| DRINK | NG WATER |
| Email To: Alexender Lopec | Purchase | Order | No.: | | | | | | Pace Quote Reference: | | | | | | | | UST | - 1 | RCRA | | 大 | OTHER | Ecology | | | | |
| Phone: (503) 964-9762 Fax: | Project Na | ame: | h/A | -002 | 17 | 9 | 7.77 | | | Projec | ct / | nd | | 13, | ow | spe | 16 | | | Site | Locat | ion | | 8 | | | 1 |
| Requested Due Date/TAT: | Project No | umber | GPO | ARPN | A.WA | 01, NO | 000 | - " | _ | Profile | | / | 1 | 24 | 4564 | | in . | 11 | 1 | Ign | STAT | TE: | wh | - | X1 500 | | |
| | | | | | | | | | | | | | | | | | R | eque | sted | Anal | ysis Fi | Iter | ed (Y/N) | Su P | | | |
| Section D Matrix C Required Client Information MATRIX | CODE | to left) | C=COMP) | 0. (1971) | COLL | ECTED | ringly | | in the | | Pri | eser | vativ | es | | N/A | 4 | | A ST | 0.1 | ų į | N | 8 2 h | da | and the | alia I di | |
| Drinking Wat Water Waste Water Product Soil/Solid SAMPLE ID | WT WW P SL OL | (see valid codes to left) | (G=GRAB C=CO | COMPC STAF | | COMPO END/GF | | COLLECTION | RS | | es S | 176 | Ser | | 2 | t.1 | PHES) | 0 | (0109) | | | | | e (Y/N) | | | |
| (A-Z, 0-9 / -) Wipe (A-Z, 0-9 / -) Air Sample IDs MUST BE UNIQUE Tissue Other | WP AR TS OT | MATRIX CODE | SAMPLE TYPE (C | DATE | TIME | DATE | TIME | SAMPLE TEMP AT | # OF CONTAINERS | Unpreserved | H ₂ SO ₄ | HCI | NaOH | Methanol | Other | Analysis Test | GRO LAW | EX (8 | Total Lead | | | | | Residual Chlorine | Pac | e Project | No./ Lab I.D. |
| 1 Mw-1 | | WI | | DATE | 1,,,,, | 3/9/2010 | _ | | u | X | 1 | 3 | | | | | X | | XX | \Box | | 1 | | | 1 40 | e i roject | NO.7 Lab I.D. |
| 2 MW-7 | "Mally | 1 | i | Louis St. | 130 5 | 1 | 12:40 | | 1 | | 1 | 1 | | 1 | 0 | byr. | X | -1 | CX | 11. | MIN | | (t) Fred Ity | | 1, 77 % | h W | |
| 3 MW-4 | 7.6 | | | | | | 10:50 | | | | | | | | | | X | XY | K 7 | | | | | | | | |
| 4 MW-5 | TEAL TOTAL | | | TEL GEO | 0.789 | . de viperi | 13:55 | | | | | | P | 0 197 | H | 93 | K | X | XX | 1 | | | H M V | | DIRECTOR | 15/20 1B | |
| 5 MW-6 | AND STATE | | | THE REPORT | Hu Th | 1 TEL | 11:25 | | | | | | | 111 | 43 | | 4 | Y | [X | | | - | | 31/ | 74.74 | alli n | |
| 6 MW-7 | | | | | | | 14:30 | | | | | | | | | | X | X Y | CX | | | | | | | | |
| 7 MW-8 | 14.11.00 | | | 2 10 70 | Li arti | 1 2000 | 9:25 | | | | | | | | | | 4 | XY | cx | | | | | | Bubb | union to | |
| 8 MV-9 | | | | | | | 9:50 | | | | | 11 | | | | | 4 | 4 4 | CX | | | | | | Somila | AHI | |
| 9 MW-10 | | | 1 | | | 1 | 10:20 | | 1 | | 1 | 1 | | | | | | | | | | | | | | - 24 | |
| 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | \perp | | | | _ | Ш | | | _ | | | | | | | | | |
| 12 | | | | STATE OF THE OWNER, OR SHE | | | | | | | | | | | | | | | | Ц | | | | | 1.19 | | |
| ADDITIONAL COMMENTS | | RE | LINQU | ISHED BY | AFFILIAT | TION | DATI | E | | TIME | | | A | CCEF | TED | BY / | AFF | ILIAT | ION | | DATE | | TIME | | SAM | PLE CONDI | TIONS |
| L grand plants out of | | 10 | Ha | ky 1 | lus | | 3/9/1 | 1 | 17 | :15 | | le | for | co | kr | - / | 4 | 11 | W | 1 | 19/18 | 2 | 17:15 | 01-13 | breth | | |
| | 1 | Sav | ull | iles | As | cudin | 7/12/1 | 1 | 09 | 15 | 5 | 1 | XX | 9 | K |) | Pe | 20 | 0 | = | 12/17 | 2 | 0925 | ib um | 15% | | |
| | 7 | - | 13 | iles | Pa | adis | 3/17 | 2 | R | 10 | 1 | SPO | th | 111 | 00 | 180 | 1 | PA | CF | | 3121 | | 1200 | [.] | 4 | N | V |
| | HE PARTY | 1 | 10 | | | | 11:01 | | 1,4 | -03 | 1 | W. | 204 | VIA | YLL | MA | - | 1// | | - | المعالاة | | | 1.1 | | | 7 |
| OR | IGINAL | | | | SAMPLI | ER NAME A | ND SIGNA | TUR | E | | | | | | | | | | | | | | | ç | u 9 | fy coler | ntact |
| | | | | | PRINT Nan | ar sex reservation | | | lyle | | last | an | | | | | | | | | Temp in °C | Received on Ice (Y/N) | ustod ed Co (Y/N) | (Y/N) | | | |
| | | | | | SIGNATURE of SAMPLER AGE NO OF 19 DATE Signed (MM/DD/YY): 03/05/20 | | | | | | | | 201 | 2 | Ter | Rec | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N) | | | | | | | | | |

Sample Container Count

2511201

| CLIENT: | Arcadis | |
|---------|---------|--|
| | | |

Pace Analytical

coc page ____ of ___ coc id#___1554335 Trip Blank(s) Provided?

| Sample Line Item | VG9H | AG1H | AG1U | BP1U | BP2U | BP3U | BP3N | BP3S | WGKU | WGFU | WG2U | DG9M | DG9B | VG9W | VSG | | | Comments |
|---------------------|------|------|------|--------|------|------|------|------|------|------|------|------|------|------|-----|---|--|----------|
| 1 | 3 | | | emes e | | | 102 | | | | | | | | | | | |
| 2 | | | | 10.1 | | | 11 | | | | | | - | | | | | |
| 3 | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | · | | - |
| 5 | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | |
| 9 | 4 | | | | | | 4 4 | | - | | | | | | | | | |
| 10 | 4 | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | |

| AG1H | 1 liter HCL amber glass | BP2S | 500mL H2SO4 plastic | JGFU | 4 oz amber glass soil jar |
|------|--------------------------------|------|------------------------------|------|--|
| AG1U | 1liter unpreserved amber glass | BP2U | 500mL unpreserved plastic | WGKU | 8 oz clear glass soil jar |
| AG2S | 500mL H2SO4 amber glass | BP2Z | 500mL NaOH, Zn Ac | WGFU | 4 oz clear glass soil jar |
| AG2U | 500mL unpreserved amber glass | BP3C | 250mL NaOH plastic | WG2U | 2 oz clear glass soil jar |
| AG3S | 250mL H2SO4 amber glass | BP3N | 250mL HNO3 plastic | JGFM | 4 oz amber glass soil jar with MeOH |
| BG1H | 1 liter HCL clear glass | BP3S | 250mL H2SO4 plastic | VG9U | 40mL unpreserved clear vial |
| BG1U | 1 liter unpreserved glass | BP3U | 250mL unpreserved plastic | VG9W | 40mL clear vial pre-weighted with DI water |
| BP1N | 1 liter HNO3 plastic | DG9B | 40mL Na Bisulfate clear vial | VSG | Headspace septa vial |
| BP1S | 1 liter H2SO4 plastic | DG9H | 40mL HCL amber voa vial | VG9H | 40mL HCL clear vial |
| BP1U | 1 liter unpreserved plastic | DG9M | 40mL MeOH clear vial | WGFX | 4oz wide jar w/hexane wipe . |
| BP1Z | 1 liter NaOH, Zn, Ac | DG9T | 40mL Na Thio amber vial | VG9T | 40mL Na Thio. clear vial |
| BP2N | 500mL HNO3 plastic | DG9U | 40mL unpreserved amber vial | ZPLC | Ziploc Bag |
| BP20 | 500mL NaOH plastic | 1 | Wipe/Swab | U | Summa Can |

| marks. | S | Sample C | ondi | tion Upon Rece | eipt | |
|---|------------------|------------------------|-------|---|---|----------------------|
| Pace Analytical Clie | nt Namo: | Ava | die | | Project # | 251120 |
| Cile | ili ivaille. | FICE | ious | | 1 10,000 # | |
| Courier: Fed Ex UPS US Tracking #: | PS Client | Comme | rcial | Pace Other | | |
| Custody Seal on Cooler/Box Preser | t: Yes | No | Seals | intact: Yes | ☐ No | |
| Packing Material: Bubble Wrap | | ags N | one (| Other | Temp. Blank Yes | No |
| | 731962 or 226099 | | Wet |) Blue None | | ng process has begun |
| Cooler Temperature Temp should be above freezing ≤ 6*C | (c | Biological T | issue | is Frozen: Yes No Comments: | Date and Initials contents: | of person examining |
| Chain of Custody Present: | | Yes No | □N/A | 1. | | |
| Chain of Custody Filled Out: | | Yes No | □N/A | 2. | | |
| Chain of Custody Relinquished: | | ☑Yes ☐No | □N/A | 3. | | |
| Sampler Name & Signature on COC: | | Yes No | □N/A | 4. | | |
| Samples Arrived within Hold Time: | | ☐Yes ☐No | □N/A | 5. | | |
| Short Hold Time Analysis (<72hr): | | □Yes □No | □N/A | 6. | | |
| Rush Turn Around Time Requested | l: | □Yes ☑No | □N/A | 7. | | |
| Follow Up / Hold Analysis Requeste | ed: | □Yes ŪMo | □N/A | 8. | | |
| Sufficient Volume: | - | ☑Yes □No | □N/A | 9. | | |
| Correct Containers Used: | | ☐Yes ☐No | □N/A | 10. | | |
| -Pace Containers Used: | 19 | VIYes □No | □N/A | | | |
| Containers Intact: | | Yes No | □N/A | 11. | | |
| Filtered volume received for Dissolver | d tests | □Yes □No | ĽN/A | 12. | | |
| Sample Labels match COC: | | ☐Yes ☐No | □N/A | 13. RCVd 4 | Vials for trup | blank |
| -Includes date/time/ID/Analysis | Matrix: | WI | | not listed i | on coc | |
| All containers needing preservation have be | en checked. | ☐Yes ☐No | □N/A | 14. | | |
| All containers needing preservation are fo compliance with EPA recommendation. | und to be in | ☑Yes □No | □N/A | | | |
| Exceptions: VOA coliform, TOC, O&G | | ☑Yes □No | □N/A | Initial when completed | Lot # of added preservative | |
| Samples checked for dechlorination: | | □Yes □No | IDN/A | 15. | | |
| Headspace in VOA Vials (>6mm): | | □Yes, DNo | □N/A | 16. | | |
| Trip Blanks Present: | | Pres DNo | □N/A | 17. | | |
| Trip Blank Custody Seals Present | | Yes No | □N/A | | | |
| Pace Trip Blank Creation Date: | 30712 | | | | | |
| Client Notification/ Resolution: Person Contacted: Blia Comments/ Resolution: Not Lo anal Add and ana | n Ma Porta | round ated TB no | C | Time: 3/14/16 liest 40 listed DTEX | Field Data Required 2 1207 ash wh as COC pu Cleis | wherew Please |
| Project Manager Review: | | a | RI | 3 | Date: | 3/ |

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Andy Brownfield - RE: WA-00217

From: "Marcum, Brian" <Brian.Marcum@arcadis-us.com>
To: Andy Brownfield <Andy.Brownfield@pacelabs.com>

Date: 3/14/2012 12:12 PM Subject: RE: WA-00217

Hi Andy,

It must have gotten missed on the coc. Please analyze the trip blank for BTEX.

Thanks,

Brian Marcum EIT | Environmental Engineer 1 | brian.marcum@arcadis-us.com ARCADIS U.S., Inc. | 111 SW Columbia St., Suite 670 | Portland, OR 97201 T: 503 220 8201 x 1137 | M: 971 235 7174 | F: 503 220 8209 www.arcadis-us.com

ARCADIS, Imagine the result
Please consider the environment before printing this email.

From: Andy Brownfield [mailto:Andy.Brownfield@pacelabs.com]

Sent: Wednesday, March 14, 2012 12:07 PM

To: Marcum, Brian Subject: WA-00217 Importance: High

Hi Brian,

We received a trip blank for this project and it is not listed on the COC. Would you like us to analyze or put on hold?

Please advise.

thank you!

Andy

Andy Brownfield

Project Manager Pace Analytical Services, Inc. 940 S. Harney Street Seattle, WA 98108

Direct Line: 206-957-2429

Fax: 206.767.5063 www.pacelabs.com

Pace Analytical is now paperless! Reports are available via email or on-line through PacePort at