



March 1, 2012

Byung Maeng  
Washington State Department of Ecology  
Northwest Regional Office  
3190 160th Avenue SE  
Bellevue WA 98008-5452

**RE: NOVEMBER 2011 SEMIANNUAL GROUNDWATER MONITORING RESULTS  
BOEING DEVELOPMENTAL CENTER, TUKWILA, WASHINGTON**

Dear Byung:

This letter transmits the semiannual groundwater monitoring report indicated above on behalf of The Boeing Company for the period following the May 2011 semiannual sampling event (and corresponding report) through the semiannual event in November 2011. This letter also provides a brief summary of the data and of remedial activities performed at the site during the reporting period. Remedial actions are underway in Solid Waste Management Unit (SWMU)-20, SWMU-17, and Area of Concern (AOC)-05. All other SWMUs and AOCs identified in the 1994 RFA have been excluded from further investigation based on determinations that they do not pose a threat to human health or the environment.

Groundwater monitoring at the Boeing Developmental Center is documented in the attached report and consists of quarterly monitoring performed in July/August 2011 at SWMU-17 and AOC-05, and semiannual monitoring performed in November 2011 at SWMU-20, SWMU-17, and AOC-05. Analytical data for SWMU-20, SWMU-17, and AOC-05 are enclosed for your review and include sample results summary tables and laboratory data packages. Summary figures, historical analytical summary data, and volatile organic compounds concentration trend charts are provided for key constituents present in SWMU-20. Included for AOC-05 are cumulative tables for total petroleum hydrocarbons (TPH); benzene, toluene, ethylbenzene, and xylenes (BTEX); and conventional parameters; as well as trend plots for TPH-Gasoline (TPH-G), BTEX, and nitrate.

At SWMU-20, *in situ* anaerobic bioremediation continues for treatment of tetrachloroethene (PCE), trichloroethene (TCE), and breakdown products following the last electron donor injection performed in August 2008. Groundwater monitoring results indicate that treatment continues to be enhanced at and near injection wells, as indicated by the persistence of sulfate-reducing to methanogenic aquifer redox conditions, total organic carbon (TOC) levels generally above 10 milligrams per liter (mg/L), and the continued detection of end product ethane (MW-09A) (see SWMU-20 Cleanup Action

Summary table). At all source-zone wells, PCE and TCE remain below detection levels and breakdown products cis-1,2-dichloroethene (cDCE) and vinyl chloride (VC) are either below detection levels or at very low concentrations. All cDCE and VC detections at source zone well are less than 1 microgram per liter ( $\mu\text{g/L}$ ), with the exception of well MW-22 with VC slightly higher at 1.7  $\mu\text{g/L}$ . Following the successful source zone bioremediation that resulted from donor injection to source-zone wells, the highest PCE and TCE concentrations now present are at wells located crossgradient (north) (MW-13A and MW-17A) or upgradient (east) (MW-16A) of the treated source zone (see SWMU-20 Non Source Zone Wells Summary table). Concentrations have been relatively low at these wells (PCE/TCE less than 4  $\mu\text{g/L}$ ) and exhibit generally decreasing or stable trends; TCE at MW-13A was below the detection limit for the first time in November 2011 since sampling began in 2004. Semiannual monitoring will continue in SWMU-20 to evaluate potential source zone rebound and trends at crossgradient wells. Additional injections within SWMU-20 are not anticipated at this time.

At AOC-05, *in situ* anaerobic bioremediation continues for treatment of TPH-G and BTEX. Through the end of the reporting period, the most recent injection of nitrate electron acceptor solution took place (at well BDC-103 only) in September 2010. At downgradient wells BDC-101 and BDC-102, and at previously impacted well BDC-104, TPH-G and BTEX remain below detection limits. At BDC-103, following almost 2 years of substantially lower TPH-G and BTEX concentrations, concentrations of these contaminants rebounded in November 2011, coinciding with a decrease in nitrate to below detection limits. In addition to cessation of treatment due to nitrate depletion, it is likely that the substantial rebound observed is due to the wet-season high water table coming in contact with higher smear zone contamination. November 2011 nitrate concentrations were below the 10 mg/L action level at downgradient wells BDC-101 and BDC-102, and at the group of farther downgradient wells (BDC-05-4 [ND], MW-17A, MW-18A, and MW-21A [ND]). Based on monitoring results, an additional nitrate injection was performed at BDC-103 in February 2012. Additional nitrate injections will continue, as needed, to treat remaining sorbed- and non-aqueous phase liquid-phase contamination that can lead to rebound in aqueous-phase concentrations. Groundwater sampling at AOC-05 wells will continue on a quarterly basis to evaluate contaminant treatment and nitrate consumption. Semiannual monitoring for nitrate at farther downgradient wells will also continue until nitrate remains below 10 mg/L for two consecutive semiannual events at downgradient wells BDC-101 and BDC-102.

At SWMU-17, electron donor was injected in August 2011 to 11 wells to enhance *in situ* anaerobic bioremediation of the PCE/TCE plume. Baseline sampling was performed in July 2011, followed by post-injection semiannual monitoring in November 2011. The groundwater monitoring results presented in this data report show TOC is elevated at injection wells (550 to 5360 mg/L) and at some downgradient and crossgradient monitoring wells (22 to 170 mg/L). Enhanced aquifer redox

conditions are generally indicated at SWMU-17 wells by decreased sulfate and increased methane concentrations. Reductive dechlorination has been enhanced, as evidenced by increases in breakdown products cDCE (max 150 µg/L) and VC (max 4.7 µg/L), and in end products ethene or ethane (max 1.7 µg/L). Quarterly and semiannual monitoring will continue for evaluation of treatment progress. Additional injections within SWMU-17 are not necessary at this time.

Please call or email me if you have any questions or if you would like to discuss any of the sampling results in more detail.

LANDAU ASSOCIATES, INC.



Clinton L. Jacob, P.E., L.G.  
Principal Engineer

CLJ/tam

Enclosures: Developmental Center Groundwater Monitoring – November 2011

SWMU-20 Data Tables and Summary Data  
SWMU-17 Data Tables  
AOC-05 Data Table and Chart Trends  
Groundwater Elevation Information  
Groundwater Sample Collection Forms and Analytical Data (CD)

cc: James Bet, Boeing EHS Remediation (elec. w/o data)  
Susanne McIlveen, Boeing Defense, Space & Security, EHS Manager (elec. w/o data)

***DEVELOPMENTAL CENTER  
GROUNDWATER MONITORING  
NOVEMBER 2011***

***DEVELOPMENTAL CENTER  
GROUNDWATER MONITORING  
NOVEMBER 2011***

**SWMU-20 VOA/CONVENTIONALS DATA TABLES**

**SWMU-20 SUMMARY DATA**

- **SWMU-20 VOC SUMMARY MAPS**
- **SWMU-20 ANALYTICAL RESULTS SUMMARY  
(January 1994 through Present)**
- **SWMU-20 VOC CONCENTRATION TREND CHARTS  
(January 1994 through Present)**
- **SWMU-20 CLEANUP ACTION SUMMARY – SOURCE  
ZONE**
- **SWMU-20 CLEANUP ACTION SUMMARY – NON-  
SOURCE ZONE**

**SWMU-20 VOA/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
NOVEMBER 2011**

Page 1 of 6

Sample Name:	DC-MW-6A	DC-MW-6B	DC-MW-9A	DC-MW-10A	DC-MW-10C	DC-MW-11A	DC-MW-12A
ARI Sample ID:	TX00M	TX00N	TX00E	TX00C	TX00D	TX00B	TX00A
Sample Date:	11/13/2011	11/13/2011	11/13/2011	11/13/2011	11/13/2011	11/13/2011	11/13/2011
<b>Test ID: VOA SW8260C (µg/L)</b>							
Chloromethane	0.5 U						
Bromomethane	1.0 U						
<b>Vinyl Chloride</b>	0.8	0.8	0.2 U	0.4	4.3	0.4	0.2 U
Chloroethane	0.2 U						
Methylene Chloride	0.5 U						
Acetone	5.0 U						
Carbon Disulfide	0.2 U						
<b>1,1-Dichloroethene</b>	0.2 U	0.2	0.2 U				
1,1-Dichloroethane	0.2 U						
<b>trans-1,2-Dichloroethene</b>	0.2 U	0.2 U	1.1	0.3	0.2	0.7	0.2 U
<b>cis-1,2-Dichloroethene</b>	0.3	0.2 U	0.2	0.2	3.7	23	3.1
Chloroform	0.2 U						
1,2-Dichloroethane	0.2 U						
2-Butanone	5.0 U						
1,1,1-Trichloroethane	0.2 U						
Carbon Tetrachloride	0.2 U						
Vinyl Acetate	1.0 U						
Bromodichloromethane	0.2 U						
1,2-Dichloropropane	0.2 U						
cis-1,3-Dichloropropene	0.2 U						
<b>Trichloroethene</b>	0.2 U	0.5	0.6				
Dibromochloromethane	0.2 U						
1,1,2-Trichloroethane	0.2 U						
<b>Benzene</b>	0.2 U						
trans-1,3-Dichloropropene	0.2 U						
2-Chloroethylvinylether	1.0 U						
Bromoform	0.2 U						
4-Methyl-2-Pentanone (MIBK)	5.0 U						
2-Hexanone	5.0 U						
<b>Tetrachloroethene</b>	0.2 U						
1,1,2,2-Tetrachloroethane	0.2 U						
Toluene	0.2	0.2 U	0.4	0.2	0.2 U	0.2 U	0.2 U
Chlorobenzene	0.2 U						
Ethylbenzene	0.2 U						
Styrene	0.2 U						
Trichlorofluoromethane	0.2 U						
1,1,2-Trichloro-1,2,2-trifluoroethane	0.2 U						
m,p-Xylene	0.4 U						
o-Xylene	0.2 U						
1,2-Dichlorobenzene	0.2 U						
1,3-Dichlorobenzene	0.2 U						
1,4-Dichlorobenzene	0.2 U						
Acrolein	5.0 U						
Methyl Iodide	1.0 U						
Bromoethane	0.2 U						
Acrylonitrile	1.0 U						
1,1-Dichloropropene	0.2 U						
Dibromomethane	0.2 U						
1,1,1,2-Tetrachloroethane	0.2 U						
1,2-Dibromo-3-chloropropane	0.5 U						
1,2,3-Trichloropropane	0.5 U						
trans-1,4-Dichloro-2-butene	1.0 U						
1,3,5-Trimethylbenzene	0.2 U						
<b>1,2,4-Trimethylbenzene</b>	0.2 U						
Hexachlorobutadiene	0.5 U						
Ethylene Dibromide	0.2 U						
<b>Bromochloromethane</b>	0.2 U						
<b>2,2-Dichloropropane</b>	0.2 U						
1,3-Dichloropropane	0.2 U						
Isopropylbenzene	0.2 U						
n-Propylbenzene	0.2 U						
Bromobenzene	0.2 U						

**SWMU-20 VOA/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
NOVEMBER 2011**

Page 2 of 6

Sample Name:	DC-MW-6A	DC-MW-6B	DC-MW-9A	DC-MW-10A	DC-MW-10C	DC-MW-11A	DC-MW-12A
ARI Sample ID:	TX00M	TX00N	TX00E	TX00C	TX00D	TX00B	TX00A
Sample Date:	11/13/2011	11/13/2011	11/13/2011	11/13/2011	11/13/2011	11/13/2011	11/13/2011
2-Chlorotoluene	0.2 U						
4-Chlorotoluene	0.2 U						
tert-Butylbenzene	0.2 U						
sec-Butylbenzene	0.2 U						
4-Isopropyltoluene	0.2 U						
n-Butylbenzene	0.2 U						
1,2,4-Trichlorobenzene	0.5 U						
Naphthalene	0.5 U	0.5 U	5.3	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	0.5 U						
<b>NATURAL ATTENUATION PARAMETERS</b>							
Method Modified RSK175 ( $\mu\text{g/L}$ )							
Methane	6370	2260	11800	15400			
Ethane	1.2 U	1.2 U	1.2	1.2 U			
Ethene	1.1 U	1.1 U	1.1 U	1.1 U			
<b>Conventional Parameters</b>							
Sulfate (mg/L) (EPA 300.0)	0.3	0.3	0.4	0.3			
Total Organic Carbon (mg/L) (EPA 415.1)	12.7	14.8	39.4	33.8			

**SWMU-20 VOA/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
NOVEMBER 2011**

Page 3 of 6

Sample Name:	DC-MW-13A	DC-MW-13C	DC-MW-14A	DC-MW-14C	DC-MW-15A	DC-MW-15C
ARI Sample ID:	TV27B	TV27C	TX00H	TX00I	TX00F	TX00G
Sample Date:	11/3/2011	11/3/2011	11/13/2011	11/13/2011	11/13/2011	11/13/2011
<b>Test ID: VOA SW8260C (µg/L)</b>						
Chloromethane	1.0 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
<b>Vinyl Chloride</b>	1.0 U	1.0 U	0.2 U	0.2 U	1.0	0.2 U
Chloroethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Methylene Chloride	2.0 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	10 U	10 U	5.0 U	5.0 U	7.0	5.0 U
Carbon Disulfide	1.0 U	1.0 U	0.2 U	3.0	0.2 U	0.2 U
<b>1,1-Dichloroethene</b>	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,1-Dichloroethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
<b>trans-1,2-Dichloroethene</b>	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2
<b>cis-1,2-Dichloroethene</b>	1.0 U	1.0 U	0.6	0.2 U	0.3	0.2 U
Chloroform	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,2-Dichloroethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Butanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,1,1-Trichloroethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Carbon Tetrachloride	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Vinyl Acetate	5.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,2-Dichloropropane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
cis-1,3-Dichloropropene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
<b>Trichloroethene</b>	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibromochloromethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,1,2-Trichloroethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
<b>Benzene</b>	1.0 U	1.0 U	0.2 U	0.2 U	0.4	0.2 U
trans-1,3-Dichloropropene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Chloroethylvinylether	5.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Methyl-2-Pentanone (MIBK)	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Hexanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
<b>Tetrachloroethene</b>	1.6	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Toluene	1.0 U	1.0 U	0.2 U	0.2 U	1.4	0.2 U
Chlorobenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Ethylbenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.7	0.2 U
Styrene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Trichlorofluoromethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,1,2-Trichloro-1,2,2-trifluoroethane	2.0 U	2.0 U	0.2 U	0.2 U	0.2 U	0.2 U
m,p-Xylene	2.0 U	2.0 U	0.4 U	0.4 U	1.0	0.4 U
o-Xylene	1.0 U	1.0 U	0.2 U	0.2	1.0	0.2 U
1,2-Dichlorobenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,3-Dichlorobenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,4-Dichlorobenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Acrolein	10 UJ	10 UJ	5.0 U	5.0 U	5.0 U	5.0 U
Methyl Iodide	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoethane	2.0 U	2.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Acrylonitrile	5.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloropropene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibromomethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,1,1,2-Tetrachloroethane	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,2-Dibromo-3-chloropropane	5.0 U	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichloropropane	2.0 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U
trans-1,4-Dichloro-2-butene	5.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3,5-Trimethylbenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.6	0.2 U
<b>1,2,4-Trimethylbenzene</b>	1.0 U	1.0 U	0.2 U	0.2	2.1	0.2 U
Hexachlorobutadiene	5.0 U	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylene Dibromide	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
<b>Bromochloromethane</b>	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
<b>2,2-Dichloropropane</b>	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,3-Dichloropropane	5.0 U	5.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Isopropylbenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
n-Propylbenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
Bromobenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U

**SWMU-20 VOA/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
NOVEMBER 2011**

Page 4 of 6

Sample Name:	DC-MW-13A	DC-MW-13C	DC-MW-14A	DC-MW-14C	DC-MW-15A	DC-MW-15C
ARI Sample ID:	TV27B	TV27C	TX00H	TX00I	TX00F	TX00G
Sample Date:	11/3/2011	11/3/2011	11/13/2011	11/13/2011	11/13/2011	11/13/2011
2-Chlorotoluene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Chlorotoluene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
tert-Butylbenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
sec-Butylbenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Isopropyltoluene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
n-Butylbenzene	1.0 U	1.0 U	0.2 U	0.2 U	0.2 U	0.2 U
1,2,4-Trichlorobenzene	5.0 U	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U
Naphthalene	5.0 U	5.0 U	0.5	0.5 U	190	0.5 U
1,2,3-Trichlorobenzene	5.0 U	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U
<b>NATURAL ATTENUATION PARAMETERS</b>						
Method Modified RSK175 ( $\mu\text{g/L}$ )						
Methane			7510			
Ethane			1.2 U			
Ethene			1.1 U			
<b>Conventional Parameters</b>						
Sulfate (mg/L) (EPA 300.0)			0.1 U			
Total Organic Carbon (mg/L) (EPA 415.1)			8.05			

**SWMU-20 VOA/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
NOVEMBER 2011**


Page 5 of 6

Sample Name:	DC-MW-16A	DC-MW-16C	DC-MW17A	DC-MW-20C	DC-MW-22A	TRIP BLANK
ARI Sample ID:	TX00K	TX00L	TV27A	TV27D	TX00J	TX00O
Sample Date:	11/13/2011	11/13/2011	11/3/2011	11/3/2011	11/13/2011	11/13/2011
<b>Test ID: VOA SW8260C (µg/L)</b>						
Chloromethane	0.5 U	0.5 U	1.0 U	1.0 U	0.5 U	0.5 U
Bromomethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
<b>Vinyl Chloride</b>	0.2 U	2.5	1.0 U	2.1	1.7	0.2 U
Chloroethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
Methylene Chloride	0.5 U	0.5 U	2.0 U	2.0 U	0.5 U	0.5 U
Acetone	5.0 U	5.0 U	10 U	10 U	5.0 U	5.0 U
Carbon Disulfide	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
<b>1,1-Dichloroethene</b>	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,1-Dichloroethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
<b>trans-1,2-Dichloroethene</b>	0.2 U	0.2	1.0 U	1.0 U	0.2 U	0.2 U
<b>cis-1,2-Dichloroethene</b>	0.5	3.3	1.0	1.3	0.9	0.2 U
Chloroform	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,2-Dichloroethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
2-Butanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,1,1-Trichloroethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
Carbon Tetrachloride	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
Vinyl Acetate	1.0 U	1.0 U	5.0 U	5.0 U	1.0 U	1.0 U
Bromodichloromethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,2-Dichloropropane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
cis-1,3-Dichloropropene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
<b>Trichloroethene</b>	1.3	0.2 U	2.8	1.0 U	0.2 U	0.2 U
Dibromochloromethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,1,2-Trichloroethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
<b>Benzene</b>	0.2 U	0.2 U	1.0 U	1.0 U	0.2	0.2 U
trans-1,3-Dichloropropene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
2-Chloroethylvinylether	1.0 U	1.0 U	5.0 U	5.0 U	1.0 U	1.0 U
Bromoform	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
4-Methyl-2-Pentanone (MIBK)	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Hexanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
<b>Tetrachloroethene</b>	1.4	0.2 U	2.6	1.0 U	0.2 U	0.2 U
1,1,2,2-Tetrachloroethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
Toluene	0.2 U	0.2 U	1.0 U	1.0 U	0.7	0.2 U
Chlorobenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
Ethylbenzene	0.2 U	0.2 U	1.0 U	1.0 U	1.5	0.2 U
Styrene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
Trichlorofluoromethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.2 U	0.2 U	2.0 U	2.0 U	0.2 U	0.2 U
m,p-Xylene	0.4 U	0.4 U	2.0 U	2.0 U	1.1	0.4 U
o-Xylene	0.2 U	0.2 U	1.0 U	1.0 U	2.2	0.2 U
1,2-Dichlorobenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,3-Dichlorobenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,4-Dichlorobenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
Acrolein	5.0 U	5.0 U	10 UJ	10 UJ	5.0 U	5.0 U
Methyl Iodide	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoethane	0.2 U	0.2 U	2.0 U	2.0 U	0.2 U	0.2 U
Acrylonitrile	1.0 U	1.0 U	5.0 U	5.0 U	1.0 U	1.0 U
1,1-Dichloropropene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
Dibromomethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,1,1,2-Tetrachloroethane	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,2-Dibromo-3-chloropropane	0.5 U	0.5 U	5.0 U	5.0 U	0.5 U	0.5 U
1,2,3-Trichloropropane	0.5 U	0.5 U	2.0 U	2.0 U	0.5 U	0.5 U
trans-1,4-Dichloro-2-butene	1.0 U	1.0 U	5.0 U	5.0 U	1.0 U	1.0 U
1,3,5-Trimethylbenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.4	0.2 U
<b>1,2,4-Trimethylbenzene</b>	0.2 U	0.2 U	1.0 U	1.0 U	4.1	0.2 U
Hexachlorobutadiene	0.5 U	0.5 U	5.0 U	5.0 U	0.5 U	0.5 U
Ethylene Dibromide	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
<b>Bromochloromethane</b>	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
<b>2,2-Dichloropropane</b>	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,3-Dichloropropane	0.2 U	0.2 U	5.0 U	5.0 U	0.2 U	0.2 U
Isopropylbenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.3	0.2 U
n-Propylbenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
Bromobenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U


**SWMU-20 VOA/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
NOVEMBER 2011**


Page 6 of 6


Sample Name:	DC-MW-16A	DC-MW-16C	DC-MW17A	DC-MW-20C	DC-MW-22A	TRIP BLANK
ARI Sample ID:	TX00K	TX00L	TV27A	TV27D	TX00J	TX00O
Sample Date:	11/13/2011	11/13/2011	11/3/2011	11/3/2011	11/13/2011	11/13/2011
2-Chlorotoluene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
4-Chlorotoluene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
tert-Butylbenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
sec-Butylbenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
4-Isopropyltoluene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
n-Butylbenzene	0.2 U	0.2 U	1.0 U	1.0 U	0.2 U	0.2 U
1,2,4-Trichlorobenzene	0.5 U	0.5 U	5.0 U	5.0 U	0.5 U	0.5 U
Naphthalene	0.5 U	0.5 U	5.0 U	5.0 U	12	0.5 U
1,2,3-Trichlorobenzene	0.5 U	0.5 U	5.0 U	5.0 U	0.5 U	0.5 U
<b>NATURAL ATTENUATION PARAMETERS</b>						
Method Modified RSK175 ( $\mu\text{g/L}$ )						
Methane					2510	
Ethane					1.2 U	
Ethene					1.1 U	
<b>Conventional Parameters</b>						
Sulfate (mg/L) (EPA 300.0)					0.4	
Total Organic Carbon (mg/L) (EPA 415.1)					17.6	





LANDAU  
ASSOCIATES











**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

Page 1 of 12

**TETRACHLOROETHENE (µg/L)**

	Jan-94	May-95	Oct-95	Feb-96	May-96	Aug-96	Nov-96	Feb-97	May-97	Aug-97	Nov-97	Jun-98	Oct-98	Jun-99	Jun-00	Dec-00	Jun-01	Dec-01	Jun-02	Dec-02	Jun-03	Nov-03	May-04	Aug-04	Oct-04	Feb-05	Mar-05	May-05	Aug-05	Nov-05	Feb-06	
06A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<1.0	<1.0	<1.0	nt	nt	<1.0	<1.0	<1.0	<1.0	
06B	<b>27</b>	<b>5.87</b>	<b>14.4</b>	<b>9.62 J</b>	<b>26.18</b>	<b>13.7</b>	<b>14.3</b>	<b>21.5</b>	<b>21.3</b>	<b>17</b>	<b>16.9</b>	<b>18.9</b>	<b>16.3</b>	<b>22.6</b>	<b>2.3</b>	<b>6</b>	<b>10.19</b>	<b>2.6</b>	<b>2.4</b>	<b>10</b>	<b>7.9</b>	<b>3.9</b>	<b>9.5</b>	<b>1.9</b>	<1.0	nt	nt	<2.0	<1.0	<1.0	<1.0	
06C	<b>22</b>	<1.00	<10.00	<10.00	<1.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	<1.00	<1.00	<1.00		
08C	<b>16</b>	<1.00	<5.00	<5.00	<3.33	<10.00	<b>13.5</b>	<5.00	<4.00	<4.00	<4.00	<b>7.8</b>	<5.00	<1.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt		
09A	<b>420</b>	<b>2568.25</b>	<b>1589</b>	<b>1970</b>	<b>785.7</b>	<b>114</b>	<b>272</b>	<b>98</b>	<b>76</b>	<b>96.9</b>	<b>56.6</b>	<b>39.4</b>	<b>94</b>	<b>5.1</b>	<b>38</b>	<b>40</b>	<b>36.6</b>	<b>12.65</b>	<b>16</b>	<b>14</b>	<b>540</b>	<b>1800</b>	<b>1000</b>	<b>150</b>	<3.0	<5.0	<10	nt	<1.0	<1.0	<1.0	<1.0
09B	<b>820</b>	<b>1972.65</b>	<b>668.1</b>	<b>1266</b>	<b>934.6</b>	<b>78.9</b>	<b>75.9</b>	<b>44.3</b>	<b>35</b>	<b>10.9</b>	<b>21.5</b>	<b>31.3</b>	<10.00	<b>6.74</b>	<b>3.6</b>	<2.00	<b>6.62</b>	<b>1.18</b>	<b>2.1</b>	<1.0	<1.0	<b>1.0</b>	<b>250</b>	<3.0	<5.0	<5.0	<10	nt	<1.0	<1.0	<1.0	<1.0
09C	nd	<b>11.32</b>	<5.00	<10.00	<b>1.24</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	<1.00	<1.00	<1.00		
09D	<b>8.8</b>	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt			
10A	<b>180</b>	<b>635.8</b>	<b>754 E</b>	<b>468.85</b>	<b>242.1</b>	<b>114</b>	<b>342</b>	<b>67.5</b>	<b>77.8</b>	<b>76.5</b>	<b>70.3</b>	<b>72.5</b>	<b>86.4</b>	<b>38</b>	<b>21.5</b>	<b>16.6</b>	<b>21.63</b>	<b>30.3</b>	<b>11</b>	<b>24</b>	<b>24</b>	<b>34</b>	<b>58</b>	<b>29</b>	<b>14</b>	<b>15</b>	<b>4.7</b>	nt	<b>4.2</b>	<b>2.7</b>	<b>3.3</b>	<b>3.7</b>
10C	<b>6.9</b>	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt			
11A	<b>5.2</b>	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt				
12A	<b>3.9</b>	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt				
13A	<b>10</b>	<b>4.17</b>	<5.00	<5.00	<b>6.82</b>	<b>3</b>	<b>2.1</b>	<b>3.2</b>	<b>2.1</b>	<b>1.7</b>	<b>1.5</b>	<b>1.6</b>	<b>1.3</b>	<1.00	<1.00	<b>1.2</b>	<1.00	<1.00	<b>1.6</b>	<b>2.7</b>	<b>2.4</b>	<b>3.4</b>	<b>3.0</b>	<b>5.1</b>	nt	nt	<b>6.1</b>	nt	<b>6.0</b>	nt		
13C	<b>5.1</b>	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt			
14A	<b>410</b>	<b>4.42</b>	<5.00	<133.57	<b>96.06</b>	<b>11.2</b>	<5.00	<4.00	<2.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<5.0	<10	<10	<3.0	<1.0			
14C	<b>7.2</b>	<b>9.02</b>	<b>10.53</b>	<b>8.64 J</b>	<b>5.44</b>	<b>6.1</b>	<1.00	<10.00	<10.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt			
14E	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt			
15A	<b>11</b>	<1.00	<5.00	<5.00	<2.00	<1.00	<4.00	<2.00	<2.00	<2.00	<3.33	<10.00	<1.00	<10.00	<10.00	<10.00	<10.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<5.0	<5.0	<5.0	<5.0	<5.0			
15C	<b>13</b>	<1.00	<33.30	<5.00	<1.00	<b>1.1</b>	<1.00	<2.00	<10.00	<10.00	<10.00	<1.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt		
15D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.00	nt	<1.00	nt	
16A	<b>1.6</b>	<b>1.10</b>	<5.00	<5.00	<1.00	<b>1.7</b>	<1.00	<b>1.1</b>	<1.00	<1.00	<1.00	<b>1.64</b>	<b>1.03</b>	<b>1.3</b>	<b>2.3</b>	<b>2.2</b>	<1.00	<1.00	<1.00	&lt												

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

**TETRACHLOROETHENE (µg/L)**

	May-06	Aug-06	Nov-06	Feb-07	May-07	Nov-07	May-08	Nov-08	May-09	Nov-09	May-10	Nov-10	May-11	Nov-11
06A	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<4.0	<1.0	<1.0	<1.0	<1.0	<0.2
06B	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
06C	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
08C	<10	nt	<5.0	nt	<3.0	<5.0	<5.0	<5.0	<1.0	<3.0	nt	nt	nt	nt
09A	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<0.2	<b>1.9</b>	<10	<5.0	<1.0	<1.0	<2.0	<0.2
09B	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<0.2	<1.0	<1.0	nt	nt	nt	nt	nt
09C	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<0.2	<1.0	<1.0	<3.0	nt	nt	nt	nt
09D	<1.0	nt	<1.0	nt	<1.0	<1.0	<0.2	<1.0	<1.0	nt	nt	nt	nt	nt
10A	<b>1.8</b>	<b>1.6</b>	<0.2	<b>1.2</b>	<b>1.1</b>	<b>1.2</b>	<1.0	<2.0	<1.0	<1.0	<1.0	<2.0	<0.2	
10C	<1.0	nt	<0.2	nt	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
11A	<1.0	nt	<1.0	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
12A	<1.0	nt	<0.2	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
13A	<b>7.1</b>	nt	<b>8.3</b>	nt	<b>8.2</b>	<b>6.4</b>	<b>8.7</b>	<b>6.5</b>	<b>7.7</b>	<b>9.2</b>	<b>9.4</b>	<b>3.6</b>	<b>3.9</b>	<b>1.6</b>
13C	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
14A	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
14C	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
14E	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
15A	<5.0	nt	<3.0	nt	<1.0	<1.0	<3.0	<1.0	<3.0	<1.0	<1.0	<1.0	<10	<0.2
15C	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
15D	<1.0	nt	<1.0	nt	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
16A	<b>1.0</b>	nt	<0.2	nt	<b>1.1</b>	<b>1.7</b>	<b>1.2</b>	<b>1.5</b>	<b>1.6</b>	<b>2.2</b>	<b>1.4</b>	<b>1.3</b>	<b>1.6</b>	<b>1.4</b>
16C	<1.0	nt	<b>1.2</b>	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
17A	<b>4.2</b>	nt	<b>2.2</b>	nt	<b>4.7</b>	<b>4.2</b>	<b>4.3</b>	<b>4.2</b>	<b>3.2</b>	<b>3.7</b>	<b>4.0</b>	<b>2.3</b>	<b>3.1</b>	<b>2.6</b>
17C	nt													
17D	nt													
18A	nt													
18C	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt
18D	nt													
19A	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19C	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19D	nt													
20A	nt													
20C	<1.0	nt	<0.2	nt	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
20D	nt													
21A	nt													
21C	nt													
22A	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
23A	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt

nd = Not Detected.

nt = Not Tested.

J = Indicates the analyte was positively identified; the associated numerical value is the approximate approximate concentration of the analyte in the sample.

E = Estimated concentration calculated for an analyte response above the valid instruction calibration range. A dilution is required to obtain an accurate quantification of the analyte.

Bold = Detected compound.

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

**TRICHLOROETHENE ( $\mu\text{g/L}$ )**

	Jan-94	May-95	Oct-95	Feb-96	May-96	Aug-96	Nov-96	Feb-97	May-97	Aug-97	Nov-97	Jun-98	Oct-98	Jun-99	Jun-00	Dec-00	Jun-01	Dec-01	Jun-02	Dec-02	Jun-03	Nov-03	May-04	Aug-04	Oct-04	Feb-05	Mar-05	May-05	Aug-05	Nov-05	Feb-06	
06A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<1.0	<1.0	<1.0	<1.0		
06B	<b>4.2</b>	<b>3.57</b>	<b>6.00 J</b>	<5.00	<b>7.37</b>	<b>3.5</b>	<b>2.5</b>	<b>4.9</b>	<b>4.7</b>	<b>4.6</b>	<b>6.5</b>	<b>3.5</b>	<b>2.6</b>	<b>4.54</b>	<b>2.2</b>	<b>4.7</b>	<b>8.71</b>	<b>5.83</b>	<b>4.7</b>	<b>5.9</b>	<b>4.5</b>	<b>2.9</b>	<b>1.0</b>	<b>3.2</b>	<b>1.2</b>	<1.0	<1.0	<1.0	<1.0			
06C	<b>1.6</b>	<1.00	<b>31.36</b>	<10.00	<1.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<b>91.6</b>	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00			
08C	<b>21</b>	<b>3.16</b>	<5.00	<5.00	<3.33	<10.00	<b>26.2</b>	<5.00	<4.00	<4.00	<4.00	<b>26.6</b>	<5.00	<1.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00			
09A	<b>500</b>	<b>1796.5</b>	<b>1507</b>	<b>2318</b>	<b>1160</b>	<b>90.8</b>	<b>191</b>	<b>49.3</b>	<b>51.1</b>	<b>69.2</b>	<b>56.4</b>	<b>15.4</b>	<b>77</b>	<b>3.5</b>	<b>35</b>	<b>23</b>	<b>24.3</b>	<b>25.21</b>	<b>32</b>	<b>24</b>	<b>580</b>	<b>990</b>	<b>1500</b>	<b>230</b>	<b>11</b>	<b>19</b>	<10	nt	<1.0	<1.0		
09B	<b>160</b>	<b>1463</b>	<b>524.7</b>	<b>1206</b>	<b>554</b>	<b>58.6</b>	<b>35.2</b>	<b>28.7</b>	<b>31.5</b>	<b>4.9</b>	<b>15.4</b>	<b>20.65</b>	<10.00	<b>7.5</b>	<b>4.8</b>	<b>2.6</b>	<b>11.2</b>	<b>5.79</b>	<b>4.8</b>	<b>2.5</b>	<b>12</b>	<b>9.7</b>	<b>370</b>	<b>4.2</b>	<b>16</b>	<b>17</b>	<10	nt	<1.0	<1.0		
09C	nd	<b>19.41</b>	<5.00	<10.00	<b>3.54</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00			
09D	<b>2.2</b>	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt			
10A	<b>120</b>	<b>333.23</b>	<b>411 E</b>	<b>268.41</b>	<b>115.3</b>	<b>56.7</b>	<b>128</b>	<b>28.4</b>	<b>38.2</b>	<b>36.6</b>	<b>48.8</b>	<b>23.8</b>	<b>33.9</b>	<b>19.2</b>	<b>14</b>	<b>8.3</b>	<b>13.11</b>	<b>17.02</b>	<b>18</b>	<b>24</b>	<b>29</b>	<b>32</b>	<b>49</b>	<b>27</b>	<b>12</b>	<b>15</b>	<b>4.8</b>	nt	<b>5.4</b>	<b>6.3</b>	<b>6.7</b>	<b>9.6</b>
10C	<b>3.9</b>	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt		
11A	<b>7</b>	<b>2.41</b>	<5.00	<5.00	<b>2.54</b>	<b>1.9</b>	<b>1</b>	<1.00	<1.00	<b>1.2</b>	<b>1.6</b>	<1.00	<b>1.03</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<b>1.9</b>	<b>2.2</b>	<b>2.2</b>	<b>2.8</b>	<b>2.1</b>	nt	<b>2.0</b>	<b>2.0</b>	nt	<b>2.0</b>	<b>2.0</b>			
12A	<b>5.5</b>	<b>1.13</b>	<5.00	<5.00	<1.00	<b>1.7</b>	<b>1.2</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	<1.0	nt	<1.0	nt	<1.0			
13A	<b>31</b>	<b>12.23</b>	<5.00	<b>9.57 J</b>	<b>16.52</b>	<b>3.4</b>	<b>3.4</b>	<b>2</b>	<b>1.5</b>	<b>2.9</b>	<b>3</b>	<b>1.1</b>	<b>1.7</b>	<b>1.8</b>	<b>2.3</b>	<b>2.4</b>	<b>2.12</b>	<b>1.28</b>	<1.0	<b>3.4</b>	<b>3.3</b>	<b>3.9</b>	<b>3.8</b>	<b>4.6</b>	nt	nt	<b>4.6</b>	nt	<b>4.5</b>			
13C	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt			
14A	<b>600</b>	<b>6.25</b>	<5.00	<b>151.58</b>	<b>146.72</b>	<b>84.1</b>	<b>2.8</b>	<4.00	<2.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00		
14C	<b>6.6</b>	<b>14.41</b>	<b>21.93</b>	<b>13.33</b>	<b>7.61</b>	<b>12.5</b>	<1.00	<10.00	<10.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00			
14E	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00			
15A	<b>7.5</b>	<1.00	<5.00	<5.00	<2.00	<1.00	<4.00	<2.00	<1.00	<2.00	<3.33	<10.00	<1.00	<10.00	<10.00	<10.00	<10.00	<10.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00			
15C	<b>12</b>	<1.00	<33.30	<5.00	<1.00	<b>7.5</b>	<1.00	<2.00	<b>12</b>	<10.00	<10.00	<3.33	<1.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00			
15D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt				
16A	<b>4.4</b>	<b>5.02</b>	<5.00	<5.00	<b>2.57</b>	<b>4</b>	<b>2.1</b>																									

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

**TRICHLOROETHENE (µg/L)**

	May-06	Aug-06	Nov-06	Feb-07	May-07	Nov-07	May-08	Nov-08	May-09	Nov-09	May-10	Nov-10	May-11	Nov-11
06A	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<4.0	<1.0	<1.0	<1.0	<1.0	<0.2
06B	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
06C	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
08C	<10	nt	<5.0	nt	<3.0	<5.0	<5.0	<5.0	<1.0	<3.0	nt	nt	nt	nt
09A	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<b>0.2</b>	<b>4.6</b>	<10	<1.0	<1.0	<1.0	<2.0	<0.2
09B	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt
09C	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<0.2	<1.0	<1.0	<3.0	nt	nt	nt	nt
09D	<1.0	nt	<1.0	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt
10A	<b>3.7</b>	<b>1.6</b>	<0.2	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<2.0	<0.2	
10C	<1.0	nt	<0.2	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
11A	<b>1.1</b>	nt	<b>1.5</b>	nt	<b>1.5</b>	<b>1.1</b>	<b>1.2</b>	<b>1.2</b>	<1.0	<b>1.0</b>	<b>1.1</b>	<1.0	<1.0	<b>0.5</b>
12A	<1.0	nt	<b>0.7</b>	nt	<1.0	<1.0	<b>0.6</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>0.6</b>
13A	<b>4.6</b>	nt	<b>6.5</b>	nt	<b>7.0</b>	<b>4.2</b>	<b>6.8</b>	<b>3.7</b>	<b>5.6</b>	<b>6.0</b>	<b>5.3</b>	<b>2.8</b>	<b>2.4</b>	<1.0
13C	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
14A	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
14C	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
14E	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
15A	<5.0	nt	<3.0	nt	<1.0	<1.0	<3.0	<1.0	<3.0	<1.0	<1.0	<1.0	<10	<0.2
15C	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
15D	<1.0	nt	<1.0	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
16A	<b>1.4</b>	nt	<b>0.8</b>	nt	<b>1.3</b>	<b>1.2</b>	<b>1.3</b>	<b>1.4</b>	<b>1.6</b>	<b>1.5</b>	<b>1.4</b>	<b>1.1</b>	<b>1.4</b>	<b>1.3</b>
16C	<1.0	nt	<b>2.3</b>	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
17A	<b>4.4</b>	nt	<b>6.3</b>	nt	<b>5.3</b>	<b>4.3</b>	<b>5.1</b>	<b>5.2</b>	<b>4.9</b>	<b>4.5</b>	<b>3.1</b>	<b>4.8</b>	<b>2.2</b>	<b>2.8</b>
17C	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
17D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
18A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
18C	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt
18D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
19A	<1.0	<1.0	<b>0.2</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19C	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
20A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
20C	<1.0	nt	<b>0.2</b>	nt	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
20D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
21A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
21C	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
22A	<1.0	<1.0	<b>0.3</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
23A	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt

nd = Not Detected.

nt = Not Tested.

J = Indicates the analyte was positively identified; the associated numerical value is the approximate approximate concentration of the analyte in the sample.

E = Estimated concentration calculated for an analyte response above the valid instruction calibration range. A dilution is required to obtain an accurate quantification of the analyte.

Bold = Detected compound.

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

Page 5 of 12

## CIS-1,2-DICHLOROETHENE ( $\mu\text{g/L}$ )

	Jan-94	May-95	Oct-95	Feb-96	May-96	Aug-96	Nov-96	Feb-97	May-97	Aug-97	Nov-97	Jun-98	Oct-98	Jun-99	Nov-99	Jun-00	Dec-00	Jun-01	Dec-01	Jun-02	Dec-02	Jun-03	Nov-03	May-04	Aug-04	Oct-04	Feb-05	Mar-05	May-05	Aug-05	Nov-05	Feb-06	
06A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	23	45	2.6	3.3	nt	2.6	1.6	1.3	1.4	
06B	23	43.71	53.75	29.45	58.31	46.3	30.5	37.4	60.9	61.8	76.4	66.7	9.9	70.1	49.7	71.5	91.77	63.94	27	40	23	13	11	10	13	10	11	nt	5.5	1.8	1.1	<1.0	
06C	7.9	14.57	99.09	<10.00	1.01	107	1.9	3.1	22.1	28.3	12.3	1.1	181 E	<2.00	<1.00	<1.00	<1.00	<1.00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.4	<1.0	3.6	nt	1.1	1.1	<1.0	
08C	44	14.95	<5.00	5.55 J	8	1.1	37.6	<5.00	37.3	46.1	42.3	38.4	<5.00	1.1	<2.00	3.2	<2.00	<1.00	<1.0	<1.0	<1.0	<1.0	<3.0	<5.0	<1.0	nt	<1.0	nt	<1.0	nt	<1.0	nt	
09A	2500	5790.9	3286	7484	6143	443	816	520	258	206.E	199	94.3	680	15.5	187	421	60.75	266.6	100	280	1600	2300	2300	970	370	460	41	nt	<1.0	<1.0	<1.0	<1.0	
09B	940	5010.35	1307 E	3407 E	1521	207	142	164 E	510	35.1	111	939 E	178	122.04	41.2	102.4	135.2	112.3	100	<180	180	140	850	250	530	300	890	nt	12	<1.0	<1.0	<1.0	
09C	520	431.66	159.69	70	33.67	29.8	1.6	4.6	2.6	2	1.7	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	1.1	6.7	2.7	4.1	8.9	4.0	1.7	<1.0	1.7	nt	1.2	7.6	1.2	<1.0
09D	5.1	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.0	nt	<1.0	nt			
10A	470	421.26	297 E	249.16	159.2	90.1	17.8	29	66.1	58.5	74.1	29.3	6.9	33.3	20.6	10.6	14.14	14.09	36	80	110	88	98	80	170	100	24	nt	26	48	47	42	
10C	14	1.93	<5.00	1.01	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	3.7	3.3	14	6.2	4.3	nt	6.4	nt	4.0	nt	<1.0	nt			
11A	54	15.86	10.82	7.17 J	10.27	9.3	6.4	4.9	6.6	6.1	4.2	2.8	2.3	2.1	1.1	1.5	1.55	1.27	2.1	6.0	12	17	18	21	nt	20	nt	20	nt	22	nt		
12A	20	2.30	17.5	<5.00	1.09	9.5	6.6	<1.00	6.1	3.7	3	1.7	1.7	1.8	1.03	1.9	2.07	1.46	2.2	1.8	3.3	1.4	4	1.8	nt	4.4	nt	2.0	nt	3.8	nt		
13A	8.2	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	1.6	<1.00	<1.00	1.2	1.3	1.2	1.2	<1.00	<1.00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	<1.0	nt	<1.0	nt	<1.0	nt		
13C	16	1.14	<5.00	<5.00	<1.00	1.3	<1.00	1.3	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	1.4	<1.0	<1.0	<1.0	nt	<1.0	nt	<1.0	nt	<1.0	nt			
14A	590	15.50	9.83 J	294.36	115.94	249	114	6.4	24.2	18.3	9.5	4.9	3.7	7	3.2	3.8	<1.00	<1.00	<1.00	7.2	23	170	140	560	1200	300	nt	<10	<10	6.0	<1.0		
14C	110	187.91	1017.82	237.4	70.06	326	211	183	163	136	82.7	25.6	21.7	6.2	<1.00	1.2	2.83	1.64	<1.0	1.5	2.4	31	13	63	nt	22	nt	nt	11	nt	<1.0	nt	
14E	1.1	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	<1.0	nt	<1.0	nt	<1.0	nt		
15A	9.1	3.29	<5.00	<5.00	<5.00	3.6	3.5	4.5	5	5.5	5.5	15.65	<10.00	<1.00	<10.00	<10.00	<10.00	4.99	4.9	2.8	2.8	<5.0	<5.0	<5.0	nt	nt	<5.0	nt	<5.0	nt	<5.0	nt	
15C	92	69.14	640.52	93.62	1.47	463	532	187	1470	1100	719	785 E	90.5	53.2	28.4	1.01	2.53	<1.00	1.1	<1.0	<1.0	2.9	5.7	9.1	nt	11	nt	nt	13	nt	<1.0	nt	
15D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<1.0	nt	<1.0	nt			
16A	5.5	12.63	5.38 J	<5.00	25.39	12	3.2	6.2	2.4	1.7	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	1.76	1.82	2.6	<1.0	1.2	2.4	1.3	2.3	nt	1.8	nt	nt	2.6	nt	2.1	nt	
16C	14	11.83	6.24 J	<10.00	5.66	2.6	1.6	1.6	1.13	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.0	<1.0	<1.0	<1.0	1.7	nt	nt	2.4	nt	2.8	nt	4.6	nt	
17A	4.3	1.38	<5.00	<5.00	1.09	<1.00	1.4	1.2	2.90 J	4.13	<1.00	2.3	3.8	4.1	4.3	2.3	2.1	nt	2	<1.0	1.0	1.4	1.6	1.0	nt	1.2	nt	nt	nt	nt	nt		
17C	5.3	<1.00	<5.00	<5.00	1.19	1.6	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt														
17D	1.8	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt														
18A	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	nt	nt	nt	<1.0	nt	nt	nt	nt	nt				
18C	1.3	2.02	<5.00	<5.00	<1.00	1	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	1.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	<1.0	<1.0	<1.0	nt		
18D	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt														
19A	2.4	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	nt	nt	<1.0	nt	<1.0	<1.0	<1.0	<1.0	<1.0				
19C	1.7	1.17	<5.00	<5.00	1.37	1.3	<1.00	<1.00	1.2	1.2	1.2	2	1.2	1.4	<1.00	1.03	<1.00	1.01	<1.0	<1.0	<1.0	1	<1.0	nt	<1.0	nt	<1.0	<1.0	nt				
19D	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt														
20A	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt														
20C	16	7.34	6.06 J	<5.00	2.46	2.5	2.1	1.9	1.6	<1.00	<1.00	1.5	<1.00	<1.00	1.3	<1.00	1.09	1.1	<1.0	1.3	2.1	1.6	1.4	nt	1.7	nt	nt	1.7	nt	2.1	nt		
20D	1.8	2.22	<5.00	<5.00	46.38	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt													
21A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<1.00	<1.00	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt				
21C	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt				
22A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	3.5	2.3	2.3	1.4	1.4
23A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<1.0	<1.0	<1.0	<1.0	<1.0

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

Page 6 of 12

**CIS-1,2-DICHLOROETHENE ( $\mu\text{g/L}$ )**

	May-06	Aug-06	Nov-06	Feb-07	May-07	Nov-07	May-08	Nov-08	May-09	Nov-09	May-10	Nov-10	May-11	Nov-11
06A	<1.0	<1.0	<b>0.4</b>	<1.0	<1.0	<0.2	<1.0	<b>1.7</b>	<4.0	<b>1.9</b>	<b>1.3</b>	<1.0	<1.0	<b>0.3</b>
06B	<1.0	<1.0	<b>1.4</b>	<b>3.8</b>	<b>1.4</b>	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
06C	<1.0	<1.0	<b>0.3</b>	<1.0	<1.0	<b>0.2</b>	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
08C	<10	nt	<5.0	nt	<3.0	<5.0	<5.0	<5.0	<1.0	<3.0	nt	nt	nt	nt
09A	<1.0	<1.0	<b>0.3</b>	<1.0	<1.0	<1.0	<b>110</b>	<b>160</b>	<10	<5.0	<1.0	<1.0	<2.0	<b>0.2</b>
09B	<1.0	<1.0	<b>0.3</b>	<1.0	<1.0	<1.0	<b>0.2</b>	<1.0	<1.0	<1.0	nt	nt	nt	nt
09C	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<3.0	nt	nt	nt	nt
09D	<1.0	nt	<1.0	nt	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
10A	<b>63</b>	<b>38</b>	<b>7.4</b>	<b>32</b>	<b>28</b>	<b>22</b>	<b>1.6</b>	<2.0	<1.0	<1.0	<1.0	<2.0	<b>0.2</b>	
10C	<b>1.5</b>	nt	<b>1.9</b>	nt	<b>6.7</b>	<b>7.2</b>	<b>15</b>	<b>8.5</b>	<1.0	<1.0	<1.0	<b>3.5</b>	<b>5.8</b>	<b>3.7</b>
11A	<b>20</b>	nt	<b>24</b>	nt	<b>26</b>	<b>27</b>	<b>26</b>	<b>33</b>	<b>26</b>	<b>30</b>	<b>26</b>	<b>22</b>	<b>22</b>	<b>23</b>
12A	<b>1.5</b>	nt	<b>4.4</b>	nt	<b>2.4</b>	<b>3.2</b>	<b>3.2</b>	<b>4.7</b>	<b>1.4</b>	<b>4.7</b>	<1.0	<b>4.3</b>	<1.0	<b>3.1</b>
13A	<1.0	nt	<b>0.3</b>	nt	<b>0.4</b>	<1.0	<b>0.3</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
13C	<1.0	nt	<b>0.8</b>	nt	<b>0.8</b>	<1.0	<b>0.2</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
14A	<b>2.1</b>	<b>3.0</b>	<1.0	<1.0	<b>1.5</b>	<b>1.6</b>	<b>1.2</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>0.6</b>
14C	<1.0	nt	<0.2	nt	<1.0	<b>1.1</b>	<b>1.4</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
14E	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt	
15A	<5.0	nt	<3.0	nt	<b>1.4</b>	<1.0	<3.0	<1.0	<3.0	<1.0	<1.0	<1.0	<10	<b>0.3</b>
15C	<1.0	nt	<0.2	nt	<1.0	<1.0	<b>1.8</b>	<b>1.9</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
15D	<1.0	nt	<1.0	nt	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt	
16A	<b>2.3</b>	nt	<b>4.2</b>	nt	<b>1.9</b>	<b>1.2</b>	<b>1.2</b>	<b>1.0</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<b>0.5</b>
16C	<b>5.2</b>	nt	<b>2.0</b>	nt	<b>8.8</b>	<b>7</b>	<b>7.8</b>	<b>5.3</b>	<b>5.0</b>	<b>4.9</b>	<b>3.7</b>	<b>3.3</b>	<b>3.7</b>	<b>3.3</b>
17A	<1.0	nt	<b>1.0</b>	nt	<b>1.0</b>	<1.0	<b>0.8</b>	<b>1.2</b>	<b>1.4</b>	<b>1.1</b>	<1.0	<b>2.3</b>	<b>1.5</b>	<b>1.0</b>
17C	nt													
17D	nt													
18A	nt													
18C	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt
18D	nt													
19A	<1.0	<1.0	<b>0.3</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19C	<1.0	nt	<b>0.3</b>	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19D	nt													
20A	nt													
20C	<b>1.8</b>	nt	<b>2.1</b>	nt	<b>1.6</b>	<b>1.6</b>	<b>1.6</b>	<b>1.5</b>	<b>1.4</b>	<b>1.7</b>	<b>1.3</b>	<b>1.4</b>	<b>1.1</b>	<b>1.3</b>
20D	nt													
21A	nt													
21C	nt													
22A	<b>2.4</b>	<b>1.8</b>	<b>2.2</b>	<b>2.5</b>	<b>2.5</b>	<b>2</b>	<b>2.6</b>	<b>2.2</b>	<b>2.5</b>	<b>2.1</b>	<b>1.7</b>	<b>1.2</b>	<b>1.1</b>	<b>0.9</b>
23A	<1.0	<1.0	<0.2	<1.0	<1.0	<b>0.3</b>	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt

nd = Not Detected.

nt = Not Tested.

J = Indicates the analyte was positively identified; the associated numerical value is the approximate approximate concentration of the analyte in the sample.

E = Estimated concentration calculated for an analyte response above the valid instruction calibration range. A dilution is required to obtain an accurate quantification of the analyte.

Bold = Detected compound.

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

Page 7 of 12

**VINYL CHLORIDE (µg/L)**

	Jan-94	May-95	Oct-95	Feb-96	May-96	Aug-96	Nov-96	Feb-97	May-97	Aug-97	Nov-97	Jun-98	Oct-98	Jun-99	Nov-99	Jun-00	Dec-00	Jun-01	Dec-01	Jun-02	Dec-02	Jun-03	Nov-03	May-04	Aug-04	Oct-04	Feb-05	Mar-05	May-05	Aug-05	Nov-05	Feb-06
06A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<1.0	<1.0	1.2	4.8		
06B	13	<b>36.53</b>	31.8	<b>52.29</b>	<b>44.78</b>	<b>54.5</b>	<b>49.4</b>	63.7	<b>88.7</b>	<b>55</b>	<b>62.7</b>	<b>46.3</b>	<b>4.2</b>	<b>48.4</b>	<b>25.9</b>	<b>8</b>	<b>21.58</b>	<b>10.62</b>	<b>8.9</b>	<b>12</b>	<b>11</b>	<b>8.4</b>	<b>17</b>	<b>9.4</b>	<b>2.3</b>	<b>3.6</b>	<1.0	nt	<2.0	<b>1.6</b>	1.3	1.4
06C	30	<b>20.89</b>	<b>34.09</b>	<b>38.34</b>	<b>22.06</b>	<b>164</b>	<b>12</b>	<b>18.3</b>	<b>50.3</b>	<b>39.5</b>	<b>26.1</b>	<b>6</b>	<b>54.6</b>	<b>4.4</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	
08C	<b>130</b>	<b>42.13</b>	<b>32.69</b>	<b>35.33</b>	<b>35.96</b>	<b>129</b>	<b>41.2</b>	<b>201</b>	<b>488</b>	<b>256</b>	<b>210</b>	<b>20.6</b>	<5.00	<b>49.7</b>	<b>21.4</b>	<b>2.4</b>	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.0	<5.0	<b>2.8</b>	nt	<b>3.5</b>	nt	<1.0	nt	<1.0	nt
09A	<b>240</b>	<b>917.05</b>	<b>449</b>	<b>1385</b>	<b>844.9</b>	<b>124</b>	<b>228</b>	<b>80.9</b>	<b>185</b>	<b>127</b>	<b>135</b>	<b>83.8</b>	<b>425</b>	<b>14</b>	<b>278</b>	<b>499</b>	<b>17.95</b>	<b>86.44</b>	<b>7.8</b>	<b>46</b>	<b>150</b>	<b>120</b>	<b>180</b>	<b>37</b>	<b>150</b>	<b>220</b>	<b>37</b>	nt	<1.0	<1.0	<1.0	
09B	<b>140</b>	<b>648.6</b>	<b>175.6</b>	<b>836</b>	<b>228.2</b>	<b>104</b>	<b>62.6</b>	<b>41.7</b>	<b>270</b>	<b>20.9</b>	<b>50.7</b>	<b>439.56</b>	<b>132</b>	<b>152.36</b>	<b>66.6</b>	<b>82.6</b>	<b>146.7</b>	<b>78.9</b>	<b>110</b>	<b>7.6</b>	<b>27</b>	<b>19</b>	<b>360</b>	<3.0	<b>100</b>	<b>340</b>	<b>520</b>	nt	<b>24</b>	<b>1.7</b>	<1.0	<b>1.3</b>
09C	<b>190</b>	<b>233.79</b>	<b>185 E</b>	<b>71.74</b>	<b>50.13</b>	<b>106</b>	<b>19.4</b>	<b>59.8</b>	<b>147</b>	<b>102.5</b>	<b>87.8</b>	<b>1.1</b>	<1.00	<b>59</b>	<b>16.4</b>	<1.00	<1.00	<1.00	<1.00	<b>18</b>	<b>8.6</b>	<b>5.6</b>	<b>8.0</b>	<b>3.3</b>	<1.0	<b>1.5</b>	<1.0	nt	<1.0	<1.0	<1.0	
09D	nd	<b>1.37</b>	<5.00	<5.00	<1.00	<b>1</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.0	nt	<1.0	nt			
10A	<b>120</b>	<b>116.25</b>	<b>16.12</b>	<b>31.6</b>	<b>651.2</b>	<b>80.9</b>	<b>16.7</b>	<b>48.2</b>	<b>33.4</b>	<b>9.8</b>	<b>8.8</b>	<b>8.7</b>	<b>1.3</b>	<b>12.1</b>	<b>3.5</b>	<b>3</b>	<b>3.32</b>	<b>3.32</b>	<b>2.9</b>	<b>28</b>	<b>54</b>	<b>36</b>	<b>9.1</b>	<b>6.4</b>	<b>4.0</b>	<b>23</b>	<b>6.8</b>	nt	<b>7.2</b>	<b>76</b>	<b>73</b>	<b>150</b>
10C	<b>39</b>	<b>28.29</b>	<b>33.16</b>	<b>40.41</b>	<b>18.69</b>	<b>11.6</b>	<b>10.1</b>	<b>9</b>	<1.00	<b>4.3</b>	<b>3.8</b>	<b>1.7</b>	<b>1.6</b>	<b>2.8</b>	<b>1.4</b>	<b>2.1</b>	<1.00	<1.00	<1.0	<b>8.4</b>	<b>15</b>	<b>15</b>	<b>8.8</b>	<b>4.0</b>	nt	<b>11</b>	nt	nt	<b>1.9</b>	nt	nt	
11A	<b>39</b>	<b>26.80</b>	<b>8.37 J</b>	<b>12.14</b>	<b>14.04</b>	<b>3.8</b>	<b>1.8</b>	<1.00	<1.00	<b>3.4</b>	<1.00	<1.00	<b>1.1</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	<1.0	nt	<1.0	nt	
12A	<b>14</b>	<1.00	<b>17.16</b>	<5.00	<1.00	<b>2.9</b>	<b>8.6</b>	<1.00	<b>9.4</b>	<b>6.7</b>	<b>1.1</b>	<b>1.3</b>	<1.00	<b>2.7</b>	<b>1.06</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	<1.0	nt	<1.0	nt
13A	<b>12</b>	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	<1.0	nt	<1.0	nt	
13C	<b>760</b>	<b>3.03</b>	<5.00	<b>15.24</b>	<b>11.48</b>	<b>3.6</b>	<b>1.9</b>	<b>2.5</b>	<b>2.2</b>	<1.00	<1.00	<b>1</b>	<b>1.6</b>	<b>1.8</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<b>1.6</b>	<b>3.3</b>	<b>4.9</b>	<b>2.2</b>	<b>2.5</b>	nt	nt	<1.0	nt	<b>3.8</b>	nt		
14A	<b>170</b>	<b>11.38</b>	<b>30.32</b>	<b>44.4</b>	<b>36.4</b>	<b>339</b>	<b>232</b>	<b>162</b>	<b>270</b>	<b>158</b>	<b>70</b>	<b>29.1</b>	<b>13.74</b>	<b>58.2</b>	<b>20.9</b>	<b>19.7</b>	<1.00	<1.00	<1.00	<1.00	<b>69</b>	<b>28</b>	<b>240</b>	<b>110</b>	<b>180</b>	<b>650</b>	<b>1000</b>	nt	<10	<10	<3.0	<1.0
14C	<b>120</b>	<b>103.49</b>	<b>1587.3</b>	<b>1477</b>	<b>134.78</b>	<b>414</b>	<b>175</b>	<b>1296</b>	<b>307</b>	<b>148</b>	<b>144</b>	<b>39.4</b>	<b>56.4</b>	<b>30.2</b>	<1.00	<1.00	<b>4.67</b>	<b>1.21</b>	<1.0	<b>4.4</b>	<b>50</b>	<b>35</b>	<b>44</b>	nt	nt	<b>75</b>	nt	nt	<b>6.1</b>	nt	<b>1.8</b>	nt
14E	<b>10</b>	<b>1.43</b>	<5.00	<5.00	<1.00	<b>1.3</b>	<1.00	<b>1.00</b>	<b>1.3</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00		
15A	<b>16</b>	<b>13.84</b>	<b>31.2</b>	<b>54.62</b>	<b>19.45</b>	<b>19.4</b>	<b>23</b>	<b>20.4</b>	<b>23.5</b>	<b>17.4</b>	<b>18.6</b>	<b>61.61</b>	<b>17.2</b>	<b>2.9</b>	<b>37</b>	<b>16</b>	<10.00	<b>3.86</b>	<b>1.8</b>	<b>2.0</b>	<b>3.3</b>	<5.0	<5.0	<5.0	nt	<5.0	nt	<5.0	nt	<5.0	nt	
15C	<b>38</b>	<b>38.79</b>	<b>142.38</b>	<b>69.81</b>	<b>5.12</b>	<b>104</b>	<b>220</b>	<b>69</b>	<b>598</b>	<b>519</b>	<b>500</b>	<b>772 E</b>	<b>194 E</b>	<b>121.2</b>	<b>49.2</b>	<b>1.4</b>	<b>21.32</b>	<1.00	<b>1.5</b>	<1.0	<b>1.3</b>	<b>5.6</b>	<b>16</b>	<b>11</b>	nt	<b>17</b>	nt	nt	<b>6.4</b>	nt	<	

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

Page 8 of 12

**VINYL CHLORIDE ( $\mu\text{g/L}$ )**

	May-06	Aug-06	Nov-06	Feb-07	May-07	Nov-07	May-08	Nov-08	May-09	Nov-09	May-10	Nov-10	May-11	Nov-11
06A	<b>1.6</b>	<b>1.5</b>	<b>2.1</b>	<b>6.7</b>	<b>2.9</b>	<b>1.2</b>	<b>1.4</b>	<1.0	<4.0	<1.0	<b>1.9</b>	<b>1.7</b>	<b>1.4</b>	<b>0.8</b>
06B	<b>1.3</b>	<b>1.1</b>	<b>2.6</b>	<b>9.5</b>	<b>6.5</b>	<b>1</b>	<1.0	<1.0	<1.0	<1.0	<b>4.2</b>	<b>5.4</b>	<b>5.2</b>	<b>0.8</b>
06C	<1.0	<1.0	<0.2	<1.0	<1.0	<b>0.3</b>	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
08C	<10	nt	<5.0	nt	<3.0	<5.0	<5.0	<5.0	<1.0	<3.0	nt	nt	nt	nt
09A	<1.0	<b>1.2</b>	<b>1.1</b>	<1.0	<b>2.8</b>	<1.0	<b>85</b>	<b>42</b>	<10	<5.0	<1.0	<1.0	<2.0	<0.2
09B	<1.0	<1.0	<b>0.5</b>	<1.0	<1.0	<b>0.4</b>	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
09C	<1.0	<1.0	<0.2	<1.0	<1.0	<b>0.2</b>	<1.0	<1.0	<3.0	nt	nt	nt	nt	nt
09D	<1.0	nt	<1.0	nt	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
10A	<b>19</b>	<b>20</b>	<b>9.2</b>	<b>35</b>	<b>44</b>	<b>78</b>	<b>180</b>	<b>5.0</b>	<2.0	<1.0	<1.0	<1.0	<2.0	<b>0.4</b>
10C	<b>2.2</b>	nt	<b>2.6</b>	nt	<b>5.8</b>	<b>5.6</b>	<b>6.9</b>	<b>7.5</b>	<1.0	<1.0	<1.0	<b>4.4</b>	<b>4.7</b>	<b>4.3</b>
11A	<1.0	nt	<1.0	nt	<1.0	<1.0	<b>0.2</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>0.4</b>
12A	<1.0	nt	<0.2	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
13A	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
13C	<b>2.2</b>	nt	<b>3.4</b>	nt	<b>4.4</b>	<b>2</b>	<b>0.6</b>	<b>2.2</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
14A	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
14C	<1.0	nt	<b>1.0</b>	nt	<b>2.5</b>	<b>11</b>	<b>22</b>	<b>4.3</b>	<b>1.1</b>	<1.0	<1.0	<1.0	<1.0	<0.2
14E	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
15A	<5.0	nt	<3.0	nt	<b>2.6</b>	<b>1.3</b>	<3.0	<2.0	<3.0	<b>1.4</b>	<b>1.6</b>	<b>1.4</b>	<10	<b>1.0</b>
15C	<1.0	nt	<0.2	nt	<b>2.2</b>	<b>2.5</b>	<b>6.6</b>	<b>6.6</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
15D	<1.0	nt	<1.0	nt	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt	nt
16A	<1.0	nt	<0.2	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
16C	<b>6.3</b>	nt	<0.2	nt	<b>10</b>	<b>8.9</b>	<b>7.9</b>	<b>8.8</b>	<b>6.3</b>	<b>5.6</b>	<b>3.4</b>	<b>2.8</b>	<b>3.2</b>	<b>2.5</b>
17A	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
17C	nt													
17D	nt													
18A	nt													
18C	<1.0	nt	<0.2	nt	<b>0.2</b>	<1.0	<b>0.2</b>	<1.0	<1.0	<1.0	nt	nt	nt	nt
18D	nt													
19A	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19C	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19D	nt													
20A	nt													
20C	<b>1.6</b>	nt	<b>1.5</b>	nt	<b>1.8</b>	<b>1.3</b>	<b>2.5</b>	<b>2.7</b>	<b>2.0</b>	<b>2.3</b>	<b>1.8</b>	<b>1.4</b>	<b>1.8</b>	<b>2.1</b>
20D	nt													
21A	nt													
21C	nt													
22A	<b>1.7</b>	<b>2.4</b>	<b>2.4</b>	<b>2.3</b>	<b>2.7</b>	<b>1.3</b>	<b>1.9</b>	<b>3.1</b>	<b>2.5</b>	<b>1.8</b>	<b>1.7</b>	<b>2.7</b>	<b>2.2</b>	<b>1.7</b>
23A	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt

nd = Not Detected.

nt = Not Tested.

J = Indicates the analyte was positively identified; the associated numerical value is the approximate approximate concentration of the analyte in the sample.

E = Estimated concentration calculated for an analyte response above the valid instruction calibration range. A dilution is required to obtain an accurate quantification of the analyte.

Bold = Detected compound.

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

**BENZENE (µg/L)**

	Jan-94	May-95	Oct-95	Feb-96	May-96	Aug-96	Nov-96	Feb-97	May-97	Aug-97	Nov-97	Jun-98	Oct-98	Jun-99	Nov-99	Jun-00	Dec-00	Jun-01	Dec-01	Jun-02	Dec-02	Jun-03	Nov-03	May-04	Aug-04	Oct-04	Feb-05	Mar-05	May-05	Aug-05	Nov-05	Feb-06		
06A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<1.0	<1.0	<1.0	<1.0				
06B	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	1.3	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00					
06C	nd	<b>8.64</b>	<b>230.09</b>	<b>29.96</b>	<b>13.7</b>	<b>5.6</b>	<b>2.9</b>	<b>3.4</b>	<b>4.6</b>	<b>4.1</b>	<b>4.2</b>	<b>4.2</b>	<b>5.7</b>	<b>2.8</b>	<b>2.7</b>	<1.00	<b>2.76</b>	<b>1.94</b>	<b>1.7</b>	<1.00	<1.00	<b>2.2</b>	<1.00	<1.00	<b>1.9</b>	<b>1.2</b>	nt	<b>1.7</b>	<b>1.9</b>	<b>1.9</b>	<b>1.3</b>			
08C	nd	<b>225.74</b>	<b>135.58</b>	<b>104.73</b>	<b>104.6</b>	<b>31.8</b>	<b>121</b>	<b>27.5</b>	<b>6.1</b>	<4.00	<4.00	13.6	<5.00	<1.00	<2.00	<b>15.8</b>	<2.00	<1.00	<1.0	<b>5.4</b>	<b>4.4</b>	<3.0	<5.0	<b>2.0</b>	nt	<b>1.3</b>	nt	<1.0	nt	<1.0	nt			
09A	nd	<1.00	<5.00	<500.00	<50.00	<3.33	<10.00	<4.00	<5.00	<1.00	<4.00	<1.00	<10.00	<1.00	<10.00	<5.00	<1.00	<1.00	<1.0	<1.00	<1.00	<15	<20	<20	<3.0	<5.0	<10	nt	<1.0	<1.0	<1.0	<1.0		
09B	nd	<b>19.76</b>	<33.30	<50.00	<10.00	<b>2.5</b>	<1.00	<1.00	<b>7.5</b>	<b>3.1</b>	<b>3.3</b>	<3.33	<10.00	<2.00	<2.00	<1.00	<b>1.2</b>	<1.00	<1.00	<1.0	<1.00	<1.00	<1.0	<1.0	<3.0	<5.0	<5.0	<10	nt	<1.0	<1.0	<1.0	<1.0	
09C	nd	<1.00	<5.00	<10.00	<1.00	<b>9.6</b>	<b>2.4</b>	<b>6.3</b>	<b>9.3</b>	<b>4.8</b>	<b>3.6</b>	<b>1.7</b>	<b>2.5</b>	<b>1.7</b>	<1.00	<b>1.5</b>	<b>1.36</b>	<1.00	<1.00	<1.0	<1.00	<1.00	<1.0	<1.00	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
09D	nd	<1.00	<5.00	<50.00	<10.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.0	nt	<1.0			
10A	nd	<1.00	<5.00	<50.00	<10.00	<1.00	<3.33	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00			
10C	nd	1.15	<5.00	<5.00	<b>1.33</b>	<b>1.4</b>	<b>1.5</b>	<b>1.4</b>	<b>1.2</b>	<b>1.3</b>	<b>1.3</b>	<b>1.1</b>	<b>1.1</b>	<b>1.00</b>	<b>1.4</b>	<b>1.23</b>	<1.00	<b>1.3</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	<1.0	nt	<1.0	nt			
11A	nd	<1.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	<1.0	nt	<1.0	nt				
12A	nd	<1.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	<1.0	nt	<1.0	nt				
13A	nd	<1.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	nt	<1.0	nt	<1.0	nt				
13C	nd	<b>4.88</b>	<b>69.66</b>	<b>33.56</b>	<b>25.76</b>	<b>75</b>	<b>34.1</b>	<b>36.5</b>	<b>20.5</b>	<b>7.6</b>	<b>6.8</b>	<b>3.9</b>	<b>3</b>	<1.00	<b>2</b>	<b>2.31</b>	<b>1.16</b>	<1.00	<1.00	<b>3.6</b>	<b>6.9</b>	<b>2.7</b>	<b>4.2</b>	nt	<b>1.3</b>	nt	nt	<b>1.9</b>	nt	<b>3.0</b>	nt			
14A	nd	<1.00	<5.00	<20.00	<1.00	<10.00	<5.00	<4.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<5.0	nt	<10	<10	<3.0	<1.0		
14C	nd	<1.00	<5.00	<5.00	<b>26.44</b>	<b>22</b>	<b>11.7</b>	<10.00	<10.00	<b>4.3</b>	<b>2.8</b>	<b>4.64</b>	<b>2.5</b>	<b>1.2</b>	<b>1.4</b>	<b>1.33</b>	<1.00	<1.00	<1.00	<1.00	<b>1.1</b>	<1.00	<1.00	<1.00	<1.00	nt	nt	<1.0	nt	<1.0	nt			
14E	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00				
15A	nd	<1.00	<5.00	<5.00	<2.00	<1.00	<4.00	<2.00	<1.00	<2.00	<3.33	<10.00	<1.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00				
15C	nd	<1.00	<33.30	<5.00	<1.00	<3.33	<1.00	<2.00	<10.00	<10.00	<3.33	<b>5.2</b>	<b>5.2</b>	<b>5.4</b>	<1.00	<b>4.28</b>	<b>2.92</b>	<b>3.2</b>	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
15D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt			
16A	nd	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00																										

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

Page 10 of 12

**BENZENE (µg/L)**

	May-06	Aug-06	Nov-06	Feb-07	May-07	Nov-07	May-08	Nov-08	May-09	Nov-09	May-10	Nov-10	May-11	Nov-11
06A	<1.0	<1.0	<b>0.4</b>	<1.0	<1.0	<b>0.3</b>	<1.0	<1.0	<4.0	<1.0	<1.0	<1.0	<1.0	<0.2
06B	<1.0	<1.0	<0.2	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
06C	<b>1.3</b>	<b>1.2</b>	<b>1.2</b>	<1.0	<1.0	<b>0.9</b>	<1.0	<1.0	<1.0	nt	nt	nt	nt	
08C	<10	nt	<5.0	nt	<3.0	<5.0	<5.0	<5.0	<1.0	<3.0	nt	nt	nt	nt
09A	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<0.2	<1.0	<10	<5.0	<1.0	<1.0	<2.0	<0.2
09B	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	
09C	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<0.2	<1.0	<1.0	<3.0	nt	nt	nt	
09D	<1.0	nt	<1.0	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	
10A	<1.0	<1.0	<b>0.3</b>	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<2.0	<0.2	
10C	<1.0	nt	<b>0.2</b>	nt	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
11A	<1.0	nt	<1.0	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
12A	<1.0	nt	<0.2	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
13A	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
13C	<b>2.1</b>	nt	<b>2.1</b>	nt	<b>1.2</b>	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
14A	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
14C	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
14E	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt	
15A	<5.0	nt	<3.0	nt	<1.0	<1.0	<3.0	<1.0	<3.0	<1.0	<1.0	<1.0	<10	<b>0.4</b>
15C	<1.0	nt	<b>0.4</b>	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
15D	<1.0	nt	<1.0	nt	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt	
16A	<1.0	nt	<0.2	nt	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
16C	<1.0	nt	<0.2	nt	<1.0	<1.0	<b>0.2</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.2
17A	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
17C	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
17D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
18A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
18C	<1.0	nt	<0.2	nt	<0.2	<1.0	<0.2	<1.0	<1.0	<1.0	nt	nt	nt	nt
18D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
19A	<1.0	<1.0	<0.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19C	<1.0	nt	<0.2	nt	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	nt
19D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
20A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
20C	<1.0	nt	<b>0.5</b>	nt	<b>0.6</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
20D	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	
21A	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
21C	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
22A	<1.0	<1.0	<b>0.4</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>0.2</b>
23A	<1.0	<1.0	<0.2	<1.0	<1.0	<b>0.2</b>	<1.0	<1.0	<1.0	<1.0	nt	nt	nt	

nd = Not Detected.

nt = Not Tested.

J = Indicates the analyte was positively identified; the associated numerical value is the approximate approximate concentration of the analyte in the sample.

E = Estimated concentration calculated for an analyte response above the valid instruction calibration range. A dilution is required to obtain an accurate quantification of the analyte.

Bold = Detected compound.

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

## NAPHTHALENE ( $\mu\text{g/L}$ )

**SWMU-20 ANALYTICAL RESULTS SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JANUARY 1994 THROUGH PRESENT**

Page 12 of 12

**NAPHTHALENE (µg/L)**

	May-06	Aug-06	Nov-06	Feb-07	May-07	Nov-07	May-08	Nov-08	May-09	Nov-09	May-10	Nov-10	May-11	Nov-11
06A	<5.0	<5.0	<0.5	<5.0	<5.0	<0.5	<5.0	<20	<5.0	<5.0	<5.0	<5.0	<5.0	<0.5
06B	<5.0	<5.0	<b>0.6</b>	<5.0	<5.0	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<0.5
06C	<5.0	<5.0	<b>5.0</b>	<5.0	<5.0	<b>4.6</b>	<5.0	<5.0	<5.0	nt	nt	nt	nt	nt
08C	<b>910</b>	nt	<b>440</b>	nt	<b>500</b>	<b>540</b>	<b>180</b>	<b>1100</b>	<b>62</b>	<b>65</b>	nt	nt	nt	nt
09A	<5.0	<5.0	<0.5	<5.0	<5.0	<0.5	<5.0	<50	<25	<5.0	<5.0	<5.0	<5.0	<b>5.3</b>
09B	<5.0	<5.0	<0.5	<5.0	<5.0	<b>0.6</b>	<5.0	<5.0	<5.0	nt	nt	nt	nt	nt
09C	<5.0	<5.0	<b>14</b>	<b>18</b>	<b>5.5</b>	<5.0	<b>6.7</b>	<5.0	<b>56</b>	<b>69</b>	nt	nt	nt	nt
09D	<5.0	nt	<2.5	nt	<5.0	<0.5	<5.0	<5.0	<5.0	nt	nt	nt	nt	nt
10A	<5.0	<5.0	<0.5	<5.0	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0	<5.0	<5.0	<0.5
10C	<5.0	nt	<0.5	nt	<5.0	<5.0	<0.5	<5.0	<b>100</b>	39	12	<5.0	<5.0	<0.5
11A	<5.0	nt	<5.0	nt	<5.0	<5.0	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<0.5
12A	<5.0	nt	<0.5	nt	<5.0	<5.0	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<0.5
13A	<5.0	nt	<0.5	nt	<0.5	<5.0	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
13C	<5.0	nt	<b>16</b>	nt	<b>16</b>	<5.0	<b>0.5</b>	<5.0	<5.0	<b>5.0</b>	22	<b>6.5</b>	<5.0	<5.0
14A	<10	<5.0	<b>7.0</b>	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<b>0.5</b>
14C	<5.0	nt	<b>6.3</b>	nt	<b>6.2</b>	<5.0	<5.0	<5.0	<5.0	<b>&lt;5.0</b>	15	<5.0	<5.0	<0.5
14E	<5.0	nt	<0.5	nt	<5.0	<5.0	<5.0	<5.0	<5.0	nt	nt	nt	nt	nt
15A	<b>220</b>	nt	<b>180</b>	nt	<b>72</b>	<b>170</b>	<b>180</b>	<b>230</b>	<b>170</b>	<b>190</b>	<b>310</b>	<b>240</b>	<b>210</b>	<b>190</b>
15C	<5.0	nt	<0.5	nt	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<0.5
15D	<5.0	nt	<2.5	nt	<5.0	<5.0	<5.0	<5.0	<5.0	nt	nt	nt	nt	nt
16A	<5.0	nt	<0.5	nt	<5.0	<5.0	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<0.5
16C	<5.0	nt	<0.5	nt	<5.0	<5.0	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<0.5
17A	<5.0	nt	<0.5	nt	<0.5	<5.0	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
17C	nt	nt	nt	nt	nt	nt	nt							
17D	nt	nt	nt	nt	nt	nt	nt							
18A	nt	nt	nt	nt	nt	nt	nt							
18C	<5.0	nt	<0.5	nt	<b>0.6</b>	<5.0	<0.5	<b>86</b>	<b>47</b>	<b>&lt;5.0</b>	nt	nt	nt	nt
18D	nt	nt	nt	nt	nt	nt	nt							
19A	<5.0	<5.0	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	nt	nt	nt	nt
19C	<5.0	nt	<b>0.5</b>	nt	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	nt	nt	nt	nt
19D	nt	nt	nt	nt	nt	nt	nt							
20A	nt	nt	nt	nt	nt	nt	nt							
20C	<5.0	nt	<b>0.8</b>	nt	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
20D	nt	nt	<b>0.8</b>	nt	<0.5	<5.0	<5.0	<5.0	<5.0	<5.0	nt	nt	nt	nt
21A	nt	nt	nt	nt	nt	nt	nt							
21C	nt	nt	nt	nt	nt	nt	nt							
22A	<b>120</b>	<b>200</b>	<b>140</b>	<b>110</b>	<b>100</b>	<b>25</b>	<b>41</b>	<b>32</b>	<b>51</b>	<b>15</b>	<b>14</b>	<b>16</b>	<b>20</b>	<b>12</b>
23A	<b>69</b>	<b>140</b>	<b>9.0</b>	<b>26</b>	<b>36</b>	<b>6.1</b>	<b>5.3</b>	<5.0	<b>9.8</b>	<b>&lt;5.0</b>	nt	nt	nt	nt

nd = Not Detected.

nt = Not Tested.

J = Indicates the analyte was positively identified; the associated numerical value is the approximate approximate concentration of the analyte in the sample.


E = Estimated concentration calculated for an analyte response above the valid instruction calibration range. A dilution is required to obtain an accurate quantification of the analyte.

Bold = Detected compound.

# DEVELOPMENTAL CENTER WELLS

## TRICHLOROETHENE CONCENTRATIONS


### (TCE Historically Detected over 50 ppb)



# DEVELOPMENTAL CENTER WELLS

## CIS-1,2 DICHLOROETHENE CONCENTRATIONS


### (cis-1,2 DCE Historically Detected over 50 ppb)



# DEVELOPMENTAL CENTER WELLS

## VINYL CHLORIDE CONCENTRATIONS


### (VC Historically Detected over 50 ppb)



# DEVELOPMENTAL CENTER WELLS

## BENZENE CONCENTRATIONS


### (Benzene Historically Detected over 50 ppb)



# DEVELOPMENTAL CENTER WELLS

## TETRACHLOROETHENE CONCENTRATIONS

### (PCE Historically Detected over 50 ppb)



**SWMU-20 CLEANUP ACTION SUMMARY - SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds					Aquifer Redox Conditions				Donor Parameters		Notes			
						PCE ( $\mu\text{g/L}$ )	TCE ( $\mu\text{g/L}$ )	CIS ( $\mu\text{g/L}$ )	VC ( $\mu\text{g/L}$ )	Ethene ( $\mu\text{g/L}$ )	Ethane ( $\mu\text{g/L}$ )	DO (mg/L)	ORP (mV)	Iron II (mg/L)	Sulfate (mg/L)	Methane ( $\mu\text{g/L}$ )	pH	TOC (mg/L)		
		1st Injection	2nd Injection	3rd Injection	4th Injection															
06A (b)	06/15/2004	-2				<1.0	1.0	23	4.0	<0.50	<0.50	6.34	-19.6	0.8	58.9	<0.50	6.5	18.8	---	
06A (b)	08/23/2004	67				<1.0	<1.0	45	5.9	<0.50	<0.50	0.46	92	3.5	40.7	21	7.0	288	Hazy brown	
06A (b)	10/19/2004	124	-58			<1.0	<1.0	2.6	31	<0.50	<0.50	0.70	54	3.0	44.8	530	6.8	80.8	---	
06A (b)	02/22/2005	250	68			<1.0	<1.0	3.3	<1.0	<0.50	<0.50	1.15	187	2.4	<0.1	130	6.8	244	---	
06A (b)	05/16/2005	333	151			<1.0	<1.0	2.6	<1.0	<0.50	<0.50	1.25	58	3.0	0.1	10000	6.9	145	---	
06A (b)	08/22/2005	431	249			<1.0	<1.0	1.6	<1.0	<0.50	<0.50	1.26	212	2.7	3.1	390	6.8	54.2	Clear, with yellow tint	
06A (b)	11/14/2005	515	333			<1.0	<1.0	1.3	1.2	<0.50	<0.50	0.93	108	3.0	0.1	3700	6.9	31.8	---	
06A (b)	02/22/2006	615	433			<1.0	<1.0	1.4	4.8	<11.4	<12.3	0.80	186	2.6	60.4	10100	6.4	15.5	---	
06A (b)	05/18/2006	700	518			<1.0	<1.0	<1.0	1.6	<11	<12	6.41	1	3.0	20.9	16000	6.6	23.9	---	
06A (b)	08/16/2006	790	608			<1.0	<1.0	<1.0	1.5	<1.1	<1.2	0.89	240	2.2	23.1	18800	6.5	23.2	---	
06A (b)	11/29/2006	895	713			<0.2	<0.2	0.4	2.1	<1.1	<1.2	2.09	102	2.6	33.1	20200	6.5	31.4	---	
06A (b)	02/23/2007	981	799			<1.0	<1.0	<1.0	6.7	<1.1	<1.2	0.65	-97	4.5	26.2	17400	6.5	24.6	---	
06A (b)	05/24/2007	1071	889			<1.0	<1.0	<1.0	2.9	<1.1	2.0	0.56	184	4.0	21.0	18300	6.7	21.5	---	
06A (b)	11/30/2007	1261	1079			<0.2	<0.2	<0.2	1.2	<1.1	2.2	0.80	173	3.0	29.1	21900	6.7	22.6	---	
06A (b)	05/21/2008	1434	1252			-96	<1.0	<1.0	<1.0	1.4	<1.1	1.3	2.11	-82	2.5	21.0	13200	6.9	20.1	---
06A (b)	11/25/2008	1622	1440			92	<1.0	<1.0	1.7	<1.0	<1.1	<1.2	1.71	-73	3.4	0.1	19700	6.5	150	---
06A (b)	05/20/2009	1798	1616			268	<4.0	<4.0	<4.0	<4.0	<1.1	<1.2	0.52	-45	4.0	<0.5	19500	6.8	38.2	---
06A (b)	11/19/2009	1981	1799			451	<1.0	<1.0	1.9	<1.0	<1.1	<1.2	2.66	6	2.8	0.8	20100	6.2	25.4	---
06A (b)	5/24/2010	2167	1985			637	<1.0	<1.0	1.3	1.9	<1.1	<1.2	3.56	448	2.0	16	19900	6.6	19.3	---
06A (b)	11/11/2010	2338	2156			808	<1.0	<1.0	<1.0	1.7	<1.1	<1.2	4.75	106	2.6	0.4	24700	7.0	20.2	---
06A (b)	5/4/2011	2512	2330			982	<1.0	<1.0	<1.0	1.4	<1.1	<1.2	2.14	22	2.5	<0.2	21400	7.1	13.6	---
06A (b)	11/13/2011	2705	2523			1175	<0.2	<0.2	0.3	0.8	<1.1	<1.2	5.80	-54	1.0	0.3	6370	7.19	12.7	---
06B	05/04/2004	-44				9.5	3.2	10	9.4	<0.50	<0.50	0.36	179	4.5	18.7	130	6.8	25.6	Clear, yellow tint	
06B	08/23/2004	67				1.9	1.2	13	2.3	<0.50	<0.50	0.45	115	3.2	33.8	1100	6.9	177	Yellowish brown tint (nearly clear)	
06B	10/19/2004	124	-58			<1.0	<1.0	10	3.6	<0.50	<0.50	0.61	217	3.5	14.8	590	6.7	53.6	Yellow tint	
06B	02/22/2005	250	68			<1.0	<1.0	11	<1.0	<0.50	<0.50	0.79	224	2.6	<0.5	3800	6.9	968	---	
06B	05/16/2005	333	151			<2.0	<2.0	5.5	<2.0	<0.50	<0.50	1.51	133	3.5	<0.5	2300	6.9	336	Clear, yellow brown tint	
06B	08/22/2005	431	249			<1.0	<1.0	1.8	1.6	<0.50	<0.50	1.21	217	2.8	<0.1	440	6.9	100	Clear, with yellow tint	
06B	11/14/2005	515	333			<1.0	<1.0	1.1	1.3	<0.50	<0.50	1.05	241	2.8	<0.1	2900	6.9	64.4	---	
06B	02/22/2006	615	433			<1.0	<1.0	<1.0	1.4	53.5	<12.3	0.74	184	2.6	14.8	13000	6.4	30.4	---	
06B	05/18/2006	700	518			<1.0	<1.0	<1.0	1.3	<11	<12	2.25	52	3.2	13.6	16000	6.6	25.9	---	
06B	08/16/2006	790	608			<1.0	<1.0	<1.0	1.1	<1.1	<1.2	0.82	225	2.4	12.9	21700	6.5	14.7	---	
06B	11/29/2006	895	713			<0.2	<0.2	1.4	2.6	<1.1	<1.2	1.82	111	2.4	10.9	22000	6.5	25.2	---	
06B	02/23/2007	981	799			<1.0	<1.0	3.8	9.5	<1.1	<1.2	0.75	-66	5.0	25.0	17700	6.5	21.1	---	
06B	05/24/2007	1071	889			<1.0	<1.0	1.4	6.5	<1.1	<1.2	0.58	151	3.0	11.3	18500	6.6	21.4	---	
06B	11/30/2007	1261	1079			<0.2	<0.2	<0.2	1.0	<1.1	4.0	0.83	135	4.0	26.3	24900	6.4	26.5	---	
06B	05/21/2008	1434	1252			-96	<1.0	<1.0	<1.0	<1.0	<1.1	4.9	2.66	-61	3.4	21.1	12700	6.7	20.4	---
06B	11/25/2008	1622	1440			92	<1.0	<1.0	<1.0	<1.0	<1.1	2.53	-68	2.4	0.2	18400	6.6	19.6	---	
06B	05/20/2009	1798	1616			268	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.33	-36	4.0	<0.5	25300	6.9	20.9	---
06B	11/19/2009	1981	1799			451	<1.0	<1.0	<1.0	<1.0	<1.1	6.7	1.01	10	2.8	0.1	22500	6.9	20.0	---
06B	5/24/2010	2167	1985			637	<1.0	<1.0	<1.0	4.2	<1.1	1.6	3.05	417	2.0	3.0	7110	7.0	19.1	---
06B	11/11/2010	2338	2156			808	<1.0	<1.0	<1.0	5.4	<1.1	1.4	3.40	112	2.0	8.6	4600	7.1	15.8	---
06B	5/4/2011	2512	2330			982	<1.0	<1.0	<1.0	5.2	<1.1	<1.2	2.55	57	2.2	19.7	2120	7.1	12.6	---
06B	11/13/2011	2705	2523			1175	<0.2	<0.2	<0.2	0.8	<1.1	<1.2	6.10	-34	1.5	0.3	2260	7.29	14.8	---

**SWMU-20 CLEANUP ACTION SUMMARY - SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds						Aquifer Redox Conditions				Donor Parameters		Notes		
						PCE (µg/L)	TCE (µg/L)	CIS (µg/L)	VC (µg/L)	Ethene (µg/L)	Ethane (µg/L)	DO (mg/L)	ORP (mV)	Iron II (mg/L)	Sulfate (mg/L)	Methane (µg/L)	pH	TOC (mg/L)		
		1st Injection	2nd Injection	3rd Injection	4th Injection															
06C	05/04/2004	-44				<1.0	<1.0	<1.0	<1.0	<0.50	<b>0.6</b>	0.40	93	5.0	20.7	360	6.7	29.0	---	
06C	08/23/2004	67				<1.0	<1.0	<b>1.4</b>	<1.0	<b>5.7</b>	<b>5.9</b>	0.63	95	2.5	42.7	3100	6.3	1560	White froth on surface of purge water	
06C	10/19/2004	124	-58			<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	2.00	206	3.0	18.1	450	6.3	464	Yellow tint	
06C	02/22/2005	250	68			<1.0	<1.0	<b>3.6</b>	<1.0	<0.50	<0.50	0.82	198	2.6	<0.5	2400	6.9	858	---	
06C	05/16/2005	333	151			<1.0	<1.0	<b>1.1</b>	<1.0	<0.50	<0.50	1.94	98	3.0	0.2	2700	7.0	111	Clear, with yellow tint	
06C	08/22/2005	431	249			<1.0	<1.0	<b>1.1</b>	<1.0	<0.50	<0.50	1.36	194	2.8	<0.1	510	7.0	68.7	Clear, with yellow tint	
06C	11/14/2005	515	333			<1.0	<1.0	<b>1.1</b>	<1.0	<0.50	<0.50	1.07	258	2.0	<0.1	2900	7.0	48.3	---	
06C	02/22/2006	615	433			<1.0	<1.0	<1.0	<1.0	<b>47.7</b>	<12.3	0.88	247	1.4	47.5	12300	6.6	93.4	---	
06C	05/18/2006	700	518			<1.0	<1.0	<1.0	<1.0	<11	<12	4.88	129	2.0	30.6	15000	6.6	36.6	---	
06C	08/16/2006	790	608			<1.0	<1.0	<1.0	<1.0	<b>2.3</b>	<b>2.3</b>	0.93	231	1.6	31.8	18900	6.6	13.4	---	
06C	11/29/2006	895	713			<0.2	<0.2	<b>0.3</b>	<0.2	<1.1	<b>1.4</b>	2.25	192	1.8	27.3	20600	6.6	46.4	---	
06C	02/23/2007	981	799			<1.0	<1.0	<1.0	<1.0	<1.1	<b>1.7</b>	1.08	-46	4.0	25.9	18900	6.4	39.0	---	
06C	05/24/2007	1071	889			<1.0	<1.0	<1.0	<1.0	<1.1	<b>2.0</b>	0.72	216	3.5	20.8	20800	6.5	34.0	---	
06C	11/30/2007	1261	1079			<0.2	<0.2	<b>0.2</b>	<0.2	<1.1	<b>2.8</b>	1.58	174	4.2	32.6	30500	6.2	40.2	---	
06C	05/21/2008	1434	1252			<b>-96</b>	<1.0	<1.0	<1.0	<1.0	<1.1	2.91	-16	2.5	21.0	23800	6.3	31.9	---	
06C	11/25/2008	1622	1440			92	<1.0	<1.0	<1.0	<1.0	<1.1	3.39	-66	2.6	<0.1	28700	6.8	634	---	
06C	05/20/2009	1798	1616			268	<1.0	<1.0	<1.0	<1.1	<1.2	0.66	-28	3.5	<0.8	20600	6.9	39.2	---	
06C	11/19/2009	1981	1799			451	<1.0	<1.0	<1.0	<1.0	<1.1	1.89	26	NM	<0.1	25600	6.2	42.8	---	
09A	05/03/2004	-45				<b>150</b>	<b>230</b>	<b>970</b>	<b>37</b>	<0.50	<0.50	0.46	287	1.0	64.2	8.4	6.7	16.2	Clear, yellow tint	
09A	08/23/2004	67				<3.0	<b>11</b>	<b>370</b>	<b>150</b>	<b>4.2</b>	<0.50	0.40	143	2.6	51.8	4.7	7.1	56.8	Clear with black tint, H2S odor	
09A	10/19/2004	124	-58			<5.0	<b>19</b>	<b>460</b>	<b>220</b>	<b>2.7</b>	<0.50	0.53	219	4.0	77.4	17	6.9	19.6	Clear, slightly yellow tint	
09A	02/21/2005	249	67			<10	<10	<b>41</b>	<b>37</b>	<b>1.9</b>	<0.50	0.78	169	2.0	<0.5	1500	7.1	2110	Hazy, yellow color	
09A	05/11/2005	328	146			<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	1.53	141	2.0	<0.5	1700	7.2	1260	Hazy, yellow brown tint	
09A	08/22/2005	431	249			<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	1.58	141	2.8	<0.1	460	6.8	156	Clear, yellow/brown tint	
09A	11/14/2005	515	333			<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	1.07	238	2.0	<0.1	2600	6.9	62.8	---	
09A	02/21/2006	614	432			<1.0	<1.0	<1.0	<1.0	<11.4	<12.3	0.94	332	2.6	0.2	5650	6.3	58.8	---	
09A	05/15/2006	697	515			<1.0	<1.0	<1.0	<1.0	<11	<12	1.35	193	2.2	63.4	15000	6.4	44.4	---	
09A	08/16/2006	790	608			<1.0	<1.0	<1.0	<b>1.2</b>	<1.1	<b>2.1</b>	1.55	175	2.0	56.8	16800	6.4	50.0	---	
09A	11/27/2006	893	711			<0.2	<0.2	<b>0.3</b>	<b>1.1</b>	<b>1.9</b>	<b>6.3</b>	2.09	211	3.2	52.5	15200	6.6	51.0	---	
09A	02/22/2007	980	798			<1.0	<1.0	<1.0	<1.0	<1.1	<b>7.8</b>	0.65	-107	4.6	0.3	15300	6.4	48.8	---	
09A	05/22/2007	1069	887			<1.0	<1.0	<1.0	<b>2.8</b>	<1.1	<b>4.8</b>	0.75	91	2.6	0.1	16700	6.6	43.1	---	
09A	11/29/2007	1260	1078			<1.0	<1.0	<1.0	<1.0	<1.1	<b>24.5</b>	1.01	147	3.8	45.4	27600	6.4	40.6	---	
09A	05/19/2008	1432	1250			-98	<0.2	<b>0.2</b>	<b>110</b>	<b>85</b>	<b>7.8</b>	<b>35.6</b>	2.26	-82	3.0	29.4	17100	6.7	31.0	---
09A	11/24/2008	1621	1439			91	<b>1.9</b>	<b>4.6</b>	<b>160</b>	<b>42</b>	<b>4.0</b>	<b>2.1</b>	2.61	-52	3.0	<2.0	13700	6.2	5600	---
09A	05/18/2009	1796	1614			266	<10	<10	<10	<10	<1.1	<1.2	0.44	-88	2.5	<2.0	18100	7.1	1620	---
09A	11/16/2009	1978	1796			448	<5.0	<1.0	<5.0	<5.0	<1.1	<1.2	1.23	-61	2.6	<1.0	16600	6.6	403	---
09A	5/20/2010	2163	1981			633	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	<b>11.09</b>	515	2.2	<1.0	18700	7.0	72.8	Duffy: Interference w/DO sensor?
09A	11/10/2010	2337	2155			807	<1.0	<1.0	<1.0	<1.0	<1.1	<b>2.0</b>	3.92	118	2.2	0.3	24400	7.0	70.0	---
09A	5/3/2011	2511	2329			981	<2.0	<2.0	<2.0	<2.0	<1.1	<b>2.0</b>	2.55	33	2.0	<0.2	17800	6.9	44.4	---
09A	11/13/2011	2705	2523			1175	<0.2	<0.2	<b>0.2</b>	<0.2	<1.1	<b>1.2</b>	2.23	-66	1.2	0.4	11800	7.00	39.4	---

**SWMU-20 CLEANUP ACTION SUMMARY - SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds						Aquifer Redox Conditions				Donor Parameters		Notes		
						PCE (µg/L)	TCE (µg/L)	CIS (µg/L)	VC (µg/L)	Ethene (µg/L)	Ethane (µg/L)	DO (mg/L)	ORP (mV)	Iron II (mg/L)	Sulfate (mg/L)	Methane (µg/L)	pH	TOC (mg/L)		
		1st Injection	2nd Injection	3rd Injection	4th Injection															
09B	05/03/2004	-45				<3.0	4.2	250	<3.0	<0.50	<0.50	0.37	269	4.0	61.4	2.7	6.8	20.7	Clear, yellow tint	
09B	08/23/2004	67				<5.0	16	530	100	0.76	<0.50	0.34	174	1.4	73.0	23	7.4	29.7	Clear, yellow brown tint, H2S odor	
09B	10/19/2004	124	-58			<5.0	17	300	340	1.4	<0.50	0.30	219	1.0	59.6	29	7.5	24.3	Clear with yellow color	
09B	02/21/2005	249	67			<10	<10	890	520	1.7	<0.50	0.56	160	2.8	1.0	2000	6.8	608	Hazy, tan brown color	
09B	05/11/2005	328	146			<1.0	<1.0	12	24	<0.50	<0.50	1.48	158	3.5	0.4	9600	7.0	219	Hazy, yellow brown tint	
09B	08/22/2005	431	249			<1.0	<1.0	<1.0	1.7	<0.50	<0.50	1.45	224	2.5	<0.1	400	6.7	17.6	Clear, with yellow/brown tint	
09B	11/14/2005	515	333			<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	1.24	235	1.4	<0.1	3100	6.8	51.2	---	
09B	02/21/2006	614	432			<1.0	<1.0	<1.0	1.3	<11.4	<12.3	0.90	329	2.8	<0.1	8730	6.3	46.4	---	
09B	05/15/2006	697	515			<1.0	<1.0	<1.0	<1.0	<11	<12	1.11	191	1.8	33.9	17000	6.3	45.6	---	
09B	08/16/2006	790	608			<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.94	188	1.6	55.4	19300	6.3	250	---	
09B	11/27/2006	893	711			<0.2	<0.2	0.3	0.5	<1.1	<1.2	1.76	190	2.8	50.2	21800	6.5	78.2	---	
09B	02/22/2007	980	798			<1.0	<1.0	<1.0	<1.0	<1.1	1.6	0.67	-80	3.5	0.2	16100	6.3	64.0	---	
09B	05/22/2007	1069	887			<1.0	<1.0	<1.0	<1.0	<1.1	1.4	0.76	154	3.0	<0.1	18700	6.5	35.3	---	
09B	11/29/2007	1260	1078			<1.0	<1.0	<1.0	<1.0	<1.1	3.8	1.29	238	2.2	58.3	29800	6.2	44.5	---	
09B	05/19/2008	1432	1250			<0.2	<0.2	0.2	0.4	<1.1	3.0	2.34	-78	3.4	39.1	12900	6.4	37.3	---	
09B	11/24/2008	1621	1439			91	<1.0	<1.0	<1.0	<1.0	<1.1	17.6	2.22	-47	3.0	<1.0	27000	6.7	27.0	---
09B	05/18/2009	1796	1614			266	<1.0	<1.0	<1.0	<1.0	<1.1	6.9	0.38	-38	3.5	<0.5	19700	6.9	37.1	---
09B	11/16/2009	1978	1796			448	<1.0	<1.0	<1.0	<1.0	<1.1	16.1	1.27	12	3.5	<0.1	24500	6.2	28.1	---
09C	05/03/2004	-45				<1.0	<1.0	4.0	3.3	1.9	0.7	0.33	229	4.0	19.1	350	6.8	28.5	Clear, yellow tint	
09C	08/23/2004	67				<1.0	<1.0	1.7	<1.0	1.1	2.8	0.47	114	2.6	23.2	610	6.7	302	Clear, H2S odor	
09C	10/19/2004	124	-58			<1.0	<1.0	<1.0	1.5	1.1	<0.50	0.60	185	3.0	12.2	620	7.0	99.6	Near clear, yellowish tint	
09C	02/21/2005	249	67			<1.0	<1.0	1.7	<1.0	<0.50	1.6	0.60	154	2.0	<0.1	3500	6.6	300	Clear with yellow tint	
09C	05/11/2005	328	146			<1.0	<1.0	1.2	<1.0	<0.50	<0.50	1.34	138	2.5	<0.1	2700	6.4	44.6	Yellow brown tint	
09C	08/22/2005	431	249			<1.0	<1.0	7.6	2.2	<0.50	<0.50	1.31	230	2.5	<0.1	360	6.7	52.0	---	
09C	11/14/2005	515	333			<1.0	<1.0	1.2	<1.0	<0.50	<0.50	1.41	228	2.4	<0.1	7300	6.9	50.6	---	
09C	02/21/2006	614	432			<1.0	<1.0	<1.0	<1.0	<11.4	<12.3	0.78	326	2.4	<0.1	10300	6.5	44.2	---	
09C	05/15/2006	697	515			<1.0	<1.0	<1.0	<1.0	<11	<12	1.01	192	2.0	27.9	21000	7.0	42.1	---	
09C	08/16/2006	790	608			<1.0	<1.0	<1.0	<1.0	<1.1	1.6	0.80	199	1.2	28.8	22900	6.5	33.0	---	
09C	11/27/2006	893	711			<0.2	<0.2	<0.2	<0.2	<1.1	9.1	1.40	289	2.4	26.7	23500	6.5	44.0	---	
09C	02/22/2007	980	798			<1.0	<1.0	<1.0	<1.0	<1.1	3.9	0.75	-32	3.6	0.2	17700	6.5	33.8	---	
09C	05/22/2007	1069	887			<1.0	<1.0	<1.0	<1.0	<1.1	5.4	0.52	123	3.5	<0.1	20600	6.6	25.4	---	
09C	11/29/2007	1260	1078			<1.0	<1.0	<1.0	<1.0	<1.1	5.4	0.81	147	3.6	27.3	30000	6.5	27.1	---	
09C	05/19/2008	1432	1250			-98	<0.2	<0.2	<0.2	0.2	<1.1	15.2	2.11	-57	4.6	18.6	22800	6.5	22.3	---
09C	11/24/2008	1621	1439			91	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	2.92	-44	1.8	<2.0	17700	6.6	334	---
09C	05/18/2009	1796	1614			266	<1.0	<1.0	<1.0	<1.0	<1.1	4.3	0.45	-44	3.5	<0.5	21400	7.0	24.0	---
09C	11/16/2009	1978	1796			448	<3.0	<3.0	<3.0	<3.0	<1.1	1.9	1.27	-7	3.0	<0.1	22400	6.4	20.7	---

**SWMU-20 CLEANUP ACTION SUMMARY - SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds						Aquifer Redox Conditions				Donor Parameters		Notes		
						PCE ( $\mu\text{g/L}$ )	TCE ( $\mu\text{g/L}$ )	CIS ( $\mu\text{g/L}$ )	VC ( $\mu\text{g/L}$ )	Ethene ( $\mu\text{g/L}$ )	Ethane ( $\mu\text{g/L}$ )	DO ( $\text{mg/L}$ )	ORP (mV)	Iron II ( $\text{mg/L}$ )	Sulfate ( $\text{mg/L}$ )	Methane ( $\mu\text{g/L}$ )	pH	TOC ( $\text{mg/L}$ )		
		1st Injection	2nd Injection	3rd Injection	4th Injection															
10A	05/03/2004	-45				29	27	80	6.4	<0.50	<0.50	0.60	108	2.0	37.8	2.8	6.8	20.0	Clear, yellow tint	
10A	08/23/2004	67				14	12	170	4.0	<0.50	<0.50	0.49	181	3.5	38.9	1.1	7.0	59.6	Clear, black tint	
10A	10/19/2004	124	-58			15	15	100	23	<0.50	<0.50	0.66	224	4.0	37.8	2.7	7.0	24.0	Clear	
10A	02/21/2005	249	67			4.7	4.8	24	6.8	<0.50	0.54	0.53	166	3.6	24.3	430	7.0	22.4	Clear, yellow color	
10A	05/11/2005	328	146			4.2	5.4	26	7.2	<0.50	<0.50	0.95	47	3.0	27.9	540	7.2	25.9	Clear, yellowish brown tint	
10A	08/22/2005	431	249			2.7	6.3	48	76	<0.50	<0.50	0.73	177	2.0	48.8	240	7.0	31.4	Clear, with yellow/brown tint	
10A	11/14/2005	515	333			3.3	6.7	47	73	<0.50	<0.50	0.91	178	2.0	50.6	370	7.1	34.1	---	
10A	02/21/2006	614	432			3.7	9.6	42	150	<11.4	<12.3	0.54	320	2.0	53.9	1130	6.8	45.8	---	
10A	05/15/2006	697	515			1.8	3.7	63	19	<11	<12	0.67	190	1.8	57.4	3100	6.8	49.2	---	
10A	08/16/2006	790	608			1.6	1.6	38	20	<1.1	<1.2	1.50	201	1.4	57.5	1620	6.7	50.8	---	
10A	11/27/2006	893	711			<0.2	<0.2	7.4	9.2	2.6	2.6	2.67	201	3.0	57.9	1650	6.9	56.0	---	
10A	02/22/2007	980	798			1.2	<1.0	32	35	<1.1	<1.2	0.57	-176	4.6	20.4	1370	6.8	56.4	---	
10A	05/22/2007	1069	887			1.1	<1.0	28	44	<1.1	1.4	0.88	73	3.0	10.2	2590	6.9	47.3	---	
10A	11/29/2007	1260	1078			1.2	<1.0	22	78	4.4	3.7	0.80	106	4.2	47.9	4810	6.9	47.8	---	
10A	05/19/2008	1432	1250		-98	<1.0	<1.0	22	180	7.9	4.4	2.19	-177	4.0	32.5	4870	7.0	33.3	---	
10A	11/24/2008	1621	1439		91	<1.0	<1.0	1.6	5.0	<1.1	<1.2	2.29	-87	3.4	1.3	16900	7.1	1200	---	
10A	05/18/2009	1796	1614			266	<2.0	<2.0	<2.0	<1.1	<1.2	0.66	-80	3.3	<1.0	17900	6.9	168	---	
10A	11/16/2009	1978	1796			448	<1.0	<1.0	<1.0	<1.0	<1.1	1.2	3.14	-40	4.2	<1.0	18200	6.3	69.2	---
10A	5/20/2010	2163	1981			633	<1.0	<1.0	<1.0	<1.0	<1.1	16.23	341	3.0	<1.0	17600	6.8	60.4	Duffy: Replace DO electrolic membrane	
10A	11/10/2010	2337	2155			807	<1.0	<1.0	<1.0	<1.0	<1.1	1.2	4.09	67	2.4	0.5	22800	6.9	56.8	---
10A	5/3/2011	2511	2329			981	<2.0	<2.0	<2.0	<2.0	<1.1	1.2	2.47	-21	2.5	<0.2	20700	6.9	41.6	---
10A	11/13/2011	2705	2523			1175	<0.2	<0.2	0.2	0.4	<1.1	1.2	2.45	-38	2.0	0.3	15400	7.05	33.8	---
14A	05/04/2004	-44				<1.0	<1.0	140	110	<0.50	<0.50	0.53	-8	7.5	38.9	590	6.8	20.7	Clear, yellow tint	
14A	08/23/2004	67				<1.0	2.9	560	180	0.89	0.67	0.54	162	3.2	30.1	810	6.8	22.6	---	
14A	10/19/2004	124	-58			<5.0	39	1200	650	<0.50	<0.50	0.64	69	3.0	43.3	350	6.9	20.6	---	
14A	02/21/2005	249	67	-24		<5.0	<5.0	300	1000	13	2.7	0.41	101	1.8	3.8	1700	6.9	44.0	Clear, yellow tint	
14A	05/16/2005	333	151	60		<10	<10	<10	<10	<0.50	<0.50	5.90	45	4.0	<2.0	590	6.4	8620	---	
14A	08/22/2005	431	249	158		<10	<10	<10	<10	<0.50	<0.50	1.62	234	3.0	<2.0	220	6.8	5380	Clear, yellow brown	
14A	11/15/2005	516	334	243		<3.0	<3.0	6.0	<3.0	<0.50	<0.50	1.26	257	2.0	<0.1	2500	6.4	602	---	
14A	02/21/2006	614	432	341		<1.0	<1.0	<1.0	<1.0	<11.4	<12.3	1.36	335	2.0	<0.1	5400	7.4	180	---	
14A	05/17/2006	699	517	426		<2.0	<2.0	2.1	<2.0	<11	<12	1.78	76	2.8	12.0	9400	6.4	67.1	---	
14A	08/16/2006	790	608	517		<1.0	<1.0	3.0	<1.0	<1.1	<1.2	1.16	240	1.2	16.5	6320	6.5	66.0	---	
14A	11/29/2006	895	713	622		<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	1.57	248	2.8	11.8	11100	6.3	72.0	---	
14A	02/22/2007	980	798	707		<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.89	-56	7.0	0.2	7670	6.2	34.9	---	
14A	05/23/2007	1070	888	797		<1.0	<1.0	1.5	<1.0	<1.1	<1.2	1.11	165	3.0	8.6	10100	6.3	27.5	---	
14A	12/03/2007	1264	1082	991		<1.0	<1.0	1.6	<1.0	<1.1	<1.2	2.29	-86	3.2	15.9	14500	6.4	55.6	---	
14A	05/20/2008	1433	1251	1160	-97	<1.0	<1.0	1.2	<1.0	<1.1	<1.2	3.45	-88	3.6	<0.1	12100	6.3	26.3	---	
14A	11/24/2008	1621	1439	1348	91	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	2.79	-70	3.0	194	14500	6.1	8.68	---	
14A	05/20/2009	1798	1616	1525	268	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.41	-95	3.5	20.0	14400	6.3	9.83	---	
14A	11/17/2009	1979	1797	1706	449	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.81	-18	3.2	165	15800	5.7	6.22	---	
14A	5/24/2010	2167	1985	1894	637	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	4.29	311	2.8	5.1	14600	6.4	8.07	---	
14A	11/10/2010	2337	2155	2064	807	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	2.47	171	2.6	38.6	14300	6.8	6.88	---	
14A	5/5/2011	2513	2331	2240	983	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	2.96	83	1.8	8.4	15100	7.1	3.28	---	
14A	11/13/2011	2705	2523	2432	1175	<0.2	<0.2	0.6	<0.2	<1.1	<1.2	2.04	-52	1.5	<0.1	7510	6.9	8.05	---	

**SWMU-20 CLEANUP ACTION SUMMARY - SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds						Aquifer Redox Conditions				Donor Parameters		Notes		
						PCE (µg/L)	TCE (µg/L)	CIS (µg/L)	VC (µg/L)	Ethene (µg/L)	Ethane (µg/L)	DO (mg/L)	ORP (mV)	Iron II (mg/L)	Sulfate (mg/L)	Methane (µg/L)	pH	TOC (mg/L)		
		1st Injection	2nd Injection	3rd Injection	4th Injection															
15A	05/03/2004	-45				<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA		
15A	10/26/2004	131	-51			<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA		
15A	05/16/2005	333	151			<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA		
15A	11/15/2005	516	334			<5.0	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA		
15A	05/17/2006	699	517			<5.0	<5.0	<5.0	<5.0	NA	NA	0.79	131	NA	NA	NA	6.7	NA	---	
15A	11/29/2006	895	713			<3.0	<3.0	<3.0	<3.0	NA	NA	1.26	513	NA	NA	NA	6.6	NA	---	
15A	05/23/2007	1070	888			<1.0	<1.0	1.4	2.6	NA	NA	1.19	144	NA	NA	NA	6.7	NA	---	
15A	12/03/2007	1264	1082			<1.0	<1.0	<1.0	1.3	NA	NA	1.31	-105	NA	NA	NA	6.6	NA	---	
15A	05/20/2008	1433	1251			-97	<3.0	<3.0	<3.0	NA	NA	2.57	-135	NA	NA	NA	6.7	NA	---	
15A	11/24/2008	1621	1439			91	<1.0	<1.0	<1.0	2.0	NA	NA	2.07	-61	NA	NA	NA	6.8	NA	---
15A	05/19/2009	1797	1615			267	<3.0	<3.0	<3.0	<3.0	NA	NA	0.35	-33	NA	NA	NA	6.9	NA	---
15A	11/18/2009	1980	1798			450	<1.0	<1.0	<1.0	1.4	NA	NA	0.72	-0.1	NA	NA	NA	6.3	NA	---
15A	5/20/2010	2163	1981			633	<1.0	<1.0	<1.0	1.6	NA	NA	1.10	606	NA	NA	NA	6.8	NA	---
15A	11/10/2010	2337	2155			807	<1.0	<1.0	<1.0	1.4	NA	NA	2.42	118	NA	NA	NA	7.1	NA	---
15A	5/5/2011	2513	2331			983	<10	<10	<10	<10	NA	NA	4.83	-19	NA	NA	NA	7.2	NA	---
15A	11/13/2011	2705	2523			1175	<0.2	<0.2	0.3	1.0	NA	NA	4.01	-41	NA	NA	NA	7.3	NA	---
19A	05/02/2004	-46	-228			<1.0	<1.0	<1.0	<1.0	NA	NA	0.33	-3	NA	NA	NA	6.5	NA	---	
19A	02/21/2005	249	67			<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	0.65	180	NA	47.4	17	6.7	15.5	---	
19A	05/12/2005	329	147			<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	0.63	169	3.0	31.3	9.1	6.8	14.2	Clear, colorless	
19A	08/22/2005	431	249			<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	0.74	106	3.0	68.3	16	6.6	10.5	Clear, colorless	
19A	11/15/2005	516	334			<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	0.56	201	2.6	95.9	35	6.8	9.30	---	
19A	02/22/2006	615	433			<1.0	<1.0	<1.0	<1.0	<11.4	<12.3	0.77	65	3.0	124.0	111	6.6	31.3	---	
19A	05/17/2006	699	517			<1.0	<1.0	<1.0	<1.0	<11	<12	1.14	56	2.0	73.4	230	6.4	15.7	---	
19A	08/15/2006	789	607			<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.60	229	2.0	47.3	202	6.4	11.5	---	
19A	11/27/2006	893	711			<0.2	0.2	0.3	<0.2	<1.1	<1.2	0.88	264	2.0	41.9	186	6.4	13.6	---	
19A	02/22/2007	980	798			<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.42	-23	3.0	20.7	248	6.2	19.8	---	
19A	05/22/2007	1069	887			<1.0	<1.0	<1.0	<1.0	<1.1	5.2	0.34	277	3.5	30.8	179	6.4	15.4	---	
19A	11/29/2007	1260	1078			<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.67	243	2.2	37.2	235	6.2	14.3	---	
19A	05/20/2008	1433	1251			-97	<1.0	<1.0	<1.0	<1.0	<1.1	1.2	3.23	-79	3.8	20.9	134	6.4	11.5	---
19A	11/23/2008	1620	1438			90	<1.0	<1.0	<1.0	<1.0	<1.1	1.62	-61	2.0	46.1	97.8	6.4	10.6	---	
19A	05/19/2009	1797	1615			267	<1.0	<1.0	<1.0	<1.0	<1.1	1.2	0.30	-28	3.2	28.6	127	6.8	12.8	---
19A	11/18/2009	1980	1798			450	<1.0	<1.0	<1.0	<1.0	<1.1	1.58	-2	3.4	22.1	122	6.5	10.7	---	
22A	03/21/2005	277	95	4		<1.0	<1.0	3.5	2.0	<0.50	<0.50	1.86	53	2.8	12.8	280	7.0	11.1	Hazy, suspended silt	
22A	05/12/2005	329	147	56		<1.0	<1.0	2.3	2.9	<0.50	<0.50	0.83	155	2.6	1.3	300	7.1	31.3	---	
22A	08/22/2005	431	249	158		<1.0	<1.0	2.3	3.2	<0.50	<0.50	0.70	170	2.6	3.0	230	6.9	26.5	Clear, slight yellow brown tint	
22A	11/16/2005	517	335	244		<1.0	<1.0	1.4	2.2	<0.50	<0.50	1.67	321	2.4	1.3	1300	6.3	29.9	---	
22A	02/22/2006	615	433	342		<1.0	<1.0	1.4	3.3	<11.4	<12.3	0.69	97	2.0	59.0	1940	6.8	32.0	---	
22A	05/17/2006	699	517	426		<1.0	<1.0	2.4	1.7	<11	<12	0.67	102	2.6	32.7	3600	6.8	17.6	---	
22A	08/15/2006	789	607	516		<1.0	<1.0	1.8	2.4	<1.1	<1.2	0.65	239	2.0	54.7	5700	6.7	24.0	---	
22A	11/30/2006	896	714	623		<0.2	0.3	2.2	2.4	<1.1	<1.2	2.15	286	2.6	40.0	4020	6.6	25.2	---	
22A	02/22/2007	980	798	707		<1.0	<1.0	2.5	2.3	<1.1	<1.2	0.53	-76	5.0	<0.1	3000	6.6	22.4	---	
22A	05/23/2007	1070	888	797		<1.0	<1.0	2.5	2.7	<1.1	<1.2	0.30	51	3.0	27.3	3510	6.8	18.2	---	
22A	12/03/2007	1264	1082	991		<1.0	<1.0	2.0	1.3	<1.1	<1.2	0.61	41	2.6	12.3	2030	6.6	16.0	---	
22A	05/20/2008	1433	1251	1160	-97	<1.0	<1.0	2.6	1.9	<1.1	<1.2	2.83	-103	4.0	20.2	1540	6.7	13.8	---	
22A	11/23/2008	1620	1438	1347	90	<1.0	<1.0	2.2	3.1	<1.1	<1.2	1.13	-70	1.8	2.6	3100	6.8	19.2	---	
22A	05/19/2009	1797	1615	1524	267	<1.0	<1.0	2.5	2.5	<1.1	<1.2	0.26	-43	3.2	3.4	3490	7.0	21.0	---	
22A	11/18/2009	1980	1798	1707	450	<1.0	<1.0	2.1	1.8	<1.1	<1.2	0.43	-3.3	3.0	2.1	2060	6.4	13.8	---	
22A	5/24/2010	2167	1985	1894	637	<1.0	<1.0	1.7	1.7	<1.1	<1.2	6.58	204	2.4	0.6	2370	7.0	15.1	---	
22A	11/11/2010	2338	2156	2065	808	<1.0	<1.0	1.2	2.7	<1.1	<1.2	3.27	113	2.2	0.5	4650	7.0	21.8	---	
22A	5/4/2011	2512	2330	2239	982	<1.0	<1.0	1.1	2.2	<1.1	<1.2	1.96	4	2.0	0.6	6350	7.0	22.4	---	
22A	11/13/2011	2705	2523	2432	1175	<0.2	<0.2	0.9	1.7	<1.1	<1.2	2.89	-38	1.2	0.4	2510	7.3	17.6	---	

**SWMU-20 CLEANUP ACTION SUMMARY - SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds						Aquifer Redox Conditions				Donor Parameters		Notes	
						PCE (µg/L)	TCE (µg/L)	CIS (µg/L)	VC (µg/L)	Ethene (µg/L)	Ethane (µg/L)	DO (mg/L)	ORP (mV)	Iron II (mg/L)	Sulfate (mg/L)	Methane (µg/L)	pH	TOC (mg/L)	
		1st Injection	2nd Injection	3rd Injection	4th Injection														
23A	03/21/2005	277	95	4		<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	0.63	81	2.0	0.4	410	7.0	33.0	Slight yellow tint
23A	05/12/2005	329	147	56		<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	0.58	158	2.0	<0.1	260	7.2	39.9	---
23A	08/22/2005	431	249	158		<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	0.75	130	3.4	1.5	98	7.0	21.0	---
23A	11/16/2005	517	335	244		<1.0	<1.0	<1.0	<1.0	<0.50	<0.50	0.49	291	2.6	4.1	140	7.2	30.8	---
23A	02/22/2006	615	433	342		<1.0	<1.0	<1.0	<1.0	<11.4	<12.3	0.60	127	2.2	91.8	1520	6.4	34.5	---
23A	05/17/2006	699	517	426		<1.0	<1.0	<1.0	<1.0	<11	<12	0.60	120	3.0	38.8	1700	6.7	30.0	---
23A	08/15/2006	789	607	516		<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.77	256	2.2	63.9	3080	6.7	32.6	---
23A	11/30/2006	896	714	623		<0.2	<0.2	<0.2	<0.2	<1.1	<1.2	1.96	287	2.5	40.7	1930	6.2	45.2	---
23A	02/22/2007	980	798	707		<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.40	-58	2.0	2.9	1360	6.5	34.6	---
23A	05/23/2007	1070	888	797		<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.41	193	3.3	52.7	1850	6.4	38.7	---
23A	11/30/2007	1261	1079	988		<0.2	<0.2	<b>0.3</b>	<0.2	<1.1	<1.2	0.55	159	2.2	81.1	4430	6.6	38.6	---
23A	05/21/2008	1434	1252	1161	-96	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	3.12	-28	2.2	31.7	1570	6.1	29.6	---
23A	11/25/2008	1622	1440	1349	92	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	4.22	-68	1.8	<0.1	3270	6.8	39.0	---
23A	05/19/2009	1797	1615	1524	267	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.31	-3	3.2	0.1	2370	6.5	39.1	---
23A	11/18/2009	1980	1798	1707	450	<1.0	<1.0	<1.0	<1.0	<1.1	<1.2	0.41	1	2.4	1.6	1970	6.5	30.9	---

NA = Not analyzed.

(a) Injections occurred on:

6/17/04 (6A, B, C; 9A, B, C)

6/17/2004 for elapsed time relative to injection

12/16-17/04 (6A, 6B; 9A, 9B)

12/16/2004 for elapsed time relative to injection

3/17/05 (14A)

3/17/2005 for elapsed time relative to injection

8/25-28/08 (6A, 9A, 10A)

8/25/2008 for elapsed time relative to injection

(b) MW-06A installed June 2004.

**SWMU-20 CLEANUP ACTION SUMMARY - NON SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds			
		1st Injection	2nd Injection	3rd Injection	4th Injection	PCE (µg/L)	TCE (µg/L)	CIS (µg/L)	VC (µg/L)
MW-8C	5/3/2004	-45				<1.0	<1.0	<1.0	2.8
MW-8C	10/25/2004	130	-52			<1.0	<1.0	<1.0	<b>3.5</b>
MW-8C	5/12/2005	329	147			<1.0	<1.0	<1.0	<1.0
MW-8C	11/14/2005	515	333			<1.0	<1.0	<1.0	<1.0
MW-8C	5/15/2006	697	515			<10	<10	<10	<10
MW-8C	11/27/2006	893	711			<5.0	<5.0	<5.0	<5.0
MW-8C	5/21/2007	1068	886			<3.0	<3.0	<3.0	<3.0
MW-8C	11/29/2007	1260	1078			<5.0	<5.0	<5.0	<5.0
MW-8C	5/19/2008	1432	1250		-98	<5.0	<5.0	<5.0	<5.0
MW-8C	11/23/2008	1620	1438		90	<5.0	<5.0	<5.0	<5.0
MW-8C	05/18/2009	1796	1614		266	<1.0	<1.0	<1.0	<1.0
MW-8C	11/16/2009	1978	1796		448	<3.0	<3.0	<3.0	<3.0
MW-9D	5/3/2004	-45				<1.0	<1.0	<1.0	<1.0
MW-9D	10/19/2004	124	-58			<1.0	<1.0	<1.0	<1.0
MW-9D	5/11/2005	328	146			<1.0	<1.0	<1.0	<1.0
MW-9D	11/14/2005	515	333			<1.0	<1.0	<1.0	<1.0
MW-9D	5/15/2006	697	515			<1.0	<1.0	<1.0	<1.0
MW-9D	11/27/2006	893	711			<1.0	<1.0	<1.0	<1.0
MW-9D	5/22/2007	1069	887			<1.0	<1.0	<1.0	<1.0
MW-9D	11/29/2007	1260	1078			<1.0	<1.0	<1.0	<1.0
MW-9D	5/19/2008	1432	1250		-98	<0.2	<0.2	<0.2	<0.2
MW-9D	11/24/2008	1621	1439		91	<1.0	<1.0	<1.0	<1.0
MW-9D	05/18/2009	1796	1614		266	<1.0	<1.0	<1.0	<1.0
MW-9D	11/16/2009	1978	1796		448	<1.0	<1.0	<1.0	<1.0
MW-10C	5/3/2004	-45				<1.0	<1.0	<b>4.3</b>	<b>4.0</b>
MW-10C	10/19/2004	124	-58			<1.0	<1.0	<b>6.4</b>	<b>11</b>
MW-10C	5/11/2005	328	146			<1.0	<1.0	<b>4.0</b>	<b>1.9</b>
MW-10C	11/14/2005	515	333			<1.0	<1.0	<1.0	<b>1.0</b>
MW-10C	5/15/2006	697	515			<1.0	<1.0	<b>1.5</b>	<b>2.2</b>
MW-10C	11/27/2006	893	711			<0.2	<0.2	<b>1.9</b>	<b>2.6</b>
MW-10C	5/22/2007	1069	887			<1.0	<1.0	<b>6.7</b>	<b>5.8</b>
MW-10C	11/29/2007	1260	1078			<1.0	<1.0	<b>7.2</b>	<b>5.6</b>
MW-10C	5/19/2008	1432	1250		-98	<0.2	<0.2	<b>15</b>	<b>6.9</b>
MW-10C	11/24/2008	1621	1439		91	<1.0	<1.0	<b>8.5</b>	<b>7.5</b>
MW-10C	05/18/2009	1796	1614		266	<1.0	<1.0	<1.0	<1.0
MW-10C	11/16/2009	1978	1796		448	<1.0	<1.0	<1.0	<1.0
MW-10C	5/20/2010	2163	1981		633	<1.0	<1.0	<1.0	<1.0
MW-10C	11/10/2010	2337	2155		807	<1.0	<1.0	<b>3.5</b>	<b>4.4</b>
MW-10C	5/3/2011	2511	2329		981	<1.0	<1.0	<b>5.8</b>	<b>4.7</b>
MW-10C	11/13/2011	2705	2523		1175	<0.2	<0.2	<b>3.7</b>	<b>4.3</b>

**SWMU-20 CLEANUP ACTION SUMMARY - NON SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds			
		1st Injection	2nd Injection	3rd Injection	4th Injection	PCE ( $\mu\text{g/L}$ )	TCE ( $\mu\text{g/L}$ )	CIS ( $\mu\text{g/L}$ )	VC ( $\mu\text{g/L}$ )
MW-11A	5/2/2004	-46				<1.0	<b>2.1</b>	<b>21</b>	<1.0
MW-11A	10/25/2004	130	-52			<1.0	<b>2.0</b>	<b>20</b>	<1.0
MW-11A	5/12/2005	329	147			<1.0	<b>2.0</b>	<b>20</b>	<1.0
MW-11A	11/15/2005	516	334			<1.0	<b>2.0</b>	<b>22</b>	<1.0
MW-11A	5/16/2006	698	516			<1.0	<b>1.1</b>	<b>20</b>	<1.0
MW-11A	11/26/2006	892	710			<1.0	<b>1.5</b>	<b>24</b>	<1.0
MW-11A	5/22/2007	1069	887			<1.0	<b>1.5</b>	<b>26</b>	<1.0
MW-11A	11/27/2007	1258	1076			<1.0	<b>1.1</b>	<b>27</b>	<1.0
MW-11A	5/19/2008	1432	1250		-98	<0.2	<b>1.2</b>	<b>26</b>	<b>0.2</b>
MW-11A	11/23/2008	1620	1438		90	<1.0	<b>1.2</b>	<b>33</b>	<1.0
MW-11A	05/18/2009	1796	1614		266	<1.0	<1.0	<b>26</b>	<1.0
MW-11A	11/17/2009	1979	1797		449	<1.0	<b>1.0</b>	<b>30</b>	<1.0
MW-11A	5/19/2010	2162	1980		632	<1.0	<b>1.1</b>	<b>26</b>	<1.0
MW-11A	11/8/2010	2335	2153		805	<1.0	<1.0	<b>22</b>	<1.0
MW-11A	5/3/2011	2511	2329		981	<1.0	<1.0	<b>22</b>	<1.0
MW-11A	11/13/2011	2705	2523		1175	<0.2	<b>0.5</b>	<b>23</b>	<b>0.4</b>
MW-12A	5/2/2004	-46				<1.0	<1.0	<b>1.8</b>	<1.0
MW-12A	10/25/2004	130	-52			<1.0	<1.0	<b>4.4</b>	<1.0
MW-12A	5/12/2005	329	147			<1.0	<1.0	<b>2.0</b>	<1.0
MW-12A	11/15/2005	516	334			<1.0	<1.0	<b>3.8</b>	<1.0
MW-12A	5/16/2006	698	516			<1.0	<1.0	<b>1.5</b>	<1.0
MW-12A	11/26/2006	892	710			<0.2	<b>0.7</b>	<b>4.4</b>	<0.2
MW-12A	5/22/2007	1069	887			<1.0	<1.0	<b>2.4</b>	<1.0
MW-12A	11/27/2007	1258	1076			<1.0	<1.0	<b>3.2</b>	<1.0
MW-12A	5/19/2008	1432	1250		-98	<0.2	<b>0.6</b>	<b>3.2</b>	<0.2
MW-12A	11/23/2008	1620	1438		90	<1.0	<1.0	<b>4.7</b>	<1.0
MW-12A	05/18/2009	1796	1614		266	<1.0	<1.0	<b>1.4</b>	<1.0
MW-12A	11/17/2009	1979	1797		449	<1.0	<1.0	<b>4.7</b>	<1.0
MW-12A	5/19/2010	2162	1980		632	<1.0	<1.0	<1.0	<1.0
MW-12A	11/8/2010	2335	2153		805	<1.0	<1.0	<b>4.3</b>	<1.0
MW-12A	5/3/2011	2511	2329		981	<1.0	<1.0	<1.0	<1.0
MW-12A	11/13/2011	2705	2523		1175	<0.2	<b>0.6</b>	<b>3.1</b>	<0.2
MW-13A	5/2/2004	-46				<b>5.1</b>	<b>4.6</b>	<1.0	<1.0
MW-13A	10/25/2004	130	-52			<b>4.3</b>	<b>4.0</b>	<1.0	<1.0
MW-13A	5/12/2005	329	147			<b>6.1</b>	<b>4.6</b>	<1.0	<1.0
MW-13A	11/14/2005	515	333			<b>6.0</b>	<b>4.5</b>	<1.0	<1.0
MW-13A	5/16/2006	698	516			<b>7.1</b>	<b>4.6</b>	<1.0	<1.0
MW-13A	11/27/2006	893	711			<b>8.3</b>	<b>6.5</b>	<b>0.3</b>	<0.2
MW-13A	5/21/2007	1068	886			<b>8.2</b>	<b>7.0</b>	<b>0.4</b>	<0.2
MW-13A	11/28/2007	1259	1077			<b>6.4</b>	<b>4.2</b>	<1.0	<1.0
MW-13A	5/19/2008	1432	1250		-98	<b>8.7</b>	<b>6.8</b>	<b>0.3</b>	<0.2
MW-13A	11/23/2008	1620	1438		90	<b>6.5</b>	<b>3.7</b>	<1.0	<1.0
MW-13A	05/18/2009	1796	1614		266	<b>7.7</b>	<b>5.6</b>	<1.0	<1.0
MW-13A	11/17/2009	1979	1797		449	<b>9.2</b>	<b>6.0</b>	<1.0	<1.0
MW-13A	5/20/2010	2163	1981		633	<b>9.4</b>	<b>5.3</b>	<1.0	<1.0
MW-13A	11/10/2010	2337	2155		807	<b>3.6</b>	<b>2.8</b>	<1.0	<1.0
MW-13A	5/4/2011	2512	2330		982	<b>3.9</b>	<b>2.4</b>	<1.0	<1.0
MW-13A	11/3/2011	2695	2513		1165	<b>1.6</b>	<1.0	<1.0	<1.0

**SWMU-20 CLEANUP ACTION SUMMARY - NON SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds			
		1st Injection	2nd Injection	3rd Injection	4th Injection	PCE (µg/L)	TCE (µg/L)	CIS (µg/L)	VC (µg/L)
MW-13C	5/2/2004	-46				<1.0	<1.0	<1.0	<b>2.5</b>
MW-13C	10/25/2004	130	-52			<1.0	<1.0	<1.0	<b>3.3</b>
MW-13C	5/12/2005	329	147			<1.0	<1.0	<1.0	<1.0
MW-13C	11/14/2005	515	333			<1.0	<1.0	<1.0	<b>3.8</b>
MW-13C	5/16/2006	698	516			<1.0	<1.0	<1.0	<b>2.2</b>
MW-13C	11/27/2006	893	711			<0.2	<0.2	<b>0.8</b>	<b>3.4</b>
MW-13C	5/21/2007	1068	886			<0.2	<0.2	<b>0.8</b>	<b>4.4</b>
MW-13C	11/28/2007	1259	1077			<1.0	<1.0	<1.0	<b>2</b>
MW-13C	5/19/2008	1432	1250		-98	<0.2	<0.2	<b>0.2</b>	<b>0.6</b>
MW-13C	11/23/2008	1620	1438		90	<1.0	<1.0	<1.0	<b>2.2</b>
MW-13C	05/18/2009	1796	1614		266	<1.0	<1.0	<1.0	<1.0
MW-13C	11/17/2009	1979	1797		449	<1.0	<1.0	<1.0	<1.0
MW-13C	5/20/2010	2163	1981		633	<1.0	<1.0	<1.0	<1.0
MW-13C	11/10/2010	2337	2155		807	<1.0	<1.0	<1.0	<1.0
MW-13C	5/4/2011	2512	2330		982	<1.0	<1.0	<1.0	<1.0
MW-13C	11/3/2011	2695	2513		1165	<1.0	<1.0	<1.0	<1.0
MW-14C	5/4/2004	-44				<1.0	<1.0	<b>63</b>	<b>44</b>
MW-14C	10/26/2004	131	-51	-142		<1.0	<1.0	<b>22</b>	<b>75</b>
MW-14C	5/16/2005	333	151	60		<1.0	<1.0	<b>11</b>	<b>6.1</b>
MW-14C	11/15/2005	516	334	243		<1.0	<1.0	<1.0	<b>1.8</b>
MW-14C	5/17/2006	699	517	426		<1.0	<1.0	<1.0	<1.0
MW-14C	11/29/2006	895	713	622		<0.2	<0.2	<0.2	<b>1.0</b>
MW-14C	5/23/2007	1070	888	797		<1.0	<1.0	<1.0	<b>2.5</b>
MW-14C	12/3/2007	1264	1082	991		<1.0	<1.0	<b>1.1</b>	<b>11</b>
MW-14C	5/20/2008	1433	1251	1160	-97	<1.0	<1.0	<b>1.4</b>	<b>22</b>
MW-14C	11/24/2008	1621	1439	1348	91	<1.0	<1.0	<1.0	<b>4.3</b>
MW-14C	05/20/2009	1798	1616	1525	268	<1.0	<1.0	<1.0	<b>1.1</b>
MW-14C	11/17/2009	1979	1797	1706	449	<1.0	<1.0	<1.0	<1.0
MW-14C	5/24/2010	2167	1985	1894	637	<1.0	<1.0	<1.0	<1.0
MW-14C	11/10/2010	2337	2155	2064	807	<1.0	<1.0	<1.0	<1.0
MW-14C	5/5/2011	2513	2331	2240	983	<1.0	<1.0	<1.0	<1.0
MW-14C	11/13/2011	2705	2523	2432	1175	<0.2	<0.2	<0.2	<0.2
MW-14E	5/4/2004	-44				<1.0	<1.0	<1.0	<1.0
MW-14E	10/26/2004	131	-51	-142		<1.0	<1.0	<1.0	<1.0
MW-14E	5/16/2005	333	151	60		<1.0	<1.0	<1.0	<1.0
MW-14E	11/15/2005	516	334	243		<1.0	<1.0	<1.0	<1.0
MW-14E	5/17/2006	699	517	426		<1.0	<1.0	<1.0	<1.0
MW-14E	11/29/2006	895	713	622		<0.2	<0.2	<0.2	<0.2
MW-14E	5/23/2007	1070	888	797		<1.0	<1.0	<1.0	<1.0
MW-14E	12/3/2007	1264	1082	991		<1.0	<1.0	<1.0	<1.0
MW-14E	5/20/2008	1433	1251	1160	-97	<1.0	<1.0	<1.0	<1.0
MW-14E	11/24/2008	1621	1439	1348	91	<1.0	<1.0	<1.0	<1.0
MW-14E	05/20/2009	1798	1616	1525	268	<1.0	<1.0	<1.0	<1.0
MW-14E	11/17/2009	1979	1797	1706	449	<1.0	<1.0	<1.0	<1.0

**SWMU-20 CLEANUP ACTION SUMMARY - NON SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds			
		1st Injection	2nd Injection	3rd Injection	4th Injection	PCE (µg/L)	TCE (µg/L)	CIS (µg/L)	VC (µg/L)
MW-15C	5/3/2004	-45				<1.0	<1.0	<b>9.1</b>	11
MW-15C	10/26/2004	131	-51			<1.0	<1.0	<b>11</b>	17
MW-15C	5/16/2005	333	151			<1.0	<1.0	<b>13</b>	<b>6.4</b>
MW-15C	11/15/2005	516	334			<1.0	<1.0	<1.0	<1.0
MW-15C	5/17/2006	699	517			<1.0	<1.0	<1.0	<1.0
MW-15C	11/29/2006	895	713			<0.2	<0.2	<0.2	<0.2
MW-15C	5/23/2007	1070	888			<1.0	<1.0	<1.0	<b>2.2</b>
MW-15C	12/3/2007	1264	1082			<1.0	<1.0	<1.0	<b>2.5</b>
MW-15C	5/20/2008	1433	1251		-97	<1.0	<1.0	<b>1.8</b>	<b>6.6</b>
MW-15C	11/24/2008	1621	1439		91	<1.0	<1.0	<b>1.9</b>	<b>6.6</b>
MW-15C	05/19/2009	1797	1615		267	<1.0	<1.0	<1.0	<1.0
MW-15C	11/18/2009	1980	1798		450	<1.0	<1.0	<1.0	<1.0
MW-15C	5/20/2010	2163	1981		633	<1.0	<1.0	<1.0	<1.0
MW-15C	11/10/2010	2337	2155		807	<1.0	<1.0	<1.0	<1.0
MW-15C	5/5/2011	2513	2331		983	<1.0	<1.0	<1.0	<1.0
MW-15C	11/13/2011	2705	2523		1175	<0.2	<0.2	<0.2	<0.2
MW-15D	5/3/2004	-45				<1.0	<1.0	<1.0	<1.0
MW-15D	10/26/2004	131	-51			<1.0	<1.0	<1.0	<1.0
MW-15D	5/16/2005	333	151			<1.0	<1.0	<1.0	<1.0
MW-15D	11/15/2005	516	334			<1.0	<1.0	<1.0	<1.0
MW-15D	5/17/2006	699	517			<1.0	<1.0	<1.0	<1.0
MW-15D	11/29/2006	895	713			<1.0	<1.0	<1.0	<1.0
MW-15D	5/23/2007	1070	888			<1.0	<1.0	<1.0	<1.0
MW-15D	12/3/2007	1264	1082			<1.0	<1.0	<1.0	<1.0
MW-15D	5/20/2008	1433	1251		-97	<1.0	<1.0	<1.0	<1.0
MW-15D	11/24/2008	1621	1439		91	<1.0	<1.0	<1.0	<1.0
MW-15D	05/19/2009	1797	1615		267	<1.0	<1.0	<1.0	<1.0
MW-15D	11/18/2009	1980	1798		450	<1.0	<1.0	<1.0	<1.0
MW-16A	5/2/2004	-46				<b>1.2</b>	<b>1.2</b>	<b>2.3</b>	<1.0
MW-16A	10/25/2004	130	-52			<b>1.2</b>	<b>1.3</b>	<b>1.8</b>	<1.0
MW-16A	5/12/2005	329	147			<b>1.2</b>	<b>1.8</b>	<b>2.6</b>	<1.0
MW-16A	11/15/2005	516	334			<b>1.3</b>	<b>2.2</b>	<b>2.1</b>	<1.0
MW-16A	5/16/2006	698	516			<b>1.0</b>	<b>1.4</b>	<b>2.3</b>	<1.0
MW-16A	11/26/2006	892	710			<0.2	<b>0.8</b>	<b>4.2</b>	<0.2
MW-16A	5/22/2007	1069	887			<b>1.1</b>	<b>1.3</b>	<b>1.9</b>	<1.0
MW-16A	11/28/2007	1259	1077			<b>1.7</b>	<b>1.2</b>	<b>1.2</b>	<1.0
MW-16A	5/19/2008	1432	1250		-98	<b>1.2</b>	<b>1.3</b>	<b>1.2</b>	<0.2
MW-16A	11/23/2008	1620	1438		90	<b>1.5</b>	<b>1.4</b>	<b>1.0</b>	<1.0
MW-16A	05/18/2009	1796	1614		266	<b>1.6</b>	<b>1.6</b>	<1.0	<1.0
MW-16A	11/16/2009	1978	1796		448	<b>2.2</b>	<b>1.5</b>	<1.0	<1.0
MW-16A	5/20/2010	2163	1981		633	<b>1.4</b>	<b>1.4</b>	<1.0	<1.0
MW-16A	11/10/2010	2337	2155		807	<b>1.3</b>	<b>1.1</b>	<1.0	<1.0
MW-16A	5/4/2011	2512	2330		982	<b>1.6</b>	<b>1.4</b>	<1.0	<1.0
MW-16A	11/13/2011	2705	2523		1175	<b>1.4</b>	<b>1.3</b>	<b>0.5</b>	<0.2

**SWMU-20 CLEANUP ACTION SUMMARY - NON SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds			
		1st Injection	2nd Injection	3rd Injection	4th Injection	PCE ( $\mu\text{g/L}$ )	TCE ( $\mu\text{g/L}$ )	CIS ( $\mu\text{g/L}$ )	VC ( $\mu\text{g/L}$ )
MW-16C	5/2/2004	-46				<1.0	<1.0	1.7	5.4
MW-16C	10/25/2004	130	-52			<1.0	<1.0	2.4	8.5
MW-16C	5/12/2005	329	147			<1.0	<1.0	2.8	7.7
MW-16C	11/15/2005	516	334			<1.0	<1.0	4.6	12
MW-16C	5/16/2006	698	516			<1.0	<1.0	5.2	6.3
MW-16C	11/26/2006	892	710			1.2	2.3	2.0	<0.2
MW-16C	5/22/2007	1069	887			<1.0	<1.0	8.8	10
MW-16C	11/28/2007	1259	1077			<1.0	<1.0	7	8.9
MW-16C	5/19/2008	1432	1250		-98	<0.2	<0.2	7.8	7.9
MW-16C	11/23/2008	1620	1438		90	<1.0	<1.0	5.3	8.8
MW-16C	05/18/2009	1796	1614		266	<1.0	<1.0	5.0	6.3
MW-16C	11/16/2009	1978	1796		448	<1.0	<1.0	4.9	5.6
MW-16C	5/20/2010	2163	1981		633	<1.0	<1.0	3.7	3.4
MW-16C	11/10/2010	2337	2155		807	<1.0	<1.0	3.3	2.8
MW-16C	5/4/2011	2512	2330		982	<1.0	<1.0	3.7	3.2
MW-16C	11/13/2011	2705	2523		1175	<0.2	<0.2	3.3	2.5
MW-17A	5/2/2004	-46				4.8	6.5	1.0	<1.0
MW-17A	10/25/2004	130	-52			5.2	4.8	1.2	<1.0
MW-17A	11/15/2005	516	334			4.0	5.4	1.1	<1.0
MW-17A	5/15/2006	697	515			4.2	4.4	<1.0	<1.0
MW-17A	11/27/2006	893	711			2.2	6.3	1.0	<0.2
MW-17A	5/21/2007	1068	886			4.7	5.3	1.0	<0.2
MW-17A	11/29/2007	1260	1078			4.2	4.3	<1.0	<1.0
MW-17A	5/19/2008	1432	1250		-98	4.3	5.1	0.8	<0.2
MW-17A	11/23/2008	1620	1438		90	4.2	5.2	1.2	<1.0
MW-17A	05/19/2009	1797	1615		267	3.2	4.9	1.4	<1.0
MW-17A	11/12/2009	1974	1792		444	3.7	4.5	1.1	<1.0
MW-17A	5/20/2010	2163	1981		633	4.0	3.1	<1.0	<1.0
MW-17A	11/8/2010	2335	2153		805	2.3	4.8	2.3	<1.0
MW-17A	5/3/2011	2511	2329		981	3.1	2.2	1.5	<1.0
MW-17A	11/3/2011	2695	2513		1165	2.6	2.8	1.0	<1.0
MW-18A	5/2/2004	-46	-228			<1.0	<1.0	<1.0	<1.0
MW-18C	5/2/2004	-46				<1.0	<1.0	<1.0	<1.0
MW-18C	10/25/2004	130	-52			<1.0	<1.0	<1.0	<1.0
MW-18C	5/12/2005	329	147			<1.0	<1.0	<1.0	<1.0
MW-18C	11/15/2005	516	334			<1.0	<1.0	<1.0	<1.0
MW-18C	5/17/2006	699	517			<1.0	<1.0	<1.0	<1.0
MW-18C	11/27/2006	893	711			<0.2	<0.2	<0.2	<0.2
MW-18C	5/21/2007	1068	886			<0.2	<0.2	<0.2	0.2
MW-18C	11/28/2007	1259	1077			<1.0	<1.0	<1.0	<1.0
MW-18C	5/19/2008	1432	1250		-98	<0.2	<0.2	<0.2	0.2
MW-18C	11/23/2008	1620	1438		90	<1.0	<1.0	<1.0	<1.0
MW-18C	05/19/2009	1797	1615		267	<1.0	<1.0	<1.0	<1.0
MW-18C	11/17/2009	1979	1797		449	<1.0	<1.0	<1.0	<1.0

**SWMU-20 CLEANUP ACTION SUMMARY - NON SOURCE ZONE  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time from Injections (a) (days)				Volatile Organic Compounds			
		1st Injection	2nd Injection	3rd Injection	4th Injection	PCE (µg/L)	TCE (µg/L)	CIS (µg/L)	VC (µg/L)
MW-19C	5/2/2004	-46				<1.0	<1.0	<1.0	<1.0
MW-19C	10/25/2004	130	-52			<1.0	<1.0	<1.0	<1.0
MW-19C	5/12/2005	329	147			<1.0	<1.0	<1.0	<1.0
MW-19C	11/15/2005	516	334			<1.0	<1.0	<1.0	<1.0
MW-19C	5/17/2006	699	517			<1.0	<1.0	<1.0	<1.0
MW-19C	11/27/2006	893	711			<0.2	<0.2	<b>0.3</b>	<0.2
MW-19C	5/22/2007	1069	887			<1.0	<1.0	<1.0	<1.0
MW-19C	11/29/2007	1260	1078			<1.0	<1.0	<1.0	<1.0
MW-19C	5/20/2008	1433	1251		-97	<1.0	<1.0	<1.0	<1.0
MW-19C	11/23/2008	1620	1438		90	<1.0	<1.0	<1.0	<1.0
MW-19C	05/19/2009	1797	1615		267	<1.0	<1.0	<1.0	<1.0
MW-19C	11/18/2009	1980	1798		450	<1.0	<1.0	<1.0	<1.0
MW-20C	5/3/2004	-45				<1.0	<1.0	<b>1.4</b>	<b>2.4</b>
MW-20C	10/25/2004	130	-52			<1.0	<1.0	<b>1.7</b>	<b>4.6</b>
MW-20C	5/12/2005	329	147			<1.0	<1.0	<b>1.7</b>	<b>2.3</b>
MW-20C	11/15/2005	516	334			<1.0	<1.0	<b>2.1</b>	<b>2.9</b>
MW-20C	5/17/2006	699	517			<1.0	<1.0	<b>1.8</b>	<b>1.6</b>
MW-20C	11/29/2006	895	713			<0.2	<b>0.2</b>	<b>2.1</b>	<b>1.5</b>
MW-20C	5/21/2007	1068	886			<0.2	<0.2	<b>1.6</b>	<b>1.8</b>
MW-20C	11/29/2007	1260	1078			<1.0	<1.0	<b>1.6</b>	<b>1.3</b>
MW-20C	5/20/2008	1433	1251		-97	<1.0	<1.0	<b>1.6</b>	<b>2.5</b>
MW-20C	11/23/2008	1620	1438		90	<1.0	<1.0	<b>1.5</b>	<b>2.7</b>
MW-20C	05/19/2009	1797	1615		267	<1.0	<1.0	<b>1.4</b>	<b>2.0</b>
MW-20C	11/18/2009	1980	1798		450	<1.0	<1.0	<b>1.7</b>	<b>2.3</b>
MW-20C	5/20/2010	2163	1981		633	<1.0	<1.0	<b>1.3</b>	<b>1.8</b>
MW-20C	11/8/2010	2335	2153		805	<1.0	<1.0	<b>1.4</b>	<b>1.4</b>
MW-20C	5/4/2011	2512	2330		982	<1.0	<1.0	<b>1.1</b>	<b>1.8</b>
MW-20C	11/3/2011	2695	2513		1165	<1.0	<1.0	<b>1.3</b>	<b>2.1</b>

(a) Injections occurred on:

6/17/04 (6A, B, C; 9A, B, C)  
 12/16-17/04 (6A, 6B; 9A, 9B)  
 3/17/05 (14A)  
 8/25-28/08 (6A, 9A, 10A)

6/17/2004 for elapsed time relative to injection  
 12/16/2004 for elapsed time relative to injection  
 3/17/2005 for elapsed time relative to injection  
 8/25/2008 for elapsed time relative to injection

***DEVELOPMENTAL CENTER***  
***GROUNDWATER MONITORING***  
***NOVEMBER 2011***

**SWMU-17 VOA/METALS/CONVENTIONALS DATA TABLES**

**SWMU-17 CLEANUP ACTION SUMMARY**

**SWMU-17 VOA/METALS/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JULY AND NOVEMBER 2011**

Page 1 of 4

Sample Name: ARI Sample ID: Sample Date:	BDC-005-2 TG30Q 7/31/2011	BDC-005-2 TV13D/Q 11/2/2011	BDC-005-3 TV13H/U 11/2/2011	BDC-005-4 TV13B/D 11/2/2011	BDC-005-5 TV13A/N 11/2/2011	BDC-005-7 TV13C/P 11/2/2011	BDC-005-8 TV13J/W 11/2/2011	BDC-005-9 TG30P 7/31/2011	BDC-005-9 TV13E/R 11/2/2011	BDC-005-10 TG30O 7/31/2011	BDC-005-10 TV13F/S 11/2/2011
Test ID: VOA SW8260C (µg/L)											
Tetrachloroethene	1.0 U	8.4	1.4	1.0 U	1.0 U	11	1.0 U	30	37	39	22
Trichloroethene	1.0 U	4.8	1.6	1.0 U	1.2	6.9	1.0 U	20	56	26	27
Vinyl Chloride	1.0 U	1.6	2.0	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.3	1.0 U	1.0 U
cis-1,2-Dichloroethene	10	150	20	4.2	1.0 U	39	2.4	22	44	12	1.0
Test ID: Total Metals (mg/L)											
Arsenic (EPA 200.8)	0.0056	0.0249	0.0184	0.0072	0.0006	0.0416	0.0137	0.0067	0.0424	0.002	0.0382
Copper (EPA 6010B)	0.002 U	0.01	0.004	0.002 U	0.002	0.01	0.012	0.002 U	0.009	0.002 U	0.008
Test ID: Dissolved Metals (mg/L)											
Arsenic (EPA 200.8)	0.005	0.0223	0.0165	0.0055	0.0003	0.0345	0.0099	0.0069	0.0396	0.0019	0.0368
Copper (EPA 6010B)	0.002 U	0.01	0.002	0.002 U	0.003	0.006	0.003	0.002 U	0.006	0.002 U	0.004
Test ID: Conventionals (mg/L)											
Nitrate (EPA 300.0)	0.1 U	0.1 U	1.0 U	1.0 U	1.0 U	1.0 U	0.1 U	0.1 U	0.1 U	0.1 U	1.0 U
Sulfate (EPA 300.0)	0.2	1.4	1.0 U	1.0 U	7.5	1.0 U	0.8	12.1	7.6	19.7	10.9
Total Organic Carbon (EPA 415.1)	8.68	5360	70.0	6.64	1.74	1780	7.27	5.50	4360	4.54	2030
Test ID: Dissolved Gases; Mod RSK-175 (µg/L)											
Methane	15000	9030				16100		1390	4310	254	125
Ethane	1.2 U	1.2 U				1.2 U		1.2 U	1.2 U	1.2 U	1.7
Ethene	1.1 U	1.1 U				1.1 U		1.1 U	1.1 U	1.1 U	1.6
Acetylene	1.1 U	1.1 U				1.1 U		1.1 U	1.1 U	1.1 U	1.1 U

**SWMU-17 VOA/METALS/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JULY AND NOVEMBER 2011**

Page 2 of 4

Sample Name: ARI Sample ID: Sample Date:	BDC-005-11 TG30N 7/31/2011	BDC-005-11 TV13G/T 11/2/2011	BDC-005-12 TG30M 7/31/2011	BDC-005-12 TV13I/V 11/2/2011	BDC-005-13 TG30K 7/31/2011	BDC-005-13 TU87B/H 11/1/2011	BDC-005-14 TG30I 7/31/2011	BDC-005-14 TU87F/L 11/1/2011	BDC-005-15 TG30H 7/31/2011	BDC-005-15 TV13K/X 11/1/2011	BDC-005-16 TV13K/X 11/1/2011	BDC-005-16 TG30G 7/31/2011	BDC-005-16 TU87E/K 11/1/2011
Test ID: VOA SW8260C (µg/L)													
Tetrachloroethene	16	9.6	15	11	5.2	1.0	U	2.8	2.5	9.6	4.8	9.5	2.6
Trichloroethene	19	20	18	17	6.6	1.2	U	6.8	6.7	28	9.8	17	2.8
Vinyl Chloride	1.0	U	1.0	U	1.0								
cis-1,2-Dichloroethene	5.8	12	16	11	2.6	39	2.8	13	58	15	20	37	
Test ID: Total Metals (mg/L)													
Arsenic (EPA 200.8)	0.0049	0.0391	0.002	0.0411	0.0026	0.0677	0.004	0.0828	0.0185	0.0606	0.0058	0.0785	
Copper (EPA 6010B)	0.002	U	0.013	0.002	0.012	0.002	0.017	0.004	0.022	0.002	U	0.01	0.002
Test ID: Dissolved Metals (mg/L)													
Arsenic (EPA 200.8)	0.0046	0.0372	0.0016	0.0306	0.0024	0.0643	0.0036	0.0738	0.0191	0.0581	0.0058	0.0737	
Copper (EPA 6010B)	0.002	U	0.004	0.002	U	0.009	0.002	U	0.003	0.002	U	0.009	0.002
Test ID: Conventionals (mg/L)													
Nitrate (EPA 300.0)	0.1	U	1.0	U	0.1	1.0	U	0.1	U	1.0	U	0.1	U
Sulfate (EPA 300.0)	4.0		1.0	U	8.4	5.6	2.3	1.0	U	10.1	1.0	U	18.6
Total Organic Carbon (EPA 415.1)	3.87		1330		6.95	2960	5.96	550	8.55	725	10.3	4420	7.78
Test ID: Dissolved Gases; Mod RSK-175 (µg/L)													
Methane	1360		954		4000	1010	5010	2150	6490	3950	845	3460	3080
Ethane	1.2	U	1.2	U	1.2								
Ethene	1.1	U	1.1	U	1.1								
Acetylene	1.1	U	1.1	U	1.1								

**SWMU-17 VOA/METALS/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JULY AND NOVEMBER 2011**

Page 3 of 4

Sample Name: ARI Sample ID: Sample Date:	BDC-005-17 TG30F 7/31/2011	BDC-005-17 TU87C/L 11/1/2011	BDC-005-18 TG30E 7/31/2011	BDC-005-18 TV13L/Y 11/1/2011	BDC-005-19 TG30L 7/31/2011	BDC-005-19 TU87D/J 11/1/2011	BDC-005-20 TG30C 7/31/2011	BDC-005-20 TV20B/F 11/3/2011	BDC-005-21 TG30B 7/31/2011	BDC-005-21 TV20A/E 11/3/2011	BDC-005-22 TG30D 7/31/2011	BDC-005-22 TV20C/G 11/3/2011
Test ID: VOA SW8260C (µg/L)												
Tetrachloroethene	11	3.2	3.6	2.8	15	9.1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	22	4.8	5.0	4.0	21	13	7.0	5.7	1.0 U	1.0 U	1.1	2.1
Vinyl Chloride	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.1	1.0 U	1.0	14	4.7	1.0	1.0 U
cis-1,2-Dichloroethene	34	5.1	6.6	7.6	23	36	45	25	1.3	1.0	9.6	10
Test ID: Total Metals (mg/L)												
Arsenic (EPA 200.8)	0.004	0.053	0.0193	0.0186	0.0016	0.0198	0.0106	0.0101	0.0059	0.005	0.0247	0.0199
Copper (EPA 6010B)	0.003	0.005	0.002 U	0.003	0.002	0.007	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U
Test ID: Dissolved Metals (mg/L)												
Arsenic (EPA 200.8)	0.0038	0.0466	0.02	0.0195	0.0013	0.0197	0.0106	0.0105	0.0055	0.0051	0.0239	0.0203
Copper (EPA 6010B)	0.002	0.002 U	0.002 U	0.003	0.002 U	0.002 U						
Test ID: Conventionals (mg/L)												
Nitrate (EPA 300.0)	0.6	1.0 U	0.1 U	1.0 U	0.2	1.0 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Sulfate (EPA 300.0)	16.0	23.9	4.5	1.2	5.2	2.5	7.4	6.0	0.2	6.3	14.0	18.1
Total Organic Carbon (EPA 415.1)	10.2	3500	3.21	21.7	7.31	170	10.8	8.25	6.42	5.23	7.94	6.14
Test ID: Dissolved Gases; Mod RSK-175 (µg/L)												
Methane	295	2800	3930	4300	4740	4520	210	4590	5590		5050	
Ethane	1.2 U	1.2 U	1.2 U		1.2 U							
Ethene	1.1 U	1.1 U	1.1 U		1.1 U							
Acetylene	1.1 U	1.1 U	1.1 U		1.1 U							

**SWMU-17 VOA/METALS/CONVENTIONALS DATA  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING  
JULY AND NOVEMBER 2011**

Page 4 of 4

Sample Name: ARI Sample ID: Sample Date:	BDC-005-23 TG30A 7/31/2011	BDC-005-23 TV20D/H 11/3/2011	BDC-005-24 TG30J 7/31/2011	BDC-005-24 TU87A/G 11/1/2011	Trip Blank TG30R 7/31/2011	Trip Blank TU87M 11/2/2011	Trip Blank TV20I 11/3/2011
Test ID: VOA SW8260C (µg/L)							
Tetrachloroethene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	1.0 U	1.0 U	1.0 U	2.0	1.0 U	1.0 U	1.0 U
Vinyl Chloride	1.0 U	1.0 U	1.6	2.2	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	3.2	4.8	1.6	4.0	1.0 U	1.0 U	1.0 U
Test ID: Total Metals (mg/L)							
Arsenic (EPA 200.8)	0.0053	0.0053	0.0029	0.002			
Copper (EPA 6010B)	0.002	0.002 U	0.002 U	0.002 U			
Test ID: Dissolved Metals (mg/L)							
Arsenic (EPA 200.8)	0.0053	0.0055	0.0028	0.0021			
Copper (EPA 6010B)	0.002 U	0.002 U	0.002 U	0.002 U			
Test ID: Conventionals (mg/L)							
Nitrate (EPA 300.0)	0.1 U	0.1 U	0.1 U	0.1 U			
Sulfate (EPA 300.0)	8.6	25.2	1.1	0.3			
Total Organic Carbon (EPA 415.1)	9.14	8.78	10.0	8.08			
Test ID: Dissolved Gases; Mod RSK-175 (µg/L)							
Methane	5990		7600				
Ethane	1.2 U		1.2 U				
Ethene	1.1 U		1.1 U				
Acetylene	1.1 U		1.1 U				

U = Indicates compound was analyzed for, but was not detected at the given detection limit.  
 UJ = The analyte was not detected in the sample; the reported sample reporting limit is an estimate.  
 J = Indicates the analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

**SWMU-17 CLEANUP ACTION SUMMARY**  
**DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time From Injection (days) (a)	Elapsed Time From Injection (days) (b)	Volatile Organic Compounds (all units in ug/L)							Metals (mg/L)				Aquifer Redox Conditions							Donor Indicators	
				PCE	TCE	cDCE	VC	Ethene	Ethane	Acetylene	As, Tot	As, Dis	Cu, Tot	Cu, Dis	DO	Nitrate	Iron II	Sulfate	Methane	ORP	TOC	pH	
				(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mV)	(mg/L)	Comments	
BDC-05-02	5/21/2007	-526		20	24	1.2	<1.0				0.003	0.002	0.004	<0.002									
BDC-05-02	11/26/2007	-337		12	14	1.3	<1.0				0.001	<0.001	<0.002	<0.002									
BDC-05-02	5/22/2008	-159		14	20	1.2	<0.2				0.002	<0.001	0.004	<0.002									
BDC-05-02	10/23/2008	-5		31	62	2.9	<1.0	<1.1	<1.2	<1.1	0.003	0.003	0.006	<0.002	5.15	0.4	0.2	13.0	0.19	87.1	5.54	6.47	
BDC-05-02	11/2/2008	5		5.1	4.2	0.7	<0.2	<1.1	<1.2	<1.1	0.017	0.011	0.008	<0.002	0.29	<0.1	1.8	64.8	3.3	-111	430	6.47	
BDC-05-02	12/16/2008	49		6.6	7.3	1.3	<1.0	<1.1	<1.2	<1.1	0.024	0.017	0.030	0.003	1.28	<0.1	3.4	88.8	2.9	-225	610	6.41	
BDC-05-02	1/16/2009	80		7.5	22	3.7	<1.0	<1.1	<1.2	<1.1	0.022	0.014	0.029	<0.002	0.09	<1.0	3.5	6.9	6.2	-304	732	6.10	
BDC-05-02	2/11/2009	106		9.5	17	12	<1.0	<1.1	<1.2	<1.1	0.046	0.04	0.004	<0.002	2.36	<0.1	4.0	<0.1	13.2	-99	433	6.32	
BDC-05-02	3/9/2009	132		9.1	8.1	25	<1.0	<1.1	<1.2	<1.1	0.041	0.036	0.004	<0.002	0.09	<1.0	3.5	<1.0	22.9	-102	317	6.43	
BDC-05-02	4/16/2009	170		7.3	6.0	41	<1.0	<1.1	<1.2	<1.1	0.029	0.025	0.003	<0.002	1.78	<0.1	3.0	<0.5	26.3	-97	274	6.59	
BDC-05-02	5/13/2009	197		4.4	4.6	35	1.4	<1.1	<1.2	<1.1	0.024	0.019	0.004	0.002	0.27	<0.1	5.2	<0.1	23.0	-63	215	6.61	
BDC-05-02	8/16/2009	292		1.8	1.1	49	<1.0	<1.1	<1.2	<1.1	0.023	0.017	0.009	<0.002	1.58	<0.5	3.6	<0.5	22.6	-23	125	6.77	
BDC-05-02	11/13/2009	381		1.0	<1.0	70	<1.0	<1.1	<1.2	<1.1	0.020	0.016	0.003	<0.002	1.07	<0.1	2.8	0.3	21.1	-26	44.1	6.05	
BDC-05-02	2/16/2010	476		<1.0	<1.0	54	<1.0	<1.1	<1.2	<1.1	0.022	0.020	0.005	0.002	1.52	<0.5	2.0	0.5	22.5	763	86.7	6.87	
BDC-05-02	5/18/2010	567		<1.0	1.0	32	<1.0	<1.1	<1.2	<1.1	0.013	0.012	<0.002	<0.002	1.83	<0.5	2.3	<0.5	18.4	515	20.6	6.69	
BDC-05-02	8/17/2010	658		<1.0	<1.0	23	<1.0	<1.1	<1.2	<1.1	0.010	0.008	<0.002	<0.002	2.82	0.2	2.7	1.4	20.2	55	13.3	6.74	
BDC-05-02	11/9/2010	742		<1.0	<1.0	14	<1.0	<1.1	<1.2	<1.1	0.006	0.005	<0.002	<0.002	2.77	<0.1	2.2	0.3	16.9	72	10.8	6.83	
BDC-05-02	2/15/2011	840		<1.0	<1.0	13	<1.0	<1.1	<1.2	<1.1	0.007	0.006	0.003	<0.002	2.43	<0.1	3.0	0.7	17.8	114	13.2	6.80	
BDC-05-02	5/2/2011	916		0.6	0.9	22	0.3	<1.1	<1.2	<1.1	0.008	0.007	<0.002	<0.002	2.09	<0.1	1.4	0.2	13.3	13	9.76	6.86	
BDC-05-02	7/31/2011	1006	-18	<1.0	<1.0	10	<1.0	<1.1	<1.2	<1.1	0.006	0.005	<0.002	<0.002	1.97	<0.1	3.2	0.2	15.0	-35	8.68	6.82	
BDC-05-02	11/2/2011	1100	76	8.4	4.8	150	1.6	<1.1	<1.2	<1.1	0.025	0.022	0.010	0.010	2.40	<0.1	3.5	1.4	9.0	-28	5360	5.43	
BDC-05-03	5/21/2007	-526		3.5	8.1	11	<1.0				0.003	<0.001	0.004	<0.002									
BDC-05-03	11/26/2007	-337		2.3	4.4	7.2	<1.0				0.002	<0.001	0.003	<0.002									
BDC-05-03	5/22/2008	-159		3.8	8.5	13	<0.2				0.002	<0.001	0.003	<0.002									
BDC-05-03	10/23/2008	-5		4.2	8.2	17	<0.2	<1.1	<1.2	<1.1	0.004	0.002	0.004	0.002	0.37	<0.1	0.1	4.9	2.1	48.9	4.86	6.23	
BDC-05-03	11/2/2008	5		1.8	2.1	2.7	<0.2	<1.1	<1.2	<1.1	0.003	0.001	0.004	<0.002	2.07	0.9	1.6	8.5	3.6	-8	7.02	6.23	
BDC-05-03	12/16/2008	49		2.2	4.1	5.8	<1.0	<1.1	<1.2	<1.1	0.001	<0.001	0.002	<0.002	1.20	0.4	2.4	20.1	4.7	-67	5.38	6.44	
BDC-05-03	1/16/2009	80		1.5	1.2	<1.0	<1.0	<1.1	<1.2	<1.1	0.001	<0.001	0.002	<0.002	0.71	1.7	0.4	10.3	1.5 J	-144	3.21	6.17	
BDC-05-03	2/11/2009	106		1.8	3.2	4.4	<1.0	<1.1	<1.2	<1.1	0.002	<0.001	0.002	<0.002	2.43	0.9	2.4	6.2	5.4	-60	5.39	6.59	
BDC-05-03	3/9/2009	132		1.3	1.7	1.4	<1.0	<1.1	<1.2	<1.1	<0.001	<0.001	<0.002	<0.002	0.86	1.0	1.0	6.6	4.3	39	4.81	6.48	
BDC-05-03	4/16/2009	170		1.5	2.2	2.8	<1.0	<1.1	<1.2	<1.1	0.001	0.002	<0.002	<0.002	1.42	1.0	1.4	4.8	3.3	14	5.37	6.69	
BDC-05-03	5/13/2009	197		1.2	2.1	3.4	<1.0	<1.1	<1.2	<1.1	0.001	0.004	0.004	0.002	1.06	1.0	3.0	4.8	6.9	31	5.45	6.75	
BDC-05-03	8/16/2009	292		2.2	4.3	8.1	<1.0	<1.1	<1.2	<1.1	0.001	0.001	<0.002	<0.002	0.85	0.1	3.0	8.3	-42	6.47	7.11		
BDC-05-03	11/13/2009	381		1.2	1.2	<1.0	<1.0	<1.1	<1.2	<1.1	0.002	0.001	0.003	<0.002	1.66	0.2	3.0	5.6	5.0	57	4.34	6.37	
BDC-05-03	2/16/2010	476		1.4	1.0	<1.0	<1.1	<1.2	<1.1	<1.1	0.002	<0.001	0.005	0.005	1.25	2.5	0.0	8.6	<0.0007	663	3.47	6.30	
BDC-05-03	5/18/2010	567		1.2	1.8	2.7	<1.0	<1.1	<1.2	<1.1	0.002	0.001	0.004	0.003	0.88	1.5	2.0	4.9	2.4	346	4.73	6.42	
BDC-05-03	8/17/2010	658		2.3	5.2	14	<1.0	<1.1	<1.2	<1.1	0.002	0.001	0.003	<0.002	2.10	0.2	2.7	2.8	7.1	73	7.57	6.79	
BDC-05-03	11/9/2010	742		1.4	1.7	3.7	<1.0	<1.1	<1.2	<1.1	0.001	0.001	0.003	<0.002	3.20	0.5	2.2	5.3	3.0	133	4.73	7.61	
BDC-05-03	2/15/2011	840		1.3	<1.0	2.3	<1.0	<1.1	<1.2	<1.1	0.001	0.0003	0.005	0.003	2.86	0.7	0.0	6.2	4.6	166	5.42	7.01	
BDC-05-03	5/2/2011	916		1.7	1.0	0.2	<0.2	<1.1	<1.2	<1.1	0.002	0.0004	0.005	0.003	3.31	0.8	0.0	5.5	0.29	203	4.13	6.91	
BDC-05-03	11/2/2011	1100	76	1.4	1.6	20	2.0				0.018	0.017	0.004	0.002	1.20	<0.1	1.6	<1.0	-60	70.0	6.72		
BDC-05-04	5/21/2007	-526		<1.0	<1.0	1.4	<1.0				0.018	<0.001	<0.002	<0.002									
BDC-05-04	11/26/2007	-337		<1.0	<1.0	1.6	<1.0				0.009	<0.001	<0.002	<0.002									
BDC-05-04	5/22/2008	-159		1.5	0.9	1.2	<0.2				0.018	<0.001	<0.002	<0.002									
BDC-05-04	10/23/2008	-5		1.1	0.8	2.1	<0.2	<1.1	<1.2	<1.1	0.009	<0.001	<0.002	<0.002	2.45	7.6	0.1	31.0	0.29	73.5	3.80	6.33	
BDC-05-04	11/2/2008	5		1.1	0.7	3.6	<0.2	<1.1	<1.2	<1.1	0.019	<0.001	<0.002	<0.002	0.59	4.5	0.8	25.2	0.05	-16	5.11	6.25	
BDC-05-04	12/16/2008	49		<1.0	<1.0	2.4	<1.0	<1.1	1.2	<1.1	0.019	0.002	0.003	<0.002	0.55	5.5	1.0	30.4	1.6	-98	6.94	6.24	
BDC-05-04	1/16/2009	80		<1.0	<1.0	2.0	<1.0	<1.1	<1.2	<1.1	0.017	<0.001	<0.002	<0.002	0.06	4.3	1.0	21.8	1.5	-192	5.07	6.23	
BDC-05-04	2/11/2009	106		1.0	<1.0	1.5	<1.0																

**SWMU-17 CLEANUP ACTION SUMMARY**  
**DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time From Injection (days) (a)	Elapsed Time From Injection (days) (b)	Volatile Organic Compounds (all units in ug/L)							Metals (mg/L)				Aquifer Redox Conditions						Donor Indicators		
				PCE ( $\mu$ g/L)	TCE ( $\mu$ g/L)	cDCE ( $\mu$ g/L)	VC ( $\mu$ g/L)	Ethene ( $\mu$ g/L)	Ethane ( $\mu$ g/L)	Acetylene ( $\mu$ g/L)	As, Tot (mg/L)	As, Dis (mg/L)	Cu, Tot (mg/L)	Cu, Dis (mg/L)	DO (mg/L)	Nitrate (mg/L)	Iron II (mg/L)	Sulfate (mg/L)	Methane (mg/L)	ORP (mV)	TOC (mg/L)	pH	
																						Comments	
BDC-05-04	4/16/2009	170		1.2	<1.0	<1.0	<1.0	<1.1	<1.2	<1.1	0.011	0.001	<0.002	<0.002	1.48	5.9	1.4	33.6	<0.0007	68	5.69	6.29	
BDC-05-04	5/13/2009	197		<1.0	<1.0	1.0	<1.0	<1.1	<1.2	<1.1	0.007	0.001	0.002	0.002	0.33	4.5	1.6	26.6	0.4	49	5.24	6.37	
BDC-05-04	8/16/2009	292		1.3	<1.0	<1.0	<1.0	<1.1	<1.2	<1.1	0.012	0.001	0.002	<0.002	0.86	5.4	2.2	30.6	<0.0007	93	4.99	6.97	
BDC-05-04	11/13/2009	381		<1.0	<1.0	1.2	<1.0	<1.1	<1.2	<1.1	0.005	0.001	<0.002	<0.002	0.56	2.2	3.0	18.4	2.4	109	4.36	5.86	
BDC-05-04	2/16/2010	476		<1.0	<1.0	1.1	<1.0	<1.1	<1.2	<1.1	0.004	0.002	0.012	0.002	0.88	<0.1	3.3	24.6	1.5	899	8.86	6.24	
BDC-05-04	5/18/2010	567		1.1	<1.0	1.2	<1.0	<1.1	<1.2	<1.1	0.014	0.001	0.005	<0.002	0.75	<0.1	3.0	25.4	1.3	473	7.12	6.19	
BDC-05-04	8/17/2010	658		<1.0	<1.0	3.0	<1.0	<1.1	<1.2	<1.1	0.012	0.002	0.006	<0.002	1.00	<0.1	2.8	17.7	3.5	108	8.72	6.48	
BDC-05-04	11/9/2010	742		<1.0	<1.0	4.3	<1.0	<1.1	<1.2	<1.1	0.008	0.004	<0.002	<0.002	2.21	<0.1	2.2	21.3	3.0	101	7.19	6.84	
BDC-05-04	2/15/2011	840		<1.0	<1.0	2.9	<1.0	<1.1	<1.2	<1.1	0.007	0.004	<0.002	<0.002	2.50	<0.1	2.4	19.4	4.5	93	6.88	6.85	
BDC-05-04	5/2/2011	916		0.4	0.5	3.1	<0.2	<1.1	<1.2	<1.1	0.008	0.004	<0.002	<0.002	1.69	<0.1	2.2	18.0	1.8	49	6.78	6.76	
BDC-05-04	11/2/2011	1100	76	<1.0	<1.0	4.2	<1.0				0.007	0.006	<0.002	<0.002	1.52	<0.1	1.2	<1.0	-3		6.64	7.17	
BDC-05-05	5/21/2007	-526									0.002	<0.001	0.003	<0.002									
BDC-05-05	11/26/2007	-337									<0.001	<0.001	<0.002	<0.002									
BDC-05-05	5/22/2008	-159									0.002	<0.001	0.003	<0.002									
BDC-05-05	10/23/2008	-5																					
BDC-05-05	11/2/2008	5									0.005	0.001	0.005	0.003	4.61						52	6.25	
BDC-05-05	12/16/2008	49																					
BDC-05-05	1/16/2009	80																					
BDC-05-05	2/11/2009	106																					
BDC-05-05	3/9/2009	132																					
BDC-05-05	4/16/2009	170																					
BDC-05-05	5/13/2009	197									0.003	<0.001	0.006	0.002	3.24						68	6.72	
BDC-05-05	8/16/2009	292									0.001	<0.001	<0.002	<0.002									
BDC-05-05	11/13/2009	381									0.002	<0.004	0.002	<0.002	2.85	1.2	0.0	8.7			166	5.84	
BDC-05-05	2/16/2010	476									0.002	<0.004	0.002	<0.002	3.47						494	6.74	
BDC-05-05	5/18/2010	567									0.001	0.0004	0.003	<0.002	3.40								
BDC-05-05	8/17/2010	658									0.001	0.0004	0.003	<0.002	3.20						135	6.90	
BDC-05-05	11/9/2010	742									0.001	0.0003	0.003	<0.002	2.84	<0.1	0.0	7.5			158	6.98	
BDC-05-05	2/15/2011	840									0.001	0.0003	0.002	0.003							85	1.74	
BDC-05-05	5/2/2011	916	76																				
BDC-05-05	11/2/2011	1100		<1.0	1.2	<1.0	<1.0																
BDC-05-07	5/21/2007	-526		30	22	10	<1.0				0.003	<0.001	0.014	0.009									
BDC-05-07	11/26/2007	-337		28	25	11	<1.0				<0.001	<0.001	0.011	0.002									
BDC-05-07	5/22/2008	-159		33	32	9.2	<0.2				0.002	<0.001	0.012	0.006									
BDC-05-07	10/23/2008	-5		22	24	14	<0.2	<1.1	<1.2	<1.1	0.004	0.002	0.022	0.013	9.71	9.6	0.0	33.4	0.62	86.0	7.81	6.47	
BDC-05-07	11/2/2008	5		17	17	4.9	<0.2	<1.1	<1.2	<1.1	0.003	<0.001	0.016	0.010	0.60	2.2	0.4	15.8	0.16	-27	4.59	6.46	
BDC-05-07	12/16/2008	49		16	25	7.2	<1.0	<1.1	1.2	<1.1	0.003	0.001	0.016	0.012	1.20	4.8	0.0	29.4	0.64	-107	6.08	6.49	
BDC-05-07	1/16/2009	80		20	23	6.4	<1.0	<1.1	<1.2	<1.1	0.002	<0.001	0.013	0.008	0.00	8.4	0.0	32.6	0.03	-182	6.26	6.38	
BDC-05-07	2/11/2009	106		23	28	9.9	<1.0	<1.1	<1.2	<1.1	0.002	0.001	0.017	0.012	2.05	11.2	0.0	37.5	1.5	-68	9.34	6.37	
BDC-05-07	3/9/2009	132		20	21	8.4	<1.0	<1.1	<1.2	<1.1	<0.002	<0.001	0.013	0.009	0.00	8.8	0.3	35.3	5.5	-23	6.77	6.37	

**SWMU-17 CLEANUP ACTION SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time From Injection (days) (a)	Elapsed Time From Injection (days) (b)	Volatile Organic Compounds (all units in ug/L)							Metals (mg/L)				Aquifer Redox Conditions						Donor Indicators	
				PCE (µg/L)	TCE (µg/L)	cDCE (µg/L)	VC (µg/L)	Ethene (µg/L)	Ethane (µg/L)	Acetylene (µg/L)	As, Tot (mg/L)	As, Dis (mg/L)	Cu, Tot (mg/L)	Cu, Dis (mg/L)	DO (mg/L)	Nitrate (mg/L)	Iron II (mg/L)	Sulfate (mg/L)	Methane (mg/L)	ORP (mV)	TOC (mg/L)	pH
																						Comments
BDC-05-07	4/16/2009	170		20	21	11	<1.0	<1.1	<1.2	<1.1	0.002	0.001	0.015	0.008	0.27	8.2	0.0	31.2	5.1	35	8.14	6.43
BDC-05-07	5/13/2009	197		11	13	7.5	<1.0	<1.1	<1.2	<1.1	0.002	0.001	0.016	0.008	0.29	6.8	0.4	27.2	7.9	34	7.32	6.47
BDC-05-07	8/16/2009	292		11	12	13	<1.0	<1.1	<1.2	<1.1	0.002	0.001	0.010	<0.002	0.74	2.3	2.0	23.2	6.8	67	8.20	6.73
BDC-05-07	11/13/2009	381		6.5	5.3	5.6	<1.0	<1.1	<1.2	<1.1	0.002	0.001	0.004	<0.002	0.50	<0.1	2.8	5.7	4.7	16	9.12	6.48
BDC-05-07	2/16/2010	476		6.4	6.9	28	<1.0	<1.1	<1.2	<1.1	0.004	0.003	0.017	0.006	1.04	<0.1	2.5	20.4	5.2	839	14.7	6.88
BDC-05-07	5/18/2010	567		5.8	9.2	41	1.2	<1.1	<1.2	<1.1	0.009	0.003	0.009	<0.002	1.06	<0.5	2.0	16.4	6.0	525	14.8	6.77
BDC-05-07	8/17/2010	658		2.8	7.8	19	<1.0	<1.1	<1.2	<1.1	0.006	0.003	0.008	<0.002	2.30	<0.1	2.5	8.6	7.1	-15	18.8	7.34
BDC-05-07	11/9/2010	742		<1.0	9.4	20	<1.0	<1.1	<1.2	<1.1	0.008	0.005	0.009	<0.002	2.42	<0.1	2.2	15.2	5.1	13	15.2	7.35
BDC-05-07	2/15/2011	840		<1.0	8.7	20	<1.0	<1.1	<1.2	<1.1	0.013	0.010	0.012	0.002	3.02	<0.1	2.8	11.8	5.1	21	14.0	7.16
BDC-05-07	5/2/2011	916		5.2	11	17	<0.2	<1.1	<1.2	<1.1	0.017	0.004	0.014	0.003	2.14	0.1	2.6	15.6	3.2	33	16.8	6.90
BDC-05-07	11/2/2011	1100	76	11	6.9	39	<1.0	<1.1	<1.2	<1.1	0.042	0.035	0.010	0.006	2.06	<0.1	2.4	<1.0	16.1	-51	1780	6.31
BDC-05-08	10/23/2008	-5		1.1	3.7	3.5	<0.2	<1.1	<1.2	<1.1	0.007	<0.001	0.004	<0.002	1.90	0.3	0.0	8.9	4.7	-12.0	5.07	6.65
BDC-05-08	11/2/2008	5		1.1	3.4	4.2	<0.2	<1.1	<1.2	<1.1	0.035	0.004	0.036	<0.002	0.80	0.7	2.2	7.2	5.5	-43	5.85	6.63
BDC-05-08	12/16/2008	49		1.2	4.3	4.3	<1.0	<1.1	1.2	<1.1	0.008	0.001	0.006	<0.002	0.50	0.9	4.6	21.8	3.6	-99	5.38	6.61
BDC-05-08	1/16/2009	80		1.3	4.2	3.6	<1.0	<1.1	<1.2	<1.1	0.008	0.002	0.007	<0.002	0.25	1.7	3.0	7.0	6.9	-185	5.77	6.59
BDC-05-08	2/11/2009	106		<1.0	3.2	3.9	<1.0	<1.1	<1.2	<1.1	0.019	0.001	0.010	<0.002	2.38	0.3	4.4	4.7	4.4	-78	7.01	6.69
BDC-05-08	3/9/2009	132		<1.0	2.7	3.5	<1.0	<1.1	<1.2	<1.1	0.009	0.003	0.007	<0.002	0.07	<0.1	3.6	3.8	4.9	-4	6.70	6.65
BDC-05-08	4/16/2009	170		<1.0	2.3	4.4	<1.0	<1.1	<1.2	<1.1	0.007	0.003	0.006	<0.002	0.42	<0.1	2.0	1.7	6.7	-8	6.83	6.80
BDC-05-08	5/13/2009	197		<1.0	1.6	3.0	<1.0	<1.1	<1.2	<1.1	0.009	0.003	0.007	0.002	1.77	<0.1	4.0	0.8	11.4	-13	6.03	6.87
BDC-05-08	8/16/2009	292		<1.0	2.1	3.5	<1.0	<1.1	<1.2	<1.1	0.012	0.008	<0.002	<0.002	0.87	<0.1	2.8	5.3	13.2	-20	6.14	7.15
BDC-05-08	11/13/2009	381		<1.0	1.2	3.1	<1.0	<1.1	<1.2	<1.1	0.011	0.008	0.007	<0.002	0.73	<0.1	2.8	3.3	17.4	0.8	8.41	6.44
BDC-05-08	2/16/2010	476		<1.0	<1.0	2.3	<1.0	<1.1	<1.2	<1.1	0.024	0.009	0.024	<0.002	0.63	<0.1	3.0	0.8	13.1	841	8.25	6.76
BDC-05-08	5/18/2010	567		<1.0	<1.0	2.4	<1.0	<1.1	<1.2	<1.1	0.031	0.011	0.027	<0.002	0.96	<0.1	3.0	0.8	14.9	451	7.30	6.92
BDC-05-08	8/17/2010	658		<1.0	<1.0	2.3	<1.0	<1.1	<1.2	<1.1	0.014	0.009	0.013	<0.002	2.57	<0.1	3.2	0.5	10.1	-30	7.16	7.3
BDC-05-08	11/9/2010	742		<1.0	<1.0	3.5	<1.0	<1.1	<1.2	<1.1	0.031	0.012	0.031	<0.002	2.74	<0.1	2.4	0.3	14.2	59	7.59	7.17
BDC-05-08	2/15/2011	840		<1.0	<1.0	2.1	<1.0	<1.1	<1.2	<1.1	0.021	0.010	0.016	<0.002	2.36	<0.1	5.0	0.3	14.1	66	8.72	7.08
BDC-05-08	5/2/2011	916		<0.2	<0.2	2.2	<0.2	<1.1	<1.2	<1.1	0.029	0.010	0.024	<0.002	2.15	<0.1	2.4	0.7	7.8	-28	7.99	7.17
BDC-05-08	11/2/2011	1100	76	<1.0	<1.0	2.4	<1.0				0.014	0.010	0.012	0.003	1.15	<0.1	1.2	0.8	-53		7.27	6.88
BDC-05-09	7/31/2011	-18		30	20	22	<1.0	<1.1	<1.2	<1.1	0.007	0.007	<0.002	<0.002	1.37	<0.1	2.5	12.1	1.4	15	5.50	6.89
BDC-05-09	11/2/2011	76		37	56	44	1.3	<1.1	<1.2	<1.1	0.042	0.040	0.009	0.006	2.80	<0.1	3.0	7.6	4.3	80	4360	5.24
BDC-05-10	7/31/2011	-18		39	26	12	<1.0	<1.1	<1.2	<1.1	0.002	0.002	<0.002	<0.002	1.41	<0.1	2.0	19.7	0.25	76	4.54	6.84
BDC-05-10	11/2/2011	76		22	27	1.0	<1.0	1.6	1.7	<1.1	0.038	0.037	0.008	0.004	2.43	<0.1	2.2	10.9	0.13	-38	2030	5.72
BDC-05-11	7/31/2011	-18		16	19	5.8	<1.0	<1.1	<1.2	<1.1	0.005	0.005	<0.002	<0.002	1.41	<0.1	2.0	4.0	1.4	65	3.87	6.93
BDC-05-11	11/2/2011	76		9.6	20	12	<1.0	<1.1	<1.2	<1.1	0.039	0.037	0.013	0.004	2.16	<0.1	1.8	<1.0	1.0	-38	1330	5.72
BDC-05-12	7/31/2011	-18		15	18	16	<1.0	<1.1	<1.2	<1.1	0.002	0.002	0.002	<0.002	1.60	0.1	2.4	8.4	4.0	26	6.95	7.02
BDC-05-12	11/2/2011	76		11	17	11	<1.0	<1.1	<1.2	<1.1	0.041	0.031	0.012	0.009	2.60	<0.1	3.5	5.6	1.0	-77	2960	5.83
BDC-05-13	7/31/2011	-18		5.2	6.6	2.6	<1.0	<1.1	<1.2	<1.1	0.003	0.002	0.002	<0.002	1.73	<0.1	2.0	2.3	5.0	-1	5.96	7.06
BDC-05-13	11/1/2011	75		<1.0	1.2	39	<1.0	<1.1	<1.2	<1.1	0.068	0.064	0.017	0.003	1.82	<1.0	1.5	<1.0	2.2	-70	550	6.65
BDC-05-14	7/31/2011	-18		2.8	6.8	2.8	<1.0	<1.1	<1.2	<1.1	0.004	0.004	0.004	<0.002	1.76	<0.1	2.0	10.1	6.5	-15	8.55	7.00
BDC-05-14	11/1/2011	75		2.5	6.7	13	<1.0	<1.1	<1.2	<1.1	0.083	0.074	0.022	0.002	1.87	<1.0	2.3	<1.0	4.0	-124	725	6.13

**SWMU-17 CLEANUP ACTION SUMMARY**  
**DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Well	Date	Elapsed Time From Injection (days) (a)	Elapsed Time From Injection (days) (b)	Volatile Organic Compounds (all units in ug/L)							Metals (mg/L)				Aquifer Redox Conditions						Donor Indicators																	
				PCE	TCE	cDCE	VC	Ethene	Ethane	Acetylene	As, Tot	As, Dis	Cu, Tot	Cu, Dis	DO	Nitrate	Iron II	Sulfate	Methane	ORP	TOC	pH																
				( $\mu$ g/L)	( $\mu$ g/L)	( $\mu$ g/L)	( $\mu$ g/L)	( $\mu$ g/L)	( $\mu$ g/L)	( $\mu$ g/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mV)	( $\mu$ g/L)	Comments																	
BDC-05-15	7/31/2011	-18	9.6	28	58	<1.0	<1.1	<1.2	<1.1		0.019	0.019	<0.002	<0.002	1.91	<0.1	1.3	18.6	0.85	-0.9	10.3	7.00																
BDC-05-15	11/1/2011	75	4.8	9.8	15	<1.0	<1.1	<1.2	<1.1		0.061	0.058	0.010	0.009	2.38	<0.1	3.0	11.3	3.46	-0.1	4420	5.67																
BDC-05-16	7/31/2011	-18	9.5	17	20	<1.0	<1.1	<1.2	<1.1		0.006	0.006	0.002	<0.002	1.91	<0.1	1.5	8.9	3.1	-8	7.78	7.06																
BDC-05-16	11/1/2011	75	2.6	2.8	37	<1.0	<1.1	<1.2	<1.1		0.079	0.074	0.005	0.002	2.30	<1.0	2.5	2.8	3.1	7	2250	5.51																
BDC-05-17	7/31/2011	-18	11	22	34	<1.0	<1.1	<1.2	<1.1		0.004	0.004	0.003	0.002	2.03	0.6	1.5	16.0	0.30	59	10.2	6.95																
BDC-05-17	11/1/2011	75	3.2	4.8	5.1	<1.0	<1.1	<1.2	<1.1		0.053	0.047	0.005	<0.002	2.61	<1.0	2.4	23.9	2.8	-50	3500	5.74																
BDC-05-18	7/31/2011	-18	3.6	5.0	6.6	<1.0	<1.1	<1.2	<1.1		0.019	0.020	<0.002	<0.002	1.57	<0.1	2.4	4.5	3.9	-19	3.21	7.13																
BDC-05-18	11/1/2011	75	2.8	4.0	7.6	<1.0	<1.1	<1.2	<1.1		0.019	0.020	0.003	0.003	1.37	<0.1	1.2	1.2	4.3	-106	21.7	6.88																
BDC-05-19	7/31/2011	-18	15	21	23	<1.0	<1.1	<1.2	<1.1		0.002	0.001	0.002	<0.002	1.81	0.2	2.6	5.2	4.7	34	7.31	6.97																
BDC-05-19	11/1/2011	75	9.1	13	36	4.1	<1.1	<1.2	<1.1		0.020	0.020	0.007	<0.002	1.53	<1.0	1.8	2.5	4.5	-142	170	6.82																
BDC-05-20	7/31/2011	-18	<1.0	7.0	45	<1.0	<1.1	<1.2	<1.1		0.011	0.011	<0.002	<0.002	2.33	<0.1	1.5	7.4	0.21	-42	10.8	7.12																
BDC-05-20	11/3/2011	77	<1.0	5.7	25	1.0	<1.1	<1.2	<1.1		0.010	0.011	<0.002	<0.002	1.54	<0.1	1.0	6.0	4.59	11	8.25	7.14																
BDC-05-21	7/31/2011	-18	<1.0	<1.0	1.3	14	2.6	<1.2	<1.1		0.006	0.006	<0.002	<0.002	2.98	<0.1	3.2	0.2	5.6	-31	6.42	7.33																
BDC-05-21	11/3/2011	77	<1.0	<1.0	1.0	4.7					0.005	0.005	<0.002	<0.002	1.95	<0.1	1.4	6.3		-12	5.23	7.29																
BDC-05-22	7/31/2011	-18	<1.0	1.1	9.6	1.0	<1.1	<1.2	<1.1		0.025	0.024	<0.002	<0.002	2.02	<0.1	2.2	14.0	5.1	-59	7.94	7.21																
BDC-05-22	11/3/2011	77	<1.0	2.1	10	<1.0					0.020	0.020	<0.002	<0.002	1.46	<0.1	0.8	18.1		19	6.14	7.08																
BDC-05-23	7/31/2011	-18	<1.0	<1.0	3.2	<1.0	<1.1	<1.2	<1.1		0.005	0.005	0.002	<0.002	2.72	<0.1	2.2	8.6	6.0	-101	9.14	7.47																
BDC-05-23	11/3/2011	77	<1.0	<1.0	4.8	<1.0					0.005	0.006	<0.002	<0.002	1.45	<0.1	1.0	25.2		1	8.78	7.08																
BDC-05-24	7/31/2011	-18	<1.0	<1.0	1.6	1.6	<1.1	<1.2	<1.1		0.003	0.003	<0.002	<0.002	1.67	<0.1	2.0	1.1	7.6	-7	10.0	7.06																
BDC-05-24	11/1/2011	75	<1.0	2.0	4.0	2.2					0.002	0.002	<0.002	<0.002	1.50	<0.1	1.6	0.3		-2.6	8.08	7.06																
<b>PCE = Tetrachloroethene</b>				<b>Dis = Dissolved</b>				<b>IW = Injection Well</b>																														
<b>TCE = Trichloroethene</b>				<b>DO = Dissolved Oxygen</b>				<b>MW = Monitoring Well</b>																														
<b>cDCE = cis-1,2-Dichloroethene</b>				<b>ORP = Oxidation Reduction Potential</b>				<b>DG = Downgradient of injection wells</b>																														
<b>VC = Vinyl Chloride</b>				<b>TOC = Total Organic Carbon</b>				<b>UG = Upgradient of injection wells</b>																														
<b>As = Arsenic</b>				<b>Tot = Total</b>				<b>XG = Crossgradient of injection wells</b>																														
<b>Cu = Copper</b>				= No sample collected or sample not analyzed for specified constituent.																																		
(a) Elapsed time following pilot test injection at Well BDC-05-02.																																						
(b) Elapsed time following injections at wells BDC-05-09 thru BDC-05-24																																						
Notes:																																						
10/28/2008 injected in BDC-05-02																																						
8/18/2011 Completed injection of BDC-05-02, BDC-05-07, and BDC-05-09 thru BDC-05-17 8/15/11-8/18/11.																																						

***DEVELOPMENTAL CENTER  
GROUNDWATER MONITORING  
NOVEMBER 2011***

**AOC-05 DATA**

- **AOC-05 Cleanup Action Summary**
- **AOC-05 Cleanup Action Summary - Downgradient Monitoring Table**
- **AOC-05 TPH-G and Benzene Concentration Trend Charts (June 2001 through Present)**

**AOC-05 CLEANUP ACTION SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Page 1 of 4

		ORC	Pilot	Full Scale	Injection 1	Injection 2	Injection 3	Injection 4	Injection 5	Injection 6	Volatile Organic Compounds (all units in ug/L)							Aquifer Redox Conditions							Donor Indicators						
		Elapsed Time from Injection (days)	TPH-G	Benzene	Toluene	Ethylbenzene	m,p-Xylene	o-Xylene	Xylenes	Total	DO	Nitrate	Nitrite	Iron II	Sulfate	Methane	ORP	TOC	pH												
Preliminary Groundwater Screening Levels (a)																Comments															
Well	Date																														
BDC-101	6/11/2001										3.0	11.9	<1.0	113.1				109.2													
BDC-101	9/4/2001										5.0	7.13	10.7	50.4				53.8													
BDC-101	12/3/2001										6.5	95	1.6	750				650													
BDC-101	3/13/2002										<0.25	1.4	<1.0	4.4				<1.0													
BDC-101	4/29/2002	-8									<0.25	<1.0	<1.0	2.2	<1.0	<1.0	<1.0	<1.0													
BDC-101	6/3/2002	27									<0.25	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0													
BDC-101	7/1/2002	55									<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0													
BDC-101	8/1/2002	86									<0.25	3.1	<1.0	2.4	<1.0	<1.0	<1.0	<1.0													
BDC-101	12/2/2002	209									0.61	4.3	<1.0	21	27	6.4	33.4														
BDC-101	3/10/2003	307									<0.25	1.0	<1.0	4.5	3.2	<1.0	3.2														
BDC-101	6/3/2003	392									<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0														
BDC-101	11/19/2003	561									0.42	13	<1.0	15	35	<1.0	35		0.36	1.1	0.010	0.2	16	240	120.3						
BDC-101	4/28/2004	722									<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0														
BDC-101	10/18/2004	895									0.64	10	<1.0	15	43	<1.0	43														
BDC-101	5/10/2005	1099									<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0														
BDC-101	11/10/2005	1283									0.25	7.6	<1.0	2.6	42	<1.0	42	0.96	4.4		34.3		259	2.05							
BDC-101	5/15/2006	1469									<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.78	17.8	0.059	0.0	64.1		80							
BDC-101	11/20/2006	1658	-59								1.1	10	<1.0	15	72.0	<1.0	72	0.92	0.122	0.016	2.4	8.7		174							
BDC-101	2/20/2007	1750	33								<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.39	15.0	0.047	0.2	50.0		277							
BDC-101	3/19/2007	1777	60								<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	5.97	8.83	0.037	0.5	38.5		213							
BDC-101	4/24/2007	1813	96								<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.09	9.59	0.041	0.5	34.1		136							
BDC-101	5/17/2007	1836	119								<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.35	9.95	0.046	0.4	35.7		297							
BDC-101	11/26/2007	2029	312								<0.25	<1.0	<1.0	<1.0	2.1	6.5	<1.0	6.5	2.30	5.88	0.032	0.0	26.8		287						
BDC-101	2/18/2008	2113	396	-8							<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.55	8.10	0.040	0.0	31.5		341							
BDC-101	3/27/2008	2151	434	30							<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.19	9.3	<0.10	0.2	40.0		506							
BDC-101	5/15/2008	2200	483	79	-40						<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.57	6.8	<0.10	0.0	24.6		176							
BDC-101	7/16/2008	2262	545	141	22						<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.34	5.3	<0.10	0.0	21.8		-232							
BDC-101	9/15/2008	2323	606	202	83	-45					<0.25	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.22	5.33	0.023	0.0	28.7		153							
BDC-101	11/20/2008	2389	672	268	149	21					0.44	1.6	<1.0	<1.0	<1.0	<1.0	<1.0	1.45	2.9	0.1	0.8	17.1		-22							
BDC-101	1/16/2009	2446	729	325	206	78					<0.25	1.1	<1.0	<1.0	<1.0	<1.															

# AOC-05 CLEANUP ACTION SUMMARY

## DEVELOPMENTAL CENTER GROUNDWATER MONITORING

**AOC-05 CLEANUP ACTION SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

		ORC	Pilot	Full Scale	Injection 1	Injection 2	Injection 3	Injection 4	Injection 5	Injection 6	Volatile Organic Compounds (all units in ug/L)							Aquifer Redox Conditions							Donor Indicators						
		Elapsed Time from Injection (days)	TPH-G	Benzene	Toluene	Ethylbenzene	m,p-Xylene	o-Xylene	Xylenes	Total	DO	Nitrate	Nitrite	Iron II	Sulfate	Methane	ORP	TOC	pH												
Preliminary Groundwater Screening Levels (a)														0.8	71	200,000	29,000	NA (b)	NA (b)	NA (b)	(mg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(mg/L)	(mV)	(mg/L)			
Well	Date																									Comments					
BDC-103	2/20/2007	1750	33							26	460	420	140	3,600	1,600	5,200	0.31	60.8	11.1	0.5	99.2		109		6.54						
BDC-103	3/19/2007	1777	60							30	490	88	130	3,500	1,700	5,200	0.63	27.9	8.28	0.4	141		4		6.79						
BDC-103	4/24/2007	1813	96							36	820	440	220	3500	1800	5300	0.84	7.54	3.56	2.4	59.2		-14		6.70						
BDC-103	5/17/2007	1836	119							77	1,400	4,300	1,100	8,300	3,200	11,500	0.61	0.138	0.079	3.6	169		244		6.82						
BDC-103	11/26/2007	2029	312							190	3,300	21,000	4,000	11,000	4,900	15,900	3.37	0.063	0.049	3.6	49.1		-118								
BDC-103	2/18/2008	2113	396	-8						66	1,100	2,600	700	7,500	1,900	9,400	2.06	7.75	0.134	2.8	163		552		5.97						
BDC-103	3/27/2008	2151	434	30						84	1,500	1,900	1,100	9,700	3,000	12,700	1.60	54.1	18	4.0	115.0		182								
BDC-103	5/15/2008	2200	483	79	-40					91	2,700	4,400	1,400	11,000	3,600	14,600	1.38	<0.10	<0.10	3.2	192		-138		7.11						
BDC-103	7/16/2008	2262	545	141	22					79	1,800	440	490	10,000	3,100	13,100	1.61	56.1	16.6	2.8	149		-226		6.72						
BDC-103	9/15/2008	2323	606	202	83	-45				110	2,300	7,600	1,500	10,000	3,600	13,600	0.48	0.330	0.218	3.2	218		189								
BDC-103	11/20/2008	2389	672	268	149	21				47	1,200	260	110	7,000	2,100	9,100	0.21	152	12.5	2.0	120		-1.2		6.66						
BDC-103	1/16/2009	2446	729	325	206	78				11	190	220	12	1,000	480	1,480	0.24	193	2.32	0.6	62.5		-181		6.19						
BDC-103	2/11/2009	2472	755	351	232	104				36	820	510	<100	2,900	1,500	4,400	1.66	82.0	6.7	0.8	178		-65		6.69						
BDC-103	3/9/2009	2498	781	377	258	130				27	1100	440	18 J	2,400	1,200	3,600	0	47.3	2.4	0.4	192		17		6.80						
BDC-103	4/16/2009	2536	819	415	296	168				30	710	310	<50	2,700	1,200	3,900	0.95	64.8	5.6	0.2-0.4	194		62		6.77						
BDC-103	5/14/2009	2564	847	443	324	196	-34			30	680	320	20	2,400	1,500	3,900	0.48	49.8	4.8	0.8	222		20		6.85						
BDC-103	7/17/2009	2628	911	507	388	260	30			19	410	280	32	630	1,000	1,630	2.60	26.6	2.0	1.0	104		29		6.98						
BDC-103	9/9/2009	2682	965	561	442	314	84	-49		21	620	270	83	700	1200	1,900	0.88	<0.1	<0.1	2.5	134		2.8		7.01						
BDC-103	11/12/2009	2746	1029	625	506	378	148	15		24	340	140	27	1,800	1,200	3,000	1.42	94.1	7.7	0.4	71.7		117		6.11						
BDC-103	2/17/2010	2843	1126	722	603	475	245	112		0.73	10	<1.0	<1.0	3.1	22	25	1.45	123	1.1	0.0	60.3		939		6.22						
BDC-103	5/17/2010	2932	1215	811	692	564	334	201		3.1	79	44	5.2	60	86	146	1.56	67.9	2.6	0.4	71.6		436		6.63						
BDC-103	8/16/2010	3023	1306	902	783	655	425	292	-37	8.0	740	380	110	420	320	740	2.24	2.4	0.1	2.0	72.5		184		6.96						
BDC-103	11/8/2010	3107	1390	986	867	739	509	376	47	6.3	240	11	1.7	180	540	720	7.46	55.8	1.5	0.0	123		199		7.05						
BDC-103	2/16/2011	3207	1490	1086	967	839	609	476	147	0.28	4.6	<1.0	<1.0	<1.0	5.4	5.4	5.18	133	0.6	74.6		508		6.52							
BDC-103	5/3/2011	3283	1566	1162	1043	915	685	552	223	<0.25	9.1	<1.0	<1.0	<1.0	2.2	2.2	2.15	140	0.2	0.0	74.4		393		6.35						
BDC-103	8/1/2011	3373	1656	1252	1133	1005	775	642	313	0.30	76	<1.0	1.8	7.8	2.5	10.3	5.67	57.6	<0.1	0.2	63.2		168		7.09						
BDC-103	11/1/2011	3465	1748	1344	1225	1097	867	734	405	33.00	1300	2200	780	2300</																	

**AOC-05 CLEANUP ACTION SUMMARY  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Page 4 of 4

		ORC	Pilot	Full Scale	Injection 1	Injection 2	Injection 3	Injection 4	Injection 5	Injection 6	Volatile Organic Compounds (all units in ug/L)						Aquifer Redox Conditions						Donor Indicators						
		Elapsed Time from Injection (days)	Total	TPH-G (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	m,p-Xylene (µg/L)	o-Xylene (µg/L)	Xylenes (µg/L)	DO (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Iron II (mg/L)	Sulfate (mg/L)	Methane (µg/L)	ORP (mV)	TOC (mg/L)	pH										
<b>Preliminary Groundwater Screening Levels (a)</b>										0.8	71	200,000	29,000	NA (b)	NA (b)	NA (b)											Comments		
Well	Date																												
= No sample collected or sample not analyzed for specified constituent.																													
(a) Landau Associates 2002a.																													
(b) NA = no preliminary cleanup level available.																													
(c) BTEX data questionable for this event. Concentrations inconsistent with TPH-G data for indicated event and BTEX data from other events.																													
Injection dates:																													
5/7/2002	ORC																												
1/18/2007	Pilot -scale nitrate																												
2/26/2008	1st full scale injection																												
6/24/2008	2nd full scale injection																												
10/30/2008	3rd full scale injection																												
6/17/2009	4th full scale injection (start ammonium phosphate, 1/3 ammonium nitrate dose to both wells)																												
10/28/2009	5th full scale injection (103 full dose, 104 half dose)																												
9/22/2010	6th full scale injection (103 only full dose)																												

**AOC-05 CLEANUP ACTION SUMMARY - DOWNGRADIENT MONITORING  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**

Page 1 of 2

**SWMU-17**


Well	Date	Aquifer Redox Conditions					
		DO (mg/L)	Nitrate (mg/L)	Iron II (mg/L)	Sulfate (mg/L)	Methane (mg/L)	ORP (mV)
BDC-05-04	5/15/2006	<b>Natural Redox Baseline</b>					
BDC-05-04	10/23/2008		12.3	2.6	33.4		
BDC-05-04	11/2/2008		2.45	7.6	0.1	31.0	0.29
BDC-05-04	12/16/2008		0.59	4.5	0.8	25.2	0.05
BDC-05-04	1/16/2009		0.55	5.5	1.0	30.4	1.61
BDC-05-04	2/11/2009		0.06	4.3	1.0	21.8	1.48
BDC-05-04	3/9/2009		2.45	5.9	1.0	31.8	1.06
BDC-05-04	4/16/2009		0.27	4.8	1.5	30.1	0.20
BDC-05-04	5/13/2009		1.48	5.9	1.4	33.6	<0.0007
BDC-05-04	8/16/2009		0.33	4.5	1.6	26.6	0.37
BDC-05-04	11/13/2009		0.86	5.4	2.2	30.6	<0.0007
BDC-05-04	2/16/2010		0.56	2.2	3.0	18.4	2.44
BDC-05-04	5/18/2010		0.88	<0.1	3.3	24.6	1.49
BDC-05-04	8/17/2010		0.75	<0.1	3.0	25.4	1.32
BDC-05-04	11/9/2010		1.00	<0.1	2.8	17.1	3.53
BDC-05-04	2/15/2011		2.21	<0.1	2.2	21.3	3.00
BDC-05-04	5/2/2011		2.50	<0.1	2.4	19.4	4.46
BDC-05-04	11/2/2011		1.69	<0.1	2.2	18.0	1.75
			1.52	<1.0	1.2	<1.0	-3

**AOC-05 CLEANUP ACTION SUMMARY - DOWNGRADIENT MONITORING  
DEVELOPMENTAL CENTER GROUNDWATER MONITORING**


Page 2 of 2

Well	Date	Aquifer Redox Conditions			
		Nitrate (mg/L)	Iron II (mg/L)	Sulfate (mg/L)	
<b>SWMU-20</b>					
MW-17A	05/15/2006	Natural Redox Baseline	1.37	0.0	27.0
MW-17A	11/12/2009	Downgradient Monitoring Triggered	0.9		
MW-17A	5/17/2010		1.6	0.2	21.0
MW-17A	11/8/2010		0.1	2.1	15.7
MW-17A	5/3/2011		1.6	0.0	19.8
MW-17A	8/1/2011		0.5	0.0	20.5
MW-17A	11/1/2011		0.3	0.0	23.2
MW-18A	05/15/2006	Natural Redox Baseline	0.154	0.4	64.8
MW-18A	11/12/2009	Downgradient Monitoring Triggered	0.8		
MW-18A	5/17/2010		1.0	0.4	32.2
MW-18A	11/8/2010		0.1	0.0	14.2
MW-18A	5/3/2011		<0.1	0.0	31.5
MW-18A	8/1/2011		1.1	0.0	42.2
MW-18A	11/1/2011		0.7	0.0	93.3
MW-21A	05/15/2006	Natural Redox Baseline	0.136	0.4	54.9
MW-21A	11/12/2009	Downgradient Monitoring Triggered	<0.1		
MW-21A	5/17/2010		0.2	0.0	11.9
MW-21A	11/8/2010		<0.1	0.0	5.9
MW-21A	5/3/2011		0.2	0.0	52.1
MW-21A	8/1/2011		0.1	0.0	26.7
MW-21A	11/1/2011		<0.1	0.0	9.3


**BDC-103**  
**TPH-G and BTEX Concentrations Beginning with 2007 Pilot Testing**




**BDC-104**  
**TPH-G and BTEX Concentrations Beginning with 2007 Pilot Testing**



**BDC-101**  
**TPH-G and Benzene Concentrations Since 2001**




**BDC-102**  
**TPH-G and Benzene Concentrations Since 2001**




### BDC-103

#### Nitrate, TPH-G, and Benzene Concentrations



**BDC-104**  
**Nitrate, TPH-G, and Benzene Concentrations**




Note: BDC-104 was installed February 2008

***DEVELOPMENTAL CENTER  
GROUNDWATER MONITORING  
NOVEMBER 2011***

**GROUNDWATER ELEVATION INFORMATION**

- **CONTOUR MAP**
- **CUMULATIVE WATER LEVEL MEASUREMENTS  
(November 1999 to Present)**



**DEVELOPMENTAL CENTER**  
**CUMULATIVE WATER LEVEL MEASUREMENTS**

Well Location / Bldg.	Well ID No.	Well Depth	Nov 2011		July 2011		May 2011		Nov 2010		May 2010		Nov 2009		May 2009		Nov 2008		May 2008	
			Depth to Water	Water Elevation																
9-101-bldg.	MW-6A	24.25	12.99	1.81			12.50	2.30	12.70	2.10	12.69	2.11	12.42	2.38	12.73	2.07	12.79	2.01	12.87	1.93
9-101-bldg.	MW-6B	27.20	13.29	1.80			12.81	2.28	13.06	2.03	13.04	2.05	12.73	2.36	13.08	2.01	13.12	1.97	13.21	1.88
9-101-bldg.	MW-6C	40.55											12.72	2.35	13.05	2.02	13.06	2.01	13.13	1.94
9-101-bldg.	MW-8C	40.20											12.70	2.22	13.01	1.91	12.88	2.04	13.16	1.76
9-101-bldg.	MW-9A	21.30	13.03	1.71			12.53	2.21	12.65	2.09	12.65	2.09	12.43	2.31	12.77	1.97	12.69	2.05	12.93	1.81
9-101-bldg.	MW-9B	26.90											12.30	2.29	12.64	1.95	12.68	1.91	12.75	1.84
9-101-bldg.	MW-9C	38.80											12.40	2.26	12.67	1.99	12.66	2.00	12.82	1.84
9-101-bldg.	MW-9D	56.00											12.43	2.23	12.79	1.87	12.78	1.88	12.90	1.76
9-101-bldg.	MW-10A	20.20	12.97	1.72			12.47	2.22	12.64	2.05	12.62	2.07	12.46	2.23	12.65	2.04	12.68	2.01	12.89	1.80
9-101-bldg.	MW-10C	40.40	12.90	1.72			12.38	2.24	12.55	2.07	12.53	2.09	12.41	2.21	12.60	2.02	12.62	2.00	12.78	1.84
9-101-bldg.	MW-11A	19.90	13.03	1.85			12.62	2.26	12.59	2.29	12.69	2.19	12.52	2.36	12.81	2.07	12.81	2.07	13.16	1.72
9-101-bldg.	MW-12A	20.20	13.23	1.60			12.71	2.12	12.68	2.15	12.73	2.10	12.56	2.27	12.96	1.87	12.91	1.92	13.22	1.61
9-101-bldg.	MW-13A	19.37	12.66	1.48			12.11	2.03	12.08	2.06	12.14	2.00	11.89	2.25	12.29	1.85	12.25	1.89	12.62	1.52
9-101-bldg.	MW-13C	35.62	12.52	1.50			11.94	2.08	11.92	2.10	12.02	2.00	11.71	2.31	12.14	1.88	12.12	1.90	12.46	1.56
9-101-bldg.	MW-14A	19.00	12.71	1.66			12.16	2.21	12.22	2.15	12.39	1.98	12.10	2.27	12.50	1.87	12.50	1.87	12.64	1.73
9-101-bldg.	MW-14C	33.30	12.20	1.77			12.78	1.19	11.82	2.15	12.00	1.97	11.65	2.32	12.20	1.77	12.08	1.89	12.14	1.83
9-101-bldg.	MW-14E	82.10											7.20	6.98	7.55	6.63	7.51	6.67	8.07	6.11
9-101-bldg.	MW-15A	20.70	12.51	1.66			11.87	2.30	12.12	2.05	12.22	1.95	11.89	2.28	12.44	1.73	12.31	1.86	12.35	1.82
9-101-bldg.	MW-15C	34.35	12.44	1.73			11.49	2.68	12.00	2.17	12.17	2.00	11.85	2.32	12.46	1.71	12.23	1.94	12.50	1.67
9-101-bldg.	MW-15D	51.80											12.02	2.39	12.78	1.63	12.47	1.94	12.68	1.73
9-101-bldg.	MW-16A	20.55	13.19	1.80			12.67	2.32	12.84	2.15	12.88	2.11	12.68	2.31	12.98	2.01	12.95	2.04	13.17	1.82
9-101-bldg.	MW-16C	38.30	13.33	1.71			12.84	2.20	13.02	2.02	13.04	2.00	12.63	2.41	13.12	1.92	13.13	1.91	13.34	1.70
9-101-bldg.	MW-17A	19.00	12.73	2.07	12.84	1.96	12.45	2.35	12.65	2.15	12.63	2.17	12.55	2.25	12.75	2.05	12.80	2.00	13.07	1.73
9-101-bldg.	MW-17C	35.00																		
9-101-bldg.	MW-17D	52.50																		
9-101-bldg.	MW-18A	20.02	12.84	1.46	12.43	1.87	12.14	2.16	12.22	2.08	12.25	2.05	12.21	2.09	12.42	1.88	12.37	1.93	12.72	1.58
9-101-bldg.	MW-18C	34.55											12.36	2.27	12.66	1.97	12.67	1.96	12.98	1.65
9-101-bldg.	MW-18D	52.85																		
9-101-bldg.	MW-19A	16.86											10.11	2.12	10.49	1.74	10.47	1.76	10.49	1.74
9-101-bldg.	MW-19C	33.92											9.98	2.25	10.44	1.79	10.33	1.90	10.41	1.82
9-101-bldg.	MW-19D	51.86																		
9-101-bldg.	MW-20A	19.34											12.37	1.94	12.56	1.75	12.69	1.62	12.60	1.71
9-101-bldg.	MW-20C	35.32	12.76	1.39			12.27	1.88	11.87	2.28	12.06	2.09	11.70	2.45	12.15	2.00	12.13	2.02	12.50	1.65
9-101-bldg.	MW-20D	50.15																		
9-101-bldg.	MW-22A	19.20	12.52	1.73			12.14	2.11	12.40	1.85	12.30	1.95	12.04	2.21	12.57	1.68	12.35	1.90	12.50	1.75
9-101-bldg.	MW-23A	19.50											11.86	2.41	13.27	1.00	12.67	1.60	12.67	1.60
9-101/9-50 bldg.	MW-21A	19.90	13.05	1.40	12.67	1.78	12.41	2.04	12.43	2.02	12.45	2.00	12.37	2.08						
9-101/9-50 bldg.	MW-21C	34.00																		
9-64-bldg.	BDC-05-02	25.35	12.63	1.78	12.35	2.06	11.81	2.60	12.10	2.31	12.14	2.27	12.05	2.36	12.19	2.22	12.20	2.21	12.28	2.09

**DEVELOPMENTAL CENTER**  
**CUMULATIVE WATER LEVEL MEASUREMENTS**

Well Location / Bldg.	Well ID No.	Well Depth	Nov 2011		July 2011		May 2011		Nov 2010		May 2010		Nov 2009		May 2009		Nov 2008		May 2008	
			Depth to Water	Water Elevation																
9-60 bldg.	BDC-101	18.42	12.46	2.01	12.16	2.31	11.48	2.99	11.92	2.55	11.82	2.65	11.82	2.65	11.89	2.58	11.95	2.52	12.29	2.18
9-60 bldg.	BDC-102	18.83	12.16	2.11	11.92	2.35	11.20	3.07	11.67	2.60	11.57	2.70	11.58	2.69	11.64	2.63	11.67	2.60	12.08	2.19
9-60 bldg.	BDC-103	18.51	12.20	2.14	11.90	2.44	10.96	3.38	11.63	2.71	11.54	2.80	11.55	2.79	11.61	2.73	11.68	2.66	12.02	2.32
9-60 bldg.	BDC-104	18.90	12.00	2.16	11.72	2.44	10.97	3.19	11.45	2.71	11.32	2.84	11.36	2.80	11.40	2.76	11.51	2.65	11.84	2.32
9-52-bldg.	952MW-1	17.40																		
9-52-bldg.	952MW-2	17.54																		
9-52-bldg.	952MW-3	17.95																		
9-52-bldg. (west)	MW-5	27.43																		
9-04-bldg. (north)	MW-2	26.98																		
9-04-bldg. (north)	MW-7	18.50																		
9-04-bldg. (north)	MW-8	18.50																		
9-04-bldg. (north)	MW-9	18.50																		

**DEVELOPMENTAL CENTER**  
**CUMULATIVE WATER LEVEL MEASUREMENTS**

Well Location / Bldg.	Well ID No.	Well Depth	Nov 2007		May 2007		February 2007		Nov 2006		Aug 2006		May 2006		February 2006		November 2005		August 2005		May 2005	
			Depth to Water	Water Elevation																		
9-101-bldg.	MW-6A	24.25	13.08	1.72	12.97	1.83	12.42	2.38	12.30	2.50	13.16	1.64	12.77	2.03	12.42	2.38	12.80	2.00	13.02	1.78	12.52	2.28
9-101-bldg.	MW-6B	27.20	13.46	1.63	13.32	1.77	12.75	2.34	12.67	2.42	13.50	1.59	13.09	2.00	12.75	2.34	13.15	1.94	13.35	1.74	12.88	2.21
9-101-bldg.	MW-6C	40.55	13.41	1.66	13.27	1.80	12.69	2.38	12.65	2.42	13.41	1.66	13.07	2.00	12.71	2.36	13.14	1.93	13.32	1.75	12.87	2.20
9-101-bldg.	MW-8C	40.20	13.28	1.64	13.00	1.92			12.21	2.71			13.18	1.74			13.00	1.92			12.64	2.28
9-101-bldg.	MW-9A	21.30	13.07	1.67	12.90	1.84	12.36	2.38	12.12	2.62	13.05	1.69	13.00	1.74	12.37	2.37	12.73	2.01	13.08	1.66	12.53	2.21
9-101-bldg.	MW-9B	26.90	12.91	1.68	12.71	1.88	12.19	2.40	11.95	2.64	12.87	1.72	13.81	0.78	12.19	2.40	12.69	1.90	12.90	1.69	12.17	2.42
9-101-bldg.	MW-9C	38.80	13.02	1.64	12.81	1.85	12.20	2.46	12.05	2.61	13.01	1.65	12.91	1.75	12.26	2.40	12.69	1.97	12.93	1.73	12.55	2.11
9-101-bldg.	MW-9D	56.00	13.56	1.10	12.88	1.78			12.30	2.36			13.15	1.51			12.90	1.76			12.90	1.76
9-101-bldg.	MW-10A	20.20	13.05	1.64	12.72	1.97	12.35	2.34	12.06	2.63	12.88	1.81	12.98	1.71	11.93	2.76	12.73	1.96	12.85	1.84	12.52	2.17
9-101-bldg.	MW-10C	40.40	12.96	1.66	12.77	1.85			11.99	2.63			12.88	1.74			12.63	1.99			12.45	2.17
9-101-bldg.	MW-11A	19.90	13.16	1.72	12.96	1.92			11.85	3.03			12.80	2.08			12.92	1.96			12.42	2.46
9-101-bldg.	MW-12A	20.20	13.24	1.59	13.00	1.83			11.89	2.94			12.97	1.86			12.98	1.85			12.58	2.25
9-101-bldg.	MW-13A	19.37	12.42	1.72	12.33	1.81			11.50	2.64			12.48	1.66			12.26	1.88			11.97	2.17
9-101-bldg.	MW-13C	35.62	12.29	1.73	12.20	1.82			11.35	2.67			12.33	1.69			12.10	1.92			11.78	2.24
9-101-bldg.	MW-14A	19.00	12.55	1.82	12.73	1.64	12.03	2.34	11.46	2.91	12.83	1.54	12.59	1.78	11.95	2.42	12.39	1.98	12.56	1.81	12.35	2.02
9-101-bldg.	MW-14C	33.30	12.00	1.97	12.32	1.65			11.72	2.25			12.26	1.71			12.13	1.84			11.84	2.13
9-101-bldg.	MW-14E	82.10	6.83	7.35	7.59	6.59			6.71	7.47			8.78	5.40			7.87	6.31			7.29	6.89
9-101-bldg.	MW-15A	20.70	12.24	1.93	12.52	1.65			11.93	2.24			12.05	2.12			12.42	1.75			11.74	2.43
9-101-bldg.	MW-15C	34.35	12.30	1.87	12.55	1.62			11.91	2.26			12.37	1.80			12.50	1.67			12.02	2.15
9-101-bldg.	MW-15D	51.80	12.53	1.88	12.76	1.65			12.14	2.27			12.52	1.89			12.63	1.78			12.20	2.21
9-101-bldg.	MW-16A	20.55	12.53	2.46	13.11	1.88			12.05	2.94			13.04	1.95			13.05	1.94			12.67	2.32
9-101-bldg.	MW-16C	38.30	13.33	1.71	13.23	1.81			12.22	2.82			13.23	1.81			13.22	1.82			12.83	2.21
9-101-bldg.	MW-17A	19.00	13.00	1.80	12.80	2.00			12.04	2.76			12.85	1.95			12.74	2.30				
9-101-bldg.	MW-17C	35.00															12.83	2.21				
9-101-bldg.	MW-17D	52.50															12.82	2.22				
9-101-bldg.	MW-18A	20.02	12.46	1.84	12.45	1.85			11.57	2.73			12.43	1.87			12.44	1.86			12.11	2.19
9-101-bldg.	MW-18C	34.55	12.88	1.75	12.74	1.89			11.85	2.78			12.70	1.93			12.72	1.91			12.36	2.27
9-101-bldg.	MW-18D	52.85															12.42	2.21				
9-101-bldg.	MW-19A	16.86	10.68	1.55	10.55	1.68	9.92	2.31	9.59	2.64	10.77	1.46	10.44	1.79	10.22	2.01	10.43	1.80	10.70	1.53	10.22	2.01
9-101-bldg.	MW-19C	33.92	10.59	1.64	10.50	1.73			9.50	2.73			10.32	1.91			10.36	1.87			10.22	2.01
9-101-bldg.	MW-19D	51.86															10.69	1.54				
9-101-bldg.	MW-20A	19.34	12.76	1.55	12.30	2.01			12.10	2.21			12.09	2.22			12.68	1.63			12.33	1.98
9-101-bldg.	MW-20C	35.32	12.39	1.76	12.28	1.87			11.67	2.48			12.05	2.10			12.30	1.85			11.90	2.25
9-101-bldg.	MW-20D	50.15															12.66	1.49				
9-101-bldg.	MW-22A	19.20	12.25	2.00	12.64	1.61	11.90	2.35	12.11	2.14	12.77	1.48	12.41	1.84	12.25	2.00	12.55	1.70	12.81	1.44	12.38	1.87</td

**DEVELOPMENTAL CENTER**  
**CUMULATIVE WATER LEVEL MEASUREMENTS**

Page 4 of 8

Well Location / Bldg.	Well ID No.	Well Depth	Nov 2007		May 2007		February 2007		Nov 2006		Aug 2006		May 2006		February 2006		November 2005		August 2005		May 2005	
			Depth to Water	Water Elevation																		
9-60 bldg.	BDC-101	18.42	12.22	2.25	12.13	2.34			11.42	3.05			12.07	2.40			11.91	2.56			11.73	2.74
9-60 bldg.	BDC-102	18.83	11.86	2.41	11.89	2.38			11.13	3.14			11.85	2.42			11.79	2.48			11.53	2.74
9-60 bldg.	BDC-103	18.51	11.93	2.41	11.87	2.47			11.10	3.24			11.78	2.56			11.81	2.53			11.50	2.84
9-60 bldg.	BDC-104	18.90																				
9-52-bldg.	952MW-1	17.40																				
9-52-bldg.	952MW-2	17.54																				
9-52-bldg.	952MW-3	17.95																				
9-52-bldg. (west)	MW-5	27.43																				
9-04-bldg. (north)	MW-2	26.98																				
9-04-bldg. (north)	MW-7	18.50																				
9-04-bldg. (north)	MW-8	18.50																				
9-04-bldg. (north)	MW-9	18.50																				

**DEVELOPMENTAL CENTER**  
**CUMULATIVE WATER LEVEL MEASUREMENTS**

Well Location / Bldg.	Well ID No.	Well Depth	February 2005		October 2004		August 2004		May 2004		November 2003		June 2003		December 2002		June 2002		December 2001		June 2001		
			Depth to Water	Water Elevation																			
9-101-bldg.	MW-6A	24.25	12.68	2.12	12.90	1.90	13.06	1.74	13.00	1.83	12.88	1.95	13.30	1.53	13.01	1.82	13.21	1.62	12.45	2.38	13.50	1.33	
9-101-bldg.	MW-6B	27.20	12.97	2.12	13.25	1.84	13.40	1.69	13.14	1.85	13.03	1.96	13.44	1.55	13.16	1.83	13.36	1.63	12.60	2.39	13.67	1.32	
9-101-bldg.	MW-6C	40.55	12.90	2.17	13.18	1.89	13.37	1.70	13.11	1.81	13.11	1.81	13.39	1.53	13.19	1.73	13.27	1.65	12.89	2.03	13.85	1.07	
9-101-bldg.	MW-8C	40.20			12.91	2.01			12.77	1.82	12.82	1.90	13.08	1.64	12.90	1.74	12.94	1.70	12.69	1.95	13.76	0.88	
9-101-bldg.	MW-9A	21.30	12.51	2.23	12.92	1.82	13.05	1.69	12.77	1.95	12.82	1.90	13.09	1.59	12.90	1.78	12.94	1.74	12.61	2.07	13.64	1.04	
9-101-bldg.	MW-9B	26.90	10.80	3.79	12.76	1.83	12.90	1.69	12.85	1.83	12.77	1.91	13.09	1.59	12.90	1.78	12.94	1.74	12.61	2.07	13.64	1.04	
9-101-bldg.	MW-9C	38.80	12.46	2.20	12.87	1.79	13.01	1.65	12.92	1.74	13.04	1.62	13.39	1.27	13.17	1.49	13.20	1.46	12.25	2.41	13.15	1.51	
9-101-bldg.	MW-9D	56.00			13.92	0.74			12.80	1.82	12.71	1.91	12.97	1.65	12.90	1.72	12.84	1.78	12.32	2.30	13.37	1.25	
9-101-bldg.	MW-10A	20.20	12.58	2.11	12.95	1.74	13.05	1.64	12.93	1.76	12.83	1.86	13.08	1.61	13.03	1.66	12.94	1.75	12.52	2.17	13.52	1.17	
9-101-bldg.	MW-10C	40.40			12.74	1.88			12.80	1.82	12.71	1.91	12.97	1.65	12.90	1.72	12.84	1.78	12.32	2.30	13.37	1.25	
9-101-bldg.	MW-11A	19.90			12.78	2.10			13.12	1.76	12.91	1.97	13.14	1.74	13.13	1.75	12.97	1.91	12.28	2.60	13.35	1.53	
9-101-bldg.	MW-12A	20.20			12.86	1.97			13.21	1.62	13.00	1.83	13.23	1.60	13.20	1.63	13.03	1.80	12.33	2.50	13.35	1.48	
9-101-bldg.	MW-13A	19.37			12.35	1.79			12.47	1.67	12.18	1.96	12.49	1.65	12.38	1.76	12.50	1.64	11.92	2.22	12.59	1.55	
9-101-bldg.	MW-13C	35.62			12.19	1.83			12.35	1.67	12.02	2.00	12.30	1.72	12.22	1.80	12.31	1.71	11.45	2.57	12.43	1.59	
9-101-bldg.	MW-14A	19.00	12.38	2.09	12.60	1.87	12.94	1.53	12.71	1.76	12.57	1.90	12.91	1.56	12.70	1.77	12.85	1.62	12.16	2.31	13.00	1.47	
9-101-bldg.	MW-14C	33.30			12.09	1.88			12.16	1.81	12.07	1.90	12.43	1.54	12.18	1.79	12.33	1.64	11.60	2.37	12.59	1.38	
9-101-bldg.	MW-14E	82.10			7.58	6.60			6.94	7.24	7.26	6.92	8.56	5.62	7.69	6.49	7.64	6.54	6.10	8.08	7.83	6.35	
9-101-bldg.	MW-15A	20.70			12.17	2.00			12.67	1.50	12.36	1.81	12.57	1.60	12.55	1.62	12.52	1.65	11.82	2.35	12.66	1.51	
9-101-bldg.	MW-15C	34.35			12.31	1.86			12.72	1.45	12.37	1.80	12.56	1.61	12.47	1.70	12.50	1.67	11.73	2.44	12.80	1.37	
9-101-bldg.	MW-15D	51.80			12.56	1.85			12.88	1.53	12.64	1.77	12.41	2.00	12.80	1.61	13.02	1.39	11.90	2.51	12.88	1.53	
9-101-bldg.	MW-16A	20.55			12.97	2.02			13.19	1.80	12.96	2.03	13.35	1.64	13.03	1.96	13.02	1.97	12.45	2.54	13.55	1.44	
9-101-bldg.	MW-16C	38.30			13.15	1.89			13.38	1.66	13.15	1.89	13.51	1.53	13.33	1.71	13.29	1.75	12.62	2.42	13.77	1.27	
9-101-bldg.	MW-17A	19.00			12.81	1.99			13.05	1.75	12.83	1.97	13.10	1.70	12.99	1.81	13.07	1.73	12.34	2.46			
9-101-bldg.	MW-17C	35.00			12.80	2.05			13.11	1.74											13.25	1.60	
9-101-bldg.	MW-17D	52.50			12.97	1.90			13.20	1.67											13.20	1.67	
9-101-bldg.	MW-18A	20.02			12.43	1.87			12.57	1.73	12.36	1.94								11.82	2.48	12.61	1.69
9-101-bldg.	MW-18C	34.55			12.75	1.88			12.84	1.79	12.62	2.01	12.89	1.74	12.82	1.81	12.92	1.71			12.87	1.76	
9-101-bldg.	MW-18D	52.85			12.42	1.84			12.60	1.66											12.58	1.68	
9-101-bldg.	MW-19A	16.86	10.19	2.04	10.54	1.69			10.85	1.38	10.39	1.84							9.93	2.30	10.62	1.61	
9-101-bldg.	MW-19C	33.92			10.43	1.80			10.22	2.01	10.31	1.92	10.55	1.68	10.41	1.82	10.71	1.52			10.55	1.68	
9-101-bldg.	MW-19D	51.86			10.67	1.56			10.86	1.37											11.00	1.23	
9-101-bldg.	MW-20A	19.34			12.75	1.56			12.73	1.58	12.58	1.73								12.20	2.11	12.60	1.71
9-101-bldg.	MW-20C	35.32			12.39	1.76			12.66	1.49	12.24	1.91	12.48	1.67	12.26	1.89	12.55						

**DEVELOPMENTAL CENTER**  
**CUMULATIVE WATER LEVEL MEASUREMENTS**

<b>Well Location / Bldg.</b>	<b>Well ID No.</b>	<b>Well Depth</b>	<b>February 2005</b>		<b>October 2004</b>		<b>August 2004</b>		<b>May 2004</b>		<b>November 2003</b>		<b>June 2003</b>		<b>December 2002</b>		<b>June 2002</b>		<b>December 2001</b>		<b>June 2001</b>			
			<b>Depth to Water</b>	<b>Water Elevation</b>																				
9-60 bldg.	BDC-101	18.42			12.31	2.16			12.04	2.43	12.08	2.39	12.43	2.04	12.34	2.13	12.07	2.40	11.29	3.18	12.30	2.17		
9-60 bldg.	BDC-102	18.83			11.97	2.30			11.84	2.43	11.82	2.45	12.24	2.03	12.14	2.13	11.82	2.45	11.05	3.22	12.06	2.21		
9-60 bldg.	BDC-103	18.51			12.08	2.26			11.79	2.55	11.72	2.62	12.27	2.07	12.15	2.19	11.81	2.53	11.03	3.31	12.04	2.30		
9-60 bldg.	BDC-104	18.90																						
9-52-bldg.	952MW-1	17.40																	11.10	2.38	10.21	3.27	11.25	2.23
9-52-bldg.	952MW-2	17.54																	11.37	2.63	10.46	3.54	11.48	2.52
9-52-bldg.	952MW-3	17.95																	11.40	2.36	10.52	3.24	11.55	2.21
9-52-bldg. (west)	MW-5	27.43																						
9-04-bldg. (north)	MW-2	26.98																						
9-04-bldg. (north)	MW-7	18.50																						
9-04-bldg. (north)	MW-8	18.50																						
9-04-bldg. (north)	MW-9	18.50																						

**DEVELOPMENTAL CENTER**  
**CUMULATIVE WATER LEVEL MEASUREMENTS**

Well Location / Bldg.	Well ID No.	Well Depth	December 2000		June 2000		November 1999	
			Depth to Water	Water Elevation	Depth to Water	Water Elevation	Depth to Water	Water Elevation
9-101-bldg.	MW-6A	24.25						
9-101-bldg.	MW-6B	27.20	13.55	1.28	13.01	1.82	13.33	1.50
9-101-bldg.	MW-6C	40.55	13.70	1.29	13.15	1.84	13.50	1.49
9-101-bldg.	MW-8C	40.20	13.71	1.21	13.13	1.79	13.79	1.13
9-101-bldg.	MW-9A	21.30	13.72	0.92	12.78	1.86	13.67	0.97
9-101-bldg.	MW-9B	26.90	13.82	0.90	12.81	1.91	13.90	0.82
9-101-bldg.	MW-9C	38.80	13.57	1.11	12.75	1.93	13.60	1.08
9-101-bldg.	MW-9D	56.00	13.03	1.63	12.74	1.92	13.00	1.66
9-101-bldg.	MW-10A	20.20	13.62	1.07	12.84	1.85	13.50	1.19
9-101-bldg.	MW-10C	40.40	13.40	1.22	12.74	1.88	13.29	1.33
9-101-bldg.	MW-11A	19.90	13.52	1.36	12.91	1.97	13.20	1.68
9-101-bldg.	MW-12A	20.20	13.50	1.33	13.02	1.81	13.21	1.62
9-101-bldg.	MW-13A	19.37	12.76	1.38	12.50	1.64	12.33	1.81
9-101-bldg.	MW-13C	35.62	12.69	1.33	12.37	1.65	12.21	1.81
9-101-bldg.	MW-14A	19.00	12.98	1.49	12.70	1.77	12.78	1.69
9-101-bldg.	MW-14C	33.30	12.49	1.48	12.17	1.80	12.35	1.62
9-101-bldg.	MW-14E	82.10	7.44	6.74	7.45	6.73	7.90	6.28
9-101-bldg.	MW-15A	20.70	12.82	1.35	12.40	1.77	12.35	1.82
9-101-bldg.	MW-15C	34.35	12.77	1.40	12.36	1.81	12.49	1.68
9-101-bldg.	MW-15D	51.80	12.90	1.51	12.59	1.82	12.44	1.97
9-101-bldg.	MW-16A	20.55	13.50	1.49	13.19	1.80	13.34	1.65
9-101-bldg.	MW-16C	38.30	13.67	1.37	13.36	1.68	13.52	1.52
9-101-bldg.	MW-17A	19.00	13.32	1.48	13.05	1.75	13.03	1.77
9-101-bldg.	MW-17C	35.00			13.10	1.75	13.05	1.80
9-101-bldg.	MW-17D	52.50			13.25	1.62	12.82	2.05
9-101-bldg.	MW-18A	20.02	12.84	1.46	12.55	1.75	12.38	1.92
9-101-bldg.	MW-18C	34.55	13.12	1.51	12.83	1.80	12.61	2.02
9-101-bldg.	MW-18D	52.85	12.85	1.41	12.52	1.74	12.33	1.93
9-101-bldg.	MW-19A	16.86	10.93	1.30	10.68	1.55	10.42	1.81
9-101-bldg.	MW-19C	33.92	10.89	1.34	10.65	1.58	10.35	1.88
9-101-bldg.	MW-19D	51.86	10.90	1.33	10.71	1.52	11.05	1.18
9-101-bldg.	MW-20A	19.34	12.89	1.42	12.44	1.87	12.75	1.56
9-101-bldg.	MW-20C	35.32	12.69	1.46	12.16	1.99	12.44	1.71
9-101-bldg.	MW-20D	50.15	12.87	1.56	12.41	2.02	12.66	1.77
9-101-bldg.	MW-22A	19.20						
9-101-bldg.	MW-23A	19.50						
9-101/9-50 bldg.	MW-21A	19.90	13.04	1.41	12.93	1.52	12.50	1.95
9-101/9-50 bldg.	MW-21C	34.00						
9-64-bldg.	BDC-05-02	25.35	12.56	1.81	12.37	2.00	12.03	2.34
9-64-bldg.	BDC-05-03	25.47	12.82	1.59	12.56	1.85	12.33	2.08
9-64-bldg.	BDC-05-04	25.36	12.86	1.73	12.65	1.94	12.33	2.26
9-64-bldg.	BDC-05-05	24.18	12.53	1.91	12.36	2.08	11.96	2.48
9-64-bldg.	BDC-05-07	25.30	12.28	1.71	12.08	1.91	11.72	2.27
9-64-bldg.	BDC-05-08	27.00						
9-64-bldg.	BDC-05-09	24.55						
9-64-bldg.	BDC-05-10	24.57						
9-64-bldg.	BDC-05-11	24.85						
9-64-bldg.	BDC-05-12	24.87						
9-64-bldg.	BDC-05-13	24.78						
9-64-bldg.	BDC-05-14	24.85						
9-64-bldg.	BDC-05-15	24.48						
9-64-bldg.	BDC-05-16	24.89						
9-64-bldg.	BDC-05-17	24.82						
9-64-bldg.	BDC-05-18	24.69						
9-64-bldg.	BDC-05-19	24.85						
9-64-bldg.	BDC-05-20	24.80						
9-64-bldg.	BDC-05-21	24.86						
9-64-bldg.	BDC-05-22	25.01						
9-64-bldg.	BDC-05-23	25.10						
9-64-bldg.	BDC-05-24	24.73						

**DEVELOPMENTAL CENTER**  
**CUMULATIVE WATER LEVEL MEASUREMENTS**

Well Location / Bldg.	Well ID No.	Well Depth	December 2000		June 2000		November 1999	
			Depth to Water	Water Elevation	Depth to Water	Water Elevation	Depth to Water	Water Elevation
9-60 bldg.	BDC-101	18.42						
9-60 bldg.	BDC-102	18.83						
9-60 bldg.	BDC-103	18.51						
9-60 bldg.	BDC-104	18.90						
9-52-bldg.	952MW-1	17.40	11.50	1.98			10.97	2.51
9-52-bldg.	952MW-2	17.54	11.76	2.24			11.25	2.75
9-52-bldg.	952MW-3	17.95	11.85	1.91			11.28	2.48
9-52-bldg. (west)	MW-5	27.43					10.53	2.42
9-04-bldg. (north)	MW-2	26.98					9.53	3.14
9-04-bldg. (north)	MW-7	18.50						
9-04-bldg. (north)	MW-8	18.50						
9-04-bldg. (north)	MW-9	18.50						

Notes:

Depth to Water measurements taken from top of well casing  
 Top of casing elevation altered in wells MW-6B, MW-6C, MW-9A, MW-9B, and MW-9C by installation of threaded fitting on 6/19/2004.  
 Top of casing elevation was lowered in well MW-14A by 0.10 ft on 3/17/2005; resurveyed 9/9/05.  
 Top of casing elevation at wells MS-22A and MW-23A measured 9/9/05.  
 BDC05-02 was modified in October 2008 for utilization as an injection well. Elevation changed from 14.37 to 14.41 ft; total depth changed from 25.35 to 25.27.