



REPORT

Groundwater Monitoring March 2019 Bear Creek Village Shopping Center

Submitted to:

TMT Bear Creek Shopping Center, Inc.

c/o JSH Properties, Inc.
7325 166th Ave NE, Suite F260
Redmond, WA 98052

Submitted by:


Golder Associates Inc.

18300 NE Union Hill Road, Suite 200 Redmond, Washington, USA 98052

+1 425 883-0777

1525393-19.100

May 29, 2019



Distribution List

1 PDF Courtney Klein, JSH Properties

1 Copy and PDF Grant Yang, Department of Ecology, Bellevue

1 PDF Jessica Atlakson, City of Redmond

Table of Contents

1.0	INTRODUCTION	1
1.1	Site Description	1
1.2	Purpose and Scope	1
2.0	BACKGROUND	1
2.1	Previous Environmental Investigations	1
2.2	Independent Remedial Actions	2
2.3	Groundwater Monitoring Frequency	2
3.0	MARCH 2019 GROUNDWATER SAMPLING	3
3.1	Groundwater Investigation Methods	3
3.2	Water Level Measurements and Groundwater Flow Direction	3
3.3	Groundwater Quality	4
3.3.1	Perchloroethylene	4
3.3.2	Trichloroethene	4
3.3.3	Cis-1,2-Dichloroethene	5
3.3.4	Vinyl Chloride	5
3.3.5	1,3-Dichlorobenzene	5
3.3.6	Seasonal Fluctuation	5
4.0	CONCLUSIONS AND RECOMMENDATIONS	6
4.1	Findings and Conclusions	6
4.2	Recommendations	6
5.0	CLOSING	7
6.0	REFERENCES	8

TABLES

Table 1: March 2019 Groundwater Analytical Results

Table 2: Historical Groundwater Analytical Results

Table 3: Historical Groundwater Elevations

FIGURES

Figure 1: Site Location Map

Figure 2: Groundwater Monitoring Well Locations

Figure 3: Groundwater Elevations, March 2019 Groundwater Monitoring

Figure 4: Groundwater Concentrations – Southeast Area March 2019 Groundwater Monitoring

Figure 5: MW-2 HVOC Detections Over Time

Figure 6: MW-3 HVOC Detections Over Time

Figure 7: MW-4 HVOC Detections Over Time

Figure 8: MW-10 and MW-10A HVOC Detections Over Time

Figure 9: MW-13 HVOC Detections Over Time

Figure 10: PCE Detections Over Time

Figure 11: TCE Detections Over Time

Figure 12: Vinyl Chloride Detections Over Time

APPENDICES

APPENDIX A

Sample Integrity Data Sheets

APPENDIX B

Laboratory Analytical Reports

1.0 INTRODUCTION

This report presents the results of groundwater monitoring conducted by Golder Associates Inc. (Golder) at the Bear Creek Village Shopping Center during the month of March 2019.

1.1 Site Description

The site is currently developed as a shopping center known as the Bear Creek Village Shopping Center, located at 17100 - 17262 Redmond Way, in Redmond, King County, Washington (site). Figure 1 depicts the location of the site on a United States Geological Survey (USGS) topographic map. The existing shopping center development was constructed in phases in approximately 1969, 1977, and 1985. Before the existing shopping center, the site was agricultural land with several houses, outbuildings, and a small warehouse complex along the northern side. The shopping center includes two core building complexes, one stand-alone multi-tenant retail-strip building, and three pad buildings (Taco Time, Jiffy Lube [previously Q-Lube], and O'Reilly Auto Parts [previously Schuck's]). Paved parking areas and limited landscaped areas comprise the remaining area. A dry cleaning establishment known as Bear Creek Cleaners formerly operated on the site. Bear Creek Cleaners was located at the southeastern portion of the site and is the focus of this groundwater monitoring program. A brief background on the history of Bear Creek Cleaners and the resulting remedial investigations is provided below in Section 2.0.

1.2 Purpose and Scope

The purpose of this groundwater monitoring was to determine groundwater quality with respect to the presence of halogenated volatile organic compounds (HVOCs) as a result of the former Bear Creek Cleaners operations, and to obtain groundwater elevation data to determine the groundwater flow direction.

The scope of work for this groundwater monitoring included the following:

- Collection of groundwater samples from six on-site groundwater-monitoring wells (MW) (MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13).
- Collection of other data from these wells including groundwater level measurements, pH, conductivity, dissolved oxygen, turbidity, oxidation-reduction potential, and temperature.
- Quality control procedures, including the analysis of a duplicate sample (duplicate collected from MW-3, which was identified with the sample number MW-33), an equipment blank, and a trip blank.
- Analysis of the groundwater and quality control samples for the presence of HVOCs using United States Environmental Protection Agency (EPA) Method 8260C.

2.0 BACKGROUND

2.1 Previous Environmental Investigations

Previous environmental investigations concerning the dry cleaner facility included the following:

- Letter Report – Additional Soil and Groundwater Investigation – Bear Creek Cleaners, Dames & Moore, November 20, 1996.
- Summary Letter of Field Activities at the Bear Creek Cleaners and Q-Lube, Versar Inc., May 21, 1997.

- Memorandum – Preliminary Summary of Results, Delta Environmental Consultants, Inc., September 3, 1997.

2.2 Independent Remedial Actions

An independent remedial action related to the release of perchloroethylene (PCE), also known as tetrachloroethene, from the former Bear Creek Cleaners was conducted in the latter part of 1997 and the early part of 1998. The remedial action is discussed in the following report:

- Report – Voluntary Soil Cleanup – Former Bear Creek Cleaners – Bear Creek Village Shopping Center – Redmond, Washington, Dames & Moore, February 25, 1998.

Previous investigations conducted in 1996 and 1997 indicated the presence of HVOCs, primarily PCE, in soil and groundwater beneath and behind the dry cleaning establishment (Dames & Moore 1996; Versar Inc. 1997; Delta Environmental Consultants, Inc. 1997). Subsequent remedial action and investigation by Dames & Moore during the latter part of 1997 included the excavation of PCE-impacted soil from beneath and behind the dry cleaning establishment and the installation of 12 groundwater-monitoring wells (Dames & Moore 1998). The monitoring wells were placed in various locations at the site for the following reasons:

- To determine the extent of HVOC-impacted groundwater around the dry cleaning establishment.
- To determine background groundwater quality to identify any HVOC-impacted groundwater coming from off-site sources or leaving the site.
- To assess the possible presence of petroleum hydrocarbons in groundwater near the Jiffy Lube facility.

Dames & Moore sampled groundwater from the monitoring wells on October 22, 1997 (Dames & Moore 1998). Analytical results for these samples (using EPA Method 8021B) indicated the presence of PCE and other HVOCs in groundwater along the eastern margin of the shopping center property. No petroleum hydrocarbons were detected in groundwater at the Jiffy Lube facility.

2.3 Groundwater Monitoring Frequency

Groundwater monitoring occurred at the site on a quarterly schedule from February 1999 through September 2005. ATC Associates Inc. (ATC) performed quarterly monitoring from February 1999 through March 2000.

Two additional monitoring wells, MW-13 and MW-14, were installed by ATC in June 1999.

No sampling of groundwater was conducted during June 2000 due to changing consultants from ATC to Golder. Written notification of this change was submitted to the Washington State Department of Ecology (Ecology) in a letter dated September 7, 2000.

Quarterly groundwater monitoring resumed in September 2000 with the sampling of MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13 (in addition to water level monitoring in MW-1, MW-5, MW-6, and MW-14) Golder performed quarterly monitoring from 2000 through September 2005.

After the September 2005 sampling event, the sampling frequency was reduced from quarterly to semi-annually. On behalf of the property owner, Golder provided notice to Ecology regarding the change in sampling frequency (Golder 2005). The semi-annual sampling has been continued from March 2006 through to the most recent March 2019 sampling event.

The March 2019 analytical results are presented in Table 1. Historical analytical results for groundwater sampling conducted since 1999 are summarized in Table 2. A narrative of historical sampling activities was provided in previous monitoring reports.

3.0 MARCH 2019 GROUNDWATER SAMPLING

3.1 Groundwater Investigation Methods

On March 21, 2019, Golder sampled groundwater from six groundwater monitoring wells (MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13). The wells were purged and sampled in accordance with EPA low-flow sampling guidelines. Figure 2 depicts the location of all pertinent on-site monitoring wells. Sampling conditions and data collected during the monitoring event were recorded on the Sample Integrity Data Sheets (SIDS) contained in Appendix A. The following methods and procedures were used in collecting the groundwater samples:

- Depth to groundwater was measured in all on-site wells (MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-9, MW-10A, MW-13, and MW-14) prior to purging and sampling. Water levels were recorded on the SIDS. Table 3 presents depth to water measurements and elevations. Figure 3 depicts groundwater elevations and contours.
- Dedicated tubing is located in all groundwater-monitoring wells and is replaced as needed. Each well was slowly purged of water at a rate of approximately 175 to 250 milliliters (mL) per minute using a peristaltic pump connected to the dedicated tubing.
- Field parameters of temperature, pH, conductivity, turbidity, dissolved oxygen, and oxidation-reduction potential were measured and recorded during purging at approximately 5-minute intervals until parameters were stable. All field parameters were recorded on the SIDS (Appendix A).
- Upon completion of purging, groundwater samples were collected by directly capturing groundwater in three 40-mL vials pre-preserved with hydrochloric acid. The 40-mL VOA vials were sealed with septa-lined caps and sealed void of air bubbles. The samples were labeled and placed in a cooler with ice.
- For quality control purposes, a duplicate sample and equipment blank were collected. The duplicate sample was collected from MW-3, which was identified with the sample label MW-33. The equipment blank was collected after sampling at MW-10A.
- The collected samples were transported to OnSite Environmental Inc. in Redmond, Washington for chemical analysis on the same day as sample collection, following chain-of-custody protocols.

All groundwater and quality control samples were analyzed for the presence of HVOCs using EPA Method 8260C. The results of the field duplicate (MW-33) performed at MW-3 and the equipment blank were within acceptable limits and no quality assurance/quality control concerns were indicated. Results for the duplicate are included in Table 2 as bracketed results associated with MW-3. Figure 4 depicts the detected HVOC concentrations for the wells sampled in March 2019. Figures 5 through 9 depict the detected concentrations of HVOCs for each well over time.

3.2 Water Level Measurements and Groundwater Flow Direction

Static groundwater levels were measured in all on-site monitoring wells (including those that are not sampled for HVOCs) on March 21, 2019 for the March 2019 groundwater sampling event. The groundwater levels measured that day (as well as during historical sampling) are summarized in Table 3. Groundwater elevations on the site

are generally at their highest levels during the wetter winter/spring months and lower during the drier summer/fall months. The March 2019 sampling event groundwater levels were similar to previous Fall events and the seasonal trend remained consistent with previous events.

The groundwater elevation contour map for March 21, 2019 data is presented in Figure 3. There is some variability in groundwater flow direction across the site, but the inferred groundwater flow direction is generally west or northwesterly, away from Bear Creek, which suggests that Bear Creek loses water to the aquifer. The groundwater gradient measured on March 21, 2019 is generally consistent with historical monitoring results. Low groundwater elevations are observed in MW-4 and MW-10A compared with elevation in surrounding wells. Possible causes for the low groundwater elevations could be from excavations in the area during cleanup actions or storm water pipe installations. Further evaluation is needed to understand the low groundwater elevation anomalies. MW-4 and MW-10A values were not used in contouring for Figure 3.

3.3 Groundwater Quality

The groundwater analytical data for PCE, and PCE's HVOC degradation compounds [trichloroethene (TCE), 1,3-dichlorobenzene (1,3-DCE), cis-1,2-dichloroethene (cis-1,2-DCE), and vinyl chloride] detected in this round of sampling are summarized in Table 1. Table 2 contains the historical sampling results. Appendix B contains a copy of the laboratory analytical data report. The HVOC concentrations detected during this round of sampling are depicted in Figure 4. Groundwater HVOC concentrations and elevations with respect to time for MW-2, MW-3, MW-4, MW-10/10A, and MW-13 are depicted in Figures 5, 6, 7, 8, and 9 for the last 20 years.

PCE or its degradation compounds were detected in four of the six monitoring wells sampled during this period. All four wells with PCE or degradation compound detections were located on the eastern side of the former dry cleaner facility (MW-2, MW-4, MW-10A, and MW-13).

3.3.1 Perchloroethylene

PCE was detected in MW-2 and MW-13 at concentrations of 1.4 micrograms per liter ($\mu\text{g/L}$) and 2.9 $\mu\text{g/L}$, respectively during the March 2019 sampling event. The practical quantitation limit, or PQL, is 0.20 $\mu\text{g/L}$. Figure 10 depicts the PCE detections for the routinely sampled wells since 1999. This figure shows an overall decline of PCE concentrations across the site over time. PCE concentrations did not exceed the Model Toxics Control Act (MTCA) Method A Cleanup Level of 5.0 $\mu\text{g/L}$ in any wells during the March 2019 sampling event. PCE concentrations have not exceeded the MTCA Method A Cleanup Level of 5.0 $\mu\text{g/L}$ in any Site monitoring well since the March 2013 sampling event.

3.3.2 Trichloroethene

TCE was detected (1.9 $\mu\text{g/L}$) in MW-13 at a concentration greater than the PQL (0.20 $\mu\text{g/L}$) during the March 2019 sampling event. Figure 11 depicts the TCE detections for MW-2, MW-3, MW-4, MW-10A, and MW-13 since 1997. TCE concentrations did not exceed the MTCA Method A Cleanup Level of 5.0 $\mu\text{g/L}$ in any Site wells during the March 2019 sampling event. Figure 11 shows an overall decline of TCE concentrations across the Site over time. MW-13 had a slight increasing TCE trend from 2011 to 2017 but concentrations appear to be decreasing since 2017. Seasonal fluctuations remain common. TCE concentrations have not exceeded the MTCA Method A Cleanup Level of 5.0 $\mu\text{g/L}$ in any Site monitoring well since the March 2005 sampling event with only one exception. The one exception being TCE was detected (5.1 $\mu\text{g/L}$) during the September 2017 monitoring event.

3.3.3 Cis-1,2-Dichlorethene

Cis-1,2-DCE was detected at concentrations greater than the PQL (0.20 µg/L) in three of the six sampled wells (MW-4, MW-10A, and MW-13) at concentrations of 2.8 µg/L, 2.9 µg/L and 0.46 µg/L, respectively. The concentrations of cis-1,2-DCE detected during the March 2019 sampling event were all less than the current MTCA Method B Cleanup Level of 16 µg/L. Cis-1,2-DCE has never been detected at a concentration exceeding the current or historical (80 µg/L) MTCA Method B Cleanup Level in effect in any of the wells. Cis-1,2-DCE was detected in MW-9 during the 2002 sampling periods, but not during previous or subsequent sampling periods.

3.3.4 Vinyl Chloride

Vinyl chloride was only detected in one well during the March 2019 sampling event. Vinyl Chloride was detected (1.0 µg/L) at a greater than the PQL of 0.2 µg/L in MW-10A during the March 2019 sampling event. The concentration of vinyl chloride was greater than the MTCA Method A Cleanup Level of 0.2 µg/L. Figure 12 depicts the vinyl chloride detections for MW-2, MW-3, MW-4, MW-10A, and MW-13 since 1997. This figure shows a general overall site-wide decline of vinyl chloride concentrations with only one exception, MW-10A. Vinyl Chloride concentrations have not exceeded the MTCA Method A Cleanup Level of 0.2 µg/L in any Site monitoring well since the March 2007 sampling event except at MW-10A.

3.3.5 1,3-Dichlorobenzene

1,3-Dichlorobenzene was not detected in any of the groundwater samples, or equipment blank samples, collected during the March 2019 event. During the September 2007, March 2008, and more recently in the September 2011 event, 1,3-dichlorobenzene was detected at concentrations greater than the PQL (0.20 µg/L) in groundwater samples. The detection of this compound during the 2007, 2008, and 2011 events is attributed to the degradation of the dedicated tubing located in the monitoring wells at that time. The dedicated tubing in all wells was replaced before the September 2008 and March 2012 events and as a result, 1,3-dichlorobenzene was not detected in any of the groundwater samples or equipment blank samples in subsequent sampling events.

3.3.6 Seasonal Fluctuation

Figures 5, 6, 7, 8, and 9 depict the groundwater levels along with the detected HVOC concentrations for each well over time. These figures show that groundwater levels fluctuate seasonally and some of the HVOC concentrations appear to fluctuate as well. For example, concentrations of TCE and cis-1,2-DCE in MW-2 appear to be inversely proportional to the groundwater levels such that when the groundwater is at its lowest point (typically during the September sampling events) the TCE and cis-1,2-DCE concentrations are at their highest (Figure 5). During high groundwater levels, the concentrations of TCE and cis-1,2-DCE appear to be below detection limits. This trend was also occurring in MW-4 for cis-1,2-DCE until the September 2007 sampling event when a potential increase in degradation of PCE seems to have occurred, as indicated by the drop in PCE accompanied by an increase in TCE and cis-1,2-DCE concentrations (Figure 7). The degradation rate seems to have leveled off around March 2011 and the seasonal fluctuations seen before have returned.

PCE concentrations appear to be directly proportional to the seasonal variations in groundwater levels such that when groundwater levels are high, the PCE concentrations are high, and when groundwater levels decrease, the PCE concentrations decrease as well. This seasonal fluctuation is most notable in wells MW-13 (Figure 9) and until recently MW-4 (Figure 7). Conversely, PCE and TCE concentrations in MW-4 have been high during low groundwater levels since 2016. The evaluation of HVOC concentration trends will continue to be evaluated in future monitoring event reports.

4.0 CONCLUSIONS AND RECOMMENDATIONS

4.1 Findings and Conclusions

The findings and conclusions of this Groundwater Monitoring Report are summarized as follows:

- During the March 2019 sampling event, there were no detections of any of the constituents of concern (COCs) exceeding MTCA Method A Cleanup Levels, with only one exception; MW-10A had a detection of vinyl chloride exceeding the MTCA Method A Cleanup Level (0.2 µg/L).
- The current results indicate an overall decrease in PCE concentrations has occurred in MW-2, MW-4, MW-10A, and MW-13 since March 2007. PCE has not exceeded the MTCA cleanup level in any of the wells since 2012. PCE has not been detected in MW-10A since the March 2007 sampling event.
- The review of the last five years of groundwater monitoring results indicate that the rate of biodegradation of HVOCs appears to have slowed down, i.e. the decrease in concentrations of HVOCs has leveled off to some degree, particularly MW-13.

4.2 Recommendations

Based on the findings and conclusions of the March 2019 groundwater monitoring period, the following recommendations are made:

- The sampling program at the site will continue on the semi-annual sampling schedule (typically March and September) until two consecutive monitoring events below MTCA cleanup levels are achieved at which time the frequency will be increased to quarterly sampling to confirm that results are clean during all seasons of the year. Thus, the next routine semi-annual monitoring event should be scheduled for September 2019.
- The wells sampled during the next groundwater monitoring event should include MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13, for the following reasons:
 - Sampling of all six wells should continue in order to confirm trends in HVOC concentrations and to support the goal of four consecutive sampling periods with HVOC concentrations that are less than MTCA Method A Cleanup Levels.
 - Sampling of MW-9 should continue because it represents the nearest down-gradient well from the former dry cleaner facility.

5.0 CLOSING

Golder is pleased to continue working with you on the Bear Creek Village Shopping Center project. If you have any questions regarding this report, please feel free to contact Eric Adams at (425) 883-0777.

Golder Associates Inc.



Eric Adams
Project Hydrogeologist



Ted Norton
Senior Consultant/Associate

EA/TJN/sb

Golder and the G logo are trademarks of Golder Associates Corporation

6.0 REFERENCES

Dames & Moore. 1996. Additional Soil and Groundwater Investigation - Bear Creek Cleaners. November 20.

Dames & Moore. 1998. Voluntary Soil Cleanup – Former Bear Creek Cleaners – Bear Creek Village Shopping Center – Redmond, Washington. February 25.

Delta Environmental Consultants, Inc. 1997. Memorandum - Preliminary Summary of Results. September 3.

Golder Associates Inc. (Golder). 2005. Correspondence Re: Notice of Revised Groundwater Monitoring Schedule Bear Creek Village Shopping Center 17100-17262 Redmond Way, Redmond, Washington. Prepared for Ching-Pi Wang, Washington State Department of Ecology. November 29.

Versar Inc. 1997. Summary Letter of Field Activities at the Bear Creek Cleaners and Q-Lube. May 21.

[https://golderassociates.sharepoint.com/sites/105030/project files/6 deliverables/x100/final/152539319-r-rev0-march 2019 bear creek mon-052919.docx](https://golderassociates.sharepoint.com/sites/105030/project%20files/6%20deliverables/x100/final/152539319-r-rev0-march%202019%20bear%20creek%20mon-052919.docx)

Tables

Table 1: March 2019 Groundwater Analytical Results

Analytes	Cleanup Level	Units	Monitoring Well						
			MW-2	MW-3	MW-4	MW-9	MW-10A	MW-13	MW-33*
PCE	5.0 (A)	µg/L	1.4	ND	ND	ND	ND	2.9	ND
TCE	5.0 (A)	µg/L	ND	ND	ND	ND	ND	1.9	ND
VC	0.2 (A)	µg/L	ND	ND	ND	ND	1.0	ND	ND
cis-1,2-DCE	16 (B)	µg/L	ND	ND	2.8	ND	2.9	0.46	ND
1,3-DCB	---	µg/L	ND	ND	ND	ND	ND	ND	ND
Groundwater Elevation		ft amsl	40.08	37.65	34.08	36.41	32.81	39.54	37.65

Notes:

cis-1,2-DCE = *cis*-1,2-Dichloroethene

PCE = Perchloroethylene = Tetrachloroethene

1,3-DCB = 1,3-Dichlorobenzene

TCE = Trichloroethene

VC = Vinyl Chloride

ND = indicates sample was not detected above the laboratory analytical detection limit.

(A) = MTCA Method A Cleanup Level (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC).

(B) = MTCA Method B formula value (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC and Model Toxics Control Act Cleanup Levels and Risk Calculations - February 1996).

Analytical results in parentheses represent duplicate samples.

Bold Italic = indicates the analytical result exceeds the MTCA Method A or B Cleanup Level.

* Duplicate sample collected at MW-3.

Groundwater elevation determined using the surveyed elevation (NAVD 88 datum) of the top of each well casing.

Elevations given in feet above mean sea level.

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis-1,2-DCE
MW-2	10/22/1997	36.7	2.23	ND	7.52
	2/19/1999	270	6	ND	6
	6/29/1999	ND	ND	ND	ND
	9/15/1999	51	ND	ND	ND
	12/14/1999	150	ND	ND	ND
	3/22/2000	39	ND	ND	ND
	9/27/2000	41	ND	ND	ND
	12/20/2000	34	ND	ND	ND
	3/29/2001	82	2.3	ND	3
	6/14/2001	51	1.7	ND	0.42
	9/12/2001	36	3.8	0.22	3.3
	12/18/2001	50	1.2	ND	0.33
	3/26/2002	17 (18)	0.46 (0.45)	ND	0.31 (0.37)
	6/10/2002	21 (21)	8.6 (7.0)	ND (ND)	2.6 (2.4)
	9/12/2002	4.4	ND	ND	ND
	12/9/2002	4.8	0.46	ND	0.33
	3/13/2003	11	1.2	ND	1.1
	6/17/2003	11	2.1	0.47	3
	9/9/2003	*	*	*	*
	12/9/2003	30 (28)	0.63 (0.68)	ND	ND
	3/10/2004	17	0.6	ND	ND
	6/9/2004	5.2	3.6	ND	2.3
	9/22/2004	11	5.2	ND	3.6
	12/13/2004	19	0.35	ND	ND
	3/23/2005	10	2.1	ND	1.5
	6/20/2005	13	0.74	ND	ND
	9/8/2005	4.5	5.4	ND	6.2
	3/6/2006	16	0.33	ND	ND
	9/21/2006	6.1	3.6	ND	3.6
	3/16/2007	14	0.47	ND	0.28
	9/13/2007	8.8	4.4	ND	4.5
	2/28/2008	9.6	0.22	ND	ND
	9/8/2008	8.6 (8.1)	1.9 (1.9)	ND	0.96 (1.0)
	3/24/2009	11(11)	0.38 (0.28)	ND	ND
	9/18/2009	5.2	4	ND	6.4
	5/18/2010	6	ND	ND	ND
	10/7/2010	8.3	1.3	ND	1.1
	3/23/2011	7.9	ND	ND	ND
	9/8/2011	7.2	1.5	ND	1.2
	3/23/2012	7.0	ND	ND	ND
	9/14/2012	5.3	0.74	ND	0.52
	3/28/2013	2.8	ND	ND	ND
	9/4/2013	4.4	0.70	ND	0.53
	4/4/2014	3.3	ND	ND	ND
	9/23/2014	2.9	0.73	ND	1.7
	3/17/2015	2.6	ND	ND	ND
	9/28/2015	1.2	0.54	ND	6.2
	6/15/2016	2.3	0.2	ND	ND
	9/27/2016	1.6	0.47	ND	4.4
	3/29/2017	0.6	ND	ND	ND
	9/14/2017	*	*	*	*
	3/27/2018	0.57	ND	ND	ND
	11/28/2018	2.2	ND	ND	ND
	3/21/2019	1.4	ND	ND	ND

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis-1,2-DCE
MW-3	10/22/1997	ND	ND	ND	1.09
	2/19/1999	28	11	7	18
	6/29/1999	12	8	4	8
	9/15/1999	ND	10	ND	10
	12/14/1999	12	8	10	14
	3/22/2000	7	5	ND	7
	9/27/2000	ND	ND	ND	12
	12/20/2000	2	ND	ND	8
	3/29/2001	3.8	4.5	3.3	8.5
	6/14/2001	3.8	4.6	1.5	4.1
	9/12/2001	ND	1.4	0.79	6.2
	12/18/2001	1.8	5.7	0.98	5.2
	3/26/2002	0.39	1.5	0.9	3.5
	6/10/2002	ND	0.95	0.96	3.3
	9/10/2002	0.23	1.3	0.74	4.3
	12/9/2002	ND	0.55	0.74	2.6
	3/13/2003	ND	0.5(0.50)	0.45(0.45)	2.7(2.7)
	6/17/2003	ND	0.22	0.53	3
	9/9/2003	ND	ND	0.36	2.7
	12/9/2003	ND	0.45	0.33	3.1
	3/11/2004	ND	0.48	0.42	1.8
	6/9/2004	ND	ND	0.35	1.9
	9/22/2004	ND	ND	0.51	2.0
	12/13/2004	ND	0.25	0.31	2.4
	3/23/2005	ND	ND	0.28	2.0
	6/20/2005	ND	ND	ND	1.2 (1.3)
	9/8/2005	ND	ND	0.23	1.1
	3/16/2007	ND	ND	ND	0.88
	9/13/2007	ND	ND	ND	0.62
	2/28/2008	ND	ND	0.22	0.88
	9/8/2008	ND	ND	ND	0.47
	3/24/2009	ND	ND	ND	0.56
	9/18/2009	ND	ND	ND	0.72 (0.73)
	5/18/2010	ND	ND	ND	0.48 (0.52)
	10/7/2010	ND	ND	ND	0.36
	3/23/2011	ND	ND	ND	0.41
	9/8/2011	ND	ND	ND	0.32
	3/23/2012	ND	ND	ND	0.53
	9/14/2012	ND	ND	ND	0.24
	3/28/2013	ND	ND	ND	0.35
	9/4/2013	ND	ND	ND	0.34
	4/4/2014	ND	ND	ND	0.38
	9/23/2014	ND	ND	ND	0.23
	3/17/2015	ND	ND	ND	0.41
	9/28/2015	ND	ND	ND	0.31
	6/15/2016	ND	ND	ND	0.27
	9/27/2016	*	*	*	*
	3/29/2017	ND	ND	ND	0.29
	9/14/2017	*	*	*	*
	3/27/2018	ND (ND)	ND (ND)	ND (ND)	ND (ND)
	11/28/2018	ND (ND)	ND (ND)	ND (ND)	0.27 (0.25)
	3/21/2019	ND (ND)	ND (ND)	ND (ND)	ND (ND)

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis-1,2-DCE
MW-4	10/22/1997	11.8	5.99(0.50)	1.9	6.84
	2/19/1999	74	17	16	26
	6/29/1999	60	16	14	14
	9/15/1999	42	19	19	16
	12/14/1999	38	14	12	12
	3/22/2000	36	9	ND	8
	9/27/2000	16	12	8	14
	12/20/2000	16	8	ND	8
	3/29/2001	11	7.5	2.8	5.1
	6/14/2001	6.8	6.1	1	2.1
	9/12/2001	8.3	6.8	1.3	5.7
	12/18/2001	12	6.3	1.7	3.4
	3/26/2002	5.1	2.4	ND	1.1
	6/10/2002	5.7	2.7	0.57	2
	9/12/2002	5.4	3.9	0.66	3.4
	12/9/2002	5	3	1.6	2.9
	3/13/2003	6.3	1.8	ND	0.71
	6/17/2003	2.7	2.6	0.69	4.4
	9/9/2003	3.5	2.8	0.42	3.2
	12/9/2003	5.7	2.5	0.37	2.9
	3/11/2004	4.1	1.8	0.23	2.0
	6/9/2004	1.8	2.2	0.33	2.4
	9/22/2004	1	1.4	0.68	2.1
	12/13/2004	3.8	1.3	ND	0.93
	3/23/2005	2.2	1.0	ND	1.5
	6/20/2005	0.74	0.93	0.57	2.1
	9/8/2005	0.64 (0.65)	0.88 (0.88)	ND (ND)	2.3 (2.3)
	3/6/2006	1.5 (1.4)	1.2 (1.3)	0.36 (0.33)	0.82 (0.85)
	9/21/2006	0.99 (0.85)	1.1 (1.1)	0.22 (0.25)	1.7 (2.1)
	3/16/2007	2.6 (2.7)	1.7 (1.7)	ND (ND)	1.2 (1.2)
	9/13/2007	0.68 (0.63)	0.65 (0.71)	ND (ND)	1.2 (1.3)
	2/28/2008	0.73 (0.72)	0.64 (0.61)	0.2 (ND)	1.1 (1.1)
	9/8/2008	0.23	2.2	ND	4.6
	3/24/2009	0.56	2.9	ND	4.8
	9/18/2009	ND	1.2	ND	8.8
	5/18/2010	0.27	1.6	ND	6.9
	10/7/2010	ND	0.52	ND	2.4
	3/23/2011	0.46	0.48	ND	0.66
	9/8/2011	0.23 (0.25)	0.52 (0.58)	ND (ND)	5.6 (5.1)
	3/23/2012	0.36 (0.34)	0.58 (0.57)	ND (ND)	0.48 (0.47)
	9/14/2012	ND (ND)	0.23 (0.29)	ND (ND)	5.4 (6.1)
	3/28/2013	ND (ND)	0.63 (0.62)	ND (ND)	3.4 (3.5)
	9/4/2013	ND (ND)	0.21 (0.21)	ND (ND)	6.8 (6.7)
	4/4/2014	0.31 (0.29)	0.37 (0.36)	ND (ND)	0.83 (0.85)
	9/23/2014	ND (ND)	ND (ND)	ND (ND)	3.8 (3.9)
	3/17/2015	ND (ND)	0.32 (0.34)	ND (ND)	5.1 (5.4)
	9/28/2015	ND (ND)	ND (ND)	ND (ND)	4.6 (4.6)
	6/15/2016	ND (ND)	ND (ND)	ND (ND)	6.0 (5.7)
	9/27/2016	0.42 (0.37)	1.1 (1.1)	ND (ND)	5.5 (5.5)
	3/29/2017	ND (ND)	0.35 (0.36)	ND (ND)	3.6 (3.8)
	9/14/2017	1.4 (1.5)	3.0 (3.0)	ND (ND)	8.0 (8.1)
	3/27/2018	ND	ND	ND	2.4
	11/28/2018	ND	ND	ND	5.2
	3/21/2019	ND	ND	ND	2.8

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis-1,2-DCE
MW-9	10/22/1997	ND	ND	ND	ND
	2/19/1999	ND	ND	ND	ND
	6/29/1999	ND	ND	ND	ND
	9/15/1999	ND	ND	ND	ND
	12/14/1999	ND	ND	ND	ND
	3/22/2000	ND	ND	ND	ND
	9/28/2000	ND	ND	ND	ND
	12/20/2000	ND	ND	ND	ND
	3/28/2001	ND	ND	ND	ND
	6/14/2001	ND	ND	ND	ND
	9/12/2001	ND	ND	ND	ND
	12/18/2001	ND	ND	ND	ND
	3/26/2002	ND	ND	0.21	0.44
	6/10/2002	ND	ND	ND	0.21
	9/10/2002	ND	ND	ND	0.46
	12/9/2002	ND	ND	ND	0.26
	3/13/2003	ND	ND	ND	ND
	6/18/2003	ND	ND	ND	ND
	9/9/2003	ND	ND	ND	ND
	12/9/2003	ND	ND	ND	ND
	3/10/2004	ND	ND	ND	ND
	6/9/2004	ND	ND	ND	ND
	9/22/2004	ND	ND	ND	ND
	12/13/2004	ND	ND	ND	ND
	3/23/2005	ND	ND	ND	ND
	6/20/2005	ND	ND	ND	ND
	9/8/2005	ND	ND	ND	ND
	3/6/2006	ND	ND	ND	ND
	9/21/2006	ND	ND	ND	ND
	3/16/2007	ND	ND	ND	ND
	9/13/2007	ND	ND	ND	ND
	2/28/2008	ND	ND	ND	ND
	9/8/2008	ND	ND	ND	ND
	3/24/2009	ND	ND	ND	ND
	9/18/2009	ND	ND	ND	ND
	5/18/2010	ND	ND	ND	ND
	10/7/2010	ND	ND	ND	ND
	3/23/2011	ND	ND	ND	ND
	9/8/2011	ND	ND	ND	ND
	3/23/2012	ND	ND	ND	ND
	9/14/2012	ND	ND	ND	ND
	3/28/2013	ND	ND	ND	ND
	9/4/2013	ND	ND	ND	ND
	4/4/2014	ND	ND	ND	ND
	9/23/2014	ND	ND	ND	ND
	3/17/2015	ND	ND	ND	ND
	9/28/2015	ND	ND	ND	ND
	6/15/2016	ND	ND	ND	ND
	9/27/2016	ND	ND	ND	ND
	3/29/2017	ND	ND	ND	ND
	9/14/2017	ND	ND	ND	ND
	3/27/2018	ND	ND	ND	ND
	11/28/2018	ND	ND	ND	ND
	3/21/2019	ND	ND	ND	ND

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis-1,2-DCE
MW-10	10/22/1997	ND	ND	1.39	2.53
	2/19/1999	67	14	ND	22
	6/29/1999	30	14	ND	11
	9/15/1999	7	8	ND	7
	12/14/1999	15	14	ND	21
	3/22/2000	17	9	ND	11
	9/28/2000	3	5	ND	5
	12/20/2000	4	ND	ND	6
	3/28/2001	4.2 (4.6)	6.6 (6.2)	2.1 (2.2)	11 (10)
	6/14/2001	4.4	6	0.97	4.6
	9/12/2001	1.1	4.4	1.2	3.6
	12/18/2001	1.8	5.7	0.98	5.2
	3/26/2002	1.1	5.1	0.76	5.1
	6/10/2002	0.28	4.8	0.95	4.5
	9/10/2002	1.3	2	ND	2.4
	12/9/2002	ND	2.5	0.61	4.9
	3/13/2003	ND	2.2	0.22	3.1
	6/18/2003	ND	1.6	0.38	5.7
	9/9/2003	ND	0.84	0.33	1.9
	12/9/2003	0.31	3.6	0.59	7.5
	3/11/2004	ND	2.8	0.53	5.7
	6/9/2004	ND	0.64	1.3	4.4
	9/22/2004	ND	0.94	1.1	3.2
	12/13/2004	ND	0.81	0.51	4.8
	3/23/2005	ND	0.62	0.62	4.1
	6/20/2005	0.5	1.5	0.25	3.9
MW-10A	3/16/2007	1.1	1.1	0.28	7.10
	9/13/2007	ND	1.5	ND	9.1
	2/28/2008	ND	0.82	0.33	14
	9/8/2008	ND	0.21	0.34	8.7
	3/24/2009	ND	ND	0.24	6.5
	9/18/2009	ND	ND	0.27	5
	5/18/2010	ND	ND	0.52	5.2
	10/7/2010	ND	ND	0.26 (0.21)	6.4 (6.3)
	3/23/2011	ND	ND	ND (ND)	6.8 (6.8)
	9/8/2011	ND	ND	0.43	4.1
	3/23/2012	ND	ND	0.21	4.5
	9/14/2012	ND	ND	ND	4.1
	3/28/2013	ND	ND	ND	4.7
	9/4/2013	ND	ND	0.54	5.9
	4/4/2014	ND	ND	ND	4.2
	9/23/2014	ND	ND	0.39	5.5
	3/17/2015	ND	ND	0.65	5.9
	9/28/2015	ND	ND	0.41	3.7
	6/15/2016	ND	ND	0.91	5.8
	9/27/2016	ND	ND	0.37	3.2
	3/29/2017	ND	ND	0.59	3.8
	9/14/2017	ND	ND	0.29	2.3
	3/27/2018	ND	ND	1.3	3.7
	11/28/2018	ND	ND	0.32	3.7
	3/21/2019	ND	ND	1.0	2.9

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	cis-1,2-DCE
MW-13	6/29/1999	54	42	ND	45
	9/15/1999	38	35	ND	41
	12/14/1999	53	48	ND	67
	3/22/2000	58	40	ND	28
	9/27/2000	27	19	ND	16
	12/20/2000	24	13	ND	9
	3/28/2001	19	18	0.78	15
	6/14/2001	24	17	0.49	6
	9/12/2001	20	12	ND	4.5
	12/18/2001	26	27	0.44	14
	3/26/2002	24	21	ND	12
	6/11/2002	22	14	ND	6.5
	9/12/2002	14 (12)	11 (9.2)	ND (0.24)	5.8 (4.6)
	12/9/2002	10 (10)	6.5 (6.6)	0.30 (0.29)	2.8 (2.7)
	3/13/2003	12	9.3	0.27	3.8
	6/18/2003	10	6.8	ND	4.3
	9/9/2003	10	6.7	ND	1.9
	12/9/2003	12	7.2	ND	2.7
	3/10/2004	16 (15)	7.7 (7.4)	ND	2.2 (2.2)
	6/9/2004	7.9	5.9	ND	2.3
	9/22/2004	11(11)	7.7 (7.8)	ND (ND)	2.7 (2.7)
	12/13/2004	9.7	5.9	ND	2.3
	3/23/2005	8.0	5.1	ND	1.7
	6/20/2005	4.9	3.1	ND	1.0
	9/8/2005	5.0	3.9	ND	1.5
	3/6/2006	8.2	3.5	ND	0.78
	9/21/2006	4.2	2.8	ND	0.67
	3/16/2007	6.8	3.1	ND	0.81
	9/13/2007	3.1	2.2	ND	0.59
	2/28/2008	5.7	1.4	ND	0.35
	9/8/2008	1.8	2.4	ND	0.57
	3/24/2009	4.3	1.4	ND	0.47
	9/18/2009	2	2.2	ND	0.66
	5/18/2010	4	1.4	ND	0.37
	10/7/2010	1.9	2.5	ND	0.66
	3/23/2011	4.8	1	ND	ND
	9/8/2011	1.5	2.2	ND	0.47
	3/23/2012	4.5	2.1	ND	0.55
	9/14/2012	1.5	2	ND	0.51
	3/28/2013	4.1	2.7	ND	0.87
	9/4/2013	3.1	3.4	ND	1.4
	4/4/2014	4.4	2.2	ND	0.54
	9/23/2014	3.7	3.8	ND	1.1
	3/17/2015	3.5	2.9	ND	1.2
	9/28/2015	4.3	3.6	ND	1.1
	6/15/2016	3	3.4	ND	0.74
	9/27/2016	3.2	3.9	ND	1.1
	3/29/2017	3.6	2.3	ND	0.49
	9/14/2017	1.2	5.1	ND	1.5
	3/27/2018	2.9	2	ND	0.46
	11/28/2018	4	2.5	ND	0.64
	3/21/2019	2.9	1.9	ND	0.46

Table 2: Historical Groundwater Results

Monitoring Well ID	Sampling Date	Volatile Organic Compounds (µg/L)			
		PCE	TCE	VC	<i>cis</i> -1,2-DCE
MW-1	10/22/1997	ND	ND	7.7	25.2
	2/19/1999	ND	ND	ND	ND
	6/29/1999	ND	ND	ND	ND
	9/15/1999	ND	ND	ND	ND
	12/14/1999	ND	ND	ND	ND
	3/22/2000	ND	ND	ND	ND
MW-5	10/22/1997	1.58	2.55	ND	ND
	2/19/1999	ND	ND	ND	ND
	6/29/1999	ND	ND	ND	ND
	9/15/1999	ND	ND	ND	ND
	12/14/1999	ND	ND	ND	ND
	3/22/2000	ND	ND	ND	ND
MW-6	10/22/1997	ND	ND	ND	ND
	2/19/1999	ND	ND	ND	ND
MW-7	10/22/1997	ND	ND	ND	ND
	2/18/1999	ND	ND	ND	ND
MW-8	10/22/1997	ND	ND	ND	ND
	2/18/1999	ND	ND	ND	ND
MW-11	10/22/1997	ND	ND	ND	ND
	2/18/1999	ND	ND	ND	ND
MW-12	10/22/1997	ND	ND	ND	ND
	2/19/1999	ND	ND	ND	ND
MW-14	6/29/1999	ND	ND	ND	ND
	9/15/1999	ND	ND	ND	ND
	12/14/1999	ND	ND	ND	ND
	3/22/2000	ND	ND	ND	ND
	9/27/2000	ND	ND	ND	ND
	12/20/2000	ND	ND	ND	ND
	3/28/2001	ND	ND	ND	ND
	6/14/2001	ND	ND	ND	ND
	9/12/2001	ND	ND	ND	ND
MTCA Cleanup Levels		5.0 A	5.0 A	0.2 A	16 B¹

Notes:

Analytical results in parentheses represent duplicate samples.

Bold Italic = indicates the analytical result exceeds the MTCA Method A or B Cleanup Level.

ND = indicates sample was not detected above the laboratory analytical detection limit.

A = MTCA Method A Cleanup Level (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC).

B = MTCA Method B formula value (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC and Model

¹ Current (2014) MTCA Method B value. Historical value was 80 µg/L.

* Groundwater elevation resided beneath the well screen. Sample could not be collected.

cis-1,2-DCE = *cis*-1,2-Dichloroethene

PCE = Perchloroethylene = Tetrachloroethene

TCE = Trichloroethene

VC = Vinyl Chloride

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-1	10 - 20	43.70	10/22/1997	12.41	31.29	
			1/14/1998	10.06	33.64	
			2/18/1999	8.86	34.84	
			6/29/1999	12.35	31.35	
			9/15/1999	13.45	30.25	
			12/14/1999	9.01	34.69	
			3/22/2000	10.14	33.56	
			9/27/2000	13.59	30.11	
			12/20/2000	12.60	31.10	
			3/29/2001	12.30	31.40	
			6/13/2001	12.06	31.64	
			9/12/2001	13.43	30.27	
			12/17/2001	6.63	37.07	
			3/26/2002	9.82	33.88	
			6/10/2002	11.85	31.85	
			9/10/2002	13.33	30.37	
			12/9/2002	13.80	29.90	
			3/12/2003	11.22	32.48	
			6/17/2003	12.41	31.29	
			9/9/2003	14.02	29.68	
			12/9/2003	9.59	34.11	
			3/10/2004	10.21	33.49	
			6/9/2004	12.85	30.85	
			9/22/2004	12.91	30.79	
			12/13/2004	11.17	32.53	
			3/23/2005	12.55	31.15	
			6/20/2005	10.95	32.75	
			9/8/2005	13.49	30.21	
			3/6/2006	9.89	33.81	
			9/21/2006	12.55	31.15	
			3/16/2007	9.77	33.93	
			9/13/2007	13.26	30.44	
		43.69	2/28/2008	9.68	34.01	New Elevation***
			9/8/2008	NC	NC	
			3/24/2009	9.91	33.78	
			9/18/2009	12.91	30.78	
			5/18/2010	10.01	33.68	
			10/7/2010	12.58	31.11	
			3/23/2011	9.01	34.68	
			9/8/2011	13.03	30.66	
			3/23/2012	8.27	35.42	
		47.39	7/9/2012	---	---	New Elevation****
			9/14/2012	Dry	Dry	
			3/28/2013	10.34	37.05	
			9/4/2013	14.15	33.24	
			4/4/2014	9.27	38.12	
			9/23/2014	12.44	34.95	
			3/17/2015	9.52	37.87	
			9/28/2015	Dry	Dry	
			6/15/2016	11.33	36.06	
			9/27/2016	Dry	Dry	
			3/29/2017	8.65	38.74	
			9/14/2017	Dry	Dry	
			3/27/2018	12.47	34.92	
			9/13/2018	Dry	Dry	
			10/4/2018	Dry	Dry	
			11/28/2018	12.76	34.63	
			3/21/2019	11.30	36.09	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-2	10 - 20	44.95	10/22/1997	16.70	28.25	
			1/14/1998	11.51	33.44	
			2/18/1999	7.43	37.52	
			6/29/1999	12.97	31.98	
			9/15/1999	15.46	29.49	
			12/14/1999	7.77	37.18	
			3/22/2000	7.77	37.18	
			9/27/2000	16.41	28.54	
			12/20/2000	11.83	33.12	
			3/28/2001	9.67	35.28	
			6/13/2001	9.85	35.10	
			9/12/2001	17.30	27.65	
			12/17/2001	6.42	38.53	
			3/26/2002	7.72	37.23	
			6/10/2002	10.05	34.90	
			9/10/2002	7.11	37.84	
			12/9/2002	15.10	29.85	
			3/12/2003	9.40	35.55	
			6/17/2003	14.94	30.01	
			9/9/2003	below screen	below screen	
			12/9/2003	8.96	35.99	
			3/10/2004	10.42	34.53	
			6/9/2004	12.32	32.63	
			9/22/2004	12.25	32.70	
			12/13/2004	9.45	35.50	
			3/23/2005	10.21	34.74	
			6/20/2005	9.71	35.24	
			9/8/2005	13.20	31.75	
			3/6/2006	8.06	36.89	
			9/21/2006	12.07	32.88	
			3/16/2007	8.00	36.95	
			9/13/2007	12.58	32.37	
		45.01	2/28/2008	8.69	36.32	New Elevation***
			9/8/2008	10.8	34.21	
			3/24/2009	8.85	36.16	
			9/18/2009	13.15	31.86	
			5/18/2010	9.1	35.91	
			10/7/2010	11.17	33.84	
			3/23/2011	7.55	37.46	
			9/8/2011	11.57	33.44	
			3/23/2012	6.97	38.04	
		48.59	7/9/2012	---	---	New Elevation****
			9/14/2012	11.8	36.79	
			3/28/2013	8.01	40.58	
			9/4/2013	11.41	37.18	
			4/4/2014	7.54	41.05	
			9/23/2014	12.25	36.34	
			3/17/2015	7.84	40.75	
			9/28/2015	13.56	35.03	
			6/15/2016	10.18	38.41	
			9/27/2016	13.83	34.76	
			3/29/2017	6.29	42.30	
			9/14/2017	16.93	31.66	
			3/27/2018	8.38	40.21	
			9/13/2018	Dry	Dry	
			10/4/2018	17.2	31.39	
			11/28/2018	9.44	39.15	
			3/21/2019	8.51	40.08	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-3	10 - 20	45.27	10/22/1997	17.11	28.16	
			1/14/1998	14.26	31.01	
			2/18/1999	12.43	32.84	
			6/29/1999	17.36	27.91	
			9/15/1999	18.70	26.57	
			12/14/1999	12.72	32.55	
			3/22/2000	14.22	31.05	
			9/27/2000	18.72	26.55	
			12/20/2000	17.13	28.14	
			3/28/2001	16.81	28.46	
			6/13/2001	16.82	28.45	
			9/12/2001	18.40	26.87	
			12/17/2001	10.67	34.60	
			3/26/2002	13.52	31.75	
			6/10/2002	16.53	28.74	
			9/10/2002	18.35	26.92	
			12/9/2002	18.12	27.15	
			3/12/2003	15.50	29.77	
			6/17/2003	17.09	28.18	
			9/9/2003	19.30	25.97	
			12/9/2003	13.70	31.57	
			3/10/2004	14.02	31.25	
			6/9/2004	17.46	27.81	
			9/22/2004	17.68	27.59	
			12/13/2004	16.31	28.96	
			3/23/2005	15.04	30.23	
			6/20/2005	16.11	29.16	
			9/8/2005	18.48	26.79	
			3/16/2007	13.15	32.12	
			9/13/2007	17.93	27.34	
			2/28/2008	12.45	32.82	
			9/8/2008	15.15	30.12	
			3/24/2009	13.99	31.28	
			9/18/2009	17.73	27.54	
			5/18/2010	13.96	31.31	
			10/7/2010	16.73	28.54	
			3/23/2011	10.34	34.93	
			9/8/2011	17.47	27.80	
			3/23/2012	9.03	36.24	
		48.91	7/9/2012	---	---	New Elevation****
			9/14/2012	18.41	30.5	
			3/28/2013	10.47	38.44	
			9/4/2013	17.46	31.45	
			4/4/2014	9.34	39.57	
			9/23/2014	15.47	33.44	
			3/17/2015	8.54	40.37	
			9/28/2015	17.56	31.35	
			6/15/2016	12.52	36.39	
			9/27/2016	Dry	Dry	
			3/29/2017	8.80	40.11	
			9/14/2017	Dry	Dry	
			3/27/2018	13.54	35.37	
			9/13/2018	18.40	30.51	
			10/4/2018	17.66	31.25	
			11/28/2018	13.98	34.93	
			3/21/2019	11.26	37.65	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-4	10 - 20	44.44	10/22/1997	16.18	28.26	
			1/14/1998	13.13	31.31	silted up to 18-19'
			2/18/1999	11.85	32.59	
			6/29/1999	15.44	29.00	
			9/15/1999	17.76	26.68	
			12/14/1999	9.46	34.98	
			3/22/2000	10.50	33.94	
			12/9/2002	15.97	28.47	
			12/20/2000	12.66	31.78	
			3/28/2001	9.64	34.80	
			6/13/01/	9.68	34.76	
			9/12/2001	15.32	29.12	
			12/17/2001	8.42	36.02	
			3/26/2002	8.60	35.84	
			6/10/2002	10.24	34.20	
			9/10/2002	14.40	30.04	
			12/9/2002	15.50	28.94	
			3/12/2003	9.00	35.44	
			6/17/2003	10.53	33.91	
			9/9/2003	13.2	31.24	
			12/9/2003	9.56	34.88	
			3/10/2004	8.46	35.98	
			6/9/2004	11.97	32.47	
			9/22/2004	12.83	31.61	
			12/13/2004	9.86	34.58	
			3/23/2005	16.36	28.08	
			6/20/2005	10.03	34.41	
			9/8/2005	13.53	30.91	
			3/6/2006	8.10	36.34	
			9/21/2006	14.81	29.63	
			3/16/2007	10.45	33.99	
			9/13/2007	14.45	29.99	
		44.32	2/28/2008	10.74	33.58	New Elevation***
			9/8/2008	14.70	29.62	
			3/24/2009	12.80	31.52	
			9/18/2009	16.56	27.76	
			5/18/2010	14.00	30.32	
			10/7/2010	15.48	28.84	
			3/23/2011	10.43	33.89	
			9/8/2011	16.62	27.70	
			3/23/2012	9.02	35.30	
		47.96	7/9/2012	---	---	New Elevation****
			9/14/2012	17.36	30.6	
			3/28/2013	12.08	35.88	
			9/4/2013	17.19	30.77	
			4/4/2014	11.70	36.26	
			9/23/2014	16.66	31.30	
			3/17/2015	12.37	35.59	
			9/28/2015	17.37	30.59	
			6/15/2016	16.47	31.49	
			9/27/2016	18.02	29.94	
			3/29/2017	13.33	34.63	
			9/14/2017	18.33	29.63	
			3/27/2018	16.08	31.88	
			9/13/2018	19.38	28.58	
			10/4/2018	19.15	28.81	
			11/28/2018	15.98	31.98	
			3/21/2019	13.88	34.08	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-5	10 - 20	44.87	10/22/1997	14.42	30.02	
			1/14/1998	NA	NA	Well not accessible
			2/18/1999	7.69	37.18	
			6/29/1999	10.10	34.77	
			9/15/1999	11.12	33.75	
			12/14/1999	8.06	36.81	
			3/22/2000	8.25	36.62	
			9/27/2000	11.58	33.29	
			12/20/2000	9.84	35.03	
			3/29/2001	9.51	35.36	
			6/13/2001	9.32	35.55	
			9/12/2001	10.63	34.24	
			12/17/2001	6.60	38.27	
			3/26/2002	7.21	37.66	
			6/10/2002	9.65	35.22	
			9/10/2002	9.30	35.57	
			12/9/2002	9.66	35.21	
			3/12/2003	8.38	36.49	
			6/17/2003	9.97	34.9	
			9/9/2003	11.64	33.23	
			12/9/2003	8.66	36.21	
			3/10/2004	7.91	36.96	
			6/9/2004	11.36	33.51	
			9/22/2004	10.15	34.72	
			12/13/2004	8.91	35.96	
			3/23/2005	10.04	34.83	
			6/20/2005	9.00	35.87	
			9/8/2005	10.83	34.04	
			3/6/2006	7.77	37.10	
			9/21/2006	10.61	34.26	
			3/16/2007	7.15	37.72	
			9/13/2007	10.44	34.43	
		44.92	2/28/2008	8.82	36.10	New Elevation***
			9/8/2008	9.79	35.13	
			3/24/2009	8.71	36.21	
			9/18/2009	10.97	33.95	
			5/18/2010	9.02	35.90	
			10/7/2010	9.98	34.94	
			3/23/2011	6.86	38.06	
			9/8/2011	10.42	34.50	
			3/23/2012	6.35	38.57	
		48.52	7/9/2012	---	---	New Elevation****
			9/14/2012	10.69	37.83	
			3/28/2013	7.93	40.59	
			9/4/2013	10.43	38.09	
			4/4/2014	8.09	40.43	
			9/23/2014	10.13	38.39	
			3/17/2015	6.37	42.15 ¹	
			9/28/2015	10.52	38.00	
			6/15/2016	9.73	38.79	
			9/27/2016	11.13	37.39	
			3/29/2017	5.87	42.65	
			9/14/2017	11.28	37.24	
			3/27/2018	7.70	40.82	
			9/13/2018	10.47	38.05	
			10/4/2018	10.11	38.41	
			11/28/2018	8.79	39.73	
			3/21/2019	8.11	40.41	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-6	10 - 20	45.22	10/22/1997	11.01	33.43	
			1/14/1998	9.63	35.59	
			2/18/1999	8.43	36.79	
			6/29/1999	10.70	34.52	
			9/15/1999	11.86	33.36	
			12/14/1999	8.69	36.53	
			3/22/2000	8.80	36.42	
			9/27/2000	11.24	33.98	
			12/20/2000	10.45	34.77	
			3/28/2001	10.19	35.03	
			6/13/2001	9.83	35.39	
			9/12/2001	10.69	34.53	
			12/17/2001	7.61	37.61	
			3/26/2002	8.01	37.21	
			6/10/2002	9.62	35.60	
			12/9/2002	10.30	34.92	
			3/12/2003	9.40	35.82	
			6/17/2003	10.03	35.19	
			9/9/2003	13.11	32.11	
			12/9/2003	9.05	36.17	
			3/10/2004	8.79	36.43	
			6/9/2004	11.40	33.82	
			9/22/2004	10.21	35.01	
			12/13/2004	9.71	35.51	
			3/23/2005	9.84	35.38	
			6/20/2005	8.44	36.78	
			9/8/2005	10.55	34.67	
			3/6/2006	8.00	37.22	
			9/21/2006	10.06	35.16	
			3/16/2007	8.48	36.74	
			9/13/2007	10.17	35.05	
		45.27	2/28/2008	9.13	36.14	New Elevation***
			9/8/2008	9.50	35.77	
			3/24/2009	9.09	36.18	
			9/18/2009	10.76	34.51	
			5/18/2010	9.30	35.97	
			10/7/2010	9.62	35.65	
			3/23/2011	7.84	37.43	
			9/8/2011	10.18	35.09	
			3/23/2012	7.52	37.75	
		48.84	7/9/2012	---	---	New Elevation****
			9/14/2012	10.51	38.33	
			3/28/2013	8.20	40.64	
			9/4/2013	9.81	39.03	
			4/4/2014	7.90	40.94	
			9/23/2014	9.30	39.54	
			3/17/2015	7.95	40.89	
			9/28/2015	10.54	38.30	
			6/15/2016	9.58	39.26	
			9/27/2016	10.96	37.88	
			3/29/2017	7.32	41.52	
			9/14/2017	10.75	38.09	
			3/27/2018	8.31	40.53	
			9/13/2018	8.72	40.12	
			10/4/2018	8.49	40.35	
			11/28/2018	9.39	39.45	
			3/21/2019	8.72	40.12	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-7	10 - 20	44.01	10/22/1997	18.59	25.85	
			1/14/1998	15.79	28.22	
			2/18/1999	14.27	29.74	
			6/29/1999	18.89	25.12	
			9/15/1999	19.91	24.10	
			12/14/1999	14.19	29.82	
			3/22/2000	16.16	27.85	
			9/27/2000	19.75	24.26	
			12/20/2000	18.44	25.57	
			3/28/2001	18.36	25.65	
			6/13/2001	18.36	25.65	
			9/12/2001	19.43	24.58	
			12/17/2001	12.65	31.36	
			3/26/2002	15.81	28.20	
			6/10/2002	18.21	25.80	
			9/10/2002	19.79	24.22	
			12/9/2002	19.52	24.49	
			3/12/2003	17.02	26.99	
MW-8			6/17/2003	18.44	25.57	
			9/9/2003	19.88	24.13	
			9/16/2003	abandoned	abandoned	
	10 - 20	46.23	10/22/1997	20.79	23.65	
			1/14/1998	17.95	28.28	
			2/18/1999	16.51	29.72	
			6/29/1999	21.11	25.12	
			9/15/1999	22.17	24.06	
			12/14/1999	16.43	29.80	
			3/22/2000	18.34	27.89	
			9/27/2000	22.02	24.21	
			12/20/2000	20.66	25.57	
			3/28/2001	20.52	25.71	
			6/13/2001	20.54	25.69	
			9/12/2001	21.63	24.60	
			12/17/2001	14.86	31.37	
			3/26/2002	18.00	28.23	
			6/10/2002	20.38	25.85	
			9/10/2002	22.00	24.23	
			12/9/2002	21.74	24.49	
			3/12/2003	19.22	27.01	
			6/17/2003	20.60	25.63	
			9/9/2003	22.09	24.14	
			9/16/2003	abandoned	abandoned	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-9	10 - 20	44.83	10/22/1997	16.15	28.29	
			1/14/1998	13.23	31.60	
			2/18/1999	10.51	34.32	
			6/29/1999	15.60	29.23	
			9/15/1999	17.67	27.16	
			12/14/1999	11.02	33.81	
			3/22/2000	11.89	32.94	
			9/27/2000	17.01	27.82	
			12/20/2000	15.58	29.25	
			3/28/2001	15.02	29.81	
			6/13/2001	14.84	29.99	
			9/12/2001	16.88	27.95	
			12/17/2001	8.74	36.09	
			3/26/2002	11.42	33.44	
			6/10/1992	14.64	30.19	
			9/10/2002	16.23	28.60	
			12/9/2002	16.78	28.05	
			3/12/2003	13.65	31.18	
			6/17/2003	15.34	29.49	
			9/9/2003	18.15	26.68	
			12/9/2003	12.59	32.44	
			3/10/2004	12.68	32.15	
			6/9/2004	15.76	29.07	
			9/22/2004	15.94	28.89	
			12/13/2004	14.04	30.79	
			3/23/2005	14.08	30.75	
			6/20/2005	14.51	30.32	
			9/8/2005	17.33	27.5	
			3/6/2006	11.65	33.18	
			9/21/2006	16.15	28.68	
			3/16/2007	12.07	32.76	
			9/13/2007	16.94	27.89	
			2/28/2008	12.57	32.26	
			9/8/2008	15.32	29.51	
			3/24/2009	14.18	30.65	
			9/18/2009	16.79	28.04	
			5/18/2010	13.68	31.15	
			10/7/2010	15.73	29.1	
			3/23/2011	10.47	34.36	*Well box replaced.
			9/8/2011	16.63	31.81	These water levels were corrected using the 7/9/12 survey data.
			3/23/2012	10.10	38.3	
		48.44	7/9/2012	---	---	New Elevation****
			9/14/2012	16.09	32.35	
			3/28/2013	12.34	36.1	
			9/4/2013	16.29	32.15	
			4/4/2014	11.25	37.19	
			9/23/2014	15.66	32.78	
			3/17/2015	11.61	36.83	
			9/28/2015	16.77	31.67	
			6/15/2016	15.12	33.32	
			9/27/2016	18.02	30.42	
			3/29/2017	9.71	38.73	
			9/14/2017	17.57	30.87	
			3/27/2018	14.09	34.35	
			9/13/2018	18.67	29.77	
			10/4/2018	18.48	29.96	
			11/28/2018	16.25	32.19	
			3/21/2019	12.03	36.41	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-10	10 - 20	44.84	10/22/1997	16.61	27.83	
			1/14/1998	13.86	30.98	
			2/18/1999	12.11	32.73	
			6/29/1999	16.91	27.93	
			9/15/1999	18.22	26.62	
			12/14/1999	12.37	32.47	
			3/22/2000	13.87	30.97	
			9/27/2000	18.24	26.60	
			12/20/2000	16.63	28.21	
			3/28/2001	16.40	28.44	
			6/13/2001	16.43	28.41	
			9/12/2001	17.92	26.92	
			12/17/2001	9.92	34.92	
			3/26/2002	12.32	35.52	
			6/10/2002	16.14	28.70	
			9/10/2002	12.84	32.00	
			12/9/2002	18.08	26.76	
			3/12/2003	15.12	29.72	
			6/17/2003	16.67	28.17	
			9/9/2003	18.80	26.04	
			12/9/2003	13.56	31.28	
			3/10/2004	13.75	31.09	
			6/9/2004	17.04	27.80	
			9/22/2004	17.22	27.62	
			12/13/2004	14.97	29.87	
			3/23/2005	16.21	28.63	
			6/20/2005	15.88	28.96	
			8/31/2005	abandoned	abandoned	
MW-10A	15 - 20	44.74	3/16/2007	13.80	30.94	
			9/13/2007	17.67	27.07	
			2/28/2008	13.80	30.94	
			9/8/2008	15.93	28.81	
			3/24/2009	15.26	29.48	
			9/18/2009	17.19	27.55	
			5/18/2010	14.89	29.85	
			10/7/2010	16.72	28.02	
			3/23/2011	12.83	31.91	
			9/8/2011	17.64	27.10	
			3/23/2012	12.03	32.71	
		48.37	7/9/2012	---	---	New Elevation****
			9/14/2012	17.52	30.85	
			3/28/2013	14.20	34.17	
			9/4/2013	17.39	30.98	
			4/4/2014	13.40	34.97	
			9/23/2014	17.26	31.11	
			3/17/2015	14.27	34.10	
			9/28/2015	17.91	30.46	
			6/15/2016	16.95	31.42	
			9/27/2016	18.45	29.92	
			3/29/2017	13.93	34.44	
			9/14/2017	18.78	29.59	
			3/27/2018	17.25	31.12	
			9/13/2018	Dry	Dry	
			10/4/2018	Dry	Dry	
			11/28/2018	17.26	31.11	
			3/21/2019	15.56	32.81	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-11	10 - 25	47.18	10/22/1997	21.91	22.53	
			1/14/1998	19.05	28.13	
			2/18/1999	17.51	29.67	
			6/29/1999	22.24	24.94	
			9/15/1999	23.31	23.87	
			12/14/1999	17.44	29.74	
			3/22/2000	19.42	27.76	
			9/27/2000	23.13	24.05	
			12/20/2000	21.75	25.43	
			3/28/2001	21.64	25.54	
			6/13/2001	21.85	25.33	
			9/12/2001	22.73	24.45	
			12/17/2001	15.94	31.24	
			3/26/2002	19.10	28.08	
			6/10/2002	21.50	25.68	
			9/10/2002	23.13	24.05	
			12/9/2002	22.84	24.34	
			3/12/2003	20.28	26.90	
MW-12			6/17/2003	21.78	25.40	
			9/9/2003	23.20	23.98	
			9/16/2003	abandoned	abandoned	
	10 - 25	44.03	10/22/1997	17.41	27.03	
			1/14/1998	14.16	29.87	
			2/18/1999	12.95	31.08	
			6/29/1999	17.65	26.38	
			9/15/1999	18.81	25.22	
			12/14/1999	12.84	31.19	
			3/22/2000	14.68	29.35	
			9/27/2000	18.78	25.25	
			12/20/2000	17.30	26.73	
			3/28/2001	17.25	26.78	
			6/13/2001	17.25	26.78	
			9/12/2001	18.49	25.54	
			12/17/2001	11.11	32.92	
			3/26/2002	14.46	29.57	
			6/10/2002	17.05	26.98	
			9/10/2002	18.78	25.25	
			12/9/2002	18.62	25.41	
			3/12/2003	15.94	28.09	
			6/17/2003	17.39	26.64	
			9/9/2003	19.06	24.97	
			9/16/2003	abandoned	abandoned	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-13	10 - 20	43.86	6/29/1999	11.27	32.59	
			9/15/1999	12.50	31.36	
			12/14/1999	6.86	37.00	
			3/22/2000	7.47	36.39	
			9/27/2000	12.26	31.60	
			12/20/2000	12.02	31.84	
			3/28/2001	9.86	34.00	
			6/13/2001	10.71	33.15	
			9/12/2001	12.00	31.86	
			12/17/2001	5.49	38.37	
			3/26/2002	7.12	36.74	
			6/10/2002	9.84	34.02	
			9/10/2002	9.59	34.27	
			12/9/2002	10.10	33.76	
			3/12/2003	9.61	34.25	
			6/17/2003	10.66	33.20	
			9/9/2003	12.62	31.24	
			3/10/2004	7.61	36.25	
			6/9/2004	10.99	32.87	
			9/22/2004	11.85	32.01	
			12/13/2004	12.47	31.39	
			3/23/2005	9.57	34.29	
			6/20/2005	9.90	33.96	
			9/8/2005	11.78	32.08	
			3/6/2006	7.27	36.59	
			9/21/2006	11.78	32.08	
			3/16/2007	7.45	36.41	
			9/13/2007	11.76	32.10	
		43.89	2/28/2008	7.80	36.09	New Elevation***
			9/8/2008	10.74	33.15	
			3/24/2009	8.41	35.48	
			9/18/2009	11.93	31.96	
			5/18/2010	8.6	35.29	
			10/7/2010	11.52	32.37	
			3/23/2011	7.02	36.87	
			9/8/2011	11.52	32.37	
			3/23/2012	6.70	37.19	
		47.47	7/9/2012	---	---	New Elevation****
			9/14/2012	11.28	36.19	
			3/28/2013	7.74	39.73	
			9/4/2013	10.34	37.13	
			4/4/2014	7.45	40.02	
			9/23/2014	10.96	36.51	
			3/17/2015	7.01	40.46	
			9/28/2015	10.62	36.85	
			6/15/2016	9.31	38.16	
			9/27/2016	10.95	36.52	
			3/29/2017	5.85	41.62	
			9/14/2017	11.97	35.5	
			3/27/2018	7.52	39.95	
			9/13/2018	11.2	36.27	
			10/4/2018	10.35	37.12	
			11/28/2018	8.10	39.37	
			3/21/2019	7.93	39.54	

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation	Comments
MW-14	10 - 20	45.90	6/29/1999	17.02	28.88	
			9/15/1999	18.39	27.51	
			12/14/1999	12.33	33.57	
			3/22/2000	13.77	32.13	
			9/27/2000	18.45	27.45	
			12/20/2000	17.00	28.90	
			3/28/2001	16.56	29.34	
			6/13/2001	16.58	29.32	
			9/12/2001	18.12	27.78	
			12/17/2001	9.94	35.96	
			3/26/2002	13.40	32.50	
			6/10/2002	16.22	29.68	
			9/10/2002	18.95	26.95	
			12/9/2002	18.19	27.71	
			3/12/2003	15.22	30.68	
			6/17/2003	16.79	29.11	
			9/9/2003	18.98	26.92	
			3/10/2004	13.81	32.09	
			6/9/2004	17.20	28.70	
			9/22/2004	17.41	28.49	
			12/13/2004	15.36	30.54	
			3/23/2005	16.36	29.54	
			6/20/2005	16.06	29.84	
			9/8/2005	18.25	27.65	
			3/6/2006	13.01	32.89	
			9/21/2006	17.04	28.86	
			3/16/2007	13.64	32.26	
			9/13/2007	17.96	27.94	
		45.89	2/28/2008	12.75	33.14	New Elevation***
			9/8/2008	16.19	29.70	
			3/24/2009	11.37	34.52	
			9/18/2009	Dry	Dry	
			5/18/2010	11.49	34.40	
			10/7/2010	Dry	Dry	
			3/23/2011	10.17	35.72	
			9/8/2011	Dry	Dry	
			3/23/2012	9.67	36.22	
		49.5	7/9/2012	---	---	New Elevation****
			9/14/2012	Dry	Dry	
			3/28/2013	Dry	Dry	
			5/2/2013	12.05	37.45	
			9/4/2013	16.21	33.29	
			4/4/2014	10.58	38.92	
			9/23/2014	16.96	32.54	
			3/17/2015	11.61	37.89	
			9/28/2015	Dry	Dry	
			6/15/2016	16.70	32.80	
			9/27/2016	Dry	Dry	
			3/29/2017	10.78	38.72	
			9/14/2017	Dry	Dry	
			3/27/2018	16.07	33.43	
			9/13/2018	Dry	Dry	
			10/4/2018	Dry	Dry	
			11/28/2018	12.19	37.31	
			3/21/2019	12.66	36.84	

Notes:

* These elevations are of the top of the PVC well casing measured in feet above mean sea level (MSL).

***Wells re-surveyed November 2007 and reported in NGVD29 datum.

****Wells re-surveyed in July 2013 and reported in NAVD88 datum.

1 Anomalous groundwater elevation reading. Value was not used in contouring.


TOC = top of PVC well casing.

NC = Not Collected due to damaged well monument.

bgs = below ground surface.

Dry = water level at or below well casing

Figures



CLIENT
TMT BEAR CREEK SHOPPING CENTER, INC

CONSULTANT



YYYY-MM-DD 2019-05-02

DESIGNED XXX

PREPARED REDMOND

REVIEWED EA

APPROVED XXX

PROJECT
BEAR CREEK GROUNDWATER MONITORING - MARCH 2019
BEAR CREEK SHOPPING CENTER
REDMOND, WA

TITLE
SITE LOCATION MAP


PROJECT NO.
152539319

PHASE
100

REV.
A

FIGURE
1

Path: \\vermont-golder\golder\geomatics\TMT_Bear_Creek_Shopping_Center\Redmond09_PROJECTS\152539319_GW_Monitoring\02_PRODUCTION\DWG3 | File Name: 152539319_100_002.dwg



LEGEND	
	PROPERTY BOUNDARY
	MW-12 EXISTING MONITORING WELL
	NOT SAMPLED

CLIENT
TMT BEAR CREEK SHOPPING CENTER, INC

CONSULTANT	
YYYY-MM-DD	2019-05-02
DESIGNED	XXX
PREPARED	REDMOND
REVIEWED	EA
APPROVED	XXX



PROJECT
BEAR CREEK GROUNDWATER MONITORING - MARCH 2019
BEAR CREEK SHOPPING CENTER
REDMOND, WA


TITLE
GROUNDWATER MONITORING WELL LOCATIONS

PROJECT NO.	PHASE	REV.	FIGURE
152539319	100	A	2

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B



- LEGEND**
- MW-2 42.30 MONITORING WELL LOCATION WITH GROUNDWATER ELEVATION, FEET ABOVE MSL.
 - 31 APPROXIMATE GROUNDWATER CONTOUR WITH ELEVATION, FEET ABOVE MSL. DASHED WHERE APPROPRIATE.
 - (NA) WATER ELEVATION COULD NOT BE MEASURED BECAUSE WELL WAS DRY.
 - GROUNDWATER FLOW DIRECTION



CLIENT
TMT BEAR CREEK SHOPPING CENTER, INC

CONSULTANT




YYYY-MM-DD	2019-05-02
DESIGNED	XXX
PREPARED	REDMOND
REVIEWED	EA
APPROVED	XXX

PROJECT
BEAR CREEK GROUNDWATER MONITORING - MARCH 2019
BEAR CREEK SHOPPING CENTER
REDMOND, WA

TITLE
GROUNDWATER ELEVATIONS

PROJECT NO. 152539319	PHASE 100	REV. A	FIGURE 3
--------------------------	--------------	-----------	-------------



CLIENT
TMT BEAR CREEK SHOPPING CENTER, INC

CONSULTANT



YYYY-MM-DD 2019-05-02

DESIGNED XXX

PREPARED REDMOND

REVIEWED EA

APPROVED XXX

PROJECT
BEAR CREEK GROUNDWATER MONITORING - MARCH 2019
BEAR CREEK SHOPPING CENTER
REDMOND, WA


TITLE
GROUNDWATER CONCENTRATIONS - SOUTHEAST AREA

PROJECT NO.
152539319

PHASE
100

REV.
A

FIGURE
4



LEGEND

- Concentration of PCE
- ▲— Concentration of TCE
- Concentration of cis-1,2-DCE
- *— Concentration of Vinyl Chloride
- Laboratory Detection Limit
- Groundwater Elevation

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
MW-2 HVOC Detections Over Time
March 2019 Groundwater Monitoring Event

PROJECT NO.
1525393-19

PHASE
100

REV.
A

FIGURE
5



LEGEND

- Concentration of PCE
- ▲ Concentration of TCE
- Concentration of cis-1,2-DCE
- ✱ Concentration of Vinyl Chloride
- Laboratory Detection Limit
- Groundwater Elevation

CLIENT

TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT

Bear Creek Village Shopping Center
Redmond, Washington

TITLE


MW-3 HVOC Detections Over Time
March 2019 Groundwater Monitoring Event

PROJECT NO.
1525393-19

PHASE
100

REV.
A

FIGURE
6



LEGEND

- Concentration of PCE
- ▲ Concentration of TCE
- Concentration of cis-1,2-DCE
- * Concentration of Vinyl Chloride
- Laboratory Detection Limit
- Groundwater Elevation

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
MW-4 HVOC Detections Over Time
March 2019 Groundwater Monitoring Event

PROJECT NO.
1525393-19

PHASE
100

REV.
A

FIGURE
7



LEGEND

- Concentration of PCE
- ▲ Concentration of TCE
- Concentration of cis-1,2-DCE
- ✱ Concentration of Vinyl Chloride
- Laboratory Detection Limit
- Groundwater Elevation

CLIENT

TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT

Bear Creek Village Shopping Center
Redmond, Washington

TITLE


MW-10 and MW-10A HVOC Detections Over Time
March 2019 Groundwater Monitoring Event

PROJECT NO.
1525393-19

PHASE
100

REV.
A

FIGURE
8



LEGEND

- Concentration of PCE
- ▲ Concentration of TCE
- Concentration of cis-1,2-DCE
- * Concentration of Vinyl Chloride
- Laboratory Detection Limit
- Groundwater Elevation

CLIENT

TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT

Bear Creek Village Shopping Center
Redmond, Washington

TITLE


MW-13 HVOC Detections Over Time
March 2019 Groundwater Monitoring Event

PROJECT NO.
1525393-19

PHASE
100

REV.
A

FIGURE
9



LEGEND

- MW-2 Concentration of PCE
- ▲— MW-3 Concentration of PCE
- ×— MW-4 Concentration of PCE
- MW-10/10A Concentration of PCE
- ◆— MW-13 Concentration of PCE
- — Laboratory Detection Limit
- Cleanup Level (5 ug/L)

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington


TITLE
PCE Detections Over Time
March 2019 Groundwater Monitoring Event

PROJECT NO.
1525393-19

PHASE
100

REV.
A

FIGURE
10



LEGEND

- MW-2 Concentration of TCE
- ▲— MW-3 Concentration of TCE
- ×— MW-4 Concentration of TCE
- MW-10/10A Concentration of TCE
- ◆— MW-13 Concentration of TCE
- Laboratory Detection Limit
- Cleanup Level (5 ug/L)

CLIENT

TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT

Bear Creek Village Shopping Center
Redmond, Washington

TITLE


TCE Detections Over Time
March 2019 Groundwater Monitoring Event

PROJECT NO.
1525393-19

PHASE
100

REV.
A

FIGURE
11



LEGEND

- MW-2 Concentration of Vinyl Chloride
- ▲ MW-3 Concentration of Vinyl Chloride
- ✕ MW-4 Concentration of Vinyl Chloride
- MW-10/10A Concentration of Vinyl Chloride
- ◆ MW-13 Concentration of Vinyl Chloride
- Laboratory Detection Limit
- Cleanup Level (5 ug/L)

CLIENT
TMT Bear Creek Shopping Center, Inc.
c/o JSH Properties, Inc.

CONSULTANT



PROJECT
Bear Creek Village Shopping Center
Redmond, Washington

TITLE
Vinyl Chloride Detections Over Time
March 2019 Groundwater Monitoring Event

PROJECT NO.
1525393-19

PHASE
100

REV.
eral

FIGURE
12

APPENDIX A

Sample Integrity Data Sheets

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village

Project No. 152-5393-19.100

Site Location Redmond, WA

Sample ID NW-2-20190321

Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 3/21/19

Time 1310

Media water

Station NW-2

Sample Type:

☒ **grab**

☐ time composite

☐ space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 8.51 BTOC @ 0829

Screened Interval: 10-17'

Pump intake at: ~15' BTOC

Sample Description clear, no odor

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount

3- 40 mL

Container

VOA Vial

Preservation / Amount

HCl

Sampler (signature)



Date 3/21/19

Supervisor (signature)



Date 3/27/19

Well ID MW-2
 Date 3/21/19
 Time Begin Purge 12:35
 Time Collect Sample 1310

Water Level feet bmp	Time	Volume Purged	pH	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
8.69	1245	—	5.81	293.6	11.0	3.15	4.95	+186.2
8.69	1250	—	5.80	294.5	11.0	2.25	4.96	+197.9
8.69	1255	—	5.80	293.3	11.0	2.50	4.91	+207.9
8.69	1300	—	5.80	292.5	11.0	2.26	4.85	+213.6
8.69	1305	—	5.79	293.7	11.0	1.99	4.85	+218.0

Comments:

Purge Rate: 200 mL/min

Sampler's Initials

JH

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village

Project No. 152-5393-19.100

Site Location Redmond, WA

Sample ID MW-3-20190321

Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

MW-33-20190321

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 3/21/19 Time 1120 1125 (Dup)

Media water Station MW-3

Sample Type: ☒ grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 11.26 BTOC @ 0826

Screened Interval: 10 - 20

Pump intake at: ~ 6 BTOC

Sample Description clear, no odor

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

x 2

Sampler (signature) [Signature] Date 3/21/19

Supervisor (signature) [Signature] Date 3/27/19

Well ID mw-3

Date 3/21/19

Time Begin Purge 1040

Time Collect Sample 1120/1125 (DUP)

[illegible]

Comments:

Purge Rate: 200 ml/min

Sampler's Initials

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-19.100

Site Location Redmond, WA Sample ID MW-4-20190321

Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 3/21/19 Time ^{PH} 0955 1030

Media water Station MW-4

Sample Type: ☒ **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 13.88 BTOC @ 0823

Screened Interval: 10-20'


Pump intake at: ~18' BTOC

Sample Description clear, no odor

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

Sampler (signature)  Date 3/21/19

Supervisor (signature) Eric Adams Date 3/27/19

Time Collect Sample ~~150~~ 1030[illegible]**Comments:**

Purge Rate: 200 mL/min

Sampler's Initials

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-19.100

Site Location Redmond, WA Sample ID mw-9-20190321

Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 3/21/19 Time 0857^{PM} 0938

Media water Station mw-9

Sample Type: ☒ **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 12.03 BTOC @ 0816

Screened Interval: 10 - 20

Pump intake at: ~19 BTOC

Sample Description clear, no odor

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount	Container	Preservation / Amount
3- 40 mL	HVOC VOA Vial	HCl

Sampler (signature) [Signature] Date 3/21/19

Supervisor (signature) Eric Adams Date 3/27/19

Time Collect Sample 0930

Sampler's Initials CTH

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-19.100
Site Location Redmond, WA Sample ID mw-10A-20190321
Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 3/21/19 Time 1210

Media water Station mw-10A

Sample Type: ☒ **grab** ☐ time composite ☐ space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 15.56 BTOC @ 0830

Screened Interval: 15-20

Pump intake at: ~18.5 BTOC

Sample Description clear, no odor

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

Sampler (signature) [Signature] Date 3/21/19

Supervisor (signature) Eric [Signature] Date 3/27/19

Well ID mu-10A

Date 3/21/19

Time Begin Purge 1128

Time Collect Sample 1210[illegible]

Comments:

Purge Rate: 175 mL/min

Sampler's Initials SA

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village

Project No. 152-5393-19.100

Site Location Redmond, WA

Sample ID MW-13-20180321

Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 3/21/19 Time 1405

Media water Station MW-13

Sample Type: ☒ **grab** time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: 7.53 BTOC @ 0832

Screened Interval: 10-20'

Pump intake at: ~18' BTOC

Sample Description orange sediment present upon initial purge. water cleared after 7 gal was removed. Begin sample purge @ 1330. [Las sample = clear]

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount		Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl

Sampler (signature) [Signature]

Date 3/21/19

Supervisor (signature) Eric Olson

Date 3/27/19

Time Collect Sample 1405

SAMPLE INTEGRITY DATA SHEET

Plant/Site Bear Creek Village Project No. 152-5393-19.100

Site Location Redmond, WA Sample ID EB-20190321

Sampling Location Groundwater Monitoring well – end of dedicated sampling tube

Technical Procedure Reference(s) TG 1.2-23; TG 1.4-6a; TG 1.2-20

Type of Sampler peristaltic pump

Date 3/21/19 Time 1220

Media water Station EB at mw-10A

Sample Type: ☒ **grab** ☐ time composite ☐ space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

Static Water Level: n/a BTOC

Screened Interval: n/a

Pump intake at: n/a BTOC

Sample Description Equipment blank using 1L provided DI water purged through tubing.

Field Measurements on Sample (pH, conductivity, etc.)

See Field Parameters Sheet

Aliquot Amount	Container	Preservation / Amount
3- 40 mL	VOA Vial	HCl

Sampler (signature) [Signature] Date 3/21/19

Supervisor (signature) Eric Alanz Date 3/27/19

Time Collect Sample_____

Comments:

Sampler's Initials_____

APPENDIX B

Laboratory Analytical Reports



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

March 29, 2019

Eric Adams
Bear Creek Village
Golder Associates Inc.
18300 NE Union Hill Road
Suite 200
Redmond, WA 98052-3333

Re: Analytical Data for Project 152-5393-19
Laboratory Reference No. 1903-200

Dear Eric:

Enclosed are the analytical results and associated quality control data for samples submitted on March 21, 2019.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read 'DB', with a long horizontal line extending to the right.

David Baumeister
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 29, 2019
Samples Submitted: March 21, 2019
Laboratory Reference: 1903-200
Project: 152-5393-19

Case Narrative

Samples were collected on March 21, 2019 and received by the laboratory on March 21, 2019. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID: MW-9-20190321						
Laboratory ID: 03-200-01						
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloromethane	ND	1.4	EPA 8260C	3-26-19	3-26-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromomethane	ND	0.29	EPA 8260C	3-26-19	3-26-19	
Chloroethane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Iodomethane	ND	1.6	EPA 8260C	3-26-19	3-26-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloroform	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Trichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromomethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-9-20190321					
Laboratory ID:	03-200-01					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromoform	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Bromobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	93	75-127				
<i>Toluene-d8</i>	96	80-127				
<i>4-Bromofluorobenzene</i>	105	78-125				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:		MW-4-20190321				
Laboratory ID:		03-200-02				
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloromethane	ND	1.4	EPA 8260C	3-26-19	3-26-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromomethane	ND	0.29	EPA 8260C	3-26-19	3-26-19	
Chloroethane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Iodomethane	ND	1.6	EPA 8260C	3-26-19	3-26-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(cis) 1,2-Dichloroethene	2.8	0.20	EPA 8260C	3-26-19	3-26-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloroform	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Trichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromomethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-4-20190321					
Laboratory ID:	03-200-02					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromoform	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Bromobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>94</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>94</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>96</i>	<i>78-125</i>				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:		MW-3-20190321				
Laboratory ID:		03-200-03				
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloromethane	ND	1.4	EPA 8260C	3-26-19	3-26-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromomethane	ND	0.29	EPA 8260C	3-26-19	3-26-19	
Chloroethane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Iodomethane	ND	1.6	EPA 8260C	3-26-19	3-26-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloroform	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Trichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromomethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-3-20190321					
Laboratory ID:	03-200-03					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromoform	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Bromobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>94</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>98</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>100</i>	<i>78-125</i>				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:		MW-33-20190321				
Laboratory ID:		03-200-04				
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloromethane	ND	1.4	EPA 8260C	3-26-19	3-26-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromomethane	ND	0.29	EPA 8260C	3-26-19	3-26-19	
Chloroethane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Iodomethane	ND	1.6	EPA 8260C	3-26-19	3-26-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloroform	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Trichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromomethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-33-20190321					
Laboratory ID:	03-200-04					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromoform	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Bromobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>98</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>100</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>106</i>	<i>78-125</i>				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID: MW-10A-20190321						
Laboratory ID: 03-200-05						
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloromethane	ND	1.4	EPA 8260C	3-26-19	3-26-19	
Vinyl Chloride	1.0	0.20	EPA 8260C	3-26-19	3-26-19	
Bromomethane	ND	0.29	EPA 8260C	3-26-19	3-26-19	
Chloroethane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Iodomethane	ND	1.6	EPA 8260C	3-26-19	3-26-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(cis) 1,2-Dichloroethene	2.9	0.20	EPA 8260C	3-26-19	3-26-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloroform	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Trichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromomethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-10A-20190321					
Laboratory ID:	03-200-05					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromoform	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Bromobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	95	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID: MW-2-20190321						
Laboratory ID: 03-200-06						
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloromethane	ND	1.4	EPA 8260C	3-26-19	3-26-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromomethane	ND	0.29	EPA 8260C	3-26-19	3-26-19	
Chloroethane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Iodomethane	ND	1.6	EPA 8260C	3-26-19	3-26-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloroform	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Trichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromomethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-2-20190321					
Laboratory ID:	03-200-06					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Tetrachloroethene	1.4	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromoform	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Bromobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>101</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>97</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>104</i>	<i>78-125</i>				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID: EB-20190321						
Laboratory ID: 03-200-07						
Dichlorodifluoromethane	ND	0.26	EPA 8260C	3-27-19	3-27-19	
Chloromethane	ND	1.5	EPA 8260C	3-27-19	3-27-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromomethane	ND	0.30	EPA 8260C	3-27-19	3-27-19	
Chloroethane	ND	1.0	EPA 8260C	3-27-19	3-27-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Iodomethane	ND	1.7	EPA 8260C	3-27-19	3-27-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-27-19	3-27-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Chloroform	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Trichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Dibromomethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-27-19	3-27-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-27-19	3-27-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EB-20190321					
Laboratory ID:	03-200-07					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromoform	ND	1.0	EPA 8260C	3-27-19	3-27-19	
Bromobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-27-19	3-27-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-27-19	3-27-19	
1,2,3-Trichlorobenzene	ND	0.26	EPA 8260C	3-27-19	3-27-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	75-127				
<i>Toluene-d8</i>	95	80-127				
<i>4-Bromofluorobenzene</i>	94	78-125				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:		MW-13-20190321				
Laboratory ID:		03-200-08				
Dichlorodifluoromethane	ND	0.26	EPA 8260C	3-27-19	3-27-19	
Chloromethane	ND	1.5	EPA 8260C	3-27-19	3-27-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromomethane	ND	0.30	EPA 8260C	3-27-19	3-27-19	
Chloroethane	ND	1.0	EPA 8260C	3-27-19	3-27-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Iodomethane	ND	1.7	EPA 8260C	3-27-19	3-27-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-27-19	3-27-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
(cis) 1,2-Dichloroethene	0.46	0.20	EPA 8260C	3-27-19	3-27-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Chloroform	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Trichloroethene	1.9	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Dibromomethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-27-19	3-27-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-27-19	3-27-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-13-20190321					
Laboratory ID:	03-200-08					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Tetrachloroethene	2.9	0.20	EPA 8260C	3-27-19	3-27-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromoform	ND	1.0	EPA 8260C	3-27-19	3-27-19	
Bromobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-27-19	3-27-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-27-19	3-27-19	
1,2,3-Trichlorobenzene	ND	0.26	EPA 8260C	3-27-19	3-27-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	75-127				
<i>Toluene-d8</i>	95	80-127				
<i>4-Bromofluorobenzene</i>	102	78-125				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	Trip Blank					
Laboratory ID:	03-200-09					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloromethane	ND	1.4	EPA 8260C	3-26-19	3-26-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromomethane	ND	0.29	EPA 8260C	3-26-19	3-26-19	
Chloroethane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Iodomethane	ND	1.6	EPA 8260C	3-26-19	3-26-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloroform	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Trichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromomethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	Trip Blank					
Laboratory ID:	03-200-09					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromoform	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Bromobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>100</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>97</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>102</i>	<i>78-125</i>				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID:	MB0326W1					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloromethane	ND	1.4	EPA 8260C	3-26-19	3-26-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromomethane	ND	0.29	EPA 8260C	3-26-19	3-26-19	
Chloroethane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Iodomethane	ND	1.6	EPA 8260C	3-26-19	3-26-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chloroform	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Trichloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromomethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-26-19	3-26-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-26-19	3-26-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID:	MB0326W1					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Bromoform	ND	1.0	EPA 8260C	3-26-19	3-26-19	
Bromobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-26-19	3-26-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-26-19	3-26-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-26-19	3-26-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	99	75-127				
Toluene-d8	98	80-127				
4-Bromofluorobenzene	100	78-125				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID:	MB0327W1					
Dichlorodifluoromethane	ND	0.26	EPA 8260C	3-27-19	3-27-19	
Chloromethane	ND	1.5	EPA 8260C	3-27-19	3-27-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromomethane	ND	0.30	EPA 8260C	3-27-19	3-27-19	
Chloroethane	ND	1.0	EPA 8260C	3-27-19	3-27-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Iodomethane	ND	1.7	EPA 8260C	3-27-19	3-27-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-27-19	3-27-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Chloroform	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Trichloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Dibromomethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-27-19	3-27-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-27-19	3-27-19	



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

VOLATILE ORGANICS EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID: MB0327W1						
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Bromoform	ND	1.0	EPA 8260C	3-27-19	3-27-19	
Bromobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-27-19	3-27-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-27-19	3-27-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-27-19	3-27-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-27-19	3-27-19	
1,2,3-Trichlorobenzene	ND	0.26	EPA 8260C	3-27-19	3-27-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>99</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>100</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>107</i>	<i>78-125</i>				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

**VOLATILE ORGANICS EPA 8260C
 SB/SBD QUALITY CONTROL**

Matrix: Water

Units: ug/L

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits		RPD	RPD Limit	Flags
					Recovery						
SPIKE BLANKS											
Laboratory ID:	SB0326W1										
	SB	SBD	SB	SBD	SB	SBD					
1,1-Dichloroethene	10.9	9.86	10.0	10.0	109	99	62-129	10		15	
Benzene	10.4	9.68	10.0	10.0	104	97	77-127	7		15	
Trichloroethene	11.3	10.2	10.0	10.0	113	102	70-120	10		15	
Toluene	10.9	9.88	10.0	10.0	109	99	82-123	10		15	
Chlorobenzene	10.9	10.2	10.0	10.0	109	102	79-120	7		15	
Surrogate:											
Dibromofluoromethane					94	99	75-127				
Toluene-d8					94	92	80-127				
4-Bromofluorobenzene					100	103	78-125				



Date of Report: March 29, 2019
 Samples Submitted: March 21, 2019
 Laboratory Reference: 1903-200
 Project: 152-5393-19

**VOLATILE ORGANICS EPA 8260C
 SB/SBD QUALITY CONTROL**

Matrix: Water

Units: ug/L

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB0327W1									
	SB	SBD	SB	SBD	SB	SBD				
1,1-Dichloroethene	10.3	10.3	10.0	10.0	103	103	62-129	0	15	
Benzene	10.0	10.1	10.0	10.0	100	101	77-127	1	15	
Trichloroethene	10.4	11.1	10.0	10.0	104	111	70-120	7	15	
Toluene	9.49	10.6	10.0	10.0	95	106	82-123	11	15	
Chlorobenzene	9.99	10.7	10.0	10.0	100	107	79-120	7	15	
Surrogate:										
Dibromofluoromethane					97	100	75-127			
Toluene-d8					90	98	80-127			
4-Bromofluorobenzene					104	109	78-125			





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B - The analyte indicated was also found in the blank sample.
- C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E - The value reported exceeds the quantitation range and is an estimate.
- F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I - Compound recovery is outside of the control limits.
- J - The value reported was below the practical quantitation limit. The value is an estimate.
- K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L - The RPD is outside of the control limits.
- M - Hydrocarbons in the gasoline range are impacting the diesel range result.
- M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
- N - Hydrocarbons in the lube oil range are impacting the diesel range result.
- N1 - Hydrocarbons in diesel range are impacting lube oil range results.
- O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
- P - The RPD of the detected concentrations between the two columns is greater than 40.
- Q - Surrogate recovery is outside of the control limits.
- S - Surrogate recovery data is not available due to the necessary dilution of the sample.
- T - The sample chromatogram is not similar to a typical _____.
- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- U1 - The practical quantitation limit is elevated due to interferences present in the sample.
- V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X - Sample extract treated with a mercury cleanup procedure.
- X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
- Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
- Z -
- ND - Not Detected at PQL
- PQL - Practical Quantitation Limit
- RPD - Relative Percent Difference





Onsite Environmental Inc.
Analytical Laboratory Testing Services
14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Turnaround Request
(in working days)

(Check One)

☐ Same Day ☐ 1 Day

☐ 2 Days ☐ 3 Days

☒ Standard (7 Days)
(TPH analysis 5 Days)

☐ (other) _____

Laboratory Number:

03-200

Company: Golder

Project Number: 152-5393-19

Project Name: Bear Creek Sampling

Project Manager: Eric Adams

Sampled by: Tom Haskins

Lab ID Sample Identification

Date Sampled Time Sampled Matrix

Number of Containers

NWTPH-HCID	
NWTPH-Gx/BTEX	
NWTPH-Gx	
NWTPH-Dx (☐ Acid / SG Clean-up)	
Volatiles 8260C	
Halogenated Volatiles 8260C	
EDB EPA 8011 (Waters Only)	
Semivolatiles 8270D/SIM (with low-level PAHs)	
PAHs 8270D/SIM (low-level)	
PCBs 8082A	
Organochlorine Pesticides 8081B	
Organophosphorus Pesticides 8270D/SIM	
Chlorinated Acid Herbicides 8151A	
Total RCRA Metals	
Total MTCA Metals	
TCLP Metals	
HEM (oil and grease) 1664A	
% Moisture	

1	MW-9-20190321	3/21	0930	W	3
2	MW-4-20190321	3/21	1036	W	3
3	MW-3-20190321	3/21	1120	W	3
4	MW-33-20190321	3/21	1125	W	3
5	MW-104-20190321	3/21	1210	W	3
6	MW-2-20190321	3/21	1310	W	3
7	EB-20190321	3/21	1220	W	3
8	MW-13-20190321	3/21	1405	W	3
9	TRIP BLANK	-	-	↓	↓

Signature

Company

Date

Time

Comments/Special Instructions

Relinquished

Received

Relinquished

Received

Relinquished

Received

Reviewed/Date

Per Work Order dated
March 18, 2019

Data Package: Standard ☐ Level III ☐ Level IV ☐

Chromatograms with final report ☐ Electronic Data Deliverables (EDDs) ☒



golder.com