



Northwest Geotech, Inc.

9120 SW Pioneer Court, Suite B • Wilsonville, Oregon 97070 503 / 682-1880 FAX: 503 / 682-2753

September 1, 2000
NGI Project No. 563.1.4
CRC Project No. WA7338

Chrysler Realty Corporation
Northwest Field Office
9336 Lovewell Court
Elk Grove, California 95731

Attention: Mr. Andrew R. Bucchieri, P.E.

Subject: Groundwater Monitoring Report
Bellevue Chrysler Plymouth
126 116th Avenue, NE
Bellevue, Washington
DOE No. 13336

Dear Mr. Bucchieri:

This report summarizes the groundwater monitoring that was completed in July 2000 at the Bellevue Chrysler Plymouth property. This sampling event represents the fourth consecutive quarter of groundwater monitoring as required in Washington Department of Ecology's (DOE's) letter of January 24, 2000. All groundwater indicator hazardous substances have remained below the established Model Toxics Control Act (MTCA) cleanup levels for four consecutive quarters. Accordingly, the groundwater monitoring requirements set forth in DOE's January 24, 2000 Draft No Further Action (NFA) letter have been fulfilled. It is requested that DOE issue a final NFA letter for this facility.

This opportunity to be of service is sincerely appreciated. If you have any questions, please contact our office.

Respectfully submitted,

NORTHWEST GEOTECH, INC.

Steve L. Day
Project Manager

Thomas S. Ginsbach
President

Copies: (1) Ms. Louise Bardy, Washington State Department of Ecology

TABLE OF CONTENTS

| | |
|--|----------|
| 1.0 INTRODUCTION | 1 |
| 1.1 Purpose and Scope | 1 |
| 1.2 Site Description | 1 |
| 1.3 Background | 1 |
| 2.0 GROUNDWATER MONITORING PROGRAM..... | 1 |
| 2.1 Groundwater Level Data | 1 |
| 2.2 Groundwater Sampling | 2 |
| 3.0 FINDINGS..... | 2 |
| 3.1 Groundwater Elevations..... | 2 |
| 3.2 Groundwater Analytical Results | 2 |
| 4.0 CONCLUSIONS | 2 |
| 5.0 LIMITATIONS..... | 2 |

LIST OF TABLES

| | |
|----------------|---|
| TABLE A | Water Level Data |
| TABLE B | Groundwater Hazardous Indicator Substances |

LIST OF FIGURES

| | |
|-----------------|--|
| FIGURE 1 | Location Map |
| FIGURE 2 | Facility Plan |
| FIGURE 3 | Monitoring Well Location Plan |
| FIGURE 4 | Potentiometric Surface Map 7/26/00 Measurements |

APPENDICES

| | |
|-------------------|-----------------------------------|
| APPENDIX A | Laboratory Analytical Data |
|-------------------|-----------------------------------|



Northwest Geotech, Inc.

**GROUNDWATER MONITORING REPORT
BELLEVUE CHRYSLER PLYMOUTH
126 116TH AVENUE, NE
BELLEVUE, WASHINGTON**

1.0 INTRODUCTION

1.1 Purpose and Scope

This report summarizes the groundwater monitoring that was completed at the Bellevue Chrysler Plymouth property by Northwest Geotech, Inc. (NGI) on July 26, 2000. The scope of work included water level measurements, groundwater sampling, and laboratory analysis.

1.2 Site Description

The subject property is located at 126 116th Avenue, NE in Bellevue, King County, Washington, as presented in Figure 1. The eastern side of the property consists of a moderately steep hillside and the car dealership structure and parking areas encompass the rest of the property. The existing dealership complex consists of several buildings, which are connected and have common walls. The lower level consists of a front showroom/office area joined to a front service bay area, which shares a common wall with a back service bay area. Above the back bay area is a second story which is utilized for parts storage and office space. The lower story has concrete masonry unit exterior walls and slab-on-grade floors. The second story has metal-framed walls and roof. An approximate layout of the building is shown on the Facility Plan, Figure 2.

1.3 Background

In 1993, Chrysler Realty Corporation (CRC) requested NGI to undertake a Phase I Environmental Site Assessment (ESA) and a Phase II soil and groundwater investigation of the subject site. The motive to conduct these investigations was the transfer of the site to a Chrysler Jeep dealership. During completion of the investigation in the back service bay at the dealership solvent and petroleum hydrocarbon impact to soil and groundwater was discovered. This soil and groundwater impact was remediated through cutting off the source and through introduction of magnesium peroxide (Regenesis ORG) into existing monitoring wells. Pursuant to Washington DOE's January 24, 2000 Draft No Further Action letter, the petroleum hydrocarbons, chlorinated and non-chlorinated solvents in the soil and groundwater no longer pose a threat to human health or the environment. This groundwater monitoring report is the fourth consecutive quarter of groundwater confirmation monitoring.

2.0 GROUNDWATER MONITORING PROGRAM

Pursuant to DOE's request and direction, NGI has implemented a groundwater monitoring program to evaluate groundwater flow direction, gradient, and hazardous indicator substance concentrations. These parameters have been monitored on a quarterly basis. Groundwater from monitoring wells MW-2, MW-4 through MW-11 and MW-15 were sampled pursuant to the quarterly sampling program.

2.1 Groundwater Level Data

The groundwater level data was collected using a Solinst water level meter. Water levels were measured from the north side of each well casing. Pursuant to standard protocol, the water level probe was cleaned with a solution of Alconox and water with a distilled water rinse



between use in each well. Groundwater levels from the monitoring wells MW-1, MW-12, and MW-13 were not measured due to access constraints and vehicle parking.

2.2 Groundwater Sampling

Groundwater samples were collected from monitoring wells MW-2, MW-4 through MW-11 and MW-15 on July 26, 2000. The groundwater samples were analyzed for the established indicator hazardous substances by EPA method 8260B. Prior to sampling, each well was bailed dry or purged of a minimum of three well volumes. The groundwater samples were collected with disposable polyethylene bailers. Upon collection, the groundwater samples were immediately placed in pre-cleaned, laboratory supplied vials and jars. The samples were kept cool in an ice-filled chest and transported under chain-of-custody protocol.

3.0 FINDINGS

3.1 Groundwater Elevations

Groundwater elevation data are summarized in Table A. Groundwater elevations increased an average of 0.37 feet from April 27, 2000 to July 26, 2000. Groundwater elevation contours for July 2000 have been plotted in Figure 4. The overall groundwater flow direction is to the west-southwest.

3.2 Groundwater Analytical Results

Groundwater indicator hazardous substances were detected in two monitoring wells MW-9 and MW-10 during the July 26, 2000 monitoring period. Analysis of groundwater from other monitoring wells on-site did not detect indicator hazardous substances. For the groundwater sampled from monitoring wells MW-9 and MW-10, none of the hazardous indicator substances were above the regulatory cleanup levels established for the site. Groundwater analytical results are summarized in Table B and the laboratory analytical reports are included in Appendix A.

4.0 CONCLUSIONS

Groundwater indicator hazardous substances have remained below the established MTCA cleanup levels for the fourth consecutive quarter. No constituents of concern were detected in the down-gradient monitoring wells. Accordingly, the groundwater monitoring requirements set forth in DOE's January 24, 2000 Draft No Further Action (NFA) letter have been fulfilled. It is requested that DOE issue a final NFA letter for this facility.

5.0 LIMITATIONS

The services described in this report were performed in accordance with generally accepted professional consulting principles and practices. No other warranty, expressed or implied, is made. These services were performed consistent to our agreement with our client. This report is solely for the use and information of our client unless otherwise noted. Any reliance on this report by a third party is at such party's sole risk.

Opinions and recommendations contained in this report apply to conditions existing when services were performed and are intended for the client purposes, locations, time frames, and project parameters indicated. We are not responsible for the impacts of any changes in environmental standards, practices, or regulations subsequent to performance of services. We do not warrant the accuracy of information supplied by others, or the use of segregated portions of this report.



TABLE A
WATER LEVEL DATA
BELLEVUE CHRYSLER PLYMOUTH

| Well Number | Date of Measurement | TOC Elevation (ft) | Depth to Water (ft) | Groundwater Elevation (ft) |
|-------------|---------------------|--------------------|---------------------|----------------------------|
| MW-1 | 12/08/1994 | 127.80 | NM | -- |
| | 01/09/1995 | 127.80 | NM | -- |
| | 02/09/1995 | 127.80 | NM | -- |
| | 03/09/1995 | 127.80 | NM | -- |
| | 05/15/1995 | 127.80 | NM | -- |
| | 06/10/1995 | 127.80 | NM | -- |
| | 07/12/1995 | 127.80 | NM | -- |
| | 08/15/1995 | 127.80 | NM | -- |
| | 09/12/1995 | 127.80 | NM | -- |
| | 10/20/1995 | 127.80 | NM | -- |
| | 12/06/1995 | 127.80 | 5.65 | 122.15 |
| | 01/23/1996 | 127.80 | 4.50 | 123.30 |
| | 02/22/1996 | 127.80 | 4.88 | 122.92 |
| | 03/19/1996 | 127.80 | 5.95 | 121.85 |
| | 07/24/1996 | 127.80 | 6.58 | 121.22 |
| | 08/21/1996 | 127.80 | 6.85 | 120.95 |
| | 09/24/1996 | 127.80 | 6.85 | 120.95 |
| | 10/30/1996 | 127.80 | 6.12 | 121.68 |
| | 11/22/1996 | 127.80 | 5.70 | 122.10 |
| | 12/16/1996 | 127.80 | 5.26 | 122.54 |
| | 01/21/1997 | 127.80 | 3.39 | 124.41 |
| | 02/17/1997 | 127.80 | 5.19 | 122.61 |
| | 03/25/1997 | 127.80 | 3.65 | 124.15 |
| | 06/23/1997 | 127.80 | 5.44 | 122.36 |
| | 06/23/1997 | 127.80 | 5.44 | 122.36 |
| | 03/25/1998 | 127.80 | 5.62 | 122.18 |
| | 06/24/1998 | 127.80 | 6.79 | 121.01 |
| MW-2 | 12/08/1994 | 91.90 | 11.82 | 80.08 |
| | 01/09/1995 | 91.90 | 11.44 | 80.46 |
| | 02/09/1995 | 91.90 | 11.26 | 80.64 |
| | 03/09/1995 | 91.90 | 11.41 | 80.49 |
| | 05/15/1995 | 91.90 | 11.82 | 80.08 |
| | 06/10/1995 | 91.90 | 4.43 | 87.47 |
| | 07/12/1995 | 91.90 | 11.96 | 79.94 |
| | 08/15/1995 | 91.90 | 12.29 | 79.61 |
| | 09/12/1995 | 91.90 | 12.80 | 79.10 |
| | 10/20/1995 | 91.90 | 12.21 | 79.69 |
| | 12/06/1995 | 91.90 | 11.23 | 80.67 |
| | 01/23/1996 | 91.90 | 11.21 | 80.69 |
| | 02/22/1996 | 91.90 | 11.15 | 80.75 |
| | 03/19/1996 | 91.90 | 11.13 | 80.77 |
| | 07/24/1996 | 91.90 | 11.86 | 80.04 |
| | 08/21/1996 | 91.90 | 12.20 | 79.70 |
| | 09/24/1996 | 91.90 | 12.15 | 79.75 |
| | 10/30/1996 | 91.90 | 11.66 | 80.24 |

NM = Not Measured



TABLE A
WATER LEVEL DATA
BELLEVUE CHRYSLER PLYMOUTH

| Well Number | Date of Measurement | TOC Elevation (ft) | Depth to Water (ft) | Groundwater Elevation (ft) |
|-------------|---------------------|--------------------|---------------------|----------------------------|
| MW-2 | 11/22/1996 | 91.90 | 11.50 | 80.40 |
| | 12/16/1996 | 91.90 | 11.30 | 80.60 |
| | 01/21/1997 | 91.90 | 11.17 | 80.73 |
| | 02/17/1997 | 91.90 | 11.21 | 80.69 |
| | 03/25/1997 | 91.90 | 11.08 | 80.82 |
| | 06/23/1997 | 91.90 | 11.43 | 80.47 |
| | 09/25/1997 | 91.90 | 11.76 | 80.14 |
| | 03/25/1998 | 91.90 | 10.95 | 80.95 |
| | 06/24/1998 | 91.90 | 11.29 | 80.61 |
| | 09/13/1999 | 91.90 | 12.26 | 79.64 |
| | 01/27/2000 | 91.90 | 11.20 | 80.70 |
| | 04/27/2000 | 91.90 | 11.21 | 80.69 |
| | 07/26/2000 | 91.90 | 11.97 | 79.93 |
| MW-3 | 12/08/1994 | 92.10 | 10.74 | 81.36 |
| | 01/09/1995 | 92.10 | 10.40 | 81.70 |
| | 02/09/1995 | 92.10 | 10.02 | 82.08 |
| | 03/09/1995 | 92.10 | 9.56 | 82.54 |
| | 05/15/1995 | 92.10 | 10.74 | 81.36 |
| | 06/10/1995 | 92.10 | NM | -- |
| | 07/12/1995 | 92.10 | 8.86 | 83.24 |
| | 08/15/1995 | 92.10 | 9.42 | 82.68 |
| | 09/12/1995 | 92.10 | 9.62 | 82.48 |
| | 10/20/1995 | 92.10 | 11.10 | 81.00 |
| | 12/06/1995 | 92.10 | 10.57 | 81.53 |
| | 01/23/1996 | 92.10 | 9.71 | 82.39 |
| | 02/22/1996 | 92.10 | 7.51 | 84.59 |
| | 03/19/1996 | 92.10 | 7.58 | 84.52 |
| | 07/24/1996 | 92.10 | 10.00 | 82.10 |
| | 08/21/1996 | 92.10 | 10.00 | 82.10 |
| | 09/24/1996 | 92.10 | 11.57 | 80.53 |
| | 10/30/1996 | 92.10 | 11.88 | 80.22 |
| | 11/22/1996 | 92.10 | 12.16 | 79.94 |
| | 12/16/1996 | 92.10 | 11.92 | 80.18 |
| | 01/21/1997 | 92.10 | 11.98 | 80.12 |
| | 02/17/1997 | 92.10 | 11.94 | 80.16 |
| | 03/25/1997 | 92.10 | 11.88 | 80.22 |
| | 06/23/1997 | 92.10 | 11.94 | 80.16 |
| | 09/25/1997 | 92.10 | 11.05 | 81.05 |
| | 03/25/1998 | 92.10 | 11.10 | 81.00 |
| | 06/24/1998 | 92.10 | 7.85 | 84.25 |
| | 01/27/2000 | 92.10 | 7.86 | 84.24 |
| | 07/26/2000 | 92.10 | 8.38 | 83.72 |
| MW-4 | 12/08/1994 | 78.70 | 5.14 | 73.56 |
| | 01/09/1995 | 78.70 | 4.60 | 74.10 |
| | 02/09/1995 | 78.70 | 4.30 | 74.40 |

NM = Not Measured



TABLE A
WATER LEVEL DATA
BELLEVUE CHRYSLER PLYMOUTH

| Well Number | Date of Measurement | TOC Elevation (ft) | Depth to Water (ft) | Groundwater Elevation (ft) |
|-------------|---------------------|--------------------|---------------------|----------------------------|
| MW-4 | 03/09/1995 | 78.70 | 4.48 | 74.22 |
| | 05/15/1995 | 78.70 | 5.14 | 73.56 |
| | 06/10/1995 | 78.70 | NM | -- |
| | 07/12/1995 | 78.70 | 4.83 | 73.87 |
| | 08/15/1995 | 78.70 | 5.10 | 73.60 |
| | 09/12/1995 | 78.70 | 5.60 | 73.10 |
| | 10/20/1995 | 78.70 | 8.70 | 70.00 |
| | 12/06/1995 | 78.70 | 4.35 | 74.35 |
| | 01/23/1996 | 78.70 | 3.87 | 74.83 |
| | 02/22/1996 | 78.70 | 3.79 | 74.91 |
| | 03/19/1996 | 78.70 | 3.90 | 74.80 |
| | 07/24/1996 | 78.70 | 4.52 | 74.18 |
| | 08/21/1996 | 78.70 | 4.72 | 73.98 |
| | 09/24/1996 | 78.70 | 5.10 | 73.60 |
| | 10/30/1996 | 78.70 | 4.56 | 74.14 |
| | 11/22/1996 | 78.70 | 4.10 | 74.60 |
| | 12/16/1996 | 78.70 | 4.42 | 74.28 |
| | 01/21/1997 | 78.70 | 4.24 | 74.46 |
| | 02/17/1997 | 78.70 | 4.38 | 74.32 |
| | 03/25/1997 | 78.70 | 4.37 | 74.33 |
| | 06/23/1997 | 78.70 | 4.65 | 74.05 |
| | 09/25/1997 | 78.70 | 4.56 | 74.14 |
| | 03/25/1998 | 78.70 | 4.42 | 74.28 |
| | 06/24/1998 | 78.70 | 4.90 | 73.80 |
| | 09/14/1999 | 78.70 | 4.53 | 74.17 |
| | 01/28/2000 | 78.70 | 3.43 | 75.27 |
| | 04/27/2000 | 78.70 | 3.62 | 75.08 |
| | 07/26/2000 | 78.70 | 3.98 | 74.72 |
| MW-5 | 12/08/1994 | 79.40 | 3.46 | 75.94 |
| | 01/09/1995 | 79.40 | 0.00 | 79.40 |
| | 02/09/1995 | 79.40 | 0.32 | 79.08 |
| | 03/09/1995 | 79.40 | 0.32 | 79.08 |
| | 05/15/1995 | 79.40 | 3.46 | 75.94 |
| | 06/10/1995 | 79.40 | 0.00 | 79.40 |
| | 07/12/1995 | 79.40 | 0.30 | 79.10 |
| | 08/15/1995 | 79.40 | 0.35 | 79.05 |
| | 09/12/1995 | 79.40 | 0.30 | 79.10 |
| | 10/20/1995 | 79.40 | 0.45 | 78.95 |
| | 12/06/1995 | 79.40 | 0.20 | 79.20 |
| | 01/23/1996 | 79.40 | 0.10 | 79.30 |
| | 02/22/1996 | 79.40 | 0.10 | 79.30 |
| | 03/19/1996 | 79.40 | 0.20 | 79.20 |
| | 07/24/1996 | 79.40 | 1.80 | 77.60 |
| | 08/21/1996 | 79.40 | 4.00 | 75.40 |
| | 09/24/1996 | 79.40 | 0.50 | 78.90 |

NM = Not Measured



TABLE A
WATER LEVEL DATA
BELLEVUE CHRYSLER PLYMOUTH

| Well Number | Date of Measurement | TOC Elevation (ft) | Depth to Water (ft) | Groundwater Elevation (ft) |
|-------------|---------------------|--------------------|---------------------|----------------------------|
| MW-5 | 10/30/1996 | 79.40 | 1.36 | 78.04 |
| | 11/22/1996 | 79.40 | 0.50 | 78.90 |
| | 12/16/1996 | 79.40 | 0.40 | 79.00 |
| | 01/21/1997 | 79.40 | 0.60 | 78.80 |
| | 02/17/1997 | 79.40 | 0.60 | 78.80 |
| | 03/25/1997 | 79.40 | 0.50 | 78.90 |
| | 06/23/1997 | 79.40 | 2.40 | 77.00 |
| | 09/25/1997 | 79.40 | 0.00 | 79.40 |
| | 03/25/1998 | 79.40 | 0.00 | 79.40 |
| | 06/24/1998 | 79.40 | 0.00 | 79.40 |
| | 09/13/1999 | 79.40 | 1.37 | 78.03 |
| | 01/28/2000 | 79.40 | 3.84 | 75.56 |
| | 04/27/2000 | 79.40 | 3.65 | 75.75 |
| | 07/26/2000 | 79.40 | 0.92 | 78.48 |
| MW-6 | 12/08/1994 | 79.50 | 1.42 | 78.08 |
| | 01/09/1995 | 79.50 | 0.00 | 79.50 |
| | 02/09/1995 | 79.50 | 0.00 | 79.50 |
| | 03/09/1995 | 79.50 | 0.00 | 79.50 |
| | 05/15/1995 | 79.50 | 1.42 | 78.08 |
| | 06/10/1995 | 79.50 | 2.32 | 77.18 |
| | 07/12/1995 | 79.50 | 0.40 | 79.10 |
| | 08/15/1995 | 79.50 | 0.30 | 79.20 |
| | 09/12/1995 | 79.50 | 0.35 | 79.15 |
| | 10/20/1995 | 79.50 | 0.20 | 79.30 |
| | 12/06/1995 | 79.50 | 0.40 | 79.10 |
| | 01/23/1996 | 79.50 | 0.05 | 79.45 |
| | 02/22/1996 | 79.50 | 0.15 | 79.35 |
| | 03/19/1996 | 79.50 | 0.20 | 79.30 |
| | 07/24/1996 | 79.50 | 1.83 | 77.67 |
| | 08/21/1996 | 79.50 | 0.50 | 79.00 |
| | 09/24/1996 | 79.50 | 0.80 | 78.70 |
| | 10/30/1996 | 79.50 | 0.35 | 79.15 |
| | 11/22/1996 | 79.50 | 0.30 | 79.20 |
| | 12/16/1996 | 79.50 | 2.33 | 77.17 |
| | 01/21/1997 | 79.50 | 0.60 | 78.90 |
| | 02/17/1997 | 79.50 | 1.70 | 77.80 |
| | 03/25/1997 | 79.50 | 0.00 | 79.50 |
| | 06/23/1997 | 79.50 | 0.50 | 79.00 |
| | 09/25/1997 | 79.50 | 0.00 | 79.50 |
| | 03/25/1998 | 79.50 | 0.00 | 79.50 |
| | 06/24/1998 | 79.50 | 0.00 | 79.50 |
| | 09/13/1999 | 79.50 | 2.82 | 76.68 |
| | 01/27/2000 | 79.50 | 2.43 | 77.07 |
| | 04/27/2000 | 79.50 | 3.71 | 75.79 |
| | 07/26/2000 | 79.50 | 0.85 | 78.65 |

NM = Not Measured



TABLE A
WATER LEVEL DATA
BELLEVUE CHRYSLER PLYMOUTH

| Well Number | Date of Measurement | TOC Elevation (ft) | Depth to Water (ft) | Groundwater Elevation (ft) |
|-------------|---------------------|--------------------|---------------------|----------------------------|
| MW-7 | 12/08/1994 | 79.60 | NM | -- |
| | 01/09/1995 | 79.60 | 0.77 | 78.83 |
| | 02/09/1995 | 79.60 | 0.69 | 78.91 |
| | 03/09/1995 | 79.60 | 0.66 | 78.94 |
| | 05/15/1995 | 79.60 | NM | -- |
| | 06/10/1995 | 79.60 | 3.16 | 76.44 |
| | 07/12/1995 | 79.60 | 3.82 | 75.78 |
| | 08/15/1995 | 79.60 | 1.75 | 77.85 |
| | 09/12/1995 | 79.60 | 1.42 | 78.18 |
| | 10/20/1995 | 79.60 | 2.56 | 77.04 |
| | 12/06/1995 | 79.60 | 2.07 | 77.53 |
| | 01/23/1996 | 79.60 | 0.30 | 79.30 |
| | 02/22/1996 | 79.60 | 0.10 | 79.50 |
| | 03/19/1996 | 79.60 | 0.10 | 79.50 |
| | 07/24/1996 | 79.60 | 2.80 | 76.80 |
| | 08/21/1996 | 79.60 | 3.32 | 76.28 |
| | 09/24/1996 | 79.60 | 0.55 | 79.05 |
| | 10/30/1996 | 79.60 | 2.00 | 77.60 |
| | 11/22/1996 | 79.60 | 3.32 | 76.28 |
| | 12/16/1996 | 79.60 | 3.02 | 76.58 |
| | 01/21/1997 | 79.60 | 2.08 | 77.52 |
| | 02/17/1997 | 79.60 | 1.06 | 78.54 |
| | 03/25/1997 | 79.60 | 1.34 | 78.26 |
| | 06/23/1997 | 79.60 | 2.50 | 77.10 |
| | 09/25/1997 | 79.60 | 0.00 | 79.60 |
| | 03/25/1998 | 79.60 | NM | -- |
| | 06/24/1998 | 79.60 | 0.40 | 79.20 |
| | 09/13/1999 | 79.60 | 2.79 | 76.81 |
| | 01/27/2000 | 79.60 | 3.66 | 75.94 |
| | 04/27/2000 | 79.60 | 2.41 | 77.19 |
| | 07/26/2000 | 79.60 | 0.60 | 79.00 |
| MW-8 | 12/06/1995 | 79.80 | 1.67 | 78.13 |
| | 01/23/1996 | 79.80 | 1.04 | 78.76 |
| | 02/22/1996 | 79.80 | 1.11 | 78.69 |
| | 03/19/1996 | 79.80 | 1.27 | 78.53 |
| | 07/24/1996 | 79.80 | 2.12 | 77.68 |
| | 08/21/1996 | 79.80 | 2.20 | 77.60 |
| | 09/24/1996 | 79.80 | 2.25 | 77.55 |
| | 10/30/1996 | 79.80 | 2.20 | 77.60 |
| | 11/22/1996 | 79.80 | 2.18 | 77.62 |
| | 12/16/1996 | 79.80 | 2.10 | 77.70 |
| | 01/21/1997 | 79.80 | 2.06 | 77.74 |
| | 02/17/1997 | 79.80 | 2.12 | 77.68 |
| | 03/25/1997 | 79.80 | 1.22 | 78.58 |
| | 06/23/1997 | 79.80 | 1.30 | 78.50 |

NM = Not Measured



TABLE A
WATER LEVEL DATA
BELLEVUE CHRYSLER PLYMOUTH

| Well Number | Date of Measurement | TOC Elevation (ft) | Depth to Water (ft) | Groundwater Elevation (ft) |
|-------------|---------------------|--------------------|---------------------|----------------------------|
| MW-8 | 09/25/1997 | 79.80 | 2.46 | 77.34 |
| | 03/25/1998 | 79.80 | 2.35 | 77.45 |
| | 06/24/1998 | 79.80 | 1.38 | 78.42 |
| | 09/14/1999 | 79.80 | 2.24 | 77.56 |
| | 01/27/2000 | 79.80 | 2.61 | 77.19 |
| | 04/28/2000 | 79.80 | 2.31 | 77.49 |
| | 07/26/2000 | 79.80 | 1.60 | 78.20 |
| MW-9 | 12/06/1995 | 79.60 | 3.60 | 76.00 |
| | 01/23/1996 | 79.60 | 2.95 | 76.65 |
| | 02/22/1996 | 79.60 | 2.91 | 76.69 |
| | 03/19/1996 | 79.60 | 3.24 | 76.36 |
| | 07/24/1996 | 79.60 | 3.74 | 75.86 |
| | 08/21/1996 | 79.60 | 4.03 | 75.57 |
| | 09/24/1996 | 79.60 | 4.20 | 75.40 |
| | 10/30/1996 | 79.60 | 3.88 | 75.72 |
| | 11/22/1996 | 79.60 | 3.54 | 76.06 |
| | 12/16/1996 | 79.60 | 3.12 | 76.48 |
| | 01/21/1997 | 79.60 | 2.52 | 77.08 |
| | 02/17/1997 | 79.60 | 2.86 | 76.74 |
| | 03/25/1997 | 79.60 | 2.66 | 76.94 |
| | 06/23/1997 | 79.60 | 2.32 | 77.28 |
| | 09/25/1997 | 79.60 | 3.69 | 75.91 |
| | 03/25/1998 | 79.60 | 3.04 | 76.56 |
| | 06/24/1998 | 79.60 | 3.53 | 76.07 |
| | 09/14/1999 | 79.60 | 3.88 | 75.72 |
| | 01/27/2000 | 79.60 | 2.79 | 76.81 |
| | 04/27/2000 | 79.60 | 2.70 | 76.90 |
| | 07/26/2000 | 79.60 | 3.36 | 76.24 |
| MW-10 | 12/06/1995 | 79.70 | 2.15 | 77.55 |
| | 01/23/1996 | 79.70 | 1.40 | 78.30 |
| | 02/22/1996 | 79.70 | 1.00 | 78.70 |
| | 03/19/1996 | 79.70 | 1.00 | 78.70 |
| | 07/24/1996 | 79.70 | 2.26 | 77.44 |
| | 08/21/1996 | 79.70 | 2.30 | 77.40 |
| | 09/24/1996 | 79.70 | 2.31 | 77.39 |
| | 10/30/1996 | 79.70 | 2.28 | 77.42 |
| | 11/22/1996 | 79.70 | 1.50 | 78.20 |
| | 12/16/1996 | 79.70 | 2.20 | 77.50 |
| | 01/21/1997 | 79.70 | 2.18 | 77.52 |
| | 02/17/1997 | 79.70 | 0.86 | 78.84 |
| | 03/25/1997 | 79.70 | 0.75 | 78.95 |
| | 06/23/1997 | 79.70 | 2.23 | 77.47 |
| | 09/25/1997 | 79.70 | 2.23 | 77.47 |
| | 03/25/1998 | 79.70 | 1.93 | 77.77 |
| | 06/24/1998 | 79.70 | 2.58 | 77.12 |

NM = Not Measured



TABLE A
WATER LEVEL DATA
BELLEVUE CHRYSLER PLYMOUTH

| Well Number | Date of Measurement | TOC Elevation (ft) | Depth to Water (ft) | Groundwater Elevation (ft) |
|-------------|---------------------|--------------------|---------------------|----------------------------|
| MW-10 | 09/13/1999 | 79.70 | 1.46 | 78.24 |
| | 01/27/2000 | 79.70 | 2.08 | 77.62 |
| | 04/27/2000 | 79.70 | 1.79 | 77.91 |
| | 07/26/2000 | 79.70 | 1.13 | 78.57 |
| MW-11 | 12/06/1995 | 92.10 | 11.03 | 81.07 |
| | 01/23/1996 | 92.10 | 10.09 | 82.01 |
| | 02/22/1996 | 92.10 | 9.59 | 82.51 |
| | 03/19/1996 | 92.10 | 9.80 | 82.30 |
| | 07/24/1996 | 92.10 | 11.15 | 80.95 |
| | 08/21/1996 | 92.10 | 11.58 | 80.52 |
| | 09/24/1996 | 92.10 | 11.96 | 80.14 |
| | 10/30/1996 | 92.10 | 11.57 | 80.53 |
| | 11/22/1996 | 92.10 | 11.11 | 80.99 |
| | 12/16/1996 | 92.10 | 10.30 | 81.80 |
| | 01/21/1997 | 92.10 | 9.60 | 82.50 |
| | 02/17/1997 | 92.10 | 9.84 | 82.26 |
| | 03/25/1997 | 92.10 | 9.70 | 82.40 |
| | 06/23/1997 | 92.10 | 10.39 | 81.71 |
| | 09/25/1997 | 92.10 | 10.88 | 81.22 |
| | 03/25/1998 | 92.10 | 9.86 | 82.24 |
| | 06/24/1998 | 92.10 | 10.81 | 81.29 |
| | 09/13/1999 | 92.10 | 11.82 | 80.28 |
| | 01/27/2000 | 92.10 | 10.61 | 81.49 |
| | 04/27/2000 | 92.10 | 10.53 | 81.57 |
| | 07/26/2000 | 92.10 | 11.32 | 80.78 |
| MW-12 | 07/24/1996 | 127.60 | 5.30 | 122.30 |
| | 08/21/1996 | 127.60 | 5.54 | 122.06 |
| | 09/24/1996 | 127.60 | 5.59 | 122.01 |
| | 10/30/1996 | 127.60 | 5.25 | 122.35 |
| | 11/22/1996 | 127.60 | 5.05 | 122.55 |
| | 12/16/1996 | 127.60 | 4.80 | 122.80 |
| | 01/21/1997 | 127.60 | 3.55 | 124.05 |
| | 02/17/1997 | 127.60 | 4.42 | 123.18 |
| | 03/25/1997 | 127.60 | 3.38 | 124.22 |
| | 06/23/1997 | 127.60 | 10.39 | 117.21 |
| | 09/25/1997 | 127.60 | 4.75 | 122.85 |
| | 03/25/1998 | 127.60 | 4.61 | 122.99 |
| | 06/24/1998 | 127.60 | 5.62 | 121.98 |
| MW-13 | 07/24/1996 | 128.90 | DRY | -- |
| | 08/21/1996 | 128.90 | DRY | -- |
| | 09/24/1996 | 128.90 | DRY | -- |
| | 10/30/1996 | 128.90 | DRY | -- |
| | 11/22/1996 | 128.90 | DRY | -- |
| | 12/16/1996 | 128.90 | DRY | -- |
| | 01/21/1997 | 128.90 | 12.72 | 116.18 |

NM = Not Measured



TABLE A
WATER LEVEL DATA
BELLEVUE CHRYSLER PLYMOUTH

| Well Number | Date of Measurement | TOC Elevation (ft) | Depth to Water (ft) | Groundwater Elevation (ft) |
|-------------|---------------------|--------------------|---------------------|----------------------------|
| MW-13 | 02/17/1997 | 128.90 | DRY | -- |
| | 03/25/1997 | 128.90 | 13.50 | 115.40 |
| | 06/23/1997 | 128.90 | DRY | -- |
| | 09/25/1997 | 128.90 | DRY | -- |
| | 03/25/1998 | 128.90 | DRY | -- |
| | 06/24/1998 | 128.90 | DRY | -- |
| MW-14 | 07/24/1996 | 80.90 | 9.09 | 71.81 |
| | 08/21/1996 | 80.90 | 6.45 | 74.45 |
| | 09/24/1996 | 80.90 | 6.74 | 74.16 |
| | 10/30/1996 | 80.90 | 5.95 | 74.95 |
| | 11/22/1996 | 80.90 | 5.32 | 75.58 |
| | 12/16/1996 | 80.90 | 8.20 | 72.70 |
| | 01/21/1997 | 80.90 | 4.16 | 76.74 |
| | 02/17/1997 | 80.90 | 5.08 | 75.82 |
| | 03/25/1997 | 80.90 | 4.48 | 76.42 |
| | 06/23/1997 | 80.90 | 5.64 | 75.26 |
| | 09/25/1997 | 80.90 | 6.26 | 74.64 |
| | 03/25/1998 | 80.90 | 5.06 | 75.84 |
| | 06/24/1998 | 80.90 | 5.99 | 74.91 |
| | 07/26/2000 | 80.90 | 6.42 | 74.48 |
| MW-15 | 07/24/1996 | 79.30 | 5.73 | 73.57 |
| | 08/21/1996 | 79.30 | 6.06 | 73.24 |
| | 09/24/1996 | 79.30 | 6.03 | 73.27 |
| | 10/30/1996 | 79.30 | 5.50 | 73.80 |
| | 11/22/1996 | 79.30 | 4.96 | 74.34 |
| | 12/16/1996 | 79.30 | 4.86 | 74.44 |
| | 01/21/1997 | 79.30 | 3.92 | 75.38 |
| | 02/17/1997 | 79.30 | 4.80 | 74.50 |
| | 03/25/1997 | 79.30 | 4.30 | 75.00 |
| | 06/23/1997 | 79.30 | 5.33 | 73.97 |
| | 09/25/1997 | 79.30 | 5.88 | 73.42 |
| | 03/25/1998 | 79.30 | 4.83 | 74.47 |
| | 06/24/1998 | 79.30 | 5.68 | 73.62 |
| | 09/14/1999 | 79.30 | 6.48 | 72.82 |
| | 01/28/2000 | 79.30 | 4.56 | 74.74 |
| | 04/27/2000 | 79.30 | 3.50 | 75.80 |
| | 07/26/2000 | 79.30 | 5.98 | 73.32 |

Notes: 1) Casing elevations for monitoring wells MW-2 through MW-7 established from a topographic site survey conducted by Gary Van Ness, PLS.

2) Casing elevations for monitoring wells MW-1, and MW-8 through MW-15 established from a topographic survey conducted by NGI.

3) Groundwater elevations measured with a Solinst water level indicator.



TABLE B
GROUNDWATER INDICATOR HAZARDOUS SUBSTANCES
(ug/L [ppb])
BELLEVUE CHRYSLER PLYMOUTH

| Sample Location | Sample Collection Date | Analytical Method | Benzene | 1,1-Dichloroethane | 1,2-Dichloroethane | Cis-1,2-Dichloroethene | 1,2-Dichlorobenzene | 1,2-Dichloropropane | 1,4-Dichlorobenzene |
|-----------------|------------------------|-------------------|---------|--------------------|--------------------|------------------------|---------------------|---------------------|---------------------|
| | | | 5.0 | 800 | 5.0 | 80 | 720 | 0.643 | 1.82 |
| MW-2 | 12/20/1993 | WTPH-418.1 | - | - | - | - | - | - | - |
| | 06/10/1995 | WTPH-418.1 | - | - | - | - | - | - | - |
| | 06/10/1995 | 8240 | 2.0 | U | 2.0 | U | 2.0 | U | 2.0 |
| | 09/12/1995 | WTPH-418.1 | - | - | - | - | - | - | - |
| | 09/12/1995 | 601/602 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 12/06/1995 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 12/06/1995 | 601/602 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 03/20/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/20/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 06/23/1997 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 06/24/1998 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 09/15/1999 | 8260B | 1.0 | U | 1.0 | U | 1.0 | U | 1.0 |
| | 01/27/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 04/27/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 07/26/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| MW-4 | 09/12/1995 | WTPH-418.1 | - | - | - | - | - | - | - |
| | 09/12/1995 | 601/602 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 12/06/1995 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 12/06/1995 | 601/602 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 03/20/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/20/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 06/23/1997 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 06/24/1998 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 09/15/1999 | 8260B | 1.0 | U | 1.0 | U | 1.0 | U | 1.0 |
| | 01/28/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 04/27/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 07/26/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| MW-5 | 12/21/1993 | TPH-418.1 | - | - | - | - | - | - | - |

* Method B Cleanup Levels are established using Method B Formula Values or Method A Table Cleanup Levels

U = Constituent Undetected at Detection Limit Shown

- = Analyte not Included in Analytical Series



Northwest Geotech, Inc.

TABLE B-1

TABLE B
GROUNDWATER INDICATOR HAZARDOUS SUBSTANCES
($\mu\text{g/L}$ [ppb])
BELLEVUE CHRYSLER PLYMOUTH

| Sample Location | Sample Collection Date | Analytical Method | Benzene | 1,1-Dichloroethane | 1,2-Dichloroethane | Cis-1,2-Dichloroethene | 1,2-Dichlorobenzene | 1,2-Dichloropropane | 1,4-Dichlorobenzene |
|-----------------|------------------------|-------------------|---------|--------------------|--------------------|------------------------|---------------------|---------------------|---------------------|
| | | | 5.0 | 800 | 5.0 | 80 | 720 | 0.643 | 1.82 |
| MW-5 | 03/16/1995 | TPH-418.1 | - | - | - | - | - | - | - |
| | 03/16/1995 | 624/625 | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 2.0 U | 0.5 U | 2.0 U |
| | 06/10/1995 | WTPH-418.1 | - | - | - | - | - | - | - |
| DUPLICATE | 06/10/1995 | WTPH-418.1 | - | - | - | - | - | - | - |
| | 06/10/1995 | 8240 | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U |
| DUPLICATE | 06/10/1995 | 8240 | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U |
| | 09/12/1995 | WTPH-418.1 | - | - | - | - | - | - | - |
| | 09/12/1995 | 601/602 | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 1.1 | 0.5 U | 0.5 U |
| | 12/06/1995 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 12/06/1995 | 601/602 | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| | 03/20/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/20/1996 | 8010/8020 | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 1.0 | 0.5 U | 0.5 U |
| | 03/20/1996 | 8270 | - | - | - | - | 5.0 U | - | 5.0 U |
| | 06/26/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/26/1996 | 8010/8020 | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| | 06/23/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/23/1997 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 2.0 U | 0.5 U |
| | 06/24/1998 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/24/1998 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 1.78 | 0.5 U | 0.5 U |
| | 09/15/1999 | 8260B | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U |
| | 01/27/2000 | 8260B | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| | 04/27/2000 | 8260B | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| | 07/26/2000 | 8260B | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| MW-6 | 12/21/1993 | TPH-418.1 | - | - | - | - | - | - | - |
| | 03/16/1995 | TPH-418.1 | - | - | - | - | - | - | - |
| | 03/16/1995 | 624/625 | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 2.0 U | 0.5 U | 2.0 U |
| | 06/10/1995 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/10/1995 | 8240 | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U | 2.0 U |

* Method B Cleanup Levels are established using Method B Formula Values or Method A Table Cleanup Levels

U = Constituent Undetected at Detection Limit Shown

- = Analyte not Included in Analytical Series



Northwest Geotech, Inc.

TABLE B
GROUNDWATER INDICATOR HAZARDOUS SUBSTANCES
(ug/L [ppb])
BELLEVUE CHRYSLER PLYMOUTH

| Sample Location | Sample Collection Date | Analytical Method | Benzene | 1,1-Dichloroethane | 1,2-Dichloroethane | Cis-1,2-Dichloroethene | 1,2-Dichlorobenzene | 1,2-Dichloropropane | 1,4-Dichlorobenzene | |
|-----------------|------------------------|-------------------|---------|--------------------|--------------------|------------------------|---------------------|---------------------|---------------------|---|
| | | | 5.0 | 800 | 5.0 | 80 | 720 | 0.643 | 1.82 | |
| DUPLICATE | 12/06/1995 | WTPH-418.1M | - | - | - | - | - | - | - | |
| DUPLICATE | 12/06/1995 | 601/602 | 2.2 | 0.5 | U | 0.5 | U | 0.5 | U | |
| MW-7 | 03/20/1996 | WTPH-418.1M | - | - | - | - | - | - | - | |
| | 03/20/1996 | 8010/8020 | 1.4 | 0.5 | U | 0.5 | U | 0.5 | U | |
| | 03/20/1996 | 8270 | - | - | - | - | - | - | - | |
| DUPLICATE | 03/20/1996 | WTPH-418.1M | - | - | - | - | - | - | - | |
| DUPLICATE | 03/20/1996 | 8010/8020 | 2.2 | 0.5 | U | 0.5 | U | 0.5 | U | |
| | 03/20/1996 | 8270 | - | - | - | - | - | - | - | |
| | 06/26/1996 | WTPH-418.1M | - | - | - | - | - | - | - | |
| | 06/26/1996 | 8010/8020 | 1.2 | 0.5 | U | 0.5 | U | 0.5 | U | |
| | 06/23/1997 | WTPH-418.1M | - | - | - | - | - | - | - | |
| | 06/23/1997 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 06/24/1998 | WTPH-418.1M | - | - | - | - | - | - | - | |
| | 06/24/1998 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 09/15/1999 | 8260B | 1.0 | U | 1.0 | U | 1.0 | U | 1.0 | U |
| | 01/27/2000 | 8260B | 0.55 | 0.5 | U | 0.5 | U | 0.94 | 0.5 | U |
| | 04/27/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 07/26/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| MW-8 | 12/06/1995 | WTPH-418.1M | - | - | - | - | - | - | - | |
| | 12/06/1995 | 601/602 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 03/20/1996 | WTPH-418.1M | - | - | - | - | - | - | - | |
| | 03/20/1996 | 8010/8020 | 38.0 | 0.5 | U | 0.5 | U | 0.5 | U | |
| | 04/18/1996 | 8020 | 22.0 | - | - | - | - | - | - | |
| | 06/26/1996 | WTPH-418.1M | - | - | - | - | - | - | - | |
| | 06/26/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| DUPLICATE | 06/26/1996 | WTPH-418.1M | - | - | - | - | - | - | - | |
| DUPLICATE | 06/26/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 09/24/1996 | WTPH-418.1M | - | - | - | - | - | - | - | |

* Method B Cleanup Levels are established using Method B Formula Values or Method A Table Cleanup Levels

U = Constituent Undetected at Detection Limit Shown

- = Analyte not included in Analytical Series



Northwest Geotech, Inc.

TABLE B-4

TABLE B
GROUNDWATER INDICATOR HAZARDOUS SUBSTANCES
 $(\mu\text{g/L [ppb]})$
BELLEVUE CHRYSLER PLYMOUTH

| Sample Location | Sample Collection Date | Analytical Method | Benzene | 1,1-Dichloroethane | 1,2-Dichloroethane | Cis-1,2-Dichloroethene | 1,2-Dichlorobenzene | 1,2-Dichloropropane | 1,4-Dichlorobenzene | |
|-----------------|------------------------|-------------------|---------|--------------------|--------------------|------------------------|---------------------|---------------------|---------------------|---|
| | | | 5.0 | 800 | 5.0 | 80 | 720 | 0.643 | 1.82 | |
| MW-8 | 09/24/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| DUPLICATE | 09/24/1996 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| DUPLICATE | 09/24/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 12/17/1996 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| | 12/17/1996 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| DUPLICATE | 12/17/1996 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| DUPLICATE | 12/17/1996 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 03/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| | 03/25/1997 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 06/23/1997 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| | 06/23/1997 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 09/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| | 09/25/1997 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 03/25/1998 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| | 03/25/1998 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 06/24/1998 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| | 06/24/1998 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 09/15/1999 | 8260B | 1.0 | U | 1.0 | U | 1.0 | U | 1.0 | U |
| | 01/27/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 04/27/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| | 07/26/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 | U |
| MW-9 | 12/06/1995 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| | 12/06/1995 | 601/602 | 1.6 | - | 0.5 | U | 0.5 | U | 0.5 | U |
| | 03/20/1996 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| | 03/20/1996 | 8010/8020 | 2.2 | - | 0.82 | U | 13.0 | - | 0.5 | U |
| | 06/26/1996 | WTPH-418.1M | - | - | - | - | - | - | - | - |
| | 06/26/1996 | 8010/8020 | 2.3 | - | 0.5 | U | 12.0 | - | 0.5 | U |
| | 09/24/1996 | WTPH-418.1M | - | - | - | - | - | - | - | - |

* Method B Cleanup Levels are established using Method B Formula Values or Method A Table Cleanup Levels

U = Constituent Undetected at Detection Limit Shown

- = Analyte not Included in Analytical Series



Northwest Geotech, Inc.

TABLE B-5

TABLE B
GROUNDWATER INDICATOR HAZARDOUS SUBSTANCES
(ug/L [ppb])
BELLEVUE CHRYSLER PLYMOUTH

| Sample Location | Sample Collection Date | Analytical Method | Benzene | 1,1-Dichloroethane | 1,2-Dichloroethane | Cis-1,2-Dichloroethene | 1,2-Dichlorobenzene | 1,2-Dichloropropane | 1,4-Dichlorobenzene |
|-----------------|------------------------|-------------------|---------|--------------------|--------------------|------------------------|---------------------|---------------------|---------------------|
| | | | 5.0 | 800 | 5.0 | 80 | 720 | 0.643 | 1.82 |
| MW-9 | 09/24/1996 | 8010/8020 | 0.5 U | 0.60 | - | 0.5 U | 3.8 | 0.5 U | 0.5 U |
| | 12/17/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 12/17/1996 | 8021A | 0.5 U | 0.51 | - | 0.5 U | 4.07 | 0.5 U | 0.5 U |
| | 03/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/25/1997 | 8021A | 4.20 | 1.87 | 1.22 | 18.10 | 0.5 U | 0.5 U | 0.5 U |
| DUPLICATE | 03/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| DUPLICATE | 03/25/1997 | 8021A | 3.66 | 1.76 | 1.39 | 17.80 | 0.5 U | 0.5 U | 0.5 U |
| | 06/23/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/23/1997 | 8021A | 3.60 | 0.5 U | 0.5 U | 14.10 | 0.5 U | 2.0 U | 0.5 U |
| DUPLICATE | 06/23/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| DUPLICATE | 06/23/1997 | 8021A | 3.50 | 0.5 U | 0.5 U | 0.50 U | 0.5 U | 2.0 U | 0.5 U |
| | 09/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 09/25/1997 | 8021A | 1.81 | 0.5 U | 0.5 U | 10.00 | 0.5 U | 0.5 U | 0.5 U |
| DUPLICATE | 09/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| DUPLICATE | 09/25/1997 | 8021A | 2.41 | 0.5 U | 0.5 U | 11.60 | 0.5 U | 0.5 U | 0.5 U |
| | 03/25/1998 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/25/1998 | 8021A | 2.87 | 0.710 U | 1.32 U | 13.5 | 0.5 U | 0.5 U | 0.5 U |
| DUPLICATE | 03/25/1998 | WTPH-418.1M | - | - | - | - | - | - | - |
| DUPLICATE | 03/25/1998 | 8021A | 3.19 | 0.748 U | 1.30 U | 13.2 | 0.5 U | 0.5 U | 0.5 U |
| | 06/24/1998 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/24/1998 | 8021A | 2.46 | 2.00 | 0.70 | 17.3 | 0.68 | 1.04 | 0.5 U |
| | 09/15/1999 | 8260B | 2.71 | 1.40 | 1.00 U | 11.8 | 1.00 U | 1.0 U | 1.0 U |
| | 01/27/2000 | 8260B | 3.06 | 2.15 | 0.67 | 11.8 | 0.5 U | 0.5 U | 0.5 U |
| | 04/27/2000 | 8260B | 4.26 | 2.32 | 0.56 | 11.0 | 0.5 U | 0.5 U | 0.5 U |
| | 07/26/2000 | 8260B | 4.43 | 2.04 | 0.5 U | 11.1 | 0.5 U | 0.5 U | 0.5 U |
| MW-10 | 12/06/1995 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 12/06/1995 | 601/602 | 0.5 U | 0.5 U | 0.5 U | 2.3 | 0.5 U | 0.5 U | 0.5 U |
| | 03/20/1996 | WTPH-418.1M | - | - | - | - | - | - | - |

* Method B Cleanup Levels are established using Method B Formula Values or Method A Table Cleanup Levels

U = Constituent Undetected at Detection Limit Shown

- = Analyte not included in Analytical Series



Northwest Geotech, Inc.

TABLE B-6

TABLE B
GROUNDWATER INDICATOR HAZARDOUS SUBSTANCES
 (ug/L [ppb])
BELLEVUE CHRYSLER PLYMOUTH

| Sample Location | Sample Collection Date | Analytical Method | Benzene | 1,1-Dichloroethane | 1,2-Dichloroethane | Cis-1,2-Dichloroethene | 1,2-Dichlorobenzene | 1,2-Dichloropropane | 1,4-Dichlorobenzene |
|-----------------|------------------------|-------------------|---------|--------------------|--------------------|------------------------|---------------------|---------------------|---------------------|
| | | | 5.0 | 800 | 5.0 | 80 | 720 | 0.643 | 1.82 |
| MW-10 | 03/20/1996 | 8010/8020 | 1.2 | 1.2 | 0.5 U | 3.2 | 0.5 U | 0.5 U | 0.5 U |
| | 06/26/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/26/1996 | 8010/8020 | 1.8 | 1.5 | 0.5 U | 5.2 | 0.5 U | 0.5 U | 0.5 U |
| | 09/24/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 09/24/1996 | 8010/8020 | 0.99 | 1.0 | 0.5 U | 3.0 | 0.5 U | 0.5 U | 0.5 U |
| | 12/17/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 12/17/1996 | 8021A | 1.28 | 1.21 | 0.5 U | 1.24 | 0.5 U | 0.5 U | 0.5 U |
| | 03/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/25/1997 | 8021A | 1.81 | 4.45 | 0.5 U | 7.11 | 0.5 U | 0.5 U | 0.5 U |
| | 06/23/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/23/1997 | 8021A | 2.00 | 4.70 | 0.5 U | 8.20 | 0.5 U | 0.5 U | 0.5 U |
| | 09/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 09/25/1997 | 8021A | 2.10 | 0.5 U | 0.5 U | 5.20 | 0.5 U | 0.5 U | 0.5 U |
| | 03/25/1998 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/25/1998 | 8021A | 3.37 | 1.89 | U | 8.82 | 2.12 U | 0.5 U | 0.5 U |
| | 06/24/1998 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/24/1998 | 8021A | 5.72 | 4.85 | 0.5 U | 12.8 | 1.95 | 0.5 U | 0.5 U |
| DUPLICATE | 06/24/1998 | 8021A | 6.08 | 5.09 | 0.5 U | 13.5 | 2.17 | 0.5 U | 0.5 U |
| | 09/15/1999 | 8260B | 1.25 | 1.38 | 1.0 U | 4.02 | 1.0 U | 1.0 U | 1.0 U |
| DUPLICATE | 09/15/1999 | 8260B | 1.20 | 1.45 | 1.0 U | 3.98 | 1.0 U | 1.0 U | 1.0 U |
| | 01/27/2000 | 8260B | 2.43 | 1.97 | 0.5 U | 5.21 | 0.82 | 0.5 U | 0.5 U |
| DUPLICATE | 01/27/2000 | 8260B | 2.36 | 2.07 | 0.5 U | 5.57 | 0.80 | 0.5 U | 0.5 U |
| | 04/27/2000 | 8260B | 3.91 | 1.93 | 0.5 U | 5.38 | 1.13 | 0.5 U | 0.5 U |
| DUPLICATE | 04/27/2000 | 8260B | 3.61 | 1.92 | 0.5 U | 5.41 | 1.02 | 0.5 U | 0.5 U |
| | 07/26/2000 | 8260B | 3.75 | 1.99 | 0.5 U | 5.92 | 1.06 | 0.5 U | 0.5 U |
| DUPLICATE | 07/26/2000 | 8260B | 3.72 | 1.98 | 0.5 U | 6.01 | 0.99 | 0.5 U | 0.5 U |
| MW-11 | 12/06/1995 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 12/06/1995 | 601/602 | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |

* Method B Cleanup Levels are established using Method B Formula Values or Method A Table Cleanup Levels

U = Constituent Undetected at Detection Limit Shown

- = Analyte not included in Analytical Series



Northwest Geotech, Inc.

TABLE B-7

TABLE B
GROUNDWATER INDICATOR HAZARDOUS SUBSTANCES
 (ug/L [ppb])
BELLEVUE CHRYSLER PLYMOUTH

| Sample Location | Sample Collection Date | Analytical Method | Benzene | 1,1-Dichloroethane | 1,2-Dichloroethane | Cis-1,2-Dichloroethene | 1,2-Dichlorobenzene | 1,2-Dichloropropane | 1,4-Dichlorobenzene |
|-----------------|------------------------|-------------------|---------|--------------------|--------------------|------------------------|---------------------|---------------------|---------------------|
| | | | 5.0 | 800 | 5.0 | 80 | 720 | 0.643 | 1.82 |
| MW-11 | 03/20/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/20/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 06/26/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/26/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 09/24/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 09/24/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 12/17/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 12/17/1996 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 03/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/25/1997 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 06/23/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 06/23/1997 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 09/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 09/25/1997 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 03/25/1998 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 03/25/1998 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 06/24/1998 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 09/15/1999 | 8260B | 1.0 | U | 1.0 | U | 1.0 | U | 1.0 |
| | 01/27/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 04/27/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 07/26/2000 | 8260B | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| MW-15 | 05/22/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 05/22/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 09/24/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 09/24/1996 | 8010/8020 | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 12/17/1996 | WTPH-418.1M | - | - | - | - | - | - | - |
| | 12/17/1996 | 8021A | 0.5 | U | 0.5 | U | 0.5 | U | 0.5 |
| | 03/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |

* Method B Cleanup Levels are established using Method B Formula Values or Method A Table Cleanup Levels

U = Constituent Undetected at Detection Limit Shown

- = Analyte not included in Analytical Series



Northwest Geotech, Inc.

TABLE B-8

TABLE B
GROUNDWATER INDICATOR HAZARDOUS SUBSTANCES
($\mu\text{g/L}$ [ppb])
BELLEVUE CHRYSLER PLYMOUTH

| Sample Location | Sample Collection Date | Analytical Method | Benzene | 1,1-Dichloroethane | 1,2-Dichloroethane | Cis-1,2-Dichloroethene | 1,2-Dichlorobenzene | 1,2-Dichloropropane | 1,4-Dichlorobenzene |
|-----------------|------------------------|-------------------|---------|--------------------|--------------------|------------------------|---------------------|---------------------|---------------------|
| | | | 5.0 | 800 | 5.0 | 80 | 720 | 0.643 | 1.82 |
| MW-15 | MTCA Cleanup Level | | | | | | | | |
| MW-15 | 03/25/1997 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| MW-15 | 06/23/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| MW-15 | 06/23/1997 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 2.0 U | 0.5 U |
| MW-15 | 09/25/1997 | WTPH-418.1M | - | - | - | - | - | - | - |
| MW-15 | 09/25/1997 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| MW-15 | 03/25/1998 | WTPH-418.1M | - | - | - | - | - | - | - |
| MW-15 | 03/25/1998 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| MW-15 | 06/24/1998 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| MW-15 | 09/15/1999 | 8260B | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U |
| MW-15 | 01/28/2000 | 8260B | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| MW-15 | 04/27/2000 | 8260B | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| MW-15 | 07/26/2000 | 8260B | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| TRIPBLANK | 06/10/1995 | 8020 | 0.5 U | - | - | - | - | - | - |
| TRIPBLANK | 03/20/1996 | 8020 | 0.5 U | - | - | - | - | - | - |
| TRIPBLANK | 06/26/1996 | 8020 | 0.5 U | - | - | - | - | - | - |
| TRIPBLANK | 09/24/1996 | 8020 | 0.5 U | - | - | - | - | - | - |
| TRIPBLANK | 12/17/1996 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| TRIPBLANK | 03/25/1997 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| TRIPBLANK | 06/23/1997 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 2.0 U | 0.5 U |
| TRIPBLANK | 09/25/1997 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| TRIPBLANK | 03/25/1998 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| TRIPBLANK | 06/24/1998 | 8021A | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| TRIPBLANK | 09/15/1999 | 8021B | 0.5 U | - | - | - | - | - | - |
| TRIPBLANK | 01/28/2000 | 8260B | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| TRIPBLANK | 04/27/2000 | 8260B | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| TRIPBLANK | 07/26/2000 | 8260B | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |

* Method B Cleanup Levels are established using Method B Formula Values or Method A Table Cleanup Levels

U = Constituent Undetected at Detection Limit Shown

- = Analyte not included in Analytical Series



Northwest Geotech, Inc.

TABLE B-9