

June 7, 2019

Whitney's Chevrolet, Inc.  
c/o Mr. Clark Davis  
Davis Law Office, PLLC  
7525 Pioneer Way, Suite 101  
Gig Harbor, Washington 98335

Re: Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018  
Whitney's Chevrolet, Inc.  
Agreed Order No. DE 11121  
123 West Pioneer Avenue  
Montesano, Washington

EPI Project Number: 51201.19

Dear Mr. Davis:

Environmental Partners, Inc. (EPI) is pleased to present this Quarterly Groundwater Monitoring Report for December 2018 for the Whitney's Chevrolet, Inc. Site in Montesano, Washington (the Site). The location of the Whitney's Chevrolet facility at 123 West Pioneer Avenue is indicated on Figure 1. The Site details are shown on Figure 2.

The following four properties are either fully or partially encompassed by the Site:

- Whitney's Chevrolet;
- Umpqua Bank;
- Charlie's Bar/Veterans of Foreign Wars (VFW) Post #2455; and
- Tony's Short Stop.

In addition, the Site includes portions of the City of Montesano rights-of-way for West Pioneer Avenue, South First Street, and South Main Street.

The quarterly groundwater monitoring and sampling were conducted in accordance with the *Groundwater Compliance Monitoring Plan*, dated May 3, 2013 (GCMP). The GCMP was approved by the Washington State Department of Ecology (Ecology) and has been incorporated into Agreed Order DE 11121, dated March 30, 2015 (the Order). In accordance with the GCMP, a total of 11 monitoring wells were scheduled for sampling during this event.

## **GROUNDWATER MONITORING AND SAMPLING PROCEDURES**

The air sparging/soil vapor extraction (AS/SVE) remediation system at the Site was shut down on December 4, 2018 prior to the sampling event to allow for stabilization of the groundwater surface to natural conditions. On December 5 and December 7, 2018, EPI personnel measured groundwater levels in 28 monitoring wells. Eleven groundwater samples plus one duplicate quality control sample were collected and submitted to Libby Environmental Inc. for chemical analysis, as described below.

### **Groundwater Measurements**

Prior to groundwater sampling, a hydrocarbon interface probe was used to assess the potential presence of light non-aqueous phase liquid (LNAPL) in each of the monitoring wells and, if present, to measure the thickness of accumulated LNAPL. Groundwater samples were not collected from monitoring wells that contained measurable LNAPL or an observable sheen. The depth to water was measured to the nearest 0.01 foot in each monitoring well relative to the northernmost point on the well casing. This measurement was subtracted from the surveyed elevation to establish a piezometric elevation for the water table. Water levels were measured in 25 wells on December 5, 2018 and in 3 wells (KBMW-9, KBMW-10, and TSSMW-9) on December 7, 2018. Neither measurable LNAPL nor a hydrocarbon sheen were identified in Site monitoring wells during this event.

The piezometric elevation data indicate that groundwater migrates toward the southeast with an average hydraulic gradient of approximately 0.011 foot/foot, as measured between monitoring wells WCMW-9 and KBMW-12. These piezometric conditions are consistent with previous findings at the Site. A summary of groundwater elevation data for the Site is included in Table 1. A site representation with groundwater elevations and piezometric contours measured is included as Figure 3.

### **Groundwater Sampling and Analyses**

Immediately prior to sample collection, each well was either purged until field measurements of pH, temperature, and conductivity stabilized to within 10 percent of the prior measurement or until three wetted casing volumes had been removed, whichever occurred first. Purging was performed using a peristaltic pump and dedicated tubing. Purge water was stored on-Site in properly labeled 55-gallon drums pending permitted disposal.

Wells were sampled using the same tubing and peristaltic pump used for purging. Sampling was conducted using low-flow sampling techniques to minimize sample volatilization and silt uptake. The groundwater samples were collected at a flow rate of less than 100 milliliters/minute and pumped directly into appropriate pre-labeled sample containers supplied by the laboratory.

All groundwater samples were submitted for the following analyses:

- Gasoline-range petroleum hydrocarbons (GRPH) using the Northwest Total Petroleum Hydrocarbons as Gasoline (NWTPH-Gx) Method; and

- Volatile organic compounds (VOCs) including the aromatic fuel hydrocarbons benzene, toluene, ethylbenzene, and total xylenes (BTEX), naphthalene, and tetrachloroethene (PCE) using U.S. Environmental Protection Agency (EPA) Method 8260C.

Immediately upon collection, each sample container was appropriately labeled and placed in an iced cooler pending submittal to the analytical laboratory. All samples were transported under standard Chain-of-Custody protocols to Libby Environmental, Inc., in Olympia, Washington.

## GROUNDWATER SAMPLE ANALYTICAL RESULTS

Laboratory-reported chemical analytical data are presented in Table 2 and summarized on Figure 4. Final laboratory analytical reports are included as Attachment A.

For the purposes of this report, it is assumed that GRPH, benzene, and PCE in groundwater are the primary chemicals of concern (COCs) for monitoring, and these chemicals serve as indicator hazardous substances for the dissolved-phase plume. Isoconcentration contours for GRPH, benzene, and PCE are depicted on Figures 5, 6, and 7 respectively.

GRPH was identified in samples collected from 5 of the 11 monitoring wells sampled during this event. Reported concentrations of GRPH ranged from 500 micrograms per liter ( $\mu\text{g/L}$ ) in the groundwater sample collected from monitoring well KBMW-7 to 16,000  $\mu\text{g/L}$  in the sample collected from monitoring well WCMW-2. GRPH isoconcentration contours for the December 2018 sampling event are presented on Figure 5.

Benzene was identified in samples collected from 3 of the 11 monitoring wells sampled during this event. Reported concentrations of benzene ranged from 1.2  $\mu\text{g/L}$  in the sample collected from monitoring well KBMW-7 to 12  $\mu\text{g/L}$  in the sample collected from monitoring well WCMW-3. Benzene was not identified in the groundwater sample collected from monitoring well TSSMW-9. This finding continues to support a conclusion that benzene impacts originating from releases on the Whitney's Chevrolet, Inc. Site decrease to less than the MTCA Method A Groundwater Cleanup Level of 5  $\mu\text{g/L}$  upgradient of the Tony's Short Stop property. Benzene isoconcentration contours for the December 2018 sampling event are presented on Figure 6.

The GRPH and benzene data presented herein directly contradict prior representations to Ecology by the potentially liable persons (PLPs) for the Tony's Short Stop site that GRPH and benzene impacts previously observed at KBMW-12, immediately adjacent to, downgradient of, the former remedial excavation on the Tony's Short Stop property, are the result of impacts from the Whitney's Chevrolet, Inc. Site.

PCE was identified in samples collected from 3 of the 11 monitoring wells sampled during this event. Reported concentrations of PCE ranged from 12  $\mu\text{g/L}$  in the groundwater sample collected from monitoring well WCMW-4 to 66  $\mu\text{g/L}$  in the sample collected from monitoring well WCMW-3. PCE isoconcentration contours for the December 2018 sampling event are presented on Figure 7.

The next groundwater monitoring event is scheduled for February 2019. A total of 15 wells associated with the Whitney's Chevrolet, Inc. Site and 2 wells associated with the Tony's Short Stop property are scheduled for monitoring and sampling during the February 2019 monitoring event.

## REMEDIATION SYSTEM OPERATION

The AS/SVE system was installed and tested between October 2016 and March 2017 and started up on March 27, 2017 for continuous operation. Details of the AS/SVE system installation and startup were provided in the *Remedial Action System As-Built and Startup Report (As-Built Report)*, which was published on October 6, 2017. The As-Built Report was provided to Ecology for review and was approved by Mr. Marv Coleman.

The AS/SVE system at the Site is designed for remediation of the shallow aquifer. Extracted vapors were previously treated through granular activated carbon (GAC) to remove COCs prior to atmospheric discharge. The atmospheric point source discharge of the AS/SVE system is regulated under an Olympic Region Clean Air Agency (ORCAA) Notice of Construction permit. In February 2018, EPI requested and was granted approval from ORCAA to remove the vapor controls for system vapors based on a demonstration that the discharged concentrations were below the threshold that requires treatment. EPI will continue to monitor vapor concentrations at the point of discharge as part of the monthly operation and maintenance (O&M) tasks to ensure continued compliance with ORCAA's discharge criteria.

For the current reporting period operations and maintenance (O&M) inspections were conducted on a monthly basis. During the O&M site visits, EPI personnel monitored and recorded system status and operational parameters and made necessary adjustments to the system components to optimize performance. Vapors at the inlet and outlet of the AS/SVE system were monitored with a photoionization detector (PID) to measure the concentration of volatile compounds and monitor for carbon breakthrough in accordance with the air permit requirements.

Samples of the system influent and effluent vapors were also collected on each O&M visit and submitted for analysis to confirm compliance with the air permit, estimate a contaminant mass removal rate, and confirm that GAC treatment is not currently required. The vapor samples were collected into Tedlar® bags and submitted to Fremont Analytical in Seattle, Washington, for laboratory analysis. All samples were analyzed for GRPH by NWTPH-Gx Method, and for VOCs using EPA Method 8260. As noted above the system effluent was re-routed to bypass the GAC treatment in February 2018 after permission to do so from ORCAA. Therefore, only one vapor sample has been collected for laboratory analysis during subsequent vapor sampling events.

Based on the monitoring data and vapor analytical results, it is estimated that the AS/SVE system removed an about 726 pounds of GRPH from the time of initial system startup on February 15, 2017 through December 4, 2018. The AS/SVE system removed about 76 pounds of GRPH during the fourth quarter of 2018. The winter months, with higher water levels, are typically exhibit the lowest rates of remediation system recovery.

Tabulated vapor emission data for the SVE system are summarized in Table 3. Tabulated mass removal and destruction efficiency data for the SVE system are summarized in Table 4. A copy of the laboratory analytical report for the system vapor samples is provided in Attachment B.

System monitoring data confirmed that the control efficiency and system discharges were in compliance with the ORCAA Notice of Construction permit limits.

EPI appreciates the opportunity to be of assistance on this project. If you have any questions or comments, please do not hesitate to contact us at (425) 395-0010.

Sincerely,

*(Electronically Submitted)*

Thomas C. Morin, L.G.  
President/Principal Geologist

Sean P. Trimble, P.G., L.G.  
Senior Geologist

## ENCLOSURES

### Tables

Table 1	Groundwater Elevation Data
Table 2	Groundwater Analytical Results (in µg/L)
Table 3	Air Emission Analytical Results (in µg/L)
Table 4	System Mass Removal and Destruction Efficiency

### Figures

Figure 1	General Vicinity Map
Figure 2	Site Representation with Site Boundary and Monitoring Well Locations
Figure 3	Site Representation with Water Table Piezometric Contours for December 2018
Figure 4	Site Representation with Summary of Groundwater Analytical Data
Figure 5	GRPH Isoconcentration Contours, December 2018
Figure 6	Benzene Isoconcentration Contours, December 2018
Figure 7	PCE Isoconcentration Contours, December 2018
Figure 8	Site Representation with AS/SVE/LNAPL System Layout

### Attachments

Attachment A	Laboratory Analytical Data Reports for Groundwater
Attachment B	Laboratory Analytical Data Reports for System Vapors

## Tables

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
<b>Monitoring Wells Associated With Whitney's Chevrolet Site</b>					
WCMW-1	7/1/2008	39.84	15.11	0.00	24.73
	12/14/2009	39.84	14.13	0.00	25.71
	1/18/2010	39.84	12.98	0.00	26.86
WCMW-1R	10/31/2011	40.07	15.62	0.00	24.45
	1/31/2012	40.07	13.23	0.00	26.84
	5/7/2012	40.07	13.51	0.00	26.56
	8/20/2012	40.07	15.48	0.00	24.59
	8/5/2013	40.07	15.49	0.00	24.58
	11/11/2013	40.07	15.01	0.00	25.06
	2/17/2014	40.07	13.77	0.00	26.30
	5/19/2014	40.07	13.98	0.00	26.09
	8/11/2014	40.07	15.21	0.00	24.86
	11/17/2014	40.07	14.73	0.00	25.34
	2/25/2015	40.07	14.13	0.00	25.94
	5/21/2015	40.07	14.98	0.00	25.09
	8/3/2015	40.07	16.28	0.00	23.79
	11/24/2015	40.07	14.29	0.00	25.78
	2/23/2016	40.07	13.18	0.00	26.89
	5/9/2016	40.07	14.74	0.00	25.33
	8/23/2016	40.07	15.96	0.00	24.11
	11/29/2016	40.07	12.45	0.00	27.62
	2/14/2017	40.07	12.66	0.00	27.41
	5/25/2017	40.07	13.94	0.00	26.13
	8/7/2017	40.07	14.94	0.00	25.13
	11/28//17	40.07	12.65	0.00	27.42
2/6/2018	40.07	13.15	0.00	26.92	
5/29/2018	40.07	14.64	0.00	25.43	
8/14/2018	40.07	15.21	0.00	24.86	
12/5/2018	40.07	13.74	0.00	26.33	
WCMW-2	7/1/2008	40.42	16.42	0.00	24.00
	12/14/2009	40.42	15.42	0.00	25.00
	1/18/2010	40.42	14.46	0.00	25.96
	10/31/2011	40.42	16.78	<b>0.10</b>	23.72
	1/31/2012	40.42	14.55	0.00	25.87
	5/7/2012	40.42	14.79	0.00	25.63
	8/20/2012	40.42	15.53	<b>0.03</b>	24.91
	8/5/2013	40.42	16.55	<b>0.02</b>	23.89
	11/11/2013	40.42	16.16	<b>Sheen</b>	24.26
	2/17/2014	40.42	15.10	<b>Sheen</b>	25.32
	5/19/2014	40.42	15.00	<b>Sheen</b>	25.42
	8/11/2014	40.42	16.94	<b>0.02</b>	23.50
	11/17/2014	40.42	15.82	0.00	24.60
	2/25/2015	40.42	15.22	<b>Sheen</b>	25.20
	5/21/2015	40.42	16.09	<b>0.01</b>	24.34
	8/3/2015	40.42	17.74	<b>0.54</b>	23.11
	11/24/2015	40.42	15.47	<b>0.04</b>	24.98
	2/23/2016	40.42	13.40	<b>Sheen</b>	27.02
	5/9/2016	40.42	15.77	<b>Sheen</b>	24.65
	8/23/2016	40.42	17.43	<b>0.51</b>	23.40
	11/29/2016	40.42	13.72	0.00	26.70
	2/14/2017	40.42	13.91	0.00	26.51
5/25/2017	40.42	15.01	0.00	25.41	
8/7/2017	40.42	16.05	<b>0.05</b>	24.41	
11/28/2017	40.42	14.02	0.00	26.40	
2/6/2018	40.42	14.22	0.00	26.20	
5/29/2018	40.42	15.74	0.00	24.68	
8/14/2018	40.42	16.26	0.00	24.16	
12/5/2018	40.42	14.98	0.00	25.44	
WCMW-3	7/1/2008	39.93	16.26	0.00	23.67
	12/14/2009	39.93	15.27	0.00	24.66
	1/18/2010	39.93	14.36	0.00	25.57

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
WCMW-3	10/31/2011	39.93	16.53	0.00	23.40
	1/31/2012	39.93	14.47	0.00	25.46
	5/7/2012	39.93	14.68	0.00	25.25
	8/20/2012	39.93	16.34	0.00	23.59
	8/5/2013	39.93	16.35	0.00	23.58
	11/11/2013	39.93	15.92	0.00	24.01
	2/17/2014	39.93	14.95	0.00	24.98
	5/19/2014	39.93	14.87	0.00	25.06
	8/11/2014	39.93	16.66	0.00	23.27
	11/17/2014	39.93	15.63	0.00	24.30
	2/25/2015	39.93	15.08	0.00	24.85
	5/21/2015	39.93	16.89	0.00	23.04
	8/3/2015	39.93	17.09	0.00	22.84
	11/24/2015	39.93	15.29	0.00	24.64
	2/23/2016	39.93	14.31	0.00	25.62
	5/9/2016	39.93	15.65	0.00	24.28
	8/23/2016	39.93	16.83	0.00	23.10
	11/29/2016	39.93	13.62	0.00	26.31
	2/14/2017	39.93	13.82	0.00	26.11
	5/25/2017	39.93	14.86	0.00	25.07
	8/7/2017	39.93	15.84	0.00	24.09
	11/28/2017	39.93	13.84	0.00	26.09
	2/6/2018	39.93	14.01	0.00	25.92
5/29/2018	39.93	15.59	0.00	24.34	
8/14/2018	39.93	14.12	0.00	25.81	
12/5/2018	39.93	14.88	0.00	25.05	
WCMW-4	7/1/2008	38.95	16.18	0.00	22.77
	12/14/2009	38.95	15.62	0.00	23.33
	1/18/2010	38.95	15.98	0.00	22.97
	10/31/2011	38.95	16.08	0.00	22.87
	1/31/2012	38.95	13.52	0.00	25.43
	5/7/2012	38.95	13.96	0.00	24.99
	8/20/2012	38.95	15.84	0.00	23.11
	8/5/2013	38.95	15.87	0.00	23.08
	11/11/2013	38.95	15.63	0.00	23.32
	2/17/2014	38.95	14.55	0.00	24.40
	5/19/2014	38.95	14.44	0.00	24.51
	8/11/2014	38.95	16.23	0.00	22.72
	11/17/2014	38.95	15.23	0.00	23.72
	2/25/2015	38.95	14.56	0.00	24.39
	5/21/2015	38.95	15.35	0.00	23.60
	8/3/2015	38.95	16.42	0.00	22.53
	11/24/2015	38.95	14.83	0.00	24.12
	2/23/2016	38.95	13.82	0.00	25.13
	5/9/2016	38.95	15.18	0.00	23.77
	8/23/2016	38.95	16.15	0.00	22.80
	11/29/2016	38.95	13.23	0.00	25.72
	2/14/2017	38.95	13.11	0.00	25.84
	5/25/2017	38.95	14.37	0.00	24.58
8/7/2017	38.95	15.43	0.00	23.52	
11/28/2017	38.95	13.36	0.00	25.59	
2/6/2017	38.95	13.25	0.00	25.70	
5/29/2018	38.95	15.04	0.00	23.91	
8/14/2018	38.95	15.62	0.00	23.33	
12/5/2018	38.95	14.32	0.00	24.63	
WCMW-5	7/1/2008	37.73	15.18	0.00	22.55
	12/14/2009	37.73	13.90	0.00	23.83
	1/18/2010	37.73	13.01	0.00	24.72
	10/31/2011	37.73	14.98	0.00	22.75
	1/31/2012	37.73	12.98	0.00	24.75
	5/7/2012	37.73	13.16	0.00	24.57
	8/20/2012	37.73	14.93	0.00	22.80

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
WCMW-5	8/5/2013	37.73	14.89	0.00	22.84
	11/11/2013	37.73	14.47	0.00	23.26
	2/17/2014	37.73	13.43	0.00	24.30
	5/19/2014	37.73	13.23	0.00	24.50
	8/11/2014	37.73	15.26	0.00	22.47
	11/17/2014	37.73	14.09	0.00	23.64
	2/25/2015	37.73	13.41	0.00	24.32
	5/21/2015	37.73	14.24	0.00	23.49
	8/3/2015	37.73	15.49	0.00	22.24
	11/24/2015	37.73	13.68	0.00	24.05
	2/23/2016	37.73	13.81	0.00	23.92
	5/9/2016	37.73	14.04	0.00	23.69
	8/23/2016	37.73	15.20	0.00	22.53
	11/29/2016	37.73	12.06	0.00	25.67
	2/14/2017	37.73	12.27	0.00	25.46
	5/25/2017	37.73	13.33	0.00	24.40
	8/7/2017	37.73	14.51	0.00	23.22
	11/28/2017	37.73	12.42	0.00	25.31
	2/6/2018	37.73	12.31	0.00	25.42
	5/29/2018	37.73	13.95	0.00	23.78
8/14/2018	37.73	14.72	0.00	23.01	
12/5/2018	37.73	13.30	0.00	24.43	
WCMW-6	7/1/2008	38.80	15.73	0.00	23.07
	12/14/2009	38.80	14.76	0.00	24.04
	1/18/2010	38.80	13.88	0.00	24.92
	10/31/2011	38.80	15.91	0.00	22.89
	1/31/2012	38.80	13.94	0.00	24.86
	5/7/2012	38.80	14.17	0.00	24.63
	8/20/2012	38.80	15.85	0.00	22.95
	8/5/2013	38.80	15.85	0.00	22.95
	11/11/2013	38.80	15.31	0.00	23.49
	2/17/2014	38.80	14.33	0.00	24.47
	5/19/2014	38.80	14.35	0.00	24.45
	8/11/2014	38.80	16.21	0.00	22.59
	11/17/2014	38.80	15.06	0.00	23.74
	2/25/2015	38.80	14.58	0.00	24.22
	5/21/2015	38.80	15.38	0.00	23.42
	8/3/2015	38.80	16.58	0.00	22.22
	11/24/2015	38.80	14.59	0.00	24.21
	2/23/2016	38.80	13.84	0.00	24.96
	5/9/2016	38.80	15.24	0.00	23.56
	8/23/2016	38.80	16.31	0.00	22.49
	11/29/2016	38.80	13.25	0.00	25.55
	2/14/2017	38.80	13.47	0.00	25.33
	5/25/2017	38.80	14.34	0.00	24.46
	8/7/2017	38.80	15.45	0.00	23.35
11/28/2017	38.80	13.54	0.00	25.26	
2/6/2018	38.80	13.54	0.00	25.26	
5/29/2018	38.80	15.09	0.00	23.71	
8/14/2018	38.80	15.82	0.00	22.98	
12/5/2018	38.80	14.39	0.00	24.41	
WCMW-7	10/31/2011	39.85	15.21	0.00	24.64
	1/31/2012	39.85	12.83	0.00	27.02
	5/7/2012	39.85	13.14	0.00	26.71
	8/20/2012	39.85	15.93	0.00	23.92
	8/5/2013	39.85	15.15	0.00	24.70
	11/11/2013	39.85	14.64	0.00	25.21
	2/17/2014	39.85	13.34	0.00	26.51
	5/19/2014	39.85	13.57	0.00	26.28
	8/11/2014	39.85	15.49	0.00	24.36
	11/17/2014	39.85	14.35	0.00	25.50
2/25/2015	39.85	13.83	0.00	26.02	

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
WCMW-7	5/21/2015	39.85	14.63	0.00	25.22
	8/3/2015	39.85	15.96	0.00	23.89
	11/24/2015	39.85	13.84	0.00	26.01
	2/23/2016	39.85	12.76	0.00	27.09
	5/9/2016	39.85	14.43	0.00	25.42
	8/23/2016	39.85	15.60	0.00	24.25
	11/29/2016	39.85	12.09	0.00	27.76
	2/14/2017	39.85	12.31	0.00	27.54
	5/25/2017	39.85	13.55	0.00	26.30
	8/7/2017	39.85	14.56	0.00	25.29
	11/28/2017	39.85	12.24	0.00	27.61
	2/6/2018	39.85	12.90	0.00	26.95
	5/29/2018	39.85	14.24	0.00	25.61
	8/14/2018	39.85	14.82	0.00	25.03
12/5/2018	39.85	13.32	0.00	26.53	
WCMW-8	10/31/2011	40.70	15.91	0.00	24.79
	1/31/2012	40.70	13.51	0.00	27.19
	5/7/2012	40.70	13.83	0.00	26.87
	8/20/2012	40.70	15.77	0.00	24.93
	8/5/2013	40.70	15.82	0.00	24.88
	11/11/2013	40.70	15.35	0.00	25.35
	2/17/2014	40.70	14.02	0.00	26.68
	5/19/2014	40.70	14.27	0.00	26.43
	8/11/2014	40.70	16.15	0.00	24.55
	11/17/2014	40.70	15.06	0.00	25.64
	2/25/2015	40.70	14.52	0.00	26.18
	5/21/2015	40.70	15.30	0.00	25.40
	8/3/2015	40.70	16.60	0.00	24.10
	11/24/2015	40.70	14.60	0.00	26.10
	2/23/2016	40.70	13.44	0.00	27.26
	5/9/2016	40.70	15.05	0.00	25.65
	8/23/2016	40.70	16.28	0.00	24.42
	11/29/2016	40.70	12.76	0.00	27.94
	2/14/2017	40.70	12.96	0.00	27.74
	5/25/2017	40.70	14.32	0.00	26.38
8/7/2017	40.70	15.29	0.00	25.41	
11/28/2017	40.70	12.92	0.00	27.78	
2/6/2018	40.70	13.51	0.00	27.19	
5/29/2018	40.70	14.95	0.00	25.75	
8/14/2018	40.70	15.51	0.00	25.19	
12/5/2018	40.70	14.04	0.00	26.66	
WCMW-9	10/31/2011	40.86	15.66	0.00	25.20
	1/31/2012	40.86	13.17	0.00	27.69
	5/7/2012	40.86	13.47	0.00	27.39
	8/20/2012	40.86	15.37	0.00	25.49
	8/5/2013	40.86	15.52	0.00	25.34
	11/11/2013	40.86	15.36	0.00	25.50
	2/17/2014	40.86	14.01	0.00	26.85
	5/19/2014	40.86	14.08	0.00	26.78
	8/11/2014	40.86	15.88	0.00	24.98
	11/17/2014	40.86	14.77	0.00	26.09
	2/25/2015	40.86	14.48	0.00	26.38
	5/21/2015	40.86	15.07	0.00	25.79
	8/3/2015	40.86	16.09	0.00	24.77
	11/24/2015	40.86	14.32	0.00	26.54
	2/23/2016	40.86	13.35	0.00	27.51
	5/9/2016	40.86	14.85	0.00	26.01
	8/23/2016	40.86	16.00	0.00	24.86
	11/29/2016	40.86	12.44	0.00	28.42
	2/14/2017	40.86	12.61	0.00	28.25
	5/25/2017	40.86	14.10	0.00	26.76
8/7/2017	40.86	15.04	0.00	25.82	

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
WCMW-9	11/28/2017	40.86	12.50	0.00	28.36
	2/6/2018	40.86	13.19	0.00	27.67
	5/29/2018	40.86	14.74	0.00	26.12
	8/14/2018	40.86	15.22	0.00	25.64
	12/5/2018	40.86	13.72	0.00	27.14
WCMW-10	10/31/2011	40.82	15.90	0.00	24.92
	1/31/2012	40.82	14.35	0.00	26.47
	5/7/2012	40.82	14.57	0.00	26.25
	8/20/2012	40.82	15.72	0.00	25.10
	8/5/2013	40.82	15.87	0.00	24.95
	11/11/2013	40.82	15.62	0.00	25.20
	2/17/2014	40.82	14.90	0.00	25.92
	5/19/2014	40.82	14.92	0.00	25.90
	8/11/2014	40.82	16.27	0.00	24.55
	11/17/2014	40.82	15.50	0.00	25.32
	2/25/2015	40.82	15.10	0.00	25.72
	5/21/2015	40.82	15.83	0.00	24.99
	8/3/2015	40.82	16.64	0.00	24.18
	11/24/2015	40.82	15.35	0.00	25.47
	2/23/2016	40.82	14.48	0.00	26.34
	5/9/2016	40.82	15.31	0.00	25.51
	8/23/2016	40.82	16.49	0.00	24.33
	11/29/2016	40.82	13.42	0.00	27.40
	2/14/2017	40.82	12.90	0.00	27.92
	5/25/2017	40.82	14.84	0.00	25.98
	8/7/2017	40.82	15.67	0.00	25.15
	11/28/2017	40.82	13.14	0.00	27.68
2/6/2018	40.82	14.37	0.00	26.45	
5/29/2018	40.82	15.83	0.00	24.99	
8/14/2018	40.82	16.74	0.00	24.08	
12/5/2018	40.82	15.38	0.00	25.44	
KBMW-1	12/14/2009	39.31	15.89	0.00	23.42
	1/18/2010	39.31	14.76	0.00	24.55
	10/31/2011	39.31	17.08	0.00	22.23
	1/31/2012	39.31	15.03	0.00	24.28
	5/7/2012	39.31	14.92	0.00	24.39
	8/20/2012	39.31	16.93	0.00	22.38
	8/5/2013	39.31	16.94	0.00	22.37
	11/11/2013	39.31	16.43	0.00	22.88
	2/17/2014	39.31	15.41	0.00	23.90
	5/19/2014	39.31	15.26	0.00	24.05
	8/11/2014	39.31	17.12	0.00	22.19
	11/17/2014	39.31	16.19	0.00	23.12
	2/25/2015	39.31	15.58	0.00	23.73
	5/21/2015	39.31	16.49	0.00	22.82
	8/3/2015	39.31	17.32	0.00	21.99
	11/24/2015	39.31	15.86	0.00	23.45
	2/23/2016	39.31	14.81	0.00	24.50
	5/9/2016	39.31	16.22	0.00	23.09
	8/23/2016	39.31	17.18	0.00	22.13
	11/29/2016	39.31	13.85	0.00	25.46
	2/14/2017	39.31	13.81	0.00	25.50
	5/25/2017	39.31	15.34	0.00	23.97
8/7/2017	39.31	16.22	0.00	23.09	
11/28/2017	39.31	14.07	0.00	25.24	
2/6/2018	39.31	13.88	0.00	25.43	
5/29/2018	39.31	15.99	0.00	23.32	
8/14/2018	39.31	16.46	0.00	22.85	
12/5/2018	39.31	15.14	0.00	24.17	
KBMW-2	12/14/2009	38.17	14.31	0.00	23.86
	1/18/2010	38.17	13.45	0.00	24.72
	10/31/2011	38.17	15.49	<b>0.04</b>	22.71

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
KBMW-2	2/2/2012	38.17	13.56	0.00	24.61
	5/7/2012	38.17	13.68	0.00	24.49
	8/20/2012	38.17	15.45	<b>0.21</b>	22.89
	8/5/2013	38.17	15.62	<b>0.40</b>	22.87
	11/11/2013	38.17	14.82	<b>0.01</b>	23.36
	2/17/2014	38.17	13.96	<b>Sheen</b>	24.21
	5/19/2014	38.17	13.80	<b>Sheen</b>	24.37
	8/11/2014	38.17	15.56	<b>0.01</b>	22.62
	11/17/2014	38.17	14.55	<b>Sheen</b>	23.62
	2/25/2015	38.17	14.02	<b>Sheen</b>	24.15
	5/21/2015	38.17	14.82	<b>Sheen</b>	23.35
	8/3/2015	38.17	15.98	<b>0.05</b>	22.23
	11/25/2015	38.17	14.21	<b>Sheen</b>	23.96
	2/23/2016	38.17	13.36	<b>0.02</b>	24.83
	5/9/2016	38.17	14.57	<b>Sheen</b>	23.60
	8/23/2016	38.17	15.76	<b>0.03</b>	22.43
	11/30/2016	38.17	12.70	0.00	25.47
	2/14/2017	38.17	12.89	0.00	25.28
	5/25/2017	38.17	13.86	0.00	24.31
	8/9/2017	38.17	15.16	0.00	23.01
11/29/2017	38.17	13.16	0.00	25.01	
2/7/2018	38.17	12.99	0.00	25.18	
5/9/2018	38.17	14.61	0.00	23.56	
8/16/2018	38.17	15.31	0.00	22.86	
12/5/2018	38.17	13.98	0.00	24.19	
KBMW-3	12/14/2009	37.21	14.53	0.00	22.68
	1/18/2010	37.21	13.93	0.00	23.28
	10/31/2011	37.21	15.61	0.00	21.60
	1/31/2012	37.21	13.91	0.00	23.30
	5/7/2012	37.21	14.02	0.00	23.19
	8/20/2012	37.21	15.28	0.00	21.93
	8/5/2013	37.21	15.34	0.00	21.87
	11/11/2013	37.21	14.83	0.00	22.38
	2/17/2014	37.21	14.11	0.00	23.10
	5/19/2014	37.21	14.05	0.00	23.16
	8/11/2014	37.21	15.62	0.00	21.59
	11/17/2014	37.21	14.63	0.00	22.58
	2/25/2015	37.21	14.21	0.00	23.00
	5/21/2015	37.21	14.83	0.00	22.38
	8/3/2015	37.21	15.92	0.00	21.29
	11/24/2015	37.21	14.42	0.00	22.79
	2/23/2016	37.21	13.69	0.00	23.52
	5/9/2016	37.21	14.70	0.00	22.51
	8/23/2016	37.21	15.92	0.00	21.29
	11/30/2016	37.21	13.14	0.00	24.07
2/14/2017	37.21	13.41	0.00	23.80	
5/25/2017	37.21	14.54	0.00	22.67	
8/7/2017	37.21	14.78	0.00	22.43	
11/28/2017	37.21	14.14	0.00	23.07	
2/6/2018	37.21	14.37	0.00	22.84	
5/29/2018	37.21	15.31	0.00	21.90	
8/14/2018	37.21	16.16	0.00	21.05	
12/5/2018	37.21	14.88	0.00	22.33	
KBMW-4	12/14/2009	36.76	15.09	0.00	21.67
	1/18/2010	36.76	14.53	0.00	22.23
	10/31/2011	36.76	15.72	<b>Sheen</b>	21.04
	1/31/2012	36.76	13.73	0.00	23.03
	5/7/2012	36.76	13.79	0.00	22.97
	8/20/2012	36.76	15.08	0.00	21.68
	8/5/2013	36.76	15.04	0.00	21.72
	11/11/2013	Not Measured - Damaged Wellhead			
	2/17/2014	37.06	14.19	0.00	22.87

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
KBMW-4	5/19/2014	37.06	14.04	0.00	23.02
	8/11/2014	37.06	15.65	0.00	21.41
	11/17/2014	37.06	14.63	0.00	22.43
	2/25/2015	37.06	14.17	0.00	22.89
	5/21/2015	37.06	14.88	0.00	22.18
	8/3/2015	37.06	15.96	0.00	21.10
	11/24/2015	37.06	14.28	0.00	22.78
	2/23/2016	37.06	13.66	0.00	23.40
	5/9/2016	37.06	15.69	0.00	21.37
	8/23/2016	37.06	15.76	0.00	21.30
	11/29/2016	37.06	13.06	0.00	24.00
	2/14/2017	37.06	13.38	0.00	23.68
	5/25/2017	37.06	14.25	0.00	22.81
	8/7/2017	37.06	15.52	0.00	21.54
	11/28/2017	37.06	13.77	0.00	23.29
	2/6/2018	37.06	13.58	0.00	23.48
	5/29/2018	37.06	15.49	0.00	21.57
	8/14/2018	37.06	16.10	0.00	20.96
12/5/2018	37.06	14.45	0.00	22.61	
KBMW-5	12/14/2009	37.81	15.97	0.00	21.84
	1/18/2010	37.81	15.42	0.00	22.39
	10/31/2011	37.81	16.79	0.00	21.02
	1/31/2012	37.81	15.42	0.00	22.39
	5/7/2012	37.81	15.61	0.00	22.20
	8/20/2012	37.81	16.68	0.00	21.13
	8/5/2013	37.81	16.72	0.00	21.09
	11/11/2013	Not Measured - Damaged Wellhead			
	2/17/2014	38.17	15.74	0.00	22.43
	5/19/2014	38.17	15.89	0.00	22.28
	8/11/2014	38.17	17.29	0.00	20.88
	11/17/2014	38.17	16.29	0.00	21.88
	2/25/2015	38.17	15.47	0.00	22.70
	5/21/2015	38.17	16.62	0.00	21.55
	8/3/2015	38.17	17.38	0.00	20.79
	11/24/2015	38.17	15.81	0.00	22.36
	2/23/2016	38.17	15.55	0.00	22.62
	5/9/2016	38.17	16.45	0.00	21.72
	8/23/2016	38.17	17.36	0.00	20.81
	11/29/2016	38.17	14.94	0.00	23.23
	2/14/2017	38.17	15.24	0.00	22.93
	5/25/2017	38.17	15.95	0.00	22.22
	8/7/2017	38.17	17.09	0.00	21.08
11/28/2017	38.17	15.39	0.00	22.78	
2/6/2018	38.17	15.33	0.00	22.84	
5/29/2018	38.17	16.52	0.00	21.65	
8/14/2018	38.17	17.35	0.00	20.82	
12/5/2018	38.17	16.01	0.00	22.16	
KBMW-6	12/14/2009	40.15	16.73	0.00	23.42
	1/18/2010	40.15	16.17	0.00	23.98
	10/31/2011	40.15	17.50	0.00	22.65
	1/31/2012	40.15	16.23	0.00	23.92
	5/7/2012	40.15	16.38	0.00	23.77
	8/20/2012	40.15	17.43	0.00	22.72
	8/5/2013	40.15	17.40	0.00	22.75
	11/11/2013	40.15	16.92	0.00	23.23
	2/17/2014	40.15	16.26	0.00	23.89
	5/19/2014	40.15	16.44	0.00	23.71
	8/11/2014	40.15	17.72	0.00	22.43
	11/17/2014	40.15	16.89	0.00	23.26
	2/25/2015	40.15	16.60	0.00	23.55
	5/21/2015	40.15	17.20	0.00	22.95
	8/3/2015	40.15	18.85	0.00	21.30

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
KBMW-6	11/24/2015	40.15	16.57	0.00	23.58
	2/23/2016	40.15	16.09	0.00	24.06
	5/9/2016	40.15	17.01	0.00	23.14
	8/23/2016	40.15	17.73	0.00	22.42
	11/29/2016	40.15	14.55	0.00	25.60
	2/14/2017	40.15	14.21	0.00	25.94
	5/25/2017	40.15	16.54	0.00	23.61
	8/7/2017	40.15	17.65	0.00	22.50
	11/28/2017	40.15	14.74	0.00	25.41
	2/6/2018	40.15	14.22	0.00	25.93
	5/29/2018	40.15	17.07	0.00	23.08
	8/14/2018	40.15	17.96	0.00	22.19
12/5/2018	40.15	16.78	0.00	23.37	
KBMW-7	12/14/2009	36.17	13.28	0.00	22.89
	1/18/2010	36.17	12.53	0.00	23.64
	10/31/2011	36.17	15.21	0.00	20.96
	1/31/2012	36.17	12.42	0.00	23.75
	5/7/2012	36.17	12.62	0.00	23.55
	8/20/2012	36.17	14.08	0.00	22.09
	8/5/2013	36.17	14.03	0.00	22.14
	11/11/2013	36.17	13.67	0.00	22.50
	2/17/2014	36.17	12.79	0.00	23.38
	5/19/2014	36.17	12.73	0.00	23.44
	8/11/2014	36.17	14.51	0.00	21.66
	11/17/2014	36.17	13.34	0.00	22.83
	2/25/2015	36.17	12.95	0.00	23.22
	5/21/2015	36.17	13.64	0.00	22.53
	8/3/2015	36.17	14.74	0.00	21.43
	11/24/2015	36.17	12.91	0.00	23.26
	2/23/2016	36.17	12.32	0.00	23.85
	5/9/2016	36.17	13.46	0.00	22.71
	8/23/2016	36.17	14.60	0.00	21.57
	11/29/2016	36.17	11.72	0.00	24.45
2/14/2017	36.17	12.03	0.00	24.14	
5/25/2017	36.17	12.81	0.00	23.36	
8/7/2017	36.17	14.13	0.00	22.04	
11/28/2017	36.17	12.26	0.00	23.91	
2/6/2018	36.17	12.17	0.00	24.00	
5/29/2018	36.17	13.88	0.00	22.29	
8/14/2018	36.17	14.79	0.00	21.38	
12/5/2018	36.17	13.06	0.00	23.11	
KBMW-8	12/14/2009	35.81	13.98	0.00	21.83
	1/18/2010	35.81	13.39	0.00	22.42
	10/31/2011	35.81	16.78	0.00	19.03
	1/31/2012	35.81	13.44	0.00	22.37
	5/7/2012	35.81	13.60	0.00	22.21
	8/20/2012	35.81	14.75	0.00	21.06
	8/5/2013	35.81	14.74	0.00	21.07
	11/11/2013	35.75	14.22	0.00	21.53
	2/17/2014	35.75	13.42	0.00	22.33
	5/19/2014	35.75	13.63	0.00	22.12
	8/11/2014	35.75	15.01	0.00	20.74
	11/17/2014	35.75	14.04	0.00	21.71
	2/25/2015	35.75	13.76	0.00	21.99
	5/21/2015	35.75	14.38	0.00	21.37
	8/3/2015	35.75	15.19	0.00	20.56
	11/24/2015	35.75	13.63	0.00	22.12
	2/23/2016	35.75	13.33	0.00	22.42
	5/9/2016	35.75	14.29	0.00	21.46
	8/23/2016	35.75	15.09	0.00	20.66
	11/29/2016	35.75	13.06	0.00	22.69
2/14/2017	35.75	12.16	0.00	23.59	

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
KBMW-8	5/25/2017	35.75	13.76	0.00	21.99
	8/7/2017	35.75	13.78	0.00	21.97
	11/28/2017	35.75	13.22	0.00	22.53
	2/6/2018	35.75	13.16	0.00	22.59
	5/29/2018	35.75	14.31	0.00	21.44
	8/14/2018	35.75	15.00	0.00	20.75
	12/5/2018	35.75	13.72	0.00	22.03
KBMW-9	12/14/2009	35.84	14.38	0.00	21.46
	1/18/2010	35.84	13.82	0.00	22.02
	11/1/2011	35.84	15.60	<b>0.55</b>	20.68
	2/1/2012	35.84	14.06	<b>0.21</b>	21.95
	5/8/2012	35.84	14.22	<b>0.23</b>	21.80
	8/21/2012	35.84	15.68	<b>0.69</b>	20.71
	8/5/2013	Not accessible due to road construction			
	11/12/2013	35.50	13.60	<b>0.07</b>	21.96
	2/18/2014	35.50	13.30	<b>Sheen</b>	22.20
	5/20/2014	35.50	13.59	<b>Sheen</b>	21.91
	8/12/2014	35.50	15.18	<b>0.08</b>	20.38
	11/18/2014	35.50	14.15	<b>0.23</b>	21.53
	2/26/2015	35.50	13.61	<b>Sheen</b>	21.89
	5/22/2015	35.50	14.39	<b>0.16</b>	21.24
	8/4/2015	35.50	15.33	<b>0.33</b>	20.43
	11/25/2015	35.50	13.52	<b>Sheen</b>	21.98
	2/24/2016	35.50	13.24	<b>0.04</b>	22.29
	5/9/2016	35.50	14.36	<b>0.35</b>	21.42
	8/26/2016	35.50	15.47	<b>0.51</b>	20.44
	11/29/2016	35.50	12.59	0.00	22.91
	2/16/2017	35.50	12.65	0.00	22.85
	5/25/2017	35.50	13.54	0.00	21.96
	8/9/2017	35.50	14.45	0.00	21.05
	11/29/2017	35.50	13.11	0.00	22.39
2/8/2018	35.50	12.97	0.00	22.53	
5/31/2018	35.50	14.20	0.00	21.30	
8/16/2018	35.50	14.87	0.00	20.63	
12/7/2018	35.50	13.51	0.00	21.99	
KBMW-10	12/14/2009	34.96	13.55	0.00	21.41
	1/18/2010	34.96	13.00	0.00	21.96
	11/1/2011	34.96	14.34	0.00	20.62
	2/1/2012	34.96	12.13	0.00	22.83
	5/8/2012	34.96	13.27	0.00	21.69
	8/21/2012	34.96	14.33	0.00	20.63
	8/5/2013	Not accessible due to road construction			
	11/12/2013	34.56	13.33	0.00	21.23
	2/18/2014	34.56	12.55	0.00	22.01
	5/20/2014	34.56	12.83	0.00	21.73
	8/12/2014	34.56	14.14	0.00	20.42
	11/18/2014	34.56	13.19	0.00	21.37
	2/25/2015	34.56	12.94	0.00	21.62
	5/22/2015	34.56	13.55	0.00	21.01
	8/4/2015	34.56	14.28	0.00	20.28
	11/24/2015	34.56	12.79	0.00	21.77
	2/24/2016	34.56	12.57	0.00	21.99
	5/9/2016	34.56	13.43	0.00	21.13
	8/26/2016	34.56	14.20	0.00	20.36
	11/29/2016	34.56	12.03	0.00	22.53
	2/16/2017	34.56	12.19	0.00	22.37
	5/25/2017	34.56	12.91	0.00	21.65
	8/9/2017	34.56	13.82	0.00	20.74
	11/29/2017	34.56	12.42	0.00	22.14
2/8/2018	34.56	12.37	0.00	22.19	

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
KBMW-10	5/31/2018	34.56	13.44	0.00	21.12
	8/16/2018	34.56	14.11	0.00	20.45
	12/7/2018	34.56	12.91	0.00	21.65
KBMW-11	10/31/2011	35.01	14.72	0.00	20.29
	1/31/2012	35.01	13.46	0.00	21.55
	5/7/2012	35.01	13.65	0.00	21.36
	8/20/2012	35.01	14.70	0.00	20.31
	8/5/2013	35.01	14.66	0.00	20.35
	11/11/2013	35.01	14.09	0.00	20.92
	2/17/2014	35.01	13.31	0.00	21.70
	5/19/2014	35.01	13.53	0.00	21.48
	8/11/2014	35.01	14.91	0.00	20.10
	11/17/2014	35.01	13.91	0.00	21.10
	2/25/2015	35.01	13.65	0.00	21.36
	5/21/2015	35.01	14.26	0.00	20.75
	8/3/2015	35.01	14.98	0.00	20.03
	11/24/2015	35.01	13.39	0.00	21.62
	2/23/2016	35.01	13.19	0.00	21.82
	5/9/2016	35.01	14.14	0.00	20.87
	8/23/2016	35.01	14.97	0.00	20.04
	11/29/2016	35.01	12.65	0.00	22.36
	2/14/2016	35.01	13.03	0.00	21.98
	5/25/2017	35.01	13.59	0.00	21.42
	8/7/2017	35.01	14.68	0.00	20.33
	11/28/2017	35.01	12.99	0.00	22.02
	2/6/2018	35.01	12.98	0.00	22.03
5/29/2018	35.01	14.15	0.00	20.86	
8/14/2018	35.01	14.91	0.00	20.10	
12/5/2018	35.01	13.54	0.00	21.47	
KBMW-12	10/31/2011	34.16	13.94	0.00	20.22
	2/1/2012	34.16	12.73	0.00	21.43
	5/7/2012	34.16	12.88	0.00	21.28
	8/20/2012	34.16	13.94	0.00	20.22
	8/5/2013	34.16	13.92	0.00	20.24
	11/11/2013	34.16	13.33	0.00	20.83
	2/17/2014	34.16	12.49	0.00	21.67
	5/19/2014	34.16	12.80	0.00	21.36
	8/11/2014	34.16	14.13	0.00	20.03
	11/17/2014	34.16	13.16	0.00	21.00
	2/25/2015	34.16	12.90	0.00	21.26
	5/21/2015	34.16	13.50	0.00	20.66
	8/3/2015	34.16	14.22	0.00	19.94
	11/24/2015	34.16	12.63	0.00	21.53
	2/23/2016	34.16	12.44	0.00	21.72
	5/9/2016	34.16	13.39	0.00	20.77
	8/23/2016	34.16	14.19	0.00	19.97
	11/29/2016	34.16	11.92	0.00	22.24
	2/14/2017	34.16	12.29	0.00	21.87
	5/25/2017	34.16	12.86	0.00	21.30
	8/7/2017	34.16	13.91	0.00	20.25
	11/28/2017	34.16	12.25	0.00	21.91
	2/6/2018	34.16	12.23	0.00	21.93
5/29/2018	34.16	13.41	0.00	20.75	
8/14/2018	34.16	14.13	0.00	20.03	
12/5/2018	34.16	12.79	0.00	21.37	
ESMW-1	12/14/2009	40.82	15.03	0.00	25.79
	1/18/2010	40.82	13.96	0.00	26.86

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>	
ESMW-1	10/31/2011	40.82	16.30	0.00	24.52	
	1/31/2012	40.82	13.94	0.00	26.88	
	5/7/2012	40.82	14.22	0.00	26.60	
	8/20/2012	40.82	16.10	0.00	24.72	
	8/5/2013	40.82	16.12	0.00	24.70	
	11/11/2013	40.82	15.73	0.00	25.09	
	2/17/2014	40.82	14.59	0.00	26.23	
	5/19/2014	40.82	14.60	0.00	26.22	
	8/11/2014	40.82	16.42	0.00	24.40	
	11/17/2014	40.82	15.42	0.00	25.40	
	2/25/2015	40.82	14.82	0.00	26.00	
	5/21/2015	40.82	15.64	0.00	25.18	
	8/3/2015	40.82	16.93	0.00	23.89	
	11/24/2015	40.82	15.02	0.00	25.80	
	2/23/2016	40.82	13.84	0.00	26.98	
	5/9/2016	40.82	15.40	0.00	25.42	
	8/23/2016	40.82	16.59	0.00	24.23	
	11/30/2016	40.82	13.24	0.00	27.58	
	2/14/2017	40.82	13.32	0.00	27.50	
	5/25/2017	40.82	14.76	0.00	26.06	
	8/7/2017	40.82	15.78	0.00	25.04	
	11/28/2017	40.82	13.36	0.00	27.46	
	2/6/2018	40.82	14.10	0.00	26.72	
	5/29/2018	40.82	15.37	0.00	25.45	
8/14/2018	40.82	15.90	0.00	24.92		
12/5/2018	40.82	14.51	0.00	26.31		
ESMW-7	12/14/2009	35.59	14.07	0.00	21.52	
	1/18/2010	35.59	13.54	0.00	22.05	
	10/31/2011	35.59	14.86	0.00	20.73	
	1/31/2012	35.59	13.63	0.00	21.96	
	5/7/2012	35.59	13.77	0.00	21.82	
	8/20/2012	35.59	14.85	0.00	20.74	
	8/5/2013	Not accessible due to road construction				
	11/12/2013	35.31	14.00	0.00	21.31	
	2/17/2014	35.31	13.27	0.00	22.04	
	5/19/2014	35.31	13.43	0.00	21.88	
	8/11/2014	35.31	14.79	0.00	20.52	
	11/17/2014	35.31	13.82	0.00	21.49	
	2/25/2015	35.31	13.54	0.00	21.77	
	5/21/2015	35.31	14.14	0.00	21.17	
	8/3/2015	35.31	14.90	0.00	20.41	
	11/24/2015	35.31	13.38	0.00	21.93	
	2/23/2016	35.31	13.11	0.00	22.20	
	5/9/2016	35.31	14.02	0.00	21.29	
	8/23/2016	35.31	14.85	0.00	20.46	
	11/29/2016	35.31	12.53	0.00	22.78	
	2/14/2017	35.31	12.96	0.00	22.35	
	5/25/2017	35.31	13.59	0.00	21.72	
	8/7/2017	35.31	14.60	0.00	20.71	
	11/28/2017	35.31	13.06	0.00	22.25	
2/6/2018	35.31	13.01	0.00	22.30		
5/29/2018	35.31	14.12	0.00	21.19		
8/14/2018	35.31	14.89	0.00	20.42		
12/5/2018	35.31	13.59	0.00	21.72		
RW-1	11/11/2013	36.08	14.69	Sheen	21.39	
	2/18/2014	36.08	13.85	Sheen	22.23	
	5/19/2014	36.08	13.40	Sheen	22.68	
	8/11/2014	36.08	--	Sheen	--	
	11/17/2014	36.08	13.91	0.00	22.17	

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
RW-1	2/25/2015	36.08	15.53	Sheen	20.55
	5/21/2015	36.08	14.22	Sheen	21.86
	8/3/2015	36.08	15.16	0.00	20.92
	2/23/2016	36.08	13.09	0.00	22.99
	5/9/2016	36.08	14.02	0.00	22.06
	8/23/2016	36.08	15.03	0.00	21.05
	11/29/2016	36.08	12.28	0.00	23.80
	2/14/2017	36.08	12.81	0.00	23.27
	Not Measured -- Pump Installed				
RW-2	11/29/2016	40.51	13.93	0.00	26.58
	2/16/2017	40.51	13.17	0.00	27.34
	Not Measured -- Pump Installed				
<b>Monitoring Wells Associated With Tony's Short Stop Site (326 South Main Street, Montesano, WA)</b>					
TSSMW-1	1/18/2010	32.33	10.62	0.00	21.71
TSSMW-2	1/18/2010	31.94	10.56	0.00	21.38
TSSMW-3	1/18/2010	32.87	11.40	0.00	21.47
TSSMW-4	1/18/2010	31.07	--	0.08	--
TSSMW-5	1/18/2010	32.63	11.16	0.00	21.47
TSSMW-6	1/18/2010	33.97	12.31	0.00	21.66
TSSMW-7	1/18/2010	35.04	13.23	0.00	21.81
	10/31/2011	35.04	15.57	0.00	19.47
	2/1/2012	35.04	13.34	0.00	21.70
	5/7/2012	35.04	13.45	0.00	21.59
	8/20/2012	35.04	14.50	0.00	20.54
	8/5/2013	35.04	14.48	0.00	20.56
	11/11/2013	35.09	13.90	0.00	21.19
	2/17/2014	35.09	13.13	0.00	21.96
	5/19/2014	35.09	13.37	0.00	21.72
	8/11/2014	35.09	14.71	0.00	20.38
	11/17/2014	35.09	13.76	0.00	21.33
	2/25/2015	35.09	13.49	0.00	21.60
	5/21/2015	35.09	14.09	0.00	21.00
	8/3/2015	35.09	14.83	0.00	20.26
	11/24/2015	35.09	13.31	0.00	21.78
	2/23/2016	35.09	13.05	0.00	22.04
	5/9/2016	35.09	13.98	0.00	21.11
	8/23/2016	35.09	14.78	0.00	20.31
	11/29/2016	35.09	12.55	0.00	22.54
	2/14/2017	35.09	12.91	0.00	22.18
	5/25/2017	35.09	13.46	0.00	21.63
	8/7/2017	35.09	14.47	0.00	20.62
	11/28/2017	35.09	12.89	0.00	22.20
2/6/2018	35.09	12.88	0.00	22.21	
5/29/2018	35.09	13.99	0.00	21.10	
8/14/2018	35.09	14.70	0.00	20.39	
12/5/2018	35.09	13.41	0.00	21.68	
TSSMW-8	1/18/2010	34.52	13.02	0.00	21.50
	10/31/2011	34.52	14.31	0.00	20.21
	2/1/2012	34.52	13.07	0.00	21.45
	5/7/2012	34.52	13.22	0.00	21.30
	8/20/2012	34.52	14.29	0.00	20.23
	8/5/2013	34.52	14.23	0.00	20.29
	11/11/2013	34.52	13.65	0.00	20.87
	2/17/2014	34.52	12.84	0.00	21.68
	5/19/2014	34.52	13.11	0.00	21.41
	8/11/2014	34.52	14.49	0.00	20.03
	11/17/2014	34.52	13.49	0.00	21.03
	2/25/2015	34.52	13.23	0.00	21.29
	5/21/2015	34.52	13.86	0.00	20.66

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
TSSMW-8	8/3/2015	34.52	14.58	0.00	19.94
	11/24/2015	34.52	12.96	0.00	21.56
	2/23/2016	34.52	12.72	0.00	21.80
	5/9/2016	34.52	13.73	0.00	20.79
	8/23/2016	34.52	14.56	0.00	19.96
	11/29/2016	34.52	12.21	0.00	22.31
	2/14/2017	34.52	12.60	0.00	21.92
	5/25/2017	34.52	13.17	0.00	21.35
	8/7/2017	34.52	14.26	0.00	20.26
	11/28/2017	34.52	12.55	0.00	21.97
	2/6/2018	34.52	12.54	0.00	21.98
	5/29/2018	34.52	13.74	0.00	20.78
	8/14/2018	34.52	14.51	0.00	20.01
	12/5/2018	34.52	13.11	0.00	21.41
TSSMW-9	1/18/2010	35.36	13.38	0.00	21.98
	11/1/2011	35.36	14.75	0.00	20.61
	2/1/2012	35.36	13.54	0.00	21.82
	5/7/2012	35.36	13.66	0.00	21.70
	8/21/2012	35.36	14.72	0.00	20.64
	8/5/2013	Not accessible due to road construction			
	11/12/2013	34.69	13.47	0.00	21.22
	2/18/2014	34.69	12.55	0.00	22.14
	5/20/2014	34.69	12.95	0.00	21.74
	8/12/2014	34.69	14.26	0.00	20.43
	11/17/2014	34.69	13.30	0.00	21.39
	2/26/2015	34.69	13.00	0.00	21.69
	5/22/2015	34.69	13.67	0.00	21.02
	8/4/2015	34.69	14.41	0.00	20.28
	11/25/2015	34.69	12.93	0.00	21.76
	2/24/2016	34.69	12.68	0.00	22.01
	5/9/2016	34.69	13.58	0.00	21.11
	8/26/2016	34.69	14.29	0.00	20.40
	11/29/2016	34.69	12.15	0.00	22.54
	2/16/2017	34.69	12.27	0.00	22.42
	5/25/2017	34.69	13.02	0.00	21.67
	8/9/2017	34.69	13.91	0.00	20.78
	11/29/2017	34.69	12.53	0.00	22.16
2/8/2018	34.69	12.43	0.00	22.26	
5/31/2018	34.69	13.52	0.00	21.17	
8/16/2018	34.69	14.29	0.00	20.40	
12/7/2018	34.69	12.99	0.00	21.70	
TSSMW-11	1/18/2010	30.03	9.07	0.00	20.96
TSSMW-12	1/18/2010	32.98	11.55	0.00	21.43
	10/31/2011	32.98	13.94	0.00	19.04
	2/1/2012	32.98	11.61	0.00	21.37
	5/7/2012	32.98	11.78	0.00	21.20
	8/20/2012	32.98	12.81	0.00	20.17
	8/5/2013	32.98	12.78	0.00	20.20
	11/11/2013	32.98	12.20	0.00	20.78
	2/17/2014	32.98	11.35	0.00	21.63
	5/19/2014	32.98	11.66	0.00	21.32
	8/11/2014	32.98	13.00	0.00	19.98
	11/17/2014	32.98	12.04	0.00	20.94
	2/25/2015	32.98	11.78	0.00	21.20
	5/21/2015	32.98	12.38	0.00	20.60
	8/3/2015	32.98	13.10	0.00	19.88
	11/24/2015	32.98	11.49	0.00	21.49
	2/23/2016	32.98	12.32	0.00	20.66
	5/9/2016	32.98	12.26	0.00	20.72
	8/23/2016	32.98	13.09	0.00	19.89

**Table 1**  
**Groundwater Elevation Data**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date	PVC Casing Elevation <sup>a</sup>	Depth to Water <sup>b</sup>	LNAPL Thickness <sup>c</sup>	Water Table Elevation <sup>d</sup>
TSSMW-12	11/29/2016	32.98	10.78	0.00	22.20
	2/14/2017	32.98	11.15	0.00	21.83
	5/25/2017	32.98	11.74	0.00	21.24
	8/7/2017	32.98	12.77	0.00	20.21
	11/28/2017	32.98	11.11	0.00	21.87
	2/6/2018	32.98	11.13	0.00	21.85
	5/29/2018	32.98	12.29	0.00	20.69
	8/14/2018	32.98	13.03	0.00	19.95
	12/5/2018	32.98	11.65	0.00	21.33
TSSMW-13	1/18/2010	34.80	13.34	0.00	21.46

Notes:

All measurements are in feet. Elevations are in feet above mean sea level (AMSL).

-- Not recorded.

LNAPL Light non-aqueous phase liquid

a PVC casing elevation on the north side of the well casing.

- Survey Coordinate System and Zone: Washington State Plane, South Zone coordinates.
- Horizontal Datum: NAD 83(91) US feet (horizontal accuracy: 0.1').
- Vertical Datum: NAVD'88 (vertical accuracy: 0.01').
- Survey of WCMW-1 through WCMW-6 completed July 3, 2008 by Duane Hartman & Associates (DHA).
- Survey of KBMW-1 through KBMW-10, ESMW-1 and ESMW-7 completed December 14, 2009 by DHA.
- Survey of TSSMW-1 through TSSMW-13 completed January 18, 2010 by DHA. TSSMW-10 was not accessible at the time of the survey. Therefore, vertical data was not obtained.
- Survey of WCMW-1R, WCMW-7 through WCMW-10, KBMW-11, KBMW-12 completed on November 14, 2011 by DHA.
- Wells KBMW-4, KBMW-5, KBMW-8, KBMW-9, KBMW-10, ESMW-7, TSSMW-7, and TSSMW-9 re-surveyed on December 10, 2013 by Parametrix following road construction.
- Survey of RW-1 completed December 18, 2013 by EPI.

b Depth to groundwater measured from top of well casing.

c LNAPL thickness = [Depth to LNAPL] - [Depth to Water]; measured from top of well casing using an electronic oil-water interface probe. Bold value indicates measurable thickness.

d Water table elevations adjusted for the presence of LNAPL using the following formula and assumed LNAPL specific gravity of 0.8: [Water Table Elevation] = [PVC Casing Elevation] - [Depth to Water] + [LNAPL Thickness x 0.80].

**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>
<b>Monitoring Wells Associated With Whitney's Chevrolet Site</b>								
WCMW-1	12/13/09	9,600	7.9	84.4	58.6	816	121	24.6
	1/19/10 and /Dup3	5,040/4,910	98.3/117	125/98.5	134/120	900/1,330	70.5/87.7	34.1/35
WCMW-1R	11/2/11	750	<1.0	1.2	2.6	30.2	6.3	1.5
	1/31/12	4,740	2.8	23.8	51.7	508	130	16
	5/7/2012 and /WC-Dup1	6,200/5,770	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	31.2/25.1	125/157	20.6/14.7
	8/20/12	267	<1.0	<1.0	<1.0	31.2	<5.0	6.8
	8/5/13	1,150	<1.0	<1.0	<1.0	<2.0	6.9	2.1
	11/12/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/17/14	1,180	<1.0	<1.0	13.0	28.5	23.8	3.4
	5/20/14	7,190	<1.0	<1.0	22.4	82.1	96.4	7.5
	8/11/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/26/15	4,280	<1.0	<1.0	17.4	47.7	27.2	4.2
	5/21/2015 and /WC-Dup1	546/516	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/3/15	249	<1.0	<1.0	<1.0	4.1	<5.0	<1.0
	11/24/15	157	<1.0	<1.0	<1.0	<2.0	<5.0	1.2
	2/23/16	3,630	<1.0	<1.0	6.8	11.2	9.9	1.6
	5/9/16	1,620	<1.0	<1.0	1.8	3.1	11.8	<1.0
	8/24/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/30/16	2,900	<1.0	<1.0	5.5	12.1	5.4	1.9
	2/14/17	3,750	<1.0	<1.0	2.5	5.7	7.8	0.8
	5/23/17	355	<1.0	<1.0	<1.0	<1.0	<1.0	3.1
	8/7/17	<100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	11/29/17	<100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/6/18	<100	<1.0	<1.0	<1.0	<1.0	<1.0	1.3
	5/30/18	<100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	8/15/18	<100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/6/18	<100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
WCMW-2	12/12/09	52,000	1,020	4,350	1,970	10,000	322	23.7
	1/19/10	41,400	2,490	14,700	6,490	29,500	340	41.9
	10/31/11	LNAPL – 0.10 foot (1.2 inches)						
	2/1/12	43,600	584	1,100	1,100	2,700	364	21.8
	5/8/12	49,600	454	2,290	1,140	4,630	1,170	17.7
	8/20/12	LNAPL – 0.03 foot (0.36 inch)						
	8/6/13	LNAPL – 0.02 foot (0.24 inch)						
	11/11/13	LNAPL – Sheen						
	2/17/14	LNAPL – Sheen						
	5/19/14	LNAPL – Sheen						
	8/11/14	LNAPL – 0.02 foot (0.24 inch)						
	11/18/14	63,800	666	4,010	3,520	15,100	1,010	36
	2/26/15	LNAPL – Sheen						
	5/21/15	LNAPL – 0.01 foot (0.12 inch)						
	8/3/15	LNAPL – 0.54 foot (6.48 inches)						
	11/24/15	LNAPL – 0.04 foot (0.48 inches)						
	2/23/16	LNAPL – Sheen						
	5/9/16	LNAPL – Sheen						
	8/23/16	LNAPL – 0.51 foot (6.12 inches)						
	11/30/16	49,500	271	1,800	2,050	8,300	1,010	20.1
	2/15/17	58,200	94	2,230	1,330	5,320	950	17.1
5/24/17	65,500	166	1,840	1,780	7,820	1,300	25.4	
8/9/17	LNAPL – 0.51 foot (6.12 inches)							
11/28/17 and /DUP-1	31,300/35,700	61/71	1,520/1,500	1,140/1,120	5,610/5,540	428/620	27/29	
2/8/18	43,000	48	1,100	54	4,640	400	27	

**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>
WCMW-2	5/31/18	72,500	29	1,170	758	3,200	773	27
	8/15/18	45,200	17	578	2,350	4,550	456	18
	12/6/18 and /DUP-1	11,600/16,000	3.0/4.4	62/92	21/17	1,870/1,470	131/249	21/17
WCMW-3	12/12/09	41,000	575	2,190	118	6,450	171	27.1
	1/19/10	26,300	2,370	11,000	4,710	23,400	554	25.5
	11/2/11	37,800	394	2,980	1,760	8,810	534	14.9
	2/2/12	38,600	473	694	941	1,590	749	14.2
	5/9/12	52,500	709	2,950	1,350	6,030	1,280	11.0
	8/22/12	68,900	630	3,660	1,690	8,430	795	14.4
	8/7/13	101,000	346	2,340	1,600	8,200	930	5
	11/12/13	50,900	473	3,360	1,980	9,730	1,040	15
	2/18/14	65,000	397	1,970	1,350	6,450	888	11.8
	5/19/14	58,300	529	2,600	1,720	8,120	1,120	11.0
	8/12/14	138,000	358	3,010	1,940	10,200	4,730	13.2
	2/26/15	43,400	307	1,640	1,820	8,120	403	22.0
	8/4/15	51,500	280	2,680	2,800	12,300	762	24.8
	11/25/2015 and /WC-Dup1	62,000/49,800	169/173	1,640/1,700	1,960/1,790	9,950/9,500	498/275	24/27
	2/24/16	56,200	227	1,330	1,400	7,220	737	14.9
	5/9/16	46,400	179	1,350	1,720	8,790	884	11.9
	8/25/16	49,000	190	1,800	1,710	7,920	358	13.2
	11/30/16	25,400	219	1,480	1,740	7,750	315	13
	2/15/17	23,500	218	1,990	1,340	5,800	797	10.4
	5/24/17	47,200	171	1,410	1,130	5,540	980	13.9
	8/9/17	37,500	96	1,410	1,190	5,670	807	12
	11/28/17	36,700	102	1,180	1,220	5,560	620	13
	2/8/18	45,200	64	1,740	102	6,120	384	12
5/31/18	40,900	43	510	1.9	2,100	345	15	
8/15/18	15,700	14	157	<1.0	1,230	180	3.3	
12/6/18	13,400	12	90	<1.0	2,680	219	66.0	
WCMW-4	12/13/09	26,000	115	2,040	266	5,460	12.6	24
	1/19/10	16,900	167	3,330	1,660	8,150	324	27.5
	11/1/11	7,950	13.1	236	385	1,730	192	21.1
	2/1/12	683	<1.0	<1.0	<1.0	32	30.6	<1.0
	5/8/12 and /WC-Dup2	<100/<100	<1.0/<1.0	<1.0/<1.0	1.1<1.0	<2.0/<2.0	<5.0/<5.0	1.4/1.4
	8/21/12	10,100	50.6	453	132	2,030	221	50.7
	8/7/13	55,100	38	429	844	3,890	607	18.4
	11/11/13	10,600	11	188	346	1,830	351	24
	2/18/14	15,600	12.6	127	51.2	1,750	243	12.2
	5/19/14	22,600	28.9	352	544	2,920	473	12.8
	8/11/14	26,500	16	507	927	5,450	473	8.4
	11/17/14	29,900	22	459	457	9,900	304	27
	2/26/15	33,300	56.8	551	1,160	6,080	245	11.8
	5/21/15	36,200	68	506	561	4,770	534	7.4
	8/3/15	31,600	39.5	512	697	8,240	765	20.3
	11/24/15	25,500	23	430	377	4,410	460	18
	2/24/16	16,000	21.0	168	46.7	2,170	329	15.3
	5/9/16	27,200	45.6	350	998	4,900	828	19.4
	8/24/16	22,500	23.9	154	350	2,920	191	8.0
	11/29/16	217	<1.0	<1.0	<1.0	9.1	<5.0	<1.0
	2/15/17	2,340	2.1	10.1	<1.0	234	35.5	3.3
	5/24/17	31,600	19.9	272	739	4,100	654	18.1
	8/8/17	17,300	4.5	89.1	185	1,830	389	9.1
11/29/17	4,570	1.1	35	33	645	51	5.1	
2/7/18	5,730	<1.0	32	80	597	73	8.4	
5/30/2018 and /Dup-1	51,200/34,200	<1.0/<1.0	101/116	382/126	4,580/3,440	746/808	5.9/8.4	

**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>
WCMW-4	8/15/2018 and /Dup-1	42,000/36,300 E	<1.0/<1.0	100/100	426/235	3,140/2,340	302/575	7.9/6.3
	12/6/18	8,150	<1.0	<1.0	<1.0	144	327	12.0
WCMW-5	12/13/09	7,900	267	274	39.7	1,440	57.3	13.7
	1/19/10	6,890	593	1,290	1,070	4,960	174	14.4
	11/1/11	4,350	51.4	176	278	830	77.7	4.7
	2/1/12	4,280	71.1	192	223	801	137	3.1
	5/8/12	9,050	140	125	93.6	1,060	376	3.3
	8/22/12	8,000	164	307	93.6	1,690	232	4.9
	8/7/13	26,200	113	346	436	1,690	298	2.2
	2/18/14	6,290	63.3	47.9	205	379	127	4.4
	8/11/14	15,500	76	426	412	1,910	955	1.2
	2/26/15	7,760	167	115	153	872	156	9.8
	8/3/15 and /Dup2	3,540/3,460	16.4/16.4	52.6/45.8	6.8/<1.0	823/569	163/78.0	<5.0/<1.0
	2/23/16	8,680	51.4	35.4	<1.0	1,070	259	<1.0
	8/24/2016 and /Dup-2	4,960/815	16.5/2.4	46.6/1.8	4.7/<1.0	652/37.0	76.7/11.3	<2.0/<1.0
	2/15/17 and /Dup-1	7,120/5,590	71.9/62.3	122/104	108/118	505/512	185/185	5.2/5.4
	8/8/17 and /WCMW-DUP2	16,400/16,900	51.9/50.6	356/531	10.5/79	2,220/2,580	210/215	<1.0/<1.0
2/7/18	4,800	16	33	86	221	61	5.3	
8/15/18	14,700	47	199	81	1,080	246	<1.0	
WCMW-6	12/13/09	<100	<1	<1	<1	<2	<5.0	4.7
	1/19/10 and /Dup2	<100/<100	<1/<1	<1/<1	<1/<1	<2/<2	<5.0/<5.0	3.5/4
	10/31/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	1/31/12 and /WC-Dup1	<100/<100	<1/<1	<1/<1	<1/<1	<2/<2	<5.0/<5.0	1.1/<1.0
	5/7/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/20/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.2
	8/7/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/11/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.4
	2/18/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/19/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	6.6	<1.0
	2/26/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.5
	2/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.2
	8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/14/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
2/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
8/14/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
WCMW-7	10/31/11 and /WC-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0	1.3/<1.0
	1/31/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.8
	5/7/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.2
	8/20/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.2
	8/5/13 and /WCMW-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/1.0	<2.0/<2.0	<5.0/<5.0	2.9/2.7
	8/11/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/3/15	<100	<1.0	2.9	<1.0	<2.0	<5.0	<1.0
	8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/7/17 and /WCMW-DUP1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/1.0	<2.0/<2.0	<5.0/<5.0	1.9/1.9
8/14/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
WCMW-8	10/31/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.1
	1/31/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	5.3
	5/7/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.8
	8/20/12 and /WC-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	6.6/6.1

**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>
WCMW-8	8/5/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>4.3</b>
	2/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>2.8</b>
	8/11/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/26/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>5.8</b>
	8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>3.5</b>
	2/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>4.4</b>
	8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/14/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>1.9</b>
	8/7/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>1.8</b>
	2/8/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/14/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
WCMW-9	10/31/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>1.5</b>
	1/31/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/7/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/20/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/5/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/12/13	<100	<1.0	<b>1.3</b>	<1.0	<2.0	<b>14</b>	<b>1.1</b>
	2/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/19/14 and /WC-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/11/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>1.1</b>
8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
8/7/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
WCMW-10	10/31/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	1/31/12	<b>1,230</b>	<1.0	<1.0	<b>2.3</b>	<2.0	<b>43.0</b>	<1.0
	5/7/12	<b>2,060</b>	<1.0	<1.0	<1.0	<2.0	<b>28.8</b>	<1.0
	8/20/12	<b>2,690</b>	<1.0	<1.0	<1.0	<2.0	<b>37.4</b>	<1.0
	8/5/13	<b>2,770</b>	<1.0	<1.0	<1.0	<2.0	<b>52.0</b>	<1.0
	11/11/13	<b>2,400</b>	<1.0	<b>1.2</b>	<1.0	<2.0	<b>47.0</b>	<1.0
	2/17/14	<b>2,510</b>	<1.0	<1.0	<b>1.7</b>	<2.0	<b>36.5</b>	<1.0
	5/19/14	<b>2,580</b>	<1.0	<1.0	<b>6.2</b>	<2.0	<b>75.2</b>	<1.0
	8/11/14	<b>9,600</b>	<1.0	<b>1.4</b>	<b>3.5</b>	<b>7.1</b>	<b>64.7</b>	<1.0
	11/17/14	<b>2,100</b>	<1.0	<1.0	<1.0	<b>3.6</b>	<b>32</b>	<1.0
	2/26/2015 and Dup-1	<b>2510/2750</b>	<1.0	<1.0	<b>4.9</b>	<2.0	<b>27.7</b>	<1.0
	5/21/15	<b>3,030</b>	<1.0	<1.0	<1.0	<2.0	<b>29.1</b>	<1.0
	8/3/2015 and Dup-1	<b>2270/2640</b>	<1.0/<1.0	<1.0/<1.0	<b>1.4/1.2</b>	<2.0/<2.0	30.2/41.0	<1.0/<1.0
	11/24/15	<b>2,800</b>	<1.0	<1.0	<b>1.6</b>	<2.0	<b>13</b>	<1.0
	2/23/16	<b>3,570</b>	<1.0	<1.0	<b>6.0</b>	<2.0	<b>67.6</b>	<1.0
	5/9/16	<b>2,270</b>	<1.0	<1.0	<b>1.9</b>	<2.0	<b>78.7</b>	<1.0
	8/24/16	<b>600</b>	<1.0	<1.0	<1.0	<2.0	<b>28.7</b>	<1.0
	11/29/16	<b>2,060</b>	<1.0	<1.0	<b>1.7</b>	<b>5.3</b>	<b>7.5</b>	<1.0
	2/14/16	<b>2,820</b>	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/23/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/7/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
11/28/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
2/6/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
5/30/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
8/15/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
12/6/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-1	12/13/09	<100	<1	<1	<1	<2	<5.0	<b>9.3</b>
	1/18/10	<100	<b>9.8</b>	<1	<1	<2	<5.0	<b>9.8</b>
	11/1/11	<100	<1.0	<1	<1.0	<2	<5.0	<1.0
	2/2/12	<b>211</b>	<1.0	<1.0	<1.0	<2.0	<5.0	<b>3.3</b>
	5/9/12	<b>236</b>	<b>1.7</b>	<1.0	<1.0	<2.0	<5.0	<b>6.3</b>
	8/22/12 and /WC-Dup3	<b>245/&lt;100</b>	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
8/7/13	<b>404</b>	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	

**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>
KBMW-1	2/17/14 and WC-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<b>2.6/2.5</b>
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/26/15	<b>305</b>	<b>3.6</b>	<1.0	<1.0	<2.0	<5.0	<b>6.9</b>
	8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<b>0.9j</b>
	2/24/16	<b>355</b>	<b>12.4</b>	<1.0	<1.0	<2.0	<5.0	<b>8.7</b>
	8/24/16	<b>110</b>	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/15/17	<100	<b>6.0</b>	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	<b>138</b>	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/8/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/14/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-2	12/13/09	<b>38,000</b>	<b>553</b>	<b>5,750</b>	<1	<b>8,110</b>	<b>228</b>	<b>9.2</b>
	1/18/10	<b>27,500</b>	<b>709</b>	<b>8,310</b>	<b>2,200</b>	<b>10,300</b>	<b>282</b>	<1
	10/31/11	LNAPL – 0.04 foot (0.48 inches)						
	2/2/12	<b>38,300</b>	<b>190</b>	<b>2,170</b>	<b>864</b>	<b>3,280</b>	<b>302</b>	<1.0
	5/9/12	<b>43,600</b>	<b>261</b>	<b>2,790</b>	<b>714</b>	<b>3,430</b>	<b>582</b>	<1.0
	8/20/12	LNAPL – 0.21 foot (2.52 inches)						
	8/6/13	LNAPL – 0.40 foot (4.80 inches)						
	11/11/13	LNAPL – 0.01 foot (0.12 inch)						
	2/17/14	LNAPL – Sheen						
	5/19/14	LNAPL – Sheen						
	8/11/14	LNAPL – 0.01 foot (0.06 inch)						
	11/18/14	<b>41,100</b>	<b>156</b>	<b>3,960</b>	<b>1,510</b>	<b>6,190</b>	<b>2,440</b>	<20
	2/26/15	LNAPL – Sheen						
	5/21/15	LNAPL – Sheen						
	8/3/15	LNAPL – 0.05 foot (0.6 inch)						
	11/25/15	LNAPL – Sheen						
	2/23/16	LNAPL – 0.02 foot (0.24 inch)						
	5/9/16	LNAPL – 0.02 foot (0.24 inch)						
	8/23/16	LNAPL – 0.03 foot (0.36 inch)						
	11/30/16	<b>8,700</b>	<b>19.6</b>	<b>363</b>	<b>185</b>	<b>929</b>	<b>297</b>	<b>5.4</b>
2/15/17	<b>12,400</b>	<b>43.0</b>	<b>618</b>	<b>129</b>	<b>1,100</b>	<b>204</b>	<b>3.2</b>	
5/24/2017 and DUP-1	<b>2,880/2,740</b>	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<b>94.5/176</b>	<b>27.2/&lt;5.0</b>	<b>3.3/5.8</b>	
8/8/17	<b>2,400</b>	<1.0	<b>8.6</b>	<1.0	<b>288</b>	<5.0	<b>1.6</b>	
11/29/17	<b>1,820</b>	<1.0	<b>1.1</b>	<b>21</b>	<b>223</b>	<b>25</b>	<b>1.2</b>	
2/7/2018 and DUP-1	<b>1,060/1,170</b>	<1.0/<1.0	<1.0/<1.0	<b>1.2/&lt;1.0</b>	<b>29/27</b>	<b>13/7.6</b>	<1.0/<1.0	
5/31/18	<b>1,510</b>	<1.0	<1.0	<1.0	<b>3.7</b>	<5.0	<1.0	
8/16/18	<b>152</b>	<1.0	<1.0	<1.0	<2.0	<5.0	<b>1.1</b>	
12/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-3	12/13/09	<b>200</b>	<b>10</b>	<b>3.5</b>	<1	<b>3.8</b>	<5.0	<1
	1/18/10	<b>160</b>	<b>10.9</b>	<b>9.1</b>	<1	<b>4.2</b>	<b>5.3</b>	<1
	11/2/11	<b>657</b>	<b>6.3</b>	<b>1.2</b>	<b>12.3</b>	<b>15.2</b>	<b>12.9</b>	<1.0
	2/2/12	<b>191</b>	<b>4.3</b>	<1.0	<1.0	<2.0	<5.0	<1.0
	5/9/12	<b>346</b>	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/22/12	<b>787</b>	<b>7.1</b>	<b>3.1</b>	<b>14.7</b>	<b>55.7</b>	<b>14.8</b>	<1.0
	8/6/13	<b>475</b>	<b>2.0</b>	<1.0	<1.0	<2.0	<5.0	<1.0
	2/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/12/14	<b>430</b>	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/26/15	<b>280</b>	<b>1.7</b>	<1.0	<1.0	<2.0	<5.0	<1.0
	8/4/15	<b>2,440</b>	<b>10.8</b>	<b>2.9</b>	<b>28.6</b>	<b>67.8</b>	<b>24.0</b>	<1.0
	2/24/2016 and /WCMW-Dup2	<100/ <b>103</b>	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/24/16	<b>2,480</b>	<b>15.1</b>	<b>3.5</b>	<b>36.1</b>	<b>68.3</b>	<b>25.7</b>	<1.0
	2/15/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/15/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-4	12/13/09	<b>24,000</b>	<b>279</b>	<b>431</b>	<b>1,390</b>	<b>4,340</b>	<b>195</b>	<b>4.2</b>
	1/19/10	<b>25,400</b>	<b>565</b>	<b>1,140</b>	<b>1,800</b>	<b>6,300</b>	<b>200</b>	<1
	10/31/11	LNAPL – Sheen						
	2/1/12	<b>8,960</b>	<b>16</b>	<b>7.6</b>	<b>116</b>	<b>276</b>	<b>62.3</b>	<1.0
	5/8/12	<b>22,600</b>	<b>71.8</b>	<b>46.5</b>	<b>565</b>	<b>1,250</b>	<b>517</b>	<1.0
8/21/12	<b>20,600</b>	<b>69.2</b>	<b>67</b>	<b>598</b>	<b>1,270</b>	<b>298</b>	<1.0	

**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>
KBMW-4	8/6/13	29,600	37	29	744	1,330	416	<1.0
	11/12/13	9,610	37	25	575	992	293	<1.0
	2/18/14	7,030	17.8	9.9	234	281	106	<1.0
	5/20/14 and /WCMW-Dup2	3,940/4,000	10.4/9.8	4.3/4.1	142/122	123/124	115/107	<1.0/<1.0
	8/12/14	28,000	22.1	22	497	1,510	426	<1.0
	11/18/14	2,730	11	3.0	112	280	48	<1.0
	2/26/15	2,070	2.7	<1.0	4.9	17	26.5	<1.0
	5/21/15	3,270	<1.0	<1.0	<1.0	68	44	<1.0
	8/4/15	3,280	15.8	15.2	84.4	354	<5.0	<1.0
	11/24/15	1,970	6.7	1.5	58	53	26	<1.0
	2/24/16	1,730	<1.0	<1.0	2.4	<2.0	<5.0	<1.0
	5/9/16	2,860	3.2	<1.0	12.8	11.1	23.4	<1.0
	8/25/16	1,870	9.6	13.4	192	309	74.0	<1.0
	11/29/16	190	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/15/17	350	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/24/17	208	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	520	1.0	2.7	9.6	58.6	<5.0	<1.0
	11/29/17	<100	<1.0	<1.0	<1.0	3.9	<5.0	<1.0
	11/29/17	<100	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0
	5/31/18	500	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0
8/15/18	<100	<1.0	<1.0	<1.0	5.3	<5.0	<1.0	
12/6/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-5	12/13/09	<100	<1	<1	<1	<2	<5.0	<1
	1/18/10	<100	<1	<1	<1	<2	<5.0	<1
	11/2/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/2/12	<100	<1.0	<1.0	<1.0	<2.0	6.1	<1.0
	5/9/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/22/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/6/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/12/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/20/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/13/14 and /Dup-3	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/4/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/24/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
8/16/18 and /Dup-2	<100/190	<1.0/<1.0	1.6/0.94J	<1.0/<1.0	1.9J/2.5	8.6/7.1	<1.0/<1.0	
KBMW-6	12/13/09	<100	<1	<1	<1	<2	<5.0	<1
	1/18/10	<100	<1	<1	<1	<2	<5.0	<1
	11/2/11 and /WC-Dup3	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	2/2/12 and /WC-Dup3	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	5/9/12 and /WC-Dup3	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/21/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/6/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/12/14 and /Dup-2	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	5.6/<5.0	<1.0/<1.0
	8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-7	12/13/09	800	11.6	4.1	<1	13.1	16	9.1
	1/19/10	1,090	8.5	13	146	352	39.5	6.8
	11/1/11	1,090	20.6	20.3	98.6	287	84.7	4.7
	1/31/12	1,460	4.2	1.4	31.6	114	43.6	2
	5/7/12	1,170	1.7	1.7	2.3	42.4	11.0	<1.0
	8/21/12	1,750	14.7	6.1	<1.0	92.6	21.3	1.4
	8/6/13	2,630	13.4	12.4	42.7	88.0	12.3	<1.0
	11/11/13	8,640	106	43	295	768	263	3.5
2/18/14	2,260	9.5	2.8	49.3	76.2	42.8	<1.0	

**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>	
KBMW-7	5/19/14	1,650	9.0	3.2	41.7	63.6	38.9	<1.0	
	8/11/14	1,880	27.6	26.9	48.5	96.9	52.5	<1.0	
	11/18/14 and Dup-2	3,290/2,870	30/31	1.8/1.6	25/18	49/48	111/63	<1.0/<1.0	
	2/26/15	1,560	11.2	3.2	25.8	54.2	25.9	<1.0	
	5/21/15	3,460	32.0	14	48	155	55	<1.0	
	8/3/15	1,640	13.5	15.0	<1.0	157	19.3	1.1	
	11/24/15	958	2.4	<1.0	<1.0	3.8	<5.0	<1.0	
	2/23/16	2,420	10.7	3.2	34.3	46.5	51.2	1.3	
	5/9/16	1,040	12.8	5.6	32	21.6	22.2	<1.0	
	8/24/2016 and /Dup-1	680/219	5.8/<1.0	4.1/<1.0	<1.0/<1.0	57.8/<2.0	20.4/11.6	<1.0/<1.0	
	11/30/16	1,140	10.2	3.2	2.2	32.4	8.8	1.7	
	2/14/17	3,170	12.5	7.2	37.5	117	53.2	2.6	
	5/23/17	1,020	10.7	3.8	<1.0	63.1	<5.0	3.2	
	8/8/17	114	1.6	<1.0	<1.0	<2.0	<5.0	<1.0	
	11/29/17	880	2.0	<1.0	9.2	11	18	<1.0	
	2/7/18	2,640	12.0	10	66	81	33	1.6	
	5/30/18	2,020	3.2	2.2	<1.0	52	11	1.2	
8/15/18	1,350	<1.0	23	5.0	35	116	<1.0		
12/6/18	500	1.2	<1.0	<1.0	6.7	<5.0	<1.0		
KBMW-8	12/13/09 and /Dup2	2,700/4,000	54.4/64.5	8.9/20.8	<1/6.8	147/262	<5.0/<5.0	4.5/3.7	
	1/19/10	223	21.8	48.4	19.5	76.2	38.7	3.9	
	11/1/11	1,990	19.9	5.0	108	66.3	45.4	<1.0	
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/21/12	209	3.4	<1.0	6.7	<2.0	<5.0	<1.0	
	8/6/13 and /WCMW-Dup2	335/506	3.5/3.6	<1.0/<1.0	8.8/6.1	2.2/<2.0	5.9/<5.0	<1.0/<1.0	
	2/18/14 and WC-Dup2	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0	
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	2/26/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/4/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	2/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/25/16	360	2.6	<1.0	<1.0	5.0	<5.0	<1.0	
	2/15/17	380	2.1	<1.0	1.9	4.9	<5.0	<1.0	
	8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
2/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
8/14/18	<100	<1.0	<1.0	<1.0	<2.0	68	<1.0		
KBMW-9	12/14/09	37,000	516	3,850	1,900	9,100	479	1.8	
	1/18/10	24,900	778	6,290	3,760	17,000	370	2	
	11/1/11			LNAPL – 0.55 foot (6.60 inches)					
	2/1/12			LNAPL – 0.21 foot (2.52 inches)					
	5/8/12			LNAPL – 0.23 foot (2.76 inches)					
	8/21/12			LNAPL – 0.69 foot (8.28 inches)					
	8/5/13			Not accessible due to road construction					
	11/12/13			LNAPL – 0.07 foot (0.84 inch)					
	2/18/14			LNAPL – Sheen					
	5/20/14			LNAPL – Sheen					
	8/12/14			LNAPL – 0.08 foot (1 inch)					
	2/26/15			LNAPL – Sheen					
	5/22/15			LNAPL – 0.16 foot (1.92 inches)					
	8/3/15								
	11/25/15			LNAPL – Sheen					
	2/24/16			LNAPL – 0.04 foot (0.48 inches)					
	5/9/16			LNAPL – 0.04 foot (0.48 inches)					
8/23/16			LNAPL – 0.51 foot (6.12 inches)						
11/30/16	39,500	49.1	417	1,800	9,170	651	1.2		
2/16/17	49,800	22.8	342	918	5,300	670	<1.0		
5/25/17	43,400	22.5	203	916	5,330	851	<1.0		
8/9/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
11/29/17	17,500	5.9	100	493	2,900	289	<1.0		

**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>
KBMW-9	2/8/18	16,900	2.9	25	315	1,840	87	<1.0
	5/31/18	30,000	<1.0	59	510	2,820	855	<1.0
	8/16/18	34,100	1.7	28	543	2,970	537	<1.0
	12/7/18	714	<1.0	<1.0	<1.0	26	131	<1.0
KBMW-10	12/14/09	<100	<1	<1	<1	<2	<5.0	5.9
	1/18/10	<100	<1	<1	<1	<2	<5.0	4.2
	11/1/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.4
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.5
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.6
	8/21/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.7
	8/5/13	Not accessible due to road construction						
	11/12/13	160	7.8	<1.0	1.6	<2.0	<5.0	2.4
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/4/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.0
	8/26/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/9/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/16/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-11	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/4/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.0
	11/1/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/21/12	<100	2.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/6/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/3/15	397	<1.0	6.4	9.7	51.9	74.8	<1.0
	8/25/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-12	11/1/11	49,000	1,470	3,780	2,290	9,210	376	<1.0
	2/1/12	51,600	4,440	12,600	2,330	10,500	212	<1.0
	5/8/12	83,000	2,090	8,370	3,000	11,100	310	<1.0
	8/21/12	68,400	932	5,500	2,010	8,130	297	<1.0
	8/6/13	104,000	398	5,100	2,100	9,260	245	<1.0
	8/12/14	55,700	270	2,620	1,380	5,850	129	<1.0
	8/3/15	20,400	62.6	528	1,170	4,580	149	<1.0
	8/25/16	6,420	75.8	35	290	719	40.0	<5.0
8/8/17	17,200	22.8	25.5	873	1,920	86.1	<5.0	
ESMW-1	12/13/09 and /Dup1	800/650	11.3/8.8	8.2/<1	1.1/<1	29.6/12.1	<5.0/<5.0	<1/<1
	1/19/10 and /Dup1	658/695	10.9/10.9	10.2/10.4	3.5/3.2	32.2/29.5	28.2/29.1	<1/<1
	10/31/11	1,300	6.2	4.3	28.2	37.1	12.4	<1.0
	1/31/12	2,060	7.5	6.3	46.2	47.5	57.6	<1.0
	5/7/12	4,180	5.8	4.2	38.7	13.5	20.4	<1.0
	8/20/12	1,430	2.0	<1.0	2.1	7.4	<5.0	<1.0
	8/5/13	585	1.4	<1.0	2.9	<2.0	1.9	<1.0
	11/11/13	449	4.4	1.5	29	3.3	<5.0	<1.0
	2/17/14	1,500	4.4	1.8	27.1	4.1	11.9	<1.0
	5/19/14	1,540	3.2	1.0	25.2	<2.0	17.1	<1.0
	8/11/14 and /WC-Dup1	500/<100	<1.0/<1.0	<1.0/<1.0	3.1/<1.0	<2.0/2.0	<5.0/<5.0	<1.0/<1.0
	11/17/14	358	<1.0	<1.0	4.3	2.7	41	<1.0
	2/26/2015 and Dup-2	1,180/1,450	3.2/4.0	1.4/1.9	27/30.8	4.4/6.1	14/20.2	<1.0/<1.0
	5/21/15	610	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0
	8/3/15	100	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0
	11/24/15	325	<1.0	<1.0	8.5	2.9	<1.0	<1.0
8/11/14 and /WC-Dup1	1,960/1,890	1.8/1.8	1.0/1.0	38.3/36.0	1.9j/1.9j	5.2/6.0	<1.0/<1.0	
5/9/16	500	<1.0	<1.0	1.7	<2.0	<5.0	<1.0	
8/24/16	100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	

**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>	
ESMW-1	11/30/16	927	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	2/14/17	1,240	<1.0	<1.0	7.2	<2.0	<5.0	<1.0	
	2/14/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/7/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	11/28/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	2/6/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/30/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/15/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
12/6/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
ESMW-7	12/13/09	3,600	76.5	30.2	5.1	680	<5.0	6.4	
	1/19/10	1,990	127	39.5	292	649	32.1	<1	
	11/1/12	5,800	135	31.4	520	645	133	<1.0	
	2/1/12 and /WC-Dup2	1,180/804	56.6/29.1	7.7/3.9	91/20.1	127/67.4	38.9	<1.0/<1.0	
	5/8/12	5,350	94.8	41.8	207	427	106	<1.0	
	8/21/12 and /WC-Dup2	10,200/16,000	312/349	45.1/46.7	612/789	1,400/1,700	409/420	<1.0/<1.0	
	8/5/13	Not accessible due to road construction							
	11/12/13	18,100	188	158	1,200	2,860	536	<1.0	
	2/18/14	718	10.7	3.7	45.7	67.5	17.7	<1.0	
	5/19/14	147	2.2	<1.0	7.0	15.3	3.2	<1.0	
	8/12/14	10,500	108	18.7	253	300	395	<1.0	
	11/18/14	6,210	57	35	503	1,170	114	<5.0	
	2/26/15	10,100	122	74	512	988	196	<5.0	
	5/22/15	10,100	159	66	955	1,300	360	<5.0	
	8/4/2015 and WC-Dup3	8,100/10,900	71.0/77.6	32.9/33.9	634/885	910/1,300	166/332	<5.0/<1.0	
	11/25/15	7,340	58	31	402	655	57	<1.0	
	2/24/16	322	2.5	1.2	14.8	17.2	<5.0	<1.0	
	5/9/2016 and WC-Dup1	11,200/9,300	112/79.5	58.0/36.0	706/593	873/727	858/704	<1.0/<1.0	
	8/25/16	4,520	79.2	23.2	440	273.0	106	<5.0	
	11/30/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
2/15/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
5/24/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
11/29/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
2/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
5/30/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
8/15/18	126	<1.0	<1.0	<1.0	5.5	7.1	<1.0		
<b>Monitoring Wells Associated With Tony's Short Stop Site, 326 South Main Street, Montesano, WA</b>									
TSSMW-2	1/18/10	92,100	22,300	66,700	10,700	47,600	99	<4	
TSSMW-4	1/18/10	LNAPL – 0.8 foot (0.96 inches)							
TSSMW-5	1/18/10	<100	<1	<1	<1	<2	<5	<1	
TSSMW-6	1/18/10	<100	<1	<1	<1	<2	<5	4.4	
TSSMW-7	1/18/10	107	2.3	<1	1.4	17	<5	2	
	11/1/11	315	4.1	<1.0	3.2	3.3	14.2	1.2	
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/21/12	557	<1.0	<1.0	<1.0	45.7	12.7	1.0	
	8/6/13	1,100	4.0	2.0	<1.0	61.3	24.7	<1.0	
	11/12/13 and /Dup-2	224/<100	<1.0/<1.0	<1.0/<1.0	1.3/<1.0	21/<2.0	30/<5.0	1.2/1.0	
	2/18/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/19/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/12/14	740	6.5	3.0	<1.0	52.9	22.3	<1.0	
	11/18/14	619	<1.0	<1.0	<1.0	<2.0	<5.0	1.0	
	2/26/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/21/15	117	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/4/15	225	1.6	1.1	3.2	36.8	16.6	<1.0	
	11/25/15	117	<1.0	<1.0	<1.0	<2.0	5.8	<1.0	
2/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
5/9/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
8/25/16	228	2.4	1.3	<1.0	38.1	15.8	<1.0		


**Table 2**  
**Groundwater Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Well ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>
TSSMW-7	11/29/16	<b>355</b>	<b>7.3</b>	<1.0	<1.0	<b>6.3</b>	<b>9.00</b>	<1.0
	2/16/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/24/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/29/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/30/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/15/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
TSSMW-8	1/18/10	<b>125</b>	<b>1.4</b>	<1	<b>9.3</b>	<2.0	<5	<1.0
	11/1/11	<b>150</b>	<b>4.9</b>	<1.0	<b>2.1</b>	<2.0	<5.0	<1.0
	2/1/12	<100	<b>1.0</b>	<1.0	<1.0	<2.0	<b>5.5</b>	<1.0
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/21/12	<100	<b>2.6</b>	<1.0	<1.0	<2.0	<5.0	<1.0
TSSMW-9	1/18/10	<b>1,700</b>	<b>173</b>	<b>82</b>	<b>97.5</b>	<b>1,190</b>	<b>96.9</b>	<1.0
	11/1/11	<b>1,310</b>	<b>69.8</b>	<b>45.4</b>	<b>244</b>	<b>616</b>	<b>116</b>	<1.0
	2/1/12	<b>1,130</b>	<b>25</b>	<b>8.7</b>	<b>34.2</b>	<b>173</b>	<b>27.3</b>	<1.0
	5/8/12	<b>930</b>	<b>11.9</b>	<b>2.7</b>	<b>7.4</b>	<b>43.2</b>	<b>40.7</b>	<1.0
	8/21/12	<b>7,000</b>	<b>59.3</b>	<b>22.7</b>	<b>91.9</b>	<b>306</b>	<b>65.1</b>	<1.0
	8/5/13	Not accessible due to road construction						
	11/12/13 and /Dup-1	<b>4,050/3,240</b>	<b>71/66</b>	<b>34/31</b>	<b>189/174</b>	<b>398/362</b>	<b>108/113</b>	<1.0/<1.0
	2/18/14	<b>984</b>	<b>22.6</b>	<b>3.0</b>	<b>8.0</b>	<b>15.2</b>	<b>29.5</b>	<1.0
	5/20/14	<100	<b>27.8</b>	<b>4.9</b>	<b>16.1</b>	<b>19.3</b>	<b>120</b>	<1.0
	8/12/14	<b>11,300</b>	<b>95.2</b>	<b>57</b>	<b>275</b>	<b>865</b>	<b>383</b>	<1.0
	11/18/2014 and Dup-1	<b>7,430/8,150</b>	<b>75/80</b>	<b>72/73</b>	<b>235/211</b>	<b>959/967</b>	<b>60/152</b>	<5.0/<5.0
	2/26/15	<b>3,250</b>	<b>88</b>	<b>31</b>	<b>142</b>	<b>214</b>	<b>133</b>	<1.0
	5/22/15	<b>2,940</b>	<b>36</b>	<b>11</b>	<b>78</b>	<b>115</b>	<b>49</b>	<1.0
	8/4/15	<b>6,880</b>	<b>72</b>	<b>54</b>	<b>392</b>	<b>985</b>	<b>195</b>	<1.0
	11/25/15	<b>5,520</b>	<b>50</b>	<b>44</b>	<b>202</b>	<b>700</b>	<b>82</b>	<1.0
	2/24/16	<b>202</b>	<1.0	<1.0	<1.0	<2.0	<b>7.9</b>	<1.0
	5/9/16	<b>242</b>	<b>14.2</b>	<b>1.0</b>	<b>2.0</b>	<b>3.2</b>	<b>16.0</b>	<1.0
	8/26/16	<b>150</b>	<b>7.1</b>	<b>2.6</b>	<b>9.3</b>	<b>9.3</b>	<b>30.0</b>	<1.0
	11/29/16 and DUP-1	<b>210/170</b>	<b>1.8/&lt;1.0</b>	<1.0/<1.0	<1.0/<1.0	<b>26.6/18.4</b>	<1.0/<1.0	<1.0/<1.0
	2/16/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
5/25/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
8/9/17	<b>480</b>	<b>11.6</b>	<b>2.9</b>	<b>24.1</b>	<b>14.8</b>	<b>16.2</b>	<1.0	
11/29/17	<b>258</b>	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
2/8/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
5/31/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
8/16/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
12/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
TSSMW-12	11/1/11 and /WC-Dup2	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/21/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
<b>Potentially Applicable Groundwater Cleanup Level<sup>c</sup></b>		<b>800 / 1,000<sup>d</sup></b>	<b>5</b>	<b>1,000</b>	<b>700</b>	<b>1,000</b>	<b>160</b>	<b>5</b>

Notes:

All results presented in micrograms/liter (µg/L).

**Bold** **Bold** results indicate that the compound was detected above the compound-specific laboratory reporting limit.

 Shaded cells indicate that the detected concentration exceeds the potentially applicable groundwater cleanup level.

< Compound was not detected at the laboratory sample quantitation limit shown.

GRPH Gasoline-range petroleum hydrocarbons

PCE Tetrachloroethene

LNAPL Light non-aqueous phase liquid

a Analyzed by Ecology Method NWTPH-Gx.

b Analyzed by EPA Method 8260B or 8260C.

c Based on Model Toxics Control Act (MTCA) Method A Groundwater Cleanup Levels, WAC 173-340-900, Table 720-1.

d MTCA Method A Groundwater Cleanup Level for GRPH is 800 µg/L when benzene is present in the sample and 1,000 µg/L when benzene is not detected.

**Table 3**  
**Air Emission Analytical Results (in µg/L)**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 Pioneer Avenue, Montesano, Washington**

Sample ID	Date Collected	GRPH <sup>a</sup>	Benzene <sup>b</sup>	Toluene <sup>b</sup>	Ethyl-benzene <sup>b</sup>	Total Xylenes <sup>b</sup>	Naphthalene <sup>b</sup>	PCE <sup>b</sup>
INF1-0215	2/15/17	<b>147</b>	<b>0.175</b>	<0.1	<0.1	<b>0.117</b>	<0.1	<b>0.192</b>
EFF1-0215		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1A-0328	3/28/17	<b>227</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-0328		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0330	3/30/17	<b>151</b>	<b>0.104</b>	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-0330		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0403	4/3/17	<b>477</b>	<0.1	<0.1	<0.1	<b>1.08</b>	<0.1	<0.1
EFF1-0403		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0410	4/10/17	<b>268</b>	<b>0.146</b>	<b>0.211</b>	<b>0.341</b>	<b>1.68</b>	<0.1	<0.1
EFF1-0410		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0418	4/18/17	<b>108</b>	<0.1	<b>0.283</b>	<b>0.158</b>	<b>0.998</b>	<0.1	<0.1
EFF1-0418		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0428	4/28/17	<b>319</b>	<0.1	<b>0.300</b>	<b>0.250</b>	<b>1.38</b>	<0.1	<0.1
EFF1-0428		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<b>0.105</b>
INF1-0503	5/3/17	<b>129</b>	<0.1	<b>0.187</b>	<b>0.214</b>	<b>1.31</b>	<0.1	<0.1
EFF1-0503		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0504	5/4/17	<b>103</b>	<0.1	<b>0.152</b>	<b>0.147</b>	<b>1.04</b>	<0.1	<0.1
EFF1-0504		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0508	5/8/17	<b>294</b>	<0.1	<0.1	<b>0.224</b>	<b>0.960</b>	<0.1	<0.1
EFF1-0508		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0515	5/15/17	<b>176</b>	<0.1	<b>0.320</b>	<b>0.187</b>	<b>1.28</b>	<0.1	<0.1
EFF1-0515		<b>12.8</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0522	5/22/17	<b>183</b>	<0.1	<b>0.256</b>	<b>0.150</b>	<b>1.19</b>	<0.1	<0.1
EFF1-0522		<b>25.3</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0714	7/14/17	<b>268</b>	<0.1	<b>0.500</b>	<b>0.0183</b>	<b>1.830</b>	<0.1	<0.1
EFF1-0714		<b>6.83</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0806	8/6/17	<b>261</b>	<b>0.218</b>	<b>0.929</b>	<b>0.429</b>	<b>2.991</b>	<0.1	<0.1
EFF1-0806		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0919	9/19/17	<b>201</b>	<0.1	<b>0.450</b>	<b>0.281</b>	<b>2.151</b>	<0.1	<0.1
EFF1-0919		<b>12.8</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-1025	10/25/17	<b>132</b>	<0.1	<0.1	<0.1	<b>0.521</b>	<0.1	<0.1
EFF1-1025		<b>41.9</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-1127	11/27/17	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-1127		<b>24.4</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-1220	12/20/17	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-1220		<b>16.6</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0117	1/17/18	<b>1.66</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-0117		<b>51.0</b>	<b>0.479</b>	<0.1	<0.1	<0.1	<0.1	<0.1
INF-0205	2/5/18	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF-0314	3/14/18	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF-0426	4/26/18	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF-0524	5/24/18	<b>12.0</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF-0615	6/15/18	<b>27.7 H</b>	<0.1	<0.1 H	<0.1	<0.1	<0.1	<0.1
INF-0713	7/13/18	<b>39.4</b>	<0.1	<0.1	<0.1	<b>0.331</b>	<b>0.160</b>	<0.1
INF-0813	8/13/18	<b>49.2</b>	<0.1	<0.1	<0.1	<b>0.105</b>	<0.1	<0.1
INF-0928	9/28/18	<b>14.1</b>	<0.1	<0.1	<0.1	<b>0.111</b>	<0.1	<0.1
INF-1023	10/23/18	<b>47.4</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF-1204	12/4/18	<b>5.1</b>	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

Notes:

- All results presented in micrograms per liter (µg/L).
- < Compound was not detected at the laboratory sample quantitation limit shown.
- a Analyzed by Ecology Method NWTPH-Gx.
- b Analyzed by EPA Method 8260C.

Compounds:

- GRPH Gasoline-range petroleum hydrocarbons
- PCE Tetrachloroethene

Qualifier:

- H Holding times for preparation or analysis exceeded.

**Table 4**  
**System Mass Removal and Destruction Efficiency**  
**Quarterly Groundwater Monitoring and Remediation System Status Report – December 2018**  
**Whitney's Chevrolet, Inc.**  
**123 West Pioneer Avenue, Montesano, Washington**


Date	Field Inputs				Mass Removal			Vapor Control Efficiency			Vapor Control Efficiency PID Screening			
	SVE Run Time Since Last Event <sup>a</sup> (days)	System Flow Rate to Carbon <sup>b</sup> (scfm)	Influent GRPH Conc. to Carbon <sup>c</sup> (µg/L)	Effluent GRPH Conc. <sup>d</sup> (µg/L)	GRPH Removal Rate <sup>e</sup> (lbs/day)	GRPH Removed During Period <sup>f</sup> (lbs)	Cumulative GRPH Removed <sup>g</sup> (lbs)	Mass Flow Rate In (lbs/day)	Mass Flow Rate Out (lbs/day)	Carbon Adsorption Control Efficiency <sup>h</sup> (%)	Inf-Carbon PID Reading (ppm)	Mid-Carbon PID Reading (ppm)	Post-Carbon PID Reading (ppm)	Carbon Adsorption Control Efficiency (%)
02/15/17	1.07	111	147	<5.0	1.5	1.6	1.6	0.0	0.0	100.0	NM	NM	NM	NM
03/27/17	0.20	154	147	<5.0	2.0	0.4	2.0	2.0	0.0	100.0	NM	NM	NM	NM
03/28/17	1.10	112	227	<5.0	2.3	2.5	4.5	2.3	0.0	100.0	58.8	NM	0.0	100.0%
03/30/17	1.80	133	151	<5.0	1.8	3.2	7.7	1.8	0.0	100.0	37.9	NM	11.3	70.2%
04/03/17	1.20	192	477	<5.0	8.2	9.9	17.6	8.2	0.0	100.0	89.1	NM	1.2	98.7%
04/10/17	7.00	123	268	<5.0	3.0	20.7	38.3	3.0	0.0	100.0	38.0	NM	0.7	98.2%
04/18/17	8.00	164	108	<5.0	1.6	12.7	51.0	1.6	0.0	100.0	26.5	NM	2.6	90.2%
04/24/17	5.90	198	319	<5.0	5.7	33.5	84.5	5.7	0.0	100.0	49.7	NM	0.0	100.0%
05/03/17	9.20	208	129	<5.0	2.4	22.2	106.6	2.4	0.0	100.0	28.4	NM	1.0	96.5%
05/04/17	0.10	161	103	<5.0	1.5	0.1	106.8	1.5	0.0	100.0	24.4	NM	0.0	100.0%
05/08/17	4.00	212	294	<5.0	5.6	22.4	129.2	5.6	0.0	100.0	61.8	NM	0.0	100.0%
05/15/17	7.00	165	176	12.8	2.6	18.2	147.4	2.6	0.2	92.7	71.9	NM	10.1	86.0%
05/22/17	6.10	185	183	25.3	3.0	18.5	165.9	3.0	0.4	86.2	99.7	13.1	6.0	94.0%
07/14/17	14.80	201	268	6.830	4.8	71.6	237.5	4.8	0.1	97.5	53	NM	0	100.0%
08/06/17	23.10	200	261	<5.0	4.7	108.2	345.7	4.7	0.0	100.0	45	NM	5.0	88.9%
09/19/17	42.10	201	201	12.8	3.6	152.7	498.4	3.6	0.2	93.6	142.1	NM	3.8	97.3%
10/25/17	35.88	193	132	41.9	2.3	82.0	580.5	2.3	0.7	68.3	5.0	NM	2.0	60.0%
11/27/17	38.92	184	2.5 <sup>i</sup>	24.4	0.04	1.6	582.1	0.0	0.0	---	2.5	NM	4.3	---
12/20/17	21.00	180	2.5 <sup>i</sup>	16.6	0.04	0.8	582.9	0.0	0.3	---	5.0	NM	2.0	---
01/17/18	27.90	184	1.66	51.0	0.03	0.8	583.7	0.0	0.8	---	5.0	NM	2.0	---
02/05/18	19.00	173	2.5 <sup>i</sup>	NM	0.04	0.7	584.4	0.0	0.0	---	2.5	NM	4.3	---
03/14/18	33.88	160	2.5 <sup>i</sup>	NM	0.04	1.2	585.6	0.04	0.0	---	6.4	NM	NM	---
04/26/18	42.95	160	2.5 <sup>i</sup>	NM	0.04	1.5	587.2	0.04	0.0	---	52.2	NM	NM	---
05/24/18	28.05	155	12.0	NM	0.17	4.7	591.9	0.17	0.0	---	15.8	NM	NM	---
06/15/18	14.98	150	27.7	NM	0.37	5.6	597.5	0.37	0.0	---	62.8	NM	NM	---
07/13/18	27.99	224	39.40	NM	0.79	22.2	619.6	0.79	0.0	---	54.6	NM	NM	---
08/13/18	31.00	221	49.20	NM	0.98	30.3	649.9	0.98	0.0	---	328.9	NM	NM	---
09/28/18	42.80	221	57.50	NM	1.14	48.8	698.7	1.14	0.0	---	10.1	NM	NM	---
10/23/18	25.03	219	47.40	NM	0.93	23.3	722.0	0.93	0.0	---	2.6	NM	NM	---
12/04/18	42.05	200	5.10	NM	0.09	3.8	725.9	0.09	0.0	---	2.8	NM	NM	---

Notes:


- a Days of SVE operation since last visit.
- b Collected from SVE-TOT location, post dilution.
- c Collected from AIR-INF location, post dilution.
- d Collected from AIR-EFF location, effluent carbon.
- e Calculated as: Removal rate (lbs/day) = [(flow rate(scfm)\*1440 (min/day))\*[28.3(L/Ft3)\*Inf. Conc (µg/L)]]/454,000,000 µg/lb
- f Calculated as: [GRPH Removal Rate (lbs/day) \* Time Since Last Event (days)]
- g Calculated as: [Cumulative GRPH Removed (lbs) + GRPH Removed During Period (lbs)]
- h Calculated as: [(Mass flow rate In - Mass Flow rate Out)/(Mass flow rate in)] \* 100
- i GRPH was not identified in the influent sample at concentrations above the sample quantitation limit during this O&M event. A proxy value of half the sample quantitation limit was used to estimate mass removal.

- < Concentration is less than the laboratory's method detection limit.
- scfm Standard cubic feet per minute.
- GRPH Gasoline-range petroleum hydrocarbons.
- µg/L Micrograms per liter.
- lbs Pounds.
- % Percent.
- ppm Parts per million.
- PID Photoionization detector.
- NM Not measured.

## Figures



**FIGURE 1**  
**GENERAL VICINITY MAP**

<b>PREPARED BY</b>	 <b>ENVIRONMENTAL PARTNERS INC</b>		
<b>REPORT</b>	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - DECEMBER 2018		
<b>LOCATION</b>	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
<b>PREPARED FOR</b>	WHITNEY'S CHEVROLET		
<b>DATE</b>	<b>DRAWN BY</b>	<b>REVIEWED BY</b>	<b>PROJECT NUMBER</b>
4/15/19	VPB	SPT	51201.19

**NOTES:**

SOURCE: USGS 7.5 MINUTE QUADRANGLE (TOPOGRAPHIC)


MONTESANO, WA  
1983; REVISED 1986

CENTRAL PARK, WA  
1983; REVISED 1986

WYNOOCHEE VALLEY SW, WA  
1987; REVISED 1990

PRICES PEAK, WA  
1987; REVISED 1990


SCALE = 1:24,000



- NOTES:**
- APPROXIMATE SITE BOUNDARY
  - APPROXIMATE PARCEL BOUNDARY
  - GROUNDWATER MONITORING WELL ASSOCIATED WITH WHITNEY'S CHEVROLET SITE
  - GROUNDWATER MONITORING WELL ASSOCIATED WITH TONY'S SHORT STOP SITE
  - FORMER MONITORING WELL
  - RECOVERY WELL
  - AIR SPARGE WELL (NOT MONITORED)
  - ⊕ AIR SPARGE TEST WELL (NOT MONITORED)
  - ▲ SOIL VAPOR EXTRACTION TEST WELL (NOT MONITORED)
  - ⊗ SOIL VAPOR EXTRACTION WELL (NOT MONITORED)
  - ⊕ PILOT TESTING OBSERVATION WELL (NOT MONITORED)
  - FORMER UNDERGROUND STORAGE TANK LOCATION

**FIGURE 2**  
**SITE REPRESENTATION WITH SITE BOUNDARY**  
**AND MONITORING WELL LOCATIONS**



<b>PREPARED BY</b>			
<b>REPORT</b>	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - DECEMBER 2018		
<b>LOCATION</b>	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
<b>PREPARED FOR</b>	WHITNEY'S CHEVROLET, INC.		
<b>DATE</b>	<b>DRAWN BY</b>	<b>REVIEWED BY</b>	<b>PROJECT NUMBER</b>
4/15/19	VPB	SPT	51201.19



- NOTES:**
- GROUNDWATER MONITORING WELL ASSOCIATED WITH WHITNEY'S CHEVROLET SITE
  - GROUNDWATER MONITORING WELL ASSOCIATED WITH TONY'S SHORT STOP SITE
  - FORMER MONITORING WELL
  - RECOVERY WELL
  - GROUNDWATER ELEVATION IN FEET, MEASURED IN AUGUST 2018
  - GROUNDWATER ELEVATION CONTOUR
  - ESTIMATED GROUNDWATER FLOW DIRECTION
  - GROUNDWATER ELEVATIONS NOT MEASURED DURING THIS EVENT
  - FORMER UNDERGROUND STORAGE TANK LOCATION

**FIGURE 3**  
**SITE REPRESENTATION WITH WATER TABLE**  
**PIEZOMETRIC CONTOURS FOR DECEMBER 2018**

<b>PREPARED BY</b>			
<b>REPORT</b>	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - DECEMBER 2018		
<b>LOCATION</b>	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
<b>PREPARED FOR</b>	WHITNEY'S CHEVROLET, INC.		
<b>DATE</b>	<b>DRAWN BY</b>	<b>REVIEWED BY</b>	<b>PROJECT NUMBER</b>
4/15/19	VPB	SPT	51201.19



**NOTES:**

- GROUNDWATER MONITORING WELL ASSOCIATED WITH WHITNEY'S CHEVROLET SITE
- GROUNDWATER MONITORING WELL ASSOCIATED WITH TONY'S SHORT STOP SITE
- FORMER MONITORING WELL
- FORMER UNDERGROUND STORAGE TANK LOCATION
- RECOVERY WELL

**GRPH** GASOLINE-RANGE HYDROCARBONS  
**B** BENZENE  
**T** TOLUENE  
**E** ETHYLBENZENE  
**X** TOTAL XYLENES  
**N** NAPHTHALENE  
**PCE** TETRACHLOROETHENE

**DUP** DUPLICATE


**\*** NOT SCHEDULED FOR SAMPLING DURING THIS EVENT

ALL RESULTS PRESENTED IN MICROGRAMS PER LITER (µg/L)

SAMPLE ID							
DATE	GRPH	B	T	E	X	N	PCE
12/6/18	13,400	12	90	<1.0	<b>2,680</b>	219	66.0


SAMPLE DATE      SHADED REPRESENTS DETECTION ABOVE POTENTIALLY APPLICABLE GROUNDWATER CLEANUP LEVELS      BOLD REPRESENTS DETECTION ABOVE LABORATORY REPORTING LIMITS


<b>FIGURE 4</b>			
SITE REPRESENTATION WITH SUMMARY OF GROUNDWATER ANALYTICAL DATA			
<b>PREPARED BY</b>			
<b>REPORT</b>	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - DECEMBER 2018		
<b>LOCATION</b>	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
<b>PREPARED FOR</b>	WHITNEY'S CHEVROLET, INC.		
<b>DATE</b>	<b>DRAWN BY</b>	<b>REVIEWED BY</b>	<b>PROJECT NUMBER</b>
4/15/19	VPB	SPT	51201.19



**FIGURE 5**  
GRPH ISOCONCENTRATION CONTOURS  
DECEMBER 2018


<b>PREPARED BY</b>	ENVIRONMENTAL PARTNERS INC		
<b>REPORT</b>	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - DECEMBER 2018		
<b>LOCATION</b>	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
<b>PREPARED FOR</b>	WHITNEY'S CHEVROLET, INC.		
<b>DATE</b> 4/15/19	<b>DRAWN BY</b> VPB	<b>REVIEWED BY</b> SPT	<b>PROJECT NUMBER</b> 51201.19






**FIGURE 7**  
**PCE ISOCONCENTRATION CONTOURS**  
**DECEMBER 2018**

<b>PREPARED BY</b>	ENVIRONMENTAL PARTNERS INC		
<b>REPORT</b>	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - DECEMBER 2018		
<b>LOCATION</b>	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
<b>PREPARED FOR</b>	WHITNEY'S CHEVROLET, INC.		
<b>DATE</b>	<b>DRAWN BY</b>	<b>REVIEWED BY</b>	<b>PROJECT NUMBER</b>
4/15/19	VPB	SPT	51201.19



- NOTES:**
- APPROXIMATE PARCEL BOUNDARY
  - GROUNDWATER MONITORING WELL ASSOCIATED WITH WHITNEY'S CHEVROLET SITE
  - GROUNDWATER MONITORING WELL ASSOCIATED WITH TONY'S SHORT STOP SITE
  - FORMER MONITORING WELL
  - SOIL VAPOR EXTRACTION (SVE) WELL
  - AIR SPARGE (AS) WELL AND CONVEYANCE PIPING
  - SOIL VAPOR EXTRACTION (SVE) WELL AND CONVEYANCE PIPING
  - LIGHT NON-AQUEOUS PHASE LIQUID (LNAPL) RECOVERY WELL AND CONVEYANCE PIPING
  - ABOVEGROUND CONVEYANCE PIPING



<p align="center"><b>FIGURE 8</b>  <b>SITE REPRESENTATION WITH AS/SVE/LNAPL SYSTEM LAYOUT</b></p>			
<b>PREPARED BY</b>			
<b>REPORT</b>	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - DECEMBER 2018		
<b>LOCATION</b>	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
<b>PREPARED FOR</b>	WHITNEY'S CHEVROLET, INC.		
<b>DATE</b>	<b>DRAWN BY</b>	<b>REVIEWED BY</b>	<b>PROJECT NUMBER</b>
4/23/19	VPB	SPT	51201.19

**Attachment A**  
**Laboratory Analytical Data Reports for**  
**Groundwater**



# Libby Environmental, Inc.

4139 Libby Road NE • Olympia, WA 98506-2518

December 17, 2018

Sean Trimble  
Environmental Partners, Inc.  
1180 NW Maple Street, Suite 310  
Issaquah, WA 98027

Dear Mr. Trimble:

Please find enclosed the analytical data report for the Whitney's Chevrolet Project located in Montesano, Washington.

The results of the analyses are summarized in the attached tables. Applicable detection limits and QA/QC data are included. The sample(s) will be disposed of in 30 days unless we are contacted to arrange long term storage.

Libby Environmental, Inc. appreciates the opportunity to have provided analytical services for this project. If you have any further questions about the data report, please give me a call. It was a pleasure working with you on this project, and we are looking forward to the next opportunity to work together.

Sincerely,

Sherry L. Chilcutt  
*Senior Chemist*  
*Libby Environmental, Inc.*

# Libby Environmental, Inc.

# Chain of Custody Record

www.LibbyEnvironmental.com

4139 Libby Road NE Olympia, WA 98506  
 Ph: 360-352-2110 Fax: 360-352-4154

Date: 12/07/18 Page: 1 of 1

Client: EPI

Project Manager: SEAN TRIMBLE

Address: 1180 NW MAPLE ST. SUITE 310

Project Name: WHITNEY'S

City: (425) 395-0010 State: WA Zip: 98027

Location: MONTESANO City, State:

Phone: ISSAQ YAH Fax:

Collector: NH/RM Date of Collection: 12/06 + 12/07/18

Client Project # 51201

Email: SEANT@epi-wa.com

Sample Number	Depth	Time	Sample Type	Container Type	SELECT												Field Notes							
					VOC 8260	NWTPH-Gx	BTEX 8021	NWTPH-HCID	NWTPH-DX	c PAH 8270	PAH 8270	Semi Vol 8270	PCB 8082	MTCA 5 Metals	RCRA 8 Metals									
1 WCMW-1R	12/06/18	938	WATER	3	X	X	X																	12/06/18
2 WCMW-10		935			X	X	X																	
3 KBMW-7		1019			X	X	X																	
4 WCMW-4		1100			X	X	X																	
5 ESMW-1		1230			X	X	X																	
6 WCMW-3		1310			X	X	X																	
7 WCMW-2		1340			X	X	X																	
8 DUP-1					X	X	X																	
9 KBMW-4		1425			X	X	X																	
10 KBMW-9	12/07/18	851			X	X	X																	12/07/18
11 TSSMW-9		932			X	X	X																	
12 KBMW-2		1000			X	X	X																	
13																								
14																								
15																								
16																								
17																								

Relinquished by: <u>[Signature]</u>	Date / Time: <u>12-7-18 11:25</u>	Received by: <u>[Signature]</u>	Date / Time: <u>12/7/18 11:25</u>	<b>Sample Receipt</b> Good Condition? <input checked="" type="radio"/> Y <input type="radio"/> N Temp. <u>5.5</u> °C Seals Intact? <input type="radio"/> Y <input type="radio"/> N <input checked="" type="radio"/> N/A Total Number of Containers: <u>          </u>	Remarks: <u>SAME VOC LIST AS 08/18</u>  <u>1.8 cooler</u> TAT: 24HR 48HR <input checked="" type="radio"/> 5-DAY
Relinquished by:	Date / Time:	Received by:	Date / Time:		
Relinquished by:	Date / Time:	Received by:	Date / Time:		

# Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L181207-2

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@gmail.com

## Volatile Organic Compounds by EPA Method 8260C in Water

Sample Description	Method Blank	WCMW-1R	WCMW-1R Dup	WCMW-10	KBMW-7	WCMW-4	
							Reporting Limits (µg/L)
Date Sampled							
Date Analyzed							
Vinyl chloride	0.2	nd	nd	nd	nd	nd	
1,1-Dichloroethene	0.5	nd	nd	nd	nd	nd	
Methyl <i>tert</i> - Butyl Ether (MTBE)	5.0	nd	nd	nd	nd	nd	
<i>trans</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd	
<i>cis</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd	
Benzene	1.0	nd	nd	nd	1.2	nd	
Trichloroethene (TCE)	1.0	nd	nd	nd	nd	nd	
Toluene	1.0	nd	nd	nd	nd	nd	
Tetrachloroethene (PCE)	1.0	nd	nd	nd	nd	12	
Ethylbenzene	1.0	nd	nd	nd	nd	nd	
Total Xylenes	2.0	nd	nd	nd	6.7	144	
Naphthalenes	5.0	nd	nd	nd	nd	327	
Surrogate Recovery							
Dibromofluoromethane		98	132	100	111	68	127
1,2-Dichloroethane-d4		102	119	116	132	109	132
Toluene-d8		94	101	93	68	111	78
4-Bromofluorobenzene		88	91	84	80	92	107

"nd" Indicates not detected at listed detection limit.

"int" Indicates that interference prevents determination.

\* ANALYZED BY SIM

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE 65% TO 135%

ANALYSES PERFORMED BY: Sherry Chilcutt

# Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L181207-2

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@gmail.com

## Volatile Organic Compounds by EPA Method 8260C in Water

Sample Description		ESMW-1	WCMW-3	WCMW-2	DUP-1	KBMW-4	KBMW-9
Date Sampled	Reporting	12/6/18	12/6/18	12/6/18	12/6/18	12/6/18	12/7/18
Date Analyzed	Limits	12/11/18	12/12/18	12/12/18	12/11/18	12/11/18	12/12/18
	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
Vinyl chloride	0.2	nd	nd	nd	nd	nd	nd
1,1-Dichloroethene	0.5	nd	nd	nd	nd	nd	nd
Methyl <i>tert</i> - Butyl Ether (MTBE)	5.0	nd	nd	nd	nd	nd	nd
<i>trans</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd	nd
<i>cis</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd	nd
Benzene	1.0	nd	12	3.0	4.4	nd	nd
Trichloroethene (TCE)	1.0	nd	nd	nd	nd	nd	nd
Toluene	1.0	nd	90	62	92	nd	nd
Tetrachloroethene (PCE)	1.0	nd	66	21	17	nd	nd
Ethylbenzene	1.0	nd	nd	nd	nd	nd	nd
Total Xylenes	2.0	nd	2680	1870	1470	nd	26
Naphthalenes	5.0	nd	219	131	249	nd	131
Surrogate Recovery							
Dibromofluoromethane		102	90	75	87	102	85
1,2-Dichloroethane-d4		117	99	79	72	118	105
Toluene-d8		94	109	127	98	92	115
4-Bromofluorobenzene		129	96	107	83	84	113

"nd" Indicates not detected at listed detection limit.

"int" Indicates that interference prevents determination.

\* ANALYZED BY SIM

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE 65% TO 135%

ANALYSES PERFORMED BY: Sherry Chilcutt

# Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L181207-2

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@gmail.com

## Volatile Organic Compounds by EPA Method 8260C in Water

Sample Description		TSSMW-9	KBMW-2
Date Sampled	Reporting	12/7/18	12/7/18
Date Analyzed	Limits	12/11/18	12/11/18
	(µg/L)	(µg/L)	(µg/L)
Vinyl chloride	0.2	nd	nd
1,1-Dichloroethene	0.5	nd	nd
Methyl <i>tert</i> - Butyl Ether (MTBE)	5.0	nd	nd
<i>trans</i> -1,2-Dichloroethene	1.0	nd	nd
<i>cis</i> -1,2-Dichloroethene	1.0	nd	nd
Benzene	1.0	nd	nd
Trichloroethene (TCE)	1.0	nd	nd
Toluene	1.0	nd	nd
Tetrachloroethene (PCE)	1.0	nd	nd
Ethylbenzene	1.0	nd	nd
Total Xylenes	2.0	nd	nd
Naphthalenes	5.0	nd	nd
Surrogate Recovery			
Dibromofluoromethane		117	108
1,2-Dichloroethane-d4		101	126
Toluene-d8		69	89
4-Bromofluorobenzene		86	90

"nd" Indicates not detected at listed detection limit.

"int" Indicates that interference prevents determination.

\* ANALYZED BY SIM

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE 65% TO 135%

ANALYSES PERFORMED BY: Sherry Chilcutt

# Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT  
 Environmental Partners, Inc.  
 Montesano, Washington  
 Libby Project # L181207-2  
 Client Project # 51201

4139 Libby Road NE  
 Olympia, WA 98506  
 Phone: (360) 352-2110  
 FAX: (360) 352-4154  
 Email: libbyenv@gmail.com

## QA/QC Data - EPA 8260C Analyses

Sample Identification: KBMW-2							
	Matrix Spike			Matrix Spike Duplicate			RPD
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)	(%)
1,1-Dichloroethene	10	7.8	78	10	11.0	110	34.0
Benzene	10	8.7	87	10	7.5	75	14.8
Toluene	10	7.8	78	10	11.0	110	34.0
Chlorobenzene	10	10.0	100	10	8.8	88	12.8
Trichloroethene (TCE)	10	7.4	74	10	7.2	72	2.7
Surrogate Recovery							
Dibromofluoromethane			96			72	
1,2-Dichloroethane-d4			95			109	
Toluene-d8			94			124	
4-Bromofluorobenzene			99			89	

Laboratory Control Sample			
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)
1,1-Dichloroethene	10	7.9	79
Benzene	10	8.6	86
Toluene	10	8.0	80
Chlorobenzene	10	9.9	99
Trichloroethene (TCE)	10	7.4	74
Surrogate Recovery			
Dibromofluoromethane			106
1,2-Dichloroethane-d4			114
Toluene-d8			96
4-Bromofluorobenzene			108

ACCEPTABLE RECOVERY LIMITS FOR MATRIX SPIKES: 65%-135%  
 ACCEPTABLE RPD IS 35%

ANALYSES PERFORMED BY: Sherry Chilcutt

# Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L181207-2

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@gmail.com

## QA/QC Data - EPA 8260C Analyses

Sample Identification: KBMW-9			
Matrix Spike			
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)
1,1-Dichloroethene	10	7.0	70
Benzene	10	9.2	92
Toluene	10	8.1	81
Chlorobenzene	10	10.4	104
Trichloroethene (TCE)	10	7.6	76
Surrogate Recovery			
Dibromofluoromethane			104
1,2-Dichloroethane-d4			114
Toluene-d8			93
4-Bromofluorobenzene			84

Laboratory Control Sample			
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)
1,1-Dichloroethene	10	7.8	78
Benzene	10	9.1	91
Toluene	10	8.3	83
Chlorobenzene	10	9.5	95
Trichloroethene (TCE)	10	7.8	78
Surrogate Recovery			
Dibromofluoromethane			89
1,2-Dichloroethane-d4			130
Toluene-d8			94
4-Bromofluorobenzene			86

ACCEPTABLE RECOVERY LIMITS FOR MATRIX SPIKES: 65%-135%

ACCEPTABLE RPD IS 35%

ANALYSES PERFORMED BY: Sherry Chilcutt

# Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT  
Environmental Parnters, Inc.  
Montesano, Washington  
Libby Project # L181207-2  
Client Project # 51201

4139 Libby Road NE  
Olympia, WA 98506  
Phone: (360) 352-2110  
FAX: (360) 352-4154  
Email: libbyenv@gmail.com

## Analyses of Gasoline (NWTPH-Gx) in Water

Sample Number	Date Analyzed	Surrogate Recovery (%)	Gasoline ( $\mu\text{g/L}$ )
Method Blank	12/11/18	93	nd
WCMW-1R	12/11/18	101	nd
WCMW-1R Dup	12/11/18	93	nd
WCMW-10	12/11/18	68	nd
KBMW-7	12/11/18	111	500
WCMW-4	12/11/18	93	8150
ESMW-1	12/11/18	94	nd
WCMW-3	12/12/18	109	13400
WCMW-2	12/12/18	84	11600
DUP-1	12/12/18	98	16000
DUP-1 Dup	12/11/18	88	8250 E
KBMW-4	12/11/18	92	nd
KBMW-9	12/12/18	115	714
TSSMW-9	12/11/18	69	nd
KBMW-2	12/11/18	89	nd
Practical Quantitation Limit			100

"nd" Indicates not detected at the listed detection limits.

"int" Indicates that interference prevents determination.

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE (Trifluorotoluene): 65% TO 135%

ANALYSES PERFORMED BY: Sherry Chilcutt

# Libby Environmental, Inc.

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@gmail.com

## WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Libby Project # L181207-2

Date Received 12/7/2018

Time Received 11:25 AM

Received By MH

### Sample Receipt Checklist

#### Chain of Custody

1. Is the Chain of Custody is complete?  Yes  No
2. How was the sample delivered?  Hand Delivered  Picked Up  Shipped

#### Log In

3. Cooler or Shipping Container is present.  Yes  No  N/A
4. Cooler or Shipping Container is in good condition.  Yes  No  N/A
5. Cooler or Shipping Container has Custody Seals present.  Yes  No  N/A
6. Was an attempt made to cool the samples?  Yes  No  N/A
7. Temperature of cooler (0°C to 8°C recommended) 1.8 °C
8. Temperature of sample(s) (0°C to 8°C recommended) 5.5 °C
9. Did all containers arrive in good condition (unbroken)?  Yes  No
10. Is it clear what analyses were requested?  Yes  No
11. Did container labels match Chain of Custody?  Yes  No
12. Are matrices correctly identified on Chain of Custody?  Yes  No
13. Are correct containers used for the analysis indicated?  Yes  No
14. Is there sufficient sample volume for indicated analysis?  Yes  No
15. Were all containers properly preserved per each analysis?  Yes  No
16. Were VOA vials collected correctly (no headspace)?  Yes  No  N/A
17. Were all holding times able to be met?  Yes  No

#### Discrepancies/ Notes

18. Was client notified of all discrepancies?  Yes  No  N/A

Person Notified: \_\_\_\_\_

Date: \_\_\_\_\_

By Whom: \_\_\_\_\_

Via: \_\_\_\_\_

Regarding: \_\_\_\_\_

19. Comments. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Attachment B**  
**Laboratory Analytical Data Reports for**  
**System Vapors**



3600 Fremont Ave. N.  
Seattle, WA 98103  
T: (206) 352-3790  
F: (206) 352-7178  
info@fremontanalytical.com

**Environmental Partners, Inc.**  
Sean Trimble  
1180 NW Maple Street, Suite 310  
Issaquah, WA 98027

**RE: Whitney's**  
**Work Order Number: 1809453**

October 03, 2018

**Attention Sean Trimble:**

Fremont Analytical, Inc. received 1 sample(s) on 9/28/2018 for the analyses presented in the following report.

***Gasoline by NWTPH-Gx***  
***Volatile Organic Compounds by EPA Method 8260C***

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

A handwritten signature in black ink, appearing to read "Mike C. Ridgeway".

Mike Ridgeway  
Laboratory Director

DoD/ELAP Certification #L 17-135, ISO/IEC 17025:2005  
ORELAP Certification: WA 100009-007 (NELAP Recognized)



Date: 10/03/2018

---

**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's  
**Work Order:** 1809453

## Work Order Sample Summary

---

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
1809453-001	INF-0928	09/28/2018 10:00 AM	09/28/2018 12:07 PM

**CLIENT:** Environmental Partners, Inc.

**Project:** Whitney's

---

WorkOrder Narrative:

**I. SAMPLE RECEIPT:**

Samples receipt information is recorded on the attached Sample Receipt Checklist.

**II. GENERAL REPORTING COMMENTS:**

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

**III. ANALYSES AND EXCEPTIONS:**

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

**NOTE:** The conversion of Gasoline should be considered an estimate. The molecular weight used in the conversion is 100.



Qualifiers:

- \* - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift or minimum RRF)
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



**Client:** Environmental Partners, Inc.

**Collection Date:** 9/28/2018 10:00:00 AM

**Project:** Whitney's

**Lab ID:** 1809453-001

**Matrix:** Air

**Client Sample ID:** INF-0928

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

**Volatile Organic Compounds by EPA Method 8260C**

Batch ID: 22125

Analyst: TN

Dichlorodifluoromethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Chloromethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Vinyl chloride	ND	0.0200		µg/L	1	9/28/2018 4:04:32 PM
Bromomethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Trichlorofluoromethane (CFC-11)	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Chloroethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,1-Dichloroethene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Methylene chloride	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
trans-1,2-Dichloroethene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Methyl tert-butyl ether (MTBE)	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,1-Dichloroethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
2,2-Dichloropropane	ND	0.200		µg/L	1	9/28/2018 4:04:32 PM
cis-1,2-Dichloroethene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Chloroform	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,1,1-Trichloroethane (TCA)	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,1-Dichloropropene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Carbon tetrachloride	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,2-Dichloroethane (EDC)	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Benzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Trichloroethene (TCE)	ND	0.0500		µg/L	1	9/28/2018 4:04:32 PM
1,2-Dichloropropane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Bromodichloromethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Dibromomethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
cis-1,3-Dichloropropene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Toluene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
trans-1,3-Dichloropropylene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,1,2-Trichloroethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,3-Dichloropropane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Tetrachloroethene (PCE)	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Dibromochloromethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,2-Dibromoethane (EDB)	ND	0.0250		µg/L	1	9/28/2018 4:04:32 PM
Chlorobenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,1,1,2-Tetrachloroethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Ethylbenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
m,p-Xylene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
o-Xylene	0.111	0.100		µg/L	1	9/28/2018 4:04:32 PM
Styrene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Isopropylbenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Bromoform	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM



**Client:** Environmental Partners, Inc.

**Collection Date:** 9/28/2018 10:00:00 AM

**Project:** Whitney's

**Lab ID:** 1809453-001

**Matrix:** Air

**Client Sample ID:** INF-0928

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

**Volatile Organic Compounds by EPA Method 8260C**

Batch ID: 22125

Analyst: TN

1,1,2,2-Tetrachloroethane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
n-Propylbenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Bromobenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,3,5-Trimethylbenzene	0.155	0.100		µg/L	1	9/28/2018 4:04:32 PM
2-Chlorotoluene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
4-Chlorotoluene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
tert-Butylbenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,2,3-Trichloropropane	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,2,4-Trichlorobenzene	ND	0.200		µg/L	1	9/28/2018 4:04:32 PM
sec-Butylbenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
4-Isopropyltoluene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,3-Dichlorobenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,4-Dichlorobenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
n-Butylbenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,2-Dichlorobenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,2-Dibromo-3-chloropropane	ND	0.100	Q	µg/L	1	9/28/2018 4:04:32 PM
1,2,4-Trimethylbenzene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
Hexachlorobutadiene	ND	0.400		µg/L	1	9/28/2018 4:04:32 PM
Naphthalene	ND	0.100		µg/L	1	9/28/2018 4:04:32 PM
1,2,3-Trichlorobenzene	ND	0.400		µg/L	1	9/28/2018 4:04:32 PM
Surr: Dibromofluoromethane	93.7	56.4 - 141		%Rec	1	9/28/2018 4:04:32 PM
Surr: Toluene-d8	95.1	66 - 138		%Rec	1	9/28/2018 4:04:32 PM
Surr: 1-Bromo-4-fluorobenzene-BFB	95.0	64.7 - 128		%Rec	1	9/28/2018 4:04:32 PM

**NOTES:**

Q - Indicates an analyte with a continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift)

**Gasoline by NWTPH-Gx**

Batch ID: 22125

Analyst: TN

Gasoline	14.1	1.22		ppmv	1	9/28/2018 4:04:32 PM
Gasoline	57.5	5.00		µg/L	1	9/28/2018 4:04:32 PM
Surr: 4-Bromofluorobenzene	104	65 - 135		%Rec	1	9/28/2018 4:04:32 PM
Surr: Toluene-d8	99.2	65 - 135		%Rec	1	9/28/2018 4:04:32 PM



Date: 10/3/2018

**Work Order:** 1809453  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID <b>1809453-001AREP</b>	SampType: <b>REP</b>	Units: <b>µg/L</b>	Prep Date: <b>9/28/2018</b>	RunNo: <b>46680</b>							
Client ID: <b>INF-0928</b>	Batch ID: <b>22125</b>		Analysis Date: <b>9/28/2018</b>	SeqNo: <b>907920</b>							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	ND	0.100						0		30	
Chloromethane	ND	0.100						0		30	
Vinyl chloride	ND	0.0200						0		30	
Bromomethane	ND	0.100						0		30	
Trichlorofluoromethane (CFC-11)	ND	0.100						0		30	
Chloroethane	ND	0.100						0		30	
1,1-Dichloroethene	ND	0.100						0		30	
Methylene chloride	ND	0.100						0		30	
trans-1,2-Dichloroethene	ND	0.100						0		30	
Methyl tert-butyl ether (MTBE)	ND	0.100						0		30	
1,1-Dichloroethane	ND	0.100						0		30	
2,2-Dichloropropane	ND	0.200						0		30	
cis-1,2-Dichloroethene	ND	0.100						0		30	
Chloroform	ND	0.100						0		30	
1,1,1-Trichloroethane (TCA)	ND	0.100						0		30	
1,1-Dichloropropene	ND	0.100						0		30	
Carbon tetrachloride	ND	0.100						0		30	
1,2-Dichloroethane (EDC)	ND	0.100						0		30	
Benzene	ND	0.100						0		30	
Trichloroethene (TCE)	ND	0.0500						0		30	
1,2-Dichloropropane	ND	0.100						0		30	
Bromodichloromethane	ND	0.100						0		30	
Dibromomethane	ND	0.100						0		30	
cis-1,3-Dichloropropene	ND	0.100						0		30	
Toluene	ND	0.100						0		30	
trans-1,3-Dichloropropylene	ND	0.100						0		30	
1,1,2-Trichloroethane	ND	0.100						0		30	
1,3-Dichloropropane	ND	0.100						0		30	
Tetrachloroethene (PCE)	ND	0.100						0		30	
Dibromochloromethane	ND	0.100						0		30	
1,2-Dibromoethane (EDB)	ND	0.0250						0		30	



Work Order: 1809453  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID: <b>1809453-001AREP</b>	SampType: <b>REP</b>	Units: <b>µg/L</b>	Prep Date: <b>9/28/2018</b>	RunNo: <b>46680</b>
Client ID: <b>INF-0928</b>	Batch ID: <b>22125</b>		Analysis Date: <b>9/28/2018</b>	SeqNo: <b>907920</b>

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	ND	0.100						0		30	
1,1,1,2-Tetrachloroethane	ND	0.100						0		30	
Ethylbenzene	ND	0.100						0		30	
m,p-Xylene	ND	0.100						0		30	
o-Xylene	0.117	0.100						0.1114	4.78	30	
Styrene	ND	0.100						0		30	
Isopropylbenzene	ND	0.100						0		30	
Bromoform	ND	0.100						0		30	
1,1,2,2-Tetrachloroethane	ND	0.100						0		30	
n-Propylbenzene	ND	0.100						0		30	
Bromobenzene	ND	0.100						0		30	
1,3,5-Trimethylbenzene	0.169	0.100						0.1550	8.35	30	
2-Chlorotoluene	ND	0.100						0		30	
4-Chlorotoluene	ND	0.100						0		30	
tert-Butylbenzene	ND	0.100						0		30	
1,2,3-Trichloropropane	ND	0.100						0		30	
1,2,4-Trichlorobenzene	ND	0.200						0		30	
sec-Butylbenzene	ND	0.100						0		30	
4-Isopropyltoluene	ND	0.100						0		30	
1,3-Dichlorobenzene	ND	0.100						0		30	
1,4-Dichlorobenzene	ND	0.100						0		30	
n-Butylbenzene	ND	0.100						0		30	
1,2-Dichlorobenzene	ND	0.100						0		30	
1,2-Dibromo-3-chloropropane	ND	0.100						0		30	Q
1,2,4-Trimethylbenzene	ND	0.100						0		30	
Hexachlorobutadiene	ND	0.400						0		30	
Naphthalene	ND	0.100						0		30	
1,2,3-Trichlorobenzene	ND	0.400						0		30	
Surr: Dibromofluoromethane	2.34		2.500		93.8	61.1	128		0		
Surr: Toluene-d8	2.37		2.500		94.9	68.2	129		0		
Surr: 1-Bromo-4-fluorobenzene-BFB	2.35		2.500		93.9	64.7	128		0		



**Work Order:** 1809453  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID <b>1809453-001AREP</b>	SampType: <b>REP</b>	Units: <b>µg/L</b>	Prep Date: <b>9/28/2018</b>	RunNo: <b>46680</b>							
Client ID: <b>INF-0928</b>	Batch ID: <b>22125</b>	Analysis Date: <b>9/28/2018</b>	SeqNo: <b>907920</b>								
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

**NOTES:**

Q - Indicates an analyte with a continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift)

Sample ID <b>MB-22125</b>	SampType: <b>MBLK</b>	Units: <b>µg/L</b>	Prep Date: <b>9/28/2018</b>	RunNo: <b>46680</b>							
Client ID: <b>MBLKW</b>	Batch ID: <b>22125</b>	Analysis Date: <b>9/28/2018</b>	SeqNo: <b>907924</b>								
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	ND	0.100									
Chloromethane	ND	0.100									
Vinyl chloride	ND	0.0200									
Bromomethane	ND	0.100									
Trichlorofluoromethane (CFC-11)	ND	0.100									
Chloroethane	ND	0.100									
1,1-Dichloroethene	ND	0.100									
Methylene chloride	ND	0.100									
trans-1,2-Dichloroethene	ND	0.100									
Methyl tert-butyl ether (MTBE)	ND	0.100									
1,1-Dichloroethane	ND	0.100									
2,2-Dichloropropane	ND	0.200									
cis-1,2-Dichloroethene	ND	0.100									
Chloroform	ND	0.100									
1,1,1-Trichloroethane (TCA)	ND	0.100									
1,1-Dichloropropene	ND	0.100									
Carbon tetrachloride	ND	0.100									
1,2-Dichloroethane (EDC)	ND	0.100									
Benzene	ND	0.100									
Trichloroethene (TCE)	ND	0.0500									
1,2-Dichloropropane	ND	0.100									
Bromodichloromethane	ND	0.100									
Dibromomethane	ND	0.100									
cis-1,3-Dichloropropene	ND	0.100									



**Work Order:** 1809453  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID: <b>MB-22125</b>	SampType: <b>MBLK</b>	Units: <b>µg/L</b>	Prep Date: <b>9/28/2018</b>	RunNo: <b>46680</b>
Client ID: <b>MBLKW</b>	Batch ID: <b>22125</b>		Analysis Date: <b>9/28/2018</b>	SeqNo: <b>907924</b>

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	ND	0.100									
trans-1,3-Dichloropropylene	ND	0.100									
1,1,2-Trichloroethane	ND	0.100									
1,3-Dichloropropane	ND	0.100									
Tetrachloroethene (PCE)	ND	0.100									
Dibromochloromethane	ND	0.100									
1,2-Dibromoethane (EDB)	ND	0.0250									
Chlorobenzene	ND	0.100									
1,1,1,2-Tetrachloroethane	ND	0.100									
Ethylbenzene	ND	0.100									
m,p-Xylene	ND	0.100									
o-Xylene	ND	0.100									
Styrene	ND	0.100									
Isopropylbenzene	ND	0.100									
Bromoform	ND	0.100									
1,1,1,2,2-Tetrachloroethane	ND	0.100									
n-Propylbenzene	ND	0.100									
Bromobenzene	ND	0.100									
1,3,5-Trimethylbenzene	ND	0.100									
2-Chlorotoluene	ND	0.100									
4-Chlorotoluene	ND	0.100									
tert-Butylbenzene	ND	0.100									
1,2,3-Trichloropropane	ND	0.100									
1,2,4-Trichlorobenzene	ND	0.200									
sec-Butylbenzene	ND	0.100									
4-Isopropyltoluene	ND	0.100									
1,3-Dichlorobenzene	ND	0.100									
1,4-Dichlorobenzene	ND	0.100									
n-Butylbenzene	ND	0.100									
1,2-Dichlorobenzene	ND	0.100									
1,2-Dibromo-3-chloropropane	ND	0.100									

**Work Order:** 1809453  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID <b>MB-22125</b>	SampType: <b>MBLK</b>	Units: <b>µg/L</b>	Prep Date: <b>9/28/2018</b>	RunNo: <b>46680</b>							
Client ID: <b>MBLKW</b>	Batch ID: <b>22125</b>		Analysis Date: <b>9/28/2018</b>	SeqNo: <b>907924</b>							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,2,4-Trimethylbenzene	ND	0.100									
Hexachlorobutadiene	ND	0.400									
Naphthalene	ND	0.100									
1,2,3-Trichlorobenzene	ND	0.400									
Surr: Dibromofluoromethane	2.32		2.500		93.0	56.4	141				
Surr: Toluene-d8	2.34		2.500		93.5	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.38		2.500		95.1	64.7	128				

**NOTES:**

Q - Indicates an analyte with a continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift)

Sample ID <b>LCS-22125</b>	SampType: <b>LCS</b>	Units: <b>µg/L</b>	Prep Date: <b>9/28/2018</b>	RunNo: <b>46680</b>							
Client ID: <b>LCSW</b>	Batch ID: <b>22125</b>		Analysis Date: <b>9/28/2018</b>	SeqNo: <b>907923</b>							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	2.31	0.100	2.000	0	115	38.8	143				
Chloromethane	2.04	0.100	2.000	0	102	42.5	131				
Vinyl chloride	2.01	0.0200	2.000	0	100	56.2	130				
Bromomethane	2.13	0.100	2.000	0	107	45.4	138				
Trichlorofluoromethane (CFC-11)	2.28	0.100	2.000	0	114	64.7	129				
Chloroethane	1.94	0.100	2.000	0	97.1	62.5	123				
1,1-Dichloroethene	2.24	0.100	2.000	0	112	60.7	146				
Methylene chloride	2.05	0.100	2.000	0	103	60.3	135				
trans-1,2-Dichloroethene	2.23	0.100	2.000	0	111	71.3	129				
Methyl tert-butyl ether (MTBE)	2.00	0.100	2.000	0	100	59.3	138				
1,1-Dichloroethane	2.05	0.100	2.000	0	102	71.3	129				
2,2-Dichloropropane	2.04	0.200	2.000	0	102	37.8	132				
cis-1,2-Dichloroethene	2.19	0.100	2.000	0	110	67.5	127				
Chloroform	2.16	0.100	2.000	0	108	70.3	123				
1,1,1-Trichloroethane (TCA)	2.19	0.100	2.000	0	110	67.9	134				
1,1-Dichloropropene	2.16	0.100	2.000	0	108	72.1	133				
Carbon tetrachloride	2.18	0.100	2.000	0	109	64.4	133				



Work Order: 1809453  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID	LCS-22125	SampType:	LCS	Units:	µg/L	Prep Date:	9/28/2018	RunNo:	46680		
Client ID:	LCSW	Batch ID:	22125	Analysis Date:	9/28/2018	SeqNo:	907923				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloroethane (EDC)	2.07	0.100	2.000	0	103	65.8	126				
Benzene	2.15	0.100	2.000	0	107	67.1	132				
Trichloroethene (TCE)	2.20	0.0500	2.000	0	110	71.9	130				
1,2-Dichloropropane	2.03	0.100	2.000	0	102	71.9	131				
Bromodichloromethane	2.04	0.100	2.000	0	102	70	130				
Dibromomethane	2.14	0.100	2.000	0	107	74.2	125				
cis-1,3-Dichloropropene	2.02	0.100	2.000	0	101	62.8	135				
Toluene	2.17	0.100	2.000	0	108	73.6	127				
trans-1,3-Dichloropropylene	1.95	0.100	2.000	0	97.6	58.1	138				
1,1,2-Trichloroethane	2.17	0.100	2.000	0	108	65.4	128				
1,3-Dichloropropane	2.07	0.100	2.000	0	104	71.9	131				
Tetrachloroethene (PCE)	2.40	0.100	2.000	0	120	52.4	140				
Dibromochloromethane	2.03	0.100	2.000	0	101	68.7	139				
1,2-Dibromoethane (EDB)	2.16	0.0250	2.000	0	108	71.2	129				
Chlorobenzene	2.26	0.100	2.000	0	113	77.2	122				
1,1,1,2-Tetrachloroethane	2.24	0.100	2.000	0	112	76.2	130				
Ethylbenzene	2.22	0.100	2.000	0	111	78	127				
m,p-Xylene	4.56	0.100	4.000	0	114	77.5	130				
o-Xylene	2.27	0.100	2.000	0	114	77.6	126				
Styrene	2.26	0.100	2.000	0	113	66.8	137				
Isopropylbenzene	2.27	0.100	2.000	0	113	75.9	133				
Bromoform	1.99	0.100	2.000	0	99.3	54.1	146				
1,1,1,2,2-Tetrachloroethane	2.14	0.100	2.000	0	107	68	134				
n-Propylbenzene	2.25	0.100	2.000	0	113	77.1	133				
Bromobenzene	2.39	0.100	2.000	0	120	71.1	131				
1,3,5-Trimethylbenzene	2.25	0.100	2.000	0	112	76.2	133				
2-Chlorotoluene	2.26	0.100	2.000	0	113	67.1	137				
4-Chlorotoluene	2.19	0.100	2.000	0	109	70.7	132				
tert-Butylbenzene	2.28	0.100	2.000	0	114	71.3	139				
1,2,3-Trichloropropane	2.00	0.100	2.000	0	100	70.8	132				
1,2,4-Trichlorobenzene	2.30	0.200	2.000	0	115	61.4	139				

**Work Order:** 1809453  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID	LCS-22125	SampType:	LCS	Units:	µg/L	Prep Date:	9/28/2018	RunNo:	46680
Client ID:	LCSW	Batch ID:	22125			Analysis Date:	9/28/2018	SeqNo:	907923

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
sec-Butylbenzene	2.30	0.100	2.000	0	115	77.4	136				
4-Isopropyltoluene	2.35	0.100	2.000	0	118	78.1	131				
1,3-Dichlorobenzene	2.16	0.100	2.000	0	108	73.5	125				
1,4-Dichlorobenzene	2.21	0.100	2.000	0	111	71.4	125				
n-Butylbenzene	2.16	0.100	2.000	0	108	69.8	138				
1,2-Dichlorobenzene	2.26	0.100	2.000	0	113	74.2	123				
1,2-Dibromo-3-chloropropane	1.76	0.100	2.000	0	87.8	53.6	155				
1,2,4-Trimethylbenzene	2.28	0.100	2.000	0	114	72.3	133				
Hexachlorobutadiene	2.41	0.400	2.000	0	120	60.9	141				
Naphthalene	2.12	0.100	2.000	0	106	58.2	140				
1,2,3-Trichlorobenzene	2.26	0.400	2.000	0	113	61.3	133				
Surr: Dibromofluoromethane	2.39		2.500		95.5	56.4	141				
Surr: Toluene-d8	2.34		2.500		93.5	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.43		2.500		97.2	64.7	128				

Work Order: 1809453  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Gasoline by NWTPH-Gx**

Sample ID	<b>1809453-001AREP</b>	SampType:	<b>REP</b>	Units:	<b>µg/L</b>	Prep Date:	<b>9/28/2018</b>	RunNo:	<b>46681</b>		
Client ID:	<b>INF-0928</b>	Batch ID:	<b>22125</b>			Analysis Date:	<b>9/28/2018</b>	SeqNo:	<b>907891</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	62.0	5.00						57.54	7.47	30	
Surr: 4-Bromofluorobenzene	2.60		2.500		104	65	135		0		
Surr: Toluene-d8	2.50		2.500		100	65	135		0		

Sample ID	<b>MB-22125</b>	SampType:	<b>MBLK</b>	Units:	<b>µg/L</b>	Prep Date:	<b>9/28/2018</b>	RunNo:	<b>46681</b>		
Client ID:	<b>MBLKW</b>	Batch ID:	<b>22125</b>			Analysis Date:	<b>9/28/2018</b>	SeqNo:	<b>907895</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00									
Surr: 4-Bromofluorobenzene	2.34		2.500		93.7	65	135				
Surr: Toluene-d8	2.45		2.500		98.0	65	135				

Sample ID	<b>LCS-22125</b>	SampType:	<b>LCS</b>	Units:	<b>µg/L</b>	Prep Date:	<b>9/28/2018</b>	RunNo:	<b>46681</b>		
Client ID:	<b>LCSW</b>	Batch ID:	<b>22125</b>			Analysis Date:	<b>9/28/2018</b>	SeqNo:	<b>907894</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	51.9	5.00	50.00	0	104	65	135				
Surr: 4-Bromofluorobenzene	2.40		2.500		95.8	65	135				
Surr: Toluene-d8	2.48		2.500		99.3	65	135				

Client Name: **EPI**

 Work Order Number: **1809453**

 Logged by: **Brianna Barnes**

 Date Received: **9/28/2018 12:07:00 PM**

### Chain of Custody

1. Is Chain of Custody complete? Yes  No  Not Present
2. How was the sample delivered? Client

### Log In

3. Coolers are present? Yes  No  NA
- Air samples.**
4. Shipping container/cooler in good condition? Yes  No
5. Custody Seals present on shipping container/cooler?  
(Refer to comments for Custody Seals not intact) Yes  No  Not Required
6. Was an attempt made to cool the samples? Yes  No  NA
7. Were all items received at a temperature of >0°C to 10.0°C \* Yes  No  NA
8. Sample(s) in proper container(s)? Yes  No
9. Sufficient sample volume for indicated test(s)? Yes  No
10. Are samples properly preserved? Yes  No
11. Was preservative added to bottles? Yes  No  NA
12. Is there headspace in the VOA vials? Yes  No  NA
13. Did all samples containers arrive in good condition(unbroken)? Yes  No
14. Does paperwork match bottle labels? Yes  No
15. Are matrices correctly identified on Chain of Custody? Yes  No
16. Is it clear what analyses were requested? Yes  No
17. Were all holding times able to be met? Yes  No

### Special Handling (if applicable)

18. Was client notified of all discrepancies with this order? Yes  No  NA

Person Notified:	<input type="text"/>	Date	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

19. Additional remarks:

### Item Information

\* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C





3600 Fremont Ave. N.  
Seattle, WA 98103  
T: (206) 352-3790  
F: (206) 352-7178  
info@fremontanalytical.com

**Environmental Partners, Inc.**  
Sean Trimble  
1180 NW Maple Street, Suite 310  
Issaquah, WA 98027

**RE: Whitney's**  
**Work Order Number: 1810365**

October 30, 2018

**Attention Sean Trimble:**

Fremont Analytical, Inc. received 1 sample(s) on 10/23/2018 for the analyses presented in the following report.

***Gasoline by NWTPH-Gx***  
***Volatile Organic Compounds by EPA Method 8260C***

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

Mike Ridgeway  
Laboratory Director



Date: 10/30/2018

---

**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's  
**Work Order:** 1810365

## Work Order Sample Summary

---

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
1810365-001	INF-1023	10/23/2018 11:00 AM	10/23/2018 1:00 PM

**CLIENT:** Environmental Partners, Inc.

**Project:** Whitney's

---

WorkOrder Narrative:

**I. SAMPLE RECEIPT:**

Samples receipt information is recorded on the attached Sample Receipt Checklist.

**II. GENERAL REPORTING COMMENTS:**

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

**III. ANALYSES AND EXCEPTIONS:**

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

**NOTE:** The conversion of Gasoline Range Organics should be considered an estimate. The molecular weight used in the conversion is 100.

### Qualifiers:

- \* - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift or minimum RRF)
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

### Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



**Client:** Environmental Partners, Inc.

**Collection Date:** 10/23/2018 11:00:00 AM

**Project:** Whitney's

**Lab ID:** 1810365-001

**Matrix:** Air

**Client Sample ID:** INF-1023

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

**Volatile Organic Compounds by EPA Method 8260C**

Batch ID: 22423

Analyst: TN

Dichlorodifluoromethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Chloromethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Vinyl chloride	ND	0.0200		µg/L	1	10/26/2018 8:54:00 AM
Bromomethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Trichlorofluoromethane (CFC-11)	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Chloroethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,1-Dichloroethene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Methylene chloride	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
trans-1,2-Dichloroethene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Methyl tert-butyl ether (MTBE)	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,1-Dichloroethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
2,2-Dichloropropane	ND	0.200		µg/L	1	10/26/2018 8:54:00 AM
cis-1,2-Dichloroethene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Chloroform	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,1,1-Trichloroethane (TCA)	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,1-Dichloropropene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Carbon tetrachloride	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,2-Dichloroethane (EDC)	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Benzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Trichloroethene (TCE)	ND	0.0500		µg/L	1	10/26/2018 8:54:00 AM
1,2-Dichloropropane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Bromodichloromethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Dibromomethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
cis-1,3-Dichloropropene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Toluene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
trans-1,3-Dichloropropylene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,1,2-Trichloroethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,3-Dichloropropane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Tetrachloroethene (PCE)	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Dibromochloromethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,2-Dibromoethane (EDB)	ND	0.0250		µg/L	1	10/26/2018 8:54:00 AM
Chlorobenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,1,1,2-Tetrachloroethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Ethylbenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
m,p-Xylene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
o-Xylene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Styrene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Isopropylbenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Bromoform	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM



**Client:** Environmental Partners, Inc.

**Collection Date:** 10/23/2018 11:00:00 AM

**Project:** Whitney's

**Lab ID:** 1810365-001

**Matrix:** Air

**Client Sample ID:** INF-1023

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

**Volatile Organic Compounds by EPA Method 8260C**

Batch ID: 22423

Analyst: TN

1,1,2,2-Tetrachloroethane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
n-Propylbenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
Bromobenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,3,5-Trimethylbenzene	0.120	0.100		µg/L	1	10/26/2018 8:54:00 AM
2-Chlorotoluene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
4-Chlorotoluene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
tert-Butylbenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,2,3-Trichloropropane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,2,4-Trichlorobenzene	ND	0.200		µg/L	1	10/26/2018 8:54:00 AM
sec-Butylbenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
4-Isopropyltoluene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,3-Dichlorobenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,4-Dichlorobenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
n-Butylbenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,2-Dichlorobenzene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,2-Dibromo-3-chloropropane	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,2,4-Trimethylbenzene	0.119	0.100		µg/L	1	10/26/2018 8:54:00 AM
Hexachlorobutadiene	ND	0.400		µg/L	1	10/26/2018 8:54:00 AM
Naphthalene	ND	0.100		µg/L	1	10/26/2018 8:54:00 AM
1,2,3-Trichlorobenzene	ND	0.400		µg/L	1	10/26/2018 8:54:00 AM
Surr: Dibromofluoromethane	93.6	56.4 - 141		%Rec	1	10/26/2018 8:54:00 AM
Surr: Toluene-d8	93.2	66 - 138		%Rec	1	10/26/2018 8:54:00 AM
Surr: 1-Bromo-4-fluorobenzene-BFB	98.8	64.7 - 128		%Rec	1	10/26/2018 8:54:00 AM

**Gasoline by NWTPH-Gx**

Batch ID: 22423

Analyst: TN

Gasoline	47.4	5.00		µg/L	1	10/26/2018 8:54:00 AM
Gasoline	11.6	1.22		ppmv	1	10/26/2018 8:54:00 AM
Surr: 4-Bromofluorobenzene	98.6	65 - 135		%Rec	1	10/26/2018 8:54:00 AM
Surr: Toluene-d8	104	65 - 135		%Rec	1	10/26/2018 8:54:00 AM



Work Order: 1810365  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID: <b>1810365-001AREP</b>	SampType: <b>REP</b>	Units: <b>µg/L</b>	Prep Date: <b>10/26/2018</b>	RunNo: <b>47200</b>
Client ID: <b>INF-1023</b>	Batch ID: <b>22423</b>		Analysis Date: <b>10/26/2018</b>	SeqNo: <b>918519</b>

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	ND	0.100						0		30	
Chloromethane	ND	0.100						0		30	
Vinyl chloride	ND	0.0200						0		30	
Bromomethane	ND	0.100						0		30	
Trichlorofluoromethane (CFC-11)	ND	0.100						0		30	
Chloroethane	ND	0.100						0		30	
1,1-Dichloroethene	ND	0.100						0		30	
Methylene chloride	ND	0.100						0		30	
trans-1,2-Dichloroethene	ND	0.100						0		30	
Methyl tert-butyl ether (MTBE)	ND	0.100						0		30	
1,1-Dichloroethane	ND	0.100						0		30	
2,2-Dichloropropane	ND	0.200						0		30	
cis-1,2-Dichloroethene	ND	0.100						0		30	
Chloroform	ND	0.100						0		30	
1,1,1-Trichloroethane (TCA)	ND	0.100						0		30	
1,1-Dichloropropene	ND	0.100						0		30	
Carbon tetrachloride	ND	0.100						0		30	
1,2-Dichloroethane (EDC)	ND	0.100						0		30	
Benzene	ND	0.100						0		30	
Trichloroethene (TCE)	ND	0.0500						0		30	
1,2-Dichloropropane	ND	0.100						0		30	
Bromodichloromethane	ND	0.100						0		30	
Dibromomethane	ND	0.100						0		30	
cis-1,3-Dichloropropene	ND	0.100						0		30	
Toluene	ND	0.100						0		30	
trans-1,3-Dichloropropylene	ND	0.100						0		30	
1,1,2-Trichloroethane	ND	0.100						0		30	
1,3-Dichloropropane	ND	0.100						0		30	
Tetrachloroethene (PCE)	ND	0.100						0		30	
Dibromochloromethane	ND	0.100						0		30	
1,2-Dibromoethane (EDB)	ND	0.0250						0		30	



Work Order: 1810365  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID	1810365-001AREP	SampType:	REP	Units:	µg/L	Prep Date:	10/26/2018	RunNo:	47200
Client ID:	INF-1023	Batch ID:	22423			Analysis Date:	10/26/2018	SeqNo:	918519

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	ND	0.100						0		30	
1,1,1,2-Tetrachloroethane	ND	0.100						0		30	
Ethylbenzene	ND	0.100						0		30	
m,p-Xylene	ND	0.100						0		30	
o-Xylene	ND	0.100						0		30	
Styrene	ND	0.100						0		30	
Isopropylbenzene	ND	0.100						0		30	
Bromoform	ND	0.100						0		30	
1,1,2,2-Tetrachloroethane	ND	0.100						0		30	
n-Propylbenzene	ND	0.100						0		30	
Bromobenzene	ND	0.100						0		30	
1,3,5-Trimethylbenzene	0.123	0.100						0.1200	2.47	30	
2-Chlorotoluene	ND	0.100						0		30	
4-Chlorotoluene	ND	0.100						0		30	
tert-Butylbenzene	ND	0.100						0		30	
1,2,3-Trichloropropane	ND	0.100						0		30	
1,2,4-Trichlorobenzene	ND	0.200						0		30	
sec-Butylbenzene	ND	0.100						0		30	
4-Isopropyltoluene	ND	0.100						0		30	
1,3-Dichlorobenzene	ND	0.100						0		30	
1,4-Dichlorobenzene	ND	0.100						0		30	
n-Butylbenzene	ND	0.100						0		30	
1,2-Dichlorobenzene	ND	0.100						0		30	
1,2-Dibromo-3-chloropropane	ND	0.100						0		30	
1,2,4-Trimethylbenzene	0.121	0.100						0.1190	1.67	30	
Hexachlorobutadiene	ND	0.400						0		30	
Naphthalene	ND	0.100						0		30	
1,2,3-Trichlorobenzene	ND	0.400						0		30	
Surr: Dibromofluoromethane	2.27		2.500		90.7	61.1	128		0		
Surr: Toluene-d8	2.34		2.500		93.6	68.2	129		0		
Surr: 1-Bromo-4-fluorobenzene-BFB	2.54		2.500		102	64.7	128		0		

**Work Order:** 1810365  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID <b>1810365-001AREP</b>	SampType: <b>REP</b>	Units: <b>µg/L</b>	Prep Date: <b>10/26/2018</b>	RunNo: <b>47200</b>							
Client ID: <b>INF-1023</b>	Batch ID: <b>22423</b>	Analysis Date: <b>10/26/2018</b>	SeqNo: <b>918519</b>								
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sample ID <b>LCS-22423</b>	SampType: <b>LCS</b>	Units: <b>µg/L</b>	Prep Date: <b>10/26/2018</b>	RunNo: <b>47200</b>							
Client ID: <b>LCSW</b>	Batch ID: <b>22423</b>	Analysis Date: <b>10/26/2018</b>	SeqNo: <b>918523</b>								
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	2.36	0.100	2.000	0	118	38.8	143				
Chloromethane	2.37	0.100	2.000	0	118	42.5	131				
Vinyl chloride	1.91	0.0200	2.000	0	95.7	56.2	130				
Bromomethane	2.15	0.100	2.000	0	108	45.4	138				
Trichlorofluoromethane (CFC-11)	1.78	0.100	2.000	0	89.0	64.7	129				
Chloroethane	1.73	0.100	2.000	0	86.6	62.5	123				
1,1-Dichloroethene	1.81	0.100	2.000	0	90.6	60.7	146				
Methylene chloride	1.70	0.100	2.000	0	85.2	60.3	135				
trans-1,2-Dichloroethene	1.86	0.100	2.000	0	93.0	71.3	129				
Methyl tert-butyl ether (MTBE)	1.99	0.100	2.000	0	99.4	59.3	138				
1,1-Dichloroethane	1.77	0.100	2.000	0	88.5	71.3	129				
2,2-Dichloropropane	2.39	0.200	2.000	0	119	37.8	132				
cis-1,2-Dichloroethene	1.81	0.100	2.000	0	90.7	67.5	127				
Chloroform	1.83	0.100	2.000	0	91.7	70.3	123				
1,1,1-Trichloroethane (TCA)	1.96	0.100	2.000	0	97.9	67.9	134				
1,1-Dichloropropene	1.91	0.100	2.000	0	95.5	72.1	133				
Carbon tetrachloride	2.01	0.100	2.000	0	100	64.4	133				
1,2-Dichloroethane (EDC)	1.84	0.100	2.000	0	92.2	65.8	126				
Benzene	1.88	0.100	2.000	0	93.8	67.1	132				
Trichloroethene (TCE)	1.80	0.0500	2.000	0	90.2	71.9	130				
1,2-Dichloropropane	1.87	0.100	2.000	0	93.4	71.9	131				
Bromodichloromethane	1.75	0.100	2.000	0	87.6	70	130				
Dibromomethane	1.71	0.100	2.000	0	85.6	74.2	125				
cis-1,3-Dichloropropene	1.78	0.100	2.000	0	89.2	62.8	135				
Toluene	1.75	0.100	2.000	0	87.6	73.6	127				



Work Order: 1810365  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID	<b>LCS-22423</b>	SampType:	<b>LCS</b>	Units:	<b>µg/L</b>	Prep Date:	<b>10/26/2018</b>	RunNo:	<b>47200</b>
Client ID:	<b>LCSW</b>	Batch ID:	<b>22423</b>			Analysis Date:	<b>10/26/2018</b>	SeqNo:	<b>918523</b>

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,3-Dichloropropylene	1.59	0.100	2.000	0	79.6	58.1	138				
1,1,2-Trichloroethane	1.56	0.100	2.000	0	77.8	65.4	128				
1,3-Dichloropropane	1.70	0.100	2.000	0	84.8	71.9	131				
Tetrachloroethene (PCE)	1.79	0.100	2.000	0	89.5	52.4	140				
Dibromochloromethane	1.61	0.100	2.000	0	80.6	68.7	139				
1,2-Dibromoethane (EDB)	1.60	0.0250	2.000	0	80.0	71.2	129				
Chlorobenzene	1.93	0.100	2.000	0	96.4	77.2	122				
1,1,1,2-Tetrachloroethane	2.02	0.100	2.000	0	101	76.2	130				
Ethylbenzene	1.90	0.100	2.000	0	94.8	78	127				
m,p-Xylene	3.77	0.100	4.000	0	94.3	77.5	130				
o-Xylene	1.86	0.100	2.000	0	93.0	77.6	126				
Styrene	1.87	0.100	2.000	0	93.6	66.8	137				
Isopropylbenzene	1.86	0.100	2.000	0	92.9	75.9	133				
Bromoform	1.89	0.100	2.000	0	94.7	54.1	146				
1,1,1,2,2-Tetrachloroethane	1.88	0.100	2.000	0	93.8	68	134				
n-Propylbenzene	1.87	0.100	2.000	0	93.4	77.1	133				
Bromobenzene	1.96	0.100	2.000	0	98.0	71.1	131				
1,3,5-Trimethylbenzene	1.92	0.100	2.000	0	96.0	76.2	133				
2-Chlorotoluene	1.86	0.100	2.000	0	93.0	67.1	137				
4-Chlorotoluene	1.94	0.100	2.000	0	97.1	70.7	132				
tert-Butylbenzene	1.87	0.100	2.000	0	93.3	71.3	139				
1,2,3-Trichloropropane	1.82	0.100	2.000	0	90.9	70.8	132				
1,2,4-Trichlorobenzene	2.18	0.200	2.000	0	109	61.4	139				
sec-Butylbenzene	1.84	0.100	2.000	0	92.2	77.4	136				
4-Isopropyltoluene	1.99	0.100	2.000	0	99.3	78.1	131				
1,3-Dichlorobenzene	1.93	0.100	2.000	0	96.6	73.5	125				
1,4-Dichlorobenzene	2.00	0.100	2.000	0	99.9	71.4	125				
n-Butylbenzene	2.01	0.100	2.000	0	100	69.8	138				
1,2-Dichlorobenzene	2.06	0.100	2.000	0	103	74.2	123				
1,2-Dibromo-3-chloropropane	2.23	0.100	2.000	0	112	53.6	155				
1,2,4-Trimethylbenzene	1.95	0.100	2.000	0	97.6	72.3	133				

Work Order: 1810365  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID	<b>LCS-22423</b>	SampType:	<b>LCS</b>	Units:	<b>µg/L</b>	Prep Date:	<b>10/26/2018</b>	RunNo:	<b>47200</b>		
Client ID:	<b>LCSW</b>	Batch ID:	<b>22423</b>			Analysis Date:	<b>10/26/2018</b>	SeqNo:	<b>918523</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Hexachlorobutadiene	2.13	0.400	2.000	0	106	60.9	141				
Naphthalene	2.24	0.100	2.000	0	112	58.2	140				
1,2,3-Trichlorobenzene	2.17	0.400	2.000	0	108	61.3	133				
Surr: Dibromofluoromethane	2.31		2.500		92.4	56.4	141				
Surr: Toluene-d8	2.24		2.500		89.8	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.61		2.500		104	64.7	128				

Sample ID	<b>MB-22423</b>	SampType:	<b>MBLK</b>	Units:	<b>µg/L</b>	Prep Date:	<b>10/26/2018</b>	RunNo:	<b>47200</b>		
Client ID:	<b>MBLKW</b>	Batch ID:	<b>22423</b>			Analysis Date:	<b>10/26/2018</b>	SeqNo:	<b>918524</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	ND	0.100									
Chloromethane	ND	0.100									
Vinyl chloride	ND	0.0200									
Bromomethane	ND	0.100									
Trichlorofluoromethane (CFC-11)	ND	0.100									
Chloroethane	ND	0.100									
1,1-Dichloroethene	ND	0.100									
Methylene chloride	ND	0.100									
trans-1,2-Dichloroethene	ND	0.100									
Methyl tert-butyl ether (MTBE)	ND	0.100									
1,1-Dichloroethane	ND	0.100									
2,2-Dichloropropane	ND	0.200									
cis-1,2-Dichloroethene	ND	0.100									
Chloroform	ND	0.100									
1,1,1-Trichloroethane (TCA)	ND	0.100									
1,1-Dichloropropene	ND	0.100									
Carbon tetrachloride	ND	0.100									
1,2-Dichloroethane (EDC)	ND	0.100									
Benzene	ND	0.100									



**Work Order:** 1810365  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID: <b>MB-22423</b>	SampType: <b>MBLK</b>	Units: <b>µg/L</b>	Prep Date: <b>10/26/2018</b>	RunNo: <b>47200</b>
Client ID: <b>MBLKW</b>	Batch ID: <b>22423</b>		Analysis Date: <b>10/26/2018</b>	SeqNo: <b>918524</b>

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Trichloroethene (TCE)	ND	0.0500									
1,2-Dichloropropane	ND	0.100									
Bromodichloromethane	ND	0.100									
Dibromomethane	ND	0.100									
cis-1,3-Dichloropropene	ND	0.100									
Toluene	ND	0.100									
trans-1,3-Dichloropropylene	ND	0.100									
1,1,2-Trichloroethane	ND	0.100									
1,3-Dichloropropane	ND	0.100									
Tetrachloroethene (PCE)	ND	0.100									
Dibromochloromethane	ND	0.100									
1,2-Dibromoethane (EDB)	ND	0.0250									
Chlorobenzene	ND	0.100									
1,1,1,2-Tetrachloroethane	ND	0.100									
Ethylbenzene	ND	0.100									
m,p-Xylene	ND	0.100									
o-Xylene	ND	0.100									
Styrene	ND	0.100									
Isopropylbenzene	ND	0.100									
Bromoform	ND	0.100									
1,1,2,2-Tetrachloroethane	ND	0.100									
n-Propylbenzene	ND	0.100									
Bromobenzene	ND	0.100									
1,3,5-Trimethylbenzene	ND	0.100									
2-Chlorotoluene	ND	0.100									
4-Chlorotoluene	ND	0.100									
tert-Butylbenzene	ND	0.100									
1,2,3-Trichloropropane	ND	0.100									
1,2,4-Trichlorobenzene	ND	0.200									
sec-Butylbenzene	ND	0.100									
4-Isopropyltoluene	ND	0.100									

**Work Order:** 1810365  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Sample ID <b>MB-22423</b>	SampType: <b>MBLK</b>	Units: <b>µg/L</b>	Prep Date: <b>10/26/2018</b>	RunNo: <b>47200</b>							
Client ID: <b>MBLKW</b>	Batch ID: <b>22423</b>	Analysis Date: <b>10/26/2018</b>	SeqNo: <b>918524</b>								
1,3-Dichlorobenzene	ND	0.100									
1,4-Dichlorobenzene	ND	0.100									
n-Butylbenzene	ND	0.100									
1,2-Dichlorobenzene	ND	0.100									
1,2-Dibromo-3-chloropropane	ND	0.100									
1,2,4-Trimethylbenzene	ND	0.100									
Hexachlorobutadiene	ND	0.400									
Naphthalene	ND	0.100									
1,2,3-Trichlorobenzene	ND	0.400									
Surr: Dibromofluoromethane	2.29		2.500		91.4	56.4	141				
Surr: Toluene-d8	2.13		2.500		85.3	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.43		2.500		97.0	64.7	128				

Work Order: 1810365  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Gasoline by NWTPH-Gx**

Sample ID	<b>1810365-001AREP</b>	SampType:	<b>REP</b>	Units:	<b>µg/L</b>	Prep Date:	<b>10/26/2018</b>	RunNo:	<b>47201</b>		
Client ID:	<b>INF-1023</b>	Batch ID:	<b>22423</b>			Analysis Date:	<b>10/26/2018</b>	SeqNo:	<b>918546</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	47.6	5.00						47.43	0.297	30	
Surr: 4-Bromofluorobenzene	2.54		2.500		101	65	135		0		
Surr: Toluene-d8	2.60		2.500		104	65	135		0		

Sample ID	<b>LCS-22423</b>	SampType:	<b>LCS</b>	Units:	<b>µg/L</b>	Prep Date:	<b>10/26/2018</b>	RunNo:	<b>47201</b>		
Client ID:	<b>LCSW</b>	Batch ID:	<b>22423</b>			Analysis Date:	<b>10/26/2018</b>	SeqNo:	<b>918550</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	58.3	5.00	50.00	0	117	65	135				
Surr: 4-Bromofluorobenzene	2.57		2.500		103	65	135				
Surr: Toluene-d8	2.86		2.500		114	65	135				

Sample ID	<b>MB-22423</b>	SampType:	<b>MBLK</b>	Units:	<b>µg/L</b>	Prep Date:	<b>10/26/2018</b>	RunNo:	<b>47201</b>		
Client ID:	<b>MBLKW</b>	Batch ID:	<b>22423</b>			Analysis Date:	<b>10/26/2018</b>	SeqNo:	<b>918551</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00									
Surr: 4-Bromofluorobenzene	2.42		2.500		96.9	65	135				
Surr: Toluene-d8	2.80		2.500		112	65	135				

Client Name: **EPI**

 Work Order Number: **1810365**

 Logged by: **Brianna Barnes**

 Date Received: **10/23/2018 1:00:00 PM**

### Chain of Custody

1. Is Chain of Custody complete? Yes  No  Not Present
2. How was the sample delivered? Client

### Log In

3. Coolers are present? Yes  No  NA
- Air samples.**
4. Shipping container/cooler in good condition? Yes  No
5. Custody Seals present on shipping container/cooler?  
(Refer to comments for Custody Seals not intact) Yes  No  Not Required
6. Was an attempt made to cool the samples? Yes  No  NA
7. Were all items received at a temperature of >0°C to 10.0°C \* Yes  No  NA
8. Sample(s) in proper container(s)? Yes  No
9. Sufficient sample volume for indicated test(s)? Yes  No
10. Are samples properly preserved? Yes  No
11. Was preservative added to bottles? Yes  No  NA
12. Is there headspace in the VOA vials? Yes  No  NA
13. Did all samples containers arrive in good condition(unbroken)? Yes  No
14. Does paperwork match bottle labels? Yes  No
15. Are matrices correctly identified on Chain of Custody? Yes  No
16. Is it clear what analyses were requested? Yes  No
17. Were all holding times able to be met? Yes  No

### Special Handling (if applicable)

18. Was client notified of all discrepancies with this order? Yes  No  NA

Person Notified:	<input type="text"/>	Date	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

19. Additional remarks:

### Item Information

\* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C





3600 Fremont Ave. N.  
Seattle, WA 98103  
T: (206) 352-3790  
F: (206) 352-7178  
info@fremontanalytical.com

**Environmental Partners, Inc.**  
Sean Trimble  
1180 NW Maple Street, Suite 310  
Issaquah, WA 98027

**RE: Whitney's**  
**Work Order Number: 1812026**

December 10, 2018

**Attention Sean Trimble:**

Fremont Analytical, Inc. received 1 sample(s) on 12/4/2018 for the analyses presented in the following report.

***Gasoline by NWTPH-Gx***  
***Volatile Organic Compounds by EPA Method 8260C***

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

A handwritten signature in black ink, appearing to read "Mike C. Ridgeway", written in a cursive style.

Mike Ridgeway  
Laboratory Director



Date: 12/10/2018

---

**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's  
**Work Order:** 1812026

## Work Order Sample Summary

---

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
1812026-001	INF - 1204	12/04/2018 10:10 AM	12/04/2018 12:05 PM

**CLIENT:** Environmental Partners, Inc.

**Project:** Whitney's

---

**I. SAMPLE RECEIPT:**

Samples receipt information is recorded on the attached Sample Receipt Checklist.

**II. GENERAL REPORTING COMMENTS:**

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

**III. ANALYSES AND EXCEPTIONS:**

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

**NOTE:** The conversion of Gasoline should be considered an estimate. The molecular weight used in the conversion is 100.

### Qualifiers:

- \* - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift or minimum RRF)
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

### Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



**Client:** Environmental Partners, Inc.

**Collection Date:** 12/4/2018 10:10:00 AM

**Project:** Whitney's

**Lab ID:** 1812026-001

**Matrix:** Air

**Client Sample ID:** INF - 1204

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

**Volatile Organic Compounds by EPA Method 8260C**

Batch ID: 22848

Analyst: CR

Dichlorodifluoromethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Chloromethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Vinyl chloride	ND	0.0200		µg/L	1	12/5/2018 4:17:00 PM
Bromomethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Trichlorofluoromethane (CFC-11)	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Chloroethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,1-Dichloroethene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Methylene chloride	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
trans-1,2-Dichloroethene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Methyl tert-butyl ether (MTBE)	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,1-Dichloroethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
2,2-Dichloropropane	ND	0.200		µg/L	1	12/5/2018 4:17:00 PM
cis-1,2-Dichloroethene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Chloroform	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,1,1-Trichloroethane (TCA)	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,1-Dichloropropene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Carbon tetrachloride	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,2-Dichloroethane (EDC)	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Benzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Trichloroethene (TCE)	ND	0.0500		µg/L	1	12/5/2018 4:17:00 PM
1,2-Dichloropropane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Bromodichloromethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Dibromomethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
cis-1,3-Dichloropropene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Toluene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
trans-1,3-Dichloropropylene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,1,2-Trichloroethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,3-Dichloropropane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Tetrachloroethene (PCE)	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Dibromochloromethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,2-Dibromoethane (EDB)	ND	0.0250		µg/L	1	12/5/2018 4:17:00 PM
Chlorobenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,1,1,2-Tetrachloroethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Ethylbenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
m,p-Xylene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
o-Xylene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Styrene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Isopropylbenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Bromoform	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM



**Client:** Environmental Partners, Inc.

**Collection Date:** 12/4/2018 10:10:00 AM

**Project:** Whitney's

**Lab ID:** 1812026-001

**Matrix:** Air

**Client Sample ID:** INF - 1204

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

**Volatile Organic Compounds by EPA Method 8260C**

Batch ID: 22848

Analyst: CR

1,1,2,2-Tetrachloroethane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
n-Propylbenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Bromobenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,3,5-Trimethylbenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
2-Chlorotoluene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
4-Chlorotoluene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
tert-Butylbenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,2,3-Trichloropropane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,2,4-Trichlorobenzene	ND	0.200		µg/L	1	12/5/2018 4:17:00 PM
sec-Butylbenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
4-Isopropyltoluene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,3-Dichlorobenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,4-Dichlorobenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
n-Butylbenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,2-Dichlorobenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,2-Dibromo-3-chloropropane	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,2,4-Trimethylbenzene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
Hexachlorobutadiene	ND	0.400		µg/L	1	12/5/2018 4:17:00 PM
Naphthalene	ND	0.100		µg/L	1	12/5/2018 4:17:00 PM
1,2,3-Trichlorobenzene	ND	0.400		µg/L	1	12/5/2018 4:17:00 PM
Surr: Dibromofluoromethane	107	56.4 - 141		%Rec	1	12/5/2018 4:17:00 PM
Surr: Toluene-d8	108	66 - 138		%Rec	1	12/5/2018 4:17:00 PM
Surr: 1-Bromo-4-fluorobenzene-BFB	99.0	64.7 - 128		%Rec	1	12/5/2018 4:17:00 PM

**Gasoline by NWTPH-Gx**

Batch ID: 22848

Analyst: CR

Gasoline	5.08	5.00		µg/L	1	12/5/2018 4:17:00 PM
Gasoline	1.24	1.22		ppmv	1	12/5/2018 4:17:00 PM
Surr: 4-Bromofluorobenzene	100	65 - 135		%Rec	1	12/5/2018 4:17:00 PM
Surr: Toluene-d8	98.0	65 - 135		%Rec	1	12/5/2018 4:17:00 PM



**Work Order:** 1812026  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID <b>1812026-001AREP</b>	SampType: <b>REP</b>	Units: <b>µg/L</b>	Prep Date: <b>12/5/2018</b>	RunNo: <b>48191</b>							
Client ID: <b>INF - 1204</b>	Batch ID: <b>22848</b>		Analysis Date: <b>12/5/2018</b>	SeqNo: <b>941617</b>							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	ND	0.100						0		30	
Chloromethane	ND	0.100						0		30	
Vinyl chloride	ND	0.0200						0		30	
Bromomethane	ND	0.100						0		30	
Trichlorofluoromethane (CFC-11)	ND	0.100						0		30	
Chloroethane	ND	0.100						0		30	
1,1-Dichloroethene	ND	0.100						0		30	
Methylene chloride	ND	0.100						0		30	
trans-1,2-Dichloroethene	ND	0.100						0		30	
Methyl tert-butyl ether (MTBE)	ND	0.100						0		30	
1,1-Dichloroethane	ND	0.100						0		30	
2,2-Dichloropropane	ND	0.200						0		30	
cis-1,2-Dichloroethene	ND	0.100						0		30	
Chloroform	ND	0.100						0		30	
1,1,1-Trichloroethane (TCA)	ND	0.100						0		30	
1,1-Dichloropropene	ND	0.100						0		30	
Carbon tetrachloride	ND	0.100						0		30	
1,2-Dichloroethane (EDC)	ND	0.100						0		30	
Benzene	ND	0.100						0		30	
Trichloroethene (TCE)	ND	0.0500						0		30	
1,2-Dichloropropane	ND	0.100						0		30	
Bromodichloromethane	ND	0.100						0		30	
Dibromomethane	ND	0.100						0		30	
cis-1,3-Dichloropropene	ND	0.100						0		30	
Toluene	ND	0.100						0		30	
trans-1,3-Dichloropropylene	ND	0.100						0		30	
1,1,2-Trichloroethane	ND	0.100						0		30	
1,3-Dichloropropane	ND	0.100						0		30	
Tetrachloroethene (PCE)	ND	0.100						0		30	
Dibromochloromethane	ND	0.100						0		30	
1,2-Dibromoethane (EDB)	ND	0.0250						0		30	



Work Order: 1812026  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID <b>1812026-001AREP</b>	SampType: <b>REP</b>	Units: <b>µg/L</b>	Prep Date: <b>12/5/2018</b>	RunNo: <b>48191</b>							
Client ID: <b>INF - 1204</b>	Batch ID: <b>22848</b>		Analysis Date: <b>12/5/2018</b>	SeqNo: <b>941617</b>							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Chlorobenzene	ND	0.100						0		30	
1,1,1,2-Tetrachloroethane	ND	0.100						0		30	
Ethylbenzene	ND	0.100						0		30	
m,p-Xylene	ND	0.100						0		30	
o-Xylene	ND	0.100						0		30	
Styrene	ND	0.100						0		30	
Isopropylbenzene	ND	0.100						0		30	
Bromoform	ND	0.100						0		30	
1,1,2,2-Tetrachloroethane	ND	0.100						0		30	
n-Propylbenzene	ND	0.100						0		30	
Bromobenzene	ND	0.100						0		30	
1,3,5-Trimethylbenzene	ND	0.100						0		30	
2-Chlorotoluene	ND	0.100						0		30	
4-Chlorotoluene	ND	0.100						0		30	
tert-Butylbenzene	ND	0.100						0		30	
1,2,3-Trichloropropane	ND	0.100						0		30	
1,2,4-Trichlorobenzene	ND	0.200						0		30	
sec-Butylbenzene	ND	0.100						0		30	
4-Isopropyltoluene	ND	0.100						0		30	
1,3-Dichlorobenzene	ND	0.100						0		30	
1,4-Dichlorobenzene	ND	0.100						0		30	
n-Butylbenzene	ND	0.100						0		30	
1,2-Dichlorobenzene	ND	0.100						0		30	
1,2-Dibromo-3-chloropropane	ND	0.100						0		30	
1,2,4-Trimethylbenzene	ND	0.100						0		30	
Hexachlorobutadiene	ND	0.400						0		30	
Naphthalene	ND	0.100						0		30	
1,2,3-Trichlorobenzene	ND	0.400						0		30	
Surr: Dibromofluoromethane	2.61		2.500		104	61.1	128		0		
Surr: Toluene-d8	2.62		2.500		105	68.2	129		0		
Surr: 1-Bromo-4-fluorobenzene-BFB	2.52		2.500		101	64.7	128		0		

Work Order: 1812026  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID	<b>1812026-001AREP</b>	SampType:	<b>REP</b>	Units:	<b>µg/L</b>	Prep Date:	<b>12/5/2018</b>	RunNo:	<b>48191</b>		
Client ID:	<b>INF - 1204</b>	Batch ID:	<b>22848</b>			Analysis Date:	<b>12/5/2018</b>	SeqNo:	<b>941617</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sample ID	<b>LCS-22848</b>	SampType:	<b>LCS</b>	Units:	<b>µg/L</b>	Prep Date:	<b>12/5/2018</b>	RunNo:	<b>48191</b>		
Client ID:	<b>LCSW</b>	Batch ID:	<b>22848</b>			Analysis Date:	<b>12/5/2018</b>	SeqNo:	<b>941620</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	2.22	0.100	2.000	0	111	38.8	143				
Chloromethane	2.06	0.100	2.000	0	103	42.5	131				
Vinyl chloride	2.34	0.0200	2.000	0	117	56.2	130				
Bromomethane	2.02	0.100	2.000	0	101	45.4	138				
Trichlorofluoromethane (CFC-11)	2.23	0.100	2.000	0	111	64.7	129				
Chloroethane	2.32	0.100	2.000	0	116	62.5	123				
1,1-Dichloroethene	2.27	0.100	2.000	0	114	60.7	146				
Methylene chloride	2.40	0.100	2.000	0	120	60.3	135				
trans-1,2-Dichloroethene	2.27	0.100	2.000	0	114	71.3	129				
Methyl tert-butyl ether (MTBE)	1.82	0.100	2.000	0	91.1	59.3	138				
1,1-Dichloroethane	2.36	0.100	2.000	0	118	71.3	129				
2,2-Dichloropropane	2.13	0.200	2.000	0	106	37.8	132				
cis-1,2-Dichloroethene	2.25	0.100	2.000	0	113	67.5	127				
Chloroform	2.31	0.100	2.000	0	116	70.3	123				
1,1,1-Trichloroethane (TCA)	2.25	0.100	2.000	0	112	67.9	134				
1,1-Dichloropropene	2.01	0.100	2.000	0	101	72.1	133				
Carbon tetrachloride	2.20	0.100	2.000	0	110	64.4	133				
1,2-Dichloroethane (EDC)	2.22	0.100	2.000	0	111	65.8	126				
Benzene	1.98	0.100	2.000	0	98.8	67.1	132				
Trichloroethene (TCE)	2.04	0.0500	2.000	0	102	71.9	130				
1,2-Dichloropropane	2.09	0.100	2.000	0	104	71.9	131				
Bromodichloromethane	2.16	0.100	2.000	0	108	70	130				
Dibromomethane	2.29	0.100	2.000	0	114	74.2	125				
cis-1,3-Dichloropropene	2.15	0.100	2.000	0	107	62.8	135				
Toluene	2.03	0.100	2.000	0	102	73.6	127				

**Work Order:** 1812026  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID	LCS-22848	SampType:	LCS	Units:	µg/L	Prep Date:	12/5/2018	RunNo:	48191		
Client ID:	LCSW	Batch ID:	22848	Analysis Date:	12/5/2018	SeqNo:	941620				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,3-Dichloropropylene	2.17	0.100	2.000	0	108	58.1	138				
1,1,2-Trichloroethane	2.03	0.100	2.000	0	102	65.4	128				
1,3-Dichloropropane	2.08	0.100	2.000	0	104	71.9	131				
Tetrachloroethene (PCE)	2.04	0.100	2.000	0	102	52.4	140				
Dibromochloromethane	2.10	0.100	2.000	0	105	68.7	139				
1,2-Dibromoethane (EDB)	2.14	0.0250	2.000	0	107	71.2	129				
Chlorobenzene	1.80	0.100	2.000	0	89.8	77.2	122				
1,1,1,2-Tetrachloroethane	1.63	0.100	2.000	0	81.3	76.2	130				
Ethylbenzene	1.84	0.100	2.000	0	92.2	78	127				
m,p-Xylene	3.64	0.100	4.000	0	91.0	77.5	130				
o-Xylene	1.86	0.100	2.000	0	93.0	77.6	126				
Styrene	1.85	0.100	2.000	0	92.5	66.8	137				
Isopropylbenzene	1.83	0.100	2.000	0	91.7	75.9	133				
Bromoform	1.82	0.100	2.000	0	91.1	54.1	146				
1,1,1,2,2-Tetrachloroethane	1.81	0.100	2.000	0	90.3	68	134				
n-Propylbenzene	1.88	0.100	2.000	0	94.0	77.1	133				
Bromobenzene	1.76	0.100	2.000	0	88.2	71.1	131				
1,3,5-Trimethylbenzene	1.81	0.100	2.000	0	90.4	76.2	133				
2-Chlorotoluene	1.85	0.100	2.000	0	92.4	67.1	137				
4-Chlorotoluene	1.81	0.100	2.000	0	90.4	70.7	132				
tert-Butylbenzene	1.75	0.100	2.000	0	87.3	71.3	139				
1,2,3-Trichloropropane	1.86	0.100	2.000	0	93.0	70.8	132				
1,2,4-Trichlorobenzene	1.92	0.200	2.000	0	95.8	61.4	139				
sec-Butylbenzene	1.82	0.100	2.000	0	91.2	77.4	136				
4-Isopropyltoluene	1.74	0.100	2.000	0	86.9	78.1	131				
1,3-Dichlorobenzene	1.82	0.100	2.000	0	90.9	73.5	125				
1,4-Dichlorobenzene	1.85	0.100	2.000	0	92.3	71.4	125				
n-Butylbenzene	1.89	0.100	2.000	0	94.3	69.8	138				
1,2-Dichlorobenzene	1.84	0.100	2.000	0	92.0	74.2	123				
1,2-Dibromo-3-chloropropane	1.78	0.100	2.000	0	89.0	53.6	155				
1,2,4-Trimethylbenzene	1.80	0.100	2.000	0	90.0	72.3	133				

Work Order: 1812026  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID	<b>LCS-22848</b>	SampType:	<b>LCS</b>	Units:	<b>µg/L</b>	Prep Date:	<b>12/5/2018</b>	RunNo:	<b>48191</b>		
Client ID:	<b>LCSW</b>	Batch ID:	<b>22848</b>			Analysis Date:	<b>12/5/2018</b>	SeqNo:	<b>941620</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Hexachlorobutadiene	1.78	0.400	2.000	0	88.8	60.9	141				
Naphthalene	1.86	0.100	2.000	0	93.0	58.2	140				
1,2,3-Trichlorobenzene	2.01	0.400	2.000	0	100	61.3	133				
Surr: Dibromofluoromethane	3.14		2.500		126	56.4	141				
Surr: Toluene-d8	2.93		2.500		117	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.75		2.500		110	64.7	128				

Sample ID	<b>MB-22848</b>	SampType:	<b>MBLK</b>	Units:	<b>µg/L</b>	Prep Date:	<b>12/5/2018</b>	RunNo:	<b>48191</b>		
Client ID:	<b>MBLKW</b>	Batch ID:	<b>22848</b>			Analysis Date:	<b>12/5/2018</b>	SeqNo:	<b>941622</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	ND	0.100									
Chloromethane	ND	0.100									
Vinyl chloride	ND	0.0200									
Bromomethane	ND	0.100									
Trichlorofluoromethane (CFC-11)	ND	0.100									
Chloroethane	ND	0.100									
1,1-Dichloroethene	ND	0.100									
Methylene chloride	ND	0.100									
trans-1,2-Dichloroethene	ND	0.100									
Methyl tert-butyl ether (MTBE)	ND	0.100									
1,1-Dichloroethane	ND	0.100									
2,2-Dichloropropane	ND	0.200									
cis-1,2-Dichloroethene	ND	0.100									
Chloroform	ND	0.100									
1,1,1-Trichloroethane (TCA)	ND	0.100									
1,1-Dichloropropene	ND	0.100									
Carbon tetrachloride	ND	0.100									
1,2-Dichloroethane (EDC)	ND	0.100									
Benzene	ND	0.100									



Work Order: 1812026  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID <b>MB-22848</b>	SampType: <b>MBLK</b>	Units: <b>µg/L</b>	Prep Date: <b>12/5/2018</b>	RunNo: <b>48191</b>							
Client ID: <b>MBLKW</b>	Batch ID: <b>22848</b>		Analysis Date: <b>12/5/2018</b>	SeqNo: <b>941622</b>							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Trichloroethene (TCE)	ND	0.0500									
1,2-Dichloropropane	ND	0.100									
Bromodichloromethane	ND	0.100									
Dibromomethane	ND	0.100									
cis-1,3-Dichloropropene	ND	0.100									
Toluene	ND	0.100									
trans-1,3-Dichloropropylene	ND	0.100									
1,1,2-Trichloroethane	ND	0.100									
1,3-Dichloropropane	ND	0.100									
Tetrachloroethene (PCE)	ND	0.100									
Dibromochloromethane	ND	0.100									
1,2-Dibromoethane (EDB)	ND	0.0250									
Chlorobenzene	ND	0.100									
1,1,1,2-Tetrachloroethane	ND	0.100									
Ethylbenzene	ND	0.100									
m,p-Xylene	ND	0.100									
o-Xylene	ND	0.100									
Styrene	ND	0.100									
Isopropylbenzene	ND	0.100									
Bromoform	ND	0.100									
1,1,2,2-Tetrachloroethane	ND	0.100									
n-Propylbenzene	ND	0.100									
Bromobenzene	ND	0.100									
1,3,5-Trimethylbenzene	ND	0.100									
2-Chlorotoluene	ND	0.100									
4-Chlorotoluene	ND	0.100									
tert-Butylbenzene	ND	0.100									
1,2,3-Trichloropropane	ND	0.100									
1,2,4-Trichlorobenzene	ND	0.200									
sec-Butylbenzene	ND	0.100									
4-Isopropyltoluene	ND	0.100									

**Work Order:** 1812026  
**CLIENT:** Environmental Partners, Inc.  
**Project:** Whitney's

**QC SUMMARY REPORT**  
**Volatile Organic Compounds by EPA Method 8260C**

Sample ID: <b>MB-22848</b>	SampType: <b>MBLK</b>	Units: <b>µg/L</b>	Prep Date: <b>12/5/2018</b>	RunNo: <b>48191</b>							
Client ID: <b>MBLKW</b>	Batch ID: <b>22848</b>		Analysis Date: <b>12/5/2018</b>	SeqNo: <b>941622</b>							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,3-Dichlorobenzene	ND	0.100									
1,4-Dichlorobenzene	ND	0.100									
n-Butylbenzene	ND	0.100									
1,2-Dichlorobenzene	ND	0.100									
1,2-Dibromo-3-chloropropane	ND	0.100									
1,2,4-Trimethylbenzene	ND	0.100									
Hexachlorobutadiene	ND	0.400									
Naphthalene	ND	0.100									
1,2,3-Trichlorobenzene	ND	0.400									
Surr: Dibromofluoromethane	2.66		2.500		106	56.4	141				
Surr: Toluene-d8	2.61		2.500		104	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.46		2.500		98.4	64.7	128				

Work Order: 1812026  
 CLIENT: Environmental Partners, Inc.  
 Project: Whitney's

**QC SUMMARY REPORT**  
**Gasoline by NWTPH-Gx**

Sample ID	<b>1812026-001AREP</b>	SampType:	<b>REP</b>	Units:	<b>µg/L</b>	Prep Date:	<b>12/5/2018</b>	RunNo:	<b>48194</b>		
Client ID:	<b>INF - 1204</b>	Batch ID:	<b>22848</b>			Analysis Date:	<b>12/5/2018</b>	SeqNo:	<b>941678</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00						5.082	10.9	30	
Surr: 4-Bromofluorobenzene	2.55		2.500		102	65	135		0		
Surr: Toluene-d8	2.62		2.500		105	65	135		0		

Sample ID	<b>LCS-22848</b>	SampType:	<b>LCS</b>	Units:	<b>µg/L</b>	Prep Date:	<b>12/5/2018</b>	RunNo:	<b>48194</b>		
Client ID:	<b>LCSW</b>	Batch ID:	<b>22848</b>			Analysis Date:	<b>12/5/2018</b>	SeqNo:	<b>941681</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	51.6	5.00	50.00	0	103	65	135				
Surr: 4-Bromofluorobenzene	2.38		2.500		95.1	65	135				
Surr: Toluene-d8	2.69		2.500		108	65	135				

Sample ID	<b>MB-22848</b>	SampType:	<b>MBLK</b>	Units:	<b>µg/L</b>	Prep Date:	<b>12/5/2018</b>	RunNo:	<b>48194</b>		
Client ID:	<b>MBLKW</b>	Batch ID:	<b>22848</b>			Analysis Date:	<b>12/5/2018</b>	SeqNo:	<b>941682</b>		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00									
Surr: 4-Bromofluorobenzene	2.49		2.500		99.5	65	135				
Surr: Toluene-d8	2.54		2.500		102	65	135				

Client Name: **EPI**

 Work Order Number: **1812026**

 Logged by: **Brianna Barnes**

 Date Received: **12/4/2018 12:05:00 PM**

### Chain of Custody

1. Is Chain of Custody complete? Yes  No  Not Present
2. How was the sample delivered? Client

### Log In

3. Coolers are present? Yes  No  NA
- Air sample.**
4. Shipping container/cooler in good condition? Yes  No
5. Custody Seals present on shipping container/cooler?  
(Refer to comments for Custody Seals not intact) Yes  No  Not Required
6. Was an attempt made to cool the samples? Yes  No  NA
7. Were all items received at a temperature of >0°C to 10.0°C \* Yes  No  NA
8. Sample(s) in proper container(s)? Yes  No
9. Sufficient sample volume for indicated test(s)? Yes  No
10. Are samples properly preserved? Yes  No
11. Was preservative added to bottles? Yes  No  NA
12. Is there headspace in the VOA vials? Yes  No  NA
13. Did all samples containers arrive in good condition(unbroken)? Yes  No
14. Does paperwork match bottle labels? Yes  No
15. Are matrices correctly identified on Chain of Custody? Yes  No
16. Is it clear what analyses were requested? Yes  No
17. Were all holding times able to be met? Yes  No

### Special Handling (if applicable)

18. Was client notified of all discrepancies with this order? Yes  No  NA

Person Notified:	<input type="text"/>	Date	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

19. Additional remarks:

### Item Information

\* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.  
Seattle, WA 98103  
Tel: 206-352-3790  
Fax: 206-352-7178

### Chain of Custody Record & Laboratory Services Agreement

Date: 12/04/18 Page: 1 of 1

Project Name: WATKIN'S

Project No: 51201

Collected by: W. HANSEN

Location:

Report To (PM): SEAN TRIMBLE

PM Email: SEANT@EPI-WA.COM

Laboratory Project No (Internal): 1912020

Special Remarks:

Sample Disposal:  Return to client  Disposal by lab (after 30 days)

Client: EPI  
Address: 1180 NW MARIE ST. 310  
City, State, Zip: ISSAQUAH, WA. 98022  
Telephone: (425) 395-0010  
Fax:

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	VOCS (EPA 8260 / 624)	GX/BTEX	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCID)	Diesel/heavy Oil Range Organics (DX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8082 / 608)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) / Dissolved (D)	Anions (IC)***	EDB (8011)	Comments
1	12/04/18	1010	A	X	X												
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

\*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water  
 \*\*Metals (Circle): MTCAS RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sp Se Sr Sn Tl U V Zn  
 \*\*\*Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above and that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished: [Signature] Date/Time: 12/04/18 1210  
 Received: [Signature] Date/Time: 12/14/18 1205

Turn-around Time:  
 Standard  
 3 Day  
 2 Day  
 Next Day  
 Same Day (specify)