

**APPENDIX B
FLUID LEVEL DATABASE**

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
CL-MW-01	12/6/1991	75.33			2004.78	2008.54	1933.21	
CM-MW-01S	7/25/2005	77.18				2011.09	1933.91	
CM-MW-01S	8/30/2005	78.47				2011.09	1932.62	
CM-MW-01S	9/29/2005	76.36				2011.09	1934.73	
CM-MW-01S	10/24/2005	75.67				2011.09	1935.42	
CM-MW-01S	1/26/2006	68.99	68.98	0.01		2011.09	1942.1	
CM-MW-01S	4/17/2006	67.63				2011.09	1943.46	
CM-MW-01S	6/27/2006	72.3				2011.09	1938.79	
CM-MW-01S	7/17/2006	75.15				2011.09	1935.94	
CM-MW-01S	8/28/2006	77.46				2011.09	1933.63	
CM-MW-01S	9/26/2006	76.11				2011.09	1934.98	
CM-MW-01S	10/23/2006	75.7				2011.09	1935.39	
CM-MW-01S	1/31/2007	73.17				2011.09	1937.92	
CM-MW-01S	4/14/2007	67.54				2011.09	1943.55	
CM-MW-01S	7/23/2007	76.55				2011.09	1934.54	
CM-MW-01S	10/21/2007	75.57				2011.09	1935.52	
CM-MW-01S	1/23/2008	74.81				2011.09	1936.28	
CM-MW-01S	4/19/2008	70.85				2011.09	1940.24	
CM-MW-01S	7/22/2008	72.87				2011.09	1938.22	
CM-MW-01S	10/18/2008	74.59				2011.09	1936.5	
CM-MW-02S	7/25/2005	74.4				2008.24	1933.84	
CM-MW-02S	8/30/2005	75.72				2008.24	1932.52	
CM-MW-02S	9/29/2005	73.95				2008.24	1934.29	
CM-MW-02S	10/24/2005	72.93				2008.24	1935.31	
CM-MW-02S	1/26/2006	66.16				2008.24	1942.08	
CM-MW-02S	4/17/2006	64.92				2008.24	1943.32	
CM-MW-02S	6/27/2006	69.57				2008.24	1938.67	
CM-MW-02S	7/17/2006	72.38				2008.24	1935.86	
CM-MW-02S	8/28/2006	76.69				2008.24	1931.55	
CM-MW-02S	9/26/2006	73.36				2008.24	1934.88	
CM-MW-02S	10/23/2006	72.78				2008.24	1935.46	
CM-MW-02S	1/31/2007	70.42				2008.24	1937.82	
CM-MW-02S	4/14/2007	64.81				2008.24	1943.43	
CM-MW-02S	7/23/2007	73.79				2008.24	1934.45	
CM-MW-02S	10/21/2007	72.82				2008.24	1935.42	
CM-MW-02S	1/23/2008	72.04				2008.24	1936.2	
CM-MW-02S	4/19/2008	68.11				2008.24	1940.13	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
CM-MW-02S	7/22/2008	70.13				2008.24	1938.11	
CM-MW-02S	10/18/2008	71.84				2008.24	1936.4	
CM-MW-03S	7/25/2005	74.3				2008.14	1933.84	
CM-MW-03S	8/30/2005	75.6				2008.14	1932.54	
CM-MW-03S	9/29/2005	73.82				2008.14	1934.32	
CM-MW-03S	10/24/2005	72.99				2008.14	1935.15	
CM-MW-03S	1/26/2006	66.05				2008.14	1942.09	
CM-MW-03S	4/17/2006	64.83				2008.14	1943.31	
CM-MW-03S	6/27/2006	69.45				2008.14	1938.69	
CM-MW-03S	7/17/2006	72.24				2008.14	1935.9	
CM-MW-03S	8/28/2006	74.58				2008.14	1933.56	
CM-MW-03S	9/26/2006	73.21				2008.14	1934.93	
CM-MW-03S	10/23/2006	72.63				2008.14	1935.51	
CM-MW-03S	1/31/2007	70.29				2008.14	1937.85	
CM-MW-03S	4/14/2007	61.71				2008.14	1946.43	
CM-MW-03S	7/23/2007	73.66				2008.14	1934.48	
CM-MW-03S	10/21/2007	72.71				2008.14	1935.43	
CM-MW-03S	1/23/2008	71.94				2008.14	1936.2	
CM-MW-03S	4/19/2008	68.02				2008.14	1940.12	
CM-MW-03S	7/22/2008	70				2008.14	1938.14	
CM-MW-03S	10/18/2008	71.74				2008.14	1936.4	
CM-MW-04S	7/25/2005	75.6				2007.96	1932.36	
CM-MW-04S	8/30/2005	77.82				2007.96	1930.14	
CM-MW-04S	9/29/2005	75.13				2007.96	1932.83	
CM-MW-04S	10/24/2005	74.16				2007.96	1933.8	
CM-MW-04S	1/26/2006	67.42				2007.96	1940.54	
CM-MW-04S	4/17/2006	66				2007.96	1941.96	
CM-MW-04S	6/27/2006	70.92				2007.96	1937.04	
CM-MW-04S	7/17/2006	73.79				2007.96	1934.17	
CM-MW-04S	8/28/2006	75.93				2007.96	1932.03	
CM-MW-04S	9/26/2006	74.59				2007.96	1933.37	
CM-MW-04S	10/23/2006	72.02				2007.96	1935.94	
CM-MW-04S	1/31/2007	71.78				2007.96	1936.18	
CM-MW-04S	4/14/2007	66.15				2007.96	1941.81	
CM-MW-04S	7/23/2007	75.03				2007.96	1932.93	
CM-MW-04S	10/21/2007	74.13				2007.96	1933.83	
CM-MW-04S	1/23/2008	73.34				2007.96	1934.62	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
CM-MW-04S	4/19/2008	69.35				2007.96	1938.61	
CM-MW-04S	7/22/2008	71.64				2007.96	1936.32	
CM-MW-04S	10/18/2008	73.22				2007.96	1934.74	
CM-MW-05S	7/25/2005	75.92				2008.28	1932.36	
CM-MW-05S	8/30/2005	77.13				2008.28	1931.15	
CM-MW-05S	10/24/2005	74.44				2008.28	1933.84	
CM-MW-05S	1/26/2006	67.71				2008.28	1940.57	
CM-MW-05S	4/17/2006	66.33				2008.28	1941.95	
CM-MW-05S	6/27/2006	71.26				2008.28	1937.02	
CM-MW-05S	7/17/2006	74.08				2008.28	1934.2	
CM-MW-05S	8/28/2006	76.21				2008.28	1932.07	
CM-MW-05S	9/26/2006	74.91				2008.28	1933.37	
CM-MW-05S	10/23/2006	74.36				2008.28	1933.92	
CM-MW-05S	1/31/2007	72.08				2008.28	1936.2	
CM-MW-05S	4/14/2007	66.44				2008.28	1941.84	
CM-MW-05S	7/23/2007	75.34				2008.28	1932.94	
CM-MW-05S	10/21/2007	74.43				2008.28	1933.85	
CM-MW-05S	1/23/2008	73.63				2008.28	1934.65	
CM-MW-05S	4/19/2008	69.63				2008.28	1938.65	
CM-MW-05S	7/22/2008	71.91				2008.28	1936.37	
CM-MW-05S	10/18/2008	73.51				2008.28	1934.77	
CM-MW-06S	7/25/2005	75.63				2008.18	1932.55	
CM-MW-06S	10/24/2005	74.14				2008.18	1934.04	
CM-MW-06S	1/26/2006	67.41				2008.18	1940.77	
CM-MW-06S	4/17/2006	65.99				2008.18	1942.19	
CM-MW-06S	6/27/2006	70.89				2008.18	1937.29	
CM-MW-06S	7/17/2006	73.81				2008.18	1934.37	
CM-MW-06S	8/28/2006	75.93				2008.18	1932.25	
CM-MW-06S	9/26/2006	74.63				2008.18	1933.55	
CM-MW-06S	10/23/2006	74.03				2008.18	1934.15	
CM-MW-06S	1/31/2007	71.77				2008.18	1936.41	
CM-MW-06S	4/14/2007	66.12				2008.18	1942.06	
CM-MW-06S	7/23/2007	75.04				2008.18	1933.14	
CM-MW-06S	10/21/2007	74.11				2008.18	1934.07	
CM-MW-06S	1/23/2008	73.33				2008.18	1934.85	
CM-MW-06S	4/19/2008	69.27				2008.18	1938.91	
CM-MW-06S	7/22/2008	71.6				2008.18	1936.58	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
CM-MW-06S	10/18/2008	73.19				2008.18	1934.99	
CM-MW-07S	7/25/2005	73.88				2007.97	1934.09	
CM-MW-07S	8/30/2005	75.21				2007.97	1932.76	
CM-MW-07S	9/29/2005	73.42				2007.97	1934.55	
CM-MW-07S	10/24/2005	72.38				2007.97	1935.59	
CM-MW-07S	1/26/2006	65.62				2007.97	1942.35	
CM-MW-07S	4/17/2006	64.45				2007.97	1943.52	
CM-MW-07S	6/27/2006	69				2007.97	1938.97	
CM-MW-07S	7/17/2006	71.8				2007.97	1936.17	
CM-MW-07S	8/28/2006	76.12				2007.97	1931.85	
CM-MW-07S	9/26/2006	72.8				2007.97	1935.17	
CM-MW-07S	10/23/2006	72.2				2007.97	1935.77	
CM-MW-07S	1/31/2007	69.86				2007.97	1938.11	
CM-MW-07S	4/14/2007	64.27				2007.97	1943.7	
CM-MW-07S	7/23/2007	73.27				2007.97	1934.7	
CM-MW-07S	10/21/2007	72.27				2007.97	1935.7	
CM-MW-07S	1/23/2008	71.5				2007.97	1936.47	
CM-MW-07S	4/19/2008	67.63				2007.97	1940.34	
CM-MW-07S	7/22/2008	69.55				2007.97	1938.42	
CM-MW-07S	10/18/2008	71.28				2007.97	1936.69	
CM-MW-08S	7/25/2005	76.36				2010.56	1934.2	
CM-MW-08S	8/30/2005	77.68				2010.56	1932.88	
CM-MW-08S	9/29/2005	75.92				2010.56	1934.64	
CM-MW-08S	10/24/2005	74.93				2010.56	1935.63	
CM-MW-08S	1/26/2006	68.46				2010.56	1942.1	
CM-MW-08S	4/17/2006	66.92				2010.56	1943.64	
CM-MW-08S	6/27/2006	71.46				2010.56	1939.1	
CM-MW-08S	7/17/2006	74.32				2010.56	1936.24	
CM-MW-08S	8/28/2006	76.63				2010.56	1933.93	
CM-MW-08S	9/26/2006	75.3				2010.56	1935.26	
CM-MW-08S	10/23/2006	74.74				2010.56	1935.82	
CM-MW-08S	1/31/2007	72.33				2010.56	1938.23	
CM-MW-08S	4/14/2007	66.72				2010.56	1943.84	
CM-MW-08S	7/23/2007	75.71				2010.56	1934.85	
CM-MW-08S	10/21/2007	74.76				2010.56	1935.8	
CM-MW-08S	4/19/2008	70.11				2010.56	1940.45	
CM-MW-08S	7/22/2008	71.99				2010.56	1938.57	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
CM-MW-08S	10/18/2008	73.77				2010.56	1936.79	
DW-MW-01	3/10/1991	61			1999.62	2003.42	1942.42	
DW-MW-01	2/18/1992	60.07			1999.62	2003.42	1943.35	
FO-MW-01S	4/17/2006	71.79				2009.39	1937.6	
FO-MW-01S	6/27/2006	77.32				2009.39	1932.07	
FO-MW-01S	7/17/2006	80.05				2009.39	1929.34	
FO-MW-01S	8/28/2006	81.93				2009.39	1927.46	
FO-MW-01S	9/26/2006	80.59				2009.39	1928.8	
FO-MW-01S	10/23/2006	80.04				2009.39	1929.35	
FO-MW-01S	1/31/2007	78.11				2009.39	1931.28	
FO-MW-01S	4/14/2007	72.35				2009.39	1937.04	
FO-MW-01S	7/23/2007	80.97				2009.39	1928.42	
FO-MW-01S	10/21/2007	80.18				2009.39	1929.21	
FO-MW-01S	1/23/2008	79.4				2009.39	1929.99	
FO-MW-01S	4/19/2008	75.26				2009.39	1934.13	
FO-MW-01S	7/22/2008	78.27				2009.39	1931.12	
FO-MW-01S	10/18/2008	79.49				2009.39	1929.9	
HL-MW-01	3/10/1991	70			2004.38	2008.14	1938.14	
HL-MW-01	6/5/1991	71.55			2004.38	2008.14	1936.59	
HL-MW-01	6/8/1991	71.55			2004.38	2008.14	1936.59	
HL-MW-01	6/24/1991	72.79			2004.38	2008.14	1935.35	
HL-MW-01	7/16/1991	76.76			2004.38	2008.14	1931.38	
HL-MW-01	8/30/1991	80.68			2004.38	2008.14	1927.46	
HL-MW-01	12/7/1991	77.72			2004.38	2008.14	1930.42	
HL-MW-01	5/15/1992	75.57			2004.38	2008.14	1932.57	
HL-MW-01	10/8/1993	78.74			2004.38	2008.14	1929.4	
HL-MW-01	10/27/1993	78.75			2004.38	2008.14	1929.39	
HL-MW-01	10/31/1993	79.01			2004.38	2008.14	1929.13	
HL-MW-01	11/4/1993	79.18			2004.38	2008.14	1928.96	
HL-MW-01	4/27/1994	73.04			2004.38	2008.14	1935.1	
HL-MW-01	9/28/1995	79.38			2004.38	2008.14	1928.76	
HL-MW-01	8/29/1997	77.7			2004.38	2008.14	1930.44	
HL-MW-01	10/1/1997	76.79			2004.38	2008.14	1931.35	
HL-MW-01	10/17/1997	76.33			2004.38	2008.14	1931.81	
HL-MW-01	12/15/1997	75.24			2004.38	2008.14	1932.9	
HL-MW-01	2/20/1998	74.51			2004.38	2008.14	1933.63	
HL-MW-01	5/7/1998	70.96			2004.38	2008.14	1937.18	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-01	6/17/1998	74.33			2004.38	2008.14	1933.81	
HL-MW-01	7/22/1998	77.58			2004.38	2008.14	1930.56	
HL-MW-01	8/25/1998	79.42			2004.38	2008.14	1928.72	
HL-MW-01	9/3/1998	79.68			2004.38	2008.14	1928.46	
HL-MW-01	9/14/1998	79			2004.38	2008.14	1929.14	
HL-MW-01	11/2/1998	77.94			2004.38	2008.14	1930.2	
HL-MW-01	12/14/1998	75.35			2004.38	2008.14	1932.79	
HL-MW-01	3/23/1999	72.74			2004.38	2008.14	1935.4	
HL-MW-01	7/19/1999	75.82			2004.38	2008.14	1932.32	
HL-MW-01	8/20/1999	78.26			2004.38	2008.14	1929.88	
HL-MW-01	9/20/1999	77.94			2004.38	2008.14	1930.2	
HL-MW-01	10/29/1999	78.08			2004.38	2008.14	1930.06	
HL-MW-01	12/30/1999	75.57			2004.38	2008.14	1932.57	
HL-MW-01	3/27/2000	72.5			2004.38	2008.14	1935.64	
HL-MW-01	6/26/2000	75.31			2004.38	2008.14	1932.83	
HL-MW-01	8/31/2000	79.74			2004.38	2008.14	1928.4	
HL-MW-01	10/2/2000	77.98			2004.38	2008.14	1930.16	
HL-MW-01	11/6/2000	77.4			2004.38	2008.14	1930.74	
HL-MW-01	12/27/2000	78.31			2004.38	2008.14	1929.83	
HL-MW-01	4/16/2001	76.67			2004.38	2008.14	1931.47	
HL-MW-01	6/19/2001	77.11			2004.38	2008.14	1931.03	
HL-MW-01	8/28/2001	80.96			2004.38	2008.14	1927.18	
HL-MW-01	9/10/2001	81.02			2004.38	2008.14	1927.12	
HL-MW-01	10/15/2001	78.96			2004.38	2008.14	1929.18	
HL-MW-01	12/6/2001	77.41			2004.38	2008.14	1930.73	
HL-MW-01	3/20/2002	74.32			2004.38	2008.14	1933.82	
HL-MW-01	6/28/2002	72.46			2004.38	2008.14	1935.68	
HL-MW-01	7/31/2002	78.38			2004.38	2008.14	1929.76	
HL-MW-01	8/30/2002	79.65			2004.38	2008.14	1928.49	
HL-MW-01	9/25/2002	78.68			2004.38	2008.14	1929.46	
HL-MW-01	12/16/2002	78.04			2004.38	2008.14	1930.1	
HL-MW-01	5/12/2003	73.94			2004.38	2008.14	1934.2	
HL-MW-01	7/31/2003	80.44			2004.38	2008.14	1927.7	
HL-MW-01	6/30/2004	77.2			2004.38	2008.14	1930.94	
HL-MW-01	8/9/2004	80.26			2004.38	2008.14	1927.88	
HL-MW-01	9/14/2004	80.1			2004.38	2008.14	1928.04	
HL-MW-01	10/28/2004	77.62			2004.38	2008.14	1930.52	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-01	7/25/2005	79.74			2004.38	2008.14	1928.4	
HL-MW-01	8/30/2005	80.94			2004.38	2008.14	1927.2	
HL-MW-01	9/29/2005	80.88			2004.38	2008.14	1927.26	
HL-MW-01	10/24/2005	78.57			2004.38	2008.14	1929.57	
HL-MW-01	1/23/2006	71.58			2004.38	2008.14	1936.56	
HL-MW-01	4/17/2006	70.18			2004.38	2008.14	1937.96	
HL-MW-01	6/27/2006	75.51			2004.38	2008.14	1932.63	
HL-MW-01	7/17/2006	78.45			2004.38	2008.14	1929.69	
HL-MW-01	8/28/2006	80.32			2004.38	2008.14	1927.82	
HL-MW-01	9/26/2006	78.99			2004.38	2008.14	1929.15	
HL-MW-01	10/23/2006	78.47			2004.38	2008.14	1929.67	
HL-MW-01	1/31/2007	78.08			2004.38	2008.14	1930.06	
HL-MW-01	4/14/2007	70.59			2004.38	2008.14	1937.55	
HL-MW-01	7/23/2007	79.4			2004.38	2008.14	1928.74	
HL-MW-01	10/21/2007	78.58			2004.38	2008.14	1929.56	
HL-MW-01	1/23/2008	77.81			2004.38	2008.14	1930.33	
HL-MW-01	4/19/2008	73.59			2004.38	2008.14	1934.55	
HL-MW-01	7/22/2008	78.19				2008.14	1929.95	
HL-MW-01	10/18/2008	77.86				2008.14	1930.28	
HL-MW-02	3/10/1991	70			2004.94	2009.73	1939.73	
HL-MW-02	6/5/1991	71.23			2004.94	2009.73	1938.5	
HL-MW-02	6/8/1991	71.23			2004.94	2009.73	1938.5	
HL-MW-02	6/24/1991	72.36			2004.94	2009.73	1937.37	
HL-MW-02	7/16/1991	76.23			2004.94	2009.73	1933.5	
HL-MW-02	8/30/1991	80.27			2004.94	2009.73	1929.46	
HL-MW-02	2/18/1992	75.66			2004.94	2009.73	1934.07	
HL-MW-02	5/15/1992	75.32			2004.94	2009.73	1934.41	
HL-MW-02	10/27/1993	78.42			2004.94	2009.73	1931.31	
HL-MW-02	4/27/1994	73.09			2004.94	2009.73	1936.64	
HL-MW-02	9/28/1995	79.06			2004.94	2009.73	1930.67	
HL-MW-02	3/19/1997	72.12			2004.94	2009.73	1937.61	
HL-MW-02	12/15/1997	74.75			2004.94	2009.73	1934.98	
HL-MW-02	2/20/1998	74.16			2004.94	2009.73	1935.57	
HL-MW-02	5/7/1998	70.91			2004.94	2009.73	1938.82	
HL-MW-02	6/17/1998	73.96			2004.94	2009.73	1935.77	
HL-MW-02	7/22/1998	77.21			2004.94	2009.73	1932.52	
HL-MW-02	8/25/1998	81.14			2004.94	2009.73	1928.59	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-02	9/3/1998	79.36			2004.94	2009.73	1930.37	
HL-MW-02	9/21/1998	78.72			2004.94	2009.73	1931.01	
HL-MW-02	11/2/1998	77.61			2004.94	2009.73	1932.12	
HL-MW-02	12/17/1998	75.05			2004.94	2009.73	1934.68	
HL-MW-02	3/23/1999	72.67			2004.94	2009.73	1937.06	
HL-MW-02	7/19/1999	75.34			2004.94	2009.73	1934.39	
HL-MW-02	8/20/1999	77.6			2004.94	2009.73	1932.13	
HL-MW-02	9/21/1999	77.76			2004.94	2009.73	1931.97	
HL-MW-02	10/29/1999	77.78			2004.94	2009.73	1931.95	
HL-MW-02	12/30/1999	75.44			2004.94	2009.73	1934.29	
HL-MW-02	3/30/2000	72.32			2004.94	2009.73	1937.41	
HL-MW-02	6/26/2000	74.76			2004.94	2009.73	1934.97	
HL-MW-02	8/31/2000	79.42			2004.94	2009.73	1930.31	
HL-MW-02	10/2/2000	77.71			2004.94	2009.73	1932.02	
HL-MW-02	11/6/2000	77.07			2004.94	2009.73	1932.66	
HL-MW-02	12/27/2000	78.09			2004.94	2009.73	1931.64	
HL-MW-02	4/16/2001	76.55			2004.94	2009.73	1933.18	
HL-MW-02	4/17/2006	71.39			2004.94	2009.73	1938.34	
HL-MW-02	6/27/2006	76.05			2004.94	2009.73	1933.68	
HL-MW-02	7/17/2006	78.93			2004.94	2009.73	1930.8	
HL-MW-02	8/28/2006	80.95			2004.94	2009.73	1928.78	
HL-MW-02	9/26/2006	79.66			2004.94	2009.73	1930.07	
HL-MW-02	10/23/2006	79.2			2004.94	2009.73	1930.53	
HL-MW-02	1/31/2007	76.97			2004.94	2009.73	1932.76	
HL-MW-02	4/14/2007	71.37			2004.94	2009.73	1938.36	
HL-MW-02	7/23/2007	80.09			2004.94	2009.73	1929.64	
HL-MW-02	10/21/2007	79.32			2004.94	2009.73	1930.41	
HL-MW-02	1/23/2008	78.5			2004.94	2009.73	1931.23	
HL-MW-02	4/19/2008	74.61			2004.94	2009.73	1935.12	
HL-MW-02	7/22/2008	76.93				2009.73	1932.8	
HL-MW-02	10/18/2008	78.5				2009.73	1931.23	
HL-MW-03	6/8/1991	73.65			2006.18	2009.98	1936.33	
HL-MW-03	6/24/1991	74.65			2006.18	2009.98	1935.33	
HL-MW-03	7/16/1991	78.59			2006.18	2009.98	1931.39	
HL-MW-03	8/30/1991	81.03			2006.18	2009.98	1928.95	
HL-MW-03	12/7/1991	79.63			2006.18	2009.98	1930.35	
HL-MW-03	5/15/1992	77.49			2006.18	2009.98	1932.49	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-03	10/8/1993	80.16			2006.18	2009.98	1929.82	
HL-MW-03	10/27/1993	80.34			2006.18	2009.98	1929.64	
HL-MW-03	10/31/1993	80.4			2006.18	2009.98	1929.58	
HL-MW-03	11/4/1993	80.53			2006.18	2009.98	1929.45	
HL-MW-03	2/24/1994	80.96			2006.18	2009.98	1929.02	
HL-MW-03	3/23/1994	78.19			2006.18	2009.98	1931.79	
HL-MW-03	4/27/1994	74.98			2006.18	2009.98	1935	
HL-MW-03	5/26/1994	78.7			2006.18	2009.98	1931.28	
HL-MW-03	6/23/1994	80.76			2006.18	2009.98	1929.22	
HL-MW-03	7/20/1994	82.17			2006.18	2009.98	1927.81	
HL-MW-03	8/29/1994	83.63			2006.18	2009.98	1926.35	
HL-MW-03	9/13/1994	82.74			2006.18	2009.98	1927.24	
HL-MW-03	10/13/1994	82.01			2006.18	2009.98	1927.97	
HL-MW-03	11/13/1994	81.02			2006.18	2009.98	1928.96	
HL-MW-03	12/20/1994	79.38			2006.18	2009.98	1930.6	
HL-MW-03	1/27/1995	77.33			2006.18	2009.98	1932.65	
HL-MW-03	3/8/1995	73.13			2006.18	2009.98	1936.85	
HL-MW-03	4/24/1995	75.21			2006.18	2009.98	1934.77	
HL-MW-03	6/26/1995	78.66			2006.18	2009.98	1931.32	
HL-MW-03	8/2/1995	81.78			2006.18	2009.98	1928.2	
HL-MW-03	8/23/1995	81.87			2006.18	2009.98	1928.11	
HL-MW-03	8/30/1995	81.91			2006.18	2009.98	1928.07	
HL-MW-03	9/28/1995	81.22			2006.18	2009.98	1928.76	
HL-MW-03	11/3/1995	79.27			2006.18	2009.98	1930.71	
HL-MW-03	11/27/1995	75.66			2006.18	2009.98	1934.32	
HL-MW-03	5/22/1996	70.93			2006.18	2009.98	1939.05	
HL-MW-03	7/18/1996	79.43			2006.18	2009.98	1930.55	
HL-MW-03	8/15/1996	80.44			2006.18	2009.98	1929.54	
HL-MW-03	9/26/1996	80.12			2006.18	2009.98	1929.86	
HL-MW-03	11/21/1996	80.05			2006.18	2009.98	1929.93	
HL-MW-03	12/19/1996	77.08			2006.18	2009.98	1932.9	
HL-MW-03	1/17/1997	74.18			2006.18	2009.98	1935.8	
HL-MW-03	3/19/1997	74.38			2006.18	2009.98	1935.6	
HL-MW-03	6/17/1997	69.04			2006.18	2009.98	1940.94	
HL-MW-03	8/4/1997	78.42			2006.18	2009.98	1931.56	
HL-MW-03	8/29/1997	79.51			2006.18	2009.98	1930.47	
HL-MW-03	10/1/1997	78.65			2006.18	2009.98	1931.33	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-03	10/17/1997	78.17			2006.18	2009.98	1931.81	
HL-MW-03	12/15/1997	77.08			2006.18	2009.98	1932.9	
HL-MW-03	2/20/1998	76.33			2006.18	2009.98	1933.65	
HL-MW-03	5/7/1998	72.94			2006.18	2009.98	1937.04	
HL-MW-03	6/17/1998	76.15			2006.18	2009.98	1933.83	
HL-MW-03	7/22/1998	79.42			2006.18	2009.98	1930.56	
HL-MW-03	8/25/1998	81.2			2006.18	2009.98	1928.78	
HL-MW-03	9/3/1998	81.51			2006.18	2009.98	1928.47	
HL-MW-03	9/14/1998	80.84			2006.18	2009.98	1929.14	
HL-MW-03	11/2/1998	79.76			2006.18	2009.98	1930.22	
HL-MW-03	12/14/1998	77.32			2006.18	2009.98	1932.66	
HL-MW-03	3/23/1999	74.68			2006.18	2009.98	1935.3	
HL-MW-03	7/19/1999	77.6			2006.18	2009.98	1932.38	
HL-MW-03	8/20/1999	80.04			2006.18	2009.98	1929.94	
HL-MW-03	9/20/1999	79.8			2006.18	2009.98	1930.18	
HL-MW-03	10/29/1999	79.93			2006.18	2009.98	1930.05	
HL-MW-03	12/30/1999	75.79			2006.18	2009.98	1934.19	
HL-MW-03	3/30/2000	74.36			2006.18	2009.98	1935.62	
HL-MW-03	6/26/2000	77.15			2006.18	2009.98	1932.83	
HL-MW-03	8/31/2000	81.53			2006.18	2009.98	1928.45	
HL-MW-03	10/2/2000	79.86			2006.18	2009.98	1930.12	
HL-MW-03	11/6/2000	79.3			2006.18	2009.98	1930.68	
HL-MW-03	12/27/2000	80.16			2006.18	2009.98	1929.82	
HL-MW-03	4/16/2001	78.61			2006.18	2009.98	1931.37	
HL-MW-03	6/19/2001	79.01			2006.18	2009.98	1930.97	
HL-MW-03	8/28/2001	82.7			2006.18	2009.98	1927.28	
HL-MW-03	9/10/2001	82.44			2006.18	2009.98	1927.54	
HL-MW-03	10/15/2001	80.87			2006.18	2009.98	1929.11	
HL-MW-03	12/6/2001	79.36			2006.18	2009.98	1930.62	
HL-MW-03	3/20/2002	76.5			2006.18	2009.98	1933.48	
HL-MW-03	6/28/2002	74.37			2006.18	2009.98	1935.61	
HL-MW-03	7/31/2002	80.26			2006.18	2009.98	1929.72	
HL-MW-03	8/30/2002	81.48			2006.18	2009.98	1928.5	
HL-MW-03	9/25/2002	80.6			2006.18	2009.98	1929.38	
HL-MW-03	12/16/2002	79.97			2006.18	2009.98	1930.01	
HL-MW-03	5/12/2003	75.85			2006.18	2009.98	1934.13	
HL-MW-03	7/31/2003	82.16			2006.18	2009.98	1927.82	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-03	6/30/2004	79.07			2006.18	2009.98	1930.91	
HL-MW-03	8/9/2004	82			2006.18	2009.98	1927.98	
HL-MW-03	9/14/2004	81.82			2006.18	2009.98	1928.16	
HL-MW-03	10/25/2004	79.49			2006.18	2009.98	1930.49	
HL-MW-04	6/8/1991	73.1			2006	2009.8	1936.7	
HL-MW-04	6/24/1991	74.05			2006	2009.8	1935.75	
HL-MW-04	7/16/1991	77.88			2006	2009.8	1931.92	
HL-MW-04	8/30/1991	81.57			2006	2009.8	1928.23	
HL-MW-04	12/7/1991	79.14			2006	2009.8	1930.66	
HL-MW-04	2/18/1992	77.4			2006	2009.8	1932.4	
HL-MW-04	5/15/1992	77.05			2006	2009.8	1932.75	
HL-MW-04	10/8/1993	80.62			2006	2009.8	1929.18	
HL-MW-04	10/27/1993	80.58			2006	2009.8	1929.22	
HL-MW-04	10/31/1993	80.89			2006	2009.8	1928.91	
HL-MW-04	11/4/1993	81.03			2006	2009.8	1928.77	
HL-MW-04	2/24/1994	80.5			2006	2009.8	1929.3	
HL-MW-04	4/27/1994	74.85			2006	2009.8	1934.95	
HL-MW-04	6/23/1994	81.84			2006	2009.8	1927.96	
HL-MW-04	9/13/1994	82.59			2006	2009.8	1927.21	
HL-MW-04	10/13/1994	81.77			2006	2009.8	1928.03	
HL-MW-04	4/24/1995	73.62			2006	2009.8	1936.18	
HL-MW-04	9/28/1995	80.7			2006	2009.8	1929.1	
HL-MW-04	9/26/1996	79.63			2006	2009.8	1930.17	
HL-MW-04	12/19/1996	76.29			2006	2009.8	1933.51	
HL-MW-04	3/19/1997	73.75			2006	2009.8	1936.05	
HL-MW-04	8/4/1997	77.73			2006	2009.8	1932.07	
HL-MW-04	8/29/1997	78.55			2006	2009.8	1931.25	
HL-MW-04	10/2/1997	77.75			2006	2009.8	1932.05	
HL-MW-04	10/17/1997	77.22			2006	2009.8	1932.58	
HL-MW-04	12/15/1997	76.2			2006	2009.8	1933.6	
HL-MW-04	2/19/1998	75.63			2006	2009.8	1934.17	
HL-MW-04	5/4/1998	72.6			2006	2009.8	1937.2	
HL-MW-04	6/17/1998	75.33			2006	2009.8	1934.47	
HL-MW-04	7/22/1998	78.64			2006	2009.8	1931.16	
HL-MW-04	8/25/1998	80.46			2006	2009.8	1929.34	
HL-MW-04	9/3/1998	80.73			2006	2009.8	1929.07	
HL-MW-04	9/14/1998	80.13			2006	2009.8	1929.67	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-04	11/2/1998	79.04			2006	2009.8	1930.76	
HL-MW-04	12/14/1998	76.54			2006	2009.8	1933.26	
HL-MW-04	3/23/1999	74.11			2006	2009.8	1935.69	
HL-MW-04	7/19/1999	76.73			2006	2009.8	1933.07	
HL-MW-04	8/20/1999	79.18			2006	2009.8	1930.62	
HL-MW-04	9/20/1999	79.08			2006	2009.8	1930.72	
HL-MW-04	10/29/1999	79.15			2006	2009.8	1930.65	
HL-MW-04	12/30/1999	75.01			2006	2009.8	1934.79	
HL-MW-04	3/31/2000	73.75			2006	2009.8	1936.05	
HL-MW-04	6/26/2000	76.06			2006	2009.8	1933.74	
HL-MW-04	10/2/2000	79.04			2006	2009.8	1930.76	
HL-MW-04	11/6/2000	78.48			2006	2009.8	1931.32	
HL-MW-04	12/27/2000	79.43			2006	2009.8	1930.37	
HL-MW-04	4/16/2001	77.95			2006	2009.8	1931.85	
HL-MW-04	6/19/2001	78.21			2006	2009.8	1931.59	
HL-MW-04	12/6/2001	78.76			2006	2009.8	1931.04	
HL-MW-04	3/20/2002	75.73			2006	2009.8	1934.07	
HL-MW-04	6/26/2002	73.39			2006	2009.8	1936.41	
HL-MW-04	7/31/2002	79.32			2006	2009.8	1930.48	
HL-MW-04	12/18/2002	79.38			2006	2009.8	1930.42	
HL-MW-04	5/12/2003	75.1			2006	2009.8	1934.7	
HL-MW-04	3/4/2004	77.42			2006	2009.8	1932.38	
HL-MW-04	6/30/2004	78.33			2006	2009.8	1931.47	
HL-MW-04	10/25/2004	78.77			2006	2009.8	1931.03	
HL-MW-04	10/24/2005	79.71			2006	2009.8	1930.09	
HL-MW-04	1/23/2006	73.02			2006	2009.8	1936.78	
HL-MW-04	4/17/2006	72.02			2006	2009.8	1937.78	
HL-MW-04	6/27/2006	76.44			2006	2009.8	1933.36	
HL-MW-04	7/17/2006	79.3			2006	2009.8	1930.5	
HL-MW-04	1/31/2007	77.4			2006	2009.8	1932.4	
HL-MW-04	4/14/2007	71.87			2006	2009.8	1937.93	
HL-MW-04	10/21/2007	80.66			2006	2009.8	1929.14	
HL-MW-04	1/23/2008	78.88			2006	2009.8	1930.92	
HL-MW-04	4/19/2008	75.04			2006	2009.8	1934.76	
HL-MW-04	7/22/2008	77.3				2009.8	1932.5	
HL-MW-04	10/18/2008	78.83				2009.8	1930.97	
HL-MW-05	10/1/1997	77.58			2005.89	2009.69	1932.11	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-05	12/15/1997	76.05			2005.89	2009.69	1933.64	
HL-MW-05	2/19/1998	75.46			2005.89	2009.69	1934.23	
HL-MW-05	5/4/1998	72.4			2005.89	2009.69	1937.29	
HL-MW-05	9/3/1998	80.5			2005.89	2009.69	1929.19	
HL-MW-05	9/14/1998	79.94			2005.89	2009.69	1929.75	
HL-MW-05	12/14/1998	76.35			2005.89	2009.69	1933.34	
HL-MW-05	3/23/1999	73.89			2005.89	2009.69	1935.8	
HL-MW-05	7/19/1999	76.54			2005.89	2009.69	1933.15	
HL-MW-05	8/20/1999	78.98			2005.89	2009.69	1930.71	
HL-MW-05	8/31/2000	80.54			2005.89	2009.69	1929.15	
HL-MW-05	10/2/2000	78.86			2005.89	2009.69	1930.83	
HL-MW-05	11/6/2000	78.25			2005.89	2009.69	1931.44	
HL-MW-05	4/16/2001	77.73			2005.89	2009.69	1931.96	
HL-MW-05	6/19/2001	78.01			2005.89	2009.69	1931.68	
HL-MW-05	8/28/2001	81.94			2005.89	2009.69	1927.75	
HL-MW-05	9/10/2001	82.01			2005.89	2009.69	1927.68	
HL-MW-05	10/15/2001	80.01			2005.89	2009.69	1929.68	
HL-MW-05	12/6/2001	78.57			2005.89	2009.69	1931.12	
HL-MW-05	3/20/2002	75.52			2005.89	2009.69	1934.17	
HL-MW-05	6/26/2002	73.26			2005.89	2009.69	1936.43	
HL-MW-05	7/31/2002	79.12			2005.89	2009.69	1930.57	
HL-MW-05	8/30/2002	80.53			2005.89	2009.69	1929.16	
HL-MW-05	9/25/2002	79.6			2005.89	2009.69	1930.09	
HL-MW-05	12/18/2002	79.2			2005.89	2009.69	1930.49	
HL-MW-05	5/12/2003	74.92			2005.89	2009.69	1934.77	
HL-MW-05	7/31/2003	81.29			2005.89	2009.69	1928.4	
HL-MW-05	10/23/2003	80.44			2005.89	2009.69	1929.25	
HL-MW-05	3/4/2004	77.25			2005.89	2009.69	1932.44	
HL-MW-05	6/30/2004	78.1			2005.89	2009.69	1931.59	
HL-MW-05	8/9/2004	81.1			2005.89	2009.69	1928.59	
HL-MW-05	9/14/2004	81.07			2005.89	2009.69	1928.62	
HL-MW-05	10/25/2004	78.59			2005.89	2009.69	1931.1	
HL-MW-05	7/25/2005	80.84			2005.89	2009.69	1928.85	
HL-MW-05	8/30/2005	81.93			2005.89	2009.69	1927.76	
HL-MW-05	9/29/2005	80.34			2005.89	2009.69	1929.35	
HL-MW-05	10/24/2005	79.57			2005.89	2009.69	1930.12	
HL-MW-05	1/23/2006	72.78			2005.89	2009.69	1936.91	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-05	4/17/2006	71.82			2005.89	2009.69	1937.87	
HL-MW-05	6/27/2006	76.26			2005.89	2009.69	1933.43	
HL-MW-05	7/17/2006	79.1			2005.89	2009.69	1930.59	
HL-MW-05	8/28/2006	81.14			2005.89	2009.69	1928.55	
HL-MW-05	9/26/2006	79.87			2005.89	2009.69	1929.82	
HL-MW-05	10/23/2006	79.4			2005.89	2009.69	1930.29	
HL-MW-05	1/31/2007	77.22			2005.89	2009.69	1932.47	
HL-MW-05	4/14/2007	71.65			2005.89	2009.69	1938.04	
HL-MW-05	7/23/2007	80.22			2005.89	2009.69	1929.47	
HL-MW-05	10/21/2007	79.46			2005.89	2009.69	1930.23	
HL-MW-05	1/23/2008	78.65			2005.89	2009.69	1931.04	
HL-MW-05	4/19/2008	74.84			2005.89	2009.69	1934.85	
HL-MW-05	7/22/2008	77.12				2009.69	1932.57	
HL-MW-05	10/18/2008	78.66				2009.69	1931.03	
HL-MW-06	12/19/1996	70.79			1999.24	2003.04	1932.25	
HL-MW-06	3/19/1997	73.75			1999.24	2003.04	1929.29	
HL-MW-06A	3/23/1999	71.13			2001.88	2005.68	1934.55	
HL-MW-06A	7/19/1999	73.9			2001.88	2005.68	1931.78	
HL-MW-06A	8/20/1999	76.28			2001.88	2005.68	1929.4	
HL-MW-06A	9/21/1999	76.02			2001.88	2005.68	1929.66	
HL-MW-06A	10/29/1999	76.15			2001.88	2005.68	1929.53	
HL-MW-06A	12/30/1999	72.16			2001.88	2005.68	1933.52	
HL-MW-06A	3/31/2000	70.8			2001.88	2005.68	1934.88	
HL-MW-06A	6/26/2000	73.34			2001.88	2005.68	1932.34	
HL-MW-06A	10/2/2000	76.1			2001.88	2005.68	1929.58	
HL-MW-06A	12/27/2000	76.4			2001.88	2005.68	1929.28	
HL-MW-06A	4/16/2001	74.89			2001.88	2005.68	1930.79	
HL-MW-06A	6/19/2001	75.25			2001.88	2005.68	1930.43	
HL-MW-06A	8/28/2001	78.96			2001.88	2005.68	1926.72	
HL-MW-06A	9/10/2001	78.52			2001.88	2005.68	1927.16	
HL-MW-06A	10/15/2001	76.11			2001.88	2005.68	1929.57	
HL-MW-06A	12/6/2001	75.65			2001.88	2005.68	1930.03	
HL-MW-06A	3/21/2002	72.7			2001.88	2005.68	1932.98	
HL-MW-06A	6/26/2002	70.65			2001.88	2005.68	1935.03	
HL-MW-06A	7/31/2002	76.38			2001.88	2005.68	1929.3	
HL-MW-06A	8/30/2002	78.66			2001.88	2005.68	1927.02	
HL-MW-06A	9/26/2002	76.74			2001.88	2005.68	1928.94	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-06A	12/18/2002	76.3			2001.88	2005.68	1929.38	
HL-MW-06A	5/12/2003	72.19			2001.88	2005.68	1933.49	
HL-MW-06A	7/31/2003	78.38			2001.88	2005.68	1927.3	
HL-MW-06A	10/24/2003	77.06			2001.88	2005.68	1928.62	
HL-MW-06A	3/5/2004	74.3			2001.88	2005.68	1931.38	
HL-MW-06A	6/30/2004	75.29			2001.88	2005.68	1930.39	
HL-MW-06A	8/9/2004	78.21			2001.88	2005.68	1927.47	
HL-MW-06A	9/14/2004	78.16			2001.88	2005.68	1927.52	
HL-MW-06A	10/25/2004	75.73			2001.88	2005.68	1929.95	
HL-MW-06A	7/25/2005	78.02			2001.88	2005.68	1927.66	
HL-MW-06A	8/30/2005	78.95			2001.88	2005.68	1926.73	
HL-MW-06A	9/29/2005	77.4			2001.88	2005.68	1928.28	
HL-MW-06A	10/24/2005	76.65			2001.88	2005.68	1929.03	
HL-MW-06A	1/25/2006	69.95			2001.88	2005.68	1935.73	
HL-MW-06A	4/17/2006	68.85			2001.88	2005.68	1936.83	
HL-MW-06A	6/27/2006	73.62			2001.88	2005.68	1932.06	
HL-MW-06A	7/17/2006	76.37			2001.88	2005.68	1929.31	
HL-MW-06A	8/28/2006	78.26			2001.88	2005.68	1927.42	
HL-MW-06A	9/26/2006	76.99			2001.88	2005.68	1928.69	
HL-MW-06A	10/23/2006	76.53			2001.88	2005.68	1929.15	
HL-MW-06A	1/31/2007	74.55			2001.88	2005.68	1931.13	
HL-MW-06A	4/14/2007	68.95			2001.88	2005.68	1936.73	
HL-MW-06A	7/23/2007	77.35			2001.88	2005.68	1928.33	
HL-MW-06A	10/21/2007	76.63			2001.88	2005.68	1929.05	
HL-MW-06A	1/23/2008	75.88			2001.88	2005.68	1929.8	
HL-MW-06A	4/19/2008	71.96			2001.88	2005.68	1933.72	
HL-MW-06A	7/22/2008	74.55				2005.68	1931.13	
HL-MW-06A	10/18/2008	75.89				2005.68	1929.79	
HL-MW-07S	8/28/2001	80.11			2003.52	2007.32	1927.21	
HL-MW-07S	9/10/2001	79.66			2003.52	2007.32	1927.66	
HL-MW-07S	10/15/2001	78.2			2003.52	2007.32	1929.12	
HL-MW-07S	12/6/2001	76.75			2003.52	2007.32	1930.57	
HL-MW-07S	3/21/2002	73.76			2003.52	2007.32	1933.56	
HL-MW-07S	6/26/2002	71.56			2003.52	2007.32	1935.76	
HL-MW-07S	7/31/2002	77.36			2003.52	2007.32	1929.96	
HL-MW-07S	8/30/2002	78.71			2003.52	2007.32	1928.61	
HL-MW-07S	9/26/2002	77.78			2003.52	2007.32	1929.54	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-07S	12/18/2002	77.37			2003.52	2007.32	1929.95	
HL-MW-07S	5/12/2003	73.18			2003.52	2007.32	1934.14	
HL-MW-07S	7/31/2003	79.43			2003.52	2007.32	1927.89	
HL-MW-07S	10/23/2003	78.63			2003.52	2007.32	1928.69	
HL-MW-07S	3/5/2004	75.38			2003.52	2007.32	1931.94	
HL-MW-07S	6/30/2004	76.35			2003.52	2007.32	1930.97	
HL-MW-07S	8/9/2004	79.3			2003.52	2007.32	1928.02	
HL-MW-07S	9/14/2004	79.22			2003.52	2007.32	1928.1	
HL-MW-07S	10/25/2004	76.75			2003.52	2007.32	1930.57	
HL-MW-07S	7/25/2005	79.04			2003.52	2007.32	1928.28	
HL-MW-07S	8/30/2005	80.09			2003.52	2007.32	1927.23	
HL-MW-07S	9/29/2005	78.51			2003.52	2007.32	1928.81	
HL-MW-07S	10/24/2005	77.71			2003.52	2007.32	1929.61	
HL-MW-07S	1/23/2006	71.06			2003.52	2007.32	1936.26	
HL-MW-07S	4/17/2006	70.06			2003.52	2007.32	1937.26	
HL-MW-07S	6/27/2006	74.53			2003.52	2007.32	1932.79	
HL-MW-07S	7/17/2006	77.32			2003.52	2007.32	1930	
HL-MW-07S	8/28/2006	79.34			2003.52	2007.32	1927.98	
HL-MW-07S	9/26/2006	78.05			2003.52	2007.32	1929.27	
HL-MW-07S	10/23/2006	77.6			2003.52	2007.32	1929.72	
HL-MW-07S	1/31/2007	75.46			2003.52	2007.32	1931.86	
HL-MW-07S	4/14/2007	69.96			2003.52	2007.32	1937.36	
HL-MW-07S	7/23/2007	78.42			2003.52	2007.32	1928.9	
HL-MW-07S	10/21/2007	77.65			2003.52	2007.32	1929.67	
HL-MW-07S	1/23/2008	76.82			2003.52	2007.32	1930.5	
HL-MW-07S	4/19/2008	73.11			2003.52	2007.32	1934.21	
HL-MW-07S	7/22/2008	75.38				2007.32	1931.94	
HL-MW-07S	10/18/2008	76.86				2007.32	1930.46	
HL-MW-08D	8/28/2001	80.01			2003.4	2007.2	1927.19	
HL-MW-08D	9/10/2001	79.57			2003.4	2007.2	1927.63	
HL-MW-08D	10/15/2001	78.08			2003.4	2007.2	1929.12	
HL-MW-08D	12/6/2001	76.63			2003.4	2007.2	1930.57	
HL-MW-08D	3/21/2002	73.65			2003.4	2007.2	1933.55	
HL-MW-08D	6/26/2002	71.42			2003.4	2007.2	1935.78	
HL-MW-08D	7/31/2002	77.24			2003.4	2007.2	1929.96	
HL-MW-08D	8/30/2002	78.61			2003.4	2007.2	1928.59	
HL-MW-08D	9/26/2002	77.69			2003.4	2007.2	1929.51	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-08D	12/18/2002	77.28			2003.4	2007.2	1929.92	
HL-MW-08D	5/12/2003	73.05			2003.4	2007.2	1934.15	
HL-MW-08D	7/31/2003	79.33			2003.4	2007.2	1927.87	
HL-MW-08D	10/23/2003	78.5			2003.4	2007.2	1928.7	
HL-MW-08D	3/5/2004	75.27			2003.4	2007.2	1931.93	
HL-MW-08D	6/30/2004	76.21			2003.4	2007.2	1930.99	
HL-MW-08D	8/9/2004	79.2			2003.4	2007.2	1928	
HL-MW-08D	9/14/2004	79.15			2003.4	2007.2	1928.05	
HL-MW-08D	10/25/2004	76.66			2003.4	2007.2	1930.54	
HL-MW-08D	7/25/2005	78.96			2003.4	2007.2	1928.24	
HL-MW-08D	8/30/2005	80			2003.4	2007.2	1927.2	
HL-MW-08D	9/29/2005	78.4			2003.4	2007.2	1928.8	
HL-MW-08D	10/24/2005	77.64			2003.4	2007.2	1929.56	
HL-MW-08D	1/23/2006	70.95			2003.4	2007.2	1936.25	
HL-MW-08D	4/17/2006	69.94			2003.4	2007.2	1937.26	
HL-MW-08D	6/27/2006	74.45			2003.4	2007.2	1932.75	
HL-MW-08D	7/17/2006	77.24			2003.4	2007.2	1929.96	
HL-MW-08D	8/28/2006	79.25			2003.4	2007.2	1927.95	
HL-MW-08D	9/26/2006	77.95			2003.4	2007.2	1929.25	
HL-MW-08D	10/23/2006	77.52			2003.4	2007.2	1929.68	
HL-MW-08D	1/31/2007	75.37			2003.4	2007.2	1931.83	
HL-MW-08D	4/14/2007	69.86			2003.4	2007.2	1937.34	
HL-MW-08D	7/23/2007	78.35			2003.4	2007.2	1928.85	
HL-MW-08D	10/21/2007	77.57			2003.4	2007.2	1929.63	
HL-MW-08D	1/23/2008	76.71			2003.4	2007.2	1930.49	
HL-MW-08D	4/19/2008	72.97			2003.4	2007.2	1934.23	
HL-MW-08D	7/22/2008	75.29				2007.2	1931.91	
HL-MW-08D	10/18/2008	76.78				2007.2	1930.42	
HL-MW-09D	8/28/2001	78.04			2001	2004.8	1926.76	
HL-MW-09D	9/10/2001	77.57			2001	2004.8	1927.23	
HL-MW-09D	10/15/2001	76.16			2001	2004.8	1928.64	
HL-MW-09D	12/6/2001	74.71			2001	2004.8	1930.09	
HL-MW-09D	3/21/2002	71.7			2001	2004.8	1933.1	
HL-MW-09D	6/26/2002	69.69			2001	2004.8	1935.11	
HL-MW-09D	7/31/2002	75.41			2001	2004.8	1929.39	
HL-MW-09D	8/30/2002	76.72			2001	2004.8	1928.08	
HL-MW-09D	9/26/2002	75.8			2001	2004.8	1929	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-09D	12/18/2002	75.36			2001	2004.8	1929.44	
HL-MW-09D	5/12/2003	71.19			2001	2004.8	1933.61	
HL-MW-09D	7/31/2003	77.44			2001	2004.8	1927.36	
HL-MW-09D	10/24/2003	76.09			2001	2004.8	1928.71	
HL-MW-09D	3/5/2004	73.35			2001	2004.8	1931.45	
HL-MW-09D	6/30/2004	74.35			2001	2004.8	1930.45	
HL-MW-09D	8/9/2004	77.31			2001	2004.8	1927.49	
HL-MW-09D	9/14/2004	77.23			2001	2004.8	1927.57	
HL-MW-09D	10/25/2004	74.76			2001	2004.8	1930.04	
HL-MW-09D	7/25/2005	77.07			2001	2004.8	1927.73	
HL-MW-09D	8/30/2005	78.03			2001	2004.8	1926.77	
HL-MW-09D	9/29/2005	76.45			2001	2004.8	1928.35	
HL-MW-09D	10/24/2005	75.7			2001	2004.8	1929.1	
HL-MW-09D	1/23/2006	68.99			2001	2004.8	1935.81	
HL-MW-09D	4/17/2006	67.89			2001	2004.8	1936.91	
HL-MW-09D	6/27/2006	72.61			2001	2004.8	1932.19	
HL-MW-09D	7/17/2006	75.4			2001	2004.8	1929.4	
HL-MW-09D	8/28/2006	77.35			2001	2004.8	1927.45	
HL-MW-09D	9/26/2006	76.05			2001	2004.8	1928.75	
HL-MW-09D	10/23/2006	75.57			2001	2004.8	1929.23	
HL-MW-09D	1/31/2007	73.54			2001	2004.8	1931.26	
HL-MW-09D	4/14/2007	67.93			2001	2004.8	1936.87	
HL-MW-09D	7/23/2007	76.43			2001	2004.8	1928.37	
HL-MW-09D	10/21/2007	75.67			2001	2004.8	1929.13	
HL-MW-09D	1/23/2008	74.9			2001	2004.8	1929.9	
HL-MW-09D	4/19/2008	70.98			2001	2004.8	1933.82	
HL-MW-09D	7/22/2008	73.53				2004.8	1931.27	
HL-MW-09D	10/18/2008	74.92				2004.8	1929.88	
HL-MW-10S	9/10/2001	74.15			1996.75	2000.55	1926.4	
HL-MW-10S	10/15/2001	72.82			1996.75	2000.55	1927.73	
HL-MW-10S	12/6/2001	71.3			1996.75	2000.55	1929.25	
HL-MW-10S	3/21/2002	68.12			1996.75	2000.55	1932.43	
HL-MW-10S	6/26/2002	66.21			1996.75	2000.55	1934.34	
HL-MW-10S	7/31/2002	72.22			1996.75	2000.55	1928.33	
HL-MW-10S	8/30/2002	73.48			1996.75	2000.55	1927.07	
HL-MW-10S	9/25/2002	72.48			1996.75	2000.55	1928.07	
HL-MW-10S	12/18/2002	71.95			1996.75	2000.55	1928.6	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-10S	5/12/2003	67.68			1996.75	2000.55	1932.87	
HL-MW-10S	7/31/2003	74.23			1996.75	2000.55	1926.32	
HL-MW-10S	10/24/2003	72.67			1996.75	2000.55	1927.88	
HL-MW-10S	6/30/2004	70.95			1996.75	2000.55	1929.6	
HL-MW-10S	8/9/2004	74.03			1996.75	2000.55	1926.52	
HL-MW-10S	9/14/2004	73.95			1996.75	2000.55	1926.6	
HL-MW-10S	10/25/2004	71.38			1996.75	2000.55	1929.17	
HL-MW-10S	7/25/2005	73.99			1996.75	2000.55	1926.56	
HL-MW-10S	8/30/2005	74.7			1996.75	2000.55	1925.85	
HL-MW-10S	9/29/2005	73.09			1996.75	2000.55	1927.46	
HL-MW-10S	10/24/2005	72.37			1996.75	2000.55	1928.18	
HL-MW-10S	1/23/2006	65.35			1996.75	2000.55	1935.2	
HL-MW-10S	4/17/2006	64.08			1996.75	2000.55	1936.47	
HL-MW-10S	6/27/2006	69.31			1996.75	2000.55	1931.24	
HL-MW-10S	7/17/2006	72.2			1996.75	2000.55	1928.35	
HL-MW-10S	8/28/2006	74.17			1996.75	2000.55	1926.38	
HL-MW-10S	9/26/2006	72.8			1996.75	2000.55	1927.75	
HL-MW-10S	10/23/2006	72.3			1996.75	2000.55	1928.25	
HL-MW-10S	1/31/2007	70.21			1996.75	2000.55	1930.34	
HL-MW-10S	4/14/2007	64.33			1996.75	2000.55	1936.22	
HL-MW-10S	7/23/2007	73.12			1996.75	2000.55	1927.43	
HL-MW-10S	10/21/2007	72.41			1996.75	2000.55	1928.14	
HL-MW-10S	1/23/2008	71.57			1996.75	2000.55	1928.98	
HL-MW-10S	4/19/2008	67.34			1996.75	2000.55	1933.21	
HL-MW-10S	7/22/2008	70.32				2000.55	1930.23	
HL-MW-10S	10/18/2008	71.68				2000.55	1928.87	
HL-MW-11D	8/28/2001	74.66			1996.69	2000.49	1925.83	
HL-MW-11D	9/10/2001	74.08			1996.69	2000.49	1926.41	
HL-MW-11D	10/15/2001	72.74			1996.69	2000.49	1927.75	
HL-MW-11D	12/6/2001	71.2			1996.69	2000.49	1929.29	
HL-MW-11D	3/21/2002	68.06			1996.69	2000.49	1932.43	
HL-MW-11D	6/26/2002	66.18			1996.69	2000.49	1934.31	
HL-MW-11D	7/31/2002	72.16			1996.69	2000.49	1928.33	
HL-MW-11D	8/30/2002	73.41			1996.69	2000.49	1927.08	
HL-MW-11D	9/25/2002	72.41			1996.69	2000.49	1928.08	
HL-MW-11D	12/18/2002	71.88			1996.69	2000.49	1928.61	
HL-MW-11D	5/12/2003	67.64			1996.69	2000.49	1932.85	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-11D	7/31/2003	74.16			1996.69	2000.49	1926.33	
HL-MW-11D	10/24/2003	72.6			1996.69	2000.49	1927.89	
HL-MW-11D	6/30/2004	70.93			1996.69	2000.49	1929.56	
HL-MW-11D	8/9/2004	73.97			1996.69	2000.49	1926.52	
HL-MW-11D	9/14/2004	73.88			1996.69	2000.49	1926.61	
HL-MW-11D	10/25/2004	71.32			1996.69	2000.49	1929.17	
HL-MW-11D	8/30/2005	74.63			1996.69	2000.49	1925.86	
HL-MW-11D	9/26/2006	72.72				2000.49	1927.77	
HL-MW-12S	10/24/2003	80.9			2006.43	2010.23	1929.33	
HL-MW-12S	3/4/2004	78.11			2006.43	2010.23	1932.12	
HL-MW-12S	6/30/2004	78.99			2006.43	2010.23	1931.24	
HL-MW-12S	9/14/2004	81.9			2006.43	2010.23	1928.33	
HL-MW-12S	10/25/2004	79.41			2006.43	2010.23	1930.82	
HL-MW-12S	7/25/2005	81.72			2006.43	2010.23	1928.51	
HL-MW-12S	8/30/2005	82.78			2006.43	2010.23	1927.45	
HL-MW-12S	9/29/2005	81.19			2006.43	2010.23	1929.04	
HL-MW-12S	10/24/2005	80.4			2006.43	2010.23	1929.83	
HL-MW-12S	1/23/2006	73.72			2006.43	2010.23	1936.51	
HL-MW-12S	4/17/2006	72.76			2006.43	2010.23	1937.47	
HL-MW-12S	6/27/2006	77.15			2006.43	2010.23	1933.08	
HL-MW-12S	7/17/2006	79.95			2006.43	2010.23	1930.28	
HL-MW-12S	8/28/2006	81.99			2006.43	2010.23	1928.24	
HL-MW-12S	9/26/2006	80.72			2006.43	2010.23	1929.51	
HL-MW-12S	10/23/2006	80.26			2006.43	2010.23	1929.97	
HL-MW-12S	1/31/2007	78.1			2006.43	2010.23	1932.13	
HL-MW-12S	4/14/2007	72.58			2006.43	2010.23	1937.65	
HL-MW-12S	7/23/2007	81.06			2006.43	2010.23	1929.17	
HL-MW-12S	10/21/2007	80.32			2006.43	2010.23	1929.91	
HL-MW-12S	1/23/2008	79.53			2006.43	2010.23	1930.7	
HL-MW-12S	4/19/2008	75.77			2006.43	2010.23	1934.46	
HL-MW-12S	7/22/2008	78				2010.23	1932.23	
HL-MW-12S	10/18/2008	79.51				2010.23	1930.72	
HL-MW-13DD	10/23/2003	79.06			2004.11	2007.91	1928.85	
HL-MW-13DD	3/4/2004	75.88			2004.11	2007.91	1932.03	
HL-MW-13DD	6/30/2004	76.74			2004.11	2007.91	1931.17	
HL-MW-13DD	9/14/2004	79.72			2004.11	2007.91	1928.19	
HL-MW-13DD	10/25/2004	77.18			2004.11	2007.91	1930.73	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-13DD	7/25/2005	79.5			2004.11	2007.91	1928.41	
HL-MW-13DD	8/30/2005	80.53			2004.11	2007.91	1927.38	
HL-MW-13DD	9/29/2005	78.97			2004.11	2007.91	1928.94	
HL-MW-13DD	10/24/2005	78.17			2004.11	2007.91	1929.74	
HL-MW-13DD	1/23/2006	71.47			2004.11	2007.91	1936.44	
HL-MW-13DD	4/17/2006	70.46			2004.11	2007.91	1937.45	
HL-MW-13DD	6/27/2006	74.96			2004.11	2007.91	1932.95	
HL-MW-13DD	7/17/2006	77.48			2004.11	2007.91	1930.43	
HL-MW-13DD	8/28/2006	79.8			2004.11	2007.91	1928.11	
HL-MW-13DD	9/26/2006	78.43			2004.11	2007.91	1929.48	
HL-MW-13DD	10/23/2006	78.04			2004.11	2007.91	1929.87	
HL-MW-13DD	1/31/2007	75.91			2004.11	2007.91	1932	
HL-MW-13DD	4/14/2007	70.41			2004.11	2007.91	1937.5	
HL-MW-13DD	7/23/2007	78.87			2004.11	2007.91	1929.04	
HL-MW-13DD	10/21/2007	78.09			2004.11	2007.91	1929.82	
HL-MW-13DD	1/23/2008	77.28			2004.11	2007.91	1930.63	
HL-MW-13DD	4/19/2008	73.48			2004.11	2007.91	1934.43	
HL-MW-13DD	7/22/2008	75.82				2007.91	1932.09	
HL-MW-13DD	10/18/2008	77.31				2007.91	1930.6	
HL-MW-14S	10/24/2003	77.73			2002.21	2006.01	1928.28	
HL-MW-14S	3/4/2004	75.02			2002.21	2006.01	1930.99	
HL-MW-14S	6/30/2004	76.01			2002.21	2006.01	1930	
HL-MW-14S	9/14/2004	78.8			2002.21	2006.01	1927.21	
HL-MW-14S	10/25/2004	76.38			2002.21	2006.01	1929.63	
HL-MW-14S	7/25/2005	78.6			2002.21	2006.01	1927.41	
HL-MW-14S	8/30/2005	79.57			2002.21	2006.01	1926.44	
HL-MW-14S	9/29/2005	78.04			2002.21	2006.01	1927.97	
HL-MW-14S	10/24/2005	77.32			2002.21	2006.01	1928.69	
HL-MW-14S	1/23/2006	70.75			2002.21	2006.01	1935.26	
HL-MW-14S	4/17/2006	69.64			2002.21	2006.01	1936.37	
HL-MW-14S	6/27/2006	74.3			2002.21	2006.01	1931.71	
HL-MW-14S	7/17/2006	77.05			2002.21	2006.01	1928.96	
HL-MW-14S	8/28/2006	79.91			2002.21	2006.01	1926.1	
HL-MW-14S	9/26/2006	77.67			2002.21	2006.01	1928.34	
HL-MW-14S	10/23/2006	77.21			2002.21	2006.01	1928.8	
HL-MW-14S	1/31/2007	75.22			2002.21	2006.01	1930.79	
HL-MW-14S	4/14/2007	69.75			2002.21	2006.01	1936.26	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-14S	7/23/2007	78.01			2002.21	2006.01	1928	
HL-MW-14S	10/21/2007	77.29			2002.21	2006.01	1928.72	
HL-MW-14S	1/23/2008	76.55			2002.21	2006.01	1929.46	
HL-MW-14S	4/19/2008	72.71			2002.21	2006.01	1933.3	
HL-MW-14S	7/22/2008	75.25				2006.01	1930.76	
HL-MW-14S	10/18/2008	76.56				2006.01	1929.45	
HL-MW-15DD	10/23/2003	80.58			2006.1	2009.9	1929.32	
HL-MW-15DD	3/4/2004	77.34			2006.1	2009.9	1932.56	
HL-MW-15DD	6/30/2004	78.23			2006.1	2009.9	1931.67	
HL-MW-15DD	9/14/2004	81.15			2006.1	2009.9	1928.75	
HL-MW-15DD	10/25/2004	78.68			2006.1	2009.9	1931.22	
HL-MW-15DD	7/25/2005	80.91			2006.1	2009.9	1928.99	
HL-MW-15DD	8/30/2005	82.03			2006.1	2009.9	1927.87	
HL-MW-15DD	9/29/2005	80.41			2006.1	2009.9	1929.49	
HL-MW-15DD	10/24/2005	79.59			2006.1	2009.9	1930.31	
HL-MW-15DD	1/23/2006	72.84			2006.1	2009.9	1937.06	
HL-MW-15DD	4/17/2006	71.9			2006.1	2009.9	1938	
HL-MW-15DD	6/27/2006	76.35			2006.1	2009.9	1933.55	
HL-MW-15DD	7/17/2006	79.19			2006.1	2009.9	1930.71	
HL-MW-15DD	8/28/2006	81.24			2006.1	2009.9	1928.66	
HL-MW-15DD	9/26/2006	79.52			2006.1	2009.9	1930.38	
HL-MW-15DD	10/23/2006	79.46			2006.1	2009.9	1930.44	
HL-MW-15DD	1/31/2007	77.29			2006.1	2009.9	1932.61	
HL-MW-15DD	4/14/2007	71.73			2006.1	2009.9	1938.17	
HL-MW-15DD	7/23/2007	80.3			2006.1	2009.9	1929.6	
HL-MW-15DD	10/21/2007	79.53			2006.1	2009.9	1930.37	
HL-MW-15DD	1/23/2008	78.71			2006.1	2009.9	1931.19	
HL-MW-15DD	4/19/2008	74.95			2006.1	2009.9	1934.95	
HL-MW-15DD	7/22/2008	77.18				2009.9	1932.72	
HL-MW-15DD	10/18/2008	78.74				2009.9	1931.16	
HL-MW-16S	10/23/2003	79.15			2004.78	2008.58	1929.43	
HL-MW-16S	3/5/2004	75.87			2004.78	2008.58	1932.71	
HL-MW-16S	6/30/2004	76.83			2004.78	2008.58	1931.75	
HL-MW-16S	9/14/2004	79.81			2004.78	2008.58	1928.77	
HL-MW-16S	10/25/2004	77.25			2004.78	2008.58	1931.33	
HL-MW-16S	7/25/2005	79.52			2004.78	2008.58	1929.06	
HL-MW-16S	8/30/2005	80.68			2004.78	2008.58	1927.9	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-16S	9/29/2005	79.04			2004.78	2008.58	1929.54	
HL-MW-16S	10/24/2005	78.25			2004.78	2008.58	1930.33	
HL-MW-16S	1/23/2006	71.51			2004.78	2008.58	1937.07	
HL-MW-16S	4/17/2006	70.44			2004.78	2008.58	1938.14	
HL-MW-16S	6/27/2006	74.89			2004.78	2008.58	1933.69	
HL-MW-16S	7/17/2006	77.81			2004.78	2008.58	1930.77	
HL-MW-16S	8/28/2006	79.84			2004.78	2008.58	1928.74	
HL-MW-16S	9/26/2006	78.57			2004.78	2008.58	1930.01	
HL-MW-16S	10/23/2006	78.1			2004.78	2008.58	1930.48	
HL-MW-16S	1/31/2007	75.91			2004.78	2008.58	1932.67	
HL-MW-16S	4/14/2007	70.32			2004.78	2008.58	1938.26	
HL-MW-16S	7/23/2007	78.95			2004.78	2008.58	1929.63	
HL-MW-16S	10/21/2007	78.16			2004.78	2008.58	1930.42	
HL-MW-16S	1/23/2008	77.37			2004.78	2008.58	1931.21	
HL-MW-16S	4/19/2008	73.51			2004.78	2008.58	1935.07	
HL-MW-16S	7/22/2008	75.81				2008.58	1932.77	
HL-MW-16S	10/18/2008	77.33				2008.58	1931.25	
HL-MW-17S	10/23/2003	80.91			2007.55	2011.35	1930.44	
HL-MW-17S	3/5/2004	77.72			2007.55	2011.35	1933.63	
HL-MW-17S	6/30/2004	78.54			2007.55	2011.35	1932.81	
HL-MW-17S	9/14/2004	81.53			2007.55	2011.35	1929.82	
HL-MW-17S	10/25/2004	78.97			2007.55	2011.35	1932.38	
HL-MW-17S	7/25/2005	81.29			2007.55	2011.35	1930.06	
HL-MW-17S	8/30/2005	82.45			2007.55	2011.35	1928.9	
HL-MW-17S	9/29/2005	80.85			2007.55	2011.35	1930.5	
HL-MW-17S	10/24/2005	80			2007.55	2011.35	1931.35	
HL-MW-17S	1/24/2006	73.29			2007.55	2011.35	1938.06	
HL-MW-17S	4/17/2006	72.34			2007.55	2011.35	1939.01	
HL-MW-17S	6/27/2006	76.53			2007.55	2011.35	1934.82	
HL-MW-17S	7/17/2006	79.49			2007.55	2011.35	1931.86	
HL-MW-17S	8/28/2006	81.56			2007.55	2011.35	1929.79	
HL-MW-17S	9/26/2006	80.27			2007.55	2011.35	1931.08	
HL-MW-17S	10/23/2006	79.8			2007.55	2011.35	1931.55	
HL-MW-17S	1/31/2007	77.53			2007.55	2011.35	1933.82	
HL-MW-17S	4/14/2007	71.99			2007.55	2011.35	1939.36	
HL-MW-17S	7/23/2007	80.68			2007.55	2011.35	1930.67	
HL-MW-17S	10/21/2007	79.87			2007.55	2011.35	1931.48	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-17S	1/23/2008	79.11			2007.55	2011.35	1932.24	
HL-MW-17S	4/19/2008	75.35			2007.55	2011.35	1936	
HL-MW-17S	7/22/2008	77.4				2011.35	1933.95	
HL-MW-17S	10/18/2008	79.02				2011.35	1932.33	
HL-MW-18S	7/25/2005	77.77				2007.4	1929.63	
HL-MW-18S	9/29/2005	77.2				2007.4	1930.2	
HL-MW-18S	10/24/2005	76.37				2007.4	1931.03	
HL-MW-18S	1/27/2006	69.44				2007.4	1937.96	
HL-MW-18S	4/17/2006	66.6				2007.4	1940.8	
HL-MW-18S	6/27/2006	72.96				2007.4	1934.44	
HL-MW-18S	7/17/2006	75.89				2007.4	1931.51	
HL-MW-18S	8/28/2006	78				2007.4	1929.4	
HL-MW-18S	9/26/2006	76.68				2007.4	1930.72	
HL-MW-18S	10/23/2006	72.66				2007.4	1934.74	
HL-MW-18S	1/31/2007	75				2007.4	1932.4	
HL-MW-18S	4/14/2007	68.33				2007.4	1939.07	
HL-MW-18S	7/23/2007	77.07				2007.4	1930.33	
HL-MW-18S	10/21/2007	76.28				2007.4	1931.12	
HL-MW-18S	1/23/2008	75.46				2007.4	1931.94	
HL-MW-18S	4/19/2008	71.63				2007.4	1935.77	
HL-MW-18S	7/22/2008	73.84				2007.4	1933.56	
HL-MW-18S	10/18/2008	75.42				2007.4	1931.98	
HL-MW-19S	7/25/2005	82.01				2011.26	1929.25	
HL-MW-19S	9/29/2005	81.22				2011.26	1930.04	
HL-MW-19S	10/24/2005	80.42				2011.26	1930.84	
HL-MW-19S	1/25/2006	73.6				2011.26	1937.66	
HL-MW-19S	4/17/2006	72.56				2011.26	1938.7	
HL-MW-19S	6/27/2006	77.12				2011.26	1934.14	
HL-MW-19S	7/17/2006	79.99				2011.26	1931.27	
HL-MW-19S	8/28/2006	82.04				2011.26	1929.22	
HL-MW-19S	9/26/2006	80.71				2011.26	1930.55	
HL-MW-19S	10/23/2006	80.26				2011.26	1931	
HL-MW-19S	1/31/2007	78.06				2011.26	1933.2	
HL-MW-19S	4/14/2007	72.41				2011.26	1938.85	
HL-MW-19S	7/23/2007	81.13				2011.26	1930.13	
HL-MW-19S	10/21/2007	80.34				2011.26	1930.92	
HL-MW-19S	1/23/2008	79.53				2011.26	1931.73	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-19S	4/19/2008	75.68				2011.26	1935.58	
HL-MW-19S	7/22/2008	77.97				2011.26	1933.29	
HL-MW-19S	10/18/2008	79.5				2011.26	1931.76	
HL-MW-20S	7/25/2005	82.98	82.64	0.34		2011.93	1928.95	
HL-MW-20S	9/29/2005	82.8	82.32	0.48		2011.93	1929.13	
HL-MW-20S	10/24/2005	82	81.39	0.61		2011.93	1929.93	
HL-MW-20S	4/17/2006	71.52				2011.93	1940.41	
HL-MW-20S	6/27/2006	76.17				2011.93	1935.76	
HL-MW-20S	7/17/2006	79.08				2011.93	1932.85	
HL-MW-20S	8/28/2006	81.16	80.98	0.18		2011.93	1930.77	
HL-MW-20S	9/26/2006	79.81	79.66	0.15		2011.93	1932.12	
HL-MW-20S	10/23/2006	81.16				2011.93	1930.77	
HL-MW-20S	1/31/2007	79.03				2011.93	1932.9	
HL-MW-20S	4/14/2007	73.42				2011.93	1938.51	
HL-MW-20S	7/23/2007	82.02				2011.93	1929.91	
HL-MW-20S	10/21/2007	81.33	81.22	0.11		2011.93	1930.6	
HL-MW-20S	1/23/2008	80.59				2011.93	1931.34	
HL-MW-20S	4/19/2008	76.58				2011.93	1935.35	
HL-MW-20S	7/22/2008	78.96				2011.93	1932.97	
HL-MW-20S	10/18/2008	80.41				2011.93	1931.52	
HL-MW-21S	7/25/2005	74.49				2011.19	1936.7	
HL-MW-21S	9/29/2005	73.72				2011.19	1937.47	
HL-MW-21S	10/24/2005	72.91				2011.19	1938.28	
HL-MW-21S	1/25/2006	66.21				2011.19	1944.98	
HL-MW-21S	4/17/2006	69.93				2011.19	1941.26	
HL-MW-21S	6/27/2006	69.81	69.8	0.01		2011.19	1941.38	
HL-MW-21S	7/17/2006	72.41				2011.19	1938.78	
HL-MW-21S	8/28/2006	74.67				2011.19	1936.52	
HL-MW-21S	9/26/2006	73.35				2011.19	1937.84	
HL-MW-21S	10/23/2006	77.98				2011.19	1933.21	
HL-MW-21S	1/31/2007	79.05				2011.19	1932.14	
HL-MW-21S	4/14/2007	73.27				2011.19	1937.92	
HL-MW-21S	7/23/2007	82.08				2011.19	1929.11	
HL-MW-21S	10/21/2007	81.33				2011.19	1929.86	
HL-MW-21S	1/23/2008	80.53				2011.19	1930.66	
HL-MW-21S	4/19/2008	76.44				2011.19	1934.75	
HL-MW-21S	7/22/2008	79.04				2011.19	1932.15	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-21S	10/18/2008	80.56				2011.19	1930.63	
HL-MW-22S	7/25/2005	81.93				2010.77	1928.84	
HL-MW-22S	9/29/2005	81.26				2010.77	1929.51	
HL-MW-22S	10/24/2005	80.39				2010.77	1930.38	
HL-MW-22S	1/25/2006	73.49				2010.77	1937.28	
HL-MW-22S	4/17/2006	72.31				2010.77	1938.46	
HL-MW-22S	6/27/2006	77.33				2010.77	1933.44	
HL-MW-22S	7/17/2006	80.22				2010.77	1930.55	
HL-MW-22S	8/28/2006	82.23				2010.77	1928.54	
HL-MW-22S	9/26/2006	80.91				2010.77	1929.86	
HL-MW-22S	10/23/2006	80.38				2010.77	1930.39	
HL-MW-22S	1/31/2007	78.22				2010.77	1932.55	
HL-MW-22S	4/14/2007	72.35				2010.77	1938.42	
HL-MW-22S	7/23/2007	81.31				2010.77	1929.46	
HL-MW-22S	10/21/2007	80.48				2010.77	1930.29	
HL-MW-22S	1/23/2008	79.66				2010.77	1931.11	
HL-MW-22S	4/19/2008	75.54				2010.77	1935.23	
HL-MW-22S	7/22/2008	78.23				2010.77	1932.54	
HL-MW-22S	10/18/2008	79.67				2010.77	1931.1	
HL-MW-23S	4/17/2006	74.14				2006.82	1932.68	
HL-MW-23S	6/27/2006	80.32				2006.82	1926.5	
HL-MW-23S	7/17/2006	82.89				2006.82	1923.93	
HL-MW-23S	8/28/2006	84.45				2006.82	1922.37	
HL-MW-23S	9/26/2006	83.22				2006.82	1923.6	
HL-MW-23S	10/23/2006	82.67				2006.82	1924.15	
HL-MW-23S	1/31/2007	81.05				2006.82	1925.77	
HL-MW-23S	4/14/2007	75.48				2006.82	1931.34	
HL-MW-23S	7/23/2007	84.59				2006.82	1922.23	
HL-MW-23S	10/21/2007	82.87				2006.82	1923.95	
HL-MW-23S	1/23/2008	82.01				2006.82	1924.81	
HL-MW-23S	4/19/2008	77.67				2006.82	1929.15	
HL-MW-23S	7/22/2008	81.52				2006.82	1925.3	
HL-MW-23S	10/18/2008	82.37				2006.82	1924.45	
HL-MW-24DD	4/17/2006	69.52				2006.11	1936.59	
HL-MW-24DD	6/27/2006	74.22				2006.11	1931.89	
HL-MW-24DD	7/17/2006	77				2006.11	1929.11	
HL-MW-24DD	8/28/2006	78.9				2006.11	1927.21	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-24DD	9/26/2006	77.7				2006.11	1928.41	
HL-MW-24DD	10/23/2006	77.2				2006.11	1928.91	
HL-MW-24DD	1/31/2007	75.16				2006.11	1930.95	
HL-MW-24DD	4/14/2007	69.6				2006.11	1936.51	
HL-MW-24DD	7/23/2007	78				2006.11	1928.11	
HL-MW-24DD	10/21/2007	77.28				2006.11	1928.83	
HL-MW-24DD	1/23/2008	76.54				2006.11	1929.57	
HL-MW-24DD	4/19/2008	72.64				2006.11	1933.47	
HL-MW-24DD	7/22/2008	75.15				2006.11	1930.96	
HL-MW-24DD	10/18/2008	76.5				2006.11	1929.61	
HL-MW-25S	4/17/2006	67.4				2004.27	1936.87	
HL-MW-25S	6/27/2006	71.99				2004.27	1932.28	
HL-MW-25S	7/17/2006	74.72				2004.27	1929.55	
HL-MW-25S	8/28/2006	76.66				2004.27	1927.61	
HL-MW-25S	10/23/2006	74.95				2004.27	1929.32	
HL-MW-25S	1/31/2007	72.93				2004.27	1931.34	
HL-MW-25S	4/14/2007	67.62				2004.27	1936.65	
HL-MW-25S	7/23/2007	75.75				2004.27	1928.52	
HL-MW-25S	10/21/2007	75.03				2004.27	1929.24	
HL-MW-25S	1/23/2008	74.26				2004.27	1930.01	
HL-MW-25S	4/19/2008	73.48				2004.27	1930.79	
HL-MW-25S	7/22/2008	72.9				2004.27	1931.37	
HL-MW-25S	10/18/2008	74.28				2004.27	1929.99	
HL-MW-26S	4/17/2006	69.8				2007.64	1937.84	
HL-MW-26S	6/27/2006	74.19				2007.64	1933.45	
HL-MW-26S	7/17/2006	76.98				2007.64	1930.66	
HL-MW-26S	8/28/2006	78.93				2007.64	1928.71	
HL-MW-26S	9/26/2006	78.86				2007.64	1928.78	
HL-MW-26S	10/23/2006	77.25				2007.64	1930.39	
HL-MW-26S	1/31/2007	75.11				2007.64	1932.53	
HL-MW-26S	4/14/2007	69.61				2007.64	1938.03	
HL-MW-26S	7/23/2007	78.05				2007.64	1929.59	
HL-MW-26S	10/21/2007	44.32				2007.64	1963.32	
HL-MW-26S	1/23/2008	76.54				2007.64	1931.1	
HL-MW-26S	4/19/2008	72.8				2007.64	1934.84	
HL-MW-26S	7/22/2008	75.01				2007.64	1932.63	
HL-MW-26S	10/18/2008	76.52				2007.64	1931.12	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
HL-MW-27D	4/17/2006	70.08				2008.05	1937.97	
HL-MW-27D	6/27/2006	74.46				2008.05	1933.59	
HL-MW-27D	7/17/2006	77.32				2008.05	1930.73	
HL-MW-27D	8/28/2006	79.41				2008.05	1928.64	
HL-MW-27D	9/26/2006	79.14				2008.05	1928.91	
HL-MW-27D	10/23/2006	77.63				2008.05	1930.42	
HL-MW-27D	1/31/2007	74.52				2008.05	1933.53	
HL-MW-27D	4/14/2007	69.83				2008.05	1938.22	
HL-MW-27D	7/23/2007	78.49				2008.05	1929.56	
HL-MW-27D	10/21/2007	77.68				2008.05	1930.37	
HL-MW-27D	1/23/2008	76.9				2008.05	1931.15	
HL-MW-27D	4/19/2008	73.14				2008.05	1934.91	
HL-MW-27D	7/22/2008	75.32				2008.05	1932.73	
HL-MW-27D	10/18/2008	76.86				2008.05	1931.19	
HL-MW-28DD	9/26/2006	74.7				2008.22	1933.52	
HL-MW-28DD	10/23/2006	78.21				2008.22	1930.01	
HL-MW-28DD	1/31/2007	76.06				2008.22	1932.16	
HL-MW-28DD	4/14/2007	70.53				2008.22	1937.69	
HL-MW-28DD	7/23/2007	79.04				2008.22	1929.18	
HL-MW-28DD	10/21/2007	78.27				2008.22	1929.95	
HL-MW-28DD	1/23/2008	77.48				2008.22	1930.74	
HL-MW-28DD	4/19/2008	73.66				2008.22	1934.56	
HL-MW-28DD	7/22/2008	75.98				2008.22	1932.24	
HL-MW-28DD	10/18/2008	77.47				2008.22	1930.75	
HL-MW-29S	7/23/2007	80.7				2010.18	1929.48	
HL-MW-29S	10/21/2007	79.94				2010.18	1930.24	
HL-MW-29S	1/23/2008	79.13				2010.18	1931.05	
HL-MW-29S	4/19/2008	75.33				2010.18	1934.85	
HL-MW-29S	7/22/2008	77.59				2010.18	1932.59	
HL-MW-29S	10/18/2008	79.13				2010.18	1931.05	
HL-MW-30S	7/23/2007	79.33				2005	1925.67	
HL-MW-30S	10/21/2007	78.62				2005	1926.38	
HL-MW-30S	1/23/2008	77.78				2005	1927.22	
HL-MW-30S	4/19/2008	73.67				2005	1931.33	
HL-MW-30S	7/22/2008	76.72				2005	1928.28	
HL-MW-30S	10/18/2008	77.94				2005	1927.06	
MW-01	12/2/1989	51.45			1974.88	1978.68	1927.23	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-01	12/8/1989	47.93			1974.88	1978.68	1930.75	
MW-01	2/7/1990	52.55			1974.88	1978.68	1926.13	
MW-01	2/27/1990	51.88			1974.88	1978.68	1926.8	
MW-01	4/4/1990	48.62			1974.88	1978.68	1930.06	
MW-01	5/3/1990	46.96			1974.88	1978.68	1931.72	
MW-01	5/11/1990	47.7			1974.88	1978.68	1930.98	
MW-01	5/30/1990	47.55			1974.88	1978.68	1931.13	
MW-01	7/5/1990	52.55			1974.88	1978.68	1926.13	
MW-01	8/2/1990	55.23			1974.88	1978.68	1923.45	
MW-01	8/29/1990	56.58			1974.88	1978.68	1922.1	
MW-01	10/5/1990	55.76			1974.88	1978.68	1922.92	
MW-01	11/1/1990	54.68			1974.88	1978.68	1924	
MW-01	11/29/1990	45.51			1974.88	1978.68	1933.17	
MW-01	1/1/1991	52.6			1974.88	1978.68	1926.08	
MW-01	1/30/1991	52.36			1974.88	1978.68	1926.32	
MW-01	3/10/1991	47.35			1974.88	1978.68	1931.33	
MW-01	4/5/1991	51.42			1974.88	1978.68	1927.26	
MW-01	4/30/1991	47.88			1974.88	1978.68	1930.8	
MW-01	5/29/1991	46.83			1974.88	1978.68	1931.85	
MW-01	6/24/1991	50.07			1974.88	1978.68	1928.61	
MW-01	7/10/1991	53.36			1974.88	1978.68	1925.32	
MW-01	8/1/1991	55.92			1974.88	1978.68	1922.76	
MW-01	8/27/1991	57.57			1974.88	1978.68	1921.11	
MW-01	12/7/1991	54.64			1974.88	1978.68	1924.04	
MW-01	2/18/1992	52.07			1974.88	1978.68	1926.61	
MW-01	2/24/1994	55.76			1974.88	1978.68	1922.92	
MW-01	4/27/1994	48.68			1974.88	1978.68	1930	
MW-01	6/23/1994	56.41			1974.88	1978.68	1922.27	
MW-01	10/13/1994	56.46			1974.88	1978.68	1922.22	
MW-01	4/24/1995	50.38			1974.88	1978.68	1928.3	
MW-01	9/28/1995	56.5			1974.88	1978.68	1922.18	
MW-01	11/3/1995	54.34			1974.88	1978.68	1924.34	
MW-01	11/27/1995	50.03			1974.88	1978.68	1928.65	
MW-01	5/22/1996	45.97			1974.88	1978.68	1932.71	
MW-01	7/18/1996	55.54			1974.88	1978.68	1923.14	
MW-01	8/15/1996	56.23			1974.88	1978.68	1922.45	
MW-01	9/26/1996	55.8			1974.88	1978.68	1922.88	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-01	11/21/1996	55.58			1974.88	1978.68	1923.1	
MW-01	12/19/1996	52.45			1974.88	1978.68	1926.23	
MW-01	1/17/1997	49.6			1974.88	1978.68	1929.08	
MW-01	3/19/1997	50.02			1974.88	1978.68	1928.66	
MW-01	6/17/1997	45.64			1974.88	1978.68	1933.04	
MW-01	8/4/1997	55.22			1974.88	1978.68	1923.46	
MW-01	10/2/2000	55.56			1974.88	1978.68	1923.12	
MW-02	12/2/1989	39.82			1962.37	1966.17	1926.35	
MW-02	12/8/1989	36.16			1962.37	1966.17	1930.01	
MW-02	2/7/1990	40.79			1962.37	1966.17	1925.38	
MW-02	2/27/1990	40.18			1962.37	1966.17	1925.99	
MW-02	4/4/1990	36.79			1962.37	1966.17	1929.38	
MW-02	5/3/1990	35.13			1962.37	1966.17	1931.04	
MW-02	5/11/1990	36			1962.37	1966.17	1930.17	
MW-02	5/30/1990	35.64			1962.37	1966.17	1930.53	
MW-02	7/5/1990	40.81			1962.37	1966.17	1925.36	
MW-02	8/2/1990	43.53			1962.37	1966.17	1922.64	
MW-02	8/29/1990	44.83			1962.37	1966.17	1921.34	
MW-02	10/5/1990	44.23			1962.37	1966.17	1921.94	
MW-02	11/1/1990	43.01			1962.37	1966.17	1923.16	
MW-02	11/29/1990	33.62			1962.37	1966.17	1932.55	
MW-02	1/1/1991	40.94			1962.37	1966.17	1925.23	
MW-02	1/30/1991	40.64			1962.37	1966.17	1925.53	
MW-02	3/10/1991	35.35			1962.37	1966.17	1930.82	
MW-02	4/5/1991	39.66			1962.37	1966.17	1926.51	
MW-02	4/30/1991	36.06			1962.37	1966.17	1930.11	
MW-02	5/29/1991	35			1962.37	1966.17	1931.17	
MW-02	6/24/1991	38.25			1962.37	1966.17	1927.92	
MW-02	7/10/1991	41.71			1962.37	1966.17	1924.46	
MW-02	8/1/1991	44.21			1962.37	1966.17	1921.96	
MW-02	8/27/1991	45.82			1962.37	1966.17	1920.35	
MW-02	12/7/1991	43.07			1962.37	1966.17	1923.1	
MW-02	10/27/1993	44.14			1962.37	1966.17	1922.03	
MW-02	11/4/1993	44.4			1962.37	1966.17	1921.77	
MW-02	2/24/1994	44.14			1962.37	1966.17	1922.03	
MW-02	4/27/1994	36.78			1962.37	1966.17	1929.39	
MW-02	6/23/1994	45.37			1962.37	1966.17	1920.8	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-02	9/13/1994	45.29			1962.37	1966.17	1920.88	
MW-02	10/13/1994	44.84			1962.37	1966.17	1921.33	
MW-02	4/24/1995	38.6			1962.37	1966.17	1927.57	
MW-02	9/28/1995	44.59			1962.37	1966.17	1921.58	
MW-02	9/26/1996	43.78			1962.37	1966.17	1922.39	
MW-02	12/19/1996	40.46			1962.37	1966.17	1925.71	
MW-02	4/16/2001	41.5			1962.37	1966.17	1924.67	
MW-02	6/19/2001	42.61			1962.37	1966.17	1923.56	
MW-02	8/28/2001	45.45			1962.37	1966.17	1920.72	
MW-02	10/15/2001	43.76			1962.37	1966.17	1922.41	
MW-02	12/6/2001	42.4			1962.37	1966.17	1923.77	
MW-02	6/25/2002	38.14			1962.37	1966.17	1928.03	
MW-02	7/31/2002	43.71			1962.37	1966.17	1922.46	
MW-02	8/30/2002	44.7			1962.37	1966.17	1921.47	
MW-02	9/25/2002	43.74			1962.37	1966.17	1922.43	
MW-02	12/16/2002	43.39			1962.37	1966.17	1922.78	
MW-02D	9/10/2001	44.83			1962.37	1966.17	1921.34	
MW-02D	3/19/2002	38.92			1962.37	1966.17	1927.25	
MW-02D	5/12/2003	39.12			1962.37	1966.17	1927.05	
MW-02D	7/31/2003	45.46			1962.37	1966.17	1920.71	
MW-02D	6/30/2004	42.01			1962.37	1966.17	1924.16	
MW-02D	8/9/2004	45.49			1962.37	1966.17	1920.68	
MW-02D	9/14/2004	45.45			1962.37	1966.17	1920.72	
MW-02D	10/25/2004	42.9			1962.37	1966.17	1923.27	
MW-02D	8/30/2005	46			1962.37	1966.17	1920.17	
MW-02D	9/29/2005	44.32			1962.37	1966.17	1921.85	
MW-02D	10/24/2005	43.69			1962.37	1966.17	1922.48	
MW-02D	1/23/2006	36.33			1962.37	1966.17	1929.84	
MW-02D	4/17/2006	34.18			1962.37	1966.17	1931.99	
MW-02D	6/27/2006	42.28			1962.37	1966.17	1923.89	
MW-02D	7/17/2006	43.89			1962.37	1966.17	1922.28	
MW-02D	8/28/2006	45.59			1962.37	1966.17	1920.58	
MW-02D	9/26/2006	44.15			1962.37	1966.17	1922.02	
MW-02D	10/23/2006	43.67			1962.37	1966.17	1922.5	
MW-02D	4/14/2007	35.91			1962.37	1966.17	1930.26	
MW-02D	7/23/2007	44.97			1962.37	1966.17	1921.2	
MW-02S	5/12/2003	39.12			1962.37	1966.17	1927.05	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-02S	8/9/2004	45.49			1962.37	1966.17	1920.68	
MW-02S	9/14/2004	45.45			1962.37	1966.17	1920.72	
MW-02S	10/25/2004	42.9			1962.37	1966.17	1923.27	
MW-02S	7/25/2005	44.95			1962.37	1966.17	1921.22	
MW-02S	8/30/2005	46			1962.37	1966.17	1920.17	
MW-02S	9/29/2005	44.32			1962.37	1966.17	1921.85	
MW-02S	10/24/2005	43.69			1962.37	1966.17	1922.48	
MW-02S	1/23/2006	36.33			1962.37	1966.17	1929.84	
MW-02S	4/17/2006	34.18			1962.37	1966.17	1931.99	
MW-02S	6/27/2006	42.28			1962.37	1966.17	1923.89	
MW-02S	7/17/2006	43.89			1962.37	1966.17	1922.28	
MW-02S	8/28/2006	45.59			1962.37	1966.17	1920.58	
MW-02S	9/26/2006	44.15			1962.37	1966.17	1922.02	
MW-02S	10/23/2006	43.67			1962.37	1966.17	1922.5	
MW-02S	1/31/2007	42			1962.37	1966.17	1924.17	
MW-02S	4/14/2007	35.91			1962.37	1966.17	1930.26	
MW-02S	7/23/2007	44.97			1962.37	1966.17	1921.2	
MW-02S	10/21/2007	43.99			1962.37	1966.17	1922.18	
MW-02S	1/23/2008	42.78			1962.37	1966.17	1923.39	
MW-02S	4/19/2008	37.9			1962.37	1966.17	1928.27	
MW-02S	7/22/2008	42.68				1966.17	1923.49	
MW-02S	10/18/2008	43.52				1966.17	1922.65	
MW-03	12/8/1989	66.28			1993.16	1996.96	1930.68	
MW-03	2/7/1990	69.79			1993.16	1996.96	1927.17	
MW-03	2/27/1990	69.13			1993.16	1996.96	1927.83	
MW-03	4/4/1990	66.59			1993.16	1996.96	1930.37	
MW-03	5/3/1990	64.69			1993.16	1996.96	1932.27	
MW-03	5/11/1990	65.34			1993.16	1996.96	1931.62	
MW-03	5/30/1990	65.43			1993.16	1996.96	1931.53	
MW-03	7/5/1990	69.28			1993.16	1996.96	1927.68	
MW-03	8/2/1990	71.81			1993.16	1996.96	1925.15	
MW-03	8/29/1990	73			1993.16	1996.96	1923.96	
MW-03	10/5/1990	72.64			1993.16	1996.96	1924.32	
MW-03	11/1/1990	71.67			1993.16	1996.96	1925.29	
MW-03	11/29/1990	64.05			1993.16	1996.96	1932.91	
MW-03	1/1/1991	69.51			1993.16	1996.96	1927.45	
MW-03	1/30/1991	69.48			1993.16	1996.96	1927.48	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-03	3/10/1991	65			1993.16	1996.96	1931.96	
MW-03	4/5/1991	68.7			1993.16	1996.96	1928.26	
MW-03	4/30/1991	65.55			1993.16	1996.96	1931.41	
MW-03	5/29/1991	64.56			1993.16	1996.96	1932.4	
MW-03	6/24/1991	67.03			1993.16	1996.96	1929.93	
MW-03	7/10/1991	70.12			1993.16	1996.96	1926.84	
MW-03	8/1/1991	72.32			1993.16	1996.96	1924.64	
MW-03	8/27/1991	73.93			1993.16	1996.96	1923.03	
MW-03	12/7/1991	71.65			1993.16	1996.96	1925.31	
MW-03	2/18/1992	69.97			1993.16	1996.96	1926.99	
MW-03	10/27/1993	72.61			1993.16	1996.96	1924.35	
MW-03	11/4/1993	72.83			1993.16	1996.96	1924.13	
MW-03	2/24/1994	72.73			1993.16	1996.96	1924.23	
MW-03	4/27/1994	66.58			1993.16	1996.96	1930.38	
MW-03	6/23/1994	73.84			1993.16	1996.96	1923.12	
MW-03	10/13/1994	73.71			1993.16	1996.96	1923.25	
MW-03	4/24/1995	67.41			1993.16	1996.96	1929.55	
MW-03	9/28/1995	72.9			1993.16	1996.96	1924.06	
MW-03	11/3/1995	71.11			1993.16	1996.96	1925.85	
MW-03	11/27/1995	67.5			1993.16	1996.96	1929.46	
MW-03	7/18/1996	71.55			1993.16	1996.96	1925.41	
MW-03	8/15/1996	72.44			1993.16	1996.96	1924.52	
MW-03	9/26/1996	72.06			1993.16	1996.96	1924.9	
MW-03	11/21/1996	71.96			1993.16	1996.96	1925	
MW-03	12/19/1996	69.13			1993.16	1996.96	1927.83	
MW-03	1/17/1997	66.63			1993.16	1996.96	1930.33	
MW-03	3/19/1997	66.78			1993.16	1996.96	1930.18	
MW-03	6/18/1997	62.52			1993.16	1996.96	1934.44	
MW-03	8/4/1997	70.88			1993.16	1996.96	1926.08	
MW-03	8/29/1997	71.8			1993.16	1996.96	1925.16	
MW-03	9/29/1997	70.93			1993.16	1996.96	1926.03	
MW-03	10/17/1997	70.49			1993.16	1996.96	1926.47	
MW-03	12/15/1997	69.52			1993.16	1996.96	1927.44	
MW-04	12/8/1989	79.12			2015.92	2020.08	1940.96	
MW-04	2/7/1990	79.63			2015.92	2020.08	1940.45	
MW-04	2/27/1990	79.5			2015.92	2020.08	1940.58	
MW-04	4/4/1990	78.19			2015.92	2020.08	1941.89	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-04	5/3/1990	75.27			2015.92	2020.08	1944.81	
MW-04	5/11/1990	75.45			2015.92	2020.08	1944.63	
MW-04	5/30/1990	75.9			2015.92	2020.08	1944.18	
MW-04	7/5/1990	78.27			2015.92	2020.08	1941.81	
MW-04	8/2/1990	81.59			2015.92	2020.08	1938.49	
MW-04	8/29/1990	83.02			2015.92	2020.08	1937.06	
MW-04	10/5/1990	83.04			2015.92	2020.08	1937.04	
MW-04	11/1/1990	82.05			2015.92	2020.08	1938.03	
MW-04	11/29/1990	77.53			2015.92	2020.08	1942.55	
MW-04	1/1/1991	78.9			2015.92	2020.08	1941.18	
MW-04	1/30/1991	79.3			2015.92	2020.08	1940.78	
MW-04	3/10/1991	75.88			2015.92	2020.08	1944.2	
MW-04	4/5/1991	78.35			2015.92	2020.08	1941.73	
MW-04	4/30/1991	75.85			2015.92	2020.08	1944.23	
MW-04	5/29/1991	74.6			2015.92	2020.08	1945.48	
MW-04	6/5/1991	75.12			2015.92	2020.08	1944.96	
MW-04	6/8/1991	75.12			2015.92	2020.08	1944.96	
MW-04	6/24/1991	76			2015.92	2020.08	1944.08	
MW-04	7/10/1991	79.26			2015.92	2020.08	1940.82	
MW-04	8/1/1991	81.66			2015.92	2020.08	1938.42	
MW-04	8/27/1991	83.73			2015.92	2020.08	1936.35	
MW-04	12/7/1991	81.77			2015.92	2020.08	1938.31	
MW-04	2/18/1992	80			2015.92	2020.08	1940.08	
MW-04	10/8/1993	83.13			2015.92	2020.08	1936.95	
MW-04	10/31/1993	83.27			2015.92	2020.08	1936.81	
MW-04	11/4/1993	83.4			2015.92	2020.08	1936.68	
MW-04	2/24/1994	83.65			2015.92	2020.08	1936.43	
MW-04	3/23/1994	81.51			2015.92	2020.08	1938.57	
MW-04	4/27/1994	78.44			2015.92	2020.08	1941.64	
MW-04	5/26/1994	80.92			2015.92	2020.08	1939.16	
MW-04	6/23/1994	83.14			2015.92	2020.08	1936.94	
MW-04	7/20/1994	85			2015.92	2020.08	1935.08	
MW-04	8/29/1994	86.66			2015.92	2020.08	1933.42	
MW-04	9/13/1994	86.37			2015.92	2020.08	1933.71	
MW-04	10/13/1994	85.23			2015.92	2020.08	1934.85	
MW-04	11/13/1994	84.92			2015.92	2020.08	1935.16	
MW-04	12/20/1994	82.19			2015.92	2020.08	1937.89	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-04	1/27/1995	79.13			2015.92	2020.08	1940.95	
MW-04	3/8/1995	75.21			2015.92	2020.08	1944.87	
MW-04	4/24/1995	76.55			2015.92	2020.08	1943.53	
MW-04	5/23/1995	77.45			2015.92	2020.08	1942.63	
MW-04	6/26/1995	80.06			2015.92	2020.08	1940.02	
MW-04	8/2/1995	83.32			2015.92	2020.08	1936.76	
MW-04	8/23/1995	83.67			2015.92	2020.08	1936.41	
MW-04	8/30/1995	83.8			2015.92	2020.08	1936.28	
MW-04	9/28/1995	83.2			2015.92	2020.08	1936.88	
MW-04	11/3/1995	80.96			2015.92	2020.08	1939.12	
MW-04	11/27/1995	77.61			2015.92	2020.08	1942.47	
MW-04	5/22/1996	72.03			2015.92	2020.08	1948.05	
MW-04	7/18/1996	79.82			2015.92	2020.08	1940.26	
MW-04	8/15/1996	81.39			2015.92	2020.08	1938.69	
MW-04	9/26/1996	81.37			2015.92	2020.08	1938.71	
MW-04	11/21/1996	81.16			2015.92	2020.08	1938.92	
MW-04	12/19/1996	78.37			2015.92	2020.08	1941.71	
MW-04	1/17/1997	74.65			2015.92	2020.08	1945.43	
MW-04	3/19/1997	75.2			2015.92	2020.08	1944.88	
MW-04	6/17/1997	67.8			2015.92	2020.08	1952.28	
MW-04	8/4/1997	77.69			2015.92	2020.08	1942.39	
MW-04	8/29/1997	79.12			2015.92	2020.08	1940.96	
MW-04	10/2/1997	78.57			2015.92	2020.08	1941.51	
MW-04	10/17/1997	78.01			2015.92	2020.08	1942.07	
MW-04	12/15/1997	77.34			2015.92	2020.08	1942.74	
MW-04	2/20/1998	76.8			2015.92	2020.08	1943.28	
MW-04	5/7/1998	73.99			2015.92	2020.08	1946.09	
MW-04	6/17/1998	76.33			2015.92	2020.08	1943.75	
MW-04	7/22/1998	79.97			2015.92	2020.08	1940.11	
MW-04	8/25/1998	81.95			2015.92	2020.08	1938.13	
MW-04	9/3/1998	82.11			2015.92	2020.08	1937.97	
MW-04	9/14/1998	81.51			2015.92	2020.08	1938.57	
MW-04	11/2/1998	80.61			2015.92	2020.08	1939.47	
MW-04	12/14/1998	77.96			2015.92	2020.08	1942.12	
MW-04	3/23/1999	75.52			2015.92	2020.08	1944.56	
MW-04	7/19/1999	77.3			2015.92	2020.08	1942.78	
MW-04	9/20/1999	80.67			2015.92	2020.08	1939.41	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-04	10/29/1999	80.49			2015.92	2020.08	1939.59	
MW-04	12/30/1999	76.14			2015.92	2020.08	1943.94	
MW-04	3/27/2000	75.14			2015.92	2020.08	1944.94	
MW-04	6/26/2000	77.07			2015.92	2020.08	1943.01	
MW-04	8/31/2000	82.04			2015.92	2020.08	1938.04	
MW-04	10/2/2000	80.41			2015.92	2020.08	1939.67	
MW-04	11/6/2000	79.8			2015.92	2020.08	1940.28	
MW-04	12/27/2000	81.03			2015.92	2020.08	1939.05	
MW-04	4/16/2001	79.95			2015.92	2020.08	1940.13	
MW-04	6/19/2001	79.9			2015.92	2020.08	1940.18	
MW-04	8/28/2001	84.26			2015.92	2020.08	1935.82	
MW-04	9/10/2001	83.93			2015.92	2020.08	1936.15	
MW-04	10/15/2001	82.2			2015.92	2020.08	1937.88	
MW-04	12/6/2001	80.64			2015.92	2020.08	1939.44	
MW-04	3/18/2002	77.61			2015.92	2020.08	1942.47	
MW-04	6/25/2002	74.37			2015.92	2020.08	1945.71	
MW-04	7/31/2002	80.52			2015.92	2020.08	1939.56	
MW-04	8/30/2002	82.02			2015.92	2020.08	1938.06	
MW-04	9/25/2002	81.55			2015.92	2020.08	1938.53	
MW-04	12/16/2002	81.2			2015.92	2020.08	1938.88	
MW-04	5/12/2003	76.54			2015.92	2020.08	1943.54	
MW-04	7/31/2003	83.24			2015.92	2020.08	1936.84	
MW-04	7/1/2004	80.08			2015.92	2020.08	1940	
MW-04	8/9/2004	83.18			2015.92	2020.08	1936.9	
MW-04	9/14/2004	82.89			2015.92	2020.08	1937.19	
MW-04	10/29/2004	80.5			2015.92	2020.08	1939.58	
MW-04	7/25/2005	82.79			2015.92	2020.08	1937.29	
MW-04	8/30/2005	84.3			2015.92	2020.08	1935.78	
MW-04	9/29/2005	82.64			2015.92	2020.08	1937.44	
MW-04	10/24/2005	81.48			2015.92	2020.08	1938.6	
MW-04	1/23/2006	74.9			2015.92	2020.08	1945.18	
MW-04	4/17/2006	74.49			2015.92	2020.08	1945.59	
MW-04	6/27/2006	77.42			2015.92	2020.08	1942.66	
MW-04	7/17/2006	80.42			2015.92	2020.08	1939.66	
MW-04	8/28/2006	82.9			2015.92	2020.08	1937.18	
MW-04	9/26/2006	81.56			2015.92	2020.08	1938.52	
MW-04	10/23/2006	81.13			2015.92	2020.08	1938.95	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-04	1/31/2007	78.66			2015.92	2020.08	1941.42	
MW-04	4/14/2007	73.24			2015.92	2020.08	1946.84	
MW-04	7/23/2007	81.99			2015.92	2020.08	1938.09	
MW-04	1/23/2008	80.41			2015.92	2020.08	1939.67	
MW-04	4/19/2008	77.06			2015.92	2020.08	1943.02	
MW-04	7/22/2008	77.85				2020.08	1942.23	
MW-04	10/18/2008	79.93				2020.08	1940.15	
MW-05	12/2/1989	74.59			2009.55	2013.48	1938.89	
MW-05	12/8/1989	73.04			2009.55	2013.48	1940.44	
MW-05	2/7/1990	79.9			2009.55	2013.48	1933.58	
MW-05	2/27/1990	74.41			2009.55	2013.48	1939.07	
MW-05	4/4/1990	72.64			2009.55	2013.48	1940.84	
MW-05	5/3/1990	70.04			2009.55	2013.48	1943.44	
MW-05	5/11/1990	72.25			2009.55	2013.48	1941.23	
MW-05	5/30/1990	70.53			2009.55	2013.48	1942.95	
MW-05	7/5/1990	73.79			2009.55	2013.48	1939.69	
MW-05	8/2/1990	77.1			2009.55	2013.48	1936.38	
MW-05	8/29/1990	78.62			2009.55	2013.48	1934.86	
MW-05	10/5/1990	78.41			2009.55	2013.48	1935.07	
MW-05	11/1/1990	77.32			2009.55	2013.48	1936.16	
MW-05	11/29/1990	71.41			2009.55	2013.48	1942.07	
MW-05	1/1/1991	73.1			2009.55	2013.48	1940.38	
MW-05	1/30/1991	74.49			2009.55	2013.48	1938.99	
MW-05	3/10/1991	70.65			2009.55	2013.48	1942.83	
MW-05	4/5/1991	73.47			2009.55	2013.48	1940.01	
MW-05	4/30/1991	70.67			2009.55	2013.48	1942.81	
MW-05	5/29/1991	69.49			2009.55	2013.48	1943.99	
MW-05	6/24/1991	71.38			2009.55	2013.48	1942.1	
MW-05	7/10/1991	74.66			2009.55	2013.48	1938.82	
MW-05	8/1/1991	77.38			2009.55	2013.48	1936.1	
MW-05	8/27/1991	79.39			2009.55	2013.48	1934.09	
MW-05	12/7/1991	77.21			2009.55	2013.48	1936.27	
MW-05	2/18/1992	75.22			2009.55	2013.48	1938.26	
MW-05	10/8/1993	78.3			2009.55	2013.48	1935.18	
MW-05	10/31/1993	78.54			2009.55	2013.48	1934.94	
MW-05	11/4/1993	78.79			2009.55	2013.48	1934.69	
MW-05	9/13/1994	81.1			2009.55	2013.48	1932.38	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-05	9/28/1995	78.57			2009.55	2013.48	1934.91	
MW-05	11/3/1995	76.3			2009.55	2013.48	1937.18	
MW-05	11/27/1995	72.43			2009.55	2013.48	1941.05	
MW-05	7/18/1996	75.89			2009.55	2013.48	1937.59	
MW-05	8/15/1996	77.2			2009.55	2013.48	1936.28	
MW-05	9/26/1996	76.98			2009.55	2013.48	1936.5	
MW-05	11/21/1996	76.83			2009.55	2013.48	1936.65	
MW-05	12/19/1996	73.73			2009.55	2013.48	1939.75	
MW-05	1/17/1997	70.56			2009.55	2013.48	1942.92	
MW-05	3/19/1997	70.72			2009.55	2013.48	1942.76	
MW-05	6/17/1997	64.66			2009.55	2013.48	1948.82	
MW-05	8/4/1997	74.41			2009.55	2013.48	1939.07	
MW-05	8/29/1997	75.69			2009.55	2013.48	1937.79	
MW-05	10/2/1997	74.8			2009.55	2013.48	1938.68	
MW-05	10/17/1997	74.31			2009.55	2013.48	1939.17	
MW-05	12/15/1997	73.4			2009.55	2013.48	1940.08	
MW-05	2/21/1998	72.66			2009.55	2013.48	1940.82	
MW-05	5/7/1998	69.2			2009.55	2013.48	1944.28	
MW-05	6/17/1998	72.43			2009.55	2013.48	1941.05	
MW-05	7/22/1998	75.96			2009.55	2013.48	1937.52	
MW-05	8/25/1998	77.92			2009.55	2013.48	1935.56	
MW-05	9/3/1998	78.1			2009.55	2013.48	1935.38	
MW-05	9/14/1998	77.49			2009.55	2013.48	1935.99	
MW-05	11/2/1998	76.54			2009.55	2013.48	1936.94	
MW-05	12/14/1998	73.6			2009.55	2013.48	1939.88	
MW-05	3/23/1999	70.89			2009.55	2013.48	1942.59	
MW-05	7/19/1999	73.98			2009.55	2013.48	1939.5	
MW-05	8/20/1999	76.46			2009.55	2013.48	1937.02	
MW-05	9/20/1999	76.45			2009.55	2013.48	1937.03	
MW-05	10/29/1999	76.39			2009.55	2013.48	1937.09	
MW-05	12/30/1999	72.06			2009.55	2013.48	1941.42	
MW-05	3/30/2000	70.59			2009.55	2013.48	1942.89	
MW-05	6/26/2000	73.1			2009.55	2013.48	1940.38	
MW-05	8/31/2000	78.12			2009.55	2013.48	1935.36	
MW-05	10/2/2000	76.26			2009.55	2013.48	1937.22	
MW-05	11/6/2000	75.63			2009.55	2013.48	1937.85	
MW-05	4/16/2001	75.19			2009.55	2013.48	1938.29	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-05	6/19/2001	75.69			2009.55	2013.48	1937.79	
MW-05	8/28/2001	79.89			2009.55	2013.48	1933.59	
MW-05	9/10/2001	79.28			2009.55	2013.48	1934.2	
MW-05	10/15/2001	77.72			2009.55	2013.48	1935.76	
MW-05	12/6/2001	76.01			2009.55	2013.48	1937.47	
MW-05	3/18/2002	72.7			2009.55	2013.48	1940.78	
MW-05	6/25/2002	70.46			2009.55	2013.48	1943.02	
MW-05	7/31/2002	76.46			2009.55	2013.48	1937.02	
MW-05	8/30/2002	78.14			2009.55	2013.48	1935.34	
MW-05	9/25/2002	77.3			2009.55	2013.48	1936.18	
MW-05	12/16/2002	76.62			2009.55	2013.48	1936.86	
MW-05	5/12/2003	72.1			2009.55	2013.48	1941.38	
MW-05	7/31/2003	79.86			2009.55	2013.48	1933.62	
MW-05	7/1/2004	75.39			2009.55	2013.48	1938.09	
MW-05	8/9/2004	78.93			2009.55	2013.48	1934.55	
MW-05	9/14/2004	78.89			2009.55	2013.48	1934.59	
MW-05	10/29/2004	76.09			2009.55	2013.48	1937.39	
MW-05	7/25/2005	78.39			2009.55	2013.48	1935.09	
MW-05	8/30/2005	79.86			2009.55	2013.48	1933.62	
MW-05	9/29/2005	78.04			2009.55	2013.48	1935.44	
MW-05	10/24/2005	77			2009.55	2013.48	1936.48	
MW-05	1/23/2006	69.96			2009.55	2013.48	1943.52	
MW-05	4/17/2006	68.98			2009.55	2013.48	1944.5	
MW-05	6/27/2006	73.5			2009.55	2013.48	1939.98	
MW-05	7/17/2006	76.51			2009.55	2013.48	1936.97	
MW-05	8/28/2006	78.85			2009.55	2013.48	1934.63	
MW-05	9/26/2006	77.52			2009.55	2013.48	1935.96	
MW-05	10/23/2006	76.85			2009.55	2013.48	1936.63	
MW-05	1/31/2007	74.61			2009.55	2013.48	1938.87	
MW-05	4/14/2007	68.81			2009.55	2013.48	1944.67	
MW-05	10/21/2007	76.93			2009.55	2013.48	1936.55	
MW-05	1/23/2008	76.17			2009.55	2013.48	1937.31	
MW-05	4/19/2008	71.95			2009.55	2013.48	1941.53	
MW-05	7/22/2008	74.24				2013.48	1939.24	
MW-05	10/18/2008	75.96				2013.48	1937.52	
MW-06	12/8/1989	82.29			2019.66	2023.46	1941.17	
MW-06	2/7/1990	77.67			2019.66	2023.46	1945.79	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-06	2/27/1990	82.68			2019.66	2023.46	1940.78	
MW-06	4/4/1990	81.49			2019.66	2023.46	1941.97	
MW-06	5/3/1990	78.52			2019.66	2023.46	1944.94	
MW-06	5/30/1990	79.15			2019.66	2023.46	1944.31	
MW-06	7/5/1990	81.47			2019.66	2023.46	1941.99	
MW-06	8/2/1990	84.83			2019.66	2023.46	1938.63	
MW-06	8/29/1990	86.29			2019.66	2023.46	1937.17	
MW-06	10/5/1990	86.37			2019.66	2023.46	1937.09	
MW-06	11/1/1990	85.37			2019.66	2023.46	1938.09	
MW-06	11/29/1990	80.8			2019.66	2023.46	1942.66	
MW-06	1/1/1991	82.1			2019.66	2023.46	1941.36	
MW-06	1/30/1991	82.54			2019.66	2023.46	1940.92	
MW-06	4/5/1991	81.69			2019.66	2023.46	1941.77	
MW-06	4/30/1991	79.08			2019.66	2023.46	1944.38	
MW-06	5/29/1991	77.83			2019.66	2023.46	1945.63	
MW-06	6/5/1991	78.32			2019.66	2023.46	1945.14	
MW-06	6/8/1991	78.32			2019.66	2023.46	1945.14	
MW-06	6/24/1991	79.22			2019.66	2023.46	1944.24	
MW-06	7/10/1991	82.33			2019.66	2023.46	1941.13	
MW-06	8/1/1991	84.79			2019.66	2023.46	1938.67	
MW-06	8/27/1991	86.99			2019.66	2023.46	1936.47	
MW-06	10/8/1993	86.46			2019.66	2023.46	1937	
MW-06	10/31/1993	86.59			2019.66	2023.46	1936.87	
MW-06	2/24/1994	87.02			2019.66	2023.46	1936.44	
MW-06	3/23/1994	84.89			2019.66	2023.46	1938.57	
MW-06	4/27/1994	81.77			2019.66	2023.46	1941.69	
MW-06	5/26/1994	84.27			2019.66	2023.46	1939.19	
MW-06	6/23/1994	86.47			2019.66	2023.46	1936.99	
MW-06	7/20/1994	88.42			2019.66	2023.46	1935.04	
MW-06	8/29/1994	90.03			2019.66	2023.46	1933.43	
MW-06	10/13/1994	88.65			2019.66	2023.46	1934.81	
MW-06	11/13/1994	87.44			2019.66	2023.46	1936.02	
MW-06	12/20/1994	85.51			2019.66	2023.46	1937.95	
MW-06	1/27/1995	83			2019.66	2023.46	1940.46	
MW-06	3/8/1995	78.53			2019.66	2023.46	1944.93	
MW-06	4/24/1995	79.77			2019.66	2023.46	1943.69	
MW-06	5/23/1995	80.69			2019.66	2023.46	1942.77	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-06	6/26/1995	83.37			2019.66	2023.46	1940.09	
MW-06	8/23/1995	86.99			2019.66	2023.46	1936.47	
MW-06	8/30/1995	87.13			2019.66	2023.46	1936.33	
MW-06	9/28/1995	86.52			2019.66	2023.46	1936.94	
MW-06	9/26/1996	84.75			2019.66	2023.46	1938.71	
MW-06	12/19/1996	81.51			2019.66	2023.46	1941.95	
MW-07	12/8/1989	74.16			2004.9	2008.7	1934.54	
MW-07	2/7/1990	76			2004.9	2008.7	1932.7	
MW-07	2/27/1990	75.68			2004.9	2008.7	1933.02	
MW-07	4/4/1990	73.89			2004.9	2008.7	1934.81	
MW-07	5/3/1990	71.4			2004.9	2008.7	1937.3	
MW-07	5/11/1990	71.66			2004.9	2008.7	1937.04	
MW-07	5/30/1990	72.26			2004.9	2008.7	1936.44	
MW-07	7/5/1990	75.37			2004.9	2008.7	1933.33	
MW-07	8/2/1990	78.23			2004.9	2008.7	1930.47	
MW-07	8/29/1990	79.55			2004.9	2008.7	1929.15	
MW-07	10/5/1990	79.3			2004.9	2008.7	1929.4	
MW-07	11/1/1990	78.38			2004.9	2008.7	1930.32	
MW-07	11/29/1990	72.25			2004.9	2008.7	1936.45	
MW-07	1/1/1991	75.77			2004.9	2008.7	1932.93	
MW-07	1/30/1991	76.9			2004.9	2008.7	1931.8	
MW-07	3/10/1991	72			2004.9	2008.7	1936.7	
MW-07	4/5/1991	75.11			2004.9	2008.7	1933.59	
MW-07	4/30/1991	72.21			2004.9	2008.7	1936.49	
MW-07	5/29/1991	71.26			2004.9	2008.7	1937.44	
MW-07	6/5/1991	72.1			2004.9	2008.7	1936.6	
MW-07	6/8/1991	72.1			2004.9	2008.7	1936.6	
MW-07	6/24/1991	73.16			2004.9	2008.7	1935.54	
MW-07	7/10/1991	76.26			2004.9	2008.7	1932.44	
MW-07	8/1/1991	78.54			2004.9	2008.7	1930.16	
MW-07	8/27/1991	80.4			2004.9	2008.7	1928.3	
MW-07	2/18/1992	76.48			2004.9	2008.7	1932.22	
MW-07	10/8/1993	79.17			2004.9	2008.7	1929.53	
MW-07	10/31/1993	79.42			2004.9	2008.7	1929.28	
MW-07	11/4/1993	79.54			2004.9	2008.7	1929.16	
MW-07	2/24/1994	79.74			2004.9	2008.7	1928.96	
MW-07	3/23/1994	77.02			2004.9	2008.7	1931.68	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-07	4/27/1994	73.98			2004.9	2008.7	1934.72	
MW-07	5/26/1994	77.23			2004.9	2008.7	1931.47	
MW-07	6/23/1994	79.26			2004.9	2008.7	1929.44	
MW-07	7/20/1994	80.81			2004.9	2008.7	1927.89	
MW-07	8/29/1994	82.2			2004.9	2008.7	1926.5	
MW-07	9/13/1994	81.55			2004.9	2008.7	1927.15	
MW-07	10/13/1994	80.78			2004.9	2008.7	1927.92	
MW-07	11/13/1994	79.67			2004.9	2008.7	1929.03	
MW-07	12/20/1994	77.99			2004.9	2008.7	1930.71	
MW-07	1/27/1995	75.93			2004.9	2008.7	1932.77	
MW-07	3/8/1995	71.78			2004.9	2008.7	1936.92	
MW-07	4/24/1995	73.67			2004.9	2008.7	1935.03	
MW-07	5/23/1995	74.55			2004.9	2008.7	1934.15	
MW-07	6/26/1995	76.92			2004.9	2008.7	1931.78	
MW-07	8/2/1995	80.09			2004.9	2008.7	1928.61	
MW-07	8/23/1995	80.25			2004.9	2008.7	1928.45	
MW-07	8/30/1995	80.35			2004.9	2008.7	1928.35	
MW-07	9/28/1995	79.7			2004.9	2008.7	1929	
MW-07	11/3/1995	77.71			2004.9	2008.7	1930.99	
MW-07	11/27/1995	74.4			2004.9	2008.7	1934.3	
MW-07	5/22/1996	69.63			2004.9	2008.7	1939.07	
MW-07	7/18/1996	77.56			2004.9	2008.7	1931.14	
MW-07	8/15/1996	78.74			2004.9	2008.7	1929.96	
MW-07	9/26/1996	78.62			2004.9	2008.7	1930.08	
MW-07	11/21/1996	78.34			2004.9	2008.7	1930.36	
MW-07	12/19/1996	75.4			2004.9	2008.7	1933.3	
MW-07	1/17/1997	72.43			2004.9	2008.7	1936.27	
MW-07	3/19/1997	73.06			2004.9	2008.7	1935.64	
MW-07	6/17/1997	67.16			2004.9	2008.7	1941.54	
MW-07	8/4/1997	76.35			2004.9	2008.7	1932.35	
MW-07	8/29/1997	77.55			2004.9	2008.7	1931.15	
MW-07	10/2/1997	76.82			2004.9	2008.7	1931.88	
MW-07	10/17/1997	76.28			2004.9	2008.7	1932.42	
MW-07	12/15/1997	75.42			2004.9	2008.7	1933.28	
MW-07	2/19/1998	74.72			2004.9	2008.7	1933.98	
MW-07	5/5/1998	71.7			2004.9	2008.7	1937	
MW-07	6/17/1998	74.44			2004.9	2008.7	1934.26	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-07	7/22/1998	75.88			2004.9	2008.7	1932.82	
MW-07	8/25/1998	79.42			2004.9	2008.7	1929.28	
MW-07	9/3/1998	79.67			2004.9	2008.7	1929.03	
MW-07	9/16/1998	79.11			2004.9	2008.7	1929.59	
MW-07	11/2/1998	78.04			2004.9	2008.7	1930.66	
MW-07	12/16/1998	75.62			2004.9	2008.7	1933.08	
MW-07	3/23/1999	73.21			2004.9	2008.7	1935.49	
MW-07	7/19/1999	75.79			2004.9	2008.7	1932.91	
MW-07	8/20/1999	78.16			2004.9	2008.7	1930.54	
MW-07	9/20/1999	78.02			2004.9	2008.7	1930.68	
MW-07	10/29/1999	78.13			2004.9	2008.7	1930.57	
MW-07	12/30/1999	74.24			2004.9	2008.7	1934.46	
MW-07	3/30/2000	72.84			2004.9	2008.7	1935.86	
MW-07	6/26/2000	75.11			2004.9	2008.7	1933.59	
MW-07	8/31/2000	79.71			2004.9	2008.7	1928.99	
MW-07	10/2/2000	78.05			2004.9	2008.7	1930.65	
MW-07	11/6/2000	77.46			2004.9	2008.7	1931.24	
MW-07	12/27/2000	78.4			2004.9	2008.7	1930.3	
MW-07	4/16/2001	76.97			2004.9	2008.7	1931.73	
MW-07	6/19/2001	77.37			2004.9	2008.7	1931.33	
MW-07	8/28/2001	81.07			2004.9	2008.7	1927.63	
MW-07	9/10/2001	80.58			2004.9	2008.7	1928.12	
MW-07	10/15/2001	79.18			2004.9	2008.7	1929.52	
MW-07	12/6/2001	77.72			2004.9	2008.7	1930.98	
MW-07	3/18/2002	74.69			2004.9	2008.7	1934.01	
MW-07	6/25/2002	72.45			2004.9	2008.7	1936.25	
MW-07	7/31/2002	78.26			2004.9	2008.7	1930.44	
MW-07	8/30/2002	79.67			2004.9	2008.7	1929.03	
MW-07	9/25/2002	78.85			2004.9	2008.7	1929.85	
MW-07	12/16/2002	78.28			2004.9	2008.7	1930.42	
MW-07	5/12/2003	74.15			2004.9	2008.7	1934.55	
MW-07	7/31/2003	80.36			2004.9	2008.7	1928.34	
MW-07	7/1/2004	77.25			2004.9	2008.7	1931.45	
MW-07	8/9/2004	80.28			2004.9	2008.7	1928.42	
MW-07	9/14/2004	80.2			2004.9	2008.7	1928.5	
MW-07	10/29/2004	77.76			2004.9	2008.7	1930.94	
MW-08	11/29/1990	43.84			1976.15	1980.03	1936.19	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-08	1/1/1991	50.2			1976.15	1980.03	1929.83	
MW-08	1/30/1991	50.25			1976.15	1980.03	1929.78	
MW-08	3/10/1991	45.36			1976.15	1980.03	1934.67	
MW-08	4/5/1991	49.21			1976.15	1980.03	1930.82	
MW-08	4/30/1991	46.01			1976.15	1980.03	1934.02	
MW-08	5/29/1991	44.83			1976.15	1980.03	1935.2	
MW-08	6/24/1991	47.85			1976.15	1980.03	1932.18	
MW-08	7/10/1991	51.01			1976.15	1980.03	1929.02	
MW-08	8/1/1991	53.41			1976.15	1980.03	1926.62	
MW-08	8/27/1991	55			1976.15	1980.03	1925.03	
MW-08	12/7/1991	52.17			1976.15	1980.03	1927.86	
MW-08	2/18/1992	50.47			1976.15	1980.03	1929.56	
MW-08	5/15/1992	49.71			1976.15	1980.03	1930.32	
MW-08	10/8/1993	52.92			1976.15	1980.03	1927.11	
MW-08	10/27/1993	53.06			1976.15	1980.03	1926.97	
MW-08	10/31/1993	53.25			1976.15	1980.03	1926.78	
MW-08	11/4/1993	53.49			1976.15	1980.03	1926.54	
MW-08	4/27/1994	46.7			1976.15	1980.03	1933.33	
MW-08	9/13/1994	54.27			1976.15	1980.03	1925.76	
MW-08	3/19/1997	47.43			1976.15	1980.03	1932.6	
MW-08	6/18/1997	45.27			1976.15	1980.03	1934.76	
MW-08	8/4/1997	52.3			1976.15	1980.03	1927.73	
MW-08	8/29/1997	53.08			1976.15	1980.03	1926.95	
MW-08	9/30/1997	51.94			1976.15	1980.03	1928.09	
MW-08	10/17/1997	51.66			1976.15	1980.03	1928.37	
MW-08	12/15/1997	50.49			1976.15	1980.03	1929.54	
MW-08	2/18/1998	49.4			1976.15	1980.03	1930.63	
MW-08	5/5/1998	45.84			1976.15	1980.03	1934.19	
MW-08	6/18/1998	49.66			1976.15	1980.03	1930.37	
MW-08	7/22/1998	52.5			1976.15	1980.03	1927.53	
MW-08	8/25/1998	54.09			1976.15	1980.03	1925.94	
MW-08	9/3/1998	54.24			1976.15	1980.03	1925.79	
MW-08	9/15/1998	53.5			1976.15	1980.03	1926.53	
MW-08	11/2/1998	52.67			1976.15	1980.03	1927.36	
MW-08	12/16/1998	50.34			1976.15	1980.03	1929.69	
MW-08	3/23/1999	47.51			1976.15	1980.03	1932.52	
MW-08	7/19/1999	52.13			1976.15	1980.03	1927.9	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-08	8/20/1999	53.22			1976.15	1980.03	1926.81	
MW-08	9/22/1999	52.63			1976.15	1980.03	1927.4	
MW-08	10/29/1999	52.8			1976.15	1980.03	1927.23	
MW-08	12/30/1999	49.23			1976.15	1980.03	1930.8	
MW-08	3/28/2000	47.36			1976.15	1980.03	1932.67	
MW-08	6/28/2000	50.81			1976.15	1980.03	1929.22	
MW-08	8/31/2000	54.43			1976.15	1980.03	1925.6	
MW-08	10/2/2000	52.66			1976.15	1980.03	1927.37	
MW-08	11/6/2000	52.13			1976.15	1980.03	1927.9	
MW-08	12/27/2000	52.85			1976.15	1980.03	1927.18	
MW-08	4/16/2001	51			1976.15	1980.03	1929.03	
MW-08	6/19/2001	52.01			1976.15	1980.03	1928.02	
MW-08	8/28/2001	55.01			1976.15	1980.03	1925.02	
MW-08	9/10/2001	54.28			1976.15	1980.03	1925.75	
MW-08	10/15/2001	53.23			1976.15	1980.03	1926.8	
MW-08	12/6/2001	51.82			1976.15	1980.03	1928.21	
MW-08	3/19/2002	48.89			1976.15	1980.03	1931.14	
MW-08	6/26/2002	47.9			1976.15	1980.03	1932.13	
MW-08	7/31/2002	53.16			1976.15	1980.03	1926.87	
MW-08	8/30/2002	54.17			1976.15	1980.03	1925.86	
MW-08	9/25/2002	53.14			1976.15	1980.03	1926.89	
MW-08	12/16/2002	52.73			1976.15	1980.03	1927.3	
MW-08	5/12/2003	48.82			1976.15	1980.03	1931.21	
MW-08	7/31/2003	54.78			1976.15	1980.03	1925.25	
MW-08	6/29/2004	51.77			1976.15	1980.03	1928.26	
MW-08	8/9/2004	54.5			1976.15	1980.03	1925.53	
MW-08	9/14/2004	54.4			1976.15	1980.03	1925.63	
MW-08	10/25/2004	52.05			1976.15	1980.03	1927.98	
MW-08	7/25/2005	53.95			1976.15	1980.03	1926.08	
MW-08	8/30/2005	54.9			1976.15	1980.03	1925.13	
MW-08	9/29/2005	53.32			1976.15	1980.03	1926.71	
MW-08	10/24/2005	52.76			1976.15	1980.03	1927.27	
MW-08	1/23/2006	46.15			1976.15	1980.03	1933.88	
MW-08	4/17/2006	44.15			1976.15	1980.03	1935.88	
MW-08	6/27/2006	50.66			1976.15	1980.03	1929.37	
MW-08	7/17/2006	53.2			1976.15	1980.03	1926.83	
MW-08	8/28/2006	54.64			1976.15	1980.03	1925.39	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-08	9/26/2006	53.42			1976.15	1980.03	1926.61	
MW-08	10/23/2006	52.93			1976.15	1980.03	1927.1	
MW-08	1/31/2007	51.29			1976.15	1980.03	1928.74	
MW-08	4/14/2007	45.59			1976.15	1980.03	1934.44	
MW-08	7/23/2007	53.96			1976.15	1980.03	1926.07	
MW-08	10/21/2007	53.08			1976.15	1980.03	1926.95	
MW-08	1/23/2008	52.38			1976.15	1980.03	1927.65	
MW-08	4/19/2008	47.82			1976.15	1980.03	1932.21	
MW-08	7/22/2008	51.83				1980.03	1928.2	
MW-08	10/18/2008	52.61				1980.03	1927.42	
MW-09	11/29/1990	45.77			1977.34	1981.14	1935.37	
MW-09	1/1/1991	52.29			1977.34	1981.14	1928.85	
MW-09	1/30/1991	52.3			1977.34	1981.14	1928.84	
MW-09	3/10/1991	47.38			1977.34	1981.14	1933.76	
MW-09	4/5/1991	51.24			1977.34	1981.14	1929.9	
MW-09	4/30/1991	47.98			1977.34	1981.14	1933.16	
MW-09	5/29/1991	46.88			1977.34	1981.14	1934.26	
MW-09	6/24/1991	49.96			1977.34	1981.14	1931.18	
MW-09	7/10/1991	53.04			1977.34	1981.14	1928.1	
MW-09	8/1/1991	55.38			1977.34	1981.14	1925.76	
MW-09	8/27/1991	56.63			1977.34	1981.14	1924.51	
MW-09	12/7/1991	54.12			1977.34	1981.14	1927.02	
MW-09	2/18/1992	52.49			1977.34	1981.14	1928.65	
MW-09	5/15/1992	51.73			1977.34	1981.14	1929.41	
MW-09	10/8/1993	54.82			1977.34	1981.14	1926.32	
MW-09	10/27/1993	54.39			1977.34	1981.14	1926.75	
MW-09	10/31/1993	55.13			1977.34	1981.14	1926.01	
MW-09	11/4/1993	55.32			1977.34	1981.14	1925.82	
MW-09	2/24/1994	55.09			1977.34	1981.14	1926.05	
MW-09	3/23/1994	51.98			1977.34	1981.14	1929.16	
MW-09	4/27/1994	48.65			1977.34	1981.14	1932.49	
MW-09	5/26/1994	53.08			1977.34	1981.14	1928.06	
MW-09	6/23/1994	55.01			1977.34	1981.14	1926.13	
MW-09	7/20/1994	56.21			1977.34	1981.14	1924.93	
MW-09	8/29/1994	57.11			1977.34	1981.14	1924.03	
MW-09	9/13/1994	56.02			1977.34	1981.14	1925.12	
MW-09	10/13/1994	55.73			1977.34	1981.14	1925.41	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-09	11/13/1994	54.87			1977.34	1981.14	1926.27	
MW-09	12/20/1994	53.41			1977.34	1981.14	1927.73	
MW-09	1/27/1995	51.74			1977.34	1981.14	1929.4	
MW-09	3/8/1995	47.86			1977.34	1981.14	1933.28	
MW-09	4/24/1995	50.25			1977.34	1981.14	1930.89	
MW-09	5/23/1995	51.47			1977.34	1981.14	1929.67	
MW-09	6/26/1995	53.72			1977.34	1981.14	1927.42	
MW-09	8/2/1995	56.14			1977.34	1981.14	1925	
MW-09	8/23/1995	56.29			1977.34	1981.14	1924.85	
MW-09	8/30/1995	56.23			1977.34	1981.14	1924.91	
MW-09	9/28/1995	55.53			1977.34	1981.14	1925.61	
MW-09	11/3/1995	53.72			1977.34	1981.14	1927.42	
MW-09	11/27/1995	49.85			1977.34	1981.14	1931.29	
MW-09	5/22/1996	45.95			1977.34	1981.14	1935.19	
MW-09	7/18/1996	54.75			1977.34	1981.14	1926.39	
MW-09	8/15/1996	55.28			1977.34	1981.14	1925.86	
MW-09	9/26/1996	55.01			1977.34	1981.14	1926.13	
MW-09	11/21/1996	54.76			1977.34	1981.14	1926.38	
MW-09	12/19/1996	51.95			1977.34	1981.14	1929.19	
MW-09	1/17/1997	49.8			1977.34	1981.14	1931.34	
MW-09	3/19/1997	49.61			1977.34	1981.14	1931.53	
MW-09	6/18/1997	45.53			1977.34	1981.14	1935.61	
MW-09	8/4/1997	54.43			1977.34	1981.14	1926.71	
MW-09	8/29/1997	55.1			1977.34	1981.14	1926.04	
MW-09	9/30/1997	54.05			1977.34	1981.14	1927.09	
MW-09	10/17/1997	53.86			1977.34	1981.14	1927.28	
MW-09	12/15/1997	52.65			1977.34	1981.14	1928.49	
MW-09	2/18/1998	51.67			1977.34	1981.14	1929.47	
MW-09	5/5/1998	48.04			1977.34	1981.14	1933.1	
MW-09	6/18/1998	51.84			1977.34	1981.14	1929.3	
MW-09	7/22/1998	54.55			1977.34	1981.14	1926.59	
MW-09	8/25/1998	56.01			1977.34	1981.14	1925.13	
MW-09	9/3/1998	56.24			1977.34	1981.14	1924.9	
MW-09	9/15/1998	55.51			1977.34	1981.14	1925.63	
MW-09	11/2/1998	54.69			1977.34	1981.14	1926.45	
MW-09	12/16/1998	52.55			1977.34	1981.14	1928.59	
MW-09	3/23/1999	49.68			1977.34	1981.14	1931.46	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-09	7/19/1999	53.3			1977.34	1981.14	1927.84	
MW-09	8/20/1999	55.3			1977.34	1981.14	1925.84	
MW-09	9/22/1999	54.66			1977.34	1981.14	1926.48	
MW-09	10/29/1999	54.88			1977.34	1981.14	1926.26	
MW-09	12/29/1999	51.41			1977.34	1981.14	1929.73	
MW-09	3/28/2000	49.56			1977.34	1981.14	1931.58	
MW-09	6/28/2000	53.08			1977.34	1981.14	1928.06	
MW-09	8/31/2000	56.44			1977.34	1981.14	1924.7	
MW-09	10/2/2000	54.72			1977.34	1981.14	1926.42	
MW-09	11/6/2000	54.28			1977.34	1981.14	1926.86	
MW-09	12/27/2000	54.91			1977.34	1981.14	1926.23	
MW-09	4/16/2001	53.15			1977.34	1981.14	1927.99	
MW-09	6/19/2001	54.14			1977.34	1981.14	1927	
MW-09	8/28/2001	56.93			1977.34	1981.14	1924.21	
MW-09	9/10/2001	56.2			1977.34	1981.14	1924.94	
MW-09	10/15/2001	55.24			1977.34	1981.14	1925.9	
MW-09	12/6/2001	53.98			1977.34	1981.14	1927.16	
MW-09	3/19/2002	51.3			1977.34	1981.14	1929.84	
MW-09	6/26/2002	50.17			1977.34	1981.14	1930.97	
MW-09	7/31/2002	55.25			1977.34	1981.14	1925.89	
MW-09	8/30/2002	56.15			1977.34	1981.14	1924.99	
MW-09	9/25/2002	55.17			1977.34	1981.14	1925.97	
MW-09	12/16/2002	54.8			1977.34	1981.14	1926.34	
MW-09	5/12/2003	51.02			1977.34	1981.14	1930.12	
MW-09	7/31/2003	56.76			1977.34	1981.14	1924.38	
MW-09	6/29/2004	53.91			1977.34	1981.14	1927.23	
MW-09	8/9/2004	56.45			1977.34	1981.14	1924.69	
MW-09	9/14/2004	56.33			1977.34	1981.14	1924.81	
MW-09	10/25/2004	54.15			1977.34	1981.14	1926.99	
MW-09	1/31/2007	53.49			1977.34	1981.14	1927.65	
MW-09	4/14/2007	47.76			1977.34	1981.14	1933.38	
MW-09	7/23/2007	55.89			1977.34	1981.14	1925.25	
MW-09	10/21/2007	55.12			1977.34	1981.14	1926.02	
MW-09	1/23/2008	54.49			1977.34	1981.14	1926.65	
MW-09	4/19/2008	50			1977.34	1981.14	1931.14	
MW-09	7/22/2008	54.06				1981.14	1927.08	
MW-09	10/18/2008	54.72				1981.14	1926.42	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-10	11/29/1990	73.1			2011.8	2013.27	1940.17	
MW-10	1/1/1991	75.37			2011.8	2013.27	1937.9	
MW-10	1/30/1991	75.9			2011.8	2013.27	1937.37	
MW-10	3/10/1991	72.75			2011.8	2013.27	1940.52	
MW-10	4/5/1991	74.81			2011.8	2013.27	1938.46	
MW-10	4/30/1991	72.16			2011.8	2013.27	1941.11	
MW-10	5/29/1991	70.92			2011.8	2013.27	1942.35	
MW-10	6/5/1991	71.45			2011.8	2013.27	1941.82	
MW-10	6/8/1991	71.45			2011.8	2013.27	1941.82	
MW-10	6/24/1991	72.44			2011.8	2013.27	1940.83	
MW-10	7/10/1991	75.67			2011.8	2013.27	1937.6	
MW-10	8/1/1991	78.37			2011.8	2013.27	1934.9	
MW-10	8/27/1991	80.5			2011.8	2013.27	1932.77	
MW-10	12/6/1991	78.35			2011.8	2013.27	1934.92	
MW-10	12/7/1991	78.25			2011.8	2013.27	1935.02	
MW-10	10/8/1993	79.56			2011.8	2013.27	1933.71	
MW-10	10/31/1993	79.75			2011.8	2013.27	1933.52	
MW-10	2/24/1994	79.93			2011.8	2013.27	1933.34	
MW-10	3/23/1994	77.62			2011.8	2013.27	1935.65	
MW-10	4/27/1994	74.49			2011.8	2013.27	1938.78	
MW-10	5/26/1994	77.29			2011.8	2013.27	1935.98	
MW-10	6/23/1994	79.56			2011.8	2013.27	1933.71	
MW-10	7/20/1994	80.67			2011.8	2013.27	1932.6	
MW-10	8/29/1994	80.74			2011.8	2013.27	1932.53	
MW-10	9/13/1994	80.7			2011.8	2013.27	1932.57	
MW-10	11/13/1994	80.59			2011.8	2013.27	1932.68	
MW-10	12/20/1994	78.45			2011.8	2013.27	1934.82	
MW-10	1/27/1995	75.93			2011.8	2013.27	1937.34	
MW-10	3/8/1995	71.49			2011.8	2013.27	1941.78	
MW-10	4/24/1995	73.02			2011.8	2013.27	1940.25	
MW-10	5/23/1995	74			2011.8	2013.27	1939.27	
MW-10	6/26/1995	76.64			2011.8	2013.27	1936.63	
MW-10	8/2/1995	79.98			2011.8	2013.27	1933.29	
MW-10	8/23/1995	79.95			2011.8	2013.27	1933.32	
MW-10	8/30/1995	80.04			2011.8	2013.27	1933.23	
MW-10	9/28/1995	79.79			2011.8	2013.27	1933.48	
MW-10	11/3/1995	77.41			2011.8	2013.27	1935.86	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-10	11/27/1995	73.74			2011.8	2013.27	1939.53	
MW-10	5/22/1996	65.95			2011.8	2013.27	1947.32	
MW-10	7/18/1996	74.25			2011.8	2013.27	1939.02	Changed on 7/96 from stickup to flush mount (-2.33).
MW-10	8/15/1996	75.72			2009.47	2013.27	1937.55	
MW-10	9/26/1996	75.71			2009.47	2013.27	1937.56	
MW-10	11/21/1996	75.42			2009.47	2013.27	1937.85	
MW-10	12/19/1996	72.36			2009.47	2013.27	1940.91	
MW-10	1/17/1997	69			2009.47	2013.27	1944.27	
MW-10	3/19/1997	69.3			2009.47	2013.27	1943.97	
MW-10	6/17/1997	62.78			2009.47	2013.27	1950.49	
MW-10	8/4/1997	72.41			2009.47	2013.27	1940.86	
MW-10	8/29/1997	73.8			2009.47	2013.27	1939.47	
MW-10	10/2/1997	73.04			2009.47	2013.27	1940.23	
MW-10	10/17/1997	72.55			2009.47	2013.27	1940.72	
MW-10	12/15/1997	71.8			2009.47	2013.27	1941.47	
MW-10	2/21/1998	70.62			2009.47	2013.27	1942.65	
MW-10	6/17/1998	70.74			2009.47	2013.27	1942.53	
MW-10	7/22/1998	74.36			2009.47	2013.27	1938.91	
MW-10	8/25/1998	76.38			2009.47	2013.27	1936.89	
MW-10	9/3/1998	76.54			2009.47	2013.27	1936.73	
MW-10	9/14/1998	76.02			2009.47	2013.27	1937.25	
MW-10	11/2/1998	74.97			2009.47	2013.27	1938.3	
MW-10	12/14/1998	72.11			2009.47	2013.27	1941.16	
MW-10	3/23/1999	69.51			2009.47	2013.27	1943.76	
MW-10	7/19/1999	72.23			2009.47	2013.27	1941.04	
MW-10	8/20/1999	74.8			2009.47	2013.27	1938.47	
MW-10	9/22/1999	74.95			2009.47	2013.27	1938.32	
MW-10	10/29/1999	74.85			2009.47	2013.27	1938.42	
MW-10	12/30/1999	70.57			2009.47	2013.27	1942.7	
MW-10	3/30/2000	69.17			2009.47	2013.27	1944.1	
MW-10	6/26/2000	71.28			2009.47	2013.27	1941.99	
MW-10	8/31/2000	76.52			2009.47	2013.27	1936.75	
MW-10	10/2/2000	74.71			2009.47	2013.27	1938.56	
MW-10	11/6/2000	74.09			2009.47	2013.27	1939.18	
MW-10	4/16/2001	73.91			2009.47	2013.27	1939.36	
MW-10	6/19/2001	74.24			2009.47	2013.27	1939.03	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-10	8/28/2001	78			2009.47	2013.27	1935.27	
MW-10	9/10/2001	78.04			2009.47	2013.27	1935.23	
MW-10	10/15/2001	76.4			2009.47	2013.27	1936.87	
MW-10	12/6/2001	74.72			2009.47	2013.27	1938.55	
MW-10	3/20/2002	71.57			2009.47	2013.27	1941.7	
MW-10	6/26/2002	68.75			2009.47	2013.27	1944.52	
MW-10	7/31/2002	74.9			2009.47	2013.27	1938.37	
MW-10	8/30/2002	76.66			2009.47	2013.27	1936.61	
MW-10	9/26/2002	75.72			2009.47	2013.27	1937.55	
MW-10	12/18/2002	75.4			2009.47	2013.27	1937.87	
MW-10	5/12/2003	70.5			2009.47	2013.27	1942.77	
MW-10	7/31/2003	77.61			2009.47	2013.27	1935.66	
MW-10	7/1/2004	74.22			2009.47	2013.27	1939.05	
MW-10	8/9/2004	77.53			2009.47	2013.27	1935.74	
MW-10	9/14/2004	77.45			2009.47	2013.27	1935.82	
MW-10	10/25/2004	74.71			2009.47	2013.27	1938.56	
MW-10	8/30/2005	78.03			2009.47	2013.27	1935.24	
MW-10	9/29/2005	76.53			2009.47	2013.27	1936.74	
MW-10	10/24/2005	75.67			2009.47	2013.27	1937.6	
MW-10	1/23/2006	68.79			2009.47	2013.27	1944.48	
MW-10	4/17/2006	68.03			2009.47	2013.27	1945.24	
MW-10	6/27/2006	71.84			2009.47	2013.27	1941.43	
MW-10	7/17/2006	74.91			2009.47	2013.27	1938.36	
MW-10	8/28/2006	77.34			2009.47	2013.27	1935.93	
MW-10	9/26/2006	76.02			2009.47	2013.27	1937.25	
MW-10	10/23/2006	75.39			2009.47	2013.27	1937.88	
MW-10	1/31/2007	72.97			2009.47	2013.27	1940.3	
MW-10	4/14/2007	67.37			2009.47	2013.27	1945.9	
MW-10	7/23/2007	76.4			2009.47	2013.27	1936.87	
MW-10	10/21/2007	75.45			2009.47	2013.27	1937.82	
MW-10	1/23/2008	74.7			2009.47	2013.27	1938.57	
MW-10	4/19/2008	70.8			2009.47	2013.27	1942.47	
MW-10	7/22/2008	72.41				2013.27	1940.86	
MW-10	10/18/2008	74.34				2013.27	1938.93	
MW-11	6/8/1991	70.9			2001.21	2005.01	1934.11	
MW-11	5/15/1992	75.1			2001.21	2005.01	1929.91	
MW-11	10/8/1993	78.26			2001.21	2005.01	1926.75	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-12	9/28/1995	50.81			1968.48	1972.28	1921.47	
MW-12	9/26/1996	50.02			1968.48	1972.28	1922.26	
MW-12	12/19/1996	46.47			1968.48	1972.28	1925.81	
MW-12	3/19/1997	43.98			1968.48	1972.28	1928.3	
MW-12	6/18/1997	39.64			1968.48	1972.28	1932.64	
MW-12	8/4/1997	49.58			1968.48	1972.28	1922.7	
MW-12	8/29/1997	50.53			1968.48	1972.28	1921.75	
MW-12	9/30/1997	49.01			1968.48	1972.28	1923.27	
MW-12	10/17/1997	48.72			1968.48	1972.28	1923.56	
MW-12	12/15/1997	47.36			1968.48	1972.28	1924.92	
MW-12	2/18/1998	46.01			1968.48	1972.28	1926.27	
MW-12	5/6/1998	41.9			1968.48	1972.28	1930.38	
MW-12	6/17/1998	46.35			1968.48	1972.28	1925.93	
MW-12	7/22/1998	49.74			1968.48	1972.28	1922.54	
MW-12	8/25/1998	51.59			1968.48	1972.28	1920.69	
MW-12	9/3/1998	51.79			1968.48	1972.28	1920.49	
MW-12	9/15/1998	49.89			1968.48	1972.28	1922.39	
MW-12	11/2/1998	49.93			1968.48	1972.28	1922.35	
MW-12	12/16/1998	47.02			1968.48	1972.28	1925.26	
MW-12A	3/23/1999	43.21			1966.83	1970.76	1927.55	
MW-12A	7/19/1999	46.58			1966.83	1970.76	1924.18	
MW-12A	8/20/1999	49.03			1966.83	1970.76	1921.73	
MW-12A	9/21/1999	48.23			1966.83	1970.76	1922.53	
MW-12A	10/29/1999	48.52			1966.83	1970.76	1922.24	
MW-12A	12/30/1999	44.32			1966.83	1970.76	1926.44	
MW-12A	3/31/2000	42.17			1966.83	1970.76	1928.59	
MW-12A	6/28/2000	45.94			1966.83	1970.76	1924.82	
MW-12A	8/31/2000	50.28			1966.83	1970.76	1920.48	
MW-12A	10/2/2000	47.9			1966.83	1970.76	1922.86	
MW-12A	11/6/2000	47.38			1966.83	1970.76	1923.38	
MW-12A	12/27/2000	48.21			1966.83	1970.76	1922.55	
MW-12A	4/16/2001	46			1966.83	1970.76	1924.76	
MW-12A	6/19/2001	47.24			1966.83	1970.76	1923.52	
MW-12A	8/28/2001	50.55			1966.83	1970.76	1920.21	
MW-12A	9/10/2001	49.78			1966.83	1970.76	1920.98	
MW-12A	10/15/2001	48.53			1966.83	1970.76	1922.23	
MW-12A	12/6/2001	46.92			1966.83	1970.76	1923.84	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-12A	3/18/2002	43.3			1966.83	1970.76	1927.46	
MW-12A	6/25/2002	42.68			1966.83	1970.76	1928.08	
MW-12A	7/31/2002	48.64			1966.83	1970.76	1922.12	
MW-12A	8/30/2002	49.75			1966.83	1970.76	1921.01	
MW-12A	9/24/2002	48.58			1966.83	1970.76	1922.18	
MW-12A	12/16/2002	48.09			1966.83	1970.76	1922.67	
MW-12A	5/12/2003	43.61			1966.83	1970.76	1927.15	
MW-12A	7/31/2003	50.56			1966.83	1970.76	1920.2	
MW-12A	10/22/2003	49.54			1966.83	1970.76	1921.22	
MW-12A	3/5/2004	45.21			1966.83	1970.76	1925.55	
MW-12A	6/29/2004	46.93			1966.83	1970.76	1923.83	
MW-12A	8/9/2004	50.48			1966.83	1970.76	1920.28	
MW-12A	9/14/2004	50.33			1966.83	1970.76	1920.43	
MW-12A	10/25/2004	47.49			1966.83	1970.76	1923.27	
MW-12A	7/25/2005	49.81			1966.83	1970.76	1920.95	
MW-12A	8/30/2005	50.92			1966.83	1970.76	1919.84	
MW-12A	9/29/2005	49			1966.83	1970.76	1921.76	
MW-12A	10/24/2005	48.36			1966.83	1970.76	1922.4	
MW-12A	1/23/2006	40.73			1966.83	1970.76	1930.03	
MW-12A	4/17/2006	38.59			1966.83	1970.76	1932.17	
MW-12A	6/27/2006	46.82			1966.83	1970.76	1923.94	
MW-12A	7/17/2006	48.85			1966.83	1970.76	1921.91	
MW-12A	8/28/2006	50.52			1966.83	1970.76	1920.24	
MW-12A	9/26/2006	49			1966.83	1970.76	1921.76	
MW-12A	10/23/2006	48.41			1966.83	1970.76	1922.35	
MW-12A	1/31/2007	46.55			1966.83	1970.76	1924.21	
MW-12A	4/14/2007	40.33			1966.83	1970.76	1930.43	
MW-12A	7/23/2007	49.9			1966.83	1970.76	1920.86	
MW-12A	10/21/2007	48.77			1966.83	1970.76	1921.99	
MW-12A	1/23/2008	47.48			1966.83	1970.76	1923.28	
MW-12A	4/19/2008	42.33			1966.83	1970.76	1928.43	
MW-12A	7/22/2008	47.4				1970.76	1923.36	
MW-12A	10/18/2008	48.27				1970.76	1922.49	
MW-13	2/17/1998	45.02			1969.5	1973.3	1928.28	
MW-13	5/5/1998	41.38			1969.5	1973.3	1931.92	
MW-13	6/18/1998	45.21			1969.5	1973.3	1928.09	
MW-13	7/22/1998	47.89			1969.5	1973.3	1925.41	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-13	8/25/1998	49.34			1969.5	1973.3	1923.96	
MW-13	9/2/1998	49.63			1969.5	1973.3	1923.67	
MW-13	11/2/1998	48.02			1969.5	1973.3	1925.28	
MW-13	12/16/1998	45.88			1969.5	1973.3	1927.42	
MW-13	3/23/1999	42.87			1969.5	1973.3	1930.43	
MW-13	7/19/1999	46.62			1969.5	1973.3	1926.68	
MW-13	8/20/1999	48.69			1969.5	1973.3	1924.61	
MW-13	9/22/1999	48			1969.5	1973.3	1925.3	
MW-13	10/29/1999	48.28			1969.5	1973.3	1925.02	
MW-13	12/30/1999	44.86			1969.5	1973.3	1928.44	
MW-13	3/28/2000	42.98			1969.5	1973.3	1930.32	
MW-13	6/28/2000	46.53			1969.5	1973.3	1926.77	
MW-13	10/2/2000	48.2			1969.5	1973.3	1925.1	
MW-13	12/27/2000	48.34			1969.5	1973.3	1924.96	
MW-13	4/16/2001	46.56			1969.5	1973.3	1926.74	
MW-13	6/19/2001	47.55			1969.5	1973.3	1925.75	
MW-13	8/28/2001	50.35			1969.5	1973.3	1922.95	
MW-13	9/10/2001	49.62			1969.5	1973.3	1923.68	
MW-13	10/15/2001	48.64			1969.5	1973.3	1924.66	
MW-13	12/6/2001	47.29			1969.5	1973.3	1926.01	
MW-13	3/18/2002	44.41			1969.5	1973.3	1928.89	
MW-13	6/25/2002	43.72			1969.5	1973.3	1929.58	
MW-13	7/31/2002	48.7			1969.5	1973.3	1924.6	
MW-13	8/30/2002	49.56			1969.5	1973.3	1923.74	
MW-13	9/25/2002	48.58			1969.5	1973.3	1924.72	
MW-13	12/16/2002	48.23			1969.5	1973.3	1925.07	
MW-13	5/12/2003	44.47			1969.5	1973.3	1928.83	
MW-13	7/31/2003	50.18			1969.5	1973.3	1923.12	
MW-13	6/29/2004	47.32			1969.5	1973.3	1925.98	
MW-13	8/9/2004	49.88			1969.5	1973.3	1923.42	
MW-13	9/14/2004	49.76			1969.5	1973.3	1923.54	
MW-13	10/25/2004	47.55			1969.5	1973.3	1925.75	
MW-13	1/31/2007	46.95			1969.5	1973.3	1926.35	
MW-13	4/14/2007	41.13			1969.5	1973.3	1932.17	
MW-13	7/23/2007	49.28			1969.5	1973.3	1924.02	
MW-13	10/21/2007	48.57			1969.5	1973.3	1924.73	
MW-13	1/23/2008	47.95			1969.5	1973.3	1925.35	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-13	4/19/2008	43.43			1969.5	1973.3	1929.87	
MW-13	7/22/2008	47.51				1973.3	1925.79	
MW-13	10/18/2008	48.17				1973.3	1925.13	
MW-14	2/17/1998	29.76			1952.34	1956.14	1926.38	
MW-14	5/5/1998	25.65			1952.34	1956.14	1930.49	
MW-14	6/18/1998	30.02			1952.34	1956.14	1926.12	
MW-14	7/22/1998	33.24			1952.34	1956.14	1922.9	
MW-14	8/25/1998	35.06			1952.34	1956.14	1921.08	
MW-14	9/2/1998	35.36			1952.34	1956.14	1920.78	
MW-14	11/2/1998	33.43			1952.34	1956.14	1922.71	
MW-14	12/15/1998	30.7			1952.34	1956.14	1925.44	
MW-14	3/23/1999	27.23			1952.34	1956.14	1928.91	
MW-14	7/19/1999	31.69			1952.34	1956.14	1924.45	
MW-14	8/20/1999	34.19			1952.34	1956.14	1921.95	
MW-14	9/21/1999	33.38			1952.34	1956.14	1922.76	
MW-14	10/29/1999	33.62			1952.34	1956.14	1922.52	
MW-14	12/30/1999	29.57			1952.34	1956.14	1926.57	
MW-14	3/29/2000	27.39			1952.34	1956.14	1928.75	
MW-14	6/28/2000	31.48			1952.34	1956.14	1924.66	
MW-14	8/31/2000	35.51			1952.34	1956.14	1920.63	
MW-14	10/2/2000	33.43			1952.34	1956.14	1922.71	
MW-14	11/6/2000	32.89			1952.34	1956.14	1923.25	
MW-14	12/27/2000	33.65			1952.34	1956.14	1922.49	
MW-14	4/16/2001	31.38			1952.34	1956.14	1924.76	
MW-14	6/19/2001	32.61			1952.34	1956.14	1923.53	
MW-14	8/28/2001	36.09			1952.34	1956.14	1920.05	
MW-14	9/10/2001	35.17			1952.34	1956.14	1920.97	
MW-14	10/15/2001	33.98			1952.34	1956.14	1922.16	
MW-14	12/6/2001	32.31			1952.34	1956.14	1923.83	
MW-14	3/18/2002	28.7			1952.34	1956.14	1927.44	
MW-14	6/24/2002	28.11			1952.34	1956.14	1928.03	
MW-14	7/31/2002	34.06			1952.34	1956.14	1922.08	
MW-14	8/30/2002	35.14			1952.34	1956.14	1921	
MW-14	9/24/2002	33.92			1952.34	1956.14	1922.22	
MW-14	12/16/2002	33.38			1952.34	1956.14	1922.76	
MW-14	5/12/2003	28.94			1952.34	1956.14	1927.2	
MW-14	7/31/2003	35.9			1952.34	1956.14	1920.24	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-14	6/29/2004	32.05			1952.34	1956.14	1924.09	
MW-14	8/9/2004	35.54			1952.34	1956.14	1920.6	
MW-14	9/14/2004	35.38			1952.34	1956.14	1920.76	
MW-14	10/25/2004	32.61			1952.34	1956.14	1923.53	
MW-14	7/25/2005	34.93			1952.34	1956.14	1921.21	
MW-14	8/30/2005	35.98			1952.34	1956.14	1920.16	
MW-14	9/29/2005	34.02			1952.34	1956.14	1922.12	
MW-14	10/24/2005	33.49			1952.34	1956.14	1922.65	
MW-14	1/23/2006	26			1952.34	1956.14	1930.14	
MW-14	4/17/2006	23.76			1952.34	1956.14	1932.38	
MW-14	6/27/2006	31.24			1952.34	1956.14	1924.9	
MW-14	7/17/2006	34.09			1952.34	1956.14	1922.05	
MW-14	8/28/2006	35.84			1952.34	1956.14	1920.3	
MW-14	9/26/2006	34.1			1952.34	1956.14	1922.04	
MW-14	10/23/2006	33.67			1952.34	1956.14	1922.47	
MW-14	1/31/2007	31.89			1952.34	1956.14	1924.25	
MW-14	4/14/2007	25.39			1952.34	1956.14	1930.75	
MW-14	7/23/2007	34.82			1952.34	1956.14	1921.32	
MW-14	10/21/2007	33.49			1952.34	1956.14	1922.65	
MW-14	1/23/2008	33			1952.34	1956.14	1923.14	
MW-14	4/19/2008	27.72			1952.34	1956.14	1928.42	
MW-14	7/22/2008	32.54				1956.14	1923.6	
MW-14	10/18/2008	33.36				1956.14	1922.78	
MW-15	2/17/1998	37.03			1958.95	1962.75	1925.72	
MW-15	5/5/1998	32.67			1958.95	1962.75	1930.08	
MW-15	6/18/1998	37.24			1958.95	1962.75	1925.51	
MW-15	7/22/1998	40.64			1958.95	1962.75	1922.11	
MW-15	8/25/1998	42.52			1958.95	1962.75	1920.23	
MW-15	11/2/1998	40.81			1958.95	1962.75	1921.94	
MW-15	12/15/1998	37.79			1958.95	1962.75	1924.96	
MW-15	3/23/1999	34.22			1958.95	1962.75	1928.53	
MW-15	7/19/1999	39			1958.95	1962.75	1923.75	
MW-15	8/20/1999	41.48			1958.95	1962.75	1921.27	
MW-15	9/21/1999	40.67			1958.95	1962.75	1922.08	
MW-15	10/29/1999	40.86			1958.95	1962.75	1921.89	
MW-15	12/30/1999	36.68			1958.95	1962.75	1926.07	
MW-15	3/29/2000	34.45			1958.95	1962.75	1928.3	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-15	6/28/2000	38.59			1958.95	1962.75	1924.16	
MW-15	8/31/2000	42.84			1958.95	1962.75	1919.91	
MW-15	10/2/2000	40.56			1958.95	1962.75	1922.19	
MW-15	11/6/2000	40.02			1958.95	1962.75	1922.73	
MW-15	12/27/2000	40.81			1958.95	1962.75	1921.94	
MW-15	4/16/2001	38.44			1958.95	1962.75	1924.31	
MW-15	6/19/2001	39.78			1958.95	1962.75	1922.97	
MW-15	8/28/2001	43.35			1958.95	1962.75	1919.4	
MW-15	9/10/2001	42.41			1958.95	1962.75	1920.34	
MW-15	10/15/2001	41.17			1958.95	1962.75	1921.58	
MW-15	12/6/2001	39.47			1958.95	1962.75	1923.28	
MW-15	3/18/2002	35.77			1958.95	1962.75	1926.98	
MW-15	6/24/2002	35.19			1958.95	1962.75	1927.56	
MW-15	7/31/2002	41.29			1958.95	1962.75	1921.46	
MW-15	8/30/2002	42.5			1958.95	1962.75	1920.25	
MW-15	9/24/2002	41.15			1958.95	1962.75	1921.6	
MW-15	12/16/2002	40.6			1958.95	1962.75	1922.15	
MW-15	5/12/2003	36.06			1958.95	1962.75	1926.69	
MW-15	7/31/2003	43.18			1958.95	1962.75	1919.57	
MW-15	6/29/2004	39.29			1958.95	1962.75	1923.46	
MW-15	8/9/2004	42.83			1958.95	1962.75	1919.92	
MW-15	9/14/2004	42.7			1958.95	1962.75	1920.05	
MW-15	10/25/2004	39.82			1958.95	1962.75	1922.93	
MW-15	7/25/2005	42.15			1958.95	1962.75	1920.6	
MW-15	8/30/2005	43.26			1958.95	1962.75	1919.49	
MW-15	9/29/2005	41.3			1958.95	1962.75	1921.45	
MW-15	10/24/2005	40.69			1958.95	1962.75	1922.06	
MW-15	1/23/2006	33.02			1958.95	1962.75	1929.73	
MW-15	4/17/2006	37.3			1958.95	1962.75	1925.45	
MW-15	6/27/2006	38.36			1958.95	1962.75	1924.39	
MW-15	7/17/2006	41.35			1958.95	1962.75	1921.4	
MW-15	8/28/2006	43.1			1958.95	1962.75	1919.65	
MW-15	9/26/2006	41.54			1958.95	1962.75	1921.21	
MW-15	10/23/2006	40.88			1958.95	1962.75	1921.87	
MW-15	1/31/2007	39.01			1958.95	1962.75	1923.74	
MW-15	4/14/2007	35.59			1958.95	1962.75	1927.16	
MW-15	7/23/2007	42.31			1958.95	1962.75	1920.44	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-15	10/21/2007	41.09			1958.95	1962.75	1921.66	
MW-15	1/23/2008	40.14			1958.95	1962.75	1922.61	
MW-15	4/19/2008	34.7			1958.95	1962.75	1928.05	
MW-15	7/22/2008	39.87				1962.75	1922.88	
MW-15	10/18/2008	40.66				1962.75	1922.09	
MW-16	2/17/1998	69.41			1994.03	1997.85	1928.44	
MW-16	5/6/1998	66.02			1994.03	1997.85	1931.83	
MW-16	6/18/1998	69.38			1994.03	1997.85	1928.47	
MW-16	7/22/1998	72.4			1994.03	1997.85	1925.45	
MW-16	8/25/1998	73.95			1994.03	1997.85	1923.9	
MW-16	9/15/1998	73.39			1994.03	1997.85	1924.46	
MW-16	11/2/1998	72.68			1994.03	1997.85	1925.17	
MW-16	12/16/1998	70.32			1994.03	1997.85	1927.53	
MW-16	3/23/1999	67.63			1994.03	1997.85	1930.22	
MW-16	7/19/1999	70.78			1994.03	1997.85	1927.07	
MW-16	8/20/1999	72.92			1994.03	1997.85	1924.93	
MW-16	9/22/1999	72.68			1994.03	1997.85	1925.17	
MW-16	10/29/1999	72.75			1994.03	1997.85	1925.1	
MW-16	12/30/1999	69.04			1994.03	1997.85	1928.81	
MW-16	3/29/2000	67.41			1994.03	1997.85	1930.44	
MW-16	6/28/2000	70.12			1994.03	1997.85	1927.73	
MW-16	8/31/2000	74.15			1994.03	1997.85	1923.7	
MW-16	10/2/2000	72.51			1994.03	1997.85	1925.34	
MW-16	11/6/2000	72			1994.03	1997.85	1925.85	
MW-16	12/27/2000	72.82			1994.03	1997.85	1925.03	
MW-16	4/16/2001	71.17			1994.03	1997.85	1926.68	
MW-16	6/19/2001	71.84			1994.03	1997.85	1926.01	
MW-16	8/28/2001	75			1994.03	1997.85	1922.85	
MW-16	9/10/2001	74.52			1994.03	1997.85	1923.33	
MW-16	10/15/2001	73.32			1994.03	1997.85	1924.53	
MW-16	12/6/2001	71.96			1994.03	1997.85	1925.89	
MW-16	3/19/2002	68.83			1994.03	1997.85	1929.02	
MW-16	6/25/2002	67.37			1994.03	1997.85	1930.48	
MW-16	7/31/2002	72.82			1994.03	1997.85	1925.03	
MW-16	8/30/2002	73.97			1994.03	1997.85	1923.88	
MW-16	9/25/2002	73.08			1994.03	1997.85	1924.77	
MW-16	12/16/2002	72.8			1994.03	1997.85	1925.05	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-16	5/12/2003	68.63			1994.03	1997.85	1929.22	
MW-16	7/31/2003	74.57			1994.03	1997.85	1923.28	
MW-16	6/29/2004	71.48			1994.03	1997.85	1926.37	
MW-16	8/9/2004	74.5			1994.03	1997.85	1923.35	
MW-16	9/14/2004	74.46			1994.03	1997.85	1923.39	
MW-16	10/25/2004	72.2			1994.03	1997.85	1925.65	
MW-16	7/25/2005	74.05			1994.03	1997.85	1923.8	
MW-16	8/30/2005	75.03			1994.03	1997.85	1922.82	
MW-16	9/29/2005	73.64			1994.03	1997.85	1924.21	
MW-16	10/24/2005	72.9			1994.03	1997.85	1924.95	
MW-16	1/23/2006	66.25			1994.03	1997.85	1931.6	
MW-16	4/17/2006	64.74			1994.03	1997.85	1933.11	
MW-16	6/27/2006	70.22			1994.03	1997.85	1927.63	
MW-16	7/17/2006	72.86			1994.03	1997.85	1924.99	
MW-16	8/28/2006	74.51			1994.03	1997.85	1923.34	
MW-16	9/26/2006	73.33			1994.03	1997.85	1924.52	
MW-16	10/23/2006	72.92			1994.03	1997.85	1924.93	
MW-16	1/31/2007	71.08			1994.03	1997.85	1926.77	
MW-16	4/14/2007	65.69			1994.03	1997.85	1932.16	
MW-16	7/23/2007	73.83			1994.03	1997.85	1924.02	
MW-16	10/21/2007	73.06			1994.03	1997.85	1924.79	
MW-16	1/23/2008	72.25			1994.03	1997.85	1925.6	
MW-16	4/19/2008	68.08			1994.03	1997.85	1929.77	
MW-16	7/22/2008	71.31				1997.85	1926.54	
MW-16	10/18/2008	72.45				1997.85	1925.4	
MW-17S	8/28/2001	74.42			1992.81	1996.61	1922.19	
MW-17S	9/10/2001	73.8			1992.81	1996.61	1922.81	
MW-17S	10/15/2001	72.75			1992.81	1996.61	1923.86	
MW-17S	12/6/2001	71.53			1992.81	1996.61	1925.08	
MW-17S	3/19/2002	68.57			1992.81	1996.61	1928.04	
MW-17S	6/25/2002	67.68			1992.81	1996.61	1928.93	
MW-17S	7/31/2002	72.61			1992.81	1996.61	1924	
MW-17S	8/30/2002	73.55			1992.81	1996.61	1923.06	
MW-17S	9/25/2002	72.68			1992.81	1996.61	1923.93	
MW-17S	12/18/2002	72.14			1992.81	1996.61	1924.47	
MW-17S	5/12/2003	68.69			1992.81	1996.61	1927.92	
MW-17S	7/31/2003	74.22			1992.81	1996.61	1922.39	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-17S	10/22/2003	73.48			1992.81	1996.61	1923.13	
MW-17S	3/4/2004	70.23			1992.81	1996.61	1926.38	
MW-17S	6/29/2004	77.7			1992.81	1996.61	1918.91	
MW-17S	8/9/2004	74.21			1992.81	1996.61	1922.4	
MW-17S	9/14/2004	74.1			1992.81	1996.61	1922.51	
MW-17S	10/25/2004	71.9			1992.81	1996.61	1924.71	
MW-17S	7/25/2005	73.71			1992.81	1996.61	1922.9	
MW-17S	8/30/2005	74.69			1992.81	1996.61	1921.92	
MW-17S	9/29/2005	73.18			1992.81	1996.61	1923.43	
MW-17S	10/24/2005	72.55			1992.81	1996.61	1924.06	
MW-17S	1/25/2006	66.11			1992.81	1996.61	1930.5	
MW-17S	4/17/2006	64.19			1992.81	1996.61	1932.42	
MW-17S	6/27/2006	70.38			1992.81	1996.61	1926.23	
MW-17S	7/17/2006	72.72			1992.81	1996.61	1923.89	
MW-17S	8/28/2006	74.24			1992.81	1996.61	1922.37	
MW-17S	9/26/2006	73.07			1992.81	1996.61	1923.54	
MW-17S	10/23/2006	72.6			1992.81	1996.61	1924.01	
MW-17S	1/31/2007	71.06			1992.81	1996.61	1925.55	
MW-17S	4/14/2007	65.61			1992.81	1996.61	1931	
MW-17S	7/23/2007	73.53			1992.81	1996.61	1923.08	
MW-17S	10/21/2007	72.81			1992.81	1996.61	1923.8	
MW-17S	1/23/2008	71.88			1992.81	1996.61	1924.73	
MW-17S	4/19/2008	67.69			1992.81	1996.61	1928.92	
MW-17S	7/22/2008	71.5				1996.61	1925.11	
MW-17S	10/18/2008	72.33				1996.61	1924.28	
MW-18D	8/28/2001	74.36			1992.73	1996.53	1922.17	
MW-18D	9/10/2001	73.74			1992.73	1996.53	1922.79	
MW-18D	10/15/2001	72.68			1992.73	1996.53	1923.85	
MW-18D	12/6/2001	71.44			1992.73	1996.53	1925.09	
MW-18D	3/19/2002	68.46			1992.73	1996.53	1928.07	
MW-18D	6/25/2002	67.55			1992.73	1996.53	1928.98	
MW-18D	7/31/2002	72.54			1992.73	1996.53	1923.99	
MW-18D	8/30/2002	73.49			1992.73	1996.53	1923.04	
MW-18D	9/25/2002	72.6			1992.73	1996.53	1923.93	
MW-18D	12/18/2002	72.05			1992.73	1996.53	1924.48	
MW-18D	5/12/2003	68.56			1992.73	1996.53	1927.97	
MW-18D	7/31/2003	74.2			1992.73	1996.53	1922.33	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-18D	10/22/2003	73.44			1992.73	1996.53	1923.09	
MW-18D	3/4/2004	70.12			1992.73	1996.53	1926.41	
MW-18D	6/29/2004	71.52			1992.73	1996.53	1925.01	
MW-18D	8/9/2004	74.13			1992.73	1996.53	1922.4	
MW-18D	9/14/2004	74			1992.73	1996.53	1922.53	
MW-18D	10/25/2004	71.83			1992.73	1996.53	1924.7	
MW-18D	7/25/2005	73.63			1992.73	1996.53	1922.9	
MW-18D	8/30/2005	74.63			1992.73	1996.53	1921.9	
MW-18D	9/29/2005	73.1			1992.73	1996.53	1923.43	
MW-18D	10/24/2005	72.5			1992.73	1996.53	1924.03	
MW-18D	1/23/2006	66			1992.73	1996.53	1930.53	
MW-18D	4/17/2006	64.09			1992.73	1996.53	1932.44	
MW-18D	6/27/2006	70.3			1992.73	1996.53	1926.23	
MW-18D	7/17/2006	72.65			1992.73	1996.53	1923.88	
MW-18D	8/28/2006	74.17			1992.73	1996.53	1922.36	
MW-18D	9/26/2006	73.6			1992.73	1996.53	1922.93	
MW-18D	10/23/2006	72.51			1992.73	1996.53	1924.02	
MW-18D	1/31/2007	70.95			1992.73	1996.53	1925.58	
MW-18D	4/14/2007	65.5			1992.73	1996.53	1931.03	
MW-18D	7/23/2007	73.44			1992.73	1996.53	1923.09	
MW-18D	10/21/2007	72.76			1992.73	1996.53	1923.77	
MW-18D	1/23/2008	71.79			1992.73	1996.53	1924.74	
MW-18D	4/19/2008	67.59			1992.73	1996.53	1928.94	
MW-18D	7/22/2008	71.43				1996.53	1925.1	
MW-18D	10/18/2008	72.24				1996.53	1924.29	
MW-19S	8/28/2001	54.51			1972.52	1975.93	1921.42	
MW-19S	9/10/2001	53.75			1972.52	1975.93	1922.18	
MW-19S	10/15/2001	52.59			1972.52	1975.93	1923.34	
MW-19S	3/19/2002	47.87			1972.52	1975.93	1928.06	
MW-19S	6/26/2002	46.93			1972.52	1975.93	1929	
MW-19S	7/31/2002	52.66			1972.52	1975.93	1923.27	
MW-19S	8/30/2002	53.64			1972.52	1975.93	1922.29	
MW-19S	9/25/2002	52.49			1972.52	1975.93	1923.44	
MW-19S	12/16/2002	52.1			1972.52	1975.93	1923.83	
MW-19S	5/12/2003	47.85			1972.52	1975.93	1928.08	
MW-19S	7/31/2003	54.38			1972.52	1975.93	1921.55	
MW-19S	6/29/2004	51			1972.52	1975.93	1924.93	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-19S	8/9/2004	53.98			1972.52	1975.93	1921.95	
MW-19S	9/14/2004	53.86			1972.52	1975.93	1922.07	
MW-19S	10/26/2004	51.22			1972.52	1975.93	1924.71	
MW-19S	7/25/2005	53.44			1972.52	1975.93	1922.49	
MW-19S	8/30/2005	54.45			1972.52	1975.93	1921.48	
MW-19S	9/29/2005	52.68			1972.52	1975.93	1923.25	
MW-19S	10/24/2005	52.08			1972.52	1975.93	1923.85	
MW-19S	1/25/2006	44.93			1972.52	1975.93	1931	
MW-19S	4/17/2006	42.72			1972.52	1975.93	1933.21	
MW-19S	6/27/2006	49.92			1972.52	1975.93	1926.01	
MW-19S	7/17/2006	52.68			1972.52	1975.93	1923.25	
MW-19S	8/28/2006	54.31			1972.52	1975.93	1921.62	
MW-19S	9/26/2006	52.98			1972.52	1975.93	1922.95	
MW-19S	10/23/2006	52.22			1972.52	1975.93	1923.71	
MW-19S	1/31/2007	50.54			1972.52	1975.93	1925.39	
MW-19S	4/14/2007	44.25			1972.52	1975.93	1931.68	
MW-19S	7/23/2007	53.14			1972.52	1975.93	1922.79	
MW-19S	10/21/2007	52.42			1972.52	1975.93	1923.51	
MW-19S	1/23/2008	51.7			1972.52	1975.93	1924.23	
MW-19S	4/19/2008	46.73			1972.52	1975.93	1929.2	
MW-19S	7/22/2008	51.18				1975.93	1924.75	
MW-19S	10/18/2008	52				1975.93	1923.93	
MW-20D	8/28/2001	54.79			1972.35	1976.15	1921.36	
MW-20D	9/10/2001	53.25			1972.35	1976.15	1922.9	
MW-20D	10/15/2001	52.79			1972.35	1976.15	1923.36	
MW-20D	12/6/2001	51.19			1972.35	1976.15	1924.96	
MW-20D	3/19/2002	48.08			1972.35	1976.15	1928.07	
MW-20D	6/26/2002	47.11			1972.35	1976.15	1929.04	
MW-20D	7/31/2002	52.83			1972.35	1976.15	1923.32	
MW-20D	8/30/2002	53.85			1972.35	1976.15	1922.3	
MW-20D	9/25/2002	52.66			1972.35	1976.15	1923.49	
MW-20D	12/16/2002	52.29			1972.35	1976.15	1923.86	
MW-20D	5/12/2003	48.03			1972.35	1976.15	1928.12	
MW-20D	7/31/2003	54.56			1972.35	1976.15	1921.59	
MW-20D	6/29/2004	51.15			1972.35	1976.15	1925	
MW-20D	8/9/2004	54.19			1972.35	1976.15	1921.96	
MW-20D	9/14/2004	54.05			1972.35	1976.15	1922.1	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-20D	10/25/2004	51.48			1972.35	1976.15	1924.67	
MW-20D	7/23/2007	53.32			1972.35	1976.15	1922.83	
MW-20D	10/21/2007	52.62			1972.35	1976.15	1923.53	
MW-20D	1/23/2008	51.89			1972.35	1976.15	1924.26	
MW-20D	4/19/2008	46.91			1972.35	1976.15	1929.24	
MW-20D	7/22/2008	51.38				1976.15	1924.77	
MW-20D	10/18/2008	52.19				1976.15	1923.96	
MW-21S	8/28/2001	40.21			1956.09	1959.89	1919.68	
MW-21S	9/10/2001	39.31			1956.09	1959.89	1920.58	
MW-21S	10/15/2001	38.09			1956.09	1959.89	1921.8	
MW-21S	12/6/2001	36.4			1956.09	1959.89	1923.49	
MW-21S	3/18/2002	32.78			1956.09	1959.89	1927.11	
MW-21S	6/24/2002	37.18			1956.09	1959.89	1922.71	
MW-21S	7/31/2002	38.18			1956.09	1959.89	1921.71	
MW-21S	8/30/2002	39.32			1956.09	1959.89	1920.57	
MW-21S	9/24/2002	38.07			1956.09	1959.89	1921.82	
MW-21S	12/16/2002	37.5			1956.09	1959.89	1922.39	
MW-21S	5/12/2003	33.02			1956.09	1959.89	1926.87	
MW-21S	7/31/2003	40.03			1956.09	1959.89	1919.86	
MW-21S	6/29/2004	36.19			1956.09	1959.89	1923.7	
MW-21S	8/9/2004	39.67			1956.09	1959.89	1920.22	
MW-21S	9/14/2004	39.53			1956.09	1959.89	1920.36	
MW-21S	10/25/2004	36.72			1956.09	1959.89	1923.17	
MW-21S	7/25/2005	39.03			1956.09	1959.89	1920.86	
MW-21S	8/30/2005	40.06			1956.09	1959.89	1919.83	
MW-21S	9/29/2005	38.17			1956.09	1959.89	1921.72	
MW-21S	10/24/2005	37.57			1956.09	1959.89	1922.32	
MW-21S	1/24/2006	30.01			1956.09	1959.89	1929.88	
MW-21S	4/17/2006	27.79			1956.09	1959.89	1932.1	
MW-21S	6/27/2006	35.29			1956.09	1959.89	1924.6	
MW-21S	7/17/2006	38.23			1956.09	1959.89	1921.66	
MW-21S	8/28/2006	39.97			1956.09	1959.89	1919.92	
MW-21S	9/26/2006	38.32			1956.09	1959.89	1921.57	
MW-21S	10/23/2006	37.8			1956.09	1959.89	1922.09	
MW-21S	1/31/2007	35.98			1956.09	1959.89	1923.91	
MW-21S	4/14/2007	29.51			1956.09	1959.89	1930.38	
MW-21S	7/23/2007	39.06			1956.09	1959.89	1920.83	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-21S	10/21/2007	37.95			1956.09	1959.89	1921.94	
MW-21S	1/23/2008	37.1			1956.09	1959.89	1922.79	
MW-21S	4/19/2008	31.73			1956.09	1959.89	1928.16	
MW-21S	7/22/2008	36.72				1959.89	1923.17	
MW-21S	10/18/2008	37.54				1959.89	1922.35	
MW-22D	8/28/2001	40.46			1956.35	1960.15	1919.69	
MW-22D	9/10/2001	39.54			1956.35	1960.15	1920.61	
MW-22D	10/15/2001	38.32			1956.35	1960.15	1921.83	
MW-22D	12/6/2001	36.69			1956.35	1960.15	1923.46	
MW-22D	3/18/2002	33			1956.35	1960.15	1927.15	
MW-22D	6/24/2002	35.42			1956.35	1960.15	1924.73	
MW-22D	7/31/2002	38.43			1956.35	1960.15	1921.72	
MW-22D	8/30/2002	39.54			1956.35	1960.15	1920.61	
MW-22D	9/24/2002	38.28			1956.35	1960.15	1921.87	
MW-22D	12/16/2002	37.75			1956.35	1960.15	1922.4	
MW-22D	5/12/2003	33.29			1956.35	1960.15	1926.86	
MW-22D	7/31/2003	40.26			1956.35	1960.15	1919.89	
MW-22D	6/29/2004	36.43			1956.35	1960.15	1923.72	
MW-22D	8/9/2004	39.9			1956.35	1960.15	1920.25	
MW-22D	9/14/2004	39.76			1956.35	1960.15	1920.39	
MW-22D	10/25/2004	36.96			1956.35	1960.15	1923.19	
MW-22D	7/25/2005	39.24			1956.35	1960.15	1920.91	
MW-22D	4/17/2006	28.03			1956.35	1960.15	1932.12	
MW-22D	8/28/2006	40.2			1956.35	1960.15	1919.95	
MW-22D	9/26/2006	38.55			1956.35	1960.15	1921.6	
MW-22D	10/23/2006	38			1956.35	1960.15	1922.15	
MW-22D	1/31/2007	36.22			1956.35	1960.15	1923.93	
MW-22D	4/14/2007	29.76			1956.35	1960.15	1930.39	
MW-22D	7/23/2007	39.27			1956.35	1960.15	1920.88	
MW-22D	10/21/2007	38.17			1956.35	1960.15	1921.98	
MW-22D	1/23/2008	37.34			1956.35	1960.15	1922.81	
MW-22D	4/19/2008	32.02			1956.35	1960.15	1928.13	
MW-22D	7/22/2008	36.96				1960.15	1923.19	
MW-22D	10/18/2008	37.75				1960.15	1922.4	
MW-23S	8/28/2001	44.41			1959.66	1963.46	1919.05	
MW-23S	9/10/2001	43.39			1959.66	1963.46	1920.07	
MW-23S	10/15/2001	42.16			1959.66	1963.46	1921.3	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-23S	12/6/2001	40.4			1959.66	1963.46	1923.06	
MW-23S	3/18/2002	36.47			1959.66	1963.46	1926.99	
MW-23S	6/25/2002	36.01			1959.66	1963.46	1927.45	
MW-23S	7/31/2002	42.32			1959.66	1963.46	1921.14	
MW-23S	8/30/2002	43.58			1959.66	1963.46	1919.88	
MW-23S	9/24/2002	42.21			1959.66	1963.46	1921.25	
MW-23S	12/16/2002	41.61			1959.66	1963.46	1921.85	
MW-23S	5/12/2003	36.9			1959.66	1963.46	1926.56	
MW-23S	7/31/2003	44.31			1959.66	1963.46	1919.15	
MW-23S	10/22/2003	42.95			1959.66	1963.46	1920.51	
MW-23S	3/5/2004	38.33			1959.66	1963.46	1925.13	
MW-23S	6/29/2004	40.33			1959.66	1963.46	1923.13	
MW-23S	8/9/2004	44			1959.66	1963.46	1919.46	
MW-23S	9/14/2004	43.84			1959.66	1963.46	1919.62	
MW-23S	10/25/2004	40.88			1959.66	1963.46	1922.58	
MW-23S	7/25/2005	43.25			1959.66	1963.46	1920.21	
MW-23S	8/30/2005	44.41			1959.66	1963.46	1919.05	
MW-23S	9/29/2005	42.38			1959.66	1963.46	1921.08	
MW-23S	10/24/2005	41.72			1959.66	1963.46	1921.74	
MW-23S	1/23/2006	33.82			1959.66	1963.46	1929.64	
MW-23S	4/17/2006	31.55			1959.66	1963.46	1931.91	
MW-23S	6/27/2006	39.35			1959.66	1963.46	1924.11	
MW-23S	7/17/2006	42.48			1959.66	1963.46	1920.98	
MW-23S	8/28/2006	44.25			1959.66	1963.46	1919.21	
MW-23S	9/26/2006	42.68			1959.66	1963.46	1920.78	
MW-23S	10/23/2006	41.88			1959.66	1963.46	1921.58	
MW-23S	1/31/2007	39.97			1959.66	1963.46	1923.49	
MW-23S	4/14/2007	33.44			1959.66	1963.46	1930.02	
MW-23S	7/23/2007	43.54			1959.66	1963.46	1919.92	
MW-23S	10/21/2007	42.17			1959.66	1963.46	1921.29	
MW-23S	1/23/2008	41.08			1959.66	1963.46	1922.38	
MW-23S	4/19/2008	35.48			1959.66	1963.46	1927.98	
MW-23S	7/22/2008	40.92				1963.46	1922.54	
MW-23S	10/18/2008	41.72				1963.46	1921.74	
MW-24D	8/28/2001	44.71			1960.04	1963.84	1919.13	
MW-24D	9/10/2001	43.71			1960.04	1963.84	1920.13	
MW-24D	10/15/2001	42.43			1960.04	1963.84	1921.41	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-24D	12/6/2001	40.73			1960.04	1963.84	1923.11	
MW-24D	3/18/2002	36.83			1960.04	1963.84	1927.01	
MW-24D	6/25/2002	36.35			1960.04	1963.84	1927.49	
MW-24D	7/31/2002	42.63			1960.04	1963.84	1921.21	
MW-24D	8/30/2002	43.88			1960.04	1963.84	1919.96	
MW-24D	9/24/2002	42.53			1960.04	1963.84	1921.31	
MW-24D	12/16/2002	41.92			1960.04	1963.84	1921.92	
MW-24D	5/12/2003	37.23			1960.04	1963.84	1926.61	
MW-24D	7/31/2003	44.6			1960.04	1963.84	1919.24	
MW-24D	10/22/2003	43.33			1960.04	1963.84	1920.51	
MW-24D	3/5/2004	38.73			1960.04	1963.84	1925.11	
MW-24D	6/29/2004	40.67			1960.04	1963.84	1923.17	
MW-24D	8/9/2004	44.3			1960.04	1963.84	1919.54	
MW-24D	9/14/2004	44.15			1960.04	1963.84	1919.69	
MW-24D	10/25/2004	41.18			1960.04	1963.84	1922.66	
MW-24D	7/25/2005	43.57			1960.04	1963.84	1920.27	
MW-24D	8/30/2005	44.71			1960.04	1963.84	1919.13	
MW-24D	9/29/2005	42.7			1960.04	1963.84	1921.14	
MW-24D	10/24/2005	42.07			1960.04	1963.84	1921.77	
MW-24D	1/23/2006	34.22			1960.04	1963.84	1929.62	
MW-24D	4/17/2006	31.9			1960.04	1963.84	1931.94	
MW-24D	6/27/2006	39.68			1960.04	1963.84	1924.16	
MW-24D	7/17/2006	42			1960.04	1963.84	1921.84	
MW-24D	8/28/2006	44.51			1960.04	1963.84	1919.33	
MW-24D	9/26/2006	42.99			1960.04	1963.84	1920.85	
MW-24D	10/23/2006	42.24			1960.04	1963.84	1921.6	
MW-24D	1/31/2007	40.29			1960.04	1963.84	1923.55	
MW-24D	4/14/2007	38.8			1960.04	1963.84	1925.04	
MW-24D	7/23/2007	43.83			1960.04	1963.84	1920.01	
MW-24D	10/21/2007	42.5			1960.04	1963.84	1921.34	
MW-24D	1/23/2008	41.42			1960.04	1963.84	1922.42	
MW-24D	4/19/2008	35.82			1960.04	1963.84	1928.02	
MW-24D	7/22/2008	41.24				1963.84	1922.6	
MW-24D	10/18/2008	42.05				1963.84	1921.79	
MW-25S	8/28/2001	65.8			1984.1	1987.9	1922.1	
MW-25S	9/10/2001	65.28			1984.1	1987.9	1922.62	
MW-25S	10/15/2001	64.32			1984.1	1987.9	1923.58	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-25S	12/6/2001	63.2			1984.1	1987.9	1924.7	
MW-25S	3/19/2002	60.1			1984.1	1987.9	1927.8	
MW-25S	6/25/2002	59.13			1984.1	1987.9	1928.77	
MW-25S	7/31/2002	64.14			1984.1	1987.9	1923.76	
MW-25S	8/30/2002	65.04			1984.1	1987.9	1922.86	
MW-25S	9/25/2002	64.26			1984.1	1987.9	1923.64	
MW-25S	12/16/2002	64			1984.1	1987.9	1923.9	
MW-25S	5/12/2003	60.15			1984.1	1987.9	1927.75	
MW-25S	7/31/2003	65.63			1984.1	1987.9	1922.27	
MW-25S	10/22/2003	65			1984.1	1987.9	1922.9	
MW-25S	6/29/2004	63.05			1984.1	1987.9	1924.85	
MW-25S	8/9/2004	65.64			1984.1	1987.9	1922.26	
MW-25S	9/14/2004	65.55			1984.1	1987.9	1922.35	
MW-25S	10/26/2004	63.63			1984.1	1987.9	1924.27	
MW-25S	7/25/2005	65.25			1984.1	1987.9	1922.65	
MW-25S	8/30/2005	66.07			1984.1	1987.9	1921.83	
MW-25S	9/29/2005	64.77			1984.1	1987.9	1923.13	
MW-25S	10/24/2005	64.22			1984.1	1987.9	1923.68	
MW-25S	1/24/2006	57.56			1984.1	1987.9	1930.34	
MW-25S	4/17/2006	55.63			1984.1	1987.9	1932.27	
MW-25S	6/27/2006	62.05			1984.1	1987.9	1925.85	
MW-25S	7/17/2006	64.3			1984.1	1987.9	1923.6	
MW-25S	8/28/2006	65.6			1984.1	1987.9	1922.3	
MW-25S	9/26/2006	64.62			1984.1	1987.9	1923.28	
MW-25S	10/23/2006	64.21			1984.1	1987.9	1923.69	
MW-25S	1/31/2007	62.74			1984.1	1987.9	1925.16	
MW-25S	4/14/2007	57.1			1984.1	1987.9	1930.8	
MW-25S	7/23/2007	65.14			1984.1	1987.9	1922.76	
MW-25S	10/21/2007	64.43			1984.1	1987.9	1923.47	
MW-25S	1/23/2008	63.53			1984.1	1987.9	1924.37	
MW-25S	4/19/2008	59.24			1984.1	1987.9	1928.66	
MW-25S	7/22/2008	63.18				1987.9	1924.72	
MW-25S	10/18/2008	63.97				1987.9	1923.93	
MW-26D	8/28/2001	66.11			1984.34	1988.14	1922.03	
MW-26D	9/10/2001	65.6			1984.34	1988.14	1922.54	
MW-26D	10/15/2001	64.62			1984.34	1988.14	1923.52	
MW-26D	12/6/2001	63.49			1984.34	1988.14	1924.65	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
MW-26D	3/19/2002	60.37			1984.34	1988.14	1927.77	
MW-26D	6/25/2002	59.39			1984.34	1988.14	1928.75	
MW-26D	7/31/2002	64.42			1984.34	1988.14	1923.72	
MW-26D	8/30/2002	65.34			1984.34	1988.14	1922.8	
MW-26D	9/25/2002	64.52			1984.34	1988.14	1923.62	
MW-26D	12/16/2002	64.28			1984.34	1988.14	1923.86	
MW-26D	5/12/2003	60.42			1984.34	1988.14	1927.72	
MW-26D	7/1/2003	75.38			1984.34	1988.14	1912.76	
MW-26D	7/31/2003	65.91			1984.34	1988.14	1922.23	
MW-26D	10/22/2003	65.31			1984.34	1988.14	1922.83	
MW-26D	6/29/2004	63.32			1984.34	1988.14	1924.82	
MW-26D	8/9/2004	63.94			1984.34	1988.14	1924.2	
MW-26D	9/14/2004	65.84			1984.34	1988.14	1922.3	
MW-26D	10/25/2004	63.9			1984.34	1988.14	1924.24	
MW-26D	7/25/2005	65.52			1984.34	1988.14	1922.62	
MW-26D	8/30/2005	66.38			1984.34	1988.14	1921.76	
MW-26D	9/29/2005	65.04			1984.34	1988.14	1923.1	
MW-26D	10/24/2005	64.5			1984.34	1988.14	1923.64	
MW-26D	1/23/2006	57.86			1984.34	1988.14	1930.28	
MW-26D	4/17/2006	55.91			1984.34	1988.14	1932.23	
MW-26D	6/27/2006	62.3			1984.34	1988.14	1925.84	
MW-26D	7/17/2006	64.52			1984.34	1988.14	1923.62	
MW-26D	8/28/2006	65.91			1984.34	1988.14	1922.23	
MW-26D	9/26/2006	64.91			1984.34	1988.14	1923.23	
MW-26D	10/23/2006	64.48			1984.34	1988.14	1923.66	
MW-26D	1/31/2007	63			1984.34	1988.14	1925.14	
MW-26D	4/14/2007	57.37			1984.34	1988.14	1930.77	
MW-26D	7/23/2007	65.4			1984.34	1988.14	1922.74	
MW-26D	10/21/2007	64.71			1984.34	1988.14	1923.43	
MW-26D	1/23/2008	63.81			1984.34	1988.14	1924.33	
MW-26D	4/19/2008	59.48			1984.34	1988.14	1928.66	
MW-26D	7/22/2008	63.42				1988.14	1924.72	
MW-26D	10/18/2008	64.24				1988.14	1923.9	
OH-EW-01	4/24/1995	77			2007.95	2011.75	1934.75	
OH-EW-01	5/23/1995	77.9			2007.95	2011.75	1933.85	
OH-EW-01	6/26/1995	76.69			2007.95	2011.75	1935.06	
OH-EW-01	8/2/1995	83.24			2007.95	2011.75	1928.51	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-EW-01	11/3/1995	80.22			2007.95	2011.75	1931.53	
OH-EW-01	11/27/1995	76.88			2007.95	2011.75	1934.87	Top of Casing was 2007.9 until correction made 4/17/03.
OH-EW-02	3/27/2000	165.6			2000.76	2004.56	1838.96	
OH-EW-02	6/26/2000	74.92			2000.76	2004.56	1929.64	Surface modified to inject water into OH-EW-2-US in 6/00. Top of casing was 2003.1 until 4/17/03 correction.
OH-MW-01	12/2/1989	75.04			2006.6	2010.4	1935.36	
OH-MW-01	12/8/1989	73.22			2006.6	2010.4	1937.18	
OH-MW-01	2/7/1990	75.03			2006.6	2010.4	1935.37	
OH-MW-01	2/27/1990	74.78			2006.6	2010.4	1935.62	
OH-MW-01	4/4/1990	72.93			2006.6	2010.4	1937.47	
OH-MW-01	5/3/1990	70.33			2006.6	2010.4	1940.07	
OH-MW-01	5/11/1990	70.5			2006.6	2010.4	1939.9	
OH-MW-01	5/30/1990	71.06			2006.6	2010.4	1939.34	
OH-MW-01	7/5/1990	74.25			2006.6	2010.4	1936.15	
OH-MW-01	9/6/1990	80.74	79.01	1.73	2006.6	2010.4	1929.66	
OH-MW-01	10/8/1990	79.19	78.33	0.86	2006.6	2010.4	1931.21	
OH-MW-01	10/19/1990	79.84	78.15	1.69	2006.6	2010.4	1930.56	
OH-MW-01	10/26/1990	78.07	77.63	0.44	2006.6	2010.4	1932.33	
OH-MW-01	11/6/1990	77.52	77.19	0.33	2006.6	2010.4	1932.88	
OH-MW-01	3/10/1991	71			2006.6	2010.4	1939.4	
OH-MW-01	4/5/1991	74.1			2006.6	2010.4	1936.3	
OH-MW-01	4/30/1991	71.19			2006.6	2010.4	1939.21	
OH-MW-01	5/29/1991	70.2			2006.6	2010.4	1940.2	
OH-MW-01	6/8/1991	71.05			2006.6	2010.4	1939.35	
OH-MW-01	7/10/1991	75.5			2006.6	2010.4	1934.9	
OH-MW-01	7/16/1991	76.24			2006.6	2010.4	1934.16	
OH-MW-01	8/1/1991	78.29	77.72	0.57	2006.6	2010.4	1932.11	
OH-MW-01	8/9/1991	78.37	77.59	0.78	2006.6	2010.4	1932.03	
OH-MW-01	8/27/1991	81.68	79.69	1.99	2006.6	2010.4	1928.72	
OH-MW-01	8/30/1991	81.3	79.35	1.95	2006.6	2010.4	1929.1	
OH-MW-01	6/18/1992	78.51	77.51	1	2006.6	2010.4	1931.89	
OH-MW-02	12/2/1989	72.73			2004.5	2008.3	1935.57	
OH-MW-02	12/8/1989	71.01			2004.5	2008.3	1937.29	
OH-MW-02	4/4/1990	70.71			2004.5	2008.3	1937.59	
OH-MW-02	5/3/1990	68.05			2004.5	2008.3	1940.25	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-02	5/11/1990	68.29			2004.5	2008.3	1940.01	
OH-MW-02	5/30/1990	68.78			2004.5	2008.3	1939.52	
OH-MW-02	7/5/1990	71.9			2004.5	2008.3	1936.4	
OH-MW-02	8/2/1990	75.21			2004.5	2008.3	1933.09	
OH-MW-02	9/6/1990	78.16	76.77	1.39	2004.5	2008.3	1930.14	
OH-MW-02	10/8/1990	76.75	76.1	0.65	2004.5	2008.3	1931.55	
OH-MW-02	10/19/1990	76.73	76.05	0.68	2004.5	2008.3	1931.57	
OH-MW-02	10/26/1990	75.45	75.43	0.02	2004.5	2008.3	1932.85	
OH-MW-02	11/6/1990	74.97	74.96	0.01	2004.5	2008.3	1933.33	
OH-MW-02	3/10/1991	68.3			2004.5	2008.3	1940	
OH-MW-02	4/30/1991	68.9			2004.5	2008.3	1939.4	
OH-MW-02	5/29/1991	67.82			2004.5	2008.3	1940.48	
OH-MW-02	6/24/1991	69.61			2004.5	2008.3	1938.69	
OH-MW-02	7/10/1991	72.98			2004.5	2008.3	1935.32	
OH-MW-02	7/16/1991	73.74			2004.5	2008.3	1934.56	
OH-MW-02	8/1/1991	75.41	75.23	0.18	2004.5	2008.3	1932.89	
OH-MW-02	8/9/1991	75.57	75.18	0.39	2004.5	2008.3	1932.73	
OH-MW-02	12/7/1991	75.02	74.94	0.08	2004.5	2008.3	1933.28	
OH-MW-02	2/18/1992	73.2	73.15	0.05	2004.5	2008.3	1935.1	
OH-MW-02	2/26/1992	71.35			2004.5	2008.3	1936.95	
OH-MW-02	6/18/1992	75.43	75.1	0.33	2004.5	2008.3	1932.87	
OH-MW-03	12/2/1989	72.4			2004.09	2008.01	1935.61	
OH-MW-03	12/8/1989	70.63			2004.09	2008.01	1937.38	
OH-MW-03	2/7/1990	72.31			2004.09	2008.01	1935.7	
OH-MW-03	2/27/1990	72.07			2004.09	2008.01	1935.94	
OH-MW-03	4/4/1990	70.31			2004.09	2008.01	1937.7	
OH-MW-03	5/3/1990	67.7			2004.09	2008.01	1940.31	
OH-MW-03	5/11/1990	67.94			2004.09	2008.01	1940.07	
OH-MW-03	5/30/1990	68.42			2004.09	2008.01	1939.59	
OH-MW-03	7/5/1990	71.57			2004.09	2008.01	1936.44	
OH-MW-03	9/6/1990	77.61	76.43	1.18	2004.09	2008.01	1930.4	
OH-MW-03	10/8/1990	76.1	75.25	0.85	2004.09	2008.01	1931.91	
OH-MW-03	10/19/1990	76.25	75.69	0.56	2004.09	2008.01	1931.76	
OH-MW-03	10/26/1990	75.1	75.05	0.05	2004.09	2008.01	1932.91	
OH-MW-03	11/6/1990	74.63	74.58	0.05	2004.09	2008.01	1933.38	
OH-MW-03	3/10/1991	69			2004.09	2008.01	1939.01	
OH-MW-03	4/5/1991	71.31			2004.09	2008.01	1936.7	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-03	5/29/1991	67.45			2004.09	2008.01	1940.56	
OH-MW-03	6/8/1991	68.3			2004.09	2008.01	1939.71	
OH-MW-03	7/10/1991	72.91			2004.09	2008.01	1935.1	
OH-MW-03	7/16/1991	73.48			2004.09	2008.01	1934.53	
OH-MW-03	8/1/1991	75.94	75.01	0.93	2004.09	2008.01	1932.07	
OH-MW-03	8/9/1991	75.75	74.98	0.77	2004.09	2008.01	1932.26	
OH-MW-03	8/27/1991	78.58	77.33	1.25	2004.09	2008.01	1929.43	
OH-MW-03	8/30/1991	78.08	76.73	1.35	2004.09	2008.01	1929.93	
OH-MW-03	2/18/1992	72.88			2004.09	2008.01	1935.13	
OH-MW-03	6/18/1992	75.28	74.81	0.47	2004.09	2008.01	1932.73	
OH-MW-03	10/8/1993	75.78	75.5	0.28	2004.09	2008.01	1932.23	
OH-MW-03	1/25/1994	75.69	75.55	0.14	2004.09	2008.01	1932.32	
OH-MW-03	9/28/1995	76.72			2004.09	2008.01	1931.29	
OH-MW-03	12/20/1995	66.39			2004.09	2008.01	1941.62	
OH-MW-03	8/29/1997	73.69			2004.09	2008.01	1934.32	
OH-MW-03	10/2/1997	72.91			2004.09	2008.01	1935.1	
OH-MW-03	10/17/1997	72.38			2004.09	2008.01	1935.63	
OH-MW-03	12/15/1997	71.39			2004.09	2008.01	1936.62	
OH-MW-03	2/21/1998	70.7			2004.09	2008.01	1937.31	
OH-MW-03	5/7/1998	67.49			2004.09	2008.01	1940.52	
OH-MW-03	6/18/1998	70.58			2004.09	2008.01	1937.43	
OH-MW-03	7/22/1998	73.98			2004.09	2008.01	1934.03	
OH-MW-03	8/25/1998	75.87			2004.09	2008.01	1932.14	
OH-MW-03	9/3/1998	76.1			2004.09	2008.01	1931.91	
OH-MW-03	9/14/1998	75.5			2004.09	2008.01	1932.51	
OH-MW-03	11/2/1998	74.53			2004.09	2008.01	1933.48	
OH-MW-03	12/14/1998	71.73			2004.09	2008.01	1936.28	
OH-MW-03	3/23/1999	69.18			2004.09	2008.01	1938.83	
OH-MW-03	7/19/1999	71.97			2004.09	2008.01	1936.04	
OH-MW-03	8/20/1999	74.42			2004.09	2008.01	1933.59	
OH-MW-03	9/20/1999	74.3			2004.09	2008.01	1933.71	
OH-MW-03	10/29/1999	74.39			2004.09	2008.01	1933.62	
OH-MW-03	12/30/1999	70.68			2004.09	2008.01	1937.33	
OH-MW-03	3/30/2000	69.19			2004.09	2008.01	1938.82	
OH-MW-03	6/26/2000	71.23			2004.09	2008.01	1936.78	
OH-MW-03	8/31/2000	76.22			2004.09	2008.01	1931.79	
OH-MW-03	10/2/2000	74.57			2004.09	2008.01	1933.44	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-03	11/6/2000	74			2004.09	2008.01	1934.01	
OH-MW-03	12/27/2000	75.02			2004.09	2008.01	1932.99	
OH-MW-03	4/16/2001	73.35			2004.09	2008.01	1934.66	
OH-MW-03	6/19/2001	73.04			2004.09	2008.01	1934.97	
OH-MW-03	8/28/2001	78			2004.09	2008.01	1930.01	
OH-MW-03	9/10/2001	77.62	77.57	0.05	2004.09	2008.01	1930.39	
OH-MW-03	10/15/2001	76			2004.09	2008.01	1932.01	
OH-MW-03	12/6/2001	74.42			2004.09	2008.01	1933.59	
OH-MW-03	3/18/2002	71.3			2004.09	2008.01	1936.71	
OH-MW-03	6/28/2002	68.84			2004.09	2008.01	1939.17	
OH-MW-03	7/31/2002	75.03			2004.09	2008.01	1932.98	
OH-MW-03	8/30/2002	76.48			2004.09	2008.01	1931.53	
OH-MW-03	9/25/2002	75.47			2004.09	2008.01	1932.54	
OH-MW-03	12/16/2002	75.03			2004.09	2008.01	1932.98	
OH-MW-03	5/12/2003	70.64			2004.09	2008.01	1937.37	
OH-MW-03	7/1/2003	74.72			2004.09	2008.01	1933.29	
OH-MW-03	7/31/2003	77.37			2004.09	2008.01	1930.64	
OH-MW-03	7/1/2004	73.91			2004.09	2008.01	1934.1	
OH-MW-03	8/9/2004	77.2			2004.09	2008.01	1930.81	
OH-MW-03	9/14/2004	77.13			2004.09	2008.01	1930.88	
OH-MW-03	10/25/2004	74.52			2004.09	2008.01	1933.49	
OH-MW-03	7/25/2005	76.8			2004.09	2008.01	1931.21	
OH-MW-03	8/30/2005	78.61	78.03	0.58	2004.09	2008.01	1929.4	
OH-MW-03	9/29/2005	76.4			2004.09	2008.01	1931.61	
OH-MW-03	10/24/2005	75.46			2004.09	2008.01	1932.55	
OH-MW-03	1/23/2006	68.56	68.55	0.01	2004.09	2008.01	1939.45	
OH-MW-03	4/17/2006	67.53			2004.09	2008.01	1940.48	
OH-MW-03	6/27/2006	72.14			2004.09	2008.01	1935.87	
OH-MW-03	7/17/2006	75.02			2004.09	2008.01	1932.99	
OH-MW-03	8/28/2006	77.22			2004.09	2008.01	1930.79	
OH-MW-03	9/26/2006	75.84			2004.09	2008.01	1932.17	
OH-MW-03	10/23/2006	75.32			2004.09	2008.01	1932.69	
OH-MW-03	1/31/2007	73.04			2004.09	2008.01	1934.97	
OH-MW-03	4/14/2007	67.37			2004.09	2008.01	1940.64	
OH-MW-03	7/23/2007	76.26			2004.09	2008.01	1931.75	
OH-MW-03	10/21/2007	75.38			2004.09	2008.01	1932.63	
OH-MW-03	1/23/2008	74.57			2004.09	2008.01	1933.44	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-03	4/19/2008	70.7			2004.09	2008.01	1937.31	
OH-MW-03	7/22/2008	72.9				2008.01	1935.11	
OH-MW-03	10/18/2008	74.51				2008.01	1933.5	
OH-MW-04	12/2/1989	75.78			2007.01	2010.81	1935.03	
OH-MW-04	12/8/1989	73.73			2007.01	2010.81	1937.08	
OH-MW-04	2/7/1990	75.61			2007.01	2010.81	1935.2	
OH-MW-04	2/27/1990	75.28			2007.01	2010.81	1935.53	
OH-MW-04	4/4/1990	73.45			2007.01	2010.81	1937.36	
OH-MW-04	5/3/1990	70.89			2007.01	2010.81	1939.92	
OH-MW-04	5/11/1990	71.13			2007.01	2010.81	1939.68	
OH-MW-04	5/30/1990	71.61			2007.01	2010.81	1939.2	
OH-MW-04	7/5/1990	74.83			2007.01	2010.81	1935.98	
OH-MW-04	9/6/1990	80.36	79.73	0.63	2007.01	2010.81	1930.45	
OH-MW-04	10/8/1990	79.88	78.84	1.04	2007.01	2010.81	1930.93	
OH-MW-04	10/19/1990	79.98	78.79	1.19	2007.01	2010.81	1930.83	
OH-MW-04	10/26/1990	78.78	78.15	0.63	2007.01	2010.81	1932.03	
OH-MW-04	11/6/1990	77.79	77.78	0.01	2007.01	2010.81	1933.02	
OH-MW-04	1/1/1991	75.3			2007.01	2010.81	1935.51	
OH-MW-04	1/30/1991	75.42			2007.01	2010.81	1935.39	
OH-MW-04	3/10/1991	71.42			2007.01	2010.81	1939.39	
OH-MW-04	4/5/1991	74.51			2007.01	2010.81	1936.3	
OH-MW-04	4/30/1991	71.62			2007.01	2010.81	1939.19	
OH-MW-04	5/29/1991	70.62			2007.01	2010.81	1940.19	
OH-MW-04	6/5/1991	71.65			2007.01	2010.81	1939.16	
OH-MW-04	6/8/1991	71.46			2007.01	2010.81	1939.35	
OH-MW-04	7/10/1991	75.9			2007.01	2010.81	1934.91	
OH-MW-04	7/16/1991	76.66			2007.01	2010.81	1934.15	
OH-MW-04	8/1/1991	78.46	78.06	0.4	2007.01	2010.81	1932.35	
OH-MW-04	8/9/1991	78.56	78	0.56	2007.01	2010.81	1932.25	
OH-MW-04	8/27/1991	80.86	80.27	0.59	2007.01	2010.81	1929.95	
OH-MW-04	8/30/1991	80.55	79.86	0.69	2007.01	2010.81	1930.26	
OH-MW-04	12/7/1991	78.09	77.82	0.27	2007.01	2010.81	1932.72	
OH-MW-04	1/3/1992	77.63	77.51	0.12	2007.01	2010.81	1933.18	
OH-MW-04	2/18/1992	76.1	76.06	0.04	2007.01	2010.81	1934.71	
OH-MW-04	2/26/1992	74.19			2007.01	2010.81	1936.62	
OH-MW-04	6/18/1992	78.39	78	0.39	2007.01	2010.81	1932.42	
OH-MW-04	10/8/1993	80.22	78.42	1.8	2007.01	2010.81	1930.59	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-04	10/30/1993	80.41	78.68	1.73	2007.01	2010.81	1930.4	
OH-MW-04	1/25/1994	80.41	78.58	1.83	2007.01	2010.81	1930.4	
OH-MW-04	2/24/1994	81.92	79.62	2.3	2007.01	2010.81	1928.89	
OH-MW-04	3/23/1994	77.83	77.18	0.65	2007.01	2010.81	1932.98	
OH-MW-04	4/27/1994	74.59	73.96	0.63	2007.01	2010.81	1936.22	
OH-MW-04	5/26/1994	78.34	77.08	1.26	2007.01	2010.81	1932.47	
OH-MW-04	6/23/1994	81.56	79.03	2.53	2007.01	2010.81	1929.25	
OH-MW-04	7/20/1994	82.85	80.93	1.92	2007.01	2010.81	1927.96	
OH-MW-04	8/29/1994	83.73	82.37	1.36	2007.01	2010.81	1927.08	
OH-MW-04	9/13/1994	82.85	81.68	1.17	2007.01	2010.81	1927.96	
OH-MW-04	10/12/1994	82.21	80.89	1.32	2007.01	2010.81	1928.6	
OH-MW-04	10/13/1994	82.21			2007.01	2010.81	1928.6	
OH-MW-04	11/13/1994	80.6	79.8	0.8	2007.01	2010.81	1930.21	
OH-MW-04	12/20/1994	78.49	78.08	0.41	2007.01	2010.81	1932.32	
OH-MW-04	1/27/1995	75.95	75.91	0.04	2007.01	2010.81	1934.86	
OH-MW-04	3/8/1995	71.75	71.73	0.02	2007.01	2010.81	1939.06	
OH-MW-04	4/24/1995	73.45	73.41	0.04	2007.01	2010.81	1937.36	
OH-MW-04	5/23/1995	74.41	74.38	0.03	2007.01	2010.81	1936.4	
OH-MW-04	6/25/1995	76.38	76.33	0.05	2007.01	2010.81	1934.43	
OH-MW-04	8/2/1995	81.1	80	1.1	2007.01	2010.81	1929.71	
OH-MW-04	8/23/1995	82.88			2007.01	2010.81	1927.93	
OH-MW-04	8/30/1995	81.63	80.52	1.11	2007.01	2010.81	1929.18	
OH-MW-04	9/28/1995	80.98	79.76	1.22	2007.01	2010.81	1929.83	
OH-MW-04	11/3/1995	78.19	77.75	0.44	2007.01	2010.81	1932.62	
OH-MW-04	11/27/1995	74.17	74.16	0.01	2007.01	2010.81	1936.64	
OH-MW-04	12/20/1995	66.71			2007.01	2010.81	1944.1	
OH-MW-04	1/22/1996	71.88			2007.01	2010.81	1938.93	
OH-MW-04	2/13/1996	66.7			2007.01	2010.81	1944.11	
OH-MW-04	3/15/1996	71.15			2007.01	2010.81	1939.66	
OH-MW-04	4/17/1996	70.1			2007.01	2010.81	1940.71	
OH-MW-04	5/22/1996	68.73			2007.01	2010.81	1942.08	
OH-MW-04	7/18/1996	77.78	77.7	0.08	2007.01	2010.81	1933.03	
OH-MW-04	8/15/1996	78.7	78.21	0.49	2007.01	2010.81	1932.11	
OH-MW-04	9/26/1996	79.84	78.46	1.38	2007.01	2010.81	1930.97	
OH-MW-04	11/21/1996	79.5	78.37	1.13	2007.01	2010.81	1931.31	
OH-MW-04	12/19/1996	74.98	74.86	0.12	2007.01	2010.81	1935.83	
OH-MW-04	1/17/1997	71.76			2007.01	2010.81	1939.05	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-04	3/19/1997	72.08			2007.01	2010.81	1938.73	
OH-MW-04	6/19/1997	67.24			2007.01	2010.81	1943.57	
OH-MW-04	8/4/1997	75.75	75.72	0.03	2007.01	2010.81	1935.06	
OH-MW-04	8/29/1997	77.09	76.95	0.14	2007.01	2010.81	1933.72	
OH-MW-04	10/2/1997	76.34	76.17	0.17	2007.01	2010.81	1934.47	
OH-MW-04	10/17/1997	75.72	75.6	0.12	2007.01	2010.81	1935.09	
OH-MW-04	12/15/1997	74.66	74.62	0.04	2007.01	2010.81	1936.15	
OH-MW-04	2/21/1998	73.93			2007.01	2010.81	1936.88	
OH-MW-04	5/7/1998	70.7			2007.01	2010.81	1940.11	
OH-MW-04	6/18/1998	73.87			2007.01	2010.81	1936.94	
OH-MW-04	7/22/1998	77.25			2007.01	2010.81	1933.56	
OH-MW-04	8/25/1998	79.92	79	0.92	2007.01	2010.81	1930.89	
OH-MW-04	9/3/1998	80.16	79.22	0.94	2007.01	2010.81	1930.65	
OH-MW-04	9/14/1998	79.31	78.66	0.65	2007.01	2010.81	1931.5	
OH-MW-04	11/2/1998	77.7	77.52	0.18	2007.01	2010.81	1933.11	
OH-MW-04	12/14/1998	74.93	74.91	0.02	2007.01	2010.81	1935.88	
OH-MW-04	3/23/1999	72.4			2007.01	2010.81	1938.41	
OH-MW-04	7/19/1999	75.23			2007.01	2010.81	1935.58	
OH-MW-04	8/20/1999	77.74	77.69	0.05	2007.01	2010.81	1933.07	
OH-MW-04	9/20/1999	77.71	77.49	0.22	2007.01	2010.81	1933.1	
OH-MW-04	10/29/1999	77.78	77.6	0.18	2007.01	2010.81	1933.03	
OH-MW-04	12/30/1999	73.87			2007.01	2010.81	1936.94	
OH-MW-04	3/30/2000	72.44			2007.01	2010.81	1938.37	
OH-MW-04	6/26/2000	74.5			2007.01	2010.81	1936.31	
OH-MW-04	8/31/2000		79.4	0.57	2007.01	2010.81		
OH-MW-04	10/2/2000	78.24	77.72	0.52	2007.01	2010.81	1932.57	
OH-MW-04	11/6/2000	77.49	77.2	0.29	2007.01	2010.81	1933.32	
OH-MW-04	12/27/2000	78.48	78.21	0.27	2007.01	2010.81	1932.33	
OH-MW-04	4/16/2001	77.14	76.86	0.28	2007.01	2010.81	1933.67	
OH-MW-04	6/19/2001	77.08	77	0.08	2007.01	2010.81	1933.73	
OH-MW-04	9/10/2001	81.03	80.2	0.83	2007.01	2010.81	1929.78	
OH-MW-04	10/15/2001	79.48	79.18	0.3	2007.01	2010.81	1931.33	
OH-MW-04	12/6/2001	77.7	77.61	0.09	2007.01	2010.81	1933.11	
OH-MW-04	3/18/2002	74.56			2007.01	2010.81	1936.25	
OH-MW-04	6/28/2002	72.23			2007.01	2010.81	1938.58	
OH-MW-04	7/31/2002	78.32	78.31	0.01	2007.01	2010.81	1932.49	
OH-MW-04	8/30/2002	79.8	79.68	0.12	2007.01	2010.81	1931.01	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-04	9/25/2002	78.77	78.66	0.11	2007.01	2010.81	1932.04	
OH-MW-04	12/16/2002	78.34	78.24	0.1	2007.01	2010.81	1932.47	
OH-MW-04	5/12/2003	73.14			2007.01	2010.81	1937.67	
OH-MW-04	7/1/2003	78	77.98	0.02	2007.01	2010.81	1932.81	
OH-MW-04	7/1/2004	77.17			2007.01	2010.81	1933.64	
OH-MW-04	10/25/2004	78.12	77.69	0.43	2007.01	2010.81	1932.69	
OH-MW-04	7/25/2005		79.94		2007.01	2010.81		
OH-MW-04	9/29/2005	80.25	79.51	0.74	2007.01	2010.81	1930.56	
OH-MW-04	10/24/2005	79.15	78.48	0.67	2007.01	2010.81	1931.66	
OH-MW-04	1/23/2006	71.83			2007.01	2010.81	1938.98	
OH-MW-04	4/17/2006	70.79			2007.01	2010.81	1940.02	
OH-MW-04	6/27/2006	75.45	75.43	0.02	2007.01	2010.81	1935.36	
OH-MW-04	7/17/2006	78.36	78.3	0.06	2007.01	2010.81	1932.45	
OH-MW-04	9/26/2006	79.33	79.03	0.3	2007.01	2010.81	1931.48	
OH-MW-04	10/23/2006	78.81	78.58	0.23	2007.01	2010.81	1932	
OH-MW-04	1/31/2007	76.31			2007.01	2010.81	1934.5	
OH-MW-04	4/14/2007	70.68			2007.01	2010.81	1940.13	
OH-MW-04	7/23/2007	79.48			2007.01	2010.81	1931.33	
OH-MW-04	10/21/2007	78.79	78.61	0.18	2007.01	2010.81	1932.02	
OH-MW-04	1/23/2008	78.07	77.78	0.29	2007.01	2010.81	1932.74	
OH-MW-04	4/19/2008	73.92			2007.01	2010.81	1936.89	
OH-MW-04	7/22/2008	76.22				2010.81	1934.59	
OH-MW-04	10/18/2008	77.8	77.76	0.04		2010.81	1933.01	
OH-MW-05	12/2/1989	72.99			2004.51	2008.31	1935.32	
OH-MW-05	12/8/1989	71.17			2004.51	2008.31	1937.14	
OH-MW-05	2/27/1990	72.67			2004.51	2008.31	1935.64	
OH-MW-05	4/4/1990	70.89			2004.51	2008.31	1937.42	
OH-MW-05	5/3/1990	68.29			2004.51	2008.31	1940.02	
OH-MW-05	5/11/1990	68.52			2004.51	2008.31	1939.79	
OH-MW-05	5/30/1990	69.03			2004.51	2008.31	1939.28	
OH-MW-05	7/5/1990	72.18			2004.51	2008.31	1936.13	
OH-MW-05	9/6/1990	78.92	76.91	2.01	2004.51	2008.31	1929.39	
OH-MW-05	10/8/1990	77.28	76.25	1.03	2004.51	2008.31	1931.03	
OH-MW-05	10/19/1990	77.79	76.13	1.66	2004.51	2008.31	1930.52	
OH-MW-05	10/26/1990	76.01	75.59	0.42	2004.51	2008.31	1932.3	
OH-MW-05	11/6/1990	77.95	77.05	0.9	2004.51	2008.31	1930.36	
OH-MW-05	3/10/1991	69.2			2004.51	2008.31	1939.11	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-05	4/5/1991	71.9			2004.51	2008.31	1936.41	
OH-MW-05	4/30/1991	69.01			2004.51	2008.31	1939.3	
OH-MW-05	5/29/1991	68			2004.51	2008.31	1940.31	
OH-MW-05	6/8/1991	68.87			2004.51	2008.31	1939.44	
OH-MW-05	7/10/1991	73.37			2004.51	2008.31	1934.94	
OH-MW-05	7/16/1991	74.58			2004.51	2008.31	1933.73	
OH-MW-05	8/1/1991	76.49	75.44	1.05	2004.51	2008.31	1931.82	
OH-MW-05	8/9/1991	76.4	75.34	1.06	2004.51	2008.31	1931.91	
OH-MW-05	8/27/1991	79.4	77.5	1.9	2004.51	2008.31	1928.91	
OH-MW-05	8/30/1991	78.93	77.12	1.81	2004.51	2008.31	1929.38	
OH-MW-05	12/7/1991	75.82	74.96	0.86	2004.51	2008.31	1932.49	
OH-MW-05	2/18/1992	73.6	73.22	0.38	2004.51	2008.31	1934.71	
OH-MW-05	2/26/1992	71.38			2004.51	2008.31	1936.93	
OH-MW-05	6/18/1992	76.25	75.02	1.23	2004.51	2008.31	1932.06	
OH-MW-05	10/8/1993	76.44	75.84	0.6	2004.51	2008.31	1931.87	
OH-MW-05	1/25/1994	76.77	75.86	0.91	2004.51	2008.31	1931.54	
OH-MW-05	2/24/1994	78.67	76.82	1.85	2004.51	2008.31	1929.64	
OH-MW-05	3/23/1994	74.46			2004.51	2008.31	1933.85	
OH-MW-05	4/27/1994	71.24			2004.51	2008.31	1937.07	
OH-MW-05	5/26/1994	74.45			2004.51	2008.31	1933.86	
OH-MW-05	6/23/1994	78.22	76.32	1.9	2004.51	2008.31	1930.09	
OH-MW-05	7/20/1994	79.73	78.16	1.57	2004.51	2008.31	1928.58	
OH-MW-05	8/29/1994	80.18	79.37	0.81	2004.51	2008.31	1928.13	
OH-MW-05	10/12/1994	79.05	78.15	0.9	2004.51	2008.31	1929.26	
OH-MW-05	10/13/1994	79.05			2004.51	2008.31	1929.26	
OH-MW-05	11/13/1994	77.25	77.05	0.2	2004.51	2008.31	1931.06	
OH-MW-05	12/20/1994	75.32	75.31	0.01	2004.51	2008.31	1932.99	
OH-MW-05	5/23/1995	71.52			2004.51	2008.31	1936.79	
OH-MW-05	6/26/1995	73.55			2004.51	2008.31	1934.76	
OH-MW-05	8/2/1995	77.97	77.22	0.75	2004.51	2008.31	1930.34	
OH-MW-05	8/23/1995	78.66			2004.51	2008.31	1929.65	
OH-MW-05	8/30/1995	78.57	77.66	0.91	2004.51	2008.31	1929.74	
OH-MW-05	9/28/1995	77.6	77.08	0.52	2004.51	2008.31	1930.71	
OH-MW-05	11/3/1995	74.99			2004.51	2008.31	1933.32	
OH-MW-05	11/27/1995	71.35			2004.51	2008.31	1936.96	
OH-MW-05	12/20/1995	66.81			2004.51	2008.31	1941.5	
OH-MW-05	1/22/1996	69.04			2004.51	2008.31	1939.27	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-05	2/13/1996	63.93			2004.51	2008.31	1944.38	
OH-MW-05	3/15/1996	68.24			2004.51	2008.31	1940.07	
OH-MW-05	4/17/1996	67.3			2004.51	2008.31	1941.01	
OH-MW-05	5/22/1996	65.88			2004.51	2008.31	1942.43	
OH-MW-05	6/19/1997	64.15			2004.51	2008.31	1944.16	
OH-MW-05	8/4/1997	72.89			2004.51	2008.31	1935.42	
OH-MW-05	8/29/1997	74.16			2004.51	2008.31	1934.15	
OH-MW-05	10/2/1997	73.35			2004.51	2008.31	1934.96	
OH-MW-05	10/17/1997	72.8			2004.51	2008.31	1935.51	
OH-MW-05	12/15/1997	71.8			2004.51	2008.31	1936.51	
OH-MW-05	2/21/1998	71.16			2004.51	2008.31	1937.15	
OH-MW-05	5/7/1998	67.87			2004.51	2008.31	1940.44	
OH-MW-05	6/18/1998	70.99			2004.51	2008.31	1937.32	
OH-MW-05	7/22/1998	74.42			2004.51	2008.31	1933.89	
OH-MW-05	8/25/1998	76.31			2004.51	2008.31	1932	
OH-MW-05	9/3/1998	75.56	75.54	0.02	2004.51	2008.31	1932.75	
OH-MW-05	11/2/1998	74.75			2004.51	2008.31	1933.56	
OH-MW-05	12/14/1998	72.05			2004.51	2008.31	1936.26	
OH-MW-05	3/23/1999	69.55			2004.51	2008.31	1938.76	
OH-MW-05	7/19/1999	72.36			2004.51	2008.31	1935.95	
OH-MW-05	8/20/1999	74.85			2004.51	2008.31	1933.46	
OH-MW-05	9/20/1999	74.73			2004.51	2008.31	1933.58	
OH-MW-05	10/29/1999	74.8			2004.51	2008.31	1933.51	
OH-MW-05	12/30/1999	71			2004.51	2008.31	1937.31	
OH-MW-05	3/27/2000	69.54			2004.51	2008.31	1938.77	
OH-MW-05	6/26/2000	78.51			2004.51	2008.31	1929.8	
OH-MW-05	8/31/2000	76.69			2004.51	2008.31	1931.62	
OH-MW-05	10/2/2000	74.98			2004.51	2008.31	1933.33	
OH-MW-05	11/6/2000	74.43			2004.51	2008.31	1933.88	
OH-MW-05	12/27/2000	75.45	75.44	0.01	2004.51	2008.31	1932.86	
OH-MW-05	4/16/2001	74.08			2004.51	2008.31	1934.23	
OH-MW-05	6/19/2001	74.28			2004.51	2008.31	1934.03	
OH-MW-05	8/28/2001	78.99	78.34	0.65	2004.51	2008.31	1929.32	
OH-MW-05	9/10/2001	78.15	77.93	0.22	2004.51	2008.31	1930.16	
OH-MW-05	10/15/2001	76.41	76.4	0.01	2004.51	2008.31	1931.9	
OH-MW-05	12/6/2001	74.83			2004.51	2008.31	1933.48	
OH-MW-05	3/18/2002	71.66			2004.51	2008.31	1936.65	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-05	6/28/2002	69.24			2004.51	2008.31	1939.07	
OH-MW-05	7/31/2002	75.43			2004.51	2008.31	1932.88	
OH-MW-05	8/30/2002	77.21	76.85	0.36	2004.51	2008.31	1931.1	
OH-MW-05	9/25/2002	75.87			2004.51	2008.31	1932.44	
OH-MW-05	12/16/2002	75.45			2004.51	2008.31	1932.86	
OH-MW-05	5/12/2003	71.03			2004.51	2008.31	1937.28	
OH-MW-05	7/1/2003	75.16			2004.51	2008.31	1933.15	
OH-MW-05	7/31/2003	78.31	77.7	0.61	2004.51	2008.31	1930	
OH-MW-05	7/1/2004	74.32			2004.51	2008.31	1933.99	
OH-MW-05	8/9/2004	78.14	77.55	0.59	2004.51	2008.31	1930.17	
OH-MW-05	9/14/2004	78.22	77.44	0.78	2004.51	2008.31	1930.09	
OH-MW-05	10/25/2004	74.95			2004.51	2008.31	1933.36	
OH-MW-05	7/25/2005	77.78	77.05	0.73	2004.51	2008.31	1930.53	
OH-MW-05	8/30/2005	79.18	78.36	0.18	2004.51	2008.31	1929.13	
OH-MW-05	9/29/2005	77	76.79	0.21	2004.51	2008.31	1931.31	
OH-MW-05	10/24/2005	75.77			2004.51	2008.31	1932.54	
OH-MW-05	1/23/2006	68.93	68.92	0.01	2004.51	2008.31	1939.38	
OH-MW-05	4/17/2006	67.79			2004.51	2008.31	1940.52	
OH-MW-05	6/27/2006	72.52			2004.51	2008.31	1935.79	
OH-MW-05	7/17/2006	75.41			2004.51	2008.31	1932.9	
OH-MW-05	8/28/2006	78.42			2004.51	2008.31	1929.89	
OH-MW-05	9/26/2006	76.25			2004.51	2008.31	1932.06	
OH-MW-05	10/23/2006	75.78			2004.51	2008.31	1932.53	
OH-MW-05	1/31/2007	73.43			2004.51	2008.31	1934.88	
OH-MW-05	4/14/2007	67.78			2004.51	2008.31	1940.53	
OH-MW-05	7/23/2007	76.64			2004.51	2008.31	1931.67	
OH-MW-05	10/21/2007	75.79			2004.51	2008.31	1932.52	
OH-MW-05	4/19/2008	71.05			2004.51	2008.31	1937.26	
OH-MW-05	7/22/2008	73.29				2008.31	1935.02	
OH-MW-05	10/18/2008	74.94				2008.31	1933.37	
OH-MW-06	12/2/1989	75.45			2007.03	2010.76	1935.31	Reinforcement around TOC measures as 2006.96; TOC remains 2007.03.
OH-MW-06	12/8/1989	73.61			2007.03	2010.76	1937.15	
OH-MW-06	2/7/1990	75.5			2007.03	2010.76	1935.26	
OH-MW-06	2/27/1990	75.16			2007.03	2010.76	1935.6	
OH-MW-06	4/4/1990	73.35			2007.03	2010.76	1937.41	
OH-MW-06	5/3/1990	70.76			2007.03	2010.76	1940	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-06	5/11/1990	71.01			2007.03	2010.76	1939.75	
OH-MW-06	5/30/1990	71.48			2007.03	2010.76	1939.28	
OH-MW-06	7/5/1990	74.7			2007.03	2010.76	1936.06	
OH-MW-06	8/2/1990	77.95			2007.03	2010.76	1932.81	
OH-MW-06	9/6/1990	81.5	79.37	2.13	2007.03	2010.76	1929.26	
OH-MW-06	10/8/1990	80.08	78.67	1.41	2007.03	2010.76	1930.68	
OH-MW-06	10/19/1990	80.42	78.58	1.84	2007.03	2010.76	1930.34	
OH-MW-06	10/26/1990	78.13	78.11	0.02	2007.03	2010.76	1932.63	
OH-MW-06	11/6/1990	77.67	77.66	0.01	2007.03	2010.76	1933.09	
OH-MW-06	1/1/1991	75.17			2007.03	2010.76	1935.59	
OH-MW-06	1/30/1991	75.3			2007.03	2010.76	1935.46	
OH-MW-06	3/10/1991	71.3			2007.03	2010.76	1939.46	
OH-MW-06	4/5/1991	74.39			2007.03	2010.76	1936.37	
OH-MW-06	4/30/1991	71.49			2007.03	2010.76	1939.27	
OH-MW-06	5/29/1991	70.47			2007.03	2010.76	1940.29	
OH-MW-06	6/5/1991	71.51			2007.03	2010.76	1939.25	
OH-MW-06	6/8/1991	71.34			2007.03	2010.76	1939.42	
OH-MW-06	7/10/1991	75.78			2007.03	2010.76	1934.98	
OH-MW-06	7/16/1991	76.54			2007.03	2010.76	1934.22	
OH-MW-06	8/1/1991	78.31	78.03	0.28	2007.03	2010.76	1932.45	
OH-MW-06	8/9/1991	78.34	77.89	0.45	2007.03	2010.76	1932.42	
OH-MW-06	8/27/1991	82.09	79.93	2.16	2007.03	2010.76	1928.67	
OH-MW-06	8/30/1991	81.63	79.54	2.09	2007.03	2010.76	1929.13	
OH-MW-06	12/7/1991	78.45	77.63	0.82	2007.03	2010.76	1932.31	
OH-MW-06	1/3/1992	77.87	77.33	0.54	2007.03	2010.76	1932.89	
OH-MW-06	2/18/1992	76.11	75.91	0.2	2007.03	2010.76	1934.65	
OH-MW-06	2/26/1992	74.07			2007.03	2010.76	1936.69	
OH-MW-06	6/18/1992	78.97	77.77	1.2	2007.03	2010.76	1931.79	
OH-MW-06	10/8/1993	79.82	78.35	1.47	2007.03	2010.76	1930.94	
OH-MW-06	10/30/1993	80.24	78.58	1.66	2007.03	2010.76	1930.52	
OH-MW-06	1/25/1994	80.15	78.52	1.63	2007.03	2010.76	1930.61	
OH-MW-06	2/24/1994	81.74	79.52	2.22	2007.03	2010.76	1929.02	
OH-MW-06	3/23/1994	77.57	77.12	0.45	2007.03	2010.76	1933.19	
OH-MW-06	4/27/1994	73.96	73.93	0.03	2007.03	2010.76	1936.8	
OH-MW-06	5/26/1994	77.46	77.13	0.33	2007.03	2010.76	1933.3	
OH-MW-06	6/23/1994	81.41	79	2.41	2007.03	2010.76	1929.35	
OH-MW-06	7/20/1994	82.57	80.85	1.72	2007.03	2010.76	1928.19	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-06	8/29/1994	83.49	82.31	1.18	2007.03	2010.76	1927.27	
OH-MW-06	9/13/1994	82.58	81.63	0.95	2007.03	2010.76	1928.18	
OH-MW-06	10/12/1994	81.92	80.81	1.11	2007.03	2010.76	1928.84	
OH-MW-06	10/13/1994	81.92			2007.03	2010.76	1928.84	
OH-MW-06	11/13/1994	80.72	79.65	1.07	2007.03	2010.76	1930.04	
OH-MW-06	12/20/1994	78.19	78.01	0.18	2007.03	2010.76	1932.57	
OH-MW-06	1/27/1995	76	75.75	0.25	2007.03	2010.76	1934.76	
OH-MW-06	3/8/1995	71.61			2007.03	2010.76	1939.15	
OH-MW-06	4/24/1995	73.28	73.28		2007.03	2010.76	1937.48	
OH-MW-06	5/23/1995	74.26	74.23	0.03	2007.03	2010.76	1936.5	
OH-MW-06	6/25/1995	76.2	76.18	0.02	2007.03	2010.76	1934.56	
OH-MW-06	8/2/1995	80.46	79.98	0.48	2007.03	2010.76	1930.3	
OH-MW-06	8/30/1995	81.26	80.46	0.8	2007.03	2010.76	1929.5	
OH-MW-06	9/28/1995	80.02	79.8	0.22	2007.03	2010.76	1930.74	
OH-MW-06	11/3/1995	77.8	77.67	0.13	2007.03	2010.76	1932.96	
OH-MW-06	11/27/1995	74.1	74.06	0.04	2007.03	2010.76	1936.66	
OH-MW-06	12/20/1995	69.59	69.57	0.02	2007.03	2010.76	1941.17	
OH-MW-06	1/22/1996	71.7			2007.03	2010.76	1939.06	
OH-MW-06	2/13/1996	66.56			2007.03	2010.76	1944.2	
OH-MW-06	3/15/1996	70.98	70.97	0.01	2007.03	2010.76	1939.78	
OH-MW-06	4/17/1996	69.92			2007.03	2010.76	1940.84	
OH-MW-06	5/22/1996	68.52			2007.03	2010.76	1942.24	
OH-MW-06	7/18/1996	77.55			2007.03	2010.76	1933.21	
OH-MW-06	8/15/1996	78.2	78.08	0.12	2007.03	2010.76	1932.56	
OH-MW-06	9/26/1996	78.6	78.51	0.09	2007.03	2010.76	1932.16	
OH-MW-06	11/21/1996	78.47	78.4	0.07	2007.03	2010.76	1932.29	
OH-MW-06	12/19/1996	74.77	74.68	0.09	2007.03	2010.76	1935.99	
OH-MW-06	1/17/1997	71.57			2007.03	2010.76	1939.19	
OH-MW-06	3/19/1997	71.9			2007.03	2010.76	1938.86	
OH-MW-06	6/19/1997	67.03			2007.03	2010.76	1943.73	
OH-MW-06	8/4/1997	75.58	75.5	0.08	2007.03	2010.76	1935.18	
OH-MW-06	8/29/1997	76.8	76.77	0.03	2007.03	2010.76	1933.96	
OH-MW-06	10/2/1997	76.03	75.99	0.04	2007.03	2010.76	1934.73	
OH-MW-06	10/17/1997	75.45	75.41	0.04	2007.03	2010.76	1935.31	
OH-MW-06	12/15/1997	74.48	74.42	0.06	2007.03	2010.76	1936.28	
OH-MW-06	2/21/1998	73.73			2007.03	2010.76	1937.03	
OH-MW-06	5/7/1998	70.43			2007.03	2010.76	1940.33	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-06	6/18/1998	73.67			2007.03	2010.76	1937.09	
OH-MW-06	7/22/1998	77.09	77.05	0.04	2007.03	2010.76	1933.67	
OH-MW-06	8/25/1998	79.5	78.88	0.62	2007.03	2010.76	1931.26	
OH-MW-06	9/3/1998	79.68	79.1	0.58	2007.03	2010.76	1931.08	
OH-MW-06	9/14/1998	78.76	78.54	0.22	2007.03	2010.76	1932	
OH-MW-06	11/2/1998	77.48	77.34	0.14	2007.03	2010.76	1933.28	
OH-MW-06	12/14/1998	74.74	74.71	0.03	2007.03	2010.76	1936.02	
OH-MW-06	3/23/1999	72.24	72.2	0.04	2007.03	2010.76	1938.52	
OH-MW-06	7/19/1999	75.14			2007.03	2010.76	1935.62	
OH-MW-06	8/20/1999	77.56	77.48	0.08	2007.03	2010.76	1933.2	
OH-MW-06	9/20/1999	77.49	77.33	0.16	2007.03	2010.76	1933.27	
OH-MW-06	10/29/1999	77.5	77.4	0.1	2007.03	2010.76	1933.26	
OH-MW-06	12/30/1999	73.75	73.71	0.04	2007.03	2010.76	1937.01	
OH-MW-06	3/30/2000	72.32	72.26	0.06	2007.03	2010.76	1938.44	
OH-MW-06	6/26/2000	74.38	74.3	0.08	2007.03	2010.76	1936.38	
OH-MW-06	8/31/2000	79.37			2007.03	2010.76	1931.39	
OH-MW-06	10/2/2000	77.78	77.65	0.13	2007.03	2010.76	1932.98	
OH-MW-06	11/6/2000	77.26	77.11	0.15	2007.03	2010.76	1933.5	
OH-MW-06	12/27/2000	78.15	78.11	0.04	2007.03	2010.76	1932.61	
OH-MW-06	4/16/2001	76.83	76.75	0.08	2007.03	2010.76	1933.93	
OH-MW-06	6/19/2001	77.06	77	0.06	2007.03	2010.76	1933.7	
OH-MW-06	8/28/2001	81.4	81.06	0.34	2007.03	2010.76	1929.36	
OH-MW-06	9/10/2001	81.17	80.59	0.58	2007.03	2010.76	1929.59	
OH-MW-06	10/15/2001	79.11	79.1	0.01	2007.03	2010.76	1931.65	
OH-MW-06	12/6/2001	77.51			2007.03	2010.76	1933.25	
OH-MW-06	3/18/2002	74.38			2007.03	2010.76	1936.38	
OH-MW-06	6/28/2002	72.04	72.01	0.03	2007.03	2010.76	1938.72	
OH-MW-06	7/31/2002	78.2	78.18	0.02	2007.03	2010.76	1932.56	
OH-MW-06	8/30/2002	79.72	79.53	0.19	2007.03	2010.76	1931.04	
OH-MW-06	9/25/2002	78.63	78.54	0.09	2007.03	2010.76	1932.13	
OH-MW-06	12/16/2002	78.17	78.14	0.03	2007.03	2010.76	1932.59	
OH-MW-06	5/12/2003	73.81	73.77	0.04	2006.96	2010.76	1936.95	
OH-MW-06	7/1/2003	77.88	77.86	0.02	2006.96	2010.76	1932.88	
OH-MW-06	7/31/2003	81.18	80.36	0.82	2006.96	2010.76	1929.58	
OH-MW-06	7/1/2004	77.11	77.02	0.09	2006.96	2010.76	1933.65	
OH-MW-06	8/9/2004	81.28	80.17	1.11	2006.96	2010.76	1929.48	
OH-MW-06	9/14/2004	80.37	80.22	0.15	2006.96	2010.76	1930.39	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-06	10/25/2004	77.64	77.62	0.02	2006.96	2010.76	1933.12	
OH-MW-06	7/25/2005	80	79.83	0.17	2006.96	2010.76	1930.76	
OH-MW-06	8/30/2005	81.69	81.09	0.6	2006.96	2010.76	1929.07	
OH-MW-06	9/29/2005	80.13	79.4	0.73	2006.96	2010.76	1930.63	
OH-MW-06	10/24/2005	78.78	78.39	0.39	2006.96	2010.76	1931.98	
OH-MW-06	1/23/2006	71.81	71.68	0.13	2006.96	2010.76	1938.95	
OH-MW-06	4/17/2006	70.79	70.62	0.17	2006.96	2010.76	1939.97	
OH-MW-06	6/27/2006	75.28	75.24	0.04	2006.96	2010.76	1935.48	
OH-MW-06	7/17/2006	78.19	78.12	0.07	2006.96	2010.76	1932.57	
OH-MW-06	8/28/2006	86.2	85.8	0.4	2006.96	2010.76	1924.56	
OH-MW-06	9/26/2006	79	78.91	0.09	2006.96	2010.76	1931.76	
OH-MW-06	10/23/2006	78.5	78.39	0.11	2006.96	2010.76	1932.26	
OH-MW-06	1/31/2007	76.15			2006.96	2010.76	1934.61	
OH-MW-06	4/14/2007	70.52	70.48	0.04	2006.96	2010.76	1940.24	
OH-MW-06	7/23/2007	79.35			2006.96	2010.76	1931.41	
OH-MW-06	10/21/2007	78.55	78.47	0.08	2006.96	2010.76	1932.21	
OH-MW-06	1/23/2008	77.74	77.67	0.07	2006.96	2010.76	1933.02	
OH-MW-06	4/19/2008	73.48	73.44	0.04	2006.96	2010.76	1937.28	
OH-MW-06	7/22/2008	76	75.95	0.05		2010.76	1934.76	
OH-MW-06	10/18/2008	77.66	77.6	0.06		2010.76	1933.1	
OH-MW-07	3/10/1991	71.85			2007.13	2010.93	1939.08	
OH-MW-07	6/5/1991	72.19			2007.13	2010.93	1938.74	
OH-MW-07	6/8/1991	71.89			2007.13	2010.93	1939.04	
OH-MW-07	7/16/1991	77.19			2007.13	2010.93	1933.74	
OH-MW-07	12/7/1991	78.38			2007.13	2010.93	1932.55	
OH-MW-07	5/15/1992	76.49			2007.13	2010.93	1934.44	
OH-MW-07	10/8/1993	79.47			2007.13	2010.93	1931.46	
OH-MW-07	10/27/1993	79.53			2007.13	2010.93	1931.4	
OH-MW-07	10/31/1993	79.78			2007.13	2010.93	1931.15	
OH-MW-07	11/4/1993	79.98			2007.13	2010.93	1930.95	
OH-MW-07	4/27/1994	74.27			2007.13	2010.93	1936.66	
OH-MW-07	9/13/1994	82.23			2007.13	2010.93	1928.7	
OH-MW-07	6/26/2000	74.99			2007.13	2010.93	1935.94	
OH-MW-08	3/10/1991	69.27			2005.95	2009.75	1940.48	
OH-MW-08	6/8/1991	69.1			2005.95	2009.75	1940.65	
OH-MW-08	6/24/1991	70.24			2005.95	2009.75	1939.51	
OH-MW-08	7/16/1991	74.17			2005.95	2009.75	1935.58	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-08	12/7/1991	74.43			2005.95	2009.75	1935.32	
OH-MW-08	2/18/1992	72.63			2005.95	2009.75	1937.12	
OH-MW-08	5/15/1992	73.6			2005.95	2009.75	1936.15	
OH-MW-08	10/31/1993	79.79			2005.95	2009.75	1929.96	
OH-MW-08	11/4/1993	76.93			2005.95	2009.75	1932.82	
OH-MW-08	9/3/1998	76.58			2005.95	2009.75	1933.17	
OH-MW-08	9/14/1998	75.94			2005.95	2009.75	1933.81	
OH-MW-08	6/26/2000	71.1			2005.95	2009.75	1938.65	
OH-MW-08	8/31/2000	76.55			2005.95	2009.75	1933.2	
OH-MW-08	4/22/2008	70.69			2005.95	2009.75	1939.06	
OH-MW-08	10/18/2008	74.59				2009.75	1935.16	
OH-MW-09	3/10/1991	67.9			2004.05	2007.85	1939.95	
OH-MW-09	6/8/1991	68.02			2004.05	2007.85	1939.83	
OH-MW-09	6/24/1991	69.07			2004.05	2007.85	1938.78	
OH-MW-09	7/16/1991	73.01			2004.05	2007.85	1934.84	
OH-MW-09	5/15/1992	72.42			2004.05	2007.85	1935.43	
OH-MW-09	10/27/1993	75.27			2004.05	2007.85	1932.58	
OH-MW-09	11/4/1993	75.75			2004.05	2007.85	1932.1	
OH-MW-09	4/27/1994	70.4			2004.05	2007.85	1937.45	
OH-MW-09	5/26/1994	73.41			2004.05	2007.85	1934.44	
OH-MW-09	6/23/1994	75.64			2004.05	2007.85	1932.21	
OH-MW-09	7/20/1994	77.46			2004.05	2007.85	1930.39	
OH-MW-09	8/29/1994	78.98			2004.05	2007.85	1928.87	
OH-MW-09	9/13/1994	78.34			2004.05	2007.85	1929.51	
OH-MW-09	10/13/1994	77.48			2004.05	2007.85	1930.37	
OH-MW-09	12/20/1994	79.47			2004.05	2007.85	1928.38	
OH-MW-09	1/27/1995	72.16			2004.05	2007.85	1935.69	
OH-MW-09	3/8/1995	67.83			2004.05	2007.85	1940.02	
OH-MW-09	4/24/1995	69.55			2004.05	2007.85	1938.3	
OH-MW-09	5/23/1995	70.42			2004.05	2007.85	1937.43	
OH-MW-09	6/26/1995	72.81			2004.05	2007.85	1935.04	
OH-MW-09	8/2/1995	76.32			2004.05	2007.85	1931.53	
OH-MW-09	8/23/1995	76.57			2004.05	2007.85	1931.28	
OH-MW-09	8/30/1995	76.75			2004.05	2007.85	1931.1	
OH-MW-09	11/3/1995	73.89			2004.05	2007.85	1933.96	
OH-MW-09	11/27/1995	70.46			2004.05	2007.85	1937.39	
OH-MW-09	5/22/1996	65.15			2004.05	2007.85	1942.7	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-09	7/18/1996	73.38			2004.05	2007.85	1934.47	
OH-MW-09	8/15/1996	74.53			2004.05	2007.85	1933.32	
OH-MW-09	9/26/1996	74.51			2004.05	2007.85	1933.34	
OH-MW-09	1/17/1997	67.94			2004.05	2007.85	1939.91	
OH-MW-09	3/19/1997	68.32			2004.05	2007.85	1939.53	
OH-MW-09	6/19/1997	62.72			2004.05	2007.85	1945.13	
OH-MW-09	8/4/1997	71.7			2004.05	2007.85	1936.15	
OH-MW-10	3/10/1991	69			2006.56	2010.36	1941.36	
OH-MW-10	6/8/1991	70.79			2006.56	2010.36	1939.57	
OH-MW-10	6/24/1991	72.02			2006.56	2010.36	1938.34	
OH-MW-10	7/16/1991	75.93			2006.56	2010.36	1934.43	
OH-MW-10	12/7/1991	77.3	77.16	0.14	2006.56	2010.36	1933.06	
OH-MW-10	2/18/1992	75.38			2006.56	2010.36	1934.98	
OH-MW-10	6/18/1992	76.35	76.31	0.04	2006.56	2010.36	1934.01	
OH-MW-10	10/8/1993	78.01	78	0.01	2006.56	2010.36	1932.35	
OH-MW-10	10/30/1993	78.76	78.2	0.56	2006.56	2010.36	1931.6	
OH-MW-10	1/25/1994	77.83			2006.56	2010.36	1932.53	
OH-MW-10	9/28/1995	79.02			2006.56	2010.36	1931.34	
OH-MW-10	6/19/1997	65.98			2006.56	2010.36	1944.38	
OH-MW-10	8/4/1997	74.87			2006.56	2010.36	1935.49	
OH-MW-10	8/29/1997	76.1			2006.56	2010.36	1934.26	
OH-MW-10	10/2/1997	75.31			2006.56	2010.36	1935.05	
OH-MW-10	10/17/1997	74.81			2006.56	2010.36	1935.55	
OH-MW-10	12/15/1997	73.79			2006.56	2010.36	1936.57	
OH-MW-10	2/21/1998	73.14			2006.56	2010.36	1937.22	
OH-MW-10	5/6/1998	70.43			2006.56	2010.36	1939.93	
OH-MW-10	6/17/1998	72.97			2006.56	2010.36	1937.39	
OH-MW-10	7/22/1998	76.42			2006.56	2010.36	1933.94	
OH-MW-10	8/25/1998	78.32			2006.56	2010.36	1932.04	
OH-MW-10	9/3/1998	78.54			2006.56	2010.36	1931.82	
OH-MW-10	9/21/1998	77.94			2006.56	2010.36	1932.42	
OH-MW-10	11/2/1998	76.77			2006.56	2010.36	1933.59	
OH-MW-10	12/17/1998	74.16			2006.56	2010.36	1936.2	
OH-MW-10	3/23/1999	71.66			2006.56	2010.36	1938.7	
OH-MW-10	7/19/1999	74.4			2006.56	2010.36	1935.96	
OH-MW-10	8/20/1999	76.86			2006.56	2010.36	1933.5	
OH-MW-10	9/20/1999	76.76			2006.56	2010.36	1933.6	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-10	10/29/1999	76.84			2006.56	2010.36	1933.52	
OH-MW-10	12/30/1999	72.93			2006.56	2010.36	1937.43	
OH-MW-10	3/30/2000	71.53			2006.56	2010.36	1938.83	
OH-MW-10	6/26/2000	73.49			2006.56	2010.36	1936.87	
OH-MW-10	8/31/2000	78.56			2006.56	2010.36	1931.8	
OH-MW-10	10/2/2000	76.9			2006.56	2010.36	1933.46	
OH-MW-10	11/6/2000	76.3			2006.56	2010.36	1934.06	
OH-MW-10	12/27/2000	77.33			2006.56	2010.36	1933.03	
OH-MW-10	4/16/2001	75.73			2006.56	2010.36	1934.63	
OH-MW-10	6/19/2001	76.14			2006.56	2010.36	1934.22	
OH-MW-10	8/28/2001	80.31			2006.56	2010.36	1930.05	
OH-MW-10	9/10/2001	78.89			2006.56	2010.36	1931.47	
OH-MW-10	10/15/2001	78.33			2006.56	2010.36	1932.03	
OH-MW-10	12/6/2001	76.73			2006.56	2010.36	1933.63	
OH-MW-10	3/18/2002	73.63			2006.56	2010.36	1936.73	
OH-MW-10	6/28/2002	71.15			2006.56	2010.36	1939.21	
OH-MW-10	7/31/2002	77.28			2006.56	2010.36	1933.08	
OH-MW-10	8/30/2002	78.76			2006.56	2010.36	1931.6	
OH-MW-10	9/25/2002	77.9			2006.56	2010.36	1932.46	
OH-MW-10	12/16/2002	77.38			2006.56	2010.36	1932.98	
OH-MW-10	5/12/2003	72.96			2006.56	2010.36	1937.4	
OH-MW-10	7/1/2003	77			2006.56	2010.36	1933.36	
OH-MW-10	7/31/2003	79.63			2006.56	2010.36	1930.73	
OH-MW-10	7/1/2004	75.93			2006.56	2010.36	1934.43	
OH-MW-10	8/9/2004	79.49			2006.56	2010.36	1930.87	
OH-MW-10	9/14/2004	79.41			2006.56	2010.36	1930.95	
OH-MW-10	10/25/2004	76.8			2006.56	2010.36	1933.56	
OH-MW-10	7/25/2005	79.02			2006.56	2010.36	1931.34	
OH-MW-10	8/30/2005	80.4			2006.56	2010.36	1929.96	
OH-MW-10	9/29/2005	78.72			2006.56	2010.36	1931.64	
OH-MW-10	10/24/2005	77.04			2006.56	2010.36	1933.32	
OH-MW-10	1/23/2006	71.92			2006.56	2010.36	1938.44	
OH-MW-10	4/17/2006	69.82			2006.56	2010.36	1940.54	
OH-MW-10	6/27/2006	74.35			2006.56	2010.36	1936.01	
OH-MW-10	7/17/2006	77.25			2006.56	2010.36	1933.11	
OH-MW-10	8/28/2006	79.49			2006.56	2010.36	1930.87	
OH-MW-10	9/26/2006	78.12			2006.56	2010.36	1932.24	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-10	10/23/2006	77.6			2006.56	2010.36	1932.76	
OH-MW-10	1/31/2007	75.3			2006.56	2010.36	1935.06	
OH-MW-10	4/14/2007	69.62			2006.56	2010.36	1940.74	
OH-MW-10	7/23/2007	78.53			2006.56	2010.36	1931.83	
OH-MW-10	10/21/2007	77.68			2006.56	2010.36	1932.68	
OH-MW-10	1/23/2008	76.85			2006.56	2010.36	1933.51	
OH-MW-10	4/22/2008	73.04			2006.56	2010.36	1937.32	
OH-MW-10	7/22/2008	75.1				2010.36	1935.26	
OH-MW-10	10/18/2008	76.78				2010.36	1933.58	
OH-MW-11	3/10/1991	67.85			2004.34	2008.14	1940.29	
OH-MW-11	6/8/1991	69.33			2004.34	2008.14	1938.81	
OH-MW-11	6/24/1991	70.55			2004.34	2008.14	1937.59	
OH-MW-11	7/16/1991	74.46			2004.34	2008.14	1933.68	
OH-MW-11	12/7/1991	75.72			2004.34	2008.14	1932.42	
OH-MW-11	5/15/1992	73.92			2004.34	2008.14	1934.22	
OH-MW-11	10/27/1993	76.68			2004.34	2008.14	1931.46	
OH-MW-11	11/4/1993	77.16			2004.34	2008.14	1930.98	
OH-MW-11	4/27/1994	71.65			2004.34	2008.14	1936.49	
OH-MW-12	3/10/1991	68.1			2003.76	2007.56	1939.46	
OH-MW-12	6/8/1991	67.6			2003.76	2007.56	1939.96	
OH-MW-12	6/24/1991	68.63			2003.76	2007.56	1938.93	
OH-MW-12	7/16/1991	72.57			2003.76	2007.56	1934.99	
OH-MW-12	2/24/1994	76.06			2003.76	2007.56	1931.5	
OH-MW-13	3/10/1991	68.7			2006.49	2010.29	1941.59	
OH-MW-13	6/5/1991	71.33			2006.49	2010.29	1938.96	
OH-MW-13	6/8/1991	71.14			2006.49	2010.29	1939.15	
OH-MW-13	6/24/1991	72.46			2006.49	2010.29	1937.83	
OH-MW-13	7/16/1991	76.4			2006.49	2010.29	1933.89	
OH-MW-13	12/7/1991	77.6			2006.49	2010.29	1932.69	
OH-MW-13	2/18/1992	75.84			2006.49	2010.29	1934.45	
OH-MW-13	10/8/1993	78.7			2006.49	2010.29	1931.59	
OH-MW-13	10/31/1993	79.01			2006.49	2010.29	1931.28	
OH-MW-13	11/4/1993	79.18			2006.49	2010.29	1931.11	
OH-MW-13	9/28/1995	80.33			2006.49	2010.29	1929.96	
OH-MW-13	6/19/1997	66.75			2006.49	2010.29	1943.54	
OH-MW-13	8/4/1997	75.35			2006.49	2010.29	1934.94	
OH-MW-13	8/29/1997	77.01			2006.49	2010.29	1933.28	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-13	10/2/1997	76.1			2006.49	2010.29	1934.19	
OH-MW-13	10/17/1997	75.6			2006.49	2010.29	1934.69	
OH-MW-13	12/15/1997	74.62			2006.49	2010.29	1935.67	
OH-MW-13	2/20/1998	73.85			2006.49	2010.29	1936.44	
OH-MW-13	5/6/1998	70.49			2006.49	2010.29	1939.8	
OH-MW-13	6/17/1998	73.73			2006.49	2010.29	1936.56	
OH-MW-13	7/22/1998	77.05			2006.49	2010.29	1933.24	
OH-MW-13	8/25/1998	78.99			2006.49	2010.29	1931.3	
OH-MW-13	9/3/1998	79.23			2006.49	2010.29	1931.06	
OH-MW-13	9/14/1998	78.56			2006.49	2010.29	1931.73	
OH-MW-13	11/2/1998	77.51			2006.49	2010.29	1932.78	
OH-MW-13	12/14/1998	74.86			2006.49	2010.29	1935.43	
OH-MW-13	3/23/1999	72.28			2006.49	2010.29	1938.01	
OH-MW-13	7/19/1999	75.22			2006.49	2010.29	1935.07	
OH-MW-13	8/20/1999	77.7			2006.49	2010.29	1932.59	
OH-MW-13	9/20/1999	77.47			2006.49	2010.29	1932.82	
OH-MW-13	10/29/1999	77.55			2006.49	2010.29	1932.74	
OH-MW-13	12/30/1999	73.61			2006.49	2010.29	1936.68	
OH-MW-13	3/27/2000	72			2006.49	2010.29	1938.29	
OH-MW-13	6/26/2000	74.53			2006.49	2010.29	1935.76	
OH-MW-13	8/31/2000	79.23			2006.49	2010.29	1931.06	
OH-MW-13	10/2/2000	77.48			2006.49	2010.29	1932.81	
OH-MW-13	11/6/2000	76.93			2006.49	2010.29	1933.36	
OH-MW-13	12/27/2000	77.9			2006.49	2010.29	1932.39	
OH-MW-13	4/16/2001	76.41			2006.49	2010.29	1933.88	
OH-MW-13	6/19/2001	76.71			2006.49	2010.29	1933.58	
OH-MW-13	8/28/2001	80.86			2006.49	2010.29	1929.43	
OH-MW-13	9/10/2001	80.65			2006.49	2010.29	1929.64	
OH-MW-13	10/15/2001	78.77			2006.49	2010.29	1931.52	
OH-MW-13	12/6/2001	77.19			2006.49	2010.29	1933.1	
OH-MW-13	3/20/2002	74.05			2006.49	2010.29	1936.24	
OH-MW-13	6/28/2002	71.88			2006.49	2010.29	1938.41	
OH-MW-13	7/31/2002	77.93			2006.49	2010.29	1932.36	
OH-MW-13	8/30/2002	79.38			2006.49	2010.29	1930.91	
OH-MW-13	9/25/2002	78.45			2006.49	2010.29	1931.84	
OH-MW-13	12/16/2002	77.82			2006.49	2010.29	1932.47	
OH-MW-13	5/12/2003	73.46			2006.49	2010.29	1936.83	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-13	7/1/2003	77.57			2006.49	2010.29	1932.72	
OH-MW-13	7/31/2003	80.25			2006.49	2010.29	1930.04	
OH-MW-13	7/1/2004	76.85			2006.49	2010.29	1933.44	
OH-MW-13	8/9/2004	80.09			2006.49	2010.29	1930.2	
OH-MW-13	9/14/2004	79.99			2006.49	2010.29	1930.3	
OH-MW-13	10/28/2004	77.33			2006.49	2010.29	1932.96	
OH-MW-13	7/25/2005	79.55			2006.49	2010.29	1930.74	
OH-MW-13	8/30/2005	80.93			2006.49	2010.29	1929.36	
OH-MW-13	9/29/2005	79.12			2006.49	2010.29	1931.17	
OH-MW-13	10/24/2005	78.25			2006.49	2010.29	1932.04	
OH-MW-13	1/23/2006	71.38			2006.49	2010.29	1938.91	
OH-MW-13	4/17/2006	69.97			2006.49	2010.29	1940.32	
OH-MW-13	6/27/2006	75.06			2006.49	2010.29	1935.23	
OH-MW-13	7/17/2006	77.93			2006.49	2010.29	1932.36	
OH-MW-13	8/28/2006	80.05			2006.49	2010.29	1930.24	
OH-MW-13	9/26/2006	76.64			2006.49	2010.29	1933.65	
OH-MW-13	10/23/2006	78.15			2006.49	2010.29	1932.14	
OH-MW-13	1/31/2007	75.94			2006.49	2010.29	1934.35	
OH-MW-13	4/14/2007	70.21			2006.49	2010.29	1940.08	
OH-MW-13	7/23/2007	79.15			2006.49	2010.29	1931.14	
OH-MW-13	10/21/2007	78.26			2006.49	2010.29	1932.03	
OH-MW-13	1/23/2008	77.46			2006.49	2010.29	1932.83	
OH-MW-13	4/19/2008	73.37			2006.49	2010.29	1936.92	
OH-MW-13	7/22/2008	75.94				2010.29	1934.35	
OH-MW-13	10/18/2008	77.42				2010.29	1932.87	
OH-MW-14	3/10/1991	71.35			2007.09	2010.89	1939.54	
OH-MW-14	6/5/1991	71.54			2007.09	2010.89	1939.35	
OH-MW-14	6/8/1991	71.36			2007.09	2010.89	1939.53	
OH-MW-14	6/24/1991	72.66			2007.09	2010.89	1938.23	
OH-MW-14	7/16/1991	76.59			2007.09	2010.89	1934.3	
OH-MW-14	12/7/1991	77.77			2007.09	2010.89	1933.12	
OH-MW-14	2/18/1992	75.99			2007.09	2010.89	1934.9	
OH-MW-14	10/8/1993	78.89			2007.09	2010.89	1932	
OH-MW-14	8/23/1995	81.85			2007.09	2010.89	1929.04	
OH-MW-14	8/30/1995	81.9			2007.09	2010.89	1928.99	
OH-MW-14	6/19/1997	67.88			2007.09	2010.89	1943.01	
OH-MW-14	8/4/1997	75.67			2007.09	2010.89	1935.22	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-15	7/10/1991	68.58			2004.37	2008.17	1939.59	
OH-MW-15	1/3/1992	73.81			2004.37	2008.17	1934.36	
OH-MW-15	1/25/1994	75.32			2004.37	2008.17	1932.85	
OH-MW-15	9/28/1995	75.36			2004.37	2008.17	1932.81	
OH-MW-15	6/26/2000	70.18			2004.37	2008.17	1937.99	
OH-MW-16	12/6/1991	75.33			2003.65	2007.37	1932.04	
OH-MW-16	12/7/1991	76.54			2003.65	2007.37	1930.83	
OH-MW-16	2/18/1992	72.47			2003.65	2007.37	1934.9	
OH-MW-16	5/15/1992	73.37			2003.65	2007.37	1934	
OH-MW-16	10/25/1993	76.83	76.11	0.72	2003.65	2007.37	1930.54	
OH-MW-16	1/25/1994	76.27	75.65	0.62	2003.65	2007.37	1931.1	
OH-MW-16	2/24/1994	77.75	76.77	0.98	2003.65	2007.37	1929.62	
OH-MW-16	3/23/1994	74.3	74.08	0.22	2003.65	2007.37	1933.07	
OH-MW-16	4/27/1994	70.91			2003.65	2007.37	1936.46	
OH-MW-16	5/26/1994	74.2	74.17	0.03	2003.65	2007.37	1933.17	
OH-MW-16	6/23/1994	76.3	76.22	0.08	2003.65	2007.37	1931.07	
OH-MW-16	7/20/1994	78.16	78.08	0.08	2003.65	2007.37	1929.21	
OH-MW-16	8/29/1994	79.51	79.43	0.08	2003.65	2007.37	1927.86	
OH-MW-16	9/13/1994	78.75	78.67	0.08	2003.65	2007.37	1928.62	
OH-MW-16	10/12/1994	78.27	77.95	0.32	2003.65	2007.37	1929.1	
OH-MW-16	10/13/1994	78.27			2003.65	2007.37	1929.1	
OH-MW-16	11/13/1994	77.65	76.7	0.95	2003.65	2007.37	1929.72	
OH-MW-16	12/20/1994	75.28	75.02	0.26	2003.65	2007.37	1932.09	
OH-MW-16	1/27/1995	72.99			2003.65	2007.37	1934.38	
OH-MW-16	5/23/1995	71.52			2003.65	2007.37	1935.85	
OH-MW-16	6/25/1995	73.78			2003.65	2007.37	1933.59	Top of Casing was 0.08 ft higher until 6/25/95
OH-MW-16	8/2/1995	78.27	77.07	1.2	2003.57	2007.37	1929.1	
OH-MW-16	8/23/1995	78.42			2003.57	2007.37	1928.95	
OH-MW-16	8/30/1995	78.33	77.67	0.66	2003.57	2007.37	1929.04	
OH-MW-16	9/28/1995	76.22			2003.57	2007.37	1931.15	
OH-MW-16	11/3/1995	75.27	74.79	0.48	2003.57	2007.37	1932.1	
OH-MW-16	11/27/1995	71.1	71.09	0.01	2003.57	2007.37	1936.27	
OH-MW-16	12/20/1995	66.8			2003.57	2007.37	1940.57	
OH-MW-16	1/22/1996	69.23			2003.57	2007.37	1938.14	
OH-MW-16	2/13/1996	63.68			2003.57	2007.37	1943.69	
OH-MW-16	3/15/1996	68.27			2003.57	2007.37	1939.1	
OH-MW-16	4/17/1996	67.48			2003.57	2007.37	1939.89	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-16	5/22/1996	66.1			2003.57	2007.37	1941.27	
OH-MW-16	7/18/1996	74.74			2003.57	2007.37	1932.63	
OH-MW-16	8/15/1996	75.86	75.54	0.32	2003.57	2007.37	1931.51	
OH-MW-16	9/26/1996	75.72	75.59	0.13	2003.57	2007.37	1931.65	
OH-MW-16	3/19/1997	69.44			2003.57	2007.37	1937.93	
OH-MW-16	6/19/1997	64.4			2003.57	2007.37	1942.97	
OH-MW-16	8/4/1997	73.26			2003.57	2007.37	1934.11	
OH-MW-16	5/7/1998	68.09			2003.57	2007.37	1939.28	
OH-MW-16	6/26/2000	69.71			2003.57	2007.37	1937.66	
OH-MW-16	8/31/2000	76.74			2003.57	2007.37	1930.63	
OH-MW-16	10/2/2000	72.3			2003.57	2007.37	1935.07	
OH-MW-16	11/6/2000	72.51			2003.57	2007.37	1934.86	
OH-MW-17	12/6/1991	74.55			2004.16	2007.96	1933.41	
OH-MW-17	5/15/1992	72.55			2004.16	2007.96	1935.41	
OH-MW-17	11/4/1993	75.82			2004.16	2007.96	1932.14	
OH-MW-17	9/28/1995	76.22			2004.16	2007.96	1931.74	
OH-MW-17	6/19/1997	63.14			2004.16	2007.96	1944.82	
OH-MW-17	8/4/1997	72.2			2004.16	2007.96	1935.76	
OH-MW-17	8/29/1997	73.46			2004.16	2007.96	1934.5	
OH-MW-17	10/2/1997	72.65			2004.16	2007.96	1935.31	
OH-MW-17	10/17/1997	72.1			2004.16	2007.96	1935.86	
OH-MW-17	12/15/1997	71.15			2004.16	2007.96	1936.81	
OH-MW-17	2/21/1998	70.41			2004.16	2007.96	1937.55	
OH-MW-17	5/6/1998	67.18			2004.16	2007.96	1940.78	
OH-MW-17	6/17/1998	70.26			2004.16	2007.96	1937.7	
OH-MW-17	9/3/1998	75.82			2004.16	2007.96	1932.14	
OH-MW-17	9/14/1998	75.22			2004.16	2007.96	1932.74	
OH-MW-17	11/2/1998	74.06			2004.16	2007.96	1933.9	
OH-MW-17	12/14/1998	71.48			2004.16	2007.96	1936.48	
OH-MW-17	3/23/1999	68.4			2004.16	2007.96	1939.56	
OH-MW-17	7/19/1999	71.72			2004.16	2007.96	1936.24	
OH-MW-17	8/20/1999	74.2			2004.16	2007.96	1933.76	
OH-MW-17	9/20/1999	74.06			2004.16	2007.96	1933.9	
OH-MW-17	10/29/1999	74.13			2004.16	2007.96	1933.83	
OH-MW-17	12/30/1999	69.92			2004.16	2007.96	1938.04	
OH-MW-17	3/27/2000	68.69			2004.16	2007.96	1939.27	
OH-MW-17	6/26/2000	70.81			2004.16	2007.96	1937.15	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-17	8/31/2000	75.83			2004.16	2007.96	1932.13	
OH-MW-17	10/2/2000	74.17			2004.16	2007.96	1933.79	
OH-MW-17	11/6/2000	73.58			2004.16	2007.96	1934.38	
OH-MW-17	12/27/2000	74.62			2004.16	2007.96	1933.34	
OH-MW-17	4/16/2001	73.18			2004.16	2007.96	1934.78	
OH-MW-17	6/19/2001	73.4			2004.16	2007.96	1934.56	
OH-MW-17	8/28/2001	77.58			2004.16	2007.96	1930.38	
OH-MW-17	9/10/2001	77.46			2004.16	2007.96	1930.5	
OH-MW-17	10/15/2001	75.57			2004.16	2007.96	1932.39	
OH-MW-17	12/6/2001	73.97			2004.16	2007.96	1933.99	
OH-MW-17	3/20/2002	70.89			2004.16	2007.96	1937.07	
OH-MW-17	6/28/2002	68.45			2004.16	2007.96	1939.51	
OH-MW-17	7/31/2002	74.54			2004.16	2007.96	1933.42	
OH-MW-17	8/30/2002	76.02			2004.16	2007.96	1931.94	
OH-MW-17	9/26/2002	75.1			2004.16	2007.96	1932.86	
OH-MW-17	12/16/2002	74.57			2004.16	2007.96	1933.39	
OH-MW-17	5/12/2003	70.08			2004.16	2007.96	1937.88	
OH-MW-17	7/1/2003	74.23			2004.16	2007.96	1933.73	
OH-MW-17	7/31/2003	76.9			2004.16	2007.96	1931.06	
OH-MW-17	7/1/2004	73.55			2004.16	2007.96	1934.41	
OH-MW-17	8/9/2004	77.48			2004.16	2007.96	1930.48	
OH-MW-17	9/14/2004	77.18			2004.16	2007.96	1930.78	
OH-MW-17	10/25/2004	74.04			2004.16	2007.96	1933.92	
OH-MW-17	8/30/2005	77.62			2004.16	2007.96	1930.34	
OH-MW-18	12/6/1991	76.72			2004.61	2008.41	1931.69	
OH-MW-18	5/15/1992	74.3			2004.61	2008.41	1934.11	
OH-MW-18	10/27/1993	77.47			2004.61	2008.41	1930.94	
OH-MW-18	2/24/1994	77.9			2004.61	2008.41	1930.51	
OH-MW-18	3/23/1994	75.17			2004.61	2008.41	1933.24	
OH-MW-18	4/27/1994	72.03			2004.61	2008.41	1936.38	
OH-MW-18	5/26/1994	75.39			2004.61	2008.41	1933.02	
OH-MW-18	6/23/1994	77.52			2004.61	2008.41	1930.89	
OH-MW-18	7/20/1994	79.23			2004.61	2008.41	1929.18	
OH-MW-18	9/13/1994	80.6			2004.61	2008.41	1927.81	
OH-MW-18	10/13/1994	79.2			2004.61	2008.41	1929.21	
OH-MW-18	6/26/1995	76.64			2004.61	2008.41	1931.77	
OH-MW-18	11/3/1995	75.76			2004.61	2008.41	1932.65	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-18	11/27/1995	72.19			2004.61	2008.41	1936.22	
OH-MW-18	12/20/1995	67.82			2004.61	2008.41	1940.59	
OH-MW-18	1/22/1996	70.33			2004.61	2008.41	1938.08	
OH-MW-18	2/13/1996	64.96			2004.61	2008.41	1943.45	
OH-MW-18	3/15/1996	69.3			2004.61	2008.41	1939.11	
OH-MW-18	4/17/1996	68.6			2004.61	2008.41	1939.81	
OH-MW-18	7/18/1996	75.73			2004.61	2008.41	1932.68	
OH-MW-18	8/15/1996	76.7			2004.61	2008.41	1931.71	
OH-MW-18	9/26/1996	76.63			2004.61	2008.41	1931.78	
OH-MW-18	11/21/1996	76.5			2004.61	2008.41	1931.91	
OH-MW-18	12/19/1996	73.41			2004.61	2008.41	1935	
OH-MW-18	1/17/1997	70.32			2004.61	2008.41	1938.09	
OH-MW-18	3/19/1997	70.59			2004.61	2008.41	1937.82	
OH-MW-18	6/19/1997	65.6			2004.61	2008.41	1942.81	
OH-MW-18	8/4/1997	74.32			2004.61	2008.41	1934.09	
OH-MW-18	8/29/1997	75.5			2004.61	2008.41	1932.91	
OH-MW-18	10/2/1997	74.59			2004.61	2008.41	1933.82	
OH-MW-18	10/17/1997	74.15			2004.61	2008.41	1934.26	
OH-MW-18	12/15/1997	73.17			2004.61	2008.41	1935.24	
OH-MW-18	2/21/1998	72.47			2004.61	2008.41	1935.94	
OH-MW-18	5/6/1998	69.23			2004.61	2008.41	1939.18	
OH-MW-18	6/18/1998	72.33			2004.61	2008.41	1936.08	
OH-MW-18	7/22/1998	75.66			2004.61	2008.41	1932.75	
OH-MW-18	8/25/1998	77.44			2004.61	2008.41	1930.97	
OH-MW-18	9/3/1998	77.77			2004.61	2008.41	1930.64	
OH-MW-18	9/21/1998	77.24			2004.61	2008.41	1931.17	
OH-MW-18	11/2/1998	76.02			2004.61	2008.41	1932.39	
OH-MW-18	12/17/1998	73.45			2004.61	2008.41	1934.96	
OH-MW-18	3/23/1999	70.93			2004.61	2008.41	1937.48	
OH-MW-18	7/19/1999	73.75			2004.61	2008.41	1934.66	
OH-MW-18	8/20/1999	76.17			2004.61	2008.41	1932.24	
OH-MW-18	9/23/1999	75.97			2004.61	2008.41	1932.44	
OH-MW-18	10/29/1999	76.12			2004.61	2008.41	1932.29	
OH-MW-18	12/30/1999	72.19			2004.61	2008.41	1936.22	
OH-MW-18	3/30/2000	70.72			2004.61	2008.41	1937.69	
OH-MW-18	6/26/2000	72.26			2004.61	2008.41	1936.15	
OH-MW-18	8/31/2000	77.59			2004.61	2008.41	1930.82	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-18	10/2/2000	75.9			2004.61	2008.41	1932.51	
OH-MW-18	11/6/2000	75.35			2004.61	2008.41	1933.06	
OH-MW-18	12/27/2000	76.35			2004.61	2008.41	1932.06	
OH-MW-18	4/16/2001	75.03			2004.61	2008.41	1933.38	
OH-MW-18	6/19/2001	75.31			2004.61	2008.41	1933.1	
OH-MW-18	8/28/2001	79.32			2004.61	2008.41	1929.09	
OH-MW-18	9/10/2001	79.16			2004.61	2008.41	1929.25	
OH-MW-18	10/15/2001	77.17			2004.61	2008.41	1931.24	
OH-MW-18	12/6/2001	75.58			2004.61	2008.41	1932.83	
OH-MW-18	3/20/2002	72.53			2004.61	2008.41	1935.88	
OH-MW-18	6/28/2002	71.37			2004.61	2008.41	1937.04	
OH-MW-18	7/31/2002	75.57			2004.61	2008.41	1932.84	
OH-MW-18	8/30/2002	78.82			2004.61	2008.41	1929.59	
OH-MW-18	9/25/2002	76.91			2004.61	2008.41	1931.5	
OH-MW-18	12/16/2002	76.37			2004.61	2008.41	1932.04	
OH-MW-18	5/12/2003	72.12			2004.61	2008.41	1936.29	
OH-MW-18	7/1/2004	75.44			2004.61	2008.41	1932.97	
OH-MW-18	8/9/2004	78.53			2004.61	2008.41	1929.88	
OH-MW-18	10/28/2004	75.86			2004.61	2008.41	1932.55	
OH-MW-18	7/25/2005	78.05			2004.61	2008.41	1930.36	
OH-MW-18	8/30/2005	79.35			2004.61	2008.41	1929.06	
OH-MW-18	9/29/2005	77.67			2004.61	2008.41	1930.74	
OH-MW-18	10/24/2005	76.79			2004.61	2008.41	1931.62	
OH-MW-18	1/23/2006	70.01			2004.61	2008.41	1938.4	
OH-MW-18	4/17/2006	68.71			2004.61	2008.41	1939.7	
OH-MW-18	6/27/2006	73.61	73.6	0.01	2004.61	2008.41	1934.8	
OH-MW-18	7/17/2006	78.44			2004.61	2008.41	1929.97	
OH-MW-18	8/28/2006	78.54			2004.61	2008.41	1929.87	
OH-MW-18	9/26/2006	77.17			2004.61	2008.41	1931.24	
OH-MW-18	10/23/2006	76.69			2004.61	2008.41	1931.72	
OH-MW-18	1/31/2007	74.48			2004.61	2008.41	1933.93	
OH-MW-18	4/14/2007	68.83			2004.61	2008.41	1939.58	
OH-MW-18	7/23/2007	77.6			2004.61	2008.41	1930.81	
OH-MW-18	10/21/2007	76.76			2004.61	2008.41	1931.65	
OH-MW-18	1/23/2008	75.95			2004.61	2008.41	1932.46	
OH-MW-18	4/19/2008	72.04			2004.61	2008.41	1936.37	
OH-MW-18	7/22/2008	71.41				2008.41	1937	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-18	10/18/2008	75.92				2008.41	1932.49	
OH-MW-19	12/6/1991	75.4			2004.33	2008.13	1932.73	
OH-MW-19	1/3/1992	75.08			2004.33	2008.13	1933.05	
OH-MW-19	2/18/1992	73.59			2004.33	2008.13	1934.54	
OH-MW-19	5/15/1992	73.44			2004.33	2008.13	1934.69	
OH-MW-19	6/18/1992	75.55			2004.33	2008.13	1932.58	
OH-MW-19	10/31/1993	76.46			2004.33	2008.13	1931.67	
OH-MW-19	9/28/1995	77.2			2004.33	2008.13	1930.93	
OH-MW-19	11/3/1995	75.09			2004.33	2008.13	1933.04	
OH-MW-19	11/27/1995	71.47			2004.33	2008.13	1936.66	
OH-MW-19	12/20/1995	67.1			2004.33	2008.13	1941.03	
OH-MW-19	1/22/1996	69.49			2004.33	2008.13	1938.64	
OH-MW-19	2/13/1996	64.17			2004.33	2008.13	1943.96	
OH-MW-19	3/15/1996	68.59			2004.33	2008.13	1939.54	
OH-MW-19	4/17/1996	67.8			2004.33	2008.13	1940.33	
OH-MW-19	7/18/1996	75.01			2004.33	2008.13	1933.12	
OH-MW-19	8/15/1996	75.85			2004.33	2008.13	1932.28	
OH-MW-19	9/26/1996	75.92			2004.33	2008.13	1932.21	
OH-MW-19	11/21/1996	75.82			2004.33	2008.13	1932.31	
OH-MW-19	12/19/1996	72.52			2004.33	2008.13	1935.61	
OH-MW-19	1/17/1997	69.57			2004.33	2008.13	1938.56	
OH-MW-19	3/19/1997	69.8			2004.33	2008.13	1938.33	
OH-MW-19	6/19/1997	64.76			2004.33	2008.13	1943.37	
OH-MW-19	8/4/1997	73.35			2004.33	2008.13	1934.78	
OH-MW-19	8/29/1997	74.59			2004.33	2008.13	1933.54	
OH-MW-19	10/2/1997	73.82			2004.33	2008.13	1934.31	
OH-MW-19	10/17/1997	73.28			2004.33	2008.13	1934.85	
OH-MW-19	12/15/1997	72.35			2004.33	2008.13	1935.78	
OH-MW-19	2/21/1998	71.63			2004.33	2008.13	1936.5	
OH-MW-19	5/7/1998	68.4			2004.33	2008.13	1939.73	
OH-MW-19	6/17/1998	71.51			2004.33	2008.13	1936.62	
OH-MW-19	7/22/1998	75.12			2004.33	2008.13	1933.01	
OH-MW-19	8/25/1998	77.03			2004.33	2008.13	1931.1	
OH-MW-19	9/3/1998	76.88			2004.33	2008.13	1931.25	
OH-MW-19	9/14/1998	76.25			2004.33	2008.13	1931.88	
OH-MW-19	11/2/1998	75.11			2004.33	2008.13	1933.02	
OH-MW-19	12/14/1998	72.6			2004.33	2008.13	1935.53	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-19	3/23/1999	70.09			2004.33	2008.13	1938.04	
OH-MW-19	7/19/1999	72.83			2004.33	2008.13	1935.3	
OH-MW-19	8/20/1999	75.23			2004.33	2008.13	1932.9	
OH-MW-19	9/20/1999	75.06			2004.33	2008.13	1933.07	
OH-MW-19	10/29/1999	75.16			2004.33	2008.13	1932.97	
OH-MW-19	12/30/1999	71.15			2004.33	2008.13	1936.98	
OH-MW-19	3/27/2000	69.92			2004.33	2008.13	1938.21	
OH-MW-19	6/26/2000	71.91			2004.33	2008.13	1936.22	
OH-MW-19	8/31/2000	76.83			2004.33	2008.13	1931.3	
OH-MW-19	10/2/2000	75.9			2004.33	2008.13	1932.23	
OH-MW-19	11/6/2000	74.57			2004.33	2008.13	1933.56	
OH-MW-19	12/27/2000	75.57			2004.33	2008.13	1932.56	
OH-MW-19	4/16/2001	74.25			2004.33	2008.13	1933.88	
OH-MW-19	6/19/2001	74.5			2004.33	2008.13	1933.63	
OH-MW-19	8/28/2001	78.58			2004.33	2008.13	1929.55	
OH-MW-19	9/10/2001	78.01			2004.33	2008.13	1930.12	
OH-MW-19	10/15/2001	76.52			2004.33	2008.13	1931.61	
OH-MW-19	12/6/2001	74.94			2004.33	2008.13	1933.19	
OH-MW-19	3/18/2002	71.59			2004.33	2008.13	1936.54	
OH-MW-19	6/28/2002	69.53			2004.33	2008.13	1938.6	
OH-MW-19	7/31/2002	75.64			2004.33	2008.13	1932.49	
OH-MW-19	8/30/2002	77.06			2004.33	2008.13	1931.07	
OH-MW-19	9/25/2002	76.07			2004.33	2008.13	1932.06	
OH-MW-19	12/16/2002	75.6			2004.33	2008.13	1932.53	
OH-MW-19	5/12/2003	71.41			2004.33	2008.13	1936.72	
OH-MW-19	7/1/2003	75.33			2004.33	2008.13	1932.8	
OH-MW-19	7/31/2003	77.97			2004.33	2008.13	1930.16	
OH-MW-19	7/1/2004	74.52			2004.33	2008.13	1933.61	
OH-MW-19	8/9/2004	77.78			2004.33	2008.13	1930.35	
OH-MW-19	9/14/2004	77.53			2004.33	2008.13	1930.6	
OH-MW-19	10/25/2004	75.14			2004.33	2008.13	1932.99	
OH-MW-20	12/6/1991	74.94			2004.21	2008.01	1933.07	
OH-MW-20	12/7/1991	75.15			2004.21	2008.01	1932.86	
OH-MW-20	1/3/1992	74.54			2004.21	2008.01	1933.47	
OH-MW-20	2/18/1992	73.09	73.06	0.03	2004.21	2008.01	1934.92	
OH-MW-20	5/15/1992	72.94			2004.21	2008.01	1935.07	
OH-MW-20	6/18/1992	75.45	75.02	0.43	2004.21	2008.01	1932.56	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-20	10/30/1993	76.7	75.88	0.82	2004.21	2008.01	1931.31	
OH-MW-20	9/28/1995	75.82			2004.21	2008.01	1932.19	
OH-MW-20	6/19/1997	63.98			2004.21	2008.01	1944.03	
OH-MW-20	8/4/1997	72.68			2004.21	2008.01	1935.33	
OH-MW-20	8/29/1997	73.9			2004.21	2008.01	1934.11	
OH-MW-20	10/2/1997	73.1			2004.21	2008.01	1934.91	
OH-MW-20	10/17/1997	72.54			2004.21	2008.01	1935.47	
OH-MW-20	12/15/1997	71.59			2004.21	2008.01	1936.42	
OH-MW-20	2/21/1998	70.86			2004.21	2008.01	1937.15	
OH-MW-20	5/7/1998	67.66			2004.21	2008.01	1940.35	
OH-MW-20	6/18/1998	70.78			2004.21	2008.01	1937.23	
OH-MW-20	7/22/1998	74.21			2004.21	2008.01	1933.8	
OH-MW-20	8/25/1998	76.09			2004.21	2008.01	1931.92	
OH-MW-20	9/3/1998	76.33			2004.21	2008.01	1931.68	
OH-MW-20	9/14/1998	75.74			2004.21	2008.01	1932.27	
OH-MW-20	11/2/1998	74.52			2004.21	2008.01	1933.49	
OH-MW-20	12/14/1998	71.91			2004.21	2008.01	1936.1	
OH-MW-20	3/23/1999	69.32			2004.21	2008.01	1938.69	
OH-MW-20	7/19/1999	72.14			2004.21	2008.01	1935.87	
OH-MW-20	8/20/1999	74.63			2004.21	2008.01	1933.38	
OH-MW-20	9/20/1999	74.48			2004.21	2008.01	1933.53	
OH-MW-20	10/29/1999	74.54			2004.21	2008.01	1933.47	
OH-MW-20	12/30/1999	70.8			2004.21	2008.01	1937.21	
OH-MW-20	3/27/2000	69.33			2004.21	2008.01	1938.68	
OH-MW-20	6/26/2000	71.34			2004.21	2008.01	1936.67	
OH-MW-20	8/31/2000	76.4			2004.21	2008.01	1931.61	
OH-MW-20	10/2/2000	74.78			2004.21	2008.01	1933.23	
OH-MW-20	11/6/2000	74.19			2004.21	2008.01	1933.82	
OH-MW-20	12/27/2000	25.23			2004.21	2008.01	1982.78	
OH-MW-20	4/16/2001	73.83			2004.21	2008.01	1934.18	
OH-MW-20	6/19/2001	73.83			2004.21	2008.01	1934.18	
OH-MW-20	8/28/2001	78.3			2004.21	2008.01	1929.71	
OH-MW-20	9/10/2001	77.81			2004.21	2008.01	1930.2	
OH-MW-20	10/15/2001	76.36			2004.21	2008.01	1931.65	
OH-MW-20	12/6/2001	74.63			2004.21	2008.01	1933.38	
OH-MW-20	3/18/2002	71.39			2004.21	2008.01	1936.62	
OH-MW-20	6/28/2002	69.12			2004.21	2008.01	1938.89	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-20	7/31/2002	75.25			2004.21	2008.01	1932.76	
OH-MW-20	8/30/2002	76.68			2004.21	2008.01	1931.33	
OH-MW-20	9/25/2002	75.57			2004.21	2008.01	1932.44	
OH-MW-20	12/16/2002	75.27			2004.21	2008.01	1932.74	
OH-MW-20	5/12/2003	70.86			2004.21	2008.01	1937.15	
OH-MW-20	7/1/2003	74.94			2004.21	2008.01	1933.07	
OH-MW-20	7/31/2003	77.61			2004.21	2008.01	1930.4	
OH-MW-20	7/1/2004	74.11			2004.21	2008.01	1933.9	
OH-MW-20	8/9/2004	77.45			2004.21	2008.01	1930.56	
OH-MW-20	9/14/2004	77.49			2004.21	2008.01	1930.52	
OH-MW-20	10/25/2004	74.72			2004.21	2008.01	1933.29	
OH-MW-21	12/6/1991	74.12			2004.06	2007.86	1933.74	
OH-MW-21	12/7/1991	74.18			2004.06	2007.86	1933.68	
OH-MW-21	10/27/1993	75.39			2004.06	2007.86	1932.47	
OH-MW-21	10/31/1993	75.45			2004.06	2007.86	1932.41	
OH-MW-21	11/4/1993	75.63			2004.06	2007.86	1932.23	
OH-MW-21	2/24/1994	75.94			2004.06	2007.86	1931.92	
OH-MW-21	3/23/1994	73.28			2004.06	2007.86	1934.58	
OH-MW-21	4/27/1994	70.15			2004.06	2007.86	1937.71	
OH-MW-21	5/26/1994	73.28			2004.06	2007.86	1934.58	
OH-MW-21	6/23/1994	75.51			2004.06	2007.86	1932.35	
OH-MW-21	7/20/1994	77.27			2004.06	2007.86	1930.59	
OH-MW-21	8/29/1994	78.74			2004.06	2007.86	1929.12	
OH-MW-21	9/13/1994	78.07			2004.06	2007.86	1929.79	
OH-MW-21	10/13/1994	77.26			2004.06	2007.86	1930.6	
OH-MW-21	11/13/1994	76.04			2004.06	2007.86	1931.82	
OH-MW-21	12/20/1994	74.26			2004.06	2007.86	1933.6	
OH-MW-21	3/8/1995	67.65			2004.06	2007.86	1940.21	
OH-MW-21	4/24/1995	69.42			2004.06	2007.86	1938.44	
OH-MW-21	5/23/1995	70.37			2004.06	2007.86	1937.49	
OH-MW-21	6/26/1995	72.69			2004.06	2007.86	1935.17	
OH-MW-21	8/2/1995	76.18			2004.06	2007.86	1931.68	
OH-MW-21	9/28/1995	75.82			2004.06	2007.86	1932.04	
OH-MW-21	6/19/1997	62.59			2004.06	2007.86	1945.27	
OH-MW-21	8/4/1997	71.73			2004.06	2007.86	1936.13	
OH-MW-22	12/6/1991	74.94			2004.57	2008.37	1933.43	
OH-MW-22	12/7/1991	75			2004.57	2008.37	1933.37	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-22	2/18/1992	73.13			2004.57	2008.37	1935.24	
OH-MW-22	6/18/1992	75.13			2004.57	2008.37	1933.24	
OH-MW-23	12/6/1991	74.42			2004.38	2008.18	1933.76	
OH-MW-23	12/7/1991	74.48			2004.38	2008.18	1933.7	
OH-MW-23	2/18/1992	72.69			2004.38	2008.18	1935.49	
OH-MW-23	10/8/1993	75.3	75.25	0.05	2004.38	2008.18	1932.88	
OH-MW-23	9/28/1995	76			2004.38	2008.18	1932.18	
OH-MW-23	6/19/1997	63.28			2004.38	2008.18	1944.9	
OH-MW-23	8/4/1997	72.09			2004.38	2008.18	1936.09	
OH-MW-23	6/26/2000	71.59			2004.38	2008.18	1936.59	
OH-MW-24	12/6/1991	75.56			2004.52	2008.43	1932.87	
OH-MW-24	12/7/1991	75.57			2004.52	2008.43	1932.86	
OH-MW-24	2/18/1992	73.69			2004.52	2008.43	1934.74	
OH-MW-24	5/15/1992	73.55			2004.52	2008.43	1934.88	
OH-MW-24	6/18/1992	75.62	75.45	0.17	2004.52	2008.43	1932.81	
OH-MW-24	9/28/1995	77.45			2004.52	2008.43	1930.98	
OH-MW-24	11/3/1995	75.29			2004.52	2008.43	1933.14	
OH-MW-24	11/27/1995	71.67			2004.52	2008.43	1936.76	
OH-MW-24	12/20/1995	67.2			2004.52	2008.43	1941.23	
OH-MW-24	1/22/1996	69.52			2004.52	2008.43	1938.91	
OH-MW-24	2/13/1996	64.43			2004.52	2008.43	1944	
OH-MW-24	3/15/1996	68.63			2004.52	2008.43	1939.8	
OH-MW-24	4/17/1996	67.75			2004.52	2008.43	1940.68	
OH-MW-24	7/18/1996	75.17			2004.52	2008.43	1933.26	
OH-MW-24	8/15/1996	75.89			2004.52	2008.43	1932.54	
OH-MW-24	9/26/1996	76.12			2004.52	2008.43	1932.31	
OH-MW-24	11/21/1996	75.99			2004.52	2008.43	1932.44	
OH-MW-24	1/17/1997	69.44			2004.52	2008.43	1938.99	
OH-MW-24	3/19/1997	69.7			2004.52	2008.43	1938.73	
OH-MW-24	6/19/1997	64.57			2004.52	2008.43	1943.86	
OH-MW-24	8/4/1997	73.32			2004.52	2008.43	1935.11	
OH-MW-24	8/29/1997	74.58			2004.52	2008.43	1933.85	
OH-MW-24	10/2/1997	73.78			2004.52	2008.43	1934.65	
OH-MW-24	10/17/1997	73.27			2004.52	2008.43	1935.16	
OH-MW-24	12/15/1997	72.27			2004.52	2008.43	1936.16	
OH-MW-24	2/21/1998	70.54			2004.52	2008.43	1937.89	
OH-MW-24	5/7/1998	68.39			2004.52	2008.43	1940.04	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-24	6/17/1998	71.44			2004.52	2008.43	1936.99	
OH-MW-24	7/22/1998	74.81			2004.52	2008.43	1933.62	
OH-MW-24	8/25/1998	76.69			2004.52	2008.43	1931.74	
OH-MW-24	9/3/1998	76.95			2004.52	2008.43	1931.48	
OH-MW-24	9/14/1998	76.37			2004.52	2008.43	1932.06	
OH-MW-24	11/2/1998	75.18			2004.52	2008.43	1933.25	
OH-MW-24	12/14/1998	72.57			2004.52	2008.43	1935.86	
OH-MW-24	3/23/1999	70.07			2004.52	2008.43	1938.36	
OH-MW-24	7/19/1999	72.84			2004.52	2008.43	1935.59	
OH-MW-24	8/20/1999	75.31			2004.52	2008.43	1933.12	
OH-MW-24	9/20/1999	75.14			2004.52	2008.43	1933.29	
OH-MW-24	10/29/1999	75.26			2004.52	2008.43	1933.17	
OH-MW-24	12/30/1999	71.42			2004.52	2008.43	1937.01	
OH-MW-24	3/27/2000	69.95			2004.52	2008.43	1938.48	
OH-MW-24	6/26/2000	72.01			2004.52	2008.43	1936.42	
OH-MW-24	8/31/2000	76.94			2004.52	2008.43	1931.49	
OH-MW-24	10/2/2000	75.3			2004.52	2008.43	1933.13	
OH-MW-24	11/6/2000	74.8			2004.52	2008.43	1933.63	
OH-MW-24	12/27/2000	75.77			2004.52	2008.43	1932.66	
OH-MW-24	4/16/2001	74.4			2004.52	2008.43	1934.03	
OH-MW-24	6/19/2001	74.44			2004.52	2008.43	1933.99	
OH-MW-24	8/28/2001	78.75			2004.52	2008.43	1929.68	
OH-MW-24	9/10/2001	78.27			2004.52	2008.43	1930.16	
OH-MW-24	10/15/2001	76.71			2004.52	2008.43	1931.72	
OH-MW-24	12/6/2001	75.13			2004.52	2008.43	1933.3	
OH-MW-24	3/18/2002	72			2004.52	2008.43	1936.43	
OH-MW-24	6/28/2002	69.75			2004.52	2008.43	1938.68	
OH-MW-24	7/31/2002	75.81			2004.52	2008.43	1932.62	
OH-MW-24	8/30/2002	77.25			2004.52	2008.43	1931.18	
OH-MW-24	9/25/2002	76.23			2004.52	2008.43	1932.2	
OH-MW-24	12/16/2002	77.82			2004.52	2008.43	1930.61	
OH-MW-24	5/12/2003	71.45			2004.52	2008.43	1936.98	
OH-MW-24	7/1/2003	75.51			2004.52	2008.43	1932.92	
OH-MW-24	7/31/2003	78.13			2004.52	2008.43	1930.3	
OH-MW-24	7/1/2004	74.68			2004.52	2008.43	1933.75	
OH-MW-24	8/9/2004	77.95			2004.52	2008.43	1930.48	
OH-MW-24	9/14/2004	77.88			2004.52	2008.43	1930.55	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-24	10/25/2004	75.72			2004.52	2008.43	1932.71	
OH-MW-24	7/25/2005	77.4			2004.52	2008.43	1931.03	
OH-MW-24	8/30/2005	78.82	78.8	0.02	2004.52	2008.43	1929.61	
OH-MW-24	9/29/2005	77.15			2004.52	2008.43	1931.28	
OH-MW-24	10/24/2005	78.14			2004.52	2008.43	1930.29	
OH-MW-24	1/23/2006	69.36			2004.52	2008.43	1939.07	
OH-MW-24	4/17/2006	68.13			2004.52	2008.43	1940.3	
OH-MW-24	6/27/2006	72.89			2004.52	2008.43	1935.54	
OH-MW-24	7/17/2006	75.78			2004.52	2008.43	1932.65	
OH-MW-24	8/28/2006	77.93			2004.52	2008.43	1930.5	
OH-MW-24	9/26/2006	76.59			2004.52	2008.43	1931.84	
OH-MW-24	10/23/2006	76.1			2004.52	2008.43	1932.33	
OH-MW-24	1/31/2007	73.83			2004.52	2008.43	1934.6	
OH-MW-24	4/14/2007	68.11			2004.52	2008.43	1940.32	
OH-MW-24	7/23/2007	77			2004.52	2008.43	1931.43	
OH-MW-24	10/21/2007	76.2			2004.52	2008.43	1932.23	
OH-MW-24	1/23/2008	75.41			2004.52	2008.43	1933.02	
OH-MW-24	4/24/2008	71.52			2004.52	2008.43	1936.91	
OH-MW-24	7/22/2008	73.83				2008.43	1934.6	
OH-MW-24	10/18/2008	75.36				2008.43	1933.07	
OH-MW-25	12/6/1991	75.48			2004.57	2008.13	1932.65	
OH-MW-25	12/7/1991	75.55			2004.57	2008.13	1932.58	
OH-MW-25	2/18/1992	73.63			2004.57	2008.13	1934.5	
OH-MW-25	6/18/1992	75.6			2004.57	2008.13	1932.53	
OH-MW-25	9/28/1995	77.31			2004.57	2008.13	1930.82	
OH-MW-25	4/24/2008	70.73				2008.13	1937.4	
OH-MW-25	10/18/2008	74.82				2008.13	1933.31	
OH-MW-26	4/24/1995	70.94			2004.5	2008.3	1937.36	
OH-MW-26	8/30/1995	78.05			2004.5	2008.3	1930.25	
OH-MW-26	9/28/1995	77.37			2004.5	2008.3	1930.93	
OH-MW-26	9/26/1996	76.23			2004.5	2008.3	1932.07	
OH-MW-26	12/19/1996	72.13			2004.5	2008.3	1936.17	
OH-MW-26	3/19/1997	69.33			2004.5	2008.3	1938.97	
OH-MW-26	6/19/1997	64.66			2004.5	2008.3	1943.64	
OH-MW-26	8/29/1997	74.19			2004.5	2008.3	1934.11	
OH-MW-26	10/2/1997	73.46			2004.5	2008.3	1934.84	
OH-MW-26	10/17/1997	72.83			2004.5	2008.3	1935.47	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-26	12/15/1997	71.92			2004.5	2008.3	1936.38	
OH-MW-26	2/21/1998	71.18			2004.5	2008.3	1937.12	
OH-MW-26	5/7/1998	67.97			2004.5	2008.3	1940.33	
OH-MW-26	6/18/1998	71.14			2004.5	2008.3	1937.16	
OH-MW-26	7/22/1998	74.53			2004.5	2008.3	1933.77	
OH-MW-26	8/25/1998	76.41			2004.5	2008.3	1931.89	
OH-MW-26	9/3/1998	76.61			2004.5	2008.3	1931.69	
OH-MW-26	9/14/1998	76.02			2004.5	2008.3	1932.28	
OH-MW-26	11/2/1998	74.8			2004.5	2008.3	1933.5	
OH-MW-26	12/14/1998	72.18			2004.5	2008.3	1936.12	
OH-MW-26	3/23/1999	69.64			2004.5	2008.3	1938.66	
OH-MW-26	7/19/1999	72.4			2004.5	2008.3	1935.9	
OH-MW-26	8/20/1999	74.89			2004.5	2008.3	1933.41	
OH-MW-26	9/20/1999	74.78			2004.5	2008.3	1933.52	
OH-MW-26	10/29/1999	74.8			2004.5	2008.3	1933.5	
OH-MW-26	12/30/1999	71.23			2004.5	2008.3	1937.07	
OH-MW-26	3/30/2000	69.75			2004.5	2008.3	1938.55	
OH-MW-26	6/26/2000	71.79			2004.5	2008.3	1936.51	
OH-MW-26	8/31/2000	76.75			2004.5	2008.3	1931.55	
OH-MW-26	10/2/2000	75.17			2004.5	2008.3	1933.13	
OH-MW-26	11/6/2000	74.59			2004.5	2008.3	1933.71	
OH-MW-26	12/27/2000	75.59			2004.5	2008.3	1932.71	
OH-MW-26	4/16/2001	74.25			2004.5	2008.3	1934.05	
OH-MW-26	6/19/2001	74.47			2004.5	2008.3	1933.83	
OH-MW-26	8/28/2001	78.71			2004.5	2008.3	1929.59	
OH-MW-26	9/10/2001	78.23			2004.5	2008.3	1930.07	
OH-MW-26	10/15/2001	76.69			2004.5	2008.3	1931.61	
OH-MW-26	12/6/2001	75.09			2004.5	2008.3	1933.21	
OH-MW-26	3/20/2002	71.92			2004.5	2008.3	1936.38	
OH-MW-26	6/28/2002	69.53			2004.5	2008.3	1938.77	
OH-MW-26	7/31/2002	75.65			2004.5	2008.3	1932.65	
OH-MW-26	8/30/2002	77.08			2004.5	2008.3	1931.22	
OH-MW-26	9/26/2002	76.06			2004.5	2008.3	1932.24	
OH-MW-26	12/16/2002	75.7			2004.5	2008.3	1932.6	
OH-MW-26	5/12/2003	71.23			2004.5	2008.3	1937.07	
OH-MW-26	7/1/2003	75.35			2004.5	2008.3	1932.95	
OH-MW-26	7/31/2003	78			2004.5	2008.3	1930.3	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-26	7/1/2004	74.67			2004.5	2008.3	1933.63	
OH-MW-26	8/9/2004	77.83			2004.5	2008.3	1930.47	
OH-MW-26	9/14/2004	77.77			2004.5	2008.3	1930.53	
OH-MW-26	10/28/2004	75.15			2004.5	2008.3	1933.15	
OH-MW-26	7/25/2005	77.38			2004.5	2008.3	1930.92	
OH-MW-26	8/30/2005	78.73			2004.5	2008.3	1929.57	
OH-MW-26	9/29/2005	77.01			2004.5	2008.3	1931.29	
OH-MW-26	10/24/2005	76.11			2004.5	2008.3	1932.19	
OH-MW-26	1/23/2006	69.28			2004.5	2008.3	1939.02	
OH-MW-26	4/17/2006	68.2			2004.5	2008.3	1940.1	
OH-MW-26	6/27/2006	72.77			2004.5	2008.3	1935.53	
OH-MW-26	7/17/2006	75.69			2004.5	2008.3	1932.61	
OH-MW-26	8/28/2006	77.85			2004.5	2008.3	1930.45	
OH-MW-26	9/26/2006	76.46			2004.5	2008.3	1931.84	
OH-MW-26	10/23/2006	75.98			2004.5	2008.3	1932.32	
OH-MW-26	1/31/2007	73.7			2004.5	2008.3	1934.6	
OH-MW-26	4/14/2007	68.03			2004.5	2008.3	1940.27	
OH-MW-26	7/23/2007	76.9			2004.5	2008.3	1931.4	
OH-MW-26	10/21/2007	76.03			2004.5	2008.3	1932.27	
OH-MW-26	1/23/2008	75.22			2004.5	2008.3	1933.08	
OH-MW-26	4/19/2008	71.31			2004.5	2008.3	1936.99	
OH-MW-26	7/22/2008	73.58				2008.3	1934.72	
OH-MW-26	10/18/2008	75.14				2008.3	1933.16	
OH-MW-27	9/28/1995	74.07			2000.48	2004.28	1930.21	
OH-MW-27	4/17/1996	64.71			2000.48	2004.28	1939.57	
OH-MW-27	3/19/1997	66.76			2000.48	2004.28	1937.52	
OH-MW-27	6/19/1997	61.71			2000.48	2004.28	1942.57	
OH-MW-27	8/4/1997	70.42			2000.48	2004.28	1933.86	
OH-MW-27	8/29/1997	71.9			2000.48	2004.28	1932.38	
OH-MW-27	10/2/1997	70.91			2000.48	2004.28	1933.37	
OH-MW-27	10/17/1997	70.46			2000.48	2004.28	1933.82	
OH-MW-27	12/15/1997	70.64			2000.48	2004.28	1933.64	
OH-MW-27	2/20/1998	68.81			2000.48	2004.28	1935.47	
OH-MW-27	5/7/1998	65.27			2000.48	2004.28	1939.01	
OH-MW-27	6/17/1998	68.56			2000.48	2004.28	1935.72	
OH-MW-27	7/22/1998	71.97			2000.48	2004.28	1932.31	
OH-MW-27	8/25/1998	73.75			2000.48	2004.28	1930.53	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-27	9/3/1998	74			2000.48	2004.28	1930.28	
OH-MW-27	9/21/1998	73.35			2000.48	2004.28	1930.93	
OH-MW-27	11/2/1998	72.25			2000.48	2004.28	1932.03	
OH-MW-27	12/17/1998	69.63			2000.48	2004.28	1934.65	
OH-MW-27	3/23/1999	67.11			2000.48	2004.28	1937.17	
OH-MW-27	9/20/1999	72.21			2000.48	2004.28	1932.07	
OH-MW-27	10/29/1999	72.35			2000.48	2004.28	1931.93	
OH-MW-27	12/30/1999	68.43			2000.48	2004.28	1935.85	
OH-MW-27	3/30/2000	68.5			2000.48	2004.28	1935.78	
OH-MW-27	6/26/2000	68.86			2000.48	2004.28	1935.42	
OH-MW-27	8/31/2000	74.01			2000.48	2004.28	1930.27	
OH-MW-27	10/2/2000	71.93			2000.48	2004.28	1932.35	
OH-MW-27	11/6/2000	71.39			2000.48	2004.28	1932.89	
OH-MW-27	12/27/2000	72.32			2000.48	2004.28	1931.96	
OH-MW-27	4/16/2001	71.11			2000.48	2004.28	1933.17	
OH-MW-27	6/19/2001	71.52			2000.48	2004.28	1932.76	
OH-MW-27	8/28/2001	75.43			2000.48	2004.28	1928.85	
OH-MW-27	9/10/2001	74.46			2000.48	2004.28	1929.82	
OH-MW-27	10/15/2001	73.1			2000.48	2004.28	1931.18	
OH-MW-27	12/6/2001	71.52			2000.48	2004.28	1932.76	
OH-MW-27	6/28/2002	66.46			2000.48	2004.28	1937.82	
OH-MW-27	7/31/2002	72.41			2000.48	2004.28	1931.87	
OH-MW-27	8/30/2002	73.82			2000.48	2004.28	1930.46	
OH-MW-27	9/25/2002	72.92			2000.48	2004.28	1931.36	
OH-MW-27	12/16/2002	72.34			2000.48	2004.28	1931.94	
OH-MW-27	5/12/2003	68.31			2000.48	2004.28	1935.97	
OH-MW-27	7/1/2003	72.32			2000.48	2004.28	1931.96	
OH-MW-27	7/31/2003	74.89			2000.48	2004.28	1929.39	
OH-MW-27	7/1/2004	77.46			2000.48	2004.28	1926.82	
OH-MW-27	8/9/2004	74.76			2000.48	2004.28	1929.52	
OH-MW-27	9/14/2004	74.64			2000.48	2004.28	1929.64	
OH-MW-27	10/25/2004	72.06			2000.48	2004.28	1932.22	
OH-MW-27	7/25/2005	74.24			2000.48	2004.28	1930.04	
OH-MW-27	8/30/2005	75.45			2000.48	2004.28	1928.83	
OH-MW-27	9/29/2005	73.8			2000.48	2004.28	1930.48	
OH-MW-27	10/24/2005	73.05			2000.48	2004.28	1931.23	
OH-MW-27	1/23/2006	66.28			2000.48	2004.28	1938	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-27	4/17/2006	64.66			2000.48	2004.28	1939.62	
OH-MW-27	6/27/2006	69.88			2000.48	2004.28	1934.4	
OH-MW-27	7/17/2006	72.43			2000.48	2004.28	1931.85	
OH-MW-27	8/28/2006	74.76			2000.48	2004.28	1929.52	
OH-MW-27	9/26/2006	73.4			2000.48	2004.28	1930.88	
OH-MW-27	10/23/2006	72.9			2000.48	2004.28	1931.38	
OH-MW-27	1/31/2007	70.69			2000.48	2004.28	1933.59	
OH-MW-27	4/14/2007	64.97			2000.48	2004.28	1939.31	
OH-MW-27	7/23/2007	73.85			2000.48	2004.28	1930.43	
OH-MW-27	10/21/2007	72.89			2000.48	2004.28	1931.39	
OH-MW-27	1/23/2008	72.19			2000.48	2004.28	1932.09	
OH-MW-27	4/19/2008	69.09			2000.48	2004.28	1935.19	
OH-MW-27	7/22/2008	70.77				2004.28	1933.51	
OH-MW-27	10/18/2008	72.17				2004.28	1932.11	
OH-MW-28	9/28/1995	77.41	77.24	0.17	2004.11	2007.91	1930.5	
OH-MW-28	11/3/1995	74.12			2004.11	2007.91	1933.79	
OH-MW-28	11/27/1995	71.46			2004.11	2007.91	1936.45	
OH-MW-28	12/20/1995	67.08			2004.11	2007.91	1940.83	
OH-MW-28	1/22/1996	69.53			2004.11	2007.91	1938.38	
OH-MW-28	2/13/1996	64.09			2004.11	2007.91	1943.82	
OH-MW-28	3/15/1996	68.58			2004.11	2007.91	1939.33	
OH-MW-28	4/17/1996	67.78			2004.11	2007.91	1940.13	
OH-MW-28	7/18/1996	75.11			2004.11	2007.91	1932.8	
OH-MW-28	8/15/1996	75.96			2004.11	2007.91	1931.95	
OH-MW-28	9/26/1996	75.99			2004.11	2007.91	1931.92	
OH-MW-28	12/19/1996	72.54			2004.11	2007.91	1935.37	
OH-MW-28	1/17/1997	69.52			2004.11	2007.91	1938.39	
OH-MW-28	3/19/1997	69.76			2004.11	2007.91	1938.15	
OH-MW-28	6/19/1997	64.68			2004.11	2007.91	1943.23	
OH-MW-28	8/4/1997	73.54			2004.11	2007.91	1934.37	
OH-MW-28	6/26/2000	71.79			2004.11	2007.91	1936.12	
OH-MW-28	8/31/2000	77.13			2004.11	2007.91	1930.78	
OH-MW-28	10/2/2000	74.98			2004.11	2007.91	1932.93	
OH-MW-28	11/6/2000	74.4			2004.11	2007.91	1933.51	
OH-MW-28	4/16/2001	74.28			2004.11	2007.91	1933.63	Top of Casing was 2004.1 until 4/17/03 correction.
OH-MW-29	9/26/1996	79.58			2004.95	2008.75	1929.17	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-MW-29	12/19/1996	76.2			2004.95	2008.75	1932.55	
OH-MW-29	3/19/1997	73.89			2004.95	2008.75	1934.86	
OH-MW-29	6/19/1997	68.33			2004.95	2008.75	1940.42	
OH-MW-29	8/4/1997	77.25			2004.95	2008.75	1931.5	
OH-MW-29	8/29/1997	78.42			2004.95	2008.75	1930.33	
OH-MW-29	10/2/1997	77.48			2004.95	2008.75	1931.27	Abandoned 2/27/99. TOC & ground elevation is not accurate.
OH-SK-01	1/25/1994	76.61	74.5	2.11	2001.82	2006.81	1930.2	
OH-SK-01	2/24/1994	78.01	75.52	2.49	2001.82	2006.81	1928.8	
OH-SK-01	3/23/1994	73.58	73.13	0.45	2001.82	2006.81	1933.23	
OH-SK-01	4/27/1994	69.98	69.97	0.01	2001.82	2006.81	1936.83	
OH-SK-01	5/26/1994	73.54	73.1	0.44	2001.82	2006.81	1933.27	
OH-SK-01	6/23/1994	77.97	74.86	3.11	2001.82	2006.81	1928.84	
OH-SK-01	1/27/1995	71.83	71.82	0.01	2001.82	2006.81	1934.98	
OH-SK-01	4/24/1995	70.24			2001.82	2006.81	1936.57	
OH-SK-01	6/26/1995	72.15	72.14	0.01	2001.82	2006.81	1934.66	Top of Casing was 1.19 ft lower until 6/26/95. Top of Casing was 2002.97 until 4/17/03 correction.
OH-SK-01	8/2/1995	77.79	75.8	1.99	2003.01	2006.81	1929.02	
OH-SK-01	8/30/1995	77.51			2003.01	2006.81	1929.3	
OH-SK-01	9/28/1995	80.96	80.73	0.23	2003.01	2006.81	1925.85	
OH-SK-01	11/3/1995	73.87	73.68	0.19	2003.01	2006.81	1932.94	
OH-SK-01	11/27/1995	70.1			2003.01	2006.81	1936.71	
OH-SK-01	12/20/1995	65.59			2003.01	2006.81	1941.22	
OH-SK-01	1/22/1996	67.68			2003.01	2006.81	1939.13	
OH-SK-01	2/13/1996	62.51			2003.01	2006.81	1944.3	
OH-SK-01	3/15/1996	67			2003.01	2006.81	1939.81	
OH-SK-01	4/17/1996	65.89			2003.01	2006.81	1940.92	
OH-SK-01	5/22/1996	64.5			2003.01	2006.81	1942.31	
OH-SK-01	7/18/1996	73.61	73.6	0.01	2003.01	2006.81	1933.2	
OH-SK-01	8/15/1996	74.09	74.07	0.02	2003.01	2006.81	1932.72	
OH-SK-01	9/26/1996	74.97	74.5	0.47	2003.01	2006.81	1931.84	
OH-SK-01	11/21/1996	74.79	74.36	0.43	2003.01	2006.81	1932.02	
OH-SK-01	12/19/1996	70.65			2003.01	2006.81	1936.16	
OH-SK-01	1/17/1997	67.56			2003.01	2006.81	1939.25	
OH-SK-01	3/19/1997	67.84			2003.01	2006.81	1938.97	
OH-SK-01	6/19/1997	63.09			2003.01	2006.81	1943.72	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-SK-01	8/4/1997	71.5			2003.01	2006.81	1935.31	
OH-SK-01	8/29/1997	72.74			2003.01	2006.81	1934.07	
OH-SK-01	10/2/1997	71.98			2003.01	2006.81	1934.83	
OH-SK-01	10/17/1997	71.41			2003.01	2006.81	1935.4	
OH-SK-01	12/15/1997	70.44			2003.01	2006.81	1936.37	
OH-SK-01	2/21/1998	69.71			2003.01	2006.81	1937.1	
OH-SK-01	5/7/1998	66.7			2003.01	2006.81	1940.11	
OH-SK-01	6/17/1998	69.65			2003.01	2006.81	1937.16	
OH-SK-01	7/22/1998	73.08	73.06	0.02	2003.01	2006.81	1933.73	
OH-SK-01	8/25/1998	75.33	74.84	0.49	2003.01	2006.81	1931.48	
OH-SK-01	9/3/1998	75.72	75.07	0.65	2003.01	2006.81	1931.09	
OH-SK-01	9/14/1998	74.79	74.53	0.26	2003.01	2006.81	1932.02	
OH-SK-01	11/2/1998	73.32	73.31	0.01	2003.01	2006.81	1933.49	
OH-SK-01	12/14/1998	70.71			2003.01	2006.81	1936.1	
OH-SK-01	3/23/1999	68.17			2003.01	2006.81	1938.64	
OH-SK-01	7/19/1999	70.98			2003.01	2006.81	1935.83	
OH-SK-01	8/20/1999	73.5	73.49	0.01	2003.01	2006.81	1933.31	
OH-SK-01	9/20/1999	73.35	73.32	0.03	2003.01	2006.81	1933.46	
OH-SK-01	10/29/1999	73.34			2003.01	2006.81	1933.47	
OH-SK-01	12/30/1999	69.73			2003.01	2006.81	1937.08	
OH-SK-01	3/27/2000	68.28			2003.01	2006.81	1938.53	
OH-SK-01	6/26/2000	70.31			2003.01	2006.81	1936.5	
OH-SK-01	8/31/2000	75.91	75.26	0.65	2003.01	2006.81	1930.9	
OH-SK-01	10/2/2000	73.82	73.65	0.17	2003.01	2006.81	1932.99	
OH-SK-01	11/6/2000	73.15	73.1	0.05	2003.01	2006.81	1933.66	
OH-SK-01	12/27/2000	74.26	74.11	0.15	2003.01	2006.81	1932.55	
OH-SK-01	4/16/2001	72.9	72.75	0.15	2003.01	2006.81	1933.91	
OH-SK-01	6/19/2001	73.1	73.02	0.08	2003.01	2006.81	1933.71	
OH-SK-01	8/28/2001	77.7	77.06	0.64	2003.01	2006.81	1929.11	
OH-SK-01	9/10/2001	77.35	76.6	0.75	2003.01	2006.81	1929.46	
OH-SK-01	10/15/2001	75.48	75.05	0.43	2003.01	2006.81	1931.33	
OH-SK-01	12/6/2001	73.31			2003.01	2006.81	1933.5	
OH-SK-01	3/18/2002	70.4			2003.01	2006.81	1936.41	
OH-SK-01	6/28/2002	68.06			2003.01	2006.81	1938.75	
OH-SK-01	7/31/2002	74.2	74.19	0.01	2003.01	2006.81	1932.61	
OH-SK-01	8/30/2002	75.86	75.55	0.31	2003.01	2006.81	1930.95	
OH-SK-01	9/25/2002	74.87	74.54	0.33	2003.01	2006.81	1931.94	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-SK-01	12/16/2002	74.21	74.16	0.05	2003.01	2006.81	1932.6	
OH-SK-01	5/12/2003	69.81			2003.01	2006.81	1937	
OH-SK-01	7/1/2003	73.87			2003.01	2006.81	1932.94	
OH-SK-01	7/31/2003	77.15	76.4	0.75	2003.01	2006.81	1929.66	
OH-SK-01	7/1/2004	73.07	73.05	0.02	2003.01	2006.81	1933.74	
OH-SK-01	8/9/2004	77.18	76.25	0.93	2003.01	2006.81	1929.63	
OH-SK-01	9/14/2004	76.92	76.15	0.77	2003.01	2006.81	1929.89	
OH-SK-01	10/25/2004	73.75	73.64	0.11	2003.01	2006.81	1933.06	
OH-SK-01	7/25/2005	76.7	75.75	0.95	2003.01	2006.81	1930.11	
OH-SK-01	8/30/2005	78.12	77.05	1.07	2003.01	2006.81	1928.69	
OH-SK-01	9/29/2005	76.35	75.42	0.93	2003.01	2006.81	1930.46	
OH-SK-01	10/24/2005	74.82	74.43	0.39	2003.01	2006.81	1931.99	
OH-SK-01	1/23/2006	67.71			2003.01	2006.81	1939.1	
OH-SK-01	4/17/2006	66.66			2003.01	2006.81	1940.15	
OH-SK-01	6/27/2006	71.29			2003.01	2006.81	1935.52	
OH-SK-01	7/17/2006	74.24	74.2	0.04	2003.01	2006.81	1932.57	
OH-SK-01	8/28/2006	77.17	76.2	0.97	2003.01	2006.81	1929.64	
OH-SK-01	9/26/2006	75.95	75.19	0.76	2003.01	2006.81	1930.86	
OH-SK-01	10/23/2006	74.59	74.48	0.11	2003.01	2006.81	1932.22	
OH-SK-01	1/31/2007	72.19			2003.01	2006.81	1934.62	
OH-SK-01	4/14/2007	66.54			2003.01	2006.81	1940.27	
OH-SK-01	7/23/2007	75.52	75.37	0.15	2003.01	2006.81	1931.29	
OH-SK-01	10/21/2007	74.68	74.5	0.18	2003.01	2006.81	1932.13	
OH-SK-01	1/23/2008	73.76	73.71	0.05	2003.01	2006.81	1933.05	
OH-SK-01	4/19/2008	69.8			2003.01	2006.81	1937.01	
OH-SK-01	7/22/2008	72.06				2006.81	1934.75	
OH-SK-01	10/18/2008	73.67	73.65	0.02		2006.81	1933.14	
OH-SK-02	5/23/1995	70.24			2006.72	2011.72	1941.48	Top of Casing is 2006.72; new measuring point is 2007.94 (steel above PVC).
OH-SK-02	6/25/1995	77.05			2006.72	2011.72	1934.67	
OH-SK-02	8/2/1995	81.32	80.89	0.43	2006.72	2011.72	1930.4	
OH-SK-02	8/30/1995	81.73			2006.72	2011.72	1929.99	
OH-SK-02	9/28/1995	80.96	80.38	0.58	2006.72	2011.72	1930.76	
OH-SK-02	11/3/1995	78.72	78.59	0.13	2006.72	2011.72	1933	
OH-SK-02	11/27/1995	74.99	74.98	0.01	2006.72	2011.72	1936.73	
OH-SK-02	12/20/1995	70.45			2006.72	2011.72	1941.27	
OH-SK-02	1/22/1996	72.6			2006.72	2011.72	1939.12	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-SK-02	2/13/1996	67.47			2006.72	2011.72	1944.25	
OH-SK-02	7/18/1996	78.49	78.46	0.03	2006.72	2011.72	1933.23	
OH-SK-02	8/15/1996	79.09	78.97	0.12	2006.72	2011.72	1932.63	
OH-SK-02	9/26/1996	79.57	79.43	0.14	2007.94	2011.72	1932.15	
OH-SK-02	11/21/1996	79.5	79.35	0.15	2007.94	2011.72	1932.22	
OH-SK-02	12/19/1996	76.06			2007.94	2011.72	1935.66	
OH-SK-02	1/17/1997	72.51			2007.94	2011.72	1939.21	
OH-SK-02	3/19/1997	71.6			2007.94	2011.72	1940.12	
OH-SK-02	6/19/1997	68.01			2007.94	2011.72	1943.71	
OH-SK-02	8/4/1997	76.45			2007.94	2011.72	1935.27	
OH-SK-02	8/29/1997	77.72	77.7	0.02	2007.94	2011.72	1934	
OH-SK-02	10/2/1997	76.92			2007.94	2011.72	1934.8	
OH-SK-02	10/17/1997	76.35			2007.94	2011.72	1935.37	
OH-SK-02	12/15/1997	75.35			2007.94	2011.72	1936.37	
OH-SK-02	2/21/1998	74.68			2007.94	2011.72	1937.04	
OH-SK-02	5/7/1998	71.37			2007.94	2011.72	1940.35	
OH-SK-02	6/17/1998	74.61			2007.94	2011.72	1937.11	
OH-SK-02	7/22/1998	78.08	78.02	0.06	2007.94	2011.72	1933.64	
OH-SK-02	8/25/1998	80.1	79.83	0.27	2007.94	2011.72	1931.62	
OH-SK-02	9/3/1998	80.25	80.06	0.19	2007.94	2011.72	1931.47	
OH-SK-02	9/14/1998	79.55	79.49	0.06	2007.94	2011.72	1932.17	
OH-SK-02	11/2/1998	78.26	78.24	0.02	2007.94	2011.72	1933.46	
OH-SK-02	12/14/1998	75.63			2007.94	2011.72	1936.09	
OH-SK-02	3/23/1999	73.11			2007.94	2011.72	1938.61	
OH-SK-02	7/19/1999	75.88			2007.94	2011.72	1935.84	
OH-SK-02	8/20/1999	78.37	78.36	0.01	2007.94	2011.72	1933.35	
OH-SK-02	9/20/1999	78.27	78.25	0.02	2007.94	2011.72	1933.45	
OH-SK-02	10/29/1999	77.28			2007.94	2011.72	1934.44	
OH-SK-02	12/30/1999	74.64			2007.94	2011.72	1937.08	
OH-SK-02	3/27/2000	73.18			2007.94	2011.72	1938.54	
OH-SK-02	6/26/2000	75.23			2007.94	2011.72	1936.49	
OH-SK-02	8/31/2000	80.46	80.25	0.21	2007.94	2011.72	1931.26	
OH-SK-02	10/2/2000	78.69	78.56	0.13	2007.94	2011.72	1933.03	
OH-SK-02	11/6/2000	78.1	78	0.1	2007.94	2011.72	1933.62	
OH-SK-02	12/27/2000	79.11	79.02	0.09	2007.94	2011.72	1932.61	
OH-SK-02	4/16/2001	77.68	77.67	0.01	2007.94	2011.72	1934.04	
OH-SK-02	6/19/2001	77.92	77.91	0.01	2007.94	2011.72	1933.8	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-SK-02	8/28/2001	82.09	82.02	0.07	2007.94	2011.72	1929.63	
OH-SK-02	9/10/2001	82.09	81.58	0.51	2007.94	2011.72	1929.63	
OH-SK-02	10/15/2001	80.14	79.99	0.15	2007.94	2011.72	1931.58	
OH-SK-02	12/6/2001	78.44	78.42	0.02	2007.94	2011.72	1933.28	
OH-SK-02	3/18/2002	75.29			2007.94	2011.72	1936.43	
OH-SK-02	6/28/2002	72.94			2007.94	2011.72	1938.78	
OH-SK-02	7/31/2002	79.09	79.07	0.02	2007.94	2011.72	1932.63	
OH-SK-02	8/30/2002	80.6	80.43	0.17	2007.94	2011.72	1931.12	
OH-SK-02	9/25/2002	79.56	79.45	0.11	2007.94	2011.72	1932.16	
OH-SK-02	12/16/2002	79.12	79.04	0.08	2007.94	2011.72	1932.6	
OH-SK-02	5/12/2003	79.69			2007.92	2011.72	1932.03	
OH-SK-02	7/1/2003	78.76			2007.92	2011.72	1932.96	
OH-SK-02	7/31/2003	82.21	81.28	0.93	2007.92	2011.72	1929.51	
OH-SK-02	7/1/2004	77.95	77.94	0.01	2007.92	2011.72	1933.77	
OH-SK-02	8/9/2004	82.11	81.11	1	2007.92	2011.72	1929.61	
OH-SK-02	9/14/2004	81.2	81.15	0.05	2007.92	2011.72	1930.52	
OH-SK-02	10/25/2004	78.57	78.54	0.03	2007.92	2011.72	1933.15	
OH-SK-02	7/25/2005	79.95	79.49	0.46	2007.92	2011.72	1931.77	
OH-SK-02	8/30/2005	81.24	80.81	0.43	2007.92	2011.72	1930.48	
OH-SK-02	9/29/2005	81.06	80.32	0.74	2007.92	2011.72	1930.66	
OH-SK-02	10/24/2005	78.4	78.1	0.3	2007.92	2011.72	1933.32	
OH-SK-02	1/23/2006	72.58			2007.92	2011.72	1939.14	
OH-SK-02	4/17/2006	71.55			2007.92	2011.72	1940.17	
OH-SK-02	6/27/2006	74.96			2007.92	2011.72	1936.76	
OH-SK-02	7/17/2006	77.9	77.86	0.04	2007.92	2011.72	1933.82	
OH-SK-02	8/28/2006	80.4			2007.92	2011.72	1931.32	
OH-SK-02	9/26/2006	78.74	78.62	0.12	2007.92	2011.72	1932.98	
OH-SK-02	10/23/2006	78.15	78.1	0.05	2007.92	2011.72	1933.57	
OH-SK-02	1/31/2007	75.85			2007.92	2011.72	1935.87	
OH-SK-02	4/14/2007	70.2			2007.92	2011.72	1941.52	
OH-SK-02	7/23/2007	79.13	79.09	0.04	2007.92	2011.72	1932.59	
OH-SK-02	10/21/2007	78.18			2007.92	2011.72	1933.54	
OH-SK-02	1/23/2008	77.46	77.37	0.09	2007.92	2011.72	1934.26	
OH-SK-02	4/19/2008	73.46	73.45	0.01	2007.92	2011.72	1938.26	
OH-SK-02	7/22/2008	75.69	75.68	0.01		2011.72	1936.03	
OH-SK-02	10/18/2008	77.3				2011.72	1934.42	
OH-SK-03	3/19/1997	71.4			2005.52	2009.32	1937.92	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-SK-03	6/19/1997	66.35			2005.52	2009.32	1942.97	
OH-SK-03	8/4/1997	75.2			2005.52	2009.32	1934.12	
OH-SK-03	8/29/1997	76.41			2005.52	2009.32	1932.91	
OH-SK-03	10/2/1997	76.48			2005.52	2009.32	1932.84	
OH-SK-03	10/17/1997	75.02			2005.52	2009.32	1934.3	
OH-SK-03	12/15/1997	73.99			2005.52	2009.32	1935.33	
OH-SK-03	2/21/1998	73.28			2005.52	2009.32	1936.04	
OH-SK-03	6/17/1998	73.16			2005.52	2009.32	1936.16	
OH-SK-03	8/25/1998	78.47	78.34	0.13	2005.52	2009.32	1930.85	
OH-SK-03	9/3/1998	78.78	78.58	0.2	2005.52	2009.32	1930.54	
OH-SK-03	9/14/1998	78.02	77.98	0.04	2005.52	2009.32	1931.3	
OH-SK-03	11/2/1998	76.85			2005.52	2009.32	1932.47	
OH-SK-03	12/14/1998	74.24			2005.52	2009.32	1935.08	
OH-SK-03	3/23/1999	71.72			2005.52	2009.32	1937.6	
OH-SK-03	7/19/1999	74.61			2005.52	2009.32	1934.71	
OH-SK-03	8/20/1999	77.06			2005.52	2009.32	1932.26	
OH-SK-03	9/20/1999	76.82			2005.52	2009.32	1932.5	
OH-SK-03	10/29/1999	76.92			2005.52	2009.32	1932.4	
OH-SK-03	12/30/1999	73.04			2005.52	2009.32	1936.28	
OH-SK-03	3/27/2000	71.54			2005.52	2009.32	1937.78	
OH-SK-03	6/26/2000	71.94			2005.52	2009.32	1937.38	
OH-SK-03	8/31/2000	78.7			2005.52	2009.32	1930.62	
OH-SK-03	10/2/2000	75.53			2005.52	2009.32	1933.79	
OH-SK-03	11/6/2000	75.02			2005.52	2009.32	1934.3	
OH-SK-03	12/27/2000	76.11			2005.52	2009.32	1933.21	
OH-SK-03	4/16/2001	75.8			2005.52	2009.32	1933.52	
OH-SK-03	6/19/2001	76.23			2005.52	2009.32	1933.09	
OH-SK-03	8/28/2001	80.03			2005.52	2009.32	1929.29	
OH-SK-03	9/10/2001	78.15			2005.52	2009.32	1931.17	
OH-SK-03	10/15/2001	76.85			2005.52	2009.32	1932.47	
OH-SK-03	12/6/2001	75.25			2005.52	2009.32	1934.07	
OH-SK-03	3/18/2002	72			2005.52	2009.32	1937.32	
OH-SK-03	6/28/2002	69.36			2005.52	2009.32	1939.96	
OH-SK-03	7/31/2002	76.59			2005.52	2009.32	1932.73	
OH-SK-03	8/30/2002	78.11			2005.52	2009.32	1931.21	
OH-SK-03	9/25/2002	77.15			2005.52	2009.32	1932.17	
OH-SK-03	12/16/2002	76.73			2005.52	2009.32	1932.59	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-SK-03	5/12/2003	72.99			2005.52	2009.32	1936.33	
OH-SK-03	7/1/2003	78.21			2005.52	2009.32	1931.11	
OH-SK-03	7/31/2003	80.79			2005.52	2009.32	1928.53	
OH-SK-03	7/1/2004	76.15			2005.52	2009.32	1933.17	
OH-SK-03	8/9/2004	79.43			2005.52	2009.32	1929.89	
OH-SK-03	9/14/2004	79.33			2005.52	2009.32	1929.99	
OH-SK-03	10/25/2004	76.73			2005.52	2009.32	1932.59	
OH-SK-03	7/25/2005	78.92			2005.52	2009.32	1930.4	
OH-SK-03	8/30/2005	80.23			2005.52	2009.32	1929.09	
OH-SK-03	9/29/2005	78.52			2005.52	2009.32	1930.8	
OH-SK-03	10/24/2005	77.53			2005.52	2009.32	1931.79	
OH-SK-03	1/23/2006	70.88			2005.52	2009.32	1938.44	
OH-SK-03	4/17/2006	69.54			2005.52	2009.32	1939.78	
OH-SK-03	6/27/2006	74.52			2005.52	2009.32	1934.8	
OH-SK-03	7/17/2006	77.33			2005.52	2009.32	1931.99	
OH-SK-03	8/28/2006	79.47	79.46	0.01	2005.52	2009.32	1929.85	
OH-SK-03	9/26/2006	78.02			2005.52	2009.32	1931.3	
OH-SK-03	10/23/2006	77.54			2005.52	2009.32	1931.78	
OH-SK-03	1/31/2007	75.33			2005.52	2009.32	1933.99	
OH-SK-03	4/14/2007	69.69			2005.52	2009.32	1939.63	
OH-SK-03	7/23/2007	78.51			2005.52	2009.32	1930.81	
OH-SK-03	10/21/2007	77.75	77.6	0.15	2005.52	2009.32	1931.57	
OH-SK-03	1/23/2008	76.89	76.8	0.09	2005.52	2009.32	1932.43	
OH-SK-03	4/19/2008	72.84			2005.52	2009.32	1936.48	
OH-SK-03	7/22/2008	75.36				2009.32	1933.96	
OH-SK-03	10/18/2008	76.82				2009.32	1932.5	
OH-SK-04	8/28/2001	81.6	81.54	0.06	2007.38	2011.18	1929.58	
OH-SK-04	9/10/2001	81.34	81.05	0.29	2007.38	2011.18	1929.84	
OH-SK-04	10/15/2001	79.71	79.49	0.22	2007.38	2011.18	1931.47	
OH-SK-04	12/6/2001	77.95	77.93	0.02	2007.38	2011.18	1933.23	
OH-SK-04	3/18/2002	74.83			2007.38	2011.18	1936.35	
OH-SK-04	6/28/2002	72.54			2007.38	2011.18	1938.64	
OH-SK-04	7/31/2002	78.64			2007.38	2011.18	1932.54	
OH-SK-04	8/30/2002	80.11	79.99	0.12	2007.38	2011.18	1931.07	
OH-SK-04	9/25/2002	79.05	79	0.05	2007.38	2011.18	1932.13	
OH-SK-04	12/16/2002	78.61	78.59	0.02	2007.38	2011.18	1932.57	
OH-SK-04	5/12/2003	74.26			2007.38	2011.18	1936.92	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
OH-SK-04	7/1/2003	78.3			2007.38	2011.18	1932.88	
OH-SK-04	7/31/2003	81.35	80.87	0.48	2007.38	2011.18	1929.83	
OH-SK-04	7/1/2004	77.49			2007.38	2011.18	1933.69	
OH-SK-04	10/25/2004	78.09	78.07	0.02	2007.38	2011.18	1933.09	
OH-SK-04	7/25/2005	80.72	80.23	0.49	2007.38	2011.18	1930.46	
OH-SK-04	8/30/2005	82.45	81.48	0.97	2007.38	2011.18	1928.73	
OH-SK-04	10/24/2005	79.31	78.82	0.49	2007.38	2011.18	1931.87	
OH-SK-04	1/23/2006	72.19			2007.38	2011.18	1938.99	
OH-SK-04	9/26/2006	79.4			2007.38	2011.18	1931.78	
OH-SK-04	4/14/2007	70.94			2007.38	2011.18	1940.24	
OH-SK-04	7/23/2007	80	79.81	0.19	2007.38	2011.18	1931.18	
OH-SK-04	1/23/2008	78.16	78.15	0.01	2007.38	2011.18	1933.02	
OH-SK-04	4/19/2008	74.23			2007.38	2011.18	1936.95	
River	2/18/1992	4.18			1920.17	1938.97	1928.15	TOC elevation for NAVD88 datum represents +15 feet on the River Staff Gage.
River	2/26/1992	6.8			1920.17	1938.97	1930.77	
River	2/24/1994	2.86			1920.17	1938.97	1926.83	
River	3/23/1994	4.9			1920.17	1938.97	1928.87	
River	4/27/1994	8.1			1920.17	1938.97	1932.07	
River	5/26/1994	3.78			1920.17	1938.97	1927.75	
River	6/23/1994	1.93			1920.17	1938.97	1925.9	
River	7/20/1994	0.85			1920.17	1938.97	1924.82	
River	8/29/1994	0.17			1920.17	1938.97	1924.14	
River	9/13/1994	1.38			1920.17	1938.97	1925.35	
River	10/13/1994	1.45			1920.17	1938.97	1925.42	
River	11/13/1994	2.38			1920.17	1938.97	1926.35	
River	12/20/1994	3.61			1920.17	1938.97	1927.58	
River	4/24/1995	5.28			1920.17	1938.97	1929.25	
River	6/26/1995	3.2			1920.17	1938.97	1927.17	
River	8/2/1995	1.03			1920.17	1938.97	1925	
River	8/23/1995	0.78			1920.17	1938.97	1924.75	
River	8/30/1995	0.76			1920.17	1938.97	1924.73	
River	9/27/1995	1.55			1920.17	1938.97	1925.52	
River	9/28/1995	1.55			1920.17	1938.97	1925.52	
River	11/2/1995	3.2			1920.17	1938.97	1927.17	
River	11/3/1995	3.2			1920.17	1938.97	1927.17	
River	11/27/1995	7.05			1920.17	1938.97	1931.02	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
River	5/22/1996	10.6			1920.17	1938.97	1934.57	
River	7/18/1996	1.85			1920.17	1938.97	1925.82	
River	8/15/1996	1.5			1920.17	1938.97	1925.47	
River	9/26/1996	2			1920.17	1938.97	1925.97	
River	11/21/1996	2.1			1920.17	1938.97	1926.07	
River	12/19/1996	4.6			1920.17	1938.97	1928.57	
River	1/17/1997	6.6			1920.17	1938.97	1930.57	
River	3/19/1997	6.9			1920.17	1938.97	1930.87	
River	6/19/1997	10.2			1920.17	1938.97	1934.17	
River	8/4/1997	2.9			1920.17	1938.97	1926.87	
River	8/29/1997	1.5			1920.17	1938.97	1925.47	
River	10/2/1997	2.7			1920.17	1938.97	1926.67	
River	10/17/1997	2.85			1920.17	1938.97	1926.82	
River	12/15/1997	3.8			1920.17	1938.97	1927.77	
River	2/21/1998	5			1920.17	1938.97	1928.97	
River	5/7/1998	8.75			1920.17	1938.97	1932.72	
River	6/17/1998	4.7			1920.17	1938.97	1928.67	
River	7/22/1998	2.17			1920.17	1938.97	1926.14	
River	8/25/1998	0.9			1920.17	1938.97	1924.87	
River	9/3/1998	0.85			1920.17	1938.97	1924.82	
River	9/14/1998	1.6			1920.17	1938.97	1925.57	
River	11/2/1998	3.1			1920.17	1938.97	1927.07	
River	12/14/1998	4.4			1920.17	1938.97	1928.37	
River	3/23/1999	7.1			1920.17	1938.97	1931.07	
River	7/19/1999	3.2			1920.17	1938.97	1927.17	
River	8/20/1999	1.55			1920.17	1938.97	1925.52	
River	9/20/1999	2.1			1920.17	1938.97	1926.07	
River	10/29/1999	2			1920.17	1938.97	1925.97	
River	12/30/1999	5			1920.17	1938.97	1928.97	
River	3/30/2000	7.1			1920.17	1938.97	1931.07	
River	6/26/2000	3.7			1920.17	1938.97	1927.67	
River	8/31/2000	0.65			1920.17	1938.97	1924.62	
River	10/2/2000	2.25			1920.17	1938.97	1926.22	
River	11/6/2000	2.6			1920.17	1938.97	1926.57	
River	12/27/2000	2.27			1920.17	1938.97	1926.24	
River	4/16/2001	3.86			1920.17	1938.97	1927.83	
River	6/19/2001	2.77			1920.17	1938.97	1926.74	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
River	8/28/2001	0.3			1920.17	1938.97	1924.27	
River	9/10/2001	0.38			1920.17	1938.97	1924.35	
River	10/15/2001	1.9			1920.17	1938.97	1925.87	
River	12/6/2001	3.1			1920.17	1938.97	1927.07	
River	3/18/2002	5.9			1920.17	1938.97	1929.87	
River	6/28/2002	7			1920.17	1938.97	1930.97	
River	7/31/2002	1.6			1920.17	1938.97	1925.57	
River	8/30/2002	0.85			1920.17	1938.97	1924.82	
River	9/25/2002	1.85			1920.17	1938.97	1925.82	
River	12/16/2002	2.6			1920.17	1938.97	1926.57	
River	5/16/2003	5.7			1920.17	1938.97	1929.67	
River	7/1/2003	2.3			1920.17	1938.97	1926.27	
River	7/31/2003	0.4			1920.17	1938.97	1924.37	
River	6/28/2004	3.1			1920.17	1938.97	1927.07	
River	6/29/2004	2.95			1920.17	1938.97	1926.92	
River	7/1/2004	3.37			1920.17	1938.97	1927.34	
River	7/2/2004	3.38			1920.17	1938.97	1927.35	
River	8/9/2004	0.75			1920.17	1938.97	1924.72	
River	9/14/2004	0.85			1920.17	1938.97	1924.82	
River	10/25/2004	2.82			1920.17	1938.97	1926.79	
River	7/25/2005	1.1			1920.17	1938.97	1925.07	
River	7/29/2005	0.8			1920.17	1938.97	1924.77	
River	9/29/2005	2.85			1920.17	1938.97	1926.82	
River	10/24/2005	2.25			1920.17	1938.97	1926.22	
River	10/26/2005	2.25			1920.17	1938.97	1926.22	
River	1/23/2006	7.4			1920.17	1938.97	1931.37	
River	4/17/2006	10.7			1920.17	1938.97	1934.67	
River	6/26/2006	3.73			1920.17	1938.97	1927.7	
River	6/27/2006	3.73			1920.17	1938.97	1927.7	
River	7/17/2006	2.65			1920.17	1938.97	1926.62	
River	8/28/2006	0.5			1920.17	1938.97	1924.47	
River	9/26/2006	1.5			1920.17	1938.97	1925.47	
River	10/23/2006	2			1920.17	1938.97	1925.97	
River	1/31/2007	3.4			1920.17	1938.97	1927.37	
River	4/14/2007	8.8			1920.17	1938.97	1932.77	
River	7/23/2007	1			1920.17	1938.97	1924.97	
River	10/21/2007	1.99			1920.17	1938.97	1925.96	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
River	1/23/2008	2.6			1920.17	1938.97	1926.57	
River	4/19/2008	6.95				1938.97	1930.92	
River	7/22/2008	2.65				1938.97	1926.62	
River	10/18/2008	2.25				1938.97	1926.22	
RM-MW-01S	10/23/2003	80.3			2006.49	2010.29	1929.99	
RM-MW-01S	3/4/2004	77.16			2006.49	2010.29	1933.13	
RM-MW-01S	7/1/2004	78.02			2006.49	2010.29	1932.27	
RM-MW-01S	9/14/2004	81			2006.49	2010.29	1929.29	
RM-MW-01S	10/25/2004	78.49			2006.49	2010.29	1931.8	
RM-MW-01S	7/25/2005	80.6			2006.49	2010.29	1929.69	
RM-MW-01S	8/30/2005	81.89			2006.49	2010.29	1928.4	
RM-MW-01S	9/29/2005	80.06			2006.49	2010.29	1930.23	
RM-MW-01S	10/24/2005	79.39			2006.49	2010.29	1930.9	
RM-MW-01S	1/25/2006	72.7			2006.49	2010.29	1937.59	
RM-MW-01S	4/17/2006	71.66			2006.49	2010.29	1938.63	
RM-MW-01S	6/27/2006	75.98			2006.49	2010.29	1934.31	
RM-MW-01S	7/17/2006	78.91			2006.49	2010.29	1931.38	
RM-MW-01S	8/28/2006	81.04			2006.49	2010.29	1929.25	
RM-MW-01S	9/26/2006	79.8			2006.49	2010.29	1930.49	
RM-MW-01S	10/23/2006	79.32			2006.49	2010.29	1930.97	
RM-MW-01S	1/31/2007	76.93			2006.49	2010.29	1933.36	
RM-MW-01S	4/14/2007	71.4			2006.49	2010.29	1938.89	
RM-MW-01S	7/23/2007	80.16			2006.49	2010.29	1930.13	
RM-MW-01S	10/21/2007	79.28			2006.49	2010.29	1931.01	
RM-MW-01S	1/23/2008	76.37			2004.39	2008.19	1931.82	Well was modified from stick up to flush mounted and was resurveyed.
RM-MW-01S	4/19/2008	72.58			2004.39	2008.19	1935.61	
RM-MW-01S	7/22/2008	74.72				2008.19	1933.47	
RM-MW-01S	10/18/2008	76.36				2008.19	1931.83	
RM-MW-02D	10/23/2003	80.02			2006.51	2010.31	1930.29	
RM-MW-02D	3/4/2004	76.95			2006.51	2010.31	1933.36	
RM-MW-02D	7/1/2004	77.81			2006.51	2010.31	1932.5	
RM-MW-02D	9/14/2004	80.73			2006.51	2010.31	1929.58	
RM-MW-02D	10/25/2004	78.22			2006.51	2010.31	1932.09	
RM-MW-02D	7/25/2005	80.33			2006.51	2010.31	1929.98	
RM-MW-02D	8/30/2005	81.62			2006.51	2010.31	1928.69	
RM-MW-02D	9/29/2005	80.27			2006.51	2010.31	1930.04	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
RM-MW-02D	10/24/2005	79.09			2006.51	2010.31	1931.22	
RM-MW-02D	1/23/2006	72.41			2006.51	2010.31	1937.9	
RM-MW-02D	4/17/2006	71.5			2006.51	2010.31	1938.81	
RM-MW-02D	6/27/2006	75.78			2006.51	2010.31	1934.53	
RM-MW-02D	7/17/2006	78.61			2006.51	2010.31	1931.7	
RM-MW-02D	8/28/2006	80.76			2006.51	2010.31	1929.55	
RM-MW-02D	9/26/2006	79.52			2006.51	2010.31	1930.79	
RM-MW-02D	10/23/2006	79.02			2006.51	2010.31	1931.29	
RM-MW-02D	1/31/2007	76.68			2006.51	2010.31	1933.63	
RM-MW-02D	4/14/2007	71.23			2006.51	2010.31	1939.08	
RM-MW-02D	7/23/2007	79.9			2006.51	2010.31	1930.41	
RM-MW-02D	10/21/2007	78.98			2006.51	2010.31	1931.33	
RM-MW-02D	1/23/2008	76.13			2004.43	2008.23	1932.1	Well was modified from stick up to flush mounted and was resurveyed.
RM-MW-02D	4/19/2008	72.39			2004.43	2008.23	1935.84	
RM-MW-02D	7/22/2008	74.5				2008.23	1933.73	
RM-MW-02D	10/18/2008	76.1				2008.23	1932.13	
RM-MW-03S	10/24/2003	74.82			2002.25	2006.05	1931.23	
RM-MW-03S	3/4/2004	71.74			2002.25	2006.05	1934.31	
RM-MW-03S	7/1/2004	72.54			2002.25	2006.05	1933.51	
RM-MW-03S	9/14/2004	75.47			2002.25	2006.05	1930.58	
RM-MW-03S	10/25/2004	72.96			2002.25	2006.05	1933.09	
RM-MW-03S	7/25/2005	75.1			2002.25	2006.05	1930.95	
RM-MW-03S	8/30/2005	76.43			2002.25	2006.05	1929.62	
RM-MW-03S	9/29/2005	74.87			2002.25	2006.05	1931.18	
RM-MW-03S	10/24/2005	73.87			2002.25	2006.05	1932.18	
RM-MW-03S	1/25/2006	67.22			2002.25	2006.05	1938.83	
RM-MW-03S	4/17/2006	66.3			2002.25	2006.05	1939.75	
RM-MW-03S	6/27/2006	70.42			2002.25	2006.05	1935.63	
RM-MW-03S	7/17/2006	73.34			2002.25	2006.05	1932.71	
RM-MW-03S	8/28/2006	75.46			2002.25	2006.05	1930.59	
RM-MW-03S	9/26/2006	74.24			2002.25	2006.05	1931.81	
RM-MW-03S	10/23/2006	73.78			2002.25	2006.05	1932.27	
RM-MW-03S	1/31/2007	71.37			2002.25	2006.05	1934.68	
RM-MW-03S	4/14/2007	65.89			2002.25	2006.05	1940.16	
RM-MW-03S	7/23/2007	74.62			2002.25	2006.05	1931.43	
RM-MW-03S	10/21/2007	73.71			2002.25	2006.05	1932.34	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
RM-MW-03S	1/23/2008	72.99			2002.25	2006.05	1933.06	
RM-MW-03S	4/19/2008	69.32			2002.25	2006.05	1936.73	
RM-MW-03S	7/22/2008	71.23				2006.05	1934.82	
RM-MW-03S	10/18/2008	72.95				2006.05	1933.1	
RM-MW-04D	10/23/2003	75.8			2003.31	2007.11	1931.31	
RM-MW-04D	3/4/2004	72.7			2003.31	2007.11	1934.41	
RM-MW-04D	7/1/2004	73.43			2003.31	2007.11	1933.68	
RM-MW-04D	9/14/2004	76.45			2003.31	2007.11	1930.66	
RM-MW-04D	10/25/2004	73.89			2003.31	2007.11	1933.22	
RM-MW-04D	7/25/2005	76.05			2003.31	2007.11	1931.06	
RM-MW-04D	8/30/2005	77.36			2003.31	2007.11	1929.75	
RM-MW-04D	9/29/2005	74.78			2003.31	2007.11	1932.33	
RM-MW-04D	10/24/2005	74.82			2003.31	2007.11	1932.29	
RM-MW-04D	1/23/2006	68.19			2003.31	2007.11	1938.92	
RM-MW-04D	4/17/2006	67.31			2003.31	2007.11	1939.8	
RM-MW-04D	6/27/2006	71.35			2003.31	2007.11	1935.76	
RM-MW-04D	7/17/2006	74.21			2003.31	2007.11	1932.9	
RM-MW-04D	8/28/2006	76.44			2003.31	2007.11	1930.67	
RM-MW-04D	9/26/2006	75.22			2003.31	2007.11	1931.89	
RM-MW-04D	10/23/2006	74.72			2003.31	2007.11	1932.39	
RM-MW-04D	1/31/2007	72.26			2003.31	2007.11	1934.85	
RM-MW-04D	4/14/2007	66.87			2003.31	2007.11	1940.24	
RM-MW-04D	7/23/2007	75.58			2003.31	2007.11	1931.53	
RM-MW-04D	10/21/2007	74.67			2003.31	2007.11	1932.44	
RM-MW-04D	1/23/2008	73.95			2003.31	2007.11	1933.16	
RM-MW-04D	4/19/2008	70.37			2003.31	2007.11	1936.74	
RM-MW-04D	7/22/2008	72.15				2007.11	1934.96	
RM-MW-04D	10/18/2008	73.85				2007.11	1933.26	
RM-MW-05S	10/24/2003	74.22			2003.14	2006.94	1932.72	
RM-MW-05S	3/4/2004	71.46			2003.14	2006.94	1935.48	
RM-MW-05S	7/1/2004	72.11			2003.14	2006.94	1934.83	
RM-MW-05S	9/14/2004	75.13			2003.14	2006.94	1931.81	
RM-MW-05S	10/25/2004	72.58			2003.14	2006.94	1934.36	
RM-MW-05S	7/25/2005	74.73			2003.14	2006.94	1932.21	
RM-MW-05S	8/30/2005	76.11			2003.14	2006.94	1930.83	
RM-MW-05S	9/29/2005	74.51			2003.14	2006.94	1932.43	
RM-MW-05S	10/24/2005	73.5			2003.14	2006.94	1933.44	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
RM-MW-05S	1/23/2006	66.88			2003.14	2006.94	1940.06	
RM-MW-05S	4/17/2006	66.11			2003.14	2006.94	1940.83	
RM-MW-05S	6/27/2006	69.84			2003.14	2006.94	1937.1	
RM-MW-05S	7/17/2006	72.72			2003.14	2006.94	1934.22	
RM-MW-05S	8/28/2006	75.06			2003.14	2006.94	1931.88	
RM-MW-05S	9/26/2006	73.82			2003.14	2006.94	1933.12	
RM-MW-05S	10/23/2006	73.33			2003.14	2006.94	1933.61	
RM-MW-05S	1/31/2007	70.87			2003.14	2006.94	1936.07	
RM-MW-05S	4/14/2007	65.41			2003.14	2006.94	1941.53	
RM-MW-05S	7/23/2007	74.18			2003.14	2006.94	1932.76	
RM-MW-05S	10/21/2007	73.27			2003.14	2006.94	1933.67	
RM-MW-05S	1/23/2008	72.54			2003.14	2006.94	1934.4	
RM-MW-05S	4/19/2008	69.03			2003.14	2006.94	1937.91	
RM-MW-05S	7/22/2008	70.6				2006.94	1936.34	
RM-MW-05S	10/18/2008	72.37				2006.94	1934.57	
RM-MW-08S	7/25/2005	73.77				2005.01	1931.24	
RM-MW-08S	9/29/2005	73.13				2005.01	1931.88	
RM-MW-08S	10/24/2005	72.15				2005.01	1932.86	
RM-MW-08S	1/24/2006	65.53				2005.01	1939.48	
RM-MW-08S	4/17/2006	64.63				2005.01	1940.38	
RM-MW-08S	6/27/2006	68.52				2005.01	1936.49	
RM-MW-08S	7/17/2006	71.44				2005.01	1933.57	
RM-MW-08S	8/28/2006	73.7				2005.01	1931.31	
RM-MW-08S	9/26/2006	72.46				2005.01	1932.55	
RM-MW-08S	10/23/2006	72				2005.01	1933.01	
RM-MW-08S	1/31/2007	69.58				2005.01	1935.43	
RM-MW-08S	4/14/2007	64.5				2005.01	1940.51	
RM-MW-08S	7/23/2007	72.88				2005.01	1932.13	
RM-MW-08S	10/21/2007	71.92				2005.01	1933.09	
RM-MW-08S	1/23/2008	71.25				2005.01	1933.76	
RM-MW-08S	4/19/2008	67.5				2005.01	1937.51	
RM-MW-08S	7/22/2008	69.32				2005.01	1935.69	
RM-MW-08S	10/18/2008	71.09				2005.01	1933.92	
RM-MW-09S	7/25/2005	79.1				2008.2	1929.1	
RM-MW-09S	8/30/2005	80.51				2008.2	1927.69	
RM-MW-09S	9/29/2005	78.91				2008.2	1929.29	
RM-MW-09S	10/24/2005	77.85				2008.2	1930.35	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
RM-MW-09S	1/24/2006	71.2				2008.2	1937	
RM-MW-09S	4/17/2006	66.48				2008.2	1941.72	
RM-MW-09S	6/27/2006	70.15				2008.2	1938.05	
RM-MW-09S	7/17/2006	73.05				2008.2	1935.15	
RM-MW-09S	8/28/2006	75.41				2008.2	1932.79	
RM-MW-09S	9/26/2006	74.13				2008.2	1934.07	
RM-MW-09S	10/23/2006	73.67				2008.2	1934.53	
RM-MW-09S	1/31/2007	71.15				2008.2	1937.05	
RM-MW-09S	4/14/2007	65.67				2008.2	1942.53	
RM-MW-09S	7/23/2007	74.52				2008.2	1933.68	
RM-MW-09S	10/21/2007	73.61				2008.2	1934.59	
RM-MW-09S	1/23/2008	72.88				2008.2	1935.32	
RM-MW-09S	4/19/2008	69.32				2008.2	1938.88	
RM-MW-09S	7/22/2008	70.83				2008.2	1937.37	
RM-MW-09S	10/18/2008	72.69				2008.2	1935.51	
RM-MW-10S	7/25/2005	75.56				2006.67	1931.11	
RM-MW-10S	8/30/2005	76.92				2006.67	1929.75	
RM-MW-10S	9/29/2005	75.36				2006.67	1931.31	
RM-MW-10S	10/24/2005	74.32				2006.67	1932.35	
RM-MW-10S	1/25/2006	67.63				2006.67	1939.04	
RM-MW-10S	4/17/2006	67.94				2006.67	1938.73	
RM-MW-10S	6/27/2006	70.81				2006.67	1935.86	
RM-MW-10S	7/17/2006	73.71				2006.67	1932.96	
RM-MW-10S	8/28/2006	75.92				2006.67	1930.75	
RM-MW-10S	9/26/2006	74.67				2006.67	1932	
RM-MW-10S	10/23/2006	74.23				2006.67	1932.44	
RM-MW-10S	1/31/2007	71.76				2006.67	1934.91	
RM-MW-10S	4/14/2007	66.26				2006.67	1940.41	
RM-MW-10S	7/23/2007	75.08				2006.67	1931.59	
RM-MW-10S	10/21/2007	74.14				2006.67	1932.53	
RM-MW-10S	1/23/2008	73.42				2006.67	1933.25	
RM-MW-10S	4/19/2008	69.74				2006.67	1936.93	
RM-MW-10S	7/22/2008	71.63				2006.67	1935.04	
RM-MW-10S	10/18/2008	73.31				2006.67	1933.36	
RM-MW-12S	7/25/2005	74.12				2005.93	1931.81	
RM-MW-12S	8/30/2005	75.52				2005.93	1930.41	
RM-MW-12S	9/29/2005	73.91				2005.93	1932.02	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
RM-MW-12S	10/24/2005	72.89				2005.93	1933.04	
RM-MW-12S	1/24/2006	66.24				2005.93	1939.69	
RM-MW-12S	4/17/2006	65.45				2005.93	1940.48	
RM-MW-12S	6/27/2006	69.28				2005.93	1936.65	
RM-MW-12S	7/17/2006	72.18				2005.93	1933.75	
RM-MW-12S	8/28/2006	74.44				2005.93	1931.49	
RM-MW-12S	9/26/2006	73.22				2005.93	1932.71	
RM-MW-12S	10/23/2006	75.72				2005.93	1930.21	
RM-MW-12S	1/31/2007	70.27				2005.93	1935.66	
RM-MW-12S	4/14/2007	64.81				2005.93	1941.12	
RM-MW-12S	7/23/2007	73				2005.93	1932.93	
RM-MW-12S	10/21/2007	72.67				2005.93	1933.26	
RM-MW-12S	1/23/2008	71.92				2005.93	1934.01	
RM-MW-12S	4/19/2008	68.32				2005.93	1937.61	
RM-MW-12S	7/22/2008	70.06				2005.93	1935.87	
RM-MW-12S	10/18/2008	71.85				2005.93	1934.08	
RM-MW-13S	7/25/2005	76.81	76.8	0.01		2008.07	1931.26	
RM-MW-13S	9/29/2005	76.53				2008.07	1931.54	
RM-MW-13S	10/24/2005	75.5				2008.07	1932.57	
RM-MW-13S	1/25/2006	68.9				2008.07	1939.17	
RM-MW-13S	4/17/2006	66.75				2008.07	1941.32	
RM-MW-13S	6/27/2006	71.95				2008.07	1936.12	
RM-MW-13S	7/17/2006	74.92				2008.07	1933.15	
RM-MW-13S	8/28/2006	77.16				2008.07	1930.91	
RM-MW-13S	9/26/2006	75.91				2008.07	1932.16	
RM-MW-13S	10/23/2006	75.38				2008.07	1932.69	
RM-MW-13S	1/31/2007	72.94				2008.07	1935.13	
RM-MW-13S	4/14/2007	67.43				2008.07	1940.64	
RM-MW-13S	7/23/2007	76.24				2008.07	1931.83	
RM-MW-13S	10/21/2007	75.32				2008.07	1932.75	
RM-MW-13S	1/23/2008	74.63				2008.07	1933.44	
RM-MW-13S	4/19/2008	70.92				2008.07	1937.15	
RM-MW-13S	7/22/2008	72.75				2008.07	1935.32	
RM-MW-13S	10/18/2008	74.47				2008.07	1933.6	
RM-MW-14S	9/26/2006	76.3				2008.02	1931.72	
RM-MW-14S	10/23/2006	75.81				2008.02	1932.21	
RM-MW-14S	1/31/2007	73.33				2008.02	1934.69	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
RM-MW-14S	4/14/2007	67.84				2008.02	1940.18	
RM-MW-14S	7/23/2007	76.59				2008.02	1931.43	
RM-MW-14S	10/21/2007	75.74				2008.02	1932.28	
RM-MW-14S	1/23/2008	75.01				2008.02	1933.01	
RM-MW-14S	4/19/2008	71.29				2008.02	1936.73	
RM-MW-14S	7/22/2008	73.24				2008.02	1934.78	
RM-MW-14S	10/18/2008	74.9				2008.02	1933.12	
RM-MW-15S	9/26/2006	76.42				2008.11	1931.69	
RM-MW-15S	10/23/2006	75.98				2008.11	1932.13	
RM-MW-15S	1/31/2007	73.58				2008.11	1934.53	
RM-MW-15S	4/14/2007	68.09				2008.11	1940.02	
RM-MW-15S	7/23/2007	76.81				2008.11	1931.3	
RM-MW-15S	10/21/2007	75.93				2008.11	1932.18	
RM-MW-15S	1/23/2008	75.19				2008.11	1932.92	
RM-MW-15S	4/19/2008	71.49				2008.11	1936.62	
RM-MW-15S	7/22/2008	73.44				2008.11	1934.67	
RM-MW-15S	10/18/2008	75.13				2008.11	1932.98	
RM-MW-16S	9/26/2006	76.77				2008.23	1931.46	
RM-MW-16S	10/23/2006	76.31				2008.23	1931.92	
RM-MW-16S	1/31/2007	73.93				2008.23	1934.3	
RM-MW-16S	4/14/2007	68.43				2008.23	1939.8	
RM-MW-16S	7/23/2007	77.16				2008.23	1931.07	
RM-MW-16S	10/21/2007	76.24				2008.23	1931.99	
RM-MW-16S	1/23/2008	75.55				2008.23	1932.68	
RM-MW-16S	4/19/2008	71.84				2008.23	1936.39	
RM-MW-16S	7/22/2008	73.81				2008.23	1934.42	
RM-MW-16S	10/18/2008	75.46				2008.23	1932.77	
RM-MW-17S	9/26/2006	76.67				2007.89	1931.22	
RM-MW-17S	10/23/2006	76.18				2007.89	1931.71	
RM-MW-17S	1/31/2007	73.81				2007.89	1934.08	
RM-MW-17S	4/14/2007	68.32				2007.89	1939.57	
RM-MW-17S	7/23/2007	77.02				2007.89	1930.87	
RM-MW-17S	10/21/2007	76.11				2007.89	1931.78	
RM-MW-17S	1/23/2008	75.41				2007.89	1932.48	
RM-MW-17S	4/19/2008	71.68				2007.89	1936.21	
RM-MW-17S	7/22/2008	73.71				2007.89	1934.18	
RM-MW-17S	10/18/2008	75.37				2007.89	1932.52	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
RMSW-MW11S	9/29/2005	75.94				2004.39	1928.45	
TF-EW-01	1/25/1994	76.69	76.51	0.18	2006.33	2007.35	1930.66	
TF-EW-01	9/28/1995	77.98	77.66	0.32	2006.33	2007.35	1929.37	
TF-EW-01	3/27/2000	95.6			2006.33	2007.35	1911.75	Drilled deeper 4/25/00. TOC measurement is elevation of top joint (2003.55 to be used as of 2003)
TF-MW-01	6/8/1991	69.02			2005.41	2009.21	1940.19	
TF-MW-01	6/24/1991	70.22			2005.41	2009.21	1938.99	
TF-MW-01	7/16/1991	74.07			2005.41	2009.21	1935.14	
TF-MW-01	8/30/1991	78			2005.41	2009.21	1931.21	
TF-MW-01	2/18/1992	73.26			2005.41	2009.21	1935.95	
TF-MW-01	10/8/1993	75.94			2005.41	2009.21	1933.27	
TF-MW-01	10/30/1993	76.23	76.2	0.03	2005.41	2009.21	1932.98	
TF-MW-01	10/31/1993	76.23			2005.41	2009.21	1932.98	
TF-MW-01	9/28/1995	76.91	76.7	0.21	2005.41	2009.21	1932.3	
TF-MW-01	11/3/1995	76.91			2005.41	2009.21	1932.3	
TF-MW-01	6/26/2000	69.2			2005.41	2009.21	1940.01	
TF-MW-01	8/31/2000	72.94			2005.41	2009.21	1936.27	
TF-MW-01	10/2/2000	72.08			2005.41	2009.21	1937.13	
TF-MW-01	11/6/2000	71.92			2005.41	2009.21	1937.29	
TF-MW-01	12/27/2000	73.12			2005.41	2009.21	1936.09	
TF-MW-01	4/16/2001	72.77			2005.41	2009.21	1936.44	
TF-MW-01	4/24/2008	72.7				2009.21	1936.51	
TF-MW-01	10/18/2008	74.26	74.23	0.03		2009.21	1934.95	
TF-MW-02	6/8/1991	71.14	71.1	0.04	2005.6	2009.4	1938.26	
TF-MW-02	6/24/1991	73.3	73.24	0.06	2005.6	2009.4	1936.1	
TF-MW-02	6/24/1991	73.3			2005.6	2009.4	1936.1	
TF-MW-02	7/16/1991	76.1	76.09	0.01	2005.6	2009.4	1933.3	
TF-MW-02	8/30/1991	78.36			2005.6	2009.4	1931.04	
TF-MW-02	6/18/1992	75.67	75.57	0.1	2005.6	2009.4	1933.73	
TF-MW-02	10/8/1993	76.42	76.28	0.14	2005.6	2009.4	1932.98	
TF-MW-02	10/27/1993	79.27			2005.6	2009.4	1930.13	
TF-MW-02	10/30/1993	76.69	76.5	0.19	2005.6	2009.4	1932.71	
TF-MW-02	10/31/1993	76.69			2005.6	2009.4	1932.71	
TF-MW-02	1/25/1994	76.1	75.94	0.16	2005.6	2009.4	1933.3	
TF-MW-02	9/28/1995	77.51	77.05	0.46	2005.6	2009.4	1931.89	
TF-MW-02	8/29/1997	74.17	74.03	0.14	2005.6	2009.4	1935.23	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TF-MW-02	10/2/1997	73.38	73.33	0.05	2005.6	2009.4	1936.02	
TF-MW-02	10/17/1997	72.8	72.78	0.02	2005.6	2009.4	1936.6	
TF-MW-02	12/15/1997	71.84	71.81	0.03	2005.6	2009.4	1937.56	
TF-MW-02	2/21/1998	71.18	71.14	0.04	2005.6	2009.4	1938.22	
TF-MW-02	5/7/1998	68.01	67.99	0.02	2005.6	2009.4	1941.39	
TF-MW-02	6/17/1998	70.92	70.9	0.02	2005.6	2009.4	1938.48	
TF-MW-02	7/22/1998	74.54	74.38	0.16	2005.6	2009.4	1934.86	
TF-MW-02	8/25/1998	76.74	76.3	0.44	2005.6	2009.4	1932.66	
TF-MW-02	9/3/1998	76.94	76.49	0.45	2005.6	2009.4	1932.46	
TF-MW-02	9/14/1998	76.37	75.96	0.41	2005.6	2009.4	1933.03	
TF-MW-02	11/2/1998	75.04	74.84	0.2	2005.6	2009.4	1934.36	
TF-MW-02	12/14/1998	72.23	72.22	0.01	2005.6	2009.4	1937.17	
TF-MW-02	3/23/1999	69.7			2005.6	2009.4	1939.7	
TF-MW-02	7/19/1999	72.39			2005.6	2009.4	1937.01	
TF-MW-02	8/20/1999	75.02	74.88	0.14	2005.6	2009.4	1934.38	
TF-MW-02	9/20/1999	75.05	74.84	0.21	2005.6	2009.4	1934.35	
TF-MW-02	10/29/1999	75.15	74.89	0.26	2005.6	2009.4	1934.25	
TF-MW-02	12/30/1999	70.86	70.83	0.03	2005.6	2009.4	1938.54	
TF-MW-02	3/27/2000	69.46			2005.6	2009.4	1939.94	
TF-MW-02	6/26/2000	70.69	70.66	0.03	2005.6	2009.4	1938.71	
TF-MW-02	8/31/2000	76.56	76.54	0.02	2005.6	2009.4	1932.84	
TF-MW-02	10/2/2000	73.09	73.07	0.02	2005.6	2009.4	1936.31	
TF-MW-02	11/6/2000	72.59	72.57	0.02	2005.6	2009.4	1936.81	
TF-MW-02	12/27/2000	73.12	73.08	0.04	2005.6	2009.4	1936.28	
TF-MW-02	4/16/2001	73.85			2005.6	2009.4	1935.55	
TF-MW-02	6/19/2001	72.75			2005.6	2009.4	1936.65	
TF-MW-02	8/28/2001	76.18			2005.6	2009.4	1933.22	
TF-MW-02	9/10/2001	75.94			2005.6	2009.4	1933.46	
TF-MW-02	10/15/2001	75.57	75.54	0.03	2005.6	2009.4	1933.83	
TF-MW-02	12/6/2001	73.88	73.86	0.02	2005.6	2009.4	1935.52	
TF-MW-02	3/18/2002	70.83			2005.6	2009.4	1938.57	
TF-MW-02	6/28/2002	68.44			2005.6	2009.4	1940.96	
TF-MW-02	7/31/2002	74.01			2005.6	2009.4	1935.39	
TF-MW-02	8/30/2002	75.76			2005.6	2009.4	1933.64	
TF-MW-02	9/25/2002	74.55	74.54	0.01	2005.6	2009.4	1934.85	
TF-MW-02	12/16/2002	74.44	74.41	0.03	2005.6	2009.4	1934.96	
TF-MW-02	5/12/2003	70.85			2005.6	2009.4	1938.55	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TF-MW-02	7/1/2003	73.68			2005.6	2009.4	1935.72	
TF-MW-02	7/31/2003	76.11			2005.6	2009.4	1933.29	
TF-MW-02	7/1/2004	72.89	72.88	0.01	2005.6	2009.4	1936.51	
TF-MW-02	8/9/2004	75.53	75.52	0.01	2005.6	2009.4	1933.87	
TF-MW-02	9/14/2004	75.5	75.49	0.01	2005.6	2009.4	1933.9	
TF-MW-02	10/25/2004	73.37			2005.6	2009.4	1936.03	
TF-MW-02	7/25/2005	76.95			2005.6	2009.4	1932.45	
TF-MW-02	8/30/2005	78.3			2005.6	2009.4	1931.1	
TF-MW-02	9/29/2005	76.86			2005.6	2009.4	1932.54	
TF-MW-02	10/24/2005	75.7	75.69	0.01	2005.6	2009.4	1933.7	
TF-MW-02	1/23/2006	68.88			2005.6	2009.4	1940.52	
TF-MW-02	4/17/2006	68			2005.6	2009.4	1941.4	
TF-MW-02	6/27/2006	72.06			2005.6	2009.4	1937.34	
TF-MW-02	7/17/2006	74.88			2005.6	2009.4	1934.52	
TF-MW-02	8/28/2006	77.28			2005.6	2009.4	1932.12	
TF-MW-02	9/26/2006	76.1			2005.6	2009.4	1933.3	
TF-MW-02	10/23/2006	75.66			2005.6	2009.4	1933.74	
TF-MW-02	1/31/2007	73.12			2005.6	2009.4	1936.28	
TF-MW-02	4/14/2007	67.56			2005.6	2009.4	1941.84	
TF-MW-02	7/23/2007	76.45			2005.6	2009.4	1932.95	
TF-MW-02	10/21/2007	75.66			2005.6	2009.4	1933.74	
TF-MW-02	1/23/2008	74.79	74.78	0.01	2005.6	2009.4	1934.61	
TF-MW-02	4/24/2008	71.02			2005.6	2009.4	1938.38	
TF-MW-02	7/22/2008	72.92				2009.4	1936.48	
TF-MW-02	10/18/2008	74.66				2009.4	1934.74	
TF-MW-03	6/8/1991	68.96			2005.4	2009.2	1940.24	
TF-MW-03	6/24/1991	70.13			2005.4	2009.2	1939.07	
TF-MW-03	7/16/1991	74.01			2005.4	2009.2	1935.19	
TF-MW-03	8/30/1991	77.66			2005.4	2009.2	1931.54	
TF-MW-03	10/27/1993	78.45			2005.4	2009.2	1930.75	
TF-MW-03	1/25/1994	77.55			2005.4	2009.2	1931.65	
TF-MW-03	9/28/1995	76.86	76.84	0.02	2005.4	2009.2	1932.34	
TF-MW-03	6/26/2000	66.7			2005.4	2009.2	1942.5	
TF-MW-03	8/31/2000	74.23			2005.4	2009.2	1934.97	
TF-MW-03	10/2/2000	72.79			2005.4	2009.2	1936.41	
TF-MW-03	11/6/2000	73.9			2005.4	2009.2	1935.3	
TF-MW-03	12/27/2000	72.47			2005.4	2009.2	1936.73	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TF-MW-03	4/16/2001	69.85			2005.4	2009.2	1939.35	
TF-MW-03	3/18/2002	72.45			2005.4	2009.2	1936.75	
TF-MW-03	4/24/2008	70.6				2009.2	1938.6	
TF-MW-03	10/18/2008	74.08				2009.2	1935.12	
TF-MW-04	6/8/1991	70.24			2006.27	2010.19	1939.95	
TF-MW-04	6/24/1991	70.15			2006.27	2010.19	1940.04	
TF-MW-04	7/16/1991	75.42			2006.27	2010.19	1934.77	
TF-MW-04	12/7/1991	76.44	76.33	0.11	2006.27	2010.19	1933.75	
TF-MW-04	2/18/1992	73.53	73.52	0.01	2006.27	2010.19	1936.66	
TF-MW-04	2/26/1992	72.74			2006.27	2010.19	1937.45	
TF-MW-04	6/18/1992	76.95	76.57	0.38	2006.27	2010.19	1933.24	
TF-MW-04	10/8/1993	77.77	77.23	0.54	2006.27	2010.19	1932.42	
TF-MW-04	10/27/1993	79.14			2006.27	2010.19	1931.05	
TF-MW-04	10/30/1993	78.23	77.44	0.79	2006.27	2010.19	1931.96	
TF-MW-04	10/31/1993	78.23			2006.27	2010.19	1931.96	
TF-MW-04	1/25/1994	77.55	77.03	0.52	2006.27	2010.19	1932.64	
TF-MW-04	9/28/1995	79.11	78.13	0.98	2006.27	2010.19	1931.08	
TF-MW-04	3/19/1997	70.3			2006.27	2010.19	1939.89	
TF-MW-04	6/19/1997	64.63			2006.27	2010.19	1945.56	
TF-MW-04	8/4/1997	73.86			2006.27	2010.19	1936.33	
TF-MW-04	8/29/1997	75.2			2006.27	2010.19	1934.99	
TF-MW-04	10/2/1997	74.43			2006.27	2010.19	1935.76	
TF-MW-04	10/17/1997	73.82			2006.27	2010.19	1936.37	
TF-MW-04	12/15/1997	72.83			2006.27	2010.19	1937.36	
TF-MW-04	2/21/1998	72.16			2006.27	2010.19	1938.03	
TF-MW-04	5/7/1998	69.02			2006.27	2010.19	1941.17	
TF-MW-04	6/17/1998	71.89			2006.27	2010.19	1938.3	
TF-MW-04	7/22/1998	75.52			2006.27	2010.19	1934.67	
TF-MW-04	8/25/1998	77.52	77.49	0.03	2006.27	2010.19	1932.67	
TF-MW-04	9/3/1998	78.33	77.64	0.69	2006.27	2010.19	1931.86	
TF-MW-04	9/14/1998	77.5	77.04	0.46	2006.27	2010.19	1932.69	
TF-MW-04	11/2/1998	76.05	75.89	0.16	2006.27	2010.19	1934.14	
TF-MW-04	12/14/1998	73.21			2006.27	2010.19	1936.98	
TF-MW-04	3/23/1999	70.68			2006.27	2010.19	1939.51	
TF-MW-04	7/19/1999	73.35			2006.27	2010.19	1936.84	
TF-MW-04	8/20/1999	75.96			2006.27	2010.19	1934.23	
TF-MW-04	9/20/1999	75.94	75.92	0.02	2006.27	2010.19	1934.25	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TF-MW-04	10/29/1999	76.07	75.94	0.13	2006.27	2010.19	1934.12	
TF-MW-04	12/30/1999	71.9			2006.27	2010.19	1938.29	
TF-MW-04	3/27/2000	70.49			2006.27	2010.19	1939.7	
TF-MW-04	6/26/2000	72.26			2006.27	2010.19	1937.93	
TF-MW-04	8/31/2000	78	77.8	0.2	2006.27	2010.19	1932.19	
TF-MW-04	10/2/2000	75.71			2006.27	2010.19	1934.48	
TF-MW-04	11/6/2000	75.09			2006.27	2010.19	1935.1	
TF-MW-04	12/27/2000	76.52	76.27	0.25	2006.27	2010.19	1933.67	
TF-MW-04	4/16/2001	75.05			2006.27	2010.19	1935.14	
TF-MW-04	6/19/2001	75.1			2006.27	2010.19	1935.09	
TF-MW-04	8/28/2001	79.68	79.49	0.19	2006.27	2010.19	1930.51	
TF-MW-04	9/10/2001	79.16	79.08	0.08	2006.27	2010.19	1931.03	
TF-MW-04	10/15/2001	77.45	77.39	0.06	2006.27	2010.19	1932.74	
TF-MW-04	12/6/2001	75.71			2006.27	2010.19	1934.48	
TF-MW-04	6/28/2002	69.99			2006.27	2010.19	1940.2	
TF-MW-04	7/31/2002	76.27			2006.27	2010.19	1933.92	
TF-MW-04	8/30/2002	77.89			2006.27	2010.19	1932.3	
TF-MW-04	9/25/2002	76.89	76.88	0.01	2006.27	2010.19	1933.3	
TF-MW-04	12/16/2002	76.48	76.45	0.03	2006.27	2010.19	1933.71	
TF-MW-04	5/12/2003	71.97			2006.27	2010.19	1938.22	
TF-MW-04	7/1/2003	76.02			2006.27	2010.19	1934.17	
TF-MW-04	7/31/2003	78.76			2006.27	2010.19	1931.43	
TF-MW-04	7/1/2004	75.17			2006.27	2010.19	1935.02	
TF-MW-04	8/9/2004	78.73	78.62	0.11	2006.27	2010.19	1931.46	
TF-MW-04	9/14/2004	78.67	78.57	0.1	2006.27	2010.19	1931.52	
TF-MW-04	10/25/2004	75.73			2006.27	2010.19	1934.46	
TF-MW-04	7/25/2005	78.23			2006.27	2010.19	1931.96	
TF-MW-04	8/30/2005	79.61	79.58	0.03	2006.27	2010.19	1930.58	
TF-MW-04	9/29/2005	77.93	77.91	0.02	2006.27	2010.19	1932.26	
TF-MW-04	10/24/2005	76.84			2006.27	2010.19	1933.35	
TF-MW-04	1/23/2006	69.91	69.9	0.01	2006.27	2010.19	1940.28	
TF-MW-04	4/17/2006	68.95			2006.27	2010.19	1941.24	
TF-MW-04	6/27/2006	73.33			2006.27	2010.19	1936.86	
TF-MW-04	7/17/2006	76.38			2006.27	2010.19	1933.81	
TF-MW-04	8/28/2006	78.62	78.61	0.01	2006.27	2010.19	1931.57	
TF-MW-04	9/26/2006	77.29	77.26	0.03	2006.27	2010.19	1932.9	
TF-MW-04	10/23/2006	76.81			2006.27	2010.19	1933.38	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TF-MW-04	1/31/2007	74.34			2006.27	2010.19	1935.85	
TF-MW-04	4/14/2007	68.64			2006.27	2010.19	1941.55	
TF-MW-04	7/23/2007	77.72			2006.27	2010.19	1932.47	
TF-MW-04	10/21/2007	76.85	76.83	0.02	2006.27	2010.19	1933.34	
TF-MW-04	1/23/2008	76.01			2006.27	2010.19	1934.18	
TF-MW-04	4/24/2008	72.15			2006.27	2010.19	1938.04	
TF-MW-04	7/22/2008	74.21				2010.19	1935.98	
TF-MW-04	10/18/2008	75.97				2010.19	1934.22	
TF-MW-05	6/8/1991	69.71			2004.79	2008.59	1938.88	
TF-MW-05	6/24/1991	70.97			2004.79	2008.59	1937.62	
TF-MW-05	7/16/1991	74.72			2004.79	2008.59	1933.87	
TF-MW-05	8/30/1991	79.17			2004.79	2008.59	1929.42	
TF-MW-05	2/18/1992	72.81	72.73	0.08	2004.79	2008.59	1935.78	
TF-MW-05	2/26/1992	71.05	71	0.05	2004.79	2008.59	1937.54	
TF-MW-05	6/18/1992	74.94	74.71	0.23	2004.79	2008.59	1933.65	
TF-MW-05	10/8/1993	75.74	75.42	0.32	2004.79	2008.59	1932.85	
TF-MW-05	10/30/1993	75.97	75.63	0.34	2004.79	2008.59	1932.62	
TF-MW-05	10/31/1993	75.97			2004.79	2008.59	1932.62	
TF-MW-05	1/25/1994	75.39	75.1	0.29	2004.79	2008.59	1933.2	
TF-MW-05	9/28/1995	76.82	76.19	0.63	2004.79	2008.59	1931.77	
TF-MW-05	6/26/2000	69.7	69.68	0.02	2004.79	2008.59	1938.89	
TF-MW-05	8/31/2000	75.79	75.77	0.02	2004.79	2008.59	1932.8	
TF-MW-05	10/2/2000	72.64	72.63	0.01	2004.79	2008.59	1935.95	
TF-MW-05	11/6/2000	72.13	72.12	0.01	2004.79	2008.59	1936.46	
TF-MW-05	12/27/2000	72.85	72.84	0.01	2004.79	2008.59	1935.74	
TF-MW-05	4/16/2001	72.51	72.48	0.03	2004.79	2008.59	1936.08	
TL-MW-01	1/1/1991	76.14			2006.09	2009.89	1933.75	
TL-MW-01	1/30/1991	76.13			2006.09	2009.89	1933.76	
TL-MW-01	3/10/1991	71.83			2006.09	2009.89	1938.06	
TL-MW-01	4/5/1991	75.2			2006.09	2009.89	1934.69	
TL-MW-01	4/30/1991	72.07			2006.09	2009.89	1937.82	
TL-MW-01	5/29/1991	70.91			2006.09	2009.89	1938.98	
TL-MW-01	6/24/1991	73.51			2006.09	2009.89	1936.38	
TL-MW-01	7/10/1991	76.72			2006.09	2009.89	1933.17	
TL-MW-01	7/16/1991	77.58			2006.09	2009.89	1932.31	
TL-MW-01	8/1/1991	79.24			2006.09	2009.89	1930.65	
TL-MW-01	8/27/1991	79.54			2006.09	2009.89	1930.35	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TL-MW-01	12/6/1991	78.66			2006.09	2009.89	1931.23	
TL-MW-01	12/7/1991	78.57			2006.09	2009.89	1931.32	
TL-MW-01	10/8/1993	79.26			2006.09	2009.89	1930.63	
TL-MW-01	4/27/1994	73.85			2006.09	2009.89	1936.04	
TL-MW-01A	9/28/1995	80.52			2006.41	2010.21	1929.69	9/27/95-Replaced TL-MW-1. Top of Casing was 2006.4 until 4/17/03 correction.
TL-MW-01A	9/26/1996	79.34			2006.41	2010.21	1930.87	
TL-MW-01A	12/19/1996	76			2006.41	2010.21	1934.21	
TL-MW-01A	3/19/1997	73.33			2006.41	2010.21	1936.88	
TL-MW-01A	10/1/1997	77.66			2006.41	2010.21	1932.55	
TL-MW-01A	12/15/1997	76.31			2006.41	2010.21	1933.9	
TL-MW-01A	2/20/1998	75.31			2006.41	2010.21	1934.9	
TL-MW-01A	5/5/1998	71.91			2006.41	2010.21	1938.3	
TL-MW-01A	9/3/1998	80.65			2006.41	2010.21	1929.56	
TL-MW-01A	9/16/1998	79.67			2006.41	2010.21	1930.54	
TL-MW-01A	12/14/1998	76.19			2006.41	2010.21	1934.02	
TL-MW-01A	8/20/1999	79.21			2006.41	2010.21	1931	
TL-MW-01A	9/20/1999	78.83			2006.41	2010.21	1931.38	
TL-MW-01A	10/29/1999	79.02			2006.41	2010.21	1931.19	
TL-MW-01A	3/27/2000	73.28			2006.41	2010.21	1936.93	
TL-MW-01A	6/29/2000	76.32			2006.41	2010.21	1933.89	
TL-MW-01A	10/2/2000	78.84			2006.41	2010.21	1931.37	
TL-MW-01A	11/6/2000	78.3			2006.41	2010.21	1931.91	
TL-MW-01A	12/27/2000	79.24			2006.41	2010.21	1930.97	
TL-MW-01A	4/16/2001	77.53			2006.41	2010.21	1932.68	
TL-MW-01A	6/19/2001	78.26			2006.41	2010.21	1931.95	
TL-MW-01A	8/28/2001	81.98			2006.41	2010.21	1928.23	
TL-MW-01A	9/10/2001	81.28			2006.41	2010.21	1928.93	
TL-MW-01A	10/15/2001	79.94			2006.41	2010.21	1930.27	
TL-MW-01A	3/18/2002	75.06			2006.41	2010.21	1935.15	
TL-MW-01A	6/28/2002	73.32			2006.41	2010.21	1936.89	
TL-MW-01A	7/31/2002	79.29			2006.41	2010.21	1930.92	
TL-MW-01A	8/30/2002	80.66			2006.41	2010.21	1929.55	
TL-MW-01A	12/16/2002	78.97			2006.41	2010.21	1931.24	
TL-MW-01A	5/12/2003	74.74			2006.41	2010.21	1935.47	
TL-MW-01A	7/31/2003	81.43			2006.41	2010.21	1928.78	
TL-MW-01A	10/24/2003	79.75			2006.41	2010.21	1930.46	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TL-MW-01A	8/9/2004	81.25			2006.41	2010.21	1928.96	
TL-MW-01A	9/14/2004	81.17			2006.41	2010.21	1929.04	
TL-MW-01A	10/25/2004	78.51			2006.41	2010.21	1931.7	
TL-MW-01A	7/25/2005	80.98			2006.41	2010.21	1929.23	
TL-MW-01A	10/24/2005	79.34			2006.41	2010.21	1930.87	
TL-MW-01A	1/23/2006	72.36			2006.41	2010.21	1937.85	
TL-MW-01A	4/17/2006	70.94			2006.41	2010.21	1939.27	
TL-MW-01A	6/27/2006	76.45			2006.41	2010.21	1933.76	
TL-MW-01A	7/17/2006	79.33			2006.41	2010.21	1930.88	
TL-MW-01A	8/28/2006	81.53			2006.41	2010.21	1928.68	
TL-MW-01A	9/26/2006	79.97			2006.41	2010.21	1930.24	
TL-MW-01A	10/23/2006	79.4			2006.41	2010.21	1930.81	
TL-MW-01A	1/31/2007	77.27			2006.41	2010.21	1932.94	
TL-MW-01A	4/14/2007	71.48			2006.41	2010.21	1938.73	
TL-MW-01A	7/23/2007	80.45			2006.41	2010.21	1929.76	
TL-MW-01A	10/21/2007	79.45			2006.41	2010.21	1930.76	
TL-MW-01A	1/23/2008	78.71			2006.41	2010.21	1931.5	
TL-MW-01A	4/19/2008	74.36			2006.41	2010.21	1935.85	
TL-MW-01A	7/22/2008	77.47				2010.21	1932.74	
TL-MW-01A	10/18/2008	78.77				2010.21	1931.44	
TL-MW-02	1/1/1991	71.26			2005.94	2009.74	1938.48	
TL-MW-02	1/30/1991	75.85			2005.94	2009.74	1933.89	
TL-MW-02	3/10/1991	75.59			2005.94	2009.74	1934.15	
TL-MW-02	4/5/1991	71.29			2005.94	2009.74	1938.45	
TL-MW-02	4/30/1991	74.64			2005.94	2009.74	1935.1	
TL-MW-02	5/29/1991	71.53			2005.94	2009.74	1938.21	
TL-MW-02	6/5/1991	70.41			2005.94	2009.74	1939.33	
TL-MW-02	7/10/1991	72.93			2005.94	2009.74	1936.81	
TL-MW-02	7/16/1991	76.14			2005.94	2009.74	1933.6	
TL-MW-02	8/1/1991	76.97			2005.94	2009.74	1932.77	
TL-MW-02	8/9/1991	78.64			2005.94	2009.74	1931.1	
TL-MW-02	8/30/1991	80.54			2005.94	2009.74	1929.2	
TL-MW-02	12/7/1991	78.08			2005.94	2009.74	1931.66	
TL-MW-02	1/3/1992	77.99			2005.94	2009.74	1931.75	
TL-MW-02	2/26/1992	76.12			2005.94	2009.74	1933.62	
TL-MW-02	10/27/1993	79			2005.94	2009.74	1930.74	
TL-MW-02	11/4/1993	79.3			2005.94	2009.74	1930.44	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TL-MW-02	1/25/1994	79.5			2005.94	2009.74	1930.24	
TL-MW-02	5/26/1994	73.3			2005.94	2009.74	1936.44	
TL-MW-02	9/28/1995	79.58			2005.94	2009.74	1930.16	
TL-MW-02	4/23/2008	73.29				2009.74	1936.45	
TL-MW-03	10/8/1990	78.58			2003.59	2007.39	1928.81	
TL-MW-03	10/19/1990	78.58			2003.59	2007.39	1928.81	
TL-MW-03	10/26/1990	77.6			2003.59	2007.39	1929.79	
TL-MW-03	11/6/1990	77.31			2003.59	2007.39	1930.08	
TL-MW-03	11/29/1990	70.02			2003.59	2007.39	1937.37	
TL-MW-03	1/1/1991	75.2			2003.59	2007.39	1932.19	
TL-MW-03	1/30/1991	75.14			2003.59	2007.39	1932.25	
TL-MW-03	3/10/1991	70.75			2003.59	2007.39	1936.64	
TL-MW-03	4/5/1991	74.27			2003.59	2007.39	1933.12	
TL-MW-03	4/30/1991	71.08			2003.59	2007.39	1936.31	
TL-MW-03	5/29/1991	70.52			2003.59	2007.39	1936.87	
TL-MW-03	6/24/1991	72.68			2003.59	2007.39	1934.71	
TL-MW-03	7/10/1991	75.87			2003.59	2007.39	1931.52	
TL-MW-03	7/16/1991	76.77			2003.59	2007.39	1930.62	
TL-MW-03	8/1/1991	78.27			2003.59	2007.39	1929.12	
TL-MW-03	8/27/1991	80.05			2003.59	2007.39	1927.34	
TL-MW-03	12/6/1991	77.56			2003.59	2007.39	1929.83	
TL-MW-03	12/7/1991	77.45			2003.59	2007.39	1929.94	
TL-MW-03	2/18/1992	75.69			2003.59	2007.39	1931.7	
TL-MW-03	5/15/1992	74.9			2003.59	2007.39	1932.49	
TL-MW-03	10/8/1993	78.41			2003.59	2007.39	1928.98	
TL-MW-03	10/31/1993	78.74			2003.59	2007.39	1928.65	
TL-MW-03	11/4/1993	78.91			2003.59	2007.39	1928.48	
TL-MW-03	2/24/1994	78.77			2003.59	2007.39	1928.62	
TL-MW-03	3/23/1994	75.76			2003.59	2007.39	1931.63	
TL-MW-03	4/27/1994	72.57			2003.59	2007.39	1934.82	
TL-MW-03	5/26/1994	76.42			2003.59	2007.39	1930.97	
TL-MW-03	6/23/1994	78.64			2003.59	2007.39	1928.75	
TL-MW-03	7/20/1994	80.08			2003.59	2007.39	1927.31	
TL-MW-03	8/29/1994	81.33			2003.59	2007.39	1926.06	
TL-MW-03	9/13/1994	80.37			2003.59	2007.39	1927.02	
TL-MW-03	10/13/1994	79.8			2003.59	2007.39	1927.59	
TL-MW-03	11/13/1994	78.73			2003.59	2007.39	1928.66	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TL-MW-03	12/20/1994	77.02			2003.59	2007.39	1930.37	
TL-MW-03	1/27/1995	75.08			2003.59	2007.39	1932.31	
TL-MW-03	3/8/1995	70.93			2003.59	2007.39	1936.46	
TL-MW-03	4/24/1995	73.12			2003.59	2007.39	1934.27	
TL-MW-03	6/26/1995	76.63			2003.59	2007.39	1930.76	
TL-MW-03	8/2/1995	79.7			2003.59	2007.39	1927.69	
TL-MW-03	8/23/1995	79.85			2003.59	2007.39	1927.54	
TL-MW-03	8/30/1995	79.83			2003.59	2007.39	1927.56	
TL-MW-03	9/28/1995	79.05			2003.59	2007.39	1928.34	
TL-MW-03	11/3/1995	77.01			2003.59	2007.39	1930.38	
TL-MW-03	11/27/1995	73.27			2003.59	2007.39	1934.12	
TL-MW-03	5/22/1996	68.7			2003.59	2007.39	1938.69	
TL-MW-03	7/18/1996	77.5			2003.59	2007.39	1929.89	
TL-MW-03	8/15/1996	78.39			2003.59	2007.39	1929	
TL-MW-03	9/26/1996	78.02			2003.59	2007.39	1929.37	
TL-MW-03	11/21/1996	77.92			2003.59	2007.39	1929.47	
TL-MW-03	12/19/1996	74.96			2003.59	2007.39	1932.43	
TL-MW-03	1/17/1997	72.25			2003.59	2007.39	1935.14	
TL-MW-03	3/19/1997	72.28			2003.59	2007.39	1935.11	
TL-MW-03	6/17/1997	67.32			2003.59	2007.39	1940.07	
TL-MW-03	8/4/1997	76.7			2003.59	2007.39	1930.69	
TL-MW-03	8/29/1997	77.69			2003.59	2007.39	1929.7	
TL-MW-03	10/1/1997	76.68			2003.59	2007.39	1930.71	
TL-MW-03	10/17/1997	76.26			2003.59	2007.39	1931.13	
TL-MW-03	12/15/1997	75.14			2003.59	2007.39	1932.25	
TL-MW-03	2/20/1998	74.33			2003.59	2007.39	1933.06	
TL-MW-03	5/7/1998	70.74			2003.59	2007.39	1936.65	
TL-MW-03	6/17/1998	74.22			2003.59	2007.39	1933.17	
TL-MW-03	7/22/1998	77.43			2003.59	2007.39	1929.96	
TL-MW-03	8/25/1998	79.21			2003.59	2007.39	1928.18	
TL-MW-03	9/3/1998	79.48			2003.59	2007.39	1927.91	
TL-MW-03	9/21/1998	78.72			2003.59	2007.39	1928.67	
TL-MW-03	11/2/1998	77.75			2003.59	2007.39	1929.64	
TL-MW-03	12/17/1998	75.11			2003.59	2007.39	1932.28	
TL-MW-03	3/23/1999	72.48			2003.59	2007.39	1934.91	
TL-MW-04	10/8/1990	79.32			2002.24	2006.04	1926.72	
TL-MW-04	10/19/1990	79.32			2002.24	2006.04	1926.72	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TL-MW-04	10/26/1990	78.3			2002.24	2006.04	1927.74	
TL-MW-04	11/6/1990	78.07			2002.24	2006.04	1927.97	
TL-MW-04	11/29/1990	70.32			2002.24	2006.04	1935.72	
TL-MW-04	1/1/1991	76.18			2002.24	2006.04	1929.86	
TL-MW-04	1/30/1991	76.51			2002.24	2006.04	1929.53	
TL-MW-04	3/10/1991	71.56			2002.24	2006.04	1934.48	
TL-MW-04	4/5/1991	75.25			2002.24	2006.04	1930.79	
TL-MW-04	4/30/1991	72.07			2002.24	2006.04	1933.97	
TL-MW-04	5/29/1991	70.97			2002.24	2006.04	1935.07	
TL-MW-04	6/24/1991	73.81			2002.24	2006.04	1932.23	
TL-MW-04	7/10/1991	76.92			2002.24	2006.04	1929.12	
TL-MW-04	7/16/1991	77.67			2002.24	2006.04	1928.37	
TL-MW-04	8/1/1991	79.28			2002.24	2006.04	1926.76	
TL-MW-04	8/27/1991	80.92			2002.24	2006.04	1925.12	
TL-MW-04	12/6/1991	78.32			2002.24	2006.04	1927.72	
TL-MW-04	12/7/1991	78.22			2002.24	2006.04	1927.82	
TL-MW-04	2/18/1992	76.5			2002.24	2006.04	1929.54	
TL-MW-04	5/15/1992	75.72			2002.24	2006.04	1930.32	
TL-MW-04	10/8/1993	79.11			2002.24	2006.04	1926.93	
TL-MW-04	11/4/1993	79.64			2002.24	2006.04	1926.4	
TL-MW-04	4/27/1994	73.1			2002.24	2006.04	1932.94	
TL-MW-04	9/28/1995	80.03			2002.24	2006.04	1926.01	
TL-MW-04	6/17/1997	69.25			2002.24	2006.04	1936.79	
TL-MW-04	8/4/1997	78.3			2002.24	2006.04	1927.74	
TL-MW-04	8/29/1997	79.13			2002.24	2006.04	1926.91	
TL-MW-04	10/2/1997	78.1			2002.24	2006.04	1927.94	
TL-MW-04	10/17/1997	77.65			2002.24	2006.04	1928.39	
TL-MW-04	12/15/1997	76.58			2002.24	2006.04	1929.46	
TL-MW-04	2/21/1998	75.92			2002.24	2006.04	1930.12	
TL-MW-04	5/7/1998	72.44			2002.24	2006.04	1933.6	
TL-MW-04	6/18/1998	75.73			2002.24	2006.04	1930.31	
TL-MW-04	7/22/1998	78.76			2002.24	2006.04	1927.28	
TL-MW-04	8/25/1998	80.43			2002.24	2006.04	1925.61	
TL-MW-04	9/3/1998	80.94			2002.24	2006.04	1925.1	
TL-MW-04	9/14/1998	80.17			2002.24	2006.04	1925.87	
TL-MW-04	11/2/1998	78.97			2002.24	2006.04	1927.07	
TL-MW-04	12/14/1998	76.82			2002.24	2006.04	1929.22	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TL-MW-04	3/23/1999	73.93			2002.24	2006.04	1932.11	
TL-MW-04	7/19/1999	77.2			2002.24	2006.04	1928.84	
TL-MW-04	8/20/1999	79.7			2002.24	2006.04	1926.34	
TL-MW-04	9/20/1999	78.97			2002.24	2006.04	1927.07	
TL-MW-04	10/29/1999	78.4			2002.24	2006.04	1927.64	
TL-MW-04	12/30/1999	75.47			2002.24	2006.04	1930.57	
TL-MW-04	3/30/2000	73.74			2002.24	2006.04	1932.3	
TL-MW-04	6/26/2000	77.14			2002.24	2006.04	1928.9	
TL-MW-04	8/31/2000	81.09			2002.24	2006.04	1924.95	
TL-MW-04	10/2/2000	79.33			2002.24	2006.04	1926.71	
TL-MW-04	11/6/2000	78.72			2002.24	2006.04	1927.32	
TL-MW-04	12/27/2000	79.46			2002.24	2006.04	1926.58	
TL-MW-04	4/16/2001	77.73			2002.24	2006.04	1928.31	
TL-MW-04	6/19/2001	78.42			2002.24	2006.04	1927.62	
TL-MW-04	8/28/2001	82.16	81.79	0.37	2002.24	2006.04	1923.88	
TL-MW-04	9/10/2001	81.18	81.09	0.09	2002.24	2006.04	1924.86	
TL-MW-04	10/15/2001	79.99			2002.24	2006.04	1926.05	
TL-MW-04	12/6/2001	78.46			2002.24	2006.04	1927.58	
TL-MW-04	3/18/2002	75.34			2002.24	2006.04	1930.7	
TL-MW-04	6/28/2002	74.31			2002.24	2006.04	1931.73	
TL-MW-04	7/31/2002	79.88			2002.24	2006.04	1926.16	
TL-MW-04	8/30/2002	80.78			2002.24	2006.04	1925.26	
TL-MW-04	9/25/2002	79.73			2002.24	2006.04	1926.31	
TL-MW-04	12/16/2002	79.17			2002.24	2006.04	1926.87	
TL-MW-04	5/12/2003	75.29			2002.24	2006.04	1930.75	
TL-MW-04	7/31/2003	81.65	81.56	0.09	2002.24	2006.04	1924.39	
TL-MW-04	6/30/2004	78.18			2002.24	2006.04	1927.86	
TL-MW-04	8/9/2004	81.38	81.34	0.04	2002.24	2006.04	1924.66	
TL-MW-04	9/14/2004	81.29	81.26	0.03	2002.24	2006.04	1924.75	
TL-MW-04	10/25/2004	78.78			2002.24	2006.04	1927.26	
TL-MW-04	7/25/2005	80.81			2002.24	2006.04	1925.23	
TL-MW-04	8/30/2005	82.31	82.27	0.04	2002.24	2006.04	1923.73	
TL-MW-04	9/29/2005	80.33			2002.24	2006.04	1925.71	
TL-MW-04	10/24/2005	79.54			2002.24	2006.04	1926.5	
TL-MW-04	1/23/2006	72.77			2002.24	2006.04	1933.27	
TL-MW-04	4/17/2006	70.85			2002.24	2006.04	1935.19	
TL-MW-04	6/27/2006	76.23			2002.24	2006.04	1929.81	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TL-MW-04	7/17/2006	79.88			2002.24	2006.04	1926.16	
TL-MW-04	8/28/2006	81.52	81.49	0.03	2002.24	2006.04	1924.52	
TL-MW-04	9/26/2006	80.21			2002.24	2006.04	1925.83	
TL-MW-04	10/23/2006	79.65			2002.24	2006.04	1926.39	
TL-MW-04	1/31/2007	77.89			2002.24	2006.04	1928.15	
TL-MW-04	4/14/2007	71.85			2002.24	2006.04	1934.19	
TL-MW-04	7/23/2007	80.32			2002.24	2006.04	1925.72	
TL-MW-04	10/21/2007	79.71			2002.24	2006.04	1926.33	
TL-MW-04	1/23/2008	79.06			2002.24	2006.04	1926.98	
TL-MW-04	4/19/2008	74.61			2002.24	2006.04	1931.43	
TL-MW-04	7/22/2008	78.36				2006.04	1927.68	
TL-MW-04	10/18/2008	79.24				2006.04	1926.8	
TS-MW-01S	7/25/2005	80.14				2010.25	1930.11	
TS-MW-01S	9/29/2005	77.58				2010.25	1932.67	
TS-MW-01S	10/24/2005	78.49				2010.25	1931.76	
TS-MW-01S	1/26/2006	71.45				2010.25	1938.8	
TS-MW-01S	4/17/2006	70.46				2010.25	1939.79	
TS-MW-01S	6/27/2006	75.15				2010.25	1935.1	
TS-MW-01S	7/17/2006	78.03				2010.25	1932.22	
TS-MW-01S	8/28/2006	82.2				2010.25	1928.05	
TS-MW-01S	9/26/2006	78.86				2010.25	1931.39	
TS-MW-01S	10/23/2006	78.37				2010.25	1931.88	
TS-MW-01S	1/31/2007	76.04				2010.25	1934.21	
TS-MW-01S	4/14/2007	70.31				2010.25	1939.94	
TS-MW-01S	7/23/2007	79.29				2010.25	1930.96	
TS-MW-01S	10/21/2007	78.44				2010.25	1931.81	
TS-MW-01S	1/23/2008	77.62				2010.25	1932.63	
TS-MW-01S	4/19/2008	73.71				2010.25	1936.54	
TS-MW-01S	7/22/2008	75.91				2010.25	1934.34	
TS-MW-01S	10/18/2008	77.6				2010.25	1932.65	
TS-MW-02S	7/25/2005	78.24				2008.22	1929.98	
TS-MW-02S	9/29/2005	79.45				2008.22	1928.77	
TS-MW-02S	1/26/2006	69.82				2008.22	1938.4	
TS-MW-02S	4/17/2006	68.62				2008.22	1939.6	
TS-MW-02S	6/27/2006	73.33				2008.22	1934.89	
TS-MW-02S	7/17/2006	76.22				2008.22	1932	
TS-MW-02S	8/28/2006	78.34				2008.22	1929.88	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
TS-MW-02S	9/26/2006	77.02				2008.22	1931.2	
TS-MW-02S	10/23/2006	76.52				2008.22	1931.7	
TS-MW-02S	1/31/2007	74.19				2008.22	1934.03	
TS-MW-02S	4/14/2007	68.53				2008.22	1939.69	
TS-MW-02S	7/23/2007	77.42				2008.22	1930.8	
TS-MW-02S	10/21/2007	76.61				2008.22	1931.61	
TS-MW-02S	1/23/2008	75.76				2008.22	1932.46	
TS-MW-02S	4/19/2008	71.9				2008.22	1936.32	
TS-MW-02S	7/22/2008	74.1				2008.22	1934.12	
TS-MW-02S	10/18/2008	75.76				2008.22	1932.46	
WW-EW-01	11/27/1995	48.39			1972.11	1975.91	1927.52	
WW-MW-01	12/2/1989	46.44			1970.47	1974.27	1927.83	
WW-MW-01	12/8/1989	42.77			1970.47	1974.27	1931.5	
WW-MW-01	2/7/1990	47.14			1970.47	1974.27	1927.13	
WW-MW-01	2/27/1990	46.5			1970.47	1974.27	1927.77	
WW-MW-01	4/4/1990	43.34			1970.47	1974.27	1930.93	
WW-MW-01	5/3/1990	41.67			1970.47	1974.27	1932.6	
WW-MW-01	5/11/1990	42.04			1970.47	1974.27	1932.23	
WW-MW-01	5/30/1990	42.33			1970.47	1974.27	1931.94	
WW-MW-01	7/5/1990	47.05			1970.47	1974.27	1927.22	
WW-MW-01	8/2/1990	49.65			1970.47	1974.27	1924.62	
WW-MW-01	8/29/1990	50.98			1970.47	1974.27	1923.29	
WW-MW-01	10/5/1990	50.33			1970.47	1974.27	1923.94	
WW-MW-01	10/8/1990	50.29			1970.47	1974.27	1923.98	
WW-MW-01	10/19/1990	50.3			1970.47	1974.27	1923.97	
WW-MW-01	10/26/1990	49.12			1970.47	1974.27	1925.15	
WW-MW-01	11/1/1990	49.2			1970.47	1974.27	1925.07	
WW-MW-01	11/6/1990	48.95			1970.47	1974.27	1925.32	
WW-MW-01	11/29/1990	40.2			1970.47	1974.27	1934.07	
WW-MW-01	3/10/1991	41.94			1970.47	1974.27	1932.33	
WW-MW-01	4/5/1991	46.06			1970.47	1974.27	1928.21	
WW-MW-01	4/30/1991	42.59			1970.47	1974.27	1931.68	
WW-MW-01	7/16/1991	48.77			1970.47	1974.27	1925.5	
WW-MW-01	8/1/1991	50.33			1970.47	1974.27	1923.94	
WW-MW-01	8/27/1991	51.94			1970.47	1974.27	1922.33	
WW-MW-02	12/2/1989	45.91			1970.01	1973.81	1927.9	
WW-MW-02	12/8/1989	42.23			1970.01	1973.81	1931.58	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-02	2/7/1990	46.59			1970.01	1973.81	1927.22	
WW-MW-02	2/27/1990	45.95			1970.01	1973.81	1927.86	
WW-MW-02	4/4/1990	42.82			1970.01	1973.81	1930.99	
WW-MW-02	5/3/1990	41.12			1970.01	1973.81	1932.69	
WW-MW-02	5/11/1990	41.55			1970.01	1973.81	1932.26	
WW-MW-02	5/30/1990	41.75			1970.01	1973.81	1932.06	
WW-MW-02	7/5/1990	46.48			1970.01	1973.81	1927.33	
WW-MW-02	8/2/1990	49.12			1970.01	1973.81	1924.69	
WW-MW-02	8/29/1990	50.38			1970.01	1973.81	1923.43	
WW-MW-02	10/5/1990	49.78			1970.01	1973.81	1924.03	
WW-MW-02	10/8/1990	49.73			1970.01	1973.81	1924.08	
WW-MW-02	10/19/1990	49.74			1970.01	1973.81	1924.07	
WW-MW-02	10/26/1990	48.47			1970.01	1973.81	1925.34	
WW-MW-02	11/1/1990	48.63			1970.01	1973.81	1925.18	
WW-MW-02	11/6/1990	48.3			1970.01	1973.81	1925.51	
WW-MW-02	11/29/1990	39.85			1970.01	1973.81	1933.96	
WW-MW-02	1/30/1991	46.63			1970.01	1973.81	1927.18	
WW-MW-02	3/10/1991	41.43			1970.01	1973.81	1932.38	
WW-MW-02	4/5/1991	45.51			1970.01	1973.81	1928.3	
WW-MW-02	4/30/1991	42.1			1970.01	1973.81	1931.71	
WW-MW-02	5/29/1991	40.98			1970.01	1973.81	1932.83	
WW-MW-02	6/24/1991	44.27			1970.01	1973.81	1929.54	
WW-MW-02	7/10/1991	47.3			1970.01	1973.81	1926.51	
WW-MW-02	7/16/1991	48.21			1970.01	1973.81	1925.6	
WW-MW-02	8/1/1991	49.8			1970.01	1973.81	1924.01	
WW-MW-02	8/27/1991	51.32			1970.01	1973.81	1922.49	
WW-MW-02	5/15/1992	46.51			1970.01	1973.81	1927.3	
WW-MW-03	12/2/1989	53.93			1979.34	1983.14	1929.21	
WW-MW-03	12/8/1989	50.8			1979.34	1983.14	1932.34	
WW-MW-03	2/7/1990	54.85			1979.34	1983.14	1928.29	
WW-MW-03	2/27/1990	54.08			1979.34	1983.14	1929.06	
WW-MW-03	4/4/1990	51.32			1979.34	1983.14	1931.82	
WW-MW-03	5/3/1990	49.8			1979.34	1983.14	1933.34	
WW-MW-03	5/11/1990	50.12			1979.34	1983.14	1933.02	
WW-MW-03	5/30/1990	50.4			1979.34	1983.14	1932.74	
WW-MW-03	7/5/1990	54.53			1979.34	1983.14	1928.61	
WW-MW-03	8/2/1990	56.99			1979.34	1983.14	1926.15	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-03	8/29/1990	58.27			1979.34	1983.14	1924.87	
WW-MW-03	10/5/1990	57.7			1979.34	1983.14	1925.44	
WW-MW-03	10/8/1990	57.63			1979.34	1983.14	1925.51	
WW-MW-03	10/19/1990	57.65	57.64	0.01	1979.34	1983.14	1925.49	
WW-MW-03	10/26/1990	56.69			1979.34	1983.14	1926.45	
WW-MW-03	11/1/1990	56.62			1979.34	1983.14	1926.52	
WW-MW-03	11/6/1990	56.38			1979.34	1983.14	1926.76	
WW-MW-03	11/29/1990	48.73			1979.34	1983.14	1934.41	
WW-MW-03	1/1/1991	54.61			1979.34	1983.14	1928.53	
WW-MW-03	1/30/1991	54.47			1979.34	1983.14	1928.67	
WW-MW-03	3/10/1991	50.1			1979.34	1983.14	1933.04	
WW-MW-03	4/5/1991	53.68			1979.34	1983.14	1929.46	
WW-MW-03	4/30/1991	50.62			1979.34	1983.14	1932.52	
WW-MW-03	5/29/1991	49.69			1979.34	1983.14	1933.45	
WW-MW-03	6/24/1991	52.35			1979.34	1983.14	1930.79	
WW-MW-03	7/10/1991	55.29			1979.34	1983.14	1927.85	
WW-MW-03	7/16/1991	56.09			1979.34	1983.14	1927.05	
WW-MW-03	8/1/1991	57.61			1979.34	1983.14	1925.53	
WW-MW-03	8/27/1991	59.19			1979.34	1983.14	1923.95	
WW-MW-03	12/7/1991	56.6	56.55	0.05	1979.34	1983.14	1926.54	
WW-MW-03	2/18/1992	54.67			1979.34	1983.14	1928.47	
WW-MW-03	6/18/1992	56.86			1979.34	1983.14	1926.28	
WW-MW-03	10/8/1993	57.33	57.1	0.23	1979.34	1983.14	1925.81	
WW-MW-03	2/24/1994	57.92	57.59	0.33	1979.34	1983.14	1925.22	
WW-MW-03	3/23/1994	54.44			1979.34	1983.14	1928.7	
WW-MW-03	4/27/1994	51.47			1979.34	1983.14	1931.67	
WW-MW-03	5/26/1994	55.35			1979.34	1983.14	1927.79	
WW-MW-03	6/23/1994	57.47	57.44	0.03	1979.34	1983.14	1925.67	
WW-MW-03	7/20/1994	59.67	58.73	0.94	1979.34	1983.14	1923.47	
WW-MW-03	8/29/1994	61.03	59.67	1.36	1979.34	1983.14	1922.11	
WW-MW-03	9/13/1994	59.35	58.61	0.74	1979.34	1983.14	1923.79	
WW-MW-03	10/12/1994	58.76	58.27	0.49	1979.34	1983.14	1924.38	
WW-MW-03	10/13/1994	58.76			1979.34	1983.14	1924.38	
WW-MW-03	11/13/1994	57.43	57.26	0.17	1979.34	1983.14	1925.71	
WW-MW-03	12/20/1994	55.71	55.68	0.03	1979.34	1983.14	1927.43	
WW-MW-03	1/27/1995	53.96			1979.34	1983.14	1929.18	
WW-MW-03	5/23/1995	53.98			1979.34	1983.14	1929.16	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-03	6/25/1995	56.35			1979.34	1983.14	1926.79	
WW-MW-03	8/2/1995	59.02	58.95	0.07	1979.34	1983.14	1924.12	
WW-MW-03	8/23/1995	60.42			1979.34	1983.14	1922.72	
WW-MW-03	8/30/1995	59.85	59.19	0.66	1979.34	1983.14	1923.29	
WW-MW-03	9/28/1995	58.84	58.51	0.33	1979.34	1983.14	1924.3	
WW-MW-03	11/3/1995	56.45	56.38	0.07	1979.34	1983.14	1926.69	
WW-MW-03	11/27/1995	52.21			1979.34	1983.14	1930.93	
WW-MW-03	12/20/1995	49.2			1979.34	1983.14	1933.94	
WW-MW-03	1/22/1996	51.63			1979.34	1983.14	1931.51	
WW-MW-03	2/13/1996	44.06			1979.34	1983.14	1939.08	
WW-MW-03	3/15/1996	51.41			1979.34	1983.14	1931.73	
WW-MW-03	4/17/1996	50.13			1979.34	1983.14	1933.01	
WW-MW-03	5/22/1996	48.94			1979.34	1983.14	1934.2	
WW-MW-03	7/18/1996	57.37			1979.34	1983.14	1925.77	
WW-MW-03	8/15/1996	58.17	58.13	0.04	1979.34	1983.14	1924.97	
WW-MW-03	9/26/1996	57.78	57.64	0.14	1979.34	1983.14	1925.36	
WW-MW-03	11/21/1996	57.78	57.6	0.18	1979.34	1983.14	1925.36	
WW-MW-03	12/19/1996	54.81			1979.34	1983.14	1928.33	
WW-MW-03	1/17/1997	52.48			1979.34	1983.14	1930.66	
WW-MW-03	3/19/1997	52.28			1979.34	1983.14	1930.86	
WW-MW-03	6/17/1997	48.36			1979.34	1983.14	1934.78	
WW-MW-03	8/4/1997	56.93			1979.34	1983.14	1926.21	
WW-MW-03	8/29/1997	57.77			1979.34	1983.14	1925.37	
WW-MW-03	9/30/1997	56.72			1979.34	1983.14	1926.42	
WW-MW-03	10/17/1997	56.78			1979.34	1983.14	1926.36	
WW-MW-03	12/15/1997	55.16			1979.34	1983.14	1927.98	
WW-MW-03	2/18/1998	54.47			1979.34	1983.14	1928.67	
WW-MW-03	5/6/1998	50.94			1979.34	1983.14	1932.2	
WW-MW-03	6/18/1998	54.35			1979.34	1983.14	1928.79	
WW-MW-03	7/22/1998	57.23			1979.34	1983.14	1925.91	
WW-MW-03	8/25/1998	59.33	58.89	0.44	1979.34	1983.14	1923.81	
WW-MW-03	9/3/1998	60.22	59.53	0.69	1979.34	1983.14	1922.92	
WW-MW-03	9/14/1998	59.25	58.77	0.48	1979.34	1983.14	1923.89	
WW-MW-03	11/2/1998	57.48	57.43	0.05	1979.34	1983.14	1925.66	
WW-MW-03	12/16/1998	55.49			1979.34	1983.14	1927.65	
WW-MW-03	3/23/1999	52.58			1979.34	1983.14	1930.56	
WW-MW-03	7/19/1999	55.85			1979.34	1983.14	1927.29	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-03	8/20/1999	58.43			1979.34	1983.14	1924.71	
WW-MW-03	9/20/1999	57.61	57.49	0.12	1979.34	1983.14	1925.53	
WW-MW-03	10/29/1999	58.08			1979.34	1983.14	1925.06	
WW-MW-03	12/30/1999	54.36			1979.34	1983.14	1928.78	
WW-MW-03	3/29/2000	52.5			1979.34	1983.14	1930.64	
WW-MW-03	6/26/2000	56.02			1979.34	1983.14	1927.12	
WW-MW-03	8/31/2000	60.35	59.65	0.7	1979.34	1983.14	1922.79	
WW-MW-03	10/2/2000	58.3	57.94	0.36	1979.34	1983.14	1924.84	
WW-MW-03	12/27/2000	58.3	58.03	0.27	1979.34	1983.14	1924.84	
WW-MW-03	4/16/2001	56.26			1979.34	1983.14	1926.88	
WW-MW-03	6/19/2001	57.05			1979.34	1983.14	1926.09	
WW-MW-03	8/28/2001	60.71	60.28	0.43	1979.34	1983.14	1922.43	
WW-MW-03	9/10/2001	59.91	59.57	0.34	1979.34	1983.14	1923.23	
WW-MW-03	10/15/2001	58.55	58.45	0.1	1979.34	1983.14	1924.59	
WW-MW-03	12/6/2001	66.94			1979.34	1983.14	1916.2	
WW-MW-03	3/18/2002	53.85			1979.34	1983.14	1929.29	
WW-MW-03	6/28/2002	52.99			1979.34	1983.14	1930.15	
WW-MW-03	7/31/2002	58.52			1979.34	1983.14	1924.62	
WW-MW-03	8/30/2002	59.34			1979.34	1983.14	1923.8	
WW-MW-03	9/25/2002	58.21			1979.34	1983.14	1924.93	
WW-MW-03	12/16/2002	57.73			1979.34	1983.14	1925.41	
WW-MW-03	5/12/2003	53.76			1979.34	1983.14	1929.38	
WW-MW-03	7/31/2003	60.22	60.13	0.09	1979.34	1983.14	1922.92	
WW-MW-03	7/1/2004	57.71			1979.34	1983.14	1925.43	
WW-MW-03	8/9/2004	59.97	59.88	0.09	1979.34	1983.14	1923.17	
WW-MW-03	9/14/2004	59.97	59.67	0.3	1979.34	1983.14	1923.17	
WW-MW-03	10/25/2004	57.33	57.32	0.01	1979.34	1983.14	1925.81	
WW-MW-03	7/25/2005	59.44	59.35	0.09	1979.34	1983.14	1923.7	
WW-MW-03	8/30/2005	60.5	60.4	0.1	1979.34	1983.14	1922.64	
WW-MW-03	9/29/2005	58.9	58.67	0.23	1979.34	1983.14	1924.24	
WW-MW-03	10/24/2005	58.1	58.09	0.01	1979.34	1983.14	1925.04	
WW-MW-03	1/23/2006	51.56			1979.34	1983.14	1931.58	
WW-MW-03	4/17/2006	49.47			1979.34	1983.14	1933.67	
WW-MW-03	6/27/2006	56			1979.34	1983.14	1927.14	
WW-MW-03	7/17/2006	58.45			1979.34	1983.14	1924.69	
WW-MW-03	8/28/2006	60.28	60.11	0.17	1979.34	1983.14	1922.86	
WW-MW-03	9/26/2006	57.43			1979.34	1983.14	1925.71	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-03	10/23/2006	58.22			1979.34	1983.14	1924.92	
WW-MW-03	1/31/2007	56.54			1979.34	1983.14	1926.6	
WW-MW-03	4/14/2007	50.53			1979.34	1983.14	1932.61	
WW-MW-03	7/23/2007	58.8			1979.34	1983.14	1924.34	
WW-MW-03	10/21/2007	58.42	58.3	0.12	1979.34	1983.14	1924.72	
WW-MW-03	1/23/2008	57.64	57.54	0.1	1979.34	1983.14	1925.5	
WW-MW-03	4/19/2008	53.11			1979.34	1983.14	1930.03	
WW-MW-03	7/22/2008	57.04				1983.14	1926.1	
WW-MW-03	10/18/2008	57.89				1983.14	1925.25	
WW-MW-04	12/2/1989	80.97			2007.22	2011.02	1930.05	
WW-MW-04	12/8/1989	77.74			2007.22	2011.02	1933.28	
WW-MW-04	2/7/1990	81.37			2007.22	2011.02	1929.65	
WW-MW-04	2/27/1990	80.92			2007.22	2011.02	1930.1	
WW-MW-04	4/4/1990	78.21			2007.22	2011.02	1932.81	
WW-MW-04	5/3/1990	76.32			2007.22	2011.02	1934.7	
WW-MW-04	5/11/1990	76.63			2007.22	2011.02	1934.39	
WW-MW-04	5/30/1990	77.01			2007.22	2011.02	1934.01	
WW-MW-04	7/5/1990	81.26			2007.22	2011.02	1929.76	
WW-MW-04	8/2/1990	83.86			2007.22	2011.02	1927.16	
WW-MW-04	9/6/1990	86.29	85.6	0.69	2007.22	2011.02	1924.73	
WW-MW-04	10/8/1990	80.06	79.51	0.55	2007.22	2011.02	1930.96	
WW-MW-04	10/19/1990	85.16	84.5	0.66	2007.22	2011.02	1925.86	
WW-MW-04	5/26/1994	67.8			2007.22	2011.02	1943.22	
WW-MW-04	6/26/1995	52.68			2007.22	2011.02	1958.34	
WW-MW-05	12/2/1989	61.46			1986.67	1990.47	1929.01	
WW-MW-05	12/8/1989	58.26			1986.67	1990.47	1932.21	
WW-MW-05	2/7/1990	62.02			1986.67	1990.47	1928.45	
WW-MW-05	2/27/1990	61.48			1986.67	1990.47	1928.99	
WW-MW-05	4/4/1990	58.73			1986.67	1990.47	1931.74	
WW-MW-05	5/3/1990	56.92			1986.67	1990.47	1933.55	
WW-MW-05	5/11/1990	57.24			1986.67	1990.47	1933.23	
WW-MW-05	5/30/1990	57.62			1986.67	1990.47	1932.85	
WW-MW-05	7/5/1990	61.87			1986.67	1990.47	1928.6	
WW-MW-05	8/2/1990	64.5			1986.67	1990.47	1925.97	
WW-MW-05	8/29/1990	65.77			1986.67	1990.47	1924.7	
WW-MW-05	10/5/1990	65.22			1986.67	1990.47	1925.25	
WW-MW-05	10/8/1990	65.13			1986.67	1990.47	1925.34	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-05	10/19/1990	65.15			1986.67	1990.47	1925.32	
WW-MW-05	10/26/1990	64.09			1986.67	1990.47	1926.38	
WW-MW-05	11/1/1990	64.05			1986.67	1990.47	1926.42	
WW-MW-05	11/6/1990	63.87			1986.67	1990.47	1926.6	
WW-MW-05	11/29/1990	56.05			1986.67	1990.47	1934.42	
WW-MW-05	1/1/1991	62.01			1986.67	1990.47	1928.46	
WW-MW-05	1/30/1991	62.01			1986.67	1990.47	1928.46	
WW-MW-05	3/10/1991	57.18			1986.67	1990.47	1933.29	
WW-MW-05	4/5/1991	61.06			1986.67	1990.47	1929.41	
WW-MW-05	4/30/1991	58.38			1986.67	1990.47	1932.09	
WW-MW-05	5/29/1991	57.3			1986.67	1990.47	1933.17	
WW-MW-05	6/24/1991	59.62			1986.67	1990.47	1930.85	
WW-MW-06	12/2/1989	66.44			1992.76	1996.56	1930.12	
WW-MW-06	12/8/1989	63.44			1992.76	1996.56	1933.12	
WW-MW-06	2/7/1990	66.98			1992.76	1996.56	1929.58	
WW-MW-06	2/27/1990	66.46			1992.76	1996.56	1930.1	
WW-MW-06	4/4/1990	63.89			1992.76	1996.56	1932.67	
WW-MW-06	5/3/1990	61.82			1992.76	1996.56	1934.74	
WW-MW-06	5/11/1990	62.15			1992.76	1996.56	1934.41	
WW-MW-06	5/30/1990	62.55			1992.76	1996.56	1934.01	
WW-MW-06	7/5/1990	66.7			1992.76	1996.56	1929.86	
WW-MW-06	8/2/1990	69.47			1992.76	1996.56	1927.09	
WW-MW-06	9/6/1990	71.19			1992.76	1996.56	1925.37	
WW-MW-06	10/8/1990	70.56	70.07	0.49	1992.76	1996.56	1926	
WW-MW-06	10/19/1990	70.12			1992.76	1996.56	1926.44	
WW-MW-06	10/26/1990	69.17	69.13	0.04	1992.76	1996.56	1927.39	
WW-MW-06	11/6/1990	68.86			1992.76	1996.56	1927.7	
WW-MW-06	11/29/1990	61.2			1992.76	1996.56	1935.36	
WW-MW-06	1/1/1991	66.88			1992.76	1996.56	1929.68	
WW-MW-06	1/30/1991	66.78			1992.76	1996.56	1929.78	
WW-MW-06	3/10/1991	62.15			1992.76	1996.56	1934.41	
WW-MW-06	4/5/1991	59.97			1992.76	1996.56	1936.59	
WW-MW-06	4/30/1991	62.68			1992.76	1996.56	1933.88	
WW-MW-06	5/29/1991	61.57			1992.76	1996.56	1934.99	
WW-MW-06	6/24/1991	65.48			1992.76	1996.56	1931.08	
WW-MW-06	7/10/1991	67.57			1992.76	1996.56	1928.99	
WW-MW-06	7/16/1991	68.33			1992.76	1996.56	1928.23	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-06	8/1/1991	70.05			1992.76	1996.56	1926.51	
WW-MW-06	8/9/1991	69.92	69.29	0.63	1992.76	1996.56	1926.64	
WW-MW-06	8/27/1991	71.97			1992.76	1996.56	1924.59	
WW-MW-06	8/30/1991	71.55	71.15	0.4	1992.76	1996.56	1925.01	
WW-MW-06	12/7/1991	69.04	69.01	0.03	1992.76	1996.56	1927.52	
WW-MW-06	2/18/1992	67.24	66.96	0.28	1992.76	1996.56	1929.32	
WW-MW-06	2/26/1992	64.85			1992.76	1996.56	1931.71	
WW-MW-06	6/18/1992	69.35	69.25	0.1	1992.76	1996.56	1927.21	
WW-MW-06	10/8/1993	69.87	69.65	0.22	1992.76	1996.56	1926.69	
WW-MW-06	2/24/1994	70.72	70.13	0.59	1992.76	1996.56	1925.84	
WW-MW-06	3/23/1994	66.57			1992.76	1996.56	1929.99	
WW-MW-06	4/27/1994	63.91			1992.76	1996.56	1932.65	
WW-MW-06	5/26/1994	67.8			1992.76	1996.56	1928.76	
WW-MW-06	6/23/1994	70.22	69.89	0.33	1992.76	1996.56	1926.34	
WW-MW-06	7/20/1994	71.91	71.36	0.55	1992.76	1996.56	1924.65	
WW-MW-06	8/29/1994	73.53	72.41	1.12	1992.76	1996.56	1923.03	
WW-MW-06	9/13/1994	72.16	71.4	0.76	1992.76	1996.56	1924.4	
WW-MW-06	10/12/1994	71.7	70.9	0.8	1992.76	1996.56	1924.86	
WW-MW-06	10/13/1994	71.7			1992.76	1996.56	1924.86	
WW-MW-06	11/13/1994	70.36	69.88	0.48	1992.76	1996.56	1926.2	
WW-MW-06	12/20/1994	67.77			1992.76	1996.56	1928.79	
WW-MW-06	1/27/1995	66.37			1992.76	1996.56	1930.19	
WW-MW-06	4/24/1995	66.02			1992.76	1996.56	1930.54	
WW-MW-06	6/25/1995	68.65	68.5	0.15	1992.76	1996.56	1927.91	
WW-MW-06	8/2/1995	71.52	71.29	0.23	1992.76	1996.56	1925.04	
WW-MW-06	8/23/1995	71.71	71.51	0.2	1992.76	1996.56	1924.85	
WW-MW-06	8/30/1995	71.81	71.62	0.19	1992.76	1996.56	1924.75	
WW-MW-06	9/28/1995	71.49	70.86	0.63	1992.76	1996.56	1925.07	
WW-MW-06	11/3/1995	68.73	68.7	0.03	1992.76	1996.56	1927.83	
WW-MW-06	11/27/1995	64.56	64.55	0.01	1992.76	1996.56	1932	
WW-MW-06	12/20/1995	61.01			1992.76	1996.56	1935.55	
WW-MW-06	1/22/1996	63.71			1992.76	1996.56	1932.85	
WW-MW-06	2/13/1996	56.53			1992.76	1996.56	1940.03	
WW-MW-06	3/15/1996	63.15			1992.76	1996.56	1933.41	
WW-MW-06	4/17/1996	62.06			1992.76	1996.56	1934.5	
WW-MW-06	5/22/1996	60.78			1992.76	1996.56	1935.78	
WW-MW-06	7/18/1996	69.59	69.48	0.11	1992.76	1996.56	1926.97	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-06	8/15/1996	70.55	70.35	0.2	1992.76	1996.56	1926.01	
WW-MW-06	9/26/1996	70	69.92	0.08	1992.76	1996.56	1926.56	
WW-MW-06	11/21/1996	69.97	69.88	0.09	1992.76	1996.56	1926.59	
WW-MW-06	12/19/1996	66.98			1992.76	1996.56	1929.58	
WW-MW-06	1/17/1997	64.38			1992.76	1996.56	1932.18	
WW-MW-06	3/19/1997	64.35			1992.76	1996.56	1932.21	
WW-MW-06	6/17/1997	59.69			1992.76	1996.56	1936.87	
WW-MW-06	8/4/1997	68.96	68.86	0.1	1992.76	1996.56	1927.6	
WW-MW-06	8/29/1997	70.12	69.8	0.32	1992.76	1996.56	1926.44	
WW-MW-06	10/2/1997	68.84	68.8	0.04	1992.76	1996.56	1927.72	
WW-MW-06	10/17/1997	68.47			1992.76	1996.56	1928.09	
WW-MW-06	12/15/1997	67.24			1992.76	1996.56	1929.32	
WW-MW-06	2/21/1998	66.72			1992.76	1996.56	1929.84	
WW-MW-06	5/7/1998	61.23			1992.76	1996.56	1935.33	
WW-MW-06	6/17/1998	66.35			1992.76	1996.56	1930.21	
WW-MW-06	7/22/1998	69.72	69.41	0.31	1992.76	1996.56	1926.84	
WW-MW-06	8/25/1998	71.31	71.23	0.08	1992.76	1996.56	1925.25	
WW-MW-06	9/3/1998	71.87	71.81	0.06	1992.76	1996.56	1924.69	
WW-MW-06	9/14/1998	71.11	71.06	0.05	1992.76	1996.56	1925.45	
WW-MW-06	11/2/1998	69.7	69.69	0.01	1992.76	1996.56	1926.86	
WW-MW-06	12/14/1998	67.62			1992.76	1996.56	1928.94	
WW-MW-06	9/20/1999	69.72	69.71	0.01	1992.76	1996.56	1926.84	
WW-MW-06	10/29/1999	70.25	70.23	0.02	1992.76	1996.56	1926.31	
WW-MW-06	12/30/1999	66.33			1992.76	1996.56	1930.23	
WW-MW-06	3/27/2000	64.58			1992.76	1996.56	1931.98	
WW-MW-06	6/26/2000	67.94			1992.76	1996.56	1928.62	
WW-MW-06	8/31/2000	72.03	71.99	0.04	1992.76	1996.56	1924.53	
WW-MW-06	10/2/2000	70.5	70.15	0.35	1992.76	1996.56	1926.06	
WW-MW-06	11/6/2000	69.88	69.56	0.32	1992.76	1996.56	1926.68	
WW-MW-06	12/27/2000	70.47	70.36	0.11	1992.76	1996.56	1926.09	
WW-MW-06	4/16/2001	68.62			1992.76	1996.56	1927.94	
WW-MW-06	6/19/2001	69.28			1992.76	1996.56	1927.28	
WW-MW-06	8/28/2001	72.79	72.77	0.02	1992.76	1996.56	1923.77	
WW-MW-06	9/10/2001	72.56	72.05	0.51	1992.76	1996.56	1924	
WW-MW-06	10/15/2001	71.31	70.84	0.47	1992.76	1996.56	1925.25	
WW-MW-06	12/6/2001	69.41	69.32	0.09	1992.76	1996.56	1927.15	
WW-MW-06	3/18/2002	66.19			1992.76	1996.56	1930.37	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-06	6/28/2002	64.94			1992.76	1996.56	1931.62	
WW-MW-06	7/31/2002	78.86	78.7	0.16	1992.76	1996.56	1917.7	
WW-MW-06	8/30/2002	71.68			1992.76	1996.56	1924.88	
WW-MW-06	9/25/2002	70.61	70.58	0.03	1992.76	1996.56	1925.95	
WW-MW-06	12/16/2002	70.09	70.05	0.04	1992.76	1996.56	1926.47	
WW-MW-06	5/12/2003	65.97	65.96	0.01	1992.76	1996.56	1930.59	
WW-MW-06	7/31/2003	72.65	72.47	0.18	1992.76	1996.56	1923.91	
WW-MW-06	7/1/2004	69.06	69.01	0.05	1992.76	1996.56	1927.5	
WW-MW-06	8/9/2004	72.3	72.26	0.04	1992.76	1996.56	1924.26	
WW-MW-06	9/14/2004	72.31	72.09	0.22	1992.76	1996.56	1924.25	
WW-MW-06	10/25/2004	69.85	69.61	0.24	1992.76	1996.56	1926.71	
WW-MW-06	7/25/2005	72.71	72.7	0.01	1992.76	1996.56	1923.85	
WW-MW-06	8/30/2005	73.24	72.75	0.49	1992.76	1996.56	1923.32	
WW-MW-06	9/29/2005	71.48	71.1	0.38	1992.76	1996.56	1925.08	
WW-MW-06	10/24/2005	70.81	70.45	0.36	1992.76	1996.56	1925.75	
WW-MW-06	1/23/2006	63.85	63.69	0.16	1992.76	1996.56	1932.71	
WW-MW-06	4/17/2006	61.98	61.8	0.18	1992.76	1996.56	1934.58	
WW-MW-06	6/27/2006	68.21	68.01	0.2	1992.76	1996.56	1928.35	
WW-MW-06	7/17/2006	70.93	70.7	0.23	1992.76	1996.56	1925.63	
WW-MW-06	8/28/2006	72.5	72.38	0.12	1992.76	1996.56	1924.06	
WW-MW-06	9/26/2006	71.25	71.19	0.06	1992.76	1996.56	1925.31	
WW-MW-06	10/23/2006	70.7	70.53	0.17	1992.76	1996.56	1925.86	
WW-MW-06	1/31/2007	68.79	68.68	0.11	1992.76	1996.56	1927.77	
WW-MW-06	4/14/2007	62.5			1992.76	1996.56	1934.06	
WW-MW-06	4/19/2007	63.09	62.97	0.12	1992.76	1996.56	1933.47	
WW-MW-06	7/23/2007	71.21	71.15	0.06	1992.76	1996.56	1925.35	
WW-MW-06	10/21/2007	70.77	70.61	0.16	1992.76	1996.56	1925.79	
WW-MW-06	1/23/2008	70.07	69.89	0.18	1992.76	1996.56	1926.49	
WW-MW-06	4/19/2008	65.62	65.51	0.11	1992.76	1996.56	1930.94	
WW-MW-06	7/22/2008	69.16	69.06	0.1		1996.56	1927.4	
WW-MW-06	10/18/2008	70.07				1996.56	1926.49	
WW-MW-07	12/2/1989	71.78			1999.35	2003.15	1931.37	
WW-MW-07	12/8/1989	69.2			1999.35	2003.15	1933.95	
WW-MW-07	2/7/1990	72.2			1999.35	2003.15	1930.95	
WW-MW-07	2/27/1990	71.78			1999.35	2003.15	1931.37	
WW-MW-07	4/4/1990	69.43			1999.35	2003.15	1933.72	
WW-MW-07	5/3/1990	67.21			1999.35	2003.15	1935.94	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-07	5/11/1990	67.56			1999.35	2003.15	1935.59	
WW-MW-07	5/30/1990	67.97			1999.35	2003.15	1935.18	
WW-MW-07	7/5/1990	71.81			1999.35	2003.15	1931.34	
WW-MW-07	8/2/1990	74.71			1999.35	2003.15	1928.44	
WW-MW-07	8/29/1990	76.06			1999.35	2003.15	1927.09	
WW-MW-07	10/5/1990	75.55			1999.35	2003.15	1927.6	
WW-MW-07	10/8/1990	75.46			1999.35	2003.15	1927.69	
WW-MW-07	10/19/1990	75.47			1999.35	2003.15	1927.68	
WW-MW-07	10/26/1990	74.6			1999.35	2003.15	1928.55	
WW-MW-07	11/1/1990	74.55			1999.35	2003.15	1928.6	
WW-MW-07	11/6/1990	74.27			1999.35	2003.15	1928.88	
WW-MW-07	11/29/1990	67.15			1999.35	2003.15	1936	
WW-MW-07	1/1/1991	72.11			1999.35	2003.15	1931.04	
WW-MW-07	1/30/1991	73.04			1999.35	2003.15	1930.11	
WW-MW-07	3/10/1991	65.9			1999.35	2003.15	1937.25	
WW-MW-07	4/5/1991	71.59			1999.35	2003.15	1931.56	
WW-MW-07	4/30/1991	68.46			1999.35	2003.15	1934.69	
WW-MW-07	5/29/1991	67.25			1999.35	2003.15	1935.9	
WW-MW-07	6/24/1991	69.58			1999.35	2003.15	1933.57	
WW-MW-07	7/10/1991	63.2			1999.35	2003.15	1939.95	
WW-MW-07	7/16/1991	73.54			1999.35	2003.15	1929.61	
WW-MW-07	8/1/1991	75.45			1999.35	2003.15	1927.7	
WW-MW-07	8/27/1991	77.25			1999.35	2003.15	1925.9	
WW-MW-07	11/4/1993	75.87			1999.35	2003.15	1927.28	
WW-MW-07	2/21/1998	71.52			1999.35	2003.15	1931.63	
WW-MW-07	3/29/2000	69.49			1999.35	2003.15	1933.66	
WW-MW-07	1/31/2007	73.51			1999.35	2003.15	1929.64	
WW-MW-07	4/14/2007	57.54			1999.35	2003.15	1945.61	
WW-MW-07	7/23/2007	76.32			1999.35	2003.15	1926.83	
WW-MW-07	10/21/2007	75.59			1999.35	2003.15	1927.56	
WW-MW-07	1/23/2008	74.86			1999.35	2003.15	1928.29	
WW-MW-07	4/24/2008	70.52			1999.35	2003.15	1932.63	
WW-MW-07	7/22/2008	73.78				2003.15	1929.37	
WW-MW-07	10/18/2008	74.99				2003.15	1928.16	
WW-MW-08	1/30/1991	74.63			2000.83	2004.63	1930	
WW-MW-08	3/10/1991	67			2000.83	2004.63	1937.63	
WW-MW-08	4/5/1991	73.17			2000.83	2004.63	1931.46	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-08	4/30/1991	70.08			2000.83	2004.63	1934.55	
WW-MW-08	5/29/1991	68.91			2000.83	2004.63	1935.72	
WW-MW-08	6/24/1991	71.56			2000.83	2004.63	1933.07	
WW-MW-08	7/10/1991	74.5			2000.83	2004.63	1930.13	
WW-MW-08	7/16/1991	75.39			2000.83	2004.63	1929.24	
WW-MW-08	8/1/1991	77.08			2000.83	2004.63	1927.55	
WW-MW-08	8/27/1991	78.77			2000.83	2004.63	1925.86	
WW-MW-08	12/7/1991	76.18			2000.83	2004.63	1928.45	
WW-MW-08	10/8/1993	77.1			2000.83	2004.63	1927.53	
WW-MW-08	8/29/1997	76.67			2000.83	2004.63	1927.96	
WW-MW-08	10/2/1997	75.7			2000.83	2004.63	1928.93	
WW-MW-08	10/17/1997	75.35			2000.83	2004.63	1929.28	
WW-MW-08	12/15/1997	74.17			2000.83	2004.63	1930.46	
WW-MW-08	2/19/1998	73.46			2000.83	2004.63	1931.17	
WW-MW-08	5/7/1998	70.21			2000.83	2004.63	1934.42	
WW-MW-08	6/17/1998	73.28			2000.83	2004.63	1931.35	
WW-MW-08	7/22/1998	76.37			2000.83	2004.63	1928.26	
WW-MW-08	8/25/1998	78.18			2000.83	2004.63	1926.45	
WW-MW-08	9/3/1998	78.64			2000.83	2004.63	1925.99	
WW-MW-08	9/21/1998	77.87			2000.83	2004.63	1926.76	
WW-MW-08	11/2/1998	76.65			2000.83	2004.63	1927.98	
WW-MW-08	12/17/1998	74.48			2000.83	2004.63	1930.15	
WW-MW-08	3/23/1999	71.74			2000.83	2004.63	1932.89	
WW-MW-08	7/19/1999	74.71			2000.83	2004.63	1929.92	
WW-MW-08	8/20/1999	77.28			2000.83	2004.63	1927.35	
WW-MW-08	9/22/1999	76.68			2000.83	2004.63	1927.95	
WW-MW-08	10/29/1999	77			2000.83	2004.63	1927.63	
WW-MW-08	12/30/1999	73.2			2000.83	2004.63	1931.43	
WW-MW-08	3/29/2000	71.51			2000.83	2004.63	1933.12	
WW-MW-08	6/26/2000	74.58			2000.83	2004.63	1930.05	
WW-MW-08	8/31/2000	78.75			2000.83	2004.63	1925.88	
WW-MW-08	10/2/2000	76.15			2000.83	2004.63	1928.48	
WW-MW-08	11/6/2000	76.35			2000.83	2004.63	1928.28	
WW-MW-08	12/27/2000	77.18			2000.83	2004.63	1927.45	
WW-MW-08	4/16/2001	75.49			2000.83	2004.63	1929.14	
WW-MW-08	6/19/2001	76.24			2000.83	2004.63	1928.39	
WW-MW-08	8/28/2001	79.72			2000.83	2004.63	1924.91	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-08	9/10/2001	79.8			2000.83	2004.63	1924.83	
WW-MW-08	10/15/2001	77.78			2000.83	2004.63	1926.85	
WW-MW-08	12/6/2001	76.24			2000.83	2004.63	1928.39	
WW-MW-08	3/20/2002	73.19			2000.83	2004.63	1931.44	
WW-MW-08	6/28/2002	71.73			2000.83	2004.63	1932.9	
WW-MW-08	7/31/2002	77.45			2000.83	2004.63	1927.18	
WW-MW-08	8/30/2002	78.54			2000.83	2004.63	1926.09	
WW-MW-08	9/25/2002	77.53			2000.83	2004.63	1927.1	
WW-MW-08	12/16/2002	76.92			2000.83	2004.63	1927.71	
WW-MW-08	5/12/2003	72.85			2000.83	2004.63	1931.78	
WW-MW-08	7/31/2003	79.33			2000.83	2004.63	1925.3	
WW-MW-08	6/30/2004	76.12			2000.83	2004.63	1928.51	
WW-MW-08	8/9/2004	79.12			2000.83	2004.63	1925.51	
WW-MW-08	9/14/2004	78.97			2000.83	2004.63	1925.66	
WW-MW-08	10/28/2004	76.45			2000.83	2004.63	1928.18	
WW-MW-08	7/25/2005	78.53			2000.83	2004.63	1926.1	
WW-MW-08	8/30/2005	79.4			2000.83	2004.63	1925.23	
WW-MW-08	9/29/2005	78.02			2000.83	2004.63	1926.61	
WW-MW-08	10/24/2005	71.32	71.31	0.01	2000.83	2004.63	1933.31	
WW-MW-08	1/23/2006	70.61			2000.83	2004.63	1934.02	
WW-MW-08	4/17/2006	68.92			2000.83	2004.63	1935.71	
WW-MW-08	6/27/2006	74.75			2000.83	2004.63	1929.88	
WW-MW-08	7/17/2006	77.43			2000.83	2004.63	1927.2	
WW-MW-08	8/28/2006	79.28			2000.83	2004.63	1925.35	
WW-MW-08	9/26/2006	77.98			2000.83	2004.63	1926.65	
WW-MW-08	10/23/2006	77.35			2000.83	2004.63	1927.28	
WW-MW-08	1/31/2007	75.46			2000.83	2004.63	1929.17	
WW-MW-08	4/14/2007	60.5			2000.83	2004.63	1944.13	
WW-MW-08	7/23/2007	78.09			2000.83	2004.63	1926.54	
WW-MW-08	10/21/2007	77.44			2000.83	2004.63	1927.19	
WW-MW-08	1/23/2008	76.73			2000.83	2004.63	1927.9	
WW-MW-08	4/24/2008	72.5			2000.83	2004.63	1932.13	
WW-MW-08	7/22/2008	75.75				2004.63	1928.88	
WW-MW-08	10/18/2008	76.84				2004.63	1927.79	
WW-MW-09	3/10/1991	59.45			1992.64	1996.44	1936.99	
WW-MW-09	6/24/1991	63.84			1992.64	1996.44	1932.6	
WW-MW-09	7/16/1991	67.49			1992.64	1996.44	1928.95	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-09	2/18/1992	66.65			1992.64	1996.44	1929.79	
WW-MW-09	5/15/1992	66.32			1992.64	1996.44	1930.12	
WW-MW-09	10/8/1993	69.4			1992.64	1996.44	1927.04	
WW-MW-09	10/27/1993	69.45			1992.64	1996.44	1926.99	
WW-MW-09	11/4/1993	69.87			1992.64	1996.44	1926.57	
WW-MW-09	4/27/1994	63.42			1992.64	1996.44	1933.02	
WW-MW-09	6/17/1997	58.66			1992.64	1996.44	1937.78	
WW-MW-09	8/4/1997	67.01			1992.64	1996.44	1929.43	
WW-MW-09	8/29/1997	68.85			1992.64	1996.44	1927.59	
WW-MW-09	10/2/1997	68.11			1992.64	1996.44	1928.33	
WW-MW-09	10/17/1997	67.36			1992.64	1996.44	1929.08	
WW-MW-09	12/15/1997	66.62			1992.64	1996.44	1929.82	
WW-MW-09	2/21/1998	65.9			1992.64	1996.44	1930.54	
WW-MW-09	5/7/1998	62.54			1992.64	1996.44	1933.9	
WW-MW-09	6/17/1998	65.41			1992.64	1996.44	1931.03	
WW-MW-09	7/22/1998	68.66			1992.64	1996.44	1927.78	
WW-MW-09	8/25/1998	70.61			1992.64	1996.44	1925.83	
WW-MW-09	9/3/1998	71.08			1992.64	1996.44	1925.36	
WW-MW-09	9/14/1998	70.4			1992.64	1996.44	1926.04	
WW-MW-09	11/2/1998	69.16			1992.64	1996.44	1927.28	
WW-MW-09	12/14/1998	67			1992.64	1996.44	1929.44	
WW-MW-09	9/20/1999	69.25			1992.64	1996.44	1927.19	
WW-MW-09	10/29/1999	69.57			1992.64	1996.44	1926.87	
WW-MW-09	12/30/1999	65.69			1992.64	1996.44	1930.75	
WW-MW-09	3/29/2000	64.03			1992.64	1996.44	1932.41	
WW-MW-09	6/26/2000	67.18			1992.64	1996.44	1929.26	
WW-MW-09	8/31/2000	71.4			1992.64	1996.44	1925.04	
WW-MW-09	10/2/2000	69.63			1992.64	1996.44	1926.81	
WW-MW-09	11/6/2000	69.05			1992.64	1996.44	1927.39	
WW-MW-09	12/27/2000	69.9			1992.64	1996.44	1926.54	
WW-MW-09	4/16/2001	68.18			1992.64	1996.44	1928.26	
WW-MW-09	6/19/2001	68.9			1992.64	1996.44	1927.54	
WW-MW-09	8/28/2001	72.35			1992.64	1996.44	1924.09	
WW-MW-09	9/10/2001	71.65			1992.64	1996.44	1924.79	
WW-MW-09	10/15/2001	70.41			1992.64	1996.44	1926.03	
WW-MW-09	12/6/2001	68.93			1992.64	1996.44	1927.51	
WW-MW-09	3/18/2002	65.76			1992.64	1996.44	1930.68	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-09	6/28/2002	64.2			1992.64	1996.44	1932.24	
WW-MW-09	7/31/2002	70.2			1992.64	1996.44	1926.24	
WW-MW-09	8/30/2002	71.26			1992.64	1996.44	1925.18	
WW-MW-09	9/25/2002	70.29			1992.64	1996.44	1926.15	
WW-MW-09	12/16/2002	69.58			1992.64	1996.44	1926.86	
WW-MW-09	5/12/2003	65.54			1992.64	1996.44	1930.9	
WW-MW-09	7/31/2003	72.03			1992.64	1996.44	1924.41	
WW-MW-09	7/1/2004	68.56			1992.64	1996.44	1927.88	
WW-MW-09	8/9/2004	71.76			1992.64	1996.44	1924.68	
WW-MW-09	9/14/2004	71.6			1992.64	1996.44	1924.84	
WW-MW-09	10/25/2004	69.19			1992.64	1996.44	1927.25	
WW-MW-09	1/31/2007	68.17			1992.64	1996.44	1928.27	
WW-MW-09	4/14/2007	61.98			1992.64	1996.44	1934.46	
WW-MW-09	7/23/2007	70.74			1992.64	1996.44	1925.7	
WW-MW-09	10/21/2007	70.1			1992.64	1996.44	1926.34	
WW-MW-09	1/23/2008	69.44			1992.64	1996.44	1927	
WW-MW-09	4/24/2008	65.05			1992.64	1996.44	1931.39	
WW-MW-09	7/22/2008	68.51				1996.44	1927.93	
WW-MW-09	10/18/2008	69.54				1996.44	1926.9	
WW-MW-10	3/10/1991	71.12			2004.03	2007.83	1936.71	
WW-MW-10	6/24/1991	74.21			2004.03	2007.83	1933.62	
WW-MW-10	7/16/1991	78.15			2004.03	2007.83	1929.68	
WW-MW-10	2/18/1992	77.19			2004.03	2007.83	1930.64	
WW-MW-10	5/15/1992	77.31			2004.03	2007.83	1930.52	
WW-MW-10	6/18/1992	79.25			2004.03	2007.83	1928.58	
WW-MW-10	10/8/1993	79.66			2004.03	2007.83	1928.17	
WW-MW-10	10/27/1993	79.95			2004.03	2007.83	1927.88	
WW-MW-10	11/4/1993	80.48			2004.03	2007.83	1927.35	
WW-MW-10	2/24/1994	80.27			2004.03	2007.83	1927.56	
WW-MW-10	3/23/1994	77.27			2004.03	2007.83	1930.56	
WW-MW-10	4/27/1994	74.09			2004.03	2007.83	1933.74	
WW-MW-10	5/26/1994	77.94			2004.03	2007.83	1929.89	
WW-MW-10	6/23/1994	80.09			2004.03	2007.83	1927.74	
WW-MW-10	7/20/1994	81.55			2004.03	2007.83	1926.28	
WW-MW-10	8/29/1994	82.86			2004.03	2007.83	1924.97	
WW-MW-10	10/13/1994	81.43			2004.03	2007.83	1926.4	
WW-MW-10	11/13/1994	80.24			2004.03	2007.83	1927.59	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-10	12/20/1994	78.53			2004.03	2007.83	1929.3	
WW-MW-10	1/27/1995	76.59			2004.03	2007.83	1931.24	
WW-MW-10	3/8/1995	72.49			2004.03	2007.83	1935.34	
WW-MW-10	4/24/1995	74.65			2004.03	2007.83	1933.18	
WW-MW-10	5/23/1995	75.83			2004.03	2007.83	1932	
WW-MW-10	6/26/1995	78			2004.03	2007.83	1929.83	
WW-MW-10	8/2/1995	81.31			2004.03	2007.83	1926.52	
WW-MW-10	8/23/1995	81.44			2004.03	2007.83	1926.39	
WW-MW-10	8/30/1995	81.48			2004.03	2007.83	1926.35	
WW-MW-10	9/28/1995	80.75			2004.03	2007.83	1927.08	
WW-MW-10	11/3/1995	78.67			2004.03	2007.83	1929.16	
WW-MW-10	11/27/1995	74.93			2004.03	2007.83	1932.9	
WW-MW-10	5/22/1996	70.47			2004.03	2007.83	1937.36	
WW-MW-10	7/18/1996	79.15			2004.03	2007.83	1928.68	
WW-MW-10	8/15/1996	80.09			2004.03	2007.83	1927.74	
WW-MW-10	9/26/1996	79.71			2004.03	2007.83	1928.12	
WW-MW-10	11/21/1996	79.62			2004.03	2007.83	1928.21	
WW-MW-10	12/19/1996	76.68			2004.03	2007.83	1931.15	
WW-MW-10	1/17/1997	73.91			2004.03	2007.83	1933.92	
WW-MW-10	3/19/1997	73.94			2004.03	2007.83	1933.89	
WW-MW-10	6/17/1997	69.03			2004.03	2007.83	1938.8	
WW-MW-10	8/4/1997	78.35			2004.03	2007.83	1929.48	
WW-MW-10	2/21/1998	76.03			2004.03	2007.83	1931.8	
WW-MW-10	3/29/2000	74.11			2004.03	2007.83	1933.72	
WW-MW-10	1/31/2007	78.09			2004.03	2007.83	1929.74	
WW-MW-10	4/14/2007	72.1			2004.03	2007.83	1935.73	
WW-MW-10	7/23/2007	80.86			2004.03	2007.83	1926.97	
WW-MW-10	10/21/2007	80.12			2004.03	2007.83	1927.71	
WW-MW-10	1/23/2008	79.4			2004.03	2007.83	1928.43	
WW-MW-10	4/19/2008	75.09			2004.03	2007.83	1932.74	
WW-MW-10	7/22/2008	78.35				2007.83	1929.48	
WW-MW-10	10/18/2008	79.52				2007.83	1928.31	
WW-MW-11	12/6/1991	53.11			1973.14	1976.94	1923.83	
WW-MW-11	2/18/1992	51.27			1973.14	1976.94	1925.67	
WW-MW-11	5/15/1992	50.99			1973.14	1976.94	1925.95	
WW-MW-11	10/8/1993	53.65			1973.14	1976.94	1923.29	
WW-MW-11	10/27/1993	54			1973.14	1976.94	1922.94	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-11	10/31/1993	54.22			1973.14	1976.94	1922.72	
WW-MW-11	2/24/1994	54.14			1973.14	1976.94	1922.8	
WW-MW-11	3/23/1994	50.71			1973.14	1976.94	1926.23	
WW-MW-11	4/27/1994	49.45			1973.14	1976.94	1927.49	
WW-MW-11	5/26/1994	51.82			1973.14	1976.94	1925.12	
WW-MW-11	6/23/1994	53.98			1973.14	1976.94	1922.96	
WW-MW-11	7/20/1994	55.45	55.42	0.03	1973.14	1976.94	1921.49	
WW-MW-11	8/29/1994	56.48	56.42	0.06	1973.14	1976.94	1920.46	
WW-MW-11	9/13/1994	55.27	55.14	0.13	1973.14	1976.94	1921.67	
WW-MW-11	10/12/1994	54.83	54.79	0.04	1973.14	1976.94	1922.11	
WW-MW-11	10/13/1994	54.83			1973.14	1976.94	1922.11	
WW-MW-11	11/13/1994	53.74	53.72	0.02	1973.14	1976.94	1923.2	
WW-MW-11	12/20/1994	52.54			1973.14	1976.94	1924.4	
WW-MW-11	1/27/1995	50.34			1973.14	1976.94	1926.6	
WW-MW-11	5/23/1995	50.22			1973.14	1976.94	1926.72	
WW-MW-11	6/25/1995	52.68			1973.14	1976.94	1924.26	
WW-MW-11	8/2/1995	54.43			1973.14	1976.94	1922.51	
WW-MW-11	8/23/1995	55.75			1973.14	1976.94	1921.19	
WW-MW-11	8/30/1995	55.74			1973.14	1976.94	1921.2	
WW-MW-11	9/28/1995	54.89			1973.14	1976.94	1922.05	
WW-MW-11	11/3/1995	52.69			1973.14	1976.94	1924.25	
WW-MW-11	11/27/1995	48.2			1973.14	1976.94	1928.74	
WW-MW-11	1/22/1996	47.69			1973.14	1976.94	1929.25	
WW-MW-11	2/13/1996	39.48			1973.14	1976.94	1937.46	
WW-MW-11	3/15/1996	47.5			1973.14	1976.94	1929.44	
WW-MW-11	4/17/1996	46.05			1973.14	1976.94	1930.89	
WW-MW-11	5/22/1996	44.7			1973.14	1976.94	1932.24	
WW-MW-11	7/18/1996	53.89			1973.14	1976.94	1923.05	
WW-MW-11	8/15/1996	54.62			1973.14	1976.94	1922.32	
WW-MW-11	9/26/1996	54.08			1973.14	1976.94	1922.86	
WW-MW-11	11/21/1996	54			1973.14	1976.94	1922.94	
WW-MW-11	12/19/1996	51.18			1973.14	1976.94	1925.76	
WW-MW-11	1/17/1997	48.74			1973.14	1976.94	1928.2	
WW-MW-11	3/19/1997	48.48			1973.14	1976.94	1928.46	
WW-MW-11	6/17/1997	44.3			1973.14	1976.94	1932.64	
WW-MW-11	8/4/1997	53.55			1973.14	1976.94	1923.39	
WW-MW-11	8/29/1997	54.4			1973.14	1976.94	1922.54	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-11	10/2/1997	53.14			1973.14	1976.94	1923.8	
WW-MW-11	10/17/1997	53.04			1973.14	1976.94	1923.9	
WW-MW-11	12/15/1997	51.64			1973.14	1976.94	1925.3	
WW-MW-11	2/21/1998	50.72			1973.14	1976.94	1926.22	
WW-MW-11	5/7/1998	47.04			1973.14	1976.94	1929.9	
WW-MW-11	6/18/1998	50.74			1973.14	1976.94	1926.2	
WW-MW-11	7/22/1998	53.71			1973.14	1976.94	1923.23	
WW-MW-11	8/25/1998	55.48			1973.14	1976.94	1921.46	
WW-MW-11	9/3/1998	55.97			1973.14	1976.94	1920.97	
WW-MW-11	9/14/1998	56.14	56.13	0.01	1973.14	1976.94	1920.8	
WW-MW-11	11/2/1998	53.94	53.93	0.01	1973.14	1976.94	1923	
WW-MW-11	12/14/1998	51.6			1973.14	1976.94	1925.34	
WW-MW-11	3/23/1999	48.54			1973.14	1976.94	1928.4	
WW-MW-11	7/19/1999	52.25			1973.14	1976.94	1924.69	
WW-MW-11	8/20/1999	54.75			1973.14	1976.94	1922.19	
WW-MW-11	9/20/1999	54			1973.14	1976.94	1922.94	
WW-MW-11	10/29/1999	54.31			1973.14	1976.94	1922.63	
WW-MW-11	12/30/1999	50.47			1973.14	1976.94	1926.47	
WW-MW-11	3/27/2000	44.63			1973.14	1976.94	1932.31	
WW-MW-11	6/26/2000	51.9			1973.14	1976.94	1925.04	
WW-MW-11	10/2/2000	53.04			1973.14	1976.94	1923.9	
WW-MW-11	11/6/2000	52.78			1973.14	1976.94	1924.16	
WW-MW-11	12/27/2000	53.36			1973.14	1976.94	1923.58	
WW-MW-11	4/16/2001	51.22			1973.14	1976.94	1925.72	
WW-MW-11	6/19/2001	52.09			1973.14	1976.94	1924.85	
WW-MW-11	8/28/2001	55.65			1973.14	1976.94	1921.29	
WW-MW-11	9/10/2001	54.86			1973.14	1976.94	1922.08	
WW-MW-11	10/15/2001	53.76			1973.14	1976.94	1923.18	
WW-MW-11	12/6/2001	52.2			1973.14	1976.94	1924.74	
WW-MW-11	3/18/2002	48.99			1973.14	1976.94	1927.95	
WW-MW-11	6/28/2002	48.21			1973.14	1976.94	1928.73	
WW-MW-11	7/31/2002	53.83			1973.14	1976.94	1923.11	
WW-MW-11	8/30/2002	54.79			1973.14	1976.94	1922.15	
WW-MW-11	9/25/2002	53.65			1973.14	1976.94	1923.29	
WW-MW-11	12/16/2002	52.92			1973.14	1976.94	1924.02	
WW-MW-11	5/12/2003	49.08			1973.14	1976.94	1927.86	
WW-MW-11	7/31/2003	55.65			1973.14	1976.94	1921.29	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-11	7/1/2004	52.05			1973.14	1976.94	1924.89	
WW-MW-11	8/9/2004	55.41			1973.14	1976.94	1921.53	
WW-MW-11	9/14/2004	55.25			1973.14	1976.94	1921.69	
WW-MW-11	10/25/2004	52.72			1973.14	1976.94	1924.22	
WW-MW-11	7/25/2005	54.86			1973.14	1976.94	1922.08	
WW-MW-11	8/30/2005	55.89	55.88	0.01	1973.14	1976.94	1921.05	
WW-MW-11	9/29/2005	54.05			1973.14	1976.94	1922.89	
WW-MW-11	10/24/2005	53.5			1973.14	1976.94	1923.44	
WW-MW-11	1/23/2006	46.52			1973.14	1976.94	1930.42	
WW-MW-11	4/17/2006	44.22			1973.14	1976.94	1932.72	
WW-MW-11	6/27/2006	51.29			1973.14	1976.94	1925.65	
WW-MW-11	7/17/2006	53.93			1973.14	1976.94	1923.01	
WW-MW-11	8/28/2006	55.56			1973.14	1976.94	1921.38	
WW-MW-11	9/26/2006	54.21			1973.14	1976.94	1922.73	
WW-MW-11	10/23/2006	55.52			1973.14	1976.94	1921.42	
WW-MW-11	1/31/2007	51.83			1973.14	1976.94	1925.11	
WW-MW-11	4/14/2007	45.72			1973.14	1976.94	1931.22	
WW-MW-11	7/23/2007	54.52			1973.14	1976.94	1922.42	
WW-MW-11	10/21/2007	53.64			1973.14	1976.94	1923.3	
WW-MW-11	1/23/2008	52.84			1973.14	1976.94	1924.1	
WW-MW-11	4/19/2008	48.08			1973.14	1976.94	1928.86	
WW-MW-11	7/22/2008	52.43				1976.94	1924.51	
WW-MW-11	10/18/2008	53.28				1976.94	1923.66	
WW-MW-12	12/6/1991	61.77			1983.49	1987.29	1925.52	
WW-MW-12	2/18/1992	60.03			1983.49	1987.29	1927.26	
WW-MW-12	5/15/1992	59.7			1983.49	1987.29	1927.59	
WW-MW-12	6/18/1992	61.93			1983.49	1987.29	1925.36	
WW-MW-12	10/8/1993	62.47			1983.49	1987.29	1924.82	
WW-MW-12	10/27/1993	62.55			1983.49	1987.29	1924.74	
WW-MW-12	10/31/1993	62.78			1983.49	1987.29	1924.51	
WW-MW-12	11/4/1993	62.99			1983.49	1987.29	1924.3	
WW-MW-12	4/27/1994	56.63			1983.49	1987.29	1930.66	
WW-MW-12	9/28/1995	63.46			1983.49	1987.29	1923.83	
WW-MW-12	6/17/1997	53.5			1983.49	1987.29	1933.79	
WW-MW-12	8/4/1997	61.86			1983.49	1987.29	1925.43	
WW-MW-12	8/29/1997	62.68			1983.49	1987.29	1924.61	
WW-MW-12	9/30/1997	61.65			1983.49	1987.29	1925.64	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-12	10/17/1997	61.57			1983.49	1987.29	1925.72	
WW-MW-12	12/15/1997	60.64			1983.49	1987.29	1926.65	
WW-MW-12	2/20/1998	59.48			1983.49	1987.29	1927.81	
WW-MW-12	5/7/1998	56			1983.49	1987.29	1931.29	
WW-MW-12	6/18/1998	59.4			1983.49	1987.29	1927.89	
WW-MW-12	7/22/1998	62.2			1983.49	1987.29	1925.09	
WW-MW-12	8/25/1998	63.85			1983.49	1987.29	1923.44	
WW-MW-12	9/3/1998	64.35			1983.49	1987.29	1922.94	
WW-MW-12	9/21/1998	63.63			1983.49	1987.29	1923.66	
WW-MW-12	11/2/1998	62.41			1983.49	1987.29	1924.88	
WW-MW-12	12/17/1998	60.35			1983.49	1987.29	1926.94	
WW-MW-12	3/23/1999	57.56			1983.49	1987.29	1929.73	
WW-MW-12	7/19/1999	60.79			1983.49	1987.29	1926.5	
WW-MW-12	8/20/1999	63.14			1983.49	1987.29	1924.15	
WW-MW-12	9/22/1999	62.47			1983.49	1987.29	1924.82	
WW-MW-12	10/29/1999	62.8			1983.49	1987.29	1924.49	
WW-MW-12	12/30/1999	59.23			1983.49	1987.29	1928.06	
WW-MW-12	3/29/2000	57.4			1983.49	1987.29	1929.89	
WW-MW-12	6/26/2000	60.73			1983.49	1987.29	1926.56	
WW-MW-12	8/31/2000	64.41			1983.49	1987.29	1922.88	
WW-MW-12	10/2/2000	62.75			1983.49	1987.29	1924.54	
WW-MW-12	11/6/2000	62.13			1983.49	1987.29	1925.16	
WW-MW-12	12/27/2000	62.94			1983.49	1987.29	1924.35	
WW-MW-12	4/16/2001	61.11			1983.49	1987.29	1926.18	
WW-MW-12	6/19/2001	61.98			1983.49	1987.29	1925.31	
WW-MW-12	8/28/2001	65.2			1983.49	1987.29	1922.09	
WW-MW-12	9/10/2001	64.15			1983.49	1987.29	1923.14	
WW-MW-12	10/15/2001	63.39			1983.49	1987.29	1923.9	
WW-MW-12	12/6/2001	61.86			1983.49	1987.29	1925.43	
WW-MW-12	3/20/2002	58.89			1983.49	1987.29	1928.4	
WW-MW-12	6/28/2002	57.96			1983.49	1987.29	1929.33	
WW-MW-12	7/31/2002	63.29			1983.49	1987.29	1924	
WW-MW-12	8/30/2002	64.19			1983.49	1987.29	1923.1	
WW-MW-12	9/24/2002	63.23			1983.49	1987.29	1924.06	
WW-MW-12	12/16/2002	62.45			1983.49	1987.29	1924.84	
WW-MW-12	5/12/2003	58.7			1983.49	1987.29	1928.59	
WW-MW-12	7/31/2003	64.92			1983.49	1987.29	1922.37	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-12	6/30/2004	61.85			1983.49	1987.29	1925.44	
WW-MW-12	9/14/2004	64.42			1983.49	1987.29	1922.87	
WW-MW-12	10/28/2004	62.15			1983.49	1987.29	1925.14	
WW-MW-12	7/25/2005	64.32			1983.49	1987.29	1922.97	
WW-MW-12	8/30/2005	65.08			1983.49	1987.29	1922.21	
WW-MW-12	9/29/2005	63.48			1983.49	1987.29	1923.81	
WW-MW-12	10/24/2005	62.83			1983.49	1987.29	1924.46	
WW-MW-12	1/23/2006	56.41			1983.49	1987.29	1930.88	
WW-MW-12	4/17/2006	54.39			1983.49	1987.29	1932.9	
WW-MW-12	6/27/2006	60.71			1983.49	1987.29	1926.58	
WW-MW-12	7/17/2006	63.23			1983.49	1987.29	1924.06	
WW-MW-12	8/28/2006	64.87			1983.49	1987.29	1922.42	
WW-MW-12	9/26/2006	63.6			1983.49	1987.29	1923.69	
WW-MW-12	10/23/2006	62.92			1983.49	1987.29	1924.37	
WW-MW-12	1/31/2007	61.3			1983.49	1987.29	1925.99	
WW-MW-12	4/14/2007	55.6			1983.49	1987.29	1931.69	
WW-MW-12	10/21/2007	63.13			1983.49	1987.29	1924.16	
WW-MW-12	1/23/2008	62.57			1983.49	1987.29	1924.72	
WW-MW-12	4/19/2008	58.17			1983.49	1987.29	1929.12	
WW-MW-12	7/22/2008	61.89				1987.29	1925.4	
WW-MW-12	10/18/2008	62.75				1987.29	1924.54	
WW-MW-13	12/7/1991	58.12	57.99	0.13	1980.31	1984.11	1925.99	
WW-MW-13	2/18/1992	52.32	52.16	0.16	1980.31	1984.11	1931.79	
WW-MW-13	2/26/1992	53.75			1980.31	1984.11	1930.36	
WW-MW-13	6/18/1992	58.41	58.31	0.1	1980.31	1984.11	1925.7	
WW-MW-13	10/31/1993	59.53			1980.31	1984.11	1924.58	
WW-MW-13	2/24/1994	59.42	59.09	0.33	1980.31	1984.11	1924.69	
WW-MW-13	3/23/1994	55.83			1980.31	1984.11	1928.28	
WW-MW-13	4/27/1994	52.81			1980.31	1984.11	1931.3	
WW-MW-13	5/26/1994	56.81	56.77	0.04	1980.31	1984.11	1927.3	
WW-MW-13	6/23/1994	59.28	58.91	0.37	1980.31	1984.11	1924.83	
WW-MW-13	7/20/1994	60.78	60.36	0.42	1980.31	1984.11	1923.33	
WW-MW-13	8/29/1994	62.42	61.32	1.1	1980.31	1984.11	1921.69	
WW-MW-13	9/13/1994	60.87	60.2	0.67	1980.31	1984.11	1923.24	
WW-MW-13	10/12/1994	60.46	59.77	0.69	1980.31	1984.11	1923.65	
WW-MW-13	10/13/1994	60.46			1980.31	1984.11	1923.65	
WW-MW-13	11/13/1994	69.05	68.72	0.33	1980.31	1984.11	1915.06	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-13	12/20/1994	57.12	57.08	0.04	1980.31	1984.11	1926.99	
WW-MW-13	1/27/1995	55.33			1980.31	1984.11	1928.78	
WW-MW-13	5/23/1995	55.34			1980.31	1984.11	1928.77	
WW-MW-13	6/25/1995	57.9			1980.31	1984.11	1926.21	
WW-MW-13	8/2/1995	61.38	60.55	0.83	1980.31	1984.11	1922.73	
WW-MW-13	8/23/1995	61.85	60.73	1.12	1980.31	1984.11	1922.26	
WW-MW-13	8/30/1995	61.65	60.02	1.63	1980.31	1984.11	1922.46	
WW-MW-13	9/28/1995	60.77	60.13	0.64	1980.31	1984.11	1923.34	
WW-MW-13	11/3/1995	57.93	57.86	0.07	1980.31	1984.11	1926.18	
WW-MW-13	11/27/1995	53.6			1980.31	1984.11	1930.51	
WW-MW-13	12/20/1995	50.37			1980.31	1984.11	1933.74	
WW-MW-13	1/22/1996	52.98			1980.31	1984.11	1931.13	
WW-MW-13	2/13/1996	45.55	45.51	0.04	1980.31	1984.11	1938.56	
WW-MW-13	3/15/1996	52.68			1980.31	1984.11	1931.43	
WW-MW-13	4/17/1996	51.45			1980.31	1984.11	1932.66	
WW-MW-13	5/22/1996	50.2			1980.31	1984.11	1933.91	
WW-MW-13	7/18/1996	58.94	58.89	0.05	1980.31	1984.11	1925.17	
WW-MW-13	8/15/1996	59.99			1980.31	1984.11	1924.12	
WW-MW-13	9/26/1996	59.37	59.23	0.14	1980.31	1984.11	1924.74	
WW-MW-13	11/21/1996	59.39	59.24	0.15	1980.31	1984.11	1924.72	
WW-MW-13	12/19/1996	56.21			1980.31	1984.11	1927.9	
WW-MW-13	1/17/1997	53.77			1980.31	1984.11	1930.34	
WW-MW-13	3/19/1997	53.66			1980.31	1984.11	1930.45	
WW-MW-13	6/17/1997	49.46			1980.31	1984.11	1934.65	
WW-MW-13	8/4/1997	58.57	58.47	0.1	1980.31	1984.11	1925.54	
WW-MW-13	8/29/1997	59.35	59.3	0.05	1980.31	1984.11	1924.76	
WW-MW-13	10/2/1997	58.22	58.2	0.02	1980.31	1984.11	1925.89	
WW-MW-13	10/17/1997	58.31	58.28	0.03	1980.31	1984.11	1925.8	
WW-MW-13	12/15/1997	56.61	56.58	0.03	1980.31	1984.11	1927.5	
WW-MW-13	2/21/1998	56.12	56.1	0.02	1980.31	1984.11	1927.99	
WW-MW-13	5/7/1998	52.64			1980.31	1984.11	1931.47	
WW-MW-13	6/17/1998	55.74			1980.31	1984.11	1928.37	
WW-MW-13	7/22/1998	58.74			1980.31	1984.11	1925.37	
WW-MW-13	8/25/1998	61.28	60.58	0.7	1980.31	1984.11	1922.83	
WW-MW-13	9/3/1998	62.32	61.35	0.97	1980.31	1984.11	1921.79	
WW-MW-13	9/14/1998	61.59	60.51	1.08	1980.31	1984.11	1922.52	
WW-MW-13	11/2/1998	59.23	59	0.23	1980.31	1984.11	1924.88	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-13	12/14/1998	56.95			1980.31	1984.11	1927.16	
WW-MW-13	9/20/1999	59.1	59.02	0.08	1980.31	1984.11	1925.01	
WW-MW-13	10/29/1999	59.78	59.6	0.18	1980.31	1984.11	1924.33	
WW-MW-13	12/30/1999	55.69			1980.31	1984.11	1928.42	
WW-MW-13	3/27/2000	53.85			1980.31	1984.11	1930.26	
WW-MW-13	6/26/2000	57.48			1980.31	1984.11	1926.63	
WW-MW-13	8/31/2000	62.05	61.46	0.59	1980.31	1984.11	1922.06	
WW-MW-13	10/2/2000	59.57			1980.31	1984.11	1924.54	
WW-MW-13	11/6/2000	58.79	58.73	0.06	1980.31	1984.11	1925.32	
WW-MW-13	12/27/2000	59.55	59.41	0.14	1980.31	1984.11	1924.56	
WW-MW-13	4/16/2001	57.81	57.77	0.04	1980.31	1984.11	1926.3	
WW-MW-13	6/19/2001	58.44			1980.31	1984.11	1925.67	
WW-MW-13	8/28/2001	62.04	62.01	0.03	1980.31	1984.11	1922.07	
WW-MW-13	9/10/2001	61.8	61.11	0.69	1980.31	1984.11	1922.31	
WW-MW-13	10/15/2001	60.42	59.83	0.59	1980.31	1984.11	1923.69	
WW-MW-13	12/6/2001	58.67	58.5	0.17	1980.31	1984.11	1925.44	
WW-MW-13	3/18/2002	55.37	55.27	0.1	1980.31	1984.11	1928.74	
WW-MW-13	6/28/2002	54.03			1980.31	1984.11	1930.08	
WW-MW-13	7/31/2002	60.29			1980.31	1984.11	1923.82	
WW-MW-13	8/30/2002	61.19	61.14	0.05	1980.31	1984.11	1922.92	
WW-MW-13	9/25/2002	60.6	59.97	0.63	1980.31	1984.11	1923.51	
WW-MW-13	12/16/2002	59.47	59.46	0.01	1980.31	1984.11	1924.64	Top of Casing was 1980.35 until 4/17/03 correction.
WW-MW-13	5/12/2003	55.25			1980.31	1984.11	1928.86	
WW-MW-13	7/31/2003	62.31	61.92	0.39	1980.31	1984.11	1921.8	
WW-MW-13	7/1/2004	58.3			1980.31	1984.11	1925.81	
WW-MW-13	8/9/2004	61.81	61.72	0.09	1980.31	1984.11	1922.3	
WW-MW-13	9/14/2004	61.7	61.47	0.23	1980.31	1984.11	1922.41	
WW-MW-13	10/25/2004	59.25	58.96	0.29	1980.31	1984.11	1924.86	
WW-MW-13	7/25/2005	61.22	61.16	0.06	1980.31	1984.11	1922.89	
WW-MW-13	8/30/2005	62.42	62.15	0.27	1980.31	1984.11	1921.69	
WW-MW-13	9/29/2005	61	60.36	0.64	1980.31	1984.11	1923.11	
WW-MW-13	10/24/2005	60.4	59.74	0.66	1980.31	1984.11	1923.71	
WW-MW-13	1/23/2006	52.99	52.97	0.02	1980.31	1984.11	1931.12	
WW-MW-13	4/17/2006	51.06			1980.31	1984.11	1933.05	
WW-MW-13	6/27/2006	57.44	57.42	0.02	1980.31	1984.11	1926.67	
WW-MW-13	7/17/2006	50.28			1980.31	1984.11	1933.83	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-13	8/28/2006	62.01	61.98	0.03	1980.31	1984.11	1922.1	
WW-MW-13	9/26/2006	61.57	61.56	0.01	1980.31	1984.11	1922.54	
WW-MW-13	10/23/2006	59.83			1980.31	1984.11	1924.28	
WW-MW-13	1/31/2007	58.15	58.07	0.08	1980.31	1984.11	1925.96	
WW-MW-13	4/14/2007	51.91			1980.31	1984.11	1932.2	
WW-MW-13	7/23/2007	60.43			1980.31	1984.11	1923.68	
WW-MW-13	10/21/2007	60.01	59.93	0.08	1980.31	1984.11	1924.1	
WW-MW-13	1/23/2008	59.37	59.26	0.11	1980.31	1984.11	1924.74	
WW-MW-13	4/19/2008	54.68			1980.31	1984.11	1929.43	
WW-MW-13	7/22/2008	58.61				1984.11	1925.5	
WW-MW-13	10/18/2008	59.54	59.52	0.02		1984.11	1924.57	
WW-MW-14	12/6/1991	49.04			1969.53	1973.33	1924.29	
WW-MW-14	12/7/1991	49.07			1969.53	1973.33	1924.26	
WW-MW-14	2/18/1992	47.02			1969.53	1973.33	1926.31	
WW-MW-14	5/15/1992	46.79			1969.53	1973.33	1926.54	
WW-MW-15	12/6/1991	55.54			1975.43	1979.23	1923.69	
WW-MW-15	12/7/1991	55.56			1975.43	1979.23	1923.67	
WW-MW-15	2/18/1992	53.55			1975.43	1979.23	1925.68	
WW-MW-15	5/15/1992	53.28			1975.43	1979.23	1925.95	
WW-MW-15	10/27/1993	56.57			1975.43	1979.23	1922.66	
WW-MW-15	11/4/1993	56.85			1975.43	1979.23	1922.38	
WW-MW-15	2/24/1994	56.53			1975.43	1979.23	1922.7	
WW-MW-15	3/23/1994	52.94			1975.43	1979.23	1926.29	
WW-MW-15	4/27/1994	49.4			1975.43	1979.23	1929.83	
WW-MW-15	5/26/1994	54.24			1975.43	1979.23	1924.99	
WW-MW-15	6/23/1994	56.48			1975.43	1979.23	1922.75	
WW-MW-15	7/20/1994	57.14			1975.43	1979.23	1922.09	
WW-MW-15	8/29/1994	58.91			1975.43	1979.23	1920.32	
WW-MW-15	9/13/1994	57.56			1975.43	1979.23	1921.67	
WW-MW-15	10/13/1994	57.28			1975.43	1979.23	1921.95	
WW-MW-15	11/13/1994	56.23			1975.43	1979.23	1923	
WW-MW-15	12/20/1994	54.54			1975.43	1979.23	1924.69	
WW-MW-15	1/27/1995	52.75			1975.43	1979.23	1926.48	
WW-MW-15	3/8/1995	43.77			1975.43	1979.23	1935.46	
WW-MW-15	4/24/1995	51.17			1975.43	1979.23	1928.06	
WW-MW-15	5/23/1995	52.58			1975.43	1979.23	1926.65	
WW-MW-15	6/26/1995	54.39			1975.43	1979.23	1924.84	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-15	8/2/1995	57.92			1975.43	1979.23	1921.31	
WW-MW-15	8/23/1995	58.53			1975.43	1979.23	1920.7	
WW-MW-15	8/30/1995	58.05			1975.43	1979.23	1921.18	
WW-MW-15	9/28/1995	57.18			1975.43	1979.23	1922.05	
WW-MW-15	11/3/1995	55.01			1975.43	1979.23	1924.22	
WW-MW-15	11/27/1995	50.72			1975.43	1979.23	1928.51	
WW-MW-15	5/22/1996	46.69			1975.43	1979.23	1932.54	
WW-MW-15	7/18/1996	56.28			1975.43	1979.23	1922.95	
WW-MW-15	8/15/1996	56.95			1975.43	1979.23	1922.28	
WW-MW-15	9/26/1996	56.51			1975.43	1979.23	1922.72	
WW-MW-15	11/21/1996	56.27			1975.43	1979.23	1922.96	
WW-MW-15	12/19/1996	53.2			1975.43	1979.23	1926.03	
WW-MW-15	1/17/1997	50.86			1975.43	1979.23	1928.37	
WW-MW-15	3/19/1997	50.76			1975.43	1979.23	1928.47	
WW-MW-15	6/18/1997	46.39			1975.43	1979.23	1932.84	
WW-MW-15	8/4/1997	55.57			1975.43	1979.23	1923.66	
WW-MW-15	8/29/1997	56.82			1975.43	1979.23	1922.41	
WW-MW-15	9/30/1997	55.49			1975.43	1979.23	1923.74	
WW-MW-15	10/17/1997	55.3			1975.43	1979.23	1923.93	
WW-MW-15	12/15/1997	53.94			1975.43	1979.23	1925.29	
WW-MW-15	2/18/1998	52.54			1975.43	1979.23	1926.69	
WW-MW-15	5/5/1998	48.81			1975.43	1979.23	1930.42	
WW-MW-15	6/18/1998	53.05			1975.43	1979.23	1926.18	
WW-MW-15	7/22/1998	56.07			1975.43	1979.23	1923.16	
WW-MW-15	8/25/1998	57.85			1975.43	1979.23	1921.38	
WW-MW-15	9/3/1998	58.27			1975.43	1979.23	1920.96	
WW-MW-15	9/21/1998	57.36			1975.43	1979.23	1921.87	
WW-MW-15	11/2/1998	56.29			1975.43	1979.23	1922.94	
WW-MW-15	12/15/1998	53.73			1975.43	1979.23	1925.5	
WW-MW-15	3/23/1999	49.78			1975.43	1979.23	1929.45	
WW-MW-15	7/19/1999	54.6			1975.43	1979.23	1924.63	
WW-MW-15	8/20/1999	57.02			1975.43	1979.23	1922.21	
WW-MW-15	9/22/1999	56.27			1975.43	1979.23	1922.96	
WW-MW-15	10/29/1999	56.54			1975.43	1979.23	1922.69	
WW-MW-15	12/30/1999	52.62			1975.43	1979.23	1926.61	
WW-MW-15	3/29/2000	50.38			1975.43	1979.23	1928.85	
WW-MW-15	6/26/2000	54.25			1975.43	1979.23	1924.98	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-15	8/31/2000	58.3			1975.43	1979.23	1920.93	
WW-MW-15	10/2/2000	56.11			1975.43	1979.23	1923.12	
WW-MW-15	11/6/2000	55.63			1975.43	1979.23	1923.6	
WW-MW-15	12/27/2000	56.49			1975.43	1979.23	1922.74	
WW-MW-15	4/16/2001	54.3			1975.43	1979.23	1924.93	
WW-MW-15	6/19/2001	55.45			1975.43	1979.23	1923.78	
WW-MW-15	8/28/2001	58.85			1975.43	1979.23	1920.38	
WW-MW-15	9/10/2001	58.07			1975.43	1979.23	1921.16	
WW-MW-15	10/15/2001	56.82			1975.43	1979.23	1922.41	
WW-MW-15	12/6/2001	55.22			1975.43	1979.23	1924.01	
WW-MW-15	3/18/2002	51.7			1975.43	1979.23	1927.53	
WW-MW-15	6/28/2002	51.15			1975.43	1979.23	1928.08	
WW-MW-15	7/31/2002	56.93			1975.43	1979.23	1922.3	
WW-MW-15	8/30/2002	57.91			1975.43	1979.23	1921.32	
WW-MW-15	9/24/2002	56.74			1975.43	1979.23	1922.49	
WW-MW-15	12/16/2002	56.29			1975.43	1979.23	1922.94	
WW-MW-15	5/12/2003	51.97			1975.43	1979.23	1927.26	
WW-MW-15	7/31/2003	58.75			1975.43	1979.23	1920.48	
WW-MW-15	6/30/2004	55.4			1975.43	1979.23	1923.83	
WW-MW-15	8/9/2004	58.4			1975.43	1979.23	1920.83	
WW-MW-15	9/14/2004	58.29			1975.43	1979.23	1920.94	
WW-MW-15	10/28/2004	55.65			1975.43	1979.23	1923.58	
WW-MW-15	7/25/2005	57.81			1975.43	1979.23	1921.42	
WW-MW-15	8/30/2005	58.87			1975.43	1979.23	1920.36	
WW-MW-15	9/29/2005	57.03			1975.43	1979.23	1922.2	
WW-MW-15	10/24/2005	54.45	54.44	0.01	1975.43	1979.23	1924.78	
WW-MW-15	1/23/2006	49.18			1975.43	1979.23	1930.05	
WW-MW-15	4/17/2006	46.89			1975.43	1979.23	1932.34	
WW-MW-15	6/27/2006	54.28			1975.43	1979.23	1924.95	
WW-MW-15	7/17/2006	57.01			1975.43	1979.23	1922.22	
WW-MW-15	8/28/2006	54.62			1975.43	1979.23	1924.61	
WW-MW-15	9/26/2006	57.32			1975.43	1979.23	1921.91	
WW-MW-15	10/23/2006	56.58			1975.43	1979.23	1922.65	
WW-MW-15	1/31/2007	54.84			1975.43	1979.23	1924.39	
WW-MW-15	4/14/2007	48.53			1975.43	1979.23	1930.7	
WW-MW-15	7/23/2007	57.65			1975.43	1979.23	1921.58	
WW-MW-15	10/21/2007	56.63			1975.43	1979.23	1922.6	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-15	1/23/2008	55.84			1975.43	1979.23	1923.39	
WW-MW-15	4/19/2008	50.8			1975.43	1979.23	1928.43	
WW-MW-15	7/22/2008	55.45				1979.23	1923.78	
WW-MW-15	10/18/2008	56.27				1979.23	1922.96	
WW-MW-16	8/23/1995	55.35			1973.18	1976.98	1921.63	
WW-MW-16	8/30/1995	53.74			1973.18	1976.98	1923.24	
WW-MW-16	9/28/1995	53.24			1973.18	1976.98	1923.74	
WW-MW-16	11/3/1995	50.84			1973.18	1976.98	1926.14	
WW-MW-16	11/27/1995	47.22			1973.18	1976.98	1929.76	
WW-MW-16	7/18/1996	51.83			1973.18	1976.98	1925.15	
WW-MW-16	8/15/1996	52.73			1973.18	1976.98	1924.25	
WW-MW-16	9/26/1996	52.19			1973.18	1976.98	1924.79	
WW-MW-16	11/21/1996	52.25			1973.18	1976.98	1924.73	
WW-MW-16	12/19/1996	49.27			1973.18	1976.98	1927.71	
WW-MW-16	1/17/1997	46.91			1973.18	1976.98	1930.07	
WW-MW-16	3/19/1997	46.69			1973.18	1976.98	1930.29	
WW-MW-16	6/17/1997	42.75			1973.18	1976.98	1934.23	
WW-MW-16	8/4/1997	51.48			1973.18	1976.98	1925.5	
WW-MW-16	8/29/1997	52.25			1973.18	1976.98	1924.73	
WW-MW-16	10/2/1997	51.59			1973.18	1976.98	1925.39	
WW-MW-16	10/17/1997	50.15			1973.18	1976.98	1926.83	
WW-MW-16	12/15/1997	49.99			1973.18	1976.98	1926.99	
WW-MW-16	2/21/1998	49.69			1973.18	1976.98	1927.29	
WW-MW-16	5/7/1998	45.85			1973.18	1976.98	1931.13	
WW-MW-16	6/17/1998	48.83			1973.18	1976.98	1928.15	
WW-MW-16	7/22/1998	51.71			1973.18	1976.98	1925.27	
WW-MW-16	8/25/1998	53.57			1973.18	1976.98	1923.41	
WW-MW-16	9/3/1998	54.76			1973.18	1976.98	1922.22	
WW-MW-16	9/14/1998	53.94			1973.18	1976.98	1923.04	
WW-MW-16	11/2/1998	51.95			1973.18	1976.98	1925.03	
WW-MW-16	12/14/1998	50.28			1973.18	1976.98	1926.7	
WW-MW-16	3/23/1999	47.53			1973.18	1976.98	1929.45	
WW-MW-16	7/19/1999	50.22			1973.18	1976.98	1926.76	
WW-MW-16	8/20/1999	53.51			1973.18	1976.98	1923.47	
WW-MW-16	9/20/1999	51.95			1973.18	1976.98	1925.03	
WW-MW-16	10/29/1999	53.09			1973.18	1976.98	1923.89	
WW-MW-16	12/30/1999	49.09			1973.18	1976.98	1927.89	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-16	3/29/2000	47.25			1973.18	1976.98	1929.73	
WW-MW-16	6/26/2000	51.14			1973.18	1976.98	1925.84	
WW-MW-16	10/2/2000	53.04			1973.18	1976.98	1923.94	
WW-MW-16	11/6/2000	52.3			1973.18	1976.98	1924.68	
WW-MW-16	12/27/2000	42.96			1973.18	1976.98	1934.02	
WW-MW-16	4/16/2001	51.38			1973.18	1976.98	1925.6	
WW-MW-16	6/19/2001	52.3			1973.18	1976.98	1924.68	
WW-MW-16	8/28/2001	55.5			1973.18	1976.98	1921.48	
WW-MW-16	9/10/2001	54.69			1973.18	1976.98	1922.29	
WW-MW-16	10/15/2001	53.55			1973.18	1976.98	1923.43	
WW-MW-16	12/6/2001	51.83			1973.18	1976.98	1925.15	
WW-MW-16	3/18/2002	48.7			1973.18	1976.98	1928.28	
WW-MW-16	6/28/2002	48.07			1973.18	1976.98	1928.91	
WW-MW-16	7/31/2002	53.92			1973.18	1976.98	1923.06	
WW-MW-16	8/30/2002	54.27			1973.18	1976.98	1922.71	
WW-MW-16	9/25/2002	53.35			1973.18	1976.98	1923.63	
WW-MW-16	12/16/2002	52.59			1973.18	1976.98	1924.39	
WW-MW-16	5/12/2003	48.85			1973.18	1976.98	1928.13	
WW-MW-16	7/31/2003	55.21			1973.18	1976.98	1921.77	
WW-MW-16	6/30/2004	51.91			1973.18	1976.98	1925.07	
WW-MW-16	8/9/2004	55.1			1973.18	1976.98	1921.88	
WW-MW-16	9/14/2004	54.89			1973.18	1976.98	1922.09	
WW-MW-16	10/25/2004	52.28			1973.18	1976.98	1924.7	
WW-MW-16	7/25/2005	55.43			1973.18	1976.98	1921.55	
WW-MW-16	8/30/2005	55.56			1973.18	1976.98	1921.42	
WW-MW-16	9/29/2005	53.9			1973.18	1976.98	1923.08	
WW-MW-16	10/24/2005	53.5			1973.18	1976.98	1923.48	
WW-MW-16	1/23/2006	46.61			1973.18	1976.98	1930.37	
WW-MW-16	4/17/2006	44.41			1973.18	1976.98	1932.57	
WW-MW-16	6/27/2006	51.32			1973.18	1976.98	1925.66	
WW-MW-16	7/17/2006	53.99			1973.18	1976.98	1922.99	
WW-MW-16	8/28/2006	55.41			1973.18	1976.98	1921.57	
WW-MW-16	9/26/2006	54.29			1973.18	1976.98	1922.69	
WW-MW-16	10/23/2006	53.46			1973.18	1976.98	1923.52	
WW-MW-16	1/31/2007	51.78			1973.18	1976.98	1925.2	
WW-MW-16	4/19/2008	48.07			1973.18	1976.98	1928.91	
WW-MW-16	7/22/2008	52.23				1976.98	1924.75	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-16	10/18/2008	53.2				1976.98	1923.78	
WW-MW-17	4/24/1995	47.21			1973.95	1977.75	1930.54	
WW-MW-17	6/26/1995	50.73			1973.95	1977.75	1927.02	
WW-MW-17	8/2/1995	55.27			1973.95	1977.75	1922.48	
WW-MW-17	8/23/1995	53.79			1973.95	1977.75	1923.96	
WW-MW-17	8/30/1995	55.43			1973.95	1977.75	1922.32	
WW-MW-17	9/28/1995	54.92			1973.95	1977.75	1922.83	
WW-MW-17	11/3/1995	52.51			1973.95	1977.75	1925.24	
WW-MW-17	11/27/1995	48.74			1973.95	1977.75	1929.01	
WW-MW-17	9/26/1996	53.82			1973.95	1977.75	1923.93	
WW-MW-17	12/19/1996	50.73			1973.95	1977.75	1927.02	
WW-MW-17	3/19/1997	48.28			1973.95	1977.75	1929.47	
WW-MW-17	6/19/1997	44			1973.95	1977.75	1933.75	
WW-MW-17	8/29/1997	53.99			1973.95	1977.75	1923.76	
WW-MW-17	9/30/1997	52.92			1973.95	1977.75	1924.83	
WW-MW-17	10/17/1997	51.78			1973.95	1977.75	1925.97	
WW-MW-17	12/15/1997	51.28			1973.95	1977.75	1926.47	
WW-MW-17	2/18/1998	50.41			1973.95	1977.75	1927.34	
WW-MW-17	5/4/1998	46.91			1973.95	1977.75	1930.84	
WW-MW-17	6/18/1998	50.04			1973.95	1977.75	1927.71	
WW-MW-17	7/22/1998	52.73			1973.95	1977.75	1925.02	
WW-MW-17	8/25/1998	54.62			1973.95	1977.75	1923.13	
WW-MW-17	9/3/1998	55.9			1973.95	1977.75	1921.85	
WW-MW-17	9/16/1998	55.04			1973.95	1977.75	1922.71	
WW-MW-17	11/2/1998	53.18			1973.95	1977.75	1924.57	
WW-MW-17	12/16/1998	51.33			1973.95	1977.75	1926.42	
WW-MW-17	3/23/1999	48.53			1973.95	1977.75	1929.22	
WW-MW-17	7/19/1999	51.5			1973.95	1977.75	1926.25	
WW-MW-17	8/20/1999	54.69			1973.95	1977.75	1923.06	
WW-MW-17	9/23/1999	53.11			1973.95	1977.75	1924.64	
WW-MW-17	10/29/1999	54.17			1973.95	1977.75	1923.58	
WW-MW-17	12/30/1999	50.25			1973.95	1977.75	1927.5	
WW-MW-17	3/31/2000	48.32			1973.95	1977.75	1929.43	
WW-MW-17	6/26/2000	52.18			1973.95	1977.75	1925.57	
WW-MW-17	10/2/2000	54.08			1973.95	1977.75	1923.67	
WW-MW-17	11/6/2000	53.35			1973.95	1977.75	1924.4	
WW-MW-17	12/27/2000	54.05			1973.95	1977.75	1923.7	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-17	4/16/2001	52.41			1973.95	1977.75	1925.34	
WW-MW-17	6/19/2001	53.34			1973.95	1977.75	1924.41	
WW-MW-17	8/28/2001	56.6			1973.95	1977.75	1921.15	
WW-MW-17	9/10/2001	55.61			1973.95	1977.75	1922.14	
WW-MW-17	10/15/2001	54.59			1973.95	1977.75	1923.16	
WW-MW-17	12/6/2001	52.94			1973.95	1977.75	1924.81	
WW-MW-17	3/20/2002	49.8			1973.95	1977.75	1927.95	
WW-MW-17	6/28/2002	49.06			1973.95	1977.75	1928.69	
WW-MW-17	7/31/2002	54.81			1973.95	1977.75	1922.94	
WW-MW-17	8/30/2002	55.33			1973.95	1977.75	1922.42	
WW-MW-17	9/27/2002	54.3			1973.95	1977.75	1923.45	
WW-MW-17	12/16/2002	53.55			1973.95	1977.75	1924.2	
WW-MW-17	5/12/2003	50			1973.95	1977.75	1927.75	
WW-MW-17	7/31/2003	56.12			1973.95	1977.75	1921.63	
WW-MW-17	6/30/2004	53.05			1973.95	1977.75	1924.7	
WW-MW-17	8/9/2004	55.91			1973.95	1977.75	1921.84	
WW-MW-17	9/14/2004	55.75			1973.95	1977.75	1922	
WW-MW-17	10/29/2004	53.08			1973.95	1977.75	1924.67	
WW-MW-17	7/25/2005	56.05			1973.95	1977.75	1921.7	
WW-MW-17	8/30/2005	56.28			1973.95	1977.75	1921.47	
WW-MW-17	9/29/2005	54.84			1973.95	1977.75	1922.91	
WW-MW-17	1/23/2006	46.42			1973.95	1977.75	1931.33	
WW-MW-17	4/17/2006	45.02			1973.95	1977.75	1932.73	
WW-MW-17	6/27/2006	51.79			1973.95	1977.75	1925.96	
WW-MW-17	7/17/2006	54.38			1973.95	1977.75	1923.37	
WW-MW-17	8/28/2006	56.36			1973.95	1977.75	1921.39	
WW-MW-17	9/26/2006	55			1973.95	1977.75	1922.75	
WW-MW-17	10/23/2006	54.26			1973.95	1977.75	1923.49	
WW-MW-17	1/31/2007	52.93			1973.95	1977.75	1924.82	
WW-MW-17	4/14/2007	45.57			1973.95	1977.75	1932.18	
WW-MW-17	7/23/2007	54.38			1973.95	1977.75	1923.37	
WW-MW-17	10/21/2007	54.36			1973.95	1977.75	1923.39	
WW-MW-17	1/23/2008	53.51			1973.95	1977.75	1924.24	
WW-MW-17	4/19/2008	48.91			1973.95	1977.75	1928.84	
WW-MW-17	7/22/2008	53.15				1977.75	1924.6	
WW-MW-17	10/18/2008	53.84				1977.75	1923.91	
WW-MW-18	9/28/1995	56.23			1974.74	1978.54	1922.31	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-18	11/3/1995	53.99			1974.74	1978.54	1924.55	
WW-MW-18	11/27/1995	49.64			1974.74	1978.54	1928.9	
WW-MW-18	7/18/1996	55.24			1974.74	1978.54	1923.3	
WW-MW-18	8/15/1996	55.93			1974.74	1978.54	1922.61	
WW-MW-18	9/26/1996	55.48			1974.74	1978.54	1923.06	
WW-MW-18	11/21/1996	55.26			1974.74	1978.54	1923.28	
WW-MW-18	12/19/1996	52.13			1974.74	1978.54	1926.41	
WW-MW-18	1/17/1997	49.76			1974.74	1978.54	1928.78	
WW-MW-18	3/19/1997	49.65			1974.74	1978.54	1928.89	
WW-MW-18	6/17/1997	45.25			1974.74	1978.54	1933.29	
WW-MW-18	8/4/1997	54.93			1974.74	1978.54	1923.61	
WW-MW-18	8/29/1997	55.79			1974.74	1978.54	1922.75	
WW-MW-18	9/30/1997	54.48			1974.74	1978.54	1924.06	
WW-MW-18	10/17/1997	54.24			1974.74	1978.54	1924.3	
WW-MW-18	12/15/1997	52.9			1974.74	1978.54	1925.64	
WW-MW-18	2/18/1998	51.83			1974.74	1978.54	1926.71	
WW-MW-18	5/5/1998	47.8			1974.74	1978.54	1930.74	
WW-MW-18	6/18/1998	51.92			1974.74	1978.54	1926.62	
WW-MW-18	7/22/1998	55.03			1974.74	1978.54	1923.51	
WW-MW-18	8/25/1998	56.88			1974.74	1978.54	1921.66	
WW-MW-18	9/2/1998	57.29			1974.74	1978.54	1921.25	
WW-MW-18	9/15/1998	56.4			1974.74	1978.54	1922.14	
WW-MW-18	11/2/1998	55.26			1974.74	1978.54	1923.28	
WW-MW-18	12/15/1998	52.68			1974.74	1978.54	1925.86	
WW-MW-18	3/23/1999	49.34			1974.74	1978.54	1929.2	
WW-MW-18	7/19/1999	53.52			1974.74	1978.54	1925.02	
WW-MW-18	8/20/1999	56.06			1974.74	1978.54	1922.48	
WW-MW-18	9/23/1999	55.27			1974.74	1978.54	1923.27	
WW-MW-18	10/29/1999	55.54			1974.74	1978.54	1923	
WW-MW-18	12/30/1999	55.55			1974.74	1978.54	1922.99	
WW-MW-18	3/29/2000	49.32			1974.74	1978.54	1929.22	
WW-MW-18	6/26/2000	53.24			1974.74	1978.54	1925.3	
WW-MW-18	8/31/2000	57.38			1974.74	1978.54	1921.16	
WW-MW-18	10/2/2000	55.06			1974.74	1978.54	1923.48	
WW-MW-18	11/6/2000	54.62			1974.74	1978.54	1923.92	
WW-MW-18	12/27/2000	55.43			1974.74	1978.54	1923.11	
WW-MW-18	4/16/2001	53.28			1974.74	1978.54	1925.26	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-18	6/19/2001	54.4			1974.74	1978.54	1924.14	
WW-MW-18	8/28/2001	57.88			1974.74	1978.54	1920.66	
WW-MW-18	9/10/2001	57			1974.74	1978.54	1921.54	
WW-MW-18	10/15/2001	55.78			1974.74	1978.54	1922.76	
WW-MW-18	12/6/2001	54.18			1974.74	1978.54	1924.36	
WW-MW-18	3/19/2002	50.71			1974.74	1978.54	1927.83	
WW-MW-18	6/28/2002	50.08			1974.74	1978.54	1928.46	
WW-MW-18	7/31/2002	55.89			1974.74	1978.54	1922.65	
WW-MW-18	8/30/2002	56.93			1974.74	1978.54	1921.61	
WW-MW-18	9/24/2002	55.7			1974.74	1978.54	1922.84	
WW-MW-18	12/16/2002	55.26			1974.74	1978.54	1923.28	
WW-MW-18	5/12/2003	51.08			1974.74	1978.54	1927.46	
WW-MW-18	7/31/2003	57.81			1974.74	1978.54	1920.73	
WW-MW-18	6/29/2004	54.01			1974.74	1978.54	1924.53	
WW-MW-18	8/9/2004	57.47			1974.74	1978.54	1921.07	
WW-MW-18	9/14/2004	57.3			1974.74	1978.54	1921.24	
WW-MW-18	10/25/2004	54.54			1974.74	1978.54	1924	
WW-MW-18	7/25/2005	56.87			1974.74	1978.54	1921.67	
WW-MW-18	8/30/2005	57.84			1974.74	1978.54	1920.7	
WW-MW-18	9/29/2005	56.02			1974.74	1978.54	1922.52	
WW-MW-18	10/24/2005	55.42			1974.74	1978.54	1923.12	
WW-MW-18	1/23/2006	48.07			1974.74	1978.54	1930.47	
WW-MW-18	4/17/2006	45.94			1974.74	1978.54	1932.6	
WW-MW-18	6/27/2006	51.36			1974.74	1978.54	1927.18	
WW-MW-18	7/17/2006	56.02			1974.74	1978.54	1922.52	
WW-MW-18	8/28/2006	57.74			1974.74	1978.54	1920.8	
WW-MW-18	9/26/2006	55.97			1974.74	1978.54	1922.57	
WW-MW-18	10/23/2006	55.62			1974.74	1978.54	1922.92	
WW-MW-18	1/31/2007	53.86			1974.74	1978.54	1924.68	
WW-MW-18	4/14/2007	47.37			1974.74	1978.54	1931.17	
WW-MW-18	7/23/2007	56.64			1974.74	1978.54	1921.9	
WW-MW-18	10/21/2007	55.47			1974.74	1978.54	1923.07	
WW-MW-18	1/23/2008	54.78			1974.74	1978.54	1923.76	
WW-MW-18	4/19/2008	49.75			1974.74	1978.54	1928.79	
WW-MW-18	7/22/2008	54.32				1978.54	1924.22	
WW-MW-18	10/18/2008	55.15				1978.54	1923.39	
WW-MW-19	9/28/1995	61.97			1982.46	1986.26	1924.29	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-19	3/15/1996	54.29			1982.46	1986.26	1931.97	
WW-MW-19	4/17/1996	52.11			1982.46	1986.26	1934.15	
WW-MW-19	7/18/1996	60.66			1982.46	1986.26	1925.6	
WW-MW-19	8/15/1996	61.53			1982.46	1986.26	1924.73	
WW-MW-19	9/26/1996	61.02			1982.46	1986.26	1925.24	
WW-MW-19	11/21/1996	61.02			1982.46	1986.26	1925.24	
WW-MW-19	1/17/1997	55.5			1982.46	1986.26	1930.76	
WW-MW-19	3/19/1997	55.42			1982.46	1986.26	1930.84	
WW-MW-19	6/17/1997	50.99			1982.46	1986.26	1935.27	
WW-MW-19	8/4/1997	60.23			1982.46	1986.26	1926.03	
WW-MW-19	9/30/1997	60.02			1982.46	1986.26	1926.24	
WW-MW-19	10/17/1997	60.08			1982.46	1986.26	1926.18	
WW-MW-19	12/15/1997	58.49			1982.46	1986.26	1927.77	
WW-MW-19	2/19/1998	57.87			1982.46	1986.26	1928.39	
WW-MW-19	5/4/1998	54.38			1982.46	1986.26	1931.88	
WW-MW-19	6/17/1998	57.49			1982.46	1986.26	1928.77	
WW-MW-19	7/22/1998	60.56			1982.46	1986.26	1925.7	
WW-MW-19	8/25/1998	62.43	62.4	0.03	1982.46	1986.26	1923.83	
WW-MW-19	9/3/1998	63.24			1982.46	1986.26	1923.02	
WW-MW-19	9/14/1998	62.49	62.44	0.05	1982.46	1986.26	1923.77	
WW-MW-19	11/2/1998	60.8			1982.46	1986.26	1925.46	
WW-MW-19	12/14/1998	58.96			1982.46	1986.26	1927.3	
WW-MW-19	3/23/1999	55.93			1982.46	1986.26	1930.33	
WW-MW-19	7/19/1999	59			1982.46	1986.26	1927.26	
WW-MW-19	8/20/1999	61.99			1982.46	1986.26	1924.27	
WW-MW-19	9/20/1999	60.8			1982.46	1986.26	1925.46	
WW-MW-19	10/29/1999	61.64			1982.46	1986.26	1924.62	
WW-MW-19	12/30/1999	57.65			1982.46	1986.26	1928.61	
WW-MW-19	3/29/2000	55.72			1982.46	1986.26	1930.54	
WW-MW-19	6/26/2000	59.43			1982.46	1986.26	1926.83	
WW-MW-19	8/31/2000	63.53	63.32	0.21	1982.46	1986.26	1922.73	
WW-MW-19	10/2/2000	61.57			1982.46	1986.26	1924.69	
WW-MW-19	11/6/2000	60.86			1982.46	1986.26	1925.4	
WW-MW-19	12/27/2000	61.67			1982.46	1986.26	1924.59	
WW-MW-19	4/16/2001	58.84			1982.46	1986.26	1927.42	
WW-MW-19	6/19/2001	60.71			1982.46	1986.26	1925.55	
WW-MW-19	8/28/2001	64.48	63.96	0.52	1982.46	1986.26	1921.78	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-MW-19	9/10/2001	63.43	63.31	0.12	1982.46	1986.26	1922.83	
WW-MW-19	10/15/2001	62.17			1982.46	1986.26	1924.09	
WW-MW-19	12/6/2001	60.58			1982.46	1986.26	1925.68	
WW-MW-19	3/18/2002	57.31			1982.46	1986.26	1928.95	
WW-MW-19	6/28/2002	56.3			1982.46	1986.26	1929.96	
WW-MW-19	7/31/2002	62.23			1982.46	1986.26	1924.03	
WW-MW-19	8/30/2002	62.94			1982.46	1986.26	1923.32	
WW-MW-19	9/25/2002	61.85			1982.46	1986.26	1924.41	
WW-MW-19	12/16/2002	61.24			1982.46	1986.26	1925.02	
WW-MW-19	5/12/2003	57.22			1982.46	1986.26	1929.04	
WW-MW-19	7/31/2003	63.98	63.88	0.1	1982.46	1986.26	1922.28	
WW-MW-19	7/1/2004	60.27			1982.46	1986.26	1925.99	
WW-MW-19	8/9/2004	63.62	63.6	0.02	1982.46	1986.26	1922.64	
WW-MW-19	9/14/2004	63.39	63.37	0.02	1982.46	1986.26	1922.87	
WW-MW-19	10/25/2004	60.19			1982.46	1986.26	1926.07	
WW-MW-19	7/25/2005	63.08			1982.46	1986.26	1923.18	
WW-MW-19	8/30/2005	64.27	63.95	0.32	1982.46	1986.26	1921.99	
WW-MW-19	9/29/2005	62.26			1982.46	1986.26	1924	
WW-MW-19	10/24/2005	61.74			1982.46	1986.26	1924.52	
WW-MW-19	1/23/2006	55.1			1982.46	1986.26	1931.16	
WW-MW-19	4/17/2006	52.85			1982.46	1986.26	1933.41	
WW-MW-19	6/27/2006	59.4			1982.46	1986.26	1926.86	
WW-MW-19	7/17/2006	62.16			1982.46	1986.26	1924.1	
WW-MW-19	8/28/2006	63.88			1982.46	1986.26	1922.38	
WW-MW-19	9/26/2006	62.5			1982.46	1986.26	1923.76	
WW-MW-19	10/23/2006	61.78			1982.46	1986.26	1924.48	
WW-MW-19	1/31/2007	60.03			1982.46	1986.26	1926.23	
WW-MW-19	4/14/2007	53.59			1982.46	1986.26	1932.67	
WW-MW-19	7/23/2007	62.17			1982.46	1986.26	1924.09	
WW-MW-19	10/21/2007	61.97			1982.46	1986.26	1924.29	
WW-MW-19	1/23/2008	61.28			1982.46	1986.26	1924.98	
WW-MW-19	4/19/2008	56.57			1982.46	1986.26	1929.69	
WW-MW-19	7/22/2008	60.6				1986.26	1925.66	
WW-MW-19	10/18/2008	61.39				1986.26	1924.87	
WW-SK-01	4/24/1995	50.02			1974.37	1978.17	1928.15	Former WW-SK-A. TOC is top of PVC casing.
WW-SK-01	8/2/1995	55.01			1974.37	1978.17	1923.16	
WW-SK-01	8/23/1995	55.27			1974.37	1978.17	1922.9	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-SK-01	8/30/1995	55.34			1974.37	1978.17	1922.83	
WW-SK-01	9/28/1995	54.72			1974.37	1978.17	1923.45	
WW-SK-01	11/3/1995	52.39			1974.37	1978.17	1925.78	
WW-SK-01	11/27/1995	48.1			1974.37	1978.17	1930.07	
WW-SK-01	12/20/1995	44.81			1974.37	1978.17	1933.36	
WW-SK-01	1/22/1996	47.58			1974.37	1978.17	1930.59	
WW-SK-01	2/13/1996	39.65			1974.37	1978.17	1938.52	
WW-SK-01	3/15/1996	47.1			1974.37	1978.17	1931.07	
WW-SK-01	4/17/1996	45.94			1974.37	1978.17	1932.23	
WW-SK-01	5/22/1996	44.64			1974.37	1978.17	1933.53	
WW-SK-01	7/18/1996	53.44			1974.37	1978.17	1924.73	
WW-SK-01	8/15/1996	54.28			1974.37	1978.17	1923.89	
WW-SK-01	9/26/1996	53.73			1974.37	1978.17	1924.44	
WW-SK-01	11/21/1996	53.78			1974.37	1978.17	1924.39	
WW-SK-01	12/19/1996	50.89			1974.37	1978.17	1927.28	
WW-SK-01	1/17/1997	48.47			1974.37	1978.17	1929.7	
WW-SK-01	3/19/1997	48.29			1974.37	1978.17	1929.88	
WW-SK-01	6/17/1997	44.02			1974.37	1978.17	1934.15	
WW-SK-01	8/4/1997	53.08			1974.37	1978.17	1925.09	
WW-SK-01	8/29/1997	53.9			1974.37	1978.17	1924.27	
WW-SK-01	10/2/1997	52.73			1974.37	1978.17	1925.44	
WW-SK-01	10/17/1997	52.01			1974.37	1978.17	1926.16	
WW-SK-01	12/15/1997	51.23			1974.37	1978.17	1926.94	
WW-SK-01	2/21/1998	50.94			1974.37	1978.17	1927.23	
WW-SK-01	5/7/1998	47.04			1974.37	1978.17	1931.13	
WW-SK-01	6/17/1998	50.32			1974.37	1978.17	1927.85	
WW-SK-01	8/25/1998	55.08			1974.37	1978.17	1923.09	
WW-SK-01	9/3/1998	56.13	56.1	0.03	1974.37	1978.17	1922.04	
WW-SK-01	9/14/1998	55.27	55.24	0.03	1974.37	1978.17	1922.9	
WW-SK-01	11/2/1998	53.5	53.49	0.01	1974.37	1978.17	1924.67	
WW-SK-01	12/14/1998	51.55			1974.37	1978.17	1926.62	
WW-SK-01	3/23/1999	48.72			1974.37	1978.17	1929.45	
WW-SK-01	7/19/1999	51.86			1974.37	1978.17	1926.31	
WW-SK-01	8/20/1999	54.89			1974.37	1978.17	1923.28	
WW-SK-01	9/20/1999	53.5			1974.37	1978.17	1924.67	
WW-SK-01	10/29/1999	54.4			1974.37	1978.17	1923.77	
WW-SK-01	12/30/1999	50.5			1974.37	1978.17	1927.67	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-SK-01	3/27/2000	48.59			1974.37	1978.17	1929.58	
WW-SK-01	8/31/2000	56.21	56.16	0.05	1974.37	1978.17	1921.96	
WW-SK-01	10/2/2000	54.32			1974.37	1978.17	1923.85	
WW-SK-01	11/6/2000	53.63			1974.37	1978.17	1924.54	
WW-SK-01	12/27/2000	54.53	54.35	0.18	1974.37	1978.17	1923.64	
WW-SK-01	4/16/2001	52.59			1974.37	1978.17	1925.58	
WW-SK-01	6/19/2001	53.45	53.44	0.01	1974.37	1978.17	1924.72	
WW-SK-01	8/28/2001	55.15			1974.37	1978.17	1923.02	
WW-SK-01	9/10/2001	54.5			1974.37	1978.17	1923.67	
WW-SK-01	10/15/2001	53.39			1974.37	1978.17	1924.78	
WW-SK-01	12/6/2001	51.71			1974.37	1978.17	1926.46	
WW-SK-01	3/18/2002	48.54			1974.37	1978.17	1929.63	
WW-SK-01	6/28/2002	47.72			1974.37	1978.17	1930.45	
WW-SK-01	7/31/2002	53.53			1974.37	1978.17	1924.64	
WW-SK-01	8/30/2002	54.15			1974.37	1978.17	1924.02	
WW-SK-01	9/25/2002	53.06	53.05	0.01	1974.37	1978.17	1925.11	
WW-SK-01	12/16/2002	52.4			1974.37	1978.17	1925.77	
WW-SK-01	5/12/2003	48.57			1974.37	1978.17	1929.6	
WW-SK-01	7/31/2003	55.15	54.95	0.2	1974.37	1978.17	1923.02	
WW-SK-01	7/1/2004	51.48			1974.37	1978.17	1926.69	
WW-SK-01	8/9/2004	54.97	54.77	0.2	1974.37	1978.17	1923.2	
WW-SK-01	9/14/2004	54.6	54.54	0.06	1974.37	1978.17	1923.57	
WW-SK-01	10/25/2004	52.1			1974.37	1978.17	1926.07	
WW-SK-01	7/25/2005	54.88	54.87	0.01	1974.37	1978.17	1923.29	
WW-SK-01	8/30/2005	55.2			1974.37	1978.17	1922.97	
WW-SK-01	9/29/2005	53.45	53.41	0.04	1974.37	1978.17	1924.72	
WW-SK-01	10/24/2005	52.88	52.78	0.1	1974.37	1978.17	1925.29	
WW-SK-01	1/23/2006	46.16			1974.37	1978.17	1932.01	
WW-SK-01	4/17/2006	44.81	44.8	0.01	1974.37	1978.17	1933.36	
WW-SK-01	6/27/2006	50.66	50.65	0.01	1974.37	1978.17	1927.51	
WW-SK-01	7/17/2006	53.45			1974.37	1978.17	1924.72	
WW-SK-01	8/28/2006	55.1	54.3	0.8	1974.37	1978.17	1923.07	
WW-SK-01	9/26/2006	53.78			1974.37	1978.17	1924.39	
WW-SK-01	10/23/2006	53.05			1974.37	1978.17	1925.12	
WW-SK-01	1/31/2007	51.39			1974.37	1978.17	1926.78	
WW-SK-01	4/14/2007	44.81			1974.37	1978.17	1933.36	
WW-SK-01	7/23/2007	53.37			1974.37	1978.17	1924.8	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-SK-01	10/21/2007	53.18			1974.37	1978.17	1924.99	
WW-SK-01	1/23/2008	53.52			1974.37	1978.17	1924.65	
WW-SK-01	4/19/2008	47.7			1974.37	1978.17	1930.47	
WW-SK-01	7/22/2008	51.9				1978.17	1926.27	
WW-SK-01	10/18/2008	52.71				1978.17	1925.46	
WW-SK-02	8/28/2001	60.54			1979.67	1983.47	1922.93	
WW-SK-02	9/10/2001	60.02	59.86	0.16	1979.67	1983.47	1923.45	
WW-SK-02	10/15/2001	58.82	58.72	0.1	1979.67	1983.47	1924.65	
WW-SK-02	12/6/2001	57.22			1979.67	1983.47	1926.25	
WW-SK-02	3/18/2002	54.15			1979.67	1983.47	1929.32	
WW-SK-02	6/28/2002	53.26			1979.67	1983.47	1930.21	
WW-SK-02	7/31/2002	58.8			1979.67	1983.47	1924.67	
WW-SK-02	8/30/2002	59.59			1979.67	1983.47	1923.88	
WW-SK-02	9/25/2002	58.52			1979.67	1983.47	1924.95	
WW-SK-02	12/16/2002	57.88			1979.67	1983.47	1925.59	
WW-SK-02	5/12/2003	54.02			1979.67	1983.47	1929.45	
WW-SK-02	7/31/2003	60.51	60.4	0.11	1979.67	1983.47	1922.96	
WW-SK-02	7/1/2004	57			1979.67	1983.47	1926.47	
WW-SK-02	8/9/2004	60.41	60.13	0.28	1979.67	1983.47	1923.06	
WW-SK-02	9/14/2004	60.27	59.95	0.32	1979.67	1983.47	1923.2	
WW-SK-02	10/25/2004	57.66	57.61	0.05	1979.67	1983.47	1925.81	
WW-SK-02	7/25/2005	59.69	59.66	0.03	1979.67	1983.47	1923.78	
WW-SK-02	8/30/2005	61.01	60.49	0.52	1979.67	1983.47	1922.46	
WW-SK-02	9/29/2005	59.12	58.92	0.2	1979.67	1983.47	1924.35	
WW-SK-02	10/24/2005	58.47	58.39	0.08	1979.67	1983.47	1925	
WW-SK-02	1/23/2006	51.79			1979.67	1983.47	1931.68	
WW-SK-02	4/17/2006	49.64			1979.67	1983.47	1933.83	
WW-SK-02	6/27/2006	56.28			1979.67	1983.47	1927.19	
WW-SK-02	7/17/2006	58.81	58.78	0.03	1979.67	1983.47	1924.66	
WW-SK-02	8/28/2006	60.59	60.39	0.2	1979.67	1983.47	1922.88	
WW-SK-02	9/26/2006	57.19			1979.67	1983.47	1926.28	
WW-SK-02	10/23/2006	58.49			1979.67	1983.47	1924.98	
WW-SK-02	1/31/2007	56.82			1979.67	1983.47	1926.65	
WW-SK-02	4/14/2007	50.71			1979.67	1983.47	1932.76	
WW-SK-02	7/23/2007	59.08	59.07	0.01	1979.67	1983.47	1924.39	
WW-SK-02	10/21/2007	58.66	58.56	0.1	1979.67	1983.47	1924.81	
WW-SK-02	1/23/2008	57.95	57.86	0.09	1979.67	1983.47	1925.52	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-SK-02	4/19/2008	53.37			1979.67	1983.47	1930.1	
WW-SK-02	7/22/2008	57.3				1983.47	1926.17	
WW-SK-02	10/18/2008	58.17				1983.47	1925.3	
WW-SK-03	8/28/2001	63.37			1981.34	1985.14	1921.77	
WW-SK-03	9/10/2001	62.7			1981.34	1985.14	1922.44	
WW-SK-03	10/15/2001	61.65	61.54	0.11	1981.34	1985.14	1923.49	
WW-SK-03	12/6/2001	59.95			1981.34	1985.14	1925.19	
WW-SK-03	3/18/2002	56.75			1981.34	1985.14	1928.39	
WW-SK-03	6/28/2002	55.85			1981.34	1985.14	1929.29	
WW-SK-03	7/31/2002	61.77	61.68	0.09	1981.34	1985.14	1923.37	
WW-SK-03	8/30/2002	62.56	62.36	0.2	1981.34	1985.14	1922.58	
WW-SK-03	9/25/2002	61.34	61.24	0.1	1981.34	1985.14	1923.8	
WW-SK-03	12/16/2002	60.37	60.35	0.02	1981.34	1985.14	1924.77	
WW-SK-03	5/12/2003	56.85			1981.34	1985.14	1928.29	
WW-SK-03	7/31/2003	63.53	63.18	0.35	1981.34	1985.14	1921.61	
WW-SK-03	7/1/2004	59.66			1981.34	1985.14	1925.48	
WW-SK-03	8/9/2004	63.18	62.94	0.24	1981.34	1985.14	1921.96	
WW-SK-03	9/14/2004	63.02	62.74	0.28	1981.34	1985.14	1922.12	
WW-SK-03	10/25/2004	60.39	60.38	0.01	1981.34	1985.14	1924.75	
WW-SK-03	7/25/2005	62.56	62.46	0.1	1981.34	1985.14	1922.58	
WW-SK-03	8/30/2005	63.71	63.32	0.39	1981.34	1985.14	1921.43	
WW-SK-03	9/29/2005	62.32	61.66	0.66	1981.34	1985.14	1922.82	
WW-SK-03	10/24/2005	61.87	61.05	0.82	1981.34	1985.14	1923.27	
WW-SK-03	1/23/2006	54.28			1981.34	1985.14	1930.86	
WW-SK-03	4/17/2006	52.14			1981.34	1985.14	1933	
WW-SK-03	6/27/2006	58.92	58.91	0.01	1981.34	1985.14	1926.22	
WW-SK-03	7/17/2006	61.85	61.56	0.29	1981.34	1985.14	1923.29	
WW-SK-03	9/26/2006	61.98			1981.34	1985.14	1923.16	
WW-SK-03	10/23/2006	61.14			1981.34	1985.14	1924	
WW-SK-03	1/31/2007	59.61	59.55	0.06	1981.34	1985.14	1925.53	
WW-SK-03	4/14/2007	53.03			1981.34	1985.14	1932.11	
WW-SK-03	7/23/2007	61.7	61.66	0.04	1981.34	1985.14	1923.44	
WW-SK-03	10/21/2007	61.28	61.27	0.01	1981.34	1985.14	1923.86	
WW-SK-03	1/23/2008	60.83	60.58	0.25	1981.34	1985.14	1924.31	
WW-SK-03	4/19/2008	55.97			1981.34	1985.14	1929.17	
WW-SK-03	7/22/2008	60.09	60.06	0.03		1985.14	1925.05	
WW-SK-03	10/18/2008	60.88	60.82	0.06		1985.14	1924.26	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-SK-04	8/28/2001	62.96	62.95	0.01	1981.29	1985.09	1922.13	
WW-SK-04	9/10/2001	62.2			1981.29	1985.09	1922.89	
WW-SK-04	10/15/2001	61.07	61.04	0.03	1981.29	1985.09	1924.02	
WW-SK-04	12/6/2001	59.5	59.46	0.04	1981.29	1985.09	1925.59	
WW-SK-04	3/18/2002	56.18			1981.29	1985.09	1928.91	
WW-SK-04	6/28/2002	55.27			1981.29	1985.09	1929.82	
WW-SK-04	7/31/2002	61.42	61.2	0.22	1981.29	1985.09	1923.67	
WW-SK-04	8/30/2002	62.03			1981.29	1985.09	1923.06	
WW-SK-04	9/25/2002	60.96	60.87	0.09	1981.29	1985.09	1924.13	
WW-SK-04	12/16/2002	60.77	60.7	0.07	1981.29	1985.09	1924.32	
WW-SK-04	5/12/2003	56.14			1981.29	1985.09	1928.95	
WW-SK-04	7/31/2003	63.55	62.79	0.76	1981.29	1985.09	1921.54	
WW-SK-04	7/1/2004	58.3			1981.29	1985.09	1926.79	
WW-SK-04	8/9/2004	63	62.58	0.42	1981.29	1985.09	1922.09	
WW-SK-04	9/14/2004	62.35			1981.29	1985.09	1922.74	
WW-SK-04	10/25/2004	59.91	59.9	0.01	1981.29	1985.09	1925.18	
WW-SK-04	7/25/2005	62.1	62.03	0.07	1981.29	1985.09	1922.99	
WW-SK-04	8/30/2005	63.5	63	0.5	1981.29	1985.09	1921.59	
WW-SK-04	9/29/2005	61.63	61.4	0.23	1981.29	1985.09	1923.46	
WW-SK-04	10/24/2005	60.76	60.63	0.13	1981.29	1985.09	1924.33	
WW-SK-04	1/23/2006	52.77			1981.29	1985.09	1932.32	
WW-SK-04	4/17/2006	51.78			1981.29	1985.09	1933.31	
WW-SK-04	6/27/2006	58.21			1981.29	1985.09	1926.88	
WW-SK-04	7/17/2006	61.28	61.14	0.14	1981.29	1985.09	1923.81	
WW-SK-04	9/26/2006	61.52	61.5	0.02	1981.29	1985.09	1923.57	
WW-SK-04	10/23/2006	60.73			1981.29	1985.09	1924.36	
WW-SK-04	1/31/2007	58.93	58.92	0.01	1981.29	1985.09	1926.16	
WW-SK-04	4/14/2007	52.64			1981.29	1985.09	1932.45	
WW-SK-04	7/23/2007	61.34	61.32	0.02	1981.29	1985.09	1923.75	
WW-SK-04	10/21/2007	60.03			1981.29	1985.09	1925.06	
WW-SK-04	1/23/2008	60.16			1981.29	1985.09	1924.93	
WW-SK-04	4/19/2008	55.47			1981.29	1985.09	1929.62	
WW-SK-04	7/22/2008	59.49				1985.09	1925.6	
WW-SK-04	10/18/2008	60.4				1985.09	1924.69	
WW-UVB-01	3/23/1999	46.95			1971.98	1975.78	1928.83	
WW-UVB-01	7/19/1999	50.71			1971.98	1975.78	1925.07	
WW-UVB-01	8/20/1999	53.25			1971.98	1975.78	1922.53	

Table B-1 - Fluid Level Database

Well ID	Measurement Date	Depth to Water	Depth to FPP	FPP Thickness	Top of Casing in NVGD29	Top of Casing in NAVD88	Water Elevation in NAVD88	Comment
WW-UVB-01	9/20/1999	52.27			1971.98	1975.78	1923.51	
WW-UVB-01	10/29/1999	52.78			1971.98	1975.78	1923	
WW-UVB-01	12/30/1999	48.82			1971.98	1975.78	1926.96	

Notes:

FPP = free phase petroleum

Depths, thickness, and elevations are in feet.