

TECHNICAL MEMORANDUM

DATE July 17, 2019

Project No. 923-1000-005.5000

TO Jerome Cruz, PhD
Washington State Department of Ecology

CC Landsburg PLP Group

FROM Gary Zimmerman

EMAIL gary_zimmerman@golder.com

LANDSBURG MINE SITE TRENCH BACKFILL ADDITIONAL SOILS CHARACTERIZATION

This technical memorandum presents the analytical results associated with eight additional soil samples collected from the Microsoft excavation site.

Three shallow soil samples (samples 8, 9, and 10) were collected on June 21, 2019 in accordance with the Trench Backfill Soils Characterization Workplan¹ (Workplan). The samples were collected from test pits dug in accessible portions of Cell 3 at the Microsoft excavation as depicted on the attached Figure 1. Soils sampled from the test pits were generally consistent in composition and were described as silty-fine to medium sand with trace to little sub-rounded medium gravels. The soil samples were delivered to OnSite Environmental Inc. (OnSite) in Redmond, WA and analyzed for the full list of analytes presented in Table 3-1 of the Workplan.

Five deep soil samples (samples 11D to 15D) were collected on June 28, 2019 in accordance with the Workplan. The samples were collected from test pits dug in accessible portions of Cell 1 at the Microsoft excavation as depicted on the attached Figure 1. These deeper samples were collected to provide ongoing documentation that various areas of the Microsoft source area are free of contaminants. A field duplicate (sample 15DD) was also collected at the same location of 15D to serve as a quality assurance/quality control (QA/QC) sample. The soil samples were delivered to OnSite and analyzed for the list of analytes presented in Table 3-2 of the Workplan.

There were no compounds detected in any of the soil samples collected at concentrations above the Model Toxics Control Act (MTCA) Method A cleanup levels for unrestricted land use and protection of groundwater. Chromium has been detected in all the samples collected from the Microsoft site at concentrations that are typical of natural background soil concentrations for the Puget Sound Area² and well below the Model Toxics Control Act (MTCA) Method A Level of 2,000 mg/kg for unrestricted land use.

Copies of the laboratory analytical reports are provided in Appendix A.

¹ Golder Associates Inc. (Golder) 2019. Trench Backfill Soils Characterization Workplan, Landsburg Mine Site. Prepared by Golder Associates Inc. April 17, 2019.

² Washington State Department of Ecology (Ecology) 1994. Natural Background Soil Metals Concentrations in Washington State. Prepared by Charles San Juan, October 1994.

GOLDER ASSOCIATES INC.



Joseph Xi, PE
Senior Project Engineer



Gary Zimmerman
Principal

JX/GLZ/

Attachments:


Figure 1: Soil Characterization Locations

Appendix A: Laboratory Analytical Reports

v:\projects_1992 projects\923-1000\2019-construction-activities\fill source sampling\tech-memo-third round\923-1000-005.5000-tm-rev1-fill source sampling-071019.docx

Figure

PATH: G:\palmec\coring\cellandsburg\mea\99_PROJECTS\9231000005_REMEDIALACTION\5000\002_PRODUCT\ONM\X\002\FIGURES\9231000005_5000_002_F1_Rail_Sol_Character_Loss.mxd PRINTED ON: 2019-07-17 AT: 11:4:09 AM



LEGEND

- TEST PIT
- DEEP SAMPLE LOCATION
- FILL SOURCE AREA

NOTE(S)

1. THE FILL SOURCE AREA MEASURES APPROXIMATELY 7.6 ACRES.

REFERENCE(S)

1. GOODFELLOW BROS INC. (EXCAVATION AREA, 2019)
2. GOLDBERG ASSOCIATES INC. (TEST PITS, DEEP SAMPLE LOCATIONS, 2019)
3. COORDINATE SYSTEM: NAD 1983 STATE PLANE WASHINGTON NORTH (FT)
4. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELOREME, TOMTOM, INTERMAP, INCREMENT P CORP., GEBCO, USGS, FAO, NPS, NRCAN, GEOBASE, IGN, KADASTER NL, ORDNANCE SURVEY, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), SWISSTOPO, MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY
© 2019 MICROSOFT CORPORATION © 2019 DIGITALGLOBE © CNES (2019) DISTRIBUTION AIRBUS

CLIENT

LANDSBURG PLP GROUP

PROJECT

LANDSBURG 2019 REMEDIAL ACTIONS

TITLE

SOIL CHARACTERIZATION LOCATIONS

CONSULTANT	YYYY-MM-DD	2019-07-17
DESIGNED	JX	
PREPARED	BVJ	
REVIEWED	JX	
APPROVED	GZ	

PROJECT NO. 9231000005 **PHASE** 5000 **REV.** D **FIGURE** 1

GOLDER

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B 11

APPENDIX A

Laboratory Analytical Report



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

July 3, 2019

Gary Zimmerman
Golder Associates Inc.
18300 NE Union Hill Road
Suite 200
Redmond, WA 98052-3333

Re: Analytical Data for Project 9231000005.5000
Laboratory Reference No. 1906-243

Dear Gary:

Enclosed are the analytical results and associated quality control data for samples submitted on June 21, 2019.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read 'DB', with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: July 3, 2019
Samples Submitted: June 21, 2019
Laboratory Reference: 1906-243
Project: 9231000005.5000

Case Narrative

Samples were collected on June 21, 2019 and received by the laboratory on June 21, 2019. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

Chlorinated Acid Herbicides EPA 8151A Analysis:

Sample 8 was used as the MS/MSD. The percent recovery for the compound Dinoseb (36%) in the MS was below the advisory control limits of 40%-140%. All other quality control values were within control limits and no further action was performed.

Any other QA/QC issues associated with this extraction and analysis will be indicated with a footnote reference and discussed in detail on the Data Qualifier page.



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

GASOLINE RANGE ORGANICS
NWTPH-Gx

Matrix: Soil
 Units: mg/kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	8					
Laboratory ID:	06-243-01					
Gasoline	ND	5.2	NWTPH-Gx	6-24-19	6-25-19	
Surrogate:	<i>Percent Recovery</i>	<i>Control Limits</i>				
Fluorobenzene	80	58-129				
Client ID:	9					
Laboratory ID:	06-243-02					
Gasoline	ND	5.3	NWTPH-Gx	6-24-19	6-25-19	
Surrogate:	<i>Percent Recovery</i>	<i>Control Limits</i>				
Fluorobenzene	82	58-129				
Client ID:	10					
Laboratory ID:	06-243-03					
Gasoline	ND	5.2	NWTPH-Gx	6-24-19	6-25-19	
Surrogate:	<i>Percent Recovery</i>	<i>Control Limits</i>				
Fluorobenzene	80	58-129				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**GASOLINE RANGE ORGANICS
 NWTPH-Gx
 QUALITY CONTROL**

Matrix: Soil
 Units: mg/kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0624S2					
Gasoline	ND	5.0	NWTPH-Gx	6-24-19	6-24-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	81	58-129				

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	06-165-04							
	ORIG	DUP						
Gasoline	ND	ND	NA	NA	NA	NA	30	
Surrogate:								
Fluorobenzene				83	77	58-129		



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

DIESEL AND HEAVY OIL RANGE ORGANICS
NWTPH-Dx

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	8					
Laboratory ID:	06-243-01					
Diesel Range Organics	ND	27	NWTPH-Dx	6-24-19	6-25-19	
Lube Oil Range Organics	ND	55	NWTPH-Dx	6-24-19	6-25-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	98	50-150				
Client ID:	9					
Laboratory ID:	06-243-02					
Diesel Range Organics	ND	27	NWTPH-Dx	6-24-19	6-25-19	
Lube Oil	80	55	NWTPH-Dx	6-24-19	6-25-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	82	50-150				
Client ID:	10					
Laboratory ID:	06-243-03					
Diesel Range Organics	ND	27	NWTPH-Dx	6-24-19	6-25-19	
Lube Oil Range Organics	ND	53	NWTPH-Dx	6-24-19	6-25-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	88	50-150				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**DIESEL AND HEAVY OIL RANGE ORGANICS
 NWTPH-Dx
 QUALITY CONTROL**

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0624S3					
Diesel Range Organics	ND	25	NWTPH-Dx	6-24-19	6-24-19	
Lube Oil Range Organics	ND	50	NWTPH-Dx	6-24-19	6-24-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	97	50-150				

Analyte	Result		Spike Level		Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE										
Laboratory ID:	06-243-03									
	ORIG	DUP								
Diesel Range	ND	ND	NA	NA		NA	NA	NA	NA	
Lube Oil Range	ND	ND	NA	NA		NA	NA	NA	NA	
Surrogate:										
o-Terphenyl						88	91	50-150		



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Soil
 Units: mg/kg

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	8					
Laboratory ID:	06-243-01					
Dichlorodifluoromethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Chloromethane	ND	0.0064	EPA 8260C	6-21-19	6-21-19	
Vinyl Chloride	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Bromomethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Chloroethane	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
Trichlorofluoromethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloroethene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Acetone	ND	0.0099	EPA 8260C	6-21-19	6-21-19	
Iodomethane	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
Carbon Disulfide	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Methylene Chloride	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
(trans) 1,2-Dichloroethene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Methyl t-Butyl Ether	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloroethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Vinyl Acetate	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
2,2-Dichloropropane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
(cis) 1,2-Dichloroethene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
2-Butanone	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
Bromochloromethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Chloroform	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,1,1-Trichloroethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Carbon Tetrachloride	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloropropene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Benzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,2-Dichloroethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Trichloroethene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,2-Dichloropropane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Dibromomethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Bromodichloromethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
2-Chloroethyl Vinyl Ether	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
(cis) 1,3-Dichloropropene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Methyl Isobutyl Ketone	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
Toluene	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
(trans) 1,3-Dichloropropene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	8					
Laboratory ID:	06-243-01					
1,1,2-Trichloroethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Tetrachloroethene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,3-Dichloropropane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
2-Hexanone	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
Dibromochloromethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,2-Dibromoethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Chlorobenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,1,1,2-Tetrachloroethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Ethylbenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
m,p-Xylene	ND	0.0020	EPA 8260C	6-21-19	6-21-19	
o-Xylene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Styrene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Bromoform	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
Isopropylbenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Bromobenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,1,2,2-Tetrachloroethane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,2,3-Trichloropropane	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
n-Propylbenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
2-Chlorotoluene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
4-Chlorotoluene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,3,5-Trimethylbenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
tert-Butylbenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,2,4-Trimethylbenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
sec-Butylbenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,3-Dichlorobenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
p-Isopropyltoluene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,4-Dichlorobenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,2-Dichlorobenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
n-Butylbenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,2-Dibromo-3-chloropropane	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
1,2,4-Trichlorobenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
Hexachlorobutadiene	ND	0.0049	EPA 8260C	6-21-19	6-21-19	
Naphthalene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
1,2,3-Trichlorobenzene	ND	0.00099	EPA 8260C	6-21-19	6-21-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>101</i>	<i>76-131</i>				
<i>Toluene-d8</i>	<i>98</i>	<i>78-128</i>				
<i>4-Bromofluorobenzene</i>	<i>89</i>	<i>71-130</i>				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Soil
 Units: mg/kg

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	9					
Laboratory ID:	06-243-02					
Dichlorodifluoromethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Chloromethane	ND	0.0073	EPA 8260C	6-21-19	6-21-19	
Vinyl Chloride	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Bromomethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Chloroethane	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
Trichlorofluoromethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloroethene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Acetone	0.016	0.011	EPA 8260C	6-21-19	6-21-19	
Iodomethane	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
Carbon Disulfide	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Methylene Chloride	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
(trans) 1,2-Dichloroethene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Methyl t-Butyl Ether	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloroethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Vinyl Acetate	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
2,2-Dichloropropane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
(cis) 1,2-Dichloroethene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
2-Butanone	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
Bromochloromethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Chloroform	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,1,1-Trichloroethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Carbon Tetrachloride	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloropropene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Benzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,2-Dichloroethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Trichloroethene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,2-Dichloropropane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Dibromomethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Bromodichloromethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
2-Chloroethyl Vinyl Ether	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
(cis) 1,3-Dichloropropene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Methyl Isobutyl Ketone	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
Toluene	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
(trans) 1,3-Dichloropropene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	9					
Laboratory ID:	06-243-02					
1,1,2-Trichloroethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Tetrachloroethene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,3-Dichloropropane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
2-Hexanone	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
Dibromochloromethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,2-Dibromoethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Chlorobenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,1,1,2-Tetrachloroethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Ethylbenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
m,p-Xylene	ND	0.0022	EPA 8260C	6-21-19	6-21-19	
o-Xylene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Styrene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Bromoform	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
Isopropylbenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Bromobenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,1,2,2-Tetrachloroethane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,2,3-Trichloropropane	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
n-Propylbenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
2-Chlorotoluene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
4-Chlorotoluene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,3,5-Trimethylbenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
tert-Butylbenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,2,4-Trimethylbenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
sec-Butylbenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,3-Dichlorobenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
p-Isopropyltoluene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,4-Dichlorobenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,2-Dichlorobenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
n-Butylbenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,2-Dibromo-3-chloropropane	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
1,2,4-Trichlorobenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Hexachlorobutadiene	ND	0.0056	EPA 8260C	6-21-19	6-21-19	
Naphthalene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
1,2,3-Trichlorobenzene	ND	0.0011	EPA 8260C	6-21-19	6-21-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	102	76-131				
Toluene-d8	97	78-128				
4-Bromofluorobenzene	88	71-130				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

VOLATILE ORGANICS EPA 8260C
 page 1 of 2

Matrix: Soil
 Units: mg/kg

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	10					
Laboratory ID:	06-243-03					
Dichlorodifluoromethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Chloromethane	ND	0.0062	EPA 8260C	6-21-19	6-21-19	
Vinyl Chloride	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Bromomethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Chloroethane	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
Trichlorofluoromethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloroethene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Acetone	ND	0.0096	EPA 8260C	6-21-19	6-21-19	
Iodomethane	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
Carbon Disulfide	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Methylene Chloride	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
(trans) 1,2-Dichloroethene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Methyl t-Butyl Ether	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloroethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Vinyl Acetate	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
2,2-Dichloropropane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
(cis) 1,2-Dichloroethene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
2-Butanone	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
Bromochloromethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Chloroform	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,1,1-Trichloroethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Carbon Tetrachloride	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloropropene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Benzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,2-Dichloroethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Trichloroethene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,2-Dichloropropane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Dibromomethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Bromodichloromethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
2-Chloroethyl Vinyl Ether	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
(cis) 1,3-Dichloropropene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Methyl Isobutyl Ketone	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
Toluene	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
(trans) 1,3-Dichloropropene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

VOLATILE ORGANICS EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	10					
Laboratory ID:	06-243-03					
1,1,2-Trichloroethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Tetrachloroethene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,3-Dichloropropane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
2-Hexanone	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
Dibromochloromethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,2-Dibromoethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Chlorobenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,1,1,2-Tetrachloroethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Ethylbenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
m,p-Xylene	ND	0.0019	EPA 8260C	6-21-19	6-21-19	
o-Xylene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Styrene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Bromoform	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
Isopropylbenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Bromobenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,1,2,2-Tetrachloroethane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,2,3-Trichloropropane	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
n-Propylbenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
2-Chlorotoluene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
4-Chlorotoluene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,3,5-Trimethylbenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
tert-Butylbenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,2,4-Trimethylbenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
sec-Butylbenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,3-Dichlorobenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
p-Isopropyltoluene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,4-Dichlorobenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,2-Dichlorobenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
n-Butylbenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,2-Dibromo-3-chloropropane	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
1,2,4-Trichlorobenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
Hexachlorobutadiene	ND	0.0048	EPA 8260C	6-21-19	6-21-19	
Naphthalene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
1,2,3-Trichlorobenzene	ND	0.00096	EPA 8260C	6-21-19	6-21-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>101</i>	<i>76-131</i>				
<i>Toluene-d8</i>	<i>98</i>	<i>78-128</i>				
<i>4-Bromofluorobenzene</i>	<i>90</i>	<i>71-130</i>				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

VOLATILE ORGANICS EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 1 of 2

Matrix: Soil
 Units: mg/kg

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID:	MB0621S1					
Dichlorodifluoromethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Chloromethane	ND	0.0065	EPA 8260C	6-21-19	6-21-19	
Vinyl Chloride	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Bromomethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Chloroethane	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
Trichlorofluoromethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloroethene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Acetone	ND	0.010	EPA 8260C	6-21-19	6-21-19	
Iodomethane	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
Carbon Disulfide	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Methylene Chloride	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
(trans) 1,2-Dichloroethene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Methyl t-Butyl Ether	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloroethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Vinyl Acetate	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
2,2-Dichloropropane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
(cis) 1,2-Dichloroethene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
2-Butanone	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
Bromochloromethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Chloroform	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,1,1-Trichloroethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Carbon Tetrachloride	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,1-Dichloropropene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Benzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,2-Dichloroethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Trichloroethene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,2-Dichloropropane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Dibromomethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Bromodichloromethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
2-Chloroethyl Vinyl Ether	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
(cis) 1,3-Dichloropropene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Methyl Isobutyl Ketone	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
Toluene	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
(trans) 1,3-Dichloropropene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

VOLATILE ORGANICS EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID: MB0621S1						
1,1,2-Trichloroethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Tetrachloroethene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,3-Dichloropropane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
2-Hexanone	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
Dibromochloromethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,2-Dibromoethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Chlorobenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,1,1,2-Tetrachloroethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Ethylbenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
m,p-Xylene	ND	0.0020	EPA 8260C	6-21-19	6-21-19	
o-Xylene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Styrene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Bromoform	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
Isopropylbenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Bromobenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,1,2,2-Tetrachloroethane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,2,3-Trichloropropane	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
n-Propylbenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
2-Chlorotoluene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
4-Chlorotoluene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,3,5-Trimethylbenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
tert-Butylbenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,2,4-Trimethylbenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
sec-Butylbenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,3-Dichlorobenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
p-Isopropyltoluene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,4-Dichlorobenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,2-Dichlorobenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
n-Butylbenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,2-Dibromo-3-chloropropane	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
1,2,4-Trichlorobenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Hexachlorobutadiene	ND	0.0050	EPA 8260C	6-21-19	6-21-19	
Naphthalene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
1,2,3-Trichlorobenzene	ND	0.0010	EPA 8260C	6-21-19	6-21-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	104	76-131				
Toluene-d8	99	78-128				
4-Bromofluorobenzene	89	71-130				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**VOLATILE ORGANICS EPA 8260C
 SB/SBD QUALITY CONTROL**

Matrix: Soil
 Units: mg/kg

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB0621S1									
	SB	SBD	SB	SBD	SB	SBD				
1,1-Dichloroethene	0.0548	0.0537	0.0500	0.0500	110	107	57-133	2	18	
Benzene	0.0456	0.0441	0.0500	0.0500	91	88	71-129	3	16	
Trichloroethene	0.0472	0.0462	0.0500	0.0500	94	92	71-122	2	16	
Toluene	0.0452	0.0449	0.0500	0.0500	90	90	74-125	1	15	
Chlorobenzene	0.0452	0.0440	0.0500	0.0500	90	88	72-120	3	14	
Surrogate:										
Dibromofluoromethane					100	96	76-131			
Toluene-d8					96	99	78-128			
4-Bromofluorobenzene					89	93	71-130			



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

SEMIVOLATILE ORGANICS EPA 8270D/SIM
 page 1 of 2

Matrix: Soil
 Units: mg/Kg

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	8					
Laboratory ID:	06-243-01					
n-Nitrosodimethylamine	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Pyridine	ND	0.37	EPA 8270D	6-24-19	6-25-19	
Phenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Aniline	ND	0.18	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroethyl)ether	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2-Chlorophenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
1,3-Dichlorobenzene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
1,4-Dichlorobenzene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Benzyl alcohol	ND	0.18	EPA 8270D	6-24-19	6-25-19	
1,2-Dichlorobenzene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2-Methylphenol (o-Cresol)	ND	0.037	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroisopropyl)ether	ND	0.037	EPA 8270D	6-24-19	6-25-19	
(3+4)-Methylphenol (m,p-Cresol)	ND	0.037	EPA 8270D	6-24-19	6-25-19	
n-Nitroso-di-n-propylamine	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Hexachloroethane	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Nitrobenzene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Isophorone	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2-Nitrophenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2,4-Dimethylphenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroethoxy)methane	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2,4-Dichlorophenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
1,2,4-Trichlorobenzene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Naphthalene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
4-Chloroaniline	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Hexachlorobutadiene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
4-Chloro-3-methylphenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2-Methylnaphthalene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
1-Methylnaphthalene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Hexachlorocyclopentadiene	ND	0.058	EPA 8270D	6-24-19	6-25-19	
2,4,6-Trichlorophenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2,3-Dichloroaniline	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2,4,5-Trichlorophenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2-Chloronaphthalene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2-Nitroaniline	ND	0.037	EPA 8270D	6-24-19	6-25-19	
1,4-Dinitrobenzene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Dimethylphthalate	ND	0.037	EPA 8270D	6-24-19	6-25-19	
1,3-Dinitrobenzene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2,6-Dinitrotoluene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
1,2-Dinitrobenzene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Acenaphthylene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
3-Nitroaniline	ND	0.037	EPA 8270D	6-24-19	6-25-19	



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

SEMIVOLATILE ORGANICS EPA 8270D/SIM
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	8					
Laboratory ID:	06-243-01					
2,4-Dinitrophenol	ND	0.26	EPA 8270D	6-24-19	6-25-19	
Acenaphthene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
4-Nitrophenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2,4-Dinitrotoluene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Dibenzofuran	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2,3,5,6-Tetrachlorophenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
2,3,4,6-Tetrachlorophenol	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Diethylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
4-Chlorophenyl-phenylether	ND	0.037	EPA 8270D	6-24-19	6-25-19	
4-Nitroaniline	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Fluorene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
4,6-Dinitro-2-methylphenol	ND	0.18	EPA 8270D	6-24-19	6-25-19	
n-Nitrosodiphenylamine	ND	0.037	EPA 8270D	6-24-19	6-25-19	
1,2-Diphenylhydrazine	ND	0.037	EPA 8270D	6-24-19	6-25-19	
4-Bromophenyl-phenylether	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Hexachlorobenzene	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Pentachlorophenol	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Phenanthrene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Anthracene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Carbazole	ND	0.037	EPA 8270D	6-24-19	6-25-19	
Di-n-butylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Fluoranthene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Benzidine	ND	0.48	EPA 8270D	6-24-19	6-25-19	
Pyrene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Butylbenzylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
bis-2-Ethylhexyladipate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
3,3'-Dichlorobenzidine	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Benzo[a]anthracene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Chrysene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
bis(2-Ethylhexyl)phthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Di-n-octylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Benzo[b]fluoranthene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo(j,k)fluoranthene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo[a]pyrene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Indeno[1,2,3-cd]pyrene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Dibenz[a,h]anthracene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo[g,h,i]perylene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
2-Fluorophenol	69	21 - 107				
Phenol-d6	71	30 - 106				
Nitrobenzene-d5	57	28 - 109				
2-Fluorobiphenyl	61	37 - 107				
2,4,6-Tribromophenol	75	39 - 116				
Terphenyl-d14	86	41 - 113				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

SEMIVOLATILE ORGANICS EPA 8270D/SIM
 page 1 of 2

Matrix: Soil
 Units: mg/Kg

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	9					
Laboratory ID:	06-243-02					
n-Nitrosodimethylamine	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Pyridine	ND	0.36	EPA 8270D	6-24-19	6-25-19	
Phenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Aniline	ND	0.18	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroethyl)ether	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2-Chlorophenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
1,3-Dichlorobenzene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
1,4-Dichlorobenzene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Benzyl alcohol	ND	0.18	EPA 8270D	6-24-19	6-25-19	
1,2-Dichlorobenzene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2-Methylphenol (o-Cresol)	ND	0.036	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroisopropyl)ether	ND	0.036	EPA 8270D	6-24-19	6-25-19	
(3+4)-Methylphenol (m,p-Cresol)	ND	0.036	EPA 8270D	6-24-19	6-25-19	
n-Nitroso-di-n-propylamine	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Hexachloroethane	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Nitrobenzene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Isophorone	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2-Nitrophenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2,4-Dimethylphenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroethoxy)methane	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2,4-Dichlorophenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
1,2,4-Trichlorobenzene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Naphthalene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
4-Chloroaniline	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Hexachlorobutadiene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
4-Chloro-3-methylphenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2-Methylnaphthalene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
1-Methylnaphthalene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Hexachlorocyclopentadiene	ND	0.057	EPA 8270D	6-24-19	6-25-19	
2,4,6-Trichlorophenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2,3-Dichloroaniline	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2,4,5-Trichlorophenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2-Chloronaphthalene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2-Nitroaniline	ND	0.036	EPA 8270D	6-24-19	6-25-19	
1,4-Dinitrobenzene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Dimethylphthalate	ND	0.036	EPA 8270D	6-24-19	6-25-19	
1,3-Dinitrobenzene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2,6-Dinitrotoluene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
1,2-Dinitrobenzene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Acenaphthylene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
3-Nitroaniline	ND	0.036	EPA 8270D	6-24-19	6-25-19	



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

SEMIVOLATILE ORGANICS EPA 8270D/SIM
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	9					
Laboratory ID:	06-243-02					
2,4-Dinitrophenol	ND	0.26	EPA 8270D	6-24-19	6-25-19	
Acenaphthene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
4-Nitrophenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2,4-Dinitrotoluene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Dibenzofuran	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2,3,5,6-Tetrachlorophenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
2,3,4,6-Tetrachlorophenol	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Diethylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
4-Chlorophenyl-phenylether	ND	0.036	EPA 8270D	6-24-19	6-25-19	
4-Nitroaniline	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Fluorene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
4,6-Dinitro-2-methylphenol	ND	0.18	EPA 8270D	6-24-19	6-25-19	
n-Nitrosodiphenylamine	ND	0.036	EPA 8270D	6-24-19	6-25-19	
1,2-Diphenylhydrazine	ND	0.036	EPA 8270D	6-24-19	6-25-19	
4-Bromophenyl-phenylether	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Hexachlorobenzene	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Pentachlorophenol	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Phenanthrene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Anthracene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Carbazole	ND	0.036	EPA 8270D	6-24-19	6-25-19	
Di-n-butylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Fluoranthene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Benzidine	ND	0.47	EPA 8270D	6-24-19	6-25-19	
Pyrene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Butylbenzylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
bis-2-Ethylhexyladipate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
3,3'-Dichlorobenzidine	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Benzo[a]anthracene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Chrysene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
bis(2-Ethylhexyl)phthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Di-n-octylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Benzo[b]fluoranthene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo(j,k)fluoranthene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo[a]pyrene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Indeno[1,2,3-cd]pyrene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Dibenz[a,h]anthracene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo[g,h,i]perylene	ND	0.0073	EPA 8270D/SIM	6-24-19	6-25-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorophenol	82	21 - 107				
Phenol-d6	85	30 - 106				
Nitrobenzene-d5	67	28 - 109				
2-Fluorobiphenyl	68	37 - 107				
2,4,6-Tribromophenol	85	39 - 116				
Terphenyl-d14	93	41 - 113				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

SEMIVOLATILE ORGANICS EPA 8270D/SIM
 page 1 of 2

Matrix: Soil
 Units: mg/Kg

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	10					
Laboratory ID:	06-243-03					
n-Nitrosodimethylamine	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Pyridine	ND	0.35	EPA 8270D	6-24-19	6-25-19	
Phenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Aniline	ND	0.18	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroethyl)ether	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2-Chlorophenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
1,3-Dichlorobenzene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
1,4-Dichlorobenzene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Benzyl alcohol	ND	0.18	EPA 8270D	6-24-19	6-25-19	
1,2-Dichlorobenzene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2-Methylphenol (o-Cresol)	ND	0.035	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroisopropyl)ether	ND	0.035	EPA 8270D	6-24-19	6-25-19	
(3+4)-Methylphenol (m,p-Cresol)	ND	0.035	EPA 8270D	6-24-19	6-25-19	
n-Nitroso-di-n-propylamine	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Hexachloroethane	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Nitrobenzene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Isophorone	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2-Nitrophenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2,4-Dimethylphenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroethoxy)methane	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2,4-Dichlorophenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
1,2,4-Trichlorobenzene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Naphthalene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
4-Chloroaniline	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Hexachlorobutadiene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
4-Chloro-3-methylphenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2-Methylnaphthalene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
1-Methylnaphthalene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Hexachlorocyclopentadiene	ND	0.055	EPA 8270D	6-24-19	6-25-19	
2,4,6-Trichlorophenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2,3-Dichloroaniline	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2,4,5-Trichlorophenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2-Chloronaphthalene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2-Nitroaniline	ND	0.035	EPA 8270D	6-24-19	6-25-19	
1,4-Dinitrobenzene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Dimethylphthalate	ND	0.035	EPA 8270D	6-24-19	6-25-19	
1,3-Dinitrobenzene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2,6-Dinitrotoluene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
1,2-Dinitrobenzene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Acenaphthylene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
3-Nitroaniline	ND	0.035	EPA 8270D	6-24-19	6-25-19	



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

SEMIVOLATILE ORGANICS EPA 8270D/SIM
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	10					
Laboratory ID:	06-243-03					
2,4-Dinitrophenol	ND	0.25	EPA 8270D	6-24-19	6-25-19	
Acenaphthene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
4-Nitrophenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2,4-Dinitrotoluene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Dibenzofuran	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2,3,5,6-Tetrachlorophenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
2,3,4,6-Tetrachlorophenol	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Diethylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
4-Chlorophenyl-phenylether	ND	0.035	EPA 8270D	6-24-19	6-25-19	
4-Nitroaniline	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Fluorene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
4,6-Dinitro-2-methylphenol	ND	0.18	EPA 8270D	6-24-19	6-25-19	
n-Nitrosodiphenylamine	ND	0.035	EPA 8270D	6-24-19	6-25-19	
1,2-Diphenylhydrazine	ND	0.035	EPA 8270D	6-24-19	6-25-19	
4-Bromophenyl-phenylether	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Hexachlorobenzene	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Pentachlorophenol	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Phenanthrene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Anthracene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Carbazole	ND	0.035	EPA 8270D	6-24-19	6-25-19	
Di-n-butylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Fluoranthene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Benzidine	ND	0.46	EPA 8270D	6-24-19	6-25-19	
Pyrene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Butylbenzylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
bis-2-Ethylhexyladipate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
3,3'-Dichlorobenzidine	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Benzo[a]anthracene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Chrysene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
bis(2-Ethylhexyl)phthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Di-n-octylphthalate	ND	0.18	EPA 8270D	6-24-19	6-25-19	
Benzo[b]fluoranthene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo(j,k)fluoranthene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo[a]pyrene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Indeno[1,2,3-cd]pyrene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Dibenz[a,h]anthracene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo[g,h,i]perylene	ND	0.0071	EPA 8270D/SIM	6-24-19	6-25-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
2-Fluorophenol	81	21 - 107				
Phenol-d6	84	30 - 106				
Nitrobenzene-d5	68	28 - 109				
2-Fluorobiphenyl	72	37 - 107				
2,4,6-Tribromophenol	86	39 - 116				
Terphenyl-d14	79	41 - 113				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

SEMIVOLATILE ORGANICS EPA 8270D/SIM
METHOD BLANK QUALITY CONTROL
 page 1 of 2

Matrix: Soil
 Units: mg/Kg

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID:	MB0624S3					
n-Nitrosodimethylamine	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Pyridine	ND	0.33	EPA 8270D	6-24-19	6-25-19	
Phenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Aniline	ND	0.17	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroethyl)ether	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2-Chlorophenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
1,3-Dichlorobenzene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
1,4-Dichlorobenzene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Benzyl alcohol	ND	0.17	EPA 8270D	6-24-19	6-25-19	
1,2-Dichlorobenzene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2-Methylphenol (o-Cresol)	ND	0.033	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroisopropyl)ether	ND	0.033	EPA 8270D	6-24-19	6-25-19	
(3+4)-Methylphenol (m,p-Cresol)	ND	0.033	EPA 8270D	6-24-19	6-25-19	
n-Nitroso-di-n-propylamine	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Hexachloroethane	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Nitrobenzene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Isophorone	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2-Nitrophenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2,4-Dimethylphenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
bis(2-Chloroethoxy)methane	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2,4-Dichlorophenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
1,2,4-Trichlorobenzene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Naphthalene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
4-Chloroaniline	ND	0.17	EPA 8270D	6-24-19	6-25-19	
Hexachlorobutadiene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
4-Chloro-3-methylphenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2-Methylnaphthalene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
1-Methylnaphthalene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Hexachlorocyclopentadiene	ND	0.052	EPA 8270D	6-24-19	6-25-19	
2,4,6-Trichlorophenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2,3-Dichloroaniline	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2,4,5-Trichlorophenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2-Chloronaphthalene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2-Nitroaniline	ND	0.033	EPA 8270D	6-24-19	6-25-19	
1,4-Dinitrobenzene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Dimethylphthalate	ND	0.033	EPA 8270D	6-24-19	6-25-19	
1,3-Dinitrobenzene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2,6-Dinitrotoluene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
1,2-Dinitrobenzene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Acenaphthylene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
3-Nitroaniline	ND	0.033	EPA 8270D	6-24-19	6-25-19	



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**SEMIVOLATILE ORGANICS EPA 8270D/SIM
 METHOD BLANK QUALITY CONTROL**

page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID:	MB0624S3					
2,4-Dinitrophenol	ND	0.24	EPA 8270D	6-24-19	6-25-19	
Acenaphthene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
4-Nitrophenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2,4-Dinitrotoluene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Dibenzofuran	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2,3,5,6-Tetrachlorophenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
2,3,4,6-Tetrachlorophenol	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Diethylphthalate	ND	0.17	EPA 8270D	6-24-19	6-25-19	
4-Chlorophenyl-phenylether	ND	0.033	EPA 8270D	6-24-19	6-25-19	
4-Nitroaniline	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Fluorene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
4,6-Dinitro-2-methylphenol	ND	0.17	EPA 8270D	6-24-19	6-25-19	
n-Nitrosodiphenylamine	ND	0.033	EPA 8270D	6-24-19	6-25-19	
1,2-Diphenylhydrazine	ND	0.033	EPA 8270D	6-24-19	6-25-19	
4-Bromophenyl-phenylether	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Hexachlorobenzene	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Pentachlorophenol	ND	0.17	EPA 8270D	6-24-19	6-25-19	
Phenanthrene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Anthracene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Carbazole	ND	0.033	EPA 8270D	6-24-19	6-25-19	
Di-n-butylphthalate	ND	0.17	EPA 8270D	6-24-19	6-25-19	
Fluoranthene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Benzidine	ND	0.43	EPA 8270D	6-24-19	6-25-19	
Pyrene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Butylbenzylphthalate	ND	0.17	EPA 8270D	6-24-19	6-25-19	
bis-2-Ethylhexyladipate	ND	0.17	EPA 8270D	6-24-19	6-25-19	
3,3'-Dichlorobenzidine	ND	0.17	EPA 8270D	6-24-19	6-25-19	
Benzo[a]anthracene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Chrysene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
bis(2-Ethylhexyl)phthalate	ND	0.17	EPA 8270D	6-24-19	6-25-19	
Di-n-octylphthalate	ND	0.17	EPA 8270D	6-24-19	6-25-19	
Benzo[b]fluoranthene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo(j,k)fluoranthene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo[a]pyrene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Indeno[1,2,3-cd]pyrene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Dibenz[a,h]anthracene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Benzo[g,h,i]perylene	ND	0.0067	EPA 8270D/SIM	6-24-19	6-25-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorophenol	92	21 - 107				
Phenol-d6	97	30 - 106				
Nitrobenzene-d5	77	28 - 109				
2-Fluorobiphenyl	80	37 - 107				
2,4,6-Tribromophenol	94	39 - 116				
Terphenyl-d14	87	41 - 113				



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody,
 and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**SEMIVOLATILE ORGANICS EPA 8270D/SIM
 MS/MSD QUALITY CONTROL**

Matrix: Soil
 Units: mg/Kg

Analyte	Result		Spike Level		Source Result	Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
MATRIX SPIKES											
Laboratory ID:	06-243-03										
	MS	MSD	MS	MSD		MS	MSD				
Phenol	1.05	1.05	1.33	1.33	ND	79	79	30 - 108	0	34	
2-Chlorophenol	1.10	1.10	1.33	1.33	ND	83	83	30 - 113	0	38	
1,4-Dichlorobenzene	0.531	0.533	0.667	0.667	ND	80	80	24 - 116	0	36	
n-Nitroso-di-n-propylamine	0.558	0.553	0.667	0.667	ND	84	83	34 - 112	1	34	
1,2,4-Trichlorobenzene	0.546	0.546	0.667	0.667	ND	82	82	34 - 115	0	37	
4-Chloro-3-methylphenol	1.15	1.13	1.33	1.33	ND	86	85	41 - 117	2	29	
Acenaphthene	0.539	0.539	0.667	0.667	ND	81	81	41 - 111	0	30	
4-Nitrophenol	1.24	1.22	1.33	1.33	ND	93	92	30 - 127	2	32	
2,4-Dinitrotoluene	0.517	0.512	0.667	0.667	ND	78	77	32 - 114	1	31	
Pentachlorophenol	1.19	1.16	1.33	1.33	ND	89	87	36 - 147	3	34	
Pyrene	0.544	0.543	0.667	0.667	ND	82	81	33 - 127	0	31	
Surrogate:											
2-Fluorophenol						86	89	21 - 107			
Phenol-d6						92	93	30 - 106			
Nitrobenzene-d5						74	73	28 - 109			
2-Fluorobiphenyl						75	75	37 - 107			
2,4,6-Tribromophenol						94	91	39 - 116			
Terphenyl-d14						82	81	41 - 113			



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

PCBs EPA 8082A

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	8					
Laboratory ID:	06-243-01					
Aroclor 1016	ND	0.055	EPA 8082A	6-27-19	6-28-19	
Aroclor 1221	ND	0.055	EPA 8082A	6-27-19	6-28-19	
Aroclor 1232	ND	0.055	EPA 8082A	6-27-19	6-28-19	
Aroclor 1242	ND	0.055	EPA 8082A	6-27-19	6-28-19	
Aroclor 1248	ND	0.055	EPA 8082A	6-27-19	6-28-19	
Aroclor 1254	ND	0.055	EPA 8082A	6-27-19	6-28-19	
Aroclor 1260	ND	0.055	EPA 8082A	6-27-19	6-28-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	49	37-122				
Client ID:	9					
Laboratory ID:	06-243-02					
Aroclor 1016	ND	0.054	EPA 8082A	6-27-19	6-28-19	
Aroclor 1221	ND	0.054	EPA 8082A	6-27-19	6-28-19	
Aroclor 1232	ND	0.054	EPA 8082A	6-27-19	6-28-19	
Aroclor 1242	ND	0.054	EPA 8082A	6-27-19	6-28-19	
Aroclor 1248	ND	0.054	EPA 8082A	6-27-19	6-28-19	
Aroclor 1254	ND	0.054	EPA 8082A	6-27-19	6-28-19	
Aroclor 1260	ND	0.054	EPA 8082A	6-27-19	6-28-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	53	37-122				
Client ID:	10					
Laboratory ID:	06-243-03					
Aroclor 1016	ND	0.053	EPA 8082A	6-27-19	6-28-19	
Aroclor 1221	ND	0.053	EPA 8082A	6-27-19	6-28-19	
Aroclor 1232	ND	0.053	EPA 8082A	6-27-19	6-28-19	
Aroclor 1242	ND	0.053	EPA 8082A	6-27-19	6-28-19	
Aroclor 1248	ND	0.053	EPA 8082A	6-27-19	6-28-19	
Aroclor 1254	ND	0.053	EPA 8082A	6-27-19	6-28-19	
Aroclor 1260	ND	0.053	EPA 8082A	6-27-19	6-28-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	54	37-122				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**PCBs EPA 8082A
 QUALITY CONTROL**

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0627S1					
Aroclor 1016	ND	0.050	EPA 8082A	6-27-19	6-28-19	
Aroclor 1221	ND	0.050	EPA 8082A	6-27-19	6-28-19	
Aroclor 1232	ND	0.050	EPA 8082A	6-27-19	6-28-19	
Aroclor 1242	ND	0.050	EPA 8082A	6-27-19	6-28-19	
Aroclor 1248	ND	0.050	EPA 8082A	6-27-19	6-28-19	
Aroclor 1254	ND	0.050	EPA 8082A	6-27-19	6-28-19	
Aroclor 1260	ND	0.050	EPA 8082A	6-27-19	6-28-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	55	37-122				

Analyte	Result		Spike Level		Source Result	Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
MATRIX SPIKES											
Laboratory ID:	06-243-01										
	MS	MSD	MS	MSD		MS	MSD				
Aroclor 1260	0.457	0.409	0.500	0.500	ND	91	82	38-109	11	15	
Surrogate:											
DCB						55	50	37-122			



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**ORGANOCHLORINE
 PESTICIDES EPA 8081B**

Matrix: Soil
 Units: ug/Kg (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	8					
Laboratory ID:	06-243-01					
alpha-BHC	ND	5.5	EPA 8081B	6-27-19	6-28-19	
gamma-BHC	ND	5.5	EPA 8081B	6-27-19	6-28-19	
beta-BHC	ND	5.5	EPA 8081B	6-27-19	6-28-19	
delta-BHC	ND	5.5	EPA 8081B	6-27-19	6-28-19	
Heptachlor	ND	5.5	EPA 8081B	6-27-19	6-28-19	
Aldrin	ND	5.5	EPA 8081B	6-27-19	6-28-19	
Heptachlor Epoxide	ND	5.5	EPA 8081B	6-27-19	6-28-19	
gamma-Chlordane	ND	11	EPA 8081B	6-27-19	6-28-19	
alpha-Chlordane	ND	11	EPA 8081B	6-27-19	6-28-19	
4,4'-DDE	ND	11	EPA 8081B	6-27-19	6-28-19	
Endosulfan I	ND	5.5	EPA 8081B	6-27-19	6-28-19	
Dieldrin	ND	11	EPA 8081B	6-27-19	6-28-19	
Endrin	ND	11	EPA 8081B	6-27-19	6-28-19	
4,4'-DDD	ND	11	EPA 8081B	6-27-19	6-28-19	
Endosulfan II	ND	11	EPA 8081B	6-27-19	6-28-19	
4,4'-DDT	ND	11	EPA 8081B	6-27-19	6-28-19	
Endrin Aldehyde	ND	11	EPA 8081B	6-27-19	6-28-19	
Methoxychlor	ND	11	EPA 8081B	6-27-19	6-28-19	
Endosulfan Sulfate	ND	11	EPA 8081B	6-27-19	6-28-19	
Endrin Ketone	ND	11	EPA 8081B	6-27-19	6-28-19	
Toxaphene	ND	55	EPA 8081B	6-27-19	6-28-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
TCMX	59	31-97				
DCB	77	26-105				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**ORGANOCHLORINE
 PESTICIDES EPA 8081B**

Matrix: Soil
 Units: ug/Kg (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	9					
Laboratory ID:	06-243-02					
alpha-BHC	ND	5.4	EPA 8081B	6-27-19	6-28-19	
gamma-BHC	ND	5.4	EPA 8081B	6-27-19	6-28-19	
beta-BHC	ND	5.4	EPA 8081B	6-27-19	6-28-19	
delta-BHC	ND	5.4	EPA 8081B	6-27-19	6-28-19	
Heptachlor	ND	5.4	EPA 8081B	6-27-19	6-28-19	
Aldrin	ND	5.4	EPA 8081B	6-27-19	6-28-19	
Heptachlor Epoxide	ND	5.4	EPA 8081B	6-27-19	6-28-19	
gamma-Chlordane	ND	11	EPA 8081B	6-27-19	6-28-19	
alpha-Chlordane	ND	11	EPA 8081B	6-27-19	6-28-19	
4,4'-DDE	ND	11	EPA 8081B	6-27-19	6-28-19	
Endosulfan I	ND	5.4	EPA 8081B	6-27-19	6-28-19	
Dieldrin	ND	11	EPA 8081B	6-27-19	6-28-19	
Endrin	ND	11	EPA 8081B	6-27-19	6-28-19	
4,4'-DDD	ND	11	EPA 8081B	6-27-19	6-28-19	
Endosulfan II	ND	11	EPA 8081B	6-27-19	6-28-19	
4,4'-DDT	ND	11	EPA 8081B	6-27-19	6-28-19	
Endrin Aldehyde	ND	11	EPA 8081B	6-27-19	6-28-19	
Methoxychlor	ND	11	EPA 8081B	6-27-19	6-28-19	
Endosulfan Sulfate	ND	11	EPA 8081B	6-27-19	6-28-19	
Endrin Ketone	ND	11	EPA 8081B	6-27-19	6-28-19	
Toxaphene	ND	54	EPA 8081B	6-27-19	6-28-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
TCMX	52	31-97				
DCB	69	26-105				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**ORGANOCHLORINE
 PESTICIDES EPA 8081B**

Matrix: Soil
 Units: ug/Kg (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	10					
Laboratory ID:	06-243-03					
alpha-BHC	ND	5.3	EPA 8081B	6-27-19	6-28-19	
gamma-BHC	ND	5.3	EPA 8081B	6-27-19	6-28-19	
beta-BHC	ND	5.3	EPA 8081B	6-27-19	6-28-19	
delta-BHC	ND	5.3	EPA 8081B	6-27-19	6-28-19	
Heptachlor	ND	5.3	EPA 8081B	6-27-19	6-28-19	
Aldrin	ND	5.3	EPA 8081B	6-27-19	6-28-19	
Heptachlor Epoxide	ND	5.3	EPA 8081B	6-27-19	6-28-19	
gamma-Chlordane	ND	11	EPA 8081B	6-27-19	6-28-19	
alpha-Chlordane	ND	11	EPA 8081B	6-27-19	6-28-19	
4,4'-DDE	ND	11	EPA 8081B	6-27-19	6-28-19	
Endosulfan I	ND	5.3	EPA 8081B	6-27-19	6-28-19	
Dieldrin	ND	11	EPA 8081B	6-27-19	6-28-19	
Endrin	ND	11	EPA 8081B	6-27-19	6-28-19	
4,4'-DDD	ND	11	EPA 8081B	6-27-19	6-28-19	
Endosulfan II	ND	11	EPA 8081B	6-27-19	6-28-19	
4,4'-DDT	ND	11	EPA 8081B	6-27-19	6-28-19	
Endrin Aldehyde	ND	11	EPA 8081B	6-27-19	6-28-19	
Methoxychlor	ND	11	EPA 8081B	6-27-19	6-28-19	
Endosulfan Sulfate	ND	11	EPA 8081B	6-27-19	6-28-19	
Endrin Ketone	ND	11	EPA 8081B	6-27-19	6-28-19	
Toxaphene	ND	53	EPA 8081B	6-27-19	6-28-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
TCMX	63	31-97				
DCB	81	26-105				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**ORGANOCHLORINE
 PESTICIDES EPA 8081B
 METHOD BLANK QUALITY CONTROL**

Matrix: Soil
 Units: ug/Kg (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0627S2					
alpha-BHC	ND	5.0	EPA 8081B	6-27-19	6-28-19	
gamma-BHC	ND	5.0	EPA 8081B	6-27-19	6-28-19	
beta-BHC	ND	5.0	EPA 8081B	6-27-19	6-28-19	
delta-BHC	ND	5.0	EPA 8081B	6-27-19	6-28-19	
Heptachlor	ND	5.0	EPA 8081B	6-27-19	6-28-19	
Aldrin	ND	5.0	EPA 8081B	6-27-19	6-28-19	
Heptachlor Epoxide	ND	5.0	EPA 8081B	6-27-19	6-28-19	
gamma-Chlordane	ND	10	EPA 8081B	6-27-19	6-28-19	
alpha-Chlordane	ND	10	EPA 8081B	6-27-19	6-28-19	
4,4'-DDE	ND	10	EPA 8081B	6-27-19	6-28-19	
Endosulfan I	ND	5.0	EPA 8081B	6-27-19	6-28-19	
Dieldrin	ND	10	EPA 8081B	6-27-19	6-28-19	
Endrin	ND	10	EPA 8081B	6-27-19	6-28-19	
4,4'-DDD	ND	10	EPA 8081B	6-27-19	6-28-19	
Endosulfan II	ND	10	EPA 8081B	6-27-19	6-28-19	
4,4'-DDT	ND	10	EPA 8081B	6-27-19	6-28-19	
Endrin Aldehyde	ND	10	EPA 8081B	6-27-19	6-28-19	
Methoxychlor	ND	10	EPA 8081B	6-27-19	6-28-19	
Endosulfan Sulfate	ND	10	EPA 8081B	6-27-19	6-28-19	
Endrin Ketone	ND	10	EPA 8081B	6-27-19	6-28-19	
Toxaphene	ND	50	EPA 8081B	6-27-19	6-28-19	
Surrogate:	Percent Recovery	Control Limits				
TCMX	54	31-97				
DCB	68	26-105				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**ORGANOCHLORINE
 PESTICIDES EPA 8081B
 MS/MSD QUALITY CONTROL**

Matrix: Soil
 Units: ug/Kg (ppb)

Analyte	Result		Spike Level		Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
MATRIX SPIKES										
Laboratory ID:	06-243-01									
	MS	MSD	MS	MSD		MS	MSD			
alpha-BHC	74.0	72.3	100	100	ND	74	72	34-87	2	17
gamma-BHC	70.7	69.9	100	100	ND	71	70	34-88	1	16
beta-BHC	74.4	73.2	100	100	ND	74	73	33-95	2	16
delta-BHC	71.8	68.0	100	100	ND	72	68	31-89	5	17
Heptachlor	66.9	67.4	100	100	ND	67	67	32-102	1	17
Aldrin	75.2	74.4	100	100	ND	75	74	29-93	1	18
Heptachlor Epoxide	72.8	73.4	100	100	ND	73	73	35-97	1	19
gamma-Chlordane	75.6	74.5	100	100	ND	76	74	28-97	1	17
alpha-Chlordane	73.9	72.9	100	100	ND	74	73	26-99	1	17
4,4'-DDE	89.4	86.0	100	100	ND	89	86	29-98	4	17
Endosulfan I	76.3	75.8	100	100	ND	76	76	30-101	1	19
Dieldrin	78.0	76.2	100	100	ND	78	76	32-97	2	18
Endrin	74.0	71.6	100	100	ND	74	72	29-104	3	18
4,4'-DDD	76.1	74.3	100	100	ND	76	74	37-96	2	17
Endosulfan II	72.8	71.1	100	100	ND	73	71	32-97	2	18
4,4'-DDT	75.6	75.1	100	100	ND	76	75	20-103	1	20
Endrin Aldehyde	68.3	65.7	100	100	ND	68	66	28-101	4	17
Methoxychlor	76.1	75.2	100	100	ND	76	75	25-104	1	24
Endosulfan Sulfate	70.7	68.3	100	100	ND	71	68	30-98	3	23
Endrin Ketone	72.2	71.3	100	100	ND	72	71	32-99	1	18
Surrogate:										
TCMX						49	52	31-97		
DCB						69	74	26-105		



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**CHLORINATED ACID
 HERBICIDES EPA 8151A**

Matrix: Soil
 Units: ug/Kg (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID: 8						
Laboratory ID: 06-243-01						
Dalapon	ND	100	EPA 8151A	7-2-19	7-2-19	
Dicamba	ND	10	EPA 8151A	7-2-19	7-2-19	
MCP	ND	1000	EPA 8151A	7-2-19	7-2-19	
MCPA	ND	2600	EPA 8151A	7-2-19	7-2-19	
Dichlorprop	ND	78	EPA 8151A	7-2-19	7-2-19	
2,4-D	ND	10	EPA 8151A	7-2-19	7-2-19	
Pentachlorophenol	ND	5.2	EPA 8151A	7-2-19	7-2-19	
2,4,5-TP (Silvex)	ND	10	EPA 8151A	7-2-19	7-2-19	
2,4,5-T	ND	10	EPA 8151A	7-2-19	7-2-19	
2,4-DB	ND	10	EPA 8151A	7-2-19	7-2-19	
Dinoseb	ND	10	EPA 8151A	7-2-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
DCAA	81	10-114				
Client ID: 9						
Laboratory ID: 06-243-02						
Dalapon	ND	100	EPA 8151A	7-2-19	7-2-19	
Dicamba	ND	10	EPA 8151A	7-2-19	7-2-19	
MCP	ND	1000	EPA 8151A	7-2-19	7-2-19	
MCPA	ND	2500	EPA 8151A	7-2-19	7-2-19	
Dichlorprop	ND	77	EPA 8151A	7-2-19	7-2-19	
2,4-D	ND	10	EPA 8151A	7-2-19	7-2-19	
Pentachlorophenol	ND	5.2	EPA 8151A	7-2-19	7-2-19	
2,4,5-TP (Silvex)	ND	10	EPA 8151A	7-2-19	7-2-19	
2,4,5-T	ND	10	EPA 8151A	7-2-19	7-2-19	
2,4-DB	ND	10	EPA 8151A	7-2-19	7-2-19	
Dinoseb	ND	10	EPA 8151A	7-2-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
DCAA	77	10-114				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**CHLORINATED ACID
 HERBICIDES EPA 8151A**

Matrix: Soil
 Units: ug/Kg (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	10					
Laboratory ID:	06-243-03					
Dalapon	ND	97	EPA 8151A	7-2-19	7-2-19	
Dicamba	ND	9.9	EPA 8151A	7-2-19	7-2-19	
MCP	ND	990	EPA 8151A	7-2-19	7-2-19	
MCPA	ND	2500	EPA 8151A	7-2-19	7-2-19	
Dichlorprop	ND	75	EPA 8151A	7-2-19	7-2-19	
2,4-D	ND	9.9	EPA 8151A	7-2-19	7-2-19	
Pentachlorophenol	ND	5.0	EPA 8151A	7-2-19	7-2-19	
2,4,5-TP (Silvex)	ND	10	EPA 8151A	7-2-19	7-2-19	
2,4,5-T	ND	10	EPA 8151A	7-2-19	7-2-19	
2,4-DB	ND	10	EPA 8151A	7-2-19	7-2-19	
Dinoseb	ND	10	EPA 8151A	7-2-19	7-2-19	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
DCAA	74	10-114				



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**CHLORINATED ACID
 HERBICIDES EPA 8151A
 QUALITY CONTROL**

Matrix: Soil
 Units: ug/Kg (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0702S1					
Dalapon	ND	92	EPA 8151A	7-2-19	7-2-19	
Dicamba	ND	9.4	EPA 8151A	7-2-19	7-2-19	
MCP	ND	940	EPA 8151A	7-2-19	7-2-19	
MCPA	ND	2300	EPA 8151A	7-2-19	7-2-19	
Dichlorprop	ND	71	EPA 8151A	7-2-19	7-2-19	
2,4-D	ND	9.4	EPA 8151A	7-2-19	7-2-19	
Pentachlorophenol	ND	4.8	EPA 8151A	7-2-19	7-2-19	
2,4,5-TP (Silvex)	ND	9.5	EPA 8151A	7-2-19	7-2-19	
2,4,5-T	ND	9.5	EPA 8151A	7-2-19	7-2-19	
2,4-DB	ND	9.5	EPA 8151A	7-2-19	7-2-19	
Dinoseb	ND	9.5	EPA 8151A	7-2-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
DCAA	65	10-114				

Analyte	Result		Spike Level		Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
MATRIX SPIKES										
Laboratory ID:	06-243-01									
	MS	MSD	MS	MSD		MS	MSD			
Dalapon	267	248	1250	1250	ND	21	20	10-140	7	35
Dicamba	208	191	250	250	ND	83	77	10-136	9	33
MCPP	28400	24900	25000	25000	ND	113	100	40-140	13	35
MCPA	23700	20100	25000	25000	ND	95	80	40-140	16	35
Dichlorprop	202	176	250	250	ND	81	71	40-140	14	35
2,4-D	181	158	250	250	ND	72	63	10-103	14	31
Pentachlorophenol	15.8	14.2	25.0	25.0	ND	63	57	10-124	11	29
2,4,5-TP (Silvex)	254	230	250	250	ND	102	92	40-140	10	35
2,4,5-T	237	207	250	250	ND	95	83	10-118	14	29
2,4-DB	204	175	250	250	ND	82	70	10-143	15	28
Dinoseb	89.6	111	250	250	ND	36	44	40-140	21	35
Surrogate:										
DCAA						89	82	10-114		



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**TOTAL METALS
 EPA 6010D/7471B**

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	8					
Laboratory ID:	06-243-01					
Arsenic	ND	11	EPA 6010D	6-25-19	6-25-19	
Cadmium	ND	0.55	EPA 6010D	6-25-19	6-25-19	
Chromium	30	0.55	EPA 6010D	6-25-19	6-25-19	
Lead	ND	5.5	EPA 6010D	6-25-19	6-25-19	
Mercury	ND	0.27	EPA 7471B	6-26-19	6-26-19	

Client ID:	9					
Laboratory ID:	06-243-02					
Arsenic	ND	11	EPA 6010D	6-25-19	6-25-19	
Cadmium	ND	0.54	EPA 6010D	6-25-19	6-25-19	
Chromium	34	0.54	EPA 6010D	6-25-19	6-25-19	
Lead	ND	5.4	EPA 6010D	6-25-19	6-25-19	
Mercury	ND	0.27	EPA 7471B	6-26-19	6-26-19	

Client ID:	10					
Laboratory ID:	06-243-03					
Arsenic	ND	11	EPA 6010D	6-25-19	6-25-19	
Cadmium	ND	0.53	EPA 6010D	6-25-19	6-25-19	
Chromium	29	0.53	EPA 6010D	6-25-19	6-25-19	
Lead	ND	5.3	EPA 6010D	6-25-19	6-25-19	
Mercury	ND	0.26	EPA 7471B	6-26-19	6-26-19	



Date of Report: July 3, 2019
 Samples Submitted: June 21, 2019
 Laboratory Reference: 1906-243
 Project: 9231000005.5000

**TOTAL METALS
 EPA 6010D/7471B
 QUALITY CONTROL**

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0625SM1					
Arsenic	ND	10	EPA 6010D	6-25-19	6-25-19	
Cadmium	ND	0.50	EPA 6010D	6-25-19	6-25-19	
Chromium	ND	0.50	EPA 6010D	6-25-19	6-25-19	
Lead	ND	5.0	EPA 6010D	6-25-19	6-25-19	

Laboratory ID:	MB0626S1					
Mercury	ND	0.25	EPA 7471B	6-26-19	6-26-19	

Analyte	Result		Spike Level		Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE										
Laboratory ID:	06-268-01									
	ORIG	DUP								
Arsenic	ND	ND	NA	NA		NA	NA	NA	20	
Cadmium	ND	ND	NA	NA		NA	NA	NA	20	
Chromium	34.1	34.0	NA	NA		NA	NA	0	20	
Lead	ND	ND	NA	NA		NA	NA	NA	20	

Laboratory ID:	06-268-01									
Mercury	ND	ND	NA	NA		NA	NA	NA	20	

MATRIX SPIKES

Laboratory ID:	06-268-01									
	MS	MSD	MS	MSD		MS	MSD			
Arsenic	91.1	88.9	100	100	ND	91	89	75-125	2	20
Cadmium	44.2	44.9	50.0	50.0	ND	88	90	75-125	2	20
Chromium	123	129	100	100	34.1	89	95	75-125	5	20
Lead	227	230	250	250	ND	91	92	75-125	1	20

Laboratory ID:	06-268-01									
Mercury	0.525	0.515	0.500	0.500	0.0230	100	98	80-120	2	20



Date of Report: July 3, 2019
Samples Submitted: June 21, 2019
Laboratory Reference: 1906-243
Project: 9231000005.5000

% MOISTURE

Client ID	Lab ID	% Moisture	Date Analyzed
8	06-243-01	9	6-21-19
9	06-243-02	8	6-21-19
10	06-243-03	5	6-21-19





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B - The analyte indicated was also found in the blank sample.
- C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E - The value reported exceeds the quantitation range and is an estimate.
- F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I - Compound recovery is outside of the control limits.
- J - The value reported was below the practical quantitation limit. The value is an estimate.
- K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L - The RPD is outside of the control limits.
- M - Hydrocarbons in the gasoline range are impacting the diesel range result.
- M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
- N - Hydrocarbons in the lube oil range are impacting the diesel range result.
- N1 - Hydrocarbons in diesel range are impacting lube oil range results.
- O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
- P - The RPD of the detected concentrations between the two columns is greater than 40.
- Q - Surrogate recovery is outside of the control limits.
- S - Surrogate recovery data is not available due to the necessary dilution of the sample.
- T - The sample chromatogram is not similar to a typical _____.
- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- U1 - The practical quantitation limit is elevated due to interferences present in the sample.
- V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X - Sample extract treated with a mercury cleanup procedure.
- X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
- Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
- Z -
- ND - Not Detected at PQL
- PQL - Practical Quantitation Limit
- RPD - Relative Percent Difference





Analytical Laboratory Testing Services
14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Page 1 of 1

[illegible]



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

July 8, 2019

Gary Zimmerman
Golder Associates Inc.
18300 NE Union Hill Road
Suite 200
Redmond, WA 98052-3333

Re: Analytical Data for Project 923-1000-005.5000
Laboratory Reference No. 1906-331

Dear Gary:

Enclosed are the analytical results and associated quality control data for samples submitted on June 28, 2019.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: July 8, 2019
Samples Submitted: June 28, 2019
Laboratory Reference: 1906-331
Project: 923-1000-005.5000

Case Narrative

Samples were collected on June 28, 2019 and received by the laboratory on June 28, 2019. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: July 8, 2019
 Samples Submitted: June 28, 2019
 Laboratory Reference: 1906-331
 Project: 923-1000-005.5000

GASOLINE RANGE ORGANICS
NWTPH-Gx

Matrix: Soil
 Units: mg/kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	11D					
Laboratory ID:	06-331-01					
Gasoline	ND	5.2	NWTPH-Gx	7-2-19	7-3-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	90	58-129				
Client ID:	12D					
Laboratory ID:	06-331-02					
Gasoline	ND	5.4	NWTPH-Gx	7-2-19	7-3-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	89	58-129				
Client ID:	13D					
Laboratory ID:	06-331-03					
Gasoline	ND	5.4	NWTPH-Gx	7-2-19	7-3-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	89	58-129				
Client ID:	14D					
Laboratory ID:	06-331-04					
Gasoline	ND	5.6	NWTPH-Gx	7-2-19	7-3-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	88	58-129				
Client ID:	15D					
Laboratory ID:	06-331-05					
Gasoline	ND	7.3	NWTPH-Gx	7-2-19	7-3-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	89	58-129				
Client ID:	15DD					
Laboratory ID:	06-331-06					
Gasoline	ND	5.5	NWTPH-Gx	7-2-19	7-3-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	85	58-129				



Date of Report: July 8, 2019
 Samples Submitted: June 28, 2019
 Laboratory Reference: 1906-331
 Project: 923-1000-005.5000

**GASOLINE RANGE ORGANICS
 NWTPH-Gx
 QUALITY CONTROL**

Matrix: Soil
 Units: mg/kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0702S3					
Gasoline	ND	5.0	NWTPH-Gx	7-2-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	86	58-129				

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	06-309-01							
	ORIG	DUP						
Gasoline	ND	ND	NA	NA	NA	NA	30	
Surrogate:								
Fluorobenzene				104	99	58-129		



Date of Report: July 8, 2019
 Samples Submitted: June 28, 2019
 Laboratory Reference: 1906-331
 Project: 923-1000-005.5000

**DIESEL AND HEAVY OIL RANGE ORGANICS
 NWTPH-Dx**

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	11D					
Laboratory ID:	06-331-01					
Diesel Range Organics	ND	27	NWTPH-Dx	7-1-19	7-2-19	
Lube Oil Range Organics	ND	54	NWTPH-Dx	7-1-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	83	50-150				

Client ID:	12D					
Laboratory ID:	06-331-02					
Diesel Range Organics	ND	27	NWTPH-Dx	7-1-19	7-2-19	
Lube Oil Range Organics	ND	53	NWTPH-Dx	7-1-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	85	50-150				

Client ID:	13D					
Laboratory ID:	06-331-03					
Diesel Range Organics	ND	27	NWTPH-Dx	7-1-19	7-2-19	
Lube Oil Range Organics	ND	54	NWTPH-Dx	7-1-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	80	50-150				

Client ID:	14D					
Laboratory ID:	06-331-04					
Diesel Range Organics	ND	28	NWTPH-Dx	7-1-19	7-2-19	
Lube Oil Range Organics	ND	57	NWTPH-Dx	7-1-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	83	50-150				

Client ID:	15D					
Laboratory ID:	06-331-05					
Diesel Range Organics	ND	29	NWTPH-Dx	7-1-19	7-2-19	
Lube Oil Range Organics	ND	58	NWTPH-Dx	7-1-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	91	50-150				

Client ID:	15DD					
Laboratory ID:	06-331-06					
Diesel Range Organics	ND	28	NWTPH-Dx	7-1-19	7-2-19	
Lube Oil Range Organics	ND	56	NWTPH-Dx	7-1-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	107	50-150				



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: July 8, 2019
 Samples Submitted: June 28, 2019
 Laboratory Reference: 1906-331
 Project: 923-1000-005.5000

**DIESEL AND HEAVY OIL RANGE ORGANICS
 NWTPH-Dx
 QUALITY CONTROL**

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0701S2					
Diesel Range Organics	ND	25	NWTPH-Dx	7-1-19	7-2-19	
Lube Oil Range Organics	ND	50	NWTPH-Dx	7-1-19	7-2-19	
Surrogate:	Percent Recovery	Control Limits				
<i>o</i> -Terphenyl	94	50-150				

Analyte	Result		Spike Level		Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE										
Laboratory ID:	06-263-18									
	ORIG	DUP								
Diesel Range	ND	ND	NA	NA		NA	NA	NA	NA	
Lube Oil Range	ND	ND	NA	NA		NA	NA	NA	NA	
Surrogate:										
o-Terphenyl						70	79	50-150		



Date of Report: July 8, 2019
 Samples Submitted: June 28, 2019
 Laboratory Reference: 1906-331
 Project: 923-1000-005.5000

**TOTAL METALS
 EPA 6010D/7471B**

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID: 11D						
Laboratory ID: 06-331-01						
Arsenic	ND	11	EPA 6010D	7-1-19	7-1-19	
Cadmium	ND	0.54	EPA 6010D	7-1-19	7-1-19	
Chromium	28	0.54	EPA 6010D	7-1-19	7-1-19	
Lead	ND	5.4	EPA 6010D	7-1-19	7-1-19	
Mercury	ND	0.27	EPA 7471B	7-3-19	7-3-19	

Client ID: 12D						
Laboratory ID: 06-331-02						
Arsenic	ND	11	EPA 6010D	7-1-19	7-1-19	
Cadmium	ND	0.53	EPA 6010D	7-1-19	7-1-19	
Chromium	28	0.53	EPA 6010D	7-1-19	7-1-19	
Lead	ND	5.3	EPA 6010D	7-1-19	7-1-19	
Mercury	ND	0.27	EPA 7471B	7-3-19	7-3-19	

Client ID: 13D						
Laboratory ID: 06-331-03						
Arsenic	ND	11	EPA 6010D	7-1-19	7-1-19	
Cadmium	ND	0.54	EPA 6010D	7-1-19	7-1-19	
Chromium	29	0.54	EPA 6010D	7-1-19	7-1-19	
Lead	ND	5.4	EPA 6010D	7-1-19	7-1-19	
Mercury	ND	0.27	EPA 7471B	7-3-19	7-3-19	

Client ID: 14D						
Laboratory ID: 06-331-04						
Arsenic	ND	11	EPA 6010D	7-1-19	7-1-19	
Cadmium	ND	0.57	EPA 6010D	7-1-19	7-1-19	
Chromium	31	0.57	EPA 6010D	7-1-19	7-1-19	
Lead	ND	5.7	EPA 6010D	7-1-19	7-1-19	
Mercury	ND	0.28	EPA 7471B	7-3-19	7-3-19	



Date of Report: July 8, 2019
 Samples Submitted: June 28, 2019
 Laboratory Reference: 1906-331
 Project: 923-1000-005.5000

**TOTAL METALS
 EPA 6010D/7471B**

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	15D					
Laboratory ID:	06-331-05					
Arsenic	ND	12	EPA 6010D	7-1-19	7-1-19	
Cadmium	ND	0.58	EPA 6010D	7-1-19	7-1-19	
Chromium	30	0.58	EPA 6010D	7-1-19	7-1-19	
Lead	ND	5.8	EPA 6010D	7-1-19	7-1-19	
Mercury	ND	0.29	EPA 7471B	7-3-19	7-3-19	

Client ID:	15DD					
Laboratory ID:	06-331-06					
Arsenic	ND	11	EPA 6010D	7-1-19	7-1-19	
Cadmium	ND	0.56	EPA 6010D	7-1-19	7-1-19	
Chromium	29	0.56	EPA 6010D	7-1-19	7-1-19	
Lead	ND	5.6	EPA 6010D	7-1-19	7-1-19	
Mercury	ND	0.28	EPA 7471B	7-3-19	7-3-19	



Date of Report: July 8, 2019
 Samples Submitted: June 28, 2019
 Laboratory Reference: 1906-331
 Project: 923-1000-005.5000

**TOTAL METALS
 EPA 6010D/7471B
 QUALITY CONTROL**

Matrix: Soil
 Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0701SM3					
Arsenic	ND	10	EPA 6010D	7-1-19	7-1-19	
Cadmium	ND	0.50	EPA 6010D	7-1-19	7-1-19	
Chromium	ND	0.50	EPA 6010D	7-1-19	7-1-19	
Lead	ND	5.0	EPA 6010D	7-1-19	7-1-19	

Laboratory ID:	MB0703S1					
Mercury	ND	0.25	EPA 7471B	7-3-19	7-3-19	

Analyte	Result		Spike Level		Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE										
Laboratory ID:	06-309-06									
	ORIG	DUP								
Arsenic	ND	ND	NA	NA		NA	NA	NA	20	
Cadmium	ND	ND	NA	NA		NA	NA	NA	20	
Chromium	53.3	52.6	NA	NA		NA	NA	1	20	
Lead	7.30	6.65	NA	NA		NA	NA	9	20	

Laboratory ID:	06-309-06									
Mercury	ND	ND	NA	NA		NA	NA	NA	20	

MATRIX SPIKES

Laboratory ID:	06-309-06									
	MS	MSD	MS	MSD		MS	MSD			
Arsenic	94.7	94.5	100	100	ND	95	95	75-125	0	20
Cadmium	48.5	49.0	50.0	50.0	ND	97	98	75-125	1	20
Chromium	145	148	100	100	53.3	92	94	75-125	2	20
Lead	227	230	250	250	7.30	88	89	75-125	1	20

Laboratory ID:	06-309-06									
Mercury	0.462	0.563	0.500	0.500	0.0414	84	104	80-120	20	20



Date of Report: July 8, 2019
Samples Submitted: June 28, 2019
Laboratory Reference: 1906-331
Project: 923-1000-005.5000

% MOISTURE

Client ID	Lab ID	% Moisture	Date Analyzed
11D	06-331-01	8	7-1-19
12D	06-331-02	6	7-1-19
13D	06-331-03	7	7-1-19
14D	06-331-04	12	7-1-19
15D	06-331-05	14	7-1-19
15DD	06-331-06	11	7-1-19





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B - The analyte indicated was also found in the blank sample.
- C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E - The value reported exceeds the quantitation range and is an estimate.
- F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I - Compound recovery is outside of the control limits.
- J - The value reported was below the practical quantitation limit. The value is an estimate.
- K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L - The RPD is outside of the control limits.
- M - Hydrocarbons in the gasoline range are impacting the diesel range result.
- M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
- N - Hydrocarbons in the lube oil range are impacting the diesel range result.
- N1 - Hydrocarbons in diesel range are impacting lube oil range results.
- O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
- P - The RPD of the detected concentrations between the two columns is greater than 40.
- Q - Surrogate recovery is outside of the control limits.
- S - Surrogate recovery data is not available due to the necessary dilution of the sample.
- T - The sample chromatogram is not similar to a typical _____.
- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- U1 - The practical quantitation limit is elevated due to interferences present in the sample.
- V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X - Sample extract treated with a mercury cleanup procedure.
- X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
- Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
- Z -
- ND - Not Detected at PQL
- PQL - Practical Quantitation Limit
- RPD - Relative Percent Difference





Analytical Laboratory Testing Services
14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.on-site-env.com

Page 1 of 1

Analytical Laboratory Testing Services 14648 NE 95th Street • Redmond, WA 98052 Phone: (425) 883-3881 • www.on-site-env.com						
Company:			Turnaround Request (In working days)		Laboratory Number: 06-3331	
			(Check One)			
Project Number: 923-1000-005.5000			☐ Same Day ☐ 1 Day			
Project Name: Landsburg			☐ 2 Days ☐ 3 Days			
Project Manager: Gary Zimmerman			☒ Standard (7 Days)			
Sampled by: G. Zimmerman			☐ _____ (other)			
Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Number of Containers	
1	11D	6-28-19	1330	S	NWTPH-HCID	X
2	12D		1333	Z	NWTPH-Gx/BTEX	X
3	13D		1336	Z	NWTPH-Gx	X
4	14D		1339	Z	NWTPH-Dx (☐ Acid / SG Clean-up)	X
5	15D		1342	Z	Volatiles 8260C	X
6	15DD		1345	Z	Halogenated Volatiles 8260C	X
					EDB EPA 8011 (Waters Only)	
					Semivolatiles 8270D/SIM (with low-level PAHs)	
					PAHs 8270D/SIM (low-level)	
					PCBs 8082A	
					Organochlorine Pesticides 8081B	
					Organophosphorus Pesticides 8270D/SIM	
					Chlorinated Acid Herbicides 8151A	
					Total PCB Metals	X
					MTCAs	X
					Total MTCA Metals	X
					TCLP Metals	X
					HEM (oil and grease) 1664A	X
					% Moisture	X
Signature	Company	Date	Time	Comments/Special Instructions		
[Signature]	Golders	6-28-19	1500	Analyze under current MSA w/Golders		
		6-28-19	1540	*David B has list of metals required		
Received				Data Package: Standard ☐	Level III ☐	Level IV ☐
Relinquished				Chromatograms with final report ☐ Electronic Data Deliverables (EDDs) ☐		
Reviewed/Date						