


**APPENDIX E**  
**PCB CONCENTRATION AND GROUNDWATER TREND ANALYSIS**

## PCB Concentrations Versus Groundwater Elevation HL-MW-4




**HARTCROWSER**

2644-114


05/09

Figure E-1

### PCB Concentrations Versus Time HL-MW-4



# PCB Concentrations Versus Groundwater Elevation HL-MW-5




**HART CROWSER**

2644-114


05/09

Figure E-3

# PCB Concentrations Versus Time HL-MW-5



## PCB Concentrations Versus Groundwater Elevation HL-MW-6A




**HART CROWSER**

2644-114


05/09

Figure E-5

# PCB Concentrations Versus Time HL-MW-6A



# PCB Concentrations Versus Groundwater Elevation HL-MW-7S



**HARTCROWSER**


2644-114

Figure E-7


05/09



# PCB Concentrations Versus Time HL-MW-7S



# PCB Concentrations Versus Groundwater Elevation HL-MW-8D




**HARTCROWSER**

2644-114


05/09

Figure E-9

# PCB Concentrations Versus Time HL-MW-8D



## PCB Concentrations Versus Groundwater Elevation HL-MW-9D




**HARTCROWSER**

2644-114

05/09

Figure E-11

# PCB Concentrations Versus Time HL-MW-9D




**HARTCROWSER**

2644-114

05/09

Figure E-12

# PCB Concentrations Versus Groundwater Elevation HL-MW-13DD




**HART CROWSER**

2644-114


05/09

Figure E-13

### PCB Concentrations Versus Time HL-MW-13DD



### PCB Concentrations Versus Groundwater Elevation HL-MW-14S



**HART CROWSER**


2644-114

Figure E-15


05/09



### PCB Concentrations Versus Time HL-MW-14S



# PCB Concentrations Versus Groundwater Elevation HL-MW-17S




**HARTCROWSER**

2644-114


05/09

Figure E-17


### PCB Concentrations Versus Time HL-MW-17S




# PCB Concentrations Versus Groundwater Elevation HL-MW-18S



# PCB Concentrations Versus Time HL-MW-18S



# PCB Concentrations Versus Groundwater Elevation HL-MW-23S




**HARTCROWSER**

2644-114

05/09

Figure E-21

# PCB Concentrations Versus Time HL-MW-23S




**HARTCROWSER**

2644-114

05/09

Figure E-22

# PCB Concentrations Versus Groundwater Elevation HL-MW-25S



**HART CROWSER**


2644-114

05/09


Figure E-23



# PCB Concentrations Versus Time HL-MW-25S



# PCB Concentrations Versus Groundwater Elevation HL-MW-26S




**HART CROWSER**

2644-114


05/09

Figure E-25

### PCB Concentrations Versus Time HL-MW-26S



# PCB Concentrations Versus Groundwater Elevation HL-MW-28DD




**HART CROWSER**

2644-114


05/09

Figure E-27

### PCB Concentrations Versus Time HL-MW-28DD



# PCB Concentrations Versus Groundwater Elevation HL-MW-29S




**HART CROWSER**

2644-114

05/09

Figure E-29

# PCB Concentrations Versus Time HL-MW-29S




**HARTCROWSER**

2644-114

05/09

Figure E-30

# PCB Concentrations Versus Groundwater Elevation HL-MW-30S



**HART CROWSER**


2644-114

05/09

Figure E-31



# PCB Concentrations Versus Time HL-MW-30S




**HARTCROWSER**

2644-114

05/09

Figure E-32

## PCB Concentrations Versus Groundwater Elevation MW-12/12A




**HART CROWSER**

2644-114


05/09

Figure E-33

# PCB Concentrations Versus Time MW-12/12A



## PCB Concentrations Versus Groundwater Elevation MW-17S




**HART CROWSER**

2644-114


05/09

Figure E-35


# PCB Concentrations Versus Time MW-17S




## PCB Concentrations Versus Groundwater Elevation MW-23S



# PCB Concentrations Versus Time MW-23S



## PCB Concentrations Versus Groundwater Elevation MW-24D



**HARTCROWSER**


2644-114

05/09

Figure E-39



# PCB Concentrations Versus Time MW-24D




**HARTCROWSER**

2644-114

05/09

Figure E-40

# PCB Concentrations Versus Groundwater Elevation RM-MW-1S




**HART CROWSER**

2644-114

Figure E-41

05/09

### PCB Concentrations Versus Time RM-MW-1S




**HARTCROWSER**

2644-114

05/09

Figure E-42

# PCB Concentrations Versus Groundwater Elevation RM-MW-3S




**HART CROWSER**

2644-114


Figure E-43

05/09

### PCB Concentrations Versus Time RM-MW-3S



# PCB Concentrations Versus Groundwater Elevation RM-MW-8S




**HART CROWSER**

2644-114

05/09

Figure E-45

### PCB Concentrations Versus Time RM-MW-8S




**HARTCROWSER**

2644-114

05/09

Figure E-46

## PCB Concentrations Versus Groundwater Elevation RM-MW-9S



**HARTCROWSER**


2644-114

05/09

Figure E-47



**PCB Concentrations Versus Time  
RM-MW-9S**




**HARTCROWSER**

2644-114

05/09

Figure E-48

# PCB Concentrations Versus Groundwater Elevation RM-MW-10S




**HART CROWSER**

2644-114


Figure E-49

05/09

### PCB Concentrations Versus Time RM-MW-10S



# PCB Concentrations Versus Groundwater Elevation RM-MW-13S




**HART CROWSER**

2644-114


05/09

Figure E-51

### PCB Concentrations Versus Time RM-MW-13S



# PCB Concentrations Versus Groundwater Elevation RM-MW-14S




**HART CROWSER**

2644-114

05/09

Figure E-53

# PCB Concentrations Versus Time RM-MW-14S




**HARTCROWSER**

2644-114

05/09

Figure E-54

# PCB Concentrations Versus Groundwater Elevation RM-MW-15S



**HART CROWSER**


2644-114

05/09


Figure E-55



### PCB Concentrations Versus Time RM-MW-15S



# PCB Concentrations Versus Groundwater Elevation RM-MW-16S




**HART CROWSER**

2644-114


05/09

Figure E-57

### PCB Concentrations Versus Time RM-MW-16S



# PCB Concentrations Versus Groundwater Elevation RM-MW-17S



**HART CROWSER**

2644-114

05/09

Figure E-59

### PCB Concentrations Versus Time RM-MW-17S

