



***Final Site-Wide Groundwater  
Remedial Investigation  
Kaiser Trentwood Facility  
Spokane Valley, Washington***




***Volume II  
Appendix F***

***Prepared for  
Kaiser Aluminum Washington, LLC***



***May 2012  
2644-114***



## **CONTENTS**

Page

### **VOLUME I (Under Separate Cover)**

<b>1.0 INTRODUCTION</b>	1-1
<b>2.0 BACKGROUND</b>	2-1
<b>3.0 GROUNDWATER INVESTIGATION METHODS</b>	3-1
<b>4.0 HYDROGEOLOGY AND SURFACE WATER HYDROLOGY</b>	4-1
<b>5.0 GROUNDWATER CONTAMINATION</b>	5-1
<b>6.0 CONTAMINANT FATE AND TRANSPORT</b>	6-1
<b>7.0 FACILITY GROUNDWATER CONCEPTUAL SITE MODEL</b>	7-1
<b>8.0 REFERENCES</b>	8-1

### **APPENDIX A WELL CONSTRUCTION DATA, WELL LOGS, WELL REPORTS, AND CORE PHOTOGRAPHS**

### **APPENDIX B FLUID LEVEL DATABASE**

### **APPENDIX C PCB CONGENER AND COLLOID TRANSPORT MODEL**

### **APPENDIX D COLLOIDAL SUSPENSION STUDY REPORT MATERIALS AND CHEMISTRY LABORATORY, INC. (MCLinc)**

### **APPENDIX E PCB CONCENTRATION AND GROUNDWATER TREND ANALYSIS**

## CONTENTS (Continued)

Page

### VOLUME II

#### APPENDIX F

#### CHEMICAL DATABASE

F-1

#### F.1 SUMMARY OF DATA VALIDATION EFFORT

F-1

#### F.2 QUALITY ASSURANCE OBJECTIVES

F-2

##### *F.2.1 Precision*

F-2

##### *F.2.2 Accuracy*

F-3

##### *F.2.3 Completeness*

F-3

##### *F.2.4 Comparability*

F-3

#### F.3 MAJOR PROBLEMS ENCOUNTERED

F-4

##### *F.3.1 Rejected Values*

F-4

#### F.4 MINOR PROBLEMS ENCOUNTERED

F-4

##### *F.4.1 Detection Limit Goal Exceedances*

F-4

##### *F.4.2 TPH*

F-5

##### *F.4.3 PCB Analyses*

F-5

##### *F.4.4 Semivolatiles Organic Compounds (SVOCs) and Polycyclic Aromatic Hydrocarbons (PAHs)*

F-6

##### *F.4.5 Volatile Organic Compounds (VOCs)*

F-8

##### *F.4.6 Conventional*

F-9

##### *F.4.7 Metals Analyses*

F-9

##### *F.4.8 Rinseate Blanks*

F-10

##### *F.4.9 Trip Blanks*

F-11

#### F.5 FIELD WATER QUALITY DATA

F-11

#### F.6 REFERENCES FOR APPENDIX F

F-12

#### DATA QUALIFIER DEFINITIONS

F-13

**TABLES**

F-1	Summary of Field Duplicates
F-2	Sample Information for Groundwater Samples
F-3	Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples
F-4	Analytical Results for PCB Analysis of Groundwater Samples
F-5	Analytical Results for Semivolatile Organics Compound Analysis of Groundwater Samples
F-6	Analytical Results for PAH Analysis of Groundwater Samples
F-7	Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples
F-8	Analytical Results for Conventional Analysis of Groundwater Samples
F-9	Analytical Results for Dissolved Metals Analysis of Groundwater Samples
F-10	Analytical Results for Total Metals Analysis of Groundwater Samples
F-11	Analytical Results for Rinseate Blanks
F-12	Analytical Results for Trip Blanks
F-13	Dissolved Oxygen Results for Groundwater Samples
F-14	Summary of Sample Delivery Group (SDG) and Report Information
F-15	Field Water Quality Parameters Statistics
F-16	Summary of Blank Corrected PCB Congener Data from October 2007
F-17	Summary of Blank Corrected PCB Congener Data from April 2008

**FIGURE**

F-1	Field Water Quality Parameter Histograms and Percentiles
-----	--

**APPENDIX F**  
**CHEMICAL DATABASE**

CONTENTS	<u>Page</u>
<b>APPENDIX F</b>	
<b>CHEMICAL DATABASE</b>	F-1
<b>F.1 SUMMARY OF DATA VALIDATION EFFORT</b>	F-1
<b>F.2 QUALITY ASSURANCE OBJECTIVES</b>	F-2
<i>F.2.1 Precision</i>	F-2
<i>F.2.2 Accuracy</i>	F-3
<i>F.2.3 Completeness</i>	F-3
<i>F.2.4 Comparability</i>	F-3
<b>F.3 MAJOR PROBLEMS ENCOUNTERED</b>	F-4
<i>F.3.1 Rejected Values</i>	F-4
<b>F.4 MINOR PROBLEMS ENCOUNTERED</b>	F-4
<i>F.4.1 Detection Limit Goal Exceedances</i>	F-4
<i>F.4.2 TPH</i>	F-5
<i>F.4.3 PCB Analyses</i>	F-5
<i>F.4.4 Semivolatiles Organic Compounds (SVOCs) and Polycyclic         Aromatic Hydrocarbons (PAHs)</i>	F-6
<i>F.4.5 Volatile Organic Compounds (VOCs)</i>	F-8
<i>F.4.6 Conventional</i>	F-9
<i>F.4.7 Metals Analyses</i>	F-9
<i>F.4.8 Rinseate Blanks</i>	F-10
<i>F.4.9 Trip Blanks</i>	F-11
<b>F.5 FIELD WATER QUALITY DATA</b>	F-11
<b>F.6 REFERENCES FOR APPENDIX F</b>	F-12
<b>DATA QUALIFIER DEFINITIONS</b>	F-13

**TABLES**

F-1	Summary of Field Duplicates
F-2	Sample Information for Groundwater Samples
F-3	Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples
F-4	Analytical Results for PCB Analysis of Groundwater Samples
F-5	Analytical Results for Semivolatile Organics Compound Analysis of Groundwater Samples
F-6	Analytical Results for PAH Analysis of Groundwater Samples
F-7	Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples
F-8	Analytical Results for Conventional Analysis of Groundwater Samples
F-9	Analytical Results for Dissolved Metals Analysis of Groundwater Samples
F-10	Analytical Results for Total Metals Analysis of Groundwater Samples
F-11	Analytical Results for Rinseate Blanks
F-12	Analytical Results for Trip Blanks
F-13	Dissolved Oxygen Results for Groundwater Samples
F-14	Summary of Sample Delivery Group (SDG) and Report Information
F-15	Field Water Quality Parameters Statistics
F-16	Summary of Blank Corrected PCB Congener Data from October 2007
F-17	Summary of Blank Corrected PCB Congener Data from April 2008

**FIGURE**

F-1	Field Water Quality Parameter Histograms and Percentiles
-----	--

## APPENDIX F CHEMICAL DATABASE

### F.1 SUMMARY OF DATA VALIDATION EFFORT

We have completed the quality assurance (QA) review of 1,295 groundwater samples, 11 rinseate blanks, and 53 trip blanks collected from the Kaiser Trentwood facility from January 2003 to October 2008 for this site-wide Groundwater RI.

Samples were submitted to Columbia Analytical Services, Inc. (CAS), Advanced Analytical Laboratories, Inc. (AAL), and ESN Northwest (ESN) for analysis. Hart Crowser reviewed the laboratory reports and data packages. The quality assurance evaluation performed and the resulting data qualification recommendations were summarized by laboratory sample delivery groups (SDGs) for the submitted packages. We reviewed these summary evaluations for this appendix.

We evaluated the summaries of the laboratory analyses in accordance with the Quality Assurance Project Plans (QAPP) presented in the Groundwater Monitoring Plan in the Groundwater Remedial Investigation/Feasibility Study, (Hart Crowser 2003), Phase I Remedial Investigation Work Plan (Hart Crowser 2005d), and in the Sampling and Analysis Plan and Quality Assurance Plan (Hart Crowser 2007), specific method requirements, laboratory control limits, and EPA Data Validation Functional Guidelines (EPA 1999 and 2004). Applicable methods include the Washington State Department of Ecology (Ecology) Method for Total Petroleum Hydrocarbons (TPH), EPA SW-846 Methods, EPA Methods for Chemical Analysis of Water and Wastes, Standard Methods (18th Edition) and laboratory Standard Operating Procedures (SOPs). Recommended data qualifiers are based on the EPA Data Validation Functional Guidelines; definitions of qualifiers are provided on page F-13 at the end of this appendix.

The analytical methods and reporting limit goals are outlined in the referenced QAPPs. Field duplicate identifications are presented in Table F-1. Table F-2 lists the samples collected and those chemistry analytical groups for which they were analyzed. Data for all chemical analyses and data qualifiers are presented in Tables F-3 through F-12 and for groundwater samples. Dissolved oxygen measurements are presented in Table F-13. Sample Delivery Group (SDG) and report references are presented in Table F-14.

We validated the data to a standard data validation effort in accordance with the QAPPs. Raw data were reviewed where deemed appropriate by the reviewer.



Some detailed QA reviews were written and included in previous documents. Table F-14 lists those samples previously reviewed and in the associated documents.

## **F.2 QUALITY ASSURANCE OBJECTIVES**

The overall data quality objectives (DQOs), as set forth in the QAPP, are met, and the data for this project are acceptable for use as qualified. The completeness for the associated data is 99.9 percent. Detailed discussions of the data quality indicators used to quantitate the DQOs are presented below.

### ***F.2.1 Precision***

Precision measures the reproducibility of measurements under a given set of conditions. Specifically, it is a quantitative measure of the variability of a group of measurements compared to their average values. Precision is generally evaluated using both matrix spike/matrix spike duplicate (MS/MSD) (or lab duplicate) results and field duplicate results. MS/MSD and lab duplicate results provide information on laboratory precision (only), while field duplicates provide information on field and lab precision combined.

Analytical precision is quantitatively expressed as the relative percent difference (RPD) between the MS/MSD or duplicates. Analytical precision measurements were carried out on project-specific samples whenever possible at a minimum frequency of one per SDG.

122 sets of field duplicates for groundwater were collected and analyzed for this project. The field duplicate sets are identified in Table F-1. The project-specific precision acceptance criteria for field duplicates was 50 percent RPD, but data were not generally qualified based on field duplicate recovery alone. The field duplicate precision for most groundwater analyses could not be calculated since sample results were mostly non-detect.

The following ranges of RPD were calculated for samples with detections. In general, elevated RPDs indicate sample heterogeneity during sampling. TPH RPDs ranged from 1 to 92 percent. In addition, there was one field duplicate set collected in 2008 where only one sample result had detected concentrations of TPH, with a resulting RPD of over 100 percent. The RPD range for polychlorinated biphenyls (PCBs) was 0 to 59 percent. The RPD range for semivolatile organic compounds (SVOCs) and polycyclic aromatic hydrocarbons (PAHs) were 7 to 28 percent. Field duplicate RPDs for volatile organic compounds (VOCs) were not determined, as samples were either non-detect, or

results were below the reporting limit (RL). The RPDs for total suspended solids (TSS) ranged from 0 to 9 percent. The RPD ranges for antimony, arsenic, and barium were 0 to 21, 0 to 48, and 0 to 4 percent, respectively. The RPD ranges for chromium (0 to 85 percent), iron (3 to 148 percent), and manganese (1 to 107 percent) varied due to presumed sample inhomogeneity or the presence of product sheen. One cadmium RPD was calculated to be 0 percent. One lead RPD was calculated to be 51 percent. One RPD for nitrate was calculated to be 0 percent. Note that these RPD ranges only reflect the results of field duplicate pairs where there were detections above the RL.

### ***F.2.2 Accuracy***

Accuracy measures the closeness of the measured value to the true value. The accuracy of chemical test results was assessed by "spiking" samples with known standards (surrogates, laboratory control samples (LCS/LCSD), and/or matrix spike) and measuring the percent recovery.

Accuracy measurements for all fractions were carried out at a minimum frequency of one per SDG. Recoveries of surrogates, MS/MSDs, and LCS/LCSDs were generally acceptable for all analyses. Data qualifiers were required for samples within the PCB, VOC, and TPH fractions based on surrogate or MS recoveries being out of control limits. These data qualifications are described in greater detail within each data validation section and are generally the result of matrix interferences in the samples.

### ***F.2.3 Completeness***

Completeness is defined as the percentage of measurements made which are judged to be valid measurements. The completeness of the data is the number of acceptable data points over the total number of data points times 100. A target completeness goal for this work was 95 percent. There were a total of 79,473 data points, and 18 results were rejected based on data QA/QC review; therefore, the completeness of the data for this project was 99.9 percent.

### ***F.2.4 Comparability***

Comparability is a qualitative parameter expressing the confidence with which one data set can be compared with another. Because of the use of standard techniques for both sample collection and laboratory analysis, the data collected from same sampling locations and depths should be comparable to both internal and other data generated.

## **F.3 MAJOR PROBLEMS ENCOUNTERED**

### ***F.3.1 Rejected Values***

Several groundwater analyte results for SVOCs analyses were rejected due to LCS failures in the April 2006 sampling event. The analytes 4-chloroaniline and 3,3'-dichlorobenzidine were rejected in samples CM-MW-4S, CM-MW-6S, CM-MW-2S, CM-MW-3S, CM-MW-5S, CM-MW-7S, CM-M2-8S, HL-MW-6A, and field duplicate CM-MW-700S.

## **F.4 MINOR PROBLEMS ENCOUNTERED**

### ***F.4.1 Detection Limit Goal Exceedances***

The analytical results for several groundwater sample exceeded the RL goals outlined in the QAPPs. These include 28 TPH, 38 PAH results, 1 arsenic result, 2 cadmium results, 2 chromium results, 1 iron result, 3 lead results, 8 silver results, and 13 manganese results. No PCB results exceeded the RL goals for low level results; however, 122 PCB samples exceeded the ultra low level RL goals. These exceedances were largely the result of dilution effects or matrix interferences and do not effect the quality of the groundwater results. No RL goal exceedances occurred for VOCs, nitrate/nitrite, chloride, sulfate, total suspended solids results, or the remaining metals. RL goals were not established for free phase petroleum sample results.

The RL goal for methylene chloride in volatile samples was updated between 2003 and 2008. The goal was 1 ug/L for the 2003 samples, and 2 ug/L for the 2004 through 2008 samples. The RL goals were achieved.

The RL goal for arsenic was updated from 5 to 0.5 ug/L. The RL goal for chromium was updated from 10 to 0.2 ug/L. The RL goal for manganese was updated from 5 to 0.05 ug/L. RL goals were established for antimony, barium, cadmium, lead, selenium, and silver and remained unchanged.

SVOC samples analyzed by EPA 8270C rather than EPA 8270C-SIM had elevated reporting limits. Six samples had PAHs reported from EPA 8270C analyses, and had reporting limits elevated 100 to 500 times the RL goals.

SVOC samples with internal standard failures were reanalyzed at dilution. Affected compounds were reported from the diluted analysis with elevated RLs.

RLs were elevated in multiple method blanks for the PCB analyses.

Laboratory “Ui” qualifiers applied to elevated RL were generally updated to “U” qualifiers. Laboratory “D” qualifiers applied to diluted samples were updated by removing the qualifier.

#### **F.4.2 TPH**

Samples were analyzed for TPH by EPA Method 8015 modified or Washington State methodology, including hydrocarbon identification (NWTPH-HCID), diesel- and motor oil-range petroleum hydrocarbons (NWTPH-Dx), and gasoline-range petroleum hydrocarbons (NWTPH-Gx). Sample results are presented in Table F-3.

85 samples were qualified based on holding time exceedances. The sample results were qualified as estimated (J).

Some surrogate recoveries were outside the QAPP limits, but within the laboratory control limits. If the surrogate recoveries met either set of control limits, sample analytical results were not qualified.

The RPD for field duplicates met QAPP requirements of < 50 percent with two exceptions. Results were not qualified for field duplicate exceedances. The presence of product or product sheen in the sample or duplicate caused RPD exceedances.

#### **F.4.3 PCB Analyses**

Samples were analyzed for PCBs by EPA Method 8082. Sample results are presented in Table F-4.

Results that were between the MDL and RL were qualified by the laboratory with a “J” (estimated value). The J qualifier was replaced with a “T” (tentative value between MDL and RL) after August 2007.

Samples HL-MW-2, TF-MW-4, TF-MW-2, OH-MW-10, and WW-MW-9 collected during the October 2008 sampling event were extracted by EPA Method 3520C, resulting in elevated MDL and RL. Non-detect results were reported to the MDL, and qualified with “C.”

Fourteen samples were extracted for PCBs 2 days outside of holding time. The sample results were not qualified.

Method blank contamination was present in several blanks. MDLs and RLs were elevated in the blanks due to the contamination. Sample results were not

qualified due to method blank contamination. The method blank associated with the batch extracted on 10/29/07 was lost during the extraction process. A method blank prepared the same day with another batch was analyzed and reported with this batch. The method blank was non-detect, and no results were qualified.

Some samples were qualified as estimated (J) based on MS/MSD and surrogate recoveries, which were outside of the control limits established by the QAPP or laboratory. For samples from the April 2007 sampling event, surrogate recoveries exceeded the control limits for several samples. The laboratory indicated that the high recovery was probably due to the concentration of the surrogate solution. A surrogate solution check was performed indicating 40 percent concentration of the surrogate solution. Sample results were not qualified due to the high recoveries.

The RPD for field duplicates met QAPP requirements of < 50 percent with one exception. Results were not qualified for field duplicate exceedances.

Continuing calibration verification (CCV) exceedances led to qualification of results in 24 samples as estimated (J).

PCB confirmation criteria of <40 percent between analytical results was not met for 25 samples. The results were qualified as estimated (JP).

#### ***F.4.4 Semivolatiles Organic Compounds (SVOCs) and Polycyclic Aromatic Hydrocarbons (PAHs)***

Samples were analyzed for SVOCs following EPA Method 8270C. Samples were analyzed for PAHs by Selected Ion Monitoring (SIM) following EPA Method 8270C - SIM. Sample results are presented in Tables D-5 and D-6.

PAH samples analyzed by EPA Method 8270C had elevated RLs. Results that were between the MDL and RL were qualified by the laboratory with a "J" (estimated value). The J qualifier was replaced with a "T" (tentative value between MDL and RL) after August 2007.

Some method blank contamination was present, resulting in the qualification of some results. SVOCs detected in method blanks include acenaphthylene, benzo(a)anthracene, benzo(g,h,i)perylene, bis(2-ethylhexyl)phthalate, 4-chloro-3-methylphenol, dibenzofuran, diethyl phthalate, di-n-butyl phthalate, fluoranthene, indeno(1,2,3-cd)pyrene, 2-methylnaphthalene, naphthalene, phenanthrene, phenol, and pyrene. Associated sample results less than 5 times the blank

contamination (or 10 times for phthalates) were qualified as non-detected (U). Associated samples that were non-detect for that analyte were not qualified.

For the SVOC batch extracted on 10/31/05, there was method blank contamination between the MDL and RL for 20 analytes. The detections in the associated samples (MW-25S, MW-16, MW-30, MW-17S, MW-19S, and HL-MW-6A) between the MDL and RL were raised to the RL and qualified as non-detect (U).

Data qualifiers were applied to base/neutral compounds in two samples due to failing base/neutral surrogates. The compounds were qualified as estimated (J). One rinseate blank was qualified as estimated (J) due to failing base/neutral and acid surrogates.

Data qualifiers were applied to samples based on LCS/LCSD RPDs that exceeded the control limits. Results for hexachlorocyclopentadiene were qualified as estimated (J) in eight samples.

For samples collected on 7/24/07, LCS/LCSD and MS/MSD recoveries for anthracene and benzo(a)pyrene were outside lab and QAPP control limits. The samples were re-extracted outside of the method recommended holding time with passing LCS and MS recoveries. The sample results were comparable between the two sets, and subsequently reported from the original analysis as estimated (J).

Data qualifiers were applied to samples based on MS/MSD exceedances. Results for acenaphthene were qualified as estimated (J) in two samples.

SVOC samples with internal standard failures were reanalyzed at dilution. Affected compounds were reported from the diluted analysis with elevated reporting limits.

The RPD for field duplicates met QAPP requirements of < 50 percent.

Review of the results for sample HL-MW-200S (field duplicate of HL-MW-20S collected on 10/22/08) indicated that the data reported for the field duplicate was higher quality than the sample data. Sample results for HL-MW-20S were qualified as "C" to indicate that the data from the field duplicate should be used for this well.

#### **F.4.5 Volatile Organic Compounds (VOCs)**

Samples were analyzed by EPA Method 8260B. Sample results are presented in Table F-7.

Results that were between the MDL and RL were qualified by the laboratory with a "J" (estimated value). The J qualifier was replaced with a "T" (tentative value between MDL and RL) after August 2007.

The volatile detected results for three samples collected in October 2007 were qualified as estimated due to elevated cooler temperatures.

Some method blank, rinseate blank, and trip blank contamination was also present, resulting in the qualification of some results. Volatiles detected in method blanks include acetone, bromomethane, n-butylbenzene, chloromethane, 4-chlorotoluene, 1,2-dichlorobenzene, 1,3-dichlorobenzene, 1,4-dichlorobenzene, cis-1,2-dichloroethene, hexachlorobutadiene, isopropylbenzene, n-propylbenzene, naphthalene, styrene, tetrachloroethene, toluene, 1,2,3-trichlorobenzene, and methylene chloride. Associated sample analytical results less than 5 times the blank contamination were qualified as non-detect (U). Associated samples that were non-detect for that analyte were not qualified.

Some surrogate recoveries were outside the QAPP limits, but within the laboratory control limits. If the surrogate recoveries met either set of control limits, sample analytical results were not qualified.

Nine samples were qualified as estimated (J) due to low recoveries of m,p-xylene in the associated LCS.

One sample was qualified as estimated (J) for chlorobenzene and 1,2-dichlorobenzene due to low recoveries in the MS/MSD.

The RPD for field duplicates was not applicable, as no sample and duplicate pair had detections above the reporting limit.

ICAL and CCV exceedances led to qualification of data as estimated (J) for bromoform, bromomethane, 4-isopropyltoluene, 2,2-dichloropropane, 1,2-dibromo-3-chloropropane, naphthalene, and n-butylbenzene.

1,2-dichloroethane (EDC) was detected in six samples (MW-15, MW-27, MW-21S, MW-22D, WW-MW-18, and MW-12A) in September 2002. EDC had not been detected previously during the 12 years of groundwater monitoring at

Kaiser and was not detected in December 2002; however, EDC was also not detected in the associated trip blanks or method blanks in September 2002. While there was no quality control data available to suggest that the EDC detections were the result of laboratory contamination or trip blank contamination, we believed that the EDC detections in September 2002 were anomalous. EDC was not detected in any of the samples analyzed during the 2003 to 2008 groundwater monitoring events. EDC does not appear to be present in groundwater at Kaiser, and the September 2002 detections appear to be an anomaly.

#### ***F.4.6 Conventional***

Samples were analyzed for TSS by EPA Method 160.2 or SM 2540 D. Samples were analyzed for nitrate, nitrite, and nitrate plus nitrite by EPA Method 300.0 or 353.2. Samples were analyzed for chloride and sulfate by EPA Method 300.0. Samples were analyzed for alkalinity by SM 2320B or EPA Method 310. Samples were analyzed for sulfide by EPA Method 376.2. Samples were analyzed for hardness by SM 2340C or EPA Method 130.2. Samples were analyzed for total dissolved solids (TDS) by SM 2540C or EPA Method 160.1. Samples were analyzed for total organic carbon (TOC) and dissolved organic carbon (DOC) by EPA Method 415.1. Sample analytical results are presented in Table F-8.

Two samples collected in April 2006 were analyzed for nitrate and nitrite outside of holding time. The sample results were qualified as estimated (J). Several TSS samples were qualified as estimated (J) due to holding time exceedances.

Several TSS samples were qualified as estimated (J) due to unacceptable recoveries in a low level standard.

The RPD for field duplicates met QAPP requirements of < 50 percent.

#### ***F.4.7 Metals Analyses***

Samples were analyzed for dissolved and total metals by EPA Methods 200.7, 200.8, 6010B, and 6020. Mercury was prepared and analyzed by EPA Method 7470A. Sample results for dissolved metals are presented in Table F-9. Sample results for total metals are presented in Table F-10.

Results that were between the MDL and RL were qualified by the laboratory with a "B." The B qualifier was generally replaced with a "J" (estimated value) for sample results reported from 2003 to August 2007. The B qualifier was replaced with a "T" (tentative value between MDL and RL) after August 2007.



Method and rinseate blank contamination of antimony, barium, cadmium, chromium, iron, lead, mercury, silver, and manganese resulted in the qualification of some sample results. Associated sample results less than 3 times the blank contamination were qualified as non-detect (U).

Data qualifiers were applied for CRDL recoveries that were outside the 70 to 130 percent criteria. Detections in associated samples were qualified as estimated (J) if the concentration in the samples was less than 2 times the RL and the CRDL recoveries exceeded 130 percent. Detections and non-detects in associated samples were qualified as estimated (J) if the CRDL recoveries fell below 70 percent. Metals that exceeded the CRDL recoveries included antimony, barium, cadmium, chromium, iron, lead, manganese, and silver.

Data qualifiers were applied for three dissolved metals samples based on laboratory duplicate RPDs outside control limits. Sample results were qualified as estimated (J).

The RPD for field duplicates met QAPP requirements of <50 percent with four exceptions. Results were generally not qualified for field duplicate exceedances due to sample heterogeneity. Iron analytical results in sample CM-MW-2S collected on 4/19/07 were qualified as estimated (J) due to > 100 percent RPD. Manganese results in sample CM-MW-3S collected on 4/18/07 were qualified as estimated (J).

For sample TS-MW-1S collected on 4/18/07, the pH required adjustment upon receipt at the laboratory. The results were qualified as estimated (J).

#### ***F.4.8 Rinseate Blanks***

Fourteen rinseate blanks were collected and analyzed for TPH, nine rinseate blanks were collected for SVOCs, nine rinseate blanks for VOCs, eight rinseate blanks for PCBs, six rinseate blanks for conventionals, and eight rinseate blanks for metals. Sample results are presented in Table F-11.

Rinseate blank contamination was present for the following compounds: antimony, barium, cadmium, chromium, iron, lead, manganese, acenaphthene, acenaphthylene, anthracene, benz(a)anthracene, 4-chloro-3-methylphenol, dibenzofuran, fluorene, 2-methylnaphthalene, naphthalene, phenanthrene, acetone, benzene, 2-butanone, chloroform, chloromethane, ethylbenzene, styrene, toluene, 1,2,4-trimethylbenzene, and xylenes. Associated sample analytical results less than 5 times (3 times for metals) the blank contamination were qualified as non-detect (U). Associated samples that were non-detect for that analyte were not qualified.

### F.4.9 Trip Blanks

Four trip blanks were collected and analyzed for gasoline-range petroleum hydrocarbons. Fifty trip blanks were collected and analyzed for VOCs. Sample results are presented in Table F-12.

Trip blank contamination was present for acetone, carbon disulfide, chloromethane, 1,2-dichlorobenzene, 1,4-dichlorobenzene, methylene chloride, styrene, tert-butyl alcohol (2-methyl-2-propanol), toluene, and o-xylene. Associated sample results less than 5 times the blank contamination were qualified as non-detected. Associated samples that were non-detect for that analyte were not qualified.

## F.5 FIELD WATER QUALITY DATA

The field water quality parameters are measured at sampling locations during purging of wells and include pH, temperature, conductivity, turbidity, oxygen reduction potential (ORP), and dissolved oxygen. Dissolved oxygen has been measured in groundwater wells since 1998, whereas the remainder of the field parameters has been measured in groundwater since 2006.

Figure F-1 illustrates the field water quality parameter distributions measured at the Facility and report the 5th and 95th percentile ranges for each parameter. Table F-16 presents the field water quality parameter statistics. The 5th and 95th percentiles were calculated using the Excel method, which provides the lowest possible percentiles. Excel's method calculates the corresponding ranking for each value in the data set (arranged in ascending order) and then calculates the percentiles. Rank is calculated using the following equation:

$$R = 1 + \left( \frac{P(n-1)}{100} \right) = I + D$$

Where:

R is the rank;

P is the percentile from 0 to 1;

n is the total number of values in the data set; and

I and D are the integer and decimal part of the rank, respectively.

To obtain the percentile value, p, for a data set, the following equation is used:

$$p = Y_I + D(Y_{I+1} - Y_I)$$

Where  $Y_I$  and  $Y_{I+1}$  are the values in the data set at ranks I and I+1, respectively.

## F.6 REFERENCES FOR APPENDIX F

EPA 1983. U.S. Environmental Protection Agency Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-020.

EPA 1999. USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review. EPA540/R-99/008, October 1999.

EPA 2004. USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review. EPA 540-R-04-004, October, 2004.

EPA 1990. Test Methods for Evaluating Solid Waste. SW-846. 3rd edition. November 1990.

EPA 2008. Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 4th Update.

Hart Crowser 2003. Groundwater Remedial Investigation/Feasibility Study, Kaiser Trentwood Facility, Spokane, WA, July 2003.

Hart Crowser 2004a. Kaiser Hot Line Data Report, Kaiser Trentwood Facility, Spokane, WA, February 25, 2004.

Hart Crowser 2004b. Kaiser Hot Line Data Report, March 2004 Sampling Event, Kaiser Trentwood Facility, Spokane, WA, April 12, 2004.

Hart Crowser 2005a. Kaiser DC-4 Furnace Data Report, Kaiser Trentwood Facility, Spokane, WA, January 4, 2005.

Hart Crowser 2005b. Kaiser Cold Mill Data Report, Kaiser Trentwood Facility, Spokane, WA, January 2005.

Hart Crowser 2005c. Kaiser Data Report Hot Line, Oil Reclamation, and G-3 Transfer Lines, Kaiser Trentwood Facility, Spokane, WA, June 1, 2005.

Hart Crowser 2005d. Phase I Remedial Investigation Work Plan, Kaiser Trentwood Facility, Spokane, WA, December 21, 2005.

Hart Crowser 2007. Sampling and Analysis Plan and Quality Assurance Plan, Kaiser Trentwood Facility, Spokane, WA, January 10, 2007.

## DATA QUALIFIER DEFINITIONS

The following data qualifiers have been used in the text and the following tables based on a quality assurance review of the laboratory procedures and results:

- U - Indicates the compound or analyte was analyzed for and not detected. The value reported is the sample quantitation limit corrected for sample dilution by the laboratory. U flags on samples from AAL were not corrected for sample dilutions.
- UJ - Indicates the compound or analyte was analyzed for and not detected. Due to quality control deficiencies identified during data validation the value reported may not accurately reflect the sample quantitation limit.
- J - Indicates the compound or analyte was analyzed for and detected. The associated value is estimated but the data are usable for decision-making processes. J flags also indicated estimated values that fell between the Method Detection Limit (MDL) and the Reporting Limit (RL) on the summary tables from 2003 to 2007.
- T - Estimated values between the MDL and RL. Applied to data from August 2007.
- P - PCB confirmation criteria exceeded. The relative percent difference is greater than 40 percent between the two analytical results.
- C - See comment. Qualifier used for results requiring additional explanation.
- B - Estimated values that fell between the MDL and RL. Applied to metals results from 2003 to 2008. Usually updated to J or T.

L:\Jobs\2644114\GW RI\Final Appendix F.doc

**Table F-1 -Summary of Field Duplicates**

Well ID	Field Dup ID	Date	Sample ID
CM-MW-01S	CM-MW-SU	3/24/2005	CM-MW-1S
CM-MW-01S	CM-MW-100S	4/20/2006	CM-MW-1S
CM-MW-01S	CM-MW-100S	10/24/2006	CM-MW-1S
CM-MW-02S	CM-MW-200S	4/19/2006	CM-MW-2S
CM-MW-02S	CM-MW-200S	4/19/2007	CM-MW-2S
CM-MW-02S	CM-MW-200S	10/20/2008	CM-MW-2S
CM-MW-03S	CM-MW-SU	7/26/2005	CM-MW-3S
CM-MW-03S	CM-MW-SU	10/28/2005	CM-MW-3S
CM-MW-03S	CM-MW-300S	4/18/2007	CM-MW-3S
CM-MW-03S	CM-MW-300S	10/21/2008	CM-MW-3S
CM-MW-05S	CM-MW-SU	1/26/2006	CM-MW-5S
CM-MW-05S	CM-MW-500S	4/19/2006	CM-MW-5S
CM-MW-07S	CM-MW-700S	4/19/2006	CM-MW-7S
CM-MW-07S	CM-MW-700S	7/21/2006	CM-MW-7S
CM-MW-08S	CM-MW-100	10/28/2004	CM-MW-8S
CM-MW-08S	CM-MW-20	3/23/2005	CM-MW-8S
HL-MW-01	HL-MW-100	10/23/2006	HL-MW-1
HL-MW-02	HL-MW-200	10/27/2006	HL-MW-2
HL-MW-05	HL-MW-5 Jar Test Blank	6/30/2004	HL-MW-5
HL-MW-05	HL-MW-5000	7/23/2008	HL-MW-5
HL-MW-06A	HL-MW-100	10/26/2005	HL-MW-6A
HL-MW-06A	HL-MW-600A	4/19/2006	HL-MW-6A
HL-MW-06A	HL-MW-600A	7/20/2006	HL-MW-6A
HL-MW-06A	HL-MW-600A	10/25/2006	HL-MW-6A
HL-MW-07S	HL-MW-700S	4/15/2007	HL-MW-7S
HL-MW-13DD	HL-MW-1K	10/23/2003	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	3/4/2004	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	6/30/2004	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	10/26/2004	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	7/27/2005	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	10/24/2005	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	1/23/2006	HL-MW-13DD
HL-MW-13DD	HL-MW-130DD	10/26/2006	HL-MW-13DD
HL-MW-17S	HL-MW-170S	4/22/2006	HL-MW-17S
HL-MW-19S	HL-MW-190S	4/18/2006	HL-MW-19S
HL-MW-20S	HL-MW-30	3/24/2005	HL-MW-20S
HL-MW-20S	HL-MW-200S	10/22/2007	HL-MW-2S
HL-MW-20S	HL-MW-200S	10/22/2008	HL-MW-20S
HL-MW-23S	HL-MW-230S	4/21/2006	HL-MW-23S
HL-MW-23S	HL-MW-230S	10/26/2006	HL-MW-23S
HL-MW-23S	HL-MW-2300S	10/24/2008	HL-MW-23S
HL-MW-24DD	HL-MW-240DD	4/21/2006	HL-MW-24DD
HL-MW-25S	HL-MW-2500S	4/21/2008	HL-MW-25S
HL-MW-25S	HL-MW-2500S	10/19/2008	HL-MW-25S
HL-MW-26S	HL-MW-2600S	1/31/2007	HL-MW-26S
HL-MW-26S	HL-MW-2600S	4/16/2007	HL-MW-26S
HL-MW-26S	HL-MW-2600S	10/24/2007	HL-MW-26S
HL-MW-26S	HL-MW-2600S	10/22/2008	HL-MW-26S
HL-MW-27D	HL-MW-270D	10/27/2006	HL-MW-27D
HL-MW-27D	HL-MW-2700D	1/31/2007	HL-MW-27D
HL-MW-27D	HL-MW-2700D	4/16/2007	HL-MW-27D
HL-MW-27D	HL-MW-2700DD	4/16/2007	HL-MW-27D

**Table F-1 -Summary of Field Duplicates**

Well ID	Field Dup ID	Date	Sample ID
HL-MW-27D	HL-MW-2700S	4/21/2008	HL-MW-27D
HL-MW-28DD	HL-MW-280DD	10/26/2006	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	4/15/2007	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	7/24/2007	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	10/23/2007	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	1/24/2008	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	4/21/2008	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	10/19/2008	HL-MW-28DD
HL-MW-29S	HL-MW-2900S	10/24/2007	HL-MW-29S
HL-MW-29S	HL-MW-2900S	1/24/2008	HL-MW-29S
HL-MW-29S	HL-MW-2900S	4/22/2008	HL-MW-29S
HL-MW-29S	HL-MW-2900S	7/23/2008	HL-MW-29S
HL-MW-29S	HL-MW-2900S	10/22/2008	HL-MW-29S
HL-MW-30S	HL-MW-3000S	10/24/2007	HL-MW-30S
HL-MW-30S	HL-MW-3000S	4/23/2008	HL-MW-30S
HL-MW-30S	HL-MW-3000S	7/24/2008	HL-MW-30S
MW-12A	MW-28	5/12/2003	MW-12A
MW-12A	MW-28	9/2/2003	MW-12A
MW-12A	MW-28	10/25/2004	MW-12A
MW-12A	MW-28	7/28/2005	MW-12A
MW-12A	MW-28	10/26/2005	MW-12A
MW-15	MW-27	5/12/2003	MW-15
MW-15	MW-27	9/2/2003	MW-15
MW-15	MW-27	6/29/2004	MW-15
MW-15	MW-27	10/25/2004	MW-15
MW-15	MW-27	7/29/2005	MW-15
MW-15	MW-27	10/24/2005	MW-15
MW-16	MW-30	10/26/2005	MW-16
MW-16	MW-160	10/27/2006	MW-16
MW-17S	MW-170S	4/21/2006	MW-17S
MW-17S	MW-170S	7/18/2006	MW-17S
MW-17S	MW-1700S	10/21/2008	MW-17S
MW-19S	MW-190S	4/21/2006	MW-19S
MW-20D	MW-2000D	10/21/2008	MW-20D
MW-21S	MW-2100S	10/23/2008	MW-21S
MW-25S	MW-2500S	10/25/2007	MW-25S
OH-MW-01	OH-MW-100	10/22/2008	OH-MW-10
OH-MW-26	OH-MW-260	10/25/2006	OH-MW-26
RM-MW-03S	RM-MW-6	10/24/2003	RM-MW-3S
RM-MW-08S	RM-MW-80S	4/17/2006	RM-MW-8S
RM-MW-08S	RM-MW-800S	10/18/2008	RM-MW-8S
RM-MW-09S	RM-MW-90S	4/19/2006	RM-MW-9S
RM-MW-09S	RM-MW-900S	7/18/2006	RM-MW-9S
RM-MW-09S	RM-MW-900S	10/25/2006	RM-MW-9S
RM-MW-10S	RM-MW-100	9/28/2004	RM-MW-10S
RM-MW-10S	RM-MW-100	10/27/2004	RM-MW-10S
RM-MW-10S	RM-MW-100S	1/25/2006	RM-MW-10S
RM-MW-13S	RM-MW-13S Dup	5/16/2005	RM-MW-13S
RM-MW-13S	RM-MW-100	7/25/2005	RM-MW-13S
RM-MW-13S	RM-MW-100S	7/25/2005	RM-MW-13S
RM-MW-13S	RM-MW-100S	10/24/2005	RM-MW-13S
RM-MW-14S	RM-MW-1400S	1/22/2009	RM-MW-14S

**Table F-1 -Summary of Field Duplicates**

Well ID	Field Dup ID	Date	Sample ID
RM-MW-17S	RM-MW-1700S	7/24/2007	RM-MW-17S
TL-MW-01A	TL-MW-10	7/27/2005	TL-MW-1A
TL-MW-01A	TL-MW-10A	4/23/2006	TL-MW-1A
WW-EW-01	WW-EW-100	10/22/2008	WW-EW-1
WW-EW-02	WW-EW-WA	5/16/2003	WW-EW-2
WW-EW-02	WW-EW-WA	9/5/2003	WW-EW-2
WW-EW-02	WW-EW-WA	10/29/2004	WW-EW-2
WW-EW-02	WW-EW-WA	7/29/2005	WW-EW-2
WW-EW-02	WW-EW-WA	10/28/2005	WW-EW-2
WW-EW-02	WW-EW-2 PCB Dup	4/23/2006	PCB Higher Det. Limit
WW-EW-02	WW-EW-200	4/23/2006	WW-EW-2
WW-MW-17	WW-MW-25	5/15/2003	WW-MW-17
WW-MW-17	WW-MW-25	9/4/2003	WW-MW-17
WW-MW-17	WW-MW-25	6/30/2004	WW-MW-17
WW-MW-17	WW-MW-25	10/29/2004	WW-MW-17
WW-MW-17	WW-MW-25	7/29/2005	WW-MW-17
WW-MW-17	WW-MW-25	10/29/2005	WW-MW-17
WW-MW-18	WW-MW-180	4/20/2006	WW-MW-18

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
CM-MW-01S	CM-MW-1S		10/28/2004			X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		3/24/2005			X		X		X		X
CM-MW-01S	CM-MW-SU	Dup	3/24/2005				X					X
CM-MW-01S	CM-MW-1S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		10/28/2005	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		4/20/2006	X	X	X	X		X	X		X
CM-MW-01S	CM-MW-100S	Dup	4/20/2006	X	X	X						
CM-MW-01S	CM-MW-1S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-100S	Dup	10/24/2006	X	X	X	X	X	X			X
CM-MW-01S	CM-MW-1S		4/15/2007			X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		10/25/2007			X	X	X	X	X		
CM-MW-01S	CM-MW-1S		4/21/2008			X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		10/19/2008			X	X	X	X	X		
CM-MW-02S	CM-MW-2S		10/27/2004			X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		3/23/2005			X	X	X		X		X
CM-MW-02S	CM-MW-2S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-200S	Dup	4/19/2006									X
CM-MW-02S	CM-MW-2S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		4/19/2007			X	X	X	X	X		X
CM-MW-02S	CM-MW-200S	Dup	4/19/2007									X
CM-MW-02S	CM-MW-2S		10/25/2007			X	X	X	X	X		
CM-MW-02S	CM-MW-2S		4/21/2008			X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		10/20/2008			X	X	X	X	X		
CM-MW-02S	CM-MW-200S	Dup	10/20/2008			X						
CM-MW-03S	CM-MW-3S		10/27/2004			X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		3/23/2005			X	X	X		X		X
CM-MW-03S	CM-MW-3S		10/28/2005	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-SU	Dup	10/28/2005	X	X	X	X	X	X			X
CM-MW-03S	CM-MW-3S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-SU	Dup	7/26/2005	X	X	X	X	X	X			X
CM-MW-03S	CM-MW-3S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		4/18/2007			X	X	X	X	X		X



**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
CM-MW-03S	CM-MW-300S	Dup	4/18/2007									X
CM-MW-03S	CM-MW-3S		10/25/2007			X	X	X	X	X		
CM-MW-03S	CM-MW-3S		4/21/2008			X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		10/21/2008			X	X	X	X	X		
CM-MW-03S	CM-MW-300S	Dup	10/21/2008			X						
CM-MW-04S	CM-MW-4S		10/27/2004			X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		3/23/2005			X	X	X		X		X
CM-MW-04S	CM-MW-4S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		4/17/2007			X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		10/25/2007			X	X	X	X	X		
CM-MW-04S	CM-MW-4S		4/20/2008			X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		10/20/2008			X	X	X	X	X		
CM-MW-05S	CM-MW-5S		10/27/2004			X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		3/23/2005			X	X	X		X		X
CM-MW-05S	CM-MW-5S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-SU	Dup	1/26/2006	X	X	X		X	X			X
CM-MW-05S	CM-MW-5S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-500S	Dup	4/19/2006						X			
CM-MW-05S	CM-MW-5S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		4/17/2007			X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		10/25/2007			X	X		X	X		
CM-MW-05S	CM-MW-5S		4/20/2008			X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		10/21/2008			X	X	X	X	X		
CM-MW-06S	CM-MW-6S		10/28/2004			X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		3/23/2005			X	X	X		X		X
CM-MW-06S	CM-MW-6S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		4/19/2007			X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		10/25/2007			X	X	X	X	X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
CM-MW-06S	CM-MW-6S		4/20/2008			X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		10/19/2008			X	X	X	X	X		
CM-MW-07S	CM-MW-7S		10/27/2004			X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		3/23/2005			X	X	X		X		X
CM-MW-07S	CM-MW-7S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-700S	Dup	4/19/2006					X				
CM-MW-07S	CM-MW-7S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-700S	Dup	7/21/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		4/15/2007			X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		10/25/2007			X	X	X	X	X		
CM-MW-07S	CM-MW-7S		4/21/2008			X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		10/20/2008			X	X	X	X	X		
CM-MW-08S	CM-MW-8S		10/28/2004			X	X	X	X	X		X
CM-MW-08S	CM-MW-100	Dup	10/28/2004			X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		3/23/2005			X	X	X		X		X
CM-MW-08S	CM-MW-20	Dup	3/23/2005					X				
CM-MW-08S	CM-MW-8S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		7/20/2006	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		4/15/2007			X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		10/25/2007			X	X	X	X	X		
CM-MW-08S	CM-MW-8S		4/21/2008			X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		10/20/2008			X	X	X	X	X		
FIELD	RB-TS-1S		7/29/2005	X	X	X	X	X	X	X		X
FIELD	RB-TS-1S		10/28/2005	X	X	X	X	X	X			X
FIELD	RB-TS-1S		1/26/2006	X	X	X	X	X	X	X		X
FIELD	Trip Blank		5/13/2003						X			
FIELD	Trip Blanks		9/3/2003						X			
FIELD	Trip		3/4/2004						X			
FIELD	Trip Blank		3/5/2004						X			
FIELD	Trip Blank		6/29/2004						X			
FIELD	Trip Blank		6/30/2004						X			
FIELD	Trip Blank		10/25/2004						X			
FIELD	Trip Blank		10/26/2004						X			

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
FIELD	Trip Blank	7/26/2005						X			
FIELD	Trip Blank	7/27/2005						X			
FIELD	Trip Blank	7/28/2005						X			
FIELD	Trip Blank	7/29/2005						X			
FIELD	Trip Blank	10/24/2005						X			
FIELD	Trip Blank	10/26/2005						X			
FIELD	Trip Blank	10/27/2005						X			
FIELD	Trip Blank	10/28/2005						X			
FIELD	Trip Blank	10/29/2005						X			
FIELD	Trip Blank	1/25/2006						X			
FIELD	Trip Blank	1/26/2006						X			
FIELD	Trip Blank	4/18/2006						X			
FIELD	Trip Blank	4/19/2006						X			
FIELD	Trip Blank	4/20/2006						X			
FIELD	RB:FO-MW-1S	4/20/2006	X	X	X						
FIELD	FO-MW-1S-RB	4/20/2006					X	X	X		
FIELD	Trip Blank	4/22/2006						X			
FIELD	TS-MW-RB	4/23/2006	X	X	X	X	X	X	X		X
FIELD	Trip Blank	4/23/2006						X			
FIELD	Trip Blank	7/19/2006						X			
FIELD	TS-MW-1S-RB	7/20/2006	X	X	X	X	X	X	X		X
FIELD	Trip Blank	7/20/2006						X			
FIELD	Trip Blank	7/21/2006						X			
FIELD	Trip Blank 1	10/23/2006						X			
FIELD	Trip Blank 2	10/24/2006						X			
FIELD	Trip Blanks	10/25/2006						X			
FIELD	TS-MW-RB	10/26/2006	X	X	X	X	X	X	X		X
FIELD	Trip Blank 4	10/26/2006						X			
FIELD	Trip Blank	10/26/2006		X							
FIELD	Trip Blank 3	10/27/2006						X			
FIELD	Trip Blank	1/31/2007						X			
FIELD	Trip Blank	2/1/2007		X				X			
FIELD	Trip Blank	4/16/2007						X			
FIELD	Trip Blank	4/17/2007						X			
FIELD	Trip Blank	4/19/2007						X			
FIELD	Trip Blank	7/24/2007						X			
FIELD	Trip Blank	10/22/2007						X			
FIELD	Trip Blank 2	10/24/2007						X			
FIELD	Trip Blank	10/24/2007						X			
FIELD	Rinsate (TS-MW-1S)	10/24/2007					X				X
FIELD	Trip Blank	1/24/2008						X			

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
FIELD	Trip Blanks		4/20/2008						X			
FIELD	Trip Blank-1		4/20/2008		X							
FIELD	Trip Blank #37377		4/23/2008						X			
FIELD	Trip Blank-4		4/24/2008		X							
FIELD	Trip Blank		4/24/2008						X			
FIELD	RINSATE OH-MW-25		4/24/2008				X	X	X			
FIELD	RINSATE OH-MW-24		4/24/2008				X	X	X			X
FIELD	Trip Blank #39030		10/19/2008						X			
FIELD	TB (39029)		10/20/2008						X			
FIELD	Trip Blank (39028)		10/22/2008						X			
FIELD	Trip Blank (39027)		10/22/2008						X			
FIELD	Trip Blank (39026)		10/24/2008						X			
FO-MW-01S	FO-MW-1S		4/20/2006	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		7/21/2006	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		10/25/2006	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		4/17/2007	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		10/26/2007	X	X	X	X		X	X		
FO-MW-01S	FO-MW-1S		4/20/2008	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		10/19/2008	X	X	X		X	X	X		
HL-MW-01	HL-MW-1		5/14/2003			X						
HL-MW-01	HL-MW-1		9/3/2003			X						
HL-MW-01	HL-MW-1		10/28/2004			X						
HL-MW-01	HL-MW-1		7/27/2005			X						
HL-MW-01	HL-MW-1		10/27/2005			X				X		
HL-MW-01	HL-MW-1		4/19/2006			X				X		
HL-MW-01	HL-MW-1		10/23/2006			X				X		
HL-MW-01	HL-MW-100	Dup	10/23/2006			X						
HL-MW-01	HL-MW-1		4/16/2007			X						
HL-MW-01	HL-MW-1		10/22/2007			X						
HL-MW-01	HL-MW-1		4/20/2008			X						
HL-MW-01	HL-MW-1		10/19/2008			X						
HL-MW-02	HL-MW-2		4/21/2006	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-2		10/27/2006	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-200	Dup	10/27/2006			X						
HL-MW-02	HL-MW-2		1/31/2007	X	X		X	X	X	X		
HL-MW-02	HL-MW-2		4/16/2007	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-2		10/22/2007	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-2		1/24/2008	X	X		X	X	X	X		
HL-MW-02	HL-MW-2		4/22/2008	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-2		10/19/2008	X	X	X	X	X	X	X		
HL-MW-03	HL-MW-3		5/14/2003			X						

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-03	HL-MW-3		9/3/2003			X						
HL-MW-04	HL-MW-4		5/12/2003							X		
HL-MW-04	HL-MW-4		5/14/2003			X	X			X		
HL-MW-04	HL-MW-4		3/4/2004				X			X		
HL-MW-04	HL-MW-4		6/30/2004				X			X		
HL-MW-04	HL-MW-4		10/26/2004				X			X		
HL-MW-04	HL-MW-4		10/26/2005			X	X			X		
HL-MW-04	HL-MW-4		4/22/2006			X	X			X		
HL-MW-04	HL-MW-4		7/18/2006			X	X			X		
HL-MW-04	HL-MW-4		4/15/2007			X	X			X		
HL-MW-04	HL-MW-4		10/25/2007			X	X			X		
HL-MW-04	HL-MW-4		4/22/2008			X	X			X		
HL-MW-04	HL-MW-4		10/20/2008			X	X			X		
HL-MW-05	HL-MW-5		5/12/2003							X		
HL-MW-05	HL-MW-5		5/14/2003			X	X			X		
HL-MW-05	HL-MW-5		9/3/2003			X	X			X		
HL-MW-05	HL-MW-5		10/23/2003			X	X			X		
HL-MW-05	HL-MW-5		3/4/2004				X			X		
HL-MW-05	HL-MW-5		6/30/2004				X			X		
HL-MW-05	HL-MW-5 Jar Test Blank	Dup	6/30/2004				X					
HL-MW-05	HL-MW-5		10/29/2004				X			X		
HL-MW-05	HL-MW-5		7/26/2005				X			X		
HL-MW-05	HL-MW-5		10/26/2005			X	X			X		
HL-MW-05	HL-MW-5		4/22/2006			X	X			X		
HL-MW-05	HL-MW-5		7/18/2006			X	X			X		
HL-MW-05	HL-MW-5		10/27/2006			X	X			X		
HL-MW-05	HL-MW-5		4/15/2007			X	X			X		
HL-MW-05	HL-MW-5		7/25/2007			X	X			X		
HL-MW-05	HL-MW-5		10/25/2007			X	X			X		
HL-MW-05	HL-MW-5		1/25/2008			X	X			X		
HL-MW-05	HL-MW-5		4/22/2008			X	X			X		
HL-MW-05	HL-MW-5		7/23/2008			X	X			X		
HL-MW-05	HL-MW-5000	Dup	7/23/2008			X						
HL-MW-05	HL-MW-5		10/20/2008			X	X			X		
HL-MW-06A	HL-MW-6A		5/12/2003							X		
HL-MW-06A	HL-MW-6A		5/14/2003			X	X			X		
HL-MW-06A	HL-MW-6A		9/3/2003			X	X			X		
HL-MW-06A	HL-MW-6A		10/24/2003			X	X			X		
HL-MW-06A	HL-MW-6A		3/5/2004				X		X	X		
HL-MW-06A	HL-MW-6A		6/30/2004				X			X		
HL-MW-06A	HL-MW-6A		10/26/2004				X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-06A	HL-MW-6A		7/27/2005	X	X	X	X	X		X		X
HL-MW-06A	HL-MW-6A		10/25/2006	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-600A	Dup	10/25/2006						X			X
HL-MW-06A	HL-MW-6A		7/20/2006	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-600A	Dup	7/20/2006					X	X			
HL-MW-06A	HL-MW-6A		4/19/2006	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-600A	Dup	4/19/2006									X
HL-MW-06A	HL-MW-6A		1/25/2006	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-6A		10/26/2005	X	X	X		X	X	X		X
HL-MW-06A	HL-MW-100	Dup	10/26/2005							X		
HL-MW-06A	HL-MW-6A		2/1/2007				X			X		
HL-MW-06A	HL-MW-6A		4/15/2007	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-6A		7/25/2007				X			X		
HL-MW-06A	HL-MW-6A		10/25/2007	X	X	X	X	X	X	X		
HL-MW-06A	HL-MW-6A		1/25/2008				X			X		
HL-MW-06A	HL-MW-6A		4/22/2008	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-6A		7/23/2008				X			X		
HL-MW-06A	HL-MW-6A		10/19/2008	X	X	X	X	X	X	X		
HL-MW-07S	HL-MW-7S		5/12/2003							X		
HL-MW-07S	HL-MW-7S		5/14/2003			X	X			X		
HL-MW-07S	HL-MW-7S		9/3/2003			X	X			X		
HL-MW-07S	HL-MW-7S		10/23/2003			X	X			X		
HL-MW-07S	HL-MW-7S		3/5/2004				X		X	X		
HL-MW-07S	HL-MW-7S		6/30/2004				X			X		
HL-MW-07S	HL-MW-7S		10/26/2004				X			X		
HL-MW-07S	HL-MW-7S		7/27/2005				X			X		
HL-MW-07S	HL-MW-7S		10/26/2005			X	X			X		
HL-MW-07S	HL-MW-7S		1/23/2006				X			X		
HL-MW-07S	HL-MW-7S		4/22/2006			X	X			X		
HL-MW-07S	HL-MW-7S		7/18/2006				X			X		
HL-MW-07S	HL-MW-7S		10/26/2006			X	X			X		
HL-MW-07S	HL-MW-7S		1/31/2007				X			X		
HL-MW-07S	HL-MW-7S		4/15/2007			X	X			X		
HL-MW-07S	HL-MW-700S	Dup	4/15/2007			X	X					
HL-MW-07S	HL-MW-7S		7/24/2007				X			X		
HL-MW-07S	HL-MW-7S		10/23/2007			X	X			X		
HL-MW-07S	HL-MW-7S		1/24/2008				X			X		
HL-MW-07S	HL-MW-7S		4/21/2008			X	X			X		
HL-MW-07S	HL-MW-7S		7/23/2008				X			X		
HL-MW-07S	HL-MW-7S		10/19/2008			X	X			X		
HL-MW-08D	HL-MW-8D		5/12/2003							X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-08D	HL-MW-8D	5/14/2003			X	X			X		
HL-MW-08D	HL-MW-8D	9/3/2003			X	X			X		
HL-MW-08D	HL-MW-8D	10/23/2003			X	X			X		
HL-MW-08D	HL-MW-8D	3/5/2004				X			X		
HL-MW-08D	HL-MW-8D	6/30/2004				X			X		
HL-MW-08D	HL-MW-8D	10/26/2004				X			X		
HL-MW-08D	HL-MW-8D	7/28/2005				X			X		
HL-MW-08D	HL-MW-8D	10/26/2005			X	X			X		
HL-MW-08D	HL-MW-8D	4/22/2006			X	X			X		
HL-MW-08D	HL-MW-8D	10/26/2006			X	X			X		
HL-MW-08D	HL-MW-8D	4/15/2007			X	X			X		
HL-MW-08D	HL-MW-8D	10/23/2007			X	X			X		
HL-MW-08D	HL-MW-8D	4/21/2008			X	X			X		
HL-MW-08D	HL-MW-8D	10/19/2008			X	X			X		
HL-MW-09D	HL-MW-9D	5/12/2003							X		
HL-MW-09D	HL-MW-9D	5/14/2003			X	X			X		
HL-MW-09D	HL-MW-9D	9/3/2003			X	X			X		
HL-MW-09D	HL-MW-9D	10/24/2003			X	X			X		
HL-MW-09D	HL-MW-9D	3/5/2004				X			X		
HL-MW-09D	HL-MW-9D	6/30/2004				X			X		
HL-MW-09D	HL-MW-9D	10/26/2004				X			X		
HL-MW-09D	HL-MW-9D	7/27/2005				X			X		
HL-MW-09D	HL-MW-9D	10/26/2005			X	X			X		
HL-MW-09D	HL-MW-9D	4/22/2006			X	X			X		
HL-MW-09D	HL-MW-9D	10/27/2006			X	X			X		
HL-MW-09D	HL-MW-9D	4/15/2007			X	X			X		
HL-MW-09D	HL-MW-9D	10/25/2007			X	X			X		
HL-MW-09D	HL-MW-9D	4/22/2008			X	X			X		
HL-MW-09D	HL-MW-9D	10/19/2008			X	X			X		
HL-MW-10S	HL-MW-10S	5/12/2003			X	X			X		
HL-MW-10S	HL-MW-10S	9/3/2003			X	X			X		
HL-MW-10S	HL-MW-10S	10/24/2003			X	X			X		
HL-MW-10S	HL-MW-10S	6/30/2004				X			X		
HL-MW-10S	HL-MW-10S	10/26/2004				X		X	X		
HL-MW-10S	HL-MW-10S	7/28/2005				X			X		
HL-MW-10S	HL-MW-10S	10/24/2005			X	X			X		
HL-MW-10S	HL-MW-10S	4/22/2006			X	X			X		
HL-MW-10S	HL-MW-10S	10/27/2006			X	X			X		
HL-MW-10S	HL-MW-10S	4/16/2007			X	X			X		
HL-MW-10S	HL-MW-10S	10/23/2007			X	X			X		
HL-MW-10S	HL-MW-10S	4/22/2008			X	X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-10S	HL-MW-10S		10/19/2008			X	X			X		
HL-MW-11D	HL-MW-11D		5/12/2003			X	X			X		
HL-MW-11D	HL-MW-11D		9/3/2003			X	X			X		
HL-MW-11D	HL-MW-11D		10/24/2003			X	X			X		
HL-MW-11D	HL-MW-11D		6/30/2004				X			X		
HL-MW-12S	HL-MW-12S		10/24/2003			X	X			X		
HL-MW-12S	HL-MW-12S		3/4/2004				X			X		
HL-MW-12S	HL-MW-12S		6/30/2004				X			X		
HL-MW-12S	HL-MW-12S		10/26/2004				X			X		
HL-MW-12S	HL-MW-12S		7/27/2005				X			X		
HL-MW-12S	HL-MW-12S		10/24/2005			X	X			X		
HL-MW-12S	HL-MW-12S		4/22/2006			X	X			X		
HL-MW-12S	HL-MW-12S		10/26/2006			X	X			X		
HL-MW-12S	HL-MW-12S		4/15/2007			X	X			X		
HL-MW-12S	HL-MW-12S		10/23/2007			X	X			X		
HL-MW-12S	HL-MW-12S		4/21/2008			X	X			X		
HL-MW-12S	HL-MW-12S		10/21/2008			X	X			X		
HL-MW-13DD	HL-MW-13DD		10/23/2003			X	X			X		
HL-MW-13DD	HL-MW-1K	Dup	10/23/2003			X	X			X		
HL-MW-13DD	HL-MW-13DD		3/4/2004				X		X	X		
HL-MW-13DD	HL-MW-1K	Dup	3/4/2004				X		X			
HL-MW-13DD	HL-MW-13DD		6/30/2004				X			X		
HL-MW-13DD	HL-MW-1K	Dup	6/30/2004				X					
HL-MW-13DD	HL-MW-13DD		10/26/2004				X			X		
HL-MW-13DD	HL-MW-1K	Dup	10/26/2004				X					
HL-MW-13DD	HL-MW-13DD		7/27/2005				X			X		
HL-MW-13DD	HL-MW-1K	Dup	7/27/2005				X					
HL-MW-13DD	HL-MW-13DD		10/24/2005			X	X			X		
HL-MW-13DD	HL-MW-1K	Dup	10/24/2005				X					
HL-MW-13DD	HL-MW-13DD		1/23/2006				X			X		
HL-MW-13DD	HL-MW-1K	Dup	1/23/2006				X			X		
HL-MW-13DD	HL-MW-13DD		4/20/2006			X	X			X		
HL-MW-13DD	HL-MW-13DD		7/18/2006				X			X		
HL-MW-13DD	HL-MW-13DD		10/26/2006			X	X			X		
HL-MW-13DD	HL-MW-130DD	Dup	10/26/2006				X					
HL-MW-13DD	HL-MW-13DD		4/15/2007			X	X			X		
HL-MW-13DD	HL-MW-13DD		10/23/2007			X	X			X		
HL-MW-13DD	HL-MW-13DD		4/21/2008			X	X			X		
HL-MW-13DD	HL-MW-13DD		10/19/2008			X	X			X		
HL-MW-14S	HL-MW-14S		10/24/2003			X	X			X		
HL-MW-14S	HL-MW-14S		3/4/2004				X		X	X		



**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-14S	HL-MW-14S	6/30/2004				X			X		
HL-MW-14S	HL-MW-14S	10/26/2004				X			X		
HL-MW-14S	HL-MW-14S	7/27/2005				X			X		
HL-MW-14S	HL-MW-14S	10/24/2005			X	X			X		
HL-MW-14S	HL-MW-14S	1/23/2006				X			X		
HL-MW-14S	HL-MW-14S	4/21/2006			X	X			X		
HL-MW-14S	HL-MW-14S	7/19/2006				X			X		
HL-MW-14S	HL-MW-14S	10/26/2006			X	X			X		
HL-MW-14S	HL-MW-14S	1/31/2007				X			X		
HL-MW-14S	HL-MW-14S	4/15/2007			X	X			X		
HL-MW-14S	HL-MW-14S	7/25/2007				X			X		
HL-MW-14S	HL-MW-14S	10/23/2007			X	X			X		
HL-MW-14S	HL-MW-14S	1/25/2008				X			X		
HL-MW-14S	HL-MW-14S	4/21/2008			X	X			X		
HL-MW-14S	HL-MW-14S	7/23/2008				X			X		
HL-MW-14S	HL-MW-14S	10/24/2008			X	X			X		
HL-MW-15DD	HL-MW-15DD	10/23/2003			X	X			X		
HL-MW-15DD	HL-MW-15DD	3/4/2004				X			X		
HL-MW-15DD	HL-MW-15DD	6/30/2004				X			X		
HL-MW-15DD	HL-MW-15DD	10/26/2004				X			X		
HL-MW-15DD	HL-MW-15DD	7/26/2005				X			X		
HL-MW-15DD	HL-MW-15DD	10/26/2005			X	X			X		
HL-MW-15DD	HL-MW-15DD	4/22/2006			X	X			X		
HL-MW-15DD	HL-MW-15DD	10/26/2006			X	X			X		
HL-MW-15DD	HL-MW-15DD	4/15/2007			X	X			X		
HL-MW-15DD	HL-MW-15DD	10/25/2007			X	X			X		
HL-MW-15DD	HL-MW-15DD	4/22/2008			X	X			X		
HL-MW-15DD	HL-MW-15DD	10/20/2008			X	X			X		
HL-MW-16S	HL-MW-16S	10/23/2003			X	X			X		
HL-MW-16S	HL-MW-16S	3/5/2004				X			X		
HL-MW-16S	HL-MW-16S	6/30/2004				X			X		
HL-MW-16S	HL-MW-16S	10/26/2004				X			X		
HL-MW-16S	HL-MW-16S	7/26/2005				X			X		
HL-MW-16S	HL-MW-16S	10/24/2005			X	X			X		
HL-MW-16S	HL-MW-16S	1/23/2006				X			X		
HL-MW-16S	HL-MW-16S	4/22/2006			X	X			X		
HL-MW-16S	HL-MW-16S	7/20/2006				X			X		
HL-MW-16S	HL-MW-16S	10/26/2006			X	X			X		
HL-MW-16S	HL-MW-16S	1/31/2007				X			X		
HL-MW-16S	HL-MW-16S	4/16/2007			X	X			X		
HL-MW-16S	HL-MW-16S	7/25/2007				X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-16S	HL-MW-16S		10/25/2007			X	X			X		
HL-MW-16S	HL-MW-16S		1/24/2008				X			X		
HL-MW-16S	HL-MW-16S		4/22/2008			X	X			X		
HL-MW-16S	HL-MW-16S		7/23/2008				X			X		
HL-MW-16S	HL-MW-16S		10/21/2008			X	X			X		
HL-MW-17S	HL-MW-17S		10/23/2003			X	X			X		
HL-MW-17S	HL-MW-17S		3/5/2004				X			X		
HL-MW-17S	HL-MW-17S		6/30/2004				X			X		
HL-MW-17S	HL-MW-17S		10/26/2004				X			X		
HL-MW-17S	HL-MW-17S		5/17/2005	X	X	X	X			X		
HL-MW-17S	HL-MW-17S		6/16/2005				X			X		
HL-MW-17S	HL-MW-17S		7/26/2005				X			X		
HL-MW-17S	HL-MW-17S		10/24/2005			X	X			X		
HL-MW-17S	HL-MW-17S		1/24/2006				X			X		
HL-MW-17S	HL-MW-17S		4/22/2006			X	X			X		
HL-MW-17S	HL-MW-170S	Dup	4/22/2006			X						
HL-MW-17S	HL-MW-17S		7/19/2006				X			X		
HL-MW-17S	HL-MW-17S		10/26/2006			X	X			X		
HL-MW-17S	HL-MW-17S		1/31/2007				X			X		
HL-MW-17S	HL-MW-17S		4/16/2007			X	X			X		
HL-MW-17S	HL-MW-17S		7/24/2007				X			X		
HL-MW-17S	HL-MW-17S		10/25/2007			X	X			X		
HL-MW-17S	HL-MW-17S		1/25/2008				X			X		
HL-MW-17S	HL-MW-17S		4/21/2008			X	X			X		
HL-MW-17S	HL-MW-17S		7/23/2008				X			X		
HL-MW-17S	HL-MW-17S		10/21/2008			X	X			X		
HL-MW-18S	HL-MW-18S		3/24/2005			X	X			X		
HL-MW-18S	HL-MW-18S		7/27/2005				X			X		
HL-MW-18S	HL-MW-18S		10/24/2005			X	X			X		
HL-MW-18S	HL-MW-18S		1/27/2006			X	X			X		
HL-MW-18S	HL-MW-18S		4/22/2006			X	X			X		
HL-MW-18S	HL-MW-18S		7/19/2006			X	X			X		
HL-MW-18S	HL-MW-18S		10/26/2006			X	X			X		
HL-MW-18S	HL-MW-18S		1/31/2007				X			X		
HL-MW-18S	HL-MW-18S		4/16/2007			X	X			X		
HL-MW-18S	HL-MW-18S		7/24/2007				X			X		
HL-MW-18S	HL-MW-18S		10/25/2007			X	X			X		
HL-MW-18S	HL-MW-18S		1/24/2008				X			X		
HL-MW-18S	HL-MW-18S		4/21/2008			X	X			X		
HL-MW-18S	HL-MW-18S		7/23/2008				X			X		
HL-MW-18S	HL-MW-18S		10/21/2008			X	X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-19S	HL-MW-19S		3/24/2005			X				X		
HL-MW-19S	HL-MW-19S		7/29/2005	X	X	X	X	X	X	X		X
HL-MW-19S	HL-MW-19S		10/27/2005	X	X	X		X	X	X		X
HL-MW-19S	HL-MW-19S		1/25/2006	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		4/18/2006	X	X	X		X	X	X		X
HL-MW-19S	HL-MW-190S	Dup	4/18/2006	X	X	X		X				
HL-MW-19S	HL-MW-19S		7/19/2006	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		10/23/2006	X	X	X		X	X	X		X
HL-MW-19S	HL-MW-19S		4/16/2007	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		10/22/2007	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		4/20/2008	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		10/19/2008	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		3/24/2005			X				X		
HL-MW-20S	HL-MW-30	Dup	3/24/2005			X						
HL-MW-20S	HL-MW-20S		7/27/2005	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		10/27/2005	X	X	X		X	X	X		X
HL-MW-20S	HL-MW-20S		4/18/2006	X	X	X		X	X	X		X
HL-MW-20S	HL-MW-20S		7/20/2006	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		10/23/2006	X	X	X		X	X	X		X
HL-MW-20S	HL-MW-20S		4/16/2007	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		10/22/2007	X	X	X		X	X			X
HL-MW-20S	HL-MW-200S	Dup	10/22/2007	X	X	X						
HL-MW-20S	HL-MW-20S		4/20/2008	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		10/22/2008	X	X	X		X	X			X
HL-MW-20S	HL-MW-200S	Dup	10/22/2008	X	X	X		X				X
HL-MW-21S	HL-MW-21S		3/24/2005			X				X		
HL-MW-21S	HL-MW-21S		7/28/2005	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		10/28/2005	X	X	X		X	X	X		X
HL-MW-21S	HL-MW-21S		1/25/2006	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		4/18/2006	X	X	X		X	X	X		X
HL-MW-21S	HL-MW-21S		7/19/2006	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		10/23/2006	X	X	X		X	X	X		X
HL-MW-21S	HL-MW-21S		4/17/2007	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		10/22/2007	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		4/22/2008	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		10/19/2008	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		3/24/2005			X				X		
HL-MW-22S	HL-MW-22S		7/27/2005			X						X
HL-MW-22S	HL-MW-22S		10/28/2005	X	X	X		X	X	X		X
HL-MW-22S	HL-MW-22S		1/25/2006	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		4/18/2006	X	X	X		X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-22S	HL-MW-22S		7/19/2006	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		10/23/2006	X	X	X		X	X	X		X
HL-MW-22S	HL-MW-22S		4/17/2007	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		10/22/2007	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		4/22/2008	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		10/19/2008	X	X	X		X	X			X
HL-MW-23S	HL-MW-230S	Dup	4/21/2006						X			
HL-MW-23S	HL-MW-23S		4/21/2006	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		7/20/2006	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-230S	Dup	10/26/2006		X							
HL-MW-23S	HL-MW-23S		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		2/1/2007	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		4/17/2007	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		7/24/2007				X			X		
HL-MW-23S	HL-MW-23S		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		1/25/2008				X			X		
HL-MW-23S	HL-MW-23S		4/22/2008	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		7/24/2008				X			X		
HL-MW-23S	HL-MW-23S		10/24/2008	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-2300S	Dup	10/24/2008					X				X
HL-MW-24DD	HL-MW-24DD		4/21/2006	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-240DD	Dup	4/21/2006				X					
HL-MW-24DD	HL-MW-24DD		7/19/2006	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		1/31/2007	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		4/15/2007	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		10/23/2007	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		10/24/2008	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		4/21/2006	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		7/19/2006	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		2/1/2007	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		4/16/2007	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		7/25/2007				X			X		
HL-MW-25S	HL-MW-25S		10/25/2007			X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		1/25/2008				X			X		
HL-MW-25S	HL-MW-25S		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-2500S	Dup	4/21/2008									X
HL-MW-25S	HL-MW-25S		7/23/2008				X			X		
HL-MW-25S	HL-MW-25S		10/19/2008	X	X	X	X	X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-25S	HL-MW-2500S	Dup	10/19/2008				X					
HL-MW-26S	HL-MW-26S		4/21/2006	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-26S		7/19/2006	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-26S		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-26S		1/31/2007	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	1/31/2007	X	X	X	X	X	X			X
HL-MW-26S	HL-MW-26S		4/16/2007	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	4/16/2007	X	X	X	X	X	X			X
HL-MW-26S	HL-MW-26S		7/24/2007				X			X		
HL-MW-26S	HL-MW-26S		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	10/24/2007			X	X					
HL-MW-26S	HL-MW-26S		1/24/2008				X			X		
HL-MW-26S	HL-MW-26S		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	4/21/2008	X	X	X	X					X
HL-MW-26S	HL-MW-26S		7/23/2008				X			X		
HL-MW-26S	HL-MW-26S		10/22/2008	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	10/22/2008					X				
HL-MW-27D	HL-MW-27D		4/22/2006	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-27D		7/19/2006	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-270D	Dup	10/27/2006	X								
HL-MW-27D	HL-MW-27D		10/27/2006	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-2700D	Dup	1/31/2007				X					
HL-MW-27D	HL-MW-27D		1/31/2007	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-27D		4/16/2007	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-2700D	Dup	4/16/2007			X	X	X	X			
HL-MW-27D	HL-MW-27D		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-2700D	Dup	10/24/2007									X
HL-MW-27D	HL-MW-27S		4/21/2008									
HL-MW-27D	HL-MW-27D		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-2700S	Dup	4/21/2008									X
HL-MW-27D	HL-MW-27D		10/21/2008	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-28DD		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-280DD	Dup	10/26/2006			X	X					
HL-MW-28DD	HL-MW-28DD		1/31/2007	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-28DD		4/15/2007	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	4/15/2007			X	X					
HL-MW-28DD	HL-MW-28DD		7/24/2007	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	7/24/2007	X	X	X	X	X	X			X
HL-MW-28DD	HL-MW-28DD		10/23/2007	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	10/23/2007			X	X		X			X
HL-MW-28DD	HL-MW-28DD		1/24/2008	X	X	X	X	X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-28DD	HL-MW-2800DD	Dup	1/24/2008				X					
HL-MW-28DD	HL-MW-28DD		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	4/21/2008	X	X	X	X	X	X			X
HL-MW-28DD	HL-MW-28DD		10/19/2008	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	10/19/2008				X					
HL-MW-29S	HL-MW-29S		7/24/2007	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-29S		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-2900S	Dup	10/24/2007				X					
HL-MW-29S	HL-MW-29S		1/24/2008	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-2900S	Dup	1/24/2008	X	X	X	X	X	X			X
HL-MW-29S	HL-MW-29S		4/22/2008	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-2900S	Dup	4/22/2008			X	X	X	X			
HL-MW-29S	HL-MW-29S		7/23/2008				X			X		
HL-MW-29S	HL-MW-2900S	Dup	7/23/2008				X					
HL-MW-29S	HL-MW-29S		10/22/2008	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-2900S	Dup	10/22/2008	X	X	X	X					X
HL-MW-30S	HL-MW-30S		6/8/2007						X			
HL-MW-30S	HL-MW-30S		7/24/2007	X	X	X	X	X	X	X		X
HL-MW-30S	HL-MW-30S		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-30S	HL-MW-3000S	Dup	10/24/2007					X	X			
HL-MW-30S	HL-MW-30S		1/25/2008	X	X	X	X	X	X	X		X
HL-MW-30S	HL-MW-30S		4/23/2008	X	X	X	X	X	X	X		X
HL-MW-30S	HL-MW-3000S	Dup	4/23/2008			X	X		X			
HL-MW-30S	HL-MW-30S		7/24/2008				X			X		
HL-MW-30S	HL-MW-3000S	Dup	7/24/2008				X					
HL-MW-30S	HL-MW-30S		10/19/2008	X	X	X	X	X	X	X		X
MW-02	MW-2D		9/2/2003			X	X			X		
MW-02	MW-2S		10/25/2004			X	X			X		
MW-02	MW-2D		10/25/2004			X	X			X		
MW-02	MW-2S		7/28/2005			X	X			X		
MW-02	MW-2D		7/28/2005			X	X			X		
MW-02	MW-2S		4/21/2006			X	X			X		
MW-02	MW-2D		4/21/2006			X	X			X		
MW-02	MW-2S		10/27/2006			X	X			X		
MW-02	MW-2D		10/27/2006			X	X			X		
MW-02D	MW-2D		5/12/2003			X	X			X		
MW-02D	MW-2D		6/30/2004				X			X		
MW-02D	MW-2D		10/24/2005			X	X			X		
MW-02S	MW-2S		5/12/2003			X	X			X		
MW-02S	MW-2S		9/2/2003			X	X			X		
MW-02S	MW-2S		6/30/2004				X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-02S	MW-2S	10/24/2005			X	X			X		
MW-04	MW-4	5/16/2003							X		
MW-04	MW-4	9/5/2003							X		
MW-04	MW-4	6/30/2004							X		
MW-04	MW-4	4/22/2006							X		
MW-04	MW-4	10/26/2006							X		
MW-04	MW-4	4/16/2007							X		
MW-04	MW-4	4/24/2008							X		
MW-05	MW-5	5/12/2003							X		
MW-07	MW-7	5/12/2003							X		
MW-08	MW-8	5/12/2003							X		
MW-08	MW-8	5/13/2003			X	X		X	X		X
MW-08	MW-8	9/2/2003			X	X		X	X		X
MW-08	MW-8	6/29/2004				X		X	X		X
MW-08	MW-8	10/25/2004			X	X			X		X
MW-08	MW-8	7/29/2005			X	X			X		X
MW-08	MW-8	10/26/2005			X	X			X		X
MW-08	MW-8	4/22/2006			X	X			X		X
MW-08	MW-8	10/27/2006			X	X			X		X
MW-08	MW-8	4/18/2007			X	X			X		X
MW-08	MW-8	10/25/2007			X	X			X		X
MW-08	MW-8	4/23/2008			X	X			X		X
MW-08	MW-8	10/21/2008			X	X			X		X
MW-09	MW-9	5/12/2003							X		
MW-09	MW-9	5/13/2003			X	X		X	X		X
MW-09	MW-9	9/2/2003			X	X		X	X		X
MW-09	MW-9	6/29/2004				X		X	X		X
MW-09	MW-9	4/18/2007			X	X			X		X
MW-09	MW-9	10/25/2007			X	X			X		X
MW-09	MW-9	4/23/2008			X	X			X		X
MW-09	MW-9	10/21/2008			X	X			X		X
MW-10	MW-10	5/12/2003							X		
MW-10	MW-10	5/13/2003									X
MW-10	MW-10	10/28/2004									X
MW-10	MW-10	10/26/2005									X
MW-10	MW-10	4/22/2006									X
MW-10	MW-10	10/27/2006									X
MW-10	MW-10	4/16/2007									X
MW-10	MW-10	10/25/2007									X
MW-10	MW-10	4/22/2008									X
MW-10	MW-10	10/21/2008									X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-12A	MW-28	Dup	5/12/2003			X						
MW-12A	MW-12A		5/12/2003			X	X		X	X		X
MW-12A	MW-28	Dup	9/2/2003			X						
MW-12A	MW-12A		9/2/2003			X	X		X	X	X	
MW-12A	MW-12A		10/22/2003			X	X			X		
MW-12A	MW-12A		3/5/2004				X			X		
MW-12A	MW-12A		6/29/2004				X		X	X		X
MW-12A	MW-28	Dup	10/25/2004			X						
MW-12A	MW-12A		10/25/2004			X	X			X		X
MW-12A	MW-28	Dup	7/28/2005			X						
MW-12A	MW-12A		7/28/2005			X	X			X		X
MW-12A	MW-28	Dup	10/26/2005			X						
MW-12A	MW-12A		10/26/2005			X	X			X		X
MW-12A	MW-12A		4/21/2006			X	X			X		X
MW-12A	MW-12A		10/27/2006			X	X			X		X
MW-12A	MW-12A		2/1/2007				X			X		
MW-12A	MW-12A		4/17/2007			X	X			X		X
MW-12A	MW-12A		7/25/2007				X			X		
MW-12A	MW-12A		10/23/2007			X	X			X		X
MW-12A	MW-12A		1/25/2008				X			X		
MW-12A	MW-12A		4/24/2008			X	X			X		X
MW-12A	MW-12A		7/23/2008				X			X		
MW-12A	MW-12A		10/21/2008			X	X			X		X
MW-13	MW-13		5/12/2003			X				X		
MW-13	MW-13		5/13/2003				X		X	X		X
MW-13	MW-13		9/2/2003			X	X		X	X		X
MW-13	MW-13		6/29/2004				X		X	X		X
MW-13	MW-13		4/18/2007			X	X			X		X
MW-13	MW-13		10/25/2007			X	X			X		X
MW-13	MW-13		4/22/2008			X	X			X		X
MW-13	MW-13		10/21/2008			X	X			X		X
MW-14	MW-14		5/12/2003			X	X		X	X		X
MW-14	MW-14		9/2/2003			X	X		X	X	X	
MW-14	MW-14		6/29/2004				X		X	X		X
MW-14	MW-14		10/25/2004			X	X			X		X
MW-14	MW-14		7/29/2005			X	X			X		X
MW-14	MW-14		10/24/2005			X	X			X		X
MW-14	MW-14		4/22/2006			X	X			X		X
MW-14	MW-14		10/27/2006			X	X			X		X
MW-14	MW-14		4/17/2007			X	X			X		X
MW-14	MW-14		10/24/2007			X	X			X		X



**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-14	MW-14		4/23/2008			X	X			X		X
MW-14	MW-14		10/21/2008			X	X			X		X
MW-15	MW-27	Dup	5/12/2003			X			X			X
MW-15	MW-15		5/12/2003			X	X		X	X		X
MW-15	MW-27	Dup	9/2/2003			X			X		X	
MW-15	MW-15		9/2/2003			X	X		X	X	X	
MW-15	MW-27	Dup	6/29/2004						X			X
MW-15	MW-15		6/29/2004				X		X	X		X
MW-15	MW-27	Dup	10/25/2004			X						X
MW-15	MW-15		10/25/2004			X	X			X		X
MW-15	MW-27	Dup	7/29/2005			X						X
MW-15	MW-15		7/29/2005			X	X			X		X
MW-15	MW-27	Dup	10/24/2005			X						X
MW-15	MW-15		10/24/2005			X	X			X		X
MW-15	MW-15		4/21/2006			X	X			X		X
MW-15	MW-15		10/27/2006			X	X			X		X
MW-15	MW-15		2/1/2007				X			X		
MW-15	MW-15		4/17/2007			X	X			X		X
MW-15	MW-15		7/25/2007				X			X		
MW-15	MW-15		10/24/2007			X	X			X		X
MW-15	MW-15		1/25/2008				X			X		
MW-15	MW-15		4/23/2008			X	X			X		X
MW-15	MW-15		7/23/2008				X			X		
MW-15	MW-15		10/21/2008			X	X			X		X
MW-16	MW-16		5/12/2003			X				X		
MW-16	MW-16		5/13/2003				X		X	X		X
MW-16	MW-16		9/2/2003			X	X		X	X	X	
MW-16	MW-16		6/29/2004				X		X	X		X
MW-16	MW-16		10/25/2004			X	X			X		X
MW-16	MW-16		7/29/2005			X	X			X		X
MW-16	MW-30	Dup	10/26/2005					X	X			
MW-16	MW-16		10/26/2005			X	X	X	X	X		X
MW-16	MW-16		4/22/2006			X	X	X	X	X		X
MW-16	MW-160	Dup	10/27/2006				X					X
MW-16	MW-16		10/27/2006			X	X	X	X	X		X
MW-16	MW-16		4/17/2007			X	X	X	X	X		X
MW-16	MW-16		10/26/2007			X	X	X	X	X		X
MW-16	MW-16		4/22/2008			X	X	X	X	X		X
MW-16	MW-16		10/22/2008			X	X	X	X	X		X
MW-17S	MW-17S		5/12/2003							X		
MW-17S	MW-17S		5/13/2003			X	X		X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-17S	MW-17S		9/2/2003			X	X		X	X	X	
MW-17S	MW-17S		10/22/2003			X	X			X		
MW-17S	MW-17S		3/4/2004				X			X		
MW-17S	MW-17S		6/29/2004				X		X	X		X
MW-17S	MW-17S		10/25/2004			X	X		X	X		X
MW-17S	MW-17S		7/28/2005			X	X		X	X		X
MW-17S	MW-17S		10/26/2005			X	X	X	X	X		X
MW-17S	MW-17S		1/25/2006			X	X			X		
MW-17S	MW-170S	Dup	4/21/2006									X
MW-17S	MW-17S		4/21/2006			X	X	X	X	X		X
MW-17S	MW-170S	Dup	7/18/2006				X					
MW-17S	MW-17S		7/18/2006			X	X			X		
MW-17S	MW-17S		10/27/2006			X	X	X	X	X		X
MW-17S	MW-17S		2/1/2007				X			X		
MW-17S	MW-17S		4/17/2007			X	X	X	X	X		X
MW-17S	MW-17S		7/24/2007				X			X		
MW-17S	MW-17S		10/23/2007			X	X	X	X	X		X
MW-17S	MW-17S		1/25/2008				X			X		
MW-17S	MW-17S		4/22/2008			X	X	X	X	X		X
MW-17S	MW-17S		7/24/2008				X			X		
MW-17S	MW-1700S	Dup	10/21/2008						X			
MW-17S	MW-17S		10/21/2008			X	X	X	X	X		X
MW-18D	MW-18D		5/12/2003			X				X		
MW-18D	MW-18D		5/13/2003				X		X	X		X
MW-18D	MW-18D		9/2/2003			X	X		X	X	X	
MW-18D	MW-18D		10/22/2003			X	X			X		
MW-18D	MW-18D		3/4/2004				X			X		
MW-18D	MW-18D		6/29/2004				X		X	X		X
MW-18D	MW-18D		10/25/2004			X	X			X		X
MW-18D	MW-18D		7/29/2005			X	X			X		X
MW-18D	MW-18D		10/26/2005			X	X			X		X
MW-18D	MW-18D		4/21/2006			X	X			X		X
MW-18D	MW-18D		10/27/2006			X	X			X		X
MW-18D	MW-18D		4/17/2007			X	X			X		X
MW-18D	MW-18D		10/26/2007			X	X			X		X
MW-18D	MW-18D		4/22/2008			X	X			X		X
MW-18D	MW-18D		10/21/2008			X	X			X		X
MW-19S	MW-19S		5/12/2003							X		
MW-19S	MW-19S		5/13/2003			X	X		X	X		X
MW-19S	MW-19S		9/2/2003			X	X		X	X		X
MW-19S	MW-19S		6/29/2004				X		X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-19S	MW-19S		10/26/2004			X	X		X	X		X
MW-19S	MW-19S		7/29/2005			X	X		X	X		X
MW-19S	MW-19S		10/26/2005			X	X	X	X	X		X
MW-19S	MW-19S		1/25/2006			X	X			X		
MW-19S	MW-190S	Dup	4/21/2006			X						
MW-19S	MW-19S		4/21/2006			X	X	X	X	X		X
MW-19S	MW-19S		7/18/2006			X	X			X		
MW-19S	MW-19S		10/27/2006			X	X	X	X	X		X
MW-19S	MW-19S		4/17/2007			X	X	X	X	X		X
MW-19S	MW-19S		10/24/2007			X	X	X	X	X		X
MW-19S	MW-19S		4/23/2008			X	X	X	X	X		X
MW-19S	MW-19S		10/21/2008			X	X	X	X	X		X
MW-20D	MW-20D		5/12/2003							X		
MW-20D	MW-20D		5/13/2003			X	X		X	X		X
MW-20D	MW-20D		9/2/2003			X	X		X	X		X
MW-20D	MW-20D		6/29/2004				X		X	X		X
MW-20D	MW-20D		4/17/2007			X	X	X	X	X		X
MW-20D	MW-20D		10/24/2007			X	X	X	X	X		X
MW-20D	MW-20D		4/23/2008			X	X	X	X	X		X
MW-20D	MW-2000D	Dup	10/21/2008						X			
MW-20D	MW-20D		10/21/2008			X	X	X	X	X		X
MW-21S	MW-21S		5/12/2003			X	X		X	X		X
MW-21S	MW-21S		9/2/2003			X	X		X	X	X	
MW-21S	MW-21S		6/29/2004				X		X	X		X
MW-21S	MW-21S		10/25/2004			X	X		X	X		X
MW-21S	MW-21S		7/29/2005			X	X		X	X		X
MW-21S	MW-21S		10/24/2005			X	X	X	X	X		X
MW-21S	MW-21S		1/24/2006			X	X			X		
MW-21S	MW-21S		4/21/2006			X	X	X	X	X		X
MW-21S	MW-21S		7/18/2006			X	X			X		
MW-21S	MW-21S		10/27/2006			X	X	X	X	X		X
MW-21S	MW-21S		2/1/2007				X			X		
MW-21S	MW-21S		4/17/2007			X	X	X	X	X		X
MW-21S	MW-21S		7/25/2007				X			X		
MW-21S	MW-21S		10/24/2007			X	X	X	X	X		X
MW-21S	MW-21S		1/25/2008				X			X		
MW-21S	MW-21S		4/23/2008			X	X	X	X	X		X
MW-21S	MW-21S		7/23/2008				X			X		
MW-21S	MW-2100S	Dup	10/23/2008						X			
MW-21S	MW-21S		10/23/2008			X	X	X	X	X		X
MW-22D	MW-22D		5/12/2003			X	X		X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-22D	MW-22D	9/2/2003			X	X		X	X	X	
MW-22D	MW-22D	6/29/2004				X		X	X		X
MW-22D	MW-22D	10/27/2006			X	X			X		X
MW-22D	MW-22D	4/17/2007			X	X			X		X
MW-22D	MW-22D	10/24/2007			X	X			X		X
MW-22D	MW-22D	4/23/2008			X	X			X		X
MW-22D	MW-22D	10/23/2008			X	X			X		X
MW-23S	MW-23S	5/12/2003			X	X		X	X		X
MW-23S	MW-23S	9/2/2003			X	X		X	X	X	
MW-23S	MW-23S	10/22/2003			X	X			X		
MW-23S	MW-23S	3/5/2004				X			X		
MW-23S	MW-23S	6/29/2004				X		X	X		X
MW-23S	MW-23S	10/25/2004			X	X			X		X
MW-23S	MW-23S	7/28/2005			X	X			X		X
MW-23S	MW-23S	10/24/2005			X	X	X	X	X		X
MW-23S	MW-23S	4/21/2006			X	X	X	X	X		X
MW-23S	MW-23S	10/27/2006			X	X	X	X	X		X
MW-23S	MW-23S	2/1/2007				X			X		
MW-23S	MW-23S	4/17/2007			X	X	X	X	X		X
MW-23S	MW-23S	7/25/2007				X			X		
MW-23S	MW-23S	10/24/2007			X	X	X	X	X		X
MW-23S	MW-23S	1/25/2008				X			X		
MW-23S	MW-23S	4/24/2008			X	X	X	X	X		X
MW-23S	MW-23S	7/23/2008				X			X		
MW-23S	MW-23S	10/21/2008			X	X	X	X	X		X
MW-24D	MW-24D	5/12/2003			X	X		X	X		X
MW-24D	MW-24D	9/2/2003			X	X		X	X	X	
MW-24D	MW-24D	10/22/2003			X	X			X		
MW-24D	MW-24D	3/5/2004				X			X		
MW-24D	MW-24D	6/29/2004				X		X	X		X
MW-24D	MW-24D	10/25/2004			X	X			X		X
MW-24D	MW-24D	7/28/2005			X	X			X		X
MW-24D	MW-24D	10/24/2005			X	X			X		X
MW-24D	MW-24D	4/21/2006			X	X			X		X
MW-24D	MW-24D	10/27/2006			X	X			X		X
MW-24D	MW-24D	2/1/2007				X			X		
MW-24D	MW-24D	4/17/2007			X	X			X		X
MW-24D	MW-24D	7/25/2007				X			X		
MW-24D	MW-24D	10/24/2007			X	X			X		X
MW-24D	MW-24D	1/25/2008				X			X		
MW-24D	MW-24D	4/23/2008			X						

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-24D	MW-24D		4/24/2008				X			X		X
MW-24D	MW-24D		7/23/2008				X			X		
MW-24D	MW-24D		10/21/2008			X	X			X		X
MW-25S	MW-25S		5/12/2003			X	X		X	X		X
MW-25S	MW-25S		9/2/2003			X	X		X	X	X	
MW-25S	MW-25S		10/22/2003			X	X			X		
MW-25S	MW-25S		6/29/2004				X		X	X		X
MW-25S	MW-25S		10/26/2004			X	X		X	X		X
MW-25S	MW-25S		7/28/2005			X	X		X	X		X
MW-25S	MW-25S		10/26/2005			X	X	X	X	X		X
MW-25S	MW-25S		1/24/2006			X	X			X		
MW-25S	MW-25S		4/21/2006			X	X	X	X	X		X
MW-25S	MW-25S		7/18/2006			X	X			X		
MW-25S	MW-25S		10/27/2006			X	X	X	X	X		X
MW-25S	MW-25S		2/1/2007				X			X		
MW-25S	MW-25S		4/17/2007			X	X	X	X	X		X
MW-25S	MW-25S		7/24/2007				X			X		
MW-25S	MW-2500S	Dup	10/25/2007			X	X					
MW-25S	MW-25S		10/25/2007	X	X	X	X	X	X	X		X
MW-25S	MW-25S		1/25/2008				X			X		
MW-25S	MW-25S		4/22/2008			X	X	X	X	X		X
MW-25S	MW-25S		7/24/2008				X			X		
MW-25S	MW-25S		10/22/2008			X	X	X	X	X		X
MW-26D	MW-26D		5/12/2003			X	X		X	X		X
MW-26D	MW-26D		9/2/2003			X	X		X	X	X	
MW-26D	MW-26D		10/22/2003			X	X			X		
MW-26D	MW-26D		6/29/2004				X		X	X		X
MW-26D	MW-26D		10/26/2005			X	X			X		X
MW-26D	MW-26D		4/21/2006			X	X			X		X
MW-26D	MW-26D		10/27/2006			X	X			X		X
MW-26D	MW-26D		4/17/2007			X	X			X		X
MW-26D	MW-26D		10/25/2007			X	X			X		X
MW-26D	MW-26D		4/22/2008			X	X			X		X
MW-26D	MW-26D		10/22/2008			X	X			X		X
N Supply	N. SUPPLY WELL		5/16/2003							X		
N Supply	N. Supply Well		9/5/2003							X		
N Supply	N. Supply Well		6/30/2004							X		
N Supply	N. SUPPLY WELL		7/29/2005							X		
N Supply	North Supply Well		4/23/2006							X		
N Supply	North Supply Well		4/16/2007							X		
N Supply	North Supply Well		4/24/2008							X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
OH-EW-01	OH-EW-1		5/16/2003			X	X			X	X	
OH-EW-01	OH-EW-1		9/5/2003			X	X			X	X	
OH-EW-01	OH-EW-1		7/1/2004				X			X	X	
OH-EW-01	OH-EW-1		10/29/2004			X	X			X	X	
OH-EW-01	OH-EW-1		7/29/2005			X	X			X	X	
OH-EW-01	OH-EW-1		10/29/2005			X	X			X	X	
OH-EW-01	OH-EW-1		4/22/2006			X	X			X	X	
OH-EW-01	OH-EW-1		7/20/2006							X		
OH-EW-01	OH-EW-1		10/25/2006			X	X			X	X	
OH-EW-01	OH-EW-1		2/1/2007							X		
OH-EW-01	OH-EW-1		4/16/2007			X	X			X	X	
OH-EW-01	OH-EW-1		7/25/2007							X		
OH-EW-01	OH-EW-1		10/22/2007			X	X			X	X	
OH-EW-01	OH-EW-1		1/24/2008							X		
OH-EW-01	OH-EW-1		4/23/2008			X						
OH-EW-01	OH-EW-1		4/24/2008				X			X	X	
OH-EW-01	OH-EW-1		7/24/2008							X		
OH-EW-01	OH-EW-1		10/22/2008			X	X			X	X	
OH-MW-01	OH-MW-100	Dup	10/22/2008			X						
OH-MW-03	OH-MW-3		10/27/2005							X		
OH-MW-03	OH-MW-3		4/20/2006							X		
OH-MW-03	OH-MW-3		10/25/2006							X		
OH-MW-08	OH-MW-8		4/22/2008	X		X	X	X	X			X
OH-MW-08	OH-MW-8		10/20/2008	X	X	X	X	X	X			X
OH-MW-10	OH-MW-10		5/12/2003							X		
OH-MW-10	OH-MW-10		4/22/2008	X		X	X	X	X			X
OH-MW-10	OH-MW-10		10/22/2008	X	X	X	X	X	X			X
OH-MW-13	OH-MW-13		5/14/2003			X						
OH-MW-13	OH-MW-13		9/3/2003			X						
OH-MW-13	OH-MW-13		10/28/2004			X						
OH-MW-13	OH-MW-13		7/28/2005	X	X	X						
OH-MW-13	OH-MW-13		10/28/2005	X	X	X				X		
OH-MW-13	OH-MW-13		4/20/2006	X	X	X				X		
OH-MW-13	OH-MW-13		10/25/2006	X	X	X				X		
OH-MW-13	OH-MW-13		4/19/2007	X	X	X						
OH-MW-13	OH-MW-13		10/23/2007	X	X	X						
OH-MW-13	OH-MW-13		4/23/2008	X		X						
OH-MW-13	OH-MW-13		10/23/2008	X	X	X						
OH-MW-17	OH-MW-17		5/13/2003			X						
OH-MW-17	OH-MW-17		9/3/2003			X						
OH-MW-18	OH-MW-18		5/12/2003			X				X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
OH-MW-18	OH-MW-18		9/3/2003			X						
OH-MW-18	OH-MW-18		10/28/2004			X						
OH-MW-18	OH-MW-18		7/28/2005	X	X	X						
OH-MW-18	OH-MW-18		10/28/2005	X	X	X				X		
OH-MW-18	OH-MW-18		4/20/2006	X	X	X				X		
OH-MW-18	OH-MW-18		10/25/2006	X	X	X				X		
OH-MW-18	OH-MW-18		4/19/2007	X	X	X						
OH-MW-18	OH-MW-18		10/23/2007	X	X	X						
OH-MW-18	OH-MW-18		4/23/2008	X	X	X						
OH-MW-18	OH-MW-18		10/22/2008	X	X	X						
OH-MW-24	OH-MW-24		4/23/2008	X	X	X						
OH-MW-24	OH-MW-24		4/24/2008				X	X	X			X
OH-MW-24	OH-MW-24		10/23/2008	X	X	X	X	X	X			X
OH-MW-25	OH-MW-25		4/24/2008	X	X	X	X	X	X			X
OH-MW-25	OH-MW-25		10/23/2008	X	X	X	X	X	X			X
OH-MW-26	OH-MW-26		5/12/2003			X	X			X		
OH-MW-26	OH-MW-26		9/4/2003			X	X			X		
OH-MW-26	OH-MW-26		6/30/2004				X			X		
OH-MW-26	OH-MW-26		10/28/2004			X	X			X		
OH-MW-26	OH-MW-26		7/28/2005			X	X			X		
OH-MW-26	OH-MW-26		10/27/2005			X	X			X		
OH-MW-26	OH-MW-26		4/23/2006			X	X			X		
OH-MW-26	OH-MW-260	Dup	10/25/2006				X					
OH-MW-26	OH-MW-26		10/25/2006			X	X			X		
OH-MW-26	OH-MW-26		4/19/2007			X	X			X		
OH-MW-26	OH-MW-26		10/26/2007			X	X			X		
OH-MW-26	OH-MW-26		4/22/2008			X	X			X		
OH-MW-26	OH-MW-26		10/23/2008			X	X			X		
OH-MW-27	OH-MW-27		5/12/2003							X		
OH-MW-27	OH-MW-27		10/29/2005							X		
OH-MW-27	OH-MW-27		4/20/2006							X		
OH-MW-27	OH-MW-27		10/25/2006							X		
River	River Sample		4/22/2006							X		
River	River		7/20/2006							X		
River	River		10/25/2006							X		
River	River		2/1/2007							X		
River	River		4/16/2007							X		
River	River		7/25/2007							X		
River	River		10/22/2007							X		
River	River		1/24/2008							X		
River	River		4/24/2008							X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
River	RIVER		7/24/2008							X		
River	River		10/22/2008							X		
RM-MW-01S	RM-MW-1S		10/23/2003			X	X			X		
RM-MW-01S	RM-MW-1S		3/4/2004				X			X		
RM-MW-01S	RM-MW-1S		6/30/2004				X			X		
RM-MW-01S	RM-MW-1S		10/27/2004				X			X		
RM-MW-01S	RM-MW-1S		7/25/2005			X	X			X		
RM-MW-01S	RM-MW-1S		10/27/2005			X	X			X		
RM-MW-01S	RM-MW-1S		1/25/2006				X			X		
RM-MW-01S	RM-MW-1S		4/18/2006			X	X			X		
RM-MW-01S	RM-MW-1S		7/18/2006				X			X		
RM-MW-01S	RM-MW-1S		10/24/2006			X	X			X		
RM-MW-01S	RM-MW-1S		2/1/2007				X			X		
RM-MW-01S	RM-MW-1S		4/18/2007				X			X		
RM-MW-01S	RM-MW-1S		7/24/2007				X			X		
RM-MW-01S	RM-MW-1S		10/22/2007				X			X		
RM-MW-01S	RM-MW-1S		1/24/2008				X			X		
RM-MW-01S	RM-MW-1S		4/20/2008				X			X		
RM-MW-01S	RM-MW-1S		7/24/2008				X			X		
RM-MW-01S	RM-MW-1S		10/22/2008				X			X		
RM-MW-02D	RM-MW-2D		10/23/2003			X	X			X		
RM-MW-02D	RM-MW-2D		3/4/2004				X			X		
RM-MW-02D	RM-MW-2D		6/30/2004				X			X		
RM-MW-02D	RM-MW-2D		10/27/2004				X			X		
RM-MW-02D	RM-MW-2D		7/25/2005			X	X			X		
RM-MW-02D	RM-MW-2D		10/28/2005	X	X	X	X			X		
RM-MW-02D	RM-MW-2D		4/18/2006			X	X			X		
RM-MW-02D	RM-MW-2D		10/24/2006			X	X			X		
RM-MW-02D	RM-MW-2D		4/18/2007				X			X		
RM-MW-02D	RM-MW-2D		10/22/2007				X			X		
RM-MW-02D	RM-MW-2D		4/20/2008				X			X		
RM-MW-02D	RM-MW-2D		10/22/2008				X			X		
RM-MW-03S	RM-MW-3S		10/23/2003			X	X			X		
RM-MW-03S	RM-MW-6	Dup	10/24/2003			X	X			X		
RM-MW-03S	RM-MW-3S		3/4/2004				X			X		
RM-MW-03S	RM-MW-3S		6/30/2004				X			X		
RM-MW-03S	RM-MW-3S		10/27/2004				X			X		
RM-MW-03S	RM-MW-3S		5/19/2005	X	X	X	X			X		
RM-MW-03S	RM-MW-3S		7/25/2005			X	X			X		
RM-MW-03S	RM-MW-3S		10/26/2005			X	X			X		
RM-MW-03S	RM-MW-3S		1/25/2006				X			X		



**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-03S	RM-MW-3S	4/18/2006			X	X			X		
RM-MW-03S	RM-MW-3S	7/18/2006				X			X		
RM-MW-03S	RM-MW-3S	10/24/2006			X	X			X		
RM-MW-03S	RM-MW-3S	2/1/2007				X			X		
RM-MW-03S	RM-MW-3S	4/19/2007				X			X		
RM-MW-03S	RM-MW-3S	7/24/2007				X			X		
RM-MW-03S	RM-MW-3S	10/24/2007				X			X		
RM-MW-03S	RM-MW-3S	1/24/2008				X			X		
RM-MW-03S	RM-MW-3S	4/20/2008				X			X		
RM-MW-03S	RM-MW-3S	7/23/2008				X			X		
RM-MW-03S	RM-MW-3S	10/23/2008				X			X		
RM-MW-04D	RM-MW-4D	10/23/2003			X	X			X		
RM-MW-04D	RM-MW-4D	3/4/2004				X			X		
RM-MW-04D	RM-MW-4D	6/30/2004				X			X		
RM-MW-04D	RM-MW-4D	10/27/2004				X			X		
RM-MW-04D	RM-MW-4D	7/25/2005			X	X			X		
RM-MW-04D	RM-MW-4D	10/26/2005			X	X			X		
RM-MW-04D	RM-MW-4D	4/18/2006			X	X			X		
RM-MW-04D	RM-MW-4D	10/24/2006			X	X			X		
RM-MW-04D	RM-MW-4D	4/19/2007				X			X		
RM-MW-04D	RM-MW-4D	10/24/2007				X			X		
RM-MW-04D	RM-MW-4D	4/20/2008				X			X		
RM-MW-04D	RM-MW-4D	10/23/2008				X			X		
RM-MW-05S	RM-MW-5S	10/24/2003			X	X			X		
RM-MW-05S	RM-MW-5S	3/4/2004				X			X		
RM-MW-05S	RM-MW-5S	6/30/2004				X			X		
RM-MW-05S	RM-MW-5S	10/27/2004				X			X		
RM-MW-05S	RM-MW-5S	7/26/2005			X	X			X		
RM-MW-05S	RM-MW-5S	10/24/2005			X	X			X		
RM-MW-05S	RM-MW-5S	4/19/2006			X	X			X		
RM-MW-05S	RM-MW-5S	10/24/2006			X	X			X		
RM-MW-05S	RM-MW-5S	4/18/2007				X			X		
RM-MW-05S	RM-MW-5S	10/22/2007				X			X		
RM-MW-05S	RM-MW-5S	4/20/2008				X			X		
RM-MW-05S	RM-MW-5S	10/22/2008				X			X		
RM-MW-08S	RM-MW-8S	3/24/2005			X	X			X		
RM-MW-08S	RM-MW-8S	5/17/2005	X	X	X	X			X		
RM-MW-08S	RM-MW-8S	6/16/2005	X		X	X			X		
RM-MW-08S	RM-MW-8S	7/25/2005			X	X			X		
RM-MW-08S	RM-MW-8S	10/24/2005			X	X			X		
RM-MW-08S	RM-MW-8S	1/24/2006			X	X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-08S	RM-MW-8S		4/17/2006			X	X			X		
RM-MW-08S	RM-MW-80S	Dup	4/17/2006				X					
RM-MW-08S	RM-MW-8S		7/17/2006			X	X			X		
RM-MW-08S	RM-MW-8S		10/23/2006			X	X			X		
RM-MW-08S	RM-MW-8S		2/1/2007				X			X		
RM-MW-08S	RM-MW-8S		4/19/2007				X			X		
RM-MW-08S	RM-MW-8S		7/24/2007				X			X		
RM-MW-08S	RM-MW-8S		10/21/2007				X			X		
RM-MW-08S	RM-MW-8S		1/24/2008				X			X		
RM-MW-08S	RM-MW-8S		4/20/2008				X			X		
RM-MW-08S	RM-MW-8S		7/22/2008				X			X		
RM-MW-08S	RM-MW-8S		10/18/2008				X			X		
RM-MW-08S	RM-MW-800S	Dup	10/18/2008				X					
RM-MW-09S	RM-MW-9S		3/24/2005			X	X			X		
RM-MW-09S	RM-MW-9S		5/19/2005	X	X	X	X			X		
RM-MW-09S	RM-MW-9S		7/26/2005			X	X			X		
RM-MW-09S	RM-MW-9S		10/24/2005			X	X			X		
RM-MW-09S	RM-MW-9S		1/24/2006			X	X			X		
RM-MW-09S	RM-MW-9S		4/19/2006			X	X			X		
RM-MW-09S	RM-MW-90S	Dup	4/19/2006			X						
RM-MW-09S	RM-MW-9S		7/18/2006			X	X			X		
RM-MW-09S	RM-MW-900S	Dup	7/18/2006			X						
RM-MW-09S	RM-MW-9S		10/25/2006			X	X			X		
RM-MW-09S	RM-MW-900S	Dup	10/25/2006			X						
RM-MW-09S	RM-MW-9S		2/1/2007				X			X		
RM-MW-09S	RM-MW-9S		4/19/2007				X			X		
RM-MW-09S	RM-MW-9S		7/25/2007				X			X		
RM-MW-09S	RM-MW-9S		10/22/2007				X			X		
RM-MW-09S	RM-MW-9S		1/24/2008				X			X		
RM-MW-09S	RM-MW-9S		4/20/2008				X			X		
RM-MW-09S	RM-MW-9S		7/23/2008				X			X		
RM-MW-09S	RM-MW-9S		10/22/2008				X			X		
RM-MW-10S	RM-MW-100	Dup	9/28/2004				X					
RM-MW-10S	RM-MW-10S		9/28/2004				X			X		
RM-MW-10S	RM-MW-100	Dup	10/27/2004				X					
RM-MW-10S	RM-MW-10S		10/27/2004			X	X			X		
RM-MW-10S	RM-MW-10S		5/19/2005	X	X	X	X			X		
RM-MW-10S	RM-MW-10S		6/16/2005	X		X	X			X		
RM-MW-10S	RM-MW-10S		7/26/2005			X	X			X		
RM-MW-10S	RM-MW-10S		10/24/2005			X	X			X		
RM-MW-10S	RM-MW-10S		1/25/2006			X	X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-10S	RM-MW-100S	Dup	1/25/2006			X	X					
RM-MW-10S	RM-MW-10S		4/19/2006			X	X			X		
RM-MW-10S	RM-MW-10S		7/18/2006			X	X			X		
RM-MW-10S	RM-MW-10S		10/24/2006			X	X			X		
RM-MW-10S	RM-MW-10S		2/1/2007				X			X		
RM-MW-10S	RM-MW-10S		4/19/2007				X			X		
RM-MW-10S	RM-MW-10S		7/25/2007				X			X		
RM-MW-10S	RM-MW-10S		10/24/2007				X			X		
RM-MW-10S	RM-MW-10S		1/24/2008				X			X		
RM-MW-10S	RM-MW-10S		4/20/2008				X			X		
RM-MW-10S	RM-MW-10S		7/23/2008				X			X		
RM-MW-10S	RM-MW-10S		10/23/2008				X			X		
RM-MW-11S	RM-MW-11S		7/25/2005			X						
RM-MW-12S	RM-MW-12S		5/17/2005	X	X	X	X			X		
RM-MW-12S	RM-MW-12S		6/16/2005	X		X	X			X		
RM-MW-12S	RM-MW-12S		7/25/2005			X	X			X		
RM-MW-12S	RM-MW-12S		10/24/2005			X	X			X		
RM-MW-12S	RM-MW-12S		1/24/2006			X	X			X		
RM-MW-12S	RM-MW-12S		4/19/2006			X	X			X		
RM-MW-12S	RM-MW-12S		7/18/2006			X	X			X		
RM-MW-12S	RM-MW-12S		10/24/2006			X	X			X		
RM-MW-12S	RM-MW-12S		2/1/2007				X			X		
RM-MW-12S	RM-MW-12S		4/19/2007				X			X		
RM-MW-12S	RM-MW-12S		7/24/2007				X			X		
RM-MW-12S	RM-MW-12S		10/21/2007				X			X		
RM-MW-12S	RM-MW-12S		1/24/2008				X			X		
RM-MW-12S	RM-MW-12S		4/20/2008				X			X		
RM-MW-12S	RM-MW-12S		7/22/2008				X			X		
RM-MW-12S	RM-MW-12S		10/18/2008				X			X		
RM-MW-13S	RM-MW-13S		5/16/2005	X	X	X	X			X		
RM-MW-13S	RM-MW-13S Dup	Dup	5/16/2005	X	X	X	X			X		
RM-MW-13S	RM-MW-13S		6/16/2005	X		X	X			X		
RM-MW-13S	RM-MW-13S		7/25/2005			X	X			X		
RM-MW-13S	RM-MW-100	Dup	7/25/2005			X	X					
RM-MW-13S	RM-MW-13S		10/24/2005			X	X			X		
RM-MW-13S	RM-MW-100S	Dup	10/24/2005			X	X					
RM-MW-13S	RM-MW-13S		1/25/2006			X	X			X		
RM-MW-13S	RM-MW-13S		4/18/2006			X	X			X		
RM-MW-13S	RM-MW-13S		7/18/2006			X	X			X		
RM-MW-13S	RM-MW-13S		10/25/2006			X	X			X		
RM-MW-13S	RM-MW-13S		2/1/2007				X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-13S	RM-MW-13S		4/19/2007				X			X		
RM-MW-13S	RM-MW-13S		7/24/2007				X			X		
RM-MW-13S	RM-MW-13S		10/22/2007				X			X		
RM-MW-13S	RM-MW-13S		1/24/2008				X			X		
RM-MW-13S	RM-MW-13S		4/20/2008				X			X		
RM-MW-13S	RM-MW-13S		7/23/2008				X			X		
RM-MW-13S	RM-MW-13S		10/23/2008				X			X		
RM-MW-14S	RM-MW-14S		10/25/2006			X	X			X		
RM-MW-14S	RM-MW-14S		2/1/2007			X	X			X		
RM-MW-14S	RM-MW-14S		4/19/2007			X	X			X		
RM-MW-14S	RM-MW-14S		7/25/2007			X	X			X		
RM-MW-14S	RM-MW-14S		10/22/2007			X	X			X		
RM-MW-14S	RM-MW-14S		1/24/2008			X	X			X		
RM-MW-14S	RM-MW-14S		4/20/2008			X	X			X		
RM-MW-14S	RM-MW-14S		7/24/2008			X	X			X		
RM-MW-14S	RM-MW-14S		10/22/2008			X	X			X		
RM-MW-15S	RM-MW-15S		10/24/2006			X	X			X		
RM-MW-15S	RM-MW-15S		2/1/2007			X	X			X		
RM-MW-15S	RM-MW-15S		4/19/2007			X	X			X		
RM-MW-15S	RM-MW-15S		7/25/2007			X	X			X		
RM-MW-15S	RM-MW-15S		10/22/2007			X	X			X		
RM-MW-15S	RM-MW-15S		1/24/2008			X	X			X		
RM-MW-15S	RM-MW-15S		4/20/2008			X	X			X		
RM-MW-15S	RM-MW-15S		7/24/2008				X			X		
RM-MW-15S	RM-MW-15S		10/22/2008			X	X			X		
RM-MW-16S	RM-MW-16S		10/24/2006			X	X			X		
RM-MW-16S	RM-MW-16S		2/1/2007			X	X			X		
RM-MW-16S	RM-MW-16S		4/19/2007			X	X			X		
RM-MW-16S	RM-MW-16S		7/24/2007			X	X			X		
RM-MW-16S	RM-MW-16S		10/22/2007			X	X			X		
RM-MW-16S	RM-MW-16S		1/24/2008			X	X			X		
RM-MW-16S	RM-MW-16S		4/20/2008			X	X			X		
RM-MW-16S	RM-MW-16S		7/24/2008				X			X		
RM-MW-16S	RM-MW-16S		10/22/2008			X	X			X		
RM-MW-17S	RM-MW-17S		10/24/2006			X	X			X		
RM-MW-17S	RM-MW-17S		2/1/2007			X	X			X		
RM-MW-17S	RM-MW-17S		4/19/2007			X	X			X		
RM-MW-17S	RM-MW-17S		7/24/2007			X	X			X		
RM-MW-17S	RM-MW-1700S	Dup	7/24/2007				X					
RM-MW-17S	RM-MW-17S		10/22/2007			X	X			X		
RM-MW-17S	RM-MW-17S		1/24/2008			X	X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-17S	RM-MW-17S		4/20/2008			X	X			X		
RM-MW-17S	RM-MW-17S		7/24/2008				X			X		
RM-MW-17S	RM-MW-17S		10/22/2008			X	X			X		
RMSW-MW11S	RMSW-MW-11S		5/17/2005	X	X	X	X			X		
RMSW-MW11S	RMSW-MW-11S		6/16/2005	X		X	X			X		
RMSW-MW11S	RMSW-MW-11S		7/25/2005				X			X		
RMSW-MW11S	RMSW-MW-11S		10/24/2005			X	X			X		
RMSW-MW11S	RMSW-MW-11S		1/24/2006			X	X			X		
RMSW-MW11S	RMSW-MW-11S		4/17/2006			X	X			X		
RMSW-MW11S	RMSW-MW-11S		7/20/2006			X	X			X		
RMSW-MW11S	RMSW-MW-11S		10/23/2006			X	X			X		
TF-MW-01	TF-MW-1		4/24/2008	X	X	X	X	X	X			X
TF-MW-01	TF-MW-1		10/21/2008	X	X	X	X	X	X			X
TF-MW-02	TF-MW-2		4/24/2008	X	X	X	X	X	X			X
TF-MW-02	TF-MW-2		10/21/2008	X	X	X	X	X	X			X
TF-MW-03	TF-MW-3		4/23/2008		X	X						
TF-MW-03	TF-MW-3		4/24/2008						X			
TF-MW-03	TF-MW-3		10/20/2008		X	X			X			
TF-MW-04	TF-MW-4		4/24/2008	X	X	X	X	X	X			X
TF-MW-04	TF-MW-4		10/20/2008	X	X	X	X	X	X			X
TL-MW-01A	TL-MW-1A		5/15/2003			X				X		X
TL-MW-01A	TL-MW-1A RE		9/3/2003									X
TL-MW-01A	TL-MW-1A		9/3/2003			X				X		X
TL-MW-01A	TL-MW-1A		10/24/2003									X
TL-MW-01A	TL-MW-1A		8/10/2004							X		X
TL-MW-01A	TL-MW-1A		7/27/2005			X				X		X
TL-MW-01A	TL-MW-10	Dup	7/27/2005									X
TL-MW-01A	TL-MW-1A		4/23/2006			X				X		X
TL-MW-01A	TL-MW-10A	Dup	4/23/2006									X
TL-MW-01A	TL-MW-1A		4/18/2007			X				X		X
TL-MW-01A	TL-MW-1A		4/22/2008			X						
TL-MW-01A	TL-MW-1A		4/23/2008							X		X
TL-MW-02	TL-MW-2		4/23/2008									X
TL-MW-04	TL-MW-4		4/23/2008									X
TL-MW-04	TL-MW-4		10/21/2008									X
TS-MW-01S	TS-MW-1S		6/16/2005	X	X	X	X	X		X		
TS-MW-01S	TS-MW-1S		7/28/2005	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		10/28/2005	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		1/26/2006	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		4/23/2006	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		7/20/2006	X	X	X	X	X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
TS-MW-01S	TS-MW-1S		10/26/2006	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		4/18/2007					X				X
TS-MW-01S	TS-MW-1S		10/24/2007					X				X
TS-MW-01S	TS-MW-1S		4/23/2008					X				X
TS-MW-01S	TS-MW-1S		10/20/2008					X				X
TS-MW-02S	TS-MW-2S		6/16/2005	X	X	X	X	X		X		
TS-MW-02S	TS-MW-2S		7/28/2005	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		10/29/2005	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		1/26/2006	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		4/23/2006	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		7/20/2006	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		10/27/2006	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		4/18/2007					X				X
TS-MW-02S	TS-MW-2S		10/25/2007					X				X
TS-MW-02S	TS-MW-2S		4/23/2008					X				X
TS-MW-02S	TS-MW-2S		10/20/2008					X				X
WW-EW-01	WW-EW-1		5/16/2003			X	X			X	X	
WW-EW-01	WW-EW-1		9/5/2003			X	X			X	X	
WW-EW-01	WW-EW-1		7/1/2004				X			X	X	
WW-EW-01	WW-EW-1		10/29/2004			X	X			X	X	
WW-EW-01	WW-EW-1		7/29/2005			X	X			X	X	
WW-EW-01	WW-EW-1		10/28/2005			X	X			X	X	
WW-EW-01	WW-EW-1		4/20/2006			X	X			X	X	
WW-EW-01	WW-EW-1		7/20/2006							X		
WW-EW-01	WW-EW-1		10/25/2006			X	X			X	X	
WW-EW-01	WW-EW-1		2/1/2007							X		
WW-EW-01	WW-EW-1		10/22/2007			X	X			X	X	
WW-EW-01	WW-EW-1		1/24/2008							X		
WW-EW-01	WW-EW-1		4/23/2008			X						
WW-EW-01	WW-EW-1		4/24/2008				X			X	X	
WW-EW-01	WW-EW-1		7/24/2008							X		
WW-EW-01	WW-EW-100	Dup	10/22/2008								X	
WW-EW-01	WW-EW-1		10/22/2008			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	5/16/2003				X					
WW-EW-02	WW-EW-2		5/16/2003			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	9/5/2003				X					
WW-EW-02	WW-EW-2		9/5/2003			X	X			X	X	
WW-EW-02	WW-EW-2		7/1/2004				X			X	X	
WW-EW-02	WW-EW-WA	Dup	7/1/2004				X					
WW-EW-02	WW-EW-2		10/29/2004			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	10/29/2004				X					

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
WW-EW-02	WW-EW-2		7/29/2005			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	7/29/2005				X					
WW-EW-02	WW-EW-2		10/28/2005			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	10/28/2005				X				X	
WW-EW-02	WW-EW-2		4/23/2006			X	X			X	X	
WW-EW-02	WW-EW-200	Dup	4/23/2006				X					
WW-EW-02	WW-EW-2 PCB Dup	Dup	4/23/2006				X					
WW-EW-02	WW-EW-2		10/25/2006			X	X			X	X	
WW-EW-02	WW-EW-2		4/17/2007			X	X			X		X
WW-EW-02	WW-EW-2		10/22/2007			X	X			X	X	
WW-EW-02	WW-EW-2		4/24/2008			X	X			X	X	
WW-EW-02	WW-EW-2		10/22/2008			X	X			X	X	
WW-EW-03	WW-EW-3-HS		3/29/2007				X					
WW-EW-03	WW-EW-3		4/25/2008			X	X			X	X	
WW-MW-03	WW-MW-3		10/28/2005							X		
WW-MW-03	WW-MW-3		4/20/2006							X		
WW-MW-03	WW-MW-3		10/26/2006							X		
WW-MW-07	WW-MW-7		4/24/2008	X	X	X	X	X	X			
WW-MW-07	WW-MW-7		10/23/2008	X	X	X	X	X	X			
WW-MW-08	WW-MW-8		5/12/2003			X				X		
WW-MW-08	WW-MW-8		9/3/2003			X						
WW-MW-08	WW-MW-8		10/28/2004			X						
WW-MW-08	WW-MW-8		7/27/2005	X	X	X						
WW-MW-08	WW-MW-8		4/20/2006	X	X	X						
WW-MW-08	WW-MW-8		10/28/2006	X	X	X						
WW-MW-08	WW-MW-8		4/18/2007	X	X	X						
WW-MW-08	WW-MW-8		10/23/2007	X	X	X						
WW-MW-08	WW-MW-8		4/24/2008	X	X	X	X	X	X			
WW-MW-08	WW-MW-8		10/23/2008	X	X	X	X	X	X			
WW-MW-09	WW-MW-9		4/24/2008	X	X	X	X	X	X			
WW-MW-09	WW-MW-9		10/22/2008	X	X	X	X	X	X			
WW-MW-11	WW-MW-11		5/12/2003							X		
WW-MW-12	WW-MW-12		5/12/2003			X				X		
WW-MW-12	WW-MW-12		9/3/2003			X						
WW-MW-12	WW-MW-12		10/28/2004			X						
WW-MW-12	WW-MW-12		7/27/2005	X	X	X						
WW-MW-12	WW-MW-12		10/27/2005			X	X	X	X	X		X
WW-MW-12	WW-MW-12		4/20/2006			X	X	X	X	X		X
WW-MW-12	WW-MW-12		10/26/2006			X	X	X	X	X		X
WW-MW-12	WW-MW-12		4/18/2007			X	X	X	X	X		X
WW-MW-12	WW-MW-12		10/23/2007			X	X	X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
WW-MW-12	WW-MW-12		4/23/2008			X	X	X	X	X		X
WW-MW-12	WW-MW-12		10/22/2008			X	X	X	X	X		X
WW-MW-15	WW-MW-15		5/12/2003			X				X		
WW-MW-15	WW-MW-15		9/3/2003			X						
WW-MW-15	WW-MW-15		10/28/2004			X						
WW-MW-15	WW-MW-15		7/27/2005	X	X	X						
WW-MW-15	WW-MW-15		4/22/2006	X	X	X						
WW-MW-15	WW-MW-15		10/25/2006	X		X						
WW-MW-15	WW-MW-15		4/18/2007	X	X	X						
WW-MW-15	WW-MW-15		10/23/2007	X	X	X						
WW-MW-15	WW-MW-15		4/24/2008	X	X	X						
WW-MW-15	WW-MW-15		10/23/2008	X	X	X						
WW-MW-16	WW-MW-16		5/12/2003							X		
WW-MW-17	WW-MW-17		5/12/2003							X		
WW-MW-17	WW-MW-25	Dup	5/15/2003							X		
WW-MW-17	WW-MW-17		5/15/2003			X	X			X		
WW-MW-17	WW-MW-17		7/17/2003				X			X		
WW-MW-17	WW-MW-25	Dup	9/4/2003							X		
WW-MW-17	WW-MW-17		9/4/2003			X	X			X		
WW-MW-17	WW-MW-25	Dup	6/30/2004				X			X		
WW-MW-17	WW-MW-17		6/30/2004				X			X		
WW-MW-17	WW-MW-25	Dup	10/29/2004				X			X		
WW-MW-17	WW-MW-17		10/29/2004			X	X			X		
WW-MW-17	WW-MW-25	Dup	7/29/2005				X					
WW-MW-17	WW-MW-17		7/29/2005			X	X			X		
WW-MW-17	WW-MW-25	Dup	10/29/2005				X					
WW-MW-17	WW-MW-17		10/29/2005			X	X			X		
WW-MW-17	WW-MW-17		4/23/2006			X	X			X		
WW-MW-17	WW-MW-17		10/28/2006		X	X	X			X		
WW-MW-17	WW-MW-17		4/18/2007			X	X			X		
WW-MW-17	WW-MW-17		10/24/2007			X	X			X		
WW-MW-17	WW-MW-17		4/24/2008			X	X			X		
WW-MW-17	WW-MW-17		10/23/2008			X	X			X		
WW-MW-18	WW-MW-18		5/12/2003							X		
WW-MW-18	WW-MW-18		5/13/2003			X	X		X	X		X
WW-MW-18	WW-MW-18		9/2/2003			X	X		X	X	X	
WW-MW-18	WW-MW-18		6/29/2004				X		X	X		X
WW-MW-18	WW-MW-18		10/25/2004			X	X		X	X		X
WW-MW-18	WW-MW-18		7/27/2005			X	X		X	X		X
WW-MW-18	WW-MW-18		10/24/2005			X	X		X	X		X
WW-MW-18	WW-MW-180	Dup	4/20/2006				X					



**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
WW-MW-18	WW-MW-18		4/20/2006			X	X		X	X		X
WW-MW-18	WW-MW-18		10/25/2006			X	X		X	X		X
WW-MW-18	WW-MW-18		4/18/2007			X			X	X		X
WW-MW-18	WW-MW-18		10/23/2007			X			X	X		X
WW-MW-18	WW-MW-18		4/24/2008			X			X	X		X
WW-MW-18	WW-MW-18		10/23/2008			X			X	X		X

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L					NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
CM-MW-01S	CM-MW-1S	10/28/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	3/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	10/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	4/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-100S	4/20/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	7/21/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	10/24/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-100S	10/24/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	4/15/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.36	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/27/2004								0.5 U	0.5 U	0.2 U	0.5 U	13	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	3/23/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/24/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	4/19/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	8.6	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/20/2008								0.5 U	0.5 U	0.2 U	0.5 U	1.1	0.2 U	0.2 U
CM-MW-02S	CM-MW-200S	10/20/2008	Dup							0.5 U	0.5 U	0.2 U	0.5 U	1.8	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/27/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	3/23/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-SU	7/26/2005	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/28/2005		1.1	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	1.3	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-SU	10/28/2005	Dup	0.67	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.65	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/24/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	4/18/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.4	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/21/2008								0.5 U	0.5 U	0.2 U	3	6.7	0.2 U	0.2 U
CM-MW-03S	CM-MW-300S	10/21/2008	Dup							0.5 U	0.5 U	0.2 U	0.5 U	6.4	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/27/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	3/23/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
CM-MW-04S	CM-MW-4S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/24/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	4/17/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	4/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/27/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	3/23/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-SU	1/26/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	4/19/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	7/21/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/24/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	4/17/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	4/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/21/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/28/2004						0.5 U	0.5 U	0.2 U	0.5 U	29	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	3/23/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/24/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	4/19/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	4/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/19/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/27/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	3/23/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-700S	7/21/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/24/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	4/15/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	4/21/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.42	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L					NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
CM-MW-08S	CM-MW-8S	10/28/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-100	10/28/2004	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	3/23/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	7/26/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	10/27/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	1/26/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	4/19/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	7/20/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	10/24/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	4/15/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	10/20/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	4/20/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	7/21/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	10/25/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	4/17/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	10/26/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.4	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	4/20/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	10/19/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-01	HL-MW-1	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/28/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	7/27/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/27/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	4/19/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/23/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-100	10/23/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	4/16/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/22/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	4/20/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	4/21/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	10/27/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-200	10/27/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	1/31/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U								
HL-MW-02	HL-MW-2	4/16/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	10/22/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	1/24/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U								
HL-MW-02	HL-MW-2	4/22/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	10/19/2008		5.5	5.8	0.2 U	0.1 U	0.1 U		0.5 U	5.9	0.2 U	6.3	0.2 U	0.2 U	0.2 U
HL-MW-03	HL-MW-3	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-03	HL-MW-3	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-04	HL-MW-4	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
HL-MW-04	HL-MW-4	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	4/15/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	4/22/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	10/20/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-05	HL-MW-5	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/23/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	4/15/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	7/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	1/25/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	4/22/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	7/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5000	7/23/2008	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/20/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	1/22/2009								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-06A	HL-MW-6A	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	10/24/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	7/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	10/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	1/25/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	7/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	10/25/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	4/15/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	10/25/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	4/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-07S	HL-MW-7S	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	10/23/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	10/26/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	4/15/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-700S	4/15/2007	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	10/23/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L					NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
HL-MW-08D	HL-MW-8D	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	10/23/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	10/26/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	4/15/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-08D	HL-MW-8D	10/23/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-08D	HL-MW-8D	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-09D	HL-MW-9D	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	10/24/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	4/15/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-09D	HL-MW-9D	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	4/22/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-10S	HL-MW-10S	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/24/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	4/16/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/23/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	4/22/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-11D	HL-MW-11D	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-11D	HL-MW-11D	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-11D	HL-MW-11D	10/24/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	10/24/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	10/26/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	4/15/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-12S	HL-MW-12S	10/23/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-12S	HL-MW-12S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	10/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	10/23/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-1K	10/23/2003	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	4/20/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	10/26/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	4/15/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
HL-MW-13DD	HL-MW-13DD	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	4/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	10/19/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/24/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	4/15/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	4/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/23/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	4/15/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/23/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	4/16/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/23/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	5/17/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-170S	4/22/2006	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	4/16/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/25/2007							0.5 U	5	0.2 U	14	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	4/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	3/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	1/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	7/19/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	4/16/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	4/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L					NWTPH-Gx in mg/L		NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
HL-MW-18S	HL-MW-18S	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	3/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	7/29/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	1/25/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	4/18/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-190S	4/18/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	7/19/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	10/23/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	4/16/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	10/22/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	4/20/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	10/19/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	3/24/2005							0.5 U	0.5 U	0.2 U	57	0.2 U	0.8	0.2 U	0.2 U
HL-MW-20S	HL-MW-30	3/24/2005	Dup						0.5 U	0.5 U	0.2 U	69	0.2 U	1	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	7/27/2005		0.2 U	520	8.7	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	440	0.2 U	7.5	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	10/27/2005		0.2 U	150	8.1	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	160	0.2 U	8.7	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	4/18/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	7/20/2006		80	260	0.2 U	0.1 U	0.1 U	0.5 U	83	0.2 U	250	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	10/23/2006		14	26	0.2 U	0.1 U	0.1 U	0.5 U	0.5 D	0.2 U	0.5 D	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	4/16/2007		0.2 U	2.7	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	2.7	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	10/22/2007		200	340	0.2 U	0.1 U	0.1 U	0.5 U	250	0.2 U	460	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-200S	10/22/2007	Dup	110	190	0.2 U	0.1 U	0.1 U	0.5 U	99	0.2 U	170	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	4/20/2008		0.2 U	2.9	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	2.7	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	10/22/2008		7.7	12	0.2 U	0.1 U	0.1 U	0.5 U	6.5	0.2 U	11	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-200S	10/22/2008	Dup	7.6	11	0.2 U	0.1 U	0.1 U	0.5 U	8.7	0.2 U	13	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	3/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	7/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	10/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	1/25/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	4/18/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	7/19/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	10/23/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	4/17/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	10/22/2007		14	24	0.2 U	0.1 U	0.1 U	0.5 U	15	0.2 U	33	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	4/22/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	10/19/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	3/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	7/27/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	10/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	1/25/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	4/18/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	7/19/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	10/23/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	4/17/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	10/22/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U



Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/ oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/ Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
HL-MW-22S	HL-MW-22S	4/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-22S	HL-MW-22S	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	4/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	7/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-230S	10/26/2006	Dup				0.1 U	0.1 U							
HL-MW-23S	HL-MW-23S	2/1/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	4/17/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	10/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	4/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	10/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	4/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	1/31/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	4/15/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	10/23/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	10/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	4/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	2/1/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	4/16/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	4/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	1/31/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-2600S	1/31/2007	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	4/16/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-2600S	4/16/2007	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-2600S	10/24/2007	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	10/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-2600S	4/21/2008	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	10/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-27D	4/22/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-27D	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-27D	10/27/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-270D	10/27/2006	Dup	0.2 U	0.5 U	0.2 U									
HL-MW-27D	HL-MW-27D	1/31/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-27D	4/16/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-2700DD	4/16/2007	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits
HL-MW-27D	HL-MW-27D	10/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-27D	HL-MW-27D	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-27D	HL-MW-27D	10/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-280DD	10/26/2006	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	1/31/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	4/15/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-2800DD	4/15/2007	Dup						0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-28DD	HL-MW-28DD	7/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-2800DD	7/24/2007	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	10/23/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-28DD	HL-MW-2800DD	10/23/2007	Dup						0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-28DD	HL-MW-28DD	1/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-2800DD	4/21/2008	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-29S	7/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-29S	10/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-29S	HL-MW-29S	1/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-2900S	1/24/2008	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-29S	4/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-2900S	4/22/2008	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-29S	10/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-2900S	10/22/2008	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	7/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	10/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	1/25/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	4/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-3000S	4/23/2008	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2D	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2D	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-02	MW-2S	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-02	MW-2D	7/28/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2S	7/28/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2D	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2S	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2D	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2S	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02D	MW-2D	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-02D	MW-2D	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02S	MW-2S	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-02S	MW-2S	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-02S	MW-2S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	5/13/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-08	MW-8	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
MW-08	MW-8	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-08	MW-8	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	5/13/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-09	MW-9	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-12A	MW-28	5/12/2003	Dup						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-12A	MW-12A	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-28	9/2/2003	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/22/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-12A	MW-28	10/25/2004	Dup						0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-12A	MW-12A	7/28/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-28	7/28/2005	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-28	10/26/2005	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	4/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-13	MW-13	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-14	MW-14	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-14	MW-14	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
MW-14	MW-14	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-15	MW-27	5/12/2003	Dup						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-15	MW-15	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-27	9/2/2003	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-15	MW-27	10/25/2004	Dup						0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-15	MW-15	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-27	7/29/2005	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-27	10/24/2005	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-16	MW-16	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-16	MW-16	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/26/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	5/13/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-17S	MW-17S	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/22/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-17S	MW-17S	7/28/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	1/25/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	7/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-18D	MW-18D	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
MW-18D	MW-18D	10/22/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-18D	MW-18D	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/26/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	5/13/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-19S	MW-19S	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/26/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-19S	MW-19S	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	1/25/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-190S	4/21/2006	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	7/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	5/13/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-20D	MW-20D	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-21S	MW-21S	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-21S	MW-21S	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	1/24/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	7/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2	0.2 U	0.2 U
MW-22D	MW-22D	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-22D	MW-22D	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-22D	MW-22D	10/27/2006							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
MW-22D	MW-22D	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-22D	MW-22D	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-22D	MW-22D	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-22D	MW-22D	10/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-23S	MW-23S	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/22/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/25/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	7/28/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	4/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-24D	MW-24D	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/22/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/25/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	7/28/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-25S	MW-25S	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/22/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/26/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	7/28/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	1/24/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	7/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/25/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-2500S	10/25/2007	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-26D	MW-26D	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	10/22/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L			NWTPH-Gx in mg/L			NWTPH-HCID in mg/L							
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
MW-26D	MW-26D	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	5/16/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
OH-EW-01	OH-EW-1	9/5/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/29/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/25/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	4/16/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-01	OH-MW-100	10/22/2008	Dup						0.5 U	0.5 U	0.2 U	0.5 U	69	0.2 U	0.2 U	0.2 U
OH-MW-08	OH-MW-8	4/22/2008		0.2 U	0.5 U	0.2 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-08	OH-MW-8	10/20/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-10	OH-MW-10	4/22/2008		0.2 U	0.5 U	0.2 U			0.5 U	0.5 U	0.2 U	0.5 U	6.8	0.2 U	0.2 U	0.2 U
OH-MW-10	OH-MW-10	10/22/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	110	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	5/14/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
OH-MW-13	OH-MW-13	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	1.5	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	1.5	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	7/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	1.2	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	4/20/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/25/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	4/19/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.22	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/23/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.36	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	4/23/2008		0.2 U	0.5 U	0.2 U			0.5 U	0.5 U	0.2 U	0.5 U	0.54	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/23/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	4.3	0.2 U	0.2 U	0.2 U
OH-MW-17	OH-MW-17	5/13/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
OH-MW-17	OH-MW-17	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
OH-MW-18	OH-MW-18	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.49	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	7/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.5	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	10/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	4/20/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	10/25/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	4/19/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	10/23/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	4/23/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
OH-MW-18	OH-MW-18	10/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	2.8	0.2 U	0.2 U	
OH-MW-24	OH-MW-24	4/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-24	OH-MW-24	10/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	17	0.2 U	0.2 U	
OH-MW-25	OH-MW-25	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-25	OH-MW-25	10/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.32	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	5/12/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
OH-MW-26	OH-MW-26	9/4/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/28/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	7/28/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/27/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	4/23/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/25/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	4/19/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/26/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	4/22/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/23/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	10/23/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	7/25/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	10/27/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	4/18/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	10/23/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	7/25/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	10/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	4/18/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	10/23/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-6	10/24/2003	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	5/19/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	7/25/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	10/26/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	4/18/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	10/23/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	7/25/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	10/26/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	4/18/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	10/24/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	7/26/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	10/24/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	4/19/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-08S	RM-MW-8S	3/24/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-08S	RM-MW-8S	5/17/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-08S	RM-MW-8S	6/16/2005	0.2 U	0.5 U	0.2 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	



Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
RM-MW-08S	RM-MW-8S	7/25/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-08S	RM-MW-8S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-08S	RM-MW-8S	1/24/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-08S	RM-MW-8S	4/17/2006								0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
RM-MW-08S	RM-MW-8S	7/17/2006								0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
RM-MW-08S	RM-MW-8S	10/23/2006								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-09S	RM-MW-9S	3/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	5/19/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	7/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	1/24/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	4/19/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-90S	4/19/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-900S	7/18/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	10/25/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-900S	10/25/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	9/28/2004														
RM-MW-10S	RM-MW-100	9/28/2004	Dup													
RM-MW-10S	RM-MW-10S	10/27/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	5/19/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	6/16/2005		0.2 U	0.5 U	0.2 U				0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	7/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	1/25/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-100S	1/25/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	4/19/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	10/24/2006								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-11S	RM-MW-11S	7/25/2005														
RM-MW-12S	RM-MW-12S	5/17/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	6/16/2005		0.2 U	0.5 U	0.2 U				0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	7/25/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	1/24/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	4/19/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	10/24/2006								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-13S	RM-MW-13S	5/16/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S Dup	5/16/2005	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	6/16/2005		0.2 U	0.5 U	0.2 U				0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	7/25/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-100S	7/25/2005	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-100S	10/24/2005	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	1/25/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
RM-MW-13S	RM-MW-13S	4/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	7/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	10/25/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	10/25/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	2/1/2007							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-14S	RM-MW-14S	4/19/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	7/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	1/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	4/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	7/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	1/22/2009							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-1400S	1/22/2009	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	10/24/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	2/1/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	4/19/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	7/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	1/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	4/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	10/24/2006							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-16S	RM-MW-16S	2/1/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	4/19/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	7/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	1/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	4/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	10/24/2006							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-17S	RM-MW-17S	2/1/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	4/19/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	7/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	1/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	4/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	5/17/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	6/16/2005	0.2 U	0.5 U	0.2 U				0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	1/24/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	4/17/2006							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
RMSW-MW11S	RMSW-MW-11S	7/20/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	10/23/2006							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
TF-MW-01	TF-MW-1	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	610	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L			NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
TF-MW-01	TF-MW-1	10/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	120	0.2 U	0.2 U	
TF-MW-02	TF-MW-2	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	88	0.2 U	0.2 U	
TF-MW-02	TF-MW-2	10/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	78	0.2 U	0.2 U	
TF-MW-03	TF-MW-3	4/23/2008				0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TF-MW-03	TF-MW-3	10/20/2008				0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TF-MW-04	TF-MW-4	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	150	0.2 U	0.2 U	
TF-MW-04	TF-MW-4	10/20/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	200	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	5/15/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
TL-MW-01A	TL-MW-1A	9/3/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.6	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	7/27/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	4/23/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	4/18/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	4/22/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	6/16/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	7/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	10/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	4/23/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	7/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	6/16/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	7/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	10/29/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	4/23/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	7/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	10/27/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	5/16/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
WW-EW-01	WW-EW-1	9/5/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/29/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	7/29/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/28/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	4/20/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/25/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/22/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	4/23/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/22/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	5/16/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
WW-EW-02	WW-EW-2	9/5/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	10/29/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	7/29/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	10/28/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	4/23/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	10/25/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	4/17/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	10/22/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L					NWTPH-Gx in mg/L			NWTPH-HCID in mg/L				
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
WW-EW-02	WW-EW-2	4/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-EW-02	WW-EW-2	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-EW-03	WW-EW-3	4/25/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-07	WW-MW-7	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-07	WW-MW-7	10/23/2008	27	3.6	0.2 U	0.1 U	0.1 U		0.5 U	33	0.2 U	4.5	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
WW-MW-08	WW-MW-8	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	7/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	4/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	10/28/2006	33	2.9	0.2 U	0.1 U	0.1 U		0.5 U	0.5 D	0.2 U	0.5 D	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	4/18/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	10/23/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.32	0.2 U	0.2 U
WW-MW-08	WW-MW-8	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.24	0.2 U	0.2 U
WW-MW-08	WW-MW-8	10/23/2008	7.9	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	8	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-09	WW-MW-9	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-09	WW-MW-9	10/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
WW-MW-12	WW-MW-12	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	7/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/27/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	4/20/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
WW-MW-15	WW-MW-15	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	7/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	4/22/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	10/25/2006	0.2 U	0.5 U	0.2 U				0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	4/18/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	10/23/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	10/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	5/15/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
WW-MW-17	WW-MW-17	9/4/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	10/29/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	10/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	4/23/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	10/28/2006					0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U

**Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L				NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits			
WW-MW-17	WW-MW-17	10/24/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-17	WW-MW-17	4/24/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-17	WW-MW-17	10/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	5/13/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
WW-MW-18	WW-MW-18	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/25/2004								0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	
WW-MW-18	WW-MW-18	7/27/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	4/20/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/25/2006								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ	
WW-MW-18	WW-MW-18	4/18/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/23/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	4/24/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/23/2008								0.5 U	0.5 U	0.2 U	2.9	0.2 U	0.2 U	0.2 U	

**Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	PCBs in µg/L																
			Aroclor 1016		Aroclor 1221		Aroclor 1232		Aroclor 1242		Aroclor 1248		Aroclor 1254		Aroclor 1260		Total PCBs		
CM-MW-01S	CM-MW-1S	10/28/2004	0.005	UJ	0.01	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.01	U	
CM-MW-01S	CM-MW-SU	3/24/2005	Dup	0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-01S	CM-MW-1S	7/26/2005		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	10/28/2005		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-01S	CM-MW-1S	1/26/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-01S	CM-MW-1S	4/20/2006		0.02	U	0.039	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.039	U
CM-MW-01S	CM-MW-1S	7/21/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	10/24/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-100S	10/24/2006	Dup	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	4/15/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	10/25/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	4/21/2008		0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-01S	CM-MW-1S	10/19/2008		0.0049	U	0.0098	U	0.0049	U	0.0055	U	0.0049	U	0.0049	U	0.0049	U	0.0098	U
CM-MW-02S	CM-MW-2S	10/27/2004		0.005	UJ	0.01	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.017	J	0.005	UJ	0.017	J
CM-MW-02S	CM-MW-2S	3/23/2005		0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-02S	CM-MW-2S	7/26/2005		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-02S	CM-MW-2S	10/27/2005		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-02S	CM-MW-2S	1/26/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-02S	CM-MW-2S	4/19/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-02S	CM-MW-2S	7/21/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-02S	CM-MW-2S	10/24/2006		0.0048	U	0.011	U	0.0059	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.011	U
CM-MW-02S	CM-MW-2S	4/19/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-02S	CM-MW-2S	10/25/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-02S	CM-MW-2S	4/21/2008		0.005	U	0.0099	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.0099	U
CM-MW-02S	CM-MW-2S	10/20/2008		0.005	U	0.01	U	0.005	U	0.0075	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-03S	CM-MW-3S	10/27/2004		0.005	UJ	0.01	UJ	0.0051	UJ	0.005	UJ	0.005	UJ	0.0043	J	0.005	UJ	0.0043	J
CM-MW-03S	CM-MW-3S	3/23/2005		0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-03S	CM-MW-3S	7/26/2005		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-SU	7/26/2005	Dup	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-03S	CM-MW-3S	10/28/2005		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-SU	10/28/2005	Dup	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	1/26/2006		0.005	U	0.0099	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.0099	U
CM-MW-03S	CM-MW-3S	4/19/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-03S	CM-MW-3S	7/21/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	10/24/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	4/18/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	10/25/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	4/21/2008		0.005	U	0.0099	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.0099	U
CM-MW-03S	CM-MW-3S	10/21/2008		0.0049	U	0.034	U	0.023	U	0.0056	U	0.0049	U	0.0049	U	0.0049	U	0.034	U
CM-MW-04S	CM-MW-4S	10/27/2004		0.005	UJ	0.01	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.01	U
CM-MW-04S	CM-MW-4S	3/23/2005		0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-04S	CM-MW-4S	7/26/2005		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-04S	CM-MW-4S	10/27/2005		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
CM-MW-04S	CM-MW-4S	1/26/2006	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
CM-MW-04S	CM-MW-4S	4/19/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-04S	CM-MW-4S	7/21/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-04S	CM-MW-4S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-04S	CM-MW-4S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-04S	CM-MW-4S	10/25/2007	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
CM-MW-04S	CM-MW-4S	4/20/2008	0.0049 U	0.0097 U	0.0057 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-04S	CM-MW-4S	10/20/2008	0.0049 U	0.0098 U	0.0049 U	0.0051 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
CM-MW-05S	CM-MW-5S	10/27/2004	0.005 UJ	0.01 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.01 U	
CM-MW-05S	CM-MW-5S	3/23/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
CM-MW-05S	CM-MW-5S	7/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-05S	CM-MW-5S	10/27/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-05S	CM-MW-5S	1/26/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-05S	CM-MW-5S	4/19/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-05S	CM-MW-5S	7/21/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-05S	CM-MW-5S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-05S	CM-MW-5S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-05S	CM-MW-5S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-05S	CM-MW-5S	4/20/2008	0.0049 U	0.0098 U	0.006 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
CM-MW-05S	CM-MW-5S	10/21/2008	0.0049 U	0.011 U	0.0049 U	0.0062 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.011 U	
CM-MW-06S	CM-MW-6S	10/28/2004	0.005 UJ	0.03 UJ	0.005 UJ	0.006 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.03 U	
CM-MW-06S	CM-MW-6S	3/23/2005	0.005 UJ	0.01 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.01 U	
CM-MW-06S	CM-MW-6S	7/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-06S	CM-MW-6S	10/27/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-06S	CM-MW-6S	1/26/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-06S	CM-MW-6S	4/19/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-06S	CM-MW-6S	7/21/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0063 J	0.0048 U	0.0063 J	
CM-MW-06S	CM-MW-6S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-06S	CM-MW-6S	4/19/2007	0.0048 U	0.0098 U	0.0094 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0098 U	
CM-MW-06S	CM-MW-6S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-06S	CM-MW-6S	4/20/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
CM-MW-06S	CM-MW-6S	10/19/2008	0.0049 U	0.016 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.016 U	
CM-MW-07S	CM-MW-7S	10/27/2004	0.013 UJ	0.033 UJ	0.024 UJ	0.011 UJ	0.013 UJ	0.013 UJ	0.005 UJ	0.005 UJ	0.033 U	
CM-MW-07S	CM-MW-7S	3/23/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
CM-MW-07S	CM-MW-7S	7/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-07S	CM-MW-7S	10/27/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-07S	CM-MW-7S	1/26/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-07S	CM-MW-7S	4/19/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-07S	CM-MW-7S	7/21/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-07S	CM-MW-700S	7/21/2006	Dup	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-07S	CM-MW-7S	10/24/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-07S	CM-MW-7S	4/15/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-07S	CM-MW-7S	10/25/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
CM-MW-07S	CM-MW-7S	4/21/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
CM-MW-07S	CM-MW-7S	10/20/2008	0.005 U	0.051 U	0.017 U	0.011 U	0.0051 U	0.005 U	0.005 U	0.005 U	0.005 U	0.051 U	
CM-MW-08S	CM-MW-8S	10/28/2004	0.005 UJ	0.018 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.018 U	
CM-MW-08S	CM-MW-100	10/28/2004	Dup 0.005 UJ	0.01 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.01 U	
CM-MW-08S	CM-MW-8S	3/23/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
CM-MW-08S	CM-MW-8S	7/26/2005	0.0048 UJ	0.0096 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0096 UJ	
CM-MW-08S	CM-MW-8S	10/27/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-08S	CM-MW-8S	1/26/2006	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
CM-MW-08S	CM-MW-8S	4/19/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-08S	CM-MW-8S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-08S	CM-MW-8S	10/24/2006	0.0048 U	0.0096 U	0.0054 U	0.0037 J	0.0048 U	0.0048 U	0.0048 U	0.0011 J	0.0048 J	0.0048 J	
CM-MW-08S	CM-MW-8S	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-08S	CM-MW-8S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-08S	CM-MW-8S	4/21/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-08S	CM-MW-8S	10/20/2008	0.0049 U	0.0098 U	0.0049 U	0.0066 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
FO-MW-01S	FO-MW-1S	10/26/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0062 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-02	HL-MW-2	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-02	HL-MW-2	10/27/2006	0.012 U	0.0096 U	0.035 U	0.025 U	0.031 U	0.065 U	0.095 JP	0.16 JP	0.16 JP	0.16 JP	
HL-MW-02	HL-MW-2	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.051 U	0.088 U	0.139 U	0.139 U	0.139 U	
HL-MW-02	HL-MW-2	4/16/2007	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0089 U	0.01 U	0.0189 U	0.0189 U	0.0189 U	
HL-MW-02	HL-MW-2	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.042 U	0.08 U	0.11 U	0.11 U	0.11 U	0.11 U	
HL-MW-02	HL-MW-2	1/24/2008	0.0062 UJ	0.039 UJ	0.0093 UJ	0.017 UJ	0.019 UJ	0.012 UJ	0.06 J	0.06 J	0.06 J	0.06 J	
HL-MW-02	HL-MW-2	4/22/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-02	HL-MW-2	10/19/2008	0.068 UJC	0.4 UJC	0.15 UJC	0.075 UJC	0.045 UJC	0.048 UJC	0.094 UJC	0.4 UJC	0.4 UJC	0.4 UJC	
HL-MW-04	HL-MW-4	5/14/2003	0.077 Ui	0.064 Ui	0.19 Ui	0.11 U	0.041 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.11 U	
HL-MW-04	HL-MW-4	3/4/2004	0.0048 U	0.0095 U	0.0048 U	0.11 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.11 U	
HL-MW-04	HL-MW-4	6/30/2004	0.005 U	0.01 U	0.005 U	0.11 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.11 U	
HL-MW-04	HL-MW-4	10/26/2004	0.08 U	0.023 U	0.18 U	0.1 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.1 U	
HL-MW-04	HL-MW-4	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.084 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.084 U	
HL-MW-04	HL-MW-4	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.094 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.094 U	
HL-MW-04	HL-MW-4	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.12 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.12 J	
HL-MW-04	HL-MW-4	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.11 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.11 U	
HL-MW-04	HL-MW-4	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.087 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.087 U	
HL-MW-04	HL-MW-4	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.075 JP	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.075 JP	
HL-MW-04	HL-MW-4	10/20/2008	0.005 U	0.0099 U	0.005 U	0.11 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.11 U	
HL-MW-05	HL-MW-5	5/14/2003	0.085 Ui	0.074 Ui	0.13 Ui	0.12 U	0.046 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.12 U	
HL-MW-05	HL-MW-5	9/3/2003	0.005 U	0.01 U	0.005 U	0.086 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.086 U	
HL-MW-05	HL-MW-5	10/23/2003	0.005 U	0.01 U	0.005 U	0.18 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.18 U	
HL-MW-05	HL-MW-5	3/4/2004	0.0049 U	0.0097 U	0.0049 U	0.09 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.09 U	
HL-MW-05	HL-MW-5	6/30/2004	0.005 U	0.01 U	0.005 U	0.1 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.1 U	
HL-MW-05	HL-MW-5 Jar Test	6/30/2004	Dup 0.005 U	0.01 U	0.005 U	0.099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.099 U	
HL-MW-05	HL-MW-5	10/29/2004	0.005 U	0.01 U	0.005 U	0.11 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.11 JP	
HL-MW-05	HL-MW-5	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.085 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.085 U	



Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
HL-MW-05	HL-MW-5	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.1	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.1		
HL-MW-05	HL-MW-5	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.12	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.12		
HL-MW-05	HL-MW-5	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.14 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.14 J		
HL-MW-05	HL-MW-5	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.093	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.093		
HL-MW-05	HL-MW-5	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.15	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15		
HL-MW-05	HL-MW-5	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.14	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.14 U		
HL-MW-05	HL-MW-5	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.084	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.084		
HL-MW-05	HL-MW-5	1/25/2008	0.005 U	0.0099 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11		
HL-MW-05	HL-MW-5	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.1	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.1		
HL-MW-05	HL-MW-5	7/23/2008	0.005 U	0.01 U	0.005 U	0.2	0.005 U	0.005 U	0.005 U	0.005 U	0.2		
HL-MW-05	HL-MW-5	10/20/2008	0.005 U	0.01 U	0.005 U	0.13	0.005 U	0.005 U	0.005 U	0.005 U	0.13		
HL-MW-06A	HL-MW-6A	5/14/2003	0.033 U	0.051 U	0.085 U	0.045 U	0.016 U	0.005 U	0.005 U	0.005 U	0.085 U		
HL-MW-06A	HL-MW-6A	9/3/2003	0.012 U	0.06 U	0.044 U	0.016 U	0.0079 U	0.005 U	0.005 U	0.005 U	0.06 U		
HL-MW-06A	HL-MW-6A	10/24/2003	0.005 U	0.01 U	0.005 U	0.044	0.005 U	0.005 U	0.005 U	0.005 U	0.044		
HL-MW-06A	HL-MW-6A	3/5/2004	0.005 U	0.01 U	0.005 U	0.021	0.005 U	0.005 U	0.005 U	0.005 U	0.021		
HL-MW-06A	HL-MW-6A	6/30/2004	0.005 U	0.01 U	0.005 U	0.037 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.037 JP		
HL-MW-06A	HL-MW-6A	10/26/2004	0.021 U	0.058 U	0.045 U	0.036	0.0057 U	0.005 U	0.005 U	0.005 U	0.036		
HL-MW-06A	HL-MW-6A	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.016	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.016		
HL-MW-06A	HL-MW-6A	1/25/2006	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
HL-MW-06A	HL-MW-6A	4/19/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
HL-MW-06A	HL-MW-6A	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.02 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.02 J		
HL-MW-06A	HL-MW-6A	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.011	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.011		
HL-MW-06A	HL-MW-6A	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.013	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.013		
HL-MW-06A	HL-MW-6A	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.027	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.027		
HL-MW-06A	HL-MW-6A	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.017	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.017		
HL-MW-06A	HL-MW-6A	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.027	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.027		
HL-MW-06A	HL-MW-6A	1/25/2008	0.005 U	0.0099 U	0.005 U	0.04	0.005 U	0.005 U	0.005 U	0.005 U	0.04		
HL-MW-06A	HL-MW-6A	4/22/2008	0.005 U	0.0099 U	0.005 U	0.019	0.005 U	0.005 U	0.005 U	0.005 U	0.019		
HL-MW-06A	HL-MW-6A	7/23/2008	0.005 U	0.0099 U	0.005 U	0.039	0.005 U	0.005 U	0.005 U	0.005 U	0.039		
HL-MW-06A	HL-MW-6A	10/19/2008	0.005 U	0.01 U	0.005 U	0.043	0.005 U	0.005 U	0.005 U	0.005 U	0.043		
HL-MW-07S	HL-MW-7S	5/14/2003	0.073 Ui	0.12 Ui	0.17 Ui	0.1 JP	0.051 Ui	0.005 U	0.005 U	0.005 U	0.1 JP		
HL-MW-07S	HL-MW-7S	9/3/2003	0.005 U	0.01 U	0.005 U	0.06	0.005 U	0.005 U	0.005 U	0.005 U	0.06		
HL-MW-07S	HL-MW-7S	10/23/2003	0.005 U	0.01 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11		
HL-MW-07S	HL-MW-7S	3/5/2004	0.005 U	0.01 U	0.005 U	0.12	0.005 U	0.005 U	0.005 U	0.005 U	0.12		
HL-MW-07S	HL-MW-7S	6/30/2004	0.005 U	0.01 U	0.005 U	0.13 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.13 JP		
HL-MW-07S	HL-MW-7S	10/26/2004	0.092 U	0.11 U	0.22 U	0.13	0.077 U	0.02 U	0.005 U	0.005 U	0.13		
HL-MW-07S	HL-MW-7S	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.046	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.046		
HL-MW-07S	HL-MW-7S	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.11	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.11		
HL-MW-07S	HL-MW-7S	1/23/2006	0.0049 U	0.0097 U	0.0049 U	0.13	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.13		
HL-MW-07S	HL-MW-7S	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.23	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.23		
HL-MW-07S	HL-MW-7S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.078 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.078 J		
HL-MW-07S	HL-MW-7S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.088	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.088		
HL-MW-07S	HL-MW-7S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.069	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.069		

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L											
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs				
HL-MW-07S	HL-MW-7S	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13			
HL-MW-07S	HL-MW-700S	4/15/2007	Dup 0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13			
HL-MW-07S	HL-MW-7S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.058	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.058			
HL-MW-07S	HL-MW-7S	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.1	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.1			
HL-MW-07S	HL-MW-7S	1/24/2008	0.0049 U	0.0098 U	0.0049 U	0.069	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.069			
HL-MW-07S	HL-MW-7S	4/21/2008	0.005 U	0.0099 U	0.005 U	0.095	0.005 U	0.005 U	0.005 U	0.005 U	0.095			
HL-MW-07S	HL-MW-7S	7/23/2008	0.005 U	0.01 U	0.005 U	0.052	0.005 U	0.005 U	0.005 U	0.005 U	0.052			
HL-MW-07S	HL-MW-7S	10/19/2008	0.005 U	0.0099 U	0.005 U	0.047	0.005 U	0.005 U	0.005 U	0.005 U	0.047			
HL-MW-08D	HL-MW-8D	5/14/2003	0.04 Ui	0.15 Ui	0.092 Ui	0.056 Ui	0.071 Ui	0.005 U	0.005 U	0.005 U	0.15 U			
HL-MW-08D	HL-MW-8D	9/3/2003	0.005 U	0.01 U	0.005 U	0.033	0.005 U	0.005 U	0.005 U	0.005 U	0.033			
HL-MW-08D	HL-MW-8D	10/23/2003	0.005 U	0.01 U	0.005 U	0.1	0.005 U	0.005 U	0.005 U	0.005 U	0.1			
HL-MW-08D	HL-MW-8D	3/5/2004	0.005 U	0.01 U	0.005 U	0.058	0.005 U	0.005 U	0.005 U	0.005 U	0.058			
HL-MW-08D	HL-MW-8D	6/30/2004	0.005 U	0.01 U	0.005 U	0.08	0.005 U	0.005 U	0.005 U	0.005 U	0.08			
HL-MW-08D	HL-MW-8D	10/26/2004	0.041 U	0.057 U	0.088 U	0.057	0.005 U	0.005 U	0.005 U	0.005 U	0.057			
HL-MW-08D	HL-MW-8D	7/28/2005	0.0049 U	0.0097 U	0.0049 U	0.027	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.027			
HL-MW-08D	HL-MW-8D	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.083	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.083			
HL-MW-08D	HL-MW-8D	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.096	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.096			
HL-MW-08D	HL-MW-8D	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.052	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.052			
HL-MW-08D	HL-MW-8D	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.074	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.074			
HL-MW-08D	HL-MW-8D	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.059	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.059			
HL-MW-08D	HL-MW-8D	4/21/2008	0.005 U	0.01 U	0.005 U	0.049	0.005 U	0.005 U	0.005 U	0.005 U	0.049			
HL-MW-08D	HL-MW-8D	10/19/2008	0.005 U	0.01 U	0.005 U	0.035	0.005 U	0.005 U	0.005 U	0.005 U	0.035			
HL-MW-09D	HL-MW-9D	5/14/2003	0.028 Ui	0.044 Ui	0.088 Ui	0.039 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.088 U			
HL-MW-09D	HL-MW-9D	9/3/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	3/5/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	10/26/2004	0.0081 U	0.08 U	0.022 U	0.025 U	0.005 U	0.005 U	0.005 U	0.005 U	0.08 U			
HL-MW-09D	HL-MW-9D	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
HL-MW-09D	HL-MW-9D	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
HL-MW-09D	HL-MW-9D	4/22/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
HL-MW-09D	HL-MW-9D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0072	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0072			
HL-MW-09D	HL-MW-9D	4/15/2007	0.0048 U	0.0096 U	0.0057 U	0.0079 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
HL-MW-09D	HL-MW-9D	10/25/2007	0.0048 U	0.0096 U	0.0062 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
HL-MW-09D	HL-MW-9D	4/22/2008	0.005 U	0.01 U	0.0053 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	10/19/2008	0.005 U	0.01 U	0.005 U	0.0088 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.0088 JP			
HL-MW-10S	HL-MW-10S	5/12/2003	0.014 Ui	0.064 Ui	0.035 Ui	0.02 Ui	0.059 Ui	0.005 U	0.005 U	0.005 U	0.064 U			
HL-MW-10S	HL-MW-10S	9/3/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-10S	HL-MW-10S	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-10S	HL-MW-10S	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-10S	HL-MW-10S	10/26/2004	0.005 U	0.036 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.036 U			
HL-MW-10S	HL-MW-10S	7/28/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
HL-MW-10S	HL-MW-10S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
HL-MW-10S	HL-MW-10S	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-10S	HL-MW-10S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-10S	HL-MW-10S	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-10S	HL-MW-10S	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-10S	HL-MW-10S	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-10S	HL-MW-10S	10/19/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-11D	HL-MW-11D	5/12/2003	0.012 Ui	0.063 Ui	0.034 Ui	0.016 Ui	0.012 Ui	0.005 U	0.005 U	0.005 U	0.063 U	
HL-MW-11D	HL-MW-11D	9/3/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-11D	HL-MW-11D	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-11D	HL-MW-11D	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-12S	HL-MW-12S	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-12S	HL-MW-12S	3/4/2004	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-12S	HL-MW-12S	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-12S	HL-MW-12S	10/26/2004	0.005 U	0.037 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.037 U	
HL-MW-12S	HL-MW-12S	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-12S	HL-MW-12S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-12S	HL-MW-12S	4/22/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-12S	HL-MW-12S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-12S	HL-MW-12S	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-12S	HL-MW-12S	10/23/2007	0.0048 U	0.0096 U	0.0053 U	0.005 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-12S	HL-MW-12S	4/21/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-12S	HL-MW-12S	10/21/2008	0.005 U	0.0099 U	0.005 U	0.0065 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-13DD	HL-MW-13DD	10/23/2003	0.005 U	0.01 U	0.005 U	0.084	0.005 U	0.005 U	0.005 U	0.005 U	0.084	
HL-MW-13DD	HL-MW-1K	10/23/2003	Dup	0.005 U	0.01 U	0.005 U	0.098	0.005 U	0.005 U	0.005 U	0.098	
HL-MW-13DD	HL-MW-13DD	3/4/2004		0.0049 U	0.0097 U	0.0049 U	0.066	0.0049 U	0.0049 U	0.0049 U	0.066	
HL-MW-13DD	HL-MW-1K	3/4/2004	Dup	0.0049 U	0.0098 U	0.0049 U	0.052	0.0049 U	0.0049 U	0.0049 U	0.052	
HL-MW-13DD	HL-MW-13DD	6/30/2004		0.005 U	0.01 U	0.005 U	0.055	0.005 U	0.005 U	0.005 U	0.055	
HL-MW-13DD	HL-MW-1K	6/30/2004	Dup	0.005 U	0.01 U	0.005 U	0.055	0.005 U	0.005 U	0.005 U	0.055	
HL-MW-13DD	HL-MW-13DD	10/26/2004		0.044 U	0.071 U	0.11 U	0.061	0.005 U	0.005 U	0.005 U	0.061	
HL-MW-13DD	HL-MW-1K	10/26/2004	Dup	0.005 U	0.01 U	0.005 U	0.048	0.005 U	0.005 U	0.005 U	0.048	
HL-MW-13DD	HL-MW-13DD	7/27/2005		0.0048 U	0.0096 U	0.0048 U	0.023	0.0048 U	0.0048 U	0.0048 U	0.023	
HL-MW-13DD	HL-MW-1K	7/27/2005	Dup	0.0048 U	0.0096 U	0.0048 U	0.025	0.0048 U	0.0048 U	0.0048 U	0.025	
HL-MW-13DD	HL-MW-13DD	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.088	0.0049 U	0.0049 U	0.0049 U	0.088	
HL-MW-13DD	HL-MW-1K	10/24/2005	Dup	0.0049 U	0.0098 U	0.0049 U	0.087	0.0049 U	0.0049 U	0.0049 U	0.087	
HL-MW-13DD	HL-MW-13DD	1/23/2006		0.0049 U	0.0097 U	0.0049 U	0.043	0.0049 U	0.0049 U	0.0049 U	0.043	
HL-MW-13DD	HL-MW-1K	1/23/2006	Dup	0.0049 U	0.0097 U	0.0049 U	0.048	0.0049 U	0.0049 U	0.0049 U	0.048	
HL-MW-13DD	HL-MW-13DD	4/20/2006		0.0048 U	0.0096 U	0.0048 U	0.064	0.0048 U	0.0048 U	0.0048 U	0.064	
HL-MW-13DD	HL-MW-13DD	7/18/2006		0.0048 U	0.0096 U	0.0048 U	0.08 J	0.0048 U	0.0048 U	0.0048 U	0.08 J	
HL-MW-13DD	HL-MW-13DD	10/26/2006		0.0048 U	0.0096 U	0.0048 U	0.068	0.0048 U	0.0048 U	0.0048 U	0.068	
HL-MW-13DD	HL-MW-130DD	10/26/2006	Dup	0.0048 U	0.0096 U	0.0048 U	0.078	0.0048 U	0.0048 U	0.0048 U	0.078	
HL-MW-13DD	HL-MW-13DD	4/15/2007		0.0048 U	0.0096 U	0.0048 U	0.094	0.0048 U	0.0048 U	0.0048 U	0.094	
HL-MW-13DD	HL-MW-13DD	10/23/2007		0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.13	
HL-MW-13DD	HL-MW-13DD	4/21/2008		0.005 U	0.01 U	0.005 U	0.1	0.005 U	0.005 U	0.005 U	0.1	

**Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
HL-MW-13DD	HL-MW-13DD	10/19/2008	0.005 U	0.01 U	0.005 U	0.084	0.005 U	0.005 U	0.005 U	0.005 U	0.084	
HL-MW-14S	HL-MW-14S	10/24/2003	0.005 U	0.01 U	0.005 U	0.22 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.22 JP	
HL-MW-14S	HL-MW-14S	3/4/2004	0.0048 U	0.0096 U	0.0048 U	0.2	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.2	
HL-MW-14S	HL-MW-14S	6/30/2004	0.005 U	0.01 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.005 U	0.15	
HL-MW-14S	HL-MW-14S	10/26/2004	0.099 U	0.025 U	0.18 U	0.12	0.005 U	0.005 U	0.005 U	0.005 U	0.12	
HL-MW-14S	HL-MW-14S	7/27/2005	0.0049 U	0.0097 U	0.0049 U	0.12	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.12	
HL-MW-14S	HL-MW-14S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.12	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.12	
HL-MW-14S	HL-MW-14S	1/23/2006	0.0049 U	0.0097 U	0.0049 U	0.099	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.099	
HL-MW-14S	HL-MW-14S	4/21/2006	0.005 U	0.01 U	0.005 U	0.21	0.005 U	0.005 U	0.005 U	0.005 U	0.21	
HL-MW-14S	HL-MW-14S	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.23 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.23 J	
HL-MW-14S	HL-MW-14S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.15	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15	
HL-MW-14S	HL-MW-14S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.18	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.18	
HL-MW-14S	HL-MW-14S	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.16	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.16	
HL-MW-14S	HL-MW-14S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.23	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.23	
HL-MW-14S	HL-MW-14S	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
HL-MW-14S	HL-MW-14S	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.28	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.28	
HL-MW-14S	HL-MW-14S	4/21/2008	0.005 U	0.0099 U	0.005 U	0.16	0.005 U	0.005 U	0.005 U	0.005 U	0.16	
HL-MW-14S	HL-MW-14S	7/23/2008	0.0049 U	0.0098 U	0.0049 U	0.17	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.17	
HL-MW-14S	HL-MW-14S	10/24/2008	0.005 U	0.01 U	0.005 U	0.29	0.005 U	0.005 U	0.005 U	0.005 U	0.29	
HL-MW-15DD	HL-MW-15DD	10/23/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-15DD	HL-MW-15DD	3/4/2004	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-15DD	HL-MW-15DD	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-15DD	HL-MW-15DD	10/26/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-15DD	HL-MW-15DD	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-15DD	HL-MW-15DD	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-15DD	HL-MW-15DD	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-15DD	HL-MW-15DD	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-15DD	HL-MW-15DD	4/15/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-15DD	HL-MW-15DD	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-15DD	HL-MW-15DD	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-15DD	HL-MW-15DD	10/20/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-16S	HL-MW-16S	10/23/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	3/5/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	10/26/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-16S	HL-MW-16S	1/23/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-16S	HL-MW-16S	4/22/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-16S	HL-MW-16S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
HL-MW-16S	HL-MW-16S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	1/24/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	4/22/2008	0.005 U	0.021 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0053 U	0.005 U	0.021 U	
HL-MW-16S	HL-MW-16S	7/23/2008	0.005 U	0.01 U	0.0067 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	10/21/2008	0.005 U	0.0099 U	0.005 U	0.0079 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-17S	HL-MW-17S	10/23/2003	0.005 U	0.01 U	0.005 U	0.21	0.005 U	0.005 U	0.005 U	0.005 U	0.21	
HL-MW-17S	HL-MW-17S	3/5/2004	0.0052 U	0.011 U	0.0052 U	0.19	0.0052 U	0.0052 U	0.0052 U	0.0052 U	0.19	
HL-MW-17S	HL-MW-17S	6/30/2004	0.005 U	0.01 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11	
HL-MW-17S	HL-MW-17S	10/26/2004	0.13 U	0.088 U	0.28 U	0.18	0.005 U	0.005 U	0.005 U	0.005 U	0.18	
HL-MW-17S	HL-MW-17S	5/17/2005	0.005 U	0.01 U	0.005 U	0.078	0.005 U	0.005 U	0.005 U	0.005 U	0.078	
HL-MW-17S	HL-MW-17S	6/16/2005	0.005 U	0.01 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.005 U	0.15	
HL-MW-17S	HL-MW-17S	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.1	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.1	
HL-MW-17S	HL-MW-17S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.11	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.11	
HL-MW-17S	HL-MW-17S	1/24/2006	0.0049 U	0.0097 U	0.0049 U	0.084	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.084	
HL-MW-17S	HL-MW-17S	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.093	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.093	
HL-MW-17S	HL-MW-17S	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.13 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13 J	
HL-MW-17S	HL-MW-17S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.16 P	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.16 JP	
HL-MW-17S	HL-MW-17S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.11	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.11	
HL-MW-17S	HL-MW-17S	4/16/2007	0.0049 U	0.0097 U	0.0049 U	0.11	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.11	
HL-MW-17S	HL-MW-17S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.16	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.16	
HL-MW-17S	HL-MW-17S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13	
HL-MW-17S	HL-MW-17S	1/25/2008	0.005 U	0.01 U	0.005 U	0.16	0.005 U	0.005 U	0.005 U	0.005 U	0.16	
HL-MW-17S	HL-MW-17S	4/21/2008	0.0049 U	0.0098 U	0.0049 U	0.1	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.1	
HL-MW-17S	HL-MW-17S	7/23/2008	0.005 U	0.01 U	0.005 U	0.12	0.005 U	0.005 U	0.005 U	0.005 U	0.12	
HL-MW-17S	HL-MW-17S	10/21/2008	0.005 U	0.01 U	0.005 U	0.2	0.005 U	0.005 U	0.005 U	0.005 U	0.2	
HL-MW-18S	HL-MW-18S	3/24/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-18S	HL-MW-18S	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.011	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.011	
HL-MW-18S	HL-MW-18S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0081	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0081	
HL-MW-18S	HL-MW-18S	1/27/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-18S	HL-MW-18S	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-18S	HL-MW-18S	7/19/2006	0.0048 U	0.0096 U	0.0072 U	0.0065 U	0.0053 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-18S	HL-MW-18S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.008 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-18S	HL-MW-18S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.018	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.018	
HL-MW-18S	HL-MW-18S	4/16/2007	0.005 U	0.0099 U	0.005 U	0.0089	0.005 U	0.005 U	0.005 U	0.005 U	0.0089	
HL-MW-18S	HL-MW-18S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0067 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-18S	HL-MW-18S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.012	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.012	
HL-MW-18S	HL-MW-18S	1/24/2008	0.0049 U	0.0098 U	0.0049 U	0.012	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.012	
HL-MW-18S	HL-MW-18S	4/21/2008	0.0049 U	0.0098 U	0.0049 U	0.018	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.018	
HL-MW-18S	HL-MW-18S	7/23/2008	0.005 U	0.0099 U	0.005 U	0.018	0.005 U	0.005 U	0.005 U	0.005 U	0.018	
HL-MW-18S	HL-MW-18S	10/21/2008	0.0049 U	0.0098 U	0.0049 U	0.01 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.01 U	
HL-MW-19S	HL-MW-19S	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-23S	HL-MW-23S	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
HL-MW-23S	HL-MW-23S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-23S	HL-MW-23S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0069	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0069	
HL-MW-23S	HL-MW-23S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.014	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.014	
HL-MW-23S	HL-MW-23S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0069 JP	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0069 JP	
HL-MW-23S	HL-MW-23S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-23S	HL-MW-23S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0051	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0051	
HL-MW-23S	HL-MW-23S	1/25/2008	0.005 U	0.0099 U	0.0071 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-23S	HL-MW-23S	4/22/2008	0.0069 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-23S	HL-MW-23S	7/24/2008	0.0059 U	0.013 U	0.016 U	0.018 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.018 U	
HL-MW-23S	HL-MW-23S	10/24/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-24DD	HL-MW-24DD	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-24DD	HL-MW-240DD	4/21/2006	Dup	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-24DD	HL-MW-24DD	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	4/21/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-24DD	HL-MW-24DD	10/24/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-25S	HL-MW-25S	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.29	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.29	
HL-MW-25S	HL-MW-25S	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.21 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.21 J	
HL-MW-25S	HL-MW-25S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.15	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15	
HL-MW-25S	HL-MW-25S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.21	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.21	
HL-MW-25S	HL-MW-25S	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.3	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.3	
HL-MW-25S	HL-MW-25S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.17 JP	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17 JP	
HL-MW-25S	HL-MW-25S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
HL-MW-25S	HL-MW-25S	1/25/2008	0.005 U	0.0099 U	0.005 U	0.2	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.2	
HL-MW-25S	HL-MW-25S	4/21/2008	0.0049 U	0.0098 U	0.0049 U	0.18	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.18	
HL-MW-25S	HL-MW-25S	7/23/2008	0.005 U	0.01 U	0.005 U	0.35	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.35	
HL-MW-25S	HL-MW-25S	10/19/2008	0.005 U	0.01 U	0.005 U	0.23 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.23 JP	
HL-MW-25S	HL-MW-2500S	10/19/2008	Dup	0.005 U	0.01 U	0.005 U	0.22 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.22 JP	
HL-MW-26S	HL-MW-26S	4/21/2006	0.0048 U	0.0096 U	0.0048 U	0.25	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.25	
HL-MW-26S	HL-MW-26S	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.028 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.028 J	
HL-MW-26S	HL-MW-26S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.023	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.023	
HL-MW-26S	HL-MW-26S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.04	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.04	
HL-MW-26S	HL-MW-2600S	1/31/2007	Dup	0.0048 U	0.0096 U	0.0048 U	0.032	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.032	
HL-MW-26S	HL-MW-26S	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
HL-MW-26S	HL-MW-2600S	4/16/2007	Dup	0.0048 U	0.0096 U	0.0048 U	0.2	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.2	
HL-MW-26S	HL-MW-26S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.024	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.024	
HL-MW-26S	HL-MW-2600S	10/24/2007	Dup	0.0048 U	0.0096 U	0.0048 U	0.024	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.024	
HL-MW-26S	HL-MW-26S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.026	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.026	
HL-MW-26S	HL-MW-26S	1/24/2008	0.0049 U	0.0098 U	0.0049 U	0.025	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.025	
HL-MW-26S	HL-MW-26S	4/21/2008	0.005 U	0.0099 U	0.005 U	0.067	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.067	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled		PCBs in µg/L															
				Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs								
HL-MW-26S	HL-MW-2600S	4/21/2008	Dup	0.0049	U	0.0098	U	0.0049	U	0.067		0.0049	U	0.0049	U	0.0049	U	0.067	
HL-MW-26S	HL-MW-26S	7/23/2008		0.005	U	0.01	U	0.005	U	0.041		0.005	U	0.005	U	0.005	U	0.041	
HL-MW-26S	HL-MW-26S	10/22/2008		0.005	U	0.0099	U	0.005	U	0.005	U	0.038		0.032		0.005	U	0.07	
HL-MW-27D	HL-MW-27D	4/22/2006		0.005	U	0.0099	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.0099	U
HL-MW-27D	HL-MW-27D	7/19/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	10/27/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	1/31/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-2700D	1/31/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	4/16/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-2700D	4/16/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	10/24/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	4/21/2008		0.0049	U	0.0098	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0098	U
HL-MW-27D	HL-MW-27D	10/21/2008		0.005	U	0.01	U	0.005	U	0.0085	U	0.005	U	0.005	U	0.005	U	0.01	U
HL-MW-28DD	HL-MW-28DD	10/26/2006		0.0048	U	0.0096	U	0.0048	U	0.096	P	0.0048	U	0.0048	U	0.0048	U	0.096	JP
HL-MW-28DD	HL-MW-280DD	10/26/2006	Dup	0.0048	U	0.0096	U	0.0048	U	0.095		0.0048	U	0.0048	U	0.0048	U	0.095	
HL-MW-28DD	HL-MW-28DD	1/31/2007		0.0048	U	0.0096	U	0.0048	U	0.074		0.0048	U	0.0048	U	0.0048	U	0.074	
HL-MW-28DD	HL-MW-28DD	4/15/2007		0.0049	U	0.0098	U	0.0049	U	0.16		0.0049	U	0.0049	U	0.0049	U	0.16	
HL-MW-28DD	HL-MW-2800DD	4/15/2007	Dup	0.0054	U	0.011	U	0.0054	U	0.15		0.0054	U	0.0054	U	0.0054	U	0.15	
HL-MW-28DD	HL-MW-28DD	7/24/2007		0.0048	U	0.0096	U	0.0048	U	0.074		0.0048	U	0.0048	U	0.0048	U	0.074	
HL-MW-28DD	HL-MW-2800DD	7/24/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.079		0.0048	U	0.0048	U	0.0048	U	0.079	
HL-MW-28DD	HL-MW-28DD	10/23/2007		0.0048	U	0.0096	U	0.0048	U	0.18		0.0048	U	0.0048	U	0.0048	U	0.18	
HL-MW-28DD	HL-MW-2800DD	10/23/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.18		0.0048	U	0.0048	U	0.0048	U	0.18	
HL-MW-28DD	HL-MW-28DD	1/24/2008		0.0049	U	0.0098	U	0.0049	U	0.15		0.0049	U	0.0049	U	0.0049	U	0.15	
HL-MW-28DD	HL-MW-2800DD	1/24/2008	Dup	0.0049	U	0.0098	U	0.0049	U	0.1		0.0049	U	0.0049	U	0.0049	U	0.1	
HL-MW-28DD	HL-MW-28DD	4/21/2008		0.005	U	0.01	U	0.005	U	0.16		0.005	U	0.005	U	0.005	U	0.16	
HL-MW-28DD	HL-MW-2800DD	4/21/2008	Dup	0.0049	U	0.0098	U	0.0049	U	0.17		0.0049	U	0.0049	U	0.0049	U	0.17	
HL-MW-28DD	HL-MW-28DD	10/19/2008		0.005	U	0.01	U	0.005	U	0.17		0.005	U	0.005	U	0.005	U	0.17	
HL-MW-28DD	HL-MW-2800DD	10/19/2008	Dup	0.005	U	0.0099	U	0.005	U	0.19		0.005	U	0.005	U	0.005	U	0.19	
HL-MW-29S	HL-MW-29S	7/24/2007		0.0048	U	0.0096	U	0.0048	U	0.52		0.0048	U	0.0048	U	0.0048	U	0.52	
HL-MW-29S	HL-MW-29S	10/24/2007		0.0048	U	0.0096	U	0.0048	U	0.44		0.0048	U	0.0048	U	0.0048	U	0.44	
HL-MW-29S	HL-MW-2900S	10/24/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.48		0.0048	U	0.0048	U	0.0048	U	0.48	
HL-MW-29S	HL-MW-29S	1/24/2008		0.005	U	0.0099	U	0.005	U	0.4	JP	0.005	U	0.005	U	0.005	U	0.4	JP
HL-MW-29S	HL-MW-2900S	1/24/2008	Dup	0.005	U	0.01	U	0.005	U	0.38		0.005	U	0.005	U	0.005	U	0.38	
HL-MW-29S	HL-MW-29S	4/22/2008		0.0049	U	0.0098	U	0.0049	U	0.24		0.0049	U	0.0049	U	0.0049	U	0.24	
HL-MW-29S	HL-MW-2900S	4/22/2008	Dup	0.005	U	0.0099	U	0.005	U	0.25		0.005	U	0.005	U	0.005	U	0.25	
HL-MW-29S	HL-MW-29S	7/23/2008		0.05	U	0.1	U	0.05	U	1		0.05	U	0.05	U	0.05	U	1	
HL-MW-29S	HL-MW-2900S	7/23/2008	Dup	0.05	U	0.1	U	0.05	U	0.93		0.05	U	0.05	U	0.05	U	0.93	
HL-MW-29S	HL-MW-29S	10/22/2008		0.005	U	0.01	U	0.005	U	0.51		0.005	U	0.005	U	0.005	U	0.51	
HL-MW-29S	HL-MW-2900S	10/22/2008	Dup	0.025	U	0.049	U	0.025	U	0.54		0.025	U	0.025	U	0.025	U	0.54	
HL-MW-30S	HL-MW-30S	7/24/2007		0.0048	U	0.0096	U	0.0048	U	0.16	JP	0.0048	U	0.0048	U	0.0048	U	0.16	JP
HL-MW-30S	HL-MW-30S	10/24/2007		0.0048	U	0.0096	U	0.0048	U	0.11	P	0.0048	U	0.0048	U	0.0048	U	0.11	
HL-MW-30S	HL-MW-30S	1/25/2008		0.0049	U	0.0098	U	0.0049	U	0.12		0.0049	U	0.0049	U	0.0049	U	0.12	
HL-MW-30S	HL-MW-30S	4/23/2008		0.005	U	0.0099	U	0.005	U	0.1	JP	0.005	U	0.005	U	0.005	U	0.1	JP

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled		PCBs in µg/L											
				Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs				
HL-MW-30S	HL-MW-3000S	4/23/2008	Dup	0.0049 U	0.0097 U	0.0049 U	0.1 JP	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.1 JP			
HL-MW-30S	HL-MW-30S	7/24/2008		0.0049 U	0.0098 U	0.0049 U	0.15	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.15			
HL-MW-30S	HL-MW-3000S	7/24/2008	Dup	0.0049 U	0.0097 U	0.0049 U	0.15	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.15			
HL-MW-30S	HL-MW-30S	10/19/2008		0.005 U	0.01 U	0.005 U	0.12 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.12 JP			
MW-02	MW-2D	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-02	MW-2D	10/25/2004		0.005 U	0.016 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.016 U			
MW-02	MW-2S	10/25/2004		0.005 U	0.018 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.018 U			
MW-02	MW-2D	7/28/2005		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-02	MW-2S	7/28/2005		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-02	MW-2D	4/21/2006		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
MW-02	MW-2S	4/21/2006		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
MW-02	MW-2D	10/27/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
MW-02	MW-2S	10/27/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
MW-02D	MW-2D	5/12/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-02D	MW-2D	6/30/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-02D	MW-2D	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
MW-02S	MW-2S	5/12/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-02S	MW-2S	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-02S	MW-2S	6/30/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-02S	MW-2S	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
MW-08	MW-8	5/13/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-08	MW-8	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-08	MW-8	6/29/2004		0.0048 U	0.07 Ui	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.07 U			
MW-08	MW-8	10/25/2004		0.005 U	0.043 U	0.0095 U	0.0057 U	0.005 U	0.005 U	0.005 U	0.005 U	0.043 U			
MW-08	MW-8	7/29/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
MW-08	MW-8	10/26/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
MW-08	MW-8	4/22/2006		0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U			
MW-08	MW-8	10/27/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
MW-08	MW-8	4/18/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
MW-08	MW-8	10/25/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
MW-08	MW-8	4/23/2008		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
MW-08	MW-8	10/21/2008		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-09	MW-9	5/13/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-09	MW-9	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-09	MW-9	6/29/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-09	MW-9	4/18/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
MW-09	MW-9	10/25/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
MW-09	MW-9	4/23/2008		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
MW-09	MW-9	10/21/2008		0.005 U	0.01 U	0.005 U	0.0093 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-12A	MW-12A	5/12/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-12A	MW-12A	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-12A	MW-12A	10/22/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
MW-12A	MW-12A	3/5/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			



Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-12A	MW-12A	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-12A	MW-12A	10/25/2004	0.005 U	0.037 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.037 U	
MW-12A	MW-12A	7/28/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-12A	MW-12A	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-12A	MW-12A	4/21/2006	0.017 U	0.0097 U	0.028 U	0.02 U	0.0068 U	0.0049 U	0.0049 U	0.0049 U	0.028 U	
MW-12A	MW-12A	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0077	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0077	
MW-12A	MW-12A	2/1/2007	0.0049 U	0.0097 U	0.0049 U	0.042	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.042	
MW-12A	MW-12A	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.095	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.095	
MW-12A	MW-12A	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0054 JP	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0054 JP	
MW-12A	MW-12A	10/23/2007	0.005 U	0.0096 U	0.0073 U	0.0048 U	0.0055 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-12A	MW-12A	1/25/2008	0.0059 U	0.0099 U	0.005 U	0.0073 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-12A	MW-12A	4/24/2008	0.0049 U	0.0098 U	0.0049 U	0.014 JP	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.014 JP	
MW-12A	MW-12A	7/23/2008	0.013 U	0.023 U	0.017 U	0.03 U	0.005 U	0.005 U	0.005 U	0.005 U	0.03 U	
MW-12A	MW-12A	10/21/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.0047 T	0.005 U	0.005 U	0.005 U	0.0047 T	
MW-13	MW-13	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-13	MW-13	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-13	MW-13	6/29/2004	0.005 U	0.038 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.038 U	
MW-13	MW-13	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-13	MW-13	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-13	MW-13	4/22/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-13	MW-13	10/21/2008	0.005 U	0.013 U	0.005 U	0.0081 U	0.005 U	0.005 U	0.005 U	0.005 U	0.013 U	
MW-14	MW-14	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	10/25/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-14	MW-14	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-14	MW-14	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-14	MW-14	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-14	MW-14	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-14	MW-14	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-14	MW-14	4/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	10/21/2008	0.005 U	0.01 U	0.005 U	0.0057 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	10/25/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-15	MW-15	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-15	MW-15	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-15	MW-15	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-15	MW-15	2/1/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-15	MW-15	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-15	MW-15	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0019 T	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0019 T	
MW-15	MW-15	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-15	MW-15	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-15	MW-15	4/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-15	MW-15	7/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-15	MW-15	10/21/2008	0.005 U	0.01 U	0.005 U	0.0077 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	6/29/2004	0.005 U	0.024 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.024 U	
MW-16	MW-16	10/25/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	7/29/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-16	MW-16	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-16	MW-16	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-16	MW-160	10/27/2006	Dup	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-16	MW-16	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-16	MW-16	10/26/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-16	MW-16	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-16	MW-16	10/22/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-17S	MW-17S	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	3/4/2004	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-17S	MW-17S	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	10/25/2004	0.005 U	0.017 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.017 U	
MW-17S	MW-17S	7/28/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-17S	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-17S	MW-17S	1/25/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-17S	MW-17S	4/21/2006	0.011 U	0.015 U	0.023 U	0.014 U	0.012 U	0.0049 U	0.0049 U	0.0049 U	0.023 U	
MW-17S	MW-17S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-170S	7/18/2006	Dup	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-17S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-17S	2/1/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-17S	MW-17S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.023 JP	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.023 JP	
MW-17S	MW-17S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.012	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.012	
MW-17S	MW-17S	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-17S	1/25/2008	0.005 U	0.0099 U	0.0053 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-17S	MW-17S	4/22/2008	0.0056 U	0.0098 U	0.01 U	0.0093 U	0.0054 U	0.0049 U	0.0049 U	0.0049 U	0.01 U	
MW-17S	MW-17S	7/24/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	10/21/2008	0.005 U	0.01 U	0.005 U	0.013 U	0.005 U	0.005 U	0.005 U	0.005 U	0.013 U	
MW-18D	MW-18D	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-18D	MW-18D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-18D	MW-18D	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-18D	MW-18D	3/4/2004	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-18D	MW-18D	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-18D	MW-18D	10/25/2004	0.0054 U	0.033 U	0.005 U	0.018 U	0.005 U	0.005 U	0.005 U	0.005 U	0.033 U	
MW-18D	MW-18D	7/29/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-18D	MW-18D	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-18D	MW-18D	4/21/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-18D	MW-18D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-18D	MW-18D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-18D	MW-18D	10/26/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-18D	MW-18D	4/22/2008	0.005 U	0.0099 U	0.016 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.016 U	
MW-18D	MW-18D	10/21/2008	0.005 U	0.0099 U	0.005 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.011 U	
MW-19S	MW-19S	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-19S	MW-19S	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-19S	MW-19S	6/29/2004	0.005 U	0.033 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.033 U	
MW-19S	MW-19S	10/26/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-19S	MW-19S	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-19S	MW-19S	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-19S	MW-19S	1/25/2006	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-19S	MW-19S	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-19S	MW-19S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-19S	MW-19S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-19S	MW-19S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-19S	MW-19S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-19S	MW-19S	4/23/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-19S	MW-19S	10/21/2008	0.005 U	0.01 U	0.005 U	0.0065 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-20D	MW-20D	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-20D	MW-20D	4/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	10/21/2008	0.005 U	0.01 U	0.005 U	0.0057 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-21S	MW-21S	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-21S	MW-21S	9/2/2003	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	
MW-21S	MW-21S	6/29/2004	0.005 U	0.018 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.018 U	
MW-21S	MW-21S	10/25/2004	0.005 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.011 U	
MW-21S	MW-21S	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-21S	MW-21S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-21S	MW-21S	1/24/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-21S	MW-21S	4/21/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-21S	MW-21S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0036 T	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0036 T	
MW-21S	MW-21S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	1/25/2008	0.005 U	0.01 U	0.016 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.016 U	
MW-21S	MW-21S	4/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-21S	MW-21S	7/23/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-21S	MW-21S	10/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-22D	MW-22D	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-22D	MW-22D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-22D	MW-22D	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-22D	MW-22D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-22D	MW-22D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-22D	MW-22D	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-22D	MW-22D	4/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-22D	MW-22D	10/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	3/5/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	6/29/2004	0.005 U	0.03 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.03 U	
MW-23S	MW-23S	10/25/2004	0.005 U	0.019 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.019 U	
MW-23S	MW-23S	7/28/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	10/24/2005	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-23S	MW-23S	4/21/2006	0.02 U	0.023 U	0.023 U	0.018 U	0.0053 U	0.0049 U	0.0049 U	0.0049 U	0.023 U	
MW-23S	MW-23S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-23S	MW-23S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-23S	MW-23S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.025	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.025	
MW-23S	MW-23S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0069	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0069	
MW-23S	MW-23S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-23S	MW-23S	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-23S	MW-23S	4/24/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-23S	MW-23S	7/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-23S	MW-23S	10/21/2008	0.005 U	0.0099 U	0.005 U	0.0088 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-24D	MW-24D	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	3/5/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	6/29/2004	0.0048 U	0.055 Ui	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.055 U	
MW-24D	MW-24D	10/25/2004	0.0053 U	0.045 U	0.02 U	0.014 U	0.005 U	0.005 U	0.005 U	0.005 U	0.045 U	
MW-24D	MW-24D	7/28/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	10/24/2005	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-24D	MW-24D	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-24D	MW-24D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-24D	MW-24D	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-24D	MW-24D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0038 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0038 J
MW-24D	MW-24D	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-24D	MW-24D	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-24D	MW-24D	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
MW-24D	MW-24D	4/24/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
MW-24D	MW-24D	7/23/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
MW-24D	MW-24D	10/21/2008	0.0049 U	0.0098 U	0.0049 U	0.0071 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
MW-25S	MW-25S	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
MW-25S	MW-25S	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
MW-25S	MW-25S	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
MW-25S	MW-25S	6/29/2004	0.005 U	0.028 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.028 U
MW-25S	MW-25S	10/26/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
MW-25S	MW-25S	7/28/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-25S	MW-25S	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U
MW-25S	MW-25S	1/24/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
MW-25S	MW-25S	4/21/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
MW-25S	MW-25S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-25S	MW-25S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-25S	MW-25S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-25S	MW-25S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-25S	MW-25S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-25S	MW-25S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-25S	MW-2500S	10/25/2007	Dup 0.0048 UJ	0.0096 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0096 UJ
MW-25S	MW-25S	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
MW-25S	MW-25S	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
MW-25S	MW-25S	7/24/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U
MW-25S	MW-25S	10/22/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
MW-26D	MW-26D	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
MW-26D	MW-26D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
MW-26D	MW-26D	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
MW-26D	MW-26D	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
MW-26D	MW-26D	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U
MW-26D	MW-26D	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U
MW-26D	MW-26D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-26D	MW-26D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-26D	MW-26D	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
MW-26D	MW-26D	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
MW-26D	MW-26D	10/22/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
OH-EW-01	OH-EW-1	5/16/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
OH-EW-01	OH-EW-1	9/5/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
OH-EW-01	OH-EW-1	7/1/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U
OH-EW-01	OH-EW-1	10/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
OH-EW-01	OH-EW-1	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
OH-EW-01	OH-EW-1	10/29/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
OH-EW-01	OH-EW-1	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
OH-EW-01	OH-EW-1	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
OH-EW-01	OH-EW-1	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
OH-EW-01	OH-EW-1	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
OH-EW-01	OH-EW-1	4/24/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
OH-EW-01	OH-EW-1	10/22/2008	0.005 U	0.0099 U	0.005 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.011 U	
OH-MW-08	OH-MW-8	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
OH-MW-08	OH-MW-8	10/20/2008	0.005 U	0.0099 U	0.005 U	0.0078 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
OH-MW-10	OH-MW-10	4/22/2008	0.0074 U	0.051 U	0.016 U	0.0057 U	0.014 U	0.012 U	0.005 U	0.005 U	0.051 U	
OH-MW-10	OH-MW-10	10/22/2008	0.023 UJC	0.36 UJC	1.8 UJC	0.061 UJC	0.027 UJC	0.041 UJC	0.0093 UJC	0.0093 UJC	1.8 UJC	
OH-MW-24	OH-MW-24	4/24/2008	0.0069 U	0.01 U	0.0094 U	0.012 U	0.0079 U	0.005 U	0.005 U	0.005 U	0.012 U	
OH-MW-24	OH-MW-24	10/23/2008	0.053 U	0.11 U	0.053 U	0.053 U	2.1	0.053 U	0.053 UJ	0.053 UJ	2.1	
OH-MW-25	OH-MW-25	4/24/2008	0.0061 U	0.0099 U	0.0094 U	0.0098 U	0.0094 U	0.005 U	0.005 U	0.005 U	0.0099 U	
OH-MW-25	OH-MW-25	10/23/2008	0.0049 U	0.025 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.025 U	
OH-MW-26	OH-MW-26	5/12/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	9/4/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	6/30/2004	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	10/28/2004	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	7/28/2005	0.02 UJ	0.039 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.039 UJ	
OH-MW-26	OH-MW-26	10/27/2005	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	4/23/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	10/25/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.014 J	0.02 U	0.02 U	0.02 U	0.014 J	
OH-MW-26	OH-MW-260	10/25/2006	Dup 0.02 U	0.039 U	0.02 U	0.02 U	0.013 J	0.02 U	0.02 U	0.02 U	0.013 J	
OH-MW-26	OH-MW-26	4/19/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.052	0.0048 U	0.0048 U	0.0048 U	0.052	
OH-MW-26	OH-MW-26	10/26/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0086 U	0.0078	0.0048 U	0.0048 U	0.0078	
OH-MW-26	OH-MW-26	4/22/2008	0.0049 U	0.037 U	0.0049 U	0.0073 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.037 U	
OH-MW-26	OH-MW-26	10/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.0098	0.005 U	0.005 U	0.005 U	0.0098	
RM-MW-01S	RM-MW-1S	10/23/2003	0.005 U	0.01 U	0.005 U	0.23 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.23 JP	
RM-MW-01S	RM-MW-1S	3/4/2004	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
RM-MW-01S	RM-MW-1S	6/30/2004	0.005 U	0.01 U	0.005 U	0.1	0.005 U	0.005 U	0.005 U	0.005 U	0.1	
RM-MW-01S	RM-MW-1S	10/27/2004	0.005 U	0.01 U	0.005 U	0.092	0.005 U	0.005 U	0.005 U	0.005 U	0.092	
RM-MW-01S	RM-MW-1S	7/25/2005	0.0049 U	0.0098 U	0.0049 U	0.14	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.14	
RM-MW-01S	RM-MW-1S	10/27/2005	0.0049 U	0.0097 U	0.0049 U	0.13	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.13	
RM-MW-01S	RM-MW-1S	1/25/2006	0.0049 U	0.0098 U	0.0049 U	0.25	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.25	
RM-MW-01S	RM-MW-1S	4/18/2006	0.0049 U	0.0097 U	0.0049 U	0.35	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.35	
RM-MW-01S	RM-MW-1S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.1 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.1 J	
RM-MW-01S	RM-MW-1S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.12	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.12	
RM-MW-01S	RM-MW-1S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
RM-MW-01S	RM-MW-1S	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.26	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.26	
RM-MW-01S	RM-MW-1S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.14	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.14	
RM-MW-01S	RM-MW-1S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.07	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.07	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
RM-MW-01S	RM-MW-1S	1/24/2008	0.005 U	0.0099 U	0.005 U	0.16	0.005 U	0.005 U	0.005 U	0.005 U	0.16		
RM-MW-01S	RM-MW-1S	4/20/2008	0.0049 U	0.0098 U	0.0049 U	0.22	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.22		
RM-MW-01S	RM-MW-1S	7/24/2008	0.005 U	0.01 U	0.005 U	0.099	0.005 U	0.005 U	0.005 U	0.005 U	0.099		
RM-MW-01S	RM-MW-1S	10/22/2008	0.005 U	0.0099 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11		
RM-MW-02D	RM-MW-2D	10/23/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-02D	RM-MW-2D	3/4/2004	0.0048 U	0.0095 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0095 U		
RM-MW-02D	RM-MW-2D	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-02D	RM-MW-2D	10/27/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-02D	RM-MW-2D	7/25/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-02D	RM-MW-2D	10/28/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-02D	RM-MW-2D	4/18/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-02D	RM-MW-2D	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-02D	RM-MW-2D	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-02D	RM-MW-2D	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-02D	RM-MW-2D	4/20/2008	0.0049 U	0.0098 U	0.0049 U	0.0075 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RM-MW-02D	RM-MW-2D	10/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RM-MW-03S	RM-MW-3S	10/23/2003	0.005 U	0.01 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11		
RM-MW-03S	RM-MW-6	10/24/2003	Dup	0.005 U	0.01 U	0.005 U	0.14	0.005 U	0.005 U	0.005 U	0.14		
RM-MW-03S	RM-MW-3S	3/4/2004		0.005 U	0.01 U	0.005 U	0.096	0.005 U	0.005 U	0.005 U	0.096		
RM-MW-03S	RM-MW-3S	6/30/2004		0.005 U	0.01 U	0.005 U	0.12	0.005 U	0.005 U	0.005 U	0.12		
RM-MW-03S	RM-MW-3S	10/27/2004		0.005 U	0.01 U	0.005 U	0.077	0.005 U	0.005 U	0.005 U	0.077		
RM-MW-03S	RM-MW-3S	5/19/2005		0.005 U	0.01 U	0.005 U	0.098	0.005 U	0.005 U	0.005 U	0.098		
RM-MW-03S	RM-MW-3S	7/25/2005		0.0048 U	0.0096 U	0.0048 U	0.078	0.0048 U	0.0048 U	0.0048 U	0.078		
RM-MW-03S	RM-MW-3S	10/26/2005		0.0049 U	0.0097 U	0.0049 U	0.067	0.0049 U	0.0049 U	0.0049 U	0.067		
RM-MW-03S	RM-MW-3S	1/25/2006		0.0049 U	0.0098 U	0.0049 U	0.13	0.0049 U	0.0049 U	0.0049 U	0.13		
RM-MW-03S	RM-MW-3S	4/18/2006		0.0049 U	0.0097 U	0.0049 U	0.21	0.0049 U	0.0049 U	0.0049 U	0.21		
RM-MW-03S	RM-MW-3S	7/18/2006		0.0048 U	0.0096 U	0.0048 U	0.093 J	0.0048 U	0.0048 U	0.0048 U	0.093 J		
RM-MW-03S	RM-MW-3S	10/24/2006		0.0048 U	0.0096 U	0.0048 U	0.077	0.0048 U	0.0048 U	0.0048 U	0.077		
RM-MW-03S	RM-MW-3S	2/1/2007		0.0048 U	0.0096 U	0.0048 U	0.1	0.0048 U	0.0048 U	0.0048 U	0.1		
RM-MW-03S	RM-MW-3S	4/19/2007		0.0048 U	0.0096 U	0.0048 U	0.078	0.0048 U	0.0048 U	0.0048 U	0.078		
RM-MW-03S	RM-MW-3S	7/24/2007		0.0048 U	0.0096 U	0.0048 U	0.11	0.0048 U	0.0048 U	0.0048 U	0.11		
RM-MW-03S	RM-MW-3S	10/24/2007		0.0048 U	0.0096 U	0.0048 U	0.094	0.0048 U	0.0048 U	0.0048 U	0.094		
RM-MW-03S	RM-MW-3S	1/24/2008		0.005 U	0.0099 U	0.005 U	0.1	0.005 U	0.005 U	0.005 U	0.1		
RM-MW-03S	RM-MW-3S	4/20/2008		0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.15	0.0049 U	0.0049 U	0.15		
RM-MW-03S	RM-MW-3S	7/23/2008		0.005 U	0.0099 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.15		
RM-MW-03S	RM-MW-3S	10/23/2008		0.0049 U	0.0098 U	0.0049 U	0.14	0.0049 U	0.0049 U	0.0049 U	0.14		
RM-MW-04D	RM-MW-4D	10/23/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-04D	RM-MW-4D	3/4/2004		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-04D	RM-MW-4D	6/30/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-04D	RM-MW-4D	10/27/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-04D	RM-MW-4D	7/25/2005		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-04D	RM-MW-4D	10/26/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-04D	RM-MW-4D	4/18/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
RM-MW-04D	RM-MW-4D	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-04D	RM-MW-4D	4/19/2007	0.0048 U	0.0096 U	0.0054 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-04D	RM-MW-4D	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-04D	RM-MW-4D	4/20/2008	0.005 U	0.01 U	0.0062 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-04D	RM-MW-4D	10/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
RM-MW-05S	RM-MW-5S	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-05S	RM-MW-5S	3/4/2004	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-05S	RM-MW-5S	10/27/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-05S	RM-MW-5S	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
RM-MW-05S	RM-MW-5S	4/19/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	4/20/2008	0.005 U	0.0099 U	0.005 U	0.0062 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
RM-MW-05S	RM-MW-5S	10/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
RM-MW-08S	RM-MW-8S	3/24/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.26	0.005 U	0.005 U	0.005 U	0.26	
RM-MW-08S	RM-MW-8S	5/17/2005	0.005 U	0.01 U	0.005 U	0.078	0.005 U	0.005 U	0.005 U	0.005 U	0.078	
RM-MW-08S	RM-MW-8S	6/16/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.12	0.005 U	0.005 U	0.005 U	0.12	
RM-MW-08S	RM-MW-8S	7/25/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.17	
RM-MW-08S	RM-MW-8S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.32	0.0049 U	0.0049 U	0.0049 U	0.32	
RM-MW-08S	RM-MW-8S	1/24/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.11	0.0049 U	0.0049 U	0.0049 U	0.11	
RM-MW-08S	RM-MW-8S	4/17/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.071	0.0049 U	0.0049 U	0.0049 U	0.071	
RM-MW-08S	RM-MW-80S	4/17/2006	Dup	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.13	0.0049 U	0.0049 U	0.13	
RM-MW-08S	RM-MW-8S	7/17/2006	0.0048 U	0.0096 U	0.0048 U	0.15 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15 J	
RM-MW-08S	RM-MW-8S	10/23/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.28	0.0048 U	0.0048 U	0.0048 U	0.28	
RM-MW-08S	RM-MW-8S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.4	0.31	0.0048 U	0.0048 U	0.71	
RM-MW-08S	RM-MW-8S	4/19/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.19 JP	0.0049 U	0.0049 U	0.0049 U	0.19 JP	
RM-MW-08S	RM-MW-8S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.32	0.0048 U	0.0048 U	0.0048 U	0.32	
RM-MW-08S	RM-MW-8S	10/21/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.2	0.0048 U	0.0048 U	0.0048 U	0.2	
RM-MW-08S	RM-MW-8S	1/24/2008	0.0049 U	0.0098 U	0.0049 U	0.18	0.0049 U	0.1	0.0049 U	0.0049 U	0.28	
RM-MW-08S	RM-MW-8S	4/20/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.36	0.005 U	0.005 U	0.005 U	0.36	
RM-MW-08S	RM-MW-8S	7/22/2008	0.05 U	0.099 U	0.05 U	0.05 U	2	0.05 U	0.075 U	0.075 U	2	
RM-MW-08S	RM-MW-8S	10/18/2008	0.005 U	0.0099 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.005 U	0.15	
RM-MW-08S	RM-MW-800S	10/18/2008	Dup	0.005 U	0.01 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.15	
RM-MW-09S	RM-MW-9S	3/24/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.0061	0.005 U	0.005 U	0.005 U	0.0061	
RM-MW-09S	RM-MW-9S	5/19/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-09S	RM-MW-9S	7/26/2005	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
RM-MW-09S	RM-MW-9S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
RM-MW-09S	RM-MW-9S	1/24/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.056	0.0049 U	0.0049 U	0.0049 U	0.056	
RM-MW-09S	RM-MW-9S	4/19/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.055	0.0049 U	0.0049 U	0.0049 U	0.055	
RM-MW-09S	RM-MW-9S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	



Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
RM-MW-09S	RM-MW-9S	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-09S	RM-MW-9S	2/1/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U
RM-MW-09S	RM-MW-9S	4/19/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.087		0.031 U	0.0048 U	0.0048 U	0.087
RM-MW-09S	RM-MW-9S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0038 T	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0038 T
RM-MW-09S	RM-MW-9S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-09S	RM-MW-9S	1/24/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U
RM-MW-09S	RM-MW-9S	4/20/2008	0.0049 U	0.0098 U	0.0049 U	0.0074 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
RM-MW-09S	RM-MW-9S	7/23/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
RM-MW-09S	RM-MW-9S	10/22/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U
RM-MW-10S	RM-MW-10S	9/28/2004	0.005 U	0.039 U	0.15 U	0.11		0.005 U	0.005 U	0.005 U	0.005 U	0.11
RM-MW-10S	RM-MW-100	9/28/2004	Dup	0.005 U	0.034 U	0.16 U	0.098		0.005 U	0.005 U	0.005 U	0.098
RM-MW-10S	RM-MW-10S	10/27/2004		0.005 U	0.042 U	0.005 U	0.085		0.005 U	0.014 U	0.005 U	0.085
RM-MW-10S	RM-MW-100	10/27/2004	Dup	0.005 U	0.01 U	0.005 U	0.092		0.005 U	0.005 U	0.005 U	0.092
RM-MW-10S	RM-MW-10S	5/19/2005		0.005 U	0.01 U	0.005 U	0.1		0.005 U	0.005 U	0.005 U	0.1
RM-MW-10S	RM-MW-10S	6/16/2005		0.005 U	0.01 U	0.005 U	0.15		0.005 U	0.005 U	0.005 U	0.15
RM-MW-10S	RM-MW-10S	7/26/2005		0.0049 U	0.0097 U	0.0049 U	0.13		0.0049 U	0.0049 U	0.0049 U	0.13
RM-MW-10S	RM-MW-10S	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.12		0.0049 U	0.0049 U	0.0049 U	0.12
RM-MW-10S	RM-MW-10S	1/25/2006		0.0049 U	0.0098 U	0.0049 U	0.13		0.0049 U	0.0049 U	0.0049 U	0.13
RM-MW-10S	RM-MW-100S	1/25/2006	Dup	0.005 U	0.0099 U	0.005 U	0.11		0.005 U	0.005 U	0.005 U	0.11
RM-MW-10S	RM-MW-10S	4/19/2006		0.0049 U	0.0097 U	0.0049 U	0.14		0.0049 U	0.0049 U	0.0049 U	0.14
RM-MW-10S	RM-MW-10S	7/18/2006		0.0048 U	0.0096 U	0.0048 U	0.1 J		0.0048 U	0.0048 U	0.0048 U	0.1 J
RM-MW-10S	RM-MW-10S	10/24/2006		0.0048 UJ	0.0096 UJ	0.0048 UJ	0.0048 UJ	0.068 J	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.068 J
RM-MW-10S	RM-MW-10S	2/1/2007		0.0048 U	0.0096 U	0.0048 U	0.089		0.0048 U	0.0048 U	0.0048 U	0.089
RM-MW-10S	RM-MW-10S	4/19/2007		0.0048 U	0.0096 U	0.0048 U	0.15		0.0048 U	0.0048 U	0.0048 U	0.15
RM-MW-10S	RM-MW-10S	7/25/2007		0.0048 U	0.0096 U	0.0048 U	0.11		0.0048 U	0.0048 U	0.0048 U	0.11
RM-MW-10S	RM-MW-10S	10/24/2007		0.0048 U	0.0096 U	0.0048 U	0.16		0.0048 U	0.0048 U	0.0048 U	0.16
RM-MW-10S	RM-MW-10S	1/24/2008		0.005 U	0.0099 U	0.005 U	0.17		0.005 U	0.005 U	0.005 U	0.17
RM-MW-10S	RM-MW-10S	4/20/2008		0.005 U	0.01 U	0.005 U	0.005 U	0.18		0.005 U	0.005 U	0.18
RM-MW-10S	RM-MW-10S	7/23/2008		0.0049 U	0.0098 U	0.0049 U	0.14		0.0049 U	0.0049 U	0.0049 U	0.14
RM-MW-10S	RM-MW-10S	10/23/2008		0.005 U	0.0099 U	0.005 U	0.14		0.005 U	0.005 U	0.005 UJ	0.14
RM-MW-12S	RM-MW-12S	5/17/2005		0.005 U	0.022 U	0.0059 U	0.0093 U		0.005 U	0.005 U	0.005 U	0.022 U
RM-MW-12S	RM-MW-12S	6/16/2005		0.005 U	0.01 U	0.005 U	0.005 U		0.005 U	0.005 U	0.005 U	0.01 U
RM-MW-12S	RM-MW-12S	7/25/2005		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U		0.0049 U	0.0049 U	0.0049 U	0.0097 U
RM-MW-12S	RM-MW-12S	1/24/2006		0.0049 U	0.0097 U	0.0049 U	0.0049 U		0.0049 U	0.0049 U	0.0049 U	0.0097 U
RM-MW-12S	RM-MW-12S	4/19/2006		0.0049 U	0.0097 U	0.0049 U	0.0049 U		0.0049 U	0.0049 U	0.0049 U	0.0097 U
RM-MW-12S	RM-MW-12S	7/18/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	10/24/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	2/1/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	4/19/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	7/24/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	10/21/2007		0.0048 U	0.0096 U	0.005 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	1/24/2008		0.0049 U	0.0098 U	0.0049 U	0.0049 U		0.0049 U	0.0049 U	0.0049 U	0.0098 U

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
RM-MW-12S	RM-MW-12S	4/20/2008	0.0049 U	0.0098 U	0.0065 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RM-MW-12S	RM-MW-12S	7/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0081 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RM-MW-12S	RM-MW-12S	10/18/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U		
RM-MW-13S	RM-MW-13S	5/16/2005	0.05 U	0.1 U	0.05 U	1.1	0.05 U	0.05 U	0.05 U	0.05 U	1.1		
RM-MW-13S	RM-MW-13S Dup	5/16/2005	Dup 0.05 U	0.1 U	0.05 U	1.2	0.05 U	0.05 U	0.05 U	0.05 U	1.2		
RM-MW-13S	RM-MW-13S	6/16/2005	0.05 U	0.1 U	0.05 U	0.68	0.05 U	0.05 U	0.05 U	0.05 U	0.68		
RM-MW-13S	RM-MW-13S	7/25/2005	0.005 UJ	0.01 UJ	0.005 UJ	0.26 J	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.26 J		
RM-MW-13S	RM-MW-100	7/25/2005	Dup 0.0048 UJ	0.0096 UJ	0.0048 UJ	0.22 J	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.22 J		
RM-MW-13S	RM-MW-13S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.52	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.52		
RM-MW-13S	RM-MW-100S	10/24/2005	Dup 0.0049 U	0.0097 U	0.0049 U	0.53	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.53		
RM-MW-13S	RM-MW-13S	1/25/2006	0.0049 U	0.0098 U	0.0049 U	0.51	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.51		
RM-MW-13S	RM-MW-13S	4/18/2006	0.025 U	0.049 U	0.025 U	0.65 JP	0.025 U	0.025 U	0.025 U	0.025 U	0.65		
RM-MW-13S	RM-MW-13S	7/18/2006	0.024 U	0.048 U	0.024 U	1.2 J	0.024 U	0.024 U	0.024 U	0.024 U	1.2 J		
RM-MW-13S	RM-MW-13S	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.34	0.0048 U	0.0048 U	0.0048 U	0.34		
RM-MW-13S	RM-MW-13S	2/1/2007	0.025 U	0.049 U	0.025 U	1.2 JP	0.025 U	0.025 U	0.025 U	0.025 U	1.2 JP		
RM-MW-13S	RM-MW-13S	4/19/2007	0.025 U	0.05 U	0.025 U	0.99	0.025 U	0.025 U	0.025 U	0.025 U	0.99		
RM-MW-13S	RM-MW-13S	7/24/2007	0.048 U	0.096 U	0.048 U	0.93 D	0.048 U	0.048 U	0.048 U	0.048 U	0.93		
RM-MW-13S	RM-MW-13S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.71	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.71		
RM-MW-13S	RM-MW-13S	1/24/2008	0.049 U	0.098 U	0.049 U	1.1	0.049 U	0.049 U	0.049 U	0.049 U	1.1		
RM-MW-13S	RM-MW-13S	4/20/2008	0.025 U	0.05 U	0.025 U	1.2	0.025 U	0.025 U	0.025 U	0.025 U	1.2		
RM-MW-13S	RM-MW-13S	7/23/2008	0.05 U	0.099 U	0.05 U	1.4	0.05 U	0.05 U	0.05 U	0.05 U	1.4		
RM-MW-13S	RM-MW-13S	10/23/2008	0.025 U	0.049 U	0.025 U	1	0.025 U	0.025 U	0.025 UJ	0.025 UJ	1		
RM-MW-14S	RM-MW-14S	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.02	0.021	0.0048 U	0.0048 U	0.041		
RM-MW-14S	RM-MW-14S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0071	0.0048 U	0.0048 U	0.0048 U	0.0071		
RM-MW-14S	RM-MW-14S	4/19/2007	0.0048 U	0.0096 U	0.0051 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-14S	RM-MW-14S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0039 T	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0039 T		
RM-MW-14S	RM-MW-14S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0049 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-14S	RM-MW-14S	1/24/2008	0.012 U	0.2 U	0.017 U	0.012 U	0.013 U	0.0067 U	0.005 U	0.005 U	0.2 U		
RM-MW-14S	RM-MW-14S	4/20/2008	0.0064 U	0.0099 U	0.005 U	0.0092 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U		
RM-MW-14S	RM-MW-14S	7/24/2008	0.0054 U	0.017 U	0.0064 U	0.0084 U	0.005 U	0.005 U	0.005 U	0.005 U	0.017 U		
RM-MW-14S	RM-MW-14S	10/22/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U		
RM-MW-15S	RM-MW-15S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13		
RM-MW-15S	RM-MW-15S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.16	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.16		
RM-MW-15S	RM-MW-15S	4/19/2007	0.0048 U	0.0096 U	0.0048 U	0.21	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.21		
RM-MW-15S	RM-MW-15S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.15	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15		
RM-MW-15S	RM-MW-15S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.12	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.12		
RM-MW-15S	RM-MW-15S	1/24/2008	0.005 U	0.0099 U	0.005 U	0.21	0.005 U	0.005 U	0.005 U	0.005 U	0.21		
RM-MW-15S	RM-MW-15S	4/20/2008	0.005 U	0.01 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.005 U	0.15		
RM-MW-15S	RM-MW-15S	7/24/2008	0.005 U	0.0099 U	0.005 U	0.14	0.005 U	0.005 U	0.005 U	0.005 U	0.14		
RM-MW-15S	RM-MW-15S	10/22/2008	0.005 U	0.01 U	0.005 U	0.17	0.005 U	0.005 U	0.005 U	0.005 U	0.17		
RM-MW-16S	RM-MW-16S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.23	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.23		
RM-MW-16S	RM-MW-16S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.26	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.26		
RM-MW-16S	RM-MW-16S	4/19/2007	0.0048 U	0.0096 U	0.0048 U	0.58	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.58		

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
RM-MW-16S	RM-MW-16S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.33	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.33		
RM-MW-16S	RM-MW-16S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.29	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.29		
RM-MW-16S	RM-MW-16S	1/24/2008	0.005 U	0.0099 U	0.005 U	0.38	0.005 U	0.005 U	0.005 U	0.005 U	0.38		
RM-MW-16S	RM-MW-16S	4/20/2008	0.005 U	0.0099 U	0.005 U	0.38	0.005 U	0.005 U	0.005 U	0.005 U	0.38		
RM-MW-16S	RM-MW-16S	7/24/2008	0.005 U	0.01 U	0.005 U	0.35	0.005 U	0.005 U	0.005 U	0.005 U	0.35		
RM-MW-16S	RM-MW-16S	10/22/2008	0.005 U	0.0099 U	0.005 U	0.39	0.005 U	0.005 U	0.005 U	0.005 U	0.39		
RM-MW-17S	RM-MW-17S	10/24/2006	0.048 U	0.096 U	0.048 U	1.8 D	0.048 U	0.048 U	0.048 U	0.048 U	1.8		
RM-MW-17S	RM-MW-17S	2/1/2007	0.048 U	0.096 U	0.048 U	2	0.048 U	0.048 U	0.048 U	0.048 U	2		
RM-MW-17S	RM-MW-17S	4/19/2007	0.048 U	0.096 U	0.048 U	3.4	0.048 U	0.048 U	0.048 U	0.048 U	3.4		
RM-MW-17S	RM-MW-17S	7/24/2007	0.048 U	0.096 U	0.048 U	2.5 D	0.048 U	0.048 U	0.048 U	0.048 U	2.5		
RM-MW-17S	RM-MW-1700S	7/24/2007	Dup 0.048 U	0.096 U	0.048 U	2.4 D	0.048 U	0.048 U	0.048 U	0.048 U	2.4		
RM-MW-17S	RM-MW-17S	10/22/2007	0.048 U	0.096 U	0.048 U	0.99	0.048 U	0.048 U	0.048 U	0.048 U	0.99		
RM-MW-17S	RM-MW-17S	1/24/2008	0.05 U	0.1 U	0.05 U	1.7	0.05 U	0.05 U	0.05 U	0.05 U	1.7		
RM-MW-17S	RM-MW-17S	4/20/2008	0.025 U	0.05 U	0.025 U	2.3	0.025 U	0.025 U	0.025 U	0.025 U	2.3		
RM-MW-17S	RM-MW-17S	7/24/2008	0.05 U	0.1 U	0.05 U	1.9	0.05 U	0.05 U	0.05 U	0.05 U	1.9		
RM-MW-17S	RM-MW-17S	10/22/2008	0.049 U	0.097 U	0.049 U	2.2	0.049 U	0.049 U	0.049 U	0.049 U	2.2		
RMSW-MW11S	RMSW-MW-11S	5/17/2005	0.005 U	0.011 U	0.0067 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.011 U		
RMSW-MW11S	RMSW-MW-11S	6/16/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.0045 J	0.005 U	0.005 U	0.005 U	0.0045 J		
RMSW-MW11S	RMSW-MW-11S	7/25/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RMSW-MW11S	RMSW-MW-11S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RMSW-MW11S	RMSW-MW-11S	1/24/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RMSW-MW11S	RMSW-MW-11S	4/17/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RMSW-MW11S	RMSW-MW-11S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RMSW-MW11S	RMSW-MW-11S	10/23/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
TF-MW-01	TF-MW-1	4/24/2008	0.049 U	0.039 U	0.051 U	0.092 U	0.043 U	0.02 U	0.02 U	0.02 U	0.092 U		
TF-MW-01	TF-MW-1	10/21/2008	0.018 U	0.016 U	0.031 U	0.023 U	0.0065 U	0.005 U	0.005 U	0.005 U	0.031 U		
TF-MW-02	TF-MW-2	4/24/2008	0.042 U	0.3 U	0.036 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.3 U		
TF-MW-02	TF-MW-2	10/21/2008	0.023 UJC	0.11 UJC	0.0064 UJC	0.0075 UJC	0.0092 UJC	0.041 UJC	0.0055 UJC	0.0055 UJC	0.11 UJC		
TF-MW-04	TF-MW-4	4/24/2008	0.033 U	0.94 U	0.025 U	0.045 U	0.046 U	0.025 U	0.025 U	0.025 U	0.94 U		
TF-MW-04	TF-MW-4	10/20/2008	0.13 UJC	0.6 UJC	0.24 UJC	0.14 UJC	0.097 UJC	0.041 UJC	0.0055 UJC	0.0055 UJC	0.6 UJC		
TS-MW-01S	TS-MW-1S	6/16/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
TS-MW-01S	TS-MW-1S	7/28/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
TS-MW-01S	TS-MW-1S	10/28/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
TS-MW-01S	TS-MW-1S	1/26/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
TS-MW-01S	TS-MW-1S	4/23/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
TS-MW-01S	TS-MW-1S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
TS-MW-01S	TS-MW-1S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
TS-MW-02S	TS-MW-2S	6/16/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
TS-MW-02S	TS-MW-2S	7/28/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
TS-MW-02S	TS-MW-2S	10/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
TS-MW-02S	TS-MW-2S	1/26/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
TS-MW-02S	TS-MW-2S	4/23/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
TS-MW-02S	TS-MW-2S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
TS-MW-02S	TS-MW-2S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-01	WW-EW-1	5/16/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	9/5/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	7/1/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	10/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-EW-01	WW-EW-1	10/28/2005	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
WW-EW-01	WW-EW-1	4/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-01	WW-EW-1	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-01	WW-EW-1	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-01	WW-EW-1	4/24/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	10/22/2008	0.005 U	0.01 U	0.005 U	0.012 U	0.005 U	0.005 U	0.005 U	0.005 U	0.012 U	
WW-EW-02	WW-EW-2	5/16/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	5/16/2003	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	9/5/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	9/5/2003	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	7/1/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	7/1/2004	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	10/29/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	10/29/2004	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	7/29/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-EW-02	WW-EW-WA	7/29/2005	Dup	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-EW-02	WW-EW-2	10/28/2005		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	10/28/2005	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	4/23/2006		0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
WW-EW-02	WW-EW-2 PCB Du	4/23/2006	Dup	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-EW-02	WW-EW-200	4/23/2006	Dup	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
WW-EW-02	WW-EW-2	10/25/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-02	WW-EW-2	4/17/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-02	WW-EW-2	10/22/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-02	WW-EW-2	4/24/2008		0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
WW-EW-02	WW-EW-2	10/22/2008		0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
WW-EW-03	WW-EW-3-HS	3/29/2007		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-03	WW-EW-3	4/25/2008		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-07	WW-MW-7	4/24/2008		0.0049 U	0.0097 U	0.0074 U	0.0052 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-MW-07	WW-MW-7	10/23/2008		0.007 U	0.02 U	0.0097 U	0.0098 U	0.013 U	0.0055 U	0.005 U	0.02 U	
WW-MW-08	WW-MW-8	4/24/2008		0.005 U	0.01 U	0.0068 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-08	WW-MW-8	10/23/2008		0.005 U	0.0099 U	0.005 U	0.005 U	0.0063	0.005 U	0.005 U	0.0063	
WW-MW-09	WW-MW-9	4/24/2008		0.007 U	0.0097 U	0.0082 U	0.0079 U	0.0053 U	0.0056 U	0.0049 U	0.0097 U	
WW-MW-09	WW-MW-9	10/22/2008		0.023 UJC	0.11 UJC	0.0064 UJC	0.0075 UJC	0.0092 UJC	0.0041 UJC	0.0055 UJC	0.11 UJC	
WW-MW-12	WW-MW-12	10/27/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-MW-12	WW-MW-12	4/20/2006		0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
WW-MW-12	WW-MW-12	10/26/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
WW-MW-12	WW-MW-12	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-MW-12	WW-MW-12	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-MW-12	WW-MW-12	4/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-12	WW-MW-12	10/22/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-17	WW-MW-17	5/15/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0095 J	0.0095 J	
WW-MW-17	WW-MW-17	7/17/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	9/4/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	6/30/2004	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-25	6/30/2004	Dup 0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	10/29/2004	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-25	10/29/2004	Dup 0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	7/29/2005	0.02 UJ	0.039 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.039 UJ	
WW-MW-17	WW-MW-25	7/29/2005	Dup 0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	10/29/2005	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-25	10/29/2005	Dup 0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.04 U	
WW-MW-17	WW-MW-17	4/23/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	10/28/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-MW-17	WW-MW-17	4/18/2007	0.0078 U	0.014 U	0.011 U	0.01 U	0.0086 U	0.0054 U	0.0053 U	0.014 U	0.014 U	
WW-MW-17	WW-MW-17	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-MW-17	WW-MW-17	4/24/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.017 U	0.0049 U	0.0049 U	0.0049 U	0.017 U	
WW-MW-17	WW-MW-17	10/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-18	WW-MW-18	5/13/2003	0.02 UJ	0.039 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.039 U	
WW-MW-18	WW-MW-18	9/2/2003	0.041 UJ	0.14 UJ	0.095 UJ	0.058 UJ	0.041 UJ	0.02 UJ	0.02 UJ	0.068 J	0.068 J	
WW-MW-18	WW-MW-18	6/29/2004	0.02 UJ	0.039 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 Uij	0.039 U	
WW-MW-18	WW-MW-18	10/25/2004	0.02 UJ	0.064 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.064 U	
WW-MW-18	WW-MW-18	7/27/2005	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-18	WW-MW-18	10/24/2005	0.0049 U	0.0098 U	0.0065 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
WW-MW-18	WW-MW-18	4/20/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-18	WW-MW-180	4/20/2006	Dup 0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-MW-18	WW-MW-18	10/25/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-SU	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-3S
Sampling Date	10/28/2004	3/24/2005	1/26/2006	7/26/2005	7/26/2005	10/27/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	
					Dup							
<b>Semivolatiles in µg/L</b>												
1,2,4-Trichlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
1,2-Dichlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
1,3-Dichlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
1,4-Dichlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2,4,5-Trichlorophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2,4,6-Trichlorophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2,4-Dichlorophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2,4-Dimethylphenol	2 U	10 U	2 U	2 U	2 U	20 U	9.7 U	2 U	2 U	2 U	2 U	9.6 U
2,4-Dinitrophenol	3.9 U	25 U	3.9 U	3.9 U	3.9 U	39 U	25 U	3.9 U	3.9 U	3.9 U	3.9 U	20 U
2,4-Dinitrotoluene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2,6-Dinitrotoluene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2-Chloronaphthalene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2-Chlorophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2-Methylnaphthalene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2-Methylphenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2-Nitroaniline	0.2 U	25 U	0.2 U	0.2 U	0.2 U	2 U	25 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2-Nitrophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
3,3'-Dichlorobenzidine	2 U	25 U	2 U	2 U	2 U	20 U	25 U	2 U	2 U	2 U	2 R	9.6 U
3-Nitroaniline	0.96 U	25 U	0.96 U	0.97 U	0.96 U	9.7 U	25 U	0.96 U	0.96 U	0.96 U	0.96 U	4.8 U
4,6-Dinitro-2-methylphenol	2 U	25 U	2 U	2 U	2 U	20 U	25 U	2 U	2 U	2 U	2 U	9.6 U
4-Bromophenyl-Phenylether	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
4-Chloro-3-methylphenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
4-Chloroaniline	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 R	0.96 U
4-Chlorophenyl-phenylether	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U		0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
4-Methylphenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
4-Nitroaniline	0.96 U	25 U	0.96 U	0.97 U	0.96 U	9.7 U	25 U	0.96 U	0.96 U	0.96 U	0.96 U	4.8 U
4-Nitrophenol	2 U	25 U	2 U	2 U	2 U	20 U	25 U	2 U	2 U	2 U	2 U	9.6 U
Acenaphthene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Acenaphthylene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Aniline		25 U					25 U					
Anthracene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(a)anthracene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(a)pyrene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(b)fluoranthene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(g,h,i)perylene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(k)fluoranthene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzoic Acid	4.8 U	25 U	4.8 U	4.9 U	4.8 U	49 U	25 U	4.8 U	4.8 U	4.8 U	4.8 U	24 U
Benzyl Alcohol	4.8 U	10 U	4.8 U	4.9 U	4.8 U	49 U	9.7 U	4.8 U	4.8 U	4.8 U	4.8 U	24 U
Bis(2-Chloroethoxy)Methane	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Bis(2-Chloroethyl)Ether	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Bis(2-Ethylhexyl)Phthalate	0.51 J	10 U	2 U	1.1 J	0.91 J	20 U	9.7 U	2 U	2 U	2 U	2 U	9.6 U
Bis(2-chloroisopropyl) Ether	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Butylbenzylphthalate	0.2 U	10 U	0.037 J	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Chrysene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Di-N-Butylphthalate	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Di-n-octyl Phthalate	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Dibenz(a,h)anthracene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Dibenzofuran	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.15 J
Diethylphthalate	0.036 J	10 U	0.2 U	0.027 J	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-SU	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-3S
Sampling Date	10/28/2004	3/24/2005	1/26/2006	7/26/2005	7/26/2005	10/27/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	
					Dup							
Dimethyl Phthalate	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Fluoranthene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	0.18 J	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.077 J
Fluorene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	1.1 J	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Hexachlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Hexachlorobutadiene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Hexachlorocyclopentadiene	0.96 U	10 U	0.96 U	0.97 UJ	0.96 UJ	9.7 U	9.7 U	0.96 UJ	0.96 U	0.96 U	0.96 U	4.8 U
Hexachloroethane	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Indeno(1,2,3-cd)pyrene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Isophorone	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
N-Nitroso-di-n-propylamine	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
N-Nitrosodimethylamine		25 U						25 U				
N-Nitrosodiphenylamine	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Naphthalene	0.2 U	10 U	0.2 U	0.018 J	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Nitrobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Pentachlorophenol	2 U	25 U	0.96 U	0.97 U	0.96 U	20 U	25 U	0.96 U	0.96 U	0.96 U	0.96 U	9.6 U
Phenanthrene	0.02 J	10 U	0.2 U	0.2 U	0.2 U	3.1	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Phenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
Pyrene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	0.26 J	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.09 J
TEQ Equivalent	0.181 U	9.05 U	0.181 U	0.181 U	0.181 U	1.81 U	8.7785 U	0.181 U	0.181 U	0.181 U	0.181 U	0.8688 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-5S	CM-MW-5S
Sampling Date	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	
<b>Semivolatiles in µg/L</b>												
1,2,4-Trichlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
1,2-Dichlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
1,3-Dichlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
1,4-Dichlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2,4,5-Trichlorophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2,4,6-Trichlorophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2,4-Dichlorophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2,4-Dimethylphenol	9.8 U	2 U	2 U	2 U	1.9 U	9.5 U	2 U	2 U	2 U	1.9 U	9.6 U	
2,4-Dinitrophenol	25 U	3.9 U	3.9 U	3.9 U	3.8 U	24 U	3.9 U	3.9 U	3.9 U	3.8 U	24 U	
2,4-Dinitrotoluene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2,6-Dinitrotoluene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2-Chloronaphthalene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2-Chlorophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2-Methylnaphthalene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2-Methylphenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2-Nitroaniline	25 U	0.2 U	0.2 U	0.2 U	0.19 U	24 U	0.2 U	0.2 U	0.2 U	0.19 U	24 U	
2-Nitrophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
3,3'-Dichlorobenzidine	25 U	2 U	2 U	2 R	1.9 U	24 U	2 U	2 U	2 R	1.9 U	24 U	
3-Nitroaniline	25 U	0.96 U	0.96 U	0.96 U	0.95 U	24 U	0.96 U	0.97 U	0.96 U	0.95 U	24 U	
4,6-Dinitro-2-methylphenol	25 U	2 U	2 U	2 U	1.9 U	24 U	2 U	2 U	2 U	1.9 U	24 U	
4-Bromophenyl-Phenylether	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
4-Chloro-3-methylphenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.029 J	0.49 U	0.48 U	0.48 U	9.6 U	
4-Chloroaniline	9.8 U	0.2 U	0.2 U	0.2 R	0.19 U	9.5 U	0.2 U	0.2 U	0.2 R	0.19 U	9.6 U	
4-Chlorophenyl-phenylether		0.2 U	0.2 U	0.2 U	0.19 U		0.2 U	0.2 U	0.2 U	0.19 U		
4-Methylphenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.078 J	0.49 U	0.48 U	0.48 U	9.6 U	
4-Nitroaniline	25 U	0.96 U	0.96 U	0.96 U	0.95 U	24 U	0.96 U	0.97 U	0.96 U	0.95 U	24 U	
4-Nitrophenol	25 U	2 U	2 U	2 U	1.9 U	24 U	2 U	2 U	2 U	1.9 U	24 U	
Acenaphthene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Acenaphthylene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Aniline	25 U					24 U					24 U	
Anthracene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(a)anthracene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(a)pyrene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(b)fluoranthene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(g,h,i)perylene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(k)fluoranthene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzoic Acid	25 U	4.8 U	4.8 U	4.8 U	4.8 U	24 U	4.8 U	4.9 U	4.8 U	4.8 U	24 U	
Benzyl Alcohol	9.8 U	4.8 U	4.8 U	4.8 U	4.8 U	9.5 U	4.8 U	4.9 U	4.8 U	4.8 U	9.6 U	
Bis(2-Chloroethoxy)Methane	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Bis(2-Chloroethyl)Ether	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Bis(2-Ethylhexyl)Phthalate	9.8 U	2 U	2 U	2 U	1.9 U	9.5 U	2 U	2 U	1.1 J	1.9 U	9.6 U	
Bis(2-chloroisopropyl) Ether	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Butylbenzylphthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Chrysene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Di-N-Butylphthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Di-n-octyl Phthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.38 U	9.5 U	0.2 U	0.2 U	0.2 U	0.38 U	9.6 U	
Dibenz(a,h)anthracene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Dibenzofuran	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Diethylphthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.037 J	9.5 U	0.2 U	0.2 U	0.2 U	0.057 J	9.6 U	



Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-5S	CM-MW-5S
Sampling Date	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	
Dimethyl Phthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Fluoranthene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.081 J	9.6 U
Fluorene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Hexachlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Hexachlorobutadiene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Hexachlorocyclopentadiene	9.8 U	0.96 UJ	0.96 U	0.96 U	0.95 U	9.5 U	0.96 UJ	0.97 U	0.96 U	0.96 U	0.95 U	9.6 U
Hexachloroethane	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Indeno(1,2,3-cd)pyrene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Isophorone	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
N-Nitroso-di-n-propylamine	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
N-Nitrosodimethylamine	25 U					24 U						24 U
N-Nitrosodiphenylamine	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Naphthalene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Nitrobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Pentachlorophenol	25 U	0.96 U	0.96 U	0.96 U	0.95 U	24 U	0.96 U	0.97 U	0.96 U	0.96 U	0.95 U	24 U
Phenanthrene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.055 J	9.6 U
Phenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	9.6 U
Pyrene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.069 J	9.6 U
TEQ Equivalent	8.869 U	0.181 U	0.181 U	0.181 U	0.172 U	8.5975 U	0.181 U	0.181 U	0.181 U	0.181 U	0.172 U	8.688 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-7S	CM-MW-7S	CM-MW-7S
Sampling Date	7/26/2005	1/26/2006	4/19/2006	10/28/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	7/26/2005	
<b>Semivolatiles in µg/L</b>												
1,2,4-Trichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U
1,2-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U
1,3-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U
1,4-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U
2,4,5-Trichlorophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2,4,6-Trichlorophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2,4-Dichlorophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2,4-Dimethylphenol	2 U	2 U	2 U	0.34 J	9.9 U	2 U	2 U	2 U	9.6 U	9.7 U	2 U	
2,4-Dinitrophenol	3.9 U	3.9 U	3.9 U	3.8 U	25 U	3.9 U	3.9 U	3.9 U	20 U	25 U	3.9 U	
2,4-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
2,6-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
2-Chloronaphthalene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
2-Chlorophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2-Methylnaphthalene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
2-Methylphenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2-Nitroaniline	0.2 U	0.2 U	0.2 U	0.19 U	25 U	0.2 U	0.2 U	0.2 U	0.96 U	25 U	0.2 U	
2-Nitrophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
3,3'-Dichlorobenzidine	2 U	2 U	2 R	1.9 U	25 U	2 U	2 U	2 R	9.6 U	25 U	2 U	
3-Nitroaniline	0.96 U	0.98 U	0.97 U	0.95 U	25 U	0.96 U	0.97 U	0.96 U	4.8 U	25 U	0.96 U	
4,6-Dinitro-2-methylphenol	2 U	2 U	2 U	1.9 U	25 U	2 U	2 U	2 U	9.6 U	25 U	2 U	
4-Bromophenyl-Phenylether	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
4-Chloro-3-methylphenol	0.03 J	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
4-Chloroaniline	0.2 U	0.2 U	0.2 R	0.19 U	9.9 U	0.2 U	0.2 U	0.2 R	0.96 U	9.7 U	0.2 U	
4-Chlorophenyl-phenylether	0.2 U	0.2 U	0.2 U	0.19 U		0.2 U	0.2 U	0.2 U	0.96 U		0.2 U	
4-Methylphenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
4-Nitroaniline	0.96 U	0.98 U	0.97 U	0.95 U	25 U	0.96 U	0.97 U	0.96 U	4.8 U	25 U	0.96 U	
4-Nitrophenol	2 U	2 U	2 U	1.9 U	25 U	2 U	2 U	2 U	9.6 U	25 U	2 U	
Acenaphthene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Acenaphthylene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Aniline					25 U					25 U		
Anthracene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzo(a)anthracene	0.2 U	0.2 U	0.2 U	0.033 J	9.9 U	0.2 U	0.2 U	0.03 J	0.96 U	9.7 U	0.2 U	
Benzo(a)pyrene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzo(b)fluoranthene	0.2 U	0.2 U	0.2 U	0.039 J	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzo(g,h,i)perylene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzo(k)fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzoic Acid	4.8 U	4.9 U	4.9 U	4.8 U	25 U	4.8 U	4.9 U	4.8 U	24 U	25 U	4.8 U	
Benzyl Alcohol	4.8 U	4.9 U	4.9 U	4.8 U	1.3 J	4.8 U	4.9 U	4.8 U	24 U	9.7 U	4.8 U	
Bis(2-Chloroethoxy)Methane	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Bis(2-Chloroethyl)Ether	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Bis(2-Ethylhexyl)Phthalate	2 U	2 U	2 U	0.69 J	9.9 U	2 U	2 U	0.36 J	9.6 U	9.7 U	2 U	
Bis(2-chloroisopropyl) Ether	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Butylbenzylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Chrysene	0.2 U	0.2 U	0.2 U	0.048 J	9.9 U	0.2 U	0.2 U	0.038 J	0.96 U	9.7 U	0.2 U	
Di-N-Butylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Di-n-octyl Phthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Dibenz(a,h)anthracene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Dibenzofuran	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.21 J	9.7 U	0.2 U	
Diethylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-7S	CM-MW-7S	CM-MW-7S
Sampling Date	7/26/2005	1/26/2006	4/19/2006	10/28/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	7/26/2005	
Dimethyl Phthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.075 J	0.96 U	9.7 U	0.2 U	
Fluorene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Hexachlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Hexachlorobutadiene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Hexachlorocyclopentadiene	0.96 UJ	0.98 U	0.97 U	0.95 U	9.9 U	0.96 UJ	0.97 U	0.96 U	4.8 U	9.7 U	0.96 UJ	
Hexachloroethane	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Indeno(1,2,3-cd)pyrene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Isophorone	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
N-Nitroso-di-n-propylamine	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
N-Nitrosodimethylamine					25 U						25 U	
N-Nitrosodiphenylamine	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Naphthalene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Nitrobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Pentachlorophenol	0.96 U	0.98 U	0.97 U	1.9 U	25 U	0.96 U	0.97 U	0.96 U	9.6 U	25 U	0.96 U	
Phenanthrene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.062 J	0.96 U	9.7 U	0.2 U	
Phenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
Pyrene	0.2 U	0.2 U	0.2 U	0.13 J	9.9 U	0.2 U	0.2 U	0.05 J	0.96 U	9.7 U	0.2 U	
TEQ Equivalent	0.181 U	0.181 U	0.181 U	0.1597	8.9595 U	0.181 U	0.181 U	0.1734	0.8688 U	8.7785 U	0.181 U	

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-700S	CM-MW-8S	CM-MW-100	CM-MW-8S	CM-MW-20	CM-MW-8S	CM-MW-8S	CM-MW-8S	HL-MW-6A
Sampling Date	1/26/2006	4/19/2006	4/19/2006	10/28/2004	10/28/2004	3/23/2005	3/23/2005	7/26/2005	1/26/2006	4/19/2006	7/27/2005
			Dup		Dup		Dup				
<b>Semivolatiles in µg/L</b>											
1,2,4-Trichlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
1,2-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
1,3-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
1,4-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2,4,5-Trichlorophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2,4,6-Trichlorophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2,4-Dichlorophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2,4-Dimethylphenol	2 U	2 U	2 U	2 U	2 U	9.5 U	10 U	2 U	2 U	2 U	2 U
2,4-Dinitrophenol	3.9 U	3.9 U	3.9 U	3.9 U	3.9 U	24 U	25 U	3.9 U	3.9 U	3.9 U	3.9 U
2,4-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2,6-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Chloronaphthalene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Chlorophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2-Methylnaphthalene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Methylphenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2-Nitroaniline	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	24 U	25 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Nitrophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
3,3'-Dichlorobenzidine	2 U	2 R	2 R	2 U	2 U	24 U	25 U	2 U	2 U	2 R	2 U
3-Nitroaniline	0.97 U	0.96 U	0.97 U	0.98 U	0.96 U	24 U	25 U	0.96 U	0.98 U	0.96 U	0.97 U
4,6-Dinitro-2-methylphenol	2 U	2 U	2 U	2 U	2 U	24 U	25 U	2 U	2 U	2 U	2 U
4-Bromophenyl-Phenylether	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Chloro-3-methylphenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
4-Chloroaniline	0.2 U	0.2 R	0.2 R	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 R	0.2 U
4-Chlorophenyl-phenylether	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U			0.2 U	0.2 U	0.2 U	0.2 U
4-Methylphenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
4-Nitroaniline	0.97 U	0.96 U	0.97 U	0.98 U	0.96 U	24 U	25 U	0.96 U	0.98 U	0.96 U	0.97 U
4-Nitrophenol	2 U	2 U	2 U	2 U	2 U	24 U	25 U	2 U	2 U	2 U	2 U
Acenaphthene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Acenaphthylene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Aniline						24 U	25 U				
Anthracene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)anthracene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)pyrene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(b)fluoranthene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(g,h,i)perylene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(k)fluoranthene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzoic Acid	4.9 U	4.8 U	4.9 U	4.9 U	4.8 U	24 U	25 U	4.8 U	4.9 U	4.8 U	4.9 U
Benzyl Alcohol	4.9 U	4.8 U	4.9 U	4.9 U	4.8 U	9.5 U	10 U	4.8 U	4.9 U	4.8 U	4.9 U
Bis(2-Chloroethoxy)Methane	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Chloroethyl)Ether	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Ethylhexyl)Phthalate	2 U	2 U	2 U	2 U	2 U	9.5 U	10 U	1.1 J	2 U	2 U	2 U
Bis(2-chloroisopropyl) Ether	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Butylbenzylphthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.034 J	0.2 U	0.2 U
Chrysene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Di-N-Butylphthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Di-n-octyl Phthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibenz(a,h)anthracene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibenzofuran	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Diethylphthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-700S	CM-MW-8S	CM-MW-100	CM-MW-8S	CM-MW-20	CM-MW-8S	CM-MW-8S	CM-MW-8S	HL-MW-6A
Sampling Date	1/26/2006	4/19/2006	4/19/2006	10/28/2004	10/28/2004	3/23/2005	3/23/2005	7/26/2005	1/26/2006	4/19/2006	7/27/2005
			Dup		Dup		Dup				
Dimethyl Phthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Fluoranthene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Fluorene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobutadiene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorocyclopentadiene	0.97 U	0.96 U	0.97 U	0.98 U	0.96 U	9.5 U	10 U	0.96 UJ	0.98 U	0.96 U	0.97 U
Hexachloroethane	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Indeno(1,2,3-cd)pyrene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Isophorone	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitroso-di-n-propylamine	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitrosodimethylamine						24 U	25 U				
N-Nitrosodiphenylamine	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Naphthalene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.052 J	0.2 U	0.2 U	0.2 U
Nitrobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Pentachlorophenol	0.97 U	0.96 U	0.97 U	2 U	2 U	24 U	25 U	0.96 U	0.98 U	0.96 U	0.97 U
Phenanthrene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Phenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
Pyrene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
TEQ Equivalent	0.181 U	0.181 U	0.181 U	0.181 U	0.181 U	8.5975 U	9.05 U	0.181 U	0.181 U	0.181 U	0.181 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-19S	HL-MW-19S	HL-MW-20S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-22S	MW-16	MW-30
Sampling Date	10/26/2005	1/25/2006	4/19/2006	7/29/2005	1/25/2006	7/27/2005	7/28/2005	1/25/2006	1/25/2006	10/26/2005	10/26/2005	Dup
<b>Semivolatiles in µg/L</b>												
1,2,4-Trichlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
1,2-Dichlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
1,3-Dichlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
1,4-Dichlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2,4,5-Trichlorophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4,6-Trichlorophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4-Dichlorophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4-Dimethylphenol	2 U	2.1 U	2 U	2.1 U	2 U	11 J	2 U	2 U	2 U	2 U	2 U	2 U
2,4-Dinitrophenol	3.9 U	4.1 U	3.9 U	4.1 U	3.9 U	39 U	3.9 U	4 U	3.9 U	3.9 U	3.9 U	3.9 U
2,4-Dinitrotoluene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2,6-Dinitrotoluene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Chloronaphthalene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Chlorophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2-Methylnaphthalene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Methylphenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2-Nitroaniline	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Nitrophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
3,3'-Dichlorobenzidine	2 U	2.1 U	2 R	2.1 U	2 U	2000 UJ	2 U	2 U	2 U	2 U	2 U	2 U
3-Nitroaniline	0.96 U	1.1 U	0.96 U	1.1 U	0.96 U	9.6 UJ	0.96 U	1 U	0.96 U	0.96 U	0.96 U	0.97 U
4,6-Dinitro-2-methylphenol	2 U	2.1 U	2 U	2.1 U	2 U	20 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Bromophenyl-Phenylether	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Chloro-3-methylphenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
4-Chloroaniline	0.2 U	0.21 U	0.2 R	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Chlorophenyl-phenylether	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Methylphenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	10	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
4-Nitroaniline	0.96 U	1.1 U	0.96 U	1.1 U	0.96 U	9.6 UJ	0.96 U	1 U	0.96 U	0.96 U	0.96 U	0.97 U
4-Nitrophenol	2 U	2.1 U	2 U	2.1 U	2 U	20 U	2 U	2 U	2 U	2 U	2 U	2 U
Acenaphthene	0.2 U	0.21 U	0.2 U	0.21 UJ	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Acenaphthylene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Aniline												
Anthracene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)anthracene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)pyrene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(b)fluoranthene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(g,h,i)perylene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	34 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(k)fluoranthene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzoic Acid	4.8 U	5.1 U	4.8 U	5.2 U	4.8 U	48 U	4.8 U	2.2 J	4.8 U	4.8 U	4.8 U	4.9 U
Benzyl Alcohol	4.8 U	5.1 U	4.8 U	5.2 U	4.8 U	48 U	4.8 U	5 U	4.8 U	4.8 U	4.8 U	4.9 U
Bis(2-Chloroethoxy)Methane	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Chloroethyl)Ether	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Ethylhexyl)Phthalate	2 U	2.1 U	2 U	2.1 U	0.52 J	2000 UJ	2 U	2 U	0.41 J	2 U	2 U	2 U
Bis(2-chloroisopropyl) Ether	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Butylbenzylphthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Chrysene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Di-N-Butylphthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Di-n-octyl Phthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibenz(a,h)anthracene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibenzofuran	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Diethylphthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.039 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-19S	HL-MW-19S	HL-MW-20S	HL-MW-21S	HL-MW-21S	HL-MW-22S	MW-16		MW-30
Sampling Date	10/26/2005	1/25/2006	4/19/2006	7/29/2005	1/25/2006	7/27/2005	7/28/2005	1/25/2006	1/25/2006	10/26/2005		10/26/2005
												Dup
Dimethyl Phthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Fluoranthene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Fluorene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobutadiene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorocyclopentadiene	0.96 U	1.1 U	0.96 U	1.1 U	0.96 U	9.6 UJ	0.96 U	1 U	0.96 U	0.96 U	0.96 U	0.97 U
Hexachloroethane	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Indeno(1,2,3-cd)pyrene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	29 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Isophorone	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitroso-di-n-propylamine	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitrosodimethylamine												
N-Nitrosodiphenylamine	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Naphthalene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nitrobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Pentachlorophenol	0.96 U	1.1 U	0.96 U	1.1 U	0.96 U	9.6 U	0.96 U	1 U	0.96 U	0.96 U	0.96 U	0.97 U
Phenanthrene	0.2 U	0.21 U	0.2 U	0.21 U	0.029 J	2 UJ	0.2 U	0.2 U	0.02 J	0.2 U	0.2 U	0.2 U
Phenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	1.1 J	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
Pyrene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	20 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
TEQ Equivalent	0.181 U	0.1901 U	0.181 U	0.1901 U	0.181 U	173.9	0.181 U	0.181 U	0.181 U	0.181 U	0.181 U	0.181 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	MW-17S	MW-19S	MW-25S	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S
Sampling Date	10/26/2005	10/26/2005	10/26/2005	6/16/2005	7/28/2005	1/26/2006	6/16/2005	7/28/2005	10/29/2005	1/26/2006
<b>Semivolatiles in µg/L</b>										
1,2,4-Trichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
1,2-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
1,3-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
1,4-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2,4,5-Trichlorophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4,6-Trichlorophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4-Dichlorophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4-Dimethylphenol	2 U	2 U	2 U	1.9 U	2 U	2 U	2 U	2 U	2 U	2 U
2,4-Dinitrophenol	3.9 U	3.9 U	3.9 U	3.8 U	3.9 U	3.9 U	3.9 U	3.9 U	3.9 U	3.9 U
2,4-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2,6-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2-Chloronaphthalene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2-Chlorophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2-Methylnaphthalene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.029 J	0.2 U
2-Methylphenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2-Nitroaniline	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2-Nitrophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
3,3'-Dichlorobenzidine	2 U	2 U	2 U	1.9 U	2 U	2 UJ	2 U	2 U	2 U	2 U
3-Nitroaniline	0.96 U	0.96 U	0.96 U	0.95 U	0.97 U	0.96 UJ	0.96 U	0.96 U	0.96 U	0.97 U
4,6-Dinitro-2-methylphenol	2 U	2 U	2 U	1.9 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Bromophenyl-Phenylether	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
4-Chloro-3-methylphenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
4-Chloroaniline	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
4-Chlorophenyl-phenylether	0.2 U	0.2 U	0.2 U		0.2 U	0.2 UJ		0.2 U	0.2 U	0.2 U
4-Methylphenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	1	0.49 U
4-Nitroaniline	0.96 U	0.96 U	0.96 U	0.95 U	0.97 U	0.96 UJ	0.96 U	0.96 U	0.96 U	0.97 U
4-Nitrophenol	2 U	2 U	2 U	1.9 U	2 U	2 U	2 U	2 U	2 U	2 U
Acenaphthene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Acenaphthylene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Aniline										
Anthracene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)anthracene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.014 J	0.2 U	0.2 U	0.2 U
Benzo(a)pyrene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(b)fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(g,h,i)perylene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(k)fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzoic Acid	4.8 U	4.8 U	4.8 U	4.8 U	4.9 U	4.8 U	4.8 U	4.8 U	4.8 U	4.9 U
Benzyl Alcohol	4.8 U	4.8 U	4.8 U	4.8 U	4.9 U	4.8 U	4.8 U	4.8 U	4.8 U	4.9 U
Bis(2-Chloroethoxy)Methane	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Chloroethyl)Ether	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Ethylhexyl)Phthalate	2 U	2 U	2 U	1.9 U	2 U	2 UJ	2 U	2 U	0.56 J	2 U
Bis(2-chloroisopropyl) Ether	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Butylbenzylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	1	0.2 U
Chrysene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Di-N-Butylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.16 J	0.2 U
Di-n-octyl Phthalate	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Dibenz(a,h)anthracene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Dibenzofuran	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Diethylphthalate	0.2 U	0.2 U	0.2 U	0.05 J	0.2 U	0.2 UJ	0.029 J	0.036 J	0.089 J	0.2 U



Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	MW-17S	MW-19S	MW-25S	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S
Sampling Date	10/26/2005	10/26/2005	10/26/2005	6/16/2005	7/28/2005	1/26/2006	6/16/2005	7/28/2005	10/29/2005	1/26/2006
Dimethyl Phthalate	0.2 U	0.2 U	0.2 U	0.049 J	0.2 U	0.2 UJ	0.2 U	0.2 U	0.018 J	0.2 U
Fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Fluorene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobutadiene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorocyclopentadiene	0.96 U	0.96 U	0.96 U	0.95 U	0.97 U	0.96 UJ	0.96 U	0.96 U	0.96 U	0.97 U
Hexachloroethane	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Indeno(1,2,3-cd)pyrene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Isophorone	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitroso-di-n-propylamine	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitrosodimethylamine										
N-Nitrosodiphenylamine	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Naphthalene	0.2 U	0.2 U	0.2 U	0.055 J	0.2 U	0.2 UJ	0.03 J	0.2 U	0.024 J	0.019 J
Nitrobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Pentachlorophenol	0.96 U	0.96 U	0.96 U	0.95 U	0.97 U	0.96 U	0.96 U	0.96 U	0.96 U	0.97 U
Phenanthrene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.023 J	0.2 U	0.2 U
Phenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
Pyrene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
TEQ Equivalent	0.181 U	0.181 U	0.181 U	0.172 U	0.181 U	0.181 U	0.1724	0.181 U	0.181 U	0.181 U

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L									
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
CM-MW-01S	CM-MW-1S	10/28/04	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-01S	CM-MW-1S	3/24/05	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
CM-MW-01S	CM-MW-1S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-01S	CM-MW-1S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-1S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-01S	CM-MW-1S	7/21/06	0.0068 J	0.02 U	0.0024 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-1S	10/24/06	0.0056 J	0.0045 J	0.0037 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-100S	10/24/06	Dup 0.0055 J	0.0049 J	0.0034 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-1S	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-1S	10/25/07	0.0036 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-01S	CM-MW-1S	4/21/08	0.0051 T	0.021 U	0.021 U	0.021 U	0.0031 T	0.021 U	0.021 U	0.021 U	0.021 U	
CM-MW-01S	CM-MW-1S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-02S	CM-MW-2S	10/27/04	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
CM-MW-02S	CM-MW-2S	3/23/05	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	
CM-MW-02S	CM-MW-2S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-02S	CM-MW-2S	10/27/05	0.0039 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-02S	CM-MW-2S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-02S	CM-MW-2S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-02S	CM-MW-2S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-02S	CM-MW-2S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-02S	CM-MW-2S	4/19/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-02S	CM-MW-2S	10/25/07	0.0023 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-02S	CM-MW-2S	4/21/08	0.0034 T	0.12 U	0.039 U	0.02 U	0.0097 T	0.02 U	0.015 T	0.0061 T	0.0073 T	
CM-MW-02S	CM-MW-2S	10/20/08	0.0025 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-03S	CM-MW-3S	10/27/04	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	
CM-MW-03S	CM-MW-3S	3/23/05	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	
CM-MW-03S	CM-MW-3S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-03S	CM-MW-SU	7/26/05	Dup 0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-03S	CM-MW-3S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-SU	10/28/05	Dup 0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-3S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-03S	CM-MW-3S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-03S	CM-MW-3S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-3S	10/24/06	0.0047 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-3S	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-3S	10/25/07	0.0025 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-03S	CM-MW-3S	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-03S	CM-MW-3S	10/21/08	0.02 U	0.2 U	0.2 U	0.2 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-04S	CM-MW-4S	10/27/04	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	
CM-MW-04S	CM-MW-4S	3/23/05	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PAHs in µg/L									
			2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
CM-MW-04S	CM-MW-4S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/27/05	0.0031 J	0.02 U	0.02 U	0.02 U	0.0057 J	0.0043 J	0.0043 J	0.0026 J	0.0049 J	
CM-MW-04S	CM-MW-4S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-04S	CM-MW-4S	10/24/06	0.0052 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-04S	CM-MW-4S	4/17/07	0.0046 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-04S	CM-MW-4S	10/25/07	0.0043 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-04S	CM-MW-4S	4/20/08	0.0032 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-04S	CM-MW-4S	10/20/08	0.0038 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-05S	CM-MW-5S	10/27/04	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
CM-MW-05S	CM-MW-5S	3/23/05	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U
CM-MW-05S	CM-MW-5S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/27/05	0.0029 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-05S	CM-MW-5S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-SU	1/26/06	Dup	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	7/21/06	0.012 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-05S	CM-MW-5S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-05S	CM-MW-5S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-05S	CM-MW-5S	4/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-05S	CM-MW-5S	10/21/08	0.004 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-06S	CM-MW-6S	10/28/04	0.19 U	0.19 U	0.19 U	0.19 U	0.033 J	0.19 U	0.039 J	0.19 U	0.19 U	0.19 U
CM-MW-06S	CM-MW-6S	3/23/05	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U
CM-MW-06S	CM-MW-6S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/27/05	0.0054 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-06S	CM-MW-6S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.03 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-06S	CM-MW-6S	10/24/06	0.0052 J	0.02 U	0.02 U	0.02 U	0.0053 J	0.02 U	0.02 U	0.02 U	0.02 U	0.0056 J
CM-MW-06S	CM-MW-6S	4/19/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-06S	CM-MW-6S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-06S	CM-MW-6S	4/20/08	0.0046 T	0.019 U	0.007 T	0.023	0.067	0.019 T	0.076	0.027	0.018 T	
CM-MW-06S	CM-MW-6S	10/19/08	0.0036 T	0.019 U	0.012 T	0.028	0.056	0.017 T	0.059	0.022	0.02	
CM-MW-07S	CM-MW-7S	10/27/04	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
CM-MW-07S	CM-MW-7S	3/23/05	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U
CM-MW-07S	CM-MW-7S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/27/05	0.0032 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-07S	CM-MW-7S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L											
Well ID	Sample ID	Date Sampled		2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene		
CM-MW-07S	CM-MW-700S	4/19/06	Dup	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-07S	CM-MW-7S	7/21/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-07S	CM-MW-700S	7/21/06	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-07S	CM-MW-7S	10/24/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-07S	CM-MW-7S	4/15/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-07S	CM-MW-7S	10/25/07		0.0028 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
CM-MW-07S	CM-MW-7S	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
CM-MW-07S	CM-MW-7S	10/20/08		0.0043 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
CM-MW-08S	CM-MW-8S	10/28/04		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-100	10/28/04	Dup	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-8S	3/23/05		9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U		
CM-MW-08S	CM-MW-20	3/23/05	Dup	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U		
CM-MW-08S	CM-MW-8S	7/26/05		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-8S	10/27/05		0.0034 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-08S	CM-MW-8S	1/26/06		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-8S	4/19/06		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-8S	7/20/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-08S	CM-MW-8S	10/24/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-08S	CM-MW-8S	4/15/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-08S	CM-MW-8S	10/25/07		0.019 U	0.019 U	0.019 U	0.019 U	0.0043 T	0.019 U	0.0041 T	0.0029 T	0.011 T		
CM-MW-08S	CM-MW-8S	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
CM-MW-08S	CM-MW-8S	10/20/08		0.0038 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	4/20/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	7/21/06		0.062	0.11	0.02 U	0.0071 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	10/25/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	4/17/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	4/20/08		0.0036 T	0.02 U	0.0061 T	0.0046 T	0.02 U	0.0049 T	0.0067 T	0.0025 T	0.11		
FO-MW-01S	FO-MW-1S	10/19/08		0.0032 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-02	HL-MW-2	4/21/06		0.017 J	0.0031 J	0.02 U	0.0028 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-02	HL-MW-2	10/27/06		0.016 J	0.0062 J	0.028	0.046 U	0.02 U	0.02 U	0.02 U	0.02 U	0.007 J		
HL-MW-02	HL-MW-2	1/31/07		0.013 J	0.0032 J	0.007 J	0.02 U	0.019 J	0.017 J	0.024	0.02 J	0.02 U		
HL-MW-02	HL-MW-2	4/16/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-02	HL-MW-2	10/22/07		0.032 T	0.023 T	0.098	0.38 U	0.38 U	0.038 U	0.2	0.038 U	0.048		
HL-MW-02	HL-MW-2	1/24/08		0.045 T	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.071 T		
HL-MW-02	HL-MW-2	4/22/08		0.0042 T	0.02 U	0.014 T	0.02 U	0.02 U	0.017 T	0.024	0.02 U	0.018 T		
HL-MW-02	HL-MW-2	10/19/08		0.027	0.019 U	0.077 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.062		
HL-MW-06A	HL-MW-6A	7/27/05		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
HL-MW-06A	HL-MW-6A	10/26/05		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
HL-MW-06A	HL-MW-6A	1/25/06		0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U		
HL-MW-06A	HL-MW-6A	4/19/06		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PAHs in µg/L										
			2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene		
HL-MW-06A	HL-MW-6A	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-06A	HL-MW-600A	7/20/06	Dup 0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-06A	HL-MW-6A	10/25/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-06A	HL-MW-6A	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-06A	HL-MW-6A	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
HL-MW-06A	HL-MW-6A	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
HL-MW-06A	HL-MW-6A	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
HL-MW-19S	HL-MW-19S	7/29/05	0.21 U	0.21 UJ	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
HL-MW-19S	HL-MW-19S	10/27/05	0.0048 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-19S	HL-MW-19S	1/25/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	4/18/06	0.0031 J	0.02 U	0.0026 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-19S	HL-MW-190S	4/18/06	Dup 0.0031 J	0.02 U	0.0039 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-19S	HL-MW-19S	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-19S	HL-MW-19S	10/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-19S	HL-MW-19S	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-19S	HL-MW-19S	10/22/07	0.019 U	0.019 U	0.0041 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
HL-MW-19S	HL-MW-19S	4/20/08	0.0071 T	0.02 U	0.0045 T	0.02 U	0.004 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.011 T
HL-MW-19S	HL-MW-19S	10/19/08	0.0067 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-20S	HL-MW-20S	7/27/05	2 UJ	2 UJ	2 UJ	2 UJ	200 UJ	200 UJ	200 UJ	200 UJ	200 UJ	200 UJ	34 J
HL-MW-20S	HL-MW-20S	10/27/05	0.2 U	0.2 U	0.2 U	2.5	0.6	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	4/18/06	0.0033 J	0.0055 J	0.02 U	0.034 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-20S	HL-MW-20S	7/20/06	0.2 U	0.2 U	0.2 U	0.62 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	10/23/06	1 U	0.38 JD	0.41 JD	4 D	1 U	1 U	1 U	1 U	1 U	1 U	1 U
HL-MW-20S	HL-MW-20S	4/16/07	0.02 U	0.02 U	0.02 U	0.072 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-20S	HL-MW-20S	10/22/07	0.19 T	0.65	1.2	8.3	4 U	4 U	4 U	4 U	4 U	4 U	1.1 T
HL-MW-20S	HL-MW-20S	4/20/08	0.0037 T	0.0098 T	0.02 U	0.042 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.012 T
HL-MW-20S	HL-MW-20S	10/22/08	0.019 UC	0.019 UC	0.019 UC	0.43 UC	0.19 UC	0.019 UC	0.019 UC	0.019 UC	0.019 UC	0.019 UC	0.019 UC
HL-MW-20S	HL-MW-200S	10/22/08	Dup 0.019 U	0.029 U	0.049 U	0.16 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
HL-MW-21S	HL-MW-21S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-21S	HL-MW-21S	1/25/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	4/18/06	0.0028 J	0.02 U	0.02 U	0.0058 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-21S	HL-MW-21S	7/19/06	0.0075 J	0.02 U	0.0034 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-21S	HL-MW-21S	10/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-21S	HL-MW-21S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-21S	HL-MW-21S	10/22/07	0.019 U	0.019 U	0.019 U	0.017 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
HL-MW-21S	HL-MW-21S	4/22/08	0.0034 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
HL-MW-21S	HL-MW-21S	10/19/08	0.0035 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
HL-MW-22S	HL-MW-22S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
HL-MW-22S	HL-MW-22S	1/25/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L										
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene		
HL-MW-22S	HL-MW-22S	4/18/06	0.0056 J	0.02 U	0.0047 J	0.0022 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-22S	HL-MW-22S	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-22S	HL-MW-22S	10/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-22S	HL-MW-22S	4/17/07	0.0052 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-22S	HL-MW-22S	10/22/07	0.02 U	0.02 U	0.0085 T	0.02 U	0.0049 T	0.02 U	0.0023 T	0.02 U	0.0036 T		
HL-MW-22S	HL-MW-22S	4/22/08	0.0035 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-22S	HL-MW-22S	10/19/08	0.0036 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-23S	HL-MW-23S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	2/1/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-23S	HL-MW-23S	4/22/08	0.0061 T	0.019 U	0.0042 T	0.019 U	0.019 U	0.019 U	0.0055 T	0.019 U	0.0039 T		
HL-MW-23S	HL-MW-23S	10/24/08	0.0025 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-2300S	10/24/08	Dup	0.0031 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-24DD	HL-MW-24DD	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	1/31/07	0.0045 J	0.02 U	0.02 U	0.02 U	0.0095 J	0.0063 J	0.0098 J	0.0079 J	0.02 U		
HL-MW-24DD	HL-MW-24DD	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	10/23/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-24DD	HL-MW-24DD	10/24/08	0.0027 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-25S	HL-MW-25S	4/21/06	0.02 U	0.02 U	0.0024 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	2/1/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-25S	HL-MW-25S	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-25S	HL-MW-25S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0033 T	0.0025 T	0.0046 T		
HL-MW-26S	HL-MW-26S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	1/31/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-2600S	1/31/07	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-2600S	4/16/07	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L										
Well ID	Sample ID	Date Sampled		2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
HL-MW-26S	HL-MW-26S	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.0041 T	0.019 U	0.0032 T	0.019 U	0.0036 T	
HL-MW-26S	HL-MW-26S	10/22/08		0.02 U	0.02 U	0.0065 T	0.02 U	0.0048 T	0.02 U	0.0033 T	0.0027 T	0.0066 T	
HL-MW-26S	HL-MW-2600S	10/22/08	Dup	0.0025 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-27D	HL-MW-27D	4/22/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	7/19/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	10/27/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	1/31/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	4/16/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-2700D	4/16/07	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	10/24/07		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-27D	HL-MW-27D	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0032 T	
HL-MW-27D	HL-MW-27D	10/21/08		0.0027 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0036 T	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	10/26/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-28DD	HL-MW-28DD	1/31/07		0.02 U	0.02 U	0.003 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-28DD	HL-MW-28DD	4/15/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-28DD	HL-MW-28DD	7/24/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-28DD	HL-MW-2800DD	7/24/07	Dup	0.0045 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	10/23/07		0.019 U	0.019 U	0.0043 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	1/24/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-2800DD	4/21/08	Dup	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	10/19/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	7/24/07		0.0097 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	10/24/07		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	1/24/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-2900S	1/24/08	Dup	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	4/22/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-2900S	4/22/08	Dup	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	10/22/08		0.0026 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-30S	HL-MW-30S	7/24/07		0.0043 T	0.019 U	0.019 U	0.012 JT	0.0099 T	0.019 U	0.016 T	0.0052 T	0.019 U	
HL-MW-30S	HL-MW-3000S	10/24/07	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-30S	HL-MW-30S	10/24/07		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0037 T	
HL-MW-30S	HL-MW-30S	1/25/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0029 T	0.019 U	0.0041 T	
HL-MW-30S	HL-MW-30S	4/23/08		0.0035 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-30S	HL-MW-30S	10/19/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-16	MW-16	10/26/05		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-16	MW-30	10/26/05	Dup	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-16	MW-16	4/22/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-16	MW-16	10/27/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-16	MW-16	4/17/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L									
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
MW-16	MW-16	10/26/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-16	MW-16	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-16	MW-16	10/22/08	0.0036 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-17S	MW-17S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-17S	MW-17S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-17S	MW-17S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-17S	MW-17S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-17S	MW-17S	10/23/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-17S	MW-17S	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-17S	MW-17S	10/21/08	0.0036 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-19S	MW-19S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-19S	MW-19S	4/21/06	0.02 U	0.02 U	0.02 U	0.063	0.13	0.094	0.14	0.12	0.097	
MW-19S	MW-19S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-19S	MW-19S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-19S	MW-19S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-19S	MW-19S	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-19S	MW-19S	10/21/08	0.0037 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-20D	MW-20D	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-20D	MW-20D	10/24/07	0.0024 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-20D	MW-20D	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-20D	MW-20D	10/21/08	0.0033 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	10/24/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	10/27/06	0.02 U	0.02 U	0.0025 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-21S	MW-21S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-21S	MW-21S	10/23/08	0.0026 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-23S	MW-23S	10/24/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-23S	MW-23S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-23S	MW-23S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-23S	MW-23S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-23S	MW-23S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-23S	MW-23S	4/24/08	0.0028 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-23S	MW-23S	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-25S	MW-25S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-25S	MW-25S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-25S	MW-25S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-25S	MW-25S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-25S	MW-25S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	



Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L									
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
MW-25S	MW-25S	4/22/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-25S	MW-25S	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
OH-MW-08	OH-MW-8	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
OH-MW-08	OH-MW-8	10/20/08	0.0038 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
OH-MW-10	OH-MW-10	4/22/08	0.019 U	0.14 U	0.17 U	0.094 U	0.019 U	0.019 U	0.0052 T	0.019 U	0.0033 T	
OH-MW-10	OH-MW-10	10/22/08	0.22 U	0.22 U	0.98 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	
OH-MW-24	OH-MW-24	4/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0032 T	0.019 U	0.019 U	
OH-MW-24	OH-MW-24	10/23/08	0.044 U	0.044 U	0.044 U	0.41 U	0.025 T	0.034 T	0.085	0.024 T	0.05	
OH-MW-25	OH-MW-25	4/24/08	0.019 U	0.019 U	0.019 U	0.0081 T	0.023	0.014 T	0.035	0.011 T	0.023	
OH-MW-25	OH-MW-25	10/23/08	0.0042 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0033 T	0.019 U	0.019 U	
TF-MW-01	TF-MW-1	4/24/08	0.019 U	0.38 U	0.38 U	0.38 U	0.019 U	0.019 U	0.0027 T	0.019 U	0.019 U	
TF-MW-01	TF-MW-1	10/21/08	0.019 U	0.19 U	0.19 U	0.19 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TF-MW-02	TF-MW-2	4/24/08	0.02 U	0.4 U	0.4 U	0.4 U	0.02 U	0.02 U	0.0059 T	0.02 U	0.02 U	
TF-MW-02	TF-MW-2	10/21/08	0.012 T	0.19 U	0.19 U	0.19 U	0.019 U	0.019 U	0.0078 T	0.012 T	0.019 U	
TF-MW-04	TF-MW-4	4/24/08	0.02 U	1.2 U	0.81 U	1.4 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TF-MW-04	TF-MW-4	10/20/08	2.8	1.9 U	1.9 U	8.5 U	0.051 T	0.19 U	0.19 U	0.19 U	0.19 U	
TS-MW-01S	TS-MW-1S	6/16/05	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	
TS-MW-01S	TS-MW-1S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	10/28/05	0.03 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	1/26/06	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	
TS-MW-01S	TS-MW-1S	4/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	7/20/06	0.0084 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	4/18/07	0.0045 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	10/24/07	0.012 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TS-MW-01S	TS-MW-1S	4/23/08	0.0032 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TS-MW-01S	TS-MW-1S	10/20/08	0.0032 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	6/16/05	0.2 U	0.2 U	0.2 U	0.2 U	0.014 J	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	10/29/05	0.029 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	4/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	7/20/06	0.0081 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	10/27/06	0.0089 J	0.02 U	0.0034 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TS-MW-02S	TS-MW-2S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TS-MW-02S	TS-MW-2S	10/20/08	0.0025 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
WW-MW-07	WW-MW-7	4/24/08	0.0046 T	0.014 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
WW-MW-07	WW-MW-7	10/23/08	0.038 U	0.24 U	0.19 U	0.3 U	0.038 U	0.038 U	0.038 U	0.038 U	0.038 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L										
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene		
WW-MW-08	WW-MW-8	4/24/08	0.02 U	0.13	0.03 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-08	WW-MW-8	10/23/08	0.019 U	0.69	0.14 U	0.058 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0036 T		
WW-MW-09	WW-MW-9	4/24/08	0.0049 T	0.012 T	0.0039 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-09	WW-MW-9	10/22/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	10/27/05	0.0051 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	4/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	10/23/07	0.019 U	0.019 U	0.0048 T	0.019 U	0.0037 T	0.019 U	0.019 U	0.019 U	0.019 U		
WW-MW-12	WW-MW-12	4/23/08	0.0032 T	0.022 U	0.022 U	0.022 U	0.0049 T	0.022 U	0.0039 T	0.022 U	0.022 U		
WW-MW-12	WW-MW-12	10/22/08	0.0043 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L										
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent	
CM-MW-1S	10/28/04	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.02 J	0.2 U	0.2 U	0.2 U	
CM-MW-1S	3/24/05	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
CM-MW-1S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.018 J	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-1S	10/28/05	0.02 U	0.02 U	0.0067 J	0.02 U	0.0025 J	0.02 U	0.02 U	0.0051 J	0.02 U	0.00025	
CM-MW-1S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-1S	7/21/06	0.02 U	0.02 U	0.02 U	0.0058 J	0.02 U	0.011 J	0.01 J	0.02 U	0.013 J	0.02 U	
CM-MW-1S	10/24/06	0.02 U	0.02 U	0.02 U	0.0087 J	0.02 U	0.012 J	0.028	0.02 U	0.012 J	0.02 U	
CM-MW-100S	10/24/06	0.02 U	0.02 U	0.02 U	0.0085 J	0.02 U	0.011 J	0.026	0.02 U	0.012 J	0.02 U	
CM-MW-1S	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02	0.02 U	0.02 U	0.02 U	
CM-MW-1S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.02	0.019 U	0.019 U	0.019 U	
CM-MW-1S	4/21/08	0.021 U	0.021 U	0.021 U	0.0058 T	0.021 U	0.083	0.014 T	0.021 U	0.021 U	0.00031 J	
CM-MW-1S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0046 T	0.011 T	0.019 U	0.019 U	0.019 U	
CM-MW-2S	10/27/04	2 U	2 U	0.18 J	1.1 J	2 U	2 U	3.1	0.26 J	2 U	2 U	
CM-MW-2S	3/23/05	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	
CM-MW-2S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-2S	10/27/05	0.02 U	0.02 U	0.02 U	0.021	0.02 U	0.02 U	0.028	0.02 U	0.013 J	0.02 U	
CM-MW-2S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-2S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-2S	7/21/06	0.02 U	0.02 U	0.02 U	0.023	0.02 U	0.02 U	0.016 J	0.02 U	0.021	0.02 U	
CM-MW-2S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-2S	4/19/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-2S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-2S	4/21/08	0.012 T	0.02 U	0.035	0.02 U	0.008 T	0.048 U	0.02 U	0.022	0.067 U	0.004 J	
CM-MW-2S	10/20/08	0.0058 T	0.019 U	0.0069 T	0.019 U	0.019 U	0.025	0.019 U	0.014 T	0.019 U	0.000058 J	
CM-MW-3S	10/27/04	0.96 U	0.96 U	0.077 J	0.96 U	0.96 U	0.96 U	0.96 U	0.09 J	0.15 J	0.96 U	
CM-MW-3S	3/23/05	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	
CM-MW-3S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-SU	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-3S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-SU	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-3S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-3S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-3S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0065 J	0.0033 J	0.02 U	0.02 U	0.02 U	
CM-MW-3S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0098 J	0.0053 J	0.02 U	0.02 U	0.02 U	
CM-MW-3S	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-3S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-3S	4/21/08	0.019 U	0.019 U	0.0068 T	0.019 U	0.019 U	0.019 U	0.019 U	0.0058 T	0.019 U	0.019 U	
CM-MW-3S	10/21/08	0.02 U	0.02 U	0.2 U	0.2 U	0.02 U	0.018 T	0.2 U	0.02 U	0.2 U	0.02 U	
CM-MW-4S	10/27/04	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	
CM-MW-4S	3/23/05	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L										
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent	
CM-MW-4S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-4S	10/27/05	0.0046 J	0.0035 J	0.0085 J	0.02 U	0.02 U	0.02 U	0.0057 J	0.007 J	0.02 U	0.005956	
CM-MW-4S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-4S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-4S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-4S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0084 J	0.0037 J	0.02 U	0.02 U	0.02 U	
CM-MW-4S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0068 J	0.0042 J	0.02 U	0.02 U	0.02 U	
CM-MW-4S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-4S	4/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.035 U	0.0056 T	0.019 U	0.019 U	0.019 U	
CM-MW-4S	10/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0075 T	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-5S	10/27/04	0.19 U	0.19 U	0.081 J	0.19 U	0.19 U	0.19 U	0.055 J	0.069 J	0.19 U	0.19 U	
CM-MW-5S	3/23/05	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	
CM-MW-5S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-5S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-5S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-SU	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-5S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-5S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.041	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-5S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0067 J	0.0033 J	0.02 U	0.02 U	0.02 U	
CM-MW-5S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0034 J	0.02 U	0.02 U	0.02 U	
CM-MW-5S	4/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-5S	10/21/08	0.019 U	0.019 U	0.0067 T	0.019 U	0.019 U	0.01 T	0.01 T	0.0071 T	0.019 U	0.019 U	
CM-MW-6S	10/28/04	0.048 J	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.13 J	0.19 U	0.00768	
CM-MW-6S	3/23/05	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	
CM-MW-6S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-6S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-6S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-6S	4/19/06	0.038 J	0.2 U	0.075 J	0.2 U	0.2 U	0.2 U	0.062 J	0.05 J	0.2 U	0.00338	
CM-MW-6S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-6S	10/24/06	0.02 U	0.0055 J	0.0093 J	0.01 J	0.0059 J	0.0067 J	0.0069 J	0.009 J	0.02 U	0.00114 J	
CM-MW-6S	4/19/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-6S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-6S	4/20/08	0.09	0.0054 T	0.3	0.019 U	0.024	0.13	0.15	0.24	0.0096 T	0.03984 J	
CM-MW-6S	10/19/08	0.06	0.0048 T	0.26	0.019 U	0.02	0.089	0.11	0.27	0.019 U	0.03378 J	
CM-MW-7S	10/27/04	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.21 J	0.96 U	
CM-MW-7S	3/23/05	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	
CM-MW-7S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-7S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-7S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-7S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L										
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent	
CM-MW-700S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-7S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-700S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-7S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-7S	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-7S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-7S	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-7S	10/20/08	0.0048 T	0.019 U	0.007 T	0.019 U	0.019 U	0.028	0.019 U	0.0095 T	0.019 U	0.000048 J	
CM-MW-8S	10/28/04	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-100	10/28/04	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-8S	3/23/05	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	
CM-MW-20	3/23/05	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
CM-MW-8S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.052 J	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-8S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-8S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-8S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-8S	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-8S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-8S	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-8S	10/25/07	0.019 U	0.0068 T	0.019 U	0.019 U	0.0089 T	0.019 U	0.019 U	0.019 U	0.019 U	0.0027 J	
CM-MW-8S	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-8S	10/20/08	0.02 U	0.02 U	0.02 U	0.005 T	0.02 U	0.04	0.011 T	0.02 U	0.02 U	0.02 U	
FO-MW-1S	4/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
FO-MW-1S	7/21/06	0.02 U	0.02 U	0.02 U	0.21	0.02 U	0.15	0.097	0.02 U	0.1	0.02 U	
FO-MW-1S	10/25/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.029	0.02 U	0.02 U	0.02 U	0.02 U	
FO-MW-1S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
FO-MW-1S	4/20/08	0.02 U	0.0066 T	0.02 U	0.0053 T	0.071	0.12	0.0088 T	0.02 U	0.02 U	0.01358 J	
FO-MW-1S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.046	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-2	4/21/06	0.02 U	0.02 U	0.02 U	0.016 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-2	10/27/06	0.11	0.02 U	0.064	0.054	0.012 J	0.076	0.052 U	0.064	0.012 J	0.0023 J	
HL-MW-2	1/31/07	0.044	0.02 U	0.054	0.012 J	0.02 U	0.02 U	0.042	0.074	0.0068 J	0.02374 J	
HL-MW-2	4/16/07	0.02 U	0.02 U	0.02	0.02 U	0.02 U	0.02 U	0.02 U	0.031	0.02 U	0.02 U	
HL-MW-2	10/22/07	0.38 U	0.019 JD	0.57	0.087	0.057	0.16	0.38 U	0.49	0.028 JD	0.0276 J	
HL-MW-2	1/24/08	0.44	0.19 U	0.19 U	0.19 U	0.19 U	0.17 T	0.19 U	0.19 U	0.19 U	0.0044	
HL-MW-2	4/22/08	0.04 U	0.0031 T	0.035	0.016 T	0.013 T	0.0056 T	0.02 U	0.045	0.02 U	0.02101 J	
HL-MW-2	10/19/08	0.37 U	0.019 U	0.27 U	0.088	0.077	0.041	0.019 U	0.39 U	0.024	0.0077	
HL-MW-6A	7/27/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
HL-MW-6A	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
HL-MW-6A	1/25/06	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	
HL-MW-6A	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L													
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent				
HL-MW-6A	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U				
HL-MW-600A	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U				
HL-MW-6A	10/25/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U				
HL-MW-6A	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U				
HL-MW-6A	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U				
HL-MW-6A	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U				
HL-MW-6A	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U				
HL-MW-19S	7/29/05	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U				
HL-MW-19S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.027 U	0.0056 J	0.02 U	0.02 U	0.02 U				
HL-MW-19S	1/25/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.029 J	0.2 U	0.2 U	0.2 U				
HL-MW-19S	4/18/06	0.0015 J	0.02 U	0.02 U	0.0045 J	0.02 U	0.082	0.02 U	0.02 U	0.02 U	0.02 U			0.000015	
HL-MW-190S	4/18/06	0.002 J	0.02 U	0.02 U	0.0041 J	0.02 U	0.062	0.02 U	0.02 U	0.02 U	0.02 U			0.00002	
HL-MW-19S	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.032	0.0054 J	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-19S	10/23/06	0.02 U	0.02 U	0.02 U	0.0046 J	0.02 U	0.049	0.0084 J	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-19S	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.072	0.02 U	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-19S	10/22/07	0.019 U	0.019 U	0.019 U	0.011 T	0.019 U	0.2	0.025 U	0.019 U	0.019 U	0.019 U			0.019 U	
HL-MW-19S	4/20/08	0.0044 T	0.02 U	0.02 U	0.011 T	0.0086 T	0.16	0.019 T	0.0043 T	0.02 U	0.02 U			0.001304 J	
HL-MW-19S	10/19/08	0.0045 T	0.02 U	0.02 U	0.018 T	0.02 U	0.21	0.027	0.02 U	0.02 U	0.02 U			0.000045 J	
HL-MW-20S	7/27/05	200 UJ	200 UJ	2 UJ	2 UJ	29 J	2 UJ	2 UJ	2 UJ	20 J	2 UJ			2.9	
HL-MW-20S	10/27/05	1.8	0.2 U	2.6 U	1.5	0.2 U	0.2 U	1.1	3	0.31				0.078	
HL-MW-20S	4/18/06	0.06	0.02 U	0.031 U	0.096	0.02 U	0.016 J	0.033 U	0.077	0.037				0.0006	
HL-MW-20S	7/20/06	0.77	0.2 U	0.52 U	0.5	0.2 U	0.2 U	0.41 U	1.4	0.19 J				0.0077	
HL-MW-20S	10/23/06	5.9 D	1 U	1 U	2.4 D	1 U	1 U	2.6 D	7 D	0.7 JD				0.059	
HL-MW-20S	4/16/07	0.11	0.02 U	0.028 U	0.096	0.02 U	0.02 U	0.073 U	0.21	0.044				0.0011	
HL-MW-20S	10/22/07	10	4 U	6.5	2.9	4 U	0.43	4.4	14	1.2				0.1 U	
HL-MW-20S	4/20/08	0.052	0.02 U	0.025	0.18	0.01 T	0.058 U	0.045 U	0.093	0.07				0.00152 J	
HL-MW-20S	10/22/08	0.62 UC	0.019 UC	0.35 UC	0.019 UC	0.019 UC	0.044 UC	0.28 UC	1.5 UC	0.18 UC				0.019 UC	
HL-MW-200S	10/22/08	0.3 U	0.019 U	0.24 U	0.32	0.019 U	0.03 U	0.092 U	0.6 U	0.086				0.019 U	
HL-MW-21S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U			0.2 U	
HL-MW-21S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.035 U	0.02 U	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-21S	1/25/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U			0.2 U	
HL-MW-21S	4/18/06	0.02 U	0.02 U	0.0088 J	0.02	0.02 U	0.064	0.02 U	0.0057 J	0.0099 J	0.02 U			0.02 U	
HL-MW-21S	7/19/06	0.02 U	0.02 U	0.02 U	0.027	0.02 U	0.16	0.026	0.0065 J	0.01 J	0.02 U			0.02 U	
HL-MW-21S	10/23/06	0.02 U	0.02 U	0.02 U	0.016 J	0.02 U	0.077	0.012 J	0.0088 J	0.02 U	0.02 U			0.02 U	
HL-MW-21S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.069	0.02 U	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-21S	10/22/07	0.019 U	0.019 U	0.019 U	0.0087 T	0.019 U	0.066	0.019 U	0.019 U	0.019 U	0.019 U			0.019 U	
HL-MW-21S	4/22/08	0.019 U	0.019 U	0.019 U	0.0063 T	0.019 U	0.032	0.0094 T	0.019 U	0.019 U	0.019 U			0.019 U	
HL-MW-21S	10/19/08	0.019 U	0.019 U	0.019 U	0.01 T	0.019 U	0.078	0.019 U	0.019 U	0.019 U	0.019 U			0.019 U	
HL-MW-22S	10/28/05	0.0021 J	0.02 U	0.0065 J	0.02 U	0.02 U	0.02 U	0.02 U	0.0057 J	0.02 U	0.02 U			0.000021	
HL-MW-22S	1/25/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.02 J	0.2 U	0.2 U	0.2 U			0.2 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L																					
Sample ID	Date Sampled	Chrysene		Dibenz(a,h)anthracene		Fluoranthene		Fluorene		Indeno(1,2,3-cd)pyrene		Naphthalene		Phenanthrene		Pyrene		Dibenzofuran		TEQ Equivalent			
HL-MW-22S	4/18/06	0.0028	J	0.02	U	0.0041	J	0.0079	J	0.02	U	0.14		0.02	U	0.0034	J	0.02	U	0.000028			
HL-MW-22S	7/19/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.0075	J	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-22S	10/23/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.027		0.0061	J	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-22S	4/17/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.045		0.0059	J	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-22S	10/22/07	0.02	U	0.02	U	0.019	T	0.01	T	0.02	U	0.18		0.053		0.039		0.02	U	0.00072	J		
HL-MW-22S	4/22/08	0.019	U	0.019	U	0.019	U	0.0047	T	0.019	U	0.048		0.011	T	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-22S	10/19/08	0.019	U	0.019	U	0.019	U	0.0043	T	0.019	U	0.046		0.0097	T	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-23S	4/21/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	7/20/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	2/1/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	4/17/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	10/24/07	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-23S	4/22/08	0.0069	T	0.019	U	0.014	T	0.019	U	0.0037	T	0.017	T	0.018	T	0.014	T	0.019	U	0.000989	J		
HL-MW-23S	10/24/08	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.0057	T	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-2300S	10/24/08	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.0073	T	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-24DD	4/21/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	7/19/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	1/31/07	0.0087	J	0.0047	J	0.006	J	0.02	U	0.02	U	0.02	U	0.02	U	0.0054	J	0.02	U	0.009577	J		
HL-MW-24DD	4/15/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	10/23/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	4/21/08	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-24DD	10/24/08	0.019	U	0.019	U	0.019	U	0.0045	T	0.019	U	0.0095	T	0.012	T	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-25S	4/21/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	7/19/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	2/1/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.007	J	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	4/16/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	10/25/07	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-25S	4/21/08	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-25S	10/19/08	0.019	U	0.019	U	0.0048	T	0.019	U	0.0039	T	0.019	U	0.019	U	0.005	T	0.019	U	0.00097	J		
HL-MW-26S	4/21/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	7/19/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	1/31/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-2600S	1/31/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	4/16/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-2600S	4/16/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	10/24/07	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L											
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent		
HL-MW-26S	4/21/08	0.019 U	0.0025 T	0.0063 T	0.019 U	0.019 U	0.019 U	0.019 U	0.0038 T	0.019 U	0.00098 J		
HL-MW-26S	10/22/08	0.0037 T	0.0027 T	0.02 U	0.02 U	0.005 T	0.0045 T	0.0085 T	0.0048 T	0.02 U	0.001887 J		
HL-MW-2600S	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0075 T	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-27D	4/22/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	1/31/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-2700D	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-27D	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-27D	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.00036 J		
HL-MW-28DD	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 J	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-28DD	1/31/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-28DD	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-28DD	7/24/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-2800DD	7/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.065	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-28DD	10/23/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-28DD	1/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-28DD	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-2800DD	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-28DD	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.004 T	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	7/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	1/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-2900S	1/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-2900S	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0059 T	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0067 T	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-30S	7/24/07	0.03	0.019 U	0.0096 T	0.019 U	0.019 U	0.092	0.019 U	0.0066 T	0.019 U	0.00341 JJ		
HL-MW-3000S	10/24/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-30S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.0037 T	0.019 U	0.019 U	0.019 U	0.019 U	0.00037 J		
HL-MW-30S	1/25/08	0.019 U	0.019 U	0.0059 T	0.019 U	0.0029 T	0.019 U	0.019 U	0.0043 T	0.019 U	0.00058 J		
HL-MW-30S	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-30S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0037 T	0.019 U	0.019 U	0.019 U	0.019 U		
MW-16	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
MW-30	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
MW-16	4/22/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
MW-16	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
MW-16	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		



Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L											
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent		
MW-16	10/26/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-16	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0065 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-16	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-17S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-17S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-17S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-17S	10/23/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-17S	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-17S	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-19S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-19S	4/21/06	0.12	0.074	0.096	0.0083 J	0.092	0.02 U	0.02 U	0.1	0.02 U	0.1508		
MW-19S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-19S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-19S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-19S	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-19S	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-20D	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-20D	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-20D	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-20D	10/21/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	10/24/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	10/24/07	0.019 U	0.019 U	0.019 U	0.0039 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-21S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.19 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-21S	10/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0058 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-23S	10/24/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-23S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-23S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-23S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-23S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-23S	4/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-23S	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-25S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-25S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-25S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-25S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L												
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent			
MW-25S	4/22/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.011 T	0.02 U	0.02 U	0.02 U	0.02 U			
MW-25S	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0066 T	0.019 U	0.019 U	0.019 U			
OH-MW-8	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.025	0.0066 T	0.019 U	0.019 U	0.019 U			
OH-MW-8	10/20/08	0.02 U	0.02 U	0.02 U	0.0046 T	0.02 U	0.041	0.02 U	0.02 U	0.02 U	0.02 U			
OH-MW-10	4/22/08	0.019 U	0.019 U	0.094 U	0.094 U	0.0043 T	0.01 T	0.094 U	0.0049 T	0.12 U	0.00095 J			
OH-MW-10	10/22/08	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U			
OH-MW-24	4/24/08	0.019 U	0.019 U	0.019 U	0.024 U	0.003 T	0.06 U	0.019 U	0.019 U	0.015 T	0.00062 J			
OH-MW-24	10/23/08	0.016 T	0.044 U	0.083	0.044 U	0.076	0.044 U	0.22 U	0.1	0.044 U	0.05516 J			
OH-MW-25	4/24/08	0.03	0.0039 T	0.06	0.026	0.023	0.082 U	0.022 U	0.073	0.011 T	0.02389 J			
OH-MW-25	10/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.016 T	0.019 U	0.008 T	0.019 U	0.00033 J			
TF-MW-1	4/24/08	0.019 U	0.019 U	0.38 U	11 U	0.019 U	0.019 U	0.38 U	0.027	13 U	0.00027 J			
TF-MW-1	10/21/08	0.019 U	0.019 U	0.05 T	0.19 U	0.019 U	0.019 U	0.19 U	0.013 T	0.19 U	0.019 U			
TF-MW-2	4/24/08	0.02 U	0.02 U	0.4 U	26 U	0.003 T	0.02 U	0.4 U	0.028	19 U	0.00089 J			
TF-MW-2	10/21/08	0.017 T	0.012 T	0.19 U	0.19 U	0.019 U	0.0058 T	0.19 U	0.031	0.19 U	0.01167 J			
TF-MW-4	4/24/08	0.02 U	0.02 U	0.098 T	6.1 U	0.02 U	0.02 U	3.3 U	0.057	9.5 U	0.02 U			
TF-MW-4	10/20/08	0.19 U	0.19 U	1.9 U	1.9 U	0.19 U	0.79	23	0.15 T	1.9 U	0.0051 J			
TS-MW-1S	6/16/05	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.055 J	0.19 U	0.19 U	0.19 U	0.19 U			
TS-MW-1S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U			
TS-MW-1S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.028 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-1S	1/26/06	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ			
TS-MW-1S	4/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-1S	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-1S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.025 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-1S	4/18/07	0.02 U	0.02 U	0.02 U	0.0046 J	0.02 U	0.089	0.01 J	0.02 U	0.02 U	0.02 U			
TS-MW-1S	10/24/07	0.019 U	0.019 U	0.019 U	0.0042 T	0.019 U	0.024	0.0064 T	0.019 U	0.019 U	0.019 U			
TS-MW-1S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.029 U	0.006 T	0.019 U	0.019 U	0.019 U			
TS-MW-1S	10/20/08	0.02 U	0.02 U	0.02 U	0.0054 T	0.02 U	0.089	0.011 T	0.02 U	0.02 U	0.02 U			
TS-MW-2S	6/16/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.03 J	0.2 U	0.2 U	0.2 U	0.0014			
TS-MW-2S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.023 J	0.2 U	0.2 U	0.2 U			
TS-MW-2S	10/29/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.024 J	0.2 U	0.2 U	0.2 U	0.2 U			
TS-MW-2S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.019 J	0.2 U	0.2 U	0.2 U	0.2 U			
TS-MW-2S	4/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-2S	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-2S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.025 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-2S	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-2S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.023 U	0.019 U	0.019 U	0.019 U	0.019 U			
TS-MW-2S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U			
TS-MW-2S	10/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.047	0.0082 T	0.019 U	0.019 U	0.019 U			
WW-MW-7	4/24/08	0.02 U	0.02 U	0.02 U	0.013 T	0.0026 T	0.02 U	0.02 U	0.028	0.0097 T	0.00026 J			
WW-MW-7	10/23/08	0.053 U	0.038 U	0.058 U	0.038 U	0.038 U	0.29	0.11 U	0.24 U	0.038 U	0.038 U			

**Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples**

PAHs in µg/L																					
Sample ID	Date Sampled	Chrysene		Dibenz(a,h)anthracene		Fluoranthene		Fluorene		Indeno(1,2,3-cd)pyrene		Naphthalene		Phenanthrene		Pyrene		Dibenzofuran		TEQ Equivalent	
WW-MW-8	4/24/08	0.02	U	0.02	U	0.02	U	0.24		0.02	U	0.045	U	0.13		0.036		0.1		0.02	U
WW-MW-8	10/23/08	0.019	U	0.019	U	0.029		1.3		0.019	U	0.18		0.8		0.11		0.52		0.019	U
WW-MW-9	4/24/08	0.02	U	0.02	U	0.02	U	0.016	T	0.02	U	0.02	U	0.02	U	0.01	T	0.0093	T	0.02	U
WW-MW-9	10/22/08	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.23		0.02	U	0.075	U	0.02	U	0.02	U
WW-MW-12	10/27/05	0.02	U	0.02	U	0.02	U	0.0056	J	0.02	U	0.057		0.0072	J	0.02	U	0.02	U	0.02	U
WW-MW-12	4/20/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
WW-MW-12	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.027		0.0052	J	0.02	U	0.02	U	0.02	U
WW-MW-12	4/18/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
WW-MW-12	10/23/07	0.0043	T	0.019	U	0.007	T	0.025		0.019	U	0.26		0.038	U	0.019	U	0.019	U	0.000413	J
WW-MW-12	4/23/08	0.022	U	0.022	U	0.022	U	0.022	U	0.022	U	0.028	U	0.0078	T	0.0039	T	0.022	U	0.00088	J
WW-MW-12	10/22/08	0.02	U	0.02	U	0.02	U	0.0055	T	0.02	U	0.074		0.012	T	0.02	U	0.02	U	0.02	U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-100S	CM-MW-1S
Sampling Date	10/28/2004	7/26/2005	10/28/2005	1/26/2006	4/20/2006	7/21/2006	10/24/2006	10/24/2006	4/15/2007
								Dup	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-100S	CM-MW-1S
Sampling Date	10/28/2004	7/26/2005	10/28/2005	1/26/2006	4/20/2006	7/21/2006	10/24/2006	10/24/2006	4/15/2007
								Dup	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.22 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S
Sampling Date	10/25/2007	4/21/2008	10/19/2008	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U		2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S
Sampling Date	10/25/2007	4/21/2008	10/19/2008	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.14 J	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene			2 U							

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-3S	CM-MW-3S	CM-MW-SU	CM-MW-3S
Sampling Date	10/24/2006	4/19/2007	10/25/2007	4/21/2008	10/20/2008	10/27/2004	7/26/2005	7/26/2005	10/28/2005
								Dup	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-3S	CM-MW-3S	CM-MW-SU	CM-MW-3S
Sampling Date	10/24/2006	4/19/2007	10/25/2007	4/21/2008	10/20/2008	10/27/2004	7/26/2005	7/26/2005	10/28/2005
								Dup	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 UJ	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U				

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-SU	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S
Sampling Date	10/28/2005	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/18/2007	10/25/2007	4/21/2008	10/21/2008	
	Dup									
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 UJ
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.19 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UJ
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-SU	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S
Sampling Date	10/28/2005	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/18/2007	10/25/2007	4/21/2008	10/21/2008	
	Dup									
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.19 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.14 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.06 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene										2 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S
Sampling Date	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/17/2007	10/25/2007	
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S
Sampling Date	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/17/2007	10/25/2007	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.19 J	0.5 U	0.5 U	0.5 U	0.29 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene										

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-4S	CM-MW-4S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-500S	CM-MW-5S
Sampling Date	4/20/2008	10/20/2008	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	4/19/2006	7/21/2006	
								Dup		
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U		2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-4S	CM-MW-4S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-500S	CM-MW-5S
Sampling Date	4/20/2008	10/20/2008	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	4/19/2006	7/21/2006	
								Dup		
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.24 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.12 J	0.14 J	
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene		2 U								

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-SU	CM-MW-6S	CM-MW-6S	CM-MW-6S
Sampling Date	10/24/2006	4/17/2007	10/25/2007	4/20/2008	10/21/2008	1/26/2006	10/28/2004	7/26/2005	10/27/2005
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.16 JT	0.5 U	0.5 U	0.5 U	0.24 J	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-SU	CM-MW-6S	CM-MW-6S	CM-MW-6S
Sampling Date	10/24/2006	4/17/2007	10/25/2007	4/20/2008	10/21/2008	1/26/2006	10/28/2004	7/26/2005	10/27/2005
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 UJ
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.13 T	0.07 T	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene						2 U			

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-7S
Sampling Date	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/19/2007	10/25/2007	4/20/2008	10/19/2008	10/27/2004	
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U			2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	3.8 T	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-7S
Sampling Date	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/19/2007	10/25/2007	4/20/2008	10/19/2008	10/27/2004	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.11 J	0.28 J	0.5 U	0.5 U	0.5 U	0.12 T	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene								2 U		

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-700S	CM-MW-7S	CM-MW-7S	CM-MW-7S
Sampling Date	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	7/21/2006	10/24/2006	4/15/2007	10/25/2007
						Dup			
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-700S	CM-MW-7S	CM-MW-7S	CM-MW-7S
Sampling Date	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	7/21/2006	10/24/2006	4/15/2007	10/25/2007
						Dup			
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.15 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.18 J	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-8S	CM-MW-100	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S
Sampling Date	4/21/2008	10/20/2008	10/28/2004	10/28/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/20/2006	
				Dup						
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	2.9 T	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-8S	CM-MW-100	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S
Sampling Date	4/21/2008	10/20/2008	10/28/2004	10/28/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/20/2006	
				Dup						
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.37 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.11 J
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene		2 U								

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	FO-MW-1S	FO-MW-1S	FO-MW-1S	FO-MW-1S
Sampling Date	10/24/2006	4/15/2007	10/25/2007	4/21/2008	10/20/2008	4/20/2006	7/21/2006	10/25/2006	4/17/2007
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	1.5 J	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	FO-MW-1S	FO-MW-1S	FO-MW-1S	FO-MW-1S
Sampling Date	10/24/2006	4/15/2007	10/25/2007	4/21/2008	10/20/2008	4/20/2006	7/21/2006	10/25/2006	4/17/2007
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	0.35 J	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	0.31 J	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	0.4 J	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	0.44 J	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	0.56 J	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.11 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U				

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	FO-MW-1S	FO-MW-1S	FO-MW-1S	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2
Sampling Date	10/26/2007	4/20/2008	10/19/2008	10/27/2006	1/31/2007	4/16/2007	10/22/2007	1/24/2008	4/22/2008
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	0.67 JT	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U		2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U
Carbon Disulfide	0.5 U	6.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	FO-MW-1S	FO-MW-1S	FO-MW-1S	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2
Sampling Date	10/26/2007	4/20/2008	10/19/2008	10/27/2006	1/31/2007	4/16/2007	10/22/2007	1/24/2008	4/22/2008
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	0.22 JT	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	0.28 T
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	0.18 JT	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	0.71 JT	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.17 T	0.5 U	0.5 U	0.5 U	0.5 U	0.31 T	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.07 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene			2 U		2 U				

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-600A	HL-MW-6A	HL-MW-600A
Sampling Date	10/19/2008	3/05/2004	10/26/2005	1/25/2006	4/19/2006	7/20/2006	7/20/2006	10/25/2006	10/25/2006
							Dup		Dup
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-600A	HL-MW-6A	HL-MW-600A
Sampling Date	10/19/2008	3/05/2004	10/26/2005	1/25/2006	4/19/2006	7/20/2006	7/20/2006	10/25/2006	10/25/2006
							Dup		Dup
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.32 T	0.5 U	0.5 U	0.5 U	0.5 U	0.14 J	0.13 J	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene	2 U								

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-7S	HL-MW-10S
Sampling Date	4/15/2007	10/25/2007	4/22/2008	10/19/2008	3/05/2004	10/26/2004
<b>Volatiles in µg/L</b>						
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.13 T	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-7S	HL-MW-10S
Sampling Date	4/15/2007	10/25/2007	4/22/2008	10/19/2008	3/05/2004	10/26/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.29 T	0.5 U	0.5 U	0.14 J
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U		

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-13DD	HL-MW-1K	HL-MW-14S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S
Sampling Date	3/04/2004	3/04/2004	3/04/2004	7/29/2005	10/27/2005	1/25/2006	4/18/2006	7/19/2006	10/23/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	6.2 J	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-13DD	HL-MW-1K	HL-MW-14S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S
Sampling Date	3/04/2004	3/04/2004	3/04/2004	7/29/2005	10/27/2005	1/25/2006	4/18/2006	7/19/2006	10/23/2006
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.23 J	0.14 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S	
Sampling Date	4/16/2007	10/22/2007	4/20/2008	10/19/2008	7/27/2005	10/27/2005	4/18/2006	7/20/2006	10/23/2006	
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	25	20 U	20 U	
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 UJ	2 U	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
Acetone	20 U	20 U	20 U	20 U	4.6 J	5.3 J	20 U	5.3 J	6.2 J	
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromoform	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S
Sampling Date	4/16/2007	10/22/2007	4/20/2008	10/19/2008	7/27/2005	10/27/2005	4/18/2006	7/20/2006	10/23/2006
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.15 T	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S
Sampling Date	4/16/2007	10/22/2007	4/20/2008	10/22/2008	7/28/2005	10/28/2005	1/25/2006	4/18/2006	7/19/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	10 J	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S
Sampling Date	4/16/2007	10/22/2007	4/20/2008	10/22/2008	7/28/2005	10/28/2005	1/25/2006	4/18/2006	7/19/2006
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.16 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	0.05 T	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.04 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.18 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S
Sampling Date	10/23/2006	4/17/2007	10/22/2007	4/22/2008	10/19/2008	10/28/2005	1/25/2006	4/18/2006	7/19/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.22 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S
Sampling Date	10/23/2006	4/17/2007	10/22/2007	4/22/2008	10/19/2008	10/28/2005	1/25/2006	4/18/2006	7/19/2006
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.19 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.11 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U				

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-23S	HL-MW-230S	HL-MW-23S	HL-MW-23S
Sampling Date	10/23/2006	4/17/2007	10/22/2007	4/22/2008	10/19/2008	4/21/2006	4/21/2006	7/20/2006	10/26/2006
							Dup		
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-23S	HL-MW-230S	HL-MW-23S	HL-MW-23S
Sampling Date	10/23/2006	4/17/2007	10/22/2007	4/22/2008	10/19/2008	4/21/2006	4/21/2006	7/20/2006	10/26/2006
							Dup		
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.18 T	0.12 T	0.5 U	0.5 U	0.11 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U				

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD
Sampling Date	2/01/2007	4/17/2007	10/24/2007	4/22/2008	10/24/2008	4/21/2006	7/19/2006	10/26/2006	1/31/2007
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene		2 U	2 U	2 U		2 U	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD
Sampling Date	2/01/2007	4/17/2007	10/24/2007	4/22/2008	10/24/2008	4/21/2006	7/19/2006	10/26/2006	1/31/2007
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.15 J	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene	2 U					2 U			2 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-25S
Sampling Date	4/15/2007	10/23/2007	4/21/2008	10/24/2008	4/21/2006	7/19/2006	10/26/2006	2/01/2007	4/16/2007
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U		2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-25S
Sampling Date	4/15/2007	10/23/2007	4/21/2008	10/24/2008	4/21/2006	7/19/2006	10/26/2006	2/01/2007	4/16/2007
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.24 T	0.13 J	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U				2 U	

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-2600S	HL-MW-26S
Sampling Date	10/25/2007	4/21/2008	10/19/2008	4/21/2006	7/19/2006	10/26/2006	1/31/2007	1/31/2007	4/16/2007
								Dup	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U		2 U	2 U	2 U			2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-2600S	HL-MW-26S
Sampling Date	10/25/2007	4/21/2008	10/19/2008	4/21/2006	7/19/2006	10/26/2006	1/31/2007	1/31/2007	4/16/2007
								Dup	
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.07 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene			2 U				2 U	2 U	

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2600S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-27D
Sampling Date	4/16/2007	10/24/2007	4/21/2008	10/22/2008	4/22/2006	7/19/2006	10/27/2006	1/31/2007	4/16/2007
	Dup								
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U		2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2600S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-27D
Sampling Date	4/16/2007	10/24/2007	4/21/2008	10/22/2008	4/22/2006	7/19/2006	10/27/2006	1/31/2007	4/16/2007
	Dup								
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.14 J	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U				2 U	

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2700D	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-28DD	HL-MW-28DD	HL-MW-28DD	HL-MW-28DD	HL-MW-2800DD
Sampling Date	4/16/2007	10/24/2007	4/21/2008	10/21/2008	10/26/2006	1/31/2007	4/15/2007	7/24/2007	7/24/2007
	Dup								Dup
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U		2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.36 J	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2700D	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-28DD	HL-MW-28DD	HL-MW-28DD	HL-MW-28DD	HL-MW-2800DD
Sampling Date	4/16/2007	10/24/2007	4/21/2008	10/21/2008	10/26/2006	1/31/2007	4/15/2007	7/24/2007	7/24/2007
	Dup								Dup
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U		2 U			

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-28DD	HL-MW-2800DD	HL-MW-28DD	HL-MW-28DD	HL-MW-2800DD	HL-MW-28DD	HL-MW-29S	HL-MW-29S	HL-MW-29S	
Sampling Date	10/23/2007	10/23/2007	1/24/2008	4/21/2008	4/21/2008	10/19/2008	7/24/2007	10/24/2007	1/24/2008	
		Dup			Dup					
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U		2 U	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.24 T	0.5 U	0.5 U	
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.53	0.5 U	
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Freon 11	0.5 U	0.5 U			0.5 U	0.5 U	0.5 U	0.5 U		

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-28DD	HL-MW-2800DD	HL-MW-28DD	HL-MW-28DD	HL-MW-2800DD	HL-MW-28DD	HL-MW-29S	HL-MW-29S	HL-MW-29S
Sampling Date	10/23/2007	10/23/2007	1/24/2008	4/21/2008	4/21/2008	10/19/2008	7/24/2007	10/24/2007	1/24/2008
		Dup			Dup				
Freon 12	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.13 T	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.17 T	0.15 T	0.5 U	0.5 U	0.37 T	0.5 U	0.34 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene						2 U			

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2900S	HL-MW-29S	HL-MW-2900S	HL-MW-29S	HL-MW-30S	HL-MW-30S	HL-MW-30S	HL-MW-3000S	HL-MW-30S
Sampling Date	1/24/2008	4/22/2008	4/22/2008	10/22/2008	6/08/2007	7/24/2007	10/24/2007	10/24/2007	1/25/2008
	Dup		Dup					Dup	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.39 T	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2900S	HL-MW-29S	HL-MW-2900S	HL-MW-29S	HL-MW-30S	HL-MW-30S	HL-MW-30S	HL-MW-3000S	HL-MW-30S
Sampling Date	1/24/2008	4/22/2008	4/22/2008	10/22/2008	6/08/2007	7/24/2007	10/24/2007	10/24/2007	1/25/2008
	Dup		Dup					Dup	
Freon 12		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 T	0.11 T	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	0.2 J	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.36 T	0.5 U	0.17 T	0.5 U	0.5 U	0.11 T	0.5 U	0.5 U	0.59
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-30S	HL-MW-3000S	HL-MW-30S
Sampling Date	4/23/2008	4/23/2008	10/19/2008
		Dup	
<b>Volatiles in µg/L</b>			
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 UJ
1,2-Dibromoethane(EDB)	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U
Acetone	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-30S	HL-MW-3000S	HL-MW-30S
Sampling Date	4/23/2008	4/23/2008	10/19/2008
		Dup	
Freon 12	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 UJ
Sec-Butylbenzene	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.38 T	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U
p-Cymene			2 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-8	MW-8	MW-8	MW-9	MW-9	MW-9	MW-12A	MW-12A	MW-12A
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U			0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U			0.5 U
1,2,3-Trichlorobenzene			2 U			2 U			2 U
1,2,3-Trichloropropane			0.5 U			0.5 U			0.5 U
1,2,4-Trichlorobenzene			2 U			2 U			2 U
1,2,4-Trimethylbenzene			2 U			2 U			2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U			2 U
1,2-Dibromoethane(EDB)			2 U			2 U			2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U			2 U
1,3-Dichlorobenzene			0.5 U			0.5 U			0.5 U
1,3-Dichloropropane			0.5 U			0.5 U			0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U			0.5 U
2,2-Dichloropropane			0.5 U			0.5 U			0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
2-Chlorotoluene			2 U			2 U			2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
4-Chlorotoluene			2 U			2 U			2 U
4-Isopropyltoluene			2 U			2 U			2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U			2 U
Bromochloromethane			0.5 U			0.5 U			0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U			0.5 U
Freon 12			0.5 U			0.5 U			0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-8	MW-8	MW-8	MW-9	MW-9	MW-9	MW-12A	MW-12A	MW-12A
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.13 J
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U			2 U			2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U			0.5 U			0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U			2 U			2 U
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	1 U	1 U	2 U
N-Butylbenzene			2 U			2 U			2 U
N-Propylbenzene			2 U			2 U			2 U
Naphthalene			2 U			2 U			2 U
Sec-Butylbenzene			2 U			2 U			2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U			2 U			2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U		5 U	5 U		5 U	5 U	
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-13	MW-13	MW-13	MW-14	MW-14	MW-14	MW-15	MW-15	MW-15
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U			0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U			0.5 U
1,2,3-Trichlorobenzene			2 U			2 U			2 U
1,2,3-Trichloropropane			0.5 U			0.5 U			0.5 U
1,2,4-Trichlorobenzene			2 U			2 U			2 U
1,2,4-Trimethylbenzene			2 U			2 U			2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U			2 U
1,2-Dibromoethane(EDB)			2 U			2 U			2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U			2 U
1,3-Dichlorobenzene			0.5 U			0.5 U			0.5 U
1,3-Dichloropropane			0.5 U			0.5 U			0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U			0.5 U
2,2-Dichloropropane			0.5 U			0.5 U			0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
2-Chlorotoluene			2 U			2 U			2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
4-Chlorotoluene			2 U			2 U			2 U
4-Isopropyltoluene			2 U			2 U			2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U			2 U
Bromochloromethane			0.5 U			0.5 U			0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U			0.5 U
Freon 12			0.5 U			0.5 U			0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-13	MW-13	MW-13	MW-14	MW-14	MW-14	MW-15	MW-15	MW-15
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.18 J
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U			2 U			2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U			0.5 U			0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U			2 U			2 U
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	1 U	1 U	2 U
N-Butylbenzene			2 U			2 U			2 U
N-Propylbenzene			2 U			2 U			2 U
Naphthalene			2 U			2 U			2 U
Sec-Butylbenzene			2 U			2 U			2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U			2 U			2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.55	0.5 U	0.5 U	0.29 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U		5 U	5 U		5 U	5 U	
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-27	MW-27	MW-27	MW-16	MW-16	MW-16	MW-16	MW-16	MW-16
Sampling Date	5/12/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	10/26/2005	4/22/2006	10/27/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,3-Trichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)			2 U			2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,3-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
2-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
4-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
4-Isopropyltoluene			2 U			2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U	2 U	2 U	2 U
Bromochloromethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Freon 12			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-27	MW-27	MW-27	MW-16	MW-16	MW-16	MW-16	MW-16	MW-16	MW-16
Sampling Date	5/12/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	10/26/2005	4/22/2006	10/27/2006	
Chloroform	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.14 J	0.5 U	0.5 U	0.5 U	
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Cumene(Isopropylbenzene)			2 U			2 U	2 U	2 U	2 U	
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Dibromomethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U	
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Hexachlorobutadiene			2 U			2 U	2 U	2 U	2 U	
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	2 U	2 U	2 U	
N-Butylbenzene			2 U			2 U	2 U	2 U	2 U	
N-Propylbenzene			2 U			2 U	2 U	2 U	2 U	
Naphthalene			2 U			2 U	2 U	2 U	2 U	
Sec-Butylbenzene			2 U			2 U	2 U	2 U	2 U	
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Tert-Butylbenzene			2 U			2 U	2 U	2 U	2 U	
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Toluene	0.5 U	0.29 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.12 J	0.5 U	
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Vinyl Acetate	5 U	5 U		5 U	5 U					
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
p-Cymene										

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-16	MW-16	MW-16	MW-16	MW-30	MW-17S	MW-17S	MW-17S	MW-17S
Sampling Date	4/17/2007	10/26/2007	4/22/2008	10/22/2008	10/26/2005	5/13/2003	9/02/2003	6/29/2004	10/25/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U			2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.35 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-16	MW-16	MW-16	MW-16	MW-30	MW-17S	MW-17S	MW-17S	MW-17S
Sampling Date	4/17/2007	10/26/2007	4/22/2008	10/22/2008	10/26/2005	5/13/2003	9/02/2003	6/29/2004	10/25/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Dibromochloromethane	0.13 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	1 U	1 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.18 T	0.5 U	0.5 U	0.5 U	0.15 J	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate						5 U	5 U		
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-1700S
Sampling Date	7/28/2005	10/26/2005	4/21/2006	10/27/2006	4/17/2007	10/23/2007	4/22/2008	10/21/2008	10/21/2008
									Dup
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 UJ	2 UJ
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U		
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	3 T
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.32 J	0.5 U	0.5 U	0.5 UJ	0.5 UJ
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-1700S
Sampling Date	7/28/2005	10/26/2005	4/21/2006	10/27/2006	4/17/2007	10/23/2007	4/22/2008	10/21/2008	10/21/2008
									Dup
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.06 T
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.56	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene								2 U	2 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-18D	MW-18D	MW-18D	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	10/26/2004	7/29/2005	10/26/2005
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,3-Trichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)			2 U			2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,3-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
2-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
4-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
4-Isopropyltoluene			2 U			2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U	2 U	2 U	2 U
Bromochloromethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Freon 12			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	MW-18D	MW-18D	MW-18D	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	10/26/2004	7/29/2005	10/26/2005
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U			2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U			2 U	2 U	2 U	2 U
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	2 U	2 U	2 U
N-Butylbenzene			2 U			2 U	2 U	2 U	2 U
N-Propylbenzene			2 U			2 U	2 U	2 U	2 U
Naphthalene			2 U			2 U	2 U	2 U	2 U
Sec-Butylbenzene			2 U			2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U			2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.11 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U		5 U	5 U				
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-20D	MW-20D	MW-20D
Sampling Date	4/21/2006	10/27/2006	4/17/2007	10/24/2007	4/23/2008	10/21/2008	5/13/2003	9/02/2003	6/29/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-20D	MW-20D	MW-20D
Sampling Date	4/21/2006	10/27/2006	4/17/2007	10/24/2007	4/23/2008	10/21/2008	5/13/2003	9/02/2003	6/29/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	1 U	1 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.15 T	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate							5 U	5 U	
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene						2 U			

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-20D	MW-20D	MW-20D	MW-20D	MW-2000D	MW-21S	MW-21S	MW-21S	MW-21S
Sampling Date	4/17/2007	10/24/2007	4/23/2008	10/21/2008	10/21/2008	5/12/2003	9/02/2003	6/29/2004	10/25/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U					2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-20D	MW-20D	MW-20D	MW-20D	MW-2000D	MW-21S	MW-21S	MW-21S	MW-21S
Sampling Date	4/17/2007	10/24/2007	4/23/2008	10/21/2008	10/21/2008	5/12/2003	9/02/2003	6/29/2004	10/25/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	1 U	1 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.43 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate						5 U	5 U		
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U	2 U				

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-2100S
Sampling Date	7/29/2005	10/24/2005	4/21/2006	10/27/2006	4/17/2007	10/24/2007	4/23/2008	10/23/2008	10/23/2008
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U		
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-2100S
Sampling Date	7/29/2005	10/24/2005	4/21/2006	10/27/2006	4/17/2007	10/24/2007	4/23/2008	10/23/2008	10/23/2008
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.65	0.08 T	0.17 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene								2 U	2 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-22D	MW-22D	MW-22D	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S
Sampling Date	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004	10/24/2005	4/21/2006	10/27/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,3-Trichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)			2 U			2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,3-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
2-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
4-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
4-Isopropyltoluene			2 U			2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.54	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U	2 U	2 U	2 U
Bromochloromethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Freon 12			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-22D	MW-22D	MW-22D	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S
Sampling Date	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004	10/24/2005	4/21/2006	10/27/2006
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U			2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.13 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U			2 U	2 U	2 U	2 U
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	2 U	2 U	2 U
N-Butylbenzene			2 U			2 U	2 U	2 U	2 U
N-Propylbenzene			2 U			2 U	2 U	2 U	2 U
Naphthalene			2 U			2 U	2 U	2 U	2 U
Sec-Butylbenzene			2 U			2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U			2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.12 J	1.2	0.5 U	0.12 J	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U		5 U	5 U				
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.42 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.17 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-23S	MW-23S	MW-23S	MW-23S	MW-24D	MW-24D	MW-24D	MW-25S	MW-25S
Sampling Date	4/17/2007	10/24/2007	4/24/2008	10/21/2008	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U			2 U		
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U			2 U		
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U			2 U		
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U			2 U		
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U			2 U		
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U			2 U		
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
2-Butanone (MEK)	20 U	20 U	20 U	20 U	10 U	10 U	20 U	10 U	10 U
2-Chlorotoluene	2 U	2 U	2 U	2 U			2 U		
2-Hexanone	20 U	20 U	20 U	20 U	10 U	10 U	20 U	10 U	10 U
4-Chlorotoluene	2 U	2 U	2 U	2 U			2 U		
4-Isopropyltoluene	2 U	2 U	2 U	2 U			2 U		
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	10 U	10 U	20 U	10 U	10 U
Acetone	20 U	20 U	20 U	20 U	10 U	10 U	20 U	10 U	10 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U			2 U		
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-23S	MW-23S	MW-23S	MW-23S	MW-24D	MW-24D	MW-24D	MW-25S	MW-25S
Sampling Date	4/17/2007	10/24/2007	4/24/2008	10/21/2008	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U			2 U		
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U			2 U		
Methylene Chloride	2 U	2 U	2 U	2 U	1 U	1 U	2 U	1 U	1 U
N-Butylbenzene	2 U	2 U	2 U	2 U			2 U		
N-Propylbenzene	2 U	2 U	2 U	2 U			2 U		
Naphthalene	2 U	2 U	2 U	2 U			2 U		
Sec-Butylbenzene	2 U	2 U	2 U	2 U			2 U		
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U			2 U		
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.21 J
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate					5 U	5 U		5 U	5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S
Sampling Date	6/29/2004	10/26/2004	7/28/2005	10/26/2005	4/21/2006	10/27/2006	4/17/2007	10/25/2007	4/22/2008
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S
Sampling Date	6/29/2004	10/26/2004	7/28/2005	10/26/2005	4/21/2006	10/27/2006	4/17/2007	10/25/2007	4/22/2008
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	0.3 J	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.47 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-25S	MW-26D	MW-26D	MW-26D
Sampling Date	10/22/2008	5/12/2003	9/02/2003	6/29/2004
<b>Volatiles in µg/L</b>				
1,1,1,2-Tetrachloroethane	0.5 U			0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U			0.5 U
1,2,3-Trichlorobenzene	2 U			2 U
1,2,3-Trichloropropane	0.5 U			0.5 U
1,2,4-Trichlorobenzene	2 U			2 U
1,2,4-Trimethylbenzene	2 U			2 U
1,2-Dibromo-3-Chloropropane	2 UJ			2 U
1,2-Dibromoethane(EDB)	2 U			2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U			2 U
1,3-Dichlorobenzene	0.5 U			0.5 U
1,3-Dichloropropane	0.5 U			0.5 U
1,4-Dichlorobenzene	0.5 U			0.5 U
2,2-Dichloropropane	0.5 U			0.5 U
2-Butanone (MEK)	20 U	10 U	10 U	20 U
2-Chlorotoluene	2 U			2 U
2-Hexanone	20 U	10 U	10 U	20 U
4-Chlorotoluene	2 U			2 U
4-Isopropyltoluene				2 U
4-Methyl-2-Pentanone	20 U	10 U	10 U	20 U
Acetone	20 U	10 U	10 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U			2 U
Bromochloromethane	0.5 U			0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U
Bromofrom	0.5 UJ	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U			0.5 U
Freon 12	0.5 U			0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-25S	MW-26D	MW-26D	MW-26D
Sampling Date	10/22/2008	5/12/2003	9/02/2003	6/29/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U			2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U			0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U			2 U
Methylene Chloride	2 U	1 U	1 U	2 U
N-Butylbenzene	2 U			2 U
N-Propylbenzene	2 U			2 U
Naphthalene	2 U			2 U
Sec-Butylbenzene	2 U			2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U			2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.1 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate		5 U	5 U	
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene	2 U			

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	OH-MW-8		OH-MW-8		OH-MW-10		OH-MW-10		OH-MW-24		OH-MW-24		OH-MW-25		OH-MW-25		TF-MW-1	
Sampling Date	4/22/2008		10/20/2008		4/22/2008		10/22/2008		4/24/2008		10/23/2008		4/24/2008		10/23/2008		4/24/2008	
<b>Volatiles in µg/L</b>																		
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,4-Trimethylbenzene	2	U	2	U	0.37	T	0.04	T	2	U	2	U	2	U	2	U	2	U
1,2-Dibromo-3-Chloropropane	2	U	2	UJ	2	U	2	UJ	2	U	2	U	2	U	2	U	2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.06	T	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2,2-Dichloropropane	0.5	U	0.5	UJ	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Isopropyltoluene	2	U			2	U			2	U			2	U			2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Acetone	20	U	20	U	20	U	20	U	20	U	2.8	T	20	U	3.8	T	20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	UJ	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	UJ	0.5	U	0.5	UJ	0.5	U	0.5	UJ
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Disulfide	0.5	U	0.05	T	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	OH-MW-8	OH-MW-8	OH-MW-10	OH-MW-10	OH-MW-24	OH-MW-24	OH-MW-25	OH-MW-25	TF-MW-1
Sampling Date	4/22/2008	10/20/2008	4/22/2008	10/22/2008	4/24/2008	10/23/2008	4/24/2008	10/23/2008	4/24/2008
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	0.11 T	0.09 T	0.35 T	0.46 T	0.21 T	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	0.06 T	2 U	0.11 T	2 U	2 U
N-Propylbenzene	2 U	2 U	0.1 T	0.04 T	2 U	2 U	0.24 T	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	0.23 T	0.15 T	0.87 T	0.83 T	0.41 T	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	0.12 T	0.12 T	0.1 T	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.06 T	1.5	0.11 T	0.5 U	0.91	0.5 U	0.54	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene		2 U		2 U		2 U		2 U	

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	TF-MW-1	TF-MW-2	TF-MW-2	TF-MW-3	TF-MW-3	TF-MW-4	TF-MW-4	TS-MW-1S	TS-MW-1S
Sampling Date	10/21/2008	4/24/2008	10/21/2008	4/24/2008	10/20/2008	4/24/2008	10/20/2008	7/28/2005	10/28/2005
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	0.11 T	2 U	2 U		2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U		0.09 T	5.1	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 UJ	2 U	2 UJ	2 U		2 U	2 UJ	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 UJ	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U		20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U		20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Isopropyltoluene		2 U		2 U		2 U		2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U		20 U	20 U	20 U	20 U
Acetone	20 U	6.5 T	20 U	20 U		20 U	3.4 T	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 UJ	0.5 U	0.5 UJ	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 UJ	0.5 U	0.5 UJ		0.5 UJ	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.1 T	0.09 T	0.3 T	0.5 U		0.5 U	0.54	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	TF-MW-1	TF-MW-2	TF-MW-2	TF-MW-3	TF-MW-3	TF-MW-4	TF-MW-4	TS-MW-1S	TS-MW-1S
Sampling Date	10/21/2008	4/24/2008	10/21/2008	4/24/2008	10/20/2008	4/24/2008	10/20/2008	7/28/2005	10/28/2005
Chloroform	0.5 U	0.5 U	0.05 T	0.5 U		0.28 T	0.5 U	0.5 U	0.5 U
Chloromethane	0.06 T	0.5 U	0.2 T	0.5 U		0.5 U	0.1 T	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U		2 U	0.17 T	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U		0.15 T	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U		0.26 T	0.37 T	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U		2 U	0.43 T	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U		2 U	0.4 T	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U		2 U	0.23 T	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U		0.06 T	0.4 T	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U		2 U	0.05 T	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.12 T	0.5 U	0.12 T	0.5 U	0.33 T	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.12 T	0.5 U	0.5 U
p-Cymene	2 U		2 U				0.41 T		

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S
Sampling Date	1/26/2006	4/23/2006	7/20/2006	10/26/2006	7/28/2005	10/29/2005	1/26/2006	4/23/2006	7/20/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S
Sampling Date	1/26/2006	4/23/2006	7/20/2006	10/26/2006	7/28/2005	10/29/2005	1/26/2006	4/23/2006	7/20/2006
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	TS-MW-2S	WW-MW-7	WW-MW-7	WW-MW-8	WW-MW-8	WW-MW-9	WW-MW-9	WW-MW-12	WW-MW-12
Sampling Date	10/27/2006	4/24/2008	10/23/2008	4/24/2008	10/23/2008	4/24/2008	10/22/2008	10/27/2005	4/20/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	0.07 T	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U		2 U		2 U		2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	TS-MW-2S	WW-MW-7	WW-MW-7	WW-MW-8	WW-MW-8	WW-MW-9	WW-MW-9	WW-MW-12	WW-MW-12
Sampling Date	10/27/2006	4/24/2008	10/23/2008	4/24/2008	10/23/2008	4/24/2008	10/22/2008	10/27/2005	4/20/2006
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	0.14 T	1.3 T	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	0.13 T	2 U	2 U	2 UJ	2 U
N-Propylbenzene	2 U	2 U	2 U	0.1 T	1.4 T	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	0.04 T	0.06 T	0.25 T	2.1	0.09 T	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	0.08 T	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.42 T	0.23 T	0.07 T	0.5 U	0.5 U	0.05 T	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.09 T	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene			2 U		2 U		2 U		

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18
Sampling Date	10/26/2006	4/18/2007	10/23/2007	4/23/2008	10/22/2008	5/13/2003	9/02/2003	6/29/2004	10/25/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 UJ			2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	10 U	5.1 J	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18
Sampling Date	10/26/2006	4/18/2007	10/23/2007	4/23/2008	10/22/2008	5/13/2003	9/02/2003	6/29/2004	10/25/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	1 U	1 U	2 U	0.23 J
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.21 T	0.15 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate						5 U	5 U		
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U				

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18
Sampling Date	7/27/2005	10/24/2005	4/20/2006	10/25/2006	4/18/2007	10/23/2007	4/24/2008	10/23/2008
<b>Volatiles in µg/L</b>								
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	4.2 J	20 U	20 U	5.1 T	14 T
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18
Sampling Date	7/27/2005	10/24/2005	4/20/2006	10/25/2006	4/18/2007	10/23/2007	4/24/2008	10/23/2008
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.12 J	0.5 U	0.5 U	0.09 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate								
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene								2 U

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L													
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon			
CM-MW-01S	CM-MW-1S	10/28/2004	202													
CM-MW-01S	CM-MW-1S	3/24/2005	3													
CM-MW-01S	CM-MW-1S	7/26/2005	1 U													
CM-MW-01S	CM-MW-1S	10/28/2005	1 U													
CM-MW-01S	CM-MW-1S	1/26/2006	1													
CM-MW-01S	CM-MW-1S	4/20/2006	121													
CM-MW-01S	CM-MW-1S	7/21/2006	1 U													
CM-MW-01S	CM-MW-1S	10/24/2006	1 U													
CM-MW-01S	CM-MW-1S	4/15/2007	1 U													
CM-MW-01S	CM-MW-1S	10/25/2007	1 U													
CM-MW-01S	CM-MW-1S	4/21/2008	779													
CM-MW-01S	CM-MW-1S	10/19/2008	1 U													
CM-MW-02S	CM-MW-2S	10/27/2004	2690													
CM-MW-02S	CM-MW-2S	3/23/2005	1 U													
CM-MW-02S	CM-MW-2S	7/26/2005	1 U													
CM-MW-02S	CM-MW-2S	10/27/2005	1 U				1.3	0.1 U						2 U		
CM-MW-02S	CM-MW-2S	1/26/2006	2													
CM-MW-02S	CM-MW-2S	4/19/2006	1 U				1.8	0.2 U						0.05 U		
CM-MW-02S	CM-MW-2S	7/21/2006	5													
CM-MW-02S	CM-MW-2S	10/24/2006	5				1.5	0.1 U						0.05 U		
CM-MW-02S	CM-MW-2S	4/19/2007	107													
CM-MW-02S	CM-MW-2S	10/25/2007	1 U													
CM-MW-02S	CM-MW-2S	4/21/2008	393													
CM-MW-02S	CM-MW-2S	10/20/2008	166													
CM-MW-03S	CM-MW-3S	10/27/2004	676													
CM-MW-03S	CM-MW-3S	3/23/2005	1 U													
CM-MW-03S	CM-MW-3S	7/26/2005	1 U													
CM-MW-03S	CM-MW-3S	10/28/2005	1 U													
CM-MW-03S	CM-MW-3S	1/26/2006	1 U													
CM-MW-03S	CM-MW-3S	4/19/2006	1 U													
CM-MW-03S	CM-MW-3S	7/21/2006	1 U													
CM-MW-03S	CM-MW-3S	10/24/2006	1 U													
CM-MW-03S	CM-MW-3S	4/18/2007	1 U													
CM-MW-03S	CM-MW-3S	10/25/2007	1 U													
CM-MW-03S	CM-MW-3S	4/21/2008	6													
CM-MW-03S	CM-MW-3S	10/21/2008	69													
CM-MW-04S	CM-MW-4S	10/27/2004	3370													
CM-MW-04S	CM-MW-4S	3/23/2005	29													
CM-MW-04S	CM-MW-4S	7/26/2005	76													
CM-MW-04S	CM-MW-4S	10/27/2005	3													
CM-MW-04S	CM-MW-4S	1/26/2006	2													
CM-MW-04S	CM-MW-4S	4/19/2006	19													
CM-MW-04S	CM-MW-4S	7/21/2006	1 U													
CM-MW-04S	CM-MW-4S	10/24/2006	1													
CM-MW-04S	CM-MW-4S	4/17/2007	3													
CM-MW-04S	CM-MW-4S	10/25/2007	9													
CM-MW-04S	CM-MW-4S	4/20/2008	6													
CM-MW-04S	CM-MW-4S	10/20/2008	6													
CM-MW-05S	CM-MW-5S	10/27/2004	7220													
CM-MW-05S	CM-MW-5S	3/23/2005	1 U													
CM-MW-05S	CM-MW-5S	7/26/2005	1 U													
CM-MW-05S	CM-MW-5S	10/27/2005	1 U				1.3	0.1 U						2 U		



Table F-8 - Analytical Results for Conventionals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L											Total Sulfide	Dissolved Organic Carbon		
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon						
CM-MW-05S	CM-MW-5S	1/26/2006	2														
CM-MW-05S	CM-MW-5S	4/19/2006	3				1.5	0.2	U							0.05	U
CM-MW-05S	CM-MW-5S	7/21/2006	1	U													
CM-MW-05S	CM-MW-5S	10/24/2006	1	U			1.4	0.1	U							0.05	U
CM-MW-05S	CM-MW-5S	4/17/2007	7														
CM-MW-05S	CM-MW-5S	10/25/2007	1	U													
CM-MW-05S	CM-MW-5S	4/20/2008	2														
CM-MW-05S	CM-MW-5S	10/21/2008	86														
CM-MW-06S	CM-MW-6S	10/28/2004	5920														
CM-MW-06S	CM-MW-6S	3/23/2005	48														
CM-MW-06S	CM-MW-6S	7/26/2005	10														
CM-MW-06S	CM-MW-6S	10/27/2005	20				0.3	0.1	U							2	U
CM-MW-06S	CM-MW-6S	1/26/2006	38														
CM-MW-06S	CM-MW-6S	4/19/2006	10				0.5	0.2	U							0.05	U
CM-MW-06S	CM-MW-6S	7/21/2006	1920														
CM-MW-06S	CM-MW-6S	10/24/2006	16				0.4	0.1	U							0.05	U
CM-MW-06S	CM-MW-6S	4/19/2007	91														
CM-MW-06S	CM-MW-6S	10/25/2007	1														
CM-MW-06S	CM-MW-6S	4/20/2008	328														
CM-MW-06S	CM-MW-6S	10/19/2008	374														
CM-MW-07S	CM-MW-7S	10/27/2004	1940														
CM-MW-07S	CM-MW-7S	3/23/2005	1	U													
CM-MW-07S	CM-MW-7S	7/26/2005	1	U													
CM-MW-07S	CM-MW-7S	10/27/2005	1	U			1.4	0.1	U							2	U
CM-MW-07S	CM-MW-7S	1/26/2006	1														
CM-MW-07S	CM-MW-7S	4/19/2006	1	U			1.7	0.2	U							0.05	U
CM-MW-07S	CM-MW-7S	7/21/2006	1	U													
CM-MW-07S	CM-MW-700S	7/21/2006	1	U	Dup												
CM-MW-07S	CM-MW-7S	10/24/2006	1	U			1.5	0.1	U							0.05	U
CM-MW-07S	CM-MW-7S	4/15/2007	1	U													
CM-MW-07S	CM-MW-7S	10/25/2007	1	U													
CM-MW-07S	CM-MW-7S	4/21/2008	8														
CM-MW-07S	CM-MW-7S	10/20/2008	444														
CM-MW-08S	CM-MW-8S	10/28/2004	22														
CM-MW-08S	CM-MW-100	10/28/2004	24		Dup												
CM-MW-08S	CM-MW-8S	3/23/2005	7														
CM-MW-08S	CM-MW-8S	7/26/2005	1	U													
CM-MW-08S	CM-MW-8S	10/27/2005	3														
CM-MW-08S	CM-MW-8S	1/26/2006	1														
CM-MW-08S	CM-MW-8S	4/19/2006	3														
CM-MW-08S	CM-MW-8S	7/20/2006	2														
CM-MW-08S	CM-MW-8S	10/24/2006	2														
CM-MW-08S	CM-MW-8S	4/15/2007	1	U													
CM-MW-08S	CM-MW-8S	10/25/2007	1	U													
CM-MW-08S	CM-MW-8S	4/21/2008	329														
CM-MW-08S	CM-MW-8S	10/20/2008	181														
FO-MW-01S	FO-MW-1S	4/20/2006	5	U			1	0.2	U							0.05	U
FO-MW-01S	FO-MW-1S	7/21/2006	2														
FO-MW-01S	FO-MW-1S	10/25/2006	5	U			1.1	0.1	U							0.05	U
FO-MW-01S	FO-MW-1S	4/17/2007	5														
FO-MW-01S	FO-MW-1S	10/26/2007	684														
FO-MW-01S	FO-MW-1S	4/20/2008	28														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
FO-MW-01S	FO-MW-1S	10/19/2008	54														
HL-MW-01	HL-MW-1	10/27/2005					1	0.1 U								2 U	
HL-MW-01	HL-MW-1	4/19/2006					1.3	0.2 U								0.05 U	
HL-MW-01	HL-MW-1	10/23/2006					1.6	0.1 U								0.05 U	
HL-MW-02	HL-MW-2	4/21/2006	1 U														
HL-MW-02	HL-MW-2	10/27/2006	95														
HL-MW-02	HL-MW-2	1/31/2007	2380														
HL-MW-02	HL-MW-2	4/16/2007	70														
HL-MW-02	HL-MW-2	10/22/2007	1420														
HL-MW-02	HL-MW-2	1/24/2008	2500														
HL-MW-02	HL-MW-2	4/22/2008	83														
HL-MW-02	HL-MW-2	10/19/2008	2020														
HL-MW-04	HL-MW-4	5/12/2003															
HL-MW-04	HL-MW-4	5/14/2003	1 U														
HL-MW-04	HL-MW-4	3/4/2004	1 U														
HL-MW-04	HL-MW-4	6/30/2004	1 U														
HL-MW-04	HL-MW-4	10/26/2004	1 U														
HL-MW-04	HL-MW-4	10/26/2005	1 U														
HL-MW-04	HL-MW-4	4/22/2006	1 U														
HL-MW-04	HL-MW-4	7/18/2006	1 U														
HL-MW-04	HL-MW-4	4/15/2007	1 U														
HL-MW-04	HL-MW-4	10/25/2007	1 U														
HL-MW-04	HL-MW-4	4/22/2008	1														
HL-MW-04	HL-MW-4	10/20/2008	2														
HL-MW-05	HL-MW-5	5/12/2003															
HL-MW-05	HL-MW-5	5/14/2003	1														
HL-MW-05	HL-MW-5	9/3/2003	3														
HL-MW-05	HL-MW-5	10/23/2003	5 U														
HL-MW-05	HL-MW-5	3/4/2004	1														
HL-MW-05	HL-MW-5	6/30/2004	1 UJ														
HL-MW-05	HL-MW-5	10/29/2004	1 U														
HL-MW-05	HL-MW-5	7/26/2005	1 U														
HL-MW-05	HL-MW-5	10/26/2005	2														
HL-MW-05	HL-MW-5	4/22/2006	2														
HL-MW-05	HL-MW-5	7/18/2006	2														
HL-MW-05	HL-MW-5	10/27/2006	3 J														
HL-MW-05	HL-MW-5	4/15/2007	10														
HL-MW-05	HL-MW-5	7/25/2007	7														
HL-MW-05	HL-MW-5	10/25/2007	1 U														
HL-MW-05	HL-MW-5	1/25/2008	4														
HL-MW-05	HL-MW-5	4/22/2008	21														
HL-MW-05	HL-MW-5	7/23/2008	7														
HL-MW-05	HL-MW-5	10/20/2008	11														
HL-MW-06A	HL-MW-6A	5/12/2003															
HL-MW-06A	HL-MW-6A	5/14/2003	4														
HL-MW-06A	HL-MW-6A	9/3/2003	3														
HL-MW-06A	HL-MW-6A	10/24/2003	5 U														
HL-MW-06A	HL-MW-6A	3/5/2004	1														
HL-MW-06A	HL-MW-6A	6/30/2004	2														
HL-MW-06A	HL-MW-6A	10/26/2004	1 U														
HL-MW-06A	HL-MW-6A	7/27/2005	1 U														
HL-MW-06A	HL-MW-6A	10/26/2005					1.6	0.1 U								2 U	

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L													
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon			
HL-MW-06A	HL-MW-100	10/26/2005	Dup				1.6	0.1 U							2 U	
HL-MW-06A	HL-MW-6A	1/25/2006		1 U												
HL-MW-06A	HL-MW-6A	4/19/2006		1 U			1.7	0.2 U							0.05 U	
HL-MW-06A	HL-MW-6A	7/20/2006		1												
HL-MW-06A	HL-MW-6A	10/25/2006		1 U			1.6	0.1 U							0.05 U	
HL-MW-06A	HL-MW-6A	2/1/2007		1 U												
HL-MW-06A	HL-MW-6A	4/15/2007		1 U												
HL-MW-06A	HL-MW-6A	7/25/2007		4												
HL-MW-06A	HL-MW-6A	10/25/2007		1												
HL-MW-06A	HL-MW-6A	1/25/2008		1												
HL-MW-06A	HL-MW-6A	4/22/2008		1												
HL-MW-06A	HL-MW-6A	7/23/2008		4												
HL-MW-06A	HL-MW-6A	10/19/2008		1 U												
HL-MW-07S	HL-MW-7S	5/12/2003														
HL-MW-07S	HL-MW-7S	5/14/2003		1												
HL-MW-07S	HL-MW-7S	9/3/2003		2												
HL-MW-07S	HL-MW-7S	10/23/2003		6												
HL-MW-07S	HL-MW-7S	3/5/2004		2												
HL-MW-07S	HL-MW-7S	6/30/2004		1 U												
HL-MW-07S	HL-MW-7S	10/26/2004		3												
HL-MW-07S	HL-MW-7S	7/27/2005		1 U												
HL-MW-07S	HL-MW-7S	10/26/2005		54												
HL-MW-07S	HL-MW-7S	1/23/2006		2 U												
HL-MW-07S	HL-MW-7S	4/22/2006		3												
HL-MW-07S	HL-MW-7S	7/18/2006		15												
HL-MW-07S	HL-MW-7S	10/26/2006		12								0.34 J			0.24 J	
HL-MW-07S	HL-MW-7S	1/31/2007		6												
HL-MW-07S	HL-MW-7S	4/15/2007		1 U												
HL-MW-07S	HL-MW-7S	7/24/2007		2												
HL-MW-07S	HL-MW-7S	10/23/2007		15												
HL-MW-07S	HL-MW-7S	1/24/2008		3												
HL-MW-07S	HL-MW-7S	4/21/2008		16												
HL-MW-07S	HL-MW-7S	7/23/2008		24												
HL-MW-07S	HL-MW-7S	10/19/2008		7												
HL-MW-08D	HL-MW-8D	5/12/2003														
HL-MW-08D	HL-MW-8D	5/14/2003		5												
HL-MW-08D	HL-MW-8D	9/3/2003		4												
HL-MW-08D	HL-MW-8D	10/23/2003		91												
HL-MW-08D	HL-MW-8D	3/5/2004		26												
HL-MW-08D	HL-MW-8D	6/30/2004		29												
HL-MW-08D	HL-MW-8D	10/26/2004		1 U												
HL-MW-08D	HL-MW-8D	7/28/2005		263												
HL-MW-08D	HL-MW-8D	10/26/2005		31												
HL-MW-08D	HL-MW-8D	4/22/2006		178												
HL-MW-08D	HL-MW-8D	10/26/2006		56								0.32 J			0.28 J	
HL-MW-08D	HL-MW-8D	4/15/2007		37												
HL-MW-08D	HL-MW-8D	10/23/2007		44												
HL-MW-08D	HL-MW-8D	4/21/2008		151												
HL-MW-08D	HL-MW-8D	10/19/2008		51												
HL-MW-09D	HL-MW-9D	5/12/2003														
HL-MW-09D	HL-MW-9D	5/14/2003		1												
HL-MW-09D	HL-MW-9D	9/3/2003		1 U												

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
HL-MW-09D	HL-MW-9D	10/24/2003	5														
HL-MW-09D	HL-MW-9D	3/5/2004	2														
HL-MW-09D	HL-MW-9D	6/30/2004	1														
HL-MW-09D	HL-MW-9D	10/26/2004	1														
HL-MW-09D	HL-MW-9D	7/27/2005	1														
HL-MW-09D	HL-MW-9D	10/26/2005	36														
HL-MW-09D	HL-MW-9D	4/22/2006	36														
HL-MW-09D	HL-MW-9D	10/27/2006	2														
HL-MW-09D	HL-MW-9D	4/15/2007	1														
HL-MW-09D	HL-MW-9D	10/25/2007	33														
HL-MW-09D	HL-MW-9D	4/22/2008	223														
HL-MW-09D	HL-MW-9D	10/19/2008	28														
HL-MW-10S	HL-MW-10S	5/12/2003	1														
HL-MW-10S	HL-MW-10S	9/3/2003	1														
HL-MW-10S	HL-MW-10S	10/24/2003	5														
HL-MW-10S	HL-MW-10S	6/30/2004	1														
HL-MW-10S	HL-MW-10S	10/26/2004	1														
HL-MW-10S	HL-MW-10S	7/28/2005	1														
HL-MW-10S	HL-MW-10S	10/24/2005	31														
HL-MW-10S	HL-MW-10S	4/22/2006	1														
HL-MW-10S	HL-MW-10S	10/27/2006	2														
HL-MW-10S	HL-MW-10S	4/16/2007	1														
HL-MW-10S	HL-MW-10S	10/23/2007	5														
HL-MW-10S	HL-MW-10S	4/22/2008	3														
HL-MW-10S	HL-MW-10S	10/19/2008	43														
HL-MW-11D	HL-MW-11D	5/12/2003	5														
HL-MW-11D	HL-MW-11D	9/3/2003	11														
HL-MW-11D	HL-MW-11D	10/24/2003	18														
HL-MW-11D	HL-MW-11D	6/30/2004	10														
HL-MW-12S	HL-MW-12S	10/24/2003	23														
HL-MW-12S	HL-MW-12S	3/4/2004	2														
HL-MW-12S	HL-MW-12S	6/30/2004	1														
HL-MW-12S	HL-MW-12S	10/26/2004	2														
HL-MW-12S	HL-MW-12S	7/27/2005	1														
HL-MW-12S	HL-MW-12S	10/24/2005	9														
HL-MW-12S	HL-MW-12S	4/22/2006	50														
HL-MW-12S	HL-MW-12S	10/26/2006	14														
HL-MW-12S	HL-MW-12S	4/15/2007	14														
HL-MW-12S	HL-MW-12S	10/23/2007	12														
HL-MW-12S	HL-MW-12S	4/21/2008	107														
HL-MW-12S	HL-MW-12S	10/21/2008	101														
HL-MW-13DD	HL-MW-13DD	10/23/2003	5														
HL-MW-13DD	HL-MW-1K	10/23/2003	Dup	5													
HL-MW-13DD	HL-MW-13DD	3/4/2004	1														
HL-MW-13DD	HL-MW-13DD	6/30/2004	1														
HL-MW-13DD	HL-MW-13DD	10/26/2004	1														
HL-MW-13DD	HL-MW-13DD	7/27/2005	1														
HL-MW-13DD	HL-MW-13DD	10/24/2005	2														
HL-MW-13DD	HL-MW-13DD	1/23/2006	2														
HL-MW-13DD	HL-MW-1K	1/23/2006	Dup	2													
HL-MW-13DD	HL-MW-13DD	4/20/2006	1														
HL-MW-13DD	HL-MW-13DD	7/18/2006	1														

Table F-8 - Analytical Results for Conventionals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L																			
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon									
HL-MW-13DD	HL-MW-13DD	10/26/2006	1													0.36	J			0.28	J	
HL-MW-13DD	HL-MW-13DD	4/15/2007	1																			
HL-MW-13DD	HL-MW-13DD	10/23/2007	1																			
HL-MW-13DD	HL-MW-13DD	4/21/2008	1																			
HL-MW-13DD	HL-MW-13DD	10/19/2008	1																			
HL-MW-14S	HL-MW-14S	10/24/2003	5																			
HL-MW-14S	HL-MW-14S	3/4/2004	3																			
HL-MW-14S	HL-MW-14S	6/30/2004	1																			
HL-MW-14S	HL-MW-14S	10/26/2004	1																			
HL-MW-14S	HL-MW-14S	7/27/2005	1																			
HL-MW-14S	HL-MW-14S	10/24/2005	1																			
HL-MW-14S	HL-MW-14S	1/23/2006	2																			
HL-MW-14S	HL-MW-14S	4/21/2006	2																			
HL-MW-14S	HL-MW-14S	7/19/2006	7																			
HL-MW-14S	HL-MW-14S	10/26/2006	1																			
HL-MW-14S	HL-MW-14S	1/31/2007	1																			
HL-MW-14S	HL-MW-14S	4/15/2007	1																			
HL-MW-14S	HL-MW-14S	7/25/2007	1																			
HL-MW-14S	HL-MW-14S	10/23/2007	14																			
HL-MW-14S	HL-MW-14S	1/25/2008	5																			
HL-MW-14S	HL-MW-14S	4/21/2008	9																			
HL-MW-14S	HL-MW-14S	7/23/2008	4																			
HL-MW-14S	HL-MW-14S	10/24/2008	7																			
HL-MW-15DD	HL-MW-15DD	10/23/2003	5																			
HL-MW-15DD	HL-MW-15DD	3/4/2004	1																			
HL-MW-15DD	HL-MW-15DD	6/30/2004	18																			
HL-MW-15DD	HL-MW-15DD	10/26/2004	1																			
HL-MW-15DD	HL-MW-15DD	7/26/2005	1																			
HL-MW-15DD	HL-MW-15DD	10/26/2005	10																			
HL-MW-15DD	HL-MW-15DD	4/22/2006	24																			
HL-MW-15DD	HL-MW-15DD	10/26/2006	19																			
HL-MW-15DD	HL-MW-15DD	4/15/2007	1																			
HL-MW-15DD	HL-MW-15DD	10/25/2007	3																			
HL-MW-15DD	HL-MW-15DD	4/22/2008	8																			
HL-MW-15DD	HL-MW-15DD	10/20/2008	7																			
HL-MW-16S	HL-MW-16S	10/23/2003	5																			
HL-MW-16S	HL-MW-16S	3/5/2004	1																			
HL-MW-16S	HL-MW-16S	6/30/2004	2																			
HL-MW-16S	HL-MW-16S	10/26/2004	1																			
HL-MW-16S	HL-MW-16S	7/26/2005	6																			
HL-MW-16S	HL-MW-16S	10/24/2005	1																			
HL-MW-16S	HL-MW-16S	1/23/2006	2																			
HL-MW-16S	HL-MW-16S	4/22/2006	1																			
HL-MW-16S	HL-MW-16S	7/20/2006	1																			
HL-MW-16S	HL-MW-16S	10/26/2006	3																			
HL-MW-16S	HL-MW-16S	1/31/2007	1																			
HL-MW-16S	HL-MW-16S	4/16/2007	6																			
HL-MW-16S	HL-MW-16S	7/25/2007	1																			
HL-MW-16S	HL-MW-16S	10/25/2007	1																			
HL-MW-16S	HL-MW-16S	1/24/2008	1																			
HL-MW-16S	HL-MW-16S	4/22/2008	2																			
HL-MW-16S	HL-MW-16S	7/23/2008	4																			

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
HL-MW-16S	HL-MW-16S	10/21/2008	8														
HL-MW-17S	HL-MW-17S	10/23/2003	5 U														
HL-MW-17S	HL-MW-17S	3/5/2004	1 U														
HL-MW-17S	HL-MW-17S	6/30/2004	1 UJ														
HL-MW-17S	HL-MW-17S	10/26/2004	1 U														
HL-MW-17S	HL-MW-17S	5/17/2005	1 U														
HL-MW-17S	HL-MW-17S	6/16/2005	7														
HL-MW-17S	HL-MW-17S	7/26/2005	1 U														
HL-MW-17S	HL-MW-17S	10/24/2005	1														
HL-MW-17S	HL-MW-17S	1/24/2006	3														
HL-MW-17S	HL-MW-17S	4/22/2006	2														
HL-MW-17S	HL-MW-17S	7/19/2006	8														
HL-MW-17S	HL-MW-17S	10/26/2006	7									0.32 J				0.26 J	
HL-MW-17S	HL-MW-17S	1/31/2007	4														
HL-MW-17S	HL-MW-17S	4/16/2007	1														
HL-MW-17S	HL-MW-17S	7/24/2007	4														
HL-MW-17S	HL-MW-17S	10/25/2007	15														
HL-MW-17S	HL-MW-17S	1/25/2008	2														
HL-MW-17S	HL-MW-17S	4/21/2008	4														
HL-MW-17S	HL-MW-17S	7/23/2008	2 T														
HL-MW-17S	HL-MW-17S	10/21/2008	17														
HL-MW-18S	HL-MW-18S	3/24/2005	26														
HL-MW-18S	HL-MW-18S	7/27/2005	2														
HL-MW-18S	HL-MW-18S	10/24/2005	1														
HL-MW-18S	HL-MW-18S	1/27/2006	4														
HL-MW-18S	HL-MW-18S	4/22/2006	7														
HL-MW-18S	HL-MW-18S	7/19/2006	1 U														
HL-MW-18S	HL-MW-18S	10/26/2006	4									0.5				0.5 J	
HL-MW-18S	HL-MW-18S	1/31/2007	3														
HL-MW-18S	HL-MW-18S	4/16/2007	1														
HL-MW-18S	HL-MW-18S	7/24/2007	1 U														
HL-MW-18S	HL-MW-18S	10/25/2007	8														
HL-MW-18S	HL-MW-18S	1/24/2008	2														
HL-MW-18S	HL-MW-18S	4/21/2008	1														
HL-MW-18S	HL-MW-18S	7/23/2008	4 U														
HL-MW-18S	HL-MW-18S	10/21/2008	6														
HL-MW-19S	HL-MW-19S	3/24/2005	2490														
HL-MW-19S	HL-MW-19S	7/29/2005	8														
HL-MW-19S	HL-MW-19S	10/27/2005					1.5	0.1 U								2 U	
HL-MW-19S	HL-MW-19S	4/18/2006					2.8	0.2 U								0.05 U	
HL-MW-19S	HL-MW-19S	10/23/2006					1.5	0.1 U								0.05 U	
HL-MW-20S	HL-MW-20S	3/24/2005	121														
HL-MW-20S	HL-MW-20S	10/27/2005					0.1	0.1 U								2 U	
HL-MW-20S	HL-MW-20S	4/18/2006					0.9	0.2 U								0.05 U	
HL-MW-20S	HL-MW-20S	10/23/2006					0.046 J	0.1 U								0.041 J	
HL-MW-21S	HL-MW-21S	3/24/2005	1960														
HL-MW-21S	HL-MW-21S	10/28/2005					0.1	0.1 U								2 U	
HL-MW-21S	HL-MW-21S	4/18/2006					0.7	0.2 U								0.24	
HL-MW-21S	HL-MW-21S	10/23/2006					0.057 J	0.1 U								0.05 U	
HL-MW-22S	HL-MW-22S	3/24/2005	18														
HL-MW-22S	HL-MW-22S	10/28/2005					1.7	0.1 U								2 U	
HL-MW-22S	HL-MW-22S	4/18/2006					2.3	0.2 U								0.05 U	

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L												
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon		
HL-MW-22S	HL-MW-22S	10/23/2006				2	0.1 U							0.06	
HL-MW-23S	HL-MW-23S	4/21/2006	1 U												
HL-MW-23S	HL-MW-23S	7/20/2006	1												
HL-MW-23S	HL-MW-23S	10/26/2006	1 U									0.34 J		0.3 J	
HL-MW-23S	HL-MW-23S	2/1/2007	1 U												
HL-MW-23S	HL-MW-23S	4/17/2007	1 U												
HL-MW-23S	HL-MW-23S	7/24/2007	1 U												
HL-MW-23S	HL-MW-23S	10/24/2007	1 U												
HL-MW-23S	HL-MW-23S	1/25/2008	2												
HL-MW-23S	HL-MW-23S	4/22/2008	1 U												
HL-MW-23S	HL-MW-23S	7/24/2008	1												
HL-MW-23S	HL-MW-23S	10/24/2008	1												
HL-MW-24DD	HL-MW-24DD	4/21/2006	5												
HL-MW-24DD	HL-MW-24DD	7/19/2006	8												
HL-MW-24DD	HL-MW-24DD	10/26/2006	4									0.33 J		0.32 J	
HL-MW-24DD	HL-MW-24DD	1/31/2007	2												
HL-MW-24DD	HL-MW-24DD	4/15/2007	5												
HL-MW-24DD	HL-MW-24DD	10/23/2007	5												
HL-MW-24DD	HL-MW-24DD	4/21/2008	8												
HL-MW-24DD	HL-MW-24DD	10/24/2008	7												
HL-MW-25S	HL-MW-25S	4/21/2006	1 U												
HL-MW-25S	HL-MW-25S	7/19/2006	1												
HL-MW-25S	HL-MW-25S	10/26/2006	1												
HL-MW-25S	HL-MW-25S	2/1/2007	1 U												
HL-MW-25S	HL-MW-25S	4/16/2007	1 U												
HL-MW-25S	HL-MW-25S	7/25/2007	4												
HL-MW-25S	HL-MW-25S	10/25/2007	2												
HL-MW-25S	HL-MW-25S	1/25/2008	1												
HL-MW-25S	HL-MW-25S	4/21/2008	2												
HL-MW-25S	HL-MW-25S	7/23/2008	4 U												
HL-MW-25S	HL-MW-25S	10/19/2008	1 U												
HL-MW-26S	HL-MW-26S	4/21/2006	1 U												
HL-MW-26S	HL-MW-26S	7/19/2006	1 U												
HL-MW-26S	HL-MW-26S	10/26/2006	1 U									0.3 J		0.28 J	
HL-MW-26S	HL-MW-26S	1/31/2007	1												
HL-MW-26S	HL-MW-26S	4/16/2007	1 U												
HL-MW-26S	HL-MW-26S	7/24/2007	1 U												
HL-MW-26S	HL-MW-26S	10/24/2007	1 U												
HL-MW-26S	HL-MW-26S	1/24/2008	1 U												
HL-MW-26S	HL-MW-26S	4/21/2008	3												
HL-MW-26S	HL-MW-26S	7/23/2008	4 U												
HL-MW-26S	HL-MW-26S	10/22/2008	2												
HL-MW-27D	HL-MW-27D	4/22/2006	1 U												
HL-MW-27D	HL-MW-27D	7/19/2006	1 U												
HL-MW-27D	HL-MW-27D	10/27/2006	2 J												
HL-MW-27D	HL-MW-27D	1/31/2007	1 U												
HL-MW-27D	HL-MW-27D	4/16/2007	1 U												
HL-MW-27D	HL-MW-27D	10/24/2007	1 U												
HL-MW-27D	HL-MW-27D	4/21/2008	2												
HL-MW-27D	HL-MW-27D	10/21/2008	1												
HL-MW-28DD	HL-MW-28DD	10/26/2006	3									0.31 J		0.3 J	
HL-MW-28DD	HL-MW-28DD	1/31/2007	1												

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
HL-MW-28DD	HL-MW-28DD	4/15/2007	1 U														
HL-MW-28DD	HL-MW-28DD	7/24/2007	1 U														
HL-MW-28DD	HL-MW-28DD	10/23/2007	1 U														
HL-MW-28DD	HL-MW-28DD	1/24/2008	1 U														
HL-MW-28DD	HL-MW-28DD	4/21/2008	1 U														
HL-MW-28DD	HL-MW-28DD	10/19/2008	1 U														
HL-MW-29S	HL-MW-29S	7/24/2007	2														
HL-MW-29S	HL-MW-29S	10/24/2007	13														
HL-MW-29S	HL-MW-29S	1/24/2008	11														
HL-MW-29S	HL-MW-29S	4/22/2008	1														
HL-MW-29S	HL-MW-29S	7/23/2008	1 T														
HL-MW-29S	HL-MW-29S	10/22/2008	183														
HL-MW-30S	HL-MW-30S	7/24/2007	23														
HL-MW-30S	HL-MW-30S	10/24/2007	34														
HL-MW-30S	HL-MW-30S	1/25/2008	79														
HL-MW-30S	HL-MW-30S	4/23/2008	32														
HL-MW-30S	HL-MW-30S	7/24/2008	5														
HL-MW-30S	HL-MW-30S	10/19/2008	3														
MW-02	MW-2D	9/2/2003	1 U														
MW-02	MW-2D	10/25/2004	1 U														
MW-02	MW-2D	7/28/2005	1 U														
MW-02	MW-2D	4/21/2006	1 U														
MW-02	MW-2D	10/27/2006	1 UJ														
MW-02	MW-2S	10/25/2004	1 U														
MW-02	MW-2S	7/28/2005	1 U														
MW-02	MW-2S	4/21/2006	1 U														
MW-02	MW-2S	10/27/2006	1 UJ														
MW-02D	MW-02D	5/12/2003															
MW-02D	MW-2D	5/12/2003	1 U														
MW-02D	MW-2D	6/30/2004	1 U														
MW-02D	MW-2D	10/24/2005	1 U														
MW-02S	MW-02S	5/12/2003															
MW-02S	MW-2S	5/12/2003	1 U														
MW-02S	MW-2S	9/2/2003	1 U														
MW-02S	MW-2S	6/30/2004	1 U														
MW-02S	MW-2S	10/24/2005	1 U														
MW-04	MW-4	5/16/2003		3.6			1.6	0.1 U									
MW-04	MW-4	9/5/2003		4.2			1.4	0.1 U									
MW-04	MW-4	6/30/2004		4.6			1.4	0.1 U									
MW-04	MW-4	4/22/2006		54					3.01								
MW-04	MW-4	10/26/2006															
MW-04	MW-4	4/16/2007		4.6			1.5	0.1 U						0.24 J			0.29 J
MW-04	MW-4	4/24/2008		10			1.92	0.05 U									
MW-05	MW-5	5/12/2003															
MW-07	MW-7	5/12/2003															
MW-08	MW-8	5/12/2003															
MW-08	MW-8	5/13/2003	1 U														
MW-08	MW-8	9/2/2003	1 U														
MW-08	MW-8	6/29/2004	1 U														
MW-08	MW-8	10/25/2004	1 U														
MW-08	MW-8	7/29/2005	1 U														
MW-08	MW-8	10/26/2005	1 U														



Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
MW-08	MW-8	4/22/2006	1														
MW-08	MW-8	10/27/2006	1														
MW-08	MW-8	4/18/2007	2														
MW-08	MW-8	10/25/2007	1														
MW-08	MW-8	4/23/2008	1														
MW-08	MW-8	10/21/2008	1														
MW-09	MW-9	5/12/2003															
MW-09	MW-9	5/13/2003	1														
MW-09	MW-9	9/2/2003	1														
MW-09	MW-9	6/29/2004	1														
MW-09	MW-9	4/18/2007	2														
MW-09	MW-9	10/25/2007	1														
MW-09	MW-9	4/23/2008	4														
MW-09	MW-9	10/21/2008	1														
MW-10	MW-10	5/12/2003															
MW-12A	MW-12A	5/12/2003	1														
MW-12A	MW-12A	9/2/2003	1														
MW-12A	MW-12A	10/22/2003	1														
MW-12A	MW-12A	3/5/2004	1														
MW-12A	MW-12A	6/29/2004	1														
MW-12A	MW-12A	10/25/2004	1														
MW-12A	MW-12A	7/28/2005	1														
MW-12A	MW-12A	10/26/2005	1													2	U
MW-12A	MW-12A	4/21/2006	1														
MW-12A	MW-12A	10/27/2006	1														
MW-12A	MW-12A	2/1/2007	1														
MW-12A	MW-12A	4/17/2007	1														
MW-12A	MW-12A	7/25/2007	1														
MW-12A	MW-12A	10/23/2007	1														
MW-12A	MW-12A	1/25/2008	2														
MW-12A	MW-12A	4/24/2008	3														
MW-12A	MW-12A	7/23/2008	8														
MW-12A	MW-12A	10/21/2008	1														
MW-13	MW-13	5/12/2003															
MW-13	MW-13	5/13/2003	1														
MW-13	MW-13	9/2/2003	1														
MW-13	MW-13	6/29/2004	1														
MW-13	MW-13	4/18/2007	1														
MW-13	MW-13	10/25/2007	1														
MW-13	MW-13	4/22/2008	1														
MW-13	MW-13	10/21/2008	1														
MW-14	MW-14	5/12/2003	1														
MW-14	MW-14	9/2/2003	1														
MW-14	MW-14	6/29/2004	1														
MW-14	MW-14	10/25/2004	1														
MW-14	MW-14	7/29/2005	1														
MW-14	MW-14	10/24/2005	1														
MW-14	MW-14	4/22/2006	1														
MW-14	MW-14	10/27/2006	1														
MW-14	MW-14	4/17/2007	1														
MW-14	MW-14	10/24/2007	1														
MW-14	MW-14	4/23/2008	3														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventional in mg/L															
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon					
MW-14	MW-14	10/21/2008	1	U														
MW-15	MW-15	5/12/2003	1	U														
MW-15	MW-15	9/2/2003	1	U														
MW-15	MW-15	6/29/2004	1	U														
MW-15	MW-15	10/25/2004	1	U														
MW-15	MW-15	7/29/2005	1	U														
MW-15	MW-15	10/24/2005	1	U														
MW-15	MW-15	4/21/2006	1	U														
MW-15	MW-15	10/27/2006	1	UJ														
MW-15	MW-15	2/1/2007	1															
MW-15	MW-15	4/17/2007	1	U														
MW-15	MW-15	7/25/2007	1	U														
MW-15	MW-15	10/24/2007	1	U														
MW-15	MW-15	1/25/2008	1	U														
MW-15	MW-15	4/23/2008	1	U														
MW-15	MW-15	7/23/2008	1	U														
MW-15	MW-15	10/21/2008	1	U														
MW-16	MW-16	5/12/2003																
MW-16	MW-16	5/13/2003	1	U														
MW-16	MW-16	9/2/2003	1	U														
MW-16	MW-16	6/29/2004	1	U														
MW-16	MW-16	10/25/2004	1	U														
MW-16	MW-16	7/29/2005	1	U														
MW-16	MW-16	10/26/2005	1															
MW-16	MW-16	4/22/2006	1	U														
MW-16	MW-16	10/27/2006	3	J														
MW-16	MW-16	4/17/2007	9															
MW-16	MW-16	10/26/2007	53															
MW-16	MW-16	4/22/2008	1															
MW-16	MW-16	10/22/2008	2															
MW-17S	MW-17S	5/12/2003																
MW-17S	MW-17S	5/13/2003	2															
MW-17S	MW-17S	9/2/2003	1	U														
MW-17S	MW-17S	10/22/2003	1	U														
MW-17S	MW-17S	3/4/2004	1	U														
MW-17S	MW-17S	6/29/2004	1	U														
MW-17S	MW-17S	10/25/2004	1	U														
MW-17S	MW-17S	7/28/2005	1	U														
MW-17S	MW-17S	10/26/2005	9															
MW-17S	MW-17S	1/25/2006	8															
MW-17S	MW-17S	4/21/2006	4															
MW-17S	MW-17S	7/18/2006	5															
MW-17S	MW-17S	10/27/2006	5	J														
MW-17S	MW-17S	2/1/2007	39															
MW-17S	MW-17S	4/17/2007	30															
MW-17S	MW-17S	7/24/2007	3															
MW-17S	MW-17S	10/23/2007	4															
MW-17S	MW-17S	1/25/2008	1	U														
MW-17S	MW-17S	4/22/2008	13															
MW-17S	MW-17S	7/24/2008	7															
MW-17S	MW-17S	10/21/2008	3															
MW-18D	MW-18D	5/12/2003																

Table F-8 - Analytical Results for Conventionals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
MW-18D	MW-18D	5/13/2003	4														
MW-18D	MW-18D	9/2/2003	1 U														
MW-18D	MW-18D	10/22/2003	1 U														
MW-18D	MW-18D	3/4/2004	1 U														
MW-18D	MW-18D	6/29/2004	1 U														
MW-18D	MW-18D	10/25/2004	1 U														
MW-18D	MW-18D	7/29/2005	1 U														
MW-18D	MW-18D	10/26/2005	1 U														
MW-18D	MW-18D	4/21/2006	1 U														
MW-18D	MW-18D	10/27/2006	1 UJ														
MW-18D	MW-18D	4/17/2007	1 U														
MW-18D	MW-18D	10/26/2007	1														
MW-18D	MW-18D	4/22/2008	1 U														
MW-18D	MW-18D	10/21/2008	1														
MW-19S	MW-19S	5/12/2003															
MW-19S	MW-19S	5/13/2003	1 U														
MW-19S	MW-19S	9/2/2003	1 U														
MW-19S	MW-19S	6/29/2004	1 U														
MW-19S	MW-19S	10/26/2004	1 U														
MW-19S	MW-19S	7/29/2005	1 U														
MW-19S	MW-19S	10/26/2005	4														
MW-19S	MW-19S	1/25/2006	1														
MW-19S	MW-19S	4/21/2006	1 U														
MW-19S	MW-19S	7/18/2006	36														
MW-19S	MW-19S	10/27/2006	1 UJ														
MW-19S	MW-19S	4/17/2007	1 U														
MW-19S	MW-19S	10/24/2007	1 U														
MW-19S	MW-19S	4/23/2008	3														
MW-19S	MW-19S	10/21/2008	2														
MW-20D	MW-20D	5/12/2003															
MW-20D	MW-20D	5/13/2003	1														
MW-20D	MW-20D	9/2/2003	6														
MW-20D	MW-20D	6/29/2004	1 U														
MW-20D	MW-20D	4/17/2007	1														
MW-20D	MW-20D	10/24/2007	1														
MW-20D	MW-20D	4/23/2008	4														
MW-20D	MW-20D	10/21/2008	2														
MW-21S	MW-21S	5/12/2003	1														
MW-21S	MW-21S	9/2/2003	1 U														
MW-21S	MW-21S	6/29/2004	1 U														
MW-21S	MW-21S	10/25/2004	1 U														
MW-21S	MW-21S	7/29/2005	1 U														
MW-21S	MW-21S	10/24/2005	1 U														
MW-21S	MW-21S	1/24/2006	4														
MW-21S	MW-21S	4/21/2006	10														
MW-21S	MW-21S	7/18/2006	2														
MW-21S	MW-21S	10/27/2006	1 J														
MW-21S	MW-21S	2/1/2007	3														
MW-21S	MW-21S	4/17/2007	2														
MW-21S	MW-21S	7/25/2007	1														
MW-21S	MW-21S	10/24/2007	3														
MW-21S	MW-21S	1/25/2008	1 U														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
MW-21S	MW-21S	4/23/2008	3														
MW-21S	MW-21S	7/23/2008	2														
MW-21S	MW-21S	10/23/2008	1														
MW-22D	MW-22D	5/12/2003	3														
MW-22D	MW-22D	9/2/2003	1 U														
MW-22D	MW-22D	6/29/2004	1 U														
MW-22D	MW-22D	10/27/2006	1 UJ														
MW-22D	MW-22D	4/17/2007	1														
MW-22D	MW-22D	10/24/2007	1 U														
MW-22D	MW-22D	4/23/2008	1 U														
MW-22D	MW-22D	10/23/2008	1														
MW-23S	MW-23S	5/12/2003	1														
MW-23S	MW-23S	9/2/2003	2														
MW-23S	MW-23S	10/22/2003	2														
MW-23S	MW-23S	3/5/2004	1 U														
MW-23S	MW-23S	6/29/2004	1 U														
MW-23S	MW-23S	10/25/2004	2														
MW-23S	MW-23S	7/28/2005	2														
MW-23S	MW-23S	10/24/2005	1 U														
MW-23S	MW-23S	4/21/2006	3														
MW-23S	MW-23S	10/27/2006	1 J														
MW-23S	MW-23S	2/1/2007	3														
MW-23S	MW-23S	4/17/2007	4														
MW-23S	MW-23S	7/25/2007	45														
MW-23S	MW-23S	10/24/2007	7														
MW-23S	MW-23S	1/25/2008	2														
MW-23S	MW-23S	4/24/2008	15														
MW-23S	MW-23S	7/23/2008	10														
MW-23S	MW-23S	10/21/2008	48														
MW-24D	MW-24D	5/12/2003	1														
MW-24D	MW-24D	9/2/2003	2														
MW-24D	MW-24D	10/22/2003	1 U														
MW-24D	MW-24D	3/5/2004	1 U														
MW-24D	MW-24D	6/29/2004	1														
MW-24D	MW-24D	10/25/2004	1 U														
MW-24D	MW-24D	7/28/2005	1 U														
MW-24D	MW-24D	10/24/2005	2														
MW-24D	MW-24D	4/21/2006	54														
MW-24D	MW-24D	10/27/2006	6 J														
MW-24D	MW-24D	2/1/2007	1														
MW-24D	MW-24D	4/17/2007	46														
MW-24D	MW-24D	7/25/2007	9														
MW-24D	MW-24D	10/24/2007	3														
MW-24D	MW-24D	1/25/2008	1														
MW-24D	MW-24D	4/24/2008	42														
MW-24D	MW-24D	7/23/2008	5														
MW-24D	MW-24D	10/21/2008	3														
MW-25S	MW-25S	5/12/2003	2														
MW-25S	MW-25S	9/2/2003	8														
MW-25S	MW-25S	10/22/2003	5														
MW-25S	MW-25S	6/29/2004	5														
MW-25S	MW-25S	10/26/2004	2														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
MW-25S	MW-25S	7/28/2005	4														
MW-25S	MW-25S	10/26/2005	6														
MW-25S	MW-25S	1/24/2006	2 U														
MW-25S	MW-25S	4/21/2006	2														
MW-25S	MW-25S	7/18/2006	16														
MW-25S	MW-25S	10/27/2006	14														
MW-25S	MW-25S	2/1/2007	9														
MW-25S	MW-25S	4/17/2007	9														
MW-25S	MW-25S	7/24/2007	9														
MW-25S	MW-25S	10/25/2007	1 U														
MW-25S	MW-25S	1/25/2008	20														
MW-25S	MW-25S	4/22/2008	5														
MW-25S	MW-25S	7/24/2008	51														
MW-25S	MW-25S	10/22/2008	20														
MW-26D	MW-26D	5/12/2003	65														
MW-26D	MW-26D	9/2/2003	10														
MW-26D	MW-26D	10/22/2003	7														
MW-26D	MW-26D	6/29/2004	57														
MW-26D	MW-26D	10/26/2005	12														
MW-26D	MW-26D	4/21/2006	23														
MW-26D	MW-26D	10/27/2006	8 J														
MW-26D	MW-26D	4/17/2007	13														
MW-26D	MW-26D	10/25/2007	35														
MW-26D	MW-26D	4/22/2008	32														
MW-26D	MW-26D	10/22/2008	12														
N Supply	N. SUPPLY WELL	5/16/2003		2.8			1.6	0.1 U									
N Supply	N. Supply Well	9/5/2003		2.6			1.6	0.1 U									
N Supply	N. Supply Well	6/30/2004		4.1			1.6	0.1 U									
N Supply	N. SUPPLY WELL	7/29/2005		2.4			1.4	0.1 U									
N Supply	North Supply Well	4/23/2006		9				2									
N Supply	North Supply Well	4/16/2007		101			8.9	0.1 U									
N Supply	North Supply Well	4/24/2008		6.2			1.81	0.05 U									
OH-EW-01	OH-EW-1	5/16/2003	5 U														
OH-EW-01	OH-EW-1	9/5/2003	1 U														
OH-EW-01	OH-EW-1	7/1/2004	1 U														
OH-EW-01	OH-EW-1	10/29/2004	1 U														
OH-EW-01	OH-EW-1	7/29/2005	1 U														
OH-EW-01	OH-EW-1	10/29/2005	1 U														
OH-EW-01	OH-EW-1	4/22/2006	1 U	27.5	220		3.6 J	0.2 UJ		12.4	280						
OH-EW-01	OH-EW-1	7/20/2006		26.9	188		3.5	0.2 U		14.8	244						
OH-EW-01	OH-EW-1	10/25/2006	1 U	8.5	172		2.2	0.1 U		12.6	206						
OH-EW-01	OH-EW-1	2/1/2007		18.1	186		2.6	0.1 U		12.9	254						
OH-EW-01	OH-EW-1	4/16/2007	1 U	34.3	206		4	0.1 U		14.3	233						
OH-EW-01	OH-EW-1	7/25/2007		20	173		2.7	0.1 U		13	250						
OH-EW-01	OH-EW-1	10/22/2007	1 U	7.1	153		2.1	0.1 U		12.4	183						
OH-EW-01	OH-EW-1	1/24/2008		7.1	174		157	0.1 U		15.9	222						
OH-EW-01	OH-EW-1	4/24/2008	1 U	14.6	192		2.69	0.05 U		12.1	199						
OH-EW-01	OH-EW-1	7/24/2008		57.5	209		5	0.1 U		16.7	402						
OH-EW-01	OH-EW-1	10/22/2008	1 U	16.7	170		2.8	0.1 U		13.4	191						
OH-MW-03	OH-MW-3	10/27/2005					0.1 U	0.1 U							2 U		
OH-MW-03	OH-MW-3	4/20/2006	12				0.2 U	0.2 U							0.07		
OH-MW-03	OH-MW-3	10/25/2006					0.1 U	0.1 U							0.08		

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L											Dissolved Organic Carbon			
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide					
OH-MW-10	OH-MW-10	5/12/2003															
OH-MW-13	OH-MW-13	10/28/2005				1.1	0.1 U									2 U	
OH-MW-13	OH-MW-13	4/20/2006	5 U			1.2	0.2 U									0.05 U	
OH-MW-13	OH-MW-13	10/25/2006				1.3	0.1 U									0.05 U	
OH-MW-18	OH-MW-18	5/12/2003															
OH-MW-18	OH-MW-18	10/28/2005				0.8	0.1 U									2 U	
OH-MW-18	OH-MW-18	4/20/2006	5 U			1.9	0.2 U									0.05 U	
OH-MW-18	OH-MW-18	10/25/2006				0.7	0.1 U									0.05 U	
OH-MW-26	OH-MW-26	5/12/2003	56														
OH-MW-26	OH-MW-26	9/4/2003	5 U														
OH-MW-26	OH-MW-26	6/30/2004	71														
OH-MW-26	OH-MW-26	10/28/2004	5														
OH-MW-26	OH-MW-26	7/28/2005	233														
OH-MW-26	OH-MW-26	10/27/2005	1 U														
OH-MW-26	OH-MW-26	4/23/2006	78														
OH-MW-26	OH-MW-26	10/25/2006	4														
OH-MW-26	OH-MW-26	4/19/2007	7														
OH-MW-26	OH-MW-26	10/26/2007	52														
OH-MW-26	OH-MW-26	4/22/2008	89														
OH-MW-26	OH-MW-26	10/23/2008	54														
OH-MW-27	OH-MW-27	5/12/2003															
OH-MW-27	OH-MW-27	10/29/2005				1.2	0.1 U									2 U	
OH-MW-27	OH-MW-27	4/20/2006	7			0.9	0.2 U									0.05 U	
OH-MW-27	OH-MW-27	10/25/2006				1.7	0.1 U									0.05 U	
River	River	7/20/2006		1	68	0.4	0.2 U			7.6	98						
River	River	10/25/2006		0.9	60	0.2	0.1 U			5.8	208						
River	River	2/1/2007		1.1	40	0.2	0.1 U			5.3	64						
River	River	4/16/2007		1.2	28	0.1 U	0.1 U			4.1	19						
River	River	7/25/2007		1.3	91	0.5	0.1 U			8.9	101						
River	River	10/22/2007		1	54	0.5	0.1 U			5.8	62						
River	River	1/24/2008		1.7	50	142	0.1 U			12	108						
River	River	4/24/2008		1.3	33	0.09	0.05 U			4.7	31						
River	River	7/24/2008		1	46	0.2	0.1 U			5.1	84						
River	River	10/22/2008		1.2	56	0.3	0.1 U			6.1	50						
River	River Sample	4/22/2006		0.9	28	0.2 UJ	0.2 UJ			4.3	47						
RM-MW-01S	RM-MW-1S	10/23/2003	95														
RM-MW-01S	RM-MW-1S	3/4/2004	111														
RM-MW-01S	RM-MW-1S	6/30/2004	2														
RM-MW-01S	RM-MW-1S	10/27/2004	1 U														
RM-MW-01S	RM-MW-1S	7/25/2005	9														
RM-MW-01S	RM-MW-1S	10/27/2005	13														
RM-MW-01S	RM-MW-1S	1/25/2006	28														
RM-MW-01S	RM-MW-1S	4/18/2006	22														
RM-MW-01S	RM-MW-1S	7/18/2006	90														
RM-MW-01S	RM-MW-1S	10/24/2006	11														
RM-MW-01S	RM-MW-1S	2/1/2007	26												0.37 J		0.41 J
RM-MW-01S	RM-MW-1S	4/18/2007	18														
RM-MW-01S	RM-MW-1S	7/24/2007	26														
RM-MW-01S	RM-MW-1S	10/22/2007	1 U														
RM-MW-01S	RM-MW-1S	1/24/2008	2														
RM-MW-01S	RM-MW-1S	4/20/2008	34														
RM-MW-01S	RM-MW-1S	7/24/2008	20														

Table F-8 - Analytical Results for Conventionals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L													
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon			
RM-MW-01S	RM-MW-1S	10/22/2008	47													
RM-MW-02D	RM-MW-2D	10/23/2003	86													
RM-MW-02D	RM-MW-2D	3/4/2004	5													
RM-MW-02D	RM-MW-2D	6/30/2004	3													
RM-MW-02D	RM-MW-2D	10/27/2004	1 U													
RM-MW-02D	RM-MW-2D	7/25/2005	2													
RM-MW-02D	RM-MW-2D	10/28/2005	4													
RM-MW-02D	RM-MW-2D	4/18/2006	41													
RM-MW-02D	RM-MW-2D	10/24/2006	24													
RM-MW-02D	RM-MW-2D	4/18/2007	5										0.4 J			0.42 J
RM-MW-02D	RM-MW-2D	10/22/2007	2													
RM-MW-02D	RM-MW-2D	4/20/2008	23													
RM-MW-02D	RM-MW-2D	10/22/2008	21													
RM-MW-03S	RM-MW-3S	10/23/2003	5 U													
RM-MW-03S	RM-MW-6	10/24/2003	Dup 5 U													
RM-MW-03S	RM-MW-3S	3/4/2004	1 U													
RM-MW-03S	RM-MW-3S	6/30/2004	1 U													
RM-MW-03S	RM-MW-3S	10/27/2004	1 U													
RM-MW-03S	RM-MW-3S	5/19/2005	2													
RM-MW-03S	RM-MW-3S	7/25/2005	1 U													
RM-MW-03S	RM-MW-3S	10/26/2005	8													
RM-MW-03S	RM-MW-3S	1/25/2006	4													
RM-MW-03S	RM-MW-3S	4/18/2006	3													
RM-MW-03S	RM-MW-3S	7/18/2006	1 U													
RM-MW-03S	RM-MW-3S	10/24/2006	1 U													
RM-MW-03S	RM-MW-3S	2/1/2007	4													
RM-MW-03S	RM-MW-3S	4/19/2007	6													
RM-MW-03S	RM-MW-3S	7/24/2007	1													
RM-MW-03S	RM-MW-3S	10/24/2007	1 U													
RM-MW-03S	RM-MW-3S	1/24/2008	3													
RM-MW-03S	RM-MW-3S	4/20/2008	5													
RM-MW-03S	RM-MW-3S	7/23/2008	16													
RM-MW-03S	RM-MW-3S	10/23/2008	2													
RM-MW-04D	RM-MW-4D	10/23/2003	5 U													
RM-MW-04D	RM-MW-4D	3/4/2004	1													
RM-MW-04D	RM-MW-4D	6/30/2004	1 U													
RM-MW-04D	RM-MW-4D	10/27/2004	1 U													
RM-MW-04D	RM-MW-4D	7/25/2005	1 U													
RM-MW-04D	RM-MW-4D	10/26/2005	1 U													
RM-MW-04D	RM-MW-4D	4/18/2006	1 U													
RM-MW-04D	RM-MW-4D	10/24/2006	1 U													
RM-MW-04D	RM-MW-4D	4/19/2007	1 U										0.39 J			0.44 J
RM-MW-04D	RM-MW-4D	10/24/2007	1 U													
RM-MW-04D	RM-MW-4D	4/20/2008	1 U													
RM-MW-04D	RM-MW-4D	10/23/2008	1 U													
RM-MW-05S	RM-MW-5S	10/24/2003	5 U													
RM-MW-05S	RM-MW-5S	3/4/2004	1 U													
RM-MW-05S	RM-MW-5S	6/30/2004	1 U													
RM-MW-05S	RM-MW-5S	10/27/2004	1 U													
RM-MW-05S	RM-MW-5S	7/26/2005	1 U													
RM-MW-05S	RM-MW-5S	10/24/2005	2													
RM-MW-05S	RM-MW-5S	4/19/2006	1 U													

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
RM-MW-05S	RM-MW-5S	10/24/2006	9														
RM-MW-05S	RM-MW-5S	4/18/2007	9														
RM-MW-05S	RM-MW-5S	10/22/2007	2														
RM-MW-05S	RM-MW-5S	4/20/2008	2														
RM-MW-05S	RM-MW-5S	10/22/2008	11														
RM-MW-08S	RM-MW-8S	3/24/2005	4														
RM-MW-08S	RM-MW-8S	5/17/2005	1 U														
RM-MW-08S	RM-MW-8S	6/16/2005	4														
RM-MW-08S	RM-MW-8S	7/25/2005	1 U														
RM-MW-08S	RM-MW-8S	10/24/2005	2														
RM-MW-08S	RM-MW-8S	1/24/2006	2														
RM-MW-08S	RM-MW-8S	4/17/2006	1 U														
RM-MW-08S	RM-MW-8S	7/17/2006	1 U														
RM-MW-08S	RM-MW-8S	10/23/2006	1 U										0.5 J			0.5 J	
RM-MW-08S	RM-MW-8S	2/1/2007	2														
RM-MW-08S	RM-MW-8S	4/19/2007	2														
RM-MW-08S	RM-MW-8S	7/24/2007	1 U														
RM-MW-08S	RM-MW-8S	10/21/2007	2														
RM-MW-08S	RM-MW-8S	1/24/2008	1 U														
RM-MW-08S	RM-MW-8S	4/20/2008	3														
RM-MW-08S	RM-MW-8S	7/22/2008	1 U														
RM-MW-08S	RM-MW-8S	10/18/2008	1 U														
RM-MW-09S	RM-MW-9S	3/24/2005	17														
RM-MW-09S	RM-MW-9S	5/19/2005	1 U														
RM-MW-09S	RM-MW-9S	7/26/2005	3														
RM-MW-09S	RM-MW-9S	10/24/2005	1 U														
RM-MW-09S	RM-MW-9S	1/24/2006	4														
RM-MW-09S	RM-MW-9S	4/19/2006	9														
RM-MW-09S	RM-MW-9S	7/18/2006	1														
RM-MW-09S	RM-MW-9S	10/25/2006	6										0.35 J			0.38 J	
RM-MW-09S	RM-MW-9S	2/1/2007	6														
RM-MW-09S	RM-MW-9S	4/19/2007	1														
RM-MW-09S	RM-MW-9S	7/25/2007	32														
RM-MW-09S	RM-MW-9S	10/22/2007	12														
RM-MW-09S	RM-MW-9S	1/24/2008	3														
RM-MW-09S	RM-MW-9S	4/20/2008	12														
RM-MW-09S	RM-MW-9S	7/23/2008	2														
RM-MW-09S	RM-MW-9S	10/22/2008	9														
RM-MW-10S	RM-MW-10S	9/28/2004	21														
RM-MW-10S	RM-MW-10S	10/27/2004	1 U														
RM-MW-10S	RM-MW-10S	5/19/2005	1 U														
RM-MW-10S	RM-MW-10S	6/16/2005	225														
RM-MW-10S	RM-MW-10S	7/26/2005	1														
RM-MW-10S	RM-MW-10S	10/24/2005	2														
RM-MW-10S	RM-MW-10S	1/25/2006	15														
RM-MW-10S	RM-MW-10S	4/19/2006	2														
RM-MW-10S	RM-MW-10S	7/18/2006	12														
RM-MW-10S	RM-MW-10S	10/24/2006	8														
RM-MW-10S	RM-MW-10S	2/1/2007	13														
RM-MW-10S	RM-MW-10S	4/19/2007	12														
RM-MW-10S	RM-MW-10S	7/25/2007	19														
RM-MW-10S	RM-MW-10S	10/24/2007	15														



Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
RM-MW-10S	RM-MW-10S	1/24/2008	1	U													
RM-MW-10S	RM-MW-10S	4/20/2008	4														
RM-MW-10S	RM-MW-10S	7/23/2008	17														
RM-MW-10S	RM-MW-10S	10/23/2008	4														
RM-MW-12S	RM-MW-12S	5/17/2005	29														
RM-MW-12S	RM-MW-12S	6/16/2005	1	U													
RM-MW-12S	RM-MW-12S	7/25/2005	1	U													
RM-MW-12S	RM-MW-12S	10/24/2005	1	U													
RM-MW-12S	RM-MW-12S	1/24/2006	2	U													
RM-MW-12S	RM-MW-12S	4/19/2006	1	U													
RM-MW-12S	RM-MW-12S	7/18/2006	1	U													
RM-MW-12S	RM-MW-12S	10/24/2006	1	U													
RM-MW-12S	RM-MW-12S	2/1/2007	1	U													
RM-MW-12S	RM-MW-12S	4/19/2007	1	U													
RM-MW-12S	RM-MW-12S	7/24/2007	1														
RM-MW-12S	RM-MW-12S	10/21/2007	1	U													
RM-MW-12S	RM-MW-12S	1/24/2008	1	U													
RM-MW-12S	RM-MW-12S	4/20/2008	2														
RM-MW-12S	RM-MW-12S	7/22/2008	1	U													
RM-MW-12S	RM-MW-12S	10/18/2008	1	U													
RM-MW-13S	RM-MW-13S	5/16/2005	1	U													
RM-MW-13S	RM-MW-13S Dup	5/16/2005	Dup	1	U												
RM-MW-13S	RM-MW-13S	6/16/2005	1	U													
RM-MW-13S	RM-MW-13S	7/25/2005	1	U													
RM-MW-13S	RM-MW-13S	10/24/2005	7														
RM-MW-13S	RM-MW-13S	1/25/2006	1	U													
RM-MW-13S	RM-MW-13S	4/18/2006	3														
RM-MW-13S	RM-MW-13S	7/18/2006	1	U													
RM-MW-13S	RM-MW-13S	10/25/2006	1	U									0.38	J		0.32	J
RM-MW-13S	RM-MW-13S	2/1/2007	2														
RM-MW-13S	RM-MW-13S	4/19/2007	1	U													
RM-MW-13S	RM-MW-13S	7/24/2007	2														
RM-MW-13S	RM-MW-13S	10/22/2007	1	U													
RM-MW-13S	RM-MW-13S	1/24/2008	1	U													
RM-MW-13S	RM-MW-13S	4/20/2008	1	U													
RM-MW-13S	RM-MW-13S	7/23/2008	1	U													
RM-MW-13S	RM-MW-13S	10/23/2008	1														
RM-MW-14S	RM-MW-14S	10/25/2006	2										1.3			1.2	
RM-MW-14S	RM-MW-14S	2/1/2007	2														
RM-MW-14S	RM-MW-14S	4/19/2007	1	U													
RM-MW-14S	RM-MW-14S	7/25/2007	2														
RM-MW-14S	RM-MW-14S	10/22/2007	1	U													
RM-MW-14S	RM-MW-14S	1/24/2008	1														
RM-MW-14S	RM-MW-14S	4/20/2008	7														
RM-MW-14S	RM-MW-14S	7/24/2008	2	T													
RM-MW-14S	RM-MW-14S	10/22/2008	1	U													
RM-MW-15S	RM-MW-15S	10/24/2006	2										0.36	J		0.42	J
RM-MW-15S	RM-MW-15S	2/1/2007	6														
RM-MW-15S	RM-MW-15S	4/19/2007	2														
RM-MW-15S	RM-MW-15S	7/25/2007	29														
RM-MW-15S	RM-MW-15S	10/22/2007	7														
RM-MW-15S	RM-MW-15S	1/24/2008	9														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventional in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
RM-MW-15S	RM-MW-15S	4/20/2008	67														
RM-MW-15S	RM-MW-15S	7/24/2008	4 U														
RM-MW-15S	RM-MW-15S	10/22/2008	1														
RM-MW-16S	RM-MW-16S	10/24/2006	22										0.4 J			0.46 J	
RM-MW-16S	RM-MW-16S	2/1/2007	12														
RM-MW-16S	RM-MW-16S	4/19/2007	5														
RM-MW-16S	RM-MW-16S	7/24/2007	21														
RM-MW-16S	RM-MW-16S	10/22/2007	4														
RM-MW-16S	RM-MW-16S	1/24/2008	10														
RM-MW-16S	RM-MW-16S	4/20/2008	3														
RM-MW-16S	RM-MW-16S	7/24/2008	4														
RM-MW-16S	RM-MW-16S	10/22/2008	11														
RM-MW-17S	RM-MW-17S	10/24/2006	45										0.49 J			0.4 J	
RM-MW-17S	RM-MW-17S	2/1/2007	5														
RM-MW-17S	RM-MW-17S	4/19/2007	12														
RM-MW-17S	RM-MW-17S	7/24/2007	10														
RM-MW-17S	RM-MW-17S	10/22/2007	2														
RM-MW-17S	RM-MW-17S	1/24/2008	1														
RM-MW-17S	RM-MW-17S	4/20/2008	5														
RM-MW-17S	RM-MW-17S	7/24/2008	3 T														
RM-MW-17S	RM-MW-17S	10/22/2008	1 U														
RMSW-MW11S	RMSW-MW-11S	5/17/2005	1 U														
RMSW-MW11S	RMSW-MW-11S	6/16/2005	4														
RMSW-MW11S	RMSW-MW-11S	7/25/2005	1														
RMSW-MW11S	RMSW-MW-11S	10/24/2005	1 U														
RMSW-MW11S	RMSW-MW-11S	1/24/2006	3														
RMSW-MW11S	RMSW-MW-11S	4/17/2006	1 U														
RMSW-MW11S	RMSW-MW-11S	7/20/2006	1														
RMSW-MW11S	RMSW-MW-11S	10/23/2006	1 U										0.43 J			0.45 J	
TL-MW-01A	TL-MW-1A	5/15/2003	523														
TL-MW-01A	TL-MW-1A	9/3/2003	8400														
TL-MW-01A	TL-MW-1A	8/10/2004	2570														
TL-MW-01A	TL-MW-1A	7/27/2005	932														
TL-MW-01A	TL-MW-1A	4/23/2006	75														
TL-MW-01A	TL-MW-1A	4/18/2007	64														
TL-MW-01A	TL-MW-1A	4/23/2008	240														
TS-MW-01S	TS-MW-1S	6/16/2005	66														
TS-MW-01S	TS-MW-1S	7/28/2005	13														
TS-MW-01S	TS-MW-1S	10/28/2005	5														
TS-MW-01S	TS-MW-1S	1/26/2006	2														
TS-MW-01S	TS-MW-1S	4/23/2006	2														
TS-MW-01S	TS-MW-1S	7/20/2006	3														
TS-MW-01S	TS-MW-1S	10/26/2006	1														
TS-MW-02S	TS-MW-2S	6/16/2005	4														
TS-MW-02S	TS-MW-2S	7/28/2005	13														
TS-MW-02S	TS-MW-2S	10/29/2005	1 U														
TS-MW-02S	TS-MW-2S	1/26/2006	2														
TS-MW-02S	TS-MW-2S	4/23/2006	2														
TS-MW-02S	TS-MW-2S	7/20/2006	2														
TS-MW-02S	TS-MW-2S	10/27/2006	1 UJ														
WW-EW-01	WW-EW-1	5/16/2003	5 U														
WW-EW-01	WW-EW-1	9/5/2003	1 U														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
WW-EW-01	WW-EW-1	7/1/2004	1 U														
WW-EW-01	WW-EW-1	10/29/2004	1 U														
WW-EW-01	WW-EW-1	7/29/2005	1 U														
WW-EW-01	WW-EW-1	10/28/2005	1 U														
WW-EW-01	WW-EW-1	4/20/2006	1 U	3.3	176	1.4	0.2 U			11.8							
WW-EW-01	WW-EW-1	7/20/2006		6	168	1.4	0.2 U			11.9	170						
WW-EW-01	WW-EW-1	10/25/2006	1 U	3.1	174	1.3	0.1 U			12.2	202						
WW-EW-01	WW-EW-1	2/1/2007		2.9	172	1.2	0.1 U			11.2	177						
WW-EW-01	WW-EW-1	10/22/2007	1 U	2.6	162	1.2	0.1 U			12.4	188						
WW-EW-01	WW-EW-1	1/24/2008		2.8	166	1.56	0.1 U			18.6	207						
WW-EW-01	WW-EW-1	4/24/2008	1 U	2.7	172	1.45	0.05 U			12	190						
WW-EW-01	WW-EW-1	7/24/2008		9	167	1.5	0.1 U			12.3	202						
WW-EW-01	WW-EW-1	10/22/2008	1 U	4.5	164	1.4	0.1 U			12.8	172						
WW-EW-02	WW-EW-2	5/16/2003	5 U														
WW-EW-02	WW-EW-2	9/5/2003	1 U														
WW-EW-02	WW-EW-2	7/1/2004	1 U														
WW-EW-02	WW-EW-2	10/29/2004	1 U														
WW-EW-02	WW-EW-2	7/29/2005	8														
WW-EW-02	WW-EW-2	10/28/2005	1 U														
WW-EW-02	WW-EW-2	4/23/2006	1 U														
WW-EW-02	WW-EW-2	10/25/2006	1 U														
WW-EW-02	WW-EW-2	4/17/2007	1 U														
WW-EW-02	WW-EW-2	10/22/2007	1 U														
WW-EW-02	WW-EW-2	4/24/2008	1 U														
WW-EW-02	WW-EW-2	10/22/2008	1 U														
WW-EW-03	WW-EW-3	4/25/2008	1														
WW-MW-03	WW-MW-3	10/28/2005				0.5	0.1 U								2 U		
WW-MW-03	WW-MW-3	4/20/2006				1	0.2 U								0.05 U		
WW-MW-03	WW-MW-3	10/26/2006				0.64	0.05								0.25		
WW-MW-08	WW-MW-8	5/12/2003															
WW-MW-11	WW-MW-11	5/12/2003															
WW-MW-12	WW-MW-12	5/12/2003															
WW-MW-12	WW-MW-12	10/27/2005	169			1.2	0.1 U								2 U		
WW-MW-12	WW-MW-12	4/20/2006	1 U			1.7	0.2 U								0.05 U		
WW-MW-12	WW-MW-12	10/26/2006	98			1.54	0.01 U								0.05 U		
WW-MW-12	WW-MW-12	4/18/2007	1 U														
WW-MW-12	WW-MW-12	10/23/2007	544														
WW-MW-12	WW-MW-12	4/23/2008	18														
WW-MW-12	WW-MW-12	10/22/2008	37														
WW-MW-15	WW-MW-15	5/12/2003															
WW-MW-16	WW-MW-16	5/12/2003															
WW-MW-17	WW-MW-17	5/12/2003															
WW-MW-17	WW-MW-17	5/15/2003	13														
WW-MW-17	WW-MW-25	5/15/2003	Dup	13													
WW-MW-17	WW-MW-17	7/17/2003	13														
WW-MW-17	WW-MW-17	9/4/2003	5 U														
WW-MW-17	WW-MW-25	9/4/2003	Dup	5 U													
WW-MW-17	WW-MW-17	6/30/2004	5 U														
WW-MW-17	WW-MW-25	6/30/2004	Dup	5 U													
WW-MW-17	WW-MW-17	10/29/2004	1 U														
WW-MW-17	WW-MW-25	10/29/2004	Dup	1 U													
WW-MW-17	WW-MW-17	7/29/2005	1 U														

**Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
WW-MW-17	WW-MW-17	10/29/2005	1														
WW-MW-17	WW-MW-17	4/23/2006	5														
WW-MW-17	WW-MW-17	10/28/2006	1														
WW-MW-17	WW-MW-17	4/18/2007	9														
WW-MW-17	WW-MW-17	10/24/2007	7														
WW-MW-17	WW-MW-17	4/24/2008	105														
WW-MW-17	WW-MW-17	10/23/2008	32														
WW-MW-18	WW-MW-18	5/12/2003															
WW-MW-18	WW-MW-18	5/13/2003	70														
WW-MW-18	WW-MW-18	9/2/2003	1260														
WW-MW-18	WW-MW-18	6/29/2004	332														
WW-MW-18	WW-MW-18	10/25/2004	39														
WW-MW-18	WW-MW-18	7/27/2005	143														
WW-MW-18	WW-MW-18	10/24/2005	100				0.3	0.1	U							2	U
WW-MW-18	WW-MW-18	4/20/2006	53				2.3	0.2	U							0.05	U
WW-MW-18	WW-MW-18	10/25/2006	65				0.2	0.1	U							0.05	U
WW-MW-18	WW-MW-18	4/18/2007	155														
WW-MW-18	WW-MW-18	10/23/2007	106														
WW-MW-18	WW-MW-18	4/24/2008	429														
WW-MW-18	WW-MW-18	10/23/2008	260														

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L										
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese			
CM-MW-01S	CM-MW-1S	10/28/2004		3.3 J	32	5 U	5 U			2 U			
CM-MW-01S	CM-MW-1S	3/24/2005		2.4 J	30.1	5 U	5 U			2 U			
CM-MW-01S	CM-MW-SU	3/24/2005	Dup		2.6 J	30.1	5 U	5 U		2 U			
CM-MW-01S	CM-MW-1S	7/26/2005		0.16	3.2	29.7	0.02 U	1.17	20 U	0.02 U	0.05 U		
CM-MW-01S	CM-MW-1S	10/28/2005		0.16	3.1	30.9	0.102 UJ	0.53 U	20 U	0.015 U	0.03 U		
CM-MW-01S	CM-MW-1S	1/26/2006		0.17	2.87	35.2	0.04	1.05	20 U	0.03 J	0.05 J		
CM-MW-01S	CM-MW-1S	4/20/2006		0.14	2.85	33.1	0.041 U	0.49	20 U	0.02	0.14		
CM-MW-01S	CM-MW-1S	7/21/2006		0.16	3	35.4	0.02 U	0.75	20 U	0.024	0.08		
CM-MW-01S	CM-MW-1S	10/24/2006		0.17	3.11	32.7	0.02 U	0.74	4.6 J	0.062	0.045 J		
CM-MW-01S	CM-MW-100S	10/24/2006	Dup	0.17	2.98	34.1	0.02 U	0.66	7 J	0.017 J	0.019 J		
CM-MW-01S	CM-MW-1S	4/15/2007		0.16	3.23	33.2	0.032	0.58	20 U	0.017 J	0.15		
CM-MW-01S	CM-MW-1S	4/21/2008		0.188	3.44				11.5 T		0.6 T		
CM-MW-02S	CM-MW-2S	10/27/2004			3.6 J	59.8	5 U	5 U		1.7 J			
CM-MW-02S	CM-MW-2S	3/23/2005			2.8 J	28.8	5 U	5 U		2 U			
CM-MW-02S	CM-MW-2S	7/26/2005		0.17	3.3	29.5	0.02 U	1.28	20 U	0.027	0.12		
CM-MW-02S	CM-MW-2S	10/27/2005		0.15	3.3	34	0.092 UJ	0.53	70.7	0.02 J	33.6		
CM-MW-02S	CM-MW-2S	1/26/2006		0.17	3.28	35.1	0.04	1.46	4.1 J	0.02 UJ	0.29		
CM-MW-02S	CM-MW-2S	4/19/2006		0.17	2.86	32.4	0.039 UJ	0.4	4 J	0.02 U	3.43		
CM-MW-02S	CM-MW-200S	4/19/2006	Dup	0.16	2.85	32.1	0.039 UJ	0.42	4.4 J	0.02 U	3.4		
CM-MW-02S	CM-MW-2S	7/21/2006		0.15	3.5	34.9	0.02 U	0.67	30.9	0.07	26.4		
CM-MW-02S	CM-MW-2S	10/24/2006		0.18	3.07	32.8	0.02 U	0.64	6.1 J	0.056	0.112		
CM-MW-02S	CM-MW-2S	4/19/2007		0.16	3.63				135 J		8.07 J		
CM-MW-02S	CM-MW-200S	4/19/2007	Dup	0.16	2.99				20 UJ		2.32 J		
CM-MW-02S	CM-MW-2S	4/21/2008		0.193	7.09				745		43.9		
CM-MW-03S	CM-MW-3S	10/27/2004			2.5 J	38.8	5 U	5 U		2 U			
CM-MW-03S	CM-MW-3S	3/23/2005			3 J	29.8	5 U	5 U		1.2 J			
CM-MW-03S	CM-MW-3S	7/26/2005		0.15	3	28.8	0.02 U	1.08	20 U	0.018 J	0.05 U		
CM-MW-03S	CM-MW-SU	7/26/2005	Dup	0.16	3	29.4	0.024 U	0.94	20 U	0.02 U	0.12		
CM-MW-03S	CM-MW-3S	10/28/2005		0.14	2.8	33.4	0.13 UJ	0.47 U	20 U	0.018 U	5.91		
CM-MW-03S	CM-MW-SU	10/28/2005	Dup	0.15	2.7	33.9	0.085 UJ	0.45 U	20 U	0.024 U	6.12		
CM-MW-03S	CM-MW-3S	1/26/2006		0.15	3.15	39.9	0.04	0.85	20 U	0.02 UJ	0.02 J		
CM-MW-03S	CM-MW-3S	4/19/2006		0.15	2.74	31.2	0.051 UJ	0.37 J	20 U	0.02 U	0.31		
CM-MW-03S	CM-MW-3S	7/21/2006		0.19	2.1	35.8	0.02 U	0.42	20 U	0.037	8.73		
CM-MW-03S	CM-MW-3S	10/24/2006		0.16	2.77	34	0.02 U	0.66	3.3 J	0.06	0.235		
CM-MW-03S	CM-MW-3S	4/18/2007		0.17	2.99				20 U		0.09 J		
CM-MW-03S	CM-MW-300S	4/18/2007	Dup	0.15	3.07				20 U		0.16 J		
CM-MW-03S	CM-MW-3S	4/21/2008		0.158	3.26				5.6 T		5 U		
CM-MW-04S	CM-MW-4S	10/27/2004			1.5 J	51.7	5 U	5 U		2 U			
CM-MW-04S	CM-MW-4S	3/23/2005			1.3 J	37.2	5 U	5 U		2 U			
CM-MW-04S	CM-MW-4S	7/26/2005		0.39	1.8	40.9	0.038	1.41	11.8 J	0.039	3.33		
CM-MW-04S	CM-MW-4S	10/27/2005		0.36	1.3	50.7	0.064 UJ	0.4	20 U	0.03 J	1.24		
CM-MW-04S	CM-MW-4S	1/26/2006		0.34	1.48	44.3	0.04	1.25	4.4 J	0.02 UJ	0.48		

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
CM-MW-04S	CM-MW-4S	4/19/2006	0.32	1.42	37.7	0.06 UJ	0.42	20 U	0.02 U	0.33		
CM-MW-04S	CM-MW-4S	7/21/2006	0.32	2.3	35.7	0.02 U	0.55	20 U	0.012 J	0.04 J		
CM-MW-04S	CM-MW-4S	10/24/2006	0.33	1.37	48.1	0.02 U	0.63	7.1 J	0.062	0.732		
CM-MW-04S	CM-MW-4S	4/17/2007	0.28	1.98				20 U		0.89		
CM-MW-04S	CM-MW-4S	4/20/2008	0.337	1.78				7.9 T		0.7 T		
CM-MW-05S	CM-MW-5S	10/27/2004		2 J	48	5 U	3.1 J		2 U			
CM-MW-05S	CM-MW-5S	3/23/2005		2.2 J	31.9	5 U	5 U		2 U			
CM-MW-05S	CM-MW-5S	7/26/2005	0.33	2.8	36.4	0.023 U	0.75	20 U	0.02 U	0.05 U		
CM-MW-05S	CM-MW-5S	10/27/2005	0.33	2.2	37.9	0.065 UJ	0.42	20 U	0.01 J	0.02 J		
CM-MW-05S	CM-MW-5S	1/26/2006	0.41	2.25	42.4	0.04	1.26	20 U	0.02 UJ	0.05 U		
CM-MW-05S	CM-MW-SU	1/26/2006	Dup	0.41	2.17	44	0.04	1.17	20 U	0.02 UJ	0.29	
CM-MW-05S	CM-MW-5S	4/19/2006		0.33	2.24	34.4	0.036 UJ	0.42	4.5 J	0.02 U	0.04 J	
CM-MW-05S	CM-MW-5S	7/21/2006		0.32	1.4	42.6	0.02 U	0.55	20 U	0.044	0.09	
CM-MW-05S	CM-MW-5S	10/24/2006		0.35	2.42	38.5	0.02 U	0.64	3.1 J	0.015 J	0.011 J	
CM-MW-05S	CM-MW-5S	4/17/2007		0.35	2.33			20 U		0.1		
CM-MW-05S	CM-MW-5S	4/20/2008		0.349	2.83			6.9 T		5 U		
CM-MW-06S	CM-MW-6S	10/28/2004			6.1	200	5 U	3.7 J		12.7		
CM-MW-06S	CM-MW-6S	3/23/2005			5 U	83.3	5 U	5 U		1.5 J		
CM-MW-06S	CM-MW-6S	7/26/2005	0.29	1.6	94.4	0.024 U	0.76	259	0.02 U	166		
CM-MW-06S	CM-MW-6S	10/27/2005	0.21	2.1	133	0.068 UJ	0.49	927	0.04	502		
CM-MW-06S	CM-MW-6S	1/26/2006	0.23	1.77	110	0.06	1.46	538	0.03 J	234		
CM-MW-06S	CM-MW-6S	4/19/2006	0.26	1.13	81.6	0.056 UJ	0.16 J	172	0.02 J	128		
CM-MW-06S	CM-MW-6S	7/21/2006	0.4	0.8	85.9	0.02 U	0.44	6.2 J	0.026	4.81		
CM-MW-06S	CM-MW-6S	10/24/2006	0.27	1.59	132	0.02 U	2.67	769	0.058	405		
CM-MW-06S	CM-MW-6S	4/19/2007	0.18	1.76				238		128		
CM-MW-06S	CM-MW-6S	4/20/2008	0.301	1.05				146		215		
CM-MW-07S	CM-MW-7S	10/27/2004		1.9 J	34.5	5 U	5 U		2 U			
CM-MW-07S	CM-MW-7S	3/23/2005		2.9 J	28.7	5 U	5 U		1.1 J			
CM-MW-07S	CM-MW-7S	7/26/2005	0.15	3.1	28.2	0.02 U	1.18	20 U	0.02 U	0.05 U		
CM-MW-07S	CM-MW-7S	10/27/2005	0.16	2.9	31.3	0.103 UJ	0.51	20 U	0.01 J	0.05		
CM-MW-07S	CM-MW-7S	1/26/2006	0.16	3.12	39.6	0.04	1.23	20 U	0.01 J	0.08		
CM-MW-07S	CM-MW-7S	4/19/2006	0.16	2.78	32.7	0.048 UJ	0.51	3.2 J	0.02 U	0.09		
CM-MW-07S	CM-MW-7S	7/21/2006	0.16	2.9	32.4	0.02 U	1.2	6 J	0.02 U	0.1		
CM-MW-07S	CM-MW-700S	7/21/2006	Dup	0.17	2.9	33.8	0.02 U	0.61	20 U	0.014 J	0.06	
CM-MW-07S	CM-MW-7S	10/24/2006		0.17	2.97	32.7	0.02 U	0.74	4.2 J	0.018 J	0.073	
CM-MW-07S	CM-MW-7S	4/15/2007		0.16	3.13	34.2	0.032	0.57	13.2 J	0.019 J	0.11	
CM-MW-07S	CM-MW-7S	4/21/2008		0.187	3.25			9.3 T		0.8 T		
CM-MW-08S	CM-MW-8S	10/28/2004			3.2 J	31	5 U	5 U		2 U		
CM-MW-08S	CM-MW-100	10/28/2004	Dup		3.1 J	31.5	5 U	5 U		2 U		
CM-MW-08S	CM-MW-8S	3/23/2005			2.5 J	28.5	5 U	5 U		2 U		
CM-MW-08S	CM-MW-8S	7/26/2005	0.15	3.3	28.9	0.02 U	0.94	20 U	0.02 U	0.05 U		
CM-MW-08S	CM-MW-8S	10/27/2005	0.15	2.9	30.5	0.06 UJ	0.54	20 U	0.02 U	0.29		

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L												
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese					
CM-MW-08S	CM-MW-8S	1/26/2006	0.16	3.14	39	0.03	1.1	20	U	0.02	UJ	0.03	J		
CM-MW-08S	CM-MW-8S	4/19/2006	0.16	2.89	32	0.03	UJ	0.45	20	U	0.02	U	0.05	U	
CM-MW-08S	CM-MW-8S	7/20/2006	0.16	2.8	30.6	0.02	U	0.61	20	U	0.016	J	0.05	U	
CM-MW-08S	CM-MW-8S	10/24/2006	0.16	3.14	32	0.02	U	0.52	5.5	J	0.009	J	0.05	U	
CM-MW-08S	CM-MW-8S	4/15/2007	0.16	3.15	34.2	0.033		0.58	20	U	0.01	J	0.12		
CM-MW-08S	CM-MW-8S	4/21/2008	0.164	3.31					5.9	T			5	U	
HL-MW-06A	HL-MW-6A	7/27/2005	0.17	4.3	32	0.02	U	1.7	20	U	0.06		0.41		
HL-MW-06A	HL-MW-6A	10/26/2005	0.16	4.14	34.7	0.02	UJ	1	20	U	0.02	U	0.33		
HL-MW-06A	HL-MW-6A	1/25/2006	0.16	4.05	40.3	0.02	U	1.06	20	U	0.02	UJ	0.63		
HL-MW-06A	HL-MW-6A	4/19/2006	0.14	4.14	36.8	0.035	UJ	0.55	7.4	J	0.02	U	0.14		
HL-MW-06A	HL-MW-600A	4/19/2006	Dup	0.16	4.15	38.4	0.045	UJ	0.49	20	U	0.03		0.12	
HL-MW-06A	HL-MW-6A	7/20/2006		0.17	4.5	34.8	0.02	U	1.02	20	U	0.013	J	0.19	
HL-MW-06A	HL-MW-6A	10/25/2006		0.16	4.66	34	0.02	U	0.65	5.1	J	0.058		0.16	
HL-MW-06A	HL-MW-600A	10/25/2006	Dup	0.15	4.8	33.6	0.02	U	0.78	5.2	J	0.098		0.19	
HL-MW-06A	HL-MW-6A	4/15/2007		0.16	4.15	36.7	0.035		0.8	3.5	J	0.014	J	0.46	
HL-MW-06A	HL-MW-6A	4/22/2008		0.168	5.4					11.5	T			0.3	
HL-MW-19S	HL-MW-19S	7/29/2005	0.072	J	3.6	34.8	0.02	U	0.89	20	UJ	0.047	U	0.4	U
HL-MW-19S	HL-MW-19S	10/27/2005	0.17		3.1	37.2	0.098	UJ	0.56	20	U	0.02	J	0.09	
HL-MW-19S	HL-MW-19S	1/25/2006	0.16		2.66	57.4	0.06		1.64	20	U	0.01	J	0.12	
HL-MW-19S	HL-MW-19S	4/18/2006	0.16		2.98	42.9	0.067	U	1.17	20	U	0.01	J	0.06	
HL-MW-19S	HL-MW-19S	7/19/2006	0.16		3.3	41.1	0.02	U	0.77	20	U	0.085		0.11	
HL-MW-19S	HL-MW-19S	10/23/2006	0.16		3.41	48	0.02	U	0.88	8.8	J	0.119		0.24	
HL-MW-19S	HL-MW-19S	4/16/2007	0.26		2.48					20	U			225	
HL-MW-19S	HL-MW-19S	10/22/2007	0.141		2.79					8.3	T			5	U
HL-MW-19S	HL-MW-19S	4/20/2008	0.159		2.86					8.6	T			5	U
HL-MW-19S	HL-MW-19S	10/19/2008	0.157		3.1					7.4	T			1.92	
HL-MW-20S	HL-MW-20S	7/27/2005	0.55		2.3	47.2	0.02	U	0.8	60.5		0.06		306	
HL-MW-20S	HL-MW-20S	10/27/2005	0.27		1.8	50.4	0.122		0.26	189		0.05		316	
HL-MW-20S	HL-MW-20S	4/18/2006	0.4		1.72	49.4	0.071	U	0.33	J	5.5	J	0.04	99.5	
HL-MW-20S	HL-MW-20S	7/20/2006	0.27		5.2	55.9	0.02	U	0.32	U	124		0.066	184	
HL-MW-20S	HL-MW-20S	10/23/2006	0.24		1.83	59.2	0.02	U	0.65		210		0.075	284	
HL-MW-20S	HL-MW-20S	4/16/2007	0.23		9.64						86.2			0.24	
HL-MW-20S	HL-MW-20S	10/22/2007	0.238		3.24						262			215	
HL-MW-20S	HL-MW-20S	4/20/2008	0.343		1.89						106			171	
HL-MW-20S	HL-MW-20S	10/22/2008	0.122		1.9						328			202	
HL-MW-20S	HL-MW-200S	10/22/2008	Dup	0.145	1.9						339			198	
HL-MW-21S	HL-MW-21S	7/28/2005	0.176	J	2.6	98	0.06		0.4	33.5	J	0.119		322	
HL-MW-21S	HL-MW-21S	10/28/2005	0.25		2	112	0.177	UJ	0.36	U	70.5		0.07	U	429
HL-MW-21S	HL-MW-21S	1/25/2006	0.25		1.27	112	0.08		1.62		20	U	0.03	J	64.8
HL-MW-21S	HL-MW-21S	4/18/2006	0.19		1.48	83.3	0.084	U	0.25	J	20	U	0.03		112
HL-MW-21S	HL-MW-21S	7/19/2006	0.11		6	85.2	0.02	U	0.27	U	399		0.044		379
HL-MW-21S	HL-MW-21S	10/23/2006	0.17		3.16	108	0.04		0.44		154		0.066		318

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L												
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese					
HL-MW-21S	HL-MW-21S	4/17/2007	0.21	1.38					91.6			3.93			
HL-MW-21S	HL-MW-21S	10/22/2007	0.172	5.6					397			332			
HL-MW-21S	HL-MW-21S	4/22/2008	0.227	1.82					26.7			31.3			
HL-MW-21S	HL-MW-21S	10/19/2008	0.261	2.8					54.3			225			
HL-MW-22S	HL-MW-22S	7/27/2005	0.16	3.7	40.6	0.02	U	1.2	20	U	0.03	1.4			
HL-MW-22S	HL-MW-22S	10/28/2005	0.18	5.4	41	0.072	UJ	0.53	U	20	U	0.02	U	0.11	U
HL-MW-22S	HL-MW-22S	1/25/2006	0.15	3.53	46.6	0.04		1.39	20	U	0.03	J	0.17		
HL-MW-22S	HL-MW-22S	4/18/2006	0.22	3.48	42.7	0.062	U	0.85	20	U	0.02	J	0.16		
HL-MW-22S	HL-MW-22S	7/19/2006	0.16	5.3	46.4	0.02	U	1.66	20	U	0.049		0.06	J	
HL-MW-22S	HL-MW-22S	10/23/2006	0.17	5.41	44.5	0.02	U	1.56	3.9	J	0.079		0.28		
HL-MW-22S	HL-MW-22S	4/17/2007	0.15	3.74	54	0.038	U	0.89	6.2	J	0.06		0.36		
HL-MW-22S	HL-MW-22S	10/22/2007	0.168	4.38					6.9	T			5	U	
HL-MW-22S	HL-MW-22S	4/22/2008	0.171	4.07					34.5				0.85		
HL-MW-22S	HL-MW-22S	10/19/2008	0.165	5.6					279				7.47		
HL-MW-23S	HL-MW-23S	4/21/2006	0.16	3.47	36.9	0.057	UJ	0.59	20	U	0.02	U	0.16		
HL-MW-23S	HL-MW-23S	7/20/2006	0.19	3.5	36.8	0.02	U	1.42	6.5	J	0.02	U	0.21		
HL-MW-23S	HL-MW-23S	10/26/2006	0.18	3.66	38.5	0.02	U	2.25	10.1	J	0.017	J	0.402		
HL-MW-23S	HL-MW-23S	2/1/2007	0.17	3.8	35.4	0.04	U	1.18	20	U	0.013	J	0.2		
HL-MW-23S	HL-MW-23S	4/17/2007	0.17	3.64	36.7	0.029	U	0.71	20	U	0.021	U	0.32		
HL-MW-23S	HL-MW-23S	10/24/2007	0.17	3.7					20	U			0.2		
HL-MW-23S	HL-MW-23S	4/22/2008	0.205	4.32					4.5	T			0.21		
HL-MW-23S	HL-MW-23S	10/24/2008	0.181	3.9					20	U			2.18		
HL-MW-23S	HL-MW-2300S	10/24/2008	Dup	0.19	4				20	U			0.659		
HL-MW-24DD	HL-MW-24DD	4/21/2006	0.13	5.19	32.6	0.03	UJ	0.91	75.6		0.01	J	0.59		
HL-MW-24DD	HL-MW-24DD	7/19/2006	0.16	5.4	34.1	0.02	U	1.6	4.7	J	0.026	J	0.3		
HL-MW-24DD	HL-MW-24DD	10/26/2006	0.17	5.52	35.4	0.02	U	1.6	8.1	J	0.023		0.236		
HL-MW-24DD	HL-MW-24DD	1/31/2007	0.14	5.9	32.3	0.04	U	1.73	6.3	J	0.08		0.37		
HL-MW-24DD	HL-MW-24DD	4/15/2007	0.13	5.09	31.8	0.024		1.81	9.1	J	0.004	J	0.22		
HL-MW-24DD	HL-MW-24DD	10/23/2007	0.15	4.73	34.2	0.02	U	1.06	10.8	T	0.006	JT	0.24		
HL-MW-24DD	HL-MW-24DD	4/21/2008	0.14	6.25					19.4	T			5	U	
HL-MW-24DD	HL-MW-24DD	10/24/2008	0.134	5.9					20	U			0.644		
HL-MW-25S	HL-MW-25S	4/21/2006	0.19	7.04	37.3	0.048	UJ	0.66	20	U	0.03		0.33		
HL-MW-25S	HL-MW-25S	7/19/2006	0.22	7.3	36.5	0.02	U	1.52	8.6	J	0.01	J	0.31		
HL-MW-25S	HL-MW-25S	10/26/2006	0.2	7.32	37.8	0.02	U	1.34	7.8	J	0.023		0.263		
HL-MW-25S	HL-MW-25S	2/1/2007	0.19	7.6	35.6	0.04	U	1.07	4.3	J	0.011	J	0.63		
HL-MW-25S	HL-MW-25S	4/16/2007	0.18	6.92	39.8	0.035		1.38	4.7	B	0.019	B	0.92		
HL-MW-25S	HL-MW-25S	10/25/2007	0.18	7.25					20	U			0.19		
HL-MW-25S	HL-MW-25S	4/21/2008	0.196	7.94					9.1	T			5	U	
HL-MW-25S	HL-MW-2500S	4/21/2008	Dup	0.197	7.87				6.3	T			5	U	
HL-MW-25S	HL-MW-25S	10/19/2008	0.18	7.4					20	U			0.425		
HL-MW-26S	HL-MW-26S	4/21/2006	0.17	3.99	38.3	0.046	UJ	1.12	20	U	0.02	J	0.21		
HL-MW-26S	HL-MW-26S	7/19/2006	0.18	3.8	36.3	0.02	U	0.81	4.6	J	0.018	J	0.17		



**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled		Dissolved Metals in µg/L							
				Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese
HL-MW-26S	HL-MW-26S	10/26/2006		0.17	3.74	37.3	0.02 U	0.92	5.3 J	0.029	0.159
HL-MW-26S	HL-MW-26S	1/31/2007		0.17	4.1	35.8	0.04 U	0.77	20 U	0.013 J	0.22
HL-MW-26S	HL-MW-2600S	1/31/2007	Dup	0.18	4.2	35.3	0.04 U	0.79	10.5 J	0.014 J	0.36
HL-MW-26S	HL-MW-26S	4/16/2007		0.21	3.86	40.4	0.019 B	0.74	20 U	0.02 U	0.08
HL-MW-26S	HL-MW-2600S	4/16/2007	Dup	0.17	3.77	40.9	0.036	0.78	20 U	0.004 B	0.09
HL-MW-26S	HL-MW-26S	10/24/2007		0.19	3.04	35.6	0.02 U	0.77	9.2 T	0.006 JT	0.11
HL-MW-26S	HL-MW-2600S	4/21/2008		0.189	4.36				6.2 T		5 U
HL-MW-26S	HL-MW-26S	4/21/2008		0.185	4.28				6.7 T		5 U
HL-MW-26S	HL-MW-26S	10/22/2008		0.171	3.8				4.9 T		0.17
HL-MW-27D	HL-MW-27D	4/22/2006		0.14	3.26	34.5	0.02 U	1.24	6 J	0.02 J	0.27
HL-MW-27D	HL-MW-27D	7/19/2006		0.15	3.4	36.9	0.02 U	0.91	20 U	0.017 J	0.19
HL-MW-27D	HL-MW-27D	10/27/2006		0.15	3.63	36.7	0.02 U	2.28	10.2 J	0.034	0.39
HL-MW-27D	HL-MW-27D	1/31/2007		0.14	3.7	34.7	0.04 U	1.06	20 U	0.008 J	0.14
HL-MW-27D	HL-MW-27D	4/16/2007		0.15	3.46	40	0.018 B	1.15	5.4 B	0.02 U	0.15
HL-MW-27D	HL-MW-27D	10/24/2007		0.15	3				9.3 T		0.2
HL-MW-27D	HL-MW-2700D	10/24/2007		0.15	2.93				8.4 T		0.17
HL-MW-27D	HL-MW-27D	4/21/2008		0.156	4.07				6.7 T		5 U
HL-MW-27D	HL-MW-2700S	4/21/2008	Dup	0.149	4.03				14.9 T		5 U
HL-MW-27D	HL-MW-27D	10/21/2008		0.148	3.6				20 U		0.108
HL-MW-28DD	HL-MW-28DD	10/26/2006		0.16	4.27	37.7	0.02 U	1.41	7.7 J	0.024	1.68
HL-MW-28DD	HL-MW-28DD	1/31/2007		0.14	4.7	36.4	0.04 U	1.49	5.3 J	0.02	1.09
HL-MW-28DD	HL-MW-28DD	4/15/2007		0.12	4.4	33.9	0.028	1.06	5.3 J	0.02 U	0.52
HL-MW-28DD	HL-MW-28DD	7/24/2007		0.134	4.53	36.4	0.02 U	1.22	7.2 T	0.02 U	0.94
HL-MW-28DD	HL-MW-2800DD	7/24/2007	Dup	0.138	4.61	37.1	0.02 U	1.12	6.9 T	0.02 U	1
HL-MW-28DD	HL-MW-28DD	10/23/2007		0.15	3.84	35.7	0.013 T	0.76	4.6 T	0.005 JT	0.38
HL-MW-28DD	HL-MW-2800DD	10/23/2007	Dup	0.15	3.8	36.2	0.02 U	0.67	5.1 T	0.003 JT	0.32
HL-MW-28DD	HL-MW-28DD	1/24/2008		0.14	4.2	33.9	0.02 U	0.48	4.2 T	0.009 T	
HL-MW-28DD	HL-MW-28DD	4/21/2008		0.154	5.25	37.7	0.02 U	0.56	9.8 T	0.02 U	0.19
HL-MW-28DD	HL-MW-2800DD	4/21/2008	Dup	0.152	5.2	38	0.02 U	0.4	5.1 T	0.02 U	0.1
HL-MW-28DD	HL-MW-28DD	10/19/2008		0.138	4.4	35.1	0.02 U	2.08	20 U	0.005 T	0.1 U
HL-MW-29S	HL-MW-29S	7/24/2007		0.208	8.76	37.5	0.01 T	2.19	19.1 T	0.021	1.59
HL-MW-29S	HL-MW-29S	10/24/2007		0.22	6.63	38.3	0.02 U	0.77 J	10.8 T	0.017 JT	0.34
HL-MW-29S	HL-MW-29S	1/24/2008		0.2	7.65	36.8	0.02 U	0.5	20 U	0.008 T	
HL-MW-29S	HL-MW-2900S	1/24/2008	Dup	0.2	7.79	37.5	0.02 U	0.5	20 U	0.008 T	
HL-MW-29S	HL-MW-29S	4/22/2008		0.217	8.88	40.2	0.02 U	0.39	20 U	0.05 U	0.1
HL-MW-29S	HL-MW-29S	10/22/2008		0.223	8	38.2	0.016 T	3.04	10.6 T	0.011 T	0.542
HL-MW-29S	HL-MW-2900S	10/22/2008	Dup	0.201	8.4	39.3	0.006 T	2.95	7.2 T	0.014 T	0.434
HL-MW-30S	HL-MW-30S	7/24/2007		0.212	6.61	35.6	0.02 U	0.47	5.2 T	0.029	1.24
HL-MW-30S	HL-MW-30S	10/24/2007		0.19	6.05	35.4	5 U	5 U	4.3 T	50 U	0.26
HL-MW-30S	HL-MW-30S	1/25/2008		0.19	5.84	34.1	0.02 U	0.45	8.8 T	0.013 T	
HL-MW-30S	HL-MW-30S	4/23/2008		0.229	7.46	40.1	0.006 T	0.49	20 U	0.012 T	0.26 J
HL-MW-30S	HL-MW-30S	10/19/2008		0.196	6.2	34.4	0.006 T	3.38	5 T	0.007 T	0.1 U

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L										
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese			
MW-08	MW-8	5/13/2003		3.1 J									
MW-08	MW-8	9/2/2003		3 J				5 U					
MW-08	MW-8	6/29/2004		5 U									
MW-08	MW-8	10/25/2004		2.2 J									
MW-08	MW-8	7/29/2005		3.4									
MW-08	MW-8	10/26/2005		2.82									
MW-08	MW-8	4/22/2006		2.91									
MW-08	MW-8	10/27/2006		2.96									
MW-08	MW-8	4/18/2007	0.19	3.23					20 U			0.55	
MW-08	MW-8	10/25/2007	0.16	2.88					20 U			0.39	
MW-08	MW-8	4/23/2008	0.181	3.48					16.8 T			0.42	
MW-08	MW-8	10/21/2008	0.176	3.2					4.3 T			0.558	
MW-09	MW-9	5/13/2003		2.5 J									
MW-09	MW-9	9/2/2003		3.2 J				5 U					
MW-09	MW-9	6/29/2004		3.3 J									
MW-09	MW-9	4/18/2007	0.19	2.37				1.08	10.8 J			0.35	
MW-09	MW-9	10/25/2007	0.18	3.05				0.6	20 U			0.22	
MW-09	MW-9	4/23/2008	0.178	2.76				0.64	3.4 T			0.23	
MW-09	MW-9	10/21/2008	0.18	2.9				0.538	6 T			0.117	
MW-10	MW-10	5/13/2003		9.1									
MW-10	MW-10	10/28/2004		6.7									
MW-10	MW-10	10/26/2005		6.16									
MW-10	MW-10	4/22/2006		10.5									
MW-10	MW-10	10/27/2006		6.92									
MW-10	MW-10	4/16/2007	0.18	9.58					6.9 B			0.27	
MW-10	MW-10	10/25/2007	0.25	8.68					2590			53.6	
MW-10	MW-10	4/22/2008	0.243	11.4					81			1.88	
MW-10	MW-10	10/21/2008	0.186	6.7					5.4 T			0.1 U	
MW-12A	MW-12A	5/12/2003		3.5 J									
MW-12A	MW-12A	6/29/2004		2.8 J									
MW-12A	MW-12A	10/25/2004		4.2 J									
MW-12A	MW-12A	7/28/2005		4.5									
MW-12A	MW-12A	10/26/2005		3.97									
MW-12A	MW-12A	4/21/2006		4.23									
MW-12A	MW-12A	10/27/2006		4.06									
MW-12A	MW-12A	4/17/2007	0.23	3.77					20 U			0.05 J	
MW-12A	MW-12A	10/23/2007	0.16	3.5	35		0.02 U	0.54	6.7 T	0.004 JT		0.08	
MW-12A	MW-12A	4/24/2008	0.169	5.24					7.5 T			0.13 T	
MW-12A	MW-12A	10/21/2008	0.163	4.2					4.8 T			0.139	
MW-13	MW-13	5/13/2003		2.8 J									
MW-13	MW-13	9/2/2003		3.8 J				5 U					
MW-13	MW-13	6/29/2004		3.8 J									

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
MW-13	MW-13	4/18/2007	0.16	3.17				0.58	3.6 J		0.69	
MW-13	MW-13	10/25/2007	0.17	3.32				0.6	4.7 T		0.34	
MW-13	MW-13	4/22/2008	0.167	3.73				0.48	10.5 T		0.19	
MW-13	MW-13	10/21/2008	0.173	3.2				0.444	8.3 T		0.196	
MW-14	MW-14	5/12/2003		3.9 J								
MW-14	MW-14	6/29/2004		2.4 J								
MW-14	MW-14	10/25/2004		3.5 J								
MW-14	MW-14	7/29/2005		4								
MW-14	MW-14	10/24/2005		3.41								
MW-14	MW-14	4/22/2006		4.82								
MW-14	MW-14	10/27/2006		3.25								
MW-14	MW-14	4/17/2007	0.22	4.45					20 U		0.13	
MW-14	MW-14	10/24/2007	0.26	2.59					6.8 T		0.56	
MW-14	MW-14	4/23/2008	0.242	5.7					20 U		0.38	
MW-14	MW-14	10/21/2008	0.222	4.1					3.9 T		0.085	
MW-15	MW-15	5/12/2003		3.4 J								
MW-15	MW-27	5/12/2003	Dup	3.1 J								
MW-15	MW-15	6/29/2004		1.1 J								
MW-15	MW-27	6/29/2004	Dup	1.8 J								
MW-15	MW-15	10/25/2004		2.5 J								
MW-15	MW-27	10/25/2004	Dup	3.6 J								
MW-15	MW-15	7/29/2005		3.8								
MW-15	MW-27	7/29/2005	Dup	4								
MW-15	MW-15	10/24/2005		3.15								
MW-15	MW-27	10/24/2005	Dup	3.11								
MW-15	MW-15	4/21/2006		3.38								
MW-15	MW-15	10/27/2006		4.03								
MW-15	MW-15	4/17/2007	0.2	3.26					20 U		0.19	
MW-15	MW-15	10/24/2007	0.17	3.25					4 T		0.27	
MW-15	MW-15	4/23/2008	0.204	4.91					20 U		0.18	
MW-15	MW-15	10/21/2008	0.173	3.5					4.4 T		0.204	
MW-16	MW-16	5/13/2003		2.7 J								
MW-16	MW-16	6/29/2004		2 J								
MW-16	MW-16	10/25/2004		3.9 J								
MW-16	MW-16	7/29/2005		4								
MW-16	MW-16	10/26/2005		3.44								
MW-16	MW-16	4/22/2006		3.53								
MW-16	MW-16	10/27/2006		3.73								
MW-16	MW-160	10/27/2006	Dup	3.77								
MW-16	MW-16	4/17/2007	0.12	3.68					20 U		0.34	
MW-16	MW-16	10/26/2007	0.12	3.66					20 U		0.16	
MW-16	MW-16	4/22/2008	0.14	4.41					20 U		0.19	

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
MW-16	MW-16	10/22/2008	0.13	3.6					5.2 T		0.198	
MW-17S	MW-17S	5/13/2003		3.5 J								
MW-17S	MW-17S	6/29/2004		4.6 J								
MW-17S	MW-17S	10/25/2004		3.9 J								
MW-17S	MW-17S	7/28/2005		3.9								
MW-17S	MW-17S	10/26/2005		3.73								
MW-17S	MW-17S	4/21/2006		3.39								
MW-17S	MW-170S	4/21/2006	Dup		3.43							
MW-17S	MW-17S	10/27/2006		0.15	3.89	36.5	0.02 U	1.72		0.03	3.81	
MW-17S	MW-17S	4/17/2007		0.17	3.44				11.3 B		1.76	
MW-17S	MW-17S	10/23/2007		0.16	3.21	35.7	0.009 T	0.67	6.6 T	0.015 JT	0.32	
MW-17S	MW-17S	4/22/2008		0.177	4.42				16.9 T		6.98	
MW-17S	MW-17S	10/21/2008		0.152	4.1				20 U		0.604	
MW-18D	MW-18D	5/13/2003		3.6 J								
MW-18D	MW-18D	6/29/2004		4.3 J								
MW-18D	MW-18D	10/25/2004		3.7 J								
MW-18D	MW-18D	7/29/2005		4.2								
MW-18D	MW-18D	10/26/2005		3.84								
MW-18D	MW-18D	4/21/2006		3.93								
MW-18D	MW-18D	10/27/2006		4.13								
MW-18D	MW-18D	4/17/2007		0.11	3.89				20 U		0.17	
MW-18D	MW-18D	10/26/2007		0.13	4.15				20 U		0.1	
MW-18D	MW-18D	4/22/2008		0.157	4.72				9.1 T		0.16	
MW-18D	MW-18D	10/21/2008		0.148	4.2				20 U		0.129	
MW-19S	MW-19S	5/13/2003		2.8 J								
MW-19S	MW-19S	9/2/2003		4.1 J				5 U				
MW-19S	MW-19S	6/29/2004		3.6 J								
MW-19S	MW-19S	10/26/2004		3 J								
MW-19S	MW-19S	7/29/2005		0.028 J	3.8	30	0.02 U	0.91		0.02 U	0.27 U	
MW-19S	MW-19S	10/26/2005			3.18							
MW-19S	MW-19S	4/21/2006			3.24							
MW-19S	MW-19S	10/27/2006			3.1							
MW-19S	MW-19S	4/17/2007		0.2	3.17				20 U		0.17	
MW-19S	MW-19S	10/24/2007		0.18	3.07				18 T		22.4	
MW-19S	MW-19S	4/23/2008		0.205	3.65				12.7 T		1.5	
MW-19S	MW-19S	10/21/2008		0.179	3				5.5 T		1.46	
MW-20D	MW-20D	5/13/2003			2.6 J							
MW-20D	MW-20D	9/2/2003			3.6 J				5 U			
MW-20D	MW-20D	6/29/2004			3.8 J							
MW-20D	MW-20D	4/17/2007		0.18	3.05				20 U		0.11	
MW-20D	MW-20D	10/24/2007		0.18	3.1				3.5 T		0.47	
MW-20D	MW-20D	4/23/2008		0.196	3.68				13.8 T		0.49	

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
MW-20D	MW-20D	10/21/2008	0.165	3.2					6.1 T		0.213	
MW-21S	MW-21S	5/12/2003		2.3 J								
MW-21S	MW-21S	6/29/2004		1.4 J								
MW-21S	MW-21S	10/25/2004		2.9 J								
MW-21S	MW-21S	7/29/2005	0.105 J	3.7	48.6	0.02 U	0.84			0.02 U	0.09 U	
MW-21S	MW-21S	10/24/2005		2.5								
MW-21S	MW-21S	4/21/2006		3.08								
MW-21S	MW-21S	10/27/2006		2.9								
MW-21S	MW-21S	4/17/2007	0.2	3.24					20 U		0.07	
MW-21S	MW-21S	10/24/2007	0.19	2.72					3.2 T		0.23	
MW-21S	MW-21S	4/23/2008	0.21	4.83					3.2 T		2.51	
MW-21S	MW-21S	10/23/2008	0.204	3.5					20 U		0.269	
MW-22D	MW-22D	5/12/2003		2.6 J								
MW-22D	MW-22D	6/29/2004		5 U								
MW-22D	MW-22D	10/27/2006		3.9								
MW-22D	MW-22D	4/17/2007	0.18	3.11					3.3 J		0.26	
MW-22D	MW-22D	10/24/2007	0.15	3.41					3.2 T		0.26	
MW-22D	MW-22D	4/23/2008	0.193	3.49					20 U		0.14	
MW-22D	MW-22D	10/23/2008	0.166	3.5					20 U		0.73 J	
MW-23S	MW-23S	5/12/2003		4 J								
MW-23S	MW-23S	6/29/2004		2.3 J								
MW-23S	MW-23S	10/25/2004		3.5 J								
MW-23S	MW-23S	7/28/2005		4.5								
MW-23S	MW-23S	10/24/2005		3.64								
MW-23S	MW-23S	4/21/2006		3.88								
MW-23S	MW-23S	10/27/2006		4.45								
MW-23S	MW-23S	4/17/2007	0.17	4					20 U		0.06	
MW-23S	MW-23S	10/24/2007	0.15	3.69					4.9 T		0.43	
MW-23S	MW-23S	4/24/2008	0.167	4.68					20.9 U		15.3	
MW-23S	MW-23S	10/21/2008	0.163	3.8					90		122	
MW-24D	MW-24D	5/12/2003		3.9 J								
MW-24D	MW-24D	6/29/2004		2.7 J								
MW-24D	MW-24D	10/25/2004		4.6 J								
MW-24D	MW-24D	7/28/2005		5.1								
MW-24D	MW-24D	10/24/2005		4.54								
MW-24D	MW-24D	4/21/2006		4.5								
MW-24D	MW-24D	10/27/2006		5.15								
MW-24D	MW-24D	4/17/2007	0.19	4.48					20 U		0.23	
MW-24D	MW-24D	10/24/2007	0.14	4.63					20 U		0.25	
MW-24D	MW-24D	4/24/2008	0.128	4.66					9.3 T		0.34	
MW-24D	MW-24D	10/21/2008	0.151	5					18 T		1.96	
MW-25S	MW-25S	5/12/2003		3.2 J								

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L											
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese				
MW-25S	MW-25S	6/29/2004		3.9 J										
MW-25S	MW-25S	10/26/2004		2.8 J										
MW-25S	MW-25S	7/28/2005		3.7										
MW-25S	MW-25S	10/26/2005		3.36										
MW-25S	MW-25S	4/21/2006		2.81										
MW-25S	MW-25S	10/27/2006		3.48										
MW-25S	MW-25S	4/17/2007	0.17	2.91					4.8 B			0.85		
MW-25S	MW-25S	10/25/2007	0.13	3.4					4.7 T			0.2		
MW-25S	MW-25S	4/22/2008	0.159	3.56					13.2 T			1.89		
MW-25S	MW-25S	10/22/2008	0.139	3.7					7.5 T			0.657		
MW-26D	MW-26D	5/12/2003		4 J										
MW-26D	MW-26D	6/29/2004		4.3 J										
MW-26D	MW-26D	10/26/2005		3.71										
MW-26D	MW-26D	4/21/2006		3.77										
MW-26D	MW-26D	10/27/2006		4.02										
MW-26D	MW-26D	4/17/2007	0.14	3.53					5.7 B			0.34		
MW-26D	MW-26D	10/25/2007	0.13	3.91					9.5 T			0.37		
MW-26D	MW-26D	4/22/2008	0.129	4.48					10.9 T			0.24		
MW-26D	MW-26D	10/22/2008	0.133	3.9					5.9 T			0.134		
OH-MW-08	OH-MW-8	4/22/2008	0.151	2.99					20 U			0.1		
OH-MW-08	OH-MW-8	10/20/2008	0.158	2.9					5.1 T			0.228 U		
OH-MW-10	OH-MW-10	4/22/2008	0.169	4.74					102			49.5		
OH-MW-10	OH-MW-10	10/22/2008	0.159	10.7					775			195		
OH-MW-24	OH-MW-24	4/24/2008	0.148	1.84 U					240			65.3		
OH-MW-24	OH-MW-24	10/23/2008	0.21	6.7					343			95.5		
OH-MW-25	OH-MW-25	4/24/2008	0.138	2.13					20 U			64		
OH-MW-25	OH-MW-25	10/23/2008	0.171	2.9					20 U			10.8		
TF-MW-01	TF-MW-1	4/24/2008	0.168	3.31					209			240		
TF-MW-01	TF-MW-1	10/21/2008	0.185	6.6					630			301		
TF-MW-02	TF-MW-2	4/24/2008	0.166	58.6					22400			2760		
TF-MW-02	TF-MW-2	10/21/2008	0.144	5.7					2130			465		
TF-MW-04	TF-MW-4	4/24/2008	0.195	2.07					971			785		
TF-MW-04	TF-MW-4	10/20/2008	0.195	37.8					9870			1180		
TL-MW-01A	TL-MW-1A	5/15/2003							2.8 J					
TL-MW-01A	TL-MW-1A	9/3/2003							608					
TL-MW-01A	TL-MW-1A RE	9/3/2003							599					
TL-MW-01A	TL-MW-1A	10/24/2003							7.6 J					
TL-MW-01A	TL-MW-1A	8/10/2004							5 U					
TL-MW-01A	TL-MW-1A	7/27/2005							5.3					
TL-MW-01A	TL-MW-10	7/27/2005	Dup						5.3					
TL-MW-01A	TL-MW-1A	4/23/2006							23.1					
TL-MW-01A	TL-MW-10A	4/23/2006	Dup						55.6					

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L										
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese			
TL-MW-01A	TL-MW-1A	4/18/2007						2.96					
TL-MW-01A	TL-MW-1A	4/23/2008						13.9					
TL-MW-02	TL-MW-2	4/23/2008						0.57					
TL-MW-04	TL-MW-4	4/23/2008						1.04					
TL-MW-04	TL-MW-4	10/21/2008						0.2 U					
TS-MW-01S	TS-MW-1S	7/28/2005	0.172 J	3.7	37.4	0.02 J	0.67		20 UJ	0.05		0.75	
TS-MW-01S	TS-MW-1S	10/28/2005	0.14	3.2	37.8	0.144 UJ	1.2		5 J	0.018 U		1.51	
TS-MW-01S	TS-MW-1S	1/26/2006	0.14	3.15	49	0.04	1.38		4.2 J	0.02 U		0.79 U	
TS-MW-01S	TS-MW-1S	4/23/2006	0.15	3.02	45.4	0.02 U	1.49		20 U	0.03 U		0.06 U	
TS-MW-01S	TS-MW-1S	7/20/2006	0.16 U	3.5	39.9	0.02 U	1.34		20 U	0.02 U		0.37 U	
TS-MW-01S	TS-MW-1S	10/26/2006	0.16	3.3	40.6	0.02 U	1.22		20 U	0.029 U		0.858 U	
TS-MW-01S	TS-MW-1S	4/18/2007	0.16 J	3.96 J					7.8 J			0.2 J	
TS-MW-01S	TS-MW-1S	10/24/2007	0.14	3.16					7 T			0.62	
TS-MW-01S	TS-MW-1S	4/23/2008	0.209	6.96					164			11.1	
TS-MW-01S	TS-MW-1S	10/20/2008	0.146	3.7					18 T			0.5	
TS-MW-02S	TS-MW-2S	7/28/2005	0.178 J	3.7	37.4	0.007 J	0.61		20 UJ	0.061		2.05	
TS-MW-02S	TS-MW-2S	10/29/2005	0.17	3.18	37.7	0.054 U	1.42		4.6 J	0.02		1.13	
TS-MW-02S	TS-MW-2S	1/26/2006	0.14	3.47	49.7	0.04	1.56		20 U	0.02 U		0.47 U	
TS-MW-02S	TS-MW-2S	4/23/2006	0.15	3.25	46.5	0.02	1.65		20 U	0.03 U		0.31 U	
TS-MW-02S	TS-MW-2S	7/20/2006	0.15 U	3.5	39	0.02 U	1.21		4.3 J	0.044 U		0.69 U	
TS-MW-02S	TS-MW-2S	10/27/2006	0.16	3.42	38.7	0.02 U	1.22		4.8 J	0.038		0.15	
TS-MW-02S	TS-MW-2S	4/18/2007	0.15	3.78					20 U			0.44	
TS-MW-02S	TS-MW-2S	10/25/2007	0.14	3.02					4.9 T			0.29	
TS-MW-02S	TS-MW-2S	4/23/2008	0.155	3.62					4.5 T			0.15	
TS-MW-02S	TS-MW-2S	10/20/2008	0.157	3.6					82.2			19.3	
WW-EW-02	WW-EW-2	4/17/2007		3.99									
WW-MW-12	WW-MW-12	10/27/2005	0.25	1	57.4	0.085 UJ	0.53		20 U	0.07		1.45	
WW-MW-12	WW-MW-12	4/20/2006	0.25	1.28	52.2	0.049 U	0.33 J		20 U	0.01 J		0.07	
WW-MW-12	WW-MW-12	10/26/2006	0.28	1.43	58	0.04	1.78		3.2 J	0.099		0.289	
WW-MW-12	WW-MW-12	4/18/2007	0.24	1.3					20 U			0.13	
WW-MW-12	WW-MW-12	10/23/2007	0.27	0.94					13 T			2.57	
WW-MW-12	WW-MW-12	4/23/2008	0.275	1.33					41.8			2.05	
WW-MW-12	WW-MW-12	10/22/2008	0.253	1.2					3.4 T			0.167	
WW-MW-18	WW-MW-18	5/13/2003		3.4 J									
WW-MW-18	WW-MW-18	6/29/2004		1.5 J									
WW-MW-18	WW-MW-18	10/25/2004		3.9 J									
WW-MW-18	WW-MW-18	7/27/2005		4.7									
WW-MW-18	WW-MW-18	10/24/2005		2.58									
WW-MW-18	WW-MW-18	4/20/2006		4.81									
WW-MW-18	WW-MW-18	10/25/2006	0.15	2.75	180	0.05	1.1			0.127		2840	
WW-MW-18	WW-MW-18	4/18/2007	0.2	4.31					20 U			1.13	
WW-MW-18	WW-MW-18	10/23/2007	0.23	4.47					68			89.2	

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L										
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese			
WW-MW-18	WW-MW-18	4/24/2008	0.219	5.07						7.3 T		0.83	
WW-MW-18	WW-MW-18	10/23/2008	0.202	4.8						20 U		6.9	



**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L		
			Mercury	Selenium	Silver
CM-MW-1S	10/28/2004		0.2 U	5 U	10 U
CM-MW-1S	3/24/2005		0.2 U	5 U	10 U
CM-MW-SU	3/24/2005	Dup	0.2 U	5 U	10 U
CM-MW-1S	7/26/2005		0.2 U	1 U	0.02 U
CM-MW-1S	10/28/2005		0.2 U	0.3 J	0.02 U
CM-MW-1S	1/26/2006		0.2 U	0.3 J	0.012 J
CM-MW-1S	4/20/2006		0.2 U	0.7 J	0.02 UJ
CM-MW-1S	7/21/2006		0.2 U	1 U	0.02 UJ
CM-MW-1S	10/24/2006		0.2 U	0.5 J	0.02 U
CM-MW-100S	10/24/2006	Dup	0.2 U	0.4 J	0.02 U
CM-MW-1S	4/15/2007			2	0.02 U
CM-MW-1S	4/21/2008				
CM-MW-2S	10/27/2004		0.2 U	5 U	10 U
CM-MW-2S	3/23/2005		0.2 U	5 U	10 U
CM-MW-2S	7/26/2005		0.2 U	0.2 J	0.02 U
CM-MW-2S	10/27/2005		0.2 U	0.5 J	0.02 U
CM-MW-2S	1/26/2006		0.2 U	0.4 J	0.02 U
CM-MW-2S	4/19/2006		0.2 U	0.5 J	0.02 UJ
CM-MW-200S	4/19/2006	Dup	0.2 U	0.6 J	0.02 UJ
CM-MW-2S	7/21/2006		0.2 U	0.2 J	0.02 UJ
CM-MW-2S	10/24/2006		0.2 U	0.4 J	0.018 J
CM-MW-2S	4/19/2007				
CM-MW-200S	4/19/2007	Dup			
CM-MW-2S	4/21/2008				
CM-MW-3S	10/27/2004		0.2 U	5 U	10 U
CM-MW-3S	3/23/2005		0.2 U	5 U	10 U
CM-MW-3S	7/26/2005		0.2 U	1 U	0.02 U
CM-MW-SU	7/26/2005	Dup	0.2 U	1 U	0.02 U
CM-MW-3S	10/28/2005		0.2 U	0.1 J	0.02 U
CM-MW-SU	10/28/2005	Dup	0.2 U	0.2 J	0.02 U
CM-MW-3S	1/26/2006		0.2 U	0.4 J	0.02 U
CM-MW-3S	4/19/2006		0.2 U	0.7 J	0.02 UJ
CM-MW-3S	7/21/2006		0.2 U	1 U	0.004 J
CM-MW-3S	10/24/2006		0.2 U	0.6 J	0.009 J
CM-MW-3S	4/18/2007				
CM-MW-300S	4/18/2007	Dup			
CM-MW-3S	4/21/2008				
CM-MW-4S	10/27/2004		0.2 U	5 U	10 U
CM-MW-4S	3/23/2005		0.2 U	5 U	10 U
CM-MW-4S	7/26/2005		0.2 U	0.1 J	0.03 J
CM-MW-4S	10/27/2005		0.2 U	0.5 J	0.006 J
CM-MW-4S	1/26/2006		0.2 U	0.4 J	0.02 U

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L		
			Mercury	Selenium	Silver
CM-MW-4S	4/19/2006		0.2 U	0.3 J	0.02 UJ
CM-MW-4S	7/21/2006		0.2 U	1 U	0.02 UJ
CM-MW-4S	10/24/2006		0.2 U	0.3 J	0.02 U
CM-MW-4S	4/17/2007				
CM-MW-4S	4/20/2008				
CM-MW-5S	10/27/2004		0.2 U	5 U	10 U
CM-MW-5S	3/23/2005		0.2 U	5 U	10 U
CM-MW-5S	7/26/2005		0.2 U	0.3 J	0.02 U
CM-MW-5S	10/27/2005		0.2 U	0.4 J	0.02 U
CM-MW-5S	1/26/2006		0.2 U	0.4 J	0.02 U
CM-MW-SU	1/26/2006	Dup	0.2 U	0.5 J	0.02 U
CM-MW-5S	4/19/2006		0.2 U	0.5 J	0.02 UJ
CM-MW-5S	7/21/2006		0.2 U	1 U	0.02 UJ
CM-MW-5S	10/24/2006		0.2 U	0.4 J	0.02 U
CM-MW-5S	4/17/2007				
CM-MW-5S	4/20/2008				
CM-MW-6S	10/28/2004		0.2 U	5 U	10 U
CM-MW-6S	3/23/2005		0.2 U	5 U	10 U
CM-MW-6S	7/26/2005		0.2 U	1 U	0.02 U
CM-MW-6S	10/27/2005		0.2 U	0.2 J	0.005 J
CM-MW-6S	1/26/2006		0.2 U	0.2 J	0.02 U
CM-MW-6S	4/19/2006		0.2 U	0.7 J	0.02 UJ
CM-MW-6S	7/21/2006		0.2 U	0.2 J	0.004 J
CM-MW-6S	10/24/2006		0.2 U	0.4 J	0.013 J
CM-MW-6S	4/19/2007				
CM-MW-6S	4/20/2008				
CM-MW-7S	10/27/2004		0.2 U	5 U	10 U
CM-MW-7S	3/23/2005		0.2 U	5 U	10 U
CM-MW-7S	7/26/2005		0.2 U	1 U	0.02 U
CM-MW-7S	10/27/2005		0.2 U	1.1	0.02 U
CM-MW-7S	1/26/2006		0.2 U	0.6 J	0.02 U
CM-MW-7S	4/19/2006		0.2 U	1.2	0.02 UJ
CM-MW-7S	7/21/2006		0.2 U	1 U	0.02 UJ
CM-MW-700S	7/21/2006	Dup	0.2 U	1 U	0.02 UJ
CM-MW-7S	10/24/2006		0.2 U	0.5 J	0.02 U
CM-MW-7S	4/15/2007			2.2	0.02 U
CM-MW-7S	4/21/2008				
CM-MW-8S	10/28/2004		0.2 U	5 U	10 U
CM-MW-100	10/28/2004	Dup	0.2 U	5 U	10 U
CM-MW-8S	3/23/2005		0.2 U	5 U	10 U
CM-MW-8S	7/26/2005		0.2 U	1 J	0.02 U
CM-MW-8S	10/27/2005		0.2 U	0.8 J	0.02 U

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L		
			Mercury	Selenium	Silver
CM-MW-8S	1/26/2006		0.2 U	0.6 J	0.02 U
CM-MW-8S	4/19/2006		0.2 U	1.4	0.02 UJ
CM-MW-8S	7/20/2006		0.2 U	0.3 J	0.004 J
CM-MW-8S	10/24/2006		0.2 U	0.4 J	0.02 U
CM-MW-8S	4/15/2007			1.7	0.02 U
CM-MW-8S	4/21/2008				
HL-MW-6A	7/27/2005		0.23 U	1 U	0.02 U
HL-MW-6A	10/26/2005		0.2 U	0.2 J	0.02 U
HL-MW-6A	1/25/2006		0.2 U	0.3 J	0.02 U
HL-MW-6A	4/19/2006		0.2 U	0.4 J	0.02 UJ
HL-MW-600A	4/19/2006	Dup	0.2 U	0.1 J	0.02 UJ
HL-MW-6A	7/20/2006		0.2 U	1 U	0.02 UJ
HL-MW-6A	10/25/2006		0.2 U	0.3 J	0.02 U
HL-MW-600A	10/25/2006	Dup	0.2 U	0.3 J	0.02 U
HL-MW-6A	4/15/2007			0.6 J	0.02 U
HL-MW-6A	4/22/2008				
HL-MW-19S	7/29/2005		0.2 U	1 U	0.02 U
HL-MW-19S	10/27/2005		0.2 U	0.3 J	0.02 U
HL-MW-19S	1/25/2006		0.2 U	1.2	0.02 U
HL-MW-19S	4/18/2006		0.2 U	0.6 J	0.02 UJ
HL-MW-19S	7/19/2006		0.2 U	1 U	0.005 J
HL-MW-19S	10/23/2006		0.2 U	0.3 J	0.02 U
HL-MW-19S	4/16/2007				
HL-MW-19S	10/22/2007				
HL-MW-19S	4/20/2008				
HL-MW-19S	10/19/2008				
HL-MW-20S	7/27/2005		0.23 U	1 U	0.02 U
HL-MW-20S	10/27/2005		0.2 U	0.2 J	0.02 U
HL-MW-20S	4/18/2006		0.2 U	0.5 J	0.02 UJ
HL-MW-20S	7/20/2006		0.2 U	1 U	0.02 UJ
HL-MW-20S	10/23/2006		0.2 U	1 U	0.02 U
HL-MW-20S	4/16/2007				
HL-MW-20S	10/22/2007				
HL-MW-20S	4/20/2008				
HL-MW-20S	10/22/2008				
HL-MW-200S	10/22/2008	Dup			
HL-MW-21S	7/28/2005		0.2 U	1 U	0.004 J
HL-MW-21S	10/28/2005		0.2 U	0.2 J	0.02 U
HL-MW-21S	1/25/2006		0.2 U	0.9 J	0.02 U
HL-MW-21S	4/18/2006		0.2 U	1.2	0.02 UJ
HL-MW-21S	7/19/2006		0.2 U	1 U	0.004 J
HL-MW-21S	10/23/2006		0.2 U	0.3 J	0.02 U

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L						
		Mercury		Selenium		Silver		
HL-MW-21S	4/17/2007							
HL-MW-21S	10/22/2007							
HL-MW-21S	4/22/2008							
HL-MW-21S	10/19/2008							
HL-MW-22S	7/27/2005	0.23	U	1	U	0.02	U	
HL-MW-22S	10/28/2005	0.2	U	0.3	J	0.02	U	
HL-MW-22S	1/25/2006	0.2	U	0.6	J	0.02	U	
HL-MW-22S	4/18/2006	0.2	U	1		0.02	UJ	
HL-MW-22S	7/19/2006	0.2	U	0.3	J	0.02	UJ	
HL-MW-22S	10/23/2006	0.2	U	0.5	J	0.02	U	
HL-MW-22S	4/17/2007			3		0.02	U	
HL-MW-22S	10/22/2007							
HL-MW-22S	4/22/2008							
HL-MW-22S	10/19/2008							
HL-MW-23S	4/21/2006			0.2	J	0.02	UJ	
HL-MW-23S	7/20/2006	0.2	U	0.2	J	0.02	UJ	
HL-MW-23S	10/26/2006	0.2	U	0.3	J	0.02	U	
HL-MW-23S	2/1/2007	0.2	U	0.4	J	0.02	U	
HL-MW-23S	4/17/2007			0.6	J	0.02	U	
HL-MW-23S	10/24/2007							
HL-MW-23S	4/22/2008							
HL-MW-23S	10/24/2008							
HL-MW-2300S	10/24/2008	Dup						
HL-MW-24DD	4/21/2006			0.2	J	0.02	UJ	
HL-MW-24DD	7/19/2006		0.2	U	0.2	J	0.02	UJ
HL-MW-24DD	10/26/2006		0.2	U	0.3	J	0.008	J
HL-MW-24DD	1/31/2007		0.2	U	0.4	J	0.022	U
HL-MW-24DD	4/15/2007				0.5	J	0.02	U
HL-MW-24DD	10/23/2007				0.3	T	0.03	U
HL-MW-24DD	4/21/2008							
HL-MW-24DD	10/24/2008							
HL-MW-25S	4/21/2006			0.4	J	0.02	UJ	
HL-MW-25S	7/19/2006		0.2	U	0.3	J	0.02	UJ
HL-MW-25S	10/26/2006		0.2	U	0.2	J	0.02	U
HL-MW-25S	2/1/2007		0.2	U	0.3	J	0.02	U
HL-MW-25S	4/16/2007				0.6	B	0.02	U
HL-MW-25S	10/25/2007							
HL-MW-25S	4/21/2008							
HL-MW-2500S	4/21/2008	Dup						
HL-MW-25S	10/19/2008							
HL-MW-26S	4/21/2006				0.4	J	0.02	UJ
HL-MW-26S	7/19/2006		0.2	U	0.3	J	0.02	UJ

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L		
			Mercury	Selenium	Silver
HL-MW-26S	10/26/2006		0.2 U	0.3 J	0.02 U
HL-MW-26S	1/31/2007		0.2 U	0.3 J	0.03 U
HL-MW-2600S	1/31/2007	Dup	0.2 U	0.2 J	0.05
HL-MW-26S	4/16/2007			0.7 B	0.02 U
HL-MW-2600S	4/16/2007	Dup		0.6 B	0.02 U
HL-MW-26S	10/24/2007			0.2 T	0.03 U
HL-MW-2600S	4/21/2008				
HL-MW-26S	4/21/2008				
HL-MW-26S	10/22/2008				
HL-MW-27D	4/22/2006		0.2 U	0.2 J	0.02 U
HL-MW-27D	7/19/2006		0.2 U	0.3 J	0.02 UJ
HL-MW-27D	10/27/2006		0.2 U	0.2 J	0.008 J
HL-MW-27D	1/31/2007		0.2 U	0.3 J	0.034
HL-MW-27D	4/16/2007			0.7 B	0.02 U
HL-MW-27D	10/24/2007				
HL-MW-2700D	10/24/2007				
HL-MW-27D	4/21/2008				
HL-MW-2700S	4/21/2008	Dup			
HL-MW-27D	10/21/2008				
HL-MW-28DD	10/26/2006		0.2 U	0.2 J	0.02 U
HL-MW-28DD	1/31/2007		0.2 U	0.3 J	0.039
HL-MW-28DD	4/15/2007			0.4 J	0.02 U
HL-MW-28DD	7/24/2007			1 U	0.02 U
HL-MW-2800DD	7/24/2007	Dup		1 U	0.02 U
HL-MW-28DD	10/23/2007			0.2 T	0.03 U
HL-MW-2800DD	10/23/2007	Dup		0.2 T	0.03 U
HL-MW-28DD	1/24/2008			1 U	0.007 T
HL-MW-28DD	4/21/2008			0.5 T	0.019 T
HL-MW-2800DD	4/21/2008	Dup		0.4 T	0.008 T
HL-MW-28DD	10/19/2008			1 U	0.03 U
HL-MW-29S	7/24/2007			1 U	0.02 U
HL-MW-29S	10/24/2007			0.2 T	0.03 U
HL-MW-29S	1/24/2008			1 U	0.02 U
HL-MW-2900S	1/24/2008	Dup		0.4 T	0.02 U
HL-MW-29S	4/22/2008			0.5 T	0.02 U
HL-MW-29S	10/22/2008			1 U	0.025
HL-MW-2900S	10/22/2008	Dup		1 U	0.02
HL-MW-30S	7/24/2007			1 U	0.02 U
HL-MW-30S	10/24/2007			0.3 T	10 U
HL-MW-30S	1/25/2008			1 U	0.02 U
HL-MW-30S	4/23/2008			0.6 T	0.112 J
HL-MW-30S	10/19/2008			1 U	0.013 T

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
MW-8	5/13/2003						
MW-8	9/2/2003						
MW-8	6/29/2004						
MW-8	10/25/2004						
MW-8	7/29/2005						
MW-8	10/26/2005						
MW-8	4/22/2006						
MW-8	10/27/2006						
MW-8	4/18/2007						
MW-8	10/25/2007						
MW-8	4/23/2008						
MW-8	10/21/2008						
MW-9	5/13/2003						
MW-9	9/2/2003						
MW-9	6/29/2004						
MW-9	4/18/2007						
MW-9	10/25/2007						
MW-9	4/23/2008						
MW-9	10/21/2008						
MW-10	5/13/2003						
MW-10	10/28/2004						
MW-10	10/26/2005						
MW-10	4/22/2006						
MW-10	10/27/2006						
MW-10	4/16/2007						
MW-10	10/25/2007						
MW-10	4/22/2008						
MW-10	10/21/2008						
MW-12A	5/12/2003						
MW-12A	6/29/2004						
MW-12A	10/25/2004						
MW-12A	7/28/2005						
MW-12A	10/26/2005						
MW-12A	4/21/2006						
MW-12A	10/27/2006						
MW-12A	4/17/2007						
MW-12A	10/23/2007			0.3 T		0.03 U	
MW-12A	4/24/2008						
MW-12A	10/21/2008						
MW-13	5/13/2003						
MW-13	9/2/2003						
MW-13	6/29/2004						

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L					
			Mercury		Selenium		Silver	
MW-13	4/18/2007							
MW-13	10/25/2007							
MW-13	4/22/2008							
MW-13	10/21/2008							
MW-14	5/12/2003							
MW-14	6/29/2004							
MW-14	10/25/2004							
MW-14	7/29/2005							
MW-14	10/24/2005							
MW-14	4/22/2006							
MW-14	10/27/2006							
MW-14	4/17/2007							
MW-14	10/24/2007							
MW-14	4/23/2008							
MW-14	10/21/2008							
MW-15	5/12/2003							
MW-27	5/12/2003	Dup						
MW-15	6/29/2004							
MW-27	6/29/2004	Dup						
MW-15	10/25/2004							
MW-27	10/25/2004	Dup						
MW-15	7/29/2005							
MW-27	7/29/2005	Dup						
MW-15	10/24/2005							
MW-27	10/24/2005	Dup						
MW-15	4/21/2006							
MW-15	10/27/2006							
MW-15	4/17/2007							
MW-15	10/24/2007							
MW-15	4/23/2008							
MW-15	10/21/2008							
MW-16	5/13/2003							
MW-16	6/29/2004							
MW-16	10/25/2004							
MW-16	7/29/2005							
MW-16	10/26/2005							
MW-16	4/22/2006							
MW-16	10/27/2006							
MW-160	10/27/2006	Dup						
MW-16	4/17/2007							
MW-16	10/26/2007							
MW-16	4/22/2008							

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
MW-16	10/22/2008						
MW-17S	5/13/2003						
MW-17S	6/29/2004						
MW-17S	10/25/2004						
MW-17S	7/28/2005						
MW-17S	10/26/2005						
MW-17S	4/21/2006						
MW-170S	4/21/2006	Dup					
MW-17S	10/27/2006			1 U		0.005 J	
MW-17S	4/17/2007						
MW-17S	10/23/2007			1 U		0.03 U	
MW-17S	4/22/2008						
MW-17S	10/21/2008						
MW-18D	5/13/2003						
MW-18D	6/29/2004						
MW-18D	10/25/2004						
MW-18D	7/29/2005						
MW-18D	10/26/2005						
MW-18D	4/21/2006						
MW-18D	10/27/2006						
MW-18D	4/17/2007						
MW-18D	10/26/2007						
MW-18D	4/22/2008						
MW-18D	10/21/2008						
MW-19S	5/13/2003						
MW-19S	9/2/2003						
MW-19S	6/29/2004						
MW-19S	10/26/2004						
MW-19S	7/29/2005			1 U		0.02 U	
MW-19S	10/26/2005						
MW-19S	4/21/2006						
MW-19S	10/27/2006						
MW-19S	4/17/2007						
MW-19S	10/24/2007						
MW-19S	4/23/2008						
MW-19S	10/21/2008						
MW-20D	5/13/2003						
MW-20D	9/2/2003						
MW-20D	6/29/2004						
MW-20D	4/17/2007						
MW-20D	10/24/2007						
MW-20D	4/23/2008						



**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
MW-20D	10/21/2008						
MW-21S	5/12/2003						
MW-21S	6/29/2004						
MW-21S	10/25/2004						
MW-21S	7/29/2005			0.3	J	0.02	U
MW-21S	10/24/2005						
MW-21S	4/21/2006						
MW-21S	10/27/2006						
MW-21S	4/17/2007						
MW-21S	10/24/2007						
MW-21S	4/23/2008						
MW-21S	10/23/2008						
MW-22D	5/12/2003						
MW-22D	6/29/2004						
MW-22D	10/27/2006						
MW-22D	4/17/2007						
MW-22D	10/24/2007						
MW-22D	4/23/2008						
MW-22D	10/23/2008						
MW-23S	5/12/2003						
MW-23S	6/29/2004						
MW-23S	10/25/2004						
MW-23S	7/28/2005						
MW-23S	10/24/2005						
MW-23S	4/21/2006						
MW-23S	10/27/2006						
MW-23S	4/17/2007						
MW-23S	10/24/2007						
MW-23S	4/24/2008						
MW-23S	10/21/2008						
MW-24D	5/12/2003						
MW-24D	6/29/2004						
MW-24D	10/25/2004						
MW-24D	7/28/2005						
MW-24D	10/24/2005						
MW-24D	4/21/2006						
MW-24D	10/27/2006						
MW-24D	4/17/2007						
MW-24D	10/24/2007						
MW-24D	4/24/2008						
MW-24D	10/21/2008						
MW-25S	5/12/2003						

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
MW-25S	6/29/2004						
MW-25S	10/26/2004						
MW-25S	7/28/2005						
MW-25S	10/26/2005						
MW-25S	4/21/2006						
MW-25S	10/27/2006						
MW-25S	4/17/2007						
MW-25S	10/25/2007						
MW-25S	4/22/2008						
MW-25S	10/22/2008						
MW-26D	5/12/2003						
MW-26D	6/29/2004						
MW-26D	10/26/2005						
MW-26D	4/21/2006						
MW-26D	10/27/2006						
MW-26D	4/17/2007						
MW-26D	10/25/2007						
MW-26D	4/22/2008						
MW-26D	10/22/2008						
OH-MW-8	4/22/2008						
OH-MW-8	10/20/2008						
OH-MW-10	4/22/2008						
OH-MW-10	10/22/2008						
OH-MW-24	4/24/2008						
OH-MW-24	10/23/2008						
OH-MW-25	4/24/2008						
OH-MW-25	10/23/2008						
TF-MW-1	4/24/2008						
TF-MW-1	10/21/2008						
TF-MW-2	4/24/2008						
TF-MW-2	10/21/2008						
TF-MW-4	4/24/2008						
TF-MW-4	10/20/2008						
TL-MW-1A	5/15/2003						
TL-MW-1A	9/3/2003						
TL-MW-1A RE	9/3/2003						
TL-MW-1A	10/24/2003						
TL-MW-1A	8/10/2004						
TL-MW-1A	7/27/2005						
TL-MW-10	7/27/2005	Dup					
TL-MW-1A	4/23/2006						
TL-MW-10A	4/23/2006	Dup					

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
TL-MW-1A	4/18/2007						
TL-MW-1A	4/23/2008						
TL-MW-2	4/23/2008						
TL-MW-4	4/23/2008						
TL-MW-4	10/21/2008						
TS-MW-1S	7/28/2005	0.2	U	1	U	0.003	J
TS-MW-1S	10/28/2005	0.2	U	0.2	J	0.02	U
TS-MW-1S	1/26/2006	0.2	U	0.6	J	0.02	U
TS-MW-1S	4/23/2006	0.2	U	0.7	J	0.02	U
TS-MW-1S	7/20/2006	0.2	U	0.2	J	0.02	UJ
TS-MW-1S	10/26/2006	0.2	U	0.3	J	0.02	U
TS-MW-1S	4/18/2007						
TS-MW-1S	10/24/2007						
TS-MW-1S	4/23/2008						
TS-MW-1S	10/20/2008						
TS-MW-2S	7/28/2005	0.2	U	0.2	J	0.006	J
TS-MW-2S	10/29/2005	0.2	U	0.3	J	0.02	UJ
TS-MW-2S	1/26/2006	0.2	U	0.7	J	0.02	U
TS-MW-2S	4/23/2006	0.2	U	0.9	J	0.02	U
TS-MW-2S	7/20/2006	0.2	U	0.2	J	0.02	UJ
TS-MW-2S	10/27/2006	0.2	U	1	U	0.034	
TS-MW-2S	4/18/2007						
TS-MW-2S	10/25/2007						
TS-MW-2S	4/23/2008						
TS-MW-2S	10/20/2008						
WW-EW-2	4/17/2007						
WW-MW-12	10/27/2005	0.2	U	0.2	J	0.02	U
WW-MW-12	4/20/2006	0.2	U	0.6	J	0.02	UJ
WW-MW-12	10/26/2006	0.2	U	0.3	J	0.02	U
WW-MW-12	4/18/2007						
WW-MW-12	10/23/2007						
WW-MW-12	4/23/2008						
WW-MW-12	10/22/2008						
WW-MW-18	5/13/2003						
WW-MW-18	6/29/2004						
WW-MW-18	10/25/2004						
WW-MW-18	7/27/2005						
WW-MW-18	10/24/2005						
WW-MW-18	4/20/2006						
WW-MW-18	10/25/2006			0.2	J	0.02	U
WW-MW-18	4/18/2007						
WW-MW-18	10/23/2007						

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in $\mu\text{g/L}$					
		Mercury		Selenium		Silver	
WW-MW-18	4/24/2008						
WW-MW-18	10/23/2008						

**Table F-10 - Analytical Results for Total Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled		Total Metals in µg/L
MW-17S	MW-17S	9/2/2003		3.6 J
MW-22D	MW-22D	9/2/2003		2.8 J
MW-25S	MW-25S	9/2/2003		2.4 J
MW-12A	MW-12A	9/2/2003		1.8 J
MW-14	MW-14	9/2/2003		3.1 J
MW-15	MW-15	9/2/2003		2.2 J
MW-15	MW-27	9/2/2003	Dup	3 J
MW-16	MW-16	9/2/2003		3 J
MW-18D	MW-18D	9/2/2003		2.4 J
MW-21S	MW-21S	9/2/2003		3.2 J
MW-23S	MW-23S	9/2/2003		2.3 J
MW-24D	MW-24D	9/2/2003		3.5 J
MW-26D	MW-26D	9/2/2003		3 J
OH-EW-01	OH-EW-1	5/16/2003		3 J
OH-EW-01	OH-EW-1	9/5/2003		2.1 J
OH-EW-01	OH-EW-1	7/1/2004		2.5 J
OH-EW-01	OH-EW-1	10/29/2004		5 J
OH-EW-01	OH-EW-1	7/29/2005		3.4
OH-EW-01	OH-EW-1	10/29/2005		3.16
OH-EW-01	OH-EW-1	4/22/2006		2.95
OH-EW-01	OH-EW-1	10/25/2006		3.32
OH-EW-01	OH-EW-1	4/16/2007		3.37
OH-EW-01	OH-EW-1	10/22/2007		2.97
OH-EW-01	OH-EW-1	4/24/2008		3.32
OH-EW-01	OH-EW-1	10/22/2008		3
WW-EW-01	WW-EW-1	5/16/2003		3.4 J
WW-EW-01	WW-EW-1	9/5/2003		3.7 J
WW-EW-01	WW-EW-1	7/1/2004		4.2 J
WW-EW-01	WW-EW-1	10/29/2004		20 U
WW-EW-01	WW-EW-1	7/29/2005		4.4
WW-EW-01	WW-EW-1	10/28/2005		4
WW-EW-01	WW-EW-1	4/20/2006		4.02
WW-EW-01	WW-EW-1	10/25/2006		4.2
WW-EW-01	WW-EW-1	10/22/2007		3.89
WW-EW-01	WW-EW-1	4/24/2008		4.44
WW-EW-01	WW-EW-1	10/22/2008		3.9
WW-EW-01	WW-EW-100	10/22/2008	Dup	4.1
WW-EW-02	WW-EW-2	5/16/2003		3 J
WW-EW-02	WW-EW-2	9/5/2003		4.9 J
WW-EW-02	WW-EW-2	7/1/2004		3.9 J
WW-EW-02	WW-EW-2	10/29/2004		20 U
WW-EW-02	WW-EW-2	7/29/2005		4.8
WW-EW-02	WW-EW-2	10/28/2005		3.9
WW-EW-02	WW-EW-WA	10/28/2005	Dup	4.1
WW-EW-02	WW-EW-2	4/23/2006		3.69
WW-EW-02	WW-EW-2	10/25/2006		4.44
WW-EW-02	WW-EW-2	10/22/2007		4.07
WW-EW-02	WW-EW-2	4/24/2008		4.18
WW-EW-02	WW-EW-2	10/22/2008		4.2
WW-EW-03	WW-EW-3	4/25/2008		4.9
WW-MW-18	WW-MW-18	9/2/2003		15.8

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
<b>Conventionals in mg/L</b>							
Nitrate as Nitrogen					0.1 U		
Nitrite as Nitrogen					0.1 U		
Total Sulfide					0.05 U		
Total Suspended Solids	12		9		5 U	1 U	1 U
<b>Metals in ug/L</b>							
Antimony	0.2 U	0.05 U	0.05 U			0.05 U	0.1
Arsenic	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Barium	0.441	0.21	1.64			0.08	1.3
Cadmium	0.02	0.077	0.02 U			0.02 U	0.02 U
Chromium	0.35 UJ	0.24	0.18 J			0.14 J	0.23 U
Iron	20 UJ	20 U	20 U			20 U	20 U
Lead	0.168	0.296	0.04 J			0.01 J	0.029 J
Manganese	0.84	0.5	1.12			0.14	0.43
Mercury	0.2 U	0.2 U	0.2 U			0.2 U	0.2 U
Selenium	1 U	1 U	1 U			1 U	1 U
Silver	0.02 U	0.02 U	0.02 U			0.02 U	0.02 UJ
<b>PCBs in ug/L</b>							
Aroclor 1016	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1221	0.0097 U	0.0096 U	0.0097 U			0.0099 U	0.0096 U
Aroclor 1232	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1242	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1248	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1254	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1260	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Total PCBs	0.0097 U	0.0096 U	0.0097 U			0.0099 U	0.0096 U
<b>Semivolatiles in µg/L</b>							
1,2,4-Trichlorobenzene	0.2 U		0.2 UJ				
1,2-Dichlorobenzene	0.2 U		0.2 UJ				
1,3-Dichlorobenzene	0.2 U		0.2 UJ				
1,4-Dichlorobenzene	0.2 U		0.2 UJ				
2,4,5-Trichlorophenol	0.49 U		0.49 UJ				
2,4,6-Trichlorophenol	0.49 U		0.49 UJ				
2,4-Dichlorophenol	0.49 U		0.49 UJ				
2,4-Dimethylphenol	2 U		2 UJ				
2,4-Dinitrophenol	3.9 U		3.9 UJ				
2,4-Dinitrotoluene	0.2 U		0.2 UJ				
2,6-Dinitrotoluene	0.2 U		0.2 UJ				

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
2-Chloronaphthalene	0.2 U		0.2 UJ				
2-Chlorophenol	0.49 U		0.49 UJ				
2-Methylnaphthalene	0.2 U	0.083	0.2 UJ		0.0046 J	0.0034 J	0.02 U
2-Methylphenol	0.49 U		0.49 UJ				
2-Nitroaniline	0.2 U		0.2 UJ				
2-Nitrophenol	0.49 U		0.49 UJ				
3,3'-Dichlorobenzidine	2 U		2 UJ				
3-Nitroaniline	0.97 U		0.97 UJ				
4,6-Dinitro-2-methylphenol	2 U		2 UJ				
4-Bromophenyl-Phenylether	0.2 U		0.2 UJ				
4-Chloro-3-methylphenol	0.032 J		0.49 UJ				
4-Chloroaniline	0.2 U		0.2 UJ				
4-Chlorophenyl-phenylether	0.2 U		0.2 UJ				
4-Methylphenol	0.49 U		0.49 UJ				
4-Nitroaniline	0.97 U		0.97 UJ				
4-Nitrophenol	2 U		2 UJ				
Acenaphthene	0.2 UJ	0.0053 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Acenaphthylene	0.2 U	0.0037 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Anthracene	0.2 U	0.0016 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(a)anthracene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(a)pyrene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(b)fluoranthene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(g,h,i)perylene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(k)fluoranthene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzoic Acid	4.9 U		4.9 UJ				
Benzyl Alcohol	4.9 U		4.9 UJ				
Bis(2-Chloroethoxy)Methane	0.2 U		0.2 UJ				
Bis(2-Chloroethyl)Ether	0.2 U		0.2 UJ				
Bis(2-Ethylhexyl)Phthalate	2 U		2 UJ				
Bis(2-chloroisopropyl) Ether	0.2 U		0.2 UJ				
Butylbenzylphthalate	0.2 U		0.2 UJ				
Chrysene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Di-N-Butylphthalate	0.2 U		0.2 UJ				
Di-n-octyl Phthalate	0.2 U		0.2 UJ				
Dibenz(a,h)anthracene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Dibenzofuran	0.2 U	0.008 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Diethylphthalate	0.2 U		0.2 UJ				
Dimethyl Phthalate	0.2 U		0.2 UJ				

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
Fluoranthene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Fluorene	0.2 U	0.0094 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Hexachlorobenzene	0.2 U		0.2 UJ				
Hexachlorobutadiene	0.2 U		0.2 UJ				
Hexachlorocyclopentadiene	0.97 U		0.97 UJ				
Hexachloroethane	0.2 U		0.2 UJ				
Indeno(1,2,3-cd)pyrene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Isophorone	0.2 U		0.2 UJ				
N-Nitroso-di-n-propylamine	0.2 U		0.2 UJ				
N-Nitrosodiphenylamine	0.2 U		0.2 UJ				
Naphthalene	0.2 U	0.11	0.2 UJ		0.02 U	0.02 U	0.0066 J
Nitrobenzene	0.2 U		0.2 UJ				
Pentachlorophenol	0.97 U		0.97 UJ				
Phenanthrene	0.2 U	0.012 J	0.2 UJ		0.02 U	0.02 U	0.0052 J
Phenol	0.49 U		0.49 UJ				
Pyrene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
TEQ Equivalent	0.181 U	0.0181 U	0.181 U		0.0181 U	0.0181 U	0.0181 U
<b>Volatiles in µg/L</b>							
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U		2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U		2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	0.16 J	2 U		2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U		2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U		2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U



Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U		4.1 J	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U		2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U		20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U		2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U		20 U	20 U	20 U
Acetone	5.6 J	20 U	7.8 J		8.1 J	20 U	20 U
Benzene	0.5 U	0.3 J	0.5 U		0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U		2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U		0.5 U	0.68	0.5 U
Chloromethane	0.5 U	0.5 U	0.29 J		0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)							
Dibromochloromethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U		2 U	2 U	2 U
Isopropylbenzene(Cumene)	2 U	2 U	2 U		2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U		2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U		2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	RB-TS-1S		RB-TS-1S		RB-TS-1S		RB:FO-MW-1S		FO-MW-1S-RB		TS-MW-RB		TS-MW-1S-RB	
Sampling Date	7/29/2005		10/28/2005		1/26/2006		4/20/2006		4/20/2006		4/23/2006		7/20/2006	
Toluene	0.54		0.71		0.11	J			0.14	J	0.16	J	0.11	J
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U	0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U	0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U	0.5	U
Vinyl Chloride	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U	0.5	U
m,p-Xylenes	0.5	U	0.28	J	0.5	U			0.5	U	0.5	U	0.5	U
o-Xylene	0.5	U	0.15	J	0.5	U			0.5	U	0.5	U	0.5	U

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
<b>TPH-HCID in mg/L</b>							
Gasoline	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Stoddard/Mineral spirits	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Kensol	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Kerosene/Jet fuel	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Diesel/Fuel oil	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U
Bunker C	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U
Heavy oil	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U
<b>TPH-Dx in mg/L</b>							
Kerosene/Jet fuel	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Diesel/Fuel oil	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Heavy oil	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U
<b>TPH-Gx in mg/L</b>							
Mineral spirits/Stoddard	0.1 U	0.1 U	0.1 U	0.1 U		0.1 U	0.1 U
Gasoline	0.1 U	0.1 U	0.1 U	0.1 U		0.1 U	0.1 U

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
<b>Conventionals in mg/L</b>				
Nitrate as Nitrogen				
Nitrite as Nitrogen				
Total Sulfide				
Total Suspended Solids	1 U			
<b>Metals in ug/L</b>				
Antimony	0.03 J	0.05 U	0.05 U	
Arsenic	0.5 U	0.5 U	0.97 U	
Barium	0.64			
Cadmium	0.02 U			
Chromium	0.21			
Iron	6.9 J	20 U	20 U	
Lead	0.099			
Manganese	0.822	0.66	0.93	
Mercury	0.2 U			
Selenium	1 U			
Silver	0.02 U			
<b>PCBs in ug/L</b>				
Aroclor 1016	0.0048 U		0.005 U	0.0049 U
Aroclor 1221	0.0096 U		0.0099 U	0.0098 U
Aroclor 1232	0.0048 U		0.0061 U	0.007 U
Aroclor 1242	0.0048 U		0.005 U	0.0049 U
Aroclor 1248	0.0048 U		0.0052 U	0.0049 U
Aroclor 1254	0.0048 U		0.005 U	0.0049 U
Aroclor 1260	0.0048 U		0.005 U	0.0049 U
Total PCBs	0.0096 U		0.0099 U	0.0098 U
<b>Semivolatiles in µg/L</b>				
1,2,4-Trichlorobenzene				
1,2-Dichlorobenzene				
1,3-Dichlorobenzene				
1,4-Dichlorobenzene				
2,4,5-Trichlorophenol				
2,4,6-Trichlorophenol				
2,4-Dichlorophenol				
2,4-Dimethylphenol				
2,4-Dinitrophenol				
2,4-Dinitrotoluene				
2,6-Dinitrotoluene				

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
2-Chloronaphthalene				
2-Chlorophenol				
2-Methylnaphthalene	0.031	0.0059 T	0.035	0.019 T
2-Methylphenol				
2-Nitroaniline				
2-Nitrophenol				
3,3'-Dichlorobenzidine				
3-Nitroaniline				
4,6-Dinitro-2-methylphenol				
4-Bromophenyl-Phenylether				
4-Chloro-3-methylphenol				
4-Chloroaniline				
4-Chlorophenyl-phenylether				
4-Methylphenol				
4-Nitroaniline				
4-Nitrophenol				
Acenaphthene	0.013 J	0.019 U	0.02 U	0.02 U
Acenaphthylene	0.02 U	0.019 U	0.02 U	0.02 U
Anthracene	0.02 U	0.019 U	0.02 U	0.02 U
Benzo(a)anthracene	0.02 U	0.019 U	0.003 T	0.02 U
Benzo(a)pyrene	0.02 U	0.019 U	0.02 U	0.02 U
Benzo(b)fluoranthene	0.02 U	0.019 U	0.02 U	0.02 U
Benzo(g,h,i)perylene	0.02 U	0.019 U	0.02 U	0.02 U
Benzo(k)fluoranthene	0.02 U	0.019 U	0.02 U	0.02 U
Benzoic Acid				
Benzyl Alcohol				
Bis(2-Chloroethoxy)Methane				
Bis(2-Chloroethyl)Ether				
Bis(2-Ethylhexyl)Phthalate				
Bis(2-chloroisopropyl) Ether				
Butylbenzylphthalate				
Chrysene	0.02 U	0.019 U	0.02 U	0.02 U
Di-N-Butylphthalate				
Di-n-octyl Phthalate				
Dibenz(a,h)anthracene	0.02 U	0.019 U	0.02 U	0.02 U
Dibenzofuran	0.02 U	0.019 U	0.02 U	0.02 U
Diethylphthalate				
Dimethyl Phthalate				

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
Fluoranthene	0.02 U	0.019 U	0.02 U	0.02 U
Fluorene	0.02 U	0.0042 T	0.007 T	0.004 T
Hexachlorobenzene				
Hexachlorobutadiene				
Hexachlorocyclopentadiene				
Hexachloroethane				
Indeno(1,2,3-cd)pyrene	0.02 U	0.019 U	0.02 U	0.02 U
Isophorone				
N-Nitroso-di-n-propylamine				
N-Nitrosodiphenylamine				
Naphthalene	0.077	0.019 U	0.073	0.029 U
Nitrobenzene				
Pentachlorophenol				
Phenanthrene	0.0073 J	0.011 T	0.015 T	0.0087 T
Phenol				
Pyrene	0.02 U	0.019 U	0.02 U	0.02 U
TEQ Equivalent	0.0181 U	0.0143 U	0.0144 T	0.0151 U
<b>Volatiles in µg/L</b>				
1,1,1,2-Tetrachloroethane	0.5 U		0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U		0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U		0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U		0.5 U	0.5 U
1,1-Dichloroethane	0.5 U		0.5 U	0.5 U
1,1-Dichloroethene	0.5 U		0.5 U	0.5 U
1,1-Dichloropropene	0.5 U		0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U		2 U	2 U
1,2,3-Trichloropropane	0.5 U		0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U		2 U	2 U
1,2,4-Trimethylbenzene	2 U		0.06 T	2 U
1,2-Dibromo-3-Chloropropane	2 U		2 U	2 U
1,2-Dibromoethane(EDB)	2 U		2 U	2 U
1,2-Dichlorobenzene	0.5 U		0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U		0.5 U	0.5 U
1,2-Dichloropropane	0.5 U		0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U		2 U	2 U
1,3-Dichlorobenzene	0.5 U		0.5 U	0.5 U
1,3-Dichloropropane	0.5 U		0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U		0.5 U	0.5 U

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
2,2-Dichloropropane	0.5 U		0.5 U	0.5 U
2-Butanone (MEK)	2.9 J		20 U	20 U
2-Chlorotoluene	2 U		2 U	2 U
2-Hexanone	20 U		20 U	20 U
4-Chlorotoluene	2 U		2 U	2 U
4-Isopropyltoluene	2 U		2 U	2 U
4-Methyl-2-Pentanone	20 U		20 U	20 U
Acetone	16 J		3.6 T	3 T
Benzene	0.5 U		0.5 U	0.5 U
Bromobenzene	2 U		2 U	2 U
Bromochloromethane	0.5 U		0.5 U	0.5 U
Bromodichloromethane	0.5 U		0.5 U	0.5 U
Bromoform	0.5 U		0.5 U	0.5 U
Bromomethane	0.5 U		0.5 UJ	0.5 UJ
Freon 11	0.5 U		0.5 U	0.5 U
Freon 12	0.5 U		0.5 U	0.5 U
Carbon Disulfide	0.5 U		0.5 U	0.5 U
Carbon Tetrachloride	0.5 U		0.5 U	0.5 U
Chlorobenzene	0.5 U		0.5 U	0.5 U
Chloroethane	0.5 U		0.5 U	0.5 U
Chloroform	0.5 U		0.5 U	0.5 U
Chloromethane	0.5 U		0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U		0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U		0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U	2 U
Dibromochloromethane	0.5 U		0.5 U	0.5 U
Dibromomethane	0.5 U		0.5 U	0.5 U
Ethylbenzene	0.5 U		0.11 T	0.5 U
Hexachlorobutadiene	2 U		2 U	2 U
Isopropylbenzene(Cumene)	2 U			
Methylene Chloride	2 U		2 U	2 U
N-Butylbenzene	2 U		2 U	2 U
N-Propylbenzene	2 U		2 U	2 U
Naphthalene	2 U		2 U	2 U
Sec-Butylbenzene	2 U		2 U	2 U
Styrene	0.5 U		0.06 T	0.5 U
Tert-Butylbenzene	2 U		2 U	2 U
Tetrachloroethene	0.5 U		0.5 U	0.5 U

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
Toluene	0.4 J		0.76	0.5 U
Trans-1,2-Dichloroethene	0.5 U		0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U		0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U		0.5 U	0.5 U
Vinyl Chloride	0.5 U		0.5 U	0.5 U
m,p-Xylenes	0.24 J		0.13 T	0.5 U
o-Xylene	0.5 U		0.05 T	0.5 U



**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
<b>TPH-HCID in mg/L</b>				
Gasoline	0.2 UJ			
Stoddard/Mineral spirits	0.2 UJ			
Kensol	0.2 U			
Kerosene/Jet fuel	0.2 U			
Diesel/Fuel oil	0.5 U			
Bunker C	0.5 U			
Heavy oil	0.5 U			
<b>TPH-Dx in mg/L</b>				
Kerosene/Jet fuel	0.2 U			
Diesel/Fuel oil	0.2 U			
Heavy oil	0.5 U			
<b>TPH-Gx in mg/L</b>				
Mineral spirits/Stoddard	0.1 U			
Gasoline	0.1 U			

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank	Trip Blanks	Trip	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank
Sampling Date	5/13/2003	9/03/2003	3/04/2004	3/05/2004	6/29/2004	6/30/2004	10/25/2004	10/26/2004	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	10 U	10 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Propanol, 2-methyl-									
4-Chlorotoluene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	6 J	10 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Butane, 2-methoxy-2-methyl-									
Freon 11			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank	Trip Blanks	Trip	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank
Sampling Date	5/13/2003	9/03/2003	3/04/2004	3/05/2004	6/29/2004	6/30/2004	10/25/2004	10/26/2004	
Freon 12			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.23 J	0.21 J
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)									
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Diisopropyl Ether (Dot)									
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Isopropylbenzene(Cumene)			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methyl t-butyl ether									
Methylene Chloride	1 U	1 U	2 U	2 U	0.34 J	2 U	2 U	2 U	2 U
N-Butylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Propane, 2-Ethoxy-2-Methyl-									
Sec-Butylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.56	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	2	0.32 J	0.5 U	0.19 J	0.17 J	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U							
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.14 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									
<b>TPH-Gx in mg/L</b>									
Gasoline									
Mineral spirits/Stoddard									

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank			
Sampling Date	7/26/2005		7/27/2005		7/28/2005		7/29/2005		10/24/2005		10/26/2005		10/27/2005		10/28/2005	
<b>Volatiles in µg/L</b>																
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.33	J	0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.15	J	0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Propanol, 2-methyl-																
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Isopropyltoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Acetone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Butane, 2-methoxy-2-methyl-																
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank			
Sampling Date	7/26/2005		7/27/2005		7/28/2005		7/29/2005		10/24/2005		10/26/2005		10/27/2005		10/28/2005	
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Disulfide	0.21	J	0.26	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cumene(Isopropylbenzene)																
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Diisopropyl Ether (Dot)																
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Hexachlorobutadiene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Isopropylbenzene(Cumene)	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Methyl t-butyl ether																
Methylene Chloride	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Propylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Naphthalene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Propane, 2-Ethoxy-2-Methyl-																
Sec-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Styrene	0.5	U	0.1	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Tert-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	0.16	J	0.21	J	0.22	J	0.3	J	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Acetate																
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
m,p-Xylenes	0.5	UJ	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
p-Cymene																
<b>TPH-Gx in mg/L</b>																
Gasoline																
Mineral spirits/Stoddard																

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank			
Sampling Date	10/29/2005		1/25/2006		1/26/2006		4/18/2006		4/19/2006		4/20/2006		4/22/2006		4/23/2006	
<b>Volatiles in µg/L</b>																
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dichlorobenzene	0.13	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Propanol, 2-methyl-																
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Isopropyltoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Acetone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Butane, 2-methoxy-2-methyl-																
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank			
Sampling Date	10/29/2005		1/25/2006		1/26/2006		4/18/2006		4/19/2006		4/20/2006		4/22/2006		4/23/2006	
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Disulfide	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cumene(Isopropylbenzene)																
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Diisopropyl Ether (Dot)																
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Hexachlorobutadiene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Isopropylbenzene(Cumene)	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Methyl t-butyl ether																
Methylene Chloride	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Propylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Naphthalene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Propane, 2-Ethoxy-2-Methyl-																
Sec-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Styrene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Tert-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	0.24	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Acetate																
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
m,p-Xylenes	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
p-Cymene																
<b>TPH-Gx in mg/L</b>																
Gasoline																
Mineral spirits/Stoddard																

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank 1		Trip Blank 2		Trip Blanks		Trip Blank		Trip Blank 4		
Sampling Date	7/19/2006		7/20/2006		7/21/2006		10/23/2006		10/24/2006		10/25/2006		10/26/2006		10/26/2006		
<b>Volatiles in µg/L</b>																	
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U				20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U				20	U
2-Propanol, 2-methyl-																	
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
4-Isopropyltoluene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U				20	U
Acetone	20	U	20	U	20	U	20	U	20	U	20	U				20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Butane, 2-methoxy-2-methyl-																	
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U



Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank 1		Trip Blank 2		Trip Blanks		Trip Blank		Trip Blank 4	
Sampling Date	7/19/2006		7/20/2006		7/21/2006		10/23/2006		10/24/2006		10/25/2006		10/26/2006		10/26/2006	
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Carbon Disulfide	0.31	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Cumene(Isopropylbenzene)																
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Diisopropyl Ether (Dot)																
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Hexachlorobutadiene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Isopropylbenzene(Cumene)	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Methyl t-butyl ether																
Methylene Chloride	2	U	2	U	2	U	2	U	2	U	2	U			2	U
N-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
N-Propylbenzene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Naphthalene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Propane, 2-Ethoxy-2-Methyl-																
Sec-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Styrene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Tert-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Toluene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Vinyl Acetate																
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
m,p-Xylenes	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
p-Cymene																
<b>TPH-Gx in mg/L</b>																
Gasoline														0.1	U	
Mineral spirits/Stoddard														0.1	U	

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank 3		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank	
Sampling Date	10/27/2006		1/31/2007		2/01/2007		4/16/2007		4/17/2007		4/19/2007		7/24/2007	
<b>Volatiles in µg/L</b>														
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Propanol, 2-methyl-														
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Isopropyltoluene	2	U					2	U	2	U	2	U	2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Acetone	20	U	20	U	5.6	J	20	U	20	U	20	U	20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Butane, 2-methoxy-2-methyl-														
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank 3		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank	
Sampling Date	10/27/2006		1/31/2007		2/01/2007		4/16/2007		4/17/2007		4/19/2007		7/24/2007	
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Disulfide	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cumene(Isopropylbenzene)			2	U	2	U	2	U	2	U	2	U	2	U
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Diisopropyl Ether (Dot)														
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Hexachlorobutadiene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Isopropylbenzene(Cumene)	2	U												
Methyl t-butyl ether														
Methylene Chloride	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Propylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Naphthalene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Propane, 2-Ethoxy-2-Methyl-														
Sec-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Styrene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Tert-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Acetate														
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
m,p-Xylenes	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
p-Cymene			2	U	2	U								
<b>TPH-Gx in mg/L</b>														
Gasoline					0.1	U								
Mineral spirits/Stoddard					0.1	U								

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank 2		Trip Blank		Trip Blank-1		Trip Blanks		Trip Blank #373		Trip Blank-4		Trip Blank	
Sampling Date	10/24/2007		10/24/2007		1/24/2008		4/20/2008		4/20/2008		4/23/2008		4/24/2008		4/24/2008	
<b>Volatiles in µg/L</b>																
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U			2	U	2	U			2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U			2	U	2	U			2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U			2	U	2	U			2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U			2	U	2	U			2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
2-Butanone (MEK)	20	U	20	U	20	U			20	U	20	U			20	U
2-Chlorotoluene	2	U	2	U	2	U			2	U	2	U			2	U
2-Hexanone	20	U	20	U	20	U			20	U	20	U			20	U
2-Propanol, 2-methyl-					1.4	JT										
4-Chlorotoluene	2	U	2	U	2	U			2	U	2	U			2	U
4-Isopropyltoluene	2	U	2	U	2	U			2	U	2	U			2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U			20	U	20	U			20	U
Acetone	20	U	20	U	20	U			20	U	20	U			20	U
Benzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Bromobenzene	2	U	2	U	2	U			2	U	2	U			2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Bromoform	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	UJ
Butane, 2-methoxy-2-methyl-					2	U										
Freon 11	0.5	U	0.5	U					0.5	U	0.5	U			0.5	U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank 2		Trip Blank		Trip Blank-1		Trip Blanks		Trip Blank #373		Trip Blank-4		Trip Blank	
Sampling Date	10/24/2007		10/24/2007		1/24/2008		4/20/2008		4/20/2008		4/23/2008		4/24/2008		4/24/2008	
Freon 12	0.5	U	0.5	U					0.5	U	0.5	U			0.5	U
Carbon Disulfide	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Chloroform	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Cumene(Isopropylbenzene)	2	U	2	U	2	U			2	U	2	U			2	U
Dibromochloromethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Diisopropyl Ether (Dot)					2	U										
Ethylbenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Hexachlorobutadiene	2	U	2	U	2	U			2	U	2	U			2	U
Isopropylbenzene(Cumene)																
Methyl t-butyl ether					0.5	U										
Methylene Chloride	2	U	2	U	2	U			2	U	2	U			2	U
N-Butylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
N-Propylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
Naphthalene	2	U	2	U	2	U			2	U	2	U			2	U
Propane, 2-Ethoxy-2-Methyl-					2	U										
Sec-Butylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
Styrene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Tert-Butylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Toluene	0.5	U	0.5	U	0.5	U			0.15	T	0.5	U			0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Vinyl Acetate																
Vinyl Chloride	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
m,p-Xylenes	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
p-Cymene																
<b>TPH-Gx in mg/L</b>																
Gasoline									0.1	U					0.1	U
Mineral spirits/Stoddard									0.1	U					0.1	U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank #39030	TB (39029)	Trip Blank (39027)	Trip Blank (39028)	Trip Blank (39026)
Sampling Date	10/19/2008	10/20/2008	10/22/2008	10/22/2008	10/24/2008
<b>Volatiles in µg/L</b>					
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 UJ	2 UJ	2 UJ	2 UJ	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U
2-Propanol, 2-methyl-					
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene					
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Butane, 2-methoxy-2-methyl-					
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank #39030	TB (39029)	Trip Blank (39027)	Trip Blank (39028)	Trip Blank (39026)
Sampling Date	10/19/2008	10/20/2008	10/22/2008	10/22/2008	10/24/2008
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.06 T
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)					
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Diisopropyl Ether (Dot)					
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U
Isopropylbenzene(Cumene)	2 U	2 U	2 U	2 U	2 U
Methyl t-butyl ether					
Methylene Chloride	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 UJ	2 U	2 U	2 U	2 U
Propane, 2-Ethoxy-2-Methyl-					
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.1 T	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate					
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene	2 U	2 U	2 U	2 U	2 U
<b>TPH-Gx in mg/L</b>					
Gasoline					
Mineral spirits/Stoddard					

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
CM-MW-01S	CM-MW-1S	7/25/2005	9.87
CM-MW-01S	CM-MW-1S	9/29/2005	10.7
CM-MW-01S	CM-MW-1S	10/24/2005	7.83
CM-MW-01S	CM-MW-1S	1/26/2006	10.13
CM-MW-01S	CM-MW-1S	4/17/2006	11.3
CM-MW-01S	CM-MW-1S	7/17/2006	9.66
CM-MW-01S	CM-MW-1S	10/23/2006	8.99
CM-MW-02S	CM-MW-2S	7/25/2005	10.09
CM-MW-02S	CM-MW-2S	9/29/2005	7.9
CM-MW-02S	CM-MW-2S	10/24/2005	7.57
CM-MW-02S	CM-MW-2S	1/26/2006	10.44
CM-MW-02S	CM-MW-2S	4/17/2006	10.8
CM-MW-02S	CM-MW-2S	7/17/2006	7.81
CM-MW-02S	CM-MW-2S	10/23/2006	8.82
CM-MW-03S	CM-MW-3S	7/25/2005	8.78
CM-MW-03S	CM-MW-3S	10/24/2005	5.64
CM-MW-03S	CM-MW-3S	1/26/2006	7.84
CM-MW-03S	CM-MW-3S	4/17/2006	9.3
CM-MW-03S	CM-MW-3S	7/17/2006	3.27
CM-MW-03S	CM-MW-3S	10/23/2006	6.65
CM-MW-04S	CM-MW-4S	7/25/2005	5.92
CM-MW-04S	CM-MW-4S	9/29/2005	9.6
CM-MW-04S	CM-MW-4S	10/24/2005	3.48
CM-MW-04S	CM-MW-4S	1/26/2006	7.17
CM-MW-04S	CM-MW-4S	4/17/2006	10
CM-MW-04S	CM-MW-4S	7/17/2006	7.67
CM-MW-04S	CM-MW-4S	10/23/2006	5.28
CM-MW-05S	CM-MW-5S	7/25/2005	8.91
CM-MW-05S	CM-MW-5S	8/30/2005	6.9
CM-MW-05S	CM-MW-5S	10/24/2005	6.74
CM-MW-05S	CM-MW-5S	1/26/2006	7.45
CM-MW-05S	CM-MW-5S	4/17/2006	7.9
CM-MW-05S	CM-MW-5S	7/17/2006	5.16
CM-MW-05S	CM-MW-5S	10/23/2006	8.18
CM-MW-06S	CM-MW-6S	7/25/2005	4.7
CM-MW-06S	CM-MW-6S	10/24/2005	2.3
CM-MW-06S	CM-MW-6S	1/26/2006	2.3
CM-MW-06S	CM-MW-6S	4/17/2006	6.8
CM-MW-06S	CM-MW-6S	7/17/2006	5.96
CM-MW-06S	CM-MW-6S	10/23/2006	1.53
CM-MW-07S	CM-MW-7S	7/25/2005	8.75
CM-MW-07S	CM-MW-7S	8/30/2005	6.7
CM-MW-07S	CM-MW-7S	9/29/2005	8.3
CM-MW-07S	CM-MW-7S	10/24/2005	7.54
CM-MW-07S	CM-MW-7S	1/26/2006	8.99
CM-MW-07S	CM-MW-7S	4/17/2006	9.4
CM-MW-07S	CM-MW-7S	7/17/2006	8.55
CM-MW-07S	CM-MW-7S	10/23/2006	9.08
CM-MW-08S	CM-MW-8S	7/25/2005	10.27
CM-MW-08S	CM-MW-8S	8/30/2005	9
CM-MW-08S	CM-MW-8S	9/29/2005	9
CM-MW-08S	CM-MW-8S	10/24/2005	8.82
CM-MW-08S	CM-MW-8S	1/26/2006	10.54
CM-MW-08S	CM-MW-8S	4/17/2006	11.8
CM-MW-08S	CM-MW-8S	7/17/2006	9.67
CM-MW-08S	CM-MW-8S	10/23/2006	10
FO-MW-01S	FO-MW-1S	4/17/2006	3.7



**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
FO-MW-01S	FO-MW-1S	7/17/2006	0.89
FO-MW-01S	FO-MW-1S	10/23/2006	1.61
HL-MW-01	HL-MW-1	9/29/2005	3.4
HL-MW-01	HL-MW-1	10/24/2005	6
HL-MW-01	HL-MW-1	4/17/2006	5.1
HL-MW-01	HL-MW-1	10/23/2006	4.44
HL-MW-02	HL-MW-2	4/17/2006	2.5
HL-MW-02	HL-MW-2	10/23/2006	10.79
HL-MW-04	HL-MW-4	5/12/2003	8.2
HL-MW-04	HL-MW-4	6/30/2004	6.9
HL-MW-04	HL-MW-4	10/25/2004	8
HL-MW-04	HL-MW-4	10/24/2005	7.94
HL-MW-04	HL-MW-4	4/17/2006	10.1
HL-MW-04	HL-MW-4	7/17/2006	8.99
HL-MW-05	HL-MW-5	5/12/2003	8.1
HL-MW-05	HL-MW-5	10/23/2003	7.58
HL-MW-05	HL-MW-5	6/30/2004	6.3
HL-MW-05	HL-MW-5	9/14/2004	3.3
HL-MW-05	HL-MW-5	10/25/2004	7.8
HL-MW-05	HL-MW-5	7/25/2005	7.03
HL-MW-05	HL-MW-5	8/30/2005	7
HL-MW-05	HL-MW-5	9/29/2005	6
HL-MW-05	HL-MW-5	10/24/2005	6.95
HL-MW-05	HL-MW-5	4/17/2006	7.1
HL-MW-05	HL-MW-5	7/17/2006	8.54
HL-MW-05	HL-MW-5	10/23/2006	7.86
HL-MW-06A	HL-MW-6A	5/12/2003	8.9
HL-MW-06A	HL-MW-6A	10/24/2003	7.77
HL-MW-06A	HL-MW-6A	6/30/2004	7.2
HL-MW-06A	HL-MW-6A	9/14/2004	8.2
HL-MW-06A	HL-MW-6A	10/25/2004	8.3
HL-MW-06A	HL-MW-6A	7/25/2005	6.09
HL-MW-06A	HL-MW-6A	8/30/2005	8.4
HL-MW-06A	HL-MW-6A	9/29/2005	8.5
HL-MW-06A	HL-MW-6A	10/24/2005	7.32
HL-MW-06A	HL-MW-6A	1/25/2006	8.45
HL-MW-06A	HL-MW-6A	4/17/2006	8.8
HL-MW-06A	HL-MW-6A	7/17/2006	8.43
HL-MW-06A	HL-MW-6A	10/23/2006	8.36
HL-MW-07S	HL-MW-7S	5/12/2003	9.1
HL-MW-07S	HL-MW-7S	10/23/2003	8.72
HL-MW-07S	HL-MW-7S	6/30/2004	7.9
HL-MW-07S	HL-MW-7S	9/14/2004	9.3
HL-MW-07S	HL-MW-7S	10/25/2004	8.4
HL-MW-07S	HL-MW-7S	7/25/2005	7.21
HL-MW-07S	HL-MW-7S	8/30/2005	9.5
HL-MW-07S	HL-MW-7S	9/29/2005	9.6
HL-MW-07S	HL-MW-7S	10/24/2005	8.31
HL-MW-07S	HL-MW-7S	1/23/2006	7.97
HL-MW-07S	HL-MW-7S	4/17/2006	11.5
HL-MW-07S	HL-MW-7S	7/17/2006	8.99
HL-MW-07S	HL-MW-7S	10/23/2006	9.88
HL-MW-08D	HL-MW-8D	5/12/2003	9.8
HL-MW-08D	HL-MW-8D	10/23/2003	8.81
HL-MW-08D	HL-MW-8D	6/30/2004	8
HL-MW-08D	HL-MW-8D	9/14/2004	7.2
HL-MW-08D	HL-MW-8D	10/25/2004	8.9

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
HL-MW-08D	HL-MW-8D	7/25/2005	6.81
HL-MW-08D	HL-MW-8D	8/30/2005	9.4
HL-MW-08D	HL-MW-8D	9/29/2005	9.5
HL-MW-08D	HL-MW-8D	10/24/2005	8.4
HL-MW-08D	HL-MW-8D	4/17/2006	8.1
HL-MW-08D	HL-MW-8D	10/23/2006	9.52
HL-MW-09D	HL-MW-9D	5/12/2003	9.9
HL-MW-09D	HL-MW-9D	10/24/2003	7.36
HL-MW-09D	HL-MW-9D	6/30/2004	6.3
HL-MW-09D	HL-MW-9D	9/14/2004	6.3
HL-MW-09D	HL-MW-9D	10/25/2004	7.8
HL-MW-09D	HL-MW-9D	7/25/2005	6.2
HL-MW-09D	HL-MW-9D	8/30/2005	5
HL-MW-09D	HL-MW-9D	9/29/2005	5.5
HL-MW-09D	HL-MW-9D	10/24/2005	7.16
HL-MW-09D	HL-MW-9D	4/17/2006	8.7
HL-MW-09D	HL-MW-9D	10/23/2006	7.78
HL-MW-10S	HL-MW-10S	5/12/2003	4.6
HL-MW-10S	HL-MW-10S	10/24/2003	4.95
HL-MW-10S	HL-MW-10S	6/30/2004	2.9
HL-MW-10S	HL-MW-10S	9/14/2004	5.6
HL-MW-10S	HL-MW-10S	10/25/2004	3.3
HL-MW-10S	HL-MW-10S	7/25/2005	4.92
HL-MW-10S	HL-MW-10S	8/30/2005	5.3
HL-MW-10S	HL-MW-10S	9/29/2005	5.6
HL-MW-10S	HL-MW-10S	10/24/2005	4.02
HL-MW-10S	HL-MW-10S	4/17/2006	6.9
HL-MW-10S	HL-MW-10S	10/23/2006	2.58
HL-MW-11D	HL-MW-11D	5/12/2003	6.5
HL-MW-11D	HL-MW-11D	10/24/2003	5.21
HL-MW-11D	HL-MW-11D	6/30/2004	4.1
HL-MW-11D	HL-MW-11D	9/14/2004	5.2
HL-MW-11D	HL-MW-11D	10/25/2004	7.7
HL-MW-11D	HL-MW-11D	8/30/2005	4.7
HL-MW-12S	HL-MW-12S	10/24/2003	8.42
HL-MW-12S	HL-MW-12S	7/25/2005	7.51
HL-MW-12S	HL-MW-12S	9/29/2005	10
HL-MW-12S	HL-MW-12S	10/24/2005	8.83
HL-MW-12S	HL-MW-12S	4/17/2006	10.5
HL-MW-12S	HL-MW-12S	10/23/2006	10.3
HL-MW-13DD	HL-MW-13DD	10/23/2003	7.65
HL-MW-13DD	HL-MW-13DD	7/25/2005	6.11
HL-MW-13DD	HL-MW-13DD	9/29/2005	9.8
HL-MW-13DD	HL-MW-13DD	10/24/2005	7.6
HL-MW-13DD	HL-MW-13DD	1/23/2006	7.38
HL-MW-13DD	HL-MW-13DD	4/17/2006	7.8
HL-MW-13DD	HL-MW-13DD	7/17/2006	8.77
HL-MW-13DD	HL-MW-13DD	10/23/2006	9.14
HL-MW-14S	HL-MW-14S	10/24/2003	7.99
HL-MW-14S	HL-MW-14S	7/25/2005	6.72
HL-MW-14S	HL-MW-14S	9/29/2005	9.6
HL-MW-14S	HL-MW-14S	10/24/2005	7.79
HL-MW-14S	HL-MW-14S	1/23/2006	9.47
HL-MW-14S	HL-MW-14S	4/17/2006	9.1
HL-MW-14S	HL-MW-14S	7/17/2006	8.71
HL-MW-14S	HL-MW-14S	10/23/2006	8.99
HL-MW-15DD	HL-MW-15DD	10/23/2003	5.84

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
HL-MW-15DD	HL-MW-15DD	7/25/2005	5.32
HL-MW-15DD	HL-MW-15DD	9/29/2005	2.6
HL-MW-15DD	HL-MW-15DD	10/24/2005	6.65
HL-MW-15DD	HL-MW-15DD	4/17/2006	8.7
HL-MW-15DD	HL-MW-15DD	10/23/2006	7.13
HL-MW-16S	HL-MW-16S	10/23/2003	2.5
HL-MW-16S	HL-MW-16S	7/25/2005	2.67
HL-MW-16S	HL-MW-16S	9/29/2005	2.9
HL-MW-16S	HL-MW-16S	10/24/2005	2.05
HL-MW-16S	HL-MW-16S	1/23/2006	1.48
HL-MW-16S	HL-MW-16S	4/17/2006	6.8
HL-MW-16S	HL-MW-16S	7/17/2006	1.85
HL-MW-16S	HL-MW-16S	10/23/2006	1.96
HL-MW-17S	HL-MW-17S	10/23/2003	8.06
HL-MW-17S	HL-MW-17S	7/25/2005	7.4
HL-MW-17S	HL-MW-17S	9/29/2005	9
HL-MW-17S	HL-MW-17S	10/24/2005	7.75
HL-MW-17S	HL-MW-17S	1/24/2006	6.96
HL-MW-17S	HL-MW-17S	4/17/2006	10.3
HL-MW-17S	HL-MW-17S	7/17/2006	8.74
HL-MW-17S	HL-MW-17S	10/23/2006	8.8
HL-MW-18S	HL-MW-18S	7/25/2005	7.19
HL-MW-18S	HL-MW-18S	9/29/2005	9.5
HL-MW-18S	HL-MW-18S	10/24/2005	7.14
HL-MW-18S	HL-MW-18S	1/27/2006	6.9
HL-MW-18S	HL-MW-18S	4/17/2006	9.2
HL-MW-18S	HL-MW-18S	7/17/2006	8.53
HL-MW-18S	HL-MW-18S	10/23/2006	7.94
HL-MW-19S	HL-MW-19S	7/25/2005	8.69
HL-MW-19S	HL-MW-19S	10/24/2005	6.33
HL-MW-19S	HL-MW-19S	1/25/2006	8.56
HL-MW-19S	HL-MW-19S	4/17/2006	10.4
HL-MW-19S	HL-MW-19S	7/17/2006	6.71
HL-MW-19S	HL-MW-19S	10/23/2006	6.52
HL-MW-20S	HL-MW-20S	7/17/2006	3.75
HL-MW-20S	HL-MW-20S	10/23/2006	1.35
HL-MW-21S	HL-MW-21S	7/25/2005	0.38
HL-MW-21S	HL-MW-21S	9/29/2005	2.5
HL-MW-21S	HL-MW-21S	10/24/2005	3.73
HL-MW-21S	HL-MW-21S	1/25/2006	1.66
HL-MW-21S	HL-MW-21S	4/17/2006	10.7
HL-MW-21S	HL-MW-21S	7/17/2006	2.15
HL-MW-21S	HL-MW-21S	10/23/2006	1.14
HL-MW-22S	HL-MW-22S	7/25/2005	7.12
HL-MW-22S	HL-MW-22S	9/29/2005	8.9
HL-MW-22S	HL-MW-22S	10/24/2005	7.85
HL-MW-22S	HL-MW-22S	1/25/2006	8.22
HL-MW-22S	HL-MW-22S	4/17/2006	10.4
HL-MW-22S	HL-MW-22S	7/17/2006	6.55
HL-MW-22S	HL-MW-22S	10/23/2006	7.58
HL-MW-23S	HL-MW-23S	4/17/2006	8.6
HL-MW-23S	HL-MW-23S	7/17/2006	8.02
HL-MW-23S	HL-MW-23S	10/23/2006	8.72
HL-MW-24DD	HL-MW-24DD	4/17/2006	9.2
HL-MW-24DD	HL-MW-24DD	7/17/2006	8.44
HL-MW-24DD	HL-MW-24DD	10/23/2006	8.36
HL-MW-25S	HL-MW-25S	4/17/2006	9.5

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
HL-MW-25S	HL-MW-25S	7/17/2006	8.67
HL-MW-25S	HL-MW-25S	10/23/2006	9.35
HL-MW-26S	HL-MW-26S	4/17/2006	10.9
HL-MW-26S	HL-MW-26S	7/17/2006	9
HL-MW-26S	HL-MW-26S	10/23/2006	8.29
HL-MW-27D	HL-MW-27D	4/17/2006	10.2
HL-MW-27D	HL-MW-27D	7/17/2006	9.74
HL-MW-27D	HL-MW-27D	10/23/2006	9.04
HL-MW-28DD	HL-MW-28DD	10/23/2006	8.7
MW-02D	MW-2D	5/12/2003	9
MW-02D	MW-2D	6/30/2004	8.4
MW-02D	MW-2D	9/14/2004	9.1
MW-02D	MW-2D	10/25/2004	8.6
MW-02D	MW-2D	8/30/2005	9.2
MW-02D	MW-2D	9/29/2005	10.6
MW-02D	MW-2D	10/24/2005	8.4
MW-02D	MW-2D	4/17/2006	4.5
MW-02D	MW-2D	10/23/2006	9.53
MW-02S	MW-2S	5/12/2003	8.54
MW-02S	MW-2S	9/14/2004	9.1
MW-02S	MW-2S	10/25/2004	8.4
MW-02S	MW-2S	7/25/2005	6.52
MW-02S	MW-2S	8/30/2005	9.2
MW-02S	MW-2S	9/29/2005	10.6
MW-02S	MW-2S	10/24/2005	6.35
MW-02S	MW-2S	4/17/2006	4.5
MW-02S	MW-2S	10/23/2006	9.53
MW-02S	MW-2S	4/14/2007	5.1
MW-02S	MW-2S	4/19/2008	8.2
MW-04	MW-4	9/29/2005	4.5
MW-04	MW-4	10/24/2005	9.1
MW-04	MW-4	4/17/2006	9.6
MW-04	MW-4	10/23/2006	8.19
MW-05	MW-5	5/12/2003	4.5
MW-05	MW-5	7/1/2004	8.1
MW-05	MW-5	9/14/2004	8.3
MW-05	MW-5	10/29/2004	8.2
MW-05	MW-5	7/25/2005	7.9
MW-05	MW-5	8/30/2005	8.6
MW-05	MW-5	9/29/2005	8.2
MW-05	MW-5	10/24/2005	8.8
MW-05	MW-5	4/17/2006	7
MW-05	MW-5	10/23/2006	8.6
MW-07	MW-7	5/12/2003	10.1
MW-07	MW-7	7/1/2004	9.6
MW-07	MW-7	9/14/2004	9.1
MW-07	MW-7	10/29/2004	9.7
MW-08	MW-8	5/12/2003	9.8
MW-08	MW-8	6/29/2004	6.9
MW-08	MW-8	9/14/2004	7.2
MW-08	MW-8	10/25/2004	7
MW-08	MW-8	7/25/2005	8.01
MW-08	MW-8	8/30/2005	7.1
MW-08	MW-8	9/29/2005	7.2
MW-08	MW-8	10/24/2005	7.16
MW-08	MW-8	4/17/2006	10.1
MW-08	MW-8	10/23/2006	8.21

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
MW-09	MW-9	5/12/2003	9.2
MW-09	MW-9	6/29/2004	6.2
MW-09	MW-9	9/14/2004	8.5
MW-09	MW-9	10/25/2004	8.3
MW-10	MW-10	5/12/2003	9.7
MW-10	MW-10	7/1/2004	4
MW-10	MW-10	9/14/2004	4.7
MW-10	MW-10	10/25/2004	0.4
MW-10	MW-10	8/30/2005	9.5
MW-10	MW-10	9/29/2005	7.6
MW-10	MW-10	10/24/2005	9.27
MW-10	MW-10	4/17/2006	12.9
MW-10	MW-10	10/23/2006	8.11
MW-12A	MW-12A	5/12/2003	8.97
MW-12A	MW-12A	10/22/2003	8.44
MW-12A	MW-12A	6/29/2004	8.2
MW-12A	MW-12A	9/14/2004	9.2
MW-12A	MW-12A	10/25/2004	9.4
MW-12A	MW-12A	7/25/2005	6.9
MW-12A	MW-12A	8/30/2005	7.7
MW-12A	MW-12A	9/29/2005	9.6
MW-12A	MW-12A	10/24/2005	7.92
MW-12A	MW-12A	4/17/2006	9.9
MW-12A	MW-12A	10/23/2006	9.44
MW-13	MW-13	5/12/2003	9
MW-13	MW-13	6/29/2004	5.8
MW-13	MW-13	9/14/2004	6.9
MW-13	MW-13	10/25/2004	7.3
MW-14	MW-14	5/12/2003	6.59
MW-14	MW-14	6/29/2004	1.4
MW-14	MW-14	9/14/2004	2.3
MW-14	MW-14	10/25/2004	1.1
MW-14	MW-14	7/25/2005	4.02
MW-14	MW-14	8/30/2005	4.1
MW-14	MW-14	9/29/2005	1.4
MW-14	MW-14	10/24/2005	1.46
MW-14	MW-14	4/17/2006	9.7
MW-14	MW-14	7/17/2006	1.7
MW-14	MW-14	10/23/2006	0.63
MW-15	MW-15	5/12/2003	8.1
MW-15	MW-15	6/29/2004	6.8
MW-15	MW-15	9/14/2004	7.8
MW-15	MW-15	10/25/2004	6.9
MW-15	MW-15	7/25/2005	8.22
MW-15	MW-15	8/30/2005	8.1
MW-15	MW-15	9/29/2005	7.8
MW-15	MW-15	10/24/2005	6.9
MW-15	MW-15	4/17/2006	7.7
MW-15	MW-15	10/23/2006	9.84
MW-16	MW-16	5/12/2003	10.14
MW-16	MW-16	6/29/2004	8.8
MW-16	MW-16	9/14/2004	9
MW-16	MW-16	10/25/2004	8.3
MW-16	MW-16	7/25/2005	8.96
MW-16	MW-16	8/30/2005	9.8
MW-16	MW-16	9/29/2005	9.4
MW-16	MW-16	10/24/2005	7.9

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
MW-16	MW-16	4/17/2006	9.9
MW-16	MW-16	10/23/2006	9.65
MW-17S	MW-17S	5/12/2003	10.01
MW-17S	MW-17S	10/22/2003	8.62
MW-17S	MW-17S	6/29/2004	8
MW-17S	MW-17S	9/14/2004	8.8
MW-17S	MW-17S	10/25/2004	8.6
MW-17S	MW-17S	7/25/2005	9
MW-17S	MW-17S	8/30/2005	9
MW-17S	MW-17S	9/29/2005	4
MW-17S	MW-17S	10/24/2005	8.33
MW-17S	MW-17S	1/25/2006	7.74
MW-17S	MW-17S	4/17/2006	9.9
MW-17S	MW-17S	7/17/2006	9.27
MW-17S	MW-17S	10/23/2006	9.65
MW-18D	MW-18D	5/12/2003	8.96
MW-18D	MW-18D	10/22/2003	8.49
MW-18D	MW-18D	6/29/2004	7
MW-18D	MW-18D	9/14/2004	3.7
MW-18D	MW-18D	10/25/2004	8.4
MW-18D	MW-18D	7/25/2005	8.75
MW-18D	MW-18D	8/30/2005	4
MW-18D	MW-18D	9/29/2005	9.5
MW-18D	MW-18D	10/24/2005	8.61
MW-18D	MW-18D	4/17/2006	9
MW-18D	MW-18D	10/23/2006	9.49
MW-19S	MW-19S	5/12/2003	6.5
MW-19S	MW-19S	6/29/2004	6.9
MW-19S	MW-19S	9/14/2004	7.1
MW-19S	MW-19S	10/26/2004	6.9
MW-19S	MW-19S	7/25/2005	8.03
MW-19S	MW-19S	8/30/2005	7.2
MW-19S	MW-19S	9/29/2005	7.5
MW-19S	MW-19S	10/24/2005	6.92
MW-19S	MW-19S	1/25/2006	6.53
MW-19S	MW-19S	4/17/2006	9.5
MW-19S	MW-19S	7/17/2006	7.29
MW-19S	MW-19S	10/23/2006	8.06
MW-20D	MW-20D	5/12/2003	7.5
MW-20D	MW-20D	6/29/2004	5.8
MW-20D	MW-20D	9/14/2004	5.4
MW-20D	MW-20D	10/25/2004	5.8
MW-21S	MW-21S	5/12/2003	4.8
MW-21S	MW-21S	6/29/2004	4.4
MW-21S	MW-21S	9/14/2004	4.2
MW-21S	MW-21S	10/25/2004	3.1
MW-21S	MW-21S	7/25/2005	4.21
MW-21S	MW-21S	8/30/2005	4.4
MW-21S	MW-21S	9/29/2005	3.2
MW-21S	MW-21S	10/24/2005	3.85
MW-21S	MW-21S	1/24/2006	1.78
MW-21S	MW-21S	4/17/2006	5.3
MW-21S	MW-21S	7/17/2006	3.43
MW-21S	MW-21S	10/23/2006	3.56
MW-22D	MW-22D	5/12/2003	6.75
MW-22D	MW-22D	6/29/2004	4.8
MW-22D	MW-22D	9/14/2004	5.8

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
MW-22D	MW-22D	10/25/2004	7.2
MW-22D	MW-22D	10/23/2006	8
MW-23S	MW-23S	5/12/2003	9.8
MW-23S	MW-23S	10/22/2003	8.89
MW-23S	MW-23S	6/29/2004	9.3
MW-23S	MW-23S	9/14/2004	8.9
MW-23S	MW-23S	10/25/2004	9.1
MW-23S	MW-23S	7/25/2005	7.39
MW-23S	MW-23S	8/30/2005	2.8
MW-23S	MW-23S	9/29/2005	9.6
MW-23S	MW-23S	10/24/2005	8.46
MW-23S	MW-23S	4/17/2006	9.2
MW-23S	MW-23S	10/23/2006	10.71
MW-24D	MW-24D	5/12/2003	8.6
MW-24D	MW-24D	10/22/2003	8.68
MW-24D	MW-24D	6/29/2004	5.9
MW-24D	MW-24D	9/14/2004	3.9
MW-24D	MW-24D	10/25/2004	8.3
MW-24D	MW-24D	7/25/2005	6.98
MW-24D	MW-24D	8/30/2005	3
MW-24D	MW-24D	9/29/2005	9.3
MW-24D	MW-24D	10/24/2005	7.15
MW-24D	MW-24D	4/17/2006	8.7
MW-24D	MW-24D	10/23/2006	9.47
MW-25S	MW-25S	5/12/2003	8.54
MW-25S	MW-25S	10/22/2003	8.36
MW-25S	MW-25S	6/29/2004	8.4
MW-25S	MW-25S	9/14/2004	9.2
MW-25S	MW-25S	10/26/2004	8.6
MW-25S	MW-25S	7/25/2005	8.8
MW-25S	MW-25S	8/30/2005	9.2
MW-25S	MW-25S	9/29/2005	9.9
MW-25S	MW-25S	10/24/2005	8.1
MW-25S	MW-25S	1/24/2006	7.49
MW-25S	MW-25S	4/17/2006	9.8
MW-25S	MW-25S	7/17/2006	9.55
MW-25S	MW-25S	10/23/2006	10.06
MW-26D	MW-26D	5/12/2003	8.78
MW-26D	MW-26D	10/22/2003	8.58
MW-26D	MW-26D	6/29/2004	8
MW-26D	MW-26D	9/14/2004	4.4
MW-26D	MW-26D	10/25/2004	8.7
MW-26D	MW-26D	8/30/2005	6.9
MW-26D	MW-26D	9/29/2005	9.6
MW-26D	MW-26D	10/24/2005	7.58
MW-26D	MW-26D	4/17/2006	9.2
MW-26D	MW-26D	10/23/2006	9.42
OH-MW-03	OH-MW-3	7/1/2004	0.4
OH-MW-10	OH-MW-10	5/12/2003	9.5
OH-MW-10	OH-MW-10	7/1/2004	5.2
OH-MW-10	OH-MW-10	10/25/2004	6.9
OH-MW-10	OH-MW-10	9/29/2005	6.2
OH-MW-10	OH-MW-10	10/24/2005	7.8
OH-MW-10	OH-MW-10	4/17/2006	11.5
OH-MW-10	OH-MW-10	10/23/2006	6.8
OH-MW-18	OH-MW-18	5/12/2003	5.7
OH-MW-18	OH-MW-18	7/1/2004	5.6

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
OH-MW-18	OH-MW-18	7/25/2005	6.92
OH-MW-18	OH-MW-18	9/29/2005	8.5
OH-MW-18	OH-MW-18	10/24/2005	6.7
OH-MW-18	OH-MW-18	4/17/2006	10.5
OH-MW-18	OH-MW-18	10/23/2006	7.79
OH-MW-26	OH-MW-26	5/12/2003	8.64
OH-MW-26	OH-MW-26	9/14/2004	1.94
OH-MW-26	OH-MW-26	10/28/2004	0.4
OH-MW-26	OH-MW-26	7/25/2005	5.7
OH-MW-26	OH-MW-26	8/30/2005	8.4
OH-MW-26	OH-MW-26	9/29/2005	4
OH-MW-26	OH-MW-26	10/24/2005	5.96
OH-MW-26	OH-MW-26	4/17/2006	4.6
OH-MW-26	OH-MW-26	10/23/2006	4.17
OH-MW-27	OH-MW-27	5/12/2003	7
OH-MW-27	OH-MW-27	7/1/2004	4.2
OH-MW-27	OH-MW-27	10/25/2004	5.7
OH-MW-27	OH-MW-27	9/29/2005	7.9
OH-MW-27	OH-MW-27	10/24/2005	5.15
OH-MW-27	OH-MW-27	4/17/2006	6
OH-MW-27	OH-MW-27	10/23/2006	5.83
OH-MW-27	OH-MW-27	4/14/2007	4.8
OH-MW-27	OH-MW-27	10/21/2007	2.8
OH-MW-27	OH-MW-27	4/19/2008	4.5
OH-MW-27	OH-MW-27	10/18/2008	0.1
RM-MW-01S	RM-MW-1S	10/23/2003	8.14
RM-MW-01S	RM-MW-1S	7/25/2005	6.92
RM-MW-01S	RM-MW-1S	9/29/2005	10.1
RM-MW-01S	RM-MW-1S	10/24/2005	7.96
RM-MW-01S	RM-MW-1S	1/25/2006	8.8
RM-MW-01S	RM-MW-1S	4/17/2006	9.4
RM-MW-01S	RM-MW-1S	7/17/2006	8.73
RM-MW-01S	RM-MW-1S	10/23/2006	8.63
RM-MW-02D	RM-MW-2D	10/23/2003	8.01
RM-MW-02D	RM-MW-2D	7/25/2005	7.95
RM-MW-02D	RM-MW-2D	9/29/2005	3
RM-MW-02D	RM-MW-2D	10/24/2005	7.74
RM-MW-02D	RM-MW-2D	4/17/2006	5.8
RM-MW-02D	RM-MW-2D	10/23/2006	9.24
RM-MW-03S	RM-MW-3S	10/24/2003	8.04
RM-MW-03S	RM-MW-3S	7/25/2005	0.57
RM-MW-03S	RM-MW-3S	9/29/2005	10.4
RM-MW-03S	RM-MW-3S	10/24/2005	7.84
RM-MW-03S	RM-MW-3S	1/25/2006	9.75
RM-MW-03S	RM-MW-3S	4/17/2006	9.7
RM-MW-03S	RM-MW-3S	7/17/2006	9.62
RM-MW-03S	RM-MW-3S	10/23/2006	9.34
RM-MW-04D	RM-MW-4D	10/23/2003	6.73
RM-MW-04D	RM-MW-4D	7/25/2005	0.82
RM-MW-04D	RM-MW-4D	9/29/2005	10.6
RM-MW-04D	RM-MW-4D	10/24/2005	6.57
RM-MW-04D	RM-MW-4D	4/17/2006	7.5
RM-MW-04D	RM-MW-4D	10/23/2006	7.67
RM-MW-05S	RM-MW-5S	10/24/2003	8.24
RM-MW-05S	RM-MW-5S	7/25/2005	6.9
RM-MW-05S	RM-MW-5S	9/29/2005	9.1
RM-MW-05S	RM-MW-5S	10/24/2005	7.19



**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
RM-MW-05S	RM-MW-5S	4/17/2006	10.6
RM-MW-05S	RM-MW-5S	10/23/2006	8.93
RM-MW-08S	RM-MW-8S	7/25/2005	7.21
RM-MW-08S	RM-MW-8S	9/29/2005	7.3
RM-MW-08S	RM-MW-8S	10/24/2005	8.05
RM-MW-08S	RM-MW-8S	1/24/2006	7.9
RM-MW-08S	RM-MW-8S	4/17/2006	9.1
RM-MW-08S	RM-MW-8S	7/17/2006	8.45
RM-MW-08S	RM-MW-8S	10/23/2006	9.1
RM-MW-09S	RM-MW-9S	7/25/2005	6.8
RM-MW-09S	RM-MW-9S	8/30/2005	8.8
RM-MW-09S	RM-MW-9S	9/29/2005	9.1
RM-MW-09S	RM-MW-9S	10/24/2005	8.02
RM-MW-09S	RM-MW-9S	1/24/2006	8.38
RM-MW-09S	RM-MW-9S	4/17/2006	11
RM-MW-09S	RM-MW-9S	7/17/2006	9.54
RM-MW-09S	RM-MW-9S	10/23/2006	9.24
RM-MW-10S	RM-MW-10S	7/25/2005	5.3
RM-MW-10S	RM-MW-10S	8/30/2005	7.9
RM-MW-10S	RM-MW-10S	9/29/2005	8
RM-MW-10S	RM-MW-10S	10/24/2005	6.69
RM-MW-10S	RM-MW-10S	1/25/2006	7.26
RM-MW-10S	RM-MW-10S	4/17/2006	10.3
RM-MW-10S	RM-MW-10S	7/17/2006	8.09
RM-MW-10S	RM-MW-10S	10/23/2006	8.41
RM-MW-12S	RM-MW-12S	7/25/2005	6.52
RM-MW-12S	RM-MW-12S	8/30/2005	9
RM-MW-12S	RM-MW-12S	9/29/2005	6.5
RM-MW-12S	RM-MW-12S	10/24/2005	7.96
RM-MW-12S	RM-MW-12S	1/24/2006	8.94
RM-MW-12S	RM-MW-12S	4/17/2006	10.8
RM-MW-12S	RM-MW-12S	7/17/2006	9.51
RM-MW-12S	RM-MW-12S	10/23/2006	9.61
RM-MW-13S	RM-MW-13S	7/25/2005	5.98
RM-MW-13S	RM-MW-13S	9/29/2005	7.5
RM-MW-13S	RM-MW-13S	10/24/2005	8.15
RM-MW-13S	RM-MW-13S	1/25/2006	9.94
RM-MW-13S	RM-MW-13S	4/17/2006	8.6
RM-MW-13S	RM-MW-13S	7/17/2006	8.47
RM-MW-13S	RM-MW-13S	10/23/2006	8.68
RM-MW-14S	RM-MW-14S	10/23/2006	3.92
RM-MW-15S	RM-MW-15S	10/23/2006	9.03
RM-MW-16S	RM-MW-16S	10/23/2006	8.04
RM-MW-17S	RM-MW-17S	10/23/2006	8.13
RMSW-MW11S	RMSW-MW11S	7/25/2005	6.74
RMSW-MW11S	RMSW-MW11S	9/29/2005	9.4
RMSW-MW11S	RMSW-MW11S	7/17/2006	8.99
TL-MW-01A	TL-MW-1A	10/24/2003	4.04
TL-MW-01A	TL-MW-1A	10/24/2005	5
TL-MW-01A	TL-MW-1A	4/17/2006	7.4
TL-MW-01A	TL-MW-1A	10/23/2006	7.4
TL-MW-01A	TL-MW-1A	10/21/2007	3.7
TL-MW-01A	TL-MW-1A	10/18/2008	2.1
TS-MW-01S	TS-MW-1S	7/25/2005	9.37
TS-MW-01S	TS-MW-1S	9/29/2005	9.6
TS-MW-01S	TS-MW-1S	10/24/2005	6.4
TS-MW-01S	TS-MW-1S	1/26/2006	8.24

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
TS-MW-01S	TS-MW-1S	4/17/2006	10.3
TS-MW-01S	TS-MW-1S	7/17/2006	9.14
TS-MW-01S	TS-MW-1S	10/23/2006	9.9
TS-MW-02S	TS-MW-2S	9/29/2005	9.8
TS-MW-02S	TS-MW-2S	1/26/2006	8.58
TS-MW-02S	TS-MW-2S	4/17/2006	11.2
TS-MW-02S	TS-MW-2S	7/17/2006	7.81
TS-MW-02S	TS-MW-2S	10/23/2006	8.81
WW-MW-03	WW-MW-3	4/17/2006	3.5
WW-MW-03	WW-MW-3	10/23/2006	4.3
WW-MW-03	WW-MW-3	4/14/2007	3.1
WW-MW-03	WW-MW-3	4/19/2008	1.7
WW-MW-03	WW-MW-3	10/18/2008	0.1
WW-MW-08	WW-MW-8	5/12/2003	2.5
WW-MW-08	WW-MW-8	9/14/2004	1.1
WW-MW-08	WW-MW-8	4/17/2006	4.5
WW-MW-08	WW-MW-8	10/23/2006	11.39
WW-MW-11	WW-MW-11	5/12/2003	6
WW-MW-11	WW-MW-11	7/1/2004	8.6
WW-MW-11	WW-MW-11	9/14/2004	4.6
WW-MW-11	WW-MW-11	10/25/2004	8.6
WW-MW-11	WW-MW-11	7/25/2005	4.1
WW-MW-11	WW-MW-11	9/29/2005	9.5
WW-MW-11	WW-MW-11	10/24/2005	9.3
WW-MW-11	WW-MW-11	4/17/2006	10.6
WW-MW-11	WW-MW-11	10/23/2006	3.2
WW-MW-11	WW-MW-11	4/14/2007	5.4
WW-MW-11	WW-MW-11	10/21/2007	5.9
WW-MW-11	WW-MW-11	4/19/2008	6.6
WW-MW-11	WW-MW-11	10/18/2008	6.5
WW-MW-12	WW-MW-12	5/12/2003	1.5
WW-MW-12	WW-MW-12	6/30/2004	0.9
WW-MW-12	WW-MW-12	9/14/2004	3.7
WW-MW-12	WW-MW-12	10/28/2004	2.7
WW-MW-12	WW-MW-12	7/25/2005	5.11
WW-MW-12	WW-MW-12	8/30/2005	0.9
WW-MW-12	WW-MW-12	9/29/2005	4.8
WW-MW-12	WW-MW-12	10/24/2005	3.24
WW-MW-12	WW-MW-12	4/17/2006	5.7
WW-MW-12	WW-MW-12	10/23/2006	4.47
WW-MW-12	WW-MW-12	4/14/2007	2.3
WW-MW-15	WW-MW-15	5/12/2003	4.6
WW-MW-15	WW-MW-15	6/30/2004	4.3
WW-MW-15	WW-MW-15	9/14/2004	5.5
WW-MW-15	WW-MW-15	10/28/2004	5.6
WW-MW-15	WW-MW-15	7/25/2005	4.86
WW-MW-15	WW-MW-15	8/30/2005	5.21
WW-MW-15	WW-MW-15	9/29/2005	6.5
WW-MW-15	WW-MW-15	4/17/2006	9.1
WW-MW-15	WW-MW-15	10/23/2006	4.6
WW-MW-16	WW-MW-16	5/12/2003	6.8
WW-MW-16	WW-MW-16	6/30/2004	6.3
WW-MW-16	WW-MW-16	9/14/2004	5.8
WW-MW-16	WW-MW-16	10/25/2004	6.2
WW-MW-16	WW-MW-16	7/25/2005	5.5
WW-MW-16	WW-MW-16	8/30/2005	6.7
WW-MW-16	WW-MW-16	9/29/2005	8.9

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
WW-MW-16	WW-MW-16	10/24/2005	6.5
WW-MW-16	WW-MW-16	4/17/2006	10.5
WW-MW-16	WW-MW-16	10/23/2006	5.1
WW-MW-16	WW-MW-16	4/19/2008	7.7
WW-MW-16	WW-MW-16	10/18/2008	2.9
WW-MW-17	WW-MW-17	5/12/2003	8.5
WW-MW-17	WW-MW-17	6/30/2004	6.9
WW-MW-17	WW-MW-17	9/14/2004	5.6
WW-MW-17	WW-MW-17	10/29/2004	3.4
WW-MW-17	WW-MW-17	7/25/2005	3.37
WW-MW-17	WW-MW-17	8/30/2005	7.2
WW-MW-17	WW-MW-17	9/29/2005	10.5
WW-MW-17	WW-MW-17	4/17/2006	9
WW-MW-17	WW-MW-17	10/23/2006	4.59
WW-MW-18	WW-MW-18	5/12/2003	3.66
WW-MW-18	WW-MW-18	6/29/2004	1
WW-MW-18	WW-MW-18	9/14/2004	0.3
WW-MW-18	WW-MW-18	10/25/2004	0.8
WW-MW-18	WW-MW-18	7/25/2005	4.64
WW-MW-18	WW-MW-18	8/30/2005	3.5
WW-MW-18	WW-MW-18	9/29/2005	2.8
WW-MW-18	WW-MW-18	10/24/2005	1.8
WW-MW-18	WW-MW-18	4/17/2006	9.3
WW-MW-18	WW-MW-18	10/23/2006	1.57

**Table F-14 - Summary of Sample Delivery Group (SDG) and Report Information**

Sample ID	Sampling Date	SDG	Report
MW-12A	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-17S	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-18D	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-23S	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-24D	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-25S	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-26D	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-13DD	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-15DD	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-16S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-17S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-1K	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-5	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-7S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-8D	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-1S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-2D	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-3S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-4D	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-10S	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-11D	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-12S	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-14S	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-6A	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-9D	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-5S	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-6	10/24/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-12S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-13DD	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-14S	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-15DD	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-1K	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-4	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-5	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-17S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-18D	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-1S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-2D	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-3S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004

**Table F-14 - Summary of Sample Delivery Group (SDG) and Report Information**

Sample ID	Sampling Date	SDG	Report
RM-MW-4D	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-5S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-16S	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-17S	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-6A	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-7S	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-8D	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-9D	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-12A	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-23S	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-24D	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-100	9/28/2004	K2407593	Kaiser DC-4 Furnace Data Report, January 2005
RM-MW-10S	9/28/2004	K2407593	Kaiser DC-4 Furnace Data Report, January 2005
RM-MW-100	10/27/2004	K2408562, A41103-1	Kaiser DC-4 Furnace Data Report, January 2005
RM-MW-10S	10/27/2004	K2408562, A41103-1	Kaiser DC-4 Furnace Data Report, January 2005
CM-MW-2S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-3S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-4S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-5S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-7S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-100	10/28/2004	K2408612, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-1S	10/28/2004	K2408612, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-6S	10/28/2004	K2408612, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-8S	10/28/2004	K2408612, A41103-1	Kaiser Cold Mill Data Report, January 2005
HL-MW-20S	3/24/2005	K2502150, A50328-2	Kaiser Data Report Hot Line, Oil Reclamation, and G-3 Transfer Lines, June 2005
HL-MW-21S	3/24/2005	K2502147, A50328-3	Kaiser Data Report Hot Line, Oil Reclamation, and G-3 Transfer Lines, June 2005
HL-MW-22S	3/24/2005	K2502150, A50328-2	Kaiser Data Report Hot Line, Oil Reclamation, and G-3 Transfer Lines, June 2005
HL-MW-30	3/24/2005	A50328-2	Kaiser Data Report Hot Line, Oil Reclamation, and G-3 Transfer Lines, June 2005

**Table F-15 - Field Water Quality Parameter Statistics**

Parameter	Average	Minimum	Maximum	5th Percentile	95th Percentile
pH	7.6	4.6	9.5	8.3	6.8
Temperature in C	11.2	8	18.7	13.4	9.5
Conductivity in uS/cm	0.278	0.055	0.582	0.369	0.208
Dissolved oxygen in mg/L	6.7	0	11.9	10.4	0.8
Turbidity in NTUs	52	0	1,581	288	0
ORP in mV	114	-519	625	442	-64

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-8S	HL-MW-26S	HL-MW-23S	HL-MW-25S	HL-MW-30S	RM-MW-1S
<b>PCB Congeners in pg/L</b>						
CL1-PCB-1	0	0	0	0.06	1.12	0.05
CL1-PCB-2	0	0	0	0	0	0
CL1-PCB-3	0	0	0	1.54	0	0
CL2-PCB-4	1320	14.7	6.02	1150	809	507
CL2-PCB-5	0	0	0	0	0	0
CL2-PCB-6	76.9	1.76	0	7.72	45.9	28.6
CL2-PCB-7	20.11	0.73	1.2	9.01	3.16	2.02
CL2-PCB-8	538	6.12	2.47	3.58	139	97
CL2-PCB-9	5.37	0	0	2.94	6.22	7.19
CL2-PCB-10	102	5.56	0	159	111	90.8
CL2-PCB-11	0	0	0	0	0	0
CL2-PCB-12/13	74	8.17	0	33.2	20.8	42.6
CL2-PCB-14	0	0	0	0	0	0
CL2-PCB-15	2680	242	3.34	366	76.3	680
CL3-PCB-16	3070	49.6	3.45	1500	1130	826
CL3-PCB-17	2770	60.7	4.91	1600	1130	872
CL3-PCB-18/30	10198.34	219.34	46.14	7428.34	5008.34	3928.34
CL3-PCB-19	2038.63	156.63	38.63	5368.63	4428.63	2838.63
CL3-PCB-20/28	18197.34	1297.34	73.94	9157.34	6367.34	7487.34
CL3-PCB-21/33	2098.85	52.35	0	187.85	446.85	446.85
CL3-PCB-22	4629.014	595.014	13.614	1349.014	2749.014	2849.014
CL3-PCB-23	0	0	0	0	0	0
CL3-PCB-24	122	13.5	2.34	214	132	133
CL3-PCB-25	442	40.2	4.99	403	314	261
CL3-PCB-26/29	1920	150	15.9	1550	1090	1080
CL3-PCB-27	702	67.6	12.9	1100	869	583
CL3-PCB-31	13297.71	825.71	98.71	7307.71	5247.71	5367.71
CL3-PCB-32	4290	424	187	7230	5430	4150
CL3-PCB-34	39.9	3.19	0	37.7	27.6	27.9
CL3-PCB-35	134	3.43	0	0	0	0
CL3-PCB-36	0	0	0	0	0	0
CL3-PCB-37	5649.089	197.089	4.709	239.089	48.989	579.089
CL3-PCB-38	22.4	0	0	8.96	0	0
CL3-PCB-39	190	4.32	0	51.1	39.7	31
CL4-PCB-40/41/71	13598.74	492.74	82.94	4748.74	3308.74	3308.74
CL4-PCB-42	6090	238	48.6	2130	1460	1420
CL4-PCB-43	1060	36.7	3.85	403	294	266
CL4-PCB-44/47/65	19496.21	701.21	86.21	8006.21	5636.21	5096.21
CL4-PCB-45/51	3970	229	48.3	3350	2310	1860
CL4-PCB-46	1300	71.9	7.85	1200	876	696
CL4-PCB-48	4980	99.4	12.3	1280	874	796
CL4-PCB-49/69	12598.27	463.27	156.27	4568.27	3178.27	2668.27
CL4-PCB-50/53	3089.143	189.143	71.243	2979.143	2129.143	1589.143
CL4-PCB-52	22595.98	913.98	408.98	9955.98	6925.98	6065.98
CL4-PCB-54	59.2	5.03	5.05	97.5	81	52.2
CL4-PCB-55	0	16.7	0	46.8	0	0
CL4-PCB-56	11800	393	22.1	1180	708	1250
CL4-PCB-57	109	0	0	12.2	8.94	10
CL4-PCB-58	30	0	0	5.4	3.44	0
CL4-PCB-59/62/75	1880	82.3	23.5	671	441	437
CL4-PCB-60	8380	190	3.51	438	236	569
CL4-PCB-61/70/74/76	35296.56	1026.56	64.06	3986.56	2426.56	3706.56
CL4-PCB-63	1090	25.4	2.18	97.9	59.5	87.9
CL4-PCB-64	10499.127	476.127	203.127	3009.127	2059.127	2189.127
CL4-PCB-66	23998.54	617.54	39.74	1888.54	1068.54	1898.54

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-8S	HL-MW-26S	HL-MW-23S	HL-MW-25S	HL-MW-30S	RM-MW-1S
CL4-PCB-67	531	15.3	0	71.3	42.9	55.8
CL4-PCB-68	32.4	0	0	5.12	0	0
CL4-PCB-72	94	0	0	13.8	7.35	8.27
CL4-PCB-73	0	0	0	0	0	0
CL4-PCB-77	2440	17.1	0	5.25	0	31
CL4-PCB-78	0	0	0	0	0	0
CL4-PCB-79	152	3.3	0	8.41	5.76	11.9
CL4-PCB-80	0	0	0	0	0	0
CL4-PCB-81	143	0	0	0	0	0
CL5-PCB-82	2090	58.9	2.1	102	58.3	136
CL5-PCB-83/99	8027.55	133.55	7.31	345.55	197.55	321.55
CL5-PCB-84	2728.99	95.79	11.49	432.99	284.99	335.99
CL5-PCB-85/116/117	3670	71.3	7.32	129	72.6	143
CB-86/87/97/108/119/125	7508.45	200.45	17.75	508.45	306.45	483.45
CL5-PCB-88/91	2240	60.7	16.3	212	140	162
CL5-PCB-89	388	8.76	0	42.1	27.3	0
CL5-PCB-90/101/113	8546.32	178.32	19.62	551.32	333.32	459.32
CL5-PCB-92	1619.459	37.459	8.089	119.459	75.059	91.859
CL5-PCB-93/95/98/100/102	7647.11	211.11	59.61	1127.11	754.11	734.11
CL5-PCB-94	117	3.76	1.34	21	13.9	13.6
CL5-PCB-96	126	6.01	2.54	43.6	28.5	26.8
CL5-PCB-103	81.6	1.7	0	8.76	6.15	5.53
CL5-PCB-104	2.01	0	0	0.706	0.719	0
CL5-PCB-105	6438.9	82.5	0.34	50.6	13.5	131.9
CL5-PCB-106	0	0	0	0	0	0
CL5-PCB-107/124	408	7.16	0	6.74	2.86	9.81
CL5-PCB-109	824	11.8	0	11.2	4.73	17.9
CL5-PCB-110/115	8877.75	245.75	24.15	463.75	267.75	517.75
CL5-PCB-111	0	0	0	0	0	0
CL5-PCB-112	0	0	0	0	0	0
CL5-PCB-114	566	5.82	0.578	4.32	1.32	8.76
CL5-PCB-118	10896.66	138.66	0.3	123.66	44.26	216.66
CL5-PCB-120	10.5	0	0	0	0	0
CL5-PCB-121	0	0	0	0	0	0
CL5-PCB-122	249	4.38	0	3.76	1.39	6.47
CL5-PCB-123	377	5.53	0	3.88	1.25	7.72
CL5-PCB-126	48.2	0	0	0	0	0
CL5-PCB-127	0	0	0	0	0	0
CL6-PCB-128/166	454.415	4.215	0	1.035	0.196	4.465
CL6-PCB-129/138/160/163	2460.87	19.67	0	6.37	0	24.87
CL6-PCB-130	192	2.1	0	0.927	0.758	3.1
CL6-PCB-131	46.9	0.909	0	0.606	0	0.738
CL6-PCB-132	712.8	13.1	0.1	11.2	4.5	17.3
CL6-PCB-133	32.1	0.512	0	0	0	0
CL6-PCB-134/143	177	2.77	0	2.81	1.41	3.76
CL6-PCB-135/151/154	625.63	7.93	0	12.43	3.98	11.63
CL6-PCB-136	173.398	4.068	0.478	6.638	3.438	7.738
CL6-PCB-137	195	2.15	0	1.12	0	2.31
CL6-PCB-139/140	65.9	0.955	0	0.578	0	1.21
CL6-PCB-141	356.67	4.8	0	2.12	1	4.67
CL6-PCB-142	0	0	0	0	0	0
CL6-PCB-144	115	1.6	0	0	0.838	2.14
CL6-PCB-145	0.977	0	0	0	0	0
CL6-PCB-146	308.5	2.67	0	0.92	0	3.22
CL6-PCB-147/149	1446.32	21.92	0	22.52	9.12	25.92
CL6-PCB-148	1.92	0	0	0	0	0

Hart Crowser



**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-8S	HL-MW-26S	HL-MW-23S	HL-MW-25S	HL-MW-30S	RM-MW-1S
CL6-PCB-150	2.71	0	0	0	0	0
CL6-PCB-152	3.35	0	0	0	0	0
CL6-PCB-153/168	1700.66	8.36	0	4.66	0	12.86
CL6-PCB-155	0	0	0	0	0	0
CL6-PCB-156/157	407.73	1.29	0	0	0	0.91
CL6-PCB-158	307.248	2.068	0	0.598	0	2.618
CL6-PCB-159	8.85	0	0	0	0	0
CL6-PCB-161	0	0	0	0	0	0
CL6-PCB-162	10.6	0	0	0	0	0
CL6-PCB-164	144.22	1.05	0	0.25	0	1.87
CL6-PCB-165	0	0	0	0	0	0
CL6-PCB-167	118	1.06	0	0	0	0.907
CL6-PCB-169	0	0	0	0	0	0
CL7-PCB-170	222.58	0	0	0	0	0
CL7-PCB-171/173	75.534	0.006	0	0	0	0
CL7-PCB-172	42.983	0.043	0	0	0	0
CL7-PCB-174	184.2	0.92	0	0	0	0.31
CL7-PCB-175	9.47	0	0	0	0	0
CL7-PCB-176	20.5	0	0	0	0	0
CL7-PCB-177	146.41	0.38	0	0	0	0
CL7-PCB-178	51.391	0	0	0	0	0
CL7-PCB-179	77.213	0.093	0	0	0	0.234
CL7-PCB-180/193	505.96	0	0	0	0	0
CL7-PCB-181	4.08	0	0	0	0	0
CL7-PCB-182	1.08	0	0	0	0	0
CL7-PCB-183/185	176	0	0	0	0	0
CL7-PCB-184	0	0	0	0	0	0
CL7-PCB-186	0	0	0	0	0	0
CL7-PCB-187	351.37	0	0	0	0	0
CL7-PCB-188	0	0	0	0	0	0
CL7-PCB-189	11.4	0	0	0	0	0
CL7-PCB-190	64.651	0	0	0	0	0
CL7-PCB-191	12.9	0	0	0	0	0
CL7-PCB-192	0	0	0	0	0	0
CL8-PCB-194	68.62	0	0	0	0	0
CL8-PCB-195	33.4	0	0	0	0	0
CL8-PCB-196	41.66	0	0	0	0	0
CL8-PCB-197/200	10.2	0	0	0	0	0
CL8-PCB-198/199	112.81	0	0	0	0	0
CL8-PCB-201	10.8	0	0	0	0	0
CL8-PCB-202	23.4	0	0	0	0	0
CL8-PCB-203	73.9	0	0	0	0	0
CL8-PCB-204	0	0	0	0	0	0
CL8-PCB-205	5.83	0	0	0	0	0
CL9-PCB-206	20.6	0	0	0	0	0
CL9-PCB-207	3.23	0	0	0	0	0
CL9-PCB-208	7.84	0	0	0	0	0
CL10-PCB-209	0.711	0.109	0.771	0.112	0.268	0
<b>Total Congener Conc (pg/L)</b>	<b>345,868.81</b>	<b>12,416.91</b>	<b>1,990.26</b>	<b>101,010.88</b>	<b>72,473.65</b>	<b>70,952.73</b>

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-15S	RM-MW-13S	RM-MW-17S	MW-12A	HL-MW-29S	HL-MW-5
<b>PCB Congeners in pg/L</b>						
CL1-PCB-1	0	7.42	207.72	0	12.02	0
CL1-PCB-2	0	0	0	0	0	0
CL1-PCB-3	0	1.66	14.34	0	3.84	0
CL2-PCB-4	1010	5260	41800	11.5	2290	380
CL2-PCB-5	0	12	62.9	0	2.31	0
CL2-PCB-6	31.3	446	5450	0	200	6.37
CL2-PCB-7	29.81	122.71	193.71	1.08	8.11	7.21
CL2-PCB-8	178	1930	13000	0	723	54.7
CL2-PCB-9	13.5	66.8	658	0	34.2	0
CL2-PCB-10	154	524	1480	3.59	294	79.3
CL2-PCB-11	0	0	0	0	0	0
CL2-PCB-12/13	72.3	317	923	0	144	28.8
CL2-PCB-14	0	0	0	0	0	0
CL2-PCB-15	1930	10200	14800	0	2310	707
CL3-PCB-16	1120	3120	22900	14.5	2850	671
CL3-PCB-17	1080	2950	23400	21.8	2830	859
CL3-PCB-18/30	4698.34	13798.34	77698.34	126.34	12498.34	4078.34
CL3-PCB-19	2698.63	10898.63	27398.63	191.63	8668.63	2198.63
CL3-PCB-20/28	10497.34	66797.34	140997.34	142.34	30997.34	5967.34
CL3-PCB-21/33	491.85	2178.85	14198.85	2.23	1948.85	311.85
CL3-PCB-22	4739.014	28299.014	51399.014	17.514	12499.014	2979.014
CL3-PCB-23	0	0	0	0	0	0
CL3-PCB-24	199	810	1240	5.07	400	132
CL3-PCB-25	223	1330	4820	11.2	1050	240
CL3-PCB-26/29	1290	8050	16400	32.3	4200	964
CL3-PCB-27	630	2580	6120	25.5	1990	564
CL3-PCB-31	5727.71	32497.71	99397.71	155.71	21397.71	4717.71
CL3-PCB-32	4760	21500	44200	218	13100	3590
CL3-PCB-34	29.9	174	431	0	94.7	21
CL3-PCB-35	47	617	581	0	42.3	0
CL3-PCB-36	0	0	0	0	0	0
CL3-PCB-37	1509.089	19799.089	26399.089	2.089	2089.089	313.089
CL3-PCB-38	6.95	38.9	110	0	25.3	4.64
CL3-PCB-39	39.6	173	661	0	128	33
CL4-PCB-40/41/71	3608.74	19098.74	61098.74	141.74	13698.74	2958.74
CL4-PCB-42	1580	8300	25000	74.5	5860	1340
CL4-PCB-43	300	1390	4100	11.2	970	255
CL4-PCB-44/47/65	4946.21	24796.21	96596.21	213.21	21596.21	4166.21
CL4-PCB-45/51	1830	7980	25500	117	7010	1610
CL4-PCB-46	654	2800	8980	36.7	2480	543
CL4-PCB-48	945	3930	16900	34.1	3330	824
CL4-PCB-49/69	2688.27	12698.27	49998.27	182.27	11598.27	2448.27
CL4-PCB-50/53	1389.143	5559.143	20699.143	126.143	5709.143	1299.143
CL4-PCB-52	5175.98	22995.98	104995.98	419.98	24595.98	4935.98
CL4-PCB-54	46.4	199	503	7.42	159	41.2
CL4-PCB-55	0	0	0	0	214	37.7
CL4-PCB-56	1770	12500	34800	26.5	5500	1160
CL4-PCB-57	21.1	165	280	0	49.1	10.4
CL4-PCB-58	6.87	50.6	99.9	0	15.6	4.45
CL4-PCB-59/62/75	605	3510	8370	21.6	1970	491
CL4-PCB-60	841	7080	18600	6.51	2580	485
CL4-PCB-61/70/74/76	4866.56	34996.56	106996.56	104.56	18396.56	3306.56
CL4-PCB-63	132	874	2470	3.26	435	89.3
CL4-PCB-64	2409.127	11999.127	43799.127	130.127	9569.127	1989.127
CL4-PCB-66	2678.54	19798.54	55998.54	37.44	8988.54	1708.54

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-15S	RM-MW-13S	RM-MW-17S	MW-12A	HL-MW-29S	HL-MW-5
CL4-PCB-67	105	933	1590	2.04	292	68.6
CL4-PCB-68	5.93	39.1	70	0	13.3	4.26
CL4-PCB-72	13.9	103	235	0	47.8	11.7
CL4-PCB-73	0	0	0	0	0	0
CL4-PCB-77	118	1690	3510	1.36	87	8.82
CL4-PCB-78	0	0	0	0	0	0
CL4-PCB-79	9.82	50.5	211	1.5	37.3	7.26
CL4-PCB-80	0	0	0	0	0	0
CL4-PCB-81	7.19	99.4	192	0	6.54	0
CL5-PCB-82	136	528	2650	2.34	383	96.8
CL5-PCB-83/99	393.55	1257.55	7737.55	10.25	1237.55	259.55
CL5-PCB-84	339.99	1008.99	6478.99	15.39	1278.99	276.99
CL5-PCB-85/116/117	172	571	3110	4.37	475	119
CB-86/87/97/108/119/125	537.45	1948.45	10498.45	19.15	1748.45	406.45
CL5-PCB-88/91	189	589	3570	11.9	667	144
CL5-PCB-89	38.2	133	672	1.42	128	0
CL5-PCB-90/101/113	534.32	1726.32	10696.32	18.82	1876.32	384.32
CL5-PCB-92	105.459	330.459	1949.459	5.549	376.459	82.059
CL5-PCB-93/95/98/100/102	778.11	2167.11	14697.11	56.11	3177.11	670.11
CL5-PCB-94	14.4	44.7	263	1.54	53	11.5
CL5-PCB-96	27	76.5	430	2.9	105	22.6
CL5-PCB-103	7.6	21.7	121	0	25.9	5.39
CL5-PCB-104	0	1.04	7.19	0	1.85	0
CL5-PCB-105	202.9	858.9	4268.9	0.6	314.9	76.6
CL5-PCB-106	0	8.49	16.6	0	0	0
CL5-PCB-107/124	15.9	66.3	330	0	35.6	8.22
CL5-PCB-109	29.5	120	582	0	60.3	14.8
CL5-PCB-110/115	604.75	2127.75	13197.75	14.95	1907.75	432.75
CL5-PCB-111	0	0	0	0	0	0
CL5-PCB-112	0	0	0	0	0	0
CL5-PCB-114	15.5	74	362	0	28.6	5.61
CL5-PCB-118	352.66	1296.66	7536.66	0.61	694.66	149.66
CL5-PCB-120	0	2.17	9.69	0	0	0
CL5-PCB-121	0	0	0	0	0	0
CL5-PCB-122	9.04	45.4	201	0	18.6	5.55
CL5-PCB-123	10.7	49.4	251	0	23.7	6.06
CL5-PCB-126	0	6.09	18.3	0	2.72	0
CL5-PCB-127	0	0	0	0	0	0
CL6-PCB-128/166	9.815	20.115	129.415	0.357	6.195	2.815
CL6-PCB-129/138/160/163	50.07	131.87	780.87	0	49.87	20.57
CL6-PCB-130	5.12	10.7	66.7	0	4.49	2.51
CL6-PCB-131	1.55	3.6	21.8	0	1.98	0
CL6-PCB-132	21.6	58.9	354.8	0.27	34.4	15.9
CL6-PCB-133	0.715	2.17	12.1	0	1.12	0
CL6-PCB-134/143	4.83	14.5	79.1	0	8.26	3.09
CL6-PCB-135/151/154	20.93	48.33	303.63	0	39.83	13.73
CL6-PCB-136	9.158	20.398	121.398	0.337	19.998	7.648
CL6-PCB-137	5.19	11	66	0	3.74	1.72
CL6-PCB-139/140	1.99	3.8	22.4	0	2.2	0
CL6-PCB-141	8.67	25.77	147.67	0	11.57	5.31
CL6-PCB-142	0	0	0	0	0	0
CL6-PCB-144	3.47	8.55	49.3	0	6.54	2.28
CL6-PCB-145	0	0	0	0	0	0
CL6-PCB-146	5.83	15.8	109.5	0	7.74	3.02
CL6-PCB-147/149	46.92	115.32	680.32	0	84.32	28.92
CL6-PCB-148	0	0	0.7	0	0	0

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-15S	RM-MW-13S	RM-MW-17S	MW-12A	HL-MW-29S	HL-MW-5
CL6-PCB-150	0	0	0.958	0	0	0
CL6-PCB-152	0	0	2.82	0	0	0
CL6-PCB-153/168	33.06	85.86	538.66	0	40.16	11.46
CL6-PCB-155	0	0	0	0	0	0
CL6-PCB-156/157	6.58	15.23	105.73	0	5.65	0.6
CL6-PCB-158	6.168	16.648	92.648	0	4.718	1.808
CL6-PCB-159	0	0	0	0	0	0
CL6-PCB-161	0	0	0	0	0	0
CL6-PCB-162	0	0	2.4100000	0	0	0
CL6-PCB-164	3.02	10.02	66.52	0	4.61	1.23
CL6-PCB-165	0	0	0	0	0	0
CL6-PCB-167	2.17	5.44	30.8	0	2.92	0
CL6-PCB-169	0	0	0	0	3.03	0
CL7-PCB-170	1.17	4.18	36.58	0	0.18	0
CL7-PCB-171/173	0.844	2.604	11.634	0	0	0
CL7-PCB-172	0.107	1.423	6.833	0	0	0
CL7-PCB-174	1.43	8.3	42.8	0	0.37	0.05
CL7-PCB-175	0	0.85	2.08	0	0	0
CL7-PCB-176	0.551	1.52	5.04	0	0	0
CL7-PCB-177	1.72	3.89	26.71	0	0	0
CL7-PCB-178	0.721	1.811	9.891	0	0	0
CL7-PCB-179	1.453	3.743	19.513	0	0.553	0.803
CL7-PCB-180/193	1.16	9.36	79.96	0	0	0
CL7-PCB-181	0	0	0	0	0	0
CL7-PCB-182	0	0	0	0	0.591	0
CL7-PCB-183/185	1.79	5.2	29.9	0	0.5	0
CL7-PCB-184	0	0	0	0	0	0
CL7-PCB-186	0	0	0	0	0	0
CL7-PCB-187	1.95	9.57	57.77	0	0	0
CL7-PCB-188	0	0	0	0	0	0
CL7-PCB-189	0	0	2.02	0	4.41	0
CL7-PCB-190	0.331	1.481	9.451	0	0	0
CL7-PCB-191	0	0	2.39	0	0	0
CL7-PCB-192	0	0	0	0	0	0
CL8-PCB-194	0.08	0.86	9.72	0	3.04	0
CL8-PCB-195	0.595	0.819	4.69	0	0.726	0
CL8-PCB-196	0	0	5.19	0	0.17	0
CL8-PCB-197/200	0	0	1.64	0	0	0
CL8-PCB-198/199	0	1.28	12.21	0	0	0
CL8-PCB-201	0	0	1.07	0	0	0
CL8-PCB-202	0	0.84	2.99	0	0.815	0
CL8-PCB-203	0.1	0.27	7.13	0	0	0
CL8-PCB-204	0	0	0	0	0	0
CL8-PCB-205	0	0	0.907	0	2.6	0
CL9-PCB-206	0	0	2.28	0	2.6	0
CL9-PCB-207	0	0	0	0	0	0
CL9-PCB-208	0	0	0	0	1.03	0
CL10-PCB-209	0	0.01	0.371	0.021	0.851	0.202
<b>Total Congener Conc (pg/L)</b>	<b>84,735.00</b>	<b>453,876.64</b>	<b>1,422,367.10</b>	<b>2,848.44</b>	<b>283,022.20</b>	<b>62,013.94</b>

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	HL-MW-17S	HL-MW-13DD	HL-MW-7S	HL-MW-14S	MW-17S
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1	0.04	2.686	0.126	3.596	0.236
CL1-PCB-2	0	0	0	0	0
CL1-PCB-3	0	1.61	0	0.34	0.96
CL2-PCB-4	1060	328	98.9	949	5.33
CL2-PCB-5	0	0	0	0	0
CL2-PCB-6	53.7	52.8	15.8	78.1	0
CL2-PCB-7	0	3.88	0	4.52	0
CL2-PCB-8	198	221	55.2	299	2.35
CL2-PCB-9	5.42	13.6	2.29	13	0
CL2-PCB-10	131	87	24.3	144	2.42
CL2-PCB-11	0	0	3.06	0	0.97
CL2-PCB-12/13	64.3	20.7	37.2	52.9	0
CL2-PCB-14	0	0	0	0	0
CL2-PCB-15	1760	353	563	507	0
CL3-PCB-16	978	440.93	257.93	1558.93	0.96
CL3-PCB-17	918	464.96	242.96	1648.96	3.52
CL3-PCB-18/30	4278.34	2877.56	1647.56	7317.56	32.66
CL3-PCB-19	3238.63	2069.259	926.259	5049.259	71.959
CL3-PCB-20/28	13897.34	7846.93	6746.93	13296.93	44.03
CL3-PCB-21/33	544.85	405.28	408.28	894.28	2.57
CL3-PCB-22	6329.014	3148.87	3248.87	5488.87	22.47
CL3-PCB-23	0	0	0	0	0
CL3-PCB-24	227	105	68.9	182	1.24
CL3-PCB-25	359	201	251	507	3.8
CL3-PCB-26/29	1890	1039.387	1009.387	1929.387	7.237
CL3-PCB-27	815	399	377	1170	5.4
CL3-PCB-31	7007.71	5187.71	5507.71	9867.71	72.41
CL3-PCB-32	6460	3459.069	2279.069	7319.069	135.069
CL3-PCB-34	39.9	24.6	22.5	47.2	0.721
CL3-PCB-35	53.9	4.03	8.21	7.21	0
CL3-PCB-36	0	0	0	0	0
CL3-PCB-37	1499.089	181	416	337	1.53
CL3-PCB-38	9.9	4.36	1.99	8.73	0
CL3-PCB-39	46.9	19.4	13.7	42.5	0
CL4-PCB-40/41/71	4458.74	3758.59	2308.59	5778.59	47.19
CL4-PCB-42	1990	1670	1030	2550	33.6
CL4-PCB-43	346	253	183	433	3.7
CL4-PCB-44/47/65	5676.21	5687.71	3767.71	9567.71	58.61
CL4-PCB-45/51	2390	1930	1160	3430	60.9
CL4-PCB-46	857	706	331	1230	15.6
CL4-PCB-48	981	742	576	1530	9.35
CL4-PCB-49/69	3118.27	2838.7	2558.7	5348.7	63
CL4-PCB-50/53	1749.143	1570	1110	3000	64.9
CL4-PCB-52	5935.98	6356.85	5636.85	11196.85	197.85
CL4-PCB-54	60.6	36.3	22	86.2	6.34
CL4-PCB-55	129	0	0	0	0
CL4-PCB-56	1870	1490	1420	1930	12.5
CL4-PCB-57	24.6	12.3	10.7	17.3	0
CL4-PCB-58	8.07	4.22	3.82	6.23	0
CL4-PCB-59/62/75	775	507	400	811	10.4
CL4-PCB-60	839	660	635	847	1.98
CL4-PCB-61/70/74/76	4906.56	4716.93	4476.93	6656.93	34.63
CL4-PCB-63	134	112	103	154	1.22
CL4-PCB-64	2799.127	2509.2	2229.2	3829.2	94.6
CL4-PCB-66	2678.54	2458.64	2268.64	3248.64	15.44

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	HL-MW-17S	HL-MW-13DD	HL-MW-7S	HL-MW-14S	MW-17S
CL4-PCB-67	133	75.7	62.6	110	0
CL4-PCB-68	6.87	0	3.12	6.11	0
CL4-PCB-72	16.4	11.4	9.7	17.7	0
CL4-PCB-73	0	0	0	0	0
CL4-PCB-77	55	3.74	16	6.37	0
CL4-PCB-78	0	0	0	0	0
CL4-PCB-79	9.55	9.25	6.7	9.04	0
CL4-PCB-80	0	0	1.16	0	0
CL4-PCB-81	3.68	0	0	0	0
CL5-PCB-82	101	145	96.2	138	1.24
CL5-PCB-83/99	258.55	489.15	313.15	510.15	7.45
CL5-PCB-84	274.99	447	243	507	11.1
CL5-PCB-85/116/117	118	172.95	141.95	176.95	3.27
CB-86/87/97/108/119/125	394.45	636.92	432.92	691.92	12.22
CL5-PCB-88/91	142	225.313	141.313	260.313	9.413
CL5-PCB-89	31.9	47	17.2	47.6	0.994
CL5-PCB-90/101/113	356.32	635.37	453.37	734.37	17.07
CL5-PCB-92	78.159	124	93.2	143	6.29
CL5-PCB-93/95/98/100/102	611.11	1036.94	693.94	1296.94	55.34
CL5-PCB-94	11.1	17.9	11.2	21.5	1.4
CL5-PCB-96	24.7	33.4	18.7	42.6	3.94
CL5-PCB-103	5.57	8.38	4.54	10.3	0
CL5-PCB-104	0	0	0	0	0
CL5-PCB-105	90	87.28	94.78	65.28	0
CL5-PCB-106	0	0	0	0	0
CL5-PCB-107/124	7.68	12	9.64	10.8	0
CL5-PCB-109	14.6	18.7	18.9	18.2	0
CL5-PCB-110/115	397.75	643.05	539.05	685.05	10.45
CL5-PCB-111	0	0	0	0	0
CL5-PCB-112	0	0	0	0	0
CL5-PCB-114	7.73	5.87	7.03	5.61	0
CL5-PCB-118	161.66	204.08	185.08	180.08	0
CL5-PCB-120	0	0	0	0	0
CL5-PCB-121	0	0	0	0	0
CL5-PCB-122	5.25	6.73	6.27	4.81	0
CL5-PCB-123	4.65	7.27	5.02	5.15	0
CL5-PCB-126	0	0	0	0	0
CL5-PCB-127	0	0	0	0	0
CL6-PCB-128/166	3.515	3.5	2.58	1.56	0.34
CL6-PCB-129/138/160/163	15.27	28.17	18.97	13.07	0.11
CL6-PCB-130	2.2	3.18	1.96	1.62	0
CL6-PCB-131	1.14	1.4	0	0	0
CL6-PCB-132	13.4	19.18	14.48	11.98	0.91
CL6-PCB-133	0	0	0	0.646	0
CL6-PCB-134/143	2.72	4.74	2.89	2.96	0
CL6-PCB-135/151/154	10.03	17.67	11.47	12.97	0.4
CL6-PCB-136	5.628	10.6	7.68	8.05	1
CL6-PCB-137	1.92	2.6	1.55	1.39	0
CL6-PCB-139/140	1.47	1.29	0.626	0.634	0
CL6-PCB-141	3.77	7.08	4.2	3.41	0
CL6-PCB-142	0	0	0	0	0
CL6-PCB-144	2.08	3.84	1.65	1.97	0
CL6-PCB-145	0	0	0	0	0
CL6-PCB-146	2.65	5.11	3.4	2.41	0.215
CL6-PCB-147/149	22.52	38.26	26.96	28.26	0.51
CL6-PCB-148	0	0	0	0	0

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	HL-MW-17S	HL-MW-13DD	HL-MW-7S	HL-MW-14S	MW-17S
CL6-PCB-150	0	0	0	0	0
CL6-PCB-152	0	0	0	0	0
CL6-PCB-153/168	8.86	22.73	14.43	11.73	0.21
CL6-PCB-155	0	0	0	0	0
CL6-PCB-156/157	1.39	0.81	0.42	0	0
CL6-PCB-158	1.648	2.67	1.03	0.57	0
CL6-PCB-159	0	0	0	0	0
CL6-PCB-161	0	0	0	0	0
CL6-PCB-162	0	0	0	0	0
CL6-PCB-164	0.63	2.32	1.7	1.73	0
CL6-PCB-165	0	0	0	0	0
CL6-PCB-167	0.702	0.854	0.768	0.575	0
CL6-PCB-169	0	0	0	0	0
CL7-PCB-170	0	0	0	0	0
CL7-PCB-171/173	0	0	0	0	0
CL7-PCB-172	0	0	0	0	0
CL7-PCB-174	0.19	1.171	0.531	0.651	0.207
CL7-PCB-175	0	0	0	0	0
CL7-PCB-176	0	0	0	0	0
CL7-PCB-177	0	0.015	0	0	0
CL7-PCB-178	0	0	0	0	0
CL7-PCB-179	0.196	1.16	0.563	0	0
CL7-PCB-180/193	0	0.61	0.77	0	0.26
CL7-PCB-181	0	0	0	0	0
CL7-PCB-182	0	0	0	0	0
CL7-PCB-183/185	0	0.717	0.26	0.12	0.215
CL7-PCB-184	0	0	0	0	0
CL7-PCB-186	0	0	0	0	0
CL7-PCB-187	0	1.45	1.03	0.28	0.32
CL7-PCB-188	0	0	0	0	0
CL7-PCB-189	0	0	0	0	0
CL7-PCB-190	0	0	0	0	0
CL7-PCB-191	0	0	0	0	0
CL7-PCB-192	0	0	0	0	0
CL8-PCB-194	0	0	0.185	0	0.088
CL8-PCB-195	0	0	0	0	0
CL8-PCB-196	0	0	0	0	0
CL8-PCB-197/200	0	0	0	0	0
CL8-PCB-198/199	0	0	0	0	0
CL8-PCB-201	0	0	0	0	0
CL8-PCB-202	0	0	0	0	0
CL8-PCB-203	0	0	0	0.702	0
CL8-PCB-204	0	0	0	0	0
CL8-PCB-205	0	0	0	0	0
CL9-PCB-206	0	0	0	0	0
CL9-PCB-207	0	0	0	0	0
CL9-PCB-208	0	0	0	0	0
CL10-PCB-209	0	0	0	0	0.129
<b>Total Congener Conc (pg/L)</b>	97,015.47	72267.581	58211.107	126187.532	1294.743

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-29S	RM-WS-1S	RM-MW-17S	RM-MW-15S	HL-MW-17S
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1	6.46	1.46	1650	6.9	4.38
CL1-PCB-2	0	U	0	U	15.3
CL1-PCB-3	3.76	0.668	724.308	3.078	0.838
CL2-PCB-4	2030	569	59500	733	522
CL2-PCB-5	2.2	K	0	U	129
CL2-PCB-6	175	31.2	8570	88.7	56.5
CL2-PCB-7	14.04	0	409.71	4.96	2.67
CL2-PCB-8	642	99.9	28500	490	306
CL2-PCB-9	27.7	4.54	1110	17.7	10.8
CL2-PCB-10	292	104	1680	129	74.6
CL2-PCB-11	0	U	1.53	17.8	2.95
CL2-PCB-12/13	119	105	1440	69.8	24.4
CL2-PCB-14	0	U	0	U	0
CL2-PCB-15	1570	1910	20900	1780	718
CL3-PCB-16	2840	2620	36600	1270	725
CL3-PCB-17	2890	2640	39300	1430	754
CL3-PCB-18/30	12699.123	11199.212	115999.212	5799.212	3229.212
CL3-PCB-19	6250	5280	44200	3240	2050
CL3-PCB-20/28	26798.19	22898.91	266998.91	17698.91	8598.91
CL3-PCB-21/33	1779.289	1170	32000	979	479
CL3-PCB-22	10499.151	9420	95700	6600	3840
CL3-PCB-23	0	U	0	U	71.2
CL3-PCB-24	326	314	2710	276	166
CL3-PCB-25	877	762	9230	381	200
CL3-PCB-26/29	3640	3020	29500	1620	976
CL3-PCB-27	1910	1790	12000	842	518
CL3-PCB-31	18898.84	18799.212	178999.212	7879.212	3819.212
CL3-PCB-32	11700	12200	73600	5320	3320
CL3-PCB-34	80	62	773	46.4	22.7
CL3-PCB-35	35.4	18.7	779	60.9	K
CL3-PCB-36	0	U	0	U	0
CL3-PCB-37	1399.465	1820	37900	1910	611
CL3-PCB-38	11.1	0	U	118	K
CL3-PCB-39	76	47.7	879	27	9.62
CL4-PCB-40/41/71	11200	6099.479	97099.479	5929.479	2909.479
CL4-PCB-42	5030	2640	41800	2810	1300
CL4-PCB-43	791	426	8720	491	240
CL4-PCB-44/47/65	18198.5	12599.011	160999.011	8289.011	3979.011
CL4-PCB-45/51	6380	4420	46500	2900	1670
CL4-PCB-46	2230	1410	16300	977	590
CL4-PCB-48	2840	1670	29900	1840	705
CL4-PCB-49/69	9839.284	6469.329	83399.329	5119.329	2159.329
CL4-PCB-50/53	5210	4010	35800	2220	1260
CL4-PCB-52	20597.99	16398.61	163998.61	9528.61	4018.61
CL4-PCB-54	121	87.6	742	53.9	36.4
CL4-PCB-55	0	U	0	U	2870
CL4-PCB-56	4530	1890	51300	3570	1170
CL4-PCB-57	38.1	15.4	396	37	13.5
CL4-PCB-58	0	U	3.38	166	8.49
CL4-PCB-59/62/75	1640	861	15500	959	497
CL4-PCB-60	2100	895	30800	2180	578
CL4-PCB-61/70/74/76	14598.08	7789.007	181999.007	9199.007	3329.007
CL4-PCB-63	338	156	4020	274	84.6
CL4-PCB-64	7870	4980	70700	4200	1810
CL4-PCB-66	7150	3759.406	96799.406	6819.406	1929.406

Hart Crowser



**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-29S	RM-WS-1S	RM-MW-17S	RM-MW-15S	HL-MW-17S
<b>PCB Congeners in pg/L</b>					
CL4-PCB-67	241	100	2700	171	89.8
CL4-PCB-68	11.2	5.45	123	11.2	4.7
CL4-PCB-72	37.4	15.3	307	25.8	8.8
CL4-PCB-73	0	U	0	0	U
CL4-PCB-77	54	61.8	4280	353	27.7
CL4-PCB-78	0	U	0	U	0
CL4-PCB-79	23.1	8.28	239	9.88	2.54
CL4-PCB-80	0	U	0	U	0
CL4-PCB-81	0	U	K	236	1.88
CL5-PCB-82	350	171	3500	347	82.7
CL5-PCB-83/99	1060	413	10600	1430	234
CL5-PCB-84	1140	440	9740	602	216
CL5-PCB-85/116/117	418	183	4160	636	98
CB-86/87/97/108/119/125	1529.315	607	13600	1150	319
CL5-PCB-88/91	555	233	5110	454	115
CL5-PCB-89	109	38.3	948	82.1	25.5
CL5-PCB-90/101/113	1568.95	618	14400	1440	330
CL5-PCB-92	316	113	2710	299	64.9
CL5-PCB-93/95/98/100/102	2668.51	1050	22400	1710	485
CL5-PCB-94	45.1	18.4	339	28.1	8.91
CL5-PCB-96	87.4	32	777	31.9	17.8
CL5-PCB-103	22.7	7.6	173	18.1	4.63
CL5-PCB-104	1.07	K	0	U	4.63
CL5-PCB-105	223	232	4950	704	61.4
CL5-PCB-106	0	U	0	U	0
CL5-PCB-107/124	29.2	13.7	369	34.9	6.67
CL5-PCB-109	55	27.8	732	111	11.4
CL5-PCB-110/115	1649.027	729.309	17099.309	1179.309	307.309
CL5-PCB-111	0	U	0	U	0
CL5-PCB-112	0	U	0	U	0
CL5-PCB-114	20.1	12.3	368	57.8	4.25
CL5-PCB-118	523.214	391.28	9209.28	1139.28	122.28
CL5-PCB-120	0	U	0	U	13.5
CL5-PCB-121	0	U	0	U	1.1
CL5-PCB-122	15.8	7.42	189	32.2	0
CL5-PCB-123	14.5	11.1	306	36.1	0
CL5-PCB-126	0	U	0	U	4.09
CL5-PCB-127	0	U	0	U	0
CL6-PCB-128/166	5.81	10.3	172	62.1	4.56
CL6-PCB-129/138/160/163	46.604	47.878	904.478	323.478	25.978
CL6-PCB-130	3.63	K	3.82	62.8	2.09
CL6-PCB-131	1.99	K	1.31	21.7	0.677
CL6-PCB-132	32.7	29	400	67.3	12.3
CL6-PCB-133	1.11	0.646	11.2	3.76	0
CL6-PCB-134/143	6.56	K	5.19	84.2	2.9
CL6-PCB-135/151/154	32.5	17	335	73.8	11.2
CL6-PCB-136	16.1	8.9	170	20.9	5.59
CL6-PCB-137	2.76	2.89	64.8	25.1	1.67
CL6-PCB-139/140	1.65	K	1.41	21.3	8.16
CL6-PCB-141	10.3	7.62	154	34.7	1.04
CL6-PCB-142	0	U	0	U	4.88
CL6-PCB-144	4.24	2.28	54.4	11.5	0
CL6-PCB-145	0	U	0	U	1.87
CL6-PCB-146	7.57	5.91	K	117	0
CL6-PCB-147/149	70.216	39.3	757	172	40.1
					24.7

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-29S	RM-WS-1S	RM-MW-17S	RM-MW-15S	HL-MW-17S					
<b>PCB Congeners in pg/L</b>										
CL6-PCB-148	0	U	0	U	1.2	K	0	U	0	U
CL6-PCB-150	0	U	0	U	1.72		0	U	0	U
CL6-PCB-152	0	U	0	U	5.24		0	U	0	U
CL6-PCB-153/168	38.917		25.838		565.338		213.338		19.638	
CL6-PCB-155	0	U	0	U	0	U	0	U	0	U
CL6-PCB-156/157	1.96		4.03		121		52.8		3.03	
CL6-PCB-158	3.95		3.59	K	106		38.8		2.39	
CL6-PCB-159	0	U	0	U	2.06	K	0.688		0	U
CL6-PCB-161	0	U	0	U	0		0	U	0	U
CL6-PCB-162	0	U	0	U	2.2		1.3	K	0	U
CL6-PCB-164	3.94		2.79		59.2		10.7		1.72	
CL6-PCB-165	0	U	0	U	0	U	0	U	0	U
CL6-PCB-167	0.604	K	1.32		34.4		15.7		0.869	K
CL6-PCB-169	0	U	0	U	0	U	0	U	0	U
CL7-PCB-170	0.58		2.14	K	51		27.3		2.06	
CL7-PCB-171/173	0	U	0.564	K	12.1		11		0.755	K
CL7-PCB-172	0	U	0	U	6.83		5.05		0.513	K
CL7-PCB-174	1.66	K	2.55		44.3		17.1		2.05	K
CL7-PCB-175	0	U	0	U	1.86		1.65	K	0	U
CL7-PCB-176	0	U	0	U	5.08	K	2.55		0	U
CL7-PCB-177	0.872		0	U	35.1		20		1.48	
CL7-PCB-178	0	U	0.593	K	9.97		8.14		0.695	K
CL7-PCB-179	0.915	K	1.07		19		10.9		1.09	
CL7-PCB-180/193	1.68		4.92	K	101		66.7		4.58	
CL7-PCB-181	0	U	0	U	0.637	K	0	U	0	U
CL7-PCB-182	0	U	0	U	0	U	0	U	0	U
CL7-PCB-183/185	0	U	1.4		0	U	25.4		1.68	
CL7-PCB-184	0	U	0	U	0	U	0	U	0	U
CL7-PCB-186	0	U	0	U	0	U	0	U	0	U
CL7-PCB-187	2.79		3.71		61.2		57		3.61	
CL7-PCB-188	0	U	0	U	0	U	0	U	0	U
CL7-PCB-189	0	U	0	U	2.01	K	1.01		0	U
CL7-PCB-190	0	U	0	U	11.2		10.1		0.679	K
CL7-PCB-191	0	U	0	U	2.68		2.09		0	U
CL7-PCB-192	0	U	0	U	0	U	0	U	0	U
CL8-PCB-194	0	U	0.694	K	10.6		7.99		0.627	K
CL8-PCB-195	0	U	0	U	4.06		3.94		0	U
CL8-PCB-196	0	U	0.642		5.73		4.51		0.519	K
CL8-PCB-197/200	0	U	0	U	1.51		1.07	K	0	U
CL8-PCB-198/199	0	U	0.982	K	15.8		12.2	K	1.69	K
CL8-PCB-201	0	U	0	U	1.5		1.25	K	0	U
CL8-PCB-202	0	U	0	U	2.72		3.97		0	U
CL8-PCB-203	0	U	1.09		8.2		6.42		0.849	
CL8-PCB-204	0	U	0	U	0	U	0	U	0	U
CL8-PCB-205	0	U	0	U	0.92	K	1.03		0	U
CL9-PCB-206	0	U	0	U	3.13		1.45	K	0	U
CL9-PCB-207	0	U	0	U	0	U	0	U	0	U
CL9-PCB-208	0	U	0	U	0.725		0.927		0	U
CL10-PCB-209	0.656		0	K	0.005		0.221		0.104	K
Total Congener	241363.522		179,252.97		2,376,043.7		140,005.24		62,271.53	

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-5	HL-MW-23S	MW-17S	RM-MW-16S	HL-MW-30S
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1	1.72	0.545	K	0.634	9.03
CL1-PCB-2	0	U	0	U	0
CL1-PCB-3	0.468	K	0	K	5.508
CL2-PCB-4	738	4.19	36.1	4530	1210
CL2-PCB-5	0	U	0	U	0
CL2-PCB-6	42.5	0	U	1.27	296
CL2-PCB-7	1.19	0	U	1.26	10.51
CL2-PCB-8	202	2.81	6.83	1630	247
CL2-PCB-9	7.57	0	U	0	U
CL2-PCB-10	117	1.77	12	247	167
CL2-PCB-11	1.59	0	0.86	0.19	1.21
CL2-PCB-12/13	26.9	0	U	0	U
CL2-PCB-14	0	U	0	U	0
CL2-PCB-15	580	3.34	0	U	7830
CL3-PCB-16	1110	3.24	26.5	5970	1760
CL3-PCB-17	1180	9.28	42.3	6760	1770
CL3-PCB-18/30	5159.212	73.412	396.212	26099.212	8229.212
CL3-PCB-19	2800	62.7	401	10800	6060
CL3-PCB-20/28	8218.91	202.91	221.91	49898.91	11398.91
CL3-PCB-21/33	479	2.59	14.9	4500	726
CL3-PCB-22	3440	116	140	14500	4490
CL3-PCB-23	0	U	0	U	0
CL3-PCB-24	197	4.38	12.5	559	242
CL3-PCB-25	258	10.5	13.7	1770	441
CL3-PCB-26/29	1090	38.6	53	5310	1780
CL3-PCB-27	692	25.2	52.3	2920	1380
CL3-PCB-31	4999.212	311.212	333.212	39799.212	9259.212
CL3-PCB-32	4080	369	473	13200	8390
CL3-PCB-34	24.1	0	U	1.39	K
CL3-PCB-35	6.75	0	U	0	U
CL3-PCB-36	0	U	0	U	0
CL3-PCB-37	237	5.94	2.27	6510	71.7
CL3-PCB-38	0	U	0	U	0
CL3-PCB-39	14.1	K	0	U	52.8
CL4-PCB-40/41/71	3239.479	123.479	222.479	9849.479	5469.479
CL4-PCB-42	1450	68.1	124	4150	2440
CL4-PCB-43	279	6.39	24.1	865	473
CL4-PCB-44/47/65	4869.011	139.011	383.011	14899.011	10099.011
CL4-PCB-45/51	1940	102	269	5730	4350
CL4-PCB-46	636	17.4	71.3	1800	1520
CL4-PCB-48	913	17	50	3290	1550
CL4-PCB-49/69	2779.329	236.329	336.329	8449.329	5859.329
CL4-PCB-50/53	1570	138	308	4300	3920
CL4-PCB-52	5628.61	606.61	964.61	15698.61	12798.61
CL4-PCB-54	45.4	8.43	12.5	118	105
CL4-PCB-55	0	U	0	U	415
CL4-PCB-56	1270	31.3	42.8	4980	1080
CL4-PCB-57	11.3	0	U	0	U
CL4-PCB-58	3.64	0	U	0	U
CL4-PCB-59/62/75	555	36.3	39.2	1950	760
CL4-PCB-60	555	4.41	6.96	3080	392
CL4-PCB-61/70/74/76	3779.007	98.107	137.007	15999.007	4279.007
CL4-PCB-63	97.3	3.04	3.27	362	104
CL4-PCB-64	2230	255	272	6780	3610
CL4-PCB-66	2019.406	55.606	54.406	8589.406	1889.406

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-5	HL-MW-23S	MW-17S	RM-MW-16S	HL-MW-30S
<b>PCB Congeners in pg/L</b>					
CL4-PCB-67	71.4	1.51	1.41	356	72.2
CL4-PCB-68	4	0	U	0	U 15.8
CL4-PCB-72	10.7	0.66	0	U 36	13.1
CL4-PCB-73	0	U 0	U 0	U 0	U 0
CL4-PCB-77	8.34	0.689	0	U 416	0
CL4-PCB-78	0	U 0	U 0	U 0	U 0
CL4-PCB-79	4.62	K 0	U 0	U 9.28	6.19
CL4-PCB-80	0	U 0	U 0	U 0	U 0
CL4-PCB-81	0	U 0	U 0	U 22.8	0
CL5-PCB-82	106	2.19	6.07	258	79.1
CL5-PCB-83/99	311	11.3	20.4	714	317
CL5-PCB-84	321	17	40.8	595	454
CL5-PCB-85/116/117	135	7.88	K 11.3	312	108
CB-86/87/97/108/119/125	454	19.9	44.1	988	453
CL5-PCB-88/91	167	19.4	29.9	328	229
CL5-PCB-89	29.7	0.863	K 2.48	60	40.3
CL5-PCB-90/101/113	456	26.3	56.9	979	547
CL5-PCB-92	94.6	10.3	15.6	186	118
CL5-PCB-93/95/98/100/102	772	90.5	172	1360	1310
CL5-PCB-94	12.9	2.23	K 3.68	22.4	21.5
CL5-PCB-96	22.3	4.47	8.15	42.5	62.4
CL5-PCB-103	5.96	0	U 0.964	K 11.9	10.3
CL5-PCB-104	0	U 0	U 0	U 0	U 0
CL5-PCB-105	65.1	0.732	K 1.13	K 279	16
CL5-PCB-106	0	U 0	U 0	U 2.15	K 0
CL5-PCB-107/124	8.61	0	U 0	U 24.5	4.04
CL5-PCB-109	14.9	0	U 0.52	K 42.9	6.29
CL5-PCB-110/115	485.309	27.409	36.909	1149.309	392.309
CL5-PCB-111	0	U 0	U 0	U 0	U 0
CL5-PCB-112	0	U 0	U 0	U 0	U 0
CL5-PCB-114	5.42	0	U 0	U 24.3	1.77
CL5-PCB-118	130.28	1.19	1.93	K 457.28	58.38
CL5-PCB-120	0	U 0	U 0	U 0.806	K 0
CL5-PCB-121	0	U 0	U 0	U 0	U 0
CL5-PCB-122	4.5	0	U 0	U 14.7	K 0.997
CL5-PCB-123	4.55	K 0	U 0	U 14.7	1.91
CL5-PCB-126	0	U 0	U 0	U 0	U 0
CL5-PCB-127	0	U 0	U 0	U 0	U 0
CL6-PCB-128/166	5.01	0	U 0	U 12.6	0.85
CL6-PCB-129/138/160/163	29.678	0.938	2.548	72.878	5.738
CL6-PCB-130	2.4	0	U 0	U 5.35	0.748
CL6-PCB-131	0.678	0	U 0	U 1.49	0
CL6-PCB-132	17.3	1.41	1.23	K 29.8	7.02
CL6-PCB-133	0.524	K 0	U 0	U 1.12	0
CL6-PCB-134/143	3.33	0	U 0	U 6.81	1.7
CL6-PCB-135/151/154	14.7	1.78	1.78	24.8	9.71
CL6-PCB-136	7.64	1.3	1.26	10.2	K 6.73
CL6-PCB-137	1.7	0	U 0	U 4.92	0.556
CL6-PCB-139/140	0.914	0	U 0	U 1.51	0
CL6-PCB-141	6.61	0	U 0.676	K 13.4	1.67
CL6-PCB-142	0	U 0	U 0	U 0	U 0
CL6-PCB-144	1.97	0	U 0	U 3.62	K 1.34
CL6-PCB-145	0	U 0	U 0	U 0	U 0
CL6-PCB-146	4.59	0	U 0.644	9.37	1.35
CL6-PCB-147/149	34.4	2.37	3.31	61.1	18

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-5	HL-MW-23S	MW-17S	RM-MW-16S	HL-MW-30S
<b>PCB Congeners in pg/L</b>					
CL6-PCB-148	0	U	0	U	0
CL6-PCB-150	0	U	0	U	0
CL6-PCB-152	0	U	0	U	0
CL6-PCB-153/168	21.938		0.458	K	1.678
CL6-PCB-155	0	U	0	U	0
CL6-PCB-156/157	1.78		0	U	0.567
CL6-PCB-158	2.4		0	U	0
CL6-PCB-159	0	U	0	U	0
CL6-PCB-161	0	U	0	U	0
CL6-PCB-162	0	U	0	U	0
CL6-PCB-164	2.17		0	U	0
CL6-PCB-165	0	U	0	U	0
CL6-PCB-167	0.656	K	0	U	0
CL6-PCB-169	0	U	0	U	0
CL7-PCB-170	1.19		0	U	0.902
CL7-PCB-171/173	0	U	0	U	0
CL7-PCB-172	0	U	0	U	0
CL7-PCB-174	2.28		0	U	0.548
CL7-PCB-175	0	U	0	U	0
CL7-PCB-176	0	U	0	U	0
CL7-PCB-177	1.4	K	0	U	0.597
CL7-PCB-178	0.601		0	U	0
CL7-PCB-179	1.44		0	U	0
CL7-PCB-180/193	3.2		0.501		2.36
CL7-PCB-181	0	U	0	U	0
CL7-PCB-182	0	U	0	U	0
CL7-PCB-183/185	1.7	K	0	U	0.55
CL7-PCB-184	0	U	0	U	0
CL7-PCB-186	0	U	0	U	0
CL7-PCB-187	3.63		0	U	1.2
CL7-PCB-188	0	U	0	U	0
CL7-PCB-189	0	U	0	U	0
CL7-PCB-190	0	U	0	U	0
CL7-PCB-191	0	U	0	U	0
CL7-PCB-192	0	U	0	U	0
CL8-PCB-194	0	U	0	U	0.628
CL8-PCB-195	0	U	0	U	0
CL8-PCB-196	0	U	0	U	0
CL8-PCB-197/200	0	U	0	U	0
CL8-PCB-198/199	0.778	K	0	U	1.61
CL8-PCB-201	0	U	0	U	0
CL8-PCB-202	0	U	0	U	0
CL8-PCB-203	0	U	0	U	0
CL8-PCB-204	0	U	0	U	0
CL8-PCB-205	0	U	0	U	0
CL9-PCB-206	0	U	0	U	0
CL9-PCB-207	0	U	0	U	0
CL9-PCB-208	0	U	0	U	0
CL10-PCB-209	0.047	K	0	K	0.105
Total Congener	73,456.55		3,447.41		6,040.60
					324,197.0
					123,129.15

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	RM-MW-8S	MW-12A	RM-MW-13S	HL-MW-26S	HL-MW-28DD
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1					
CL1-PCB-2	1.91	1.2	14.3	0.968	K 4.22
CL1-PCB-3	0.567	0	U 1.05	K 0	U 0.618 K
CL2-PCB-4	0.858	K 0	U 4.118	0.518	2.998
CL2-PCB-5	470	174	2620	217	710
CL2-PCB-6	0	U 0	U 8.15	0	U 0 U
CL2-PCB-7	54.3	6.95	296	17.9	84.8
CL2-PCB-8	3.92	0	U 17.71	0	U 5.01
CL2-PCB-9	479	0	U 1370	58.5	372
CL2-PCB-10	7.62	0	U 37.7	2.11	K 20.6
CL2-PCB-11	46.8	28.7	447	51.7	153
CL2-PCB-12/13	3.53	0	U 3.64	7.5	0.57
CL2-PCB-14	103	0	U 499	35.1	41.3
CL2-PCB-15	0	U 0	U 0	U 0	U 0 U
CL3-PCB-16	2200	11.9	K 8410	547	715
CL3-PCB-17	3040	180	3250	528	1020
CL3-PCB-18/30	3580	192	3830	531	1010
CL3-PCB-19	11199.212	950.212	16699.212	2139.212	5849.212
CL3-PCB-20/28	1340	954	17300	1710	3430
CL3-PCB-21/33	41198.91	846.91	181998.91	5908.91	13898.91
CL3-PCB-22	3750	78.6	4270	310	698
CL3-PCB-23	10900	366	71600	2420	5430
CL3-PCB-24	0	U 0	U 25.7	0	U 0 U
CL3-PCB-25	134	30.9	1640	88.1	222
CL3-PCB-26/29	937	44.5	2800	185	353
CL3-PCB-27	3120	155	16900	758	1720
CL3-PCB-31	841	171	5400	454	732
CL3-PCB-32	24999.212	818.212	75599.212	4179.212	9229.212
CL3-PCB-34	5290	988	50400	2510	5380
CL3-PCB-35	71.1	4.17	337	15.6	36.3
CL3-PCB-36	239	0	U 1280	7.93	7.55 K
CL3-PCB-37	0	U 0	U 0	U 0	U 0 U
CL3-PCB-38	11900	6.38	K 57500	498	492
CL3-PCB-39	46.6	0	U 84.1	2.54	K 9.06 K
CL4-PCB-40/41/71	421	0	U 0	U 16.4	38.4
CL4-PCB-42	33999.479	537.479	45799.479	1939.479	6709.479
CL4-PCB-43	17400	236	24300	887	2890
CL4-PCB-44/47/65	2720	80.9	3460	149	498
CL4-PCB-45/51	52499.011	969.011	62799.011	3159.011	10399.011
CL4-PCB-46	7800	487	20900	1060	3530
CL4-PCB-48	2150	183	6840	337	1240
CL4-PCB-49/69	14800	159	11800	493	1350
CL4-PCB-50/53	38299.329	588.329	34699.329	1839.329	5039.329
CL4-PCB-52	5680	477	14700	898	2730
CL4-PCB-54	60598.61	1488.61	56998.61	3978.61	11498.61
CL4-PCB-55	52.2	18.8	330	19.3	60.4
CL4-PCB-56	2060	0	U 3370	47	156
CL4-PCB-57	42200	74.7	43300	1230	2830
CL4-PCB-58	396	0	U 550	7.51	22.5
CL4-PCB-59/62/75	120	0	U 137	2.41	6.02
CL4-PCB-60	4660	86.6	9040	305	923
CL4-PCB-61/70/74/76	33900	25	29100	668	1270
CL4-PCB-63	115999.007	279.007	95399.007	3509.007	8759.007
CL4-PCB-64	4310	6.56	3180	101	201
CL4-PCB-66	29300	372	33200	1650	4460

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	RM-MW-8S	MW-12A	RM-MW-13S	HL-MW-26S	HL-MW-28DD					
<b>PCB Congeners in pg/L</b>										
CL4-PCB-67	96799.406	105.406	68799.406	2269.406	4649.406					
CL4-PCB-68	1860	3.73	2950	51	142					
CL4-PCB-72	129	0	U	156	3.21	6.16				
CL4-PCB-73	324	0	U	318	7.48	19.1				
CL4-PCB-77	0	U	0	U	0	U				
CL4-PCB-78	8820	0	U	6840	84.4	10.6				
CL4-PCB-79	0	U	0	U	0	U				
CL4-PCB-80	467	0	U	131	9.57	17.3				
CL4-PCB-81	0	U	0	U	0	U				
CL5-PCB-82	539	0	U	351	5.08	K	0	U		
CL5-PCB-83/99	7510	8.05	2130	172	274					
CL5-PCB-84	36900	31.3	5590	632	803					
CL5-PCB-85/116/117	7960	52.7	2980	264	770					
CB-86/87/97/108/119/125	15300	11.4	2830	290	318					
CL5-PCB-88/91	29100	50.9	7000	608	1140					
CL5-PCB-89	8700	26.9	2260	196	409					
CL5-PCB-90/101/113	1020	4.22	421	27.1	82.1					
CL5-PCB-92	36600	59.9	6670	680	1140					
CL5-PCB-93/95/98/100/102	6380	13.7	1210	125	208					
CL5-PCB-94	27100	170	6760	690	1670					
CL5-PCB-96	371	2.92	K	123	9.97	28.8				
CL5-PCB-103	153	7.92	170	13.5	70.3					
CL5-PCB-104	274	1.16	K	72.2	5.81	14.3				
CL5-PCB-105	2.56	0	U	2	0	U	0.586			
CL5-PCB-106	34600	0.933	4180	381	180					
CL5-PCB-107/124	0	U	0	U	31.4	0	U	0	U	
CL5-PCB-109	1680	0	U	284	24	20.4	K			
CL5-PCB-110/115	3830	0.636	K	533	57.9	36.3				
CL5-PCB-111	34199.309	41.909	7849.309	725.309	1179.309					
CL5-PCB-112	15.7	0	U	0	U	0	U	0	U	
CL5-PCB-114	0	U	0	U	0	U	0	U		
CL5-PCB-118	2570	0	U	388	30.6	12.2				
CL5-PCB-120	60399.28	2.96	6879.28	708.28	403.28					
CL5-PCB-121	0	U	0	U	10.5	K	0	U	0	U
CL5-PCB-122	0	U	0	U	0	U	0	U	0	U
CL5-PCB-123	1030	0	U	182	16.1	9.8				
CL5-PCB-126	1540	0	U	243	23.6	11.7				
CL5-PCB-127	209	0	U	32.1	0	U	0	U		
CL6-PCB-128/166	33.4	0	U	0	U	0	U	0	U	
CL6-PCB-129/138/160/163	2480	0	U	139	35	7.2				
CL6-PCB-130	14799.478	0.738	785.478	183.478	49.878					
CL6-PCB-131	978	0	U	55.4	11.9	K	4.75			
CL6-PCB-132	198	0	U	14.4	2.82	K	2.09			
CL6-PCB-133	2930	1.41	232	43.2	32.4					
CL6-PCB-134/143	163	0	U	9.34	2.07	0.932	K			
CL6-PCB-135/151/154	712	0	U	50.3	10.5	6.97				
CL6-PCB-136	3160	1.79	209	48.6	31.5					
CL6-PCB-137	596	1.04	62.2	12.1	17.1					
CL6-PCB-139/140	1120	0	U	59.2	14.1	3.6	K			
CL6-PCB-141	339	0	U	18	5.06	1.97				
CL6-PCB-142	1760	0	U	121	21.6	11.8				
CL6-PCB-144	10.5	0	U	0	U	0	U	0	U	
CL6-PCB-145	553	0	U	36	7.69	5.73				
CL6-PCB-146	3.03	0	U	0.542	0	U	0	U		
CL6-PCB-147/149	1800	0	U	87.3	21.7	8.41				

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	RM-MW-8S	MW-12A	RM-MW-13S	HL-MW-26S	HL-MW-28DD				
<b>PCB Congeners in pg/L</b>									
CL6-PCB-148	6660	2.85	K	459	104	64.9			
CL6-PCB-150	9.62	0	U	0.561	K	0	U		
CL6-PCB-152	8.68	0	U	0.94	0	U	0	U	
CL6-PCB-153/168	9.52	0	U	1.38	K	0	U	0	U
CL6-PCB-155	9979.338	0.598		509.338	124.338	39.138			
CL6-PCB-156/157	0	U	0	U	0	U	0	U	
CL6-PCB-158	2560	0	U	116	26.6	2.31	K		
CL6-PCB-159	1760	0	U	93.8	20.7	5.77			
CL6-PCB-161	52.8	0	U	2.99	0.577	0	U		
CL6-PCB-162	0	U	0	U	0	U	0	U	
CL6-PCB-164	59.8	0	U	2.6	0.716	K	0	U	
CL6-PCB-165	610	0	U	41.2	6.67	3.56			
CL6-PCB-167	0	U	0	U	0	U	0	U	
CL6-PCB-169	785	0	U	34.6	7.43	1.12	K		
CL7-PCB-170	0	U	0	U	0	U	0	U	
CL7-PCB-171/173	1650	0	U	64.2	17.7	0.89			
CL7-PCB-172	502	0	U	21.1	6.2	0.663			
CL7-PCB-174	291	0	U	12.6	3.27	0	U		
CL7-PCB-175	1150	0	U	64.6	13	2.78			
CL7-PCB-176	69.7	0	U	3.02	0.703	0	U		
CL7-PCB-177	100	0	U	6.42	1.09	0	U		
CL7-PCB-178	1090	0	U	47.5	12.5	1.37			
CL7-PCB-179	372	0	U	15.2	5.05	0.714	K		
CL7-PCB-180/193	409	0	U	24.4	6.04	1.49			
CL7-PCB-181	3940	0	U	151	42.5	3.41			
CL7-PCB-182	27.1	0	U	1.06	K	0	U	0	U
CL7-PCB-183/185	9.52	0	U	0	U	0	U	0	U
CL7-PCB-184	1300	0	U	53	16.4	0	U	0	U
CL7-PCB-186	0	U	0	U	0	U	0	U	U
CL7-PCB-187	0	U	0	U	0	U	0	U	U
CL7-PCB-188	2690	0	U	103	39.2	3.74			
CL7-PCB-189	0.93	K	0	U	0	U	0	U	U
CL7-PCB-190	64.6	0	U	2.74	1	K	0	U	U
CL7-PCB-191	484	0	U	17.2	5.94	0	U	0	U
CL7-PCB-192	94.2	0	U	3.73	1.11	K	0	U	U
CL8-PCB-194	0	U	0	U	0	U	0	U	U
CL8-PCB-195	444	0	U	14.9	4.53	0	U	0	U
CL8-PCB-196	196	0	U	6.52	2.38	0	U	0	U
CL8-PCB-197/200	316	0	U	9.76	3	0	U	0	U
CL8-PCB-198/199	52.8	0	U	2.51	0	U	0	U	U
CL8-PCB-201	856	0	U	27.5	8.59	0	U	0	U
CL8-PCB-202	86.9	0	U	2.89	K	0.943	0	U	U
CL8-PCB-203	171	0	U	6.36	2.08	K	0	U	U
CL8-PCB-204	524	0	U	17.4	5.04	0	U	0	U
CL8-PCB-205	0	U	0	U	0	U	0	U	U
CL9-PCB-206	41.1	0	U	1.61	0.509	K	0	U	U
CL9-PCB-207	107	0	U	4.6	1.12	0	U	0	U
CL9-PCB-208	20.7	0	U	0.596	K	0	U	0	U
CL10-PCB-209	42	0	U	2.01	0.541	K	0	U	U
Total Congener	5.221	0.361		0.046	0.179	0			
	1,092,941.37	12,683.06		1,166,750.47	54,501.64	130,179.94			

Hart Crowser

L:\Jobs\2644114\GW RI\Table PDFs\Appendix F



**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-13DD	HL-MW-8D	HL-MW-7S	HL-MW-25S	HL-MW-14S
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1					
CL1-PCB-2	2.68	0.874	1.31	K 4.57	3.1
CL1-PCB-3	0 U	0 U	0 U	0 U	0 U
CL2-PCB-4	1.608	0 K	1.028 K	1.188	0 U
CL2-PCB-5	463	155	489	1400	1130
CL2-PCB-6	0 U	0 U	0 U	0 U	0 U
CL2-PCB-7	55.6	13.3	35.8	89.9	74
CL2-PCB-8	2.6	0 U	0 U	0 U	0 U
CL2-PCB-9	226	48.4	129	349	274
CL2-PCB-10	13.7	3.37 K	5.09	14.1	11 K
CL2-PCB-11	101	40.5	85.1	182	156
CL2-PCB-12/13	0.1 K	2.16	5.01	0 U	0 U
CL2-PCB-14	24.5	16.8	41.3	52	53.6
CL2-PCB-15	0 U	0 U	0 U	0 U	0 U
CL3-PCB-16	344	240	627	714	629
CL3-PCB-17	637	254	659	1530	1380
CL3-PCB-18/30	639	278	672	1580	1440
CL3-PCB-19	3819.212	1439.212	2829.212	6879.212	6339.212
CL3-PCB-20/28	2630	1080	2610	5720	4960
CL3-PCB-21/33	8408.91	3478.91	8318.91	13998.91	13298.91
CL3-PCB-22	448	205	602	1140	1100
CL3-PCB-23	3370	1650	3430	6030	5420
CL3-PCB-24	0 U	0 U	0 U	0 U	0 U
CL3-PCB-25	147	67.3	124	216	201
CL3-PCB-26/29	232	128	325	565	535
CL3-PCB-27	1100	514	1120	1900	1770
CL3-PCB-31	490	304	675	1190	1140
CL3-PCB-32	5539.212	2799.212	6179.212	10099.212	9829.212
CL3-PCB-34	3680	1740	3580	6530	6720
CL3-PCB-35	23	11	20.6	39.2	41.4
CL3-PCB-36	0 U	0 U	0 U	0 U	0 U
CL3-PCB-37	0 U	0 U	0 U	0 U	0 U
CL3-PCB-38	215	195	406	496	402
CL3-PCB-39	5.94 K	0 U	0 U	0 U	0 U
CL4-PCB-40/41/71	28.2	8.49	13.5 K	30.2 K	34.5 K
CL4-PCB-42	4159.479	1239.479	2479.479	6189.479	5719.479
CL4-PCB-43	1810	580	1020	2450	2260
CL4-PCB-44/47/65	294	112	298	619	591
CL4-PCB-45/51	6589.011	2159.011	4179.011	9999.011	9259.011
CL4-PCB-46	2270	824	1600	3450	3360
CL4-PCB-48	807	226	521	1250	1200
CL4-PCB-49/69	856	292	645	1580	1490
CL4-PCB-50/53	3029.329	1409.329	2389.329	5199.329	5009.329
CL4-PCB-52	1840	803	1380	2900	2860
CL4-PCB-54	7198.61	3308.61	5628.61	11598.61	11198.61
CL4-PCB-55	43.5	15.5	36.8	105	88.9
CL4-PCB-56	84.5	0 U	0 U	163	162
CL4-PCB-57	1810	660	1120	2080	1960
CL4-PCB-58	12.4	4.55	6.92 K	13.1	13.1
CL4-PCB-59/62/75	3.13	0 U	0 U	4.31	0 U
CL4-PCB-60	559	210	466	933	892
CL4-PCB-61/70/74/76	667	301	526	994	871
CL4-PCB-63	4979.007	2109.007	3459.007	6879.007	6669.007
CL4-PCB-64	114	50.9	77.6	131	145
CL4-PCB-66	2710	1240	2030	3950	3750

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-13DD	HL-MW-8D	HL-MW-7S	HL-MW-25S	HL-MW-14S					
<b>PCB Congeners in pg/L</b>										
CL4-PCB-67	2509.406	1109.406	1969.406	3449.406	3309.406					
CL4-PCB-68	73.1	27.7	47.7	94.9	95.1					
CL4-PCB-72	2.88		0	U	6.52	0	U			
CL4-PCB-73	10.4		4.26	9.84	11.6	13.3	K			
CL4-PCB-77	0	U	0	U	0	U	0	U		
CL4-PCB-78	4.07		7.13	11.7	9.17	0	U			
CL4-PCB-79	0	U	0	U	0	U	0	U		
CL4-PCB-80	13.5		3.42	K	0	U	9.53	6.82		
CL4-PCB-81	0	U	0	U	0	U	0	U		
CL5-PCB-82	0	U	0	U	0	U	0	U		
CL5-PCB-83/99	159		59.5	90	174	141				
CL5-PCB-84	487		152	247	565	474				
CL5-PCB-85/116/117	469		154	231	605	515				
CB-86/87/97/108/119/125	187		91.9	120	215	181				
CL5-PCB-88/91	700		273	380	813	687				
CL5-PCB-89	244		91.2	126	292	243				
CL5-PCB-90/101/113	49.9		9.61	17.3	58.5	47.6				
CL5-PCB-92	710		269	379	866	725				
CL5-PCB-93/95/98/100/102	135		55.1	76.3	167	143				
CL5-PCB-94	1100		440	604	1470	1270				
CL5-PCB-96	19		6.99	K	9.55	24.7	20.3			
CL5-PCB-103	36.4		13.5		18.1	48.3	42.7			
CL5-PCB-104	9.24		2.45		3.53	11.5	9.28			
CL5-PCB-105	1.02	K	0	U	0	U	0.612	0	U	
CL5-PCB-106	87.7		49.3		70.1	73.8	63.7			
CL5-PCB-107/124	0	U	0	U	0	U	0	U		
CL5-PCB-109	14	K	5.66	K	7.5	11.4	10.4			
CL5-PCB-110/115	21.8		8.86		15.7	19.3	17.7			
CL5-PCB-111	696.309		338.309		464.309	822.309	698.309			
CL5-PCB-112	0	U	0	U	0	U	0	U		
CL5-PCB-114	0	U	0	U	0	U	0	U		
CL5-PCB-118	6.17		3.15		4.29	6.13	K	5.4		
CL5-PCB-120	210.28		96.38		144.28	188.28	164.28			
CL5-PCB-121	0	U	0	U	0	U	0	U		
CL5-PCB-122	0	U	0	U	0	U	0	U		
CL5-PCB-123	4.72		2.38	K	3.6	5.51	4.37			
CL5-PCB-126	6.68		3.6		3.74	K	5.69	K	4.33	
CL5-PCB-127	0	U	0	U	0	U	0	U		
CL6-PCB-128/166	0	U	0	U	0	U	0	U		
CL6-PCB-129/138/160/163	4.82	K	1.72	K	2.24	2.63	1.82			
CL6-PCB-130	31.978		11.278		15.878	19.078	15.478			
CL6-PCB-131	3		1.03	K	1.49	1.36	1.54	K		
CL6-PCB-132	1.16		0	U	0	U	0.643	K	0.556	
CL6-PCB-133	19.8		8.9		12.7	14.3	11.7			
CL6-PCB-134/143	0.865	K	0	U	0	U	0.505	K	0	U
CL6-PCB-135/151/154	4.62	K	1.56	K	2.64	K	3.43	2.96		
CL6-PCB-136	21.7		8.1		9.61	16.7	14			
CL6-PCB-137	10.9		5.15		5.4	9.28	7.43			
CL6-PCB-139/140	2.14	K	0.808	K	1.15	0.923	0.861			
CL6-PCB-141	1.31	K	0	U	0.564	K	0.636	0.596	K	
CL6-PCB-142	7.5	K	2.22		0	U	5.03	3.77		
CL6-PCB-144	0	U	0	U		0	U	0	U	
CL6-PCB-145	3.59	K	0.903	K	1.19	2.27	1.9			
CL6-PCB-146	0	U	0	U	0	U	0	U		
CL6-PCB-147/149	5.25	K	1.63		2.44	K	2.98	3.15		

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-13DD	HL-MW-8D	HL-MW-7S	HL-MW-25S	HL-MW-14S
<b>PCB Congeners in pg/L</b>					
CL6-PCB-148	38.6	16.2	22.4	35.1	29.4
CL6-PCB-150	0	U	U	U	U
CL6-PCB-152	0	U	U	U	U
CL6-PCB-153/168	0	U	U	U	U
CL6-PCB-155	26.638	7.088	K	10.938	16.638
CL6-PCB-156/157	0	U	U	U	U
CL6-PCB-158	1.53	0.757	K	1.13	0.791
CL6-PCB-159	3.15	0.664	K	1.06	1.65
CL6-PCB-161	0	U	U	U	U
CL6-PCB-162	0	U	U	U	U
CL6-PCB-164	0	U	U	U	U
CL6-PCB-165	2.15	K	0.807	1.21	K
CL6-PCB-167	0	U	U	U	U
CL6-PCB-169	0.728	K	U	U	U
CL7-PCB-170	0	U	U	U	U
CL7-PCB-171/173	0.949	K	U	U	U
CL7-PCB-172	0	U	U	U	U
CL7-PCB-174	0	U	U	U	U
CL7-PCB-175	1.95	0.59	0.653	0.711	0.719
CL7-PCB-176	0	U	U	U	U
CL7-PCB-177	0	U	U	U	U
CL7-PCB-178	0.717	U	U	U	U
CL7-PCB-179	0.662	K	U	U	U
CL7-PCB-180/193	1.09	U	0.515	U	0.653
CL7-PCB-181	2.97	0.968	1.07	K	0.882
CL7-PCB-182	0	U	U	U	U
CL7-PCB-183/185	0	U	U	U	U
CL7-PCB-184	1.86	U	U	U	0.755
CL7-PCB-186	U	U	U	U	U
CL7-PCB-187	U	U	U	U	U
CL7-PCB-188	2.72	1.18	K	1.17	K
CL7-PCB-189	0	U	U	U	U
CL7-PCB-190	0	U	U	U	U
CL7-PCB-191	0	U	U	U	U
CL7-PCB-192	0	U	U	U	U
CL8-PCB-194	0	U	U	U	U
CL8-PCB-195	0	U	U	U	U
CL8-PCB-196	0	U	U	U	U
CL8-PCB-197/200	0	U	U	U	U
CL8-PCB-198/199	0	U	U	U	U
CL8-PCB-201	0	U	U	U	U
CL8-PCB-202	0	U	U	U	U
CL8-PCB-203	0	U	U	U	U
CL8-PCB-204	0	U	U	U	U
CL8-PCB-205	0	U	U	U	U
CL9-PCB-206	0	U	U	U	U
CL9-PCB-207	0	U	U	U	U
CL9-PCB-208	0	U	U	U	U
CL10-PCB-209	0	U	U	U	U
Total Congener	0.018	K	0	0.126	K
				131,402.08	123,448.09


Notes:

For blank corrected data the non-detects were set at 0.0 and the "K" data were set at the reported concentration.


Hart Crowser

# Field Water Quality Parameter Histograms and Percentiles

## pH




## Temperature




# Field Water Quality Parameter Histograms and Percentiles

## Conductivity




## Turbidity



# Field Water Quality Parameter Histograms and Percentiles

## Dissolved Oxygen



## Oxygen Reduction Potential (ORP)

