

**Table F-1 -Summary of Field Duplicates**

Well ID	Field Dup ID	Date	Sample ID
CM-MW-01S	CM-MW-SU	3/24/2005	CM-MW-1S
CM-MW-01S	CM-MW-100S	4/20/2006	CM-MW-1S
CM-MW-01S	CM-MW-100S	10/24/2006	CM-MW-1S
CM-MW-02S	CM-MW-200S	4/19/2006	CM-MW-2S
CM-MW-02S	CM-MW-200S	4/19/2007	CM-MW-2S
CM-MW-02S	CM-MW-200S	10/20/2008	CM-MW-2S
CM-MW-03S	CM-MW-SU	7/26/2005	CM-MW-3S
CM-MW-03S	CM-MW-SU	10/28/2005	CM-MW-3S
CM-MW-03S	CM-MW-300S	4/18/2007	CM-MW-3S
CM-MW-03S	CM-MW-300S	10/21/2008	CM-MW-3S
CM-MW-05S	CM-MW-SU	1/26/2006	CM-MW-5S
CM-MW-05S	CM-MW-500S	4/19/2006	CM-MW-5S
CM-MW-07S	CM-MW-700S	4/19/2006	CM-MW-7S
CM-MW-07S	CM-MW-700S	7/21/2006	CM-MW-7S
CM-MW-08S	CM-MW-100	10/28/2004	CM-MW-8S
CM-MW-08S	CM-MW-20	3/23/2005	CM-MW-8S
HL-MW-01	HL-MW-100	10/23/2006	HL-MW-1
HL-MW-02	HL-MW-200	10/27/2006	HL-MW-2
HL-MW-05	HL-MW-5 Jar Test Blank	6/30/2004	HL-MW-5
HL-MW-05	HL-MW-5000	7/23/2008	HL-MW-5
HL-MW-06A	HL-MW-100	10/26/2005	HL-MW-6A
HL-MW-06A	HL-MW-600A	4/19/2006	HL-MW-6A
HL-MW-06A	HL-MW-600A	7/20/2006	HL-MW-6A
HL-MW-06A	HL-MW-600A	10/25/2006	HL-MW-6A
HL-MW-07S	HL-MW-700S	4/15/2007	HL-MW-7S
HL-MW-13DD	HL-MW-1K	10/23/2003	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	3/4/2004	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	6/30/2004	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	10/26/2004	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	7/27/2005	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	10/24/2005	HL-MW-13DD
HL-MW-13DD	HL-MW-1K	1/23/2006	HL-MW-13DD
HL-MW-13DD	HL-MW-130DD	10/26/2006	HL-MW-13DD
HL-MW-17S	HL-MW-170S	4/22/2006	HL-MW-17S
HL-MW-19S	HL-MW-190S	4/18/2006	HL-MW-19S
HL-MW-20S	HL-MW-30	3/24/2005	HL-MW-20S
HL-MW-20S	HL-MW-200S	10/22/2007	HL-MW-2S
HL-MW-20S	HL-MW-200S	10/22/2008	HL-MW-20S
HL-MW-23S	HL-MW-230S	4/21/2006	HL-MW-23S
HL-MW-23S	HL-MW-230S	10/26/2006	HL-MW-23S
HL-MW-23S	HL-MW-2300S	10/24/2008	HL-MW-23S
HL-MW-24DD	HL-MW-240DD	4/21/2006	HL-MW-24DD
HL-MW-25S	HL-MW-2500S	4/21/2008	HL-MW-25S
HL-MW-25S	HL-MW-2500S	10/19/2008	HL-MW-25S
HL-MW-26S	HL-MW-2600S	1/31/2007	HL-MW-26S
HL-MW-26S	HL-MW-2600S	4/16/2007	HL-MW-26S
HL-MW-26S	HL-MW-2600S	10/24/2007	HL-MW-26S
HL-MW-26S	HL-MW-2600S	10/22/2008	HL-MW-26S
HL-MW-27D	HL-MW-270D	10/27/2006	HL-MW-27D
HL-MW-27D	HL-MW-2700D	1/31/2007	HL-MW-27D
HL-MW-27D	HL-MW-2700D	4/16/2007	HL-MW-27D
HL-MW-27D	HL-MW-2700DD	4/16/2007	HL-MW-27D

**Table F-1 -Summary of Field Duplicates**

Well ID	Field Dup ID	Date	Sample ID
HL-MW-27D	HL-MW-2700S	4/21/2008	HL-MW-27D
HL-MW-28DD	HL-MW-280DD	10/26/2006	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	4/15/2007	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	7/24/2007	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	10/23/2007	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	1/24/2008	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	4/21/2008	HL-MW-28DD
HL-MW-28DD	HL-MW-2800DD	10/19/2008	HL-MW-28DD
HL-MW-29S	HL-MW-2900S	10/24/2007	HL-MW-29S
HL-MW-29S	HL-MW-2900S	1/24/2008	HL-MW-29S
HL-MW-29S	HL-MW-2900S	4/22/2008	HL-MW-29S
HL-MW-29S	HL-MW-2900S	7/23/2008	HL-MW-29S
HL-MW-29S	HL-MW-2900S	10/22/2008	HL-MW-29S
HL-MW-30S	HL-MW-3000S	10/24/2007	HL-MW-30S
HL-MW-30S	HL-MW-3000S	4/23/2008	HL-MW-30S
HL-MW-30S	HL-MW-3000S	7/24/2008	HL-MW-30S
MW-12A	MW-28	5/12/2003	MW-12A
MW-12A	MW-28	9/2/2003	MW-12A
MW-12A	MW-28	10/25/2004	MW-12A
MW-12A	MW-28	7/28/2005	MW-12A
MW-12A	MW-28	10/26/2005	MW-12A
MW-15	MW-27	5/12/2003	MW-15
MW-15	MW-27	9/2/2003	MW-15
MW-15	MW-27	6/29/2004	MW-15
MW-15	MW-27	10/25/2004	MW-15
MW-15	MW-27	7/29/2005	MW-15
MW-15	MW-27	10/24/2005	MW-15
MW-16	MW-30	10/26/2005	MW-16
MW-16	MW-160	10/27/2006	MW-16
MW-17S	MW-170S	4/21/2006	MW-17S
MW-17S	MW-170S	7/18/2006	MW-17S
MW-17S	MW-1700S	10/21/2008	MW-17S
MW-19S	MW-190S	4/21/2006	MW-19S
MW-20D	MW-2000D	10/21/2008	MW-20D
MW-21S	MW-2100S	10/23/2008	MW-21S
MW-25S	MW-2500S	10/25/2007	MW-25S
OH-MW-01	OH-MW-100	10/22/2008	OH-MW-10
OH-MW-26	OH-MW-260	10/25/2006	OH-MW-26
RM-MW-03S	RM-MW-6	10/24/2003	RM-MW-3S
RM-MW-08S	RM-MW-80S	4/17/2006	RM-MW-8S
RM-MW-08S	RM-MW-800S	10/18/2008	RM-MW-8S
RM-MW-09S	RM-MW-90S	4/19/2006	RM-MW-9S
RM-MW-09S	RM-MW-900S	7/18/2006	RM-MW-9S
RM-MW-09S	RM-MW-900S	10/25/2006	RM-MW-9S
RM-MW-10S	RM-MW-100	9/28/2004	RM-MW-10S
RM-MW-10S	RM-MW-100	10/27/2004	RM-MW-10S
RM-MW-10S	RM-MW-100S	1/25/2006	RM-MW-10S
RM-MW-13S	RM-MW-13S Dup	5/16/2005	RM-MW-13S
RM-MW-13S	RM-MW-100	7/25/2005	RM-MW-13S
RM-MW-13S	RM-MW-100S	7/25/2005	RM-MW-13S
RM-MW-13S	RM-MW-100S	10/24/2005	RM-MW-13S
RM-MW-14S	RM-MW-1400S	1/22/2009	RM-MW-14S

**Table F-1 -Summary of Field Duplicates**

Well ID	Field Dup ID	Date	Sample ID
RM-MW-17S	RM-MW-1700S	7/24/2007	RM-MW-17S
TL-MW-01A	TL-MW-10	7/27/2005	TL-MW-1A
TL-MW-01A	TL-MW-10A	4/23/2006	TL-MW-1A
WW-EW-01	WW-EW-100	10/22/2008	WW-EW-1
WW-EW-02	WW-EW-WA	5/16/2003	WW-EW-2
WW-EW-02	WW-EW-WA	9/5/2003	WW-EW-2
WW-EW-02	WW-EW-WA	10/29/2004	WW-EW-2
WW-EW-02	WW-EW-WA	7/29/2005	WW-EW-2
WW-EW-02	WW-EW-WA	10/28/2005	WW-EW-2
WW-EW-02	WW-EW-2 PCB Dup	4/23/2006	PCB Higher Det. Limit
WW-EW-02	WW-EW-200	4/23/2006	WW-EW-2
WW-MW-17	WW-MW-25	5/15/2003	WW-MW-17
WW-MW-17	WW-MW-25	9/4/2003	WW-MW-17
WW-MW-17	WW-MW-25	6/30/2004	WW-MW-17
WW-MW-17	WW-MW-25	10/29/2004	WW-MW-17
WW-MW-17	WW-MW-25	7/29/2005	WW-MW-17
WW-MW-17	WW-MW-25	10/29/2005	WW-MW-17
WW-MW-18	WW-MW-180	4/20/2006	WW-MW-18

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
CM-MW-01S	CM-MW-1S		10/28/2004			X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		3/24/2005			X		X		X		X
CM-MW-01S	CM-MW-SU	Dup	3/24/2005				X					X
CM-MW-01S	CM-MW-1S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		10/28/2005	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		4/20/2006	X	X	X	X		X	X		X
CM-MW-01S	CM-MW-100S	Dup	4/20/2006	X	X	X						
CM-MW-01S	CM-MW-1S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-01S	CM-MW-100S	Dup	10/24/2006	X	X	X	X	X	X			X
CM-MW-01S	CM-MW-1S		4/15/2007			X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		10/25/2007			X	X	X	X	X		
CM-MW-01S	CM-MW-1S		4/21/2008			X	X	X	X	X		X
CM-MW-01S	CM-MW-1S		10/19/2008			X	X	X	X	X		
CM-MW-02S	CM-MW-2S		10/27/2004			X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		3/23/2005			X	X	X		X		X
CM-MW-02S	CM-MW-2S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-200S	Dup	4/19/2006									X
CM-MW-02S	CM-MW-2S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		4/19/2007			X	X	X	X	X		X
CM-MW-02S	CM-MW-200S	Dup	4/19/2007									X
CM-MW-02S	CM-MW-2S		10/25/2007			X	X	X	X	X		
CM-MW-02S	CM-MW-2S		4/21/2008			X	X	X	X	X		X
CM-MW-02S	CM-MW-2S		10/20/2008			X	X	X	X	X		
CM-MW-02S	CM-MW-200S	Dup	10/20/2008			X						
CM-MW-03S	CM-MW-3S		10/27/2004			X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		3/23/2005			X	X	X		X		X
CM-MW-03S	CM-MW-3S		10/28/2005	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-SU	Dup	10/28/2005	X	X	X	X	X	X			X
CM-MW-03S	CM-MW-3S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-SU	Dup	7/26/2005	X	X	X	X	X	X			X
CM-MW-03S	CM-MW-3S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		4/18/2007			X	X	X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
CM-MW-03S	CM-MW-300S	Dup	4/18/2007									X
CM-MW-03S	CM-MW-3S		10/25/2007			X	X	X	X	X		
CM-MW-03S	CM-MW-3S		4/21/2008			X	X	X	X	X		X
CM-MW-03S	CM-MW-3S		10/21/2008			X	X	X	X	X		
CM-MW-03S	CM-MW-300S	Dup	10/21/2008			X						
CM-MW-04S	CM-MW-4S		10/27/2004			X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		3/23/2005			X	X	X		X		X
CM-MW-04S	CM-MW-4S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		4/17/2007			X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		10/25/2007			X	X	X	X	X		
CM-MW-04S	CM-MW-4S		4/20/2008			X	X	X	X	X		X
CM-MW-04S	CM-MW-4S		10/20/2008			X	X	X	X	X		
CM-MW-05S	CM-MW-5S		10/27/2004			X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		3/23/2005			X	X	X		X		X
CM-MW-05S	CM-MW-5S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-SU	Dup	1/26/2006	X	X	X		X	X			X
CM-MW-05S	CM-MW-5S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-500S	Dup	4/19/2006						X			
CM-MW-05S	CM-MW-5S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		4/17/2007			X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		10/25/2007			X	X		X	X		
CM-MW-05S	CM-MW-5S		4/20/2008			X	X	X	X	X		X
CM-MW-05S	CM-MW-5S		10/21/2008			X	X	X	X	X		
CM-MW-06S	CM-MW-6S		10/28/2004			X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		3/23/2005			X	X	X		X		X
CM-MW-06S	CM-MW-6S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		4/19/2007			X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		10/25/2007			X	X	X	X	X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
CM-MW-06S	CM-MW-6S		4/20/2008			X	X	X	X	X		X
CM-MW-06S	CM-MW-6S		10/19/2008			X	X	X	X	X		
CM-MW-07S	CM-MW-7S		10/27/2004			X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		3/23/2005			X	X	X		X		X
CM-MW-07S	CM-MW-7S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-700S	Dup	4/19/2006					X				
CM-MW-07S	CM-MW-7S		7/21/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-700S	Dup	7/21/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		4/15/2007			X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		10/25/2007			X	X	X	X	X		
CM-MW-07S	CM-MW-7S		4/21/2008			X	X	X	X	X		X
CM-MW-07S	CM-MW-7S		10/20/2008			X	X	X	X	X		
CM-MW-08S	CM-MW-8S		10/28/2004			X	X	X	X	X		X
CM-MW-08S	CM-MW-100	Dup	10/28/2004			X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		3/23/2005			X	X	X		X		X
CM-MW-08S	CM-MW-20	Dup	3/23/2005					X				
CM-MW-08S	CM-MW-8S		7/26/2005	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		10/27/2005	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		1/26/2006	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		4/19/2006	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		7/20/2006	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		10/24/2006	X	X	X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		4/15/2007			X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		10/25/2007			X	X	X	X	X		
CM-MW-08S	CM-MW-8S		4/21/2008			X	X	X	X	X		X
CM-MW-08S	CM-MW-8S		10/20/2008			X	X	X	X	X		
FIELD	RB-TS-1S		7/29/2005	X	X	X	X	X	X	X		X
FIELD	RB-TS-1S		10/28/2005	X	X	X	X	X	X			X
FIELD	RB-TS-1S		1/26/2006	X	X	X	X	X	X	X		X
FIELD	Trip Blank		5/13/2003						X			
FIELD	Trip Blanks		9/3/2003						X			
FIELD	Trip		3/4/2004						X			
FIELD	Trip Blank		3/5/2004						X			
FIELD	Trip Blank		6/29/2004						X			
FIELD	Trip Blank		6/30/2004						X			
FIELD	Trip Blank		10/25/2004						X			
FIELD	Trip Blank		10/26/2004						X			

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
FIELD	Trip Blank	7/26/2005						X			
FIELD	Trip Blank	7/27/2005						X			
FIELD	Trip Blank	7/28/2005						X			
FIELD	Trip Blank	7/29/2005						X			
FIELD	Trip Blank	10/24/2005						X			
FIELD	Trip Blank	10/26/2005						X			
FIELD	Trip Blank	10/27/2005						X			
FIELD	Trip Blank	10/28/2005						X			
FIELD	Trip Blank	10/29/2005						X			
FIELD	Trip Blank	1/25/2006						X			
FIELD	Trip Blank	1/26/2006						X			
FIELD	Trip Blank	4/18/2006						X			
FIELD	Trip Blank	4/19/2006						X			
FIELD	Trip Blank	4/20/2006						X			
FIELD	RB:FO-MW-1S	4/20/2006	X	X	X						
FIELD	FO-MW-1S-RB	4/20/2006					X	X	X		
FIELD	Trip Blank	4/22/2006						X			
FIELD	TS-MW-RB	4/23/2006	X	X	X	X	X	X	X		X
FIELD	Trip Blank	4/23/2006						X			
FIELD	Trip Blank	7/19/2006						X			
FIELD	TS-MW-1S-RB	7/20/2006	X	X	X	X	X	X	X		X
FIELD	Trip Blank	7/20/2006						X			
FIELD	Trip Blank	7/21/2006						X			
FIELD	Trip Blank 1	10/23/2006						X			
FIELD	Trip Blank 2	10/24/2006						X			
FIELD	Trip Blanks	10/25/2006						X			
FIELD	TS-MW-RB	10/26/2006	X	X	X	X	X	X	X		X
FIELD	Trip Blank 4	10/26/2006						X			
FIELD	Trip Blank	10/26/2006		X							
FIELD	Trip Blank 3	10/27/2006						X			
FIELD	Trip Blank	1/31/2007						X			
FIELD	Trip Blank	2/1/2007		X				X			
FIELD	Trip Blank	4/16/2007						X			
FIELD	Trip Blank	4/17/2007						X			
FIELD	Trip Blank	4/19/2007						X			
FIELD	Trip Blank	7/24/2007						X			
FIELD	Trip Blank	10/22/2007						X			
FIELD	Trip Blank 2	10/24/2007						X			
FIELD	Trip Blank	10/24/2007						X			
FIELD	Rinsate (TS-MW-1S)	10/24/2007						X			X
FIELD	Trip Blank	1/24/2008						X			

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
FIELD	Trip Blanks		4/20/2008						X			
FIELD	Trip Blank-1		4/20/2008		X							
FIELD	Trip Blank #37377		4/23/2008						X			
FIELD	Trip Blank-4		4/24/2008		X							
FIELD	Trip Blank		4/24/2008						X			
FIELD	RINSATE OH-MW-25		4/24/2008				X	X	X			
FIELD	RINSATE OH-MW-24		4/24/2008				X	X	X			X
FIELD	Trip Blank #39030		10/19/2008						X			
FIELD	TB (39029)		10/20/2008						X			
FIELD	Trip Blank (39028)		10/22/2008						X			
FIELD	Trip Blank (39027)		10/22/2008						X			
FIELD	Trip Blank (39026)		10/24/2008						X			
FO-MW-01S	FO-MW-1S		4/20/2006	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		7/21/2006	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		10/25/2006	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		4/17/2007	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		10/26/2007	X	X	X	X		X	X		
FO-MW-01S	FO-MW-1S		4/20/2008	X	X	X		X	X	X		
FO-MW-01S	FO-MW-1S		10/19/2008	X	X	X		X	X	X		
HL-MW-01	HL-MW-1		5/14/2003			X						
HL-MW-01	HL-MW-1		9/3/2003			X						
HL-MW-01	HL-MW-1		10/28/2004			X						
HL-MW-01	HL-MW-1		7/27/2005			X						
HL-MW-01	HL-MW-1		10/27/2005			X				X		
HL-MW-01	HL-MW-1		4/19/2006			X				X		
HL-MW-01	HL-MW-1		10/23/2006			X				X		
HL-MW-01	HL-MW-100	Dup	10/23/2006			X						
HL-MW-01	HL-MW-1		4/16/2007			X						
HL-MW-01	HL-MW-1		10/22/2007			X						
HL-MW-01	HL-MW-1		4/20/2008			X						
HL-MW-01	HL-MW-1		10/19/2008			X						
HL-MW-02	HL-MW-2		4/21/2006	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-2		10/27/2006	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-200	Dup	10/27/2006			X						
HL-MW-02	HL-MW-2		1/31/2007	X	X		X	X	X	X		
HL-MW-02	HL-MW-2		4/16/2007	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-2		10/22/2007	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-2		1/24/2008	X	X		X	X	X	X		
HL-MW-02	HL-MW-2		4/22/2008	X	X	X	X	X	X	X		
HL-MW-02	HL-MW-2		10/19/2008	X	X	X	X	X	X	X		
HL-MW-03	HL-MW-3		5/14/2003			X						



**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-03	HL-MW-3		9/3/2003			X						
HL-MW-04	HL-MW-4		5/12/2003							X		
HL-MW-04	HL-MW-4		5/14/2003			X	X			X		
HL-MW-04	HL-MW-4		3/4/2004				X			X		
HL-MW-04	HL-MW-4		6/30/2004				X			X		
HL-MW-04	HL-MW-4		10/26/2004				X			X		
HL-MW-04	HL-MW-4		10/26/2005			X	X			X		
HL-MW-04	HL-MW-4		4/22/2006			X	X			X		
HL-MW-04	HL-MW-4		7/18/2006			X	X			X		
HL-MW-04	HL-MW-4		4/15/2007			X	X			X		
HL-MW-04	HL-MW-4		10/25/2007			X	X			X		
HL-MW-04	HL-MW-4		4/22/2008			X	X			X		
HL-MW-04	HL-MW-4		10/20/2008			X	X			X		
HL-MW-05	HL-MW-5		5/12/2003							X		
HL-MW-05	HL-MW-5		5/14/2003			X	X			X		
HL-MW-05	HL-MW-5		9/3/2003			X	X			X		
HL-MW-05	HL-MW-5		10/23/2003			X	X			X		
HL-MW-05	HL-MW-5		3/4/2004				X			X		
HL-MW-05	HL-MW-5		6/30/2004				X			X		
HL-MW-05	HL-MW-5 Jar Test Blank	Dup	6/30/2004				X					
HL-MW-05	HL-MW-5		10/29/2004				X			X		
HL-MW-05	HL-MW-5		7/26/2005				X			X		
HL-MW-05	HL-MW-5		10/26/2005			X	X			X		
HL-MW-05	HL-MW-5		4/22/2006			X	X			X		
HL-MW-05	HL-MW-5		7/18/2006			X	X			X		
HL-MW-05	HL-MW-5		10/27/2006			X	X			X		
HL-MW-05	HL-MW-5		4/15/2007			X	X			X		
HL-MW-05	HL-MW-5		7/25/2007			X	X			X		
HL-MW-05	HL-MW-5		10/25/2007			X	X			X		
HL-MW-05	HL-MW-5		1/25/2008			X	X			X		
HL-MW-05	HL-MW-5		4/22/2008			X	X			X		
HL-MW-05	HL-MW-5		7/23/2008			X	X			X		
HL-MW-05	HL-MW-5000	Dup	7/23/2008			X						
HL-MW-05	HL-MW-5		10/20/2008			X	X			X		
HL-MW-06A	HL-MW-6A		5/12/2003							X		
HL-MW-06A	HL-MW-6A		5/14/2003			X	X			X		
HL-MW-06A	HL-MW-6A		9/3/2003			X	X			X		
HL-MW-06A	HL-MW-6A		10/24/2003			X	X			X		
HL-MW-06A	HL-MW-6A		3/5/2004				X		X	X		
HL-MW-06A	HL-MW-6A		6/30/2004				X			X		
HL-MW-06A	HL-MW-6A		10/26/2004				X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-06A	HL-MW-6A		7/27/2005	X	X	X	X	X		X		X
HL-MW-06A	HL-MW-6A		10/25/2006	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-600A	Dup	10/25/2006						X			X
HL-MW-06A	HL-MW-6A		7/20/2006	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-600A	Dup	7/20/2006					X	X			
HL-MW-06A	HL-MW-6A		4/19/2006	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-600A	Dup	4/19/2006									X
HL-MW-06A	HL-MW-6A		1/25/2006	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-6A		10/26/2005	X	X	X		X	X	X		X
HL-MW-06A	HL-MW-100	Dup	10/26/2005							X		
HL-MW-06A	HL-MW-6A		2/1/2007				X			X		
HL-MW-06A	HL-MW-6A		4/15/2007	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-6A		7/25/2007				X			X		
HL-MW-06A	HL-MW-6A		10/25/2007	X	X	X	X	X	X	X		
HL-MW-06A	HL-MW-6A		1/25/2008				X			X		
HL-MW-06A	HL-MW-6A		4/22/2008	X	X	X	X	X	X	X		X
HL-MW-06A	HL-MW-6A		7/23/2008				X			X		
HL-MW-06A	HL-MW-6A		10/19/2008	X	X	X	X	X	X	X		
HL-MW-07S	HL-MW-7S		5/12/2003							X		
HL-MW-07S	HL-MW-7S		5/14/2003			X	X			X		
HL-MW-07S	HL-MW-7S		9/3/2003			X	X			X		
HL-MW-07S	HL-MW-7S		10/23/2003			X	X			X		
HL-MW-07S	HL-MW-7S		3/5/2004				X		X	X		
HL-MW-07S	HL-MW-7S		6/30/2004				X			X		
HL-MW-07S	HL-MW-7S		10/26/2004				X			X		
HL-MW-07S	HL-MW-7S		7/27/2005				X			X		
HL-MW-07S	HL-MW-7S		10/26/2005			X	X			X		
HL-MW-07S	HL-MW-7S		1/23/2006				X			X		
HL-MW-07S	HL-MW-7S		4/22/2006			X	X			X		
HL-MW-07S	HL-MW-7S		7/18/2006				X			X		
HL-MW-07S	HL-MW-7S		10/26/2006			X	X			X		
HL-MW-07S	HL-MW-7S		1/31/2007				X			X		
HL-MW-07S	HL-MW-7S		4/15/2007			X	X			X		
HL-MW-07S	HL-MW-700S	Dup	4/15/2007			X	X					
HL-MW-07S	HL-MW-7S		7/24/2007				X			X		
HL-MW-07S	HL-MW-7S		10/23/2007			X	X			X		
HL-MW-07S	HL-MW-7S		1/24/2008				X			X		
HL-MW-07S	HL-MW-7S		4/21/2008			X	X			X		
HL-MW-07S	HL-MW-7S		7/23/2008				X			X		
HL-MW-07S	HL-MW-7S		10/19/2008			X	X			X		
HL-MW-08D	HL-MW-8D		5/12/2003							X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-08D	HL-MW-8D	5/14/2003			X	X			X		
HL-MW-08D	HL-MW-8D	9/3/2003			X	X			X		
HL-MW-08D	HL-MW-8D	10/23/2003			X	X			X		
HL-MW-08D	HL-MW-8D	3/5/2004				X			X		
HL-MW-08D	HL-MW-8D	6/30/2004				X			X		
HL-MW-08D	HL-MW-8D	10/26/2004				X			X		
HL-MW-08D	HL-MW-8D	7/28/2005				X			X		
HL-MW-08D	HL-MW-8D	10/26/2005			X	X			X		
HL-MW-08D	HL-MW-8D	4/22/2006			X	X			X		
HL-MW-08D	HL-MW-8D	10/26/2006			X	X			X		
HL-MW-08D	HL-MW-8D	4/15/2007			X	X			X		
HL-MW-08D	HL-MW-8D	10/23/2007			X	X			X		
HL-MW-08D	HL-MW-8D	4/21/2008			X	X			X		
HL-MW-08D	HL-MW-8D	10/19/2008			X	X			X		
HL-MW-09D	HL-MW-9D	5/12/2003							X		
HL-MW-09D	HL-MW-9D	5/14/2003			X	X			X		
HL-MW-09D	HL-MW-9D	9/3/2003			X	X			X		
HL-MW-09D	HL-MW-9D	10/24/2003			X	X			X		
HL-MW-09D	HL-MW-9D	3/5/2004				X			X		
HL-MW-09D	HL-MW-9D	6/30/2004				X			X		
HL-MW-09D	HL-MW-9D	10/26/2004				X			X		
HL-MW-09D	HL-MW-9D	7/27/2005				X			X		
HL-MW-09D	HL-MW-9D	10/26/2005			X	X			X		
HL-MW-09D	HL-MW-9D	4/22/2006			X	X			X		
HL-MW-09D	HL-MW-9D	10/27/2006			X	X			X		
HL-MW-09D	HL-MW-9D	4/15/2007			X	X			X		
HL-MW-09D	HL-MW-9D	10/25/2007			X	X			X		
HL-MW-09D	HL-MW-9D	4/22/2008			X	X			X		
HL-MW-09D	HL-MW-9D	10/19/2008			X	X			X		
HL-MW-10S	HL-MW-10S	5/12/2003			X	X			X		
HL-MW-10S	HL-MW-10S	9/3/2003			X	X			X		
HL-MW-10S	HL-MW-10S	10/24/2003			X	X			X		
HL-MW-10S	HL-MW-10S	6/30/2004				X			X		
HL-MW-10S	HL-MW-10S	10/26/2004				X		X	X		
HL-MW-10S	HL-MW-10S	7/28/2005				X			X		
HL-MW-10S	HL-MW-10S	10/24/2005			X	X			X		
HL-MW-10S	HL-MW-10S	4/22/2006			X	X			X		
HL-MW-10S	HL-MW-10S	10/27/2006			X	X			X		
HL-MW-10S	HL-MW-10S	4/16/2007			X	X			X		
HL-MW-10S	HL-MW-10S	10/23/2007			X	X			X		
HL-MW-10S	HL-MW-10S	4/22/2008			X	X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-10S	HL-MW-10S		10/19/2008			X	X			X		
HL-MW-11D	HL-MW-11D		5/12/2003			X	X			X		
HL-MW-11D	HL-MW-11D		9/3/2003			X	X			X		
HL-MW-11D	HL-MW-11D		10/24/2003			X	X			X		
HL-MW-11D	HL-MW-11D		6/30/2004				X			X		
HL-MW-12S	HL-MW-12S		10/24/2003			X	X			X		
HL-MW-12S	HL-MW-12S		3/4/2004				X			X		
HL-MW-12S	HL-MW-12S		6/30/2004				X			X		
HL-MW-12S	HL-MW-12S		10/26/2004				X			X		
HL-MW-12S	HL-MW-12S		7/27/2005				X			X		
HL-MW-12S	HL-MW-12S		10/24/2005			X	X			X		
HL-MW-12S	HL-MW-12S		4/22/2006			X	X			X		
HL-MW-12S	HL-MW-12S		10/26/2006			X	X			X		
HL-MW-12S	HL-MW-12S		4/15/2007			X	X			X		
HL-MW-12S	HL-MW-12S		10/23/2007			X	X			X		
HL-MW-12S	HL-MW-12S		4/21/2008			X	X			X		
HL-MW-12S	HL-MW-12S		10/21/2008			X	X			X		
HL-MW-13DD	HL-MW-13DD		10/23/2003			X	X			X		
HL-MW-13DD	HL-MW-1K	Dup	10/23/2003			X	X			X		
HL-MW-13DD	HL-MW-13DD		3/4/2004				X		X	X		
HL-MW-13DD	HL-MW-1K	Dup	3/4/2004				X		X			
HL-MW-13DD	HL-MW-13DD		6/30/2004				X			X		
HL-MW-13DD	HL-MW-1K	Dup	6/30/2004				X					
HL-MW-13DD	HL-MW-13DD		10/26/2004				X			X		
HL-MW-13DD	HL-MW-1K	Dup	10/26/2004				X					
HL-MW-13DD	HL-MW-13DD		7/27/2005				X			X		
HL-MW-13DD	HL-MW-1K	Dup	7/27/2005				X					
HL-MW-13DD	HL-MW-13DD		10/24/2005			X	X			X		
HL-MW-13DD	HL-MW-1K	Dup	10/24/2005				X					
HL-MW-13DD	HL-MW-13DD		1/23/2006				X			X		
HL-MW-13DD	HL-MW-1K	Dup	1/23/2006				X			X		
HL-MW-13DD	HL-MW-13DD		4/20/2006			X	X			X		
HL-MW-13DD	HL-MW-13DD		7/18/2006				X			X		
HL-MW-13DD	HL-MW-13DD		10/26/2006			X	X			X		
HL-MW-13DD	HL-MW-130DD	Dup	10/26/2006				X					
HL-MW-13DD	HL-MW-13DD		4/15/2007			X	X			X		
HL-MW-13DD	HL-MW-13DD		10/23/2007			X	X			X		
HL-MW-13DD	HL-MW-13DD		4/21/2008			X	X			X		
HL-MW-13DD	HL-MW-13DD		10/19/2008			X	X			X		
HL-MW-14S	HL-MW-14S		10/24/2003			X	X			X		
HL-MW-14S	HL-MW-14S		3/4/2004				X		X	X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-14S	HL-MW-14S	6/30/2004				X			X		
HL-MW-14S	HL-MW-14S	10/26/2004				X			X		
HL-MW-14S	HL-MW-14S	7/27/2005				X			X		
HL-MW-14S	HL-MW-14S	10/24/2005			X	X			X		
HL-MW-14S	HL-MW-14S	1/23/2006				X			X		
HL-MW-14S	HL-MW-14S	4/21/2006			X	X			X		
HL-MW-14S	HL-MW-14S	7/19/2006				X			X		
HL-MW-14S	HL-MW-14S	10/26/2006			X	X			X		
HL-MW-14S	HL-MW-14S	1/31/2007				X			X		
HL-MW-14S	HL-MW-14S	4/15/2007			X	X			X		
HL-MW-14S	HL-MW-14S	7/25/2007				X			X		
HL-MW-14S	HL-MW-14S	10/23/2007			X	X			X		
HL-MW-14S	HL-MW-14S	1/25/2008				X			X		
HL-MW-14S	HL-MW-14S	4/21/2008			X	X			X		
HL-MW-14S	HL-MW-14S	7/23/2008				X			X		
HL-MW-14S	HL-MW-14S	10/24/2008			X	X			X		
HL-MW-15DD	HL-MW-15DD	10/23/2003			X	X			X		
HL-MW-15DD	HL-MW-15DD	3/4/2004				X			X		
HL-MW-15DD	HL-MW-15DD	6/30/2004				X			X		
HL-MW-15DD	HL-MW-15DD	10/26/2004				X			X		
HL-MW-15DD	HL-MW-15DD	7/26/2005				X			X		
HL-MW-15DD	HL-MW-15DD	10/26/2005			X	X			X		
HL-MW-15DD	HL-MW-15DD	4/22/2006			X	X			X		
HL-MW-15DD	HL-MW-15DD	10/26/2006			X	X			X		
HL-MW-15DD	HL-MW-15DD	4/15/2007			X	X			X		
HL-MW-15DD	HL-MW-15DD	10/25/2007			X	X			X		
HL-MW-15DD	HL-MW-15DD	4/22/2008			X	X			X		
HL-MW-15DD	HL-MW-15DD	10/20/2008			X	X			X		
HL-MW-16S	HL-MW-16S	10/23/2003			X	X			X		
HL-MW-16S	HL-MW-16S	3/5/2004				X			X		
HL-MW-16S	HL-MW-16S	6/30/2004				X			X		
HL-MW-16S	HL-MW-16S	10/26/2004				X			X		
HL-MW-16S	HL-MW-16S	7/26/2005				X			X		
HL-MW-16S	HL-MW-16S	10/24/2005			X	X			X		
HL-MW-16S	HL-MW-16S	1/23/2006				X			X		
HL-MW-16S	HL-MW-16S	4/22/2006			X	X			X		
HL-MW-16S	HL-MW-16S	7/20/2006				X			X		
HL-MW-16S	HL-MW-16S	10/26/2006			X	X			X		
HL-MW-16S	HL-MW-16S	1/31/2007				X			X		
HL-MW-16S	HL-MW-16S	4/16/2007			X	X			X		
HL-MW-16S	HL-MW-16S	7/25/2007				X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-16S	HL-MW-16S		10/25/2007			X	X			X		
HL-MW-16S	HL-MW-16S		1/24/2008				X			X		
HL-MW-16S	HL-MW-16S		4/22/2008			X	X			X		
HL-MW-16S	HL-MW-16S		7/23/2008				X			X		
HL-MW-16S	HL-MW-16S		10/21/2008			X	X			X		
HL-MW-17S	HL-MW-17S		10/23/2003			X	X			X		
HL-MW-17S	HL-MW-17S		3/5/2004				X			X		
HL-MW-17S	HL-MW-17S		6/30/2004				X			X		
HL-MW-17S	HL-MW-17S		10/26/2004				X			X		
HL-MW-17S	HL-MW-17S		5/17/2005	X	X	X	X			X		
HL-MW-17S	HL-MW-17S		6/16/2005				X			X		
HL-MW-17S	HL-MW-17S		7/26/2005				X			X		
HL-MW-17S	HL-MW-17S		10/24/2005			X	X			X		
HL-MW-17S	HL-MW-17S		1/24/2006				X			X		
HL-MW-17S	HL-MW-17S		4/22/2006			X	X			X		
HL-MW-17S	HL-MW-170S	Dup	4/22/2006			X						
HL-MW-17S	HL-MW-17S		7/19/2006				X			X		
HL-MW-17S	HL-MW-17S		10/26/2006			X	X			X		
HL-MW-17S	HL-MW-17S		1/31/2007				X			X		
HL-MW-17S	HL-MW-17S		4/16/2007			X	X			X		
HL-MW-17S	HL-MW-17S		7/24/2007				X			X		
HL-MW-17S	HL-MW-17S		10/25/2007			X	X			X		
HL-MW-17S	HL-MW-17S		1/25/2008				X			X		
HL-MW-17S	HL-MW-17S		4/21/2008			X	X			X		
HL-MW-17S	HL-MW-17S		7/23/2008				X			X		
HL-MW-17S	HL-MW-17S		10/21/2008			X	X			X		
HL-MW-18S	HL-MW-18S		3/24/2005			X	X			X		
HL-MW-18S	HL-MW-18S		7/27/2005				X			X		
HL-MW-18S	HL-MW-18S		10/24/2005			X	X			X		
HL-MW-18S	HL-MW-18S		1/27/2006			X	X			X		
HL-MW-18S	HL-MW-18S		4/22/2006			X	X			X		
HL-MW-18S	HL-MW-18S		7/19/2006			X	X			X		
HL-MW-18S	HL-MW-18S		10/26/2006			X	X			X		
HL-MW-18S	HL-MW-18S		1/31/2007				X			X		
HL-MW-18S	HL-MW-18S		4/16/2007			X	X			X		
HL-MW-18S	HL-MW-18S		7/24/2007				X			X		
HL-MW-18S	HL-MW-18S		10/25/2007			X	X			X		
HL-MW-18S	HL-MW-18S		1/24/2008				X			X		
HL-MW-18S	HL-MW-18S		4/21/2008			X	X			X		
HL-MW-18S	HL-MW-18S		7/23/2008				X			X		
HL-MW-18S	HL-MW-18S		10/21/2008			X	X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-19S	HL-MW-19S		3/24/2005			X				X		
HL-MW-19S	HL-MW-19S		7/29/2005	X	X	X	X	X	X	X		X
HL-MW-19S	HL-MW-19S		10/27/2005	X	X	X		X	X	X		X
HL-MW-19S	HL-MW-19S		1/25/2006	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		4/18/2006	X	X	X		X	X	X		X
HL-MW-19S	HL-MW-190S	Dup	4/18/2006	X	X	X		X				
HL-MW-19S	HL-MW-19S		7/19/2006	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		10/23/2006	X	X	X		X	X	X		X
HL-MW-19S	HL-MW-19S		4/16/2007	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		10/22/2007	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		4/20/2008	X	X	X		X	X			X
HL-MW-19S	HL-MW-19S		10/19/2008	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		3/24/2005			X				X		
HL-MW-20S	HL-MW-30	Dup	3/24/2005			X						
HL-MW-20S	HL-MW-20S		7/27/2005	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		10/27/2005	X	X	X		X	X	X		X
HL-MW-20S	HL-MW-20S		4/18/2006	X	X	X		X	X	X		X
HL-MW-20S	HL-MW-20S		7/20/2006	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		10/23/2006	X	X	X		X	X	X		X
HL-MW-20S	HL-MW-20S		4/16/2007	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		10/22/2007	X	X	X		X	X			X
HL-MW-20S	HL-MW-200S	Dup	10/22/2007	X	X	X						
HL-MW-20S	HL-MW-20S		4/20/2008	X	X	X		X	X			X
HL-MW-20S	HL-MW-20S		10/22/2008	X	X	X		X	X			X
HL-MW-20S	HL-MW-200S	Dup	10/22/2008	X	X	X		X				X
HL-MW-21S	HL-MW-21S		3/24/2005			X				X		
HL-MW-21S	HL-MW-21S		7/28/2005	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		10/28/2005	X	X	X		X	X	X		X
HL-MW-21S	HL-MW-21S		1/25/2006	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		4/18/2006	X	X	X		X	X	X		X
HL-MW-21S	HL-MW-21S		7/19/2006	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		10/23/2006	X	X	X		X	X	X		X
HL-MW-21S	HL-MW-21S		4/17/2007	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		10/22/2007	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		4/22/2008	X	X	X		X	X			X
HL-MW-21S	HL-MW-21S		10/19/2008	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		3/24/2005			X				X		
HL-MW-22S	HL-MW-22S		7/27/2005			X						X
HL-MW-22S	HL-MW-22S		10/28/2005	X	X	X		X	X	X		X
HL-MW-22S	HL-MW-22S		1/25/2006	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		4/18/2006	X	X	X		X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-22S	HL-MW-22S		7/19/2006	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		10/23/2006	X	X	X		X	X	X		X
HL-MW-22S	HL-MW-22S		4/17/2007	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		10/22/2007	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		4/22/2008	X	X	X		X	X			X
HL-MW-22S	HL-MW-22S		10/19/2008	X	X	X		X	X			X
HL-MW-23S	HL-MW-230S	Dup	4/21/2006						X			
HL-MW-23S	HL-MW-23S		4/21/2006	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		7/20/2006	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-230S	Dup	10/26/2006		X							
HL-MW-23S	HL-MW-23S		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		2/1/2007	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		4/17/2007	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		7/24/2007				X			X		
HL-MW-23S	HL-MW-23S		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		1/25/2008				X			X		
HL-MW-23S	HL-MW-23S		4/22/2008	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-23S		7/24/2008				X			X		
HL-MW-23S	HL-MW-23S		10/24/2008	X	X	X	X	X	X	X		X
HL-MW-23S	HL-MW-2300S	Dup	10/24/2008					X				X
HL-MW-24DD	HL-MW-24DD		4/21/2006	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-240DD	Dup	4/21/2006				X					
HL-MW-24DD	HL-MW-24DD		7/19/2006	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		1/31/2007	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		4/15/2007	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		10/23/2007	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-24DD	HL-MW-24DD		10/24/2008	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		4/21/2006	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		7/19/2006	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		2/1/2007	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		4/16/2007	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		7/25/2007				X			X		
HL-MW-25S	HL-MW-25S		10/25/2007			X	X	X	X	X		X
HL-MW-25S	HL-MW-25S		1/25/2008				X			X		
HL-MW-25S	HL-MW-25S		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-25S	HL-MW-2500S	Dup	4/21/2008									X
HL-MW-25S	HL-MW-25S		7/23/2008				X			X		
HL-MW-25S	HL-MW-25S		10/19/2008	X	X	X	X	X	X	X		X



**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-25S	HL-MW-2500S	Dup	10/19/2008				X					
HL-MW-26S	HL-MW-26S		4/21/2006	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-26S		7/19/2006	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-26S		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-26S		1/31/2007	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	1/31/2007	X	X	X	X	X	X			X
HL-MW-26S	HL-MW-26S		4/16/2007	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	4/16/2007	X	X	X	X	X	X			X
HL-MW-26S	HL-MW-26S		7/24/2007				X			X		
HL-MW-26S	HL-MW-26S		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	10/24/2007			X	X					
HL-MW-26S	HL-MW-26S		1/24/2008				X			X		
HL-MW-26S	HL-MW-26S		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	4/21/2008	X	X	X	X					X
HL-MW-26S	HL-MW-26S		7/23/2008				X			X		
HL-MW-26S	HL-MW-26S		10/22/2008	X	X	X	X	X	X	X		X
HL-MW-26S	HL-MW-2600S	Dup	10/22/2008					X				
HL-MW-27D	HL-MW-27D		4/22/2006	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-27D		7/19/2006	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-270D	Dup	10/27/2006	X								
HL-MW-27D	HL-MW-27D		10/27/2006	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-2700D	Dup	1/31/2007				X					
HL-MW-27D	HL-MW-27D		1/31/2007	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-27D		4/16/2007	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-2700D	Dup	4/16/2007			X	X	X	X			
HL-MW-27D	HL-MW-27D		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-2700D	Dup	10/24/2007									X
HL-MW-27D	HL-MW-27S		4/21/2008									
HL-MW-27D	HL-MW-27D		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-27D	HL-MW-2700S	Dup	4/21/2008									X
HL-MW-27D	HL-MW-27D		10/21/2008	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-28DD		10/26/2006	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-280DD	Dup	10/26/2006			X	X					
HL-MW-28DD	HL-MW-28DD		1/31/2007	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-28DD		4/15/2007	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	4/15/2007			X	X					
HL-MW-28DD	HL-MW-28DD		7/24/2007	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	7/24/2007	X	X	X	X	X	X			X
HL-MW-28DD	HL-MW-28DD		10/23/2007	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	10/23/2007			X	X		X			X
HL-MW-28DD	HL-MW-28DD		1/24/2008	X	X	X	X	X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
HL-MW-28DD	HL-MW-2800DD	Dup	1/24/2008				X					
HL-MW-28DD	HL-MW-28DD		4/21/2008	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	4/21/2008	X	X	X	X	X	X			X
HL-MW-28DD	HL-MW-28DD		10/19/2008	X	X	X	X	X	X	X		X
HL-MW-28DD	HL-MW-2800DD	Dup	10/19/2008				X					
HL-MW-29S	HL-MW-29S		7/24/2007	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-29S		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-2900S	Dup	10/24/2007				X					
HL-MW-29S	HL-MW-29S		1/24/2008	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-2900S	Dup	1/24/2008	X	X	X	X	X	X			X
HL-MW-29S	HL-MW-29S		4/22/2008	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-2900S	Dup	4/22/2008			X	X	X	X			
HL-MW-29S	HL-MW-29S		7/23/2008				X			X		
HL-MW-29S	HL-MW-2900S	Dup	7/23/2008				X					
HL-MW-29S	HL-MW-29S		10/22/2008	X	X	X	X	X	X	X		X
HL-MW-29S	HL-MW-2900S	Dup	10/22/2008	X	X	X	X					X
HL-MW-30S	HL-MW-30S		6/8/2007						X			
HL-MW-30S	HL-MW-30S		7/24/2007	X	X	X	X	X	X	X		X
HL-MW-30S	HL-MW-30S		10/24/2007	X	X	X	X	X	X	X		X
HL-MW-30S	HL-MW-3000S	Dup	10/24/2007					X	X			
HL-MW-30S	HL-MW-30S		1/25/2008	X	X	X	X	X	X	X		X
HL-MW-30S	HL-MW-30S		4/23/2008	X	X	X	X	X	X	X		X
HL-MW-30S	HL-MW-3000S	Dup	4/23/2008			X	X		X			
HL-MW-30S	HL-MW-30S		7/24/2008				X			X		
HL-MW-30S	HL-MW-3000S	Dup	7/24/2008				X					
HL-MW-30S	HL-MW-30S		10/19/2008	X	X	X	X	X	X	X		X
MW-02	MW-2D		9/2/2003			X	X			X		
MW-02	MW-2S		10/25/2004			X	X			X		
MW-02	MW-2D		10/25/2004			X	X			X		
MW-02	MW-2S		7/28/2005			X	X			X		
MW-02	MW-2D		7/28/2005			X	X			X		
MW-02	MW-2S		4/21/2006			X	X			X		
MW-02	MW-2D		4/21/2006			X	X			X		
MW-02	MW-2S		10/27/2006			X	X			X		
MW-02	MW-2D		10/27/2006			X	X			X		
MW-02D	MW-2D		5/12/2003			X	X			X		
MW-02D	MW-2D		6/30/2004				X			X		
MW-02D	MW-2D		10/24/2005			X	X			X		
MW-02S	MW-2S		5/12/2003			X	X			X		
MW-02S	MW-2S		9/2/2003			X	X			X		
MW-02S	MW-2S		6/30/2004				X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-02S	MW-2S	10/24/2005			X	X			X		
MW-04	MW-4	5/16/2003							X		
MW-04	MW-4	9/5/2003							X		
MW-04	MW-4	6/30/2004							X		
MW-04	MW-4	4/22/2006							X		
MW-04	MW-4	10/26/2006							X		
MW-04	MW-4	4/16/2007							X		
MW-04	MW-4	4/24/2008							X		
MW-05	MW-5	5/12/2003							X		
MW-07	MW-7	5/12/2003							X		
MW-08	MW-8	5/12/2003							X		
MW-08	MW-8	5/13/2003			X	X		X	X		X
MW-08	MW-8	9/2/2003			X	X		X	X		X
MW-08	MW-8	6/29/2004				X		X	X		X
MW-08	MW-8	10/25/2004			X	X			X		X
MW-08	MW-8	7/29/2005			X	X			X		X
MW-08	MW-8	10/26/2005			X	X			X		X
MW-08	MW-8	4/22/2006			X	X			X		X
MW-08	MW-8	10/27/2006			X	X			X		X
MW-08	MW-8	4/18/2007			X	X			X		X
MW-08	MW-8	10/25/2007			X	X			X		X
MW-08	MW-8	4/23/2008			X	X			X		X
MW-08	MW-8	10/21/2008			X	X			X		X
MW-09	MW-9	5/12/2003							X		
MW-09	MW-9	5/13/2003			X	X		X	X		X
MW-09	MW-9	9/2/2003			X	X		X	X		X
MW-09	MW-9	6/29/2004				X		X	X		X
MW-09	MW-9	4/18/2007			X	X			X		X
MW-09	MW-9	10/25/2007			X	X			X		X
MW-09	MW-9	4/23/2008			X	X			X		X
MW-09	MW-9	10/21/2008			X	X			X		X
MW-10	MW-10	5/12/2003							X		
MW-10	MW-10	5/13/2003									X
MW-10	MW-10	10/28/2004									X
MW-10	MW-10	10/26/2005									X
MW-10	MW-10	4/22/2006									X
MW-10	MW-10	10/27/2006									X
MW-10	MW-10	4/16/2007									X
MW-10	MW-10	10/25/2007									X
MW-10	MW-10	4/22/2008									X
MW-10	MW-10	10/21/2008									X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-12A	MW-28	Dup	5/12/2003			X						
MW-12A	MW-12A		5/12/2003			X	X		X	X		X
MW-12A	MW-28	Dup	9/2/2003			X						
MW-12A	MW-12A		9/2/2003			X	X		X	X	X	
MW-12A	MW-12A		10/22/2003			X	X			X		
MW-12A	MW-12A		3/5/2004				X			X		
MW-12A	MW-12A		6/29/2004				X		X	X		X
MW-12A	MW-28	Dup	10/25/2004			X						
MW-12A	MW-12A		10/25/2004			X	X			X		X
MW-12A	MW-28	Dup	7/28/2005			X						
MW-12A	MW-12A		7/28/2005			X	X			X		X
MW-12A	MW-28	Dup	10/26/2005			X						
MW-12A	MW-12A		10/26/2005			X	X			X		X
MW-12A	MW-12A		4/21/2006			X	X			X		X
MW-12A	MW-12A		10/27/2006			X	X			X		X
MW-12A	MW-12A		2/1/2007				X			X		
MW-12A	MW-12A		4/17/2007			X	X			X		X
MW-12A	MW-12A		7/25/2007				X			X		
MW-12A	MW-12A		10/23/2007			X	X			X		X
MW-12A	MW-12A		1/25/2008				X			X		
MW-12A	MW-12A		4/24/2008			X	X			X		X
MW-12A	MW-12A		7/23/2008				X			X		
MW-12A	MW-12A		10/21/2008			X	X			X		X
MW-13	MW-13		5/12/2003			X				X		
MW-13	MW-13		5/13/2003				X		X	X		X
MW-13	MW-13		9/2/2003			X	X		X	X		X
MW-13	MW-13		6/29/2004				X		X	X		X
MW-13	MW-13		4/18/2007			X	X			X		X
MW-13	MW-13		10/25/2007			X	X			X		X
MW-13	MW-13		4/22/2008			X	X			X		X
MW-13	MW-13		10/21/2008			X	X			X		X
MW-14	MW-14		5/12/2003			X	X		X	X		X
MW-14	MW-14		9/2/2003			X	X		X	X	X	
MW-14	MW-14		6/29/2004				X		X	X		X
MW-14	MW-14		10/25/2004			X	X			X		X
MW-14	MW-14		7/29/2005			X	X			X		X
MW-14	MW-14		10/24/2005			X	X			X		X
MW-14	MW-14		4/22/2006			X	X			X		X
MW-14	MW-14		10/27/2006			X	X			X		X
MW-14	MW-14		4/17/2007			X	X			X		X
MW-14	MW-14		10/24/2007			X	X			X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-14	MW-14		4/23/2008			X	X			X		X
MW-14	MW-14		10/21/2008			X	X			X		X
MW-15	MW-27	Dup	5/12/2003			X			X			X
MW-15	MW-15		5/12/2003			X	X		X	X		X
MW-15	MW-27	Dup	9/2/2003			X			X		X	
MW-15	MW-15		9/2/2003			X	X		X	X	X	
MW-15	MW-27	Dup	6/29/2004						X			X
MW-15	MW-15		6/29/2004				X		X	X		X
MW-15	MW-27	Dup	10/25/2004			X						X
MW-15	MW-15		10/25/2004			X	X			X		X
MW-15	MW-27	Dup	7/29/2005			X						X
MW-15	MW-15		7/29/2005			X	X			X		X
MW-15	MW-27	Dup	10/24/2005			X						X
MW-15	MW-15		10/24/2005			X	X			X		X
MW-15	MW-15		4/21/2006			X	X			X		X
MW-15	MW-15		10/27/2006			X	X			X		X
MW-15	MW-15		2/1/2007				X			X		
MW-15	MW-15		4/17/2007			X	X			X		X
MW-15	MW-15		7/25/2007				X			X		
MW-15	MW-15		10/24/2007			X	X			X		X
MW-15	MW-15		1/25/2008				X			X		
MW-15	MW-15		4/23/2008			X	X			X		X
MW-15	MW-15		7/23/2008				X			X		
MW-15	MW-15		10/21/2008			X	X			X		X
MW-16	MW-16		5/12/2003			X				X		
MW-16	MW-16		5/13/2003				X		X	X		X
MW-16	MW-16		9/2/2003			X	X		X	X	X	
MW-16	MW-16		6/29/2004				X		X	X		X
MW-16	MW-16		10/25/2004			X	X			X		X
MW-16	MW-16		7/29/2005			X	X			X		X
MW-16	MW-30	Dup	10/26/2005					X	X			
MW-16	MW-16		10/26/2005			X	X	X	X	X		X
MW-16	MW-16		4/22/2006			X	X	X	X	X		X
MW-16	MW-160	Dup	10/27/2006				X					X
MW-16	MW-16		10/27/2006			X	X	X	X	X		X
MW-16	MW-16		4/17/2007			X	X	X	X	X		X
MW-16	MW-16		10/26/2007			X	X	X	X	X		X
MW-16	MW-16		4/22/2008			X	X	X	X	X		X
MW-16	MW-16		10/22/2008			X	X	X	X	X		X
MW-17S	MW-17S		5/12/2003							X		
MW-17S	MW-17S		5/13/2003			X	X		X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-17S	MW-17S		9/2/2003			X	X		X	X	X	
MW-17S	MW-17S		10/22/2003			X	X			X		
MW-17S	MW-17S		3/4/2004				X			X		
MW-17S	MW-17S		6/29/2004				X		X	X		X
MW-17S	MW-17S		10/25/2004			X	X		X	X		X
MW-17S	MW-17S		7/28/2005			X	X		X	X		X
MW-17S	MW-17S		10/26/2005			X	X	X	X	X		X
MW-17S	MW-17S		1/25/2006			X	X			X		
MW-17S	MW-170S	Dup	4/21/2006									X
MW-17S	MW-17S		4/21/2006			X	X	X	X	X		X
MW-17S	MW-170S	Dup	7/18/2006				X					
MW-17S	MW-17S		7/18/2006			X	X			X		
MW-17S	MW-17S		10/27/2006			X	X	X	X	X		X
MW-17S	MW-17S		2/1/2007				X			X		
MW-17S	MW-17S		4/17/2007			X	X	X	X	X		X
MW-17S	MW-17S		7/24/2007				X			X		
MW-17S	MW-17S		10/23/2007			X	X	X	X	X		X
MW-17S	MW-17S		1/25/2008				X			X		
MW-17S	MW-17S		4/22/2008			X	X	X	X	X		X
MW-17S	MW-17S		7/24/2008				X			X		
MW-17S	MW-1700S	Dup	10/21/2008						X			
MW-17S	MW-17S		10/21/2008			X	X	X	X	X		X
MW-18D	MW-18D		5/12/2003			X				X		
MW-18D	MW-18D		5/13/2003				X		X	X		X
MW-18D	MW-18D		9/2/2003			X	X		X	X	X	
MW-18D	MW-18D		10/22/2003			X	X			X		
MW-18D	MW-18D		3/4/2004				X			X		
MW-18D	MW-18D		6/29/2004				X		X	X		X
MW-18D	MW-18D		10/25/2004			X	X			X		X
MW-18D	MW-18D		7/29/2005			X	X			X		X
MW-18D	MW-18D		10/26/2005			X	X			X		X
MW-18D	MW-18D		4/21/2006			X	X			X		X
MW-18D	MW-18D		10/27/2006			X	X			X		X
MW-18D	MW-18D		4/17/2007			X	X			X		X
MW-18D	MW-18D		10/26/2007			X	X			X		X
MW-18D	MW-18D		4/22/2008			X	X			X		X
MW-18D	MW-18D		10/21/2008			X	X			X		X
MW-19S	MW-19S		5/12/2003							X		
MW-19S	MW-19S		5/13/2003			X	X		X	X		X
MW-19S	MW-19S		9/2/2003			X	X		X	X		X
MW-19S	MW-19S		6/29/2004				X		X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-19S	MW-19S		10/26/2004			X	X		X	X		X
MW-19S	MW-19S		7/29/2005			X	X		X	X		X
MW-19S	MW-19S		10/26/2005			X	X	X	X	X		X
MW-19S	MW-19S		1/25/2006			X	X			X		
MW-19S	MW-190S	Dup	4/21/2006			X						
MW-19S	MW-19S		4/21/2006			X	X	X	X	X		X
MW-19S	MW-19S		7/18/2006			X	X			X		
MW-19S	MW-19S		10/27/2006			X	X	X	X	X		X
MW-19S	MW-19S		4/17/2007			X	X	X	X	X		X
MW-19S	MW-19S		10/24/2007			X	X	X	X	X		X
MW-19S	MW-19S		4/23/2008			X	X	X	X	X		X
MW-19S	MW-19S		10/21/2008			X	X	X	X	X		X
MW-20D	MW-20D		5/12/2003							X		
MW-20D	MW-20D		5/13/2003			X	X		X	X		X
MW-20D	MW-20D		9/2/2003			X	X		X	X		X
MW-20D	MW-20D		6/29/2004				X		X	X		X
MW-20D	MW-20D		4/17/2007			X	X	X	X	X		X
MW-20D	MW-20D		10/24/2007			X	X	X	X	X		X
MW-20D	MW-20D		4/23/2008			X	X	X	X	X		X
MW-20D	MW-2000D	Dup	10/21/2008						X			
MW-20D	MW-20D		10/21/2008			X	X	X	X	X		X
MW-21S	MW-21S		5/12/2003			X	X		X	X		X
MW-21S	MW-21S		9/2/2003			X	X		X	X	X	
MW-21S	MW-21S		6/29/2004				X		X	X		X
MW-21S	MW-21S		10/25/2004			X	X		X	X		X
MW-21S	MW-21S		7/29/2005			X	X		X	X		X
MW-21S	MW-21S		10/24/2005			X	X	X	X	X		X
MW-21S	MW-21S		1/24/2006			X	X			X		
MW-21S	MW-21S		4/21/2006			X	X	X	X	X		X
MW-21S	MW-21S		7/18/2006			X	X			X		
MW-21S	MW-21S		10/27/2006			X	X	X	X	X		X
MW-21S	MW-21S		2/1/2007				X			X		
MW-21S	MW-21S		4/17/2007			X	X	X	X	X		X
MW-21S	MW-21S		7/25/2007				X			X		
MW-21S	MW-21S		10/24/2007			X	X	X	X	X		X
MW-21S	MW-21S		1/25/2008				X			X		
MW-21S	MW-21S		4/23/2008			X	X	X	X	X		X
MW-21S	MW-21S		7/23/2008				X			X		
MW-21S	MW-2100S	Dup	10/23/2008						X			
MW-21S	MW-21S		10/23/2008			X	X	X	X	X		X
MW-22D	MW-22D		5/12/2003			X	X		X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-22D	MW-22D	9/2/2003			X	X		X	X	X	
MW-22D	MW-22D	6/29/2004				X		X	X		X
MW-22D	MW-22D	10/27/2006			X	X			X		X
MW-22D	MW-22D	4/17/2007			X	X			X		X
MW-22D	MW-22D	10/24/2007			X	X			X		X
MW-22D	MW-22D	4/23/2008			X	X			X		X
MW-22D	MW-22D	10/23/2008			X	X			X		X
MW-23S	MW-23S	5/12/2003			X	X		X	X		X
MW-23S	MW-23S	9/2/2003			X	X		X	X	X	
MW-23S	MW-23S	10/22/2003			X	X			X		
MW-23S	MW-23S	3/5/2004				X			X		
MW-23S	MW-23S	6/29/2004				X		X	X		X
MW-23S	MW-23S	10/25/2004			X	X			X		X
MW-23S	MW-23S	7/28/2005			X	X			X		X
MW-23S	MW-23S	10/24/2005			X	X	X	X	X		X
MW-23S	MW-23S	4/21/2006			X	X	X	X	X		X
MW-23S	MW-23S	10/27/2006			X	X	X	X	X		X
MW-23S	MW-23S	2/1/2007				X			X		
MW-23S	MW-23S	4/17/2007			X	X	X	X	X		X
MW-23S	MW-23S	7/25/2007				X			X		
MW-23S	MW-23S	10/24/2007			X	X	X	X	X		X
MW-23S	MW-23S	1/25/2008				X			X		
MW-23S	MW-23S	4/24/2008			X	X	X	X	X		X
MW-23S	MW-23S	7/23/2008				X			X		
MW-23S	MW-23S	10/21/2008			X	X	X	X	X		X
MW-24D	MW-24D	5/12/2003			X	X		X	X		X
MW-24D	MW-24D	9/2/2003			X	X		X	X	X	
MW-24D	MW-24D	10/22/2003			X	X			X		
MW-24D	MW-24D	3/5/2004				X			X		
MW-24D	MW-24D	6/29/2004				X		X	X		X
MW-24D	MW-24D	10/25/2004			X	X			X		X
MW-24D	MW-24D	7/28/2005			X	X			X		X
MW-24D	MW-24D	10/24/2005			X	X			X		X
MW-24D	MW-24D	4/21/2006			X	X			X		X
MW-24D	MW-24D	10/27/2006			X	X			X		X
MW-24D	MW-24D	2/1/2007				X			X		
MW-24D	MW-24D	4/17/2007			X	X			X		X
MW-24D	MW-24D	7/25/2007				X			X		
MW-24D	MW-24D	10/24/2007			X	X			X		X
MW-24D	MW-24D	1/25/2008				X			X		
MW-24D	MW-24D	4/23/2008			X						



**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
MW-24D	MW-24D		4/24/2008				X			X		X
MW-24D	MW-24D		7/23/2008				X			X		
MW-24D	MW-24D		10/21/2008			X	X			X		X
MW-25S	MW-25S		5/12/2003			X	X		X	X		X
MW-25S	MW-25S		9/2/2003			X	X		X	X	X	
MW-25S	MW-25S		10/22/2003			X	X			X		
MW-25S	MW-25S		6/29/2004				X		X	X		X
MW-25S	MW-25S		10/26/2004			X	X		X	X		X
MW-25S	MW-25S		7/28/2005			X	X		X	X		X
MW-25S	MW-25S		10/26/2005			X	X	X	X	X		X
MW-25S	MW-25S		1/24/2006			X	X			X		
MW-25S	MW-25S		4/21/2006			X	X	X	X	X		X
MW-25S	MW-25S		7/18/2006			X	X			X		
MW-25S	MW-25S		10/27/2006			X	X	X	X	X		X
MW-25S	MW-25S		2/1/2007				X			X		
MW-25S	MW-25S		4/17/2007			X	X	X	X	X		X
MW-25S	MW-25S		7/24/2007				X			X		
MW-25S	MW-2500S	Dup	10/25/2007			X	X					
MW-25S	MW-25S		10/25/2007	X	X	X	X	X	X	X		X
MW-25S	MW-25S		1/25/2008				X			X		
MW-25S	MW-25S		4/22/2008			X	X	X	X	X		X
MW-25S	MW-25S		7/24/2008				X			X		
MW-25S	MW-25S		10/22/2008			X	X	X	X	X		X
MW-26D	MW-26D		5/12/2003			X	X		X	X		X
MW-26D	MW-26D		9/2/2003			X	X		X	X	X	
MW-26D	MW-26D		10/22/2003			X	X			X		
MW-26D	MW-26D		6/29/2004				X		X	X		X
MW-26D	MW-26D		10/26/2005			X	X			X		X
MW-26D	MW-26D		4/21/2006			X	X			X		X
MW-26D	MW-26D		10/27/2006			X	X			X		X
MW-26D	MW-26D		4/17/2007			X	X			X		X
MW-26D	MW-26D		10/25/2007			X	X			X		X
MW-26D	MW-26D		4/22/2008			X	X			X		X
MW-26D	MW-26D		10/22/2008			X	X			X		X
N Supply	N. SUPPLY WELL		5/16/2003							X		
N Supply	N. Supply Well		9/5/2003							X		
N Supply	N. Supply Well		6/30/2004							X		
N Supply	N. SUPPLY WELL		7/29/2005							X		
N Supply	North Supply Well		4/23/2006							X		
N Supply	North Supply Well		4/16/2007							X		
N Supply	North Supply Well		4/24/2008							X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
OH-EW-01	OH-EW-1		5/16/2003			X	X			X	X	
OH-EW-01	OH-EW-1		9/5/2003			X	X			X	X	
OH-EW-01	OH-EW-1		7/1/2004				X			X	X	
OH-EW-01	OH-EW-1		10/29/2004			X	X			X	X	
OH-EW-01	OH-EW-1		7/29/2005			X	X			X	X	
OH-EW-01	OH-EW-1		10/29/2005			X	X			X	X	
OH-EW-01	OH-EW-1		4/22/2006			X	X			X	X	
OH-EW-01	OH-EW-1		7/20/2006							X		
OH-EW-01	OH-EW-1		10/25/2006			X	X			X	X	
OH-EW-01	OH-EW-1		2/1/2007							X		
OH-EW-01	OH-EW-1		4/16/2007			X	X			X	X	
OH-EW-01	OH-EW-1		7/25/2007							X		
OH-EW-01	OH-EW-1		10/22/2007			X	X			X	X	
OH-EW-01	OH-EW-1		1/24/2008							X		
OH-EW-01	OH-EW-1		4/23/2008			X						
OH-EW-01	OH-EW-1		4/24/2008				X			X	X	
OH-EW-01	OH-EW-1		7/24/2008							X		
OH-EW-01	OH-EW-1		10/22/2008			X	X			X	X	
OH-MW-01	OH-MW-100	Dup	10/22/2008			X						
OH-MW-03	OH-MW-3		10/27/2005							X		
OH-MW-03	OH-MW-3		4/20/2006							X		
OH-MW-03	OH-MW-3		10/25/2006							X		
OH-MW-08	OH-MW-8		4/22/2008	X		X	X	X	X			X
OH-MW-08	OH-MW-8		10/20/2008	X	X	X	X	X	X			X
OH-MW-10	OH-MW-10		5/12/2003							X		
OH-MW-10	OH-MW-10		4/22/2008	X		X	X	X	X			X
OH-MW-10	OH-MW-10		10/22/2008	X	X	X	X	X	X			X
OH-MW-13	OH-MW-13		5/14/2003			X						
OH-MW-13	OH-MW-13		9/3/2003			X						
OH-MW-13	OH-MW-13		10/28/2004			X						
OH-MW-13	OH-MW-13		7/28/2005	X	X	X						
OH-MW-13	OH-MW-13		10/28/2005	X	X	X				X		
OH-MW-13	OH-MW-13		4/20/2006	X	X	X				X		
OH-MW-13	OH-MW-13		10/25/2006	X	X	X				X		
OH-MW-13	OH-MW-13		4/19/2007	X	X	X						
OH-MW-13	OH-MW-13		10/23/2007	X	X	X						
OH-MW-13	OH-MW-13		4/23/2008	X		X						
OH-MW-13	OH-MW-13		10/23/2008	X	X	X						
OH-MW-17	OH-MW-17		5/13/2003			X						
OH-MW-17	OH-MW-17		9/3/2003			X						
OH-MW-18	OH-MW-18		5/12/2003			X				X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
OH-MW-18	OH-MW-18		9/3/2003			X						
OH-MW-18	OH-MW-18		10/28/2004			X						
OH-MW-18	OH-MW-18		7/28/2005	X	X	X						
OH-MW-18	OH-MW-18		10/28/2005	X	X	X				X		
OH-MW-18	OH-MW-18		4/20/2006	X	X	X				X		
OH-MW-18	OH-MW-18		10/25/2006	X	X	X				X		
OH-MW-18	OH-MW-18		4/19/2007	X	X	X						
OH-MW-18	OH-MW-18		10/23/2007	X	X	X						
OH-MW-18	OH-MW-18		4/23/2008	X	X	X						
OH-MW-18	OH-MW-18		10/22/2008	X	X	X						
OH-MW-24	OH-MW-24		4/23/2008	X	X	X						
OH-MW-24	OH-MW-24		4/24/2008				X	X	X			X
OH-MW-24	OH-MW-24		10/23/2008	X	X	X	X	X	X			X
OH-MW-25	OH-MW-25		4/24/2008	X	X	X	X	X	X			X
OH-MW-25	OH-MW-25		10/23/2008	X	X	X	X	X	X			X
OH-MW-26	OH-MW-26		5/12/2003			X	X			X		
OH-MW-26	OH-MW-26		9/4/2003			X	X			X		
OH-MW-26	OH-MW-26		6/30/2004				X			X		
OH-MW-26	OH-MW-26		10/28/2004			X	X			X		
OH-MW-26	OH-MW-26		7/28/2005			X	X			X		
OH-MW-26	OH-MW-26		10/27/2005			X	X			X		
OH-MW-26	OH-MW-26		4/23/2006			X	X			X		
OH-MW-26	OH-MW-260	Dup	10/25/2006				X					
OH-MW-26	OH-MW-26		10/25/2006			X	X			X		
OH-MW-26	OH-MW-26		4/19/2007			X	X			X		
OH-MW-26	OH-MW-26		10/26/2007			X	X			X		
OH-MW-26	OH-MW-26		4/22/2008			X	X			X		
OH-MW-26	OH-MW-26		10/23/2008			X	X			X		
OH-MW-27	OH-MW-27		5/12/2003							X		
OH-MW-27	OH-MW-27		10/29/2005							X		
OH-MW-27	OH-MW-27		4/20/2006							X		
OH-MW-27	OH-MW-27		10/25/2006							X		
River	River Sample		4/22/2006							X		
River	River		7/20/2006							X		
River	River		10/25/2006							X		
River	River		2/1/2007							X		
River	River		4/16/2007							X		
River	River		7/25/2007							X		
River	River		10/22/2007							X		
River	River		1/24/2008							X		
River	River		4/24/2008							X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
River	RIVER		7/24/2008							X		
River	River		10/22/2008							X		
RM-MW-01S	RM-MW-1S		10/23/2003			X	X			X		
RM-MW-01S	RM-MW-1S		3/4/2004				X			X		
RM-MW-01S	RM-MW-1S		6/30/2004				X			X		
RM-MW-01S	RM-MW-1S		10/27/2004				X			X		
RM-MW-01S	RM-MW-1S		7/25/2005			X	X			X		
RM-MW-01S	RM-MW-1S		10/27/2005			X	X			X		
RM-MW-01S	RM-MW-1S		1/25/2006				X			X		
RM-MW-01S	RM-MW-1S		4/18/2006			X	X			X		
RM-MW-01S	RM-MW-1S		7/18/2006				X			X		
RM-MW-01S	RM-MW-1S		10/24/2006			X	X			X		
RM-MW-01S	RM-MW-1S		2/1/2007				X			X		
RM-MW-01S	RM-MW-1S		4/18/2007				X			X		
RM-MW-01S	RM-MW-1S		7/24/2007				X			X		
RM-MW-01S	RM-MW-1S		10/22/2007				X			X		
RM-MW-01S	RM-MW-1S		1/24/2008				X			X		
RM-MW-01S	RM-MW-1S		4/20/2008				X			X		
RM-MW-01S	RM-MW-1S		7/24/2008				X			X		
RM-MW-01S	RM-MW-1S		10/22/2008				X			X		
RM-MW-02D	RM-MW-2D		10/23/2003			X	X			X		
RM-MW-02D	RM-MW-2D		3/4/2004				X			X		
RM-MW-02D	RM-MW-2D		6/30/2004				X			X		
RM-MW-02D	RM-MW-2D		10/27/2004				X			X		
RM-MW-02D	RM-MW-2D		7/25/2005			X	X			X		
RM-MW-02D	RM-MW-2D		10/28/2005	X	X	X	X			X		
RM-MW-02D	RM-MW-2D		4/18/2006			X	X			X		
RM-MW-02D	RM-MW-2D		10/24/2006			X	X			X		
RM-MW-02D	RM-MW-2D		4/18/2007				X			X		
RM-MW-02D	RM-MW-2D		10/22/2007				X			X		
RM-MW-02D	RM-MW-2D		4/20/2008				X			X		
RM-MW-02D	RM-MW-2D		10/22/2008				X			X		
RM-MW-03S	RM-MW-3S		10/23/2003			X	X			X		
RM-MW-03S	RM-MW-6	Dup	10/24/2003			X	X			X		
RM-MW-03S	RM-MW-3S		3/4/2004				X			X		
RM-MW-03S	RM-MW-3S		6/30/2004				X			X		
RM-MW-03S	RM-MW-3S		10/27/2004				X			X		
RM-MW-03S	RM-MW-3S		5/19/2005	X	X	X	X			X		
RM-MW-03S	RM-MW-3S		7/25/2005			X	X			X		
RM-MW-03S	RM-MW-3S		10/26/2005			X	X			X		
RM-MW-03S	RM-MW-3S		1/25/2006				X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID	Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-03S	RM-MW-3S	4/18/2006			X	X			X		
RM-MW-03S	RM-MW-3S	7/18/2006				X			X		
RM-MW-03S	RM-MW-3S	10/24/2006			X	X			X		
RM-MW-03S	RM-MW-3S	2/1/2007				X			X		
RM-MW-03S	RM-MW-3S	4/19/2007				X			X		
RM-MW-03S	RM-MW-3S	7/24/2007				X			X		
RM-MW-03S	RM-MW-3S	10/24/2007				X			X		
RM-MW-03S	RM-MW-3S	1/24/2008				X			X		
RM-MW-03S	RM-MW-3S	4/20/2008				X			X		
RM-MW-03S	RM-MW-3S	7/23/2008				X			X		
RM-MW-03S	RM-MW-3S	10/23/2008				X			X		
RM-MW-04D	RM-MW-4D	10/23/2003			X	X			X		
RM-MW-04D	RM-MW-4D	3/4/2004				X			X		
RM-MW-04D	RM-MW-4D	6/30/2004				X			X		
RM-MW-04D	RM-MW-4D	10/27/2004				X			X		
RM-MW-04D	RM-MW-4D	7/25/2005			X	X			X		
RM-MW-04D	RM-MW-4D	10/26/2005			X	X			X		
RM-MW-04D	RM-MW-4D	4/18/2006			X	X			X		
RM-MW-04D	RM-MW-4D	10/24/2006			X	X			X		
RM-MW-04D	RM-MW-4D	4/19/2007				X			X		
RM-MW-04D	RM-MW-4D	10/24/2007				X			X		
RM-MW-04D	RM-MW-4D	4/20/2008				X			X		
RM-MW-04D	RM-MW-4D	10/23/2008				X			X		
RM-MW-05S	RM-MW-5S	10/24/2003			X	X			X		
RM-MW-05S	RM-MW-5S	3/4/2004				X			X		
RM-MW-05S	RM-MW-5S	6/30/2004				X			X		
RM-MW-05S	RM-MW-5S	10/27/2004				X			X		
RM-MW-05S	RM-MW-5S	7/26/2005			X	X			X		
RM-MW-05S	RM-MW-5S	10/24/2005			X	X			X		
RM-MW-05S	RM-MW-5S	4/19/2006			X	X			X		
RM-MW-05S	RM-MW-5S	10/24/2006			X	X			X		
RM-MW-05S	RM-MW-5S	4/18/2007				X			X		
RM-MW-05S	RM-MW-5S	10/22/2007				X			X		
RM-MW-05S	RM-MW-5S	4/20/2008				X			X		
RM-MW-05S	RM-MW-5S	10/22/2008				X			X		
RM-MW-08S	RM-MW-8S	3/24/2005			X	X			X		
RM-MW-08S	RM-MW-8S	5/17/2005	X	X	X	X			X		
RM-MW-08S	RM-MW-8S	6/16/2005	X		X	X			X		
RM-MW-08S	RM-MW-8S	7/25/2005			X	X			X		
RM-MW-08S	RM-MW-8S	10/24/2005			X	X			X		
RM-MW-08S	RM-MW-8S	1/24/2006			X	X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-08S	RM-MW-8S		4/17/2006			X	X			X		
RM-MW-08S	RM-MW-80S	Dup	4/17/2006				X					
RM-MW-08S	RM-MW-8S		7/17/2006			X	X			X		
RM-MW-08S	RM-MW-8S		10/23/2006			X	X			X		
RM-MW-08S	RM-MW-8S		2/1/2007				X			X		
RM-MW-08S	RM-MW-8S		4/19/2007				X			X		
RM-MW-08S	RM-MW-8S		7/24/2007				X			X		
RM-MW-08S	RM-MW-8S		10/21/2007				X			X		
RM-MW-08S	RM-MW-8S		1/24/2008				X			X		
RM-MW-08S	RM-MW-8S		4/20/2008				X			X		
RM-MW-08S	RM-MW-8S		7/22/2008				X			X		
RM-MW-08S	RM-MW-8S		10/18/2008				X			X		
RM-MW-08S	RM-MW-800S	Dup	10/18/2008				X					
RM-MW-09S	RM-MW-9S		3/24/2005			X	X			X		
RM-MW-09S	RM-MW-9S		5/19/2005	X	X	X	X			X		
RM-MW-09S	RM-MW-9S		7/26/2005			X	X			X		
RM-MW-09S	RM-MW-9S		10/24/2005			X	X			X		
RM-MW-09S	RM-MW-9S		1/24/2006			X	X			X		
RM-MW-09S	RM-MW-9S		4/19/2006			X	X			X		
RM-MW-09S	RM-MW-90S	Dup	4/19/2006			X						
RM-MW-09S	RM-MW-9S		7/18/2006			X	X			X		
RM-MW-09S	RM-MW-900S	Dup	7/18/2006			X						
RM-MW-09S	RM-MW-9S		10/25/2006			X	X			X		
RM-MW-09S	RM-MW-900S	Dup	10/25/2006			X						
RM-MW-09S	RM-MW-9S		2/1/2007				X			X		
RM-MW-09S	RM-MW-9S		4/19/2007				X			X		
RM-MW-09S	RM-MW-9S		7/25/2007				X			X		
RM-MW-09S	RM-MW-9S		10/22/2007				X			X		
RM-MW-09S	RM-MW-9S		1/24/2008				X			X		
RM-MW-09S	RM-MW-9S		4/20/2008				X			X		
RM-MW-09S	RM-MW-9S		7/23/2008				X			X		
RM-MW-09S	RM-MW-9S		10/22/2008				X			X		
RM-MW-10S	RM-MW-100	Dup	9/28/2004				X					
RM-MW-10S	RM-MW-10S		9/28/2004				X			X		
RM-MW-10S	RM-MW-100	Dup	10/27/2004				X					
RM-MW-10S	RM-MW-10S		10/27/2004			X	X			X		
RM-MW-10S	RM-MW-10S		5/19/2005	X	X	X	X			X		
RM-MW-10S	RM-MW-10S		6/16/2005	X		X	X			X		
RM-MW-10S	RM-MW-10S		7/26/2005			X	X			X		
RM-MW-10S	RM-MW-10S		10/24/2005			X	X			X		
RM-MW-10S	RM-MW-10S		1/25/2006			X	X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-10S	RM-MW-100S	Dup	1/25/2006			X	X					
RM-MW-10S	RM-MW-10S		4/19/2006			X	X			X		
RM-MW-10S	RM-MW-10S		7/18/2006			X	X			X		
RM-MW-10S	RM-MW-10S		10/24/2006			X	X			X		
RM-MW-10S	RM-MW-10S		2/1/2007				X			X		
RM-MW-10S	RM-MW-10S		4/19/2007				X			X		
RM-MW-10S	RM-MW-10S		7/25/2007				X			X		
RM-MW-10S	RM-MW-10S		10/24/2007				X			X		
RM-MW-10S	RM-MW-10S		1/24/2008				X			X		
RM-MW-10S	RM-MW-10S		4/20/2008				X			X		
RM-MW-10S	RM-MW-10S		7/23/2008				X			X		
RM-MW-10S	RM-MW-10S		10/23/2008				X			X		
RM-MW-11S	RM-MW-11S		7/25/2005			X						
RM-MW-12S	RM-MW-12S		5/17/2005	X	X	X	X			X		
RM-MW-12S	RM-MW-12S		6/16/2005	X		X	X			X		
RM-MW-12S	RM-MW-12S		7/25/2005			X	X			X		
RM-MW-12S	RM-MW-12S		10/24/2005			X	X			X		
RM-MW-12S	RM-MW-12S		1/24/2006			X	X			X		
RM-MW-12S	RM-MW-12S		4/19/2006			X	X			X		
RM-MW-12S	RM-MW-12S		7/18/2006			X	X			X		
RM-MW-12S	RM-MW-12S		10/24/2006			X	X			X		
RM-MW-12S	RM-MW-12S		2/1/2007				X			X		
RM-MW-12S	RM-MW-12S		4/19/2007				X			X		
RM-MW-12S	RM-MW-12S		7/24/2007				X			X		
RM-MW-12S	RM-MW-12S		10/21/2007				X			X		
RM-MW-12S	RM-MW-12S		1/24/2008				X			X		
RM-MW-12S	RM-MW-12S		4/20/2008				X			X		
RM-MW-12S	RM-MW-12S		7/22/2008				X			X		
RM-MW-12S	RM-MW-12S		10/18/2008				X			X		
RM-MW-13S	RM-MW-13S		5/16/2005	X	X	X	X			X		
RM-MW-13S	RM-MW-13S Dup	Dup	5/16/2005	X	X	X	X			X		
RM-MW-13S	RM-MW-13S		6/16/2005	X		X	X			X		
RM-MW-13S	RM-MW-13S		7/25/2005			X	X			X		
RM-MW-13S	RM-MW-100	Dup	7/25/2005			X	X					
RM-MW-13S	RM-MW-13S		10/24/2005			X	X			X		
RM-MW-13S	RM-MW-100S	Dup	10/24/2005			X	X					
RM-MW-13S	RM-MW-13S		1/25/2006			X	X			X		
RM-MW-13S	RM-MW-13S		4/18/2006			X	X			X		
RM-MW-13S	RM-MW-13S		7/18/2006			X	X			X		
RM-MW-13S	RM-MW-13S		10/25/2006			X	X			X		
RM-MW-13S	RM-MW-13S		2/1/2007				X			X		

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-13S	RM-MW-13S		4/19/2007				X			X		
RM-MW-13S	RM-MW-13S		7/24/2007				X			X		
RM-MW-13S	RM-MW-13S		10/22/2007				X			X		
RM-MW-13S	RM-MW-13S		1/24/2008				X			X		
RM-MW-13S	RM-MW-13S		4/20/2008				X			X		
RM-MW-13S	RM-MW-13S		7/23/2008				X			X		
RM-MW-13S	RM-MW-13S		10/23/2008				X			X		
RM-MW-14S	RM-MW-14S		10/25/2006			X	X			X		
RM-MW-14S	RM-MW-14S		2/1/2007			X	X			X		
RM-MW-14S	RM-MW-14S		4/19/2007			X	X			X		
RM-MW-14S	RM-MW-14S		7/25/2007			X	X			X		
RM-MW-14S	RM-MW-14S		10/22/2007			X	X			X		
RM-MW-14S	RM-MW-14S		1/24/2008			X	X			X		
RM-MW-14S	RM-MW-14S		4/20/2008			X	X			X		
RM-MW-14S	RM-MW-14S		7/24/2008			X	X			X		
RM-MW-14S	RM-MW-14S		10/22/2008			X	X			X		
RM-MW-15S	RM-MW-15S		10/24/2006			X	X			X		
RM-MW-15S	RM-MW-15S		2/1/2007			X	X			X		
RM-MW-15S	RM-MW-15S		4/19/2007			X	X			X		
RM-MW-15S	RM-MW-15S		7/25/2007			X	X			X		
RM-MW-15S	RM-MW-15S		10/22/2007			X	X			X		
RM-MW-15S	RM-MW-15S		1/24/2008			X	X			X		
RM-MW-15S	RM-MW-15S		4/20/2008			X	X			X		
RM-MW-15S	RM-MW-15S		7/24/2008				X			X		
RM-MW-15S	RM-MW-15S		10/22/2008			X	X			X		
RM-MW-16S	RM-MW-16S		10/24/2006			X	X			X		
RM-MW-16S	RM-MW-16S		2/1/2007			X	X			X		
RM-MW-16S	RM-MW-16S		4/19/2007			X	X			X		
RM-MW-16S	RM-MW-16S		7/24/2007			X	X			X		
RM-MW-16S	RM-MW-16S		10/22/2007			X	X			X		
RM-MW-16S	RM-MW-16S		1/24/2008			X	X			X		
RM-MW-16S	RM-MW-16S		4/20/2008			X	X			X		
RM-MW-16S	RM-MW-16S		7/24/2008				X			X		
RM-MW-16S	RM-MW-16S		10/22/2008			X	X			X		
RM-MW-17S	RM-MW-17S		10/24/2006			X	X			X		
RM-MW-17S	RM-MW-17S		2/1/2007			X	X			X		
RM-MW-17S	RM-MW-17S		4/19/2007			X	X			X		
RM-MW-17S	RM-MW-17S		7/24/2007			X	X			X		
RM-MW-17S	RM-MW-1700S	Dup	7/24/2007				X					
RM-MW-17S	RM-MW-17S		10/22/2007			X	X			X		
RM-MW-17S	RM-MW-17S		1/24/2008			X	X			X		



**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
RM-MW-17S	RM-MW-17S		4/20/2008			X	X			X		
RM-MW-17S	RM-MW-17S		7/24/2008				X			X		
RM-MW-17S	RM-MW-17S		10/22/2008			X	X			X		
RMSW-MW11S	RMSW-MW-11S		5/17/2005	X	X	X	X			X		
RMSW-MW11S	RMSW-MW-11S		6/16/2005	X		X	X			X		
RMSW-MW11S	RMSW-MW-11S		7/25/2005				X			X		
RMSW-MW11S	RMSW-MW-11S		10/24/2005			X	X			X		
RMSW-MW11S	RMSW-MW-11S		1/24/2006			X	X			X		
RMSW-MW11S	RMSW-MW-11S		4/17/2006			X	X			X		
RMSW-MW11S	RMSW-MW-11S		7/20/2006			X	X			X		
RMSW-MW11S	RMSW-MW-11S		10/23/2006			X	X			X		
TF-MW-01	TF-MW-1		4/24/2008	X	X	X	X	X	X			X
TF-MW-01	TF-MW-1		10/21/2008	X	X	X	X	X	X			X
TF-MW-02	TF-MW-2		4/24/2008	X	X	X	X	X	X			X
TF-MW-02	TF-MW-2		10/21/2008	X	X	X	X	X	X			X
TF-MW-03	TF-MW-3		4/23/2008		X	X						
TF-MW-03	TF-MW-3		4/24/2008						X			
TF-MW-03	TF-MW-3		10/20/2008		X	X			X			
TF-MW-04	TF-MW-4		4/24/2008	X	X	X	X	X	X			X
TF-MW-04	TF-MW-4		10/20/2008	X	X	X	X	X	X			X
TL-MW-01A	TL-MW-1A		5/15/2003			X				X		X
TL-MW-01A	TL-MW-1A RE		9/3/2003									X
TL-MW-01A	TL-MW-1A		9/3/2003			X				X		X
TL-MW-01A	TL-MW-1A		10/24/2003									X
TL-MW-01A	TL-MW-1A		8/10/2004							X		X
TL-MW-01A	TL-MW-1A		7/27/2005			X				X		X
TL-MW-01A	TL-MW-10	Dup	7/27/2005									X
TL-MW-01A	TL-MW-1A		4/23/2006			X				X		X
TL-MW-01A	TL-MW-10A	Dup	4/23/2006									X
TL-MW-01A	TL-MW-1A		4/18/2007			X				X		X
TL-MW-01A	TL-MW-1A		4/22/2008			X						
TL-MW-01A	TL-MW-1A		4/23/2008							X		X
TL-MW-02	TL-MW-2		4/23/2008									X
TL-MW-04	TL-MW-4		4/23/2008									X
TL-MW-04	TL-MW-4		10/21/2008									X
TS-MW-01S	TS-MW-1S		6/16/2005	X	X	X	X	X		X		
TS-MW-01S	TS-MW-1S		7/28/2005	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		10/28/2005	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		1/26/2006	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		4/23/2006	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		7/20/2006	X	X	X	X	X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
TS-MW-01S	TS-MW-1S		10/26/2006	X	X	X	X	X	X	X		X
TS-MW-01S	TS-MW-1S		4/18/2007					X				X
TS-MW-01S	TS-MW-1S		10/24/2007					X				X
TS-MW-01S	TS-MW-1S		4/23/2008					X				X
TS-MW-01S	TS-MW-1S		10/20/2008					X				X
TS-MW-02S	TS-MW-2S		6/16/2005	X	X	X	X	X		X		
TS-MW-02S	TS-MW-2S		7/28/2005	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		10/29/2005	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		1/26/2006	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		4/23/2006	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		7/20/2006	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		10/27/2006	X	X	X	X	X	X	X		X
TS-MW-02S	TS-MW-2S		4/18/2007					X				X
TS-MW-02S	TS-MW-2S		10/25/2007					X				X
TS-MW-02S	TS-MW-2S		4/23/2008					X				X
TS-MW-02S	TS-MW-2S		10/20/2008					X				X
WW-EW-01	WW-EW-1		5/16/2003			X	X			X	X	
WW-EW-01	WW-EW-1		9/5/2003			X	X			X	X	
WW-EW-01	WW-EW-1		7/1/2004				X			X	X	
WW-EW-01	WW-EW-1		10/29/2004			X	X			X	X	
WW-EW-01	WW-EW-1		7/29/2005			X	X			X	X	
WW-EW-01	WW-EW-1		10/28/2005			X	X			X	X	
WW-EW-01	WW-EW-1		4/20/2006			X	X			X	X	
WW-EW-01	WW-EW-1		7/20/2006							X		
WW-EW-01	WW-EW-1		10/25/2006			X	X			X	X	
WW-EW-01	WW-EW-1		2/1/2007							X		
WW-EW-01	WW-EW-1		10/22/2007			X	X			X	X	
WW-EW-01	WW-EW-1		1/24/2008							X		
WW-EW-01	WW-EW-1		4/23/2008			X						
WW-EW-01	WW-EW-1		4/24/2008				X			X	X	
WW-EW-01	WW-EW-1		7/24/2008							X		
WW-EW-01	WW-EW-100	Dup	10/22/2008								X	
WW-EW-01	WW-EW-1		10/22/2008			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	5/16/2003				X					
WW-EW-02	WW-EW-2		5/16/2003			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	9/5/2003				X					
WW-EW-02	WW-EW-2		9/5/2003			X	X			X	X	
WW-EW-02	WW-EW-2		7/1/2004				X			X	X	
WW-EW-02	WW-EW-WA	Dup	7/1/2004				X					
WW-EW-02	WW-EW-2		10/29/2004			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	10/29/2004				X					

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
WW-EW-02	WW-EW-2		7/29/2005			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	7/29/2005				X					
WW-EW-02	WW-EW-2		10/28/2005			X	X			X	X	
WW-EW-02	WW-EW-WA	Dup	10/28/2005				X				X	
WW-EW-02	WW-EW-2		4/23/2006			X	X			X	X	
WW-EW-02	WW-EW-200	Dup	4/23/2006				X					
WW-EW-02	WW-EW-2 PCB Dup	Dup	4/23/2006				X					
WW-EW-02	WW-EW-2		10/25/2006			X	X			X	X	
WW-EW-02	WW-EW-2		4/17/2007			X	X			X		X
WW-EW-02	WW-EW-2		10/22/2007			X	X			X	X	
WW-EW-02	WW-EW-2		4/24/2008			X	X			X	X	
WW-EW-02	WW-EW-2		10/22/2008			X	X			X	X	
WW-EW-03	WW-EW-3-HS		3/29/2007				X					
WW-EW-03	WW-EW-3		4/25/2008			X	X			X	X	
WW-MW-03	WW-MW-3		10/28/2005							X		
WW-MW-03	WW-MW-3		4/20/2006							X		
WW-MW-03	WW-MW-3		10/26/2006							X		
WW-MW-07	WW-MW-7		4/24/2008	X	X	X	X	X	X			
WW-MW-07	WW-MW-7		10/23/2008	X	X	X	X	X	X			
WW-MW-08	WW-MW-8		5/12/2003			X				X		
WW-MW-08	WW-MW-8		9/3/2003			X						
WW-MW-08	WW-MW-8		10/28/2004			X						
WW-MW-08	WW-MW-8		7/27/2005	X	X	X						
WW-MW-08	WW-MW-8		4/20/2006	X	X	X						
WW-MW-08	WW-MW-8		10/28/2006	X	X	X						
WW-MW-08	WW-MW-8		4/18/2007	X	X	X						
WW-MW-08	WW-MW-8		10/23/2007	X	X	X						
WW-MW-08	WW-MW-8		4/24/2008	X	X	X	X	X	X			
WW-MW-08	WW-MW-8		10/23/2008	X	X	X	X	X	X			
WW-MW-09	WW-MW-9		4/24/2008	X	X	X	X	X	X			
WW-MW-09	WW-MW-9		10/22/2008	X	X	X	X	X	X			
WW-MW-11	WW-MW-11		5/12/2003							X		
WW-MW-12	WW-MW-12		5/12/2003			X				X		
WW-MW-12	WW-MW-12		9/3/2003			X						
WW-MW-12	WW-MW-12		10/28/2004			X						
WW-MW-12	WW-MW-12		7/27/2005	X	X	X						
WW-MW-12	WW-MW-12		10/27/2005			X	X	X	X	X		X
WW-MW-12	WW-MW-12		4/20/2006			X	X	X	X	X		X
WW-MW-12	WW-MW-12		10/26/2006			X	X	X	X	X		X
WW-MW-12	WW-MW-12		4/18/2007			X	X	X	X	X		X
WW-MW-12	WW-MW-12		10/23/2007			X	X	X	X	X		X

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
WW-MW-12	WW-MW-12		4/23/2008			X	X	X	X	X		X
WW-MW-12	WW-MW-12		10/22/2008			X	X	X	X	X		X
WW-MW-15	WW-MW-15		5/12/2003			X				X		
WW-MW-15	WW-MW-15		9/3/2003			X						
WW-MW-15	WW-MW-15		10/28/2004			X						
WW-MW-15	WW-MW-15		7/27/2005	X	X	X						
WW-MW-15	WW-MW-15		4/22/2006	X	X	X						
WW-MW-15	WW-MW-15		10/25/2006	X		X						
WW-MW-15	WW-MW-15		4/18/2007	X	X	X						
WW-MW-15	WW-MW-15		10/23/2007	X	X	X						
WW-MW-15	WW-MW-15		4/24/2008	X	X	X						
WW-MW-15	WW-MW-15		10/23/2008	X	X	X						
WW-MW-16	WW-MW-16		5/12/2003							X		
WW-MW-17	WW-MW-17		5/12/2003							X		
WW-MW-17	WW-MW-25	Dup	5/15/2003							X		
WW-MW-17	WW-MW-17		5/15/2003			X	X			X		
WW-MW-17	WW-MW-17		7/17/2003				X			X		
WW-MW-17	WW-MW-25	Dup	9/4/2003							X		
WW-MW-17	WW-MW-17		9/4/2003			X	X			X		
WW-MW-17	WW-MW-25	Dup	6/30/2004				X			X		
WW-MW-17	WW-MW-17		6/30/2004				X			X		
WW-MW-17	WW-MW-25	Dup	10/29/2004				X			X		
WW-MW-17	WW-MW-17		10/29/2004			X	X			X		
WW-MW-17	WW-MW-25	Dup	7/29/2005				X					
WW-MW-17	WW-MW-17		7/29/2005			X	X			X		
WW-MW-17	WW-MW-25	Dup	10/29/2005				X					
WW-MW-17	WW-MW-17		10/29/2005			X	X			X		
WW-MW-17	WW-MW-17		4/23/2006			X	X			X		
WW-MW-17	WW-MW-17		10/28/2006		X	X	X			X		
WW-MW-17	WW-MW-17		4/18/2007			X	X			X		
WW-MW-17	WW-MW-17		10/24/2007			X	X			X		
WW-MW-17	WW-MW-17		4/24/2008			X	X			X		
WW-MW-17	WW-MW-17		10/23/2008			X	X			X		
WW-MW-18	WW-MW-18		5/12/2003							X		
WW-MW-18	WW-MW-18		5/13/2003			X	X		X	X		X
WW-MW-18	WW-MW-18		9/2/2003			X	X		X	X	X	
WW-MW-18	WW-MW-18		6/29/2004				X		X	X		X
WW-MW-18	WW-MW-18		10/25/2004			X	X		X	X		X
WW-MW-18	WW-MW-18		7/27/2005			X	X		X	X		X
WW-MW-18	WW-MW-18		10/24/2005			X	X		X	X		X
WW-MW-18	WW-MW-180	Dup	4/20/2006				X					

**Table F-2 - Sample Information for Groundwater Samples**

Well ID	Sample ID		Date	TPH-Dx	TPH-Gx	TPH-HCID	PCB	SVOC	VOC	Conv	Tot Metal	Diss Metal
WW-MW-18	WW-MW-18		4/20/2006			X	X		X	X		X
WW-MW-18	WW-MW-18		10/25/2006			X	X		X	X		X
WW-MW-18	WW-MW-18		4/18/2007			X			X	X		X
WW-MW-18	WW-MW-18		10/23/2007			X			X	X		X
WW-MW-18	WW-MW-18		4/24/2008			X			X	X		X
WW-MW-18	WW-MW-18		10/23/2008			X			X	X		X

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L					NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
CM-MW-01S	CM-MW-1S	10/28/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	3/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	10/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	4/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-100S	4/20/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	7/21/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	10/24/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-100S	10/24/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	4/15/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-01S	CM-MW-1S	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.36	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/27/2004								0.5 U	0.5 U	0.2 U	0.5 U	13	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	3/23/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/24/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	4/19/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	8.6	0.2 U	0.2 U
CM-MW-02S	CM-MW-2S	10/20/2008								0.5 U	0.5 U	0.2 U	0.5 U	1.1	0.2 U	0.2 U
CM-MW-02S	CM-MW-200S	10/20/2008	Dup							0.5 U	0.5 U	0.2 U	0.5 U	1.8	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/27/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	3/23/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-SU	7/26/2005	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/28/2005		1.1	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	1.3	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-SU	10/28/2005	Dup	0.67	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.65	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/24/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	4/18/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.4	0.2 U	0.2 U
CM-MW-03S	CM-MW-3S	10/21/2008								0.5 U	0.5 U	0.2 U	3	6.7	0.2 U	0.2 U
CM-MW-03S	CM-MW-300S	10/21/2008	Dup							0.5 U	0.5 U	0.2 U	0.5 U	6.4	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/27/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	3/23/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
CM-MW-04S	CM-MW-4S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/24/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	4/17/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	4/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/27/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	3/23/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-SU	1/26/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	4/19/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	7/21/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/24/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	4/17/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	4/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/21/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/28/2004						0.5 U	0.5 U	0.2 U	0.5 U	29	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	3/23/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/24/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	4/19/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	4/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/19/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/27/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	3/23/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	7/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	7/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-700S	7/21/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/24/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	4/15/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	4/21/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/20/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.42	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L					NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/ oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/ Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
CM-MW-08S	CM-MW-8S	10/28/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-100	10/28/2004	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	3/23/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	7/26/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	10/27/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	1/26/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	4/19/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	7/20/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	10/24/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	4/15/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
CM-MW-08S	CM-MW-8S	10/20/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	4/20/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	7/21/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	10/25/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	4/17/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	10/26/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.4	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	4/20/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
FO-MW-01S	FO-MW-1S	10/19/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-01	HL-MW-1	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/28/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	7/27/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/27/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	4/19/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/23/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-100	10/23/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	4/16/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/22/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	4/20/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-01	HL-MW-1	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	4/21/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	10/27/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-200	10/27/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	1/31/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U								
HL-MW-02	HL-MW-2	4/16/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	10/22/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	1/24/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U								
HL-MW-02	HL-MW-2	4/22/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-02	HL-MW-2	10/19/2008		5.5	5.8	0.2 U	0.1 U	0.1 U		0.5 U	5.9	0.2 U	6.3	0.2 U	0.2 U	0.2 U
HL-MW-03	HL-MW-3	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-03	HL-MW-3	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-04	HL-MW-4	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U



Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
HL-MW-04	HL-MW-4	7/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	4/15/2007							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 U	0.2 UJ
HL-MW-04	HL-MW-4	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-04	HL-MW-4	10/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	5/14/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
HL-MW-05	HL-MW-5	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/23/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	7/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	4/15/2007							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 U	0.2 UJ
HL-MW-05	HL-MW-5	7/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	1/25/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	7/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5000	7/23/2008	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	10/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-05	HL-MW-5	1/22/2009							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	5/14/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
HL-MW-06A	HL-MW-6A	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	10/24/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	7/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	10/26/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	1/25/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	4/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	7/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	10/25/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 U	0.2 UJ
HL-MW-06A	HL-MW-6A	4/15/2007	0.2 UJ	0.5 UJ	0.2 UJ	0.1 U	0.1 U		0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 U	0.2 UJ
HL-MW-06A	HL-MW-6A	10/25/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	4/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-06A	HL-MW-6A	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	5/14/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
HL-MW-07S	HL-MW-7S	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	10/23/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	4/15/2007							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 U	0.2 UJ
HL-MW-07S	HL-MW-700S	4/15/2007	Dup						0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 U	0.2 UJ
HL-MW-07S	HL-MW-7S	10/23/2007							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 U	0.2 UJ
HL-MW-07S	HL-MW-7S	4/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-07S	HL-MW-7S	10/19/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	5/14/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
HL-MW-08D	HL-MW-8D	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	10/23/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	10/26/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	4/15/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-08D	HL-MW-8D	10/23/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-08D	HL-MW-8D	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-08D	HL-MW-8D	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	5/14/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-09D	HL-MW-9D	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	10/24/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	4/15/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-09D	HL-MW-9D	10/25/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	4/22/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-09D	HL-MW-9D	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-10S	HL-MW-10S	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/24/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	4/16/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/23/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	4/22/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-10S	HL-MW-10S	10/19/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-11D	HL-MW-11D	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
HL-MW-11D	HL-MW-11D	9/3/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-11D	HL-MW-11D	10/24/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	10/24/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	4/22/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	10/26/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	4/15/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-12S	HL-MW-12S	10/23/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
HL-MW-12S	HL-MW-12S	4/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-12S	HL-MW-12S	10/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	10/23/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-1K	10/23/2003	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	4/20/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	10/26/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	4/15/2007								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
HL-MW-13DD	HL-MW-13DD	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	4/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-13DD	HL-MW-13DD	10/19/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/24/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	4/15/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	4/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-14S	HL-MW-14S	10/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/23/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	4/15/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-15DD	HL-MW-15DD	10/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/23/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	4/16/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-16S	HL-MW-16S	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/23/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	5/17/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-170S	4/22/2006	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	4/16/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/25/2007							0.5 U	5	0.2 U	14	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	4/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-17S	HL-MW-17S	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	3/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	1/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	7/19/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	4/16/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-18S	HL-MW-18S	4/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L					NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
HL-MW-18S	HL-MW-18S	10/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	3/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	7/29/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	10/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	1/25/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	4/18/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-190S	4/18/2006	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	10/23/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	4/16/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	10/22/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	4/20/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-19S	HL-MW-19S	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	3/24/2005								0.5 U	0.5 U	0.2 U	57	0.2 U	0.8	0.2 U
HL-MW-20S	HL-MW-30	3/24/2005	Dup							0.5 U	0.5 U	0.2 U	69	0.2 U	1	0.2 U
HL-MW-20S	HL-MW-20S	7/27/2005	0.2 U	520	8.7	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	440	0.2 U	7.5	0.2 U
HL-MW-20S	HL-MW-20S	10/27/2005	0.2 U	150	8.1	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	160	0.2 U	8.7	0.2 U
HL-MW-20S	HL-MW-20S	4/18/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	7/20/2006	80	260	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	83	0.2 U	250	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	10/23/2006	14	26	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 D	0.2 U	0.5 D	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	4/16/2007	0.2 U	2.7	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	2.7	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	10/22/2007	200	340	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	250	0.2 U	460	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-200S	10/22/2007	Dup	110	190	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	99	0.2 U	170	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	4/20/2008	0.2 U	2.9	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	2.7	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-20S	10/22/2008	7.7	12	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	6.5	0.2 U	11	0.2 U	0.2 U	0.2 U
HL-MW-20S	HL-MW-200S	10/22/2008	Dup	7.6	11	0.2 U	0.1 U	0.1 U	0.1 U	0.5 U	8.7	0.2 U	13	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	3/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	7/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	10/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	1/25/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	4/18/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	10/23/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	4/17/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	10/22/2007	14	24	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	15	0.2 U	33	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	4/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-21S	HL-MW-21S	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	3/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	7/27/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	10/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	1/25/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	4/18/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	10/23/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	4/17/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-22S	HL-MW-22S	10/22/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/ oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/ Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
HL-MW-22S	HL-MW-22S	4/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-22S	HL-MW-22S	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	4/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	7/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-230S	10/26/2006	Dup			0.1 U	0.1 U								
HL-MW-23S	HL-MW-23S	2/1/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	4/17/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	10/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	4/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-23S	HL-MW-23S	10/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	4/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	1/31/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	4/15/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	10/23/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-24DD	HL-MW-24DD	10/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	4/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	2/1/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	4/16/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	10/25/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-25S	HL-MW-25S	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	4/21/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	1/31/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-2600S	1/31/2007	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	4/16/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-2600S	4/16/2007	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-2600S	10/24/2007	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	10/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-2600S	4/21/2008	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	
HL-MW-26S	HL-MW-26S	10/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-27D	4/22/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-27D	7/19/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-27D	10/27/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-270D	10/27/2006	Dup	0.2 U	0.5 U	0.2 U									
HL-MW-27D	HL-MW-27D	1/31/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-27D	4/16/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
HL-MW-27D	HL-MW-2700DD	4/16/2007	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
HL-MW-27D	HL-MW-27D	10/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-27D	HL-MW-27D	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-27D	HL-MW-27D	10/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-280DD	10/26/2006	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	1/31/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	4/15/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-2800DD	4/15/2007	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	7/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-2800DD	7/24/2007	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	10/23/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-2800DD	10/23/2007	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	1/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	4/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-2800DD	4/21/2008	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-28DD	HL-MW-28DD	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-29S	7/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-29S	10/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-29S	1/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-2900S	1/24/2008	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-29S	4/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-2900S	4/22/2008	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-29S	10/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-29S	HL-MW-2900S	10/22/2008	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	7/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	10/24/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	1/25/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	4/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-3000S	4/23/2008	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
HL-MW-30S	HL-MW-30S	10/19/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2D	9/2/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2D	10/25/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2S	10/25/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2D	7/28/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2S	7/28/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2D	4/21/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2S	4/21/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2D	10/27/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02	MW-2S	10/27/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02D	MW-2D	5/12/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-02D	MW-2D	10/24/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02S	MW-2S	5/12/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-02S	MW-2S	9/2/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-02S	MW-2S	10/24/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	5/13/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-08	MW-8	9/2/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
MW-08	MW-8	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-08	MW-8	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-08	MW-8	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	5/13/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-09	MW-9	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-09	MW-9	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-12A	MW-28	5/12/2003	Dup						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-12A	MW-12A	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-28	9/2/2003	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/22/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-12A	MW-28	10/25/2004	Dup						0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-12A	MW-12A	7/28/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-28	7/28/2005	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-28	10/26/2005	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	4/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-12A	MW-12A	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-13	MW-13	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-13	MW-13	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-14	MW-14	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-14	MW-14	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
MW-14	MW-14	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-14	MW-14	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-15	MW-27	5/12/2003	Dup						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-15	MW-15	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-27	9/2/2003	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-15	MW-27	10/25/2004	Dup						0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-15	MW-15	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-27	7/29/2005	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-27	10/24/2005	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-15	MW-15	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-16	MW-16	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-16	MW-16	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/26/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-16	MW-16	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	5/13/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-17S	MW-17S	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/22/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/25/2004							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-17S	MW-17S	7/28/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	1/25/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	7/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	MW-17S	10/21/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
MW-18D	MW-18D	9/2/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U



Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
MW-18D	MW-18D	10/22/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/25/2004								0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-18D	MW-18D	7/29/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18	4/21/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	4/17/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/26/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	4/22/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-18D	MW-18D	10/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	5/13/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-19S	MW-19S	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/26/2004								0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-19S	MW-19S	7/29/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	1/25/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	4/21/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-190S	4/21/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	4/17/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/24/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	4/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-19S	MW-19S	10/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	5/13/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-20D	MW-20D	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	4/17/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	10/24/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	4/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-20D	MW-20D	10/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-21S	MW-21S	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/25/2004								0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
MW-21S	MW-21S	7/29/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	1/24/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	4/21/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	4/17/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/24/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	4/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-21S	MW-21S	10/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2	0.2 U	0.2 U
MW-22D	MW-22D	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-22D	MW-22D	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-22D	MW-22D	10/27/2006								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
MW-22D	MW-22D	4/17/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-22D	MW-22D	10/24/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-22D	MW-22D	4/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-22D	MW-22D	10/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-23S	MW-23S	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/22/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/25/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	7/28/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	4/21/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	4/17/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/24/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	4/24/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-23S	MW-23S	10/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-24D	MW-24D	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/22/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/25/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	7/28/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	4/21/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	4/17/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/24/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	4/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-24D	MW-24D	10/21/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-25S	MW-25S	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/22/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/26/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	7/28/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	1/24/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	4/21/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/27/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	4/17/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/25/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-2500S	10/25/2007	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	4/22/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-25S	MW-25S	10/22/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	5/12/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U
MW-26D	MW-26D	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	10/22/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L			NWTPH-Gx in mg/L			NWTPH-HCID in mg/L							
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
MW-26D	MW-26D	10/26/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	4/21/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	10/27/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	4/17/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	10/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	4/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-26D	MW-26D	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	5/16/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
OH-EW-01	OH-EW-1	9/5/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/29/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	4/22/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/25/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	4/16/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-EW-01	OH-EW-1	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-01	OH-MW-100	10/22/2008	Dup						0.5 U	0.5 U	0.2 U	0.5 U	69	0.2 U	0.2 U	0.2 U
OH-MW-08	OH-MW-8	4/22/2008		0.2 U	0.5 U	0.2 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-08	OH-MW-8	10/20/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-10	OH-MW-10	4/22/2008		0.2 U	0.5 U	0.2 U			0.5 U	0.5 U	0.2 U	0.5 U	6.8	0.2 U	0.2 U	0.2 U
OH-MW-10	OH-MW-10	10/22/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	110	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	5/14/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
OH-MW-13	OH-MW-13	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	1.5	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	1.5	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	7/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	1.2	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	4/20/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/25/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	4/19/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.22	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/23/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.36	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	4/23/2008		0.2 U	0.5 U	0.2 U			0.5 U	0.5 U	0.2 U	0.5 U	0.54	0.2 U	0.2 U	0.2 U
OH-MW-13	OH-MW-13	10/23/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	4.3	0.2 U	0.2 U	0.2 U
OH-MW-17	OH-MW-17	5/13/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
OH-MW-17	OH-MW-17	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
OH-MW-18	OH-MW-18	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.49	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	7/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.5	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	10/28/2005		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	4/20/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	10/25/2006		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	4/19/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	10/23/2007		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
OH-MW-18	OH-MW-18	4/23/2008		0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
OH-MW-18	OH-MW-18	10/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	2.8	0.2 U	0.2 U	
OH-MW-24	OH-MW-24	4/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-24	OH-MW-24	10/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	17	0.2 U	0.2 U	
OH-MW-25	OH-MW-25	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-25	OH-MW-25	10/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.32	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	5/12/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
OH-MW-26	OH-MW-26	9/4/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/28/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	7/28/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/27/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	4/23/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/25/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	4/19/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/26/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	4/22/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
OH-MW-26	OH-MW-26	10/23/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	10/23/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	7/25/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	10/27/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	4/18/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-01S	RM-MW-1S	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	10/23/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	7/25/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	10/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	4/18/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-02D	RM-MW-2D	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	10/23/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-6	10/24/2003	Dup					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	5/19/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	7/25/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	10/26/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	4/18/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-03S	RM-MW-3S	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	10/23/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	7/25/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	10/26/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	4/18/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-04D	RM-MW-4D	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	10/24/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	7/26/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	10/24/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	4/19/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-05S	RM-MW-5S	10/24/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-08S	RM-MW-8S	3/24/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-08S	RM-MW-8S	5/17/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
RM-MW-08S	RM-MW-8S	6/16/2005	0.2 U	0.5 U	0.2 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
RM-MW-08S	RM-MW-8S	7/25/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-08S	RM-MW-8S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-08S	RM-MW-8S	1/24/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-08S	RM-MW-8S	4/17/2006								0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
RM-MW-08S	RM-MW-8S	7/17/2006								0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
RM-MW-08S	RM-MW-8S	10/23/2006								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-09S	RM-MW-9S	3/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	5/19/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	7/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	1/24/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	4/19/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-90S	4/19/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-900S	7/18/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-9S	10/25/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-09S	RM-MW-900S	10/25/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	9/28/2004														
RM-MW-10S	RM-MW-100	9/28/2004	Dup													
RM-MW-10S	RM-MW-10S	10/27/2004								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	5/19/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	6/16/2005	0.2 U	0.5 U	0.2 U					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	7/26/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	1/25/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-100S	1/25/2006	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	4/19/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-10S	RM-MW-10S	10/24/2006								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-11S	RM-MW-11S	7/25/2005														
RM-MW-12S	RM-MW-12S	5/17/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	6/16/2005	0.2 U	0.5 U	0.2 U					0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	7/25/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	1/24/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	4/19/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	7/18/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-12S	RM-MW-12S	10/24/2006								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-13S	RM-MW-13S	5/16/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U			0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S Dup	5/16/2005	Dup	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	6/16/2005		0.2 U	0.5 U	0.2 U				0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	7/25/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-100S	7/25/2005	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-100S	10/24/2005	Dup							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	1/25/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L			NWTPH-HCID in mg/L					
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
RM-MW-13S	RM-MW-13S	4/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	7/18/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-13S	RM-MW-13S	10/25/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	10/25/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	2/1/2007							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-14S	RM-MW-14S	4/19/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	7/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	1/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	4/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	7/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-14S	1/22/2009							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-14S	RM-MW-1400S	1/22/2009	Dup						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	10/24/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	2/1/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	4/19/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	7/25/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	1/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	4/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-15S	RM-MW-15S	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	10/24/2006							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-16S	RM-MW-16S	2/1/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	4/19/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	7/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	1/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	4/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-16S	RM-MW-16S	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	10/24/2006							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
RM-MW-17S	RM-MW-17S	2/1/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	4/19/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	7/24/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	10/22/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	1/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	4/20/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RM-MW-17S	RM-MW-17S	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	5/17/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	6/16/2005	0.2 U	0.5 U	0.2 U				0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	10/24/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	1/24/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	4/17/2006							0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ
RMSW-MW11S	RMSW-MW-11S	7/20/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U
RMSW-MW11S	RMSW-MW-11S	10/23/2006							0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ
TF-MW-01	TF-MW-1	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	610	0.2 U	0.2 U

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L			NWTPH-Gx in mg/L			NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits	
TF-MW-01	TF-MW-1	10/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	120	0.2 U	0.2 U	
TF-MW-02	TF-MW-2	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	88	0.2 U	0.2 U	
TF-MW-02	TF-MW-2	10/21/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	78	0.2 U	0.2 U	
TF-MW-03	TF-MW-3	4/23/2008				0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TF-MW-03	TF-MW-3	10/20/2008				0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TF-MW-04	TF-MW-4	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	150	0.2 U	0.2 U	
TF-MW-04	TF-MW-4	10/20/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	200	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	5/15/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
TL-MW-01A	TL-MW-1A	9/3/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.6	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	7/27/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	4/23/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	4/18/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TL-MW-01A	TL-MW-1A	4/22/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	6/16/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	7/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	10/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	4/23/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	7/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	10/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	6/16/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	7/28/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	10/29/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	1/26/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	4/23/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	7/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	10/27/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	5/16/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
WW-EW-01	WW-EW-1	9/5/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/29/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	7/29/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/28/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	4/20/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/25/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/22/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	4/23/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-01	WW-EW-1	10/22/2008						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	5/16/2003						0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
WW-EW-02	WW-EW-2	9/5/2003						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	10/29/2004						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	7/29/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	10/28/2005						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	4/23/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	10/25/2006						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	4/17/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-EW-02	WW-EW-2	10/22/2007						0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	

Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L			NWTPH-Gx in mg/L			NWTPH-HCID in mg/L							
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits		
WW-EW-02	WW-EW-2	4/24/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-EW-02	WW-EW-2	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-EW-03	WW-EW-3	4/25/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-07	WW-MW-7	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-07	WW-MW-7	10/23/2008	27	3.6	0.2 U	0.1 U	0.1 U		0.5 U	33	0.2 U	4.5	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
WW-MW-08	WW-MW-8	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	7/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	4/20/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	10/28/2006	33	2.9	0.2 U	0.1 U	0.1 U		0.5 U	0.5 D	0.2 U	0.5 D	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	4/18/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	10/23/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.32	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.24	0.2 U	0.2 U	0.2 U
WW-MW-08	WW-MW-8	10/23/2008	7.9	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	8	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-09	WW-MW-9	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-09	WW-MW-9	10/22/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
WW-MW-12	WW-MW-12	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	7/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/27/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	4/20/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/26/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/23/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	4/23/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-12	WW-MW-12	10/22/2008							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	5/12/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
WW-MW-15	WW-MW-15	9/3/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	10/28/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	7/27/2005	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	4/22/2006	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	10/25/2006	0.2 U	0.5 U	0.2 U				0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	4/18/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	10/23/2007	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	4/24/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-15	WW-MW-15	10/23/2008	0.2 U	0.5 U	0.2 U	0.1 U	0.1 U		0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	5/15/2003							0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	0.25 U
WW-MW-17	WW-MW-17	9/4/2003							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	10/29/2004							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	7/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	10/29/2005							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	4/23/2006							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	10/28/2006					0.1 U	0.1 U	0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U
WW-MW-17	WW-MW-17	4/18/2007							0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	0.2 U



**Table F-3 - Analytical Results for Petroleum Hydrocarbon Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	NWTPH-Dx in mg/L				NWTPH-Gx in mg/L				NWTPH-HCID in mg/L						
			Diesel/Fuel oil	Heavy Oil	Kerosene/ Jet Fuel	Gasoline	Stoddard Solvent/ Mineral Spirits	Bunker C	Diesel/Fuel Oil	Gasoline	Heavy Oil	Kensol	Kerosene/ Jet Fuel	Stoddard Solvent/ Mineral Spirits			
WW-MW-17	WW-MW-17	10/24/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-17	WW-MW-17	4/24/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-17	WW-MW-17	10/23/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	5/13/2003								0.63 U	0.63 U	0.25 U	0.63 U	0.25 U	0.25 U	0.25 U	
WW-MW-18	WW-MW-18	9/2/2003								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/25/2004								0.5 UJ	0.5 UJ	0.2 UJ	0.5 UJ	0.2 UJ	0.2 UJ	0.2 UJ	
WW-MW-18	WW-MW-18	7/27/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/24/2005								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	4/20/2006								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/25/2006								0.5 U	0.5 U	0.2 UJ	0.5 U	0.2 U	0.2 U	0.2 UJ	
WW-MW-18	WW-MW-18	4/18/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/23/2007								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	4/24/2008								0.5 U	0.5 U	0.2 U	0.5 U	0.2 U	0.2 U	0.2 U	
WW-MW-18	WW-MW-18	10/23/2008								0.5 U	0.5 U	0.2 U	2.9	0.2 U	0.2 U	0.2 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L																
			Aroclor 1016		Aroclor 1221		Aroclor 1232		Aroclor 1242		Aroclor 1248		Aroclor 1254		Aroclor 1260		Total PCBs		
CM-MW-01S	CM-MW-1S	10/28/2004	0.005	UJ	0.01	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.01	U	
CM-MW-01S	CM-MW-SU	3/24/2005	Dup	0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-01S	CM-MW-1S	7/26/2005		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	10/28/2005		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-01S	CM-MW-1S	1/26/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-01S	CM-MW-1S	4/20/2006		0.02	U	0.039	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.039	U
CM-MW-01S	CM-MW-1S	7/21/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	10/24/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-100S	10/24/2006	Dup	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	4/15/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	10/25/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-01S	CM-MW-1S	4/21/2008		0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-01S	CM-MW-1S	10/19/2008		0.0049	U	0.0098	U	0.0049	U	0.0055	U	0.0049	U	0.0049	U	0.0049	U	0.0098	U
CM-MW-02S	CM-MW-2S	10/27/2004		0.005	UJ	0.01	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.017	J	0.005	UJ	0.017	J
CM-MW-02S	CM-MW-2S	3/23/2005		0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-02S	CM-MW-2S	7/26/2005		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-02S	CM-MW-2S	10/27/2005		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-02S	CM-MW-2S	1/26/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-02S	CM-MW-2S	4/19/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-02S	CM-MW-2S	7/21/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-02S	CM-MW-2S	10/24/2006		0.0048	U	0.011	U	0.0059	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.011	U
CM-MW-02S	CM-MW-2S	4/19/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-02S	CM-MW-2S	10/25/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-02S	CM-MW-2S	4/21/2008		0.005	U	0.0099	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.0099	U
CM-MW-02S	CM-MW-2S	10/20/2008		0.005	U	0.01	U	0.005	U	0.0075	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-03S	CM-MW-3S	10/27/2004		0.005	UJ	0.01	UJ	0.0051	UJ	0.005	UJ	0.005	UJ	0.0043	J	0.005	UJ	0.0043	J
CM-MW-03S	CM-MW-3S	3/23/2005		0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-03S	CM-MW-3S	7/26/2005		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-SU	7/26/2005	Dup	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-03S	CM-MW-3S	10/28/2005		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-SU	10/28/2005	Dup	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	1/26/2006		0.005	U	0.0099	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.0099	U
CM-MW-03S	CM-MW-3S	4/19/2006		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-03S	CM-MW-3S	7/21/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	10/24/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	4/18/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	10/25/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-03S	CM-MW-3S	4/21/2008		0.005	U	0.0099	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.0099	U
CM-MW-03S	CM-MW-3S	10/21/2008		0.0049	U	0.034	U	0.023	U	0.0056	U	0.0049	U	0.0049	U	0.0049	U	0.034	U
CM-MW-04S	CM-MW-4S	10/27/2004		0.005	UJ	0.01	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.01	U
CM-MW-04S	CM-MW-4S	3/23/2005		0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U
CM-MW-04S	CM-MW-4S	7/26/2005		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U
CM-MW-04S	CM-MW-4S	10/27/2005		0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L																
			Aroclor 1016		Aroclor 1221		Aroclor 1232		Aroclor 1242		Aroclor 1248		Aroclor 1254		Aroclor 1260		Total PCBs		
CM-MW-04S	CM-MW-4S	1/26/2006	0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U	
CM-MW-04S	CM-MW-4S	4/19/2006	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-04S	CM-MW-4S	7/21/2006	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-04S	CM-MW-4S	10/24/2006	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-04S	CM-MW-4S	4/17/2007	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-04S	CM-MW-4S	10/25/2007	0.0049	U	0.0098	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0098	U	
CM-MW-04S	CM-MW-4S	4/20/2008	0.0049	U	0.0097	U	0.0057	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-04S	CM-MW-4S	10/20/2008	0.0049	U	0.0098	U	0.0049	U	0.0051	U	0.0049	U	0.0049	U	0.0049	U	0.0098	U	
CM-MW-05S	CM-MW-5S	10/27/2004	0.005	UJ	0.01	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.01	U	
CM-MW-05S	CM-MW-5S	3/23/2005	0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U	
CM-MW-05S	CM-MW-5S	7/26/2005	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-05S	CM-MW-5S	10/27/2005	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-05S	CM-MW-5S	1/26/2006	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-05S	CM-MW-5S	4/19/2006	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-05S	CM-MW-5S	7/21/2006	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-05S	CM-MW-5S	10/24/2006	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-05S	CM-MW-5S	4/17/2007	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-05S	CM-MW-5S	10/25/2007	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-05S	CM-MW-5S	4/20/2008	0.0049	U	0.0098	U	0.006	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0098	U	
CM-MW-05S	CM-MW-5S	10/21/2008	0.0049	U	0.011	U	0.0049	U	0.0062	U	0.0049	U	0.0049	U	0.0049	U	0.011	U	
CM-MW-06S	CM-MW-6S	10/28/2004	0.005	UJ	0.03	UJ	0.005	UJ	0.006	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.03	U	
CM-MW-06S	CM-MW-6S	3/23/2005	0.005	UJ	0.01	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.005	UJ	0.01	U	
CM-MW-06S	CM-MW-6S	7/26/2005	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-06S	CM-MW-6S	10/27/2005	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-06S	CM-MW-6S	1/26/2006	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-06S	CM-MW-6S	4/19/2006	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-06S	CM-MW-6S	7/21/2006	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0063	J	0.0048	U	0.0063	J	
CM-MW-06S	CM-MW-6S	10/24/2006	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-06S	CM-MW-6S	4/19/2007	0.0048	U	0.0098	U	0.0094	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0098	U	
CM-MW-06S	CM-MW-6S	10/25/2007	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-06S	CM-MW-6S	4/20/2008	0.0049	U	0.0098	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0098	U	
CM-MW-06S	CM-MW-6S	10/19/2008	0.0049	U	0.016	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.016	U	
CM-MW-07S	CM-MW-7S	10/27/2004	0.013	UJ	0.033	UJ	0.024	UJ	0.011	UJ	0.013	UJ	0.005	UJ	0.005	UJ	0.033	U	
CM-MW-07S	CM-MW-7S	3/23/2005	0.005	U	0.01	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.01	U	
CM-MW-07S	CM-MW-7S	7/26/2005	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-07S	CM-MW-7S	10/27/2005	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-07S	CM-MW-7S	1/26/2006	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-07S	CM-MW-7S	4/19/2006	0.0049	U	0.0097	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0097	U	
CM-MW-07S	CM-MW-7S	7/21/2006	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U	
CM-MW-07S	CM-MW-700S	7/21/2006	Dup	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-07S	CM-MW-7S	10/24/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-07S	CM-MW-7S	4/15/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
CM-MW-07S	CM-MW-7S	10/25/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
CM-MW-07S	CM-MW-7S	4/21/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
CM-MW-07S	CM-MW-7S	10/20/2008	0.005 U	0.051 U	0.017 U	0.011 U	0.0051 U	0.005 U	0.005 U	0.005 U	0.005 U	0.051 U	
CM-MW-08S	CM-MW-8S	10/28/2004	0.005 UJ	0.018 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.018 U	
CM-MW-08S	CM-MW-100	10/28/2004	Dup 0.005 UJ	0.01 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.01 U	
CM-MW-08S	CM-MW-8S	3/23/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
CM-MW-08S	CM-MW-8S	7/26/2005	0.0048 UJ	0.0096 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0096 UJ	
CM-MW-08S	CM-MW-8S	10/27/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-08S	CM-MW-8S	1/26/2006	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
CM-MW-08S	CM-MW-8S	4/19/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-08S	CM-MW-8S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-08S	CM-MW-8S	10/24/2006	0.0048 U	0.0096 U	0.0054 U	0.0037 J	0.0048 U	0.0048 U	0.0048 U	0.0011 J	0.0048 J	0.0048 J	
CM-MW-08S	CM-MW-8S	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-08S	CM-MW-8S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
CM-MW-08S	CM-MW-8S	4/21/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
CM-MW-08S	CM-MW-8S	10/20/2008	0.0049 U	0.0098 U	0.0049 U	0.0066 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
FO-MW-01S	FO-MW-1S	10/26/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0062 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-02	HL-MW-2	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-02	HL-MW-2	10/27/2006	0.012 U	0.0096 U	0.035 U	0.025 U	0.031 U	0.065 U	0.095 JP	0.16 JP	0.16 JP	0.16 JP	
HL-MW-02	HL-MW-2	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.051 U	0.088 U	0.139 U	0.139 U	0.139 U	
HL-MW-02	HL-MW-2	4/16/2007	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0089 U	0.01 U	0.0189 U	0.0189 U	0.0189 U	
HL-MW-02	HL-MW-2	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.042 U	0.08 U	0.11 U	0.11 U	0.11 U	0.11 U	
HL-MW-02	HL-MW-2	1/24/2008	0.0062 UJ	0.039 UJ	0.0093 UJ	0.017 UJ	0.019 UJ	0.012 UJ	0.06 J	0.06 J	0.06 J	0.06 J	
HL-MW-02	HL-MW-2	4/22/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-02	HL-MW-2	10/19/2008	0.068 UJC	0.4 UJC	0.15 UJC	0.075 UJC	0.045 UJC	0.048 UJC	0.094 UJC	0.4 UJC	0.4 UJC	0.4 UJC	
HL-MW-04	HL-MW-4	5/14/2003	0.077 Ui	0.064 Ui	0.19 Ui	0.11 U	0.041 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.11 U	
HL-MW-04	HL-MW-4	3/4/2004	0.0048 U	0.0095 U	0.0048 U	0.11 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.11 U	
HL-MW-04	HL-MW-4	6/30/2004	0.005 U	0.01 U	0.005 U	0.11 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.11 U	
HL-MW-04	HL-MW-4	10/26/2004	0.08 U	0.023 U	0.18 U	0.1 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.1 U	
HL-MW-04	HL-MW-4	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.084 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.084 U	
HL-MW-04	HL-MW-4	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.094 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.094 U	
HL-MW-04	HL-MW-4	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.12 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.12 J	
HL-MW-04	HL-MW-4	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.11 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.11 U	
HL-MW-04	HL-MW-4	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.087 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.087 U	
HL-MW-04	HL-MW-4	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.075 JP	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.075 JP	
HL-MW-04	HL-MW-4	10/20/2008	0.005 U	0.0099 U	0.005 U	0.11 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.11 U	
HL-MW-05	HL-MW-5	5/14/2003	0.085 Ui	0.074 Ui	0.13 Ui	0.12 U	0.046 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.12 U	
HL-MW-05	HL-MW-5	9/3/2003	0.005 U	0.01 U	0.005 U	0.086 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.086 U	
HL-MW-05	HL-MW-5	10/23/2003	0.005 U	0.01 U	0.005 U	0.18 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.18 U	
HL-MW-05	HL-MW-5	3/4/2004	0.0049 U	0.0097 U	0.0049 U	0.09 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.09 U	
HL-MW-05	HL-MW-5	6/30/2004	0.005 U	0.01 U	0.005 U	0.1 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.1 U	
HL-MW-05	HL-MW-5 Jar Test	6/30/2004	Dup 0.005 U	0.01 U	0.005 U	0.099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.099 U	
HL-MW-05	HL-MW-5	10/29/2004	0.005 U	0.01 U	0.005 U	0.11 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.11 JP	
HL-MW-05	HL-MW-5	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.085 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.085 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
HL-MW-05	HL-MW-5	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.1	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.1		
HL-MW-05	HL-MW-5	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.12	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.12		
HL-MW-05	HL-MW-5	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.14 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.14 J		
HL-MW-05	HL-MW-5	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.093	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.093		
HL-MW-05	HL-MW-5	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.15	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15		
HL-MW-05	HL-MW-5	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.14	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.14 U		
HL-MW-05	HL-MW-5	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.084	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.084		
HL-MW-05	HL-MW-5	1/25/2008	0.005 U	0.0099 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11		
HL-MW-05	HL-MW-5	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.1	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.1		
HL-MW-05	HL-MW-5	7/23/2008	0.005 U	0.01 U	0.005 U	0.2	0.005 U	0.005 U	0.005 U	0.005 U	0.2		
HL-MW-05	HL-MW-5	10/20/2008	0.005 U	0.01 U	0.005 U	0.13	0.005 U	0.005 U	0.005 U	0.005 U	0.13		
HL-MW-06A	HL-MW-6A	5/14/2003	0.033 U	0.051 U	0.085 U	0.045 U	0.016 U	0.005 U	0.005 U	0.005 U	0.085 U		
HL-MW-06A	HL-MW-6A	9/3/2003	0.012 U	0.06 U	0.044 U	0.016 U	0.0079 U	0.005 U	0.005 U	0.005 U	0.06 U		
HL-MW-06A	HL-MW-6A	10/24/2003	0.005 U	0.01 U	0.005 U	0.044	0.005 U	0.005 U	0.005 U	0.005 U	0.044		
HL-MW-06A	HL-MW-6A	3/5/2004	0.005 U	0.01 U	0.005 U	0.021	0.005 U	0.005 U	0.005 U	0.005 U	0.021		
HL-MW-06A	HL-MW-6A	6/30/2004	0.005 U	0.01 U	0.005 U	0.037 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.037 JP		
HL-MW-06A	HL-MW-6A	10/26/2004	0.021 U	0.058 U	0.045 U	0.036	0.0057 U	0.005 U	0.005 U	0.005 U	0.036		
HL-MW-06A	HL-MW-6A	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.016	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.016		
HL-MW-06A	HL-MW-6A	1/25/2006	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
HL-MW-06A	HL-MW-6A	4/19/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
HL-MW-06A	HL-MW-6A	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.02 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.02 J		
HL-MW-06A	HL-MW-6A	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.011	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.011		
HL-MW-06A	HL-MW-6A	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.013	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.013		
HL-MW-06A	HL-MW-6A	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.027	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.027		
HL-MW-06A	HL-MW-6A	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.017	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.017		
HL-MW-06A	HL-MW-6A	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.027	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.027		
HL-MW-06A	HL-MW-6A	1/25/2008	0.005 U	0.0099 U	0.005 U	0.04	0.005 U	0.005 U	0.005 U	0.005 U	0.04		
HL-MW-06A	HL-MW-6A	4/22/2008	0.005 U	0.0099 U	0.005 U	0.019	0.005 U	0.005 U	0.005 U	0.005 U	0.019		
HL-MW-06A	HL-MW-6A	7/23/2008	0.005 U	0.0099 U	0.005 U	0.039	0.005 U	0.005 U	0.005 U	0.005 U	0.039		
HL-MW-06A	HL-MW-6A	10/19/2008	0.005 U	0.01 U	0.005 U	0.043	0.005 U	0.005 U	0.005 U	0.005 U	0.043		
HL-MW-07S	HL-MW-7S	5/14/2003	0.073 Ui	0.12 Ui	0.17 Ui	0.1 JP	0.051 Ui	0.005 U	0.005 U	0.005 U	0.1 JP		
HL-MW-07S	HL-MW-7S	9/3/2003	0.005 U	0.01 U	0.005 U	0.06	0.005 U	0.005 U	0.005 U	0.005 U	0.06		
HL-MW-07S	HL-MW-7S	10/23/2003	0.005 U	0.01 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11		
HL-MW-07S	HL-MW-7S	3/5/2004	0.005 U	0.01 U	0.005 U	0.12	0.005 U	0.005 U	0.005 U	0.005 U	0.12		
HL-MW-07S	HL-MW-7S	6/30/2004	0.005 U	0.01 U	0.005 U	0.13 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.13 JP		
HL-MW-07S	HL-MW-7S	10/26/2004	0.092 U	0.11 U	0.22 U	0.13	0.077 U	0.02 U	0.005 U	0.005 U	0.13		
HL-MW-07S	HL-MW-7S	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.046	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.046		
HL-MW-07S	HL-MW-7S	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.11	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.11		
HL-MW-07S	HL-MW-7S	1/23/2006	0.0049 U	0.0097 U	0.0049 U	0.13	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.13		
HL-MW-07S	HL-MW-7S	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.23	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.23		
HL-MW-07S	HL-MW-7S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.078 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.078 J		
HL-MW-07S	HL-MW-7S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.088	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.088		
HL-MW-07S	HL-MW-7S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.069	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.069		

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L											
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs				
HL-MW-07S	HL-MW-7S	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13			
HL-MW-07S	HL-MW-700S	4/15/2007	Dup 0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13			
HL-MW-07S	HL-MW-7S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.058	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.058			
HL-MW-07S	HL-MW-7S	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.1	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.1			
HL-MW-07S	HL-MW-7S	1/24/2008	0.0049 U	0.0098 U	0.0049 U	0.069	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.069			
HL-MW-07S	HL-MW-7S	4/21/2008	0.005 U	0.0099 U	0.005 U	0.095	0.005 U	0.005 U	0.005 U	0.005 U	0.095			
HL-MW-07S	HL-MW-7S	7/23/2008	0.005 U	0.01 U	0.005 U	0.052	0.005 U	0.005 U	0.005 U	0.005 U	0.052			
HL-MW-07S	HL-MW-7S	10/19/2008	0.005 U	0.0099 U	0.005 U	0.047	0.005 U	0.005 U	0.005 U	0.005 U	0.047			
HL-MW-08D	HL-MW-8D	5/14/2003	0.04 Ui	0.15 Ui	0.092 Ui	0.056 Ui	0.071 Ui	0.005 U	0.005 U	0.005 U	0.15 U			
HL-MW-08D	HL-MW-8D	9/3/2003	0.005 U	0.01 U	0.005 U	0.033	0.005 U	0.005 U	0.005 U	0.005 U	0.033			
HL-MW-08D	HL-MW-8D	10/23/2003	0.005 U	0.01 U	0.005 U	0.1	0.005 U	0.005 U	0.005 U	0.005 U	0.1			
HL-MW-08D	HL-MW-8D	3/5/2004	0.005 U	0.01 U	0.005 U	0.058	0.005 U	0.005 U	0.005 U	0.005 U	0.058			
HL-MW-08D	HL-MW-8D	6/30/2004	0.005 U	0.01 U	0.005 U	0.08	0.005 U	0.005 U	0.005 U	0.005 U	0.08			
HL-MW-08D	HL-MW-8D	10/26/2004	0.041 U	0.057 U	0.088 U	0.057	0.005 U	0.005 U	0.005 U	0.005 U	0.057			
HL-MW-08D	HL-MW-8D	7/28/2005	0.0049 U	0.0097 U	0.0049 U	0.027	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.027			
HL-MW-08D	HL-MW-8D	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.083	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.083			
HL-MW-08D	HL-MW-8D	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.096	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.096			
HL-MW-08D	HL-MW-8D	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.052	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.052			
HL-MW-08D	HL-MW-8D	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.074	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.074			
HL-MW-08D	HL-MW-8D	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.059	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.059			
HL-MW-08D	HL-MW-8D	4/21/2008	0.005 U	0.01 U	0.005 U	0.049	0.005 U	0.005 U	0.005 U	0.005 U	0.049			
HL-MW-08D	HL-MW-8D	10/19/2008	0.005 U	0.01 U	0.005 U	0.035	0.005 U	0.005 U	0.005 U	0.005 U	0.035			
HL-MW-09D	HL-MW-9D	5/14/2003	0.028 Ui	0.044 Ui	0.088 Ui	0.039 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.088 U			
HL-MW-09D	HL-MW-9D	9/3/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	3/5/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	10/26/2004	0.0081 U	0.08 U	0.022 U	0.025 U	0.005 U	0.005 U	0.005 U	0.005 U	0.08 U			
HL-MW-09D	HL-MW-9D	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
HL-MW-09D	HL-MW-9D	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
HL-MW-09D	HL-MW-9D	4/22/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
HL-MW-09D	HL-MW-9D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0072	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0072			
HL-MW-09D	HL-MW-9D	4/15/2007	0.0048 U	0.0096 U	0.0057 U	0.0079 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
HL-MW-09D	HL-MW-9D	10/25/2007	0.0048 U	0.0096 U	0.0062 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U			
HL-MW-09D	HL-MW-9D	4/22/2008	0.005 U	0.01 U	0.0053 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-09D	HL-MW-9D	10/19/2008	0.005 U	0.01 U	0.005 U	0.0088 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.0088 JP			
HL-MW-10S	HL-MW-10S	5/12/2003	0.014 Ui	0.064 Ui	0.035 Ui	0.02 Ui	0.059 Ui	0.005 U	0.005 U	0.005 U	0.064 U			
HL-MW-10S	HL-MW-10S	9/3/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-10S	HL-MW-10S	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-10S	HL-MW-10S	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U			
HL-MW-10S	HL-MW-10S	10/26/2004	0.005 U	0.036 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.036 U			
HL-MW-10S	HL-MW-10S	7/28/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			
HL-MW-10S	HL-MW-10S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U			

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
HL-MW-10S	HL-MW-10S	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-10S	HL-MW-10S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-10S	HL-MW-10S	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-10S	HL-MW-10S	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-10S	HL-MW-10S	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-10S	HL-MW-10S	10/19/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-11D	HL-MW-11D	5/12/2003	0.012 Ui	0.063 Ui	0.034 Ui	0.016 Ui	0.012 Ui	0.005 U	0.005 U	0.005 U	0.063 U	
HL-MW-11D	HL-MW-11D	9/3/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-11D	HL-MW-11D	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-11D	HL-MW-11D	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-12S	HL-MW-12S	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-12S	HL-MW-12S	3/4/2004	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-12S	HL-MW-12S	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-12S	HL-MW-12S	10/26/2004	0.005 U	0.037 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.037 U	
HL-MW-12S	HL-MW-12S	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-12S	HL-MW-12S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-12S	HL-MW-12S	4/22/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-12S	HL-MW-12S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-12S	HL-MW-12S	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-12S	HL-MW-12S	10/23/2007	0.0048 U	0.0096 U	0.0053 U	0.005 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-12S	HL-MW-12S	4/21/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-12S	HL-MW-12S	10/21/2008	0.005 U	0.0099 U	0.005 U	0.0065 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-13DD	HL-MW-13DD	10/23/2003	0.005 U	0.01 U	0.005 U	0.084	0.005 U	0.005 U	0.005 U	0.005 U	0.084	
HL-MW-13DD	HL-MW-1K	10/23/2003	Dup	0.005 U	0.01 U	0.005 U	0.098	0.005 U	0.005 U	0.005 U	0.098	
HL-MW-13DD	HL-MW-13DD	3/4/2004		0.0049 U	0.0097 U	0.0049 U	0.066	0.0049 U	0.0049 U	0.0049 U	0.066	
HL-MW-13DD	HL-MW-1K	3/4/2004	Dup	0.0049 U	0.0098 U	0.0049 U	0.052	0.0049 U	0.0049 U	0.0049 U	0.052	
HL-MW-13DD	HL-MW-13DD	6/30/2004		0.005 U	0.01 U	0.005 U	0.055	0.005 U	0.005 U	0.005 U	0.055	
HL-MW-13DD	HL-MW-1K	6/30/2004	Dup	0.005 U	0.01 U	0.005 U	0.055	0.005 U	0.005 U	0.005 U	0.055	
HL-MW-13DD	HL-MW-13DD	10/26/2004		0.044 U	0.071 U	0.11 U	0.061	0.005 U	0.005 U	0.005 U	0.061	
HL-MW-13DD	HL-MW-1K	10/26/2004	Dup	0.005 U	0.01 U	0.005 U	0.048	0.005 U	0.005 U	0.005 U	0.048	
HL-MW-13DD	HL-MW-13DD	7/27/2005		0.0048 U	0.0096 U	0.0048 U	0.023	0.0048 U	0.0048 U	0.0048 U	0.023	
HL-MW-13DD	HL-MW-1K	7/27/2005	Dup	0.0048 U	0.0096 U	0.0048 U	0.025	0.0048 U	0.0048 U	0.0048 U	0.025	
HL-MW-13DD	HL-MW-13DD	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.088	0.0049 U	0.0049 U	0.0049 U	0.088	
HL-MW-13DD	HL-MW-1K	10/24/2005	Dup	0.0049 U	0.0098 U	0.0049 U	0.087	0.0049 U	0.0049 U	0.0049 U	0.087	
HL-MW-13DD	HL-MW-13DD	1/23/2006		0.0049 U	0.0097 U	0.0049 U	0.043	0.0049 U	0.0049 U	0.0049 U	0.043	
HL-MW-13DD	HL-MW-1K	1/23/2006	Dup	0.0049 U	0.0097 U	0.0049 U	0.048	0.0049 U	0.0049 U	0.0049 U	0.048	
HL-MW-13DD	HL-MW-13DD	4/20/2006		0.0048 U	0.0096 U	0.0048 U	0.064	0.0048 U	0.0048 U	0.0048 U	0.064	
HL-MW-13DD	HL-MW-13DD	7/18/2006		0.0048 U	0.0096 U	0.0048 U	0.08 J	0.0048 U	0.0048 U	0.0048 U	0.08 J	
HL-MW-13DD	HL-MW-13DD	10/26/2006		0.0048 U	0.0096 U	0.0048 U	0.068	0.0048 U	0.0048 U	0.0048 U	0.068	
HL-MW-13DD	HL-MW-130DD	10/26/2006	Dup	0.0048 U	0.0096 U	0.0048 U	0.078	0.0048 U	0.0048 U	0.0048 U	0.078	
HL-MW-13DD	HL-MW-13DD	4/15/2007		0.0048 U	0.0096 U	0.0048 U	0.094	0.0048 U	0.0048 U	0.0048 U	0.094	
HL-MW-13DD	HL-MW-13DD	10/23/2007		0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.13	
HL-MW-13DD	HL-MW-13DD	4/21/2008		0.005 U	0.01 U	0.005 U	0.1	0.005 U	0.005 U	0.005 U	0.1	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
HL-MW-13DD	HL-MW-13DD	10/19/2008	0.005 U	0.01 U	0.005 U	0.084	0.005 U	0.005 U	0.005 U	0.005 U	0.084	
HL-MW-14S	HL-MW-14S	10/24/2003	0.005 U	0.01 U	0.005 U	0.22 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.22 JP	
HL-MW-14S	HL-MW-14S	3/4/2004	0.0048 U	0.0096 U	0.0048 U	0.2	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.2	
HL-MW-14S	HL-MW-14S	6/30/2004	0.005 U	0.01 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.005 U	0.15	
HL-MW-14S	HL-MW-14S	10/26/2004	0.099 U	0.025 U	0.18 U	0.12	0.005 U	0.005 U	0.005 U	0.005 U	0.12	
HL-MW-14S	HL-MW-14S	7/27/2005	0.0049 U	0.0097 U	0.0049 U	0.12	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.12	
HL-MW-14S	HL-MW-14S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.12	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.12	
HL-MW-14S	HL-MW-14S	1/23/2006	0.0049 U	0.0097 U	0.0049 U	0.099	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.099	
HL-MW-14S	HL-MW-14S	4/21/2006	0.005 U	0.01 U	0.005 U	0.21	0.005 U	0.005 U	0.005 U	0.005 U	0.21	
HL-MW-14S	HL-MW-14S	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.23 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.23 J	
HL-MW-14S	HL-MW-14S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.15	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15	
HL-MW-14S	HL-MW-14S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.18	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.18	
HL-MW-14S	HL-MW-14S	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.16	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.16	
HL-MW-14S	HL-MW-14S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.23	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.23	
HL-MW-14S	HL-MW-14S	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
HL-MW-14S	HL-MW-14S	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.28	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.28	
HL-MW-14S	HL-MW-14S	4/21/2008	0.005 U	0.0099 U	0.005 U	0.16	0.005 U	0.005 U	0.005 U	0.005 U	0.16	
HL-MW-14S	HL-MW-14S	7/23/2008	0.0049 U	0.0098 U	0.0049 U	0.17	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.17	
HL-MW-14S	HL-MW-14S	10/24/2008	0.005 U	0.01 U	0.005 U	0.29	0.005 U	0.005 U	0.005 U	0.005 U	0.29	
HL-MW-15DD	HL-MW-15DD	10/23/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-15DD	HL-MW-15DD	3/4/2004	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-15DD	HL-MW-15DD	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-15DD	HL-MW-15DD	10/26/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-15DD	HL-MW-15DD	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-15DD	HL-MW-15DD	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-15DD	HL-MW-15DD	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-15DD	HL-MW-15DD	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-15DD	HL-MW-15DD	4/15/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-15DD	HL-MW-15DD	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-15DD	HL-MW-15DD	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-15DD	HL-MW-15DD	10/20/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-16S	HL-MW-16S	10/23/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	3/5/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	10/26/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-16S	HL-MW-16S	1/23/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-16S	HL-MW-16S	4/22/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-16S	HL-MW-16S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	



Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
HL-MW-16S	HL-MW-16S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-16S	HL-MW-16S	1/24/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	4/22/2008	0.005 U	0.021 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0053 U	0.005 U	0.021 U	
HL-MW-16S	HL-MW-16S	7/23/2008	0.005 U	0.01 U	0.0067 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-16S	HL-MW-16S	10/21/2008	0.005 U	0.0099 U	0.005 U	0.0079 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-17S	HL-MW-17S	10/23/2003	0.005 U	0.01 U	0.005 U	0.21	0.005 U	0.005 U	0.005 U	0.005 U	0.21	
HL-MW-17S	HL-MW-17S	3/5/2004	0.0052 U	0.011 U	0.0052 U	0.19	0.0052 U	0.0052 U	0.0052 U	0.0052 U	0.19	
HL-MW-17S	HL-MW-17S	6/30/2004	0.005 U	0.01 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11	
HL-MW-17S	HL-MW-17S	10/26/2004	0.13 U	0.088 U	0.28 U	0.18	0.005 U	0.005 U	0.005 U	0.005 U	0.18	
HL-MW-17S	HL-MW-17S	5/17/2005	0.005 U	0.01 U	0.005 U	0.078	0.005 U	0.005 U	0.005 U	0.005 U	0.078	
HL-MW-17S	HL-MW-17S	6/16/2005	0.005 U	0.01 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.005 U	0.15	
HL-MW-17S	HL-MW-17S	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.1	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.1	
HL-MW-17S	HL-MW-17S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.11	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.11	
HL-MW-17S	HL-MW-17S	1/24/2006	0.0049 U	0.0097 U	0.0049 U	0.084	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.084	
HL-MW-17S	HL-MW-17S	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.093	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.093	
HL-MW-17S	HL-MW-17S	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.13 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13 J	
HL-MW-17S	HL-MW-17S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.16 P	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.16 JP	
HL-MW-17S	HL-MW-17S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.11	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.11	
HL-MW-17S	HL-MW-17S	4/16/2007	0.0049 U	0.0097 U	0.0049 U	0.11	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.11	
HL-MW-17S	HL-MW-17S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.16	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.16	
HL-MW-17S	HL-MW-17S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13	
HL-MW-17S	HL-MW-17S	1/25/2008	0.005 U	0.01 U	0.005 U	0.16	0.005 U	0.005 U	0.005 U	0.005 U	0.16	
HL-MW-17S	HL-MW-17S	4/21/2008	0.0049 U	0.0098 U	0.0049 U	0.1	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.1	
HL-MW-17S	HL-MW-17S	7/23/2008	0.005 U	0.01 U	0.005 U	0.12	0.005 U	0.005 U	0.005 U	0.005 U	0.12	
HL-MW-17S	HL-MW-17S	10/21/2008	0.005 U	0.01 U	0.005 U	0.2	0.005 U	0.005 U	0.005 U	0.005 U	0.2	
HL-MW-18S	HL-MW-18S	3/24/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-18S	HL-MW-18S	7/27/2005	0.0048 U	0.0096 U	0.0048 U	0.011	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.011	
HL-MW-18S	HL-MW-18S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0081	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0081	
HL-MW-18S	HL-MW-18S	1/27/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-18S	HL-MW-18S	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
HL-MW-18S	HL-MW-18S	7/19/2006	0.0048 U	0.0096 U	0.0072 U	0.0065 U	0.0053 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-18S	HL-MW-18S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.008 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-18S	HL-MW-18S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.018	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.018	
HL-MW-18S	HL-MW-18S	4/16/2007	0.005 U	0.0099 U	0.005 U	0.0089	0.005 U	0.005 U	0.005 U	0.005 U	0.0089	
HL-MW-18S	HL-MW-18S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0067 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-18S	HL-MW-18S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.012	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.012	
HL-MW-18S	HL-MW-18S	1/24/2008	0.0049 U	0.0098 U	0.0049 U	0.012	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.012	
HL-MW-18S	HL-MW-18S	4/21/2008	0.0049 U	0.0098 U	0.0049 U	0.018	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.018	
HL-MW-18S	HL-MW-18S	7/23/2008	0.005 U	0.0099 U	0.005 U	0.018	0.005 U	0.005 U	0.005 U	0.005 U	0.018	
HL-MW-18S	HL-MW-18S	10/21/2008	0.0049 U	0.0098 U	0.0049 U	0.01 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.01 U	
HL-MW-19S	HL-MW-19S	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-23S	HL-MW-23S	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
HL-MW-23S	HL-MW-23S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-23S	HL-MW-23S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0069	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0069	
HL-MW-23S	HL-MW-23S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.014	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.014	
HL-MW-23S	HL-MW-23S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0069 JP	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0069 JP	
HL-MW-23S	HL-MW-23S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-23S	HL-MW-23S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0051	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0051	
HL-MW-23S	HL-MW-23S	1/25/2008	0.005 U	0.0099 U	0.0071 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-23S	HL-MW-23S	4/22/2008	0.0069 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-23S	HL-MW-23S	7/24/2008	0.0059 U	0.013 U	0.016 U	0.018 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.018 U	
HL-MW-23S	HL-MW-23S	10/24/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
HL-MW-24DD	HL-MW-24DD	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-24DD	HL-MW-240DD	4/21/2006	Dup	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
HL-MW-24DD	HL-MW-24DD	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	4/15/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
HL-MW-24DD	HL-MW-24DD	4/21/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-24DD	HL-MW-24DD	10/24/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
HL-MW-25S	HL-MW-25S	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.29	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.29	
HL-MW-25S	HL-MW-25S	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.21 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.21 J	
HL-MW-25S	HL-MW-25S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.15	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15	
HL-MW-25S	HL-MW-25S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.21	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.21	
HL-MW-25S	HL-MW-25S	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.3	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.3	
HL-MW-25S	HL-MW-25S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.17 JP	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17 JP	
HL-MW-25S	HL-MW-25S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
HL-MW-25S	HL-MW-25S	1/25/2008	0.005 U	0.0099 U	0.005 U	0.2	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.2	
HL-MW-25S	HL-MW-25S	4/21/2008	0.0049 U	0.0098 U	0.0049 U	0.18	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.18	
HL-MW-25S	HL-MW-25S	7/23/2008	0.005 U	0.01 U	0.005 U	0.35	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.35	
HL-MW-25S	HL-MW-25S	10/19/2008	0.005 U	0.01 U	0.005 U	0.23 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.23 JP	
HL-MW-25S	HL-MW-2500S	10/19/2008	Dup	0.005 U	0.01 U	0.005 U	0.22 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.22 JP	
HL-MW-26S	HL-MW-26S	4/21/2006	0.0048 U	0.0096 U	0.0048 U	0.25	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.25	
HL-MW-26S	HL-MW-26S	7/19/2006	0.0048 U	0.0096 U	0.0048 U	0.028 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.028 J	
HL-MW-26S	HL-MW-26S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.023	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.023	
HL-MW-26S	HL-MW-26S	1/31/2007	0.0048 U	0.0096 U	0.0048 U	0.04	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.04	
HL-MW-26S	HL-MW-2600S	1/31/2007	Dup	0.0048 U	0.0096 U	0.0048 U	0.032	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.032	
HL-MW-26S	HL-MW-26S	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
HL-MW-26S	HL-MW-2600S	4/16/2007	Dup	0.0048 U	0.0096 U	0.0048 U	0.2	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.2	
HL-MW-26S	HL-MW-26S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.024	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.024	
HL-MW-26S	HL-MW-2600S	10/24/2007	Dup	0.0048 U	0.0096 U	0.0048 U	0.024	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.024	
HL-MW-26S	HL-MW-26S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.026	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.026	
HL-MW-26S	HL-MW-26S	1/24/2008	0.0049 U	0.0098 U	0.0049 U	0.025	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.025	
HL-MW-26S	HL-MW-26S	4/21/2008	0.005 U	0.0099 U	0.005 U	0.067	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.067	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled		PCBs in µg/L															
				Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs								
HL-MW-26S	HL-MW-2600S	4/21/2008	Dup	0.0049	U	0.0098	U	0.0049	U	0.067		0.0049	U	0.0049	U	0.0049	U	0.067	
HL-MW-26S	HL-MW-26S	7/23/2008		0.005	U	0.01	U	0.005	U	0.041		0.005	U	0.005	U	0.005	U	0.041	
HL-MW-26S	HL-MW-26S	10/22/2008		0.005	U	0.0099	U	0.005	U	0.005	U	0.038		0.032		0.005	U	0.07	
HL-MW-27D	HL-MW-27D	4/22/2006		0.005	U	0.0099	U	0.005	U	0.005	U	0.005	U	0.005	U	0.005	U	0.0099	U
HL-MW-27D	HL-MW-27D	7/19/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	10/27/2006		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	1/31/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-2700D	1/31/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	4/16/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-2700D	4/16/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	10/24/2007		0.0048	U	0.0096	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0048	U	0.0096	U
HL-MW-27D	HL-MW-27D	4/21/2008		0.0049	U	0.0098	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0049	U	0.0098	U
HL-MW-27D	HL-MW-27D	10/21/2008		0.005	U	0.01	U	0.005	U	0.0085	U	0.005	U	0.005	U	0.005	U	0.01	U
HL-MW-28DD	HL-MW-28DD	10/26/2006		0.0048	U	0.0096	U	0.0048	U	0.096	P	0.0048	U	0.0048	U	0.0048	U	0.096	JP
HL-MW-28DD	HL-MW-280DD	10/26/2006	Dup	0.0048	U	0.0096	U	0.0048	U	0.095		0.0048	U	0.0048	U	0.0048	U	0.095	
HL-MW-28DD	HL-MW-28DD	1/31/2007		0.0048	U	0.0096	U	0.0048	U	0.074		0.0048	U	0.0048	U	0.0048	U	0.074	
HL-MW-28DD	HL-MW-28DD	4/15/2007		0.0049	U	0.0098	U	0.0049	U	0.16		0.0049	U	0.0049	U	0.0049	U	0.16	
HL-MW-28DD	HL-MW-2800DD	4/15/2007	Dup	0.0054	U	0.011	U	0.0054	U	0.15		0.0054	U	0.0054	U	0.0054	U	0.15	
HL-MW-28DD	HL-MW-28DD	7/24/2007		0.0048	U	0.0096	U	0.0048	U	0.074		0.0048	U	0.0048	U	0.0048	U	0.074	
HL-MW-28DD	HL-MW-2800DD	7/24/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.079		0.0048	U	0.0048	U	0.0048	U	0.079	
HL-MW-28DD	HL-MW-28DD	10/23/2007		0.0048	U	0.0096	U	0.0048	U	0.18		0.0048	U	0.0048	U	0.0048	U	0.18	
HL-MW-28DD	HL-MW-2800DD	10/23/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.18		0.0048	U	0.0048	U	0.0048	U	0.18	
HL-MW-28DD	HL-MW-28DD	1/24/2008		0.0049	U	0.0098	U	0.0049	U	0.15		0.0049	U	0.0049	U	0.0049	U	0.15	
HL-MW-28DD	HL-MW-2800DD	1/24/2008	Dup	0.0049	U	0.0098	U	0.0049	U	0.1		0.0049	U	0.0049	U	0.0049	U	0.1	
HL-MW-28DD	HL-MW-28DD	4/21/2008		0.005	U	0.01	U	0.005	U	0.16		0.005	U	0.005	U	0.005	U	0.16	
HL-MW-28DD	HL-MW-2800DD	4/21/2008	Dup	0.0049	U	0.0098	U	0.0049	U	0.17		0.0049	U	0.0049	U	0.0049	U	0.17	
HL-MW-28DD	HL-MW-28DD	10/19/2008		0.005	U	0.01	U	0.005	U	0.17		0.005	U	0.005	U	0.005	U	0.17	
HL-MW-28DD	HL-MW-2800DD	10/19/2008	Dup	0.005	U	0.0099	U	0.005	U	0.19		0.005	U	0.005	U	0.005	U	0.19	
HL-MW-29S	HL-MW-29S	7/24/2007		0.0048	U	0.0096	U	0.0048	U	0.52		0.0048	U	0.0048	U	0.0048	U	0.52	
HL-MW-29S	HL-MW-29S	10/24/2007		0.0048	U	0.0096	U	0.0048	U	0.44		0.0048	U	0.0048	U	0.0048	U	0.44	
HL-MW-29S	HL-MW-2900S	10/24/2007	Dup	0.0048	U	0.0096	U	0.0048	U	0.48		0.0048	U	0.0048	U	0.0048	U	0.48	
HL-MW-29S	HL-MW-29S	1/24/2008		0.005	U	0.0099	U	0.005	U	0.4	JP	0.005	U	0.005	U	0.005	U	0.4	JP
HL-MW-29S	HL-MW-2900S	1/24/2008	Dup	0.005	U	0.01	U	0.005	U	0.38		0.005	U	0.005	U	0.005	U	0.38	
HL-MW-29S	HL-MW-29S	4/22/2008		0.0049	U	0.0098	U	0.0049	U	0.24		0.0049	U	0.0049	U	0.0049	U	0.24	
HL-MW-29S	HL-MW-2900S	4/22/2008	Dup	0.005	U	0.0099	U	0.005	U	0.25		0.005	U	0.005	U	0.005	U	0.25	
HL-MW-29S	HL-MW-29S	7/23/2008		0.05	U	0.1	U	0.05	U	1		0.05	U	0.05	U	0.05	U	1	
HL-MW-29S	HL-MW-2900S	7/23/2008	Dup	0.05	U	0.1	U	0.05	U	0.93		0.05	U	0.05	U	0.05	U	0.93	
HL-MW-29S	HL-MW-29S	10/22/2008		0.005	U	0.01	U	0.005	U	0.51		0.005	U	0.005	U	0.005	U	0.51	
HL-MW-29S	HL-MW-2900S	10/22/2008	Dup	0.025	U	0.049	U	0.025	U	0.54		0.025	U	0.025	U	0.025	U	0.54	
HL-MW-30S	HL-MW-30S	7/24/2007		0.0048	U	0.0096	U	0.0048	U	0.16	JP	0.0048	U	0.0048	U	0.0048	U	0.16	JP
HL-MW-30S	HL-MW-30S	10/24/2007		0.0048	U	0.0096	U	0.0048	U	0.11	P	0.0048	U	0.0048	U	0.0048	U	0.11	
HL-MW-30S	HL-MW-30S	1/25/2008		0.0049	U	0.0098	U	0.0049	U	0.12		0.0049	U	0.0049	U	0.0049	U	0.12	
HL-MW-30S	HL-MW-30S	4/23/2008		0.005	U	0.0099	U	0.005	U	0.1	JP	0.005	U	0.005	U	0.005	U	0.1	JP

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled		PCBs in µg/L										
				Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
HL-MW-30S	HL-MW-3000S	4/23/2008	Dup	0.0049 U	0.0097 U	0.0049 U	0.1 JP	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.1 JP		
HL-MW-30S	HL-MW-30S	7/24/2008		0.0049 U	0.0098 U	0.0049 U	0.15	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.15		
HL-MW-30S	HL-MW-3000S	7/24/2008	Dup	0.0049 U	0.0097 U	0.0049 U	0.15	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.15		
HL-MW-30S	HL-MW-30S	10/19/2008		0.005 U	0.01 U	0.005 U	0.12 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.12 JP		
MW-02	MW-2D	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-02	MW-2D	10/25/2004		0.005 U	0.016 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.016 U		
MW-02	MW-2S	10/25/2004		0.005 U	0.018 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.018 U		
MW-02	MW-2D	7/28/2005		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-02	MW-2S	7/28/2005		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-02	MW-2D	4/21/2006		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
MW-02	MW-2S	4/21/2006		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
MW-02	MW-2D	10/27/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
MW-02	MW-2S	10/27/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
MW-02D	MW-2D	5/12/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-02D	MW-2D	6/30/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-02D	MW-2D	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
MW-02S	MW-2S	5/12/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-02S	MW-2S	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-02S	MW-2S	6/30/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-02S	MW-2S	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
MW-08	MW-8	5/13/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-08	MW-8	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-08	MW-8	6/29/2004		0.0048 U	0.07 Ui	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.07 U		
MW-08	MW-8	10/25/2004		0.005 U	0.043 U	0.0095 U	0.0057 U	0.005 U	0.005 U	0.005 U	0.005 U	0.043 U		
MW-08	MW-8	7/29/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
MW-08	MW-8	10/26/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
MW-08	MW-8	4/22/2006		0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
MW-08	MW-8	10/27/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
MW-08	MW-8	4/18/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
MW-08	MW-8	10/25/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
MW-08	MW-8	4/23/2008		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
MW-08	MW-8	10/21/2008		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-09	MW-9	5/13/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-09	MW-9	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-09	MW-9	6/29/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-09	MW-9	4/18/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
MW-09	MW-9	10/25/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
MW-09	MW-9	4/23/2008		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
MW-09	MW-9	10/21/2008		0.005 U	0.01 U	0.005 U	0.0093 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-12A	MW-12A	5/12/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-12A	MW-12A	9/2/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-12A	MW-12A	10/22/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
MW-12A	MW-12A	3/5/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-12A	MW-12A	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-12A	MW-12A	10/25/2004	0.005 U	0.037 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.037 U	
MW-12A	MW-12A	7/28/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-12A	MW-12A	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-12A	MW-12A	4/21/2006	0.017 U	0.0097 U	0.028 U	0.02 U	0.0068 U	0.0049 U	0.0049 U	0.0049 U	0.028 U	
MW-12A	MW-12A	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0077	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0077	
MW-12A	MW-12A	2/1/2007	0.0049 U	0.0097 U	0.0049 U	0.042	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.042	
MW-12A	MW-12A	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.095	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.095	
MW-12A	MW-12A	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0054 JP	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0054 JP	
MW-12A	MW-12A	10/23/2007	0.005 U	0.0096 U	0.0073 U	0.0048 U	0.0055 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-12A	MW-12A	1/25/2008	0.0059 U	0.0099 U	0.005 U	0.0073 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-12A	MW-12A	4/24/2008	0.0049 U	0.0098 U	0.0049 U	0.014 JP	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.014 JP	
MW-12A	MW-12A	7/23/2008	0.013 U	0.023 U	0.017 U	0.03 U	0.005 U	0.005 U	0.005 U	0.005 U	0.03 U	
MW-12A	MW-12A	10/21/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.0047 T	0.005 U	0.005 U	0.005 U	0.0047 T	
MW-13	MW-13	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-13	MW-13	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-13	MW-13	6/29/2004	0.005 U	0.038 U <i>i</i>	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.038 U	
MW-13	MW-13	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-13	MW-13	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-13	MW-13	4/22/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-13	MW-13	10/21/2008	0.005 U	0.013 U	0.005 U	0.0081 U	0.005 U	0.005 U	0.005 U	0.005 U	0.013 U	
MW-14	MW-14	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	10/25/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-14	MW-14	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-14	MW-14	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-14	MW-14	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-14	MW-14	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-14	MW-14	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-14	MW-14	4/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-14	MW-14	10/21/2008	0.005 U	0.01 U	0.005 U	0.0057 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	10/25/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-15	MW-15	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-15	MW-15	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-15	MW-15	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-15	MW-15	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-15	MW-15	2/1/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-15	MW-15	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-15	MW-15	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0019 T	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0019 T	
MW-15	MW-15	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-15	MW-15	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-15	MW-15	4/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-15	MW-15	7/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-15	MW-15	10/21/2008	0.005 U	0.01 U	0.005 U	0.0077 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	6/29/2004	0.005 U	0.024 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.024 U	
MW-16	MW-16	10/25/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	7/29/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-16	MW-16	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-16	MW-16	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-16	MW-16	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-16	MW-160	10/27/2006	Dup	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-16	MW-16	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-16	MW-16	10/26/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-16	MW-16	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-16	MW-16	10/22/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-17S	MW-17S	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	3/4/2004	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-17S	MW-17S	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	10/25/2004	0.005 U	0.017 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.017 U	
MW-17S	MW-17S	7/28/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-17S	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-17S	MW-17S	1/25/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-17S	MW-17S	4/21/2006	0.011 U	0.015 U	0.023 U	0.014 U	0.012 U	0.0049 U	0.0049 U	0.0049 U	0.023 U	
MW-17S	MW-17S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-170S	7/18/2006	Dup	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-17S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-17S	2/1/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-17S	MW-17S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.023 JP	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.023 JP	
MW-17S	MW-17S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.012	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.012	
MW-17S	MW-17S	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-17S	MW-17S	1/25/2008	0.005 U	0.0099 U	0.0053 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-17S	MW-17S	4/22/2008	0.0056 U	0.0098 U	0.01 U	0.0093 U	0.0054 U	0.0049 U	0.0049 U	0.0049 U	0.01 U	
MW-17S	MW-17S	7/24/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-17S	MW-17S	10/21/2008	0.005 U	0.01 U	0.005 U	0.013 U	0.005 U	0.005 U	0.005 U	0.005 U	0.013 U	
MW-18D	MW-18D	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-18D	MW-18D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-18D	MW-18D	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-18D	MW-18D	3/4/2004	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-18D	MW-18D	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-18D	MW-18D	10/25/2004	0.0054 U	0.033 U	0.005 U	0.018 U	0.005 U	0.005 U	0.005 U	0.005 U	0.033 U	
MW-18D	MW-18D	7/29/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-18D	MW-18D	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-18D	MW-18D	4/21/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-18D	MW-18D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-18D	MW-18D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-18D	MW-18D	10/26/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-18D	MW-18D	4/22/2008	0.005 U	0.0099 U	0.016 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.016 U	
MW-18D	MW-18D	10/21/2008	0.005 U	0.0099 U	0.005 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.011 U	
MW-19S	MW-19S	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-19S	MW-19S	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-19S	MW-19S	6/29/2004	0.005 U	0.033 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.033 U	
MW-19S	MW-19S	10/26/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-19S	MW-19S	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-19S	MW-19S	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-19S	MW-19S	1/25/2006	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-19S	MW-19S	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-19S	MW-19S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-19S	MW-19S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-19S	MW-19S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-19S	MW-19S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-19S	MW-19S	4/23/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-19S	MW-19S	10/21/2008	0.005 U	0.01 U	0.005 U	0.0065 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	5/13/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-20D	MW-20D	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-20D	MW-20D	4/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-20D	MW-20D	10/21/2008	0.005 U	0.01 U	0.005 U	0.0057 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-21S	MW-21S	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-21S	MW-21S	9/2/2003	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	
MW-21S	MW-21S	6/29/2004	0.005 U	0.018 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.018 U	
MW-21S	MW-21S	10/25/2004	0.005 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.011 U	
MW-21S	MW-21S	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-21S	MW-21S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-21S	MW-21S	1/24/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-21S	MW-21S	4/21/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-21S	MW-21S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0036 T	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0036 T	
MW-21S	MW-21S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-21S	MW-21S	1/25/2008	0.005 U	0.01 U	0.016 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.016 U	
MW-21S	MW-21S	4/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-21S	MW-21S	7/23/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-21S	MW-21S	10/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-22D	MW-22D	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-22D	MW-22D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-22D	MW-22D	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-22D	MW-22D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-22D	MW-22D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-22D	MW-22D	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-22D	MW-22D	4/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-22D	MW-22D	10/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	3/5/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	6/29/2004	0.005 U	0.03 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.03 U	
MW-23S	MW-23S	10/25/2004	0.005 U	0.019 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.019 U	
MW-23S	MW-23S	7/28/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-23S	MW-23S	10/24/2005	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-23S	MW-23S	4/21/2006	0.02 U	0.023 U	0.023 U	0.018 U	0.0053 U	0.0049 U	0.0049 U	0.0049 U	0.023 U	
MW-23S	MW-23S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-23S	MW-23S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-23S	MW-23S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.025	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.025	
MW-23S	MW-23S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0069	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0069	
MW-23S	MW-23S	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-23S	MW-23S	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-23S	MW-23S	4/24/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-23S	MW-23S	7/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-23S	MW-23S	10/21/2008	0.005 U	0.0099 U	0.005 U	0.0088 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-24D	MW-24D	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	3/5/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	6/29/2004	0.0048 U	0.055 Ui	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.055 U	
MW-24D	MW-24D	10/25/2004	0.0053 U	0.045 U	0.02 U	0.014 U	0.005 U	0.005 U	0.005 U	0.005 U	0.045 U	
MW-24D	MW-24D	7/28/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-24D	MW-24D	10/24/2005	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-24D	MW-24D	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-24D	MW-24D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	



Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
MW-24D	MW-24D	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-24D	MW-24D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0038 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0038 J	
MW-24D	MW-24D	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-24D	MW-24D	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-24D	MW-24D	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-24D	MW-24D	4/24/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-24D	MW-24D	7/23/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-24D	MW-24D	10/21/2008	0.0049 U	0.0098 U	0.0049 U	0.0071 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-25S	MW-25S	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-25S	MW-25S	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-25S	MW-25S	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-25S	MW-25S	6/29/2004	0.005 U	0.028 Ui	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.028 U	
MW-25S	MW-25S	10/26/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-25S	MW-25S	7/28/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-25S	MW-25S	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-25S	MW-25S	1/24/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-25S	MW-25S	4/21/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-25S	MW-25S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-25S	MW-25S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-25S	MW-25S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-25S	MW-25S	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-25S	MW-25S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-25S	MW-25S	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-25S	MW-2500S	10/25/2007	Dup 0.0048 UJ	0.0096 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0096 UJ	
MW-25S	MW-25S	1/25/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-25S	MW-25S	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-25S	MW-25S	7/24/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
MW-25S	MW-25S	10/22/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-26D	MW-26D	5/12/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-26D	MW-26D	9/2/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-26D	MW-26D	10/22/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-26D	MW-26D	6/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
MW-26D	MW-26D	10/26/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-26D	MW-26D	4/21/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
MW-26D	MW-26D	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-26D	MW-26D	4/17/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-26D	MW-26D	10/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
MW-26D	MW-26D	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
MW-26D	MW-26D	10/22/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
OH-EW-01	OH-EW-1	5/16/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
OH-EW-01	OH-EW-1	9/5/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
OH-EW-01	OH-EW-1	7/1/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
OH-EW-01	OH-EW-1	10/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
OH-EW-01	OH-EW-1	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
OH-EW-01	OH-EW-1	10/29/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
OH-EW-01	OH-EW-1	4/22/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
OH-EW-01	OH-EW-1	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
OH-EW-01	OH-EW-1	4/16/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
OH-EW-01	OH-EW-1	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
OH-EW-01	OH-EW-1	4/24/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
OH-EW-01	OH-EW-1	10/22/2008	0.005 U	0.0099 U	0.005 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.011 U	
OH-MW-08	OH-MW-8	4/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
OH-MW-08	OH-MW-8	10/20/2008	0.005 U	0.0099 U	0.005 U	0.0078 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
OH-MW-10	OH-MW-10	4/22/2008	0.0074 U	0.051 U	0.016 U	0.0057 U	0.014 U	0.012 U	0.005 U	0.005 U	0.051 U	
OH-MW-10	OH-MW-10	10/22/2008	0.023 UJC	0.36 UJC	1.8 UJC	0.061 UJC	0.027 UJC	0.041 UJC	0.0093 UJC	0.0093 UJC	1.8 UJC	
OH-MW-24	OH-MW-24	4/24/2008	0.0069 U	0.01 U	0.0094 U	0.012 U	0.0079 U	0.005 U	0.005 U	0.005 U	0.012 U	
OH-MW-24	OH-MW-24	10/23/2008	0.053 U	0.11 U	0.053 U	0.053 U	2.1	0.053 U	0.053 UJ	0.053 UJ	2.1	
OH-MW-25	OH-MW-25	4/24/2008	0.0061 U	0.0099 U	0.0094 U	0.0098 U	0.0094 U	0.005 U	0.005 U	0.005 U	0.0099 U	
OH-MW-25	OH-MW-25	10/23/2008	0.0049 U	0.025 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.025 U	
OH-MW-26	OH-MW-26	5/12/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	9/4/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	6/30/2004	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	10/28/2004	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	7/28/2005	0.02 UJ	0.039 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.039 UJ	
OH-MW-26	OH-MW-26	10/27/2005	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	4/23/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
OH-MW-26	OH-MW-26	10/25/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.014 J	0.02 U	0.02 U	0.02 U	0.014 J	
OH-MW-26	OH-MW-260	10/25/2006	Dup 0.02 U	0.039 U	0.02 U	0.02 U	0.013 J	0.02 U	0.02 U	0.02 U	0.013 J	
OH-MW-26	OH-MW-26	4/19/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.052	0.0048 U	0.0048 U	0.0048 U	0.052	
OH-MW-26	OH-MW-26	10/26/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0086 U	0.0078	0.0048 U	0.0048 U	0.0078	
OH-MW-26	OH-MW-26	4/22/2008	0.0049 U	0.037 U	0.0049 U	0.0073 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.037 U	
OH-MW-26	OH-MW-26	10/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.0098	0.005 U	0.005 U	0.005 U	0.0098	
RM-MW-01S	RM-MW-1S	10/23/2003	0.005 U	0.01 U	0.005 U	0.23 JP	0.005 U	0.005 U	0.005 U	0.005 U	0.23 JP	
RM-MW-01S	RM-MW-1S	3/4/2004	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
RM-MW-01S	RM-MW-1S	6/30/2004	0.005 U	0.01 U	0.005 U	0.1	0.005 U	0.005 U	0.005 U	0.005 U	0.1	
RM-MW-01S	RM-MW-1S	10/27/2004	0.005 U	0.01 U	0.005 U	0.092	0.005 U	0.005 U	0.005 U	0.005 U	0.092	
RM-MW-01S	RM-MW-1S	7/25/2005	0.0049 U	0.0098 U	0.0049 U	0.14	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.14	
RM-MW-01S	RM-MW-1S	10/27/2005	0.0049 U	0.0097 U	0.0049 U	0.13	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.13	
RM-MW-01S	RM-MW-1S	1/25/2006	0.0049 U	0.0098 U	0.0049 U	0.25	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.25	
RM-MW-01S	RM-MW-1S	4/18/2006	0.0049 U	0.0097 U	0.0049 U	0.35	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.35	
RM-MW-01S	RM-MW-1S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.1 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.1 J	
RM-MW-01S	RM-MW-1S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.12	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.12	
RM-MW-01S	RM-MW-1S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.17	
RM-MW-01S	RM-MW-1S	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.26	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.26	
RM-MW-01S	RM-MW-1S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.14	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.14	
RM-MW-01S	RM-MW-1S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.07	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.07	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
RM-MW-01S	RM-MW-1S	1/24/2008	0.005 U	0.0099 U	0.005 U	0.16	0.005 U	0.005 U	0.005 U	0.005 U	0.16		
RM-MW-01S	RM-MW-1S	4/20/2008	0.0049 U	0.0098 U	0.0049 U	0.22	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.22		
RM-MW-01S	RM-MW-1S	7/24/2008	0.005 U	0.01 U	0.005 U	0.099	0.005 U	0.005 U	0.005 U	0.005 U	0.099		
RM-MW-01S	RM-MW-1S	10/22/2008	0.005 U	0.0099 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11		
RM-MW-02D	RM-MW-2D	10/23/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-02D	RM-MW-2D	3/4/2004	0.0048 U	0.0095 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0095 U		
RM-MW-02D	RM-MW-2D	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-02D	RM-MW-2D	10/27/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-02D	RM-MW-2D	7/25/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-02D	RM-MW-2D	10/28/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-02D	RM-MW-2D	4/18/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-02D	RM-MW-2D	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-02D	RM-MW-2D	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-02D	RM-MW-2D	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-02D	RM-MW-2D	4/20/2008	0.0049 U	0.0098 U	0.0049 U	0.0075 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RM-MW-02D	RM-MW-2D	10/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RM-MW-03S	RM-MW-3S	10/23/2003	0.005 U	0.01 U	0.005 U	0.11	0.005 U	0.005 U	0.005 U	0.005 U	0.11		
RM-MW-03S	RM-MW-6	10/24/2003	Dup	0.005 U	0.01 U	0.005 U	0.14	0.005 U	0.005 U	0.005 U	0.14		
RM-MW-03S	RM-MW-3S	3/4/2004		0.005 U	0.01 U	0.005 U	0.096	0.005 U	0.005 U	0.005 U	0.096		
RM-MW-03S	RM-MW-3S	6/30/2004		0.005 U	0.01 U	0.005 U	0.12	0.005 U	0.005 U	0.005 U	0.12		
RM-MW-03S	RM-MW-3S	10/27/2004		0.005 U	0.01 U	0.005 U	0.077	0.005 U	0.005 U	0.005 U	0.077		
RM-MW-03S	RM-MW-3S	5/19/2005		0.005 U	0.01 U	0.005 U	0.098	0.005 U	0.005 U	0.005 U	0.098		
RM-MW-03S	RM-MW-3S	7/25/2005		0.0048 U	0.0096 U	0.0048 U	0.078	0.0048 U	0.0048 U	0.0048 U	0.078		
RM-MW-03S	RM-MW-3S	10/26/2005		0.0049 U	0.0097 U	0.0049 U	0.067	0.0049 U	0.0049 U	0.0049 U	0.067		
RM-MW-03S	RM-MW-3S	1/25/2006		0.0049 U	0.0098 U	0.0049 U	0.13	0.0049 U	0.0049 U	0.0049 U	0.13		
RM-MW-03S	RM-MW-3S	4/18/2006		0.0049 U	0.0097 U	0.0049 U	0.21	0.0049 U	0.0049 U	0.0049 U	0.21		
RM-MW-03S	RM-MW-3S	7/18/2006		0.0048 U	0.0096 U	0.0048 U	0.093 J	0.0048 U	0.0048 U	0.0048 U	0.093 J		
RM-MW-03S	RM-MW-3S	10/24/2006		0.0048 U	0.0096 U	0.0048 U	0.077	0.0048 U	0.0048 U	0.0048 U	0.077		
RM-MW-03S	RM-MW-3S	2/1/2007		0.0048 U	0.0096 U	0.0048 U	0.1	0.0048 U	0.0048 U	0.0048 U	0.1		
RM-MW-03S	RM-MW-3S	4/19/2007		0.0048 U	0.0096 U	0.0048 U	0.078	0.0048 U	0.0048 U	0.0048 U	0.078		
RM-MW-03S	RM-MW-3S	7/24/2007		0.0048 U	0.0096 U	0.0048 U	0.11	0.0048 U	0.0048 U	0.0048 U	0.11		
RM-MW-03S	RM-MW-3S	10/24/2007		0.0048 U	0.0096 U	0.0048 U	0.094	0.0048 U	0.0048 U	0.0048 U	0.094		
RM-MW-03S	RM-MW-3S	1/24/2008		0.005 U	0.0099 U	0.005 U	0.1	0.005 U	0.005 U	0.005 U	0.1		
RM-MW-03S	RM-MW-3S	4/20/2008		0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.15	0.0049 U	0.0049 U	0.15		
RM-MW-03S	RM-MW-3S	7/23/2008		0.005 U	0.0099 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.15		
RM-MW-03S	RM-MW-3S	10/23/2008		0.0049 U	0.0098 U	0.0049 U	0.14	0.0049 U	0.0049 U	0.0049 U	0.14		
RM-MW-04D	RM-MW-4D	10/23/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-04D	RM-MW-4D	3/4/2004		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-04D	RM-MW-4D	6/30/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-04D	RM-MW-4D	10/27/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
RM-MW-04D	RM-MW-4D	7/25/2005		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-04D	RM-MW-4D	10/26/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RM-MW-04D	RM-MW-4D	4/18/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
RM-MW-04D	RM-MW-4D	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-04D	RM-MW-4D	4/19/2007	0.0048 U	0.0096 U	0.0054 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-04D	RM-MW-4D	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-04D	RM-MW-4D	4/20/2008	0.005 U	0.01 U	0.0062 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-04D	RM-MW-4D	10/23/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
RM-MW-05S	RM-MW-5S	10/24/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-05S	RM-MW-5S	3/4/2004	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	6/30/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-05S	RM-MW-5S	10/27/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-05S	RM-MW-5S	7/26/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
RM-MW-05S	RM-MW-5S	4/19/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
RM-MW-05S	RM-MW-5S	4/20/2008	0.005 U	0.0099 U	0.005 U	0.0062 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
RM-MW-05S	RM-MW-5S	10/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
RM-MW-08S	RM-MW-8S	3/24/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.26	0.005 U	0.005 U	0.005 U	0.26	
RM-MW-08S	RM-MW-8S	5/17/2005	0.005 U	0.01 U	0.005 U	0.078	0.005 U	0.005 U	0.005 U	0.005 U	0.078	
RM-MW-08S	RM-MW-8S	6/16/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.12	0.005 U	0.005 U	0.005 U	0.12	
RM-MW-08S	RM-MW-8S	7/25/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.17	0.0048 U	0.0048 U	0.0048 U	0.17	
RM-MW-08S	RM-MW-8S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.32	0.0049 U	0.0049 U	0.0049 U	0.32	
RM-MW-08S	RM-MW-8S	1/24/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.11	0.0049 U	0.0049 U	0.0049 U	0.11	
RM-MW-08S	RM-MW-8S	4/17/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.071	0.0049 U	0.0049 U	0.0049 U	0.071	
RM-MW-08S	RM-MW-80S	4/17/2006	Dup	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.13	0.0049 U	0.0049 U	0.13	
RM-MW-08S	RM-MW-8S	7/17/2006	0.0048 U	0.0096 U	0.0048 U	0.15 J	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15 J	
RM-MW-08S	RM-MW-8S	10/23/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.28	0.0048 U	0.0048 U	0.0048 U	0.28	
RM-MW-08S	RM-MW-8S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.4	0.31	0.0048 U	0.0048 U	0.71	
RM-MW-08S	RM-MW-8S	4/19/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.19 JP	0.0049 U	0.0049 U	0.0049 U	0.19 JP	
RM-MW-08S	RM-MW-8S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.32	0.0048 U	0.0048 U	0.0048 U	0.32	
RM-MW-08S	RM-MW-8S	10/21/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.2	0.0048 U	0.0048 U	0.0048 U	0.2	
RM-MW-08S	RM-MW-8S	1/24/2008	0.0049 U	0.0098 U	0.0049 U	0.18	0.0049 U	0.1	0.0049 U	0.0049 U	0.28	
RM-MW-08S	RM-MW-8S	4/20/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.36	0.005 U	0.005 U	0.005 U	0.36	
RM-MW-08S	RM-MW-8S	7/22/2008	0.05 U	0.099 U	0.05 U	0.05 U	2	0.05 U	0.075 U	0.075 U	2	
RM-MW-08S	RM-MW-8S	10/18/2008	0.005 U	0.0099 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.005 U	0.15	
RM-MW-08S	RM-MW-800S	10/18/2008	Dup	0.005 U	0.01 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.15	
RM-MW-09S	RM-MW-9S	3/24/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.0061	0.005 U	0.005 U	0.005 U	0.0061	
RM-MW-09S	RM-MW-9S	5/19/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
RM-MW-09S	RM-MW-9S	7/26/2005	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
RM-MW-09S	RM-MW-9S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
RM-MW-09S	RM-MW-9S	1/24/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.056	0.0049 U	0.0049 U	0.0049 U	0.056	
RM-MW-09S	RM-MW-9S	4/19/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.055	0.0049 U	0.0049 U	0.0049 U	0.055	
RM-MW-09S	RM-MW-9S	7/18/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
RM-MW-09S	RM-MW-9S	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-09S	RM-MW-9S	2/1/2007	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U
RM-MW-09S	RM-MW-9S	4/19/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.087		0.031 U	0.0048 U	0.0048 U	0.087
RM-MW-09S	RM-MW-9S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0038 T	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0038 T
RM-MW-09S	RM-MW-9S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-09S	RM-MW-9S	1/24/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U
RM-MW-09S	RM-MW-9S	4/20/2008	0.0049 U	0.0098 U	0.0049 U	0.0074 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
RM-MW-09S	RM-MW-9S	7/23/2008	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U
RM-MW-09S	RM-MW-9S	10/22/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U
RM-MW-10S	RM-MW-10S	9/28/2004	0.005 U	0.039 U	0.15 U	0.11		0.005 U	0.005 U	0.005 U	0.005 U	0.11
RM-MW-10S	RM-MW-100	9/28/2004	Dup	0.005 U	0.034 U	0.16 U	0.098		0.005 U	0.005 U	0.005 U	0.098
RM-MW-10S	RM-MW-10S	10/27/2004		0.005 U	0.042 U	0.005 U	0.085		0.005 U	0.014 U	0.005 U	0.085
RM-MW-10S	RM-MW-100	10/27/2004	Dup	0.005 U	0.01 U	0.005 U	0.092		0.005 U	0.005 U	0.005 U	0.092
RM-MW-10S	RM-MW-10S	5/19/2005		0.005 U	0.01 U	0.005 U	0.1		0.005 U	0.005 U	0.005 U	0.1
RM-MW-10S	RM-MW-10S	6/16/2005		0.005 U	0.01 U	0.005 U	0.15		0.005 U	0.005 U	0.005 U	0.15
RM-MW-10S	RM-MW-10S	7/26/2005		0.0049 U	0.0097 U	0.0049 U	0.13		0.0049 U	0.0049 U	0.0049 U	0.13
RM-MW-10S	RM-MW-10S	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.12		0.0049 U	0.0049 U	0.0049 U	0.12
RM-MW-10S	RM-MW-10S	1/25/2006		0.0049 U	0.0098 U	0.0049 U	0.13		0.0049 U	0.0049 U	0.0049 U	0.13
RM-MW-10S	RM-MW-100S	1/25/2006	Dup	0.005 U	0.0099 U	0.005 U	0.11		0.005 U	0.005 U	0.005 U	0.11
RM-MW-10S	RM-MW-10S	4/19/2006		0.0049 U	0.0097 U	0.0049 U	0.14		0.0049 U	0.0049 U	0.0049 U	0.14
RM-MW-10S	RM-MW-10S	7/18/2006		0.0048 U	0.0096 U	0.0048 U	0.1 J		0.0048 U	0.0048 U	0.0048 U	0.1 J
RM-MW-10S	RM-MW-10S	10/24/2006		0.0048 UJ	0.0096 UJ	0.0048 UJ	0.0048 UJ	0.068 J	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.068 J
RM-MW-10S	RM-MW-10S	2/1/2007		0.0048 U	0.0096 U	0.0048 U	0.089		0.0048 U	0.0048 U	0.0048 U	0.089
RM-MW-10S	RM-MW-10S	4/19/2007		0.0048 U	0.0096 U	0.0048 U	0.15		0.0048 U	0.0048 U	0.0048 U	0.15
RM-MW-10S	RM-MW-10S	7/25/2007		0.0048 U	0.0096 U	0.0048 U	0.11		0.0048 U	0.0048 U	0.0048 U	0.11
RM-MW-10S	RM-MW-10S	10/24/2007		0.0048 U	0.0096 U	0.0048 U	0.16		0.0048 U	0.0048 U	0.0048 U	0.16
RM-MW-10S	RM-MW-10S	1/24/2008		0.005 U	0.0099 U	0.005 U	0.17		0.005 U	0.005 U	0.005 U	0.17
RM-MW-10S	RM-MW-10S	4/20/2008		0.005 U	0.01 U	0.005 U	0.005 U	0.18		0.005 U	0.005 U	0.18
RM-MW-10S	RM-MW-10S	7/23/2008		0.0049 U	0.0098 U	0.0049 U	0.14		0.0049 U	0.0049 U	0.0049 U	0.14
RM-MW-10S	RM-MW-10S	10/23/2008		0.005 U	0.0099 U	0.005 U	0.14		0.005 U	0.005 U	0.005 UJ	0.14
RM-MW-12S	RM-MW-12S	5/17/2005		0.005 U	0.022 U	0.0059 U	0.0093 U		0.005 U	0.005 U	0.005 U	0.022 U
RM-MW-12S	RM-MW-12S	6/16/2005		0.005 U	0.01 U	0.005 U	0.005 U		0.005 U	0.005 U	0.005 U	0.01 U
RM-MW-12S	RM-MW-12S	7/25/2005		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	10/24/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U		0.0049 U	0.0049 U	0.0049 U	0.0097 U
RM-MW-12S	RM-MW-12S	1/24/2006		0.0049 U	0.0097 U	0.0049 U	0.0049 U		0.0049 U	0.0049 U	0.0049 U	0.0097 U
RM-MW-12S	RM-MW-12S	4/19/2006		0.0049 U	0.0097 U	0.0049 U	0.0049 U		0.0049 U	0.0049 U	0.0049 U	0.0097 U
RM-MW-12S	RM-MW-12S	7/18/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	10/24/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	2/1/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	4/19/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	7/24/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	10/21/2007		0.0048 U	0.0096 U	0.005 U	0.0048 U		0.0048 U	0.0048 U	0.0048 U	0.0096 U
RM-MW-12S	RM-MW-12S	1/24/2008		0.0049 U	0.0098 U	0.0049 U	0.0049 U		0.0049 U	0.0049 U	0.0049 U	0.0098 U

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
RM-MW-12S	RM-MW-12S	4/20/2008	0.0049 U	0.0098 U	0.0065 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RM-MW-12S	RM-MW-12S	7/22/2008	0.0049 U	0.0098 U	0.0049 U	0.0081 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RM-MW-12S	RM-MW-12S	10/18/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U		
RM-MW-13S	RM-MW-13S	5/16/2005	0.05 U	0.1 U	0.05 U	1.1	0.05 U	0.05 U	0.05 U	0.05 U	1.1		
RM-MW-13S	RM-MW-13S Dup	5/16/2005	Dup 0.05 U	0.1 U	0.05 U	1.2	0.05 U	0.05 U	0.05 U	0.05 U	1.2		
RM-MW-13S	RM-MW-13S	6/16/2005	0.05 U	0.1 U	0.05 U	0.68	0.05 U	0.05 U	0.05 U	0.05 U	0.68		
RM-MW-13S	RM-MW-13S	7/25/2005	0.005 UJ	0.01 UJ	0.005 UJ	0.26 J	0.005 UJ	0.005 UJ	0.005 UJ	0.005 UJ	0.26 J		
RM-MW-13S	RM-MW-100	7/25/2005	Dup 0.0048 UJ	0.0096 UJ	0.0048 UJ	0.22 J	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.0048 UJ	0.22 J		
RM-MW-13S	RM-MW-13S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.52	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.52		
RM-MW-13S	RM-MW-100S	10/24/2005	Dup 0.0049 U	0.0097 U	0.0049 U	0.53	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.53		
RM-MW-13S	RM-MW-13S	1/25/2006	0.0049 U	0.0098 U	0.0049 U	0.51	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.51		
RM-MW-13S	RM-MW-13S	4/18/2006	0.025 U	0.049 U	0.025 U	0.65 JP	0.025 U	0.025 U	0.025 U	0.025 U	0.65		
RM-MW-13S	RM-MW-13S	7/18/2006	0.024 U	0.048 U	0.024 U	1.2 J	0.024 U	0.024 U	0.024 U	0.024 U	1.2 J		
RM-MW-13S	RM-MW-13S	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.34	0.0048 U	0.0048 U	0.0048 U	0.34		
RM-MW-13S	RM-MW-13S	2/1/2007	0.025 U	0.049 U	0.025 U	1.2 JP	0.025 U	0.025 U	0.025 U	0.025 U	1.2 JP		
RM-MW-13S	RM-MW-13S	4/19/2007	0.025 U	0.05 U	0.025 U	0.99	0.025 U	0.025 U	0.025 U	0.025 U	0.99		
RM-MW-13S	RM-MW-13S	7/24/2007	0.048 U	0.096 U	0.048 U	0.93 D	0.048 U	0.048 U	0.048 U	0.048 U	0.93		
RM-MW-13S	RM-MW-13S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.71	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.71		
RM-MW-13S	RM-MW-13S	1/24/2008	0.049 U	0.098 U	0.049 U	1.1	0.049 U	0.049 U	0.049 U	0.049 U	1.1		
RM-MW-13S	RM-MW-13S	4/20/2008	0.025 U	0.05 U	0.025 U	1.2	0.025 U	0.025 U	0.025 U	0.025 U	1.2		
RM-MW-13S	RM-MW-13S	7/23/2008	0.05 U	0.099 U	0.05 U	1.4	0.05 U	0.05 U	0.05 U	0.05 U	1.4		
RM-MW-13S	RM-MW-13S	10/23/2008	0.025 U	0.049 U	0.025 U	1	0.025 U	0.025 U	0.025 UJ	0.025 UJ	1		
RM-MW-14S	RM-MW-14S	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.02	0.021	0.0048 U	0.0048 U	0.041		
RM-MW-14S	RM-MW-14S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0071	0.0048 U	0.0048 U	0.0048 U	0.0071		
RM-MW-14S	RM-MW-14S	4/19/2007	0.0048 U	0.0096 U	0.0051 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-14S	RM-MW-14S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.0039 T	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0039 T		
RM-MW-14S	RM-MW-14S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0049 U	0.0048 U	0.0048 U	0.0096 U		
RM-MW-14S	RM-MW-14S	1/24/2008	0.012 U	0.2 U	0.017 U	0.012 U	0.013 U	0.0067 U	0.005 U	0.005 U	0.2 U		
RM-MW-14S	RM-MW-14S	4/20/2008	0.0064 U	0.0099 U	0.005 U	0.0092 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U		
RM-MW-14S	RM-MW-14S	7/24/2008	0.0054 U	0.017 U	0.0064 U	0.0084 U	0.005 U	0.005 U	0.005 U	0.005 U	0.017 U		
RM-MW-14S	RM-MW-14S	10/22/2008	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U		
RM-MW-15S	RM-MW-15S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.13	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.13		
RM-MW-15S	RM-MW-15S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.16	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.16		
RM-MW-15S	RM-MW-15S	4/19/2007	0.0048 U	0.0096 U	0.0048 U	0.21	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.21		
RM-MW-15S	RM-MW-15S	7/25/2007	0.0048 U	0.0096 U	0.0048 U	0.15	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.15		
RM-MW-15S	RM-MW-15S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.12	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.12		
RM-MW-15S	RM-MW-15S	1/24/2008	0.005 U	0.0099 U	0.005 U	0.21	0.005 U	0.005 U	0.005 U	0.005 U	0.21		
RM-MW-15S	RM-MW-15S	4/20/2008	0.005 U	0.01 U	0.005 U	0.15	0.005 U	0.005 U	0.005 U	0.005 U	0.15		
RM-MW-15S	RM-MW-15S	7/24/2008	0.005 U	0.0099 U	0.005 U	0.14	0.005 U	0.005 U	0.005 U	0.005 U	0.14		
RM-MW-15S	RM-MW-15S	10/22/2008	0.005 U	0.01 U	0.005 U	0.17	0.005 U	0.005 U	0.005 U	0.005 U	0.17		
RM-MW-16S	RM-MW-16S	10/24/2006	0.0048 U	0.0096 U	0.0048 U	0.23	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.23		
RM-MW-16S	RM-MW-16S	2/1/2007	0.0048 U	0.0096 U	0.0048 U	0.26	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.26		
RM-MW-16S	RM-MW-16S	4/19/2007	0.0048 U	0.0096 U	0.0048 U	0.58	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.58		

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L										
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs			
RM-MW-16S	RM-MW-16S	7/24/2007	0.0048 U	0.0096 U	0.0048 U	0.33	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.33		
RM-MW-16S	RM-MW-16S	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.29	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.29		
RM-MW-16S	RM-MW-16S	1/24/2008	0.005 U	0.0099 U	0.005 U	0.38	0.005 U	0.005 U	0.005 U	0.005 U	0.38		
RM-MW-16S	RM-MW-16S	4/20/2008	0.005 U	0.0099 U	0.005 U	0.38	0.005 U	0.005 U	0.005 U	0.005 U	0.38		
RM-MW-16S	RM-MW-16S	7/24/2008	0.005 U	0.01 U	0.005 U	0.35	0.005 U	0.005 U	0.005 U	0.005 U	0.35		
RM-MW-16S	RM-MW-16S	10/22/2008	0.005 U	0.0099 U	0.005 U	0.39	0.005 U	0.005 U	0.005 U	0.005 U	0.39		
RM-MW-17S	RM-MW-17S	10/24/2006	0.048 U	0.096 U	0.048 U	1.8 D	0.048 U	0.048 U	0.048 U	0.048 U	1.8		
RM-MW-17S	RM-MW-17S	2/1/2007	0.048 U	0.096 U	0.048 U	2	0.048 U	0.048 U	0.048 U	0.048 U	2		
RM-MW-17S	RM-MW-17S	4/19/2007	0.048 U	0.096 U	0.048 U	3.4	0.048 U	0.048 U	0.048 U	0.048 U	3.4		
RM-MW-17S	RM-MW-17S	7/24/2007	0.048 U	0.096 U	0.048 U	2.5 D	0.048 U	0.048 U	0.048 U	0.048 U	2.5		
RM-MW-17S	RM-MW-1700S	7/24/2007	Dup 0.048 U	0.096 U	0.048 U	2.4 D	0.048 U	0.048 U	0.048 U	0.048 U	2.4		
RM-MW-17S	RM-MW-17S	10/22/2007	0.048 U	0.096 U	0.048 U	0.99	0.048 U	0.048 U	0.048 U	0.048 U	0.99		
RM-MW-17S	RM-MW-17S	1/24/2008	0.05 U	0.1 U	0.05 U	1.7	0.05 U	0.05 U	0.05 U	0.05 U	1.7		
RM-MW-17S	RM-MW-17S	4/20/2008	0.025 U	0.05 U	0.025 U	2.3	0.025 U	0.025 U	0.025 U	0.025 U	2.3		
RM-MW-17S	RM-MW-17S	7/24/2008	0.05 U	0.1 U	0.05 U	1.9	0.05 U	0.05 U	0.05 U	0.05 U	1.9		
RM-MW-17S	RM-MW-17S	10/22/2008	0.049 U	0.097 U	0.049 U	2.2	0.049 U	0.049 U	0.049 U	0.049 U	2.2		
RMSW-MW11S	RMSW-MW-11S	5/17/2005	0.005 U	0.011 U	0.0067 U	0.011 U	0.005 U	0.005 U	0.005 U	0.005 U	0.011 U		
RMSW-MW11S	RMSW-MW-11S	6/16/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.0045 J	0.005 U	0.005 U	0.005 U	0.0045 J		
RMSW-MW11S	RMSW-MW-11S	7/25/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RMSW-MW11S	RMSW-MW-11S	10/24/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RMSW-MW11S	RMSW-MW-11S	1/24/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
RMSW-MW11S	RMSW-MW-11S	4/17/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
RMSW-MW11S	RMSW-MW-11S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
RMSW-MW11S	RMSW-MW-11S	10/23/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
TF-MW-01	TF-MW-1	4/24/2008	0.049 U	0.039 U	0.051 U	0.092 U	0.043 U	0.02 U	0.02 U	0.02 U	0.092 U		
TF-MW-01	TF-MW-1	10/21/2008	0.018 U	0.016 U	0.031 U	0.023 U	0.0065 U	0.005 U	0.005 U	0.005 U	0.031 U		
TF-MW-02	TF-MW-2	4/24/2008	0.042 U	0.3 U	0.036 U	0.025 U	0.025 U	0.025 U	0.025 U	0.025 U	0.3 U		
TF-MW-02	TF-MW-2	10/21/2008	0.023 UJC	0.11 UJC	0.0064 UJC	0.0075 UJC	0.0092 UJC	0.041 UJC	0.0055 UJC	0.0055 UJC	0.11 UJC		
TF-MW-04	TF-MW-4	4/24/2008	0.033 U	0.94 U	0.025 U	0.045 U	0.046 U	0.025 U	0.025 U	0.025 U	0.94 U		
TF-MW-04	TF-MW-4	10/20/2008	0.13 UJC	0.6 UJC	0.24 UJC	0.14 UJC	0.097 UJC	0.041 UJC	0.0055 UJC	0.0055 UJC	0.6 UJC		
TS-MW-01S	TS-MW-1S	6/16/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
TS-MW-01S	TS-MW-1S	7/28/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
TS-MW-01S	TS-MW-1S	10/28/2005	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
TS-MW-01S	TS-MW-1S	1/26/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
TS-MW-01S	TS-MW-1S	4/23/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
TS-MW-01S	TS-MW-1S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
TS-MW-01S	TS-MW-1S	10/26/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		
TS-MW-02S	TS-MW-2S	6/16/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
TS-MW-02S	TS-MW-2S	7/28/2005	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U		
TS-MW-02S	TS-MW-2S	10/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
TS-MW-02S	TS-MW-2S	1/26/2006	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U		
TS-MW-02S	TS-MW-2S	4/23/2006	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U		
TS-MW-02S	TS-MW-2S	7/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U		

Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
TS-MW-02S	TS-MW-2S	10/27/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-01	WW-EW-1	5/16/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	9/5/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	7/1/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	10/29/2004	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	7/29/2005	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-EW-01	WW-EW-1	10/28/2005	0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
WW-EW-01	WW-EW-1	4/20/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-01	WW-EW-1	10/25/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-01	WW-EW-1	10/22/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-01	WW-EW-1	4/24/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-01	WW-EW-1	10/22/2008	0.005 U	0.01 U	0.005 U	0.012 U	0.005 U	0.005 U	0.005 U	0.005 U	0.012 U	
WW-EW-02	WW-EW-2	5/16/2003	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	5/16/2003	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	9/5/2003		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	9/5/2003	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	7/1/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	7/1/2004	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	10/29/2004		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	10/29/2004	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	7/29/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-EW-02	WW-EW-WA	7/29/2005	Dup	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-EW-02	WW-EW-2	10/28/2005		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-WA	10/28/2005	Dup	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-02	WW-EW-2	4/23/2006		0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
WW-EW-02	WW-EW-2 PCB Du	4/23/2006	Dup	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-EW-02	WW-EW-200	4/23/2006	Dup	0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
WW-EW-02	WW-EW-2	10/25/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-02	WW-EW-2	4/17/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-02	WW-EW-2	10/22/2007		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-EW-02	WW-EW-2	4/24/2008		0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
WW-EW-02	WW-EW-2	10/22/2008		0.005 U	0.0099 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0099 U	
WW-EW-03	WW-EW-3-HS	3/29/2007		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-EW-03	WW-EW-3	4/25/2008		0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-07	WW-MW-7	4/24/2008		0.0049 U	0.0097 U	0.0074 U	0.0052 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-MW-07	WW-MW-7	10/23/2008		0.007 U	0.02 U	0.0097 U	0.0098 U	0.013 U	0.0055 U	0.005 U	0.02 U	
WW-MW-08	WW-MW-8	4/24/2008		0.005 U	0.01 U	0.0068 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-08	WW-MW-8	10/23/2008		0.005 U	0.0099 U	0.005 U	0.005 U	0.0063	0.005 U	0.005 U	0.0063	
WW-MW-09	WW-MW-9	4/24/2008		0.007 U	0.0097 U	0.0082 U	0.0079 U	0.0053 U	0.0056 U	0.0049 U	0.0097 U	
WW-MW-09	WW-MW-9	10/22/2008		0.023 UJC	0.11 UJC	0.0064 UJC	0.0075 UJC	0.0092 UJC	0.0041 UJC	0.0055 UJC	0.11 UJC	
WW-MW-12	WW-MW-12	10/27/2005		0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-MW-12	WW-MW-12	4/20/2006		0.0049 U	0.0098 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
WW-MW-12	WW-MW-12	10/26/2006		0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	



Table F-4 - Analytical Results for PCB Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PCBs in µg/L									
			Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs		
WW-MW-12	WW-MW-12	4/18/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-MW-12	WW-MW-12	10/23/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-MW-12	WW-MW-12	4/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-12	WW-MW-12	10/22/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-17	WW-MW-17	5/15/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0095 J	0.0095 J	
WW-MW-17	WW-MW-17	7/17/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	9/4/2003	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	6/30/2004	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-25	6/30/2004	Dup 0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	10/29/2004	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-25	10/29/2004	Dup 0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	7/29/2005	0.02 UJ	0.039 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.039 UJ	
WW-MW-17	WW-MW-25	7/29/2005	Dup 0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	10/29/2005	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-25	10/29/2005	Dup 0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.04 U	
WW-MW-17	WW-MW-17	4/23/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-17	WW-MW-17	10/28/2006	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-MW-17	WW-MW-17	4/18/2007	0.0078 U	0.014 U	0.011 U	0.01 U	0.0086 U	0.0054 U	0.0053 U	0.0053 U	0.014 U	
WW-MW-17	WW-MW-17	10/24/2007	0.0048 U	0.0096 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0048 U	0.0096 U	
WW-MW-17	WW-MW-17	4/24/2008	0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.017 U	0.0049 U	0.0049 U	0.0049 U	0.017 U	
WW-MW-17	WW-MW-17	10/23/2008	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.01 U	
WW-MW-18	WW-MW-18	5/13/2003	0.02 UJ	0.039 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.039 U	
WW-MW-18	WW-MW-18	9/2/2003	0.041 UJ	0.14 UJ	0.095 UJ	0.058 UJ	0.041 UJ	0.02 UJ	0.02 UJ	0.068 J	0.068 J	
WW-MW-18	WW-MW-18	6/29/2004	0.02 UJ	0.039 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 Uij	0.039 U	
WW-MW-18	WW-MW-18	10/25/2004	0.02 UJ	0.064 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.02 UJ	0.064 U	
WW-MW-18	WW-MW-18	7/27/2005	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-18	WW-MW-18	10/24/2005	0.0049 U	0.0098 U	0.0065 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0098 U	
WW-MW-18	WW-MW-18	4/20/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	
WW-MW-18	WW-MW-180	4/20/2006	Dup 0.0049 U	0.0097 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0049 U	0.0097 U	
WW-MW-18	WW-MW-18	10/25/2006	0.02 U	0.039 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.039 U	

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-SU	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-3S
Sampling Date	10/28/2004	3/24/2005	1/26/2006	7/26/2005	7/26/2005	10/27/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	
					Dup							
<b>Semivolatiles in µg/L</b>												
1,2,4-Trichlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
1,2-Dichlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
1,3-Dichlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
1,4-Dichlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2,4,5-Trichlorophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2,4,6-Trichlorophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2,4-Dichlorophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2,4-Dimethylphenol	2 U	10 U	2 U	2 U	2 U	20 U	9.7 U	2 U	2 U	2 U	2 U	9.6 U
2,4-Dinitrophenol	3.9 U	25 U	3.9 U	3.9 U	3.9 U	39 U	25 U	3.9 U	3.9 U	3.9 U	3.9 U	20 U
2,4-Dinitrotoluene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2,6-Dinitrotoluene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2-Chloronaphthalene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2-Chlorophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2-Methylnaphthalene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2-Methylphenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
2-Nitroaniline	0.2 U	25 U	0.2 U	0.2 U	0.2 U	2 U	25 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
2-Nitrophenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
3,3'-Dichlorobenzidine	2 U	25 U	2 U	2 U	2 U	20 U	25 U	2 U	2 U	2 U	2 R	9.6 U
3-Nitroaniline	0.96 U	25 U	0.96 U	0.97 U	0.96 U	9.7 U	25 U	0.96 U	0.96 U	0.96 U	0.96 U	4.8 U
4,6-Dinitro-2-methylphenol	2 U	25 U	2 U	2 U	2 U	20 U	25 U	2 U	2 U	2 U	2 U	9.6 U
4-Bromophenyl-Phenylether	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
4-Chloro-3-methylphenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
4-Chloroaniline	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 R	0.96 U
4-Chlorophenyl-phenylether	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U		0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
4-Methylphenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
4-Nitroaniline	0.96 U	25 U	0.96 U	0.97 U	0.96 U	9.7 U	25 U	0.96 U	0.96 U	0.96 U	0.96 U	4.8 U
4-Nitrophenol	2 U	25 U	2 U	2 U	2 U	20 U	25 U	2 U	2 U	2 U	2 U	9.6 U
Acenaphthene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Acenaphthylene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Aniline		25 U					25 U					
Anthracene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(a)anthracene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(a)pyrene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(b)fluoranthene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(g,h,i)perylene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzo(k)fluoranthene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Benzoic Acid	4.8 U	25 U	4.8 U	4.9 U	4.8 U	49 U	25 U	4.8 U	4.8 U	4.8 U	4.8 U	24 U
Benzyl Alcohol	4.8 U	10 U	4.8 U	4.9 U	4.8 U	49 U	9.7 U	4.8 U	4.8 U	4.8 U	4.8 U	24 U
Bis(2-Chloroethoxy)Methane	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Bis(2-Chloroethyl)Ether	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Bis(2-Ethylhexyl)Phthalate	0.51 J	10 U	2 U	1.1 J	0.91 J	20 U	9.7 U	2 U	2 U	2 U	2 U	9.6 U
Bis(2-chloroisopropyl) Ether	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Butylbenzylphthalate	0.2 U	10 U	0.037 J	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Chrysene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Di-N-Butylphthalate	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Di-n-octyl Phthalate	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Dibenz(a,h)anthracene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Dibenzofuran	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.15 J
Diethylphthalate	0.036 J	10 U	0.2 U	0.027 J	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-SU	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-3S
Sampling Date	10/28/2004	3/24/2005	1/26/2006	7/26/2005	7/26/2005	10/27/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	
					Dup							
Dimethyl Phthalate	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Fluoranthene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	0.18 J	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.077 J
Fluorene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	1.1 J	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Hexachlorobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Hexachlorobutadiene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Hexachlorocyclopentadiene	0.96 U	10 U	0.96 U	0.97 UJ	0.96 UJ	9.7 U	9.7 U	0.96 UJ	0.96 U	0.96 U	0.96 U	4.8 U
Hexachloroethane	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Indeno(1,2,3-cd)pyrene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Isophorone	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
N-Nitroso-di-n-propylamine	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
N-Nitrosodimethylamine		25 U						25 U				
N-Nitrosodiphenylamine	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Naphthalene	0.2 U	10 U	0.2 U	0.018 J	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Nitrobenzene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	2 U	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Pentachlorophenol	2 U	25 U	0.96 U	0.97 U	0.96 U	20 U	25 U	0.96 U	0.96 U	0.96 U	0.96 U	9.6 U
Phenanthrene	0.02 J	10 U	0.2 U	0.2 U	0.2 U	3.1	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U
Phenol	0.48 U	10 U	0.48 U	0.49 U	0.48 U	4.9 U	9.7 U	0.48 U	0.48 U	0.48 U	0.48 U	2.4 U
Pyrene	0.2 U	10 U	0.2 U	0.2 U	0.2 U	0.26 J	9.7 U	0.2 U	0.2 U	0.2 U	0.2 U	0.09 J
TEQ Equivalent	0.181 U	9.05 U	0.181 U	0.181 U	0.181 U	1.81 U	8.7785 U	0.181 U	0.181 U	0.181 U	0.181 U	0.8688 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-5S	CM-MW-5S
Sampling Date	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	
<b>Semivolatiles in µg/L</b>												
1,2,4-Trichlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
1,2-Dichlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
1,3-Dichlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
1,4-Dichlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2,4,5-Trichlorophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2,4,6-Trichlorophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2,4-Dichlorophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2,4-Dimethylphenol	9.8 U	2 U	2 U	2 U	1.9 U	9.5 U	2 U	2 U	2 U	1.9 U	9.6 U	
2,4-Dinitrophenol	25 U	3.9 U	3.9 U	3.9 U	3.8 U	24 U	3.9 U	3.9 U	3.9 U	3.8 U	24 U	
2,4-Dinitrotoluene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2,6-Dinitrotoluene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2-Chloronaphthalene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2-Chlorophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2-Methylnaphthalene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
2-Methylphenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
2-Nitroaniline	25 U	0.2 U	0.2 U	0.2 U	0.19 U	24 U	0.2 U	0.2 U	0.2 U	0.19 U	24 U	
2-Nitrophenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	9.6 U	
3,3'-Dichlorobenzidine	25 U	2 U	2 U	2 R	1.9 U	24 U	2 U	2 U	2 R	1.9 U	24 U	
3-Nitroaniline	25 U	0.96 U	0.96 U	0.96 U	0.95 U	24 U	0.96 U	0.97 U	0.96 U	0.95 U	24 U	
4,6-Dinitro-2-methylphenol	25 U	2 U	2 U	2 U	1.9 U	24 U	2 U	2 U	2 U	1.9 U	24 U	
4-Bromophenyl-Phenylether	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
4-Chloro-3-methylphenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.029 J	0.49 U	0.48 U	0.48 U	9.6 U	
4-Chloroaniline	9.8 U	0.2 U	0.2 U	0.2 R	0.19 U	9.5 U	0.2 U	0.2 U	0.2 R	0.19 U	9.6 U	
4-Chlorophenyl-phenylether		0.2 U	0.2 U	0.2 U	0.19 U		0.2 U	0.2 U	0.2 U	0.19 U		
4-Methylphenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.078 J	0.49 U	0.48 U	0.48 U	9.6 U	
4-Nitroaniline	25 U	0.96 U	0.96 U	0.96 U	0.95 U	24 U	0.96 U	0.97 U	0.96 U	0.95 U	24 U	
4-Nitrophenol	25 U	2 U	2 U	2 U	1.9 U	24 U	2 U	2 U	2 U	1.9 U	24 U	
Acenaphthene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Acenaphthylene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Aniline	25 U					24 U					24 U	
Anthracene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(a)anthracene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(a)pyrene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(b)fluoranthene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(g,h,i)perylene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzo(k)fluoranthene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Benzoic Acid	25 U	4.8 U	4.8 U	4.8 U	4.8 U	24 U	4.8 U	4.9 U	4.8 U	4.8 U	24 U	
Benzyl Alcohol	9.8 U	4.8 U	4.8 U	4.8 U	4.8 U	9.5 U	4.8 U	4.9 U	4.8 U	4.8 U	9.6 U	
Bis(2-Chloroethoxy)Methane	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Bis(2-Chloroethyl)Ether	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Bis(2-Ethylhexyl)Phthalate	9.8 U	2 U	2 U	2 U	1.9 U	9.5 U	2 U	2 U	1.1 J	1.9 U	9.6 U	
Bis(2-chloroisopropyl) Ether	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Butylbenzylphthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Chrysene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Di-N-Butylphthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Di-n-octyl Phthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.38 U	9.5 U	0.2 U	0.2 U	0.2 U	0.38 U	9.6 U	
Dibenz(a,h)anthracene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Dibenzofuran	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U	
Diethylphthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.037 J	9.5 U	0.2 U	0.2 U	0.2 U	0.057 J	9.6 U	

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-5S	CM-MW-5S
Sampling Date	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	
Dimethyl Phthalate	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Fluoranthene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.081 J	9.6 U
Fluorene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Hexachlorobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Hexachlorobutadiene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Hexachlorocyclopentadiene	9.8 U	0.96 UJ	0.96 U	0.96 U	0.95 U	9.5 U	0.96 UJ	0.97 U	0.96 U	0.96 U	0.95 U	9.6 U
Hexachloroethane	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Indeno(1,2,3-cd)pyrene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Isophorone	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
N-Nitroso-di-n-propylamine	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
N-Nitrosodimethylamine	25 U					24 U						24 U
N-Nitrosodiphenylamine	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Naphthalene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Nitrobenzene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.19 U	9.6 U
Pentachlorophenol	25 U	0.96 U	0.96 U	0.96 U	0.95 U	24 U	0.96 U	0.97 U	0.96 U	0.96 U	0.95 U	24 U
Phenanthrene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.055 J	9.6 U
Phenol	9.8 U	0.48 U	0.48 U	0.48 U	0.48 U	9.5 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	9.6 U
Pyrene	9.8 U	0.2 U	0.2 U	0.2 U	0.19 U	9.5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.069 J	9.6 U
TEQ Equivalent	8.869 U	0.181 U	0.181 U	0.181 U	0.172 U	8.5975 U	0.181 U	0.181 U	0.181 U	0.181 U	0.172 U	8.688 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sheet 5 of 12

Sample ID	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-7S	CM-MW-7S	CM-MW-7S
Sampling Date	7/26/2005	1/26/2006	4/19/2006	10/28/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	7/26/2005	
<b>Semivolatiles in µg/L</b>												
1,2,4-Trichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U
1,2-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U
1,3-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U
1,4-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U
2,4,5-Trichlorophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2,4,6-Trichlorophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2,4-Dichlorophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2,4-Dimethylphenol	2 U	2 U	2 U	0.34 J	9.9 U	2 U	2 U	2 U	9.6 U	9.7 U	2 U	
2,4-Dinitrophenol	3.9 U	3.9 U	3.9 U	3.8 U	25 U	3.9 U	3.9 U	3.9 U	20 U	25 U	3.9 U	
2,4-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
2,6-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
2-Chloronaphthalene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
2-Chlorophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2-Methylnaphthalene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
2-Methylphenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
2-Nitroaniline	0.2 U	0.2 U	0.2 U	0.19 U	25 U	0.2 U	0.2 U	0.2 U	0.96 U	25 U	0.2 U	
2-Nitrophenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
3,3'-Dichlorobenzidine	2 U	2 U	2 R	1.9 U	25 U	2 U	2 U	2 R	9.6 U	25 U	2 U	
3-Nitroaniline	0.96 U	0.98 U	0.97 U	0.95 U	25 U	0.96 U	0.97 U	0.96 U	4.8 U	25 U	0.96 U	
4,6-Dinitro-2-methylphenol	2 U	2 U	2 U	1.9 U	25 U	2 U	2 U	2 U	9.6 U	25 U	2 U	
4-Bromophenyl-Phenylether	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
4-Chloro-3-methylphenol	0.03 J	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
4-Chloroaniline	0.2 U	0.2 U	0.2 R	0.19 U	9.9 U	0.2 U	0.2 U	0.2 R	0.96 U	9.7 U	0.2 U	
4-Chlorophenyl-phenylether	0.2 U	0.2 U	0.2 U	0.19 U		0.2 U	0.2 U	0.2 U	0.96 U		0.2 U	
4-Methylphenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
4-Nitroaniline	0.96 U	0.98 U	0.97 U	0.95 U	25 U	0.96 U	0.97 U	0.96 U	4.8 U	25 U	0.96 U	
4-Nitrophenol	2 U	2 U	2 U	1.9 U	25 U	2 U	2 U	2 U	9.6 U	25 U	2 U	
Acenaphthene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Acenaphthylene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Aniline					25 U					25 U		
Anthracene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzo(a)anthracene	0.2 U	0.2 U	0.2 U	0.033 J	9.9 U	0.2 U	0.2 U	0.03 J	0.96 U	9.7 U	0.2 U	
Benzo(a)pyrene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzo(b)fluoranthene	0.2 U	0.2 U	0.2 U	0.039 J	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzo(g,h,i)perylene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzo(k)fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Benzoic Acid	4.8 U	4.9 U	4.9 U	4.8 U	25 U	4.8 U	4.9 U	4.8 U	24 U	25 U	4.8 U	
Benzyl Alcohol	4.8 U	4.9 U	4.9 U	4.8 U	1.3 J	4.8 U	4.9 U	4.8 U	24 U	9.7 U	4.8 U	
Bis(2-Chloroethoxy)Methane	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Bis(2-Chloroethyl)Ether	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Bis(2-Ethylhexyl)Phthalate	2 U	2 U	2 U	0.69 J	9.9 U	2 U	2 U	0.36 J	9.6 U	9.7 U	2 U	
Bis(2-chloroisopropyl) Ether	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Butylbenzylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Chrysene	0.2 U	0.2 U	0.2 U	0.048 J	9.9 U	0.2 U	0.2 U	0.038 J	0.96 U	9.7 U	0.2 U	
Di-N-Butylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Di-n-octyl Phthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Dibenz(a,h)anthracene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Dibenzofuran	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.21 J	9.7 U	0.2 U	
Diethylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	

Hart Crowser

L:\Jobs\2644114\GW RI\Table PDFs\Appendix F

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-7S	CM-MW-7S	CM-MW-7S
Sampling Date	7/26/2005	1/26/2006	4/19/2006	10/28/2004	3/23/2005	7/26/2005	1/26/2006	4/19/2006	10/27/2004	3/23/2005	7/26/2005	
Dimethyl Phthalate	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.075 J	0.96 U	9.7 U	0.2 U	
Fluorene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Hexachlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Hexachlorobutadiene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Hexachlorocyclopentadiene	0.96 UJ	0.98 U	0.97 U	0.95 U	9.9 U	0.96 UJ	0.97 U	0.96 U	4.8 U	9.7 U	0.96 UJ	
Hexachloroethane	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Indeno(1,2,3-cd)pyrene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Isophorone	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
N-Nitroso-di-n-propylamine	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
N-Nitrosodimethylamine					25 U						25 U	
N-Nitrosodiphenylamine	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Naphthalene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Nitrobenzene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.2 U	0.96 U	9.7 U	0.2 U	
Pentachlorophenol	0.96 U	0.98 U	0.97 U	1.9 U	25 U	0.96 U	0.97 U	0.96 U	9.6 U	25 U	0.96 U	
Phenanthrene	0.2 U	0.2 U	0.2 U	0.19 U	9.9 U	0.2 U	0.2 U	0.062 J	0.96 U	9.7 U	0.2 U	
Phenol	0.48 U	0.49 U	0.49 U	0.48 U	9.9 U	0.48 U	0.49 U	0.48 U	2.4 U	9.7 U	0.48 U	
Pyrene	0.2 U	0.2 U	0.2 U	0.13 J	9.9 U	0.2 U	0.2 U	0.05 J	0.96 U	9.7 U	0.2 U	
TEQ Equivalent	0.181 U	0.181 U	0.181 U	0.1597	8.9595 U	0.181 U	0.181 U	0.1734	0.8688 U	8.7785 U	0.181 U	

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-700S	CM-MW-8S	CM-MW-100	CM-MW-8S	CM-MW-20	CM-MW-8S	CM-MW-8S	CM-MW-8S	HL-MW-6A
Sampling Date	1/26/2006	4/19/2006	4/19/2006	10/28/2004	10/28/2004	3/23/2005	3/23/2005	7/26/2005	1/26/2006	4/19/2006	7/27/2005
			Dup		Dup		Dup				
<b>Semivolatiles in µg/L</b>											
1,2,4-Trichlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
1,2-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
1,3-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
1,4-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2,4,5-Trichlorophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2,4,6-Trichlorophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2,4-Dichlorophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2,4-Dimethylphenol	2 U	2 U	2 U	2 U	2 U	9.5 U	10 U	2 U	2 U	2 U	2 U
2,4-Dinitrophenol	3.9 U	3.9 U	3.9 U	3.9 U	3.9 U	24 U	25 U	3.9 U	3.9 U	3.9 U	3.9 U
2,4-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2,6-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Chloronaphthalene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Chlorophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2-Methylnaphthalene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Methylphenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
2-Nitroaniline	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	24 U	25 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Nitrophenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
3,3'-Dichlorobenzidine	2 U	2 R	2 R	2 U	2 U	24 U	25 U	2 U	2 U	2 R	2 U
3-Nitroaniline	0.97 U	0.96 U	0.97 U	0.98 U	0.96 U	24 U	25 U	0.96 U	0.98 U	0.96 U	0.97 U
4,6-Dinitro-2-methylphenol	2 U	2 U	2 U	2 U	2 U	24 U	25 U	2 U	2 U	2 U	2 U
4-Bromophenyl-Phenylether	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Chloro-3-methylphenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
4-Chloroaniline	0.2 U	0.2 R	0.2 R	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 R	0.2 U
4-Chlorophenyl-phenylether	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U			0.2 U	0.2 U	0.2 U	0.2 U
4-Methylphenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
4-Nitroaniline	0.97 U	0.96 U	0.97 U	0.98 U	0.96 U	24 U	25 U	0.96 U	0.98 U	0.96 U	0.97 U
4-Nitrophenol	2 U	2 U	2 U	2 U	2 U	24 U	25 U	2 U	2 U	2 U	2 U
Acenaphthene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Acenaphthylene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Aniline						24 U	25 U				
Anthracene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)anthracene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)pyrene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(b)fluoranthene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(g,h,i)perylene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(k)fluoranthene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzoic Acid	4.9 U	4.8 U	4.9 U	4.9 U	4.8 U	24 U	25 U	4.8 U	4.9 U	4.8 U	4.9 U
Benzyl Alcohol	4.9 U	4.8 U	4.9 U	4.9 U	4.8 U	9.5 U	10 U	4.8 U	4.9 U	4.8 U	4.9 U
Bis(2-Chloroethoxy)Methane	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Chloroethyl)Ether	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Ethylhexyl)Phthalate	2 U	2 U	2 U	2 U	2 U	9.5 U	10 U	1.1 J	2 U	2 U	2 U
Bis(2-chloroisopropyl) Ether	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Butylbenzylphthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.034 J	0.2 U	0.2 U
Chrysene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Di-N-Butylphthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Di-n-octyl Phthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibenz(a,h)anthracene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibenzofuran	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Diethylphthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U



Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-700S	CM-MW-8S	CM-MW-100	CM-MW-8S	CM-MW-20	CM-MW-8S	CM-MW-8S	CM-MW-8S	HL-MW-6A
Sampling Date	1/26/2006	4/19/2006	4/19/2006	10/28/2004	10/28/2004	3/23/2005	3/23/2005	7/26/2005	1/26/2006	4/19/2006	7/27/2005
			Dup		Dup		Dup				
Dimethyl Phthalate	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Fluoranthene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Fluorene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobutadiene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorocyclopentadiene	0.97 U	0.96 U	0.97 U	0.98 U	0.96 U	9.5 U	10 U	0.96 UJ	0.98 U	0.96 U	0.97 U
Hexachloroethane	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Indeno(1,2,3-cd)pyrene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Isophorone	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitroso-di-n-propylamine	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitrosodimethylamine						24 U	25 U				
N-Nitrosodiphenylamine	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Naphthalene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.052 J	0.2 U	0.2 U	0.2 U
Nitrobenzene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Pentachlorophenol	0.97 U	0.96 U	0.97 U	2 U	2 U	24 U	25 U	0.96 U	0.98 U	0.96 U	0.97 U
Phenanthrene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
Phenol	0.49 U	0.48 U	0.49 U	0.49 U	0.48 U	9.5 U	10 U	0.48 U	0.49 U	0.48 U	0.49 U
Pyrene	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	9.5 U	10 U	0.2 U	0.2 U	0.2 U	0.2 U
TEQ Equivalent	0.181 U	0.181 U	0.181 U	0.181 U	0.181 U	8.5975 U	9.05 U	0.181 U	0.181 U	0.181 U	0.181 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-19S	HL-MW-19S	HL-MW-20S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-22S	MW-16	MW-30
Sampling Date	10/26/2005	1/25/2006	4/19/2006	7/29/2005	1/25/2006	7/27/2005	7/28/2005	1/25/2006	1/25/2006	10/26/2005	10/26/2005	Dup
<b>Semivolatiles in µg/L</b>												
1,2,4-Trichlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
1,2-Dichlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
1,3-Dichlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
1,4-Dichlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2,4,5-Trichlorophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4,6-Trichlorophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4-Dichlorophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4-Dimethylphenol	2 U	2.1 U	2 U	2.1 U	2 U	11 J	2 U	2 U	2 U	2 U	2 U	2 U
2,4-Dinitrophenol	3.9 U	4.1 U	3.9 U	4.1 U	3.9 U	39 U	3.9 U	4 U	3.9 U	3.9 U	3.9 U	3.9 U
2,4-Dinitrotoluene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2,6-Dinitrotoluene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Chloronaphthalene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Chlorophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2-Methylnaphthalene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Methylphenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
2-Nitroaniline	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
2-Nitrophenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
3,3'-Dichlorobenzidine	2 U	2.1 U	2 R	2.1 U	2 U	2000 UJ	2 U	2 U	2 U	2 U	2 U	2 U
3-Nitroaniline	0.96 U	1.1 U	0.96 U	1.1 U	0.96 U	9.6 UJ	0.96 U	1 U	0.96 U	0.96 U	0.96 U	0.97 U
4,6-Dinitro-2-methylphenol	2 U	2.1 U	2 U	2.1 U	2 U	20 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Bromophenyl-Phenylether	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Chloro-3-methylphenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	4.8 U	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
4-Chloroaniline	0.2 U	0.21 U	0.2 R	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Chlorophenyl-phenylether	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
4-Methylphenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	10	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
4-Nitroaniline	0.96 U	1.1 U	0.96 U	1.1 U	0.96 U	9.6 UJ	0.96 U	1 U	0.96 U	0.96 U	0.96 U	0.97 U
4-Nitrophenol	2 U	2.1 U	2 U	2.1 U	2 U	20 U	2 U	2 U	2 U	2 U	2 U	2 U
Acenaphthene	0.2 U	0.21 U	0.2 U	0.21 UJ	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Acenaphthylene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Aniline												
Anthracene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)anthracene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)pyrene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(b)fluoranthene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(g,h,i)perylene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	34 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(k)fluoranthene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Benzoic Acid	4.8 U	5.1 U	4.8 U	5.2 U	4.8 U	48 U	4.8 U	2.2 J	4.8 U	4.8 U	4.8 U	4.9 U
Benzyl Alcohol	4.8 U	5.1 U	4.8 U	5.2 U	4.8 U	48 U	4.8 U	5 U	4.8 U	4.8 U	4.8 U	4.9 U
Bis(2-Chloroethoxy)Methane	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Chloroethyl)Ether	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Ethylhexyl)Phthalate	2 U	2.1 U	2 U	2.1 U	0.52 J	2000 UJ	2 U	2 U	0.41 J	2 U	2 U	2 U
Bis(2-chloroisopropyl) Ether	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Butylbenzylphthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Chrysene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Di-N-Butylphthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Di-n-octyl Phthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibenz(a,h)anthracene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	200 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Dibenzofuran	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Diethylphthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.039 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-19S	HL-MW-19S	HL-MW-20S	HL-MW-21S	HL-MW-21S	HL-MW-22S	MW-16		MW-30
Sampling Date	10/26/2005	1/25/2006	4/19/2006	7/29/2005	1/25/2006	7/27/2005	7/28/2005	1/25/2006	1/25/2006	10/26/2005		10/26/2005
												Dup
Dimethyl Phthalate	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Fluoranthene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Fluorene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobutadiene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorocyclopentadiene	0.96 U	1.1 U	0.96 U	1.1 U	0.96 U	9.6 UJ	0.96 U	1 U	0.96 U	0.96 U	0.96 U	0.97 U
Hexachloroethane	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Indeno(1,2,3-cd)pyrene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	29 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Isophorone	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitroso-di-n-propylamine	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitrosodimethylamine												
N-Nitrosodiphenylamine	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Naphthalene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nitrobenzene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	2 UJ	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Pentachlorophenol	0.96 U	1.1 U	0.96 U	1.1 U	0.96 U	9.6 U	0.96 U	1 U	0.96 U	0.96 U	0.96 U	0.97 U
Phenanthrene	0.2 U	0.21 U	0.2 U	0.21 U	0.029 J	2 UJ	0.2 U	0.2 U	0.02 J	0.2 U	0.2 U	0.2 U
Phenol	0.48 U	0.51 U	0.48 U	0.52 U	0.48 U	1.1 J	0.48 U	0.5 U	0.48 U	0.48 U	0.48 U	0.49 U
Pyrene	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U	20 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
TEQ Equivalent	0.181 U	0.1901 U	0.181 U	0.1901 U	0.181 U	173.9	0.181 U	0.181 U	0.181 U	0.181 U	0.181 U	0.181 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	MW-17S	MW-19S	MW-25S	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S
Sampling Date	10/26/2005	10/26/2005	10/26/2005	6/16/2005	7/28/2005	1/26/2006	6/16/2005	7/28/2005	10/29/2005	1/26/2006
<b>Semivolatiles in µg/L</b>										
1,2,4-Trichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
1,2-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
1,3-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
1,4-Dichlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2,4,5-Trichlorophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4,6-Trichlorophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4-Dichlorophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2,4-Dimethylphenol	2 U	2 U	2 U	1.9 U	2 U	2 U	2 U	2 U	2 U	2 U
2,4-Dinitrophenol	3.9 U	3.9 U	3.9 U	3.8 U	3.9 U	3.9 U	3.9 U	3.9 U	3.9 U	3.9 U
2,4-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2,6-Dinitrotoluene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2-Chloronaphthalene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2-Chlorophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2-Methylnaphthalene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.029 J	0.2 U
2-Methylphenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
2-Nitroaniline	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
2-Nitrophenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
3,3'-Dichlorobenzidine	2 U	2 U	2 U	1.9 U	2 U	2 UJ	2 U	2 U	2 U	2 U
3-Nitroaniline	0.96 U	0.96 U	0.96 U	0.95 U	0.97 U	0.96 UJ	0.96 U	0.96 U	0.96 U	0.97 U
4,6-Dinitro-2-methylphenol	2 U	2 U	2 U	1.9 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Bromophenyl-Phenylether	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
4-Chloro-3-methylphenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
4-Chloroaniline	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
4-Chlorophenyl-phenylether	0.2 U	0.2 U	0.2 U		0.2 U	0.2 UJ		0.2 U	0.2 U	0.2 U
4-Methylphenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	1	0.49 U
4-Nitroaniline	0.96 U	0.96 U	0.96 U	0.95 U	0.97 U	0.96 UJ	0.96 U	0.96 U	0.96 U	0.97 U
4-Nitrophenol	2 U	2 U	2 U	1.9 U	2 U	2 U	2 U	2 U	2 U	2 U
Acenaphthene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Acenaphthylene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Aniline										
Anthracene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(a)anthracene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.014 J	0.2 U	0.2 U	0.2 U
Benzo(a)pyrene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(b)fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(g,h,i)perylene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzo(k)fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Benzoic Acid	4.8 U	4.8 U	4.8 U	4.8 U	4.9 U	4.8 U	4.8 U	4.8 U	4.8 U	4.9 U
Benzyl Alcohol	4.8 U	4.8 U	4.8 U	4.8 U	4.9 U	4.8 U	4.8 U	4.8 U	4.8 U	4.9 U
Bis(2-Chloroethoxy)Methane	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Chloroethyl)Ether	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Bis(2-Ethylhexyl)Phthalate	2 U	2 U	2 U	1.9 U	2 U	2 UJ	2 U	2 U	0.56 J	2 U
Bis(2-chloroisopropyl) Ether	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Butylbenzylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	1	0.2 U
Chrysene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Di-N-Butylphthalate	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.16 J	0.2 U
Di-n-octyl Phthalate	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Dibenz(a,h)anthracene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Dibenzofuran	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Diethylphthalate	0.2 U	0.2 U	0.2 U	0.05 J	0.2 U	0.2 UJ	0.029 J	0.036 J	0.089 J	0.2 U

Table F-5 - Analytical Results for Semivolatile Organic Compound Analysis of Groundwater Samples

Sample ID	MW-17S	MW-19S	MW-25S	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S
Sampling Date	10/26/2005	10/26/2005	10/26/2005	6/16/2005	7/28/2005	1/26/2006	6/16/2005	7/28/2005	10/29/2005	1/26/2006
Dimethyl Phthalate	0.2 U	0.2 U	0.2 U	0.049 J	0.2 U	0.2 UJ	0.2 U	0.2 U	0.018 J	0.2 U
Fluoranthene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Fluorene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorobutadiene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Hexachlorocyclopentadiene	0.96 U	0.96 U	0.96 U	0.95 U	0.97 U	0.96 UJ	0.96 U	0.96 U	0.96 U	0.97 U
Hexachloroethane	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Indeno(1,2,3-cd)pyrene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Isophorone	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitroso-di-n-propylamine	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
N-Nitrosodimethylamine										
N-Nitrosodiphenylamine	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Naphthalene	0.2 U	0.2 U	0.2 U	0.055 J	0.2 U	0.2 UJ	0.03 J	0.2 U	0.024 J	0.019 J
Nitrobenzene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
Pentachlorophenol	0.96 U	0.96 U	0.96 U	0.95 U	0.97 U	0.96 U	0.96 U	0.96 U	0.96 U	0.97 U
Phenanthrene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.023 J	0.2 U	0.2 U
Phenol	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U	0.48 U	0.48 U	0.48 U	0.48 U	0.49 U
Pyrene	0.2 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 UJ	0.2 U	0.2 U	0.2 U	0.2 U
TEQ Equivalent	0.181 U	0.181 U	0.181 U	0.172 U	0.181 U	0.181 U	0.1724	0.181 U	0.181 U	0.181 U

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L									
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
CM-MW-01S	CM-MW-1S	10/28/04	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-01S	CM-MW-1S	3/24/05	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
CM-MW-01S	CM-MW-1S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-01S	CM-MW-1S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-1S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-01S	CM-MW-1S	7/21/06	0.0068 J	0.02 U	0.0024 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-1S	10/24/06	0.0056 J	0.0045 J	0.0037 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-100S	10/24/06	Dup 0.0055 J	0.0049 J	0.0034 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-1S	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-01S	CM-MW-1S	10/25/07	0.0036 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-01S	CM-MW-1S	4/21/08	0.0051 T	0.021 U	0.021 U	0.021 U	0.0031 T	0.021 U	0.021 U	0.021 U	0.021 U	
CM-MW-01S	CM-MW-1S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-02S	CM-MW-2S	10/27/04	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
CM-MW-02S	CM-MW-2S	3/23/05	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	
CM-MW-02S	CM-MW-2S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-02S	CM-MW-2S	10/27/05	0.0039 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-02S	CM-MW-2S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-02S	CM-MW-2S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-02S	CM-MW-2S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-02S	CM-MW-2S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-02S	CM-MW-2S	4/19/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-02S	CM-MW-2S	10/25/07	0.0023 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-02S	CM-MW-2S	4/21/08	0.0034 T	0.12 U	0.039 U	0.02 U	0.0097 T	0.02 U	0.015 T	0.0061 T	0.0073 T	
CM-MW-02S	CM-MW-2S	10/20/08	0.0025 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-03S	CM-MW-3S	10/27/04	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	
CM-MW-03S	CM-MW-3S	3/23/05	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	
CM-MW-03S	CM-MW-3S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-03S	CM-MW-SU	7/26/05	Dup 0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-03S	CM-MW-3S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-SU	10/28/05	Dup 0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-3S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-03S	CM-MW-3S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-03S	CM-MW-3S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-3S	10/24/06	0.0047 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-3S	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-03S	CM-MW-3S	10/25/07	0.0025 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-03S	CM-MW-3S	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-03S	CM-MW-3S	10/21/08	0.02 U	0.2 U	0.2 U	0.2 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-04S	CM-MW-4S	10/27/04	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	
CM-MW-04S	CM-MW-4S	3/23/05	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	PAHs in µg/L									
			2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
CM-MW-04S	CM-MW-4S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	10/27/05	0.0031 J	0.02 U	0.02 U	0.02 U	0.0057 J	0.0043 J	0.0043 J	0.0026 J	0.0049 J	
CM-MW-04S	CM-MW-4S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-04S	CM-MW-4S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-04S	CM-MW-4S	10/24/06	0.0052 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-04S	CM-MW-4S	4/17/07	0.0046 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-04S	CM-MW-4S	10/25/07	0.0043 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-04S	CM-MW-4S	4/20/08	0.0032 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-04S	CM-MW-4S	10/20/08	0.0038 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-05S	CM-MW-5S	10/27/04	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
CM-MW-05S	CM-MW-5S	3/23/05	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U
CM-MW-05S	CM-MW-5S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	10/27/05	0.0029 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-05S	CM-MW-5S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-SU	1/26/06	Dup	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-05S	CM-MW-5S	7/21/06	0.012 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-05S	CM-MW-5S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-05S	CM-MW-5S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-05S	CM-MW-5S	4/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-05S	CM-MW-5S	10/21/08	0.004 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-06S	CM-MW-6S	10/28/04	0.19 U	0.19 U	0.19 U	0.19 U	0.033 J	0.19 U	0.039 J	0.19 U	0.19 U	0.19 U
CM-MW-06S	CM-MW-6S	3/23/05	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U
CM-MW-06S	CM-MW-6S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	10/27/05	0.0054 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-06S	CM-MW-6S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.03 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-06S	CM-MW-6S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-06S	CM-MW-6S	10/24/06	0.0052 J	0.02 U	0.02 U	0.02 U	0.0053 J	0.02 U	0.02 U	0.02 U	0.02 U	0.0056 J
CM-MW-06S	CM-MW-6S	4/19/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-06S	CM-MW-6S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
CM-MW-06S	CM-MW-6S	4/20/08	0.0046 T	0.019 U	0.007 T	0.023	0.067	0.019 T	0.076	0.027	0.018 T	
CM-MW-06S	CM-MW-6S	10/19/08	0.0036 T	0.019 U	0.012 T	0.028	0.056	0.017 T	0.059	0.022	0.02	
CM-MW-07S	CM-MW-7S	10/27/04	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
CM-MW-07S	CM-MW-7S	3/23/05	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U
CM-MW-07S	CM-MW-7S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	10/27/05	0.0032 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
CM-MW-07S	CM-MW-7S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CM-MW-07S	CM-MW-7S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L											
Well ID	Sample ID	Date Sampled		2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene		
CM-MW-07S	CM-MW-700S	4/19/06	Dup	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-07S	CM-MW-7S	7/21/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-07S	CM-MW-700S	7/21/06	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-07S	CM-MW-7S	10/24/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-07S	CM-MW-7S	4/15/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-07S	CM-MW-7S	10/25/07		0.0028 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
CM-MW-07S	CM-MW-7S	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
CM-MW-07S	CM-MW-7S	10/20/08		0.0043 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
CM-MW-08S	CM-MW-8S	10/28/04		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-100	10/28/04	Dup	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-8S	3/23/05		9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U		
CM-MW-08S	CM-MW-20	3/23/05	Dup	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U		
CM-MW-08S	CM-MW-8S	7/26/05		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-8S	10/27/05		0.0034 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-08S	CM-MW-8S	1/26/06		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-8S	4/19/06		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
CM-MW-08S	CM-MW-8S	7/20/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-08S	CM-MW-8S	10/24/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-08S	CM-MW-8S	4/15/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
CM-MW-08S	CM-MW-8S	10/25/07		0.019 U	0.019 U	0.019 U	0.019 U	0.0043 T	0.019 U	0.0041 T	0.0029 T	0.011 T		
CM-MW-08S	CM-MW-8S	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
CM-MW-08S	CM-MW-8S	10/20/08		0.0038 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	4/20/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	7/21/06		0.062	0.11	0.02 U	0.0071 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	10/25/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	4/17/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
FO-MW-01S	FO-MW-1S	4/20/08		0.0036 T	0.02 U	0.0061 T	0.0046 T	0.02 U	0.0049 T	0.0067 T	0.0025 T	0.11		
FO-MW-01S	FO-MW-1S	10/19/08		0.0032 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-02	HL-MW-2	4/21/06		0.017 J	0.0031 J	0.02 U	0.0028 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-02	HL-MW-2	10/27/06		0.016 J	0.0062 J	0.028	0.046 U	0.02 U	0.02 U	0.02 U	0.02 U	0.007 J		
HL-MW-02	HL-MW-2	1/31/07		0.013 J	0.0032 J	0.007 J	0.02 U	0.019 J	0.017 J	0.024	0.02 J	0.02 U		
HL-MW-02	HL-MW-2	4/16/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-02	HL-MW-2	10/22/07		0.032 T	0.023 T	0.098	0.38 U	0.38 U	0.038 U	0.2	0.038 U	0.048		
HL-MW-02	HL-MW-2	1/24/08		0.045 T	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.071 T		
HL-MW-02	HL-MW-2	4/22/08		0.0042 T	0.02 U	0.014 T	0.02 U	0.02 U	0.017 T	0.024	0.02 U	0.018 T		
HL-MW-02	HL-MW-2	10/19/08		0.027	0.019 U	0.077 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.062		
HL-MW-06A	HL-MW-6A	7/27/05		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
HL-MW-06A	HL-MW-6A	10/26/05		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
HL-MW-06A	HL-MW-6A	1/25/06		0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U		
HL-MW-06A	HL-MW-6A	4/19/06		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		



Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L										
Well ID	Sample ID	Date Sampled		2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
HL-MW-06A	HL-MW-6A	7/20/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-06A	HL-MW-600A	7/20/06	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-06A	HL-MW-6A	10/25/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-06A	HL-MW-6A	4/15/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-06A	HL-MW-6A	10/25/07		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-06A	HL-MW-6A	4/22/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-06A	HL-MW-6A	10/19/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-19S	HL-MW-19S	7/29/05		0.21 U	0.21 UJ	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	
HL-MW-19S	HL-MW-19S	10/27/05		0.0048 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-19S	HL-MW-19S	1/25/06		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
HL-MW-19S	HL-MW-19S	4/18/06		0.0031 J	0.02 U	0.0026 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-19S	HL-MW-190S	4/18/06	Dup	0.0031 J	0.02 U	0.0039 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-19S	HL-MW-19S	7/19/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-19S	HL-MW-19S	10/23/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-19S	HL-MW-19S	4/16/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-19S	HL-MW-19S	10/22/07		0.019 U	0.019 U	0.0041 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-19S	HL-MW-19S	4/20/08		0.0071 T	0.02 U	0.0045 T	0.02 U	0.004 T	0.02 U	0.02 U	0.02 U	0.011 T	
HL-MW-19S	HL-MW-19S	10/19/08		0.0067 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-20S	HL-MW-20S	7/27/05		2 UJ	2 UJ	2 UJ	2 UJ	200 UJ	200 UJ	200 UJ	200 UJ	34 J	
HL-MW-20S	HL-MW-20S	10/27/05		0.2 U	0.2 U	0.2 U	2.5	0.6	0.2 U	0.2 U	0.2 U	0.2 U	
HL-MW-20S	HL-MW-20S	4/18/06		0.0033 J	0.0055 J	0.02 U	0.034 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-20S	HL-MW-20S	7/20/06		0.2 U	0.2 U	0.2 U	0.62 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
HL-MW-20S	HL-MW-20S	10/23/06		1 U	0.38 JD	0.41 JD	4 D	1 U	1 U	1 U	1 U	1 U	
HL-MW-20S	HL-MW-20S	4/16/07		0.02 U	0.02 U	0.02 U	0.072 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-20S	HL-MW-20S	10/22/07		0.19 T	0.65	1.2	8.3	4 U	4 U	4 U	4 U	1.1 T	
HL-MW-20S	HL-MW-20S	4/20/08		0.0037 T	0.0098 T	0.02 U	0.042 U	0.02 U	0.02 U	0.02 U	0.02 U	0.012 T	
HL-MW-20S	HL-MW-20S	10/22/08		0.019 UC	0.019 UC	0.019 UC	0.43 UC	0.19 UC	0.019 UC	0.019 UC	0.019 UC	0.019 UC	
HL-MW-20S	HL-MW-200S	10/22/08	Dup	0.019 U	0.029 U	0.049 U	0.16 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-21S	HL-MW-21S	7/28/05		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
HL-MW-21S	HL-MW-21S	10/28/05		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-21S	HL-MW-21S	1/25/06		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
HL-MW-21S	HL-MW-21S	4/18/06		0.0028 J	0.02 U	0.02 U	0.0058 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-21S	HL-MW-21S	7/19/06		0.0075 J	0.02 U	0.0034 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-21S	HL-MW-21S	10/23/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-21S	HL-MW-21S	4/17/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-21S	HL-MW-21S	10/22/07		0.019 U	0.019 U	0.019 U	0.017 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-21S	HL-MW-21S	4/22/08		0.0034 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-21S	HL-MW-21S	10/19/08		0.0035 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-22S	HL-MW-22S	10/28/05		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-22S	HL-MW-22S	1/25/06		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L										
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene		
HL-MW-22S	HL-MW-22S	4/18/06	0.0056 J	0.02 U	0.0047 J	0.0022 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-22S	HL-MW-22S	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-22S	HL-MW-22S	10/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-22S	HL-MW-22S	4/17/07	0.0052 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-22S	HL-MW-22S	10/22/07	0.02 U	0.02 U	0.0085 T	0.02 U	0.0049 T	0.02 U	0.0023 T	0.02 U	0.0036 T		
HL-MW-22S	HL-MW-22S	4/22/08	0.0035 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-22S	HL-MW-22S	10/19/08	0.0036 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-23S	HL-MW-23S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	2/1/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-23S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-23S	HL-MW-23S	4/22/08	0.0061 T	0.019 U	0.0042 T	0.019 U	0.019 U	0.019 U	0.0055 T	0.019 U	0.0039 T		
HL-MW-23S	HL-MW-23S	10/24/08	0.0025 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-23S	HL-MW-2300S	10/24/08	Dup	0.0031 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-24DD	HL-MW-24DD	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	1/31/07	0.0045 J	0.02 U	0.02 U	0.02 U	0.0095 J	0.0063 J	0.0098 J	0.0079 J	0.02 U		
HL-MW-24DD	HL-MW-24DD	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	10/23/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-24DD	HL-MW-24DD	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-24DD	HL-MW-24DD	10/24/08	0.0027 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-25S	HL-MW-25S	4/21/06	0.02 U	0.02 U	0.0024 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	2/1/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-25S	HL-MW-25S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-25S	HL-MW-25S	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-25S	HL-MW-25S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0033 T	0.0025 T	0.0046 T		
HL-MW-26S	HL-MW-26S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	1/31/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-2600S	1/31/07	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-2600S	4/16/07	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-26S	HL-MW-26S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L										
Well ID	Sample ID	Date Sampled		2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
HL-MW-26S	HL-MW-26S	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.0041 T	0.019 U	0.0032 T	0.019 U	0.0036 T	
HL-MW-26S	HL-MW-26S	10/22/08		0.02 U	0.02 U	0.0065 T	0.02 U	0.0048 T	0.02 U	0.0033 T	0.0027 T	0.0066 T	
HL-MW-26S	HL-MW-2600S	10/22/08	Dup	0.0025 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-27D	HL-MW-27D	4/22/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	7/19/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	10/27/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	1/31/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	4/16/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-2700D	4/16/07	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-27D	HL-MW-27D	10/24/07		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-27D	HL-MW-27D	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0032 T	
HL-MW-27D	HL-MW-27D	10/21/08		0.0027 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0036 T	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	10/26/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-28DD	HL-MW-28DD	1/31/07		0.02 U	0.02 U	0.003 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-28DD	HL-MW-28DD	4/15/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-28DD	HL-MW-28DD	7/24/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-28DD	HL-MW-2800DD	7/24/07	Dup	0.0045 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	10/23/07		0.019 U	0.019 U	0.0043 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	1/24/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	4/21/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-2800DD	4/21/08	Dup	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-28DD	HL-MW-28DD	10/19/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	7/24/07		0.0097 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	10/24/07		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	1/24/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-2900S	1/24/08	Dup	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	4/22/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-2900S	4/22/08	Dup	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-29S	HL-MW-29S	10/22/08		0.0026 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-30S	HL-MW-30S	7/24/07		0.0043 T	0.019 U	0.019 U	0.012 JT	0.0099 T	0.019 U	0.016 T	0.0052 T	0.019 U	
HL-MW-30S	HL-MW-3000S	10/24/07	Dup	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-30S	HL-MW-30S	10/24/07		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0037 T	
HL-MW-30S	HL-MW-30S	1/25/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0029 T	0.019 U	0.0041 T	
HL-MW-30S	HL-MW-30S	4/23/08		0.0035 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-30S	HL-MW-30S	10/19/08		0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-16	MW-16	10/26/05		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-16	MW-30	10/26/05	Dup	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-16	MW-16	4/22/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-16	MW-16	10/27/06		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-16	MW-16	4/17/07		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L									
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
MW-16	MW-16	10/26/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-16	MW-16	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-16	MW-16	10/22/08	0.0036 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-17S	MW-17S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-17S	MW-17S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-17S	MW-17S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-17S	MW-17S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-17S	MW-17S	10/23/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-17S	MW-17S	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-17S	MW-17S	10/21/08	0.0036 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-19S	MW-19S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-19S	MW-19S	4/21/06	0.02 U	0.02 U	0.02 U	0.063	0.13	0.094	0.14	0.12	0.097	
MW-19S	MW-19S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-19S	MW-19S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-19S	MW-19S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-19S	MW-19S	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-19S	MW-19S	10/21/08	0.0037 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-20D	MW-20D	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-20D	MW-20D	10/24/07	0.0024 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-20D	MW-20D	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-20D	MW-20D	10/21/08	0.0033 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	10/24/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	10/27/06	0.02 U	0.02 U	0.0025 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-21S	MW-21S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-21S	MW-21S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-21S	MW-21S	10/23/08	0.0026 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-23S	MW-23S	10/24/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-23S	MW-23S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-23S	MW-23S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-23S	MW-23S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-23S	MW-23S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-23S	MW-23S	4/24/08	0.0028 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-23S	MW-23S	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
MW-25S	MW-25S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
MW-25S	MW-25S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-25S	MW-25S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-25S	MW-25S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-25S	MW-25S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L									
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene	
MW-25S	MW-25S	4/22/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
MW-25S	MW-25S	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
OH-MW-08	OH-MW-8	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
OH-MW-08	OH-MW-8	10/20/08	0.0038 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
OH-MW-10	OH-MW-10	4/22/08	0.019 U	0.14 U	0.17 U	0.094 U	0.019 U	0.019 U	0.0052 T	0.019 U	0.0033 T	
OH-MW-10	OH-MW-10	10/22/08	0.22 U	0.22 U	0.98 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	
OH-MW-24	OH-MW-24	4/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0032 T	0.019 U	0.019 U	
OH-MW-24	OH-MW-24	10/23/08	0.044 U	0.044 U	0.044 U	0.41 U	0.025 T	0.034 T	0.085	0.024 T	0.05	
OH-MW-25	OH-MW-25	4/24/08	0.019 U	0.019 U	0.019 U	0.0081 T	0.023	0.014 T	0.035	0.011 T	0.023	
OH-MW-25	OH-MW-25	10/23/08	0.0042 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0033 T	0.019 U	0.019 U	
TF-MW-01	TF-MW-1	4/24/08	0.019 U	0.38 U	0.38 U	0.38 U	0.019 U	0.019 U	0.0027 T	0.019 U	0.019 U	
TF-MW-01	TF-MW-1	10/21/08	0.019 U	0.19 U	0.19 U	0.19 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TF-MW-02	TF-MW-2	4/24/08	0.02 U	0.4 U	0.4 U	0.4 U	0.02 U	0.02 U	0.0059 T	0.02 U	0.02 U	
TF-MW-02	TF-MW-2	10/21/08	0.012 T	0.19 U	0.19 U	0.19 U	0.019 U	0.019 U	0.0078 T	0.012 T	0.019 U	
TF-MW-04	TF-MW-4	4/24/08	0.02 U	1.2 U	0.81 U	1.4 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TF-MW-04	TF-MW-4	10/20/08	2.8	1.9 U	1.9 U	8.5 U	0.051 T	0.19 U	0.19 U	0.19 U	0.19 U	
TS-MW-01S	TS-MW-1S	6/16/05	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	
TS-MW-01S	TS-MW-1S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-01S	TS-MW-1S	10/28/05	0.03 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	1/26/06	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	
TS-MW-01S	TS-MW-1S	4/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	7/20/06	0.0084 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	4/18/07	0.0045 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-01S	TS-MW-1S	10/24/07	0.012 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TS-MW-01S	TS-MW-1S	4/23/08	0.0032 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TS-MW-01S	TS-MW-1S	10/20/08	0.0032 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	6/16/05	0.2 U	0.2 U	0.2 U	0.2 U	0.014 J	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	10/29/05	0.029 J	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
TS-MW-02S	TS-MW-2S	4/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	7/20/06	0.0081 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	10/27/06	0.0089 J	0.02 U	0.0034 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
TS-MW-02S	TS-MW-2S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TS-MW-02S	TS-MW-2S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
TS-MW-02S	TS-MW-2S	10/20/08	0.0025 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
WW-MW-07	WW-MW-7	4/24/08	0.0046 T	0.014 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
WW-MW-07	WW-MW-7	10/23/08	0.038 U	0.24 U	0.19 U	0.3 U	0.038 U	0.038 U	0.038 U	0.038 U	0.038 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

			PAHs in µg/L										
Well ID	Sample ID	Date Sampled	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo(g,h,i) perylene		
WW-MW-08	WW-MW-8	4/24/08	0.02 U	0.13	0.03 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-08	WW-MW-8	10/23/08	0.019 U	0.69	0.14 U	0.058 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0036 T		
WW-MW-09	WW-MW-9	4/24/08	0.0049 T	0.012 T	0.0039 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-09	WW-MW-9	10/22/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	10/27/05	0.0051 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	4/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
WW-MW-12	WW-MW-12	10/23/07	0.019 U	0.019 U	0.0048 T	0.019 U	0.0037 T	0.019 U	0.019 U	0.019 U	0.019 U		
WW-MW-12	WW-MW-12	4/23/08	0.0032 T	0.022 U	0.022 U	0.022 U	0.0049 T	0.022 U	0.0039 T	0.022 U	0.022 U		
WW-MW-12	WW-MW-12	10/22/08	0.0043 T	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

Sample ID	Date Sampled	PAHs in µg/L										
		Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent	
CM-MW-1S	10/28/04	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.02 J	0.2 U	0.2 U	0.2 U	
CM-MW-1S	3/24/05	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
CM-MW-1S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.018 J	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-1S	10/28/05	0.02 U	0.02 U	0.0067 J	0.02 U	0.0025 J	0.02 U	0.02 U	0.0051 J	0.02 U	0.00025	
CM-MW-1S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-1S	7/21/06	0.02 U	0.02 U	0.02 U	0.0058 J	0.02 U	0.011 J	0.01 J	0.02 U	0.013 J	0.02 U	
CM-MW-1S	10/24/06	0.02 U	0.02 U	0.02 U	0.0087 J	0.02 U	0.012 J	0.028	0.02 U	0.012 J	0.02 U	
CM-MW-100S	10/24/06	0.02 U	0.02 U	0.02 U	0.0085 J	0.02 U	0.011 J	0.026	0.02 U	0.012 J	0.02 U	
CM-MW-1S	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02	0.02 U	0.02 U	0.02 U	
CM-MW-1S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.02	0.019 U	0.019 U	0.019 U	
CM-MW-1S	4/21/08	0.021 U	0.021 U	0.021 U	0.0058 T	0.021 U	0.083	0.014 T	0.021 U	0.021 U	0.00031 J	
CM-MW-1S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0046 T	0.011 T	0.019 U	0.019 U	0.019 U	
CM-MW-2S	10/27/04	2 U	2 U	0.18 J	1.1 J	2 U	2 U	3.1	0.26 J	2 U	2 U	
CM-MW-2S	3/23/05	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	
CM-MW-2S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-2S	10/27/05	0.02 U	0.02 U	0.02 U	0.021	0.02 U	0.02 U	0.028	0.02 U	0.013 J	0.02 U	
CM-MW-2S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-2S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-2S	7/21/06	0.02 U	0.02 U	0.02 U	0.023	0.02 U	0.02 U	0.016 J	0.02 U	0.021	0.02 U	
CM-MW-2S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-2S	4/19/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-2S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-2S	4/21/08	0.012 T	0.02 U	0.035	0.02 U	0.008 T	0.048 U	0.02 U	0.022	0.067 U	0.004 J	
CM-MW-2S	10/20/08	0.0058 T	0.019 U	0.0069 T	0.019 U	0.019 U	0.025	0.019 U	0.014 T	0.019 U	0.000058 J	
CM-MW-3S	10/27/04	0.96 U	0.96 U	0.077 J	0.96 U	0.96 U	0.96 U	0.96 U	0.09 J	0.15 J	0.96 U	
CM-MW-3S	3/23/05	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	9.8 U	
CM-MW-3S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-SU	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-3S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-SU	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-3S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-3S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-3S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0065 J	0.0033 J	0.02 U	0.02 U	0.02 U	
CM-MW-3S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0098 J	0.0053 J	0.02 U	0.02 U	0.02 U	
CM-MW-3S	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-3S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-3S	4/21/08	0.019 U	0.019 U	0.0068 T	0.019 U	0.019 U	0.019 U	0.019 U	0.0058 T	0.019 U	0.019 U	
CM-MW-3S	10/21/08	0.02 U	0.02 U	0.2 U	0.2 U	0.02 U	0.018 T	0.2 U	0.02 U	0.2 U	0.02 U	
CM-MW-4S	10/27/04	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	
CM-MW-4S	3/23/05	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L										
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent	
CM-MW-4S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-4S	10/27/05	0.0046 J	0.0035 J	0.0085 J	0.02 U	0.02 U	0.02 U	0.0057 J	0.007 J	0.02 U	0.005956	
CM-MW-4S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-4S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-4S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-4S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0084 J	0.0037 J	0.02 U	0.02 U	0.02 U	
CM-MW-4S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0068 J	0.0042 J	0.02 U	0.02 U	0.02 U	
CM-MW-4S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-4S	4/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.035 U	0.0056 T	0.019 U	0.019 U	0.019 U	
CM-MW-4S	10/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0075 T	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-5S	10/27/04	0.19 U	0.19 U	0.081 J	0.19 U	0.19 U	0.19 U	0.055 J	0.069 J	0.19 U	0.19 U	
CM-MW-5S	3/23/05	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	9.6 U	
CM-MW-5S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-5S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-5S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-SU	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-5S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-5S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.041	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-5S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0067 J	0.0033 J	0.02 U	0.02 U	0.02 U	
CM-MW-5S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.0034 J	0.02 U	0.02 U	0.02 U	
CM-MW-5S	4/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-5S	10/21/08	0.019 U	0.019 U	0.0067 T	0.019 U	0.019 U	0.01 T	0.01 T	0.0071 T	0.019 U	0.019 U	
CM-MW-6S	10/28/04	0.048 J	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.13 J	0.19 U	0.00768	
CM-MW-6S	3/23/05	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	9.9 U	
CM-MW-6S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-6S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-6S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-6S	4/19/06	0.038 J	0.2 U	0.075 J	0.2 U	0.2 U	0.2 U	0.062 J	0.05 J	0.2 U	0.00338	
CM-MW-6S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-6S	10/24/06	0.02 U	0.0055 J	0.0093 J	0.01 J	0.0059 J	0.0067 J	0.0069 J	0.009 J	0.02 U	0.00114 J	
CM-MW-6S	4/19/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-6S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-6S	4/20/08	0.09	0.0054 T	0.3	0.019 U	0.024	0.13	0.15	0.24	0.0096 T	0.03984 J	
CM-MW-6S	10/19/08	0.06	0.0048 T	0.26	0.019 U	0.02	0.089	0.11	0.27	0.019 U	0.03378 J	
CM-MW-7S	10/27/04	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U	0.21 J	0.96 U	
CM-MW-7S	3/23/05	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	9.7 U	
CM-MW-7S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-7S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-7S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-7S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	



Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L										
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent	
CM-MW-700S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-7S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-700S	7/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-7S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-7S	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-7S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-7S	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-7S	10/20/08	0.0048 T	0.019 U	0.007 T	0.019 U	0.019 U	0.028	0.019 U	0.0095 T	0.019 U	0.000048 J	
CM-MW-8S	10/28/04	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-100	10/28/04	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-8S	3/23/05	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	9.5 U	
CM-MW-20	3/23/05	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
CM-MW-8S	7/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.052 J	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-8S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-8S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-8S	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
CM-MW-8S	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-8S	10/24/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-8S	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
CM-MW-8S	10/25/07	0.019 U	0.0068 T	0.019 U	0.019 U	0.0089 T	0.019 U	0.019 U	0.019 U	0.019 U	0.0027 J	
CM-MW-8S	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	
CM-MW-8S	10/20/08	0.02 U	0.02 U	0.02 U	0.005 T	0.02 U	0.04	0.011 T	0.02 U	0.02 U	0.02 U	
FO-MW-1S	4/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
FO-MW-1S	7/21/06	0.02 U	0.02 U	0.02 U	0.21	0.02 U	0.15	0.097	0.02 U	0.1	0.02 U	
FO-MW-1S	10/25/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.029	0.02 U	0.02 U	0.02 U	0.02 U	
FO-MW-1S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
FO-MW-1S	4/20/08	0.02 U	0.0066 T	0.02 U	0.0053 T	0.071	0.12	0.0088 T	0.02 U	0.02 U	0.01358 J	
FO-MW-1S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.046	0.019 U	0.019 U	0.019 U	0.019 U	
HL-MW-2	4/21/06	0.02 U	0.02 U	0.02 U	0.016 J	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	
HL-MW-2	10/27/06	0.11	0.02 U	0.064	0.054	0.012 J	0.076	0.052 U	0.064	0.012 J	0.0023 J	
HL-MW-2	1/31/07	0.044	0.02 U	0.054	0.012 J	0.02 U	0.02 U	0.042	0.074	0.0068 J	0.02374 J	
HL-MW-2	4/16/07	0.02 U	0.02 U	0.02	0.02 U	0.02 U	0.02 U	0.02 U	0.031	0.02 U	0.02 U	
HL-MW-2	10/22/07	0.38 U	0.019 JD	0.57	0.087	0.057	0.16	0.38 U	0.49	0.028 JD	0.0276 J	
HL-MW-2	1/24/08	0.44	0.19 U	0.19 U	0.19 U	0.19 U	0.17 T	0.19 U	0.19 U	0.19 U	0.0044	
HL-MW-2	4/22/08	0.04 U	0.0031 T	0.035	0.016 T	0.013 T	0.0056 T	0.02 U	0.045	0.02 U	0.02101 J	
HL-MW-2	10/19/08	0.37 U	0.019 U	0.27 U	0.088	0.077	0.041	0.019 U	0.39 U	0.024	0.0077	
HL-MW-6A	7/27/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
HL-MW-6A	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
HL-MW-6A	1/25/06	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	
HL-MW-6A	4/19/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L													
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent				
HL-MW-6A	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U				
HL-MW-600A	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U				
HL-MW-6A	10/25/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U				
HL-MW-6A	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U				
HL-MW-6A	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U				
HL-MW-6A	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U				
HL-MW-6A	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U				
HL-MW-19S	7/29/05	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U				
HL-MW-19S	10/27/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.027 U	0.0056 J	0.02 U	0.02 U	0.02 U				
HL-MW-19S	1/25/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.029 J	0.2 U	0.2 U	0.2 U				
HL-MW-19S	4/18/06	0.0015 J	0.02 U	0.02 U	0.0045 J	0.02 U	0.082	0.02 U	0.02 U	0.02 U	0.02 U			0.000015	
HL-MW-190S	4/18/06	0.002 J	0.02 U	0.02 U	0.0041 J	0.02 U	0.062	0.02 U	0.02 U	0.02 U	0.02 U			0.00002	
HL-MW-19S	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.032	0.0054 J	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-19S	10/23/06	0.02 U	0.02 U	0.02 U	0.0046 J	0.02 U	0.049	0.0084 J	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-19S	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.072	0.02 U	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-19S	10/22/07	0.019 U	0.019 U	0.019 U	0.011 T	0.019 U	0.2	0.025 U	0.019 U	0.019 U	0.019 U			0.019 U	
HL-MW-19S	4/20/08	0.0044 T	0.02 U	0.02 U	0.011 T	0.0086 T	0.16	0.019 T	0.0043 T	0.02 U	0.02 U			0.001304 J	
HL-MW-19S	10/19/08	0.0045 T	0.02 U	0.02 U	0.018 T	0.02 U	0.21	0.027	0.02 U	0.02 U	0.02 U			0.000045 J	
HL-MW-20S	7/27/05	200 UJ	200 UJ	2 UJ	2 UJ	29 J	2 UJ	2 UJ	2 UJ	20 J	2 UJ			2.9	
HL-MW-20S	10/27/05	1.8	0.2 U	2.6 U	1.5	0.2 U	0.2 U	1.1	3	0.31				0.078	
HL-MW-20S	4/18/06	0.06	0.02 U	0.031 U	0.096	0.02 U	0.016 J	0.033 U	0.077	0.037				0.0006	
HL-MW-20S	7/20/06	0.77	0.2 U	0.52 U	0.5	0.2 U	0.2 U	0.41 U	1.4	0.19 J				0.0077	
HL-MW-20S	10/23/06	5.9 D	1 U	1 U	2.4 D	1 U	1 U	2.6 D	7 D	0.7 JD				0.059	
HL-MW-20S	4/16/07	0.11	0.02 U	0.028 U	0.096	0.02 U	0.02 U	0.073 U	0.21	0.044				0.0011	
HL-MW-20S	10/22/07	10	4 U	6.5	2.9	4 U	0.43	4.4	14	1.2				0.1 U	
HL-MW-20S	4/20/08	0.052	0.02 U	0.025	0.18	0.01 T	0.058 U	0.045 U	0.093	0.07				0.00152 J	
HL-MW-20S	10/22/08	0.62 UC	0.019 UC	0.35 UC	0.019 UC	0.019 UC	0.044 UC	0.28 UC	1.5 UC	0.18 UC				0.019 UC	
HL-MW-200S	10/22/08	0.3 U	0.019 U	0.24 U	0.32	0.019 U	0.03 U	0.092 U	0.6 U	0.086				0.019 U	
HL-MW-21S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U			0.2 U	
HL-MW-21S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.035 U	0.02 U	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-21S	1/25/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U			0.2 U	
HL-MW-21S	4/18/06	0.02 U	0.02 U	0.0088 J	0.02	0.02 U	0.064	0.02 U	0.0057 J	0.0099 J	0.02 U			0.02 U	
HL-MW-21S	7/19/06	0.02 U	0.02 U	0.02 U	0.027	0.02 U	0.16	0.026	0.0065 J	0.01 J	0.02 U			0.02 U	
HL-MW-21S	10/23/06	0.02 U	0.02 U	0.02 U	0.016 J	0.02 U	0.077	0.012 J	0.0088 J	0.02 U	0.02 U			0.02 U	
HL-MW-21S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.069	0.02 U	0.02 U	0.02 U	0.02 U			0.02 U	
HL-MW-21S	10/22/07	0.019 U	0.019 U	0.019 U	0.0087 T	0.019 U	0.066	0.019 U	0.019 U	0.019 U	0.019 U			0.019 U	
HL-MW-21S	4/22/08	0.019 U	0.019 U	0.019 U	0.0063 T	0.019 U	0.032	0.0094 T	0.019 U	0.019 U	0.019 U			0.019 U	
HL-MW-21S	10/19/08	0.019 U	0.019 U	0.019 U	0.01 T	0.019 U	0.078	0.019 U	0.019 U	0.019 U	0.019 U			0.019 U	
HL-MW-22S	10/28/05	0.0021 J	0.02 U	0.0065 J	0.02 U	0.02 U	0.02 U	0.02 U	0.0057 J	0.02 U	0.02 U			0.000021	
HL-MW-22S	1/25/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.02 J	0.2 U	0.2 U	0.2 U			0.2 U	

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L																			
Sample ID	Date Sampled	Chrysene		Dibenz(a,h)anthracene		Fluoranthene		Fluorene		Indeno(1,2,3-cd)pyrene		Naphthalene		Phenanthrene		Pyrene		Dibenzofuran		TEQ Equivalent	
HL-MW-22S	4/18/06	0.0028	J	0.02	U	0.0041	J	0.0079	J	0.02	U	0.14		0.02	U	0.0034	J	0.02	U	0.000028	
HL-MW-22S	7/19/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.0075	J	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-22S	10/23/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.027		0.0061	J	0.02	U	0.02	U	0.02	U
HL-MW-22S	4/17/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.045		0.0059	J	0.02	U	0.02	U	0.02	U
HL-MW-22S	10/22/07	0.02	U	0.02	U	0.019	T	0.01	T	0.02	U	0.18		0.053		0.039		0.02	U	0.00072	J
HL-MW-22S	4/22/08	0.019	U	0.019	U	0.019	U	0.0047	T	0.019	U	0.048		0.011	T	0.019	U	0.019	U	0.019	U
HL-MW-22S	10/19/08	0.019	U	0.019	U	0.019	U	0.0043	T	0.019	U	0.046		0.0097	T	0.019	U	0.019	U	0.019	U
HL-MW-23S	4/21/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	7/20/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	2/1/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	4/17/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-23S	10/24/07	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-23S	4/22/08	0.0069	T	0.019	U	0.014	T	0.019	U	0.0037	T	0.017	T	0.018	T	0.014	T	0.019	U	0.000989	J
HL-MW-23S	10/24/08	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.0057	T	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-2300S	10/24/08	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.0073	T	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-24DD	4/21/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	7/19/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	1/31/07	0.0087	J	0.0047	J	0.006	J	0.02	U	0.02	U	0.02	U	0.02	U	0.0054	J	0.02	U	0.009577	J
HL-MW-24DD	4/15/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	10/23/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-24DD	4/21/08	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-24DD	10/24/08	0.019	U	0.019	U	0.019	U	0.0045	T	0.019	U	0.0095	T	0.012	T	0.019	U	0.019	U	0.019	U
HL-MW-25S	4/21/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	7/19/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	2/1/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.007	J	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	4/16/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-25S	10/25/07	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-25S	4/21/08	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U
HL-MW-25S	10/19/08	0.019	U	0.019	U	0.0048	T	0.019	U	0.0039	T	0.019	U	0.019	U	0.005	T	0.019	U	0.00097	J
HL-MW-26S	4/21/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	7/19/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	1/31/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-2600S	1/31/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	4/16/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-2600S	4/16/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
HL-MW-26S	10/24/07	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L											
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent		
HL-MW-26S	4/21/08	0.019 U	0.0025 T	0.0063 T	0.019 U	0.019 U	0.019 U	0.019 U	0.0038 T	0.019 U	0.00098 J		
HL-MW-26S	10/22/08	0.0037 T	0.0027 T	0.02 U	0.02 U	0.005 T	0.0045 T	0.0085 T	0.0048 T	0.02 U	0.001887 J		
HL-MW-2600S	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0075 T	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-27D	4/22/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	7/19/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	1/31/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-2700D	4/16/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-27D	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-27D	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-27D	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.00036 J		
HL-MW-28DD	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 J	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-28DD	1/31/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-28DD	4/15/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-28DD	7/24/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-2800DD	7/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.065	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-28DD	10/23/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-28DD	1/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-28DD	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-2800DD	4/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-28DD	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.004 T	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	7/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	1/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-2900S	1/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-2900S	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0059 T	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-29S	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0067 T	0.019 U	0.019 U	0.019 U	0.019 U		
HL-MW-30S	7/24/07	0.03	0.019 U	0.0096 T	0.019 U	0.019 U	0.092	0.019 U	0.0066 T	0.019 U	0.00341 JJ		
HL-MW-3000S	10/24/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-30S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.0037 T	0.019 U	0.019 U	0.019 U	0.019 U	0.00037 J		
HL-MW-30S	1/25/08	0.019 U	0.019 U	0.0059 T	0.019 U	0.0029 T	0.019 U	0.019 U	0.0043 T	0.019 U	0.00058 J		
HL-MW-30S	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
HL-MW-30S	10/19/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0037 T	0.019 U	0.019 U	0.019 U	0.019 U		
MW-16	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
MW-30	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
MW-16	4/22/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
MW-16	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		
MW-16	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U		

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L											
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent		
MW-16	10/26/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-16	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0065 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-16	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-17S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-17S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-17S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-17S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-17S	10/23/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-17S	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-17S	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-19S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-19S	4/21/06	0.12	0.074	0.096	0.0083 J	0.092	0.02 U	0.02 U	0.1	0.02 U	0.1508		
MW-19S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-19S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-19S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-19S	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-19S	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-20D	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-20D	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-20D	4/23/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-20D	10/21/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	10/24/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-21S	10/24/07	0.019 U	0.019 U	0.019 U	0.0039 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-21S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.19 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-21S	10/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0058 T	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-23S	10/24/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-23S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-23S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-23S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-23S	10/24/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-23S	4/24/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-23S	10/21/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U
MW-25S	10/26/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-25S	4/21/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-25S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-25S	4/17/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
MW-25S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

		PAHs in µg/L												
Sample ID	Date Sampled	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Dibenzofuran	TEQ Equivalent			
MW-25S	4/22/08	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.011 T	0.02 U	0.02 U	0.02 U	0.02 U			
MW-25S	10/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.0066 T	0.019 U	0.019 U	0.019 U			
OH-MW-8	4/22/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.025	0.0066 T	0.019 U	0.019 U	0.019 U			
OH-MW-8	10/20/08	0.02 U	0.02 U	0.02 U	0.0046 T	0.02 U	0.041	0.02 U	0.02 U	0.02 U	0.02 U			
OH-MW-10	4/22/08	0.019 U	0.019 U	0.094 U	0.094 U	0.0043 T	0.01 T	0.094 U	0.0049 T	0.12 U	0.00095 J			
OH-MW-10	10/22/08	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U			
OH-MW-24	4/24/08	0.019 U	0.019 U	0.019 U	0.024 U	0.003 T	0.06 U	0.019 U	0.019 U	0.015 T	0.00062 J			
OH-MW-24	10/23/08	0.016 T	0.044 U	0.083	0.044 U	0.076	0.044 U	0.22 U	0.1	0.044 U	0.05516 J			
OH-MW-25	4/24/08	0.03	0.0039 T	0.06	0.026	0.023	0.082 U	0.022 U	0.073	0.011 T	0.02389 J			
OH-MW-25	10/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.016 T	0.019 U	0.008 T	0.019 U	0.00033 J			
TF-MW-1	4/24/08	0.019 U	0.019 U	0.38 U	11 U	0.019 U	0.019 U	0.38 U	0.027	13 U	0.00027 J			
TF-MW-1	10/21/08	0.019 U	0.019 U	0.05 T	0.19 U	0.019 U	0.019 U	0.19 U	0.013 T	0.19 U	0.019 U			
TF-MW-2	4/24/08	0.02 U	0.02 U	0.4 U	26 U	0.003 T	0.02 U	0.4 U	0.028	19 U	0.00089 J			
TF-MW-2	10/21/08	0.017 T	0.012 T	0.19 U	0.19 U	0.019 U	0.0058 T	0.19 U	0.031	0.19 U	0.01167 J			
TF-MW-4	4/24/08	0.02 U	0.02 U	0.098 T	6.1 U	0.02 U	0.02 U	3.3 U	0.057	9.5 U	0.02 U			
TF-MW-4	10/20/08	0.19 U	0.19 U	1.9 U	1.9 U	0.19 U	0.79	23	0.15 T	1.9 U	0.0051 J			
TS-MW-1S	6/16/05	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.055 J	0.19 U	0.19 U	0.19 U	0.19 U			
TS-MW-1S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U			
TS-MW-1S	10/28/05	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.028 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-1S	1/26/06	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ	0.2 UJ			
TS-MW-1S	4/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-1S	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-1S	10/26/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.025 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-1S	4/18/07	0.02 U	0.02 U	0.02 U	0.0046 J	0.02 U	0.089	0.01 J	0.02 U	0.02 U	0.02 U			
TS-MW-1S	10/24/07	0.019 U	0.019 U	0.019 U	0.0042 T	0.019 U	0.024	0.0064 T	0.019 U	0.019 U	0.019 U			
TS-MW-1S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.029 U	0.006 T	0.019 U	0.019 U	0.019 U			
TS-MW-1S	10/20/08	0.02 U	0.02 U	0.02 U	0.0054 T	0.02 U	0.089	0.011 T	0.02 U	0.02 U	0.02 U			
TS-MW-2S	6/16/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.03 J	0.2 U	0.2 U	0.2 U	0.0014			
TS-MW-2S	7/28/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.023 J	0.2 U	0.2 U	0.2 U			
TS-MW-2S	10/29/05	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.024 J	0.2 U	0.2 U	0.2 U	0.2 U			
TS-MW-2S	1/26/06	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.019 J	0.2 U	0.2 U	0.2 U	0.2 U			
TS-MW-2S	4/23/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-2S	7/20/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-2S	10/27/06	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.025 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-2S	4/18/07	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U			
TS-MW-2S	10/25/07	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.023 U	0.019 U	0.019 U	0.019 U	0.019 U			
TS-MW-2S	4/23/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U			
TS-MW-2S	10/20/08	0.019 U	0.019 U	0.019 U	0.019 U	0.019 U	0.047	0.0082 T	0.019 U	0.019 U	0.019 U			
WW-MW-7	4/24/08	0.02 U	0.02 U	0.02 U	0.013 T	0.0026 T	0.02 U	0.02 U	0.028	0.0097 T	0.00026 J			
WW-MW-7	10/23/08	0.053 U	0.038 U	0.058 U	0.038 U	0.038 U	0.29	0.11 U	0.24 U	0.038 U	0.038 U			

Table F-6 - Analytical Results for PAH Analysis of Groundwater Samples

PAHs in µg/L																					
Sample ID	Date Sampled	Chrysene		Dibenz(a,h)anthracene		Fluoranthene		Fluorene		Indeno(1,2,3-cd)pyrene		Naphthalene		Phenanthrene		Pyrene		Dibenzofuran		TEQ Equivalent	
WW-MW-8	4/24/08	0.02	U	0.02	U	0.02	U	0.24		0.02	U	0.045	U	0.13		0.036		0.1		0.02	U
WW-MW-8	10/23/08	0.019	U	0.019	U	0.029		1.3		0.019	U	0.18		0.8		0.11		0.52		0.019	U
WW-MW-9	4/24/08	0.02	U	0.02	U	0.02	U	0.016	T	0.02	U	0.02	U	0.02	U	0.01	T	0.0093	T	0.02	U
WW-MW-9	10/22/08	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.23		0.02	U	0.075	U	0.02	U	0.02	U
WW-MW-12	10/27/05	0.02	U	0.02	U	0.02	U	0.0056	J	0.02	U	0.057		0.0072	J	0.02	U	0.02	U	0.02	U
WW-MW-12	4/20/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
WW-MW-12	10/26/06	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.027		0.0052	J	0.02	U	0.02	U	0.02	U
WW-MW-12	4/18/07	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
WW-MW-12	10/23/07	0.0043	T	0.019	U	0.007	T	0.025		0.019	U	0.26		0.038	U	0.019	U	0.019	U	0.000413	J
WW-MW-12	4/23/08	0.022	U	0.022	U	0.022	U	0.022	U	0.022	U	0.028	U	0.0078	T	0.0039	T	0.022	U	0.00088	J
WW-MW-12	10/22/08	0.02	U	0.02	U	0.02	U	0.0055	T	0.02	U	0.074		0.012	T	0.02	U	0.02	U	0.02	U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-100S	CM-MW-1S
Sampling Date	10/28/2004	7/26/2005	10/28/2005	1/26/2006	4/20/2006	7/21/2006	10/24/2006	10/24/2006	4/15/2007
								Dup	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-100S	CM-MW-1S
Sampling Date	10/28/2004	7/26/2005	10/28/2005	1/26/2006	4/20/2006	7/21/2006	10/24/2006	10/24/2006	4/15/2007
								Dup	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.22 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S
Sampling Date	10/25/2007	4/21/2008	10/19/2008	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U		2 U	2 U	2 UJ	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-1S	CM-MW-1S	CM-MW-1S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S
Sampling Date	10/25/2007	4/21/2008	10/19/2008	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.14 J	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene			2 U							

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-3S	CM-MW-3S	CM-MW-SU	CM-MW-3S
Sampling Date	10/24/2006	4/19/2007	10/25/2007	4/21/2008	10/20/2008	10/27/2004	7/26/2005	7/26/2005	10/28/2005
								Dup	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-2S	CM-MW-3S	CM-MW-3S	CM-MW-SU	CM-MW-3S
Sampling Date	10/24/2006	4/19/2007	10/25/2007	4/21/2008	10/20/2008	10/27/2004	7/26/2005	7/26/2005	10/28/2005
								Dup	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 UJ	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene						2 U			

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-SU	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S
Sampling Date	10/28/2005	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/18/2007	10/25/2007	4/21/2008	10/21/2008	
	Dup									
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 UJ
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.19 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UJ
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-SU	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S	CM-MW-3S
Sampling Date	10/28/2005	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/18/2007	10/25/2007	4/21/2008	10/21/2008	
	Dup									
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.19 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.14 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.06 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene										2 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S
Sampling Date	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/17/2007	10/25/2007	
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S	CM-MW-4S
Sampling Date	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/17/2007	10/25/2007	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.19 J	0.5 U	0.5 U	0.5 U	0.29 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene										

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-4S	CM-MW-4S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-500S	CM-MW-5S
Sampling Date	4/20/2008	10/20/2008	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	4/19/2006	7/21/2006	
								Dup		
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U		2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-4S	CM-MW-4S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-500S	CM-MW-5S
Sampling Date	4/20/2008	10/20/2008	10/27/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	4/19/2006	4/19/2006	7/21/2006
									Dup	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.24 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.12 J	0.14 J
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene		2 U								

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-SU	CM-MW-6S	CM-MW-6S	CM-MW-6S
Sampling Date	10/24/2006	4/17/2007	10/25/2007	4/20/2008	10/21/2008	1/26/2006	10/28/2004	7/26/2005	10/27/2005
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.16 JT	0.5 U	0.5 U	0.5 U	0.24 J	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-5S	CM-MW-SU	CM-MW-6S	CM-MW-6S	CM-MW-6S
Sampling Date	10/24/2006	4/17/2007	10/25/2007	4/20/2008	10/21/2008	1/26/2006	10/28/2004	7/26/2005	10/27/2005
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 UJ
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.13 T	0.07 T	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene						2 U			

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-7S
Sampling Date	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/19/2007	10/25/2007	4/20/2008	10/19/2008	10/27/2004	
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U			2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	3.8 T	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1 J	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-6S	CM-MW-7S
Sampling Date	1/26/2006	4/19/2006	7/21/2006	10/24/2006	4/19/2007	10/25/2007	4/20/2008	10/19/2008	10/27/2004	
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.11 J	0.28 J	0.5 U	0.5 U	0.5 U	0.12 T	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene								2 U		

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-700S	CM-MW-7S	CM-MW-7S	CM-MW-7S
Sampling Date	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	7/21/2006	10/24/2006	4/15/2007	10/25/2007
						Dup			
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-7S	CM-MW-700S	CM-MW-7S	CM-MW-7S	CM-MW-7S
Sampling Date	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/21/2006	7/21/2006	10/24/2006	4/15/2007	10/25/2007
						Dup			
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.15 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.18 J	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-8S	CM-MW-100	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S
Sampling Date	4/21/2008	10/20/2008	10/28/2004	10/28/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/20/2006	
				Dup						
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	2.9 T	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-7S	CM-MW-7S	CM-MW-8S	CM-MW-100	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S
Sampling Date	4/21/2008	10/20/2008	10/28/2004	10/28/2004	7/26/2005	10/27/2005	1/26/2006	4/19/2006	7/20/2006	
				Dup						
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.37 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.11 J
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene		2 U								

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	FO-MW-1S	FO-MW-1S	FO-MW-1S	FO-MW-1S
Sampling Date	10/24/2006	4/15/2007	10/25/2007	4/21/2008	10/20/2008	4/20/2006	7/21/2006	10/25/2006	4/17/2007
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	1.5 J	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	CM-MW-8S	FO-MW-1S	FO-MW-1S	FO-MW-1S	FO-MW-1S
Sampling Date	10/24/2006	4/15/2007	10/25/2007	4/21/2008	10/20/2008	4/20/2006	7/21/2006	10/25/2006	4/17/2007
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	0.35 J	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	0.31 J	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	0.4 J	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	0.44 J	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	0.56 J	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.11 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U				

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	FO-MW-1S	FO-MW-1S	FO-MW-1S	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2
Sampling Date	10/26/2007	4/20/2008	10/19/2008	10/27/2006	1/31/2007	4/16/2007	10/22/2007	1/24/2008	4/22/2008
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	0.67 JT	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U		2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U
Carbon Disulfide	0.5 U	6.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	FO-MW-1S	FO-MW-1S	FO-MW-1S	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2	HL-MW-2
Sampling Date	10/26/2007	4/20/2008	10/19/2008	10/27/2006	1/31/2007	4/16/2007	10/22/2007	1/24/2008	4/22/2008
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	0.22 JT	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	0.28 T
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	0.18 JT	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	0.71 JT	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.17 T	0.5 U	0.5 U	0.5 U	0.5 U	0.31 T	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.07 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene			2 U		2 U				

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-600A	HL-MW-6A	HL-MW-600A
Sampling Date	10/19/2008	3/05/2004	10/26/2005	1/25/2006	4/19/2006	7/20/2006	7/20/2006	10/25/2006	10/25/2006
							Dup		Dup
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene		2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-600A	HL-MW-6A	HL-MW-600A
Sampling Date	10/19/2008	3/05/2004	10/26/2005	1/25/2006	4/19/2006	7/20/2006	7/20/2006	10/25/2006	10/25/2006
							Dup		Dup
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.32 T	0.5 U	0.5 U	0.5 U	0.5 U	0.14 J	0.13 J	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene	2 U								

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-7S	HL-MW-10S
Sampling Date	4/15/2007	10/25/2007	4/22/2008	10/19/2008	3/05/2004	10/26/2004
<b>Volatiles in µg/L</b>						
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.13 T	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organic Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-6A	HL-MW-7S	HL-MW-10S
Sampling Date	4/15/2007	10/25/2007	4/22/2008	10/19/2008	3/05/2004	10/26/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 UJ	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.29 T	0.5 U	0.5 U	0.14 J
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U		

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-13DD	HL-MW-1K	HL-MW-14S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S
Sampling Date	3/04/2004	3/04/2004	3/04/2004	7/29/2005	10/27/2005	1/25/2006	4/18/2006	7/19/2006	10/23/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	6.2 J	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-13DD	HL-MW-1K	HL-MW-14S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S
Sampling Date	3/04/2004	3/04/2004	3/04/2004	7/29/2005	10/27/2005	1/25/2006	4/18/2006	7/19/2006	10/23/2006
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.23 J	0.14 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S
Sampling Date	4/16/2007	10/22/2007	4/20/2008	10/19/2008	7/27/2005	10/27/2005	4/18/2006	7/20/2006	10/23/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	25	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 UJ	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	4.6 J	5.3 J	20 U	5.3 J	6.2 J
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-19S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S
Sampling Date	4/16/2007	10/22/2007	4/20/2008	10/19/2008	7/27/2005	10/27/2005	4/18/2006	7/20/2006	10/23/2006
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.15 T	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S
Sampling Date	4/16/2007	10/22/2007	4/20/2008	10/22/2008	7/28/2005	10/28/2005	1/25/2006	4/18/2006	7/19/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	10 J	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-20S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S
Sampling Date	4/16/2007	10/22/2007	4/20/2008	10/22/2008	7/28/2005	10/28/2005	1/25/2006	4/18/2006	7/19/2006
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.16 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	0.05 T	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.04 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.18 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S
Sampling Date	10/23/2006	4/17/2007	10/22/2007	4/22/2008	10/19/2008	10/28/2005	1/25/2006	4/18/2006	7/19/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.22 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-21S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S
Sampling Date	10/23/2006	4/17/2007	10/22/2007	4/22/2008	10/19/2008	10/28/2005	1/25/2006	4/18/2006	7/19/2006
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.19 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.11 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U				

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-23S	HL-MW-230S	HL-MW-23S	HL-MW-23S
Sampling Date	10/23/2006	4/17/2007	10/22/2007	4/22/2008	10/19/2008	4/21/2006	4/21/2006	7/20/2006	10/26/2006
							Dup		
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-22S	HL-MW-23S	HL-MW-230S	HL-MW-23S	HL-MW-23S
Sampling Date	10/23/2006	4/17/2007	10/22/2007	4/22/2008	10/19/2008	4/21/2006	4/21/2006	7/20/2006	10/26/2006
							Dup		
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.18 T	0.12 T	0.5 U	0.5 U	0.11 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U				

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD
Sampling Date	2/01/2007	4/17/2007	10/24/2007	4/22/2008	10/24/2008	4/21/2006	7/19/2006	10/26/2006	1/31/2007
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene		2 U	2 U	2 U		2 U	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-23S	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD
Sampling Date	2/01/2007	4/17/2007	10/24/2007	4/22/2008	10/24/2008	4/21/2006	7/19/2006	10/26/2006	1/31/2007
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.15 J	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene	2 U					2 U			2 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-25S
Sampling Date	4/15/2007	10/23/2007	4/21/2008	10/24/2008	4/21/2006	7/19/2006	10/26/2006	2/01/2007	4/16/2007
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U		2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-24DD	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-25S
Sampling Date	4/15/2007	10/23/2007	4/21/2008	10/24/2008	4/21/2006	7/19/2006	10/26/2006	2/01/2007	4/16/2007
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.24 T	0.13 J	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U				2 U	

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-2600S	HL-MW-26S
Sampling Date	10/25/2007	4/21/2008	10/19/2008	4/21/2006	7/19/2006	10/26/2006	1/31/2007	1/31/2007	4/16/2007
								Dup	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U		2 U	2 U	2 U			2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-25S	HL-MW-25S	HL-MW-25S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-2600S	HL-MW-26S
Sampling Date	10/25/2007	4/21/2008	10/19/2008	4/21/2006	7/19/2006	10/26/2006	1/31/2007	1/31/2007	4/16/2007
								Dup	
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.07 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene			2 U				2 U	2 U	

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2600S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-27D
Sampling Date	4/16/2007	10/24/2007	4/21/2008	10/22/2008	4/22/2006	7/19/2006	10/27/2006	1/31/2007	4/16/2007
	Dup								
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U		2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2600S	HL-MW-26S	HL-MW-26S	HL-MW-26S	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-27D
Sampling Date	4/16/2007	10/24/2007	4/21/2008	10/22/2008	4/22/2006	7/19/2006	10/27/2006	1/31/2007	4/16/2007
	Dup								
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.14 J	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U			2 U	

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2700D	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-28DD	HL-MW-28DD	HL-MW-28DD	HL-MW-28DD	HL-MW-2800DD
Sampling Date	4/16/2007	10/24/2007	4/21/2008	10/21/2008	10/26/2006	1/31/2007	4/15/2007	7/24/2007	7/24/2007
	Dup								Dup
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 UJ	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U		2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U	0.36 J	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2700D	HL-MW-27D	HL-MW-27D	HL-MW-27D	HL-MW-28DD	HL-MW-28DD	HL-MW-28DD	HL-MW-28DD	HL-MW-2800DD
Sampling Date	4/16/2007	10/24/2007	4/21/2008	10/21/2008	10/26/2006	1/31/2007	4/15/2007	7/24/2007	7/24/2007
	Dup								Dup
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U		2 U			

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-28DD	HL-MW-2800DD	HL-MW-28DD	HL-MW-28DD	HL-MW-2800DD	HL-MW-28DD	HL-MW-29S	HL-MW-29S	HL-MW-29S	
Sampling Date	10/23/2007	10/23/2007	1/24/2008	4/21/2008	4/21/2008	10/19/2008	7/24/2007	10/24/2007	1/24/2008	
		Dup			Dup					
<b>Volatiles in µg/L</b>										
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U		2 U	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.24 T	0.5 U	0.5 U	
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.53	0.5 U	
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Freon 11	0.5 U	0.5 U			0.5 U	0.5 U	0.5 U	0.5 U		



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-28DD	HL-MW-2800DD	HL-MW-28DD	HL-MW-28DD	HL-MW-2800DD	HL-MW-28DD	HL-MW-29S	HL-MW-29S	HL-MW-29S
Sampling Date	10/23/2007	10/23/2007	1/24/2008	4/21/2008	4/21/2008	10/19/2008	7/24/2007	10/24/2007	1/24/2008
		Dup			Dup				
Freon 12	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.13 T	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.17 T	0.15 T	0.5 U	0.5 U	0.37 T	0.5 U	0.34 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene						2 U			

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2900S	HL-MW-29S	HL-MW-2900S	HL-MW-29S	HL-MW-30S	HL-MW-30S	HL-MW-30S	HL-MW-3000S	HL-MW-30S
Sampling Date	1/24/2008	4/22/2008	4/22/2008	10/22/2008	6/08/2007	7/24/2007	10/24/2007	10/24/2007	1/25/2008
	Dup		Dup					Dup	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.39 T	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-2900S	HL-MW-29S	HL-MW-2900S	HL-MW-29S	HL-MW-30S	HL-MW-30S	HL-MW-30S	HL-MW-3000S	HL-MW-30S
Sampling Date	1/24/2008	4/22/2008	4/22/2008	10/22/2008	6/08/2007	7/24/2007	10/24/2007	10/24/2007	1/25/2008
	Dup		Dup					Dup	
Freon 12		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 T	0.11 T	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	0.2 J	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.36 T	0.5 U	0.17 T	0.5 U	0.5 U	0.11 T	0.5 U	0.5 U	0.59
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-30S	HL-MW-3000S	HL-MW-30S
Sampling Date	4/23/2008	4/23/2008	10/19/2008
		Dup	
<b>Volatiles in µg/L</b>			
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 UJ
1,2-Dibromoethane(EDB)	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U
Acetone	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	HL-MW-30S	HL-MW-3000S	HL-MW-30S
Sampling Date	4/23/2008	4/23/2008	10/19/2008
		Dup	
Freon 12	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 UJ
Sec-Butylbenzene	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.38 T	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U
p-Cymene			2 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-8	MW-8	MW-8	MW-9	MW-9	MW-9	MW-12A	MW-12A	MW-12A
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U			0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U			0.5 U
1,2,3-Trichlorobenzene			2 U			2 U			2 U
1,2,3-Trichloropropane			0.5 U			0.5 U			0.5 U
1,2,4-Trichlorobenzene			2 U			2 U			2 U
1,2,4-Trimethylbenzene			2 U			2 U			2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U			2 U
1,2-Dibromoethane(EDB)			2 U			2 U			2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U			2 U
1,3-Dichlorobenzene			0.5 U			0.5 U			0.5 U
1,3-Dichloropropane			0.5 U			0.5 U			0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U			0.5 U
2,2-Dichloropropane			0.5 U			0.5 U			0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
2-Chlorotoluene			2 U			2 U			2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
4-Chlorotoluene			2 U			2 U			2 U
4-Isopropyltoluene			2 U			2 U			2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U			2 U
Bromochloromethane			0.5 U			0.5 U			0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U			0.5 U
Freon 12			0.5 U			0.5 U			0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-8	MW-8	MW-8	MW-9	MW-9	MW-9	MW-12A	MW-12A	MW-12A
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.13 J
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U			2 U			2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U			0.5 U			0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U			2 U			2 U
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	1 U	1 U	2 U
N-Butylbenzene			2 U			2 U			2 U
N-Propylbenzene			2 U			2 U			2 U
Naphthalene			2 U			2 U			2 U
Sec-Butylbenzene			2 U			2 U			2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U			2 U			2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U		5 U	5 U		5 U	5 U	
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-13	MW-13	MW-13	MW-14	MW-14	MW-14	MW-15	MW-15	MW-15
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U			0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U			0.5 U
1,2,3-Trichlorobenzene			2 U			2 U			2 U
1,2,3-Trichloropropane			0.5 U			0.5 U			0.5 U
1,2,4-Trichlorobenzene			2 U			2 U			2 U
1,2,4-Trimethylbenzene			2 U			2 U			2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U			2 U
1,2-Dibromoethane(EDB)			2 U			2 U			2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U			2 U
1,3-Dichlorobenzene			0.5 U			0.5 U			0.5 U
1,3-Dichloropropane			0.5 U			0.5 U			0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U			0.5 U
2,2-Dichloropropane			0.5 U			0.5 U			0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
2-Chlorotoluene			2 U			2 U			2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
4-Chlorotoluene			2 U			2 U			2 U
4-Isopropyltoluene			2 U			2 U			2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	10 U	10 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U			2 U
Bromochloromethane			0.5 U			0.5 U			0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U			0.5 U
Freon 12			0.5 U			0.5 U			0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-13	MW-13	MW-13	MW-14	MW-14	MW-14	MW-15	MW-15	MW-15
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	0.5 U	0.5 U	0.18 J
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U			2 U			2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U			0.5 U			0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U			2 U			2 U
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	1 U	1 U	2 U
N-Butylbenzene			2 U			2 U			2 U
N-Propylbenzene			2 U			2 U			2 U
Naphthalene			2 U			2 U			2 U
Sec-Butylbenzene			2 U			2 U			2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U			2 U			2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.55	0.5 U	0.5 U	0.29 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U		5 U	5 U		5 U	5 U	
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-27	MW-27	MW-27	MW-16	MW-16	MW-16	MW-16	MW-16	MW-16
Sampling Date	5/12/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	10/26/2005	4/22/2006	10/27/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,3-Trichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)			2 U			2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,3-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
2-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
4-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
4-Isopropyltoluene			2 U			2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U	2 U	2 U	2 U
Bromochloromethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Freon 12			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-27	MW-27	MW-27	MW-16	MW-16	MW-16	MW-16	MW-16	MW-16	MW-16
Sampling Date	5/12/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	10/26/2005	4/22/2006	10/27/2006	
Chloroform	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.14 J	0.5 U	0.5 U	0.5 U	
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Cumene(Isopropylbenzene)			2 U			2 U	2 U	2 U	2 U	
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Dibromomethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U	
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Hexachlorobutadiene			2 U			2 U	2 U	2 U	2 U	
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	2 U	2 U	2 U	
N-Butylbenzene			2 U			2 U	2 U	2 U	2 U	
N-Propylbenzene			2 U			2 U	2 U	2 U	2 U	
Naphthalene			2 U			2 U	2 U	2 U	2 U	
Sec-Butylbenzene			2 U			2 U	2 U	2 U	2 U	
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Tert-Butylbenzene			2 U			2 U	2 U	2 U	2 U	
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Toluene	0.5 U	0.29 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.12 J	0.5 U	
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
Vinyl Acetate	5 U	5 U		5 U	5 U					
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	
p-Cymene										

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-16	MW-16	MW-16	MW-16	MW-30	MW-17S	MW-17S	MW-17S	MW-17S
Sampling Date	4/17/2007	10/26/2007	4/22/2008	10/22/2008	10/26/2005	5/13/2003	9/02/2003	6/29/2004	10/25/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U			2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.35 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	MW-16	MW-16	MW-16	MW-16	MW-30	MW-17S	MW-17S	MW-17S	MW-17S
Sampling Date	4/17/2007	10/26/2007	4/22/2008	10/22/2008	10/26/2005	5/13/2003	9/02/2003	6/29/2004	10/25/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Dibromochloromethane	0.13 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	1 U	1 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.18 T	0.5 U	0.5 U	0.5 U	0.15 J	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate						5 U	5 U		
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-1700S
Sampling Date	7/28/2005	10/26/2005	4/21/2006	10/27/2006	4/17/2007	10/23/2007	4/22/2008	10/21/2008	10/21/2008
									Dup
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U		
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	3 T
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.32 J	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-17S	MW-1700S
Sampling Date	7/28/2005	10/26/2005	4/21/2006	10/27/2006	4/17/2007	10/23/2007	4/22/2008	10/21/2008	10/21/2008
									Dup
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.06 T
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.56	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene								2 U	2 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-18D	MW-18D	MW-18D	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	10/26/2004	7/29/2005	10/26/2005
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,3-Trichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)			2 U			2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,3-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
2-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
4-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
4-Isopropyltoluene			2 U			2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U	2 U	2 U	2 U
Bromochloromethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Freon 12			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-18D	MW-18D	MW-18D	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S
Sampling Date	5/13/2003	9/02/2003	6/29/2004	5/13/2003	9/02/2003	6/29/2004	10/26/2004	7/29/2005	10/26/2005
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U			2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U			2 U	2 U	2 U	2 U
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	2 U	2 U	2 U
N-Butylbenzene			2 U			2 U	2 U	2 U	2 U
N-Propylbenzene			2 U			2 U	2 U	2 U	2 U
Naphthalene			2 U			2 U	2 U	2 U	2 U
Sec-Butylbenzene			2 U			2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U			2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.11 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U		5 U	5 U				
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-20D	MW-20D	MW-20D
Sampling Date	4/21/2006	10/27/2006	4/17/2007	10/24/2007	4/23/2008	10/21/2008	5/13/2003	9/02/2003	6/29/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-19S	MW-20D	MW-20D	MW-20D
Sampling Date	4/21/2006	10/27/2006	4/17/2007	10/24/2007	4/23/2008	10/21/2008	5/13/2003	9/02/2003	6/29/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	1 U	1 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U			2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.15 T	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate							5 U	5 U	
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene						2 U			

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-20D	MW-20D	MW-20D	MW-20D	MW-2000D	MW-21S	MW-21S	MW-21S	MW-21S
Sampling Date	4/17/2007	10/24/2007	4/23/2008	10/21/2008	10/21/2008	5/12/2003	9/02/2003	6/29/2004	10/25/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U					2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-20D	MW-20D	MW-20D	MW-20D	MW-2000D	MW-21S	MW-21S	MW-21S	MW-21S
Sampling Date	4/17/2007	10/24/2007	4/23/2008	10/21/2008	10/21/2008	5/12/2003	9/02/2003	6/29/2004	10/25/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	1 U	1 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.43 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate						5 U	5 U		
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U	2 U				

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-2100S
Sampling Date	7/29/2005	10/24/2005	4/21/2006	10/27/2006	4/17/2007	10/24/2007	4/23/2008	10/23/2008	10/23/2008
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U		
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-21S	MW-2100S
Sampling Date	7/29/2005	10/24/2005	4/21/2006	10/27/2006	4/17/2007	10/24/2007	4/23/2008	10/23/2008	10/23/2008
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.65	0.08 T	0.17 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene								2 U	2 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-22D	MW-22D	MW-22D	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S
Sampling Date	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004	10/24/2005	4/21/2006	10/27/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,3-Trichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene			2 U			2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane			2 U			2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)			2 U			2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U			2 U	2 U	2 U	2 U
1,3-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
2-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
2-Hexanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
4-Chlorotoluene			2 U			2 U	2 U	2 U	2 U
4-Isopropyltoluene			2 U			2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Acetone	10 U	10 U	20 U	10 U	10 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.54	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U			2 U	2 U	2 U	2 U
Bromochloromethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Freon 12			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-22D	MW-22D	MW-22D	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S	MW-23S
Sampling Date	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003	6/29/2004	10/24/2005	4/21/2006	10/27/2006
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U			2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U			0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.13 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U			2 U	2 U	2 U	2 U
Methylene Chloride	1 U	1 U	2 U	1 U	1 U	2 U	2 U	2 U	2 U
N-Butylbenzene			2 U			2 U	2 U	2 U	2 U
N-Propylbenzene			2 U			2 U	2 U	2 U	2 U
Naphthalene			2 U			2 U	2 U	2 U	2 U
Sec-Butylbenzene			2 U			2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U			2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.12 J	1.2	0.5 U	0.12 J	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U		5 U	5 U				
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.42 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.17 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-23S	MW-23S	MW-23S	MW-23S	MW-24D	MW-24D	MW-24D	MW-25S	MW-25S
Sampling Date	4/17/2007	10/24/2007	4/24/2008	10/21/2008	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U			2 U		
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U			2 U		
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U			2 U		
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U			2 U		
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U			2 U		
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U			2 U		
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
2-Butanone (MEK)	20 U	20 U	20 U	20 U	10 U	10 U	20 U	10 U	10 U
2-Chlorotoluene	2 U	2 U	2 U	2 U			2 U		
2-Hexanone	20 U	20 U	20 U	20 U	10 U	10 U	20 U	10 U	10 U
4-Chlorotoluene	2 U	2 U	2 U	2 U			2 U		
4-Isopropyltoluene	2 U	2 U	2 U	2 U			2 U		
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	10 U	10 U	20 U	10 U	10 U
Acetone	20 U	20 U	20 U	20 U	10 U	10 U	20 U	10 U	10 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U			2 U		
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-23S	MW-23S	MW-23S	MW-23S	MW-24D	MW-24D	MW-24D	MW-25S	MW-25S
Sampling Date	4/17/2007	10/24/2007	4/24/2008	10/21/2008	5/12/2003	9/02/2003	6/29/2004	5/12/2003	9/02/2003
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U			2 U		
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U		
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U			2 U		
Methylene Chloride	2 U	2 U	2 U	2 U	1 U	1 U	2 U	1 U	1 U
N-Butylbenzene	2 U	2 U	2 U	2 U			2 U		
N-Propylbenzene	2 U	2 U	2 U	2 U			2 U		
Naphthalene	2 U	2 U	2 U	2 U			2 U		
Sec-Butylbenzene	2 U	2 U	2 U	2 U			2 U		
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U			2 U		
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.21 J
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate					5 U	5 U		5 U	5 U
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene				2 U					

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S
Sampling Date	6/29/2004	10/26/2004	7/28/2005	10/26/2005	4/21/2006	10/27/2006	4/17/2007	10/25/2007	4/22/2008
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S	MW-25S
Sampling Date	6/29/2004	10/26/2004	7/28/2005	10/26/2005	4/21/2006	10/27/2006	4/17/2007	10/25/2007	4/22/2008
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	0.3 J	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.47 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-25S	MW-26D	MW-26D	MW-26D
Sampling Date	10/22/2008	5/12/2003	9/02/2003	6/29/2004
<b>Volatiles in µg/L</b>				
1,1,1,2-Tetrachloroethane	0.5 U			0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U			0.5 U
1,2,3-Trichlorobenzene	2 U			2 U
1,2,3-Trichloropropane	0.5 U			0.5 U
1,2,4-Trichlorobenzene	2 U			2 U
1,2,4-Trimethylbenzene	2 U			2 U
1,2-Dibromo-3-Chloropropane	2 UJ			2 U
1,2-Dibromoethane(EDB)	2 U			2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U			2 U
1,3-Dichlorobenzene	0.5 U			0.5 U
1,3-Dichloropropane	0.5 U			0.5 U
1,4-Dichlorobenzene	0.5 U			0.5 U
2,2-Dichloropropane	0.5 U			0.5 U
2-Butanone (MEK)	20 U	10 U	10 U	20 U
2-Chlorotoluene	2 U			2 U
2-Hexanone	20 U	10 U	10 U	20 U
4-Chlorotoluene	2 U			2 U
4-Isopropyltoluene				2 U
4-Methyl-2-Pentanone	20 U	10 U	10 U	20 U
Acetone	20 U	10 U	10 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U			2 U
Bromochloromethane	0.5 U			0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U
Bromofrom	0.5 UJ	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U			0.5 U
Freon 12	0.5 U			0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	MW-25S	MW-26D	MW-26D	MW-26D
Sampling Date	10/22/2008	5/12/2003	9/02/2003	6/29/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U			2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U			0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U			2 U
Methylene Chloride	2 U	1 U	1 U	2 U
N-Butylbenzene	2 U			2 U
N-Propylbenzene	2 U			2 U
Naphthalene	2 U			2 U
Sec-Butylbenzene	2 U			2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U			2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.1 J	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate		5 U	5 U	
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene	2 U			

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	OH-MW-8		OH-MW-8		OH-MW-10		OH-MW-10		OH-MW-24		OH-MW-24		OH-MW-25		OH-MW-25		TF-MW-1	
Sampling Date	4/22/2008		10/20/2008		4/22/2008		10/22/2008		4/24/2008		10/23/2008		4/24/2008		10/23/2008		4/24/2008	
<b>Volatiles in µg/L</b>																		
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,4-Trimethylbenzene	2	U	2	U	0.37	T	0.04	T	2	U	2	U	2	U	2	U	2	U
1,2-Dibromo-3-Chloropropane	2	U	2	UJ	2	U	2	UJ	2	U	2	U	2	U	2	U	2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.06	T	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2,2-Dichloropropane	0.5	U	0.5	UJ	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Isopropyltoluene	2	U			2	U			2	U			2	U			2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Acetone	20	U	20	U	20	U	20	U	20	U	2.8	T	20	U	3.8	T	20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	UJ	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	UJ	0.5	U	0.5	UJ	0.5	U	0.5	UJ
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Disulfide	0.5	U	0.05	T	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	OH-MW-8		OH-MW-8		OH-MW-10		OH-MW-10		OH-MW-24		OH-MW-24		OH-MW-25		OH-MW-25		TF-MW-1	
Sampling Date	4/22/2008		10/20/2008		4/22/2008		10/22/2008		4/24/2008		10/23/2008		4/24/2008		10/23/2008		4/24/2008	
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cumene(Isopropylbenzene)	2	U	2	U	0.11	T	0.09	T	0.35	T	0.46	T	0.21	T	2	U	2	U
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.06	T	0.5	U	0.5	U
Hexachlorobutadiene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Methylene Chloride	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Butylbenzene	2	U	2	U	2	U	2	U	0.06	T	2	U	0.11	T	2	U	2	U
N-Propylbenzene	2	U	2	U	0.1	T	0.04	T	2	U	2	U	0.24	T	2	U	2	U
Naphthalene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Sec-Butylbenzene	2	U	2	U	0.23	T	0.15	T	0.87	T	0.83	T	0.41	T	2	U	2	U
Styrene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Tert-Butylbenzene	2	U	2	U	2	U	2	U	0.12	T	0.12	T	0.1	T	2	U	2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	0.5	U	0.06	T	1.5		0.11	T	0.5	U	0.91		0.5	U	0.54		0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Acetate																		
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
m,p-Xylenes	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
p-Cymene			2	U			2	U			2	U			2	U		

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	TF-MW-1	TF-MW-2	TF-MW-2	TF-MW-3	TF-MW-3	TF-MW-4	TF-MW-4	TS-MW-1S	TS-MW-1S
Sampling Date	10/21/2008	4/24/2008	10/21/2008	4/24/2008	10/20/2008	4/24/2008	10/20/2008	7/28/2005	10/28/2005
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	0.11 T	2 U	2 U		2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U		0.09 T	5.1	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 UJ	2 U	2 UJ	2 U		2 U	2 UJ	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 UJ	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U		20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U		20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
4-Isopropyltoluene		2 U		2 U		2 U		2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U		20 U	20 U	20 U	20 U
Acetone	20 U	6.5 T	20 U	20 U		20 U	3.4 T	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 UJ	0.5 U	0.5 UJ	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 UJ	0.5 U	0.5 UJ		0.5 UJ	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.1 T	0.09 T	0.3 T	0.5 U		0.5 U	0.54	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	TF-MW-1	TF-MW-2	TF-MW-2	TF-MW-3	TF-MW-3	TF-MW-4	TF-MW-4	TS-MW-1S	TS-MW-1S
Sampling Date	10/21/2008	4/24/2008	10/21/2008	4/24/2008	10/20/2008	4/24/2008	10/20/2008	7/28/2005	10/28/2005
Chloroform	0.5 U	0.5 U	0.05 T	0.5 U		0.28 T	0.5 U	0.5 U	0.5 U
Chloromethane	0.06 T	0.5 U	0.2 T	0.5 U		0.5 U	0.1 T	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U		2 U	0.17 T	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U		0.15 T	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U		2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U		0.26 T	0.37 T	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U		2 U	0.43 T	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U		2 U	0.4 T	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U		2 U	0.23 T	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U		0.06 T	0.4 T	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U		2 U	0.05 T	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.12 T	0.5 U	0.12 T	0.5 U	0.33 T	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.12 T	0.5 U	0.5 U
p-Cymene	2 U		2 U				0.41 T		

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S
Sampling Date	1/26/2006	4/23/2006	7/20/2006	10/26/2006	7/28/2005	10/29/2005	1/26/2006	4/23/2006	7/20/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-1S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S	TS-MW-2S
Sampling Date	1/26/2006	4/23/2006	7/20/2006	10/26/2006	7/28/2005	10/29/2005	1/26/2006	4/23/2006	7/20/2006
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									

Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples

Sample ID	TS-MW-2S	WW-MW-7	WW-MW-7	WW-MW-8	WW-MW-8	WW-MW-9	WW-MW-9	WW-MW-12	WW-MW-12
Sampling Date	10/27/2006	4/24/2008	10/23/2008	4/24/2008	10/23/2008	4/24/2008	10/22/2008	10/27/2005	4/20/2006
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	0.07 T	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U		2 U		2 U		2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.06 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	TS-MW-2S	WW-MW-7	WW-MW-7	WW-MW-8	WW-MW-8	WW-MW-9	WW-MW-9	WW-MW-12	WW-MW-12
Sampling Date	10/27/2006	4/24/2008	10/23/2008	4/24/2008	10/23/2008	4/24/2008	10/22/2008	10/27/2005	4/20/2006
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	0.14 T	1.3 T	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	0.13 T	2 U	2 U	2 UJ	2 U
N-Propylbenzene	2 U	2 U	2 U	0.1 T	1.4 T	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	0.04 T	0.06 T	0.25 T	2.1	0.09 T	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	0.08 T	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.42 T	0.23 T	0.07 T	0.5 U	0.5 U	0.05 T	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate									
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.09 T	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene			2 U		2 U		2 U		

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18
Sampling Date	10/26/2006	4/18/2007	10/23/2007	4/23/2008	10/22/2008	5/13/2003	9/02/2003	6/29/2004	10/25/2004
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	10 U	10 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U	10 U	5.1 J	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U



**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-12	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18
Sampling Date	10/26/2006	4/18/2007	10/23/2007	4/23/2008	10/22/2008	5/13/2003	9/02/2003	6/29/2004	10/25/2004
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	1 U	1 U	2 U	0.23 J
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U			2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.21 T	0.15 T	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate						5 U	5 U		
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene					2 U				

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18
Sampling Date	7/27/2005	10/24/2005	4/20/2006	10/25/2006	4/18/2007	10/23/2007	4/24/2008	10/23/2008
<b>Volatiles in µg/L</b>								
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	4.2 J	20 U	20 U	5.1 T	14 T
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

**Table F-7 - Analytical Results for Volatile Organics Compound Analysis of Groundwater Samples**

Sample ID	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18	WW-MW-18
Sampling Date	7/27/2005	10/24/2005	4/20/2006	10/25/2006	4/18/2007	10/23/2007	4/24/2008	10/23/2008
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.5 U	0.12 J	0.5 U	0.5 U	0.09 T
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate								
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene								2 U

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L													
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon			
CM-MW-01S	CM-MW-1S	10/28/2004	202													
CM-MW-01S	CM-MW-1S	3/24/2005	3													
CM-MW-01S	CM-MW-1S	7/26/2005	1 U													
CM-MW-01S	CM-MW-1S	10/28/2005	1 U													
CM-MW-01S	CM-MW-1S	1/26/2006	1													
CM-MW-01S	CM-MW-1S	4/20/2006	121													
CM-MW-01S	CM-MW-1S	7/21/2006	1 U													
CM-MW-01S	CM-MW-1S	10/24/2006	1 U													
CM-MW-01S	CM-MW-1S	4/15/2007	1 U													
CM-MW-01S	CM-MW-1S	10/25/2007	1 U													
CM-MW-01S	CM-MW-1S	4/21/2008	779													
CM-MW-01S	CM-MW-1S	10/19/2008	1 U													
CM-MW-02S	CM-MW-2S	10/27/2004	2690													
CM-MW-02S	CM-MW-2S	3/23/2005	1 U													
CM-MW-02S	CM-MW-2S	7/26/2005	1 U													
CM-MW-02S	CM-MW-2S	10/27/2005	1 U				1.3	0.1 U						2 U		
CM-MW-02S	CM-MW-2S	1/26/2006	2													
CM-MW-02S	CM-MW-2S	4/19/2006	1 U				1.8	0.2 U						0.05 U		
CM-MW-02S	CM-MW-2S	7/21/2006	5													
CM-MW-02S	CM-MW-2S	10/24/2006	5				1.5	0.1 U						0.05 U		
CM-MW-02S	CM-MW-2S	4/19/2007	107													
CM-MW-02S	CM-MW-2S	10/25/2007	1 U													
CM-MW-02S	CM-MW-2S	4/21/2008	393													
CM-MW-02S	CM-MW-2S	10/20/2008	166													
CM-MW-03S	CM-MW-3S	10/27/2004	676													
CM-MW-03S	CM-MW-3S	3/23/2005	1 U													
CM-MW-03S	CM-MW-3S	7/26/2005	1 U													
CM-MW-03S	CM-MW-3S	10/28/2005	1 U													
CM-MW-03S	CM-MW-3S	1/26/2006	1 U													
CM-MW-03S	CM-MW-3S	4/19/2006	1 U													
CM-MW-03S	CM-MW-3S	7/21/2006	1 U													
CM-MW-03S	CM-MW-3S	10/24/2006	1 U													
CM-MW-03S	CM-MW-3S	4/18/2007	1 U													
CM-MW-03S	CM-MW-3S	10/25/2007	1 U													
CM-MW-03S	CM-MW-3S	4/21/2008	6													
CM-MW-03S	CM-MW-3S	10/21/2008	69													
CM-MW-04S	CM-MW-4S	10/27/2004	3370													
CM-MW-04S	CM-MW-4S	3/23/2005	29													
CM-MW-04S	CM-MW-4S	7/26/2005	76													
CM-MW-04S	CM-MW-4S	10/27/2005	3													
CM-MW-04S	CM-MW-4S	1/26/2006	2													
CM-MW-04S	CM-MW-4S	4/19/2006	19													
CM-MW-04S	CM-MW-4S	7/21/2006	1 U													
CM-MW-04S	CM-MW-4S	10/24/2006	1													
CM-MW-04S	CM-MW-4S	4/17/2007	3													
CM-MW-04S	CM-MW-4S	10/25/2007	9													
CM-MW-04S	CM-MW-4S	4/20/2008	6													
CM-MW-04S	CM-MW-4S	10/20/2008	6													
CM-MW-05S	CM-MW-5S	10/27/2004	7220													
CM-MW-05S	CM-MW-5S	3/23/2005	1 U													
CM-MW-05S	CM-MW-5S	7/26/2005	1 U													
CM-MW-05S	CM-MW-5S	10/27/2005	1 U				1.3	0.1 U						2 U		

Table F-8 - Analytical Results for Conventionals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L											Total Sulfide	Dissolved Organic Carbon		
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon						
CM-MW-05S	CM-MW-5S	1/26/2006	2														
CM-MW-05S	CM-MW-5S	4/19/2006	3				1.5	0.2	U							0.05	U
CM-MW-05S	CM-MW-5S	7/21/2006	1	U													
CM-MW-05S	CM-MW-5S	10/24/2006	1	U			1.4	0.1	U							0.05	U
CM-MW-05S	CM-MW-5S	4/17/2007	7														
CM-MW-05S	CM-MW-5S	10/25/2007	1	U													
CM-MW-05S	CM-MW-5S	4/20/2008	2														
CM-MW-05S	CM-MW-5S	10/21/2008	86														
CM-MW-06S	CM-MW-6S	10/28/2004	5920														
CM-MW-06S	CM-MW-6S	3/23/2005	48														
CM-MW-06S	CM-MW-6S	7/26/2005	10														
CM-MW-06S	CM-MW-6S	10/27/2005	20				0.3	0.1	U							2	U
CM-MW-06S	CM-MW-6S	1/26/2006	38														
CM-MW-06S	CM-MW-6S	4/19/2006	10				0.5	0.2	U							0.05	U
CM-MW-06S	CM-MW-6S	7/21/2006	1920														
CM-MW-06S	CM-MW-6S	10/24/2006	16				0.4	0.1	U							0.05	U
CM-MW-06S	CM-MW-6S	4/19/2007	91														
CM-MW-06S	CM-MW-6S	10/25/2007	1														
CM-MW-06S	CM-MW-6S	4/20/2008	328														
CM-MW-06S	CM-MW-6S	10/19/2008	374														
CM-MW-07S	CM-MW-7S	10/27/2004	1940														
CM-MW-07S	CM-MW-7S	3/23/2005	1	U													
CM-MW-07S	CM-MW-7S	7/26/2005	1	U													
CM-MW-07S	CM-MW-7S	10/27/2005	1	U			1.4	0.1	U							2	U
CM-MW-07S	CM-MW-7S	1/26/2006	1														
CM-MW-07S	CM-MW-7S	4/19/2006	1	U			1.7	0.2	U							0.05	U
CM-MW-07S	CM-MW-7S	7/21/2006	1	U													
CM-MW-07S	CM-MW-700S	7/21/2006	1	U	Dup												
CM-MW-07S	CM-MW-7S	10/24/2006	1	U			1.5	0.1	U							0.05	U
CM-MW-07S	CM-MW-7S	4/15/2007	1	U													
CM-MW-07S	CM-MW-7S	10/25/2007	1	U													
CM-MW-07S	CM-MW-7S	4/21/2008	8														
CM-MW-07S	CM-MW-7S	10/20/2008	444														
CM-MW-08S	CM-MW-8S	10/28/2004	22														
CM-MW-08S	CM-MW-100	10/28/2004	24		Dup												
CM-MW-08S	CM-MW-8S	3/23/2005	7														
CM-MW-08S	CM-MW-8S	7/26/2005	1	U													
CM-MW-08S	CM-MW-8S	10/27/2005	3														
CM-MW-08S	CM-MW-8S	1/26/2006	1														
CM-MW-08S	CM-MW-8S	4/19/2006	3														
CM-MW-08S	CM-MW-8S	7/20/2006	2														
CM-MW-08S	CM-MW-8S	10/24/2006	2														
CM-MW-08S	CM-MW-8S	4/15/2007	1	U													
CM-MW-08S	CM-MW-8S	10/25/2007	1	U													
CM-MW-08S	CM-MW-8S	4/21/2008	329														
CM-MW-08S	CM-MW-8S	10/20/2008	181														
FO-MW-01S	FO-MW-1S	4/20/2006	5	U			1	0.2	U							0.05	U
FO-MW-01S	FO-MW-1S	7/21/2006	2														
FO-MW-01S	FO-MW-1S	10/25/2006	5	U			1.1	0.1	U							0.05	U
FO-MW-01S	FO-MW-1S	4/17/2007	5														
FO-MW-01S	FO-MW-1S	10/26/2007	684														
FO-MW-01S	FO-MW-1S	4/20/2008	28														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
FO-MW-01S	FO-MW-1S	10/19/2008	54														
HL-MW-01	HL-MW-1	10/27/2005				1	0.1 U									2 U	
HL-MW-01	HL-MW-1	4/19/2006				1.3	0.2 U									0.05 U	
HL-MW-01	HL-MW-1	10/23/2006				1.6	0.1 U									0.05 U	
HL-MW-02	HL-MW-2	4/21/2006	1 U														
HL-MW-02	HL-MW-2	10/27/2006	95														
HL-MW-02	HL-MW-2	1/31/2007	2380														
HL-MW-02	HL-MW-2	4/16/2007	70														
HL-MW-02	HL-MW-2	10/22/2007	1420														
HL-MW-02	HL-MW-2	1/24/2008	2500														
HL-MW-02	HL-MW-2	4/22/2008	83														
HL-MW-02	HL-MW-2	10/19/2008	2020														
HL-MW-04	HL-MW-4	5/12/2003															
HL-MW-04	HL-MW-4	5/14/2003	1 U														
HL-MW-04	HL-MW-4	3/4/2004	1 U														
HL-MW-04	HL-MW-4	6/30/2004	1 U														
HL-MW-04	HL-MW-4	10/26/2004	1 U														
HL-MW-04	HL-MW-4	10/26/2005	1 U														
HL-MW-04	HL-MW-4	4/22/2006	1 U														
HL-MW-04	HL-MW-4	7/18/2006	1 U														
HL-MW-04	HL-MW-4	4/15/2007	1 U														
HL-MW-04	HL-MW-4	10/25/2007	1 U														
HL-MW-04	HL-MW-4	4/22/2008	1														
HL-MW-04	HL-MW-4	10/20/2008	2														
HL-MW-05	HL-MW-5	5/12/2003															
HL-MW-05	HL-MW-5	5/14/2003	1														
HL-MW-05	HL-MW-5	9/3/2003	3														
HL-MW-05	HL-MW-5	10/23/2003	5 U														
HL-MW-05	HL-MW-5	3/4/2004	1														
HL-MW-05	HL-MW-5	6/30/2004	1 UJ														
HL-MW-05	HL-MW-5	10/29/2004	1 U														
HL-MW-05	HL-MW-5	7/26/2005	1 U														
HL-MW-05	HL-MW-5	10/26/2005	2														
HL-MW-05	HL-MW-5	4/22/2006	2														
HL-MW-05	HL-MW-5	7/18/2006	2														
HL-MW-05	HL-MW-5	10/27/2006	3 J														
HL-MW-05	HL-MW-5	4/15/2007	10														
HL-MW-05	HL-MW-5	7/25/2007	7														
HL-MW-05	HL-MW-5	10/25/2007	1 U														
HL-MW-05	HL-MW-5	1/25/2008	4														
HL-MW-05	HL-MW-5	4/22/2008	21														
HL-MW-05	HL-MW-5	7/23/2008	7														
HL-MW-05	HL-MW-5	10/20/2008	11														
HL-MW-06A	HL-MW-6A	5/12/2003															
HL-MW-06A	HL-MW-6A	5/14/2003	4														
HL-MW-06A	HL-MW-6A	9/3/2003	3														
HL-MW-06A	HL-MW-6A	10/24/2003	5 U														
HL-MW-06A	HL-MW-6A	3/5/2004	1														
HL-MW-06A	HL-MW-6A	6/30/2004	2														
HL-MW-06A	HL-MW-6A	10/26/2004	1 U														
HL-MW-06A	HL-MW-6A	7/27/2005	1 U														
HL-MW-06A	HL-MW-6A	10/26/2005				1.6	0.1 U									2 U	

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L													
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon			
HL-MW-06A	HL-MW-100	10/26/2005	Dup				1.6	0.1 U							2 U	
HL-MW-06A	HL-MW-6A	1/25/2006		1 U												
HL-MW-06A	HL-MW-6A	4/19/2006		1 U			1.7	0.2 U							0.05 U	
HL-MW-06A	HL-MW-6A	7/20/2006		1												
HL-MW-06A	HL-MW-6A	10/25/2006		1 U			1.6	0.1 U							0.05 U	
HL-MW-06A	HL-MW-6A	2/1/2007		1 U												
HL-MW-06A	HL-MW-6A	4/15/2007		1 U												
HL-MW-06A	HL-MW-6A	7/25/2007		4												
HL-MW-06A	HL-MW-6A	10/25/2007		1												
HL-MW-06A	HL-MW-6A	1/25/2008		1												
HL-MW-06A	HL-MW-6A	4/22/2008		1												
HL-MW-06A	HL-MW-6A	7/23/2008		4												
HL-MW-06A	HL-MW-6A	10/19/2008		1 U												
HL-MW-07S	HL-MW-7S	5/12/2003														
HL-MW-07S	HL-MW-7S	5/14/2003		1												
HL-MW-07S	HL-MW-7S	9/3/2003		2												
HL-MW-07S	HL-MW-7S	10/23/2003		6												
HL-MW-07S	HL-MW-7S	3/5/2004		2												
HL-MW-07S	HL-MW-7S	6/30/2004		1 U												
HL-MW-07S	HL-MW-7S	10/26/2004		3												
HL-MW-07S	HL-MW-7S	7/27/2005		1 U												
HL-MW-07S	HL-MW-7S	10/26/2005		54												
HL-MW-07S	HL-MW-7S	1/23/2006		2 U												
HL-MW-07S	HL-MW-7S	4/22/2006		3												
HL-MW-07S	HL-MW-7S	7/18/2006		15												
HL-MW-07S	HL-MW-7S	10/26/2006		12								0.34 J			0.24 J	
HL-MW-07S	HL-MW-7S	1/31/2007		6												
HL-MW-07S	HL-MW-7S	4/15/2007		1 U												
HL-MW-07S	HL-MW-7S	7/24/2007		2												
HL-MW-07S	HL-MW-7S	10/23/2007		15												
HL-MW-07S	HL-MW-7S	1/24/2008		3												
HL-MW-07S	HL-MW-7S	4/21/2008		16												
HL-MW-07S	HL-MW-7S	7/23/2008		24												
HL-MW-07S	HL-MW-7S	10/19/2008		7												
HL-MW-08D	HL-MW-8D	5/12/2003														
HL-MW-08D	HL-MW-8D	5/14/2003		5												
HL-MW-08D	HL-MW-8D	9/3/2003		4												
HL-MW-08D	HL-MW-8D	10/23/2003		91												
HL-MW-08D	HL-MW-8D	3/5/2004		26												
HL-MW-08D	HL-MW-8D	6/30/2004		29												
HL-MW-08D	HL-MW-8D	10/26/2004		1 U												
HL-MW-08D	HL-MW-8D	7/28/2005		263												
HL-MW-08D	HL-MW-8D	10/26/2005		31												
HL-MW-08D	HL-MW-8D	4/22/2006		178												
HL-MW-08D	HL-MW-8D	10/26/2006		56								0.32 J			0.28 J	
HL-MW-08D	HL-MW-8D	4/15/2007		37												
HL-MW-08D	HL-MW-8D	10/23/2007		44												
HL-MW-08D	HL-MW-8D	4/21/2008		151												
HL-MW-08D	HL-MW-8D	10/19/2008		51												
HL-MW-09D	HL-MW-9D	5/12/2003														
HL-MW-09D	HL-MW-9D	5/14/2003		1												
HL-MW-09D	HL-MW-9D	9/3/2003		1 U												

Table F-8 - Analytical Results for Conventionals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
HL-MW-09D	HL-MW-9D	10/24/2003	5	U													
HL-MW-09D	HL-MW-9D	3/5/2004	2														
HL-MW-09D	HL-MW-9D	6/30/2004	1														
HL-MW-09D	HL-MW-9D	10/26/2004	1	U													
HL-MW-09D	HL-MW-9D	7/27/2005	1	U													
HL-MW-09D	HL-MW-9D	10/26/2005	36														
HL-MW-09D	HL-MW-9D	4/22/2006	36														
HL-MW-09D	HL-MW-9D	10/27/2006	2	J													
HL-MW-09D	HL-MW-9D	4/15/2007	1	U													
HL-MW-09D	HL-MW-9D	10/25/2007	33														
HL-MW-09D	HL-MW-9D	4/22/2008	223														
HL-MW-09D	HL-MW-9D	10/19/2008	28														
HL-MW-10S	HL-MW-10S	5/12/2003	1	U													
HL-MW-10S	HL-MW-10S	9/3/2003	1	U													
HL-MW-10S	HL-MW-10S	10/24/2003	5	U													
HL-MW-10S	HL-MW-10S	6/30/2004	1	U													
HL-MW-10S	HL-MW-10S	10/26/2004	1	U													
HL-MW-10S	HL-MW-10S	7/28/2005	1	U													
HL-MW-10S	HL-MW-10S	10/24/2005	31														
HL-MW-10S	HL-MW-10S	4/22/2006	1	U													
HL-MW-10S	HL-MW-10S	10/27/2006	2	J													
HL-MW-10S	HL-MW-10S	4/16/2007	1	U													
HL-MW-10S	HL-MW-10S	10/23/2007	5														
HL-MW-10S	HL-MW-10S	4/22/2008	3														
HL-MW-10S	HL-MW-10S	10/19/2008	43														
HL-MW-11D	HL-MW-11D	5/12/2003	5														
HL-MW-11D	HL-MW-11D	9/3/2003	11														
HL-MW-11D	HL-MW-11D	10/24/2003	18														
HL-MW-11D	HL-MW-11D	6/30/2004	10														
HL-MW-12S	HL-MW-12S	10/24/2003	23														
HL-MW-12S	HL-MW-12S	3/4/2004	2														
HL-MW-12S	HL-MW-12S	6/30/2004	1	U													
HL-MW-12S	HL-MW-12S	10/26/2004	2														
HL-MW-12S	HL-MW-12S	7/27/2005	1	U													
HL-MW-12S	HL-MW-12S	10/24/2005	9														
HL-MW-12S	HL-MW-12S	4/22/2006	50														
HL-MW-12S	HL-MW-12S	10/26/2006	14														
HL-MW-12S	HL-MW-12S	4/15/2007	14														
HL-MW-12S	HL-MW-12S	10/23/2007	12														
HL-MW-12S	HL-MW-12S	4/21/2008	107														
HL-MW-12S	HL-MW-12S	10/21/2008	101														
HL-MW-13DD	HL-MW-13DD	10/23/2003	5	U													
HL-MW-13DD	HL-MW-1K	10/23/2003	Dup	5	U												
HL-MW-13DD	HL-MW-13DD	3/4/2004	1	U													
HL-MW-13DD	HL-MW-13DD	6/30/2004	1	U													
HL-MW-13DD	HL-MW-13DD	10/26/2004	1	U													
HL-MW-13DD	HL-MW-13DD	7/27/2005	1	U													
HL-MW-13DD	HL-MW-13DD	10/24/2005	2														
HL-MW-13DD	HL-MW-13DD	1/23/2006	2	U													
HL-MW-13DD	HL-MW-1K	1/23/2006	Dup	2	U												
HL-MW-13DD	HL-MW-13DD	4/20/2006	1	U													
HL-MW-13DD	HL-MW-13DD	7/18/2006	1	U													



Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L													
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon			
HL-MW-13DD	HL-MW-13DD	10/26/2006	1 U											0.36 J		0.28 J
HL-MW-13DD	HL-MW-13DD	4/15/2007	1 U													
HL-MW-13DD	HL-MW-13DD	10/23/2007	1 U													
HL-MW-13DD	HL-MW-13DD	4/21/2008	1													
HL-MW-13DD	HL-MW-13DD	10/19/2008	1													
HL-MW-14S	HL-MW-14S	10/24/2003	5 U													
HL-MW-14S	HL-MW-14S	3/4/2004	3													
HL-MW-14S	HL-MW-14S	6/30/2004	1 UJ													
HL-MW-14S	HL-MW-14S	10/26/2004	1 U													
HL-MW-14S	HL-MW-14S	7/27/2005	1 U													
HL-MW-14S	HL-MW-14S	10/24/2005	1 U													
HL-MW-14S	HL-MW-14S	1/23/2006	2 U													
HL-MW-14S	HL-MW-14S	4/21/2006	2													
HL-MW-14S	HL-MW-14S	7/19/2006	7													
HL-MW-14S	HL-MW-14S	10/26/2006	1										0.42 J		0.41 J	
HL-MW-14S	HL-MW-14S	1/31/2007	1 U													
HL-MW-14S	HL-MW-14S	4/15/2007	1 U													
HL-MW-14S	HL-MW-14S	7/25/2007	1													
HL-MW-14S	HL-MW-14S	10/23/2007	14													
HL-MW-14S	HL-MW-14S	1/25/2008	5													
HL-MW-14S	HL-MW-14S	4/21/2008	9													
HL-MW-14S	HL-MW-14S	7/23/2008	4 U													
HL-MW-14S	HL-MW-14S	10/24/2008	7													
HL-MW-15DD	HL-MW-15DD	10/23/2003	5 U													
HL-MW-15DD	HL-MW-15DD	3/4/2004	1 U													
HL-MW-15DD	HL-MW-15DD	6/30/2004	18													
HL-MW-15DD	HL-MW-15DD	10/26/2004	1													
HL-MW-15DD	HL-MW-15DD	7/26/2005	1 U													
HL-MW-15DD	HL-MW-15DD	10/26/2005	10													
HL-MW-15DD	HL-MW-15DD	4/22/2006	24													
HL-MW-15DD	HL-MW-15DD	10/26/2006	19											0.31 J		0.29 J
HL-MW-15DD	HL-MW-15DD	4/15/2007	1 U													
HL-MW-15DD	HL-MW-15DD	10/25/2007	3													
HL-MW-15DD	HL-MW-15DD	4/22/2008	8													
HL-MW-15DD	HL-MW-15DD	10/20/2008	7													
HL-MW-16S	HL-MW-16S	10/23/2003	5 U													
HL-MW-16S	HL-MW-16S	3/5/2004	1 U													
HL-MW-16S	HL-MW-16S	6/30/2004	2													
HL-MW-16S	HL-MW-16S	10/26/2004	1 U													
HL-MW-16S	HL-MW-16S	7/26/2005	6													
HL-MW-16S	HL-MW-16S	10/24/2005	1 U													
HL-MW-16S	HL-MW-16S	1/23/2006	2 U													
HL-MW-16S	HL-MW-16S	4/22/2006	1 U													
HL-MW-16S	HL-MW-16S	7/20/2006	1 U													
HL-MW-16S	HL-MW-16S	10/26/2006	3													
HL-MW-16S	HL-MW-16S	1/31/2007	1											1		0.9
HL-MW-16S	HL-MW-16S	4/16/2007	6													
HL-MW-16S	HL-MW-16S	7/25/2007	1 U													
HL-MW-16S	HL-MW-16S	10/25/2007	1 U													
HL-MW-16S	HL-MW-16S	1/24/2008	1 U													
HL-MW-16S	HL-MW-16S	4/22/2008	2													
HL-MW-16S	HL-MW-16S	7/23/2008	4 U													

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L													
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon			
HL-MW-16S	HL-MW-16S	10/21/2008	8													
HL-MW-17S	HL-MW-17S	10/23/2003	5 U													
HL-MW-17S	HL-MW-17S	3/5/2004	1 U													
HL-MW-17S	HL-MW-17S	6/30/2004	1 UJ													
HL-MW-17S	HL-MW-17S	10/26/2004	1 U													
HL-MW-17S	HL-MW-17S	5/17/2005	1 U													
HL-MW-17S	HL-MW-17S	6/16/2005	7													
HL-MW-17S	HL-MW-17S	7/26/2005	1 U													
HL-MW-17S	HL-MW-17S	10/24/2005	1													
HL-MW-17S	HL-MW-17S	1/24/2006	3													
HL-MW-17S	HL-MW-17S	4/22/2006	2													
HL-MW-17S	HL-MW-17S	7/19/2006	8													
HL-MW-17S	HL-MW-17S	10/26/2006	7									0.32 J			0.26 J	
HL-MW-17S	HL-MW-17S	1/31/2007	4													
HL-MW-17S	HL-MW-17S	4/16/2007	1													
HL-MW-17S	HL-MW-17S	7/24/2007	4													
HL-MW-17S	HL-MW-17S	10/25/2007	15													
HL-MW-17S	HL-MW-17S	1/25/2008	2													
HL-MW-17S	HL-MW-17S	4/21/2008	4													
HL-MW-17S	HL-MW-17S	7/23/2008	2 T													
HL-MW-17S	HL-MW-17S	10/21/2008	17													
HL-MW-18S	HL-MW-18S	3/24/2005	26													
HL-MW-18S	HL-MW-18S	7/27/2005	2													
HL-MW-18S	HL-MW-18S	10/24/2005	1													
HL-MW-18S	HL-MW-18S	1/27/2006	4													
HL-MW-18S	HL-MW-18S	4/22/2006	7													
HL-MW-18S	HL-MW-18S	7/19/2006	1 U													
HL-MW-18S	HL-MW-18S	10/26/2006	4									0.5			0.5 J	
HL-MW-18S	HL-MW-18S	1/31/2007	3													
HL-MW-18S	HL-MW-18S	4/16/2007	1													
HL-MW-18S	HL-MW-18S	7/24/2007	1 U													
HL-MW-18S	HL-MW-18S	10/25/2007	8													
HL-MW-18S	HL-MW-18S	1/24/2008	2													
HL-MW-18S	HL-MW-18S	4/21/2008	1													
HL-MW-18S	HL-MW-18S	7/23/2008	4 U													
HL-MW-18S	HL-MW-18S	10/21/2008	6													
HL-MW-19S	HL-MW-19S	3/24/2005	2490													
HL-MW-19S	HL-MW-19S	7/29/2005	8													
HL-MW-19S	HL-MW-19S	10/27/2005					1.5	0.1 U							2 U	
HL-MW-19S	HL-MW-19S	4/18/2006					2.8	0.2 U							0.05 U	
HL-MW-19S	HL-MW-19S	10/23/2006					1.5	0.1 U							0.05 U	
HL-MW-20S	HL-MW-20S	3/24/2005	121													
HL-MW-20S	HL-MW-20S	10/27/2005					0.1	0.1 U							2 U	
HL-MW-20S	HL-MW-20S	4/18/2006					0.9	0.2 U							0.05 U	
HL-MW-20S	HL-MW-20S	10/23/2006					0.046 J	0.1 U							0.041 J	
HL-MW-21S	HL-MW-21S	3/24/2005	1960													
HL-MW-21S	HL-MW-21S	10/28/2005					0.1	0.1 U							2 U	
HL-MW-21S	HL-MW-21S	4/18/2006					0.7	0.2 U							0.24	
HL-MW-21S	HL-MW-21S	10/23/2006					0.057 J	0.1 U							0.05 U	
HL-MW-22S	HL-MW-22S	3/24/2005	18													
HL-MW-22S	HL-MW-22S	10/28/2005					1.7	0.1 U							2 U	
HL-MW-22S	HL-MW-22S	4/18/2006					2.3	0.2 U							0.05 U	

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L												
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon		
HL-MW-22S	HL-MW-22S	10/23/2006				2	0.1 U							0.06	
HL-MW-23S	HL-MW-23S	4/21/2006	1 U												
HL-MW-23S	HL-MW-23S	7/20/2006	1												
HL-MW-23S	HL-MW-23S	10/26/2006	1 U										0.34 J		0.3 J
HL-MW-23S	HL-MW-23S	2/1/2007	1 U												
HL-MW-23S	HL-MW-23S	4/17/2007	1 U												
HL-MW-23S	HL-MW-23S	7/24/2007	1 U												
HL-MW-23S	HL-MW-23S	10/24/2007	1 U												
HL-MW-23S	HL-MW-23S	1/25/2008	2												
HL-MW-23S	HL-MW-23S	4/22/2008	1 U												
HL-MW-23S	HL-MW-23S	7/24/2008	1												
HL-MW-23S	HL-MW-23S	10/24/2008	1												
HL-MW-24DD	HL-MW-24DD	4/21/2006	5												
HL-MW-24DD	HL-MW-24DD	7/19/2006	8												
HL-MW-24DD	HL-MW-24DD	10/26/2006	4										0.33 J		0.32 J
HL-MW-24DD	HL-MW-24DD	1/31/2007	2												
HL-MW-24DD	HL-MW-24DD	4/15/2007	5												
HL-MW-24DD	HL-MW-24DD	10/23/2007	5												
HL-MW-24DD	HL-MW-24DD	4/21/2008	8												
HL-MW-24DD	HL-MW-24DD	10/24/2008	7												
HL-MW-25S	HL-MW-25S	4/21/2006	1 U												
HL-MW-25S	HL-MW-25S	7/19/2006	1												
HL-MW-25S	HL-MW-25S	10/26/2006	1												
HL-MW-25S	HL-MW-25S	2/1/2007	1 U												
HL-MW-25S	HL-MW-25S	4/16/2007	1 U												
HL-MW-25S	HL-MW-25S	7/25/2007	4												
HL-MW-25S	HL-MW-25S	10/25/2007	2												
HL-MW-25S	HL-MW-25S	1/25/2008	1												
HL-MW-25S	HL-MW-25S	4/21/2008	2												
HL-MW-25S	HL-MW-25S	7/23/2008	4 U												
HL-MW-25S	HL-MW-25S	10/19/2008	1 U												
HL-MW-26S	HL-MW-26S	4/21/2006	1 U												
HL-MW-26S	HL-MW-26S	7/19/2006	1 U												
HL-MW-26S	HL-MW-26S	10/26/2006	1 U										0.3 J		0.28 J
HL-MW-26S	HL-MW-26S	1/31/2007	1												
HL-MW-26S	HL-MW-26S	4/16/2007	1 U												
HL-MW-26S	HL-MW-26S	7/24/2007	1 U												
HL-MW-26S	HL-MW-26S	10/24/2007	1 U												
HL-MW-26S	HL-MW-26S	1/24/2008	1 U												
HL-MW-26S	HL-MW-26S	4/21/2008	3												
HL-MW-26S	HL-MW-26S	7/23/2008	4 U												
HL-MW-26S	HL-MW-26S	10/22/2008	2												
HL-MW-27D	HL-MW-27D	4/22/2006	1 U												
HL-MW-27D	HL-MW-27D	7/19/2006	1 U												
HL-MW-27D	HL-MW-27D	10/27/2006	2 J												
HL-MW-27D	HL-MW-27D	1/31/2007	1 U												
HL-MW-27D	HL-MW-27D	4/16/2007	1 U												
HL-MW-27D	HL-MW-27D	10/24/2007	1 U												
HL-MW-27D	HL-MW-27D	4/21/2008	2												
HL-MW-27D	HL-MW-27D	10/21/2008	1												
HL-MW-28DD	HL-MW-28DD	10/26/2006	3										0.31 J		0.3 J
HL-MW-28DD	HL-MW-28DD	1/31/2007	1												

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
HL-MW-28DD	HL-MW-28DD	4/15/2007	1 U														
HL-MW-28DD	HL-MW-28DD	7/24/2007	1 U														
HL-MW-28DD	HL-MW-28DD	10/23/2007	1 U														
HL-MW-28DD	HL-MW-28DD	1/24/2008	1 U														
HL-MW-28DD	HL-MW-28DD	4/21/2008	1 U														
HL-MW-28DD	HL-MW-28DD	10/19/2008	1 U														
HL-MW-29S	HL-MW-29S	7/24/2007	2														
HL-MW-29S	HL-MW-29S	10/24/2007	13														
HL-MW-29S	HL-MW-29S	1/24/2008	11														
HL-MW-29S	HL-MW-29S	4/22/2008	1														
HL-MW-29S	HL-MW-29S	7/23/2008	1 T														
HL-MW-29S	HL-MW-29S	10/22/2008	183														
HL-MW-30S	HL-MW-30S	7/24/2007	23														
HL-MW-30S	HL-MW-30S	10/24/2007	34														
HL-MW-30S	HL-MW-30S	1/25/2008	79														
HL-MW-30S	HL-MW-30S	4/23/2008	32														
HL-MW-30S	HL-MW-30S	7/24/2008	5														
HL-MW-30S	HL-MW-30S	10/19/2008	3														
MW-02	MW-2D	9/2/2003	1 U														
MW-02	MW-2D	10/25/2004	1 U														
MW-02	MW-2D	7/28/2005	1 U														
MW-02	MW-2D	4/21/2006	1 U														
MW-02	MW-2D	10/27/2006	1 UJ														
MW-02	MW-2S	10/25/2004	1 U														
MW-02	MW-2S	7/28/2005	1 U														
MW-02	MW-2S	4/21/2006	1 U														
MW-02	MW-2S	10/27/2006	1 UJ														
MW-02D	MW-02D	5/12/2003															
MW-02D	MW-2D	5/12/2003	1 U														
MW-02D	MW-2D	6/30/2004	1 U														
MW-02D	MW-2D	10/24/2005	1 U														
MW-02S	MW-02S	5/12/2003															
MW-02S	MW-2S	5/12/2003	1 U														
MW-02S	MW-2S	9/2/2003	1 U														
MW-02S	MW-2S	6/30/2004	1 U														
MW-02S	MW-2S	10/24/2005	1 U														
MW-04	MW-4	5/16/2003		3.6			1.6	0.1 U									
MW-04	MW-4	9/5/2003		4.2			1.4	0.1 U									
MW-04	MW-4	6/30/2004		4.6			1.4	0.1 U									
MW-04	MW-4	4/22/2006		54					3.01								
MW-04	MW-4	10/26/2006															
MW-04	MW-4	4/16/2007		4.6			1.5	0.1 U						0.24 J			0.29 J
MW-04	MW-4	4/24/2008		10			1.92	0.05 U									
MW-05	MW-5	5/12/2003															
MW-07	MW-7	5/12/2003															
MW-08	MW-8	5/12/2003															
MW-08	MW-8	5/13/2003	1 U														
MW-08	MW-8	9/2/2003	1 U														
MW-08	MW-8	6/29/2004	1 U														
MW-08	MW-8	10/25/2004	1 U														
MW-08	MW-8	7/29/2005	1 U														
MW-08	MW-8	10/26/2005	1 U														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
MW-08	MW-8	4/22/2006	1 U														
MW-08	MW-8	10/27/2006	1 UJ														
MW-08	MW-8	4/18/2007	2														
MW-08	MW-8	10/25/2007	1 U														
MW-08	MW-8	4/23/2008	1 U														
MW-08	MW-8	10/21/2008	1 U														
MW-09	MW-9	5/12/2003															
MW-09	MW-9	5/13/2003	1 U														
MW-09	MW-9	9/2/2003	1 U														
MW-09	MW-9	6/29/2004	1 U														
MW-09	MW-9	4/18/2007	2														
MW-09	MW-9	10/25/2007	1 U														
MW-09	MW-9	4/23/2008	4														
MW-09	MW-9	10/21/2008	1 U														
MW-10	MW-10	5/12/2003															
MW-12A	MW-12A	5/12/2003	1 U														
MW-12A	MW-12A	9/2/2003	1 U														
MW-12A	MW-12A	10/22/2003	1 U														
MW-12A	MW-12A	3/5/2004	1 U														
MW-12A	MW-12A	6/29/2004	1 U														
MW-12A	MW-12A	10/25/2004	1 U														
MW-12A	MW-12A	7/28/2005	1 U														
MW-12A	MW-12A	10/26/2005	1 U													2 U	
MW-12A	MW-12A	4/21/2006	1 U														
MW-12A	MW-12A	10/27/2006	1 UJ														
MW-12A	MW-12A	2/1/2007	1 U														
MW-12A	MW-12A	4/17/2007	1 U														
MW-12A	MW-12A	7/25/2007	1 U														
MW-12A	MW-12A	10/23/2007	1 U														
MW-12A	MW-12A	1/25/2008	2														
MW-12A	MW-12A	4/24/2008	3														
MW-12A	MW-12A	7/23/2008	8														
MW-12A	MW-12A	10/21/2008	1 U														
MW-13	MW-13	5/12/2003															
MW-13	MW-13	5/13/2003	1 U														
MW-13	MW-13	9/2/2003	1 U														
MW-13	MW-13	6/29/2004	1 U														
MW-13	MW-13	4/18/2007	1 U														
MW-13	MW-13	10/25/2007	1 U														
MW-13	MW-13	4/22/2008	1 U														
MW-13	MW-13	10/21/2008	1														
MW-14	MW-14	5/12/2003	1														
MW-14	MW-14	9/2/2003	1														
MW-14	MW-14	6/29/2004	1 U														
MW-14	MW-14	10/25/2004	1 U														
MW-14	MW-14	7/29/2005	1 U														
MW-14	MW-14	10/24/2005	1 U														
MW-14	MW-14	4/22/2006	1 U														
MW-14	MW-14	10/27/2006	1 UJ														
MW-14	MW-14	4/17/2007	1 U														
MW-14	MW-14	10/24/2007	1 U														
MW-14	MW-14	4/23/2008	3														

Table F-8 - Analytical Results for Conventionals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L															
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon					
MW-14	MW-14	10/21/2008	1	U														
MW-15	MW-15	5/12/2003	1	U														
MW-15	MW-15	9/2/2003	1	U														
MW-15	MW-15	6/29/2004	1	U														
MW-15	MW-15	10/25/2004	1	U														
MW-15	MW-15	7/29/2005	1	U														
MW-15	MW-15	10/24/2005	1	U														
MW-15	MW-15	4/21/2006	1	U														
MW-15	MW-15	10/27/2006	1	UJ														
MW-15	MW-15	2/1/2007	1															
MW-15	MW-15	4/17/2007	1	U														
MW-15	MW-15	7/25/2007	1	U														
MW-15	MW-15	10/24/2007	1	U														
MW-15	MW-15	1/25/2008	1	U														
MW-15	MW-15	4/23/2008	1	U														
MW-15	MW-15	7/23/2008	1	U														
MW-15	MW-15	10/21/2008	1	U														
MW-16	MW-16	5/12/2003																
MW-16	MW-16	5/13/2003	1	U														
MW-16	MW-16	9/2/2003	1	U														
MW-16	MW-16	6/29/2004	1	U														
MW-16	MW-16	10/25/2004	1	U														
MW-16	MW-16	7/29/2005	1	U														
MW-16	MW-16	10/26/2005	1															
MW-16	MW-16	4/22/2006	1	U														
MW-16	MW-16	10/27/2006	3	J														
MW-16	MW-16	4/17/2007	9															
MW-16	MW-16	10/26/2007	53															
MW-16	MW-16	4/22/2008	1															
MW-16	MW-16	10/22/2008	2															
MW-17S	MW-17S	5/12/2003																
MW-17S	MW-17S	5/13/2003	2															
MW-17S	MW-17S	9/2/2003	1	U														
MW-17S	MW-17S	10/22/2003	1	U														
MW-17S	MW-17S	3/4/2004	1	U														
MW-17S	MW-17S	6/29/2004	1	U														
MW-17S	MW-17S	10/25/2004	1	U														
MW-17S	MW-17S	7/28/2005	1	U														
MW-17S	MW-17S	10/26/2005	9															
MW-17S	MW-17S	1/25/2006	8															
MW-17S	MW-17S	4/21/2006	4															
MW-17S	MW-17S	7/18/2006	5															
MW-17S	MW-17S	10/27/2006	5	J														
MW-17S	MW-17S	2/1/2007	39															
MW-17S	MW-17S	4/17/2007	30															
MW-17S	MW-17S	7/24/2007	3															
MW-17S	MW-17S	10/23/2007	4															
MW-17S	MW-17S	1/25/2008	1	U														
MW-17S	MW-17S	4/22/2008	13															
MW-17S	MW-17S	7/24/2008	7															
MW-17S	MW-17S	10/21/2008	3															
MW-18D	MW-18D	5/12/2003																

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
MW-18D	MW-18D	5/13/2003	4														
MW-18D	MW-18D	9/2/2003	1 U														
MW-18D	MW-18D	10/22/2003	1 U														
MW-18D	MW-18D	3/4/2004	1 U														
MW-18D	MW-18D	6/29/2004	1 U														
MW-18D	MW-18D	10/25/2004	1 U														
MW-18D	MW-18D	7/29/2005	1 U														
MW-18D	MW-18D	10/26/2005	1 U														
MW-18D	MW-18D	4/21/2006	1 U														
MW-18D	MW-18D	10/27/2006	1 UJ														
MW-18D	MW-18D	4/17/2007	1 U														
MW-18D	MW-18D	10/26/2007	1														
MW-18D	MW-18D	4/22/2008	1 U														
MW-18D	MW-18D	10/21/2008	1														
MW-19S	MW-19S	5/12/2003															
MW-19S	MW-19S	5/13/2003	1 U														
MW-19S	MW-19S	9/2/2003	1 U														
MW-19S	MW-19S	6/29/2004	1 U														
MW-19S	MW-19S	10/26/2004	1 U														
MW-19S	MW-19S	7/29/2005	1 U														
MW-19S	MW-19S	10/26/2005	4														
MW-19S	MW-19S	1/25/2006	1														
MW-19S	MW-19S	4/21/2006	1 U														
MW-19S	MW-19S	7/18/2006	36														
MW-19S	MW-19S	10/27/2006	1 UJ														
MW-19S	MW-19S	4/17/2007	1 U														
MW-19S	MW-19S	10/24/2007	1 U														
MW-19S	MW-19S	4/23/2008	3														
MW-19S	MW-19S	10/21/2008	2														
MW-20D	MW-20D	5/12/2003															
MW-20D	MW-20D	5/13/2003	1														
MW-20D	MW-20D	9/2/2003	6														
MW-20D	MW-20D	6/29/2004	1 U														
MW-20D	MW-20D	4/17/2007	1														
MW-20D	MW-20D	10/24/2007	1														
MW-20D	MW-20D	4/23/2008	4														
MW-20D	MW-20D	10/21/2008	2														
MW-21S	MW-21S	5/12/2003	1														
MW-21S	MW-21S	9/2/2003	1 U														
MW-21S	MW-21S	6/29/2004	1 U														
MW-21S	MW-21S	10/25/2004	1 U														
MW-21S	MW-21S	7/29/2005	1 U														
MW-21S	MW-21S	10/24/2005	1 U														
MW-21S	MW-21S	1/24/2006	4														
MW-21S	MW-21S	4/21/2006	10														
MW-21S	MW-21S	7/18/2006	2														
MW-21S	MW-21S	10/27/2006	1 J														
MW-21S	MW-21S	2/1/2007	3														
MW-21S	MW-21S	4/17/2007	2														
MW-21S	MW-21S	7/25/2007	1														
MW-21S	MW-21S	10/24/2007	3														
MW-21S	MW-21S	1/25/2008	1 U														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
MW-21S	MW-21S	4/23/2008	3														
MW-21S	MW-21S	7/23/2008	2														
MW-21S	MW-21S	10/23/2008	1														
MW-22D	MW-22D	5/12/2003	3														
MW-22D	MW-22D	9/2/2003	1 U														
MW-22D	MW-22D	6/29/2004	1 U														
MW-22D	MW-22D	10/27/2006	1 UJ														
MW-22D	MW-22D	4/17/2007	1														
MW-22D	MW-22D	10/24/2007	1 U														
MW-22D	MW-22D	4/23/2008	1 U														
MW-22D	MW-22D	10/23/2008	1														
MW-23S	MW-23S	5/12/2003	1														
MW-23S	MW-23S	9/2/2003	2														
MW-23S	MW-23S	10/22/2003	2														
MW-23S	MW-23S	3/5/2004	1 U														
MW-23S	MW-23S	6/29/2004	1 U														
MW-23S	MW-23S	10/25/2004	2														
MW-23S	MW-23S	7/28/2005	2														
MW-23S	MW-23S	10/24/2005	1 U														
MW-23S	MW-23S	4/21/2006	3														
MW-23S	MW-23S	10/27/2006	1 J														
MW-23S	MW-23S	2/1/2007	3														
MW-23S	MW-23S	4/17/2007	4														
MW-23S	MW-23S	7/25/2007	45														
MW-23S	MW-23S	10/24/2007	7														
MW-23S	MW-23S	1/25/2008	2														
MW-23S	MW-23S	4/24/2008	15														
MW-23S	MW-23S	7/23/2008	10														
MW-23S	MW-23S	10/21/2008	48														
MW-24D	MW-24D	5/12/2003	1														
MW-24D	MW-24D	9/2/2003	2														
MW-24D	MW-24D	10/22/2003	1 U														
MW-24D	MW-24D	3/5/2004	1 U														
MW-24D	MW-24D	6/29/2004	1														
MW-24D	MW-24D	10/25/2004	1 U														
MW-24D	MW-24D	7/28/2005	1 U														
MW-24D	MW-24D	10/24/2005	2														
MW-24D	MW-24D	4/21/2006	54														
MW-24D	MW-24D	10/27/2006	6 J														
MW-24D	MW-24D	2/1/2007	1														
MW-24D	MW-24D	4/17/2007	46														
MW-24D	MW-24D	7/25/2007	9														
MW-24D	MW-24D	10/24/2007	3														
MW-24D	MW-24D	1/25/2008	1														
MW-24D	MW-24D	4/24/2008	42														
MW-24D	MW-24D	7/23/2008	5														
MW-24D	MW-24D	10/21/2008	3														
MW-25S	MW-25S	5/12/2003	2														
MW-25S	MW-25S	9/2/2003	8														
MW-25S	MW-25S	10/22/2003	5														
MW-25S	MW-25S	6/29/2004	5														
MW-25S	MW-25S	10/26/2004	2														



Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
MW-25S	MW-25S	7/28/2005	4														
MW-25S	MW-25S	10/26/2005	6														
MW-25S	MW-25S	1/24/2006	2 U														
MW-25S	MW-25S	4/21/2006	2														
MW-25S	MW-25S	7/18/2006	16														
MW-25S	MW-25S	10/27/2006	14														
MW-25S	MW-25S	2/1/2007	9														
MW-25S	MW-25S	4/17/2007	9														
MW-25S	MW-25S	7/24/2007	9														
MW-25S	MW-25S	10/25/2007	1 U														
MW-25S	MW-25S	1/25/2008	20														
MW-25S	MW-25S	4/22/2008	5														
MW-25S	MW-25S	7/24/2008	51														
MW-25S	MW-25S	10/22/2008	20														
MW-26D	MW-26D	5/12/2003	65														
MW-26D	MW-26D	9/2/2003	10														
MW-26D	MW-26D	10/22/2003	7														
MW-26D	MW-26D	6/29/2004	57														
MW-26D	MW-26D	10/26/2005	12														
MW-26D	MW-26D	4/21/2006	23														
MW-26D	MW-26D	10/27/2006	8 J														
MW-26D	MW-26D	4/17/2007	13														
MW-26D	MW-26D	10/25/2007	35														
MW-26D	MW-26D	4/22/2008	32														
MW-26D	MW-26D	10/22/2008	12														
N Supply	N. SUPPLY WELL	5/16/2003		2.8			1.6	0.1 U									
N Supply	N. Supply Well	9/5/2003		2.6			1.6	0.1 U									
N Supply	N. Supply Well	6/30/2004		4.1			1.6	0.1 U									
N Supply	N. SUPPLY WELL	7/29/2005		2.4			1.4	0.1 U									
N Supply	North Supply Well	4/23/2006		9				2									
N Supply	North Supply Well	4/16/2007		101			8.9	0.1 U									
N Supply	North Supply Well	4/24/2008		6.2			1.81	0.05 U									
OH-EW-01	OH-EW-1	5/16/2003	5 U														
OH-EW-01	OH-EW-1	9/5/2003	1 U														
OH-EW-01	OH-EW-1	7/1/2004	1 U														
OH-EW-01	OH-EW-1	10/29/2004	1 U														
OH-EW-01	OH-EW-1	7/29/2005	1 U														
OH-EW-01	OH-EW-1	10/29/2005	1 U														
OH-EW-01	OH-EW-1	4/22/2006	1 U	27.5	220	3.6 J	0.2 UJ			12.4	280						
OH-EW-01	OH-EW-1	7/20/2006		26.9	188	3.5	0.2 U			14.8	244						
OH-EW-01	OH-EW-1	10/25/2006	1 U	8.5	172	2.2	0.1 U			12.6	206						
OH-EW-01	OH-EW-1	2/1/2007		18.1	186	2.6	0.1 U			12.9	254						
OH-EW-01	OH-EW-1	4/16/2007	1 U	34.3	206	4	0.1 U			14.3	233						
OH-EW-01	OH-EW-1	7/25/2007		20	173	2.7	0.1 U			13	250						
OH-EW-01	OH-EW-1	10/22/2007	1 U	7.1	153	2.1	0.1 U			12.4	183						
OH-EW-01	OH-EW-1	1/24/2008		7.1	174	157	0.1 U			15.9	222						
OH-EW-01	OH-EW-1	4/24/2008	1 U	14.6	192	2.69	0.05 U			12.1	199						
OH-EW-01	OH-EW-1	7/24/2008		57.5	209	5	0.1 U			16.7	402						
OH-EW-01	OH-EW-1	10/22/2008	1 U	16.7	170	2.8	0.1 U			13.4	191						
OH-MW-03	OH-MW-3	10/27/2005					0.1 U	0.1 U							2 U		
OH-MW-03	OH-MW-3	4/20/2006	12				0.2 U	0.2 U							0.07		
OH-MW-03	OH-MW-3	10/25/2006					0.1 U	0.1 U							0.08		

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L											Total Sulfide	Dissolved Organic Carbon		
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon						
OH-MW-10	OH-MW-10	5/12/2003															
OH-MW-13	OH-MW-13	10/28/2005				1.1	0.1 U									2 U	
OH-MW-13	OH-MW-13	4/20/2006	5 U			1.2	0.2 U									0.05 U	
OH-MW-13	OH-MW-13	10/25/2006				1.3	0.1 U									0.05 U	
OH-MW-18	OH-MW-18	5/12/2003															
OH-MW-18	OH-MW-18	10/28/2005				0.8	0.1 U									2 U	
OH-MW-18	OH-MW-18	4/20/2006	5 U			1.9	0.2 U									0.05 U	
OH-MW-18	OH-MW-18	10/25/2006				0.7	0.1 U									0.05 U	
OH-MW-26	OH-MW-26	5/12/2003	56														
OH-MW-26	OH-MW-26	9/4/2003	5 U														
OH-MW-26	OH-MW-26	6/30/2004	71														
OH-MW-26	OH-MW-26	10/28/2004	5														
OH-MW-26	OH-MW-26	7/28/2005	233														
OH-MW-26	OH-MW-26	10/27/2005	1 U														
OH-MW-26	OH-MW-26	4/23/2006	78														
OH-MW-26	OH-MW-26	10/25/2006	4														
OH-MW-26	OH-MW-26	4/19/2007	7														
OH-MW-26	OH-MW-26	10/26/2007	52														
OH-MW-26	OH-MW-26	4/22/2008	89														
OH-MW-26	OH-MW-26	10/23/2008	54														
OH-MW-27	OH-MW-27	5/12/2003															
OH-MW-27	OH-MW-27	10/29/2005				1.2	0.1 U									2 U	
OH-MW-27	OH-MW-27	4/20/2006	7			0.9	0.2 U									0.05 U	
OH-MW-27	OH-MW-27	10/25/2006				1.7	0.1 U									0.05 U	
River	River	7/20/2006		1	68	0.4	0.2 U			7.6	98						
River	River	10/25/2006		0.9	60	0.2	0.1 U			5.8	208						
River	River	2/1/2007		1.1	40	0.2	0.1 U			5.3	64						
River	River	4/16/2007		1.2	28	0.1 U	0.1 U			4.1	19						
River	River	7/25/2007		1.3	91	0.5	0.1 U			8.9	101						
River	River	10/22/2007		1	54	0.5	0.1 U			5.8	62						
River	River	1/24/2008		1.7	50	142	0.1 U			12	108						
River	River	4/24/2008		1.3	33	0.09	0.05 U			4.7	31						
River	River	7/24/2008		1	46	0.2	0.1 U			5.1	84						
River	River	10/22/2008		1.2	56	0.3	0.1 U			6.1	50						
River	River Sample	4/22/2006		0.9	28	0.2 UJ	0.2 UJ			4.3	47						
RM-MW-01S	RM-MW-1S	10/23/2003	95														
RM-MW-01S	RM-MW-1S	3/4/2004	111														
RM-MW-01S	RM-MW-1S	6/30/2004	2														
RM-MW-01S	RM-MW-1S	10/27/2004	1 U														
RM-MW-01S	RM-MW-1S	7/25/2005	9														
RM-MW-01S	RM-MW-1S	10/27/2005	13														
RM-MW-01S	RM-MW-1S	1/25/2006	28														
RM-MW-01S	RM-MW-1S	4/18/2006	22														
RM-MW-01S	RM-MW-1S	7/18/2006	90														
RM-MW-01S	RM-MW-1S	10/24/2006	11														
RM-MW-01S	RM-MW-1S	2/1/2007	26											0.37 J		0.41 J	
RM-MW-01S	RM-MW-1S	4/18/2007	18														
RM-MW-01S	RM-MW-1S	7/24/2007	26														
RM-MW-01S	RM-MW-1S	10/22/2007	1 U														
RM-MW-01S	RM-MW-1S	1/24/2008	2														
RM-MW-01S	RM-MW-1S	4/20/2008	34														
RM-MW-01S	RM-MW-1S	7/24/2008	20														

Table F-8 - Analytical Results for Conventionals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L													
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon			
RM-MW-01S	RM-MW-1S	10/22/2008	47													
RM-MW-02D	RM-MW-2D	10/23/2003	86													
RM-MW-02D	RM-MW-2D	3/4/2004	5													
RM-MW-02D	RM-MW-2D	6/30/2004	3													
RM-MW-02D	RM-MW-2D	10/27/2004	1 U													
RM-MW-02D	RM-MW-2D	7/25/2005	2													
RM-MW-02D	RM-MW-2D	10/28/2005	4													
RM-MW-02D	RM-MW-2D	4/18/2006	41													
RM-MW-02D	RM-MW-2D	10/24/2006	24													
RM-MW-02D	RM-MW-2D	4/18/2007	5										0.4 J			0.42 J
RM-MW-02D	RM-MW-2D	10/22/2007	2													
RM-MW-02D	RM-MW-2D	4/20/2008	23													
RM-MW-02D	RM-MW-2D	10/22/2008	21													
RM-MW-03S	RM-MW-3S	10/23/2003	5 U													
RM-MW-03S	RM-MW-6	10/24/2003	Dup 5 U													
RM-MW-03S	RM-MW-3S	3/4/2004	1 U													
RM-MW-03S	RM-MW-3S	6/30/2004	1 U													
RM-MW-03S	RM-MW-3S	10/27/2004	1 U													
RM-MW-03S	RM-MW-3S	5/19/2005	2													
RM-MW-03S	RM-MW-3S	7/25/2005	1 U													
RM-MW-03S	RM-MW-3S	10/26/2005	8													
RM-MW-03S	RM-MW-3S	1/25/2006	4													
RM-MW-03S	RM-MW-3S	4/18/2006	3													
RM-MW-03S	RM-MW-3S	7/18/2006	1 U													
RM-MW-03S	RM-MW-3S	10/24/2006	1 U													
RM-MW-03S	RM-MW-3S	2/1/2007	4													
RM-MW-03S	RM-MW-3S	4/19/2007	6													
RM-MW-03S	RM-MW-3S	7/24/2007	1													
RM-MW-03S	RM-MW-3S	10/24/2007	1 U													
RM-MW-03S	RM-MW-3S	1/24/2008	3													
RM-MW-03S	RM-MW-3S	4/20/2008	5													
RM-MW-03S	RM-MW-3S	7/23/2008	16													
RM-MW-03S	RM-MW-3S	10/23/2008	2													
RM-MW-04D	RM-MW-4D	10/23/2003	5 U													
RM-MW-04D	RM-MW-4D	3/4/2004	1													
RM-MW-04D	RM-MW-4D	6/30/2004	1 U													
RM-MW-04D	RM-MW-4D	10/27/2004	1 U													
RM-MW-04D	RM-MW-4D	7/25/2005	1 U													
RM-MW-04D	RM-MW-4D	10/26/2005	1 U													
RM-MW-04D	RM-MW-4D	4/18/2006	1 U													
RM-MW-04D	RM-MW-4D	10/24/2006	1 U													
RM-MW-04D	RM-MW-4D	4/19/2007	1 U										0.39 J			0.44 J
RM-MW-04D	RM-MW-4D	10/24/2007	1 U													
RM-MW-04D	RM-MW-4D	4/20/2008	1 U													
RM-MW-04D	RM-MW-4D	10/23/2008	1 U													
RM-MW-05S	RM-MW-5S	10/24/2003	5 U													
RM-MW-05S	RM-MW-5S	3/4/2004	1 U													
RM-MW-05S	RM-MW-5S	6/30/2004	1 U													
RM-MW-05S	RM-MW-5S	10/27/2004	1 U													
RM-MW-05S	RM-MW-5S	7/26/2005	1 U													
RM-MW-05S	RM-MW-5S	10/24/2005	2													
RM-MW-05S	RM-MW-5S	4/19/2006	1 U													

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
RM-MW-05S	RM-MW-5S	10/24/2006	9														
RM-MW-05S	RM-MW-5S	4/18/2007	9														
RM-MW-05S	RM-MW-5S	10/22/2007	2														
RM-MW-05S	RM-MW-5S	4/20/2008	2														
RM-MW-05S	RM-MW-5S	10/22/2008	11														
RM-MW-08S	RM-MW-8S	3/24/2005	4														
RM-MW-08S	RM-MW-8S	5/17/2005	1 U														
RM-MW-08S	RM-MW-8S	6/16/2005	4														
RM-MW-08S	RM-MW-8S	7/25/2005	1 U														
RM-MW-08S	RM-MW-8S	10/24/2005	2														
RM-MW-08S	RM-MW-8S	1/24/2006	2														
RM-MW-08S	RM-MW-8S	4/17/2006	1 U														
RM-MW-08S	RM-MW-8S	7/17/2006	1 U														
RM-MW-08S	RM-MW-8S	10/23/2006	1 U										0.5 J			0.5 J	
RM-MW-08S	RM-MW-8S	2/1/2007	2														
RM-MW-08S	RM-MW-8S	4/19/2007	2														
RM-MW-08S	RM-MW-8S	7/24/2007	1 U														
RM-MW-08S	RM-MW-8S	10/21/2007	2														
RM-MW-08S	RM-MW-8S	1/24/2008	1 U														
RM-MW-08S	RM-MW-8S	4/20/2008	3														
RM-MW-08S	RM-MW-8S	7/22/2008	1 U														
RM-MW-08S	RM-MW-8S	10/18/2008	1 U														
RM-MW-09S	RM-MW-9S	3/24/2005	17														
RM-MW-09S	RM-MW-9S	5/19/2005	1 U														
RM-MW-09S	RM-MW-9S	7/26/2005	3														
RM-MW-09S	RM-MW-9S	10/24/2005	1 U														
RM-MW-09S	RM-MW-9S	1/24/2006	4														
RM-MW-09S	RM-MW-9S	4/19/2006	9														
RM-MW-09S	RM-MW-9S	7/18/2006	1														
RM-MW-09S	RM-MW-9S	10/25/2006	6										0.35 J			0.38 J	
RM-MW-09S	RM-MW-9S	2/1/2007	6														
RM-MW-09S	RM-MW-9S	4/19/2007	1														
RM-MW-09S	RM-MW-9S	7/25/2007	32														
RM-MW-09S	RM-MW-9S	10/22/2007	12														
RM-MW-09S	RM-MW-9S	1/24/2008	3														
RM-MW-09S	RM-MW-9S	4/20/2008	12														
RM-MW-09S	RM-MW-9S	7/23/2008	2														
RM-MW-09S	RM-MW-9S	10/22/2008	9														
RM-MW-10S	RM-MW-10S	9/28/2004	21														
RM-MW-10S	RM-MW-10S	10/27/2004	1 U														
RM-MW-10S	RM-MW-10S	5/19/2005	1 U														
RM-MW-10S	RM-MW-10S	6/16/2005	225														
RM-MW-10S	RM-MW-10S	7/26/2005	1														
RM-MW-10S	RM-MW-10S	10/24/2005	2														
RM-MW-10S	RM-MW-10S	1/25/2006	15														
RM-MW-10S	RM-MW-10S	4/19/2006	2														
RM-MW-10S	RM-MW-10S	7/18/2006	12														
RM-MW-10S	RM-MW-10S	10/24/2006	8														
RM-MW-10S	RM-MW-10S	2/1/2007	13														
RM-MW-10S	RM-MW-10S	4/19/2007	12														
RM-MW-10S	RM-MW-10S	7/25/2007	19														
RM-MW-10S	RM-MW-10S	10/24/2007	15														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
RM-MW-10S	RM-MW-10S	1/24/2008	1	U													
RM-MW-10S	RM-MW-10S	4/20/2008	4														
RM-MW-10S	RM-MW-10S	7/23/2008	17														
RM-MW-10S	RM-MW-10S	10/23/2008	4														
RM-MW-12S	RM-MW-12S	5/17/2005	29														
RM-MW-12S	RM-MW-12S	6/16/2005	1	U													
RM-MW-12S	RM-MW-12S	7/25/2005	1	U													
RM-MW-12S	RM-MW-12S	10/24/2005	1	U													
RM-MW-12S	RM-MW-12S	1/24/2006	2	U													
RM-MW-12S	RM-MW-12S	4/19/2006	1	U													
RM-MW-12S	RM-MW-12S	7/18/2006	1	U													
RM-MW-12S	RM-MW-12S	10/24/2006	1	U													
RM-MW-12S	RM-MW-12S	2/1/2007	1	U													
RM-MW-12S	RM-MW-12S	4/19/2007	1	U													
RM-MW-12S	RM-MW-12S	7/24/2007	1														
RM-MW-12S	RM-MW-12S	10/21/2007	1	U													
RM-MW-12S	RM-MW-12S	1/24/2008	1	U													
RM-MW-12S	RM-MW-12S	4/20/2008	2														
RM-MW-12S	RM-MW-12S	7/22/2008	1	U													
RM-MW-12S	RM-MW-12S	10/18/2008	1	U													
RM-MW-13S	RM-MW-13S	5/16/2005	1	U													
RM-MW-13S	RM-MW-13S Dup	5/16/2005	Dup	1	U												
RM-MW-13S	RM-MW-13S	6/16/2005	1	U													
RM-MW-13S	RM-MW-13S	7/25/2005	1	U													
RM-MW-13S	RM-MW-13S	10/24/2005	7														
RM-MW-13S	RM-MW-13S	1/25/2006	1	U													
RM-MW-13S	RM-MW-13S	4/18/2006	3														
RM-MW-13S	RM-MW-13S	7/18/2006	1	U													
RM-MW-13S	RM-MW-13S	10/25/2006	1	U									0.38	J		0.32	J
RM-MW-13S	RM-MW-13S	2/1/2007	2														
RM-MW-13S	RM-MW-13S	4/19/2007	1	U													
RM-MW-13S	RM-MW-13S	7/24/2007	2														
RM-MW-13S	RM-MW-13S	10/22/2007	1	U													
RM-MW-13S	RM-MW-13S	1/24/2008	1	U													
RM-MW-13S	RM-MW-13S	4/20/2008	1	U													
RM-MW-13S	RM-MW-13S	7/23/2008	1	U													
RM-MW-13S	RM-MW-13S	10/23/2008	1														
RM-MW-14S	RM-MW-14S	10/25/2006	2										1.3			1.2	
RM-MW-14S	RM-MW-14S	2/1/2007	2														
RM-MW-14S	RM-MW-14S	4/19/2007	1	U													
RM-MW-14S	RM-MW-14S	7/25/2007	2														
RM-MW-14S	RM-MW-14S	10/22/2007	1	U													
RM-MW-14S	RM-MW-14S	1/24/2008	1														
RM-MW-14S	RM-MW-14S	4/20/2008	7														
RM-MW-14S	RM-MW-14S	7/24/2008	2	T													
RM-MW-14S	RM-MW-14S	10/22/2008	1	U													
RM-MW-15S	RM-MW-15S	10/24/2006	2										0.36	J		0.42	J
RM-MW-15S	RM-MW-15S	2/1/2007	6														
RM-MW-15S	RM-MW-15S	4/19/2007	2														
RM-MW-15S	RM-MW-15S	7/25/2007	29														
RM-MW-15S	RM-MW-15S	10/22/2007	7														
RM-MW-15S	RM-MW-15S	1/24/2008	9														

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L													
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon			
RM-MW-15S	RM-MW-15S	4/20/2008	67													
RM-MW-15S	RM-MW-15S	7/24/2008	4 U													
RM-MW-15S	RM-MW-15S	10/22/2008	1													
RM-MW-16S	RM-MW-16S	10/24/2006	22									0.4 J			0.46 J	
RM-MW-16S	RM-MW-16S	2/1/2007	12													
RM-MW-16S	RM-MW-16S	4/19/2007	5													
RM-MW-16S	RM-MW-16S	7/24/2007	21													
RM-MW-16S	RM-MW-16S	10/22/2007	4													
RM-MW-16S	RM-MW-16S	1/24/2008	10													
RM-MW-16S	RM-MW-16S	4/20/2008	3													
RM-MW-16S	RM-MW-16S	7/24/2008	4													
RM-MW-16S	RM-MW-16S	10/22/2008	11													
RM-MW-17S	RM-MW-17S	10/24/2006	45									0.49 J			0.4 J	
RM-MW-17S	RM-MW-17S	2/1/2007	5													
RM-MW-17S	RM-MW-17S	4/19/2007	12													
RM-MW-17S	RM-MW-17S	7/24/2007	10													
RM-MW-17S	RM-MW-17S	10/22/2007	2													
RM-MW-17S	RM-MW-17S	1/24/2008	1													
RM-MW-17S	RM-MW-17S	4/20/2008	5													
RM-MW-17S	RM-MW-17S	7/24/2008	3 T													
RM-MW-17S	RM-MW-17S	10/22/2008	1 U													
RMSW-MW11S	RMSW-MW-11S	5/17/2005	1 U													
RMSW-MW11S	RMSW-MW-11S	6/16/2005	4													
RMSW-MW11S	RMSW-MW-11S	7/25/2005	1													
RMSW-MW11S	RMSW-MW-11S	10/24/2005	1 U													
RMSW-MW11S	RMSW-MW-11S	1/24/2006	3													
RMSW-MW11S	RMSW-MW-11S	4/17/2006	1 U													
RMSW-MW11S	RMSW-MW-11S	7/20/2006	1													
RMSW-MW11S	RMSW-MW-11S	10/23/2006	1 U									0.43 J			0.45 J	
TL-MW-01A	TL-MW-1A	5/15/2003	523													
TL-MW-01A	TL-MW-1A	9/3/2003	8400													
TL-MW-01A	TL-MW-1A	8/10/2004	2570													
TL-MW-01A	TL-MW-1A	7/27/2005	932													
TL-MW-01A	TL-MW-1A	4/23/2006	75													
TL-MW-01A	TL-MW-1A	4/18/2007	64													
TL-MW-01A	TL-MW-1A	4/23/2008	240													
TS-MW-01S	TS-MW-1S	6/16/2005	66													
TS-MW-01S	TS-MW-1S	7/28/2005	13													
TS-MW-01S	TS-MW-1S	10/28/2005	5													
TS-MW-01S	TS-MW-1S	1/26/2006	2													
TS-MW-01S	TS-MW-1S	4/23/2006	2													
TS-MW-01S	TS-MW-1S	7/20/2006	3													
TS-MW-01S	TS-MW-1S	10/26/2006	1													
TS-MW-02S	TS-MW-2S	6/16/2005	4													
TS-MW-02S	TS-MW-2S	7/28/2005	13													
TS-MW-02S	TS-MW-2S	10/29/2005	1 U													
TS-MW-02S	TS-MW-2S	1/26/2006	2													
TS-MW-02S	TS-MW-2S	4/23/2006	2													
TS-MW-02S	TS-MW-2S	7/20/2006	2													
TS-MW-02S	TS-MW-2S	10/27/2006	1 UJ													
WW-EW-01	WW-EW-1	5/16/2003	5 U													
WW-EW-01	WW-EW-1	9/5/2003	1 U													

Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
WW-EW-01	WW-EW-1	7/1/2004	1 U														
WW-EW-01	WW-EW-1	10/29/2004	1 U														
WW-EW-01	WW-EW-1	7/29/2005	1 U														
WW-EW-01	WW-EW-1	10/28/2005	1 U														
WW-EW-01	WW-EW-1	4/20/2006	1 U	3.3	176	1.4	0.2 U			11.8							
WW-EW-01	WW-EW-1	7/20/2006		6	168	1.4	0.2 U			11.9	170						
WW-EW-01	WW-EW-1	10/25/2006	1 U	3.1	174	1.3	0.1 U			12.2	202						
WW-EW-01	WW-EW-1	2/1/2007		2.9	172	1.2	0.1 U			11.2	177						
WW-EW-01	WW-EW-1	10/22/2007	1 U	2.6	162	1.2	0.1 U			12.4	188						
WW-EW-01	WW-EW-1	1/24/2008		2.8	166	1.56	0.1 U			18.6	207						
WW-EW-01	WW-EW-1	4/24/2008	1 U	2.7	172	1.45	0.05 U			12	190						
WW-EW-01	WW-EW-1	7/24/2008		9	167	1.5	0.1 U			12.3	202						
WW-EW-01	WW-EW-1	10/22/2008	1 U	4.5	164	1.4	0.1 U			12.8	172						
WW-EW-02	WW-EW-2	5/16/2003	5 U														
WW-EW-02	WW-EW-2	9/5/2003	1 U														
WW-EW-02	WW-EW-2	7/1/2004	1 U														
WW-EW-02	WW-EW-2	10/29/2004	1 U														
WW-EW-02	WW-EW-2	7/29/2005	8														
WW-EW-02	WW-EW-2	10/28/2005	1 U														
WW-EW-02	WW-EW-2	4/23/2006	1 U														
WW-EW-02	WW-EW-2	10/25/2006	1 U														
WW-EW-02	WW-EW-2	4/17/2007	1 U														
WW-EW-02	WW-EW-2	10/22/2007	1 U														
WW-EW-02	WW-EW-2	4/24/2008	1 U														
WW-EW-02	WW-EW-2	10/22/2008	1 U														
WW-EW-03	WW-EW-3	4/25/2008	1														
WW-MW-03	WW-MW-3	10/28/2005					0.5	0.1 U								2 U	
WW-MW-03	WW-MW-3	4/20/2006					1	0.2 U								0.05 U	
WW-MW-03	WW-MW-3	10/26/2006					0.64	0.05								0.25	
WW-MW-08	WW-MW-8	5/12/2003															
WW-MW-11	WW-MW-11	5/12/2003															
WW-MW-12	WW-MW-12	5/12/2003															
WW-MW-12	WW-MW-12	10/27/2005	169				1.2	0.1 U								2 U	
WW-MW-12	WW-MW-12	4/20/2006	1 U				1.7	0.2 U								0.05 U	
WW-MW-12	WW-MW-12	10/26/2006	98				1.54	0.01 U								0.05 U	
WW-MW-12	WW-MW-12	4/18/2007	1 U														
WW-MW-12	WW-MW-12	10/23/2007	544														
WW-MW-12	WW-MW-12	4/23/2008	18														
WW-MW-12	WW-MW-12	10/22/2008	37														
WW-MW-15	WW-MW-15	5/12/2003															
WW-MW-16	WW-MW-16	5/12/2003															
WW-MW-17	WW-MW-17	5/12/2003															
WW-MW-17	WW-MW-17	5/15/2003	13														
WW-MW-17	WW-MW-25	5/15/2003	Dup	13													
WW-MW-17	WW-MW-17	7/17/2003	13														
WW-MW-17	WW-MW-17	9/4/2003	5 U														
WW-MW-17	WW-MW-25	9/4/2003	Dup	5 U													
WW-MW-17	WW-MW-17	6/30/2004	5 U														
WW-MW-17	WW-MW-25	6/30/2004	Dup	5 U													
WW-MW-17	WW-MW-17	10/29/2004	1 U														
WW-MW-17	WW-MW-25	10/29/2004	Dup	1 U													
WW-MW-17	WW-MW-17	7/29/2005	1 U														

**Table F-8 - Analytical Results for Conventional Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Conventionals in mg/L														
			Total Suspended Solids	Chloride	Hardness as CaCO3	Nitrate	Nitrite	Nitrate + Nitrite	Sulfate	Total Dissolved Solids	Total Organic Carbon	Total Sulfide	Dissolved Organic Carbon				
WW-MW-17	WW-MW-17	10/29/2005	1														
WW-MW-17	WW-MW-17	4/23/2006	5														
WW-MW-17	WW-MW-17	10/28/2006	1														
WW-MW-17	WW-MW-17	4/18/2007	9														
WW-MW-17	WW-MW-17	10/24/2007	7														
WW-MW-17	WW-MW-17	4/24/2008	105														
WW-MW-17	WW-MW-17	10/23/2008	32														
WW-MW-18	WW-MW-18	5/12/2003															
WW-MW-18	WW-MW-18	5/13/2003	70														
WW-MW-18	WW-MW-18	9/2/2003	1260														
WW-MW-18	WW-MW-18	6/29/2004	332														
WW-MW-18	WW-MW-18	10/25/2004	39														
WW-MW-18	WW-MW-18	7/27/2005	143														
WW-MW-18	WW-MW-18	10/24/2005	100				0.3	0.1	U							2	U
WW-MW-18	WW-MW-18	4/20/2006	53				2.3	0.2	U							0.05	U
WW-MW-18	WW-MW-18	10/25/2006	65				0.2	0.1	U							0.05	U
WW-MW-18	WW-MW-18	4/18/2007	155														
WW-MW-18	WW-MW-18	10/23/2007	106														
WW-MW-18	WW-MW-18	4/24/2008	429														
WW-MW-18	WW-MW-18	10/23/2008	260														



**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L										
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese			
CM-MW-01S	CM-MW-1S	10/28/2004		3.3 J	32	5 U	5 U		2 U				
CM-MW-01S	CM-MW-1S	3/24/2005		2.4 J	30.1	5 U	5 U		2 U				
CM-MW-01S	CM-MW-SU	3/24/2005	Dup		2.6 J	30.1	5 U	5 U		2 U			
CM-MW-01S	CM-MW-1S	7/26/2005		0.16	3.2	29.7	0.02 U	1.17	20 U	0.02 U	0.05 U		
CM-MW-01S	CM-MW-1S	10/28/2005		0.16	3.1	30.9	0.102 UJ	0.53 U	20 U	0.015 U	0.03 U		
CM-MW-01S	CM-MW-1S	1/26/2006		0.17	2.87	35.2	0.04	1.05	20 U	0.03 J	0.05 J		
CM-MW-01S	CM-MW-1S	4/20/2006		0.14	2.85	33.1	0.041 U	0.49	20 U	0.02	0.14		
CM-MW-01S	CM-MW-1S	7/21/2006		0.16	3	35.4	0.02 U	0.75	20 U	0.024	0.08		
CM-MW-01S	CM-MW-1S	10/24/2006		0.17	3.11	32.7	0.02 U	0.74	4.6 J	0.062	0.045 J		
CM-MW-01S	CM-MW-100S	10/24/2006	Dup	0.17	2.98	34.1	0.02 U	0.66	7 J	0.017 J	0.019 J		
CM-MW-01S	CM-MW-1S	4/15/2007		0.16	3.23	33.2	0.032	0.58	20 U	0.017 J	0.15		
CM-MW-01S	CM-MW-1S	4/21/2008		0.188	3.44				11.5 T		0.6 T		
CM-MW-02S	CM-MW-2S	10/27/2004			3.6 J	59.8	5 U	5 U		1.7 J			
CM-MW-02S	CM-MW-2S	3/23/2005			2.8 J	28.8	5 U	5 U		2 U			
CM-MW-02S	CM-MW-2S	7/26/2005		0.17	3.3	29.5	0.02 U	1.28	20 U	0.027	0.12		
CM-MW-02S	CM-MW-2S	10/27/2005		0.15	3.3	34	0.092 UJ	0.53	70.7	0.02 J	33.6		
CM-MW-02S	CM-MW-2S	1/26/2006		0.17	3.28	35.1	0.04	1.46	4.1 J	0.02 UJ	0.29		
CM-MW-02S	CM-MW-2S	4/19/2006		0.17	2.86	32.4	0.039 UJ	0.4	4 J	0.02 U	3.43		
CM-MW-02S	CM-MW-200S	4/19/2006	Dup	0.16	2.85	32.1	0.039 UJ	0.42	4.4 J	0.02 U	3.4		
CM-MW-02S	CM-MW-2S	7/21/2006		0.15	3.5	34.9	0.02 U	0.67	30.9	0.07	26.4		
CM-MW-02S	CM-MW-2S	10/24/2006		0.18	3.07	32.8	0.02 U	0.64	6.1 J	0.056	0.112		
CM-MW-02S	CM-MW-2S	4/19/2007		0.16	3.63				135 J		8.07 J		
CM-MW-02S	CM-MW-200S	4/19/2007	Dup	0.16	2.99				20 UJ		2.32 J		
CM-MW-02S	CM-MW-2S	4/21/2008		0.193	7.09				745		43.9		
CM-MW-03S	CM-MW-3S	10/27/2004			2.5 J	38.8	5 U	5 U		2 U			
CM-MW-03S	CM-MW-3S	3/23/2005			3 J	29.8	5 U	5 U		1.2 J			
CM-MW-03S	CM-MW-3S	7/26/2005		0.15	3	28.8	0.02 U	1.08	20 U	0.018 J	0.05 U		
CM-MW-03S	CM-MW-SU	7/26/2005	Dup	0.16	3	29.4	0.024 U	0.94	20 U	0.02 U	0.12		
CM-MW-03S	CM-MW-3S	10/28/2005		0.14	2.8	33.4	0.13 UJ	0.47 U	20 U	0.018 U	5.91		
CM-MW-03S	CM-MW-SU	10/28/2005	Dup	0.15	2.7	33.9	0.085 UJ	0.45 U	20 U	0.024 U	6.12		
CM-MW-03S	CM-MW-3S	1/26/2006		0.15	3.15	39.9	0.04	0.85	20 U	0.02 UJ	0.02 J		
CM-MW-03S	CM-MW-3S	4/19/2006		0.15	2.74	31.2	0.051 UJ	0.37 J	20 U	0.02 U	0.31		
CM-MW-03S	CM-MW-3S	7/21/2006		0.19	2.1	35.8	0.02 U	0.42	20 U	0.037	8.73		
CM-MW-03S	CM-MW-3S	10/24/2006		0.16	2.77	34	0.02 U	0.66	3.3 J	0.06	0.235		
CM-MW-03S	CM-MW-3S	4/18/2007		0.17	2.99				20 U		0.09 J		
CM-MW-03S	CM-MW-300S	4/18/2007	Dup	0.15	3.07				20 U		0.16 J		
CM-MW-03S	CM-MW-3S	4/21/2008		0.158	3.26				5.6 T		5 U		
CM-MW-04S	CM-MW-4S	10/27/2004			1.5 J	51.7	5 U	5 U		2 U			
CM-MW-04S	CM-MW-4S	3/23/2005			1.3 J	37.2	5 U	5 U		2 U			
CM-MW-04S	CM-MW-4S	7/26/2005		0.39	1.8	40.9	0.038	1.41	11.8 J	0.039	3.33		
CM-MW-04S	CM-MW-4S	10/27/2005		0.36	1.3	50.7	0.064 UJ	0.4	20 U	0.03 J	1.24		
CM-MW-04S	CM-MW-4S	1/26/2006		0.34	1.48	44.3	0.04	1.25	4.4 J	0.02 UJ	0.48		

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
CM-MW-04S	CM-MW-4S	4/19/2006	0.32	1.42	37.7	0.06 UJ	0.42	20 U	0.02 U	0.33		
CM-MW-04S	CM-MW-4S	7/21/2006	0.32	2.3	35.7	0.02 U	0.55	20 U	0.012 J	0.04 J		
CM-MW-04S	CM-MW-4S	10/24/2006	0.33	1.37	48.1	0.02 U	0.63	7.1 J	0.062	0.732		
CM-MW-04S	CM-MW-4S	4/17/2007	0.28	1.98				20 U		0.89		
CM-MW-04S	CM-MW-4S	4/20/2008	0.337	1.78				7.9 T		0.7 T		
CM-MW-05S	CM-MW-5S	10/27/2004		2 J	48	5 U	3.1 J		2 U			
CM-MW-05S	CM-MW-5S	3/23/2005		2.2 J	31.9	5 U	5 U		2 U			
CM-MW-05S	CM-MW-5S	7/26/2005	0.33	2.8	36.4	0.023 U	0.75	20 U	0.02 U	0.05 U		
CM-MW-05S	CM-MW-5S	10/27/2005	0.33	2.2	37.9	0.065 UJ	0.42	20 U	0.01 J	0.02 J		
CM-MW-05S	CM-MW-5S	1/26/2006	0.41	2.25	42.4	0.04	1.26	20 U	0.02 UJ	0.05 U		
CM-MW-05S	CM-MW-SU	1/26/2006	Dup	0.41	2.17	44	0.04	1.17	20 U	0.02 UJ	0.29	
CM-MW-05S	CM-MW-5S	4/19/2006		0.33	2.24	34.4	0.036 UJ	0.42	4.5 J	0.02 U	0.04 J	
CM-MW-05S	CM-MW-5S	7/21/2006		0.32	1.4	42.6	0.02 U	0.55	20 U	0.044	0.09	
CM-MW-05S	CM-MW-5S	10/24/2006		0.35	2.42	38.5	0.02 U	0.64	3.1 J	0.015 J	0.011 J	
CM-MW-05S	CM-MW-5S	4/17/2007		0.35	2.33			20 U		0.1		
CM-MW-05S	CM-MW-5S	4/20/2008		0.349	2.83			6.9 T		5 U		
CM-MW-06S	CM-MW-6S	10/28/2004			6.1	200	5 U	3.7 J		12.7		
CM-MW-06S	CM-MW-6S	3/23/2005			5 U	83.3	5 U	5 U		1.5 J		
CM-MW-06S	CM-MW-6S	7/26/2005	0.29	1.6	94.4	0.024 U	0.76	259	0.02 U	166		
CM-MW-06S	CM-MW-6S	10/27/2005	0.21	2.1	133	0.068 UJ	0.49	927	0.04	502		
CM-MW-06S	CM-MW-6S	1/26/2006	0.23	1.77	110	0.06	1.46	538	0.03 J	234		
CM-MW-06S	CM-MW-6S	4/19/2006	0.26	1.13	81.6	0.056 UJ	0.16 J	172	0.02 J	128		
CM-MW-06S	CM-MW-6S	7/21/2006	0.4	0.8	85.9	0.02 U	0.44	6.2 J	0.026	4.81		
CM-MW-06S	CM-MW-6S	10/24/2006	0.27	1.59	132	0.02 U	2.67	769	0.058	405		
CM-MW-06S	CM-MW-6S	4/19/2007	0.18	1.76				238		128		
CM-MW-06S	CM-MW-6S	4/20/2008	0.301	1.05				146		215		
CM-MW-07S	CM-MW-7S	10/27/2004		1.9 J	34.5	5 U	5 U		2 U			
CM-MW-07S	CM-MW-7S	3/23/2005		2.9 J	28.7	5 U	5 U		1.1 J			
CM-MW-07S	CM-MW-7S	7/26/2005	0.15	3.1	28.2	0.02 U	1.18	20 U	0.02 U	0.05 U		
CM-MW-07S	CM-MW-7S	10/27/2005	0.16	2.9	31.3	0.103 UJ	0.51	20 U	0.01 J	0.05		
CM-MW-07S	CM-MW-7S	1/26/2006	0.16	3.12	39.6	0.04	1.23	20 U	0.01 J	0.08		
CM-MW-07S	CM-MW-7S	4/19/2006	0.16	2.78	32.7	0.048 UJ	0.51	3.2 J	0.02 U	0.09		
CM-MW-07S	CM-MW-7S	7/21/2006	0.16	2.9	32.4	0.02 U	1.2	6 J	0.02 U	0.1		
CM-MW-07S	CM-MW-700S	7/21/2006	Dup	0.17	2.9	33.8	0.02 U	0.61	20 U	0.014 J	0.06	
CM-MW-07S	CM-MW-7S	10/24/2006		0.17	2.97	32.7	0.02 U	0.74	4.2 J	0.018 J	0.073	
CM-MW-07S	CM-MW-7S	4/15/2007		0.16	3.13	34.2	0.032	0.57	13.2 J	0.019 J	0.11	
CM-MW-07S	CM-MW-7S	4/21/2008		0.187	3.25			9.3 T		0.8 T		
CM-MW-08S	CM-MW-8S	10/28/2004			3.2 J	31	5 U	5 U		2 U		
CM-MW-08S	CM-MW-100	10/28/2004	Dup		3.1 J	31.5	5 U	5 U		2 U		
CM-MW-08S	CM-MW-8S	3/23/2005			2.5 J	28.5	5 U	5 U		2 U		
CM-MW-08S	CM-MW-8S	7/26/2005	0.15	3.3	28.9	0.02 U	0.94	20 U	0.02 U	0.05 U		
CM-MW-08S	CM-MW-8S	10/27/2005	0.15	2.9	30.5	0.06 UJ	0.54	20 U	0.02 U	0.29		

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L												
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese					
CM-MW-08S	CM-MW-8S	1/26/2006	0.16	3.14	39	0.03	1.1	20	U	0.02	UJ	0.03	J		
CM-MW-08S	CM-MW-8S	4/19/2006	0.16	2.89	32	0.03	UJ	0.45	20	U	0.02	U	0.05	U	
CM-MW-08S	CM-MW-8S	7/20/2006	0.16	2.8	30.6	0.02	U	0.61	20	U	0.016	J	0.05	U	
CM-MW-08S	CM-MW-8S	10/24/2006	0.16	3.14	32	0.02	U	0.52	5.5	J	0.009	J	0.05	U	
CM-MW-08S	CM-MW-8S	4/15/2007	0.16	3.15	34.2	0.033		0.58	20	U	0.01	J	0.12		
CM-MW-08S	CM-MW-8S	4/21/2008	0.164	3.31					5.9	T			5	U	
HL-MW-06A	HL-MW-6A	7/27/2005	0.17	4.3	32	0.02	U	1.7	20	U	0.06		0.41		
HL-MW-06A	HL-MW-6A	10/26/2005	0.16	4.14	34.7	0.02	UJ	1	20	U	0.02	U	0.33		
HL-MW-06A	HL-MW-6A	1/25/2006	0.16	4.05	40.3	0.02	U	1.06	20	U	0.02	UJ	0.63		
HL-MW-06A	HL-MW-6A	4/19/2006	0.14	4.14	36.8	0.035	UJ	0.55	7.4	J	0.02	U	0.14		
HL-MW-06A	HL-MW-600A	4/19/2006	Dup	0.16	4.15	38.4	0.045	UJ	0.49	20	U	0.03		0.12	
HL-MW-06A	HL-MW-6A	7/20/2006		0.17	4.5	34.8	0.02	U	1.02	20	U	0.013	J	0.19	
HL-MW-06A	HL-MW-6A	10/25/2006		0.16	4.66	34	0.02	U	0.65	5.1	J	0.058		0.16	
HL-MW-06A	HL-MW-600A	10/25/2006	Dup	0.15	4.8	33.6	0.02	U	0.78	5.2	J	0.098		0.19	
HL-MW-06A	HL-MW-6A	4/15/2007		0.16	4.15	36.7	0.035		0.8	3.5	J	0.014	J	0.46	
HL-MW-06A	HL-MW-6A	4/22/2008		0.168	5.4					11.5	T			0.3	
HL-MW-19S	HL-MW-19S	7/29/2005	0.072	J	3.6	34.8	0.02	U	0.89	20	UJ	0.047	U	0.4	U
HL-MW-19S	HL-MW-19S	10/27/2005	0.17		3.1	37.2	0.098	UJ	0.56	20	U	0.02	J	0.09	
HL-MW-19S	HL-MW-19S	1/25/2006	0.16		2.66	57.4	0.06		1.64	20	U	0.01	J	0.12	
HL-MW-19S	HL-MW-19S	4/18/2006	0.16		2.98	42.9	0.067	U	1.17	20	U	0.01	J	0.06	
HL-MW-19S	HL-MW-19S	7/19/2006	0.16		3.3	41.1	0.02	U	0.77	20	U	0.085		0.11	
HL-MW-19S	HL-MW-19S	10/23/2006	0.16		3.41	48	0.02	U	0.88	8.8	J	0.119		0.24	
HL-MW-19S	HL-MW-19S	4/16/2007	0.26		2.48					20	U			225	
HL-MW-19S	HL-MW-19S	10/22/2007	0.141		2.79					8.3	T			5	U
HL-MW-19S	HL-MW-19S	4/20/2008	0.159		2.86					8.6	T			5	U
HL-MW-19S	HL-MW-19S	10/19/2008	0.157		3.1					7.4	T			1.92	
HL-MW-20S	HL-MW-20S	7/27/2005	0.55		2.3	47.2	0.02	U	0.8	60.5		0.06		306	
HL-MW-20S	HL-MW-20S	10/27/2005	0.27		1.8	50.4	0.122		0.26	189		0.05		316	
HL-MW-20S	HL-MW-20S	4/18/2006	0.4		1.72	49.4	0.071	U	0.33	J	5.5	J	0.04	99.5	
HL-MW-20S	HL-MW-20S	7/20/2006	0.27		5.2	55.9	0.02	U	0.32	U	124		0.066	184	
HL-MW-20S	HL-MW-20S	10/23/2006	0.24		1.83	59.2	0.02	U	0.65		210		0.075	284	
HL-MW-20S	HL-MW-20S	4/16/2007	0.23		9.64						86.2			0.24	
HL-MW-20S	HL-MW-20S	10/22/2007	0.238		3.24						262			215	
HL-MW-20S	HL-MW-20S	4/20/2008	0.343		1.89						106			171	
HL-MW-20S	HL-MW-20S	10/22/2008	0.122		1.9						328			202	
HL-MW-20S	HL-MW-200S	10/22/2008	Dup	0.145	1.9						339			198	
HL-MW-21S	HL-MW-21S	7/28/2005	0.176	J	2.6	98	0.06		0.4	33.5	J	0.119		322	
HL-MW-21S	HL-MW-21S	10/28/2005	0.25		2	112	0.177	UJ	0.36	U	70.5		0.07	U	429
HL-MW-21S	HL-MW-21S	1/25/2006	0.25		1.27	112	0.08		1.62		20	U	0.03	J	64.8
HL-MW-21S	HL-MW-21S	4/18/2006	0.19		1.48	83.3	0.084	U	0.25	J	20	U	0.03		112
HL-MW-21S	HL-MW-21S	7/19/2006	0.11		6	85.2	0.02	U	0.27	U	399		0.044		379
HL-MW-21S	HL-MW-21S	10/23/2006	0.17		3.16	108	0.04		0.44		154		0.066		318

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
HL-MW-21S	HL-MW-21S	4/17/2007	0.21	1.38					91.6			3.93
HL-MW-21S	HL-MW-21S	10/22/2007	0.172	5.6					397			332
HL-MW-21S	HL-MW-21S	4/22/2008	0.227	1.82					26.7			31.3
HL-MW-21S	HL-MW-21S	10/19/2008	0.261	2.8					54.3			225
HL-MW-22S	HL-MW-22S	7/27/2005	0.16	3.7	40.6	0.02 U	1.2	20 U	0.03		1.4	
HL-MW-22S	HL-MW-22S	10/28/2005	0.18	5.4	41	0.072 UJ	0.53 U	20 U	0.02 U		0.11 U	
HL-MW-22S	HL-MW-22S	1/25/2006	0.15	3.53	46.6	0.04	1.39	20 U	0.03 J		0.17	
HL-MW-22S	HL-MW-22S	4/18/2006	0.22	3.48	42.7	0.062 U	0.85	20 U	0.02 J		0.16	
HL-MW-22S	HL-MW-22S	7/19/2006	0.16	5.3	46.4	0.02 U	1.66	20 U	0.049		0.06 J	
HL-MW-22S	HL-MW-22S	10/23/2006	0.17	5.41	44.5	0.02 U	1.56	3.9 J	0.079		0.28	
HL-MW-22S	HL-MW-22S	4/17/2007	0.15	3.74	54	0.038 U	0.89	6.2 J	0.06		0.36	
HL-MW-22S	HL-MW-22S	10/22/2007	0.168	4.38				6.9 T			5 U	
HL-MW-22S	HL-MW-22S	4/22/2008	0.171	4.07				34.5			0.85	
HL-MW-22S	HL-MW-22S	10/19/2008	0.165	5.6				279			7.47	
HL-MW-23S	HL-MW-23S	4/21/2006	0.16	3.47	36.9	0.057 UJ	0.59	20 U	0.02 U		0.16	
HL-MW-23S	HL-MW-23S	7/20/2006	0.19	3.5	36.8	0.02 U	1.42	6.5 J	0.02 U		0.21	
HL-MW-23S	HL-MW-23S	10/26/2006	0.18	3.66	38.5	0.02 U	2.25	10.1 J	0.017 J		0.402	
HL-MW-23S	HL-MW-23S	2/1/2007	0.17	3.8	35.4	0.04 U	1.18	20 U	0.013 J		0.2	
HL-MW-23S	HL-MW-23S	4/17/2007	0.17	3.64	36.7	0.029 U	0.71	20 U	0.021 U		0.32	
HL-MW-23S	HL-MW-23S	10/24/2007	0.17	3.7				20 U			0.2	
HL-MW-23S	HL-MW-23S	4/22/2008	0.205	4.32				4.5 T			0.21	
HL-MW-23S	HL-MW-23S	10/24/2008	0.181	3.9				20 U			2.18	
HL-MW-23S	HL-MW-2300S	10/24/2008	Dup 0.19	4				20 U			0.659	
HL-MW-24DD	HL-MW-24DD	4/21/2006	0.13	5.19	32.6	0.03 UJ	0.91	75.6	0.01 J		0.59	
HL-MW-24DD	HL-MW-24DD	7/19/2006	0.16	5.4	34.1	0.02 U	1.6	4.7 J	0.026 J		0.3	
HL-MW-24DD	HL-MW-24DD	10/26/2006	0.17	5.52	35.4	0.02 U	1.6	8.1 J	0.023		0.236	
HL-MW-24DD	HL-MW-24DD	1/31/2007	0.14	5.9	32.3	0.04 U	1.73	6.3 J	0.08		0.37	
HL-MW-24DD	HL-MW-24DD	4/15/2007	0.13	5.09	31.8	0.024	1.81	9.1 J	0.004 J		0.22	
HL-MW-24DD	HL-MW-24DD	10/23/2007	0.15	4.73	34.2	0.02 U	1.06	10.8 T	0.006 JT		0.24	
HL-MW-24DD	HL-MW-24DD	4/21/2008	0.14	6.25				19.4 T			5 U	
HL-MW-24DD	HL-MW-24DD	10/24/2008	0.134	5.9				20 U			0.644	
HL-MW-25S	HL-MW-25S	4/21/2006	0.19	7.04	37.3	0.048 UJ	0.66	20 U	0.03		0.33	
HL-MW-25S	HL-MW-25S	7/19/2006	0.22	7.3	36.5	0.02 U	1.52	8.6 J	0.01 J		0.31	
HL-MW-25S	HL-MW-25S	10/26/2006	0.2	7.32	37.8	0.02 U	1.34	7.8 J	0.023		0.263	
HL-MW-25S	HL-MW-25S	2/1/2007	0.19	7.6	35.6	0.04 U	1.07	4.3 J	0.011 J		0.63	
HL-MW-25S	HL-MW-25S	4/16/2007	0.18	6.92	39.8	0.035	1.38	4.7 B	0.019 B		0.92	
HL-MW-25S	HL-MW-25S	10/25/2007	0.18	7.25				20 U			0.19	
HL-MW-25S	HL-MW-25S	4/21/2008	0.196	7.94				9.1 T			5 U	
HL-MW-25S	HL-MW-2500S	4/21/2008	Dup 0.197	7.87				6.3 T			5 U	
HL-MW-25S	HL-MW-25S	10/19/2008	0.18	7.4				20 U			0.425	
HL-MW-26S	HL-MW-26S	4/21/2006	0.17	3.99	38.3	0.046 UJ	1.12	20 U	0.02 J		0.21	
HL-MW-26S	HL-MW-26S	7/19/2006	0.18	3.8	36.3	0.02 U	0.81	4.6 J	0.018 J		0.17	

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled		Dissolved Metals in µg/L							
				Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese
HL-MW-26S	HL-MW-26S	10/26/2006		0.17	3.74	37.3	0.02 U	0.92	5.3 J	0.029	0.159
HL-MW-26S	HL-MW-26S	1/31/2007		0.17	4.1	35.8	0.04 U	0.77	20 U	0.013 J	0.22
HL-MW-26S	HL-MW-2600S	1/31/2007	Dup	0.18	4.2	35.3	0.04 U	0.79	10.5 J	0.014 J	0.36
HL-MW-26S	HL-MW-26S	4/16/2007		0.21	3.86	40.4	0.019 B	0.74	20 U	0.02 U	0.08
HL-MW-26S	HL-MW-2600S	4/16/2007	Dup	0.17	3.77	40.9	0.036	0.78	20 U	0.004 B	0.09
HL-MW-26S	HL-MW-26S	10/24/2007		0.19	3.04	35.6	0.02 U	0.77	9.2 T	0.006 JT	0.11
HL-MW-26S	HL-MW-2600S	4/21/2008		0.189	4.36				6.2 T		5 U
HL-MW-26S	HL-MW-26S	4/21/2008		0.185	4.28				6.7 T		5 U
HL-MW-26S	HL-MW-26S	10/22/2008		0.171	3.8				4.9 T		0.17
HL-MW-27D	HL-MW-27D	4/22/2006		0.14	3.26	34.5	0.02 U	1.24	6 J	0.02 J	0.27
HL-MW-27D	HL-MW-27D	7/19/2006		0.15	3.4	36.9	0.02 U	0.91	20 U	0.017 J	0.19
HL-MW-27D	HL-MW-27D	10/27/2006		0.15	3.63	36.7	0.02 U	2.28	10.2 J	0.034	0.39
HL-MW-27D	HL-MW-27D	1/31/2007		0.14	3.7	34.7	0.04 U	1.06	20 U	0.008 J	0.14
HL-MW-27D	HL-MW-27D	4/16/2007		0.15	3.46	40	0.018 B	1.15	5.4 B	0.02 U	0.15
HL-MW-27D	HL-MW-27D	10/24/2007		0.15	3				9.3 T		0.2
HL-MW-27D	HL-MW-2700D	10/24/2007		0.15	2.93				8.4 T		0.17
HL-MW-27D	HL-MW-27D	4/21/2008		0.156	4.07				6.7 T		5 U
HL-MW-27D	HL-MW-2700S	4/21/2008	Dup	0.149	4.03				14.9 T		5 U
HL-MW-27D	HL-MW-27D	10/21/2008		0.148	3.6				20 U		0.108
HL-MW-28DD	HL-MW-28DD	10/26/2006		0.16	4.27	37.7	0.02 U	1.41	7.7 J	0.024	1.68
HL-MW-28DD	HL-MW-28DD	1/31/2007		0.14	4.7	36.4	0.04 U	1.49	5.3 J	0.02	1.09
HL-MW-28DD	HL-MW-28DD	4/15/2007		0.12	4.4	33.9	0.028	1.06	5.3 J	0.02 U	0.52
HL-MW-28DD	HL-MW-28DD	7/24/2007		0.134	4.53	36.4	0.02 U	1.22	7.2 T	0.02 U	0.94
HL-MW-28DD	HL-MW-2800DD	7/24/2007	Dup	0.138	4.61	37.1	0.02 U	1.12	6.9 T	0.02 U	1
HL-MW-28DD	HL-MW-28DD	10/23/2007		0.15	3.84	35.7	0.013 T	0.76	4.6 T	0.005 JT	0.38
HL-MW-28DD	HL-MW-2800DD	10/23/2007	Dup	0.15	3.8	36.2	0.02 U	0.67	5.1 T	0.003 JT	0.32
HL-MW-28DD	HL-MW-28DD	1/24/2008		0.14	4.2	33.9	0.02 U	0.48	4.2 T	0.009 T	
HL-MW-28DD	HL-MW-28DD	4/21/2008		0.154	5.25	37.7	0.02 U	0.56	9.8 T	0.02 U	0.19
HL-MW-28DD	HL-MW-2800DD	4/21/2008	Dup	0.152	5.2	38	0.02 U	0.4	5.1 T	0.02 U	0.1
HL-MW-28DD	HL-MW-28DD	10/19/2008		0.138	4.4	35.1	0.02 U	2.08	20 U	0.005 T	0.1 U
HL-MW-29S	HL-MW-29S	7/24/2007		0.208	8.76	37.5	0.01 T	2.19	19.1 T	0.021	1.59
HL-MW-29S	HL-MW-29S	10/24/2007		0.22	6.63	38.3	0.02 U	0.77 J	10.8 T	0.017 JT	0.34
HL-MW-29S	HL-MW-29S	1/24/2008		0.2	7.65	36.8	0.02 U	0.5	20 U	0.008 T	
HL-MW-29S	HL-MW-2900S	1/24/2008	Dup	0.2	7.79	37.5	0.02 U	0.5	20 U	0.008 T	
HL-MW-29S	HL-MW-29S	4/22/2008		0.217	8.88	40.2	0.02 U	0.39	20 U	0.05 U	0.1
HL-MW-29S	HL-MW-29S	10/22/2008		0.223	8	38.2	0.016 T	3.04	10.6 T	0.011 T	0.542
HL-MW-29S	HL-MW-2900S	10/22/2008	Dup	0.201	8.4	39.3	0.006 T	2.95	7.2 T	0.014 T	0.434
HL-MW-30S	HL-MW-30S	7/24/2007		0.212	6.61	35.6	0.02 U	0.47	5.2 T	0.029	1.24
HL-MW-30S	HL-MW-30S	10/24/2007		0.19	6.05	35.4	5 U	5 U	4.3 T	50 U	0.26
HL-MW-30S	HL-MW-30S	1/25/2008		0.19	5.84	34.1	0.02 U	0.45	8.8 T	0.013 T	
HL-MW-30S	HL-MW-30S	4/23/2008		0.229	7.46	40.1	0.006 T	0.49	20 U	0.012 T	0.26 J
HL-MW-30S	HL-MW-30S	10/19/2008		0.196	6.2	34.4	0.006 T	3.38	5 T	0.007 T	0.1 U

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L										
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese			
MW-08	MW-8	5/13/2003		3.1 J									
MW-08	MW-8	9/2/2003		3 J				5 U					
MW-08	MW-8	6/29/2004		5 U									
MW-08	MW-8	10/25/2004		2.2 J									
MW-08	MW-8	7/29/2005		3.4									
MW-08	MW-8	10/26/2005		2.82									
MW-08	MW-8	4/22/2006		2.91									
MW-08	MW-8	10/27/2006		2.96									
MW-08	MW-8	4/18/2007	0.19	3.23					20 U			0.55	
MW-08	MW-8	10/25/2007	0.16	2.88					20 U			0.39	
MW-08	MW-8	4/23/2008	0.181	3.48					16.8 T			0.42	
MW-08	MW-8	10/21/2008	0.176	3.2					4.3 T			0.558	
MW-09	MW-9	5/13/2003		2.5 J									
MW-09	MW-9	9/2/2003		3.2 J				5 U					
MW-09	MW-9	6/29/2004		3.3 J									
MW-09	MW-9	4/18/2007	0.19	2.37				1.08	10.8 J			0.35	
MW-09	MW-9	10/25/2007	0.18	3.05				0.6	20 U			0.22	
MW-09	MW-9	4/23/2008	0.178	2.76				0.64	3.4 T			0.23	
MW-09	MW-9	10/21/2008	0.18	2.9				0.538	6 T			0.117	
MW-10	MW-10	5/13/2003		9.1									
MW-10	MW-10	10/28/2004		6.7									
MW-10	MW-10	10/26/2005		6.16									
MW-10	MW-10	4/22/2006		10.5									
MW-10	MW-10	10/27/2006		6.92									
MW-10	MW-10	4/16/2007	0.18	9.58					6.9 B			0.27	
MW-10	MW-10	10/25/2007	0.25	8.68					2590			53.6	
MW-10	MW-10	4/22/2008	0.243	11.4					81			1.88	
MW-10	MW-10	10/21/2008	0.186	6.7					5.4 T			0.1 U	
MW-12A	MW-12A	5/12/2003		3.5 J									
MW-12A	MW-12A	6/29/2004		2.8 J									
MW-12A	MW-12A	10/25/2004		4.2 J									
MW-12A	MW-12A	7/28/2005		4.5									
MW-12A	MW-12A	10/26/2005		3.97									
MW-12A	MW-12A	4/21/2006		4.23									
MW-12A	MW-12A	10/27/2006		4.06									
MW-12A	MW-12A	4/17/2007	0.23	3.77					20 U			0.05 J	
MW-12A	MW-12A	10/23/2007	0.16	3.5	35		0.02 U	0.54	6.7 T	0.004 JT		0.08	
MW-12A	MW-12A	4/24/2008	0.169	5.24					7.5 T			0.13 T	
MW-12A	MW-12A	10/21/2008	0.163	4.2					4.8 T			0.139	
MW-13	MW-13	5/13/2003		2.8 J									
MW-13	MW-13	9/2/2003		3.8 J				5 U					
MW-13	MW-13	6/29/2004		3.8 J									

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
MW-13	MW-13	4/18/2007	0.16	3.17				0.58	3.6 J		0.69	
MW-13	MW-13	10/25/2007	0.17	3.32				0.6	4.7 T		0.34	
MW-13	MW-13	4/22/2008	0.167	3.73				0.48	10.5 T		0.19	
MW-13	MW-13	10/21/2008	0.173	3.2			0.444		8.3 T		0.196	
MW-14	MW-14	5/12/2003		3.9 J								
MW-14	MW-14	6/29/2004		2.4 J								
MW-14	MW-14	10/25/2004		3.5 J								
MW-14	MW-14	7/29/2005		4								
MW-14	MW-14	10/24/2005		3.41								
MW-14	MW-14	4/22/2006		4.82								
MW-14	MW-14	10/27/2006		3.25								
MW-14	MW-14	4/17/2007	0.22	4.45					20 U		0.13	
MW-14	MW-14	10/24/2007	0.26	2.59					6.8 T		0.56	
MW-14	MW-14	4/23/2008	0.242	5.7					20 U		0.38	
MW-14	MW-14	10/21/2008	0.222	4.1					3.9 T		0.085	
MW-15	MW-15	5/12/2003		3.4 J								
MW-15	MW-27	5/12/2003	Dup	3.1 J								
MW-15	MW-15	6/29/2004		1.1 J								
MW-15	MW-27	6/29/2004	Dup	1.8 J								
MW-15	MW-15	10/25/2004		2.5 J								
MW-15	MW-27	10/25/2004	Dup	3.6 J								
MW-15	MW-15	7/29/2005		3.8								
MW-15	MW-27	7/29/2005	Dup	4								
MW-15	MW-15	10/24/2005		3.15								
MW-15	MW-27	10/24/2005	Dup	3.11								
MW-15	MW-15	4/21/2006		3.38								
MW-15	MW-15	10/27/2006		4.03								
MW-15	MW-15	4/17/2007	0.2	3.26					20 U		0.19	
MW-15	MW-15	10/24/2007	0.17	3.25					4 T		0.27	
MW-15	MW-15	4/23/2008	0.204	4.91					20 U		0.18	
MW-15	MW-15	10/21/2008	0.173	3.5					4.4 T		0.204	
MW-16	MW-16	5/13/2003		2.7 J								
MW-16	MW-16	6/29/2004		2 J								
MW-16	MW-16	10/25/2004		3.9 J								
MW-16	MW-16	7/29/2005		4								
MW-16	MW-16	10/26/2005		3.44								
MW-16	MW-16	4/22/2006		3.53								
MW-16	MW-16	10/27/2006		3.73								
MW-16	MW-160	10/27/2006	Dup	3.77								
MW-16	MW-16	4/17/2007	0.12	3.68					20 U		0.34	
MW-16	MW-16	10/26/2007	0.12	3.66					20 U		0.16	
MW-16	MW-16	4/22/2008	0.14	4.41					20 U		0.19	

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
MW-16	MW-16	10/22/2008	0.13	3.6					5.2 T		0.198	
MW-17S	MW-17S	5/13/2003		3.5 J								
MW-17S	MW-17S	6/29/2004		4.6 J								
MW-17S	MW-17S	10/25/2004		3.9 J								
MW-17S	MW-17S	7/28/2005		3.9								
MW-17S	MW-17S	10/26/2005		3.73								
MW-17S	MW-17S	4/21/2006		3.39								
MW-17S	MW-170S	4/21/2006	Dup		3.43							
MW-17S	MW-17S	10/27/2006		0.15	3.89	36.5	0.02 U	1.72		0.03	3.81	
MW-17S	MW-17S	4/17/2007		0.17	3.44				11.3 B		1.76	
MW-17S	MW-17S	10/23/2007		0.16	3.21	35.7	0.009 T	0.67	6.6 T	0.015 JT	0.32	
MW-17S	MW-17S	4/22/2008		0.177	4.42				16.9 T		6.98	
MW-17S	MW-17S	10/21/2008		0.152	4.1				20 U		0.604	
MW-18D	MW-18D	5/13/2003		3.6 J								
MW-18D	MW-18D	6/29/2004		4.3 J								
MW-18D	MW-18D	10/25/2004		3.7 J								
MW-18D	MW-18D	7/29/2005		4.2								
MW-18D	MW-18D	10/26/2005		3.84								
MW-18D	MW-18D	4/21/2006		3.93								
MW-18D	MW-18D	10/27/2006		4.13								
MW-18D	MW-18D	4/17/2007		0.11	3.89				20 U		0.17	
MW-18D	MW-18D	10/26/2007		0.13	4.15				20 U		0.1	
MW-18D	MW-18D	4/22/2008		0.157	4.72				9.1 T		0.16	
MW-18D	MW-18D	10/21/2008		0.148	4.2				20 U		0.129	
MW-19S	MW-19S	5/13/2003		2.8 J								
MW-19S	MW-19S	9/2/2003		4.1 J				5 U				
MW-19S	MW-19S	6/29/2004		3.6 J								
MW-19S	MW-19S	10/26/2004		3 J								
MW-19S	MW-19S	7/29/2005		0.028 J	3.8	30	0.02 U	0.91		0.02 U	0.27 U	
MW-19S	MW-19S	10/26/2005			3.18							
MW-19S	MW-19S	4/21/2006			3.24							
MW-19S	MW-19S	10/27/2006			3.1							
MW-19S	MW-19S	4/17/2007		0.2	3.17				20 U		0.17	
MW-19S	MW-19S	10/24/2007		0.18	3.07				18 T		22.4	
MW-19S	MW-19S	4/23/2008		0.205	3.65				12.7 T		1.5	
MW-19S	MW-19S	10/21/2008		0.179	3				5.5 T		1.46	
MW-20D	MW-20D	5/13/2003			2.6 J							
MW-20D	MW-20D	9/2/2003			3.6 J				5 U			
MW-20D	MW-20D	6/29/2004			3.8 J							
MW-20D	MW-20D	4/17/2007		0.18	3.05				20 U		0.11	
MW-20D	MW-20D	10/24/2007		0.18	3.1				3.5 T		0.47	
MW-20D	MW-20D	4/23/2008		0.196	3.68				13.8 T		0.49	



Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
MW-20D	MW-20D	10/21/2008	0.165	3.2					6.1 T		0.213	
MW-21S	MW-21S	5/12/2003		2.3 J								
MW-21S	MW-21S	6/29/2004		1.4 J								
MW-21S	MW-21S	10/25/2004		2.9 J								
MW-21S	MW-21S	7/29/2005	0.105 J	3.7	48.6	0.02 U	0.84			0.02 U	0.09 U	
MW-21S	MW-21S	10/24/2005		2.5								
MW-21S	MW-21S	4/21/2006		3.08								
MW-21S	MW-21S	10/27/2006		2.9								
MW-21S	MW-21S	4/17/2007	0.2	3.24					20 U		0.07	
MW-21S	MW-21S	10/24/2007	0.19	2.72					3.2 T		0.23	
MW-21S	MW-21S	4/23/2008	0.21	4.83					3.2 T		2.51	
MW-21S	MW-21S	10/23/2008	0.204	3.5					20 U		0.269	
MW-22D	MW-22D	5/12/2003		2.6 J								
MW-22D	MW-22D	6/29/2004		5 U								
MW-22D	MW-22D	10/27/2006		3.9								
MW-22D	MW-22D	4/17/2007	0.18	3.11					3.3 J		0.26	
MW-22D	MW-22D	10/24/2007	0.15	3.41					3.2 T		0.26	
MW-22D	MW-22D	4/23/2008	0.193	3.49					20 U		0.14	
MW-22D	MW-22D	10/23/2008	0.166	3.5					20 U		0.73 J	
MW-23S	MW-23S	5/12/2003		4 J								
MW-23S	MW-23S	6/29/2004		2.3 J								
MW-23S	MW-23S	10/25/2004		3.5 J								
MW-23S	MW-23S	7/28/2005		4.5								
MW-23S	MW-23S	10/24/2005		3.64								
MW-23S	MW-23S	4/21/2006		3.88								
MW-23S	MW-23S	10/27/2006		4.45								
MW-23S	MW-23S	4/17/2007	0.17	4					20 U		0.06	
MW-23S	MW-23S	10/24/2007	0.15	3.69					4.9 T		0.43	
MW-23S	MW-23S	4/24/2008	0.167	4.68					20.9 U		15.3	
MW-23S	MW-23S	10/21/2008	0.163	3.8					90		122	
MW-24D	MW-24D	5/12/2003		3.9 J								
MW-24D	MW-24D	6/29/2004		2.7 J								
MW-24D	MW-24D	10/25/2004		4.6 J								
MW-24D	MW-24D	7/28/2005		5.1								
MW-24D	MW-24D	10/24/2005		4.54								
MW-24D	MW-24D	4/21/2006		4.5								
MW-24D	MW-24D	10/27/2006		5.15								
MW-24D	MW-24D	4/17/2007	0.19	4.48					20 U		0.23	
MW-24D	MW-24D	10/24/2007	0.14	4.63					20 U		0.25	
MW-24D	MW-24D	4/24/2008	0.128	4.66					9.3 T		0.34	
MW-24D	MW-24D	10/21/2008	0.151	5					18 T		1.96	
MW-25S	MW-25S	5/12/2003		3.2 J								

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L											
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese				
MW-25S	MW-25S	6/29/2004		3.9 J										
MW-25S	MW-25S	10/26/2004		2.8 J										
MW-25S	MW-25S	7/28/2005		3.7										
MW-25S	MW-25S	10/26/2005		3.36										
MW-25S	MW-25S	4/21/2006		2.81										
MW-25S	MW-25S	10/27/2006		3.48										
MW-25S	MW-25S	4/17/2007	0.17	2.91					4.8 B			0.85		
MW-25S	MW-25S	10/25/2007	0.13	3.4					4.7 T			0.2		
MW-25S	MW-25S	4/22/2008	0.159	3.56					13.2 T			1.89		
MW-25S	MW-25S	10/22/2008	0.139	3.7					7.5 T			0.657		
MW-26D	MW-26D	5/12/2003		4 J										
MW-26D	MW-26D	6/29/2004		4.3 J										
MW-26D	MW-26D	10/26/2005		3.71										
MW-26D	MW-26D	4/21/2006		3.77										
MW-26D	MW-26D	10/27/2006		4.02										
MW-26D	MW-26D	4/17/2007	0.14	3.53					5.7 B			0.34		
MW-26D	MW-26D	10/25/2007	0.13	3.91					9.5 T			0.37		
MW-26D	MW-26D	4/22/2008	0.129	4.48					10.9 T			0.24		
MW-26D	MW-26D	10/22/2008	0.133	3.9					5.9 T			0.134		
OH-MW-08	OH-MW-8	4/22/2008	0.151	2.99					20 U			0.1		
OH-MW-08	OH-MW-8	10/20/2008	0.158	2.9					5.1 T			0.228 U		
OH-MW-10	OH-MW-10	4/22/2008	0.169	4.74					102			49.5		
OH-MW-10	OH-MW-10	10/22/2008	0.159	10.7					775			195		
OH-MW-24	OH-MW-24	4/24/2008	0.148	1.84 U					240			65.3		
OH-MW-24	OH-MW-24	10/23/2008	0.21	6.7					343			95.5		
OH-MW-25	OH-MW-25	4/24/2008	0.138	2.13					20 U			64		
OH-MW-25	OH-MW-25	10/23/2008	0.171	2.9					20 U			10.8		
TF-MW-01	TF-MW-1	4/24/2008	0.168	3.31					209			240		
TF-MW-01	TF-MW-1	10/21/2008	0.185	6.6					630			301		
TF-MW-02	TF-MW-2	4/24/2008	0.166	58.6					22400			2760		
TF-MW-02	TF-MW-2	10/21/2008	0.144	5.7					2130			465		
TF-MW-04	TF-MW-4	4/24/2008	0.195	2.07					971			785		
TF-MW-04	TF-MW-4	10/20/2008	0.195	37.8					9870			1180		
TL-MW-01A	TL-MW-1A	5/15/2003							2.8 J					
TL-MW-01A	TL-MW-1A	9/3/2003							608					
TL-MW-01A	TL-MW-1A RE	9/3/2003							599					
TL-MW-01A	TL-MW-1A	10/24/2003							7.6 J					
TL-MW-01A	TL-MW-1A	8/10/2004							5 U					
TL-MW-01A	TL-MW-1A	7/27/2005							5.3					
TL-MW-01A	TL-MW-10	7/27/2005	Dup						5.3					
TL-MW-01A	TL-MW-1A	4/23/2006							23.1					
TL-MW-01A	TL-MW-10A	4/23/2006	Dup						55.6					

Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L									
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese		
TL-MW-01A	TL-MW-1A	4/18/2007						2.96				
TL-MW-01A	TL-MW-1A	4/23/2008						13.9				
TL-MW-02	TL-MW-2	4/23/2008						0.57				
TL-MW-04	TL-MW-4	4/23/2008						1.04				
TL-MW-04	TL-MW-4	10/21/2008						0.2 U				
TS-MW-01S	TS-MW-1S	7/28/2005	0.172 J	3.7	37.4	0.02 J	0.67		20 UJ	0.05		0.75
TS-MW-01S	TS-MW-1S	10/28/2005	0.14	3.2	37.8	0.144 UJ	1.2		5 J	0.018 U		1.51
TS-MW-01S	TS-MW-1S	1/26/2006	0.14	3.15	49	0.04	1.38		4.2 J	0.02 U		0.79 U
TS-MW-01S	TS-MW-1S	4/23/2006	0.15	3.02	45.4	0.02 U	1.49		20 U	0.03 U		0.06 U
TS-MW-01S	TS-MW-1S	7/20/2006	0.16 U	3.5	39.9	0.02 U	1.34		20 U	0.02 U		0.37 U
TS-MW-01S	TS-MW-1S	10/26/2006	0.16	3.3	40.6	0.02 U	1.22		20 U	0.029 U		0.858 U
TS-MW-01S	TS-MW-1S	4/18/2007	0.16 J	3.96 J					7.8 J			0.2 J
TS-MW-01S	TS-MW-1S	10/24/2007	0.14	3.16					7 T			0.62
TS-MW-01S	TS-MW-1S	4/23/2008	0.209	6.96					164			11.1
TS-MW-01S	TS-MW-1S	10/20/2008	0.146	3.7					18 T			0.5
TS-MW-02S	TS-MW-2S	7/28/2005	0.178 J	3.7	37.4	0.007 J	0.61		20 UJ	0.061		2.05
TS-MW-02S	TS-MW-2S	10/29/2005	0.17	3.18	37.7	0.054 U	1.42		4.6 J	0.02		1.13
TS-MW-02S	TS-MW-2S	1/26/2006	0.14	3.47	49.7	0.04	1.56		20 U	0.02 U		0.47 U
TS-MW-02S	TS-MW-2S	4/23/2006	0.15	3.25	46.5	0.02	1.65		20 U	0.03 U		0.31 U
TS-MW-02S	TS-MW-2S	7/20/2006	0.15 U	3.5	39	0.02 U	1.21		4.3 J	0.044 U		0.69 U
TS-MW-02S	TS-MW-2S	10/27/2006	0.16	3.42	38.7	0.02 U	1.22		4.8 J	0.038		0.15
TS-MW-02S	TS-MW-2S	4/18/2007	0.15	3.78					20 U			0.44
TS-MW-02S	TS-MW-2S	10/25/2007	0.14	3.02					4.9 T			0.29
TS-MW-02S	TS-MW-2S	4/23/2008	0.155	3.62					4.5 T			0.15
TS-MW-02S	TS-MW-2S	10/20/2008	0.157	3.6					82.2			19.3
WW-EW-02	WW-EW-2	4/17/2007		3.99								
WW-MW-12	WW-MW-12	10/27/2005	0.25	1	57.4	0.085 UJ	0.53		20 U	0.07		1.45
WW-MW-12	WW-MW-12	4/20/2006	0.25	1.28	52.2	0.049 U	0.33 J		20 U	0.01 J		0.07
WW-MW-12	WW-MW-12	10/26/2006	0.28	1.43	58	0.04	1.78		3.2 J	0.099		0.289
WW-MW-12	WW-MW-12	4/18/2007	0.24	1.3					20 U			0.13
WW-MW-12	WW-MW-12	10/23/2007	0.27	0.94					13 T			2.57
WW-MW-12	WW-MW-12	4/23/2008	0.275	1.33					41.8			2.05
WW-MW-12	WW-MW-12	10/22/2008	0.253	1.2					3.4 T			0.167
WW-MW-18	WW-MW-18	5/13/2003		3.4 J								
WW-MW-18	WW-MW-18	6/29/2004		1.5 J								
WW-MW-18	WW-MW-18	10/25/2004		3.9 J								
WW-MW-18	WW-MW-18	7/27/2005		4.7								
WW-MW-18	WW-MW-18	10/24/2005		2.58								
WW-MW-18	WW-MW-18	4/20/2006		4.81								
WW-MW-18	WW-MW-18	10/25/2006	0.15	2.75	180	0.05	1.1			0.127		2840
WW-MW-18	WW-MW-18	4/18/2007	0.2	4.31					20 U			1.13
WW-MW-18	WW-MW-18	10/23/2007	0.23	4.47					68			89.2

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Metals in µg/L										
			Antimony	Arsenic	Barium	Cadmium	Chromium	Iron	Lead	Manganese			
WW-MW-18	WW-MW-18	4/24/2008	0.219	5.07						7.3 T		0.83	
WW-MW-18	WW-MW-18	10/23/2008	0.202	4.8						20 U		6.9	

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L		
			Mercury	Selenium	Silver
CM-MW-1S	10/28/2004		0.2 U	5 U	10 U
CM-MW-1S	3/24/2005		0.2 U	5 U	10 U
CM-MW-SU	3/24/2005	Dup	0.2 U	5 U	10 U
CM-MW-1S	7/26/2005		0.2 U	1 U	0.02 U
CM-MW-1S	10/28/2005		0.2 U	0.3 J	0.02 U
CM-MW-1S	1/26/2006		0.2 U	0.3 J	0.012 J
CM-MW-1S	4/20/2006		0.2 U	0.7 J	0.02 UJ
CM-MW-1S	7/21/2006		0.2 U	1 U	0.02 UJ
CM-MW-1S	10/24/2006		0.2 U	0.5 J	0.02 U
CM-MW-100S	10/24/2006	Dup	0.2 U	0.4 J	0.02 U
CM-MW-1S	4/15/2007			2	0.02 U
CM-MW-1S	4/21/2008				
CM-MW-2S	10/27/2004		0.2 U	5 U	10 U
CM-MW-2S	3/23/2005		0.2 U	5 U	10 U
CM-MW-2S	7/26/2005		0.2 U	0.2 J	0.02 U
CM-MW-2S	10/27/2005		0.2 U	0.5 J	0.02 U
CM-MW-2S	1/26/2006		0.2 U	0.4 J	0.02 U
CM-MW-2S	4/19/2006		0.2 U	0.5 J	0.02 UJ
CM-MW-200S	4/19/2006	Dup	0.2 U	0.6 J	0.02 UJ
CM-MW-2S	7/21/2006		0.2 U	0.2 J	0.02 UJ
CM-MW-2S	10/24/2006		0.2 U	0.4 J	0.018 J
CM-MW-2S	4/19/2007				
CM-MW-200S	4/19/2007	Dup			
CM-MW-2S	4/21/2008				
CM-MW-3S	10/27/2004		0.2 U	5 U	10 U
CM-MW-3S	3/23/2005		0.2 U	5 U	10 U
CM-MW-3S	7/26/2005		0.2 U	1 U	0.02 U
CM-MW-SU	7/26/2005	Dup	0.2 U	1 U	0.02 U
CM-MW-3S	10/28/2005		0.2 U	0.1 J	0.02 U
CM-MW-SU	10/28/2005	Dup	0.2 U	0.2 J	0.02 U
CM-MW-3S	1/26/2006		0.2 U	0.4 J	0.02 U
CM-MW-3S	4/19/2006		0.2 U	0.7 J	0.02 UJ
CM-MW-3S	7/21/2006		0.2 U	1 U	0.004 J
CM-MW-3S	10/24/2006		0.2 U	0.6 J	0.009 J
CM-MW-3S	4/18/2007				
CM-MW-300S	4/18/2007	Dup			
CM-MW-3S	4/21/2008				
CM-MW-4S	10/27/2004		0.2 U	5 U	10 U
CM-MW-4S	3/23/2005		0.2 U	5 U	10 U
CM-MW-4S	7/26/2005		0.2 U	0.1 J	0.03 J
CM-MW-4S	10/27/2005		0.2 U	0.5 J	0.006 J
CM-MW-4S	1/26/2006		0.2 U	0.4 J	0.02 U

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L		
			Mercury	Selenium	Silver
CM-MW-4S	4/19/2006		0.2 U	0.3 J	0.02 UJ
CM-MW-4S	7/21/2006		0.2 U	1 U	0.02 UJ
CM-MW-4S	10/24/2006		0.2 U	0.3 J	0.02 U
CM-MW-4S	4/17/2007				
CM-MW-4S	4/20/2008				
CM-MW-5S	10/27/2004		0.2 U	5 U	10 U
CM-MW-5S	3/23/2005		0.2 U	5 U	10 U
CM-MW-5S	7/26/2005		0.2 U	0.3 J	0.02 U
CM-MW-5S	10/27/2005		0.2 U	0.4 J	0.02 U
CM-MW-5S	1/26/2006		0.2 U	0.4 J	0.02 U
CM-MW-SU	1/26/2006	Dup	0.2 U	0.5 J	0.02 U
CM-MW-5S	4/19/2006		0.2 U	0.5 J	0.02 UJ
CM-MW-5S	7/21/2006		0.2 U	1 U	0.02 UJ
CM-MW-5S	10/24/2006		0.2 U	0.4 J	0.02 U
CM-MW-5S	4/17/2007				
CM-MW-5S	4/20/2008				
CM-MW-6S	10/28/2004		0.2 U	5 U	10 U
CM-MW-6S	3/23/2005		0.2 U	5 U	10 U
CM-MW-6S	7/26/2005		0.2 U	1 U	0.02 U
CM-MW-6S	10/27/2005		0.2 U	0.2 J	0.005 J
CM-MW-6S	1/26/2006		0.2 U	0.2 J	0.02 U
CM-MW-6S	4/19/2006		0.2 U	0.7 J	0.02 UJ
CM-MW-6S	7/21/2006		0.2 U	0.2 J	0.004 J
CM-MW-6S	10/24/2006		0.2 U	0.4 J	0.013 J
CM-MW-6S	4/19/2007				
CM-MW-6S	4/20/2008				
CM-MW-7S	10/27/2004		0.2 U	5 U	10 U
CM-MW-7S	3/23/2005		0.2 U	5 U	10 U
CM-MW-7S	7/26/2005		0.2 U	1 U	0.02 U
CM-MW-7S	10/27/2005		0.2 U	1.1	0.02 U
CM-MW-7S	1/26/2006		0.2 U	0.6 J	0.02 U
CM-MW-7S	4/19/2006		0.2 U	1.2	0.02 UJ
CM-MW-7S	7/21/2006		0.2 U	1 U	0.02 UJ
CM-MW-700S	7/21/2006	Dup	0.2 U	1 U	0.02 UJ
CM-MW-7S	10/24/2006		0.2 U	0.5 J	0.02 U
CM-MW-7S	4/15/2007			2.2	0.02 U
CM-MW-7S	4/21/2008				
CM-MW-8S	10/28/2004		0.2 U	5 U	10 U
CM-MW-100	10/28/2004	Dup	0.2 U	5 U	10 U
CM-MW-8S	3/23/2005		0.2 U	5 U	10 U
CM-MW-8S	7/26/2005		0.2 U	1 J	0.02 U
CM-MW-8S	10/27/2005		0.2 U	0.8 J	0.02 U

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L		
			Mercury	Selenium	Silver
CM-MW-8S	1/26/2006		0.2 U	0.6 J	0.02 U
CM-MW-8S	4/19/2006		0.2 U	1.4	0.02 UJ
CM-MW-8S	7/20/2006		0.2 U	0.3 J	0.004 J
CM-MW-8S	10/24/2006		0.2 U	0.4 J	0.02 U
CM-MW-8S	4/15/2007			1.7	0.02 U
CM-MW-8S	4/21/2008				
HL-MW-6A	7/27/2005		0.23 U	1 U	0.02 U
HL-MW-6A	10/26/2005		0.2 U	0.2 J	0.02 U
HL-MW-6A	1/25/2006		0.2 U	0.3 J	0.02 U
HL-MW-6A	4/19/2006		0.2 U	0.4 J	0.02 UJ
HL-MW-600A	4/19/2006	Dup	0.2 U	0.1 J	0.02 UJ
HL-MW-6A	7/20/2006		0.2 U	1 U	0.02 UJ
HL-MW-6A	10/25/2006		0.2 U	0.3 J	0.02 U
HL-MW-600A	10/25/2006	Dup	0.2 U	0.3 J	0.02 U
HL-MW-6A	4/15/2007			0.6 J	0.02 U
HL-MW-6A	4/22/2008				
HL-MW-19S	7/29/2005		0.2 U	1 U	0.02 U
HL-MW-19S	10/27/2005		0.2 U	0.3 J	0.02 U
HL-MW-19S	1/25/2006		0.2 U	1.2	0.02 U
HL-MW-19S	4/18/2006		0.2 U	0.6 J	0.02 UJ
HL-MW-19S	7/19/2006		0.2 U	1 U	0.005 J
HL-MW-19S	10/23/2006		0.2 U	0.3 J	0.02 U
HL-MW-19S	4/16/2007				
HL-MW-19S	10/22/2007				
HL-MW-19S	4/20/2008				
HL-MW-19S	10/19/2008				
HL-MW-20S	7/27/2005		0.23 U	1 U	0.02 U
HL-MW-20S	10/27/2005		0.2 U	0.2 J	0.02 U
HL-MW-20S	4/18/2006		0.2 U	0.5 J	0.02 UJ
HL-MW-20S	7/20/2006		0.2 U	1 U	0.02 UJ
HL-MW-20S	10/23/2006		0.2 U	1 U	0.02 U
HL-MW-20S	4/16/2007				
HL-MW-20S	10/22/2007				
HL-MW-20S	4/20/2008				
HL-MW-20S	10/22/2008				
HL-MW-200S	10/22/2008	Dup			
HL-MW-21S	7/28/2005		0.2 U	1 U	0.004 J
HL-MW-21S	10/28/2005		0.2 U	0.2 J	0.02 U
HL-MW-21S	1/25/2006		0.2 U	0.9 J	0.02 U
HL-MW-21S	4/18/2006		0.2 U	1.2	0.02 UJ
HL-MW-21S	7/19/2006		0.2 U	1 U	0.004 J
HL-MW-21S	10/23/2006		0.2 U	0.3 J	0.02 U

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L						
		Mercury		Selenium		Silver		
HL-MW-21S	4/17/2007							
HL-MW-21S	10/22/2007							
HL-MW-21S	4/22/2008							
HL-MW-21S	10/19/2008							
HL-MW-22S	7/27/2005	0.23	U	1	U	0.02	U	
HL-MW-22S	10/28/2005	0.2	U	0.3	J	0.02	U	
HL-MW-22S	1/25/2006	0.2	U	0.6	J	0.02	U	
HL-MW-22S	4/18/2006	0.2	U	1		0.02	UJ	
HL-MW-22S	7/19/2006	0.2	U	0.3	J	0.02	UJ	
HL-MW-22S	10/23/2006	0.2	U	0.5	J	0.02	U	
HL-MW-22S	4/17/2007			3		0.02	U	
HL-MW-22S	10/22/2007							
HL-MW-22S	4/22/2008							
HL-MW-22S	10/19/2008							
HL-MW-23S	4/21/2006			0.2	J	0.02	UJ	
HL-MW-23S	7/20/2006	0.2	U	0.2	J	0.02	UJ	
HL-MW-23S	10/26/2006	0.2	U	0.3	J	0.02	U	
HL-MW-23S	2/1/2007	0.2	U	0.4	J	0.02	U	
HL-MW-23S	4/17/2007			0.6	J	0.02	U	
HL-MW-23S	10/24/2007							
HL-MW-23S	4/22/2008							
HL-MW-23S	10/24/2008							
HL-MW-2300S	10/24/2008	Dup						
HL-MW-24DD	4/21/2006			0.2	J	0.02	UJ	
HL-MW-24DD	7/19/2006		0.2	U	0.2	J	0.02	UJ
HL-MW-24DD	10/26/2006		0.2	U	0.3	J	0.008	J
HL-MW-24DD	1/31/2007		0.2	U	0.4	J	0.022	U
HL-MW-24DD	4/15/2007				0.5	J	0.02	U
HL-MW-24DD	10/23/2007				0.3	T	0.03	U
HL-MW-24DD	4/21/2008							
HL-MW-24DD	10/24/2008							
HL-MW-25S	4/21/2006			0.4	J	0.02	UJ	
HL-MW-25S	7/19/2006		0.2	U	0.3	J	0.02	UJ
HL-MW-25S	10/26/2006		0.2	U	0.2	J	0.02	U
HL-MW-25S	2/1/2007		0.2	U	0.3	J	0.02	U
HL-MW-25S	4/16/2007				0.6	B	0.02	U
HL-MW-25S	10/25/2007							
HL-MW-25S	4/21/2008							
HL-MW-2500S	4/21/2008	Dup						
HL-MW-25S	10/19/2008							
HL-MW-26S	4/21/2006				0.4	J	0.02	UJ
HL-MW-26S	7/19/2006		0.2	U	0.3	J	0.02	UJ



**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L		
			Mercury	Selenium	Silver
HL-MW-26S	10/26/2006		0.2 U	0.3 J	0.02 U
HL-MW-26S	1/31/2007		0.2 U	0.3 J	0.03 U
HL-MW-2600S	1/31/2007	Dup	0.2 U	0.2 J	0.05
HL-MW-26S	4/16/2007			0.7 B	0.02 U
HL-MW-2600S	4/16/2007	Dup		0.6 B	0.02 U
HL-MW-26S	10/24/2007			0.2 T	0.03 U
HL-MW-2600S	4/21/2008				
HL-MW-26S	4/21/2008				
HL-MW-26S	10/22/2008				
HL-MW-27D	4/22/2006		0.2 U	0.2 J	0.02 U
HL-MW-27D	7/19/2006		0.2 U	0.3 J	0.02 UJ
HL-MW-27D	10/27/2006		0.2 U	0.2 J	0.008 J
HL-MW-27D	1/31/2007		0.2 U	0.3 J	0.034
HL-MW-27D	4/16/2007			0.7 B	0.02 U
HL-MW-27D	10/24/2007				
HL-MW-2700D	10/24/2007				
HL-MW-27D	4/21/2008				
HL-MW-2700S	4/21/2008	Dup			
HL-MW-27D	10/21/2008				
HL-MW-28DD	10/26/2006		0.2 U	0.2 J	0.02 U
HL-MW-28DD	1/31/2007		0.2 U	0.3 J	0.039
HL-MW-28DD	4/15/2007			0.4 J	0.02 U
HL-MW-28DD	7/24/2007			1 U	0.02 U
HL-MW-2800DD	7/24/2007	Dup		1 U	0.02 U
HL-MW-28DD	10/23/2007			0.2 T	0.03 U
HL-MW-2800DD	10/23/2007	Dup		0.2 T	0.03 U
HL-MW-28DD	1/24/2008			1 U	0.007 T
HL-MW-28DD	4/21/2008			0.5 T	0.019 T
HL-MW-2800DD	4/21/2008	Dup		0.4 T	0.008 T
HL-MW-28DD	10/19/2008			1 U	0.03 U
HL-MW-29S	7/24/2007			1 U	0.02 U
HL-MW-29S	10/24/2007			0.2 T	0.03 U
HL-MW-29S	1/24/2008			1 U	0.02 U
HL-MW-2900S	1/24/2008	Dup		0.4 T	0.02 U
HL-MW-29S	4/22/2008			0.5 T	0.02 U
HL-MW-29S	10/22/2008			1 U	0.025
HL-MW-2900S	10/22/2008	Dup		1 U	0.02
HL-MW-30S	7/24/2007			1 U	0.02 U
HL-MW-30S	10/24/2007			0.3 T	10 U
HL-MW-30S	1/25/2008			1 U	0.02 U
HL-MW-30S	4/23/2008			0.6 T	0.112 J
HL-MW-30S	10/19/2008			1 U	0.013 T

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
MW-8	5/13/2003						
MW-8	9/2/2003						
MW-8	6/29/2004						
MW-8	10/25/2004						
MW-8	7/29/2005						
MW-8	10/26/2005						
MW-8	4/22/2006						
MW-8	10/27/2006						
MW-8	4/18/2007						
MW-8	10/25/2007						
MW-8	4/23/2008						
MW-8	10/21/2008						
MW-9	5/13/2003						
MW-9	9/2/2003						
MW-9	6/29/2004						
MW-9	4/18/2007						
MW-9	10/25/2007						
MW-9	4/23/2008						
MW-9	10/21/2008						
MW-10	5/13/2003						
MW-10	10/28/2004						
MW-10	10/26/2005						
MW-10	4/22/2006						
MW-10	10/27/2006						
MW-10	4/16/2007						
MW-10	10/25/2007						
MW-10	4/22/2008						
MW-10	10/21/2008						
MW-12A	5/12/2003						
MW-12A	6/29/2004						
MW-12A	10/25/2004						
MW-12A	7/28/2005						
MW-12A	10/26/2005						
MW-12A	4/21/2006						
MW-12A	10/27/2006						
MW-12A	4/17/2007						
MW-12A	10/23/2007			0.3 T		0.03 U	
MW-12A	4/24/2008						
MW-12A	10/21/2008						
MW-13	5/13/2003						
MW-13	9/2/2003						
MW-13	6/29/2004						

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled		Dissolved Metals in µg/L					
			Mercury		Selenium		Silver	
MW-13	4/18/2007							
MW-13	10/25/2007							
MW-13	4/22/2008							
MW-13	10/21/2008							
MW-14	5/12/2003							
MW-14	6/29/2004							
MW-14	10/25/2004							
MW-14	7/29/2005							
MW-14	10/24/2005							
MW-14	4/22/2006							
MW-14	10/27/2006							
MW-14	4/17/2007							
MW-14	10/24/2007							
MW-14	4/23/2008							
MW-14	10/21/2008							
MW-15	5/12/2003							
MW-27	5/12/2003	Dup						
MW-15	6/29/2004							
MW-27	6/29/2004	Dup						
MW-15	10/25/2004							
MW-27	10/25/2004	Dup						
MW-15	7/29/2005							
MW-27	7/29/2005	Dup						
MW-15	10/24/2005							
MW-27	10/24/2005	Dup						
MW-15	4/21/2006							
MW-15	10/27/2006							
MW-15	4/17/2007							
MW-15	10/24/2007							
MW-15	4/23/2008							
MW-15	10/21/2008							
MW-16	5/13/2003							
MW-16	6/29/2004							
MW-16	10/25/2004							
MW-16	7/29/2005							
MW-16	10/26/2005							
MW-16	4/22/2006							
MW-16	10/27/2006							
MW-160	10/27/2006	Dup						
MW-16	4/17/2007							
MW-16	10/26/2007							
MW-16	4/22/2008							

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
MW-16	10/22/2008						
MW-17S	5/13/2003						
MW-17S	6/29/2004						
MW-17S	10/25/2004						
MW-17S	7/28/2005						
MW-17S	10/26/2005						
MW-17S	4/21/2006						
MW-170S	4/21/2006	Dup					
MW-17S	10/27/2006			1 U		0.005 J	
MW-17S	4/17/2007						
MW-17S	10/23/2007			1 U		0.03 U	
MW-17S	4/22/2008						
MW-17S	10/21/2008						
MW-18D	5/13/2003						
MW-18D	6/29/2004						
MW-18D	10/25/2004						
MW-18D	7/29/2005						
MW-18D	10/26/2005						
MW-18D	4/21/2006						
MW-18D	10/27/2006						
MW-18D	4/17/2007						
MW-18D	10/26/2007						
MW-18D	4/22/2008						
MW-18D	10/21/2008						
MW-19S	5/13/2003						
MW-19S	9/2/2003						
MW-19S	6/29/2004						
MW-19S	10/26/2004						
MW-19S	7/29/2005			1 U		0.02 U	
MW-19S	10/26/2005						
MW-19S	4/21/2006						
MW-19S	10/27/2006						
MW-19S	4/17/2007						
MW-19S	10/24/2007						
MW-19S	4/23/2008						
MW-19S	10/21/2008						
MW-20D	5/13/2003						
MW-20D	9/2/2003						
MW-20D	6/29/2004						
MW-20D	4/17/2007						
MW-20D	10/24/2007						
MW-20D	4/23/2008						

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
MW-20D	10/21/2008						
MW-21S	5/12/2003						
MW-21S	6/29/2004						
MW-21S	10/25/2004						
MW-21S	7/29/2005			0.3	J	0.02	U
MW-21S	10/24/2005						
MW-21S	4/21/2006						
MW-21S	10/27/2006						
MW-21S	4/17/2007						
MW-21S	10/24/2007						
MW-21S	4/23/2008						
MW-21S	10/23/2008						
MW-22D	5/12/2003						
MW-22D	6/29/2004						
MW-22D	10/27/2006						
MW-22D	4/17/2007						
MW-22D	10/24/2007						
MW-22D	4/23/2008						
MW-22D	10/23/2008						
MW-23S	5/12/2003						
MW-23S	6/29/2004						
MW-23S	10/25/2004						
MW-23S	7/28/2005						
MW-23S	10/24/2005						
MW-23S	4/21/2006						
MW-23S	10/27/2006						
MW-23S	4/17/2007						
MW-23S	10/24/2007						
MW-23S	4/24/2008						
MW-23S	10/21/2008						
MW-24D	5/12/2003						
MW-24D	6/29/2004						
MW-24D	10/25/2004						
MW-24D	7/28/2005						
MW-24D	10/24/2005						
MW-24D	4/21/2006						
MW-24D	10/27/2006						
MW-24D	4/17/2007						
MW-24D	10/24/2007						
MW-24D	4/24/2008						
MW-24D	10/21/2008						
MW-25S	5/12/2003						

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
MW-25S	6/29/2004						
MW-25S	10/26/2004						
MW-25S	7/28/2005						
MW-25S	10/26/2005						
MW-25S	4/21/2006						
MW-25S	10/27/2006						
MW-25S	4/17/2007						
MW-25S	10/25/2007						
MW-25S	4/22/2008						
MW-25S	10/22/2008						
MW-26D	5/12/2003						
MW-26D	6/29/2004						
MW-26D	10/26/2005						
MW-26D	4/21/2006						
MW-26D	10/27/2006						
MW-26D	4/17/2007						
MW-26D	10/25/2007						
MW-26D	4/22/2008						
MW-26D	10/22/2008						
OH-MW-8	4/22/2008						
OH-MW-8	10/20/2008						
OH-MW-10	4/22/2008						
OH-MW-10	10/22/2008						
OH-MW-24	4/24/2008						
OH-MW-24	10/23/2008						
OH-MW-25	4/24/2008						
OH-MW-25	10/23/2008						
TF-MW-1	4/24/2008						
TF-MW-1	10/21/2008						
TF-MW-2	4/24/2008						
TF-MW-2	10/21/2008						
TF-MW-4	4/24/2008						
TF-MW-4	10/20/2008						
TL-MW-1A	5/15/2003						
TL-MW-1A	9/3/2003						
TL-MW-1A RE	9/3/2003						
TL-MW-1A	10/24/2003						
TL-MW-1A	8/10/2004						
TL-MW-1A	7/27/2005						
TL-MW-10	7/27/2005	Dup					
TL-MW-1A	4/23/2006						
TL-MW-10A	4/23/2006	Dup					

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
TL-MW-1A	4/18/2007						
TL-MW-1A	4/23/2008						
TL-MW-2	4/23/2008						
TL-MW-4	4/23/2008						
TL-MW-4	10/21/2008						
TS-MW-1S	7/28/2005	0.2	U	1	U	0.003	J
TS-MW-1S	10/28/2005	0.2	U	0.2	J	0.02	U
TS-MW-1S	1/26/2006	0.2	U	0.6	J	0.02	U
TS-MW-1S	4/23/2006	0.2	U	0.7	J	0.02	U
TS-MW-1S	7/20/2006	0.2	U	0.2	J	0.02	UJ
TS-MW-1S	10/26/2006	0.2	U	0.3	J	0.02	U
TS-MW-1S	4/18/2007						
TS-MW-1S	10/24/2007						
TS-MW-1S	4/23/2008						
TS-MW-1S	10/20/2008						
TS-MW-2S	7/28/2005	0.2	U	0.2	J	0.006	J
TS-MW-2S	10/29/2005	0.2	U	0.3	J	0.02	UJ
TS-MW-2S	1/26/2006	0.2	U	0.7	J	0.02	U
TS-MW-2S	4/23/2006	0.2	U	0.9	J	0.02	U
TS-MW-2S	7/20/2006	0.2	U	0.2	J	0.02	UJ
TS-MW-2S	10/27/2006	0.2	U	1	U	0.034	
TS-MW-2S	4/18/2007						
TS-MW-2S	10/25/2007						
TS-MW-2S	4/23/2008						
TS-MW-2S	10/20/2008						
WW-EW-2	4/17/2007						
WW-MW-12	10/27/2005	0.2	U	0.2	J	0.02	U
WW-MW-12	4/20/2006	0.2	U	0.6	J	0.02	UJ
WW-MW-12	10/26/2006	0.2	U	0.3	J	0.02	U
WW-MW-12	4/18/2007						
WW-MW-12	10/23/2007						
WW-MW-12	4/23/2008						
WW-MW-12	10/22/2008						
WW-MW-18	5/13/2003						
WW-MW-18	6/29/2004						
WW-MW-18	10/25/2004						
WW-MW-18	7/27/2005						
WW-MW-18	10/24/2005						
WW-MW-18	4/20/2006						
WW-MW-18	10/25/2006			0.2	J	0.02	U
WW-MW-18	4/18/2007						
WW-MW-18	10/23/2007						

**Table F-9 - Analytical Results for Dissolved Metals Analysis of Groundwater Samples**

Sample ID	Date Sampled	Dissolved Metals in µg/L					
		Mercury		Selenium		Silver	
WW-MW-18	4/24/2008						
WW-MW-18	10/23/2008						



**Table F-10 - Analytical Results for Total Metals Analysis of Groundwater Samples**

Well ID	Sample ID	Date Sampled		Total Metals in µg/L
MW-17S	MW-17S	9/2/2003		3.6 J
MW-22D	MW-22D	9/2/2003		2.8 J
MW-25S	MW-25S	9/2/2003		2.4 J
MW-12A	MW-12A	9/2/2003		1.8 J
MW-14	MW-14	9/2/2003		3.1 J
MW-15	MW-15	9/2/2003		2.2 J
MW-15	MW-27	9/2/2003	Dup	3 J
MW-16	MW-16	9/2/2003		3 J
MW-18D	MW-18D	9/2/2003		2.4 J
MW-21S	MW-21S	9/2/2003		3.2 J
MW-23S	MW-23S	9/2/2003		2.3 J
MW-24D	MW-24D	9/2/2003		3.5 J
MW-26D	MW-26D	9/2/2003		3 J
OH-EW-01	OH-EW-1	5/16/2003		3 J
OH-EW-01	OH-EW-1	9/5/2003		2.1 J
OH-EW-01	OH-EW-1	7/1/2004		2.5 J
OH-EW-01	OH-EW-1	10/29/2004		5 J
OH-EW-01	OH-EW-1	7/29/2005		3.4
OH-EW-01	OH-EW-1	10/29/2005		3.16
OH-EW-01	OH-EW-1	4/22/2006		2.95
OH-EW-01	OH-EW-1	10/25/2006		3.32
OH-EW-01	OH-EW-1	4/16/2007		3.37
OH-EW-01	OH-EW-1	10/22/2007		2.97
OH-EW-01	OH-EW-1	4/24/2008		3.32
OH-EW-01	OH-EW-1	10/22/2008		3
WW-EW-01	WW-EW-1	5/16/2003		3.4 J
WW-EW-01	WW-EW-1	9/5/2003		3.7 J
WW-EW-01	WW-EW-1	7/1/2004		4.2 J
WW-EW-01	WW-EW-1	10/29/2004		20 U
WW-EW-01	WW-EW-1	7/29/2005		4.4
WW-EW-01	WW-EW-1	10/28/2005		4
WW-EW-01	WW-EW-1	4/20/2006		4.02
WW-EW-01	WW-EW-1	10/25/2006		4.2
WW-EW-01	WW-EW-1	10/22/2007		3.89
WW-EW-01	WW-EW-1	4/24/2008		4.44
WW-EW-01	WW-EW-1	10/22/2008		3.9
WW-EW-01	WW-EW-100	10/22/2008	Dup	4.1
WW-EW-02	WW-EW-2	5/16/2003		3 J
WW-EW-02	WW-EW-2	9/5/2003		4.9 J
WW-EW-02	WW-EW-2	7/1/2004		3.9 J
WW-EW-02	WW-EW-2	10/29/2004		20 U
WW-EW-02	WW-EW-2	7/29/2005		4.8
WW-EW-02	WW-EW-2	10/28/2005		3.9
WW-EW-02	WW-EW-WA	10/28/2005	Dup	4.1
WW-EW-02	WW-EW-2	4/23/2006		3.69
WW-EW-02	WW-EW-2	10/25/2006		4.44
WW-EW-02	WW-EW-2	10/22/2007		4.07
WW-EW-02	WW-EW-2	4/24/2008		4.18
WW-EW-02	WW-EW-2	10/22/2008		4.2
WW-EW-03	WW-EW-3	4/25/2008		4.9
WW-MW-18	WW-MW-18	9/2/2003		15.8

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
<b>Conventionals in mg/L</b>							
Nitrate as Nitrogen					0.1 U		
Nitrite as Nitrogen					0.1 U		
Total Sulfide					0.05 U		
Total Suspended Solids	12		9		5 U	1 U	1 U
<b>Metals in ug/L</b>							
Antimony	0.2 U	0.05 U	0.05 U			0.05 U	0.1
Arsenic	0.5 U	0.5 U	0.5 U			0.5 U	0.5 U
Barium	0.441	0.21	1.64			0.08	1.3
Cadmium	0.02	0.077	0.02 U			0.02 U	0.02 U
Chromium	0.35 UJ	0.24	0.18 J			0.14 J	0.23 U
Iron	20 UJ	20 U	20 U			20 U	20 U
Lead	0.168	0.296	0.04 J			0.01 J	0.029 J
Manganese	0.84	0.5	1.12			0.14	0.43
Mercury	0.2 U	0.2 U	0.2 U			0.2 U	0.2 U
Selenium	1 U	1 U	1 U			1 U	1 U
Silver	0.02 U	0.02 U	0.02 U			0.02 U	0.02 UJ
<b>PCBs in ug/L</b>							
Aroclor 1016	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1221	0.0097 U	0.0096 U	0.0097 U			0.0099 U	0.0096 U
Aroclor 1232	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1242	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1248	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1254	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Aroclor 1260	0.0049 U	0.0048 U	0.0049 U			0.005 U	0.0048 U
Total PCBs	0.0097 U	0.0096 U	0.0097 U			0.0099 U	0.0096 U
<b>Semivolatiles in µg/L</b>							
1,2,4-Trichlorobenzene	0.2 U		0.2 UJ				
1,2-Dichlorobenzene	0.2 U		0.2 UJ				
1,3-Dichlorobenzene	0.2 U		0.2 UJ				
1,4-Dichlorobenzene	0.2 U		0.2 UJ				
2,4,5-Trichlorophenol	0.49 U		0.49 UJ				
2,4,6-Trichlorophenol	0.49 U		0.49 UJ				
2,4-Dichlorophenol	0.49 U		0.49 UJ				
2,4-Dimethylphenol	2 U		2 UJ				
2,4-Dinitrophenol	3.9 U		3.9 UJ				
2,4-Dinitrotoluene	0.2 U		0.2 UJ				
2,6-Dinitrotoluene	0.2 U		0.2 UJ				

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
2-Chloronaphthalene	0.2 U		0.2 UJ				
2-Chlorophenol	0.49 U		0.49 UJ				
2-Methylnaphthalene	0.2 U	0.083	0.2 UJ		0.0046 J	0.0034 J	0.02 U
2-Methylphenol	0.49 U		0.49 UJ				
2-Nitroaniline	0.2 U		0.2 UJ				
2-Nitrophenol	0.49 U		0.49 UJ				
3,3'-Dichlorobenzidine	2 U		2 UJ				
3-Nitroaniline	0.97 U		0.97 UJ				
4,6-Dinitro-2-methylphenol	2 U		2 UJ				
4-Bromophenyl-Phenylether	0.2 U		0.2 UJ				
4-Chloro-3-methylphenol	0.032 J		0.49 UJ				
4-Chloroaniline	0.2 U		0.2 UJ				
4-Chlorophenyl-phenylether	0.2 U		0.2 UJ				
4-Methylphenol	0.49 U		0.49 UJ				
4-Nitroaniline	0.97 U		0.97 UJ				
4-Nitrophenol	2 U		2 UJ				
Acenaphthene	0.2 UJ	0.0053 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Acenaphthylene	0.2 U	0.0037 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Anthracene	0.2 U	0.0016 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(a)anthracene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(a)pyrene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(b)fluoranthene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(g,h,i)perylene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzo(k)fluoranthene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Benzoic Acid	4.9 U		4.9 UJ				
Benzyl Alcohol	4.9 U		4.9 UJ				
Bis(2-Chloroethoxy)Methane	0.2 U		0.2 UJ				
Bis(2-Chloroethyl)Ether	0.2 U		0.2 UJ				
Bis(2-Ethylhexyl)Phthalate	2 U		2 UJ				
Bis(2-chloroisopropyl) Ether	0.2 U		0.2 UJ				
Butylbenzylphthalate	0.2 U		0.2 UJ				
Chrysene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Di-N-Butylphthalate	0.2 U		0.2 UJ				
Di-n-octyl Phthalate	0.2 U		0.2 UJ				
Dibenz(a,h)anthracene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Dibenzofuran	0.2 U	0.008 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Diethylphthalate	0.2 U		0.2 UJ				
Dimethyl Phthalate	0.2 U		0.2 UJ				

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
Fluoranthene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Fluorene	0.2 U	0.0094 J	0.2 UJ		0.02 U	0.02 U	0.02 U
Hexachlorobenzene	0.2 U		0.2 UJ				
Hexachlorobutadiene	0.2 U		0.2 UJ				
Hexachlorocyclopentadiene	0.97 U		0.97 UJ				
Hexachloroethane	0.2 U		0.2 UJ				
Indeno(1,2,3-cd)pyrene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
Isophorone	0.2 U		0.2 UJ				
N-Nitroso-di-n-propylamine	0.2 U		0.2 UJ				
N-Nitrosodiphenylamine	0.2 U		0.2 UJ				
Naphthalene	0.2 U	0.11	0.2 UJ		0.02 U	0.02 U	0.0066 J
Nitrobenzene	0.2 U		0.2 UJ				
Pentachlorophenol	0.97 U		0.97 UJ				
Phenanthrene	0.2 U	0.012 J	0.2 UJ		0.02 U	0.02 U	0.0052 J
Phenol	0.49 U		0.49 UJ				
Pyrene	0.2 U	0.02 U	0.2 UJ		0.02 U	0.02 U	0.02 U
TEQ Equivalent	0.181 U	0.0181 U	0.181 U		0.0181 U	0.0181 U	0.0181 U
<b>Volatiles in µg/L</b>							
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U		2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U		2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	0.16 J	2 U		2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 U	2 U	2 U		2 U	2 U	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U		2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
2,2-Dichloropropane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U		4.1 J	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U		2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U		20 U	20 U	20 U
4-Chlorotoluene	2 U	2 U	2 U		2 U	2 U	2 U
4-Isopropyltoluene	2 U	2 U	2 U		2 U	2 U	2 U
4-Methyl-2-Pentanone	20 U	20 U	20 U		20 U	20 U	20 U
Acetone	5.6 J	20 U	7.8 J		8.1 J	20 U	20 U
Benzene	0.5 U	0.3 J	0.5 U		0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U		2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Freon 11	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Freon 12	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U		0.5 U	0.68	0.5 U
Chloromethane	0.5 U	0.5 U	0.29 J		0.5 U	0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)							
Dibromochloromethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Ethylbenzene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U		2 U	2 U	2 U
Isopropylbenzene(Cumene)	2 U	2 U	2 U		2 U	2 U	2 U
Methylene Chloride	2 U	2 U	2 U		2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
Naphthalene	2 U	2 U	2 U		2 U	2 U	2 U
Sec-Butylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U		2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U	0.5 U

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	RB-TS-1S		RB-TS-1S		RB-TS-1S		RB:FO-MW-1S		FO-MW-1S-RB		TS-MW-RB		TS-MW-1S-RB	
Sampling Date	7/29/2005		10/28/2005		1/26/2006		4/20/2006		4/20/2006		4/23/2006		7/20/2006	
Toluene	0.54		0.71		0.11	J			0.14	J	0.16	J	0.11	J
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U	0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U	0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U	0.5	U
Vinyl Chloride	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U	0.5	U
m,p-Xylenes	0.5	U	0.28	J	0.5	U			0.5	U	0.5	U	0.5	U
o-Xylene	0.5	U	0.15	J	0.5	U			0.5	U	0.5	U	0.5	U

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	RB-TS-1S	RB-TS-1S	RB-TS-1S	RB:FO-MW-1S	FO-MW-1S-RB	TS-MW-RB	TS-MW-1S-RB
Sampling Date	7/29/2005	10/28/2005	1/26/2006	4/20/2006	4/20/2006	4/23/2006	7/20/2006
<b>TPH-HCID in mg/L</b>							
Gasoline	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Stoddard/Mineral spirits	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Kensol	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Kerosene/Jet fuel	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Diesel/Fuel oil	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U
Bunker C	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U
Heavy oil	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U
<b>TPH-Dx in mg/L</b>							
Kerosene/Jet fuel	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Diesel/Fuel oil	0.2 U	0.2 U	0.2 U	0.2 U		0.2 U	0.2 U
Heavy oil	0.5 U	0.5 U	0.5 U	0.5 U		0.5 U	0.5 U
<b>TPH-Gx in mg/L</b>							
Mineral spirits/Stoddard	0.1 U	0.1 U	0.1 U	0.1 U		0.1 U	0.1 U
Gasoline	0.1 U	0.1 U	0.1 U	0.1 U		0.1 U	0.1 U

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
<b>Conventionals in mg/L</b>				
Nitrate as Nitrogen				
Nitrite as Nitrogen				
Total Sulfide				
Total Suspended Solids	1 U			
<b>Metals in ug/L</b>				
Antimony	0.03 J	0.05 U	0.05 U	
Arsenic	0.5 U	0.5 U	0.97 U	
Barium	0.64			
Cadmium	0.02 U			
Chromium	0.21			
Iron	6.9 J	20 U	20 U	
Lead	0.099			
Manganese	0.822	0.66	0.93	
Mercury	0.2 U			
Selenium	1 U			
Silver	0.02 U			
<b>PCBs in ug/L</b>				
Aroclor 1016	0.0048 U		0.005 U	0.0049 U
Aroclor 1221	0.0096 U		0.0099 U	0.0098 U
Aroclor 1232	0.0048 U		0.0061 U	0.007 U
Aroclor 1242	0.0048 U		0.005 U	0.0049 U
Aroclor 1248	0.0048 U		0.0052 U	0.0049 U
Aroclor 1254	0.0048 U		0.005 U	0.0049 U
Aroclor 1260	0.0048 U		0.005 U	0.0049 U
Total PCBs	0.0096 U		0.0099 U	0.0098 U
<b>Semivolatiles in µg/L</b>				
1,2,4-Trichlorobenzene				
1,2-Dichlorobenzene				
1,3-Dichlorobenzene				
1,4-Dichlorobenzene				
2,4,5-Trichlorophenol				
2,4,6-Trichlorophenol				
2,4-Dichlorophenol				
2,4-Dimethylphenol				
2,4-Dinitrophenol				
2,4-Dinitrotoluene				
2,6-Dinitrotoluene				



Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
2-Chloronaphthalene				
2-Chlorophenol				
2-Methylnaphthalene	0.031	0.0059 T	0.035	0.019 T
2-Methylphenol				
2-Nitroaniline				
2-Nitrophenol				
3,3'-Dichlorobenzidine				
3-Nitroaniline				
4,6-Dinitro-2-methylphenol				
4-Bromophenyl-Phenylether				
4-Chloro-3-methylphenol				
4-Chloroaniline				
4-Chlorophenyl-phenylether				
4-Methylphenol				
4-Nitroaniline				
4-Nitrophenol				
Acenaphthene	0.013 J	0.019 U	0.02 U	0.02 U
Acenaphthylene	0.02 U	0.019 U	0.02 U	0.02 U
Anthracene	0.02 U	0.019 U	0.02 U	0.02 U
Benzo(a)anthracene	0.02 U	0.019 U	0.003 T	0.02 U
Benzo(a)pyrene	0.02 U	0.019 U	0.02 U	0.02 U
Benzo(b)fluoranthene	0.02 U	0.019 U	0.02 U	0.02 U
Benzo(g,h,i)perylene	0.02 U	0.019 U	0.02 U	0.02 U
Benzo(k)fluoranthene	0.02 U	0.019 U	0.02 U	0.02 U
Benzoic Acid				
Benzyl Alcohol				
Bis(2-Chloroethoxy)Methane				
Bis(2-Chloroethyl)Ether				
Bis(2-Ethylhexyl)Phthalate				
Bis(2-chloroisopropyl) Ether				
Butylbenzylphthalate				
Chrysene	0.02 U	0.019 U	0.02 U	0.02 U
Di-N-Butylphthalate				
Di-n-octyl Phthalate				
Dibenz(a,h)anthracene	0.02 U	0.019 U	0.02 U	0.02 U
Dibenzofuran	0.02 U	0.019 U	0.02 U	0.02 U
Diethylphthalate				
Dimethyl Phthalate				

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
Fluoranthene	0.02 U	0.019 U	0.02 U	0.02 U
Fluorene	0.02 U	0.0042 T	0.007 T	0.004 T
Hexachlorobenzene				
Hexachlorobutadiene				
Hexachlorocyclopentadiene				
Hexachloroethane				
Indeno(1,2,3-cd)pyrene	0.02 U	0.019 U	0.02 U	0.02 U
Isophorone				
N-Nitroso-di-n-propylamine				
N-Nitrosodiphenylamine				
Naphthalene	0.077	0.019 U	0.073	0.029 U
Nitrobenzene				
Pentachlorophenol				
Phenanthrene	0.0073 J	0.011 T	0.015 T	0.0087 T
Phenol				
Pyrene	0.02 U	0.019 U	0.02 U	0.02 U
TEQ Equivalent	0.0181 U	0.0143 U	0.0144 T	0.0151 U
<b>Volatiles in µg/L</b>				
1,1,1,2-Tetrachloroethane	0.5 U		0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U		0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U		0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U		0.5 U	0.5 U
1,1-Dichloroethane	0.5 U		0.5 U	0.5 U
1,1-Dichloroethene	0.5 U		0.5 U	0.5 U
1,1-Dichloropropene	0.5 U		0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U		2 U	2 U
1,2,3-Trichloropropane	0.5 U		0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U		2 U	2 U
1,2,4-Trimethylbenzene	2 U		0.06 T	2 U
1,2-Dibromo-3-Chloropropane	2 U		2 U	2 U
1,2-Dibromoethane(EDB)	2 U		2 U	2 U
1,2-Dichlorobenzene	0.5 U		0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U		0.5 U	0.5 U
1,2-Dichloropropane	0.5 U		0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U		2 U	2 U
1,3-Dichlorobenzene	0.5 U		0.5 U	0.5 U
1,3-Dichloropropane	0.5 U		0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U		0.5 U	0.5 U

Table F-11 - Analytical Results for Rinseate Blanks

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
2,2-Dichloropropane	0.5 U		0.5 U	0.5 U
2-Butanone (MEK)	2.9 J		20 U	20 U
2-Chlorotoluene	2 U		2 U	2 U
2-Hexanone	20 U		20 U	20 U
4-Chlorotoluene	2 U		2 U	2 U
4-Isopropyltoluene	2 U		2 U	2 U
4-Methyl-2-Pentanone	20 U		20 U	20 U
Acetone	16 J		3.6 T	3 T
Benzene	0.5 U		0.5 U	0.5 U
Bromobenzene	2 U		2 U	2 U
Bromochloromethane	0.5 U		0.5 U	0.5 U
Bromodichloromethane	0.5 U		0.5 U	0.5 U
Bromoform	0.5 U		0.5 U	0.5 U
Bromomethane	0.5 U		0.5 UJ	0.5 UJ
Freon 11	0.5 U		0.5 U	0.5 U
Freon 12	0.5 U		0.5 U	0.5 U
Carbon Disulfide	0.5 U		0.5 U	0.5 U
Carbon Tetrachloride	0.5 U		0.5 U	0.5 U
Chlorobenzene	0.5 U		0.5 U	0.5 U
Chloroethane	0.5 U		0.5 U	0.5 U
Chloroform	0.5 U		0.5 U	0.5 U
Chloromethane	0.5 U		0.5 U	0.5 U
Cis-1,2-Dichloroethene	0.5 U		0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U		0.5 U	0.5 U
Cumene(Isopropylbenzene)			2 U	2 U
Dibromochloromethane	0.5 U		0.5 U	0.5 U
Dibromomethane	0.5 U		0.5 U	0.5 U
Ethylbenzene	0.5 U		0.11 T	0.5 U
Hexachlorobutadiene	2 U		2 U	2 U
Isopropylbenzene(Cumene)	2 U			
Methylene Chloride	2 U		2 U	2 U
N-Butylbenzene	2 U		2 U	2 U
N-Propylbenzene	2 U		2 U	2 U
Naphthalene	2 U		2 U	2 U
Sec-Butylbenzene	2 U		2 U	2 U
Styrene	0.5 U		0.06 T	0.5 U
Tert-Butylbenzene	2 U		2 U	2 U
Tetrachloroethene	0.5 U		0.5 U	0.5 U

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
Toluene	0.4 J		0.76	0.5 U
Trans-1,2-Dichloroethene	0.5 U		0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U		0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U		0.5 U	0.5 U
Vinyl Chloride	0.5 U		0.5 U	0.5 U
m,p-Xylenes	0.24 J		0.13 T	0.5 U
o-Xylene	0.5 U		0.05 T	0.5 U

**Table F-11 - Analytical Results for Rinseate Blanks**

Sample ID	TS-MW-RB	Rinsate (TS-MW-1S)	RINSATE OH-MW-24	RINSATE OH-MW-25
Sampling Date	10/26/2006	10/24/2007	4/24/2008	4/24/2008
<b>TPH-HCID in mg/L</b>				
Gasoline	0.2 UJ			
Stoddard/Mineral spirits	0.2 UJ			
Kensol	0.2 U			
Kerosene/Jet fuel	0.2 U			
Diesel/Fuel oil	0.5 U			
Bunker C	0.5 U			
Heavy oil	0.5 U			
<b>TPH-Dx in mg/L</b>				
Kerosene/Jet fuel	0.2 U			
Diesel/Fuel oil	0.2 U			
Heavy oil	0.5 U			
<b>TPH-Gx in mg/L</b>				
Mineral spirits/Stoddard	0.1 U			
Gasoline	0.1 U			

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank	Trip Blanks	Trip	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank
Sampling Date	5/13/2003	9/03/2003	3/04/2004	3/05/2004	6/29/2004	6/30/2004	10/25/2004	10/26/2004	
<b>Volatiles in µg/L</b>									
1,1,1,2-Tetrachloroethane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane(EDB)			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	10 U	10 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
2-Hexanone	10 U	10 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2-Propanol, 2-methyl-									
4-Chlorotoluene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
4-Methyl-2-Pentanone	10 U	10 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Acetone	6 J	10 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Bromochloromethane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Butane, 2-methoxy-2-methyl-									
Freon 11			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank	Trip Blanks	Trip	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank
Sampling Date	5/13/2003	9/03/2003	3/04/2004	3/05/2004	6/29/2004	6/30/2004	10/25/2004	10/26/2004	
Freon 12			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.23 J	0.21 J
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)									
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane			0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Diisopropyl Ether (Dot)									
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Isopropylbenzene(Cumene)			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methyl t-butyl ether									
Methylene Chloride	1 U	1 U	2 U	2 U	0.34 J	2 U	2 U	2 U	2 U
N-Butylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Propane, 2-Ethoxy-2-Methyl-									
Sec-Butylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Styrene	0.56	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene			2 U	2 U	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	2	0.32 J	0.5 U	0.19 J	0.17 J	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate	5 U	5 U							
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.14 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene									
<b>TPH-Gx in mg/L</b>									
Gasoline									
Mineral spirits/Stoddard									

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank			
Sampling Date	7/26/2005		7/27/2005		7/28/2005		7/29/2005		10/24/2005		10/26/2005		10/27/2005		10/28/2005	
<b>Volatiles in µg/L</b>																
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.33	J	0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.15	J	0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Propanol, 2-methyl-																
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Isopropyltoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Acetone	20	U	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Butane, 2-methoxy-2-methyl-																
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U



Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank			
Sampling Date	7/26/2005		7/27/2005		7/28/2005		7/29/2005		10/24/2005		10/26/2005		10/27/2005		10/28/2005	
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Disulfide	0.21	J	0.26	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cumene(Isopropylbenzene)																
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Diisopropyl Ether (Dot)																
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Hexachlorobutadiene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Isopropylbenzene(Cumene)	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Methyl t-butyl ether																
Methylene Chloride	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Propylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Naphthalene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Propane, 2-Ethoxy-2-Methyl-																
Sec-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Styrene	0.5	U	0.1	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Tert-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	0.16	J	0.21	J	0.22	J	0.3	J	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Acetate																
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
m,p-Xylenes	0.5	UJ	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
p-Cymene																
<b>TPH-Gx in mg/L</b>																
Gasoline																
Mineral spirits/Stoddard																

**Table F-12 - Analytical Results for Trip Blanks**

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank	
Sampling Date	10/29/2005		1/25/2006		1/26/2006		4/18/2006		4/19/2006		4/20/2006	
<b>Volatiles in µg/L</b>												
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dichlorobenzene	0.13	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U
2-Propanol, 2-methyl-												
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U
4-Isopropyltoluene	2	U	2	U	2	U	2	U	2	U	2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U
Acetone	20	U	20	U	20	U	20	U	20	U	20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Butane, 2-methoxy-2-methyl-												
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank			
Sampling Date	10/29/2005		1/25/2006		1/26/2006		4/18/2006		4/19/2006		4/20/2006		4/22/2006		4/23/2006	
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Disulfide	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cumene(Isopropylbenzene)																
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Diisopropyl Ether (Dot)																
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Hexachlorobutadiene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Isopropylbenzene(Cumene)	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Methyl t-butyl ether																
Methylene Chloride	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Propylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Naphthalene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Propane, 2-Ethoxy-2-Methyl-																
Sec-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Styrene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Tert-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	0.24	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Acetate																
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
m,p-Xylenes	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
p-Cymene																
<b>TPH-Gx in mg/L</b>																
Gasoline																
Mineral spirits/Stoddard																

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank 1		Trip Blank 2		Trip Blanks		Trip Blank		Trip Blank 4		
Sampling Date	7/19/2006		7/20/2006		7/21/2006		10/23/2006		10/24/2006		10/25/2006		10/26/2006		10/26/2006		
<b>Volatiles in µg/L</b>																	
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U				20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U				20	U
2-Propanol, 2-methyl-																	
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
4-Isopropyltoluene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U				20	U
Acetone	20	U	20	U	20	U	20	U	20	U	20	U				20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U				2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U
Butane, 2-methoxy-2-methyl-																	
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U				0.5	U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank 1		Trip Blank 2		Trip Blanks		Trip Blank		Trip Blank 4	
Sampling Date	7/19/2006		7/20/2006		7/21/2006		10/23/2006		10/24/2006		10/25/2006		10/26/2006		10/26/2006	
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Carbon Disulfide	0.31	J	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Cumene(Isopropylbenzene)																
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Diisopropyl Ether (Dot)																
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Hexachlorobutadiene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Isopropylbenzene(Cumene)	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Methyl t-butyl ether																
Methylene Chloride	2	U	2	U	2	U	2	U	2	U	2	U			2	U
N-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
N-Propylbenzene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Naphthalene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Propane, 2-Ethoxy-2-Methyl-																
Sec-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Styrene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Tert-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U			2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Toluene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
Vinyl Acetate																
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
m,p-Xylenes	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U			0.5	U
p-Cymene																
<b>TPH-Gx in mg/L</b>																
Gasoline														0.1	U	
Mineral spirits/Stoddard														0.1	U	

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank 3		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank	
Sampling Date	10/27/2006		1/31/2007		2/01/2007		4/16/2007		4/17/2007		4/19/2007		7/24/2007	
<b>Volatiles in µg/L</b>														
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone (MEK)	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
2-Hexanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U
2-Propanol, 2-methyl-														
4-Chlorotoluene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
4-Isopropyltoluene	2	U					2	U	2	U	2	U	2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U	20	U	20	U	20	U	20	U
Acetone	20	U	20	U	5.6	J	20	U	20	U	20	U	20	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromobenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Butane, 2-methoxy-2-methyl-														
Freon 11	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank 3		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank		Trip Blank	
Sampling Date	10/27/2006		1/31/2007		2/01/2007		4/16/2007		4/17/2007		4/19/2007		7/24/2007	
Freon 12	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Disulfide	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cumene(Isopropylbenzene)			2	U	2	U	2	U	2	U	2	U	2	U
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Diisopropyl Ether (Dot)														
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Hexachlorobutadiene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Isopropylbenzene(Cumene)	2	U												
Methyl t-butyl ether														
Methylene Chloride	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
N-Propylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Naphthalene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Propane, 2-Ethoxy-2-Methyl-														
Sec-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Styrene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Tert-Butylbenzene	2	U	2	U	2	U	2	U	2	U	2	U	2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Acetate														
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
m,p-Xylenes	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
p-Cymene			2	U	2	U								
<b>TPH-Gx in mg/L</b>														
Gasoline					0.1	U								
Mineral spirits/Stoddard					0.1	U								

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank 2		Trip Blank		Trip Blank-1		Trip Blanks		Trip Blank #373		Trip Blank-4		Trip Blank		
Sampling Date	10/24/2007		10/24/2007		1/24/2008		4/20/2008		4/20/2008		4/23/2008		4/24/2008		4/24/2008		
<b>Volatiles in µg/L</b>																	
1,1,1,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,1-Dichloropropene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,2,3-Trichlorobenzene	2	U	2	U	2	U			2	U	2	U				2	U
1,2,3-Trichloropropane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,2,4-Trichlorobenzene	2	U	2	U	2	U			2	U	2	U				2	U
1,2,4-Trimethylbenzene	2	U	2	U	2	U			2	U	2	U				2	U
1,2-Dibromo-3-Chloropropane	2	U	2	U	2	U			2	U	2	U				2	U
1,2-Dibromoethane(EDB)	2	U	2	U	2	U			2	U	2	U				2	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,2-Dichloroethane(EDC)	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,3,5-Trimethylbenzene	2	U	2	U	2	U			2	U	2	U				2	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,3-Dichloropropane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
2,2-Dichloropropane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
2-Butanone (MEK)	20	U	20	U	20	U			20	U	20	U				20	U
2-Chlorotoluene	2	U	2	U	2	U			2	U	2	U				2	U
2-Hexanone	20	U	20	U	20	U			20	U	20	U				20	U
2-Propanol, 2-methyl-					1.4	JT											
4-Chlorotoluene	2	U	2	U	2	U			2	U	2	U				2	U
4-Isopropyltoluene	2	U	2	U	2	U			2	U	2	U				2	U
4-Methyl-2-Pentanone	20	U	20	U	20	U			20	U	20	U				20	U
Acetone	20	U	20	U	20	U			20	U	20	U				20	U
Benzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
Bromobenzene	2	U	2	U	2	U			2	U	2	U				2	U
Bromochloromethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
Bromoform	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U				0.5	UJ
Butane, 2-methoxy-2-methyl-					2	U											
Freon 11	0.5	U	0.5	U					0.5	U	0.5	U				0.5	U



Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank		Trip Blank 2		Trip Blank		Trip Blank-1		Trip Blanks		Trip Blank #373		Trip Blank-4		Trip Blank	
Sampling Date	10/24/2007		10/24/2007		1/24/2008		4/20/2008		4/20/2008		4/23/2008		4/24/2008		4/24/2008	
Freon 12	0.5	U	0.5	U					0.5	U	0.5	U			0.5	U
Carbon Disulfide	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Chloroform	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Cumene(Isopropylbenzene)	2	U	2	U	2	U			2	U	2	U			2	U
Dibromochloromethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Dibromomethane	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Diisopropyl Ether (Dot)					2	U										
Ethylbenzene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Hexachlorobutadiene	2	U	2	U	2	U			2	U	2	U			2	U
Isopropylbenzene(Cumene)																
Methyl t-butyl ether					0.5	U										
Methylene Chloride	2	U	2	U	2	U			2	U	2	U			2	U
N-Butylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
N-Propylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
Naphthalene	2	U	2	U	2	U			2	U	2	U			2	U
Propane, 2-Ethoxy-2-Methyl-					2	U										
Sec-Butylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
Styrene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Tert-Butylbenzene	2	U	2	U	2	U			2	U	2	U			2	U
Tetrachloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Toluene	0.5	U	0.5	U	0.5	U			0.15	T	0.5	U			0.5	U
Trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Trichloroethene (TCE)	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
Vinyl Acetate																
Vinyl Chloride	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
m,p-Xylenes	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
o-Xylene	0.5	U	0.5	U	0.5	U			0.5	U	0.5	U			0.5	U
p-Cymene																
<b>TPH-Gx in mg/L</b>																
Gasoline								0.1	U					0.1	U	
Mineral spirits/Stoddard								0.1	U					0.1	U	

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank #39030	TB (39029)	Trip Blank (39027)	Trip Blank (39028)	Trip Blank (39026)
Sampling Date	10/19/2008	10/20/2008	10/22/2008	10/22/2008	10/24/2008
<b>Volatiles in µg/L</b>					
1,1,1,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,3-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U
1,2,3-Trichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	2 U	2 U	2 U	2 U	2 U
1,2,4-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U
1,2-Dibromo-3-Chloropropane	2 UJ	2 UJ	2 UJ	2 UJ	2 U
1,2-Dibromoethane(EDB)	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane(EDC)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3,5-Trimethylbenzene	2 U	2 U	2 U	2 U	2 U
1,3-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-Dichloropropane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-Dichlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2,2-Dichloropropane	0.5 U	0.5 UJ	0.5 U	0.5 U	0.5 U
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U
2-Chlorotoluene	2 U	2 U	2 U	2 U	2 U
2-Hexanone	20 U	20 U	20 U	20 U	20 U
2-Propanol, 2-methyl-					
4-Chlorotoluene	2 U	2 U	2 U	2 U	2 U
4-Isopropyltoluene					
4-Methyl-2-Pentanone	20 U	20 U	20 U	20 U	20 U
Acetone	20 U	20 U	20 U	20 U	20 U
Benzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromobenzene	2 U	2 U	2 U	2 U	2 U
Bromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U
Bromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Butane, 2-methoxy-2-methyl-					
Freon 11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Table F-12 - Analytical Results for Trip Blanks

Sample ID	Trip Blank #39030	TB (39029)	Trip Blank (39027)	Trip Blank (39028)	Trip Blank (39026)
Sampling Date	10/19/2008	10/20/2008	10/22/2008	10/22/2008	10/24/2008
Freon 12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Disulfide	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.06 T
Cis-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cis-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cumene(Isopropylbenzene)					
Dibromochloromethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromomethane	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Diisopropyl Ether (Dot)					
Ethylbenzene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Hexachlorobutadiene	2 U	2 U	2 U	2 U	2 U
Isopropylbenzene(Cumene)	2 U	2 U	2 U	2 U	2 U
Methyl t-butyl ether					
Methylene Chloride	2 U	2 U	2 U	2 U	2 U
N-Butylbenzene	2 U	2 U	2 U	2 U	2 U
N-Propylbenzene	2 U	2 U	2 U	2 U	2 U
Naphthalene	2 UJ	2 U	2 U	2 U	2 U
Propane, 2-Ethoxy-2-Methyl-					
Sec-Butylbenzene	2 U	2 U	2 U	2 U	2 U
Styrene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Tert-Butylbenzene	2 U	2 U	2 U	2 U	2 U
Tetrachloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	0.5 U	0.5 U	0.5 U	0.1 T	0.5 U
Trans-1,2-Dichloroethene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene (TCE)	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Vinyl Acetate					
Vinyl Chloride	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
m,p-Xylenes	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
o-Xylene	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
p-Cymene	2 U	2 U	2 U	2 U	2 U
<b>TPH-Gx in mg/L</b>					
Gasoline					
Mineral spirits/Stoddard					

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
CM-MW-01S	CM-MW-1S	7/25/2005	9.87
CM-MW-01S	CM-MW-1S	9/29/2005	10.7
CM-MW-01S	CM-MW-1S	10/24/2005	7.83
CM-MW-01S	CM-MW-1S	1/26/2006	10.13
CM-MW-01S	CM-MW-1S	4/17/2006	11.3
CM-MW-01S	CM-MW-1S	7/17/2006	9.66
CM-MW-01S	CM-MW-1S	10/23/2006	8.99
CM-MW-02S	CM-MW-2S	7/25/2005	10.09
CM-MW-02S	CM-MW-2S	9/29/2005	7.9
CM-MW-02S	CM-MW-2S	10/24/2005	7.57
CM-MW-02S	CM-MW-2S	1/26/2006	10.44
CM-MW-02S	CM-MW-2S	4/17/2006	10.8
CM-MW-02S	CM-MW-2S	7/17/2006	7.81
CM-MW-02S	CM-MW-2S	10/23/2006	8.82
CM-MW-03S	CM-MW-3S	7/25/2005	8.78
CM-MW-03S	CM-MW-3S	10/24/2005	5.64
CM-MW-03S	CM-MW-3S	1/26/2006	7.84
CM-MW-03S	CM-MW-3S	4/17/2006	9.3
CM-MW-03S	CM-MW-3S	7/17/2006	3.27
CM-MW-03S	CM-MW-3S	10/23/2006	6.65
CM-MW-04S	CM-MW-4S	7/25/2005	5.92
CM-MW-04S	CM-MW-4S	9/29/2005	9.6
CM-MW-04S	CM-MW-4S	10/24/2005	3.48
CM-MW-04S	CM-MW-4S	1/26/2006	7.17
CM-MW-04S	CM-MW-4S	4/17/2006	10
CM-MW-04S	CM-MW-4S	7/17/2006	7.67
CM-MW-04S	CM-MW-4S	10/23/2006	5.28
CM-MW-05S	CM-MW-5S	7/25/2005	8.91
CM-MW-05S	CM-MW-5S	8/30/2005	6.9
CM-MW-05S	CM-MW-5S	10/24/2005	6.74
CM-MW-05S	CM-MW-5S	1/26/2006	7.45
CM-MW-05S	CM-MW-5S	4/17/2006	7.9
CM-MW-05S	CM-MW-5S	7/17/2006	5.16
CM-MW-05S	CM-MW-5S	10/23/2006	8.18
CM-MW-06S	CM-MW-6S	7/25/2005	4.7
CM-MW-06S	CM-MW-6S	10/24/2005	2.3
CM-MW-06S	CM-MW-6S	1/26/2006	2.3
CM-MW-06S	CM-MW-6S	4/17/2006	6.8
CM-MW-06S	CM-MW-6S	7/17/2006	5.96
CM-MW-06S	CM-MW-6S	10/23/2006	1.53
CM-MW-07S	CM-MW-7S	7/25/2005	8.75
CM-MW-07S	CM-MW-7S	8/30/2005	6.7
CM-MW-07S	CM-MW-7S	9/29/2005	8.3
CM-MW-07S	CM-MW-7S	10/24/2005	7.54
CM-MW-07S	CM-MW-7S	1/26/2006	8.99
CM-MW-07S	CM-MW-7S	4/17/2006	9.4
CM-MW-07S	CM-MW-7S	7/17/2006	8.55
CM-MW-07S	CM-MW-7S	10/23/2006	9.08
CM-MW-08S	CM-MW-8S	7/25/2005	10.27
CM-MW-08S	CM-MW-8S	8/30/2005	9
CM-MW-08S	CM-MW-8S	9/29/2005	9
CM-MW-08S	CM-MW-8S	10/24/2005	8.82
CM-MW-08S	CM-MW-8S	1/26/2006	10.54
CM-MW-08S	CM-MW-8S	4/17/2006	11.8
CM-MW-08S	CM-MW-8S	7/17/2006	9.67
CM-MW-08S	CM-MW-8S	10/23/2006	10
FO-MW-01S	FO-MW-1S	4/17/2006	3.7

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
FO-MW-01S	FO-MW-1S	7/17/2006	0.89
FO-MW-01S	FO-MW-1S	10/23/2006	1.61
HL-MW-01	HL-MW-1	9/29/2005	3.4
HL-MW-01	HL-MW-1	10/24/2005	6
HL-MW-01	HL-MW-1	4/17/2006	5.1
HL-MW-01	HL-MW-1	10/23/2006	4.44
HL-MW-02	HL-MW-2	4/17/2006	2.5
HL-MW-02	HL-MW-2	10/23/2006	10.79
HL-MW-04	HL-MW-4	5/12/2003	8.2
HL-MW-04	HL-MW-4	6/30/2004	6.9
HL-MW-04	HL-MW-4	10/25/2004	8
HL-MW-04	HL-MW-4	10/24/2005	7.94
HL-MW-04	HL-MW-4	4/17/2006	10.1
HL-MW-04	HL-MW-4	7/17/2006	8.99
HL-MW-05	HL-MW-5	5/12/2003	8.1
HL-MW-05	HL-MW-5	10/23/2003	7.58
HL-MW-05	HL-MW-5	6/30/2004	6.3
HL-MW-05	HL-MW-5	9/14/2004	3.3
HL-MW-05	HL-MW-5	10/25/2004	7.8
HL-MW-05	HL-MW-5	7/25/2005	7.03
HL-MW-05	HL-MW-5	8/30/2005	7
HL-MW-05	HL-MW-5	9/29/2005	6
HL-MW-05	HL-MW-5	10/24/2005	6.95
HL-MW-05	HL-MW-5	4/17/2006	7.1
HL-MW-05	HL-MW-5	7/17/2006	8.54
HL-MW-05	HL-MW-5	10/23/2006	7.86
HL-MW-06A	HL-MW-6A	5/12/2003	8.9
HL-MW-06A	HL-MW-6A	10/24/2003	7.77
HL-MW-06A	HL-MW-6A	6/30/2004	7.2
HL-MW-06A	HL-MW-6A	9/14/2004	8.2
HL-MW-06A	HL-MW-6A	10/25/2004	8.3
HL-MW-06A	HL-MW-6A	7/25/2005	6.09
HL-MW-06A	HL-MW-6A	8/30/2005	8.4
HL-MW-06A	HL-MW-6A	9/29/2005	8.5
HL-MW-06A	HL-MW-6A	10/24/2005	7.32
HL-MW-06A	HL-MW-6A	1/25/2006	8.45
HL-MW-06A	HL-MW-6A	4/17/2006	8.8
HL-MW-06A	HL-MW-6A	7/17/2006	8.43
HL-MW-06A	HL-MW-6A	10/23/2006	8.36
HL-MW-07S	HL-MW-7S	5/12/2003	9.1
HL-MW-07S	HL-MW-7S	10/23/2003	8.72
HL-MW-07S	HL-MW-7S	6/30/2004	7.9
HL-MW-07S	HL-MW-7S	9/14/2004	9.3
HL-MW-07S	HL-MW-7S	10/25/2004	8.4
HL-MW-07S	HL-MW-7S	7/25/2005	7.21
HL-MW-07S	HL-MW-7S	8/30/2005	9.5
HL-MW-07S	HL-MW-7S	9/29/2005	9.6
HL-MW-07S	HL-MW-7S	10/24/2005	8.31
HL-MW-07S	HL-MW-7S	1/23/2006	7.97
HL-MW-07S	HL-MW-7S	4/17/2006	11.5
HL-MW-07S	HL-MW-7S	7/17/2006	8.99
HL-MW-07S	HL-MW-7S	10/23/2006	9.88
HL-MW-08D	HL-MW-8D	5/12/2003	9.8
HL-MW-08D	HL-MW-8D	10/23/2003	8.81
HL-MW-08D	HL-MW-8D	6/30/2004	8
HL-MW-08D	HL-MW-8D	9/14/2004	7.2
HL-MW-08D	HL-MW-8D	10/25/2004	8.9

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
HL-MW-08D	HL-MW-8D	7/25/2005	6.81
HL-MW-08D	HL-MW-8D	8/30/2005	9.4
HL-MW-08D	HL-MW-8D	9/29/2005	9.5
HL-MW-08D	HL-MW-8D	10/24/2005	8.4
HL-MW-08D	HL-MW-8D	4/17/2006	8.1
HL-MW-08D	HL-MW-8D	10/23/2006	9.52
HL-MW-09D	HL-MW-9D	5/12/2003	9.9
HL-MW-09D	HL-MW-9D	10/24/2003	7.36
HL-MW-09D	HL-MW-9D	6/30/2004	6.3
HL-MW-09D	HL-MW-9D	9/14/2004	6.3
HL-MW-09D	HL-MW-9D	10/25/2004	7.8
HL-MW-09D	HL-MW-9D	7/25/2005	6.2
HL-MW-09D	HL-MW-9D	8/30/2005	5
HL-MW-09D	HL-MW-9D	9/29/2005	5.5
HL-MW-09D	HL-MW-9D	10/24/2005	7.16
HL-MW-09D	HL-MW-9D	4/17/2006	8.7
HL-MW-09D	HL-MW-9D	10/23/2006	7.78
HL-MW-10S	HL-MW-10S	5/12/2003	4.6
HL-MW-10S	HL-MW-10S	10/24/2003	4.95
HL-MW-10S	HL-MW-10S	6/30/2004	2.9
HL-MW-10S	HL-MW-10S	9/14/2004	5.6
HL-MW-10S	HL-MW-10S	10/25/2004	3.3
HL-MW-10S	HL-MW-10S	7/25/2005	4.92
HL-MW-10S	HL-MW-10S	8/30/2005	5.3
HL-MW-10S	HL-MW-10S	9/29/2005	5.6
HL-MW-10S	HL-MW-10S	10/24/2005	4.02
HL-MW-10S	HL-MW-10S	4/17/2006	6.9
HL-MW-10S	HL-MW-10S	10/23/2006	2.58
HL-MW-11D	HL-MW-11D	5/12/2003	6.5
HL-MW-11D	HL-MW-11D	10/24/2003	5.21
HL-MW-11D	HL-MW-11D	6/30/2004	4.1
HL-MW-11D	HL-MW-11D	9/14/2004	5.2
HL-MW-11D	HL-MW-11D	10/25/2004	7.7
HL-MW-11D	HL-MW-11D	8/30/2005	4.7
HL-MW-12S	HL-MW-12S	10/24/2003	8.42
HL-MW-12S	HL-MW-12S	7/25/2005	7.51
HL-MW-12S	HL-MW-12S	9/29/2005	10
HL-MW-12S	HL-MW-12S	10/24/2005	8.83
HL-MW-12S	HL-MW-12S	4/17/2006	10.5
HL-MW-12S	HL-MW-12S	10/23/2006	10.3
HL-MW-13DD	HL-MW-13DD	10/23/2003	7.65
HL-MW-13DD	HL-MW-13DD	7/25/2005	6.11
HL-MW-13DD	HL-MW-13DD	9/29/2005	9.8
HL-MW-13DD	HL-MW-13DD	10/24/2005	7.6
HL-MW-13DD	HL-MW-13DD	1/23/2006	7.38
HL-MW-13DD	HL-MW-13DD	4/17/2006	7.8
HL-MW-13DD	HL-MW-13DD	7/17/2006	8.77
HL-MW-13DD	HL-MW-13DD	10/23/2006	9.14
HL-MW-14S	HL-MW-14S	10/24/2003	7.99
HL-MW-14S	HL-MW-14S	7/25/2005	6.72
HL-MW-14S	HL-MW-14S	9/29/2005	9.6
HL-MW-14S	HL-MW-14S	10/24/2005	7.79
HL-MW-14S	HL-MW-14S	1/23/2006	9.47
HL-MW-14S	HL-MW-14S	4/17/2006	9.1
HL-MW-14S	HL-MW-14S	7/17/2006	8.71
HL-MW-14S	HL-MW-14S	10/23/2006	8.99
HL-MW-15DD	HL-MW-15DD	10/23/2003	5.84

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
HL-MW-15DD	HL-MW-15DD	7/25/2005	5.32
HL-MW-15DD	HL-MW-15DD	9/29/2005	2.6
HL-MW-15DD	HL-MW-15DD	10/24/2005	6.65
HL-MW-15DD	HL-MW-15DD	4/17/2006	8.7
HL-MW-15DD	HL-MW-15DD	10/23/2006	7.13
HL-MW-16S	HL-MW-16S	10/23/2003	2.5
HL-MW-16S	HL-MW-16S	7/25/2005	2.67
HL-MW-16S	HL-MW-16S	9/29/2005	2.9
HL-MW-16S	HL-MW-16S	10/24/2005	2.05
HL-MW-16S	HL-MW-16S	1/23/2006	1.48
HL-MW-16S	HL-MW-16S	4/17/2006	6.8
HL-MW-16S	HL-MW-16S	7/17/2006	1.85
HL-MW-16S	HL-MW-16S	10/23/2006	1.96
HL-MW-17S	HL-MW-17S	10/23/2003	8.06
HL-MW-17S	HL-MW-17S	7/25/2005	7.4
HL-MW-17S	HL-MW-17S	9/29/2005	9
HL-MW-17S	HL-MW-17S	10/24/2005	7.75
HL-MW-17S	HL-MW-17S	1/24/2006	6.96
HL-MW-17S	HL-MW-17S	4/17/2006	10.3
HL-MW-17S	HL-MW-17S	7/17/2006	8.74
HL-MW-17S	HL-MW-17S	10/23/2006	8.8
HL-MW-18S	HL-MW-18S	7/25/2005	7.19
HL-MW-18S	HL-MW-18S	9/29/2005	9.5
HL-MW-18S	HL-MW-18S	10/24/2005	7.14
HL-MW-18S	HL-MW-18S	1/27/2006	6.9
HL-MW-18S	HL-MW-18S	4/17/2006	9.2
HL-MW-18S	HL-MW-18S	7/17/2006	8.53
HL-MW-18S	HL-MW-18S	10/23/2006	7.94
HL-MW-19S	HL-MW-19S	7/25/2005	8.69
HL-MW-19S	HL-MW-19S	10/24/2005	6.33
HL-MW-19S	HL-MW-19S	1/25/2006	8.56
HL-MW-19S	HL-MW-19S	4/17/2006	10.4
HL-MW-19S	HL-MW-19S	7/17/2006	6.71
HL-MW-19S	HL-MW-19S	10/23/2006	6.52
HL-MW-20S	HL-MW-20S	7/17/2006	3.75
HL-MW-20S	HL-MW-20S	10/23/2006	1.35
HL-MW-21S	HL-MW-21S	7/25/2005	0.38
HL-MW-21S	HL-MW-21S	9/29/2005	2.5
HL-MW-21S	HL-MW-21S	10/24/2005	3.73
HL-MW-21S	HL-MW-21S	1/25/2006	1.66
HL-MW-21S	HL-MW-21S	4/17/2006	10.7
HL-MW-21S	HL-MW-21S	7/17/2006	2.15
HL-MW-21S	HL-MW-21S	10/23/2006	1.14
HL-MW-22S	HL-MW-22S	7/25/2005	7.12
HL-MW-22S	HL-MW-22S	9/29/2005	8.9
HL-MW-22S	HL-MW-22S	10/24/2005	7.85
HL-MW-22S	HL-MW-22S	1/25/2006	8.22
HL-MW-22S	HL-MW-22S	4/17/2006	10.4
HL-MW-22S	HL-MW-22S	7/17/2006	6.55
HL-MW-22S	HL-MW-22S	10/23/2006	7.58
HL-MW-23S	HL-MW-23S	4/17/2006	8.6
HL-MW-23S	HL-MW-23S	7/17/2006	8.02
HL-MW-23S	HL-MW-23S	10/23/2006	8.72
HL-MW-24DD	HL-MW-24DD	4/17/2006	9.2
HL-MW-24DD	HL-MW-24DD	7/17/2006	8.44
HL-MW-24DD	HL-MW-24DD	10/23/2006	8.36
HL-MW-25S	HL-MW-25S	4/17/2006	9.5

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
HL-MW-25S	HL-MW-25S	7/17/2006	8.67
HL-MW-25S	HL-MW-25S	10/23/2006	9.35
HL-MW-26S	HL-MW-26S	4/17/2006	10.9
HL-MW-26S	HL-MW-26S	7/17/2006	9
HL-MW-26S	HL-MW-26S	10/23/2006	8.29
HL-MW-27D	HL-MW-27D	4/17/2006	10.2
HL-MW-27D	HL-MW-27D	7/17/2006	9.74
HL-MW-27D	HL-MW-27D	10/23/2006	9.04
HL-MW-28DD	HL-MW-28DD	10/23/2006	8.7
MW-02D	MW-2D	5/12/2003	9
MW-02D	MW-2D	6/30/2004	8.4
MW-02D	MW-2D	9/14/2004	9.1
MW-02D	MW-2D	10/25/2004	8.6
MW-02D	MW-2D	8/30/2005	9.2
MW-02D	MW-2D	9/29/2005	10.6
MW-02D	MW-2D	10/24/2005	8.4
MW-02D	MW-2D	4/17/2006	4.5
MW-02D	MW-2D	10/23/2006	9.53
MW-02S	MW-2S	5/12/2003	8.54
MW-02S	MW-2S	9/14/2004	9.1
MW-02S	MW-2S	10/25/2004	8.4
MW-02S	MW-2S	7/25/2005	6.52
MW-02S	MW-2S	8/30/2005	9.2
MW-02S	MW-2S	9/29/2005	10.6
MW-02S	MW-2S	10/24/2005	6.35
MW-02S	MW-2S	4/17/2006	4.5
MW-02S	MW-2S	10/23/2006	9.53
MW-02S	MW-2S	4/14/2007	5.1
MW-02S	MW-2S	4/19/2008	8.2
MW-04	MW-4	9/29/2005	4.5
MW-04	MW-4	10/24/2005	9.1
MW-04	MW-4	4/17/2006	9.6
MW-04	MW-4	10/23/2006	8.19
MW-05	MW-5	5/12/2003	4.5
MW-05	MW-5	7/1/2004	8.1
MW-05	MW-5	9/14/2004	8.3
MW-05	MW-5	10/29/2004	8.2
MW-05	MW-5	7/25/2005	7.9
MW-05	MW-5	8/30/2005	8.6
MW-05	MW-5	9/29/2005	8.2
MW-05	MW-5	10/24/2005	8.8
MW-05	MW-5	4/17/2006	7
MW-05	MW-5	10/23/2006	8.6
MW-07	MW-7	5/12/2003	10.1
MW-07	MW-7	7/1/2004	9.6
MW-07	MW-7	9/14/2004	9.1
MW-07	MW-7	10/29/2004	9.7
MW-08	MW-8	5/12/2003	9.8
MW-08	MW-8	6/29/2004	6.9
MW-08	MW-8	9/14/2004	7.2
MW-08	MW-8	10/25/2004	7
MW-08	MW-8	7/25/2005	8.01
MW-08	MW-8	8/30/2005	7.1
MW-08	MW-8	9/29/2005	7.2
MW-08	MW-8	10/24/2005	7.16
MW-08	MW-8	4/17/2006	10.1
MW-08	MW-8	10/23/2006	8.21



**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
MW-09	MW-9	5/12/2003	9.2
MW-09	MW-9	6/29/2004	6.2
MW-09	MW-9	9/14/2004	8.5
MW-09	MW-9	10/25/2004	8.3
MW-10	MW-10	5/12/2003	9.7
MW-10	MW-10	7/1/2004	4
MW-10	MW-10	9/14/2004	4.7
MW-10	MW-10	10/25/2004	0.4
MW-10	MW-10	8/30/2005	9.5
MW-10	MW-10	9/29/2005	7.6
MW-10	MW-10	10/24/2005	9.27
MW-10	MW-10	4/17/2006	12.9
MW-10	MW-10	10/23/2006	8.11
MW-12A	MW-12A	5/12/2003	8.97
MW-12A	MW-12A	10/22/2003	8.44
MW-12A	MW-12A	6/29/2004	8.2
MW-12A	MW-12A	9/14/2004	9.2
MW-12A	MW-12A	10/25/2004	9.4
MW-12A	MW-12A	7/25/2005	6.9
MW-12A	MW-12A	8/30/2005	7.7
MW-12A	MW-12A	9/29/2005	9.6
MW-12A	MW-12A	10/24/2005	7.92
MW-12A	MW-12A	4/17/2006	9.9
MW-12A	MW-12A	10/23/2006	9.44
MW-13	MW-13	5/12/2003	9
MW-13	MW-13	6/29/2004	5.8
MW-13	MW-13	9/14/2004	6.9
MW-13	MW-13	10/25/2004	7.3
MW-14	MW-14	5/12/2003	6.59
MW-14	MW-14	6/29/2004	1.4
MW-14	MW-14	9/14/2004	2.3
MW-14	MW-14	10/25/2004	1.1
MW-14	MW-14	7/25/2005	4.02
MW-14	MW-14	8/30/2005	4.1
MW-14	MW-14	9/29/2005	1.4
MW-14	MW-14	10/24/2005	1.46
MW-14	MW-14	4/17/2006	9.7
MW-14	MW-14	7/17/2006	1.7
MW-14	MW-14	10/23/2006	0.63
MW-15	MW-15	5/12/2003	8.1
MW-15	MW-15	6/29/2004	6.8
MW-15	MW-15	9/14/2004	7.8
MW-15	MW-15	10/25/2004	6.9
MW-15	MW-15	7/25/2005	8.22
MW-15	MW-15	8/30/2005	8.1
MW-15	MW-15	9/29/2005	7.8
MW-15	MW-15	10/24/2005	6.9
MW-15	MW-15	4/17/2006	7.7
MW-15	MW-15	10/23/2006	9.84
MW-16	MW-16	5/12/2003	10.14
MW-16	MW-16	6/29/2004	8.8
MW-16	MW-16	9/14/2004	9
MW-16	MW-16	10/25/2004	8.3
MW-16	MW-16	7/25/2005	8.96
MW-16	MW-16	8/30/2005	9.8
MW-16	MW-16	9/29/2005	9.4
MW-16	MW-16	10/24/2005	7.9

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
MW-16	MW-16	4/17/2006	9.9
MW-16	MW-16	10/23/2006	9.65
MW-17S	MW-17S	5/12/2003	10.01
MW-17S	MW-17S	10/22/2003	8.62
MW-17S	MW-17S	6/29/2004	8
MW-17S	MW-17S	9/14/2004	8.8
MW-17S	MW-17S	10/25/2004	8.6
MW-17S	MW-17S	7/25/2005	9
MW-17S	MW-17S	8/30/2005	9
MW-17S	MW-17S	9/29/2005	4
MW-17S	MW-17S	10/24/2005	8.33
MW-17S	MW-17S	1/25/2006	7.74
MW-17S	MW-17S	4/17/2006	9.9
MW-17S	MW-17S	7/17/2006	9.27
MW-17S	MW-17S	10/23/2006	9.65
MW-18D	MW-18D	5/12/2003	8.96
MW-18D	MW-18D	10/22/2003	8.49
MW-18D	MW-18D	6/29/2004	7
MW-18D	MW-18D	9/14/2004	3.7
MW-18D	MW-18D	10/25/2004	8.4
MW-18D	MW-18D	7/25/2005	8.75
MW-18D	MW-18D	8/30/2005	4
MW-18D	MW-18D	9/29/2005	9.5
MW-18D	MW-18D	10/24/2005	8.61
MW-18D	MW-18D	4/17/2006	9
MW-18D	MW-18D	10/23/2006	9.49
MW-19S	MW-19S	5/12/2003	6.5
MW-19S	MW-19S	6/29/2004	6.9
MW-19S	MW-19S	9/14/2004	7.1
MW-19S	MW-19S	10/26/2004	6.9
MW-19S	MW-19S	7/25/2005	8.03
MW-19S	MW-19S	8/30/2005	7.2
MW-19S	MW-19S	9/29/2005	7.5
MW-19S	MW-19S	10/24/2005	6.92
MW-19S	MW-19S	1/25/2006	6.53
MW-19S	MW-19S	4/17/2006	9.5
MW-19S	MW-19S	7/17/2006	7.29
MW-19S	MW-19S	10/23/2006	8.06
MW-20D	MW-20D	5/12/2003	7.5
MW-20D	MW-20D	6/29/2004	5.8
MW-20D	MW-20D	9/14/2004	5.4
MW-20D	MW-20D	10/25/2004	5.8
MW-21S	MW-21S	5/12/2003	4.8
MW-21S	MW-21S	6/29/2004	4.4
MW-21S	MW-21S	9/14/2004	4.2
MW-21S	MW-21S	10/25/2004	3.1
MW-21S	MW-21S	7/25/2005	4.21
MW-21S	MW-21S	8/30/2005	4.4
MW-21S	MW-21S	9/29/2005	3.2
MW-21S	MW-21S	10/24/2005	3.85
MW-21S	MW-21S	1/24/2006	1.78
MW-21S	MW-21S	4/17/2006	5.3
MW-21S	MW-21S	7/17/2006	3.43
MW-21S	MW-21S	10/23/2006	3.56
MW-22D	MW-22D	5/12/2003	6.75
MW-22D	MW-22D	6/29/2004	4.8
MW-22D	MW-22D	9/14/2004	5.8

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
MW-22D	MW-22D	10/25/2004	7.2
MW-22D	MW-22D	10/23/2006	8
MW-23S	MW-23S	5/12/2003	9.8
MW-23S	MW-23S	10/22/2003	8.89
MW-23S	MW-23S	6/29/2004	9.3
MW-23S	MW-23S	9/14/2004	8.9
MW-23S	MW-23S	10/25/2004	9.1
MW-23S	MW-23S	7/25/2005	7.39
MW-23S	MW-23S	8/30/2005	2.8
MW-23S	MW-23S	9/29/2005	9.6
MW-23S	MW-23S	10/24/2005	8.46
MW-23S	MW-23S	4/17/2006	9.2
MW-23S	MW-23S	10/23/2006	10.71
MW-24D	MW-24D	5/12/2003	8.6
MW-24D	MW-24D	10/22/2003	8.68
MW-24D	MW-24D	6/29/2004	5.9
MW-24D	MW-24D	9/14/2004	3.9
MW-24D	MW-24D	10/25/2004	8.3
MW-24D	MW-24D	7/25/2005	6.98
MW-24D	MW-24D	8/30/2005	3
MW-24D	MW-24D	9/29/2005	9.3
MW-24D	MW-24D	10/24/2005	7.15
MW-24D	MW-24D	4/17/2006	8.7
MW-24D	MW-24D	10/23/2006	9.47
MW-25S	MW-25S	5/12/2003	8.54
MW-25S	MW-25S	10/22/2003	8.36
MW-25S	MW-25S	6/29/2004	8.4
MW-25S	MW-25S	9/14/2004	9.2
MW-25S	MW-25S	10/26/2004	8.6
MW-25S	MW-25S	7/25/2005	8.8
MW-25S	MW-25S	8/30/2005	9.2
MW-25S	MW-25S	9/29/2005	9.9
MW-25S	MW-25S	10/24/2005	8.1
MW-25S	MW-25S	1/24/2006	7.49
MW-25S	MW-25S	4/17/2006	9.8
MW-25S	MW-25S	7/17/2006	9.55
MW-25S	MW-25S	10/23/2006	10.06
MW-26D	MW-26D	5/12/2003	8.78
MW-26D	MW-26D	10/22/2003	8.58
MW-26D	MW-26D	6/29/2004	8
MW-26D	MW-26D	9/14/2004	4.4
MW-26D	MW-26D	10/25/2004	8.7
MW-26D	MW-26D	8/30/2005	6.9
MW-26D	MW-26D	9/29/2005	9.6
MW-26D	MW-26D	10/24/2005	7.58
MW-26D	MW-26D	4/17/2006	9.2
MW-26D	MW-26D	10/23/2006	9.42
OH-MW-03	OH-MW-3	7/1/2004	0.4
OH-MW-10	OH-MW-10	5/12/2003	9.5
OH-MW-10	OH-MW-10	7/1/2004	5.2
OH-MW-10	OH-MW-10	10/25/2004	6.9
OH-MW-10	OH-MW-10	9/29/2005	6.2
OH-MW-10	OH-MW-10	10/24/2005	7.8
OH-MW-10	OH-MW-10	4/17/2006	11.5
OH-MW-10	OH-MW-10	10/23/2006	6.8
OH-MW-18	OH-MW-18	5/12/2003	5.7
OH-MW-18	OH-MW-18	7/1/2004	5.6

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
OH-MW-18	OH-MW-18	7/25/2005	6.92
OH-MW-18	OH-MW-18	9/29/2005	8.5
OH-MW-18	OH-MW-18	10/24/2005	6.7
OH-MW-18	OH-MW-18	4/17/2006	10.5
OH-MW-18	OH-MW-18	10/23/2006	7.79
OH-MW-26	OH-MW-26	5/12/2003	8.64
OH-MW-26	OH-MW-26	9/14/2004	1.94
OH-MW-26	OH-MW-26	10/28/2004	0.4
OH-MW-26	OH-MW-26	7/25/2005	5.7
OH-MW-26	OH-MW-26	8/30/2005	8.4
OH-MW-26	OH-MW-26	9/29/2005	4
OH-MW-26	OH-MW-26	10/24/2005	5.96
OH-MW-26	OH-MW-26	4/17/2006	4.6
OH-MW-26	OH-MW-26	10/23/2006	4.17
OH-MW-27	OH-MW-27	5/12/2003	7
OH-MW-27	OH-MW-27	7/1/2004	4.2
OH-MW-27	OH-MW-27	10/25/2004	5.7
OH-MW-27	OH-MW-27	9/29/2005	7.9
OH-MW-27	OH-MW-27	10/24/2005	5.15
OH-MW-27	OH-MW-27	4/17/2006	6
OH-MW-27	OH-MW-27	10/23/2006	5.83
OH-MW-27	OH-MW-27	4/14/2007	4.8
OH-MW-27	OH-MW-27	10/21/2007	2.8
OH-MW-27	OH-MW-27	4/19/2008	4.5
OH-MW-27	OH-MW-27	10/18/2008	0.1
RM-MW-01S	RM-MW-1S	10/23/2003	8.14
RM-MW-01S	RM-MW-1S	7/25/2005	6.92
RM-MW-01S	RM-MW-1S	9/29/2005	10.1
RM-MW-01S	RM-MW-1S	10/24/2005	7.96
RM-MW-01S	RM-MW-1S	1/25/2006	8.8
RM-MW-01S	RM-MW-1S	4/17/2006	9.4
RM-MW-01S	RM-MW-1S	7/17/2006	8.73
RM-MW-01S	RM-MW-1S	10/23/2006	8.63
RM-MW-02D	RM-MW-2D	10/23/2003	8.01
RM-MW-02D	RM-MW-2D	7/25/2005	7.95
RM-MW-02D	RM-MW-2D	9/29/2005	3
RM-MW-02D	RM-MW-2D	10/24/2005	7.74
RM-MW-02D	RM-MW-2D	4/17/2006	5.8
RM-MW-02D	RM-MW-2D	10/23/2006	9.24
RM-MW-03S	RM-MW-3S	10/24/2003	8.04
RM-MW-03S	RM-MW-3S	7/25/2005	0.57
RM-MW-03S	RM-MW-3S	9/29/2005	10.4
RM-MW-03S	RM-MW-3S	10/24/2005	7.84
RM-MW-03S	RM-MW-3S	1/25/2006	9.75
RM-MW-03S	RM-MW-3S	4/17/2006	9.7
RM-MW-03S	RM-MW-3S	7/17/2006	9.62
RM-MW-03S	RM-MW-3S	10/23/2006	9.34
RM-MW-04D	RM-MW-4D	10/23/2003	6.73
RM-MW-04D	RM-MW-4D	7/25/2005	0.82
RM-MW-04D	RM-MW-4D	9/29/2005	10.6
RM-MW-04D	RM-MW-4D	10/24/2005	6.57
RM-MW-04D	RM-MW-4D	4/17/2006	7.5
RM-MW-04D	RM-MW-4D	10/23/2006	7.67
RM-MW-05S	RM-MW-5S	10/24/2003	8.24
RM-MW-05S	RM-MW-5S	7/25/2005	6.9
RM-MW-05S	RM-MW-5S	9/29/2005	9.1
RM-MW-05S	RM-MW-5S	10/24/2005	7.19

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
RM-MW-05S	RM-MW-5S	4/17/2006	10.6
RM-MW-05S	RM-MW-5S	10/23/2006	8.93
RM-MW-08S	RM-MW-8S	7/25/2005	7.21
RM-MW-08S	RM-MW-8S	9/29/2005	7.3
RM-MW-08S	RM-MW-8S	10/24/2005	8.05
RM-MW-08S	RM-MW-8S	1/24/2006	7.9
RM-MW-08S	RM-MW-8S	4/17/2006	9.1
RM-MW-08S	RM-MW-8S	7/17/2006	8.45
RM-MW-08S	RM-MW-8S	10/23/2006	9.1
RM-MW-09S	RM-MW-9S	7/25/2005	6.8
RM-MW-09S	RM-MW-9S	8/30/2005	8.8
RM-MW-09S	RM-MW-9S	9/29/2005	9.1
RM-MW-09S	RM-MW-9S	10/24/2005	8.02
RM-MW-09S	RM-MW-9S	1/24/2006	8.38
RM-MW-09S	RM-MW-9S	4/17/2006	11
RM-MW-09S	RM-MW-9S	7/17/2006	9.54
RM-MW-09S	RM-MW-9S	10/23/2006	9.24
RM-MW-10S	RM-MW-10S	7/25/2005	5.3
RM-MW-10S	RM-MW-10S	8/30/2005	7.9
RM-MW-10S	RM-MW-10S	9/29/2005	8
RM-MW-10S	RM-MW-10S	10/24/2005	6.69
RM-MW-10S	RM-MW-10S	1/25/2006	7.26
RM-MW-10S	RM-MW-10S	4/17/2006	10.3
RM-MW-10S	RM-MW-10S	7/17/2006	8.09
RM-MW-10S	RM-MW-10S	10/23/2006	8.41
RM-MW-12S	RM-MW-12S	7/25/2005	6.52
RM-MW-12S	RM-MW-12S	8/30/2005	9
RM-MW-12S	RM-MW-12S	9/29/2005	6.5
RM-MW-12S	RM-MW-12S	10/24/2005	7.96
RM-MW-12S	RM-MW-12S	1/24/2006	8.94
RM-MW-12S	RM-MW-12S	4/17/2006	10.8
RM-MW-12S	RM-MW-12S	7/17/2006	9.51
RM-MW-12S	RM-MW-12S	10/23/2006	9.61
RM-MW-13S	RM-MW-13S	7/25/2005	5.98
RM-MW-13S	RM-MW-13S	9/29/2005	7.5
RM-MW-13S	RM-MW-13S	10/24/2005	8.15
RM-MW-13S	RM-MW-13S	1/25/2006	9.94
RM-MW-13S	RM-MW-13S	4/17/2006	8.6
RM-MW-13S	RM-MW-13S	7/17/2006	8.47
RM-MW-13S	RM-MW-13S	10/23/2006	8.68
RM-MW-14S	RM-MW-14S	10/23/2006	3.92
RM-MW-15S	RM-MW-15S	10/23/2006	9.03
RM-MW-16S	RM-MW-16S	10/23/2006	8.04
RM-MW-17S	RM-MW-17S	10/23/2006	8.13
RMSW-MW11S	RMSW-MW11S	7/25/2005	6.74
RMSW-MW11S	RMSW-MW11S	9/29/2005	9.4
RMSW-MW11S	RMSW-MW11S	7/17/2006	8.99
TL-MW-01A	TL-MW-1A	10/24/2003	4.04
TL-MW-01A	TL-MW-1A	10/24/2005	5
TL-MW-01A	TL-MW-1A	4/17/2006	7.4
TL-MW-01A	TL-MW-1A	10/23/2006	7.4
TL-MW-01A	TL-MW-1A	10/21/2007	3.7
TL-MW-01A	TL-MW-1A	10/18/2008	2.1
TS-MW-01S	TS-MW-1S	7/25/2005	9.37
TS-MW-01S	TS-MW-1S	9/29/2005	9.6
TS-MW-01S	TS-MW-1S	10/24/2005	6.4
TS-MW-01S	TS-MW-1S	1/26/2006	8.24

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
TS-MW-01S	TS-MW-1S	4/17/2006	10.3
TS-MW-01S	TS-MW-1S	7/17/2006	9.14
TS-MW-01S	TS-MW-1S	10/23/2006	9.9
TS-MW-02S	TS-MW-2S	9/29/2005	9.8
TS-MW-02S	TS-MW-2S	1/26/2006	8.58
TS-MW-02S	TS-MW-2S	4/17/2006	11.2
TS-MW-02S	TS-MW-2S	7/17/2006	7.81
TS-MW-02S	TS-MW-2S	10/23/2006	8.81
WW-MW-03	WW-MW-3	4/17/2006	3.5
WW-MW-03	WW-MW-3	10/23/2006	4.3
WW-MW-03	WW-MW-3	4/14/2007	3.1
WW-MW-03	WW-MW-3	4/19/2008	1.7
WW-MW-03	WW-MW-3	10/18/2008	0.1
WW-MW-08	WW-MW-8	5/12/2003	2.5
WW-MW-08	WW-MW-8	9/14/2004	1.1
WW-MW-08	WW-MW-8	4/17/2006	4.5
WW-MW-08	WW-MW-8	10/23/2006	11.39
WW-MW-11	WW-MW-11	5/12/2003	6
WW-MW-11	WW-MW-11	7/1/2004	8.6
WW-MW-11	WW-MW-11	9/14/2004	4.6
WW-MW-11	WW-MW-11	10/25/2004	8.6
WW-MW-11	WW-MW-11	7/25/2005	4.1
WW-MW-11	WW-MW-11	9/29/2005	9.5
WW-MW-11	WW-MW-11	10/24/2005	9.3
WW-MW-11	WW-MW-11	4/17/2006	10.6
WW-MW-11	WW-MW-11	10/23/2006	3.2
WW-MW-11	WW-MW-11	4/14/2007	5.4
WW-MW-11	WW-MW-11	10/21/2007	5.9
WW-MW-11	WW-MW-11	4/19/2008	6.6
WW-MW-11	WW-MW-11	10/18/2008	6.5
WW-MW-12	WW-MW-12	5/12/2003	1.5
WW-MW-12	WW-MW-12	6/30/2004	0.9
WW-MW-12	WW-MW-12	9/14/2004	3.7
WW-MW-12	WW-MW-12	10/28/2004	2.7
WW-MW-12	WW-MW-12	7/25/2005	5.11
WW-MW-12	WW-MW-12	8/30/2005	0.9
WW-MW-12	WW-MW-12	9/29/2005	4.8
WW-MW-12	WW-MW-12	10/24/2005	3.24
WW-MW-12	WW-MW-12	4/17/2006	5.7
WW-MW-12	WW-MW-12	10/23/2006	4.47
WW-MW-12	WW-MW-12	4/14/2007	2.3
WW-MW-15	WW-MW-15	5/12/2003	4.6
WW-MW-15	WW-MW-15	6/30/2004	4.3
WW-MW-15	WW-MW-15	9/14/2004	5.5
WW-MW-15	WW-MW-15	10/28/2004	5.6
WW-MW-15	WW-MW-15	7/25/2005	4.86
WW-MW-15	WW-MW-15	8/30/2005	5.21
WW-MW-15	WW-MW-15	9/29/2005	6.5
WW-MW-15	WW-MW-15	4/17/2006	9.1
WW-MW-15	WW-MW-15	10/23/2006	4.6
WW-MW-16	WW-MW-16	5/12/2003	6.8
WW-MW-16	WW-MW-16	6/30/2004	6.3
WW-MW-16	WW-MW-16	9/14/2004	5.8
WW-MW-16	WW-MW-16	10/25/2004	6.2
WW-MW-16	WW-MW-16	7/25/2005	5.5
WW-MW-16	WW-MW-16	8/30/2005	6.7
WW-MW-16	WW-MW-16	9/29/2005	8.9

**Table F-13 - Dissolved Oxygen Results for Groundwater Samples**

Well ID	Sample ID	Date Sampled	Dissolved Oxygen in mg/L
WW-MW-16	WW-MW-16	10/24/2005	6.5
WW-MW-16	WW-MW-16	4/17/2006	10.5
WW-MW-16	WW-MW-16	10/23/2006	5.1
WW-MW-16	WW-MW-16	4/19/2008	7.7
WW-MW-16	WW-MW-16	10/18/2008	2.9
WW-MW-17	WW-MW-17	5/12/2003	8.5
WW-MW-17	WW-MW-17	6/30/2004	6.9
WW-MW-17	WW-MW-17	9/14/2004	5.6
WW-MW-17	WW-MW-17	10/29/2004	3.4
WW-MW-17	WW-MW-17	7/25/2005	3.37
WW-MW-17	WW-MW-17	8/30/2005	7.2
WW-MW-17	WW-MW-17	9/29/2005	10.5
WW-MW-17	WW-MW-17	4/17/2006	9
WW-MW-17	WW-MW-17	10/23/2006	4.59
WW-MW-18	WW-MW-18	5/12/2003	3.66
WW-MW-18	WW-MW-18	6/29/2004	1
WW-MW-18	WW-MW-18	9/14/2004	0.3
WW-MW-18	WW-MW-18	10/25/2004	0.8
WW-MW-18	WW-MW-18	7/25/2005	4.64
WW-MW-18	WW-MW-18	8/30/2005	3.5
WW-MW-18	WW-MW-18	9/29/2005	2.8
WW-MW-18	WW-MW-18	10/24/2005	1.8
WW-MW-18	WW-MW-18	4/17/2006	9.3
WW-MW-18	WW-MW-18	10/23/2006	1.57

**Table F-14 - Summary of Sample Delivery Group (SDG) and Report Information**

Sample ID	Sampling Date	SDG	Report
MW-12A	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-17S	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-18D	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-23S	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-24D	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-25S	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
MW-26D	10/22/2003	K2308376, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-13DD	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-15DD	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-16S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-17S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-1K	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-5	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-7S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-8D	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-1S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-2D	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-3S	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-4D	10/23/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-10S	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-11D	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-12S	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-14S	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-6A	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-9D	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-5S	10/24/2003	K2308417, A31027-2	Kaiser Hot Line Data Report, February 2004.
RM-MW-6	10/24/2003	K2308392, A30127-2	Kaiser Hot Line Data Report, February 2004.
HL-MW-12S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-13DD	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-14S	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-15DD	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-1K	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-4	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-5	3/4/2004	K2401620	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-17S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-18D	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-1S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-2D	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-3S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004



**Table F-14 - Summary of Sample Delivery Group (SDG) and Report Information**

Sample ID	Sampling Date	SDG	Report
RM-MW-4D	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-5S	3/4/2004	K2401626	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-16S	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-17S	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-6A	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-7S	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-8D	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
HL-MW-9D	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-12A	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-23S	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
MW-24D	3/5/2004	K2401664	Kaiser Hot Line Data Report, March 2004 Sampling Event, April 2004
RM-MW-100	9/28/2004	K2407593	Kaiser DC-4 Furnace Data Report, January 2005
RM-MW-10S	9/28/2004	K2407593	Kaiser DC-4 Furnace Data Report, January 2005
RM-MW-100	10/27/2004	K2408562, A41103-1	Kaiser DC-4 Furnace Data Report, January 2005
RM-MW-10S	10/27/2004	K2408562, A41103-1	Kaiser DC-4 Furnace Data Report, January 2005
CM-MW-2S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-3S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-4S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-5S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-7S	10/27/2004	K2408562, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-100	10/28/2004	K2408612, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-1S	10/28/2004	K2408612, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-6S	10/28/2004	K2408612, A41103-1	Kaiser Cold Mill Data Report, January 2005
CM-MW-8S	10/28/2004	K2408612, A41103-1	Kaiser Cold Mill Data Report, January 2005
HL-MW-20S	3/24/2005	K2502150, A50328-2	Kaiser Data Report Hot Line, Oil Reclamation, and G-3 Transfer Lines, June 2005
HL-MW-21S	3/24/2005	K2502147, A50328-3	Kaiser Data Report Hot Line, Oil Reclamation, and G-3 Transfer Lines, June 2005
HL-MW-22S	3/24/2005	K2502150, A50328-2	Kaiser Data Report Hot Line, Oil Reclamation, and G-3 Transfer Lines, June 2005
HL-MW-30	3/24/2005	A50328-2	Kaiser Data Report Hot Line, Oil Reclamation, and G-3 Transfer Lines, June 2005

**Table F-15 - Field Water Quality Parameter Statistics**

Parameter	Average	Minimum	Maximum	5th Percentile	95th Percentile
pH	7.6	4.6	9.5	8.3	6.8
Temperature in C	11.2	8	18.7	13.4	9.5
Conductivity in uS/cm	0.278	0.055	0.582	0.369	0.208
Dissolved oxygen in mg/L	6.7	0	11.9	10.4	0.8
Turbidity in NTUs	52	0	1,581	288	0
ORP in mV	114	-519	625	442	-64

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-8S	HL-MW-26S	HL-MW-23S	HL-MW-25S	HL-MW-30S	RM-MW-1S
<b>PCB Congeners in pg/L</b>						
CL1-PCB-1	0	0	0	0.06	1.12	0.05
CL1-PCB-2	0	0	0	0	0	0
CL1-PCB-3	0	0	0	1.54	0	0
CL2-PCB-4	1320	14.7	6.02	1150	809	507
CL2-PCB-5	0	0	0	0	0	0
CL2-PCB-6	76.9	1.76	0	7.72	45.9	28.6
CL2-PCB-7	20.11	0.73	1.2	9.01	3.16	2.02
CL2-PCB-8	538	6.12	2.47	3.58	139	97
CL2-PCB-9	5.37	0	0	2.94	6.22	7.19
CL2-PCB-10	102	5.56	0	159	111	90.8
CL2-PCB-11	0	0	0	0	0	0
CL2-PCB-12/13	74	8.17	0	33.2	20.8	42.6
CL2-PCB-14	0	0	0	0	0	0
CL2-PCB-15	2680	242	3.34	366	76.3	680
CL3-PCB-16	3070	49.6	3.45	1500	1130	826
CL3-PCB-17	2770	60.7	4.91	1600	1130	872
CL3-PCB-18/30	10198.34	219.34	46.14	7428.34	5008.34	3928.34
CL3-PCB-19	2038.63	156.63	38.63	5368.63	4428.63	2838.63
CL3-PCB-20/28	18197.34	1297.34	73.94	9157.34	6367.34	7487.34
CL3-PCB-21/33	2098.85	52.35	0	187.85	446.85	446.85
CL3-PCB-22	4629.014	595.014	13.614	1349.014	2749.014	2849.014
CL3-PCB-23	0	0	0	0	0	0
CL3-PCB-24	122	13.5	2.34	214	132	133
CL3-PCB-25	442	40.2	4.99	403	314	261
CL3-PCB-26/29	1920	150	15.9	1550	1090	1080
CL3-PCB-27	702	67.6	12.9	1100	869	583
CL3-PCB-31	13297.71	825.71	98.71	7307.71	5247.71	5367.71
CL3-PCB-32	4290	424	187	7230	5430	4150
CL3-PCB-34	39.9	3.19	0	37.7	27.6	27.9
CL3-PCB-35	134	3.43	0	0	0	0
CL3-PCB-36	0	0	0	0	0	0
CL3-PCB-37	5649.089	197.089	4.709	239.089	48.989	579.089
CL3-PCB-38	22.4	0	0	8.96	0	0
CL3-PCB-39	190	4.32	0	51.1	39.7	31
CL4-PCB-40/41/71	13598.74	492.74	82.94	4748.74	3308.74	3308.74
CL4-PCB-42	6090	238	48.6	2130	1460	1420
CL4-PCB-43	1060	36.7	3.85	403	294	266
CL4-PCB-44/47/65	19496.21	701.21	86.21	8006.21	5636.21	5096.21
CL4-PCB-45/51	3970	229	48.3	3350	2310	1860
CL4-PCB-46	1300	71.9	7.85	1200	876	696
CL4-PCB-48	4980	99.4	12.3	1280	874	796
CL4-PCB-49/69	12598.27	463.27	156.27	4568.27	3178.27	2668.27
CL4-PCB-50/53	3089.143	189.143	71.243	2979.143	2129.143	1589.143
CL4-PCB-52	22595.98	913.98	408.98	9955.98	6925.98	6065.98
CL4-PCB-54	59.2	5.03	5.05	97.5	81	52.2
CL4-PCB-55	0	16.7	0	46.8	0	0
CL4-PCB-56	11800	393	22.1	1180	708	1250
CL4-PCB-57	109	0	0	12.2	8.94	10
CL4-PCB-58	30	0	0	5.4	3.44	0
CL4-PCB-59/62/75	1880	82.3	23.5	671	441	437
CL4-PCB-60	8380	190	3.51	438	236	569
CL4-PCB-61/70/74/76	35296.56	1026.56	64.06	3986.56	2426.56	3706.56
CL4-PCB-63	1090	25.4	2.18	97.9	59.5	87.9
CL4-PCB-64	10499.127	476.127	203.127	3009.127	2059.127	2189.127
CL4-PCB-66	23998.54	617.54	39.74	1888.54	1068.54	1898.54

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-8S	HL-MW-26S	HL-MW-23S	HL-MW-25S	HL-MW-30S	RM-MW-1S
CL4-PCB-67	531	15.3	0	71.3	42.9	55.8
CL4-PCB-68	32.4	0	0	5.12	0	0
CL4-PCB-72	94	0	0	13.8	7.35	8.27
CL4-PCB-73	0	0	0	0	0	0
CL4-PCB-77	2440	17.1	0	5.25	0	31
CL4-PCB-78	0	0	0	0	0	0
CL4-PCB-79	152	3.3	0	8.41	5.76	11.9
CL4-PCB-80	0	0	0	0	0	0
CL4-PCB-81	143	0	0	0	0	0
CL5-PCB-82	2090	58.9	2.1	102	58.3	136
CL5-PCB-83/99	8027.55	133.55	7.31	345.55	197.55	321.55
CL5-PCB-84	2728.99	95.79	11.49	432.99	284.99	335.99
CL5-PCB-85/116/117	3670	71.3	7.32	129	72.6	143
CB-86/87/97/108/119/125	7508.45	200.45	17.75	508.45	306.45	483.45
CL5-PCB-88/91	2240	60.7	16.3	212	140	162
CL5-PCB-89	388	8.76	0	42.1	27.3	0
CL5-PCB-90/101/113	8546.32	178.32	19.62	551.32	333.32	459.32
CL5-PCB-92	1619.459	37.459	8.089	119.459	75.059	91.859
CL5-PCB-93/95/98/100/102	7647.11	211.11	59.61	1127.11	754.11	734.11
CL5-PCB-94	117	3.76	1.34	21	13.9	13.6
CL5-PCB-96	126	6.01	2.54	43.6	28.5	26.8
CL5-PCB-103	81.6	1.7	0	8.76	6.15	5.53
CL5-PCB-104	2.01	0	0	0.706	0.719	0
CL5-PCB-105	6438.9	82.5	0.34	50.6	13.5	131.9
CL5-PCB-106	0	0	0	0	0	0
CL5-PCB-107/124	408	7.16	0	6.74	2.86	9.81
CL5-PCB-109	824	11.8	0	11.2	4.73	17.9
CL5-PCB-110/115	8877.75	245.75	24.15	463.75	267.75	517.75
CL5-PCB-111	0	0	0	0	0	0
CL5-PCB-112	0	0	0	0	0	0
CL5-PCB-114	566	5.82	0.578	4.32	1.32	8.76
CL5-PCB-118	10896.66	138.66	0.3	123.66	44.26	216.66
CL5-PCB-120	10.5	0	0	0	0	0
CL5-PCB-121	0	0	0	0	0	0
CL5-PCB-122	249	4.38	0	3.76	1.39	6.47
CL5-PCB-123	377	5.53	0	3.88	1.25	7.72
CL5-PCB-126	48.2	0	0	0	0	0
CL5-PCB-127	0	0	0	0	0	0
CL6-PCB-128/166	454.415	4.215	0	1.035	0.196	4.465
CL6-PCB-129/138/160/163	2460.87	19.67	0	6.37	0	24.87
CL6-PCB-130	192	2.1	0	0.927	0.758	3.1
CL6-PCB-131	46.9	0.909	0	0.606	0	0.738
CL6-PCB-132	712.8	13.1	0.1	11.2	4.5	17.3
CL6-PCB-133	32.1	0.512	0	0	0	0
CL6-PCB-134/143	177	2.77	0	2.81	1.41	3.76
CL6-PCB-135/151/154	625.63	7.93	0	12.43	3.98	11.63
CL6-PCB-136	173.398	4.068	0.478	6.638	3.438	7.738
CL6-PCB-137	195	2.15	0	1.12	0	2.31
CL6-PCB-139/140	65.9	0.955	0	0.578	0	1.21
CL6-PCB-141	356.67	4.8	0	2.12	1	4.67
CL6-PCB-142	0	0	0	0	0	0
CL6-PCB-144	115	1.6	0	0	0.838	2.14
CL6-PCB-145	0.977	0	0	0	0	0
CL6-PCB-146	308.5	2.67	0	0.92	0	3.22
CL6-PCB-147/149	1446.32	21.92	0	22.52	9.12	25.92
CL6-PCB-148	1.92	0	0	0	0	0

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-8S	HL-MW-26S	HL-MW-23S	HL-MW-25S	HL-MW-30S	RM-MW-1S
CL6-PCB-150	2.71	0	0	0	0	0
CL6-PCB-152	3.35	0	0	0	0	0
CL6-PCB-153/168	1700.66	8.36	0	4.66	0	12.86
CL6-PCB-155	0	0	0	0	0	0
CL6-PCB-156/157	407.73	1.29	0	0	0	0.91
CL6-PCB-158	307.248	2.068	0	0.598	0	2.618
CL6-PCB-159	8.85	0	0	0	0	0
CL6-PCB-161	0	0	0	0	0	0
CL6-PCB-162	10.6	0	0	0	0	0
CL6-PCB-164	144.22	1.05	0	0.25	0	1.87
CL6-PCB-165	0	0	0	0	0	0
CL6-PCB-167	118	1.06	0	0	0	0.907
CL6-PCB-169	0	0	0	0	0	0
CL7-PCB-170	222.58	0	0	0	0	0
CL7-PCB-171/173	75.534	0.006	0	0	0	0
CL7-PCB-172	42.983	0.043	0	0	0	0
CL7-PCB-174	184.2	0.92	0	0	0	0.31
CL7-PCB-175	9.47	0	0	0	0	0
CL7-PCB-176	20.5	0	0	0	0	0
CL7-PCB-177	146.41	0.38	0	0	0	0
CL7-PCB-178	51.391	0	0	0	0	0
CL7-PCB-179	77.213	0.093	0	0	0	0.234
CL7-PCB-180/193	505.96	0	0	0	0	0
CL7-PCB-181	4.08	0	0	0	0	0
CL7-PCB-182	1.08	0	0	0	0	0
CL7-PCB-183/185	176	0	0	0	0	0
CL7-PCB-184	0	0	0	0	0	0
CL7-PCB-186	0	0	0	0	0	0
CL7-PCB-187	351.37	0	0	0	0	0
CL7-PCB-188	0	0	0	0	0	0
CL7-PCB-189	11.4	0	0	0	0	0
CL7-PCB-190	64.651	0	0	0	0	0
CL7-PCB-191	12.9	0	0	0	0	0
CL7-PCB-192	0	0	0	0	0	0
CL8-PCB-194	68.62	0	0	0	0	0
CL8-PCB-195	33.4	0	0	0	0	0
CL8-PCB-196	41.66	0	0	0	0	0
CL8-PCB-197/200	10.2	0	0	0	0	0
CL8-PCB-198/199	112.81	0	0	0	0	0
CL8-PCB-201	10.8	0	0	0	0	0
CL8-PCB-202	23.4	0	0	0	0	0
CL8-PCB-203	73.9	0	0	0	0	0
CL8-PCB-204	0	0	0	0	0	0
CL8-PCB-205	5.83	0	0	0	0	0
CL9-PCB-206	20.6	0	0	0	0	0
CL9-PCB-207	3.23	0	0	0	0	0
CL9-PCB-208	7.84	0	0	0	0	0
CL10-PCB-209	0.711	0.109	0.771	0.112	0.268	0
<b>Total Congener Conc (pg/L)</b>	<b>345,868.81</b>	<b>12,416.91</b>	<b>1,990.26</b>	<b>101,010.88</b>	<b>72,473.65</b>	<b>70,952.73</b>

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-15S	RM-MW-13S	RM-MW-17S	MW-12A	HL-MW-29S	HL-MW-5
<b>PCB Congeners in pg/L</b>						
CL1-PCB-1	0	7.42	207.72	0	12.02	0
CL1-PCB-2	0	0	0	0	0	0
CL1-PCB-3	0	1.66	14.34	0	3.84	0
CL2-PCB-4	1010	5260	41800	11.5	2290	380
CL2-PCB-5	0	12	62.9	0	2.31	0
CL2-PCB-6	31.3	446	5450	0	200	6.37
CL2-PCB-7	29.81	122.71	193.71	1.08	8.11	7.21
CL2-PCB-8	178	1930	13000	0	723	54.7
CL2-PCB-9	13.5	66.8	658	0	34.2	0
CL2-PCB-10	154	524	1480	3.59	294	79.3
CL2-PCB-11	0	0	0	0	0	0
CL2-PCB-12/13	72.3	317	923	0	144	28.8
CL2-PCB-14	0	0	0	0	0	0
CL2-PCB-15	1930	10200	14800	0	2310	707
CL3-PCB-16	1120	3120	22900	14.5	2850	671
CL3-PCB-17	1080	2950	23400	21.8	2830	859
CL3-PCB-18/30	4698.34	13798.34	77698.34	126.34	12498.34	4078.34
CL3-PCB-19	2698.63	10898.63	27398.63	191.63	8668.63	2198.63
CL3-PCB-20/28	10497.34	66797.34	140997.34	142.34	30997.34	5967.34
CL3-PCB-21/33	491.85	2178.85	14198.85	2.23	1948.85	311.85
CL3-PCB-22	4739.014	28299.014	51399.014	17.514	12499.014	2979.014
CL3-PCB-23	0	0	0	0	0	0
CL3-PCB-24	199	810	1240	5.07	400	132
CL3-PCB-25	223	1330	4820	11.2	1050	240
CL3-PCB-26/29	1290	8050	16400	32.3	4200	964
CL3-PCB-27	630	2580	6120	25.5	1990	564
CL3-PCB-31	5727.71	32497.71	99397.71	155.71	21397.71	4717.71
CL3-PCB-32	4760	21500	44200	218	13100	3590
CL3-PCB-34	29.9	174	431	0	94.7	21
CL3-PCB-35	47	617	581	0	42.3	0
CL3-PCB-36	0	0	0	0	0	0
CL3-PCB-37	1509.089	19799.089	26399.089	2.089	2089.089	313.089
CL3-PCB-38	6.95	38.9	110	0	25.3	4.64
CL3-PCB-39	39.6	173	661	0	128	33
CL4-PCB-40/41/71	3608.74	19098.74	61098.74	141.74	13698.74	2958.74
CL4-PCB-42	1580	8300	25000	74.5	5860	1340
CL4-PCB-43	300	1390	4100	11.2	970	255
CL4-PCB-44/47/65	4946.21	24796.21	96596.21	213.21	21596.21	4166.21
CL4-PCB-45/51	1830	7980	25500	117	7010	1610
CL4-PCB-46	654	2800	8980	36.7	2480	543
CL4-PCB-48	945	3930	16900	34.1	3330	824
CL4-PCB-49/69	2688.27	12698.27	49998.27	182.27	11598.27	2448.27
CL4-PCB-50/53	1389.143	5559.143	20699.143	126.143	5709.143	1299.143
CL4-PCB-52	5175.98	22995.98	104995.98	419.98	24595.98	4935.98
CL4-PCB-54	46.4	199	503	7.42	159	41.2
CL4-PCB-55	0	0	0	0	214	37.7
CL4-PCB-56	1770	12500	34800	26.5	5500	1160
CL4-PCB-57	21.1	165	280	0	49.1	10.4
CL4-PCB-58	6.87	50.6	99.9	0	15.6	4.45
CL4-PCB-59/62/75	605	3510	8370	21.6	1970	491
CL4-PCB-60	841	7080	18600	6.51	2580	485
CL4-PCB-61/70/74/76	4866.56	34996.56	106996.56	104.56	18396.56	3306.56
CL4-PCB-63	132	874	2470	3.26	435	89.3
CL4-PCB-64	2409.127	11999.127	43799.127	130.127	9569.127	1989.127
CL4-PCB-66	2678.54	19798.54	55998.54	37.44	8988.54	1708.54

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-15S	RM-MW-13S	RM-MW-17S	MW-12A	HL-MW-29S	HL-MW-5
CL4-PCB-67	105	933	1590	2.04	292	68.6
CL4-PCB-68	5.93	39.1	70	0	13.3	4.26
CL4-PCB-72	13.9	103	235	0	47.8	11.7
CL4-PCB-73	0	0	0	0	0	0
CL4-PCB-77	118	1690	3510	1.36	87	8.82
CL4-PCB-78	0	0	0	0	0	0
CL4-PCB-79	9.82	50.5	211	1.5	37.3	7.26
CL4-PCB-80	0	0	0	0	0	0
CL4-PCB-81	7.19	99.4	192	0	6.54	0
CL5-PCB-82	136	528	2650	2.34	383	96.8
CL5-PCB-83/99	393.55	1257.55	7737.55	10.25	1237.55	259.55
CL5-PCB-84	339.99	1008.99	6478.99	15.39	1278.99	276.99
CL5-PCB-85/116/117	172	571	3110	4.37	475	119
CB-86/87/97/108/119/125	537.45	1948.45	10498.45	19.15	1748.45	406.45
CL5-PCB-88/91	189	589	3570	11.9	667	144
CL5-PCB-89	38.2	133	672	1.42	128	0
CL5-PCB-90/101/113	534.32	1726.32	10696.32	18.82	1876.32	384.32
CL5-PCB-92	105.459	330.459	1949.459	5.549	376.459	82.059
CL5-PCB-93/95/98/100/102	778.11	2167.11	14697.11	56.11	3177.11	670.11
CL5-PCB-94	14.4	44.7	263	1.54	53	11.5
CL5-PCB-96	27	76.5	430	2.9	105	22.6
CL5-PCB-103	7.6	21.7	121	0	25.9	5.39
CL5-PCB-104	0	1.04	7.19	0	1.85	0
CL5-PCB-105	202.9	858.9	4268.9	0.6	314.9	76.6
CL5-PCB-106	0	8.49	16.6	0	0	0
CL5-PCB-107/124	15.9	66.3	330	0	35.6	8.22
CL5-PCB-109	29.5	120	582	0	60.3	14.8
CL5-PCB-110/115	604.75	2127.75	13197.75	14.95	1907.75	432.75
CL5-PCB-111	0	0	0	0	0	0
CL5-PCB-112	0	0	0	0	0	0
CL5-PCB-114	15.5	74	362	0	28.6	5.61
CL5-PCB-118	352.66	1296.66	7536.66	0.61	694.66	149.66
CL5-PCB-120	0	2.17	9.69	0	0	0
CL5-PCB-121	0	0	0	0	0	0
CL5-PCB-122	9.04	45.4	201	0	18.6	5.55
CL5-PCB-123	10.7	49.4	251	0	23.7	6.06
CL5-PCB-126	0	6.09	18.3	0	2.72	0
CL5-PCB-127	0	0	0	0	0	0
CL6-PCB-128/166	9.815	20.115	129.415	0.357	6.195	2.815
CL6-PCB-129/138/160/163	50.07	131.87	780.87	0	49.87	20.57
CL6-PCB-130	5.12	10.7	66.7	0	4.49	2.51
CL6-PCB-131	1.55	3.6	21.8	0	1.98	0
CL6-PCB-132	21.6	58.9	354.8	0.27	34.4	15.9
CL6-PCB-133	0.715	2.17	12.1	0	1.12	0
CL6-PCB-134/143	4.83	14.5	79.1	0	8.26	3.09
CL6-PCB-135/151/154	20.93	48.33	303.63	0	39.83	13.73
CL6-PCB-136	9.158	20.398	121.398	0.337	19.998	7.648
CL6-PCB-137	5.19	11	66	0	3.74	1.72
CL6-PCB-139/140	1.99	3.8	22.4	0	2.2	0
CL6-PCB-141	8.67	25.77	147.67	0	11.57	5.31
CL6-PCB-142	0	0	0	0	0	0
CL6-PCB-144	3.47	8.55	49.3	0	6.54	2.28
CL6-PCB-145	0	0	0	0	0	0
CL6-PCB-146	5.83	15.8	109.5	0	7.74	3.02
CL6-PCB-147/149	46.92	115.32	680.32	0	84.32	28.92
CL6-PCB-148	0	0	0.7	0	0	0

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	RM-MW-15S	RM-MW-13S	RM-MW-17S	MW-12A	HL-MW-29S	HL-MW-5
CL6-PCB-150	0	0	0.958	0	0	0
CL6-PCB-152	0	0	2.82	0	0	0
CL6-PCB-153/168	33.06	85.86	538.66	0	40.16	11.46
CL6-PCB-155	0	0	0	0	0	0
CL6-PCB-156/157	6.58	15.23	105.73	0	5.65	0.6
CL6-PCB-158	6.168	16.648	92.648	0	4.718	1.808
CL6-PCB-159	0	0	0	0	0	0
CL6-PCB-161	0	0	0	0	0	0
CL6-PCB-162	0	0	2.4100000	0	0	0
CL6-PCB-164	3.02	10.02	66.52	0	4.61	1.23
CL6-PCB-165	0	0	0	0	0	0
CL6-PCB-167	2.17	5.44	30.8	0	2.92	0
CL6-PCB-169	0	0	0	0	3.03	0
CL7-PCB-170	1.17	4.18	36.58	0	0.18	0
CL7-PCB-171/173	0.844	2.604	11.634	0	0	0
CL7-PCB-172	0.107	1.423	6.833	0	0	0
CL7-PCB-174	1.43	8.3	42.8	0	0.37	0.05
CL7-PCB-175	0	0.85	2.08	0	0	0
CL7-PCB-176	0.551	1.52	5.04	0	0	0
CL7-PCB-177	1.72	3.89	26.71	0	0	0
CL7-PCB-178	0.721	1.811	9.891	0	0	0
CL7-PCB-179	1.453	3.743	19.513	0	0.553	0.803
CL7-PCB-180/193	1.16	9.36	79.96	0	0	0
CL7-PCB-181	0	0	0	0	0	0
CL7-PCB-182	0	0	0	0	0.591	0
CL7-PCB-183/185	1.79	5.2	29.9	0	0.5	0
CL7-PCB-184	0	0	0	0	0	0
CL7-PCB-186	0	0	0	0	0	0
CL7-PCB-187	1.95	9.57	57.77	0	0	0
CL7-PCB-188	0	0	0	0	0	0
CL7-PCB-189	0	0	2.02	0	4.41	0
CL7-PCB-190	0.331	1.481	9.451	0	0	0
CL7-PCB-191	0	0	2.39	0	0	0
CL7-PCB-192	0	0	0	0	0	0
CL8-PCB-194	0.08	0.86	9.72	0	3.04	0
CL8-PCB-195	0.595	0.819	4.69	0	0.726	0
CL8-PCB-196	0	0	5.19	0	0.17	0
CL8-PCB-197/200	0	0	1.64	0	0	0
CL8-PCB-198/199	0	1.28	12.21	0	0	0
CL8-PCB-201	0	0	1.07	0	0	0
CL8-PCB-202	0	0.84	2.99	0	0.815	0
CL8-PCB-203	0.1	0.27	7.13	0	0	0
CL8-PCB-204	0	0	0	0	0	0
CL8-PCB-205	0	0	0.907	0	2.6	0
CL9-PCB-206	0	0	2.28	0	2.6	0
CL9-PCB-207	0	0	0	0	0	0
CL9-PCB-208	0	0	0	0	1.03	0
CL10-PCB-209	0	0.01	0.371	0.021	0.851	0.202
<b>Total Congener Conc (pg/L)</b>	<b>84,735.00</b>	<b>453,876.64</b>	<b>1,422,367.10</b>	<b>2,848.44</b>	<b>283,022.20</b>	<b>62,013.94</b>



**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	HL-MW-17S	HL-MW-13DD	HL-MW-7S	HL-MW-14S	MW-17S
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1	0.04	2.686	0.126	3.596	0.236
CL1-PCB-2	0	0	0	0	0
CL1-PCB-3	0	1.61	0	0.34	0.96
CL2-PCB-4	1060	328	98.9	949	5.33
CL2-PCB-5	0	0	0	0	0
CL2-PCB-6	53.7	52.8	15.8	78.1	0
CL2-PCB-7	0	3.88	0	4.52	0
CL2-PCB-8	198	221	55.2	299	2.35
CL2-PCB-9	5.42	13.6	2.29	13	0
CL2-PCB-10	131	87	24.3	144	2.42
CL2-PCB-11	0	0	3.06	0	0.97
CL2-PCB-12/13	64.3	20.7	37.2	52.9	0
CL2-PCB-14	0	0	0	0	0
CL2-PCB-15	1760	353	563	507	0
CL3-PCB-16	978	440.93	257.93	1558.93	0.96
CL3-PCB-17	918	464.96	242.96	1648.96	3.52
CL3-PCB-18/30	4278.34	2877.56	1647.56	7317.56	32.66
CL3-PCB-19	3238.63	2069.259	926.259	5049.259	71.959
CL3-PCB-20/28	13897.34	7846.93	6746.93	13296.93	44.03
CL3-PCB-21/33	544.85	405.28	408.28	894.28	2.57
CL3-PCB-22	6329.014	3148.87	3248.87	5488.87	22.47
CL3-PCB-23	0	0	0	0	0
CL3-PCB-24	227	105	68.9	182	1.24
CL3-PCB-25	359	201	251	507	3.8
CL3-PCB-26/29	1890	1039.387	1009.387	1929.387	7.237
CL3-PCB-27	815	399	377	1170	5.4
CL3-PCB-31	7007.71	5187.71	5507.71	9867.71	72.41
CL3-PCB-32	6460	3459.069	2279.069	7319.069	135.069
CL3-PCB-34	39.9	24.6	22.5	47.2	0.721
CL3-PCB-35	53.9	4.03	8.21	7.21	0
CL3-PCB-36	0	0	0	0	0
CL3-PCB-37	1499.089	181	416	337	1.53
CL3-PCB-38	9.9	4.36	1.99	8.73	0
CL3-PCB-39	46.9	19.4	13.7	42.5	0
CL4-PCB-40/41/71	4458.74	3758.59	2308.59	5778.59	47.19
CL4-PCB-42	1990	1670	1030	2550	33.6
CL4-PCB-43	346	253	183	433	3.7
CL4-PCB-44/47/65	5676.21	5687.71	3767.71	9567.71	58.61
CL4-PCB-45/51	2390	1930	1160	3430	60.9
CL4-PCB-46	857	706	331	1230	15.6
CL4-PCB-48	981	742	576	1530	9.35
CL4-PCB-49/69	3118.27	2838.7	2558.7	5348.7	63
CL4-PCB-50/53	1749.143	1570	1110	3000	64.9
CL4-PCB-52	5935.98	6356.85	5636.85	11196.85	197.85
CL4-PCB-54	60.6	36.3	22	86.2	6.34
CL4-PCB-55	129	0	0	0	0
CL4-PCB-56	1870	1490	1420	1930	12.5
CL4-PCB-57	24.6	12.3	10.7	17.3	0
CL4-PCB-58	8.07	4.22	3.82	6.23	0
CL4-PCB-59/62/75	775	507	400	811	10.4
CL4-PCB-60	839	660	635	847	1.98
CL4-PCB-61/70/74/76	4906.56	4716.93	4476.93	6656.93	34.63
CL4-PCB-63	134	112	103	154	1.22
CL4-PCB-64	2799.127	2509.2	2229.2	3829.2	94.6
CL4-PCB-66	2678.54	2458.64	2268.64	3248.64	15.44

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	HL-MW-17S	HL-MW-13DD	HL-MW-7S	HL-MW-14S	MW-17S
CL4-PCB-67	133	75.7	62.6	110	0
CL4-PCB-68	6.87	0	3.12	6.11	0
CL4-PCB-72	16.4	11.4	9.7	17.7	0
CL4-PCB-73	0	0	0	0	0
CL4-PCB-77	55	3.74	16	6.37	0
CL4-PCB-78	0	0	0	0	0
CL4-PCB-79	9.55	9.25	6.7	9.04	0
CL4-PCB-80	0	0	1.16	0	0
CL4-PCB-81	3.68	0	0	0	0
CL5-PCB-82	101	145	96.2	138	1.24
CL5-PCB-83/99	258.55	489.15	313.15	510.15	7.45
CL5-PCB-84	274.99	447	243	507	11.1
CL5-PCB-85/116/117	118	172.95	141.95	176.95	3.27
CB-86/87/97/108/119/125	394.45	636.92	432.92	691.92	12.22
CL5-PCB-88/91	142	225.313	141.313	260.313	9.413
CL5-PCB-89	31.9	47	17.2	47.6	0.994
CL5-PCB-90/101/113	356.32	635.37	453.37	734.37	17.07
CL5-PCB-92	78.159	124	93.2	143	6.29
CL5-PCB-93/95/98/100/102	611.11	1036.94	693.94	1296.94	55.34
CL5-PCB-94	11.1	17.9	11.2	21.5	1.4
CL5-PCB-96	24.7	33.4	18.7	42.6	3.94
CL5-PCB-103	5.57	8.38	4.54	10.3	0
CL5-PCB-104	0	0	0	0	0
CL5-PCB-105	90	87.28	94.78	65.28	0
CL5-PCB-106	0	0	0	0	0
CL5-PCB-107/124	7.68	12	9.64	10.8	0
CL5-PCB-109	14.6	18.7	18.9	18.2	0
CL5-PCB-110/115	397.75	643.05	539.05	685.05	10.45
CL5-PCB-111	0	0	0	0	0
CL5-PCB-112	0	0	0	0	0
CL5-PCB-114	7.73	5.87	7.03	5.61	0
CL5-PCB-118	161.66	204.08	185.08	180.08	0
CL5-PCB-120	0	0	0	0	0
CL5-PCB-121	0	0	0	0	0
CL5-PCB-122	5.25	6.73	6.27	4.81	0
CL5-PCB-123	4.65	7.27	5.02	5.15	0
CL5-PCB-126	0	0	0	0	0
CL5-PCB-127	0	0	0	0	0
CL6-PCB-128/166	3.515	3.5	2.58	1.56	0.34
CL6-PCB-129/138/160/163	15.27	28.17	18.97	13.07	0.11
CL6-PCB-130	2.2	3.18	1.96	1.62	0
CL6-PCB-131	1.14	1.4	0	0	0
CL6-PCB-132	13.4	19.18	14.48	11.98	0.91
CL6-PCB-133	0	0	0	0.646	0
CL6-PCB-134/143	2.72	4.74	2.89	2.96	0
CL6-PCB-135/151/154	10.03	17.67	11.47	12.97	0.4
CL6-PCB-136	5.628	10.6	7.68	8.05	1
CL6-PCB-137	1.92	2.6	1.55	1.39	0
CL6-PCB-139/140	1.47	1.29	0.626	0.634	0
CL6-PCB-141	3.77	7.08	4.2	3.41	0
CL6-PCB-142	0	0	0	0	0
CL6-PCB-144	2.08	3.84	1.65	1.97	0
CL6-PCB-145	0	0	0	0	0
CL6-PCB-146	2.65	5.11	3.4	2.41	0.215
CL6-PCB-147/149	22.52	38.26	26.96	28.26	0.51
CL6-PCB-148	0	0	0	0	0

Hart Crowser

**Table F-16 - Summary of Blank Corrected PCB Congener Data from October 2007**

Sample ID:	HL-MW-17S	HL-MW-13DD	HL-MW-7S	HL-MW-14S	MW-17S
CL6-PCB-150	0	0	0	0	0
CL6-PCB-152	0	0	0	0	0
CL6-PCB-153/168	8.86	22.73	14.43	11.73	0.21
CL6-PCB-155	0	0	0	0	0
CL6-PCB-156/157	1.39	0.81	0.42	0	0
CL6-PCB-158	1.648	2.67	1.03	0.57	0
CL6-PCB-159	0	0	0	0	0
CL6-PCB-161	0	0	0	0	0
CL6-PCB-162	0	0	0	0	0
CL6-PCB-164	0.63	2.32	1.7	1.73	0
CL6-PCB-165	0	0	0	0	0
CL6-PCB-167	0.702	0.854	0.768	0.575	0
CL6-PCB-169	0	0	0	0	0
CL7-PCB-170	0	0	0	0	0
CL7-PCB-171/173	0	0	0	0	0
CL7-PCB-172	0	0	0	0	0
CL7-PCB-174	0.19	1.171	0.531	0.651	0.207
CL7-PCB-175	0	0	0	0	0
CL7-PCB-176	0	0	0	0	0
CL7-PCB-177	0	0.015	0	0	0
CL7-PCB-178	0	0	0	0	0
CL7-PCB-179	0.196	1.16	0.563	0	0
CL7-PCB-180/193	0	0.61	0.77	0	0.26
CL7-PCB-181	0	0	0	0	0
CL7-PCB-182	0	0	0	0	0
CL7-PCB-183/185	0	0.717	0.26	0.12	0.215
CL7-PCB-184	0	0	0	0	0
CL7-PCB-186	0	0	0	0	0
CL7-PCB-187	0	1.45	1.03	0.28	0.32
CL7-PCB-188	0	0	0	0	0
CL7-PCB-189	0	0	0	0	0
CL7-PCB-190	0	0	0	0	0
CL7-PCB-191	0	0	0	0	0
CL7-PCB-192	0	0	0	0	0
CL8-PCB-194	0	0	0.185	0	0.088
CL8-PCB-195	0	0	0	0	0
CL8-PCB-196	0	0	0	0	0
CL8-PCB-197/200	0	0	0	0	0
CL8-PCB-198/199	0	0	0	0	0
CL8-PCB-201	0	0	0	0	0
CL8-PCB-202	0	0	0	0	0
CL8-PCB-203	0	0	0	0.702	0
CL8-PCB-204	0	0	0	0	0
CL8-PCB-205	0	0	0	0	0
CL9-PCB-206	0	0	0	0	0
CL9-PCB-207	0	0	0	0	0
CL9-PCB-208	0	0	0	0	0
CL10-PCB-209	0	0	0	0	0.129
<b>Total Congener Conc (pg/L)</b>	97,015.47	72267.581	58211.107	126187.532	1294.743

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-29S	RM-WS-1S	RM-MW-17S	RM-MW-15S	HL-MW-17S
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1	6.46	1.46	1650	6.9	4.38
CL1-PCB-2	0	U	0	U	15.3
CL1-PCB-3	3.76	0.668	724.308	3.078	0.838
CL2-PCB-4	2030	569	59500	733	522
CL2-PCB-5	2.2	K	0	U	129
CL2-PCB-6	175	31.2	8570	88.7	56.5
CL2-PCB-7	14.04	0	409.71	4.96	2.67
CL2-PCB-8	642	99.9	28500	490	306
CL2-PCB-9	27.7	4.54	1110	17.7	10.8
CL2-PCB-10	292	104	1680	129	74.6
CL2-PCB-11	0	U	1.53	17.8	2.95
CL2-PCB-12/13	119	105	1440	69.8	24.4
CL2-PCB-14	0	U	0	U	0
CL2-PCB-15	1570	1910	20900	1780	718
CL3-PCB-16	2840	2620	36600	1270	725
CL3-PCB-17	2890	2640	39300	1430	754
CL3-PCB-18/30	12699.123	11199.212	115999.212	5799.212	3229.212
CL3-PCB-19	6250	5280	44200	3240	2050
CL3-PCB-20/28	26798.19	22898.91	266998.91	17698.91	8598.91
CL3-PCB-21/33	1779.289	1170	32000	979	479
CL3-PCB-22	10499.151	9420	95700	6600	3840
CL3-PCB-23	0	U	0	U	71.2
CL3-PCB-24	326	314	2710	276	166
CL3-PCB-25	877	762	9230	381	200
CL3-PCB-26/29	3640	3020	29500	1620	976
CL3-PCB-27	1910	1790	12000	842	518
CL3-PCB-31	18898.84	18799.212	178999.212	7879.212	3819.212
CL3-PCB-32	11700	12200	73600	5320	3320
CL3-PCB-34	80	62	773	46.4	22.7
CL3-PCB-35	35.4	18.7	779	60.9	K
CL3-PCB-36	0	U	0	U	0
CL3-PCB-37	1399.465	1820	37900	1910	611
CL3-PCB-38	11.1	0	U	118	K
CL3-PCB-39	76	47.7	879	27	9.62
CL4-PCB-40/41/71	11200	6099.479	97099.479	5929.479	2909.479
CL4-PCB-42	5030	2640	41800	2810	1300
CL4-PCB-43	791	426	8720	491	240
CL4-PCB-44/47/65	18198.5	12599.011	160999.011	8289.011	3979.011
CL4-PCB-45/51	6380	4420	46500	2900	1670
CL4-PCB-46	2230	1410	16300	977	590
CL4-PCB-48	2840	1670	29900	1840	705
CL4-PCB-49/69	9839.284	6469.329	83399.329	5119.329	2159.329
CL4-PCB-50/53	5210	4010	35800	2220	1260
CL4-PCB-52	20597.99	16398.61	163998.61	9528.61	4018.61
CL4-PCB-54	121	87.6	742	53.9	36.4
CL4-PCB-55	0	U	0	U	2870
CL4-PCB-56	4530	1890	51300	3570	1170
CL4-PCB-57	38.1	15.4	396	37	13.5
CL4-PCB-58	0	U	3.38	166	8.49
CL4-PCB-59/62/75	1640	861	15500	959	497
CL4-PCB-60	2100	895	30800	2180	578
CL4-PCB-61/70/74/76	14598.08	7789.007	181999.007	9199.007	3329.007
CL4-PCB-63	338	156	4020	274	84.6
CL4-PCB-64	7870	4980	70700	4200	1810
CL4-PCB-66	7150	3759.406	96799.406	6819.406	1929.406

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-29S	RM-WS-1S	RM-MW-17S	RM-MW-15S	HL-MW-17S
<b>PCB Congeners in pg/L</b>					
CL4-PCB-67	241	100	2700	171	89.8
CL4-PCB-68	11.2	5.45	123	11.2	4.7
CL4-PCB-72	37.4	15.3	307	25.8	8.8
CL4-PCB-73	0	U	0	0	U
CL4-PCB-77	54	61.8	4280	353	27.7
CL4-PCB-78	0	U	0	U	0
CL4-PCB-79	23.1	8.28	239	9.88	2.54
CL4-PCB-80	0	U	0	U	0
CL4-PCB-81	0	U	K	236	1.88
CL5-PCB-82	350	171	3500	347	82.7
CL5-PCB-83/99	1060	413	10600	1430	234
CL5-PCB-84	1140	440	9740	602	216
CL5-PCB-85/116/117	418	183	4160	636	98
CB-86/87/97/108/119/125	1529.315	607	13600	1150	319
CL5-PCB-88/91	555	233	5110	454	115
CL5-PCB-89	109	38.3	948	82.1	25.5
CL5-PCB-90/101/113	1568.95	618	14400	1440	330
CL5-PCB-92	316	113	2710	299	64.9
CL5-PCB-93/95/98/100/102	2668.51	1050	22400	1710	485
CL5-PCB-94	45.1	18.4	339	28.1	8.91
CL5-PCB-96	87.4	32	777	31.9	17.8
CL5-PCB-103	22.7	7.6	173	18.1	4.63
CL5-PCB-104	1.07	K	0	U	4.63
CL5-PCB-105	223	232	4950	704	61.4
CL5-PCB-106	0	U	0	U	0
CL5-PCB-107/124	29.2	13.7	369	34.9	6.67
CL5-PCB-109	55	27.8	732	111	11.4
CL5-PCB-110/115	1649.027	729.309	17099.309	1179.309	307.309
CL5-PCB-111	0	U	0	U	0
CL5-PCB-112	0	U	0	U	0
CL5-PCB-114	20.1	12.3	368	57.8	4.25
CL5-PCB-118	523.214	391.28	9209.28	1139.28	122.28
CL5-PCB-120	0	U	0	U	13.5
CL5-PCB-121	0	U	0	U	1.1
CL5-PCB-122	15.8	7.42	189	32.2	K
CL5-PCB-123	14.5	11.1	306	36.1	0
CL5-PCB-126	0	U	0	U	4.09
CL5-PCB-127	0	U	0	U	0
CL6-PCB-128/166	5.81	10.3	172	62.1	4.56
CL6-PCB-129/138/160/163	46.604	47.878	904.478	323.478	25.978
CL6-PCB-130	3.63	K	3.82	62.8	2.09
CL6-PCB-131	1.99	K	1.31	21.7	4.53
CL6-PCB-132	32.7	29	400	67.3	0.677
CL6-PCB-133	1.11	0.646	11.2	3.76	12.3
CL6-PCB-134/143	6.56	K	5.19	84.2	K
CL6-PCB-135/151/154	32.5	17	335	73.8	0
CL6-PCB-136	16.1	8.9	170	20.9	2.9
CL6-PCB-137	2.76	2.89	64.8	25.1	11.2
CL6-PCB-139/140	1.65	K	1.41	21.3	73.8
CL6-PCB-141	10.3	7.62	154	34.7	5.59
CL6-PCB-142	0	U	0	U	1.67
CL6-PCB-144	4.24	2.28	54.4	11.5	1.04
CL6-PCB-145	0	U	0	U	4.88
CL6-PCB-146	7.57	5.91	K	117	0
CL6-PCB-147/149	70.216	39.3	757	172	4.24

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-29S	RM-WS-1S	RM-MW-17S	RM-MW-15S	HL-MW-17S					
<b>PCB Congeners in pg/L</b>										
CL6-PCB-148	0	U	0	U	1.2	K	0	U	0	U
CL6-PCB-150	0	U	0	U	1.72		0	U	0	U
CL6-PCB-152	0	U	0	U	5.24		0	U	0	U
CL6-PCB-153/168	38.917		25.838		565.338		213.338		19.638	
CL6-PCB-155	0	U	0	U	0	U	0	U	0	U
CL6-PCB-156/157	1.96		4.03		121		52.8		3.03	
CL6-PCB-158	3.95		3.59	K	106		38.8		2.39	
CL6-PCB-159	0	U	0	U	2.06	K	0.688		0	U
CL6-PCB-161	0	U	0	U	0		0	U	0	U
CL6-PCB-162	0	U	0	U	2.2		1.3	K	0	U
CL6-PCB-164	3.94		2.79		59.2		10.7		1.72	
CL6-PCB-165	0	U	0	U	0	U	0	U	0	U
CL6-PCB-167	0.604	K	1.32		34.4		15.7		0.869	K
CL6-PCB-169	0	U	0	U	0	U	0	U	0	U
CL7-PCB-170	0.58		2.14	K	51		27.3		2.06	
CL7-PCB-171/173	0	U	0.564	K	12.1		11		0.755	K
CL7-PCB-172	0	U	0	U	6.83		5.05		0.513	K
CL7-PCB-174	1.66	K	2.55		44.3		17.1		2.05	K
CL7-PCB-175	0	U	0	U	1.86		1.65	K	0	U
CL7-PCB-176	0	U	0	U	5.08	K	2.55		0	U
CL7-PCB-177	0.872		0	U	35.1		20		1.48	
CL7-PCB-178	0	U	0.593	K	9.97		8.14		0.695	K
CL7-PCB-179	0.915	K	1.07		19		10.9		1.09	
CL7-PCB-180/193	1.68		4.92	K	101		66.7		4.58	
CL7-PCB-181	0	U	0	U	0.637	K	0	U	0	U
CL7-PCB-182	0	U	0	U	0	U	0	U	0	U
CL7-PCB-183/185	0	U	1.4		0	U	25.4		1.68	
CL7-PCB-184	0	U	0	U	0	U	0	U	0	U
CL7-PCB-186	0	U	0	U	0	U	0	U	0	U
CL7-PCB-187	2.79		3.71		61.2		57		3.61	
CL7-PCB-188	0	U	0	U	0	U	0	U	0	U
CL7-PCB-189	0	U	0	U	2.01	K	1.01		0	U
CL7-PCB-190	0	U	0	U	11.2		10.1		0.679	K
CL7-PCB-191	0	U	0	U	2.68		2.09		0	U
CL7-PCB-192	0	U	0	U	0	U	0	U	0	U
CL8-PCB-194	0	U	0.694	K	10.6		7.99		0.627	K
CL8-PCB-195	0	U	0	U	4.06		3.94		0	U
CL8-PCB-196	0	U	0.642		5.73		4.51		0.519	K
CL8-PCB-197/200	0	U	0	U	1.51		1.07	K	0	U
CL8-PCB-198/199	0	U	0.982	K	15.8		12.2	K	1.69	K
CL8-PCB-201	0	U	0	U	1.5		1.25	K	0	U
CL8-PCB-202	0	U	0	U	2.72		3.97		0	U
CL8-PCB-203	0	U	1.09		8.2		6.42		0.849	
CL8-PCB-204	0	U	0	U	0	U	0	U	0	U
CL8-PCB-205	0	U	0	U	0.92	K	1.03		0	U
CL9-PCB-206	0	U	0	U	3.13		1.45	K	0	U
CL9-PCB-207	0	U	0	U	0	U	0	U	0	U
CL9-PCB-208	0	U	0	U	0.725		0.927		0	U
CL10-PCB-209	0.656		0	K	0.005		0.221		0.104	K
Total Congener	241363.522		179,252.97		2,376,043.7		140,005.24		62,271.53	

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-5	HL-MW-23S	MW-17S	RM-MW-16S	HL-MW-30S
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1	1.72	0.545	K	0.634	9.03
CL1-PCB-2	0	U	0	U	0
CL1-PCB-3	0.468	K	0	K	5.508
CL2-PCB-4	738	4.19	36.1	4530	1210
CL2-PCB-5	0	U	0	U	0
CL2-PCB-6	42.5	0	U	1.27	296
CL2-PCB-7	1.19	0	U	1.26	10.51
CL2-PCB-8	202	2.81	6.83	1630	247
CL2-PCB-9	7.57	0	U	0	U
CL2-PCB-10	117	1.77	12	247	167
CL2-PCB-11	1.59	0	0.86	0.19	1.21
CL2-PCB-12/13	26.9	0	U	0	U
CL2-PCB-14	0	U	0	U	0
CL2-PCB-15	580	3.34	0	U	7830
CL3-PCB-16	1110	3.24	26.5	5970	1760
CL3-PCB-17	1180	9.28	42.3	6760	1770
CL3-PCB-18/30	5159.212	73.412	396.212	26099.212	8229.212
CL3-PCB-19	2800	62.7	401	10800	6060
CL3-PCB-20/28	8218.91	202.91	221.91	49898.91	11398.91
CL3-PCB-21/33	479	2.59	14.9	4500	726
CL3-PCB-22	3440	116	140	14500	4490
CL3-PCB-23	0	U	0	U	0
CL3-PCB-24	197	4.38	12.5	559	242
CL3-PCB-25	258	10.5	13.7	1770	441
CL3-PCB-26/29	1090	38.6	53	5310	1780
CL3-PCB-27	692	25.2	52.3	2920	1380
CL3-PCB-31	4999.212	311.212	333.212	39799.212	9259.212
CL3-PCB-32	4080	369	473	13200	8390
CL3-PCB-34	24.1	0	U	1.39	K
CL3-PCB-35	6.75	0	U	0	U
CL3-PCB-36	0	U	0	U	0
CL3-PCB-37	237	5.94	2.27	6510	71.7
CL3-PCB-38	0	U	0	U	0
CL3-PCB-39	14.1	K	0	U	52.8
CL4-PCB-40/41/71	3239.479	123.479	222.479	9849.479	5469.479
CL4-PCB-42	1450	68.1	124	4150	2440
CL4-PCB-43	279	6.39	24.1	865	473
CL4-PCB-44/47/65	4869.011	139.011	383.011	14899.011	10099.011
CL4-PCB-45/51	1940	102	269	5730	4350
CL4-PCB-46	636	17.4	71.3	1800	1520
CL4-PCB-48	913	17	50	3290	1550
CL4-PCB-49/69	2779.329	236.329	336.329	8449.329	5859.329
CL4-PCB-50/53	1570	138	308	4300	3920
CL4-PCB-52	5628.61	606.61	964.61	15698.61	12798.61
CL4-PCB-54	45.4	8.43	12.5	118	105
CL4-PCB-55	0	U	0	U	415
CL4-PCB-56	1270	31.3	42.8	4980	1080
CL4-PCB-57	11.3	0	U	0	U
CL4-PCB-58	3.64	0	U	0	U
CL4-PCB-59/62/75	555	36.3	39.2	1950	760
CL4-PCB-60	555	4.41	6.96	3080	392
CL4-PCB-61/70/74/76	3779.007	98.107	137.007	15999.007	4279.007
CL4-PCB-63	97.3	3.04	3.27	362	104
CL4-PCB-64	2230	255	272	6780	3610
CL4-PCB-66	2019.406	55.606	54.406	8589.406	1889.406

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-5	HL-MW-23S	MW-17S	RM-MW-16S	HL-MW-30S
<b>PCB Congeners in pg/L</b>					
CL4-PCB-67	71.4	1.51	1.41	356	72.2
CL4-PCB-68	4	0	U	0	U 15.8
CL4-PCB-72	10.7	0.66	0	U 36	13.1
CL4-PCB-73	0	U 0	U 0	U 0	U 0
CL4-PCB-77	8.34	0.689	0	U 416	0
CL4-PCB-78	0	U 0	U 0	U 0	U 0
CL4-PCB-79	4.62	K 0	U 0	U 9.28	6.19
CL4-PCB-80	0	U 0	U 0	U 0	U 0
CL4-PCB-81	0	U 0	U 0	U 22.8	0
CL5-PCB-82	106	2.19	6.07	258	79.1
CL5-PCB-83/99	311	11.3	20.4	714	317
CL5-PCB-84	321	17	40.8	595	454
CL5-PCB-85/116/117	135	7.88	K 11.3	312	108
CB-86/87/97/108/119/125	454	19.9	44.1	988	453
CL5-PCB-88/91	167	19.4	29.9	328	229
CL5-PCB-89	29.7	0.863	K 2.48	60	40.3
CL5-PCB-90/101/113	456	26.3	56.9	979	547
CL5-PCB-92	94.6	10.3	15.6	186	118
CL5-PCB-93/95/98/100/102	772	90.5	172	1360	1310
CL5-PCB-94	12.9	2.23	K 3.68	22.4	21.5
CL5-PCB-96	22.3	4.47	8.15	42.5	62.4
CL5-PCB-103	5.96	0	U 0.964	K 11.9	10.3
CL5-PCB-104	0	U 0	U 0	U 0	U 0
CL5-PCB-105	65.1	0.732	K 1.13	K 279	16
CL5-PCB-106	0	U 0	U 0	U 2.15	K 0
CL5-PCB-107/124	8.61	0	U 0	U 24.5	4.04
CL5-PCB-109	14.9	0	U 0.52	K 42.9	6.29
CL5-PCB-110/115	485.309	27.409	36.909	1149.309	392.309
CL5-PCB-111	0	U 0	U 0	U 0	U 0
CL5-PCB-112	0	U 0	U 0	U 0	U 0
CL5-PCB-114	5.42	0	U 0	U 24.3	1.77
CL5-PCB-118	130.28	1.19	1.93	K 457.28	58.38
CL5-PCB-120	0	U 0	U 0	U 0.806	K 0
CL5-PCB-121	0	U 0	U 0	U 0	U 0
CL5-PCB-122	4.5	0	U 0	U 14.7	K 0.997
CL5-PCB-123	4.55	K 0	U 0	U 14.7	1.91
CL5-PCB-126	0	U 0	U 0	U 0	U 0
CL5-PCB-127	0	U 0	U 0	U 0	U 0
CL6-PCB-128/166	5.01	0	U 0	U 12.6	0.85
CL6-PCB-129/138/160/163	29.678	0.938	2.548	72.878	5.738
CL6-PCB-130	2.4	0	U 0	U 5.35	0.748
CL6-PCB-131	0.678	0	U 0	U 1.49	0
CL6-PCB-132	17.3	1.41	1.23	K 29.8	7.02
CL6-PCB-133	0.524	K 0	U 0	U 1.12	0
CL6-PCB-134/143	3.33	0	U 0	U 6.81	1.7
CL6-PCB-135/151/154	14.7	1.78	1.78	24.8	9.71
CL6-PCB-136	7.64	1.3	1.26	10.2	K 6.73
CL6-PCB-137	1.7	0	U 0	U 4.92	0.556
CL6-PCB-139/140	0.914	0	U 0	U 1.51	0
CL6-PCB-141	6.61	0	U 0.676	K 13.4	1.67
CL6-PCB-142	0	U 0	U 0	U 0	U 0
CL6-PCB-144	1.97	0	U 0	U 3.62	K 1.34
CL6-PCB-145	0	U 0	U 0	U 0	U 0
CL6-PCB-146	4.59	0	U 0.644	9.37	1.35
CL6-PCB-147/149	34.4	2.37	3.31	61.1	18

Hart Crowser



**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-5	HL-MW-23S	MW-17S	RM-MW-16S	HL-MW-30S
<b>PCB Congeners in pg/L</b>					
CL6-PCB-148	0	U	0	U	0
CL6-PCB-150	0	U	0	U	0
CL6-PCB-152	0	U	0	U	0
CL6-PCB-153/168	21.938		0.458	K	1.678
CL6-PCB-155	0	U	0	U	0
CL6-PCB-156/157	1.78		0	U	0.567
CL6-PCB-158	2.4		0	U	0
CL6-PCB-159	0	U	0	U	0
CL6-PCB-161	0	U	0	U	0
CL6-PCB-162	0	U	0	U	0
CL6-PCB-164	2.17		0	U	0
CL6-PCB-165	0	U	0	U	0
CL6-PCB-167	0.656	K	0	U	0
CL6-PCB-169	0	U	0	U	0
CL7-PCB-170	1.19		0	U	0.902
CL7-PCB-171/173	0	U	0	U	0
CL7-PCB-172	0	U	0	U	0
CL7-PCB-174	2.28		0	U	0.548
CL7-PCB-175	0	U	0	U	0
CL7-PCB-176	0	U	0	U	0
CL7-PCB-177	1.4	K	0	U	0.597
CL7-PCB-178	0.601		0	U	0
CL7-PCB-179	1.44		0	U	0
CL7-PCB-180/193	3.2		0.501		2.36
CL7-PCB-181	0	U	0	U	0
CL7-PCB-182	0	U	0	U	0
CL7-PCB-183/185	1.7	K	0	U	0.55
CL7-PCB-184	0	U	0	U	0
CL7-PCB-186	0	U	0	U	0
CL7-PCB-187	3.63		0	U	1.2
CL7-PCB-188	0	U	0	U	0
CL7-PCB-189	0	U	0	U	0
CL7-PCB-190	0	U	0	U	0
CL7-PCB-191	0	U	0	U	0
CL7-PCB-192	0	U	0	U	0
CL8-PCB-194	0	U	0	U	0.628
CL8-PCB-195	0	U	0	U	0
CL8-PCB-196	0	U	0	U	0
CL8-PCB-197/200	0	U	0	U	0
CL8-PCB-198/199	0.778	K	0	U	1.61
CL8-PCB-201	0	U	0	U	0
CL8-PCB-202	0	U	0	U	0
CL8-PCB-203	0	U	0	U	0
CL8-PCB-204	0	U	0	U	0
CL8-PCB-205	0	U	0	U	0
CL9-PCB-206	0	U	0	U	0
CL9-PCB-207	0	U	0	U	0
CL9-PCB-208	0	U	0	U	0
CL10-PCB-209	0.047	K	0	K	0.105
Total Congener	73,456.55		3,447.41		6,040.60
					324,197.0
					123,129.15

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	RM-MW-8S	MW-12A	RM-MW-13S	HL-MW-26S	HL-MW-28DD
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1					
CL1-PCB-2	1.91	1.2	14.3	0.968	K 4.22
CL1-PCB-3	0.567	0	U 1.05	K 0	U 0.618 K
CL2-PCB-4	0.858	K 0	U 4.118	0.518	2.998
CL2-PCB-5	470	174	2620	217	710
CL2-PCB-6	0	U 0	U 8.15	0	U 0 U
CL2-PCB-7	54.3	6.95	296	17.9	84.8
CL2-PCB-8	3.92	0	U 17.71	0	U 5.01
CL2-PCB-9	479	0	U 1370	58.5	372
CL2-PCB-10	7.62	0	U 37.7	2.11	K 20.6
CL2-PCB-11	46.8	28.7	447	51.7	153
CL2-PCB-12/13	3.53	0	U 3.64	7.5	0.57
CL2-PCB-14	103	0	U 499	35.1	41.3
CL2-PCB-15	0	U 0	U 0	U 0	U 0 U
CL3-PCB-16	2200	11.9	K 8410	547	715
CL3-PCB-17	3040	180	3250	528	1020
CL3-PCB-18/30	3580	192	3830	531	1010
CL3-PCB-19	11199.212	950.212	16699.212	2139.212	5849.212
CL3-PCB-20/28	1340	954	17300	1710	3430
CL3-PCB-21/33	41198.91	846.91	181998.91	5908.91	13898.91
CL3-PCB-22	3750	78.6	4270	310	698
CL3-PCB-23	10900	366	71600	2420	5430
CL3-PCB-24	0	U 0	U 25.7	0	U 0 U
CL3-PCB-25	134	30.9	1640	88.1	222
CL3-PCB-26/29	937	44.5	2800	185	353
CL3-PCB-27	3120	155	16900	758	1720
CL3-PCB-31	841	171	5400	454	732
CL3-PCB-32	24999.212	818.212	75599.212	4179.212	9229.212
CL3-PCB-34	5290	988	50400	2510	5380
CL3-PCB-35	71.1	4.17	337	15.6	36.3
CL3-PCB-36	239	0	U 1280	7.93	7.55 K
CL3-PCB-37	0	U 0	U 0	U 0	U 0 U
CL3-PCB-38	11900	6.38	K 57500	498	492
CL3-PCB-39	46.6	0	U 84.1	2.54	K 9.06 K
CL4-PCB-40/41/71	421	0	U 0	U 16.4	38.4
CL4-PCB-42	33999.479	537.479	45799.479	1939.479	6709.479
CL4-PCB-43	17400	236	24300	887	2890
CL4-PCB-44/47/65	2720	80.9	3460	149	498
CL4-PCB-45/51	52499.011	969.011	62799.011	3159.011	10399.011
CL4-PCB-46	7800	487	20900	1060	3530
CL4-PCB-48	2150	183	6840	337	1240
CL4-PCB-49/69	14800	159	11800	493	1350
CL4-PCB-50/53	38299.329	588.329	34699.329	1839.329	5039.329
CL4-PCB-52	5680	477	14700	898	2730
CL4-PCB-54	60598.61	1488.61	56998.61	3978.61	11498.61
CL4-PCB-55	52.2	18.8	330	19.3	60.4
CL4-PCB-56	2060	0	U 3370	47	156
CL4-PCB-57	42200	74.7	43300	1230	2830
CL4-PCB-58	396	0	U 550	7.51	22.5
CL4-PCB-59/62/75	120	0	U 137	2.41	6.02
CL4-PCB-60	4660	86.6	9040	305	923
CL4-PCB-61/70/74/76	33900	25	29100	668	1270
CL4-PCB-63	115999.007	279.007	95399.007	3509.007	8759.007
CL4-PCB-64	4310	6.56	3180	101	201
CL4-PCB-66	29300	372	33200	1650	4460

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	RM-MW-8S	MW-12A	RM-MW-13S	HL-MW-26S	HL-MW-28DD					
<b>PCB Congeners in pg/L</b>										
CL4-PCB-67	96799.406	105.406	68799.406	2269.406	4649.406					
CL4-PCB-68	1860	3.73	2950	51	142					
CL4-PCB-72	129	0	U	156	3.21	6.16				
CL4-PCB-73	324	0	U	318	7.48	19.1				
CL4-PCB-77	0	U	0	U	0	U	0	U		
CL4-PCB-78	8820	0	U	6840	84.4	10.6				
CL4-PCB-79	0	U	0	U	0	U	0	U		
CL4-PCB-80	467	0	U	131	9.57	17.3				
CL4-PCB-81	0	U	0	U	0	U	0	U		
CL5-PCB-82	539	0	U	351	5.08	K	0	U		
CL5-PCB-83/99	7510	8.05	2130	172	274					
CL5-PCB-84	36900	31.3	5590	632	803					
CL5-PCB-85/116/117	7960	52.7	2980	264	770					
CB-86/87/97/108/119/125	15300	11.4	2830	290	318					
CL5-PCB-88/91	29100	50.9	7000	608	1140					
CL5-PCB-89	8700	26.9	2260	196	409					
CL5-PCB-90/101/113	1020	4.22	421	27.1	82.1					
CL5-PCB-92	36600	59.9	6670	680	1140					
CL5-PCB-93/95/98/100/102	6380	13.7	1210	125	208					
CL5-PCB-94	27100	170	6760	690	1670					
CL5-PCB-96	371	2.92	K	123	9.97	28.8				
CL5-PCB-103	153	7.92	170	13.5	70.3					
CL5-PCB-104	274	1.16	K	72.2	5.81	14.3				
CL5-PCB-105	2.56	0	U	2	0	U	0.586			
CL5-PCB-106	34600	0.933	4180	381	180					
CL5-PCB-107/124	0	U	0	U	31.4	0	U	0	U	
CL5-PCB-109	1680	0	U	284	24	20.4	K			
CL5-PCB-110/115	3830	0.636	K	533	57.9	36.3				
CL5-PCB-111	34199.309	41.909	7849.309	725.309	1179.309					
CL5-PCB-112	15.7	0	U	0	U	0	U	0	U	
CL5-PCB-114	0	U	0	U	0	U	0	U		
CL5-PCB-118	2570	0	U	388	30.6	12.2				
CL5-PCB-120	60399.28	2.96	6879.28	708.28	403.28					
CL5-PCB-121	0	U	0	U	10.5	K	0	U	0	U
CL5-PCB-122	0	U	0	U	0	U	0	U		
CL5-PCB-123	1030	0	U	182	16.1	9.8				
CL5-PCB-126	1540	0	U	243	23.6	11.7				
CL5-PCB-127	209	0	U	32.1	0	U	0	U		
CL6-PCB-128/166	33.4	0	U	0	U	0	U	0	U	
CL6-PCB-129/138/160/163	2480	0	U	139	35	7.2				
CL6-PCB-130	14799.478	0.738	785.478	183.478	49.878					
CL6-PCB-131	978	0	U	55.4	11.9	K	4.75			
CL6-PCB-132	198	0	U	14.4	2.82	K	2.09			
CL6-PCB-133	2930	1.41	232	43.2	32.4					
CL6-PCB-134/143	163	0	U	9.34	2.07	0.932	K			
CL6-PCB-135/151/154	712	0	U	50.3	10.5	6.97				
CL6-PCB-136	3160	1.79	209	48.6	31.5					
CL6-PCB-137	596	1.04	62.2	12.1	17.1					
CL6-PCB-139/140	1120	0	U	59.2	14.1	3.6	K			
CL6-PCB-141	339	0	U	18	5.06	1.97				
CL6-PCB-142	1760	0	U	121	21.6	11.8				
CL6-PCB-144	10.5	0	U	0	U	0	U	0	U	
CL6-PCB-145	553	0	U	36	7.69	5.73				
CL6-PCB-146	3.03	0	U	0.542	0	U	0	U		
CL6-PCB-147/149	1800	0	U	87.3	21.7	8.41				

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	RM-MW-8S	MW-12A	RM-MW-13S	HL-MW-26S	HL-MW-28DD				
<b>PCB Congeners in pg/L</b>									
CL6-PCB-148	6660	2.85	K	459	104	64.9			
CL6-PCB-150	9.62	0	U	0.561	K	0	U		
CL6-PCB-152	8.68	0	U	0.94	0	U	0	U	
CL6-PCB-153/168	9.52	0	U	1.38	K	0	U	0	U
CL6-PCB-155	9979.338	0.598		509.338	124.338	39.138			
CL6-PCB-156/157	0	U	0	U	0	U	0	U	
CL6-PCB-158	2560	0	U	116	26.6	2.31	K		
CL6-PCB-159	1760	0	U	93.8	20.7	5.77			
CL6-PCB-161	52.8	0	U	2.99	0.577	0	U		
CL6-PCB-162	0	U	0	U	0	U	0	U	
CL6-PCB-164	59.8	0	U	2.6	0.716	K	0	U	
CL6-PCB-165	610	0	U	41.2	6.67	3.56			
CL6-PCB-167	0	U	0	U	0	U	0	U	
CL6-PCB-169	785	0	U	34.6	7.43	1.12	K		
CL7-PCB-170	0	U	0	U	0	U	0	U	
CL7-PCB-171/173	1650	0	U	64.2	17.7	0.89			
CL7-PCB-172	502	0	U	21.1	6.2	0.663			
CL7-PCB-174	291	0	U	12.6	3.27	0	U		
CL7-PCB-175	1150	0	U	64.6	13	2.78			
CL7-PCB-176	69.7	0	U	3.02	0.703	0	U		
CL7-PCB-177	100	0	U	6.42	1.09	0	U		
CL7-PCB-178	1090	0	U	47.5	12.5	1.37			
CL7-PCB-179	372	0	U	15.2	5.05	0.714	K		
CL7-PCB-180/193	409	0	U	24.4	6.04	1.49			
CL7-PCB-181	3940	0	U	151	42.5	3.41			
CL7-PCB-182	27.1	0	U	1.06	K	0	U	0	U
CL7-PCB-183/185	9.52	0	U	0	U	0	U	0	U
CL7-PCB-184	1300	0	U	53	16.4	0	U	0	U
CL7-PCB-186	0	U	0	U	0	U	0	0	U
CL7-PCB-187	0	U	0	U	0	U	0	0	U
CL7-PCB-188	2690	0	U	103	39.2	3.74			
CL7-PCB-189	0.93	K	0	U	0	U	0	0	U
CL7-PCB-190	64.6	0	U	2.74	1	K	0	0	U
CL7-PCB-191	484	0	U	17.2	5.94	0	U	0	U
CL7-PCB-192	94.2	0	U	3.73	1.11	K	0	0	U
CL8-PCB-194	0	U	0	U	0	U	0	0	U
CL8-PCB-195	444	0	U	14.9	4.53	0	U	0	U
CL8-PCB-196	196	0	U	6.52	2.38	0	U	0	U
CL8-PCB-197/200	316	0	U	9.76	3	0	U	0	U
CL8-PCB-198/199	52.8	0	U	2.51	0	U	0	0	U
CL8-PCB-201	856	0	U	27.5	8.59	0	U	0	U
CL8-PCB-202	86.9	0	U	2.89	K	0.943	0	0	U
CL8-PCB-203	171	0	U	6.36	2.08	K	0	0	U
CL8-PCB-204	524	0	U	17.4	5.04	0	U	0	U
CL8-PCB-205	0	U	0	U	0	U	0	0	U
CL9-PCB-206	41.1	0	U	1.61	0.509	K	0	0	U
CL9-PCB-207	107	0	U	4.6	1.12	0	U	0	U
CL9-PCB-208	20.7	0	U	0.596	K	0	U	0	U
CL10-PCB-209	42	0	U	2.01	0.541	K	0	0	U
Total Congener	5.221	0.361		0.046	0.179	0			
	1,092,941.37	12,683.06		1,166,750.47	54,501.64	130,179.94			

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-13DD	HL-MW-8D	HL-MW-7S	HL-MW-25S	HL-MW-14S
<b>PCB Congeners in pg/L</b>					
CL1-PCB-1					
CL1-PCB-2	2.68	0.874	1.31	K 4.57	3.1
CL1-PCB-3	0 U	0 U	0 U	0 U	0 U
CL2-PCB-4	1.608	0 K	1.028 K	1.188	0 U
CL2-PCB-5	463	155	489	1400	1130
CL2-PCB-6	0 U	0 U	0 U	0 U	0 U
CL2-PCB-7	55.6	13.3	35.8	89.9	74
CL2-PCB-8	2.6	0 U	0 U	0 U	0 U
CL2-PCB-9	226	48.4	129	349	274
CL2-PCB-10	13.7	3.37 K	5.09	14.1	11 K
CL2-PCB-11	101	40.5	85.1	182	156
CL2-PCB-12/13	0.1 K	2.16	5.01	0 U	0 U
CL2-PCB-14	24.5	16.8	41.3	52	53.6
CL2-PCB-15	0 U	0 U	0 U	0 U	0 U
CL3-PCB-16	344	240	627	714	629
CL3-PCB-17	637	254	659	1530	1380
CL3-PCB-18/30	639	278	672	1580	1440
CL3-PCB-19	3819.212	1439.212	2829.212	6879.212	6339.212
CL3-PCB-20/28	2630	1080	2610	5720	4960
CL3-PCB-21/33	8408.91	3478.91	8318.91	13998.91	13298.91
CL3-PCB-22	448	205	602	1140	1100
CL3-PCB-23	3370	1650	3430	6030	5420
CL3-PCB-24	0 U	0 U	0 U	0 U	0 U
CL3-PCB-25	147	67.3	124	216	201
CL3-PCB-26/29	232	128	325	565	535
CL3-PCB-27	1100	514	1120	1900	1770
CL3-PCB-31	490	304	675	1190	1140
CL3-PCB-32	5539.212	2799.212	6179.212	10099.212	9829.212
CL3-PCB-34	3680	1740	3580	6530	6720
CL3-PCB-35	23	11	20.6	39.2	41.4
CL3-PCB-36	0 U	0 U	0 U	0 U	0 U
CL3-PCB-37	0 U	0 U	0 U	0 U	0 U
CL3-PCB-38	215	195	406	496	402
CL3-PCB-39	5.94 K	0 U	0 U	0 U	0 U
CL4-PCB-40/41/71	28.2	8.49	13.5 K	30.2 K	34.5 K
CL4-PCB-42	4159.479	1239.479	2479.479	6189.479	5719.479
CL4-PCB-43	1810	580	1020	2450	2260
CL4-PCB-44/47/65	294	112	298	619	591
CL4-PCB-45/51	6589.011	2159.011	4179.011	9999.011	9259.011
CL4-PCB-46	2270	824	1600	3450	3360
CL4-PCB-48	807	226	521	1250	1200
CL4-PCB-49/69	856	292	645	1580	1490
CL4-PCB-50/53	3029.329	1409.329	2389.329	5199.329	5009.329
CL4-PCB-52	1840	803	1380	2900	2860
CL4-PCB-54	7198.61	3308.61	5628.61	11598.61	11198.61
CL4-PCB-55	43.5	15.5	36.8	105	88.9
CL4-PCB-56	84.5	0 U	0 U	163	162
CL4-PCB-57	1810	660	1120	2080	1960
CL4-PCB-58	12.4	4.55	6.92 K	13.1	13.1
CL4-PCB-59/62/75	3.13	0 U	0 U	4.31	0 U
CL4-PCB-60	559	210	466	933	892
CL4-PCB-61/70/74/76	667	301	526	994	871
CL4-PCB-63	4979.007	2109.007	3459.007	6879.007	6669.007
CL4-PCB-64	114	50.9	77.6	131	145
CL4-PCB-66	2710	1240	2030	3950	3750

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-13DD	HL-MW-8D	HL-MW-7S	HL-MW-25S	HL-MW-14S					
<b>PCB Congeners in pg/L</b>										
CL4-PCB-67	2509.406	1109.406	1969.406	3449.406	3309.406					
CL4-PCB-68	73.1	27.7	47.7	94.9	95.1					
CL4-PCB-72	2.88		0	U	6.52	0	U			
CL4-PCB-73	10.4		4.26	9.84	11.6	13.3	K			
CL4-PCB-77	0	U	0	U	0	U	0	U		
CL4-PCB-78	4.07		7.13	11.7	9.17	0	U			
CL4-PCB-79	0	U	0	U	0	U	0	U		
CL4-PCB-80	13.5		3.42	K	0	U	9.53	6.82		
CL4-PCB-81	0	U	0	U	0	U	0	U		
CL5-PCB-82	0	U	0	U	0	U	0	U		
CL5-PCB-83/99	159		59.5	90	174	141				
CL5-PCB-84	487		152	247	565	474				
CL5-PCB-85/116/117	469		154	231	605	515				
CB-86/87/97/108/119/125	187		91.9	120	215	181				
CL5-PCB-88/91	700		273	380	813	687				
CL5-PCB-89	244		91.2	126	292	243				
CL5-PCB-90/101/113	49.9		9.61	17.3	58.5	47.6				
CL5-PCB-92	710		269	379	866	725				
CL5-PCB-93/95/98/100/102	135		55.1	76.3	167	143				
CL5-PCB-94	1100		440	604	1470	1270				
CL5-PCB-96	19		6.99	K	9.55	24.7	20.3			
CL5-PCB-103	36.4		13.5		18.1	48.3	42.7			
CL5-PCB-104	9.24		2.45		3.53	11.5	9.28			
CL5-PCB-105	1.02	K	0	U	0	U	0.612	0	U	
CL5-PCB-106	87.7		49.3		70.1	73.8	63.7			
CL5-PCB-107/124	0	U	0	U	0	U	0	U		
CL5-PCB-109	14	K	5.66	K	7.5	11.4	10.4			
CL5-PCB-110/115	21.8		8.86		15.7	19.3	17.7			
CL5-PCB-111	696.309		338.309		464.309	822.309	698.309			
CL5-PCB-112	0	U	0	U	0	U	0	U		
CL5-PCB-114	0	U	0	U	0	U	0	U		
CL5-PCB-118	6.17		3.15		4.29	6.13	K	5.4		
CL5-PCB-120	210.28		96.38		144.28	188.28	164.28			
CL5-PCB-121	0	U	0	U	0	U	0	U		
CL5-PCB-122	0	U	0	U	0	U	0	U		
CL5-PCB-123	4.72		2.38	K	3.6	5.51	4.37			
CL5-PCB-126	6.68		3.6		3.74	K	5.69	K	4.33	
CL5-PCB-127	0	U	0	U	0	U	0	U		
CL6-PCB-128/166	0	U	0	U	0	U	0	U		
CL6-PCB-129/138/160/163	4.82	K	1.72	K	2.24	2.63	1.82			
CL6-PCB-130	31.978		11.278		15.878	19.078	15.478			
CL6-PCB-131	3		1.03	K	1.49	1.36	1.54	K		
CL6-PCB-132	1.16		0	U	0	U	0.643	K	0.556	
CL6-PCB-133	19.8		8.9		12.7	14.3	11.7			
CL6-PCB-134/143	0.865	K	0	U	0	U	0.505	K	0	U
CL6-PCB-135/151/154	4.62	K	1.56	K	2.64	K	3.43	2.96		
CL6-PCB-136	21.7		8.1		9.61	16.7	14			
CL6-PCB-137	10.9		5.15		5.4	9.28	7.43			
CL6-PCB-139/140	2.14	K	0.808	K	1.15	0.923	0.861			
CL6-PCB-141	1.31	K	0	U	0.564	K	0.636	0.596	K	
CL6-PCB-142	7.5	K	2.22		0	U	5.03	3.77		
CL6-PCB-144	0	U	0	U		0	U	0	U	
CL6-PCB-145	3.59	K	0.903	K	1.19	2.27	1.9			
CL6-PCB-146	0	U	0	U	0	U	0	U		
CL6-PCB-147/149	5.25	K	1.63		2.44	K	2.98	3.15		

Hart Crowser

**Table F-17 - Summary of Blank Corrected PCB Congener Data from April 2008**

Sample ID:	HL-MW-13DD	HL-MW-8D	HL-MW-7S	HL-MW-25S	HL-MW-14S
<b>PCB Congeners in pg/L</b>					
CL6-PCB-148	38.6	16.2	22.4	35.1	29.4
CL6-PCB-150	0	U	U	U	U
CL6-PCB-152	0	U	U	U	U
CL6-PCB-153/168	0	U	U	U	U
CL6-PCB-155	26.638	7.088	K	10.938	16.638
CL6-PCB-156/157	0	U	U	U	U
CL6-PCB-158	1.53	0.757	K	1.13	0.791
CL6-PCB-159	3.15	0.664	K	1.06	1.65
CL6-PCB-161	0	U	U	U	U
CL6-PCB-162	0	U	U	U	U
CL6-PCB-164	0	U	U	U	U
CL6-PCB-165	2.15	K	0.807	1.21	K
CL6-PCB-167	0	U	U	U	U
CL6-PCB-169	0.728	K	U	U	U
CL7-PCB-170	0	U	U	U	U
CL7-PCB-171/173	0.949	K	U	U	U
CL7-PCB-172	0	U	U	U	U
CL7-PCB-174	0	U	U	U	U
CL7-PCB-175	1.95	0.59	0.653	0.711	0.719
CL7-PCB-176	0	U	U	U	U
CL7-PCB-177	0	U	U	U	U
CL7-PCB-178	0.717	U	U	U	U
CL7-PCB-179	0.662	K	U	U	U
CL7-PCB-180/193	1.09	U	0.515	U	0.653
CL7-PCB-181	2.97	0.968	1.07	K	0.882
CL7-PCB-182	0	U	U	U	U
CL7-PCB-183/185	0	U	U	U	U
CL7-PCB-184	1.86	U	U	U	0.755
CL7-PCB-186	U	U	U	U	U
CL7-PCB-187	U	U	U	U	U
CL7-PCB-188	2.72	1.18	K	1.17	K
CL7-PCB-189	0	U	U	U	U
CL7-PCB-190	0	U	U	U	U
CL7-PCB-191	0	U	U	U	U
CL7-PCB-192	0	U	U	U	U
CL8-PCB-194	0	U	U	U	U
CL8-PCB-195	0	U	U	U	U
CL8-PCB-196	0	U	U	U	U
CL8-PCB-197/200	0	U	U	U	U
CL8-PCB-198/199	0	U	U	U	U
CL8-PCB-201	0	U	U	U	U
CL8-PCB-202	0	U	U	U	U
CL8-PCB-203	0	U	U	U	U
CL8-PCB-204	0	U	U	U	U
CL8-PCB-205	0	U	U	U	U
CL9-PCB-206	0	U	U	U	U
CL9-PCB-207	0	U	U	U	U
CL9-PCB-208	0	U	U	U	U
CL10-PCB-209	0	U	U	U	U
Total Congener	0.018	K	0	0.126	K
				131,402.08	123,448.09

Notes:

For blank corrected data the non-detects were set at 0.0 and the "K" data were set at the reported concentration.

Hart Crowser