



## Remediation Management Services Company

4 Centerpointe Drive, Suite 200  
La Palma, CA 90623  
Room LPR 4-222  
Office: (360) 594-7978  
[wade.melton@bp.com](mailto:wade.melton@bp.com)

August 21, 2019

Washington Department of Ecology  
Northwest Regional Office  
Attn: VCP Coordinator  
3190 160th Avenue SE  
Bellevue, WA 98008-5452

Dear VCP Coordinator:

Please find the enclosed Semi-Annual Groundwater Monitoring Report - First Half of 2019, that documents the results at ARCO Facility No. 980 located at 10822 Roosevelt Way NE, Seattle, Washington.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Wade Melton".

**Wade Melton**  
Operations Project Manager  
Remediation Management Services Company  
An affiliate of Atlantic Richfield Company

cc: File, Antea Group



# Semi-Annual Groundwater Monitoring Report

First Half of 2019

ARCO Facility No. 980

10822 Roosevelt Way NE, Seattle, Washington

Antea®Group

Understanding today.  
Improving tomorrow.

## PREPARED FOR

Remediation Management Services  
Company

An affiliate of Atlantic Richfield Company  
4 Centerpointe Drive, Suite 200  
Room LPR-4-222  
La Palma, CA 90623

August 21, 2019  
Antea Group Project No. 00980SA191

[us.anteagroup.com](http://us.anteagroup.com)

The logo and ANTEA are registration  
trademarks of Antea USA, Inc.

ARCO Facility No.:	980
Address:	10822 Roosevelt Way NE, Seattle, Washington
Atlantic Richfield Project Manager:	Wade Melton, (360) 594-7978
Consulting Co. /Contact Person:	Antea Group / Bradford Jackson, (503) 863-2114
Consultant Project Number:	00980SA191
Primary Agency/Regulatory FS ID No.:	Washington State Department of Ecology / 68996432

### WORK PERFORMED DURING FIRST HALF OF 2019:

- Antea Group conducted semi-annual groundwater sampling on January 29, 2019.
- Antea Group prepared this semi-annual groundwater monitoring report.
- Antea Group conducted soil vapor sampling on January 15, 2019, January 30, 2019, and April 18, 2019.
- Antea Group prepared a UST decommissioning report for an oil tank removed from the site in December 2018


### WORK SCHEDULED FOR SECOND HALF OF 2019:

- Antea Group will conduct semi-annual groundwater monitoring and sampling.
- Antea Group will prepare a semi-annual groundwater monitoring report.
- Antea Group will conduct additional soil vapor sampling at the existing vapor probes.
- Antea Group will complete a subsurface investigation.

Current Phase of Project:	<b>Monitoring</b>	
Frequency of Groundwater Sampling and Monitoring:	<b>Semi-annual</b>	
Are LPH Present On-Site:	<b>No</b>	
LPH Recovered this Reporting Period:	<b>None</b>	
Cumulative LPH Recovered to Date:	<b>Less than one gallon</b>	
Amount of Soil Removed to Date:	<b>46.27 yd<sup>3</sup></b>	
Current Remediation Techniques:	<b>Natural Attenuation</b>	
Approximate Depth to Groundwater:	<b>January 29, 2019</b>	<b>8.60 – 16.02 ft. bgs</b>
Groundwater Gradient:	<b>January 29, 2019</b>	<b>Southeast, 0.08 ft./linear ft.</b>

The recommendations contained in this report represent Antea USA, Inc.'s professional opinions based upon the currently available information and are arrived at in accordance with currently accepted professional standards. This report is based upon a specific scope of work requested by the client. The contract between Antea USA, Inc. and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Antea USA, Inc.'s client and anyone else specifically identified in writing by Antea USA, Inc. as a user of this report. Antea USA, Inc. will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Antea USA, Inc. makes no express or implied warranty as to the contents of this report.

Prepared by

  
\_\_\_\_\_  
Katelyn Younger  
Staff Professional

Date: August 21, 2019

Reviewed by:

  
\_\_\_\_\_  
Taylor Roberts  
Project Manager

Date: August 21, 2019



Date: August 21, 2019

Megan Richard, LG  
Project Manager

cc: VCP Coordinator, Department of Ecology, Northwest Regional Office (Hardcopy, Electronic Copy)  
Mr. Michael Dahlstrom, Owner - Caribbean Apartments (Electronic Copy)  
Mr. Joshua Pope, Montgomery Purdie Blankinship & Austin, PPLC (Electronic Copy)  
Mr. Wade Melton, Remediation Management Service Company (Electronic Copy – RMO Upload)

## Contact Information

4006 148<sup>th</sup> Avenue NE  
Redmond, WA 98052 USA

Toll Free            +1 800 477 7411  
International      +1 651 639 9449

## Enclosures

### **Tables**

- |         |                             |
|---------|-----------------------------|
| Table 1 | Groundwater Gauging Data    |
| Table 2 | Groundwater Analytical Data |

### **Figures**

- |          |  |
|----------|--|
| Figure 1 | Site Location Map  |
| Figure 2 | Site Aerial Map  |
| Figure 3 | Groundwater Analytical & Elevation Contour Map – 1/29/2019 |

### **Appendix**

- |            |   |
|------------|---|
| Appendix A | Analytical Lab Reports and Chain-of-Custody Documentation |
|------------|---|

## Tables

- |         |                             |
|---------|-----------------------------|
| Table 1 | Groundwater Gauging Data    |
| Table 2 | Groundwater Analytical Data |

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-1	10/5/1994	--	2.31	NP	--	--	--
MW-1	2/15/1995	--	1.39	NP	--	--	--
MW-1	4/10/1995	--	1.11	NP	--	--	--
MW-1	7/20/1995	--	1.78	NP	--	--	--
MW-1	10/25/1995	--	1.53	NP	--	--	--
MW-1	1/23/1996	--	0.79	NP	--	--	--
MW-1	4/17/1996	--	1.13	NP	--	--	--
MW-1	7/8/1996	--	1.30	NP	--	--	--
MW-1	10/10/1996	--	1.67	NP	--	--	--
MW-1	3/11/1997	--	0.82	NP	--	--	--
MW-1	5/29/1997	--	0.99	NP	--	--	--
MW-1	8/5/1997	--	0.31	NP	--	--	--
MW-1	10/23/1997	--	0.32	NP	--	--	--
MW-1	3/11/1998	--	0.81	NP	--	--	--
MW-1	6/30/1998	--	1.26	NP	--	--	--
MW-1	9/25/1998	--	1.73	NP	--	--	--
MW-1	12/29/1998	--	0.84	NP	--	--	--
MW-1	3/9/1999	--	0.60	NP	--	--	--
MW-1	6/2/1999	--	1.04	NP	--	--	--
MW-1	9/27/1999	--	1.71	NP	--	--	--
MW-1	12/20/1999	--	1.60	NP	--	--	--
MW-1	3/16/2000	--	1.40	NP	--	--	--
MW-1	6/30/2000	--	1.50	NP	--	--	--
MW-1	9/27/2000	--	1.50	NP	--	--	--
MW-1	11/10/2000	--	1.43	NP	--	--	--
MW-1	3/19/2001	--	1.45	NP	--	--	--
MW-1	6/27/2001	--	1.75	NP	--	--	--
MW-1	9/26/2001	--	2.15	NP	--	--	WI
MW-1	12/3/2001	--	1.35	NP	--	--	--
MW-1	6/6/2002	--	1.54	NP	--	--	--
MW-1	6/26/2003	--	1.62	NP	--	--	--
MW-1	12/9/2003	--	1.37	NP	--	--	--
MW-1	4/7/2004	--	1.25	NP	--	--	--
MW-1	11/16/2004	--	1.82	NP	--	--	--
MW-1	3/29/2005	--	1.00	NP	--	--	--
MW-1	6/22/2005	--	1.40	NP	--	--	--
MW-1	9/12/2005	--	1.95	NP	--	--	--
MW-1	12/6/2005	--	1.64	NP	--	--	--
MW-1	6/5/2006	--	1.77	NP	--	--	--
MW-1	9/24/2007	--	2.98	NP	--	--	--
MW-1	12/31/2007	--	--	--	--	--	WI

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-1	1/30/2008	--	2.83	NP	--	--	--
MW-1	4/3/2008	--	3.13	NP	--	--	--
MW-1	7/2/2008	--	3.88	NP	--	--	--
MW-1	10/3/2008	--	3.53	NP	--	--	--
MW-1	1/5/2009	--	2.87	NP	--	--	--
MW-1	4/7/2009	--	3.08	NP	--	--	--
MW-1	7/8/2009	--	2.89	NP	--	--	--
MW-1	10/6/2009	--	3.03	NP	--	--	--
MW-1	1/5/2010	--	2.06	NP	--	--	--
MW-1	5/25/2010	--	2.20	NP	--	--	--
MW-1	8/19/2010	--	2.59	NP	--	--	--
MW-1	12/7/2010	--	2.18	NP	--	--	--
MW-1	1/26/2011	--	1.69	NP	--	--	--
MW-1	6/16/2011	--	1.97	NP	--	--	--
MW-1	9/22/2011	--	3.04	NP	--	--	--
MW-1	12/6/2011	--	3.40	NP	--	--	--
MW-1	3/8/2012	--	2.05	NP	--	--	--
MW-1	6/19/2012	--	2.04	NP	--	--	--
MW-1	9/21/2012	--	2.50	NP	--	--	--
MW-1	12/11/2012	--	1.57	NP	--	--	--
MW-1	6/25/2013	--	1.88	NP	--	--	--
MW-1	9/25/2013	--	2.14	NP	--	--	--
MW-1	11/14/2013	--	2.09	NP	--	--	--
MW-1	2/12/2014	--	1.62	NP	--	--	--
MW-1	4/1/2014	--	1.22	NP	--	--	--
MW-1	7/9/2014	--	1.90	NP	--	--	--
MW-1	10/20/2014	--	2.13	NP	--	--	--
MW-1	1/19/2015	--	1.45	NP	--	--	--
MW-1	12/14/2015	--	1.34	NP	--	--	--
MW-1	3/10/2016	--	0.74	NP	--	--	--
MW-2	10/5/1994	261.52	10.09	NP	--	251.43	--
MW-2	2/15/1995	261.52	9.05	NP	--	252.47	--
MW-2	4/11/1995	261.52	9.05	NP	--	252.47	--
MW-2	7/20/1995	261.52	9.70	NP	--	251.82	--
MW-2	10/25/1995	261.52	9.33	NP	--	252.19	--
MW-2	1/23/1996	261.52	8.22	NP	--	253.30	--
MW-2	4/17/1996	261.52	9.20	NP	--	252.32	--
MW-2	7/8/1996	261.52	9.45	NP	--	252.07	--
MW-2	10/10/1996	261.52	9.53	NP	--	251.99	--
MW-2	3/11/1997	261.52	8.31	NP	--	253.21	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-2	5/29/1997	261.52	5.54	NP	--	255.98	--
MW-2	8/5/1997	261.52	9.40	NP	--	252.12	--
MW-2	10/23/1997	261.52	9.06	NP	--	252.46	--
MW-2	3/11/1998	261.52	12.71	NP	--	248.81	--
MW-2	6/30/1998	261.52	10.17	NP	--	251.35	--
MW-2	9/25/1998	261.52	10.14	NP	--	251.38	--
MW-2	3/9/1999	261.52	11.12	NP	--	250.40	--
MW-2	6/2/1999	261.52	9.66	NP	--	251.86	--
MW-2	9/27/1999	261.52	9.85	NP	--	251.67	--
MW-2	12/20/1999	261.52	8.85	NP	--	252.67	--
MW-2	3/16/2000	261.52	9.53	NP	--	251.99	--
MW-2	6/30/2000	261.52	9.74	NP	--	251.78	--
MW-2	9/27/2000	261.52	9.74	NP	--	251.78	--
MW-2	11/10/2000	261.52	8.80	NP	--	252.72	--
MW-2	3/19/2001	261.52	8.69	NP	--	252.83	--
MW-2	6/27/2001	261.52	9.32	NP	--	252.20	--
MW-2	9/26/2001	261.52	10.20	NP	--	251.32	--
MW-2	12/3/2001	261.52	9.00	NP	--	252.52	--
MW-2	6/6/2002	261.52	9.65	NP	--	251.87	--
MW-2	6/26/2003	261.52	9.68	NP	--	251.84	--
MW-2	12/9/2003	261.52	8.93	NP	--	252.59	--
MW-2	4/7/2004	261.52	8.21	NP	--	253.31	--
MW-2	11/16/2004	261.52	8.36	NP	--	253.16	--
MW-2	3/29/2005	261.52	7.35	NP	--	254.17	--
MW-2	6/22/2005	261.52	8.10	NP	--	253.42	--
MW-2	9/12/2005	261.52	9.01	NP	--	252.51	--
MW-2	12/6/2005	261.52	7.56	NP	--	253.96	--
MW-2	6/5/2006	261.52	7.66	NP	--	253.86	--
MW-2	9/29/2006	261.52	16.28	NP	--	245.24	--
MW-2	12/19/2006	261.52	8.05	NP	--	253.47	--
MW-2	9/24/2007	261.52	10.04	NP	--	251.48	--
MW-2	12/31/2007	261.52	9.01	NP	--	252.51	--
MW-2	1/30/2008	261.52	8.97	NP	--	252.55	--
MW-2	4/3/2008	261.52	15.90	NP	--	245.62	--
MW-2	7/2/2008	261.52	14.90	NP	--	246.62	--
MW-2	10/3/2008	261.52	15.56	NP	--	245.96	--
MW-2	1/5/2009	261.52	13.52	NP	--	248.00	--
MW-2	4/8/2009	261.52	15.38	NP	--	246.14	--
MW-2	7/8/2009	261.52	10.52	NP	--	251.00	--
MW-2	10/6/2009	261.52	10.60	NP	--	250.92	--
MW-2	1/5/2010	261.52	9.65	NP	--	251.87	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-2	5/25/2010	261.52	9.89	NP	--	251.63	--
MW-2	8/19/2010	261.52	10.16	NP	--	251.36	--
MW-2	12/7/2010	261.52	9.68	NP	--	251.84	--
MW-2	1/26/2011	261.52	9.26	NP	--	252.26	--
MW-2	6/16/2011	261.52	9.59	NP	--	251.93	--
MW-2	9/22/2011	261.52	14.06	NP	--	247.46	--
MW-2	12/6/2011	261.52	17.30	NP	--	244.22	--
MW-2	3/8/2012	261.52	10.50	NP	--	251.02	--
MW-2	6/19/2012	261.52	9.72	NP	--	251.80	--
MW-2	9/21/2012	261.52	10.09	NP	--	251.43	--
MW-2	12/11/2012	261.52	8.86	NP	--	252.66	--
MW-2	6/25/2013	261.52	9.50	NP	--	252.02	--
MW-2	9/25/2013	261.52	9.69	NP	--	251.83	--
MW-2	11/14/2013	261.52	9.34	NP	--	252.18	--
MW-2	2/12/2014	261.52	8.92	NP	--	252.60	--
MW-2	4/2/2014	261.52	8.51	NP	--	253.01	--
MW-2	7/10/2014	261.52	9.42	NP	--	252.10	--
MW-2	10/21/2014	261.52	9.46	NP	--	252.06	--
MW-2	1/20/2015	261.52	8.75	NP	--	252.77	--
MW-2	12/14/2015	261.52	8.34	NP	--	253.18	--
MW-2	3/10/2016	261.52	7.81	NP	--	253.71	--
MW-2	8/29/2016	261.52	9.45	NP	--	252.07	--
MW-2	11/21/2016	261.52	8.30	NP	--	253.22	--
MW-2	2/15/2017	261.52	7.58	NP	--	253.94	--
MW-2	5/26/2017	261.52	--	--	--	--	WI
MW-2	10/17/2017	261.52	9.19	NP	--	252.33	--
MW-2	2/8/2018	261.52	7.73	NP	--	253.79	--
MW-2	9/11/2018	261.52	9.11	NP	--	252.41	--
MW-2	11/15/2018	261.52	8.93	NP	--	252.59	--
MW-2	1/29/2019	261.52	8.60	NP	--	252.92	--
MW-3	10/5/1994	--	10.10	NP	--	--	--
MW-3	2/15/1995	--	8.83	NP	--	--	--
MW-3	4/10/1995	--	8.90	NP	--	--	--
MW-3	7/20/1995	--	9.65	NP	--	--	--
MW-3	10/25/1995	--	9.27	NP	--	--	--
MW-3	1/23/1996	--	8.12	NP	--	--	--
MW-3	4/17/1996	--	9.17	NP	--	--	--
MW-3	7/8/1996	--	9.21	NP	--	--	--
MW-3	10/10/1996	--	9.60	NP	--	--	--
MW-3	3/11/1997	--	8.21	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-3	5/29/1997	--	8.13	NP	--	--	--
MW-3	8/5/1997	--	8.13	NP	--	--	--
MW-3	10/23/1997	--	11.31	NP	--	--	--
MW-3	3/11/1998	--	9.57	NP	--	--	--
MW-3	6/30/1998	--	9.82	NP	--	--	--
MW-3	9/25/1998	--	10.14	NP	--	--	--
MW-3	12/29/1998	--	9.15	NP	--	--	--
MW-3	3/9/1999	--	9.50	NP	--	--	--
MW-3	6/2/1999	--	9.41	NP	--	--	--
MW-3	9/27/1999	--	9.43	NP	--	--	--
MW-3	12/20/1999	--	8.20	NP	--	--	--
MW-3	3/16/2000	--	9.30	NP	--	--	--
MW-3	6/30/2000	--	9.66	NP	--	--	--
MW-3	9/27/2000	--	9.78	NP	--	--	--
MW-3	11/10/2000	--	8.88	NP	--	--	--
MW-3	3/19/2001	--	8.90	NP	--	--	--
MW-3	6/27/2001	--	9.62	NP	--	--	--
MW-3	9/26/2001	--	10.28	NP	--	--	WI
MW-3	12/3/2001	--	8.10	NP	--	--	--
MW-3	6/6/2002	--	9.70	NP	--	--	--
MW-3	6/26/2003	--	9.65	NP	--	--	--
MW-3	12/9/2003	--	8.87	NP	--	--	--
MW-3	4/7/2004	--	8.27	NP	--	--	--
MW-3	11/16/2004	--	8.40	NP	--	--	--
MW-3	3/29/2005	--	7.64	NP	--	--	--
MW-3	6/22/2005	--	8.67	NP	--	--	--
MW-3	9/12/2005	--	9.85	NP	--	--	--
MW-3	12/6/2005	--	7.83	NP	--	--	--
MW-3	6/5/2006	--	7.76	NP	--	--	--
MW-3	9/24/2007	--	10.20	NP	--	--	--
MW-3	12/31/2007	--	--	--	--	--	WI
MW-3	1/30/2008	--	8.73	NP	--	--	--
MW-3	4/3/2008	--	15.05	NP	--	--	--
MW-3	7/2/2008	--	14.86	NP	--	--	--
MW-3	10/3/2008	--	15.07	NP	--	--	--
MW-3	1/5/2009	--	12.74	NP	--	--	--
MW-3	4/7/2009	--	15.33	NP	--	--	--
MW-3	7/8/2009	--	10.41	NP	--	--	--
MW-3	10/6/2009	--	10.56	NP	--	--	--
MW-3	1/5/2010	--	9.48	NP	--	--	--
MW-3	5/25/2010	--	9.70	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-3	8/19/2010	--	10.15	NP	--	--	--
MW-3	12/7/2010	--	9.51	NP	--	--	--
MW-3	1/26/2011	--	8.80	NP	--	--	--
MW-3	6/16/2011	--	9.50	NP	--	--	--
MW-3	9/22/2011	--	14.25	NP	--	--	--
MW-3	3/8/2012	--	10.48	NP	--	--	--
MW-3	6/19/2012	--	9.54	NP	--	--	--
MW-3	9/21/2012	--	10.22	NP	--	--	--
MW-3	12/11/2012	--	8.35	NP	--	--	--
MW-3	6/25/2013	--	9.45	NP	--	--	--
MW-3	9/25/2013	--	9.78	NP	--	--	--
MW-3	11/14/2013	--	9.33	NP	--	--	--
MW-3	2/12/2014	--	8.83	NP	--	--	--
MW-3	4/2/2014	--	8.39	NP	--	--	--
MW-3	7/9/2014	--	9.53	NP	--	--	--
MW-3	10/20/2014	--	9.65	NP	--	--	--
MW-3	1/19/2015	--	8.64	NP	--	--	--
MW-4	10/5/1994	--	19.69	19.50	0.19	--	--
MW-4	2/15/1995	--	18.60	14.89	3.71	--	--
MW-4	4/10/1995	--	16.90	16.53	0.37	--	--
MW-4	10/25/1995	--	18.24	NP	--	--	--
MW-4	1/23/1996	--	15.37	NP	--	--	--
MW-4	4/17/1996	--	16.80	NP	--	--	--
MW-4	7/8/1996	--	15.29	NP	--	--	--
MW-4	10/10/1996	--	18.55	18.53	0.02	--	--
MW-4	3/11/1997	--	15.59	NP	--	--	--
MW-4	5/29/1997	--	15.65	14.93	0.72	--	--
MW-4	8/5/1997	--	16.39	15.91	0.48	--	--
MW-4	10/23/1997	--	19.72	19.70	0.02	--	--
MW-4	3/11/1998	--	14.74	NP	--	--	--
MW-4	6/30/1998	--	17.57	NP	--	--	--
MW-4	9/25/1998	--	17.80	NP	--	--	--
MW-4	12/29/1998	--	15.73	NP	--	--	--
MW-4	3/9/1999	--	14.70	NP	--	--	--
MW-4	6/2/1999	--	16.21	NP	--	--	--
MW-4	9/27/1999	--	18.58	NP	--	--	--
MW-4	12/20/1999	--	15.40	NP	--	--	--
MW-4	3/16/2000	--	15.85	NP	--	--	--
MW-4	6/30/2000	--	17.65	NP	--	--	--
MW-4	9/27/2000	--	18.25	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-4	11/10/2000	--	17.36	17.35	0.01	--	--
MW-4	3/19/2001	--	17.39	NP	--	--	--
MW-4	6/27/2001	--	17.83	NP	--	--	--
MW-4	9/26/2001	--	18.27	NP	--	--	--
MW-4	12/3/2001	--	16.05	NP	--	--	--
MW-4	6/6/2002	--	17.41	NP	--	--	--
MW-4	6/26/2003	--	17.56	NP	--	--	--
MW-4	12/9/2003	--	16.40	NP	--	--	--
MW-4	4/7/2004	--	16.53	NP	--	--	--
MW-4	11/16/2004	--	17.20	17.10	0.10	--	--
MW-4	3/29/2005	261.16	15.06	NP	--	246.10	--
MW-4	6/22/2005	261.16	16.97	NP	--	244.19	--
MW-4	9/12/2005	261.16	18.09	NP	--	243.07	--
MW-4	12/6/2005	261.16	16.75	NP	--	244.41	--
MW-4	6/5/2006	261.16	16.57	NP	--	244.59	--
MW-4	9/29/2006	261.16	25.28	NP	--	235.88	--
MW-4	12/19/2006	261.16	15.49	NP	--	245.67	--
MW-4	9/24/2007	261.16	18.45	NP	--	242.71	--
MW-4	12/31/2007	261.16	16.41	NP	--	244.75	--
MW-4	1/30/2008	261.16	16.49	NP	--	244.67	--
MW-4	4/3/2008	261.16	22.96	NP	--	238.20	--
MW-4	7/2/2008	261.16	20.43	NP	--	240.73	--
MW-4	10/3/2008	261.16	24.98	NP	--	236.18	--
MW-4	1/5/2009	261.16	21.07	NP	--	240.09	--
MW-4	4/8/2009	261.16	24.52	NP	--	236.64	--
MW-4	7/8/2009	261.16	18.37	NP	--	242.79	--
MW-4	10/6/2009	261.16	18.85	NP	--	242.31	--
MW-4	1/5/2010	261.16	16.52	NP	--	244.64	--
MW-4	5/25/2010	261.16	17.11	NP	--	244.05	--
MW-4	8/19/2010	261.16	18.00	NP	--	243.16	--
MW-4	12/7/2010	261.16	16.60	NP	--	244.56	--
MW-4	1/26/2011	261.16	15.32	NP	--	245.84	--
MW-4	6/16/2011	261.16	16.72	NP	--	244.44	--
MW-4	9/22/2011	261.16	20.26	NP	--	240.90	--
MW-4	12/6/2011	261.16	21.94	NP	--	239.22	--
MW-4	3/8/2012	261.16	17.42	NP	--	243.74	--
MW-4	6/19/2012	261.16	17.22	NP	--	243.94	--
MW-4	9/21/2012	261.16	18.25	NP	--	242.91	--
MW-4	12/11/2012	261.16	15.80	NP	--	245.36	--
MW-4	6/25/2013	261.16	17.15	NP	--	244.01	--
MW-4	9/25/2013	261.16	17.88	NP	--	243.28	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-4	11/14/2013	261.16	17.32	NP	--	243.84	--
MW-4	2/12/2014	261.16	16.80	NP	--	244.36	--
MW-4	4/2/2014	261.16	14.55	NP	--	246.61	--
MW-4	7/10/2014	261.16	17.24	NP	--	243.92	--
MW-4	10/22/2014	261.16	17.44	NP	--	243.72	--
MW-4	1/20/2015	261.16	15.72	NP	--	245.44	--
MW-4	12/16/2015	261.16	15.04	NP	--	246.12	--
MW-4	3/11/2016	261.16	14.24	NP	--	246.92	--
MW-4	8/29/2016	261.16	18.04	NP	--	243.12	--
MW-4	11/21/2016	261.16	15.31	NP	--	245.85	--
MW-4	2/15/2017	261.16	14.20	NP	--	246.96	--
MW-4	5/26/2017	261.16	15.21	NP	--	245.95	--
MW-4	10/17/2017	261.16	17.98	NP	--	243.18	--
MW-4	2/8/2018	261.16	14.25	NP	--	246.91	--
MW-4	9/11/2018	261.16	17.85	NP	--	243.31	--
MW-4	11/15/2018	261.16	17.40	NP	--	243.76	--
MW-4	1/29/2019	261.16	15.93	NP	--	245.23	--
MW-5	10/5/1994	--	19.20	NP	--	--	--
MW-5	2/15/1995	--	16.20	NP	--	--	--
MW-5	4/10/1995	--	16.59	NP	--	--	--
MW-5	7/20/1995	--	16.96	NP	--	--	--
MW-5	10/26/1995	--	16.55	NP	--	--	--
MW-5	1/23/1996	--	15.30	NP	--	--	--
MW-5	4/17/1996	--	12.72	NP	--	--	--
MW-5	7/8/1996	--	16.25	NP	--	--	--
MW-5	3/11/1997	261.04	14.80	NP	--	246.24	--
MW-5	5/29/1997	261.04	12.38	NP	--	248.66	--
MW-5	8/5/1997	261.04	15.54	NP	--	245.50	--
MW-5	10/23/1997	261.04	15.29	NP	--	245.75	--
MW-5	3/11/1998	261.04	14.03	NP	--	247.01	--
MW-5	6/30/1998	261.04	13.17	NP	--	247.87	--
MW-5	9/25/1998	261.04	16.79	NP	--	244.25	--
MW-5	12/29/1998	261.04	13.12	NP	--	247.92	--
MW-5	3/9/1999	261.04	10.04	NP	--	251.00	--
MW-5	6/2/1999	261.04	16.11	NP	--	244.93	--
MW-5	9/27/1999	261.04	15.50	NP	--	245.54	--
MW-5	12/20/1999	261.04	15.00	NP	--	246.04	--
MW-5	3/16/2000	261.04	11.39	NP	--	249.65	--
MW-5	6/30/2000	261.04	16.93	NP	--	244.11	--
MW-5	9/27/2000	261.04	17.67	NP	--	243.37	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-5	11/10/2000	261.04	17.10	NP	--	243.94	--
MW-5	3/19/2001	261.04	16.57	NP	--	244.47	--
MW-5	6/27/2001	261.04	16.52	NP	--	244.52	--
MW-5	9/26/2001	261.04	14.22	NP	--	246.82	--
MW-5	12/3/2001	261.04	15.32	NP	--	245.72	--
MW-5	6/26/2003	261.04	16.83	NP	--	244.21	--
MW-5	12/9/2003	261.04	15.59	NP	--	245.45	--
MW-5	4/7/2004	261.04	16.10	NP	--	244.94	--
MW-5	11/16/2004	261.04	16.58	NP	--	244.46	--
MW-5	3/29/2005	261.04	16.03	NP	--	245.01	--
MW-5	6/22/2005	261.04	16.57	NP	--	244.47	--
MW-5	9/12/2005	261.04	17.44	NP	--	243.60	--
MW-5	12/6/2005	261.04	15.86	NP	--	245.18	--
MW-5	6/5/2006	261.04	15.78	NP	--	245.26	--
MW-5	9/29/2006	261.04	23.75	NP	--	237.29	--
MW-5	12/19/2006	261.04	14.58	NP	--	246.46	--
MW-5	9/24/2007	261.04	17.61	NP	--	243.43	--
MW-5	12/31/2007	261.04	15.40	NP	--	245.64	--
MW-5	1/30/2008	261.04	15.50	NP	--	245.54	--
MW-5	4/3/2008	261.04	20.44	NP	--	240.60	--
MW-5	7/2/2008	261.04	19.21	NP	--	241.83	--
MW-5	10/3/2008	261.04	22.82	NP	--	238.22	--
MW-5	1/5/2009	261.04	20.60	NP	--	240.44	--
MW-5	4/8/2009	261.04	21.52	NP	--	239.52	--
MW-5	7/8/2009	261.04	17.51	NP	--	243.53	--
MW-5	10/6/2009	261.04	18.30	NP	--	242.74	--
MW-5	1/5/2010	261.04	15.62	NP	--	245.42	--
MW-5	5/25/2010	261.04	16.25	NP	--	244.79	--
MW-5	8/19/2010	261.04	17.40	NP	--	243.64	--
MW-5	12/7/2010	261.04	15.81	NP	--	245.23	--
MW-5	1/26/2011	261.04	14.56	NP	--	246.48	--
MW-5	6/16/2011	261.04	15.95	NP	--	245.09	--
MW-5	9/22/2011	261.04	19.22	NP	--	241.82	--
MW-5	12/6/2011	261.04	20.45	NP	--	240.59	--
MW-5	3/8/2012	261.04	16.40	NP	--	244.64	--
MW-5	6/19/2012	261.04	16.27	NP	--	244.77	--
MW-5	9/21/2012	261.04	17.65	NP	--	243.39	--
MW-5	12/11/2012	261.04	14.24	NP	--	246.80	--
MW-5	6/25/2013	261.04	16.34	NP	--	244.70	--
MW-5	9/25/2013	261.04	17.37	NP	--	243.67	--
MW-5	11/14/2013	261.04	16.69	NP	--	244.35	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-5	2/12/2014	261.04	15.95	NP	--	245.09	--
MW-5	4/1/2014	261.04	14.15	NP	--	246.89	--
MW-5	7/10/2014	261.04	16.72	NP	--	244.32	--
MW-5	10/21/2014	261.04	17.05	NP	--	243.99	--
MW-5	1/20/2015	261.04	14.53	NP	--	246.51	--
MW-5	12/14/2015	261.04	15.09	NP	--	245.95	--
MW-5	3/10/2016	261.04	13.82	NP	--	247.22	--
MW-5	8/29/2016	261.04	17.70	NP	--	243.34	--
MW-5	11/21/2016	261.04	14.77	NP	--	246.27	--
MW-5	2/15/2017	261.04	13.42	NP	--	247.62	--
MW-5	5/26/2017	261.04	14.82	NP	--	246.22	--
MW-5	10/17/2017	261.04	17.61	NP	--	243.43	--
MW-5	2/8/2018	261.04	13.66	NP	--	247.38	--
MW-6	10/5/1994	--	10.35	NP	--	--	--
MW-6	2/15/1995	--	9.24	NP	--	--	--
MW-6	4/10/1995	--	9.29	NP	--	--	--
MW-6	7/20/1995	--	10.08	NP	--	--	--
MW-6	10/25/1995	--	9.77	NP	--	--	--
MW-6	1/23/1996	--	8.56	NP	--	--	--
MW-6	4/17/1996	--	9.50	NP	--	--	--
MW-6	7/8/1996	--	9.65	NP	--	--	--
MW-6	10/10/1996	--	9.95	NP	--	--	--
MW-6	3/11/1997	--	8.69	NP	--	--	--
MW-6	5/29/1997	--	8.73	NP	--	--	--
MW-6	8/5/1997	--	8.90	NP	--	--	--
MW-6	10/23/1997	--	8.08	NP	--	--	--
MW-6	3/11/1998	--	11.51	NP	--	--	--
MW-6	6/30/1998	--	10.44	NP	--	--	--
MW-6	9/25/1998	--	10.56	NP	--	--	--
MW-6	12/29/1998	--	9.68	NP	--	--	--
MW-6	3/9/1999	--	11.23	NP	--	--	--
MW-6	6/2/1999	--	9.89	NP	--	--	--
MW-6	9/27/1999	--	8.22	NP	--	--	--
MW-6	12/20/1999	--	9.30	NP	--	--	--
MW-6	3/16/2000	--	9.64	NP	--	--	--
MW-6	6/30/2000	--	10.10	NP	--	--	--
MW-6	9/27/2000	--	10.51	NP	--	--	--
MW-6	11/10/2000	--	9.25	NP	--	--	--
MW-6	3/19/2001	--	9.15	NP	--	--	--
MW-6	6/27/2001	--	9.96	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-6	9/26/2001	--	10.53	NP	--	--	WI
MW-6	12/3/2001	--	9.05	NP	--	--	--
MW-6	6/26/2003	--	10.02	NP	--	--	--
MW-6	12/9/2003	--	9.25	NP	--	--	--
MW-6	4/7/2004	--	8.65	NP	--	--	--
MW-6	11/16/2004	--	8.82	NP	--	--	--
MW-6	3/29/2005	--	8.10	NP	--	--	--
MW-6	6/22/2005	--	8.77	NP	--	--	--
MW-6	9/12/2005	--	9.65	NP	--	--	--
MW-6	12/6/2005	--	8.24	NP	--	--	--
MW-6	6/5/2006	--	8.08	NP	--	--	--
MW-6	9/29/2006	--	15.73	NP	--	--	--
MW-6	12/19/2006	--	8.21	NP	--	--	--
MW-6	9/24/2007	--	10.55	NP	--	--	--
MW-6	12/31/2007	--	--	--	--	--	WI
MW-6	1/30/2008	--	9.09	NP	--	--	--
MW-6	4/3/2008	--	15.89	NP	--	--	--
MW-6	7/2/2008	--	15.43	NP	--	--	--
MW-6	10/3/2008	--	15.48	NP	--	--	--
MW-6	1/5/2009	--	13.06	NP	--	--	--
MW-6	4/8/2009	--	17.48	NP	--	--	--
MW-6	7/8/2009	--	11.00	NP	--	--	--
MW-6	10/6/2009	--	11.17	NP	--	--	--
MW-6	1/5/2010	--	10.06	NP	--	--	--
MW-6	5/25/2010	--	10.26	NP	--	--	--
MW-6	8/19/2010	--	10.66	NP	--	--	--
MW-6	12/7/2010	--	10.04	NP	--	--	--
MW-6	1/26/2011	--	9.48	NP	--	--	--
MW-6	6/16/2011	--	9.98	NP	--	--	--
MW-6	9/22/2011	--	14.79	NP	--	--	--
MW-6	12/6/2011	--	17.88	NP	--	--	--
MW-6	3/8/2012	--	11.03	NP	--	--	--
MW-6	6/19/2012	--	15.09	NP	--	--	--
MW-6	9/21/2012	--	10.71	NP	--	--	--
MW-6	12/11/2012	--	9.46	NP	--	--	--
MW-6	6/25/2013	--	10.03	NP	--	--	--
MW-6	9/25/2013	--	10.32	NP	--	--	--
MW-6	11/14/2013	--	9.86	NP	--	--	--
MW-6	2/12/2014	--	9.44	NP	--	--	--
MW-6	4/1/2014	--	8.87	NP	--	--	--
MW-6	7/9/2014	--	9.97	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-6	10/20/2014	--	10.09	NP	--	--	--
MW-6	1/19/2015	--	9.05	NP	--	--	--
MW-6	12/14/2015	--	8.81	NP	--	--	--
MW-6	3/10/2016	--	8.46	NP	--	--	--
MW-7	10/5/1994	--	17.62	NP	--	--	--
MW-7	2/15/1995	--	15.00	NP	--	--	--
MW-7	4/10/1995	--	15.10	NP	--	--	--
MW-7	7/20/1995	--	16.70	NP	--	--	--
MW-7	10/26/1995	--	16.38	NP	--	--	--
MW-7	1/23/1996	--	14.26	NP	--	--	--
MW-7	4/17/1996	--	15.39	NP	--	--	--
MW-7	7/8/1996	--	15.65	NP	--	--	--
MW-7	10/10/1996	--	16.35	NP	--	--	--
MW-7	3/11/1997	--	14.21	NP	--	--	--
MW-7	5/29/1997	--	11.56	NP	--	--	--
MW-7	8/5/1997	--	14.92	NP	--	--	--
MW-7	10/23/1997	--	13.96	NP	--	--	--
MW-7	3/11/1998	--	14.30	NP	--	--	--
MW-7	6/30/1998	--	15.88	NP	--	--	--
MW-7	12/29/1998	--	13.98	NP	--	--	--
MW-7	3/9/1999	--	13.59	NP	--	--	--
MW-7	6/2/1999	--	14.84	NP	--	--	--
MW-7	9/27/1999	--	15.10	NP	--	--	--
MW-7	12/20/1999	--	14.00	NP	--	--	--
MW-7	3/16/2000	--	14.55	NP	--	--	--
MW-7	6/30/2000	--	16.08	NP	--	--	--
MW-7	9/27/2000	--	16.53	NP	--	--	--
MW-7	11/10/2000	--	15.85	NP	--	--	--
MW-7	3/19/2001	--	15.48	NP	--	--	--
MW-7	6/27/2001	--	16.11	NP	--	--	--
MW-7	9/26/2001	--	16.67	NP	--	--	--
MW-7	12/3/2001	--	14.29	NP	--	--	--
MW-7	12/9/2003	--	14.50	NP	--	--	--
MW-7	4/7/2004	--	14.97	NP	--	--	--
MW-7	11/16/2004	--	15.24	NP	--	--	--
MW-7	3/29/2005	--	14.41	NP	--	--	--
MW-7	6/22/2005	--	15.39	NP	--	--	--
MW-7	9/12/2005	--	16.18	NP	--	--	--
MW-7	12/6/2005	--	14.47	NP	--	--	--
MW-7	6/5/2006	--	14.43	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-7	9/29/2006	--	21.71	NP	--	--	--
MW-7	12/19/2006	--	13.63	NP	--	--	--
MW-7	9/24/2007	--	--	--	--	--	Dry
MW-7	12/31/2007	--	14.54	NP	--	--	--
MW-7	1/30/2008	--	14.66	NP	--	--	--
MW-7	4/3/2008	--	19.26	NP	--	--	--
MW-7	7/2/2008	--	18.34	NP	--	--	--
MW-7	10/3/2008	--	20.13	NP	--	--	--
MW-7	1/5/2009	--	18.50	NP	--	--	--
MW-7	4/8/2009	--	20.85	NP	--	--	--
MW-7	7/8/2009	--	16.45	NP	--	--	--
MW-7	10/6/2009	--	16.98	NP	--	--	--
MW-7	1/5/2010	--	14.77	NP	--	--	--
MW-7	5/25/2010	--	15.45	NP	--	--	--
MW-7	8/19/2010	--	16.30	NP	--	--	--
MW-7	12/7/2010	--	14.88	NP	--	--	--
MW-7	1/26/2011	--	13.84	NP	--	--	--
MW-7	6/16/2011	--	15.05	NP	--	--	--
MW-7	9/22/2011	--	18.12	NP	--	--	--
MW-7	12/6/2011	--	19.71	NP	--	--	--
MW-7	3/8/2012	--	15.50	NP	--	--	--
MW-7	6/19/2012	--	15.09	NP	--	--	--
MW-7	9/21/2012	--	16.37	NP	--	--	--
MW-7	12/11/2012	--	13.45	NP	--	--	--
MW-7	6/25/2013	--	15.19	NP	--	--	--
MW-7	9/25/2013	--	15.85	NP	--	--	--
MW-7	11/14/2013	--	15.32	NP	--	--	--
MW-7	2/12/2014	--	15.77	NP	--	--	--
MW-7	4/1/2014	--	13.15	NP	--	--	--
MW-7	7/9/2014	--	15.56	NP	--	--	--
MW-7	10/20/2014	--	15.63	NP	--	--	--
MW-7	1/19/2015	--	14.06	NP	--	--	--
MW-8	10/5/1994	--	18.11	NP	--	--	--
MW-8	2/15/1995	--	15.07	NP	--	--	--
MW-8	4/10/1995	--	15.07	NP	--	--	--
MW-8	7/20/1995	--	16.96	NP	--	--	--
MW-8	10/25/1995	--	16.85	NP	--	--	--
MW-8	1/23/1996	259.58	13.95	NP	--	245.63	--
MW-8	4/17/1996	259.58	15.46	NP	--	244.12	--
MW-8	7/8/1996	259.58	15.89	NP	--	243.69	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-8	10/10/1996	259.58	16.70	NP	--	242.88	--
MW-8	3/11/1997	259.58	14.19	NP	--	245.39	--
MW-8	5/29/1997	259.58	14.41	NP	--	245.17	--
MW-8	8/5/1997	259.58	14.10	NP	--	245.48	--
MW-8	10/23/1997	259.58	14.17	NP	--	245.41	--
MW-8	3/11/1998	259.58	14.00	NP	--	245.58	--
MW-8	6/30/1998	259.58	17.58	NP	--	242.00	--
MW-8	9/25/1998	259.58	17.08	NP	--	242.50	--
MW-8	12/29/1998	259.58	14.49	NP	--	245.09	--
MW-8	3/9/1999	259.58	13.48	NP	--	246.10	--
MW-8	6/2/1999	259.58	15.36	NP	--	244.22	--
MW-8	9/27/1999	259.58	16.79	NP	--	242.79	--
MW-8	12/20/1999	259.58	14.38	NP	--	245.20	--
MW-8	3/16/2000	259.58	14.80	NP	--	244.78	--
MW-8	6/30/2000	259.58	16.35	NP	--	243.23	--
MW-8	9/27/2000	259.58	17.24	NP	--	242.34	--
MW-8	11/10/2000	259.58	16.80	NP	--	242.78	--
MW-8	3/19/2001	259.58	16.05	NP	--	243.53	--
MW-8	6/27/2001	259.58	16.62	NP	--	242.96	--
MW-8	9/26/2001	259.58	17.64	NP	--	241.94	--
MW-8	12/3/2001	259.58	15.17	NP	--	244.41	--
MW-8	6/6/2002	259.58	16.00	NP	--	243.58	--
MW-8	6/26/2003	259.58	16.52	NP	--	243.06	--
MW-8	12/9/2003	259.58	15.45	NP	--	244.13	--
MW-8	4/7/2004	259.58	15.51	NP	--	244.07	--
MW-8	11/16/2004	259.58	16.45	NP	--	243.13	--
MW-8	3/29/2005	259.58	16.08	NP	--	243.50	--
MW-8	6/22/2005	259.58	16.12	NP	--	243.46	--
MW-8	9/12/2005	259.58	17.15	NP	--	242.43	--
MW-8	12/6/2005	259.58	15.80	NP	--	243.78	--
MW-8	6/5/2006	259.58	15.08	NP	--	244.50	--
MW-8	9/24/2007	259.58	17.16	NP	--	242.42	--
MW-8	12/31/2007	259.58	15.00	NP	--	244.58	--
MW-8	1/30/2008	259.58	14.87	NP	--	244.71	--
MW-8	4/2/2008	259.58	18.07	NP	--	241.51	--
MW-8	7/1/2008	259.58	18.34	NP	--	241.24	--
MW-8	10/3/2008	259.58	19.32	NP	--	240.26	--
MW-8	1/6/2009	259.58	18.14	NP	--	241.44	--
MW-8	4/8/2009	259.58	17.70	NP	--	241.88	--
MW-8	7/8/2009	259.58	16.95	NP	--	242.63	--
MW-8	10/6/2009	259.58	17.80	NP	--	241.78	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-8	1/5/2010	259.58	15.11	NP	--	244.47	--
MW-8	5/25/2010	259.58	15.52	NP	--	244.06	--
MW-8	8/19/2010	259.58	16.80	NP	--	242.78	--
MW-8	12/7/2010	259.58	15.54	NP	--	244.04	--
MW-8	1/26/2011	259.58	13.80	NP	--	245.78	--
MW-8	6/16/2011	259.58	15.15	NP	--	244.43	--
MW-8	9/22/2011	259.58	18.25	NP	--	241.33	--
MW-8	12/6/2011	259.58	18.16	NP	--	241.42	--
MW-8	3/8/2012	259.58	15.89	NP	--	243.69	--
MW-8	6/19/2012	259.58	12.67	NP	--	246.91	--
MW-8	9/21/2012	259.58	17.20	NP	--	242.38	--
MW-8	12/11/2012	259.58	14.28	NP	--	245.30	--
MW-8	6/26/2013	259.58	15.85	NP	--	243.73	--
MW-8	9/25/2013	259.58	16.98	NP	--	242.60	--
MW-8	11/15/2013	259.58	16.45	NP	--	243.13	--
MW-8	2/13/2014	259.58	15.84	NP	--	243.74	--
MW-8	4/2/2014	259.58	13.65	NP	--	245.93	--
MW-8	7/10/2014	259.58	16.03	NP	--	243.55	--
MW-8	10/21/2014	259.58	16.79	NP	--	242.79	--
MW-8	1/19/2015	259.58	14.35	NP	--	245.23	--
MW-8	6/1/2016	259.58	15.25	NP	--	244.33	--
MW-8	8/29/2016	259.58	17.04	NP	--	242.54	--
MW-8	11/21/2016	259.58	14.69	NP	--	244.89	--
MW-8	2/15/2017	259.58	10.47	NP	--	249.11	--
MW-8	5/26/2017	259.58	12.43	NP	--	247.15	--
MW-8	10/17/2017	259.58	16.62	NP	--	242.96	--
MW-8	2/8/2018	259.58	11.71	NP	--	247.87	--
MW-8	9/11/2018	259.58	16.78	NP	--	242.80	--
MW-8	11/15/2018	259.58	16.66	NP	--	242.92	--
MW-8	1/29/2019	259.58	14.89	NP	--	244.69	--
MW-9	10/5/1994	--	19.51	NP	--	--	--
MW-9	2/15/1995	--	16.71	NP	--	--	--
MW-9	4/10/1995	--	16.83	NP	--	--	--
MW-9	7/20/1995	--	18.66	NP	--	--	--
MW-9	10/25/1995	--	18.29	NP	--	--	--
MW-9	1/23/1996	258.96	15.47	NP	--	243.49	--
MW-9	4/17/1996	258.96	17.18	NP	--	241.78	--
MW-9	7/8/1996	258.96	17.73	NP	--	241.23	--
MW-9	10/10/1996	258.96	18.47	NP	--	240.49	--
MW-9	3/11/1997	258.96	15.91	NP	--	243.05	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-9	5/29/1997	258.96	14.77	NP	--	244.19	--
MW-9	8/5/1997	258.96	16.21	NP	--	242.75	--
MW-9	10/23/1997	258.96	15.81	NP	--	243.15	--
MW-9	3/11/1998	258.96	15.88	NP	--	243.08	--
MW-9	6/30/1998	258.96	17.97	NP	--	240.99	--
MW-9	9/25/1998	258.96	18.57	NP	--	240.39	--
MW-9	12/29/1998	258.96	15.84	NP	--	243.12	--
MW-9	3/9/1999	258.96	15.00	NP	--	243.96	--
MW-9	6/2/1999	258.96	17.17	NP	--	241.79	--
MW-9	9/27/1999	258.96	18.39	NP	--	240.57	--
MW-9	12/20/1999	258.96	15.85	NP	--	243.11	--
MW-9	3/16/2000	258.96	16.35	NP	--	242.61	--
MW-9	6/30/2000	258.96	18.05	NP	--	240.91	--
MW-9	9/27/2000	258.96	18.87	NP	--	240.09	--
MW-9	11/10/2000	258.96	18.04	NP	--	240.92	--
MW-9	3/19/2001	258.96	17.50	NP	--	241.46	--
MW-9	6/27/2001	258.96	18.08	NP	--	240.88	--
MW-9	9/26/2001	258.96	18.80	NP	--	240.16	--
MW-9	12/3/2001	258.96	16.25	NP	--	242.71	WI
MW-9	6/6/2002	258.96	17.72	NP	--	241.24	--
MW-9	6/26/2003	258.96	18.07	NP	--	240.89	--
MW-9	12/9/2003	258.96	16.51	NP	--	242.45	--
MW-9	4/7/2004	258.96	17.10	NP	--	241.86	--
MW-9	11/16/2004	258.96	17.21	NP	--	241.75	--
MW-9	3/29/2005	258.96	16.81	NP	--	242.15	--
MW-9	6/22/2005	258.96	17.70	NP	--	241.26	--
MW-9	9/12/2005	258.96	18.64	NP	--	240.32	--
MW-9	12/6/2005	258.96	17.10	NP	--	241.86	--
MW-9	6/5/2006	258.96	17.01	NP	--	241.95	--
MW-9	9/24/2007	258.96	18.88	NP	--	240.08	--
MW-9	12/31/2007	258.96	16.57	NP	--	242.39	--
MW-9	1/30/2008	258.96	--	--	--	--	WI
MW-9	4/2/2008	258.96	19.63	NP	--	239.33	--
MW-9	7/1/2008	258.96	19.99	NP	--	238.97	--
MW-9	10/3/2008	258.96	20.74	NP	--	238.22	--
MW-9	1/6/2009	258.96	19.11	NP	--	239.85	--
MW-9	4/8/2009	258.96	18.98	NP	--	239.98	--
MW-9	7/8/2009	258.96	18.55	NP	--	240.41	--
MW-9	10/6/2009	258.96	19.19	NP	--	239.77	--
MW-9	1/5/2010	258.96	15.50	NP	--	243.46	--
MW-9	5/25/2010	258.96	17.17	NP	--	241.79	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-9	8/19/2010	258.96	18.39	NP	--	240.57	--
MW-9	12/7/2010	258.96	16.95	NP	--	242.01	--
MW-9	1/26/2011	258.96	15.18	NP	--	243.78	--
MW-9	6/16/2011	258.96	16.84	NP	--	242.12	--
MW-9	9/22/2011	258.96	19.62	NP	--	239.34	--
MW-9	12/6/2011	258.96	19.14	NP	--	239.82	--
MW-9	3/8/2012	258.96	17.17	NP	--	241.79	--
MW-9	6/19/2012	258.96	17.22	NP	--	241.74	--
MW-9	9/21/2012	258.96	18.54	NP	--	240.42	--
MW-9	12/11/2012	258.96	15.20	NP	--	243.76	--
MW-9	6/26/2013	258.96	17.31	NP	--	241.65	--
MW-9	9/25/2013	258.96	18.23	NP	--	240.73	--
MW-9	11/14/2013	258.96	17.64	NP	--	241.32	--
MW-9	2/14/2014	258.96	16.96	NP	--	242.00	--
MW-9	4/2/2014	258.96	15.05	NP	--	243.91	--
MW-9	7/10/2014	258.96	17.54	NP	--	241.42	--
MW-9	10/21/2014	258.96	17.90	NP	--	241.06	--
MW-9	1/20/2015	258.96	15.88	NP	--	243.08	--
MW-9	12/14/2015	258.96	15.40	NP	--	243.56	--
MW-9	3/10/2016	258.96	14.74	NP	--	244.22	--
MW-9	6/1/2016	258.96	17.06	NP	--	241.90	--
MW-9	8/29/2016	258.96	18.48	NP	--	240.48	--
MW-9	11/21/2016	258.96	15.80	NP	--	243.16	--
MW-9	2/15/2017	258.96	13.94	NP	--	245.02	--
MW-9	5/26/2017	258.96	15.34	NP	--	243.62	--
MW-9	10/17/2017	258.96	18.29	NP	--	240.67	--
MW-9	2/8/2018	258.96	14.09	NP	--	244.87	--
MW-9	9/11/2018	258.96	18.31	NP	--	240.65	--
MW-9	11/15/2018	258.96	17.71	NP	--	241.25	--
MW-9	1/29/2019	258.96	16.02	NP	--	242.94	--
MW-10	10/5/1994	256.56	17.52	NP	--	239.04	--
MW-10	2/15/1995	256.56	14.70	NP	--	241.86	--
MW-10	4/10/1995	256.56	14.91	NP	--	241.65	--
MW-10	7/20/1995	256.56	16.67	NP	--	239.89	--
MW-10	10/25/1995	256.56	16.22	NP	--	240.34	--
MW-10	1/23/1996	256.56	13.40	NP	--	243.16	--
MW-10	4/17/1996	256.56	15.27	NP	--	241.29	--
MW-10	7/8/1996	256.56	15.85	NP	--	240.71	--
MW-10	10/10/1996	256.56	16.50	NP	--	240.06	--
MW-10	3/11/1997	256.56	13.91	NP	--	242.65	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-10	5/29/1997	256.56	12.36	NP	--	244.20	--
MW-10	8/5/1997	256.56	16.49	NP	--	240.07	--
MW-10	10/23/1997	256.56	13.82	NP	--	242.74	--
MW-10	3/11/1998	256.56	14.09	NP	--	242.47	--
MW-10	6/30/1998	256.56	16.38	NP	--	240.18	--
MW-10	9/25/1998	256.56	16.69	NP	--	239.87	--
MW-10	12/29/1998	256.56	13.83	NP	--	242.73	--
MW-10	3/9/1999	256.56	13.44	NP	--	243.12	--
MW-10	6/2/1999	256.56	15.31	NP	--	241.25	--
MW-10	9/27/1999	256.56	16.51	NP	--	240.05	--
MW-10	12/20/1999	256.56	13.99	NP	--	242.57	--
MW-10	3/16/2000	256.56	14.60	NP	--	241.96	--
MW-10	6/30/2000	256.56	16.17	NP	--	240.39	--
MW-10	9/27/2000	256.56	17.02	NP	--	239.54	--
MW-10	11/10/2000	256.56	16.02	NP	--	240.54	--
MW-10	3/19/2001	256.56	15.55	NP	--	241.01	--
MW-10	6/27/2001	256.56	16.11	NP	--	240.45	--
MW-10	9/26/2001	256.56	16.90	NP	--	239.66	--
MW-10	12/3/2001	256.56	14.05	NP	--	242.51	WI
MW-10	6/6/2002	256.56	15.95	NP	--	240.61	--
MW-10	6/26/2003	256.56	16.30	NP	--	240.26	--
MW-10	12/9/2003	256.56	14.55	NP	--	242.01	--
MW-10	4/7/2004	256.56	15.36	NP	--	241.20	--
MW-10	11/16/2004	256.56	16.00	NP	--	240.56	--
MW-10	3/29/2005	256.56	14.88	NP	--	241.68	--
MW-10	6/22/2005	256.56	15.95	NP	--	240.61	--
MW-10	9/12/2005	256.56	16.80	NP	--	239.76	--
MW-10	12/6/2005	256.56	15.13	NP	--	241.43	--
MW-10	6/5/2006	256.56	15.22	NP	--	241.34	--
MW-10	9/24/2007	256.56	17.06	NP	--	239.50	--
MW-10	12/31/2007	256.56	14.74	NP	--	241.82	--
MW-10	1/30/2008	256.56	--	--	--	--	WI
MW-10	4/2/2008	256.56	17.65	NP	--	238.91	--
MW-10	7/1/2008	256.56	18.15	NP	--	238.41	--
MW-10	10/3/2008	256.56	18.83	NP	--	237.73	--
MW-10	1/6/2009	256.56	16.96	NP	--	239.60	--
MW-10	4/8/2009	256.56	16.88	NP	--	239.68	--
MW-10	7/8/2009	256.56	16.76	NP	--	239.80	--
MW-10	10/6/2009	256.56	17.32	NP	--	239.24	--
MW-10	1/5/2010	256.56	14.69	NP	--	241.87	--
MW-10	5/25/2010	256.56	15.57	NP	--	240.99	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-10	8/19/2010	256.56	16.68	NP	--	239.88	--
MW-10	12/7/2010	256.56	15.15	NP	--	241.41	--
MW-10	1/26/2011	256.56	13.78	NP	--	242.78	--
MW-10	6/16/2011	256.56	15.41	NP	--	241.15	--
MW-10	9/22/2011	256.56	17.88	NP	--	238.68	--
MW-10	12/6/2011	256.56	17.11	NP	--	239.45	--
MW-10	3/8/2012	256.56	15.34	NP	--	241.22	--
MW-10	6/19/2012	256.56	15.63	NP	--	240.93	--
MW-10	9/21/2012	256.56	16.89	NP	--	239.67	--
MW-10	12/11/2012	256.56	13.59	NP	--	242.97	--
MW-10	6/26/2013	256.56	15.77	NP	--	240.79	--
MW-10	9/25/2013	256.56	16.42	NP	--	240.14	--
MW-10	11/14/2013	256.56	15.96	NP	--	240.60	--
MW-10	2/13/2014	256.56	15.24	NP	--	241.32	--
MW-10	4/2/2014	256.56	13.63	NP	--	242.93	--
MW-10	7/11/2014	256.56	16.15	NP	--	240.41	--
MW-10	10/21/2014	256.56	16.20	NP	--	240.36	--
MW-10	1/20/2015	256.56	14.33	NP	--	242.23	--
MW-10	3/11/2016	256.56	13.05	NP	--	243.51	--
MW-10	8/29/2016	256.56	16.92	NP	--	239.64	--
MW-10	11/21/2016	256.56	14.11	NP	--	242.45	--
MW-10	2/15/2017	256.56	12.77	NP	--	243.79	--
MW-10	5/26/2017	256.56	14.33	NP	--	242.23	--
MW-10	10/17/2017	256.56	16.68	NP	--	239.88	--
MW-10	2/8/2018	256.56	12.94	NP	--	243.62	--
MW-10	9/11/2018	256.56	16.81	NP	--	239.75	--
MW-10	11/15/2018	256.56	16.14	NP	--	240.42	--
MW-10	1/29/2019	256.56	14.65	NP	--	241.91	--
MW-11	4/10/1995	--	16.95	16.25	0.70	--	--
MW-11	7/20/1995	--	19.04	19.02	0.02	--	--
MW-11	10/25/1995	--	17.98	17.96	0.02	--	--
MW-11	1/23/1996	--	13.35	NP	--	--	--
MW-11	4/17/1996	--	20.50	NP	--	--	--
MW-11	7/8/1996	261.85	20.55	15.50	5.05	245.09	--
MW-11	10/10/1996	261.85	16.25	15.00	1.25	246.54	--
MW-11	3/11/1997	261.85	16.39	15.47	0.92	246.15	--
MW-11	5/29/1997	261.85	12.99	12.82	0.17	248.99	--
MW-11	8/5/1997	261.85	14.81	14.11	0.70	247.56	--
MW-11	10/23/1997	261.85	20.04	19.93	0.11	241.89	--
MW-11	3/11/1998	261.85	15.00	NP	--	246.85	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-11	6/30/1998	261.85	13.26	NP	--	248.59	--
MW-11	9/25/1998	261.85	16.49	16.47	0.02	245.37	--
MW-11	12/29/1998	261.85	14.43	NP	--	247.42	--
MW-11	3/9/1999	261.85	10.35	NP	--	251.50	--
MW-11	6/2/1999	261.85	16.34	16.32	0.02	245.52	--
MW-11	9/27/1999	261.85	15.80	NP	--	246.05	--
MW-11	12/20/1999	261.85	15.21	NP	--	246.64	--
MW-11	3/16/2000	261.85	11.90	NP	--	249.95	--
MW-11	6/30/2000	261.85	17.35	NP	--	244.50	--
MW-11	9/27/2000	261.85	18.20	18.14	0.06	243.69	--
MW-11	11/10/2000	261.85	17.28	17.26	0.02	244.58	--
MW-11	3/19/2001	261.85	17.16	17.15	0.01	244.70	--
MW-11	6/27/2001	261.85	16.80	NP	--	245.05	--
MW-11	9/26/2001	261.85	15.30	NP	--	246.55	WI
MW-11	12/3/2001	261.85	15.90	NP	--	245.95	--
MW-11	6/6/2002	261.85	16.84	NP	--	245.01	WI
MW-11	6/26/2003	261.85	17.49	17.45	0.04	244.39	WI
MW-11	12/9/2003	261.85	16.19	NP	--	245.66	--
MW-11	4/7/2004	261.85	16.48	16.46	0.02	245.38	--
MW-11	11/16/2004	261.85	17.00	NP	--	244.85	--
MW-11	3/29/2005	261.85	16.15	NP	--	245.70	--
MW-11	6/22/2005	261.85	17.15	NP	--	244.70	--
MW-11	9/12/2005	261.85	17.99	NP	--	243.86	--
MW-11	12/6/2005	261.85	16.68	NP	--	245.17	--
MW-11	6/5/2006	261.85	16.55	NP	--	245.30	--
MW-11	9/29/2006	261.85	20.90	NP	--	240.95	--
MW-11	12/19/2006	261.85	15.25	NP	--	246.60	--
MW-11	9/24/2007	261.85	14.42	NP	--	247.43	--
MW-11	12/31/2007	261.85	--	--	--	--	WI
MW-11	4/3/2008	261.85	--	--	--	--	WI
MW-11	7/1/2008	261.85	--	--	--	--	WI
MW-11	10/3/2008	261.85	21.82	NP	--	240.03	--
MW-11	1/6/2009	261.85	--	--	--	--	Dry
MW-11	4/8/2009	261.85	19.20	NP	--	242.65	--
MW-11	7/8/2009	261.85	18.09	NP	--	243.76	--
MW-11	10/6/2009	261.85	18.77	NP	--	243.08	--
MW-11	1/5/2010	261.85	16.14	NP	--	245.71	--
MW-11	5/25/2010	261.85	16.56	NP	--	245.29	--
MW-11	8/19/2010	261.85	17.84	NP	--	244.01	--
MW-11	12/7/2010	261.85	16.95	NP	--	244.90	--
MW-11	1/26/2011	261.85	14.91	NP	--	246.94	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-11	6/16/2011	261.85	16.29	NP	--	245.56	--
MW-11	9/22/2011	261.85	20.40	NP	--	241.45	--
MW-11	12/6/2011	261.85	18.11	NP	--	243.74	--
MW-11	3/8/2012	261.85	17.40	NP	--	244.45	--
MW-11	6/19/2012	261.85	16.80	NP	--	245.05	--
MW-11	9/21/2012	261.85	18.15	NP	--	243.70	--
MW-11	12/11/2012	261.85	14.80	NP	--	247.05	--
MW-11	6/27/2013	261.85	16.88	NP	--	244.97	--
MW-11	9/26/2013	261.85	17.90	NP	--	243.95	--
MW-11	11/15/2013	261.85	17.07	NP	--	244.78	--
MW-11	2/13/2014	261.85	16.51	NP	--	245.34	--
MW-11	4/2/2014	261.85	14.52	NP	--	247.33	--
MW-11	7/11/2014	261.85	17.12	NP	--	244.73	--
MW-11	10/22/2014	261.85	17.54	NP	--	244.31	--
MW-11	1/21/2015	261.85	15.60	NP	--	246.25	--
MW-11	12/14/2015	261.85	14.20	NP	--	247.65	--
MW-11	3/10/2016	261.85	14.86	NP	--	246.99	--
MW-11	6/1/2016	261.85	16.95	NP	--	244.90	--
MW-11	8/29/2016	261.85	18.11	NP	--	243.74	--
MW-11	11/21/2016	261.85	15.50	NP	--	246.35	--
MW-11	2/15/2017	261.85	14.54	NP	--	247.31	--
MW-11	5/26/2017	261.85	15.66	NP	--	246.19	--
MW-11	10/17/2017	261.85	18.04	NP	--	243.81	--
MW-11	2/8/2018	261.85	14.45	NP	--	247.40	--
MW-11	9/11/2018	261.85	17.96	NP	--	243.89	--
MW-11	11/15/2018	261.85	17.42	NP	--	244.43	--
MW-11	1/29/2019	261.85	15.89	NP	--	245.96	--
MW-12	7/11/1996	257.84	11.69	NP	--	246.15	--
MW-12	10/10/1996	257.84	13.63	NP	--	244.21	--
MW-12	3/11/1997	257.84	8.65	NP	--	249.19	--
MW-12	5/29/1997	257.84	11.17	NP	--	246.67	--
MW-12	8/5/1997	257.84	11.68	NP	--	246.16	--
MW-12	10/23/1997	257.84	11.41	NP	--	246.43	--
MW-12	3/11/1998	257.84	10.50	NP	--	247.34	--
MW-12	6/30/1998	257.84	13.12	NP	--	244.72	--
MW-12	9/25/1998	257.84	13.57	13.51	0.06	244.32	--
MW-12	12/29/1998	257.84	11.37	NP	--	246.47	--
MW-12	3/9/1999	257.84	10.67	NP	--	247.17	--
MW-12	6/2/1999	257.84	12.48	NP	--	245.36	--
MW-12	9/27/1999	257.84	13.76	13.50	0.26	244.27	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-12	12/20/1999	257.84	11.64	11.24	0.40	246.50	--
MW-12	3/16/2000	257.84	11.75	11.74	0.01	246.10	--
MW-12	6/30/2000	257.84	13.45	NP	--	244.39	--
MW-12	9/27/2000	257.84	14.00	13.84	0.16	243.96	--
MW-12	11/10/2000	257.84	13.28	13.03	0.25	244.75	--
MW-12	3/19/2001	257.84	13.20	13.00	0.20	244.79	--
MW-12	6/27/2001	257.84	13.95	13.92	0.03	243.91	--
MW-12	9/26/2001	257.84	14.10	14.08	0.02	243.75	--
MW-12	12/3/2001	257.84	12.16	12.13	0.03	245.70	--
MW-12	6/6/2002	257.84	13.30	13.25	0.05	244.58	--
MW-12	6/26/2003	257.84	13.52	13.25	0.27	244.52	--
MW-12	12/9/2003	257.84	12.18	12.16	0.02	245.68	--
MW-12	4/7/2004	257.84	12.71	NP	--	245.13	--
MW-12	11/16/2004	257.84	13.00	12.80	0.20	244.99	--
MW-12	3/29/2005	257.84	12.08	NP	--	245.76	--
MW-12	6/22/2005	257.84	13.04	NP	--	244.80	--
MW-12	9/12/2005	257.84	13.84	NP	--	244.00	--
MW-12	12/6/2005	257.84	12.26	NP	--	245.58	--
MW-12	6/5/2006	257.84	12.11	NP	--	245.73	--
MW-12	9/29/2006	257.84	17.50	NP	--	240.34	--
MW-12	12/19/2006	257.84	10.87	NP	--	246.97	--
MW-12	9/24/2007	257.84	14.30	NP	--	243.54	--
MW-12	12/31/2007	257.84	12.12	NP	--	245.72	--
MW-12	1/29/2008	257.84	11.92	NP	--	245.92	--
MW-12	4/3/2008	257.84	19.67	NP	--	238.17	--
MW-12	7/1/2008	257.84	17.26	NP	--	240.58	--
MW-12	10/3/2008	257.84	19.78	NP	--	238.06	--
MW-12	1/6/2009	257.84	12.93	NP	--	244.91	--
MW-12	4/8/2009	257.84	17.04	NP	--	240.80	--
MW-12	7/8/2009	257.84	13.67	NP	--	244.17	--
MW-12	10/6/2009	257.84	14.25	NP	--	243.59	--
MW-12	1/6/2010	257.84	12.09	NP	--	245.75	--
MW-12	5/25/2010	257.84	12.37	NP	--	245.47	--
MW-12	8/19/2010	257.84	13.30	NP	--	244.54	--
MW-12	12/7/2010	257.84	12.28	NP	--	245.56	--
MW-12	1/26/2011	257.84	10.83	NP	--	247.01	--
MW-12	6/16/2011	257.84	12.20	NP	--	245.64	--
MW-12	9/22/2011	257.84	16.41	NP	--	241.43	--
MW-12	12/6/2011	257.84	17.17	NP	--	240.67	--
MW-12	3/8/2012	257.84	14.07	NP	--	243.77	--
MW-12	6/19/2012	257.84	12.23	NP	--	245.61	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
MW-12	9/21/2012	257.84	13.63	NP	--	244.21	--
MW-12	12/11/2012	257.84	10.10	NP	--	247.74	--
MW-12	6/27/2013	257.84	12.58	NP	--	245.26	--
MW-12	9/26/2013	257.84	13.45	NP	--	244.39	--
MW-12	11/15/2013	257.84	12.50	NP	--	245.34	--
MW-12	2/13/2014	257.84	12.19	NP	--	245.65	--
MW-12	4/2/2014	257.84	10.28	NP	--	247.56	--
MW-12	7/11/2014	257.84	12.69	NP	--	245.15	--
MW-12	10/22/2014	257.84	13.08	NP	--	244.76	--
MW-12	1/21/2015	257.84	11.59	NP	--	246.25	--
MW-12	12/16/2015	257.84	10.76	NP	--	247.08	--
MW-12	3/11/2016	257.84	10.08	NP	--	247.76	--
MW-12	6/1/2016	257.84	12.51	NP	--	245.33	--
MW-12	8/29/2016	257.84	13.71	NP	--	244.13	--
MW-12	11/21/2016	257.84	11.20	NP	--	246.64	--
MW-12	2/15/2017	257.84	9.90	NP	--	247.94	--
MW-12	4/7/2017	257.84	9.05	NP	--	248.79	--
MW-12	5/26/2017	257.84	11.05	NP	--	246.79	--
MW-12	10/17/2017	257.84	13.60	NP	--	244.24	--
MW-12	2/8/2018	257.84	9.87	NP	--	247.97	--
MW-12	9/11/2018	257.84	13.57	NP	--	244.27	--
MW-12	11/15/2018	257.84	13.10	NP	--	244.74	--
MW-12	1/29/2019	257.84	11.50	NP	--	246.34	--
VP-1	10/5/1994	--	15.20	NP	--	--	--
VP-1	2/15/1995	--	12.47	NP	--	--	--
VP-1	4/11/1995	--	13.44	NP	--	--	--
VP-1	7/20/1995	--	14.00	NP	--	--	--
VP-1	10/26/1995	--	14.08	NP	--	--	--
VP-1	1/23/1996	--	11.97	NP	--	--	--
VP-1	4/17/1996	--	12.80	NP	--	--	--
VP-1	7/8/1996	--	11.45	NP	--	--	--
VP-1	10/10/1996	--	14.17	NP	--	--	--
VP-1	3/11/1997	--	12.10	NP	--	--	--
VP-1	5/29/1997	--	11.11	NP	--	--	--
VP-1	8/5/1997	--	12.01	NP	--	--	--
VP-1	10/23/1997	--	14.11	NP	--	--	--
VP-1	3/11/1998	--	9.88	NP	--	--	--
VP-1	6/30/1998	--	14.14	NP	--	--	--
VP-1	9/25/1998	--	14.08	NP	--	--	--
VP-1	12/29/1998	--	11.50	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
VP-1	3/9/1999	--	10.55	NP	--	--	--
VP-1	6/2/1999	--	12.35	NP	--	--	--
VP-1	9/27/1999	--	13.72	NP	--	--	--
VP-1	12/20/1999	--	11.40	NP	--	--	--
VP-1	3/16/2000	--	12.60	NP	--	--	--
VP-1	6/30/2000	--	13.54	NP	--	--	--
VP-1	9/27/2000	--	14.49	NP	--	--	--
VP-1	11/10/2000	--	13.91	NP	--	--	--
VP-1	3/19/2001	--	13.40	NP	--	--	--
VP-1	6/27/2001	--	13.75	NP	--	--	--
VP-1	9/26/2001	--	14.25	NP	--	--	WI
VP-1	12/3/2001	--	12.48	NP	--	--	--
VP-1	6/6/2002	--	13.30	NP	--	--	--
VP-1	6/26/2003	--	13.85	NP	--	--	--
VP-1	12/9/2003	--	12.70	NP	--	--	--
VP-1	4/7/2004	--	12.43	NP	--	--	--
VP-1	11/16/2004	--	13.15	NP	--	--	--
VP-1	3/29/2005	--	12.40	NP	--	--	--
VP-1	6/22/2005	--	12.98	NP	--	--	--
VP-1	9/12/2005	--	14.05	NP	--	--	--
VP-1	12/6/2005	--	13.65	NP	--	--	--
VP-1	6/5/2006	--	11.81	NP	--	--	--
VP-1	9/29/2006	--	17.48	NP	--	--	--
VP-1	12/19/2006	--	11.17	NP	--	--	--
VP-1	9/24/2007	--	13.87	NP	--	--	--
VP-1	12/31/2007	--	--	--	--	--	WI
VP-1	1/30/2008	--	13.08	NP	--	--	--
VP-1	4/2/2008	--	15.55	NP	--	--	--
VP-1	7/1/2008	--	15.18	NP	--	--	--
VP-1	10/3/2008	--	17.58	NP	--	--	--
VP-1	1/6/2009	--	17.07	NP	--	--	--
VP-1	4/8/2009	--	16.64	NP	--	--	--
VP-1	7/8/2009	--	14.08	NP	--	--	--
VP-1	10/6/2009	--	14.85	NP	--	--	--
VP-1	1/6/2010	--	13.51	NP	--	--	--
VP-1	5/25/2010	--	13.03	NP	--	--	--
VP-1	8/19/2010	--	13.93	NP	--	--	--
VP-1	12/7/2010	--	13.07	NP	--	--	--
VP-1	1/26/2011	--	11.40	NP	--	--	--
VP-1	6/16/2011	--	13.09	NP	--	--	--
VP-1	9/22/2011	--	15.67	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
VP-1	12/6/2011	--	16.10	NP	--	--	--
VP-1	3/8/2012	--	14.32	NP	--	--	--
VP-1	6/19/2012	--	13.25	NP	--	--	--
VP-1	9/21/2012	--	14.25	NP	--	--	--
VP-1	12/11/2012	--	13.43	NP	--	--	--
VP-1D	6/26/2013	--	13.42	NP	--	--	--
VP-1D	9/26/2013	--	14.11	NP	--	--	--
VP-1D	11/15/2013	--	13.16	NP	--	--	--
VP-1D	2/13/2014	--	13.25	NP	--	--	--
VP-1D	4/1/2014	--	11.98	NP	--	--	--
VP-1D	7/9/2014	--	13.70	NP	--	--	--
VP-1D	10/20/2014	--	13.81	NP	--	--	--
VP-1D	1/19/2015	--	12.02	NP	--	--	--
VP-1D	12/14/2015	--	12.10	NP	--	--	--
VP-1D	3/10/2016	--	9.52	NP	--	--	--
VP-1S	6/26/2013	--	12.89	NP	--	--	--
VP-1S	9/26/2013	--	14.01	NP	--	--	--
VP-1S	11/15/2013	--	13.45	NP	--	--	--
VP-1S	2/12/2014	--	12.97	NP	--	--	--
VP-1S	4/1/2014	--	10.99	NP	--	--	--
VP-1S	7/9/2014	--	13.35	NP	--	--	--
VP-1S	10/20/2014	--	13.71	NP	--	--	--
VP-1S	1/19/2015	--	11.96	NP	--	--	--
VP-2	10/5/1994	--	14.64	NP	--	--	--
VP-2	2/15/1995	--	14.77	NP	--	--	--
VP-2	4/10/1995	--	13.24	NP	--	--	--
VP-2	7/20/1995	--	13.43	NP	--	--	--
VP-2	10/26/1995	--	13.67	NP	--	--	--
VP-2	1/23/1996	--	11.80	NP	--	--	--
VP-2	4/17/1996	--	14.95	NP	--	--	--
VP-2	7/8/1996	--	12.40	NP	--	--	--
VP-2	10/10/1996	--	16.96	NP	--	--	--
VP-2	3/11/1997	--	10.98	NP	--	--	--
VP-2	5/29/1997	--	10.03	NP	--	--	--
VP-2	8/5/1997	--	13.08	NP	--	--	--
VP-2	10/23/1997	--	14.21	NP	--	--	--
VP-2	3/11/1998	--	10.11	NP	--	--	--
VP-2	6/30/1998	--	13.74	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
VP-2	9/25/1998	--	13.67	NP	--	--	--
VP-2	12/29/1998	--	11.00	NP	--	--	--
VP-2	3/9/1999	--	10.19	NP	--	--	--
VP-2	6/2/1999	--	11.99	NP	--	--	--
VP-2	9/27/1999	--	13.55	NP	--	--	--
VP-2	12/20/1999	--	10.97	NP	--	--	--
VP-2	3/16/2000	--	11.66	NP	--	--	--
VP-2	6/30/2000	--	12.76	NP	--	--	--
VP-2	9/27/2000	--	14.68	NP	--	--	--
VP-2	11/10/2000	--	13.79	NP	--	--	--
VP-2	3/19/2001	--	13.70	NP	--	--	--
VP-2	6/27/2001	--	13.10	NP	--	--	--
VP-2	9/26/2001	--	13.86	NP	--	--	WI
VP-2	12/3/2001	--	13.05	NP	--	--	--
VP-2	6/6/2002	--	12.70	NP	--	--	--
VP-2	6/26/2003	--	15.34	NP	--	--	--
VP-2	12/9/2003	--	13.08	NP	--	--	--
VP-2	4/7/2004	--	12.35	NP	--	--	--
VP-2	11/16/2004	--	13.15	NP	--	--	--
VP-2	3/29/2005	--	12.40	NP	--	--	--
VP-2	6/22/2005	--	15.51	NP	--	--	--
VP-2	9/12/2005	--	16.72	NP	--	--	--
VP-2	12/6/2005	--	12.80	NP	--	--	--
VP-2	6/5/2006	--	11.94	NP	--	--	--
VP-2	9/24/2007	--	15.29	NP	--	--	--
VP-2	12/31/2007	--	--	--	--	--	WI
VP-2	1/30/2008	--	14.11	NP	--	--	--
VP-2	4/2/2008	--	16.37	NP	--	--	--
VP-2	7/1/2008	--	13.17	NP	--	--	--
VP-2	10/3/2008	--	14.10	NP	--	--	--
VP-2	1/6/2009	--	17.02	NP	--	--	--
VP-2	4/8/2009	--	13.72	NP	--	--	--
VP-2	9/22/2011	--	16.46	NP	--	--	--
VP-2D	6/26/2013	--	14.43	NP	--	--	--
VP-2D	9/25/2013	--	15.09	NP	--	--	--
VP-2D	11/15/2013	--	14.68	NP	--	--	--
VP-2D	2/13/2014	--	14.20	NP	--	--	--
VP-2D	4/1/2014	--	12.34	NP	--	--	--
VP-2D	7/9/2014	--	14.69	NP	--	--	--
VP-2D	10/20/2014	--	14.96	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
VP-2D	1/19/2015	--	13.00	NP	--	--	--
VP-2D	12/14/2015	--	12.61	NP	--	--	--
VP-2D	3/10/2016	--	12.62	NP	--	--	--
VP-2S	6/26/2013	--	12.67	NP	--	--	--
VP-2S	9/25/2013	--	13.21	NP	--	--	--
VP-2S	11/15/2013	--	13.05	NP	--	--	--
VP-2S	2/12/2014	--	12.63	NP	--	--	--
VP-2S	4/1/2014	--	11.31	NP	--	--	--
VP-2S	7/9/2014	--	12.07	NP	--	--	--
VP-2S	10/20/2014	--	12.89	NP	--	--	--
VP-2S	1/19/2015	--	11.70	NP	--	--	--
BV-1	4/11/1995	--	6.57	NP	--	--	--
BV-1	7/20/1995	--	7.38	NP	--	--	--
BV-1	10/26/1995	--	6.98	NP	--	--	--
BV-1	1/23/1996	--	5.49	NP	--	--	--
BV-1	4/17/1996	--	6.75	NP	--	--	--
BV-1	7/8/1996	--	7.00	NP	--	--	--
BV-1	10/10/1996	--	7.36	NP	--	--	--
BV-1	3/11/1997	--	5.12	NP	--	--	--
BV-1	5/29/1997	--	6.02	NP	--	--	--
BV-1	8/5/1997	--	6.92	NP	--	--	--
BV-1	10/23/1997	--	7.17	NP	--	--	--
BV-1	3/11/1998	--	5.65	NP	--	--	--
BV-1	6/30/1998	--	7.34	NP	--	--	--
BV-1	9/25/1998	--	8.01	NP	--	--	--
BV-1	12/29/1998	--	7.00	NP	--	--	--
BV-1	3/9/1999	--	6.51	NP	--	--	--
BV-1	6/2/1999	--	7.30	NP	--	--	--
BV-1	9/27/1999	--	7.62	NP	--	--	--
BV-1	12/20/1999	--	6.40	NP	--	--	--
BV-1	6/30/2000	--	7.38	NP	--	--	--
BV-1	9/27/2000	--	7.87	NP	--	--	--
BV-1	11/10/2000	--	6.75	NP	--	--	--
BV-1	3/19/2001	--	6.54	NP	--	--	--
BV-1	6/25/2013	--	7.04	NP	--	--	--
BV-1	9/25/2013	--	7.36	NP	--	--	--
BV-1	11/14/2013	--	7.05	NP	--	--	--
BV-1	2/13/2014	--	6.69	NP	--	--	--
BV-1	4/1/2014	--	5.89	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
BV-1	7/9/2014	--	7.05	NP	--	--	--
BV-1	10/20/2014	--	7.20	NP	--	--	--
BV-1	1/19/2015	--	6.42	NP	--	--	--
BV-2	4/10/1995	--	8.83	NP	--	--	--
BV-2	10/26/1995	--	9.67	NP	--	--	--
BV-2	1/23/1996	--	7.76	NP	--	--	--
BV-2	4/17/1996	--	9.10	NP	--	--	--
BV-2	7/8/1996	--	9.25	NP	--	--	--
BV-2	10/10/1996	--	9.63	NP	--	--	--
BV-2	3/11/1997	--	7.31	NP	--	--	--
BV-2	5/29/1997	--	7.01	NP	--	--	--
BV-2	8/5/1997	--	8.06	NP	--	--	--
BV-2	10/23/1997	--	11.03	NP	--	--	--
BV-2	3/11/1998	--	7.76	NP	--	--	--
BV-2	6/30/1998	--	9.29	NP	--	--	--
BV-2	9/25/1998	--	10.16	NP	--	--	--
BV-2	12/29/1998	--	8.92	NP	--	--	--
BV-2	3/9/1999	--	8.33	NP	--	--	--
BV-2	6/2/1999	--	9.32	NP	--	--	--
BV-2	9/27/1999	--	9.37	NP	--	--	--
BV-2	12/20/1999	--	7.59	NP	--	--	--
BV-2	6/30/2000	--	9.40	NP	--	--	--
BV-2	9/27/2000	--	10.08	NP	--	--	--
BV-2	11/10/2000	--	8.86	NP	--	--	--
BV-2	3/19/2001	--	8.78	NP	--	--	--
BV-2	6/25/2013	--	9.66	NP	--	--	--
BV-2	9/25/2013	--	10.23	NP	--	--	--
BV-2	11/14/2013	--	8.78	NP	--	--	--
BV-2	2/13/2014	--	6.74	NP	--	--	--
BV-2	4/1/2014	--	5.75	NP	--	--	--
BV-2	7/9/2014	--	9.83	NP	--	--	--
BV-2	10/20/2014	--	10.10	NP	--	--	--
BV-2	1/19/2015	--	8.83	NP	--	--	--
BV-2	12/14/2015	--	7.57	NP	--	--	--
BV-2	3/10/2016	--	5.96	NP	--	--	--
BV-3	3/3/1995	--	11.40	NP	--	--	--
BV-3	4/10/1995	--	11.79	NP	--	--	--
BV-3	7/20/1995	--	11.15	NP	--	--	--
BV-3	10/26/1995	--	11.44	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
BV-3	1/23/1996	--	10.65	NP	--	--	--
BV-3	4/17/1996	--	6.61	NP	--	--	--
BV-3	7/8/1996	--	10.72	NP	--	--	--
BV-3	10/10/1996	--	8.40	NP	--	--	--
BV-3	3/11/1997	--	12.07	NP	--	--	--
BV-3	5/29/1997	--	9.13	NP	--	--	--
BV-3	8/5/1997	--	9.53	NP	--	--	--
BV-3	10/23/1997	--	9.06	NP	--	--	--
BV-3	3/11/1998	--	7.00	NP	--	--	--
BV-3	6/30/1998	--	7.68	NP	--	--	--
BV-3	9/25/1998	--	8.00	NP	--	--	--
BV-3	12/29/1998	--	9.34	NP	--	--	--
BV-3	3/9/1999	--	5.39	NP	--	--	--
BV-3	6/2/1999	--	12.85	NP	--	--	--
BV-3	9/27/1999	--	9.55	NP	--	--	--
BV-3	12/20/1999	--	9.90	NP	--	--	--
BV-3	3/16/2000	--	8.15	NP	--	--	--
BV-3	6/30/2000	--	12.16	NP	--	--	--
BV-3	9/27/2000	--	14.52	NP	--	--	--
BV-3	11/10/2000	--	13.39	NP	--	--	--
BV-3	3/19/2001	--	13.30	NP	--	--	--
BV-3	6/25/2013	--	14.30	NP	--	--	--
BV-3	9/25/2013	--	15.15	NP	--	--	--
BV-3	11/14/2013	--	14.42	NP	--	--	--
BV-3	2/13/2014	--	13.75	NP	--	--	--
BV-3	4/1/2014	--	12.01	NP	--	--	--
BV-3	7/9/2014	--	14.65	NP	--	--	--
BV-3	10/20/2014	--	14.87	NP	--	--	--
BV-3	1/19/2015	--	13.41	NP	--	--	--
BV-4	4/10/1995	--	--	--	--	--	Dry
BV-4	7/20/1995	--	--	--	--	--	Dry
BV-4	10/26/1995	--	--	--	--	--	Dry
BV-4	1/23/1996	--	9.51	NP	--	--	--
BV-4	4/17/1996	--	--	--	--	--	Dry
BV-4	7/8/1996	--	--	--	--	--	Dry
BV-4	10/10/1996	--	8.35	NP	--	--	--
BV-4	3/11/1997	--	9.96	NP	--	--	--
BV-4	5/29/1997	--	8.40	NP	--	--	--
BV-4	8/5/1997	--	9.40	NP	--	--	--
BV-4	10/23/1997	--	12.16	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
BV-4	3/11/1998	--	8.86	NP	--	--	--
BV-4	6/30/1998	--	6.54	NP	--	--	--
BV-4	12/29/1998	--	9.01	NP	--	--	--
BV-4	9/27/1999	--	9.58	NP	--	--	--
BV-4	12/20/1999	--	--	--	--	--	Dry
BV-4	3/16/2000	--	6.47	NP	--	--	--
BV-4	6/30/2000	--	--	--	--	--	Dry
BV-4	9/27/2000	--	--	--	--	--	Dry
BV-4	11/10/2000	--	--	--	--	--	Dry
BV-4	3/19/2001	--	--	--	--	--	Dry
BV-4	6/25/2013	--	--	--	--	--	Dry
BV-4	9/25/2013	--	--	--	--	--	Dry
BV-4	11/14/2013	--	--	--	--	--	Dry
BV-4	2/13/2014	--	10.02	NP	--	--	--
BV-4	4/1/2014	--	9.09	NP	--	--	--
BV-4	7/9/2014	--	--	--	--	--	Dry
BV-4	10/20/2014	--	--	--	--	--	Dry
BV-4	1/19/2015	--	--	--	--	--	WI
BV-5	3/3/1995	--	9.16	NP	--	--	--
BV-5	4/10/1995	--	9.21	NP	--	--	--
BV-5	7/20/1995	--	9.45	NP	--	--	--
BV-5	10/26/1995	--	9.76	NP	--	--	--
BV-5	1/23/1996	--	8.49	NP	--	--	--
BV-5	4/17/1996	--	9.32	NP	--	--	--
BV-5	7/8/1996	--	10.00	NP	--	--	--
BV-5	10/10/1996	--	10.25	NP	--	--	--
BV-5	3/11/1997	--	7.96	NP	--	--	--
BV-5	5/29/1997	--	6.91	NP	--	--	--
BV-5	8/5/1997	--	9.75	NP	--	--	--
BV-5	10/23/1997	--	9.63	NP	--	--	--
BV-5	3/11/1998	--	--	--	--	--	Dry
BV-5	6/30/1998	--	--	--	--	--	Dry
BV-5	9/25/1998	--	--	--	--	--	Dry
BV-5	12/29/1998	--	10.04	NP	--	--	--
BV-5	3/9/1999	--	--	--	--	--	Dry
BV-5	6/2/1999	--	--	--	--	--	Dry
BV-5	9/27/1999	--	10.41	NP	--	--	--
BV-5	12/20/1999	--	9.30	NP	--	--	--
BV-5	3/16/2000	--	10.00	NP	--	--	--
BV-5	6/30/2000	--	--	--	--	--	Dry

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
BV-5	9/27/2000	--	--	--	--	--	Dry
BV-5	11/10/2000	--	9.55	NP	--	--	--
BV-5	3/19/2001	--	9.47	NP	--	--	--
BV-5	6/27/2001	--	10.30	NP	--	--	--
BV-5	9/26/2001	--	--	--	--	--	Dry
BV-5	6/25/2013	--	9.31	NP	--	--	--
BV-5	9/25/2013	--	9.60	NP	--	--	--
BV-5	11/14/2013	--	9.21	NP	--	--	--
BV-5	2/13/2014	--	8.91	NP	--	--	--
BV-5	4/1/2014	--	8.31	NP	--	--	--
BV-5	7/9/2014	--	9.39	NP	--	--	--
BV-5	10/20/2014	--	9.55	NP	--	--	--
BV-5	1/19/2015	--	8.76	NP	--	--	--
BV-6	4/10/1995	--	8.68	NP	--	--	--
BV-6	10/26/1995	--	9.13	NP	--	--	--
BV-6	1/23/1996	--	7.77	NP	--	--	--
BV-6	4/17/1996	--	8.88	NP	--	--	--
BV-6	7/8/1996	--	9.10	NP	--	--	--
BV-6	10/10/1996	--	9.30	NP	--	--	--
BV-6	3/11/1997	--	8.05	NP	--	--	--
BV-6	5/29/1997	--	7.90	NP	--	--	--
BV-6	8/5/1997	--	8.19	NP	--	--	--
BV-6	10/23/1997	--	11.27	NP	--	--	--
BV-6	3/11/1998	--	9.58	NP	--	--	--
BV-6	6/30/1998	--	10.32	NP	--	--	--
BV-6	9/25/1998	--	9.82	NP	--	--	--
BV-6	12/29/1998	--	8.94	NP	--	--	--
BV-6	3/9/1999	--	9.38	NP	--	--	--
BV-6	6/2/1999	--	9.25	NP	--	--	--
BV-6	12/20/1999	--	8.48	NP	--	--	--
BV-6	6/30/2000	--	9.38	NP	--	--	--
BV-6	9/27/2000	--	9.85	NP	--	--	--
BV-6	6/25/2013	--	9.19	NP	--	--	--
BV-6	9/25/2013	--	9.48	NP	--	--	--
BV-6	11/14/2013	--	8.99	NP	--	--	--
BV-6	2/13/2014	--	8.63	NP	--	--	--
BV-6	4/1/2014	--	7.72	NP	--	--	--
BV-6	7/9/2014	--	9.22	NP	--	--	--
BV-6	10/20/2014	--	9.34	NP	--	--	--
BV-6	1/19/2015	--	8.43	NP	--	--	--

Table 1  
 Groundwater Gauging Data  
 ARCO Facility 980  
 10822 Roosevelt Way NE  
 Seattle, WA 98125

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
BV-7	4/10/1995	--	17.11	15.50	1.61	--	--
BV-7	7/20/1995	--	17.97	16.34	1.63	--	--
BV-7	10/25/1995	--	16.45	16.44	0.01	--	--
BV-7	1/23/1996	--	14.79	NP	--	--	--
BV-7	4/17/1996	--	13.87	NP	--	--	--
BV-7	7/8/1996	--	12.00	NP	--	--	--
BV-7	10/10/1996	--	13.92	13.91	0.01	--	--
BV-7	3/11/1997	--	14.98	NP	--	--	--
BV-7	5/29/1997	--	12.06	NP	--	--	--
BV-7	8/5/1997	--	12.67	NP	--	--	--
BV-7	10/23/1997	--	12.54	NP	--	--	--
BV-7	3/11/1998	--	11.60	NP	--	--	--
BV-7	6/30/1998	--	12.74	NP	--	--	--
BV-7	9/25/1998	--	16.02	NP	--	--	--
BV-7	12/29/1998	--	13.03	NP	--	--	--
BV-7	3/9/1999	--	10.05	NP	--	--	--
BV-7	6/2/1999	--	15.26	NP	--	--	--
BV-7	12/20/1999	--	11.88	NP	--	--	--
BV-7	3/16/2000	--	11.65	NP	--	--	--
BV-7	6/30/2000	--	16.58	NP	--	--	--
BV-7	9/27/2000	--	--	--	--	--	Dry
BV-7	11/10/2000	--	16.81	NP	--	--	--
BV-7	3/19/2001	--	16.85	NP	--	--	--
BV-7	6/27/2001	--	16.50	NP	--	--	--
BV-7	9/26/2001	--	14.50	NP	--	--	--
BV-7	6/25/2013	--	14.41	NP	--	--	--
BV-7	9/25/2013	--	15.47	NP	--	--	--
BV-7	11/14/2013	--	14.86	NP	--	--	--
BV-7	2/13/2014	--	14.27	NP	--	--	--
BV-7	4/1/2014	--	11.97	NP	--	--	--
BV-7	7/9/2014	--	14.84	NP	--	--	--
BV-7	10/20/2014	--	15.17	NP	--	--	--
BV-7	1/19/2015	--	13.14	NP	--	--	--
SVE-1	10/5/1994	--	15.37	NP	--	--	--
SVE-1	2/15/1995	--	12.18	NP	--	--	--
SVE-1	4/10/1995	--	12.05	NP	--	--	--
SVE-1	7/20/1995	--	13.95	NP	--	--	--
SVE-1	10/25/1995	--	14.23	NP	--	--	--
SVE-1	1/23/1996	--	11.45	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
SVE-1	4/17/1996	--	12.38	NP	--	--	--
SVE-1	10/10/1996	--	13.97	NP	--	--	--
SVE-1	3/11/1997	--	12.32	NP	--	--	--
SVE-1	5/29/1997	--	10.19	NP	--	--	--
SVE-1	8/5/1997	--	15.82	NP	--	--	--
SVE-1	10/23/1997	--	11.26	NP	--	--	--
SVE-1	3/11/1998	--	10.27	NP	--	--	--
SVE-1	6/30/1998	--	14.04	NP	--	--	--
SVE-1	9/25/1998	--	14.12	NP	--	--	--
SVE-1	12/29/1998	--	11.99	NP	--	--	--
SVE-1	3/9/1999	--	10.15	NP	--	--	--
SVE-1	6/2/1999	--	12.19	NP	--	--	--
SVE-1	12/20/1999	--	11.65	NP	--	--	--
SVE-1	3/16/2000	--	12.85	NP	--	--	--
SVE-1	6/30/2000	--	13.38	NP	--	--	--
SVE-1	9/27/2000	--	14.62	NP	--	--	--
SVE-1	11/10/2000	--	14.30	NP	--	--	--
SVE-1	3/19/2001	--	13.20	NP	--	--	--
SVE-1	6/27/2001	--	13.70	NP	--	--	--
SVE-1	9/26/2001	--	14.55	NP	--	--	--
SVE-1	12/3/2001	--	12.90	NP	--	--	--
SVE-1	6/6/2002	--	12.85	NP	--	--	--
SVE-1	6/26/2003	--	13.45	NP	--	--	--
SVE-1	12/9/2003	--	13.00	NP	--	--	--
SVE-1	4/7/2004	--	12.33	NP	--	--	--
SVE-1	11/16/2004	--	13.80	NP	--	--	--
SVE-1	12/6/2005	--	13.20	NP	--	--	--
SVE-1	6/5/2006	--	12.23	NP	--	--	--
SVE-1	12/19/2006	--	10.79	NP	--	--	--
SVE-1	9/24/2007	--	14.04	NP	--	--	--
SVE-1	12/31/2007	--	11.60	NP	--	--	--
SVE-1	1/30/2008	--	11.44	NP	--	--	--
SVE-1	4/2/2008	--	14.74	NP	--	--	--
SVE-1	7/1/2008	--	14.52	NP	--	--	--
SVE-1	10/3/2008	--	16.18	NP	--	--	--
SVE-1	1/6/2009	--	15.08	NP	--	--	--
SVE-1	4/8/2009	--	14.42	NP	--	--	--
SVE-1	6/26/2013	--	12.44	NP	--	--	--
SVE-1	9/26/2013	--	14.03	NP	--	--	--
SVE-1	11/15/2013	--	13.48	NP	--	--	--
SVE-1	2/13/2014	--	12.82	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
SVE-1	4/1/2014	--	9.92	NP	--	--	--
SVE-1	7/9/2014	--	12.69	NP	--	--	--
SVE-1	10/20/2014	--	13.87	NP	--	--	--
SVE-1	1/19/2015	--	11.14	NP	--	--	--
SVE-2	10/5/1994	--	16.85	NP	--	--	--
SVE-2	2/15/1995	--	13.59	NP	--	--	--
SVE-2	4/11/1995	--	13.38	NP	--	--	--
SVE-2	7/20/1995	--	15.40	NP	--	--	--
SVE-2	10/25/1995	--	15.70	NP	--	--	--
SVE-2	1/23/1996	--	12.70	NP	--	--	--
SVE-2	4/17/1996	--	13.77	NP	--	--	--
SVE-2	7/8/1996	--	14.00	NP	--	--	--
SVE-2	10/10/1996	--	15.38	NP	--	--	--
SVE-2	3/11/1997	--	12.52	NP	--	--	--
SVE-2	5/29/1997	--	10.71	NP	--	--	--
SVE-2	8/5/1997	--	16.11	NP	--	--	--
SVE-2	10/23/1997	--	12.62	NP	--	--	--
SVE-2	3/11/1998	--	11.81	NP	--	--	--
SVE-2	6/30/1998	--	15.94	NP	--	--	--
SVE-2	9/25/1998	--	15.57	NP	--	--	--
SVE-2	12/29/1998	--	13.57	NP	--	--	--
SVE-2	3/9/1999	--	11.09	NP	--	--	--
SVE-2	6/2/1999	--	13.56	NP	--	--	--
SVE-2	12/20/1999	--	13.45	NP	--	--	--
SVE-2	3/16/2000	--	13.15	NP	--	--	--
SVE-2	6/30/2000	--	14.75	NP	--	--	--
SVE-2	9/27/2000	--	16.01	NP	--	--	--
SVE-2	11/10/2000	--	15.75	NP	--	--	--
SVE-2	3/19/2001	--	14.40	NP	--	--	--
SVE-2	12/19/2006	--	11.84	NP	--	--	--
SVE-2	6/26/2013	--	13.95	NP	--	--	--
SVE-2	9/25/2013	--	15.59	NP	--	--	--
SVE-2	11/15/2013	--	15.09	NP	--	--	--
SVE-2	2/13/2014	--	14.44	NP	--	--	--
SVE-2	4/1/2014	--	11.15	NP	--	--	--
SVE-2	7/9/2014	--	14.17	NP	--	--	--
SVE-2	10/20/2014	--	15.43	NP	--	--	--
SVE-2	1/19/2015	--	12.50	NP	--	--	--
SVE-2	12/14/2015	--	12.38	NP	--	--	--
SVE-2	3/10/2016	--	10.43	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
SVE-3	5/29/1997	--	5.31	NP	--	--	--
SVE-3	8/5/1997	--	6.48	NP	--	--	--
SVE-3	10/23/1997	--	4.67	NP	--	--	--
SVE-3	3/11/1998	--	8.24	NP	--	--	--
SVE-3	6/30/1998	--	5.52	NP	--	--	--
SVE-3	9/25/1998	--	9.02	NP	--	--	--
SVE-3	12/29/1998	--	6.64	NP	--	--	--
SVE-3	6/2/1999	--	9.04	NP	--	--	--
SVE-3	12/20/1999	--	8.15	NP	--	--	--
SVE-3	6/30/2000	--	--	--	--	--	Dry
SVE-3	9/27/2000	--	--	--	--	--	Dry
SVE-3	11/10/2000	--	8.02	NP	--	--	--
SVE-3	3/19/2001	--	7.95	7.94	0.01	--	--
SVE-3	6/27/2001	--	8.50	NP	--	--	--
SVE-3	9/26/2001	--	6.75	NP	--	--	WI
SVE-3	12/3/2001	--	7.86	NP	--	--	--
SVE-3	6/6/2002	--	8.60	NP	--	--	--
SVE-3	6/26/2003	--	10.27	NP	--	--	--
SVE-3	12/9/2003	--	7.71	NP	--	--	--
SVE-3	4/7/2004	--	7.41	NP	--	--	--
SVE-3	11/16/2004	--	7.60	NP	--	--	--
SVE-3	3/29/2005	--	6.31	NP	--	--	--
SVE-3	6/22/2005	--	7.47	NP	--	--	--
SVE-3	9/12/2005	--	8.46	NP	--	--	IW
SVE-3	12/6/2005	--	6.04	NP	--	--	--
SVE-3	6/5/2006	--	6.00	NP	--	--	--
SVE-3	12/19/2006	--	6.20	NP	--	--	--
SVE-3	9/24/2007	--	8.49	NP	--	--	--
SVE-3	12/31/2007	--	--	--	--	--	WI
SVE-3	1/30/2008	--	8.52	NP	--	--	--
SVE-3	4/2/2008	--	--	--	--	--	Dry
SVE-3	7/1/2008	--	--	--	--	--	Dry
SVE-3	10/3/2008	--	--	--	--	--	Dry
SVE-3	1/6/2009	--	--	--	--	--	Dry
SVE-3	4/7/2009	--	--	--	--	--	Dry
SVE-3	7/8/2009	--	9.21	NP	--	--	--
SVE-3	10/6/2009	--	--	--	--	--	Dry
SVE-3	1/5/2010	--	8.36	NP	--	--	IW
SVE-3	5/25/2010	--	8.51	NP	--	--	--
SVE-3	8/19/2010	--	--	--	--	--	Dry

Table 1  
 Groundwater Gauging Data  
 ARCO Facility 980  
 10822 Roosevelt Way NE  
 Seattle, WA 98125

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
SVE-3	12/7/2010	--	8.30	NP	--	--	--
SVE-3	1/26/2011	--	7.82	NP	--	--	--
SVE-3	6/16/2011	--	8.22	NP	--	--	--
SVE-3	9/22/2011	--	--	--	--	--	Dry
SVE-3	12/6/2011	--	--	--	--	--	Dry
SVE-3	3/8/2012	--	--	--	--	--	Dry
SVE-3	6/19/2012	--	8.30	NP	--	--	--
SVE-3	9/21/2012	--	--	--	--	--	Dry
SVE-3	12/11/2012	--	--	--	--	--	Dry
SVE-3	6/25/2013	--	8.22	NP	--	--	--
SVE-3	9/25/2013	--	8.50	NP	--	--	--
SVE-3	11/14/2013	--	8.10	NP	--	--	--
SVE-3	2/13/2014	--	7.78	NP	--	--	--
SVE-3	4/1/2014	--	7.09	NP	--	--	--
SVE-3	7/9/2014	--	8.15	NP	--	--	--
SVE-3	1/19/2015	--	7.20	NP	--	--	--
AS-1	7/20/1995	--	14.43	NP	--	--	--
AS-2	2/15/1995	--	14.33	NP	--	--	--
AS-2	7/20/1995	--	16.23	NP	--	--	--
AS-3	10/5/1994	--	17.10	NP	--	--	--
AS-3	2/15/1995	--	14.81	NP	--	--	--
AS-3	4/10/1995	--	14.64	NP	--	--	--
AS-3	7/20/1995	--	15.80	NP	--	--	--
B1 (JPHC)	2/15/1995	--	14.72	11.45	3.27	--	--
B1 (JPHC)	7/20/1995	--	14.63	14.37	0.26	--	--
B1 (JPHC)	10/25/1995	--	14.20	NP	--	--	--
B1 (JPHC)	1/23/1996	--	12.20	NP	--	--	--
B1 (JPHC)	4/17/1996	--	14.13	13.43	0.70	--	--
B1 (JPHC)	7/8/1996	257.71	13.10	NP	--	244.61	--
B1 (JPHC)	10/10/1996	257.71	14.40	NP	--	243.31	--
B1 (JPHC)	3/11/1997	257.71	8.67	NP	--	249.04	--
B1 (JPHC)	5/29/1997	257.71	9.06	NP	--	248.65	--
B1 (JPHC)	8/5/1997	257.71	9.28	NP	--	248.43	--
B1 (JPHC)	10/23/1997	257.71	9.40	NP	--	248.31	--
B1 (JPHC)	3/11/1998	257.71	15.02	NP	--	242.69	--
B1 (JPHC)	6/30/1998	257.71	13.41	NP	--	244.30	--
B1 (JPHC)	9/25/1998	257.71	13.67	13.59	0.08	244.10	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
B1 (JPHC)	12/29/1998	257.71	12.24	NP	--	245.47	--
B1 (JPHC)	3/9/1999	257.71	11.50	NP	--	246.21	--
B1 (JPHC)	6/2/1999	257.71	12.57	NP	--	245.14	--
B1 (JPHC)	12/20/1999	257.71	--	--	--	--	Dry
B1 (JPHC)	3/16/2000	257.71	12.00	NP	--	245.71	--
B1 (JPHC)	6/30/2000	257.71	13.56	NP	--	244.15	--
B1 (JPHC)	9/27/2000	257.71	14.02	NP	--	243.69	--
B1 (JPHC)	11/10/2000	257.71	13.59	NP	--	244.12	--
B1 (JPHC)	3/19/2001	257.71	13.47	NP	--	244.24	--
B1 (JPHC)	6/27/2001	257.71	14.90	14.89	0.01	242.82	WI
B1 (JPHC)	9/26/2001	257.71	14.25	14.24	0.01	243.47	--
B1 (JPHC)	12/3/2001	257.71	12.00	NP	--	245.71	IW
B1 (JPHC)	6/26/2003	257.71	13.91	13.61	0.30	244.03	--
B1 (JPHC)	12/9/2003	257.71	12.20	NP	--	245.51	--
B1 (JPHC)	4/7/2004	257.71	12.71	NP	--	245.00	--
B1 (JPHC)	11/16/2004	257.71	13.58	NP	--	244.13	--
B1 (JPHC)	3/29/2005	257.71	12.30	NP	--	245.41	--
B1 (JPHC)	6/22/2005	257.71	15.50	NP	--	242.21	--
B1 (JPHC)	9/12/2005	257.71	14.04	NP	--	243.67	--
B1 (JPHC)	12/6/2005	257.71	13.27	NP	--	244.44	--
B1 (JPHC)	6/5/2006	257.71	12.79	NP	--	244.92	--
B1 (JPHC)	12/19/2006	257.71	11.40	NP	--	246.31	--
B1 (JPHC)	9/24/2007	257.71	14.95	NP	--	242.76	--
B1 (JPHC)	12/31/2007	257.71	--	--	--	--	WI
B1 (JPHC)	1/30/2008	257.71	12.76	NP	--	244.95	--
B1 (JPHC)	4/3/2008	257.71	21.44	NP	--	236.27	IW
B1 (JPHC)	7/1/2008	257.71	17.62	NP	--	240.09	--
B1 (JPHC)	10/3/2008	257.71	19.15	NP	--	238.56	--
B1 (JPHC)	1/6/2009	257.71	18.50	NP	--	239.21	--
B1 (JPHC)	4/8/2009	257.71	19.79	NP	--	237.92	--
B1 (JPHC)	7/8/2009	257.71	14.12	NP	--	243.59	--
B1 (JPHC)	10/6/2009	257.71	15.70	NP	--	242.01	--
B1 (JPHC)	1/6/2010	257.71	12.68	NP	--	245.03	--
B1 (JPHC)	5/25/2010	257.71	13.12	NP	--	244.59	--
B1 (JPHC)	8/19/2010	257.71	14.04	NP	--	243.67	--
B1 (JPHC)	12/7/2010	257.71	12.87	NP	--	244.84	--
B1 (JPHC)	1/26/2011	257.71	11.58	NP	--	246.13	--
B1 (JPHC)	6/16/2011	257.71	12.84	NP	--	244.87	--
B1 (JPHC)	9/22/2011	257.71	16.09	NP	--	241.62	--
B1 (JPHC)	12/6/2011	257.71	18.31	NP	--	239.40	--
B1 (JPHC)	3/8/2012	257.71	13.30	NP	--	244.41	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
B1 (JPHC)	6/19/2012	257.71	12.98	NP	--	244.73	--
B1 (JPHC)	9/21/2012	257.71	14.19	NP	--	243.52	--
B1 (JPHC)	12/11/2012	257.71	11.16	NP	--	246.55	--
B1 (JPHC)	6/26/2013	257.71	13.20	NP	--	244.51	--
B1 (JPHC)	9/26/2013	257.71	13.90	NP	--	243.81	--
B1 (JPHC)	11/15/2013	257.71	13.20	NP	--	244.51	--
B1 (JPHC)	2/13/2014	257.71	12.72	NP	--	244.99	--
B1 (JPHC)	4/2/2014	257.71	11.21	NP	--	246.50	--
B1 (JPHC)	7/11/2014	257.71	13.37	NP	--	244.34	--
B1 (JPHC)	10/22/2014	257.71	13.73	NP	--	243.98	--
B1 (JPHC)	1/21/2015	257.71	12.10	NP	--	245.61	--
B1 (JPHC)	12/16/2015	257.71	11.42	NP	--	246.29	--
B1 (JPHC)	3/11/2016	257.71	10.85	NP	--	246.86	--
B1 (JPHC)	6/1/2016	257.71	13.11	NP	--	244.60	--
B1 (JPHC)	8/29/2016	257.71	14.18	NP	--	243.53	--
B1 (JPHC)	11/21/2016	257.71	11.70	NP	--	246.01	--
B1 (JPHC)	2/15/2017	257.71	10.75	NP	--	246.96	--
B1 (JPHC)	4/7/2017	257.71	10.85	NP	--	246.86	--
B1 (JPHC)	5/26/2017	257.71	11.87	NP	--	245.84	--
B1 (JPHC)	9/28/2017	257.71	14.05	NP	--	243.66	--
B1 (JPHC)	10/17/2017	257.71	14.04	NP	--	243.67	--
B1 (JPHC)	2/8/2018	257.71	10.66	NP	--	247.05	--
B1 (JPHC)	9/11/2018	257.71	14.02	NP	--	243.69	--
B1 (JPHC)	11/15/2018	257.71	13.50	NP	--	244.21	--
B1 (JPHC)	1/29/2019	257.71	12.03	NP	--	245.68	--
B3 (JPHC)	2/15/1995	--	13.37	NP	--	--	--
B3 (JPHC)	4/11/1995	--	13.52	NP	--	--	--
B3 (JPHC)	7/20/1995	--	15.15	NP	--	--	--
B3 (JPHC)	10/25/1995	--	14.93	NP	--	--	--
B3 (JPHC)	1/23/1996	--	12.58	NP	--	--	--
B3 (JPHC)	4/17/1996	--	13.68	NP	--	--	--
B3 (JPHC)	7/8/1996	258.41	9.21	NP	--	249.20	--
B3 (JPHC)	10/10/1996	258.41	15.50	NP	--	242.91	--
B3 (JPHC)	3/11/1997	258.41	9.41	NP	--	249.00	--
B3 (JPHC)	5/29/1997	258.41	9.22	NP	--	249.19	--
B3 (JPHC)	8/5/1997	258.41	19.57	NP	--	238.84	--
B3 (JPHC)	10/23/1997	258.41	--	--	--	--	Dry
B3 (JPHC)	3/11/1998	258.41	14.75	NP	--	243.66	--
B3 (JPHC)	6/30/1998	258.41	15.08	NP	--	243.33	--
B3 (JPHC)	9/25/1998	258.41	14.95	NP	--	243.46	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
B3 (JPHC)	12/29/1998	258.41	14.21	NP	--	244.20	--
B3 (JPHC)	3/9/1999	258.41	14.41	NP	--	244.00	--
B3 (JPHC)	6/2/1999	258.41	13.68	NP	--	244.73	--
B3 (JPHC)	12/20/1999	258.41	12.50	NP	--	245.91	--
B3 (JPHC)	3/16/2000	258.41	13.55	NP	--	244.86	--
B3 (JPHC)	6/30/2000	258.41	14.52	NP	--	243.89	--
B3 (JPHC)	9/27/2000	258.41	15.35	NP	--	243.06	--
B3 (JPHC)	11/10/2000	258.41	14.61	NP	--	243.80	--
B3 (JPHC)	3/19/2001	258.41	14.17	NP	--	244.24	--
B3 (JPHC)	6/27/2001	258.41	15.72	NP	--	242.69	--
B3 (JPHC)	9/26/2001	258.41	15.23	NP	--	243.18	WI
B3 (JPHC)	12/3/2001	258.41	13.15	NP	--	245.26	--
B3 (JPHC)	6/6/2002	258.41	14.33	NP	--	244.08	IW
B3 (JPHC)	6/26/2003	258.41	14.63	NP	--	243.78	--
B3 (JPHC)	12/9/2003	258.41	13.25	NP	--	245.16	--
B3 (JPHC)	4/7/2004	258.41	14.00	NP	--	244.41	--
B3 (JPHC)	11/16/2004	258.41	14.63	NP	--	243.78	--
B3 (JPHC)	3/29/2005	258.41	13.81	NP	--	244.60	--
B3 (JPHC)	6/22/2005	258.41	14.31	NP	--	244.10	--
B3 (JPHC)	9/12/2005	258.41	15.05	NP	--	243.36	--
B3 (JPHC)	12/6/2005	258.41	13.90	NP	--	244.51	--
B3 (JPHC)	6/5/2006	258.41	13.51	NP	--	244.90	--
B3 (JPHC)	12/19/2006	258.41	12.36	NP	--	246.05	--
B3 (JPHC)	9/24/2007	258.41	15.36	NP	--	243.05	--
B3 (JPHC)	12/31/2007	258.41	--	--	--	--	WI
B3 (JPHC)	1/29/2008	258.41	13.53	NP	--	244.88	--
B3 (JPHC)	4/3/2008	258.41	20.10	NP	--	238.31	IW
B3 (JPHC)	7/1/2008	258.41	17.84	NP	--	240.57	--
B3 (JPHC)	10/3/2008	258.41	18.76	NP	--	239.65	--
B3 (JPHC)	1/6/2009	258.41	18.92	NP	--	239.49	--
B3 (JPHC)	4/8/2009	258.41	19.00	NP	--	239.41	--
B3 (JPHC)	7/8/2009	258.41	15.25	NP	--	243.16	--
B3 (JPHC)	10/6/2009	258.41	15.81	NP	--	242.60	--
B3 (JPHC)	1/6/2010	258.41	13.43	NP	--	244.98	--
B3 (JPHC)	5/25/2010	258.41	14.12	NP	--	244.29	--
B3 (JPHC)	8/19/2010	258.41	15.12	NP	--	243.29	--
B3 (JPHC)	12/7/2010	258.41	13.95	NP	--	244.46	--
B3 (JPHC)	1/26/2011	258.41	12.64	NP	--	245.77	--
B3 (JPHC)	6/16/2011	258.41	13.84	NP	--	244.57	--
B3 (JPHC)	9/22/2011	258.41	16.75	NP	--	241.66	--
B3 (JPHC)	12/6/2011	258.41	18.04	NP	--	240.37	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
B3 (JPHC)	3/8/2012	258.41	14.34	NP	--	244.07	--
B3 (JPHC)	6/19/2012	258.41	12.14	NP	--	246.27	--
B3 (JPHC)	9/21/2012	258.41	15.33	NP	--	243.08	--
B3 (JPHC)	12/11/2012	258.41	12.70	NP	--	245.71	--
B3 (JPHC)	6/26/2013	258.41	14.32	NP	--	244.09	--
B3 (JPHC)	9/26/2013	258.41	15.06	NP	--	243.35	--
B3 (JPHC)	11/15/2013	258.41	14.39	NP	--	244.02	--
B3 (JPHC)	2/13/2014	258.41	14.00	NP	--	244.41	--
B3 (JPHC)	4/2/2014	258.41	12.31	NP	--	246.10	--
B3 (JPHC)	7/11/2014	258.41	14.54	NP	--	243.87	--
B3 (JPHC)	10/22/2014	258.41	14.77	NP	--	243.64	--
B3 (JPHC)	1/20/2015	258.41	13.25	NP	--	245.16	--
B3 (JPHC)	12/14/2015	258.41	12.68	NP	--	245.73	--
B3 (JPHC)	3/11/2016	258.41	11.97	NP	--	246.44	--
B3 (JPHC)	8/29/2016	258.41	15.33	NP	--	243.08	--
B3 (JPHC)	11/21/2016	258.41	12.23	NP	--	246.18	--
B3 (JPHC)	2/15/2017	258.41	11.77	NP	--	246.64	--
B3 (JPHC)	5/26/2017	258.41	12.67	NP	--	245.74	--
B3 (JPHC)	10/17/2017	258.41	15.19	NP	--	243.22	--
B3 (JPHC)	2/8/2018	258.41	11.88	NP	--	246.53	--
B3 (JPHC)	9/11/2018	258.41	15.18	NP	--	243.23	--
B3 (JPHC)	11/15/2018	258.41	--	--	--	--	WI
B3 (JPHC)	1/29/2019	258.41	--	--	--	--	WI
<hr/>							
IW-1	3/10/2017	--	11.45	10.61	0.84	--	--
IW-1	3/17/2017	--	9.90	9.88	0.02	--	--
IW-1	3/24/2017	--	10.06	NP	--	--	--
IW-1	3/30/2017	--	10.71	NP	--	--	--
IW-1	4/7/2017	--	10.21	NP	--	--	--
IW-1	4/14/2017	--	10.51	NP	--	--	--
IW-1	4/28/2017	--	11.15	NP	--	--	--
IW-1	5/26/2017	--	11.38	11.37	0.01	--	--
IW-1	9/28/2017	--	13.63	NP	--	--	--
IW-1	10/5/2017	--	13.71	NP	--	--	--
IW-1	10/17/2017	--	13.68	NP	--	--	--
IW-1	11/6/2017	--	13.11	NP	--	--	--
IW-1	11/17/2017	--	12.58	NP	--	--	--
IW-1	12/7/2017	--	11.28	NP	--	--	--
IW-1	1/18/2018	--	10.58	10.57	0.01	--	--
IW-1	2/8/2018	--	--	--	--	--	WI
IW-1	9/11/2018	--	--	--	--	--	WI

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
IW-1	11/15/2018	--	13.06	NP	--	--	--
IW-1	1/29/2019	--	12.50	NP	--	--	--
IW-2	3/10/2017	--	11.30	NP	--	--	--
IW-2	3/17/2017	--	10.46	NP	--	--	--
IW-2	3/24/2017	--	10.69	NP	--	--	--
IW-2	3/30/2017	--	10.80	NP	--	--	--
IW-2	4/7/2017	--	10.79	NP	--	--	--
IW-2	4/14/2017	--	10.80	NP	--	--	--
IW-2	4/28/2017	--	11.32	NP	--	--	--
IW-2	5/26/2017	--	11.64	NP	--	--	--
IW-2	10/17/2017	--	14.05	NP	--	--	--
IW-2	2/8/2018	--	10.59	NP	--	--	--
IW-2	9/11/2018	--	--	--	--	--	WI
IW-2	11/15/2018	--	--	--	--	--	WI
IW-2	1/29/2019	--	11.70	NP	--	--	--
IW-3	3/10/2017	--	10.55	NP	--	--	--
IW-3	3/17/2017	--	9.80	NP	--	--	--
IW-3	3/24/2017	--	9.92	NP	--	--	--
IW-3	3/30/2017	--	10.28	NP	--	--	--
IW-3	4/7/2017	--	10.07	NP	--	--	--
IW-3	4/14/2017	--	10.24	NP	--	--	--
IW-3	4/28/2017	--	10.75	NP	--	--	--
IW-3	5/26/2017	--	11.21	NP	--	--	--
IW-3	10/17/2017	--	13.52	NP	--	--	--
IW-3	2/8/2018	--	9.95	NP	--	--	--
IW-3	9/11/2018	--	13.45	NP	--	--	--
IW-3	11/15/2018	--	13.15	NP	--	--	--
IW-3	1/29/2019	--	11.61	NP	--	--	--
IW-4	3/10/2017	--	10.63	NP	--	--	--
IW-4	3/17/2017	--	9.68	NP	--	--	--
IW-4	3/24/2017	--	9.78	NP	--	--	--
IW-4	3/30/2017	--	10.14	NP	--	--	--
IW-4	4/7/2017	--	9.88	NP	--	--	--
IW-4	4/14/2017	--	10.05	NP	--	--	--
IW-4	4/28/2017	--	10.68	NP	--	--	--
IW-4	5/26/2017	--	11.24	NP	--	--	--
IW-4	10/17/2017	--	13.42	NP	--	--	--
IW-4	2/8/2018	--	9.80	NP	--	--	--

**Table 1**  
**Groundwater Gauging Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

Well I.D.	Date	GROUNDWATER ELEVATION DATA					
		TOC Elevation (ft)	Water Level Depth (ft)	LNAPL Depth (ft)	LNAPL Thickness (ft)	Water Level Elevation* (ft)	Qualifiers
IW-4	9/11/2018	--	13.39	NP	--	--	--
IW-4	11/15/2018	--	12.90	NP	--	--	--
IW-4	1/29/2019	--	11.47	NP	--	--	--

**Notes:**

TOC - Top of Casing

ft - feet

NP - No Product

LNAPL - Light Non-Aqueous Phase Liquid

\* - Corrected for LNAPL if present (assumes LNAPL specific gravity = 0.75)

-- No Information Available

WI = Well Inaccessible

IW = Insufficient Water

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT		B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
<b>MTCA METHOD A CLEANUP LEVELS</b>		<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>1</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>
Well ID	Date												
MW-1	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	< 2.0	--
MW-1	2/15/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	< 2.0	--
MW-1	12/20/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	--	--	--	--
MW-1	6/27/2001	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 750	--	--
MW-1	9/26/2001	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	<b>10100</b>	<b>29100</b>	--	--
MW-1	12/3/2001	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	--	--
MW-1	6/6/2002	< 0.500	0.602	< 0.500	< 1.00	< 2.00	< 0.01	< 1.00	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-1	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-1	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-1	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 250	< 500	2.49	< 1.00
MW-1	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 255	< 510	1.26	< 1.00
MW-1	6/5/2006	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 253	< 505	1.76	< 1.00
MW-1	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-1	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 243	< 485	--	--
MW-1	4/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	--	--	--	--
MW-1	7/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 248	< 495	--	--
MW-1	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-1	1/5/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 248	< 495	--	--
MW-1	4/7/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 243	< 485	< 1.00	< 1.00
MW-1	12/11/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 100	< 182	< 182	< 3.0	< 3.0
MW-2	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	59	--	--	< 2.0	--
MW-2	2/15/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	< 2.0	--
MW-2	4/11/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
MW-2	7/20/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	< 750	--	--
MW-2	10/25/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	< 750	--	--
MW-2	1/23/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
MW-2	4/17/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	< 750	--	--
MW-2	7/8/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	< 750	--	--
MW-2	10/23/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	54.7	< 250	< 750	--	--
MW-2	3/11/1998	0.834	< 0.5	< 0.5	< 1.0	--	--	--	< 80	< 250	< 750	--	--
MW-2	6/30/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
MW-2	12/20/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	--	--	--	--
MW-2	6/30/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
MW-2	9/27/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
MW-2	12/3/2001	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	--	--
MW-2	6/6/2002	< 0.500	< 0.500	< 0.500	< 1.00	< 2.00	< 0.01	< 1.00	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-2	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-2	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-2	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 250	< 500	< 1.00	< 1.00
MW-2	6/22/2005	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 250	< 500	< 1.00	< 1.00
MW-2	9/12/2005	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 281	< 562	< 1.00	< 1.00
MW-2	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-2	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-2	6/5/2006	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 248	< 495	< 1.00	< 1.00
MW-2	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 243	< 485	--	--
MW-2	12/31/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-2	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 243	< 485	--	--
MW-2	4/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	--	--	--	--
MW-2	7/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 240	< 481	--	--
MW-2	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-2	1/5/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 248	< 495	--	--
MW-2	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 243	< 485	< 1.00	< 1.00
MW-2	6/25/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 250	< 500	< 10	< 10
MW-2	9/25/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 260	< 260	< 10.0	< 10.0
MW-2	11/14/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 260	< 260	< 10.0	< 10.0

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT		B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
<b>MTCA METHOD A CLEANUP LEVELS</b>		<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>t</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>
MW-2	2/12/2014	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50	48	61	< 2.0	< 2.0
MW-2	4/2/2014	< 1.1	< 0.89	< 0.89	< 0.82	< 0.74	--	--	< 10	< 19	48 JB	< 0.17	< 0.17
MW-2	7/10/2014	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	< 10	< 9.5	< 14	< 0.17	3.5
MW-2	10/21/2014	< 1.0	< 1.0	< 1.0	0.17 JB	< 1.0	--	--	< 50	35	< 250	0.55 JB	< 2.0
MW-2	1/20/2015	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	< 27	29	180 JB <sup>A</sup>	< 0.17	< 0.17
MW-2	8/29/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0*	--	--	< 50	37 JB	< 250	0.24 J	< 2.0
MW-2	11/21/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	430	490	< 2.0	< 2.0
MW-2	2/15/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	< 110	< 250	< 2.0	< 2.0
MW-2	10/17/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	< 100	< 250	< 4.0	< 4.0
MW-2	2/8/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	< 120	< 400	< 4.0	< 4.0
MW-2	9/11/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	< 110	< 350	< 4.0	< 4.0
MW-2	11/15/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	< 110	< 350	< 4.0	< 4.0
MW-2	1/29/2019	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	< 110	< 350	< 4.0	< 4.0
MW-3	10/5/1994	<b>12</b>	3	< 0.5	1.5	--	<b>3</b>	< 0.51	< 50	--	--	< 2.0	--
MW-3	2/15/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	< 2.0	--
MW-3	7/20/1995	0.78	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
MW-3	4/17/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
MW-3	7/8/1996	0.879	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
MW-3	3/11/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
MW-3	5/29/1997	2.10	< 0.5	< 0.5	< 1.0	--	--	--	223	--	--	--	--
MW-3	8/5/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	56.5	--	--	--	--
MW-3	6/30/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
MW-3	6/30/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
MW-3	9/27/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
MW-3	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-3	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-3	4/7/2004	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-3	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 250	< 500	1.52	< 1.00
MW-3	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-3	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 258	< 515	< 1.00	< 1.00
MW-3	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-3	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-3	4/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	--	--	--	--
MW-3	7/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 238	< 476	--	--
MW-3	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-3	1/5/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 248	< 495	--	--
MW-3	4/7/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 240	< 481	< 1.00	< 1.00
MW-4	1/23/1996	<b>5000</b>	<b>5100</b>	<b>2000</b>	<b>15000</b>	--	--	--	<b>3300000</b>	<b>9000</b>	<b>14000</b>	--	--
MW-4	3/9/1999	4.76	< 0.5	< 0.5	1.73	--	--	--	53.3	< 250	< 750	--	--
MW-4	9/27/1999	4.04	< 0.500	< 0.500	< 10.0	--	--	--	<b>2100</b>	<b>590</b>	--	--	--
MW-4	12/20/1999	690	< 2.50	4.77	33.7	--	--	--	385	< 498	--	--	--
MW-4	3/16/2000	<b>52.8</b>	1.22	3.25	25.3	--	--	--	685	--	--	--	--
MW-4	6/30/2000	<b>152</b>	5.70	3.54	31.1	--	--	--	<b>983</b>	<b>3340</b>	< 750	--	--
MW-4	9/27/2000	<b>147</b>	3.51	19.4	64.7	--	--	--	<b>1430</b>	<b>1800</b>	< 750	--	--
MW-4	3/19/2001	<b>338</b>	< 5.00	14.0	31.9	<b>319</b>	--	--	<b>1040</b>	<b>739</b>	< 1450	--	--
MW-4	6/27/2001	<b>37.8</b>	0.821	1.69	13.0	18.6	--	--	630	< 250	< 750	--	--
MW-4	9/26/2001	<b>1850</b>	491	<b>3480</b>	<b>30100</b>	149	--	--	<b>611000</b>	<b>11300</b>	<b>11500</b>	--	--
MW-4	12/3/2001	<b>325</b>	< 5.00	< 5.00	32.5	<b>34.7</b>	--	--	<b>1980</b>	<b>2120</b>	<b>3880</b>	--	--
MW-4	6/6/2002	<b>199</b>	< 2.50	6.30	48.6	<b>33.2</b>	< 0.01	< 1.00	<b>2940</b>	<b>1620</b>	<b>2160</b>	6.96	2.43
MW-4	6/26/2003	<b>1350</b>	< 5.00	45.1	52.1	< 20.0	--	--	<b>4410</b>	<b>6630</b>	<b>3070</b>	4.04	1.87
MW-4	12/9/2003	<b>918</b>	2.52	64.0	47.6	<b>38.2</b>	--	--	<b>3200</b>	<b>1240</b>	<b>2450</b>	< 1.00	< 1.00
MW-4	4/7/2004	<b>1230</b>	< 5.00	10.1	25.2	< 10.0	--	--	<b>3470</b>	<b>711</b>	<b>1230</b>	2.45	1.58
MW-4	11/16/2004	<b>990</b>	< 5.00	96.9	154	<b>20.9</b>	--	--	<b>76200</b>	<b>24300</b>	<b>8350</b>	11.5	< 1.00
MW-4	3/29/2005	<b>5920</b>	79.0	<b>1140</b>	<b>6630</b>	< 100	< 0.010	< 25.0	28900	16700	<b>25800</b>	<b>204</b>	--

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT	B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L	
<b>MTCA METHOD A CLEANUP LEVELS</b>	<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>1</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>	
MW-4	6/22/2005	<b>1070</b>	< 5.00	22.5	44.7	< 20.0	--	--	<b>2730</b>	<b>4600</b>	<b>6130</b>	10	< 1.00
MW-4	9/12/2005	<b>980</b>	10.3	143	55.1	16.2	--	--	<b>5450</b>	<b>1070</b>	<b>1590</b>	2.62	< 1.00
MW-4	12/6/2005	<b>737</b>	5.0	127	58.0	< 10.0	--	--	<b>4320</b>	<b>1030</b>	<b>1720</b>	2.42	< 1.00
MW-4	6/5/2006	<b>851</b>	< 10.0	146	168	< 20.0	--	--	<b>3720</b>	430	<b>641</b>	3.04	< 1.00
MW-4	9/29/2006	< 0.500	< 0.500	0.81	< 3.00	--	--	--	174	--	--	--	--
MW-4	12/19/2006	<b>33.8</b>	< 0.500	2.35	2.03	--	--	--	<b>566</b>	--	--	--	--
MW-4	9/24/2007	<b>99.5</b>	1.62	67.3	82.2	< 1.00	--	--	<b>1360</b>	<b>1610</b>	<b>3710</b>	--	--
MW-4	12/31/2007	<b>111</b>	2.9	53.6	63.5	< 1.00	--	--	<b>1620</b>	< 236	< 472	--	--
MW-4	1/30/2008	<b>134</b>	11.6	13.2	63.2	< 1.00	--	--	<b>1640</b>	< 236	< 472	--	--
MW-4	4/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	--	--	--	--
MW-4	7/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 238	< 476	--	--
MW-4	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-4	1/5/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	<b>644</b>	--	--
MW-4	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 245	< 490	< 1.00	< 1.00
MW-4	7/8/2009	0.900	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 248	< 495	3.95	2.96
MW-4	10/6/2009	< 1.00	< 1.00	< 1.00	< 2.00	< 1.00	--	--	69	< 245	< 490	3.6	2.9
MW-4	1/5/2010	< 1.00	< 1.00	< 1.00	< 2.00	< 1.00	--	--	< 50.0	< 120	250	3.8	< 2.00
MW-4	5/25/2010	< 0.50	< 0.50	< 0.50	< 1.00	< 1.00	--	--	< 50.0	210	< 240	< 2.00	< 2.00
MW-4	8/19/2010	< 0.50	< 0.50	< 0.50	< 1.00	< 1.00	--	--	< 50.0	140	< 240	< 2.00	< 2.00
MW-4	12/7/2010	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	420	<b>920</b>	2.6	< 2.0
MW-4	1/26/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	260	330	3.0	< 2.0
MW-4	6/16/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	<b>1200</b>	<b>2200</b>	< 2.0	< 2.0
MW-4	9/22/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	< 96.2	< 481	< 2.0	< 2.0
MW-4	12/6/2011	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 75.5	< 377	< 10.0	< 10.0
MW-4	3/8/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 82.5	< 412	< 10.0	< 10.0
MW-4	6/19/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 160	< 800	< 10.0	< 10.0
MW-4	9/21/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 80.8	< 404	< 10.0	< 10.0
MW-4	12/11/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 100	< 189	304	< 3.0	< 3.0
MW-4	6/25/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	25	71	< 10	< 10
MW-4	9/25/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 270	< 270	< 10.0	< 10.0
MW-4	11/14/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 260	< 260	< 10.0	< 10.0
MW-4	2/12/2014	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50	<b>590 BY</b>	390 BY	0.30	< 2.0
MW-4	4/2/2014	< 1.1	< 0.89	< 0.89	< 0.82	< 0.74	--	--	< 10	<b>900</b>	<b>780</b>	0.51	< 0.17
MW-4	7/10/2014	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	14 JB	300	200	< 0.17	< 0.17
MW-4	10/22/2014	< 1.0	< 1.0	< 1.0	0.16 JB	0.25	--	--	11 JB	350	210	0.55 JB	< 2.0
MW-4	1/20/2015	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	< 27	<b>580</b>	<b>510</b>	< 0.17	< 0.17
MW-4	12/16/2015	< 0.42	< 0.44	< 0.51	< 0.50	0.20	--	--	35	280	260	--	--
MW-4	3/11/2016	< 0.025	< 0.025	< 0.030	< 0.060	0.11	--	--	< 27	440	<b>610</b>	--	--
MW-4	8/29/2016	< 2.0	< 2.0	< 3.0	< 3.0	0.25 JH	--	--	< 50	320 B	240 JB	0.26 J	< 2.0
MW-4	11/21/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	160	< 250	< 2.0	< 2.0
MW-4	2/15/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	420	460	< 2.0	< 2.0
MW-4	5/26/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 500	410	<b>600</b>	< 4.0	< 4.0
MW-4	10/17/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	<b>740</b>	470	< 4.0	< 4.0
MW-4	2/8/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	<b>510</b>	<b>790</b>	< 4.0	< 4.0
MW-4	9/11/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	480	<b>510</b>	< 4.0	< 4.0
MW-4	11/15/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	<b>1000</b>	<b>1100</b>	< 4.0	< 4.0
MW-4	1/29/2019	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	<b>620</b>	<b>1000</b>	< 4.0	< 4.0
MW-5	10/5/1994	<b>57</b>	2.6	0.94	2.2	--	--	--	< 50	--	--	2.4	--
MW-5	2/15/1995	<b>160</b>	0.96	< 0.5	< 1.0	--	--	--	63	440	<b>3300</b>	< 2.0	--
MW-5	4/10/1995	<b>270</b>	< 2.0	< 2.0	< 4.0	--	--	--	< 100	--	--	--	--
MW-5	7/20/1995	<b>330</b>	1.1	1.1	< 1.0	--	--	--	80	<b>720</b>	<b>870</b>	--	--
MW-5	10/26/1995	<b>440</b>	< 0.5	< 0.5	< 1.0	--	--	--	61	<b>1100</b>	<b>2400</b>	--	--
MW-5	1/23/1996	<b>770</b>	< 4.0	< 4.0	8.4	--	--	--	< 200	<b>3200</b>	<b>10000</b>	--	--
MW-5	4/17/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	490	< 750	--	--
MW-5	7/8/1996	< 0.5	< 0.5	< 0.5	2.64	--	--	--	544	<b>683</b>	<b>791</b>	--	--

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT	B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
MTCA METHOD A CLEANUP LEVELS	5	1000	700	1000	20	0.01	5	1000/800 <sup>1</sup>	500	500	15	NE
MW-5	3/11/1997	3.22	10.9	1.65	13.0	--	--	76.4	<b>4241</b>	< 750	--	--
MW-5	10/23/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	447	< 750	--	--
MW-5	3/11/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 80	< 250	< 750	--	--
MW-5	9/25/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
MW-5	12/29/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
MW-5	3/9/1999	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
MW-5	6/2/1999	< 0.500	3.17	< 0.500	< 1.00	--	--	< 50.0	< 250	< 750	--	--
MW-5	9/27/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	< 250	--	--	--
MW-5	12/20/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	< 250	--	--	--
MW-5	6/30/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	< 250	< 750	--	--
MW-5	9/27/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	< 250	< 750	--	--
MW-5	6/27/2001	< 2.50	< 2.50	< 2.50	< 5.00	<b>90.1</b>	--	< 250	< 322	< 965	--	--
MW-5	9/26/2001	< 0.500	< 0.500	< 0.500	< 1.00	19.7	--	< 50.0	< 250	< 750	--	--
MW-5	12/3/2001	< 0.500	< 0.500	< 0.500	< 1.00	<b>27.2</b>	--	< 50.0	< 250	< 500	--	--
MW-5	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	<b>22.1</b>	--	< 50.0	< 250	< 500	1.63	< 1.00
MW-5	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	<b>21.0</b>	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-5	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	<b>26.9</b>	--	< 80.0	< 250	< 500	< 1.00	< 1.00
MW-5	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	9.4	--	< 50.0	< 243	< 485	< 1.00	< 1.00
MW-5	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	4.37	--	< 50.0	< 263	< 526	2.1	< 1.00
MW-5	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	1.54	--	< 50.0	< 236	< 472	--	--
MW-5	12/31/2007	< 0.500	< 0.500	< 0.500	< 3.00	1.35	--	< 50.0	< 236	< 472	--	--
MW-5	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	1.27	--	< 50.0	< 236	< 472	--	--
MW-5	4/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	1.95	--	< 50.0	--	--	--	--
MW-5	7/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	2.02	--	< 50.0	< 236	< 472	--	--
MW-5	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	1.81	--	< 50.0	< 236	< 472	--	--
MW-5	1/5/2009	< 0.500	< 0.500	< 0.500	< 3.00	1.43	--	< 50.0	< 250	< 500	--	--
MW-5	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	2.07	--	< 50.0	< 243	< 485	< 1.00	< 1.00
MW-5	9/21/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	< 50.0	< 80.0	< 400	< 10.0	< 10.0
MW-5	6/25/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	< 50	< 250	30	< 10	< 10
MW-5	9/25/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	< 50	< 270	< 270	< 10.0	< 10.0
MW-5	11/14/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	< 50	< 260	< 260	< 10.0	< 10.0
MW-5	2/12/2014	< 1.0	< 1.0	< 1.0	< 3.0	0.46	--	< 50	78	80 JB	< 2.0	< 2.0
MW-5	4/1/2014	< 1.1	< 0.89	< 0.89	< 0.82	0.78	--	< 10	110 JB	160 JB	< 0.17	< 0.17
MW-5	7/10/2014	< 0.14	< 0.16	< 0.13	< 0.12	0.38	--	< 10	150	180 J	< 0.17	< 0.17
MW-5	10/21/2014	< 1.0	< 1.0	< 1.0	< 3.0	0.39	--	< 50	100	< 250	0.44 JB	< 2.0
MW-5	1/20/2015	< 0.14	< 0.16	< 0.13	< 0.12	0.43	--	< 27	220	230	< 0.17	< 0.17
MW-5	8/29/2016	< 2.0	< 2.0	< 3.0	< 3.0	0.31 JH	--	< 50	62 JB	35 JB	< 2.0	< 2.0
MW-5	11/21/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	< 50	120	< 250	< 2.0	< 2.0
MW-5	2/15/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	< 50	120	< 250	< 2.0	< 2.0
MW-5	5/26/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	< 500	210	350	< 4.0	< 4.0
MW-5	10/17/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	< 250	150	< 250	< 4.0	< 4.0
MW-5	2/8/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	< 250	150	< 390	< 4.0	< 4.0
MW-6	10/5/1994	<b>160</b>	260	45	180	--	--	<b>1400</b>	--	--	< 2.0	--
MW-6	2/15/1995	<b>13</b>	32	5.7	30	--	--	220	--	< 1000	< 2.0	--
MW-6	7/20/1995	<b>130</b>	410	70	390	--	--	<b>2300</b>	< 250	--	--	--
MW-6	4/17/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	--	--	--	--
MW-6	7/8/1996	< 0.5	0.528	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
MW-6	3/11/1998	1.4	5.35	1.24	19.4	--	--	192	< 250	< 750	--	--
MW-6	3/16/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	< 250	< 750	--	--
MW-6	11/10/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 80.0	< 250	< 750	--	--
MW-6	3/19/2001	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	< 50.0	< 250	< 750	--	--
MW-6	12/3/2001	2.15	0.875	10.4	36.1	< 5.00	--	394	< 250	< 500	--	--
MW-6	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-6	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-6	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	< 80.0	< 250	< 500	< 1.00	< 1.00

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT		B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
<b>MTCA METHOD A CLEANUP LEVELS</b>		<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>1</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>
MW-6	9/12/2005	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 294	< 588	< 1.00	< 1.00
MW-6	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 245	< 490	< 1.00	< 1.00
MW-6	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 263	< 526	< 1.00	< 1.00
MW-6	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-6	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 243	< 485	--	--
MW-6	4/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 238	< 476	--	--
MW-6	7/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 240	< 481	--	--
MW-6	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-6	1/5/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-6	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 243	< 485	< 1.00	< 1.00
MW-7	10/5/1994	<b>4600</b>	470	81	810	--	--	--	<b>5500</b>	--	--	< 2.0	--
MW-7	2/15/1995	<b>5500</b>	240	80	160	--	--	--	<b>4300</b>	--	<b>12000</b>	< 2.0	--
MW-7	4/10/1995	<b>3600</b>	140	53	470	--	--	--	<b>2800</b>	--	<b>7800</b>	--	--
MW-7	7/20/1995	<b>3300</b>	260	36	350	--	--	--	<b>2400</b>	<b>1200</b>	--	--	--
MW-7	10/26/1995	<b>590</b>	12	< 0.5	< 1.0	--	--	--	170	<b>930</b>	<b>2100</b>	--	--
MW-7	1/23/1996	2.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	<b>1100</b>	<b>2100</b>	--	--
MW-7	4/17/1996	<b>2500</b>	57	45	270	--	--	--	<b>1500</b>	<b>580</b>	< 750	--	--
MW-7	7/8/1996	<b>1220</b>	25.6	< 0.5	162	--	--	--	<b>1100</b>	<b>879</b>	< 750	--	--
MW-7	10/10/1996	<b>1100</b>	21.3	21.5	72.8	--	--	--	< 1000	<b>636</b>	< 750	--	--
MW-7	3/11/1997	<b>708</b>	20.8	8.18	22.0	--	--	--	373	<b>8571</b>	< 750	--	--
MW-7	5/29/1997	<b>580</b>	< 5.0	6.72	14.3	--	--	--	< 500	--	--	--	--
MW-7	8/5/1997	<b>462</b>	3.11	5.81	13.9	--	--	--	265	<b>713</b>	< 750	--	--
MW-7	10/23/1997	<b>23.7</b>	< 0.5	0.689	1.62	--	--	--	89.4	<b>565</b>	< 750	--	--
MW-7	3/11/1998	<b>19.2</b>	< 0.5	< 0.5	< 1.0	--	--	--	< 80	< 250	< 750	--	--
MW-7	9/25/1998	<b>25.7</b>	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	< 750	--	--
MW-7	12/29/1998	<b>116</b>	< 2.5	< 2.5	< 5.0	--	--	--	< 250	< 250	< 750	--	--
MW-7	3/9/1999	<b>73.5</b>	0.502	0.559	1.52	--	--	--	68.3	< 250	< 750	--	--
MW-7	6/2/1999	<b>41.1</b>	5.95	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
MW-7	9/27/1999	0.544	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	--	--	--
MW-7	12/20/1999	<b>161</b>	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	--	--	--
MW-7	6/30/2000	1.20	< 0.780	< 0.500	< 1.00	--	--	--	< 50.0	420	< 750	--	--
MW-7	9/27/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	323	< 750	--	--
MW-7	11/10/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 80.0	< 250	< 750	--	--
MW-7	3/19/2001	< 0.500	0.821	< 0.500	< 1.00	<b>55.9</b>	--	--	< 50.0	< 250	< 750	--	--
MW-7	6/27/2001	< 0.500	< 0.500	< 0.500	< 1.00	<b>35.2</b>	--	--	< 50.0	< 250	< 750	--	--
MW-7	9/26/2001	< 0.500	< 0.500	< 0.500	< 1.00	<b>57.8</b>	--	--	< 50.0	253	< 750	--	--
MW-7	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	<b>35.6</b>	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-7	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	<b>20.6</b>	--	--	84.3	< 250	< 500	< 1.00	< 1.00
MW-7	12/6/2005	<b>644</b>	<b>8200</b>	<b>942</b>	<b>5250</b>	< 200	--	--	<b>33000</b>	< 243	< 485	< 1.00	< 1.00
MW-7	6/5/2006	<b>26.8</b>	10.0	373	520	< 20.0	--	--	<b>4590</b>	< 278	< 556	< 1.00	< 1.00
MW-7	9/29/2006	< 0.500	0.85	27.3	86.3	--	--	--	<b>1760</b>	--	--	--	--
MW-7	12/19/2006	< 0.500	< 0.500	1.26	8.9	--	--	--	189	--	--	--	--
MW-7	12/31/2007	< 0.500	< 0.500	< 0.500	< 3.00	<b>3.1</b>	--	--	< 50.0	< 236	< 472	--	--
MW-7	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	2.73	--	--	< 50.0	< 236	< 472	--	--
MW-7	4/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	5.63	--	--	< 50.0	< 243	< 485	--	--
MW-7	7/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	3.96	--	--	< 50.0	< 236	< 472	--	--
MW-7	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	2.23	--	--	< 50.0	< 236	< 472	--	--
MW-7	1/5/2009	< 0.500	< 0.500	< 0.500	< 3.00	2.63	--	--	< 50.0	< 248	< 495	--	--
MW-7	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	5.4	--	--	< 50.0	< 243	< 485	< 1.00	< 1.00
MW-8	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	< 2.0	--
MW-8	2/15/1995	--	--	--	--	--	--	--	< 250	--	--	--	--
MW-8	7/20/1995	--	--	--	--	--	--	--	410	< 750	--	--	--
MW-8	3/11/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 80	< 250	< 750	--	--
MW-8	12/20/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	--	--	--	--

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT		B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
MTCA METHOD A CLEANUP LEVELS		5	1000	700	1000	20	0.01	5	1000/800 <sup>1</sup>	500	500	15	NE
MW-8	6/6/2002	< 0.500	< 0.500	< 0.500	< 1.00	< 2.00	< 0.01	< 1.00	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-8	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-8	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	1.42	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-8	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 250	< 500	< 1.00	< 1.00
MW-8	9/12/2005	< 0.500	0.653	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 281	< 562	< 1.00	< 1.00
MW-8	12/6/2005	< 0.500	1.07	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-8	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 243	< 485	< 1.00	< 1.00
MW-8	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 238	< 476	--	--
MW-8	12/31/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-8	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 250	< 500	--	--
MW-8	4/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 238	< 476	--	--
MW-8	7/1/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-8	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-8	1/6/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 248	< 495	--	--
MW-8	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 245	< 490	< 1.00	< 1.00
MW-8	6/26/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 250	< 500	< 10	< 10
MW-8	9/25/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 270	< 270	< 10.0	< 10.0
MW-8	11/15/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 260	< 260	< 10.0	< 10.0
MW-8	2/13/2014	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50	62	65	< 2.0	< 2.0
MW-8	4/2/2014	< 1.1	< 0.89	< 0.89	< 0.82	0.78	--	--	< 10	66 JB	88 JB	< 0.17	< 0.17
MW-8	7/10/2014	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	< 10	95 JB	81	< 0.17	< 0.17
MW-8	10/21/2014	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50	55 J	< 250	0.44 JB	< 2.0
MW-8	1/19/2015	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	< 27	98	< 29 H1	< 0.17	< 0.17
MW-8	3/10/2016	--	--	--	--	--	--	--	--	--	--	1.7 J	< 0.17
MW-8	6/1/2016	--	--	--	--	--	--	--	--	--	--	2.9	< 0.17
MW-8	8/29/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0*	--	--	< 50	93 JB	59 JB	0.26 J	< 2.0
MW-8	11/21/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	< 110	< 250	< 2.0	< 2.0
MW-8	2/15/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	130	< 260	5.5	< 2.0
MW-8	5/26/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 500	< 100	< 250	< 4.0	< 4.0
MW-8	10/17/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	< 100	< 250	< 4.0	< 4.0
MW-8	2/8/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	< 130	< 410	< 4.0	< 4.0
MW-8	9/11/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	130	< 350	< 4.0	< 4.0
MW-8	11/15/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	130	< 350	< 4.0	< 4.0
MW-8	1/29/2019	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	130	< 350	< 4.0	< 4.0
MW-9	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	4.6	--
MW-9	7/20/1995	--	--	--	--	--	--	--	280	--	--	--	--
MW-9	7/8/1996	--	--	--	--	--	--	--	< 250	< 750	--	--	--
MW-9	6/30/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	--	--	--
MW-9	12/20/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	--	--	--	--
MW-9	6/27/2001	< 0.500	< 0.500	< 0.500	< 1.00	< 5.00	--	--	< 50.0	< 250	< 750	--	--
MW-9	9/26/2001	< 0.500	< 0.500	< 0.500	< 1.00	< 5.00	--	--	< 50.0	< 250	< 750	--	--
MW-9	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 5.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-9	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	2.12	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-9	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 250	< 500	< 1.00	< 1.00
MW-9	9/12/2005	< 0.500	5.91	< 0.500	< 1.00	< 2.00	--	--	156	< 312	< 625	< 1.00	< 1.00
MW-9	12/6/2005	< 0.500	0.85	< 0.500	< 1.00	1.07	--	--	< 50.0	< 248	< 495	< 1.00	< 1.00
MW-9	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
MW-9	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 243	< 485	--	--
MW-9	12/31/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-9	4/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 240	< 481	--	--
MW-9	7/1/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-9	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
MW-9	1/6/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 248	< 495	--	--
MW-9	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 248	< 495	< 1.00	< 1.00
MW-9	9/21/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 78.4	< 392	< 10.0	< 10.0

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT	B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
MATCA METHOD A CLEANUP LEVELS	5	1000	700	1000	20	0.01	5	1000/800 <sup>t</sup>	500	500	15	NE
MW-9	6/26/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 250	< 500	< 10
MW-9	9/25/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 270	< 270	< 10.0
MW-9	11/14/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 260	< 260	< 10.0
MW-9	2/14/2014	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50	74	82	< 2.0
MW-9	4/2/2014	< 1.1	< 0.89	< 0.89	< 0.82	< 0.74	--	--	< 10	46 JB	58 JB	< 0.17
MW-9	7/10/2014	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	< 10	75 JB	62	< 0.17
MW-9	10/21/2014	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50	66 J	< 240	0.26 JB
MW-9	1/20/2015	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	< 27	89	< 30 H1	< 0.17
MW-9	12/14/2015	< 0.42	< 0 *	< 0.51	< 0.50	< 0.17	--	--	< 27	55 JB	< 29	--
MW-9	3/10/2016	< 0.025	< 0.025	< 0.030	< 0.060	< 0.025	--	--	< 27	47 J	120 J	< 0.17
MW-9	6/1/2016	--	--	--	--	--	--	--	--	--	--	< 0.17
MW-9	8/29/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0*	--	--	< 50	53 JB	34 JB	< 2.0
MW-9	11/21/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	< 110	< 250	< 2.0
MW-9	2/15/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	< 110	< 250	< 2.0
MW-9	5/26/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 500	< 100	< 260	< 4.0
MW-9	10/17/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	< 100	< 250	< 4.0
MW-9	2/8/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	< 130	< 410	< 4.0
MW-9	9/11/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	< 110	< 350	< 4.0
MW-9	11/15/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	140	< 350	< 4.0
MW-9	1/29/2019	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	110	< 350	< 4.0
MW-10	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	8.7
MW-10	7/20/1995	--	--	--	--	--	--	--	320	--	--	--
MW-10	7/8/1996	--	--	--	--	--	--	--	382	< 750	--	--
MW-10	6/30/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	--	--
MW-10	3/16/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--
MW-10	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	23.4	--	--	< 50.0	< 250	< 500	1.06
MW-10	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00
MW-10	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	16.8	--	--	< 80.0	< 250	< 500	< 1.00
MW-10	3/29/2005	< 0.200	< 0.500	< 0.500	< 1.00	13.8	< 0.010	< 0.500	< 80.0	< 250	< 500	1.72
MW-10	6/22/2005	0.240	< 0.500	< 0.500	< 1.00	17.0	--	--	< 80.0	< 250	< 500	< 1.00
MW-10	9/12/2005	< 0.500	3.28	< 0.500	< 1.00	19.7	--	--	63.8	< 333	< 667	< 1.00
MW-10	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	13.4	--	--	< 50.0	< 291	< 581	< 1.00
MW-10	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	2.49	--	--	< 50.0	< 248	< 495	< 1.00
MW-10	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	13.9	--	--	< 50.0	< 238	< 476	--
MW-10	12/31/2007	< 0.500	< 0.500	< 0.500	< 3.00	1.55	--	--	< 50.0	< 236	< 472	--
MW-10	4/2/2008	< 0.500	1.54	0.61	3.71	21.4	--	--	< 50.0	< 236	< 472	--
MW-10	7/1/2008	< 0.500	< 0.500	< 0.500	< 3.00	91.5	--	--	< 50.0	< 238	< 476	--
MW-10	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	110	--	--	< 50.0	< 236	< 472	--
MW-10	1/6/2009	< 0.500	< 0.500	< 0.500	< 3.00	35.5	--	--	< 50.0	< 243	< 485	--
MW-10	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	4.59	--	--	< 50.0	< 245	< 490	< 1.00
MW-10	9/21/2012	< 1.0	< 1.0	< 1.0	< 3.0	1.2	--	--	< 50.0	< 78.4	< 392	< 10.0
MW-10	6/26/2013	< 0.50	0.55	< 0.50	< 1.0	0.78	--	--	< 50	< 250	< 500	< 10
MW-10	9/25/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 270	< 270	< 10.0
MW-10	11/14/2013	< 0.50	< 0.50	< 0.50	< 1.0	0.86	--	--	< 50	< 260	< 260	< 10.0
MW-10	2/13/2014	< 1.0	< 1.0	< 1.0	< 3.0	0.51 J	--	--	< 50	42	49	< 2.0
MW-10	4/2/2014	< 1.1	< 0.89	< 0.89	< 0.82	< 0.74	--	--	< 10	55 JB	64 JB	< 0.17
MW-10	7/11/2014	< 0.14	< 0.16	< 0.13	< 0.12	0.21 J	--	--	< 10	64 JB	31 J	< 0.17
MW-10	10/21/2014	< 1.0	< 1.0	< 1.0	< 3.0	0.61 J	--	--	< 50	89 J	< 240	0.26 JB
MW-10	1/20/2015	< 0.14	< 0.16	< 0.13	< 0.12	0.28 J	--	--	< 27	58 JH1B^	< 28 H1	< 0.17
MW-10	3/11/2016	--	--	--	--	--	--	--	--	--	--	< 0.17
MW-10	8/29/2016	< 2.0	< 2.0	< 3.0	< 3.0	0.22 JH	--	--	< 50	48 JB	29 JB	< 2.0
MW-10	11/21/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	2000	< 250	< 2.0
MW-10	2/15/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	< 110	< 250	< 2.0
MW-10	5/26/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 500	< 100	< 250	< 4.0
MW-10	10/17/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	< 100	< 260	< 4.0

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT	B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
MTCA METHOD A CLEANUP LEVELS	5	1000	700	1000	20	0.01	5	1000/800 <sup>t</sup>	500	500	15	NE
MW-10	2/8/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	< 120	< 390	< 4.0
MW-10	9/11/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	< 110	< 350	< 4.0
MW-10	11/15/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	130	< 350	< 4.0
MW-10	1/29/2019	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	< 110	< 350	< 4.0
MW-11	3/16/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	15000	24900	--
MW-11	6/27/2001	386	32.4	30.4	777	29.6	--	--	11500	700	< 750	--
MW-11	9/26/2001	122	13.0	18.4	692	< 20.0	--	--	23600	5890	5510	--
MW-11	12/3/2001	177	9.17	19.7	320	25.8	--	--	6220	2510	4850	--
MW-11	6/6/2002	192	4.66	30.8	456	< 2.00	< 0.01	< 1.00	5710	5170	6790	16.0
MW-11	6/26/2003	301	5.01	120	568	< 20.0	--	--	9170	72800	107000	8.71
MW-11	12/9/2003	99.2	3.00	48.9	314	14.8	--	--	4650	1610	2910	2.94
MW-11	11/16/2004	155	2.95	66.4	610	< 10.0	--	--	29000	72200	28500	32.1
MW-11	3/29/2005	138	< 2.50	90.6	145	< 10.0	< 0.010	< 2.50	6310	42200	22600	12.3
MW-11	6/22/2005	112	1.97	105	259	5.42	--	--	6810	20100	10800	10.6
MW-11	9/12/2005	217	< 12.5	224	992	3.48	--	--	22000	81100	169000	43
MW-11	12/6/2005	148	< 2.50	130	504	< 5.00	--	--	13000	85600	178000	33.1
MW-11	6/5/2006	245	< 5.00	149	529	< 10.0	--	--	10200	58000	111000	132
MW-11	9/29/2006	4.44	0.57	2.84	47.5	--	--	--	4840	--	--	--
MW-11	12/19/2006	5.0	< 0.500	2.3	11.8	--	--	--	1630	--	--	--
MW-11	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	1310	2950	5910	--
MW-11	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	69.5	349	833	5.67
MW-11	7/8/2009	0.370	< 0.500	< 0.500	< 1.00	< 2.00	--	--	175	714	1370	3.90
MW-11	10/6/2009	< 1.00	< 1.00	< 1.00	< 2.00	< 1.00	--	--	410	< 243	< 485	2.6
MW-11	1/5/2010	< 1.00	< 1.00	< 1.00	< 2.00	< 1.00	--	--	290	140	270	< 2.00
MW-11	5/25/2010	< 0.50	< 0.50	< 0.50	< 1.00	< 1.00	--	--	97	150	< 240	2.1
MW-11	8/19/2010	< 0.50	< 0.50	< 0.50	1.00	< 1.00	--	--	180	210	< 240	3.2
MW-11	12/7/2010	< 0.50	< 0.50	< 0.50	1.1	< 1.0	--	--	190	170	280	2.3
MW-11	1/26/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	81	210	< 240	< 2.0
MW-11	6/16/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	77	870	1300	< 2.0
MW-11	9/22/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	51	1310	3220	2.7
MW-11	12/6/2011	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	292	726	< 10.0
MW-11	3/8/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	179	< 396	< 10.0
MW-11	6/19/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 160	< 800	< 10.0
MW-11	9/21/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	111	268	777	< 10.0
MW-11	12/11/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 100	< 182	204	< 3.0
MW-11	6/27/2013	< 0.50	0.5	< 0.50	< 1.00	< 0.50	--	--	< 50	88	290	< 10
MW-11	9/26/2013	< 0.50	2	< 0.50	< 1.0	< 0.50	--	--	63	< 270	< 270	< 10.0
MW-11	11/15/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 260	< 260	< 10.0
MW-11	2/13/2014	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	150	1500 BY	2700 BY	1.1 J
MW-11	4/2/2014	< 1.1	< 0.89	< 0.89	< 0.82	< 0.74	--	--	25 J	850 BY	1700 BY	0.77 J
MW-11	7/11/2014	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	34 JB	360 BY	470 Y	0.81 J
MW-11	10/22/2014	0.29 J	< 1.0	< 1.0	0.26 JB	< 1.0	--	--	58 B	430 Y	190 J	0.87 JB
MW-11	1/21/2015	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	33 J	230 H1BY <sup>A</sup>	180 J/H1	0.32 J
MW-11	12/14/2015	< 0.42	< 0 *	< 0.51	< 0.50	< 0.17	--	--	48 J	170 B	95 J	--
MW-11	3/10/2016	0.035 J	< 0.025	< 0.030	< 0.060	< 0.025	--	--	41 J	420	700	--
MW-11	6/1/2016	< 0.42	< 0.18	< 0.21	< 0.49	< 0.11	--	--	40 J	460 B	340	--
MW-11	8/29/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0F1*	--	--	95	480 B	380 B	0.44 J
MW-11	11/21/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	110	930	1300	< 2.0
MW-11	2/15/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	65	440	480	< 2.0
MW-11	5/26/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 500	450	670	< 4.0
MW-11	10/17/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	740	760	< 4.0
MW-11	2/8/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	660	1400	< 4.0
MW-11	9/11/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	580	620	< 4.0
MW-11	11/15/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	720	1100	< 4.0
MW-11	1/29/2019	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	810	850	< 4.0

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT	B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L	
<b>MTCA METHOD A CLEANUP LEVELS</b>	<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>t</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>	
MW-12	7/11/1996	<b>624</b>	174	41.6	164	--	--	<b>2620</b>	<b>618</b>	--	--	--	
MW-12	10/10/1996	<b>264</b>	2.98	3.23	60.4	--	--	<b>1720</b>	< 250	< 750	--	--	
MW-12	3/11/1997	4.02	1.01	< 0.5	9.94	--	--	541	402	< 750	--	--	
MW-12	5/29/1997	<b>31.1</b>	0.530	< 0.5	16.7	--	--	<b>2100</b>	<b>1460</b>	<b>2500</b>	--	--	
MW-12	8/5/1997	<b>193</b>	5.16	5.19	87.9	--	--	<b>2010</b>	<b>712</b>	< 750	--	--	
MW-12	10/23/1997	<b>71.7</b>	< 0.5	< 0.5	5.78	--	--	358	<b>996</b>	<b>1840</b>	--	--	
MW-12	3/11/1998	<b>204</b>	9.30	< 1.0	18	--	--	398	< 250	< 750	--	--	
MW-12	6/30/1998	<b>134</b>	< 2.50	< 5.00	< 30.0	--	--	<b>8070</b>	289	--	--	--	
MW-12	12/29/1998	<b>85.9</b>	< 1.0	< 1.0	5.80	--	--	313	< 250	< 750	--	--	
MW-12	3/9/1999	<b>62.1</b>	1.71	< 3.0	< 41.0	--	--	<b>6920</b>	<b>770</b>	<b>1810</b>	--	--	
MW-12	6/27/2001	<b>2920</b>	452	275	<b>1360</b>	<b>350</b>	--	--	<b>33600</b>	<b>679</b>	< 750	--	--
MW-12	9/26/2001	<b>619</b>	<b>1380</b>	<b>966</b>	<b>6890</b>	< 50.0	--	--	<b>3630000</b>	<b>23900</b>	<b>37800</b>	--	--
MW-12	12/3/2001	<b>4180</b>	323	315	<b>1580</b>	<b>386</b>	--	--	<b>27600</b>	<b>4450</b>	<b>7690</b>	--	--
MW-12	6/26/2003	<b>712</b>	878	258	<b>1780</b>	< 20.0	--	--	<b>17000</b>	<b>62300</b>	<b>87100</b>	<b>315</b>	4.93
MW-12	12/9/2003	<b>2520</b>	338	142	<b>1320</b>	<b>114</b>	--	--	<b>18000</b>	<b>2730</b>	<b>4960</b>	4.77	4.84
MW-12	4/7/2004	<b>641</b>	655	201	<b>1590</b>	< 10.0	--	--	<b>19200</b>	<b>204000</b>	<b>314000</b>	<b>536</b>	8.61
MW-12	11/16/2004	<b>757</b>	<b>1230</b>	283	<b>2090</b>	< 20.0	--	--	<b>25800</b>	<b>111000</b>	<b>27800</b>	9.64	2.92
MW-12	3/29/2005	<b>462</b>	655	250	<b>2470</b>	< 40.0	< 0.010	< 10.0	<b>18600</b>	<b>2150000</b>	<b>590000</b>	<b>313</b>	--
MW-12	6/22/2005	<b>1190</b>	434	350	<b>2320</b>	< 20.0	--	--	<b>102000</b>	<b>26900</b>	<b>8180</b>	<b>38</b>	3.61
MW-12	9/12/2005	<b>758</b>	631	250	<b>1480</b>	< 2.00	--	--	<b>12900</b>	<b>242000</b>	<b>561000</b>	<b>37.5</b>	4.64
MW-12	12/6/2005	<b>481</b>	<b>1480</b>	<b>1560</b>	<b>11600</b>	< 100	--	--	<b>18800</b>	<b>145000</b>	<b>290000</b>	<b>76.3</b>	12
MW-12	6/5/2006	<b>721</b>	61.8	190	<b>1170</b>	< 20.0	--	--	<b>11400</b>	<b>14300</b>	<b>27700</b>	3.23	1.52
MW-12	9/29/2006	<b>272</b>	4.79	195	<b>1020</b>	--	--	--	<b>16700</b>	--	--	--	--
MW-12	12/19/2006	<b>346</b>	36.6	81.0	620	--	--	--	<b>41400</b>	--	--	--	--
MW-12	12/31/2007	<b>378</b>	7.48	104	503	< 1.00	--	--	<b>10800</b>	<b>1440</b>	<b>3260</b>	--	--
MW-12	1/29/2008	<b>409</b>	8.39	96.4	584	< 1.00	--	--	<b>11100</b>	<b>619</b>	<b>1510</b>	--	--
MW-12	1/6/2009	4.2	0.89	22.5	186	< 1.00	--	--	<b>6250</b>	358	<b>744</b>	--	--
MW-12	4/8/2009	0.949	0.647	4.0	52.6	< 1.00	--	--	<b>4420</b>	<b>722</b>	<b>1170</b>	<b>36</b>	7.86
MW-12	7/8/2009	< 1.00	< 2.50	< 2.50	8.45	< 10.0	--	--	<b>1790</b>	< 250	< 500	8.45	5.61
MW-12	10/6/2009	1.9	< 1.00	1.0	9.3	< 1.00	--	--	<b>3600</b>	<b>2210</b>	<b>2040</b>	4.2	< 2.00
MW-12	1/6/2010	< 1.00	< 1.00	< 1.00	< 2.00	< 1.00	--	--	<b>3700</b>	<b>5500</b>	<b>1100</b>	4.8	2.0
MW-12	5/25/2010	< 0.50	< 0.50	< 0.50	4.4	< 1.00	--	--	<b>2900</b>	<b>3800</b>	<b>2900</b>	2.6	< 2.00
MW-12	8/19/2010	0.89	0.59	0.51	3.4	< 1.00	--	--	<b>1800</b>	<b>2000</b>	380	3.5	< 2.00
MW-12	12/7/2010	1.9	0.66	0.51	3.6	< 1.0	--	--	<b>2300</b>	<b>1700</b>	<b>1300</b>	2.3	< 2.0
MW-12	1/26/2011	< 0.50	< 0.50	< 0.50	1.2	< 1.0	--	--	610	<b>1100</b>	<b>2900</b>	< 2.0	< 2.0
MW-12	6/16/2011	< 0.50	< 0.50	< 0.50	1.7	< 1.0	--	--	860	<b>2600</b>	<b>1900</b>	< 2.0	< 2.0
MW-12	9/22/2011	1.5	< 0.50	0.69	7.0	< 1.0	--	--	<b>1800</b>	<b>8770</b>	<b>15200</b>	<b>21</b>	< 2.0
MW-12	12/6/2011	2.5	< 1.0	1.3	< 3.0	< 1.0	--	--	<b>9590</b>	<b>14500</b>	<b>38600</b>	< 10.0	< 10.0
MW-12	3/8/2012	1.7	< 1.0	< 1.0	< 3.0	< 1.0	--	--	<b>1460</b>	298	< 400	< 10.0	< 10.0
MW-12	6/19/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	266	< 800	< 10.0	< 10.0
MW-12	9/21/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	968	<b>1030</b>	<b>2860</b>	< 10.0	< 10.0
MW-12	12/11/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 100	<b>542</b>	<b>1890</b>	< 3.0	< 3.0
MW-12	6/27/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	170	120	380	< 10	< 10
MW-12	9/26/2013	0.63	1.3	< 0.50	< 1.0	< 0.50	--	--	210	< 260	<b>830</b>	< 10.0	< 10.0
MW-12	11/15/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	86 Y	400 H	<b>1200 O</b>	< 10.0	< 10.0
MW-12	2/13/2014	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	170	<b>940 BY</b>	<b>1400 BY</b>	0.57 J	< 2.0
MW-12	4/2/2014	< 1.1	< 0.89	< 0.89	< 0.82	< 0.74	--	--	15 J	190 BY	320 BY	0.36 J	< 0.17
MW-12	7/11/2014	0.35 J	< 0.16	< 0.13	< 0.12	< 0.17	--	--	100 B	460 BY	300 Y	0.54 J	< 0.17
MW-12	10/22/2014	3.9	0.46 J	0.91 J	1.4 JB	< 1.0	--	--	770 B	<b>830 Y</b>	<b>790 Y</b>	4.0 B	< 2.0
MW-12	1/21/2015	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	100	250 H1BY^	250 H1Y^	0.60 J	< 0.17
MW-12	12/16/2015	0.64 J*	< 0 *	< 0 *	< 0.50	< 0.17	--	--	170	<b>1300</b>	<b>1900</b>	--	--
MW-12	3/11/2016	0.086 J	< 0.025	< 0.030	< 0.060	< 0.025	--	--	53	240	320	0.32 J	< 0.17
MW-12	6/1/2016	< 0.42	< 0.18	< 0.21	< 0.49	< 0.11	--	--	85	390	310	<b>390 J</b>	< 0.17
MW-12	8/29/2016	1.5 J	0.46 J	< 3.0	< 3.0	< 1.0*	--	--	120	470 B	170 JB	0.33 J	0.24 J
MW-12	11/21/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	91	<b>1000</b>	<b>1400</b>	< 2.0	< 2.0
MW-12	2/15/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	52	240	300	< 2.0	< 2.0

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT	B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
<b>MTCA METHOD A CLEANUP LEVELS</b>	<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>t</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>
MW-12	5/26/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	< 500	150	< 260	< 4.0	< 4.0
MW-12	10/17/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	< 250	<b>530</b>	<b>510</b>	< 4.0	< 4.0
MW-12	2/8/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	< 250	170	< 390	< 4.0	< 4.0
MW-12	9/11/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	< 250	420	400	< 4.0	< 4.0
MW-12	11/15/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	< 250	<b>630</b>	<b>570</b>	< 4.0	< 4.0
MW-12	1/29/2019	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	< 250	<b>790</b>	<b>1200</b>	< 4.0	< 4.0
VP-1	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	--	--	<b>27</b>	--
VP-1	2/15/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 1000	< 2.0	--
VP-1	4/11/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	--	--	--	--
VP-1	7/20/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
VP-1	10/26/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
VP-1	1/23/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
VP-1	4/17/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	--	--	--	--
VP-1	7/8/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
VP-1	12/20/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	--	--	--	--
VP-1	3/16/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	--	--	--	--
VP-1	6/30/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	< 250	< 750	--	--
VP-1	9/27/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	< 250	< 750	--	--
VP-1	11/10/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 80.0	< 250	< 750	--	--
VP-1	3/19/2001	< 0.500	< 0.500	< 0.500	< 1.00	6.23	--	< 50.0	< 250	< 750	--	--
VP-1	12/3/2001	< 0.500	< 0.500	< 0.500	< 1.00	<b>155</b>	--	< 50.0	< 250	< 500	--	--
VP-1	6/6/2002	< 0.500	< 0.500	< 0.500	< 1.00	3.57	< 0.01	< 1.00	< 50.0	< 250	< 500	<b>17.9</b>
VP-1	6/26/2003	0.521	< 0.500	1.05	5.25	5.55	--	--	137	< 250	< 500	6.48
VP-1	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	<b>34.1</b>	--	< 50.0	< 250	< 500	1.44	< 1.00
VP-1	4/7/2004	< 0.500	< 0.500	< 0.500	< 1.00	1.19	--	< 50.0	< 250	< 500	3.21	< 1.00
VP-1	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 250	< 500	<b>34.2</b>
VP-1	3/29/2005	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	< 0.010	< 0.500	< 80.0	< 250	< 500	< 1
VP-1	6/22/2005	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 250	< 500	1.21
VP-1	9/12/2005	< 0.500	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 50.0	< 287	< 575	< 1.00
VP-1	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	6.63	--	--	< 50.0	< 245	< 490	< 1.00
VP-1	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 248	< 495	2.72
VP-1	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 248	< 495	--
VP-1	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 248	< 495	1.09
VP-1	4/2/2008	< 0.500	1.1	< 0.500	< 3.00	1.56	--	--	< 50.0	< 236	< 472	--
VP-1	7/1/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--
VP-1	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--
VP-1	1/6/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--
VP-1	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 248	< 495	12
VP-1	7/8/2009	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 245	< 490	7.86
VP-1	10/6/2009	< 1.00	4.1	6.7	41	< 1.00	--	--	650	< 238	< 476	< 2.00
VP-1	1/6/2010	< 1.00	< 1.00	< 1.00	< 2.00	< 1.00	--	--	< 50.0	< 120	< 240	< 2.00
VP-1	5/25/2010	< 0.50	< 0.50	< 0.50	< 1.00	< 1.00	--	--	< 50.0	< 120	< 240	< 2.00
VP-1	8/19/2010	< 0.50	< 0.50	< 0.50	< 1.00	< 1.00	--	--	< 50.0	< 120	< 240	2.3
VP-1	12/7/2010	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	< 120	< 240	< 2.0
VP-1	1/26/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	< 120	< 240	< 2.0
VP-1	6/16/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	50	140	250	2.2
VP-1	9/22/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	< 95.2	< 476	< 2.0
VP-1	12/6/2011	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 75.5	< 377	< 10.0
VP-1	3/8/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 82.5	< 412	< 10.0
VP-1	6/19/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 160	< 800	< 10.0
VP-1	9/21/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 80.8	< 404	10.9
VP-1	12/11/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 100	< 189	< 189	< 3.0
VP-2	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	--	--	8.2	--
VP-2	2/15/1995	--	--	--	--	--	--	--	< 250	--	--	--

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT		B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
<b>MTCA METHOD A CLEANUP LEVELS</b>		<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>1</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>
VP-2	7/20/1995	--	--	--	--	--	--	--	--	< 250	--	--	--
VP-2	10/10/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	< 750	--	--
VP-2	3/16/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	--	--	--	--
VP-2	6/30/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
VP-2	9/27/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
VP-2	12/3/2001	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	--	--
VP-2	6/6/2002	< 0.500	< 0.500	< 0.500	< 1.00	< 2.00	< 0.01	< 1.00	< 50.0	< 250	< 500	5.21	< 1.00
VP-2	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	<b>22.9</b>	--	--	< 50.0	< 250	< 500	9.19	< 1.00
VP-2	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
VP-2	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	< 250	< 500	1.35	< 1.00
VP-2	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 248	< 495	< 1.00	< 1.00
VP-2	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 245	< 490	< 1.00	< 1.00
VP-2	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	<b>8.74</b>	--	--	< 50.0	< 243	< 485	--	--
VP-2	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	<b>7.59</b>	--	--	< 50.0	< 236	< 472	--	--
VP-2	4/2/2008	< 0.500	0.79	< 0.500	< 3.00	<b>3.89</b>	--	--	< 50.0	< 236	< 472	--	--
VP-2	7/1/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
VP-2	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
VP-2	1/6/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
VP-2	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 240	< 481	<b>20.5</b>	< 1.00
BV-1	4/11/1995	<b>1.4</b>	< 0.5	< 0.5	<b>3.8</b>	--	--	--	<b>57</b>	--	--	--	--
BV-1	7/20/1995	<b>2.7</b>	< 0.5	<b>1</b>	<b>9.5</b>	--	--	--	<b>96</b>	<b>320</b>	--	--	--
BV-1	10/26/1995	<b>94</b>	<b>30</b>	<b>26</b>	<b>160</b>	--	--	--	<b>2500</b>	--	--	--	--
BV-1	1/23/1996	4.5	0.65	1.6	17	--	--	--	200	< 250	< 750	--	--
BV-1	10/10/1996	<b>1.20</b>	< 0.5	<b>0.614</b>	<b>4.72</b>	--	--	--	<b>94.3</b>	< 250	< 750	--	--
BV-1	3/11/1997	2.77	0.509	1.16	10.4	--	--	--	86.5	--	--	--	--
BV-1	5/29/1997	3.81	0.656	1.95	19.1	--	--	--	204	< 250	< 750	--	--
BV-1	8/5/1997	1.24	< 0.5	0.588	4.42	--	--	--	<b>85.1</b>	< 250	< 750	--	--
BV-1	10/23/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
BV-1	3/11/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 80	< 250	< 750	--	--
BV-1	6/30/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
BV-3	3/3/1995	--	--	--	--	--	--	--	--	<b>14000</b>	--	--	--
BV-3	4/10/1995	<b>5000</b>	<b>4500</b>	690	<b>3300</b>	--	--	--	<b>36000</b>	--	--	--	--
BV-3	7/20/1995	<b>6000</b>	<b>8100</b>	<b>1400</b>	<b>8500</b>	--	--	--	<b>62000</b>	<b>9800</b>	--	--	--
BV-3	10/26/1995	<b>6600</b>	<b>8800</b>	<b>1700</b>	<b>13000</b>	--	--	--	<b>82000</b>	<b>5100</b>	<b>2600</b>	--	--
BV-3	10/10/1996	<b>684</b>	574	84.7	<b>1940</b>	--	--	--	<b>13700</b>	<b>3730</b>	< 750	--	--
BV-3	3/11/1997	<b>2140</b>	<b>6610</b>	<b>989</b>	<b>7370</b>	--	--	--	<b>40700</b>	<b>5810</b>	< 750	--	--
BV-3	5/29/1997	0.638	< 0.5	< 0.5	< 1.0	--	--	--	< 50	414	< 750	--	--
BV-3	8/5/1997	<b>8.75</b>	3.14	3.01	53.1	--	--	--	<b>556</b>	<b>1440</b>	< 750	--	--
BV-3	10/23/1997	< 0.5	< 0.5	< 0.5	1.63	--	--	--	< 50	<b>661</b>	< 750	--	--
BV-3	3/11/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 80	< 250	< 750	--	--
BV-3	9/25/1998	<b>644</b>	<b>1180</b>	638	<b>4210</b>	--	--	--	<b>18300</b>	<b>524</b>	< 750	--	--
BV-3	12/29/1998	0.997	< 0.5	< 0.5	10.2	--	--	--	181	< 250	< 750	--	--
BV-3	3/9/1999	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	< 750	--	--
BV-3	6/2/1999	<b>206</b>	178	235	926	--	--	--	<b>5380</b>	< 250	< 750	--	--
BV-3	9/27/1999	< 0.500	< 0.500	< 0.500	4.93	--	--	--	94.2	< 250	--	--	--
BV-3	12/20/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 282	--	--	--
BV-3	6/30/2000	<b>77.6</b>	5.21	10.9	148	--	--	--	<b>1110</b>	<b>507</b>	< 750	--	--
BV-3	9/27/2000	<b>62.3</b>	4.47	119	333	--	--	--	<b>3170</b>	<b>863</b>	< 750	--	--
BV-4	6/30/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
BV-4	12/29/1998	<b>7.59</b>	< 1.0	< 1.0	< 2.0	--	--	--	< 100	< 250	< 750	--	--
BV-4	9/27/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	--	--	--

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT	B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L	
MTCA METHOD A CLEANUP LEVELS	5	1000	700	1000	20	0.01	5	1000/800 <sup>t</sup>	500	500	15	NE	
BV-5	7/20/1995	<b>3700</b>	110	540	<b>2200</b>	--	--	<b>26000</b>	<b>18000</b>	<b>30000</b>	--	--	
BV-5	10/26/1995	<b>4000</b>	520	440	<b>2100</b>	--	--	<b>42000</b>	<b>8200</b>	<b>12000</b>	--	--	
BV-5	1/23/1996	<b>4400</b>	970	<b>760</b>	<b>4400</b>	--	--	<b>1300000</b>	<b>7100</b>	<b>8500</b>	--	--	
BV-5	10/23/1997	1.57	< 0.5	3.31	3.34	--	--	--	<b>771</b>	<b>1150</b>	<b>4130</b>	--	--
BV-5	12/29/1998	<b>79.1</b>	< 1.25	41.8	8.45	--	--	--	<b>848</b>	< 250	< 750	--	--
BV-5	9/27/1999	<b>68.7</b>	< 1.00	25.1	< 2.00	--	--	--	<b>809</b>	<b>3500</b>	--	--	--
BV-5	12/20/1999	<b>53.7</b>	2.05	3.47	9.94	--	--	--	<b>416</b>	<b>506</b>	--	--	--
BV-5	3/16/2000	<b>145</b>	< 0.500	101	43.3	--	--	--	<b>3900</b>	<b>13000</b>	< 8250	--	--
BV-5	11/10/2000	<b>242</b>	993	242	876	--	--	--	<b>9340</b>	< 250	< 750	--	--
BV-5	3/19/2001	<b>84.4</b>	100	99.5	289	< 5.00	--	--	<b>4540</b>	<b>781</b>	< 750	--	--
BV-6	4/10/1995	<b>160</b>	4.4	0.61	8.9	--	--	--	<b>120</b>	--	--	--	--
BV-6	10/26/1995	<b>98</b>	2.4	< 0.5	3.3	--	--	--	< 50	--	--	--	--
BV-7	5/29/1997	<b>289</b>	281	4.7	907	--	--	--	<b>28300</b>	<b>28500</b>	<b>62700</b>	--	--
BV-7	8/5/1997	<b>686</b>	441	< 12.5	751	--	--	--	<b>12500</b>	<b>32700</b>	<b>75900</b>	--	--
BV-7	10/23/1997	<b>769</b>	<b>1350</b>	15.2	<b>1440</b>	--	--	--	<b>16200</b>	<b>42400</b>	<b>134000</b>	--	--
BV-7	9/25/1998	<b>6460</b>	<b>7020</b>	<b>750</b>	<b>11300</b>	--	--	--	<b>209000</b>	<b>53300</b>	<b>148000</b>	--	--
BV-7	12/29/1998	<b>7.33</b>	14.9	< 4.0	< 160	--	--	--	<b>14700</b>	<b>35700</b>	<b>78800</b>	--	--
BV-7	3/9/1999	<b>16.8</b>	30.8	4.32	54.5	--	--	--	<b>1490</b>	<b>53700</b>	<b>133000</b>	--	--
BV-7	6/2/1999	<b>4790</b>	<b>3510</b>	91.8	<b>1410</b>	--	--	--	<b>18100</b>	<b>57900</b>	<b>122000</b>	--	--
BV-7	12/20/1999	<b>29.3</b>	2.01	1.34	78.8	--	--	--	580	< 250	--	--	--
BV-7	6/30/2000	<b>1290</b>	249	< 25.0	826	--	--	--	<b>6130</b>	<b>122000</b>	<b>271000</b>	--	--
BV-7	11/10/2000	<b>1910</b>	385	91.1	<b>1220</b>	--	--	--	<b>24400</b>	<b>335000</b>	<b>377000</b>	--	--
BV-7	3/19/2001	<b>1880</b>	524	103	<b>2110</b>	<b>57.2</b>	--	--	<b>13100</b>	<b>3060</b>	< 938	--	--
BV-7	6/27/2001	<b>1250</b>	515	89.1	<b>2070</b>	<b>52.9</b>	--	--	<b>11900</b>	<b>2940</b>	< 750	--	--
BV-7	9/26/2001	<b>645</b>	113	49.5	739	< 50.0	--	--	<b>9090</b>	<b>23100</b>	<b>49000</b>	--	--
SVE-1	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	<b>61</b>	--
SVE-1	7/20/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	380	< 750	--	--
SVE-1	12/20/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	--	--	--	--
SVE-1	6/30/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
SVE-1	9/27/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	309	< 847	--	--
SVE-1	6/27/2001	< 0.500	< 0.500	< 0.500	< 1.00	6.02	--	--	< 50.0	< 250	< 750	--	--
SVE-1	9/26/2001	< 0.500	< 0.500	< 0.500	< 1.00	14.7	--	--	< 50.0	< 250	< 750	--	--
SVE-1	12/3/2001	< 0.500	< 0.500	< 0.500	< 1.00	<b>25.5</b>	--	--	< 50.0	< 250	< 500	--	--
SVE-1	6/6/2002	< 0.500	< 0.500	< 0.500	< 1.00	2.63	< 0.01	< 1.00	< 50.0	< 250	< 500	< 1.00	< 1.00
SVE-1	6/26/2003	< 0.500	< 0.500	< 0.500	< 1.00	< 5.00	--	< 1.00	< 50.0	< 287	< 575	3.55	< 1.00
SVE-1	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	<b>21.2</b>	--	--	< 50.0	< 250	< 500	< 1.00	< 1.00
SVE-1	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	17.7	--	--	< 80.0	< 250	< 500	< 1.00	< 1.00
SVE-1	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	6.1	--	--	< 50.0	< 243	< 485	< 1.00	< 1.00
SVE-1	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	--	< 538	< 1.00	< 1.00
SVE-1	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 238	< 476	--	--
SVE-1	12/31/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
SVE-1	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	1.61	--
SVE-1	4/2/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	--	--
SVE-1	7/1/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	< 1.00	--
SVE-1	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	2.68	--
SVE-1	1/6/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 236	< 472	< 1.00	--
SVE-1	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	< 1.00	--	--	< 50.0	< 243	< 485	12	< 1.00
SVE-2	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	<b>47</b>	--
SVE-2	4/11/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	<b>610</b>	< 1000	--	--
SVE-2	7/20/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	360	< 750	--	--
SVE-2	10/25/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	420	< 750	--	--
SVE-2	1/23/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	310	< 750	--	--

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT		B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
<b>MTCA METHOD A CLEANUP LEVELS</b>		<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>t</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>
SVE-2	4/17/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
SVE-2	7/8/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	356	< 750	--	--
SVE-2	6/30/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
SVE-2	9/27/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	< 250	< 750	--	--
SVE-3	11/10/2000	<b>733</b>	<b>2850</b>	<b>456</b>	<b>1960</b>	--	--	--	<b>20300</b>	<b>1950</b>	<b>6950</b>	--	--
SVE-3	6/27/2001	<b>184</b>	<b>1120</b>	<b>180</b>	<b>995</b>	< 10.0	--	--	<b>10600</b>	<b>1560</b>	<b>1980</b>	--	--
SVE-3	9/26/2001	<b>82.6</b>	<b>492</b>	<b>99.4</b>	<b>961</b>	< 20.0	--	--	<b>6540</b>	< 250	< 750	--	--
SVE-3	12/3/2001	<b>72.3</b>	<b>549</b>	<b>67.6</b>	<b>600</b>	< 50.0	--	--	<b>3360</b>	<b>2410</b>	<b>10800</b>	--	--
SVE-3	6/6/2002	<b>50.7</b>	<b>31.0</b>	<b>86.8</b>	<b>168</b>	< 2.00	--	< 1.00	<b>1910</b>	--	--	--	--
SVE-3	6/26/2003	<b>90.6</b>	<b>169</b>	<b>238</b>	<b>981</b>	< 2.50	--	--	<b>7030</b>	--	--	--	--
SVE-3	12/9/2003	<b>34.4</b>	<b>44.8</b>	<b>82.9</b>	<b>220</b>	< 2.50	--	--	<b>3190</b>	<b>14000</b>	<b>59900</b>	<b>24.2</b>	< 1.00
SVE-3	4/7/2004	<b>11.60</b>	<b>12.5</b>	<b>37.3</b>	<b>70.9</b>	< 1.00	--	--	<b>3610</b>	<b>2180</b>	<b>8300</b>	<b>4.30</b>	< 1.00
SVE-3	11/16/2004	<b>4.35</b>	<b>0.650</b>	<b>9.44</b>	<b>17.5</b>	< 2.00	--	--	<b>614</b>	<b>6080</b>	<b>23200</b>	<b>3.36</b>	< 1.00
SVE-3	3/29/2005	<b>0.780</b>	< 0.500	<b>0.700</b>	<b>1.28</b>	< 2.00	< 0.010	< 0.500	<b>141</b>	<b>367</b>	<b>1610</b>	<b>26</b>	--
SVE-3	6/22/2005	<b>1.59</b>	< 0.500	<b>9.01</b>	<b>15.8</b>	< 2.00	--	--	<b>730</b>	<b>4210</b>	<b>16900</b>	<b>37</b>	< 1.00
SVE-3	9/12/2005	<b>31.6</b>	<b>724</b>	<b>344</b>	<b>1480</b>	< 2.00	--	--	<b>7190</b>	<b>13200</b>	<b>61000</b>	<b>40.9</b>	< 1.00
SVE-3	12/6/2005	<b>1.41</b>	<b>0.83</b>	<b>11.5</b>	<b>23.2</b>	< 1.00	--	--	<b>845</b>	<b>617</b>	<b>788</b>	< 1.00	< 1.00
SVE-3	6/5/2006	< 0.500	< 0.500	<b>5.66</b>	<b>20.6</b>	< 1.00	--	--	<b>9870</b>	<b>12300</b>	<b>45300</b>	<b>1.36</b>	< 1.00
SVE-3	12/19/2006	< 0.500	< 0.500	< 0.500	< 1.00	--	--	--	< 50.0	--	--	--	--
SVE-3	9/24/2007	<b>2.42</b>	<b>0.81</b>	<b>91.1</b>	<b>134</b>	< 1.00	--	--	<b>4830</b>	<b>1600</b>	<b>9260</b>	--	--
SVE-3	1/30/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	<b>175</b>	< 238	< 476	--	--
SVE-3	5/25/2010	<b>1.4</b>	<b>130</b>	<b>24</b>	<b>110</b>	< 1.00	--	--	<b>1700</b>	<b>1800</b>	<b>4300</b>	<b>3.8</b>	< 2.00
SVE-3	12/7/2010	< 0.50	< 0.50	<b>11</b>	<b>13</b>	< 1.0	--	--	<b>590</b>	<b>2700</b>	<b>20000</b>	<b>4.0</b>	< 2.0
SVE-3	1/26/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	<b>1100</b>	<b>8500</b>	<b>4.3</b>	< 2.0
SVE-3	6/16/2011	< 0.50	< 0.50	<b>9.3</b>	<b>6.9</b>	< 1.0	--	--	<b>320</b>	<b>2100</b>	<b>5400</b>	<b>7.7</b>	< 2.0
SVE-3	6/19/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 160	< 800	< 10.0	< 10.0
AS-1	7/20/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	<b>6100</b>	<b>7900</b>	--	--
AS-2	2/15/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	<b>12000</b>	<b>45000</b>	<b>430</b>	--
AS-2	7/20/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	<b>8400</b>	<b>6800</b>	--	--
AS-3	10/5/1994	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	<b>22</b>	--
AS-3	7/20/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	<b>1500</b>	<b>2600</b>	--	--
B1 (JPHC)	1/23/1996	<b>1500</b>	<b>1200</b>	<b>1200</b>	<b>7900</b>	--	--	--	<b>3900000</b>	<b>7200</b>	<b>15000</b>	--	--
B1 (JPHC)	3/11/1997	< 2.50	< 2.50	< 2.50	< 5.0	--	--	--	<b>2600</b>	<b>16500</b>	<b>34300</b>	--	--
B1 (JPHC)	5/29/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	<b>934</b>	<b>14000</b>	<b>32400</b>	--	--
B1 (JPHC)	8/5/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	<b>238</b>	<b>7500</b>	<b>16100</b>	--	--
B1 (JPHC)	10/23/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	<b>240</b>	<b>75500</b>	<b>280000</b>	--	--
B1 (JPHC)	3/11/1998	<b>3.15</b>	<b>13.6</b>	<b>2.1</b>	<b>31.4</b>	--	--	--	<b>894</b>	< 250	< 750	--	--
B1 (JPHC)	6/30/1998	<b>203</b>	< 10.0	< 10.0	< 60.0	--	--	--	<b>23100</b>	<b>3540</b>	--	--	--
B1 (JPHC)	12/29/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	<b>1170</b>	<b>2730</b>	--	--
B1 (JPHC)	3/9/1999	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	<b>746</b>	<b>1830</b>	--	--
B1 (JPHC)	6/2/1999	<b>57.3</b>	<b>5.34</b>	<b>0.729</b>	<b>5.70</b>	--	--	--	<b>196</b>	<b>1050</b>	<b>1530</b>	--	--
B1 (JPHC)	3/16/2000	<b>538</b>	<b>119</b>	<b>42.6</b>	<b>142</b>	--	--	--	<b>2170</b>	<b>4580</b>	<b>1880</b>	--	--
B1 (JPHC)	6/30/2000	<b>1430</b>	<b>629</b>	<b>155</b>	<b>658</b>	--	--	--	<b>6510</b>	<b>4820</b>	<b>973</b>	--	--
B1 (JPHC)	9/27/2000	<b>1180</b>	<b>203</b>	<b>62.0</b>	<b>309</b>	--	--	--	<b>6780</b>	<b>6490</b>	<b>8870</b>	--	--
B1 (JPHC)	11/10/2000	<b>2260</b>	<b>456</b>	<b>159</b>	<b>621</b>	--	--	--	<b>8610</b>	<b>2230</b>	<b>5090</b>	--	--
B1 (JPHC)	3/19/2001	<b>1400</b>	<b>569</b>	<b>138</b>	<b>672</b>	<b>212</b>	--	--	<b>9680</b>	<b>1360</b>	<b>1450</b>	--	--
B1 (JPHC)	6/27/2001	<b>1360</b>	<b>2230</b>	<b>419</b>	<b>2060</b>	< 125	--	--	<b>47300</b>	<b>73900</b>	<b>132000</b>	--	--
B1 (JPHC)	9/26/2001	<b>1930</b>	<b>1370</b>	<b>1180</b>	<b>8990</b>	<b>40.4</b>	--	--	<b>4790000</b>	<b>197000</b>	<b>304000</b>	--	--
B1 (JPHC)	12/3/2001	<b>204</b>	<b>727</b>	<b>290</b>	<b>1790</b>	<b>48.7</b>	--	--	<b>40500</b>	<b>14300</b>	<b>28200</b>	--	--
B1 (JPHC)	6/26/2003	<b>2850</b>	<b>286</b>	<b>584</b>	<b>2570</b>	<b>19.1</b>	--	--	<b>31600</b>	<b>185000</b>	<b>263000</b>	<b>447</b>	<b>14.3</b>
B1 (JPHC)	12/9/2003	<b>454</b>	10.7	34.8	354	< 5.00	--	--	<b>4650</b>	<b>10700</b>	<b>20500</b>	4.60	1.62

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT	B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
<b>MTCA METHOD A CLEANUP LEVELS</b>	<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>t</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>
B1 (JPHC) 4/7/2004	<b>2650</b>	428	383	<b>1730</b>	< 100	--	--	<b>24500</b>	<b>11200</b>	<b>20200</b>	<b>5.13</b>	<b>13.3</b>
B1 (JPHC) 11/16/2004	<b>3470</b>	15	260	<b>1190</b>	< 40.0	--	--	<b>45000</b>	<b>6730</b>	<b>3770</b>	<b>9.55</b>	<b>1.39</b>
B1 (JPHC) 3/29/2005	<b>3800</b>	267	600	<b>2330</b>	< 40.0	< 0.010	< 10.0	<b>19500</b>	<b>50400</b>	<b>18600</b>	<b>26.6</b>	--
B1 (JPHC) 6/22/2005	<b>594</b>	80.8	326	<b>1450</b>	< 10.0	--	--	<b>9760</b>	<b>13300</b>	<b>7820</b>	<b>24.5</b>	<b>1.73</b>
B1 (JPHC) 9/12/2005	<b>3890</b>	64.4	<b>986</b>	<b>4280</b>	<b>25.4</b>	--	--	<b>115000</b>	<b>4270</b>	<b>7990</b>	<b>69.4</b>	<b>11.5</b>
B1 (JPHC) 12/6/2005	<b>5400</b>	99.0	625	<b>2220</b>	< 100	--	--	<b>25400</b>	<b>6360</b>	<b>12700</b>	<b>4.1</b>	<b>1.51</b>
B1 (JPHC) 6/5/2006	<b>4440</b>	75.0	316	885	< 100	--	--	<b>16800</b>	<b>4750</b>	--	<b>21.5</b>	<b>1.56</b>
B1 (JPHC) 12/19/2006	<b>17.8</b>	< 0.500	< 0.500	34.2	--	--	--	<b>4140</b>	--	--	--	--
B1 (JPHC) 7/1/2008	< 0.500	< 0.500	< 0.500	< 3.00	4.44	--	--	486	252	<b>671</b>	<b>4.39</b>	--
B1 (JPHC) 10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	2.82	--	--	<b>5870</b>	<b>4260</b>	<b>10400</b>	<b>18.4</b>	--
B1 (JPHC) 1/6/2009	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	163	<b>2270</b>	<b>7700</b>	<b>8.21</b>	--
B1 (JPHC) 4/8/2009	< 0.500	< 0.500	< 0.500	1.13	1.12	--	--	185	< 245	< 490	<b>5.36</b>	<b>5.19</b>
B1 (JPHC) 7/8/2009	<b>24.6</b>	< 0.500	< 0.500	< 1.00	< 2.00	--	--	152	< 240	< 481	<b>6.81</b>	<b>5.74</b>
B1 (JPHC) 10/6/2009	<b>54</b>	1.2	3.6	< 2.00	< 1.00	--	--	<b>950</b>	315	<b>534</b>	<b>31</b>	<b>5.6</b>
B1 (JPHC) 1/6/2010	<b>110</b>	2.2	9.5	10	< 1.00	--	--	<b>1000</b>	<b>810</b>	< 240	<b>7.7</b>	<b>6.9</b>
B1 (JPHC) 5/25/2010	<b>250</b>	11	26	64	< 1.00	--	--	<b>1400</b>	<b>13000</b>	<b>720</b>	<b>13</b>	<b>6.5</b>
B1 (JPHC) 8/19/2010	<b>280</b>	26	32	<b>120</b>	< 1.00	--	--	<b>2000</b>	<b>11000</b>	<b>780</b>	<b>11</b>	<b>5.0</b>
B1 (JPHC) 12/7/2010	<b>150</b>	42	39	160	< 1.0	--	--	<b>2900</b>	<b>4700</b>	<b>650</b>	<b>6.6</b>	<b>4.8</b>
B1 (JPHC) 1/26/2011	<b>41</b>	16	21	100	< 1.0	--	--	<b>1200</b>	<b>3000</b>	<b>370</b>	<b>4.9</b>	<b>4.1</b>
B1 (JPHC) 6/16/2011	<b>140</b>	8.2	52	340	< 1.0	--	--	<b>4600</b>	<b>7700</b>	<b>1600</b>	<b>8.0</b>	<b>4.2</b>
B1 (JPHC) 9/22/2011	3.3	< 0.50	2.7	9.2	1.5	--	--	520	304	< 476	<b>3.3</b>	< 2.0
B1 (JPHC) 12/6/2011	< 1.0	< 1.0	< 1.0	< 3.0	1.6	--	--	337	129	< 381	< 10.0	< 10.0
B1 (JPHC) 3/8/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	83.0	86.6	< 400	< 10.0	< 10.0
B1 (JPHC) 6/19/2012	<b>16.9</b>	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	<b>697</b>	< 800	< 10.0	< 10.0
B1 (JPHC) 9/21/2012	<b>37.5</b>	< 1.0	< 1.0	< 3.0	< 1.0	--	--	448	232	<b>546</b>	< 10.0	< 10.0
B1 (JPHC) 12/11/2012	<b>9.4</b>	< 1.0	< 1.0	< 3.0	< 1.0	--	--	359	<b>989</b>	464	< 3.0	< 3.0
B1 (JPHC) 6/26/2013	<b>150</b>	2.2	23	41	< 0.50	--	--	<b>1000</b>	140	250	<b>11</b>	<b>11</b>
B1 (JPHC) 9/26/2013	<b>150</b>	3.6	29	75	< 0.50	--	--	<b>990</b>	< 260	< 260	< 10.0	< 10.0
B1 (JPHC) 11/15/2013	<b>200 D</b>	4.4	31	89	< 0.50	--	--	<b>1000 Y</b>	< 260	< 260	< 10.0	< 10.0
B1 (JPHC) 2/13/2014	<b>150</b>	3.9	29	86	< 1.0	--	--	<b>2100</b>	<b>4800 BY</b>	<b>670 BY</b>	<b>2.0</b>	<b>1.3 J</b>
B1 (JPHC) 4/2/2014	<b>110</b>	3.4 J	23	70	< 0.74	--	--	<b>1800</b>	<b>4500 BY</b>	<b>410 BY</b>	<b>1.4 J</b>	<b>0.93 J</b>
B1 (JPHC) 7/11/2014	<b>140</b>	3.9	32	100	< 0.17	--	--	<b>1600 B</b>	<b>5400 BY</b>	<b>600 Y</b>	<b>1.4 J</b>	<b>1.0 J</b>
B1 (JPHC) 10/22/2014	<b>160</b>	4.9	39	180 B	0.20 J	--	--	<b>2500 B</b>	<b>2300 Y</b>	<b>30 J</b>	<b>1.4 JB</b>	<b>0.60 J</b>
B1 (JPHC) 1/21/2015	<b>130</b>	2.4	21	88	< 0.17	--	--	<b>1700</b>	<b>4600 H1BY^</b>	<b>300 H1Y^</b>	<b>0.51 J</b>	<b>0.39 J</b>
B1 (JPHC) 12/16/2015	<b>89</b>	2	15	36	< 0.17	--	--	<b>1600</b>	<b>2600</b>	<b>330</b>	--	--
B1 (JPHC) 3/11/2016	<b>80</b>	0.99 J	7.9	22	0.27 J	--	--	<b>950</b>	<b>4300</b>	<b>1000</b>	<b>0.27 J</b>	< 0.17
B1 (JPHC) 6/1/2016	<b>93</b>	2.1	10	34	< 0.11	--	--	<b>1400</b>	<b>4400</b>	<b>1000</b>	<b>1.6 J</b>	<b>0.32 J</b>
B1 (JPHC) 8/29/2016	<b>140</b>	3.3	15	79	< 1.0*	--	--	<b>1900</b>	<b>3300 B</b>	<b>410 B</b>	<b>0.39 J</b>	<b>0.39 J</b>
B1 (JPHC) 11/21/2016	<b>120</b>	3.0	15	78	< 1.0	--	--	<b>2100</b>	<b>4400</b>	<b>1300</b>	< 2.0	< 2.0
B1 (JPHC) 2/15/2017	<b>86</b>	< 2.0	10	40	< 1.0	--	--	<b>1600</b>	<b>3800</b>	<b>880</b>	< 2.0	< 2.0
B1 (JPHC) 5/26/2017	<b>67</b>	< 2.0	6.3	24 F1	< 2.0	--	--	<b>1100 F1</b>	<b>4200</b>	<b>1200</b>	< 4.0	< 4.0
B1 (JPHC) 10/17/2017	<b>97</b>	2.0	7.7	48	< 2.0	--	--	<b>1700</b>	<b>4600</b>	<b>1300</b>	< 4.0	< 4.0
B1 (JPHC) 2/8/2018	<b>88</b>	< 2.0	6.6	39	< 2.0	--	--	<b>1400</b>	<b>3700</b>	<b>1500</b>	< 4.0	< 4.0
B1 (JPHC) 9/11/2018	<b>130</b>	< 2.0	6.0	38	< 1.0	--	--	<b>1600</b>	<b>5100</b>	<b>2000</b>	< 4.0	< 4.0
B1 (JPHC) 11/15/2018	<b>130</b>	2.4	6.3	51	< 1.0	--	--	<b>2500</b>	<b>5300</b>	<b>3000</b>	< 4.0	< 4.0
B1 (JPHC) 1/29/2019	<b>57</b>	< 2.0	3.7	34	< 1.0	--	--	<b>1800</b>	<b>3600</b>	<b>2100</b>	< 4.0	< 4.0
B3 (JPHC) 2/15/1995	1.0	< 0.5	< 0.5	< 1.0	--	--	--	< 50	340	<b>1200</b>	<b>10</b>	--
B3 (JPHC) 4/11/1995	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	--	--	--	--
B3 (JPHC) 7/20/1995	< 0.5	0.90	< 0.5	2.6	--	--	--	91	370	< 750	--	--
B3 (JPHC) 10/25/1995	0.57	2.6	0.84	9.0	--	--	--	750	<b>810</b>	<b>1600</b>	--	--
B3 (JPHC) 1/23/1996	0.64	11	3.6	35.0	--	--	--	<b>5400</b>	<b>810</b>	<b>1900</b>	--	--
B3 (JPHC) 4/17/1996	< 0.5	1.0	< 0.5	< 1.0	--	--	--	80	330	< 750	--	--
B3 (JPHC) 7/8/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	415	< 750	--	--
B3 (JPHC) 10/10/1996	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	< 250	< 750	--	--
B3 (JPHC) 3/11/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	--	< 50	407	< 750	--	--

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT	B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
MTCA METHOD A CLEANUP LEVELS	5	1000	700	1000	20	0.01	5	1000/800 <sup>1</sup>	500	500	15	NE
B3 (IPHC)	5/29/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	402	<b>1180</b>	--	--
B3 (IPHC)	8/5/1997	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	269	< 750	--	--
B3 (IPHC)	3/11/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 80	< 250	< 750	--	--
B3 (IPHC)	6/30/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	76.6	< 250	--	--	--
B3 (IPHC)	9/25/1998	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
B3 (IPHC)	12/29/1998	< 2.5	< 2.5	< 2.5	< 5.0	--	--	< 250	< 250	< 750	--	--
B3 (IPHC)	3/9/1999	< 0.5	< 0.5	< 0.5	< 1.0	--	--	< 50	< 250	< 750	--	--
B3 (IPHC)	6/2/1999	< 0.500	5.43	< 0.500	4.39	--	--	51.9	< 250	< 750	--	--
B3 (IPHC)	12/20/1999	< 0.500	< 0.500	< 0.500	< 1.00	--	--	98.2	< 250	--	--	--
B3 (IPHC)	9/27/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 50.0	< 250	< 750	--	--
B3 (IPHC)	11/10/2000	< 0.500	< 0.500	< 0.500	< 1.00	--	--	< 80.0	< 250	< 750	--	--
B3 (IPHC)	3/19/2001	< 0.500	< 0.500	< 0.500	< 1.00	<b>204</b>	--	< 50.0	<b>1180</b>	<b>2750</b>	--	--
B3 (IPHC)	6/27/2001	< 0.500	< 0.500	< 0.500	< 1.00	9.44	--	< 50.0	< 250	< 750	--	--
B3 (IPHC)	9/26/2001	< 0.500	< 0.500	< 0.500	< 1.00	8.06	--	< 50.0	< 250	< 750	--	--
B3 (IPHC)	12/3/2001	< 0.500	< 0.500	< 0.500	< 1.00	<b>49.3</b>	--	< 50.0	< 250	< 500	--	--
B3 (IPHC)	6/6/2002	< 0.500	1.05	< 0.500	< 1.00	5.03	< 0.01	< 1.00	< 50.0	< 250	< 500	<b>23.5</b>
B3 (IPHC)	6/26/2003	< 0.500	< 0.500	1.30	7.36	< 1.00	--	--	296	289	< 500	11.3
B3 (IPHC)	12/9/2003	< 0.500	< 0.500	< 0.500	< 1.00	1.61	--	< 50.0	< 250	< 500	< 1.00	< 1.00
B3 (IPHC)	11/16/2004	< 0.200	< 0.500	< 0.500	< 1.00	3.76	--	--	< 80.0	< 250	< 500	2.28
B3 (IPHC)	3/29/2005	< 0.200	< 0.500	< 0.500	< 1.00	2.58	< 0.010	< 0.500	< 80.0	< 250	< 500	2.09
B3 (IPHC)	6/22/2005	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	<b>291</b>	< 500	<b>18.9</b>
B3 (IPHC)	9/12/2005	< 0.500	< 0.500	< 0.500	< 1.00	3.82	--	--	< 50.0	< 250	< 500	4.12
B3 (IPHC)	12/6/2005	< 0.500	< 0.500	< 0.500	< 1.00	4.49	--	--	74.3	253	< 485	3.25
B3 (IPHC)	6/5/2006	< 0.500	< 0.500	< 0.500	< 1.00	1.17	--	--	< 50.0	< 278	< 556	1.95
B3 (IPHC)	9/24/2007	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 245	< 490	--
B3 (IPHC)	1/29/2008	< 0.500	< 0.500	< 0.500	< 3.00	< 1.00	--	--	< 50.0	< 238	< 476	1.59
B3 (IPHC)	7/1/2008	< 0.500	< 0.500	< 0.500	< 3.00	15.6	--	--	< 50.0	< 236	< 472	< 1.00
B3 (IPHC)	10/3/2008	< 0.500	< 0.500	< 0.500	< 3.00	<b>23.5</b>	--	--	< 50.0	< 236	< 472	<b>16.9</b>
B3 (IPHC)	1/6/2009	< 0.500	< 0.500	< 0.500	< 3.00	<b>24.1</b>	--	--	< 50.0	< 236	< 472	7.6
B3 (IPHC)	4/8/2009	< 0.500	< 0.500	< 0.500	< 1.00	5.94	--	--	< 50.0	< 240	< 481	1.62
B3 (IPHC)	7/8/2009	< 0.200	< 0.500	< 0.500	< 1.00	< 2.00	--	--	< 80.0	<b>842</b>	< 472	< 1.00
B3 (IPHC)	10/6/2009	< 1.00	< 1.00	< 1.00	< 2.00	< 1.00	--	--	130	< 236	< 472	7.6
B3 (IPHC)	1/6/2010	< 1.00	< 1.00	< 1.00	< 2.00	< 1.00	--	--	< 50.0	< 120	< 240	< 2.00
B3 (IPHC)	5/25/2010	< 0.50	< 0.50	< 0.50	< 1.00	< 1.00	--	--	< 50.0	< 120	< 240	< 2.00
B3 (IPHC)	8/19/2010	< 0.50	< 0.50	< 0.50	< 1.00	< 1.00	--	--	< 50.0	340	420	6.1
B3 (IPHC)	12/7/2010	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	< 120	< 240	6.1
B3 (IPHC)	1/26/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	< 120	< 240	< 2.0
B3 (IPHC)	6/16/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	260	450	2.3
B3 (IPHC)	9/22/2011	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	--	--	< 50	< 95.2	< 476	< 2.0
B3 (IPHC)	12/6/2011	< 1.0	< 1.0	< 1.0	< 3.0	2.2	--	--	< 50.0	< 80.0	< 400	< 10.0
B3 (IPHC)	3/8/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 78.4	< 392	< 10.0
B3 (IPHC)	6/19/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 160	< 800	< 10.0
B3 (IPHC)	9/21/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 50.0	< 80.8	< 404	< 10.0
B3 (IPHC)	12/11/2012	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	< 100	< 182	444	< 3.0
B3 (IPHC)	6/26/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 250	22	< 10
B3 (IPHC)	9/26/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 260	< 260	< 10.0
B3 (IPHC)	11/15/2013	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	--	--	< 50	< 260	< 260	< 10.0
B3 (IPHC)	2/13/2014	< 1.0	< 1.0	< 1.0	< 3.0	< 1.0	--	--	16 J	44	46	< 2.0
B3 (IPHC)	4/2/2014	< 1.1	< 0.89	< 0.89	< 0.82	< 0.74	--	--	14 J	76 JB	80 JB	< 0.17
B3 (IPHC)	7/11/2014	< 0.14	< 0.16	< 0.13	0.13 J	< 0.17	--	--	15 JB	140 BY	130 J	0.22 J
B3 (IPHC)	10/22/2014	< 1.0	< 1.0	< 1.0	0.18 JB	0.72 J	--	--	< 50	210 Y	67 J	< 2.0
B3 (IPHC)	1/20/2015	< 0.14	< 0.16	< 0.13	< 0.12	< 0.17	--	--	31 J	210 H1BY^	170 J^H1	< 0.17
B3 (IPHC)	12/14/2015	< 0.42	< 0 *	< 0.51	< 0.50	0.19 J	--	--	< 27	57	< 30	--
B3 (IPHC)	3/11/2016	< 0.025	< 0.025	< 0.030	< 0.060	0.058 J	--	--	44 J	130	200 J	< 0.17
B3 (IPHC)	8/29/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0*	--	--	< 50	51 JB	34 JB	< 2.0
B3 (IPHC)	11/21/2016	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	110	< 250	< 2.0

**Table 2**  
**Groundwater Analytical Data**  
**ARCO Facility 980**  
**10822 Roosevelt Way NE**  
**Seattle, WA 98125**

CONSTITUENT UNIT		B ug/L	T ug/L	E ug/L	X ug/L	MTBE ug/L	EDB ug/L	EDC ug/L	TPH-G ug/L	TPH-D ug/L	TPH-O ug/L	Total Lead ug/L	Dissolved Lead ug/L
<b>MTCA METHOD A CLEANUP LEVELS</b>		<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>20</b>	<b>0.01</b>	<b>5</b>	<b>1000/800<sup>1</sup></b>	<b>500</b>	<b>500</b>	<b>15</b>	<b>NE</b>
B3 (JPHC)	2/15/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 50	140	< 250	< 2.0	< 2.0
B3 (JPHC)	5/26/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 500	150	< 260	< 4.0	< 4.0
B3 (JPHC)	10/17/2017	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	230	< 250	< 4.0	< 4.0
B3 (JPHC)	2/8/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 2.0	--	--	< 250	160	< 430	< 4.0	< 4.0
B3 (JPHC)	9/11/2018	< 2.0	< 2.0	< 3.0	< 3.0	< 1.0	--	--	< 250	5000	1900	< 4.0	< 4.0
IW-1	11/17/2017	--	--	--	--	--	--	--	--	--	--	3.1	--
IW-1	12/7/2017	<b>11</b>	2.5	25	310	--	--	--	<b>9800</b>	--	--	--	--

**Notes:**

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes, Total

MTBE = Methyl-tertiary-butyl ether

EDB = 1,2-Dibromo-ethane

EDC = 1,2-Dichloro-ethane

TPH-G = Total petroleum hydrocarbons as gasoline by Northwest Method NWTPH-Gx

TPH-D = Total petroleum hydrocarbons as diesel by Northwest Method NWTPH-Dx

TPH-O = Total petroleum hydrocarbons as oil by Northwest Method NWTPH-Dx

1,000/800<sup>1</sup> ug/L if no detectable levels of Benzene in the sample - otherwise 800 ug/L

NE = Not evaluated

<1.0 = Concentrations were not detected above the laboratory method reporting limit.

ug/L = Micrograms per liter

ND = Not detected

-- = No value given/Not analyzed/Not applicable

MTCA = Model Toxics Control Act

Results in **bold** indicate concentrations in excess of MTCA Method A Cleanup Levels

\* = LCS or LCSD is outside acceptance limits

J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

B = Compound was found in the blank and sample.

H = Sample was prepped or analyzed beyond the specific holding time


F1 = MS and/or MSD Recovery is outside acceptance limits.

## Figures

Figure 1 Site Location Map

Figure 2 Site Aerial Map

Figure 3 Groundwater Analytical & Elevation Contour Map – January 29, 2019



QUADRANGLE LOCATION




FIGURE 1  
SITE LOCATION MAP



ARCO FACILITY NO. 980  
10822 ROOSEVELT WAY NE  
SEATTLE, WASHINGTON

PROJECT NO. 00980SA181	DRAWN BY J. HIGHFILL
FILE NO. 0980-SLM18	PREPARED BY M. BERNARD
DATE 12 Dec 18	REV. 0
	REVIEWED BY





GENERAL NOTES:  
BASE MAP FROM GOOGLE EARTH 2018




**FIGURE 2**  
**SITE AERIAL MAP**

ARCO FACILITY NO. 0980  
10822 ROOSEVELT WAY NE  
SEATTLE, WASHINGTON

PROJECT NO. 00980SA181	DRAWN BY J. HIGHFILL	antea group
FILE NO. 980G-SAM18	PREPARED BY M. BERNARD	
DATE 12 DEC 18	REV. 1	
REVIEWED BY		





## Appendix A

Analytical Lab Reports and Chain-of-Custody Documentation

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Seattle

5755 8th Street East

Tacoma, WA 98424

Tel: (253)922-2310

TestAmerica Job ID: 580-83611-1

Client Project/Site: BP -ARCO 980

Sampling Event: Antea ARCO 980

For:

Antea USA, Inc.

4006 148th Ave NE

Redmond, Washington 98052

Attn: Megan Richard

*M. Elaine Walker*

Authorized for release by:

2/7/2019 4:20:41 PM

Elaine Walker, Project Manager II

(253)248-4972

[elaine.walker@testamericainc.com](mailto:elaine.walker@testamericainc.com)

### LINKS

Review your project  
results through

Total Access

Have a Question?

Ask  
The  
Expert

Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the BPLAMP Technical Specifications, applicable federal, state, local regulations and certification requirements as well as the methodologies as described in laboratory SOPs reviewed by the BPLAMP. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The signature on the cover page extends to the case narrative and all the data and forms in the package. The Chain of Custody is included and is an integral part of this report.

*M. Elaine Walker*

---

Elaine Walker  
Project Manager II  
2/7/2019 4:20:41 PM

# Table of Contents

Cover Page .....	1
Table of Contents .....	3
Case Narrative .....	4
Definitions .....	5
Client Sample Results .....	6
QC Sample Results .....	15
Chronicle .....	21
Certification Summary .....	24
Sample Summary .....	25
Chain of Custody .....	26
Receipt Checklists .....	28

# Case Narrative

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

## Job ID: 580-83611-1

### Laboratory: TestAmerica Seattle

#### Narrative

#### Job Narrative 580-83611-1

#### Receipt

Nine samples were received on 1/30/2019 12:25 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 0.1° C and 0.6° C.

#### Receipt Exceptions

The sample time on the container labels for the following sample did not match the information listed on the Chain-of-Custody (COC): B1 (JPHC)\_12.03 (580-83611-8). The container labels list the sampling time 11:15, while the COC lists 12:03. The client confirmed the container label as the correct time.

#### GC/MS VOA

Method(s) 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: B1 (JPHC)\_12.03 (580-83611-8). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### GC Semi VOA

Method(s) NWTPH-Dx: The peak profile present in this sample MW-8\_14.89 (580-83611-3) and B1 (JPHC)\_12.03 (580-83611-8) is atypical of a hydrocarbon pattern and consists of discrete peaks

Method(s) NWTPH-Dx: The following samples contained a hydrocarbon pattern in the diesel range; however, the elution pattern was later than the typical diesel fuel pattern used by the laboratory for quantitative purposes: MW-4\_15.93 (580-83611-2) and MW-9\_16.02 (580-83611-4).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

# Definitions/Glossary

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

## Glossary

### Abbreviation These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Client Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-2\_8.60**

Date Collected: 01/29/19 12:45

Date Received: 01/30/19 12:25

**Lab Sample ID: 580-83611-1**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		1.0		ug/L			02/01/19 15:58	1
Benzene	ND		2.0		ug/L			02/01/19 15:58	1
Toluene	ND		2.0		ug/L			02/01/19 15:58	1
Ethylbenzene	ND		3.0		ug/L			02/01/19 15:58	1
Xylenes, Total	ND		3.0		ug/L			02/01/19 15:58	1

## Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	110		80 - 120		02/01/19 15:58	1
Toluene-d8 (Surr)	103		75 - 125		02/01/19 15:58	1
1,2-Dichloroethane-d4 (Surr)	104		80 - 120		02/01/19 15:58	1
4-Bromofluorobenzene (Surr)	100		80 - 120		02/01/19 15:58	1
Dibromofluoromethane (Surr)	101		80 - 120		02/01/19 15:58	1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		250		ug/L			01/31/19 15:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	81		50 - 150					01/31/19 15:03	1
Trifluorotoluene (Surr)	116		50 - 150					01/31/19 15:03	1

## Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
#2 Diesel (C10-C24)	ND		110		ug/L		01/31/19 10:06	02/01/19 14:47	1
Motor Oil (>C24-C36)	ND		350		ug/L		01/31/19 10:06	02/01/19 14:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	90		50 - 150				01/31/19 10:06	02/01/19 14:47	1

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/06/19 14:12	02/07/19 11:40	5

## Method: 6020A - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/01/19 09:11	02/05/19 14:57	5

TestAmerica Seattle

# Client Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-4\_15.93**

Date Collected: 01/29/19 13:05

Date Received: 01/30/19 12:25

**Lab Sample ID: 580-83611-2**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		1.0		ug/L			02/01/19 16:25	1
Benzene	ND		2.0		ug/L			02/01/19 16:25	1
Toluene	ND		2.0		ug/L			02/01/19 16:25	1
Ethylbenzene	ND		3.0		ug/L			02/01/19 16:25	1
Xylenes, Total	ND		3.0		ug/L			02/01/19 16:25	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Trifluorotoluene (Surr)	106		80 - 120					02/01/19 16:25	1
Toluene-d8 (Surr)	104		75 - 125					02/01/19 16:25	1
1,2-Dichloroethane-d4 (Surr)	104		80 - 120					02/01/19 16:25	1
4-Bromofluorobenzene (Surr)	101		80 - 120					02/01/19 16:25	1
Dibromofluoromethane (Surr)	98		80 - 120					02/01/19 16:25	1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		250		ug/L			01/31/19 15:30	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	72		50 - 150					01/31/19 15:30	1
Trifluorotoluene (Surr)	112		50 - 150					01/31/19 15:30	1

## Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
#2 Diesel (C10-C24)	620		110		ug/L		01/31/19 10:06	02/01/19 15:09	1
Motor Oil (>C24-C36)	1000		360		ug/L		01/31/19 10:06	02/01/19 15:09	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
<i>o-Terphenyl</i>	72		50 - 150				01/31/19 10:06	02/01/19 15:09	1

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/06/19 14:12	02/07/19 12:49	5

## Method: 6020A - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/01/19 09:11	02/05/19 15:36	5

TestAmerica Seattle

# Client Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-8\_14.89**

Date Collected: 01/29/19 09:55

Date Received: 01/30/19 12:25

**Lab Sample ID: 580-83611-3**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		1.0		ug/L			02/01/19 16:51	1
Benzene	ND		2.0		ug/L			02/01/19 16:51	1
Toluene	ND		2.0		ug/L			02/01/19 16:51	1
Ethylbenzene	ND		3.0		ug/L			02/01/19 16:51	1
Xylenes, Total	ND		3.0		ug/L			02/01/19 16:51	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Trifluorotoluene (Surr)	106		80 - 120					02/01/19 16:51	1
Toluene-d8 (Surr)	103		75 - 125					02/01/19 16:51	1
1,2-Dichloroethane-d4 (Surr)	104		80 - 120					02/01/19 16:51	1
4-Bromofluorobenzene (Surr)	99		80 - 120					02/01/19 16:51	1
Dibromofluoromethane (Surr)	95		80 - 120					02/01/19 16:51	1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		250		ug/L			01/31/19 15:57	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	78		50 - 150					01/31/19 15:57	1
Trifluorotoluene (Surr)	115		50 - 150					01/31/19 15:57	1

## Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
#2 Diesel (C10-C24)	130		110		ug/L		01/31/19 10:06	02/01/19 15:31	1
Motor Oil (>C24-C36)	ND		350		ug/L		01/31/19 10:06	02/01/19 15:31	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
<i>o-Terphenyl</i>	88		50 - 150				01/31/19 10:06	02/01/19 15:31	1

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/06/19 14:12	02/07/19 12:53	5

## Method: 6020A - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/01/19 09:11	02/05/19 15:40	5

TestAmerica Seattle

# Client Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-9\_16.02**

Date Collected: 01/29/19 10:20

Date Received: 01/30/19 12:25

**Lab Sample ID: 580-83611-4**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		1.0		ug/L			02/01/19 17:18	1
Benzene	ND		2.0		ug/L			02/01/19 17:18	1
Toluene	ND		2.0		ug/L			02/01/19 17:18	1
Ethylbenzene	ND		3.0		ug/L			02/01/19 17:18	1
Xylenes, Total	ND		3.0		ug/L			02/01/19 17:18	1

## Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	111		80 - 120		02/01/19 17:18	1
Toluene-d8 (Surr)	106		75 - 125		02/01/19 17:18	1
1,2-Dichloroethane-d4 (Surr)	101		80 - 120		02/01/19 17:18	1
4-Bromofluorobenzene (Surr)	96		80 - 120		02/01/19 17:18	1
Dibromofluoromethane (Surr)	97		80 - 120		02/01/19 17:18	1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		250		ug/L			01/31/19 16:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	79		50 - 150					01/31/19 16:24	1
Trifluorotoluene (Surr)	118		50 - 150					01/31/19 16:24	1

## Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
#2 Diesel (C10-C24)	110		110		ug/L		01/31/19 10:06	02/01/19 15:53	1
Motor Oil (>C24-C36)	ND		350		ug/L		01/31/19 10:06	02/01/19 15:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	81		50 - 150				01/31/19 10:06	02/01/19 15:53	1

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/06/19 14:12	02/07/19 12:57	5

## Method: 6020A - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/01/19 09:11	02/05/19 15:45	5

1

2

3

4

5

6

7

8

9

10

11

# Client Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-10\_14.65**

Date Collected: 01/29/19 10:40

Date Received: 01/30/19 12:25

**Lab Sample ID: 580-83611-5**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		1.0		ug/L			02/01/19 17:45	1
Benzene	ND		2.0		ug/L			02/01/19 17:45	1
Toluene	ND		2.0		ug/L			02/01/19 17:45	1
Ethylbenzene	ND		3.0		ug/L			02/01/19 17:45	1
Xylenes, Total	ND		3.0		ug/L			02/01/19 17:45	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Trifluorotoluene (Surr)	109		80 - 120					02/01/19 17:45	1
Toluene-d8 (Surr)	103		75 - 125					02/01/19 17:45	1
1,2-Dichloroethane-d4 (Surr)	102		80 - 120					02/01/19 17:45	1
4-Bromofluorobenzene (Surr)	97		80 - 120					02/01/19 17:45	1
Dibromofluoromethane (Surr)	96		80 - 120					02/01/19 17:45	1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		250		ug/L			01/31/19 16:51	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	80		50 - 150					01/31/19 16:51	1
Trifluorotoluene (Surr)	117		50 - 150					01/31/19 16:51	1

## Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
#2 Diesel (C10-C24)	ND		110		ug/L		01/31/19 10:06	02/01/19 16:15	1
Motor Oil (>C24-C36)	ND		350		ug/L		01/31/19 10:06	02/01/19 16:15	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
<i>o-Terphenyl</i>	94		50 - 150				01/31/19 10:06	02/01/19 16:15	1

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/06/19 14:12	02/07/19 13:02	5

## Method: 6020A - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/01/19 09:11	02/05/19 15:49	5

TestAmerica Seattle

# Client Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-11\_15.89**

Date Collected: 01/29/19 13:30

Date Received: 01/30/19 12:25

**Lab Sample ID: 580-83611-6**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		1.0		ug/L			02/01/19 18:11	1
Benzene	ND		2.0		ug/L			02/01/19 18:11	1
Toluene	ND		2.0		ug/L			02/01/19 18:11	1
Ethylbenzene	ND		3.0		ug/L			02/01/19 18:11	1
Xylenes, Total	ND		3.0		ug/L			02/01/19 18:11	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Trifluorotoluene (Surr)	99		80 - 120					02/01/19 18:11	1
Toluene-d8 (Surr)	100		75 - 125					02/01/19 18:11	1
1,2-Dichloroethane-d4 (Surr)	104		80 - 120					02/01/19 18:11	1
4-Bromofluorobenzene (Surr)	104		80 - 120					02/01/19 18:11	1
Dibromofluoromethane (Surr)	98		80 - 120					02/01/19 18:11	1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		250		ug/L			01/31/19 17:18	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	76		50 - 150					01/31/19 17:18	1
Trifluorotoluene (Surr)	115		50 - 150					01/31/19 17:18	1

## Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
#2 Diesel (C10-C24)	810		110		ug/L		01/31/19 10:06	02/01/19 16:59	1
Motor Oil (>C24-C36)	850		350		ug/L		01/31/19 10:06	02/01/19 16:59	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
<i>o-Terphenyl</i>	79		50 - 150				01/31/19 10:06	02/01/19 16:59	1

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/06/19 14:12	02/07/19 13:06	5

## Method: 6020A - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/01/19 09:11	02/05/19 15:53	5

TestAmerica Seattle

# Client Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-12\_11.50**

Date Collected: 01/29/19 11:35

Date Received: 01/30/19 12:25

**Lab Sample ID: 580-83611-7**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		1.0		ug/L			02/01/19 18:38	1
Benzene	ND		2.0		ug/L			02/01/19 18:38	1
Toluene	ND		2.0		ug/L			02/01/19 18:38	1
Ethylbenzene	ND		3.0		ug/L			02/01/19 18:38	1
Xylenes, Total	ND		3.0		ug/L			02/01/19 18:38	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Trifluorotoluene (Surr)	101		80 - 120					02/01/19 18:38	1
Toluene-d8 (Surr)	104		75 - 125					02/01/19 18:38	1
1,2-Dichloroethane-d4 (Surr)	102		80 - 120					02/01/19 18:38	1
4-Bromofluorobenzene (Surr)	100		80 - 120					02/01/19 18:38	1
Dibromofluoromethane (Surr)	96		80 - 120					02/01/19 18:38	1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		250		ug/L			01/31/19 17:46	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	79		50 - 150					01/31/19 17:46	1
Trifluorotoluene (Surr)	115		50 - 150					01/31/19 17:46	1

## Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
#2 Diesel (C10-C24)	790		110		ug/L		01/31/19 10:06	02/01/19 17:21	1
Motor Oil (>C24-C36)	1200		360		ug/L		01/31/19 10:06	02/01/19 17:21	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
<i>o-Terphenyl</i>	83		50 - 150				01/31/19 10:06	02/01/19 17:21	1

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/06/19 14:12	02/07/19 13:10	5

## Method: 6020A - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/01/19 09:11	02/05/19 15:57	5

TestAmerica Seattle

# Client Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: B1 (JPHC)\_12.03**

Date Collected: 01/29/19 11:15  
Date Received: 01/30/19 12:25

**Lab Sample ID: 580-83611-8**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		1.0		ug/L			02/01/19 19:05	1
Toluene	ND		2.0		ug/L			02/01/19 19:05	1
<b>Ethylbenzene</b>	<b>3.7</b>		3.0		ug/L			02/01/19 19:05	1
<b>Xylenes, Total</b>	<b>34</b>		3.0		ug/L			02/01/19 19:05	1

## Surrogate

	%Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	94		80 - 120			02/01/19 19:05	1
Toluene-d8 (Surr)	103		75 - 125			02/01/19 19:05	1
1,2-Dichloroethane-d4 (Surr)	98		80 - 120			02/01/19 19:05	1
4-Bromofluorobenzene (Surr)	105		80 - 120			02/01/19 19:05	1
Dibromofluoromethane (Surr)	96		80 - 120			02/01/19 19:05	1

## Method: 8260C - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Benzene</b>	<b>57</b>		20		ug/L			02/05/19 17:27	10
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Trifluorotoluene (Surr)	100		80 - 120					02/05/19 17:27	10
Toluene-d8 (Surr)	107		75 - 125					02/05/19 17:27	10
1,2-Dichloroethane-d4 (Surr)	101		80 - 120					02/05/19 17:27	10
4-Bromofluorobenzene (Surr)	98		80 - 120					02/05/19 17:27	10
Dibromofluoromethane (Surr)	92		80 - 120					02/05/19 17:27	10

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Gasoline</b>	<b>1800</b>		250		ug/L			01/31/19 18:13	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	96		50 - 150					01/31/19 18:13	1
Trifluorotoluene (Surr)	118		50 - 150					01/31/19 18:13	1

## Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
#2 Diesel (C10-C24)	3600		110		ug/L		01/31/19 10:06	02/01/19 17:43	1
Motor Oil (>C24-C36)	2100		360		ug/L		01/31/19 10:06	02/01/19 17:43	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
<i>o-Terphenyl</i>	83		50 - 150				01/31/19 10:06	02/01/19 17:43	1

## Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/06/19 14:12	02/07/19 13:15	5

## Method: 6020A - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/01/19 09:11	02/05/19 16:02	5

TestAmerica Seattle

# Client Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: Tripblank-1**

Date Collected: 01/29/19 00:01

Date Received: 01/30/19 12:25

**Lab Sample ID: 580-83611-9**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.20		ug/L			02/01/19 15:31	1
Toluene	ND		0.20		ug/L			02/01/19 15:31	1
Ethylbenzene	ND		0.20		ug/L			02/01/19 15:31	1
m-Xylene & p-Xylene	ND		0.50		ug/L			02/01/19 15:31	1
o-Xylene	ND		0.50		ug/L			02/01/19 15:31	1

## Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	110		80 - 120		02/01/19 15:31	1
Toluene-d8 (Surr)	107		75 - 125		02/01/19 15:31	1
1,2-Dichloroethane-d4 (Surr)	107		80 - 120		02/01/19 15:31	1
4-Bromofluorobenzene (Surr)	106		80 - 120		02/01/19 15:31	1
Dibromofluoromethane (Surr)	102		80 - 120		02/01/19 15:31	1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		250		ug/L			01/31/19 14:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	80		50 - 150					01/31/19 14:36	1
Trifluorotoluene (Surr)	110		50 - 150					01/31/19 14:36	1

TestAmerica Seattle

# QC Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

## Method: 8260C - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 580-294068/7**

**Matrix: Water**

**Analysis Batch: 294068**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.30		ug/L			02/01/19 15:04	1
Benzene	ND		0.20		ug/L			02/01/19 15:04	1
Toluene	ND		0.20		ug/L			02/01/19 15:04	1
Ethylbenzene	ND		0.20		ug/L			02/01/19 15:04	1
m-Xylene & p-Xylene	ND		0.50		ug/L			02/01/19 15:04	1
o-Xylene	ND		0.50		ug/L			02/01/19 15:04	1
Xylenes, Total	ND		0.50		ug/L			02/01/19 15:04	1

**MB MB**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	105		80 - 120		02/01/19 15:04	1
Toluene-d8 (Surr)	103		75 - 125		02/01/19 15:04	1
1,2-Dichloroethane-d4 (Surr)	107		80 - 120		02/01/19 15:04	1
4-Bromofluorobenzene (Surr)	106		80 - 120		02/01/19 15:04	1
Dibromofluoromethane (Surr)	97		80 - 120		02/01/19 15:04	1

**Lab Sample ID: LCS 580-294068/4**

**Matrix: Water**

**Analysis Batch: 294068**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
Methyl tert-butyl ether	5.00	5.57		ug/L		111	80 - 127
Benzene	5.00	4.63		ug/L		93	73 - 133
Toluene	5.00	4.91		ug/L		98	80 - 126
Ethylbenzene	5.00	5.64		ug/L		113	74 - 138
m-Xylene & p-Xylene	5.00	5.58		ug/L		112	73 - 130
o-Xylene	5.00	5.19		ug/L		104	80 - 139
Xylenes, Total	10.0	10.8		ug/L		108	73 - 139

**LCS LCS**

Surrogate	%Recovery	Qualifier	Limits
Trifluorotoluene (Surr)	102		80 - 120
Toluene-d8 (Surr)	98		75 - 125
1,2-Dichloroethane-d4 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	107		80 - 120
Dibromofluoromethane (Surr)	98		80 - 120

**Lab Sample ID: LCSD 580-294068/5**

**Matrix: Water**

**Analysis Batch: 294068**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD	Limit
Methyl tert-butyl ether	5.00	5.32		ug/L		106	80 - 127	5	20	
Benzene	5.00	4.81		ug/L		96	73 - 133	4	20	
Toluene	5.00	5.14		ug/L		103	80 - 126	5	20	
Ethylbenzene	5.00	5.87		ug/L		117	74 - 138	4	20	
m-Xylene & p-Xylene	5.00	5.80		ug/L		116	73 - 130	4	20	
o-Xylene	5.00	5.32		ug/L		106	80 - 139	2	20	
Xylenes, Total	10.0	11.1		ug/L		111	73 - 139	3	20	

TestAmerica Seattle

# QC Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

## Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCSD 580-294068/5**

**Matrix: Water**

**Analysis Batch: 294068**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Trifluorotoluene (Surr)	100		80 - 120
Toluene-d8 (Surr)	98		75 - 125
1,2-Dichloroethane-d4 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	106		80 - 120
Dibromofluoromethane (Surr)	94		80 - 120

**Lab Sample ID: MB 580-294168/7**

**Matrix: Water**

**Analysis Batch: 294168**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		1.0		ug/L			02/05/19 14:21	1
Benzene	ND		2.0		ug/L			02/05/19 14:21	1
Toluene	ND		2.0		ug/L			02/05/19 14:21	1
Ethylbenzene	ND		3.0		ug/L			02/05/19 14:21	1
m-Xylene & p-Xylene	ND		3.0		ug/L			02/05/19 14:21	1
o-Xylene	ND		2.0		ug/L			02/05/19 14:21	1
Xylenes, Total	ND		3.0		ug/L			02/05/19 14:21	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	109		80 - 120		02/05/19 14:21	1
Toluene-d8 (Surr)	104		75 - 125		02/05/19 14:21	1
1,2-Dichloroethane-d4 (Surr)	104		80 - 120		02/05/19 14:21	1
4-Bromofluorobenzene (Surr)	98		80 - 120		02/05/19 14:21	1
Dibromofluoromethane (Surr)	95		80 - 120		02/05/19 14:21	1

**Lab Sample ID: LCS 580-294168/4**

**Matrix: Water**

**Analysis Batch: 294168**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limts
Methyl tert-butyl ether	5.00	5.24		ug/L		105	80 - 127
Benzene	5.00	4.75		ug/L		95	73 - 133
Toluene	5.00	5.07		ug/L		101	80 - 126
Ethylbenzene	5.00	5.73		ug/L		115	74 - 138
m-Xylene & p-Xylene	5.00	5.62		ug/L		112	73 - 130
o-Xylene	5.00	5.14		ug/L		103	80 - 139
Xylenes, Total	10.0	10.8		ug/L		108	73 - 139

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Trifluorotoluene (Surr)	97		80 - 120
Toluene-d8 (Surr)	98		75 - 125
1,2-Dichloroethane-d4 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	104		80 - 120
Dibromofluoromethane (Surr)	93		80 - 120

TestAmerica Seattle

# QC Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

## Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCSD 580-294168/5**

**Matrix: Water**

**Analysis Batch: 294168**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methyl tert-butyl ether	5.00	5.25		ug/L		105	80 - 127	0	20
Benzene	5.00	4.60		ug/L		92	73 - 133	3	20
Toluene	5.00	4.93		ug/L		99	80 - 126	3	20
Ethylbenzene	5.00	5.52		ug/L		110	74 - 138	4	20
m-Xylene & p-Xylene	5.00	5.42		ug/L		108	73 - 130	4	20
o-Xylene	5.00	5.04		ug/L		101	80 - 139	2	20
Xylenes, Total	10.0	10.5		ug/L		105	73 - 139	3	20

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
Trifluorotoluene (Surr)	96		80 - 120
Toluene-d8 (Surr)	98		75 - 125
1,2-Dichloroethane-d4 (Surr)	102		80 - 120
4-Bromofluorobenzene (Surr)	105		80 - 120
Dibromofluoromethane (Surr)	93		80 - 120

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC)

**Lab Sample ID: MB 580-294007/6**

**Matrix: Water**

**Analysis Batch: 294007**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	ND		250		ug/L			01/31/19 11:53	1
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b>									
<b>Surrogate</b> </									

# QC Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC) (Continued)

**Lab Sample ID:** LCSD 580-294007/8

**Matrix:** Water

**Analysis Batch:** 294007

**Client Sample ID:** Lab Control Sample Dup  
**Prep Type:** Total/NA

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	85		50 - 150
Trifluorotoluene (Surr)	115		50 - 150

## Method: NWTPH-Dx - Northwest - Semi-Volatile Petroleum Products (GC)

**Lab Sample ID:** MB 580-293994/1-A

**Matrix:** Water

**Analysis Batch:** 294061

**Client Sample ID:** Method Blank  
**Prep Type:** Total/NA  
**Prep Batch:** 293994

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
#2 Diesel (C10-C24)	ND		110		ug/L		01/31/19 10:06	02/01/19 12:57	1
Motor Oil (>C24-C36)	ND		350		ug/L		01/31/19 10:06	02/01/19 12:57	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	91		50 - 150	01/31/19 10:06	02/01/19 12:57	1

**Lab Sample ID:** LCS 580-293994/2-A

**Matrix:** Water

**Analysis Batch:** 294061

**Client Sample ID:** Lab Control Sample  
**Prep Type:** Total/NA  
**Prep Batch:** 293994

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
#2 Diesel (C10-C24)	2000	2000		ug/L		100	50 - 120
Motor Oil (>C24-C36)	2000	2190		ug/L		110	64 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
<i>o</i> -Terphenyl	83		50 - 150

**Lab Sample ID:** LCSD 580-293994/3-A

**Matrix:** Water

**Analysis Batch:** 294061

**Client Sample ID:** Lab Control Sample Dup  
**Prep Type:** Total/NA  
**Prep Batch:** 293994

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD
#2 Diesel (C10-C24)	2000	1960		ug/L		98	50 - 120	2
Motor Oil (>C24-C36)	2000	2210		ug/L		110	64 - 120	1

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
<i>o</i> -Terphenyl	103		50 - 150

## Method: 6020A - Metals (ICP/MS)

**Lab Sample ID:** MB 580-294263/22-A

**Matrix:** Water

**Analysis Batch:** 294334

**Client Sample ID:** Method Blank  
**Prep Type:** Total Recoverable  
**Prep Batch:** 294263

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.80		ug/L		02/06/19 14:12	02/07/19 11:23	1

TestAmerica Seattle

# QC Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

## Method: 6020A - Metals (ICP/MS) (Continued)

**Lab Sample ID: LCS 580-294263/23-A**

**Matrix: Water**

**Analysis Batch: 294334**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total Recoverable**

**Prep Batch: 294263**

**%Rec.**

**Limits**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	
Lead	1000	961		ug/L		96	80 - 120

**Lab Sample ID: LCSD 580-294263/24-A**

**Matrix: Water**

**Analysis Batch: 294334**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total Recoverable**

**Prep Batch: 294263**

**%Rec.**

**RPD**

**Limit**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	RPD	Limit	
Lead	1000	943		ug/L		94	80 - 120	2	20

**Lab Sample ID: 580-83611-1 MS**

**Matrix: Water**

**Analysis Batch: 294334**

**Client Sample ID: MW-2\_8.60**

**Prep Type: Total Recoverable**

**Prep Batch: 294263**

**%Rec.**

**Limits**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Lead	ND		1000	1020		ug/L		102	80 - 120

**Lab Sample ID: 580-83611-1 MSD**

**Matrix: Water**

**Analysis Batch: 294334**

**Client Sample ID: MW-2\_8.60**

**Prep Type: Total Recoverable**

**Prep Batch: 294263**

**%Rec.**

**RPD**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Lead	ND		1000	952		ug/L		95	80 - 120	6	20

**Lab Sample ID: 580-83611-1 DU**

**Matrix: Water**

**Analysis Batch: 294334**

**Client Sample ID: MW-2\_8.60**

**Prep Type: Total Recoverable**

**Prep Batch: 294263**

**RPD**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Lead	ND		ND		ug/L		NC	20

**Lab Sample ID: MB 580-294015/9-B**

**Matrix: Water**

**Analysis Batch: 294216**

**Client Sample ID: Method Blank**

**Prep Type: Dissolved**

**Prep Batch: 294048**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		4.0		ug/L		02/01/19 09:11	02/05/19 14:44	5

**Lab Sample ID: LCS 580-294015/10-B**

**Matrix: Water**

**Analysis Batch: 294216**

**Client Sample ID: Lab Control Sample**

**Prep Type: Dissolved**

**Prep Batch: 294048**

**%Rec.**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Lead	1000	1030		ug/L		103	80 - 120

**Lab Sample ID: LCSD 580-294015/11-B**

**Matrix: Water**

**Analysis Batch: 294216**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Dissolved**

**Prep Batch: 294048**

**%Rec.**

**RPD**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Lead	1000	1000		ug/L		100	80 - 120	3	20

TestAmerica Seattle

# QC Sample Results

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Lab Sample ID: 580-83611-1 MS**  
**Matrix: Water**  
**Analysis Batch: 294216**

**Client Sample ID: MW-2\_8.60**  
**Prep Type: Dissolved**  
**Prep Batch: 294048**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.
	Lead	ND	1000	988		ug/L	99	80 - 120	Limits

**Lab Sample ID: 580-83611-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 294216**

**Client Sample ID: MW-2\_8.60**  
**Prep Type: Dissolved**  
**Prep Batch: 294048**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.	RPD	
	Lead	ND	1000	969		ug/L	97	80 - 120	Limits	RPD	Limit

**Lab Sample ID: 580-83611-1 DU**  
**Matrix: Water**  
**Analysis Batch: 294216**

**Client Sample ID: MW-2\_8.60**  
**Prep Type: Dissolved**  
**Prep Batch: 294048**

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D		RPD
	Lead	ND		ND		ug/L	NC		Limit

# Lab Chronicle

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-2\_8.60**

**Date Collected: 01/29/19 12:45**

**Date Received: 01/30/19 12:25**

**Lab Sample ID: 580-83611-1**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	294068	02/01/19 15:58	CJ	TAL SEA
Total/NA	Analysis	NWTPH-Gx		1	294007	01/31/19 15:03	CJB	TAL SEA
Total/NA	Prep	3510C			293994	01/31/19 10:06	KO	TAL SEA
Total/NA	Analysis	NWTPH-Dx		1	294061	02/01/19 14:47	Z1R	TAL SEA
Dissolved	Filtration	FILTRATION			294015	01/31/19 12:28	T1H	TAL SEA
Dissolved	Prep	3005A			294048	02/01/19 09:11	T1H	TAL SEA
Dissolved	Analysis	6020A		5	294216	02/05/19 14:57	FCW	TAL SEA
Total Recoverable	Prep	3005A			294263	02/06/19 14:12	JKM	TAL SEA
Total Recoverable	Analysis	6020A		5	294334	02/07/19 11:40	FCW	TAL SEA

**Client Sample ID: MW-4\_15.93**

**Date Collected: 01/29/19 13:05**

**Date Received: 01/30/19 12:25**

**Lab Sample ID: 580-83611-2**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	294068	02/01/19 16:25	CJ	TAL SEA
Total/NA	Analysis	NWTPH-Gx		1	294007	01/31/19 15:30	CJB	TAL SEA
Total/NA	Prep	3510C			293994	01/31/19 10:06	KO	TAL SEA
Total/NA	Analysis	NWTPH-Dx		1	294061	02/01/19 15:09	Z1R	TAL SEA
Dissolved	Filtration	FILTRATION			294015	01/31/19 12:28	T1H	TAL SEA
Dissolved	Prep	3005A			294048	02/01/19 09:11	T1H	TAL SEA
Dissolved	Analysis	6020A		5	294216	02/05/19 15:36	FCW	TAL SEA
Total Recoverable	Prep	3005A			294263	02/06/19 14:12	JKM	TAL SEA
Total Recoverable	Analysis	6020A		5	294334	02/07/19 12:49	FCW	TAL SEA

**Client Sample ID: MW-8\_14.89**

**Date Collected: 01/29/19 09:55**

**Date Received: 01/30/19 12:25**

**Lab Sample ID: 580-83611-3**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	294068	02/01/19 16:51	CJ	TAL SEA
Total/NA	Analysis	NWTPH-Gx		1	294007	01/31/19 15:57	CJB	TAL SEA
Total/NA	Prep	3510C			293994	01/31/19 10:06	KO	TAL SEA
Total/NA	Analysis	NWTPH-Dx		1	294061	02/01/19 15:31	Z1R	TAL SEA
Dissolved	Filtration	FILTRATION			294015	01/31/19 12:28	T1H	TAL SEA
Dissolved	Prep	3005A			294048	02/01/19 09:11	T1H	TAL SEA
Dissolved	Analysis	6020A		5	294216	02/05/19 15:40	FCW	TAL SEA
Total Recoverable	Prep	3005A			294263	02/06/19 14:12	JKM	TAL SEA
Total Recoverable	Analysis	6020A		5	294334	02/07/19 12:53	FCW	TAL SEA

TestAmerica Seattle

# Lab Chronicle

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-9\_16.02**

**Date Collected: 01/29/19 10:20**

**Date Received: 01/30/19 12:25**

**Lab Sample ID: 580-83611-4**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	294068	02/01/19 17:18	CJ	TAL SEA
Total/NA	Analysis	NWTPH-Gx		1	294007	01/31/19 16:24	CJB	TAL SEA
Total/NA	Prep	3510C			293994	01/31/19 10:06	KO	TAL SEA
Total/NA	Analysis	NWTPH-Dx		1	294061	02/01/19 15:53	Z1R	TAL SEA
Dissolved	Filtration	FILTRATION			294015	01/31/19 12:28	T1H	TAL SEA
Dissolved	Prep	3005A			294048	02/01/19 09:11	T1H	TAL SEA
Dissolved	Analysis	6020A		5	294216	02/05/19 15:45	FCW	TAL SEA
Total Recoverable	Prep	3005A			294263	02/06/19 14:12	JKM	TAL SEA
Total Recoverable	Analysis	6020A		5	294334	02/07/19 12:57	FCW	TAL SEA

**Client Sample ID: MW-10\_14.65**

**Date Collected: 01/29/19 10:40**

**Date Received: 01/30/19 12:25**

**Lab Sample ID: 580-83611-5**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	294068	02/01/19 17:45	CJ	TAL SEA
Total/NA	Analysis	NWTPH-Gx		1	294007	01/31/19 16:51	CJB	TAL SEA
Total/NA	Prep	3510C			293994	01/31/19 10:06	KO	TAL SEA
Total/NA	Analysis	NWTPH-Dx		1	294061	02/01/19 16:15	Z1R	TAL SEA
Dissolved	Filtration	FILTRATION			294015	01/31/19 12:28	T1H	TAL SEA
Dissolved	Prep	3005A			294048	02/01/19 09:11	T1H	TAL SEA
Dissolved	Analysis	6020A		5	294216	02/05/19 15:49	FCW	TAL SEA
Total Recoverable	Prep	3005A			294263	02/06/19 14:12	JKM	TAL SEA
Total Recoverable	Analysis	6020A		5	294334	02/07/19 13:02	FCW	TAL SEA

**Client Sample ID: MW-11\_15.89**

**Date Collected: 01/29/19 13:30**

**Date Received: 01/30/19 12:25**

**Lab Sample ID: 580-83611-6**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	294068	02/01/19 18:11	CJ	TAL SEA
Total/NA	Analysis	NWTPH-Gx		1	294007	01/31/19 17:18	CJB	TAL SEA
Total/NA	Prep	3510C			293994	01/31/19 10:06	KO	TAL SEA
Total/NA	Analysis	NWTPH-Dx		1	294061	02/01/19 16:59	Z1R	TAL SEA
Dissolved	Filtration	FILTRATION			294015	01/31/19 12:28	T1H	TAL SEA
Dissolved	Prep	3005A			294048	02/01/19 09:11	T1H	TAL SEA
Dissolved	Analysis	6020A		5	294216	02/05/19 15:53	FCW	TAL SEA
Total Recoverable	Prep	3005A			294263	02/06/19 14:12	JKM	TAL SEA
Total Recoverable	Analysis	6020A		5	294334	02/07/19 13:06	FCW	TAL SEA

TestAmerica Seattle

# Lab Chronicle

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

**Client Sample ID: MW-12\_11.50**

**Date Collected: 01/29/19 11:35**

**Date Received: 01/30/19 12:25**

**Lab Sample ID: 580-83611-7**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	294068	02/01/19 18:38	CJ	TAL SEA
Total/NA	Analysis	NWTPH-Gx		1	294007	01/31/19 17:46	CJB	TAL SEA
Total/NA	Prep	3510C			293994	01/31/19 10:06	KO	TAL SEA
Total/NA	Analysis	NWTPH-Dx		1	294061	02/01/19 17:21	Z1R	TAL SEA
Dissolved	Filtration	FILTRATION			294015	01/31/19 12:28	T1H	TAL SEA
Dissolved	Prep	3005A			294048	02/01/19 09:11	T1H	TAL SEA
Dissolved	Analysis	6020A		5	294216	02/05/19 15:57	FCW	TAL SEA
Total Recoverable	Prep	3005A			294263	02/06/19 14:12	JKM	TAL SEA
Total Recoverable	Analysis	6020A		5	294334	02/07/19 13:10	FCW	TAL SEA

**Client Sample ID: B1 (JPHC)\_12.03**

**Date Collected: 01/29/19 11:15**

**Date Received: 01/30/19 12:25**

**Lab Sample ID: 580-83611-8**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	294068	02/01/19 19:05	CJ	TAL SEA
Total/NA	Analysis	8260C	DL	10	294168	02/05/19 17:27	CJ	TAL SEA
Total/NA	Analysis	NWTPH-Gx		1	294007	01/31/19 18:13	CJB	TAL SEA
Total/NA	Prep	3510C			293994	01/31/19 10:06	KO	TAL SEA
Total/NA	Analysis	NWTPH-Dx		1	294061	02/01/19 17:43	Z1R	TAL SEA
Dissolved	Filtration	FILTRATION			294015	01/31/19 12:28	T1H	TAL SEA
Dissolved	Prep	3005A			294048	02/01/19 09:11	T1H	TAL SEA
Dissolved	Analysis	6020A		5	294216	02/05/19 16:02	FCW	TAL SEA
Total Recoverable	Prep	3005A			294263	02/06/19 14:12	JKM	TAL SEA
Total Recoverable	Analysis	6020A		5	294334	02/07/19 13:15	FCW	TAL SEA

**Client Sample ID: Tripblank-1**

**Date Collected: 01/29/19 00:01**

**Date Received: 01/30/19 12:25**

**Lab Sample ID: 580-83611-9**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	294068	02/01/19 15:31	CJ	TAL SEA
Total/NA	Analysis	NWTPH-Gx		1	294007	01/31/19 14:36	CJB	TAL SEA

## Laboratory References:

TAL SEA = TestAmerica Seattle, 5755 8th Street East, Tacoma, WA 98424, TEL (253)922-2310

# Accreditation/Certification Summary

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

## Laboratory: TestAmerica Seattle

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
Washington	State Program	10	C553	02-17-19

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
6020A	3005A	Water	Lead
8260C		Water	Xylenes, Total

## Sample Summary

Client: Antea USA, Inc.  
Project/Site: BP -ARCO 980

TestAmerica Job ID: 580-83611-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	
580-83611-1	MW-2_8.60	Water	01/29/19 12:45	01/30/19 12:25	1
580-83611-2	MW-4_15.93	Water	01/29/19 13:05	01/30/19 12:25	2
580-83611-3	MW-8_14.89	Water	01/29/19 09:55	01/30/19 12:25	3
580-83611-4	MW-9_16.02	Water	01/29/19 10:20	01/30/19 12:25	4
580-83611-5	MW-10_14.65	Water	01/29/19 10:40	01/30/19 12:25	5
580-83611-6	MW-11_15.89	Water	01/29/19 13:30	01/30/19 12:25	6
580-83611-7	MW-12_11.50	Water	01/29/19 11:35	01/30/19 12:25	7
580-83611-8	B1 (JPHC)_12.03	Water	01/29/19 11:15	01/30/19 12:25	8
580-83611-9	Tripblank-1	Water	01/29/19 00:01	01/30/19 12:25	9



**Laboratory Management Program (LaMP) Chain of Custody Record**  
**Soil, Sediment and Groundwater Samples**

Page 1 of \_\_\_\_\_

BP Site Node Path:

ARCO 980

Req Due Date (mm/dd/yy): Standard TAT

Rush TAT Yes  No  X

BP/RM Facility No:

ARCO Facility No. 00980


Lab Work Order Number:

83611

Lab Name: Test America	BP/ARC Facility Address: 10822 Roosevelt Way NE	Consultant/Contractor: Antea Group
Lab Address: 5755 8th Street East, Tacoma, WA 98424	City, State, ZIP Code: Seattle, WA	Consultant/Contractor Project No: 00980SA181,20100
Lab PM: Elaine Walker	Lead Regulatory Agency: Washington State Department of Ecology	Address: 2006 148th Ave NE, Redmond, WA 98052
Lab Phone: 253.248.4972	California Global ID No.: NA	Consultant/Contractor PM: Eric Sanchez
Lab Shipping Acct: NA	Enfos Proposal No: pending	Phone: 425-498-7717 Email: Eric.Sanchez@anteagroup.com
Lab Bottle Order No: NA	Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM <input type="checkbox"/>	Send/Submit EDD to: Eric.Sanchez@anteagroup.com
Other Info: elaine.walker@testamericainc.com	Stage 2_Select (20) Activity Additional Data Collection (100)	Invoice To: BP-RM BP/ARC <input checked="" type="checkbox"/>

BP/RM PM: Wade Melton	Sample Details		Requested Analyses										Report Type & QC Level																
	PM Phone: 360-594-7978	PM Email: wade.melton@bp.com	Field Matrix	Start Depth	End Depth	Depth Unit	Grab (G) or Composite (C)	Total Number of Containers	Analysis	Filt	Press	BTEX by EPA 8260		MTBE by EPA 8260		NMTPh-Gx		NMTPh-Dx		Pb-T by EPA 6020		Pb-D by EPA 6020		Limited (Standard) Package		Limited Plus Package		Full Package	

Lab No.	Sample Description	Date	Time	Field Matrix	Start Depth	End Depth	Depth Unit	Grab (G) or Composite (C)	Total Number of Containers	Analysis	Filt	Press	BTEX by EPA 8260	MTBE by EPA 8260	NMTPh-Gx	NMTPh-Dx	Pb-T by EPA 6020	Pb-D by EPA 6020	Comments
-1	MW-2 - 8.60	1-30-14	1245	W				G	10	X	X	X	X	X	X	X			Therm. ID: A2 Cor: 0.1 ° Unc: 0.3 °
	MW-4 - 15.93		1305	W				G	10	X	X	X	X	X	X				Cooler Dsc: <input checked="" type="checkbox"/> Line
-3	MW-8 - 14.89		0955	W				G	10	X	X	X	X	X	X				Packing: <input checked="" type="checkbox"/> Bubble
	MW-9 - 16.02		1020	W				G	10	X	X	X	X	X	X				FedEx: <input type="checkbox"/>
-5	MW-10 - 14.65		1040	W				G	10	X	X	X	X	X	X				UPS: <input type="checkbox"/>
	MW-11 - 15.89		1330	W				G	10	X	X	X	X	X	X				Lab Cour: <input type="checkbox"/>
-7	MW-12 - 11.50		1135	W				G	10	X	X	X	X	X	X				Other: <input type="checkbox"/>

Sampler's Name:	Relinquished By / Affiliation				Date	Time	Accepted By / Affiliation				Date	Time
Sampler's Company: Antea Group					1-30-14	1225					1/30/14	1225
Ship Method:	Ship Date:											
Shipment Tracking No:												

Special Instructions:	THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No   Temp Blank: Yes / No   Cooler Temp on Receipt: _____ °F/C   Trip Blank: Yes / No   MS/MSD Sample Submitted: Yes / No											
-----------------------	---	--	--	--	--	--	--	--	--	--	--	--

BP LaMP Soil/H2O COC July 2018



580-83611 Chain of Custody



**Laboratory Management Program (LaMP) Chain of Custody Record**  
**Soil, Sediment and Groundwater Samples**

BP Site Node Path: ARCO 980 Req Due Date (mm/dd/yy): Standard TAT Rush TAT Yes \_\_\_\_\_ No  X  
 BP/RM Facility No: ARCO Facility No. 00980 Lab Work Order Number: 03611

Lab Name:	Test America			BP/ARC Facility Address:	10822 Roosevelt Way NE			Consultant/Contractor:	Antea Group												
Lab Address:	5755 8th Street East, Tacoma, WA 98424			City, State, ZIP Code:	Seattle, WA			Consultant/Contractor Project No:	00980SA181.20100												
Lab PM:	Elaine Walker			Lead Regulatory Agency:	Washington State Department of Ecology			Address:	2006 148th Ave NE, Redmond, WA 98052												
Lab Phone:	253.248.4972			California Global ID No.:	NA			Consultant/Contractor PM:	Eric Sanchez												
Lab Shipping Acnt:	NA			Enfos Proposal No.:	pending			Phone:	425-498-7717												
Lab Bottle Order No:	NA			Accounting Mode:	Provision <input checked="" type="checkbox"/>	OOC-BU <input type="checkbox"/>	OOC-RM <input type="checkbox"/>	Email:	Eric.Sanchez@anteagroup.com												
Other Info:	elaine.walker@testamericainc.com			Stage	2_Select (20)	Activity	Additional Data Collection (100)	Send/Submit EDD to:	Eric.Sanchez@anteagroup.com												
BP/RM PM:	Wade Melton			Sample Details			Requested Analyses			Report Type & QC Level											
PM Phone:	360-594-7978			Field Matrix	Start Depth	End Depth	Depth Unit	Grab (G) or Composite (C)	Total Number of Containers	Analysis	Filter	Pressure	Limited (Standard) Package _____								
PM Email:	wade.melton@bp.com																		Limited Plus Package _____		
																			Full Package _____		
Lab No.	Sample Description	Date	Time										Comments								
	B1 (JPHC) - 12.03	1-29-19	12.03	W				G	1	X	X	X	X								
	B3 (JPHC)			W				G	1	X	X	X	X	FS							
-9	Tripblank-1			W					1	X	X										
Sampler's Name: <i>Forest Shuster</i>				Relinquished By / Affiliation				Date	Time	Accepted By / Affiliation				Date	Time						
Sampler's Company: Antea Group				<i>Forest Shuster Antea</i>				1-30-19	1225	<i>1224 1TH-SEH</i>				1-30-19	1225						
Ship Method:				Ship Date:																	
Shipment Tracking No:																					
Special Instructions:																					
THIS LINE - LAB USE ONLY: Custody Seals in Place: Yes / No   Temp Blank: Yes / No   Cooler Temp on Receipt: _____ °F/C   Trip Blank: Yes / No   MS/MSD Sample Submitted: Yes / No																					

BP LaMP Soil/H2O COC July 2018

## Login Sample Receipt Checklist

Client: Antea USA, Inc.

Job Number: 580-83611-1

**Login Number: 83611**

**List Source: TestAmerica Seattle**

**List Number: 1**

**Creator: Blankinship, Tom X**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	Time for sample -8.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	