



DRAFT



0 20' 40'



- LEGEND**
- MW-6 Groundwater Monitoring Well
 - RW-1 Recovery Well
 - SB-1 Soil Boring (SAIC, 2010)
 - TANK-SW-1-8 Soil Confirmation Sample Location (Aspect 2016)
 - SVP-1 Soil Vapor Probe Location
 - MW-20 August 2019 Groundwater Monitoring Well
 - SVP-2 August 2019 Soil Vapor Probe Location

76 STATION BUILDING
76 STATION DISPENSER ISLANDS

CARSON CLEANERS
APARTMENT BUILDING
APARTMENT BUILDING
WEAVING WORKS

BROOKLYN FRAME SHOP
APARTMENT BUILDING

BROOKLYN AVENUE

NE 47TH STREET

CHRIST EPISCOPAL CHURCH

MIXED APARTMENTS/ RETAIL
RETAIL STORES
RETAIL STORES

Underground Storage Tanks
TANK-SW-4-7
TANK-SW-2-8
TANK-B3-12
TANK-SW-3-7
TANK-B2-12
TANK-B1-12
Station Building
Dispenser Islands
Vent Line
Bank of America Property Line

SAFETY PARKING LOT

SAFEBAY

UNIVERSITY WAY NE



Former Chevron Service Station No. 90129
4700 Brooklyn Avenue
Seattle, Washington

FIGURE 1
Groundwater Monitoring Well
Locations and Soil Vapor Probe
installed August 2019

DATE: 10/28/19 DRAWING:

Table 1 - Soil Results

Table 1 - 2019 Soil Results

			Location Code	MW-20	MW-20	MW-20	MW-20	MW-21	MW-21	MW-21	MW-21	MW-21
			Depth	10.5	18.0	28.0	30.0	10.0	15.0	20.0	25.0	26.5
			Sample Name	MW-20-S-10.5-190810	MW-20-S-18.0-190810	MW-20-S-28.0-190810	MW-20-S-30.0-190810	MW-21-S-10.0-190809	MW-21-S-15.0-190809	MW-21-S-20.0-190809	MW-21-S-25.0-190809	MW-21-S-26.5-190809
			Date	8/10/2019	8/10/2019	8/10/2019	8/10/2019	8/9/2019	8/9/2019	8/9/2019	8/9/2019	8/9/2019
Chemical	Unit	MTCA A Then B	MTCA A Then B note									
Total Petroleum Hydrocarbons												
Gasoline-Range Organics	mg/kg	30/100	Method A	0.8	0.4	0.6	1	0.9	1	1.7	0.5	0.9
Total Petroleum Hydrocarbons - Diesel - without silica gel cleanup												
Diesel-Range Organics	mg/kg	2000	Method A	< 4.4	< 4.5	< 4.9	< 5.2	< 4.3	< 4.3	< 4.7	< 4.6	< 4.6
Oil-Range Organics	mg/kg	2000	Method A	< 11	< 11	18	< 13	< 11	< 11	< 12	< 11	< 11
Semi Volatile Organic Compounds using SIM												
Benzo(a)anthracene	mg/kg	1.37	B Cancer	--	--	--	--	--	--	--	<0.0008	--
Benzo(a)pyrene	mg/kg	0.1	Method A	--	--	--	--	--	--	--	0.0008	--
Benzo(b)Fluoranthene	mg/kg	1.37	B Cancer	--	--	--	--	--	--	--	0.001	--
Benzo(k)Fluoranthene	mg/kg	13.7	B Cancer	--	--	--	--	--	--	--	<0.0008	--
Chrysene	mg/kg	137	B Cancer	--	--	--	--	--	--	--	0.001	--
Dibenz(a,h)Anthracene	mg/kg	0.137	B Cancer	--	--	--	--	--	--	--	<0.0008	--
Indeno(1,2,3-c,d)Pyrene	mg/kg	1.37	B Cancer	--	--	--	--	--	--	--	<0.0008	--
Volatile Organic Compounds												
Benzene	mg/kg	0.03	Method A	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0004	0.0008	0.003
cis-1,2-Dichloroethene	mg/kg	160	B Non Cancer	< 0.0005	< 0.0005	< 0.0005	0.0007	--	--	--	0.003	0.019
trans-1,2-Dichloroethene	mg/kg	1600	B Non Cancer	< 0.0005	< 0.0005	< 0.0005	< 0.0005	--	--	--	< 0.0004	0.0007
Ethylbenzene	mg/kg	6	Method A	< 0.0004	< 0.0004	< 0.0004	< 0.0004	< 0.0004	< 0.0004	< 0.0003	< 0.0003	< 0.0004
Tetrachloroethene (PCE)	mg/kg	0.05	Method A	0.068	0.075	0.030	0.06	--	--	--	0.032	0.18
Toluene	mg/kg	7	Method A	< 0.0006	< 0.0006	< 0.0006	< 0.0006	< 0.0005	< 0.0006	< 0.0005	< 0.0005	0.0006
Trichloroethene (TCE)	mg/kg	0.03	Method A	< 0.0005	< 0.0005	0.025	0.003	--	--	--	0.063	0.38 E
Vinyl Chloride	mg/kg	0.670	B Cancer	< 0.0006	< 0.0006	< 0.0006	< 0.0006	--	--	--	< 0.0005	< 0.0006
Xylene, total	mg/kg	9	Method A	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Metals												
Lead	mg/kg	250	Method A	4.18	3.59	5.42	2.83	8.7	3.64	4.16	4.49	7.44
Moisture												
Percent Moisture	%			9.4	12.9	19.7	23.0	7.7	7.6	14.5	13.5	13.9

751	Detected concentrations above the cleanup level are shaded yellow and bolded.
< --	Non-detect values above the cleanup level are shaded gray and italicized.
0.436	Detected concentrations at or above the method detection limit are shown in bold.

Notes:

Table was prepared in December 2019 at the request of the Ecology PM.

Abbreviations and Symbols

" - " denotes not measured, not available, or not applicable.

" < " denotes not detected at or above the indicated method detection limit.

E = Concentrations are estimated since they exceed the calibration range of the instrument. Results of a further diluted analysis performed outside of method holding time is shown in parenthesis.

mg/kg = milligrams per kilogram

Cleanup Levels (CUL)

Cleanup level values based on Model Toxics Control Act (MTCA) Method A values for unrestricted land use (Method A) based on Washington State Administrative Code (WAC) 173-340-740 Table 740-1. Where MTCA Method A values are not available, the lowest of MTCA Method B values (B Cancer or B Non Cancer) from Cleanup Levels and Risk Calculation (CLARC) tables have been used (Accessed January 2017).

Table 1 - Soil Results

Table 1 - 2019 Soil Results

Chemical	Unit	MTCA A Then B	MTCA A Then B note	Location Code	MW-22	MW-22	MW-22	MW-23	MW-23	MW-23	MW-29	MW-29	MW-29
				Depth	10.0	23.0	28.5	10.0	25.0	30.0	10.5	20.0	31.5
				Sample Name	MW-22-S-10.0-190808	MW-22-S-23.0-190808	MW-22-S-28.5-190808	MW-23-S-10.0-190808	MW-23-S-25.0-190808	MW-23-S-30.0-190808	MW-29-S-10.5-190810	MW-29-S-20.0-190810	MW-29-S-31.5-190810
Date	8/8/2019	8/8/2019	8/8/2019	8/8/2019	8/8/2019	8/8/2019	8/10/2019	8/10/2019	8/10/2019				
Total Petroleum Hydrocarbons													
Gasoline-Range Organics	mg/kg	30/100	Method A	< 0.2	< 0.2	< 0.3	4.0	< 0.3	< 0.4	< 0.2	0.7	0.6	
Total Petroleum Hydrocarbons - Diesel - without silica gel cleanup													
Diesel-Range Organics	mg/kg	2000	Method A	< 4.2	< 4.7	< 5.2	4.5	< 4.7	< 5.4	< 4.5	< 4.6	< 4.8	
Oil-Range Organics	mg/kg	2000	Method A	< 10	< 12	< 13	32	< 12	< 40	16	13	< 12	
Semi Volatile Organic Compounds using SIM													
Benzo(a)anthracene	mg/kg	1.37	B Cancer	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	mg/kg	0.1	Method A	--	--	--	--	--	--	--	--	--	--
Benzo(b)Fluoranthene	mg/kg	1.37	B Cancer	--	--	--	--	--	--	--	--	--	--
Benzo(k)Fluoranthene	mg/kg	13.7	B Cancer	--	--	--	--	--	--	--	--	--	--
Chrysene	mg/kg	137	B Cancer	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)Anthracene	mg/kg	0.137	B Cancer	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-c,d)Pyrene	mg/kg	1.37	B Cancer	--	--	--	--	--	--	--	--	--	--
Volatile Organic Compounds													
Benzene	mg/kg	0.03	Method A	< 0.0004	0.001	< 0.0006	< 0.0005	0.015	< 0.0006	< 0.0005	< 0.0005	0.002	
cis-1,2-Dichloroethene	mg/kg	160	B Non Cancer	--	0.087	< 0.0006	--	0.15	--	--	--	--	
trans-1,2-Dichloroethene	mg/kg	1600	B Non Cancer	--	< 0.0004	< 0.0006	--	0.0008	--	--	--	--	
Ethylbenzene	mg/kg	6	Method A	< 0.0004	< 0.0003	< 0.0004	< 0.0004	< 0.0004	< 0.0005	< 0.0004	< 0.0004	0.0004	
Tetrachloroethene (PCE)	mg/kg	0.05	Method A	--	0.001	< 0.0006	--	< 0.0005	--	--	--	--	
Toluene	mg/kg	7	Method A	< 0.0005	< 0.0005	< 0.0007	< 0.0005	< 0.0006	< 0.0007	< 0.0006	< 0.0006	0.0007	
Trichloroethene (TCE)	mg/kg	0.03	Method A	--	0.006	< 0.0006	--	< 0.0005	--	--	--	--	
Vinyl Chloride	mg/kg	0.670	B Cancer	--	< 0.0005	< 0.0007	--	0.005	--	--	--	--	
Xylene, total	mg/kg	9	Method A	< 0.001	< 0.001	< 0.002	< 0.001	< 0.001	< 0.002	< 0.001	< 0.001	< 0.001	
Metals													
Lead	mg/kg	250	Method A	2.89	3.18	9.79	4.40	3.17	13.0	--	--	--	
Moisture													
Percent Moisture	%			5.3	16.5	24.0	8.3	14.7	26.8	11.6	13.0	17.2	

751	Detected concentrations above the cleanup level are shaded yellow and bolded.
< --	Non-detect values above the cleanup level are shaded gray and italicized.
0.436	Detected concentrations at or above the method detection limit are shown in bold.

Notes:

Table was prepared in December 2019 at the request of the Ecology PM.

Abbreviations and Symbols

" - " denotes not measured, not available, or not applicable.

" < " denotes not detected at or above the indicated method detection limit.

E = Concentrations are estimated since they exceed the calibration range of the instrument. Results of a further diluted analysis performed outside of method holding time is shown in parenthesis.

mg/kg = milligrams per kilogram

Cleanup Levels (CUL)

Cleanup level values based on Model Toxics Control Act (MTCA) Method A values for unrestricted land use (Method A) based on Washington State Administrative Code (WAC) 173-340-740 Table 740-1. Where MTCA Method A values are not available, the lowest of MTCA Method B values (B Cancer or B Non Cancer) from Cleanup Levels and Risk Calculation (CLARC) tables have been used (Accessed January 2017).

Table 1 - Soil Results

Table 1 - 2019 Soil Results

			Location Code	DUP-1-S-190810	SUP-1-1-S-6.5-190810
			Depth	6.5	
			Sample Name	DUP-1-S-190810	SUP-1-1-S-6.5-190810
			Date	8/10/2019	8/10/2019
Chemical	Unit	MTCA A Then B	MTCA A Then B note		
Total Petroleum Hydrocarbons					
Gasoline-Range Organics	mg/kg	30/100	Method A	< 0.3	< 0.3
Total Petroleum Hydrocarbons - Diesel - without silica gel cleanup					
Diesel-Range Organics	mg/kg	2000	Method A	< 4.5	< 4.4
Oil-Range Organics	mg/kg	2000	Method A	< 11	< 11
Semi Volatile Organic Compounds using SIM					
Benzo(a)anthracene	mg/kg	1.37	B Cancer	--	--
Benzo(a)pyrene	mg/kg	0.1	Method A	--	--
Benzo(b)Fluoranthene	mg/kg	1.37	B Cancer	--	--
Benzo(k)Fluoranthene	mg/kg	13.7	B Cancer	--	--
Chrysene	mg/kg	137	B Cancer	--	--
Dibenz(a,h)Anthracene	mg/kg	0.137	B Cancer	--	--
Indeno(1,2,3-c,d)Pyrene	mg/kg	1.37	B Cancer	--	--
Volatile Organic Compounds					
Benzene	mg/kg	0.03	Method A	< 0.0004	< 0.0005
cis-1,2-Dichloroethene	mg/kg	160	B Non Cancer	--	--
trans-1,2-Dichloroethene	mg/kg	1600	B Non Cancer	--	--
Ethylbenzene	mg/kg	6	Method A	< 0.0004	< 0.0004
Tetrachloroethene (PCE)	mg/kg	0.05	Method A	--	--
Toluene	mg/kg	7	Method A	< 0.0005	< 0.0006
Trichloroethene (TCE)	mg/kg	0.03	Method A	--	--
Vinyl Chloride	mg/kg	0.670	B Cancer	--	--
Xylene, total	mg/kg	9	Method A	< 0.001	< 0.001
Metals					
Lead	mg/kg	250	Method A	--	--
Moisture					
Percent Moisture	%			11.1	9.6

751	Detected concentrations above the cleanup level are shaded yellow and bolded.
< --	Non-detect values above the cleanup level are shaded gray and italicized.
0.436	Detected concentrations at or above the method detection limit are shown in bold.

Notes:

Table was prepared in December 2019 at the request of the Ecology PM.

Abbreviations and Symbols

" - " denotes not measured, not available, or not applicable.

" < " denotes not detected at or above the indicated method detection limit.

E = Concentrations are estimated since they exceed the calibration range of the instrument. Results of a further diluted analysis performed outside of method holding time is shown in parenthesis.

mg/kg = milligrams per kilogram

Cleanup Levels (CUL)

Cleanup level values based on Model Toxics Control Act (MTCA) Method A values for unrestricted land use (Method A) based on Washington State Administrative Code (WAC) 173-340-740 Table 740-1. Where MTCA Method A values are not available, the lowest of MTCA Method B values (B Cancer or B Non Cancer) from Cleanup Levels and Risk Calculation (CLARC) tables have been used (Accessed January 2017).

Table 2 - 2019 Groundwater Results

Table 2 - 2019 Groundwater Results

Location Code	Sample Type	Date	QA-T1	QA-T2	QA-T3	QA-T4	QA-T5	QA-T6	QA-O1	QA-1-T	QA-O2	QA-2-T	MW-17-W	MW-18-W	MW-19-W	MW-20-W	MW-21-W		
			8/12/2019	8/12/2019	8/12/2019	8/12/2019	8/12/2019	8/12/2019	8/12/2019	8/8/2019	8/13/2019	8/9/2019	8/14/2019	8/15/2019	8/13/2019	8/13/2019	8/13/2019	8/15/2019	8/15/2019
			QA-T1-190812	QA-T2-190812	QA-T3-190812	QA-T4-190812	QA-T5-190812	QA-T6-190812	QA-O1-190808	QA-1-T-190813	QA-O2-190808	QA-2-T-190814	MW-17-W-190815	MW-18-W-190813	MW-19-W-190813	MW-20-W-190815	MW-21-W-190815	Grab Groundwater	Grab Groundwater
			NA WATER	NA WATER	NA WATER	NA WATER	NA WATER	NA WATER	Grab Water	NA Water	Grab Water	NA Water	Grab Groundwater	Grab Groundwater	Grab Groundwater	Grab Groundwater	Grab Groundwater	Grab Groundwater	Grab Groundwater
Chemical	Unit	MTCA A Then B	MTCA A Then B Note																
Metals																			
Lead	ug/l	15		--	--	--	--	--	--	--	--	--	< 7.1 T	< 7.1 T	< 7.1 T	< 7.1 T	< 7.1 T		
TPH																			
Gasoline Range Organics-NWTPH	ug/l	800		< 19	< 19*	< 19	< 19	< 19	< 19*	< 19	< 19*	< 19	< 19*	500	< 19*	26	30	< 19	
Total Petroleum Hydrocarbons - Diesel - without silica gel cleanup																			
Diesel-Range Organics	ug/l	500		--	--	--	--	--	--	--	--	--	710	< 46	< 47	< 45	< 46		
Oil-Range Organics	ug/l	500		--	--	--	--	--	--	--	--	--	< 100	< 100	< 100	< 100	< 100		
VOCs																			
Benzene	ug/l	5	B Cancer	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2*	< 0.2	< 0.2	6	< 0.2	< 0.2	< 0.2	< 0.2	
1,2-Dichloroethane	ug/l	5	B Cancer	--	--	--	--	--	--	--	--	--	--	0.5	< 0.3	< 0.3	< 0.3	< 0.3	
cis-1,2-Dichloroethene	ug/l		B Non Cancer	--	--	--	--	--	--	--	--	--	--	52	< 0.2	< 0.2	7	0.4	
trans-1,2-Dichloroethene	ug/l		B Non Cancer	--	--	--	--	--	--	--	--	--	--	0.8	< 0.2	< 0.2	0.5	< 0.2	
Ethylbenzene	ug/l	700	B Non Cancer	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4*	< 0.4	< 0.4	14	< 0.4	< 0.4	< 0.4	< 0.4	
Methyl tert-Butyl ether	ug/l	20	B Cancer	--	--	--	--	--	--	--	--	--	--	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Tetrachloroethene (PCE)	ug/l	5	B Cancer	--	--	--	--	--	--	--	--	--	--	7	3	< 0.2	64	2	
Toluene	ug/l	1000	B Non Cancer	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	0.2*	< 0.2	0.3	0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Trichloroethene (TCE)	ug/l	5	B Cancer	--	--	--	--	--	--	--	--	--	--	3	< 0.2	< 0.2	13	4	
Vinyl Chloride	ug/l	0.2	B Cancer, When children may be exposed, see guidance. Federal MCL = 2 ug/L.	--	--	--	--	--	--	--	--	--	--	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	
Xylene, total	ug/l	1000	B Non Cancer	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1*	< 1	< 1	6	< 1	< 1	< 1	< 1	
1,2-Dibromoethane	ug/l	0.01	B Cancer	--	--	--	--	--	--	--	--	--	--	< 0.0095 D1	< 0.0096 D1	< 0.0095 D1	< 0.0095 D2	< 0.0095 D1	

751	Detected concentrations above the cleanup level are shaded yellow and bolded.
< --	Non-detect values above the cleanup level are shaded gray and italicized.
0.436	Detected concentrations at or above the method detection limit are shown in bold.

Notes:

Table was prepared in December 2019 at the request of the Ecology PM.

Abbreviations and Symbols

" - - " denotes not measured, not available, or not applicable.

" < " denotes not detected at or above the indicated method detection limit.

ug/l = micrograms per liter

* = The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.

E = Concentrations are estimated since they exceed the calibration range of the instrument. Results of a further diluted analysis performed outside of method holding time is shown in parenthesis.

T = The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

D1 = Indicates for dual column analyses that the result is reported from column 1.

D2 = Indicates for dual column analyses that the result is reported from column 2.

Cleanup Levels (CUL)

Cleanup level values based on Model Toxics Control Act (MTCA) Method A values for unrestricted land use (Method A) based on Washington State Administrative Code (WAC) 173-340-740 Table 740-1. Where MTCA Method A values are not available, the lowest of MTCA Method B values (B Cancer or B Non Cancer) from Cleanup Levels and Risk Calculation (CLARC) tables have been used (Accessed January 2017).

Table 2 - 2019 Groundwater Results

Table 2 - 2019 Groundwater Results

Location Code		MW-22-W	MW-23-W	MW-25-W	MW-26-W	MW-27-W	MW-28-W	DUP-1-WD-190813 Grab Groundwater	MW-29-W		
Sample Type								DUP			
Date		8/14/2019	8/15/2019	8/16/2019	8/13/2019	8/13/2019	8/13/2019	8/13/2019	8/16/2019		
Sample ID		MW-22-W-190814 Grab Groundwater	MW-23-W-190815 Grab Groundwater	MW-25-W-190816 Grab Groundwater				DUP-1-WD-190813 Grab Groundwater	MW-29-W-190816 Grab Groundwater		
Parent ID								Unknown			
Chemical	Unit	MTCA A Then B	MTCA A Then B Note								
Metals											
Lead	ug/l	15		< 7.1 T	< 7.1 T	< 7.1 T	< 7.1 T	< 7.1 T	< 7.1 T		
TPH											
Gasoline Range Organics-NWTPH	ug/l	800		39	< 19	250	150	2900	3700	3800*	< 19
Total Petroleum Hydrocarbons - Diesel - without silica gel cleanup											
Diesel-Range Organics	ug/l	500		< 45	< 49	< 47	< 45	1400	770	840	< 46
Oil-Range Organics	ug/l	500		< 100	< 110	< 100	< 100	< 100	< 100	< 100	< 100
VOCs											
Benzene	ug/l	5	B Cancer	10	19	57	24	9	14	15	< 0.2
1,2-Dichloroethane	ug/l	5	B Cancer	< 3	1	3	0.4	< 6	< 6	< 6	4
cis-1,2-Dichloroethene	ug/l		B Non Cancer	740	340	1200	820 E (720)	700	250	270	< 0.2
trans-1,2-Dichloroethene	ug/l		B Non Cancer	6	2	82	230	55	6	5	< 0.2
Ethylbenzene	ug/l	700	B Non Cancer	< 4	< 0.4	10	8	84	220	210	< 0.4
Methyl tert-Butyl ether	ug/l	20	B Cancer	< 2	< 0.2	< 0.2	< 0.2	< 4	< 4	< 4	< 0.2
Tetrachloroethene (PCE)	ug/l	5	B Cancer	< 2	< 0.2	24	5	< 4	260	300	< 0.2
Toluene	ug/l	1000	B Non Cancer	< 2	0.2	4	2	< 4	< 4	< 4	< 0.2
Trichloroethene (TCE)	ug/l	5	B Cancer	370	23	320	2200 E (1700)	780	770	820	< 0.2
Vinyl Chloride	ug/l	0.2	B Cancer, When children may be exposed, see guidance. Federal MCL = 2 ug/L.	5	16	150	38	23	8	8	< 0.2
Xylene, total	ug/l	1000	B Non Cancer	< 14	< 1	2	< 1	30	90	86	< 1
1,2-Dibromoethane	ug/l	0.01	B Cancer	< 0.0094 D1	< 0.0095 D1	< 0.0095 D2	< 0.0094 D2	< 0.0094 D1	< 0.0096 D2	< 0.0095 D1	< 0.0095 D1

751	Detected concentrations above the cleanup level are shaded yellow and bolded.
< --	Non-detect values above the cleanup level are shaded gray and italicized.
0.436	Detected concentrations at or above the method detection limit are shown in bold.

Notes:

Table was prepared in December 2019 at the request of the Ecology PM.

Abbreviations and Symbols

" - " denotes not measured, not available, or not applicable.

" < " denotes not detected at or above the indicated method detection limit.

µg/l = micrograms per liter

* = The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.

E = Concentrations are estimated since they exceed the calibration range of the instrument. Results of a further diluted analysis performed outside of method holding time is shown in parenthesis.

T = The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

D1 = Indicates for dual column analyses that the result is reported from column 1.

D2 = Indicates for dual column analyses that the result is reported from column 2.

Cleanup Levels (CUL)

Cleanup level values based on Model Toxics Control Act (MTCA) Method A values for unrestricted land use (Method A) based on Washington State Administrative Code (WAC) 173-340-740 Table 740-1. Where MTCA Method A values are not available, the lowest of MTCA Method B values (B Cancer or B Non Cancer) from Cleanup Levels and Risk Calculation (CLARC) tables have been used (Accessed January 2017).



ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Chevron
L4310
6001 Bollinger Canyon Road
San Ramon CA 94583

Report Date: October 17, 2019 13:20

Project: 90129

Account #: 11255
Group Number: 2059029
PO Number: 0015324185
Release Number: BISHOP
State of Sample Origin: WA

Electronic Copy To Leidos

Attn: Ruth Otteman

Respectfully Submitted,



Amek Carter
Specialist

(717) 556-7252

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/> . Historical copies may be requested through your project manager.



SAMPLE INFORMATION

<u>Client Sample Description</u>	<u>Sample Collection Date/Time</u>	<u>ELLE#</u>
MW-20-S-10.5-190810 Grab Soil	08/10/2019 08:50	1126287
SUP-1-1-S-6.5-190810 Grab Soil	08/10/2019 08:50	1126288
MW-20-S-18.0-190810 Grab Soil	08/10/2019 09:15	1126289
MW-20-S-28.0-190810 Grab Soil	08/10/2019 09:30	1126290
MW-20-S-30.0-190810 Grab Soil	08/10/2019 10:00	1126291
MW-29-S-20.0-190810 Grab Soil	08/10/2019 13:13	1126292
MW-29-S-31.5-190810 Grab Soil	08/10/2019 13:52	1126293
DUP-1-S-190810 Grab Soil	08/10/2019 14:00	1126294
MW-29-S-10.5-190810 Grab Soil	08/10/2019 13:30	1126295
QA-T1-190812 NA Water	08/12/2019 14:00	1126296
QA-T2-190812 NA Water	08/12/2019 14:05	1126297
QA-T3-190812 NA Water	08/12/2019 14:30	1126298
QA-T4-190812 NA Water	08/12/2019 14:40	1126299
QA-T5-190812 NA Water	08/12/2019 15:40	1126300
QA-T6-190812 NA Water	08/12/2019 15:50	1126301
MW-23-S-10.0-190808 Grab Soil	08/08/2019 11:30	1126302
MW-23-S-25.0-190808 Grab Soil	08/08/2019 12:05	1126303
MW-23-S-30.0-190808 Grab Soil	08/08/2019 12:20	1126304
MW-22-S-10.0-190808 Grab Soil	08/08/2019 15:20	1126305
MW-22-S-23.0-190808 Grab Soil	08/08/2019 15:30	1126306
MW-22-S-28.5-190808 Grab Soil	08/08/2019 15:45	1126307
QA-O1-190808 Grab Water	08/08/2019 17:20	1126308
QA-O2-190809 Grab Water	08/09/2019 08:10	1126309
MW-21-S-10.0-190809 Grab Soil	08/09/2019 09:30	1126310
MW-21-S-15.0-190809 Grab Soil	08/09/2019 09:45	1126311
MW-21-S-20.0-190809 Grab Soil	08/09/2019 10:00	1126312
MW-21-S-25.0-190809 Grab Soil	08/09/2019 10:15	1126313
MW-21-S-26.5-190809 Grab Soil	08/09/2019 10:30	1126314

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Sample Description: MW-20-S-10.5-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126287
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 08:50

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.88
11995	cis-1,2-Dichloroethene	156-59-2	N.D.	0.0005	0.88
11995	trans-1,2-Dichloroethene	156-60-5	N.D.	0.0005	0.88
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.88
11995	Tetrachloroethene	127-18-4	0.068	0.0005	0.88
11995	Toluene	108-88-3	N.D.	0.0006	0.88
11995	Trichloroethene	79-01-6	N.D.	0.0005	0.88
11995	Vinyl Chloride	75-01-4	N.D.	0.0006	0.88
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.88
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	0.8	0.3	26.3
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.4	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	11	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	4.18	0.534	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	9.4	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 13:23	Linda C Pape	0.88
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/10/2019 08:50	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/10/2019 08:50	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	3	201923154590	08/10/2019 08:50	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	4	201923154590	08/10/2019 08:50	Client Supplied	1

Sample Description: MW-20-S-10.5-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126287
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 08:50

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/10/2019 08:50	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	2	201923154590	08/10/2019 08:50	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/21/2019 23:44	Jeremy C Giffin	26.3
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/10/2019 08:50	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280023A	08/20/2019 05:13	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 05:55	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: SUP-1-1-S-6.5-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126288
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 08:50

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.93
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.93
11995	Toluene	108-88-3	N.D.	0.0006	0.93
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.93
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	N.D.	0.3	28.54
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.4	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	11	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	9.6	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 18:16	Linda C Pape	0.93
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/10/2019 08:50	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/10/2019 08:50	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/10/2019 08:50	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 00:19	Jeremy C Giffin	28.54
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/10/2019 08:50	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280023A	08/20/2019 05:35	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-20-S-18.0-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126289
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 09:15

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.91
11995	cis-1,2-Dichloroethene	156-59-2	N.D.	0.0005	0.91
11995	trans-1,2-Dichloroethene	156-60-5	N.D.	0.0005	0.91
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.91
11995	Tetrachloroethene	127-18-4	0.075	0.0005	0.91
11995	Toluene	108-88-3	N.D.	0.0006	0.91
11995	Trichloroethene	79-01-6	N.D.	0.0005	0.91
11995	Vinyl Chloride	75-01-4	N.D.	0.0006	0.91
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.91
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	0.4	0.3	25.47
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.5	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	11	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	3.59	0.478	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	12.9	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 13:45	Linda C Pape	0.91
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/10/2019 09:15	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/10/2019 09:15	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	3	201923154590	08/10/2019 09:15	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	4	201923154590	08/10/2019 09:15	Client Supplied	1

Sample Description: MW-20-S-18.0-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126289
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 09:15

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/10/2019 09:15	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	2	201923154590	08/10/2019 09:15	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 00:54	Jeremy C Giffin	25.47
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/10/2019 09:15	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280023A	08/20/2019 05:56	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 09:35	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-20-S-28.0-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126290
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 09:30

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.81
11995	cis-1,2-Dichloroethene	156-59-2	N.D.	0.0005	0.81
11995	trans-1,2-Dichloroethene	156-60-5	N.D.	0.0005	0.81
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.81
11995	Tetrachloroethene	127-18-4	0.030	0.0005	0.81
11995	Toluene	108-88-3	N.D.	0.0006	0.81
11995	Trichloroethene	79-01-6	0.025	0.0005	0.81
11995	Vinyl Chloride	75-01-4	N.D.	0.0006	0.81
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.81
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	0.6	0.3	26.03
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.9	1
08272	Heavy Range Organics C24-C40	n.a.	18	12	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	5.42	0.519	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	19.7	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 14:08	Linda C Pape	0.81
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/10/2019 09:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/10/2019 09:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	3	201923154590	08/10/2019 09:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	4	201923154590	08/10/2019 09:30	Client Supplied	1

Sample Description: MW-20-S-28.0-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126290
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 09:30

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/10/2019 09:30	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	2	201923154590	08/10/2019 09:30	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 12:00	Jeremy C Giffin	26.03
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/10/2019 09:30	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280023A	08/20/2019 07:01	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 06:15	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-20-S-30.0-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126291
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 10:00

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.74
11995	cis-1,2-Dichloroethene	156-59-2	0.0007	0.0005	0.74
11995	trans-1,2-Dichloroethene	156-60-5	N.D.	0.0005	0.74
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.74
11995	Tetrachloroethene	127-18-4	0.060	0.0005	0.74
11995	Toluene	108-88-3	N.D.	0.0006	0.74
11995	Trichloroethene	79-01-6	0.003	0.0005	0.74
11995	Vinyl Chloride	75-01-4	N.D.	0.0006	0.74
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.74

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: cis-1,2-Dichloroethene

GC Volatiles		ECY 97-602 NWT PH-Gx	mg/kg	mg/kg	
02005	NWT PH-GX Soil C7-C12	n.a.	1	0.3	24.97

GC Petroleum Hydrocarbons		ECY 97-602 NWT PH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	5.2	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	13	1

Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	2.83	0.639	1

Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	23.0	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 14:30	Linda C Pape	0.74
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/10/2019 10:00	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/10/2019 10:00	Client Supplied	1

Sample Description: MW-20-S-30.0-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126291
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 10:00

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	3	201923154590	08/10/2019 10:00	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	4	201923154590	08/10/2019 10:00	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/10/2019 10:00	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	2	201923154590	08/10/2019 10:00	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 01:30	Jeremy C Giffin	24.97
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/10/2019 10:00	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280023A	08/20/2019 07:23	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 06:18	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-29-S-20.0-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126292
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 13:13

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.88
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.88
11995	Toluene	108-88-3	N.D.	0.0006	0.88
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.88
GC Volatiles		ECY 97-602 NWT PH-Gx	mg/kg	mg/kg	
02005	NWT PH-GX Soil C7-C12	n.a.	0.7	0.3	25.72
GC Petroleum Hydrocarbons		ECY 97-602 NWT PH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.6	1
08272	Heavy Range Organics C24-C40	n.a.	13	11	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	13.0	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 14:53	Linda C Pape	0.88
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/10/2019 13:13	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/10/2019 13:13	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/10/2019 13:13	Client Supplied	1
02005	NWT PH-GX Soil C7-C12	ECY 97-602 NWT PH-Gx	1	19233A34A	08/22/2019 02:05	Jeremy C Giffin	25.72
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/10/2019 13:13	Client Supplied	n.a.
08272	NWT PH-Dx soil	ECY 97-602 NWT PH-Dx modified	1	192280023A	08/20/2019 07:44	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWT PH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-29-S-31.5-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126293
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 13:52

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	0.002	0.0005	0.86
11995	Ethylbenzene	100-41-4	0.0004	0.0004	0.86
11995	Toluene	108-88-3	0.0007	0.0006	0.86
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.86
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	0.6	0.3	23.08
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.8	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	12	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	17.2	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 15:16	Linda C Pape	0.86
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/10/2019 13:52	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/10/2019 13:52	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/10/2019 13:52	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 02:40	Jeremy C Giffin	23.08
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/10/2019 13:52	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280023A	08/20/2019 08:06	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: DUP-1-S-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126294
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 14:00

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0004	0.79
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.79
11995	Toluene	108-88-3	N.D.	0.0005	0.79
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.79
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	N.D.	0.3	24.4
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.5	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	11	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	11.1	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 15:38	Linda C Pape	0.79
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/10/2019 14:00	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/10/2019 14:00	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/10/2019 14:00	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 03:15	Jeremy C Giffin	24.4
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/10/2019 14:00	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280023A	08/20/2019 08:28	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-29-S-10.5-190810 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126295
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/10/2019 13:30

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.84
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.84
11995	Toluene	108-88-3	N.D.	0.0006	0.84
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.84
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	N.D.	0.2	23.2
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.5	1
08272	Heavy Range Organics C24-C40	n.a.	16	11	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	11.6	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 16:01	Linda C Pape	0.84
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/10/2019 13:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/10/2019 13:30	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/10/2019 13:30	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 03:50	Jeremy C Giffin	23.2
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/10/2019 13:30	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280023A	08/20/2019 08:50	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: QA-T1-190812 NA Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: WW 1126296
ELLE Group #: 2059029
Matrix: Water

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/12/2019 14:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles					
		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	N.D.	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles					
		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192331AA	08/21/2019 16:01	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192331AA	08/21/2019 16:00	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19228A20A	08/20/2019 02:38	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030C	1	19228A20A	08/20/2019 02:37	Jeremy C Giffin	1

Sample Description: QA-T2-190812 NA Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: WW 1126297
ELLE Group #: 2059029
Matrix: Water

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/12/2019 14:05

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	N.D.	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192331AA	08/21/2019 16:24	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192331AA	08/21/2019 16:23	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19228A20A	08/20/2019 03:05	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030C	1	19228A20A	08/20/2019 03:04	Jeremy C Giffin	1

Sample Description: QA-T3-190812 NA Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: WW 1126298
ELLE Group #: 2059029
Matrix: Water

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/12/2019 14:30

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles					
		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	N.D.	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles					
		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192331AA	08/21/2019 16:45	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192331AA	08/21/2019 16:44	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19228A20A	08/20/2019 03:32	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030C	1	19228A20A	08/20/2019 03:31	Jeremy C Giffin	1

Sample Description: QA-T4-190812 NA Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: WW 1126299
ELLE Group #: 2059029
Matrix: Water

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/12/2019 14:40

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles					
		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	N.D.	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles					
		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192331AA	08/21/2019 17:08	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192331AA	08/21/2019 17:07	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19228A20A	08/20/2019 04:00	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030C	1	19228A20A	08/20/2019 03:59	Jeremy C Giffin	1

Sample Description: QA-T5-190812 NA Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: WW 1126300
ELLE Group #: 2059029
Matrix: Water

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/12/2019 15:40

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles					
		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	N.D.	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles					
		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192332AA	08/21/2019 16:33	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192332AA	08/21/2019 16:32	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19228A20A	08/20/2019 04:27	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030C	1	19228A20A	08/20/2019 04:26	Jeremy C Giffin	1

Sample Description: QA-T6-190812 NA Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: WW 1126301
ELLE Group #: 2059029
Matrix: Water

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/12/2019 15:50

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	N.D.	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192332AA	08/21/2019 16:55	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192332AA	08/21/2019 16:54	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19228A20A	08/20/2019 04:54	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030C	1	19228A20A	08/20/2019 04:53	Jeremy C Giffin	1

Sample Description: MW-23-S-10.0-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126302
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 11:30

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.83
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.83
11995	Toluene	108-88-3	N.D.	0.0005	0.83
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.83
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	4.0	0.3	25.01
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	4.5	4.3	1
08272	Heavy Range Organics C24-C40	n.a.	32	11	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	4.40	0.461	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	8.3	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192331AA	08/21/2019 17:01	Linda C Pape	0.83
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/08/2019 11:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/08/2019 11:30	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/08/2019 11:30	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 04:25	Jeremy C Giffin	25.01
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/08/2019 11:30	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280023A	08/20/2019 09:12	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280023A	08/16/2019 22:50	Karen L Beyer	1

Sample Description: MW-23-S-10.0-190808 Grab Soil
 Facility# 90129
 4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126302
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 11:30

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 06:40	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013A	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-23-S-25.0-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126303
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 12:05

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	0.015	0.0005	0.8
11995	cis-1,2-Dichloroethene	156-59-2	0.15	0.0005	0.8
11995	trans-1,2-Dichloroethene	156-60-5	0.0008	0.0005	0.8
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.8
11995	Tetrachloroethene	127-18-4	N.D.	0.0005	0.8
11995	Toluene	108-88-3	N.D.	0.0006	0.8
11995	Trichloroethene	79-01-6	N.D.	0.0005	0.8
11995	Vinyl Chloride	75-01-4	0.005	0.0006	0.8
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.8
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	N.D.	0.3	23.83
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.7	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	12	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	3.17	0.617	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	14.7	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192331AA	08/21/2019 17:23	Linda C Pape	0.8
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/08/2019 12:05	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/08/2019 12:05	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	3	201923154590	08/08/2019 12:05	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	4	201923154590	08/08/2019 12:05	Client Supplied	1

Sample Description: MW-23-S-25.0-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126303
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 12:05

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/08/2019 12:05	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	2	201923154590	08/08/2019 12:05	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 05:35	Jeremy C Giffin	23.83
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/08/2019 12:05	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280034A	08/20/2019 14:03	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280034A	08/18/2019 21:10	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 06:43	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-23-S-30.0-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126304
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 12:20

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0006	0.85
11995	Ethylbenzene	100-41-4	N.D.	0.0005	0.85
11995	Toluene	108-88-3	N.D.	0.0007	0.85
11995	Xylene (Total)	1330-20-7	N.D.	0.002	0.85
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	N.D.	0.4	29.5
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	5.4	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	40	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	13.0	2.77	5
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	26.8	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192331AA	08/21/2019 17:46	Linda C Pape	0.85
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/08/2019 12:20	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/08/2019 12:20	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 06:10	Jeremy C Giffin	29.5
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/08/2019 12:20	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192340018A	08/24/2019 02:51	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	2	192340018A	08/22/2019 23:00	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 06:46	Lisa J Cooke	5

Sample Description: MW-23-S-30.0-190808 Grab Soil
 Facility# 90129
 4700 Brooklyn Ave - Seattle, WA

Chevron
 ELLE Sample #: SW 1126304
 ELLE Group #: 2059029
 Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
 Collection Date/Time: 08/08/2019 12:20

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-22-S-10.0-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126305
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 15:20

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0004	0.84
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.84
11995	Toluene	108-88-3	N.D.	0.0005	0.84
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.84
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	N.D.	0.2	24.7
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.2	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	10	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	2.89	0.598	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	5.3	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192331AA	08/21/2019 18:09	Linda C Pape	0.84
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/08/2019 15:20	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/08/2019 15:20	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/08/2019 15:20	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 06:45	Jeremy C Giffin	24.7
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/08/2019 15:20	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280034A	08/20/2019 14:49	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280034A	08/18/2019 21:10	Karen L Beyer	1

Sample Description: MW-22-S-10.0-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126305
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 15:20

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 06:49	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-22-S-23.0-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126306
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 15:30

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	0.001	0.0004	0.73
11995	cis-1,2-Dichloroethene	156-59-2	0.087	0.0004	0.73
11995	trans-1,2-Dichloroethene	156-60-5	N.D.	0.0004	0.73
11995	Ethylbenzene	100-41-4	N.D.	0.0003	0.73
11995	Tetrachloroethene	127-18-4	0.001	0.0004	0.73
11995	Toluene	108-88-3	N.D.	0.0005	0.73
11995	Trichloroethene	79-01-6	0.006	0.0004	0.73
11995	Vinyl Chloride	75-01-4	N.D.	0.0005	0.73
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.73
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	N.D.	0.2	22.6
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.7	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	12	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	3.18	0.584	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	16.5	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192331AA	08/21/2019 18:31	Linda C Pape	0.73
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/08/2019 15:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/08/2019 15:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	3	201923154590	08/08/2019 15:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	4	201923154590	08/08/2019 15:30	Client Supplied	1

Sample Description: MW-22-S-23.0-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126306
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 15:30

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/08/2019 15:30	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	2	201923154590	08/08/2019 15:30	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 07:20	Jeremy C Giffin	22.6
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/08/2019 15:30	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280034A	08/20/2019 15:11	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280034A	08/18/2019 21:10	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 06:53	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-22-S-28.5-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126307
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05

Collection Date/Time: 08/08/2019 15:45

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0006	0.85
11995	cis-1,2-Dichloroethene	156-59-2	N.D.	0.0006	0.85
11995	trans-1,2-Dichloroethene	156-60-5	N.D.	0.0006	0.85
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.85
11995	Tetrachloroethene	127-18-4	N.D.	0.0006	0.85
11995	Toluene	108-88-3	N.D.	0.0007	0.85
11995	Trichloroethene	79-01-6	N.D.	0.0006	0.85
11995	Vinyl Chloride	75-01-4	N.D.	0.0007	0.85
11995	Xylene (Total)	1330-20-7	N.D.	0.002	0.85
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	N.D.	0.3	26.13
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	5.2	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	13	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	9.79	2.69	5
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	24.0	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192331AA	08/21/2019 18:54	Linda C Pape	0.85
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/08/2019 15:45	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/08/2019 15:45	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	3	201923154590	08/08/2019 15:45	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	4	201923154590	08/08/2019 15:45	Client Supplied	1

Sample Description: MW-22-S-28.5-190808 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126307
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05

Collection Date/Time: 08/08/2019 15:45

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/08/2019 15:45	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	2	201923154590	08/08/2019 15:45	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 07:55	Jeremy C Giffin	26.13
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/08/2019 15:45	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280034A	08/20/2019 16:19	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280034A	08/18/2019 21:10	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 06:56	Lisa J Cooke	5
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Sample Description: QA-O1-190808 Grab Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: WW 1126308
ELLE Group #: 2059029
Matrix: Water

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/08/2019 17:20

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles					
		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	N.D.	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles					
		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192332AA	08/21/2019 17:17	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192332AA	08/21/2019 17:16	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19228A20A	08/20/2019 05:22	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030C	1	19228A20A	08/20/2019 05:21	Jeremy C Giffin	1

Sample Description: QA-O2-190809 Grab Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: WW 1126309
ELLE Group #: 2059029
Matrix: Water

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 08:10

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	N.D.	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192332AA	08/21/2019 17:39	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192332AA	08/21/2019 17:38	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19228A20A	08/20/2019 05:49	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030C	1	19228A20A	08/20/2019 05:48	Jeremy C Giffin	1

Sample Description: MW-21-S-10.0-190809 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126310
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 09:30

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.84
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.84
11995	Toluene	108-88-3	N.D.	0.0005	0.84
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.84
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	0.9	0.2	23.67
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.3	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	11	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	8.70	0.570	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	7.7	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 16:23	Linda C Pape	0.84
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/09/2019 09:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/09/2019 09:30	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/09/2019 09:30	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 08:30	Jeremy C Giffin	23.67
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/09/2019 09:30	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280034A	08/20/2019 16:42	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280034A	08/18/2019 21:10	Karen L Beyer	1

Sample Description: MW-21-S-10.0-190809 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126310
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 09:30

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 06:59	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-21-S-15.0-190809 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126311
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 09:45

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0005	0.95
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.95
11995	Toluene	108-88-3	N.D.	0.0006	0.95
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.95
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	1	0.3	27.35
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.3	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	11	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	3.64	0.451	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	7.6	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 16:46	Linda C Pape	0.95
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/09/2019 09:45	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/09/2019 09:45	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/09/2019 09:45	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 09:05	Jeremy C Giffin	27.35
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/09/2019 09:45	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280034A	08/20/2019 17:04	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280034A	08/18/2019 21:10	Karen L Beyer	1

Sample Description: MW-21-S-15.0-190809 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126311
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 09:45

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 07:08	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-21-S-20.0-190809 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126312
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 10:00

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	mg/kg	mg/kg	
11995	Benzene	71-43-2	N.D.	0.0004	0.7
11995	Ethylbenzene	100-41-4	N.D.	0.0003	0.7
11995	Toluene	108-88-3	N.D.	0.0005	0.7
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.7
GC Volatiles		ECY 97-602 NWTPH-Gx	mg/kg	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	1.7	0.2	23.04
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	mg/kg	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.7	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	12	1
Metals		SW-846 6010D Rev.4, July 2014	mg/kg	mg/kg	
06955	Lead	7439-92-1	4.16	0.644	1
Wet Chemistry		SM 2540 G-2011 %Moisture Calc	%	%	
00111	Moisture	n.a.	14.5	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 17:09	Linda C Pape	0.7
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/09/2019 10:00	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/09/2019 10:00	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/09/2019 10:00	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 09:40	Jeremy C Giffin	23.04
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/09/2019 10:00	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280034A	08/20/2019 17:26	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280034A	08/18/2019 21:10	Karen L Beyer	1

Sample Description: MW-21-S-20.0-190809 Grab Soil
 Facility# 90129
 4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126312
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 10:00

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 07:12	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-21-S-25.0-190809 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126313
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 10:15

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles			SW-846 8260C	mg/kg	
11995	Benzene	71-43-2	0.0008	0.0004	0.75
11995	cis-1,2-Dichloroethene	156-59-2	0.003	0.0004	0.75
11995	trans-1,2-Dichloroethene	156-60-5	N.D.	0.0004	0.75
11995	Ethylbenzene	100-41-4	N.D.	0.0003	0.75
11995	Tetrachloroethene	127-18-4	0.032	0.0004	0.75
11995	Toluene	108-88-3	N.D.	0.0005	0.75
11995	Trichloroethene	79-01-6	0.063	0.0004	0.75
11995	Vinyl Chloride	75-01-4	N.D.	0.0005	0.75
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.75

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: cis-1,2-Dichloroethene

GC/MS Semivolatiles			SW-846 8270D SIM	mg/kg	
12969	Benzo(a)anthracene	56-55-3	N.D.	0.0008	1
12969	Benzo(a)pyrene	50-32-8	0.0008	0.0008	1
12969	Benzo(b)fluoranthene	205-99-2	0.001	0.0008	1
12969	Benzo(k)fluoranthene	207-08-9	N.D.	0.0008	1
12969	Chrysene	218-01-9	0.001	0.0004	1
12969	Dibenz(a,h)anthracene	53-70-3	N.D.	0.0008	1
12969	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.0008	1

GC Volatiles			ECY 97-602 NWTPH-Gx	mg/kg	
02005	NWTPH-GX Soil C7-C12	n.a.	0.5	0.2	22.61

GC Petroleum Hydrocarbons			ECY 97-602 NWTPH-Dx modified	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.6	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	11	1

Metals			SW-846 6010D Rev.4, July 2014	mg/kg	
06955	Lead	7439-92-1	4.49	0.569	1

Wet Chemistry			SM 2540 G-2011 %Moisture Calc	%	
00111	Moisture	n.a.	13.5	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Sample Description: MW-21-S-25.0-190809 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126313
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submission Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 10:15

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 17:31	Linda C Pape	0.75
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/09/2019 10:15	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/09/2019 10:15	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	3	201923154590	08/09/2019 10:15	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	4	201923154590	08/09/2019 10:15	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/09/2019 10:15	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	2	201923154590	08/09/2019 10:15	Client Supplied	1
12969	SIM SVOAs 8270D (microwave)	SW-846 8270D SIM	1	19231SLE026	08/21/2019 00:47	Ashley R Transue	1
10811	BNA Soil Microwave SIM	SW-846 3546	1	19231SLE026	08/20/2019 07:00	Joshua S Ruth	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 10:15	Jeremy C Giffin	22.61
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/09/2019 10:15	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280034A	08/20/2019 17:48	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280034A	08/18/2019 21:10	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 07:15	Lisa J Cooke	1
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Sample Description: MW-21-S-26.5-190809 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126314
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 10:30

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit	Dilution Factor
GC/MS Volatiles			SW-846 8260C	mg/kg	
11995	Benzene	71-43-2	0.003	0.0005	0.84
11995	cis-1,2-Dichloroethene	156-59-2	0.019	0.0005	0.84
11995	trans-1,2-Dichloroethene	156-60-5	0.0007	0.0005	0.84
11995	Ethylbenzene	100-41-4	N.D.	0.0004	0.84
11995	Tetrachloroethene	127-18-4	0.18	0.0005	0.84
11995	Toluene	108-88-3	N.D.	0.0006	0.84
11995	Trichloroethene	79-01-6	0.38 E	0.0005	0.84
11995	Vinyl Chloride	75-01-4	N.D.	0.0006	0.84
11995	Xylene (Total)	1330-20-7	N.D.	0.001	0.84

The concentration reported for Trichloroethene is estimated since it exceeds the calibration range of the instrument. A further diluted analysis was performed from a previously opened container with headspace and/or outside of the method holding time. The result for Trichloroethene is 1.3mg/kg.

GC Volatiles			ECY 97-602 NWT PH-Gx	mg/kg	
02005	NWT PH-GX Soil C7-C12	n.a.	0.9	0.3	23.79

GC Petroleum Hydrocarbons			ECY 97-602 NWT PH-Dx modified	mg/kg	
08272	Diesel Range Organics C12-C24	n.a.	N.D.	4.6	1
08272	Heavy Range Organics C24-C40	n.a.	N.D.	11	1

Metals			SW-846 6010D Rev.4, July 2014	mg/kg	
06955	Lead	7439-92-1	7.44	2.62	5

Wet Chemistry			SM 2540 G-2011 %Moisture Calc	%	
00111	Moisture	n.a.	13.9	0.50	1
Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.					

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11995	VOCs- Solid by 8260C/D	SW-846 8260C	1	A192351AA	08/23/2019 17:54	Linda C Pape	0.84
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201923154590	08/09/2019 10:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201923154590	08/09/2019 10:30	Client Supplied	1

Sample Description: MW-21-S-26.5-190809 Grab Soil
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: SW 1126314
ELLE Group #: 2059029
Matrix: Soil

Project Name: 90129

Submittal Date/Time: 08/14/2019 10:05
Collection Date/Time: 08/09/2019 10:30

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	3	201923154590	08/09/2019 10:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	4	201923154590	08/09/2019 10:30	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201923154590	08/09/2019 10:30	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	2	201923154590	08/09/2019 10:30	Client Supplied	1
02005	NWTPH-GX Soil C7-C12	ECY 97-602 NWTPH-Gx	1	19233A34A	08/22/2019 10:50	Jeremy C Giffin	23.79
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201923154590	08/09/2019 10:30	Client Supplied	n.a.
08272	NWTPH-Dx soil	ECY 97-602 NWTPH-Dx modified	1	192280034A	08/20/2019 18:10	Bridget Kovacs	1
11234	WA DRO NW DX Soils (Non SG)	ECY 97-602 NWTPH-Dx 06/97	1	192280034A	08/18/2019 21:10	Karen L Beyer	1
06955	Lead	SW-846 6010D Rev.4, July 2014	1	192311404903	08/22/2019 07:18	Lisa J Cooke	5
14049	ICP/ICPMS-SW, 3050B - U345	SW-846 3050B	1	192311404903	08/19/2019 06:25	Annamaria Kuhns	1
00111	Moisture	SM 2540 G-2011 %Moisture Calc	1	19232820013B	08/22/2019 10:41	William C Schwebel	1

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:20

Group Number: 2059029

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Method Blank

Analysis Name	Result	MDL
	mg/kg	mg/kg
Batch number: A192331AA	Sample number(s): 1126302-1126307	
Benzene	N.D.	0.0005
cis-1,2-Dichloroethene	N.D.	0.0005
trans-1,2-Dichloroethene	N.D.	0.0005
Ethylbenzene	N.D.	0.0004
Tetrachloroethene	N.D.	0.0005
Toluene	N.D.	0.0006
Trichloroethene	N.D.	0.0005
Vinyl Chloride	N.D.	0.0006
Xylene (Total)	N.D.	0.001
Batch number: A192351AA	Sample number(s): 1126287-1126295,1126310-1126314	
Benzene	N.D.	0.0005
cis-1,2-Dichloroethene	N.D.	0.0005
trans-1,2-Dichloroethene	N.D.	0.0005
Ethylbenzene	N.D.	0.0004
Tetrachloroethene	N.D.	0.0005
Toluene	N.D.	0.0006
Trichloroethene	N.D.	0.0005
Vinyl Chloride	N.D.	0.0006
Xylene (Total)	N.D.	0.001
	ug/l	ug/l
Batch number: F192331AA	Sample number(s): 1126296-1126299	
Benzene	N.D.	0.2
Ethylbenzene	N.D.	0.4
Toluene	N.D.	0.2
Xylene (Total)	N.D.	1
Batch number: F192332AA	Sample number(s): 1126300-1126301,1126308-1126309	
Benzene	N.D.	0.2
Ethylbenzene	N.D.	0.4
Toluene	N.D.	0.2
Xylene (Total)	N.D.	1
	mg/kg	mg/kg
Batch number: 19231SLE026	Sample number(s): 1126313	
Benzo(a)anthracene	N.D.	0.0007
Benzo(a)pyrene	N.D.	0.0007
Benzo(b)fluoranthene	N.D.	0.0007
Benzo(k)fluoranthene	N.D.	0.0007

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:20

Group Number: 2059029

Method Blank (continued)

Analysis Name	Result	MDL
	mg/kg	mg/kg
Chrysene	N.D.	0.0003
Dibenz(a,h)anthracene	N.D.	0.0007
Indeno(1,2,3-cd)pyrene	N.D.	0.0007
Batch number: 19233A34A NWTPH-GX Soil C7-C12	Sample number(s): 1126287-1126295,1126302-1126307,1126310-1126314 N.D.	0.2
	ug/l	ug/l
Batch number: 19228A20A NWTPH-Gx water C7-C12	Sample number(s): 1126296-1126301,1126308-1126309 N.D.	19
	mg/kg	mg/kg
Batch number: 192280023A Diesel Range Organics C12-C24 Heavy Range Organics C24-C40	Sample number(s): 1126287-1126295,1126302 N.D.	4.0 10
Batch number: 192280034A Diesel Range Organics C12-C24 Heavy Range Organics C24-C40	Sample number(s): 1126303,1126305-1126307,1126310-1126314 N.D.	4.0 35 10
Batch number: 192340018A Diesel Range Organics C12-C24 Heavy Range Organics C24-C40	Sample number(s): 1126304 N.D.	4.0 30
Batch number: 192311404903 Lead	Sample number(s): 1126287,1126289-1126291,1126302-1126307,1126310-1126314 N.D.	0.600

LCS/LCSD

Analysis Name	LCS Spike Added	LCS Conc	LCSD Spike Added	LCSD Conc	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
	mg/kg	mg/kg	mg/kg	mg/kg					
Batch number: A192331AA	Sample number(s): 1126302-1126307								
Benzene	0.0200	0.0219	0.0200	0.0218	109	109	80-120	0	30
cis-1,2-Dichloroethene	0.0200	0.0232	0.0200	0.0230	116	115	80-125	1	30
trans-1,2-Dichloroethene	0.0200	0.0228	0.0200	0.0228	114	114	80-126	0	30
Ethylbenzene	0.0200	0.0217	0.0200	0.0219	108	109	78-120	1	30
Tetrachloroethene	0.0200	0.0229	0.0200	0.0229	114	115	73-120	0	30
Toluene	0.0200	0.0215	0.0200	0.0218	107	109	80-120	1	30
Trichloroethene	0.0200	0.0221	0.0200	0.0221	111	111	80-120	0	30
Vinyl Chloride	0.0200	0.0202	0.0200	0.0198	101	99	52-120	2	30
Xylene (Total)	0.0600	0.0658	0.0600	0.0660	110	110	75-120	0	30
Batch number: A192351AA	Sample number(s): 1126287-1126295,1126310-1126314								
Benzene	0.0200	0.0224	0.0200	0.0224	112	112	80-120	0	30

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:20

Group Number: 2059029

LCS/LCSD (continued)

Analysis Name	LCS Spike Added mg/kg	LCS Conc mg/kg	LCSD Spike Added mg/kg	LCSD Conc mg/kg	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,2-Dichloroethene	0.0200	0.0250	0.0200	0.0251	125	126*	80-125	0	30
trans-1,2-Dichloroethene	0.0200	0.0222	0.0200	0.0221	111	110	80-126	1	30
Ethylbenzene	0.0200	0.0223	0.0200	0.0228	112	114	78-120	2	30
Tetrachloroethene	0.0200	0.0234	0.0200	0.0239	117	120	73-120	2	30
Toluene	0.0200	0.0219	0.0200	0.0220	109	110	80-120	1	30
Trichloroethene	0.0200	0.0225	0.0200	0.0224	112	112	80-120	0	30
Vinyl Chloride	0.0200	0.0200	0.0200	0.0202	100	101	52-120	1	30
Xylene (Total)	0.0600	0.0685	0.0600	0.0692	114	115	75-120	1	30
	ug/l	ug/l	ug/l	ug/l					
Batch number: F192331AA	Sample number(s): 1126296-1126299								
Benzene	20	19.08			95		80-120		
Ethylbenzene	20	19.18			96		80-120		
Toluene	20	19.47			97		80-120		
Xylene (Total)	60	57.17			95		80-120		
Batch number: F192332AA	Sample number(s): 1126300-1126301,1126308-1126309								
Benzene	20	19.52			98		80-120		
Ethylbenzene	20	19.06			95		80-120		
Toluene	20	19.59			98		80-120		
Xylene (Total)	60	56.85			95		80-120		
	mg/kg	mg/kg	mg/kg	mg/kg					
Batch number: 19231SLE026	Sample number(s): 1126313								
Benzo(a)anthracene	0.0333	0.0265			79		61-116		
Benzo(a)pyrene	0.0333	0.0286			86		67-124		
Benzo(b)fluoranthene	0.0333	0.0275			82		68-128		
Benzo(k)fluoranthene	0.0333	0.0279			84		61-119		
Chrysene	0.0333	0.0266			80		63-105		
Dibenz(a,h)anthracene	0.0333	0.0298			89		49-143		
Indeno(1,2,3-cd)pyrene	0.0333	0.0301			90		53-144		
	mg/kg	mg/kg	mg/kg	mg/kg					
Batch number: 19233A34A	Sample number(s): 1126287-1126295,1126302-1126307,1126310-1126314								
NWTPH-GX Soil C7-C12	11	10.26	11	10.22	93	93	55-145	0	30
	ug/l	ug/l	ug/l	ug/l					
Batch number: 19228A20A	Sample number(s): 1126296-1126301,1126308-1126309								
NWTPH-Gx water C7-C12	1100	1112.16	1100	1131.65	101	103	64-131	2	30
	mg/kg	mg/kg	mg/kg	mg/kg					
Batch number: 192280023A	Sample number(s): 1126287-1126295,1126302								
Diesel Range Organics C12-C24	133.4	107.12			80		61-115		

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:20

Group Number: 2059029

LCS/LCSD (continued)

Analysis Name	LCS Spike Added mg/kg	LCS Conc mg/kg	LCSD Spike Added mg/kg	LCSD Conc mg/kg	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 192280034A Diesel Range Organics C12-C24	Sample number(s): 1126303,1126305-1126307,1126310-1126314				75		61-115		
Batch number: 192340018A Diesel Range Organics C12-C24	Sample number(s): 1126304				77		61-115		
Batch number: 192311404903 Lead	15	16.27			108		90-115		
	%	%	%	%					
Batch number: 19232820013A Moisture	Sample number(s): 1126287-1126295,1126302				100		99-101		
Batch number: 19232820013B Moisture	Sample number(s): 1126303-1126307,1126310-1126314				100		99-101		

MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc mg/kg	MS Spike Added mg/kg	MS Conc mg/kg	MSD Spike Added mg/kg	MSD Conc mg/kg	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 192280023A Diesel Range Organics C12-C24	Sample number(s): 1126287-1126295,1126302 UNSPK: 1126289					78		61-115		
Batch number: 192280034A Diesel Range Organics C12-C24	Sample number(s): 1126303,1126305-1126307,1126310-1126314 UNSPK: 1126306					76		61-115		
Batch number: 192340018A Diesel Range Organics C12-C24	Sample number(s): 1126304 UNSPK: 1126304					71		61-115		
Batch number: 192311404903 Lead	3.78	13.89	16.65	11.28	13.23	93	84	75-125	23*	20

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:20

Group Number: 2059029

Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc mg/kg	DUP Conc mg/kg	DUP RPD	DUP RPD Max
Batch number: 192280023A	Sample number(s): 1126287-1126295,1126302 BKG: 1126289			
Diesel Range Organics C12-C24	N.D.	N.D.	0 (1)	20
Heavy Range Organics C24-C40	N.D.	N.D.	0 (1)	20
Batch number: 192280034A	Sample number(s): 1126303,1126305-1126307,1126310-1126314 BKG: 1126306			
Diesel Range Organics C12-C24	N.D.	N.D.	0 (1)	20
Heavy Range Organics C24-C40	N.D.	N.D.	0 (1)	20
Batch number: 192340018A	Sample number(s): 1126304 BKG: 1126304			
Diesel Range Organics C12-C24	N.D.	N.D.	0 (1)	20
Heavy Range Organics C24-C40	N.D.	N.D.	0 (1)	20
Batch number: 192311404903	Sample number(s): 1126287,1126289-1126291,1126302-1126307,1126310-1126314 BKG: 1126287			
Lead	3.78	2.77	31* (1)	20
	%	%		
Batch number: 19232820013A	Sample number(s): 1126287-1126295,1126302 BKG: 1126293			
Moisture	17.24	15.61	10*	5
Batch number: 19232820013B	Sample number(s): 1126303-1126307,1126310-1126314 BKG: 1126305			
Moisture	5.32	6.01	12*	5

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: VOCs- Solid by 8260C/D
Batch number: A192331AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1126302	102	111	99	98
1126303	102	108	99	97
1126304	102	106	108	83
1126305	101	108	98	98
1126306	102	111	98	97
1126307	103	113	97	100
Blank	101	102	98	100
LCS	103	103	99	100
LCSD	101	104	99	100

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:20

Group Number: 2059029

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: VOCs- Solid by 8260C/D
Batch number: A192331AA

Limits: 50-141 54-135 52-141 50-131

Analysis Name: VOCs- Solid by 8260C/D
Batch number: A192351AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1126287	102	109	97	97
1126288	104	108	97	92
1126289	102	107	97	96
1126290	103	109	101	89
1126291	103	107	97	95
1126292	104	111	96	97
1126293	103	109	101	90
1126294	103	109	96	96
1126295	103	108	97	96
1126310	103	108	97	97
1126311	102	105	97	95
1126312	105	114	95	99
1126313	103	108	97	94
1126314	104	108	97	93
Blank	102	105	96	97
LCS	102	104	97	98
LCSD	102	102	98	99
Limits:	50-141	54-135	52-141	50-131

Analysis Name: BTEX 8260C
Batch number: F192331AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1126296	91	94	102	98
1126297	92	97	102	100
1126298	92	97	102	98
1126299	92	94	101	98
Blank	93	94	101	98
LCS	92	97	103	99
Limits:	80-120	80-120	80-120	80-120

Analysis Name: BTEX 8260C
Batch number: F192332AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1126300	92	95	103	98
1126301	91	98	102	98

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:20

Group Number: 2059029

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX 8260C
Batch number: F192332AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1126308	91	97	102	99
1126309	90	96	103	99
Blank	92	94	103	99
LCS	91	99	104	99
Limits:	80-120	80-120	80-120	80-120

Analysis Name: SIM SVOAs 8270D (microwave)
Batch number: 19231SLE026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-d10
1126313	66	62	60
Blank	57	57	50
LCS	66	62	62
Limits:	34-135	28-124	27-107

Analysis Name: NWTPH-Gx water C7-C12
Batch number: 19228A20A

	Trifluorotoluene-F
1126296	85
1126297	86
1126298	87
1126299	86
1126300	84
1126301	85
1126308	87
1126309	86
Blank	87
LCS	96
LCSD	95
Limits:	50-150

Analysis Name: NWTPH-GX Soil C7-C12
Batch number: 19233A34A

	Trifluorotoluene-F
1126287	70
1126288	74
1126289	77
1126290	60
1126291	59
1126292	68

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:20

Group Number: 2059029

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: NWTPH-GX Soil C7-C12
Batch number: 19233A34A

	Trifluorotoluene-F
1126293	72
1126294	72
1126295	77
1126302	88
1126303	69
1126304	62
1126305	71
1126306	74
1126307	61
1126310	71
1126311	88
1126312	75
1126313	72
1126314	75
Blank	93
LCS	104
LCSD	98

Limits: 50-150

Analysis Name: NWTPH-Dx soil
Batch number: 192280023A

	Orthoterphenyl
1126287	110
1126288	111
1126289	114
1126290	106
1126291	105
1126292	104
1126293	106
1126294	110
1126295	112
1126302	114
Blank	111
DUP	113
LCS	117
MS	113

Limits: 50-150

Analysis Name: NWTPH-Dx soil
Batch number: 192280034A

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:20

Group Number: 2059029

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: NWTPH-Dx soil
Batch number: 192280034A

	Orthoterphenyl
1126303	109
1126305	108
1126306	108
1126307	81
1126310	100
1126311	107
1126312	106
1126313	108
1126314	98
Blank	111
DUP	105
LCS	113
MS	112

Limits: 50-150

Analysis Name: NWTPH-Dx soil
Batch number: 192340018A

	Orthoterphenyl
1126304	98
Blank	105
DUP	94
LCS	114
MS	103

Limits: 50-150

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron Northwest Region Analysis Request/Chain of Custody



Lancaster Laboratories
Environmental

Acct. # 11250 For Eurofins Lancaster Laboratories Environmental use only
Group # 2059029 Sample # 1126282-314
Instructions on reverse side correspond with circled numbers.

1 Client Information			4 Matrix			5 Analyses Requested										6 Remarks											
Facility # <u>90129</u>		WBS	<input type="checkbox"/> Sediment <input type="checkbox"/> Potable <input type="checkbox"/> Ground <input type="checkbox"/> NPDES <input type="checkbox"/> Surface <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air			Total Number of Containers	<input type="checkbox"/> BTEX + MTBE <input type="checkbox"/> 8021 <input type="checkbox"/> 8260 <input checked="" type="checkbox"/> Naphth <input type="checkbox"/> 8260 full scan <input type="checkbox"/> Oxygenates <input type="checkbox"/> NWTPH-Gx <input type="checkbox"/> NWTPH-Dx with Silica Gel Cleanup <input checked="" type="checkbox"/> NWTPH-Dx without Silica Gel Cleanup <input type="checkbox"/> WA VPH <input type="checkbox"/> WA EPH <input type="checkbox"/> Lead <input type="checkbox"/> Total <input type="checkbox"/> Diss. <input type="checkbox"/> Method <u>6010</u> <u>CVOCs 8260</u>										SCR #: _____										
Site Address <u>4700 Brooklyn Ave, Seattle, WA</u>		Lead Consultant																									
Chevron PM <u>Tim Bishop</u>		Lead Consultant																									
Consultant/Office <u>Lands, Bethell, WA</u>																											
Consultant Project Mgr. <u>Ruth Otteman</u>																											
Consultant Phone # <u>425-482-3328</u>																											
Sampler <u>R. Otteman</u>		3 Composite																									
2 Sample Identification		Collected		Grab	Composite	Soil	Water	Oil	Total Number of Containers	BTEX + MTBE	8021	8260	Naphth	8260 full scan	Oxygenates	NWTPH-Gx	NWTPH-Dx with Silica Gel Cleanup	NWTPH-Dx without Silica Gel Cleanup	WA VPH	WA EPH	Lead	Total	Diss.	Method	9		
Date	Time	Date	Time																						Date	Time	
MW-20-S-10.5-190810	8/10/19	0850		X	X	X			11	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/		
SUP-1-S-6.5-190810		0850		X	X	X			7	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
MW-20-S-18.0-190810		0915		X	X	X			11	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
MW-20-S-28.0-190810		0930		X	X	X			11	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
MW-20-S-30.0-190810		1000		X	X	X			11	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
MW-29-S-20.0-190810		1313		X	X	X			7	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
MW-29-S-31.5-190810		1352		X	X	X			7	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
DUP-1-DUP-1-S-190810		1400		X	X	X			6	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
MW-29-S-10.5-190810		1330		X	X	X			6	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
TB-1-190812	8-12-19	1400		X			X		4	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
TB-2-190812	9-12-19	1400		X			X		4	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
TB-3-190812		1430		X			X		4	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
TB-4-190812		1440		X			X		4	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
7 Turnaround Time Requested (TAT) (please circle)				Relinquished by <u>[Signature]</u>			Date <u>8/12/19</u>	Time <u>1400</u>	Received by <u>[Signature]</u>			Date	Time														
<input checked="" type="radio"/> Standard 5 day 4 day <input type="radio"/> 72 hour 48 hour 24 hour				Relinquished by			Date	Time	Received by			Date	Time														
8 Data Package (circle if required)				Relinquished by Commercial Carrier:			Received by			Date	Time																
<input checked="" type="radio"/> Type I - Full <input type="radio"/> Type VI (Raw Data)				<input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other			<input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other			Date <u>8/14/19</u>	Time <u>1005</u>																
EDD (circle if required)				CVX-RTBU-FI_05 (default)			Temperature Upon Receipt <u>0.5-1.3</u> °C			Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No																	

Chevron Northwest Region Analysis Request/Chain of Custody



**Lancaster Laboratories
Environmental**

Acct. # 11255 For Eurofins Lancaster Laboratories Environmental use only
 Group # 2059029 Sample # 1120287-314
Instructions on reverse side correspond with circled numbers.

SCR #: 243990

1 Client Information				4 Matrix				5 Analyses Requested										6 Remarks																																																																																																																																																					
Facility #		WBS		Sediment	Ground	Surface	Potable	NPDES	Air	Oil	Total Number of Containers	BTEX + MTBE 8021	8260	Naphth	Oxygenates	NWTPH-Gx	NWTPH-Dx with Silica Gel Cleanup			NWTPH-Dx without Silica Gel Cleanup	WA VPH	WA EPH	Lead	Total	Diss.	Method																																																																																																																																													
90129																		<input type="checkbox"/>	<input type="checkbox"/>								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																									
Site Address 4700 Brooklyn Ave, Seattle, WA				Soil <input type="checkbox"/>				Water <input type="checkbox"/>				8260 full scan																																																																																																																																																											
Chevron PM Tom Bishop				Grab <input type="checkbox"/>				Composite <input type="checkbox"/>																																																																																																																																																															
Consultant/Office Leida Bothell, WA																																																																																																																																																																							
Consultant Project Mgr. Ruth Ottoman																																																																																																																																																																							
Consultant Phone # 425-492-3320																																																																																																																																																																							
Sampler R. Ottoman																																																																																																																																																																							
2 Sample Identification		3 Collected		Grab	Composite	Soil	Water	Oil	Total Number of Containers	BTEX + MTBE 8021	8260 full scan	Oxygenates	NWTPH-Gx	NWTPH-Dx with Silica Gel Cleanup	NWTPH-Dx without Silica Gel Cleanup	WA VPH	WA EPH	Lead	Total	Diss.	Method	6 Remarks																																																																																																																																																	
		Date	Time																																																																																																																																																																				
TB-5-190812		8-12-19	1540	X			X		5													Water																																																																																																																																																	
TB-6-190812		8-12-19	1550	X			X		4																																																																																																																																																														
<table border="0" style="width: 100%;"> <tr> <td colspan="6" style="width: 30%;">7 Turnaround Time Requested (TAT) (please circle)</td> <td colspan="4">Relinquished by</td> <td colspan="2">Date</td> <td colspan="2">Time</td> <td colspan="4">Received by</td> <td colspan="2">Date</td> <td colspan="2">Time</td> <td colspan="2" style="text-align: right;">9</td> </tr> <tr> <td colspan="6"> Standard 5 day 4 day 72 hour 48 hour 24 hour </td> <td colspan="4" style="text-align: center;">K. Z. Mart</td> <td colspan="2" style="text-align: center;">5-31-19</td> <td colspan="2" style="text-align: center;">1330</td> <td colspan="4" style="text-align: center;">_____</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> </tr> <tr> <td colspan="6"></td> <td colspan="4" style="text-align: center;">Matt</td> <td colspan="2" style="text-align: center;">8/12/19</td> <td colspan="2" style="text-align: center;">1400</td> <td colspan="4" style="text-align: center;">_____</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> </tr> <tr> <td colspan="6">8 Data Package (circle if required)</td> <td colspan="4">Relinquished by Commercial Carrier:</td> <td colspan="4">Received by</td> <td colspan="2">Date</td> <td colspan="2">Time</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> </tr> <tr> <td colspan="6">Type I - Full</td> <td colspan="4">UPS <input checked="" type="checkbox"/> FedEx _____ Other _____</td> <td colspan="4" style="text-align: center;">_____</td> <td colspan="2" style="text-align: center;">8/14/19</td> <td colspan="2" style="text-align: center;">1605</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> </tr> <tr> <td colspan="6">Type VI (Raw Data)</td> <td colspan="4">Other: _____</td> <td colspan="4" style="text-align: center;">Temperature Upon Receipt 0.5, 1.3 °C</td> <td colspan="4" style="text-align: center;">Custody Seals Intact? (Yes) No</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> </tr> </table>																								7 Turnaround Time Requested (TAT) (please circle)						Relinquished by				Date		Time		Received by				Date		Time		9		Standard 5 day 4 day 72 hour 48 hour 24 hour						K. Z. Mart				5-31-19		1330		_____																Matt				8/12/19		1400		_____										8 Data Package (circle if required)						Relinquished by Commercial Carrier:				Received by				Date		Time								Type I - Full						UPS <input checked="" type="checkbox"/> FedEx _____ Other _____				_____				8/14/19		1605								Type VI (Raw Data)						Other: _____				Temperature Upon Receipt 0.5, 1.3 °C				Custody Seals Intact? (Yes) No									
7 Turnaround Time Requested (TAT) (please circle)						Relinquished by				Date		Time		Received by				Date		Time		9																																																																																																																																																	
Standard 5 day 4 day 72 hour 48 hour 24 hour						K. Z. Mart				5-31-19		1330		_____																																																																																																																																																									
						Matt				8/12/19		1400		_____																																																																																																																																																									
8 Data Package (circle if required)						Relinquished by Commercial Carrier:				Received by				Date		Time																																																																																																																																																							
Type I - Full						UPS <input checked="" type="checkbox"/> FedEx _____ Other _____				_____				8/14/19		1605																																																																																																																																																							
Type VI (Raw Data)						Other: _____				Temperature Upon Receipt 0.5, 1.3 °C				Custody Seals Intact? (Yes) No																																																																																																																																																									

Chevron Northwest Region Analysis Request/Chain of Custody



Lancaster Laboratories Environmental

Acct. # 11255 For Eurofins Lancaster Laboratories Environmental use only
 Group # 2059029 Sample # 11255-314
 Instructions on reverse side correspond with circled numbers.

SCR #: 246377

1 Client Information				4 Matrix				5 Analyses Requested										6 Remarks																																																																																																																																																																																																																																																																																																																																								
Facility # <u>90129</u>		WBS		<input type="checkbox"/> Sediment <input type="checkbox"/> Potable <input type="checkbox"/> Ground <input type="checkbox"/> NPDES <input type="checkbox"/> Surface <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air				Total Number of Containers BTEX + MTBE - 8021 <input type="checkbox"/> 8260 <input checked="" type="checkbox"/> Naphthalene <input checked="" type="checkbox"/> 8260 full scan Oxygenates NWTPH-Gx NWTPH-Dx with Silica Gel Cleanup <input type="checkbox"/> NWTPH-Dx without Silica Gel Cleanup <input checked="" type="checkbox"/> WA VPH <input type="checkbox"/> WA EPH <input type="checkbox"/> Lead <input checked="" type="checkbox"/> Total <input type="checkbox"/> Diss. <input type="checkbox"/> Method <u>60123</u> <u>CVOCs 8270 SIM</u> <u>Carcinogenic PAHs (8270)</u>										<input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds <input type="checkbox"/> 8021 MTBE Confirmation <input type="checkbox"/> Confirm MTBE + Naphthalene <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run _____ oxy's on highest hit <input type="checkbox"/> Run _____ oxy's on all hits																																																																																																																																																																																																																																																																																																																																								
Site Address <u>4700 Brooklyn Ave, Seattle, WA</u>		Chevron PM <u>Tim Bishop</u>						Lead Consultant																																																																																																																																																																																																																																																																																																																																																		
Consultant/Office <u>Leidos/Bottell, WA</u>		Consultant Project Mgr. <u>Ruth Otteman</u>																																																																																																																																																																																																																																																																																																																																																								
Consultant Phone # <u>425-482-3328</u>		Sampler <u>R. Otteman</u>																																																																																																																																																																																																																																																																																																																																																								
2 Sample Identification <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Sample</th> <th colspan="2">Collected</th> <th rowspan="2">Grab</th> <th rowspan="2">Composite</th> <th rowspan="2">Soil</th> <th rowspan="2">Water</th> <th rowspan="2">Oil</th> <th rowspan="2">Total Number of Containers</th> <th rowspan="2">BTEX + MTBE - 8021</th> <th rowspan="2">8260</th> <th rowspan="2">Naphthalene</th> <th rowspan="2">8260 full scan</th> <th rowspan="2">Oxygenates</th> <th rowspan="2">NWTPH-Gx</th> <th rowspan="2">NWTPH-Dx with Silica Gel Cleanup</th> <th rowspan="2">NWTPH-Dx without Silica Gel Cleanup</th> <th rowspan="2">WA VPH</th> <th rowspan="2">WA EPH</th> <th rowspan="2">Lead</th> <th rowspan="2">Total</th> <th rowspan="2">Diss.</th> <th rowspan="2">Method</th> </tr> <tr> <th>Date</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>MW-23-S-10.0-190808</td><td>8/8/19</td><td>11:30</td><td>X</td><td>X</td><td>X</td><td>X</td><td>7</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-23-S-25.0-190808</td><td></td><td>12:05</td><td>X</td><td>X</td><td>X</td><td>X</td><td>7</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-23-S-30.0-190808</td><td></td><td>13:20</td><td>X</td><td>X</td><td>X</td><td>X</td><td>7</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-22-S-10.0-190808</td><td></td><td>15:20</td><td>X</td><td>X</td><td>X</td><td>X</td><td>7</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-22-S-23.0-190808</td><td></td><td>15:30</td><td>X</td><td>X</td><td>X</td><td>X</td><td>11</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-22-S-28.5-190808</td><td></td><td>15:45</td><td>X</td><td>X</td><td>X</td><td>X</td><td>11</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>ER-1-190808</td><td></td><td>17:20</td><td>X</td><td>X</td><td>X</td><td>X</td><td>6</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>ER-2-190809</td><td>8/9/19</td><td>08:10</td><td>X</td><td>X</td><td>X</td><td>X</td><td>6</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-21-S-10.0-190809</td><td></td><td>09:30</td><td>X</td><td>X</td><td>X</td><td>X</td><td>7</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-21-S-15.0-190809</td><td></td><td>09:45</td><td>X</td><td>X</td><td>X</td><td>X</td><td>7</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-21-S-20.0-190809</td><td></td><td>10:00</td><td>X</td><td>X</td><td>X</td><td>X</td><td>7</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-21-S-25.0-190809</td><td></td><td>10:15</td><td>X</td><td>X</td><td>X</td><td>X</td><td>12</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> <tr><td>MW-21-S-26.5-190809</td><td></td><td>10:30</td><td>X</td><td>X</td><td>X</td><td>X</td><td>10</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td></tr> </tbody> </table>		Sample	Collected					Grab	Composite	Soil	Water	Oil	Total Number of Containers	BTEX + MTBE - 8021	8260	Naphthalene	8260 full scan			Oxygenates	NWTPH-Gx	NWTPH-Dx with Silica Gel Cleanup	NWTPH-Dx without Silica Gel Cleanup	WA VPH	WA EPH	Lead	Total	Diss.	Method	Date	Time	MW-23-S-10.0-190808	8/8/19	11:30	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-23-S-25.0-190808		12:05	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-23-S-30.0-190808		13:20	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-22-S-10.0-190808		15:20	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-22-S-23.0-190808		15:30	X	X	X	X	11	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-22-S-28.5-190808		15:45	X	X	X	X	11	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	ER-1-190808		17:20	X	X	X	X	6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	ER-2-190809	8/9/19	08:10	X	X	X	X	6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-21-S-10.0-190809		09:30	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-21-S-15.0-190809		09:45	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-21-S-20.0-190809		10:00	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-21-S-25.0-190809		10:15	X	X	X	X	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MW-21-S-26.5-190809		10:30	X	X	X	X	10	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	7 Turnaround Time Requested (TAT) (please circle) Standard <input checked="" type="radio"/> 5 day 4 day 72 hour 48 hour 24 hour		
			Sample																											Collected		Grab	Composite	Soil	Water	Oil	Total Number of Containers	BTEX + MTBE - 8021	8260	Naphthalene	8260 full scan	Oxygenates	NWTPH-Gx	NWTPH-Dx with Silica Gel Cleanup	NWTPH-Dx without Silica Gel Cleanup	WA VPH	WA EPH	Lead	Total	Diss.	Method																																																																																																																																																																																																																																																																																																							
Date	Time																																																																																																																																																																																																																																																																																																																																																									
MW-23-S-10.0-190808	8/8/19	11:30	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-23-S-25.0-190808		12:05	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-23-S-30.0-190808		13:20	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-22-S-10.0-190808		15:20	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-22-S-23.0-190808		15:30	X	X	X	X	11	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-22-S-28.5-190808		15:45	X	X	X	X	11	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
ER-1-190808		17:20	X	X	X	X	6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
ER-2-190809	8/9/19	08:10	X	X	X	X	6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-21-S-10.0-190809		09:30	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-21-S-15.0-190809		09:45	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-21-S-20.0-190809		10:00	X	X	X	X	7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-21-S-25.0-190809		10:15	X	X	X	X	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
MW-21-S-26.5-190809		10:30	X	X	X	X	10	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X																																																																																																																																																																																																																																																																																																																																			
Relinquished by <u>Armande Demano</u>		Date <u>7-23-19</u>		Time <u>11:33</u>		Received by		Date		Time																																																																																																																																																																																																																																																																																																																																																
Relinquished by <u>Ruth Otteman</u>		Date <u>8/12/19</u>		Time <u>1:00</u>		Received by		Date		Time																																																																																																																																																																																																																																																																																																																																																
Relinquished by Commercial Carrier: UPS <input checked="" type="checkbox"/> FedEx _____ Other _____		Temperature Upon Receipt <u>0.5-1.3</u> °C		Received by <u>[Signature]</u>		Date <u>8/19/19</u>		Time <u>10:05</u>		Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No																																																																																																																																																																																																																																																																																																																																																
8 Data Package (circle if required) Type I - Full <input checked="" type="radio"/> Type VI (Raw Data)		EDD (circle if required) CVX-RTBU-FI_05 (default) Other:		9																																																																																																																																																																																																																																																																																																																																																						



Client: Leidos

Delivery and Receipt Information

Delivery Method: UPS Arrival Timestamp: 08/13/2019 9:50
 Number of Packages: 4 Number of Projects: 1

Arrival Condition Summary

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	N/A
Custody Seal Present:	Yes	Sample Date/Times match COC:	N/A
Custody Seal Intact:	Yes	Total Trip Blank Qty:	16
Samples Chilled:	Yes	Trip Blank Type:	HCl
Paperwork Enclosed:	No	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	N/A		

Unpacked by Simon Nies (25 112) at 13:29 on 08/13/2019

Samples Chilled Details

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	DT131	0.5	DT	Wet	Y	Bagged	N
2	DT131	0.8	DT	Wet	Y	Bagged	N
3	DT131	1.2	DT	Wet	Y	Bagged	N
4	DT131	0.9	DT	Wet	Y	Bagged	N


 Client: Leidos

Paperwork Not Enclosed Details

<u>Sample ID on Label</u>	<u>No. of Containers</u>	<u>Date on Label</u>	<u>Comments</u>
MW-21-S-10.0-190809	7	8/09/2019 09:30	
MW-21-S-15.0-190809	7	8/09/2019 09:45	
MW-21-S-20.0-190809	7	8/09/2019 10:00	
MW-21-S-25.0-190809	12	8/09/2019 10:15	
MW-21-S-26.5-190809	10	8/09/2019 10:30	
MW-22-S-10.0-190808	7	8/08/2019 15:20	
MW-22-S-23.0-190808	11	8/08/2019 15:30	
MW-22-S-28.5-190808	7	8/08/2019 15:45	
MW-23-S-10.0-190808	7	8/08/2019 11:30	
MW-23-S-25.0-190808	11	8/08/2019 12:05	
MW-22-S-28.5-190808	5	8/08/2019 15:45	
MW-23-S-30.0-190808	7	8/08/2019 12:20	
MW-20-S-10.5-190810	2	8/10/2019 08:50	
MW-20-S-18.0-190810	2	8/10/2019 09:15	
ER-1-190808	6	8/08/2019 17:20	
ER-2-190809	6	8/09/2019 08:10	
TB-1-190812	4	8/12/2019 14:00	
TB-2-190812	4	8/12/2019 14:05	
TB-3-190812	4	8/12/2019 14:30	
TB-4-190812	4	8/12/2019 14:40	



Client: Leidos

Delivery and Receipt Information

Delivery Method: UPS Arrival Timestamp: 08/14/2019 10:05
 Number of Packages: 2 Number of Projects: 1
 State/Province of Origin: WA

Arrival Condition Summary

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	Yes	Sample Date/Times match COC:	Yes
Custody Seal Intact:	Yes	Total Trip Blank Qty:	24
Samples Chilled:	Yes	Trip Blank Type:	HCl
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

Unpacked by Simon Nies (25 112) at 17:44 on 08/14/2019

Samples Chilled Details

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	DT131	1.3	DT	Wet	Y	Bagged	N
2	DT131	0.8	DT	Wet	Y	Bagged	N

General Comments: Received missing coolers from 8/13/19

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

BMQL	Below Minimum Quantitation Level	mL	milliliter(s)
C	degrees Celsius	MPN	Most Probable Number
cfu	colony forming units	N.D.	non-detect
CP Units	cobalt-chloroplatinate units	ng	nanogram(s)
F	degrees Fahrenheit	NTU	nephelometric turbidity units
g	gram(s)	pg/L	picogram/liter
IU	International Units	RL	Reporting Limit
kg	kilogram(s)	TNTC	Too Numerous To Count
L	liter(s)	µg	microgram(s)
lb.	pound(s)	µL	microliter(s)
m3	cubic meter(s)	umhos/cm	micromhos/cm
meq	milliequivalents	MCL	Maximum Contamination Limit
mg	milligram(s)		
<	less than		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value \geq the Method Detection Limit (MDL or DL) and $<$ the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column $>40\%$. The lower result is reported.
P^	Concentration difference between the primary and confirmation column $> 40\%$. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column $>100\%$. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Chevron
L4310
6001 Bollinger Canyon Road
San Ramon CA 94583

Report Date: October 17, 2019 13:14

Project: 90129

Account #: 11255
Group Number: 2059759
PO Number: 0015324185
Release Number: BISHOP
State of Sample Origin: WA

Electronic Copy To Leidos

Attn: Ruth Otteman

Respectfully Submitted,



Amek Carter
Specialist

(717) 556-7252

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/> . Historical copies may be requested through your project manager.



SAMPLE INFORMATION

<u>Client Sample Description</u>	<u>Sample Collection Date/Time</u>	<u>ELLE#</u>
MW-26-W-190813 Grab Groundwater	08/13/2019 09:50	1130871
MW-27-W-190813 Grab Groundwater	08/13/2019 11:15	1130872
MW-28-W-190813 Grab Groundwater	08/13/2019 12:10	1130873
DUP-1-WD-190813 Grab Groundwater	08/13/2019 14:00	1130874
MW-18-W-190813 Grab Groundwater	08/13/2019 16:10	1130875
MW-19-W-190813 Grab Groundwater	08/13/2019 17:00	1130876
MW-22-W-190814 Grab Groundwater	08/14/2019 13:30	1130877
MW-20-W-190815 Grab Groundwater	08/15/2019 10:10	1130878
MW-23-W-190815 Grab Groundwater	08/15/2019 11:15	1130879
MW-21-W-190815 Grab Groundwater	08/15/2019 13:00	1130880
MW-17-W-190815 Grab Groundwater	08/15/2019 14:00	1130881
MW-29-W-190816 Grab Groundwater	08/16/2019 08:46	1130882
MW-25-W-190816 Grab Groundwater	08/16/2019 10:30	1130883
QA-1-T-190813 NA Water	08/13/2019 08:00	1130884
QA-2-T-190814 NA Water	08/14/2019 08:00	1130885

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Sample Description: MW-26-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130871
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 09:50

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	24	0.2	1
11997	1,2-Dichloroethane	107-06-2	0.4	0.3	1
11997	cis-1,2-Dichloroethene	156-59-2	820 E	0.2	1
11997	trans-1,2-Dichloroethene	156-60-5	230	0.2	1
11997	Ethylbenzene	100-41-4	8	0.4	1
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1
11997	Tetrachloroethene	127-18-4	5	0.2	1
11997	Toluene	108-88-3	2	0.2	1
11997	Trichloroethene	79-01-6	2,200 E	0.2	1
11997	Vinyl Chloride	75-01-4	38	0.2	1
11997	Xylene (Total)	1330-20-7	N.D.	1	1

The concentrations reported for cis-1,2-Dichloroethene and Trichloroethene are estimated since they exceeds the calibration range of the instrument. A further diluted analysis was performed outside of the method holding time. The result for cis-1,2-Dichloroethene was 720 ug/l. The result for Trichloroethene was 1700 ug/l.

GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	150	19	1

Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D2	0.0094	1

GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	N.D.	45	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1

Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Sample Description: MW-26-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130871
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 09:50

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	5192392AA	08/27/2019 23:35	Kathrine K Muramatsu	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	5192392AA	08/27/2019 23:34	Kathrine K Muramatsu	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 03:35	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 03:34	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 07:57	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192340012A	08/25/2019 03:41	Nicholas R Rossi	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192340012A	08/22/2019 16:30	Osvaldo R Sanchez	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 06:53	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-27-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130872
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 11:15

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles					
		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	9	4	20
11997	1,2-Dichloroethane	107-06-2	N.D.	6	20
11997	cis-1,2-Dichloroethene	156-59-2	700	4	20
11997	trans-1,2-Dichloroethene	156-60-5	55	4	20
11997	Ethylbenzene	100-41-4	84	8	20
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	4	20
11997	Tetrachloroethene	127-18-4	N.D.	4	20
11997	Toluene	108-88-3	N.D.	4	20
11997	Trichloroethene	79-01-6	780	4	20
11997	Vinyl Chloride	75-01-4	23	4	20
11997	Xylene (Total)	1330-20-7	30	28	20
GC Volatiles					
		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	2,900	95	5
Volatiles by Extraction					
		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D1	0.0094	1
GC Petroleum Hydrocarbons					
		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	1,400	45	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1
Metals Dissolved					
		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	5192392AA	08/27/2019 22:33	Kathrine K Muramatsu	20
01163	GC/MS VOA Water Prep	SW-846 5030C	1	5192392AA	08/27/2019 22:32	Kathrine K Muramatsu	20
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 03:58	Marie D Beamenderfer	5

Sample Description: MW-27-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130872
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 11:15

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 03:57	Marie D Beamenderfer	5
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 08:29	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192340012A	08/25/2019 04:04	Nicholas R Rossi	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192340012A	08/22/2019 16:30	Oswaldo R Sanchez	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 06:56	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-28-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130873
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 12:10

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	14	4	20
11997	1,2-Dichloroethane	107-06-2	N.D.	6	20
11997	cis-1,2-Dichloroethene	156-59-2	250	4	20
11997	trans-1,2-Dichloroethene	156-60-5	6	4	20
11997	Ethylbenzene	100-41-4	220	8	20
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	4	20
11997	Tetrachloroethene	127-18-4	260	4	20
11997	Toluene	108-88-3	N.D.	4	20
11997	Trichloroethene	79-01-6	770	4	20
11997	Vinyl Chloride	75-01-4	8	4	20
11997	Xylene (Total)	1330-20-7	90	28	20

The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.

GC Volatiles		ECY 97-602 NWT PH-Gx	ug/l	ug/l	
08273	NWT PH-Gx water C7-C12	n.a.	3,700	95	5

Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D2	0.0096	1

GC Petroleum Hydrocarbons		ECY 97-602 NWT PH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	770	45	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1

Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	5192392AA	08/27/2019 22:54	Kathrine K Muramatsu	20
01163	GC/MS VOA Water Prep	SW-846 5030C	1	5192392AA	08/27/2019 22:53	Kathrine K Muramatsu	20

Sample Description: MW-28-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130873
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submittal Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 12:10

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 04:20	Marie D Beamenderfer	5
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 04:19	Marie D Beamenderfer	5
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 09:01	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192340012A	08/25/2019 04:27	Nicholas R Rossi	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192340012A	08/22/2019 16:30	Osvaldo R Sanchez	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:08	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: DUP-1-WD-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130874
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 14:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	15	4	20
11997	1,2-Dichloroethane	107-06-2	N.D.	6	20
11997	cis-1,2-Dichloroethene	156-59-2	270	4	20
11997	trans-1,2-Dichloroethene	156-60-5	5	4	20
11997	Ethylbenzene	100-41-4	210	8	20
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	4	20
11997	Tetrachloroethene	127-18-4	300	4	20
11997	Toluene	108-88-3	N.D.	4	20
11997	Trichloroethene	79-01-6	820	4	20
11997	Vinyl Chloride	75-01-4	8	4	20
11997	Xylene (Total)	1330-20-7	86	28	20
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	3,800	95	5
The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.					
Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D1	0.0095	1
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	840	46	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1
Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	5192392AA	08/27/2019 23:15	Kathrine K Muramatsu	20
01163	GC/MS VOA Water Prep	SW-846 5030C	1	5192392AA	08/27/2019 23:14	Kathrine K Muramatsu	20

Sample Description: DUP-1-WD-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130874
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submittal Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 14:00

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 04:42	Marie D Beamenderfer	5
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 04:41	Marie D Beamenderfer	5
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 09:48	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 02:24	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:11	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-18-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130875
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 16:10

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	N.D.	0.2	1
11997	1,2-Dichloroethane	107-06-2	N.D.	0.3	1
11997	cis-1,2-Dichloroethene	156-59-2	N.D.	0.2	1
11997	trans-1,2-Dichloroethene	156-60-5	N.D.	0.2	1
11997	Ethylbenzene	100-41-4	N.D.	0.4	1
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1
11997	Tetrachloroethene	127-18-4	3	0.2	1
11997	Toluene	108-88-3	N.D.	0.2	1
11997	Trichloroethene	79-01-6	N.D.	0.2	1
11997	Vinyl Chloride	75-01-4	N.D.	0.2	1
11997	Xylene (Total)	1330-20-7	N.D.	1	1

GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1
The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.					

Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D1	0.0096	1

GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	N.D.	46	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1

Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	5192392AA	08/27/2019 21:52	Kathrine K Muramatsu	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	5192392AA	08/27/2019 21:51	Kathrine K Muramatsu	1

Sample Description: MW-18-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130875
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submittal Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 16:10

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/23/2019 23:52	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/23/2019 23:51	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 10:04	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 02:47	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:14	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-19-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130876
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 17:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	N.D.	0.2	1
11997	1,2-Dichloroethane	107-06-2	N.D.	0.3	1
11997	cis-1,2-Dichloroethene	156-59-2	N.D.	0.2	1
11997	trans-1,2-Dichloroethene	156-60-5	N.D.	0.2	1
11997	Ethylbenzene	100-41-4	N.D.	0.4	1
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1
11997	Tetrachloroethene	127-18-4	N.D.	0.2	1
11997	Toluene	108-88-3	N.D.	0.2	1
11997	Trichloroethene	79-01-6	N.D.	0.2	1
11997	Vinyl Chloride	75-01-4	N.D.	0.2	1
11997	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	26	19	1
Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D1	0.0095	1
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	N.D.	47	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1
Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	5192392AA	08/27/2019 22:12	Kathrine K Muramatsu	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	5192392AA	08/27/2019 22:11	Kathrine K Muramatsu	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 00:15	Marie D Beamenderfer	1

Sample Description: MW-19-W-190813 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130876
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 17:00

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 00:14	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 10:19	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 03:10	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:18	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-22-W-190814 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130877
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/14/2019 13:30

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	10	2	10
11997	1,2-Dichloroethane	107-06-2	N.D.	3	10
11997	cis-1,2-Dichloroethene	156-59-2	740	2	10
11997	trans-1,2-Dichloroethene	156-60-5	6	2	10
11997	Ethylbenzene	100-41-4	N.D.	4	10
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	2	10
11997	Tetrachloroethene	127-18-4	N.D.	2	10
11997	Toluene	108-88-3	N.D.	2	10
11997	Trichloroethene	79-01-6	370	2	10
11997	Vinyl Chloride	75-01-4	5	2	10
11997	Xylene (Total)	1330-20-7	N.D.	14	10

The reporting limits for the GC/MS volatile compounds were raised because sample dilution was necessary to bring target compounds into the calibration range of the system.

GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	39	19	1

Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D1	0.0094	1

GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	N.D.	45	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1

Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	L192403AA	08/28/2019 22:00	Kevin A Sposito	10

Sample Description: MW-22-W-190814 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130877
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submittal Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/14/2019 13:30

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030C	1	L192403AA	08/28/2019 21:59	Kevin A Sposito	10
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 00:37	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 00:36	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 10:35	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 03:33	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:21	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-20-W-190815 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130878
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/15/2019 10:10

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	N.D.	0.2	1
11997	1,2-Dichloroethane	107-06-2	N.D.	0.3	1
11997	cis-1,2-Dichloroethene	156-59-2	7	0.2	1
11997	trans-1,2-Dichloroethene	156-60-5	0.5	0.2	1
11997	Ethylbenzene	100-41-4	N.D.	0.4	1
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1
11997	Tetrachloroethene	127-18-4	64	0.2	1
11997	Toluene	108-88-3	N.D.	0.2	1
11997	Trichloroethene	79-01-6	13	0.2	1
11997	Vinyl Chloride	75-01-4	N.D.	0.2	1
11997	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	30	19	1
Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D2	0.0095	1
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	N.D.	45	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1
Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	P192401AA	08/28/2019 09:08	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	P192401AA	08/28/2019 09:07	Anita M Dale	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 00:59	Marie D Beamenderfer	1

Sample Description: MW-20-W-190815 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130878
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/15/2019 10:10

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 00:58	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 10:51	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 03:55	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:24	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-23-W-190815 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130879
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/15/2019 11:15

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	19	0.2	1
11997	1,2-Dichloroethane	107-06-2	1	0.3	1
11997	cis-1,2-Dichloroethene	156-59-2	340	2	10
11997	trans-1,2-Dichloroethene	156-60-5	2	0.2	1
11997	Ethylbenzene	100-41-4	N.D.	0.4	1
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1
11997	Tetrachloroethene	127-18-4	N.D.	0.2	1
11997	Toluene	108-88-3	0.2	0.2	1
11997	Trichloroethene	79-01-6	23	0.2	1
11997	Vinyl Chloride	75-01-4	16	0.2	1
11997	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1
Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D1	0.0095	1
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	N.D.	49	1
12899	DX HRO C24-C40	n.a.	N.D.	110	1
Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	P192401AA	08/28/2019 07:25	Anita M Dale	1
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	P192411AA	08/29/2019 15:30	Anita M Dale	10
01163	GC/MS VOA Water Prep	SW-846 5030C	1	P192401AA	08/28/2019 07:24	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030C	2	P192411AA	08/29/2019 15:29	Anita M Dale	10

Sample Description: MW-23-W-190815 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130879
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submittal Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/15/2019 11:15

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 01:21	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 01:20	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 11:07	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 04:18	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:27	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-21-W-190815 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130880
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submittal Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/15/2019 13:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	N.D.	0.2	1
11997	1,2-Dichloroethane	107-06-2	N.D.	0.3	1
11997	cis-1,2-Dichloroethene	156-59-2	0.4	0.2	1
11997	trans-1,2-Dichloroethene	156-60-5	N.D.	0.2	1
11997	Ethylbenzene	100-41-4	N.D.	0.4	1
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1
11997	Tetrachloroethene	127-18-4	2	0.2	1
11997	Toluene	108-88-3	N.D.	0.2	1
11997	Trichloroethene	79-01-6	4	0.2	1
11997	Vinyl Chloride	75-01-4	N.D.	0.2	1
11997	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1
Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D1	0.0095	1
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	N.D.	46	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1
Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	P192401AA	08/28/2019 07:51	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	P192401AA	08/28/2019 07:50	Anita M Dale	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 01:44	Marie D Beamenderfer	1

Sample Description: MW-21-W-190815 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130880
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/15/2019 13:00

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 01:43	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 11:23	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 04:41	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:30	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-17-W-190815 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130881
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submittal Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/15/2019 14:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	6	0.2	1
11997	1,2-Dichloroethane	107-06-2	0.5	0.3	1
11997	cis-1,2-Dichloroethene	156-59-2	52	0.2	1
11997	trans-1,2-Dichloroethene	156-60-5	0.8	0.2	1
11997	Ethylbenzene	100-41-4	14	0.4	1
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1
11997	Tetrachloroethene	127-18-4	7	0.2	1
11997	Toluene	108-88-3	0.2	0.2	1
11997	Trichloroethene	79-01-6	3	0.2	1
11997	Vinyl Chloride	75-01-4	N.D.	0.2	1
11997	Xylene (Total)	1330-20-7	6	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	500	19	1
Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D1	0.0095	1
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	710	46	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1
Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	P192401AA	08/28/2019 09:34	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	P192401AA	08/28/2019 09:33	Anita M Dale	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 02:06	Marie D Beamenderfer	1

Sample Description: MW-17-W-190815 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130881
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/15/2019 14:00

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 02:05	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 11:39	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 05:04	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:33	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-29-W-190816 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130882
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/16/2019 08:46

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	N.D.	0.2	1
11997	1,2-Dichloroethane	107-06-2	4	0.3	1
11997	cis-1,2-Dichloroethene	156-59-2	N.D.	0.2	1
11997	trans-1,2-Dichloroethene	156-60-5	N.D.	0.2	1
11997	Ethylbenzene	100-41-4	N.D.	0.4	1
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1
11997	Tetrachloroethene	127-18-4	N.D.	0.2	1
11997	Toluene	108-88-3	N.D.	0.2	1
11997	Trichloroethene	79-01-6	N.D.	0.2	1
11997	Vinyl Chloride	75-01-4	N.D.	0.2	1
11997	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1
Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D1	0.0095	1
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	N.D.	46	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1
Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	P192401AA	08/28/2019 10:00	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	P192401AA	08/28/2019 09:59	Anita M Dale	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 02:28	Marie D Beamenderfer	1

Sample Description: MW-29-W-190816 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130882
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/16/2019 08:46

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 02:27	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 11:54	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 05:27	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:36	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: MW-25-W-190816 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130883
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/16/2019 10:30

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
11997	Benzene	71-43-2	57	0.2	1
11997	1,2-Dichloroethane	107-06-2	3	0.3	1
11997	cis-1,2-Dichloroethene	156-59-2	1,200	2	10
11997	trans-1,2-Dichloroethene	156-60-5	82	0.2	1
11997	Ethylbenzene	100-41-4	10	0.4	1
11997	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1
11997	Tetrachloroethene	127-18-4	24	0.2	1
11997	Toluene	108-88-3	4	0.2	1
11997	Trichloroethene	79-01-6	320	2	10
11997	Vinyl Chloride	75-01-4	150	0.2	1
11997	Xylene (Total)	1330-20-7	2	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	250	19	1
Volatiles by Extraction		SW-846 8011	ug/l	ug/l	
10398	Ethylene dibromide	106-93-4	N.D. D2	0.0095	1
GC Petroleum Hydrocarbons		ECY 97-602 NWTPH-Dx modified	ug/l	ug/l	
12899	DX DRO C12-C24	n.a.	N.D.	47	1
12899	DX HRO C24-C40	n.a.	N.D.	100	1
Metals Dissolved		SW-846 6010D Rev.4, July 2014	ug/l	ug/l	
07055	Lead	7439-92-1	N.D.	7.1	1

03277 Lab Filtration - Metals

The holding time was not met for dissolved sample filtration. The filtration time for dissolved metals is to be within 15 minutes from collection. Since the filtration occurred after receipt in the laboratory, the 15 minute criteria was exceeded. This sample was not collected per applicable Clean Water Act (40CFR136) or SW-846 regulations.

Sample Comments

State of Washington Lab Certification No. C457
This sample was lab filtered for dissolved metals.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	P192401AA	08/28/2019 10:26	Anita M Dale	1
11997	CVOCs+BTEX/MTBE/EDC	SW-846 8260C	1	P192401AA	08/28/2019 10:52	Anita M Dale	10
01163	GC/MS VOA Water Prep	SW-846 5030C	1	P192401AA	08/28/2019 10:25	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030C	2	P192401AA	08/28/2019 10:51	Anita M Dale	10

Sample Description: MW-25-W-190816 Grab Groundwater
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130883
ELLE Group #: 2059759
Matrix: Groundwater

Project Name: 90129

Submittal Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/16/2019 10:30

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/24/2019 03:13	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/24/2019 03:12	Marie D Beamenderfer	1
10398	EDB by 8011	SW-846 8011	1	192340021A	08/24/2019 12:10	Jason Brumbaugh	1
07786	EDB Extraction (8011)	SW-846 8011	1	192340021A	08/23/2019 04:00	Mathias Okpo	1
12899	NWTPH-Dx water	ECY 97-602 NWTPH-Dx modified	1	192350031A	08/28/2019 05:50	Heather E Williams	1
12907	Mini-extraction DRO DX (water)	ECY 97-602 NWTPH-Dx 06/97	1	192350031A	08/26/2019 03:00	Mathias Okpo	1
07055	Lead	SW-846 6010D Rev.4, July 2014	1	192351404401	08/25/2019 07:46	Cindy M Gehman	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	192351404401	08/23/2019 15:30	Barbara A Kane	1

Sample Description: QA-1-T-190813 NA Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130884
ELLE Group #: 2059759
Matrix: Water

Project Name: 90129

Submission Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/13/2019 08:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	0.2	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1

The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.

CAT No.	Analysis Name	Method	Result	Detection Limit	Dilution Factor
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192352AA	08/23/2019 18:46	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192352AA	08/23/2019 18:45	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/23/2019 23:08	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/23/2019 23:07	Marie D Beamenderfer	1

Sample Description: QA-2-T-190814 NA Water
Facility# 90129
4700 Brooklyn Ave - Seattle, WA

Chevron
ELLE Sample #: GW 1130885
ELLE Group #: 2059759
Matrix: Water

Project Name: 90129

Submittal Date/Time: 08/20/2019 10:10
Collection Date/Time: 08/14/2019 08:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles		SW-846 8260C	ug/l	ug/l	
13130	Benzene	71-43-2	N.D.	0.2	1
13130	Ethylbenzene	100-41-4	N.D.	0.4	1
13130	Toluene	108-88-3	0.3	0.2	1
13130	Xylene (Total)	1330-20-7	N.D.	1	1
GC Volatiles		ECY 97-602 NWTPH-Gx	ug/l	ug/l	
08273	NWTPH-Gx water C7-C12	n.a.	N.D.	19	1

The requirement for no headspace at the time of analysis was not met. The container used for the testing had headspace at the time of analysis.

Sample Comments

State of Washington Lab Certification No. C457

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
13130	BTEX 8260C	SW-846 8260C	1	F192392AA	08/27/2019 12:32	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030C	1	F192392AA	08/27/2019 12:31	Alexander D Sechrist	1
08273	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	19235B20A	08/23/2019 23:30	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030C	1	19235B20A	08/23/2019 23:29	Marie D Beamenderfer	1

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:14

Group Number: 2059759

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Method Blank

Analysis Name	Result ug/l	MDL ug/l
Batch number: 5192392AA	Sample number(s): 1130871-1130876	
Benzene	N.D.	0.2
1,2-Dichloroethane	N.D.	0.3
cis-1,2-Dichloroethene	N.D.	0.2
trans-1,2-Dichloroethene	N.D.	0.2
Ethylbenzene	N.D.	0.4
Methyl Tertiary Butyl Ether	N.D.	0.2
Tetrachloroethene	N.D.	0.2
Toluene	N.D.	0.2
Trichloroethene	N.D.	0.2
Vinyl Chloride	N.D.	0.2
Xylene (Total)	N.D.	1
Batch number: F192352AA	Sample number(s): 1130884	
Benzene	N.D.	0.2
Ethylbenzene	N.D.	0.4
Toluene	N.D.	0.2
Xylene (Total)	N.D.	1
Batch number: F192392AA	Sample number(s): 1130885	
Benzene	N.D.	0.2
Ethylbenzene	N.D.	0.4
Toluene	N.D.	0.2
Xylene (Total)	N.D.	1
Batch number: L192403AA	Sample number(s): 1130877	
Benzene	N.D.	0.2
1,2-Dichloroethane	N.D.	0.3
cis-1,2-Dichloroethene	N.D.	0.2
trans-1,2-Dichloroethene	N.D.	0.2
Ethylbenzene	N.D.	0.4
Methyl Tertiary Butyl Ether	N.D.	0.2
Tetrachloroethene	N.D.	0.2
Toluene	N.D.	0.2
Trichloroethene	N.D.	0.2
Vinyl Chloride	N.D.	0.2
Xylene (Total)	N.D.	1
Batch number: P192401AA	Sample number(s): 1130878-1130883	
Benzene	N.D.	0.2
1,2-Dichloroethane	N.D.	0.3

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:14

Group Number: 2059759

Method Blank (continued)

Analysis Name	Result	MDL
	ug/l	ug/l
cis-1,2-Dichloroethene	N.D.	0.2
trans-1,2-Dichloroethene	N.D.	0.2
Ethylbenzene	N.D.	0.4
Methyl Tertiary Butyl Ether	N.D.	0.2
Tetrachloroethene	N.D.	0.2
Toluene	N.D.	0.2
Trichloroethene	N.D.	0.2
Vinyl Chloride	N.D.	0.2
Xylene (Total)	N.D.	1
Batch number: P192411AA	Sample number(s): 1130879	
cis-1,2-Dichloroethene	N.D.	0.2
Batch number: 19235B20A	Sample number(s): 1130871-1130885	
NWTPH-Gx water C7-C12	N.D.	19
Batch number: 192340021A	Sample number(s): 1130871-1130883	
Ethylene dibromide	N.D.	0.010
Batch number: 192340012A	Sample number(s): 1130871-1130873	
DX DRO C12-C24	N.D.	45
DX HRO C24-C40	N.D.	100
Batch number: 192350031A	Sample number(s): 1130874-1130883	
DX DRO C12-C24	N.D.	45
DX HRO C24-C40	N.D.	100
Batch number: 192351404401	Sample number(s): 1130871-1130883	
Lead	N.D.	7.1

LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 5192392AA	Sample number(s): 1130871-1130876								
Benzene	20	20.27	20	20.54	101	103	80-120	1	30
1,2-Dichloroethane	20	19.1	20	18.74	96	94	73-124	2	30
cis-1,2-Dichloroethene	20	21.4	20	21.36	107	107	80-125	0	30
trans-1,2-Dichloroethene	20	19.6	20	19.83	98	99	80-126	1	30
Ethylbenzene	20	20.24	20	20.4	101	102	80-120	1	30
Methyl Tertiary Butyl Ether	20	18.19	20	17.87	91	89	69-122	2	30
Tetrachloroethene	20	19.58	20	19.79	98	99	80-120	1	30
Toluene	20	20.64	20	20.95	103	105	80-120	1	30
Trichloroethene	20	19.84	20	19.76	99	99	80-120	0	30

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:14

Group Number: 2059759

LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Vinyl Chloride	20	19.37	20	19.33	97	97	56-120	0	30
Xylene (Total)	60	62.04	60	62.62	103	104	80-120	1	30
Batch number: F192352AA	Sample number(s): 1130884								
Benzene	20	19.12			96		80-120		
Ethylbenzene	20	18.19			91		80-120		
Toluene	20	18.59			93		80-120		
Xylene (Total)	60	53.72			90		80-120		
Batch number: F192392AA	Sample number(s): 1130885								
Benzene	20	19.73	20	19.61	99	98	80-120	1	30
Ethylbenzene	20	18.94	20	18.94	95	95	80-120	0	30
Toluene	20	19.32	20	19.16	97	96	80-120	1	30
Xylene (Total)	60	55.74	60	55.62	93	93	80-120	0	30
Batch number: L192403AA	Sample number(s): 1130877								
Benzene	20	21.02			105		80-120		
1,2-Dichloroethane	20	21.2			106		73-124		
cis-1,2-Dichloroethene	20	23.64			118		80-125		
trans-1,2-Dichloroethene	20	19.98			100		80-126		
Ethylbenzene	20	20.69			103		80-120		
Methyl Tertiary Butyl Ether	20	19.77			99		69-122		
Tetrachloroethene	20	21.42			107		80-120		
Toluene	20	21.11			106		80-120		
Trichloroethene	20	20.9			104		80-120		
Vinyl Chloride	20	20.32			102		56-120		
Xylene (Total)	60	62.98			105		80-120		
Batch number: P192401AA	Sample number(s): 1130878-1130883								
Benzene	20	21.47			107		80-120		
1,2-Dichloroethane	20	23.42			117		73-124		
cis-1,2-Dichloroethene	20	22.35			112		80-125		
trans-1,2-Dichloroethene	20	19.2			96		80-126		
Ethylbenzene	20	21.18			106		80-120		
Methyl Tertiary Butyl Ether	20	20.28			101		69-122		
Tetrachloroethene	20	20.68			103		80-120		
Toluene	20	21.84			109		80-120		
Trichloroethene	20	20.43			102		80-120		
Vinyl Chloride	20	16.12			81		56-120		
Xylene (Total)	60	60.13			100		80-120		
Batch number: P192411AA	Sample number(s): 1130879								
cis-1,2-Dichloroethene	20	23.39			117		80-125		
	ug/l	ug/l	ug/l	ug/l					
Batch number: 19235B20A	Sample number(s): 1130871-1130885								

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:14

Group Number: 2059759

LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
NWTPH-Gx water C7-C12	1100	1162.84	1100	1157.27	106	105	64-131	0	30
	ug/l	ug/l	ug/l	ug/l					
Batch number: 192340021A Ethylene dibromide	Sample number(s): 1130871-1130883 0.128	0.167	0.128	0.173	131	135	60-140	3	20
	ug/l	ug/l	ug/l	ug/l					
Batch number: 192340012A DX DRO C12-C24	Sample number(s): 1130871-1130873 600.1	227.3	600.1	255.9	38	43	11-115	12	20
	ug/l	ug/l	ug/l	ug/l					
Batch number: 192350031A DX DRO C12-C24	Sample number(s): 1130874-1130883 600.1	371	600.1	416.69	62	69	11-115	12	20
	ug/l	ug/l	ug/l	ug/l					
Batch number: 192351404401 Lead	Sample number(s): 1130871-1130883 150	146.69			98		87-113		

MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: P192401AA	Sample number(s): 1130878-1130883 UNSPK: 1130880									
Benzene	N.D.	20	22.75	20	22.61	114	113	80-120	1	30
1,2-Dichloroethane	N.D.	20	22.74	20	23.86	114	119	73-124	5	30
cis-1,2-Dichloroethene	0.448	20	23.69	20	23.78	116	117	80-120	0	30
trans-1,2-Dichloroethene	N.D.	20	19.44	20	20.13	97	101	80-120	3	30
Ethylbenzene	N.D.	20	22.38	20	22.32	112	112	80-120	0	30
Methyl Tertiary Butyl Ether	N.D.	20	18.8	20	20.34	94	102	69-122	8	30
Tetrachloroethene	1.57	20	24.39	20	23.68	114	111	80-120	3	30
Toluene	N.D.	20	23.18	20	23.2	116	116	80-120	0	30
Trichloroethene	3.78	20	25.21	20	24.86	107	105	80-120	1	30
Vinyl Chloride	N.D.	20	17.38	20	18.38	87	92	56-120	6	30
Xylene (Total)	N.D.	60	64.32	60	63.34	107	106	80-120	2	30
	ug/l	ug/l	ug/l	ug/l	ug/l					
Batch number: 192340021A Ethylene dibromide	Sample number(s): 1130871-1130883 UNSPK: 1130871 N.D.	0.122	0.124			102		60-140		

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:14

Group Number: 2059759

Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc ug/l	DUP Conc ug/l	DUP RPD	DUP RPD Max
Batch number: 192340021A Ethylene dibromide	Sample number(s): 1130871-1130883 BKG: 1130872 N.D.	N.D.	0 (1)	30

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: CVOCs+BTEX/MTBE/EDC
Batch number: 5192392AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1130871	96	99	102	99
1130872	95	102	101	100
1130873	95	101	100	99
1130874	95	101	101	100
1130875	94	102	101	99
1130876	95	102	101	99
Blank	94	100	101	99
LCS	97	100	101	99
LCSD	96	102	101	98
Limits:	80-120	80-120	80-120	80-120

Analysis Name: BTEX 8260C
Batch number: F192352AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1130884	91	95	102	98
Blank	91	93	102	99
LCS	91	99	100	99
Limits:	80-120	80-120	80-120	80-120

Analysis Name: BTEX 8260C
Batch number: F192392AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1130885	91	93	99	99
Blank	91	95	100	98
LCS	90	99	100	103
LCSD	90	98	100	102

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:14

Group Number: 2059759

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX 8260C
Batch number: F192392AA

Limits: 80-120 80-120 80-120 80-120

Analysis Name: CVOCs+BTEX/MTBE/EDC
Batch number: L192403AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1130877	97	99	101	98
Blank	96	98	102	98
LCS	100	101	101	98
Limits:	80-120	80-120	80-120	80-120

Analysis Name: CVOCs+BTEX/MTBE/EDC
Batch number: P192401AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1130878	97	106	105	99
1130879	96	104	105	100
1130880	98	104	104	98
1130881	98	107	103	102
1130882	98	105	104	100
1130883	98	106	105	103
Blank	97	105	104	100
LCS	99	109	106	105
MS	94	107	106	105
MSD	99	109	105	104
Limits:	80-120	80-120	80-120	80-120

Analysis Name: NWTPH-Gx water C7-C12
Batch number: 19235B20A

	Trifluorotoluene-F
1130871	86
1130872	93
1130873	94
1130874	91
1130875	71
1130876	88
1130877	88
1130878	86
1130879	73
1130880	82
1130881	90
1130882	85

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:14

Group Number: 2059759

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: NWTPH-Gx water C7-C12

Batch number: 19235B20A

	Trifluorotoluene-F
1130883	77
1130884	90
1130885	94
Blank	88
LCS	93
LCSD	101

Limits: 50-150

Analysis Name: EDB by 8011

Batch number: 192340021A

	1,1,2,2-Tetrachloroethane-D1	1,1,2,2-Tetrachloroethane-D2
1130871	86	94
1130872	102	124
1130873	107	123
1130874	105	123
1130875	96	100
1130876	96	99
1130877	96	100
1130878	95	98
1130879	89	91
1130880	87	90
1130881	89	99
1130882	92	94
1130883	94	95
Blank	106	107
DUP	100	120
LCS	118	120
LCSD	115	119
MS	104	110

Limits: 46-136 46-136

Analysis Name: NWTPH-Dx water

Batch number: 192340012A

	Orthoterphenyl
1130871	84
1130872	86
1130873	80
Blank	78
LCS	75
LCSD	77

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 10/17/2019 13:14

Group Number: 2059759

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: NWTPH-Dx water
Batch number: 192340012A

Limits: 50-150

Analysis Name: NWTPH-Dx water
Batch number: 192350031A

	Orthoterphenyl
1130874	93
1130875	85
1130876	88
1130877	88
1130878	88
1130879	88
1130880	88
1130881	90
1130882	88
1130883	88
Blank	90
LCS	90
LCSD	98

Limits: 50-150

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron Generic Analysis Request/Chain of Custody



Lancaster Laboratories
Environmental

Acct. # 11255

For Eurofins Lancaster Laboratories Environmental use only
Group # _____ Sample # _____

2059759

1130871-85

Client Information				Matrix			Analyses Requested										Preservation and Filtration Codes		SCR #:																																																		
Facility # <u>90129</u>		WBS		Sediment <input type="checkbox"/>	Ground <input checked="" type="checkbox"/>	Surface <input type="checkbox"/>	Potable <input type="checkbox"/>	NPDES <input type="checkbox"/>	Air <input type="checkbox"/>	Oil <input type="checkbox"/>	Total Number of Containers	Preservation and Filtration Codes										SCR #:																																															
Site Address <u>4700 Brooklyn Ave</u>		Chevron PM <u>Lead Consultant</u>										<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>BTEX + MTBE</td> <td>8021</td> <td><input type="checkbox"/></td> <td>8260</td> <td><input type="checkbox"/></td> <td>Naphth</td> <td><input type="checkbox"/></td> </tr> <tr> <td>8260 full-seal</td> <td><u>CVCs by 8260B</u></td> <td></td> <td>Oxygenates</td> <td></td> <td></td> <td></td> </tr> <tr> <td>TPH-GRO</td> <td>8015</td> <td><input type="checkbox"/></td> <td>8260</td> <td><input type="checkbox"/></td> <td><u>NUTR</u></td> <td><input type="checkbox"/></td> </tr> <tr> <td>TPH-DRO without Silica Gel Cleanup</td> <td><input checked="" type="checkbox"/></td> <td></td> <td>TPH-DRO with Silica Gel Cleanup</td> <td><input type="checkbox"/></td> <td></td> <td></td> </tr> <tr> <td>VPH</td> <td><input type="checkbox"/></td> <td></td> <td>EPH</td> <td><input type="checkbox"/></td> <td>Method</td> <td></td> </tr> <tr> <td>Lead Total</td> <td><input type="checkbox"/></td> <td></td> <td>Diss.</td> <td><input checked="" type="checkbox"/></td> <td>Method</td> <td><u>GOIAB</u></td> </tr> <tr> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> <td><u>EDC by 8260</u></td> </tr> <tr> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> <td><u>EDB by EPA 8011</u></td> </tr> </table>												BTEX + MTBE	8021	<input type="checkbox"/>	8260	<input type="checkbox"/>	Naphth	<input type="checkbox"/>	8260 full-seal	<u>CVCs by 8260B</u>		Oxygenates				TPH-GRO	8015	<input type="checkbox"/>	8260	<input type="checkbox"/>	<u>NUTR</u>	<input type="checkbox"/>	TPH-DRO without Silica Gel Cleanup	<input checked="" type="checkbox"/>		TPH-DRO with Silica Gel Cleanup	<input type="checkbox"/>			VPH	<input type="checkbox"/>		EPH	<input type="checkbox"/>	Method		Lead Total	<input type="checkbox"/>		Diss.	<input checked="" type="checkbox"/>	Method	<u>GOIAB</u>				
BTEX + MTBE	8021	<input type="checkbox"/>	8260	<input type="checkbox"/>	Naphth	<input type="checkbox"/>																																																															
8260 full-seal	<u>CVCs by 8260B</u>		Oxygenates																																																																		
TPH-GRO	8015	<input type="checkbox"/>	8260	<input type="checkbox"/>	<u>NUTR</u>	<input type="checkbox"/>																																																															
TPH-DRO without Silica Gel Cleanup	<input checked="" type="checkbox"/>		TPH-DRO with Silica Gel Cleanup	<input type="checkbox"/>																																																																	
VPH	<input type="checkbox"/>		EPH	<input type="checkbox"/>	Method																																																																
Lead Total	<input type="checkbox"/>		Diss.	<input checked="" type="checkbox"/>	Method	<u>GOIAB</u>																																																															
						<u>EDC by 8260</u>																																																															
						<u>EDB by EPA 8011</u>																																																															
Chevron PM <u>Lead Consultant</u>		Lead Consultant <u>Leidos</u>		Soil <input type="checkbox"/>		Water		Oil <input type="checkbox"/>		Total Number of Containers		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2">Preservation Codes</td> </tr> <tr> <td>H = HCl</td> <td>T = Thiosulfate</td> </tr> <tr> <td>N = HNO₃</td> <td>B = NaOH</td> </tr> <tr> <td>S = H₂SO₄</td> <td>P = H₃PO₄</td> </tr> <tr> <td>F = Field Filtered</td> <td>O = Other</td> </tr> <tr> <td colspan="2"> <input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds </td> </tr> <tr> <td colspan="2" style="text-align: center;">Remarks</td> </tr> </table>										Preservation Codes		H = HCl	T = Thiosulfate	N = HNO ₃	B = NaOH	S = H ₂ SO ₄	P = H ₃ PO ₄	F = Field Filtered	O = Other	<input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds		Remarks																																			
Preservation Codes																																																																					
H = HCl	T = Thiosulfate																																																																				
N = HNO ₃	B = NaOH																																																																				
S = H ₂ SO ₄	P = H ₃ PO ₄																																																																				
F = Field Filtered	O = Other																																																																				
<input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds																																																																					
Remarks																																																																					
Consultant/Office <u>Leidos/Bathell, WA</u>		Consultant Project Mgr. <u>Ruth Otteman</u>		State where samples were collected: <u>Washington</u>		For Compliance: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Sampler <u>R. Otteman and C. Wildt</u>		Sample Identification		Collected		Grab		Composite		lab filtered lead																																																			
MW-26-W-190813		8/13/19		0950		<input checked="" type="checkbox"/>																																																															
MW-27-W-190813				1115		<input checked="" type="checkbox"/>																																																															
MW-28-W-190813				1210		<input checked="" type="checkbox"/>																																																															
DVP-1-W-190813				1400		<input checked="" type="checkbox"/>																																																															
MW-18-W-190813				1610		<input checked="" type="checkbox"/>																																																															
MW-19-W-190813				1700		<input checked="" type="checkbox"/>																																																															
MW-22-W-190814		8/14/19		1330		<input checked="" type="checkbox"/>																																																															
MW-20-W-190815		8/15/19		1010		<input checked="" type="checkbox"/>																																																															
MW-23-W-190815		8/15/19		1115		<input checked="" type="checkbox"/>																																																															
MW-21-W-190815		8/15/19		1300		<input checked="" type="checkbox"/>																																																															

Chevron Generic Analysis Request/Chain of Custody



Lancaster Laboratories
Environmental

Acct. # 11255

For Eurofins Lancaster Laboratories Environmental use only
Group # _____ Sample # _____

2059759 1130871-85

Client Information				Matrix		Analyses Requested										SCR #: _____			
Preservation and Filtration Codes				Preservation Codes															
Facility # <u>90129</u> WBS Site Address <u>4700 Brooklyn Ave</u> Chevron PM <u>Tim Bishop</u> Lead Consultant <u>Leidos</u> Consultant/Office <u>Leidos / Bothell, WA</u> Consultant Project Mgr. <u>Ruth Otteman</u> Sampler <u>Rotteman and C. Wildt</u> State where samples were collected: <u>Washington</u> For Compliance: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				<input type="checkbox"/> Sediment <input checked="" type="checkbox"/> Ground <input type="checkbox"/> Surface <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air		Total Number of Containers: <u>8260</u> <input checked="" type="checkbox"/> Naphth <input checked="" type="checkbox"/> BTEX + MTBE <input checked="" type="checkbox"/> 8260 full-teen <u>CVCs by 8260s</u> Oxygenates _____ TPH-GRO 8015 <input type="checkbox"/> 8260 <input type="checkbox"/> <u>MTPH</u> TPH-DRO without Silica Gel Cleanup <input checked="" type="checkbox"/> TPH-DRO with Silica Gel Cleanup <input type="checkbox"/> VPH <input type="checkbox"/> EPH <input type="checkbox"/> Method _____ Lead Total <input type="checkbox"/> Diss. <input checked="" type="checkbox"/> Method <u>6010B</u> <u>EDC by 8260</u> <u>EDB by EPA 8011</u> <u>BTEX by EPA 8260s</u>										H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ P = H ₃ PO ₄ F = Field Filtered O = Other <input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds			
Sample Identification			Collected		Grab	Composite	Soil	Water	Oil	Total Number of Containers	8260	8015	8260	6010B	EPA 8011	EPA 8260s	Remarks		
Date	Time	Grab	Composite																
<u>MW-17-W-190815</u>	<u>8/15/19</u>	<u>1400</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	lab filtered lead		
<u>MW-29-W-190816</u>	<u>8/16/19</u>	<u>0846</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>MW-25-W-190816</u>	<u>8/16/19</u>	<u>1030</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>TB-1-190813</u>	<u>8/13/19</u>	<u>0800</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<u>TB-2-190814</u>	<u>8/14/19</u>	<u>0800</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
Turnaround Time Requested (TAT) (please circle) <input checked="" type="radio"/> Standard 5 day 4 day 72 hour 48 hour 24 hour				Relinquished by <u>Mttr dt</u> Date <u>8/19/19</u> Time <u>1400</u>		Received by _____ Date _____ Time _____		Relinquished by _____ Date _____ Time _____		Received by _____ Date _____ Time _____		Relinquished by _____ Date _____ Time _____		Received by _____ Date _____ Time _____		Relinquished by Commercial Carrier: UPS _____ FedEx <input checked="" type="checkbox"/> Other _____		Received by <u>Jr</u> Date <u>8-20-19</u> Time <u>1010</u>	
Data Package (circle if required) <input checked="" type="radio"/> Type I - Full Type III Type VI (Raw Data)				Relinquished by _____ Date _____ Time _____		Received by _____ Date _____ Time _____		Relinquished by _____ Date _____ Time _____		Received by _____ Date _____ Time _____		Relinquished by _____ Date _____ Time _____		Received by _____ Date _____ Time _____		Relinquished by _____ Date _____ Time _____		Received by _____ Date _____ Time _____	
EDD (circle if required) CVX-RTBU-FL_05 (default) Other: _____				Temperature Upon Receipt <u>17.5</u> °C		Custody Seals Intact? <input checked="" type="checkbox"/> Yes No													



Client: Chevron

Delivery and Receipt Information

Delivery Method: Fed-Ex 3 Arrival Timestamp: 08/20/2019 10:10
 Number of Packages: 4 Number of Projects: 1
 State/Province of Origin: WA

Arrival Condition Summary

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	Yes	Sample Date/Times match COC:	Yes
Custody Seal Intact:	Yes	Total Trip Blank Qty:	8
Samples Chilled:	Yes	Trip Blank Type:	HCl
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	No		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

Unpacked by Darian Jaynes (29 952) at 15:39 on 08/20/2019

Samples Chilled Details

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	DT42-03	0.5	DT	Wet	Y	Bagged	N
2	DT42-03	0.1	DT	Wet	Y	Bagged	N
3	DT42-03	0.1	DT	Wet	Y	Bagged	N
4	DT42-03	0.2	DT	Wet	Y	Bagged	N

Samples Not Intact Details

Sample ID on Label	Bottle Code	Bottle Quantity	Container Salvageable?	Comments
MW-28-W-190813	40 ml glass vial (GC/MS) - HCl	4	N	

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

BMQL	Below Minimum Quantitation Level	mL	milliliter(s)
C	degrees Celsius	MPN	Most Probable Number
cfu	colony forming units	N.D.	non-detect
CP Units	cobalt-chloroplatinate units	ng	nanogram(s)
F	degrees Fahrenheit	NTU	nephelometric turbidity units
g	gram(s)	pg/L	picogram/liter
IU	International Units	RL	Reporting Limit
kg	kilogram(s)	TNTC	Too Numerous To Count
L	liter(s)	µg	microgram(s)
lb.	pound(s)	µL	microliter(s)
m3	cubic meter(s)	umhos/cm	micromhos/cm
meq	milliequivalents	MCL	Maximum Contamination Limit
mg	milligram(s)		
<	less than		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value \geq the Method Detection Limit (MDL or DL) and $<$ the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column $>40\%$. The lower result is reported.
P^	Concentration difference between the primary and confirmation column $> 40\%$. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column $>100\%$. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.