

May 8, 2019

Ms. Marisa Floyd Reserve Silica Corporation 20 First Plaza Ctr. NW Albuquerque, NM 87102

#### Re: Summary of RI Data Gaps Investigation Results: Plant Site and Lower Haul Road Reserve Silica, Ravensdale, Washington Project No. 160315-002-04

Dear Marisa:

#### Introduction

This report presents the results of additional environmental investigation conducted at the Plant Site and Lower Haul Road portions of the Reserve Silica Corporation (Reserve) Property (herein identified as the Property) located in Ravensdale, Washington (Figure 1). Portions of the Property were historically used for coal and sandstone mining and processing and is divided into seven tax lots totaling 377 acres (Lots 1 through 6 and the Plant Site lot).

Aspect Consulting, LLC (Aspect) prepared a Remedial Investigation (RI) Report in November 2017 (Aspect, 2017). The RI Report summarized information collected to characterize the nature and extent of contamination at the Property. The RI Report was reviewed by the Washington State Department of Ecology (Ecology), who identified RI data gaps in a January 30, 2018, letter (Ecology, 2018).

The additional investigation, represented by this summary report, was performed in accordance with Aspect's July 26, 2018, "Work Plan to Investigate Data Gaps: Plant Site and Lower Haul Road" (Work Plan; Aspect, 2018) to address data gaps identified by Ecology for these areas of the Property. The Work Plan was reviewed by Ecology, who provided informal comments in an August 8, 2018, email. Changes to the scope of work based on Ecology's comments are summarized in the "Deviations from Work Plan" section below.

The additional investigation was conducted to address data gaps outlined by Ecology for the Plant Site and Lower Haul Road (Ecology, 2018). The environmental concerns at the Plant Site consist of the following: surface releases of hazardous substances in the fueling and vehicle maintenance area (referred to as the Hazardous Materials Storage Area); surface releases of petroleum hydrocarbons, and related substances, attributable to long-term operations on the Plant Site, including sandstone processing, storage and loading of sand, vehicle and heavy equipment use, and process water management; and potential spills or leaks from the diesel underground storage tank (UST). The environmental concern for the Lower Haul Road pertains to the presence, nature, and extent of arsenic and lead in soil associated with the past import of slag for the use in road construction. The specific data gaps identified by Ecology to further evaluate these environmental concerns are summarized in the following section.

### Summary of Data Gaps

After reviewing the RI, Ecology identified the following data gaps for the Plant Site and at the Lower Haul Road:

#### **Hazardous Materials Storage Area**

1. Hazardous materials storage area. Additional sampling/testing of soil that could have been impacted by spills from the waste-oil tank and in the equipment storage area.

#### **Main Processing Area**

- 2. Drainage Ditch Sediments. Evaluate impact from historical spills and discharges containing fuel and oil, as documented in past Ecology site inspections.
- **3.** Boring AB-2 Area (near historical coal and sand processing). Further delineation of naphthalene and carcinogenic polycyclic aromatic hydrocarbon (cPAH) concentrations detected in soil at previous exploration AB-2.
- **4. Transformers.** Investigate soil in area for possible polychlorinated biphenyl (PCB) contamination or explanation of why it is not a concern.
- 5. Diesel underground storage tank. When tank is removed, perform soil, UST pit water and groundwater testing to evaluate extent of affected soil and confirm adequate soil removal.

#### Lower Haul Road

6. **Imported slag.** Evaluate leachability of arsenic and lead from imported slag used for roadbed construction using liquid that simulates groundwater with high pH.

The Hazardous Materials Storage Area and Main Processing Area are depicted on Figures 2 through 4. The Lower Haul Road is depicted on Figure 6. In order to evaluate data gaps 1 through 6 above, Aspect completed additional exploration that consisted of the excavation of test pits, collection of soil samples for laboratory analysis of the contaminants of concern (COCs), and further leachability testing of slag samples. The investigations were completed in general accordance with the scope of work and analytical approach described in the Work Plan. The results for the data gap investigation of the Plant Site and Lower Haul Road, including a brief summary of the scope of work, soil and groundwater conditions observed, the results of analytical testing, and any deviations from the Work Plan are summarized below.

#### Deviations from the Work Plan

Based on Ecology's comments on the Work Plan, the following adjustments were made to the scope of work:

- Three test pits were added to evaluate soil conditions around boring AB-4 in the Hazardous Materials Storage Area.
- One test pit was added to evaluate soil conditions near the sump pond in the Main Processing Area.

In addition, the following modifications to the scope of work were implemented because of logistical challenges:

- The UST has not yet been decommissioned. An electrical control box sits on a concrete pad over the UST, preventing access to the UST for its removal. Reserve is planning to decommission the UST by permanent removal as soon as the electrical control box can be relocated.
- The work planned to evaluate soil conditions at the Former Railroad Drainage Ditch<sup>1</sup> was modified because Reserve does not have access to the BNSF right-of-way. Instead of completing borings in the former ditch, test pit TP-26 was excavated at the head of the ditch, where oily water was historically observed by Ecology to be entering the ditch. The test pit is located nearest to the potential sources of oily water, which include former elevated fueling tanks and wastewater from the diesel-fired air scrubber in the sand processing area and are expected to represent the worst-case conditions.

The analytical approach presented in the Work Plan for the data gap investigation included analysis of soil samples where field indications of petroleum hydrocarbons or other contamination were observed. Otherwise, the Work Plan indicated that a soil sample collected between 2 and 3 feet below ground surface (bgs) would be submitted for laboratory analysis. This approach was developed because the shallow fill soil would most accurately reflect the presence of hazardous substances attributable to potential surface releases. However, in many test pits, the thickness of the fill soil overlying historic coal tailings was less than 2 feet; in these instances, samples of the fill soil were collected at shallower intervals to meet the objectives of the data gap investigation.

#### **Plant Site Data Gaps Investigation**

A total of 26 test pits were excavated across the Plant Site areas (Figures 3 and 4). Test pits were excavated to maximum depths of 6 feet bgs, refusal, groundwater, coal, or native soils, whichever occurred shallowest. Soils observed were classified in accordance with the ASTM International, Inc. (ASTM) Method D2488 *Standard Practice for Description and Identification of Soils*, and soil descriptions, field screening results, and other relevant details (staining, odors, etc.) were recorded on the test-pit logs provided in Appendix A. Photographs of the test pits are included in Appendix B.

Soils observed in test pits excavated at the Plant Site areas consisted primarily of orange-yellow sand and silty sand with variable amounts of gravel, mixed with coal and woody debris, interpreted to be fill soil. Below the fill soil, sand mixed with coal tailings (approximately 50 to 80 percent coal, with increasing coal with depth) was encountered in all test pits at depths ranging from 10 inches to 4.5 feet bgs, except where test pits were terminated due to refusal on concrete (TP-4 through TP-7), groundwater (TP-21), or the maximum exploration depth of 6 feet bgs (TP-09). Test pit TP-10 was excavated to 3.7 feet bgs, where a PVC pipe was encountered, and further excavation was not completed.

Groundwater was observed in only one test-pit excavation (TP-21) at approximately 4 feet bgs. Groundwater was measured in existing Plant Site wells (AMW-01 to AMW-05, Figure 5) between 5.68 feet bgs and 21.82 feet bgs, corresponding to elevations of 589.03 feet North American

<sup>&</sup>lt;sup>1</sup> The historical ditch has been filled by ballast rock and soil and, based on an April 18, 2018 site inspection, it does not appear that active drainage is ongoing. Currently, surface water runoff flows into the Plant Site Drainage Ditch, into the sump pond.

Vertical Datum (NAVD88) and 585.43 feet NAVD88 (Table 1). Groundwater elevation contours are shown on Figure 5.

The chemical analytical results for soil samples collected during the data gaps investigation are summarized on Tables 2 and 3. The laboratory analytical reports are attached as Appendix C. The results for the data gaps investigation work are summarized below for the Main Processing Area and the Hazardous Material Storage Area. The chemical analytical results are compared to the Washington State Model Toxics Control Act (MTCA) cleanup regulation Method A or B cleanup levels for unrestricted land use.

#### Hazardous Material Storage Area

On February 26, 2019, Aspect observed eight test-pit explorations (TP-1 through TP-8) proximal to the Hazardous Material Storage Area to address data gap 1 (Figure 4). Field screening did not identify the presence of petroleum hydrocarbons or volatile compounds in soil collected from any of the test pits excavated in this area. One soil sample from each test pit was collected and submitted to Onsite Environmental for laboratory analysis of the following COCs:

- Gasoline-, diesel-, and oil-range petroleum hydrocarbons by Northwest Methods NWTPH-Gx and NWTPH-Dx
- Benzene, toluene, ethylbenzene and xylenes (BTEX) by U.S. Environmental Protection Agency (EPA) Method 8021B
- cPAHs and naphthalene by EPA Method 8270D/SIM
- PCBs by EPA Method 8082A
- Halogenated volatile organic compounds (HVOCs) by EPA Method 8260C
- Total lead by EPA Method 6010D
- Fuel additives and blending compounds consisting of dibromoethane; 1,2-(EDB); dichloroethane; 1,2-(EDC); and methyl tertiary-butyl ether (MTBE) by EPA Method 8260C

The subsurface observations indicate the presence of a buried concrete pad at depths of approximately 2 feet bgs in TP-4 through TP-7; the estimated extent of the concrete pad is depicted on Figure 4. The concrete pad was observed to be approximately 6 to 12 inches thick and sitting directly on top of coal tailings. In test pits where the concrete slab was observed, the fill soil overlying the concrete slab was targeted for sampling.

#### Results

Diesel-range and heavy oil-range petroleum hydrocarbons were detected in soil samples collected from seven of the eight test pits completed in the Hazardous s Material Storage Area (Table 2). The reported concentrations are below the MTCA Method A cleanup levels of 2,000 milligrams per kilogram (mg/kg), except for the following:

• The soil sample collected from TP-7, where oil-range petroleum hydrocarbons were reported at a concentration of 2,500 mg/kg in a sample collected from 1 foot bgs.

Concentrations of lead, naphthalenes, and cPAHs were detected in soil samples collected from the test pits; the reported concentrations are all below the applicable MTCA Method A or B cleanup levels (Table 2). The laboratory did not report concentrations of VOCs (including HVOCs, BTEX,

and fuel additives) or PCBs above the laboratory reporting limits in soil samples collected from test pit explorations in the Hazardous Material Storage Area (Tables 2 and 3).

#### Main Processing Area

On February 26 and 27, 2019, Aspect observed 18 test-pit explorations (TP-9 through TP-26), in and around the Main Processing Area and at the head of the Former Railroad Drainage Ditch, to address data gaps 2 through 5 (Figure 3). One soil sample from each test pit was obtained and submitted to Onsite Environmental in Redmond, Washington, for laboratory analysis of the following COCs:

- Gasoline-, diesel-, and oil-range petroleum hydrocarbons by Northwest Methods NWTPH-Gx and NWTPH-Dx
- BTEX by EPA Method 8021b
- cPAHs and naphthalene by EPA Method 8270D/SIM

Additionally, four surface soil samples (SS-1 through SS-4) were obtained from the base of the electrical transformer to address data gap 4. Surface soil samples were submitted for laboratory analysis of mineral oil-range petroleum hydrocarbons and PCBs by EPA Method 8082A.

During excavation of TP-21, an abandoned sump vault was encountered at approximately 2 feet bgs (Figure 3). The sump vault appeared filled with concrete or similar material. The soil in TP-21 exhibited petroleum-like odors and gray staining between 2 and 4 feet bgs. Soil was collected from this depth interval for chemical analysis.

#### Results

Diesel-range and heavy oil-range petroleum hydrocarbons were detected in soil samples collected from 15 of the 18 test pits completed in the Main Processing Area, but only 3 of the 18 samples contained concentrations exceeding the MTCA Method A cleanup levels (Table 2). The reported concentrations are below the MTCA Method A cleanup levels of 2,000 mg/kg, except for the following:

- The soil sample collected from TP-21 at a depth of 2 feet, located near the sump pond and abandoned sump vault, where oil-range petroleum hydrocarbons were detected at 2,400 mg/kg.
- Soil samples collected from TP-24 and TP-25 at a depth of 2 feet, located west of the Plant Site office, where concentrations of diesel-range petroleum hydrocarbons were detected at 3,200 and 8,500 mg/kg respectively (Figure 3). The analytical laboratory indicates that the petroleum in these samples is consistent with Diesel Fuel #2.

Total xylenes were detected in one test-pit soil sample (TP-25) at concentrations below the MTCA Method A cleanup level. Naphthalenes and cPAHs were detected in 10 of the 18 soil samples, all reported concentrations are below the applicable MTCA Method A or B cleanup levels.

One of the four surface soil samples collected from around the base of the electrical transformer contained mineral oil-range petroleum hydrocarbons at a concentration of 3,400 mg/kg (SS-2), which is below the MTCA Method A cleanup level of 4,000 mg/kg (Table 2). PCBs were not detected in any of the four surface soil samples (Table 2).

### Lower Haul Road Investigation

The presence, nature, and extent of arsenic and lead in soil associated with reported placement of ASARCO slag as roadbed material in the Lower Haul Road was originally investigated in May 2017 to support preparation of the RI report. The 2017 investigation included advancing eight borings along the Lower Haul Road to observe and classify soil, and to collect soil samples for laboratory analysis of arsenic and lead in leachate, as tested by the Synthetic Precipitation Leaching Procedure (SPLP) that measures potential leachability of metals under natural pH conditions. Ecology identified an outstanding data gap and requested that further leachability testing be completed using liquid that simulates groundwater with high pH, which is more representative of conditions near the Lower Haul Road.

On April 5, 2018, Aspect observed four test-pit explorations (ATP-1 through ATP-4; Figure 6) excavated along the Lower Haul Road in the general area of the soil borings completed during previous RI field activities. Test pits were excavated to refusal, which occurred between approximately 3 feet and 5.5 feet bgs. Soils observed were classified in accordance with the ASTM Method D2488 *Standard Practice for Description and Identification of Soils,* and soil descriptions, field screening results, and other relevant details (staining, odors, etc.) were recorded on the test-pit logs provided in Appendix A. Photographs of the test pits are included in Appendix B.

Soils observed in the Lower Haul Road test pits primarily consisted of gravelly, silty sand with slag fragments and orange-yellow sand with coal and slag fragments to the maximum depths excavated (5.5 feet bgs in ATP-2). Anthropogenic debris (bricks and plastic fragments) were encountered in roadbed material in test pit ATP-2.

Bulk soil samples were obtained from each test pit where the highest percentage of slag fragments was observed. Bulk soil was processed to segregate and estimate the relative percentages of slag and soil. One bulk sample, consisting of soil mixed with slag fragments, and one sample of segregated slag from each test pit were submitted to Friedman and Bruya, Inc., in Seattle, Washington, for laboratory analysis of leachate obtained under basic conditions (pH = 12) to simulate conditions at the Property. The resulting leachate was analyzed for arsenic, lead, iron, and manganese. The chemical results are summarized in Table 4; the laboratory analytical report is included in Appendix C.

#### Results

Processing of samples obtained from the Lower Haul Road showed a range of slag content (in percent by weight) between 5 percent (ATP-3) and 53 percent (ATP-1), as summarized in Table 4.

Analysis of leachate from bulk soil samples showed one detection of arsenic (5.07 milligrams per liter [mg/L] in ATP-1) and two detections of iron (up to 9.44 mg/L in ATP-3). Analysis of the leachate from slag-only samples showed one detection of arsenic (1.7 mg/L in ATP-3), and one detection of iron (18.8 mg/L in ATP-3). Lead and manganese were not detected in any of the leachate samples analyzed.

### Conclusions

#### Investigation Findings Summary – Plant Site

The results of the data gap investigation on the Plant Site are consistent with the results of the previous investigation. Low concentrations of petroleum hydrocarbons are present in shallow soil throughout the Plant Site. Petroleum hydrocarbons have been detected sporadically at concentrations exceeding the MTCA Method A cleanup levels in soil samples collected between 1 and 2.5 feet bgs. The findings with respect to specific data gaps on the Plant Site are summarized below, including consideration of data collected during the RI:

- Data Gap 1 Soil impacted by the operations in the Hazardous Material Storage Area appears shallow and localized, likely the result of compounded surface spills and not significant release(s). A total of 11 explorations have been completed in the Hazardous Material Storage Area and the only COC exceedances of the MTCA cleanup levels in soil are in two locations: oil-range petroleum hydrocarbons at TP-7 during the data gap investigation and arsenic at AMW-5 during the initial investigation (Table 2). A groundwater sample collected from AMW-5 in April 2017 did not contain concentrations of petroleum hydrocarbons or arsenic above the laboratory reporting limits, indicating that contaminants in soil are not leaching to groundwater. The presence of the buried concrete slab in this area likely prevents downward migration of contaminants released to the ground surface, reducing the potential for impact to groundwater or deeper soils.
- Data Gaps 2 and 3 Soil quality in the Main Processing Area does not appear to have been significantly impacted by the long history of operations, including past discharge and runoff of oily wastewater from sandstone processing operations. A total of 22 soil explorations have been completed in the Main Processing Area and the only COC exceedances of the MTCA cleanup levels are in two discrete areas: boring AB-2, where oil-range hydrocarbons and cPAHs were reported in shallow soil; and the area of test pits TP-21, TP-24 and TP-25, where diesel- and oil-range petroleum hydrocarbons are reported in shallow soil. Elsewhere, soil samples obtained from test pits excavated in the Main Processing Area contained low concentrations of petroleum hydrocarbons and cPAHs, all well below the MTCA cleanup levels.
- Data Gap 4 Surface soil samples obtained from around the base of the electrical transformer pad suggest that historical surface spills of mineral oil have occurred. However, the detected concentration is below the MTCA Method A cleanup level of 4,000 mg/kg, and PCBs were not detected above the laboratory reporting limits.

#### Investigation Findings Summary – Lower Haul Road

The results of investigation into the road-base material of the Lower Haul Road in 2017 identified concentrations of total arsenic and lead in soil exceeding MTCA criteria for the protection of human health and ecological receptors (Aspect, 2017). However, the arsenic and lead were not found to be leachable under natural pH conditions (Aspect, 2017) in the 15 samples submitted for SPLP testing in the 2017 study.

The results of high-pH leachability testing completed as part of the data gaps investigation resulted in arsenic in leachate from one of the bulk soil samples and one of the slag-only samples. Although the highest concentration of arsenic in leachate was reported in the bulk soil sample with the greatest amount of slag by weight (ATP-1; Table 4), three of the four slag-only samples did not

contain leachable arsenic under high-pH conditions, suggesting that the slag is not the primary source of arsenic in leachate.

#### Outstanding Plant Site Data Gaps

Data Gap 5 – This data gap pertaining to the soil and groundwater quality in the vicinity of the diesel UST will be characterized during permanent decommissioning by removal of the tank through completion of a UST site assessment, as required by Washington Administrative Code (WAC) 173-360A-0730, and to be performed in accordance with Ecology's Guidance for Site Checks and Site Assessments for USTs (Ecology, 1991).

### References

- Aspect Consulting, LLC (Aspect), 2017, Remedial Investigation Report, Reserve Silica Ravensdale Site, November 2017.
- Aspect Consulting, LLC (Aspect), 2018, Work Plan to Investigate Data Gaps: Plant Site and Lower Haul Road, Reserve Silica, Ravensdale, Washington, July 26, 2018.
- Washington State Department of Ecology (Ecology), 2018, Reserve Silica Corporation Cleanup Site, Preliminary Data Gaps, January 30, 2018.

#### Limitations

Work for this project was performed for Reserve Silica (Client), and this letter was prepared in accordance with generally accepted professional practices for the nature and conditions of work completed in the same or similar localities, at the time the work was performed. This letter does not represent a legal opinion. No other warranty, expressed or implied, is made.


All reports prepared by Aspect Consulting for the Client apply only to the services described in the Agreement(s) with the Client. Any use or reuse by any party other than the Client is at the sole risk of that party, and without liability to Aspect Consulting. Aspect Consulting's original files/reports shall govern in the event of any dispute regarding the content of electronic documents furnished to others.

Please refer to Appendix D titled "Report Limitations and Guidelines for Use" for additional information governing the use of this report.

Project No. 160315-002-04

Sincerely,

Aspect consulting, LLC





**Carla E. Brock, LHG** Associate Geologist cbrock@aspectconsulting.com

Attachments:

David A. Cook, LG, CPG Principal Geologist dcook@aspectconsulting.com

Table 1–Plant Site Investigation Groundwater Elevations Table 2–Plant Site Investigation Soil Results – TPH, BTEX, Metals, PAHs, and PCBs Table 3–Plant Site Investigation Soil Results – VOCs Table 4–Lower Haul Road Investigation – High pH Soil Leaching Results Figure 1–Property Location Map Figure 2–Plant Site Layout Figure 3–Site Plan, Main Processing Area Figure 4–Site Plan, Hazardous Material Storage Area Figure 5–Groundwater Elevation Map, February 27, 2019 Figure 6–Lower Haul Road Investigation Locations Appendix A–Test Pit Logs Appendix B–Photographs Appendix C–Laboratory Reports Appendix D–Report Limitations and Guidelines for Use

V:\160315 Reserve Silica - RIFS\Deliverables\Plant Site Data Gap Inv Report\Plant Site Data Gap Investigation Report\_20190508.docx

# TABLES

### Table 1. Plant Site Investigation Groundwater Elevations

Project No. 160315, Reserve Silica Plant Site, Ravensdale, Washington

Well Identification	AN	AMW-1		AMW-2		AMW-3		IW-4	AMW-5		
TOC Elevation (feet NAVD88)	61	611.48		601.03		591.44		9.49	599.92		
Approximate Range of Screened Interval (feet NAVD88)	56/	567-582		577-587		571-586		576-591		576-591	
Sample Date	4/6/2017	2/27/2019	4/6/2017	2/27/2019	4/6/2017	2/27/2019	4/6/2017	2/27/2019	4/6/2017	2/27/2019	
Depth to Water (feet below TOC)	20.39	21.82	11.99	12.81	5.52	5.68	13.18	13.33	13.95	14.08	
Groundwater Elevation (feet NAVD88)	590.46	589.03	588.39	587.57	585.59	585.43	585.58	585.43	585.66	585.53	

#### Notes:

Casing and groundwater elevations relative to North American Vertical Datum of 1988 (NAVD88).

Depth to water measured in feet below the top of casing (TOC).

# Table 2. Plant Site Investigation Soil Results - TPH, BTEX, Metals, PAHs, and PCBsProject No. 160315, Reserve Silica Plant Site, Ravensdale, Washington

Investigation Area			Hazardous Material Storage Area										
Location Name			TP-1	TP-2	TP-3	TP-4	TP-5	TP-6	TP-7	TP-8	AB-3	AB-4	AMW-5
Sample Date	MTCA Method A	MTCA Method B	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	3/29/2017	3/29/2017	3/29/2017
Sample ID		Most Restrictive	TP-1-1.0	TP-2-1.8	TP-3-1.3	TP-4-1.0	TP-5-1.0	TP-6-1.0	TP-7-1.0	TP-8-1.5	AB-3-2.5	AB-4-2.5	AMW-5-2.5
Depth	Land Use	Cleanup Level	1 ft	1.8 ft	1.3 ft	1 ft	1 ft	1 ft	1 ft	1.5 ft	2.5 ft	2.5 ft	2.5 ft
Petroleum Hydrocarbons <sup>1</sup> (mg			1	1					1				
Gasoline Range Organics	100	1500	6.4 U	6.7 U	6.6 U	6.4 U	6.3 U	6.1 U	7.5 U	6.9 U	7.1 U	7.4 U	6.8 U
Diesel Range Organics	2,000	ne	27 U	27 U	28 U	610 X	91 U	47 X	280 U	29 U	810	1,100	380
Motor Oil Range Organics	2,000	ne	68	53 U	74	1,200 X	850	64 X	2,500	66	520	1,800	510
Mineral Oil Range Organics	4,000	ne											
BTEX <sup>2</sup> (mg/kg)	•			•					•	•			
Benzene	0.03	18	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Toluene	7	6,400	0.064 U	0.067 U	0.066 U	0.064 U	0.063 U	0.061 U	0.075 U	0.069 U	0.071 U	0.074 U	0.068 U
Ethylbenzene	6	8,000	0.064 U	0.067 U	0.066 U	0.064 U	0.063 U	0.061 U	0.075 U	0.069 U	0.071 U	0.074 U	0.068 U
Total Xylenes	9	16,000	0.064 U	0.067 U	0.066 U	0.064 U	0.063 U	0.061 U	0.075 U	0.069 U	0.071 U	0.074 U	0.068 U
Metals <sup>3</sup> (mg/kg)										•		•	•
Arsenic	20	0.67									12 U	12 U	21
Barium	ne	16.000									150	110	78
Cadmium	2	80									0.59 U	0.62 U	0.59 U
Chromium	ne	ne									32	22	20
Lead	250	ne	5.5 U	5.3 U	150	31	42	8.1	8.7	5.8 U	11	12	9.1
Mercury	2	24									0.30 U	0.31 U	0.29 U
Selenium	ne	400									12 U	12 U	12 U
Silver	ne	400									1.2 U	1.2 U	1.2 U
cPAHs and Naphthalenes <sup>4</sup> (mg	g/kg)												
1-Methylnaphthalene	ne	35	0.0073 U	0.0071 U	0.017	0.19	0.013	0.0074 U	0.0076 U	0.022			
2-Methylnaphthalene	ne	320	0.0073 U	0.0071 U	0.021	0.25	0.016	0.0074 U	0.0076 U	0.039			
Naphthalene	ne	1,600	0.0073 U	0.0071 U	0.023	0.14	0.0084	0.0074 U	0.0076 U	0.05			
Total Naphthalene	5	1,600	0.0073 U	0.0071 U	0.061	0.58	0.0374	0.0074 U	0.0076 U	0.111			
Benz(a)anthracene	ne	1.4	0.0073 U	0.0071 U	0.039	0.03	0.0072 U	0.0074 U	0.0076 U	0.0077 U			
Benzo(a)pyrene	0.1	0.14	0.0073 U	0.0071 U	0.058	0.03	0.0083	0.0074 U	0.0076 U	0.0077 U			
Benzo(b)fluoranthene	ne	<u>1.4</u>	0.0073 U	0.0071 U	0.068	0.038	0.016	0.0074 U	0.0076 U	0.0077 U			
Benzo(j,k)fluoranthene	ne	ne	0.0073 U	0.0071 U	0.023	0.0099	0.0072 U	0.0074 U	0.0076 U	0.0077 U			
Chrysene	ne	140	0.0073 U	0.0071 U	0.048	0.039	0.012	0.0074 U	0.0076 U	0.0077 U			
Dibenzo(a,h)anthracene	ne	0.14	0.0073 U	0.0071 U	0.0084	0.0073 U	0.0072 U	0.0074 U	0.0076 U	0.0077 U			
Indeno(1,2,3-cd)pyrene	ne	1.4	0.0073 U	0.0071 U	0.043	0.022	0.014	0.0074 U	0.0076 U	0.0077 U			
Total cPAHs TEQ (ND = 1/2 RD	0.1	0.14	0.0055115 U	0.0053605 U	0.07662	0.040745	0.0125	0.005587 U	0.005738 U	0.0058135 U			
PCBs <sup>⁵</sup> (mg/kg)													
Aroclor 1016	ne	5.6	0.055 U	0.053 U	0.055 U	0.055 U	0.054 U	0.055 U	0.057 U	0.058 U			
Aroclor 1221	ne	ne	0.055 U	0.053 U	0.055 U	0.055 U	0.054 U	0.055 U	0.057 U	0.058 U			
Aroclor 1232	ne	ne	0.055 U	0.053 U	0.055 U	0.055 U	0.054 U	0.055 U	0.057 U	0.058 U			
Aroclor 1242	ne	ne	0.055 U	0.053 U	0.055 U	0.055 U	0.054 U	0.055 U	0.057 U	0.058 U			
Aroclor 1248	ne	ne	0.055 U	0.053 U	0.055 U	0.055 U	0.054 U	0.055 U	0.057 U	0.058 U			
Aroclor 1254	ne	0.5	0.055 U	0.053 U	0.055 U	0.055 U	0.054 U	0.055 U	0.057 U	0.058 U			
Aroclor 1260	ne	0.5	0.055 U	0.053 U	0.055 U	0.055 U	0.054 U	0.055 U	0.057 U	0.058 U			
Total PCBs (Sum of Aroclors)	1	0.5	0.055 U	0.053 U	0.055 U	0.055 U	0.054 U	0.055 U	0.057 U	0.058 U			

# Table 2. Plant Site Investigation Soil Results - TPH, BTEX, Metals, PAHs, and PCBsProject No. 160315, Reserve Silica Plant Site, Ravensdale, Washington

Investigation Area				Electrical Trar	nsformer Area					Ма	in Processing A	rea			
Location Name		•	SS-1	SS-2	SS-3	SS-4	TP-9	TP-10	TP-11	TP-12	TP-13	TP-14	TP-15	TP-16	TP-17
Sample Date	MTCA Method A	MTCA Mathad D	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/27/2019	02/27/2019	02/27/2019
Sample ID		MTCA Method B	SS-1	SS-2	SS-3	SS-4	TP-9-3.0	TP-10-1.8	TP-11-1.8	TP-12-1.0	TP-13-1.8	TP-14-1.0	TP-15-1.0	TP-16-0.5	TP-17-1.0
Depth	Unrestricted	Most Restrictive	surface	surface	surface	surface	3 ft	1.8 ft	1.8 ft	1 ft	1.8 ft	1 ft	1 ft	0.5 ft	1 ft
	Land Use	Cleanup Level	Suilace	Suilace	Suilace	Sunace	511	1.0 IL	1.0 It	110	1.0 IL	110	110	0.5 ft	110
Petroleum Hydrocarbons <sup>1</sup> (mg/	5/	(500				n	1		1				1		1
Gasoline Range Organics	100	1500													
Diesel Range Organics Motor Oil Range Organics	2,000 2,000	ne					27 U	28 U	29 U	30 X	61 U 560	45 X	70 U 720	29 U 120	30 U 60 U
Mineral Oil Range Organics	4.000	ne ne	 27 U	3.400	 31 U	 39 U	72	79	59	73		86		1	
BTEX <sup>2</sup> (mg/kg)	4,000	ne	27.0	3,400	310	39 0									
	0.00	40					0.000.11	0.000.11	0.000.11	0.000.11	0.000.11	0.000.11	0.000.11	0.000.11	0.000.11
Benzene	0.03	18					0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
	1	6,400					0.065 U	0.066 U	0.069 U	0.068 U	0.066 U	0.061 U	0.064 U	0.062 U	0.079 U
Ethylbenzene	<u> </u>	8,000 16.000					0.065 U	0.066 U	0.069 U	0.068 U 0.068 U	0.066 U 0.066 U	0.061 U	0.064 U 0.064 U	0.062 U 0.062 U	0.079 U
Total Xylenes	Э	10,000					0.065 U	0.066 U	0.069 U	U.008 U	0.000 0	0.061 U	0.004 0	0.062 0	0.079 U
Metals <sup>3</sup> (mg/kg)	0.2	0.07							,						
Arsenic	20	0.67													
Barium	ne	16,000													
Cadmium	2	80													
Chromium	ne	ne													
Lead	250	ne													
Mercury	2	24 400													
Selenium	ne	400 400													
Silver	ne	400													
cPAHs and Naphthalenes <sup>4</sup> (mg/	0,	0.5				1	0.0070.11		0.0077.11		0.007411		0.0070.11	0.0070.11	0.0070.11
1-Methylnaphthalene	ne	35					0.0073 U	0.0081	0.0077 U	0.073	0.0074 U	0.015	0.0072 U	0.0076 U	0.0079 U
2-Methylnaphthalene	ne	320					0.0073 U	0.0076 U	0.0077 U	0.071	0.0074 U	0.013	0.0072 U	0.0076 U	0.0079 U
Naphthalene	ne	1,600					0.0073 U	0.0076 U	0.0088	0.045	0.01	0.0077	0.0072 U	0.0076 U	0.0079 U
Total Naphthalene	5	1,600					0.0073 U	0.0081	0.0088	0.189	0.01	0.0357	0.0072 U	0.0076 U	0.0079 U
Benz(a)anthracene	ne	1.4					0.0073 U	0.0076 U	0.0077 U	0.014	0.0074 U	0.0072 U	0.0072 U	0.0076 U	0.0079 U
Benzo(a)pyrene	0.1	0.14					0.0073 U	0.0076 U	0.0077 U	0.009	0.0074 U	0.0072 U	0.0072 U	0.0076 U	0.0079 U
Benzo(b)fluoranthene	ne	<u>1.4</u>					0.0073 U 0.0073 U	0.0076 U 0.0076 U	0.0077 U 0.0077 U	<b>0.014</b> 0.0074 U	0.0074 U 0.0074 U	0.0072 U 0.0072 U	0.0072 U 0.0072 U	0.0076 U 0.0076 U	0.0079 U 0.0079 U
Benzo(j,k)fluoranthene	ne ne	ne 140					0.0073 U	0.0076 U	0.0077 U	0.0074 0	0.0074 U	0.0072 U	0.0072 U	0.0076 U	0.0079 U
Chrysene Dibenzo(a,h)anthracene	ne	0.14					0.0073 U	0.0076 U	0.0077 U	0.0015 0.0074 U	0.0074 U	0.0072 U	0.0072 U	0.0076 U	0.0079 U
Indeno(1,2,3-cd)pyrene	ne	1.4					0.0073 U	0.0076 U	0.0077 U	0.0074 0	0.0074 U	0.0072 U	0.0072 U	0.0076 U	0.0079 U
Total cPAHs TEQ (ND = 1/2 RDI	0.1	0.14					0.0073 U 0.0055115 U	0.0078 U	0.0077 0 0.0058135 U	0.01358	0.0074 0 0.005587 U	0.0072 0 0.005436 U	0.0072 0 0.005436 U	0.0078 U	0.0079 U 0.0059645 U
PCBs <sup>5</sup> (mg/kg)	0.1	0.17					0.0000110.0	0.0007000	0.00001000	0.01000	0.000007 0	0.000-000	0.000-000	0.0007000	0.00000400
Aroclor 1016	ne	5.6	0.055 U	0.059 U	0.062 U	0.060 U									
Aroclor 1221	ne	5.6 ne	0.055 U	0.059 U	0.062 U	0.060 U									
Aroclor 1221 Aroclor 1232	ne	ne	0.055 U	0.059 U	0.062 U	0.060 U									
Aroclor 1232	ne	ne	0.055 U	0.059 U	0.062 U	0.060 U									
Aroclor 1248	ne	ne	0.055 U	0.059 U	0.062 U	0.060 U									
Aroclor 1240	ne	0.5	0.055 U	0.059 U	0.062 U	0.060 U									
Aroclor 1260	ne	0.5	0.055 U	0.059 U	0.062 U	0.060 U									
Total PCBs (Sum of Aroclors)	1	0.5	0.055 U	0.059 U	0.062 U	0.060 U									
		0.0	0.000 0	0.000 0	0.002 0	0.000 0			-						

#### Table 2. Plant Site Investigation Soil Results - TPH, BTEX, Metals, PAHs, and PCBs

Project No. 160315, Reserve Silica Plant Site, Ravensdale, Washington

Investigation Area			Main Processing Area, continued						Main Processing Area, continued						
Location Name			TP-18	TP-19	TP-20	TP-21	TP-22	TP-23	TP-24	TP-25	TP-26	AB-1	AB-2	AB-2	AMW-3
Sample Date			02/27/2019	02/27/2019	02/27/2019	02/27/2019	02/27/2019	02/27/2019	02/27/2019	02/27/2019	02/27/2019	3/30/2017	3/30/2017	3/30/2017	3/29/2017
Sample ID	MTCA Method A	MTCA Method B	TP-18-0.8	TP-19-0.5	TP-20-0.6	TP-21-2.0	TP-22-1.8	TP-23-0.7	TP-24-2.0	TP-25-2.0	TP-26-1.5	AB-1-7.5	AB-2-2.5	AB-2-7.5	AMW-3-7.5
· · · · · · · · · · · · · · · · · · ·	Unrestricted	Most Restrictive	0.8 ft	0.5 ft	0.6 ft	2 ft	1.8 ft	0.7 ft	2 ft	2 ft	1.5 ft	7.5 ft	2.5 ft	7.5 ft	7.5 ft
Depth		Cleanup Level	0.0 IL	0.5 11	0.0 11	2 11	1.0 IL	0.7 11	211	211	1.5 IL	7.5π	2.5 π	7.5 π	7.5 π
Petroleum Hydrocarbons <sup>1</sup> (mg/	0,	1500													
Gasoline Range Organics	100	1500													
Diesel Range Organics	2,000	ne	28 U	27 U	48 X	1,500 X	39 X	28 U	3,200 *	8,500 *	27 U	42 U	1,600	33 U	160
Motor Oil Range Organics	2,000	ne	57 U	54 U	200	2,400 X	99	150	1,000 X	1,800 X	83	84 U	3,000	67 U	350
Mineral Oil Range Organics	4,000	ne													
BTEX <sup>2</sup> (mg/kg)															
Benzene	0.03	18	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.026 U	0.023 U	0.020 U	0.021 U	0.020 UJ	0.020 U	0.022 U
Toluene	7	6,400	0.070 U	0.058 U	0.058 U	0.079 U	0.083 U	0.060 U	0.13 U	0.11 U	0.060 U	0.11 U	0.072 UJ	0.071 U	0.11 U
Ethylbenzene	6	8,000	0.070 U	0.058 U	0.058 U	0.079 U	0.083 U	0.060 U	0.13 U	0.11 U	0.060 U	0.11 U	0.072 UJ	0.071 U	0.11 U
Total Xylenes	9	16,000	0.070 U	0.058 U	0.058 U	0.079 U	0.083 U	0.060 U	0.13 U	0.46	0.060 U	0.11 U	0.072 UJ	0.071 U	0.11 U
Metals <sup>3</sup> (mg/kg)															
Arsenic	20	0.67													
Barium	ne	16,000													
Cadmium	2	80													
Chromium	ne	ne													
Lead	250	ne													
Mercury	2	24													
Selenium	ne	400													
Silver	ne	400													
cPAHs and Naphthalenes <sup>4</sup> (mg	/kg)														
1-Methylnaphthalene	ne	35	0.0076 U	0.0072 U	0.016	0.0080 U	0.0084 U	0.012	2.7	15	0.0072 U	0.036	23	0.017	0.066
2-Methylnaphthalene	ne	320	0.0076 U	0.0072 U	0.014	0.0099	0.0084 U	0.013	2.9	23	0.0072 U	0.059	43	0.03	0.098
Naphthalene	ne	1,600	0.0076 U	0.0072 U	0.0075 U	0.0080 U	0.0084 U	0.0074 U	0.68	3.2	0.0072 U	0.13	63	0.077	0.17
Total Naphthalene	5	1,600	0.0076 U	0.0072 U	0.03	0.0099	0.0084 U	0.025	6.28	41.2	0.0072 U	0.225	129	0.124	0.334
Benz(a)anthracene	ne	1.4	0.0076 U	0.0072 U	0.0075 U	0.014	0.0084 U	0.0074 U	0.011	0.014	0.0072 U	0.011 U	5.4	0.0089 U	0.019
Benzo(a)pyrene	0.1	0.14	0.0076 U	0.0072 U	0.0075 U	0.0080 U	0.0084 U	0.0074 U	0.0072 U	0.0071 U	0.0072 U	0.011 U	0.75	0.0089 U	0.012
Benzo(b)fluoranthene	ne	1.4	0.0076 U	0.0072 U	0.0075 U	0.0092	0.0084 U	0.0074 U	0.0072 U	0.0086	0.0072 U	0.011 U	1.6	0.0089 U	0.011 U
Benzo(j,k)fluoranthene	ne	ne	0.0076 U	0.0072 U	0.0075 U	0.0080 U	0.0084 U	0.0074 U	0.0072 U	0.0071 U	0.0072 U	0.011 U	0.61	0.0089 U	0.011 U
Chrysene	ne	140	0.0076 U	0.0072 U	0.0075 U	0.037	0.0084 U	0.0074 U	0.037	0.074	0.0072 U	0.011 U	4.5	0.0089 U	0.013
Dibenzo(a,h)anthracene	ne	0.14	0.0076 U	0.0072 U	0.0075 U	0.0080 U	0.0084 U	0.0074 U	0.0072 U	0.0071 U	0.0072 U	0.011 U	0.43 U	0.0089 U	0.011 U
Indeno(1,2,3-cd)pyrene	ne	1.4	0.0076 U	0.0072 U	0.0075 U	0.0080 U	0.0084 U	0.0074 U	0.0072 U	0.0071 U	0.0072 U	0.011 U	0.43 U	0.0089 U	0.011 U
Total cPAHs TEQ (ND = 1/2 RDI	0.1	0.14	0.005738 U	0.005436 U	0.0056625 U	0.00789	0.006342 U	0.005587 U	0.00651	0.007615	0.005436 U	0.008305 U	1.599	0.0067195 U	0.01623
PCBs⁵ (mg/kg)			L				1								
Aroclor 1016	ne	5.6													
Aroclor 1221	ne	ne													
Aroclor 1232	ne	ne													
Aroclor 1242	ne	ne													
Aroclor 1248	ne	ne													
Aroclor 1254	ne	0.5													
Aroclor 1260	ne	0.5													
Total PCBs (Sum of Aroclors)	1	0.5													
	•		Notes:		1		1		1	1	1	1		1	

Notes:

<sup>1</sup>Petroleum hydrocarbons analyzed using Northwest Methods NWTPH-Gx and NWTPH-Dx.

<sup>2</sup>Benzene (B), toluene (T), ethylbenzene (E), and xylenes (X) analyzed using Environmental Protection Agency (EPA) method 8021E

<sup>3</sup>Total metals (As. Ba. Cd. Cr. Pb. Ha. Se. and Aa) by EPA method 6010C/7471E
<sup>4</sup>Carcinogenic polycyclic aromatic hydrocarbons (cPAHs) and naphthalenes by EPA method 8270D/SIN

<sup>b</sup>Polychlorinated biphenols (PBCs) analyzed using EPA method 8082/

mg/kg = milligrams per kilogram (parts per million)

ft = feet below ground surface

MTCA= Model Toxics Control Act

J = the internal standard associated with the analyte is out of control limits and the reported concentration is an estimate.

#### ne = not established

X = Chromatographic pattern did not match fuel pattern. -- = analyte not tested

U = analyte was not detected at a concentration greater than the indicated laboratory reporting limit. \* = Chromatigraphic pattern was interpretted to represent Diesel Fuel #2 by the laboratory Bold denotes a detected concentration.

Shading indicates a concentration that exceeds the MTCA Method A cleanup level, or

Method B cleanup level where Method A is not established.

#### Table 3. Plant Site Investigation Soil Results - VOCs

Project No. 160315, Reserve Silica Plant Site, Ravensdale, Washington

Location Name		MICA Method	TP-1	TP-2	TP-3	TP-4	TP-5	TP-6	TP-7	TP-8
Sample Date		B Most	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019	02/26/2019
Sample ID		Restrictive	TP-1-1.0	TP-2-1.8	TP-3-1.3	TP-4-1.0	TP-5-1.0	TP-6-1.0	TP-7-1.0	TP-8-1.5
Depth (bgs)		Cleanup Level	1 ft	1.8 ft	1.3 ft	1 ft	1 ft	1 ft	1 ft	1.5 ft
HVOCs <sup>1</sup> (mg/kg)										
		20	0.001411	0.001411	0.001011	0.001211	0.001011	0.001411	0.001411	0.001011
1,1,1,2-Tetrachloroethane	ne	38	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,1,1-Trichloroethane	2	160,000	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,1,2,2-Tetrachloroethane	ne	5	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,1,2-Trichloroethane	ne	18	0.0014 U	0.0014 U 0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,1-Dichloroethane	ne	16,000	0.0014 U		0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,1-Dichloroethene	ne	4,000	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,1-Dichloropropene	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,2,3-Trichlorobenzene	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,2,3-Trichloropropane	ne	0.033	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,2,4-Trichlorobenzene	ne	35	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,2-Dibromo-3-chloropropane	ne	1.3	0.0068 U	0.0069 U	0.0062 U	0.0065 U	0.0058 U	0.0068 U	0.0071 U	0.0062 U
1,2-Dibromoethane (EDB)	0.005	0.5	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,2-Dichlorobenzene	ne	7,200	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,2-Dichloroethane (EDC)	ne	11	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,2-Dichloropropane	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,3-Dichlorobenzene	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,3-Dichloropropane	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
1,4-Dichlorobenzene	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
2,2-Dichloropropane	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
2-Chloroethyl Vinyl Ether	ne	ne	0.0096 U	0.0098 U	0.0088 U	0.0092 U	0.0082 U	0.0097 U	0.010 U	0.0088 U
2-Chlorotoluene	ne	1,600	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
4-Chlorotoluene	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Bromobenzene	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Bromochloromethane	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Bromodichloromethane	ne	16	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Bromoform	ne	130	0.0068 U	0.0069 U	0.0062 U	0.0065 U	0.0058 U	0.0068 U	0.0071 U	0.0062 U
Bromomethane	ne	110	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Carbon Tetrachloride	ne	14	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Chlorobenzene	ne	1,600	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Chloroethane	ne	ne	0.0068 U	0.0069 U	0.0062 U	0.0065 U	0.0058 U	0.0068 U	0.0071 U	0.0062 U
Chloroform	ne	800	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Chloromethane	ne	ne	0.0068 U	0.0069 U	0.0062 U	0.0065 U	0.0058 U	0.0068 U	0.0071 U	0.0062 U
cis-1,2-Dichloroethene (DCE)	ne	160	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
cis-1,3-Dichloropropene	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Dibromochloromethane	ne	12	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Dibromomethane	ne	800	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Dichlorodifluoromethane	ne	16,000	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Hexachlorobutadiene	ne	13	0.0068 U	0.0069 U	0.0062 U	0.0065 U	0.0058 U	0.0068 U	0.0071 U	0.0062 U
Methyl tert-butyl ether (MTBE)	0.1	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Methylene Chloride	0.02	130	0.0068 U	0.0069 U	0.0062 U	0.0065 U	0.0058 U	0.0068 U	0.0071 U	0.0062 U
Methyliodide	ne	ne	0.0068 U	0.0069 U	0.0062 U	0.0065 U	0.0058 U	0.0068 U	0.0071 U	0.0062 U
Tetrachloroethene (PCE)	0.05	480	0.0014 U	0.0014 U	0.0002 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0002 U
trans-1,2-Dichloroethene	ne	1,600	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
trans-1,3-Dichloropropene	ne	ne	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Trichloroethene (TCE)	0.03	12	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U
Trichlorofluoromethane		24,000	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U 0.0012 U
	ne									
Vinyl Chloride	ne	0.67	0.0014 U	0.0014 U	0.0012 U	0.0013 U	0.0012 U	0.0014 U	0.0014 U	0.0012 U

Notes: Halogenated volatile organic compounds (HVOCs) analyzed by EPA Method 8260C.

mg/kg = milligrams per kilogram (parts per million)

MTCA= Model Toxics Control Act

U = analyte was not detected at a concentration greater than the indicated laboratory reporting limit.

J = the internal standard associated with the analyte is out of control limits and the reported concentration is an estimate.

-- = analyte not tested

ft = feet below ground surface

Bold denotes a detected concentration.


Shading indicates a concentration that exceeds the MTCA Method A regulatory cleanup level. ne = not established Project No. 160315, Reserve Silica Ravensdale Site, Ravensdale, Washington

Sample		Sample	T	(pH=12) (n	(mg/L)		
Identification	%slag by weight	Туре	Arsenic	Lead	Iron	Manganese	
ATP-1	53%	Bulk Soil	5.07	1 U	6.75	1 U	
AIF-I	55%	Slag Only	1 U	1 U	5 U	1 U	
ATP-2	6%	Bulk Soil	1 U	1 U			
ATF-2	0 /0	Slag Only	1 U	1 U			
ATP-3	5%	Bulk Soil	1 U	1 U	9.44	1 U	
ATF-3	570	Slag Only	1.7	1 U	18.8	1 U	
ATP-4	20%	Bulk Soil	1 U	1 U			
ATP-4	20%	Slag Only	1 U	1 U			

Test Methods:

Aspect collected bulk soil samples from four test pits advanced in the Lower Haul Road, where previous investigation work identified slag fragments mixed in road bed soils. Half of each bulk soil sample was processed in Aspect's geotechnical laboratory to estimate the percent of slag, by weight, in each of the bulk samples. Following processing, slag only samples were collected for separate laboratory processing and analysis. Friedman & Bruya, Inc. tumbled bulk soil and slag only samples in deionized water, adjusted to pH 12 with sodium hydroxide. After tumbling, the pH was checked and confirmed to still be 12. The liquid was analyzed for TCLP Metals by EPA Method 6020A and 1311 mod.

# FIGURES




Basemap Layer Credits || Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community Copyright:© 2014 Esri




Basemap Layer Credits || Pictometry International Corp. Copyright:© 2014 Esri Esri, HERE, Garmin, © OpenStreetMap contributors, and the GIS user community


1 1	Aspect	MAR-2019	BY: CEB / RAP	FIGURE NO.
A Van	CONSULTING	PROJECT NO. 160315	REVISED BY:	2




Aspect	MAR-2019	BY: CEB / RAP	FIGURE NO.
CONSULTING	PROJECT NO. 160315	REVISED BY: ALC / RAP	3



	MAR-2019	BY: CEB / RAP	FIGURE NO.
CONSULTING	PROJECT NO. 160315	REVISED BY: ALC / RAP	4







Basemap Layer Credits || Pictometry, King County

## **APPENDIX A**


**Test Pit Logs** 




OLD STANDARD EXPLORATION LOG TEMPLATE P:\GINTWPROJECTSIRESERVE SILICA- 160315.GPJ March 28, 2019




OLD STANDARD EXPLORATION LOG TEMPLATE P:/GINTW/PROJECTS/RESERVE SILICA- 160315.GPJ March 28, 2019







OLD STANDARD EXPLORATION LOG TEMPLATE P:\GINTWAPROJECTS\RESERVE SILICA- 160315.GPJ March 28, 2019




OLD STANDARD EXPLORATION LOG TEMPLATE P:\GINTWPROJECTS\RESERVE SILICA- 160315.GPJ March 22, 2019




OLD STANDARD EXPLORATION LOG TEMPLATE P/GINTWPROJECTS/RESERVE SILICA- 160315.GPJ March 22, 2019




OLD STANDARD EXPLORATION LOG TEMPLATE PAGINTWPROJECTSIRESERVE SILICA- 160315.GPJ March 22, 2019




OLD STANDARD EXPLORATION LOG TEMPLATE P/GINTWPROJECTS/RESERVE SILICA- 160315.GPJ March 22, 2019




OLD STANDARD EXPLORATION LOG TEMPLATE P/GINTWPROJECTS/RESERVE SILICA- 160315.GPJ March 22, 2019




OLD STANDARD EXPLORATION LOG TEMPLATE P:\GINTWPROJECTS\RESERVE SILICA- 160315.GPJ March 22, 2019





OLD STANDARD EXPLORATION LOG TEMPLATE P/GINTWPROJECTS/RESERVE SILICA- 160315.GPJ March 22, 2019





OLD STANDARD EXPLOPATION LOG TEMPLATE P:\GINTWPROJECTS\RESERVE SILICA- 160315.GPJ March 22, 2019


















































## **APPENDIX B**

Photographs

## Lower Haul Road



Photograph 1. ATP-1



Photograph 2. ATP-1 (2)



Photograph 3. ATP-1 (3)



Photograph 4. ATP-1 (4)



Photograph 5. ATP-1 (5)



Photograph 6. ATP-1 (6)



Photograph 7. ATP-2



Photograph 8. ATP-2 (2)



Photograph 9. ATP-2 (3)



Photograph 10. ATP-3



Photograph 11. ATP-3 (2)



Photograph 12. ATP-3 (3)



Photograph 13. ATP-4



Photograph 14. ATP-4 (2)



Photograph 15. ATP-4 (3)



Photograph 16. ATP-4 (4)



## Plant Site – Hazardous Material Storage Area

Photograph 17. TP-1



Photograph 18. TP-1 (2)



Photograph 19. TP-1 (3)



Photograph 20. TP-1 (4)



Photograph 21. TP-2



Photograph 22. TP-2 (2)



Photograph 23. TP-2 (3)



Photograph 24. TP-2 (4)



Photograph 25. TP-3



Photograph 26. TP-3 (2)



Photograph 27. TP-4



Photograph 28. TP-4 (2)



Photograph 29. TP-4 (3)



Photograph 30. TP-4 (4)



Photograph 31. TP-4 (5)



Photograph 32. TP-5



Photograph 33. TP-5 (2)



Photograph 34. TP-5 (3)



Photograph 35. TP-6



Photograph 36. TP-6 (2)



Photograph 37. TP-6 (3)



Photograph 38. TP-6 (4)



Photograph 39. TP-7



Photograph 40. TP-7 (2)



Photograph 41. TP-7 (3)



Photograph 42. TP-8

## Plant Site – Main Processing Area



Photograph 43. TP-9



Photograph 44. TP-10



Photograph 45. TP-10 (2)



Photograph 46. TP-10 (3)



Photograph 47. TP-10 (4)



Photograph 48. TP-11



Photograph 49. TP-11 (2)



Photograph 50. TP-11 (3)



Photograph 51. TP-12



Photograph 52. TP-12 (2)



Photograph 53. TP-12 (3)



Photograph 54. TP-13



Photograph 55. TP-13 (2)



Photograph 56. TP-13 (3)



Photograph 57. TP-13 (4)



Photograph 58. TP-13 (5)



Photograph 59. TP-14



Photograph 60. TP-14 (2)



Photograph 61. TP-14 (3)



Photograph 62. TP-14 (4)



Photograph 63. TP-15



Photograph 64. TP-15 (2)



Photograph 65. TP-15 (3)



Photograph 66. TP-15 (4)



Photograph 67. TP-16



Photograph 68. TP-16 (2)



Photograph 69. TP-16 (3)



Photograph 70. TP-16 (4)



Photograph 71. TP-17



Photograph 72. TP-17 (2)



Photograph 73. TP-17 (3)



Photograph 74. TP-18



Photograph 75. TP-18 (2)



Photograph 76. TP-19



Photograph 77. TP-19 (2)



Photograph 78. TP-20



Photograph 79. TP-20 (2)



Photograph 80. TP-20 (3)



Photograph 81. TP-21



Photograph 82. TP-21 (2)



Photograph 83. TP-21 (3)



Photograph 84. TP-21 (4)



Photograph 85. TP-21 (5)



Photograph 86. TP-21 (6)



Photograph 87. TP-22



Photograph 88. TP-22 (2)



Photograph 89. TP-22 (3)



Photograph 90. TP-22 (4)



Photograph 91. TP-22 (5)



Photograph 92. TP-22 (6)



Photograph 93. TP-23



Photograph 94. TP-23 (2)



Photograph 95. TP-23 (3)



Photograph 96. TP-24



Photograph 97. TP-24 (2)



Photograph 98. TP-24 (3)



Photograph 99. TP-4 (4)



Photograph 100. TP-24 (5)



Photograph 101. TP-24 (6)



Photograph 102. TP-24 (7)



Photograph 103. TP-25



Photograph 104. TP-25 (2)




Photograph 105. TP-25 (3)



Photograph 106. TP-25 (4)



Photograph 107. TP-25 (5)



Photograph 108. TP-25 (6)



Photograph 109. TP-26



Photograph 110. TP-26 (2)



Photograph 111. TP-26 (3)



Photograph 112. TP-26 (4)



Photograph 113. TP-26 (5)



Photograph 114. TP-26 (6)



Photograph 115. TP-26 (7)

# **APPENDIX C**

Laboratory Results



14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 • (425) 883-3881

March 8, 2019

Carla Brock Aspect Consulting Dexter Horton Building 710 2nd Avenue, Suit 550 Seattle, WA 98104

Re: Analytical Data for Project 160315 Laboratory Reference No. 1902-177

Dear Carla:

Enclosed are the analytical results and associated quality control data for samples submitted on February 27, 2019.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

David Baumeister Project Manager

Enclosures



Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

# **Case Narrative**

Samples were collected on February 26 and 27, 2019 and received by the laboratory on February 27, 2019. They were maintained at the laboratory at a temperature of  $2^{\circ}$ C to  $6^{\circ}$ C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

# PAHs EPA 8270D/SIM Analysis

Samples TP-24-2.0 and TP-25-2.0 each had one surrogate recovery out of control limits. This is within allowance of our standard operating procedure as long as the recovery is above 10%.

Any other QA/QC issues associated with this extraction and analysis will be indicated with a footnote reference and discussed in detail on the Data Qualifier page.



Matrix: Soil Units: mg/kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-1-1.0					
Laboratory ID:	02-177-05					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.064	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.064	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.064	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.064	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	6.4	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	84	57-129				
Client ID:	TP-2-1.8					
Laboratory ID:	02-177-06					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.067	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.067	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.067	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.067	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	6.7	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	93	57-129				
Client ID:	TP-3-1.3					
Laboratory ID:	02-177-07					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.066	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.066	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.066	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.066	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	6.6	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	97	57-129				



Matrix: Soil Units: mg/kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-4-1.0					
Laboratory ID:	02-177-08					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.064	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.064	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.064	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.064	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	6.4	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	96	57-129				
Client ID:	TP-5-1.0					
Laboratory ID:	02-177-09					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.063	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.063	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.063	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.063	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	6.3	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	92	57-129				
Client ID:	TP-6-1.0					
Laboratory ID:	02-177-10					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.061	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.061	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.061	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.061	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	6.1	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	93	57-129				



4

Matrix: Soil Units: mg/kg (ppm)

5 5 4 1 7				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-7-1.0					
Laboratory ID:	02-177-11					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.075	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.075	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.075	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.075	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	7.5	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	116	57-129				
Client ID:	TP-8-1.5					
Laboratory ID:	02-177-12					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.069	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.069	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.069	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.069	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	6.9	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	92	57-129				
Client ID:	TP-9-3.0					
Laboratory ID:	02-177-13					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.065	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.065	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.065	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.065	EPA 8021B	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	96	57-129				
Client ID:	TP-10-1.8					
Laboratory ID:	02-177-14					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.066	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.066	EPA 8021B	2-28-19	3-1-19	
n,p-Xylene	ND	0.066	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.066	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

5

Matrix: Soil Units: mg/kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-11-1.8					
Laboratory ID:	02-177-15					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.069	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.069	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.069	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.069	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	88	57-129				
Client ID:	TP-12-1.0					
Laboratory ID:	02-177-16					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.068	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.068	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.068	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.068	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	90	57-129				
Client ID:	TP-13-1.8					
Laboratory ID:	02-177-17					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-4-19	
Toluene	ND	0.066	EPA 8021B	2-28-19	3-4-19	
Ethyl Benzene	ND	0.066	EPA 8021B	2-28-19	3-4-19	
m,p-Xylene	ND	0.066	EPA 8021B	2-28-19	3-4-19	
o-Xylene	ND	0.066	EPA 8021B	2-28-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	95	57-129				
Client ID:	TP-14-1.0					
Laboratory ID:	02-177-18					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.061	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.061	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.061	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.061	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	84	57-129				



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

Matrix: Soil Units: mg/kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-15-1.0					
Laboratory ID:	02-177-19					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.064	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.064	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.064	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.064	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	91	57-129				
Client ID:	TP-16-0.5					
Laboratory ID:	02-177-20					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.062	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.062	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.062	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.062	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	76	57-129				
Client ID:	TP-17-1.0					
Laboratory ID:	02-177-21					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.079	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.079	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.079	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.079	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	88	57-129				
Client ID:	TP-18-0.8					
Laboratory ID:	02-177-22					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.070	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.070	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.070	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.070	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	95	57-129				



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

Matrix: Soil Units: mg/kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-19-0.5					
Laboratory ID:	02-177-23					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.058	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.058	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.058	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.058	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	91	57-129				
Client ID:	TP-20-0.6					
Laboratory ID:	02-177-24					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.058	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.058	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.058	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.058	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	89	57-129				
Client ID:	TP-21-2.0					
Laboratory ID:	02-177-25					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.079	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.079	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.079	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.079	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	88	57-129				
Client ID:	TP-22-1.8					
Laboratory ID:	02-177-26					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.083	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.083	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.083	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.083	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	100	57-129				



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

Matrix: Soil Units: mg/kg (ppm)

0 0 (1 )				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-23-0.7					
Laboratory ID:	02-177-27					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.060	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.060	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.060	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.060	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	96	57-129				
Client ID:	TP-24-2.0					
Laboratory ID:	02-177-28					
Benzene	ND	0.026	EPA 8021B	2-28-19	3-4-19	
Toluene	ND	0.13	EPA 8021B	2-28-19	3-4-19	
Ethyl Benzene	ND	0.13	EPA 8021B	2-28-19	3-4-19	
m,p-Xylene	ND	0.13	EPA 8021B	2-28-19	3-4-19	
o-Xylene	ND	0.13	EPA 8021B	2-28-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	88	57-129				
Client ID:	TP-25-2.0					
Laboratory ID:	02-177-29					
Benzene	ND	0.023	EPA 8021B	2-28-19	3-4-19	
Toluene	ND	0.11	EPA 8021B	2-28-19	3-4-19	
Ethyl Benzene	ND	0.11	EPA 8021B	2-28-19	3-4-19	
m,p-Xylene	0.31	0.11	EPA 8021B	2-28-19	3-4-19	
o-Xylene	0.15	0.11	EPA 8021B	2-28-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	99	57-129				
Client ID:	TP-26-1.5					
Laboratory ID:	02-177-30					
Benzene	ND	0.020	EPA 8021B	2-28-19	3-1-19	
Toluene	ND	0.060	EPA 8021B	2-28-19	3-1-19	
Ethyl Benzene	ND	0.060	EPA 8021B	2-28-19	3-1-19	
m,p-Xylene	ND	0.060	EPA 8021B	2-28-19	3-1-19	
o-Xylene	ND	0.060	EPA 8021B	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	93	57-129				



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

#### GASOLINE RANGE ORGANICS/BTEX NWTPH-Gx/EPA 8021B QUALITY CONTROL

Matrix: Soil Units: mg/kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0228S2					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	5.0	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	93	57-129				
Laboratory ID:	MB0228S3					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	93	57-129				
Laboratory ID:	MB0228S4					
Benzene	ND	0.020	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	0.050	EPA 8021B	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	93	57-129				

OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

#### GASOLINE RANGE ORGANICS/BTEX NWTPH-Gx/EPA 8021B QUALITY CONTROL

Matrix: Soil Units: mg/kg (ppm)

					Source		cent	Recovery		RPD	
Analyte	Res	sult	Spike	Level	Result	Reco	overy	Limits	RPD	Limit	Flags
DUPLICATE											
Laboratory ID:		75-04									
	ORIG	DUP									
Benzene	ND	ND	NA	NA			IA	NA	NA	30	
Toluene	ND	ND	NA	NA			IA	NA	NA	30	
Ethyl Benzene	ND	ND	NA	NA		N	IA	NA	NA	30	
m,p-Xylene	ND	ND	NA	NA		N	IA	NA	NA	30	
o-Xylene	ND	ND	NA	NA		N	IA	NA	NA	30	
Surrogate:											
Fluorobenzene						96	96	57-129			
DUPLICATE											
Laboratory ID:	02-17	75-05									
	ORIG	DUP									
Benzene	ND	ND	NA	NA		N	IA	NA	NA	30	
Toluene	ND	ND	NA	NA		N	IA	NA	NA	30	
Ethyl Benzene	ND	ND	NA	NA		N	IA	NA	NA	30	
m,p-Xylene	ND	ND	NA	NA		N	IA	NA	NA	30	
o-Xylene	ND	ND	NA	NA			IA	NA	NA	30	
Surrogate:											
Fluorobenzene						98	96	57-129			
SPIKE BLANKS											
Laboratory ID:	SB02	28S1									
	SB	SBD	SB	SBD		SB	SBD				
Benzene	0.975	0.978	1.00	1.00		98	98	69-111	0	10	
Toluene	1.11	1.07	1.00	1.00		111	107	70-114	4	11	
Ethyl Benzene	1.07	1.07	1.00	1.00		107	107	70-115	0	10	
m,p-Xylene	1.11	1.07	1.00	1.00		111	107	72-115	4	10	
o-Xylene	1.08	1.06	1.00	1.00		108	106	71-115	2	11	
Surrogate:											
Fluorobenzene						100	99	57-129			
Laboratory ID:	SB02	28S2									
	SB	SBD	SB	SBD		SB	SBD				
Benzene	0.960	0.979	1.00	1.00		96	98	69-111	2	10	
Toluene	1.01	1.03	1.00	1.00		101	103	70-114	2	11	
Ethyl Benzene	1.01	1.04	1.00	1.00		101	104	70-115	3	10	
m,p-Xylene	0.991	1.02	1.00	1.00		99	102	72-115	3	10	
o-Xylene	1.00	1.03	1.00	1.00		100	103	71-115	3	11	
Surrogate:									<u> </u>		
Fluorobenzene						97	99	57-129			



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

11

Matrix: Water Units: ug/L (ppb)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TRIP BLANK					
Laboratory ID:	02-177-31					
Benzene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	100	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	88	66-117				



Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

#### GASOLINE RANGE ORGANICS/BTEX NWTPH-Gx/EPA 8021B QUALITY CONTROL

Matrix: Water Units: ug/L (ppb)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0228W1					
Benzene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
Toluene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
Ethyl Benzene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
m,p-Xylene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
o-Xylene	ND	1.0	EPA 8021B	2-28-19	2-28-19	
Gasoline	ND	100	NWTPH-Gx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Fluorobenzene	91	66-117				

					Source	Pe	ercent	Recovery		RPD	
Analyte	Res	sult	Spike	Level	Result	Red	covery	Limits	RPD	Limit	Flags
DUPLICATE											
Laboratory ID:	02-16	62-01									
	ORIG	DUP									
Benzene	ND	ND	NA	NA			NA	NA	NA	30	
Toluene	ND	ND	NA	NA			NA	NA	NA	30	
Ethyl Benzene	ND	ND	NA	NA			NA	NA	NA	30	
m,p-Xylene	ND	ND	NA	NA			NA	NA	NA	30	
o-Xylene	ND	ND	NA	NA			NA	NA	NA	30	
Gasoline	ND	ND	NA	NA			NA	NA	NA	30	
Surrogate:											
Fluorobenzene						86	88	66-117			
MATRIX SPIKES											
Laboratory ID:	02-16	62-01									
	MS	MSD	MS	MSD		MS	MSD				
Benzene	46.6	46.8	50.0	50.0	ND	93	94	82-122	0	11	
Toluene	47.3	47.4	50.0	50.0	ND	95	95	83-123	0	12	
Ethyl Benzene	48.1	48.3	50.0	50.0	ND	96	97	83-123	0	12	
m,p-Xylene	46.6	46.8	50.0	50.0	ND	93	94	83-123	0	12	
o-Xylene	47.2	47.3	50.0	50.0	ND	94	95	83-123	0	11	
Surrogate:											

Fluorobenzene

100 99 66-117



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

# DIESEL AND HEAVY OIL RANGE ORGANICS NWTPH-Dx

Matrix: Soil Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SS-1				,	
Laboratory ID:	02-177-01					
Mineral Oil	ND	27	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	84	50-150				
Client ID:	SS-2					
Laboratory ID:	02-177-02					
Mineral Oil	3400	30	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	56	50-150				
Client ID:	SS-3					
Laboratory ID:	02-177-03					
Mineral Oil	ND	31	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	96	50-150				
Client ID:	SS-4					
Laboratory ID:	02-177-04					
Mineral Oil	ND	39	NWTPH-Dx	2-28-19	2-28-19	U1
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	92	50-150				
Client ID:	TP-1-1.0					
Laboratory ID:	02-177-05					
Diesel Range Organics	ND	27	NWTPH-Dx	2-28-19	2-28-19	
Lube Oil	68	55	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	102	50-150				
Client ID:	TP-2-1.8					
Laboratory ID:	02-177-06					
Diesel Range Organics	ND	27	NWTPH-Dx	2-28-19	2-28-19	
Lube Oil Range Organics	ND	53	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

Matrix: Soil Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	TP-3-1.3				-	
_aboratory ID:	02-177-07					
Diesel Range Organics	ND	28	NWTPH-Dx	2-28-19	2-28-19	
ube Oil	74	55	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
p-Terphenyl	100	50-150				
Client ID:	TP-4-1.0					
_aboratory ID:	02-177-08					
Diesel Range Organics	610	140	NWTPH-Dx	2-28-19	3-1-19	Ν
ube Oil Range Organics	1200	270	NWTPH-Dx	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	97	50-150				
Client ID:	TP-5-1.0					
_aboratory ID:	02-177-09					
Diesel Range Organics	ND	91	NWTPH-Dx	2-28-19	2-28-19	U1
ube Oil	850	54	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	100	50-150				
Client ID:	TP-6-1.0					
aboratory ID:	02-177-10					
	02-177-10	28		2-28-10	2-28-10	
Diesel Range Organics	47	28		2-28-19	2-28-19	
Diesel Range Organics	47 64	55	NWTPH-Dx NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	
Diesel Range Organics Lube Oil Range Organics Surrogate:	47 64 Percent Recovery	55 Control Limits				
_aboratory ID: Diesel Range Organics _ube Oil Range Organics Surrogate: p-Terphenyl	47 64	55				
Diesel Range Organics Lube Oil Range Organics Surrogate: p-Terphenyl	47 64 Percent Recovery	55 Control Limits				
Diesel Range Organics Lube Oil Range Organics Surrogate: D-Terphenyl Client ID:	47 64 Percent Recovery 85 TP-7-1.0	55 Control Limits				
Diesel Range Organics Lube Oil Range Organics Surrogate: D-Terphenyl Client ID: Laboratory ID:	47 64 Percent Recovery 85 <b>TP-7-1.0</b> 02-177-11	55 Control Limits 50-150	NWTPH-Dx	2-28-19	2-28-19	
Diesel Range Organics Lube Oil Range Organics Surrogate: p-Terphenyl Client ID: Laboratory ID: Diesel Range Organics	47 64 Percent Recovery 85 TP-7-1.0	55 Control Limits 50-150 280	NWTPH-Dx	2-28-19 2-28-19	<u>2-28-19</u> 3-1-19	
Diesel Range Organics Lube Oil Range Organics Surrogate: p-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil	47 64 Percent Recovery 85 TP-7-1.0 02-177-11 ND 2500	55 Control Limits 50-150 280 570	NWTPH-Dx	2-28-19	2-28-19	
Diesel Range Organics Lube Oil Range Organics Surrogate: p-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil Surrogate:	47 64 Percent Recovery 85 TP-7-1.0 02-177-11 ND	55 Control Limits 50-150 280 570 Control Limits	NWTPH-Dx	2-28-19 2-28-19	<u>2-28-19</u> 3-1-19	S
Diesel Range Organics Lube Oil Range Organics Surrogate: p-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil Surrogate:	47 64 Percent Recovery 85 TP-7-1.0 02-177-11 ND 2500	55 Control Limits 50-150 280 570	NWTPH-Dx	2-28-19 2-28-19	<u>2-28-19</u> 3-1-19	S
Diesel Range Organics Lube Oil Range Organics Surrogate: p-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil Surrogate: p-Terphenyl	47 64 Percent Recovery 85 TP-7-1.0 02-177-11 ND 2500	55 Control Limits 50-150 280 570 Control Limits	NWTPH-Dx	2-28-19 2-28-19	<u>2-28-19</u> 3-1-19	S
Diesel Range Organics Lube Oil Range Organics Surrogate: p-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil Surrogate: p-Terphenyl Client ID:	47 64 Percent Recovery 85 TP-7-1.0 02-177-11 ND 2500 Percent Recovery 	55 Control Limits 50-150 280 570 Control Limits	NWTPH-Dx	2-28-19 2-28-19	<u>2-28-19</u> 3-1-19	S
Diesel Range Organics _ube Oil Range Organics Surrogate: p-Terphenyl Client ID: _aboratory ID: Diesel Range Organics _ube Oil Surrogate: p-Terphenyl Client ID: _aboratory ID:	47 64 Percent Recovery 85 TP-7-1.0 02-177-11 ND 2500 Percent Recovery  TP-8-1.5	55 Control Limits 50-150 280 570 Control Limits	NWTPH-Dx	2-28-19 2-28-19	<u>2-28-19</u> 3-1-19	S
Diesel Range Organics _ube Oil Range Organics Surrogate: p-Terphenyl Client ID: _aboratory ID: Diesel Range Organics _ube Oil Surrogate: p-Terphenyl Client ID: _aboratory ID: Diesel Range Organics	47 64 Percent Recovery 85 TP-7-1.0 02-177-11 ND 2500 Percent Recovery  TP-8-1.5 02-177-12	55 Control Limits 50-150 280 570 Control Limits 50-150	NWTPH-Dx NWTPH-Dx NWTPH-Dx	2-28-19 2-28-19 2-28-19	2-28-19 3-1-19 3-1-19	S
Diesel Range Organics Lube Oil Range Organics Surrogate:	47 64 Percent Recovery 85 TP-7-1.0 02-177-11 ND 2500 Percent Recovery  TP-8-1.5 02-177-12 ND	55 Control Limits 50-150 280 570 Control Limits 50-150 29	NWTPH-Dx NWTPH-Dx NWTPH-Dx	2-28-19 2-28-19 2-28-19 2-28-19	2-28-19 3-1-19 3-1-19 2-28-19	S



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

15

Matrix: Soil Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	TP-9-3.0			-	-	
aboratory ID:	02-177-13					
Diesel Range Organics	ND	27	NWTPH-Dx	2-28-19	2-28-19	
ube Oil	72	55	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	94	50-150				
Client ID:	TP-10-1.8					
aboratory ID:	02-177-14					
Diesel Range Organics	ND	28	NWTPH-Dx	2-28-19	2-28-19	
ube Oil	79	57	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	96	50-150				
Client ID: _aboratory ID:	<b>TP-11-1.8</b> 02-177-15					
	ND	29	NWTPH-Dx	2-28-19	2-28-19	
Diesel Range Organics ₋ube Oil	ND 59	29 58	NWTPH-DX NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	
Surrogate:	Percent Recovery	Control Limits		2-20-13	2-20-13	
o-Terphenyl	88	50-150				
Client ID:	TP-12-1.0					
	00 477 40					
	02-177-16	00		0.00.40	0.00.40	
Diesel Range Organics	30	28	NWTPH-Dx	2-28-19	2-28-19	N
Diesel Range Organics	30 73	56	NWTPH-Dx NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	Ν
Diesel Range Organics Lube Oil Surrogate:	30 73 Percent Recovery	56 Control Limits				N
Laboratory ID: Diesel Range Organics Lube Oil Surrogate: o-Terphenyl	30 73	56				Ν
Diesel Range Organics Lube Oil Surrogate: p-Terphenyl Client ID:	30 73 Percent Recovery 97 TP-13-1.8	56 Control Limits				Ν
Diesel Range Organics Lube Oil Surrogate: D-Terphenyl Client ID: Laboratory ID:	<b>30</b> <b>73</b> Percent Recovery 97	56 Control Limits 50-150	NWTPH-Dx	2-28-19	2-28-19	
Diesel Range Organics Lube Oil Surrogate: D-Terphenyl Client ID: Laboratory ID: Diesel Range Organics	30 73 Percent Recovery 97 TP-13-1.8 02-177-17 ND	56 Control Limits 50-150 61	NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	N U1
Diesel Range Organics Lube Oil Surrogate: D-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil	30 73 Percent Recovery 97 TP-13-1.8 02-177-17 ND 560	56 Control Limits 50-150 61 55	NWTPH-Dx	2-28-19	2-28-19	
Diesel Range Organics Lube Oil Surrogate: D-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil Surrogate:	30 73 Percent Recovery 97 TP-13-1.8 02-177-17 ND 560 Percent Recovery	56 Control Limits 50-150 61 55 Control Limits	NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	
Diesel Range Organics Lube Oil Surrogate: D-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil Surrogate:	30 73 Percent Recovery 97 TP-13-1.8 02-177-17 ND 560	56 Control Limits 50-150 61 55	NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	
Diesel Range Organics Lube Oil Surrogate: D-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil Surrogate: D-Terphenyl	30 73 Percent Recovery 97 TP-13-1.8 02-177-17 ND 560 Percent Recovery	56 Control Limits 50-150 61 55 Control Limits	NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	
Diesel Range Organics Lube Oil Surrogate: D-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil Surrogate: D-Terphenyl Client ID:	30 73 Percent Recovery 97 TP-13-1.8 02-177-17 ND 560 Percent Recovery 96 TP-14-1.0	56 Control Limits 50-150 61 55 Control Limits	NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	
Diesel Range Organics _ube Oil Surrogate: p-Terphenyl Client ID: _aboratory ID: Diesel Range Organics _ube Oil Surrogate: p-Terphenyl Client ID: _aboratory ID:	30 73 Percent Recovery 97 TP-13-1.8 02-177-17 ND 560 Percent Recovery 96 TP-14-1.0 02-177-18	56 Control Limits 50-150 61 55 Control Limits 50-150	NWTPH-Dx NWTPH-Dx NWTPH-Dx	2-28-19 2-28-19 2-28-19	2-28-19 2-28-19	U1
Diesel Range Organics _ube Oil Surrogate: p-Terphenyl Client ID: _aboratory ID: Diesel Range Organics _ube Oil Surrogate: p-Terphenyl Client ID: _aboratory ID: Diesel Range Organics	30 73 Percent Recovery 97 TP-13-1.8 02-177-17 ND 560 Percent Recovery 96 TP-14-1.0 02-177-18 45	56 Control Limits 50-150 61 55 Control Limits 50-150 27	NWTPH-Dx NWTPH-Dx NWTPH-Dx	2-28-19 2-28-19 2-28-19 2-28-19	2-28-19 2-28-19 2-28-19 2-28-19 2-28-19	
Diesel Range Organics Lube Oil Surrogate:	30 73 Percent Recovery 97 TP-13-1.8 02-177-17 ND 560 Percent Recovery 96 TP-14-1.0 02-177-18	56 Control Limits 50-150 61 55 Control Limits 50-150	NWTPH-Dx NWTPH-Dx NWTPH-Dx	2-28-19 2-28-19 2-28-19	2-28-19 2-28-19 2-28-19	U1



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

16

Matrix: Soil Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	TP-15-1.0			-		
Laboratory ID:	02-177-19					
Diesel Range Organics	ND	70	NWTPH-Dx	2-28-19	2-28-19	U1
Lube Oil	720	54	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
p-Terphenyl	104	50-150				
Client ID:	TP-16-0.5					
Laboratory ID:	02-177-20					
Diesel Range Organics	ND	29	NWTPH-Dx	2-28-19	2-28-19	
Lube Oil	120	57	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	101	50-150				
Client ID:	TP-17-1.0					
Laboratory ID:	02-177-21					
Diesel Range Organics	ND	30	NWTPH-Dx	2-28-19	2-28-19	
Lube Oil Range Organics	ND	60	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	89	50-150				
Client ID:	TP-18-0.8					
Laboratory ID:	02-177-22					
Diesel Range Organics	ND	28	NWTPH-Dx	2-28-19	2-28-19	
Lube Oil Range Organics	ND	28 57	NWTPH-Dx NWTPH-Dx	2-28-19	2-28-19	
		Control Limits		2-20-19	2-20-19	
Surrogate:	Percent Recovery 101	50-150				
o-Terphenyl	101	50-750				
Client ID:						
	TP-19-0.5					
	<b>TP-19-0.5</b> 02-177-23					
Laboratory ID:		27	NWTPH-Dx	2-28-19	2-28-19	
Laboratory ID: Diesel Range Organics	02-177-23	27 54	NWTPH-Dx NWTPH-Dx	2-28-19 2-28-19		
Laboratory ID: Diesel Range Organics Lube Oil Range Organics	02-177-23 ND ND				2-28-19 2-28-19	
Laboratory ID: Diesel Range Organics Lube Oil Range Organics Surrogate:	02-177-23 ND	54				
Laboratory ID: Diesel Range Organics Lube Oil Range Organics Surrogate: o-Terphenyl	02-177-23 ND ND Percent Recovery 85	54 Control Limits				
Laboratory ID: Diesel Range Organics Lube Oil Range Organics Surrogate: o-Terphenyl Client ID:	02-177-23 ND ND Percent Recovery 85 TP-20-0.6	54 Control Limits				
Laboratory ID: Diesel Range Organics Lube Oil Range Organics Surrogate: o-Terphenyl Client ID: Laboratory ID:	02-177-23 ND ND Percent Recovery 85 TP-20-0.6 02-177-24	54 Control Limits 50-150	NWTPH-Dx	2-28-19	2-28-19	
Laboratory ID: Diesel Range Organics Lube Oil Range Organics Surrogate: o-Terphenyl Client ID: Laboratory ID: Diesel Range Organics	02-177-23 ND ND Percent Recovery 85 TP-20-0.6 02-177-24 48	54 Control Limits 50-150 28	NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	N
Laboratory ID: Diesel Range Organics Lube Oil Range Organics Surrogate: o-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil	02-177-23 ND ND Percent Recovery 85 TP-20-0.6 02-177-24 48 200	54 Control Limits 50-150 28 56	NWTPH-Dx	2-28-19	2-28-19	N
Laboratory ID: Diesel Range Organics Lube Oil Range Organics Surrogate: o-Terphenyl Client ID: Laboratory ID: Diesel Range Organics Lube Oil Surrogate:	02-177-23 ND ND Percent Recovery 85 TP-20-0.6 02-177-24 48	54 Control Limits 50-150 28	NWTPH-Dx	2-28-19 2-28-19	2-28-19 2-28-19	N



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

17

Matrix: Soil Units: mg/Kg (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	TP-21-2.0				-	
_aboratory ID:	02-177-25					
Diesel Range Organics	1500	270	NWTPH-Dx	2-28-19	3-1-19	
ube Oil Range Organics	2400	540	NWTPH-Dx	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
p-Terphenyl		50-150				S
Client ID:	TP-22-1.8					
_aboratory ID:	02-177-26					
Diesel Range Organics	39	32	NWTPH-Dx	2-28-19	2-28-19	N
Lube Oil	39 99	32 63	NWTPH-DX NWTPH-Dx	2-28-19	2-28-19	IN
Surrogate:	Percent Recovery	Control Limits		2-20-13	2-20-13	
o-Terphenyl	97	50-150				
- тегрпенуі	97	50-150				
Client ID:	TP-23-0.7					
_aboratory ID:	02-177-27					
Diesel Range Organics	ND	28	NWTPH-Dx	2-28-19	2-28-19	
_ube Oil	150	56	NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
o-Terphenyl	110	50-150				
Client ID:	TP-24-2.0					
_aboratory ID:	02-177-28					
Diesel Fuel #2	3200	27	NWTPH-Dx	2-28-19	2-28-19	
_ube Oil Range Organics	1000	54	NWTPH-Dx	2-28-19	2-28-19	N1
Surrogate:	Percent Recovery	Control Limits		2-20-13	2-20-13	
o-Terphenyl	99	50-150				
5- Terphenyi	99	50-750				
Client ID:	TP-25-2.0					
_aboratory ID:	02-177-29					
Diesel Fuel #2	8500	270	NWTPH-Dx	2-28-19	3-1-19	
ube Oil Range Organics	1800	540	NWTPH-Dx	2-28-19	3-1-19	N1
Surrogate:	Percent Recovery	Control Limits				
p-Terphenyl		50-150				S
Client ID:	TP-26-1.5					
_aboratory ID:	02-177-30					
Diesel Range Organics	ND	27	NWTPH-Dx	2-28-19	2-28-19	
_ube Oil	83	54	NWTPH-DX NWTPH-Dx	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits		2-20-13	2-20-13	
o-Terphenyl	102	50-150				
	1112					



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

18

Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

#### DIESEL AND HEAVY OIL RANGE ORGANICS NWTPH-Dx QUALITY CONTROL

Matrix: Soil Units: mg/Kg (ppm)

Analyte		Result		PQL	Ме	thod		Date Prepared	Date Analyz		Flags
METHOD BLANK											
Laboratory ID:		MB0228S1									
Diesel Range Organics		ND		25	NWT	PH-D	<	2-28-19	2-28-1	9	
Lube Oil Range Organics		ND		50	NWT	PH-D	<	2-28-19	2-28-1	9	
Surrogate:	Per	cent Recovery	Сс	ontrol Limits	S						
o-Terphenyl		103		50-150							
Laboratory ID:		MB0228S4									
Diesel Range Organics		ND		25		PH-D		2-28-19	2-28-1	9	
Lube Oil Range Organics		ND		50		PH-D	(	2-28-19	2-28-1	9	
Surrogate:	Per	rcent Recovery	Сс	ontrol Limits	S						
o-Terphenyl		92		50-150							
Laboratory ID:		MB0228S4									
Mineral Oil		ND		25		PH-D	(	2-28-19	2-28-1	9	
Surrogate:	Per	cent Recovery	Сс	ontrol Limits	S						
o-Terphenyl		92		50-150							
					Source	Per	cent	Recovery		RPD	
Analyte	Res	sult	Spik	ke Level	Result	Reco	overy	Limits	RPD	Limit	Flags
DUPLICATE											
Laboratory ID:	02-17	7-05									
(	ORIG	DUP									
Diesel Range	ND	ND	NA	NA		Ν	IA	NA	NA	NA	
Lube Oil	61.9	ND	NA	NA		Ν	IA	NA	NA	NA	
Surrogate:											
o-Terphenyl						102	106	50-150			
Laboratory ID:	02-17										
	ORIG	DUP									
Diesel Range	ND	ND	NA	NA			IA	NA	NA	NA	
Lube Oil	57.2	ND	NA	NA		Ν	IA	NA	NA	NA	
Surrogate:											
o-Terphenyl						88	91	50-150			
Laboratory ID:	02-17	7-30									
	ORIG	DUP			-						
Diesel Range	ND	ND	NA	NA		Ν	IA	NA	NA	NA	
Lube Oil	77.0	75.3	NA	NA			IA	NA	2	NA	
Surrogate:											
o-Terphenyl						102	100	50-150			



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

Matrix: Soil Units: mg/Kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	SS-1					
Laboratory ID:	02-177-01					
Aroclor 1016	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.055	EPA 8082A	2-28-19	3-1-19	
roclor 1248 ND		0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	77	39-130				
Client ID:	SS-2					
Laboratory ID:	02-177-02					
Aroclor 1016	ND	0.059	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.059	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.059	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.059	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.059	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.059	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.059	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	82	39-130				
Client ID:	<b>SS-3</b>					
Laboratory ID:	02-177-03					
Aroclor 1016	ND	0.062	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.062	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.062	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.062	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.062	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.062	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.062	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	76	39-130				



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

Matrix: Soil Units: mg/Kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	SS-4					
Laboratory ID:	02-177-04					
Aroclor 1016	ND	0.060	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.060	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.060	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.060	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.060	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.060	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.060	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	75	39-130				
Client ID:	TP-1-1.0					
Laboratory ID:	02-177-05					
Aroclor 1016	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	86	39-130				
Client ID:	TP-2-1.8					
Laboratory ID:	02-177-06					
Aroclor 1016	ND	0.053	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.053	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.053	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.053	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.053	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.053	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.053	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	91	39-130				



21

Matrix: Soil Units: mg/Kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-3-1.3					
Laboratory ID:	02-177-07					
Aroclor 1016	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	88	39-130				
Client ID:	TP-4-1.0					
Laboratory ID:	02-177-08					
Aroclor 1016	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	84	39-130				
Client ID:	TP-5-1.0					
Laboratory ID:	02-177-09					
Aroclor 1016	ND	0.054	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.054	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.054	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.054	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.054	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.054	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.054	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	81	39-130				



This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Matrix: Soil Units: mg/Kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-6-1.0					
Laboratory ID:	02-177-10					
Aroclor 1016	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.055	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	86	39-130				
Client ID:	TP-7-1.0					
Laboratory ID:	02-177-11					
Aroclor 1016	ND	0.057	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.057	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.057	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.057	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.057	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.057	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.057	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	87	39-130				
Client ID:	TP-8-1.5					
Laboratory ID:	02-177-12					
Aroclor 1016	ND	0.058	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.058	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.058	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.058	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.058	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.058	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.058	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	81	39-130				



#### PCBs EPA 8082A QUALITY CONTROL

Matrix: Soil Units: mg/Kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0228S1					
Aroclor 1016	ND	0.050	EPA 8082A	2-28-19	3-1-19	
Aroclor 1221	ND	0.050	EPA 8082A	2-28-19	3-1-19	
Aroclor 1232	ND	0.050	EPA 8082A	2-28-19	3-1-19	
Aroclor 1242	ND	0.050	EPA 8082A	2-28-19	3-1-19	
Aroclor 1248	ND	0.050	EPA 8082A	2-28-19	3-1-19	
Aroclor 1254	ND	0.050	EPA 8082A	2-28-19	3-1-19	
Aroclor 1260	ND	0.050	EPA 8082A	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
DCB	89	39-130				

					Source	Pe	rcent	Recovery		RPD	
Analyte	Re	sult	Spike	Level	Result	Rec	covery	Limits	RPD	Limit	Flags
MATRIX SPIKES											
Laboratory ID:	02-1	77-01									
	MS	MSD	MS	MSD		MS	MSD				
Aroclor 1260	0.433	0.418	0.500	0.500	ND	87	84	45-118	4	15	
Surrogate:											
DCB						82	77	39-130			



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-1-1.0					
Laboratory ID:	02-177-05					
Naphthalene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	67	40 - 117				
Pyrene-d10	77	38 - 119				
Terphenyl-d14	82	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-2-1.8					
Laboratory ID:	02-177-06					
Naphthalene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0071	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	80	40 - 117				
Pyrene-d10	78	38 - 119				
Terphenyl-d14	80	47 - 135				



0 0				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-3-1.3					
Laboratory ID:	02-177-07					
Naphthalene	0.023	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
2-Methylnaphthalene	0.021	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
1-Methylnaphthalene	0.017	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]anthracene	0.039	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
Chrysene	0.048	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[b]fluoranthene	0.068	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo(j,k)fluoranthene	0.023	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]pyrene	0.058	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
Indeno(1,2,3-c,d)pyrene	0.043	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
Dibenz[a,h]anthracene	0.0084	0.0074	EPA 8270D/SIM	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	93	40 - 117				
Pyrene-d10	98	38 - 119				
Terphenyl-d14	96	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-4-1.0					
Laboratory ID:	02-177-08					
Naphthalene	0.14	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	0.25	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	0.19	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	0.030	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	0.039	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	0.038	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	0.0099	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	0.030	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	0.022	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	64	40 - 117				
Pyrene-d10	68	38 - 119				
Terphenyl-d14	70	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-5-1.0					
Laboratory ID:	02-177-09					
Naphthalene	0.0084	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
2-Methylnaphthalene	0.016	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
1-Methylnaphthalene	0.013	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]anthracene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Chrysene	0.012	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[b]fluoranthene	0.016	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo(j,k)fluoranthene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]pyrene	0.0083	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Indeno(1,2,3-c,d)pyrene	0.014	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Dibenz[a,h]anthracene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	88	40 - 117				
Pyrene-d10	101	38 - 119				
Terphenyl-d14	93	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-6-1.0					
Laboratory ID:	02-177-10					
Naphthalene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	69	40 - 117				
Pyrene-d10	78	38 - 119				
Terphenyl-d14	74	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-7-1.0					
Laboratory ID:	02-177-11					
Naphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
2-Methylnaphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
1-Methylnaphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]anthracene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Chrysene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[b]fluoranthene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo(j,k)fluoranthene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]pyrene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Dibenz[a,h]anthracene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	85	40 - 117				
Pyrene-d10	100	38 - 119				
Terphenyl-d14	95	47 - 135				



Matrix: Soil Units: mg/Kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-8-1.5					
Laboratory ID:	02-177-12					
Naphthalene	0.050	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	0.039	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	0.022	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	68	40 - 117				
Pyrene-d10	77	38 - 119				
Terphenyl-d14	76	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-9-3.0					
Laboratory ID:	02-177-13					
Naphthalene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0073	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	67	40 - 117				
Pyrene-d10	74	38 - 119				
Terphenyl-d14	74	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-10-1.8					
Laboratory ID:	02-177-14					
Naphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
2-Methylnaphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
1-Methylnaphthalene	0.0081	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]anthracene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Chrysene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[b]fluoranthene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo(j,k)fluoranthene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]pyrene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Dibenz[a,h]anthracene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	92	40 - 117				
Pyrene-d10	100	38 - 119				
Terphenyl-d14	97	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-11-1.8					
Laboratory ID:	02-177-15					
Naphthalene	0.0088	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0077	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	66	40 - 117				
Pyrene-d10	74	38 - 119				
Terphenyl-d14	73	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-12-1.0					
Laboratory ID:	02-177-16					
Naphthalene	0.045	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
2-Methylnaphthalene	0.071	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
1-Methylnaphthalene	0.073	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]anthracene	0.014	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Chrysene	0.015	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[b]fluoranthene	0.014	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo(j,k)fluoranthene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]pyrene	0.0090	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Indeno(1,2,3-c,d)pyrene	0.0089	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Dibenz[a,h]anthracene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	79	40 - 117				
Pyrene-d10	93	38 - 119				
Terphenyl-d14	92	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-13-1.8					
Laboratory ID:	02-177-17					
Naphthalene	0.010	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0074	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	70	40 - 117				
Pyrene-d10	76	38 - 119				
Terphenyl-d14	73	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-14-1.0					
Laboratory ID:	02-177-18					
Naphthalene	0.0077	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	0.013	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	0.015	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	68	40 - 117				
Pyrene-d10	75	38 - 119				
Terphenyl-d14	75	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-15-1.0					
Laboratory ID:	02-177-19					
Naphthalene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
2-Methylnaphthalene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
1-Methylnaphthalene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]anthracene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Chrysene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[b]fluoranthene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo(j,k)fluoranthene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]pyrene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Dibenz[a,h]anthracene	ND	0.0072	EPA 8270D/SIM	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	91	40 - 117				
Pyrene-d10	107	38 - 119				
Terphenyl-d14	100	47 - 135				



Matrix: Soil Units: mg/Kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-16-0.5					
Laboratory ID:	02-177-20					
Naphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
2-Methylnaphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
1-Methylnaphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]anthracene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Chrysene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[b]fluoranthene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo(j,k)fluoranthene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Benzo[a]pyrene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Dibenz[a,h]anthracene	ND	0.0076	EPA 8270D/SIM	2-28-19	3-1-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	92	40 - 117				
Pyrene-d10	96	38 - 119				
Terphenyl-d14	95	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-17-1.0					
Laboratory ID:	02-177-21					
Naphthalene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0079	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	67	40 - 117				
Pyrene-d10	76	38 - 119				
Terphenyl-d14	76	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-18-0.8					
Laboratory ID:	02-177-22					
Naphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0076	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	70	40 - 117				
Pyrene-d10	78	38 - 119				
Terphenyl-d14	78	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-19-0.5					
Laboratory ID:	02-177-23					
Naphthalene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0072	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	68	40 - 117				
Pyrene-d10	74	38 - 119				
Terphenyl-d14	74	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-20-0.6					
Laboratory ID:	02-177-24					
Naphthalene	ND	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	0.014	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	0.016	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0075	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	70	40 - 117				
Pyrene-d10	73	38 - 119				
Terphenyl-d14	74	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-21-2.0					
Laboratory ID:	02-177-25					
Naphthalene	ND	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
2-Methylnaphthalene	0.0099	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
1-Methylnaphthalene	ND	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]anthracene	0.014	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
Chrysene	0.037	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[b]fluoranthene	0.0092	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo(j,k)fluoranthene	ND	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]pyrene	ND	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
Dibenz[a,h]anthracene	ND	0.0080	EPA 8270D/SIM	3-1-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	82	40 - 117				
Pyrene-d10	101	38 - 119				
Terphenyl-d14	100	47 - 135				



				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-22-1.8					
Laboratory ID:	02-177-26					
Naphthalene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
2-Methylnaphthalene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
1-Methylnaphthalene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]anthracene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
Chrysene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[b]fluoranthene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo(j,k)fluoranthene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]pyrene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
Dibenz[a,h]anthracene	ND	0.0084	EPA 8270D/SIM	3-1-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	91	40 - 117				
Pyrene-d10	94	38 - 119				
Terphenyl-d14	93	47 - 135				



Matrix: Soil Units: mg/Kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-23-0.7					
Laboratory ID:	02-177-27					
Naphthalene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
2-Methylnaphthalene	0.013	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
1-Methylnaphthalene	0.012	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]anthracene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Chrysene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[b]fluoranthene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo(j,k)fluoranthene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]pyrene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Dibenz[a,h]anthracene	ND	0.0074	EPA 8270D/SIM	3-1-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	93	40 - 117				
Pyrene-d10	99	38 - 119				
Terphenyl-d14	98	47 - 135				



47

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-24-2.0					
Laboratory ID:	02-177-28					
Naphthalene	0.68	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
2-Methylnaphthalene	2.9	0.072	EPA 8270D/SIM	3-1-19	3-4-19	
1-Methylnaphthalene	2.7	0.072	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]anthracene	0.011	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Chrysene	0.037	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[b]fluoranthene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo(j,k)fluoranthene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]pyrene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Dibenz[a,h]anthracene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	85	40 - 117				
Pyrene-d10	123	38 - 119				Q
Terphenyl-d14	125	47 - 135				

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-25-2.0					
Laboratory ID:	02-177-29					
Naphthalene	3.2	0.14	EPA 8270D/SIM	3-1-19	3-4-19	
2-Methylnaphthalene	23	0.36	EPA 8270D/SIM	3-1-19	3-5-19	
1-Methylnaphthalene	15	0.14	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]anthracene	0.014	0.0071	EPA 8270D/SIM	3-1-19	3-4-19	
Chrysene	0.074	0.0071	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[b]fluoranthene	0.0086	0.0071	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo(j,k)fluoranthene	ND	0.0071	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]pyrene	ND	0.0071	EPA 8270D/SIM	3-1-19	3-4-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0071	EPA 8270D/SIM	3-1-19	3-4-19	
Dibenz[a,h]anthracene	ND	0.0071	EPA 8270D/SIM	3-1-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	100	40 - 117				
Pyrene-d10	144	38 - 119				Q
Terphenyl-d14	113	47 - 135				

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-26-1.5					
Laboratory ID:	02-177-30					
Naphthalene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
2-Methylnaphthalene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
1-Methylnaphthalene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]anthracene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Chrysene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[b]fluoranthene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo(j,k)fluoranthene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Benzo[a]pyrene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Dibenz[a,h]anthracene	ND	0.0072	EPA 8270D/SIM	3-1-19	3-4-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	86	40 - 117				
Pyrene-d10	92	38 - 119				
Terphenyl-d14	95	47 - 135				



Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

## PAHs EPA 8270D/SIM METHOD BLANK QUALITY CONTROL

Matrix: Soil Units: mg/Kg

onno. mg/ng				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Laboratory ID:	MB0228S2					
Naphthalene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
2-Methylnaphthalene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
1-Methylnaphthalene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]anthracene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
Chrysene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[b]fluoranthene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo(j,k)fluoranthene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
Benzo[a]pyrene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
Indeno(1,2,3-c,d)pyrene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
Dibenz[a,h]anthracene	ND	0.0067	EPA 8270D/SIM	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
2-Fluorobiphenyl	77	40 - 117				
Pyrene-d10	81	38 - 119				
Terphenyl-d14	85	47 - 135				

51

Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

## PAHs EPA 8270D/SIM METHOD BLANK QUALITY CONTROL

Matrix: Soil Units: mg/Kg

			Date	Date	
Result	PQL	Method	Prepared	Analyzed	Flags
MB0301S2					
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
ND	0.0067	EPA 8270D/SIM	3-1-19	3-1-19	
Percent Recovery	Control Limits				
97	40 - 117				
89	38 - 119				
88	47 - 135				
	MB0301S2 ND ND ND ND ND ND ND ND ND ND ND ND ND	MB0301S2           ND         0.0067           Percent Recovery         Control Limits           97         40 - 117           89         38 - 119	MB0301S2           ND         0.0067         EPA 8270D/SIM           Pd         0.0067         EPA 8270D/SIM           Pd </td <td>Result         PQL         Method         Prepared           MB0301S2        </td> <td>Result         PQL         Method         Prepared         Analyzed           MB0301S2           ND         0.0067         EPA 8270D/SIM         3-1-19         3-1-19           ND         0.0067         EPA 8270D/SIM         3-1-19         3-1-19</td>	Result         PQL         Method         Prepared           MB0301S2	Result         PQL         Method         Prepared         Analyzed           MB0301S2           ND         0.0067         EPA 8270D/SIM         3-1-19         3-1-19           ND         0.0067         EPA 8270D/SIM         3-1-19         3-1-19

52

#### PAHs EPA 8270D/SIM MS/MSD QUALITY CONTROL

					Source	e Percent I		Recovery		RPD	(	
Analyte	Re	sult	Spike	Spike Level		Rec	overy	Limits	RPD	Limit	Flags	
MATRIX SPIKES												
Laboratory ID:	02-1	77-05										
	MS	MSD	MS	MSD		MS	MSD					
Naphthalene	0.0695	0.0732	0.0833	0.0833	ND	83	88	45 - 114	5	21		
Benzo[a]anthracene	0.0721	0.0771	0.0833	0.0833	ND	87	93	55 - 132	7	20		
Chrysene	0.0698	0.0707	0.0833	0.0833	ND	84	85	51 - 126	1	20		
Benzo[b]fluoranthene	0.0703	0.0730	0.0833	0.0833	ND	84	88	45 - 133	4	21		
Benzo(j,k)fluoranthene	0.0696	0.0720	0.0833	0.0833	ND	84	86	49 - 131	3	24		
Benzo[a]pyrene	0.0714	0.0745	0.0833	0.0833	ND	86	89	50 - 127	4	21		
Indeno(1,2,3-c,d)pyrene	0.0726	0.0765	0.0833	0.0833	ND	87	92	45 - 133	5	22		
Dibenz[a,h]anthracene	0.0686	0.0719	0.0833	0.0833	ND	82	86	46 - 132	5	20		
Surrogate:												
2-Fluorobiphenyl						69	70	40 - 117				
Pyrene-d10						73	76	38 - 119				
Terphenyl-d14						78	81	47 - 135				



#### PAHs EPA 8270D/SIM MS/MSD QUALITY CONTROL

Matrix: Soil Units: mg/Kg

					Source			Recovery		RPD	
Analyte	Re	sult	Spike	Level	Result			Limits	RPD	Limit	Flags
MATRIX SPIKES											
Laboratory ID:	02-1	75-04									
	MS	MSD	MS	MSD		MS	MSD				
Naphthalene	0.0829	0.0898	0.0833	0.0833	0.00992	88	96	45 - 114	8	21	
Benzo[a]anthracene	0.0932	0.0909	0.0833	0.0833	ND	112	109	55 - 132	2	20	
Chrysene	0.0872	0.0894	0.0833	0.0833	ND	105	107	51 - 126	2	20	
Benzo[b]fluoranthene	0.0983	0.0971	0.0833	0.0833	ND	118	117	45 - 133	1	21	
Benzo(j,k)fluoranthene	0.0896	0.0841	0.0833	0.0833	ND	108	101	49 - 131	6	24	
Benzo[a]pyrene	0.0921	0.0913	0.0833	0.0833	ND	111	110	50 - 127	1	21	
Indeno(1,2,3-c,d)pyrene	0.0944	0.0937	0.0833	0.0833	ND	113	112	45 - 133	1	22	
Dibenz[a,h]anthracene	0.0898	0.0881	0.0833	0.0833	ND	108	106	46 - 132	2	20	
Surrogate:											
2-Fluorobiphenyl						104	102	40 - 117			
Pyrene-d10						96	94	38 - 119			
Terphenyl-d14						97	94	47 - 135			



Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

## VOLATILE ORGANICS EPA 8260C page 1 of 2

Matrix: Soil Units: mg/kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-1-1.0					
Laboratory ID:	02-177-05					
Dichlorodifluoromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloromethane	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
Vinyl Chloride	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromomethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloroethane	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
Trichlorofluoromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
lodomethane	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
Methylene Chloride	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
(trans) 1,2-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Methyl t-Butyl Ether	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2,2-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
(cis) 1,2-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromochloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloroform	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,1-Trichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Carbon Tetrachloride	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Trichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Dibromomethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromodichloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2-Chloroethyl Vinyl Ether	ND	0.0096	EPA 8260C	2-28-19	2-28-19	
(cis) 1,3-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
(trans) 1,3-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-1-1.0					
Laboratory ID:	02-177-05					
1,1,2-Trichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Tetrachloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,3-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Dibromochloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromoethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,1,2-Tetrachloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromoform	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
Bromobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,2,2-Tetrachloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2-Chlorotoluene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
4-Chlorotoluene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,3-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,4-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromo-3-chloropropane	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
1,2,4-Trichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Hexachlorobutadiene	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	107	68-139				
Toluene-d8	99	79-128				
4-Bromofluorobenzene	98	71-132				

VOLATILE ORGANICS EPA 8260C page 2 of 2



# VOLATILE ORGANICS EPA 8260C page 1 of 2

Matrix: Soil Units: mg/kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-2-1.8					
Laboratory ID:	02-177-06					
Dichlorodifluoromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloromethane	ND	0.0069	EPA 8260C	2-28-19	2-28-19	
Vinyl Chloride	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromomethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloroethane	ND	0.0069	EPA 8260C	2-28-19	2-28-19	
Trichlorofluoromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
lodomethane	ND	0.0069	EPA 8260C	2-28-19	2-28-19	
Methylene Chloride	ND	0.0069	EPA 8260C	2-28-19	2-28-19	
(trans) 1,2-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Methyl t-Butyl Ether	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2,2-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
(cis) 1,2-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromochloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloroform	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,1-Trichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Carbon Tetrachloride	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Trichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Dibromomethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromodichloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2-Chloroethyl Vinyl Ether	ND	0.0098	EPA 8260C	2-28-19	2-28-19	
(cis) 1,3-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
(trans) 1,3-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	



57

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-2-1.8					
Laboratory ID:	02-177-06					
1,1,2-Trichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Tetrachloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,3-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Dibromochloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromoethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,1,2-Tetrachloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromoform	ND	0.0069	EPA 8260C	2-28-19	2-28-19	
Bromobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,2,2-Tetrachloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2-Chlorotoluene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
4-Chlorotoluene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,3-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,4-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromo-3-chloropropane	ND	0.0069	EPA 8260C	2-28-19	2-28-19	
1,2,4-Trichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Hexachlorobutadiene	ND	0.0069	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	103	68-139				
Toluene-d8	99	79-128				
4-Bromofluorobenzene	102	71-132				

VOLATILE ORGANICS EPA 8260C page 2 of 2



Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

# VOLATILE ORGANICS EPA 8260C page 1 of 2

Matrix: Soil Units: mg/kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-3-1.3					
Laboratory ID:	02-177-07					
Dichlorodifluoromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chloromethane	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
Vinyl Chloride	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromomethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chloroethane	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
Trichlorofluoromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
lodomethane	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
Methylene Chloride	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
(trans) 1,2-Dichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Methyl t-Butyl Ether	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
2,2-Dichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
(cis) 1,2-Dichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromochloromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chloroform	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1,1-Trichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Carbon Tetrachloride	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloropropene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Trichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Dibromomethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromodichloromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
2-Chloroethyl Vinyl Ether	ND	0.0088	EPA 8260C	2-28-19	2-28-19	
(cis) 1,3-Dichloropropene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
(trans) 1,3-Dichloropropene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

and is intended only for the use of the individual or company to whom it is addressed.

This report pertains to the samples analyzed in accordance with the chain of custody,

59

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-3-1.3					
Laboratory ID:	02-177-07					
1,1,2-Trichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Tetrachloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,3-Dichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Dibromochloromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromoethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1,1,2-Tetrachloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromoform	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
Bromobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1,2,2-Tetrachloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
2-Chlorotoluene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
4-Chlorotoluene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,3-Dichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,4-Dichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromo-3-chloropropane	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
1,2,4-Trichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Hexachlorobutadiene	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	108	68-139				
Toluene-d8	99	79-128				
4-Bromofluorobenzene	102	71-132				

VOLATILE ORGANICS EPA 8260C page 2 of 2



Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

## VOLATILE ORGANICS EPA 8260C page 1 of 2

Matrix: Soil Units: mg/kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-4-1.0					
Laboratory ID:	02-177-08					
Dichlorodifluoromethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Chloromethane	ND	0.0065	EPA 8260C	2-28-19	2-28-19	
Vinyl Chloride	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Bromomethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Chloroethane	ND	0.0065	EPA 8260C	2-28-19	2-28-19	
Trichlorofluoromethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
lodomethane	ND	0.0065	EPA 8260C	2-28-19	2-28-19	
Methylene Chloride	ND	0.0065	EPA 8260C	2-28-19	2-28-19	
(trans) 1,2-Dichloroethene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Methyl t-Butyl Ether	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
2,2-Dichloropropane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
(cis) 1,2-Dichloroethene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Bromochloromethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Chloroform	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,1,1-Trichloroethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Carbon Tetrachloride	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloropropene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloroethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Trichloroethene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloropropane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Dibromomethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Bromodichloromethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
2-Chloroethyl Vinyl Ether	ND	0.0092	EPA 8260C	2-28-19	2-28-19	
(cis) 1,3-Dichloropropene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
(trans) 1,3-Dichloropropene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-4-1.0					
Laboratory ID:	02-177-08					
1,1,2-Trichloroethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Tetrachloroethene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,3-Dichloropropane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Dibromochloromethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromoethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Chlorobenzene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,1,1,2-Tetrachloroethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Bromoform	ND	0.0065	EPA 8260C	2-28-19	2-28-19	
Bromobenzene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,1,2,2-Tetrachloroethane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichloropropane	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
2-Chlorotoluene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
4-Chlorotoluene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,3-Dichlorobenzene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,4-Dichlorobenzene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,2-Dichlorobenzene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromo-3-chloropropane	ND	0.0065	EPA 8260C	2-28-19	2-28-19	
1,2,4-Trichlorobenzene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Hexachlorobutadiene	ND	0.0065	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichlorobenzene	ND	0.0013	EPA 8260C	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	102	68-139				
Toluene-d8	95	79-128				
4-Bromofluorobenzene	97	71-132				

# VOLATILE ORGANICS EPA 8260C page 2 of 2



Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

## VOLATILE ORGANICS EPA 8260C page 1 of 2

Matrix: Soil Units: mg/kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-5-1.0					
Laboratory ID:	02-177-09					
Dichlorodifluoromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chloromethane	ND	0.0058	EPA 8260C	2-28-19	2-28-19	
Vinyl Chloride	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromomethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chloroethane	ND	0.0058	EPA 8260C	2-28-19	2-28-19	
Trichlorofluoromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
lodomethane	ND	0.0058	EPA 8260C	2-28-19	2-28-19	
Methylene Chloride	ND	0.0058	EPA 8260C	2-28-19	2-28-19	
(trans) 1,2-Dichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Methyl t-Butyl Ether	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
2,2-Dichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
(cis) 1,2-Dichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromochloromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chloroform	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1,1-Trichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Carbon Tetrachloride	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloropropene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Trichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Dibromomethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromodichloromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
2-Chloroethyl Vinyl Ether	ND	0.0082	EPA 8260C	2-28-19	2-28-19	
(cis) 1,3-Dichloropropene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
(trans) 1,3-Dichloropropene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

C. 14040 NE 95 Street, Redmond, WA 90052 (425) 003

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-5-1.0					
Laboratory ID:	02-177-09					
1,1,2-Trichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Tetrachloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,3-Dichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Dibromochloromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromoethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1,1,2-Tetrachloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromoform	ND	0.0058	EPA 8260C	2-28-19	2-28-19	
Bromobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1,2,2-Tetrachloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
2-Chlorotoluene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
4-Chlorotoluene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,3-Dichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,4-Dichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromo-3-chloropropane	ND	0.0058	EPA 8260C	2-28-19	2-28-19	
1,2,4-Trichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Hexachlorobutadiene	ND	0.0058	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	110	68-139				
Toluene-d8	97	79-128				
4-Bromofluorobenzene	97	71-132				

VOLATILE ORGANICS EPA 8260C page 2 of 2



Date of Report: March 8, 2019 Samples Submitted: February 27, 2019 Laboratory Reference: 1902-177 Project: 160315

# VOLATILE ORGANICS EPA 8260C page 1 of 2

Matrix: Soil Units: mg/kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-6-1.0					
Laboratory ID:	02-177-10					
Dichlorodifluoromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloromethane	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
Vinyl Chloride	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromomethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloroethane	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
Trichlorofluoromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
lodomethane	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
Methylene Chloride	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
(trans) 1,2-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Methyl t-Butyl Ether	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2,2-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
(cis) 1,2-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromochloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloroform	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,1-Trichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Carbon Tetrachloride	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Trichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Dibromomethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromodichloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2-Chloroethyl Vinyl Ether	ND	0.0097	EPA 8260C	2-28-19	2-28-19	
(cis) 1,3-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
(trans) 1,3-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-6-1.0					
Laboratory ID:	02-177-10					
1,1,2-Trichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Tetrachloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,3-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Dibromochloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromoethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,1,2-Tetrachloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromoform	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
Bromobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,2,2-Tetrachloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2-Chlorotoluene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
4-Chlorotoluene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,3-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,4-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromo-3-chloropropane	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
1,2,4-Trichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Hexachlorobutadiene	ND	0.0068	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	108	68-139				
Toluene-d8	101	79-128				
4-Bromofluorobenzene	106	71-132				

## VOLATILE ORGANICS EPA 8260C page 2 of 2



66

# VOLATILE ORGANICS EPA 8260C page 1 of 2

Matrix: Soil Units: mg/kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-7-1.0					
Laboratory ID:	02-177-11					
Dichlorodifluoromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloromethane	ND	0.0071	EPA 8260C	2-28-19	2-28-19	
Vinyl Chloride	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromomethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloroethane	ND	0.0071	EPA 8260C	2-28-19	2-28-19	
Trichlorofluoromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
lodomethane	ND	0.0071	EPA 8260C	2-28-19	2-28-19	
Methylene Chloride	ND	0.0071	EPA 8260C	2-28-19	2-28-19	
(trans) 1,2-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Methyl t-Butyl Ether	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2,2-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
(cis) 1,2-Dichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromochloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chloroform	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,1-Trichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Carbon Tetrachloride	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Trichloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Dibromomethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromodichloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2-Chloroethyl Vinyl Ether	ND	0.010	EPA 8260C	2-28-19	2-28-19	
(cis) 1,3-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
(trans) 1,3-Dichloropropene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	



67

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-7-1.0					
Laboratory ID:	02-177-11					
1,1,2-Trichloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Tetrachloroethene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,3-Dichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Dibromochloromethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromoethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Chlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,1,2-Tetrachloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Bromoform	ND	0.0071	EPA 8260C	2-28-19	2-28-19	
Bromobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,1,2,2-Tetrachloroethane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichloropropane	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
2-Chlorotoluene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
4-Chlorotoluene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,3-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,4-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromo-3-chloropropane	ND	0.0071	EPA 8260C	2-28-19	2-28-19	
1,2,4-Trichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Hexachlorobutadiene	ND	0.0071	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichlorobenzene	ND	0.0014	EPA 8260C	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	108	68-139				
Toluene-d8	100	79-128				
4-Bromofluorobenzene	100	71-132				

VOLATILE ORGANICS EPA 8260C page 2 of 2



# VOLATILE ORGANICS EPA 8260C page 1 of 2

Matrix: Soil Units: mg/kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-8-1.5					
Laboratory ID:	02-177-12					
Dichlorodifluoromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chloromethane	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
Vinyl Chloride	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromomethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chloroethane	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
Trichlorofluoromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
lodomethane	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
Methylene Chloride	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
(trans) 1,2-Dichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Methyl t-Butyl Ether	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
2,2-Dichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
(cis) 1,2-Dichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromochloromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chloroform	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1,1-Trichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Carbon Tetrachloride	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1-Dichloropropene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Trichloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Dibromomethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromodichloromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
2-Chloroethyl Vinyl Ether	ND	0.0088	EPA 8260C	2-28-19	2-28-19	
(cis) 1,3-Dichloropropene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
(trans) 1,3-Dichloropropene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	



69

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-8-1.5					
Laboratory ID:	02-177-12					
1,1,2-Trichloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Tetrachloroethene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,3-Dichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Dibromochloromethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromoethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Chlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1,1,2-Tetrachloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Bromoform	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
Bromobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,1,2,2-Tetrachloroethane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichloropropane	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
2-Chlorotoluene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
4-Chlorotoluene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,3-Dichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,4-Dichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromo-3-chloropropane	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
1,2,4-Trichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Hexachlorobutadiene	ND	0.0062	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichlorobenzene	ND	0.0012	EPA 8260C	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	113	68-139				
Toluene-d8	98	79-128				
4-Bromofluorobenzene	100	71-132				

# VOLATILE ORGANICS EPA 8260C page 2 of 2



## VOLATILE ORGANICS EPA 8260C METHOD BLANK QUALITY CONTROL page 1 of 2

Matrix: Soil Units: mg/kg

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Laboratory (D)	MD000004					
Laboratory ID: Dichlorodifluoromethane	MB0228S1 ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Chloromethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Vinyl Chloride	ND	0.0050	EPA 8260C	2-28-19	2-28-19	
Bromomethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Chloroethane	ND	0.0050	EPA 8260C	2-28-19	2-28-19	
Trichlorofluoromethane	ND	0.0050	EPA 8260C EPA 8260C	2-28-19	2-28-19	
1,1-Dichloroethene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Iodomethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Methylene Chloride	ND	0.0050	EPA 8260C	2-28-19	2-28-19	
(trans) 1,2-Dichloroethene	ND	0.0050	EPA 8260C	2-28-19	2-28-19	
Methyl t-Butyl Ether	ND	0.0010	EPA 8260C	2-20-19	2-28-19	
1,1-Dichloroethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
2,2-Dichloropropane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
(cis) 1,2-Dichloroethene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Bromochloromethane	ND	0.0010	EPA 8260C	2-20-19	2-28-19	
Chloroform	ND	0.0010	EPA 8260C	2-20-19	2-28-19	
1,1,1-Trichloroethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Carbon Tetrachloride	ND	0.0010	EPA 8260C	2-20-19	2-28-19	
1,1-Dichloropropene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,2-Dichloroethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Trichloroethene	ND	0.0010	EPA 8260C	2-20-19	2-28-19	
1,2-Dichloropropane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Dibromomethane	ND	0.0010	EPA 8260C	2-20-19	2-28-19	
Bromodichloromethane	ND	0.0010	EPA 8260C	2-20-19	2-28-19	
2-Chloroethyl Vinyl Ether	ND	0.0070	EPA 8260C	2-20-19	2-28-19	
(cis) 1,3-Dichloropropene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
(trans) 1,3-Dichloropropene	ND	0.0010	EPA 8260C	2-20-19	2-28-19	



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

## VOLATILE ORGANICS EPA 8260C METHOD BLANK QUALITY CONTROL page 2 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Laboratory ID:	MB0228S1					
1,1,2-Trichloroethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Tetrachloroethene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,3-Dichloropropane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Dibromochloromethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromoethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Chlorobenzene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,1,1,2-Tetrachloroethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Bromoform	ND	0.0050	EPA 8260C	2-28-19	2-28-19	
Bromobenzene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,1,2,2-Tetrachloroethane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichloropropane	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
2-Chlorotoluene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
4-Chlorotoluene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,3-Dichlorobenzene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,4-Dichlorobenzene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,2-Dichlorobenzene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
1,2-Dibromo-3-chloropropane	ND	0.0050	EPA 8260C	2-28-19	2-28-19	
1,2,4-Trichlorobenzene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Hexachlorobutadiene	ND	0.0050	EPA 8260C	2-28-19	2-28-19	
1,2,3-Trichlorobenzene	ND	0.0010	EPA 8260C	2-28-19	2-28-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	107	68-139				
Toluene-d8	85	79-128				
4-Bromofluorobenzene	104	71-132				



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

72

## VOLATILE ORGANICS EPA 8260C SB/SBD QUALITY CONTROL

Matrix: Soil Units: mg/kg

					Per	cent	Recovery		RPD	
Analyte	Res	sult	Spike	Level	Rec	overy	Limits	RPD	Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB02	28S1								
	SB	SBD	SB	SBD	SB	SBD				
1,1-Dichloroethene	0.0542	0.0489	0.0500	0.0500	108	98	53-141	10	17	
Benzene	0.0431	0.0403	0.0500	0.0500	86	81	70-130	7	15	
Trichloroethene	0.0483	0.0454	0.0500	0.0500	97	91	74-122	6	16	
Toluene	0.0475	0.0435	0.0500	0.0500	95	87	76-130	9	15	
Chlorobenzene	0.0496	0.0461	0.0500	0.0500	99	92	75-120	7	14	
Surrogate:										
Dibromofluoromethane					103	108	68-139			
Toluene-d8					95	98	79-128			
4-Bromofluorobenzene					106	108	71-132			



# VOLATILE ORGANICS EPA 8260C page 1 of 2

Matrix: Water Units: ug/L

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TRIP BLANK					
Laboratory ID:	02-177-31					
Dichlorodifluoromethane	ND	0.29	EPA 8260C	3-6-19	3-6-19	
Chloromethane	ND	1.3	EPA 8260C	3-6-19	3-6-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Bromomethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Chloroethane	ND	1.0	EPA 8260C	3-6-19	3-6-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
lodomethane	ND	1.3	EPA 8260C	3-6-19	3-6-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-6-19	3-6-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Methyl t-Butyl Ether	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Chloroform	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Trichloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Dibromomethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-6-19	3-6-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-6-19	3-6-19	



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

74

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TRIP BLANK					
Laboratory ID:	02-177-31					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Bromoform	ND	1.0	EPA 8260C	3-6-19	3-6-19	
Bromobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-6-19	3-6-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-6-19	3-6-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	94	75-127				
Toluene-d8	104	80-127				
4-Bromofluorobenzene	101	78-125				

# VOLATILE ORGANICS EPA 8260C page 2 of 2



75

#### VOLATILE ORGANICS EPA 8260C METHOD BLANK QUALITY CONTROL page 1 of 2

Matrix: Water Units: ug/L

Analysia	Deput	DOI	Mothod	Date	Date	Flags
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Laboratory ID:	MB0306W1					
Dichlorodifluoromethane	ND	0.29	EPA 8260C	3-6-19	3-6-19	
Chloromethane	ND	1.3	EPA 8260C	3-6-19	3-6-19	
Vinyl Chloride	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Bromomethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Chloroethane	ND	1.0	EPA 8260C	3-6-19	3-6-19	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
lodomethane	ND	1.3	EPA 8260C	3-6-19	3-6-19	
Methylene Chloride	ND	1.0	EPA 8260C	3-6-19	3-6-19	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Methyl t-Butyl Ether	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Bromochloromethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Chloroform	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Trichloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Dibromomethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Bromodichloromethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-6-19	3-6-19	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-6-19	3-6-19	



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

## VOLATILE ORGANICS EPA 8260C METHOD BLANK QUALITY CONTROL page 2 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Laboration (D)						
Laboratory ID:	MB0306W1		<b>FRA 00000</b>			
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Tetrachloroethene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Dibromochloromethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Chlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Bromoform	ND	1.0	EPA 8260C	3-6-19	3-6-19	
Bromobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-6-19	3-6-19	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-6-19	3-6-19	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Hexachlorobutadiene	ND	1.0	EPA 8260C	3-6-19	3-6-19	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-6-19	3-6-19	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	96	75-127				
Toluene-d8	104	80-127				
4-Bromofluorobenzene	100	78-125				



## VOLATILE ORGANICS EPA 8260C SB/SBD QUALITY CONTROL

Matrix: Water Units: ug/L

					Per	cent	Recovery		RPD	
Analyte	Res	sult	Spike	Level	Rec	overy	Limits	RPD	Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB03	06W1								
	SB	SBD	SB	SBD	SB	SBD				
1,1-Dichloroethene	8.02	8.12	10.0	10.0	80	81	62-129	1	15	
Benzene	8.90	8.85	10.0	10.0	89	89	77-127	1	15	
Trichloroethene	10.1	9.96	10.0	10.0	101	100	70-120	1	15	
Toluene	9.71	9.63	10.0	10.0	97	96	82-123	1	15	
Chlorobenzene	9.48	9.29	10.0	10.0	95	93	79-120	2	15	
Surrogate:										
Dibromofluoromethane					91	96	75-127			
Toluene-d8					102	105	80-127			
4-Bromofluorobenzene					98	103	78-125			



#### TOTAL LEAD EPA 6010D

Matrix: Soil Units: mg/Kg (ppm)

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	TP-1-1.0					
Laboratory ID:	02-177-05					
Lead	ND	5.5	EPA 6010D	2-28-19	2-28-19	
Client ID:	TD 2 4 9					
	<b>TP-2-1.8</b> 02-177-06					
Laboratory ID:		5.2		0.00.40	2 22 40	
Lead	ND	5.3	EPA 6010D	2-28-19	2-28-19	
Client ID:	TP-3-1.3					
Laboratory ID:	02-177-07					
Lead	150	5.5	EPA 6010D	2-28-19	2-28-19	
Client ID:	TP-4-1.0					
Laboratory ID:	02-177-08					
Lead	31	5.5	EPA 6010D	2-28-19	2-28-19	
Client ID:	TP-5-1.0					
Laboratory ID:	02-177-09					
Lead	42	5.4	EPA 6010D	2-28-19	2-28-19	
Client ID:	TP-6-1.0					
Laboratory ID:	02-177-10					
Lead	8.1	5.5	EPA 6010D	2-28-19	2-28-19	
Client ID:	TP-7-1.0					
Laboratory ID:	02-177-11					
Lead	8.7	5.7	EPA 6010D	2-28-19	2-28-19	
Client ID:	TP-8-1.5					
Laboratory ID:	02-177-12			0.00.40	0.00.40	
Lead	ND	5.8	EPA 6010D	2-28-19	2-28-19	



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

#### TOTAL LEAD EPA 6010D QUALITY CONTROL

Matrix: Soil Units: mg/Kg (ppm)

			Date	Date	
Result	PQL	Method	Prepared	Analyzed	Flags
MB0228SM2					
ND	5.0	EPA 6010D	2-28-19	2-28-19	
			_		
	MB0228SM2	MB0228SM2	MB0228SM2	ResultPQLMethodPreparedMB0228SM2ND5.0EPA 6010D2-28-19	ResultPQLMethodPreparedAnalyzedMB0228SM2ND5.0EPA 6010D2-28-192-28-19

					Source	Ре	rcent	Recovery		RPD	
Analyte	Res	sult	Spike	Level	Result	Rec	overy	Limits	RPD	Limit	Flags
DUPLICATE											
Laboratory ID:	02-17	77-05									
	ORIG	DUP									
Lead	ND	ND	NA	NA			NA	NA	NA	20	
MATRIX SPIKES											
Laboratory ID:	02-17	77-05									
	MS	MSD	MS	MSD		MS	MSD				
Lead	241	240	250	250	ND	96	96	75-125	0	20	
SPIKE BLANK											
Laboratory ID:	SB022	28SM2									
Lead	23	36	2	50	N/A		94	80-120			



# % MOISTURE

Date Analyzed: 2-28-19

Client ID	Lab ID	% Moisture
SS-1	02-177-01	8
SS-2	02-177-02	16
SS-3	02-177-03	19
SS-4	02-177-04	16
TP-1-1.0	02-177-05	9
TP-2-1.8	02-177-06	6
TP-3-1.3	02-177-07	10
TP-4-1.0	02-177-08	9
TP-5-1.0	02-177-09	7
TP-6-1.0	02-177-10	10
TP-7-1.0	02-177-11	12
TP-8-1.5	02-177-12	13
TP-9-3.0	02-177-13	8
TP-10-1.8	02-177-14	12
TP-11-1.8	02-177-15	14
TP-12-1.0	02-177-16	10
TP-13-1.8	02-177-17	10
TP-14-1.0	02-177-18	7
TP-15-1.0	02-177-19	7
TP-16-0.5	02-177-20	13
TP-17-1.0	02-177-21	16
TP-18-0.8	02-177-22	12
TP-19-0.5	02-177-23	8
TP-20-0.6	02-177-24	11
TP-21-2.0	02-177-25	17
TP-22-1.8	02-177-26	21
TP-23-0.7	02-177-27	10

**A** 

OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881

81

# % MOISTURE

Date Analyzed: 2-28-19

Client ID	Lab ID	% Moisture
TP-24-2.0	02-177-28	8
TP-25-2.0	02-177-29	7
TP-26-1.5	02-177-30	7



OnSite Environmental, Inc. 14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 (425) 883-3881



### **Data Qualifiers and Abbreviations**

- A Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B The analyte indicated was also found in the blank sample.
- C The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E The value reported exceeds the quantitation range and is an estimate.
- F Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- H The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I Compound recovery is outside of the control limits.
- J The value reported was below the practical quantitation limit. The value is an estimate.
- K Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L The RPD is outside of the control limits.
- M Hydrocarbons in the gasoline range are impacting the diesel range result.
- M1 Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
- N Hydrocarbons in the lube oil range are impacting the diesel range result.
- N1 Hydrocarbons in diesel range are impacting lube oil range results.
- O Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
- P The RPD of the detected concentrations between the two columns is greater than 40.
- Q Surrogate recovery is outside of the control limits.
- S Surrogate recovery data is not available due to the necessary dilution of the sample.
- T The sample chromatogram is not similar to a typical \_\_\_\_\_
- U The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- U1 The practical quantitation limit is elevated due to interferences present in the sample.
- V Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X Sample extract treated with a mercury cleanup procedure.
- X1- Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
- Y The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.

Ζ-

ND - Not Detected at PQL PQL - Practical Quantitation Limit RPD - Relative Percent Difference




OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

OnSite Environmental Inc.		Cha	ain o	f	Cu	IS	to	dy									P	age _	1	_ of	3	,		
Analytical Laboratory Testing Services 14648 NE 95th Street • Redmond, WA 98052	Tur (ii	naround Requ n working day	uest /s)		L	abo	orat	ory Nu	umb	er:		02	-	17	7	8								
Phone: (425) 883-3881 · www.onsite-env.com Company: Aspect Consulting Project Number: 160315 Project Name: Reserve Sillca Project Manager: Carla Brock Sampled by: Kristin Beck	Same		] 1 Day ] 3 Days	Number of Containers	NWTPH-HCID	NWTPH-GX/BTEX & 621	1-Gx	NWTPH-Dx ( Acid / SG Clean-up) **1794 as mixeral oil Volatiles 8260C	Halogenated Volatiles 8260C	EDB EPA 8011 (Waters Only)	Semivolatiles 8270D/SIM (with low-level PAHs) PAHs 8270D/SIM (low-level)	082A	Organochlorine Pesticides 8081B	Organophosphorus Pesticides 8270D/SIM	Chlorinated Acid Herbicides 8151A	Total RCRA Metals	Total MTCA Metals	fletals	HEM (oil and grease) 1664A	CPAHS & hophthalene	CS & EDB	C & MTBE	No.	
Lab ID Sample Identification	Date Sampled	Time Sampled	Matrix	Numbe	NWTPI	NWTP	NWTPH-Gx	Volatile	Haloge	EDB EF	Semivo (with lo PAHs 8	PCBs 8082A	Organo	Organo	Chlorin	Total R	Total M	TCLP Metals	HEM (o	CDAt	HVOC	EDC	Lead % Moisture	
1 SS-1	2/26/19	1510	soil	1				*X				X												K
S-22 6	1	1526		1				*X				X												Ň
3 52-3		1530		1				*x				X												
4 SS-4		1540		1				*×				X												
5 TP-1-1.6		CANANT		5		X		X				X								X	×	X	×	
6 TP-2-1.8		6937		5		X		×				×								X	X	X	×	
7 TP-3-1.3		1010		5		×		×				×								×	×	×	X	
8 TP-4-1.0		1042		5		X		X				×								×	X	×	×	
9 TP-5-1.0		1123		5		X		×				×								X	X	X	×	
10 TP-6-1.0	V	1150	V	5		×		×				×								×	×	×	×	1
Signature       Relinquished       Received       Relinquished	Co	impany <u>Aspeca</u> OS	ŧ			Date	7/10	Tim 12 19 12		3	Comm	ents/S	pecial	Instr	uctio	ns								
Received																								
Received										_	Data P	ackad	a. C+/	anda	rd 🗆	1.01	الا ام			N/ □				_
Reviewed/Date		Reviewed/Dat	e								Chrom													-


OnSite Environmental Inc.		Cha	ain o	of (	Cu	ıst	00	ly										Pa	age _	2	of	3		
Analytical Laboratory Testing Services 14648 NE 95th Street • Redmond, WA 98052		naround Req n working da			La	abo	rato	ory	Nun	nbe	er:		0	2.	- 1	7	7							
Phone: (425) 883-3881 • www.onsite-env.com Company: Aspect Consulting Project Number: 166315 Project Name: Project Manager: Carla Brock Sampled by: Kristin Beck	Same		] 1 Day ] 3 Days	Number of Containers	HCID	NWTTHI- BUEX A A GOO FOR		NWTPH-Dx ( Acid / SG Clean-up)	8260C	Halogenated volatiles & 2000	EDB EPA 8011 (Waters Only)	Semivolatiles 8270D/SIM (with low-level PAHs) PAHs 8270D/SIM (low-level)	82A	Organochlorine Pesticides 8081B	Organophosphorus Pesticides 8270D/SIM	Chlorinated Acid Herbicides 8151A	Total RCRA Metals	Total MTCA Metals	etals	HEM (oil and grease) 1664A	ts & naphtholene	DCS & EDB	A A	sture
Lab ID Sample Identification	Date Sampled	Time Sampled	Matrix	Number	NWTPH-HCID	WTPH	NWTPH-Gx	NWTPH-	Volatiles 8260C	nalogen	EDB EP/	Semivola (with low PAHs 82	PCBs 8082A	Organoc	Organop	Chlorina	Total RC	Total MT	TCLP Metals	HEM (oil	CP4Hs	¥(	11-	% Moisture
$\frac{11}{17} TP - 7 - 1.0$	2/26/19		soil	5		X	X	X					X								X	X	XX	$\mathbf{i}$
17 TP-8-1.5		1246		5	-	X	X	×					X								X	X	XX	
13 TP-9-3.0		1320		2		×		X													X			
14 TP-10-1.8		1351		2		*X		×													X			
15 TP-11-1.8		1410		2		*X		×													X			
16 TP-12-1.0		1420		2		*×		×													X			
17 TP-13-1.8		1436		2		*X		×													×			
18 TP-14-1.0	V	1450		Z		*X		×													×			
19 TP-15-1.0	2/27/19	0735		2		*X		Χ													X			
20 TP-2016-0.5		6745	V	2		*×		×													×			L
Signature       Relinquished     KstBeck       Received     WALL LAW       Relinquished     Image: Second Sec		ompany Aspect OS	E E			at	<del>7/1°</del>	7 19	Time  4  4	13 12	>	Comm	ents/S	pecia	l Instr	UCLIO	ns							
Received							_				_													
Relinquished																								
Received												Data Pa	ackag	e: St	anda	rd 🗌	Le	vel III		Leve	I IV 🗆	]		
Reviewed/Date		Reviewed/Da	ite									Chroma	atogra	ms w	ith fin	al rep	oort [	Ele	ectron	ic Data	a Deliv	erables	, (EDDs	;) 🗌

OnSite Environmental Inc.		Cha	ain o	f (	Cu	st	00	ły										Pa	age _	3	of	3	
Analytical Laboratory Testing Services 14648 NE 95th Street • Redmond, WA 98052		naround Reqi n working day			La	abo	rate	ory	Nur	mb	er:		0	2.	- 1	7	7						
Phone: (425) 883-3881 • www.onsite-env.com Company: Aspect Consulting Project Number: 160315 Project Name: Project Manager: Carla Brock Sampled by: Kristin Beck	2 Day		] 1 Day ] 3 Days	Number of Containers		WHEFT BY BIEN BY 4360-8021	-Gx	NWTPH-Dx ( 🗌 Acid / SG Clean-up)	Volatiles 8260C	Halogenated Volatiles 8260C	EDB EPA 8011 (Waters Only)	Semivolatiles 8270D/SIM (with low-level PAHs) PAHs 8270D/SIM (low-level)	082A	Organochlorine Pesticides 8081B	Organophosphorus Pesticides 8270D/SIM	Chlorinated Acid Herbicides 8151A	Total RCRA Metals	Total MTCA Metals	/letals	HEM (oil and grease) 1664A	2445 & Naphthalene	HVOCS + MTBE 8260	ture
Lab ID Sample Identification	Date Sampled	Time Sampled	Matrix	Numbe	NWTPH-HCID	NWHE	NWTPH-Gx	NWTPH	Volatile	Haloge	EDB EF	Semivo (with lo PAHs 8	PCBs 8082A	Organo	Organo	Chlorin	Total R	Total M	TCLP Metals	HEM (o	CP	HV	% Moisture
21 TP-17-1.0	2/27/19	0755	soil	2		X		X													X		K
22 TP-18-0.8		0807		2		X		X													X		
23 TP-19-0.5		0815		2		X		X					_	-	-	-	-				X		
24 TP-20-0.6		0825		2		X		X					-	-	-		_				X		
25 TP-21-2.0		1055		2		X		X					+	-	-	-	-				X		
26 TP-22-1.8		1115		2		X		X			-		+	+	-	-	-				×		
27 TP-23-0.7 28 TP-24-2.0		1134	_	2		X		X					-	-	-						×		+
28 TP-24-2.0 29 TP-25-2.0		1212		2		X		X					+				-				X		
30 TP-26-1.5		1244	V	2		X		X													X		T
31 TRIPB Signature	2/27 6	ompany	w	5		DXe	X		Time			Comn	ents/S	pecia	l Inst	ructio	ns					X	
Relinquished	/	Hspect				2/2	27/	9	14	12	-												
Relinquished		0-2					- 1		1														
Received																							
Relinquished																							
Received																					el IV 🗌	1000 - Longe Carrier	
Reviewed/Date		Reviewed/Date Chromatograms with final re								nal rep	eport 🗌 Electronic Data Deliverables (EDDs) 🗌												


File : X:\BTEX\HOPE\DATA\H190304\0304007.D
Operator :
Acquired : 4 Mar 2019 20:26 using AcqMethod 190205G.M
Instrument : Hope
Sample Name: 02-177-29s RR 1:100
Misc Info :
Vial Number: 7




File :X:\DIESELS\VIGO\DATA\V190228\0228-V33.d Operator : JT Acquired : 1 Mar 2019 4:33 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-02 Misc Info : Vial Number: 33




File :X:\DIESELS\VIGO\DATA\V190228\0228-V31.d Operator : JT Acquired : 1 Mar 2019 3:12 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-04 Misc Info : Vial Number: 31




File :X:\DIESELS\VIGO\DATA\V190228.SEC\0228-V56.D Operator : JT Acquired : 28 Feb 2019 10:25 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-05 Misc Info : Vial Number: 56




File :X:\DIESELS\VIGO\DATA\V190228\0228-V07.d Operator : JT Acquired : 28 Feb 2019 11:06 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-07 Misc Info : Vial Number: 7




File :X:\DIESELS\VIGO\DATA\V190301.SEC\0301-V55.D Operator : JT Acquired : 1 Mar 2019 10:04 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-08 5X Misc Info : Vial Number: 55




File :X:\DIESELS\VIGO\DATA\V190228\0228-V16.d Operator : JT Acquired : 28 Feb 2019 17:07 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-09 Misc Info : Vial Number: 16




File :X:\DIESELS\VIGO\DATA\V190228\0228-V10.d Operator : JT Acquired : 28 Feb 2019 13:07 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-10 Misc Info : Vial Number: 10




File :X:\DIESELS\VIGO\DATA\V190301.SEC\0301-V53.D Operator : JT Acquired : 1 Mar 2019 8:44 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-11 10X Misc Info : Vial Number: 53




File :X:\DIESELS\VIGO\DATA\V190228.SEC\0228-V60.D Operator : JT Acquired : 28 Feb 2019 13:07 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-12 Misc Info : Vial Number: 60




File :X:\DIESELS\VIGO\DATA\V190228\0228-V11.d Operator : JT Acquired : 28 Feb 2019 13:47 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-13 Misc Info : Vial Number: 11




File :X:\DIESELS\VIGO\DATA\V190228\0228-V12.d Operator : JT Acquired : 28 Feb 2019 14:27 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-14 Misc Info : Vial Number: 12




File :X:\DIESELS\VIGO\DATA\V190228\0228-V13.d Operator : JT Acquired : 28 Feb 2019 15:07 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-15 Misc Info : Vial Number: 13




File :X:\DIESELS\VIGO\DATA\V190228\0228-V14.d Operator : JT Acquired : 28 Feb 2019 15:47 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-16 Misc Info : Vial Number: 14




File :X:\DIESELS\VIGO\DATA\V190228\0228-V15.d Operator : JT Acquired : 28 Feb 2019 16:27 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-17 Misc Info : Vial Number: 15




File :X:\DIESELS\VIGO\DATA\V190228.SEC\0228-V65.D Operator : JT Acquired : 28 Feb 2019 16:27 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-18 Misc Info : Vial Number: 65




File :X:\DIESELS\VIGO\DATA\V190228.SEC\0228-V66.D Operator : JT Acquired : 28 Feb 2019 17:07 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-19 Misc Info : Vial Number: 66




File :X:\DIESELS\VIGO\DATA\V190228.SEC\0228-V67.D Operator : JT Acquired : 28 Feb 2019 17:47 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-20 Misc Info : Vial Number: 67




File :X:\DIESELS\VIGO\DATA\V190228\0228-V18.d Operator : JT Acquired : 28 Feb 2019 18:28 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-24 Misc Info : Vial Number: 18




File :X:\DIESELS\VIGO\DATA\V190301\0301-V04.d
Operator : JT
Acquired : 1 Mar 2019 9:24 using AcqMethod V180601F.M
Instrument : Vigo
Sample Name: 02-177-25 10X
Misc Info :
Vial Number: 4




File :X:\DIESELS\VIGO\DATA\V190228.SEC\0228-V77.D
Operator : JT
Acquired : 1 Mar 2019 00:31 using AcqMethod V180601F.M
Instrument : Vigo
Sample Name: 02-177-26
Misc Info :
Vial Number: 77




File :X:\DIESELS\VIGO\DATA\V190228\0228-V27.d Operator : JT Acquired : 1 Mar 2019 00:31 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-27 Misc Info : Vial Number: 27




File :X:\DIESELS\VIGO\DATA\V190228.SEC\0228-V78.D
Operator : JT
Acquired : 1 Mar 2019 1:11 using AcqMethod V180601F.M
Instrument : Vigo
Sample Name: 02-177-28
Misc Info :
Vial Number: 78



File :X:\DIESELS\VIGO\DATA\V190301\0301-V03.d Operator : JT Acquired : 1 Mar 2019 8:44 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-29 10X Misc Info : Vial Number: 3



File :X:\DIESELS\VIGO\DATA\V190228.SEC\0228-V80.D Operator : JT Acquired : 1 Mar 2019 2:32 using AcqMethod V180601F.M Instrument : Vigo Sample Name: 02-177-30 Misc Info : Vial Number: 80



#### ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D. Yelena Aravkina, M.S. Michael Erdahl, B.S. Arina Podnozova, B.S. Eric Young, B.S. 3012 16th Avenue West Seattle, WA 98119-2029 (206) 285-8282 fbi@isomedia.com www.friedmanandbruya.com

May 2, 2018

Carla Brock, Project Manager Aspect Consulting, LLC 401 2<sup>nd</sup> Ave S, Suite 201 Seattle, WA 98104

Dear Ms Brock:

Included are the results from the testing of material submitted on April 6, 2018 from the Reserve Silica 160315, F&BI 804118 project. There are 14 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Michael Erdahl Project Manager

Enclosures c: data@aspectconsulting.com, Kristin Beck ASP0502R.DOC

#### ENVIRONMENTAL CHEMISTS

#### CASE NARRATIVE

This case narrative encompasses samples received on April 6, 2018 by Friedman & Bruya, Inc. from the Aspect Consulting, LLC Reserve Silica 160315, F&BI 804118 project. Samples were logged in under the laboratory ID's listed below.

Laboratory ID	Aspect Consulting, LLC
804118 -01	ATP-1-bulk
804118 -02	ATP-1-slag
804118 -03	ATP-2-bulk
804118 -04	ATP-2-slag
804118 -05	ATP-3-bulk
804118 -06	ATP-3-slag
804118 -07	ATP-4-bulk
804118 -08	ATP-4-slag

The samples were tumbled in deionized water adjusted to pH 12 with sodium hydroxide. After tumbling, the pH was checked and confirmed to still be 12.

All quality control requirements were acceptable.

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID: Date Received: Date Extracted: Date Analyzed: Matrix: Units:	ATP-1-bulk 04/06/18 04/11/18 04/12/18 Soil/Solid mg/L (ppm)	Client: Project: Lab ID: Data File: Instrument: Operator:	Aspect Consulting, LLC Reserve Silica 160315, F&BI 804118 804118-01 804118-01.029 ICPMS2 SP
Analyte:	Concentration mg/L (ppm)		
Arsenic	5.07		
Iron	6.75		
Manganese	<1		
Lead	<1		

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID: Date Received: Date Extracted: Date Analyzed: Matrix: Units:	ATP-1-slag 04/06/18 04/11/18 04/12/18 Soil/Solid mg/L (ppm)	Client: Project: Lab ID: Data File: Instrument: Operator:	Aspect Consulting, LLC Reserve Silica 160315, F&BI 804118 804118-02 804118-02.030 ICPMS2 SP
Analyte:	Concentration mg/L (ppm)		
Arsenic	<1		
Iron	<5		
Manganese	<1		
Lead	<1		

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID:	ATP-2-bulk	Client:	Aspect Consulting, LLC
Date Received:	04/06/18	Project:	Reserve Silica 160315, F&BI 804118
Date Extracted:	04/12/18	Lab ID:	804118-03
Date Analyzed:	04/13/18	Data File:	804118-03.058
Matrix:	Soil/Solid	Instrument:	ICPMS2
Units:	mg/L (ppm)	Operator:	SP
	Concentration		
Analyte:	mg/L (ppm)		
Arsenic	<1		
Lead	<1		

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID:	ATP-2-slag	Client:	Aspect Consulting, LLC
Date Received:	04/06/18	Project:	Reserve Silica 160315, F&BI 804118
Date Extracted:	04/12/18	Lab ID:	804118-04
Date Analyzed:	04/13/18	Data File:	804118-04.061
Matrix:	Soil/Solid	Instrument:	ICPMS2
Units:	mg/L (ppm)	Operator:	SP
	Concentratio	n	
Analyte:	mg/L (ppm)		hit
Arsenic	<1	5.0	
Lead	<1	5.0	

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID: Date Received: Date Extracted: Date Analyzed: Matrix: Units:	ATP-3-bulk 04/06/18 04/12/18 04/13/18 Soil/Solid mg/L (ppm)	Client: Project: Lab ID: Data File: Instrument: Operator:	Aspect Consulting, LLC Reserve Silica 160315, F&BI 804118 804118-05 804118-05.072 ICPMS2 SP
Analyte:	Concentration mg/L (ppm)		
Arsenic Iron Lead Manganese	<1 9.44 <1 <1		

6

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID: Date Received: Date Extracted: Date Analyzed: Matrix: Units:	ATP-3-slag 04/06/18 04/12/18 04/13/18 Soil/Solid mg/L (ppm)	Client: Project: Lab ID: Data File: Instrument: Operator:	Aspect Consulting, LLC Reserve Silica 160315, F&BI 804118 804118-06 804118-06.073 ICPMS2 SP
Analyte:	Concentration mg/L (ppm)	-	
Arsenic	1.70		
Iron	18.8		
Lead	<1		
Manganese	<1		

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID:	ATP-4-bulk	Client:	Aspect Consulting, LLC
Date Received:	04/06/18	Project:	Reserve Silica 160315, F&BI 804118
Date Extracted:	04/12/18	Lab ID:	804118-07
Date Analyzed:	04/13/18	Data File:	804118-07.074
Matrix:	Soil/Solid	Instrument:	ICPMS2
Units:	mg/L (ppm)	Operator:	SP
	Concentration		
Analyte:	mg/L (ppm)		
Arsenic	<1		
Lead	<1		

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID:	ATP-4-slag	Client:	Aspect Consulting, LLC
Date Received:	04/06/18	Project:	Reserve Silica 160315, F&BI 804118
Date Extracted:	04/12/18	Lab ID:	804118-08
Date Analyzed:	04/13/18	Data File:	804118-08.075
Matrix:	Soil/Solid	Instrument:	ICPMS2
Units:	mg/L (ppm)	Operator:	SP
	Concentration		
Analyte:	mg/L (ppm)		
Arsenic	<1		
Lead	<1		

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID: Date Received: Date Extracted: Date Analyzed: Matrix: Units:	Method Blank Not Applicable 04/11/18 04/12/18 Soil/Solid mg/L (ppm)	Client: Project: Lab ID: Data File: Instrument: Operator:	Aspect Consulting, LLC Reserve Silica 160315, F&BI 804118 I8-225 mb I8-225 mb.027 ICPMS2 SP
Analyte:	Concentration mg/L (ppm)		
Arsenic Iron Manganese Lead	<1 <5 <1 <1		

### ENVIRONMENTAL CHEMISTS

### Analysis for High pH Leachable Metals By EPA Method 6020A and 1311 Mod

Client ID: Date Received: Date Extracted: Date Analyzed: Matrix: Units:	Method Blank Not Applicable 04/12/18 04/13/18 Soil/Solid mg/L (ppm)	Client: Project: Lab ID: Data File: Instrument: Operator:	Aspect Consulting, LLC Reserve Silica 160315, F&BI 804118 I8-232 mb I8-232 mb.028 ICPMS2 SP
Analyte:	Concentration mg/L (ppm)		
Arsenic Iron	<1 <5		
Lead	<1		
Manganese	<1		

#### ENVIRONMENTAL CHEMISTS

Date of Report: 05/02/18 Date Received: 04/06/18 Project: Reserve Silica 160315, F&BI 804118

#### QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF SOIL/SOLID SAMPLES FOR HIGH PH LEACHABLE METALS USING EPA METHODS 6020A AND 1311 MOD

Laboratory Code: 804118-02 (Matrix Spike)

				Percent	Percent		
	Reporting	Spike	Sample	Recovery	Recovery	Acceptance	RPD
Analyte	Units	Level	Result	MS	MSD	Criteria	(Limit 20)
Arsenic	mg/L (ppm)	1.0	<1	96	109	75-125	13
Iron	mg/L (ppm)	10	<5	94	99	75-125	5
Lead	mg/L (ppm)	1.0	<1	93	96	75-125	3
Manganese	mg/L (ppm)	2.0	<1	92	95	75-125	3

Laboratory Code: Laboratory Control Sample

			Percent	
	Reporting	Spike	Recovery	Acceptance
Analyte	Units	Level	LCS	Criteria
Arsenic	mg/L (ppm)	1.0	103	80-120
Iron	mg/L (ppm)	10	94	80-120
Lead	mg/L (ppm)	1.0	97	80-120
Manganese	mg/L (ppm)	2.0	95	80-120

#### ENVIRONMENTAL CHEMISTS

Date of Report: 05/02/18 Date Received: 04/06/18 Project: Reserve Silica 160315, F&BI 804118

#### QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF SOIL/SOLID SAMPLES FOR HIGH PH LEACHABLE METALS USING EPA METHODS 6020A AND 1311 MOD

Laboratory Code: 804118-03 (Matrix Spike)

				Percent	Percent		
	Reporting	Spike	Sample	Recovery	Recovery	Acceptance	RPD
Analyte	Units	Level	Result	MS	MSD	Criteria	(Limit 20)
Arsenic	mg/L (ppm)	1.0	<1	103	99	75-125	4
Iron	mg/L (ppm)	10	<5	92	94	75-125	2
Lead	mg/L (ppm)	1.0	<1	94	92	75-125	2
Manganese	mg/L (ppm)	2.0	<1	94	96	75-125	2

Laboratory Code: Laboratory Control Sample

			Percent	
	Reporting	Spike	Recovery	Acceptance
Analyte	Units	Level	LCS	Criteria
Arsenic	mg/L (ppm)	1.0	105	80-120
Iron	mg/L (ppm)	10	95	80-120
Lead	mg/L (ppm)	1.0	99	80-120
Manganese	mg/L (ppm)	2.0	95	80-120

#### ENVIRONMENTAL CHEMISTS

#### **Data Qualifiers & Definitions**

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for the analyte were outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte may be due to carryover from previous sample injections.

cf - The sample was centrifuged prior to analysis.

 ${\rm d}$  - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.

dv - Insufficient sample volume was available to achieve normal reporting limits.

f - The sample was laboratory filtered prior to analysis.

fb - The analyte was detected in the method blank.

fc - The compound is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.

hs - Headspace was present in the container used for analysis.

ht – The analysis was performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of control limits. Compounds in the sample matrix interfered with the quantitation of the analyte.

j - The analyte concentration is reported below the lowest calibration standard. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the analyte is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.

ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

1 14. (200) 200-0202	Dh (906) 905 0000	Senttle WA 92119.9090	2012 16th America Woot	Friedman & Revina Ina		ATP-4-Slag	ATP-4-bulk	ATP-3-slag	ATP-3-bulk	ATP-2-Slag	ATP-2-bulk	ATP-1-slag	ATP-1-bulk	Sample ID		City, State, ZIP	Address and yol	Company Aspert	Report To Carla S	811408
Tracerved DA:	Boroined ber	Relinquisharthur	Received hy.	7	-	30	071B	06	OSAB	04	03 tB	Ee.	01 A B	Lab ID		Email	2nd he S	ansulting	och & Kristin V	
			ottled	SIGNATORE		€	-					-	4/6/18	Date Sampled		Hot	. Sutter		n Beck	
		N.				((10	-2011	1205	1206	1300	1305	1425	1420	Time Sampled		REMARKS	En Res	PROJEC	SAMPLI	SAMPLE CHAIN OF CUSTODY
11111-11-11-11-11-11-11-11-11-11-11-11-		Cla												Sample Type		KS	Kejerre.	PROJECT NAME	SAMPLERS (signature)	CHAIN
		5	ET.	PRINT NAME	ŝ	-	с У		で		2		も	# of Jars			Sillica		ture)	OF
		R	H	TN.										TPH-HCID			8		$\mathcal{K}$	çů
		hana	2	ME										TPH-Diesel					X	SIC
		22	R		 									TPH-Gasoline				¢	5	ŪDY
			2		 									BTEX by 8021B	A				8	
					 									VOCs by 8260C	ANA	N P II				•
S					 									SVOCs by 8270D	YSES	Iccts locts	ŏ	PO #		r T
amj		0	$\mathbb{A}$		 								<u>`</u>	PAHs 8270D SIM	SRF	INVOICE TO Accts Vayable	160312	#		- 1
oles		17	Pe	MAP		×		ĸ	$\times$	×	×	×		High pH leachikilin	in a	Ó	· • • •			0
Samples received at			T	MPANY		$\times$	$\times$	$\times$	$\times$	$\times$	x	×	×.	High pH Teachibility Arsenic High pH Teachibility	REQUESTED		िम्ति			81-90-40
oive								$\times$	$\times$			$\times$	$\times$	High ph leachthing to	E	Sz Dispos Archiv	lush	Sta		06
d at			•					X	×		1	$\times$	×	Hun ph leach Hilling Manganese		SAN pose : hive :	char	ndar	Page #	1
یلا   2	7	4	X	D'										Willey Joure SE		SAMPLE DJ Dispose after 30 Archive Samples	ges a	d Tur	NAR	œ
ုင ဂိ		0/9	6/1	DATE												SAMPLE DISPOSAL Dispose after 30 days Archive Samples	Rush charges authorized by:	Standard Turnaround	Page # of	-
Ω		-	Ð,											Notes		POS/ tys	ized	und		
		5:51		TIME										~		F	by:			•
		~'			 [	L											I			,

.

# **APPENDIX D**

Report Limitations and Guidelines for Use

# **REPORT LIMITATIONS AND USE GUIDELINES**

### **Reliance Conditions for Third Parties**

This report was prepared for the exclusive use of the Client. No other party may rely on this report or the product of our services without the express written consent of Aspect Consulting, LLC (Aspect). This limitation is to provide our firm with reasonable protection against liability claims by third parties with whom there would otherwise be no contractual conditions or limitations and guidelines governing their use of the report. Within the limitations of scope, schedule and budget, our services have been executed in accordance with our Agreement with the Client and recognized standards of professionals in the same locality and involving similar conditions.

### Services for Specific Purposes, Persons and Projects

Aspect has performed the services in general accordance with the scope and limitations of our Agreement. This report has been prepared for the exclusive use of the Client and their authorized third parties, approved in writing by Aspect. This report is not intended for use by others, and the information contained herein is not applicable to other properties.

This report is not, and should not, be construed as a warranty or guarantee regarding the presence or absence of hazardous substances or petroleum products that may affect the subject property. The report is not intended to make any representation concerning title or ownership to the subject property. If real property records were reviewed, they were reviewed for the sole purpose of determining the subject property's historical uses. All findings, conclusions, and recommendations stated in this report are based on the data and information provided to Aspect, current use of the subject property, and observations and conditions that existed on the date and time of the report.

Aspect structures its services to meet the specific needs of our clients. Because each environmental study is unique, each environmental report is unique, prepared solely for the specific client and subject property. This report should not be applied for any purpose or project except the purpose described in the Agreement.

## **This Report Is Project-Specific**

Aspect considered a number of unique, project-specific factors when establishing the Scope of Work for this project and report. You should not rely on this report if it was:

- Not prepared for you
- Not prepared for the specific purpose identified in the Agreement
- Not prepared for the specific real property assessed
- Completed before important changes occurred concerning the subject property, project or governmental regulatory actions

If changes are made to the project or subject property after the date of this report, Aspect should be retained to assess the impact of the changes with respect to the conclusions contained in the report.

### **Geoscience Interpretations**

The geoscience practices (geotechnical engineering, geology, and environmental science) require interpretation of spatial information that can make them less exact than other engineering and natural science disciplines. It is important to recognize this limitation in evaluating the content of the report. If you are unclear how these "Report Limitations and Use Guidelines" apply to your project or site, you should contact Aspect.

### **Discipline-Specific Reports Are Not Interchangeable**

The equipment, techniques and personnel used to perform an environmental study differ significantly from those used to perform a geotechnical or geologic study and vice versa. For that reason, a geotechnical engineering or geologic report does not usually address any environmental findings, conclusions or recommendations; e.g., about the likelihood of encountering underground storage tanks or regulated contaminants. Similarly, environmental reports are not used to address geotechnical or geologic concerns regarding the subject property.

# **Environmental Regulations Are Not Static**

Some hazardous substances or petroleum products may be present near the subject property in quantities or under conditions that may have led, or may lead, to contamination of the subject property, but are not included in current local, state or federal regulatory definitions of hazardous substances or petroleum products or do not otherwise present potential liability. Changes may occur in the standards for appropriate inquiry or regulatory definitions of hazardous substance and petroleum products; therefore, this report has a limited useful life.

# **Property Conditions Change Over Time**

This report is based on conditions that existed at the time the study was performed. The findings and conclusions of this report may be affected by the passage of time (for example, Phase I ESA reports are applicable for 180 days), by events such as a change in property use or occupancy, or by natural events, such as floods, earthquakes, slope failure or groundwater fluctuations. If more than six months have passed since issuance of our report, or if any of the described events may have occurred following the issuance of the report, you should contact Aspect so that we may evaluate whether changed conditions affect the continued reliability or applicability of our conclusions and recommendations.

### Phase I ESAs – Uncertainty Remains After Completion

Aspect has performed the services in general accordance with the scope and limitations of our Agreement and the current version of the "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process", ASTM E1527, and U.S. Environmental Protection Agency (EPA)'s Federal Standard 40 CFR Part 312 "Innocent Landowners, Standards for Conducting All Appropriate Inquiries".

No ESA can wholly eliminate uncertainty regarding the potential for recognized environmental conditions in connection with subject property. Performance of an ESA study is intended to reduce, but not eliminate, uncertainty regarding the potential for environmental conditions affecting the subject property. There is always a potential that areas with contamination that were not identified during this ESA exist at the subject property or in the study area. Further evaluation of such potential would require additional research, subsurface exploration, sampling and/or testing.

### **Historical Information Provided by Others**

Aspect has relied upon information provided by others in our description of historical conditions and in our review of regulatory databases and files. The available data does not provide definitive information with regard to all past uses, operations or incidents affecting the subject property or adjacent properties. Aspect makes no warranties or guarantees regarding the accuracy or completeness of information provided or compiled by others.

### Exclusion of Mold, Fungus, Radon, Lead, and HBM

Aspect's services do not include the investigation, detection, prevention or assessment of the presence of molds, fungi, spores, bacteria, and viruses, and/or any of their byproducts. Accordingly, this report does not include any interpretations, recommendations, findings, or conclusions regarding the detection, assessment, prevention or abatement of molds, fungi, spores, bacteria, and viruses, and/or any of their byproducts. Aspect's services also do not include the investigation or assessment of hazardous building materials (HBM) such as asbestos, polychlorinated biphenyls (PCBs) in light ballasts, lead based paint, asbestos-containing building materials, urea-formaldehyde insulation in on-site structures or debris or any other HBMs. Aspect's services do not include an evaluation of radon or lead in drinking water, unless specifically requested.