



Environment

Prepared for
Port of Vancouver USA
3103 NW Lower River Road
Vancouver, Washington 98660

Submitted to
Washington Department of
Ecology

Submitted by
AECOM
111 SW Columbia
Suite 1500
Portland, Oregon 97201

60410261
July 2019

Groundwater Monitoring Letter Report - March 2019

Former Fort Vancouver Plywood Site
Port of Vancouver USA
Vancouver, Washington



July 22, 2019

Mr. Matt Graves
Environmental Manager
Port of Vancouver USA
3103 NW Lower River Road
Vancouver, Washington 98660

Re: Groundwater Monitoring Letter Report - March 2019
Former Fort Vancouver Plywood Site
Port of Vancouver USA
Vancouver, Washington
AECOM Job No. 60519969

Dear Mr. Graves:

AECOM has prepared this Groundwater Monitoring Letter Report on behalf of the Port of Vancouver USA (the Port). This letter report summarizes the results of the March 2019 groundwater monitoring event conducted at Cell 1 and Cell 2 of the Former Fort Vancouver Plywood (FVP) Site (herein referred to as the Site). This monitoring event is referenced as the March 2019 monitoring event.

1 Site Location and Background

The Site is located at West Eighth Street and Port Way, in an industrial-zoned area adjacent to the Columbia River, at the Port in Vancouver, Washington (Figure 1). The Site consists of approximately 13 acres of nearly level paved and unpaved land. The unpaved land exists along the shoreline of the Columbia River, and the remainder of the Site is paved. The northern portion of the Site is leased by the Great Western Malting Company, and the rest of the Site is leased by Pacific Coast Shredding, a metal recycling/processing facility (see Figure 2).

Great Western Malting Company is also located on the north adjacent property, and the former Brazier Forest Industries leasehold is located on the northeast adjacent property. The Site is bordered by Port Way to the southeast and the Columbia River to the southwest (see Figure 2).

The Site was occupied by plywood manufacturers and other lumber-related operations from the mid-1920s to the mid-1990s. FVP operated at the Site from 1955 until July 1996, when site operations terminated and the leasehold reverted to the Port. Former facilities at the Site included a wood processing and plywood manufacturing plant, chemical storage, a boiler house, a maintenance shop, fuel storage areas, a log yard, a retail store/warehouse, an oil/water separator, diesel underground storage tanks (USTs), and an office building. In July 1997, the Port demolished all structures associated with the plywood mill and consolidated wood debris from the former log yard. In September 1997, the Port installed a riprap wall along the Site boundary to protect the shoreline from further erosion by the Columbia River (ERM, 2008a and 2008b).

From 2012 to 2014, the Port constructed the West Vancouver Freight Access Project through the Site. The locations of the rail track centerline, retaining walls, and trench structure for the West Vancouver Freight Access Project are indicated on Figure 2.

2 Site Hydrogeology

Two groundwater-bearing zones are present within the upper 65 feet of soils explored beneath the Site. These include a shallow water table unit (Shallow Zone) and a deeper, confined aquifer referred to herein as the Unconsolidated Aquifer (USGS 1993). The two saturated zones are separated by a lower-permeability confining layer that ranges in thickness from approximately 14 to 40 feet. The Unconsolidated Aquifer was encountered below the confining layer at depths ranging from 49 to 55 feet below ground surface (bgs) (Ecology, 1999 and 2000).

The general direction of the hydraulic gradient (and presumed direction of groundwater flow) in the Shallow Zone is to the south, toward the Columbia River. According to the Cleanup Action Plans (CAP), the Shallow Zone horizontal hydraulic gradient at the Site was calculated to range from approximately 0.016 to 0.019 feet per foot (ft/ft) at Cell 1 and 0.01 to 0.02 ft/ft at Cell 2 (Ecology, 1999 and 2000). The direction of the hydraulic gradient and presumed groundwater flow in the Deeper Unconsolidated Aquifer appears to be toward the west in response to groundwater pumping by the Port and the Port's tenants. A net downward vertical gradient exists between the Shallow Zone and the Deeper Unconsolidated Aquifer (Ecology, 1999).

Near-surface (upper 10 feet) soils beneath the Site consist predominantly of sand with varying amounts of silt. Considerable amounts of anthropogenic debris, including rubble (brick and concrete), wood ash, and trash, have been identified in the upper 10 feet of soil (Ecology, 1999).

3 Compliance Monitoring Plan

3.1 Agreed Orders

Presently the Site is separated into two areas designated as Cell 1 (C1) and Cell 2 (C2). Two Agreed Orders between the Port and Washington State Department of Ecology (Ecology) are in place for this Site:

- Agreed Order No. 99TC-S108 applies to Cell 1
- Agreed Order No. 99TCPSR-93 applies to Cell 2

In accordance with Agreed Orders, the Port completed a remedial investigation and feasibility study (RI/FS) in 1998. The RI/FS identified lead, total petroleum hydrocarbons (TPH), and polycyclic aromatic hydrocarbons (PAHs) concentrations above Ecology Model Toxics Control Act (MTCA) Method A or Method C industrial soil cleanup levels. The RI/FS also indicated that the area adjacent to the Columbia River contained buried anthropogenic debris and concentrations of soluble metals that could leach to the Columbia River. Pursuant to the conditions of the Agreed Orders, the Port completed Interim Actions at Cell 1 from November 1998 to February 1999 and at Cell 2 from October 2000 to December 2000 (ERM, 2008a and 2008b).

A total of 26 monitoring wells were originally located in Cells 1 and 2. These monitoring wells (MWs) are listed below and on Table 1 along with multiple replacement wells which are discussed in Section 3.3.

- Deeper Unconsolidated Aquifer
 - C1-MW-6B
 - C2-MW-12B and C2-MW-13B
- Shallow Zone
 - C1-MW-1 through C1-MW-9
 - C2-MW-1 through C2-MW-11 and C2-MW-14 through C2-MW-16

The groundwater cleanup levels and chemicals of concern (COCs) as determined by the Agreed Orders are described in the following subsections.

3.2 Groundwater Cleanup Levels

3.2.1 Deeper Unconsolidated Aquifer

Groundwater in the Deeper Unconsolidated Aquifer is used as a potable and industrial water supply source; consequently, Ecology's MTCA Method A and B groundwater cleanup levels are used to assess potential adverse impacts to the Unconsolidated Aquifer.

In accordance with the Agreed Orders, the conditional point of compliance (POC) for groundwater within the Unconsolidated Aquifer is throughout the Site as represented by the following wells:

- C1-MW-6B
- C2-MW-12B and C2-MW-13B

3.2.2 Shallow Zone

The Shallow Zone groundwater cannot be used for drinking water due to low yield. However, the shallow groundwater discharges to the Columbia River at the Site. Consequently, the Shallow Zone cleanup levels are based on protection of surface water and are derived from the lowest of the following screening criteria for each analyte:

- Ecology's MTCA Method B surface water cleanup levels in accordance with Washington Administrative Code (WAC) 173-340-730
- Ecology's acute freshwater surface water quality criteria in accordance with WAC 173-201A-240
- US Environmental Protection Agency (EPA)'s National Toxics Rule human health criteria for surface water based on 40 Code of Federal Regulations (CFR) 131.36

In addition to shallow groundwater discharges to the Columbia River, there are indications that the Shallow Zone is hydraulically connected with the Deeper Unconsolidated Aquifer. Because the deeper aquifer is a water supply source, groundwater occurring in the Shallow Zone is also compared to Ecology's MTCA Method A and B groundwater cleanup levels.

For the Shallow Zone groundwater, the conditional POC was established as the point where the groundwater discharges to surface water. Therefore, in the Agreed Orders, the Shallow Zone conditional POC wells for the Site included the following seven shoreline wells.

- C1-MW-3, C1-MW-4, C1-MW-5, and C1-MW-8
- C2-MW-9, C2-MW-10, and C2-MW-11

3.3 Past Modifications to the Compliance Monitoring Plan

From September 2001 until March 2011, groundwater monitoring was conducted tri-annually (first, second, and fourth quarters) at each Cell in accordance with the Agreed Orders and the groundwater monitoring schedule proposed in a letter from Kennedy/Jenks Consultants to Mr. Dan Alexanian of Ecology dated September 17, 2001. Mr. Alexanian approved the monitoring schedule in an email to the Port dated October 4, 2001 (ERM, 2008a and 2008b).

Since September 2001, the monitoring plan included the collection of groundwater samples from 14 of the 26 monitoring wells listed in Section 3.1 and depth to groundwater measurements at all 26 wells during each event. The 14 sampled wells included the 10 conditional POC wells and C1-MW-6, C1-MW-7, C2-MW-3, and C2-MW-7. Following approval from Ecology in 2004, conditional POC wells C1-MW-5 and C1-MW-8 were no longer required to be sampled.

The COCs for both Cells 1 and 2 in September 2001 originally included volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), and metals. Gasoline-range hydrocarbons (gasoline) and diesel- and oil-range hydrocarbons (diesel and oil) were also included as COCs for Cell 2.

By 2007, following multiple correspondences between Ecology and the Port, monitoring of VOCs and total and dissolved metals was discontinued for both cells, and the VOC suite was reduced for a portion of the wells in Cell 1 to benzene, toluene, ethylbenzene, and xylenes (BTEX) and methyl tert-butyl ether (MTBE) (ERM, 2008a and 2008b).

In April 2011, Ecology approved: a reduction in monitoring frequency from tri-annual to semi-annual (first and third quarters), the discontinuation of VOC analysis for C2-MW-3 and C2-MW-10, and the removal of the following eight monitoring wells from the groundwater monitoring plan (Kennedy/Jenks, 2011; Ecology, 2011).

- C1-MW-6
- C1-MW-6B
- C2-MW-4
- C2-MW-5
- C2-MW-7
- C2-MW-8
- C2-MW-13B
- C2-MW-16

Ecology requested in the April 2011 letter that the monitoring of C1-MW-3 continue to determine if any contaminant migration occurs as a result of the West Vancouver Freight Access Project (Ecology, 2011).

In 2012 and 2013, monitoring wells C1-MW-6, C1-MW-6B, C2-MW-5, C2-MW-8 and C2-MW-13B were decommissioned. An attempt was made to locate and decommission monitoring wells C2-MW-4, C2-MW-7, and C2-MW-16 in September 2012; however, these monitoring wells were inadvertently paved over and not locatable.

The construction of the West Vancouver Freight Access Project required the relocation of monitoring wells C1-MW-3, C1-MW-5, and C1-MW-8. The Port submitted a request to Ecology for the relocation of the three monitoring wells, and in a letter dated April 16, 2012, Ecology approved the relocations. In 2012, the three monitoring wells were decommissioned, and C1-MW-3 and C1-MW-5 were re-installed in the same approximate configuration and depths as the original monitoring wells (with the same designations). C1-MW-8 was reinstalled in July 2014 with the same approximate configuration and depth; however, the replacement is labeled C1-MW-8(R).

In July 2014, monitoring well C2-MW-11 was abandoned due to construction activities at the Site. It was reinstalled with the same approximate configuration and depth; the replacement well is labeled C2-MW-11(R).

Additionally, monitoring well C2-MW-10 may have been inadvertently destroyed during the construction of the West Vancouver Freight Access Project or paved over, as it has not been located since March 2013. It was reinstalled in August 2015 with the same approximate configuration and depth; the replacement well is labeled C2-MW-10(R2).

3.4 Most Recent Modifications to the Compliance Monitoring Plan

In June 2016, Ecology approved the decommissioning of 12 monitoring wells and the reduction of the groundwater monitoring frequency from semi-annual to every 18 months (Ecology, 2016). The selected analytes for the retained monitoring wells did not change. Therefore, in November and December 2016, decommissioning activities were completed as described below and listed on Table 1 (AECOM, 2017).

- The following eight monitoring wells were successfully decommissioned.
 - C1-MW-1
 - C1-MW-2
 - C1-MW-3
 - C1-MW-5
 - C1-MW-8(R)
 - C1-MW-9
 - C2-MW-6
 - C2-MW-15
- The following four monitoring wells had been paved over and cannot be found, despite potholing and re-surveying by the Port's surveyor.
 - C2-MW-1
 - C2-MW-4
 - C2-MW-7
 - C2-MW-16

3.5 Current Compliance Monitoring Plan

Based on the Ecology June 2016 approval letter, the current compliance monitoring plan (Table 1) includes the collection of depth-to-groundwater measurements and groundwater samples from the following seven monitoring wells every 18 months:

- C1-MW-4
- C1-MW-7
- C2-MW-3
- C2-MW-9
- C2-MW-10(R2)
- C2-MW-11(R)
- C2-MW-12B

The analyte list varies between the monitoring wells and is shown on Table 1.

4 Activities Conducted During this Monitoring Event

Groundwater monitoring activities completed during the March 2019 event were conducted in accordance with the following three documents.

- EPA guidance document titled *Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures* (EPA, 1996)
- Ecology letter titled *Re: Former Fort Vancouver Plywood Proposed Groundwater Sampling Procedures* (Ecology, 2002)
- Kennedy/Jenks *Second Semi-Annual 2013 Groundwater Monitoring Report* (Kennedy/Jenks, 2014)
- Ecology letter titled *Re: Approval for Reducing Groundwater Level and Groundwater Sampling Frequency at the Former Fort Vancouver Plywood Facility* (Ecology, 2017)

The groundwater monitoring activities completed during the March 2019 event are as follows:

- AECOM collected depth to groundwater measurements from the seven monitoring wells included in the current compliance monitoring plan (see Section 3.5). AECOM measured the depth to groundwater in the monitoring wells using an electronic water level meter. The depth to groundwater was measured from the northern side of top of casing (TOC), and recorded on the Groundwater Level Form (Appendix A). The depth to groundwater measurements and corresponding groundwater elevations are presented on Table 2.
- AECOM collected groundwater samples from the seven monitoring wells included in the current compliance monitoring plan (see Section 3.5). AECOM collected each groundwater sample following purging and stabilization of temperature, pH, conductivity, dissolved oxygen (DO), and oxidation reduction potential (ORP). A peristaltic pump was used for the purging all seven monitoring wells. AECOM collected the groundwater samples at each monitoring well using a disposable double check valve bailer. The peristaltic pump tubing and disposable bailers were all lowered and retrieved gently, and set at the center of the screen interval. Monitoring Well Sampling Field Logs for this monitoring event are included in Appendix A, and final field parameters are reported in Table 3.
- AECOM delivered the samples to Apex Laboratories of Tigard, Oregon under strict chain-of-custody. The samples were submitted for one or more of the analyses listed below in accordance with Table 1.
 - BTEX and MTBE by EPA Method 5030B/8260C
 - Full list of VOCs by EPA Method 8260C
 - Diesel and oil by NWTPH-Dx
 - Gasoline by NWTPH-Gx

- The sample containers were stored in a cooler with ice from sample collection until delivery to the laboratory. The chain-of-custody form is included in Appendix B with the laboratory analytical report. A field duplicate sample, collected from monitoring well C2-MW-9, and a trip blank were also submitted for analysis.
- AECOM placed the purge and decontamination water into a labeled, aboveground polyethylene tank, which is temporarily staged under the 26th Avenue overpass pending characterization and disposal. Disposable sampling equipment (including tubing and nitrile gloves) was managed as municipal solid waste.

5 Results of the March 2019 Monitoring Event

The results of groundwater level measurements are summarized in Table 2. Field parameters are provided in Table 3. The groundwater analytical results are summarized in Tables 4 through 7. A copy of the laboratory analytical report is included in Appendix B.

5.1 Groundwater Elevation Monitoring

Of the remaining monitoring wells listed on Table 1, six are constructed with screened intervals intercepting the Shallow Zone (shallower than 35 feet bgs), and one, C2-MW-12B, is constructed with the screened interval intercepting the Deeper Unconsolidated Aquifer (at 40 to 50 feet bgs). Depth-to-groundwater measurements recorded on March 19, 2019 were used to calculate groundwater elevation above mean sea level at each well. All elevations are presented in North American Vertical Datum of 1988 (NAVD88).

On March 19, 2019, the groundwater elevation in C2-MW-12B, which is screened in the Deeper Unconsolidated Aquifer, was 6.57 feet^a.

On March 19, 2019, the groundwater elevations in the Shallow Zone ranged from 5.26 feet^a (C1-MW-4) to 19.55 feet^a (C2-MW-3). The hydraulic gradient was calculated at 0.02 ft/ft to the south-southwest, consistent with previous sampling events. Groundwater elevation contours and the inferred direction of groundwater flow from March 19, 2019 are shown on Figure 3.

5.2 Groundwater Analytical Results

Groundwater analytical results are summarized in the following subsections.

5.2.1 Volatile Organic Compounds

Samples collected during the March 2019 monitoring event were analyzed for the following VOCs:

- The sample from C1-MW-7 was analyzed for BTEX and MTBE.
- The samples from C1-MW-4, C2-MW-9, C2-MW-11(R), and C2-MW-12B were analyzed for full list of VOCs.

The VOC results for the groundwater sample collected from the Deeper Unconsolidated Aquifer wells are presented on Table 4, and the VOC results for Shallow Zone wells are presented on Table 5. Both Tables 4 and 5 include BTEX, MTBE, and any other VOC that has been detected at least once since February 2009. The VOC results from the March 2019 monitoring event are summarized in the next two subsections.

^a North American Vertical Datum of 1988

5.2.1.1 *Deeper Unconsolidated Aquifer*

VOCs were not detected above their respective method detection limits (MDLs) in groundwater collected from C2-MW-12B (Table 4).

5.2.1.2 *Shallow Zone*

MTBE, 1,1-dichloroethane, cis-1,2-dichloroethene, and vinyl chloride were detected in one or more of the samples collected from the wells screened in the Shallow Zone; these detections were compared to the Shallow Zone screening criteria presented in Section 3.2.2 and on Table 5.

Vinyl chloride was the only VOC detected in the groundwater samples from the Shallow Zone wells at concentrations above the screening criteria. Concentrations of vinyl chloride in the groundwater samples collected from C1-MW-4 (0.216 µg/L) and C2-MW-9 (0.453 µg/L) exceeded both the MTCA Method A and B groundwater cleanup levels of 0.20 µg/L and 0.029 µg/L, respectively. The concentration of vinyl chloride in the groundwater sample collected from C2-MW-11(R) (0.16 µg/L) only exceeded the MTCA B groundwater cleanup level.

5.2.2 **Total Petroleum Hydrocarbons**

During the March 2019 monitoring event, groundwater samples from C2-MW-3, C2-MW-9, C2-MW-10(R2), C2-MW-11(R), and C2-MW-12B were submitted for NWTPH-Dx and NWTPH-Gx analysis.

The TPH results for the groundwater sample collected from the Deeper Unconsolidated Aquifer well are presented on Table 6, and the TPH results for Shallow Zone wells are presented on Table 7. The TPH results from the March 2019 monitoring event are summarized in the next two subsections.

5.2.2.1 *Deeper Unconsolidated Aquifer*

Diesel, oil, and gasoline were not detected above their respective MDLs in groundwater collected from C2-MW-12B (Table 6).

5.2.2.2 *Shallow Zone*

Oil was detected in the groundwater sample collected from shallow groundwater well C2-MW-10(R2) (1.10 mg/L), exceeding the MTCA Method A groundwater cleanup level of 0.50 mg/L.

6 **Data Quality and Management**

Based on a review of the laboratory report, the analyses and results conformed to quality assurance standards, and the analytical data are of acceptable quality for their intended use. A data quality review is included in Appendix C.

The data from the March 2019 monitoring event will be uploaded into Ecology's Environmental Information Management (EIM) database within the next 30 days. Data from 2009 through the 2017 has been uploaded onto the EIM database. Under WAC 173-340-840(5), environmental sampling data for all cleanup sites must be submitted in both printed and electronic form.

7 **Conclusions**


Groundwater monitoring was conducted at Cell 1 and Cell 2 of the Site during the March 2019 event. The analytical results were generally consistent with previous monitoring events. Vinyl chloride concentrations in groundwater samples from C1-MW-4, C2-MW-9, and C2-MW-11(R) were the only VOC detections that exceeded the screening criteria. TPH gasoline and diesel concentrations in groundwater were less than the screening

criteria in all samples. TPH oil concentrations in groundwater samples exceeded screening criteria only in the sample collected from C2-MW10(R2).

8 Recommendations and Future Sampling Activities

AECOM recommends decommissioning C1-MW-7 due to safety and well head integrity concerns as the monitoring well is located within a heavy equipment, high traffic area. Historically only MTBE has exceeded the cleanup levels in groundwater samples from C1-MW-7; however, MTBE has not been detected above a cleanup level over the past 11 events conducted between February 2012 and March 2019 (Table 5). Graph 1 below shows the MTBE concentrations have been trending downward.

Groundwater monitoring will continue every 18 months but without C1-MW-7. The next monitoring event is scheduled for September 2020.



9 References

- AECOM, 2017. *Well Decommissioning Summary Letter*. Former Fort Vancouver Plywood Site, Port of Vancouver USA, Vancouver, Washington. February 10.
- Ecology, 1999. *Cleanup Action Plan*. Former Fort Vancouver Plywood Site – Cell 1. January.
- Ecology, 2000. *Cleanup Action Plan*. Former Fort Vancouver Plywood Site – Cell 2. January.
- Ecology, 2002. Letter from the Washington State Department of Ecology to Century West Engineering Corporation. *Re: Former Fort Vancouver Plywood Proposed Groundwater Sampling Procedures*. November 4.

- Ecology, 2011. Letter from Washington State Department of Ecology to Kennedy/Jenks Consultants. *Ecology Response to Recommendations for Modification of the Groundwater Monitoring Program Former Fort Vancouver Plywood Site*. April 6.
- Ecology, 2016. Letter from Washington State Department of Ecology to the Port of Vancouver. *Re: Approval for Reducing Groundwater Level and Groundwater Sampling Frequency at the Former Fort Vancouver Plywood Facility, Port of Vancouver, Vancouver, Washington*. June 28.
- ERM, 2008a. *Cell 1 September 2007 Groundwater Monitoring Report and 5-Year Review*. Former Fort Vancouver Plywood, Port of Vancouver USA, Vancouver, Washington. May.
- ERM, 2008b. *Cell 2 September 2007 Groundwater Monitoring Report and 5-Year Review*. Former Fort Vancouver Plywood, Port of Vancouver USA, Vancouver, Washington. May.
- EPA, 1996. *Ground Water Issue. Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures*. By Robert W. Puls and Michael J. Barcelona. EPA/540/S-95/504. April.
- Kennedy/Jenks, 2011. Letter from Kennedy/Jenks Consultants to the Washington State Department of Ecology. *Subject: Recommendation for Modification of the Groundwater Monitoring Program, Former Fort Vancouver Plywood Site, Port of Vancouver USA*. March 29.
- Kennedy/Jenks, 2014. *Second Semi-Annual 2013 Groundwater Monitoring Report*. Port of Vancouver USA, Fort Vancouver Plywood Site. February 11.
- U.S. Geological Survey (USGS), 1993. *A Description of Hydrogeologic Units in the Portland Basin, Oregon and Washington*. U.S. Geological Survey Water-Resources Investigations Report 90-4196. Prepared in cooperation with City of Portland Bureau of Water Works, Intergovernmental Resource Center, and Oregon Water Resources Department.

10 Limitations

AECOM has prepared this report for use by the Port. Within the limitations of scope, schedule, and budget, our services have been executed in accordance with accepted environmental science practices in this area at the time this report was prepared. No other warranty or conditions, expressed or implied, should be understood.


We appreciate the opportunity to be of service to the Port on this project. Please call Nicky Moody at (503) 478-2765 with any questions regarding this or any other referenced submittals.

Sincerely,


AECOM



Nicky Moody
Project Manager



Jeremy Haney, LG
Geologist



cc: Craig Rankine, RG, LHG, Cleanup Project Manager/Hydrogeologist, Washington Department of Ecology, Toxics Cleanup Program, 2108 Grand Blvd, Vancouver, WA 98661-4662

Attachments

List of Figures

Figure 1	Vicinity Map
Figure 2	Site Map
Figure 3	Groundwater Elevation, Contours, and Flow Direction – March 2019


List of Tables

Table 1	Compliance Monitoring Plan
Table 2	Groundwater Elevation Results
Table 3	Groundwater Field Parameter Measurements
Table 4	Volatile Organic Compounds in the Deeper Unconsolidated Aquifer
Table 5	Volatile Organic Compounds in the Shallow Zone
Table 6	Total Petroleum Hydrocarbons in the Deeper Unconsolidated Aquifer
Table 7	Total Petroleum Hydrocarbons in the Shallow Zone

List of Appendices

Appendix A	Field Forms
Appendix B	Laboratory Report and Chain-of-Custody Form
Appendix C	Data Quality Review Report

Figures



Source: Copyright © 2013 National Geographic Society, i-cubed

1,000 0 1,000 2,000
SCALE IN FEET

AECOM

VICINITY MAP

FORMER FORT VANCOUVER PLYWOOD SITE
PORT OF VANCOUVER USA
VANCOUVER, WA

FIGURE 1

K:\2569089_POWMXD1Q2019\Figure 2 Site Map.mxd



Map Features

- Monitoring Well Location
- Decommissioned Monitoring Well Location
- Unlocatable Monitoring Well Location
- Approximate (Site) Cell Boundary

AECOM



SITE MAP

FORMER FORT VANCOUVER PLYWOOD SITE
PORT OF VANCOUVER USA
VANCOUVER, WA

FIGURE 2

Table 1. Compliance Monitoring Plan
Former Fort Vancouver Plywood Site

Cell #	Well ID	Aquifer	Screen Interval (feet)	Current Compliance Monitoring Plan								Recommendation
				Groundwater Monitoring & Sampling				Sampling Plan				
				Sep-17	Mar-19	Sep-20	+18 months	Sampling Method	Analytes	Containers		
Cell 1	C1-MW-4	Shallow	17-32	Complete	Complete	X	X	PP/Bailer	VOCs	6 VOAs	-	-
	C1-MW-7	Shallow	15-30	Complete	Complete	X	X	PP/Bailer	BTEX, MTBE	6 VOAs	-	Decommission
	C1-MW-1	Shallow	18-33	Decommissioned in December 2016 after approval from Ecology in June 2016								
	C1-MW-2	Shallow	11-21	Decommissioned in December 2016 after approval from Ecology in June 2016								
	C1-MW-3	Shallow	15-32	Decommissioned in December 2016 after approval from Ecology in June 2016								
	C1-MW-5	Shallow	16-32	Decommissioned in December 2016 after approval from Ecology in June 2016								
	C1-MW-6	Shallow	15-25	Decommissioned in 2013 after approval from Ecology in 2011								
	C1-MW-6B	Deeper	52.5-62.5	Decommissioned in 2013 after approval from Ecology in 2011								
	C1-MW-8	Shallow	16-31	Decommissioned in 2012 after approval from Ecology in 2011								
	C1-MW-8(R)	Shallow	15-30	Decommissioned in November 2016 after approval from Ecology in June 2016								
	C1-MW-9	Shallow	20-30	Decommissioned in December 2016 after approval from Ecology in June 2016								
Cell 2	C2-MW-3	Shallow	6-16	Complete	Complete	X	X	PP/Bailer	Gx, Dx	6 VOAs	2 Ambers	-
	C2-MW-9**	Shallow	25-35	Complete	Complete	X	X	PP/Bailer	VOCs, Gx, Dx	6 VOAs	2 Ambers	-
	C2-MW-10(R2)	Shallow	20-35	Complete	Complete	X	X	PP/Bailer	Gx, Dx	6 VOAs	2 Ambers	-
	C2-MW-11(R)	Shallow	15-30	Complete	Complete	X	X	PP/Bailer	VOCs, Gx, Dx	6 VOAs	2 Ambers	-
	C2-MW-12B	Deeper	40-50	Complete	Complete	X	X	Bladder	VOCs, Gx, Dx	6 VOAs	2 Ambers	-
	C2-MW-1	Shallow	5-15	Not decommissioned as paved over & not located again in December 2016								
	C2-MW-2	Shallow	6-16	Decommissioned in August 2010								
	C2-MW-4	Shallow	9-19	Not decommissioned as paved over & not located again in December 2016								
	C2-MW-5	Shallow	6-16	Decommissioned in 2012 after approval from Ecology in 2011								
	C2-MW-6	Shallow	15-20	Decommissioned in November 2016 after approval from Ecology in June 2016								
	C2-MW-7	Shallow	15-25	Not decommissioned as paved over & not located again in December 2016								
	C2-MW-8	Shallow	6-16	Decommissioned in 2012 following approval from Ecology in 2011								
	C2-MW-10(R)	Shallow	18-33	Well not locatable (unknown if damaged or paved over); replaced in 2015 with C2-MW-10(R2)								
	C2-MW-11	Shallow	15-30	Decommissioned in 2014 due to construction activities; replaced in 2014 with C2-MW-11(R)								
	C2-MW-13B	Deeper	47-57	Decommissioned in 2012 following approval from Ecology in 2011								
	C2-MW-14	Shallow	Unknown	Decommissioned in 2002 following approval from Ecology								
	C2-MW-15	Shallow	7-22	Decommissioned in December 2016 after approval from Ecology in June 2016								
C2-MW-16	Shallow	5-20	Not decommissioned as paved over & not located again in December 2016									

Sampling Schedule (18+ months)*

September 2017

March 2019

September 2020

+18 months

Notes:

█ = Indicates a monitoring well that was either abandoned or unlocatable as paved over.

X = indicates that depth to groundwater measurements will be collected.

Red = indicates active conditional Point of Compliance (POC) well in the Agreed Orders

BTEX = benzene, toluene, ethylbenzene, and total xylenes

Dx = diesel and heavy oil range organics

Gx = gasoline range organics

MTBE = methyl tert-butyl ether

PP/Bailer = purging conducted using peristaltic pump and then sampling conducted using a double check ball disposable bailer

(R) = C1-MW-8 and C2-MW-11 were replaced in July 2014.

VOA = volatile organic analysis

VOC = volatile organic carbon

** = Collect field duplicate on C2-MW-9. If not accessible, collect the field duplicate on C2-MW-11 or C2-MW-12B.

Tables

Table 2. Groundwater Elevation Results
Former Fort Vancouver Plywood Site

Well Designation	Date	Top of Casing Elevation ^(a) (feet)	Depth to Groundwater ^(b) (feet)	Total Well Depth (feet)	Groundwater Elevation (feet)	Well Screened Interval (feet)
Active Monitoring Wells						
Cell 1 - Shallow Zone						
C1-MW-4	02/26/09	29.07	22.86	29.4	6.21	17-32
	05/11/09	29.07	19.69	29.4	9.38	
	12/17/09	29.07	22.29	29.3	6.78	
	03/29/10	29.07	23.01	29.4	6.06	
	05/25/10	29.07	20.54	29.4	8.53	
	11/29/10	29.07	22.83	29.4	6.24	
	03/24/11	29.07	18.75	29.3	10.32	
	10/11/11	29.07	23.33	29.3	5.74	
	02/29/12	29.07	22.11	NM	6.96	
	09/20/12	29.07	23.47	NM	5.60	
	03/22/13	29.07	23.75	NM	5.32	
	09/23/13	29.07	NM	NM	NA	
	03/20/14	29.07	17.92	NM	11.15	
	09/02/14	29.07	24.36	NM	4.71	
	04/07/15	29.07	20.45	NM	8.62	
	09/28/15	29.07	24.33	NM	4.74	
	03/28/16	29.07	19.65	NM	9.42	
	09/11/17	29.07	24.44	NM	4.63	
	03/19/19	29.07	23.81	NM	5.26	
C1-MW-7	02/26/09	30.05	17.85	29.1	12.20	15-30
	05/11/09	30.05	17.74	28.5	12.31	
	12/17/09	30.05	17.87	28.5	12.18	
	03/29/10	30.05	17.41	28.5	12.64	
	05/25/10	30.05	17.41	28.5	12.64	
	11/29/10	30.05	17.56	28.5	12.49	
	03/24/11	30.05	16.92	28.5	13.13	
	10/11/11	30.05	17.59	28.5	12.46	
	02/29/12	30.05	17.48	28.5	12.57	
	09/20/12	30.05	17.57	28.5	12.48	
	03/21/13	30.05	17.50	NM	12.55	
	09/23/13	30.05	17.76	NM	12.29	
	03/20/14	30.05	17.02	NM	13.03	
	09/02/14	30.05	17.53	NM	12.52	
	04/07/15	30.05	17.24	NM	12.81	
	09/28/15	29.29	17.54	NM	11.75	
	03/28/16	29.29	16.77	NM	12.52	
	09/11/17	29.29	16.91	NM	12.38	
	03/19/19	29.29	17.11	NM	12.18	

Table 2. Groundwater Elevation Results
Former Fort Vancouver Plywood Site

Well Designation	Date	Top of Casing Elevation ^(a) (feet)	Depth to Groundwater ^(b) (feet)	Total Well Depth (feet)	Groundwater Elevation (feet)	Well Screened Interval (feet)
Cell 2 - Shallow Zone						
C2-MW-3	02/26/09	32.43	12.70	15.4	19.73	6-16
	05/11/09	32.43	13.04	15.0	19.39	
	12/17/09	32.43	13.12	15.3	19.31	
	03/29/10	32.43	12.22	15.1	20.21	
	05/25/10	32.43	12.08	15.1	20.35	
	11/29/10	32.43	12.20	15.1	20.23	
	03/24/11	32.43	11.32	15.0	21.11	
	10/11/11	32.43	12.56	15.0	19.87	
	02/29/12	32.43	11.99	15.0	20.44	
	09/20/12	32.43	12.91	15.0	19.52	
	03/21/13	32.43	11.86	NM	20.57	
	09/20/13	32.43	12.52	NM	19.91	
	03/20/14	32.43	11.86	NM	20.57	
	09/02/14	32.43	12.40	NM	20.03	
	04/07/15	32.43	11.82	NM	20.61	
	09/28/15	32.43	12.81	NM	19.62	
	03/28/16	32.43	11.19	NM	21.24	
	09/11/17	32.43	12.58	NM	19.85	
	03/19/19	32.43	12.88	NM	19.55	
C2-MW-9	02/26/09	33.00	NM	NM	NA	25-35
	05/11/09	33.00	21.89	34.5	11.11	
	12/17/09	33.00	24.69	33.8	8.31	
	03/29/10	33.00	NM	NM	NA	
	05/25/10	33.00	NM	NM	NA	
	11/29/10	33.00	NM	NM	NA	
	03/24/11	33.00	NM	NM	NA	
	10/11/11	33.00	24.97	33.8	8.03	
	02/29/12	33.00	18.81	33.8	14.19	
	09/20/12	33.00	24.51	33.8	8.49	
	03/22/13	33.00	24.48	NM	8.52	
	09/23/13	33.00	25.50	NM	7.50	
	03/20/14	33.00	19.54	NM	13.46	
	09/02/14	32.25	24.49	NM	7.76	
	04/07/15	32.25	21.29	NM	10.96	
	09/28/15	32.25	25.68	NM	6.57	
	03/28/16	32.25	21.30	NM	10.95	
	09/11/17	32.25	25.16	NM	7.09	
	03/19/19	32.25	24.02	NM	8.23	
C2-MW-10(R2)	09/28/15	33.57	28.38	35.45	5.19	20-35
	03/28/16	33.57	24.39	NM	9.18	
	09/11/17	33.57	27.96	NM	5.61	
	03/19/19	33.57	27.12	NM	6.45	
C2-MW-11(R)	09/02/14	30.80	25.23	NM	5.57	15-30
	04/07/15	30.80	21.90	NM	8.90	
	09/28/15	30.80	25.62	NM	5.18	
	03/28/16	30.80	21.58	NM	9.22	
	09/11/17	30.80	25.27	NM	5.53	
	03/19/19	30.80	24.35	NM	6.45	

Table 2. Groundwater Elevation Results
Former Fort Vancouver Plywood Site

Well Designation	Date	Top of Casing Elevation ^(a) (feet)	Depth to Groundwater ^(b) (feet)	Total Well Depth (feet)	Groundwater Elevation (feet)	Well Screened Interval (feet)
Cell 2 - Deeper Unconsolidated Aquifer						
C2-MW-12B	02/26/09	32.45	25.40	47.6	7.05	40-50
	05/11/09	32.45	21.81	46.7	10.64	
	12/17/09	32.45	24.73	47.4	7.72	
	03/29/10	32.45	25.39	46.8	7.06	
	05/25/10	32.45	22.82	46.7	9.63	
	11/29/10	32.45	25.21	46.8	7.24	
	03/24/11	32.45	21.02	46.8	11.43	
	10/11/11	32.45	26.24	46.8	6.21	
	02/29/12	32.45	24.05	46.8	8.40	
	09/20/12	32.45	26.39	46.8	6.06	
	03/21/13	32.45	25.82	NM	6.63	
	09/20/13	32.45	26.34	NM	6.11	
	03/20/14	32.45	20.12	NM	12.33	
	09/02/14	32.45	27.04	NM	5.41	
	04/07/15	32.45	23.00	NM	9.45	
	09/28/15	32.45	26.87	NM	5.58	
	03/28/16	32.45	21.97	NM	10.48	
	09/11/17	32.45	26.57	NM	5.88	
	03/19/19	32.45	25.88	NM	6.57	
Abandoned or Unlocatable Monitoring Wells						
Cell 1 - Shallow Zone						
C1-MW-1	02/26/09	30.23	NM	NM	NA	18-33
	05/11/09	30.23	21.06	33.5	9.17	
	12/17/09	30.23	23.47	33.3	6.76	
	03/29/10	30.23	24.32	33.5	5.91	
	05/25/10	30.23	21.72	33.4	8.51	
	11/29/10	30.23	24.58	33.4	5.65	
	03/24/11	30.23	20.08	33.4	10.15	
	10/11/11	30.23	24.87	33.4	5.36	
	02/29/12	30.23	23.20	33.4	7.03	
	09/20/12	30.23	25.05	33.4	5.18	
	03/21/13	30.23	24.97	NM	5.26	
	09/23/13	30.23	25.62	NM	4.61	
	03/20/14	30.23	19.25	NM	10.98	
	09/02/14	30.23	26.02	NM	4.21	
	04/07/15	30.23	22.05	33.6	8.18	
	09/28/15	30.23	25.80	NM	4.43	
	03/28/16	30.23	21.19	NM	9.04	
C1-MW-2	02/26/09	31.03	14.53	20.8	16.50	11-21
	05/11/09	31.03	14.26	20.3	16.77	
	12/17/09	31.03	13.29	20.4	17.74	
	03/29/10	31.03	14.05	NM	16.98	
	05/25/10	31.03	14.27	20.4	16.76	
	11/29/10	31.03	13.57	NM	17.46	
	03/24/11	31.03	13.02	20.4	18.01	
	10/11/11	31.03	14.83	20.4	16.20	
	02/29/12	31.03	13.91	20.4	17.12	
	09/20/12	31.03	15.15	20.4	15.88	
	03/21/13	31.03	14.38	NM	16.65	
	09/23/13	31.03	NM	NM	NA	
	03/20/14	31.03	14.66	NM	16.37	
	09/02/14	31.03	15.02	NM	16.01	
	04/07/15	31.03	14.26	NM	16.77	
	09/28/15	31.03	15.56	NM	15.47	
	03/28/16	31.03	13.59	NM	17.44	

Table 2. Groundwater Elevation Results
Former Fort Vancouver Plywood Site

Well Designation	Date	Top of Casing Elevation ^(a) (feet)	Depth to Groundwater ^(b) (feet)	Total Well Depth (feet)	Groundwater Elevation (feet)	Well Screened Interval (feet)
C1-MW-3	02/26/09	29.89	23.11	32.1	6.78	15-32
	05/11/09	29.89	20.45	31.5	9.44	
	12/17/09	29.89	22.78	31.5	7.11	
	03/29/10	29.89	23.17	31.6	6.72	
	05/25/10	29.89	21.12	31.1	8.77	
	11/29/10	29.89	NM	NM	NA	
	03/24/11	29.89	19.42	31.4	10.47	
	10/11/11	29.89	23.71	31.4	6.18	
	02/29/12	29.89	22.06	31.4	7.83	
	09/20/12	29.89	24.00	31.4	5.89	
	03/22/13	29.10	23.20	NM	5.90	
	09/23/13	29.10	NM	NM	NA	
	03/20/14	29.10	17.55	NM	11.55	
	09/02/14	29.10	23.93	NM	5.17	
	04/07/15	29.10	20.52	NM	8.58	
	09/28/15	29.10	24.02	NM	5.08	
	03/28/16	29.10	19.69	NM	9.41	
C1-MW-5	02/26/09	30.71	DRY	31.2	NA	16-32
	05/11/09	30.71	21.37	31.2	9.34	
	12/17/09	30.71	23.89	31.2	6.82	
	03/29/10	30.71	24.72	33.2	5.99	
	05/25/10	30.71	22.15	31.2	8.56	
	11/29/10	30.71	24.93	31.2	5.78	
	03/24/11	30.71	20.49	31.2	10.22	
	10/11/11	30.71	25.27	31.2	5.44	
	02/29/12	30.71	23.53	31.2	7.18	
	03/21/13	29.84	24.93	NM	4.91	
	09/23/13	29.84	25.49	NM	4.35	
	03/20/14	29.84	19.16	NM	10.68	
	09/02/14	29.84	NM	NM	NA	
	04/07/15	29.84	21.96	31.0	7.88	
	09/28/15	29.84	25.71	NM	4.13	
	03/28/16	29.84	21.14	NM	8.70	
C1-MW-6	02/26/09	31.66	NM	NM	NA	15-25
	05/11/09	31.66	12.13	27.1	19.53	
	12/18/09	31.66	12.19	26.9	19.47	
	03/29/10	31.66	NM	NM	NA	
	05/25/10	31.66	NM	NM	NA	
	11/29/10	31.66	11.29	26.7	20.37	
	03/24/11	31.66	10.75	26.6	20.91	
	10/11/11	31.66	NM	NM	NA	
C1-MW-8	02/26/09	30.43	23.54	32.7	6.89	16-31
	05/11/09	30.43	20.74	31.9	9.69	
	12/17/09	30.43	22.84	31.9	7.59	
	03/29/10	30.43	25.63	36.2	4.80	
	05/25/10	30.43	21.10	31.9	9.33	
	11/29/10	30.43	23.91	31.9	6.52	
	03/24/11	30.43	19.78	31.2	10.65	
	10/11/11	30.43	23.93	31.2	6.50	
	02/29/12	30.43	22.03	31.2	8.40	
	09/20/12	30.43	24.02	31.2	6.41	
C1-MW-8(R)	09/02/14	27.58	22.72	NM	4.86	15-30
	04/07/15	27.58	18.85	NM	8.73	
	09/28/15	27.58	22.68	NM	4.90	
	03/28/16	27.58	18.49	NM	9.09	

Table 2. Groundwater Elevation Results
Former Fort Vancouver Plywood Site

Well Designation	Date	Top of Casing Elevation ^(a) (feet)	Depth to Groundwater ^(b) (feet)	Total Well Depth (feet)	Groundwater Elevation (feet)	Well Screened Interval (feet)
C1-MW-9	02/26/09	30.55	19.78	27.5	10.77	20-30
	05/11/09	30.55	19.83	27.0	10.72	
	12/17/09	30.55	21.10	27.0	9.45	
	03/29/10	30.55	19.47	27.0	11.08	
	05/25/10	30.55	19.61	27.0	10.94	
	11/29/10	30.55	19.88	27.1	10.67	
	03/24/11	30.55	18.96	27.0	11.59	
	10/11/11	30.55	19.75	26.7	10.80	
	02/29/12	30.55	19.76	26.7	10.79	
	09/20/12	30.55	19.86	26.7	10.69	
	03/21/13	30.55	18.95	NM	11.60	
	09/23/13	30.55	19.92	NM	10.63	
	03/20/14	30.55	19.37	NM	11.18	
	09/02/14	30.55	19.75	NM	10.80	
	04/07/15	30.55	19.77	NM	10.78	
	09/28/15	30.55	19.95	NM	10.60	
	03/28/16	30.55	18.80	NM	11.75	
Cell 1 - Deeper Unconsolidated Aquifer						
C1-MW-6B	02/26/09	30.96	NM	NM	NA	52.5-62.5
	05/11/09	30.96	21.89	65.3	9.07	
	12/17/09	30.96	24.23	64.9	6.73	
	03/29/10	30.96	24.87	64.5	6.09	
	05/25/10	30.96	NM	NM	NA	
	11/29/10	30.96	NM	NM	NA	
	03/24/11	30.96	20.74	64.3	10.22	
	10/11/11	30.96	NM	NM	NA	
Cell 2 - Shallow Zone						
C2-MW-1	02/26/09	34.51	28.57	32.4	5.94	5-15
	05/11/09	34.51	NM	NM	NA	
	12/17/09	34.51	25.40	32.5	9.11	
	03/29/10	34.51	26.37	32.3	8.14	
	05/25/10	34.51	NM	NM	NA	
	11/29/10	34.51	NM	NM	NA	
	03/24/11	34.51	22.11	32.5	12.40	
	10/11/11	34.51	27.50	32.5	7.01	
	02/29/12	34.51	NM	NM	NA	
	09/23/13	34.51	NM	NM	NA	
	03/20/14	34.51	NM	NM	NA	
	09/02/14	34.51	NM	NM	NA	
	04/07/15	34.51	NM	NM	NA	
	09/28/15	NM	NM	NM	NM	
C2-MW-2	02/26/09	33.20	13.04	16.8	20.16	6-16
	05/11/09	33.20	13.45	16.5	19.75	
	12/17/09	33.20	NM	NM	NA	
	03/29/10	33.20	NM	NM	NA	
	05/25/10	33.20	NM	NM	NA	
	11/29/10	33.20	NM	NM	NA	
C2-MW-4	02/26/09	34.20	NM	NM	NA	9-19
	05/11/09	34.20	NM	NM	NA	
	12/17/09	34.20	NM	NM	NA	
	03/29/10	34.20	NM	NM	NA	
	05/25/10	34.20	NM	NM	NA	
	11/29/10	34.20	NM	NM	NA	
	03/24/11	34.20	NM	NM	NA	
	10/11/11	34.20	NM	NM	NA	

Table 2. Groundwater Elevation Results
Former Fort Vancouver Plywood Site

Well Designation	Date	Top of Casing Elevation ^(a) (feet)	Depth to Groundwater ^(b) (feet)	Total Well Depth (feet)	Groundwater Elevation (feet)	Well Screened Interval (feet)
C2-MW-5	02/26/09	32.43	12.46	16.4	19.97	6-16
	05/11/09	32.43	12.86	14.9	19.57	
	12/17/09	32.43	13.22	15.2	19.21	
	03/29/10	32.43	12.00	14.8	20.43	
	05/25/10	32.43	11.92	14.9	20.51	
	11/29/10	32.43	11.99	14.9	20.44	
	03/24/11	32.43	11.17	14.9	21.26	
	10/11/11	32.43	NM	NM	NA	
C2-MW-6	02/26/09	33.46	NM	NM	NA	15-20
	05/11/09	33.46	NM	NM	NA	
	12/17/09	33.46	DRY	19.9	NA	
	03/29/10	33.46	DRY	19.7	NA	
	05/25/10	33.46	DRY	19.9	NA	
	11/29/10	33.46	NM	NM	NA	
	03/24/11	33.46	NM	NM	NA	
	10/11/11	33.46	19.48	19.9	13.98	
	02/29/12	33.46	19.61	19.9	13.85	
	03/21/13	33.46	18.66	NM	14.80	
	09/20/13	33.46	19.35	NM	14.11	
	03/20/14	33.46	18.19	NM	15.27	
	09/02/14	33.46	18.19	NM	15.27	
	04/07/15	33.46	14.81	NM	18.65	
	09/28/15	33.46	19.51	NM	13.95	
	03/28/16	33.46	15.39	NM	18.07	
C2-MW-7	02/26/09	34.55	NM	NM	NA	15-25
	05/11/09	34.55	19.22	28.2	15.33	
	12/17/09	34.55	NM	NM	NA	
	03/29/10	34.55	NM	NM	NA	
	05/25/10	34.55	NM	NM	NA	
	11/29/10	34.55	NM	NM	NA	
	03/24/11	35.55	NM	NM	NA	
	10/11/11	35.55	NM	NM	NA	
C2-MW-8	02/26/09	31.90	NM	NM	NA	6-16
	05/11/09	31.90	NM	NM	NA	
	12/17/09	31.90	DRY	14.9	NA	
	03/29/10	31.90	NM	NM	NA	
	05/25/10	31.90	DRY	NM	NA	
	11/29/10	31.90	NM	NM	NA	
	03/24/11	31.90	DRY	14.6	NA	
	10/11/11	31.90	NM	NM	NA	
C2-MW-10(R)	02/26/09	34.18	25.72	36.2	8.46	15-30
	05/11/09	34.18	22.61	36.1	11.57	
	12/17/09	34.18	25.39	36.4	8.79	
	03/29/10	34.18	25.63	36.2	8.55	
	05/25/10	34.18	23.60	36.1	10.58	
	11/29/10	34.18	25.93	36.2	8.25	
	03/24/11	34.18	21.95	36.1	12.23	
	10/11/11	34.18	25.99	36.1	8.19	
	02/29/12	34.18	24.29	36.1	9.89	
	09/20/12	34.18	26.00	36.1	8.18	
	03/22/13	34.18	26.20	NM	7.98	
	09/23/13	34.18	NM	NM	NA	
	03/20/14	34.18	NM	NM	NA	
	09/02/14	34.18	NM	NM	NA	
	04/07/15	34.18	NM	NM	NA	

Table 2. Groundwater Elevation Results
Former Fort Vancouver Plywood Site

Well Designation	Date	Top of Casing Elevation ^(a) (feet)	Depth to Groundwater ^(b) (feet)	Total Well Depth (feet)	Groundwater Elevation (feet)	Well Screened Interval (feet)
C2-MW-11	02/26/09	34.26	25.60	36.0	8.66	15-30
	05/11/09	34.26	22.63	36.1	11.63	
	12/17/09	34.26	25.33	36.3	8.93	
	03/29/10	34.26	25.67	36.1	8.59	
	05/25/10	34.26	23.45	36.1	10.81	
	11/29/10	34.26	25.81	36.1	8.45	
	03/24/11	34.26	21.94	36.1	12.32	
	10/11/11	34.26	25.91	36.1	8.35	
	02/29/12	34.26	24.17	36.1	10.09	
	09/20/12	34.26	25.85	36.1	8.41	
	03/22/13	34.26	25.95	NM	8.31	
	09/23/13	34.26	26.52	NM	7.74	
	03/20/14	34.26	21.15	NM	13.11	
C2-MW-15	02/26/09	33.06	21.56	24.3	11.50	7-22
	05/11/09	33.06	20.72	23.9	12.34	
	12/17/09	33.06	21.92	23.9	11.14	
	03/29/10	33.06	NM	NM	NA	
	05/25/10	33.06	NM	NM	NA	
	11/29/10	33.06	NM	NM	NA	
	03/24/11	34.06	NM	NM	NA	
	10/11/11	34.06	NM	NM	NA	
	02/29/12	34.06	NM	NM	NA	
	09/20/12	34.06	21.22	NM	12.84	
	03/21/13	34.06	20.21	NM	13.85	
	09/23/13	34.06	21.08	NM	12.98	
	03/20/14	34.06	18.50	NM	15.56	
	09/02/14	34.06	NM	NM	NA	
	04/07/15	34.06	18.70	NM	15.36	
	09/28/15	NM	NM	NM	NM	
C2-MW-16	02/26/09	33.76	NM	NM	NA	5-20
	05/11/09	33.76	19.68	23.5	14.08	
	12/17/09	33.76	NM	NM	NA	
	03/29/10	33.76	NM	NM	NA	
	05/25/10	33.76	NM	NM	NA	
	11/29/10	33.76	NM	NM	NA	
	03/24/11	33.76	NM	NM	NA	
	10/11/11	33.76	NM	NM	NA	
Cell 2 - Deeper Unconsolidated Aquifer						
C2-MW-13B	02/26/09	32.38	NM	NM	NA	47-57
	05/11/09	32.38	NM	NM	NA	
	12/17/09	32.38	NM	NM	NA	
	03/29/10	32.38	NM	NM	NA	
	05/25/10	32.38	NM	NM	NA	
	11/29/10	32.38	NM	NM	NA	
	03/24/11	32.38	21.35	54.98	11.03	
	10/11/11	32.38	NM	NM	NA	

Notes:

■ = Indicates a monitoring well that was either abandoned or unlocatable as paved over.

NM = Not measured because the well was inaccessible.

NA = Not applicable.

(a) = Elevation in feet relative to mean sea level based on ties to a local W&H Pacific Co. benchmark, vertical datum NGVD29(47).

(b) = Measured in feet below the top of the well casing.

Table 3. Groundwater Field Parameter Measurements
Former Fort Vancouver Plywood Site

Sample Location	Sample Date	Field Parameters				
		Temperature (°C)	Conductivity (mS/cm)	Dissolved Oxygen (mg/l)	pH	ORP (mV)
Active Monitoring Wells						
Cell 1 - Shallow Zone						
C1-MW-4	02/27/09	15.05	1.057	0.45	8.39	-
	05/12/09	15.52	1.217	1.32	6.92	-
	12/18/09	15.32	1.294	0.50	6.35	-
	03/30/10	14.71	0.515	0.88	6.36	-
	05/26/10	15.37	1.109	1.36	6.28	-
	11/30/10	14.2	1.366	1.10	6.54	-
	03/24/11	14.85	1.577	0.63	6.24	-
	10/11/11	15.19	1.149	1.39	7.93	-
	03/01/12	14.77	1.857	0.54	6.66	-
	09/20/12	15.48	1.262	0.97	6.33	-
	03/22/13	15.1	1.798	1.12	7.38	-
	09/23/13	NS	NS	NS	NS	-
	03/21/14	15.48	1.173	1.51	6.34	-54.2
	09/03/14	18.01	1.188	0.75	6.26	-45.1
	04/07/15	15.48	1.193	6.44	6.44	-92.2
	09/29/15	16.94	1.164	0.34	6.31	-53.4
	03/29/16	15.31	1.419	1.82	6.30	-58.1
	09/11/17	20.36	1.41	1.99	6.65	-34
	03/19/19	16.33	2.61	1.05	6.41	-81
C1-MW-7	02/27/09	15.82	0.501	0.63	7.37	-
	05/12/09	15.63	0.877	1.64	6.78	-
	12/18/09	16.16	1.025	0.54	6.26	-
	03/30/10	15.45	0.383	0.79	6.35	-
	05/26/10	15.70	0.610	3.32	6.00	-
	11/30/10	14.46	0.973	1.18	6.59	-
	03/25/11	15.05	1.048	1.26	6.44	-
	10/12/11	16.01	0.906	1.48	7.43	-
	02/29/12	14.44	0.599	1.66	6.65	-
	09/20/12	16.14	0.772	0.93	6.28	-
	03/22/13	15.17	1.331	0.91	7.80	-
	09/23/13	16.10	1.300	7.00	8.20	-
	03/21/14	15.75	1.056	0.38	6.55	-130.5
	09/04/14	17.29	1.003	4.55	6.35	-80.1
	04/07/15	17.36	1.138	0.70	6.42	-127.0
	09/29/15	19.24	1.078	0.60	6.45	-94.4
	03/29/16	16.33	1.103	2.06	6.36	32.1
	09/11/17	21.32	1.19	1.52	6.62	-91
	03/19/19	15.78	1.69	1.18	6.40	-121

Table 3. Groundwater Field Parameter Measurements
Former Fort Vancouver Plywood Site

Sample Location	Sample Date	Field Parameters				
		Temperature (°C)	Conductivity (mS/cm)	Dissolved Oxygen (mg/l)	pH	ORP (mV)
Cell 2 - Shallow Zone						
C2-MW-3	02/26/09	14.22	0.284	1.64	7.21	-
	05/12/09	14.61	0.316	1.75	6.62	-
	12/17/09	14.92	0.404	0.53	6.39	-
	03/29/10	13.02	0.102	10.60	6.7	-
	05/26/10	14.15	0.216	1.59	6.21	-
	11/30/10	14.8	0.240	12.00	6.72	-
	03/25/11	13.58	0.236	1.04	6.56	-
	10/11/11	16.11	0.173	1.39	7.07	-
	02/29/12	12.84	0.242	2.10	6.55	-
	09/21/12	16.14	0.200	14.90	6.23	-
	03/21/13	14.04	0.257	2.92	7.49	-
	09/20/13	16.90	0.220	3.30	6.90	-
	03/21/14	14.02	0.157	2.28	6.49	80.1
	09/03/14	18.13	0.193	1.28	6.08	25.1
	04/07/15	16.26	0.190	2.33	6.36	4.0
	09/29/15	17.98	0.219	0.61	6.65	99.9
	03/29/16	12.66	0.162	3.09	6.79	67.4
09/11/17	23.54	0.222	1.47	6.85	111	
03/19/19	13.21	0.270	2.10	6.74	109	
C2-MW-9	02/26/09	NS	NS	NS	NS	-
	05/12/09	14.24	0.974	2.18	7.05	-
	12/18/09	14.07	0.903	0.72	6.49	-
	03/30/10	NS	NS	NS	NS	-
	05/26/10	NS	NS	NS	NS	-
	11/30/10	NS	NS	NS	NS	-
	03/25/11	13.71	0.879	0.37	6.61	-
	10/11/11	14.14	0.785	1.48	8.13	-
	05/22/12	12.91	0.870	0.71	8.00	-
	09/20/12	14.76	0.998	0.94	6.70	-
	03/22/13	12.52	1.239	1.41	6.84	-
	09/23/13	14.40	0.790	4.50	8.20	-
	03/21/14	14.41	0.697	1.11	6.49	-66.3
	09/03/14	16.34	0.726	0.82	6.33	-90.3
	04/07/15	14.14	0.720	0.69	6.39	-100.8
	09/28/15	17.08	0.744	0.44	6.49	-89.4
	03/28/16	14.15	0.179	4.27	6.62	-35.1
09/11/17	18.93	0.725	1.62	6.74	-78	
03/19/19	14.46	1.010	1.64	6.61	-114	
C2-MW-10(R2)	09/28/15	16.89	0.814	0.34	6.57	-91.1
	03/28/16	16.28	0.788	1.06	6.44	-75.1
	09/11/17	19.54	0.842	1.97	6.87	-73
	03/19/19	16.24	1.180	1.36	6.64	-104
C2-MW-11(R)	09/03/14	20.03	0.760	1.59	6.10	-43.8
	04/07/15	13.87	0.709	0.42	6.70	-131.8
	09/28/15	16.61	0.723	0.43	6.60	-86.8
	3/28/2016	15.26	0.776	1.06	6.49	-126.3
	9/11/2017	18.04	0.774	2.35	6.81	-105
	3/19/2019	15.67	0.862	0.92	6.53	-78


Table 3. Groundwater Field Parameter Measurements
Former Fort Vancouver Plywood Site

Sample Location	Sample Date	Field Parameters				
		Temperature (°C)	Conductivity (mS/cm)	Dissolved Oxygen (mg/l)	pH	ORP (mV)
Cell 2 - Deeper Unconsolidated Aquifer						
C2-MW-12B	02/26/09	14.24	0.324	1.73	8.48	-
	05/12/09	15.03	0.325	1.79	7.20	-
	12/17/09	14.46	0.395	0.68	6.97	-
	03/29/10	14.47	0.167	8.57	7.09	-
	05/26/10	15.23	0.350	4.49	6.70	-
	11/30/10	11.05	0.186	8.47	7.08	-
	03/25/11	14.55	0.310	0.86	7.13	-
	10/11/11	14.69	0.281	4.11	7.30	-
	02/29/12	13.01	0.360	1.93	6.83	-
	09/21/12	14.02	0.311	33.60	5.73	-
	03/21/13	13.25	0.380	2.04	7.32	-
	09/20/13	15.10	0.340	3.10	7.60	-
	03/21/14	14.31	0.249	3.06	6.92	150.4
	09/03/14	17.09	0.263	1.61	6.95	43.4
	04/07/15	15.36	0.237	0.62	7.10	104.3
	09/29/15	14.94	0.256	0.70	7.10	37.9
	03/29/16	14.19	0.184	3.67	7.01	39.4
	09/11/17	20.16	0.298	6.23	7.32	105
	03/19/19	13.00	0.401	3.47	7.10	104
Abandoned or Unlocatable Monitoring Wells						
Cell 1 - Shallow Zone						
C1-MW-3	02/27/09	14.38	1.057	0.34	9.12	-
	05/12/09	14.84	1.123	1.43	7.02	-
	12/18/09	14.91	1.198	0.50	6.42	-
	03/30/10	13.5	0.455	0.93	6.45	-
	05/26/10	14.67	0.994	2.32	6.27	-
	11/30/10	NS	NS	NS	NS	-
	03/24/11	13.24	1.211	0.84	6.55	-
	10/12/11	14.5	0.920	1.62	7.56	-
	03/01/12	14.21	1.991	0.49	6.79	-
	09/20/12	15.27	0.944	0.91	6.44	-
	03/22/13	14.39	1.630	2.01	8.23	-
	09/23/13	NS	NS	NS	NS	-
	03/21/14	13.83	0.774	0.28	6.61	15.8
	09/03/14	20.28	1.094	1.16	6.10	-41.1
	04/07/15	14.79	1.103	0.57	6.41	-107.4
	09/29/15	16.96	0.855	0.30	6.19	-73.3
	03/29/16	12.41	0.701	3.31	6.49	59.1
C1-MW-6	02/26/09	NS	NS	NS	NS	-
	05/12/09	11.17	0.402	3.35	6.40	-
	12/18/09	11.80	0.540	0.61	6.65	-
	3/30/2010	NS	NS	NS	NS	-
	05/26/10	NS	NS	NS	NS	-
	11/30/10	NS	NS	NS	NS	-
	03/25/11	10.78	0.302	0.29	6.86	-
Cell 1 - Deeper Unconsolidated Aquifer						
C1-MW-6B	02/26/09	NS	NS	NS	NS	-
	05/12/09	13.33	0.255	2.47	6.84	-
	12/18/09	12.85	0.281	0.71	6.85	-
	03/29/10	12.43	0.116	11.22	7.1	-
	05/26/10	NS	NS	NS	NS	-
	11/30/10	NS	NS	NS	NS	-
	03/25/11	11.90	0.260	7.21	7.00	-

Table 3. Groundwater Field Parameter Measurements
Former Fort Vancouver Plywood Site

Sample Location	Sample Date	Field Parameters				
		Temperature (°C)	Conductivity (mS/cm)	Dissolved Oxygen (mg/l)	pH	ORP (mV)
Cell 2 - Shallow Zone						
C2-MW-7	02/26/09	NS	NS	NS	NS	-
	05/12/09	14.47	0.549	1.62	6.81	-
	12/17/09	NS	NS	NS	NS	-
	03/30/10	NS	NS	NS	NS	-
	05/26/10	NS	NS	NS	NS	-
	11/30/10	NS	NS	NS	NS	-
	03/25/11	13.44	0.885	0.30	6.72	-
C2-MW-10(R)	02/27/09	15.1	1.045	0.28	9.10	-
	05/12/09	14.71	1.065	1.71	6.72	-
	12/17/09	14.98	1.298	0.79	6.44	-
	03/29/10	14.98	0.480	8.24	6.75	-
	05/25/10	15.21	1.080	2.29	6.43	-
	11/30/10	14.4	1.253	16.00	6.78	-
	03/25/11	14.12	1.217	0.36	6.63	-
	10/12/11	14.77	0.966	1.37	7.30	-
	03/01/12	13.84	1.371	0.40	7.21	-
	09/20/12	14.30	0.992	0.86	6.47	-
	03/22/13	13.50	1.204	1.59	6.42	-
	09/23/13	NS	NS	NS	NS	-
	03/21/14	NS	NS	NS	NS	-
	09/03/14	NS	NS	NS	NS	-
	04/07/15	NS	NS	NS	NS	-
C2-MW-11	02/27/09	14.44	0.931	0.41	8.41	-
	05/12/09	14.18	0.401	1.80	6.88	-
	12/18/09	14.28	1.108	0.50	6.5	-
	03/29/10	14.25	0.458	7.15	6.71	-
	05/26/10	14.23	0.893	2.18	6.31	-
	11/30/10	13.83	0.990	2.39	6.79	-
	03/25/11	13.33	1.184	0.45	6.60	-
	10/12/11	14.30	0.909	1.59	7.89	-
	03/01/12	13.36	1.342	0.33	7.07	-
	09/20/12	14.57	0.932	0.77	6.42	-
	03/22/13	13.23	1.073	1.23	6.36	-
	09/23/13	14.10	0.930	8.80	8.60	-
	03/21/14	14.14	0.597	0.52	6.65	-14.8
Cell 2 - Deeper Unconsolidated Aquifer						
C2-MW-13B	02/26/09	NS	NS	NS	NS	-
	05/12/09	NS	NS	NS	NS	-
	12/17/09	NS	NS	NS	NS	-
	03/29/10	NS	NS	NS	NS	-
	05/26/10	NS	NS	NS	NS	-
	11/30/10	NS	NS	NS	NS	-
	03/25/11	14.37	0.256	2.55	6.71	-

Notes:

 = Indicates a monitoring well that was either abandoned or unlocatable as paved over.

- = not available to AECOM for this report.

°C = Degrees Celsius.

mS/cm = millisiemens per centimeter.

mg/l = milligrams per liter

mv = millivolts

NS = Not sampled because well was not accessible.

ORP = oxidation reduction potential

Table 4. Volatile Organic Compounds in the Deeper Unconsolidated Aquifer
Former Fort Vancouver Plywood Site

Well Location	Sample ID	Date Sampled	BTEX Compounds and MTBE							Historically Site Detected VOCs (Since 2009)										
			Benzene µg/l	Toluene µg/l	Ethylbenzene µg/l	m,p-Xylene µg/l	o-Xylene µg/l	Total Xylenes µg/l	Methyl Tertiary Butyl Ether µg/l	Acetone µg/l	Chloroethane µg/l	Chloromethane µg/l	1,1-Dichloroethane µg/l	1,1-Dichloroethene µg/l	cis-1,2-Dichloroethene µg/l	Isopropylbenzene (Cumene) µg/l	Naphthalene µg/l	1,2,4-Trimethylbenzene µg/l	Trichlorofluoromethane µg/l	Vinyl Chloride µg/l
Ecology's MTCA Method A Groundwater Cleanup Levels			5.0	1,000	700	1,000	1,000	1,000	20	NE	NE	NE	NE	NE	NE	NE	160	NE	NE	0.20
Ecology's MTCA Method B Groundwater Cleanup Levels			0.795	640	800	1,600	1,600	1,600	24	7,200	NE	NE	7.68	400	16	800	160	NE	2,400	0.029
Active Monitoring Wells																				
Cell 2 - Deeper Unconsolidated Aquifer																				
C2-MW-12B	C2-MW-12B	02/26/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	5.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-12B	05/12/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-12B	12/17/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-12B	03/29/10	1.0 U	6.8	1.0 U	1.0 U	2.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-12B	05/26/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-12B	11/30/10	1.0 U	1.0	1.0 U	2.0 U	1.0 U	---	1.0 U	5.9	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-12B	03/25/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-12B	10/11/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-12B	02/29/12	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-12B	09/20/12	0.10 U	0.10 U	0.10 U	0.20 U	0.10 U	---	0.10 U	1.0 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U
	C2-MW-12B	03/21/13	0.10 U	0.10 U	0.10 U	0.20 U	0.10 U	3.0 U	0.10 U	1.0 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U
	C2-MW-12B	09/20/13	0.24 U	0.23 U	0.24 U	0.48 U	0.24 U	---	0.50 U	10 U	0.50 U	2.0 U	0.50 U	0.24 U	0.23 U	0.50 U	2.0 U	0.50 U	0.13 U	0.14 U
	C2-MW-12B	03/21/14	0.060 U	0.11 U	0.10 U	0.25 U	0.13 U	---	0.18 U	5.0 U	0.17 U	1.0 U	0.14 U	0.14 U	0.16 U	0.50 U	0.20 U	0.16 U	0.10 U	0.11 U
	C2-MW-12B	09/03/14	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	0.500 U	0.500 U	10.0 U	5.00 U	2.50 UJ	0.250 U	0.250 U	0.250 U	0.500 U	1.000 U	0.500 U	1.00 U	0.100 U
	C2-MW-12B	04/07/15	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.250 U	0.250 U	0.250 U	0.500 U	1.00 U	0.500 U	1.00 U	0.200 U
	C2-MW-12B	09/29/15	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 UJ	0.250 U	0.250 U	0.250 U	0.500 U	1.00 U	0.500 U	1.00 U	0.100 U
	C2-MW-12B	03/29/16	0.125 U	0.500 U	0.250 U	0.500 U	0.200 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.250 U	0.250 U	0.250 U	0.500 U	1.00 U	0.500 U	1.00 U	0.250 U
	C2-MW-12B	09/11/17	0.100 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	20.0 UJ	5.00 U	2.50 U	0.250 U	0.250 U	0.250 U	0.500 U	2.00 UJ	0.500 U	1.00 U	0.200 U
	C2-MW-12B	03/19/19	0.100 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.200 U	0.200 U	0.200 U	0.500 U	1.00 U	0.500 U	1.00 U	0.100 U
Abandoned or Unlocatable Monitoring Wells																				
Cell 1 - Deeper Unconsolidated Aquifer																				
C1-MW-6B	NS	02/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C1-MW-6B	05/12/09	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-6B	12/18/09	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-6B	03/29/10	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	NS	05/26/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	NS	11/30/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C1-MW-6B	03/25/11	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
Cell 2 - Deeper Unconsolidated Aquifer																				
C2-MW-13B	C2-MW-13B	03/25/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	0.20 U

Notes:
--- = Sample not analyzed for constituent
BTEX = benzene, toluene, ethylbenzene, and total xylenes
DUP = Duplicate sample.
J = Constituent was not positively identified; the associated value is estimated.
MTBE = methyl tertiary butyl ether
MTCA = Washington State Department of Ecology Model Toxics Control Act
NE = Not established
NS = Not sampled because well was not accessible.
µg/l = micrograms per liter
R = The sample results were rejected based on the data quality review.
U = Constituent not detected at or above the reporting limit (prior to 2014) or method detection limit (2014 to current).
UJ = Constituent was not detected above the noted limit; the limit is approximate.
VOCs = volatile organic compounds
Values in **bold** were detected above the laboratory method detection limit.
= Indicates a monitoring well that was either abandoned or unlocatable as paved over.
= Indicates the analyte was not detected; however, the reported method detection limit exceeds a screening criterion.
Ecology's MTCA values were obtained from the Washington State Department of Ecology Cleanup Level and Risk Calculations (CLARC) web site. The lower of the carcinogen and noncarcinogen MTCA Method B value is presented. <https://fortress.wa.gov/ecy/clarc/CLARCHome.aspx>

Table 5. Volatile Organic Compounds in the Shallow Zone
Former Fort Vancouver Plywood Site

Well Location	Sample ID	Date Sampled	BTEX Compounds and MTBE							Historically Site Detected VOCs (Since 2009)										
			Benzene	Toluene	Ethylbenzene	m,p-Xylene	o-Xylene	Total Xylenes	Methyl Tertiary Butyl Ether	Acetone	Chloroethane	Chloromethane	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Isopropylbenzene (Cumene)	Naphthalene	1,2,4-Trimethylbenzene	Trichlorofluoromethane	Vinyl Chloride
			µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l
Ecology's MTCA Method B Surface Water Cleanup Levels			23	18,900	6,820	NE	NE	NE	NE	NE	NE	NE	NE	23,100	NE	NE	4,710	NE	NE	3.7
Ecology's Acute Freshwater Surface Water Quality Criteria			NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
EPA's National Toxics Rule Human Health Criteria for Surface Water			1.2	6,800	3,100	NE	NE	NE	NE	NE	NE	NE	0.057	NE	NE	NE	NE	NE	NE	2
Ecology's MTCA Method A Groundwater Cleanup Levels			5.0	1,000	700	1,000	1,000	1,000	20	NE	NE	NE	NE	NE	NE	NE	160	NE	NE	0.20
Ecology's MTCA Method B Groundwater Cleanup Levels			0.795	640	800	1,600	1,600	1,600	24	7,200	NE	NE	7.68	400	16	800	160	NE	2,400	0.029
Active Monitoring Wells																				
Cell 1 - Shallow Zone																				
C1-MW-4	C1-MW-4	02/27/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.7	1.7	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	5.0 U	1.0 U	1.0 U	0.37
	C1-MW-4	05/12/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	2.1	1.0 U	1.8	1.0 U	1.0 U	1.0 U	1.0 U	0.34
	C1-MW-4	12/18/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.5	1.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.46
	C1-MW-4	03/30/10	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	---	1.0 U	1.6	1.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.44
	C1-MW-4	05/26/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.6	1.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.37
	C1-MW-4	11/30/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.5	1.0 U	1.3	1.0 U	1.0 U	1.0 U	1.0 U	0.62
	C1-MW-4	03/24/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	2.1	1.0 U	2.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0
	C1-MW-4	10/11/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C1-MW-4	03/01/12	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.6	1.0 U	1.5	1.0 U	1.0 U	1.0 U	1.0 U	0.25
	C1-MW-4	09/20/12	0.10 U	0.10 U	0.10 U	0.20 U	0.10 U	---	0.10 U	1.0 U	0.10 U	0.10 U	0.10 U	0.10 U	1.1	0.10 U	0.10 U	0.10 U	0.10 U	0.39
	C1-MW-4	03/22/13	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	3.0 U	1.0 U	20 U	1.0 U	1.0 U	1.7	1.0 U	2.0	1.0 U	4.0 U	1.0 U	1.0 U	0.21
	NS	09/23/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C1-MW-4	03/21/14	0.060 U	0.11 U	0.10 U	0.25 U	0.13 U	---	0.18 U	5.0 U	0.17 U	1.0 U	1.5	0.63	2.8	0.50 U	0.20 U	0.16 U	0.10 U	0.11 U
	C1-MW-4	09/03/14	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	0.500 U	0.500 U	10.0 U	5.00 U	2.50 UJ	1.12	0.380 J	1.73	0.500 U	1.00 U	0.500 U	1.00 U	0.240
	C1-MW-4	04/08/15	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 U	1.67	0.540	2.73	0.500 U	1.00 U	0.500 U	1.00 U	0.450
	C1-MW-4	09/29/15	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 UJ	0.82	0.290 J	1.53	0.500 U	1.00 U	0.500 U	1.00 U	0.25 U
	C1-MW-4	03/29/16	0.125 U	0.810 J	0.250 U	0.500 U	0.200 U	---	0.500 U	10.0 U	5.00 U	2.50 U	1.27	0.510	2.32	0.500 U	1.00 U	0.500 U	1.00 U	0.490 J
	C1-MW-4	09/11/17	0.100 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	20.0 UJ	5.00 U	2.50 U	0.540	0.250 U	1.18	0.500 U	2.00 UJ	0.500 U	1.00 U	0.300 J
	C1-MW-4	03/19/19	0.100 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.554	0.200 U	1.55	0.500 U	1.00 U	0.500 U	1.00 U	0.216
C1-MW-7	C1-MW-7	02/27/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U	26.0	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	05/12/09	1.0 U	1.0 U	1.0 U	---	---	3.0 U	24.3	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	12/18/09	1.0 U	1.0 U	1.0 U	---	---	3.0 U	23.4	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	03/30/10	1.0 U	1.0 U	1.0 U	---	---	3.0 U	24.1	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	05/26/10	1.0 U	1.0 U	1.0 U	---	---	3.0 U	16.1	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	03/25/11	1.0 U	1.0 U	1.0 U	---	---	3.0 U	23.7	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	10/12/11	1.0 U	1.0 U	1.0 U	---	---	3.0 U	24.6	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	02/29/12	1.0 U	1.0 U	1.0 U	---	---	3.0 U	3.2	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	09/20/12	0.10 U	0.10 U	0.10 U	---	---	0.30 U	13	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	03/22/13	1.0 U	1.0 U	1.0 U	---	---	3.0 U	11.6	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	09/23/13	0.24 U	0.23 U	0.24 U	---	---	3.0 U	16.4	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	03/21/14	0.12 U	0.22 U	0.20 U	---	---	0.66 U	14.0	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	09/04/14	0.125 U	0.500 U	0.250 U	---	---	0.750 U	12.1	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	04/08/15	0.125 U	0.500 U	0.250 U	---	---	0.750 U	17.2	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	09/29/15	0.125 U	0.500 U	0.250 U	---	---	0.750 U	18.1	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	03/29/16	0.100 U	0.500 U	0.250 U	---	---	0.750 U	19.3	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	09/11/17	0.100 U	0.500 U	0.250 U	---	---	0.750 U	15.3	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-7	03/19/19	0.100 U	0.500 U	0.250 U	---	---	0.750 U	17.9	---	---	---	---	---	---	---	---	---	---	---

Table 5. Volatile Organic Compounds in the Shallow Zone
Former Fort Vancouver Plywood Site

Well Location	Sample ID	Date Sampled	BTEX Compounds and MTBE							Historically Site Detected VOCs (Since 2009)										
			Benzene	Toluene	Ethylbenzene	m,p-Xylene	o-Xylene	Total Xylenes	Methyl Tertiary Butyl Ether	Acetone	Chloroethane	Chloromethane	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Isopropylbenzene (Cumene)	Naphthalene	1,2,4-Trimethylbenzene	Trichlorofluoromethane	Vinyl Chloride
			µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l
Ecology's MTCA Method B Surface Water Cleanup Levels			23	18,900	6,820	NE	NE	NE	NE	NE	NE	NE	NE	23,100	NE	NE	4,710	NE	NE	3.7
Ecology's Acute Freshwater Surface Water Quality Criteria			NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
EPA's National Toxics Rule Human Health Criteria for Surface Water			1.2	6,800	3,100	NE	NE	NE	NE	NE	NE	NE	0.057	NE	NE	NE	NE	NE	NE	2
Ecology's MTCA Method A Groundwater Cleanup Levels			5.0	1,000	700	1,000	1,000	1,000	20	NE	NE	NE	NE	NE	NE	NE	160	NE	NE	0.20
Ecology's MTCA Method B Groundwater Cleanup Levels			0.795	640	800	1,600	1,600	1,600	24	7,200	NE	NE	7.68	400	16	800	160	NE	2,400	0.029
Cell 2 - Shallow Zone																				
C2-MW-3	C2-MW-3	02/26/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	5.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-3	12/17/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-3	03/29/10	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-3	05/26/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-3	11/30/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-3	03/25/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
C2-MW-9	C2-MW-9	02/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C2-MW-9	05/12/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	3.7
	C2-MW-9	12/18/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	3.5	1.0 U	1.0 U	1.0 U	1.0 U	0.61
	C2-MW-9	03/29/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C2-MW-9	05/26/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C2-MW-9	11/29/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C2-MW-9	03/25/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.1	1.0 U	1.0 U	1.0 U	1.0 U	1.2
	C2-MW-9	09/20/12	0.10 U	0.10 U	0.10 U	0.20 U	0.10 U	---	0.10 U	1.0 U	0.10 U	0.10 U	0.10 U	0.10 U	1.3	0.10 U	0.10 U	0.10 U	0.10 U	1.0
	C2-MW-9	03/22/13	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	3.0 U	1.0 U	20 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	1.0 U	1.0 U	0.83
	C2-MW-9	09/23/13	0.24 U	0.23 U	0.24 U	0.48 U	0.24 U	---	0.50 U	10 U	0.50 U	2.0 U	0.50 U	0.24 U	2.5	0.50 U	2.0 U	0.50 U	0.13 U	0.14 U
	C2-MW-9	03/21/14	0.060 U	0.11 U	0.10 U	0.25 UJ	0.13 UJ	---	0.18 UJ	8.3 J	0.17 UJ	1.0 UJ	0.14 UJ	0.14 UJ	0.79 J	0.50 UJ	0.20 UJ	0.16 UJ	0.10 UJ	1.3 J
	C2-MW-9	09/03/14	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	0.500 U	0.500 U	10.0 U	5.00 U	2.50 UJ	0.250 U	0.250 U	0.250 U	0.500 U	1.00 U	0.500 U	1.00 U	0.55
	C2-MW-9	04/08/15	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.250 U	0.250 U	0.93	0.500 U	1.00 U	0.500 U	1.00 U	0.41
	C2-MW-9	09/28/15	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 UJ	0.250 U	0.250 U	1.84	0.500 U	1.00 U	0.500 U	1.00 U	0.370
	C2-MW-9	03/28/16	0.125 U	0.500 U	0.250 U	0.500 U	0.200 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.250 U	0.250 U	0.52	0.500 U	1.00 U	0.500 U	1.00 U	0.630
	C2-MW-9	09/11/17	0.100 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	20.0 UJ	5.00 U	2.50 U	0.250 U	0.250 U	0.250 U	0.500 U	2.00 UJ	0.500 U	1.00 U	0.860
	C2-MW-9	03/19/19	0.100 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.200 U	0.200 U	0.956	0.500 U	1.00 U	0.500 U	1.00 U	0.453
C2-MW-11(R)	C2-MW-11R	09/03/14	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	0.500 U	0.500 U	10.0 U	5.00 U	2.50 UJ	0.250 U	0.250 U	0.250 U	0.500 U	1.00 U	0.500 U	1.00 U	1.08
	C2-MW-11R	04/08/15	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.250 U	0.250 U	0.250 U	0.500 U	1.00 U	0.500 U	1.00 U	1.25
	C2-MW-11R	09/28/15	0.125 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 UJ	0.250 U	0.250 U	0.250 U	0.500 U	1.00 U	0.500 U	1.00 U	1.35
	C2-MW-11R	03/28/16	0.125 U	0.500 U	0.250 U	0.500 U	0.200 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.250 U	0.250 U	0.250 U	0.500 U	1.00 U	0.500 U	1.00 U	0.94
	C2-MW-11(R)	09/11/17	0.100 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	20.0 UJ	5.00 U	2.50 U	0.250 U	0.250 U	0.250 U	0.500 U	2.00 UJ	0.500 U	1.00 U	1.13
	C2-MW-11(R)	03/19/19	0.100 U	0.500 U	0.250 U	0.500 U	0.250 U	---	0.500 U	10.0 U	5.00 U	2.50 U	0.200 U	0.200 U	0.200 U	0.500 U	1.00 U	0.500 U	1.00 U	0.16

Table 5. Volatile Organic Compounds in the Shallow Zone
Former Fort Vancouver Plywood Site

Well Location	Sample ID	Date Sampled	BTEX Compounds and MTBE							Historically Site Detected VOCs (Since 2009)										
			Benzene	Toluene	Ethylbenzene	m,p-Xylene	o-Xylene	Total Xylenes	Methyl Tertiary Butyl Ether	Acetone	Chloroethane	Chloromethane	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Isopropylbenzene (Cumene)	Naphthalene	1,2,4-Trimethylbenzene	Trichlorofluoromethane	Vinyl Chloride
			µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l
Ecology's MTCA Method B Surface Water Cleanup Levels			23	18,900	6,820	NE	NE	NE	NE	NE	NE	NE	NE	23,100	NE	NE	4,710	NE	NE	3.7
Ecology's Acute Freshwater Surface Water Quality Criteria			NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
EPA's National Toxics Rule Human Health Criteria for Surface Water			1.2	6,800	3,100	NE	NE	NE	NE	NE	NE	NE	0.057	NE	NE	NE	NE	NE	NE	2
Ecology's MTCA Method A Groundwater Cleanup Levels			5.0	1,000	700	1,000	1,000	1,000	20	NE	NE	NE	NE	NE	NE	NE	160	NE	NE	0.20
Ecology's MTCA Method B Groundwater Cleanup Levels			0.795	640	800	1,600	1,600	1,600	24	7,200	NE	NE	7.68	400	16	800	160	NE	2,400	0.029
Abandoned or Unlocatable Monitoring Wells																				
Cell 1 - Shallow Zone																				
C1-MW-3	C1-MW-3	02/27/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	05/12/09	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	12/18/09	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	03/30/10	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	05/26/10	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	11/30/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C1-MW-3	03/24/11	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	10/12/11	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	03/01/12	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	09/20/12	0.10 U	0.10 U	0.10 U	---	---	0.30 U	0.10 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	03/22/13	1.0 U	1.0 U	1.0 U	---	---	3.0 U	1.0 U	---	---	---	---	---	---	---	---	---	---	---
	NS	09/23/13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C1-MW-3	03/21/14	0.060 U	0.11 U	0.10 U	---	---	0.33 U	0.18 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	09/03/14	0.125 U	0.500 U	0.250 U	---	---	0.750 U	0.500 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	04/08/15	0.125 U	0.500 U	0.250 U	---	---	0.750 U	0.500 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	09/29/15	0.125 U	0.500 U	0.250 U	---	---	0.750 U	0.500 U	---	---	---	---	---	---	---	---	---	---	---
	C1-MW-3	03/29/16	0.100 U	0.500 U	0.250 U	---	---	0.750 U	0.500 U	---	---	---	---	---	---	---	---	---	---	---
C1-MW-6	C1-MW-6	05/12/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	10	1.7	1.0 U	1.0 U	1.0 U	1.0 U	4.2	0.20 U
	C1-MW-6	12/18/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	8.8	1.0	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	NS	05/26/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	NS	11/30/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C1-MW-6	03/25/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.3	0.20 U
Cell 2 - Shallow Zone																				
C2-MW-7	NS	02/27/09	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C2-MW-7	05/12/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-7	12/17/09	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	NS	03/29/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	NS	05/26/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	NS	11/29/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	C2-MW-7	03/25/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U

Table 5. Volatile Organic Compounds in the Shallow Zone
Former Fort Vancouver Plywood Site

Well Location	Sample ID	Date Sampled	BTEX Compounds and MTBE							Historically Site Detected VOCs (Since 2009)										
			Benzene	Toluene	Ethylbenzene	m,p-Xylene	o-Xylene	Total Xylenes	Methyl Tertiary Butyl Ether	Acetone	Chloroethane	Chloromethane	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Isopropylbenzene (Cumene)	Naphthalene	1,2,4-Trimethylbenzene	Trichlorofluoromethane	Vinyl Chloride
			µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l
Ecology's MTCA Method B Surface Water Cleanup Levels			23	18,900	6,820	NE	NE	NE	NE	NE	NE	NE	NE	23,100	NE	NE	4,710	NE	NE	3.7
Ecology's Acute Freshwater Surface Water Quality Criteria			NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
EPA's National Toxics Rule Human Health Criteria for Surface Water			1.2	6,800	3,100	NE	NE	NE	NE	NE	NE	NE	NE	0.057	NE	NE	NE	NE	NE	2
Ecology's MTCA Method A Groundwater Cleanup Levels			5.0	1,000	700	1,000	1,000	1,000	20	NE	NE	NE	NE	NE	NE	NE	160	NE	NE	0.20
Ecology's MTCA Method B Groundwater Cleanup Levels			0.795	640	800	1,600	1,600	1,600	24	7,200	NE	NE	7.68	400	16	800	160	NE	2,400	0.029
C2-MW-10(R)	C2-MW-10	02/27/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	5.0 U	1.0 U	1.0 U	0.27
	C2-MW-10	05/12/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-10	12/17/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-10	03/29/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-10	05/25/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-10	11/30/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
	C2-MW-10	03/25/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.94
	C2-MW-10	10/12/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.28
C2-MW-11	C2-MW-11	02/27/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	12	1.0 U	1.0 U	1.4
	C2-MW-11	05/12/09	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.50
	C2-MW-11	12/18/09	1.0 U	1.0 U	1.6	4.0	2.0	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0	101	2.7	1.0 U	0.74
	C2-MW-11	03/29/10	1.0 U	1.0 U	1.0 U	1.0 U	2.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	51.4	1.3	1.0 U	0.73
	C2-MW-11	05/26/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	63.8	2.3	1.0 U	0.57
	C2-MW-11	11/30/10	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.9	1.0 U	1.0 U	1.5
	C2-MW-11	03/25/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	16.2	1.0 U	1.0 U	1.4
	C2-MW-11	10/12/11	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.6
	C2-MW-11	03/01/12	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	---	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	5.7	1.0 U	1.0 U	1.1
	C2-MW-11	09/20/12	0.10 U	0.10 U	0.10 U	0.20 U	0.10 U	---	0.10 U	1.0 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	1.8
	C2-MW-11	03/22/13	1.0 U	1.0 U	1.0 U	2.0 U	1.0 U	3.0 U	1.0 U	20 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	1.0 U	1.0 U	1.1
	C2-MW-11	09/23/13	0.24 U	0.23 U	0.24 U	0.48 U	0.24 U	---	0.50 U	10 U	0.50 U	2.0 U	0.50 U	0.24 U	0.23 U	0.50 U	2.0 U	0.50 U	0.13 U	1.2
	C2-MW-11	03/21/14	0.24	0.23 J	0.61	1.5	1.2	---	0.18 U	5.0 U	0.17 U	1.0 U	0.14 U	0.14 U	0.16 U	0.87 J	130	4.8	0.10 U	0.28 J

Notes:
--- = Sample not analyzed for constituent
BTEX = benzene, toluene, ethylbenzene, and total xylenes
DUP = Duplicate sample.
J = Constituent was not positively identified; the associated value is estimated.
MTBE = methyl tertiary butyl ether
MTCA = Washington State Department of Ecology Model Toxics Control Act
NE = Not established
NS = Not sampled because well was not accessible.
µg/l = micrograms per liter
R = The sample results were rejected based on the data quality review.
U = Constituent not detected at or above the reporting limit (prior to 2014) or method detection limit (2014 to current).
UJ = Constituent was not detected above the reporting limit (prior to 2014) or method detection limit (2014 to current); the limit is approximate.
VOCs = volatile organic compounds
Values in **bold** were detected above the laboratory method detection limit.

= Indicates a monitoring well that was either abandoned or unlocatable as paved over.
 = Indicates an exceedance of a screening criterion.
 = Indicates the analyte was not detected; however, the reported method detection limit exceeds a screening criterion.

Ecology's MTCA values were obtained from the Washington State Department of Ecology Cleanup Level and Risk Calculations (CLARC) web site. The lower of the carcinogen and noncarcinogen MTCA Method B value is presented. <https://fortress.wa.gov/ecy/clarc/CLARCHome.aspx>
Ecology's Acute Freshwater Surface Water Quality Criteria were obtained from the Washington State Legislature Washington Administrative Code web site. <http://apps.leg.wa.gov/WAC/default.aspx?cite=173-201A-240>
EPA's National Toxics Rule Human Health Criteria for Surface Water were obtained through the Washington State Department of Ecology web site for Toxics Standards and Criteria. <http://www.ecy.wa.gov/programs/wq/swqs/toxics.html>

Table 6. Total Petroleum Hydrocarbons in the Deeper Unconsolidated Aquifer
Former Fort Vancouver Plywood Site

Well ID	Sample ID	Date Sampled	TPH-Dx Diesel-Range mg/l	TPH-Dx Oil-Range mg/l	TPH-Gx Gasoline-Range mg/l
Ecology's MTCA Method A Groundwater Cleanup Levels			0.50	0.50	1.0 ^(a)
Ecology's MTCA Method B Groundwater Cleanup Levels			NE	NE	NE
Active Monitoring Wells					
Cell 2 - Deeper Unconsolidated Aquifer					
C2-MW-12B	C2-MW-12B	02/26/09	0.091 U	0.45 U	0.025 U
	C2-MW-12B	05/12/09	0.082 U	0.41 U	0.050 U
	C2-MW-12B	12/17/09	0.13	0.42 U	0.050 U
	C2-MW-12B	03/29/10	2.3	2.6	0.050 U
	C2-MW-12B	03/29/10	1.3	1.4	0.050 U
	C2-MW-12B	05/26/10	0.10	0.44	0.050 U
	C2-MW-12B	11/30/10	4.0	6.6	0.050 U
	C2-MW-12B	03/25/11	0.55	0.66	0.050 U
	C2-MW-12B	10/11/11	1.6	2.4	0.050 U
	C2-MW-12B	02/29/12	0.077 U	0.38 U	0.050 U
	C2-MW-12B	09/20/12	0.16 U	0.80 U	0.025 U
	C2-MW-12B	03/21/13	0.40 U	0.40 U	0.10 U
	C2-MW-12B	09/20/13	0.011 U	0.018 U	0.10 U
	C2-MW-12B	03/21/14	0.080 J	0.18 J	0.019 U
	C2-MW-12B	09/03/14	0.0943 U	0.496	0.0500 U
	C2-MW-12B	04/07/15	0.0952 U	0.190 U	0.0500 U
	C2-MW-12B	09/29/15	0.0943 U	0.189 U	0.0500 U
	C2-MW-12B	03/29/16	0.0980 U	0.230 J	0.0500 U
	C2-MW-12B	09/11/17	0.0952 U	0.190 U	0.0500 U
	C2-MW-12B	03/19/19	0.0952 U	0.190 U	0.0500 U
Abandoned or Unlocatable Monitoring Wells					
Cell 2 - Deeper Unconsolidated Aquifer					
C2-MW-13B	C2-MW-13B	03/25/11	0.41	0.47	0.050 U

Notes:

B = Constituent was detected above the laboratory reporting limit in the method blank.

DUP = Duplicate sample.

J = Constituent was not positively identified; the associated value is estimated.

mg/l = milligrams per liter

MTCA = Washington State Department of Ecology Model Toxics Control Act

NA = Not analyzed

NE = Not established

NS = Not sampled because well was not accessible.

U = Constituent not detected at or above the reporting limit (prior to 2014) or method detection limit (2014 to current).

TPH = Total Petroleum Hydrocarbons

TPH-Gx = Total Petroleum Hydrocarbons gasoline-range

TPH-Dx = Total Petroleum Hydrocarbons diesel- and oil-range

Values in **bold** were detected above the laboratory method detection limit.

= Indicates a monitoring well that was either abandoned or unlocatable as paved over.

= Indicates an exceedance of a screening criterion.

Ecology's MTCA values were obtained from the Washington State Department of Ecology Cleanup Level and Risk Calculations (CLARC) web site. The lower of the carcinogen and noncarcinogen MTCA Method B value is presented. <https://fortress.wa.gov/ecy/clarc/CLARCHome.aspx>

(a) = Value is for gasoline concentration when benzene is not present.

Table 7. Total Petroleum Hydrocarbons in the Shallow Zone
Former Fort Vancouver Plywood Site

Well ID	Sample ID	Date Sampled	TPH-Dx Diesel-Range mg/l	TPH-Dx Oil-Range mg/l	TPH-Gx Gasoline-Range mg/l
Ecology's MTCA Method B Surface Water Cleanup Levels			NE	NE	NE
Ecology's Acute Freshwater Surface Water Quality Criteria			NE	NE	NE
EPA's National Toxics Rule Human Health Criteria for Surface Water			NE	NE	NE
Ecology's MTCA Method A Groundwater Cleanup Levels			0.50	0.50	1.0 ^(a)
Ecology's MTCA Method B Groundwater Cleanup Levels			NE	NE	NE
Active Monitoring Wells					
Cell 2 - Deeper Unconsolidated Aquifer					
C2-MW-3	C2-MW-3	02/26/09	0.086 U	0.43 U	0.025 U
	C2-MW-3	02/26/09	0.089 B	0.41 U	0.025 U
	C2-MW-3	05/11/09	0.083 U	0.42 U	0.050 U
	C2-MW-3	05/11/09	0.094 U	0.47 U	0.050 U
	C2-MW-3	12/17/09	0.093	0.38 U	0.050 U
	C2-MW-3	12/17/09	0.089	0.39 U	0.050 U
	C2-MW-3	03/29/10	0.078 U	0.39 U	0.050 U
	C2-MW-3	05/26/10	0.078 U	0.39 U	0.050 U
	C2-MW-3	05/26/10	0.076 U	0.38 U	0.050 U
	C2-MW-3	11/30/10	0.082 U	0.41 U	0.050 U
	C2-MW-3	03/25/11	0.078 U	0.39 U	0.050 U
	C2-MW-3	10/11/11	0.076 U	0.38 U	0.050 U
	C2-MW-3	02/29/12	0.076 U	0.38 U	0.050 U
	C2-MW-3	09/20/12	0.16 U	0.81 U	0.025 U
	C2-MW-3	03/21/13	0.40 U	0.40 U	NA
	C2-MW-3	09/20/13	0.011 U	0.018 U	0.10 U
	C2-MW-3	03/21/14	0.028 U	0.038 U	0.019 U
	C2-MW-3	09/03/14	0.0943 U	0.714 J	0.0500 U
	C2-MW-3	04/07/15	0.0943 U	0.189 U	0.0500 U
	C2-MW-3	09/29/15	0.0943 U	0.269 J	0.0500 U
C2-MW-9	C2-MW-9	03/29/16	0.0952 U	0.190 U	0.0500 U
	C2-MW-9	09/11/17	0.0935 U	0.283 J	0.0500 U
	C2-MW-9	03/19/19	0.0952 U	0.190 U	0.0500 U
	C2-MW-9	02/26/09	NS	NS	NS
	C2-MW-9	05/12/09	0.088 U	0.44 U	0.050 U
	C2-MW-9	12/18/09	0.17	0.40 U	0.050 U
	C2-MW-9	03/29/10	NS	NS	NS
	C2-MW-9	05/26/10	NS	NS	NS
	C2-MW-9	11/30/10	NS	NS	NS
	C2-MW-9	03/25/11	0.12	0.40 U	0.050 U
	C2-MW-9	10/11/11	0.13	0.38 U	0.050 U
	C2-MW-9	09/20/12	0.16 U	0.80 U	0.025 U
	C2-MW-9	03/22/13	0.41 U	0.41 U	0.10 U
	C2-MW-9	09/23/13	0.011 U	0.018 U	0.10 U
	C2-MW-9	03/21/14	0.12	0.16 J	0.019 U
	C2-MW-9	09/03/14	0.0952 U	0.517 J	0.050 U
	C2-MW-9	04/08/15	0.0943 U	0.189 U	0.050 U
	C2-MW-9	09/28/15	0.0943 U	0.189 U	0.050 U
	C2-MW-9	03/28/16	0.0952 U	0.311 J	0.050 U
	C2-MW-9	09/11/17	0.0935 U	0.187 U	0.050 U
	C2-MW-9	03/19/19	0.0980 U	0.196 U	0.050 U

Table 7. Total Petroleum Hydrocarbons in the Shallow Zone
Former Fort Vancouver Plywood Site

Well ID	Sample ID	Date Sampled	TPH-Dx Diesel-Range mg/l	TPH-Dx Oil-Range mg/l	TPH-Gx Gasoline-Range mg/l
Ecology's MTCA Method B Surface Water Cleanup Levels			NE	NE	NE
Ecology's Acute Freshwater Surface Water Quality Criteria			NE	NE	NE
EPA's National Toxics Rule Human Health Criteria for Surface Water			NE	NE	NE
Ecology's MTCA Method A Groundwater Cleanup Levels			0.50	0.50	1.0 ^(a)
Ecology's MTCA Method B Groundwater Cleanup Levels			NE	NE	NE
C2-MW-11(R)	C2-MW-11(R)	09/03/14	0.110 J	0.198 U	0.050 U
	C2-MW-11(R)	04/08/15	0.0952 U	0.190 U	0.050 U
	C2-MW-11(R)	09/28/15	0.0943 U	0.286 J	0.050 U
	C2-MW-11R	03/28/16	0.0962 U	0.262 J	0.050 U
	C2-MW-11(R)	09/11/17	0.0952 U	0.190 U	0.050 U
	C2-MW-11(R)	03/19/19	0.0971 U	0.194 U	0.05000 U
C2-MW-10(R2)	C2-MW-10(R)	09/29/15	0.0943 U	1.55	0.050 U
	C2-MW-10R2	03/28/16	0.0962 U	5.25	0.385
	C2-MW-10(R2)	09/11/17	0.0952 U	0.216 J	0.0500 U
	C2-MW-10(R2)	03/19/19	0.0962 U	1.10	0.0500 U
Abandoned or Unlocatable Monitoring Wells					
Cell 2 - Deeper Unconsolidated Aquifer					
C2-MW-7	C2-MW-7	02/26/09	NS	NS	NS
	C2-MW-7	05/12/09	0.080 U	0.40 U	0.050 U
	C2-MW-7	12/17/09	NS	NS	NS
	C2-MW-7	03/29/10	NS	NS	NS
	C2-MW-7	05/26/10	NS	NS	NS
	C2-MW-7	11/30/10	NS	NS	NS
	C2-MW-7	03/25/11	0.19	0.84	0.050 U
C2-MW-10(R)	C2-MW-10	02/27/09	0.82 B	1.6	0.025 U
	C2-MW-10	05/12/09	1.1	0.85	0.050 U
	C2-MW-10	12/17/09	1.5	1.8	0.050 U
	C2-MW-10	03/29/10	0.82	1.0	0.050 U
	C2-MW-10	05/25/10	0.77	0.99	0.050 U
	C2-MW-10	11/30/10	1.7	1.9	0.050 U
	C2-MW-10	03/25/11	1.4	1.1	0.050 U
	C2-MW-10	10/12/11	0.70	0.90	0.050 U
	C2-MW-10	03/01/12	1.2	1.1	0.050 U
	C2-MW-10	09/20/12	1.2	0.92	0.025 U
	C2-MW-10	03/21/13	0.90	1.6	NA
	C2-MW-10	09/23/13	NS	NS	NS
	C2-MW-10	03/21/14	NS	NS	NS
	C2-MW-10	09/03/14	NS	NS	NS
	C2-MW-10	09/03/14	NS	NS	NS

Table 7. Total Petroleum Hydrocarbons in the Shallow Zone
Former Fort Vancouver Plywood Site

Well ID	Sample ID	Date Sampled	TPH-Dx Diesel-Range mg/l	TPH-Dx Oil-Range mg/l	TPH-Gx Gasoline-Range mg/l
Ecology's MTCA Method B Surface Water Cleanup Levels			NE	NE	NE
Ecology's Acute Freshwater Surface Water Quality Criteria			NE	NE	NE
EPA's National Toxics Rule Human Health Criteria for Surface Water			NE	NE	NE
Ecology's MTCA Method A Groundwater Cleanup Levels			0.50	0.50	1.0 ^(a)
Ecology's MTCA Method B Groundwater Cleanup Levels			NE	NE	NE
C2-MW-11	C2-MW-11	02/27/09	1.2 B	0.73	0.025 U
	C2-MW-11	05/12/09	0.085 U	0.43 U	0.050 U
	C2-MW-11	12/18/09	0.78	0.88	0.11
	C2-MW-11	03/29/10	0.56	0.61	0.050 U
	C2-MW-11	05/26/10	0.68	0.77	0.069
	C2-MW-11	11/30/10	0.27	0.39	0.050 U
	C2-MW-11	03/25/11	0.74	0.58	0.053
	C2-MW-11	10/12/11	0.19	0.38 U	0.050 U
	C2-MW-11	03/01/12	0.51	0.58	0.050 U
	C2-MW-11	09/20/12	0.27	0.80 U	0.025 U
	C2-MW-11	03/22/13	0.40 U	0.53	0.10 U
	C2-MW-11	09/23/13	0.011 U	0.018 U	0.10 U
	C2-MW-11	03/21/14	0.39	0.12 J	0.21

Notes:

B = Constituent was detected above the laboratory reporting limit in the method blank.

DUP = Duplicate sample.

J = Constituent was not positively identified; the associated value is estimated.

mg/l = milligrams per liter

MTCA = Washington State Department of Ecology Model Toxics Control Act

NA = Not analyzed

NE = Not established

NS = Not sampled because well was not accessible.


U = Constituent not detected at or above the reporting limit (prior to 2014) or method detection limit (2014 to current).


TPH = Total Petroleum Hydrocarbons

TPH-Gx = Total Petroleum Hydrocarbons gasoline-range

TPH-Dx = Total Petroleum Hydrocarbons diesel- and oil-range

Values in **bold** were detected above the laboratory method detection limit.

 = Indicates a monitoring well that was either abandoned or unlocatable as paved over.

 = Indicates an exceedance of a screening criterion.

Ecology's MTCA values were obtained from the Washington State Department of Ecology Cleanup Level and Risk Calculations (CLARC) web site. The lower of the carcinogen and noncarcinogen MTCA Method B value is presented. <https://fortress.wa.gov/ecy/clarc/CLARCHome.aspx>

Ecology's Acute Freshwater Surface Water Quality Criteria were obtained from the Washington State Legislature Washington Administrative Code web site.

<http://apps.leg.wa.gov/WAC/default.aspx?cite=173-201A-240>

EPA's National Toxics Rule Human Health Criteria for Surface Water were obtained through the Washington State Department of Ecology web site for Toxics Standards and Criteria. <http://www.ecy.wa.gov/programs/wq/swqs/toxics.html>

(a) = Value is for gasoline concentration when benzene is not present.

Appendix A

Field Forms

Project Information												
Project Name:		Fort Vancouver Plywood					Field Team:		TAUSCHER			
Project Number:		60519969					Date:		3/19/19		Page 1 of 1	
Field Measurements and Observations												
Cell #	Well ID	Time	Depth to Water (feet BTOC)	Condition Assessment • Status of each well • Replace broken lids, bolts, gaskets, caps, & locks	Aquifer	Screen Interval (feet)	Sampling Plan					
							Collect Sample	Sampling Method	Analytes	QC	Containers	
Cell 1	C1-MW-4	1330	23.81	good. Added lock no bolts on monument possible	Shallow	17-32	X	PP/Bailer	VOCs		3 VOAs	-
	C1-MW-7	1427	17.11	Monument broken bolts broken well ok. NEEDS repair	Shallow	15-30	X	PP/Bailer	BTEX, MTBE		3 VOAs	-
Cell 2	C2-MW-3	0824	12.28 12.88*	new lock gasket missing everything else ok.	Shallow	6-16	X	PP/Bailer	Gx, Dx		3 VOAs	2 Ambers
	C2-MW-9	0924	24.02	new lock bolts stripped - new bolts All else ok.	Shallow	25-35	X	PP/Bailer	VOCs, Gx, Dx	FD**	3 VOAs 3 VOAs	2 Ambers 2 Ambers
	C2-MW-10(R2)	1040	27.12	All ok	Shallow	20-35	X	PP/Bailer	Gx, Dx		3 VOAs	2 Ambers
	C2-MW-11(R)	1148	24.35	Added lock All else good	Shallow	15-30	X	PP/Bailer	VOCs, Gx, Dx		3 VOAs	2 Ambers
	C2-MW-12B	0705	25.88	replaced bolts new lock Everything else ok. 1 bolt tab Broken	Deeper	40-50	X	Bladder	VOCs, Gx, Dx		3 VOAs	2 Ambers

Definitions:

BTEX = benzene, toluene, ethylbenzene, and total xylenes

Dx = diesel and heavy oil range organics

Gx = gasoline range organics

MTBE = methyl tert-butyl ether

PP/Bailer = purging conducted using peristaltic pump and then sampling conducted using a double check ball disposable bailer

QC = quality control samples

VOA = volatile organic analysis

VOC = volatile organic carbon

Sampling Schedule (18+ months):

September 2017

March 2019

September 2020

March 2022

Sampling Notes:

FD ** = Field duplicate - collect field duplicate on C2-MW-9. If not accessible, collect the field duplicate on C2-MW-11 or C2-MW-12B. Run duplicate for all analyses.

Lab = Apex Labs

Drum purge water. Store drums under the 26th Ave Underpass until they are full enough for disposal.

Trip Blank - VOCs only

*Edited Field notation error on 6/12/2019.

Page 1 of 1

Well Number: C1-MW-4

Date: 3/19/19

Well Information		Stick-up or Flush*		(circle one)
Well Diameter (in)	Drilled Well Depth		Top of Screen	
	(ft bgs)	(ft btc)	(ft bgs)	(ft btc)
				Screen Interval (ft bgs)
2"	32	-	17	-
			17 - 32	
CMT Port=0.006 gal/ft 3/4"=0.023 gal/ft 2"=0.17 gal/ft 4"=0.66 gal/ft 6"=1.5 gal/ft				
Sample Containers				Filtered?
Number	Type	Preservative	Analytical Parameters	
3	vOA	HCL	VOC	

[illegible]

VC = very cloudy
SC = slightly cloudy

Monitoring Well Sampling Field Log

Well Number: **C1-MW-7**

Page 1 of ____

Date: **3/19/19**

Project Information				Well Information				Stick-up or Flush (circle one)			
Project Name: POV FVP				Well Diameter (in)		Drilled Well Depth		Top of Screen		Screen Interval (ft bgs)	
AECOM Project Number: 60519969				(ft bgs)		(ft btc)		(ft bgs)		(ft btc)	
Sampling Information				2		30		15		15-30	
Field Team: M. TAUSCHER				CMT Port=0.006 gal/ft 3/4"=0.023 gal/ft 2"=0.17 gal/ft 4"=0.66 gal/ft 6"=1.5 gal/ft							
Purge Method: P-PUMP				Sample Containers							
Pump Intake Depth (ft btc): 24'				Number	Type	Preservative	Analytical Parameters		Filtered?		
Flow-Through Cell: HOBIBA 052				3	VOA	HCL	BTEX / MTBE		N		
Sampling Method: BAILER											
Decontamination Method:											
N/A - all supplies disposable											
Purge Water Disposal: ON SITE											
Field Conditions: SUNNY GS											
Comments:											
Initial DTP / DTW: 17.11 DTW											
Monument in BAD shape											
Well Purge Data											
Time	Volume Purged (L)	Purge Rate (mL/m)	DTW (ft btc)	Temp. (°C)	Conductivity (µS/cm)	D.O. (mg/L)	pH	ORP (mV)	Turbidity (NTUs)	Clarity / Color / Remarks	
1427	Pump On		17.11		±3%	±greater of 10% or 0.2mg/L	±0.1	±10mv	±10% or under 10 NTUs	≤ Stabilization Criteria	
1430	-	150	17.91	16.03	1.71	1.80	6.42	-105	0.0	clear	
1435	.5	100	18.67	16.06	1.75	1.74	6.42	-108	0.0	clear	
1440	1	100	18.68	16.42	1.69	1.21	6.41	-114	0.0	clear	
1445	1.25	50	18.79	16.73	1.68	1.23	6.40	-119	0.0	clear	
1450	1.5	50	18.84	16.40	1.69	1.25	6.41	-119	0.0	clear	
1455	2.0	150	18.89	16.13	1.66	1.21	6.41	-119	0.0	clear	
1500	2.25	80	18.93	16.02	1.66	1.20	6.41	-119	0.0	clear	
1505	3.0	180	18.97	15.27	1.69	1.18	6.40	-121	0.0	clear	
1510	3.25	50	19.05	15.78	1.69	1.18	6.40	-121	0.0	clear	
1515	SAMPLE										
Start Sampling 1515			QA/QC Sample:			Sample Time:					
End Sampling 1521			Sample Number: C1-MW-7			Sample Time: 1515					

Notes: AC = almost clear
bgs = below ground surface

btc = below top of casing
CI = cloudy

DTW = depth to water
C = clear

VC = very cloudy
SC = slightly cloudy

Date: 3/19/19

CMT Port=0.006 gal/ft 3/4"=0.023 gal/ft 2"=0.17 gal/ft 4"=0.66 gal/ft 6"=1.5 gal/ft

VC = very cloudy
SC = slightly cloudy

Monitoring Well Sampling Field Log

Page 1 of 1

Well Number: C2-MW-9Date: 3/19/19

Project Information				Well Information				Stick-up or <u>Flush</u> (circle one)			
Project Name: <u>POV FRP</u>				Well Diameter (in)	Drilled Well Depth		Top of Screen		Screen Interval (ft bgs)		
AECOM Project Number: <u>60519969</u>					(ft bgs)	(ft btc)	(ft bgs)	(ft btc)	(ft bgs)	(ft btc)	
Sampling Information				<u>2</u>	<u>-</u>	<u>25</u>	<u>-</u>	<u>35</u>	<u>25-35</u>		
Field Team: <u>M. TAUSCHER</u>				CMT Port=0.006 gal/ft 3/4"=0.023 gal/ft 2"=0.17 gal/ft 4"=0.66 gal/ft 6"=1.5 gal/ft							
Purge Method: <u>P-PUMP</u>				Sample Containers							
Pump Intake Depth (ft btc): <u>30'</u>				Number	Type	Preservative	Analytical Parameters		Filtered?		
Flow-Through Cell: <u>HORIBA U52</u>				<u>3</u>	<u>VOA</u>	<u>HCL</u>	<u>VOC / Gx</u>		<u>N</u>		
Sampling Method: <u>BAILER</u>				<u>2</u>	<u>1L AMB</u>	<u>HCL</u>	<u>Dx</u>		<u>N</u>		
Decontamination Method:				<u>3</u>	<u>VOA</u>	<u>HCL</u>	<u>VOC / Gx</u>		<u>N</u>		
N/A - all supplies disposable				<u>2</u>	<u>1L AMB</u>	<u>HCL</u>	<u>Dx</u>		<u>N</u>		
Purge Water Disposal: <u>on site</u>											
Field Conditions: <u>Sunny 55°</u>											
Comments:											
Initial DTP / DTW: <u>24.02' DTW</u>											
Field Duplicate collected											
sample came up turbid with the bailer - not clear as the purge											

Well Purge Data										
Time	Volume Purged (L)	Purge Rate (mL/m)	DTW (ft btc)	Temp. (°C)	Conductivity (µS/cm)	D.O. (mg/L)	pH	ORP (mV)	Turbidity (NTUs)	Clarity / Color / Remarks
<u>0825</u>	Pump On		<u>24.02</u>		<u>±3%</u>	<u>±greater of 10% or 0.2mg/L</u>	<u>±0.1</u>	<u>±10mv</u>	<u>±10% or under 10 NTUs</u>	<u><= Stabilization Criteria</u>
<u>0830</u>	<u>-</u>	<u>200</u>	<u>24.58</u>	<u>12.93</u>	<u>0.904</u>	<u>1.98</u>	<u>6.58</u>	<u>-96</u>	<u>1.7</u>	<u>clear</u>
<u>0835</u>	<u>1</u>	<u>200</u>	<u>24.82</u>	<u>13.57</u>	<u>0.979</u>	<u>2.17</u>	<u>6.60</u>	<u>-106</u>	<u>0.8</u>	<u>clear</u>
<u>0840</u>	<u>2</u>	<u>200</u>	<u>24.98</u>	<u>13.86</u>	<u>1.00</u>	<u>3.10</u>	<u>6.61</u>	<u>-113</u>	<u>0.7</u>	<u>clear</u>
<u>0845</u>	<u>3</u>	<u>200</u>	<u>25.19</u>	<u>14.03</u>	<u>1.01</u>	<u>2.27</u>	<u>6.60</u>	<u>-116</u>	<u>0.4</u>	<u>clear</u>
<u>0850</u>	<u>3.5</u>	<u>100</u>	<u>25.22</u>	<u>14.07</u>	<u>1.01</u>	<u>2.32</u>	<u>6.60</u>	<u>-117</u>	<u>0.3</u>	<u>clear</u>
<u>0855</u>	<u>4.0</u>	<u>100</u>	<u>25.09</u>	<u>14.15</u>	<u>1.01</u>	<u>1.38</u>	<u>6.60</u>	<u>-117</u>	<u>0.2</u>	<u>clear</u>
<u>1000</u>	<u>4.5</u>	<u>100</u>	<u>25.06</u>	<u>14.22</u>	<u>1.01</u>	<u>1.56</u>	<u>6.61</u>	<u>-116</u>	<u>0.1</u>	<u>clear</u>
<u>1005</u>	<u>5.0</u>	<u>100</u>	<u>25.03</u>	<u>14.28</u>	<u>1.01</u>	<u>1.65</u>	<u>6.61</u>	<u>-114</u>	<u>0.0</u>	<u>clear</u>
<u>1010</u>	<u>5.5</u>	<u>100</u>	<u>25.01</u>	<u>14.46</u>	<u>1.01</u>	<u>1.64</u>	<u>6.61</u>	<u>-114</u>	<u>0.0</u>	<u>clear</u>
<u>1015</u>	<u>SAMPLE</u>									
Start Sampling <u>1015</u>			QA/QC Sample: <u>C2-MW-9-DUP</u>				Sample Time: <u>1020</u>			
End Sampling <u>1036</u>			Sample Number: <u>C2-MW-9</u>				Sample Time: <u>1015</u>			
Final										

Notes: AC = almost clear
bgs = below ground surface

btc = below top of casing
Cl = cloudy

DTW = depth to water
C = clear

VC = very cloudy
SC = slightly cloudy


Monitoring Well Sampling Field Log

Well Number: **CZ-MW-10(R2)**

Page 1 of 1

Date: **3/19/19**

Project Information		Well Information		Stick-up or Flush (circle one)	
Project Name: Pol FVP		Well Diameter (in)	Drilled Well Depth (ft bgs)	Top of Screen (ft bgs)	
AECOM Project Number: 60519969		2	35	20	20 - 35
Sampling Information		CMT Port=0.006 gal/ft 3/4"=0.023 gal/ft 2"=0.17 gal/ft 4"=0.66 gal/ft 6"=1.5 gal/ft			
Field Team: M. TAUSCHER		Sample Containers			
Purge Method: P-PUMP		Number	Type	Preservative	Analytical Parameters
Pump Intake Depth (ft btc): 33'		3	VOA	HCL	GX
Flow-Through Cell: HORIBA U52		2	ILAMB	HCL	DX
Sampling Method: BAILER					
Decontamination Method:					
N/A - all supplies disposable					
Purge Water Disposal: on site					
Field Conditions: Sunny, windy 60°					
Comments:					
Initial DTP / DTW: 27.12 DTW					

Well Purge Data										
Time	Volume Purged (L)	Purge Rate (mL/m)	DTW (ft blc)	Temp. (°C)	Conductivity <small>µS/cm</small>	D.O. (mg/L)	pH	ORP (mV)	Turbidity (NTUs)	Clarity / Color / Remarks
1039	Pump On		<small>Initial</small> 27.12	-	±3%	±greater of 10% or 0.2mg/L	±0.1	±10mv	±10% or under 10 NTUs	<= Stabilization Criteria
1042	-	200	27.41	16.32	1.09	5.42	6.65	-94	3.8	clear
1045	.5	100	27.22	16.14	1.08	2.90	6.65	-92	2.2	clear
1050	1	100	27.24	16.03	1.08	2.13	6.65	-92	0.7	clear
1055	1.5	100	27.25	15.94	1.09	1.59	6.65	-97	0.2	clear
1100	2.0	100	27.26	16.11	1.10	1.48	6.65	-97	0.0	clear
1105	2.5	100	27.25	16.18	1.18	1.39	6.64	-103	0.0	clear
1110	3.0	100	27.25	16.19	1.19	1.41	6.64	-104	0.0	clear
1115	3.5	100	27.26	16.24	1.18	1.36	6.64	-104	0.0	clear
1120	SAMPLE									
										
Start Sampling 1120			QA/QC Sample: -				Sample Time: -			
End Sampling 1132			Sample Number: CZ-MW-10(R2)				Sample Time: 1120			
Final										

Notes: AC = almost clear
bgs = below ground surface

btc = below top of casing
Cl = cloudy

DTW = depth to water
C = clear

VC = very cloudy
SC = slightly cloudy

Page 1 of 1

Date: 3/19/19

Well Purge Data										
Time	Volume Purged (L)	Purge Rate (mL/m)	DTW (ft btc)	Temp. (°C)	Conductivity (µS/cm)	D.O. (mg/L)	pH	ORP (mV)	Turbidity (NTUs)	Clarity / Color / Remarks
1150	Pump On		Initial 24.35	-	±3%	≥ greater of 10% or 0.2mg/L	±0.1	±10mv	±10% or under 10 NTUs	<= Stabilization Criteria
1155	1	230	24.42	16.92	0.857	3.66	6.65	-20	16.5	cloudy/A
1200	2	200	24.48	16.73	0.855	2.56	6.62	-10	14.8	AC
1205	3	200	24.46	15.57	0.846	1.44	6.53	-31	7.0	clear
1210	4	200	24.46	15.55	0.851	1.14	6.53	-15	2.4	clear
1215	5	200	24.47	15.64	0.860	1.14	6.54	-76	2.3	clear
1220	6	200	24.47	15.70	0.861	0.94	6.52	-77	1.8	clear
1225	7	200	24.48	15.66	0.862	0.92	6.53	-18	1.2	clear
1230	8	200	24.48	15.67	0.862	0.92	6.53	-78	0.8	clear
1235	SAMPLE									
Start Sampling		1235	QA/QC Sample:		Sample Time:					
End Sampling		1243	Sample Number:		CZ-MW-11(R)				Sample Time: 1235	

VC = very cloudy
SC = slightly cloudy

Page 1 of 1

Date: 3/19/19

[illegible][illegible]

VC = very cloudy
SC = slightly cloudy

Appendix B

Laboratory Report and Chain-of-Custody Form



Apex Laboratories, LLC

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

Wednesday, March 27, 2019

Nicky Moody
AECOM
111 SW Columbia St. Ste. 1500
Portland, OR 97201

RE: A9C0616 - POV FVP - 605-19969

Thank you for using Apex Laboratories. We greatly appreciate your business and strive to provide the highest quality services to the environmental industry.

Enclosed are the results of analyses for work order A9C0616, which was received by the laboratory on 3/19/2019 at 5:05:00PM.

If you have any questions concerning this report or the services we offer, please feel free to contact me by email at: DAuvil@apex-labs.com, or by phone at 503-718-2323.

Please note: All samples will be disposed of within 30 days of final reporting, unless prior arrangements have been made.

Cooler Receipt Information

(See Cooler Receipt Form for details)

Cooler #1	5.9 degC	Cooler #2	1.8 degC
-----------	----------	-----------	----------

This Final Report is the official version of the data results for this sample submission, unless superseded by a subsequent, labeled amended report.

All other deliverables derived from this data, including Electronic Data Deliverables (EDDs), CLP-like forms, client requested summary sheets, and all other products are considered secondary to this report.



Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager



Apex Laboratories, LLC

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

ANALYTICAL REPORT FOR SAMPLES

SAMPLE INFORMATION

Client Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
C1-MW-4	A9C0616-01	Water	03/19/19 14:15	03/19/19 17:05
C1-MW-7	A9C0616-02	Water	03/19/19 15:15	03/19/19 17:05
C2-MW-3	A9C0616-03	Water	03/19/19 09:10	03/19/19 17:05
C2-MW-9	A9C0616-04	Water	03/19/19 10:15	03/19/19 17:05
C2-MW-10 (R2)	A9C0616-05	Water	03/19/19 11:20	03/19/19 17:05
C2-MW-11 (R)	A9C0616-06	Water	03/19/19 12:35	03/19/19 17:05
C2-MW-12 B	A9C0616-07	Water	03/19/19 07:55	03/19/19 17:05
C2-MW-9-DUP	A9C0616-08	Water	03/19/19 10:20	03/19/19 17:05
TRIP BLANK	A9C0616-09	Water	03/19/19 00:00	03/19/19 17:05

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Diesel and/or Oil Hydrocarbons by NWTPH-Dx**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-3 (A9C0616-03)		Matrix: Water			Batch: 9031075			
Diesel	ND	0.0952	0.190	mg/L	1	03/23/19	NWTPH-Dx	
Oil	ND	0.190	0.381	mg/L	1	03/23/19	NWTPH-Dx	
<i>Surrogate: o-Terphenyl (Surr)</i>		<i>Recovery: 93 %</i>		<i>Limits: 50-150 %</i>	<i>1</i>	<i>03/23/19</i>	<i>NWTPH-Dx</i>	
C2-MW-9 (A9C0616-04)		Matrix: Water			Batch: 9031075			
Diesel	ND	0.0980	0.196	mg/L	1	03/23/19	NWTPH-Dx	
Oil	ND	0.196	0.392	mg/L	1	03/23/19	NWTPH-Dx	
<i>Surrogate: o-Terphenyl (Surr)</i>		<i>Recovery: 99 %</i>		<i>Limits: 50-150 %</i>	<i>1</i>	<i>03/23/19</i>	<i>NWTPH-Dx</i>	
C2-MW-10 (R2) (A9C0616-05RE1)		Matrix: Water			Batch: 9031075			
Diesel	ND	0.0962	0.192	mg/L	1	03/26/19	NWTPH-Dx	
Oil	1.10	0.192	0.385	mg/L	1	03/26/19	NWTPH-Dx	
<i>Surrogate: o-Terphenyl (Surr)</i>		<i>Recovery: 92 %</i>		<i>Limits: 50-150 %</i>	<i>1</i>	<i>03/26/19</i>	<i>NWTPH-Dx</i>	
C2-MW-11 (R) (A9C0616-06)		Matrix: Water			Batch: 9031075			
Diesel	ND	0.0971	0.194	mg/L	1	03/23/19	NWTPH-Dx	
Oil	ND	0.194	0.388	mg/L	1	03/23/19	NWTPH-Dx	
<i>Surrogate: o-Terphenyl (Surr)</i>		<i>Recovery: 94 %</i>		<i>Limits: 50-150 %</i>	<i>1</i>	<i>03/23/19</i>	<i>NWTPH-Dx</i>	
C2-MW-12 B (A9C0616-07)		Matrix: Water			Batch: 9031075			
Diesel	ND	0.0952	0.190	mg/L	1	03/23/19	NWTPH-Dx	
Oil	ND	0.190	0.381	mg/L	1	03/23/19	NWTPH-Dx	
<i>Surrogate: o-Terphenyl (Surr)</i>		<i>Recovery: 89 %</i>		<i>Limits: 50-150 %</i>	<i>1</i>	<i>03/23/19</i>	<i>NWTPH-Dx</i>	
C2-MW-9-DUP (A9C0616-08)		Matrix: Water			Batch: 9031075			
Diesel	ND	0.104	0.208	mg/L	1	03/23/19	NWTPH-Dx	
Oil	ND	0.208	0.417	mg/L	1	03/23/19	NWTPH-Dx	
<i>Surrogate: o-Terphenyl (Surr)</i>		<i>Recovery: 99 %</i>		<i>Limits: 50-150 %</i>	<i>1</i>	<i>03/23/19</i>	<i>NWTPH-Dx</i>	

Apex Laboratories

Darrell Auvil, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**AECOM**111 SW Columbia St. Ste. 1500
Portland, OR 97201Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Gasoline Range Hydrocarbons (Benzene through Naphthalene) by NWTPH-Gx**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-3 (A9C0616-03)		Matrix: Water			Batch: 9030975			
Gasoline Range Organics	ND	0.0500	0.100	mg/L	1	03/20/19	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 101 %	Limits: 50-150 %	1	03/20/19	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		87 %	50-150 %	1	03/20/19	NWTPH-Gx (MS)		
C2-MW-9 (A9C0616-04)		Matrix: Water			Batch: 9030975			
Gasoline Range Organics	ND	0.0500	0.100	mg/L	1	03/20/19	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 101 %	Limits: 50-150 %	1	03/20/19	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		87 %	50-150 %	1	03/20/19	NWTPH-Gx (MS)		
C2-MW-10 (R2) (A9C0616-05)		Matrix: Water			Batch: 9030975			
Gasoline Range Organics	ND	0.0500	0.100	mg/L	1	03/20/19	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 100 %	Limits: 50-150 %	1	03/20/19	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		87 %	50-150 %	1	03/20/19	NWTPH-Gx (MS)		
C2-MW-11 (R) (A9C0616-06)		Matrix: Water			Batch: 9030975			
Gasoline Range Organics	ND	0.0500	0.100	mg/L	1	03/20/19	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 103 %	Limits: 50-150 %	1	03/20/19	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		87 %	50-150 %	1	03/20/19	NWTPH-Gx (MS)		
C2-MW-12 B (A9C0616-07)		Matrix: Water			Batch: 9030975			
Gasoline Range Organics	ND	0.0500	0.100	mg/L	1	03/20/19	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 100 %	Limits: 50-150 %	1	03/20/19	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		87 %	50-150 %	1	03/20/19	NWTPH-Gx (MS)		
C2-MW-9-DUP (A9C0616-08)		Matrix: Water			Batch: 9030975			
Gasoline Range Organics	ND	0.0500	0.100	mg/L	1	03/20/19	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur)		Recovery: 102 %	Limits: 50-150 %	1	03/20/19	NWTPH-Gx (MS)		
1,4-Difluorobenzene (Sur)		87 %	50-150 %	1	03/20/19	NWTPH-Gx (MS)		

Apex Laboratories

Darrell Auvil, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Selected Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C1-MW-7 (A9C0616-02)		Matrix: Water			Batch: 9030975			
Benzene	ND	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
Ethylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Methyl tert-butyl ether (MTBE)	17.9	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Toluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Xylenes, total	ND	0.750	1.50	ug/L	1	03/20/19	EPA 8260C	
<i>Surrogate: 1,4-Difluorobenzene (Surr)</i>		<i>Recovery:</i>	<i>107 %</i>	<i>Limits:</i>	<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>
<i>Toluene-d8 (Surr)</i>			<i>103 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>
<i>4-Bromofluorobenzene (Surr)</i>			<i>101 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>

Apex Laboratories

Darrell Auvil, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C1-MW-4 (A9C0616-01)		Matrix: Water			Batch: 9030975			
Acetone	ND	10.0	20.0	ug/L	1	03/20/19	EPA 8260C	
Benzene	ND	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
Bromobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Bromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromodichloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromoform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromomethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Butanone (MEK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
n-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
sec-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
tert-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Carbon tetrachloride	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Chloroethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
Chloroform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chloromethane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Dibromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromo-3-chloropropane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dibromomethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,4-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dichlorodifluoromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethane	0.554	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloroethane (EDC)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
cis-1,2-Dichloroethene	1.55	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
trans-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloropropane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C1-MW-4 (A9C0616-01)		Matrix: Water			Batch: 9030975			
2,2-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
cis-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
trans-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Ethylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Hexachlorobutadiene	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Hexanone	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Isopropyltoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Methylene chloride	ND	1.50	3.00	ug/L	1	03/20/19	EPA 8260C	
4-Methyl-2-pentanone (MIBK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Methyl tert-butyl ether (MTBE)	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Naphthalene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
n-Propylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Styrene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1,2-Tetrachloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Tetrachloroethene (PCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Toluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1-Trichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2-Trichloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Trichloroethene (TCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Trichlorofluoromethane	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Vinyl chloride	0.216	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
m,p-Xylene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
o-Xylene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
<i>Surrogate: 1,4-Difluorobenzene (Surr)</i>		<i>Recovery:</i>	<i>105 %</i>	<i>Limits:</i>	<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>
<i>Toluene-d8 (Surr)</i>			<i>103 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C1-MW-4 (A9C0616-01)				Matrix: Water		Batch: 9030975		
Surrogate: 4-Bromofluorobenzene (Surr)		Recovery: 102 %		Limits: 80-120 %	1	03/20/19	EPA 8260C	
C2-MW-9 (A9C0616-04)				Matrix: Water		Batch: 9030975		
Acetone	ND	10.0	20.0	ug/L	1	03/20/19	EPA 8260C	
Benzene	ND	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
Bromobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Bromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromodichloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromoform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromomethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Butanone (MEK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
n-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
sec-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
tert-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Carbon tetrachloride	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Chloroethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
Chloroform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chloromethane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Dibromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromo-3-chloropropane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dibromomethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,4-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dichlorodifluoromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloroethane (EDC)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
cis-1,2-Dichloroethene	0.956	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
trans-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-9 (A9C0616-04)		Matrix: Water			Batch: 9030975			
1,2-Dichloropropane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
2,2-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
cis-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
trans-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Ethylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Hexachlorobutadiene	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Hexanone	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Isopropyltoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Methylene chloride	ND	1.50	3.00	ug/L	1	03/20/19	EPA 8260C	
4-Methyl-2-pentanone (MIBK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Methyl tert-butyl ether (MTBE)	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Naphthalene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
n-Propylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Styrene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1,2-Tetrachloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Tetrachloroethene (PCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Toluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1-Trichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2-Trichloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Trichloroethene (TCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Trichlorofluoromethane	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Vinyl chloride	0.453	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
m,p-Xylene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
o-Xylene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-9 (A9C0616-04)		Matrix: Water			Batch: 9030975			
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery: 106 %	Limits: 80-120 %	1	03/20/19	EPA 8260C		
Toluene-d8 (Surr)		103 %	80-120 %	1	03/20/19	EPA 8260C		
4-Bromofluorobenzene (Surr)		100 %	80-120 %	1	03/20/19	EPA 8260C		
C2-MW-11 (R) (A9C0616-06)		Matrix: Water			Batch: 9030975			
Acetone	ND	10.0	20.0	ug/L	1	03/20/19	EPA 8260C	
Benzene	ND	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
Bromobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Bromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromodichloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromoform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromomethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Butanone (MEK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
n-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
sec-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
tert-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Carbon tetrachloride	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Chloroethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
Chloroform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chloromethane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Dibromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromo-3-chloropropane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dibromomethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,4-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dichlorodifluoromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloroethane (EDC)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-11 (R) (A9C0616-06)				Matrix: Water		Batch: 9030975		
cis-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
trans-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloropropane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
2,2-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
cis-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
trans-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Ethylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Hexachlorobutadiene	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Hexanone	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Isopropyltoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Methylene chloride	ND	1.50	3.00	ug/L	1	03/20/19	EPA 8260C	
4-Methyl-2-pentanone (MiBK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Methyl tert-butyl ether (MTBE)	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Naphthalene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
n-Propylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Styrene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1,2-Tetrachloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Tetrachloroethene (PCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Toluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1-Trichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2-Trichloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Trichloroethene (TCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Trichlorofluoromethane	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Vinyl chloride	0.159	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	J

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-11 (R) (A9C0616-06)		Matrix: Water				Batch: 9030975		
m,p-Xylene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
o-Xylene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
<i>Surrogate: 1,4-Difluorobenzene (Surr)</i>		<i>Recovery: 106 %</i>		<i>Limits: 80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>	
<i>Toluene-d8 (Surr)</i>		<i>102 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>	
<i>4-Bromofluorobenzene (Surr)</i>		<i>98 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>	
C2-MW-12 B (A9C0616-07)		Matrix: Water				Batch: 9030975		
Acetone	ND	10.0	20.0	ug/L	1	03/20/19	EPA 8260C	
Benzene	ND	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
Bromobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Bromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromodichloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromoform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromomethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Butanone (MEK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
n-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
sec-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
tert-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Carbon tetrachloride	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Chloroethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
Chloroform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chloromethane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Dibromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromo-3-chloropropane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dibromomethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,4-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dichlorodifluoromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-12 B (A9C0616-07)				Matrix: Water		Batch: 9030975		
1,2-Dichloroethane (EDC)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
cis-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
trans-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloropropane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
2,2-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
cis-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
trans-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Ethylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Hexachlorobutadiene	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Hexanone	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Isopropyltoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Methylene chloride	ND	1.50	3.00	ug/L	1	03/20/19	EPA 8260C	
4-Methyl-2-pentanone (MIBK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Methyl tert-butyl ether (MTBE)	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Naphthalene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
n-Propylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Styrene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1,2-Tetrachloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Tetrachloroethene (PCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Toluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1-Trichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2-Trichloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Trichloroethene (TCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Trichlorofluoromethane	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager



Apex Laboratories, LLC

12232 S.W. Garden Place

Tigard, OR 97223

503-718-2323

EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500

Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

ANALYTICAL SAMPLE RESULTS

Volatile Organic Compounds by EPA 8260C

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-12 B (A9C0616-07)		Matrix: Water				Batch: 9030975		
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Vinyl chloride	ND	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
m,p-Xylene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
o-Xylene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
<i>Surrogate: 1,4-Difluorobenzene (Surr)</i>		<i>Recovery: 105 %</i>		<i>Limits: 80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>	
<i>Toluene-d8 (Surr)</i>		<i>102 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>	
<i>4-Bromofluorobenzene (Surr)</i>		<i>103 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>	
C2-MW-9-DUP (A9C0616-08)		Matrix: Water				Batch: 9030975		
Acetone	ND	10.0	20.0	ug/L	1	03/20/19	EPA 8260C	
Benzene	ND	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
Bromobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Bromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromodichloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromoform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromomethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Butanone (MEK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
n-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
sec-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
tert-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Carbon tetrachloride	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Chloroethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
Chloroform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chloromethane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Dibromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromo-3-chloropropane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dibromomethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,4-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-9-DUP (A9C0616-08)		Matrix: Water			Batch: 9030975			
Dichlorodifluoromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloroethane (EDC)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
cis-1,2-Dichloroethene	0.942	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
trans-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloropropane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
2,2-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
cis-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
trans-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Ethylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Hexachlorobutadiene	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Hexanone	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Isopropyltoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Methylene chloride	ND	1.50	3.00	ug/L	1	03/20/19	EPA 8260C	
4-Methyl-2-pentanone (MiBK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Methyl tert-butyl ether (MTBE)	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Naphthalene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
n-Propylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Styrene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1,2-Tetrachloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Tetrachloroethene (PCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Toluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1-Trichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2-Trichloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Trichloroethene (TCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Trichlorofluoromethane	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
C2-MW-9-DUP (A9C0616-08)		Matrix: Water			Batch: 9030975			
1,2,3-Trichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Vinyl chloride	0.315	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
m,p-Xylene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
o-Xylene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
<i>Surrogate: 1,4-Difluorobenzene (Surr)</i>		<i>Recovery:</i>	<i>106 %</i>	<i>Limits:</i>	<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>
<i>Toluene-d8 (Surr)</i>			<i>102 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>
<i>4-Bromofluorobenzene (Surr)</i>			<i>100 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>
TRIP BLANK (A9C0616-09)		Matrix: Water			Batch: 9030975			
Acetone	ND	20.0	20.0	ug/L	1	03/20/19	EPA 8260C	
Benzene	ND	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
Bromobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Bromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromodichloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromoform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Bromomethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Butanone (MEK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
n-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
sec-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
tert-Butylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Carbon tetrachloride	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Chloroethane	ND	5.00	5.00	ug/L	1	03/20/19	EPA 8260C	
Chloroform	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Chloromethane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Chlorotoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Dibromochloromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromo-3-chloropropane	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dibromomethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
TRIP BLANK (A9C0616-09)		Matrix: Water			Batch: 9030975			
1,3-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,4-Dichlorobenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Dichlorodifluoromethane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloroethane (EDC)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
cis-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
trans-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,2-Dichloropropane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
1,3-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
2,2-Dichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
cis-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
trans-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Ethylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Hexachlorobutadiene	ND	2.50	5.00	ug/L	1	03/20/19	EPA 8260C	
2-Hexanone	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
4-Isopropyltoluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Methylene chloride	ND	1.50	3.00	ug/L	1	03/20/19	EPA 8260C	
4-Methyl-2-pentanone (MiBK)	ND	5.00	10.0	ug/L	1	03/20/19	EPA 8260C	
Methyl tert-butyl ether (MTBE)	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Naphthalene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
n-Propylbenzene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Styrene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1,2-Tetrachloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2,2-Tetrachloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
Tetrachloroethene (PCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Toluene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trichlorobenzene	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,1,1-Trichloroethane	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
1,1,2-Trichloroethane	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****ANALYTICAL SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
TRIP BLANK (A9C0616-09)		Matrix: Water			Batch: 9030975			
Trichloroethene (TCE)	ND	0.200	0.400	ug/L	1	03/20/19	EPA 8260C	
Trichlorofluoromethane	ND	1.00	2.00	ug/L	1	03/20/19	EPA 8260C	
1,2,3-Trichloropropane	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
Vinyl chloride	ND	0.100	0.200	ug/L	1	03/20/19	EPA 8260C	
m,p-Xylene	ND	0.500	1.00	ug/L	1	03/20/19	EPA 8260C	
o-Xylene	ND	0.250	0.500	ug/L	1	03/20/19	EPA 8260C	
<i>Surrogate: 1,4-Difluorobenzene (Surr)</i>		<i>Recovery: 105 %</i>		<i>Limits: 80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>	
<i>Toluene-d8 (Surr)</i>		<i>102 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>	
<i>4-Bromofluorobenzene (Surr)</i>		<i>102 %</i>		<i>80-120 %</i>	<i>1</i>	<i>03/20/19</i>	<i>EPA 8260C</i>	

Apex Laboratories

Darrell Auvil, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Diesel and/or Oil Hydrocarbons by NWTPH-Dx**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9031075 - EPA 3510C (Fuels/Acid Ext.)						Water						
Blank (9031075-BLK1)			Prepared: 03/22/19 13:17 Analyzed: 03/23/19 01:07									
NWTPH-Dx												
Diesel	ND	0.0909	0.182	mg/L	1	---	---	---	---	---	---	
Oil	ND	0.182	0.364	mg/L	1	---	---	---	---	---	---	
Surr: o-Terphenyl (Surr)		Recovery: 101 %		Limits: 50-150 %		Dilution: 1x						
LCS (9031075-BS1)			Prepared: 03/22/19 13:17 Analyzed: 03/23/19 01:30									
NWTPH-Dx												
Diesel	1.21	0.100	0.200	mg/L	1	1.25	---	97	58-115%	---	---	
Surr: o-Terphenyl (Surr)		Recovery: 97 %		Limits: 50-150 %		Dilution: 1x						
LCS Dup (9031075-BSD1)			Prepared: 03/22/19 13:17 Analyzed: 03/23/19 01:52									
NWTPH-Dx												
Diesel	1.12	0.100	0.200	mg/L	1	1.25	---	89	58-115%	8	20%	
Surr: o-Terphenyl (Surr)		Recovery: 88 %		Limits: 50-150 %		Dilution: 1x						

Apex Laboratories

Darrell Auvil, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Gasoline Range Hydrocarbons (Benzene through Naphthalene) by NWTPH-Gx**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Blank (9030975-BLK1)			Prepared: 03/20/19 14:00 Analyzed: 03/20/19 16:05									
NWTPH-Gx (MS)												
Gasoline Range Organics	ND	0.0500	0.100	mg/L	1	---	---	---	---	---	---	
Surr: 4-Bromofluorobenzene (Surr)		Recovery: 97 %		Limits: 50-150 %		Dilution: 1x						
1,4-Difluorobenzene (Surr)		87 %		50-150 %		"						
LCS (9030975-BS2)			Prepared: 03/20/19 14:00 Analyzed: 03/20/19 15:36									
NWTPH-Gx (MS)												
Gasoline Range Organics	0.548	0.0500	0.100	mg/L	1	0.500	---	110	80-120%	---	---	
Surr: 4-Bromofluorobenzene (Surr)		Recovery: 101 %		Limits: 50-150 %		Dilution: 1x						
1,4-Difluorobenzene (Surr)		110 %		50-150 %		"						
Duplicate (9030975-DUP1)			Prepared: 03/20/19 15:46 Analyzed: 03/20/19 18:55									
QC Source Sample: C1-MW-7 (A9C0616-02)												
NWTPH-Gx (MS)												
Gasoline Range Organics	ND	0.0500	0.100	mg/L	1	---	ND	---	---	---	30%	
Surr: 4-Bromofluorobenzene (Surr)		Recovery: 102 %		Limits: 50-150 %		Dilution: 1x						
1,4-Difluorobenzene (Surr)		87 %		50-150 %		"						

Apex Laboratories

Darrell Auvil, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Selected Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Blank (9030975-BLK1)			Prepared: 03/20/19 14:00		Analyzed: 03/20/19 16:05							
EPA 8260C												
Benzene	ND	0.100	0.200	ug/L	1	---	---	---	---	---	---	
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
1,2-Dichloroethane (EDC)	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Ethylbenzene	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Methyl tert-butyl ether (MTBE)	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Naphthalene	ND	1.00	2.00	ug/L	1	---	---	---	---	---	---	
Toluene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Xylenes, total	ND	0.750	1.50	ug/L	1	---	---	---	---	---	---	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 105 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		103 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		102 %		80-120 %		"						

LCS (9030975-BS1)

Prepared: 03/20/19 14:00 Analyzed: 03/20/19 15:08

EPA 8260C												
Benzene	21.7	0.100	0.200	ug/L	1	20.0	---	109	80-120%	---	---	
1,2-Dibromoethane (EDB)	20.4	0.250	0.500	ug/L	1	20.0	---	102	80-120%	---	---	
1,2-Dichloroethane (EDC)	20.5	0.250	0.500	ug/L	1	20.0	---	102	80-120%	---	---	
Ethylbenzene	20.6	0.250	0.500	ug/L	1	20.0	---	103	80-120%	---	---	
Isopropylbenzene	20.7	0.500	1.00	ug/L	1	20.0	---	104	80-120%	---	---	
Methyl tert-butyl ether (MTBE)	20.0	0.500	1.00	ug/L	1	20.0	---	100	80-120%	---	---	
Naphthalene	20.0	1.00	2.00	ug/L	1	20.0	---	100	80-120%	---	---	
Toluene	20.4	0.500	1.00	ug/L	1	20.0	---	102	80-120%	---	---	
1,2,4-Trimethylbenzene	20.8	0.500	1.00	ug/L	1	20.0	---	104	80-120%	---	---	
1,3,5-Trimethylbenzene	20.5	0.500	1.00	ug/L	1	20.0	---	102	80-120%	---	---	
Xylenes, total	61.8	0.750	1.50	ug/L	1	60.0	---	103	80-120%	---	---	
<i>Surr: 1,4-Difluorobenzene (Surr) Recovery: 105 % Limits: 80-120 % Dilution: 1x</i>												
<i>Toluene-d8 (Surr) 101 % 80-120 % "</i>												
<i>4-Bromofluorobenzene (Surr) 96 % 80-120 % "</i>												

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Selected Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Duplicate (9030975-DUP1)			Prepared: 03/20/19 15:46 Analyzed: 03/20/19 18:55									
QC Source Sample: C1-MW-7 (A9C0616-02)												
EPA 8260C												
Benzene	ND	0.100	0.200	ug/L	1	---	ND	---	---	---	30%	
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
1,2-Dichloroethane (EDC)	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
Ethylbenzene	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
Methyl tert-butyl ether (MTBE)	17.6	0.500	1.00	ug/L	1	---	17.9	---	---	1	30%	
Naphthalene	ND	1.00	2.00	ug/L	1	---	ND	---	---	---	30%	
Toluene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
Xylenes, total	ND	0.750	1.50	ug/L	1	---	ND	---	---	---	30%	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 106 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		102 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		99 %		80-120 %		"						

Matrix Spike (9030975-MS1)

Prepared: 03/20/19 15:46 Analyzed: 03/21/19 00:34

QC Source Sample: Non-SDG (A9C0625-01)**EPA 8260C**

Benzene	22.2	0.100	0.200	ug/L	1	20.0	ND	111	79-120%	---	---	
1,2-Dibromoethane (EDB)	20.8	0.250	0.500	ug/L	1	20.0	ND	104	77-121%	---	---	
1,2-Dichloroethane (EDC)	20.9	0.250	0.500	ug/L	1	20.0	ND	104	73-128%	---	---	
Ethylbenzene	21.1	0.250	0.500	ug/L	1	20.0	ND	105	79-121%	---	---	
Isopropylbenzene	20.9	0.500	1.00	ug/L	1	20.0	ND	104	72-131%	---	---	
Methyl tert-butyl ether (MTBE)	19.9	0.500	1.00	ug/L	1	20.0	ND	99	71-124%	---	---	
Naphthalene	21.4	1.00	2.00	ug/L	1	20.0	ND	107	61-128%	---	---	
Toluene	21.0	0.500	1.00	ug/L	1	20.0	ND	105	80-121%	---	---	
1,2,4-Trimethylbenzene	20.9	0.500	1.00	ug/L	1	20.0	ND	104	76-124%	---	---	
1,3,5-Trimethylbenzene	20.7	0.500	1.00	ug/L	1	20.0	ND	103	75-124%	---	---	
Xylenes, total	63.0	0.750	1.50	ug/L	1	60.0	ND	105	79-121%	---	---	
<i>Surr: 1,4-Difluorobenzene (Surr) Recovery: 105 % Limits: 80-120 % Dilution: 1x</i>												

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager



Apex Laboratories, LLC

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

QUALITY CONTROL (QC) SAMPLE RESULTS

Selected Volatile Organic Compounds by EPA 8260C

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B							Water					
Matrix Spike (9030975-MS1)			Prepared: 03/20/19 15:46 Analyzed: 03/21/19 00:34									
QC Source Sample: Non-SDG (A9C0625-01)												
Surr: Toluene-d8 (Surr)		Recovery: 101 %		Limits: 80-120 %		Dilution: 1x						
4-Bromofluorobenzene (Surr)		97 %		80-120 %		"						

Apex Laboratories

Darrell Auvil, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Blank (9030975-BLK1)			Prepared: 03/20/19 14:00		Analyzed: 03/20/19 16:05							
EPA 8260C												
Acetone	ND	10.0	20.0	ug/L	1	---	---	---	---	---	---	
Acrylonitrile	ND	1.00	2.00	ug/L	1	---	---	---	---	---	---	
Benzene	ND	0.100	0.200	ug/L	1	---	---	---	---	---	---	
Bromobenzene	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Bromochloromethane	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Bromodichloromethane	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Bromoform	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Bromomethane	ND	5.00	5.00	ug/L	1	---	---	---	---	---	---	
2-Butanone (MEK)	ND	5.00	10.0	ug/L	1	---	---	---	---	---	---	
n-Butylbenzene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
sec-Butylbenzene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
tert-Butylbenzene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Carbon disulfide	ND	5.00	10.0	ug/L	1	---	---	---	---	---	---	
Carbon tetrachloride	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Chlorobenzene	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Chloroethane	ND	5.00	5.00	ug/L	1	---	---	---	---	---	---	
Chloroform	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Chloromethane	ND	2.50	5.00	ug/L	1	---	---	---	---	---	---	
2-Chlorotoluene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
4-Chlorotoluene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Dibromochloromethane	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,2-Dibromo-3-chloropropane	ND	2.50	5.00	ug/L	1	---	---	---	---	---	---	
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Dibromomethane	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,2-Dichlorobenzene	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
1,3-Dichlorobenzene	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
1,4-Dichlorobenzene	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Dichlorodifluoromethane	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,1-Dichloroethane	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	
1,2-Dichloroethane (EDC)	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	
1,1-Dichloroethene	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	
cis-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	
trans-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Blank (9030975-BLK1)			Prepared: 03/20/19 14:00		Analyzed: 03/20/19 16:05							
1,2-Dichloropropane	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
1,3-Dichloropropane	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
2,2-Dichloropropane	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,1-Dichloropropene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
cis-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
trans-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Ethylbenzene	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Hexachlorobutadiene	ND	2.50	5.00	ug/L	1	---	---	---	---	---	---	
2-Hexanone	ND	5.00	10.0	ug/L	1	---	---	---	---	---	---	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
4-Isopropyltoluene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Methylene chloride	4.29	1.50	3.00	ug/L	1	---	---	---	---	---	---	B
4-Methyl-2-pentanone (MiBK)	ND	5.00	10.0	ug/L	1	---	---	---	---	---	---	
Methyl tert-butyl ether (MTBE)	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Naphthalene	ND	1.00	2.00	ug/L	1	---	---	---	---	---	---	
n-Propylbenzene	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Styrene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,1,1,2-Tetrachloroethane	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	
1,1,2,2-Tetrachloroethane	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Tetrachloroethene (PCE)	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	
Toluene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,2,3-Trichlorobenzene	ND	1.00	2.00	ug/L	1	---	---	---	---	---	---	
1,2,4-Trichlorobenzene	ND	1.00	2.00	ug/L	1	---	---	---	---	---	---	
1,1,1-Trichloroethane	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	
1,1,2-Trichloroethane	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
Trichloroethene (TCE)	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	
Trichlorofluoromethane	ND	1.00	2.00	ug/L	1	---	---	---	---	---	---	
1,2,3-Trichloropropane	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
Vinyl chloride	ND	0.100	0.200	ug/L	1	---	---	---	---	---	---	
m,p-Xylene	ND	0.500	1.00	ug/L	1	---	---	---	---	---	---	
o-Xylene	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Blank (9030975-BLK1)			Prepared: 03/20/19 14:00		Analyzed: 03/20/19 16:05							
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 105 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		103 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		102 %		80-120 %		"						
LCS (9030975-BS1)			Prepared: 03/20/19 14:00		Analyzed: 03/20/19 15:08							
EPA 8260C												
Acetone	48.9	10.0	20.0	ug/L	1	40.0	---	122	80-120%	---	---	Q-56
Acrylonitrile	23.9	1.00	2.00	ug/L	1	20.0	---	120	80-120%	---	---	
Benzene	21.7	0.100	0.200	ug/L	1	20.0	---	109	80-120%	---	---	
Bromobenzene	19.6	0.250	0.500	ug/L	1	20.0	---	98	80-120%	---	---	
Bromochloromethane	22.9	0.500	1.00	ug/L	1	20.0	---	115	80-120%	---	---	
Bromodichloromethane	22.1	0.500	1.00	ug/L	1	20.0	---	111	80-120%	---	---	
Bromoform	21.7	0.500	1.00	ug/L	1	20.0	---	108	80-120%	---	---	
Bromomethane	21.4	5.00	5.00	ug/L	1	20.0	---	107	80-120%	---	---	E-05
2-Butanone (MEK)	45.5	5.00	10.0	ug/L	1	40.0	---	114	80-120%	---	---	
n-Butylbenzene	21.4	0.500	1.00	ug/L	1	20.0	---	107	80-120%	---	---	
sec-Butylbenzene	21.2	0.500	1.00	ug/L	1	20.0	---	106	80-120%	---	---	
tert-Butylbenzene	19.7	0.500	1.00	ug/L	1	20.0	---	99	80-120%	---	---	
Carbon disulfide	21.4	5.00	10.0	ug/L	1	20.0	---	107	80-120%	---	---	
Carbon tetrachloride	21.0	0.500	1.00	ug/L	1	20.0	---	105	80-120%	---	---	
Chlorobenzene	20.3	0.250	0.500	ug/L	1	20.0	---	102	80-120%	---	---	
Chloroethane	20.2	5.00	5.00	ug/L	1	20.0	---	101	80-120%	---	---	
Chloroform	21.0	0.500	1.00	ug/L	1	20.0	---	105	80-120%	---	---	
Chloromethane	17.7	2.50	5.00	ug/L	1	20.0	---	89	80-120%	---	---	
2-Chlorotoluene	20.1	0.500	1.00	ug/L	1	20.0	---	100	80-120%	---	---	
4-Chlorotoluene	20.4	0.500	1.00	ug/L	1	20.0	---	102	80-120%	---	---	
Dibromochloromethane	19.8	0.500	1.00	ug/L	1	20.0	---	99	80-120%	---	---	
1,2-Dibromo-3-chloropropane	18.9	2.50	5.00	ug/L	1	20.0	---	94	80-120%	---	---	
1,2-Dibromoethane (EDB)	20.4	0.250	0.500	ug/L	1	20.0	---	102	80-120%	---	---	
Dibromomethane	22.1	0.500	1.00	ug/L	1	20.0	---	111	80-120%	---	---	
1,2-Dichlorobenzene	19.9	0.250	0.500	ug/L	1	20.0	---	99	80-120%	---	---	
1,3-Dichlorobenzene	19.9	0.250	0.500	ug/L	1	20.0	---	100	80-120%	---	---	
1,4-Dichlorobenzene	19.5	0.250	0.500	ug/L	1	20.0	---	98	80-120%	---	---	
Dichlorodifluoromethane	21.0	0.500	1.00	ug/L	1	20.0	---	105	80-120%	---	---	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
LCS (9030975-BS1)						Prepared: 03/20/19 14:00 Analyzed: 03/20/19 15:08						
1,1-Dichloroethane	22.2	0.200	0.400	ug/L	1	20.0	---	111	80-120%	---	---	
1,2-Dichloroethane (EDC)	20.5	0.200	0.400	ug/L	1	20.0	---	102	80-120%	---	---	
1,1-Dichloroethene	20.6	0.200	0.400	ug/L	1	20.0	---	103	80-120%	---	---	
cis-1,2-Dichloroethene	22.4	0.200	0.400	ug/L	1	20.0	---	112	80-120%	---	---	
trans-1,2-Dichloroethene	21.9	0.200	0.400	ug/L	1	20.0	---	109	80-120%	---	---	
1,2-Dichloropropane	22.2	0.250	0.500	ug/L	1	20.0	---	111	80-120%	---	---	
1,3-Dichloropropane	20.9	0.500	1.00	ug/L	1	20.0	---	105	80-120%	---	---	
2,2-Dichloropropane	20.4	0.500	1.00	ug/L	1	20.0	---	102	80-120%	---	---	
1,1-Dichloropropene	21.9	0.500	1.00	ug/L	1	20.0	---	110	80-120%	---	---	
cis-1,3-Dichloropropene	20.4	0.500	1.00	ug/L	1	20.0	---	102	80-120%	---	---	
trans-1,3-Dichloropropene	20.6	0.500	1.00	ug/L	1	20.0	---	103	80-120%	---	---	
Ethylbenzene	20.6	0.250	0.500	ug/L	1	20.0	---	103	80-120%	---	---	
Hexachlorobutadiene	18.6	2.50	5.00	ug/L	1	20.0	---	93	80-120%	---	---	
2-Hexanone	41.8	5.00	10.0	ug/L	1	40.0	---	104	80-120%	---	---	
Isopropylbenzene	20.7	0.500	1.00	ug/L	1	20.0	---	104	80-120%	---	---	
4-Isopropyltoluene	20.6	0.500	1.00	ug/L	1	20.0	---	103	80-120%	---	---	
Methylene chloride	21.4	1.50	3.00	ug/L	1	20.0	---	107	80-120%	---	---	B
4-Methyl-2-pentanone (MiBK)	41.0	5.00	10.0	ug/L	1	40.0	---	103	80-120%	---	---	
Methyl tert-butyl ether (MTBE)	20.0	0.500	1.00	ug/L	1	20.0	---	100	80-120%	---	---	
Naphthalene	20.0	1.00	2.00	ug/L	1	20.0	---	100	80-120%	---	---	
n-Propylbenzene	20.9	0.250	0.500	ug/L	1	20.0	---	105	80-120%	---	---	
Styrene	21.1	0.500	1.00	ug/L	1	20.0	---	105	80-120%	---	---	
1,1,1,2-Tetrachloroethane	20.4	0.200	0.400	ug/L	1	20.0	---	102	80-120%	---	---	
1,1,2,2-Tetrachloroethane	21.3	0.250	0.500	ug/L	1	20.0	---	106	80-120%	---	---	
Tetrachloroethene (PCE)	20.0	0.200	0.400	ug/L	1	20.0	---	100	80-120%	---	---	
Toluene	20.4	0.500	1.00	ug/L	1	20.0	---	102	80-120%	---	---	
1,2,3-Trichlorobenzene	18.9	1.00	2.00	ug/L	1	20.0	---	94	80-120%	---	---	
1,2,4-Trichlorobenzene	19.4	1.00	2.00	ug/L	1	20.0	---	97	80-120%	---	---	
1,1,1-Trichloroethane	20.6	0.200	0.400	ug/L	1	20.0	---	103	80-120%	---	---	
1,1,2-Trichloroethane	20.8	0.250	0.500	ug/L	1	20.0	---	104	80-120%	---	---	
Trichloroethene (TCE)	21.4	0.200	0.400	ug/L	1	20.0	---	107	80-120%	---	---	
Trichlorofluoromethane	20.1	1.00	2.00	ug/L	1	20.0	---	100	80-120%	---	---	
1,2,3-Trichloropropane	20.4	0.500	1.00	ug/L	1	20.0	---	102	80-120%	---	---	
1,2,4-Trimethylbenzene	20.8	0.500	1.00	ug/L	1	20.0	---	104	80-120%	---	---	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
LCS (9030975-BS1)			Prepared: 03/20/19 14:00		Analyzed: 03/20/19 15:08							
1,3,5-Trimethylbenzene	20.5	0.500	1.00	ug/L	1	20.0	---	102	80-120%	---	---	
Vinyl chloride	20.2	0.200	0.400	ug/L	1	20.0	---	101	80-120%	---	---	
m,p-Xylene	41.5	0.500	1.00	ug/L	1	40.0	---	104	80-120%	---	---	
o-Xylene	20.3	0.250	0.500	ug/L	1	20.0	---	102	80-120%	---	---	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 105 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		101 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		96 %		80-120 %		"						

Duplicate (9030975-DUP1)

Prepared: 03/20/19 15:46 Analyzed: 03/20/19 18:55

QC Source Sample: C1-MW-7 (A9C0616-02)**EPA 8260C**

Acetone	ND	10.0	20.0	ug/L	1	---	ND	---	---	---	30%
Acrylonitrile	ND	1.00	2.00	ug/L	1	---	ND	---	---	---	30%
Benzene	ND	0.100	0.200	ug/L	1	---	ND	---	---	---	30%
Bromobenzene	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%
Bromochloromethane	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
Bromodichloromethane	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
Bromoform	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
Bromomethane	ND	5.00	5.00	ug/L	1	---	ND	---	---	---	30%
2-Butanone (MEK)	ND	5.00	10.0	ug/L	1	---	ND	---	---	---	30%
n-Butylbenzene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
sec-Butylbenzene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
tert-Butylbenzene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
Carbon disulfide	ND	5.00	10.0	ug/L	1	---	ND	---	---	---	30%
Carbon tetrachloride	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
Chlorobenzene	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%
Chloroethane	ND	5.00	5.00	ug/L	1	---	ND	---	---	---	30%
Chloroform	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
Chloromethane	ND	2.50	5.00	ug/L	1	---	ND	---	---	---	30%
2-Chlorotoluene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
4-Chlorotoluene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
Dibromochloromethane	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%
1,2-Dibromo-3-chloropropane	ND	2.50	5.00	ug/L	1	---	ND	---	---	---	30%
1,2-Dibromoethane (EDB)	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Duplicate (9030975-DUP1)			Prepared: 03/20/19 15:46		Analyzed: 03/20/19 18:55							
QC Source Sample: C1-MW-7 (A9C0616-02)												
Dibromomethane	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
1,2-Dichlorobenzene	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
1,3-Dichlorobenzene	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
1,4-Dichlorobenzene	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
Dichlorodifluoromethane	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
1,1-Dichloroethane	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
1,2-Dichloroethane (EDC)	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
1,1-Dichloroethene	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
cis-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
trans-1,2-Dichloroethene	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
1,2-Dichloropropane	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
1,3-Dichloropropane	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
2,2-Dichloropropane	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
1,1-Dichloropropene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
cis-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
trans-1,3-Dichloropropene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
Ethylbenzene	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
Hexachlorobutadiene	ND	2.50	5.00	ug/L	1	---	ND	---	---	---	30%	
2-Hexanone	ND	5.00	10.0	ug/L	1	---	ND	---	---	---	30%	
Isopropylbenzene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
4-Isopropyltoluene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
Methylene chloride	ND	1.50	3.00	ug/L	1	---	ND	---	---	---	30%	
4-Methyl-2-pentanone (MiBK)	ND	5.00	10.0	ug/L	1	---	ND	---	---	---	30%	
Methyl tert-butyl ether (MTBE)	17.6	0.500	1.00	ug/L	1	---	17.9	---	---	1	30%	
Naphthalene	ND	1.00	2.00	ug/L	1	---	ND	---	---	---	30%	
n-Propylbenzene	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
Styrene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
1,1,1,2-Tetrachloroethane	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
1,1,2,2-Tetrachloroethane	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
Tetrachloroethene (PCE)	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
Toluene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
1,2,3-Trichlorobenzene	ND	1.00	2.00	ug/L	1	---	ND	---	---	---	30%	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Duplicate (9030975-DUP1)			Prepared: 03/20/19 15:46 Analyzed: 03/20/19 18:55									
QC Source Sample: C1-MW-7 (A9C0616-02)												
1,2,4-Trichlorobenzene	ND	1.00	2.00	ug/L	1	---	ND	---	---	---	30%	
1,1,1-Trichloroethane	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
1,1,2-Trichloroethane	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
Trichloroethene (TCE)	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
Trichlorofluoromethane	ND	1.00	2.00	ug/L	1	---	ND	---	---	---	30%	
1,2,3-Trichloropropane	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
1,2,4-Trimethylbenzene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
1,3,5-Trimethylbenzene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
Vinyl chloride	ND	0.200	0.400	ug/L	1	---	ND	---	---	---	30%	
m,p-Xylene	ND	0.500	1.00	ug/L	1	---	ND	---	---	---	30%	
o-Xylene	ND	0.250	0.500	ug/L	1	---	ND	---	---	---	30%	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 106 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		102 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		99 %		80-120 %		"						

Matrix Spike (9030975-MS1)

Prepared: 03/20/19 15:46 Analyzed: 03/21/19 00:34

QC Source Sample: Non-SDG (A9C0625-01)

EPA 8260C												
Acetone	65.1	10.0	20.0	ug/L	1	40.0	21.9	108	39-160%	---	---	Q-54
Acrylonitrile	24.5	1.00	2.00	ug/L	1	20.0	ND	122	63-135%	---	---	
Benzene	22.2	0.100	0.200	ug/L	1	20.0	ND	111	79-120%	---	---	
Bromobenzene	19.8	0.250	0.500	ug/L	1	20.0	ND	99	80-120%	---	---	
Bromochloromethane	24.1	0.500	1.00	ug/L	1	20.0	ND	121	78-123%	---	---	
Bromodichloromethane	22.7	0.500	1.00	ug/L	1	20.0	ND	114	79-125%	---	---	
Bromoform	20.4	0.500	1.00	ug/L	1	20.0	ND	102	66-130%	---	---	
Bromomethane	14.3	5.00	5.00	ug/L	1	20.0	ND	71	53-141%	---	---	E-05
2-Butanone (MEK)	49.5	5.00	10.0	ug/L	1	40.0	ND	124	56-143%	---	---	
n-Butylbenzene	21.1	0.500	1.00	ug/L	1	20.0	ND	106	75-128%	---	---	
sec-Butylbenzene	21.1	0.500	1.00	ug/L	1	20.0	ND	105	77-126%	---	---	
tert-Butylbenzene	19.9	0.500	1.00	ug/L	1	20.0	ND	99	78-124%	---	---	
Carbon disulfide	22.5	5.00	10.0	ug/L	1	20.0	ND	112	64-133%	---	---	
Carbon tetrachloride	21.8	0.500	1.00	ug/L	1	20.0	ND	109	72-136%	---	---	
Chlorobenzene	20.6	0.250	0.500	ug/L	1	20.0	ND	103	80-120%	---	---	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Matrix Spike (9030975-MS1)			Prepared: 03/20/19 15:46		Analyzed: 03/21/19 00:34							
QC Source Sample: Non-SDG (A9C0625-01)												
Chloroethane	20.6	5.00	5.00	ug/L	1	20.0	ND	103	60-138%	---	---	
Chloroform	22.6	0.500	1.00	ug/L	1	20.0	0.751	109	79-124%	---	---	
Chloromethane	15.4	2.50	5.00	ug/L	1	20.0	ND	77	50-139%	---	---	
2-Chlorotoluene	20.2	0.500	1.00	ug/L	1	20.0	ND	101	79-122%	---	---	
4-Chlorotoluene	20.7	0.500	1.00	ug/L	1	20.0	ND	104	78-122%	---	---	
Dibromochloromethane	18.9	0.500	1.00	ug/L	1	20.0	ND	94	74-126%	---	---	
1,2-Dibromo-3-chloropropane	18.6	2.50	5.00	ug/L	1	20.0	ND	93	62-128%	---	---	
1,2-Dibromoethane (EDB)	20.8	0.250	0.500	ug/L	1	20.0	ND	104	77-121%	---	---	
Dibromomethane	21.9	0.500	1.00	ug/L	1	20.0	ND	109	79-123%	---	---	
1,2-Dichlorobenzene	20.0	0.250	0.500	ug/L	1	20.0	ND	100	80-120%	---	---	
1,3-Dichlorobenzene	20.2	0.250	0.500	ug/L	1	20.0	ND	101	80-120%	---	---	
1,4-Dichlorobenzene	19.6	0.250	0.500	ug/L	1	20.0	ND	98	79-120%	---	---	
Dichlorodifluoromethane	21.2	0.500	1.00	ug/L	1	20.0	ND	106	32-152%	---	---	
1,1-Dichloroethane	23.3	0.200	0.400	ug/L	1	20.0	ND	117	77-125%	---	---	
1,2-Dichloroethane (EDC)	20.9	0.200	0.400	ug/L	1	20.0	ND	104	73-128%	---	---	
1,1-Dichloroethene	21.6	0.200	0.400	ug/L	1	20.0	ND	108	71-131%	---	---	
cis-1,2-Dichloroethene	23.0	0.200	0.400	ug/L	1	20.0	ND	115	78-123%	---	---	
trans-1,2-Dichloroethene	22.8	0.200	0.400	ug/L	1	20.0	ND	114	75-124%	---	---	
1,2-Dichloropropane	22.9	0.250	0.500	ug/L	1	20.0	ND	114	78-122%	---	---	
1,3-Dichloropropane	21.3	0.500	1.00	ug/L	1	20.0	ND	107	80-120%	---	---	
2,2-Dichloropropane	18.1	0.500	1.00	ug/L	1	20.0	ND	91	60-139%	---	---	
1,1-Dichloropropene	22.3	0.500	1.00	ug/L	1	20.0	ND	111	79-125%	---	---	
cis-1,3-Dichloropropene	19.1	0.500	1.00	ug/L	1	20.0	ND	96	75-124%	---	---	
trans-1,3-Dichloropropene	19.1	0.500	1.00	ug/L	1	20.0	ND	95	73-127%	---	---	
Ethylbenzene	21.1	0.250	0.500	ug/L	1	20.0	ND	105	79-121%	---	---	
Hexachlorobutadiene	18.4	2.50	5.00	ug/L	1	20.0	ND	92	66-134%	---	---	
2-Hexanone	45.1	5.00	10.0	ug/L	1	40.0	ND	113	57-139%	---	---	
Isopropylbenzene	20.9	0.500	1.00	ug/L	1	20.0	ND	104	72-131%	---	---	
4-Isopropyltoluene	20.5	0.500	1.00	ug/L	1	20.0	ND	102	77-127%	---	---	
Methylene chloride	21.4	1.50	3.00	ug/L	1	20.0	ND	107	74-124%	---	---	B
4-Methyl-2-pentanone (MiBK)	43.3	5.00	10.0	ug/L	1	40.0	ND	108	67-130%	---	---	
Methyl tert-butyl ether (MTBE)	19.9	0.500	1.00	ug/L	1	20.0	ND	99	71-124%	---	---	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****QUALITY CONTROL (QC) SAMPLE RESULTS****Volatile Organic Compounds by EPA 8260C**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 9030975 - EPA 5030B						Water						
Matrix Spike (9030975-MS1)			Prepared: 03/20/19 15:46 Analyzed: 03/21/19 00:34									
QC Source Sample: Non-SDG (A9C0625-01)												
Naphthalene	21.4	1.00	2.00	ug/L	1	20.0	ND	107	61-128%	---	---	
n-Propylbenzene	21.1	0.250	0.500	ug/L	1	20.0	ND	105	76-126%	---	---	
Styrene	21.1	0.500	1.00	ug/L	1	20.0	ND	106	78-123%	---	---	
1,1,1,2-Tetrachloroethane	20.7	0.200	0.400	ug/L	1	20.0	ND	103	78-124%	---	---	
1,1,2,2-Tetrachloroethane	21.2	0.250	0.500	ug/L	1	20.0	ND	106	71-121%	---	---	
Tetrachloroethene (PCE)	19.8	0.200	0.400	ug/L	1	20.0	ND	99	74-129%	---	---	
Toluene	21.0	0.500	1.00	ug/L	1	20.0	ND	105	80-121%	---	---	
1,2,3-Trichlorobenzene	19.4	1.00	2.00	ug/L	1	20.0	ND	97	69-129%	---	---	
1,2,4-Trichlorobenzene	19.4	1.00	2.00	ug/L	1	20.0	ND	97	69-130%	---	---	
1,1,1-Trichloroethane	21.5	0.200	0.400	ug/L	1	20.0	ND	107	74-131%	---	---	
1,1,2-Trichloroethane	20.7	0.250	0.500	ug/L	1	20.0	ND	104	80-120%	---	---	
Trichloroethene (TCE)	21.7	0.200	0.400	ug/L	1	20.0	ND	108	79-123%	---	---	
Trichlorofluoromethane	20.6	1.00	2.00	ug/L	1	20.0	ND	103	65-141%	---	---	
1,2,3-Trichloropropane	20.6	0.500	1.00	ug/L	1	20.0	ND	103	73-122%	---	---	
1,2,4-Trimethylbenzene	20.9	0.500	1.00	ug/L	1	20.0	ND	104	76-124%	---	---	
1,3,5-Trimethylbenzene	20.7	0.500	1.00	ug/L	1	20.0	ND	103	75-124%	---	---	
Vinyl chloride	19.2	0.200	0.400	ug/L	1	20.0	ND	96	58-137%	---	---	
m,p-Xylene	42.4	0.500	1.00	ug/L	1	40.0	ND	106	80-121%	---	---	
o-Xylene	20.6	0.250	0.500	ug/L	1	20.0	ND	103	78-122%	---	---	
Surr: 1,4-Difluorobenzene (Surr)		Recovery: 105 %		Limits: 80-120 %		Dilution: 1x						
Toluene-d8 (Surr)		101 %		80-120 %		"						
4-Bromofluorobenzene (Surr)		97 %		80-120 %		"						

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**Project Number: **605-19969**Project Manager: **Nicky Moody****Report ID:****A9C0616 - 03 27 19 1702****SAMPLE PREPARATION INFORMATION****Diesel and/or Oil Hydrocarbons by NWTPH-Dx**

Prep: EPA 3510C (Fuels/Acid Ext.)

Lab Number	Matrix	Method	Sampled	Prepared	Sample Initial/Final	Default Initial/Final	RL Prep Factor
Batch: 9031075							
A9C0616-03	Water	NWTPH-Dx	03/19/19 09:10	03/22/19 13:17	1050mL/5mL	1000mL/5mL	0.95
A9C0616-04	Water	NWTPH-Dx	03/19/19 10:15	03/22/19 13:17	1020mL/5mL	1000mL/5mL	0.98
A9C0616-05RE1	Water	NWTPH-Dx	03/19/19 11:20	03/22/19 13:17	1040mL/5mL	1000mL/5mL	0.96
A9C0616-06	Water	NWTPH-Dx	03/19/19 12:35	03/22/19 13:17	1030mL/5mL	1000mL/5mL	0.97
A9C0616-07	Water	NWTPH-Dx	03/19/19 07:55	03/22/19 13:17	1050mL/5mL	1000mL/5mL	0.95
A9C0616-08	Water	NWTPH-Dx	03/19/19 10:20	03/22/19 13:17	960mL/5mL	1000mL/5mL	1.04

Gasoline Range Hydrocarbons (Benzene through Naphthalene) by NWTPH-Gx

Prep: EPA 5030B

Lab Number	Matrix	Method	Sampled	Prepared	Sample Initial/Final	Default Initial/Final	RL Prep Factor
Batch: 9030975							
A9C0616-03	Water	NWTPH-Gx (MS)	03/19/19 09:10	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00
A9C0616-04	Water	NWTPH-Gx (MS)	03/19/19 10:15	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00
A9C0616-05	Water	NWTPH-Gx (MS)	03/19/19 11:20	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00
A9C0616-06	Water	NWTPH-Gx (MS)	03/19/19 12:35	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00
A9C0616-07	Water	NWTPH-Gx (MS)	03/19/19 07:55	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00
A9C0616-08	Water	NWTPH-Gx (MS)	03/19/19 10:20	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00

Selected Volatile Organic Compounds by EPA 8260C

Prep: EPA 5030B

Lab Number	Matrix	Method	Sampled	Prepared	Sample Initial/Final	Default Initial/Final	RL Prep Factor
Batch: 9030975							
A9C0616-02	Water	EPA 8260C	03/19/19 15:15	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00

Volatile Organic Compounds by EPA 8260C

Prep: EPA 5030B

Lab Number	Matrix	Method	Sampled	Prepared	Sample Initial/Final	Default Initial/Final	RL Prep Factor
Batch: 9030975							
A9C0616-01	Water	EPA 8260C	03/19/19 14:15	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00
A9C0616-04	Water	EPA 8260C	03/19/19 10:15	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00
A9C0616-06	Water	EPA 8260C	03/19/19 12:35	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00
A9C0616-07	Water	EPA 8260C	03/19/19 07:55	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00
A9C0616-08	Water	EPA 8260C	03/19/19 10:20	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager



Apex Laboratories, LLC

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

SAMPLE PREPARATION INFORMATION

Volatile Organic Compounds by EPA 8260C

Prep: EPA 5030B

					Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
A9C0616-09	Water	EPA 8260C	03/19/19 00:00	03/20/19 15:46	5mL/5mL	5mL/5mL	1.00

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager



Apex Laboratories, LLC

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

QUALIFIER DEFINITIONS

Client Sample and Quality Control (QC) Sample Qualifier Definitions:

Apex Laboratories

- B** Analyte detected in an associated blank at a level above the MRL. (See Notes and Conventions below.)
- E-05** Estimated Result. Initial Calibration Verification (ICV) failed high. No affect on non-detect results.
- J** Estimated Result. Result detected below the lowest point of the calibration curve, but above the specified MDL.
- Q-19** Blank Spike Duplicate (BSD) sample analyzed in place of Matrix Spike/Duplicate samples due to limited sample amount available for analysis.
- Q-54** Daily Continuing Calibration Verification recovery for this analyte failed the +/-20% criteria listed in EPA method 8260C/8270D by +2%. The results are reported as Estimated Values.
- Q-56** Daily CCV/LCS recovery for this analyte was above the +/-20% criteria listed in EPA 8260C

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager

**Apex Laboratories, LLC**

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

REPORTING NOTES AND CONVENTIONS:**Abbreviations:**

DET Analyte DETECTED at or above the detection or reporting limit.
ND Analyte NOT DETECTED at or above the detection or reporting limit.
NR Result Not Reported
RPD Relative Percent Difference

Detection Limits: Limit of Detection (LOD)

Limits of Detection (LODs) are normally set at a level of one half the validated Limit of Quantitation (LOQ).
If no value is listed ('-----'), then the data has not been evaluated below the Reporting Limit.

Reporting Limits: Limit of Quantitation (LOQ)

Validated Limits of Quantitation (LOQs) are reported as the Reporting Limits for all analyses where the LOQ, MRL, PQL or CRL are requested. The LOQ represents a level at or above the low point of the calibration curve, that has been validated according to Apex Laboratories' comprehensive LOQ policies and procedures.

Reporting Conventions:

Basis: Results for soil samples are generally reported on a 100% dry weight basis.

The Result Basis is listed following the units as "dry", "wet", or " " (blank) designation.

"dry" Sample results and Reporting Limits are reported on a dry weight basis. (i.e. "ug/kg dry")
See Percent Solids section for details of dry weight analysis.

"wet" Sample results and Reporting Limits for this analysis are normally dry weight corrected, but have not been modified in this case.

" " Results without 'wet' or 'dry' designation are not normally dry weight corrected. These results are considered 'As Received'.

QC Source:

In cases where there is insufficient sample provided for Sample Duplicates and/or Matrix Spikes, a Lab Control Sample Duplicate (LCS Dup) may be analyzed to demonstrate accuracy and precision of the extraction batch.

Non-Client Batch QC Samples (Duplicates and Matrix Spike/Duplicates) may not be included in this report. Please request a Full QC report if this data is required.

Miscellaneous Notes:

" --- " QC results are not applicable. For example, % Recoveries for Blanks and Duplicates, % RPD for Blanks, Blank Spikes and Matrix Spikes, etc.

" *** " Used to indicate a possible discrepancy with the Sample and Sample Duplicate results when the %RPD is not available. In this case, either the Sample or the Sample Duplicate has a reportable result for this analyte, while the other is Non Detect (ND).

Blanks:

Standard practice is to evaluate the results from Blank QC Samples down to a level equal to ½ the Reporting Limit (RL).

-For Blank hits falling between ½ the RL and the RL (J flagged hits), the associated sample and QC data will receive a 'B-02' qualifier.

-For Blank hits above the RL, the associated sample and QC data will receive a 'B' qualifier, per Apex Laboratories' Blank Policy.

For further details, please request a copy of this document.

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager



Apex Laboratories, LLC

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

REPORTING NOTES AND CONVENTIONS (Cont.):

Blanks (Cont.):

Sample results flagged with a 'B' or 'B-02' qualifier are potentially biased high if the sample results are less than ten times the level found in the blank for inorganic analyses, or less than five times the level found in the blank for organic analyses.

'B' and 'B-02' qualifications are only applied to sample results detected above the Reporting Level.

Preparation Notes:

Mixed Matrix Samples:

Water Samples:

Water samples containing significant amounts of sediment are decanted or separated prior to extraction, and only the water portion analyzed, unless otherwise directed by the client.

Soil and Sediment Samples:

Soil and Sediment samples containing significant amounts of water are decanted prior to extraction, and only the solid portion analyzed, unless otherwise directed by the client.

Sampling and Preservation Notes:

Certain regulatory programs, such as National Pollutant Discharge Elimination System (NPDES), require that activities such as sample filtration (for dissolved metals, orthophosphate, hexavalent chromium, etc.) and testing of short hold analytes (pH, Dissolved Oxygen, etc.) be performed in the field (on-site) within a short time window. In addition, sample matrix spikes are required for some analyses, and sufficient volume must be provided, and billable site specific QC requested, if this is required. All regulatory permits should be reviewed to ensure that these requirements are being met.

Data users should be aware of which regulations pertain to the samples they submit for testing. If related sample collection activities are not approved for a particular regulatory program, results should be considered estimates. Apex Laboratories will qualify these analytes according to the most stringent requirements, however results for samples that are for non-regulatory purposes may be acceptable.

Samples that have been filtered and preserved at Apex Laboratories per client request are listed in the preparation section of the report with the date and time of filtration listed.

Apex Laboratories maintains detailed records on sample receipt, including client label verification, cooler temperature, sample preservation, hold time compliance and field filtration. Data is qualified as necessary, and the lack of qualification indicates compliance with required parameters.

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager



Apex Laboratories, LLC

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

LABORATORY ACCREDITATION INFORMATION

TNI Certification ID: OR100062 (Primary Accreditation) - EPA ID: OR01039

All methods and analytes reported from work performed at Apex Laboratories are included on Apex Laboratories' ORELAP Scope of Certification, with the exception of any analyte(s) listed below:

Apex Laboratories

Matrix	Analysis	TNI_ID	Analyte	TNI_ID	Accreditation
<u>All reported analytes are included in Apex Laboratories' current ORELAP scope.</u>					

Secondary Accreditations

Apex Laboratories also maintains reciprocal accreditation with non-TNI states (Washington DOE), as well as other state specific accreditations not listed here.

Subcontract Laboratory Accreditations

Subcontracted data falls outside of Apex Laboratories' Scope of Accreditation.

Please see the Subcontract Laboratory report for full details, or contact your Project Manager for more information.

Field Testing Parameters

Results for Field Tested data are provided by the client or sampler, and fall outside of Apex Laboratories' Scope of Accreditation.

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil, Project Manager



Apex Laboratories, LLC

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

APEX LABS		CHAIN OF CUSTODY		POV FVP		Project # 605-19969	
Company: AECOM		Project Mgr: Nicky Moody		Project Name: POV FVP		Project # 605-19969	
Address: 111 SW Columbia St. Ste. 1500, Portland, OR 97201		Phone: 503-222-1700		Fax: 503-222-1700		Email: nicky.moody@aecom.com	
Sampled by: MARK TAUSCHER		DATE		TIME		LAB ID #	
Site Location: OR		DATE		TIME		LAB ID #	
Other: WA		DATE		TIME		LAB ID #	
SAMPLE ID		DATE		TIME		LAB ID #	
C1-MW-4	3/19/19	14:15	W	3			
C1-MW-7	3/19/19	15:15	W	3			
C2-MW-3	3/19/19	09:10	W	5			
C2-MW-9	3/19/19	10:15	W	5			
C2-MW-10(R2)	3/19/19	11:20	W	5			
C2-MW-11(E)	3/19/19	12:55	W	5			
C2-MW-12B	3/19/19	07:55	W	5			
C2-MW-9-DOP	3/19/19	10:20	W	5			
TRIP BLANK	3/19/19	14:15	W	3			
TAT Requested (circle)		1 Day		2 Day		3 Day	
TAT Requested (circle)		4 DAY		5 DAY		Other:	
SAMPLES ARE HELD FOR 30 DAYS		RECEIVED BY:		RECEIVED BY:		RECEIVED BY:	
Signature: Mark Tauscher		Date: 3/19/19		Signature: Nicky Moody		Date: 3/19/19	
Printed Name: MARK TAUSCHER		Time: 1705		Printed Name: Nicky Moody		Time: 1705	
Company: AECOM		Company: AECOM		Company: AECOM		Company: AECOM	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvin

Darrell Auvin, Project Manager



Apex Laboratories, LLC

12232 S.W. Garden Place
Tigard, OR 97223
503-718-2323
EPA ID: OR01039

AECOM

111 SW Columbia St. Ste. 1500
Portland, OR 97201

Project: **POV FVP**

Project Number: **605-19969**

Project Manager: **Nicky Moody**

Report ID:

A9C0616 - 03 27 19 1702

APEX LABS COOLER RECEIPT FORM

Client: AECOM Element WO#: A9 C0616

Project/Project #: POV FVP | #60519969

Delivery Info:

Date/time received: 3/19/19 @ 1705 By: AKK

Delivered by: Apex ☒ Client ☒ ESS ☐ FedEx ☐ UPS ☐ Swift ☐ Senvoy ☐ SDS ☐ Other ☐

Cooler Inspection Date/time inspected: 3/19/19 @ 1705 By: AKK

Chain of Custody included? Yes ☒ No ☐ Custody seals? Yes ☐ No ☒

Signed/dated by client? Yes ☒ No ☐

Signed/dated by Apex? Yes ☒ No ☐

	Cooler #1	Cooler #2	Cooler #3	Cooler #4	Cooler #5	Cooler #6	Cooler #7
Temperature (°C)	<u>5.9</u>	<u>1.8</u>					
Received on ice? (Y/N)	<u>Y</u>	<u>Y</u>					
Temp. blanks? (Y/N)	<u>N</u>	<u>Y</u>					
Ice type: (Gel/Real/Other)	<u>Real</u>	<u>Real</u>					
Condition:	<u>Good</u>	<u>Good</u>					

Cooler out of temp? (Y/N) ☒ Possible reason why: NA

If some coolers are in temp and some out, were green dots applied to out of temperature samples? Yes/No/NA ☒

Out of temperature samples form initiated? Yes/No/NA ☒

Samples Inspection: Date/time inspected: 3/19/19 @ 1820 By: AKK

All samples intact? Yes ☒ No ☐ Comments: _____

Bottle labels/COCs agree? Yes ☒ No ☐ Comments: TB #2013

COC/container discrepancies form initiated? Yes ☐ No ☐ NA ☒

Containers/volumes received appropriate for analysis? Yes ☒ No ☐ Comments: _____

Do VOA vials have visible headspace? Yes ☐ No ☒ NA ☐

Comments: C2-MW-9 & C2-MW-10(R2) & C2-MW-11(R2) & C2-MW-9-Dup 3/3 sed.

Water samples: pH checked: Yes ☒ No ☐ NA ☐ pH appropriate? Yes ☒ No ☐ NA ☐

Comments: _____

Additional information: _____

Labeled by: AKK Witness: AKK Cooler Inspected by: AKK See Project Contact Form: Y

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Darrell Auvil

Darrell Auvil, Project Manager

Appendix C

Data Quality Review Report

Data Quality Review Report

The data quality review of the seven primary groundwater samples, one field duplicate groundwater sample, and one trip blank sample collected on March 19, 2019, at the Former Fort Vancouver Plywood Site in Vancouver, Washington has been completed. Samples were submitted to Apex Laboratories (Apex) of Tigard, Oregon, and were analyzed for volatile organic compounds (VOCs) and RBDM compounds (benzene, toluene, ethylbenzene, total xylenes, and methyl tert-butyl ether by US Environmental Protection Agency [EPA] Method 8260C), gasoline-range hydrocarbons (Method NWTPH-Gx), and/or diesel-range and oil-range hydrocarbons (Method NWTPH-Dx).

This review included the analytical data presented in Apex report A9C0616. The data was reviewed based on *USEPA National Functional Guidelines for Organic Superfund Methods Data Review, January 2017*, and laboratory quality control criteria. Items reviewed included: chain-of-custody (COC) records and sample condition, hold times, surrogate recoveries, laboratory control and laboratory control duplicate results, laboratory duplicate results, field duplicate results, method blank results, trip blank results, and matrix spike results. Qualifiers assigned as a result of this review are included in Table 1. The following criteria were evaluated during the review:

- COC Records – Acceptable
 - The laboratory noted that one or more vials for C2-MW-9, C2-MW-10 (R2), C2-MW-11 (R), and C2-MW-9-DUP had sediment present in the vials. Analysis proceeded for each of the required analyses for these samples.
- Temperature – Acceptable
- Preservation – Acceptable
- Holding Times – Acceptable
- Trip Blanks – Acceptable where applicable
- Method Blanks – Acceptable with the following exception:
 - VOCs by EPA Method 8260C – Methylene chloride (4.29 ug/L) was detected in the method blank associated with analytical batch 9030975. Methylene chloride was not detected in the samples associated with this method blank; therefore, data were not qualified based on this method blank result.
- Surrogates – Acceptable
- Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) – Acceptable with the following exception:
 - VOCs by EPA Method 8260C – The percent recovery for acetone (122%) in the LCS associated with analytical batch 9030975 exceeded the control limits of 80-120%. Acetone was not detected in the samples associated with this LCS; therefore, data were not qualified based on this elevated LCS recovery.

- Matrix Spike – Acceptable where applicable
 - VOCs by EPA Method 8260C – A matrix spike was performed using a sample from a project unrelated to the Port of Vancouver Former Fort Vancouver Plywood Site. Results were acceptable.
- Laboratory Duplicate – Acceptable where applicable
 - VOCs by EPA Method 8260C – A laboratory duplicate was performed using C1-MW-7. Results were comparable.
 - NWTPH-Gx - A laboratory duplicate was performed using C1-MW-7. Results were comparable.
- Field Duplicate – Acceptable where applicable
 - Sample C2-MW-9-DUP (A9C0616-08) was submitted as a field duplicate of sample C2-MW-9 (A9C0616-04). Relative percent difference calculations were not performed as all sample results were less than five times the reporting limits.
- Reporting Limits – Acceptable
- Laboratory Notes and Qualifiers
 - The result for vinyl chloride in C2-MW-11 (R) was flagged 'J' by the laboratory to indicate that the sample concentration was less than the laboratory reporting limit but above the method detection limit. As there are greater levels of uncertainty with this concentration, this result is considered estimated.
 - The laboratory noted that bromomethane exceeded the method control limits of $\pm 20\%$ in the initial calibration verification (ICV). Bromomethane was not detected in the samples associated with this ICV; therefore, data were not qualified for based on this elevated ICV result.

Overall Assessment of Data

The completeness of the analytical report for this groundwater monitoring event is 100%. The usefulness of the data is based on the EPA guidance documents referenced in the introduction of this report. Upon consideration of the information presented above, the data are considered usable. The data qualifiers assigned by the laboratory are shown on the laboratory reports.

Data Qualifier Definitions

- | | |
|----|---|
| U | The analyte was analyzed for, but was not detected above the reported sample quantitation limit. |
| J | The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample. |
| UJ | The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample. |
| R | The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. |

DNR Do Not Report. Another result is available that is more reliable.

References

USEPA, 2017. National Functional Guidelines for Organic Superfund Methods Data Review, January 2017.

Table 1. Sample Qualification Summary

AECOM Sample ID	Laboratory Sample ID	Analyte	Qualifier	Rationale
No data qualifiers were assigned to the results reported in A9C0616 based on this data validation.				

About AECOM

AECOM (NYSE: ACM) is a global provider of professional technical and management support services to a broad range of markets, including transportation, facilities, environmental, energy, water and government. With approximately 100,000 employees around the world, AECOM is a leader in all of the key markets that it serves. AECOM provides a blend of global reach, local knowledge, innovation, and collaborative technical excellence in delivering solutions that enhance and sustain the world's built, natural, and social environments. A Fortune 500 company, AECOM serves clients in more than 100 countries and has annual revenue in excess of \$6 billion.

More information on AECOM and its services can be found at www.aecom.com.

111 SW Columbia, Suite 1500
Portland, OR 97201-5850
(503) 222-7200