



Department of Environmental Quality Eastern Region Bend Office 475 NE Bellevue Drive, Suite 110 Bend, OR 97701 (541) 388-6146 FAX (541) 388-8283 TTY 711

November 3, 2020

Mr. Jim Denson PNW/BC Environmental Protection Manager Chemical Waste Management of the Northwest, Inc. 17629 Cedar Springs Lane Arlington, OR 97812

Re: CAMU waste approval, Pasco Sanitary Landfill, Zone A, ORD 089 452 353

Dear Mr. Denson:

The Department received a request dated October 2, 2020, to receive corrective action management unit (CAMU) eligible waste for disposal. The waste is described as industrial waste disposed in the Pasco Sanitary Landfill prior to the promulgation of RCRA regulations in 1976, and located in Pasco Washington. This waste was determined to be eligible for offsite disposal, under the CAMU rules, by the Washington Department of Ecology. While not anticipated, the remediation contractor will perform pH testing for corrosivity. These wastes will be neutralized prior to direct landfilling in Landfill 14.

A public comment period for this request was held for 15 days, which ended on October 29, 2020. No comments were received. Therefore, based on the Department's review and no comments being received from the public, the request to receive the CAMU eligible waste at the Chemical Waste Management of the Northwest, Arlington facility is approved.

If you have any questions concerning this approval, please contact Dan Duso of my staff at (541) 278-4618.

Sincerely.

David Anderson Manager, Eastern Region Clean-up, Emergency Response and Hydrogeology Programs

cf: Dan Duso, DEQ Pendleton Spencer Bohaboy, DEQ The Dalles