



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

1410 North Hilton • Boise, ID 83706 • (208) 373-0502
www.deq.idaho.gov

Brad Little, Governor
Jess Byrne, Director

November 03, 2020

Erica Bartlett, General Manager
U.S. Ecology Idaho, Inc.
P.O. Box 400
Grand View, Idaho 83624

Subject: Approval for Placement of CAMU Eligible Waste: Pasco Sanitary Landfill NPL Site, Industrial Waste Area Zone A, Pasco, Washington; US Ecology Idaho, Inc. (USEI) – EPA ID No. IDD073114654

Ms. Bartlett

The Idaho Department of Environmental Quality (DEQ) received a request from USEI for a letter of approval for placement of CAMU-eligible waste from the Pasco Sanitary Landfill NPL Site Zone A Removal Action in the USEI permitted hazardous waste landfill on October 13, 2020. This letter transmits the approval of the placement of this waste in the U.S. Ecology Idaho Inc., Site B facility (EPA ID No. IDD073114654), located near Grand View, Idaho.

As required by Permit Condition II.C.4.a and the Waste Analysis Plan (Attachment 2) and in accordance with IDAPA 58.01.05.008 [40 CFR 264.555)], USEI provided public notice and a reasonable opportunity for public comment during the month of October, 2020, and the additional required documentation. No comments were received by DEQ on the notice of intent to receive CAMU-eligible wastes at USEI.

Analyses of the principle hazardous constituents (PHCs) will be compared to 10 times their Universal Treatment Standards as listed in 40 CFR 289.49 and an evaluation of the mobility of the PHCs will be conducted. These determinations will be made at Zone A of the Pasco Sanitary Landfill, and all wastes will be profiled into USEI Grand View facility in accordance with the determined requirements. Any wastes found to be unacceptable for direct disposal will be treated to the appropriate treatment standard prior to disposal in USEI's permitted hazardous waste landfill or will be stored for shipment to an alternate facility for incineration or other required treatment. Along with the engineering controls provided by the USEI permitted hazardous waste landfill, these adjusted standards appear to meet the requirements of IDAPA 58.01.05.008 [40 CFR 264.552(e)(4)(v)(E)(1)] to provide protection to human health and the environment.

If you have any additional questions, please contact Daryl Sawyer at (208) 373-0547.

Sincerely,

A handwritten signature in blue ink that reads "Brian L. English". The signature is written in a cursive style with a large, stylized initial "B".

Brian L. English
Hazardous Waste Permit Supervisor
Waste Management & Remediation Division

cc: Margaret Olson, EPA Region 10
Albert Crawshaw, DEQ BRO
Daryl Sawyer, DEQ STO
2020BCQ333