

## **APPENDIX C**

**Select Site Investigation Reports  
(Provided on CD)**

## **APPENDIX C.4**

### **Geospatial Model Presentation (King County, 2012)**

# Geospatial Model

## Vashon Island Transfer Station & Former Landfill

---

Prepared for  
Closed Landfills & Environmental Engineering Group  
KC DNRP/SWD Engineering Services Section

**Prepared by**

**Sevin Bilir**

*Environmental Scientist / Hydrogeologist  
Hydrologic Services - Water Quality & Quantity Group  
KC DNRP/WLRD Scientific & Technical Support Section  
206-296-8029*



King County



# Content

---




- Geospatial model area
- Methods
  - Preparation
  - Modeling
- Results:
  - Fence diagrams
  - Base model
  - Water in Unit Cc2
  - Vinyl chloride in Unit Cc2



# Geospatial model area



## LEGEND

-  KC SWD property
-  Geospatial model area
- 0  800 feet

*Note: Locations are approximate*








# Why limited to this area?



Interested in linking west hillslope data to main landfill area and locations of geologic cross sections.

## LEGEND

-  Western hillslope study area
  -  Cross section lines  
*(B&H/UES,2006)*
  -  KC SWD property
  -  Geospatial model area
- 0  800 feet

*Note: Locations are approximate*



# Methods

---

- Preparation
- Modeling
  - Base model
  - Water in Cc2 unit
  - Vinyl chloride in Cc2 unit



# Preparation

---


- Reviewed reports for geologic logs, cross sections and surface maps
- Identified X, Y and Z for all data points
- Converted all report CAD drawings into dxf files for use in Rockworks15
- Generated spreadsheets with XYZ data, stratigraphic unit information and well construction details into files compatible for importing into RockWorks15





# Preparation – examples of data sources

- Unit base contour maps (B&H/UES,2006)





# Preparation – examples of data sources



King County

- Logs and cross sections  
(B&H/UES,2006)



Berryman Hemgar  
 720 118th Avenue, Suite 1200  
 Seattle, Washington 98148-9820  
 206655-3400  
 Fax 206655-3408

UES Udaloy Environmental Services



King County Department of Natural Resources & Parks  
 Solid Waste Division

Vashon Island Closed Landfill  
 Geologic Cross-Section B-B'  
 March 2005

# Preparation - Initial data points



King County



## LEGEND

● Initial data points (wells and boreholes)

⊞ KC SWD property

□ Geospatial model area

0  800 feet

*Note: Locations are approximate*



# Modeling

---

- Initial tasks
- Adding data points to refine model
- Finalize draft model for all but water in Cc2 unit
- Adding water level data to Unit Cc2 layer
- Finalize draft model with water in Cc2 unit
- Adding vinyl chloride data to Unit Cc2 layer



# Modeling – initial tasks

---

- Imported XYZ and stratigraphic data into RockWorks15 project file.
- Ran series of gridding options for layers
- Ran fence diagram model and solid model
- Model needed physical lateral and vertical extent boundaries for excavations, ponds, landfill base, eroded areas, and each unit. Added control points based on cross-sections, additional stratigraphy data, and surface contour maps





# Modeling – Refining model

---

- Additional data points
  - Western hillslope study
  - Southern hillslope study
- Control points
  - Landfill, excavation and pond features
  - Geologic cross sections
  - Base of unit data and control points
  - Missing Unit A control points

# Modeling – Additional data points

---



King County

- Western hillslope study
  - Purpose was to characterize hillslope connection with landfill area geology and to map saturated areas
  - Shallow sediment descriptions
  - Surface mapping
  - Results presented in report
  
- Southern hillslope study
  - Purpose was to evaluate if Cc1 unit was saturated at surface
  - Shallow sediment descriptions
  - Surface mapping
  - Results presented in report

# Modeling – Additional data points



## LEGEND

- Initial data points (wells and boreholes)
- Southern hillslope study
- Western hillslope study
- ⊞ KC SWD property
- Geospatial model area

0  800 feet

*Note: Locations are approximate*







# Modeling – Control points

---

- Landfill base and outline
- Excavation bases and outlines
- Pond bases and outlines
- Geologic cross section control points
- Base of Units A, Cc1, Cc2 and Cc3 data and control points
- Areas where Unit A is likely missing due to erosion in creek area

# Modeling – Landfill base and outline control points



King County



## LEGEND

- ▲ Landfill base control point area

*Note: Shaded area has many points. Too many to post for clarity at this scale. Base from B&H/UES,2006 and B&H et al, 2001.*

- Landfill outline control points

*Note: Total number of points not actually shown. Too many to post for clarity at this scale. Outline from B&H/UES,2006.*

- KC SWD property

- Geospatial model area

0  800 feet

*Note: Locations are approximate*


# Modeling – Excavation base and outline control points




King County



## LEGEND

-  Excavation base control point area

*Note: Shaded area has many points. Too many to post for clarity at this scale. Base from B&H/UES,2006.*

-  Excavation outline control points

*Note: Total number of points not actually shown. Too many to post for clarity at this scale. Outline from B&H/UES,2006.*

-  KC SWD property

-  Geospatial model area

0  800 feet

*Note: Locations are approximate*



# Modeling – Pond base and outline control points



King County



## LEGEND

- ▲ Pond base control point area

*Note: Shaded area has many points. Too many to post for clarity at this scale. Base from B&H/UES,2006.*

- Pond outline control points

*Note: Total number of points not actually shown. Too many to post for clarity at this scale. Outline from B&H/UES,2006.*

- ▭ KC SWD property

- ▭ Geospatial model area

0  800 feet

*Note: Locations are approximate*



# Modeling – Cross section control points



## LEGEND

● Cross section control points  
*Cross section lines from B&H/UES,2006.*

⌋ KC SWD property

□ Geospatial model area

0  800 feet

*Note: Locations are approximate*

# Modeling – Unit A base data points



## LEGEND

 Base of Unit A data points

*Note: Total number of points along line not actually shown. Too many to post for clarity at this scale. Base A lines from B&H/UES,2006.*

 KC SWD property

 Geospatial model area

0  800 feet

*Note: Locations are approximate*





# Modeling – Unit Cc1 data and control points



King County



## LEGEND

-  Top of Unit Cc1 control points

*Note: Total number of points along line not actually shown. Too many to post for clarity at this scale. Top Cc1 lines from B&H/UES,2006.*

-  Base of Unit Cc1 data points

*Note: Total number of points along line not actually shown. Too many to post for clarity at this scale. Base Cc1 lines from B&H/UES,2006.*

-  KC SWD property

-  Geospatial model area

0  800 feet

*Note: Locations are approximate*


# Modeling – Unit Cc2 base data and control points



King County



## LEGEND

-  Base of Unit Cc2 control point area

*Note: Shaded area has many points. Too many to post for clarity at this scale. Extent of Cc2 area from B&H/UES,2006.*

-  Base of Unit Cc2 data points

*Note: Total number of points along line not actually shown. Too many to post for clarity at this scale. Base Cc2 lines from B&H/UES,2006.*

-  KC SWD property

-  Geospatial model area

0  800 feet

*Note: Locations are approximate*



# Modeling – Unit Cc3 base data and control points



King County



## LEGEND

 Base of Unit Cc3 data points

*Note: Total number of points along line not actually shown. Too many to post for clarity at this scale. Base Cc3 lines from B&H/UES,2006.*

 KC SWD property

 Geospatial model area

0  800 feet

*Note: Locations are approximate*


# Modeling – Missing Unit A base and outline control points




King County



## LEGEND

-  Missing Unit A control point area

*Note: Shaded area has many points. Too many to post for clarity at this scale. Missing A area and base information from B&H/UES,2006 and topography maps.*

-  Missing Unit A outline control points

*Note: Total number of points not actually shown. Too many to post for clarity at this scale. Base A lines from B&H/UES,2006.*

-  KC SWD property

-  Geospatial model area

0  800 feet

*Note: Locations are approximate*






# Modeling – Water level data in Unit Cc2



## LEGEND

MW-20  
244.97  
 Well screened in Unit Cc2 with water level elevation (May 2012)

*Note: MW-32 last measured in 2010. Elevation of 235 based on projection onto hillslope of water levels.*

 KC SWD property

 Geospatial model area

0  800 feet

*Note: Locations are approximate*



# *Draft* Results

---

- Fence diagram and profiles
- Base model
- Saturation in Cc2 unit
- Vinyl chloride in Cc2 unit






# Fence diagram and profiles



The following slides compare modeled cross sections with drawn cross sections from the VASHON ISLAND CLOSED LANDFILL ENVIRONMENTAL EVALUATION report (B&H/UES, 2006)

## LEGEND

-  Fence diagram locations
-  KC SWD property
-  Geospatial model area

0  800 feet


*Note: Locations are approximate*



# A-A'






King County



**Stratigraphy**


	Ponds
	LF
	AF
	A
	B
	Cf1
	Cc1
	Cf2
	Cc2
	Water
	Cf3
	Cc3
	Cf4
	D
	E







# B-B'



King County



0 800 feet








King County




# C-C'



0 800 feet

**Stratigraphy**

- Ponds
- LF
- AF
- A
- B
- Cf1
- Cc1
- Cf2
- Cc2
- Water
- Cf3
- Cc3
- Cf4
- D
- E






# D-D'






King County



0 800 feet

**Stratigraphy**


	Ponds
	LF
	AF
	A
	B
	Cf1
	Cc1
	Cf2
	Cc2
	Water
	Cc3
	Cf3
	Cf4
	D
	E







# E-E'



King County



0 800 feet






# Fence diagrams

---


The following slides show modeled cross sections on a three-dimensional fenced diagram.



# Fence diagram – view from southwest




0 800 feet








# Fence diagram – view from southeast





View  
0 800 feet



# Fence diagram – view from east



King County





View

0 800 feet





# Fence diagram – view from north







# Geospatial solid model








# Ponds removed



King County






Full model








# Landfill removed





King County




# Landfill removed







# Artificial Fill removed







# Borehole data from wells for Unit A



King County





Unit A is transparent in this image. Borehole logs show presence of Unit A






# Unit A removed




Full model




# Borehole data from wells for Unit B



King County




Unit B transparent in this image. Borehole logs show presence of Unit B






# Borehole data from wells for Unit B





Unit B removed in this image. Borehole logs show presence of Unit B above Unit Cc1 and Unit Cf








# Unit B removed





Full model






# Upper Cf unit removed




Full model




# Borehole data from wells for Unit Cc1



King County





Unit Cc1 transparent in this image. Borehole logs show presence of Unit Cc1








# Unit Cc1 removed



Full model








# Unit Cc2 shown with saturation



King County





Full model






# Cf unit beneath Cc1 removed




Full model




# Borehole data from wells for Unit Cc2



King County





Unit Cc2 transparent in this image. Borehole logs show presence of Unit Cc2 and screened intervals of wells








# Saturation in Cc2 unit





Full model








# Saturation in Cc2 unit





Full model








# Unit Cc2 removed






Full model



# Results using different gridding methods, smoothing, and densifying grids





Model size ~ 1,970' x 1,845'






# Cf unit beneath Cc2 removed



Full model







# Borehole data from wells for Unit Cc3



King County





Unit Cc3 transparent in this image. Borehole logs show presence of Unit Cc3 and screened intervals of wells







# Unit Cc3 removed



Full model





# Results using different gridding methods, smoothing, and densifying grids








# Unit Cc3 removed





Full model






# Cf unit beneath Cc3 removed





Full model




# Unit D removed



King County



Full model







# Vinyl chloride in Cc2 unit

---


- Different gridding methods used to evaluate best option
- Best option bidirectional method. However, results not accurate representation. Image is a generalization
- Drape images of vinyl chloride on top of water in Unit Cc2



# Cc2 unit





Full model








# Water in Cc2 unit





Full model







# Vinyl chloride on water in Cc2 unit



Full model




# Vinyl chloride levels (ppb) in Cc2 unit



Well data  
(5/2011)  
Samples along  
west hillslope  
(2005-2010)

*Note: Non detect  
(ND) is <0.02  
ppb*

Full model








# Vinyl chloride in Cc2 unit


*Note: Intermediate contour lines are linearly spaced (not exponentially).*



Well data  
(5/2011)  
Samples along  
west hillslope  
(2005-2010)

*Note: Non detect  
(ND) is <0.02  
ppb)*

Full model







# References

---

*Berryman&Henigar ; HDR Engineering; HWA Geosciences (B&H et al). 2001. **Contract Drawings for Vashon Landfill Final Closure Contract No. C13037C.** March.*

*Berryman&Henigar ; Udaloy Environmental Services (B&H/UES). 2006. **Vashon Island Closed Landfill Environmental Evaluation Report.***