

## **APPENDIX I**

### **Beneficial Use Survey Documents**

## **APPENDIX I.1**

### **Ecology Well Logs**



ENTERED

WATER WELL REPORT

Department of Ecology
Second Copy - Owner's Copy
Third Copy - Driller's Copy

STATE OF WASHINGTON

UNIQUE WELL I.D. #

Water Right Permit No. 23-2-35R

(1) OWNER: Name CONNIE WHITESIDE Address 1081-38th St. SACRAMENTO CALIF

(2) LOCATION OF WELL: County KING SE 1/4 SE 1/4 Sec 35 T 23 N. R 2E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address)

(3) PROPOSED USE: Domestic Irrigation DeWater Industrial Test Well Municipal Other

(4) TYPE OF WORK: Owner's number of well (if more than one) Abandoned New well Deepened Reconditioned Method: Dug Cable Rotary Bored Driven Jetted

(5) DIMENSIONS: Diameter of well 6 inches. Drilled 336 feet. Depth of completed well 333 ft.

(6) CONSTRUCTION DETAILS: Casing installed 6 ft. Diam. from 0 ft. to 328 ft. Welded Liner installed Threaded

Perforations: Yes No Type of perforator used SIZE of perforations in. by perforations from ft. to ft.

Screens: Yes No Manufacturer's Name JOHNSON Type STAINLESS Model No. Diam. 6 Slot size .010 from 328 ft. to 333 ft.

Gravel packed: Yes No Size of gravel Gravel placed from ft. to ft.

Surface seal: Yes No To what depth? 18 ft. Material used in seal BENTONITE Did any strata contain unusable water? Yes No Type of water? Depth of strata Method of sealing strata off

(7) PUMP: Manufacturer's Name Type: H.P.

(8) WATER LEVELS: Land surface elevation above mean sea level Static level 230 ft. below top of well Date 3/10/97 Artesian pressure lbs. per square inch Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) Time Water Level Time Water Level Time Water Level Date of test Bailer test 72 gal./min. with 50 ft. drawdown after 2 hrs. Airtest gal./min. with stem set at ft. for hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? Yes No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

Table with columns MATERIAL, FROM, TO. Entries include BROWN SANDY CLAY, GRAY CLAY, GRAY SANDY H.P., BROWN GRAVEL, GRAY CLAY, GRAY FINE SAND.

RECEIVED APR 22 1997 DEPT OF ECOLOGY

Work Started 3/16 1997 Completed 3/16 1997

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME STATEWIDE DRILLING CO 1333 Bascom Way Renton, WA 98058 772-5777 (Signed) License No. 0220

Contractor's Registration No. STATEWIDE DRILLING CO Date 3/18 1997

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (206) 407-6600. The TDD number is (206) 407-6006.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

# WATER WELL REPORT

22/03-6G

Second Copy — Owner's Copy  
Third Copy — Driller's Copy

Application No

STATE OF WASHINGTON

Permit No

(1) OWNER: Name CARL HANS ZUM SPARKLE Address \_\_\_\_\_

(2) LOCATION OF WELL: County King - NE 1/4 SW 1/4 Sec 6 T 22 N, R 35 W.M.

Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(4) TYPE OF WORK: Owner's number of well (if more than one)  
New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

(5) DIMENSIONS: Diameter of well \_\_\_\_\_ inches.  
Drilled 35 ft. Depth of completed well 35 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6" Diam. from 0 ft. to 30 ft.  
Threaded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Welded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name JOHNSON  
Type STAINLESS Model No \_\_\_\_\_  
Diam. 6 Slot size 012 from 30 ft. to 35 ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? 15 ft.  
Material used in seal BENTONITE  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 10 ft. below top of well Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap. valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
" " " " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test \_\_\_\_\_  
Bailer test 4 1/2 gal./min. with \_\_\_\_\_ ft. drawdown after 1 hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

## (10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
<u>TOP SOIL</u>	<u>0</u>	<u>2</u>
<u>BROWN CLAY</u>	<u>2</u>	<u>17</u>
<u>BROWN GRAVELLY P.P.</u>	<u>17</u>	<u>31</u>
<u>BROWN SAND</u>	<u>31</u>	<u>35</u>
<u>BLUE CLAY</u>	<u>35</u>	<u>-</u>

Work started \_\_\_\_\_ 19\_\_\_\_ Completed 5/6, 1987

## WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME \_\_\_\_\_ (Person, firm, or corporation) (Type or print)

Address \_\_\_\_\_

(Signed) Lawrence R. Johnson (Well Driller)

License No. 0220 Date 5/6, 1987

The Department of Ecology does NOT Warrant the Data and/or the Information on this Well Report.

# WATER WELL REPORT

22/2/10

Start Card No. 17488

Second Copy — Owner's Copy  
Third Copy — Driller's Copy

STATE OF WASHINGTON

UNIQUE WELL I.D. #

Water Right Permit No.

(1) OWNER: Name DAVE NESTOR Address P.O. Box 746 USTON 98070

(2) LOCATION OF WELL: County King NE 1/4 NW 1/4 Sec 1 T. 22 N. R. 2E WM.

(2a) STREET ADDRESS OF WELL (or nearest address)

(3) PROPOSED USE:  Domestic  Industrial  Municipal   
 Irrigation  Test Well  Other   
 DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one)  
Abandoned  New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 115 feet. Depth of completed well 115 feet.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6 Diam. from 0 ft. to 115 ft.  
Welded  Liner installed  Threaded

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? 18 ft.  
Material used in seal Pentonite  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P. \_\_\_\_\_

(8) WATER LEVELS: Land-surface elevation \_\_\_\_\_ above mean sea level  
Static level 40 ft. below top of well Date 8/16/94  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  
Time Water Level Time Water Level Time Water Level

Date of test \_\_\_\_\_  
Bailer test 6 gal./min. with 20 ft. drawdown after 2 hrs.  
Artesian test \_\_\_\_\_ gal./min. with stem set at \_\_\_\_\_ ft. for \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

### (10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
Brown Gravelly H.P.	0	60
Clay Till	60	110
Clay Sand & Coarse Gravel	110	115

RECEIVED

OCT 12 1994

DEPT. OF Ecology

Work Started \_\_\_\_\_, 19. Completed 8/16, 19 94

### WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Statewide Drilling  
(PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)  
Address 1333 Uston WA 98075. P.O. Box  
(Signed) [Signature] License No. 0228  
(WELL DRILLER)

Contractor's Registration No. State 31008 Date 8/16, 19 94

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (206) 407-6600. The TDD number is (206) 407-6006.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

# WATER WELL REPORT

Start Card No. **225907**

22/2/35G

Second Copy—Owner's Copy  
Third Copy—Driller's Copy

STATE OF WASHINGTON

Water Right Permit No. \_\_\_\_\_

(1) OWNER: Name **DON HOLLENDER** Address **P.O. Box 891 VASTON WA.**

(2) LOCATION OF WELL: County **King** **SW 1/4 NE 1/4 Sec 35 T. 22 N. R. 2E W.M.**

(2a) STREET ADDRESS OF WELL (or nearest address) \_\_\_\_\_

(3) PROPOSED USE:  Domestic  Industrial  Municipal   
 Irrigation  Test Well  Other   
 DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_  
Abandoned  New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

(5) DIMENSIONS: Diameter of well **4** inches.  
Drilled **360** feet. Depth of completed well **360** feet.

(6) CONSTRUCTION DETAILS:  
Casing installed: **8** • Diam. from **0** ft. to **160** ft.  
Welded  **6** • Diam. from **0** ft. to **355** ft.  
Liner installed   
Threaded  • Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**RECEIVED**

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the materials which stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
TOP SOIL	0	2
BROWN CLAYEY SANDY HR.	2	43
GREY CLAY	43	320
BROWN SAND, SMALL GRAVEL	320	322
FINE GREY SAND	322	360
GREY SILTY CLAY	360	363

DEPT. OF ECOLOGY  
DEC 22 1992

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name **JOHNSON**  
Type **STAINLESS** Model No. \_\_\_\_\_  
Diam. **6** Slot size **.008** from **355** ft. to **360** ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? **18** ft.  
Material used in seal **BENTONITE**  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name **GILSON PFS**  
Type: **SUB** H.P. **1/2**

(8) WATER LEVELS: Land surface elevation \_\_\_\_\_ ft.  
above mean sea level \_\_\_\_\_ ft.  
Static level **215** ft. below top of well Date **10/30/92**  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level

Date of test \_\_\_\_\_  
Bailey test **7** gal./min. with **90** ft. drawdown after **1** hrs.  
Airstest \_\_\_\_\_ gal./min. with stem set at \_\_\_\_\_ ft. for \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

Work started \_\_\_\_\_, 19. Completed **10/30**, 19**92**

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME \_\_\_\_\_ (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)

Address \_\_\_\_\_

(Signed) **[Signature]** License No. **0220**  
(WELL DRILLER)

Contractor's Registration No. **57472/36106** Date **10/30**, 19**92**

(USE ADDITIONAL SHEETS IF NECESSARY)



The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

Study Reference ID: 17

# WATER WELL REPORT

STATE OF WASHINGTON

Application No. \_\_\_\_\_

Permit No. \_\_\_\_\_

File Copy  
Deputy  
Second Copy - Owner's Copy  
Third Copy - Driller's Copy

(1) OWNER: Name Ed Otto Address RT 5 Box 444E Carbon Island WA

(2) LOCATION OF WELL: County King Co NW 1/4 SE 1/4 SE 1/4 Sec 35 T. 28 N. R. 2E W.M.

Bearing and distance from section or subdivision corner  
(3) PROPOSED USE: Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_  
New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 400 Depth of completed well 400 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6 " Diam. from 810 ft. to 360 ft.  
Threaded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Welded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes  No   
Type of perforator used Star  
SIZE of perforations 1 in. by 1/4 in.  
perforations from 347 ft. to 355 ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? 14 ft.  
Material used in seal Benotmit  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name Whetzel  
Type Submersible H.P. 1 1/2

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 250 ft. below top of well Date 10-30-83  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.  
Was a pump test made? Yes  No  If yes, by whom? Driller  
Yield: 6 gal gal./min. with \_\_\_\_\_ ft. drawdown after 4 hrs.  
" 6 gal " " " " " " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  
Time Water Level Time Water Level Time Water Level  
1:40 PM 330 \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
1:45 PM 300 \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
1:55 PM 292 \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
Date of test 10-30-83  
Ballor test \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

### (10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Top soil	0	5
Sand gravel King clay soft	5	87
King clay	87	340
Sand gravel some water	340	343
King clay & gravel	343	348
siltier gravel sand gravel	348	356
King clay	356	360
King clay Open Hole	360	400

RECEIVED  
DEC 27 1983  
DEPARTMENT OF ECOLOGY  
SOUTHWEST REGIONAL OFFICE

RECEIVED  
JAN 6 1984  
DEPARTMENT OF ECOLOGY  
NORTHWEST REGION

Work started 9-11 1983 Completed 10-30- 1983

### WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Pioneer & Wash Drilling  
(Person, firm, or corporation) (Type or print)

Address 1052 SE Oak Rd Port Orchard WA

[Signed] Donald E. Green  
(Well Driller)

License No. 2267 Date 10-30 1983

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.



# WATER WELL REPORT

STATE OF WASHINGTON

Application No.

Permit No.

Second Copy — Owner's Copy  
Third Copy — Driller's Copy

(1) OWNER: Name George Henrikson Address Rt. 1 Box 791 Vashon Island, Wa. 98070

(2) LOCATION OF WELL: County King NE 1/4 SE 1/4 Sec. 35 T.23 N., R.02 W.M.

Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(4) TYPE OF WORK: Owner's number of well (if more than one) 1  
New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 314 ft. Depth of completed well 314 ft.

### (6) CONSTRUCTION DETAILS:

Casing installed: 6 " Diam. from 0 ft. to 299 ft.  
Threaded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Welded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name Johnson Well  
Type Stainless steel Model No. \_\_\_\_\_  
Diam. 6 Slot size 15 from 304 ft. to 309 ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? 20 ft.  
Material used in seal Bentonite  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name Jacuzzi Bros.  
Type: 15S4C HP 15

(8) WATER LEVELS: Land-surface elevation \_\_\_\_\_ ft.  
Static level 214 ft. below top of well Date 5-15-79  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)


Time	Water Level	Time	Water Level	Time	Water Level

Date of test \_\_\_\_\_  
Ballor test 30 gal./min. with 7 ft. drawdown after 1 hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date 5-15-79  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

### (10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Brown sand & clay	0	13
Gray hardpan	13	35
Cemented sand & gravel	35	50
Gray clay	50	100
Gray clay	100	150
Gray clay	150	200
Gray clay	200	250
Gray clay	250	295
Fine gray sand & seepage	295	300
Water fine gray sand	300	314



Work started 5-7 1979 Completed 5-16 1979

### WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Richardson Well Drilling Co.  
(Person, firm, or corporation) (Type or print)

Address P.O. Box 44408 Tacoma, Wa. 98444

[Signed] [Signature]  
(Well Driller)

License No. 223-02-6500 Date 6-4 1979

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

23/02/36 M

Study Reference ID: 9

WATER WELL REPORT
STATE OF WASHINGTON

File Of Department of Ecology
Second Copy - Owner's Copy
Third Copy -- Driller's Copy

Application No
Permit No

(1) OWNER: Name George Mason Address 16740-39th Pr. N.E. Seattle, Wa. 98155
(2) LOCATION OF WELL: County King - NW 1/4 SW 1/4 Sec 35 T.23 N. R.02 W.M.

(3) PROPOSED USE: Domestic [x] Industrial [ ] Municipal [ ]
Irrigation [ ] Test Well [ ] Other [ ]
(4) TYPE OF WORK: Owner's number of well (if more than one)
New well [x] Method: Dug [ ] Bored [ ]
Deepened [ ] Cable [x] Driven [ ]
Reconditioned [ ] Rotary [ ] Jetted [ ]

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 182 ft. Depth of completed well 180 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6" diam. from 0 ft. to 176 ft.
Threaded [ ] " diam. from ft. to ft.
Welded [x] " diam. from ft. to ft.
Perforations: Yes [ ] No [x]
Type of perforator used
SIZE of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: Yes [x] No [ ]
Manufacturer's Name Johnson
Type Stainless Model No
Diam. Slot size from ft. to ft.
Diam. 6 Slot size .014 from 175 ft. to 180 ft.

Gravel packed: Yes [ ] No [x] Size of gravel:
Gravel placed from ft. to ft.

Surface seal: Yes [x] No [ ] To what depth? 20 ft.
Material used in seal
Did any strata contain unusable water? Yes [ ] No [x]
Type of water? Depth of strata
Method of sealing strata off

(7) PUMP: Manufacturer's Name
Type: H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level... ft.
Static level 159 ft. below top of well Date 3/12/86
Artesian pressure lbs. per square inch Date
Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes [ ] No [x] If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level
Date of test
Baller test 8 gal./min. with 1 ft. drawdown after 2 hrs.
Artesian flow g.p.m. Date 3/12/86
Temperature of water Was a chemical analysis made? Yes [ ] No [x]

(10) WELL LOG:
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns: MATERIAL, FROM, TO. Entries include Sandy topsoil (0-6), Brown Hardpan (6-52), Grey Hardpan (52-63), Bonded gravel (63-70), Brown sand (70-165), Brown sand water (165-175), Grey sand water (heaving) (175-180), Fine grey sand + clay (180-182).

Work started 2/28 1986 Completed 3/12 1986

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Mattis Drilling Co. (Person, firm, or corporation) (Type or print)
Address 7215-122 Ave. S.E. Renton, Wa. 98056
[Signed] Thomas J. Morris (Well Driller)
License No. 0327 Date 3/13 1986

The Department of Ecology does NOT Warrant the Data and/or the Information on this Well Report.

File Original and First Copy with Department of Ecology
Second Copy - Owner's Copy
Third Copy - Driller's Copy

ENTERED

WATER WELL REPORT

UNIQUE WELL I.D. #

STATE OF WASHINGTON

Water Right Permit No.

(1) OWNER: Name Grey Holahan Address 5108 S.W 24th Seattle 98116

(2) LOCATION OF WELL: County King NW 1/4 SW 1/4 Sec 36 T 23 N. R 2E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address)

(3) PROPOSED USE: Domestic [checked], Industrial, Municipal, Irrigation, DeWater, Test Well, Other

(4) TYPE OF WORK: Owner's number of well, Abandoned, New well, Deepened, Reconditioned, Method: Dug, Cable, Rotary, Bored, Driven, Jetted

(5) DIMENSIONS: Diameter of well 6 inches, Drilled 175 feet, Depth of completed well 153 feet

(6) CONSTRUCTION DETAILS: Casing installed 6 ft diam from 0 to 148 ft, Welded, Liner installed, Threaded, Perforations: No [checked], Type of perforator used, SIZE of perforations

Screens: Yes [checked], No, Manufacturer's Name JOHNSON, Type STAINLESS, Model No., Diam 6, Slot size 012 from 148 ft to 153 ft

Gravel packed: Yes, No [checked], Size of gravel, Gravel placed from, Surface seal: Yes [checked], No, To what depth? 20 ft, Material used in seal BENTONITE

Did any strata contain unusable water? Yes, No [checked], Type of water?, Depth of strata, Method of sealing strata off

(7) PUMP: Manufacturer's Name, Type, H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level 130 ft, Static level 130 ft below top of well Date 12/2/97, Artesian pressure, Date

(9) WELL TESTS: Drawdown is amount water level is lowered below static level, Was a pump test made? Yes, No, If yes, by whom?, Yield: gal./min. with ft. drawdown after hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time Water Level Time Water Level Time Water Level

Date of test, Bailor test 7 gal./min. with 3 ft. drawdown after 1 hrs, Airtest, Artesian flow g.p.m. Date, Temperature of water, Was a chemical analysis made? Yes, No [checked]

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

Table with columns: MATERIAL, FROM, TO. Rows: BROWN H.P. (0-63), BROWN SANDY H.P. (63-120), BROWN SAND (120-140), GRAY SAND (140-153), GRAY CLAY (153-175)

RECEIVED

DEC 09 1997

Department of Ecology

Work Started 12/1/97, 19, Completed 12/2, 1997

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

STATEWIDE DRILLING CO., 1323 Beech Way S, Renton, WA 98056, Phone 772-5771, (Signed) [Signature], License No. 0220

Contractor's Registration No. STATEWIDE 30438, Date 12/2, 1997

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (206) 407-6600. The TDD number is (206) 407-8006.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

23/02-35K

Study Reference ID: 48

# WATER WELL REPORT

## STATE OF WASHINGTON

Application No.

Permit No.

(1) OWNER: Name Kevin Britz Address P.O. Box 310 Washouk WA  
(2) LOCATION OF WELL: County Kelley NW 1/4 SE 1/4 Sec 35 T 23 N. R 2E W.M.  
Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(10) WELL LOG:  
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

(4) TYPE OF WORK: Owner's number of well (if more than one)  
New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

MATERIAL	FROM	TO
BROWN GRAVELLY H.P.	0	23
11 SANDY H.P.	23	75
BROWN GRAVELLY H.P.	75	84
BLUE CLAY	84	90
BROWN SANDY H.P.	90	95
BROWN CLAY CY H.P.	95	100
BLUE CLAY	100	102

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 102 ft. Depth of completed well 102 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6" Diam. from 0 ft. to 94 ft.  
Threaded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Welded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name JOHNSON  
Type STAINLESS Model No. \_\_\_\_\_  
Diam. 6 Slot size 0.01 from 90 ft. to 102 ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel. \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? 14 ft.  
Material used in seal Portlandite  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 78 ft. below top of well Date 12-19-84  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
" " " " " " " " " " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test \_\_\_\_\_  
Bailer test 2 gal./min. with 2 ft. drawdown after 1 hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

Work started \_\_\_\_\_, 19\_\_\_\_ Completed 12-19, 1984

WELL DRILLER'S STATEMENT:  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Statewide Drilling  
(Person, firm, or corporation) (Type or print)

Address \_\_\_\_\_  
[Signed] James R. Johnson  
(Well Driller)

License No. 0220 Date 12-19, 1984

(USE ADDITIONAL SHEETS IF NECESSARY)



The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

# WATER WELL REPORT

Start Card No. W 20624  
23/2E/36F

Second Copy—Owner's Copy  
Third Copy—Driller's Copy

STATE OF WASHINGTON

Water Right Permit No.

(1) OWNER: Name LENA CANADA Address P.O. BOX 2224

(2) LOCATION OF WELL: County King SE 1/4 NW 1/4 Sec 36 T. 23 N. R. 2E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) 18772 West Side Hwy WASHON WASH

(3) PROPOSED USE:  Domestic  Industrial  Municipal   
 Irrigation  Test Well  Other   
 DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one)  
Abandoned  New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

(5) DIMENSIONS: Diameter of well \_\_\_\_\_ inches.  
Drilled \_\_\_\_\_ feet. Depth of completed well \_\_\_\_\_ ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6 \* Diam. from 0 ft. to 164 ft.  
Welded  \* Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Liner installed  \* Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Threaded  \* Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name SMITH  
Type STAINLESS Model No. \_\_\_\_\_  
Diam. 6 Slot size 0.10 from 164 ft. to 169 ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Surface seal: Yes  No  To what depth? 18 ft.  
Material used in seal BENTONITE  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P. \_\_\_\_\_

(8) WATER LEVELS: Land-surface elevation \_\_\_\_\_ ft.  
Static level 147 ft. below top of well Date 8/1  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  
Time Water Level Time Water Level

Date of test \_\_\_\_\_  
Bailer test 7 1/2 gal./min. with 2 ft. drawdown after 1 hrs.  
Airtest \_\_\_\_\_ gal./min. with stem set at \_\_\_\_\_ ft. for \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

## (10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
<u>BROWN GRAVELLY HP</u>	<u>0</u>	<u>120</u>
<u>BROWN SAND &amp; GRAVEL (SHALY)</u>	<u>20</u>	<u>160</u>
<u>GREY FINE SAND</u>	<u>160</u>	<u>169</u>

RECEIVED  
AUG 24 1993  
DEPT. OF ECOLOGY

Work started \_\_\_\_\_, 19 \_\_\_\_\_ Completed 8/19, 19 93

WELL CONSTRUCTOR CERTIFICATION:  
I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

STATEWIDE DRILLING CO.  
NAME 1333 Beacon Way S. (TYPE OR PRINT)  
Renton, WA 98056  
Address 772-5771  
(Signed) [Signature] License No. 0228  
Contractor's Registration No. STATE DC13686 Date 8/24, 19 93

(USE ADDITIONAL SHEETS IF NECESSARY)

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.



WATER WELL REPORT

STATE OF WASHINGTON

23/2 E/1 BC  
Start Card No. 027401

Second Copy—Owner's Copy  
Third Copy—Driller's Copy

Water Right Permit No. \_\_\_\_\_

(1) OWNER: Name LIZ LEWIS Address P.O. Box 1241 UBSum Wn

(2) LOCATION OF WELL: County King NE 1/4 NW 1/4 Sec 1 T. 23N. R. 2E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) \_\_\_\_\_

(3) PROPOSED USE:  Domestic  Industrial  Municipal   
 Irrigation  Test Well  Other   
 DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_  
Abandoned  New well  Deepened  Reconditioned   
Method: Dug  Cable  Rotary  Bored  Driven  Jetted

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 80 feet. Depth of completed well 80 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6 ft. Diam. from 0 ft. to 80 ft.  
Welded  Liner installed  Threaded   
Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name \_\_\_\_\_ Model No. \_\_\_\_\_  
Type \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Gravel packed: Yes  No  Size of gravel \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Surface seal: Yes  No  To what depth? 23 ft.  
Material used in seal PORTLAND CEMENT  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name FW  
Type: SUB H.P. 1/2

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 33 ft. below top of well Date 8/21/91  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  
Time Water Level Time Water Level Time Water Level  
\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

Date of test \_\_\_\_\_  
Bailer test 10 gal./min. with 20 ft. drawdown after 1 hrs.  
Airtest \_\_\_\_\_ gal./min. with stem set at \_\_\_\_\_ ft. for \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
<u>Topsoil</u>	<u>0</u>	<u>2</u>
<u>Brown Clayey H.P.</u>	<u>2</u>	<u>40</u>
<u>Brown Gravelly H.P.</u>	<u>40</u>	<u>80</u>

**RECEIVED  
SEP 12 1991  
DEPT. OF ECOLOGY**

Work started 8/20, 19. Completed 8/21, 19 91

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

STATEWAY DRILLING CO  
9600 S. \_\_\_\_\_  
Way S.  
NAME \_\_\_\_\_ (PERSON, FIRM, OR CORPORATION)  
Address \_\_\_\_\_  
(Signed) [Signature] License No. 0220  
Contractor's Registration No. STATE 00136006 Date 8/25, 19 91  
(USE ADDITIONAL SHEETS IF NECESSARY)

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

23/02-35 J

# WATER WELL REPORT

STATE OF WASHINGTON

Application No. \_\_\_\_\_  
Permit No. \_\_\_\_\_

File  
De  
Se  
Th  
Study Reference ID: 49

(1) OWNER: Name Richard C. Bain Jr. Address Rt. 2 Box 611 Vashon, Wa. 98070

(2) LOCATION OF WELL: County KING NE 1/4 SE 1/4 Sec. 35 T. 23 N. R 2E W.M.

Bearing and distance from section or subdivision corner \_\_\_\_\_

(3) PROPOSED USE: Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(4) TYPE OF WORK: Owner's number of well (if more than one) 1

New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 143 ft. Depth of completed well 100 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6" diam. from 0 ft. to 95 ft.  
Threaded  " diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Welded  " diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name Johnson  
Type S. S. Model No \_\_\_\_\_  
Diam. 6 Slot size .020 from 95 ft. to 100 ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? 20 ft.  
Material used in seal Bentonite  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P. \_\_\_\_\_

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 88 ft. below top of well Date 2/16/77  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_

Yield:	gal./min. with	ft. drawdown after	hrs.
"	"	"	"
"	"	"	"

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test \_\_\_\_\_  
Ballor test 5 gal./min. with 1/2 ft. drawdown after 1 hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

## (10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Top Soil	0	1
Sand & Gravel	1	3
Sand	3	12
Sand & Gravel	12	28
Sand	28	56
Sand & Some Gravel	56	79
Sand & Seepage	78	81
Sand, Clay, & Gravel	81	98
Sand, & a little Water	98	101
Dirty Sand & Gravel	101	117
Dirty Sand, Water, & Some Gravel	117	123
Blue Sandy Clay	123	143

RECEIVED

MAR 28 1977

DEPARTMENT OF ECOLOGY  
SOUTHWEST REGIONAL OFFICE

RECEIVED

5-24-78

DEPARTMENT OF ECOLOGY  
SOUTHWEST REGIONAL OFFICE

Work started 2/10/77, 19\_\_\_\_ Completed 2/10/77, 19\_\_\_\_

## WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Richardson Well Drilling Co.  
(Person, firm, or corporation) (Type or print)

Address P.O. Box 44408, Tacoma, Wa. 98444

[Signed] Eric J. Richardson  
(Well Driller)

License No. 223-02-6500 Date 3/22/77, 19\_\_\_\_



The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WATER WELL REPORT
STATE OF WASHINGTON

(1) OWNER: Name Rick Paquetts Address Vashon Is.
(2) LOCATION OF WELL: County King SW 1/4 SE 1/4 Sec. 35 T. 23 N. R2E W.M.

(3) PROPOSED USE: Domestic [X] Industrial [ ] Municipal [ ]
Irrigation [ ] Test Well [ ] Other [ ]

(4) TYPE OF WORK: Owner's number of well (if more than one)
New well [X] Method: Dug [ ] Bored [ ]
Deepened [ ] Cable [X] Driven [ ]
Reconditioned [ ] Rotary [ ] Jetted [ ]

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 132 ft. Depth of completed well 132 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6" Diam. from 0 ft. to 132 ft.
Threaded [ ] Welded [X]
Perforations: Yes [ ] No [X]
Type of perforator used
SIZE of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: Yes [ ] No [X]
Manufacturer's Name
Type Model No
Diam. Slot size from ft. to ft.
Diam. Slot size from ft. to ft.

Gravel packed: Yes [ ] No [X] Size of gravel:
Gravel placed from ft. to ft.

Surface seal: Yes [X] No [ ] To what depth? 18 ft.
Material used in seal bentonite
Did any strata contain unusable water? Yes [ ] No [X]
Type of water? Depth of strata
Method of sealing strata off

(7) PUMP: Manufacturer's Name
Type HP

(8) WATER LEVELS: Land-surface elevation above mean sea level ft.
Static level 104 ft. below top of well Date 6/30/79
Artesian pressure lbs. per square inch Date
Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes [ ] No [X] If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level
Date of test
Bailer test 12 gal./min. with 3 ft. drawdown after 2 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes [ ] No [X]

(10) WELL LOG:
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns: MATERIAL, FROM, TO. Rows include: Brown clay & gravel (0-7), Brown sandy clay & gravel (7-20), Brown sandy clay (20-25), Gray clay, soft (25-59), Dry brown sand with little gravel (59-71), Brown sand & gravel, no water (71-85), Brown sandy clay (85-90), gray clay (90-115), gray clay and gravel, hard (115-129), Sand & gravel, water bearing (129-132).

Work started June 22, 1979. Completed June 30, 1979.

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Indrebo Drilling Co. (Person, firm, or corporation) (Type or print)
Address 1653 So. 95th St. Tacoma, WA 98444
[Signed] David L. Shiratt (Well Driller)
License No. 1047 Date 7/6/79

# WATER WELL REPORT

Start Card No. 074420

Second Copy—Owner's Copy  
Third Copy—Driller's Copy

STATE OF WASHINGTON

Water Right Permit No.

23/2E/36 L

(1) OWNER: Name STEVE RUSSEL Address 1918 3rd N. SEATTLE

(2) LOCATION OF WELL: County King NE SW 1/4 Sec 74 T. 23 N., R. 2E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) 131 ASW. & SW 184th ST UPLAND

(3) PROPOSED USE:  Domestic  Industrial  Municipal   
 Irrigation  Test Well  Other   
 DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_  
Abandoned  New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 143 feet. Depth of completed well 140 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6 " Diam. from 0 ft. to 135 ft.  
Welded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Liner installed  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Threaded  " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name JOHNSON  
Type STAINLESS Model No. \_\_\_\_\_  
Diam. 6 Slot size 012 from 135 ft. to 140 ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? 23 ft.  
Material used in seal BEUTONITE  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_ H.P. \_\_\_\_\_  
Type: \_\_\_\_\_

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 103 ft. below top of well Date 7/3/91  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap. valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
" " " " " " " "  
" " " " " " " "

Recovery data (Time taken as zero when pump turned off) (water level measured from well top to water level)  
Time Water Level Time Water Level Time Water Level  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Date of test \_\_\_\_\_  
Baller test 7 1/2 gal./min. with 2 ft. drawdown after 1 hrs.  
Airtest \_\_\_\_\_ gal./min. with stem set at \_\_\_\_\_ ft. for \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

### (10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
BROWN GRAVELLY H.P.	0	65
BROWN SAND	65	80
GREEN CLAY	80	102
PINKISH CLAYEY SAND	102	130
BROWN SAND	130	140

RECEIVED

AUG 19 1991

DEPT. OF ECOLOGY

Work started \_\_\_\_\_ 19. Completed 7/3, 1991

WELL CONSTRUCTOR CERTIFICATION:  
I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME \_\_\_\_\_  
(PERSON, FIRM, OR CORPORATION) 08055 (TYPE OR PRINT)  
112 6771

Address \_\_\_\_\_

(Signed) APRIL License No. 0220  
(WELL DRILLER)

Contractor's Registration No. \_\_\_\_\_ Date 7/4, 1991

STATE OF WASH.  
(USE ADDITIONAL SHEETS IF NECESSARY)

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

# WATER WELL REPORT

Start Card No. 20630

Second Copy—Owner's Copy  
Third Copy—Driller's Copy

STATE OF WASHINGTON

Water Right Permit No.

23/2E/36G

(1) OWNER: Name TOM HOOKER Address 2500 CENTERBURY LANE E SEATTLE

(2) LOCATION OF WELL: County KING SW  $\frac{1}{4}$  NE  $\frac{1}{4}$  Sec 36 T 23 N., R. 2E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address)

(3) PROPOSED USE:  Domestic  Industrial  Municipal   
 Irrigation  Test Well  Other   
 DeWater

### (10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_  
Abandoned  New well  Method: Dug  Bored   
Deepened  Cable  Driven   
Reconditioned  Rotary  Jetted

MATERIAL	FROM	TO
Topsoil	0	1
Brown till	1	40
Brown sand	40	96
Grey sand & water	96	103

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 103 feet. Depth of completed well 103 ft.

### (6) CONSTRUCTION DETAILS:

Casing installed: 6 ' Diam. from 41 ft. to 99 ft.  
Welded  Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Liner installed  \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Threaded  \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes  No   
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes  No   
Manufacturer's Name Johnson  
Type Telescoping STAINLESS Model No. \_\_\_\_\_  
Diam. 5" Slot size .012 from 98 ft. to 103 ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes  No  Size of gravel \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes  No  To what depth? 18 ft.  
Material used in seal Bentonite  
Did any strata contain unusable water? Yes  No   
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P. \_\_\_\_\_

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 78 ft. below top of well Date 9/27/93  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap. valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test \_\_\_\_\_  
Bailer test 10 gal./min. with 9 ft. drawdown after 2 hrs.  
Airtest \_\_\_\_\_ gal./min. with stem set at \_\_\_\_\_ ft. for \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes  No

Work started 9/20/93, 19. Completed 9/27, 19 93

### WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Statewide Drilling Co.  
(PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)

Address 1333 Beacon Wy S. Renton, Wa.

(Signed) [Signature] License No. 0220  
(WELL DRILLER)  
Contractor's Registration No. STATEDC136RS Date 9/28, 19 93

(USE ADDITIONAL SHEETS IF NECESSARY)

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WATER WELL REPORT

Start Card No. W000102  
 Unique Well I.D. # A04228  
 Water Right Permit No.

STATE OF WASHINGTON

(1) OWNER: Name HUMPHREYS, GEORGE Address 10010 WESTSIDE HWY SW VASHON, WA 98070-23-2E-35J

(2) LOCATION OF WELL: County KING - NE 1/4 SE 1/4 Sec 35 T 23 N., R 2E WM  
 (2a) STREET ADDRESS OF WELL (or nearest address) 10010 WESTSIDE HWY SW, VASHON

(3) PROPOSED USE: DOMESTIC

(4) TYPE OF WORK: Owner's Number of well (If more than one)  
 Method: AIR ROTARY  
 NEW WELL

(10) WELL LOG  
 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well 6 inches  
 Drilled 306 ft. Depth of completed well 306 ft.

MATERIAL	FROM	TO
PIPE STICK-UP	0	1
BROWN SAND GRAVEL & CLAY	1	60
BROWN SAND LAYERS BROWN CLAY	60	72
BROWN SAND NET	72	76
BROWN SAND GRAVEL & CLAY	76	83
GRAY CLAY	83	95
BROWN SANDY CLAY	95	133
GRAY SANDY CLAY	133	185
GRAY CLAY	185	247
GRAY BROWN SAND & GRAVEL CLAY	247	263
GRAY CLAY	263	294
BROWN SAND GRAVEL & CLAY	294	300
BROWN CLAY	300	306
GRAY CLAY	306	374
GRAY CEMENTED SAND & WATER	374	396

(6) CONSTRUCTION DETAILS:  
 Casing installed: 6 " Dia. from 0 ft. to 306.3 ft.  
 WELDED " Dia. from ft. to ft.  
 " Dia. from ft. to ft.

Perforations: NO  
 Type of perforator used  
 SIZE of perforations in. by in.  
 perforations from ft. to ft.  
 perforations from ft. to ft.  
 perforations from ft. to ft.

Screens: YES  
 Manufacturer's Name  
 Type STAINLESS Model No. TELESCOPING  
 Diam. 6 slot size .012 from 305.8 ft. to 306.3 ft.  
 Diam. slot size from ft. to ft.

Gravel packed: NO  
 Gravel placed from ft. to ft. Size of gravel ft.

Surface seal: YES To what depth? 18 ft.  
 Material used in seal BENTONITE  
 Did any strata contain unusable water? NO  
 Type of water? Depth of strata ft.  
 Method of sealing strata off

RECEIVED  
 NOV 30 1995  
 DEPT. OF ECOLOGY

(7) PUMP: Manufacturer's Name  
 Type H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level ... ft.  
 Static level 283 ft. below top of well Date 09/22/98  
 Artesian Pressure lbs. per square inch Date  
 Artesian water controlled by

Work started 09/21/98 Completed 09/20/98

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.  
 Was a pump test made? NO If yes, by whom?  
 Yield: gal./min with ft. drawdown after hrs.

WELL CONSTRUCTOR CERTIFICATION:  
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Recovery data  
 Time Water Level Time Water Level Time Water Level

NAME NICHOLSON DRILLING INC  
 (Person, firm, or corporation) (Type or print)

Date of test  
 Bailer test 10 gal./min. 77 ft. drawdown after 1 hrs.  
 Air test gal./min. w/ stem set at ft. for hrs.  
 Artesian flow g.p.m. Date  
 Temperature of water Was a chemical analysis made? NO

ADDRESS PO BOX 123  
 [SIGNED] License No. 0510  
 Contractor's Registration No. NICH0011370M Date 11/29/95

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

# ENTERED

## WATER WELL REPORT

Start Card No. W 056971  
 Unique Well I.D. # ABA922  
 Water Right Permit No.

STATE OF WASHINGTON

(1) OWNER: Name OLSEN, JOHN Address 18539 WESTSIDE HWY SW VASHON, WA 98070-23/2E/35J

(2) LOCATION OF WELL: County KING - NE 1/4 SE 1/4 Sec 35 T 25 N., R 2E WM  
 (2a) STREET ADDRESS OF WELL (or nearest address) 18539 WESTSIDE HWY SW, VASHON

(3) PROPOSED USE: DOMESTIC

(10) WELL LOG

(4) TYPE OF WELL: Owner's Number of well (If more than one)  
 NEW WELL Method: AIR ROTARY

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well 6 inches  
 Drilled 292 ft. Depth of completed well 292 ft.

MATERIAL	FROM	TO
PIPE STICK-UP	0	1
BROWN CLAY	1	3
BROWN SAND GRAVEL & CLAY COBBLES	3	6
BROWN CLAY	6	10
BROWN SAND	10	15
BROWN SANDY CLAY	15	34
GRAY CLAY	34	66
GRAY SAND WBT	66	68
GRAY CLAY SEAMS FINE SAND WATER	68	68
GRAY CLAY	68	101
BROWN SANDY CLAY	101	179
GRAY CLAY	179	184
BROWN CLAY	184	192
LIGHT BROWN CLAY	192	230
GRAY CLAY	230	260
GRAY SAND WATER	260	292

(6) CONSTRUCTION DETAILS:  
 Casing installed: 6" Dia. from 0 ft. to 262.1 ft.  
 WELDED " Dia. from ft. to ft.  
 " Dia. from ft. to ft.

Perforations: NO  
 Type of perforator used  
 SIZE of perforations in. by in.  
 perforations from ft. to ft.  
 perforations from ft. to ft.  
 perforations from ft. to ft.

Screens: YES  
 Manufacturer's Name  
 Type STAINLESS Model No. TELESCOPING  
 Diam. & slot size .012 from 281.8 ft. to 292.3 ft.  
 Diam. slot size from ft. to ft.

Gravel packed: NO  
 Gravel placed from ft. to ft. Size of gravel ft.

Surface seal: YES To what depth? 10 ft.  
 Material used in seal BENTONITE  
 Did any strata contain unusable water? NO  
 Type of water? Depth of strata ft.  
 Method of sealing strata off

(7) PUMP: Manufacturer's Name Type H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level ... ft.  
 Static level 172.5 ft. below top of well Date 09/21/98  
 Artesian Pressure lbs. per square inch Date  
 Artesian water controlled by

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.  
 Was a pump test made? NO If yes, by whom?  
 Yield: gal./min with ft. drawdown after hrs.

Recovery data  
 Time Water Level Time Water Level Time Water Level

Date of test  
 Bailer test 10 gal/min. 8.5 ft. drawdown after 1 hrs.  
 Air test gal/min. w/ stem set at ft. for hrs.  
 Artesian flow g.p.m. Date  
 Temperature of water Was a chemical analysis made? NO

Work started 09/19/98 Completed 09/21/98

WELL CONSTRUCTOR CERTIFICATION:  
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME NICHOLSON DRILLING INC  
 (Person, firm, or corporation) (Type or print)

ADDRESS PO BOX 123

[SIGNED] License No. 0519

Contractor's Registration No. NICH0011370M Date 09/27/95

RECEIVED  
 OCT 06 1995  
 DEPT. OF ECOLOGY

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

# WATER WELL REPORT

STATE OF WASHINGTON

Notice of Intent N 119278  
UNIQUE WELL I.D.# APA 514

Second Copy - Owner's Copy  
Third Copy - Driller's Copy

Water Right Permit No. \_\_\_\_\_

(1) OWNER: Name Ray Stratton Address 15425 115<sup>th</sup> Ave S.W. Vashon WA

(2) LOCATION OF WELL: County KING 2E 1/4 SE 1/4 Sec 35 T 23 N.R. 2E WM

(2a) STREET ADDRESS OF WELL: (or nearest address) \_\_\_\_\_

TAX PARCEL NO.: \_\_\_\_\_

**23-2E-35R**

(3) PROPOSED USE:  Domestic  Industrial  Municipal  
 Irrigation  Test Well  Other  
 DeWater

(10) WELL LOG or DECOMMISSIONING PROCEDURE DESCRIPTION  
Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. Indicate all water encountered.

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_  
 New Well Method:  Dug  Bored  
 Deepened  Cade  Driven  
 Reconditioned  Rotary  Jetted  
 Decommission

MATERIAL	FROM	TO
<u>BROWN H.P.</u>	<u>0</u>	<u>120</u>
<u>GRAY CLAY</u>	<u>120</u>	<u>243</u>
<u>GRAY CLAY &amp; COBBLES</u>	<u>243</u>	<u>263</u>
<u>LOOSE GRAVEL</u>	<u>265</u>	<u>280</u>
<u>GRAY CLAY</u>	<u>280</u>	<u>380</u>
<u>GRAY SAND</u>	<u>380</u>	<u>385</u>
<u>GRAY CLAY</u>	<u>385</u>	<u>390</u>
<u>GRAY SAND</u>	<u>390</u>	<u>401</u>

(5) DIMENSIONS: Diameter of well 6 inches  
Diameter of casing 401 feet. Depth of completed well 401 feet.

(6) CONSTRUCTION DETAILS  
Casing installed:  
 Welded 6 : Diam. from 0 ft. to 396 ft.  
 Liner installed \_\_\_\_\_ : Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Threaded \_\_\_\_\_ : Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations:  Yes  No  
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens:  Yes  No  K-Pac Location 395  
Manufacturer's Name COOK  
Type STAINLESS Model No. \_\_\_\_\_  
Diam. 6 Slot Size 010 from 396 ft. to 401 ft.  
Diam. \_\_\_\_\_ Slot Size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel/Filter packed:  Yes  No  Size of gravel/sand \_\_\_\_\_  
Material placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal:  Yes  No To what depth? 14 ft.  
Material used in seal PENTONITE  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P.

(8) WATER LEVELS: Land surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 225 ft. below top of well Date 12/18/99  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap. valve, etc.)

Work Started \_\_\_\_\_ Completed 12/18/99

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  
Time Water Level Time Water Level Time Water Level  
\_\_\_\_\_  
Date of test \_\_\_\_\_  
Bailer test 10 gal./min. with 8 ft. drawdown after 2 hrs.  
Artest \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

### WELL CONSTRUCTION CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Type or Print Name MANSON License No. 0220  
(Licensed Driller/Engineer)

Trainee Name \_\_\_\_\_ License No. \_\_\_\_\_

Drilling Company STATEWIDE

(Signed) [Signature] License No. \_\_\_\_\_  
(Licensed Driller/Engineer)

Address 17333 CARCON WAY S. Renton

Contractor's Registration No. STATEDC13626 Date 12/24/99

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at: (360) 407-6600. The TDO number is (360) 407-6006.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

# WATER WELL REPORT

Department of Ecology  
Second Copy - Owner's Copy  
Third Copy - Driller's Copy

STATE OF WASHINGTON

Notice of Intent W 117713  
UNIQUE WELL I.D.# AFA 508  
Water Right Permit No. \_\_\_\_\_

(1) OWNER: Name Jerry Connors Address 804 9th Ave Seattle 98104

(2) LOCATION OF WELL: County KING SE 1/4 NW 1/4 Sec 36 T 23 N.R. 2E WM

(2a) STREET ADDRESS OF WELL: (or nearest address) \_\_\_\_\_  
TAX PARCEL NO.: 23-2E-36F

(3) PROPOSED USE:  Domestic  Industrial  Municipal  
 Irrigation  Test Well  Other  
 DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_  
 New Well Method:  Dug  Bored  
 Deepened  Cable  Driven  
 Reconditioned  Rotary  Jetted  
 Decommission

(5) DIMENSIONS: Diameter of well 6 inches  
Drilled 103 feet. Depth of completed well 103 ft.

(6) CONSTRUCTION DETAILS  
Casing Installed:  Welded 6 ft. Diam. from 0 ft. to 98 ft.  
 Liner installed \_\_\_\_\_ ft. Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Threaded \_\_\_\_\_ ft. Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations:  Yes  No  
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens:  Yes  No  K-Pac Location 97  
Manufacturer's Name COOK  
Type STAINLESS Model No. \_\_\_\_\_  
Diam. 6 Slot Size 012 from 98 ft. to 103 ft.  
Diam. \_\_\_\_\_ Slot Size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel/Filter packed:  Yes  No  Size of gravel/sand \_\_\_\_\_  
Material placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal:  Yes  No To what depth? 11 ft.  
Material used in seal PORTLAND CEMENT  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P. \_\_\_\_\_

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 70 ft. below top of well Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  
Time Water Level Time Water Level Time Water Level  
\_\_\_\_\_  
Date of test \_\_\_\_\_  
Bailer test 7 1/2 gal./min. with 3 ft. drawdown after 2 hrs.  
Airtest \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

(10) WELL LOG or DECOMMISSIONING PROCEDURE DESCRIPTION  
Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. Indicate all water encountered.

MATERIAL	FROM	TO
<u>BROWN H.P.</u>	<u>0</u>	<u>62</u>
<u>GRAY CLAY</u>	<u>62</u>	<u>74</u>
<u>GRAY GRAVELLY CLAY</u>	<u>74</u>	<u>90</u>
<u>BROWN SAND &amp; GRAVEL</u>	<u>90</u>	<u>103</u>

RECEIVED

JUN 27 2000

DEPT OF ECOLOGY

Work Started 5/18/00 Completed 5/22/00

### WELL CONSTRUCTION CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Type or Print Name JOHNSON License No. 0220  
(Licensed Driller/Engineer)

Trainee Name \_\_\_\_\_ License No. \_\_\_\_\_

Drilling Company STATEWIDE  
(Signed) J.L. Johnson License No. 0220  
(Licensed Driller/Engineer)

Address 1333 BERTON WAY S. RENTON

Contractor's Registration No. STATEDC1346 Date \_\_\_\_\_

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (360) 407-6800. The TDD number is (360) 407-6008.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

115753

# WATER WELL REPORT

STATE OF WASHINGTON

Notice of intent W147259  
UNIQUE WELL ID # AFJ507

Study Reference ID: 61

Water Right Permit No \_\_\_\_\_

(1) OWNER Name DAVE DIVINELL Address 814 6<sup>th</sup> AVE S SEATTLE WA

(2) LOCATION OF WELL County KING SE 1/4 9E 1/4 Sec 35 T 23 N R 02E WM

(2a) STREET ADDRESS OF WELL (or nearest address) 18925 ROBINWOOD RD  
TAX PARCEL NO 352302-9067

(3) PROPOSED USE  
 Domestic     Industrial     Municipal  
 Irrigation     Test Well     Other  
 DeWater

(4) TYPE OF WORK  
 Owner's number of well (if more than one) \_\_\_\_\_  
 New Well    Method \_\_\_\_\_  
 Deepened     Dug     Bored  
 Reconditioned     Cable     Driven  
 Decommission     Rotary     Jetted

(5) DIMENSIONS  
 Diameter of well 6 inches  
 Drilled 40 feet    Depth of completed well 122 ft

(6) CONSTRUCTION DETAILS  
 Casing installed  
 Welded    Diam from 0 ft to 117 ft  
 Liner installed    Diam from \_\_\_\_\_ ft to \_\_\_\_\_ ft  
 Threaded    Diam from \_\_\_\_\_ ft to \_\_\_\_\_ ft

Perforations     Yes     No  
 Type of perforator used \_\_\_\_\_  
 SIZE of perforations \_\_\_\_\_ in by \_\_\_\_\_ in  
 \_\_\_\_\_ perforations from \_\_\_\_\_ ft to \_\_\_\_\_ ft

Screens     Yes     No     K Pac Location 116  
 Manufacturer's Name JOHNSON  
 Type STAINLESS    Model No \_\_\_\_\_  
 Diam 6    Slot Size 012 from 117 ft to 122 ft  
 Diam \_\_\_\_\_    Slot Size \_\_\_\_\_ from \_\_\_\_\_ ft to \_\_\_\_\_ ft

Gravel/Filter packed     Yes     No    Size of gravel/sand \_\_\_\_\_  
 Material placed from \_\_\_\_\_ ft to \_\_\_\_\_ ft

Surface seal     Yes     No    To what depth? 18 ft  
 Material used in seal BENTONITE  
 Did any strata contain unusable water?     Yes     No  
 Type of water? \_\_\_\_\_    Depth of strata \_\_\_\_\_  
 Method of sealing strata off \_\_\_\_\_

(7) PUMP Manufacturer's Name \_\_\_\_\_  
 Type \_\_\_\_\_ HP \_\_\_\_\_

(8) WATER LEVELS Land surface elevation above mean sea level: \_\_\_\_\_ ft  
 Static level 100 ft below top of well    Date 6/14/02  
 Artesian pressure \_\_\_\_\_ lbs per square inch    Date \_\_\_\_\_  
 Artesian water is controlled by \_\_\_\_\_  
 (Cap valve etc)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
 Was a pump test made?     Yes     No    If yes by whom? \_\_\_\_\_  
 Yield \_\_\_\_\_ gal/min with \_\_\_\_\_ ft drawdown after \_\_\_\_\_ hrs  
 Yield \_\_\_\_\_ gal/min with \_\_\_\_\_ ft drawdown after \_\_\_\_\_ hrs  
 Yield \_\_\_\_\_ gal/min with \_\_\_\_\_ ft drawdown after \_\_\_\_\_ hrs  
 Recovery data (Time taken as zero when pump turned off) (water level measured from well top to water level)  

Time	Water Level	Time	Water Level	Time	Water Level

 Date of test \_\_\_\_\_  
 Bailor test 7 1/2 gal/min with 1 ft drawdown after 1 hrs  
 Airtest \_\_\_\_\_ gal/min with \_\_\_\_\_ ft drawdown after \_\_\_\_\_ hrs  
 Artesian flow \_\_\_\_\_ gpm    Date \_\_\_\_\_  
 Temperature of water \_\_\_\_\_    Was a chemical analysis made?     Yes     No

(10) WELL LOG or DECOMMISSIONING PROCEDURE DESCRIPTION  
 Formation Describe by color character size of material and structure and the kind and nature of the material in each stratum penetrated with at least one entry for each change of information indicate all water encountered

MATERIAL	FROM	TO
DEEPEMED FROM		
82' TO 122'		
INSTALLED SURFACE SEAL TO 18'		
FORMATION LOG FOR THE FIRST 82 AN FEET		
BROWN GRAVELLY HP	0	65
BROWN CLAYED SAND	65	100
BROWN SAND & SMALL GRAVEL	100	122

RECEIVED  
JUL 09 2002  
DEPT OF ECOLOGY

Work Started 6/10/02 Completed 6/14/02

**WELL CONSTRUCTION CERTIFICATION**  
 I constructed and/or accept responsibility for construction of this well and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief  
 Type or Print Name W JOHNSON License No 0220  
 (Licensed Driller/Engineer)  
 Trainee Name \_\_\_\_\_ License No \_\_\_\_\_  
 Drilling Company STATEWIDE DRILLING  
 (Signed) [Signature] License No 0220  
 (Licensed Driller/Engineer)  
 Address 1373 MERCON WAYS KENTON  
 Contractor's Registration No STATE 0136126 Date 6/13/02

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs contact the Water Resources Program at (360) 407-6800. The TDD number is (360) 407-6006

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.



The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

File Original with Department of Ecology

Study Reference ID: 58

# WATER WELL REPORT

STATE OF WASHINGTON

Notice of Intent: W119279  
UNIQUE WELL ID #: AAW 576

Water Right Permit No. \_\_\_\_\_

(1) OWNER: Name ADAM MELANAK Address 417 E Pine St 302 Seattle  
(2) LOCATION OF WELL: County KING SE 1/4 SE 1/4 Sec 35 T 23 N R 2E WM  
(2a) STREET ADDRESS OF WELL: (or nearest address) \_\_\_\_\_  
TAX PARCEL NO. 23-2E-35R

(3) PROPOSED USE:  Domestic  Industrial  Municipal  
 Irrigation  Test Well  Other  
 DeWater

(4) TYPE OF WORK: Owner's Number of well (if more than one) \_\_\_\_\_  
 New Well Method:  Dug  Bored  
 Deepened  Cable  Driven  
 Reconditioned  Rotary  Jetted  
 Decommission

(5) DIMENSIONS: Diameter of well 6 inches  
Drilled 401 feet. Depth of completed well 401 ft.

(6) CONSTRUCTION DETAILS  
Casing installed:  Welded 6 ft. Diam. from 0 ft. to 396 ft.  
 Liner installed \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Threaded \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations:  Yes  No  
Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens:  Yes  No  N-Pac Location 375  
Manufacturer's Name JOHN  
Type STAINLESS Model No. \_\_\_\_\_  
Diam. 6 Slot Size 010 from 396 ft. to 401 ft.  
Diam. \_\_\_\_\_ Slot Size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel/Filler placed:  Yes  No  Size of gravel/sand \_\_\_\_\_  
Material placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal:  Yes  No To what depth? 18 ft.  
Material used in seal BRITNITE  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P.

(8) WATER LEVEL: Land surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 225 ft. below top of well Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_  
(Cap. Valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  
Time Water Level Time Water Level Time Water Level  
\_\_\_\_\_  
Date of test \_\_\_\_\_  
Baker test 10 gal./min. with 8 ft. drawdown after 2 hrs.  
Airtest \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

(10) WELL LOG or DECOMMISSIONING PROCEDURE DESCRIPTION  
Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. Indicate all water encountered

MATERIAL	FROM	TO
<u>BROWN H.P.</u>	<u>0</u>	<u>120</u>
<u>GRAY CLAY</u>	<u>120</u>	<u>243</u>
<u>GRAY CLAY &amp; COARSE</u>	<u>243</u>	<u>285</u>
<u>LOOSE GRAVEL</u>	<u>285</u>	<u>302.30</u>

RECEIVED  
MAR 8 - 2000  
NEWRO - 2000  
DEPT. OF ECOLOGY - CIR

Work Started 12/20/99 Completed 12/28/99

WELL CONSTRUCTION CERTIFICATION  
I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief  
Type or Print Name JOHNSON License No. 0220  
(Licensed Driller/Engineer)  
Trinee Name \_\_\_\_\_ License No. \_\_\_\_\_  
Drilling Company STAINLESS  
(Signed) JOHNSON License No. 0220  
(Licensed Driller/Engineer)  
Address 1333 BROWN WAY S. RENTON  
Contractor's Registration No. STAINLESS Date 1/1/2000  
(USE ADDITIONAL SHEETS IF NECESSARY)



The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.



# Water Well Report

Original - Ecology, 1st copy - owner, 2nd copy - driller

## Construction/Decommission

Construction  Decommission **185591**  
ORIGINAL INSTALLATION Notice of Intent Number \_\_\_\_\_

**PROPOSED USE:**  Domestic  Industrial  Municipal  DeWater  Irrigation  Test Well  Other \_\_\_\_\_

**TYPE OF WORK:** Owner's number of well (if more than one) \_\_\_\_\_  
 New well  Reconditioned  Deepened Method:  Dug  Bored  Driven  Cable  Rotary  Jetted

**DIMENSIONS:** Diameter of well 6 inches, drilled 170 ft.  
 Depth of completed well 170 ft.

**CONSTRUCTION DETAILS**  
 Casing  Welded 6" Diam. from 0 ft. to 165 ft.  
 Installed:  Liner installed \_\_\_\_\_" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Threaded \_\_\_\_\_" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations:  Yes  No  
 Type of perforator used \_\_\_\_\_  
 SIZE of perfs \_\_\_\_\_ in. by \_\_\_\_\_ in. and no. of perfs \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens:  Yes  No  K-Pac Location 164  
 Manufacturer's Name JOHNSON  
 Type STAINLESS Model No. \_\_\_\_\_  
 Diam. 6 Slot size 0.12 from 165 ft. to 170 ft.  
 Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel/Filter packed:  Yes  No  Size of gravel/sand \_\_\_\_\_  
 Materials placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface Seal:  Yes  No To what depth? 40 ft.  
 Material used in seal BENTONITE  
 Did any strata contain unusable water?  Yes  No  
 Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
 Method of sealing strata off \_\_\_\_\_

**PUMP:** Manufacturer's Name \_\_\_\_\_  
 Type: \_\_\_\_\_ H.P. \_\_\_\_\_

**WATER LEVELS:** Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
 Static level 155 ft. below top of well Date 10/20/05  
 Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
 Artesian water is controlled by \_\_\_\_\_ (cap, valve, etc.)

**WELL TESTS:** Drawdown is amount water level is lowered below static level  
 Was a pump test made?  Yes  No If yes, by whom? \_\_\_\_\_  
 Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test \_\_\_\_\_  
 Bailer test 7 1/2 gal./min. with 1 ft. drawdown after 1 hrs.  
 Airtest \_\_\_\_\_ gal./min. with stem set at \_\_\_\_\_ ft. for \_\_\_\_\_ hrs.  
 Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
 Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

## Current

Notice of Intent No. W 230556  
 Unique Ecology Well ID Tag No. ATH 115  
 Water Right Permit No. \_\_\_\_\_  
 Property Owner Name CINDY YOUNG  
 Well Street Address 12458 S.W. 184th  
 City WASHON County KING  
 Location SE 1/4-1/4 NW 1/4 Sec 36 Twn 23 R 02  EWM or WWM  circle one  
 Lat/Long (s, t, r) \_\_\_\_\_ Lat Deg \_\_\_\_\_ Lat Min/Sec \_\_\_\_\_  
 still REQUIRED ) Long Deg \_\_\_\_\_ Long Min/Sec \_\_\_\_\_  
 Tax Parcel No. 362302-9067

## CONSTRUCTION OR DECOMMISSION PROCEDURE

Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information indicate all water encountered. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
BROWN CLAYBY H.P.	0	65
GRAY CLAY	65	75
BROWN SANDY H.P.	75	160
BROWN SAND	160	165
GRAY SAND	165	170

RECEIVED

NOV 15 2005

DEPT OF ECOLOGY

Start Date 10/18/05 Completed Date 10/20/05

**WELL CONSTRUCTION CERTIFICATION:** I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller/Engineer/Trainee Name (Print) L JOHNSON  
 Driller/Engineer/Trainee Signature [Signature]  
 Driller or trainee License No. 0220

Drilling Company STATEWIDE DRILLING  
 Address 1333 BENTON WAY S.  
 City, State, Zip BENTON, WA 98057

**IF TRAINEE.**  
 Driller's Licensed No. \_\_\_\_\_  
 Driller's Signature \_\_\_\_\_

Contractor's  
 Registration No. STATEDEC13686 Date 10/23/05  
 Ecology is an Equal Opportunity Employer. ECY 050-1-20 (Rev 2/03)





## **APPENDIX I.2**

### **Hearing Examiner Report**

September 18, 2009

**OFFICE OF THE HEARING EXAMINER  
KING COUNTY, WASHINGTON**

400 Yesler Way, Room 404  
Seattle, Washington 98104  
Telephone (206) 296-4660  
Facsimile (206) 296-1654  
Email [hearingexaminer@kingcounty.gov](mailto:hearingexaminer@kingcounty.gov)

**REPORT AND DECISION**

SUBJECT: Department of Development and Environmental Services File No. **E0401064**

**FRANK ZELLERHOFF, SR., FRANK ZELLERHOFF, JR. AND  
ZELLERHOFF CONSTRUCTION, INC.**  
Code Enforcement Appeal

Location: 12726 SW Cemetery Road, Vashon Island

Appellants: **Frank Zellerhoff, Sr., Frank Zellerhoff Jr. and Zellerhoff Construction, Inc.**  
10120 SW 260th Street  
Vashon, Washington 98070  
Email: [zellerhoff@centurytel.net](mailto:zellerhoff@centurytel.net)

King County: Department of Development and Environmental Services (DDES)  
*represented by Sheryl Lux*  
900 Oakesdale Avenue Southwest  
Renton, Washington 98055-1219  
Telephone: (206) 205-1525  
Facsimile: (206) 296-6604  
Email: [sherly.lux@kingcounty.gov](mailto:sherly.lux@kingcounty.gov)

SUMMARY OF RECOMMENDATIONS/DECISION:

Department's Preliminary Recommendation:	Deny, with revised compliance schedule
Department's Final Recommendation:	Deny, with further revised compliance schedule
Examiner's Decision:	Deny, with further revised compliance schedule

EXAMINER PROCEEDINGS:

The hearing originally scheduled for June 14, 2006 was continued on call without being convened, in order to afford the Appellants time to seek a legislative remedy.

Hearing opened:	September 3, 2009
Hearing closed:	September 3, 2009

Participants at the public hearing and the exhibits offered and entered are listed in the attached minutes. A verbatim recording of the hearing is available in the office of the King County Hearing Examiner.

FINDINGS, CONCLUSIONS & DECISION: Having reviewed the record in this matter, the Examiner now makes and enters the following:

FINDINGS OF FACT:

1. On April 7, 2006, the King County Department of Development and Environmental Services (DDES) issued a code enforcement Notice and Order to the Appellants, finding a violation of county code on the premises of 12726 SW Cemetery Road on unincorporated Vashon Island. The property is zoned Rural Area-5 (RA-5). The Notice and Order cited the Appellants and the property with the following violation of county code:

- A. Operation of a construction business and/or materials processing facility (citing KCC 21A.06.247 and 21A.06.742).

Compliance was required by the Notice and Order to be performed by cessation of the cited business activities on the property and removal of all associated stored materials and vehicles by August 6, 2006.

2. The Appellants filed an appeal of the Notice and Order. The appeal does not contest the basic finding of violation, but notes the longstanding nature of the construction and materials processing operation on the site (since several years prior to 1992), and asserts the unsuitability of the property for residential use. The Appellants requested a stay of enforcement of the Notice and Order to enable the Appellants to pursue a legislative remedy to legitimize the use on the property. An on-call continuance was granted by the Examiner on May 16, 2006 at the mutual request of the parties. The matter later came on for hearing on September 3, 2009.
3. The Appellants' commercial use onsite occupies a structure which was erected under a building permit issued for a "detached barn" stated to be for agricultural purposes and obtained in or around 1991. This structural development occurred prior to Appellants' purchase of the property.
4. Appellant Frank Zellerhoff, Jr. testified that he was not aware that the structure was developed as an agricultural building, and that it was in use as a welding shop when the Appellants purchased the property. The Appellants were unaware of the misleading auspices of the permit obtainment and/or unpermitted conversion of the use of the building. The Appellants thus constitute innocent purchasers of the violating land use situation on the property.
5. Although the Appellants note that the business has been onsite for approximately two decades, no claim is made that there exists a right to operate the construction and materials processing business onsite as a nonconforming use.
6. A remedy cited by the Appellants in their appeal to be pursued for legitimizing the use is a rezone. A curative rezoning of the property has not been obtained. A pertinent legislative amendment to the zoning code was enacted under Ordinance 16028 effective March 20, 2008, amending KCC 21A.08.080 to allow construction business and materials processing in the RA zones under specified conditions. However, if the property size is less than 10 acres, a conditional use permit is required. As the subject property is 5.62 acres in area, a conditional use permit is required for the construction business and materials processing use of the property.



7. The Appellants have been unable to meet prerequisites for a conditional use permit application, particularly onsite sanitation approval from the Health Department with a legal source of water.
8. Obtaining a legal source of water for the property has been problematic. First, drilling an onsite well would not provide a legal source because the property's direct adjacency to a King County solid waste landfill (directly abutting to the north) encumbers it with a regulatory 1,000 foot well prohibition radius from the landfill boundary, which radius encompasses the entirety of the subject property. The possibility of obtaining water via an adjacent property outside of the 1,000 foot radius under a joint-use Class B water system has been pursued but has not proved fruitful. The only other apparent source of water would be service by Water District No. 19, which agency's distribution system is three miles distant and which also has a waiting list of over 100 prospective customers with a minimum five-year wait.
9. The Appellants claimed at hearing, though not in a timely fashion in the statement of appeal, that when the Appellants' business was first located on the property, DDES personnel were aware of its having located onsite.
10. DDES has made a *prima facie* case that a construction business/materials processing use is operated on the property in violation of basic zoning regulations under King County code.
11. At hearing, DDES recommended a three-month compliance period, necessitating removal of the business operation from the property to bring it into compliance.
12. DDES testified that it was not aware of any particular hazards associated with the unpermitted operation.

#### CONCLUSIONS:

1. The Appellants' untimely assertion that the County was long aware of their business occupancy of the property is an intimation of a claim of tacit acceptance, tantamount to a claim of *equitable estoppel, i.e.*, that the County is barred from enforcement because of such tacit acceptance.
2. The *estoppel* issue was not timely raised in the appeal, so it cannot be considered as an actionable appeal claim. The Examiner notes, however, that in any case the Examiner has no authority to grant equitable relief based on assertedly improper or unfair administration of the code enforcement and permit processes. The Examiner is generally limited to applying law duly enacted by statute, ordinance and rule, or set forth in case law, and has no authority to adjudicate common law issues such as claims in equity. Equity claims would instead have to be brought in a court of general jurisdiction, the Superior Court. [*Chaussee v. Snohomish County*, 38 Wn. App. 630, 689 P.2d 1084 (1984)]
3. Given the facts found above of the Appellants' innocent purchaser status, they are not subject to penalties for the found violation. As successor property owners, however, they are fully responsible for correcting the violation and bringing the property into code compliance. If compliance is not performed by the property owners, the County is empowered to initiate abatement to achieve such compliance, with the power to assign reasonable abatement costs to the property. [KCC 23.02.130.B]

4. As the construction business/materials processing use was during its tenure onsite first a use completely unpermitted in the RA-5-zoned site, and now required to have a conditional use permit, and no such permit has been obtained, the land use violation stated in the Notice and Order is correct and therefore sustained.
5. The property must be brought into compliance. As noted, DDES has recommended a three-month (90 days) period for correction, which runs into the rainy season and seasonal holiday period and makes a business relocation somewhat problematic. In the absence of any known hazard associated with the land use on the property, a three-month time period is also unreasonably short. (The Examiner also notes that the Notice and Order had established a four-month compliance deadline.)
6. The Examiner finds in these circumstances that a one-year timeframe for relocation is more appropriate. This will provide a reasonable amount of time for the relocation of the business to another suitable property with relocation occurring during a more favorable season and, as importantly, will allow the Appellants some additional time to continue to seek some remedy which may allow the operation to remain onsite. With the caveat that the reader should not take the following recitation as an exhaustive list, remedies may take the form of a rezone, a legislative amendment to the minimum acreage threshold for lifting of the conditional use permit requirement, a variance to the acreage limitation or even an alternative water source.
7. The outlook for any of those alternatives seems somewhat bleak at present, and the parties should be careful to note that the Examiner's recitation of possible alternatives should not be taken by any means as suggesting the possibility of approval of any or all of them. Particularly, the parties should take note that the Examiner makes no prejudicial judgment regarding the likelihood of approval of a variance.

#### DECISION:

The Notice and Order is sustained, and the appeal DENIED, provided that the COMPLIANCE SCHEDULE is REVISED as stated in the following order.

#### ORDER:

1. Unless a legal remedy is obtained to allow the subject construction business/materials processing use to remain on the property in conformity with newly applicable regulations and/or some legally effective form of regulatory relief, the operation shall be ceased and the land use and all associated equipment/materials/vehicles/storage, etc., shall be removed in their entirety from the property *by no later than September 20, 2010*.
2. DDES is authorized to grant deadline extensions of the above requirement if warranted, in DDES's sole judgment, by circumstances beyond the Appellants' diligent effort and control.
3. No fines or penalties shall be assessed by DDES against the Appellants and/or the property with respect to the violation cited in the Notice and Order. Correction is still required, however, to bring the property in compliance with the land use regulations of the zoning code. The County is empowered to initiate abatement to achieve compliance if necessary. In such case reasonable abatement costs may be chargeable to the property as provided by county code.

ORDERED September 18, 2009.

---

Peter T. Donahue  
King County Hearing Examiner

**NOTICE OF RIGHT TO APPEAL**

The Examiner's decision shall be final and conclusive unless proceedings for review of the decision are properly commenced in Superior Court within twenty-one (21) days of issuance of the Examiner's decision. (The Land Use Petition Act defines the date on which a land use decision is issued by the Hearing Examiner as three days after a written decision is mailed.)

MINUTES OF THE SEPTEMBER 3, 2009, PUBLIC HEARING ON DEPARTMENT OF DEVELOPMENT AND ENVIRONMENTAL SERVICES FILE NO. E0401064

Peter T. Donahue was the Hearing Examiner in this matter. Participating in the hearing were Sheryl Lux representing the Department and Frank Zellerhoff, Jr., one of the Appellants.

The following Exhibits were offered and entered into the record:

- Exhibit No. 1 Department of Development and Environmental Services (DDES) staff report to the Hearing Examiner for E0401064
- Exhibit No. 2 Copy of the Notice & Order issued April 7, 2006
- Exhibit No. 3 Copy of the Notice and Statement of Appeal received April 21, 2006
- Exhibit No. 4 Copies of codes cited in the Notice & Order
- Exhibit No. 5 Copy of amended KCC 21A.08.080
- Exhibit No. 6 2007 aerial of property from GIS
- Exhibit No. 7 Color photographs of property taken by Sheryl Lux on January 26, 2006
- Exhibit No. 8 Aerial of property taken September 3, 1989
- Exhibit No. 9 Aerial of exh. 8 blown up

PTD:gao  
E0401064 RPT

## **APPENDIX I.3**

### **Water Right Claims for Study Reference ID 68**

State of Washington  
Department of Ecology



RECEIVED  
DEPARTMENT OF ECOLOGY

JUN 26 1974  
CASH \_\_\_\_\_ OTHER \_\_\_\_\_ NONE \_\_\_\_\_

Water Right Claims Registration

# Water Right Claim

Name WILLIAM PETER GERRIOD

15

Address RT TWO BOX 199

VASHON WA. Zip Code 98070

Phone No. 463-9092

1) Source from which the right to take and make use of water is claimed:  Surface Water  Ground Water

If surface water, please indicate source; give name if known:

UNAMED SPRING HEADWATERS TO JUDD CREEK  
(River, stream, lake, pond, spring, etc.)

2) Purpose(s) for which water is used:

Domestic  Stockwatering  Irrigation (lawn and garden)  Other Use (specify) \_\_\_\_\_

3) Legal description of lands on which water is used: ALL OF THE WEST HALF

OF THE SOUTHEAST QUARTER OF THE NORTHWEST  
QUARTER OF SECTION 1, TOWNSHIP 22 NORTH  
RANGE 2 EAST WM IN KING COUNTY WA.

If located within the limits of a recorded platted property:

Lot \_\_\_\_\_ Block \_\_\_\_\_ of \_\_\_\_\_

(Give name of plat or addition)

In addition, please indicate Sec. 1 T. 22 N. R. 2  E/W, W.M.

County in which lands are located KING COUNTY

### DO NOT USE THIS SPACE

The filing of a statement of claim does not constitute an adjudication of any claim to the right to use of waters as between the water use claimant and the state or as between one or more use claimants and another or others. This acknowledgment constitutes receipt for the filing fee.

Date Registered \_\_\_\_\_ This has been assigned Water Right Claim Registry No. \_\_\_\_\_

FEB 26 1974 132574

Director, Department of Ecology

I hereby swear that the above information is true and accurate to the best of my knowledge and belief.

X W-P Gerriod

Date 6-21-74

If claim filed by designated representative print or type full name and mailing address of agent below.

Additional information relating to water quality and/or well construction is available.

ORIGINAL DOE

**A FEE OF \$2.00 MUST ACCOMPANY THIS WATER RIGHT CLAIM**

Return all three copies with carbons intact, along with your fee to:  
Department of Ecology, Water Right Claims Registration, Olympia, Washington 98504



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY  
WATER RIGHT CLAIMS REGISTRATION

**WATER RIGHT CLAIM**

RECEIVED  
DEPARTMENT OF ECOLOGY  
JUN 30 74 168433  
CASH OTHER NONE

1. NAME William Peter Gerrior  
ADDRESS RT TWO BOX 199  
VASHON ISL VASHON WA ZIP CODE 98070

2. SOURCE FROM WHICH THE RIGHT TO TAKE AND MAKE USE OF WATER IS CLAIMED: GROUND  
(SURFACE OR GROUND WATER)  
W.R.I.A. 15  
(LEAVE BLANK)

A. IF GROUND WATER, THE SOURCE IS WELL

B. IF SURFACE WATER, THE SOURCE IS \_\_\_\_\_

3. THE QUANTITIES OF WATER AND TIMES OF USE CLAIMED:

A. QUANTITY OF WATER CLAIMED 20 G.P.M. PRESENTLY USED 20 ~~20~~ G.P.M.  
(CUBIC FEET PER SECOND OR GALLONS PER MINUTE)

B. ANNUAL QUANTITY CLAIMED 1.6 A.F./YR PRESENTLY USED .452 A.F./YR  
(ACRE FEET PER YEAR)

C. IF FOR IRRIGATION, ACRES CLAIMED 5 1/2 PRESENTLY IRRIGATED 1/2

D. TIME(S) DURING EACH YEAR WHEN WATER IS USED: ALL YEAR DAILY

4. DATE OF FIRST PUTTING WATER TO USE: MONTH JAN YEAR 1974

5. LOCATION OF THE POINT(S) OF DIVERSION/WITHDRAWAL \_\_\_\_\_ FEET \_\_\_\_\_ AND \_\_\_\_\_  
FEET \_\_\_\_\_ FROM THE \_\_\_\_\_ CORNER OF SECTION \_\_\_\_\_  
BEING WITHIN \_\_\_\_\_ OF SECTION 1 T. 22 N., R. 2E (W.M.) W.M.  
IF THIS IS WITHIN THE LIMITS OF A RECORDED PLATTED PROPERTY, LOT \_\_\_\_\_ BLOCK \_\_\_\_\_ OF \_\_\_\_\_

(GIVE NAME OF PLAT OR ADDITION)

6. LEGAL DESCRIPTION OF LANDS ON WHICH THE WATER IS USED: ALL OF THE WEST HALF  
OF THE SOUTHEAST QUARTER OF THE NORTHWEST QUARTER OF  
SECTION 1, TOWN SHIP 22 NORTH RANGE 2 EAST, W1/4, IN  
KING COUNTY, WA

COUNTY KING

7. PURPOSE(S) FOR WHICH WATER IS USED: DOMESTIC LIVESTOCK

8. THE LEGAL DOCTRINE(S) UPON WHICH THE RIGHT OF CLAIM IS BASED: APPROPRIATION

**DO NOT USE THIS SPACE**

THE FILING OF A STATEMENT OF CLAIM DOES NOT CONSTITUTE AN ADJUDICATION OF ANY CLAIM TO THE RIGHT TO USE OF WATERS AS BETWEEN THE WATER USE CLAIMANT AND THE STATE OR AS BETWEEN ONE OR MORE WATER USE CLAIMANTS AND ANOTHER OR OTHERS. THIS ACKNOWLEDGEMENT CONSTITUTES RECEIPT FOR THE FILING FEE.

DATE RETURNED \_\_\_\_\_ THIS HAS BEEN ASSIGNED  
WATER RIGHT CLAIM REGISTRY NO. \_\_\_\_\_

1475142225

*John King*

DIRECTOR - DEPARTMENT OF ECOLOGY

I HEREBY SWEAR THAT THE ABOVE INFORMATION IS TRUE AND ACCURATE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

X W.P. Gerrior

DATE 6-22-74

IF CLAIM FILED BY DESIGNATED REPRESENTATIVE, PRINT OR TYPE FULL NAME AND MAILING ADDRESS OF AGENT BELOW

ADDITIONAL INFORMATION RELATING TO WATER QUALITY AND/OR WELL CONSTRUCTION IS AVAILABLE.

A FEE OF \$2.00 MUST ACCOMPANY THIS WATER RIGHT CLAIM.

RETURN ALL THREE COPIES WITH CARBONS INTACT, ALONG WITH YOUR FEE TO:  
DEPARTMENT OF ECOLOGY  
WATER RIGHT CLAIMS REGISTRATION  
OLYMPIA, WASHINGTON 98504

ORIGINAL DWR

Ref 68

State of Washington  
Department of Ecology



RECEIVED  
DEPARTMENT OF ECOLOGY

JUN 18 74 175484

CASH        OTHER        NONE       

15

Water Right Claims Registration

# Water Right Claim

Name RICHARD E. PAULSEN

Address RT 2 Box 200

WASHON, WA Zip Code 98070

Phone No. 463-3242

1) Source from which the right to take and make use of water is claimed:  Surface Water  Ground Water

If surface water, please indicate source; give name if known:

SURFACE WATER JUD CREEK

(River, stream, lake, pond, spring, etc.)

2) Purpose(s) for which water is used: GROUND WATER

Domestic  Stockwatering  Irrigation (lawn and garden)  Other Use (specify) \_\_\_\_\_

3) Legal description of lands on which water is used: THE EAST HALF OF THE EAST HALF OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER; EXCEPT THE NORTH 30 FEET FOR ROAD; AND THAT PORTION OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF THE NORTHWEST QUARTER OF THE NORTHWEST QUARTER LYING SOUTHEASTERLY OF COUNTY ROAD; ALL IN SECT. 1, TOWNSHIP 22 NORTH, RANGE 2 EAST, W.M., IN KING COUNTY WASHINGTON.

If located within the limits of a recorded platted property:

Lot \_\_\_\_\_ Block \_\_\_\_\_ of \_\_\_\_\_ (Give name of plat or addition)

In addition, please indicate Sec. 1 T. 22 N., R. 2E E. 2 W.M.

County in which lands are located KING

### DO NOT USE THIS SPACE

The filing of a statement of claim does not constitute an adjudication of any claim to the right to use of waters as between the water use claimant and the state or as between one or more use claimants and another or others. This acknowledgment constitutes receipt for the filing fee.

Date Registered \_\_\_\_\_ This has been assigned Water Right Claim Registry No.

**200359**

Director, Department of Ecology

I hereby swear that the above information is true and accurate to the best of my knowledge and belief.

X Richard E. Paulsen

Date June 17th 1974

If claim filed by designated representative print or type full name and mailing address of agent below.

Additional information relating to water quality and/or well construction is available.

A FEE OF \$2.00 MUST ACCOMPANY THIS WATER RIGHT CLAIM

ORIGINAL DOE

Return all three copies with carbons intact, along with your fee to:  
Department of Ecology, Water Right Claims Registration, Olympia, Washington 98504

Ref 68

State of Washington Department of Ecology



RECEIVED DEPARTMENT OF ECOLOGY JUN 18 11 17 54 84 CASH OTHER NONE

Water Right Claims Registration

Water Right Claim

Name RICHARD E. PAULSEN

Address RT 2 Box 200

VASHON Zip Code 98070

Phone No. 463-3242

1) Source from which the right to take and make use of water is claimed: [X] Surface Water [X] Ground Water

If surface water, please indicate source; give name if known:

SURFACE WATER JUD CREEK

(River, stream, lake, pond, spring, etc.)

2) Purpose(s) for which water is used: GROUND WATER

[X] Domestic [X] Stockwatering [X] Irrigation (lawn and garden) [ ] Other Use (specify)

3) Legal description of lands on which water is used: THE EAST HALF OF THE EAST HALF OF THE SOUTHWEST QUARTER OF THE NORTH EAST QUARTER; EXCEPT THE NORTH 30 FEET FOR ROAD; AND THAT PORTION OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF THE NORTH WEST QUARTER OF THE NORTHWEST QUARTER LYING SOUTHEASTERLY OF COUNTY ROAD; ALL IN SECT. 1, TOWNSHIP 22 NORTH, RANGE 2 EAST, W.M., IN KING COUNTY WASHINGTON.

If located within the limits of a recorded platted property:

Lot \_\_\_\_\_ Block \_\_\_\_\_ of \_\_\_\_\_ (Give name of plat or addition)

In addition, please indicate Sec. 1 T. 22 N., R. 2E E.W.M.

County in which lands are located KING

DO NOT USE THIS SPACE

The filing of a statement of claim does not constitute an adjudication of any claim to the right to use of waters as between the water use claimant and the state or as between one or more use claimants and another or others. This acknowledgment constitutes receipt for the filing fee.

Date Registered This has been assigned Water Right Claim Registry No.

200359

Director, Department of Ecology

I hereby swear that the above information is true and accurate to the best of my knowledge and belief.

[X] Richard E. Paulsen

Date June 17th 1984

If claim filed by designated representative print or type full name and mailing address of agent below.

[ ] Additional information relating to water quality and/or well construction is available.

A FEE OF \$2.00 MUST ACCOMPANY THIS WATER RIGHT CLAIM

Return all three copies with carbons intact, along with your fee to: Department of Ecology, Water Right Claims Registration, Olympia, Washington 98504

DP COPY