




www.CRAworld.com



Groundwater Monitoring Report – First Quarter 2014

Phillips 66 Renton Terminal
2423 Lind Avenue Southwest
Renton, Washington

Conestoga-Rovers & Associates

20818 44th Ave. West, Suite 190
Lynnwood, Washington 98036

August 2014 • 070496 • Report No. 35





www.CRAworld.com

Groundwater Monitoring Report – First Quarter 2014

Phillips 66 Renton Terminal
2423 Lind Avenue Southwest
Renton, Washington

Agreed Order No. DE 7882
Agency No. 2070

Matthew Davis, LG

Ed Turner, LG

Conestoga-Rovers & Associates

20818 44th Avenue West, Suite 190
Lynnwood, Washington 98036

Table of Contents

		Page
Section 1.0	Introduction.....	1
Section 2.0	Field Activities.....	1
2.1	Hydraulic Monitoring.....	1
2.2	Groundwater Sampling.....	1
2.3	Investigation Derived Waste.....	2
Section 3.0	Results.....	2
3.1	Groundwater Elevation and LNAPL Thickness Data	2
3.1.1	Shallow Well Elevation Data	3
3.1.2	Intermediate Well Elevation Data.....	3
3.1.3	Deep Well Elevation Data.....	3
3.1.4	Vertical Hydraulic Gradients	3
3.1.5	LNAPL Thicknesses	4
3.2	Groundwater Quality Data.....	4
Section 4.0	Conclusions and Recommendations.....	6

List of Figures (Following Text)

Figure 1	Vicinity Map
Figure 2	Site Plan
Figure 3	Groundwater Elevation Contours – Shallow Wells (February 2014)
Figure 4	Groundwater Elevation Contours – Intermediate Wells (February 2014)
Figure 5	Groundwater Elevation Contours – Deep Wells (February 2014)
Figure 6	Site Plan with Groundwater Analytical Results (February 2014)
Figure 7	Site Plan with Additional Groundwater Analytical Results (February 2014)
Figure 8	TPH-G Isoconcentration Contours (February 2014)

Figure 9	TPH-D Isoconcentration Contours (February 2014)
Figure 10	Benzene Isoconcentration Contours (February 2014)

**List of Tables
(Following Text)**

Table 1	Hydraulic and Water Quality Monitoring Wells
Table 2	Groundwater Elevation Data
Table 3	Groundwater Analytical Data
Table 4	Additional Groundwater Analytical Data

List of Appendices

Appendix A	Hydraulic Monitoring Field Data
Appendix B	February 2014 Data Validation and Laboratory Analytical Reports
Appendix C	Vertical Gradient Calculations
Appendix D	Concentration Versus Time Plots

Section 1.0 Introduction

This groundwater monitoring report summarizes the field activities and results of the first quarter 2014 groundwater monitoring at the Phillips 66 Renton Terminal (the Terminal) located at 2423 Lind Avenue Southwest, Renton, Washington. On August 5, 2010 ExxonMobil Oil Corporation, ConocoPhillips (now Phillips 66 Company) Risk Management and Remediation, and The Washington State Department of Ecology (Ecology) entered into an Agreed Order (Order No. DE 7882) regarding the assessment and monitoring of groundwater impacts beneath the Terminal. Quarterly groundwater monitoring is required in the Agreed Order to assist in the determination of a final remedial action and to assess the performance of the existing remediation systems.

A vicinity map is presented as Figure 1 and a site plan is presented as Figure 2. Groundwater monitoring activities were completed in accordance with the site's Compliance Monitoring Plan (CMP) and the site-specific Health and Safety Plan (HASP).

Section 2.0 Field Activities

2.1 Hydraulic Monitoring

First quarter 2014 hydraulic monitoring activities were completed on February 14, 2014. Hydraulic monitoring activities consisted of measuring and recording depth to LNAPL, if present, and depth to groundwater from below the top of the well casing for 83 wells and 6 surface water locations. Hydraulic monitoring activities were conducted with the remediation systems on and in accordance with the procedures outlined in Section 2.0 of the groundwater monitoring sampling and analysis plan (SAP) provided as an addendum to the Agreed Order. Wells used in the hydraulic monitoring are presented on Table 1. A copy of the field data sheet documenting the hydraulic monitoring data is presented in Appendix A.

2.2 Groundwater Sampling

Groundwater sampling activities were completed between February 3, 2014 and February 13, 2014. Groundwater samples were collected from 60 wells using low-flow sampling procedures when possible. Wells used in the groundwater quality monitoring are presented on Table 1. In addition to the groundwater samples, two field duplicates and two matrix spike and matrix spike duplicate (MS/MSD) samples were collected for quality assurance purposes. Trip blanks provided by the subcontracting laboratory were included in each cooler. Samples collected during the event were placed immediately on ice and transported to Pace Analytical Laboratories via courier under chain of custody. Sample analyses included total petroleum hydrocarbons (TPH) in the gasoline range (TPHg) per Ecology Method NWTPH-Gx;

TPH in the diesel (TPHd) and oil (TPHo) ranges per Ecology Method NWTPH-Dx; benzene, toluene, ethylbenzene, xylene (BTEX), and methyl tertiary butyl ether (MTBE) per EPA Method 8260b. In addition, samples collected from select wells, based on historical data, were analyzed for the full list of volatile organic compounds (VOCs) per EPA Method 8260, polycyclic aromatic hydrocarbons (PAHs) per EPA Method 8270, and total lead and arsenic per EPA Method 6020.

The wells that received additional analyses are listed on Table 1. The laboratory data has been reviewed by a CRA chemist and the data was found to exhibit acceptable levels of accuracy and precision. The CRA data validation report is included in Appendix B.

2.3 Investigation Derived Waste

All investigation derived waste (IDW) including purge water and decontamination water was processed through the onsite groundwater treatment system before discharge to the sanitary sewer system under King County discharge authorization No. 4057-02.

All disposable PPE and bailers were properly decontaminated and placed in the garbage for disposal.

Section 3.0 Results

3.1 Groundwater Elevation and LNAPL Thickness Data

The purpose of the hydraulic monitoring is to evaluate groundwater flow direction(s) and gradient(s) and to monitor the presence and changing thicknesses of LNAPL on the water table. Both onsite remediation systems were operating during the hydraulic monitoring. Current groundwater elevation data and LNAPL thicknesses are presented on Table 2.

Groundwater flow direction(s) and gradient(s) are evaluated using groundwater elevation contours. Monitoring wells are grouped for evaluation based on screened intervals. The wells are grouped as follows:

- Shallow – Wells screened in the fill material in the top 10 feet below ground surface (bgs)
- Intermediate – Wells screened from 5 – 20 feet bgs
- Deep – Wells screened deeper than 20 feet bgs

Groundwater elevation data are presented in Table 2 and Figures 3, 4, and 5.

3.1.1 Shallow Well Elevation Data

Groundwater elevation contours for the shallow wells (Figure 3) indicate groundwater in the northern portion of the site tends to flow inward from the east, west, and south toward extraction trenches R-1 and R-2. Sufficient groundwater elevation data is not available to determine flow direction north of extraction trench R-2 in the shallow zone. Groundwater gradients in the northern portion range from 0.01 to 0.04 foot/foot with the steepest gradient being to the southwest towards extraction well R-1. Groundwater in the southern portion of the site tends to mound near AST #3 and flow radially in all directions with the steepest gradients to the north and south. The groundwater gradient to the south from the source area near AST #2 is 0.055 foot/foot. The groundwater flow pattern in the southern portion of the site is likely caused by the two operating extraction systems causing groundwater to flow south to extraction wells located south of AST #2 and north to extraction trench R-1. Recharge from precipitation may also cause mounding of the water table to occur in the tank farm area.

3.1.2 Intermediate Well Elevation Data

Groundwater elevation contours for the intermediate wells (Figure 4) indicate a primary flow direction to the west-northwest at a gradient between 0.004 and 0.007 foot/foot. Groundwater gradients from the intermediate monitoring wells are relatively flat compared to gradients determined by measurements from the shallow wells. The groundwater flow pattern in this interval appears to be primarily influenced by regional groundwater flow. Sufficient hydraulic data around the extraction trenches R-1 and R-2 are not available to determine if the extraction system is influencing groundwater flow on the northern portion of the site in the intermediate interval.

3.1.3 Deep Well Elevation Data

Groundwater elevation contours for the deep wells (Figure 5) indicate a flow direction to the southwest with a gradient of 0.0004 foot/foot. Groundwater gradients from the deep monitoring wells are flatter than gradients determined by measurements from the intermediate wells. The extraction trenches R-1 and R-2 and the extraction wells around AST #2 do not appear to influence groundwater flow in the deep wells that are screened between 20 to 40 feet bgs.

3.1.4 Vertical Hydraulic Gradients

Groundwater elevation data were used to determine vertical hydraulic gradients between the four deep wells (DW-1, DW-2, DW-3, and DW-4) and nearby shallow monitoring wells screened in the top 10 feet, when available. Groundwater elevation data from well MW-11, an intermediate well, was paired with well DW-4 since shallow groundwater data was unavailable

in the vicinity of DW-4. Groundwater elevation data from wells DW-3 and LAI-14 were paired. For wells, DW-1 and DW-2, no pre-existing shallow wells were close enough to use in a direct comparison. Groundwater elevation data from the pre-existing shallow wells were used to create an elevation grid using Golden Software's Surfer computer software. The "shallow" groundwater elevations at the locations, DW-1 and DW-2, were determined from the elevation grid. The Environmental Protection Agency's (EPA) online vertical gradient calculator was used to determine a range of vertical gradients based on various points along the saturated portion of the screen intervals. For the purposes of this report, the center of the saturated portion of the screen interval(s) will be used for data analysis. Groundwater elevation data indicate downward vertical gradients of 0.1658 foot/foot near DW-1, 0.01607 foot/foot near DW-2, and 0.1299 foot/foot near DW-3, and an upward vertical gradient of 0.008046 foot/foot near DW-4. The downward vertical gradients are likely due to groundwater recharge in the earthen tank farm area. Groundwater infiltrates quickly into the transmissive fill material until it reaches the lower permeability silty material located at approximately 10 to 12 feet bgs, which mounds and spreads out laterally creating higher water levels in the shallow fill material. The upward vertical gradient near DW-4 is consistent with historical trends. The data outputs from the online vertical gradient calculator are included as Appendix C.

3.1.5 LNAPL Thicknesses

During the February 2014 sampling event, LNAPL was observed in monitoring wells TW-6 (0.64 foot), EX-1 (2.22 feet), P-1 (1.36 feet), and P-2 (1.48 feet). In general, in-well LNAPL gauging provides relatively little in the way of technically valid indications of LNAPL conditions in the subsurface other than to confirm its presence and mobility. The presence of LNAPL in wells north of the loading racks indicates a mobile LNAPL mass in this area. LNAPL will continue to be monitored to determine if any trends are apparent.

3.2 Groundwater Quality Data

The purpose of the groundwater monitoring is to monitor concentration trends in the contaminant source areas and along the perimeter of the contaminant plume. Historical groundwater quality data is presented on Tables 3 and 4. Groundwater quality data from the February 2014 sampling event is presented on Figures 6 and 7. The data validation and laboratory analytical reports for the February 2014 are presented in Appendix B.

Laboratory analytical results from the first quarter 2014 event indicate concentrations of one or more analyzed constituents were above MTCA Method A cleanup levels for the following:

- **TPHg** – Wells W-1, W-2, B-2, B-3A, B-4, B-5, B-6, HA-2, HA-6, HA-7, HA-8, HA-9, HA-16, HA-20, LAI-1, LAI-2, LAI-3, MW-7, MW-8, MW-9, and MW-14

- **TPHd** – Wells W-1, W-2, B-2, B-3A, B-4, B-5, B-6, D-7, HA-2, HA-6, HA-7, HA-9, HA-20, LAI-1, LAIx-2, LAIx-3, MW-7, MW-8, MW-9, and MW-14
- **BTEX** – Wells W-1, W-2, B-1, B-2, B-3A, B-4, B-5, B-6, D-7, HA-2, HA-6, HA-7, HA-9, HA-16, HA-20, LAI-1, LAIx-2, LAIx-3, MW-7, MW-8, MW-9, MW-10, MW-14, and MW-15
- **Naphthalenes** – Wells W-1, W-2, B-3A, B-4, B-6, HA-2, HA-6, HA-7, LAI-1, LAIx-2, LAIx-3, MW-7, MW-8, MW-9, and MW-14
- **cPAHs** – Well W-2, B-4, B-5, B-6, D-7, and HA-2
- **Arsenic** – Wells W-1, W-2, B-2, B-3A, B-4, B-5, D-4R, D-5R, D-7, HA-2, HA-6, HA-7, HA-9, HA-16, LAIx-2, MW-1, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-12, MW-14, MW-15, DW-2, and DW-3
- **Lead** – Wells D-7, HA-2, HA-6, and MW-9

None of the other wells sampled contained concentrations above MTCA Method A cleanup levels.

The current groundwater quality data were compared to historical groundwater quality data to assess whether concentration trends have changed over time. Decreasing concentration trends near the source areas indicate a decrease in contaminant mass in the groundwater. Decreasing concentration trends along the perimeter of the plume indicate capture of the contaminant plume (i.e., absence of plume migration). Concentration versus time plots for each well are presented in Appendix D.

The concentrations in the majority of the samples collected from wells near the source areas have decreased gradually or have remained at the same level since remediation began. Trends in wells near the source areas indicate mass removal of contamination is slowly occurring with the current remedial approach. Data from monitoring wells north and east of the loading racks, west of tank 4, and west of the office building indicate a larger source area that is not being addressed with the current remedial approach. Many of the older wells are only installed in the top 10 feet and do not intersect the majority of the contamination. The wells in the source areas will continue to be monitored quarterly to determine any concentration trends that may be present.

Monitoring wells MW-3 through MW-6, D-4R, and D-5R were installed along the eastern perimeter to delineate the eastern boundary of the plume and to determine if migration of contaminants is occurring. The concentrations in samples collected from these wells were below MTCA Method A cleanup levels. These wells will continue to be monitored to determine concentration trends and verify that impacts are not migrating from the site.

The concentrations in the sample collected from well LAI-10, MW-1 and MW-2, along the southern perimeter, were below MTCA Method A cleanup levels indicating plume migration is not likely to be occurring to the south.

The concentrations in samples collected from wells LAI-12, D-1R, LAI-11, LAI-13, LAI-14, and LAI-15 remain below MTCA Method A cleanup levels or are consistent with historical data indicating significant plume migration is not likely to be occurring to the west in the vicinity of those wells. Monitoring well MW-10, located along the western perimeter of the Site, contain concentrations of benzene above the MTCA Method A cleanup level. Surface water and sediment samples collected in the wetlands immediately west of MW-10 suggest impacted groundwater is not discharging to the wetlands near MW-10. Well MW-10 will continue to be monitored to determine concentration trends.

To the north, wells MW-11, MW-12, MW-13, MW-16, and MW-17 remain below MTCA Method A cleanup levels indicating potential migration of dissolved contaminants to the vicinity of these wells has not occurred.

Deep wells, DW-1 and DW-2, were placed in areas of known shallow contamination to determine if downward migration of contaminants has been or is occurring. Concentrations in the sample collected from wells DW-1 and DW-2 were below MTCA Method A cleanup levels in February 2014. Both wells will continue to be monitored to determine concentration trends.

Section 4.0 Conclusions and Recommendations

The hydraulic and groundwater quality monitoring data for the shallow wells are generally consistent with historical trends. The shallow wells are primarily screened in the top 10 feet and are only representative of groundwater in the shallow fill material. Hydraulic monitoring data from the shallow wells indicate inward flow toward extraction wells R-1 and R-2. Groundwater flow directions on the southern portion of the Site tend to mound near Tank 2 and flow radially in all directions with the steepest gradients primarily to the north and south, consistent with historical flow directions and gradients. Contaminant concentrations in groundwater continue to follow historical trends.

The hydraulic and groundwater quality monitoring data for intermediate wells screened from 5 to 20 feet indicate a significant portion of the plume north and east of the loading racks is not being addressed by the current remedial approach. Hydraulic monitoring data from the intermediate wells indicate flow primarily to the west-northwest. Groundwater gradients from the intermediate monitoring wells are relatively shallow compared to gradients from the shallow wells. Sufficient hydraulic data around the extraction trenches R-1 and R-2 are not


available to determine if the extraction system is influencing groundwater flow on the northern portion of the Site at this elevation.

The groundwater quality data for the deep wells do not indicate any exceedences of MTCA Method A Cleanup Levels. The hydraulic monitoring data for the deep wells indicate downward vertical gradients in the vicinity of deep wells DW-1 through DW-3 from the shallow zone to the deep zone. The downward vertical gradients are likely due to groundwater recharge in the earthen tank farm area. Groundwater infiltrates quickly into the transmissive fill material until it reaches the lower permeability silty material located at approximately 10 to 12 feet bgs, at which point it mounds and spreads out laterally creating higher water levels in the shallow fill material. Vertical gradients between intermediate well MW-11 and deep well DW-4 indicate an upward gradient consistent with historical trends. Vertical gradients in the vicinity of these wells will continue to be monitored to determine if a trend is present.

Remedial investigation work began in September 2011 to address data gaps. Additional investigation, including surface water and sediment sampling of the wetlands surrounding the Site was completed during the second quarter 2012. Feasibility study work, including hydraulic pump testing, AS/SVE pilot testing, and DPE pilot testing, were completed in 2012 and early 2013. The RI/FS report and Draft CAP report have been submitted to Ecology for review. Design of a new dual-phase extraction remediation system is in progress. Installation of the new system will begin during second quarter 2014.

The second quarter sampling event was performed in May 2014. The scope of work for the May 2014 event was completed as specified in the CMP. In addition to the scope of work outlined in the CMP, select wells were monitored for the additional analyses listed in Section 2.2.

Figures





SOURCE: USGS QUADRANGLE MAP:
RENTON, WASHINGTON

figure 1

VICINITY MAP
PHILLIPS 66 RENTON TERMINAL
2423 LIND AVENUE SW
Renton, Washington



WASHINGTON



LEGEND



- MONITORING WELL
- ABANDONED OR DESTROYED MONITORING WELL LOCATION
- 4" DIAMETER VERTICAL RECOVERY WELL (ACTIVELY PUMPING)
- 4" DIAMETER VERTICAL RECOVERY WELL (INACTIVE- NOT PUMPING)
- /● REMEDIATION WELL LOCATION



SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12.

70496-2MN00(035)GN-WA002 MAY 1/2014

figure 2
SITE PLAN
PHILLIPS 66 RENTON TERMINAL
2423 LIND AVENUE SW
Renton, Washington



LEGEND

- MONITORING WELL
- ABANDONED OR DESTROYED MONITORING WELL LOCATION
- ⊙ 4" DIAMETER VERTICAL RECOVERY WELL (ACTIVELY PUMPING)
- 4" DIAMETER VERTICAL RECOVERY WELL (INACTIVE- NOT PUMPING)
- ⊕/⊙ REMEDIATION WELL LOCATION



- 15.5 — GROUNDWATER ELEVATION CONTOUR, DASHED WHERE INFERRED
- (15.68) GROUNDWATER ELEVATION
- ➔ 0.04 ➔ GROUNDWATER FLOW DIRECTION AND GRADIENT

NOTES:
1. GROUNDWATER ELEVATIONS ARE IN FEET.

figure 3
GROUNDWATER ELEVATION CONTOURS - SHALLOW WELLS (FEBRUARY 2014)
PHILLIPS 66 RENTON TERMINAL
2423 LIND AVENUE SW
Renton, Washington



SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12.



LEGEND

- MONITORING WELL
- ABANDONED OR DESTROYED MONITORING WELL LOCATION
- ⊕ 4" DIAMETER VERTICAL RECOVERY WELL (ACTIVELY PUMPING)
- 4" DIAMETER VERTICAL RECOVERY WELL (INACTIVE- NOT PUMPING)
- ⊕/● REMEDIATION WELL LOCATION

- 12.15— GROUNDWATER ELEVATION CONTOUR, DASHED WHERE INFERRED
- (12.30) GROUNDWATER ELEVATION
- 0.004 → GROUNDWATER FLOW DIRECTION AND GRADIENT



NOTES:
1. GROUNDWATER ELEVATIONS ARE IN FEET.

GROUNDWATER ELEVATION CONTOURS - INTERMEDIATE WELLS (FEBRUARY 2014)
PHILLIPS 66 RENTON TERMINAL
2423 LIND AVENUE SW
Renton, Washington

figure 4



SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12. UPDATED JULY 27, 2012.



LEGEND

- MONITORING WELL
- ABANDONED OR DESTROYED MONITORING WELL LOCATION
- 4" DIAMETER VERTICAL RECOVERY WELL (ACTIVELY PUMPING)
- 4" DIAMETER VERTICAL RECOVERY WELL (INACTIVE- NOT PUMPING)
- /● REMEDIATION WELL LOCATION


- 11.54 — GROUNDWATER ELEVATION CONTOUR, DASHED WHERE INFERRED
- (11.57) GROUNDWATER ELEVATION
- 0.0004 → GROUNDWATER FLOW DIRECTION AND GRADIENT

NOTES:
1. GROUNDWATER ELEVATIONS ARE IN FEET.

figure 5
GROUNDWATER ELEVATION CONTOURS - DEEP WELLS (FEBRUARY 2014)
PHILLIPS 66 RENTON TERMINAL
2423 LIND AVENUE SW
Renton, Washington




SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12. UPDATED JULY 27, 2012.



LEGEND

- MONITORING WELL
- ABANDONED OR DESTROYED MONITORING WELL LOCATION
- 4" DIAMETER VERTICAL RECOVERY WELL (ACTIVELY PUMPING)
- 4" DIAMETER VERTICAL RECOVERY WELL (INACTIVE- NOT PUMPING)
- /● REMEDIATION WELL LOCATION

D-6	TPHg	TPHd	TPHo	B	T	E	X	MTBE
2/11/14	<100	<400	530	1.7	<1.0	<1.0	<3.0	<1.0





NOTES:

1. ALL RESULTS ARE IN MICROGRAMS PER LITER (µg/L) UNLESS OTHERWISE INDICATED
2. RESULTS IN BOLD INDICATE AN EXCEEDANCE OF THE MTCA METHOD A CLEANUP LEVELS
3. TPHg = TOTAL PETROLEUM HYDROCARBONS AS GASOLINE ANALYZED BY METHOD NWTPH-Gx UNLESS OTHERWISE INDICATED
4. TPHd = TOTAL PETROLEUM HYDROCARBONS AS DIESEL ANALYZED BY METHOD NWTPH-Dx UNLESS OTHERWISE INDICATED
5. TPHo = TOTAL PETROLEUM HYDROCARBONS AS OIL ANALYZED BY METHOD NWTPH-Ox UNLESS OTHERWISE INDICATED
6. BTEX = BENZENE, TOLUENE, ETHYLBENZENE, TOTAL XYLENES ANALYZED BY EPA METHOD 8260B UNLESS OTHERWISE INDICATED
7. MTBE = METHYL-TERTIARY BUTYL ETHER ANALYZED BY EPA METHOD 8260B UNLESS OTHERWISE INDICATED
8. MTCA = MODEL TOXICS CONTROL ACT
9. <X = NOT DETECTED AT THE REPORTING LIMIT X
10. M1 = MATRIX SPIKE RECOVERY EXCEEDED THE QC LIMITS. BATCH ACCEPTED BASED ON LABORATORY CONTROL SAMPLE RECOVERY
11. 10 = SAMPLE WAS DILUTED DUE TO PRESENCE OF HIGH LEVELS OF TARGET ANALYTES

SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12. UPDATED JULY 27, 2012.



figure 6
 SITE PLAN WITH GROUNDWATER ANALYTICAL RESULTS (FEBRUARY 2014)
 PHILLIPS 66 RENTON TERMINAL
 2423 LIND AVENUE SW
 Renton, Washington





NOTES:
 1. ALL RESULTS ARE IN MICROGRAMS PER LITER (µg/L) UNLESS OTHERWISE INDICATED
 2. RESULTS IN BOLD INDICATE AN EXCEEDANCE OF THE MTCA METHOD A CLEANUP LEVELS
 3. cPAHs = CARCINOGENIC POLYCYCLIC AROMATIC HYDROCARBONS
 4. EDC = 1,2 DICHLOROETHANE.
 5. MTCA = MODEL TOXICS CONTROL ACT
 6. <X = NOT DETECTED AT THE REPORTING LIMIT X
 7. (4) = NAPHTHALENE ANALYZED BY EPA METHOD 8260B

figure 7
 SITE PLAN WITH GROUNDWATER ANALYTICAL RESULTS (FEBRUARY 2014)
 PHILLIPS 66 RENTON TERMINAL
 2423 LIND AVENUE SW
 Renton, Washington



SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12. UPDATED JULY 27, 2012.



LEGEND

- MONITORING WELL
- ABANDONED OR DESTROYED MONITORING WELL LOCATION
- 4" DIAMETER VERTICAL RECOVERY WELL (ACTIVELY PUMPING)
- 4" DIAMETER VERTICAL RECOVERY WELL (INACTIVE- NOT PUMPING)
- /● REMEDIATION WELL LOCATION

- 800 — TPHg ISOCONCENTRATION ELEVATION CONTOUR DASHED WHERE INFERRED
- (<50.0) TPHg ISOCONCENTRATION



NOTES:

1. D-7, DW-2, HA-3, AND HA-4 NOT USED IN CONTOURING. WELLS ARE NOT SCREENED ACROSS CONTAMINATED ZONE.
2. WHERE CURRENT DATA WAS UNAVAILABLE, RECENT HISTORIC DATA WAS USED IN CONTOURING.

figure 8
 TPHg ISOCONCENTRATION CONTOURS (FEBRUARY 2014)
 PHILLIPS 66 RENTON TERMINAL
 2423 LIND AVENUE SW
 Renton, Washington



SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12. UPDATED JULY 27, 2012.



LEGEND

- MONITORING WELL
- ABANDONDED OR DESTROYED MONITORING WELL LOCATION
- 4" DIAMETER VERTICAL RECOVERY WELL (ACTIVELY PUMPING)
- 4" DIAMETER VERTICAL RECOVERY WELL (INACTIVE- NOT PUMPING)
- /● REMEDIATION WELL LOCATION

- 500 — TPHd ISOCONCENTRATION ELEVATION CONTOUR
- - - DASHED WHERE INFERRED
- (<50.0) TPHd ISOCONCENTRATION



NOTES:

1. D-7, DW-2, HA-3, AND HA-4 NOT USED IN CONTOURING. WELLS ARE NOT SCREENED ACROSS CONTAMINATED ZONE.
2. WHERE CURRENT DATA WAS UNAVAILABLE, RECENT HISTORIC DATA WAS USED IN CONTOURING.

figure 9
 TPHd ISOCONCENTRATION CONTOURS (FEBRUARY 2014)
 PHILLIPS 66 RENTON TERMINAL
 2423 LIND AVENUE SW
 Renton, Washington



SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12. UPDATED JULY 27, 2012.



LEGEND

- MONITORING WELL
- ABANDONED OR DESTROYED MONITORING WELL LOCATION
- 4" DIAMETER VERTICAL RECOVERY WELL (ACTIVELY PUMPING)
- 4" DIAMETER VERTICAL RECOVERY WELL (INACTIVE- NOT PUMPING)
- /● REMEDIATION WELL LOCATION

- 800 — BENZENE ISOCONCENTRATION ELEVATION CONTOUR DASHED WHERE INFERRED
- (<50.0) BENZENE ISOCONCENTRATION

NOTES:

1. DW-2, HA-3, AND HA-4 NOT USED IN CONTOURING. WELLS ARE NOT SCREENED ACROSS CONTAMINATED ZONE.
2. WHERE CURRENT DATA WAS UNAVAILABLE, RECENT HISTORIC DATA WAS USED IN CONTOURING.

figure 10
BENZENE ISOCONCENTRATION CONTOURS (FEBRUARY 2014)
PHILLIPS 66 RENTON TERMINAL
2423 LIND AVENUE SW
Renton, Washington



SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12. UPDATED JULY 27, 2012.

Tables

**HYDRAULIC AND GROUNDWATER QUALITY MONITORING WELLS
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

<i>Hydraulic Monitoring Wells</i>			<i>Groundwater Quality Monitoring Wells</i>		
W-1	LAI-10	WS-1	W-1*	LAI-16*	
W-2	LAI-11	WS-2	W-2*	RWx-5	
B-1	LAI-12	WS-3	B-1*	RWx-7*	
B-2	LAI-13	WS-4	B-2*	MW-1*	
B-3A	LAI-14	TW-1	B-3A*	MW-2*	
B-4	LAI-15	TW-2	B-4*	MW-3*	
B-5	LAI-16	TW-3	B-5*	MW-4*	
B-6	RW-1	TW-4	B-6*	MW-5*	
D-1R	RW-3	TW-5	D-1R*	MW-6*	
D-4R	RW-4	TW-6	D-4R*	MW-7*	
D-5R	RWx-5	TW-7	D-5R*	MW-8*	
D-6	RW-6	TW-8	D-6*	MW-9*	
D-7	RWx-7	AS-1	D-7*	MW-10*	
HA-1	MW-1	EX-1	HA-1*	MW-11*	
HA-2	MW-2	P-1	HA-2*	MW-12*	
HA-3	MW-3	P-2	HA-3*	MW-13*	
HA-4	MW-4		HA-4*	MW-14*	
HA-5	MW-5		HA-5*	MW-15*	
HA-6	MW-6		HA-6*	MW-16*	
HA-7	MW-7		HA-7*	MW-17*	
HA-8	MW-8		HA-8*	DW-1*	
HA-9	MW-9		HA-9*	DW-2*	
HA-10	MW-10		HA-11*	DW-3*	
HA-11	MW-11		HA-13*	DW-4*	
HA-12	MW-12		HA-16*		
HA-13	MW-13		HA-20*		
HA-14	MW-14		LAI-1*		
HA-15	MW-15		LAIx-2*		
HA-16	MW-16		LAIx-3*		
HA-17	MW-17		LAI-10		
HA-18	DW-1		LAI-11		
HA-19	DW-2		LAI-12		
HA-20	DW-3		LAI-13		
LAI-1	DW-4		LAI-14		
LAIx-2	BR-1		LAI-15		
LAIx-3	BR-2		RW-4*		

Notes:

* Wells received additional analyses listed in text

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
R-1	1/27/1993	16.94	--	0.05	5.22	11.76
R-1	3/12/1993	16.94	--	0.10	11.80	5.22
R-1	6/30/1993	16.94	--	0.01	6.88	10.07
R-1	12/23/1994	16.94	--	--	3.43	13.51
R-1	2/3/1995	16.94	--	0.10	4.10	12.92
R-1	2/22/1995	16.94	--	0.13	5.28	11.76
R-1	3/24/1995	16.94	--	0.40	5.55	11.69
R-1	4/27/1995	16.94	--	0.32	5.62	11.56
R-1	5/15/1995	16.94	--	0.47	4.91	12.38
R-1	6/16/1995	16.94	--	0.44	5.29	11.98
R-1	8/25/1995	16.94	--	0.20	5.85	11.24
R-1	9/26/1995	16.94	--	0.19	7.67	9.41
R-1	10/20/1995	16.94	--	0.02	6.17	10.79
R-1	4/4/1996	16.94	--	0.15	3.82	13.23
R-1	4/16/1996	16.94	--	0.14	3.14	13.91
R-1	5/10/1996	16.94	--	0.11	2.72	14.30
R-1	5/15/1996	16.94	--	0.06	2.67	14.32
R-1	5/22/1996	16.94	--	--	7.83	9.11
R-1	6/5/1996	16.94	--	--	8.62	8.32
R-1	6/24/1996	16.94	--	--	8.50	8.44
R-1	7/15/1996	16.94	--	--	8.63	8.31
R-1	8/23/1996	16.94	--	--	8.53	8.41
R-1	9/18/1996	16.94	--	--	8.34	8.60
R-1	1/3/1997	16.94	--	--	3.11	13.83
R-1	3/12/1997	16.94	--	--	8.91	8.03
R-1	4/2/1997	16.94	--	0.05	11.04	5.94
R-1	7/8/1997	16.94	--	--	5.71	11.23
R-1	8/26/1997	16.94	--	--	11.02	5.92
R-1	9/17/1997	16.94	--	--	10.84	6.10
R-1	4/30/1998	16.94	--	0.02	4.60	12.36
R-1	5/24/2001	16.94	--	--	10.75	6.19
R-1	11/24/2002	19.83	--	--	5.90	13.93
R-1	6/29/2007	19.83	--	--	5.66	14.17
R-1	10/22/2007	19.83	--	--	Not Monitored	
R-1	11/28/2007	19.83	--	--	Not Monitored	
R-1	12/13/2007	19.83	--	--	9.10	10.73
R-1	1/21/2008	19.83	--	--	6.98	12.85
R-1	2/24/2008	19.83	--	--	Not Monitored	
R-1	3/24/2008	19.83	--	--	5.35	14.48
R-1	8/25/2008	19.83	--	--	Not Monitored	
R-1	2/18/2009	19.83	--	--	Not Monitored	
R-1	8/25/2009	19.83	--	--	Not Monitored	
R-1	3/22/2010	16.94	--	--	4.75	12.19
R-1	8/23/2010	16.94	5.35	0.02	5.37	11.59
R-1	2/7/2011	16.94	--	--	4.56	12.38
R-2	1/27/1993	17.52	--	--	6.15	11.37
R-2	3/12/1993	17.52	--	--	7.20	10.32
R-2	2/22/1995	17.52	--	--	7.66	9.86
R-2	5/15/1995	17.52	--	--	7.87	9.65
R-2	6/16/1995	17.52	--	0.01	7.51	10.02
R-2	9/26/1995	17.52	--	0.01	7.81	9.72
R-2	10/20/1995	17.52	--	0.06	7.63	9.94
R-2	4/4/1996	17.52	--	--	5.55	11.97
R-2	4/16/1996	17.52	--	--	5.29	12.23
R-2	5/10/1996	17.52	--	--	5.21	12.31
R-2	5/15/1996	17.52	--	--	5.10	12.42
R-2	5/22/1996	17.52	--	0.02	7.59	9.95
R-2	6/5/1996	17.52	--	0.18	7.80	9.86
R-2	6/24/1996	17.52	--	0.03	7.72	9.82
R-2	7/15/1996	17.52	--	0.04	7.60	9.95
R-2	8/23/1996	17.52	--	0.02	7.77	9.77
R-2	9/18/1996	17.52	--	0.04	7.87	9.68
R-2	1/3/1997	17.52	--	--	4.25	13.27
R-2	3/12/1997	17.52	--	0.02	8.02	9.52
R-2	4/2/1997	17.52	--	0.11	7.72	9.88
R-2	7/8/1997	17.52	--	--	6.47	11.05
R-2	8/19/1997	17.52	--	0.02	7.76	9.78
R-2	9/17/1997	17.52	--	--	7.67	9.85
R-2	4/30/1998	17.52	--	0.03	6.43	11.11
R-2	5/24/2001	17.52	--	0.35	8.25	9.53

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
R-2	11/24/2002	20.28	--	--	6.69	13.59
R-2	6/29/2007	20.28	--	--	6.72	13.56
R-2	10/22/2007	20.28	--	--	Not Monitored	
R-2	11/28/2007	20.28	--	--	Not Monitored	
R-2	12/13/2007	20.28	--	--	7.76	12.52
R-2	1/21/2008	20.28	--	--	5.83	14.45
R-2	2/24/2008	20.28	--	--	Not Monitored	
R-2	3/24/2008	20.28	--	--	6.19	14.09
R-2	8/25/2008	20.28	--	--	Not Monitored	
R-2	2/18/2009	20.28	--	--	Not Monitored	
R-2	8/25/2009	20.28	--	--	Not Monitored	
R-2	3/22/2010	17.52	--	--	5.68	11.84
R-2	8/23/2010	17.52	--	--	6.85	10.67
R-2	2/7/2011	17.52	--	--	7.87	9.65
W-1	1/27/1993	18.86	--	0.19	5.71	13.29
W-1	3/12/1993	18.86	--	0.06	8.24	10.67
W-1	4/14/1993	18.86	--	--	8.22	10.64
W-1	6/30/1993	18.86	--	0.08	8.25	10.67
W-1	12/15/1993	18.86	--	--	8.60	10.26
W-1	2/8/1994	18.86	--	0.13	6.51	12.45
W-1	7/8/1994	18.86	--	--	8.64	10.22
W-1	8/12/1994	18.86	--	--	8.63	10.23
W-1	12/23/1994	18.86	--	--	5.48	13.38
W-1	2/3/1995	18.86	--	--	5.24	13.62
W-1	2/22/1995	18.86	--	0.03	7.13	11.75
W-1	3/24/1995	18.86	--	0.14	7.04	11.93
W-1	4/27/1995	18.86	--	--	6.75	12.11
W-1	5/15/1995	18.86	--	0.39	6.88	12.27
W-1	6/16/1995	18.86	--	0.45	7.34	11.86
W-1	8/25/1995	18.86	--	0.18	7.89	11.11
W-1	10/20/1995	18.86	--	0.12	8.60	10.35
W-1	4/4/1996	18.86	--	0.07	5.81	13.10
W-1	4/16/1996	18.86	--	0.12	5.07	13.88
W-1	5/10/1996	18.86	--	0.09	4.75	14.18
W-1	5/15/1996	18.86	--	0.11	4.74	14.20
W-1	5/22/1996	18.86	--	0.07	8.08	10.83
W-1	6/5/1996	18.86	--	0.02	8.12	10.76
W-1	6/24/1996	18.86	--	0.01	8.28	10.59
W-1	7/15/1996	18.86	--	0.08	8.52	10.40
W-1	8/23/1996	18.86	--	--	8.63	10.23
W-1	9/18/1996	18.86	--	--	8.63	10.23
W-1	1/3/1997	18.86	--	--	4.97	13.89
W-1	3/12/1997	18.86	--	--	8.08	10.78
W-1	4/2/1997	18.86	--	0.03	8.14	10.74
W-1	5/1/1997	18.86	--	--	8.18	10.68
W-1	8/19/1997	18.86	--	--	8.57	10.29
W-1	9/17/1997	18.86	--	--	8.20	10.66
W-1	4/30/1998	18.86	--	0.08	6.70	12.22
W-1	7/28/1999	18.86	--	0.12	7.18	11.77
W-1	5/23/2000	18.86	--	--	6.91	11.95
W-1	5/24/2001	18.86	--	0.01	8.45	10.42
W-1	6/5/2002	18.86	--	--	6.42	12.44
W-1	5/29/2003	18.86	--	sheen	7.91	10.95
W-1	6/16/2004	18.86	--	0.02	7.65	11.23
W-1	6/20/2005	18.86	--	--	6.31	12.55
W-1	6/5/2006	18.86	--	--	5.99	12.87
W-1	10/23/2006	18.86	--	--	8.22	10.64
W-1	3/14/2007	21.89	--	--	5.41	16.48
W-1	9/10/2007	21.89	--	--	8.63	13.26
W-1	11/28/2007	21.89	--	--	8.62	13.27
W-1	12/13/2007	21.89	--	--	6.92	14.97
W-1	1/21/2008	21.89	--	--	8.00	13.89
W-1	2/24/2008	21.89	--	--	6.65	15.24
W-1	3/24/2008	21.89	--	--	7.37	14.52
W-1	6/2/2008	21.89	--	--	8.49	13.40
W-1	8/25/2008	21.89	--	--	8.61	13.28
W-1	2/18/2009	21.89	--	--	Not Monitored	
W-1	8/25/2009	21.89	--	--	Not Monitored	
W-1	3/22/2010	21.89	--	--	5.35	16.54
W-1	8/23/2010	21.89	--	--	7.40	14.49

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
W-1	2/7/2011	21.89	--	--	6.60	15.29
W-1	5/27/2011	21.89	--	--	8.42	13.47
W-1	8/16/2011	21.89	--	--	8.50	13.39
W-1	11/14/2011	21.89	--	--	8.61	13.28
W-1	2/20/2012	21.89	--	--	8.07	13.82
W-1	8/22/2012	21.89	--	--	7.79	14.10
W-1	11/5/2012	21.89	--	--	8.61	13.28
W-1	1/28/2013	21.89	--	--	5.29	16.60
W-1	5/9/2013	21.89	--	--	8.07	13.82
W-1	8/19/2013	21.89	--	--	DRY	
W-1	11/25/2013	21.89	--	--	8.18	13.71
W-1	2/14/2014	21.89	--	--	8.06	13.83
W-2	1/27/1993	18.28	--	0.16	5.11	13.29
W-2	3/12/1993	18.28	--	0.02	7.94	10.36
W-2	4/14/1993	18.28	--	0.02	7.96	10.34
W-2	6/30/1993	18.28	--	0.09	7.65	10.70
W-2	12/15/1993	18.28	--	--	8.04	10.24
W-2	2/8/1994	18.28	--	0.13	5.93	12.45
W-2	7/8/1994	18.28	--	--	8.69	9.59
W-2	8/12/1994	18.28	--	--	8.98	9.30
W-2	9/21/1994	18.28	--	0.18	9.38	9.04
W-2	11/4/1994	18.28	--	0.37	9.51	9.05
W-2	12/23/1994	18.28	--	--	4.92	13.36
W-2	2/3/1995	18.28	--	--	5.16	13.12
W-2	2/22/1995	18.28	--	0.06	6.57	11.76
W-2	3/24/1995	18.28	--	0.14	6.48	11.91
W-2	4/27/1995	18.28	--	--	5.65	12.63
W-2	5/15/1995	18.28	--	0.57	6.48	12.23
W-2	6/16/1995	18.28	--	0.60	6.93	11.80
W-2	8/25/1995	18.28	--	0.22	7.36	11.09
W-2	10/20/1995	18.28	--	--	7.67	10.61
W-2	4/4/1996	18.28	--	0.02	5.19	13.11
W-2	4/16/1996	18.28	--	--	4.40	13.88
W-2	5/10/1996	18.28	--	--	4.10	14.18
W-2	5/15/1996	18.28	--	--	4.08	14.20
W-2	5/22/1996	18.28	--	--	7.59	10.69
W-2	6/5/1996	18.28	--	--	7.69	10.59
W-2	6/24/1996	18.28	--	--	8.08	10.20
W-2	7/15/1996	18.28	--	--	8.45	9.83
W-2	8/23/1996	18.28	--	--	8.80	9.48
W-2	9/18/1996	18.28	--	--	8.98	9.30
W-2	1/3/1997	18.28	--	--	4.48	13.80
W-2	3/12/1997	18.28	--	--	7.57	10.71
W-2	4/2/1997	18.28	--	--	7.60	10.68
W-2	5/1/1997	18.28	--	--	7.72	10.56
W-2	8/19/1997	18.28	--	--	8.10	10.18
W-2	9/18/1997	18.28	--	0.07	7.40	10.93
W-2	4/30/1998	18.28	--	0.07	6.11	12.22
W-2	7/29/1999	18.28	--	--	6.50	11.78
W-2	5/23/2000	18.28	--	--	6.33	11.95
W-2	5/24/2001	18.28	--	--	8.10	10.18
W-2	6/5/2002	18.28	--	0.02	5.87	12.43
W-2	5/28/2003	18.28	--	sheen	7.32	10.96
W-2	6/15/2004	18.28	--	--	8.55	9.73
W-2	6/22/2005	18.28	--	--	5.71	12.57
W-2	6/5/2006	18.28	--	--	5.38	12.90
W-2	10/23/2006	18.28	--	--	7.63	10.65
W-2	3/14/2007	21.30	--	--	4.82	16.48
W-2	9/10/2007	21.30	--	--	8.97	12.33
W-2	11/28/2007	21.30	--	--	8.15	13.15
W-2	12/13/2007	21.30	--	--	7.65	13.65
W-2	1/21/2008	21.30	--	--	7.58	13.72
W-2	2/24/2008	21.30	--	--	6.04	15.26
W-2	3/24/2008	21.30	--	--	6.78	14.52
W-2	6/2/2008	21.30	--	--	8.25	13.05
W-2	8/25/2008	21.30	--	--	8.51	12.79
W-2	2/18/2009	21.30	--	--	Not Monitored	
W-2	8/25/2009	21.30	--	--	Not Monitored	
W-2	3/22/2010	21.30	--	--	4.78	16.52
W-2	8/23/2010	21.30	--	--	6.79	14.51
W-2	2/7/2011	21.30	--	--	5.99	15.31
W-2	5/27/2011	21.30	--	--	7.61	13.69

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
W-2	8/8/2011	21.30	--	--	8.38	12.92
W-2	11/14/2011	21.30	--	--	8.46	12.84
W-2	2/20/2012	21.30	--	--	7.60	13.70
W-2	8/22/2012	21.30	--	--	7.20	14.10
W-2	11/5/2012	21.30	--	--	8.39	12.91
W-2	5/9/2013	21.30	--	--	7.56	13.74
W-2	8/19/2013	21.30	--	--	8.71	12.59
W-2	11/25/2013	21.30	--	--	7.72	13.58
W-2	2/14/2014	21.30	--	--	7.60	13.70
W-3	1/27/1993	17.10	--	--	5.42	11.68
W-3	3/12/1993	17.10	--	--	6.11	10.99
W-3	4/14/1993	17.10	--	--	5.88	11.22
W-3	12/15/1993	17.10	--	--	5.59	11.51
W-3	11/4/1994	17.10	--	--	7.72	9.38
W-3	2/22/1995	17.10	--	--	5.82	11.28
W-3	6/16/1995	17.10	--	--	6.37	10.73
W-3	10/20/1995	17.10	--	--	6.17	10.93
W-3	4/4/1996	17.10	--	--	5.19	11.91
W-3	4/16/1996	17.10	--	--	4.86	12.24
W-3	5/10/1996	17.10	--	--	4.83	12.27
W-3	5/15/1996	17.10	--	--	4.71	12.39
W-3	5/22/1996	17.10	--	--	5.78	11.32
W-3	6/5/1996	17.10	--	--	6.07	11.03
W-3	6/24/1996	17.10	--	--	6.30	10.80
W-3	7/15/1996	17.10	--	--	6.65	10.45
W-3	9/18/1996	17.10	--	--	6.37	10.73
W-3	1/3/1997	17.10	--	--	3.72	13.38
W-3	4/2/1997	17.10	--	0.04	5.83	11.30
W-3	5/1/1997	17.10	--	--	5.80	11.30
W-3	4/29/1998	17.10	--	--	5.81	11.29
W-3	7/30/1999	17.10	--	--	6.11	10.99
W-3	5/23/2000	17.10	--	--	5.55	11.55
W-3	5/22/2001	17.10	--	--	6.10	11.00
W-3	6/4/2002	17.10	--	--	5.78	11.32
W-3	5/28/2003	17.10	--	--	6.26	10.84
W-3	6/16/2004	17.10	--	0.02	6.23	10.89
W-3	6/21/2005	17.10	--	--	5.75	11.35
W-3	6/5/2006	17.10	--	--	5.43	11.67
W-3	10/23/2006	17.10	--	--	6.22	10.88
W-3	3/14/2007	19.95	--	--	4.74	15.21
W-3	9/10/2007	19.95	--	--	6.55	13.40
W-3	11/28/2007	19.95	--	--	8.84	11.11
W-3	12/13/2007	19.95	--	--	5.79	14.16
W-3	1/21/2008	19.95	--	--	5.44	14.51
W-3	2/24/2008	19.95	--	--	5.77	14.18
W-3	3/24/2008	19.95	--	--	5.75	14.20
W-3	6/2/2008	19.95	--	--	6.20	13.75
W-3	8/25/2008	19.95	--	--	5.79	14.16
W-3	2/18/2009	19.95	--	--	Not Monitored	
W-3	8/25/2009	19.95	--	--	Not Monitored	
W-3	3/22/2010	19.95	--	--	4.61	15.34
W-3	8/23/2010	19.95	--	--	5.84	14.11
W-3	2/7/2011	19.95	--	--	4.69	15.26
W-3	5/27/2011	19.95	--	--	Not Monitored	
W-3	8/8/2011	19.95	--	--	Dry	
W-3	11/14/2011	19.95	--	--	Dry	
W-3	2/20/2012	19.95	--	--	Dry	
W-3	8/22/2012	19.95	--	--	Dry	
W-3	11/5/2012	19.95	--	--	4.98	14.97
W-3	1/28/2013	19.95	--	--	4.01	15.94
W-3	5/9/2013	19.95	--	--	DRY	
W-3	8/19/2013	19.95	--	--	DRY	
W-4	1/27/1993	18.03	--	--	4.43	13.60
W-4	3/12/1993	18.03	--	--	7.43	10.60
W-4	4/14/1993	18.03	--	--	7.32	10.71
W-4	12/15/1993	18.03	--	--	6.59	11.44
W-4	11/4/1994	18.03	--	--	8.20	9.83
W-4	2/22/1995	18.03	--	--	7.17	10.86
W-4	6/16/1995	18.03	--	--	7.55	10.48

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
W-4	10/20/1995	18.03	--	--	7.67	10.36
W-4	4/4/1996	18.03	--	--	6.12	11.91
W-4	4/16/1996	18.03	--	--	5.74	12.29
W-4	5/10/1996	18.03	--	--	5.99	12.04
W-4	5/15/1996	18.03	--	--	5.67	12.36
W-4	5/22/1996	18.03	--	--	7.20	10.83
W-4	6/5/1996	18.03	--	--	7.41	10.62
W-4	6/24/1996	18.03	--	--	7.49	10.54
W-4	7/15/1996	18.03	--	--	7.73	10.30
W-4	1/3/1997	18.03	--	--	4.80	13.23
W-4	4/2/1997	18.03	--	--	7.37	10.66
W-4	5/1/1997	18.03	--	--	7.34	10.69
W-4	4/29/1998	18.03	--	--	6.84	11.19
W-4	7/30/1999	18.03	--	--	7.30	10.73
W-4	5/23/2001	18.03	--	0.03	7.71	10.34
W-4	6/4/2002	18.03	--	--	6.84	11.19
W-4	5/28/2003	18.03	--	sheen	7.68	10.35
W-4	6/15/2004	18.03	--	0.02	7.65	10.40
W-4	6/21/2005	18.03	--	--	6.78	11.25
W-4	6/5/2006	18.03	--	--	6.23	11.80
W-4	10/23/2006	18.03	--	--	7.67	10.36
W-4	3/14/2007	20.91	--	--	5.70	15.21
W-4	9/10/2007	20.91	--	--	8.20	12.71
W-4	11/28/2007	20.91	--	--	7.68	13.23
W-4	12/13/2007	20.91	--	--	7.40	13.51
W-4	1/21/2008	20.91	--	--	6.30	14.61
W-4	2/24/2008	20.91	--	--	6.81	14.10
W-4	3/24/2008	20.91	--	--	6.78	14.13
W-4	6/2/2008	20.91	--	--	7.69	13.22
W-4	8/25/2008	20.91	--	--	8.00	12.91
W-4	2/18/2009	20.91	--	--	Not Monitored	
W-4	8/25/2009	20.91	--	--	Not Monitored	
W-4	3/22/2010	20.91	--	--	5.89	15.02
W-4	8/23/2010	20.91	--	--	7.11	13.80
W-4	2/7/2011	20.91	--	--	6.01	14.90
W-4	5/27/2011	20.91	--	--	Not Monitored	
W-4	8/8/2011	20.91	--	--	7.81	13.1
W-4	11/14/2011	20.91	--	--	7.89	13.02
W-4	2/20/2012	20.91	--	--	7.90	13.01
W-4	8/22/2012	20.91	--	--	7.55	13.36
W-4	5/9/2013	20.91	--	--	7.86	13.05
B-1	1/27/1993	18.62	--	--	5.55	13.07
B-1	3/12/1993	18.62	--	--	6.64	11.98
B-1	4/14/1993	18.62	--	--	5.65	12.97
B-1	6/30/1993	18.62	--	--	6.81	11.81
B-1	12/15/1993	18.62	--	--	7.82	10.80
B-1	11/4/1994	18.62	--	--	8.80	9.82
B-1	2/22/1995	18.62	--	--	4.54	14.08
B-1	5/15/1995	18.62	--	--	6.25	12.37
B-1	6/16/1995	18.62	--	--	7.00	11.62
B-1	10/20/1995	18.62	--	--	7.75	10.87
B-1	4/4/1996	18.62	--	--	5.13	13.49
B-1	4/16/1996	18.62	--	--	4.93	13.69
B-1	5/10/1996	18.62	--	--	4.73	13.89
B-1	5/15/1996	18.62	--	--	4.73	13.89
B-1	5/22/1996	18.62	--	--	5.03	13.59
B-1	6/5/1996	18.62	--	--	5.88	12.74
B-1	6/24/1996	18.62	--	--	6.80	11.82
B-1	7/15/1996	18.62	--	--	7.48	11.14
B-1	1/3/1997	18.62	--	--	3.55	15.07
B-1	3/12/1997	18.62	--	--	4.62	14.00
B-1	4/2/1997	18.62	--	--	4.93	13.69
B-1	5/1/1997	18.62	--	--	5.52	13.10
B-1	8/19/1997	18.62	--	--	7.51	11.11
B-1	9/17/1997	18.62	--	--	6.80	11.82
B-1	5/1/1998	18.62	--	--	6.42	12.20
B-1	5/23/2000	18.62	--	--	6.53	12.09
B-1	5/24/2001	18.62	--	--	6.65	11.97
B-1	6/5/2002	18.62	--	--	6.52	12.10
B-1	5/29/2003	18.62	--	--	6.81	11.81

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
B-1	6/15/2004	18.62	--	--	7.43	11.19
B-1	6/20/2005	18.62	--	--	6.43	12.19
B-1	6/5/2006	18.62	--	--	6.13	12.49
B-1	10/23/2006	18.62	--	--	7.86	10.76
B-1	3/14/2007	21.61	--	--	5.00	16.61
B-1	9/10/2007	21.61	--	--	8.00	13.61
B-1	12/13/2007	21.61	--	--	5.97	15.64
B-1	1/21/2008	21.61	--	--	5.09	16.52
B-1	2/24/2008	21.61	--	--	5.63	15.98
B-1	3/24/2008	21.61	--	--	6.20	15.41
B-1	6/2/2008	21.61	--	--	7.17	14.44
B-1	8/25/2008	21.61	--	--	7.95	13.66
B-1	2/18/2009	21.61	--	--	Not Monitored	
B-1	8/25/2009	21.61	--	--	Not Monitored	
B-1	3/22/2010	21.61	--	--	5.09	16.52
B-1	8/23/2010	21.61	--	--	7.50	14.11
B-1	2/7/2011	21.61	--	--	5.00	16.61
B-1	5/27/2011	21.61	--	--	6.73	14.88
B-1	11/14/2011	21.61	--	--	7.58	14.03
B-1	2/20/2012	21.61	--	--	4.82	16.79
B-1	8/22/2012	21.61	--	--	7.50	14.11
B-1	11/5/2012	21.61	--	--	7.21	14.40
B-1	1/28/2013	21.61	--	--	4.93	16.68
B-1	5/9/2013	21.61	--	--	5.64	15.97
B-1	8/19/2013	21.61	--	--	7.96	13.65
B-1	11/25/2013	21.61	--	--	6.03	15.58
B-1	2/14/2014	21.61	--	--	5.45	16.16
B-2	1/27/1993	18.60	--	1.08	6.20	13.21
B-2	3/12/1993	18.60	--	0.24	8.15	10.63
B-2	4/14/1993	18.60	--	1.25	8.82	10.72
B-2	6/30/1993	18.60	--	0.75	8.47	10.69
B-2	12/15/1993	18.60	--	0.21	8.62	10.14
B-2	2/8/1994	18.60	--	0.50	6.63	12.35
B-2	7/8/1994	18.60	--	--	8.95	9.65
B-2	8/12/1994	18.60	--	--	9.34	9.26
B-2	9/21/1994	18.60	--	0.10	9.70	8.98
B-2	11/4/1994	18.60	--	0.12	9.68	9.01
B-2	12/23/1994	18.60	--	--	5.18	13.42
B-2	2/3/1995	18.60	--	--	Not Monitored	
B-2	2/22/1995	18.60	--	0.03	6.03	12.59
B-2	5/15/1995	18.60	--	0.04	6.46	12.17
B-2	6/16/1995	18.60	--	--	6.92	11.68
B-2	10/20/1995	18.60	--	--	8.10	10.50
B-2	4/4/1996	18.60	--	0.83	5.40	13.82
B-2	4/16/1996	18.60	--	--	4.80	13.80
B-2	5/10/1996	18.60	--	0.43	4.88	14.04
B-2	5/15/1996	18.60	--	0.42	4.85	14.07
B-2	5/22/1996	18.60	--	0.05	7.14	11.50
B-2	6/5/1996	18.60	--	--	5.62	12.98
B-2	6/24/1996	18.60	--	--	8.17	10.43
B-2	7/15/1996	18.60	--	--	8.65	9.95
B-2	8/23/1996	18.60	--	--	9.08	9.52
B-2	9/18/1996	18.60	--	--	9.33	9.27
B-2	1/3/1997	18.60	--	--	3.91	14.69
B-2	3/12/1997	18.60	--	--	7.05	11.55
B-2	4/2/1997	18.60	--	--	7.15	11.45
B-2	5/1/1997	18.60	--	--	7.49	11.11
B-2	7/8/1997	18.60	--	0.02	6.03	12.59
B-2	8/19/1997	18.60	--	--	8.43	10.17
B-2	8/26/1997	18.60	--	--	8.52	10.08
B-2	9/18/1997	18.60	--	--	7.70	10.90
B-2	4/29/1998	18.60	--	--	6.47	12.13
B-2	7/30/1999	18.60	--	--	7.00	11.60
B-2	5/23/2000	18.60	--	--	6.67	11.93
B-2	5/24/2001	18.60	--	0.14	8.24	10.47
B-2	6/5/2002	18.60	--	0.31	6.56	12.27
B-2	5/29/2003	18.60	--	--	7.75	10.85
B-2	6/15/2004	18.60	--	--	8.76	9.84
B-2	6/20/2005	18.60	--	0.29	6.34	12.48
B-2	6/5/2006	18.60	--	0.02	8.87	9.75

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
B-2	10/23/2006	18.60	--	--	8.15	10.45
B-2	3/14/2007	21.82	--	--	5.23	16.59
B-2	9/10/2007	21.82	--	--	9.31	12.51
B-2	11/28/2007	21.82	3.85	1.50	5.35	17.60
B-2	12/13/2007	21.82	4.16	3.37	7.53	16.82
B-2	1/21/2008	21.82	--	--	7.08	14.74
B-2	2/24/2008	21.82	--	--	6.48	15.34
B-2	3/24/2008	21.82	--	--	7.19	14.63
B-2	6/2/2008	21.82	--	--	8.47	13.35
B-2	8/25/2008	21.82	--	--	8.85	12.97
B-2	2/18/2009	21.82	--	--	Not Monitored	
B-2	8/25/2009	21.82	--	--	Not Monitored	
B-2	3/22/2010	21.82	--	--	5.29	16.53
B-2	8/23/2010	21.82	--	--	7.37	14.45
B-2	2/7/2011	21.82	--	--	6.27	15.55
B-2	5/27/2011	21.82	--	--	7.26	14.56
B-2	11/14/2011	21.82	--	--	8.71	13.11
B-2	2/20/2012	21.82	--	--	7.12	14.70
B-2	8/22/2012	21.82	--	--	7.68	14.14
B-2	11/5/2012	21.82	--	--	8.78	13.04
B-2	1/28/2013	21.82	--	--	5.08	16.74
B-2	5/9/2013	21.82	--	--	7.00	14.82
B-2	8/19/2013	21.82	--	--	9.02	12.80
B-2	11/25/2013	21.82	--	--	7.72	14.10
B-2	2/14/2014	21.82	--	--	7.12	14.70
B-3	1/27/1993	18.73	--	4.64	10.18	12.03
B-3	3/12/1993	18.73	--	3.49	11.64	9.71
B-3	4/14/1993	18.73	--	2.64	10.75	9.96
B-3	6/30/1993	18.73	--	2.36	11.21	9.29
B-3	12/15/1993	18.73	--	0.68	11.05	8.19
B-3	2/8/1994	18.73	--	4.07	11.48	10.30
B-3	7/8/1994	18.73	--	2.37	11.58	8.93
B-3	8/12/1994	18.73	--	1.70	11.55	8.46
B-3	9/21/1994	18.73	--	0.82	11.60	7.75
B-3	11/4/1994	18.73	--	1.20	11.60	8.03
B-3	12/23/1994	18.73	--	6.00	11.95	11.28
B-3	2/3/1995	18.73	--	0.05	5.00	13.77
B-3	2/22/1995	18.73	--	8.63	13.68	11.52
B-3	3/24/1995	18.73	--	6.30	11.60	11.86
B-3	4/27/1995	18.73	--	3.70	9.90	11.61
B-3	5/15/1995	18.73	--	5.06	11.46	11.07
B-3	6/16/1995	18.73	--	4.53	11.48	10.65
B-3	8/25/1995	18.73	--	3.44	11.47	9.84
B-3	10/20/1995	18.73	--	0.55	9.91	9.23
B-3	4/4/1996	18.73	--	6.34	11.12	12.37
B-3	4/16/1996	18.73	--	5.28	10.04	12.65
B-3	5/10/1996	18.73	--	3.09	7.49	13.56
B-3	5/15/1996	18.73	--	2.52	6.93	13.69
B-3	5/22/1996	18.73	--	0.44	7.69	11.37
B-3	6/5/1996	18.73	--	1.54	9.31	10.58
B-3	6/24/1996	18.73	--	3.35	11.78	9.46
B-3	7/15/1996	18.73	--	2.77	11.59	9.22
B-3	8/23/1996	18.73	--	2.11	11.66	8.65
B-3	9/18/1996	18.73	--	1.96	11.63	8.57
B-3	1/3/1997	18.73	--	0.45	5.00	14.07
B-3	3/12/1997	18.73	--	0.61	8.15	11.04
B-3	4/2/1997	18.73	--	--	7.62	11.11
B-3	5/1/1997	18.73	--	1.20	7.93	11.70
B-3	7/8/1997	18.73	--	5.02	11.00	11.50
B-3	8/19/1997	18.73	--	2.52	11.12	9.50
B-3	8/26/1997	18.73	--	2.77	11.57	9.24
B-3	9/18/1997	18.73	--	0.37	10.28	8.73
B-3	4/30/1998	18.73	--	5.56	11.59	11.31
B-3	7/28/1999	18.73	--	4.77	11.63	10.68
B-3	5/23/2000	18.73	--	3.73	10.63	10.90
B-3	5/24/2001	18.73	--	2.00	10.81	9.42
B-3	6/5/2002	18.73	--	5.48	11.45	11.39
B-3	5/27/2003	18.73	--	3.55	11.42	9.97
B-3	6/15/2004	18.73	--	2.35	11.50	8.99
B-3	6/20/2005	18.73	--	3.52	9.30	12.07

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
B-3	6/5/2006	18.73	--	0.02	5.82	12.93
B-3	10/23/2006	18.73	--	0.91	9.05	10.36
B-3	3/14/2007	21.77	--	0.08	5.56	16.27
B-3	9/10/2007	21.77	--	0.08	10.21	11.62
B-3A	11/28/2007	21.77	--	--	8.60	13.17
B-3A	12/13/2007	21.77	--	--	7.96	13.81
B-3A	1/21/2008	21.77	--	--	7.09	14.68
B-3A	2/24/2008	21.77	--	--	6.69	15.08
B-3A	3/24/2008	21.77	--	--	7.38	14.39
B-3A	6/2/2008	21.85	--	--	8.62	13.23
B-3A	8/25/2008	21.85	--	--	8.93	12.92
B-3A	2/18/2009	21.85	--	--	Not Monitored	
B-3A	8/25/2009	21.85	--	--	Not Monitored	
B-3A	3/22/2010	21.85	--	--	5.31	16.54
B-3A	8/23/2010	21.85	7.31	0.23	7.54	14.48
B-3A	2/7/2011	21.85	--	--	6.56	15.29
B-3A	5/27/2011	21.85	--	--	7.75	14.10
B-3A	8/8/2011	21.85	--	--	8.61	13.24
B-3A	11/14/2011	21.85	--	--	8.87	12.98
B-3A	2/20/2012	21.85	--	--	7.69	14.16
B-3A	8/22/2012	21.85	--	--	7.79	14.06
B-3A	11/5/2012	21.85	--	--	9.07	12.78
B-3A	1/28/2013	21.85	--	--	5.31	16.54
B-3A	5/9/2013	21.85	--	--	7.54	14.31
B-3A	8/19/2013	21.85	9.08	0.03	9.11	12.76
B-3A	11/25/2013	21.85	--	--	8.04	13.81
B-3A	2/14/2014	21.85	--	--	7.67	14.18
B-4	1/27/1993	18.09	--	0.59	5.16	13.37
B-4	3/12/1993	18.09	--	0.03	7.48	10.63
B-4	4/14/1993	18.09	--	0.07	7.23	10.91
B-4	6/30/1993	18.09	--	--	7.20	10.89
B-4	12/15/1993	18.09	--	0.30	8.01	10.31
B-4	2/8/1994	18.09	--	0.78	6.29	12.39
B-4	7/8/1994	18.09	--	--	8.42	9.67
B-4	8/12/1994	18.09	--	--	8.79	9.30
B-4	9/21/1994	18.09	--	--	9.07	9.02
B-4	11/4/1994	18.09	--	--	8.94	9.15
B-4	12/23/1994	18.09	--	0.34	4.69	13.66
B-4	2/3/1995	18.09	--	0.90	5.00	13.77
B-4	2/22/1995	18.09	--	0.64	5.77	12.80
B-4	3/24/1995	18.09	--	0.90	6.09	12.68
B-4	4/27/1995	18.09	--	0.50	6.00	12.47
B-4	5/15/1995	18.09	--	0.44	6.24	12.18
B-4	6/16/1995	18.09	--	0.03	6.42	11.69
B-4	8/25/1995	18.09	--	--	7.14	10.95
B-4	10/20/1995	18.09	--	--	7.12	10.97
B-4	4/4/1996	18.09	--	--	5.03	13.06
B-4	4/16/1996	18.09	--	0.49	4.75	13.71
B-4	5/10/1996	18.09	--	0.92	4.71	14.07
B-4	5/15/1996	18.09	--	0.87	4.61	14.13
B-4	5/22/1996	18.09	--	0.68	7.10	11.50
B-4	6/5/1996	18.09	--	0.10	7.17	11.00
B-4	6/24/1996	18.09	--	--	7.67	10.42
B-4	7/15/1996	18.09	--	--	8.13	9.96
B-4	8/23/1996	18.09	--	--	8.59	9.50
B-4	9/18/1996	18.09	--	--	8.78	9.31
B-4	1/3/1997	18.09	--	1.61	4.46	14.84
B-4	3/12/1997	18.09	--	0.10	6.45	11.72
B-4	4/2/1997	18.09	--	0.01	6.54	11.56
B-4	5/1/1997	18.09	--	--	6.87	11.22
B-4	8/19/1997	18.09	--	--	7.87	10.22
B-4	8/26/1997	18.09	--	--	8.08	10.01
B-4	9/18/1997	18.09	--	--	7.40	10.69
B-4	4/30/1998	18.09	--	0.02	5.93	12.18
B-4	7/29/1999	18.09	--	--	6.42	11.67

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
B-4	5/23/2000	18.09	--	--	6.10	11.99
B-4	5/23/2001	18.09	--	--	7.46	10.63
B-4	6/5/2002	18.09	--	0.48	6.18	12.27
B-4	5/29/2003	18.09	--	sheen	7.10	10.99
B-4	6/15/2004	18.09	--	0.05	8.20	9.93
B-4	6/20/2005	18.09	--	0.48	5.95	12.50
B-4	6/5/2006	18.09	--	0.55	5.67	12.83
B-4	10/23/2006	18.09	--	0.04	7.60	10.52
B-4	3/14/2007	21.28	--	0.21	4.66	16.78
B-4	9/10/2007	21.28	--	--	8.78	12.50
B-4	11/28/2007	21.28	--	--	7.62	13.66
B-4	12/13/2007	21.28	--	--	6.82	14.46
B-4	1/21/2008	21.28	--	--	Not Monitored	
B-4	2/24/2008	21.28	--	--	5.88	15.40
B-4	3/24/2008	21.28	--	--	6.52	14.76
B-4	6/2/2008	21.28	--	--	7.96	13.32
B-4	8/25/2008	21.28	--	--	8.35	12.93
B-4	2/18/2009	21.28	--	--	Not Monitored	
B-4	8/25/2009	21.28	--	--	Not Monitored	
B-4	3/22/2010	21.28	4.64	0.46	5.10	16.53
B-4	8/23/2010	21.28	6.79	0.46	7.25	14.38
B-4	2/7/2011	21.28	5.46	0.19	5.65	15.77
B-4	5/27/2011	21.28	6.72	0.09	6.81	14.47
B-4	2/20/2012	21.28	--	--	6.49	14.79
B-4	8/22/2012	21.28	--	--	7.14	14.14
B-4	11/5/2012	21.28	--	--	7.91	13.37
B-4	1/28/2013	21.28	--	--	4.71	16.57
B-4	5/9/2013	21.28	6.46	0.13	6.59	14.79
B-4	8/19/2013	21.28	--	--	8.51	12.77
B-4	11/25/2013	21.28	--	--	7.09	14.19
B-4	2/14/2014	21.28	--	--	6.53	14.75
B-5	1/27/1993	17.97	--	--	4.48	13.49
B-5	3/12/1993	17.97	--	--	7.98	9.99
B-5	4/14/1993	17.97	--	--	7.64	10.33
B-5	6/30/1993	17.97	--	--	7.03	10.94
B-5	12/15/1993	17.97	--	--	7.35	10.62
B-5	2/8/1994	17.97	--	0.03	5.40	12.59
B-5	7/8/1994	17.97	--	0.05	8.58	9.43
B-5	8/12/1994	17.97	--	0.01	8.78	9.20
B-5	9/21/1994	17.97	--	0.06	9.02	9.00
B-5	11/4/1994	17.97	--	0.07	8.96	9.06
B-5	12/23/1994	17.97	--	0.01	4.23	13.75
B-5	2/3/1995	17.97	--	0.04	4.30	13.70
B-5	2/22/1995	17.97	--	0.34	5.74	12.49
B-5	3/24/1995	17.97	--	0.78	5.93	12.63
B-5	4/27/1995	17.97	--	0.90	6.00	12.65
B-5	5/15/1995	17.97	--	0.90	6.30	12.35
B-5	6/16/1995	17.97	--	0.84	6.73	11.87
B-5	8/25/1995	17.97	--	0.07	6.87	11.15
B-5	10/20/1995	17.97	--	--	7.39	10.58
B-5	4/4/1996	17.97	--	--	4.24	13.73
B-5	4/16/1996	17.97	--	--	3.85	14.12
B-5	5/10/1996	17.97	--	--	3.63	14.34
B-5	5/15/1996	17.97	--	--	3.60	14.37
B-5	5/22/1996	17.97	--	--	7.46	10.51
B-5	6/5/1996	17.97	--	0.01	7.77	10.21
B-5	6/24/1996	17.97	--	--	7.57	10.40
B-5	7/15/1996	17.97	--	--	8.35	9.62
B-5	8/23/1996	17.97	--	--	8.62	9.35
B-5	9/18/1996	17.97	--	--	8.75	9.22
B-5	1/3/1997	17.97	--	--	2.95	15.02
B-5	3/12/1997	17.97	--	--	7.38	10.59
B-5	4/2/1997	17.97	--	--	7.43	10.54
B-5	5/1/1997	17.97	--	--	7.68	10.29
B-5	8/19/1997	17.97	--	--	7.56	10.41
B-5	8/26/1997	17.97	--	--	7.88	10.09
B-5	9/17/1997	17.97	--	--	7.53	10.44
B-5	4/29/1998	17.97	--	--	5.61	12.36
B-5	7/29/1999	17.97	--	--	6.09	11.88
B-5	5/23/2000	17.97	--	--	5.95	12.02

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
B-5	5/23/2001	17.97	--	--	7.95	10.02
B-5	6/5/2002	17.97	--	--	5.27	12.70
B-5	5/29/2003	17.97	--	sheen	6.82	11.15
B-5	6/15/2004	17.97	--	--	7.37	10.60
B-5	6/22/2005	17.97	--	--	5.29	12.68
B-5	6/5/2006	17.97	--	--	4.91	13.06
B-5	10/23/2006	17.97	--	--	7.24	10.73
B-5	3/14/2007	20.95	--	--	4.16	16.79
B-5	9/10/2007	20.95	--	--	8.77	12.18
B-5	11/28/2007	20.95	3.45	0.38	3.83	17.41
B-5	12/13/2007	20.94	--	--	7.56	13.38
B-5	1/21/2008	20.94	--	--	6.77	14.17
B-5	2/24/2008	20.94	--	--	5.56	15.38
B-5	3/24/2008	20.94	--	--	6.24	14.70
B-5	6/2/2008	20.95	--	--	8.21	12.74
B-5	8/25/2008	20.95	--	--	7.86	13.09
B-5	2/18/2009	20.95	--	--	Not Monitored	
B-5	8/25/2009	20.95	--	--	Not Monitored	
B-5	3/22/2010	20.95	--	--	4.25	16.70
B-5	8/23/2010	20.95	6.38	0.30	6.68	14.50
B-5	2/7/2011	20.95	--	--	5.41	15.54
B-5	5/27/2011	20.95	--	--	7.39	13.56
B-5	11/14/2011	20.95	--	--	8.15	12.80
B-5	2/20/2012	20.95	--	--	7.13	13.82
B-5	8/22/2012	20.95	--	--	6.80	14.15
B-5	11/5/2012	20.95	--	--	7.71	13.24
B-5	1/28/2013	20.95	--	--	4.03	16.92
B-5	5/9/2013	20.95	--	--	6.92	14.03
B-5	8/19/2013	20.95	8.57	0.01	8.58	12.38
B-5	11/25/2013	20.95	--	--	7.69	13.26
B-5	2/14/2014	20.95	--	--	6.97	13.98
B-6	1/27/1993	17.94	--	--	6.15	11.79
B-6	3/12/1993	17.94	--	--	7.86	10.08
B-6	4/14/1993	17.94	--	--	7.89	10.05
B-6	6/30/1993	17.94	--	--	7.26	10.68
B-6	12/15/1993	17.94	--	--	7.69	10.25
B-6	2/8/1994	17.94	--	--	5.61	12.33
B-6	7/8/1994	17.94	--	--	8.52	9.42
B-6	8/12/1994	17.94	--	0.76	9.38	9.13
B-6	9/21/1994	17.94	--	1.37	10.08	8.89
B-6	11/4/1994	17.94	--	1.76	10.48	8.78
B-6	12/23/1994	17.94	--	--	4.77	13.17
B-6	2/3/1995	17.94	--	0.05	4.79	13.19
B-6	2/22/1995	17.94	--	0.01	5.07	12.88
B-6	3/24/1995	17.94	--	0.77	6.97	11.55
B-6	4/27/1995	17.94	--	0.10	3.65	14.37
B-6	5/15/1995	17.94	--	0.46	6.10	12.19
B-6	6/16/1995	17.94	--	0.69	6.71	11.75
B-6	8/25/1995	17.94	--	0.37	7.20	11.02
B-6	10/20/1995	17.94	--	0.18	7.54	10.54
B-6	4/4/1996	17.94	--	1.46	5.79	13.25
B-6	4/16/1996	17.94	--	2.24	5.92	13.70
B-6	5/10/1996	17.94	--	2.20	5.64	13.95
B-6	5/15/1996	17.94	--	2.33	5.72	13.97
B-6	5/17/1996	17.94	--	--	Not Monitored	
B-6	5/22/1996	17.94	--	--	7.34	10.60
B-6	6/5/1996	17.94	--	0.41	8.00	10.25
B-6	6/24/1996	17.94	--	0.25	8.20	9.93
B-6	7/15/1996	17.94	--	0.59	8.77	9.61
B-6	8/23/1996	17.94	--	0.92	9.34	9.29
B-6	9/18/1996	17.94	--	0.91	9.51	9.11
B-6	1/3/1997	17.94	--	--	3.71	14.23
B-6	3/12/1997	17.94	--	--	7.01	10.93
B-6	4/2/1997	17.94	--	--	7.56	10.38
B-6	5/1/1997	17.94	--	--	7.65	10.29
B-6	8/19/1997	17.94	--	--	7.81	10.13
B-6	9/17/1997	17.94	--	--	7.00	10.94
B-6	4/29/1998	17.94	--	--	5.89	12.05
B-6	7/29/1999	17.94	--	--	6.15	11.79
B-6	5/24/2001	17.94	--	--	8.05	9.89

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
B-6	6/5/2002	17.94	--	0.10	5.65	12.37
B-6	5/29/2003	17.94	--	--	7.08	10.86
B-6	6/15/2004	17.94	--	--	8.42	9.52
B-6	6/22/2005	17.94	--	--	5.44	12.50
B-6	6/5/2006	17.94	--	--	5.10	12.84
B-6	10/23/2006	17.94	--	--	7.34	10.60
B-6	3/14/2007	21.00	--	--	4.46	16.54
B-6	9/10/2007	21.00	--	--	8.76	12.24
B-6	11/28/2007	21.00	--	--	9.50	11.50
B-6	12/13/2007	21.00	--	--	1.79	19.21
B-6	1/21/2008	21.00	--	--	11.60	9.40
B-6	2/24/2008	21.00	--	--	5.78	15.22
B-6	3/24/2008	21.00	--	--	6.47	14.53
B-6	6/2/2008	21.00	--	--	7.99	13.01
B-6	8/25/2008	21.00	--	--	8.11	12.89
B-6	2/18/2009	21.00	--	--	Not Monitored	
B-6	8/25/2009	21.00	--	--	Not Monitored	
B-6	3/22/2010	21.00	--	--	4.31	16.69
B-6	8/23/2010	21.00	--	--	6.40	14.60
B-6	2/7/2011	21.00	--	--	5.60	15.40
B-6	5/27/2011	21.00	--	--	7.01	13.99
B-6	8/8/2011	21.00	--	--	6.24	14.76
B-6	11/14/2011	21.00	--	--	8.19	12.81
B-6	2/20/2012	21.00	--	--	7.34	13.66
B-6	8/22/2012	21.00	--	--	6.92	14.08
B-6	11/5/2012	21.00	--	--	7.90	13.10
B-6	1/28/2013	21.00	--	--	4.42	16.58
B-6	5/9/2013	21.00	--	--	7.26	13.74
B-6	8/19/2013	21.00	--	--	8.63	12.37
B-6	11/25/2013	21.00	--	--	7.69	13.31
B-6	2/14/2014	21.00	--	--	7.29	13.71
D-1	1/27/1993	18.03	--	--	5.53	12.50
D-1	3/12/1993	18.03	--	--	6.65	11.38
D-1	4/14/1993	18.03	--	--	5.84	12.19
D-1	12/15/1993	18.03	--	--	6.59	11.44
D-1	11/4/1994	18.03	--	--	7.55	10.48
D-1	2/22/1995	18.03	--	--	5.90	12.13
D-1	6/16/1995	18.03	--	--	6.86	11.17
D-1	10/20/1995	18.03	--	--	6.60	11.43
D-1	4/4/1996	18.03	--	--	6.44	11.59
D-1	4/16/1996	18.03	--	--	6.36	11.67
D-1	5/1/1997	18.03	--	--	6.06	11.97
D-1R	11/14/2011	20.13	--	--	8.66	11.47
D-1R	2/20/2012	20.13	--	--	7.31	12.82
D-1R	8/22/2012	20.13	--	--	9.49	10.64
D-1R	11/5/2012	20.13	--	--	7.77	12.36
D-1R	1/28/2013	20.13	--	--	7.78	12.35
D-1R	5/9/2013	20.13	--	--	8.33	11.80
D-1R	8/19/2013	20.13	--	--	10.28	9.85
D-1R	11/25/2013	20.13	--	--	7.91	12.22
D-1R	2/14/2014	20.13	--	--	7.25	12.88
D-4	11/4/1994	17.82	--	--	6.44	11.38
D-4	2/22/1995	17.82	--	--	3.95	13.87
D-4	6/16/1995	17.82	--	--	6.37	11.45
D-4	10/20/1995	17.82	--	--	6.10	11.72
D-4	4/4/1996	17.82	--	--	5.17	12.65
D-4	4/16/1996	17.82	--	--	5.40	12.42
D-4	4/30/1998	17.82	--	--	5.68	12.14
D-4	6/5/2002	17.82	--	--		
D-4	5/27/2003	17.82	--	--	Dry	
D-4	6/15/2004	17.82	--	--	Dry	
D-4	6/21/2005	17.82	--	--		
D-4	6/5/2006	17.82	--	--	5.90	11.92
D-4	10/23/2006	17.82	--	--	4.77	13.05
D-4	3/14/2007	21.09	--	--	5.82	DRY
D-4	9/10/2007	21.09	--	--	5.30	15.79
D-4	9/10/2007	21.09	--	--	5.57	15.52
D-4	11/28/2007	21.09	--	--	4.10	16.99
D-4	12/13/2007	21.09	--	--	5.00	16.09

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
D-4	1/21/2008	21.09	--	--	6.00	15.09
D-4	2/24/2008	21.09	--	--	4.15	16.94
D-4	3/24/2008	21.09	--	--	3.47	17.62
D-4	6/2/2008	21.09	--	--	Dry	
D-4	8/25/2008	21.09	--	--	2.89	18.20
D-4	2/18/2009	21.09	--	--	Not Monitored	
D-4	8/25/2009	21.09	--	--	Not Monitored	
D-4	3/22/2010	21.09	--	--	5.41	15.68
D-4	8/23/2010	21.09	--	--	5.75	15.34
D-4	2/7/2011	21.09	--	--	2.93	18.16
D-4	5/27/2011	21.09	--	--	4.87	16.22
D-4	8/8/2011	21.09	--	--	Dry	
D-4	10/13/2011				Decommissioned Well and Replaced With D-4R	
D-4R	11/14/2011	21.27	--	--	9.06	12.21
D-4R	2/20/2012	21.27	--	--	7.85	13.42
D-4R	8/22/2012	21.27	--	--	10.22	11.05
D-4R	11/5/2012	21.27	--	--	8.37	12.90
D-4R	1/28/2013	21.27	--	--	8.11	13.16
D-4R	5/9/2013	21.27	--	--	8.71	12.56
D-4R	8/19/2013	21.27	--	--	10.97	10.30
D-4R	11/25/2013	21.27	--	--	8.38	12.89
D-4R	2/14/2014	21.27	--	--	7.71	13.56
D-5	1/27/1993	18.12	--	--	5.51	12.61
D-5	4/14/1993	18.12	--	--	5.58	12.54
D-5	12/15/1993	18.12	--	--	6.55	11.57
D-5	11/4/1994	18.12	--	--	6.56	11.56
D-5	2/22/1995	18.12	--	--	4.10	14.02
D-5	6/16/1995	18.12	--	--	6.77	11.35
D-5	10/20/1995	18.12	--	--	6.55	11.57
D-5	4/4/1996	18.12	--	--	4.51	13.61
D-5	4/16/1996	18.12	--	--	4.94	13.18
D-5	5/1/1997	18.12	--	--	6.50	11.62
D-5	4/30/1998	18.12	--	--	6.61	11.51
D-5	5/27/2003	18.12	--	--	Dry	
D-5	6/15/2004	18.12	--	--	Dry	
D-5	6/21/2005	18.12	--	--	Dry	
D-5	6/5/2006	18.12	--	--	6.51	11.61
D-5	10/23/2006	18.12	--	--	Dry	
D-5	3/14/2007	21.33	--	--	Dry	
D-5	9/10/2007	21.33	--	--	Dry	
D-5	11/28/2007	21.33	--	--	6.74	14.59
D-5	12/13/2007	21.33	--	--	2.30	19.03
D-5	1/21/2008	21.33	--	--	Not Monitored	
D-5	2/24/2008	21.33	--	--	6.23	15.10
D-5	3/24/2008	21.33	--	--	Dry	
D-5	6/2/2008	21.33	--	--	Dry	
D-5	8/25/2008	21.33	--	--	6.91	14.42
D-5	2/18/2009	21.33	--	--	Not Monitored	
D-5	8/25/2009	21.33	--	--	Not Monitored	
D-5	3/22/2010	21.33	--	--	Dry	
D-5	8/23/2010	21.33	--	--	6.82	14.51
D-5	2/7/2011	21.33	--	--	6.90	14.43
D-5	5/27/2011	21.33	--	--	Not Monitored	
D-5	8/8/2011	21.33	--	--	Dry	
D-5	10/6/2011				Decommissioned Well and Replaced With D-5R	
D-5R	11/14/2011	21.45	--	--	9.39	12.06
D-5R	2/20/2012	21.45	--	--	8.33	13.12
D-5R	8/22/2012	21.45	--	--	10.44	11.01
D-5R	11/5/2012	21.45	--	--	8.79	12.66
D-5R	1/28/2013	21.45	--	--	8.83	12.62
D-5R	5/9/2013	21.45	--	--	9.16	12.29
D-5R	8/19/2013	21.45	--	--	11.11	10.34
D-5R	11/25/2013	21.45	--	--	8.80	12.65
D-5R	2/14/2014	21.45	--	--	8.21	13.24
D-6	1/27/1993	17.74	--	1.00	5.54	12.95
D-6	3/12/1993	17.74	--	--	6.79	10.95
D-6	4/14/1993	17.74	--	--	5.68	12.06

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
D-6	6/30/1993	17.74	--	--	6.58	11.16
D-6	12/15/1993	17.74	--	--	7.14	10.60
D-6	2/8/1994	17.74	--	--	5.27	12.47
D-6	7/8/1994	17.74	--	--	7.43	10.31
D-6	12/23/1994	17.74	--	--	5.14	12.60
D-6	2/3/1995	17.74	--	--	4.34	13.40
D-6	2/22/1995	17.74	--	--	4.79	12.95
D-6	3/24/1995	17.74	--	--	4.55	13.19
D-6	4/27/1995	17.74	--	--	6.64	11.10
D-6	5/15/1995	17.74	--	--	5.19	12.55
D-6	6/16/1995	17.74	--	--	5.67	12.07
D-6	8/25/1995	17.74	--	--	6.42	11.32
D-6	10/20/1995	17.74	--	--	4.81	12.93
D-6	4/4/1996	17.74	--	--	1.58	16.16
D-6	4/16/1996	17.74	--	--	1.21	16.53
D-6	5/10/1996	17.74	--	--	3.50	14.24
D-6	5/15/1996	17.74	--	--	3.28	14.46
D-6	5/22/1996	17.74	--	--	5.59	12.15
D-6	6/5/1996	17.74	--	--	6.09	11.65
D-6	6/24/1996	17.74	--	--	6.55	11.19
D-6	7/15/1996	17.74	--	--	7.10	10.64
D-6	8/23/1996	17.74	--	--	7.73	10.01
D-6	9/18/1996	17.74	--	--	7.09	10.65
D-6	1/3/1997	17.74	--	--	2.77	14.97
D-6	3/12/1997	17.74	--	--	1.61	16.13
D-6	4/2/1997	17.74	--	--	5.97	11.77
D-6	5/1/1997	17.74	--	--	5.89	11.85
D-6	8/19/1997	17.74	--	--	7.28	10.46
D-6	9/17/1997	17.74	--	--	7.38	10.36
D-6	4/30/1998	17.74	--	--	5.49	12.25
D-6	5/23/2000	17.74	--	--	5.82	11.92
D-6	5/23/2001	17.74	--	--	6.92	10.82
D-6	6/5/2002	17.74	--	--	4.67	13.07
D-6	5/27/2003	17.74	--	--	6.72	11.02
D-6	6/15/2004	17.74	--	--	8.52	9.22
D-6	6/22/2005	17.74	--	--	4.67	13.07
D-6	6/5/2006	17.74	--	--	2.62	15.12
D-6	10/23/2006	17.74	--	--	6.95	10.79
D-6	3/14/2007	20.61	--	--	4.62	15.99
D-6	9/10/2007	20.61	--	--	7.92	12.69
D-6	11/28/2007	20.61	--	--	7.80	12.81
D-6	12/13/2007	20.61	--	--	6.26	14.35
D-6	1/21/2008	20.61	--	--	6.03	14.58
D-6	2/24/2008	20.61	--	--	5.93	14.68
D-6	3/24/2008	20.61	--	--	5.76	14.85
D-6	6/2/2008	20.61	--	--	6.75	13.86
D-6	8/25/2008	20.61	--	--	7.51	13.10
D-6	2/18/2009	20.61	--	--	Not Monitored	
D-6	8/25/2009	20.61	--	--	Not Monitored	
D-6	3/22/2010	20.61	--	--	3.85	16.76
D-6	8/23/2010	20.61	--	--	5.99	14.62
D-6	2/7/2011	20.61	--	--	3.50	17.11
D-6	5/27/2011	20.61	--	--	5.40	15.21
D-6	8/8/2011	20.61	--	--	7.05	13.56
D-6	11/14/2011	20.61	--	--	5.95	14.66
D-6	2/20/2012	20.61	--	--	5.60	15.01
D-6	8/22/2012	20.61	--	--	6.52	14.09
D-6	11/5/2012	20.61	--	--	7.26	13.35
D-6	5/9/2013	20.61	--	--	5.48	15.13
D-6	8/19/2013	20.61	--	--	7.64	12.97
D-6	11/25/2013	20.61	--	--	6.26	14.35
D-6	2/14/2014	20.61	--	--	6.22	14.39
D-7	1/27/1993	17.69	--	--	5.07	12.62
D-7	3/12/1993	17.69	--	--	6.38	11.31
D-7	4/14/1993	17.69	--	--	6.38	11.31
D-7	12/15/1993	17.69	--	--	7.37	10.32
D-7	7/8/1994	17.69	--	--	7.14	10.55
D-7	8/12/1994	17.69	--	--	7.14	10.55
D-7	11/4/1994	17.69	--	--	7.94	9.75
D-7	12/23/1994	17.69	--	--	7.14	10.55
D-7	2/3/1995	17.69	--	--	4.59	13.10
D-7	2/22/1995	17.69	--	--	5.31	12.38
D-7	3/24/1995	17.69	--	--	5.35	12.34
D-7	4/27/1995	17.69	--	--	5.18	12.51

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
D-7	5/15/1995	17.69	--	--	5.50	12.19
D-7	6/16/1995	17.69	--	--	5.95	11.74
D-7	8/25/1995	17.69	--	--	6.59	11.10
D-7	10/20/1995	17.69	--	--	6.00	11.69
D-7	3/24/1996	17.69	--	--	5.35	12.34
D-7	4/4/1996	17.69	--	--	4.30	13.39
D-7	4/16/1996	17.69	--	--	4.01	13.68
D-7	4/2/1997	17.69	--	--	6.04	11.65
D-7	5/1/1997	17.69	--	--	6.30	11.39
D-7	4/30/1998	17.69	--	--	5.85	11.84
D-7	5/23/2000	17.69	--	--	6.11	11.58
D-7	5/23/2001	17.69	--	--	6.85	10.84
D-7	6/4/2002	17.69	--	--	5.51	12.18
D-7	5/27/2003	17.69	--	--	6.36	11.33
D-7	6/15/2004	17.69	--	--	7.24	10.45
D-7	6/22/2005	17.69	--	--	5.11	12.58
D-7	6/5/2006	17.69	--	--	4.74	12.95
D-7	10/23/2006	17.69	--	--	7.04	10.65
D-7	3/14/2007	20.49	--	--	3.83	16.66
D-7	9/10/2007	20.49	--	--	7.67	12.82
D-7	11/28/2007	20.49	--	--	6.92	13.57
D-7	12/13/2007	20.49	--	--	2.36	18.13
D-7	1/21/2008	20.49	--	--	9.97	10.52
D-7	2/24/2008	20.49	--	--	6.03	14.46
D-7	3/24/2008	20.49	--	--	Not Monitored	
D-7	6/2/2008	20.49	--	--	6.25	14.24
D-7	8/25/2008	20.49	--	--	7.42	13.07
D-7	2/18/2009	20.49	--	--	Not Monitored	
D-7	8/25/2009	20.49	--	--	Not Monitored	
D-7	3/22/2010	20.49	--	--	4.41	16.08
D-7	8/23/2010	20.49	--	--	5.96	14.53
D-7	2/7/2011	20.49	--	--	5.36	15.13
D-7	5/27/2011	20.49	--	--	5.92	14.57
D-7	8/8/2011	20.49	--	--	6.85	13.64
D-7	11/14/2011	20.49	--	--	4.81	15.68
D-7	2/20/2012	20.49	--	--	5.04	15.45
D-7	8/22/2012	20.49	--	--	6.73	13.76
D-7	11/5/2012	20.49	--	--	7.06	13.43
D-7	1/28/2013	20.49	--	--	3.53	16.96
D-7	5/9/2013	20.49	--	--	5.85	14.64
D-7	8/19/2013	20.49	--	--	7.41	13.08
D-7	11/25/2013	20.49	--	--	6.18	14.31
D-7	2/14/2014	20.49	--	--	5.29	15.20
HA-1	1/27/1993	19.50	--	--	5.94	13.56
HA-1	3/12/1993	19.50	--	--	8.54	10.96
HA-1	4/14/1993	19.50	--	--	6.47	13.03
HA-1	12/15/1993	19.50	--	--	5.54	13.96
HA-1	11/4/1994	19.50	--	--	10.30	9.20
HA-1	2/22/1995	19.50	--	--	5.11	14.39
HA-1	6/16/1995	19.50	--	--	8.33	11.17
HA-1	10/20/1995	19.50	--	--	5.48	14.02
HA-1	4/4/1996	19.50	--	--	5.81	13.69
HA-1	4/16/1996	19.50	--	--	5.78	13.72
HA-1	5/1/1997	19.50	--	--	5.59	13.91
HA-1	9/17/1997	19.50	--	--	5.50	14.00
HA-1	4/29/1998	19.50	--	--	5.83	13.67
HA-1	5/24/2000	19.50	--	--	6.20	13.30
HA-1	5/23/2001	19.50	--	--	6.30	13.20
HA-1	6/4/2002	19.50	--	--	6.40	13.10
HA-1	5/28/2003	19.50	--	--	6.45	13.05
HA-1	6/15/2004	19.50	--	--	5.80	13.70
HA-1	6/22/2005	19.50	--	--	5.77	13.73
HA-1	6/5/2006	19.50	--	--	5.00	14.50
HA-1	10/23/2006	19.50	--	--	5.97	13.53
HA-1	3/14/2007	20.76	--	--	3.42	17.34
HA-1	9/10/2007	20.76	--	--	4.46	16.30
HA-1	11/28/2007	20.76	--	--	7.32	13.44
HA-1	12/13/2007	20.76	--	--	3.83	16.93
HA-1	1/21/2008	20.76	--	--	3.87	16.89
HA-1	2/24/2008	20.76	--	--	4.46	16.30

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-1	3/24/2008	20.76	--	--	3.06	17.70
HA-1	6/2/2008	20.76	--	--	4.83	15.93
HA-1	8/25/2008	20.76	--	--	3.33	17.43
HA-1	2/18/2009	20.76			Not Monitored	
HA-1	8/25/2009	20.76			Not Monitored	
HA-1	3/22/2010	20.76	--	--	3.94	16.82
HA-1	8/23/2010	20.76	--	--	6.68	14.08
HA-1	2/7/2011	20.76	--	--	3.88	16.88
HA-1	5/27/2011	20.76	--	--	3.76	17.00
HA-1	8/8/2011	20.76	--	--	6.10	14.66
HA-1	11/14/2011	20.76	--	--	4.01	16.75
HA-1	2/20/2012	20.76	--	--	3.01	17.75
HA-1	8/22/2012	20.76	--	--	7.42	13.34
HA-1	11/5/2012	20.76	--	--	2.98	17.78
HA-1	1/28/2013	20.76	--	--	3.17	17.59
HA-1	5/9/2013	20.76	--	--	4.37	16.39
HA-1	8/19/2013	20.76	--	--	7.83	12.93
HA-1	11/25/2013	20.76	--	--	3.61	17.15
HA-1	2/14/2014	20.76	--	--	2.12	18.64
HA-2	1/27/1993	18.17	--	--	5.80	12.37
HA-2	4/14/1993	18.17	--	--	7.12	11.05
HA-2	12/15/1993	18.17	--	--	7.84	10.33
HA-2	11/4/1994	18.17	--	--	8.45	9.72
HA-2	2/22/1995	18.17	--	--	6.39	11.78
HA-2	6/16/1995	18.17	--	--	7.03	11.14
HA-2	10/20/1995	18.17	--	--	7.29	10.88
HA-2	4/4/1996	18.17	--	--	5.43	12.74
HA-2	4/16/1996	18.17	--	--	5.17	13.00
HA-2	4/2/1997	18.17	--	--	6.80	11.37
HA-2	5/1/1997	18.17	--	--	6.98	11.19
HA-2	9/18/1997	18.17	--	--	7.34	10.83
HA-2	4/30/1998	18.17	--	--	6.74	11.43
HA-2	7/30/1999	18.17	--	--	7.03	11.14
HA-2	5/23/2000	18.17	--	--	6.94	11.23
HA-2	5/23/2001	18.17	--	--	7.50	10.67
HA-2	6/4/2002	18.17	--	--	6.45	11.72
HA-2	5/27/2003	18.17	--	sheen	7.40	10.77
HA-2	6/16/2004	18.17	--	--	7.84	10.33
HA-2	6/21/2005	18.17	--	--	6.41	11.76
HA-2	6/5/2006	18.17	--	--	6.22	11.95
HA-2	10/23/2006	18.17	--	--	7.84	10.33
HA-2	3/14/2007	21.09	--	--	5.69	15.40
HA-2	9/10/2007	21.09	--	--	7.89	13.20
HA-2	11/28/2007	21.09	--	--	7.53	13.56
HA-2	12/13/2007	21.09	6.95	0.36	7.31	14.05
HA-2	1/21/2008	21.09	--	--	6.35	14.74
HA-2	2/24/2008	21.09	--	--	6.31	14.78
HA-2	3/24/2008	21.09	--	--	6.65	14.44
HA-2	6/2/2008	21.09	--	--	7.12	13.97
HA-2	8/25/2008	21.09	--	--	7.77	13.32
HA-2	2/18/2009	21.09			Not Monitored	
HA-2	8/25/2009	21.09			Not Monitored	
HA-2	3/22/2010	21.09	--	--	5.93	15.16
HA-2	8/23/2010	21.09	--	--	6.61	14.48
HA-2	2/7/2011	21.09	--	--	6.20	14.89
HA-2	5/27/2011	21.09	--	--	6.35	14.74
HA-2	8/8/2011	21.09	--	--	7.22	13.87
HA-2	11/14/2011	21.09	--	--	7.70	13.39
HA-2	2/20/2012	21.09	--	--	6.10	14.99
HA-2	8/22/2012	21.09	--	--	7.29	13.80
HA-2	11/5/2012	21.09	--	--	7.37	13.72
HA-2	1/28/2013	21.09	--	--	5.42	15.67
HA-2	5/9/2013	21.09	--	--	6.54	14.55
HA-2	8/19/2013	21.09	--	--	7.66	13.43
HA-2	11/25/2013	21.09	--	--	4.56	16.53
HA-2	2/14/2014	21.09	--	--	6.25	14.84
HA-3	1/27/1993	21.03	--	--	8.65	12.38
HA-3	3/12/1993	21.03	--	--	9.01	12.02
HA-3	4/14/1993	21.03	--	--	8.61	12.42

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product		Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)	Well (feet)		
HA-3	12/15/1993	21.03	--	--	--	9.22	11.81
HA-3	11/4/1994	21.03	--	--	--	10.26	10.77
HA-3	2/22/1995	21.03	--	--	--	8.35	12.68
HA-3	6/16/1995	21.03	--	--	--	9.31	11.72
HA-3	10/20/1995	21.03	--	--	--	9.46	11.57
HA-3	4/4/1996	21.03	--	--	--	7.95	13.08
HA-3	4/16/1996	21.03	--	--	--	8.10	12.93
HA-3	4/2/1997	21.03	--	--	--	6.70	14.33
HA-3	5/1/1997	21.03	--	--	--	8.44	12.59
HA-3	9/18/1997	21.03	--	--	--	9.34	11.69
HA-3	4/30/1998	21.03	--	--	--	9.20	11.83
HA-3	5/23/2000	21.03	--	--	--	9.25	11.78
HA-3	5/23/2001	21.03	--	--	--	9.18	11.85
HA-3	6/4/2002	21.03	--	--	--	9.07	11.96
HA-3	5/27/2003	21.03	--	--	--	9.30	11.73
HA-3	6/22/2005	21.03	--	--	--	8.94	12.09
HA-3	6/5/2006	21.03	--	--	--	8.91	12.12
HA-3	10/23/2006	21.03	--	--	--	9.66	11.37
HA-3	3/14/2007	21.09	--	--	--	5.42	15.67
HA-3	9/10/2007	21.09	--	--	--	6.70	14.39
HA-3	11/28/2007	21.09	--	--	--	6.91	14.18
HA-3	12/13/2007	21.09	5.90	0.90	--	6.80	14.97
HA-3	1/21/2008	21.09	--	--	--	5.96	15.13
HA-3	2/24/2008	21.09	--	--	--	5.77	15.32
HA-3	3/24/2008	21.09	--	--	--	6.07	15.02
HA-3	6/2/2008	21.09	--	--	--	6.36	14.73
HA-3	8/25/2008	21.09	--	--	--	6.30	14.79
HA-3	2/18/2009	21.09	--	--	Not Monitored	--	--
HA-3	8/25/2009	21.09	--	--	Not Monitored	--	--
HA-3	3/22/2010	21.09	--	--	--	5.44	15.65
HA-3	8/23/2010	21.09	--	--	--	6.34	14.75
HA-3	2/7/2011	21.09	--	--	--	5.31	15.78
HA-3	5/27/2011	21.09	--	--	--	5.67	15.42
HA-3	8/8/2011	21.09	--	--	--	6.45	14.64
HA-3	11/14/2011	21.09	--	--	--	6.33	14.76
HA-3	2/20/2012	21.09	--	--	--	5.20	15.89
HA-3	8/22/2012	21.09	--	--	--	6.56	14.53
HA-3	11/5/2012	21.09	--	--	--	5.41	15.68
HA-3	1/28/2013	21.09	--	--	--	5.47	15.62
HA-3	5/9/2013	21.09	--	--	--	5.97	15.12
HA-3	8/19/2013	21.09	--	--	--	6.60	14.49
HA-3	11/25/2013	21.09	--	--	--	4.07	17.02
HA-3	2/14/2014	21.09	--	--	--	4.68	16.41
HA-4	1/27/1993	20.24	--	--	--	7.68	12.56
HA-4	3/12/1993	20.24	--	--	--	8.56	11.68
HA-4	4/14/1993	20.24	--	--	--	8.02	12.22
HA-4	12/15/1993	20.24	--	--	--	8.41	11.83
HA-4	11/4/1994	20.24	--	--	--	10.14	10.10
HA-4	2/22/1995	20.24	--	--	--	7.09	13.15
HA-4	6/16/1995	20.24	--	--	--	8.78	11.46
HA-4	10/20/1995	20.24	--	--	--	8.54	11.70
HA-4	4/4/1996	20.24	--	--	--	7.68	12.56
HA-4	4/16/1996	20.24	--	--	--	7.11	13.13
HA-4	4/2/1997	20.24	--	--	--	8.00	12.24
HA-4	5/1/1997	20.24	--	--	--	5.49	14.75
HA-4	9/18/1997	20.24	--	--	--	7.70	12.54
HA-4	4/30/1998	20.24	--	--	--	8.67	11.57
HA-4	5/23/2000	20.24	--	--	--	7.35	12.89
HA-4	5/23/2001	20.24	--	--	--	8.95	11.29
HA-4	6/4/2002	20.24	--	--	--	6.45	13.79
HA-4	5/27/2003	20.24	--	--	--	8.64	11.60
HA-4	6/16/2004	20.24	--	--	--	8.67	11.57
HA-4	6/22/2005	20.24	--	--	--	8.58	11.66
HA-4	6/5/2006	20.24	--	--	--	8.04	12.20
HA-4	10/23/2006	20.24	--	--	--	9.00	11.24
HA-4	3/14/2007	21.05	--	--	--	5.06	15.99
HA-4	9/10/2007	21.05	--	--	--	6.77	14.28
HA-4	11/28/2007	21.05	--	--	--	5.42	15.63
HA-4	12/13/2007	21.05	--	--	--	6.20	14.85
HA-4	1/21/2008	21.05	--	--	--	5.08	15.97

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-4	2/24/2008	21.05	--	--	5.78	15.27
HA-4	3/24/2008	21.05	--	--	5.15	15.90
HA-4	6/2/2008	21.05	--	--	6.37	14.68
HA-4	8/25/2008	21.05	--	--	4.15	16.90
HA-4	2/18/2009	21.05	--	--	Not Monitored	
HA-4	8/25/2009	21.05	--	--	Not Monitored	
HA-4	3/22/2010	21.05	--	--	5.69	15.36
HA-4	8/23/2010	21.05	--	--	6.75	14.30
HA-4	2/7/2011	21.05	--	--	5.17	15.88
HA-4	5/27/2011	21.05	--	--	5.61	15.44
HA-4	8/8/2011	21.05	--	--	6.63	14.42
HA-4	11/14/2011	21.05	--	--	4.71	16.34
HA-4	2/20/2012	21.05	--	--	4.90	16.15
HA-4	8/22/2012	21.05	--	--	10.72	10.33
HA-4	11/5/2012	21.05	--	--	3.98	17.07
HA-4	1/28/2013	21.05	--	--	3.54	17.51
HA-4	5/9/2013	21.05	--	--	6.08	14.97
HA-4	8/19/2013	21.05	--	--	6.88	14.17
HA-4	11/25/2013	21.05	--	--	5.83	15.22
HA-4	2/14/2014	21.05	--	--	3.65	17.40
HA-5	1/27/1993	18.07	--	--	4.50	13.57
HA-5	3/12/1993	18.07	--	--	6.22	11.85
HA-5	4/14/1993	18.07	--	--	5.13	12.94
HA-5	12/15/1993	18.07	--	--	6.39	11.68
HA-5	11/4/1994	18.07	--	--	7.86	10.21
HA-5	2/22/1995	18.07	--	--	3.67	14.40
HA-5	6/16/1995	18.07	--	--	6.70	11.37
HA-5	10/20/1995	18.07	--	--	6.41	11.66
HA-5	4/4/1996	18.07	--	--	4.88	13.19
HA-5	4/16/1996	18.07	--	--	4.91	13.16
HA-5	5/1/1997	18.07	--	--	5.04	13.03
HA-5	9/18/1997	18.07	--	--	5.90	12.17
HA-5	5/1/1998	18.07	--	--	5.98	12.09
HA-5	7/29/1999	18.07	--	--	6.53	11.54
HA-5	5/23/2000	18.07	--	--	6.22	11.85
HA-5	5/22/2001	18.07	--	--	6.09	11.98
HA-5	6/5/2002	18.07	--	--	6.08	11.99
HA-5	11/24/2002	21.13	--	--	6.80	14.33
HA-5	1/17/2003	21.13	4.37	0.00	4.37	16.76
HA-5	1/20/2003	21.13	--	--	4.58	16.55
HA-5	1/31/2003	21.13	--	--	4.49	16.64
HA-5	2/7/2003	21.13	--	--	4.46	16.67
HA-5	2/12/2003	21.13	--	--	4.93	16.20
HA-5	2/18/2003	21.13	--	--	5.30	15.83
HA-5	2/21/2003	21.13	--	--	5.14	15.99
HA-5	2/24/2003	21.13	--	--	5.23	15.90
HA-5	3/4/2003	21.13	--	--	5.55	15.58
HA-5	3/12/2003	21.13	--	--	5.24	15.89
HA-5	3/14/2003	21.13	5.25	0.01	5.26	15.88
HA-5	3/26/2003	21.13	--	--	4.41	16.72
HA-5	3/28/2003	21.13	--	--	4.98	16.15
HA-5	4/2/2003	21.13	--	--	5.00	16.13
HA-5	4/4/2003	21.13	--	--	5.44	15.69
HA-5	4/8/2003	21.13	--	--	5.49	15.64
HA-5	4/11/2003	21.13	--	--	5.53	15.60
HA-5	4/15/2003	21.13	--	--	5.06	16.07
HA-5	4/17/2003	21.13	--	--	5.70	15.43
HA-5	4/22/2003	21.13	--	--	5.54	15.59
HA-5	4/25/2003	21.13	--	--	5.92	15.21
HA-5	5/2/2003	21.13	--	--	5.98	15.15
HA-5	5/6/2003	21.13	--	--	6.02	15.11
HA-5	5/9/2003	21.13	--	--	6.34	14.79
HA-5	5/23/2003	21.13	--	--	6.95	14.18
HA-5	5/28/2003	21.13	--	--	6.85	14.28
HA-5	6/13/2003	21.13	--	--	7.22	13.91
HA-5	6/18/2003	21.13	--	--	7.16	13.97
HA-5	6/27/2003	21.13	--	--	7.14	13.99
HA-5	7/7/2003	21.13	--	--	7.47	13.66
HA-5	7/16/2003	21.13	--	--	7.57	13.56
HA-5	7/31/2003	21.13	7.82	0.01	7.83	13.31

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-5	8/5/2003	21.13	--	--	7.90	13.23
HA-5	8/11/2003	21.13	--	--	9.01	12.12
HA-5	8/22/2003	21.13	9.24	0.01	9.25	11.89
HA-5	8/26/2003	21.13	--	--	8.19	12.94
HA-5	9/2/2003	21.13	--	--	8.48	12.65
HA-5	9/9/2003	21.13	--	--	8.93	12.20
HA-5	9/19/2003	21.13	8.80	0.01	8.81	12.33
HA-5	10/14/2003	21.13	--	--	Not Monitored	
HA-5	11/20/2003	21.13	--	--	Not Monitored	
HA-5	12/3/2003	21.13	--	--	4.44	16.69
HA-5	1/19/2004	21.13	--	--	3.99	17.14
HA-5	2/24/2004	21.13	--	--	5.26	15.87
HA-5	3/15/2004	21.13	--	--	6.11	15.02
HA-5	4/19/2004	21.13	--	--	6.62	14.51
HA-5	5/17/2004	21.13	--	--	7.15	13.98
HA-5	6/16/2004	18.07	--	--	7.01	11.06
HA-5	6/22/2004	21.13	--	--	6.98	14.15
HA-5	8/18/2004	21.13	8.10	0.01	8.11	13.03
HA-5	9/21/2004	21.13	--	--	6.97	14.16
HA-5	10/19/2004	21.13	--	--	6.28	14.85
HA-5	11/23/2004	21.13	--	--	6.52	14.61
HA-5	12/21/2004	21.13	--	--	4.56	16.57
HA-5	1/13/2005	21.13	--	--	5.84	15.29
HA-5	4/28/2005	21.13	--	--	4.88	16.25
HA-5	6/1/2005	21.13	--	--	5.17	15.96
HA-5	6/20/2005	18.07	--	--	5.82	12.25
HA-5	6/29/2005	21.13	--	--	6.59	14.54
HA-5	7/20/2005	21.13	--	--	7.00	14.13
HA-5	8/22/2005	21.13	--	--	7.20	13.93
HA-5	9/12/2005	21.13	--	--	7.82	13.31
HA-5	10/12/2005	21.13	--	--	8.35	12.78
HA-5	11/21/2005	21.13	6.02	0.01	6.03	15.11
HA-5	12/27/2005	21.13	--	--	Not Monitored	
HA-5	1/30/2006	21.13	--	--	6.10	15.03
HA-5	2/16/2006	21.13	--	--	3.97	17.16
HA-5	3/13/2006	21.13	--	--	4.94	16.19
HA-5	4/18/2006	21.13	--	--	5.28	15.85
HA-5	5/12/2006	21.13	--	--	5.70	15.43
HA-5	6/5/2006	18.07	--	--	5.42	12.65
HA-5	6/9/2006	21.13	--	--	5.31	15.82
HA-5	7/13/2006	21.13	--	--	6.39	14.74
HA-5	8/16/2006	21.13	--	--	7.35	13.78
HA-5	9/19/2006	21.13	--	--	7.80	13.33
HA-5	10/13/2006	21.13	--	--	7.52	13.61
HA-5	10/23/2006	18.07	--	--	7.54	10.53
HA-5	11/20/2006	21.13	--	--	3.70	17.43
HA-5	12/8/2006	21.13	--	--	4.69	16.44
HA-5	1/19/2007	21.13	--	--	3.22	17.91
HA-5	2/19/2007	21.13	--	--	5.25	15.88
HA-5	3/14/2007	21.13	--	--	4.38	16.75
HA-5	3/15/2007	21.13	--	--	4.31	16.82
HA-5	4/16/2007	21.13	--	--	4.76	16.37
HA-5	5/14/2007	21.13	--	--	6.05	15.08
HA-5	6/29/2007	21.13	--	--	7.17	13.96
HA-5	7/20/2007	21.13	--	--	7.57	13.56
HA-5	8/21/2007	21.13	--	--	8.15	12.98
HA-5	9/10/2007	21.13	--	--	8.24	12.89
HA-5	10/22/2007	21.13	--	--	6.92	14.21
HA-5	11/28/2007	21.13	--	--	6.33	14.80
HA-5	12/13/2007	21.13	--	--	5.08	16.05
HA-5	1/21/2008	21.13	--	--	4.96	16.17
HA-5	2/24/2008	21.13	--	--	5.73	15.40
HA-5	3/24/2008	21.13	--	--	8.99	12.14
HA-5	6/2/2008	21.13	--	--	7.04	14.09
HA-5	8/25/2008	21.13	--	--	7.65	13.48
HA-5	2/18/2009	21.13	--	--	Not Monitored	
HA-5	8/25/2009	21.13	--	--	Not Monitored	
HA-5	3/22/2010	21.13	--	--	5.56	15.57
HA-5	8/23/2010	21.13	--	--	7.47	13.66
HA-5	2/7/2011	21.13	--	--	6.63	14.50
HA-5	5/27/2011	21.13	--	--	Not Monitored	

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
HA-5	8/8/2011	21.13	--	--	7.35	13.78
HA-5	11/14/2011	21.13	--	--	7.03	14.1
HA-5	2/20/2012	21.13	--	--	4.63	16.5
HA-5	8/22/2012	21.13	--	--	7.10	14.03
HA-5	11/5/2012	21.13	--	--	5.78	15.35
HA-5	1/28/2013	21.13	--	--	4.33	16.80
HA-5	5/9/2013	21.13	--	--	5.26	15.87
HA-5	8/19/2013	21.13	--	--	7.81	13.32
HA-5	11/25/2013	21.13	--	--	5.50	15.63
HA-5	2/14/2014	21.13	--	--	4.85	16.28
HA-6	1/27/1993	18.16	--	--	4.58	13.58
HA-6	3/12/1993	18.16	--	--	6.46	11.70
HA-6	4/14/1993	18.16	--	--	5.55	12.61
HA-6	12/15/1993	18.16	--	--	7.15	11.01
HA-6	11/4/1994	18.16	--	--	8.42	9.74
HA-6	2/22/1995	18.16	--	--	4.98	13.18
HA-6	5/15/1995	18.16	--	--	5.86	12.30
HA-6	6/16/1995	18.16	--	--	6.62	11.54
HA-6	10/20/1995	18.16	--	--	6.86	11.30
HA-6	4/4/1996	18.16	--	--	4.68	13.48
HA-6	4/16/1996	18.16	--	--	4.60	13.56
HA-6	5/10/1996	18.16	--	--	4.20	13.96
HA-6	5/15/1996	18.16	--	--	4.02	14.14
HA-6	5/22/1996	18.16	--	--	4.97	13.19
HA-6	6/5/1996	18.16	--	--	5.79	12.37
HA-6	6/24/1996	18.16	--	--	6.78	11.38
HA-6	7/15/1996	18.16	--	--	7.51	10.65
HA-6	8/23/1996	18.16	--	--	8.09	10.07
HA-6	9/18/1996	18.16	--	--	8.37	9.79
HA-6	1/3/1997	18.16	--	--	2.84	15.32
HA-6	3/12/1997	18.16	--	--	4.54	13.62
HA-6	4/2/1997	18.16	--	--	4.85	13.31
HA-6	5/1/1997	18.16	--	--	5.35	12.81
HA-6	8/19/1997	18.16	--	--	7.40	10.76
HA-6	8/26/1997	18.16	--	--	7.60	10.56
HA-6	9/17/1997	18.16	--	--	6.44	11.72
HA-6	5/1/1998	18.16	--	--	5.95	12.21
HA-6	7/30/1999	18.16	--	--	6.54	11.62
HA-6	5/22/2000	18.16	--	--	6.21	11.95
HA-6	5/22/2001	18.16	--	--	6.36	11.80
HA-6	6/5/2002	18.16	--	--	6.00	12.16
HA-6	11/24/2002	21.43	--	--	7.12	14.31
HA-6	5/28/2003	18.16	--	sheen	6.93	11.23
HA-6	6/16/2004	18.16	--	--	7.45	10.71
HA-6	1/13/2005	21.43	--	--	5.56	15.87
HA-6	4/28/2005	21.43	--	--	4.81	16.62
HA-6	6/1/2005	21.43	--	--	5.05	16.38
HA-6	6/20/2005	18.16	--	--	5.76	12.40
HA-6	6/29/2005	21.43	--	--	6.52	14.91
HA-6	7/20/2005	21.43	--	--	7.21	14.22
HA-6	8/22/2005	21.43	--	--	7.40	14.03
HA-6	9/12/2005	21.43	--	--	7.82	13.61
HA-6	10/12/2005	21.43	--	--	8.62	12.81
HA-6	11/21/2005	21.43	--	--	6.57	14.86
HA-6	12/27/2005	21.43	--	--	5.69	15.74
HA-6	1/30/2006	21.43	--	--	2.46	18.97
HA-6	2/16/2006	21.43	--	--	3.62	17.81
HA-6	3/13/2006	21.43	--	--	4.62	16.81
HA-6	4/18/2006	21.43	--	--	5.01	16.42
HA-6	5/12/2006	21.43	--	--	5.43	16.00
HA-6	6/5/2006	18.16	--	--	5.39	12.77
HA-6	6/9/2006	21.43	--	--	5.20	16.23
HA-6	7/13/2006	21.43	--	--	6.60	14.83
HA-6	8/16/2006	21.43	--	--	7.35	14.08
HA-6	9/19/2006	21.43	--	--	7.91	13.52
HA-6	10/13/2006	21.43	--	--	7.72	13.71
HA-6	10/23/2006	18.16	--	--	7.72	10.44
HA-6	11/20/2006	21.43	--	--	4.22	17.21
HA-6	12/8/2006	21.43	--	--	3.59	17.84
HA-6	1/19/2007	21.43	--	--	3.13	18.30

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
HA-6	2/19/2007	21.43	--	--	5.36	16.07
HA-6	3/14/2007	21.43	--	--	4.37	17.06
HA-6	3/15/2007	21.43	--	--	4.25	17.18
HA-6	4/16/2007	21.43	--	--	4.50	16.93
HA-6	5/14/2007	21.43	--	--	6.20	15.23
HA-6	6/29/2007	21.43	--	--	7.25	14.18
HA-6	7/20/2007	21.43	--	--	7.71	13.72
HA-6	8/21/2007	21.43	--	--	8.35	13.08
HA-6	9/10/2007	21.43	--	--	8.46	12.97
HA-6	10/22/2007	21.43	--	--	7.55	13.88
HA-6	11/28/2007	21.43	--	--	6.62	14.81
HA-6	12/13/2007	21.43	--	--	5.49	15.94
HA-6	1/21/2008	21.43	--	--	5.21	16.22
HA-6	2/24/2008	21.43	--	--	5.73	15.70
HA-6	3/24/2008	21.43	--	--	6.05	15.38
HA-6	6/2/2008	21.43	--	--	7.24	14.19
HA-6	8/25/2008	21.43	--	--	8.00	13.43
HA-6	2/18/2009	21.43			Not Monitored	
HA-6	8/25/2009	21.43			Not Monitored	
HA-6	3/22/2010	21.43	--	--	4.96	16.47
HA-6	8/23/2010	21.43	--	--	7.32	14.11
HA-6	2/7/2011	21.43	--	--	4.81	16.62
HA-6	5/27/2011	21.43	--	--	5.64	15.79
HA-6	8/8/2011	21.43	--	--	7.61	13.82
HA-6	11/14/2011	21.43	--	--	7.38	14.05
HA-6	2/20/2012	21.43	--	--	4.80	16.63
HA-6	8/22/2012	21.43	--	--	7.24	14.19
HA-6	11/5/2012	21.43	--	--	7.00	14.43
HA-6	5/9/2013	21.43	--	--	5.52	15.91
HA-6	8/19/2013	21.43	--	--	8.08	13.35
HA-6	11/25/2013	21.43	--	--	5.84	15.59
HA-6	2/14/2014	21.43	--	--	5.26	16.17
HA-7	1/27/1993	18.44	--	2.22	6.33	13.78
HA-7	3/12/1993	18.44	--	0.61	7.30	11.60
HA-7	4/14/1993	18.44	--	1.23	7.00	12.36
HA-7	6/30/1993	18.44	--	0.84	7.36	11.71
HA-7	12/15/99	18.44	--	0.55	7.80	11.05
HA-7	2/8/1994	18.44	--	0.50	6.14	12.68
HA-7	8/12/1994	18.44	--	0.53	9.09	9.75
HA-7	9/21/1994	18.44	--	0.47	9.39	9.40
HA-7	11/4/1994	18.44	--	0.51	9.15	9.67
HA-7	12/23/1994	18.44	--	0.19	4.07	14.51
HA-7	2/3/1995	18.44	--	0.40	3.94	14.80
HA-7	2/22/1995	18.44	--	0.48	4.75	14.05
HA-7	3/24/1995	18.44	--	0.45	5.30	13.48
HA-7	4/27/1995	18.44	--	0.50	5.85	12.97
HA-7	5/15/1995	18.44	--	0.55	6.44	12.41
HA-7	6/16/1995	18.44	--	0.58	7.16	11.72
HA-7	8/25/1995	18.44	--	0.42	7.72	11.04
HA-7	10/20/1995	18.44	--	0.40	7.45	11.29
HA-7	4/4/1996	18.44	--	0.63	5.38	13.53
HA-7	4/16/1996	18.44	--	0.62	5.17	13.74
HA-7	5/10/1996	18.44	--	0.64	4.89	14.03
HA-7	5/15/1996	18.44	--	0.63	4.62	14.29
HA-7	5/22/1996	18.44	--	0.86	6.35	12.74
HA-7	6/5/1996	18.44	--	0.72	6.92	12.06
HA-7	6/24/1996	18.44	--	0.67	7.72	11.22
HA-7	7/15/1996	18.44	--	0.57	8.32	10.55
HA-7	8/23/1996	18.44	--	0.55	8.90	9.95
HA-7	9/18/1996	18.44	--	0.57	9.19	9.68
HA-7	1/3/1997	18.44	--	0.66	3.67	15.27
HA-7	3/12/1997	18.44	--	0.83	5.86	13.20
HA-7	4/2/1997	18.44	--	0.78	6.17	12.86
HA-7	5/1/1997	18.44	--	0.83	6.58	12.48
HA-7	7/8/1997	18.44	--	0.06	5.67	12.82
HA-7	8/19/1997	18.44	--	--	7.62	10.82
HA-7	8/26/1997	18.44	--	0.05	7.93	10.55
HA-7	9/18/1997	18.44	--	0.06	8.70	9.79
HA-7	4/30/1998	18.44	--	0.08	6.07	12.43
HA-7	7/29/1999	18.44	--	--	6.82	11.62

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product		Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)			
HA-7	5/22/2000	18.44	--	--		6.18	12.26
HA-7	5/22/2001	18.44	--	--		6.74	11.70
HA-7	6/5/2002	18.44	--	--		6.11	12.33
HA-7	11/24/2002	21.60	--	--		7.25	14.35
HA-7	5/28/2003	18.44	--	sheen		7.08	11.36
HA-7	6/15/2004	18.44	--	--		7.83	10.61
HA-7	1/13/2005	21.60	--	--		5.70	15.90
HA-7	4/28/2005	21.60			Not Monitored		
HA-7	6/1/2005	21.60			Not Monitored		
HA-7	6/20/2005	18.44	--	--		5.71	12.73
HA-7	6/29/2005	21.60			Not Monitored		
HA-7	7/20/2005	21.60			Not Monitored		
HA-7	8/22/2005	21.60			Not Monitored		
HA-7	9/12/2005	21.60			Not Monitored		
HA-7	10/12/2005	21.60			Not Monitored		
HA-7	11/21/2005	21.60			Not Monitored		
HA-7	12/27/2005	21.60			Not Monitored		
HA-7	1/30/2006	21.60			Not Monitored		
HA-7	2/16/2006	21.60			Not Monitored		
HA-7	3/13/2006	21.60			Not Monitored		
HA-7	4/18/2006	21.60			Not Monitored		
HA-7	5/12/2006	21.60			Not Monitored		
HA-7	6/5/2006	18.44	--	--		5.28	13.16
HA-7	6/9/2006	21.60			Not Monitored		
HA-7	7/13/2006	21.60			Not Monitored		
HA-7	8/16/2006	21.60			Not Monitored		
HA-7	9/19/2006	21.60			Not Monitored		
HA-7	10/13/2006	21.60			Not Monitored		
HA-7	10/23/2006	18.44	--	--		7.86	10.58
HA-7	11/20/2006	21.60			Not Monitored		
HA-7	12/8/2006	21.60			Not Monitored		
HA-7	1/19/2007	21.60			Not Monitored		
HA-7	1/19/2007	21.60			Not Monitored		
HA-7	1/19/2007	21.60			Not Monitored		
HA-7	3/14/2007	21.60	--	--		4.47	17.13
HA-7	4/16/2007	21.60			Not Monitored		
HA-7	5/14/2007	21.60			Not Monitored		
HA-7	6/29/2007	21.60	--	--		7.35	14.25
HA-7	7/20/2007	21.60			Not Monitored		
HA-7	8/21/2007	21.60			Not Monitored		
HA-7	9/10/2007	21.60	--	--		8.78	12.82
HA-7	10/22/2007	21.60			Not Monitored		
HA-7	11/28/2007	21.60	--	--		7.02	14.58
HA-7	12/13/2007	21.60			Not Monitored		
HA-7	1/21/2008	21.60	--	--		5.27	16.33
HA-7	2/24/2008	21.60	--	--		5.97	15.63
HA-7	3/24/2008	21.60	--	--		6.34	15.26
HA-7	6/2/2008	21.60	--	--		7.62	13.98
HA-7	8/25/2008	21.60	--	--		8.27	13.33
HA-7	2/18/2009	21.60			Not Monitored		
HA-7	8/25/2009	21.60			Not Monitored		
HA-7	3/22/2010	21.60	--	--		5.19	16.41
HA-7	8/23/2010	21.60	--	--		7.38	14.22
HA-7	2/7/2011	21.60	--	--		4.97	16.63
HA-7	5/27/2011	21.60	--	--		5.97	15.63
HA-7	8/8/2011	21.60	--	--		7.91	13.69
HA-7	11/14/2011	21.60	--	--		7.68	13.92
HA-7	2/20/2012	21.60	--	--		5.31	16.29
HA-7	8/22/2012	21.60	--	--		7.36	14.24
HA-7	11/5/2012	21.60	--	--		7.19	14.41
HA-7	1/28/2013	21.60	--	--		4.54	17.06
HA-7	5/9/2013	21.60	--	--		6.02	15.58
HA-7	8/19/2013	21.60	--	--		8.41	13.19
HA-7	11/25/2013	21.60	--	--		6.39	15.21
HA-7	2/14/2014	21.60	--	--		5.23	16.37
HA-8	1/27/1993	18.88	--	--		4.60	14.28
HA-8	3/12/1993	18.88	--	--		6.79	12.09
HA-8	4/14/1993	18.88	--	--		5.20	13.68
HA-8	12/15/1993	18.88	--	--		7.18	11.70
HA-8	11/4/1994	18.88	--	--		8.85	10.03

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
HA-8	2/22/1995	18.88	--	--	4.03	14.85
HA-8	6/16/1995	18.88	--	--	7.13	11.75
HA-8	10/20/1995	18.88	--	--	7.09	11.79
HA-8	4/4/1996	18.88	--	--	5.32	13.56
HA-8	4/16/1996	18.88	--	--	5.18	13.70
HA-8	5/1/1997	18.88	--	--	5.01	13.87
HA-8	8/26/1997	18.88	--	--	7.99	10.89
HA-8	9/18/1997	18.88	--	--	6.90	11.98
HA-8	5/1/1998	18.88	--	--	6.25	12.63
HA-8	7/29/1999	18.88	--	--	7.93	10.95
HA-8	5/22/2000	18.88	--	--	6.10	12.78
HA-8	5/22/2001	18.88	--	--	6.65	12.23
HA-8	6/5/2002	18.88	--	--	6.54	12.34
HA-8	11/24/2002	21.97	--	--	7.40	14.57
HA-8	1/31/2003	21.97	--	--	4.04	17.93
HA-8	2/7/2003	21.97	--	--	4.16	17.81
HA-8	2/12/2003	21.97	--	--	4.71	17.26
HA-8	2/18/2003	21.97	--	--	4.99	16.98
HA-8	2/21/2003	21.97	--	--	5.16	16.81
HA-8	2/24/2003	21.97	--	--	5.21	16.76
HA-8	3/4/2003	21.97	--	--	5.89	16.08
HA-8	3/12/2003	21.97	--	--	5.36	16.61
HA-8	3/14/2003	21.97	5.21	0.01	5.22	16.76
HA-8	3/26/2003	21.97	--	--	4.74	17.23
HA-8	3/28/2003	21.97	--	--	5.21	16.76
HA-8	4/2/2003	21.97	--	--	5.25	16.72
HA-8	4/4/2003	21.97	--	--	5.57	16.40
HA-8	4/8/2003	21.97	--	--	5.57	16.40
HA-8	4/11/2003	21.97	--	--	5.77	16.20
HA-8	4/15/2003	21.97	--	--	5.41	16.56
HA-8	4/17/2003	21.97	--	--	5.91	16.06
HA-8	4/22/2003	21.97	--	--	6.07	15.90
HA-8	4/25/2003	21.97	--	--	6.37	15.60
HA-8	5/2/2003	21.97	--	--	6.44	15.53
HA-8	5/6/2003	21.97	--	--	6.62	15.35
HA-8	5/9/2003	21.97	--	--	6.92	15.05
HA-8	5/23/2003	21.97	--	--	7.38	14.59
HA-8	5/28/2003	21.97	--	--	7.34	14.63
HA-8	6/13/2003	21.97	--	--	7.66	14.31
HA-8	6/18/2003	21.97	--	--	7.60	14.37
HA-8	6/27/2003	21.97	--	--	7.65	14.32
HA-8	7/7/2003	21.97	--	--	8.51	13.46
HA-8	7/16/2003	21.97	--	--	8.24	13.73
HA-8	7/31/2003	21.97	--	--	8.61	13.36
HA-8	8/5/2003	21.97	--	--	9.62	12.35
HA-8	8/11/2003	21.97	--	--	9.70	12.27
HA-8	8/22/2003	21.97	10.02	0.01	10.03	11.95
HA-8	8/26/2003	21.97	--	--	8.99	12.98
HA-8	9/2/2003	21.97	--	--	9.02	12.95
HA-8	9/9/2003	21.97	9.51	0.01	9.52	12.46
HA-8	9/19/2003	21.97	10.40	0.10	10.50	11.55
HA-8	10/14/2003	21.97	--	--	Not Monitored	
HA-8	11/20/2003	21.97	7.22	0.32	7.54	14.67
HA-8	12/3/2003	21.97	4.65	0.57	5.22	17.18
HA-8	1/19/2004	21.97	4.23	0.55	4.78	17.60
HA-8	2/24/2004	21.97	5.08	0.53	5.61	16.76
HA-8	3/15/2004	21.97	6.15	0.51	6.66	15.69
HA-8	4/19/2004	21.97	6.98	0.50	7.48	14.87
HA-8	5/17/2004	21.97	7.74	0.49	8.23	14.11
HA-8	6/15/2004	18.88	--	0.51	8.21	11.05
HA-8	6/22/2004	21.97	7.57	0.51	8.08	14.27
HA-8	8/18/2004	21.97	8.71	0.49	9.20	13.14
HA-8	9/21/2004	21.97	7.67	0.17	7.84	14.26
HA-8	10/19/2004	21.97	6.89	0.16	7.05	15.04
HA-8	11/23/2004	21.97	6.89	0.11	7.00	15.05
HA-8	12/21/2004	21.97	5.08	0.15	5.23	16.85
HA-8	1/13/2005	21.97	--	--	6.02	15.95
HA-8	4/28/2005	21.97	--	--	8.63	13.34
HA-8	6/1/2005	21.97	5.55	0.11	5.66	16.39
HA-8	6/20/2005	18.88	--	0.11	6.27	12.69
HA-8	6/29/2005	21.97	7.08	0.12	7.20	14.86

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
HA-8	7/20/2005	21.97	7.55	0.15	7.70	14.38
HA-8	8/22/2005	21.97	7.85	0.05	7.90	14.11
HA-8	9/12/2005	21.97			Dry	
HA-8	10/12/2005	21.97	9.14	3.61	9.22	15.46
HA-8	11/21/2005	21.97	7.49	0.02	7.51	14.48
HA-8	12/27/2005	21.97	5.04	0.06	5.10	16.92
HA-8	1/30/2006	21.97	2.30	0.06	2.36	19.66
HA-8	2/16/2006	21.97	4.11	0.06	4.17	17.85
HA-8	3/13/2006	21.97	4.98	0.06	5.04	16.98
HA-8	4/18/2006	21.97	--	--	5.12	16.85
HA-8	5/12/2006	21.97	--	--	5.89	16.08
HA-8	6/5/2006	18.88	--	0.06	5.38	13.55
HA-8	6/9/2006	21.97	--	--	5.40	16.57
HA-8	7/13/2006	21.97	--	--	6.80	15.17
HA-8	8/16/2006	21.97	--	--	7.80	14.17
HA-8	9/19/2006	21.97	--	--	8.54	13.43
HA-8	10/13/2006	21.97	--	--	8.20	13.77
HA-8	10/23/2006	18.88	--	0.02	8.26	10.64
HA-8	11/20/2006	21.97	3.85	0.03	3.88	18.11
HA-8	12/8/2006	21.97	3.65	0.02	3.67	18.32
HA-8	1/19/2007	21.97	3.22	0.04	3.24	18.76
HA-8	2/19/2007	21.97	5.28	0.03	5.31	16.68
HA-8	3/15/2007	21.97	4.18	0.02	4.20	17.79
HA-8	4/16/2007	21.97	4.88	0.03	4.91	17.08
HA-8	5/14/2007	21.97	6.60	0.05	6.65	15.36
HA-8	6/29/2007	21.97	--	--	7.72	14.25
HA-8	7/20/2007	21.97	--	--	8.13	13.84
HA-8	8/21/2007	21.97	--	--	8.88	13.09
HA-8	9/10/2007	21.97	--	--	8.98	12.99
HA-8	10/22/2007	21.97	--	--	7.83	14.14
HA-8	11/28/2007	21.97	--	--	6.72	15.25
HA-8	12/13/2007	21.97	--	--	5.80	16.17
HA-8	1/21/2008	21.97	--	--	5.76	16.21
HA-8	2/24/2008	21.97	--	--	6.29	15.68
HA-8	3/24/2008	21.97	--	--	6.41	15.56
HA-8	6/2/2008	21.97	--	--	7.64	14.33
HA-8	8/25/2008	21.97	--	--	8.34	13.63
HA-8	2/18/2009	21.97	--	--	Not Monitored	
HA-8	8/25/2009	21.97	--	--	Not Monitored	
HA-8	3/22/2010	21.97	--	--	5.80	16.17
HA-8	8/23/2010	21.97	--	--	8.13	13.84
HA-8	2/7/2011	21.97	--	--	4.94	17.03
HA-8	5/27/2011	21.97	--	--	Not Monitored	
HA-8	8/8/2011	21.97	--	--	8.00	13.97
HA-8	11/14/2011	21.97	--	--	7.72	14.25
HA-8	2/20/2012	21.97	--	--	5.13	16.84
HA-8	8/22/2012	21.97	--	--	7.73	14.24
HA-8	11/5/2012	21.97	--	--	6.80	15.17
HA-8	1/28/2013	21.97	--	--	4.90	17.07
HA-8	5/9/2013	21.97	--	--	6.08	15.89
HA-8	8/19/2013	21.97	--	--	8.50	13.47
HA-8	11/25/2013	21.97	--	--	6.29	15.68
HA-8	2/14/2014	21.97	--	--	5.35	16.62
HA-9	1/27/1993	19.40	--	--	7.00	12.40
HA-9	3/12/1993	19.40	--	--	7.95	11.45
HA-9	4/14/1993	19.40	--	--	7.74	11.66
HA-9	12/15/1993	19.40	--	--	7.82	11.58
HA-9	11/4/1994	19.40	--	--	9.75	9.65
HA-9	2/22/1995	19.40	--	--	7.61	11.79
HA-9	6/16/1995	19.40	--	--	8.17	11.23
HA-9	10/20/1995	19.40	--	--	8.08	11.32
HA-9	4/4/1996	19.40	--	--	7.30	12.10
HA-9	4/16/1996	19.40	--	--	7.28	12.12
HA-9	4/2/1997	19.40	--	--	7.76	11.64
HA-9	5/1/1997	19.40	--	--	7.78	11.62
HA-9	9/18/1997	19.40	--	--	7.95	11.45
HA-9	4/29/1998	19.40	--	--	7.99	11.41
HA-9	7/28/1999	19.40	--	--	8.23	11.17
HA-9	5/24/2000	19.40	--	--	9.25	10.15
HA-9	5/23/2001	19.40	--	--	7.92	11.48

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-9	6/4/2002	19.40	--	--	8.01	11.39
HA-9	11/24/2002	21.32	--	--	8.20	13.12
HA-9	5/28/2003	19.40	--	sheen	8.05	11.35
HA-9	6/17/2004	19.40	--	--	8.18	11.22
HA-9	6/20/2005	19.40	--	--	7.98	11.42
HA-9	6/5/2006	19.40	--	--	7.62	11.78
HA-9	10/23/2006	19.40	--	--	8.32	11.08
HA-9	3/14/2007	21.32	--	--	6.08	15.24
HA-9	6/29/2007	21.32	--	--	7.04	14.28
HA-9	7/20/2007	21.32	--	--	Not Monitored	
HA-9	8/21/2007	21.32	--	--	Not Monitored	
HA-9	9/10/2007	21.32	--	--	7.13	14.19
HA-9	10/22/2007	21.32	--	--	Not Monitored	
HA-9	11/28/2007	21.32	--	--	Not Monitored	
HA-9	12/13/2007	21.32	--	--	6.66	14.66
HA-9	1/21/2008	21.32	--	--	6.35	14.97
HA-9	2/24/2008	21.32	--	--	6.67	14.65
HA-9	3/24/2008	21.32	--	--	6.62	14.70
HA-9	6/2/2008	21.32	--	--	6.90	14.42
HA-9	8/25/2008	21.32	--	--	7.08	14.24
HA-9	2/18/2009	21.32	--	--	Not Monitored	
HA-9	8/25/2009	21.32	--	--	Not Monitored	
HA-9	3/22/2010	21.32	--	--	6.14	15.18
HA-9	8/23/2010	21.32	--	--	7.17	14.15
HA-9	2/7/2011	21.32	--	--	6.03	15.29
HA-9	5/27/2011	21.32	--	--	7.01	14.31
HA-9	8/8/2011	21.32	--	--	7.16	14.16
HA-9	11/14/2011	21.32	--	--	6.96	14.36
HA-9	2/20/2012	21.32	--	--	6.15	15.17
HA-9	8/22/2012	21.32	--	--	7.15	14.17
HA-9	11/5/2012	21.32	--	--	6.50	14.82
HA-9	1/28/2013	21.32	--	--	4.77	16.55
HA-9	5/9/2013	21.32	--	--	6.67	14.65
HA-9	8/19/2013	21.32	--	--	7.24	14.08
HA-9	11/25/2013	21.32	--	--	6.59	14.73
HA-9	2/14/2014	21.32	--	--	DRY	
HA-10	1/27/1993	19.40	--	--	6.88	12.52
HA-10	3/12/1993	19.40	--	--	8.94	10.46
HA-10	4/14/1993	19.40	--	--	8.73	10.67
HA-10	12/15/1993	19.40	--	--	8.05	11.35
HA-10	2/22/1995	19.40	--	--	8.14	11.26
HA-10	6/16/1995	19.40	--	--	9.18	10.22
HA-10	10/20/1995	19.40	--	--	7.83	11.57
HA-10	4/4/1996	19.40	--	--	7.67	11.73
HA-10	4/16/1996	19.40	--	--	7.29	12.11
HA-10	7/15/1996	19.40	--	--	9.40	10.00
HA-10	4/2/1997	19.40	--	--	8.74	10.66
HA-10	5/1/1997	19.40	--	--	8.26	11.14
HA-10	5/23/2001	19.40	--	--	8.86	10.54
HA-10	6/6/2002	19.40	--	--	9.80	9.60
HA-10	11/24/2002	21.15	--	--	8.49	12.66
HA-10	5/27/2003	19.40	--	--	9.31	10.09
HA-10	6/17/2004	19.40	--	--	9.17	10.23
HA-10	6/21/2005	19.40	--	--	8.58	10.82
HA-10	6/5/2006	19.40	--	--	7.84	11.56
HA-10	10/23/2006	19.40	--	--	9.09	10.31
HA-10	3/14/2007	21.15	--	--	6.21	14.94
HA-10	6/29/2007	21.15	--	--	7.79	13.36
HA-10	7/20/2007	21.15	--	--	Not Monitored	
HA-10	8/21/2007	21.15	--	--	Not Monitored	
HA-10	9/10/2007	21.15	--	--	8.20	12.95
HA-10	10/22/2007	21.15	--	--	Not Monitored	
HA-10	11/28/2007	21.15	--	--	7.50	13.65
HA-10	12/13/2007	21.15	--	--	7.35	13.80
HA-10	1/21/2008	21.15	--	--	6.79	14.36
HA-10	2/24/2008	21.15	--	--	6.70	14.45
HA-10	3/24/2008	21.15	--	--	7.21	13.94
HA-10	6/2/2008	21.15	--	--	7.85	13.30
HA-10	8/25/2008	21.15	--	--	6.51	14.64
HA-10	2/18/2009	21.15	--	--	Not Monitored	

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-10	8/25/2009	21.15			Not Monitored	
HA-10	3/22/2010	21.15	--	--	6.32	14.83
HA-10	8/23/2010	21.15	--	--	7.55	13.60
HA-10	2/7/2011	21.15	--	--	7.11	14.04
HA-10	5/27/2011	21.15	--	--	6.97	14.18
HA-10	8/8/2011	21.15	--	--	8.07	13.08
HA-10	2/20/2012	21.15	--	--	6.92	14.23
HA-10	8/22/2012	21.15	--	--	8.03	13.12
HA-10	11/5/2012	21.15	--	--	5.61	15.54
HA-10	1/28/2013	21.15	--	--	5.56	15.59
HA-10	5/9/2013	21.15	--	--	7.48	13.67
HA-10	8/19/2013	21.15	--	--	8.31	12.84
HA-10	11/25/2013	21.15	--	--	7.43	13.72
HA-10	2/14/2014	21.15	--	--	5.65	15.50
HA-11	1/27/1993	18.51	--	--	5.80	12.71
HA-11	3/12/1993	18.51	--	--	7.97	10.54
HA-11	4/14/1993	18.51	--	--	7.33	11.18
HA-11	12/15/1993	18.51	--	--	7.18	11.33
HA-11	11/4/1994	18.51	--	--	9.77	8.74
HA-11	2/22/1995	18.51	--	--	7.49	11.02
HA-11	6/16/1995	18.51	--	--	8.25	10.26
HA-11	10/20/1995	18.51	--	--	7.62	10.89
HA-11	4/4/1996	18.51	--	--	6.95	11.56
HA-11	4/16/1996	18.51	--	--	6.60	11.91
HA-11	4/2/1997	18.51	--	--	7.95	10.56
HA-11	5/1/1997	18.51	--	--	7.96	10.55
HA-11	4/29/1998	18.51	--	--	7.89	10.62
HA-11	7/28/1999	18.51	--	--	8.08	10.43
HA-11	5/24/2000	18.51	--	--	7.75	10.76
HA-11	5/23/2001	18.51	--	--	8.40	10.11
HA-11	6/4/2002	18.51	--	--	7.77	10.74
HA-11	11/24/2002	20.69	--	--	8.33	12.36
HA-11	5/27/2003	18.51	--	--	8.33	10.18
HA-11	6/21/2005	18.51	--	--	7.85	10.66
HA-11	6/5/2006	18.51	--	--	7.57	10.94
HA-11	10/23/2006	18.51	--	--	8.60	9.91
HA-11	3/14/2007	20.69	--	--	6.21	14.48
HA-11	6/29/2007	20.69	--	--	7.64	13.05
HA-11	7/20/2007	20.69			Not Monitored	
HA-11	8/21/2007	20.69			Not Monitored	
HA-11	9/10/2007	20.69	--	--	8.18	12.51
HA-11	10/22/2007	20.69			Not Monitored	
HA-11	11/28/2007	20.69	--	--	7.41	13.28
HA-11	12/13/2007	20.69	--	--	3.94	16.75
HA-11	1/21/2008	20.69	--	--	6.69	14.00
HA-11	2/24/2008	20.69	--	--	6.83	13.86
HA-11	3/24/2008	20.69	--	--	7.06	13.63
HA-11	6/2/2008	20.69	--	--	7.58	13.11
HA-11	8/25/2008	20.69	--	--	8.09	12.60
HA-11	2/18/2009	20.69			Not Monitored	
HA-11	8/25/2009	20.69			Not Monitored	
HA-11	3/22/2010	20.69	--	--	6.55	14.14
HA-11	8/23/2010	20.69	--	--	7.22	13.47
HA-11	2/7/2011	20.69	--	--	6.99	13.70
HA-11	5/27/2011	20.69	--	--	7.24	13.45
HA-11	8/8/2011	20.69			Dry	
HA-11	11/14/2011	20.69	--	--	8.72	11.97
HA-11	2/20/2012	20.69	--	--	6.75	13.94
HA-11	8/22/2012	20.69	--	--	7.80	12.89
HA-11	11/5/2012	20.69	--	--	7.03	13.66
HA-11	1/28/2013	20.69	--	--	6.38	14.31
HA-11	5/9/2013	20.69	--	--	7.62	13.07
HA-11	8/19/2013	20.69	--	--	8.06	12.63
HA-11	11/25/2013	20.69	--	--	7.05	13.64
HA-11	2/14/2014	20.69	--	--	6.45	14.24
HA-12	1/27/1993	19.91	--	--	4.01	15.90
HA-12	3/12/1993	19.91	--	--	7.36	12.55
HA-12	4/14/1993	19.91	--	--	5.92	13.99
HA-12	12/15/1993	19.91	--	--	7.02	12.89

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-12	11/4/1994	19.91	--	--	9.06	10.85
HA-12	2/22/1995	19.91	--	--	3.80	16.11
HA-12	6/16/1995	19.91	--	--	7.40	12.51
HA-12	10/20/1995	19.91	--	--	7.40	12.51
HA-12	4/4/1996	19.91	--	--	5.65	14.26
HA-12	4/16/1996	19.91	--	--	5.26	14.65
HA-12	5/1/1997	19.91	--	--	6.13	13.78
HA-12	8/26/1997	19.91	--	--	8.58	11.33
HA-12	9/18/1997	19.91	--	--	8.70	11.21
HA-12	5/1/1998	19.91	--	--	6.65	13.26
HA-12	7/29/1999	19.91	--	--	7.46	12.45
HA-12	5/22/2000	19.91	--	--	7.63	12.28
HA-12	5/22/2001	19.91	--	--	7.29	12.62
HA-12	6/5/2002	19.91	--	--	7.06	12.85
HA-12	11/24/2002	22.47	--	--	7.43	15.04
HA-12	5/28/2003	19.91	--	--	7.84	12.07
HA-12	6/16/2004	19.91	--	--	8.43	11.48
HA-12	6/21/2005	19.91	--	--	6.67	13.24
HA-12	6/5/2006	19.91	--	--	5.91	14.00
HA-12	10/23/2006	19.91	--	--	8.71	11.20
HA-12	3/14/2007	22.47	--	--	5.11	17.36
HA-12	6/29/2007	22.47	--	--	8.07	14.40
HA-12	7/20/2007	22.47	--	--	Not Monitored	
HA-12	8/21/2007	22.47	--	--	Not Monitored	
HA-12	9/10/2007	22.47	--	--	9.38	13.09
HA-12	10/22/2007	22.47	--	--	Not Monitored	
HA-12	11/28/2007	22.47	--	--	7.50	14.97
HA-12	12/13/2007	22.47	--	--	Not Monitored	
HA-12	1/21/2008	22.47	--	--	4.09	18.38
HA-12	2/24/2008	22.47	--	--	6.81	15.66
HA-12	3/24/2008	22.47	--	--	6.87	15.60
HA-12	6/2/2008	22.47	--	--	8.14	14.33
HA-12	8/25/2008	22.47	--	--	8.67	13.80
HA-12	2/18/2009	22.47	--	--	Not Monitored	
HA-12	8/25/2009	22.47	--	--	8.67	13.80
HA-12	3/22/2010	22.47	--	--	6.00	16.47
HA-12	8/23/2010	22.47	--	--	Dry	
HA-12	2/7/2011	22.47	--	--	5.46	17.01
HA-12	5/27/2011	22.47	--	--	6.34	16.13
HA-12	8/8/2011	22.47	--	--	8.39	14.08
HA-12	11/14/2011	22.47	--	--	8.05	14.42
HA-12	2/20/2012	22.47	--	--	5.20	17.27
HA-12	8/22/2012	22.47	--	--	Dry	
HA-12	11/5/2012	22.47	--	--	6.02	16.45
HA-12	1/28/2013	22.47	--	--	5.32	17.15
HA-12	5/9/2013	22.47	--	--	6.68	15.79
HA-12	8/19/2013	22.47	--	--	8.02	14.45
HA-12	11/25/2013	22.47	--	--	6.83	15.64
HA-12	2/14/2014	22.47	--	--	5.63	16.84
HA-13	1/27/1993	19.56	--	--	5.32	14.24
HA-13	3/12/1993	19.56	--	--	8.23	11.33
HA-13	4/14/1993	19.56	--	--	7.08	12.48
HA-13	12/15/1993	19.56	--	--	6.34	13.22
HA-13	11/4/1994	19.56	--	--	8.93	10.63
HA-13	2/22/1995	19.56	--	--	4.54	15.02
HA-13	6/16/1995	19.56	--	--	8.83	10.73
HA-13	10/20/1995	19.56	--	--	8.23	11.33
HA-13	4/4/1996	19.56	--	--	7.06	12.50
HA-13	4/16/1996	19.56	--	--	7.31	12.25
HA-13	5/1/1997	19.56	--	--	7.01	12.55
HA-13	9/18/1997	19.56	--	--	6.93	12.63
HA-13	4/30/1998	19.56	--	--	8.26	11.30
HA-13	7/28/1999	19.56	--	--	8.62	10.94
HA-13	5/22/2000	19.56	--	--	8.45	11.11
HA-13	5/22/2001	19.56	--	--	8.20	11.36
HA-13	6/4/2002	19.56	--	--	8.41	11.15
HA-13	11/24/2002	22.73	--	--	8.60	14.13
HA-13	1/17/2003	22.73	--	--	6.30	16.43
HA-13	1/31/2003	22.73	--	--	4.49	18.24
HA-13	2/7/2003	22.73	--	--	6.27	16.46

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-13	2/12/2003	22.73	--	--	6.78	15.95
HA-13	2/18/2003	22.73	--	--	7.13	15.60
HA-13	2/21/2003	22.73	--	--	6.99	15.74
HA-13	2/24/2003	22.73	--	--	6.98	15.75
HA-13	3/4/2003	22.73	--	--	7.49	15.24
HA-13	3/12/2003	22.73	--	--	6.48	16.25
HA-13	3/14/2003	22.73	--	--	5.16	17.57
HA-13	3/26/2003	22.73	--	--	5.65	17.08
HA-13	3/28/2003	22.73	--	--	6.34	16.39
HA-13	4/2/2003	22.73	--	--	6.74	15.99
HA-13	4/4/2003	22.73	--	--	7.08	15.65
HA-13	4/8/2003	22.73	--	--	7.17	15.56
HA-13	4/11/2003	22.73	--	--	7.31	15.42
HA-13	4/15/2003	22.73	--	--	6.93	15.80
HA-13	4/17/2003	22.73	--	--	7.32	15.41
HA-13	4/22/2003	22.73	--	--	7.52	15.21
HA-13	4/25/2003	22.73	--	--	7.81	14.92
HA-13	5/2/2003	22.73	--	--	8.04	14.69
HA-13	5/6/2003	22.73	--	--	8.13	14.60
HA-13	5/9/2003	22.73	--	--	8.36	14.37
HA-13	5/23/2003	22.73	--	--	8.93	13.80
HA-13	5/27/2003	19.56	--	--	8.89	10.67
HA-13	5/28/2003	22.73	--	--	8.98	13.75
HA-13	6/13/2003	22.73	--	--	6.08	16.65
HA-13	6/18/2003	22.73	--	--	9.12	13.61
HA-13	6/27/2003	22.73	--	--	9.07	13.66
HA-13	7/7/2003	22.73	--	--	9.55	13.18
HA-13	7/16/2003	22.73	--	--	9.42	13.31
HA-13	7/31/2003	22.73	--	--	9.59	13.14
HA-13	8/5/2003	22.73	--	--	9.63	13.10
HA-13	8/11/2003	22.73	--	--	10.75	11.98
HA-13	8/22/2003	22.73	--	--	11.26	11.47
HA-13	8/26/2003	22.73	--	--	9.87	12.86
HA-13	9/2/2003	22.73	--	--	10.31	12.42
HA-13	9/9/2003	22.73	--	--	10.46	12.27
HA-13	9/19/2003	22.73	--	--	10.46	12.27
HA-13	10/14/2003	22.73	--	--	Not Monitored	
HA-13	11/20/2003	22.73	--	--	5.70	17.03
HA-13	12/3/2003	22.73	--	--	5.91	16.82
HA-13	1/19/2004	22.73	--	--	5.91	16.82
HA-13	2/24/2004	22.73	--	--	6.92	15.81
HA-13	3/15/2004	22.73	--	--	7.81	14.92
HA-13	4/19/2004	22.73	--	--	8.56	14.17
HA-13	5/17/2004	22.73	--	--	9.07	13.66
HA-13	6/16/2004	19.56	--	--	7.99	11.57
HA-13	6/22/2004	22.73	--	--	8.98	13.75
HA-13	8/18/2004	22.73	--	--	9.79	12.94
HA-13	9/21/2004	22.73	--	--	8.64	14.09
HA-13	10/19/2004	22.73	--	--	8.16	14.57
HA-13	11/23/2004	22.73	--	--	8.62	14.11
HA-13	12/21/2004	22.73	--	--	6.84	15.89
HA-13	1/13/2005	22.73	--	--	7.80	14.93
HA-13	4/28/2005	22.73	--	--	7.07	15.66
HA-13	6/1/2005	22.73	--	--	7.83	14.90
HA-13	6/21/2005	19.56	--	--	8.34	11.22
HA-13	6/29/2005	22.73	--	--	8.77	13.96
HA-13	7/20/2005	22.73	--	--	9.05	13.68
HA-13	8/22/2005	22.73	--	--	9.28	13.45
HA-13	9/12/2005	22.73	--	--	9.61	13.12
HA-13	10/12/2005	22.73	--	--	9.96	12.77
HA-13	11/21/2005	22.73	--	--	7.78	14.95
HA-13	12/27/2005	22.73	--	--	5.36	17.37
HA-13	1/30/2006	22.73	--	--	3.60	19.13
HA-13	2/16/2006	22.73	--	--	6.05	16.68
HA-13	3/13/2006	22.73	--	--	7.26	15.47
HA-13	4/18/2006	22.73	--	--	7.70	15.03
HA-13	5/12/2006	22.73	--	--	8.21	14.52
HA-13	6/5/2006	19.56	--	--	7.74	11.82
HA-13	6/9/2006	22.73	--	--	7.80	14.93
HA-13	7/13/2006	22.73	--	--	8.82	13.91
HA-13	8/16/2006	22.73	--	--	9.84	12.89

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-13	9/19/2006	22.73	--	--	9.70	13.03
HA-13	10/13/2006	22.73	--	--	9.46	13.27
HA-13	10/23/2006	19.56	--	--	9.45	10.11
HA-13	11/20/2006	22.73	--	--	4.85	17.88
HA-13	12/8/2006	22.73	--	--	5.67	17.06
HA-13	1/19/2007	22.73	--	--	5.08	17.65
HA-13	2/19/2007	22.73	--	--	7.39	15.34
HA-13	3/14/2007	22.73	--	--	6.28	16.45
HA-13	3/15/2007	22.73	--	--	6.36	16.37
HA-13	4/16/2007	22.73	--	--	7.18	15.55
HA-13	5/14/2007	22.73	--	--	8.40	14.33
HA-13	6/29/2007	22.73	--	--	9.26	13.47
HA-13	7/20/2007	22.73	--	--	9.51	13.22
HA-13	8/21/2007	22.73	--	--	9.89	12.84
HA-13	9/10/2007	22.73	--	--	9.91	12.82
HA-13	10/22/2007	22.73	--	--	8.11	14.62
HA-13	11/28/2007	22.73	--	--	8.22	14.51
HA-13	12/13/2007	22.73	6.32	0.01	6.33	16.41
HA-13	1/21/2008	22.73	--	--	6.83	15.90
HA-13	2/24/2008	22.73	--	--	7.55	15.18
HA-13	3/24/2008	22.73	--	--	7.89	14.84
HA-13	6/2/2008	22.73	--	--	9.03	13.70
HA-13	8/25/2008	22.73	--	--	9.29	13.44
HA-13	2/18/2009	22.73	--	--	Not Monitored	
HA-13	8/25/2009	22.73	--	--	Not Monitored	
HA-13	3/22/2010	22.73	--	--	7.52	15.21
HA-13	8/23/2010	22.73	--	--	9.35	13.38
HA-13	2/7/2011	22.73	--	--	6.48	16.25
HA-13	5/27/2011	22.73	--	--	7.55	15.18
HA-13	8/8/2011	22.73	--	--	9.21	13.52
HA-13	11/14/2011	22.73	--	--	8.69	14.04
HA-13	2/20/2012	22.73	--	--	5.17	17.56
HA-13	8/22/2012	22.73	--	--	9.11	13.62
HA-13	11/5/2012	22.73	--	--	4.28	18.45
HA-13	1/28/2013	22.73	--	--	6.19	16.54
HA-13	5/9/2013	22.73	--	--	7.57	15.16
HA-13	8/19/2013	22.73	--	--	9.51	13.22
HA-13	11/25/2013	22.73	--	--	7.19	15.54
HA-13	2/14/2014	22.73	--	--	5.07	17.66
HA-14	1/27/1993	20.02	--	--	6.10	13.92
HA-14	3/12/1993	20.02	--	--	8.80	11.22
HA-14	4/14/1993	20.02	--	--	7.04	12.98
HA-14	12/15/1993	20.02	--	--	8.56	11.46
HA-14	11/4/1994	20.02	--	--	8.35	11.67
HA-14	2/22/1995	20.02	--	--	5.10	14.92
HA-14	6/16/1995	20.02	--	--	9.51	10.51
HA-14	10/20/1995	20.02	--	--	8.77	11.25
HA-14	4/4/1996	20.02	--	--	7.52	12.50
HA-14	4/16/1996	20.02	--	--	6.01	14.01
HA-14	5/1/1997	20.02	--	--	6.92	13.10
HA-14	9/18/1997	20.02	--	--	8.17	11.85
HA-14	4/30/1998	20.02	--	--	9.05	10.97
HA-14	7/29/1999	20.02	--	--	9.49	10.53
HA-14	5/22/2000	20.02	--	--	9.22	10.80
HA-14	5/22/2001	20.02	--	--	9.03	10.99
HA-14	6/4/2002	20.02	--	--	8.41	11.61
HA-14	11/24/2002	23.47	--	--	9.67	13.80
HA-14	5/27/2003	20.02	--	--	9.48	10.54
HA-14	6/16/2004	20.02	--	--	9.69	10.33
HA-14	9/21/2004	23.47	--	--	9.24	14.23
HA-14	6/1/2005	23.47	--	--	8.68	14.79
HA-14	6/21/2005	20.02	--	--	9.15	10.87
HA-14	6/29/2005	23.47	--	--	9.32	14.15
HA-14	7/20/2005	23.47	--	--	9.63	13.84
HA-14	8/22/2005	23.47	--	--	10.50	12.97
HA-14	9/12/2005	23.47	--	--	Not Monitored	
HA-14	10/12/2005	23.47	--	--	Not Monitored	
HA-14	11/21/2005	23.47	--	--	Not Monitored	
HA-14	12/27/2005	23.47	--	--	Not Monitored	
HA-14	1/30/2006	23.47	--	--	Not Monitored	

TABLE 2

GROUNDWATER ELEVATION DATA
 PHILLIPS 66 RENTON TERMINAL
 RENTON, WASHINGTON

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product		Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)	Well		
HA-14	2/16/2006	23.47				Not Monitored	
HA-14	3/13/2006	23.47				Not Monitored	
HA-14	4/18/2006	23.47				Not Monitored	
HA-14	5/12/2006	23.47				Not Monitored	
HA-14	6/5/2006	20.02	--	--		7.96	12.06
HA-14	6/9/2006	23.47				Not Monitored	
HA-14	7/13/2006	23.47				Not Monitored	
HA-14	8/16/2006	23.47				Not Monitored	
HA-14	9/19/2006	23.47				Not Monitored	
HA-14	10/13/2006	23.47	--	--		10.26	13.21
HA-14	10/23/2006	20.02	--	--		10.18	9.84
HA-14	11/20/2006	23.47	--	--		9.27	14.20
HA-14	12/8/2006	23.47	--	--		5.12	18.35
HA-14	1/19/2007	23.47	--	--		5.01	18.46
HA-14	2/19/2007	23.47	--	--		8.00	15.47
HA-14	3/14/2007	23.47	--	--		7.13	16.34
HA-14	3/15/2007	23.47	--	--		6.85	16.62
HA-14	4/16/2007	23.47	--	--		7.87	15.60
HA-14	5/14/2007	23.47	--	--		9.10	14.37
HA-14	6/29/2007	23.47	--	--		8.70	14.77
HA-14	7/20/2007	23.47	--	--		10.08	13.39
HA-14	8/21/2007	23.47	--	--		10.12	13.35
HA-14	9/10/2007	23.47	--	--		10.41	13.06
HA-14	10/22/2007	23.47	--	--		8.76	14.71
HA-14	11/28/2007	23.47	--	--		6.79	16.68
HA-14	12/13/2007	23.47	7.72	0.07		7.79	15.73
HA-14	1/21/2008	23.47	--	--		6.54	16.93
HA-14	2/24/2008	23.47	--	--		8.21	15.26
HA-14	3/24/2008	23.47	--	--		8.61	14.86
HA-14	6/2/2008	23.47	--	--		9.68	13.79
HA-14	8/25/2008	23.47	--	--		8.67	14.80
HA-14	2/18/2009	23.47				Not Monitored	
HA-14	8/25/2009	23.47	--	--		10.41	13.06
HA-14	3/22/2010	23.47	--	--		8.15	15.32
HA-14	8/23/2010	23.47	--	--		9.94	13.53
HA-14	2/7/2011	23.47	--	--		7.35	16.12
HA-14	5/27/2011	23.47	--	--		8.28	15.19
HA-14	8/8/2011	23.47	--	--		9.89	13.58
HA-14	11/14/2011	23.47	--	--		10.31	13.16
HA-14	2/20/2012	23.47	--	--		6.90	16.57
HA-14	8/22/2012	23.47	--	--		9.83	13.64
HA-14	11/5/2012	23.47				DRY	
HA-14	1/28/2013	23.47	--	--		7.34	16.13
HA-14	5/9/2013	23.47	--	--		8.22	15.25
HA-14	8/19/2013	23.47	--	--		10.15	13.32
HA-14	11/25/2013	23.47	--	--		8.16	15.31
HA-14	2/14/2014	23.47	--	--		7.90	15.57
HA-15	1/31/2003	22.87	--	--		5.56	17.31
HA-15	2/7/2003	22.87	--	--		5.31	17.56
HA-15	2/12/2003	22.87	--	--		5.64	17.23
HA-15	2/18/2003	22.87	--	--		6.09	16.78
HA-15	2/21/2003	22.87	--	--		7.92	14.95
HA-15	2/24/2003	22.87	--	--		6.04	16.83
HA-15	3/4/2003	22.87	--	--		6.62	16.25
HA-15	3/12/2003	22.87	--	--		6.02	16.85
HA-15	3/26/2003	22.87	--	--		5.46	17.41
HA-15	3/28/2003	22.87	--	--		5.96	16.91
HA-15	4/2/2003	22.87	--	--		5.91	16.96
HA-15	4/4/2003	22.87	--	--		6.22	16.65
HA-15	4/8/2003	22.87	--	--		6.42	16.45
HA-15	4/11/2003	22.87	--	--		6.63	16.24
HA-15	4/15/2003	22.87	--	--		6.28	16.59
HA-15	4/17/2003	22.87	--	--		6.49	16.38
HA-15	4/22/2003	22.87	--	--		6.66	16.21
HA-15	4/25/2003	22.87	--	--		7.07	15.80
HA-15	5/2/2003	22.87	--	--		7.06	15.81
HA-15	5/6/2003	22.87	--	--		7.32	15.55
HA-15	5/9/2003	22.87	--	--		7.52	15.35
HA-15	5/23/2003	22.87	--	--		7.83	15.04
HA-15	5/28/2003	22.87				DRY	

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-15	6/13/2003	22.87			DRY	
HA-15	6/18/2003	22.87			DRY	
HA-15	6/27/2003	22.87			DRY	
HA-15	7/7/2003	22.87			DRY	
HA-15	7/16/2003	22.87			DRY	
HA-15	7/31/2003	22.87			DRY	
HA-15	8/5/2003	22.87			DRY	
HA-15	8/11/2003	22.87			DRY	
HA-15	8/22/2003	22.87			DRY	
HA-15	8/26/2003	22.87			DRY	
HA-15	9/2/2003	22.87			DRY	
HA-15	9/9/2003	22.87			DRY	
HA-15	9/19/2003	22.87			DRY	
HA-15	10/14/2003	22.87			DRY	
HA-15	11/20/2003	22.87			DRY	
HA-15	12/3/2003	22.87	--	--	6.08	16.79
HA-15	1/19/2004	22.87	--	--	5.49	17.38
HA-15	2/24/2004	22.87	--	--	6.32	16.55
HA-15	3/15/2004	22.87	--	--	7.32	15.55
HA-15	4/19/2004	22.87	--	--	7.80	15.07
HA-15	5/17/2004	22.87			DRY	
HA-15	6/22/2004	22.87			DRY	
HA-15	8/18/2004	22.87			DRY	
HA-15	9/21/2004	22.87			DRY	
HA-15	10/19/2004	22.87			DRY	
HA-15	11/23/2004	22.87			DRY	
HA-15	12/21/2004	22.87	--	--	6.03	16.84
HA-15	1/13/2005	22.87	--	--	6.73	16.14
HA-15	4/28/2005	22.87	--	--	5.93	16.94
HA-15	6/1/2005	22.87	--	--	6.06	16.81
HA-15	6/29/2005	22.87	--	--	7.53	15.34
HA-15	7/20/2005	22.87			DRY	
HA-15	8/22/2005	22.87			DRY	
HA-15	9/12/2005	22.87			DRY	
HA-15	10/12/2005	22.87			DRY	
HA-15	11/21/2005	22.87	--	--	7.65	15.22
HA-15	12/27/2005	22.87	--	--	6.63	16.24
HA-15	1/30/2006	22.87	--	--	3.40	19.47
HA-15	2/16/2006	22.87	--	--	4.91	17.96
HA-15	3/13/2006	22.87	--	--	5.88	16.99
HA-15	4/18/2006	22.87	--	--	6.29	16.58
HA-15	5/12/2006	22.87	--	--	6.67	16.20
HA-15	6/9/2006	22.87	--	--	6.26	16.61
HA-15	7/13/2006	22.87	--	--	7.40	15.47
HA-15	8/16/2006	22.87			DRY	
HA-15	9/19/2006	22.87			DRY	
HA-15	10/13/2006	22.87			DRY	
HA-15	11/20/2006	22.87	--	--	4.87	18.00
HA-15	12/8/2006	22.87	--	--	4.53	18.34
HA-15	1/19/2007	22.87	--	--	4.21	18.66
HA-15	2/19/2007	22.87	--	--	6.55	16.32
HA-15	3/15/2007	22.87	--	--	5.30	17.57
HA-15	4/16/2007	22.87	--	--	5.83	17.04
HA-15	5/14/2007	22.87	--	--	7.30	15.57
HA-15	6/29/2007	22.87	--	--	7.83	15.04
HA-15	7/20/2007	22.87			DRY	
HA-15	8/21/2007	22.87	--	--	7.85	15.02
HA-15	9/10/2007	22.87			DRY	
HA-15	10/22/2007	22.87			DRY	
HA-15	11/28/2007	22.87	--	--	7.62	15.25
HA-15	12/13/2007	22.87	--	--	6.53	16.34
HA-15	1/21/2008	22.87	--	--	6.46	16.41
HA-15	2/24/2008	22.87	--	--	6.95	15.92
HA-15	3/24/2008	22.87	--	--	7.24	15.63
HA-15	8/25/2008	22.87			DRY	
HA-15	2/18/2009	22.87	--	--	7.35	15.52
HA-15	8/25/2009	22.87			DRY	
HA-15	3/22/2010	22.87	--	--	6.26	16.61
HA-15	8/23/2010	22.87			DRY	
HA-15	2/7/2011	22.87	--	--	5.90	16.97
HA-15	5/27/2011	22.87			Not Monitored	

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-15	8/8/2011	22.87	--	--	6.30	16.57
HA-15	11/14/2011	22.87	--	--	DRY	
HA-15	2/20/2012	22.87	--	--	5.41	17.46
HA-15	8/22/2012	22.87	--	--	7.81	15.06
HA-15	11/5/2012	22.87	--	--	7.84	15.03
HA-15	1/28/2013	22.87	--	--	5.26	17.61
HA-15	5/9/2013	22.87	--	--	6.58	16.29
HA-15	8/19/2013	22.87	--	--	7.84	15.03
HA-15	11/25/2013	22.87	--	--	6.68	16.19
HA-15	2/14/2014	22.87	--	--	6.23	16.64
HA-16	12/5/2002	22.07	7.60	0.05	7.65	14.46
HA-16	12/11/2002	22.07	7.40	0.68	8.08	14.50
HA-16	12/13/2002	22.07	7.33	0.96	8.29	14.50
HA-16	12/17/2002	22.07	6.67	1.54	8.21	15.02
HA-16	1/2/2003	22.07	5.60	0.22	5.82	16.42
HA-16	1/6/2003	22.07	5.08	0.02	5.10	16.99
HA-16	1/7/2003	22.07	5.05	0.02	5.07	17.02
HA-16	1/8/2003	22.07	4.95	0.03	4.98	17.11
HA-16	1/9/2003	22.07	4.92	0.02	4.94	17.15
HA-16	1/10/2003	22.07	4.94	0.02	4.96	17.13
HA-16	1/14/2003	22.07	3.09	2.03	5.12	18.47
HA-16	1/15/2003	22.07	5.00	0.05	5.05	17.06
HA-16	1/16/2003	22.07	4.92	0.04	4.96	17.14
HA-16	1/17/2003	22.07	4.95	0.02	4.97	17.12
HA-16	1/20/2003	22.07	4.98	0.04	5.02	17.08
HA-16	5/28/2003	22.07	7.35	0.77	8.12	14.53
HA-16	12/21/2004	22.07	--	--	5.23	16.84
HA-16	1/13/2005	22.07	--	--	6.10	15.97
HA-16	4/28/2005	22.07	--	--	5.40	16.67
HA-16	6/1/2005	22.07	--	--	5.66	16.41
HA-16	6/29/2005	22.07	--	--	7.14	14.93
HA-16	7/20/2005	22.07	7.77	0.01	7.78	14.30
HA-16	8/22/2005	22.07	--	--	8.00	14.07
HA-16	9/12/2005	22.07	--	--	8.58	13.49
HA-16	10/12/2005	22.07	--	--	9.29	12.78
HA-16	11/21/2005	22.07	--	--	6.99	15.08
HA-16	12/27/2005	22.07	--	--	6.14	15.93
HA-16	1/31/2006	22.07	2.75	0.01	2.76	19.32
HA-16	2/16/2006	22.07	--	--	4.26	17.81
HA-16	3/13/2006	22.07	--	--	5.25	16.82
HA-16	4/18/2006	22.07	--	--	5.71	16.36
HA-16	5/12/2006	22.07	--	--	6.10	15.97
HA-16	6/9/2006	22.07	--	--	5.75	16.32
HA-16	7/13/2006	22.07	--	--	7.00	15.07
HA-16	8/16/2006	22.07	--	--	8.00	14.07
HA-16	9/19/2006	22.07	--	--	8.60	13.47
HA-16	10/13/2006	22.07	--	--	8.36	13.71
HA-16	11/20/2006	22.07	--	--	4.42	17.65
HA-16	12/8/2006	22.07	--	--	3.96	18.11
HA-16	1/19/2007	22.07	--	--	3.66	18.41
HA-16	2/19/2007	22.07	--	--	5.84	16.23
HA-16	3/15/2007	22.07	--	--	4.60	17.47
HA-16	4/16/2007	22.07	--	--	5.13	16.94
HA-16	5/14/2007	22.07	--	--	6.70	15.37
HA-16	6/29/2007	22.07	--	--	7.91	14.16
HA-16	7/20/2007	22.07	--	--	8.37	13.70
HA-16	8/21/2007	22.07	--	--	9.05	13.02
HA-16	9/10/2007	22.07	--	--	9.11	12.96
HA-16	10/22/2007	22.07	--	--	7.95	14.12
HA-16	11/28/2007	22.07	--	--	7.20	14.87
HA-16	12/13/2007	22.07	5.77	0.01	5.78	16.30
HA-16	1/21/2008	22.07	--	--	5.75	16.32
HA-16	2/24/2008	22.07	--	--	6.32	15.75
HA-16	3/24/2008	22.07	--	--	6.65	15.42
HA-16	8/25/2008	22.07	--	--	8.60	13.47
HA-16	2/18/2009	22.07	--	--	6.64	15.43
HA-16	8/25/2009	22.07	--	--	9.87	12.20
HA-16	3/22/2010	22.07	--	--	5.53	16.54
HA-16	8/23/2010	22.07	--	--	8.08	13.99
HA-16	2/7/2011	22.07	--	--	5.18	16.89

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-16	5/27/2011	22.07	--	--	6.08	15.99
HA-16	8/8/2011	22.07	--	--	8.15	13.92
HA-16	11/14/2011	22.07	--	--	7.85	14.22
HA-16	2/20/2012	22.07	--	--	4.61	17.46
HA-16	8/22/2012	22.07	--	--	7.85	14.22
HA-16	11/5/2012	22.07	--	--	7.17	14.90
HA-16	1/28/2013	22.07	--	--	4.73	17.34
HA-16	5/9/2013	22.07	--	--	5.89	16.18
HA-16	8/19/2013	22.07	--	--	8.64	13.43
HA-16	11/25/2013	22.07	--	--	6.10	15.97
HA-16	2/14/2014	22.07	--	--	5.54	16.53
HA-17	8/11/2003	21.92	--	--	DRY	
HA-17	3/15/2004	21.92	--	--	6.66	15.26
HA-17	9/21/2004	21.92	--	--	7.75	14.17
HA-17	12/21/2004	21.92	--	--	5.07	16.85
HA-17	1/13/2005	21.92	--	--	5.85	16.07
HA-17	4/28/2005	21.92	--	--	4.85	17.07
HA-17	6/1/2005	21.92	--	--	5.09	16.83
HA-17	6/29/2005	21.92	--	--	6.97	14.95
HA-17	7/20/2005	21.92	--	--	7.63	14.29
HA-17	8/22/2005	21.92	--	--	7.82	14.10
HA-17	9/12/2005	21.92	--	--	DRY	
HA-17	10/12/2005	21.92	--	--	DRY	
HA-17	11/21/2005	21.92	--	--	6.43	15.49
HA-17	12/27/2005	21.92	--	--	5.10	16.82
HA-17	1/30/2006	21.92	--	--	2.81	19.11
HA-17	2/16/2006	21.92	--	0.01	3.69	18.24
HA-17	3/13/2006	21.92	--	--	4.63	17.29
HA-17	4/18/2006	21.92	--	--	5.00	16.92
HA-17	5/12/2006	21.92	--	--	5.54	16.38
HA-17	6/9/2006	21.92	--	--	4.97	16.95
HA-17	7/13/2006	21.92	--	--	9.50	12.42
HA-17	8/16/2006	21.92	--	--	7.50	14.42
HA-17	9/19/2006	21.92	--	--	DRY	
HA-17	10/13/2006	21.92	--	--	DRY	
HA-17	11/20/2006	21.92	--	--	4.12	17.80
HA-17	12/8/2006	21.92	--	--	3.48	18.44
HA-17	1/19/2007	21.92	--	--	3.02	18.90
HA-17	2/19/2007	21.92	--	--	5.85	16.07
HA-17	3/15/2007	21.92	--	--	3.97	17.95
HA-17	4/16/2007	21.92	--	--	4.51	17.41
HA-17	5/14/2007	21.92	--	--	6.71	15.21
HA-17	6/29/2007	21.92	--	--	7.58	14.34
HA-17	7/20/2007	21.92	--	--	DRY	
HA-17	8/21/2007	21.92	--	--	DRY	
HA-17	9/10/2007	21.92	--	--	DRY	
HA-17	10/22/2007	21.82	--	--	7.36	14.46
HA-17	11/28/2007	21.82	--	--	6.95	14.87
HA-17	12/13/2007	21.82	--	--	5.89	15.93
HA-17	1/21/2008	21.82	--	--	5.45	16.37
HA-17	2/24/2008	21.82	--	--	6.09	15.73
HA-17	3/24/2008	21.82	--	--	6.41	15.41
HA-17	8/25/2008	21.82	--	--	DRY	
HA-17	2/18/2009	21.82	--	--	6.68	15.14
HA-17	8/25/2009	21.82	--	--	8.10	13.72
HA-17	3/22/2010	21.82	--	--	4.92	16.90
HA-17	8/23/2010	21.82	--	--	DRY	
HA-17	2/7/2011	21.82	--	--	4.89	16.93
HA-17	5/27/2011	21.82	--	--	Not Monitored	
HA-17	8/8/2011	21.82	--	--	Dry	
HA-17	11/14/2011	21.82	--	--	7.69	14.13
HA-17	2/20/2012	21.82	--	--	4.91	16.91
HA-17	8/22/2012	21.82	--	--	7.61	14.21
HA-17	11/5/2012	21.82	--	--	7.31	14.51
HA-17	1/28/2013	21.82	--	--	4.33	17.49
HA-17	5/9/2013	21.82	--	--	6.00	15.82
HA-17	8/19/2013	21.82	--	--	DRY	
HA-17	11/25/2013	21.82	--	--	6.46	15.36
HA-17	2/14/2014	21.82	--	--	5.27	16.55

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-18	8/11/2003	21.51			DRY	
HA-18	3/15/2004	21.51	6.47	0.00	6.47	15.04
HA-18	12/21/2004	21.51	--	--	4.98	16.53
HA-18	1/13/2005	21.51	--	--	5.61	15.90
HA-18	4/28/2005	21.51	--	--	4.79	16.72
HA-18	6/1/2005	21.51	--	--	5.00	16.51
HA-18	6/29/2005	21.51	--	--	6.76	14.75
HA-18	7/20/2005	21.51	--	--	7.46	14.05
HA-18	8/22/2005	21.51	--	--	7.45	14.06
HA-18	9/12/2005	21.51	--	--	7.80	13.71
HA-18	10/12/2005	21.51			DRY	
HA-18	11/21/2005	21.51	--	--	7.00	14.51
HA-18	12/27/2005	21.51	--	--	5.88	15.63
HA-18	1/30/2006	21.51	--	--	2.52	18.99
HA-18	2/16/2006	21.51	--	--	3.59	17.92
HA-18	3/13/2006	21.51	--	--	4.52	16.99
HA-18	4/18/2006	21.51	--	--	5.11	16.40
HA-18	5/12/2006	21.51	--	--	5.39	16.12
HA-18	6/9/2006	21.51	--	--	5.15	16.36
HA-18	7/13/2006	21.51	--	--	6.21	15.30
HA-18	8/16/2006	21.51	--	--	7.21	14.30
HA-18	9/19/2006	21.51			DRY	
HA-18	10/13/2006	21.51	--	--	7.75	13.76
HA-18	11/20/2006	21.51	--	--	4.47	17.04
HA-18	12/8/2006	21.51	--	--	3.58	17.93
HA-18	1/19/2007	21.51	--	--	3.15	18.36
HA-18	2/19/2007	21.51	--	--	5.84	15.67
HA-18	3/15/2007	21.51	--	--	4.32	17.19
HA-18	4/16/2007	21.51	--	--	4.43	17.08
HA-18	5/14/2007	21.51	--	--	6.45	15.06
HA-18	6/29/2007	21.51	--	--	7.27	14.24
HA-18	7/20/2007	21.51	--	--	7.87	13.64
HA-18	8/21/2007	21.51			DRY	
HA-18	9/10/2007	21.51			DRY	
HA-18	10/22/2007	21.51			DRY	
HA-18	11/28/2007	21.51	--	--	6.92	14.59
HA-18	12/13/2007	21.51	--	--	5.86	15.65
HA-18	1/21/2008	21.51	--	--	5.62	15.89
HA-18	2/24/2008	21.51	--	--	4.36	17.15
HA-18	3/24/2008	21.51	--	--	6.29	15.22
HA-18	8/25/2008	21.51	--	--	8.07	13.44
HA-18	2/18/2009	21.51	--	--	6.32	15.19
HA-18	8/25/2009	21.51			DRY	
HA-18	3/22/2010	21.51	--	--	4.81	16.70
HA-18	8/23/2010	21.51	--	--	7.26	14.25
HA-18	2/7/2011	21.51	--	--	4.99	16.52
HA-18	5/27/2011	21.51			Not Monitored	
HA-18	8/8/2011	21.51	--	--	7.76	13.75
HA-18	11/14/2011	21.51	--	--	7.58	13.93
HA-18	2/20/2012	21.51	--	--	5.24	16.27
HA-18	11/5/2012	21.51	--	--	7.74	13.77
HA-18	1/28/2013	21.51	--	--	4.34	17.17
HA-18	8/19/2013	21.51	--	--	8.00	13.51
HA-18	11/25/2013	21.51	--	--	6.22	15.29
HA-18	2/14/2014	21.51	--	--	5.50	16.01
HA-19	4/2/2003	22.92	--	--	4.61	18.31
HA-19	4/4/2003	22.92	7.10	--	7.13	15.79
HA-19	4/8/2003	22.92	6.61		6.62	16.31
HA-19	4/11/2003	22.92	5.69	0.00	5.69	17.23
HA-19	4/15/2003	22.92	--	--	4.26	18.66
HA-19	4/17/2003	22.92	--	--	5.62	17.30
HA-19	4/22/2003	22.92	7.21	0.01	7.22	15.71
HA-19	4/25/2003	22.92	7.23	0.00	7.23	15.69
HA-19	5/2/2003	22.92	--	--	7.87	15.05
HA-19	5/6/2003	22.92	--	--	7.80	15.12
HA-19	5/9/2003	22.92	--	--	8.00	14.92
HA-19	5/23/2003	22.92			DRY	
HA-19	5/28/2003	22.92			DRY	
HA-19	6/13/2003	22.92			DRY	
HA-19	6/18/2003	22.92			DRY	

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HA-19	6/27/2003	22.92			DRY	
HA-19	7/7/2003	22.92			DRY	
HA-19	7/16/2003	22.92			DRY	
HA-19	7/31/2003	22.92			DRY	
HA-19	8/5/2003	22.92			DRY	
HA-19	8/11/2003	22.92			DRY	
HA-19	8/22/2003	22.92			DRY	
HA-19	8/26/2003	22.92			DRY	
HA-19	9/2/2003	22.92			DRY	
HA-19	9/9/2003	22.92			DRY	
HA-19	9/19/2003	22.92			DRY	
HA-19	10/14/2003	22.92			DRY	
HA-19	11/20/2003	22.92	--	--	4.74	18.18
HA-19	12/3/2003	22.92	--	--	5.35	17.57
HA-19	1/19/2004	22.92	5.51	0.005	5.52	17.41
HA-19	2/24/2004	22.92	7.18	0.005	7.19	15.74
HA-19	3/15/2004	22.92	--	--	7.94	14.98
HA-19	4/19/2004	22.92	--	--	8.01	14.91
HA-19	5/17/2004	22.92			DRY	
HA-19	6/22/2004	22.92			DRY	
HA-19	8/18/2004	22.92			DRY	
HA-19	9/21/2004	22.92	--	--	6.85	16.07
HA-19	10/19/2004	22.92	--	--	4.21	18.71
HA-19	11/23/2004	22.92			DRY	
HA-19	12/21/2004	22.92	--	--	5.13	17.79
HA-19	1/13/2005	22.92	--	--	7.35	15.57
HA-19	4/28/2005	22.92	--	--	6.97	15.95
HA-19	6/1/2005	22.92	--	--	7.39	15.53
HA-19	6/29/2005	22.92			DRY	
HA-19	7/20/2005	22.92			DRY	
HA-19	8/22/2005	22.92			DRY	
HA-19	9/12/2005	22.92			DRY	
HA-19	10/12/2005	22.92			DRY	
HA-19	11/21/2005	22.92	--	--	8.81	14.11
HA-19	12/27/2005	22.92	--	--	4.17	18.75
HA-19	1/30/2006	22.92	--	--	4.14	18.78
HA-19	2/16/2006	22.92	--	--	6.13	16.79
HA-19	3/13/2006	22.92	--	--	7.16	15.76
HA-19	4/18/2006	22.92	--	--	6.68	16.24
HA-19	5/12/2006	22.92	--	--	7.79	15.13
HA-19	6/9/2006	22.92	--	--	7.33	15.59
HA-19	7/13/2006	22.92	--	--	8.00	14.92
HA-19	8/16/2006	22.92			DRY	
HA-19	9/19/2006	22.92			DRY	
HA-19	10/16/2006	22.92			DRY	
HA-19	11/20/2006	22.92	--	--	4.40	18.52
HA-19	12/8/2006	22.92	--	--	5.54	17.38
HA-19	1/19/2007	22.92	--	--	5.20	17.72
HA-19	2/19/2007	22.92	--	--	7.20	15.72
HA-19	3/15/2007	22.92	--	--	6.09	16.83
HA-19	4/16/2007	22.92	--	--	6.99	15.93
HA-19	5/14/2007	22.92			DRY	
HA-19	6/29/2007	22.92			DRY	
HA-19	7/20/2007	22.92			DRY	
HA-19	8/21/2007	22.92			DRY	
HA-19	9/10/2007	22.92			DRY	
HA-19	10/22/2007	22.92	--	--	3.99	18.93
HA-19	11/28/2007	22.92	--	--	5.71	17.21
HA-19	12/13/2007	22.92	--	--	4.60	18.32
HA-19	1/21/2008	22.92	--	--	6.37	16.55
HA-19	2/24/2008	22.92	--	--	7.41	15.51
HA-19	3/24/2008	22.92	--	--	4.37	18.55
HA-19	8/25/2008	22.92	--	--	6.02	16.90
HA-19	2/18/2009	22.92	--	--	7.75	15.17
HA-19	8/25/2009	22.92			DRY	
HA-19	3/22/2010	22.92	--	--	7.48	15.44
HA-19	8/23/2010	22.92			DRY	
HA-19	2/7/2011	22.92	--	--	6.55	16.37
HA-19	2/7/2011	22.92	--	--	7.10	15.82
HA-19	8/8/2011	22.92			Dry	
HA-19	11/14/2011	22.92	--	--	7.23	15.69

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
HA-19	2/20/2012	22.92	--	--	5.58	17.34
HA-19	8/22/2012	22.92	--	--	Dry	--
HA-19	11/5/2012	22.92	--	--	4.92	18.00
HA-19	1/28/2013	22.92	--	--	6.46	16.46
HA-19	5/9/2013	22.92	--	--	7.34	15.58
HA-19	8/19/2013	22.92	--	--	DRY	--
HA-19	11/25/2013	22.92	--	--	6.12	16.80
HA-19	2/14/2014	22.92	--	--	3.67	19.25
HA-20	11/24/2002	23.10	--	--	7.49	15.61
HA-20	11/27/2002	23.10	6.46	3.51	9.97	15.76
HA-20	12/5/2002	23.10	6.25	3.57	9.82	15.96
HA-20	12/11/2002	23.10	6.25	3.48	9.73	15.98
HA-20	12/13/2002	23.10	6.12	3.55	9.67	16.09
HA-20	12/17/2002	23.10	5.29	4.20	9.49	16.76
HA-20	1/3/2003	23.10	3.26	4.39	7.65	18.74
HA-20	1/6/2003	23.10	3.83	3.10	6.93	18.50
HA-20	1/7/2003	23.10	4.45	1.16	5.61	18.36
HA-20	1/8/2003	23.10	4.22	1.57	5.79	18.49
HA-20	1/9/2003	23.10	3.97	3.11	7.08	18.35
HA-20	1/10/2003	23.10	4.04	3.24	7.28	18.25
HA-20	1/13/2003	23.10	4.75	0.92	5.67	18.12
HA-20	1/14/2003	23.10	4.15	3.47	7.62	18.08
HA-20	1/15/2003	23.10	4.05	3.10	7.15	18.28
HA-20	1/16/2003	23.10	4.15	2.90	7.05	18.23
HA-20	1/17/2003	23.10	4.18	2.82	7.00	18.22
HA-20	1/20/2003	23.10	4.15	3.09	7.24	18.18
HA-20	1/22/2003	23.10	3.30	6.50	9.80	18.18
HA-20	1/23/2003	23.10	4.80	3.78	8.58	17.36
HA-20	1/24/2003	23.10	4.55	3.66	8.21	17.64
HA-20	1/27/2003	23.10	3.68	2.96	6.64	18.68
HA-20	1/28/2003	23.10	3.82	3.68	7.50	18.36
HA-20	1/29/2003	23.10	4.05	4.44	8.49	17.94
HA-20	1/30/2003	23.10	4.26	4.06	8.32	17.83
HA-20	2/3/2003	23.10	4.33	3.17	7.50	17.98
HA-20	2/6/2003	23.10	4.59	1.80	6.39	18.06
HA-20	2/11/2003	23.10	6.18	2.39	8.57	16.32
HA-20	2/18/2003	23.10	7.40	0.88	8.28	15.48
HA-20	2/21/2003	23.10	7.34	0.73	8.07	15.58
HA-20	2/26/2003	23.10	6.09	0.11	6.20	16.98
HA-20	3/4/2003	23.10	7.47	1.87	9.34	15.16
HA-20	3/12/2003	23.10	7.05	2.63	9.68	15.39
HA-20	3/14/2003	23.10	7.14	2.27	9.41	15.39
HA-20	3/26/2003	23.10	5.64	3.93	9.57	16.48
HA-20	3/28/2003	23.10	6.91	2.50	9.41	15.57
HA-20	4/2/2003	23.10	6.47	2.65	9.12	15.97
HA-20	4/4/2003	23.10	7.01	2.13	9.14	15.56
HA-20	4/8/2003	23.10	7.16	1.49	8.65	15.57
HA-20	4/11/2003	23.10	7.21	1.66	8.87	15.48
HA-20	4/15/2003	23.10	6.91	0.40	7.31	16.09
HA-20	4/17/2003	23.10	7.71	1.00	8.71	15.14
HA-20	4/22/2003	23.10	7.28	1.39	8.67	15.47
HA-20	4/25/2003	23.10	7.72	1.24	8.96	15.07
HA-20	5/2/2003	23.10	7.46	2.41	9.87	15.04
HA-20	5/6/2003	23.10	7.38	2.49	9.87	15.10
HA-20	5/9/2003	23.10	8.05	1.95	10.00	14.56
HA-20	5/23/2003	23.10	8.69	1.76	10.45	13.97
HA-20	5/28/2003	23.10	8.50	1.49	9.99	14.23
HA-20	6/13/2003	23.10	8.75	1.46	10.21	13.99
HA-20	6/18/2003	23.10	8.68	1.57	10.25	14.03
HA-20	6/27/2003	23.10	8.70	1.64	10.34	13.99
HA-20	7/7/2003	23.10	9.64	0.73	10.37	13.28
HA-20	7/16/2003	23.10	9.11	1.43	10.54	13.63
HA-20	7/31/2003	23.10	9.40	1.48	10.88	13.33
HA-20	8/5/2003	23.10	9.50	1.25	10.75	13.29
HA-20	8/11/2003	23.10	10.65	1.37	12.02	12.11
HA-20	8/22/2003	23.10	10.91	1.29	12.20	11.87
HA-20	8/26/2003	23.10	--	--	9.81	13.29
HA-20	9/2/2003	23.10	9.94	1.33	11.27	12.83
HA-20	9/9/2003	23.10	10.40	0.36	10.76	12.61
HA-20	9/19/2003	23.10	10.38	0.24	10.62	12.66

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
HA-20	10/14/2003	23.10	10.26	0.75	11.01	12.65
HA-20	11/20/2003	23.10	--	--	7.20	15.90
HA-20	12/3/2003	23.10	--	--	6.21	16.89
HA-20	1/19/2004	23.10	--	--	5.84	17.26
HA-20	2/24/2004	23.10	--	--	7.46	15.64
HA-20	3/15/2004	23.10	--	--	8.44	14.66
HA-20	4/19/2004	23.10	--	--	8.51	14.59
HA-20	5/17/2004	23.10	--	--	8.99	14.11
HA-20	6/22/2004	23.10	--	--	8.83	14.27
HA-20	8/18/2004	23.10	--	--	10.02	13.08
HA-20	9/21/2004	23.10	--	--	9.03	14.07
HA-20	10/19/2004	23.10	--	--	8.17	14.93
HA-20	11/23/2004	23.10	--	--	8.44	14.66
HA-20	12/21/2004	23.10	--	--	6.50	16.60
HA-20	1/13/2005	23.10	--	--	7.35	15.75
HA-20	4/28/2005	23.10	--	--	6.80	16.30
HA-20	6/1/2005	23.10	--	--	7.10	16.00
HA-20	6/29/2005	23.10	--	--	9.72	13.38
HA-20	7/20/2005	23.10	--	--	9.92	13.18
HA-20	8/22/2005	23.10	--	--	9.10	14.00
HA-20	9/12/2005	23.10	--	--	9.73	13.37
HA-20	10/12/2005	23.10	--	--	10.26	12.84
HA-20	11/21/2005	23.10	--	--	8.09	15.01
HA-20	12/27/2005	23.10	--	--	7.20	15.90
HA-20	1/30/2006	23.10	--	--	4.50	18.60
HA-20	2/16/2006	23.10	6.23	0.01	6.24	16.87
HA-20	3/13/2006	23.10	--	--	7.14	15.96
HA-20	4/18/2006	23.10	--	--	7.40	15.70
HA-20	5/12/2006	23.10	--	--	7.69	15.41
HA-20	6/9/2006	23.10	--	--	7.38	15.72
HA-20	7/13/2006	23.10	--	--	8.37	14.73
HA-20	8/16/2006	23.10	--	--	9.13	13.97
HA-20	9/19/2006	23.10	--	--	9.75	13.35
HA-20	10/16/2006	23.10	--	--	9.55	13.55
HA-20	11/20/2006	23.10	--	--	5.70	17.40
HA-20	12/8/2006	23.10	--	--	5.71	17.39
HA-20	1/19/2007	23.10	--	--	5.42	17.68
HA-20	2/19/2007	23.10	--	--	7.20	15.90
HA-20	3/15/2007	23.10	--	--	6.37	16.73
HA-20	4/16/2007	23.10	--	--	6.78	16.32
HA-20	5/14/2007	23.10	--	--	8.00	15.10
HA-20	6/29/2007	23.10	--	--	9.11	13.99
HA-20	7/20/2007	23.10	--	--	9.46	13.64
HA-20	8/21/2007	23.10	--	--	10.09	13.01
HA-20	9/10/2007	23.10	--	--	10.13	12.97
HA-20	10/22/2007	23.10	--	--	9.04	14.06
HA-20	11/28/2007	23.10	--	--	8.30	14.80
HA-20	12/13/2007	23.10	--	--	7.10	16.00
HA-20	1/21/2008	23.10	--	--	7.31	15.79
HA-20	2/24/2008	23.10	--	--	7.83	15.27
HA-20	3/24/2008	23.10	--	--	8.08	15.02
HA-20	8/25/2008	23.10	--	--	8.34	14.76
HA-20	2/18/2009	23.10	--	--	7.90	15.20
HA-20	8/25/2009	23.10	--	--	10.30	12.80
HA-20	3/22/2010	23.10	--	--	8.07	15.03
HA-20	8/23/2010	23.10	--	--	9.67	13.43
HA-20	2/7/2011	23.10	--	--	0.07	23.03
HA-20	5/27/2011	23.10	--	--	7.96	15.14
HA-20	8/8/2011	23.10	--	--	9.32	13.78
HA-20	11/14/2011	23.10	--	--	9.06	14.04
HA-20	2/20/2012	23.10	--	--	7.15	15.95
HA-20	8/22/2012	23.10	--	--	9.08	14.02
HA-20	11/5/2012	23.10	--	--	8.09	15.01
HA-20	1/28/2013	23.10	--	--	6.49	16.61
HA-20	5/9/2013	23.10	--	--	7.48	15.62
HA-20	8/19/2013	23.10	--	--	9.72	13.38
HA-20	11/25/2013	23.10	--	--	8.03	15.07
HA-20	2/14/2014	23.10	--	--	7.49	15.61
LAI-1	1/17/2003	20.94	--	--	4.17	16.77
LAI-1	1/20/2003	20.94	--	--	4.18	16.76

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAI-1	1/31/2003	20.94	--	--	4.28	16.66
LAI-1	2/7/2003	20.94	4.06	0.48	4.54	16.76
LAI-1	2/12/2003	20.94	4.38	1.08	5.46	16.29
LAI-1	2/18/2003	20.94	--	--	5.40	15.54
LAI-1	2/21/2003	20.94	--	--	5.52	15.42
LAI-1	2/24/2003	20.94	--	--	5.96	14.98
LAI-1	3/3/2003	20.94	--	--	5.76	15.18
LAI-1	3/12/2003	20.94	--	--	5.48	15.46
LAI-1	3/14/2003	20.94	--	--	5.09	15.85
LAI-1	3/26/2003	20.94	--	--	4.76	16.18
LAI-1	3/28/2003	20.94	--	--	4.86	16.08
LAI-1	4/2/2003	20.94	5.21	0.01	5.22	15.73
LAI-1	4/4/2003	20.94	5.19	0.01	5.20	15.75
LAI-1	4/8/2003	20.94	5.67	0.01	5.68	15.27
LAI-1	4/11/2003	20.94	5.07	0.01	5.08	15.87
LAI-1	4/15/2003	20.94	4.62	0.01	4.63	16.32
LAI-1	4/17/2003	20.94	6.14	0.01	6.15	14.80
LAI-1	4/22/2003	20.94	--	--	5.21	15.73
LAI-1	4/25/2003	20.94	--	--	5.43	15.51
LAI-1	5/2/2003	20.94	--	--	5.53	15.41
LAI-1	5/6/2003	20.94	--	--	5.66	15.28
LAI-1	5/9/2003	20.94	--	--	6.15	14.79
LAI-1	5/16/2003	20.94	--	--	6.40	14.54
LAI-1	5/23/2003	20.94	6.50	0.01	6.51	14.44
LAI-1	5/28/2003	20.94	6.45	0.01	6.46	14.49
LAI-1	6/13/2003	20.94	6.79	0.01	6.80	14.15
LAI-1	6/18/2003	20.94	--	--	6.78	14.16
LAI-1	6/27/2003	20.94	--	--	6.81	14.13
LAI-1	7/7/2003	20.94	--	--	7.41	13.53
LAI-1	7/16/2003	20.94	--	--	6.43	14.51
LAI-1	7/31/2003	20.94	--	--	7.49	13.45
LAI-1	8/5/2003	20.94	--	--	7.61	13.33
LAI-1	8/11/2003	20.94	--	--	8.80	12.14
LAI-1	8/22/2003	20.94	--	--	8.98	11.96
LAI-1	8/26/2003	20.94	--	--	7.91	13.03
LAI-1	9/2/2003	20.94	--	--	8.07	12.87
LAI-1	9/9/2003	20.94	8.39	0.01	8.40	12.55
LAI-1	9/19/2003	20.94	--	--	8.27	12.67
LAI-1	10/14/2003	20.94	--	--	8.34	12.60
LAI-1	11/20/2003	20.94	--	--	4.63	16.31
LAI-1	12/3/2003	20.94	--	--	4.10	16.84
LAI-1	1/19/2004	20.94	--	--	3.82	17.12
LAI-1	2/24/2004	20.94	--	--	5.22	15.72
LAI-1	3/15/2004	20.94	--	--	6.16	14.78
LAI-1	4/19/2004	20.94	--	--	6.29	14.65
LAI-1	5/17/2004	20.94	--	--	6.81	14.13
LAI-1	6/22/2004	20.94	--	--	6.64	14.30
LAI-1	8/18/2004	20.94	--	--	7.81	13.13
LAI-1	9/21/2004	20.94	--	--	6.90	14.04
LAI-1	10/19/2004	20.94	--	--	6.00	14.94
LAI-1	11/23/2004	20.94	--	--	6.25	14.69
LAI-1	12/21/2004	20.94	--	--	4.38	16.56
LAI-1	1/13/2005	20.94	--	--	5.22	15.72
LAI-1	4/28/2005	20.94	--	--	4.72	16.22
LAI-1	6/1/2005	20.94	--	--	4.98	15.96
LAI-1	6/29/2005	20.94	--	--	6.59	14.35
LAI-1	7/20/2005	20.94	--	--	6.77	14.17
LAI-1	8/22/2005	20.94	--	--	6.95	13.99
LAI-1	9/12/2005	20.94	--	--	7.50	13.44
LAI-1	10/12/2005	20.94	--	--	8.04	12.90
LAI-1	11/21/2005	20.94	--	--	5.89	15.05
LAI-1	12/27/2005	20.94	--	--	4.99	15.95
LAI-1	1/30/2006	20.94	--	--	2.50	18.44
LAI-1	2/16/2006	20.94	--	--	4.27	16.67
LAI-1	3/13/2006	20.94	--	--	5.07	15.87
LAI-1	4/18/2006	20.94	--	--	5.25	15.69
LAI-1	5/12/2006	20.94	--	--	5.52	15.42
LAI-1	6/9/2006	20.94	--	--	5.23	15.71
LAI-1	7/13/2006	20.94	--	--	6.20	14.74
LAI-1	8/16/2006	20.94	--	--	7.00	13.94
LAI-1	9/19/2006	20.94	--	--	7.54	13.40

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAI-1	10/13/2006	20.94	--	--	7.33	13.61
LAI-1	11/20/2006	20.94	--	--	3.62	17.32
LAI-1	12/8/2006	20.94	--	--	3.70	17.24
LAI-1	1/19/2007	20.94	--	--	3.57	17.37
LAI-1	2/19/2007	20.94	--	--	5.05	15.89
LAI-1	3/15/2007	20.94	--	--	4.50	16.44
LAI-1	4/16/2007	20.94	--	--	4.75	16.19
LAI-1	5/14/2007	20.94	--	--	4.82	16.12
LAI-1	6/29/2007	20.94	--	--	6.92	14.02
LAI-1	7/20/2007	20.94	--	--	7.22	13.72
LAI-1	8/21/2007	20.94	--	--	7.88	13.06
LAI-1	9/10/2007	20.94	--	--	7.91	13.03
LAI-1	10/22/2007	20.94	--	--	6.84	14.10
LAI-1	11/28/2007	20.94	--	--	6.11	14.83
LAI-1	12/13/2007	20.94	--	--	4.96	15.98
LAI-1	1/21/2008	20.94	--	--	5.19	15.75
LAI-1	2/24/2008	20.94	--	--	5.66	15.28
LAI-1	3/24/2008	20.94	--	--	5.90	15.04
LAI-1	8/25/2008	20.94	--	--	7.45	13.49
LAI-1	2/18/2009	20.94	--	--	5.89	15.05
LAI-1	8/25/2009	20.94	--	--	8.10	12.84
LAI-1	3/22/2010	20.94	--	--	6.10	14.84
LAI-1	8/23/2010	20.94	--	--	7.52	13.42
LAI-1	2/7/2011	20.94	--	--	4.78	16.16
LAI-1	5/27/2011	20.94	--	Not Monitored		
LAI-1	8/8/2011	20.94	--	--	7.13	13.81
LAI-1	11/14/2011	20.94	--	--	8.50	12.44
LAI-1	2/20/2012	20.94	--	--	5.47	15.47
LAI-1	8/22/2012	20.94	--	--	6.91	14.03
LAI-1	11/5/2012	20.94	--	--	5.84	15.10
LAI-1	1/28/2013	20.94	--	--	4.59	16.35
LAI-1	5/9/2013	20.94	--	--	5.57	15.37
LAI-1	8/19/2013	20.94	--	--	7.55	13.39
LAI-1	11/25/2013	20.94	--	--	6.08	14.86
LAI-1	2/14/2014	20.94	--	--	5.62	15.32
LAI-2	1/17/2003	20.89	--	--	4.14	16.75
LAI-2	1/20/2003	20.89	--	--	4.25	16.64
LAI-2	1/31/2003	20.89	--	--	4.55	16.34
LAI-2	2/7/2003	20.89	--	--	4.41	16.48
LAI-2	2/12/2003	20.89	--	--	4.71	16.18
LAI-2	2/18/2003	20.89	--	--	5.44	15.45
LAI-2	2/21/2003	20.89	--	--	5.61	15.28
LAI-2	2/24/2003	20.89	--	--	5.89	15.00
LAI-2	3/3/2003	20.89	--	--	5.17	15.72
LAI-2	3/12/2003	20.89	--	--	5.37	15.52
LAI-2	3/14/2003	20.89	--	--	5.24	15.65
LAI-2	3/26/2003	20.89	--	--	4.61	16.28
LAI-2	3/28/2003	20.89	--	--	4.72	16.17
LAI-2	4/2/2003	20.89	--	--	5.51	15.38
LAI-2	4/4/2003	20.89	--	--	5.48	15.41
LAI-2	4/8/2003	20.89	--	--	5.55	15.34
LAI-2	4/11/2003	20.89	--	--	5.19	15.70
LAI-2	4/15/2003	20.89	--	--	4.80	16.09
LAI-2	4/17/2003	20.89	--	--	5.96	14.93
LAI-2	4/22/2003	20.89	--	--	5.33	15.56
LAI-2	4/25/2003	20.89	--	--	5.49	15.40
LAI-2	5/2/2003	20.89	--	--	5.78	15.11
LAI-2	5/6/2003	20.89	--	--	5.42	15.47
LAI-2	5/9/2003	20.89	--	--	6.30	14.59
LAI-2	5/16/2003	20.89	--	--	6.54	14.35
LAI-2	5/23/2003	20.89	--	--	6.63	14.26
LAI-2	5/28/2003	20.89	--	--	6.51	14.38
LAI-2	6/13/2003	20.89	--	--	6.91	13.98
LAI-2	6/18/2003	20.89	--	--	6.86	14.03
LAI-2	6/27/2003	20.89	--	--	6.87	14.02
LAI-2	7/7/2003	20.89	--	--	7.40	13.49
LAI-2	7/16/2003	20.89	--	--	6.52	14.37
LAI-2	7/31/2003	20.89	--	--	7.48	13.41
LAI-2	8/5/2003	20.89	--	--	7.56	13.33
LAI-2	8/11/2003	20.89	--	--	8.81	12.08

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAI-2	8/22/2003	20.89	--	--	8.99	11.90
LAI-2	8/26/2003	20.89	--	--	7.86	13.03
LAI-2	9/2/2003	20.89	8.03	0.01	8.04	12.86
LAI-2	9/9/2003	20.89	--	--	8.46	12.43
LAI-2	9/19/2003	20.89	--	--	8.15	12.74
LAI-2	10/14/2003	20.89	--	--	8.25	12.64
LAI-2	11/20/2003	20.89	--	--	4.82	16.07
LAI-2	12/3/2003	20.89	--	--	4.13	16.76
LAI-2	1/19/2004	20.89	--	--	3.80	17.09
LAI-2	2/24/2004	20.89	--	--	5.26	15.63
LAI-2	3/15/2004	20.89	--	--	6.21	14.68
LAI-2	4/19/2004	20.89	--	--	6.31	14.58
LAI-2	5/17/2004	20.89	--	--	6.75	14.14
LAI-2	6/22/2004	20.89	--	--	6.61	14.28
LAI-2	8/18/2004	20.89	--	--	7.82	13.07
LAI-2	9/21/2004	20.89	--	--	6.81	14.08
LAI-2	10/19/2004	20.89	--	--	5.96	14.93
LAI-2	11/23/2004	20.89	--	--	6.34	14.55
LAI-2	12/21/2004	20.89	--	--	4.35	16.54
LAI-2	1/13/2005	20.89	--	--	5.15	15.74
LAI-2	4/28/2005	20.89	--	--	4.68	16.21
LAI-2	6/1/2005	20.89	--	--	4.95	15.94
LAI-2	6/29/2005	20.89	--	--	6.69	14.20
LAI-2	7/20/2005	20.89	--	--	6.80	14.09
LAI-2	8/22/2005	20.89	--	--	6.93	13.96
LAIx-2	9/12/2005	20.67	--	--	10.23	10.44
LAIx-2	10/12/2005	20.67	--	--	9.91	10.76
LAIx-2	11/21/2005	20.67	--	--	8.23	12.44
LAIx-2	12/27/2005	20.67	--	--	6.92	13.75
LAIx-2	1/30/2006	20.67	--	--	5.34	15.33
LAIx-2	2/16/2006	20.67	7.39	0.01	7.40	13.28
LAIx-2	3/13/2006	20.67	--	--	7.71	12.96
LAIx-2	4/18/2006	20.67	--	--	7.89	12.78
LAIx-2	5/12/2006	20.67	--	--	8.83	11.84
LAIx-2	6/9/2006	20.67	--	--	8.16	12.51
LAIx-2	7/13/2006	20.67	--	--	9.43	11.24
LAIx-2	8/16/2006	20.67	--	--	10.17	10.50
LAIx-2	9/19/2006	20.67	--	--	9.65	11.02
LAIx-2	10/13/2006	20.67	--	--	9.62	11.05
LAIx-2	11/20/2006	20.67	--	--	5.33	15.34
LAIx-2	12/8/2006	20.67	--	--	6.14	14.53
LAIx-2	1/19/2007	20.67	--	--	5.75	14.92
LAIx-2	2/19/2007	20.67	--	--	7.51	13.16
LAIx-2	3/15/2007	20.67	--	--	6.50	14.17
LAIx-2	4/16/2007	20.67	--	--	7.14	13.53
LAIx-2	5/14/2007	20.67	--	--	8.17	12.50
LAIx-2	6/29/2007	20.67	--	--	8.86	11.81
LAIx-2	7/20/2007	20.67	--	--	9.13	11.54
LAIx-2	8/21/2007	20.67	--	--	9.30	11.37
LAIx-2	9/10/2007	20.67	--	--	9.18	11.49
LAIx-2	10/22/2007	20.67	--	--	7.30	13.37
LAIx-2	11/28/2007	20.67	--	--	6.72	13.95
LAIx-2	12/13/2007	20.67	--	--	4.96	15.71
LAIx-2	1/21/2008	20.67	--	--	5.24	15.43
LAIx-2	2/24/2008	20.67	--	--	5.94	14.73
LAIx-2	3/24/2008	20.67	--	--	6.37	14.30
LAIx-2	8/25/2008	20.67	--	--	7.96	12.71
LAIx-2	2/18/2009	20.67	--	--	6.04	14.63
LAIx-2	8/25/2009	20.67	--	--	8.78	11.89
LAIx-2	3/22/2010	20.67	--	--	6.42	14.25
LAIx-2	8/23/2010	20.67	--	--	8.20	12.47
LAIx-2	2/7/2011	20.67	--	--	4.80	15.87
LAIx-2	5/27/2011	20.67	--	--	6.65	14.02
LAIx-2	8/8/2011	20.67	--	--	7.41	13.26
LAIx-2	11/14/2011	20.67	--	--	6.94	13.73
LAIx-2	2/20/2012	20.67	--	--	5.54	15.13
LAIx-2	8/22/2012	20.67	--	--	6.94	13.73
LAIx-2	11/5/2012	20.67	--	--	5.65	15.02
LAIx-2	1/28/2013	20.67	--	--	4.64	16.03
LAIx-2	5/9/2013	20.67	--	--	8.38	12.29

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
LAIx-2	8/19/2013	20.67	--	--	10.60	10.07
LAIx-2	11/25/2013	20.67	--	--	7.92	12.75
LAIx-2	2/14/2014	20.67	--	--	7.42	13.25
LAI-3	1/17/2003	20.74	--	--	4.37	16.37
LAI-3	1/20/2003	20.74	--	--	4.28	16.46
LAI-3	1/31/2003	20.74	--	--	4.94	15.80
LAI-3	2/7/2003	20.74	--	--	4.41	16.33
LAI-3	2/12/2003	20.74	--	--	4.70	16.04
LAI-3	2/18/2003	20.74	--	--	5.21	15.53
LAI-3	2/21/2003	20.74	--	--	5.58	15.16
LAI-3	2/24/2003	20.74	--	--	5.66	15.08
LAI-3	3/3/2003	20.74	--	--	5.13	15.61
LAI-3	3/12/2003	20.74	--	--	5.32	15.42
LAI-3	3/14/2003	20.74	--	--	5.16	15.58
LAI-3	3/26/2003	20.74	--	--	4.65	16.09
LAI-3	3/28/2003	20.74	--	--	4.75	15.99
LAI-3	4/2/2003	20.74	--	--	5.57	15.17
LAI-3	4/4/2003	20.74	--	--	5.53	15.21
LAI-3	4/8/2003	20.74	--	--	5.69	15.05
LAI-3	4/11/2003	20.74	--	--	5.15	15.59
LAI-3	4/15/2003	20.74	--	--	4.75	15.99
LAI-3	4/17/2003	20.74	--	--	6.08	14.66
LAI-3	4/22/2003	20.74	--	--	5.27	15.47
LAI-3	4/25/2003	20.74	--	--	5.45	15.29
LAI-3	5/2/2003	20.74	--	--	5.76	14.98
LAI-3	5/6/2003	20.74	--	--	5.61	15.13
LAI-3	5/9/2003	20.74	--	--	6.30	14.44
LAI-3	5/16/2003	20.74	--	--	6.53	14.21
LAI-3	5/23/2003	20.74	--	--	6.57	14.17
LAI-3	5/28/2003	20.74	--	--	6.44	14.30
LAI-3	6/13/2003	20.74	--	--	6.85	13.89
LAI-3	6/18/2003	20.74	--	--	6.81	13.93
LAI-3	6/27/2003	20.74	--	--	6.83	13.91
LAI-3	7/7/2003	20.74	--	--	7.32	13.42
LAI-3	7/16/2003	20.74	--	--	6.47	14.27
LAI-3	7/31/2003	20.74	--	--	7.37	13.37
LAI-3	8/5/2003	20.74	--	--	7.49	13.25
LAI-3	8/11/2003	20.74	--	--	7.68	13.06
LAI-3	8/22/2003	20.74	--	--	8.74	12.00
LAI-3	8/26/2003	20.74	--	--	7.74	13.00
LAI-3	9/2/2003	20.74	--	--	8.03	12.71
LAI-3	9/9/2003	20.74	--	--	8.45	12.29
LAI-3	9/19/2003	20.74	--	--	8.10	12.64
LAI-3	10/14/2003	20.74	--	--	8.20	12.54
LAI-3	11/20/2003	20.74	--	--	4.77	15.97
LAI-3	12/3/2003	20.74	--	--	4.08	16.66
LAI-3	1/19/2004	20.74	--	--	3.55	17.19
LAI-3	2/24/2004	20.74	--	--	5.23	15.51
LAI-3	3/15/2004	20.74	--	--	6.20	14.54
LAI-3	4/19/2004	20.74	--	--	6.21	14.53
LAI-3	5/17/2004	20.74	--	--	6.66	14.08
LAI-3	6/22/2004	20.74	--	--	6.46	14.28
LAI-3	8/18/2004	20.74	--	--	7.76	12.98
LAI-3	9/21/2004	20.74	--	--	6.70	14.04
LAI-3	10/19/2004	20.74	--	--	5.82	14.92
LAI-3	11/23/2004	20.74	--	--	6.14	14.60
LAI-3	12/21/2004	20.74	--	--	4.22	16.52
LAI-3	1/13/2005	20.74	--	--	5.03	15.71
LAI-3	4/28/2005	20.74	--	--	4.55	16.19
LAI-3	6/1/2005	20.74	--	--	4.86	15.88
LAI-3	6/29/2005	20.74	--	--	6.69	14.05
LAI-3	7/20/2005	20.74	--	--	6.71	14.03
LAI-3	8/22/2005	20.74	--	--	6.82	13.92
LAI-3	5/27/2011	20.74	--	--	Not Monitored	
LAIx-3	9/12/2005	20.74	--	--	10.31	10.43
LAIx-3	10/12/2005	20.74	--	--	9.99	10.75
LAIx-3	11/21/2005	20.74	8.31	0.01	8.32	12.43
LAIx-3	12/27/2005	20.74	--	--	7.15	13.59
LAIx-3	1/30/2006	20.74	6.00	0.01	6.01	14.74

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAIx-3	2/16/2006	20.74	--	--	7.85	12.89
LAIx-3	3/13/2006	20.74	--	--	8.18	12.56
LAIx-3	4/18/2006	20.74	--	--	8.36	12.38
LAIx-3	5/12/2006	20.74	--	--	8.87	11.87
LAIx-3	6/9/2006	20.74	--	--	8.65	12.09
LAIx-3	7/13/2006	20.74	--	--	9.90	10.84
LAIx-3	8/16/2006	20.74	--	--	10.63	10.11
LAIx-3	9/19/2006	20.74	--	--	10.25	10.49
LAIx-3	10/13/2006	20.74	--	--	10.28	10.46
LAIx-3	11/20/2006	20.74	--	--	7.14	13.60
LAIx-3	12/8/2006	20.74	--	--	7.84	12.90
LAIx-3	1/19/2007	20.74	--	--	7.61	13.13
LAIx-3	2/19/2007	20.74	--	--	7.86	12.88
LAIx-3	3/15/2007	20.74	--	--	7.34	13.40
LAIx-3	4/16/2007	20.74	--	--	7.86	12.88
LAIx-3	5/14/2007	20.74	--	--	8.61	12.13
LAIx-3	6/29/2007	20.74	--	--	9.27	11.47
LAIx-3	7/20/2007	20.74	--	--	9.59	11.15
LAIx-3	8/21/2007	20.74	--	--	9.80	10.94
LAIx-3	9/10/2007	20.74	--	--	9.92	10.82
LAIx-3	10/22/2007	20.74	--	--	8.48	12.26
LAIx-3	11/28/2007	20.74	--	--	8.10	12.64
LAIx-3	12/13/2007	20.74	--	--	6.13	14.61
LAIx-3	1/21/2008	20.74	--	--	6.73	14.01
LAIx-3	2/24/2008	20.74	--	--	7.31	13.43
LAIx-3	3/24/2008	20.74	--	--	7.45	13.29
LAIx-3	8/25/2008	20.74	--	--	9.91	10.83
LAIx-3	2/18/2009	20.74	--	--	7.68	13.06
LAIx-3	8/25/2009	20.74	--	--	9.83	10.91
LAIx-3	3/22/2010	20.74	--	--	7.60	13.14
LAIx-3	8/23/2010	20.74	--	--	9.31	11.43
LAIx-3	2/7/2011	20.74	--	--	5.73	15.01
LAIx-3	5/27/2011	20.74	--	--	Not Monitored	
LAIx-3	8/8/2011	20.74	--	--	9.06	11.68
LAIx-3	11/14/2011	20.74	--	--	7.17	13.57
LAIx-3	2/20/2012	20.74	--	--	7.30	13.44
LAIx-3	8/22/2012	20.74	--	--	9.11	11.63
LAIx-3	11/5/2012	20.74	--	--	6.55	14.19
LAIx-3	1/28/2013	20.74	--	--	6.09	14.65
LAIx-3	5/9/2013	20.74	--	--	7.02	13.72
LAIx-3	8/19/2013	20.74	--	--	9.76	10.98
LAIx-3	11/25/2013	20.74	--	--	7.83	12.91
LAIx-3	2/14/2014	20.74	--	--	6.98	13.76
LAI-4	1/22/2003	22.43	6.87	0.43	7.30	15.45
LAI-4	1/23/2003	22.43	7.48	0.20	7.68	14.90
LAI-4	1/24/2003	22.43	6.72	0.67	7.39	15.54
LAI-4	1/27/2003	22.43	4.47	4.67	9.14	16.79
LAI-4	1/28/2003	22.43	4.97	4.43	9.40	16.35
LAI-4	1/29/2003	22.43	7.40	0.05	7.45	15.02
LAI-4	1/30/2003	22.43	7.88	0.06	7.94	14.54
LAI-4	2/3/2003	22.43	6.25	2.16	8.41	15.64
LAI-4	2/6/2003	23.88	6.28	1.04	7.32	17.34
LAI-4	2/11/2003	23.88	7.54	1.44	8.98	15.98
LAI-4	2/18/2003	23.88	9.28	0.17	9.45	14.56
LAI-4	2/21/2003	23.88	9.11	0.09	9.20	14.75
LAI-4	2/26/2003	23.88	8.37	1.35	9.72	15.17
LAI-4	3/3/2003	23.88	8.57	0.86	9.43	15.10
LAI-4	3/12/2003	23.88	8.80	0.14	8.94	15.05
LAI-4	3/14/2003	23.88	8.68	0.14	8.82	15.17
LAI-4	3/26/2003	23.88	--	--	9.06	14.82
LAI-4	3/28/2003	23.88	--	--	9.28	14.60
LAI-4	4/2/2003	23.88	8.21	0.08	8.29	15.65
LAI-4	4/4/2003	23.88	8.58	0.04	8.62	15.29
LAI-4	4/8/2003	23.88	8.51	0.13	8.64	15.34
LAI-4	4/11/2003	23.88	8.78	0.14	8.92	15.07
LAI-4	4/15/2003	23.88	7.86	0.95	8.81	15.78
LAI-4	4/17/2003	23.88	9.19	0.02	9.21	14.69
LAI-4	4/22/2003	23.88	6.61	0.19	6.80	17.22
LAI-4	4/25/2003	23.88	8.96	0.25	9.21	14.86
LAI-4	5/2/2003	23.88	9.06	0.10	9.16	14.80

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Product		Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
			Depth to Free Product (feet BTOC)	Thickness In Well (feet)		
LAI-4	5/6/2003	23.88	8.56	1.85	10.41	14.86
LAI-4	5/9/2003	23.88	10.96	0.02	10.98	12.92
LAI-4	5/23/2003	23.88	10.17	0.02	10.19	13.71
LAI-4	5/28/2003	23.88	9.81	0.03	9.84	14.06
LAI-4	6/13/2003	23.88	10.09	0.03	10.12	13.78
LAI-4	6/18/2003	23.88	10.05	0.08	10.13	13.81
LAI-4	6/27/2003	23.88	9.92	0.82	10.74	13.76
LAI-4	7/7/2003	23.88	10.27	1.44	11.71	13.25
LAI-4	7/16/2003	23.88	9.92	2.10	12.02	13.44
LAI-4	7/31/2003	23.88	10.58	1.12	11.70	13.02
LAI-4	8/5/2003	23.88	10.32	1.97	12.29	13.07
LAI-4	8/11/2003	23.88	11.70	1.09	12.79	11.91
LAI-4	8/22/2003	23.88	11.96	1.28	13.24	11.60
LAI-4	8/26/2003	23.88	11.09	1.15	12.24	12.50
LAI-4	9/2/2003	23.88	11.04	1.32	12.36	12.51
LAI-4	9/9/2003	23.88	11.10	2.16	13.26	12.24
LAI-4	9/19/2003	23.88	11.14	1.35	12.49	12.40
LAI-4	10/14/2003	23.88	11.21	1.59	12.80	12.27
LAI-4	11/20/2003	23.88	8.21	0.09	8.30	15.65
LAI-4	12/3/2003	23.88	7.12	1.06	8.18	16.50
LAI-4	1/19/2004	23.88	6.84	0.72	7.56	16.86
LAI-4	2/24/2004	23.88	8.25	0.65	8.90	15.47
LAI-4	3/15/2004	23.88	9.42	0.09	9.51	14.44
LAI-4	4/19/2004	23.88	9.19	0.01	9.20	14.69
LAI-4	5/17/2004	23.88	--	--	10.05	13.83
LAI-4	6/22/2004	23.88	--	--	9.98	13.90
LAI-4	8/18/2004	23.88	11.20	0.05	11.25	12.67
LAI-4	9/21/2004	23.88	--	--	10.05	13.83
LAI-4	10/19/2004	24.88	--	--	9.23	15.65
LAI-4	11/23/2004	24.88	--	--	9.45	15.43
LAI-4	12/21/2004	24.88	--	--	7.60	17.28
LAI-4	1/13/2005	24.88	--	--	8.37	16.51
LAI-4	4/28/2005	24.88	--	--	8.57	16.31
LAI-4	6/1/2005	24.88	--	--	8.15	16.73
LAI-4	6/29/2005	24.88	--	--	10.05	14.83
LAI-4	7/20/2005	24.88	--	--	10.45	14.43
LAI-4	8/22/2005	24.88	--	--	10.12	14.76
LAI-4	5/27/2011	24.88	--	--	Not Monitored	
LAIx-4	9/12/2005	25.50	--	--	14.15	11.35
LAIx-4	10/12/2005	25.50	--	--	14.78	10.72
LAIx-4	11/21/2005	25.50	12.76	0.01	12.77	12.74
LAIx-4	12/27/2005	25.50	--	--	11.95	13.55
LAIx-4	1/30/2006	25.50	--	--	10.60	14.90
LAIx-4	2/16/2006	25.50	--	--	12.68	12.82
LAIx-4	3/13/2006	25.50	--	--	12.95	12.55
LAIx-4	4/18/2006	25.50	--	--	13.05	12.45
LAIx-4	5/12/2006	25.50	--	--	13.70	11.80
LAIx-4	6/9/2006	25.50	--	--	13.45	12.05
LAIx-4	7/13/2006	25.50	--	--	15.65	9.85
LAIx-4	8/16/2006	25.50	15.41	0.02	15.43	10.09
LAIx-4	9/19/2006	25.50	--	--	15.05	10.45
LAIx-4	10/13/2006	25.50	--	--	15.13	10.37
LAIx-4	11/20/2006	25.50	--	--	12.43	13.07
LAIx-4	12/8/2006	25.50	--	--	12.76	12.74
LAIx-4	1/19/2007	25.50	--	--	12.38	13.12
LAIx-4	2/19/2007	25.50	--	--	12.96	12.54
LAIx-4	3/15/2007	25.50	--	--	12.70	12.80
LAIx-4	4/16/2007	25.50	--	--	13.11	12.39
LAIx-4	5/14/2007	25.50	--	--	13.73	11.77
LAIx-4	6/29/2007	25.50	--	--	14.19	11.31
LAIx-4	7/20/2007	25.50	--	--	14.57	10.93
LAIx-4	8/21/2007	25.50	--	--	14.74	10.76
LAIx-4	9/10/2007	25.50	--	--	14.82	10.68
LAIx-4	10/22/2007	25.50	--	--	13.64	11.86
LAIx-4	11/28/2007	25.50	--	--	13.45	12.05
LAIx-4	12/13/2007	25.50	--	--	12.80	12.70
LAIx-4	1/21/2008	25.50	--	--	8.78	16.72
LAIx-4	2/24/2008	25.50	--	--	13.23	12.27
LAIx-4	3/24/2008	25.50	--	--	12.81	12.69
LAIx-4	8/25/2008	25.50	--	--	13.97	11.53

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAIx-4	2/18/2009	22.50	--	--	13.44	9.06
LAIx-4	8/25/2009	22.50	--	--	15.09	7.41
LAIx-4	3/22/2010	22.50	--	--	13.20	9.30
LAIx-4	8/23/2010	25.50	--	--	12.67	12.83
LAIx-4	2/7/2011	25.50	--	--	12.68	12.82
LAIx-4	5/27/2011	25.50	--	--	Not Monitored	
LAI-5	1/22/2003	23.04	6.55	4.18	10.73	15.45
LAI-5	1/23/2003	23.04	6.54	4.02	10.56	15.50
LAI-5	1/24/2003	23.04	6.40	3.92	10.32	15.66
LAI-5	1/27/2003	23.04	5.51	3.66	9.17	16.62
LAI-5	1/28/2003	23.04	6.85	0.55	7.40	16.05
LAI-5	1/29/2003	23.04	6.20	4.20	10.40	15.79
LAI-5	1/30/2003	23.04	6.31	4.04	10.35	15.72
LAI-5	2/3/2003	23.04	6.36	3.29	9.65	15.86
LAI-5	2/6/2003	24.52	7.18	3.57	10.75	16.45
LAI-5	2/11/2003	24.52	7.53	3.64	11.17	16.08
LAI-5	2/18/2003	24.52	6.50	4.75	11.25	16.83
LAI-5	2/21/2003	24.52	8.21	3.30	11.51	15.49
LAI-5	2/26/2003	24.52	7.78	3.23	11.01	15.93
LAI-5	3/4/2003	24.52	7.78	3.23	11.01	15.93
LAI-5	3/12/2003	24.52	8.32	3.36	11.68	15.36
LAI-5	3/14/2003	24.52	8.36	3.08	11.44	15.39
LAI-5	3/26/2003	24.52	--	--	10.01	14.51
LAI-5	3/28/2003	24.52	--	--	9.96	14.56
LAI-5	4/2/2003	24.52	8.52	0.83	9.35	15.79
LAI-5	4/4/2003	24.52	8.90	0.68	9.58	15.45
LAI-5	4/8/2003	24.52	8.96	0.55	9.51	15.42
LAI-5	4/11/2003	24.52	8.72	1.62	10.34	15.40
LAI-5	4/15/2003	24.52	8.01	2.43	10.44	15.90
LAI-5	4/17/2003	24.52	9.60	0.16	9.76	14.88
LAI-5	4/22/2003	24.52	9.04	0.39	9.43	15.38
LAI-5	4/25/2003	24.52	9.05	2.10	11.15	14.95
LAI-5	5/2/2003	24.52	9.48	0.24	9.72	14.98
LAI-5	5/6/2003	24.52	8.94	2.24	11.18	15.02
LAI-5	5/9/2003	24.52	10.28	0.07	10.35	14.22
LAI-5	5/23/2003	24.52	10.65	0.02	10.67	13.87
LAI-5	5/28/2003	24.52	10.36	0.09	10.45	14.14
LAI-5	6/13/2003	24.52	10.58	0.05	10.63	13.93
LAI-5	6/18/2003	24.52	10.51	0.01	10.52	14.01
LAI-5	6/27/2003	24.52	10.08	1.63	11.71	14.03
LAI-5	7/7/2003	24.52	10.52	1.85	12.37	13.54
LAI-5	7/16/2003	24.52	10.30	2.15	12.45	13.68
LAI-5	7/31/2003	24.52	10.77	1.67	12.44	13.33
LAI-5	8/5/2003	24.52	11.30	2.35	13.65	12.63
LAI-5	8/11/2003	24.52	--	--	12.22	12.30
LAI-5	8/22/2003	24.52	--	--	12.34	12.18
LAI-5	8/26/2003	24.52	12.39	1.29	13.68	11.81
LAI-5	9/2/2003	24.52	11.57	0.03	11.60	12.94
LAI-5	9/9/2003	24.52	11.14	2.49	13.63	12.76
LAI-5	9/19/2003	24.52	11.89	0.57	12.46	12.49
LAI-5	10/14/2003	24.52	12.13	0.45	12.58	12.28
LAI-5	11/20/2003	24.52	--	--	8.72	15.80
LAI-5	12/3/2003	24.52	7.76	0.33	8.09	16.68
LAI-5	1/19/2004	24.52	7.38	0.07	7.45	17.12
LAI-5	2/24/2004	24.52	8.65	0.11	8.76	15.84
LAI-5	3/15/2004	24.52	--	--	9.94	14.58
LAI-5	4/19/2004	24.52	--	--	10.19	14.33
LAI-5	5/17/2004	24.52	--	--	11.14	13.38
LAI-5	6/22/2004	24.52	11.10	0.01	11.11	13.42
LAI-5	8/18/2004	24.52	--	--	12.17	12.35
LAI-5	9/21/2004	24.52	--	--	11.16	13.36
LAI-5	10/19/2004	25.52	--	--	10.29	15.23
LAI-5	11/23/2004	25.52	--	--	10.48	15.04
LAI-5	12/21/2004	25.52	--	--	8.99	16.53
LAI-5	1/13/2005	25.52	--	--	9.47	16.05
LAI-5	4/28/2005	25.52	--	--	9.32	16.20
LAI-5	6/1/2005	25.52	--	--	9.61	15.91
LAI-5	6/29/2005	25.52	--	--	11.40	14.12
LAI-5	7/20/2005	25.52	--	--	11.47	14.05
LAI-5	8/22/2005	25.52	--	--	11.44	14.08

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAI-5	5/27/2011	25.52			Not Monitored	
LAIx-5	9/12/2005	25.63	--	--	14.18	11.45
LAIx-5	10/12/2005	25.63	--	--	14.58	11.05
LAIx-5	11/21/2005	25.63	--	--	12.08	13.55
LAIx-5	12/27/2005	25.63	11.10	0.05	11.15	14.52
LAIx-5	1/30/2006	25.63	7.33	2.73	10.06	17.62
LAIx-5	2/16/2006	25.63	12.10	0.00	12.10	13.53
LAIx-5	3/13/2006	25.63	--	--	12.71	12.92
LAIx-5	4/18/2006	25.63	10.60	2.69	13.29	14.36
LAIx-5	5/12/2006	25.63	11.10	3.33	14.43	13.70
LAIx-5	6/9/2006	25.63	12.54	0.01	12.55	13.09
LAIx-5	7/13/2006	25.63	13.10	0.15	13.25	12.49
LAIx-5	8/16/2006	25.63	--	--	13.80	11.83
LAIx-5	9/19/2006	25.63	--	--	14.35	11.28
LAIx-5	10/13/2006	25.63	--	--	13.80	11.83
LAIx-5	11/20/2006	25.63	9.82	0.27	10.09	15.74
LAIx-5	12/8/2006	25.63	9.92	0.80	10.72	15.51
LAIx-5	1/19/2007	25.63	8.94	1.31	10.25	16.36
LAIx-5	2/19/2007	25.63	10.04	0.25	10.29	15.53
LAIx-5	3/15/2007	25.63	9.29	0.25	9.54	16.28
LAIx-5	4/16/2007	25.63	10.46	0.16	10.62	15.13
LAIx-5	5/14/2007	25.63	11.63	0.02	11.65	14.00
LAIx-5	6/29/2007	25.63	--	--	11.88	13.75
LAIx-5	7/20/2007	25.63	--	--	12.59	13.04
LAIx-5	8/21/2007	25.63	--	--	13.18	12.45
LAIx-5	9/10/2007	25.63	--	--	15.47	10.16
LAIx-5	10/22/2007	25.63	--	--	11.95	13.68
LAIx-5	11/28/2007	25.63	--	--	11.37	14.26
LAIx-5	12/13/2007	25.63	10.82	0.13	10.95	14.78
LAIx-5	1/21/2008	25.63	--	--	11.68	13.95
LAIx-5	2/24/2008	25.63	--	--	10.13	15.50
LAIx-5	3/24/2008	25.63	--	--	11.11	14.52
LAIx-5	8/25/2008	25.63	--	--	12.30	13.33
LAIx-5	2/18/2009	25.63	--	--	10.65	14.98
LAIx-5	8/25/2009	25.63	--	--	12.92	12.71
LAIx-5	3/22/2010	25.63	10.79	0.01	10.80	14.84
LAIx-5	8/23/2010	25.63			DRY	
LAIx-5	2/7/2011	25.63	9.80	0.05	9.85	15.82
LAIx-5	5/27/2011	25.63			Not Monitored	
LAI-6	1/22/2003	22.86	6.67	3.78	10.45	15.25
LAI-6	1/23/2003	22.86	6.45	3.85	10.30	15.45
LAI-6	1/24/2003	22.86	6.32	4.00	10.32	15.54
LAI-6	1/27/2003	22.86	5.68	3.37	9.05	16.34
LAI-6	1/28/2003	22.86	6.91	0.93	7.84	15.72
LAI-6	1/29/2003	22.86	6.51	2.53	9.04	15.72
LAI-6	1/30/2003	22.86	6.36	3.60	9.96	15.60
LAI-6	2/3/2003	22.86	6.27	3.69	9.96	15.67
LAI-6	2/6/2003	22.86	5.79	3.79	9.58	16.12
LAI-6	2/11/2003	22.86	6.03	3.61	9.64	15.93
LAI-6	2/18/2003	22.86	7.98	0.42	8.40	14.78
LAI-6	2/21/2003	22.86	7.57	0.54	8.11	15.16
LAI-6	2/26/2003	22.86	7.15	0.47	7.62	15.59
LAI-6	3/3/2003	22.86	8.01	0.45	8.46	14.74
LAI-6	3/12/2003	22.86	7.46	0.23	7.69	15.34
LAI-6	3/14/2003	22.86	7.72	0.19	7.91	15.09
LAI-6	3/26/2003	22.86	6.37	1.45	7.82	16.13
LAI-6	3/28/2003	22.86	7.10	1.65	8.75	15.35
LAI-6	4/2/2003	22.86	6.65	2.15	8.80	15.67
LAI-6	4/4/2003	22.86	7.06	1.74	8.80	15.37
LAI-6	4/8/2003	22.86	7.13	1.70	8.83	15.31
LAI-6	4/11/2003	22.86	7.22	0.88	8.10	15.42
LAI-6	4/15/2003	22.86	6.56	1.82	8.38	15.85
LAI-6	4/17/2003	22.86	7.61	1.74	9.35	14.82
LAI-6	4/22/2003	22.86	7.16	1.65	8.81	15.29
LAI-6	4/25/2003	22.86	7.70	0.83	8.53	14.95
LAI-6	5/2/2003	22.86	7.61	1.65	9.26	14.84
LAI-6	5/6/2003	22.86	8.45	0.99	9.44	14.16
LAI-6	5/9/2003	22.86	8.00	1.95	9.95	14.37
LAI-6	5/23/2003	22.86	8.41	2.00	10.41	13.95

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAI-6	5/28/2003	22.86	8.23	1.78	10.01	14.19
LAI-6	6/13/2003	22.86	8.50	2.11	10.61	13.83
LAI-6	6/18/2003	22.86	8.46	2.10	10.56	13.88
LAI-6	6/27/2003	22.86	9.91	0.77	10.68	12.76
LAI-6	7/7/2003	22.86	8.98	2.08	11.06	13.36
LAI-6	7/16/2003	22.86	8.75	2.20	10.95	13.56
LAI-6	7/31/2003	22.86	9.14	2.06	11.20	13.21
LAI-6	8/5/2003	22.86	9.15	2.01	11.16	13.21
LAI-6	8/11/2003	22.86	10.24	1.97	12.21	12.13
LAI-6	8/22/2003	22.86	10.45	1.90	12.35	11.94
LAI-6	8/26/2003	22.86	9.78	0.02	9.80	13.08
LAI-6	9/2/2003	22.86	10.13	0.90	11.03	12.51
LAI-6	9/9/2003	22.86	10.48	0.79	11.27	12.18
LAI-6	9/19/2003	22.86	10.44	0.61	11.05	12.27
LAI-6	10/14/2003	22.86	9.11	0.91	10.02	13.52
LAI-6	11/20/2003	22.86	7.22	0.01	7.23	15.64
LAI-6	12/3/2003	22.86	6.30	0.35	6.65	16.47
LAI-6	1/19/2004	22.86	5.85	0.71	6.56	16.83
LAI-6	2/24/2004	22.86	7.52	0.11	7.63	15.31
LAI-6	3/15/2004	22.86	8.32	0.50	8.82	14.42
LAI-6	4/19/2004	22.86	8.52	0.02	8.54	14.34
LAI-6	5/17/2004	22.86	9.05	0.03	9.08	13.80
LAI-6	6/22/2004	22.86	--	--	8.85	14.01
LAI-6	8/18/2004	22.86	--	--	10.08	12.78
LAI-6	9/21/2004	22.86	--	--	8.95	13.91
LAI-6	10/19/2004	22.86	--	--	8.08	14.78
LAI-6	11/23/2004	22.86	--	--	8.49	14.37
LAI-6	12/21/2004	22.86	--	--	6.55	16.31
LAI-6	1/13/2005	22.86	7.26	0.01	7.27	15.60
LAI-6	4/28/2005	22.86	--	--	7.05	15.81
LAI-6	6/1/2005	22.86	--	--	7.68	15.18
LAI-6	6/29/2005	22.86	--	--	9.20	13.66
LAI-6	7/20/2005	22.86	--	--	9.43	13.43
LAI-6	8/22/2005	22.86	--	--	9.47	13.39
LAI-6	5/27/2011	22.86	--	--	Not Monitored	
LAIx-6	9/12/2005	25.25	--	--	11.56	13.69
LAIx-6	10/12/2005	25.25	--	--	12.27	12.98
LAIx-6	11/21/2005	25.25	--	--	10.37	14.88
LAIx-6	12/27/2005	25.25	--	--	9.88	15.37
LAIx-6	12/21/2004	25.25	--	--	9.88	15.37
LAIx-6	1/30/2006	25.25	7.28	0.01	7.29	17.97
LAIx-6	2/16/2006	25.25	--	--	8.81	16.44
LAIx-6	3/13/2006	25.25	9.54	0.54	10.08	15.58
LAIx-6	4/18/2006	25.25	--	--	9.80	15.45
LAIx-6	5/12/2006	25.25	--	--	10.11	15.14
LAIx-6	6/9/2006	25.25	--	--	9.77	15.48
LAIx-6	7/13/2006	25.25	--	--	10.75	14.50
LAIx-6	8/16/2006	25.25	--	--	11.43	13.82
LAIx-6	9/19/2006	25.25	--	--	12.00	13.25
LAIx-6	10/13/2006	25.25	--	--	11.84	13.41
LAIx-6	11/20/2006	25.25	--	--	8.31	16.94
LAIx-6	12/8/2006	25.25	--	--	8.28	16.97
LAIx-6	1/19/2007	25.25	--	--	7.89	17.36
LAIx-6	2/19/2007	25.25	--	--	9.58	15.67
LAIx-6	3/15/2007	25.25	--	--	8.85	16.40
LAIx-6	4/16/2007	25.25	--	--	9.25	16.00
LAIx-6	5/14/2007	25.25	--	--	10.30	14.95
LAIx-6	6/29/2007	25.25	--	--	11.93	13.32
LAIx-6	7/20/2007	25.25	--	--	12.50	12.75
LAIx-6	8/21/2007	25.25	--	--	12.97	12.28
LAIx-6	9/10/2007	25.25	--	--	13.00	12.25
LAIx-6	10/22/2007	25.25	--	--	11.44	13.81
LAIx-6	11/28/2007	25.25	--	--	10.84	14.41
LAIx-6	12/13/2007	25.25	--	--	10.82	14.43
LAIx-6	1/21/2008	25.25	--	--	10.11	15.14
LAIx-6	2/24/2008	25.25	--	--	10.45	14.80
LAIx-6	3/24/2008	25.25	--	--	10.59	14.66
LAIx-6	8/25/2008	25.25	--	--	11.98	13.27
LAIx-6	2/18/2009	25.25	--	--	10.38	14.87
LAIx-6	8/25/2009	25.25	--	--	12.63	12.62

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAIx-6	3/22/2010	25.25	--	--	10.67	14.58
LAIx-6	8/23/2010	25.25	--	--	10.80	14.45
LAIx-6	2/7/2011	25.25	--	--	9.46	15.79
LAIx-6	5/27/2011	25.25			Not Monitored	
LAI-7	1/22/2003	21.82	8.10	1.10	9.20	13.45
LAI-7	1/23/2003	21.82	7.58	1.07	8.65	13.97
LAI-7	1/24/2003	21.82	6.99	2.36	9.35	14.24
LAI-7	1/27/2003	21.82	5.18	5.30	10.48	15.32
LAI-7	1/28/2003	21.82	7.08	0.90	7.98	14.52
LAI-7	1/29/2003	21.82	7.41	0.44	7.85	14.30
LAI-7	1/30/2003	21.82	8.11	0.26	8.37	13.65
LAI-7	2/3/2003	21.82	8.90	0.06	8.96	12.91
LAI-7	2/6/2003	24.28	7.82	1.56	9.38	16.07
LAI-7	2/11/2003	24.28	8.23	1.56	9.79	15.66
LAI-7	2/18/2003	24.28	9.45	0.20	9.65	14.78
LAI-7	2/21/2003	24.28	8.57	2.34	10.91	15.13
LAI-7	2/26/2003	24.28	8.53	3.18	11.71	14.96
LAI-7	3/3/2003	24.28	9.53	0.18	9.71	14.71
LAI-7	3/12/2003	24.28	8.99	0.19	9.18	15.24
LAI-7	3/14/2003	24.28	9.18	0.18	9.36	15.06
LAI-7	3/26/2003	24.28	--	--	9.97	14.31
LAI-7	3/28/2003	24.28	--	--	9.95	14.33
LAI-7	4/2/2003	24.28	8.79	0.08	8.87	15.47
LAI-7	4/4/2003	24.28	9.04	0.08	9.12	15.22
LAI-7	4/8/2003	24.28	8.53	0.10	8.63	15.73
LAI-7	4/11/2003	24.28	9.06	0.17	9.23	15.18
LAI-7	4/15/2003	24.28	8.41	0.94	9.35	15.64
LAI-7	4/17/2003	24.28	9.55	0.17	9.72	14.69
LAI-7	4/22/2003	24.28	9.03	0.34	9.37	15.17
LAI-7	4/25/2003	24.28	9.00	0.31	9.31	15.20
LAI-7	5/2/2003	24.28	9.60	0.05	9.65	14.67
LAI-7	5/6/2003	24.28	9.17	1.19	10.36	14.81
LAI-7	5/9/2003	24.28	10.04	0.06	10.10	14.23
LAI-7	5/23/2003	24.28	10.60	0.02	10.62	13.68
LAI-7	5/28/2003	24.28	10.21	0.01	10.22	14.07
LAI-7	6/13/2003	24.28	9.90	0.55	10.45	14.24
LAI-7	6/18/2003	24.28	10.57	0.02	10.59	13.71
LAI-7	6/27/2003	24.28	10.42	0.63	11.05	13.70
LAI-7	7/7/2003	24.28	10.85	0.52	11.37	13.30
LAI-7	7/16/2003	24.28	10.43	1.65	12.08	13.44
LAI-7	7/31/2003	24.28	11.06	0.31	11.37	13.14
LAI-7	8/5/2003	24.28	10.66	0.90	11.56	13.40
LAI-7	8/11/2003	24.28	12.45	0.01	12.46	11.83
LAI-7	8/22/2003	24.28	12.40	0.20	12.60	11.83
LAI-7	8/26/2003	24.28	11.32	1.43	12.75	12.60
LAI-7	9/2/2003	24.28	11.61	0.20	11.81	12.62
LAI-7	9/9/2003	24.28	11.66	1.64	13.30	12.21
LAI-7	9/19/2003	24.28	11.66	1.35	13.01	12.28
LAI-7	10/14/2003	24.28	11.59	1.46	13.05	12.33
LAI-7	11/20/2003	24.28	--	--	8.67	15.61
LAI-7	12/3/2003	24.28	7.98	0.23	8.21	16.24
LAI-7	1/19/2004	24.28	7.59	0.32	7.91	16.61
LAI-7	2/24/2004	24.28	--	--	8.72	15.56
LAI-7	3/15/2004	24.28	--	--	9.71	14.57
LAI-7	4/19/2004	24.28	--	--	9.65	14.63
LAI-7	5/17/2004	24.28	--	--	10.43	13.85
LAI-7	6/22/2004	24.28	10.33	0.01	10.34	13.95
LAI-7	8/18/2004	24.28	11.28	0.88	12.16	12.78
LAI-7	9/21/2004	24.28	10.57	0.23	10.80	13.65
LAI-7	10/19/2004	24.28	--	--	9.53	14.75
LAI-7	11/23/2004	24.28	9.85	0.19	10.04	14.38
LAI-7	12/21/2004	24.28	8.14	0.52	8.66	16.01
LAI-7	1/13/2005	24.28	8.83	0.19	9.02	15.40
LAI-7	4/28/2005	24.28	--	--	8.44	15.84
LAI-7	6/1/2005	24.28	--	--	8.72	15.56
LAI-7	6/29/2005	24.28	--	--	10.41	13.87
LAI-7	7/20/2005	24.28	--	--	10.93	13.35
LAI-7	8/22/2005	24.28	--	--	10.47	13.81
LAI-7	5/27/2011	24.28			Not Monitored	
LAIx-7	9/12/2005	25.24	--	--	13.81	11.43

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAIx-7	10/12/2005	25.24	14.46	0.12	14.58	10.75
LAIx-7	11/21/2005	25.24	12.00	2.96	14.96	12.50
LAIx-7	12/27/2005	25.24	11.08	2.82	13.90	13.46
LAIx-7	1/30/2006	25.24	9.69	3.34	13.03	14.72
LAIx-7	2/16/2006	25.24	11.52	3.81	15.33	12.77
LAIx-7	3/13/2006	25.24	11.09	4.51	15.60	13.02
LAIx-7	4/18/2006	25.24	11.98	1.62	13.60	12.86
LAIx-7	5/12/2006	25.24	13.22	0.30	13.52	11.95
LAIx-7	6/9/2006	25.24	12.94	0.40	13.34	12.20
LAIx-7	7/13/2006	25.24	14.14	0.94	15.08	10.87
LAIx-7	8/16/2006	25.24	14.95	0.80	15.75	10.09
LAIx-7	9/19/2006	25.24	14.55	0.95	15.50	10.45
LAIx-7	10/13/2006	25.24	14.60	1.55	16.15	10.25
LAIx-7	11/20/2006	25.24	11.89	0.71	12.60	13.17
LAIx-7	12/8/2006	25.24	12.13	0.31	12.44	13.03
LAIx-7	1/19/2007	25.24	11.75	1.20	12.95	13.19
LAIx-7	2/19/2007	25.24	12.52	0.62	13.14	12.57
LAIx-7	3/15/2007	25.24	12.14	0.51	12.65	12.97
LAIx-7	4/16/2007	25.24	12.58	0.92	13.50	12.43
LAIx-7	5/14/2007	25.24	13.25	0.07	13.32	11.97
LAIx-7	6/29/2007	25.24	13.68	0.82	14.50	11.36
LAIx-7	7/20/2007	25.24	14.20	0.10	14.30	11.02
LAIx-7	8/21/2007	25.24	--	--	14.20	11.04
LAIx-7	9/10/2007	25.24	--	--	14.47	10.77
LAIx-7	10/22/2007	25.24	12.72	--	15.64	9.60
LAIx-7	11/28/2007	25.24	12.95	--	13.50	11.74
LAIx-7	12/13/2007	25.24	--	--	11.92	13.32
LAIx-7	1/21/2008	25.24	--	--	7.63	17.61
LAIx-7	2/24/2008	25.24	--	--	10.21	15.03
LAIx-7	3/24/2008	25.24	12.24	0.22	12.46	12.95
LAIx-7	8/25/2008	25.24	--	--	13.34	11.90
LAIx-7	2/18/2009	25.24	--	--	12.00	13.24
LAIx-7	8/25/2009	25.24	--	--	14.56	10.68
LAIx-7	3/22/2010	25.24	--	--	10.95	14.29
LAIx-7	8/23/2010	25.24	--	--	10.05	15.19
LAIx-7	2/7/2011	25.24	--	--	9.71	15.53
LAIx-7	5/27/2011	25.24			Not Monitored	
LAI-8	1/22/2003	23.08	8.10	0.91	9.01	14.75
LAI-8	1/23/2003	23.08	7.72	0.88	8.60	15.14
LAI-8	1/24/2003	23.08	7.50	1.55	9.05	15.19
LAI-8	1/27/2003	23.08	5.34	5.08	10.42	16.47
LAI-8	1/28/2003	23.08	6.90	1.75	8.65	15.74
LAI-8	1/29/2003	23.08	7.99	0.31	8.30	15.01
LAI-8	1/30/2003	23.08	7.90	0.69	8.59	15.01
LAI-8	2/3/2003	23.08	8.47	0.01	8.48	14.61
LAI-8	2/6/2003	24.50	6.46	2.95	9.41	17.30
LAI-8	2/11/2003	24.50	8.45	1.22	9.67	15.75
LAI-8	2/18/2003	24.50	6.85	5.75	12.60	16.21
LAI-8	2/21/2003	24.50	8.49	3.16	11.65	15.22
LAI-8	2/26/2003	24.50	7.92	4.02	11.94	15.58
LAI-8	3/4/2003	24.50	7.46	5.02	12.48	15.79
LAI-8	3/12/2003	24.50	8.67	3.03	11.70	15.07
LAI-8	3/14/2003	24.50	8.88	2.53	11.41	14.99
LAI-8	3/26/2003	24.50	8.63	0.88	9.51	15.65
LAI-8	3/28/2003	24.50	--	--	9.48	15.02
LAI-8	4/2/2003	24.50	8.97	0.14	9.11	15.50
LAI-8	4/4/2003	24.50	9.32	0.04	9.36	15.17
LAI-8	4/8/2003	24.50	9.25	0.03	9.28	15.24
LAI-8	4/11/2003	24.50	9.21	0.46	9.67	15.18
LAI-8	4/15/2003	24.50	8.57	1.13	9.70	15.65
LAI-8	4/17/2003	24.50	9.82	0.08	9.90	14.66
LAI-8	4/22/2003	24.50	9.28	0.23	9.51	15.16
LAI-8	4/25/2003	24.50	9.61	0.25	9.86	14.83
LAI-8	5/2/2003	24.50	9.71	0.40	10.11	14.69
LAI-8	5/6/2003	24.50	9.36	1.40	10.76	14.79
LAI-8	5/9/2003	24.50	--	--	10.23	14.27
LAI-8	5/23/2003	24.50	10.80	0.01	10.81	13.70
LAI-8	5/28/2003	24.50	10.51	0.03	10.54	13.98
LAI-8	6/13/2003	24.50	10.20	1.56	11.76	13.91
LAI-8	6/18/2003	24.50	10.35	1.85	12.20	13.69

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAI-8	6/27/2003	24.50	10.62	0.49	11.11	13.76
LAI-8	7/7/2003	24.50	10.67	2.18	12.85	13.29
LAI-8	7/16/2003	24.50	10.45	1.37	11.82	13.71
LAI-8	7/31/2003	24.50	10.96	1.79	12.75	13.09
LAI-8	8/5/2003	24.50	10.82	2.23	13.05	13.12
LAI-8	8/11/2003	24.50	12.12	1.57	13.69	11.99
LAI-8	8/22/2003	24.50	12.40	1.66	14.06	11.69
LAI-8	8/26/2003	24.50	11.44	1.44	12.88	12.70
LAI-8	9/2/2003	24.50	11.45	1.78	13.23	12.61
LAI-8	9/9/2003	24.50	11.54	1.68	13.22	12.54
LAI-8	9/19/2003	24.50	11.61	1.64	13.25	12.48
LAI-8	10/14/2003	24.50	11.58	1.60	13.18	12.52
LAI-8	11/20/2003	24.50	8.87	0.07	8.94	15.61
LAI-8	12/3/2003	24.50	8.01	0.41	8.42	16.39
LAI-8	1/19/2004	24.50	7.70	0.44	8.14	16.69
LAI-8	2/24/2004	24.50	--	--	9.15	15.35
LAI-8	3/15/2004	24.50	--	--	9.71	14.79
LAI-8	4/19/2004	24.50	--	--	9.91	14.59
LAI-8	5/17/2004	24.50	--	--	10.59	13.91
LAI-8	6/22/2004	24.50	10.48	0.030	10.51	14.01
LAI-8	8/18/2004	24.50	11.70	0.010	11.71	12.80
LAI-8	9/21/2004	24.50	--	--	10.60	13.90
LAI-8	10/19/2004	24.50	--	--	9.73	14.77
LAI-8	11/23/2004	24.50	--	--	10.04	14.46
LAI-8	12/21/2004	24.50	8.31	0.02	8.33	16.19
LAI-8	1/13/2005	24.50	--	--	8.89	15.61
LAI-8	4/28/2005	24.50	--	--	8.64	15.86
LAI-8	6/1/2005	24.50	--	--	8.88	15.62
LAI-8	6/29/2005	24.50	--	--	10.55	13.95
LAI-8	7/20/2005	24.50	--	--	11.05	13.45
LAI-8	8/22/2005	24.50	--	--	10.65	13.85
LAI-8	5/27/2011	24.50	--	--	Not Monitored	
LAIx-8	9/12/2005	25.59	--	--	12.48	13.11
LAIx-8	10/12/2005	25.59	--	--	14.08	11.51
LAIx-8	11/21/2005	25.59	10.74	0.01	10.75	14.85
LAIx-8	12/27/2005	25.59	--	--	10.11	15.48
LAIx-8	1/30/2006	25.59	--	--	7.88	17.71
LAIx-8	2/16/2006	25.59	--	--	9.34	16.25
LAIx-8	3/13/2006	25.59	--	--	10.00	15.59
LAIx-8	4/18/2006	25.59	--	--	9.72	15.87
LAIx-8	5/12/2006	25.59	--	--	10.59	15.00
LAIx-8	12/21/2004	25.59	--	--	10.59	15.00
LAIx-8	6/9/2006	25.59	--	--	10.10	15.49
LAIx-8	7/13/2006	25.59	--	--	11.30	14.29
LAIx-8	8/16/2006	25.59	--	--	11.95	13.64
LAIx-8	9/19/2006	25.59	--	--	12.49	13.10
LAIx-8	10/13/2006	25.59	--	--	12.30	13.29
LAIx-8	11/20/2006	25.59	--	--	8.90	16.69
LAIx-8	12/8/2006	25.59	--	--	8.92	16.67
LAIx-8	1/19/2007	25.59	--	--	8.57	17.02
LAIx-8	2/19/2007	25.59	--	--	10.06	15.53
LAIx-8	3/15/2007	25.59	--	--	9.35	16.24
LAIx-8	4/16/2007	25.59	--	--	9.75	15.84
LAIx-8	5/14/2007	25.59	--	--	10.77	14.82
LAIx-8	6/29/2007	25.59	--	--	12.07	13.52
LAIx-8	7/20/2007	25.59	--	--	12.52	13.07
LAIx-8	8/21/2007	25.59	--	--	12.97	12.62
LAIx-8	9/10/2007	25.59	--	--	13.24	12.35
LAIx-8	10/22/2007	25.59	--	--	11.91	13.68
LAIx-8	11/28/2007	25.59	--	--	11.50	14.09
LAIx-8	12/13/2007	25.59	11.55	0.08	11.63	14.02
LAIx-8	1/21/2008	25.59	--	--	11.04	14.55
LAIx-8	2/24/2008	25.59	--	--	11.19	14.40
LAIx-8	3/24/2008	25.59	--	--	11.15	14.44
LAIx-8	8/25/2008	25.59	--	--	7.67	17.92
LAIx-8	2/18/2009	25.59	--	--	11.02	14.57
LAIx-8	8/25/2009	25.59	--	--	12.95	12.64
LAIx-8	3/22/2010	25.59	--	--	10.86	14.73
LAIx-8	8/23/2010	25.59	--	--	10.18	15.41
LAIx-8	2/7/2011	25.59	--	--	9.73	15.86

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAIx-8	5/27/2011	25.59			Not Monitored	
LAI-9	1/22/2003	22.48	--	--	7.90	14.58
LAI-9	1/23/2003	22.48	--	--	8.38	14.10
LAI-9	1/24/2003	22.48	7.10	0.04	7.14	15.37
LAI-9	1/27/2003	22.48	5.32	1.54	6.86	16.78
LAI-9	1/28/2003	22.48	5.90	1.50	7.40	16.21
LAI-9	1/29/2003	22.48	--	--	8.44	14.04
LAI-9	1/30/2003	22.48	--	--	8.40	14.08
LAI-9	2/3/2003	22.48	6.57	0.70	7.27	15.74
LAI-9	2/6/2003	23.93	7.53	0.15	7.68	16.36
LAI-9	2/11/2003	23.93	7.93	0.11	8.04	15.97
LAI-9	2/18/2003	23.93	5.50	2.50	8.00	17.81
LAI-9	2/21/2003	23.93	7.63	3.68	11.31	15.38
LAI-9	2/26/2003	23.93	6.94	3.54	10.48	16.11
LAI-9	3/4/2003	23.93	6.98	3.94	10.92	15.97
LAI-9	3/12/2003	23.93	7.82	3.39	11.21	15.26
LAI-9	3/14/2003	23.93	8.09	2.21	10.30	15.29
LAI-9	3/26/2003	23.93	--	--	8.95	14.98
LAI-9	3/28/2003	23.93	--	--	9.04	14.89
LAI-9	4/2/2003	23.93	8.08	0.32	8.40	15.77
LAI-9	4/4/2003	23.93	8.34	0.48	8.82	15.47
LAI-9	4/8/2003	23.93	8.10	0.49	8.59	15.71
LAI-9	4/11/2003	23.93	8.36	0.49	8.85	15.45
LAI-9	4/15/2003	23.93	7.81	0.21	8.02	16.07
LAI-9	4/17/2003	23.93	9.11	0.13	9.24	14.79
LAI-9	4/22/2003	23.93	8.41	0.35	8.76	15.43
LAI-9	4/25/2003	23.93	8.32	0.80	9.12	15.41
LAI-9	5/2/2003	23.93	8.99	0.01	9.00	14.94
LAI-9	5/6/2003	23.93	8.66	0.85	9.51	15.06
LAI-9	5/9/2003	23.93	9.75	0.02	9.77	14.18
LAI-9	5/23/2003	23.93	--	--	10.10	13.83
LAI-9	5/28/2003	23.93	10.50	0.01	10.51	13.43
LAI-9	6/13/2003	23.93	9.91	0.37	10.28	13.93
LAI-9	6/18/2003	23.93	9.81	0.51	10.32	13.99
LAI-9	6/27/2003	23.93	9.91	0.33	10.24	13.94
LAI-9	7/7/2003	23.93	10.21	0.83	11.04	13.51
LAI-9	7/16/2003	23.93	10.03	0.84	10.87	13.69
LAI-9	7/31/2003	23.93	10.44	0.95	11.39	13.25
LAI-9	8/5/2003	23.93	10.25	1.19	11.44	13.38
LAI-9	8/11/2003	23.93	11.89	0.12	12.01	12.01
LAI-9	8/22/2003	23.93	11.92	0.08	12.00	11.99
LAI-9	8/26/2003	23.93	11.03	0.64	11.67	12.74
LAI-9	9/2/2003	23.93	10.96	1.03	11.99	12.71
LAI-9	9/9/2003	23.93	11.12	0.51	11.63	12.68
LAI-9	9/19/2003	23.93	10.89	1.58	12.47	12.65
LAI-9	10/14/2003	23.93	11.75	1.07	12.82	11.91
LAI-9	11/20/2003	23.93	--	--	8.05	15.88
LAI-9	12/3/2003	23.93	7.21	0.01	7.22	16.72
LAI-9	1/19/2004	23.93	6.83	0.01	6.84	17.10
LAI-9	2/24/2004	23.93	--	--	8.11	15.82
LAI-9	3/15/2004	23.93	--	--	9.08	14.85
LAI-9	4/19/2004	23.93	--	--	8.85	15.08
LAI-9	5/17/2004	23.93	--	--	9.91	14.02
LAI-9	8/18/2004	23.93	--	--	11.10	12.83
LAI-9	8/18/2004	23.93	--	--	11.10	12.83
LAI-9	9/21/2004	23.93	10.91	0.53	11.44	12.89
LAI-9	10/19/2004	23.93	8.92	0.43	9.35	14.90
LAI-9	11/23/2004	23.93	9.03	0.31	9.34	14.82
LAI-9	12/21/2004	23.93	7.44	0.02	7.46	16.49
LAI-9	1/13/2005	23.93	--	--	8.19	15.74
LAI-9	4/28/2005	23.93	--	--	7.73	16.20
LAI-9	6/1/2005	23.93	--	--	8.10	15.83
LAI-9	6/29/2005	23.93	--	--	9.77	14.16
LAI-9	7/20/2005	23.93	--	--	10.10	13.83
LAI-9	8/22/2005	23.93	--	--	9.96	13.97
LAI-9	5/27/2011	23.93			Not Monitored	
LAIx-9	9/12/2005	25.55	--	--	14.13	11.42
LAIx-9	10/12/2005	25.55	--	--	14.79	10.76
LAIx-9	11/21/2005	25.55	--	--	12.98	12.57

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
LAIx-9	12/27/2005	25.55	--	--	11.42	14.13
LAIx-9	1/30/2006	25.55	--	--	10.27	15.28
LAIx-9	2/16/2006	25.55	12.35	0.03	12.38	13.19
LAIx-9	3/13/2006	25.55	--	--	12.78	12.77
LAIx-9	4/18/2006	25.55	--	--	12.34	13.21
LAIx-9	5/12/2006	25.55	--	--	13.33	12.22
LAIx-9	6/9/2006	25.55	--	--	12.86	12.69
LAIx-9	7/13/2006	25.55	14.48	0.06	14.57	11.03
LAIx-9	8/16/2006	25.55	--	--	15.30	10.25
LAIx-9	9/19/2006	25.55	--	--	14.98	10.57
LAIx-9	10/13/2006	25.55	--	--	15.01	10.54
LAIx-9	11/20/2006	25.55	--	--	11.77	13.78
LAIx-9	12/8/2006	25.55	11.72	0.06	11.78	13.82
LAIx-9	1/19/2007	25.55	11.24	0.04	11.28	14.30
LAIx-9	2/19/2007	25.55	12.23	0.04	12.27	13.31
LAIx-9	3/15/2007	25.55	12.55	0.05	12.60	12.99
LAIx-9	4/16/2007	25.55	12.30	0.03	12.33	13.24
LAIx-9	5/14/2007	25.55	--	--	13.41	12.14
LAIx-9	6/29/2007	25.55	--	--	13.92	11.63
LAIx-9	7/20/2007	25.55	--	--	14.34	11.21
LAIx-9	8/21/2007	25.55	--	--	14.25	11.30
LAIx-9	9/10/2007	25.55	--	--	14.52	11.03
LAIx-9	10/22/2007	25.55	--	--	13.31	12.24
LAIx-9	11/28/2007	25.55	--	--	12.50	13.05
LAIx-9	12/13/2007	25.55	--	--	11.40	14.15
LAIx-9	1/21/2008	25.55	--	--	8.61	16.94
LAIx-9	2/24/2008	25.55	--	--	12.30	13.25
LAIx-9	3/24/2008	25.55	--	--	12.06	13.49
LAIx-9	8/25/2008	25.55	--	--	13.30	12.25
LAIx-9	2/18/2009	25.55	--	--	Dry	
LAIx-9	8/25/2009	25.55	--	--	14.23	11.32
LAIx-9	3/22/2010	25.55	--	--	12.25	13.30
LAIx-9	8/23/2010	25.55	--	--	Dry	
LAIx-9	2/7/2011	25.55	--	--	11.71	13.84
LAIx-9	5/27/2011	25.55	--	--	Not Monitored	
LAI-10	1/31/2003	19.87	--	--	4.34	15.53
LAI-10	2/12/2003	19.87	--	--	3.93	15.94
LAI-10	2/18/2003	19.87	--	--	4.51	15.36
LAI-10	2/21/2003	19.87	--	--	4.50	15.37
LAI-10	2/24/2003	19.87	--	--	4.48	15.39
LAI-10	3/3/2003	19.87	--	--	4.38	15.49
LAI-10	3/12/2003	19.87	--	--	4.31	15.56
LAI-10	3/14/2003	19.87	--	--	4.08	15.79
LAI-10	3/26/2003	19.87	--	--	4.78	15.09
LAI-10	3/28/2003	19.87	--	--	4.82	15.05
LAI-10	4/2/2003	19.87	--	--	4.25	15.62
LAI-10	4/4/2003	19.87	--	--	4.21	15.66
LAI-10	4/8/2003	19.87	--	--	4.50	15.37
LAI-10	4/11/2003	19.87	--	--	4.48	15.39
LAI-10	4/15/2003	19.87	--	--	4.09	15.78
LAI-10	4/17/2003	19.87	--	--	4.50	15.37
LAI-10	4/22/2003	19.87	--	--	4.45	15.42
LAI-10	4/25/2003	19.87	--	--	4.58	15.29
LAI-10	5/2/2003	19.87	--	--	4.23	15.64
LAI-10	5/6/2003	19.87	--	--	4.86	15.01
LAI-10	5/9/2003	19.87	--	--	5.10	14.77
LAI-10	5/16/2003	19.87	--	--	5.38	14.49
LAI-10	5/23/2003	19.87	--	--	6.50	13.37
LAI-10	5/28/2003	19.87	--	--	5.55	14.32
LAI-10	6/13/2003	19.87	--	--	6.17	13.70
LAI-10	6/18/2003	19.87	--	--	5.86	14.01
LAI-10	6/27/2003	19.87	--	--	5.89	13.98
LAI-10	7/7/2003	19.87	--	--	6.51	13.36
LAI-10	7/16/2003	19.87	--	--	5.53	14.34
LAI-10	7/31/2003	19.87	--	--	6.61	13.26
LAI-10	8/5/2003	19.87	--	--	6.68	13.19
LAI-10	8/11/2003	19.87	--	--	7.15	12.72
LAI-10	8/22/2003	19.87	--	--	8.68	11.19
LAI-10	8/26/2003	19.87	--	--	7.03	12.84
LAI-10	9/2/2003	19.87	--	--	7.15	12.72

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAI-10	9/9/2003	19.87	7.33	0.01	7.34	12.54
LAI-10	9/19/2003	19.87	--	--	7.37	12.50
LAI-10	10/14/2003	19.87	--	--	7.75	12.12
LAI-10	11/20/2003	19.87	--	--	4.48	15.39
LAI-10	12/3/2003	19.87	--	--	3.58	16.29
LAI-10	1/19/2004	19.87	--	--	3.29	16.58
LAI-10	2/24/2004	19.87	--	--	4.16	15.71
LAI-10	3/15/2004	19.87	--	--	5.01	14.86
LAI-10	4/19/2004	19.87	--	--	5.30	14.57
LAI-10	5/17/2004	19.87	--	--	5.79	14.08
LAI-10	6/22/2004	19.87	--	--	5.71	14.16
LAI-10	8/18/2004	19.87	6.71	0.01	6.72	13.16
LAI-10	9/21/2004	19.87	--	--	6.10	13.77
LAI-10	10/19/2004	19.87	--	--	5.23	14.64
LAI-10	11/23/2004	19.87	--	--	5.45	14.42
LAI-10	12/21/2004	19.87	--	--	3.99	15.88
LAI-10	1/13/2005	19.87	--	--	4.64	15.23
LAI-10	4/28/2005	19.87	--	--	4.23	15.64
LAI-10	6/1/2005	19.87	4.40	0.03	4.43	15.46
LAI-10	6/29/2005	19.87	--	--	5.45	14.42
LAI-10	7/20/2005	19.87	--	--	5.75	14.12
LAI-10	8/22/2005	19.87	6.22	0.01	6.23	13.65
LAI-10	9/12/2005	19.87	6.62	0.01	6.61	13.27
LAI-10	10/12/2005	19.87	--	--	7.11	12.76
LAI-10	11/21/2005	19.87	5.08	0.01	5.09	14.79
LAI-10	12/27/2005	19.87	--	--	4.14	15.73
LAI-10	1/30/2006	19.87	--	--	2.45	17.42
LAI-10	2/16/2006	19.87	--	--	3.62	16.25
LAI-10	3/13/2006	19.87	--	--	4.37	15.50
LAI-10	4/18/2006	19.87	--	--	4.51	15.36
LAI-10	5/12/2006	19.87	--	--	4.82	15.05
LAI-10	6/9/2006	19.87	--	--	4.57	15.30
LAI-10	7/13/2006	19.87	--	--	5.41	14.46
LAI-10	8/16/2006	19.87	--	--	6.15	13.72
LAI-10	9/19/2006	19.87	--	--	5.80	14.07
LAI-10	10/13/2006	19.87	--	--	6.60	13.27
LAI-10	11/20/2006	19.87	--	--	3.16	16.71
LAI-10	12/8/2006	19.87	--	--	3.29	16.58
LAI-10	1/19/2007	19.87	--	--	3.39	16.48
LAI-10	2/19/2007	19.87	--	--	4.37	15.50
LAI-10	3/15/2007	19.87	--	--	3.90	15.97
LAI-10	4/16/2007	19.87	--	--	4.20	15.67
LAI-10	5/14/2007	19.87	--	--	5.07	14.80
LAI-10	6/29/2007	19.87	--	--	6.06	13.81
LAI-10	7/20/2007	19.87	--	--	6.32	13.55
LAI-10	8/21/2007	19.87	--	--	7.81	12.06
LAI-10	9/10/2007	19.87	--	--	6.92	12.95
LAI-10	10/22/2007	19.87	--	--	5.99	13.88
LAI-10	11/28/2007	19.87	--	--	4.95	14.92
LAI-10	12/13/2007	19.87	--	--	4.32	15.55
LAI-10	1/21/2008	19.87	--	--	4.49	15.38
LAI-10	2/24/2008	19.87	--	--	4.89	14.98
LAI-10	3/24/2008	19.87	--	--	4.96	14.91
LAI-10	8/25/2008	19.87	--	--	5.63	14.24
LAI-10	2/18/2009	19.87	--	--	5.10	14.77
LAI-10	8/25/2009	19.87	--	--	7.22	12.65
LAI-10	3/22/2010	19.87	--	--	4.90	14.97
LAI-10	8/23/2010	19.87	--	--	6.34	13.53
LAI-10	2/7/2011	19.87	--	--	4.21	15.66
LAI-10	5/27/2011	19.87	--	--	4.78	15.09
LAI-10	8/8/2011	19.87	--	--	8.15	11.72
LAI-10	11/14/2011	19.87	--	--	5.73	14.14
LAI-10	2/20/2012	19.87	--	--	4.25	15.62
LAI-10	8/22/2012	19.87	--	--	6.09	13.78
LAI-10	11/5/2012	19.87	--	--	5.43	14.44
LAI-10	1/28/2013	19.87	--	--	3.89	15.98
LAI-10	5/9/2013	19.87	--	--	4.54	15.33
LAI-10	8/19/2013	19.87	--	--	6.69	13.18
LAI-10	11/25/2013	19.87	--	--	4.91	14.96
LAI-10	2/14/2014	19.87	--	--	3.48	16.39

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Product		Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
			Depth to Free Product (feet BTOC)	Thickness In Well (feet)		
LAI-11	1/31/2003	20.61	--	--	4.55	16.06
LAI-11	2/12/2003	20.61	--	--	4.92	15.69
LAI-11	2/18/2003	20.61	--	--	5.41	15.20
LAI-11	2/21/2003	20.61	--	--	5.51	15.10
LAI-11	2/24/2003	20.61	--	--	5.48	15.13
LAI-11	3/3/2003	20.61	--	--	5.38	15.23
LAI-11	3/12/2003	20.61	--	--	5.32	15.29
LAI-11	3/14/2003	20.61	--	--	5.19	15.42
LAI-11	3/26/2003	20.61	--	--	4.81	15.80
LAI-11	3/28/2003	20.61	--	--	4.89	15.72
LAI-11	4/2/2003	20.61	--	--	5.28	15.33
LAI-11	4/4/2003	20.61	--	--	5.33	15.28
LAI-11	4/8/2003	20.61	--	--	5.41	15.20
LAI-11	4/11/2003	20.61	--	--	5.42	15.19
LAI-11	4/15/2003	20.61	--	--	5.08	15.53
LAI-11	4/17/2003	20.61	--	--	5.46	15.15
LAI-11	4/22/2003	20.61	--	--	5.47	15.14
LAI-11	4/25/2003	20.61	--	--	5.67	14.94
LAI-11	5/2/2003	20.61	--	--	5.12	15.49
LAI-11	5/6/2003	20.61	--	--	5.81	14.80
LAI-11	5/9/2003	20.61	--	--	6.00	14.61
LAI-11	5/16/2003	20.61	--	--	6.30	14.31
LAI-11	5/23/2003	20.61	--	--	6.58	14.03
LAI-11	5/28/2003	20.61	--	--	6.44	14.17
LAI-11	6/13/2003	20.61	--	--	6.70	13.91
LAI-11	6/18/2003	20.61	--	--	6.80	13.81
LAI-11	6/27/2003	20.61	--	--	6.81	13.80
LAI-11	7/7/2003	20.61	--	--	7.51	13.10
LAI-11	7/16/2003	20.61	--	--	6.42	14.19
LAI-11	7/31/2003	20.61	--	--	8.91	11.70
LAI-11	8/5/2003	20.61	--	--	8.51	12.10
LAI-11	8/11/2003	20.61	--	--	8.79	11.82
LAI-11	8/22/2003	20.61	--	--	8.43	12.18
LAI-11	8/26/2003	20.61	--	--	8.92	11.69
LAI-11	9/2/2003	20.61	--	--	8.95	11.66
LAI-11	9/9/2003	20.61	--	--	9.24	11.37
LAI-11	9/19/2003	20.61	--	--	8.99	11.62
LAI-11	10/14/2003	20.61	--	--	9.15	11.46
LAI-11	11/20/2003	20.61	--	--	5.31	15.30
LAI-11	12/3/2003	20.61	--	--	4.50	16.11
LAI-11	1/19/2004	20.61	--	--	4.33	16.28
LAI-11	2/24/2004	20.61	--	--	5.19	15.42
LAI-11	3/15/2004	20.61	--	--	5.94	14.67
LAI-11	4/19/2004	20.61	--	--	6.23	14.38
LAI-11	5/17/2004	20.61	--	--	6.80	13.81
LAI-11	6/22/2004	20.61	--	--	6.70	13.91
LAI-11	8/18/2004	20.61	--	--	8.19	12.42
LAI-11	9/21/2004	20.61	--	--	7.03	13.58
LAI-11	10/19/2004	20.61	--	--	6.10	14.51
LAI-11	11/23/2004	20.61	--	--	6.35	14.26
LAI-11	12/21/2004	20.61	--	--	4.81	15.80
LAI-11	1/13/2005	20.61	--	--	5.40	15.21
LAI-11	4/28/2005	20.61	--	--	5.13	15.48
LAI-11	6/1/2005	20.61	--	--	5.32	15.29
LAI-11	6/29/2005	20.61	--	--	6.28	14.33
LAI-11	7/20/2005	20.61	--	--	6.55	14.06
LAI-11	8/22/2005	20.61	6.94	0.01	6.95	13.67
LAI-11	9/12/2005	20.61	6.90	0.46	7.36	13.60
LAI-11	10/12/2005	20.61	8.185	0.005	8.19	12.42
LAI-11	11/21/2005	20.61	--	--	5.81	14.80
LAI-11	12/27/2005	20.61	--	--	5.24	15.37
LAI-11	1/30/2006	20.61	--	--	2.99	17.62
LAI-11	2/16/2006	20.61	--	--	4.44	16.17
LAI-11	3/13/2006	20.61	--	--	5.20	15.41
LAI-11	4/18/2006	20.61	--	--	5.43	15.18
LAI-11	5/12/2006	20.61	--	--	5.65	14.96
LAI-11	6/9/2006	20.61	--	--	5.48	15.13
LAI-11	7/13/2006	20.61	--	--	6.25	14.36
LAI-11	8/16/2006	20.61	--	--	7.05	13.56
LAI-11	9/19/2006	20.61	--	--	7.65	12.96
LAI-11	10/13/2006	20.61	--	--	7.46	13.15

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
LAI-11	11/20/2006	20.61	--	--	4.03	16.58
LAI-11	12/8/2006	20.61	--	--	4.12	16.49
LAI-11	1/19/2007	20.61	--	--	4.16	16.45
LAI-11	2/19/2007	20.61	--	--	5.31	15.30
LAI-11	3/15/2007	20.61	--	--	4.80	15.81
LAI-11	4/16/2007	20.61	--	--	5.10	15.51
LAI-11	5/14/2007	20.61	--	--	5.92	14.69
LAI-11	6/29/2007	20.61	--	--	6.82	13.79
LAI-11	7/20/2007	20.61	--	--	7.12	13.49
LAI-11	8/21/2007	20.61	--	--	7.76	12.85
LAI-11	9/10/2007	20.61	--	--	7.87	12.74
LAI-11	10/22/2007	20.61	--	--	7.26	13.35
LAI-11	11/28/2007	20.61	--	--	6.00	14.61
LAI-11	12/13/2007	20.61	--	--	5.06	15.55
LAI-11	1/21/2008	20.61	--	--	4.38	16.23
LAI-11	2/24/2008	20.61	--	--	5.71	14.90
LAI-11	3/24/2008	20.61	--	--	5.88	14.73
LAI-11	8/25/2008	20.61	--	--	6.40	14.21
LAI-11	2/18/2009	20.61	--	--	5.84	14.77
LAI-11	8/25/2009	20.61	--	--	7.95	12.66
LAI-11	3/22/2010	20.61	--	--	5.56	15.05
LAI-11	8/23/2010	20.61	--	--	7.36	13.25
LAI-11	2/7/2011	20.61	--	--	4.90	15.71
LAI-11	5/27/2011	20.61	--	--	Not Monitored	
LAI-11	8/8/2011	20.61	--	--	6.89	13.72
LAI-11	11/14/2011	20.61	--	--	6.63	13.98
LAI-11	2/20/2012	20.61	--	--	4.94	15.67
LAI-11	8/22/2012	20.61	--	--	6.86	13.75
LAI-11	11/5/2012	20.61	--	--	6.00	14.61
LAI-11	1/28/2013	20.61	--	--	4.63	15.98
LAI-11	5/9/2013	20.61	--	--	5.43	15.18
LAI-11	8/19/2013	20.61	--	--	7.41	13.20
LAI-11	11/25/2013	20.61	--	--	5.64	14.97
LAI-11	2/14/2014	20.61	--	--	4.31	16.30
LAI-12	1/31/2003	19.34	--	--	3.28	16.06
LAI-12	2/12/2003	19.34	--	--	3.98	15.36
LAI-12	2/18/2003	19.34	--	--	4.50	14.84
LAI-12	2/21/2003	19.34	--	--	4.60	14.74
LAI-12	2/24/2003	19.34	--	--	4.58	14.76
LAI-12	3/3/2003	19.34	--	--	4.61	14.73
LAI-12	3/12/2003	19.34	--	--	4.38	14.96
LAI-12	3/14/2003	19.34	--	--	4.17	15.17
LAI-12	3/26/2003	19.34	--	--	4.04	15.30
LAI-12	3/28/2003	19.34	--	--	4.10	15.24
LAI-12	4/2/2003	19.34	--	--	4.34	15.00
LAI-12	4/4/2003	19.34	--	--	4.45	14.89
LAI-12	4/8/2003	19.34	--	--	4.58	14.76
LAI-12	4/11/2003	19.34	--	--	4.65	14.69
LAI-12	4/15/2003	19.34	--	--	4.25	15.09
LAI-12	4/17/2003	19.34	--	--	4.69	14.65
LAI-12	4/22/2003	19.34	--	--	4.69	14.65
LAI-12	4/25/2003	19.34	--	--	4.81	14.53
LAI-12	5/2/2003	19.34	--	--	4.98	14.36
LAI-12	5/6/2003	19.34	--	--	5.22	14.12
LAI-12	5/9/2003	19.34	--	--	5.46	13.88
LAI-12	5/16/2003	19.34	--	--	5.74	13.60
LAI-12	5/23/2003	19.34	--	--	5.27	14.07
LAI-12	5/28/2003	19.34	--	--	5.88	13.46
LAI-12	6/13/2003	19.34	--	--	5.45	13.89
LAI-12	6/18/2003	19.34	--	--	6.18	13.16
LAI-12	6/27/2003	19.34	--	--	6.22	13.12
LAI-12	7/7/2003	19.34	--	--	6.95	12.39
LAI-12	7/16/2003	19.34	--	--	5.84	13.50
LAI-12	7/31/2003	19.34	--	--	6.97	12.37
LAI-12	8/5/2003	19.34	--	--	7.05	12.29
LAI-12	8/11/2003	19.34	--	--	6.80	12.54
LAI-12	8/22/2003	19.34	--	--	8.19	11.15
LAI-12	8/26/2003	19.34	--	--	7.33	12.01
LAI-12	9/2/2003	19.34	--	--	7.45	11.89
LAI-12	9/9/2003	19.34	--	--	7.64	11.70

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
LAI-12	9/19/2003	19.34	--	--	7.93	11.41
LAI-12	10/14/2003	19.34	--	--	7.48	11.86
LAI-12	11/20/2003	19.34	--	--	4.06	15.28
LAI-12	12/3/2003	19.34	--	--	3.37	15.97
LAI-12	1/19/2004	19.34	--	--	3.81	15.53
LAI-12	2/24/2004	19.34	--	--	4.32	15.02
LAI-12	3/15/2004	19.34	--	--	5.13	14.21
LAI-12	4/19/2004	19.34	--	--	5.61	13.73
LAI-12	5/17/2004	19.34	--	--	6.23	13.11
LAI-12	6/22/2004	19.34	--	--	6.14	13.20
LAI-12	8/18/2004	19.34	--	--	7.15	12.19
LAI-12	9/21/2004	19.34	--	--	6.18	13.16
LAI-12	10/19/2004	19.34	--	--	5.39	13.95
LAI-12	11/23/2004	19.34	--	--	5.68	13.66
LAI-12	12/21/2004	19.34	--	--	3.86	15.48
LAI-12	1/13/2005	19.34	--	--	4.95	14.39
LAI-12	4/28/2005	19.34	--	--	4.41	14.93
LAI-12	6/1/2005	19.34	--	--	4.61	14.73
LAI-12	6/29/2005	19.34	--	--	5.77	13.57
LAI-12	7/20/2005	19.34	9.15	0.01	9.16	10.19
LAI-12	8/22/2005	19.34	6.48	0.01	6.49	12.86
LAI-12	9/12/2005	19.34	--	--	6.90	12.44
LAI-12	10/12/2005	19.34	7.40	0.01	7.41	11.94
LAI-12	11/21/2005	19.34	--	--	4.48	14.86
LAI-12	12/27/2005	19.34	--	--	3.95	15.39
LAI-12	1/30/2006	19.34	--	--	2.33	17.01
LAI-12	2/16/2006	19.34	--	--	3.33	16.01
LAI-12	3/13/2006	19.34	--	--	4.34	15.00
LAI-12	4/18/2006	19.34	--	--	4.69	14.65
LAI-12	5/12/2006	19.34	--	--	4.99	14.35
LAI-12	6/9/2006	19.34	--	--	4.61	14.73
LAI-12	7/13/2006	19.34	--	--	5.68	13.66
LAI-12	8/16/2006	19.34	--	--	6.41	12.93
LAI-12	9/19/2006	19.34	--	--	6.98	12.36
LAI-12	10/13/2006	19.34	--	--	6.78	12.56
LAI-12	11/20/2006	19.34	--	--	3.18	16.16
LAI-12	12/8/2006	19.34	--	--	2.89	16.45
LAI-12	1/19/2007	19.34	--	--	2.85	16.49
LAI-12	2/19/2007	19.34	--	--	4.55	14.79
LAI-12	3/15/2007	19.34	--	--	3.73	15.61
LAI-12	4/16/2007	19.34	--	--	4.19	15.15
LAI-12	5/14/2007	19.34	--	--	5.37	13.97
LAI-12	6/29/2007	19.34	--	--	6.30	13.04
LAI-12	7/20/2007	19.34	--	--	6.56	12.78
LAI-12	8/21/2007	19.34	--	--	7.19	12.15
LAI-12	9/10/2007	19.34	--	--	7.21	12.13
LAI-12	10/22/2007	19.34	--	--	6.09	13.25
LAI-12	11/28/2007	19.34	--	--	5.34	14.00
LAI-12	12/13/2007	19.34	--	--	3.97	15.37
LAI-12	1/21/2008	19.34	--	--	5.24	14.10
LAI-12	2/24/2008	19.34	--	--	5.08	14.26
LAI-12	3/24/2008	19.34	--	--	6.25	13.09
LAI-12	8/25/2008	19.34	--	--	6.82	12.52
LAI-12	2/18/2009	19.34	--	--	5.32	14.02
LAI-12	8/25/2009	19.34	--	--	7.44	11.90
LAI-12	3/22/2010	19.34	--	--	4.70	14.64
LAI-12	8/23/2010	19.34	--	--	6.62	12.72
LAI-12	2/7/2011	19.34	--	--	9.65	9.69
LAI-12	5/27/2011	19.34	--	--	4.63	14.71
LAI-12	8/8/2011	19.34	--	--	6.39	12.95
LAI-12	11/14/2011	19.34	--	--	6.19	13.15
LAI-12	2/20/2012	19.34	--	--	3.86	15.48
LAI-12	8/22/2012	19.34	--	--	6.29	13.05
LAI-12	11/5/2012	19.34	--	--	4.71	14.63
LAI-12	1/28/2013	19.34	--	--	3.73	15.61
LAI-12	5/9/2013	19.34	--	--	4.57	14.77
LAI-12	8/19/2013	19.34	--	--	6.82	12.52
LAI-12	11/25/2013	19.34	--	--	4.75	14.59
LAI-12	2/14/2014	19.34	--	--	4.04	15.30
LAI-13	1/31/2003	21.53	--	--	5.25	16.28

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free	Product	Thickness In Well (feet)	Depth to	Groundwater
			Product (feet BTOC)	Product (feet)		Groundwater (feet BTOC)	Elevation (feet)
LAI-13	2/12/2003	21.53	--	--	--	6.28	15.25
LAI-13	2/18/2003	21.53	--	--	--	6.15	15.38
LAI-13	2/21/2003	21.53	--	--	--	6.29	15.24
LAI-13	2/24/2003	21.53	--	--	--	6.65	14.88
LAI-13	3/3/2003	21.53	--	--	--	6.88	14.65
LAI-13	3/12/2003	21.53	--	--	--	6.87	14.66
LAI-13	3/14/2003	21.53	--	--	--	6.62	14.91
LAI-13	3/26/2003	21.53	6.16	0.00	--	6.16	15.37
LAI-13	3/28/2003	21.53	--	--	--	6.21	15.32
LAI-13	4/2/2003	21.53	--	--	--	6.25	15.28
LAI-13	4/4/2003	21.53	--	--	--	6.25	15.28
LAI-13	4/8/2003	21.53	--	--	--	6.69	14.84
LAI-13	4/11/2003	21.53	--	--	--	6.69	14.84
LAI-13	4/15/2003	21.53	--	--	--	6.61	14.92
LAI-13	4/17/2003	21.53	--	--	--	6.66	14.87
LAI-13	4/22/2003	21.53	--	--	--	6.87	14.66
LAI-13	4/25/2003	21.53	--	--	--	6.92	14.61
LAI-13	5/2/2003	21.53	--	--	--	6.71	14.82
LAI-13	5/6/2003	21.53	--	--	--	7.25	14.28
LAI-13	5/9/2003	21.53	--	--	--	7.36	14.17
LAI-13	5/16/2003	21.53	--	--	--	7.63	13.90
LAI-13	5/23/2003	21.53	--	--	--	7.78	13.75
LAI-13	5/28/2003	21.53	--	--	--	7.80	13.73
LAI-13	6/13/2003	21.53	--	--	--	8.01	13.52
LAI-13	6/18/2003	21.53	--	--	--	8.02	13.51
LAI-13	6/27/2003	21.53	--	--	--	8.06	13.47
LAI-13	7/7/2003	21.53	--	--	--	8.45	13.08
LAI-13	7/16/2003	21.53	--	--	--	7.71	13.82
LAI-13	7/31/2003	21.53	--	--	--	8.51	13.02
LAI-13	8/5/2003	21.53	--	--	--	8.54	12.99
LAI-13	8/11/2003	21.53	--	--	--	8.62	12.91
LAI-13	8/22/2003	21.53	--	--	--	9.81	11.72
LAI-13	8/26/2003	21.53	--	--	--	8.81	12.72
LAI-13	9/2/2003	21.53	--	--	--	8.88	12.65
LAI-13	9/9/2003	21.53	--	--	--	8.91	12.62
LAI-13	9/19/2003	21.53	--	--	--	10.94	10.59
LAI-13	10/14/2003	21.53	--	--	--	9.08	12.45
LAI-13	11/20/2003	21.53	--	--	--	5.94	15.59
LAI-13	12/3/2003	21.53	--	--	--	5.52	16.01
LAI-13	1/19/2004	21.53	--	--	--	5.39	16.14
LAI-13	2/24/2004	21.53	--	--	--	5.77	15.76
LAI-13	3/15/2004	21.53	--	--	--	6.66	14.87
LAI-13	4/19/2004	21.53	--	--	--	7.58	13.95
LAI-13	5/17/2004	21.53	--	--	--	8.05	13.48
LAI-13	6/22/2004	21.53	--	--	--	7.91	13.62
LAI-13	8/18/2004	21.53	--	--	--	8.57	12.96
LAI-13	9/21/2004	21.53	--	--	--	7.28	14.25
LAI-13	10/19/2004	21.53	--	--	--	7.10	14.43
LAI-13	11/23/2004	21.53	--	--	--	7.39	14.14
LAI-13	12/21/2004	21.53	--	--	--	5.69	15.84
LAI-13	1/13/2005	21.53	--	--	--	6.76	14.77
LAI-13	4/28/2005	21.53	--	--	--	6.71	14.82
LAI-13	6/1/2005	21.53	--	--	--	6.78	14.75
LAI-13	6/29/2005	21.53	--	--	--	7.51	14.02
LAI-13	7/20/2005	21.53	--	--	--	7.80	13.73
LAI-13	8/22/2005	21.53	--	--	--	8.17	13.36
LAI-13	9/12/2005	21.53	--	--	--	9.41	12.12
LAI-13	10/12/2005	21.53	--	--	--	8.63	12.90
LAI-13	11/21/2005	21.53	--	--	--	7.05	14.48
LAI-13	12/27/2005	21.53	--	--	--	5.70	15.83
LAI-13	1/30/2006	21.53	--	--	--	4.63	16.90
LAI-13	2/16/2006	21.53	--	--	--	5.42	16.11
LAI-13	3/13/2006	21.53	--	--	--	6.24	15.29
LAI-13	4/18/2006	21.53	--	--	--	6.82	14.71
LAI-13	5/12/2006	21.53	--	--	--	7.25	14.28
LAI-13	6/9/2006	21.53	--	--	--	6.86	14.67
LAI-13	7/13/2006	21.53	--	--	--	7.71	13.82
LAI-13	8/16/2006	21.53	--	--	--	8.16	13.37
LAI-13	9/19/2006	21.53	--	--	--	8.69	12.84
LAI-13	10/13/2006	21.53	--	--	--	8.37	13.16
LAI-13	11/20/2006	21.53	--	--	--	4.28	17.25

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
LAI-13	12/8/2006	21.53	--	--	4.01	17.52
LAI-13	1/19/2007	21.53	--	--	5.02	16.51
LAI-13	2/19/2007	21.53	--	--	6.60	14.93
LAI-13	3/15/2007	21.53	--	--	5.87	15.66
LAI-13	4/16/2007	21.53	--	--	6.35	15.18
LAI-13	5/14/2007	21.53	--	--	7.40	14.13
LAI-13	6/29/2007	21.53	--	--	8.05	13.48
LAI-13	7/20/2007	21.53	--	--	8.05	13.48
LAI-13	8/21/2007	21.53	--	--	8.22	13.31
LAI-13	9/10/2007	21.53	--	--	8.30	13.23
LAI-13	10/22/2007	21.53	--	--	7.27	14.26
LAI-13	11/28/2007	21.53	--	--	6.87	14.66
LAI-13	12/13/2007	21.53	--	--	5.06	16.47
LAI-13	1/21/2008	21.53	--	--	5.36	16.17
LAI-13	2/24/2008	21.53	--	--	6.51	15.02
LAI-13	3/24/2008	21.53	--	--	7.14	14.39
LAI-13	8/25/2008	21.53	--	--	7.89	13.64
LAI-13	2/18/2009	21.53	--	--	6.93	14.60
LAI-13	8/25/2009	21.53	--	--	8.60	12.93
LAI-13	3/22/2010	21.53	--	--	5.95	15.58
LAI-13	8/23/2010	21.53	--	--	7.76	13.77
LAI-13	2/7/2011	21.53	--	--	5.60	15.93
LAI-13	5/27/2011	21.53	--	--	Not Monitored	
LAI-13	8/8/2011	21.53	--	--	7.70	13.83
LAI-13	11/14/2011	21.53	--	--	7.40	14.13
LAI-13	2/20/2012	21.53	--	--	5.03	16.5
LAI-13	8/22/2012	21.53	--	--	7.86	13.67
LAI-13	11/5/2012	21.53	--	--	5.86	15.67
LAI-13	1/28/2013	21.53	--	--	5.79	15.74
LAI-13	5/9/2013	21.53	--	--	6.05	15.48
LAI-13	8/19/2013	21.53	--	--	8.21	13.32
LAI-13	11/25/2013	21.53	--	--	6.08	15.45
LAI-13	2/14/2014	21.53	--	--	6.23	15.30
LAI-14	1/31/2003	21.69	--	--	6.12	15.57
LAI-14	2/12/2003	21.69	--	--	7.11	14.58
LAI-14	2/18/2003	21.69	--	--	7.17	14.52
LAI-14	2/21/2003	21.69	--	--	7.25	14.44
LAI-14	2/24/2003	21.69	--	--	7.25	14.44
LAI-14	3/3/2003	21.69	--	--	7.50	14.19
LAI-14	3/12/2003	21.69	--	--	7.40	14.29
LAI-14	3/14/2003	21.69	--	--	7.23	14.46
LAI-14	3/26/2003	21.69	--	--	7.04	14.65
LAI-14	3/28/2003	21.69	--	--	7.07	14.62
LAI-14	4/2/2003	21.69	--	--	7.00	14.69
LAI-14	4/4/2003	21.69	--	--	7.24	14.45
LAI-14	4/8/2003	21.69	--	--	7.41	14.28
LAI-14	4/11/2003	21.69	--	--	7.36	14.33
LAI-14	4/15/2003	21.69	--	--	7.34	14.35
LAI-14	4/17/2003	21.69	--	--	7.39	14.30
LAI-14	4/22/2003	21.69	--	--	7.53	14.16
LAI-14	4/25/2003	21.69	--	--	7.62	14.07
LAI-14	5/2/2003	21.69	--	--	7.20	14.49
LAI-14	5/6/2003	21.69	--	--	7.82	13.87
LAI-14	5/9/2003	21.69	--	--	7.86	13.83
LAI-14	5/16/2003	21.69	--	--	8.00	13.69
LAI-14	5/23/2003	21.69	--	--	8.03	13.66
LAI-14	5/28/2003	21.69	--	--	8.14	13.55
LAI-14	6/13/2003	21.69	--	--	8.30	13.39
LAI-14	6/18/2003	21.69	--	--	8.33	13.36
LAI-14	6/27/2003	21.69	--	--	8.35	13.34
LAI-14	7/7/2003	21.69	--	--	8.65	13.04
LAI-14	7/16/2003	21.69	--	--	7.83	13.86
LAI-14	7/31/2003	21.69	--	--	8.41	13.28
LAI-14	8/5/2003	21.69	--	--	8.73	12.96
LAI-14	8/11/2003	21.69	--	--	8.80	12.89
LAI-14	8/22/2003	21.69	--	--	9.89	11.80
LAI-14	8/26/2003	21.69	--	--	9.04	12.65
LAI-14	9/2/2003	21.69	--	--	9.07	12.62
LAI-14	9/9/2003	21.69	--	--	9.14	12.55
LAI-14	9/19/2003	21.69	--	--	9.14	12.55

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Product		Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
			Depth to Free Product (feet BTOC)	Thickness In Well (feet)		
LAI-14	10/14/2003	21.69	--	--	9.30	12.39
LAI-14	11/20/2003	21.69	--	--	6.59	15.10
LAI-14	12/3/2003	21.69	--	--	6.53	15.16
LAI-14	1/19/2004	21.69	--	--	6.45	15.24
LAI-14	2/24/2004	21.69	--	--	7.03	14.66
LAI-14	3/15/2004	21.69	--	--	7.52	14.17
LAI-14	4/19/2004	21.69	--	--	8.03	13.66
LAI-14	5/17/2004	21.69	--	--	8.32	13.37
LAI-14	6/22/2004	21.69	--	--	8.26	13.43
LAI-14	8/18/2004	21.69	--	--	8.86	12.83
LAI-14	9/21/2004	21.69	--	--	8.00	13.69
LAI-14	10/19/2004	21.69	--	--	8.00	13.69
LAI-14	11/23/2004	21.69	--	--	8.00	13.69
LAI-14	12/21/2004	21.69	--	--	7.11	14.58
LAI-14	1/13/2005	21.69	--	--	7.68	14.01
LAI-14	4/28/2005	21.69	--	--	7.47	14.22
LAI-14	6/1/2005	21.69	--	--	7.58	14.11
LAI-14	6/29/2005	21.69	--	--	8.02	13.67
LAI-14	7/20/2005	21.69	8.23	0.01	8.24	13.46
LAI-14	8/22/2005	21.69	--	--	8.50	13.19
LAI-14	9/12/2005	21.69	--	--	8.63	13.06
LAI-14	10/12/2005	21.69	--	--	8.86	12.83
LAI-14	11/21/2005	21.69	--	--	7.41	14.28
LAI-14	12/27/2005	21.69	--	--	6.48	15.21
LAI-14	1/30/2006	21.69	--	--	4.68	17.01
LAI-14	2/16/2006	21.69	6.30	0.07	6.37	15.37
LAI-14	3/13/2006	21.69	--	--	7.43	14.26
LAI-14	4/18/2006	21.69	--	--	7.56	14.13
LAI-14	5/12/2006	21.69	--	--	7.75	13.94
LAI-14	6/9/2006	21.69	--	--	7.58	14.11
LAI-14	7/13/2006	21.69	--	--	8.10	13.59
LAI-14	8/16/2006	21.69	--	--	8.43	13.26
LAI-14	9/19/2006	21.69	--	--	8.70	12.99
LAI-14	10/13/2006	21.69	--	--	8.56	13.13
LAI-14	11/20/2006	21.69	--	--	5.64	16.05
LAI-14	12/8/2006	21.69	--	--	6.12	15.57
LAI-14	1/19/2007	21.69	--	--	6.12	15.57
LAI-14	2/19/2007	21.69	--	--	7.45	14.24
LAI-14	3/15/2007	21.69	--	--	6.95	14.74
LAI-14	4/16/2007	21.69	--	--	7.38	14.31
LAI-14	5/14/2007	21.69	--	--	7.84	13.85
LAI-14	6/29/2007	21.69	--	--	8.27	13.42
LAI-14	7/20/2007	21.69	--	--	8.31	13.38
LAI-14	8/21/2007	21.69	--	--	8.48	13.21
LAI-14	9/10/2007	21.69	--	--	8.59	13.10
LAI-14	10/22/2007	21.69	--	--	7.82	13.87
LAI-14	11/28/2007	21.69	--	--	5.50	16.19
LAI-14	12/13/2007	21.69	--	--	6.45	15.24
LAI-14	1/21/2008	21.69	--	--	6.77	14.92
LAI-14	2/24/2008	21.69	--	--	7.37	14.32
LAI-14	3/24/2008	21.69	--	--	7.59	14.10
LAI-14	8/25/2008	21.69	--	--	8.36	13.33
LAI-14	2/18/2009	21.69	--	--	7.60	14.09
LAI-14	8/25/2009	21.69	--	--	8.78	12.91
LAI-14	3/22/2010	21.69	--	--	7.17	14.52
LAI-14	8/23/2010	21.69	--	--	8.13	13.56
LAI-14	2/7/2011	21.69	--	--	6.71	14.98
LAI-14	5/27/2011	21.69	--	--	6.98	14.71
LAI-14	8/8/2011	21.69	--	--	8.06	13.63
LAI-14	11/14/2011	21.69	--	--	7.91	13.78
LAI-14	2/20/2012	21.69	--	--	6.39	15.30
LAI-14	8/22/2012	21.69	--	--	8.15	13.54
LAI-14	11/5/2012	21.69	--	--	6.60	15.09
LAI-14	1/28/2013	21.69	--	--	6.91	14.78
LAI-14	5/9/2013	21.69	--	--	7.02	14.67
LAI-14	8/19/2013	21.69	--	--	8.51	13.18
LAI-14	11/25/2013	21.69	--	--	7.07	14.62
LAI-14	2/14/2014	21.69	--	--	6.79	14.90
LAI-15	1/31/2003	19.76	--	--	6.13	13.63
LAI-15	2/12/2003	19.76	--	--	4.23	15.53

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
LAI-15	2/18/2003	19.76	--	--	4.51	15.25
LAI-15	2/21/2003	19.76	--	--	4.72	15.04
LAI-15	2/24/2003	19.76	--	--	4.74	15.02
LAI-15	3/3/2003	19.76	--	--	4.96	14.80
LAI-15	3/12/2003	19.76	--	--	4.81	14.95
LAI-15	3/14/2003	19.76	--	--	4.14	15.62
LAI-15	3/26/2003	19.76	--	--	3.82	15.94
LAI-15	3/28/2003	19.76	--	--	3.85	15.91
LAI-15	4/2/2003	19.76	--	--	4.40	15.36
LAI-15	4/4/2003	19.76	--	--	4.49	15.27
LAI-15	4/8/2003	19.76	--	--	4.71	15.05
LAI-15	4/11/2003	19.76	--	--	4.80	14.96
LAI-15	4/15/2003	19.76	--	--	4.75	15.01
LAI-15	4/17/2003	19.76	--	--	4.77	14.99
LAI-15	4/22/2003	19.76	--	--	4.99	14.77
LAI-15	4/25/2003	19.76	--	--	5.09	14.67
LAI-15	5/2/2003	19.76	--	--	5.13	14.63
LAI-15	5/6/2003	19.76	--	--	5.55	14.21
LAI-15	5/9/2003	19.76	--	--	5.68	14.08
LAI-15	5/16/2003	19.76	--	--	4.90	14.86
LAI-15	5/23/2003	19.76	--	--	6.12	13.64
LAI-15	5/28/2003	19.76	--	--	6.13	13.63
LAI-15	6/13/2003	19.76	--	--	6.33	13.43
LAI-15	6/18/2003	19.76	--	--	6.35	13.41
LAI-15	6/27/2003	19.76	--	--	6.39	13.37
LAI-15	7/7/2003	19.76	--	--	6.75	13.01
LAI-15	7/16/2003	19.76	--	--	6.03	13.73
LAI-15	7/31/2003	19.76	--	--	6.83	12.93
LAI-15	8/5/2003	19.76	--	--	6.85	12.91
LAI-15	8/11/2003	19.76	--	--	6.93	12.83
LAI-15	8/22/2003	19.76	--	--	8.04	11.72
LAI-15	8/26/2003	19.76	--	--	7.11	12.65
LAI-15	9/2/2003	19.76	--	--	7.21	12.55
LAI-15	9/9/2003	19.76	--	--	7.23	12.53
LAI-15	9/19/2003	19.76	--	--	--	NM
LAI-15	10/14/2003	19.76	--	--	7.45	12.31
LAI-15	11/20/2003	19.76	--	--	4.11	15.65
LAI-15	12/3/2003	19.76	--	--	3.65	16.11
LAI-15	1/19/2004	19.76	--	--	3.59	16.17
LAI-15	2/24/2004	19.76	--	--	4.26	15.50
LAI-15	3/15/2004	19.76	--	--	5.19	14.57
LAI-15	4/19/2004	19.76	--	--	5.97	13.79
LAI-15	5/17/2004	19.76	--	--	6.42	13.34
LAI-15	6/22/2004	19.76	--	--	6.09	13.67
LAI-15	8/18/2004	19.76	--	--	6.93	12.83
LAI-15	9/21/2004	19.76	--	--	6.05	13.71
LAI-15	10/19/2004	19.76	--	--	5.75	14.01
LAI-15	11/23/2004	19.76	--	--	5.91	13.85
LAI-15	12/21/2004	19.76	--	--	4.28	15.48
LAI-15	1/13/2005	19.76	--	--	5.32	14.44
LAI-15	4/28/2005	19.76	--	--	4.91	14.85
LAI-15	6/1/2005	20.03	--	--	5.17	14.86
LAI-15	6/29/2005	20.03	--	--	5.67	14.36
LAI-15	7/20/2005	20.03	--	--	6.32	13.71
LAI-15	8/22/2005	20.03	--	--	6.62	13.41
LAI-15	9/12/2005	20.03	--	--	6.82	13.21
LAI-15	10/12/2005	20.03	--	--	7.08	12.95
LAI-15	11/21/2005	20.03	--	--	5.04	14.99
LAI-15	12/27/2005	20.03	--	--	3.84	16.19
LAI-15	1/30/2006	20.03	--	--	1.11	18.92
LAI-15	2/16/2006	20.03	--	--	3.52	16.51
LAI-15	3/13/2006	20.03	--	--	4.92	15.11
LAI-15	4/18/2006	20.03	--	--	5.35	14.68
LAI-15	5/12/2006	20.03	--	--	5.61	14.42
LAI-15	6/9/2006	20.03	--	--	5.32	14.71
LAI-15	7/13/2006	20.03	--	--	6.20	13.83
LAI-15	8/16/2006	20.03	--	--	6.60	13.43
LAI-15	9/19/2006	20.03	--	--	7.05	12.98
LAI-15	10/13/2006	20.03	--	--	6.80	13.23
LAI-15	11/20/2006	20.03	--	--	2.53	17.50
LAI-15	12/8/2006	20.03	--	--	3.11	16.92

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
LAI-15	1/19/2007	20.03	--	--	3.12	16.91
LAI-15	2/19/2007	20.03	--	--	5.10	14.93
LAI-15	3/15/2007	20.03	--	--	4.32	15.71
LAI-15	4/16/2007	20.03	--	--	4.76	15.27
LAI-15	5/14/2007	20.03	--	--	5.88	14.15
LAI-15	6/29/2007	20.03	--	--	6.44	13.59
LAI-15	7/20/2007	20.03	--	--	6.55	13.48
LAI-15	8/21/2007	20.03	--	--	6.74	13.29
LAI-15	9/10/2007	20.03	--	--	6.84	13.19
LAI-15	10/22/2007	20.03	--	--	6.03	14.00
LAI-15	11/28/2007	20.03	--	--	5.34	14.69
LAI-15	12/13/2007	20.03	--	--	3.50	16.53
LAI-15	1/21/2008	20.03	--	--	4.12	15.91
LAI-15	2/24/2008	20.03	--	--	5.14	14.89
LAI-15	3/24/2008	20.03	--	--	5.52	14.51
LAI-15	8/25/2008	20.03	--	--	6.62	13.41
LAI-15	2/18/2009	20.03	--	--	5.50	14.53
LAI-15	8/25/2009	20.03	--	--	6.94	13.09
LAI-15	3/22/2010	20.03	--	--	4.71	15.32
LAI-15	8/23/2010	20.03	--	--	6.36	13.67
LAI-15	2/7/2011	20.03	--	--	4.20	15.83
LAI-15	5/27/2011	20.03	--	Not Monitored		
LAI-15	8/8/2011	20.03	--	--	6.30	13.73
LAI-15	11/14/2011	20.03	--	--	6.05	13.98
LAI-15	2/20/2012	20.03	--	--	3.88	16.15
LAI-15	8/22/2012	20.03	--	--	6.40	13.63
LAI-15	11/5/2012	20.03	--	--	4.71	15.32
LAI-15	1/28/2013	20.03	--	--	4.41	15.62
LAI-15	5/9/2013	20.03	--	--	4.79	15.24
LAI-15	8/19/2013	20.03	--	--	6.69	13.34
LAI-15	11/25/2013	20.03	--	--	4.86	15.17
LAI-15	2/14/2014	20.03	--	--	4.59	15.44
LAI-16	1/31/2003	20.59	--	--	6.28	14.31
LAI-16	2/12/2003	20.59	--	--	6.65	13.94
LAI-16	2/18/2003	20.59	--	--	6.70	13.89
LAI-16	2/21/2003	20.59	--	--	6.73	13.86
LAI-16	2/24/2003	20.59	--	--	6.74	13.85
LAI-16	3/3/2003	20.59	--	--	6.86	13.73
LAI-16	3/12/2003	20.59	--	--	6.52	14.07
LAI-16	3/14/2003	20.59	--	--	6.39	14.20
LAI-16	3/26/2003	20.59	--	--	6.48	14.11
LAI-16	3/28/2003	20.59	--	--	7.46	13.13
LAI-16	4/2/2003	20.59	--	--	6.63	13.96
LAI-16	4/4/2003	20.59	--	--	6.71	13.88
LAI-16	4/8/2003	20.59	--	--	6.90	13.69
LAI-16	4/11/2003	20.59	--	--	6.75	13.84
LAI-16	4/15/2003	20.59	--	--	6.68	13.91
LAI-16	4/17/2003	20.59	--	--	6.73	13.86
LAI-16	4/22/2003	20.59	--	--	6.87	13.72
LAI-16	4/25/2003	20.59	--	--	6.99	13.60
LAI-16	5/2/2003	20.59	--	--	6.78	13.81
LAI-16	5/6/2003	20.59	--	--	7.26	13.33
LAI-16	5/9/2003	20.59	--	--	7.35	13.24
LAI-16	5/16/2003	20.59	--	--	7.60	12.99
LAI-16	5/23/2003	20.59	--	--	8.08	12.51
LAI-16	5/28/2003	20.59	--	--	7.87	12.72
LAI-16	6/13/2003	20.59	--	--	8.31	12.28
LAI-16	6/18/2003	20.59	--	--	8.45	12.14
LAI-16	6/27/2003	20.59	--	--	8.08	12.51
LAI-16	7/7/2003	20.59	--	Not Monitored		
LAI-16	7/16/2003	20.59	--	--	8.00	12.59
LAI-16	7/31/2003	20.59	--	--	Dry	
LAI-16	8/5/2003	20.59	--	--	Dry	
LAI-16	8/11/2003	20.59	--	--	Dry	
LAI-16	8/22/2003	20.59	--	--	Dry	
LAI-16	8/26/2003	20.59	--	--	Dry	
LAI-16	9/2/2003	20.59	--	--	Dry	
LAI-16	9/9/2003	20.59	--	--	Dry	
LAI-16	9/19/2003	20.59	--	--	Dry	
LAI-16	10/14/2003	20.59	--	--	Dry	

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
LAI-16	11/20/2003	20.59	--	--	6.95	13.64
LAI-16	12/3/2003	20.59	--	--	6.68	13.91
LAI-16	1/19/2004	20.59	--	--	6.49	14.10
LAI-16	2/24/2004	20.59	--	--	6.62	13.97
LAI-16	3/15/2004	20.59	--	--	7.02	13.57
LAI-16	4/19/2004	20.59	--	--	7.64	12.95
LAI-16	5/17/2004	20.59	--	--	8.35	12.24
LAI-16	6/22/2004	20.59	--	--	8.52	12.07
LAI-16	8/18/2004	20.59			Dry	
LAI-16	9/21/2004	20.59			Dry	
LAI-16	10/19/2004	20.59	--	--	9.30	11.29
LAI-16	11/23/2004	20.59	--	--	8.38	12.21
LAI-16	12/21/2004	20.59	--	--	6.87	13.72
LAI-16	1/13/2005	20.59	--	--	7.12	13.47
LAI-16	4/28/2005	20.59	--	--	6.95	13.64
LAI-16	6/1/2005	20.59	--	--	7.35	13.24
LAI-16	6/29/2005	20.59	--	--	7.95	12.64
LAI-16	7/20/2005	20.59	--	--	8.78	11.81
LAI-16	8/22/2005	20.59			Dry	
LAI-16	9/12/2005	20.59			Dry	
LAI-16	10/12/2005	20.59			Dry	
LAI-16	11/21/2005	20.59	--	--	8.48	12.11
LAI-16	12/27/2005	20.59	--	--	6.71	13.88
LAI-16	1/30/2006	20.59			Dry	
LAI-16	2/16/2006	20.59	--	--	6.45	14.14
LAI-16	3/13/2006	20.59	--	--	6.75	13.84
LAI-16	4/18/2006	20.59	--	--	7.18	13.41
LAI-16	5/12/2006	20.59	--	--	7.50	13.09
LAI-16	6/9/2006	20.59	--	--	7.62	12.97
LAI-16	7/13/2006	20.59	--	--	6.10	14.49
LAI-16	8/16/2006	20.59			Dry	
LAI-16	9/19/2006	20.59			Dry	
LAI-16	10/13/2006	20.59			Dry	
LAI-16	11/20/2006	20.59	--	--	6.33	14.26
LAI-16	12/8/2006	20.59	--	--	6.45	14.14
LAI-16	1/19/2007	20.59	--	--	6.11	14.48
LAI-16	2/19/2007	20.59	--	--	6.67	13.92
LAI-16	3/15/2007	20.59	--	--	6.55	14.04
LAI-16	4/16/2007	20.59	--	--	6.89	13.70
LAI-16	5/14/2007	20.59	--	--	7.54	13.05
LAI-16	6/29/2007	20.59			Dry	
LAI-16	7/20/2007	20.59			Dry	
LAI-16	8/21/2007	20.59			Dry	
LAI-16	9/10/2007	20.59			Dry	
LAI-16	10/22/2007	20.59			Dry	
LAI-16	11/28/2007	20.59	--	--	8.41	12.18
LAI-16	12/13/2007	20.59	--	--	6.65	13.94
LAI-16	1/21/2008	20.59	--	--	6.43	14.16
LAI-16	2/24/2008	20.59	--	--	6.87	13.72
LAI-16	3/24/2008	20.59	--	--	6.95	13.64
LAI-16	8/25/2008	20.59	--	--	7.12	13.47
LAI-16	2/18/2009	20.59	--	--	7.00	13.59
LAI-16	8/25/2009	20.59			Dry	
LAI-16	3/22/2010	20.59	--	--	6.93	13.66
LAI-16	8/23/2010	20.59			Dry	
LAI-16	2/7/2011	20.59	--	--	6.45	14.14
LAI-16	5/27/2011	20.59	--	--	6.99	13.60
LAI-16	11/14/2011	20.59	--	--	9.15	11.44
LAI-16	2/20/2012	20.59	--	--	6.49	14.10
LAI-16	8/22/2012	20.59	--	--	Dry	--
LAI-16	11/5/2012	20.59	--	--	9.39	11.20
LAI-16	1/28/2013	20.59	--	--	6.52	14.07
LAI-16	5/9/2013	20.59	--	--	6.48	14.11
LAI-16	8/19/2013	20.59			DRY	
LAI-16	11/25/2013	20.59	--	--	6.95	13.64
LAI-16	2/14/2014	20.59	--	--	6.49	14.10
RW-1	11/20/2002	24.60	8.25	0.95	9.20	16.11
RW-1	11/21/2002	24.60	8.25	1.15	9.40	16.06
RW-1	11/22/2002	24.60	8.22	1.20	9.42	16.08
RW-1	11/24/2002	24.60	8.35	1.06	9.41	15.99

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-1	1/2/2003	24.60	5.61	0.21	5.82	18.94
RW-1	1/3/2003	24.60	5.51	0.21	5.72	19.04
RW-1	1/6/2003	24.60	5.35	0.29	5.64	19.18
RW-1	1/7/2003	24.60	5.68	0.28	5.96	18.85
RW-1	1/8/2003	24.60	5.95	0.28	6.23	18.58
RW-1	1/9/2003	24.60	6.03	0.29	6.32	18.50
RW-1	1/10/2003	24.60	6.20	0.30	6.50	18.33
RW-1	1/13/2003	24.60	6.00	0.32	6.32	18.52
RW-1	1/14/2003	24.60	5.72	0.73	6.45	18.70
RW-1	1/15/2003	24.60	5.99	0.19	6.18	18.56
RW-1	1/16/2003	24.60	6.10	0.30	6.40	18.43
RW-1	1/17/2003	24.60	6.15	0.30	6.45	18.38
RW-1	1/20/2003	24.60	6.34	0.35	6.69	18.17
RW-1	1/22/2003	24.60	5.60	0.29	5.89	18.93
RW-1	1/23/2003	24.60	5.80	0.35	6.15	18.71
RW-1	1/24/2003	24.60	5.37	0.38	5.75	19.14
RW-1	1/27/2003	24.60	4.68	0.47	5.15	19.80
RW-1	1/28/2003	24.60	4.66	0.45	5.11	19.83
RW-1	1/29/2003	24.60	4.67	0.46	5.13	19.82
RW-1	1/30/2003	24.60	4.90	0.44	5.34	19.59
RW-1	2/3/2003	24.60	5.65	0.41	6.06	18.85
RW-1	2/6/2003	24.24	6.76	0.40	7.16	17.38
RW-1	2/11/2003	24.24	7.35	0.42	7.77	16.79
RW-1	2/18/2003	24.24	--	--	6.55	17.69
RW-1	2/21/2003	24.24	7.90	0.93	8.83	16.11
RW-1	2/26/2003	24.24	7.70	0.81	8.51	16.34
RW-1	3/4/2003	24.24	7.11	0.63	7.74	16.97
RW-1	3/12/2003	24.24	7.30	0.46	7.76	16.83
RW-1	3/14/2003	24.24	6.85	--	7.31	16.93
RW-1	3/26/2003	24.24	6.39	0.13	6.52	17.82
RW-1	3/28/2003	24.24	7.41	0.15	7.56	16.79
RW-1	4/2/2003	24.24	7.45	0.10	7.55	16.77
RW-1	4/4/2003	24.24	7.70	0.05	7.75	16.53
RW-1	4/8/2003	24.24	7.25	0.02	7.27	16.99
RW-1	4/11/2003	24.24	7.15	0.03	7.18	17.08
RW-1	4/15/2003	24.24	6.57	0.02	6.59	17.67
RW-1	4/17/2003	24.24	7.52	0.02	7.54	16.72
RW-1	4/22/2003	24.24	7.53	0.02	7.55	16.71
RW-1	4/25/2003	24.24	7.42	0.01	7.43	16.82
RW-1	5/2/2003	24.24	8.84	0.01	8.85	15.40
RW-1	5/6/2003	24.24	--	--	9.02	15.22
RW-1	5/9/2003	24.24	--	--	9.21	15.03
RW-1	5/23/2003	24.24	--	--	9.26	14.98
RW-1	5/28/2003	24.24	9.35	0.01	9.36	14.89
RW-1	6/13/2003	24.24	9.52	0.49	10.01	14.60
RW-1	6/18/2003	24.24	9.22	0.91	10.13	14.79
RW-1	6/27/2003	24.24	--	--	9.81	14.43
RW-1	7/7/2003	24.24	10.26	0.03	10.29	13.97
RW-1	7/16/2003	24.24	10.09	0.26	10.35	14.09
RW-1	7/31/2003	24.24	10.34	0.01	10.35	13.90
RW-1	8/5/2003	24.24	10.32	0.08	10.40	13.90
RW-1	8/11/2003	24.24	11.34	0.01	11.35	12.90
RW-1	8/22/2003	24.24	11.34	0.01	11.35	12.90
RW-1	8/26/2003	24.24	--	--	10.36	13.88
RW-1	9/2/2003	24.24	--	--	10.36	13.88
RW-1	9/9/2003	24.24	10.33	0.05	10.38	13.90
RW-1	9/19/2003	24.24	10.33	0.03	10.36	13.90
RW-1	10/14/2003	24.24	--	--	10.30	13.94
RW-1	11/20/2003	24.24	--	--	5.52	18.72
RW-1	12/3/2003	24.24	--	--	5.44	18.80
RW-1	1/19/2004	24.24	--	--	5.57	18.67
RW-1	2/24/2004	24.24	--	--	7.45	16.79
RW-1	3/15/2004	24.24	--	--	8.87	15.37
RW-1	4/19/2004	24.24	--	--	9.56	14.68
RW-1	5/17/2004	24.24	--	--	10.14	14.10
RW-1	6/22/2004	24.24	--	--	9.91	14.33
RW-1	8/18/2004	24.24	10.30	0.01	10.31	13.94
RW-1	9/21/2004	24.24	--	--	10.05	14.19
RW-1	10/19/2004	24.24	--	--	9.73	14.51
RW-1	11/23/2004	24.24	--	--	9.50	14.74
RW-1	12/21/2004	24.24	--	--	6.86	17.38

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-1	1/13/2005	24.24	--	--	8.32	15.92
RW-1	4/28/2005	24.24	--	--	7.15	17.09
RW-1	6/1/2005	24.24	--	--	7.60	16.64
RW-1	6/29/2005	24.24		Not Monitored		
RW-1	7/20/2005	24.24		Not Monitored		
RW-1	8/22/2005	24.24	--	--	10.35	13.89
RW-1	9/12/2005	24.24	--	--	10.36	13.88
RW-1	10/12/2005	24.24	--	--	10.40	13.84
RW-1	11/21/2005	24.24	--	--	9.09	15.15
RW-1	12/27/2005	24.24	--	--	5.72	18.52
RW-1	1/30/2006	24.24	--	--	4.34	19.90
RW-1	2/16/2006	24.24	--	--	5.86	18.38
RW-1	3/13/2006	24.24	--	--	7.51	16.73
RW-1	4/18/2006	24.24	--	--	7.05	17.19
RW-1	5/12/2006	24.24	--	--	8.53	15.71
RW-1	6/9/2006	24.24	--	--	7.70	16.54
RW-1	7/13/2006	24.24	--	--	9.44	14.80
RW-1	8/16/2006	24.24	--	--	10.35	13.89
RW-1	9/19/2006	24.24	--	--	10.42	13.82
RW-1	10/13/2006	24.24	--	--	10.45	13.79
RW-1	11/20/2006	24.24	--	--	5.15	19.09
RW-1	12/8/2006	24.24	--	--	5.51	18.73
RW-1	1/19/2007	24.24	--	--	5.02	19.22
RW-1	2/19/2007	24.24	--	--	6.70	17.54
RW-1	3/15/2007	24.24	--	--	5.51	18.73
RW-1	4/16/2007	24.24	--	--	7.32	16.92
RW-1	5/14/2007	24.24	--	--	9.05	15.19
RW-1	6/29/2007	24.24	--	--	10.21	14.03
RW-1	7/20/2007	24.24	--	--	Dry	NM
RW-1	8/21/2007	24.24	--	--	10.35	13.89
RW-1	9/10/2007	24.24	--	--	Dry	NM
RW-1	10/22/2007	24.24	--	--	7.38	16.86
RW-1	11/28/2007	24.24	--	--	7.98	16.26
RW-1	12/13/2007	24.24	--	--	6.57	17.67
RW-1	1/21/2008	24.24	--	--	5.97	18.27
RW-1	2/24/2008	24.24	--	--	8.78	15.46
RW-1	3/24/2008	24.24	--	--	5.95	18.29
RW-1	8/25/2008	24.24	--	--	6.02	18.22
RW-1	2/18/2009	24.24	--	--	9.13	15.11
RW-1	8/25/2009	24.24	--	--	10.39	13.85
RW-1	3/22/2010	24.24	--	--	7.96	16.28
RW-1	8/23/2010	24.24	--	--	10.37	13.87
RW-1	2/7/2011	24.24	--	--	5.69	18.55
RW-1	5/27/2011	24.24	--	--	7.56	16.68
RW-1	8/8/2011	24.24			Dry	
RW-1	11/14/2011	24.24	--	--	9.45	14.79
RW-1	2/20/2012	24.24	--	--	5.53	18.71
RW-1	8/22/2012	24.24	--	--	10.23	14.01
RW-1	11/5/2012	24.24	--	--	5.52	18.72
RW-1	1/28/2013	24.24	--	--	6.16	18.08
RW-1	5/9/2013	24.24	--	--	8.41	15.83
RW-1	8/19/2013	24.24	--	--	10.37	13.87
RW-1	11/25/2013	24.24	--	--	7.47	16.77
RW-1	2/14/2014	24.24	--	--	4.36	19.88
RW-2	11/20/2002	24.58	8.05	1.35	9.40	16.19
RW-2	11/21/2002	24.58	8.00	1.40	9.40	16.23
RW-2	11/22/2002	24.58	8.00	1.41	9.41	16.23
RW-2	11/24/2002	24.58	8.21	1.49	9.70	16.00
RW-2	1/2/2003	24.58	6.11	2.27	8.38	17.90
RW-2	1/6/2003	24.58	5.40	2.78	8.18	18.49
RW-2	1/7/2003	24.58	6.41	0.54	6.95	18.04
RW-2	1/8/2003	24.58	7.67	0.01	7.68	16.91
RW-2	1/9/2003	24.58	8.72	0.01	8.73	15.86
RW-2	1/10/2003	24.58	6.38	0.54	6.92	18.07
RW-2	1/13/2003	24.58	8.42	0.10	8.52	16.14
RW-2	1/14/2003	24.58	6.17	1.32	7.49	18.08
RW-2	1/15/2003	24.58	5.95	0.85	6.80	18.42
RW-2	1/16/2003	24.58	6.51	1.00	7.51	17.82
RW-2	1/17/2003	24.58	6.40	1.12	7.52	17.90
RW-2	1/20/2003	24.58	6.35	1.59	7.94	17.83

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-2	1/22/2003	24.58	5.86	2.74	8.60	18.04
RW-2	1/23/2003	24.58	5.92	3.23	9.15	17.85
RW-2	1/24/2003	24.58	5.37	0.62	5.99	19.06
RW-2	1/27/2003	24.58	4.69	0.53	5.22	19.76
RW-2	1/28/2003	24.58	4.83	3.71	8.54	18.82
RW-2	1/29/2003	24.58	4.82	3.66	8.48	18.85
RW-2	1/30/2003	24.58	4.95	0.94	5.89	19.40
RW-2	2/3/2003	24.58	5.29	3.82	9.11	18.34
RW-2	2/6/2003	24.19	6.16	3.48	9.64	17.16
RW-2	2/11/2003	24.19	6.61	3.17	9.78	16.79
RW-2	2/18/2003	24.19	7.46	2.72	10.18	16.05
RW-2	2/21/2003	24.19	7.40	2.76	10.16	16.10
RW-2	2/26/2003	24.19	7.66	0.69	8.35	16.36
RW-2	3/4/2003	24.19	7.15	1.42	8.57	16.69
RW-2	3/12/2003	24.19	7.60	0.02	7.62	16.59
RW-2	3/14/2003	24.19	7.38	1.61	8.99	16.41
RW-2	3/26/2003	24.19	6.85	0.70	7.55	17.17
RW-2	3/28/2003	24.19	7.48	0.87	8.35	16.49
RW-2	4/2/2003	24.19	7.55	0.86	8.41	16.43
RW-2	4/4/2003	24.19	7.95	0.56	8.51	16.10
RW-2	4/8/2003	24.19	8.02	0.03	8.05	16.16
RW-2	4/11/2003	24.19	8.22	0.01	8.23	15.97
RW-2	4/15/2003	24.19	--	--	7.68	16.51
RW-2	4/17/2003	24.19	8.34	0.06	8.40	15.84
RW-2	4/22/2003	24.19	8.36	0.16	8.52	15.79
RW-2	4/25/2003	24.19	8.30	0.11	8.41	15.86
RW-2	5/2/2003	24.19	8.75	0.31	9.06	15.36
RW-2	5/6/2003	24.19	8.82	0.61	9.43	15.22
RW-2	5/9/2003	24.19	9.16	0.62	9.78	14.88
RW-2	5/23/2003	24.19	9.15	1.42	10.57	14.69
RW-2	5/28/2003	24.19	8.95	1.49	10.44	14.87
RW-2	6/13/2003	24.19	9.24	1.35	10.59	14.61
RW-2	6/18/2003	24.19	9.20	1.31	10.51	14.66
RW-2	6/27/2003	24.19	9.23	1.26	10.49	14.65
RW-2	7/7/2003	24.19	10.01	0.42	10.43	14.08
RW-2	7/16/2003	24.19	9.83	0.71	10.54	14.18
RW-2	7/31/2003	24.19	10.31	0.15	10.46	13.84
RW-2	8/5/2003	24.19	10.28	0.22	10.50	13.86
RW-2	8/11/2003	24.19	--	--	11.38	12.81
RW-2	8/22/2003	24.19	--	--	11.38	12.81
RW-2	8/26/2003	24.19	--	--	11.26	12.93
RW-2	9/2/2003	24.19	--	--	10.40	13.79
RW-2	9/9/2003	24.19	10.34	0.06	10.40	13.84
RW-2	9/19/2003	24.19	--	--	10.70	13.49
RW-2	10/14/2003	24.19	--	--	10.38	13.81
RW-2	11/20/2003	24.19	--	--	7.66	16.53
RW-2	12/3/2003	24.19	--	--	6.65	17.54
RW-2	1/19/2004	24.19	--	--	7.13	17.06
RW-2	2/24/2004	24.19	--	--	7.92	16.27
RW-2	3/15/2004	24.19	--	--	Not Monitored	
RW-2	4/19/2004	24.19	--	--	10.01	14.18
RW-2	5/17/2004	24.19	--	--	Not Monitored	
RW-2	6/22/2004	24.19	--	--	10.08	14.11
RW-2	8/18/2004	24.19	--	--	10.44	13.75
RW-2	9/21/2004	24.19	9.95	0.18	10.13	14.20
RW-2	10/19/2004	24.19	9.04	0.08	9.12	15.13
RW-2	11/23/2004	24.19	7.82	0.50	8.32	16.25
RW-2	12/21/2004	24.19	--	--	6.95	17.24
RW-2	1/13/2005	24.19	--	--	8.39	15.80
RW-2	4/28/2005	24.19	--	--	8.20	15.99
RW-2	6/1/2005	24.19	--	--	9.62	14.57
RW-2	6/29/2005	24.19	--	--	10.41	13.78
RW-2	7/20/2005	24.19	--	--	10.90	13.29
RW-2	8/22/2005	24.19	10.94	0.04	10.98	13.24
RW-2	5/27/2011	24.19	--	--	Not Monitored	
RWx-2	9/12/2005	26.20	--	--	12.55	13.65
RWx-2	10/12/2005	26.20	13.81	0.61	14.42	12.24
RWx-2	11/21/2005	26.20	11.20	1.13	12.33	14.72
RWx-2	12/27/2005	26.20	--	--	9.50	16.70
RWx-2	1/30/2006	26.20	--	--	6.55	19.65

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RWx-2	2/16/2006	26.20	--	--	9.00	17.20
RWx-2	3/13/2006	26.20	--	--	9.85	16.35
RWx-2	4/18/2006	26.20	--	--	10.16	16.04
RWx-2	5/12/2006	26.20	--	--	10.56	15.64
RWx-2	6/9/2006	26.20	--	--	10.13	16.07
RWx-2	7/13/2006	26.20	--	--	12.61	13.59
RWx-2	8/16/2006	26.20	12.28	0.62	12.90	13.77
RWx-2	9/19/2006	26.20	--	--	12.95	13.25
RWx-2	10/13/2006	26.20	12.66	0.97	13.63	13.30
RWx-2	11/20/2006	26.20	7.13	0.37	7.50	18.98
RWx-2	12/8/2006	26.20	7.83	0.34	8.17	18.29
RWx-2	1/19/2007	26.20	7.06	0.25	7.31	19.08
RWx-2	2/19/2007	26.20	9.95	0.30	10.25	16.18
RWx-2	3/15/2007	26.20	8.50	0.04	8.54	17.69
RWx-2	4/16/2007	26.20	--	--	9.57	16.63
RWx-2	5/14/2007	26.20	11.12	0.00	11.12	15.08
RWx-2	6/29/2007	26.20	--	--	12.04	14.16
RWx-2	7/20/2007	26.20	--	--	12.51	13.69
RWx-2	8/21/2007	26.20	--	--	13.80	12.40
RWx-2	9/10/2007	26.20	--	--	13.84	12.36
RWx-2	10/22/2007	26.20	--	--	12.33	13.87
RWx-2	11/28/2007	26.20	9.80	1.00	10.80	16.15
RWx-2	12/13/2007	26.20	--	--	10.56	15.64
RWx-2	1/21/2008	26.20	10.41	0.09	10.50	15.77
RWx-2	2/24/2008	26.20	--	--	11.17	15.03
RWx-2	3/24/2008	26.20	--	--	11.10	15.10
RWx-2	8/25/2008	26.20	12.48	0.02	12.50	13.72
RWx-2	2/18/2009	26.20	--	--	11.15	15.05
RWx-2	8/25/2009	26.20	--	--	13.81	12.39
RWx-2	3/22/2010	26.20	--	--	9.40	16.80
RWx-2	8/23/2010	26.20	--	--	10.60	15.60
RWx-2	2/7/2011	26.20	--	--	9.21	16.99
RWx-2	5/27/2011	26.20	--	--	Not Monitored	
RW-3	11/20/2002	22.03	8.45	0.80	9.25	13.38
RW-3	11/21/2002	22.03	8.27	1.20	9.47	13.46
RW-3	11/22/2002	22.03	8.18	1.28	9.46	13.53
RW-3	11/24/2002	22.03	7.94	1.68	9.62	13.67
RW-3	1/2/2003	22.03	6.52	0.04	6.56	15.50
RW-3	1/3/2003	22.03	6.38	0.23	6.61	15.59
RW-3	1/6/2003	22.03	5.92	0.03	5.95	16.10
RW-3	1/7/2003	22.03	5.81	0.04	5.85	16.21
RW-3	1/8/2003	22.03	5.74	0.05	5.79	16.28
RW-3	1/9/2003	22.03	5.78	0.05	5.83	16.24
RW-3	1/10/2003	22.03	5.88	0.05	5.93	16.14
RW-3	1/13/2003	22.03	6.02	0.08	6.10	15.99
RW-3	1/14/2003	22.03	5.97	0.09	6.06	16.04
RW-3	1/15/2003	22.03	5.87	0.12	5.99	16.13
RW-3	1/16/2003	22.03	5.89	0.09	5.98	16.12
RW-3	1/17/2003	22.03	5.85	0.07	5.92	16.16
RW-3	1/20/2003	22.03	5.98	0.13	6.11	16.02
RW-3	1/22/2003	22.03	5.91	0.09	6.00	16.10
RW-3	1/23/2003	22.03	6.20	0.49	6.69	15.71
RW-3	1/24/2003	22.03	6.02	0.24	6.26	15.95
RW-3	1/27/2003	22.03	5.57	0.08	5.65	16.44
RW-3	1/28/2003	22.03	5.55	0.07	5.62	16.46
RW-3	1/29/2003	22.03	5.44	0.06	5.50	16.58
RW-3	1/30/2003	22.03	5.56	0.06	5.62	16.46
RW-3	2/3/2003	22.03	5.75	0.10	5.85	16.26
RW-3	2/6/2003	22.85	6.44	0.12	6.56	16.38
RW-3	2/11/2003	22.85	6.81	0.32	7.13	15.96
RW-3	2/18/2003	22.85	7.29	0.88	8.17	15.34
RW-3	2/21/2003	22.85	7.19	0.75	7.94	15.47
RW-3	2/26/2003	22.85	6.73	0.31	7.04	16.04
RW-3	3/4/2003	22.85	6.83	0.34	7.17	15.94
RW-3	3/12/2003	22.85	7.38	0.06	7.44	15.46
RW-3	3/14/2003	22.85	7.21	0.07	7.28	15.62
RW-3	3/26/2003	22.85	6.52	0.01	6.53	16.33
RW-3	3/28/2003	22.85	--	--	7.09	15.76
RW-3	4/2/2003	22.85	--	--	7.05	15.80
RW-3	4/4/2003	22.85	--	--	7.26	15.59

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-3	4/8/2003	22.85	--	--	6.90	15.95
RW-3	4/11/2003	22.85	--	--	7.51	15.34
RW-3	4/15/2003	22.85	--	--	6.67	16.18
RW-3	4/17/2003	22.85	--	--	7.61	15.24
RW-3	4/22/2003	22.85	--	--	7.61	15.24
RW-3	4/25/2003	22.85	--	--	7.22	15.63
RW-3	5/2/2003	22.85	8.21	0.25	8.46	14.58
RW-3	5/6/2003	22.85	8.51	0.24	8.75	14.28
RW-3	5/9/2003	22.85	8.71	0.12	8.83	14.11
RW-3	5/23/2003	22.85	9.74	0.03	9.77	13.10
RW-3	5/28/2003	22.85	8.75	0.01	8.76	14.10
RW-3	6/13/2003	22.85	9.19	0.02	9.21	13.66
RW-3	6/18/2003	22.85	9.16	0.06	9.22	13.68
RW-3	6/27/2003	22.85	--	--	9.50	13.35
RW-3	7/7/2003	22.85	10.05	0.06	10.11	12.79
RW-3	7/16/2003	22.85	10.02	0.01	10.03	12.83
RW-3	7/31/2003	22.85	10.18	0.11	10.29	12.64
RW-3	8/5/2003	22.85	--	--	Dry	NM
RW-3	8/11/2003	22.85	11.00	0.30	11.30	11.78
RW-3	8/22/2003	22.85	10.98	0.29	11.27	11.80
RW-3	8/26/2003	22.85	--	--	11.14	11.71
RW-3	9/2/2003	22.85	--	--	10.28	12.57
RW-3	9/9/2003	22.85	--	--	10.29	12.56
RW-3	9/19/2003	22.85	--	--	10.29	12.56
RW-3	10/14/2003	22.85	--	--	10.30	12.55
RW-3	11/20/2003	22.85	7.16	1.29	8.45	15.37
RW-3	12/3/2003	22.85	6.72	0.05	6.77	16.12
RW-3	1/19/2004	22.85	--	--	6.26	16.59
RW-3	2/24/2004	22.85	--	--	6.72	16.13
RW-3	3/15/2004	22.85	--	--	7.78	15.07
RW-3	4/19/2004	22.85	--	--	8.71	14.14
RW-3	5/17/2004	22.85	9.73	0.01	9.74	13.12
RW-3	6/22/2004	22.85	9.36	0.02	9.38	13.49
RW-3	8/18/2004	22.85	--	--	10.26	12.59
RW-3	9/21/2004	22.85	--	--	10.00	12.85
RW-3	10/19/2004	22.85	--	--	8.21	14.64
RW-3	11/23/2004	22.85	--	--	9.18	13.67
RW-3	12/21/2004	22.85	--	--	6.71	16.14
RW-3	1/13/2005	22.85	--	--	7.73	15.12
RW-3	4/28/2005	22.85	--	--	6.78	16.07
RW-3	6/1/2005	22.85	--	--	7.10	15.75
RW-3	6/29/2005	22.85	--	--	8.72	14.13
RW-3	7/20/2005	22.85	--	--	9.20	13.65
RW-3	8/22/2005	22.85	--	--	9.50	13.35
RW-3	9/12/2005	22.85	--	--	9.28	13.57
RW-3	10/12/2005	22.85	--	--	9.29	13.56
RW-3	11/21/2005	22.85	--	--	7.25	15.60
RW-3	12/27/2005	22.85	--	--	4.12	18.73
RW-3	1/30/2006	22.85	--	--	2.41	20.44
RW-3	2/16/2006	22.85	--	--	4.69	18.16
RW-3	3/13/2006	22.85	--	--	5.89	16.96
RW-3	4/18/2006	22.85	--	--	6.02	16.83
RW-3	5/12/2006	22.85	--	--	6.74	16.11
RW-3	6/9/2006	22.85	--	--	6.28	16.57
RW-3	7/13/2006	22.85	--	--	7.56	15.29
RW-3	8/16/2006	22.85	--	--	8.75	14.10
RW-3	9/19/2006	22.85	--	--	9.30	13.55
RW-3	10/13/2006	22.85	--	--	9.13	13.72
RW-3	11/20/2006	22.85	--	--	3.63	19.22
RW-3	12/8/2006	22.85	--	--	4.01	18.84
RW-3	1/19/2007	22.85	--	--	3.48	19.37
RW-3	2/19/2007	22.85	--	--	6.21	16.64
RW-3	3/15/2007	22.85	--	--	4.97	17.88
RW-3	4/16/2007	22.85	--	--	5.81	17.04
RW-3	5/14/2007	22.85	--	--	7.30	15.55
RW-3	6/29/2007	22.85	--	--	8.57	14.28
RW-3	7/20/2007	22.85	--	--	9.05	13.80
RW-3	8/21/2007	22.85	--	--	9.30	13.55
RW-3	9/10/2007	22.85	--	--	9.29	13.56
RW-3	10/22/2007	22.85	--	--	8.02	14.83
RW-3	11/28/2007	22.85	--	--	7.51	15.34

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-3	12/13/2007	22.85	--	--	6.82	16.03
RW-3	1/21/2008	22.85	--	--	6.29	16.56
RW-3	2/24/2008	22.85	--	--	7.00	15.85
RW-3	3/24/2008	22.85	--	--	6.68	16.17
RW-3	8/25/2008	22.85	--	--	8.15	14.70
RW-3	2/18/2009	22.85	--	--	7.24	15.61
RW-3	8/25/2009	22.85	--	--	9.33	13.52
RW-3	3/22/2010	22.85	--	--	6.24	16.61
RW-3	8/23/2010	22.85	--	--	8.85	14.00
RW-3	2/7/2011	22.85	--	--	5.16	17.69
RW-3	5/27/2011	22.85	--	--	6.38	16.47
RW-3	8/8/2011	22.85	--	--	8.97	13.88
RW-3	11/14/2011	22.85	--	--	8.10	14.75
RW-3	2/20/2012	22.85	--	--	4.77	18.08
RW-3	8/22/2012	22.85	--	--	8.58	14.27
RW-3	11/5/2012	22.85	--	--	5.12	17.73
RW-3	1/28/2013	22.85	--	--	4.98	17.87
RW-3	5/9/2013	22.85	--	--	6.83	16.02
RW-3	8/19/2013	22.85	--	--	9.31	13.54
RW-3	11/25/2013	22.85	--	--	6.85	16.00
RW-3	2/14/2014	22.85	--	--	4.64	18.21
RW-4	11/20/2002	23.02	7.50	2.64	10.14	14.86
RW-4	11/21/2002	23.02	7.50	2.64	10.14	14.86
RW-4	11/22/2002	23.02	8.37	0.77	9.14	14.46
RW-4	11/24/2002	23.02	7.57	2.52	10.09	14.82
RW-4	1/3/2003	23.02	6.31	0.50	6.81	16.59
RW-4	1/6/2003	23.02	6.02	0.04	6.06	16.99
RW-4	1/7/2003	23.02	5.74	0.18	5.92	17.24
RW-4	1/8/2003	23.02	5.67	0.14	5.81	17.32
RW-4	1/9/2003	23.02	5.67	0.19	5.86	17.30
RW-4	1/10/2003	23.02	5.76	0.25	6.01	17.20
RW-4	1/13/2003	23.02	5.80	0.35	6.15	17.13
RW-4	1/14/2003	23.02	5.85	0.29	6.14	17.10
RW-4	1/15/2003	23.02	5.05	1.80	6.85	17.52
RW-4	1/16/2003	23.02	5.78	0.27	6.05	17.17
RW-4	1/17/2003	23.02	5.72	0.27	5.99	17.23
RW-4	1/20/2003	23.02	5.84	0.30	6.14	17.11
RW-4	1/22/2003	23.02	5.82	0.34	6.16	17.12
RW-4	1/23/2003	23.02	6.12	0.58	6.70	16.76
RW-4	1/24/2003	23.02	5.97	0.38	6.35	16.96
RW-4	1/27/2003	23.02	5.51	0.13	5.64	17.48
RW-4	1/28/2003	23.02	5.50	0.10	5.60	17.50
RW-4	1/29/2003	23.02	5.36	0.07	5.43	17.64
RW-4	1/30/2003	23.02	5.45	0.13	5.58	17.54
RW-4	2/3/2003	23.02	5.66	0.21	5.87	17.31
RW-4	2/6/2003	23.78	6.35	0.28	6.63	17.36
RW-4	2/11/2003	23.78	6.75	0.39	7.14	16.93
RW-4	2/18/2003	23.78	7.22	1.07	8.29	16.29
RW-4	2/21/2003	23.78	7.10	0.97	8.07	16.44
RW-4	2/26/2003	23.78	6.74	0.84	7.58	16.83
RW-4	3/4/2003	23.78	7.08	0.14	7.22	16.67
RW-4	3/12/2003	23.78	7.34	0.41	7.75	16.34
RW-4	3/14/2003	23.78	7.20	0.64	7.84	16.42
RW-4	3/26/2003	23.78	6.61	0.40	7.01	17.07
RW-4	3/28/2003	23.78	7.15	0.47	7.62	16.51
RW-4	4/2/2003	23.78	7.21	0.24	7.45	16.51
RW-4	4/4/2003	23.78	7.52	0.15	7.67	16.22
RW-4	4/8/2003	23.78	--	--	7.26	16.52
RW-4	4/11/2003	23.78	7.72	0.03	7.75	16.05
RW-4	4/15/2003	23.78	7.14	0.06	7.20	16.63
RW-4	4/17/2003	23.78	7.82	0.08	7.90	15.94
RW-4	4/22/2003	23.78	7.87	0.08	7.95	15.89
RW-4	4/25/2003	23.78	7.91	0.11	8.02	15.84
RW-4	5/2/2003	23.78	8.32	0.13	8.45	15.43
RW-4	5/6/2003	23.78	8.50	0.31	8.81	15.20
RW-4	5/9/2003	23.78	8.72	0.36	9.08	14.97
RW-4	5/23/2003	23.78	8.92	1.11	10.03	14.58
RW-4	5/28/2003	23.78	8.80	0.02	8.82	14.98
RW-4	6/13/2003	23.78	8.90	1.72	10.62	14.45
RW-4	6/18/2003	23.78	8.85	1.96	10.81	14.44

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
RW-4	6/27/2003	23.78	9.40	1.42	10.82	14.03
RW-4	7/7/2003	23.78	9.54	1.27	10.81	13.92
RW-4	7/16/2003	23.78	9.41	1.40	10.81	14.02
RW-4	7/31/2003	23.78	9.95	0.85	10.80	13.62
RW-4	8/5/2003	23.78	9.82	0.98	10.80	13.72
RW-4	8/11/2003	23.78	10.84	0.94	11.78	12.71
RW-4	8/22/2003	23.78	10.87	0.92	11.79	12.68
RW-4	8/26/2003	23.78	10.36	0.44	10.80	13.31
RW-4	9/2/2003	23.78	10.22	0.58	10.80	13.42
RW-4	9/9/2003	23.78	--	--	10.80	12.98
RW-4	9/19/2003	23.78	--	--	10.81	12.97
RW-4	10/14/2003	23.78	--	--	10.80	12.98
RW-4	11/20/2003	23.78	7.96	1.54	9.50	15.44
RW-4	12/3/2003	23.78	6.75	1.03	7.78	16.77
RW-4	1/19/2004	23.78	6.18	0.06	6.24	17.59
RW-4	2/24/2004	23.78	6.97	0.06	7.03	16.80
RW-4	3/15/2004	23.78	--	--	8.10	15.68
RW-4	4/19/2004	23.78	--	--	8.71	15.07
RW-4	5/17/2004	23.78	--	--	9.73	14.05
RW-4	6/22/2004	23.78	--	--	9.57	14.21
RW-4	8/18/2004	23.78	10.35	0.42	10.77	13.33
RW-4	9/21/2004	23.78	9.53	0.19	9.72	14.20
RW-4	10/19/2004	23.78	8.63	0.39	9.02	15.05
RW-4	11/23/2004	23.78	8.94	0.05	8.99	14.83
RW-4	12/21/2004	23.78	6.68	0.08	6.76	17.08
RW-4	1/13/2005	23.78	--	--	7.74	16.04
RW-4	4/28/2005	23.78	--	--	6.77	17.01
RW-4	6/1/2005	23.78	--	--	7.02	16.76
RW-4	6/29/2005	23.78	--	--	Not Monitored	
RW-4	7/20/2005	23.78	--	--	Not Monitored	
RW-4	8/22/2005	23.78	--	--	9.50	14.28
RW-4	9/12/2005	23.78	--	--	10.31	13.47
RW-4	10/12/2005	23.78	10.69	0.13	10.82	13.06
RW-4	11/21/2005	23.78	--	--	8.40	15.38
RW-4	12/27/2005	23.78	--	--	5.14	18.64
RW-4	1/30/2006	23.78	--	--	3.40	20.38
RW-4	2/16/2006	23.78	--	--	5.65	18.13
RW-4	3/13/2006	23.78	--	--	6.81	16.97
RW-4	4/18/2006	23.78	--	--	6.95	16.83
RW-4	5/12/2006	23.78	--	--	7.69	16.09
RW-4	6/9/2006	23.78	--	--	7.25	16.53
RW-4	7/13/2006	23.78	--	--	8.56	15.22
RW-4	8/16/2006	23.78	--	--	9.70	14.08
RW-4	9/19/2006	23.78	--	--	10.30	13.48
RW-4	10/13/2006	23.78	--	--	10.05	13.73
RW-4	11/20/2006	23.78	--	--	4.64	19.14
RW-4	12/8/2006	23.78	--	--	5.00	18.78
RW-4	1/19/2007	23.78	--	--	4.47	19.31
RW-4	2/19/2007	23.78	--	--	7.16	16.62
RW-4	3/15/2007	23.78	--	--	5.91	17.87
RW-4	4/16/2007	23.78	--	--	6.75	17.03
RW-4	5/14/2007	23.78	--	--	8.22	15.56
RW-4	6/29/2007	23.78	--	--	9.54	14.24
RW-4	7/20/2007	23.78	--	--	10.02	13.76
RW-4	8/21/2007	23.78	--	--	10.72	13.06
RW-4	9/10/2007	23.78	--	--	10.71	13.07
RW-4	10/22/2007	23.78	--	--	8.88	14.90
RW-4	11/28/2007	23.78	--	--	Not Monitored	
RW-4	12/13/2007	23.78	--	--	7.22	16.56
RW-4	1/21/2008	23.78	--	--	7.22	16.56
RW-4	2/24/2008	23.78	--	--	7.91	15.87
RW-4	3/24/2008	23.78	--	--	7.69	16.09
RW-4	8/25/2008	23.78	--	--	9.18	14.60
RW-4	2/18/2009	23.78	--	--	8.17	15.61
RW-4	8/25/2009	23.78	--	--	10.85	12.93
RW-4	3/22/2010	23.78	--	--	7.17	16.61
RW-4	8/23/2010	23.78	--	--	9.89	13.89
RW-4	2/7/2011	23.78	--	--	6.11	17.67
RW-4	5/27/2011	23.78	--	--	Not Monitored	
RW-4	8/8/2011	23.78	--	--	9.85	13.93
RW-4	11/14/2011	23.78	--	--	9.06	14.72

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-4	2/20/2012	23.78	--	--	5.12	18.66
RW-4	8/22/2012	23.78	--	--	9.51	14.27
RW-4	11/5/2012	23.78	--	--	6.07	17.71
RW-4	1/28/2013	23.78	--	--	5.94	17.84
RW-4	5/9/2013	23.78	--	--	7.77	16.01
RW-4	8/19/2013	23.78	--	--	10.37	13.41
RW-4	11/25/2013	23.78	--	--	7.76	16.02
RW-4	2/14/2014	23.78	--	--	5.57	18.21
RW-5	11/20/2002	23.70	8.65	0.02	8.67	15.05
RW-5	11/21/2002	23.70	8.30	0.10	8.40	15.38
RW-5	11/22/2002	23.70	8.46	0.06	8.52	15.23
RW-5	11/24/2002	23.70	8.63	0.28	8.91	15.00
RW-5	1/2/2003	23.70	6.87	0.04	6.91	16.82
RW-5	1/3/2003	23.70	6.77	0.03	6.80	16.92
RW-5	1/6/2003	23.70	6.46	0.04	6.50	17.23
RW-5	1/7/2003	23.70	6.36	0.06	6.42	17.33
RW-5	1/8/2003	23.70	6.13	0.03	6.16	17.56
RW-5	1/9/2003	23.70	6.25	0.03	6.28	17.44
RW-5	1/10/2003	23.70	6.43	0.04	6.47	17.26
RW-5	1/13/2003	23.70	6.48	0.03	6.51	17.21
RW-5	1/14/2003	23.70	6.44	0.05	6.49	17.25
RW-5	1/15/2003	23.70	6.37	0.04	6.41	17.32
RW-5	1/16/2003	23.70	6.40	0.02	6.42	17.30
RW-5	1/17/2003	23.70	6.37	0.04	6.41	17.32
RW-5	1/20/2003	23.70	6.57	0.05	6.62	17.12
RW-5	1/22/2003	23.70	6.60	0.08	6.68	17.08
RW-5	1/23/2003	23.70	6.83	0.07	6.90	16.85
RW-5	1/24/2003	23.70	6.69	0.03	6.72	17.00
RW-5	1/27/2003	23.70	5.97	0.06	6.03	17.72
RW-5	1/28/2003	23.70	5.95	0.09	6.04	17.73
RW-5	1/29/2003	23.70	5.82	0.12	5.94	17.85
RW-5	1/30/2003	23.70	5.90	0.10	6.00	17.78
RW-5	2/3/2003	23.70	6.34	0.07	6.41	17.34
RW-5	2/6/2003	24.44	7.12	0.06	7.18	17.31
RW-5	2/11/2003	24.44	7.63	0.07	7.70	16.79
RW-5	2/18/2003	24.44	8.11	0.14	8.25	16.30
RW-5	2/21/2003	24.44	7.99	0.03	8.02	16.44
RW-5	2/26/2003	24.44	7.74	0.01	7.75	16.70
RW-5	3/4/2003	24.44	--	--	7.59	16.85
RW-5	3/12/2003	24.44	8.04	0.01	8.05	16.40
RW-5	3/14/2003	24.44	7.84	0.01	7.85	16.60
RW-5	3/26/2003	24.44	--	--	7.19	17.25
RW-5	3/28/2003	24.44	--	--	7.71	16.73
RW-5	4/2/2003	24.44	--	--	7.85	16.59
RW-5	4/4/2003	24.44	--	--	8.16	16.28
RW-5	4/8/2003	24.44	7.71	0.00	7.72	16.73
RW-5	4/11/2003	24.44	--	--	7.78	16.66
RW-5	4/15/2003	24.44	7.44	0.01	7.45	17.00
RW-5	4/17/2003	24.44	--	--	7.91	16.53
RW-5	4/22/2003	24.44	--	--	7.75	16.69
RW-5	4/25/2003	24.44	--	--	7.84	16.60
RW-5	5/2/2003	24.44	--	--	8.78	15.66
RW-5	5/6/2003	24.44	9.05	0.01	9.06	15.39
RW-5	5/9/2003	24.44	9.06	0.05	9.11	15.37
RW-5	5/23/2003	24.44	9.08	0.01	9.09	15.36
RW-5	5/28/2003	24.44	9.27	0.01	9.28	15.17
RW-5	6/13/2003	24.44	9.85	0.06	9.91	14.58
RW-5	6/18/2003	24.44	9.81	0.08	9.89	14.61
RW-5	6/27/2003	24.44	9.26	0.22	9.48	15.13
RW-5	7/7/2003	24.44	10.51	0.19	10.70	13.88
RW-5	7/16/2003	24.44	10.29	0.16	10.45	14.11
RW-5	7/31/2003	24.44	--	--	10.68	13.76
RW-5	8/5/2003	24.44	--	--	10.68	13.76
RW-5	8/11/2003	24.44	--	--	11.68	12.76
RW-5	8/22/2003	24.44	11.57	0.08	11.65	12.85
RW-5	8/26/2003	24.44	--	--	10.68	13.76
RW-5	9/2/2003	24.44	--	--	10.67	13.77
RW-5	9/9/2003	24.44	--	--	10.68	13.76
RW-5	9/19/2003	24.44	--	--	10.68	13.76
RW-5	10/14/2003	24.44	--	--	10.65	13.79

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-5	11/20/2003	24.44	--	--	8.20	16.24
RW-5	12/3/2003	24.44	--	--	7.15	17.29
RW-5	1/19/2004	24.44	--	--	6.71	17.73
RW-5	2/24/2004	24.44	--	--	7.68	16.76
RW-5	3/15/2004	24.44	--	--	8.58	15.86
RW-5	4/19/2004	24.44	--	--	9.47	14.97
RW-5	5/17/2004	24.44	--	--	10.28	14.16
RW-5	6/22/2004	24.44	--	--	9.76	14.68
RW-5	8/18/2004	24.44	10.69	0.01	10.70	13.75
RW-5	9/21/2004	24.44	--	--	9.35	15.09
RW-5	10/19/2004	24.44	--	--	8.55	15.89
RW-5	11/23/2004	24.44	--	--	8.94	15.50
RW-5	12/21/2004	24.44	--	--	7.48	16.96
RW-5	1/13/2005	24.44	--	--	8.38	16.06
RW-5	4/28/2005	24.44	--	--	7.78	16.66
RW-5	6/1/2005	24.44	--	--	8.08	16.36
RW-5	6/29/2005	24.44	--	--	9.28	15.16
RW-5	7/20/2005	24.44	--	--	Not Monitored	
RW-5	8/22/2005	24.44	--	--	10.45	13.99
RW-5	5/27/2011	24.44	--	--	Not Monitored	
RWx-5	9/12/2005	24.97	--	--	13.43	11.54
RWx-5	10/12/2005	24.97	--	--	13.32	11.65
RWx-5	11/21/2005	24.97	10.88	0.03	10.91	14.08
RWx-5	12/27/2005	24.97	8.39	0.21	8.60	16.53
RWx-5	1/30/2006	24.97	7.85	0.01	7.86	17.12
RWx-5	2/16/2006	24.97	7.77	0.21	7.98	17.15
RWx-5	3/13/2006	24.97	7.74	0.07	7.81	17.21
RWx-5	4/18/2006	24.97	8.95	0.23	9.18	15.96
RWx-5	5/12/2006	24.97	9.33	0.13	9.46	15.61
RWx-5	6/9/2006	24.97	8.87	0.03	8.90	16.09
RWx-5	7/13/2006	24.97	10.05	0.25	10.30	14.86
RWx-5	8/16/2006	24.97	11.10	0.27	11.37	13.80
RWx-5	9/19/2006	24.97	--	--	11.67	13.30
RWx-5	10/13/2006	24.97	11.45	0.15	11.60	13.48
RWx-5	11/20/2006	24.97	--	--	6.86	18.11
RWx-5	12/8/2006	24.97	--	--	7.25	17.72
RWx-5	1/19/2007	24.97	--	--	6.60	18.37
RWx-5	2/19/2007	24.97	--	--	8.90	16.07
RWx-5	3/15/2007	24.97	--	--	7.77	17.20
RWx-5	4/16/2007	24.97	--	--	8.35	16.62
RWx-5	5/14/2007	24.97	--	--	9.77	15.20
RWx-5	6/29/2007	24.97	--	--	10.92	14.05
RWx-5	7/20/2007	24.97	--	--	11.37	13.60
RWx-5	8/21/2007	24.97	--	--	12.05	12.92
RWx-5	9/10/2007	24.97	12.10	--	12.11	12.86
RWx-5	10/22/2007	24.97	--	--	10.52	14.45
RWx-5	11/28/2007	24.97	--	--	9.95	15.02
RWx-5	12/13/2007	24.97	--	--	8.71	16.26
RWx-5	1/21/2008	24.97	--	--	8.75	16.22
RWx-5	2/24/2008	24.97	--	--	12.21	12.76
RWx-5	3/24/2008	24.97	--	--	9.36	15.61
RWx-5	8/25/2008	24.97	--	--	11.17	13.80
RWx-5	2/18/2009	24.97	--	--	9.92	15.05
RWx-5	8/25/2009	24.97	--	--	12.58	12.39
RWx-5	3/22/2010	24.97	--	--	9.02	15.95
RWx-5	8/23/2010	24.97	--	--	11.57	13.40
RWx-5	2/7/2011	24.97	--	--	8.15	16.82
RWx-5	5/27/2011	24.97	--	--	9.16	15.81
RWx-5	8/8/2011	24.97	--	--	11.63	13.34
RWx-5	11/14/2011	24.97	--	--	10.56	14.41
RWx-5	2/20/2012	24.97	--	--	8.21	16.76
RWx-5	8/22/2012	24.97	--	--	11.25	13.72
RWx-5	11/5/2012	24.97	--	--	8.52	16.45
RWx-5	1/28/2013	24.97	--	--	8.07	16.90
RWx-5	5/9/2013	24.97	--	--	10.61	14.36
RWx-5	8/19/2013	24.97	--	--	12.71	12.26
RWx-5	11/25/2013	24.97	--	--	9.12	15.85
RWx-5	2/14/2014	24.97	--	--	6.71	18.26
RW-6	11/20/2002	23.43	8.05	2.05	10.10	14.87

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-6	11/21/2002	23.43	8.40	0.15	8.55	14.99
RW-6	11/22/2002	23.43	8.45	0.24	8.69	14.92
RW-6	11/24/2002	23.43	8.65	0.33	8.98	14.70
RW-6	1/2/2003	23.43	6.70	0.87	7.57	16.51
RW-6	1/7/2003	23.43	6.50	0.26	6.76	16.87
RW-6	1/8/2003	23.43	6.09	0.51	6.60	17.21
RW-6	1/9/2003	23.43	6.28	0.38	6.66	17.06
RW-6	1/10/2003	23.43	6.42	0.23	6.65	16.95
RW-6	1/13/2003	23.43	8.16	0.07	8.23	15.25
RW-6	1/14/2003	23.43	6.73	0.20	6.93	16.65
RW-6	1/15/2003	23.43	6.30	0.60	6.90	16.98
RW-6	1/16/2003	23.43	6.28	0.65	6.93	16.99
RW-6	1/17/2003	23.43	6.29	0.00	6.29	17.14
RW-6	1/20/2003	23.43	6.31	0.63	6.94	16.96
RW-6	1/22/2003	23.43	6.41	0.75	7.16	16.83
RW-6	1/23/2003	23.43	6.60	0.80	7.40	16.63
RW-6	1/24/2003	23.43	6.45	0.76	7.21	16.79
RW-6	1/27/2003	23.43	5.82	0.62	6.44	17.46
RW-6	1/28/2003	23.43	5.90	0.39	6.29	17.43
RW-6	1/29/2003	23.43	5.81	0.35	6.16	17.53
RW-6	1/30/2003	23.43	5.92	0.28	6.20	17.44
RW-6	2/3/2003	23.43	6.25	0.19	6.44	17.13
RW-6	2/6/2003	24.18	6.96	0.18	7.14	17.18
RW-6	2/11/2003	24.18	7.44	0.31	7.75	16.66
RW-6	2/18/2003	24.18	7.90	0.51	8.41	16.15
RW-6	2/21/2003	24.18	7.86	0.47	8.33	16.20
RW-6	2/26/2003	24.18	7.76	0.01	7.77	16.42
RW-6	3/4/2003	24.18	--	--	7.46	16.72
RW-6	3/12/2003	24.18	8.01	0.01	8.02	16.17
RW-6	3/14/2003	24.18	--	--	7.81	16.37
RW-6	3/26/2003	24.18	--	--	7.02	17.16
RW-6	3/28/2003	24.18	--	--	7.62	16.56
RW-6	4/2/2003	24.18	--	--	7.74	16.44
RW-6	4/4/2003	24.18	--	--	8.07	16.11
RW-6	4/8/2003	24.18	--	--	7.69	16.49
RW-6	4/11/2003	24.18	7.61	0.01	7.62	16.57
RW-6	4/15/2003	24.18	--	--	7.29	16.89
RW-6	4/17/2003	24.18	7.78	0.01	7.79	16.40
RW-6	4/22/2003	24.18	--	--	7.81	16.37
RW-6	4/25/2003	24.18	--	--	7.75	16.43
RW-6	5/2/2003	24.18	--	--	8.66	15.52
RW-6	5/6/2003	24.18	8.84	0.28	9.12	15.27
RW-6	5/9/2003	24.18	8.82	0.43	9.25	15.25
RW-6	5/23/2003	24.18	8.85	0.86	9.71	15.12
RW-6	5/28/2003	24.18	8.93	1.08	10.01	14.98
RW-6	6/13/2003	24.18	9.28	0.81	10.09	14.70
RW-6	6/18/2003	24.18	9.22	1.53	10.75	14.58
RW-6	6/27/2003	24.18	9.60	1.22	10.82	14.28
RW-6	7/7/2003	24.18	9.90	0.91	10.81	14.05
RW-6	7/16/2003	24.18	9.68	1.08	10.76	14.23
RW-6	7/31/2003	24.18	10.34	0.42	10.76	13.74
RW-6	8/5/2003	24.18	10.30	0.45	10.75	13.77
RW-6	8/11/2003	24.18	11.35	0.39	11.74	12.73
RW-6	8/22/2003	24.18	11.10	0.64	11.74	12.92
RW-6	8/26/2003	24.18	10.71	0.05	10.76	13.46
RW-6	9/2/2003	24.18	10.61	0.14	10.75	13.54
RW-6	9/9/2003	24.18	--	--	10.76	13.42
RW-6	9/19/2003	24.18	--	--	10.76	13.42
RW-6	10/14/2003	24.18	--	--	10.75	13.43
RW-6	11/20/2003	24.18	--	--	8.50	15.68
RW-6	12/3/2003	24.18	--	--	7.08	17.10
RW-6	1/19/2004	24.18	--	--	6.62	17.56
RW-6	2/24/2004	24.18	--	--	7.58	16.60
RW-6	3/15/2004	24.18	--	--	8.57	15.61
RW-6	4/19/2004	24.18	--	--	9.36	14.82
RW-6	5/17/2004	24.18	--	--	10.15	14.03
RW-6	6/22/2004	24.18	--	--	9.91	14.27
RW-6	8/18/2004	24.18	10.72	0.01	10.73	13.46
RW-6	9/21/2004	24.18	--	--	9.73	14.45
RW-6	10/19/2004	24.18	--	--	8.83	15.35
RW-6	11/23/2004	24.18	--	--	8.86	15.32

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-6	12/21/2004	24.18	--	--	7.33	16.85
RW-6	1/13/2005	24.18	--	--	8.22	15.96
RW-6	4/28/2005	24.18	--	--	7.65	16.53
RW-6	6/1/2005	24.18	--	--	7.95	16.23
RW-6	6/29/2005	24.18	--	--	9.21	14.97
RW-6	7/20/2005	24.18	--	--	9.81	14.37
RW-6	8/22/2005	24.18	--	--	10.20	13.98
RW-6	9/12/2005	24.18	--	--	10.77	13.41
RW-6	10/12/2005	24.18	--	--	10.77	13.41
RW-6	11/21/2005	24.18	--	--	9.96	14.22
RW-6	12/27/2005	24.18	--	--	7.45	16.73
RW-6	1/30/2006	24.18	--	--	4.72	19.46
RW-6	2/16/2006	24.18	--	--	6.86	17.32
RW-6	3/13/2006	24.18	--	--	7.82	16.36
RW-6	4/18/2006	24.18	--	--	8.04	16.14
RW-6	5/12/2006	24.18	--	--	8.52	15.66
RW-6	6/9/2006	24.18	--	--	8.10	16.08
RW-6	7/13/2006	24.18	--	--	9.26	14.92
RW-6	8/16/2006	24.18	--	--	10.25	13.93
RW-6	9/19/2006	24.18	--	--	10.77	13.41
RW-6	10/13/2006	24.18	--	--	10.56	13.62
RW-6	11/20/2006	24.18	--	--	6.05	18.13
RW-6	12/8/2006	24.18	--	--	6.39	17.79
RW-6	1/19/2007	24.18	--	--	5.68	18.50
RW-6	2/19/2007	24.18	--	--	7.95	16.23
RW-6	3/15/2007	24.18	--	--	6.96	17.22
RW-6	4/16/2007	24.18	--	--	7.61	16.57
RW-6	5/14/2007	24.18	--	--	8.90	15.28
RW-6	6/29/2007	24.18	--	--	10.10	14.08
RW-6	7/20/2007	24.18	--	--	10.53	13.65
RW-6	8/21/2007	24.18	--	--	10.75	13.43
RW-6	9/10/2007	24.18	--	--	10.76	13.42
RW-6	10/22/2007	24.18	--	--	9.22	14.96
RW-6	11/28/2007	24.18	--	--	8.94	15.24
RW-6	12/13/2007	24.18	--	--	7.47	16.71
RW-6	1/21/2008	24.18	--	--	7.79	16.39
RW-6	2/24/2008	24.18	--	--	10.61	13.57
RW-6	3/24/2008	24.18	--	--	8.45	15.73
RW-6	8/25/2008	24.18	--	--	9.80	14.38
RW-6	2/18/2009	24.18	--	--	8.85	15.33
RW-6	8/25/2009	24.18	--	--	10.80	13.38
RW-6	3/22/2010	24.18	--	--	8.19	15.99
RW-6	8/23/2010	24.18	--	--	10.20	13.98
RW-6	2/7/2011	24.18	--	--	7.25	16.93
RW-6	5/27/2011	24.18	--	--	Not Monitored	
RW-6	8/8/2011	24.18	--	--	10.31	13.87
RW-6	11/14/2011	24.18	--	--	9.56	14.62
RW-6	2/20/2012	24.18	--	--	7.19	16.99
RW-6	8/22/2012	24.18	--	--	10.07	14.11
RW-6	11/5/2012	24.18	--	--	7.63	16.55
RW-6	1/28/2013	24.18	--	--	7.16	17.02
RW-6	5/9/2013	24.18	--	--	8.22	15.96
RW-6	8/19/2013	24.18	--	--	10.80	13.38
RW-6	11/25/2013	24.18	--	--	8.32	15.86
RW-6	11/25/2013	24.18	--	--	8.32	15.86
RW-6	2/14/2014	24.18	--	--	6.76	17.42
RW-7	11/20/2002	23.01	7.65	2.46	10.11	14.75
RW-7	11/21/2002	23.01	7.60	2.51	10.11	14.78
RW-7	11/22/2002	23.01	8.03	1.75	9.78	14.54
RW-7	11/24/2002	23.01	8.23	1.26	9.49	14.47
RW-7	1/2/2003	23.01	6.44	0.40	6.84	16.47
RW-7	1/3/2003	23.01	6.28	0.40	6.68	16.63
RW-7	1/6/2003	23.01	5.93	0.12	6.05	17.05
RW-7	1/7/2003	23.01	5.84	0.20	6.04	17.12
RW-7	1/8/2003	23.01	5.66	0.20	5.86	17.30
RW-7	1/9/2003	23.01	5.72	0.33	6.05	17.21
RW-7	1/10/2003	23.01	5.90	0.25	6.15	17.05
RW-7	1/13/2003	23.01	5.98	0.37	6.35	16.94
RW-7	1/14/2003	23.01	5.97	0.27	6.24	16.97
RW-7	1/15/2003	23.01	5.95	0.30	6.25	16.99

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RW-7	1/16/2003	23.01	5.84	0.41	6.25	17.07
RW-7	1/17/2003	23.01	5.85	0.35	6.20	17.07
RW-7	1/20/2003	23.01	6.02	0.53	6.55	16.86
RW-7	1/22/2003	23.01	6.11	0.80	6.91	16.70
RW-7	1/23/2003	23.01	6.25	1.05	7.30	16.50
RW-7	1/24/2003	23.01	6.16	1.03	7.19	16.59
RW-7	1/27/2003	23.01	5.60	0.58	6.18	17.27
RW-7	1/28/2003	23.01	5.65	0.63	6.28	17.20
RW-7	1/29/2003	23.01	5.55	0.65	6.20	17.30
RW-7	1/30/2003	23.01	5.65	0.67	6.32	17.19
RW-7	2/3/2003	23.01	5.91	0.76	6.67	16.91
RW-7	2/6/2003	23.78	6.55	0.79	7.34	17.03
RW-7	2/11/2003	23.78	6.99	1.08	8.07	16.52
RW-7	2/21/2003	23.78	7.42	0.99	8.41	16.11
RW-7	2/26/2003	23.78	7.24	0.04	7.28	16.53
RW-7	3/4/2003	23.78	--	--	6.96	16.82
RW-7	3/12/2003	23.01	Trace	--	7.71	15.30
RW-7	3/14/2003	23.01	--	--	7.51	15.50
RW-7	3/26/2003	23.01	--	--	6.68	16.33
RW-7	3/28/2003	23.01	--	--	7.25	15.76
RW-7	4/2/2003	23.01	--	--	7.42	15.59
RW-7	4/4/2003	23.01	--	--	7.64	15.37
RW-7	4/8/2003	23.01	--	--	7.22	15.79
RW-7	4/11/2003	23.01	--	--	7.16	15.85
RW-7	4/15/2003	23.01	--	--	6.81	16.20
RW-7	4/17/2003	23.01	--	--	7.38	15.63
RW-7	4/22/2003	23.01	--	--	7.34	15.67
RW-7	4/25/2003	23.01	--	--	7.21	15.80
RW-7	5/2/2003	23.01	8.30	0.03	8.33	14.70
RW-7	5/6/2003	23.01	8.52	0.08	8.60	14.47
RW-7	5/9/2003	23.01	8.54	0.03	8.57	14.46
RW-7	5/23/2003	23.01	8.55	1.03	9.58	14.20
RW-7	5/28/2003	23.01	8.57	1.55	10.12	14.05
RW-7	6/13/2003	23.01	8.92	1.64	10.56	13.68
RW-7	6/18/2003	23.01	8.88	1.87	10.75	13.66
RW-7	6/27/2003	23.01	9.26	1.55	10.81	13.36
RW-7	7/7/2003	23.01	9.54	1.21	10.75	13.17
RW-7	7/16/2003	23.01	9.42	1.30	10.72	13.27
RW-7	7/31/2003	23.01	9.98	0.76	10.74	12.84
RW-7	8/5/2003	23.01	10.88	0.74	11.62	11.95
RW-7	8/11/2003	23.01	11.00	0.69	11.69	11.84
RW-7	8/22/2003	23.01	10.70	1.01	11.71	12.06
RW-7	8/26/2003	23.01	11.28	0.37	11.65	11.64
RW-7	9/2/2003	23.01	10.36	0.36	10.72	12.56
RW-7	9/9/2003	23.01	10.75	0.01	10.76	12.26
RW-7	9/19/2003	23.01	--	--	10.76	12.25
RW-7	10/14/2003	23.01	--	--	10.77	12.24
RW-7	11/20/2003	23.01	--	--	8.24	14.77
RW-7	12/3/2003	23.01	--	--	6.79	16.22
RW-7	1/19/2004	23.01	--	--	6.31	16.70
RW-7	2/24/2004	23.01	--	--	7.11	15.90
RW-7	3/15/2004	23.01	--	--	8.20	14.81
RW-7	4/19/2004	23.01	--	--	8.85	14.16
RW-7	5/17/2004	23.01	--	--	9.79	13.22
RW-7	6/22/2004	23.01	--	--	9.57	13.44
RW-7	8/18/2004	23.01	10.71	0.01	10.72	12.30
RW-7	9/21/2004	23.01	--	--	10.45	12.56
RW-7	10/19/2004	23.01	--	--	8.73	14.28
RW-7	11/23/2004	23.01	--	--	9.60	13.41
RW-7	12/21/2004	23.01	--	--	7.06	15.95
RW-7	1/13/2005	23.01	--	--	7.93	15.08
RW-7	4/28/2005	23.01	--	--	7.37	15.64
RW-7	6/1/2005	23.01	--	--	7.67	15.34
RW-7	6/29/2005	23.01	--	--	9.05	13.96
RW-7	7/20/2005	23.01	--	--	9.61	13.40
RW-7	8/22/2005	23.01	--	--	9.88	13.13
RW-7	5/27/2011	23.01	--	--	Not Monitored	
RWx-7	9/12/2005	24.71	--	--	11.99	12.72
RWx-7	10/12/2005	24.71	12.54	0.23	12.77	12.11
RWx-7	11/21/2005	24.71	9.83	0.13	9.96	14.85

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)		
RWx-7	12/27/2005	24.71	8.15	0.02	8.17	16.56
RWx-7	1/30/2006	24.71	5.31	0.01	5.32	19.40
RWx-7	2/16/2006	24.71	7.41	0.02	7.43	17.30
RWx-7	3/13/2006	24.71	--	--	8.46	16.25
RWx-7	4/18/2006	24.71	--	--	8.71	16.00
RWx-7	5/12/2006	24.71	--	--	9.18	15.53
RWx-7	6/9/2006	24.71	--	--	8.76	15.95
RWx-7	7/13/2006	24.71	--	--	10.10	14.61
RWx-7	8/16/2006	24.71	11.03	0.08	11.11	13.66
RWx-7	9/19/2006	24.71	--	--	11.60	13.11
RWx-7	10/13/2006	24.71	--	--	11.31	13.40
RWx-7	11/20/2006	24.71	--	--	6.61	18.10
RWx-7	12/8/2006	24.71	--	--	6.91	17.80
RWx-7	1/19/2007	24.71	--	--	6.22	18.49
RWx-7	2/19/2007	24.71	--	--	8.55	16.16
RWx-7	3/15/2007	24.71	--	--	7.52	17.19
RWx-7	4/16/2007	24.71	--	--	8.22	16.49
RWx-7	5/14/2007	24.71	--	--	9.52	15.19
RWx-7	6/29/2007	24.71	--	--	10.74	13.97
RWx-7	7/20/2007	24.71	--	--	11.16	13.55
RWx-7	8/21/2007	24.71	--	--	11.82	12.89
RWx-7	9/10/2007	24.71	--	--	11.90	12.81
RWx-7	10/22/2007	24.71	--	--	10.01	14.70
RWx-7	11/28/2007	24.71	--	--	9.54	15.17
RWx-7	12/13/2007	24.71	--	--	8.32	16.39
RWx-7	1/21/2008	24.71	--	--	8.34	16.37
RWx-7	2/24/2008	24.71	--	--	8.76	15.95
RWx-7	3/24/2008	24.71	--	--	9.06	15.65
RWx-7	8/25/2008	24.71	--	--	11.00	13.71
RWx-7	2/18/2009	24.71	--	--	9.39	15.32
RWx-7	8/25/2009	24.71	--	--	12.22	12.49
RWx-7	3/22/2010	24.71	--	--	8.80	15.91
RWx-7	8/23/2010	24.71	--	--	11.25	13.46
RWx-7	2/7/2011	24.71	--	--	7.85	16.86
RWx-7	5/27/2011	24.71	--	--	8.98	15.73
RWx-7	8/8/2011	24.71	--	--	11.15	13.56
RWx-7	11/14/2011	24.71	--	--	10.54	14.17
RWx-7	2/20/2012	24.71	--	--	7.79	16.92
RWx-7	8/22/2012	24.71	--	--	10.97	13.74
RWx-7	11/5/2012	24.71	--	--	8.69	16.02
RWx-7	1/28/2013	24.71	--	--	7.72	16.99
RWx-7	5/9/2013	24.71	--	--	8.82	15.89
RWx-7	8/19/2013	24.71	--	--	11.77	12.94
RWx-7	11/25/2013	24.71	--	--	9.07	15.64
RWx-7	2/14/2014	24.71	--	--	7.65	17.06
HW-1East	11/20/2003	20.35	--	--	4.61	15.74
HW-1East	12/3/2003	20.35	--	--	4.00	16.35
HW-1East	1/19/2004	20.35	3.56	0.005	3.57	16.79
HW-1East	2/24/2004	20.35	--	--	5.46	14.89
HW-1East	3/15/2004	20.35	--	--	5.84	14.51
HW-1East	4/19/2004	20.35	--	--	6.42	13.93
HW-1East	5/17/2004	20.35	--	--	Not Monitored	
HW-1East	6/22/2004	20.35	--	--	Not Monitored	
HW-1East	8/18/2004	20.35	--	--	Dry	
HW-1East	9/21/2004	20.35	--	--	6.92	13.43
HW-1East	10/19/2004	20.35	--	--	6.02	14.33
HW-1East	11/23/2004	20.35	--	--	6.46	13.89
HW-1East	12/21/2004	20.35	--	--	4.45	15.90
HW-1East	1/13/2005	20.35	--	--	5.25	15.10
HW-1East	4/28/2005	20.35	--	--	4.82	15.53
HW-1East	6/1/2005	20.35	--	--	5.09	15.26
HW-1East	6/29/2005	20.35	--	--	6.83	13.52
HW-1East	7/20/2005	20.35	--	--	6.88	13.47
HW-1East	8/22/2005	20.35	--	--	7.03	13.32
HW-1East	12/21/2004	20.35	--	--	7.03	13.32
HW-1East	5/27/2011	20.35	--	--	Not Monitored	
HWx-1East	9/12/2005	20.44	--	--	10.27	10.17
HWx-1East	10/12/2005	20.44	--	--	9.57	10.87
HWx-1East	11/21/2005	20.44	--	--	5.71	14.73

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product		Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
				Thickness In Well (feet)	Well (feet)		
HWx-1East	12/27/2005	20.44	--	--	--	4.51	15.93
HWx-1East	1/30/2006	20.44	--	--	--	2.23	18.21
HWx-1East	2/16/2006	20.44	--	--	--	4.10	16.34
HWx-1East	3/13/2006	20.44	--	--	--	4.94	15.50
HWx-1East	4/18/2006	20.44	--	--	--	4.95	15.49
HWx-1East	5/12/2006	20.44	--	--	--	5.23	15.21
HWx-1East	6/9/2006	20.44	--	--	--	4.96	15.48
HWx-1East	7/13/2006	20.44	--	--	--	5.45	14.99
HWx-1East	8/16/2006	20.44	--	--	--	6.75	13.69
HWx-1East	9/19/2006	20.44	--	--	--	9.20	11.24
HWx-1East	10/13/2006	20.44	8.65	2.85	--	11.50	11.08
HWx-1East	11/20/2006	20.44	--	--	--	3.25	17.19
HWx-1East	12/8/2006	20.44	--	--	--	3.40	17.04
HWx-1East	1/19/2007	20.44	--	--	--	3.07	17.37
HWx-1East	2/19/2007	20.44	--	--	--	4.74	15.70
HWx-1East	3/15/2007	20.44	--	--	--	3.91	16.53
HWx-1East	4/16/2007	20.44	--	--	--	4.42	16.02
HWx-1East	5/14/2007	20.44	--	--	--	5.45	14.99
HWx-1East	6/29/2007	20.44	--	--	--	6.58	13.86
HWx-1East	7/20/2007	20.44	--	--	--	8.38	12.06
HWx-1East	8/21/2007	20.44	--	--	--	8.79	11.65
HWx-1East	9/10/2007	20.44	--	--	--	8.95	11.49
HWx-1East	10/22/2007	20.44	--	--	--	6.45	13.99
HWx-1East	11/28/2007	20.44	--	--	--	5.72	14.72
HWx-1East	12/13/2007	20.44	--	--	--	4.68	15.76
HWx-1East	1/21/2008	20.44	--	--	--	4.88	15.56
HWx-1East	2/24/2008	20.44	--	--	--	5.17	15.27
HWx-1East	3/24/2008	20.44	--	--	--	5.54	14.90
HWx-1East	8/25/2008	20.44	--	--	--	8.95	11.49
HWx-1East	2/18/2009	20.44	--	--	--	5.15	15.29
HWx-1East	8/25/2009	20.44	--	--	--	10.05	10.39
HWx-1East	3/22/2010	20.44	--	--	--	10.45	9.99
HWx-1East	8/23/2010	20.44	--	--	--	10.20	10.24
HWx-1East	2/7/2011	20.44	--	--	--	4.60	15.84
HWx-1East	5/27/2011	20.44	--	--	Not Monitored		
HW-1West	11/20/2003	18.86	--	--	--	4.32	14.54
HW-1West	12/3/2003	18.86	--	--	--	3.56	15.30
HW-1West	1/19/2004	18.86	--	--	--	3.28	15.58
HW-1West	2/24/2004	18.86	--	--	--	4.96	13.90
HW-1West	3/15/2004	18.86	--	--	--	6.35	12.51
HW-1West	4/19/2004	18.86	--	--	--	5.90	12.96
HW-1West	5/17/2004	18.86	--	--	Not Monitored		
HW-1West	6/22/2004	18.86	--	--	Not Monitored		
HW-1West	8/18/2004	18.86	7.31	0.01	--	7.32	11.55
HW-1West	9/21/2004	18.86	--	--	--	6.43	12.43
HW-1West	10/19/2004	18.86	--	--	--	5.56	13.30
HW-1West	11/23/2004	18.86	--	--	--	5.82	13.04
HW-1West	12/21/2004	18.86	--	--	--	3.95	14.91
HW-1West	1/13/2005	18.86	--	--	--	4.66	14.20
HW-1West	4/28/2005	18.86	--	--	--	4.30	14.56
HW-1West	6/1/2005	18.86	--	--	--	5.60	13.26
HW-1West	6/29/2005	18.86	--	--	--	6.34	12.52
HW-1West	7/20/2005	18.86	--	--	--	6.40	12.46
HW-1West	8/22/2005	18.86	--	--	--	6.55	12.31
HW-1West	5/27/2011	18.86	--	--	Not Monitored		
HWx-1West	9/12/2005	19.96	--	--	--	10.16	9.80
HWx-1West	10/12/2005	19.96	9.22	0.01	--	9.23	10.74
HWx-1West	11/21/2005	19.96	5.42	0.01	--	5.43	14.54
HWx-1West	12/27/2005	19.96	--	--	--	4.01	15.95
HWx-1West	1/30/2006	19.96	--	--	--	1.72	18.24
HWx-1West	2/16/2006	19.96	3.79	0.01	--	3.80	16.17
HWx-1West	3/13/2006	19.96	--	--	--	4.52	15.44
HWx-1West	4/18/2006	19.96	--	--	--	4.48	15.48
HWx-1West	5/12/2006	19.96	--	--	--	4.80	15.16
HWx-1West	6/9/2006	19.96	--	--	--	4.52	15.44
HWx-1West	7/13/2006	19.96	--	--	--	9.89	10.07
HWx-1West	8/16/2006	19.96	--	--	--	6.20	13.76
HWx-1West	9/19/2006	19.96	--	--	--	6.87	13.09
HWx-1West	10/13/2006	19.96	--	--	--	6.57	13.39

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
HWx-1West	11/20/2006	19.96	--	--	2.76	17.20
HWx-1West	12/8/2006	19.96	--	--	2.91	17.05
HWx-1West	1/19/2007	19.96	--	--	2.60	17.36
HWx-1West	2/19/2007	19.96	--	--	4.26	15.70
HWx-1West	3/15/2007	19.96	--	--	3.42	16.54
HWx-1West	4/16/2007	19.96	--	--	3.95	16.01
HWx-1West	5/14/2007	19.96	--	--	4.95	15.01
HWx-1West	6/29/2007	19.96	--	--	9.06	10.90
HWx-1West	7/20/2007	19.96	--	--	6.43	13.53
HWx-1West	8/21/2007	19.96	--	--	8.05	11.91
HWx-1West	9/10/2007	19.96	--	--	8.11	11.85
HWx-1West	10/22/2007	19.96	--	--	5.98	13.98
HWx-1West	11/28/2007	19.96	--	--	5.23	14.73
HWx-1West	12/13/2007	19.96	--	--	4.18	15.78
HWx-1West	1/21/2008	19.96	--	--	4.38	15.58
HWx-1West	2/24/2008	19.96	--	--	4.72	15.24
HWx-1West	3/24/2008	19.96	--	--	5.06	14.90
HWx-1West	8/25/2008	19.96	--	--	6.90	13.06
HWx-1West	2/18/2009	19.96	--	--	5.02	14.94
HWx-1West	8/25/2009	19.96	--	--	7.21	12.75
HWx-1West	3/22/2010	19.96	--	--	9.60	10.36
HWx-1West	8/23/2010	19.96	--	--	9.24	10.72
HWx-1West	2/7/2011	19.96	--	--	4.13	15.83
HWx-1West	5/27/2011	19.96	--	--	Not Monitored	
MW-1	11/14/2011	20.51	--	--	8.45	12.06
MW-1	2/20/2012	20.51	--	--	6.96	13.55
MW-1	8/22/2012	20.51	--	--	9.60	10.91
MW-1	11/5/2012	20.51	--	--	7.91	12.60
MW-1	1/28/2013	20.51	--	--	7.41	13.10
MW-1	5/9/2013	20.51	--	--	8.24	12.27
MW-1	8/19/2013	20.51	--	--	10.45	10.06
MW-1	11/25/2013	20.51	--	--	8.02	12.49
MW-1	2/14/2014	20.51	--	--	7.71	12.80
MW-2	11/14/2011	20.29	--	--	8.71	11.58
MW-2	2/20/2012	20.29	--	--	7.35	12.94
MW-2	8/22/2012	20.29	--	--	9.39	10.90
MW-2	11/5/2012	20.29	--	--	7.71	12.58
MW-2	1/28/2013	20.29	--	--	7.61	12.68
MW-2	5/9/2013	20.29	--	--	7.99	12.30
MW-2	8/19/2013	20.29	--	--	10.22	10.07
MW-2	11/25/2013	20.29	--	--	7.76	12.53
MW-2	2/14/2014	20.29	--	--	7.46	12.83
MW-3	11/14/2011	21.21	--	--	8.91	12.30
MW-3	2/20/2012	21.21	--	--	6.09	15.12
MW-3	8/22/2012	21.21	--	--	10.30	10.91
MW-3	11/5/2012	21.21	--	--	7.30	13.91
MW-3	1/28/2013	21.21	--	--	6.10	15.11
MW-3	5/9/2013	21.21	--	--	7.09	14.12
MW-3	8/19/2013	21.21	--	--	10.99	10.22
MW-3	11/25/2013	21.21	--	--	7.15	14.06
MW-3	2/14/2014	21.21	--	--	6.68	14.53
MW-4	11/14/2011	20.44	--	--	8.31	12.13
MW-4	2/20/2012	20.44	--	--	7.28	13.16
MW-4	8/22/2012	20.44	--	--	9.41	11.03
MW-4	11/5/2012	20.44	--	--	7.52	12.92
MW-4	1/28/2013	20.44	--	--	7.29	13.15
MW-4	5/9/2013	20.44	--	--	7.97	12.47
MW-4	8/19/2013	20.44	--	--	10.11	10.33
MW-4	11/25/2013	20.44	--	--	7.56	12.88
MW-4	2/14/2014	20.44	--	--	6.29	14.15
MW-5	11/14/2011	21.32	--	--	9.02	12.30
MW-5	2/20/2012	21.32	--	--	8.21	13.11
MW-5	8/22/2012	21.32	--	--	10.29	11.03
MW-5	11/5/2012	21.32	--	--	8.60	12.72
MW-5	1/28/2013	21.32	--	--	8.45	12.87
MW-5	5/9/2013	21.32	--	--	8.97	12.35

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
MW-5	8/19/2013	21.32	--	--	10.98	10.34
MW-5	11/25/2013	21.32	--	--	8.59	12.73
MW-5	2/14/2014	21.32	--	--	7.04	14.28
MW-6	11/14/2011	22.30	--	--	10.30	12.00
MW-6	2/20/2012	22.30	--	--	9.36	12.94
MW-6	8/22/2012	22.30	--	--	11.30	11.00
MW-6	11/5/2012	22.30	--	--	9.68	12.62
MW-6	1/28/2013	22.30	--	--	9.63	12.67
MW-6	5/9/2013	22.30	--	--	10.09	12.21
MW-6	8/19/2013	22.30	--	--	11.95	10.35
MW-6	11/25/2013	22.30	--	--	9.71	12.59
MW-6	2/14/2014	22.30	--	--	9.13	13.17
MW-7	11/14/2011	22.10	--	--	10.21	11.89
MW-7	2/20/2012	22.10	--	--	8.96	13.14
MW-7	8/22/2012	22.10	--	--	11.07	11.03
MW-7	11/5/2012	22.10	--	--	9.51	12.59
MW-7	1/28/2013	22.10	--	--	9.12	12.98
MW-7	5/9/2013	22.10	--	--	9.53	12.57
MW-7	8/19/2013	22.10	--	--	11.63	10.47
MW-7	11/25/2013	22.10	--	--	9.32	12.78
MW-7	2/14/2014	22.10	--	--	8.81	13.29
MW-8	11/14/2011	21.54	--	--	9.59	11.95
MW-8	2/20/2012	21.54	--	--	8.39	13.15
MW-8	8/22/2012	21.54	--	--	10.50	11.04
MW-8	11/5/2012	21.54	--	--	9.00	12.54
MW-8	1/28/2013	21.54	--	--	8.78	12.76
MW-8	5/9/2013	21.54	--	--	9.29	12.25
MW-8	8/19/2013	21.54	--	--	11.22	10.32
MW-8	11/25/2013	21.54	--	--	8.95	12.59
MW-8	2/14/2014	21.54	--	--	8.41	13.13
MW-9	11/14/2011	20.82	--	--	8.47	12.35
MW-9	2/20/2012	20.82	--	--	5.90	14.92
MW-9	8/22/2012	20.82	--	--	7.56	13.26
MW-9	11/5/2012	20.82	--	--	7.68	13.14
MW-9	1/28/2013	20.82	--	--	6.45	14.37
MW-9	5/9/2013	20.82	--	--	7.04	13.78
MW-9	8/19/2013	20.82	--	--	8.72	12.10
MW-9	11/25/2013	20.82	--	--	7.54	13.28
MW-9	2/14/2014	20.82	--	--	6.41	14.41
MW-10	11/14/2011	21.12	--	--	9.76	11.36
MW-10	2/20/2012	21.12	--	--	8.39	12.73
MW-10	8/22/2012	21.12	--	--	10.49	10.63
MW-10	11/5/2012	21.12	--	--	8.86	12.26
MW-10	1/28/2013	21.12	--	--	8.91	12.21
MW-10	5/9/2013	21.12	--	--	9.46	11.66
MW-10	8/19/2013	21.12	--	--	11.29	9.83
MW-10	11/25/2013	21.12	--	--	9.05	12.07
MW-10	2/14/2014	21.12	--	--	8.39	12.73
MW-11	2/20/2012	16.80	--	--	3.98	12.82
MW-11	8/22/2012	16.80	--	--	6.31	10.49
MW-11	11/5/2012	16.80	--	--	4.75	12.05
MW-11	1/28/2013	16.80	--	--	4.26	12.54
MW-11	5/9/2013	16.80	--	--	5.12	11.68
MW-11	8/19/2013	16.80	--	--	6.89	9.91
MW-11	11/25/2013	16.80	--	--	4.52	12.28
MW-11	2/14/2014	16.80	--	--	3.99	12.81
MW-12	2/20/2012	19.59	--	--	7.52	12.07
MW-12	8/22/2012	19.59	--	--	8.71	10.88
MW-12	11/5/2012	19.59	--	--	7.16	12.43
MW-12	5/9/2013	19.59	--	--	7.69	11.90
MW-12	8/19/2013	19.59	--	--	9.41	10.18
MW-12	11/25/2013	19.59	--	--	7.27	12.32
MW-12	2/14/2014	19.59	--	--	6.51	13.08

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
MW-13	2/20/2012	21.24	--	--	5.51	15.73
MW-13	8/22/2012	21.24	--	--	10.00	11.24
MW-13	11/5/2012	21.24	--	--	8.35	12.89
MW-13	1/28/2013	21.24	--	--	5.74	15.50
MW-13	5/9/2013	21.24	--	--	8.76	12.48
MW-13	8/19/2013	21.24	--	--	10.78	10.46
MW-13	11/25/2013	21.24	--	--	7.90	13.34
MW-13	2/14/2014	21.24	--	--	5.36	15.88
MW-14	11/14/2011	21.54	--	--	9.66	11.88
MW-14	2/20/2012	21.54	--	--	8.33	13.21
MW-14	8/22/2012	21.54	--	--	10.36	11.18
MW-14	11/5/2012	21.54	--	--	8.98	12.56
MW-14	1/28/2013	21.54	--	--	8.75	12.79
MW-14	5/9/2013	21.54	--	--	9.19	12.35
MW-14	8/19/2013	21.54	--	--	11.09	10.45
MW-14	11/25/2013	21.54	--	--	8.86	12.68
MW-14	2/14/2014	21.54	--	--	8.28	13.26
MW-15	11/14/2011	20.52	--	--	8.71	11.81
MW-15	2/20/2012	20.52	--	--	6.83	13.69
MW-15	8/22/2012	20.52	--	--	9.46	11.06
MW-15	11/5/2012	20.52	--	--	7.83	12.69
MW-15	1/28/2013	20.52	--	--	8.42	12.10
MW-15	5/9/2013	20.52	--	--	8.14	12.38
MW-15	8/19/2013	20.52	--	--	10.38	10.14
MW-15	11/25/2013	20.52	--	--	7.76	12.76
MW-15	2/14/2014	20.52	--	--	6.75	13.77
MW-16	2/20/2012	21.24	--	--	8.23	13.01
MW-16	8/22/2012	21.24	--	--	10.63	10.61
MW-16	11/5/2012	21.24	--	--	8.61	12.63
MW-16	1/28/2013	21.24	--	--	8.54	12.70
MW-16	5/9/2013	21.24	--	--	8.97	12.27
MW-16	8/19/2013	21.24	--	--	10.85	10.39
MW-16	11/25/2013	21.24	--	--	8.54	12.70
MW-16	2/14/2014	21.24	--	--	6.72	14.52
MW-17	8/22/2012	13.34	--	--	2.77	10.57
MW-17	11/5/2012	13.34	--	--	0.18	13.16
MW-17	1/28/2013	13.34	--	--	1.31	12.03
MW-17	5/9/2013	13.34	--	--	1.88	11.46
MW-17	8/19/2013	13.34	--	--	3.59	9.75
MW-17	11/25/2013	13.34	--	--	1.49	11.85
MW-17	2/14/2014	13.34	--	--	0.80	12.54
DW-1	11/14/2011	20.69	--	--	8.91	11.78
DW-1	2/20/2012	20.69	--	--	7.76	12.93
DW-1	8/22/2012	20.69	--	--	9.79	10.90
DW-1	11/5/2012	20.69	--	--	8.12	12.57
DW-1	1/28/2013	20.69	--	--	8.06	12.63
DW-1	5/9/2013	20.69	--	--	8.46	12.23
DW-1	8/19/2013	20.69	--	--	10.66	10.03
DW-1	11/25/2013	20.69	--	--	8.19	12.50
DW-1	2/14/2014	20.69	--	--	7.86	12.83
DW-2	11/14/2011	21.36	--	--	9.79	11.57
DW-2	2/20/2012	21.36	--	--	8.40	12.96
DW-2	8/22/2012	21.36	--	--	10.45	10.91
DW-2	11/5/2012	21.36	--	--	8.96	12.40
DW-2	1/28/2013	21.36	--	--	8.87	12.49
DW-2	5/9/2013	21.36	--	--	9.36	12.00
DW-2	8/19/2013	21.36	--	--	10.36	11.00
DW-2	11/25/2013	21.36	--	--	9.96	11.40
DW-2	2/14/2014	21.36	--	--	8.41	12.95
DW-3	11/14/2011	21.75	--	--	10.26	11.49
DW-3	2/20/2012	21.75	--	--	8.95	12.80
DW-3	8/22/2012	21.75	--	--	11.01	10.74
DW-3	11/5/2012	21.75	--	--	9.38	12.37
DW-3	1/28/2013	21.75	--	--	9.39	12.36

TABLE 2

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)
DW-3	5/9/2013	21.75	--	--	9.87	11.88
DW-3	8/19/2013	21.75	--	--	11.88	9.87
DW-3	11/25/2013	21.75	--	--	9.49	12.26
DW-3	2/14/2014	21.75	--	--	9.00	12.75
DW-4	8/22/2012	16.61	--	--	5.91	10.70
DW-4	11/5/2012	16.61	--	--	4.08	12.53
DW-4	1/28/2013	16.61	--	--	4.69	11.92
DW-4	5/9/2013	16.61	--	--	4.69	11.92
DW-4	8/19/2013	16.61	--	--	6.39	10.22
DW-4	11/25/2013	16.61	--	--	4.41	12.20
DW-4	2/14/2014	16.61	--	--	3.66	12.95
BR-1	11/5/2012	19.55	--	--	8.18	11.37
BR-1	1/28/2013	19.55	--	--	9.60	9.95
BR-1	5/9/2013	19.55	--	--	10.80	8.75
BR-1	8/19/2013	19.55	--	--	10.96	8.59
BR-1	11/25/2013	19.55	--	--	10.03	9.52
BR-1	2/14/2014	19.55	--	--	7.42	12.13
BR-2	11/5/2012	18.08	--	--	6.73	11.35
BR-2	1/28/2013	18.08	--	--	8.02	10.06
BR-2	5/9/2013	18.08	--	--	9.33	8.75
BR-2	8/19/2013	18.08	--	--	9.42	8.66
BR-2	11/25/2013	18.08	--	--	8.55	9.53
BR-2	2/14/2014	18.08	--	--	6.04	12.04
WS-1		12.24				
WS-1	1/28/2013	12.24			DRY	
WS-1	5/9/2013	12.24			DRY	
WS-1	8/19/2013	12.24			DRY	
WS-1	11/25/2013	12.24			DRY	
WS-1	2/14/2014	12.24	--	--	0.73	12.97
WS-2		12.03				
WS-2	1/28/2013	12.03			DRY	
WS-2	5/9/2013	12.03			DRY	
WS-2	8/19/2013	12.03			DRY	
WS-2	11/25/2013	12.03	--	--	0.075	12.11
WS-2	2/14/2014	12.03	--	--	1.275	13.31
WS-3		14.11				
WS-3	1/28/2013	14.11	--	--	2.13	16.24
WS-3	5/9/2013	14.11	--	--	1.05	15.16
WS-3	8/19/2013	14.11			DRY	
WS-3	11/25/2013	14.11	--	--	1.05	15.16
WS-3	2/14/2014	14.11	--	--	1.53	15.64
WS-4		14.92				
WS-4	5/9/2013	14.92	--	--	0.25	15.17
WS-4	8/19/2013	14.92			DRY	
WS-4	2/14/2014	14.92	--	--	0.68	15.60
TW-1	5/9/2013	21.4	--	--	9.33	12.07
TW-1	8/19/2013	21.4	--	--	11.07	10.33
TW-1	11/25/2013	21.4	--	--	8.83	12.57
TW-1	2/14/2014	21.4	--	--	8.23	13.17
TW-2	5/9/2013	21.19	7.2	0.33	7.53	13.91
TW-2	8/19/2013	21.19	8.03	0.39	8.42	13.06
TW-2	11/25/2013	21.19	8.1	0.27	8.37	13.02
TW-2	2/14/2014	21.19	--	--	8.12	13.07
TW-3	5/9/2013	21.2	--	--	9.35	11.85
TW-3	8/19/2013	21.2	--	--	11.09	10.11
TW-3	11/25/2013	21.2	--	--	8.88	12.32
TW-3	2/14/2014	21.2	--	--	7.31	13.89
TW-4	5/9/2013	21.27	--	--	8.49	12.78
TW-4	8/19/2013	21.27	--	--	9.16	12.11
TW-4	11/25/2013	21.27	--	--	8.34	12.93

**GROUNDWATER ELEVATION DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>
TW-4	2/14/2014	21.27	--	--	7.19	14.08
TW-5	5/9/2013	21.35	--	--	9.34	12.01
TW-5	8/19/2013	21.35	--	--	11.29	10.06
TW-5	11/25/2013	21.35	--	--	9.01	12.34
TW-5	2/14/2014	21.35	--	--	8.45	12.90
TW-6	5/9/2013	21.35	8.32	0.08	8.40	13.01
TW-6	8/19/2013	21.35	--	--	8.98	12.37
TW-6	11/25/2013	21.35	8.29	0.27	8.56	12.99
TW-6	2/14/2014	21.35	7.9	0.64	8.54	13.29
TW-7	5/9/2013	21.31	--	--	9.39	11.92
TW-7	8/19/2013	21.31	--	--	11.23	10.08
TW-7	11/25/2013	21.31	--	--	8.91	12.40
TW-7	2/14/2014	21.31	--	--	8.41	12.90
TW-8	5/9/2013	21.36	--	--	8.22	13.14
TW-8	8/19/2013	21.36	--	--	8.66	12.70
TW-8	11/25/2013	21.36	--	--	8.68	12.68
TW-8	2/14/2014	21.36	--	--	8.03	13.33
AS-1	5/9/2013	21.24	--	--	9.34	11.90
AS-1	8/19/2013	21.24	--	--	11.28	9.96
AS-1	11/25/2013	21.24	--	--	8.98	12.26
AS-1	2/14/2014	21.24	--	--	8.46	12.78
EX-1	5/9/2013	21.54	8.57	1.46	10.03	12.61
EX-1	8/19/2013	21.54	10.41	0.71	11.12	10.95
EX-1	11/25/2013	21.54	8.39	1.57	9.96	12.76
EX-1	2/14/2014	21.54	7.76	2.22	9.98	13.23
P-1	5/9/2013	21.47	8.76	0.07	8.83	12.69
P-1	8/19/2013	21.47	10.38	0.41	10.79	10.99
P-1	11/25/2013	21.47	8.57	0.21	8.78	12.85
P-1	2/14/2014	21.47	7.89	1.36	9.25	13.24
P-2	5/9/2013	21.6	8.65	1.32	9.97	12.62
P-2	8/19/2013	21.6	10.22	1.99	12.21	10.88
P-2	11/25/2013	21.6	8.46	1.4	9.86	12.79
P-2	2/14/2014	21.6	7.97	1.48	9.45	13.26

Notes:

All measurement are recorded in feet.

-- Not Applicable. No free product detected.

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES		
		TPHg	TPHd	TPHo	B	T	E	X	MTBE	Ethanol	
		800/1000	500	500	5	1,000	700	1,000	20	--	
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
	MTCA Method A Screening Levels:										
HB-1	12/7/93	61	--	--	<0.50	<0.50	0.14	0.12	--	--	
HB-2	12/7/93	68	--	--	0.092	<0.50	0.17	0.13	--	--	
R-1	9/17/97	3,360,000	206,000	23,500	7,620	3,460	1,460	9,460	--	--	
W-1	5/23/00	190,000	160,000	<100,000	34,000	42,000	3,600	23,000	--	--	
W-1	5/24/01				LPH Encountered						
W-1	6/5/02	130,000	79,000	<9,400	17,000	27,000	2,700	19,000	--	--	
W-1	11/25/02	155,000	16.7	0.500	17,600	24,800	2,950	19,500	--	--	
W-1	5/29/03	170,000	79,000	<4,800	20,000	25,000	3,400	23,000	--	--	
W-1	6/16/04				LPH Encountered						
W-1	6/20/05	93,000	120,000	<11,000	12,000	13,000	1,600	12,000	--	--	
W-1	6/7/06	69,500	7,500	337	8,680	6,260	726	8,240	--	--	
W-1	10/23/06	91,700	9,070	<183	14,500	8,400	2,420	20,800	--	--	
W-1	3/14/07	70,300	16,100	<740	8,920	2,800	1,010	17,600	--	--	
W-1 (DUP)	3/14/07	63,200	11,000	<370	9,340	3,010	1,130	19,200	--	--	
W-1	9/11/07				Insufficient Groundwater to Sample						
W-1	6/4/08	81,900	23,900	1,370	14,600	697	1,510	17,100	--	--	
W-1	8/25/08				Insufficient Groundwater to Sample						
W-1	3/24/10	76,400	2,510	<381	22,300	7,190	2,640	16,900	6.9	<250	
W-1	8/27/10	56,200	8,170	<400	16,500	2,550	2,270	14,400	<1.0	<250	
W-1	2/9/11	74,200	2,960	<377	12,000	1,210	1,650	13,700	58.7	--	
W-1	5/24/11	80,400	2,800	<450	11,400	1,570	1,670	15,500	74	--	
W-1	8/16/11	58,400	184,000	<6700	16,300	804	1,600	16,000	25.4 J	--	
W-1	2/23/12	179,000	2,700	<380	9,850	530	2,120	41,600	13.7	--	
W-1	5/10/12	46,600	10,000	<380	6,310	158	936	11,700	50.9	--	
W-1	8/24/12	51,500 ¹⁰	1,600	<380	3,550	280	266	10,300	25.4	--	
W-1	1/31/13	29,400	10,300	<430	5,350	91	197	5,470	<50.0	--	
W-1	4/30/13	51,800	1,200 J	<200	7,040	208	505	9,270	60.4	--	
W-1 (DUP)	4/30/13	50,800	2,200 J	<200	7,220	191	477	9,320	50.9	--	
W-1	11/19/13	34,000	3,700	<400	5,650	83.4	652	6,410	<50.0	--	
W-1	2/5/14	29,600	4,300	<400	3,190	30.3	274	3,650	37	--	
W-2	9/18/97	393,000	85,200	19,200	19,400	11,700	3,550	18,000	--	--	
W-2	7/29/99	110,000	36,000	<10,000	12,000	11,000	1,900	13,000	--	--	
W-2	5/23/00	85,000	50,000	<20,000	15,000	19,000	1,500	10,000	--	--	
W-2	5/24/01	25,000	30,000	13,000	7,600	3,000	420	4,400	--	--	
W-2	6/5/02				LPH Encountered						
W-2	11/25/02	104,000	14.7	1.91	15,300	15,800	1,960	11,700	--	--	
W-2	5/28/03	98,000	28,000	7,800J	16,000	15,000	2,200	12,000	--	--	
W-2	6/15/04	85,000	460,000	<50,000	21,000	5,700	2,800	8,700	--	--	
W-2	6/22/05	50,000	73,000	<4,000	11,000	2,000	1,800	6,900	--	--	
W-2	6/6/06	34,400	5,880	283Ju	6,640	1,660	464	4,760	--	--	
W-2	10/23/06	53,000	5,800	<183	12,500	3,470	1,710	8,220	--	--	
W-2 (DUP)	10/23/06	60,800	5,890	<183	12,000	2,840	1,650	7,420	--	--	
W-2	3/14/07	51,800	12,400	<370	9,060	1,840	2,010	10,500	--	--	
W-2	9/11/07	42,900	5,780	<100	14,000	572	1,610	3,040	--	--	
W-2	6/3/08	51,900	46,300	3,330J	15,100	215	2,250	3,510	--	--	
W-2	8/27/08	49,000 ¹	5,050 ^{1,3}	363 ¹	18,700 ¹	147 ¹	1,970 ¹	3,630 ¹	24 ¹	74.4 ¹	
W-2	3/23/10	48,300	2,150	<381	14,100	691	3,090	10,400	6.1	<250	
W-2	8/27/10	30,700	4,570	502	12,500	253	2,730	7,580	10.8	<250	
W-2	2/9/11	11,500	19,200	3,530	9,010	74.4	2,090	3,820	10.7	--	
W-2	8/15/11	13,400	940	<380	10,200	169 J	1,110	1,180	19.5 J	--	
W-2	3/1/12	57,500	1,900	<380	18,500	--	5,330	3,050	--	--	
W-2	8/29/12	21,900 ¹⁰	1,500	<380	9,590	406	2,070	1,740	12.6	--	
W-2	2/4/13	16,800	3,200	<440	10,200	116	2,050	1,500	<50.0	--	
W-2	8/13/13	21,300	3,400	540	10,100	70.4 J	1,720	766	<50.0	--	
W-2	2/12/14	27,100	2,700	450	6,730	89.6	2,330	1,070	<25.0	--	
W-3	4/14/93	91,000	--	--	2,000	4,800	2,700	15,000	--	--	
W-3	12/15/93	45,000	--	--	670	1,300	580	8,300	--	--	
W-3	11/4/94	39,000	--	--	520	190	630	5,100	--	--	
W-3	9/17/97	105,000	15,000	<500	2,820	8,730	1,570	11,500	--	--	
W-3	4/29/98	54,000	18,000	<5,000	920	850	2,000	10,000	--	--	
W-3	7/30/99	48,000	48,000	<10,000	2,900	1,900	1,800	6,900	--	--	
W-3	5/23/00	34,000	19,000	<10,000	910	180	1,400	4,900	--	--	
W-3	5/22/01	19,000	28,000	<10,000	890	36	1,100	2,200	--	--	
W-3	6/4/02	17,000	36,000	<4,800	1,900	45	640	2,300	--	--	
W-3	11/26/02	14,100	4.89	0.500	455	156	463	1,570	--	--	
W-3	5/28/03	16,000	55,000	<4,800	500	32	600	740	--	--	
W-3	6/16/04				LPH Encountered						
W-3	6/21/05	9,100	10,000	<980	790	15	470	490	--	--	
W-3	6/6/06	13,400	3,090	153u	1,880	25.1	640	821	--	--	
W-3	10/24/06	12,200	2,300	<35.2	933	21.3	293	638	--	--	
W-3 (DUP)	10/24/06	9,520	2,050	<36.9	877	18.3	301	535	--	--	
W-3	3/14/07	9,370	2,200	<185	687	18.9	286	446	--	--	
W-3	9/12/07	9,180	2,940	40.0J	614	13.1	397	437	--	--	
W-3	6/4/08	13,000	2,210	46.9J	727	149	576	724	--	--	
W-3 (DUP)	6/4/08	12,400	1,980	42.2J	753	230	519	686	--	--	
W-3	8/26/08	14,600 ¹	3,240 ^{1,3}	46.8 ¹	763 ¹	176	564	1,450 ¹	0.42 ¹	74.4 ¹	

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHq 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
<i>MTCA Method A Screening Levels:</i>										
W-3	3/25/10	67.9	<76.9	<385	3.1	<1.0	5.0	<3.0	<1.0	<250
W-3 (DUP)	3/25/10	322	<76.9	<385	11.3	<1.0	33.3	5.5	<1.0	<250
W-3 (DUP)	3/25/10	272	<78.4	<392	11.9	<1.0	34.3	5.6	<1.0	<250
W-3	8/27/10	Insufficient Groundwater to Sample								
W-4	4/14/93	130,000	--	--	2,600	7,800	2,800	20,000	--	--
W-4	12/15/93	180,000	--	--	3,200	2,700	11,000	18,000	--	--
W-4	9/17/97	114,000	276,000	<500	1,750	<100	1,480	8,490	--	--
W-4	4/29/98	84,000	250,000	<20,000	2,400	120	1,600	8,000	--	--
W-4	7/30/99	53,000	42,000	<10,000	2,100	100	1,900	6,300	--	--
W-4	5/23/01	LPH Encountered								
W-4	6/4/02	35,000	59,000	6,800J	2,300	32	1,800	3,500	--	--
W-4	11/25/02	39,900	19.2	0.648	1,830	38.2	2,550	4,220	--	--
W-4	5/28/03	32,000	26,000	1,600J	800	22	1,500	1,000	--	--
W-4	6/15/04	LPH Encountered								
W-4	6/21/05	23,000	110,000	<19,000	1,200	11	1,400	200	--	--
W-4	6/6/06	9,180	4,620	411	1,230	18.4	1,010	67.4	--	--
W-4	10/24/06	17,200	5,570	<70.5	1,520	8.34	1,490	18.9	--	--
W-4	3/14/07	10,100	4,820	<185	422	11.0	456	148	--	--
W-4	9/12/07	Insufficient Groundwater to Sample								
W-4	6/4/08	10,600	4,870	110J	941	34.3	714	58.0	--	--
W-4	8/26/08	11,700 ¹	15,100 ^{1,4}	1,810 ^{1,4}	1,370 ¹	20.1 ¹	750 ¹	39.5 ¹	1.21 ¹	74.4 ¹
W-4	3/24/10	1,940	256	<385	212	16.3	139	182	<1.0	<250
W-4	8/27/10	Insufficient Groundwater to Sample								
B-1	4/14/93	18,000	--	--	1,300	17	450	2,200	--	--
B-1	12/15/93	7,800	--	--	590	76	15	370	--	--
B-1	9/17/97	475	9,980	25,500	84.6	2.63	6.43	21.8	--	--
B-1	5/1/98	560	5,500	13,000	300	10	24	94	--	--
B-1	5/23/00	1,800	23,000	52,000	1,000	14	170	160	--	--
B-1	5/24/01	2,800	5,500	6,300	1,300	25	410	220	--	--
B-1	6/5/02	86J	17,000	29,000	37	0.66J	6.6	6.9	--	--
B-1	5/29/03	1,100J	4,700	8,300	760	26	180	65	--	--
B-1	6/15/04	1,600	8,700	18,000	890	10	180	110	--	--
B-1	6/20/05	550J	2,700J	5,300J	540	5.5	79	45	--	--
B-1	6/6/06	3,300J	1,570	553	602	5.87	137	43.9	--	--
B-1	10/24/06	3,770	884	800	363	6.65	113	26.8	--	--
B-1	3/14/07	2,420	1,720	<185	118	4.35	188	21.3	--	--
B-1	9/12/07	3,610	--	--	664	9.88	155	43.6	--	--
B-1	6/4/08	2,570	2,990	7,770	355	3.54	54.7	37.3	--	--
B-1	8/27/08	4,330 ¹	-- ¹	-- ¹	741 ¹	8.4 ¹	75.1 ¹	139 ¹	<0.42 ¹	74.4 ¹
B-1	3/24/10	1,580	105	<381	297	8.5	34.3	41.1	<1.0	<250
B-1	8/27/10	Unable to Purge								
B-1	5/18/11	903 J	120	<380	311 J	6.6 J	18.9 J	23.8 J	<1.0 J	--
B-1	8/17/11	576	<76	<380	591	5.4	4.5	32	<1.0	--
B-1	2/22/12	1,200	200	440	82.2	3.1	19.3	10.9	<1.0	--
B-1	5/9/12	1,480	130	<380	18.5	<1.0	1	<3.0	<1.0	--
B-1	8/23/12	606	330	890	759	5.6	6.3	26.9	<1.0	--
B-1	11/6/12	2,140	190	140	257	<5.0	6.7	<15.0	<5.0	--
B-1	1/29/13	310	1,700	<480	13.9	<1.0	3.2	<3.0	<1.0	--
B-1	4/30/13	<100	<200	<200	8.3	<1.0	<1.0	<3.0	<1.0	--
B-1	8/13/13	307	2,500	2,800	283	1.7 J	1.4	5.3	<1.0	--
B-1	11/19/13	196 J	<400	<400	56.8	2.4	3.7	<6.0	<2.0	--
B-1	2/5/14	226 J	<400	<400	127	<2.0	2.1	<6.0	<2.0	--
B-2	9/18/97	1,980,000	74,200	7,890	11,200	10,600	1,310	22,200	--	--
B-2	4/29/98	83,000	19,000	4,300	16,000	13,000	600	11,000	--	--
B-2	7/30/99	66,000	18,000	<2.0	11,000	7,900	700	9,700	--	--
B-2	5/23/00	59,000	32,000	<5.0	16,000	6,200	670	9,300	--	--
B-2	5/24/01	LPH Encountered								
B-2	6/5/02	LPH Encountered								
B-2	11/25/02	60,500	13.2	<0.5	9,850	1,780	1,280	9,220	--	--
B-2	5/29/03	59,000	36,000	2,700J	8,800	2,200	900	9,600	--	--
B-2	6/15/04	57,000	68,000	<9,700	8,700	510	1,300	8,700	--	--
B-2	6/20/05	LPH Encountered								
B-2	6/6/06	LPH Encountered								
B-2	10/23/06	47,000	10,700	<180	7,120	179	289	5,280	--	--
B-2	3/14/07	40,700	11,900	<370	7,740	138	280	6,150	--	--
B-2	9/11/07	35,600	8,190	<103	7,760	71.1	635	4,670	--	--
B-2	6/4/08	30,300	5,450	369J	5,980	45.8	539	3,240	--	--
B-2	8/27/08	22,200 ¹	4,820 ^{1,3}	<100 ^{1,7}	4,280 ¹	47.8 ¹	243 ¹	2,270 ¹	4.1 ¹	<74.4 ¹
B-2 (DUP)	8/27/08	22,100	3,340	129J	4,030	42.2	277	2,360	--	--
B-2	3/24/10	32,000	2,430	<385	5,190	33.8	203	2,810	6.3	<250
B-2	8/27/10	12,300	3,240	<396	5,250 E	47.4	284	2,110	10.2	<250
B-2	2/10/11	13,800	3200J	<377	5,010	29	269	1,450	9	--
B-2	5/18/11	16,500	--	--	4,830	27.8	258	1,000	17.3	--
B-2	8/16/11	16,900 J	1,300	<380	5,800 J	25.2	254 J	909 J	16.6	--
B-2	3/1/12	11,700	1,800	<380	1,400	7.8	78.8	499	4.6	--
B-2	8/27/12	9,450 ¹⁰	1,600	<380	6,440	21.5	306	882	12.4	--
B-2	2/4/13	5,150	2,400	<420	1,420	<10.0	70.3	222	<10.0	--
B-2	8/21/13	9,000	3,700	<420	7,670 J	18.5 J	286 J	293 J	14.7 J	--
B-2	2/6/14	8,820	2,500	<400	4,850	<20.0	216	205	<20.0	--

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
B-3	5/24/01									
B-3	6/5/02									
B-3	11/25/02	--	--	--	--	--	--	--	--	--
B-3	5/27/03									
B-3	6/15/04									
B-3	6/20/05									
B-3	6/6/06									
B-3	10/23/06									
B-3	3/14/07									
B-3	9/11/07									
B-3A	6/4/08	200,000	8,410	275J	40,800	38,800	2,840	16,400	--	--
B-3A	8/27/08	171,000 ¹	11,200 ^{1,3}	790 ¹	47,500 ¹	34,000 ¹	2,470 ¹	15,800 ¹	93.6 ¹	<74.4 ¹
B-3A	3/24/10	153,000	9,850	<381	42,000	48,000	3,400	20,300	94.2	<250
B-3A	8/25/10									
B-3A	5/18/11	155,000 J	2,300	<380	30,300 J	29,000 J	2,410 J	14,900 J	60 J	--
B-3A	8/15/11	117,000	1,300	<380	41,400	29,800	2,090	11,500	70 J	--
B-3A	2/28/12	153,000 J	10,000	1,600	32,900 J	33,500	4,010 J	17,300 J	67.2 J	--
B-3A	8/29/12	114,000 ¹⁰	2,700	<380	19,100	19,800	2,030	12,100	63.5	--
B-3A	2/4/13	141,000	5,500	<420	32,400	32,100	2,260	14,800	<100	--
B-3A	8/13/13	175,000	10,000	890	23,200	19,400	1,730	11,200	<200	--
B-3A	2/5/14	200,000	3,200	<400	28,400	28,300	2,790	18,400	<50.0	--
B-4	9/18/97	1,170,000	99,600	<20,500	2,590	8,520	4,340	26,600	--	--
B-4	7/29/99	70,000	90,000	<20,000	1,800	1,600	2,300	13,000	--	--
B-4	5/23/00	76,000	51,000	<20,000	1,500	3,500	2,600	13,000	--	--
B-4	5/23/01	52,000	49,000	<20,000	600	2,300	2,500	10,000	--	--
B-4	6/5/02									
B-4	11/25/02	41,700	5.46	<0.5	519	295	2,180	10,500	--	--
B-4	5/29/03	38,000	34,000	5,200J	280	570	1,400	5,900	--	--
B-4	6/15/04									
B-4	6/20/05									
B-4	6/6/06									
B-4	10/23/06									
B-4	3/14/07									
B-4	9/11/07	22,100	3,460	48.5J	543	67.9	1,520	3,640	--	--
B-4	6/3/08	30,200	3,560	217	336	258	1,260	4,590	--	--
B-4	8/27/08	25,200 ¹	3,450 ^{1,3}	199 ¹	604 ¹	192 ¹	1,130 ¹	4,630 ¹	<0.42 ¹	<74.4 ¹
B-4	3/22/10									
B-4	8/25/10									
B-4	5/18/11	33,100	3,900	520	357	164	1,450	2,270	<1.0	--
B-4	8/16/11	19,800	7,000	670	397	114	1,060	1,440	<1.0	--
B-4	2/23/12	7,310	1,500	<380	159	10.9	169	544	<1.0	--
B-4	8/29/12	14,600 ¹⁰	1,300	<400	240	80.2	470	1,230	<1.0	--
B-4 (DUP)	8/29/12	14,500 ¹⁰	7,400	1,400	226	54.6	423	1,090	<1.0	--
B-4	2/4/13	9,210	5,800	430	322	17.6	470	363	<5.0	--
B-4	8/21/13	19,300	5,500	450	466 J	51 J	1,010 J	1,510 J	<5.0 J	--
B-4	2/11/14	17,200	3,800	<400	110 J	8.6 J	218 J	229 J	<1.0	--
B-5	9/17/97	38,900	28,100	8,980	2,810	3,750	631	5,180	--	--
B-5	4/29/98	28,000	81,000	17,000	1,600	1,100	460	4,600	--	--
B-5	7/29/99	21,000	18,000	<2,000	1,200	240	330	2,600	--	--
B-5	5/23/00	11,000	15,000	4,000J	690	59	230	960	--	--
B-5	5/23/01	10,000	13,000	3,500J	2,000	120	320	2,100	--	--
B-5	6/5/02	4,300	16,000	4,800J	940	23	230	560	--	--
B-5	11/25/02	2,270	1.06	<0.5	126	4.31	37.4	67.4	--	--
B-5	5/29/03	3,300	4,300	1,600J	440	26	260	260	--	--
B-5	6/15/04	2,600	100,000	25,000	830	23	110	310	--	--
B-5	6/22/05	980J	36,000	17,000J	630	6.7	70	140	--	--
B-5	6/6/06	4,540j	2,860	271u	944	14.4	214	507	--	--
B-5	10/23/06	9,010	6,440	605	1,950	23.8	372	904	--	--
B-5	3/14/07	11,000	3,100	339	1,790	21.4	494	909	--	--
B-5 (DUP)	3/14/07	10,500	3,500	475	1,920	21.5	497	914	--	--
B-5	9/11/07	2,740	5,580	1,530	689	9.89	72.2	191	--	--
B-5	6/3/2008	12,400	2,640	648	2,480	24.8	311	656	--	--
B-5	8/27/08	6,990 ¹	5,700 ^{1,4}	909 ¹	1,330 ¹	14.2 ¹	103 ¹	180 ¹	<0.42 ¹	<74.4 ¹
B-5	3/24/10	8,510	2,260	<381	1,740	34.3	1,720	530	1.8	<250
B-5	8/25/10									
B-5	8/16/11	10,400	7,300	850	1,240	21.1	815	171	<1.0	--
B-5	2/29/12	17,700	20,000	1,700	2,720	23.3	1,440	261	<1.0	--
B-5	9/5/12	9,590 ¹⁰	22,200	1,700	772	7.3	149	71.4	<1.0	--
B-5	2/4/13	4,480	2,100	<440	596	<5.0	72	19.1	<5.0	--
B-5	8/21/13	4,520	4,800	630	318 J	<5.0 J	67.1 J	<15.0 J	<5.0 J	--
B-5	2/6/14	4,850	7,900	1,000	442	<5.0	88	<15.0	<5.0	--
B-6	5/17/96	--	--	1,230	6.86	6.6	2.19	13.1	--	--
B-6	9/17/97	194,000	102,000	61,700	2,850	7,070	1,270	7,860	--	--
B-6	4/29/98	160,000	51,000	6,900	7,500	16,000	2,600	18,000	--	--
B-6	7/29/99	97,000	23,000	<10,000	8,300	13,000	2,200	13,000	--	--
B-6	5/24/01	69,000	44,000	25,000	6,900	4,300	980	7,200	--	--
B-6	6/5/02									
B-6	11/26/02	43,000	5.31	2.51	5,230	5,410	525	5,460	--	--
B-6 (DUP)	11/26/02	43,500	7.04	3.63	4,850	5,010	464	5,430	--	--

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES		
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --	
		<i>MTCRA Method A Screening Levels:</i>									
B-6	5/29/03	35,000	7,700	4,500	4,600	4,000	450	4,800	--	--	
B-6	6/15/04	48,000	210,000	100,000	5,900	8,500	760	6,400	--	--	
B-6	6/22/05	22,000	100,000	45,000	3,800	3,600	200	2,200	--	--	
B-6	6/6/06	33,500	5,420	528	2,540	4,560	664	4,590	--	--	
B-6	10/23/06	37,400	7,050	371	2,660	5,280	566	4,650	--	--	
B-6	3/14/07	41,200	4,740	532	1,780	5,230	603	7,220	--	--	
B-6	9/11/07	38,900	6,270	1,030	2,560	3,370	494	5,460	--	--	
B-6	6/4/08	52,000	7,350	4,460	5,320	8,210	483	7,740	--	--	
B-6	8/27/08	37,600 ¹	14,800 ^{1,3}	17,400 ^{1,2}	3,670 ¹	6,140 ¹	604 ¹	4,820 ¹	0.77 ¹	<74.4 ¹	
B-6	3/23/10	60,000	1,380	<381	8,200	10,200	1,300	10,600	4.1	<250	
B-6	8/27/10	49,400	2,710	528	4,800	7,280	1,140	8,490	<1.0	<250	
B-6	2/10/11	63,900	3,050	1,020	2,310	4,700	717	6,410	<1.0	--	
B-6	5/24/11	78,000	1,500	<390	6,000	9,030	1,900	10,800	<1.0	--	
B-6	8/15/11	38,100	3,000	1,800	6,280 J	5,830 J	740 J	4,580 J	3	--	
B-6	11/23/11	61,100	3,100	1,400	1,300	3,560	1,430	9,180	<1.0	--	
B-6	2/29/12	45,200	1,700	850	7,120	10,400	1,830	13,500	<1.0	--	
B-6	5/10/12	39,600	2,500	810	4,250	5,190	670	8,410	<50.0	--	
B-6	8/27/12	39,200 ¹⁰	1,500	430	5,080	4,060	671	7,380	2.1	--	
B-6	11/16/12	28,300	6,600	2,000	1,930	924	201	6,340	<20	--	
B-6	2/7/13	29,600	7,800	<450	1,900	1,080	224	6,000	<20.0	--	
B-6	4/30/13	28,000	510	<200	2,150	1,550	302	6,570	<25.0	--	
B-6	8/20/13	19,900	2,600	910	1,900	359	171	3,970	<10.0	--	
B-6 (DUP)	8/20/13	19,500	2,000	640 J	1,770	356	133	3,690	<20.0	--	
B-6	11/19/13	30,400	1,300	<400	6,490 J	1,920	319	5,820	<10.0	--	
B-6	2/11/14	28,600	1,100	440	3,390	1,740	298	5,770	<10.0	--	
D-1	4/14/93	190	--	--	200	0.62	13	1.2	--	--	
D-1	12/15/93	83	--	--	7.1	<0.50	<0.50	1.3	--	--	
D-1	11/4/94	52	--	--	2	<0.50	<0.50	<1.0	--	--	
D-1					Undocumented - Well Was Abandoned						
D-1	11/26/02	185	0.434	1.01	<0.5	1.12	<0.5	2.16	--	--	
D-1R	11/17/11	192	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-1R	2/21/12	436	77	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-1R	5/11/12	176	130	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-1R	8/31/12	224	80	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-1R	11/9/12	<100	<130	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-1R	2/1/13	220	<450	<450	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-1R	4/30/13	262	<200	<200	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-1R	8/20/13	226	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-1R	11/19/13	199	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-1R	2/7/14	388	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-2	11/4/94	<50	--	--	3.0	<0.50	<0.50	<1.0	--	--	
D-2					Undocumented - Well Was Abandoned						
D-4	11/4/94	450	--	--	<0.50	2.1	0.78	4.7	--	--	
D-4	6/21/05				Insufficient Groundwater to Sample						
D-4	6/7/06	101	2,760	2,840	<0.290	<0.280	<0.340	<0.820	--	--	
D-4	3/15/07	92.3J	--	--	0.430J	0.460J	0.430J	0.750J	--	--	
D-4	9/11/07				Insufficient Groundwater to Sample						
D-4	6/2/08				Insufficient Groundwater to Sample						
D-4	8/26/08	76.2 ¹	268 ^{1,5}	441 ^{1,5}	<0.27 ¹	1.6 ¹	0.58 ¹	1.45 ¹	<0.42 ¹	<74.4 ¹	
D-4	3/23/10				Insufficient Groundwater to Sample						
D-4	8/25/10				Insufficient Groundwater to Sample						
D-4	5/26/11	<50.0	1,400	1,800	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R	11/15/11	<50.0 J	<76	<380	<1.0 J	<1.0 J	<1.0 J	<3.0 J	<1.0 J	--	
D-4R	2/22/12	<50.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R	5/9/12	<100	110	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R	8/23/12	<50.0	<79	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R	11/6/12	<100	<110	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R	1/29/13	<100	<450	<450	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R (DUP)	1/29/13	<100	<450	<450	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R	4/29/13	<100	<200	<200	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R	8/13/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R	11/18/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-4R	2/4/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-5	12/15/93	260	--	--	14	<0.50	1.7	2.1	--	--	
D-5	11/4/94	170	--	--	15	3	<0.50	4	--	--	
D-5	9/11/07				Insufficient Groundwater to Sample						
D-5	6/2/08				Insufficient Groundwater to Sample						
D-5	8/25/08				Insufficient Groundwater to Sample						
D-5	3/23/10				Insufficient Groundwater to Sample						
D-5	8/25/10				Insufficient Groundwater to Sample						
D-5R	11/15/11	160	<77	<380	1	1.4	<1.0	4.6	<1.0	--	
D-5R	2/22/12	74.4 J	<77	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-5R	5/9/12	380	96	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-5R	8/23/12	55.2	<82	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--	
D-5R	11/6/12	427	<110	<110	<1.0	<1.0	<1.0	1.0	<1.0	--	
D-5R	1/29/13	128	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--	

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES		
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --	
MTCRA Method A Screening Levels:											
HA-1	2/9/11	<50.0	<75.5	<377	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	5/18/11	<50.0 J	<75.5	<380	<1.0 J	<1.0 J	<1.0 J	<3.0 J	<1.0 J	--	
HA-1	8/17/11	<50.0	<160	<820	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	2/28/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	5/15/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	8/31/12	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	11/12/12	<100	<110	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	2/7/13	<100	<460	<460	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	5/2/13	<100	<200	<200	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	8/23/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	11/21/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-1	2/12/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-2	4/14/93	160,000	--	--	7,900	30,000	2,900	17,000	--	--	
HA-2	12/15/93	90,000	--	--	1,200	860	3,000	15,000	--	--	
HA-2	11/4/94	1,800,000	--	--	1,700	13,000	8,900	57,000	--	--	
HA-2	9/18/97	16,500	13,500	<500	1,820	648	204	1,590	--	--	
HA-2	4/30/98	65,000	12,000	3,000	9,400	11,000	1,100	7,900	--	--	
HA-2	7/30/99	67,000	76,000	<10,000	10,000	8,700	1,200	10,000	--	--	
HA-2	5/23/00	69,000	71,000	<25,000	12,000	7,300	1,700	11,000	--	--	
HA-2	5/23/01	36,000	28,000	<4,000	8,100	2,100	910	5,200	--	--	
HA-2	6/4/02	81,000	68,000	<9,800	12,000	12,000	1,700	14,000	--	--	
HA-2	5/27/03	99,000	33,000	3,000 J	9,200	5,800	1,800	14,000	--	--	
HA-2	6/16/04	31,000	--	--	5,800	980	690	4,500	--	--	
HA-2	6/21/05	35,000	290,000	<20,000	4,700	2,700	440	4,000	--	--	
HA-2	6/6/06	60,200	9,720	313 J _u	7,710	5,560	874	10,200	--	--	
HA-2	10/24/06	31,700	--	--	4,890	1,480	794	5,610	--	--	
HA-2	3/15/07	73,600	14,900	534 J	9,840	8,540	1,210	14,800	--	--	
HA-2	9/12/07	52,000	--	--	11,000	2,400	2,400	8,340	--	--	
HA-2	6/4/08	81,600	6,290	283 J	8,440	5,060	2,080	11,400	--	--	
HA-2	8/27/08	60,400 ¹	-- ¹	-- ¹	11,600 ¹	4,810 ¹	3,100 ¹	9,480 ¹	<0.42 ¹	<74.4 ¹	
HA-2	3/25/10	55,500	4,650	<385	10,200	2,900	3,460	16,100	<1.0	<250	
HA-2	8/25/10	44,100	--	--	8,190	921	2,700	9,660	<1.0	<250	
HA-2	2/8/11	62,000	1,720	<379	7,130	1,560	1,980	9,990	<1.0	--	
HA-2	5/17/11	48,200 J	1,400	<380	6,710 J	853 J	2,090 J	8,850 J	<1.0 J	--	
HA-2	8/11/11	45,300	5,600	<930	7,600	1,130	2,050	6,720	<1.0	--	
HA-2	11/18/11	3,670	--	--	5,980	905	1,990	4,850	<1.0	--	
HA-2	2/24/12	142,000	2,800	<420	17,500	3,600	2,250	30,700	<10.0	--	
HA-2	5/15/12	93,000	5,100	460	6,490	2,780	2,230	14,000	<1.0	--	
HA-2	8/29/12	43,900 ¹⁰	--	--	6,000	1,360	2,300	6,960	<1.0	--	
HA-2	11/13/12	43,200	5,100	660	7,280	2,190	2,290	9,400	<50.0	--	
HA-2	2/7/13	63,700	5,300	<430	5,920	2,810	2,230	13,300	<50.0	--	
HA-2	5/2/13	73,700	3,400	470	5,760	2,480	2,700	15,000	<50.0	--	
HA-2	8/23/13	56,400	1,700	<480	5,210	1,040	2,210	6,670	<50.0	--	
HA-2	11/21/13	57,100	2,200 J	<400	5,440	1,010	2,460	8,710	<50.0	--	
HA-2	2/10/14	72,400	3,000	650	5,050	802	2,500	12,300	<50.0	--	
HA-3	4/14/93	770	--	--	73	12	6.2	37	--	--	
HA-3	12/15/93	140	--	--	19	0.58	1.5	3.8	--	--	
HA-3	11/4/94	380	--	--	26	6.0	2.0	8.7	--	--	
HA-3	9/18/97	<50	2,350	1,280	<0.50	<0.50	<0.50	<1.0	--	--	
HA-3	4/30/98	310	1,200	1,400	84	9.0	2.0	7.0	--	--	
HA-3	5/23/00	480	590	1,100	87	8.1	2.2	7.4	--	--	
HA-3	5/23/01	330	--	--	37	0.63 J	0.42 J	3.5	--	--	
HA-3	6/4/02	480	5,900	710 J	120	16.0	4.2	23.0	--	--	
HA-3	5/27/03	<24	--	--	230	4.6 J	3.8 J	8.9 J	--	--	
HA-3	6/22/05	63 J	--	--	140	0.7 J	1.4	3.9	--	--	
HA-3	6/7/06	531	755	470	80.8	6.59	0.620 J	0.880 J	--	--	
HA-3	3/15/07	3,400	1,050	547	569	7.16	6.50	12.4	--	--	
HA-3	9/12/07	--	--	--	Insufficient Groundwater to Sample					--	--
HA-3	6/2/08	--	--	--	Insufficient Groundwater to Sample					--	--
HA-3	8/25/08	--	--	--	Insufficient Groundwater to Sample					--	--
HA-3	3/25/10	--	--	--	Insufficient Groundwater to Sample					--	--
HA-3	8/25/10	383	--	--	569 CO,E	11.4	13.5	41.6	<1.0	<250	
HA-3	2/9/11	238	591	<851	113	2.1	2.4	8.3	<1.0	--	
HA-3	5/17/11	145 J	<480	<2400	121 J	2.2 J	2.2 J	7.2 J	<1.0 J	--	
HA-3	8/11/11	124	--	--	245	3.2	3.2	6.2	<1.0	--	
HA-3	11/18/11	51.4 J	<120	<590	20.6 J	<1.0 J	<1.0 J	3.1 J	<1.0 J	--	
HA-3	2/24/12	<50.0	<83	<420	1.1	<1.0	<1.0	<3.0	<1.0	--	
HA-3	5/16/12	152	<130	<630	8.8	3	2.4	16.8	<1.0	--	
HA-3	8/29/12	138	--	--	111	10.3	3.7	11.4	<1.0	--	
HA-3	11/13/12	1,880	<130	<130	2.0	6.3	<1.0	<3.0	<1.0	--	
HA-3	2/7/13	272	<430	<430	9.4	60.2	1.7	9.7	<1.0	--	
HA-3	5/2/13	149	<200	230	16.8	19	1.4	6.9	<1.0	--	
HA-3	8/23/13	<200	<400	<400	201	7.2 J	<5.0	<15.0	<5.0	--	
HA-3	11/21/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-3	2/10/14	315	<400	<400	4.5 J	5.3 J	10.2 J	67.8 J	<1.0 J	--	
HA-4	4/14/93	230	--	--	<0.50	1.7	4.5	12	--	--	
HA-4	12/15/93	<50	--	--	<0.50	<0.50	<0.50	<1.0	--	--	
HA-4	11/4/94	<50	--	--	<0.50	<0.50	<0.50	<1.0	--	--	
HA-4	9/18/97	3,980	610	797	193	280	68.6	503	--	--	
HA-4	4/30/98	<250	530	1,600	<1.0	<1.0	<1.0	<3.0	--	--	

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES		
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --	
		MTCA Method A Screening Levels:									
HA-4	5/23/00	<48	420J	1,500	<0.2	<0.2	<0.2	<0.6	--	--	
HA-4	5/23/01	<48	550	1,900	<0.2	7.60	<0.2	<0.6	--	--	
HA-4	6/4/02	<48	230J	270J	0.22J	0.33J	<0.2	1.1J	--	--	
HA-4	5/27/03	<48	410	720	<0.2	2.3	<0.2	<0.6	--	--	
HA-4	6/16/04	70J	470	590J	<0.2	4.7	<0.2	<0.6	--	--	
HA-4	6/22/05	<48	560	1,000	<0.2	0.6J	<0.2	1.0J	--	--	
HA-4	10/24/06	275	325	672	60.6	21.0	2.92	19.2	--	--	
HA-4	3/15/07	66.5J	519	155	<0.330	<0.420	<0.420	<0.450	--	--	
HA-4	9/12/07	84.9J	--	--	<0.330	<0.420	<0.420	0.770J	--	--	
HA-4	6/4/08	131	94.0J	204	0.920J	2.95	1.65	7.44	--	--	
HA-4	8/26/08	<43 ¹	188 ^{1,2}	421 ^{1,2}	<0.27 ¹	<0.28 ¹	<0.24 ¹	<0.86 ¹	<0.42 ¹	<74.4 ¹	
HA-4	3/25/10	Insufficient Groundwater to Sample									
HA-4	8/25/10	<50.0	--	--	1.6	<1.0	<1.0	<3.0	<1.0	<250	
HA-4	2/8/11	61.8	114	<404	1.4	1.3	1.8	14.7	<1.0	--	
HA-4	5/17/11	<50.0J	<77.0	<380	<1.0J	<1.0J	<1.0J	<3.0J	<1.0J	--	
HA-4	8/11/11	<50.0	--	--	--	--	--	--	--	--	
HA-4	11/18/11	<50.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-4	2/24/12	<50.0	<77	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-4	5/16/12	215	<85	<430	<1.0	49.7	<1.0	<3.0	<1.0	--	
HA-4	8/29/12	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-4	11/15/12	<100	<110	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-4	2/7/13	<100	<410	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-4	5/2/13	121	<200	210	<1.0	43.7	<1.0	<3.0	<1.0	--	
HA-4	8/23/13	<100	<400	<400	<1.0	3.7J	<1.0	<3.0	<1.0	--	
HA-4	11/21/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-4	2/10/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-5	4/14/93	3,500	--	--	22	2.2	84	210	--	--	
HA-5	12/15/93	710	--	--	17	18	1.2	38	--	--	
HA-5	11/4/94	250	--	--	14	1.5	1.6	2.9	--	--	
HA-5	9/18/97	349	1,790	969	18.50	2.45	1.89	6.8	--	--	
HA-5	5/1/98	950	640	840	15	3	7	5	--	--	
HA-5	7/29/99	480	240J	<200	17	3	0.4J	9	--	--	
HA-5	5/23/00	410	380	630	9.1	2.6	2	5.5	--	--	
HA-5	5/22/01	480	290	<200	2.5	1.7	0.23J	3.0	--	--	
HA-5	6/5/02	880	260	110J	30.0	5.3	140	16.0	--	--	
HA-5	11/19/02	223	NA	NA	3.39	5.63	0.581	5.87	--	--	
HA-5	11/25/02	236	<0.25	<0.5	2.94	1.67	<0.5	4.22	--	--	
HA-5 (DUP)	11/25/02	243	<0.25	<0.5	2.78	1.51	<0.5	3.81	--	--	
HA-5	1/14/03	14,300	NA	NA	3,380	2,870	43.6	151	--	--	
HA-5	2/24/03	65,000	0.476	<0.5	8,620	17,200	685	3,260	--	--	
HA-5	3/25/03	54,700	0.388	<0.5	6,550	14,700	657	2,900	--	--	
HA-5	4/18/03	66,600	<0.25	<0.5	7,550	16,800	857	3,960	--	--	
HA-5	5/28/03	21,000	310	150J	2,700	5,200	350	1,700	--	--	
HA-5	8/11/03	2,810	0.512	<0.5	659	232	26.7	187	--	--	
HA-5	3/15/04	708	2.38	<0.5	21.2	1.38	41.5	6.55	--	--	
HA-5	6/16/04	570	1,400J	<1,000	3.0	1.2	3.1	25	--	--	
HA-5	6/22/04	178	<0.25	<0.5	2.85	<0.5	0.559	<1	--	--	
HA-5	9/21/04	409	4.17	<0.5	9.76	0.657	16.5	7.84	--	--	
HA-5	12/21/04	<50	<0.25	<0.5	0.567	<0.5	<0.5	<1	--	--	
HA-5	3/22/05	<100	<0.236	<0.473	17.6	<1	<1	<3	--	--	
HA-5	6/20/05	86J	790	<94	2.7	<0.2	<0.2	0.7J	--	--	
HA-5	6/24/05	124	1.18 (d)	<0.456	<1	<1	<1	<3	<1	--	
HA-5	7/28/05	870	360	<95	0.9	1.7	3.2	52	<0.3	--	
HA-5	9/20/05	140	85	<94	6.9	11	1.9	9.7	--	--	
HA-5	11/30/05	<48	95	<94	<0.5	<0.7	<0.8	<0.8	--	--	
HA-5	2/28/06	<48	100	<100	2	<0.7	<0.8	<0.8	<0.5	--	
HA-5	5/16/06	<48	<76	<95	1.9	<0.2	<0.2	<0.6	<5	--	
HA-5	6/7/06	173	205	171	0.570J	<0.280	<0.340	<0.820	--	--	
HA-5	8/17/06	100	190	<96	5	<0.7	<0.8	<0.8	<0.5	--	
HA-5	10/24/06	303	178	<35.8	22.7	3.42	1.72	2.92J	--	--	
HA-5	11/21/06	150	590	<96	15	<0.7	<0.8	4.0	<0.5	--	
HA-5	2/20/07	180	--	--	5	<0.7	2	<0.8	<0.5	--	
HA-5	3/15/07	133	454	<37.0	3.79	<0.420	0.770J	<0.450	--	--	
HA-5	5/15/07	110	260	<95	2	<0.7	<0.8	<0.8	<0.5	--	
HA-5	9/11/07	507	525	76.2J	78.7	5.24	9.22	16.2	--	--	
HA-5	9/12/07	720	<160	<200	280	23	34	100	<0.5	--	
HA-5	11/27/07	100	190	<95	5	<0.7	2	4	<0.5	--	
HA-5	2/26/08	77	100	<93	0.7	<0.7	<0.8	1	<0.5	--	
HA-5	6/4/08	999	185	116	4.66	2.74	30.9	8.96	--	--	
HA-5	8/26/08	1,220 ¹	360 ^{1,4}	136 ^{1,4}	24.7 ¹	11.5 ¹	5.64 ¹	31.4 ¹	<0.42 ¹	<74.4 ¹	
HA-5	3/24/10	162	<76.2	<381	5.8	1.4	<1.0	6.7	<1.0	<250	
HA-5	8/27/10	571	87.1	<392	31.2	8.3	61.8	37.8	<1.0	<250	
HA-5	2/11/11	130	<77.7	<388	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-5	8/12/11	<50.0	<78	<390	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-5	2/23/12	<50.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-5	8/23/12	<50.0	<83	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-5	1/30/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-5	8/22/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-5	2/7/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-6	4/14/93	63,000	--	--	1,400	9,300	1,200	10,000	--	--	
HA-6	12/15/93	59,000	--	--	1,400	1,400	7,400	10,000	--	--	

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES		
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --	
		MTC A Screening Levels:									
HA-6	11/4/94	53,000	--	--	960	2,700	790	9,500	--	--	
HA-6	9/17/97	43,100	25,100	<500	934	973	922	7,670	--	--	
HA-6	5/1/98	43,000	24,000	<5,000	1,100	1,200	1,300	8,700	--	--	
HA-6	7/30/99	47,000	16,000	<2,000	950	360	1,500	8,300	--	--	
HA-6	5/22/00	37,000	10,000	<4,000	870	430	1,500	6,800	--	--	
HA-6	5/22/01	38,000	14,000	<2,000	820	370	1,600	8,000	--	--	
HA-6	6/5/02	36,000	5,800	990J	650	210	1,700	7,100	--	--	
HA-6	11/25/02	25,600	1.43	<0.5	637	181	1,320	5,620	--	--	
HA-6	5/28/03	32,000	4,100	5,400J	590	210	1,200	5,900	--	--	
HA-6	6/16/04	52,000	41,000	<2,500	590	330	1,300	8,500	--	--	
HA-6	6/20/05	18,000	11,000	<960	330	150	690	2,800	--	--	
HA-6	6/7/06	18,600	3,700J	106J	345	189	1,040	2,900	--	--	
HA-6	10/24/06	19,000	2,670J	<71.4uj	422	172	948	2,570	--	--	
HA-6	3/15/07	17,700	3,290	<74.0	409	209	1,170	4,300	--	--	
HA-6	9/11/07	19,800	2,600	52.6	471	197	1,360	2,200	--	--	
HA-6	6/3/08	24,900	2,120	165	365	304	1,550	4,330	--	--	
HA-6	8/26/08	22,800 ¹	1,420 ^{1,3}	48.8 ¹	349 ¹	237 ¹	1,320 ¹	2,470 ¹	<0.42 ¹	<74.4 ¹	
HA-6	3/24/10	14,900	908	<381	330	184	1,450	2,790	<1.0	<250	
HA-6	8/27/10	9,630	789	<392	293	98.0	1,420	413	<1.0	<250	
HA-6	2/10/11	10,100	576	<377	118	71.1	423	882	<1.0	--	
HA-6	5/26/11	11,500	510	<380	149	77.4	389	570	<1.0	--	
HA-6	8/12/11	9,440	1,900	<380	89.8	77	551	337	<1.0	--	
HA-6	11/22/11	10,300	330	<390	119	97.9	731	457	<1.0	--	
HA-6	2/23/12	12,700	710	<380	153	155	1,160	1,490	<1.0	--	
HA-6	5/11/12	12,800	900	<420	130	149	1,100	1,530	<10.0	--	
HA-6	8/23/12	12,800 ¹⁰	830	<420	157	132	1,380	933	<1.0	--	
HA-6	11/8/12	11,500	3,100	<100	151	115	907	1,010	<1.0	--	
HA-6	1/30/13	15,900	910	<430	140	148	1,140	1,520	<5.0	--	
HA-6	5/3/13	19,100	910	350	181	180	1,680	1,930	<10.0	--	
HA-6	8/22/13	11,000	900	<430	133	85.2	907	583	<1.0	--	
HA-6	11/20/13	14,300	770	<400	194	143	1,540 J	1,490	<5.0	--	
HA-6	2/7/14	20,200	1,200	<400	161	137	1,870	1,160	<10.0	--	
HA-7	7/29/99	17,000	16,000	<10,000	1,200	69	890	1,200	--	--	
HA-7	5/22/00	7,000	9,200	<4,000	460	31	510	580	--	--	
HA-7	5/22/01	4,700	7,100	<2,000	290	25	350	470	--	--	
HA-7	6/5/02	8,800	4,100	<470	1,500	73	760	1,000	--	--	
HA-7	11/19/02	5,510	NA	NA	587	31.3	259	324	--	--	
HA-7	11/25/02	7,840	2.67	<0.5	811	41.1	402	580	--	--	
HA-7	1/14/03	13,700	NA	NA	421	56.2	261	2,350	--	--	
HA-7	5/28/03	11,000	9,000	<960	1,000	100	920	1,300	--	--	
HA-7	6/15/04	8,500	3,400	<490	730	48	600	1,200	--	--	
HA-7	6/20/05	740	1,500	<200	170	5	84	18	--	--	
HA-7	6/7/06	<40	14,700	1,610	0.480J	<0.280	<0.340	<0.820	--	--	
HA-7	10/24/06	537	1,040J	408J	46.9	4.32	7.86	23.5	--	--	
HA-7	3/15/07	3,880	3,270	<181	385	30.0	658	166	--	--	
HA-7	9/11/07	9,440	4,300	<41.0	777	31.8	1,540	504	--	--	
HA-7	6/3/08	13,700	4,270	357	653	70.6	1,620	1,430	--	--	
HA-7	8/26/08	6,940 ¹	4,410 ^{1,3}	137 ¹	635 ¹	31.7 ¹	1,100 ¹	928 ¹	<0.42 ¹	<74.4 ¹	
HA-7	3/24/10	4,990	458	<392	529	28.4	771	1,050	<1.0	<250	
HA-7	8/27/10	7,120	455	<388	267	24.8	505	544	<1.0	<250	
HA-7	2/11/11	5,430	369	<377	114	17.7	500	401	<1.0	--	
HA-7	5/25/11	6,540	360	<380	150	22	369	349	<1.0	--	
HA-7	8/15/11	6,820	660	<380	225	22.9	567	377	<1.0	--	
HA-7	11/22/11	3,100	200	<400	86.1	7.8	160	198	<1.0	--	
HA-7	2/27/12	5,310	360	<380	193	25.6	813	509	<1.0	--	
HA-7	5/11/12	5,130	790	<380	145	19.9	520	419	<5.0	--	
HA-7	8/27/12	4,430 ¹⁰	550	<400	178	15.2	335	264	<1.0	--	
HA-7	11/12/12	3,050	880	350	130	8.0	192	237	<1.0	--	
HA-7	2/1/13	4,220	1,400	<430	98.8	14.3	339	259	<2.0	--	
HA-7	5/3/13	8,320	670	300	142	21.3	647	570	<5.0	--	
HA-7	8/23/13	4,480 J	1,200	<390	181	12 J	283	204	<2.0	--	
HA-7	11/20/13	5,060	<400	<400	82	8.9	429	357	<5.0	--	
HA-7	2/7/14	5,330	760	<400	89.2	9.6	322	226	<2.0	--	
HA-8	4/14/93	8,100	--	--	140	150	200	1,100	--	--	
HA-8	12/15/93	3,200	--	--	100	68	11	390	--	--	
HA-8	11/4/94	610	--	--	25	2.9	15	54	--	--	
HA-8	9/18/97	2,840	6,760	2,360	29.2	11.9	19.8	239	--	--	
HA-8	5/1/98	4,300	14,000	19,000	110	130	190	600	--	--	
HA-8	7/29/99	6,000	2,200	<200	37	30	140	1,000	--	--	
HA-8	5/22/00	1,100	810	700	13	9.7	28	170	--	--	
HA-8	5/22/01	650	800	350J	15	3.8	26	95	--	--	
HA-8	6/5/02	1,200	3,000	1,100	6.8	4.4	31	160	--	--	
HA-8	11/19/02	135	--	--	2.07	4.11	1.76	7.42	--	--	
HA-8	11/24/02	579	<0.25	<0.5	5.78	16.9	12.6	57.8	--	--	
HA-8	1/14/03	633	--	--	4.02	16.5	16.3	207	--	--	
HA-8	2/24/03	5,720	0.767	<0.5	14.6	74.5	232	1,570	--	--	
HA-8	3/25/03	1,950	0.544	<0.5	6.17	22.0	73.0	445	--	--	
HA-8	4/18/03	3,040	<0.25	<0.5	12.1	35.9	160	708	--	--	
HA-8 (DUP)	4/18/03	3,650	0.257	<0.5	11.9	41.1	164	762	--	--	
HA-8	5/28/03	67,000	1,800	530	11,000	16,000	1,100	5,400	--	--	
HA-8	6/15/04										

LPH Encountered

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHq 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
HA-8	6/20/05									
HA-8	6/6/06									
HA-8	10/23/06									
HA-8	3/14/07									
HA-8	9/11/07	4,230	31,000	1,270J	2,360	7,210	408	2,310	--	--
HA-8	6/3/08	43,800	2,250	719	3,730	14,800	956	4,650	--	--
HA-8	8/26/08	34,600 ¹	2,620 ^{1,4}	778 ^{1,4}	3,770 ¹	10,700 ¹	763 ¹	3,750 ¹	<0.42 ¹	<74.4 ¹
HA-8	3/24/10	115	<77.7	<388	<1.0	<1.0	<1.0	15.6	<1.0	<250
HA-8	8/27/10	54,600	434	<388	2,200	11,900	964	4,240	<1.0	<250
HA-8	2/11/11	68.2	78.2	<377	<1.0	<1.0	<1.0	17.4	<1.0	--
HA-8	8/15/11	3,680	170	<380	78.2	287	132	576	<1.0	--
HA-8	2/27/12	87.3	<76	<380	<1.0	<1.0	<1.0	10.5	<1.0	--
HA-8	8/27/12	<50.0	<82	<410	5.9	<1.0	<1.0	<3.0	<1.0	--
HA-8	2/1/13	238	<430	<430	<1.0	<1.0	<1.0	38.2	<1.0	--
HA-8	8/23/13	375	400	<400	15.6	7.3 J	20.1	32.1	<1.0	--
HA-8	2/7/14	1,240	<400	<400	2	<1.0	6.4	128	<1.0	--
HA-9	4/14/93	74,000	--	--	1,700	2,000	2,100	14,000	--	--
HA-9	12/15/93	50,000	--	--	990	1,300	130	9,300	--	--
HA-9	11/4/94	55,000	--	--	570	91	1,200	8,200	--	--
HA-9	9/18/97	21,800	6,100	<1,000	142	22.8	372	2,460	--	--
HA-9	4/29/98	32,000	44,000	<25,000	410	60	1,200	4,500	--	--
HA-9	5/24/00	7,400	12,000	3,400	310	21	320	380	--	--
HA-9	5/23/01	3,400	15,000	<2,000	290	15	290	490	--	--
HA-9	6/4/02	12,000	5,300	1,000J	530	13	810	910	--	--
HA-9	11/26/02	6,110	--	--	249	3.55	349	187	--	--
HA-9	5/28/03	9,500	3,800	<1,100	310	6.3	610	190	--	--
HA-9	6/17/04	4,300	--	--	250	2.1	280	6.8	--	--
HA-9	6/20/05	4,800	15,000	1,800J	220	2.4	260	5.8	--	--
HA-9	6/6/06	3,750j	3,220	337u	177	3.58	435	420	--	--
HA-9	10/24/06	7,050	3,080	248	248	2.58	580	8.43	--	--
HA-9	3/15/07	6,360	3,100	<82.2	245	5.66	468	8.72	--	--
HA-9	9/11/07	5,600	4,290	702	399	10.1	345	50.0	--	--
HA-9	6/4/08	5,870	1,340	165J	130	4.37	141	10.8	--	--
HA-9	8/27/08	5,730 ¹	3,160 ^{1,4}	705 ^{1,4}	388 ¹	7.34 ¹	277 ¹	13 ¹	<0.42 ¹	<74.4 ¹
HA-9	3/25/10									
HA-9	8/25/10	4,180	--	--	388	17.1	260	199	<1.0	<250
HA-9	2/8/11	4,330	753	<379	127	6.3	115	9.8	<1.0	--
HA-9	5/17/11	5,240	--	--	177	4.9	156	9.5	<1.0	--
HA-9	8/11/11	6,530	950	<620	195	4.2	151	8.7	<1.0	--
HA-9	11/22/11	6,320	1,200	<380	206	5	160	10.2	<1.0	--
HA-9	2/29/12	4,640	860	<390	147	5.5	119	11.1	<1.0	--
HA-9	5/15/12	4,610	980	<410	218	8.8	152	32.1	<1.0	--
HA-9	8/29/12	4,520	2,400	790	199	3.5	160	8.6	<1.0	--
HA-9	11/14/12	3,920	900	<110	207	3.3	74.8	7.7	<1.0	--
HA-9	2/4/13	2,890	940	<440	110	3	60.6	7	<1.0	--
HA-9	5/8/13	4,500	560	<200	195	3.3	103	6.6	<1.0	--
HA-9	11/21/13	4,060	710	<400	205	5.2	118	6.7	<2.0	--
HA-9	2/6/14	3,020	870	<400	15.2	<1.0	5.7	<3.0	<1.0	--
HA-10	4/14/93	77,000	--	--	540	4,600	1,800	12,000	--	--
HA-10	12/15/93	24,000	--	--	430	410	1,400	3,800	--	--
HA-10	5/23/01									
HA-10	6/6/02	8,900	--	--	44	66	530	1,600	--	--
HA-10	5/27/03									
HA-10	6/17/04									
HA-10	6/21/05	3,500	--	--	23	7	170	320	--	--
HA-10	6/6/06	852	999	97.5	52.6	5.50J	63.7	19.1J	--	--
HA-10	10/24/06	2,280	--	--	36.2	<0.220	47.4	99.4	--	--
HA-10	3/15/07	4,590	1,610	371	49.8	13.2	332	425	--	--
HA-10	9/12/07									
HA-10	6/4/08	4,710	--	--	16.1	7.79	175	283	--	--
HA-10	8/27/08	2,160 ¹	2,400 ^{1,3}	510 ^{1,2}	5.61 ¹	5.32 ¹	34.4 ¹	39.2 ¹	<0.42 ¹	<74.4 ¹
HA-10	3/24/10									
HA-10	8/25/10	2,170	--	--	7.1	7.5	68.5	130	<1.0	<250
HA-10	2/8/11									
HA-10	5/17/11	508 J	1,300	<2400	<1.0 J	<1.0 J	<1.0 J	<3.0 J	<1.0 J	--
HA-10	8/11/11	2,210	--	--	10.1	5.7	49.9	73.5	<1.0	--
HA-10	11/21/11	1,430 J	140 J	<570 J	5.5 J	2.8 J	37.2 J	56.6 J	<1.0 J	--
HA-10	2/29/12	489	1,900	1,700	<1.0	1.5	10.3	5.3	<1.0	--
HA-10	5/16/12	816	--	--	1.5	3.7	15.0	10.3	<1.0	--
HA-10	8/29/12	1,020	--	--	3.1	3.5	24.2	18.5	<1.0	--
HA-10	11/14/12	286	<110	<110	<1.0	<1.0	12.5	3.5	<1.0	--
HA-10	1/31/13	218	<450	<450	<1.0	<1.0	9.4	<3.0	<1.0	--
HA-10	5/2/13	490	--	--	<1.0	3	18.3	9.3	<1.0	--
HA-10	8/20/13	274	--	--	<1.0	1.9 J	6.1	4	<1.0	--
HA-10	11/27/13	101	<950	<950	<1.0	<1.0	5.6	<3.0	<1.0	--
HA-11	4/14/93	29,000	--	--	910	42	820	3,700	--	--
HA-11	12/15/93	5,300	--	--	360	160	98	780	--	--
HA-11	11/4/94	13,000	--	--	610	190	300	1,900	--	--
HA-11	4/29/98	4,600	4,200	1,800	230	28	100	520	--	--
HA-11	5/24/00	13,000	3,300	1,400	710	200	450	2,300	--	--

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES		
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --	
MTCA Method A Screening Levels:											
HA-11	5/23/01	6,100	--	--	570	83	280	910	--	--	
HA-11	6/4/02	3,000	--	--	660	18	100	450	--	--	
HA-11	5/27/03	16,000	--	--	1,400	74	560	2,300	--	--	
HA-11	6/21/05	4,100	--	--	500	6.6	150	460	--	--	
HA-11	6/7/06	8,760	3,320j	147j	662	17.0	443	1,420	--	--	
HA-11	10/24/06	7,410	3,560	1,370	1,510	12.2	385	710	--	--	
HA-11	3/15/07	5,180	3,700	508	504	8.96	294	842	--	--	
HA-11	9/12/07				Insufficient Groundwater to Sample						
HA-11	6/4/08	4,290	--	--	602	4.46	159	415	--	--	
HA-11	8/25/08				Insufficient Groundwater to Sample						
HA-11	3/24/10	3,080	--	--	384	5.1	215	595	<1.0	<250	
HA-11	8/25/10	5,350	--	--	988	18.6	430	1,230	<1.0	<250	
HA-11	2/8/11				Insufficient Groundwater to Sample						
HA-11	5/18/11	8,740 J	<77	<380	442 J	8.5 J	344 J	682 J	<1.0 J	--	
HA-11	8/11/11	4,840	--	--	736	4.3	167	329	<1.0	--	
HA-11	11/21/11	3,280 J	<180 J	<890 J	559 J	3.1 J	109 J	150 J	<1.0 J	--	
HA-11	2/29/12	4,060	250	<480	271	3	228	459	<1.0	--	
HA-11	5/15/12	3,890	--	--	318 ^(CO, E)	7	198	463	<1.0	--	
HA-11	8/29/12	5,390 ¹⁰	--	--	543	28.3	276	570	<1.0	--	
HA-11	11/15/12	1,610	--	--	302	<2.0	24.3	130	<2.0	--	
HA-11	2/4/13	1,460	<490	<490	185	1.6	112	220	<1.0	--	
HA-11	5/2/13	1,780	1,500	450	--	--	--	--	--	--	
HA-11	11/21/13	1,390	620 J	<400	207	1.9	136	322	<1.0	--	
HA-11	2/13/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-12	4/14/93	<50	--	--	1.3	<0.50	<0.50	<1.0	--	--	
HA-12	12/15/93	700	--	--	6.0	5.7	16	170	--	--	
HA-12	11/4/94	300	--	--	2.2	1.6	1.8	9.7	--	--	
HA-12	9/18/97	139	6,350	<500	1.05	<0.50	<0.50	1.9	--	--	
HA-12	5/1/98	<50	<80	780	0.3	0.5	0.3	1.5	--	--	
HA-12	7/29/99	<48	180j	200	3	0.8j	<0.2	1.3j	--	--	
HA-12	5/22/00	<48	250	520	1.2	0.24j	<0.2	<0.6	--	--	
HA-12	5/22/01	<48	410	<200	3.7	0.24j	<0.2	<0.6	--	--	
HA-12	6/5/02	<48	130j	<95	0.31j	<0.2	<0.2	<0.6	--	--	
HA-12	11/25/02	93.7	<0.25	<0.5	0.957	3.85	1.52	10.8	--	--	
HA-12	5/28/03	<48	280	610	0.4j	<0.2	<0.2	<0.6	--	--	
HA-12	6/16/04	<48	490	250j	4.5	0.3j	<0.2	0.8j	--	--	
HA-12	6/21/05	<48	180j	<100	0.3j	<0.2	0.5j	<0.6	--	--	
HA-12	6/7/06	<40	165	70.1j	<0.290	<0.280	<0.340	<0.820	--	--	
HA-12	10/24/06	58.2ju	103	564	4.85	1.60	0.860j	0.870j	--	--	
HA-12	3/15/07	71.6j	90.3j	<37.0	<0.330	<0.420	0.530j	0.630j	--	--	
HA-12	9/11/07	72.6j	283	181	<0.330	<0.420	<0.420	<0.450	--	--	
HA-12	6/4/08	110	228	316	0.310j	<0.280	0.570j	1.05j	--	--	
HA-12	8/27/08	<43 ¹	584 ^{1,5}	722 ^{1,5}	<0.27 ¹	1.23 ¹	0.38 ¹	<0.86 ¹	<0.42 ¹	<74.4 ¹	
HA-12	3/24/10	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	<250	
HA-12	8/25/10				Insufficient Groundwater to Sample						
HA-12	5/25/11	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-12	11/21/11	<50.0 J	<77 J	450 J	<1.0 J	<1.0 J	1.3 J	<3.0 J	<1.0 J	--	
HA-12	5/11/12	<100	<77	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-12	11/12/12	<100	<100	<100	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-12	5/3/13	<100	<200	310	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-12	11/20/13	<100	710	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-13	4/14/93	<50	--	--	<0.50	<0.50	<0.50	<1.0	--	--	
HA-13	12/15/93	<50	--	--	<0.50	<0.50	<0.50	<1.0	--	--	
HA-13	11/4/94	<50	--	--	<0.50	1.4	<0.50	3.0	--	--	
HA-13	9/18/97	59	310	<500	<0.50	<0.50	<0.50	<1.0	--	--	
HA-13	4/30/98	<250	<250	<500	<1.0	1.00	<1.0	<3.0	--	--	
HA-13	7/28/99	--	--	--	--	--	--	--	--	--	
HA-13	5/22/00	<48	130j	450j	<0.2	<0.2	<0.2	<0.6	--	--	
HA-13	5/22/01	<48	86j	<200	<0.2	<0.2	<0.2	<0.6	--	--	
HA-13	6/4/02	<48	<84	<110	<0.2	<0.2	<0.2	<0.6	--	--	
HA-13	11/25/02	<50	<0.25	<0.5	0.569	1.80	0.667	5.74	--	--	
HA-13	2/24/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	1.08	--	--	
HA-13	3/25/03	98.4	<0.25	<0.5	<0.5	0.580	<0.5	<1	--	--	
HA-13	4/18/03	<50	<0.25	<0.5	<0.5	<0.5	0.500	<1	--	--	
HA-13	5/27/03	7,100	84j	<96	43	290	120	840	--	--	
HA-13	9/11/03	498	NA	NA	3.38	28.9	7.87	60.6	--	--	
HA-13	11/21/03	<50	<0.25	<0.5	<0.5	0.877	<0.5	1.15	--	--	
HA-13	3/15/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--	
HA-13	6/16/04	<48	<77	<96	<0.2	<0.2	<0.2	<0.6	--	--	
HA-13	6/22/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--	
HA-13	9/21/04	<50	0.868	<0.5	0.598	<0.5	<0.5	<1	--	--	
HA-13	12/21/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--	
HA-13	3/22/05	<100	<0.237	<0.474	<1	<1	<1	<3	--	--	
HA-13	6/21/05	<48	230j	<200	<0.2	<0.2	0.5j	0.27j	--	--	
HA-13	6/24/05	<100	0.311	<0.473	<1	<1	<1	<3	<1	--	
HA-13	7/28/05	5800	1100	380	<0.3	9.8	22	380	<0.3	--	
HA-13	9/20/05	130	--	--	3.6	11.0	1.4	8.8	--	--	
HA-13	11/29/05	<48	79	<95	<0.5	<0.7	<0.8	<0.8	--	--	
HA-13	2/28/06	<48	<78	<97	<0.5	<0.7	<0.8	<0.8	<0.5	--	
HA-13	5/16/06	<48	<81	<100	<0.2	<0.2	<0.2	<0.6	<0.3	--	
HA-13	6/7/06	<40	163	329	<0.290	<0.280	<0.340	<0.820	--	--	

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHq 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
HA-13	8/17/06	<48	<270	<330	<0.5	<0.7	<0.7	<0.8	<0.5	--
HA-13	10/24/06	100	<37.8	<37.8	7.34	1.83	0.770J	0.750J	--	--
HA-13	11/21/06	<48	<75	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
HA-13	2/20/07	<48	<75	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
HA-13	3/15/07	63.6J	59.7J	110	<0.330	<0.420	<0.420	0.500J	--	--
HA-13	5/15/07	<50	<130	<170	<0.5	<0.7	<0.8	<0.8	<0.5	--
HA-13	9/11/07	47.5J	--	--	0.580J	<0.420	<0.420	0.700J	--	--
HA-13	9/12/07	<50	450	<200	<0.5	<0.7	<0.8	<0.8	<0.5	--
HA-13	11/27/07	<50	<300	<370	<0.5	<0.7	<0.8	<0.8	<0.5	--
HA-13	2/26/08	<50	<75	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
HA-13	6/4/08	52.3J	41.1J	58.9J	<0.270	<0.280	0.410J	<0.860	--	--
HA-13	8/27/08	57.7 ^{1,6}	34.1 ¹	53.9 ¹	<0.27 ¹	0.92 ¹	0.24 ¹	<0.86 ¹	<0.42 ¹	<74.4 ¹
HA-13	3/24/10	<50.0	<75.8	<379	<1.0	<1.0	<1.0	<3.0	<1.0	<250
HA-13	8/27/10	<50.0	--	--	<1.0	2.0	<1.0	3.0	<1.0	<250
HA-13	2/10/11	<50.0	<75.5	<377	<1.0	<1.0	<1.0	<3.0	<1.0	--
HA-13	8/12/11	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	--
HA-13	8/12/11	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	--
HA-13	2/28/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
HA-13	8/23/12	<50.0	--	--	<1.0	<1.0	<1.0	<3.0	<1.0	--
HA-13	1/29/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
HA-13	8/22/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
HA-13	2/7/14	<100	<400	<400	<1.0	1.1	<1.0	<3.0	<1.0	--
HA-14	4/14/93	5,300	--	--	400	22	290	1,000	--	--
HA-14	12/15/93	<50	--	--	<0.50	<0.50	<0.50	<1.0	--	--
HA-14	11/4/94	180	--	--	5	1.8	3.9	11	--	--
HA-14	9/18/97	324	972	752	6.45	1.06	7.98	9.17	--	--
HA-14	4/30/98	1,800	460	<500	210	15	190	100	--	--
HA-14	7/29/99	4,700	1,100	<200	450	38	710	120	--	--
HA-14	5/22/00	3,700	1,100	520J	470	26	760	63	--	--
HA-14	5/22/01	890	430	230J	120	5.5	200	10	--	--
HA-14	6/4/02	2,200	1,400	1,000	380	16.0	470	32	--	--
HA-14	11/25/02	939	<0.25	<0.5	141	15.7	169	48.1	--	--
HA-14	4/18/03	1,190	<0.25	<0.5	133	8.87	228	23.7	--	--
HA-14	5/27/03	860	300	220J	91	2.7	140	11	--	--
HA-14	6/16/04	220J	780	280J	56	2.6	52	5	--	--
HA-14	6/21/05	1,200	660	390J	260	5.8	250	18	--	--
HA-14	6/7/06	<40	--	--	<0.290	<0.280	0.560J	<0.820	--	--
HA-14	10/24/06	288	--	--	12.3	2.06	9.60	1.42J	--	--
HA-14	3/15/07	121	187	50.1J	4.09	<0.420	4.99	0.610J	--	--
HA-14	9/11/07	628	--	--	92.8	1.30	157	3.45	--	--
HA-14	6/4/08	529	1,150	1,820	30.1	0.780J	67.5	1.71J	--	--
HA-14	8/27/08	350 ¹	513 ^{1,5}	863 ^{1,5}	31.5 ¹	2.25 ¹	72.1 ¹	2.63 ¹	<0.42 ¹	<74.4 ¹
HA-14	3/24/10	1,150	1,030	2,560	92	1.4	369	6.6	<1.0	<250
HA-14	8/27/10	1,120	--	--	155	6.0	321	3.5	<1.0	<250
HA-14	2/10/11	231	161	<377	12.8	<1.0	67.3	4	<1.0	--
HA-14	5/25/11	2,250	110	<380	106	5.6	316	12	<1.0	--
HA-14	8/12/11	1,890	--	--	159	10.1	281	12.4	<1.0	--
HA-14	2/28/12	<50.0 J	<77	<380	<1.0 J	<1.0 J	<1.0	<3.0	<1.0	--
HA-14	8/23/12	198	--	--	42.4	2.4	13.2	5.5	<1.0	--
HA-15	1/14/03	344	NA	NA	3.34	0.672	<0.5	2.51	--	--
HA-15	2/24/03	1,250	0	<0.5	12.9	5.57	9.8	69.6	--	--
HA-15	3/25/03	910	0	<0.5	7.47	1.55	1.12	3.99	--	--
HA-15	4/18/03	658	<0.25	<0.5	7.21	1.88	0.716	6.47	--	--
HA-15	3/15/04	336	1	<0.5	5.85	0.765	<0.5	1.34	--	--
HA-15	12/21/04	1,350	<0.25	<0.5	12.2	0.824	3.01	2.74	--	--
HA-15 (DUP)	12/21/04	1,570	<0.25	<0.5	13.4	0.952	4.02	3.11	--	--
HA-15	3/22/05	<100	<0.237	<0.474	<1	<1	<1	<3	--	--
HA-15	6/24/05	<100	<0.525(d)	<0.956	<1	<1	<1	<3	<1	--
HA-15	2/28/06	58	<280	<96	13	<0.7	<0.8	<0.8	<0.5	--
HA-15	5/16/06	58	360	<97	16	2.5	1.5	1.6	50	--
HA-15	8/17/06	--	--	--	Insufficient Groundwater to Sample				--	--
HA-15	11/21/06	360	1,400	670	320	20	27	9	<0.5	--
HA-15	2/20/07	--	--	--	Insufficient Groundwater to Sample				--	--
HA-15	5/15/07	--	--	--	Insufficient Groundwater to Sample				--	--
HA-15	9/12/07	--	--	--	Insufficient Groundwater to Sample				--	--
HA-15	11/26/07	--	--	--	Insufficient Groundwater to Sample				--	--
HA-15	2/26/08	340	1,700	590	18	0.9	3	2	<0.5	--
HA-15	2/18/09	120	<150	<770	19	1.5	4.7	14	<1	<400
HA-15	8/25/09	--	--	--	Insufficient Groundwater to Sample				--	--
HA-15	3/24/10	811	248	<392	127	7	34.2	68.3	<1	<250
HA-15	8/23/10	--	--	--	Insufficient Groundwater to Sample				--	--
HA-16	12/21/04	17,900	4	2	112	533	272	1,660	--	--
HA-16	3/22/05	17,500	2.89(d)	<0.488	100	518	253	1,521	--	--
HA-16	6/24/05	20,400	2,200(a)	<0.479	436	760	374	2,359	<10	--
HA-16	7/28/05	6,900	3,400	<940	180	94	80	440	<1	--
HA-16	9/20/05	14,000	--	--	620	1,000	270	1,500	--	--
HA-16	11/30/05	150	240	<94	7	8	2	13	--	--
HA-16 (DUP)	11/30/05	2,100	450	<94	19	24	19	96	--	--
HA-16	3/1/06	95	120	<95	170	1	3	11	<0.5	--
HA-16 (DUP)	3/1/06	430	500	<95	420	2	13	19	<0.5	--

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES		
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --	
		MTCA Method A Screening Levels:									
HA-16	5/16/06	<48	94	95	120	0.6	0.4	1.7	<5	--	
HA-16 (DUP)	5/16/06	360	120	<95	150	1.9	2.8	12	<5	--	
HA-16	8/17/06	Insufficient Groundwater to Sample									
HA-16	11/21/06	25,000	650	110	2,500	4,200	450	1,400	<3	--	
HA-16	2/20/07	18,000	970	130	3,300	2,000	560	1,600	<3	--	
HA-16	5/15/07	970	190	<96	260	53	47	120	<0.5	--	
HA-16	9/12/07	2,600	900	250	510	480	120	440	<0.5	--	
HA-16	11/27/07	2,100	1,200	<190	250	98	87	220	<0.5	--	
HA-16	2/26/08	240	<75	<94	44	3	6	20	<0.5	--	
HA-16	8/26/08	36,000	2,600	<95	2,600	7,400	550	2,800	<3	<250	
HA-16	2/19/09	8,540	--	--	830	1,200	250	1,100	<1	<400	
HA-16	8/25/09	Insufficient Groundwater to Sample									
HA-16	3/24/10	5,180	119	<385	367	55.6	229	922	1	<250	
HA-16	8/26/10	14,000	347	<1,330	1,720	1,730	686	2,400	<1.0	<250	
HA-16	2/11/11	5,930	161	<377	177	266	129	804	<1.0	--	
HA-16	5/25/11	4,690	160	<460	403	89.7	166	647	<1.0	--	
HA-16	8/15/11	5,070	--	--	553	163	189	575	<1.0	--	
HA-16	2/27/12	513	<76	<380	35.6	47.7	25.4	76.5	<1.0	--	
HA-16	8/24/12	3,730	--	--	763	51.9	135	575	<1.0	--	
HA-16	1/31/13	5,000	510	<440	539	675	145	875	<5.0	--	
HA-16	8/22/13	11,600	<450	<450	3,700	697	311	7,550	<1.0	--	
HA-16	2/11/14	9,950	<400	<400	872	705	356	1,760	<1.0	--	
HA-17	1/14/03	548	NA	NA	10.2	<1.25	1.55	2.61	--	--	
HA-17	5/29/03	2,090	<0.25	<0.5	50	129	80.1	322	--	--	
HA-17	11/20/03	585	1	<0.5	8.92	<0.5	<0.5	<1	--	--	
HA-17	3/15/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--	
HA-17	12/21/04	335	<0.25	<0.5	6.35	<0.5	<0.5	<1	--	--	
HA-17	3/22/05	<100	<0.237	<0.473	11.6	<1	9.96	<3	--	--	
HA-17	6/24/05	<100	1	<0.475	1.57	<1	<1	<3	<1	--	
HA-17	7/28/05	<48	--	--	2.3	<0.2	0.3	<0.6	<0.3	--	
HA-17	11/30/05	55	450	<94	1	<1	<2	<2	--	--	
HA-17	3/1/06	<48	340	<96	<0.5	<0.7	<0.8	<0.8	<0.5	--	
HA-17	5/16/06	<48	280	<95	0.4	<0.2	<0.2	<0.6	<5	--	
HA-17	8/17/06	Insufficient Groundwater to Sample									
HA-17	11/21/06	<48	220	120	1	<0.7	<0.8	<0.8	<0.5	--	
HA-17	2/20/07	<48	1,700	<470	<0.5	<0.7	<0.8	<0.8	<0.5	--	
HA-17	5/15/07	<50	--	--	1	1	<0.8	<0.8	<0.5	--	
HA-17	9/12/07	Insufficient Groundwater to Sample									
HA-17	11/27/07	<50	770(p)	<140	<0.5	<0.7	<0.8	<0.8	<0.5	--	
HA-17	2/26/08	<50	570	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--	
HA-17	2/18/09	<50	88	<410	<1	<1	<1	<1	<1	<400	
HA-17	8/25/09	Insufficient Groundwater to Sample									
HA-17	3/23/10	55	<77.7	<388	<1	<1	<1	<3	<1	<250	
HA-17	8/23/10	Insufficient Groundwater to Sample									
HA-18	1/14/03	11,400	NA	NA	40.3	75.9	810	2,220	--	--	
HA-18	5/29/03	31,000	8	<0.5	95	157	2,440	7,840	--	--	
HA-18	11/20/03	28,000	7	<0.5	284	178	1,950	6,400	--	--	
HA-18	12/21/04	4,600	1	<0.5	21.9	26.8	188	440	--	--	
HA-18	3/22/05	7,690	1.33(d)	<0.473	27.1	10.2	333	578.2	--	--	
HA-18	6/24/05	9,810	6.83 (d)	0.594 (d)	32.3	12.4	439	907.3	<5	--	
HA-18	7/28/05	8,200	--	--	39	29	230	620	<1	--	
HA-18	3/1/06	780	340	<95	72	0.8	69	6	<0.5	--	
HA-18	5/16/06	2,100	520	<94	40	3.8	93	140	<25	--	
HA-18	8/17/06	3,800	2,700	160	51	9	170	250	<0.5	--	
HA-18	11/21/06	3,400	2,700	650	52	23	130	240	<0.5	--	
HA-18	2/20/07	5,000	740	180	49	18	230	460	<0.5	--	
HA-18	5/15/07	Insufficient Groundwater to Sample									
HA-18	9/12/07	Insufficient Groundwater to Sample									
HA-18	11/27/07	480	4,700(q)	<370	14	4	3	7	<0.5	--	
HA-18	2/26/08	720	4,100	740	17	4	34	21	<0.5	--	
HA-18	2/19/09	615	240	<400	37	29	36	87	<1	<400	
HA-18	8/25/09	Insufficient Groundwater to Sample									
HA-18	3/23/10	1,390	135	<385	98.9	18.4	91.0	132	<1.0	<250	
HA-18	8/23/10	Insufficient Groundwater to Sample									
HA-19	8/25/08	<50	<75	<94	<0.5	<0.7	<0.8	<0.8	<0.5	<50	
HA-19	8/25/09	Insufficient Groundwater to Sample									
HA-19	3/23/10	Insufficient Groundwater to Sample									
HA-19	8/23/10	Insufficient Groundwater to Sample									
HA-19	5/25/11	216	<83	<420	33.8	13.5	2	9.1	<1.0	--	
HA-19	11/21/11	<50.0 J	<76 J	<380 J	<1.0 J	<1.0 J	<1.0 J	<3.0 J	<1.0 J	--	
HA-19	5/11/12	<100	<100	<500	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-19	11/8/12	<100	<110	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-19	5/3/13	<100	<200	300	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-19	11/20/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--	
HA-20	7/28/05	230,000	6,900	<940	28,000	47,000	2,900	16,000	<150	--	
HA-20	11/30/06	110,000	4,900	<190	19,000	28,000	1,500	8,500	--	--	
HA-20	8/25/08	18,000	4,300	<940	5,800	5,800	1,200	5,500	<1	<100	
HA-20	2/19/09	292	93	<410	67	33	13	42	<1	<400	
HA-20	8/25/09	18,100	1,300	<390	10,900 (8)	2,020 (8)	941	3,220 (8)	<1	<250	
HA-20 (DUP)	8/25/09	22,200	1,900	180J	12,200	2,750	1,100	3,790	<1	<250	

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHq 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
HA-20	3/24/10	7,070	2,450	<381	4,100	2,170	109	435	<1	<250
HA-20	8/26/10	69,700	712	<388	14,600	23,100	932	4,810	<1.0	<250
HA-20 (DUP)	8/26/10	56,800	767	<426	13,800	14,600	1,400	6,010	<1.0	<250
HA-20	2/11/11	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	--
HA-20	5/25/11	24,000	240	<380	4,540	4,860	302	939	<1.0	--
HA-20	8/15/11	8,660	200 J	<380 J	5,270	2,190	534	1,850	<1.0	--
HA-20	11/18/11	29,600	200	<380	3,720	4,560	592	2,690	<1.0	--
HA-20	2/27/12	<50.0	<76	<380	2.2	1.9	1.2	4.7	<1.0	--
HA-20	5/16/12	660	<76	<380	280	37.7	35.1	85.5	<1.0	--
HA-20	8/24/12	9,220 ¹⁰	170	<400	4,100	964	378	1,470	<1.0	--
HA-20	11/9/12	4,440	920	<110	1,360	224	179	638	<1.0	--
HA-20	2/4/13	320	<430	<430	130	1.5	1.8	70.1	<1.0	--
HA-20	5/3/13	2,740	<200	<200	53.6	11.8	<2.0	540	<2.0	--
HA-20	8/22/13	2,760	850	<420	3,850	134	129	666	<5.0	--
HA-20	11/20/13	921	<400	<400	508 J	46	42	111	<2.0	--
HA-20	2/11/14	13,800	600	440	3,910	1,550	470	2,190	<10.0	--
LAI-1	1/15/03	4,120	--	--	728	935	23	120	--	--
LAI-1	2/26/03	15,100	1	<0.5	2,150	3,680	116	979	--	--
LAI-1	3/24/03	47,500	1	<0.5	7,970	15,000	739	4,250	--	--
LAI-1	3/1/06	190,000	860	<190	4,500	41,000	2,800	16,000	<13	--
LAI-1	5/17/06	270,000	1,400	<470	10,000	56,000	3,300	21,000	<200	--
LAI-1	8/16/06	130,000	2,800	240	11,000	23,000	3,000	14,000	<50	--
LAI-1	11/20/06	11,000	880	<95	1,900	25	400	1,300	<1	--
LAI-1	2/19/07	260,000	2,900	<470	13,000	58,000	3,200	19,000	<25	--
LAI-1	5/14/07	290,000	3,200	<480	9,000	60,000	2,200	16,000	<	--
LAI-1	9/11/07	21,000	510	<94	1,300	680	440	2,500	<1	--
LAI-1	11/26/07	2,300	310	<99	1,100	10	130	410	<0.5	--
LAI-1	2/26/08	23,000	2,400	<95	160	190	1,100	4,300	<1	--
LAI-1	8/26/08	4,400	450	<95	12	4	300	560	<0.5	<50
LAI-1 (DUP)	8/26/08	4,300	520	<95	12	5	200	360	<0.5	<50
LAI-1	2/19/09	93,900	600	<410	470	19,000	1,500	9,800	<1	<400
LAI-1	8/25/09	73,300	2,000	140 J	358	1,330	277	1,700	<1.0 (9)	<250
LAI-1	3/23/10	114,000	800	<381	2,610	19,300	4,190	23,200	<1.0	<250
LAI-1	8/24/10	57,700	812	<388	2,040	3,150	187	17,700	<1.0	<250
LAI-1	2/9/11	59,300	692	<388	689	6,530	1,960	9,420	<1.0	--
LAI-1	5/16/11	40,200 J	650	<380	615 J	887 J	1,620 J	6,420 J	<1.0 J	--
LAI-1 (DUP)	5/16/11	41,400 J	650	<380	580 J	919 J	1,770 J	6,920 J	<1.0 J	--
LAI-1	8/9/11	30,700 J	530	<400	1,370 J	303 J	1,620 J	6,680 J	<1.0	--
LAI-1	2/27/12	53,000	460	<380	987	6,680	2,140	9,280	<1.0	--
LAI-1	9/4/12	19,100 ¹⁰	600	<400	551	130	735	3,520	<1.0	--
LAI-1	2/5/13	24,000	1,300	<430	79.6	2,320	933	5,600	<10.0	--
LAI-1	8/14/13	54,600	2,800	<420	324	691	1,160	10,100	<5.0	--
LAI-1 (DUP)	8/14/13	49,900	3,200	<420	404	601	1,080	9,750	<5.0	--
LAI-1	2/12/14	88,200	860	<400	995	4,430	2,770	3,580	<1.0	--
LAI-2	1/15/03	73	--	--	2.78	2.2	1.1	9.33	--	--
LAI-2 (DUP)	1/15/03	103	--	--	3.39	3.36	1.68	15.1	--	--
LAI-2	5/29/03	18,100	<0.25	<0.5	2,940	6,100	235	1,680	--	--
LAI-2 (DUP)	5/29/03	18,800	0	<0.5	2,840	6,320	235	1,680	--	--
LAI-2	8/11/03	8,950	1	<0.562	1,880	2,150	135	907	--	--
LAI-2 (DUP)	8/11/03	6,620	1	<0.5	1,750	1,340	104	678	--	--
LAI-2	11/20/03	1,330	0	<0.5	580	1.98	35.3	235	--	--
LAI-2	3/16/04	120,000	2	<0.5	23,600	27,700	2,370	11,300	--	--
LAI-2	6/22/04	17,600	0	<0.5	4,390	53.3	889	1,190	--	--
LAI-2 (DUP)	6/22/04	20,400	<0.25	<0.5	4,960	51.4	1,020	1,340	--	--
LAI-2	9/22/04	6,150	1	<0.5	1,070	4.87	672	234	--	--
LAI-2 (DUP)	9/22/04	6,020	1	<0.5	1,070	4.37	673	187	--	--
LAI-2	12/21/04	9,920	<0.25	<0.5	2,080	<25	875	552	--	--
LAI-2	3/21/05	22,900	1	<0.498	7,720	2,970	1,380	2,208	--	--
LAI-2	6/23/05	123,000	4,150	<0.473	21,700	40,300	2,260	10,180	<200	--
LAI-2	7/29/05	170,000	1,400	<190	18,000	28,000	3,100	15,000	30	--
LAIx-2	9/21/05	32,000	1,400	<94	5,500	3,300	1,100	5,600	--	--
LAIx-2	12/1/05	8,700	730	<94	1,700	230	330	1,300	--	--
LAIx-2 (DUP)	12/1/05	8,700	830	<95	1,900	100	370	1,400	--	--
LAIx-2	3/1/06	120,000	1,200	<190	13,000	24,000	1,500	8,500	<10	--
LAIx-2 (DUP)	3/1/06	97,000	1,400	<190	12,000	15,000	1,600	8,100	<10	--
LAIx-2	5/17/06	160,000	2,200	<470	21,000	32,000	2,800	14,000	<200	--
LAIx-2 (DUP)	5/17/06	160,000	2,400	<470	21,000	31,000	2,900	14,000	<200	--
LAIx-2	8/16/06	87,000	4,200	<1900	14,000	19,000	1,600	11,000	<5	--
LAIx-2	11/20/06	20,000	810	<94	2,200	1,500	590	2,300	<1	--
LAIx-2	2/19/07	150,000	2,600	<190	18,000	32,000	2,700	11,000	<25	--
LAIx-2	5/14/07	180,000	4,600	<970	19,000	33,000	2,200	11,000	<25	--
LAIx-2	9/11/07	17,000	1,800	150	2,400	470	680	2,600	<1	--
LAIx-2(u)	11/26/07	8,500	380	<94	800	46	470	1,200	<0.5	--
LAIx-2	2/26/08	780	<75	<94	9	1	26	70	<0.5	--
LAIx-2	8/26/08	6,600	1,400	<95	350	330	330	970	<2	<200
LAIx-2	2/19/09	29,500	320	<410	2,300	5,600	980	2,800	<100	<400
LAIx-2	8/25/09	9,530	950	110 J	3,710	37.8	990	1,330	<1	<250
LAIx-2	3/23/10	7,400	166	<381	1,570	698	661	1,290	<1.0	<250
LAIx-2	8/24/10	51,100	453	<385	7,600	12,100	155	7,910	<1.0	<250
LAIx-2	2/8/11	66,400	487 J	<385	6,780	13,000	1,350	4,240	<1.0	--

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES		
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --	
		MTCRA Method A Screening Levels:									
LAIx-2	5/16/11	24,200 J	290	<380	2,500 J	3,630 J	851 J	2,140 J	<1.0 J	--	
LAIx-2	8/9/11	21,800 J	480	<390	3,700 J	1,810 J	1,080 J	3,680 J	<1.0	--	
LAIx-2	2/27/12	34,600	200	<380	3,220	6,960	1,260	3,890	<1.0	--	
LAIx-2	9/4/12	48,300 ¹⁰	700	<400	7,030	4,090	2,100	7,110	<1.0	--	
LAIx-2	2/5/13	3,830	<460	<460	236	76.6	257	747	<2.0	--	
LAIx-2	8/14/13	49,500	2,900	<400	5,000	3,740	1,420	7,030	<20.0	--	
LAIx-2	2/13/14	67,400	1,400	<400	5,540	9,610	1,710	8,140	<1.0	--	
LAI-3	1/15/03	67	--	--	0.5	3.19	1.36	8.45	--	--	
LAI-3	2/26/03	558	0	1	70.1	159	6.42	32.6	--	--	
LAI-3	3/25/03	573	0	1	61.6	176	8.43	39.5	--	--	
LAI-3	4/17/03	154	0	1	7.56	24.5	4	29.4	--	--	
LAI-3	5/29/03	301	0	1	151	40.7	0.951	4.63	--	--	
LAI-3	8/11/03	985	0	1	329	18.4	2.47	7.27	--	--	
LAI-3	11/20/03	50	0	1	9.2	0.5	0.5	1	--	--	
LAI-3	3/16/04	4,670	0	1	2,030	94.9	113	225	--	--	
LAI-3	6/22/04	2,880	0	1	1,580	5	50.7	69.4	--	--	
LAI-3	9/22/04	424	0	1	60.7	5	82.1	2.05	--	--	
LAI-3	12/21/04	62	0	1	0.542	0.5	2.31	1	--	--	
LAI-3	3/21/05	100	0	0	1	1	1	3	--	--	
LAI-3	6/23/05	2,200	0.748 (a)	0	2,360	119	184	200.4	20	--	
LAI-3	7/29/05	34,000	690	160	5,300	6,300	690	2,500	7.5	--	
LAIx-3	9/21/05	23,000	1,400	94	3,800	4,200	450	3,100	--	--	
LAIx-3	11/30/05	43,000	1,500	<96	8,200	9,200	400	5,300	--	--	
LAIx-3 (DUP)	12/1/05	45,000	1,800	<94	9,000	8,700	350	5,200	--	--	
LAIx-3	3/1/06	130,000	3,500	<970	18,000	26,000	1,800	10,000	<10	--	
LAIx-3 (DUP)	3/1/06	100,000	3,200	<950	16,000	13,000	1,700	9,500	<10	--	
LAIx-3	5/17/06	130,000	3,500	<950	19,000	24,000	2,300	12,000	--	--	
LAIx-3 (DUP)	5/17/06	110,000	3,300	<470	16,000	18,000	2,100	10,000	<30	--	
LAIx-3	8/16/06	20,000	3,900	<480	2,200	2,900	470	2,600	<0.5	--	
LAIx-3	11/20/06	13,000	910	<95	2,400	550	490	1,500	<1	--	
LAIx-3	2/19/07	120,000	2,700	<94	21,000	21,000	2,500	9,700	<25	--	
LAIx-3	5/14/07	150,000	4,300	<960	25,000	26,000	2,100	9,700	<25	--	
LAIx-3	9/11/07	14,000	1,800	160	1,700	690	450	1,600	<0.5	--	
LAIx-3(v)	11/26/07	10,000	850	<94	1,600	22	560	1,100	<1	--	
LAIx-3	2/26/08	1,500	110	<95	18	<0.7	46	52	<0.5	--	
LAIx-3	8/26/08	3,800	1,000	130	310	450	160	290	<3	<250	
LAIx-3	2/19/09	12,400	420	<410	4,100	620	990	1,600	<100	<400	
LAIx-3	8/25/09	4,450	790	95J	3,660	10.3	719	310	<1	<250	
LAIx-3	3/23/10	30,000	342	<381	8,030	8,190	1,540	5,040	<1.0	<250	
LAIx-3	8/24/10	24,800	420	<430	8,640	4,130	1,400	4,840	<1.0	<250	
LAIx-3	2/8/11	18,100	292J	<385	3,070	2,720	767	2,440	<1.0	--	
LAIx-3	5/16/11	59,800	630	<380	8,230	12,700	1,790	7,590	<50.0	--	
LAIx-3 (DUP)	5/16/11	61,800 J	620	<380	8,260 J	12,800 J	1,810 J	7,710 J	<50.0 J	--	
LAIx-3	8/10/11	9,510	290	<400	3,050 J	72.1	534	1,250	<1.0	--	
LAIx-3 (DUP)	8/10/11	9,600	290	<390	3,010 J	68.4	542	1,280	<1.0	--	
LAIx-3	11/15/11	8,690 J	<75	<380	2,020	16.5	508	1,000	<1.0	--	
LAIx-3	2/28/12	71,300	750	<380	6,250	6,140	1,750	5,850	<1.0 J	--	
LAIx-3	5/8/12	33,500	620	<380	7,960	6,160	1,520	5,780	<5.0	--	
LAIx-3	9/4/12	31,700 ¹⁰	690	<390	7,850	141	1,800	5,440	<1.0	--	
LAIx-3	11/13/12	985	180	<110	97.1	<1.0	111	229	<1.0	--	
LAIx-3	2/5/13	1,860	<450	<450	217	1.3	258	152	<1.0	--	
LAIx-3	5/1/13	4,840	490	<500	1,580	302	469	592	<10.0	--	
LAIx-3	8/14/13	14,100	1,200	<400	6,260	23.8 J	1,040	1,800	<20.0	--	
LAIx-3	11/22/13	12,100	940 J	<400	6,100	55.5	839	1,430	<1.0	--	
LAIx-3	2/13/14	47,600	1,400	<400	8,840	3,540	1,780	6,350	<20.0	--	
LAIx-4	8/26/08	9,900	--	--	2,200	180	270	1,400	<1	<100	
LAIx-5	11/29/05	180,000	13,000	570	42,000	49,000	2,300	12,000	--	--	
LAIx-5	8/26/08	220,000	3,900	<480	31,000	45,000	3,600	19,000	<50	<5000	
LAIx-6	11/29/05	70,000	9,700	600	22,000	22,000	850	4,300	--	--	
LAIx-6	8/26/08	190,000	6,300	<950	31,000	45,000	3,200	16,000	<25	<2500	
LAI-7	7/28/05	160,000	17,000	<4700	160,000	32,000	2,500	14,000	<30	--	
LAIx-7	9/21/05	220,000	7,100	<950	43,000	55,000	4,300	21,000	--	--	
LAIx-7	8/27/08	79,000	4,200	<480	12,000	27,000	2,200	11,000	<13	<1300	
LAIx-8	9/21/05	140,000	6,400	<940	29,000	33,000	3,300	15,000	--	--	
LAIx-8	11/29/05	130,000	5,100	<190	33,000	35,000	2,900	14,000	--	--	
LAIx-8	8/26/08	180,000	7,300	<2000	28,000	40,000	3,300	16,000	<10	<1000	
LAIx-9	11/29/05	110,000	8,300	<950	37,000	45,000	2,600	21,000	--	--	
LAIx-9	8/27/08	140,000	3,800	<490	17,000	32,000	2,600	15,000	<10	<1000	
LAI-10	2/26/03	<50	<0.25	<0.5	<0.5	0.991	<0.5	1.37	--	--	
LAI-10 (DUP)	2/26/03	<50	<0.25	<0.5	<0.5	0.757	<0.5	1.18	--	--	
LAI-10	3/24/03	<50	<0.25	<0.5	1.35	2.67	<0.5	1.36	--	--	
LAI-10	4/17/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--	
LAI-10	5/28/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--	

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
LAI-10	8/11/03	<50	<0.25	<0.5	<0.5	1.75	0.757	4.54	--	--
LAI-10	11/20/03	<50	2	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-10	3/16/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-10	6/22/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-10	9/22/04	<50	0	<0.5	<0.5	0.666	<0.5	<1	--	--
LAI-10	12/21/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-10	3/21/05	<100	<0.238	<0.475	<1	<1	<1	<3	--	--
LAI-10	6/23/05	<100	<0.237	<0.474	3.52	<1	<1	<1	<1	--
LAI-10	7/29/05	<48	<76	<95	23	0.3	<0.2	<0.6	<0.3	--
LAI-10	9/20/05	<48	<75	94	32	2	0.5	2.8	--	--
LAI-10	12/1/05	<48	200	<95	<0.5	<0.7	<0.8	<0.8	--	--
LAI-10 (DUP)	11/28/05	<48	520	220	<0.5	1	<0.8	<0.8	--	--
LAI-10	2/28/06	<48	<77	<96	<0.5	4	<0.8	<0.8	<0.5	--
LAI-10 (DUP)	3/1/06	<48	88	<95	<0.5	10	<0.8	<0.8	<0.5	--
LAI-10	5/17/06	<48	<75	<94	<0.2	3.4	<0.2	<0.6	<0.3	--
LAI-10 (DUP)	5/17/06	<48	<75	<120	0.6	4.5	<0.2	<1	<0.3	--
LAI-10	8/16/06	<48	<76	<96	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-10	11/20/06	<48	<77	<96	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-10	2/19/07	<48	<75	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-10	5/14/07	<50	<78	<97	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-10	9/11/07	<50	98	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-10	11/26/07	<250	<76	<95	<5	<7	<8	<8	<5	--
LAI-10	2/26/08	140	<75	<94	12	1	4	12	<0.5	--
LAI-10	8/26/08	<50	<76	<96	<0.5	<0.7	<0.8	<0.8	<0.5	<50
LAI-10	2/18/09	<50	<82	<410	<1	<1	<1	<1	<1	<400
LAI-10	8/25/09	<50	<77	<380	<1	<1	<1	<3	<1	<250
LAI-10	3/23/10	<50	<76.2	<381	<1	<1	<1	<3	<1	<250
LAI-10	8/24/10	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	<250
LAI-10	2/9/11	<50.0	<76.2	<381	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	5/17/11	<50.0 J	<75	<380	<1.0 J	<1.0 J	<1.0 J	<3.0 J	<1.0 J	--
LAI-10	8/9/11	<50.0	<80	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	11/15/11	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	2/27/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	5/8/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	9/4/12	96.4	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	11/13/12	<100	<100	<100	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	2/5/13	<100	<410	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	5/1/13	<100	<200	<450	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	8/14/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	11/22/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-10	2/12/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-11	2/26/03	<50	0	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-11	3/24/03	<50	0	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-11	4/17/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-11	5/28/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-11	11/20/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-11	3/16/04	<50	<0.25	<0.5	<0.5	0.634	<0.5	<1	--	--
LAI-11	6/22/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-11	9/22/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-11	12/21/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-11	3/21/05	<100	<0.236	<0.473	<1	1	<1	<3	--	--
LAI-11	6/23/05	<100	<0.237	<0.474	222	1.11	2.82	19.2	<1	--
LAI-11	7/29/05	<48	<76	<95	55	0.5	4.2	3.2	<0.3	--
LAI-11	9/20/05	<48	95	<94	32	2	0.5	2.8	--	--
LAI-11	12/1/05	<48	110	<94	15	<0.7	0.9	3	--	--
LAI-11	2/27/06	<48	81	<96	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-11	5/17/06	<48	<75	<94	<0.2	<0.2	<0.2	<0.6	<0.3	--
LAI-11	8/16/06	<48	<77	<96	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-11	11/20/06	<48	760	190	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-11	2/19/07	<48	110	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-11	5/14/07	<50	160	<96	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-11	9/11/07	<50	190	<95	55	<0.7	<0.8	<0.5	<0.5	--
LAI-11	11/26/07	<50	170	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-11	2/26/08	<50	<75	<94	14	<0.7	<0.8	<0.8	<0.5	--
LAI-11	8/26/08	<50	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	<50
LAI-11	2/18/09	<50	<82	<410	<1	<1	<1	<1	<1	<400
LAI-11	8/25/09	<50	381	<380	<1	<1	<1	<3	<1	<250
LAI-11	3/23/10	<50	<76.2	<381	<1	<1	<1	<3	<1	<250
LAI-11	8/24/10	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	<250
LAI-11	2/9/11	117	<76.2	<381	<1.0	13.1	<1.0	<3.0	<1.0	--
LAI-11	8/9/11	<50.0	<90	<450	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-11	2/27/12	<50.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-11	9/4/12	90.3	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-11	2/5/13	<100	<440	<440	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-11	8/14/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-11	2/12/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	5/28/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	1.81	--	--
LAI-12	8/11/03	<50	0	<0.5	<0.5	<0.5	<0.5	2.21	--	--
LAI-12	11/20/03	61	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-12	3/16/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-12	6/22/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHq 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
LAI-12	9/22/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-12	12/21/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-12	3/21/05	<100	<0.242	<0.485	<1	<1	<1	<3	--	--
LAI-12	6/23/05	<100	0.606 (b)	<0.476	<1	<1	<1	<3	<1	--
LAI-12	7/29/05	<48	430	<95	<0.2	<0.2	<0.2	<0.6	<0.3	--
LAI-12	9/20/05	<48	1,300	<320	1.6	3.9	<0.5	2.7	--	--
LAI-12	12/1/05	<48	300	100	<0.5	<0.7	<0.8	<0.8	--	--
LAI-12	2/27/06	<48	78	<97	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-12	5/17/06	<48	410	<94	<0.2	<0.2	<0.2	<0.6	<0.3	--
LAI-12	8/17/06	<48	1,200	130	<0.5	1	<0.8	<0.8	<0.5	--
LAI-12	11/20/06	<48	600	120	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-12	2/19/07	<48	530	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-12	5/14/07	<50	810	<96	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-12	9/11/07	99	1,100	140	16	9	<2	9	<0.5	--
LAI-12	11/26/07	<50	620	<95	0.7	<0.7	<0.8	3	<0.5	--
LAI-12	2/26/08	<50	84	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-12	8/26/08	<50	260	<95	<0.5	<0.7	<0.8	<0.8	<0.5	<50
LAI-12	2/18/09	<50	<82	<410	<1	<1	<1	<1	<1	<400
LAI-12	8/25/09	<50	53J	<380	<1	<1	<1	<3	<1	<250
LAI-12	3/23/10	<50	<76.2	<381	<1	<1	<1	<3	<1	<250
LAI-12	8/24/10	<50.0	<77.7	<388	<1.0	<1.0	<1.0	<3.0	<1.0	<250
LAI-12	2/9/11	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	5/17/11	<50.0 J	<75	<380	<1.0 J	<1.0 J	<1.0 J	<3.0 J	<1.0 J	--
LAI-12	8/9/11	<50.0	<78	<390	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	11/16/11	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	2/27/12	<50.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	5/8/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	9/4/12	<50.0	<81	<400	<1.0	1.7	1.4	8.9	<1.0	--
LAI-12	11/13/12	<100	<110	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	2/5/13	<100	<410	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	5/1/13	<100	<200	<390	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	8/14/13	<100	<390	<390	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	11/22/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-12	2/12/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-13	5/28/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-13	8/11/03	<50	<0.25	<0.5	<0.5	0.647	<0.5	<1	--	--
LAI-13	11/20/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-13	3/15/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-13	6/22/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-13	9/21/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-13	12/21/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-13	3/21/05	<100	<0.237	<0.473	<1	<1	<1	<3	--	--
LAI-13	6/23/05	<100	<0.236	<0.472	<1	<1	<1	<3	<1	--
LAI-13	7/29/05	<48	<77	<120	<0.2	<0.2	<0.2	<0.6	<0.3	--
LAI-13	9/20/05	<48	<75	<93	<0.5	<0.5	<0.5	<1.5	--	--
LAI-13	12/1/05	<48	<75	<94	<0.5	<0.7	<0.8	<0.8	--	--
LAI-13	2/27/06	<48	<78	<97	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-13	5/16/06	<48	<76	<95	<0.2	<0.2	<0.2	<0.6	<0.3	--
LAI-13	8/16/06	<84	<75	<94	<0.5	3	<0.8	<6	<0.5	--
LAI-13	11/21/06	<48	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-13	2/20/07	<48	--	--	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-13	5/15/07	<50	<78	<97	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-13	9/11/07	<50	240	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-13	11/26/07	<50	180	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-13	2/26/08	<50	<75	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-13	8/25/08	<50	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	<50
LAI-13	2/18/09	<50	<82	<410	<1	<1	<1	<1	<1	<400
LAI-13	8/25/09	<50	59J	<510	<1	<1	<1	<3	<1	<250
LAI-13	3/22/10	<50	<76.2	<381	<1	<1	<1	<3	<1	<250
LAI-13	8/24/10	<50.0	<78.4	<392	<1.0	<1.0	<1.0	<3.0	<1.0	<250
LAI-13	2/10/11	<50.0	<75.8	<379	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-13	8/11/11	<50.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-13	2/21/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-13	8/28/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-13	1/30/13	<100	<470	<470	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-13	8/15/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-13	2/5/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-14	2/25/03	50	0	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-14	3/25/03	66	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-14	4/18/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-14	5/28/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-14	8/11/03	<50	0	<0.5	<0.5	0.631	<0.5	<1	--	--
LAI-14	11/20/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-14	3/15/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-14	6/22/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-14	9/21/04	<50	0	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-14	12/21/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-14	3/21/05	<100	<0.237	<0.473	<1	1.45	<1	<3	--	--
LAI-14	6/23/05	<100	0	<0.475	<1	<1	<1	<3	<1	--
LAI-14	7/29/05	57	140	190	0.2	<0.2	<0.2	<0.6	<0.3	--
LAI-14	9/21/05	<48	--	--	<0.5	<0.5	<0.5	<1.5	--	--

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
MTCA Method A Screening Levels:										
LAI-14	12/1/05	<48	<75	<94	<0.5	<0.7	<0.8	<0.8	--	--
LAI-14	2/27/06	55	<77	<96	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-14	5/16/06	<48	<77	<97	<0.2	<0.2	<0.2	<0.6	<0.3	--
LAI-14	8/16/06	72	<77	<97	<0.5	1	<0.8	2	<0.5	--
LAI-14	11/21/06	<48	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-14	2/20/07	<48	<75	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-14	5/15/07	<50	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-14	9/11/07	<50	<76	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-14	11/26/07	<50	<77	<96	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-14	2/26/08	<50	<75	<93	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-14	8/25/08	<50	<75	<94	<0.5	<0.7	<0.8	<0.8	<0.5	<50
LAI-14	2/18/09	<50	<83	<410	<1	<1	<1	<1	<1	<400
LAI-14	8/25/09	<50	<150	<750	<1	<1	<1	<3	<1	<250
LAI-14	3/22/10	<50	<75.5	<377	<1	<1	<1	<3	<1	<250
LAI-14	8/24/10	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	<250
LAI-14	2/10/11	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-14	8/11/11	<50.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-14	2/21/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-14	8/28/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-14	1/30/13	<100	<450	<450	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-14	8/15/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-14	2/5/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-15	5/28/03	104	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-15	8/11/03	158	0	<0.5	<0.5	0.641	<0.5	1.95	--	--
LAI-15	11/20/03	54	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-15	3/15/04	154	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-15	6/22/04	135	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-15	9/21/04	92	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-15	12/21/04	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-15	3/21/05	<100	<0.237	<0.473	<1	<1	<1	<3	--	--
LAI-15	6/23/05	<100	<0.237	<0.473	<1	<1	<1	<3	<1	--
LAI-15	7/29/05	76	<800	<1000	<0.2	0.3	<0.2	<0.6	--	--
LAI-15	9/21/05	100	<75	<94	<0.5	<0.5	<0.5	<1.5	--	--
LAI-15	12/1/05	67	<75	<94	<0.5	<0.7	<0.8	<0.8	--	--
LAI-15 (DUP)	11/28/05	92	110	<94	<0.5	<0.7	<0.8	<0.8	--	--
LAI-15	2/27/06	77	<77	<97	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-15 (DUP)	3/1/06	90	<76	<95	<0.5	0.8	0.8	<0.8	<0.5	--
LAI-15	5/16/06	98	<76	<95	<0.2	<0.2	<0.2	<0.6	<0.3	--
LAI-15 (DUP)	5/17/06	97	<76	<95	0.4	1	<0.2	<0.6	<0.3	--
LAI-15	8/16/06	85	<75	<93	<0.5	1	<0.8	1	<0.5	--
LAI-15	11/21/06	50	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-15	2/20/07	75	<75	<94	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-15	5/15/07	83	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-15	9/11/07	<50	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-15	11/26/07	<50	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-15	2/26/08	<50	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
LAI-15	8/25/08	56	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	<50
LAI-15	2/18/09	<50	<83	<410	<1	<1	<1	<1	<1	<400
LAI-15	8/25/09	32.2	<76	<380	<1	<1	<1	<3	<1	<250
LAI-15	3/22/10	<50	<75.5	<377	<1	<1	<1	<3	<1	<250
LAI-15	8/24/10	61	<77.3	<386	<1.0	<1.0	<1.0	<3.0	<1.0	<250
LAI-15	2/9/11	57.3	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-15	5/24/11	248	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-15	8/11/11	90.4	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-15 (DUP)	8/11/11	73.9	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-15	2/21/12	<50.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-15	8/28/12	56.4	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-15	1/30/13	<100	<410	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-15	8/15/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-15	2/5/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-16	2/25/03	<50	<0.25	<0.5	<0.5	0.679	<0.5	1.09	--	--
LAI-16	3/25/03	<50	0	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-16 (DUP)	3/25/03	<50	0	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-16	4/17/03	<50	<0.25	<0.5	3.51	<0.5	<0.5	<1	--	--
LAI-16	5/28/03	705	<0.25	<0.5	523	14.9	<1	2.25	--	--
LAI-16	11/21/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-16 (DUP)	11/21/03	<50	<0.25	<0.5	<0.5	<0.5	<0.5	<1	--	--
LAI-16	3/16/04	<50	<0.25	<0.5	2.7	0.796	<0.5	<1	--	--
LAI-16 (DUP)	3/16/04	<50	<0.25	<0.5	4.76	0.63	<0.5	<1	--	--
LAI-16	6/22/04	<50	<0.25	<0.5	8.52	<0.5	<0.5	<1	--	--
LAI-16	12/21/04	<50	<0.25	<0.5	<0.5	0.667	<0.5	<1	--	--
LAI-16	3/21/05	<100	<0.236	<0.471	<1	6.08	<1	<3	--	--
LAI-16	6/23/05	<100	<0.384 (d)	<0.473	<1	<1	<1	<3	<1	--
LAI-16	9/21/05	Insufficient Groundwater to Sample								
LAI-16	12/1/05	<48	140	98	<0.5	<0.7	<0.8	<0.8	--	--
LAI-16	3/1/06	<48	160	<95	21	<0.7	<0.8	<0.8	<0.5	--
LAI-16	5/17/06	<48	78	<94	1.8	0.3	<0.2	<0.6	<0.3	--
LAI-16	8/16/06	Insufficient Groundwater to Sample								
LAI-16	11/20/06	<48	91	<95	<0.5	0.8	<0.8	1	<0.5	--
LAI-16	2/19/07	<48	120	<94	17	<0.7	<0.8	<0.8	<0.5	--
LAI-16	5/14/07	<50	--	--	0.7	<0.7	<0.8	<0.8	<0.5	--

TABLE 3

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
LAI-16	9/11/07				Insufficient Groundwater to Sample					
LAI-16	11/26/07				Insufficient Groundwater to Sample					
LAI-16	2/26/08	310	300	<94	64	6	11	20	<0.5	--
LAI-16	2/19/09	<50	<82	<410	<1	<1	1	1	<1	<400
LAI-16	8/25/09				Insufficient Groundwater to Sample					
LAI-16	3/23/10	<50	<75.5	<377	<1	<1	<1	<3	<1	<250
LAI-16	8/26/10				Insufficient Groundwater to Sample					
LAI-16	5/16/11	<50 J	<75	<380	<1 J	<1 J	<1 J	<3 J	<1 J	--
LAI-16	3/1/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
LAI-16	2/8/13	<100	<430	<430	<1.0	<1.0	<1.0	<3.0	<1.0	--
RW-1	11/30/05	55	<75	<94	1	6	<0.8	4	--	--
RW-1	8/25/08	<50	<78	<97	<0.5	<0.7	<0.8	<0.8	<0.5	<50
RW-1	2/18/09	<50	<80	<400	<1	<1	<1	<1	<1	<400
RW-1	8/25/09				Insufficient Groundwater to Sample					
RW-1	3/23/10	<50	<78.4	<392	<1	<1	<1	<3	<1	<250
RW-1	8/23/10				Insufficient Groundwater to Sample					
RWx-2	9/20/05	130,000	3,000	<470	16,000	30,000	2,200	12,000	--	--
RWx-2	8/26/08	100,000	610	<96	1,600	16,000	1,600	9,700	<1	<100
RWx-2 (DUP)	8/27/08	62,000	5,600	<970	180	5,500	1,100	9,800	<3	<250
RW-3	7/28/05	79,000	57,000	4,700	1,400	8,700	1,300	8,800	15	--
RW-3	11/30/05	4,100	2,700	130	20	200	30	220	--	--
RW-3	2/28/06	270	<78	<97	6	46	4	23	<0.5	--
RW-3	5/16/06	2,600	1,700	<94	34	190	26	200	<5	--
RW-3	8/17/06	12,000	2,400	150	480	1,700	130	930	<0.5	--
RW-3	11/21/06	3,200	1,700	<95	26	220	50	310	<0.5	--
RW-3	2/20/07	1,100	300	<94	12	96	12	77	<0.5	--
RW-3	5/15/07	4,000	3,000	<480	240	1,200	140	900	<1	--
RW-3	9/12/07	88,000	--	--	940	9,900E	1,500	8,700	<0.5	--
RW-3	11/27/07	1,100	310	<94	12	100	14	97	<0.5	--
RW-3	2/26/08	6,500	47,000	<1900	25	370	140	760	<0.5	--
RW-3	8/25/08	830	440	<97	12	45	15	95	<0.5	<50
RW-3	2/19/09	266	110	<410	<1	9.9	3.2	20	<1	<400
RW-3	8/25/09				Insufficient Groundwater to Sample					
RW-3	3/23/10	1,200	1,150	<385	1.8	69.5	23.2	138	<1	<250
RW-3	8/23/10				Insufficient Groundwater to Sample					
RW-3	2/27/12	3,700	2,400	<380	5.4	111	62.5	351	<1.0	--
RW-3	8/24/12	2,710	2,100	<420	34.0	17.7	92.3	456	<1.0	--
RW-3	2/1/13	366	15,400	700	<1.0	2.3	6.6	40.2	<1.0	--
RW-4	8/26/08	4,100	2,200	<98	7	88	77	590	<0.5	<50
RW-4	2/19/09	<50	<80	<400	<1	2.4	<1	3.5	<1	<400
RW-4	8/25/09				Insufficient Groundwater to Sample					
RW-4	3/24/10	84	<77.7	<388	<1	5.7	1.4	11.2	<1	<250
RW-4	8/26/10	5,340	172	<400	123	1,250	230	1,430	<1.0	<250
RW-4	2/10/11	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	--
RW-4	8/12/11	5,820	<76	<380	151	551	176	770	<1.0	--
RW-4	11/18/11	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
RW-4	2/23/12	<50.0	<76	<380	<1.0	<1.0	<1.0	3	<1.0	--
RW-4	5/11/12	241	<80	<400	10.4	88.4	17.0	95.4	<1.0	--
RW-4	8/24/12	1,350	<82	<410	26.9	77.7	42.3	183	<1.0	--
RW-4	11/9/12	101	<100	<100	<1.0	3.1	3.1	17.5	<1.0	--
RW-4	1/31/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
RW-4 (DUP)	1/31/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
RW-4	5/3/13	138	<200	290	<1.0	2.4	1.6	10	<1.0	--
RW-4	8/22/13	4,080	1,600	<430	21.5	47.2	33.3	174	<1.0	--
RW-4	11/20/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
RW-4 (DUP)	11/20/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
RW-4	2/11/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
RWx-5	8/26/08	43,000	1,700	<99	3,800	9,500	810	4,300	<5	<500
RWx-5	2/19/09	2,690	350	<400	37	120	10	530	<1	<400
RWx-5	8/25/09	190,000	1,600	84J	30,200	43,500	3,260	17,200	<1	<250
RWx-5 (DUP)	8/25/09	191,000	1,300	120J	28,300	40,700	22,820	14,600	<1	<250
RWx-5	3/24/10	827	<76.2	<381	26.3	44.9	3.8	192	<1	<250
RWx-5	8/26/10	16,200	193	<396	2,700	3,140	375	1,660	<1.0	<250
RWx-5 (DUP)	8/26/10	29,800	582	<412	4,190	7,990	1,130	4,140	<1.0	<250
RWx-5	2/11/11	1,730	<78.4	<392	18.8	38.2	5.9	325	<1.0	--
RWx-5	5/25/11	689	<75	<380	4.5	9.5	2.4	96.1	<1.0	--
RWx-5	8/15/11	72,400	550	<380	4,480	26,100	1,640	7,290	<1.0	--
RWx-5	11/18/11	309	<76	<380	21.6	48.5	<1.0	25.7	<1.0	--
RWx-5	2/23/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
RWx-5	5/11/12	1,970	<79	<400	6.7	113	19.6	862	<1.0	--
RWx-5	8/27/12	67,300	420	<380	2,620	18,100	1,260	6,010	<50.0	--
RWx-5	11/9/12	1,460	380	<110	5.2	183	48.7	431	<1.0	--
RWx-5 (DUP)	11/9/12	1,430	230J	<110	4.0	148	42.3	398	<1.0	--
RWx-5	1/31/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
RWx-5	5/3/13	67,800	360	320	8,540	18,300	1,300	6,740	<100	--
RWx-5	8/22/13	52,300	<420	<420	977	2,130	107	658	<100	--
RWx-5	11/20/13	<100	<400	<400	<1.0 J	<1.0 J	<1.0 J	<3.0 J	<1.0 J	--
RWx-5	2/7/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs				OXYGENATES	
		TPHq 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
RW-6	8/27/08	84	<79	<99	<0.5	<0.7	<0.8	2	<0.5	<50
RW-6	2/18/09	50	<80	<400	<1	<1	<1	<1	<1	<400
RW-6	8/25/09				Insufficient Groundwater to Sample					
RW-6	3/24/10	<50	<75.8	<379	<1	<1	<1	<3	<1	<250
RW-6	8/23/10				Insufficient Groundwater to Sample					
RWx-7	8/27/08	65,000	5,400	<980	180	4,800	1,200	8,900	<3	<250
RWx-7	2/19/09	13,700	1,900	<410	1	22	35	1,100	<1	<400
RWx-7	8/25/09	39,100	1,600	110J	2,990	2,670	279	3,210	<1	<250
RWx-7	3/24/10	939	124	<381	<1	<1	<1	12	<1	<250
RWx-7	8/26/10	19,600	742	<421	352	1,270	462	3,280	<1.0	<250
RWx-7	2/11/11	<50.0	<76.9	<385	<1.0	<1.0	<1.0	<3.0	<1.0	--
RWx-7	8/12/11	25,600	580	<380	1,590	3,870	552	2,650	<1.0	--
RWx-7	2/23/12	88.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
RWx-7	8/27/12	23,600	630	<390	1,100	3,900	361	2,550	<5.0	--
RWx-7	1/30/13	<100	<410	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--
RWx-7	8/22/13	30,300	530	<420	1,830	4,460	370	2,100	<25.0	--
RWx-7	2/11/14	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
HWx-1E	9/21/05	3,800	610	<94	460	21	220	90	--	--
HWx-1E	11/30/05	4,900	720	<95	2,300	250	220	590	--	--
HWx-1E	3/1/06	80,000	2,200	<480	9,000	12,000	1,400	7,600	<5	--
HWx-1E	5/17/06	69,000	1,100	860	10,000	9,800	1,700	7,600	<200	--
HWx-1E	8/16/06	23,000	2,800	<940	5,300	1,300	840	3,700	<1	--
HWx-1E	11/20/06	750	91	<94	70	14	29	75	<0.5	--
HWx-1E	2/19/07	42,000	1,400	<94	6,300	5,100	1,200	3,700	<5	--
HWx-1E	5/14/07	80,000	1,300	<96	8,800	12,000	1,600	7,400	<10	--
HWx-1E	9/11/07	4,800	1,100	<94	750	34	200	620	<0.5	--
HWx-1E	11/26/07	310	170	<97	240	7	3	29	<0.5	--
HWx-1E	2/26/08	300	320	<95	65	7	13	23	<0.5	--
HWx-1E	8/26/08	1,200	390	<96	250	220	13	69	<0.5	<50
HWx-1W	11/29/05	1,200	590	<95	420	<1	62	120	--	--
HWx-1W	2/28/06	54,000	1,500	<190	2,700	6,400	780	3,200	<3	--
HWx-1W	5/17/06	73,000	1,100	<190	6,800	12,000	1,500	7,400	<100	--
HWx-1W	8/16/06	8,500	970	120	2,000	280	440	1,300	<0.5	--
HWx-1W	11/20/06	220	89	<96	12	1	8	30	<0.5	--
HWx-1W	2/19/07	11,000	1,100	140	1,500	1,300	470	1,500	<1	--
HWx-1W	5/14/07	38,000	980	<95	6,200	4,900	1,000	4,100	<5	--
HWx-1W	9/11/07	1,800	1,700	<950	2,000	4	210	180	<0.5	--
HWx-1W	11/26/07	680	440	<96	1,700	16	20	76	<1	--
HWx-1W	2/26/08	<50	<76	<95	<0.5	<0.7	<0.8	<0.8	<0.5	--
HWx-1W	8/26/08	84	120	<95	1	<0.7	1	2	<0.5	<50
MW-1	11/15/11	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-1	2/28/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-1	5/8/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-1	9/4/12	<50	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-1	11/7/12	<100	<110	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-1	2/5/13	<100	<460	<460	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-1	5/1/13	<100	<200	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-1	8/14/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-1	11/22/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-1	2/13/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	11/16/11	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	2/28/12	86.4	<150	<730	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	5/14/12	<100	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	9/4/12	<50.0	<78	<390	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	11/7/12	<100	<110	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	2/8/13	103	<450	<450	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	5/1/13	113	210	<390	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	8/23/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	11/22/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-2	2/13/14	189	<400	<400	<1.0	<1.0	<1.0	<2.0	<4.0	--
MW-3	11/17/11	<50.0	<75	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-3	3/1/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-3	5/14/12	<50.0	350	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-3	8/28/12	463	<76	<380	<1.0	181	<1.0	<3.0	<1.0	--
MW-3	11/7/12	206	<120	<120	<1.0	143J	<1.0	<3.0	<1.0	--
MW-3	2/8/13	133	<450	<450	1.7	36.6	<1.0	<3.0	<1.0	--
MW-3	5/6/13	<100	<200	<200	<1.0	17.1	<1.0	<3.0	<1.0	--
MW-3	8/16/13	187	<420	<420	<1.0	84.1	<1.0	<3.0	<1.0	--
MW-3	11/26/13	<100	<400	<400	<1.0	6.9	<1.0	<3.0	<1.0	--
MW-3	2/10/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-4	11/17/11	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-4	3/1/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-4	5/14/12	<50.0	<82	<410	<1.0 ^(SS)	<1.0 ^(SS)	<1.0	<3.0	<1.0	--
MW-4	8/28/12	<50.0	<80	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-4	11/7/12	<100	<110UJ	<110UJ	<1.0	<1.0	<1.0	<3.0	<1.0	--

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs			OXYGENATES		
		TPHg	TPHd	TPHo	B	T	E	X	MTBE	Ethanol
		800/1000	500	500	5	1,000	700	1,000	20	--
		<i>MTCA Method A Screening Levels:</i>								
MW-4	2/8/13	<100	<440	<440	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-4	5/6/13	<100	<200	<200	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-4	8/16/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-4	11/26/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-4	2/10/14	<100	<410	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-5	11/17/11	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-5	3/1/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-5	5/14/12	<50.0	<83	<420	<1.0 ^(SS)	<1.0 ^(SS)	<1.0	<3.0	<1.0	--
MW-5	8/28/12	<50.0	<83	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-5	11/7/12	<100	<100UJ	<100UJ	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-5	2/7/13	<100	<470	<470	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-5	5/6/13	<100	<200	<200	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-5	8/16/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-5	11/26/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-5	2/10/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-6	11/16/11	<50.0	<77	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-6	3/1/12	64.5	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-6	5/14/12	62.6	<84	<420	<1.0 ^(SS)	<1.0 ^(SS)	<1.0	<3.0	<1.0	--
MW-6	8/28/12	<50.0	<82	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-6	11/7/12	<100	<110UJ	<110UJ	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-6	2/7/13	<100	<440	<440	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-6	5/6/13	<100	<200	<200	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-6	8/16/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-6	11/26/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-6	2/10/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-7	11/15/11	7,530	380	<380	3,560	1,610	898	3,250	<1.0	--
MW-7	3/1/12	58,000	1,300	<380	15,000	1,600	1,150	2,770	<1.0	--
MW-7	5/9/12	32,900	1,500	<380	7,470	1,620	1,290	2,930	<50.0	--
MW-7	8/23/12	24,700 ¹⁰	850	<390	8,930	1,220	1,880	3,310	1.1	--
MW-7	11/6/12	28,000	3,100	<110	6,620	337	1,120	2,230	<20.0	--
MW-7	2/7/13	17,500	3,800	<450	6,840	314	1,940	1,410	<50.0	--
MW-7	4/29/13	19,600	<200	<200	6,400	310	2,410	1,360	<50.0	--
MW-7	8/13/13	19,700	2,600	1,000	8,710	843	1,080	2,810	<50.0	--
MW-7	11/18/13	12,100	1,000	<430	6,730	420	1,310	1,270	<50.0	--
MW-7 (DUP)	2/5/14	18,400	930	<400	4,760	148	1,560	1,170	<20.0	--
MW-7	2/5/14	18,900	1,200	<400	6,150 J	170 J	1,750 J	1,310 J	<20.0 J	--
MW-8	11/15/11	11,900	130	<380	3,670	365	431	1,510	2.6	--
MW-8	2/22/12	9,370	220	<380	4,430	382	957	2,660	6.9	--
MW-8	5/10/12	23,500	670	<410	9,090	542	841	2,280	<25.0	--
MW-8 (DUP)	5/10/12	24,700	940	<380	8,940	571	855	2,320	8.0	--
MW-8	8/23/12	17,500 ¹⁰	680	<380	9,570	670	1,090	2,780	5.1	--
MW-8	11/6/12	10,300	1,400	<110	3,420	140	422	1,037	1.8	--
MW-8	1/29/13	8,130	2,800	820	6,280	186	465	1,250	6.2	--
MW-8	4/29/13	5,430	<200	<200	4,720	100	533	1,380	<50.0	--
MW-8	8/13/13	12,700	1,800	820	7,460	58.8 J	708	1,670	<50.0	--
MW-8	11/19/13	7,500	550	<420	4,550	<50.0	477	1,100	<50.0	--
MW-8	2/4/14	7,650	520 J	<420	4,040	<50.0	447	931	<50.0	--
MW-8 (DUP)	2/4/14	7,960	430 J	<400	3,940	<25.0	436	918	<25.0	--
MW-9	11/16/11	1,950	<76	<380	1,430	2	5	7.7	1.2	--
MW-9	2/22/12	566	120 J	<380	899	1.9 J	1.8 J	3.4 J	<1.0 J	--
MW-9 (DUP)	2/22/12	535	260 J	<380	889	1.8 J	1.7 J	3.2 J	1.0 J	--
MW-9	5/9/12	1,830	290	<430	625	1.4	1.7	<3.0	<1.0	--
MW-9	8/24/12	1,070	270	<380	977	2.8	5.1	8.0	<1.0	--
MW-9	11/15/12	1,330	220	<100	439	<2.0	2.3	<6.0	<2.0	--
MW-9	1/31/13	224	<450	<450	180	<1.0	<1.0	<3.0	<1.0	--
MW-9	4/30/13	1,210	<200	<200	1,150	<10.0	<10.0	<30.0	<10.0	--
MW-9	8/13/13	1,790	1,500	<400	817	4.1 J	7.3	6.8	<1.0	--
MW-9	11/18/13	869	430	<400	266	<2.0	2.2	<6.0	<2.0	--
MW-9	2/4/14	1,520	650 J	<430	1,040	<5.0	6.4	<15.0	<5.0	--
MW-10	11/17/11	174	<75	<380	562	3	1.6	17.9	<1.0	--
MW-10 (DUP)	11/17/11	113	<75	<380	440	2	<1.0	15.3	<1.0	--
MW-10	2/22/12	434	160	<380	2.0	<1.0	<1.0	<3.0	<1.0	--
MW-10	5/10/12	282	140	<390	65.4	3.5	5.7	15.7	<1.0	--
MW-10	11/9/12	466	<110	<110	200	1.1	<1.0	3.2	<1.0	--
MW-10	2/1/13	125	<440	<440	1.6	<1.0	<1.0	<3.0	<1.0	--
MW-10	4/30/13	185	<200	<200	7.1	<1.0	<1.0	<3.0	<1.0	--
MW-10	8/20/13	139	<400	<400	47.6	<1.0	<1.0	3.5	<1.0	--
MW-10	11/18/13	116	<400	<400	57.9	2.2	<1.0	10.3	<1.0	--
MW-10	2/4/14	125	<420	<420	27.4	<1.0	<1.0	<3.0	<1.0	--
MW-11	2/29/12	128	82	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-11	5/16/12	177	<77	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-11	8/29/12	145	<78	<390	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-11	11/16/12	<100	<110	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-11	2/6/13	<100	<450	<450	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-11	5/7/13	<100	<200	<200	<1.0	<1.0	<1.0	<3.0	<1.0	--
MW-11	8/21/13	196	500	<420	<1.0 J	<1.0 J	<1.0 J	<3.0 J	<1.0 J	--

GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	HYDROCARBONS			PRIMARY VOCs			OXYGENATES		
		TPHg 800/1000	TPHd 500	TPHo 500	B 5	T 1,000	E 700	X 1,000	MTBE 20	Ethanol --
		MTCA Method A Screening Levels:								
DW-2	8/23/13	821	<420	<420	13	1.3 J	3.4	10.1	1.4	--
DW-2 (DUP)	8/23/13	733	<400	<400	12.9	1.3	3.1	10.1	1.4	--
DW-2	11/21/13	326	<400	<400	5.9	<1.0	<1.0	13.1	<1.0	--
DW-2	2/12/14	395	<400	450	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-3	11/17/11	<50.0	<75	<380	<1.0	<1.0	1.3	<3.0	<1.0	--
DW-3	2/21/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-3	5/15/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-3	8/28/12	<50.0	<81	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-3	11/9/12	<100	<120	<120	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-3	1/30/13	<100	<490	<490	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-3	5/1/13	<100	<200	<600	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-3	8/15/13	<100	<420	<420	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-3	11/19/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-3	2/5/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-4	9/5/12	<50.0	<76	<380	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-4	11/16/12	<100	<110	<110	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-4	2/6/13	<100	<410	<410	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-4	5/7/13	<100	<200	<200	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-4	8/21/13	<100	<420	<420	<1.0 J	<1.0 J	<1.0 J	<3.0 J	<1.0 J	--
DW-4	11/26/13	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
DW-4	2/6/14	<100	<400	<400	<1.0	<1.0	<1.0	<3.0	<1.0	--
Retention Pond	6/3/04	36,200	--	--	7,860	6,920	792	3,260	--	--
Retention Pond	4/19/06	38,000	2,800	<1000	2,100	4,400	180	3,300	NA	--
Retention Pond	2/19/07	16,000	1,400	140	1,600	2,500	100	1,500	2	--

Notes:

- NA Not analyzed.
 U Not detected above reporting limit.
 J Estimated
 x Extension on well nomenclature signifies well extended by SECOR 07/05
 µg/L micrograms per liter
- (a) Results in the diesel organics range are due to overlap from a gasoline range product.
 (b) Chromatogram suggest this might be aged or degraded diesel.
 (d) Contaminant does not appear to be typical product.
 (e) The observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes earlier and later in the DRO range
 (f) The reporting limits were raised because sample dilution was necessary to bring target compounds into the calibration range of the system
 (g) Due to insufficient sample size, the lab was unable to report their usual reporting limits.
 The values reported represent the lowest reporting limits obtainable. The observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes earlier and later in the DRO range.
 (h) The observed sample pattern is not typical of #2 diesel fuel. It elutes in the DRO range earlier than #2 fuel.
 Accurate surrogate recoveries could not be determined due to the dilution required for analysis of the sample.
 (i) The observed sample pattern is not typical of #2 fuel/diesel. The reported result is due to an individual peak(s) eluting in the DRO range.
 (j) The surrogate data is outside the QC limits due to unresolvable matrix problems evident in the sample chromatogram.
 (k) Due to insufficient sample size, we were unable to report our usual reporting limits. The values reported represent the lowest reporting limits attainable.
 (l) The concentration reported for toluene is estimated since it exceeded the calibration range of the instrument.
 Because only one sample vial was submitted for this analysis, a further diluted analysis could not be performed.
 (m) Insufficient water to fill all sample bottles.
 (n) The reporting limits for the GC/MS volatile compounds were raised due to sample foaming.
 (o) Due to excessive foaming of the sample, normal reporting limits were not attained.
 (p) Due to insufficient sample size, we were unable to report our usual reporting limits. The values reported represent the lowest reporting limits attainable.
 (q) Due to insufficient sample size, we were unable to report our usual reporting limits. The values reported represent the lowest reporting limits attainable.
 The surrogate data is outside the QC limits due to unresolvable matrix problems evident in the sample chromatogram.
 (s) Due to insufficient sample size, we were unable to report our usual reporting limits. The values reported represent the lowest reporting limits attainable.
 (t) MTCA Method A levels for TPH-g are 1,000 ug/l when no benzene is present and 800 ug/l when benzene is present.
 (u) Well LA1x-2 labeled LAI-2 in the analytical report and Chain-Of-Custody.
 (v) Well LA1x-3 labeled LAI-2 in the analytical report and Chain-Of-Custody.
 (w) Ethanol sampled 3Q08 and 1Q09
 (x) The GRO value is estimated because the value is over the calibration range of the system. The sample was not reanalyzed because the hold time has expired.
 (y) The GC/MS volatile results were obtained from a vial with headspace.
 The initial analyses of this sample were unable to be reported due to carryover issues and QC spiking
 (z) The reporting limits for the GC/MS volatile compounds were raised due to the level of non-target compounds.
- (1) The analytical data is from Acton Mickelson Environmental, Inc. sampling on 8/26/2008 and 8/27/2008.
 (2) A-01 Contamination elutes between C18 and C40 and does not match any standards in TestAmerica's reference library.
 (3) A-01a Contamination elutes between C8 and C18 and does not match any standards in TestAmerica's reference library.
 (4) A-01b Contamination elutes between C8 and C28 and does not match any standards in TestAmerica's reference library.
 (5) A-01c Contamination elutes between C8 and C40 and does not match any standards in TestAmerica's reference library.
 (6) M8 The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).
 (7) RL1 Reporting limit raised due to sample matrix effects.
 (8) H1 = Analysis conducted outside the EPA method holding time.
 (9) 2n = The internal standard response is outside the QC criteria. Results may be biased low.
 (10) Sample was diluted due to the presence of high levels of target analytes.
 (E) Analyte concentration exceeded the calibration range. The reported result is estimated.
 (CO) Result confirmed by second analysis.
 (M1) Matrix Spike recovery exceeded the QC limits. Batch accepted based on laboratory control sample recovery.
 (SS) This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimate.

TABLE 4

ADDITIONAL GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	SEMI-VOLATILES		METALS								VOCs					PCBs	
		Naphthalenes	cPAHs	Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver	Methylene Chloride	PCE	TCE	Vinyl Chloride	EDB	EDC	AROCLORs
		160 ⁽¹⁾	0.1 ⁽²⁾	5	NE	5	50	15	2	NE	NE	5	5	5	0.2	0.01	5	0.1
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MTCA Method A Screening Levels:																		
D-7	8/16/11	<1.0	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
D-7	2/22/12	<0.096	0.168	1.3	--	--	--	3.3	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
D-7	8/27/12	8.9 ⁽⁴⁾	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
D-7	2/1/13	<4.094	<0.035485	0.87	--	--	--	2.9	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
D-7	8/20/13	<4.0	--	79	--	--	--	717	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
D-7	2/6/14	<8.088	0.4836	12.3	--	--	--	105	--	--	--	<8.0	<2.0	<0.80	<0.40	<2.0	<2.0	--
HA-1	8/17/11	<1.0	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-1	5/15/12	--	--	1.4	--	--	--	1.2	--	--	--	--	--	--	--	--	--	--
HA-1	2/7/13	--	--	8.5	--	--	--	4	--	--	--	--	--	--	--	--	--	--
HA-1	11/21/13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HA-1	2/12/14	--	--	0.81	--	--	--	1.1	--	--	--	--	--	--	--	--	--	--
HA-2	5/17/11	779.7	0.18	12.7	<100.0	<0.080	<10.0	20.8	<0.20	<10.0J	<10.0	<4.0J	<1.0J	<1.0J	<0.20J	<1.0J	<2.0J	ND
HA-2	8/11/11	699	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	58.4	--
HA-2	11/18/11	786	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-2	2/24/12	922.7	0.194	12.7	--	--	--	33.4	--	--	--	<50.0	<10.0	<10.0	<2.0	<10.0	<10.0	--
HA-2	5/15/12	952 ⁽⁴⁾	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-2	8/29/12	737 ⁽⁴⁾	--	18.4	--	--	--	30.1	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-2	11/13/12	573	--	--	--	--	--	--	--	--	--	<200	<50.0	<1.0	<20.0	<50.0	<50.0	--
HA-2	2/7/13	771.6	0.06539	13.1	--	--	--	18	--	--	--	<200	<50.0	<50.0	<10.0	<50.0	<100	--
HA-2	5/2/13	1,052	0.5065	14.3	--	--	--	18.8	--	--	--	<200	<50.0	<50.0	<10.0	<50.0	<100	--
HA-2	11/21/13	861.1	0.03665	16.4	--	--	--	16.2	--	--	--	<200	<50.0	<20.0	<10.0	<50.0	<100	--
HA-2	2/10/14	1,024	0.31925	14	--	--	--	16.7	--	--	--	<200	<50.0	<20.0	<10.0	<50.0	<50.0	--
HA-3	8/11/11	<1.0	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-3	11/18/11	<5.0	--	6.4	--	--	--	8.5	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-3	2/24/12	3.91	<0.0725	3.7	--	--	--	3.2	--	3.7	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-3	5/16/12	4.1 ⁽⁴⁾	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	--
HA-3	8/29/12	10.0 ⁽⁴⁾	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-3	11/13/12	<4.0	--	--	--	--	--	--	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
HA-3	2/7/13	<4.0	--	--	--	--	--	--	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
HA-3	5/2/13	<4.40	<0.166	3.8	--	--	--	2.8	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
HA-3	11/21/13	0.12 J	<0.033975 J	2.8	--	--	--	3.9	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
HA-3	2/10/14	0.48 ⁽⁶⁾	<0.03473	3.5	--	--	--	9.4	--	--	--	<4.0 J	<1.0 J	<0.40 J	<0.20 J	<1.0 J	<1.0 J	--
HA-4	5/17/11	<1.0	--	9.1	32.4	0.52	10.7	21.7	<0.20	<50.0	<50.0	<4.0J	<1.0J	<1.0J	<0.20J	<1.0J	<2.0J	--
HA-4	11/18/11	<0.39	<0.098	6.5	--	--	--	3.9	--	--	--	<5.0 J	<1.0 J	<1.0 J	<0.20 J	<1.0 J	<1.0 J	--
HA-4	2/24/12	<1.0	<0.1055	3.3	--	--	--	5.3	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-4	5/16/12	<1.0 ⁽⁴⁾	--	--	--	--	--	--	--	--	--	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	--
HA-4	8/29/12	6.2 ⁽⁴⁾	--	2.0	--	--	--	5.3	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-4	11/15/12	<4.0	<0.03322	<2.5	--	--	--	3.4	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
HA-4	2/7/13	<4.088	<0.03322	0.88	--	--	--	3.1	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
HA-4	5/2/13	<4.142	<0.059055	2.1	--	--	--	5	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
HA-4	8/23/13	<0.52 J	0.12065	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HA-4	11/21/13	<4.086 J	<0.032465 J	4	--	--	--	2.4	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
HA-4	2/10/14	0.067 ⁽⁶⁾	0.0482	1.8	--	--	--	7.2	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
HA-5	8/12/11	0.29	<0.0715	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HA-5	2/23/12	0.46	<0.0715	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HA-5	8/23/12	<0.30	0.0755	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HA-5	1/30/13	<0.123	<0.030955	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HA-5	8/22/13	0.14	<0.032465 J	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HA-5	2/7/14	<0.126	<0.03171	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HA-6	5/26/11	144	<0.071	6.2	<100.0	<0.080	<10.0	21.4	<0.20	<10.0	<10.0	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	ND
HA-6	8/12/11	123.5	<0.0705	8.7	--	--	--	20.7	--	--	--	31	<1.0	<1.0	<0.20	<1.0	3	--
HA-6	11/22/11	106.7	<0.0725	12.8	--	--	--	39.5	--	--	--	34.8	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-6	2/23/12	151	<0.0715	9.2	--	--	--	23.8	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
HA-6	5/11/12	329.6 ⁽⁸⁾	<4.0015 ⁽⁹⁾	7.7	--	--	--	21.5	--	--	--	<40.0	<10.0	<10.0	<4.0	<10.0	<10.0	--

TABLE 4
 ADDITIONAL GROUNDWATER ANALYTICAL DATA
 PHILLIPS 66 RENTON TERMINAL
 RENTON, WASHINGTON

Sample Location	Date	SEMI-VOLATILES		METALS								VOCs					PCBs	
		Naphthalenes 160 ⁽¹⁴⁾	cPAHs 0.1 ⁽¹²⁾	Arsenic 5	Barium NE	Cadmium 5	Chromium 50	Lead 15	Mercury 2	Selenium NE	Silver NE	Methylene Chloride 5	PCE 5	TCE 5	Vinyl Chloride 0.2	EDB 0.01	EDC 5	AROCLORS 0.1
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
LAIX-2	8/14/13	274.6 J	<0.03171	1.5	--	--	--	0.28	--	--	--	--	--	--	--	--	--	--
LAIX-2	2/13/14	239.8	<0.032465	8.1	--	--	--	0.37	--	--	--	--	--	--	--	--	--	--
LAIX-3	8/10/11	93.7	<0.0725	5.5	--	--	--	0.16	--	--	--	--	--	--	--	--	--	--
LAIX-3 (DUP)	8/10/11	89.1	<0.0725	5	--	--	--	0.22	--	--	--	--	--	--	--	--	--	--
LAIX-3	11/15/11	74.5	<0.0725	4.6	--	--	--	0.17	--	--	--	--	--	--	--	--	--	--
LAIX-3	2/28/12	473.3	<0.0715	4.1	--	--	--	0.62	--	--	--	<5.0 J	<1.0 J	<1.0 J	<0.20 J	<1.0 J	<1.0 J	--
LAIX-3	5/8/12	309	<3.624 ⁽⁵⁾	6.1	--	--	--	1.6	--	--	--	<25.0	<5.0	<5.0	<1.0	<5.0	<5.0	--
LAIX-3	9/4/12	195.2	0.0755	5.0	--	--	--	0.34	--	--	--	--	--	--	--	--	--	--
LAIX-3	11/13/12	9.9	<0.03582	2.8	--	--	--	0.2	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
LAIX-3	2/5/13	32.3	<0.03473	2.7	--	--	--	0.13	--	--	--	--	--	--	--	--	--	--
LAIX-3	5/1/13	58.2	<0.03322	2.4	--	--	--	0.17	--	--	--	<40.0	<10.0	<10.0	<2.0	<10.0	<20.0	--
LAIX-3	8/14/13	135.3 J	<0.033975	3.1	--	--	--	0.1	--	--	--	--	--	--	--	--	--	--
LAIX-3	11/22/13	270.4	<0.03171	4.4	--	--	--	0.13	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
LAIX-3	2/13/14	241	<0.03322	4	--	--	--	0.37	--	--	--	--	--	--	--	--	--	--
LAI-15	5/24/11	<1.188J	<0.071	3.7J	<100.0	<0.080	<10.0	<10.0	<0.20	<10.0	<10.0	<4.0	<1.0	<1.0	<1.0	<1.0	<2.0	ND
LAI-16	5/16/11	<1.188	<0.071	7.9	<100.0	0.42	<10.0	<10.0	<0.20	<10.0J	<10.0	<4.0J	<1.0J	<1.0J	<0.20J	<1.0J	<2.0J	ND
LAI-16	3/1/12	--	--	6.4	--	--	--	0.16	--	--	--	--	--	--	--	--	--	--
LAI-16	2/8/13	--	--	3.3	--	--	--	0.13	--	--	--	--	--	--	--	--	--	--
LAI-16	2/13/14	--	--	2.8	--	--	--	<0.10	--	--	--	--	--	--	--	--	--	--
RW-4	8/12/11	1.8	<0.071	1.1	--	--	--	0.11	--	--	--	<5.0	<1.0	<1.0	<1.0	<1.0	3.8	--
RW-4	11/18/11	<0.285	<0.0715	<0.50	--	--	--	0.1	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
RW-4	2/23/12	<1.0	<0.0715	<0.50	--	--	--	0.15	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
RW-4	5/11/12	<10.4 ⁽³⁾	<3.926 ⁽⁵⁾	0.86	--	--	--	0.30	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
RW-4	8/24/12	3.72	0.0755	1.4	--	--	--	0.61	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
RW-4	11/9/12	<4.0	<0.03322	<0.50	--	--	--	0.16	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
RW-4	1/31/13	<4.086	<0.03171	<0.50	--	--	--	0.33	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
RW-4 (DUP)	1/31/13	<4.084	<0.032465	<0.50	--	--	--	0.34	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
RW-4	5/3/13	0.286	<0.03511	<0.50	--	--	--	0.23	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
RW-4	8/22/13	11.6	<0.033975 J	3.2	--	--	--	1	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
RW-4	11/20/13	<4.086	<0.032465	<0.50	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
RW-4	2/11/14	.. ⁽⁶⁾	<0.030955	<0.50	--	--	--	0.32	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
RWx-5	11/18/11	0.36	<0.0715	<0.50	--	--	--	0.14	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
RWx-5	5/11/12	10.4	<3.926 ⁽⁵⁾	1.5	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
RWx-5	11/9/12	18.6	<0.03322	<0.50	--	--	--	0.13	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
RWx-5 (DUP)	11/9/12	17.4	<0.03247	<0.50	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
RWx-5	5/3/13	30	<0.03461	4	--	--	--	0.13	--	--	--	<400	<100	<100	<20.0	<100	<200	--
RWx-5	11/20/13	0.091	<0.032465	0.57	--	--	--	0.78	--	--	--	<4.0 J	<1.0 J	<0.40 J	<0.20 J	<1.0 J	<2.0 J	--
RWx-7	8/12/11	127.3	<0.0715	6.1	--	--	--	0.88	--	--	--	--	--	--	--	--	--	--
RWx-7	2/23/12	0.639	<0.0715	1.2	--	--	--	0.38	--	--	--	--	--	--	--	--	--	--
RWx-7	8/27/12	105.2	0.0755	5.5	--	--	--	0.43	--	--	--	--	--	--	--	--	--	--
RWx-7	1/30/13	<0.126	<0.03171	0.85	--	--	--	0.25	--	--	--	--	--	--	--	--	--	--
RWx-7	8/22/13	137.7 J	<0.032465 J	4.5	--	--	--	0.19	--	--	--	--	--	--	--	--	--	--
RWx-7	2/11/14	.. ⁽⁶⁾	<0.03171	0.86	--	--	--	0.17	--	--	--	--	--	--	--	--	--	--
MW-1	11/15/11	0.18	<0.0725	8.2	--	--	--	0.68	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-1	2/28/12	<1.0	<0.0715	7.8	--	--	--	3.1	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-1	5/8/12	<9.6 ⁽³⁾	<3.624 ⁽⁵⁾	11.9	--	--	--	0.99	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-1	9/4/12	<0.33	0.08305	14.9	--	--	--	0.39	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-1	11/7/12	<4.0	<0.03247	14.5	--	--	--	0.74	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--

ADDITIONAL GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	SEMI-VOLATILES		METALS								VOCs					PCBs	
		Naphthalenes 160 ⁽¹⁴⁾	cPAHs 0.1 ⁽¹²⁾	Arsenic 5	Barium NE	Cadmium 5	Chromium 50	Lead 15	Mercury 2	Selenium NE	Silver NE	Methylene Chloride 5	PCE 5	TCE 5	Vinyl Chloride 0.2	EDB 0.01	EDC 5	AROCLORs 0.1
MTCA Method A Screening Levels:		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-1	2/5/13	<4.096	<0.03624	8	--	--	--	1.2	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-1	5/1/13	<4.088	<0.03322	11.4	--	--	--	0.68	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-1	8/14/13	<4.086	<0.032465	15.6	--	--	--	0.95	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-1	11/22/13	<4.082	<0.030955	11.5	--	--	--	0.28	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-1	2/13/14	<4.080	<0.0302	12	--	--	--	0.62	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-2	11/16/11	<0.285	<0.0715	0.84	--	--	--	<0.10	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-2	2/28/12	1.8	--	0.56	--	--	--	0.1	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-2	5/14/12	<9.4 ⁽³⁾	<3.5485 ⁽⁵⁾	1.2	--	--	--	0.11	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-2	9/4/12	<0.30	0.0755	1.2	--	--	--	0.15	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-2	11/7/12	<4.0	<0.03096	1.1	--	--	--	0.74	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-2	2/8/13	<4.088	<0.03322	0.89	--	--	--	0.56	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-2	5/1/13	<4.086	<0.032465	1.8	--	--	--	1.7	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-2	8/23/13	<4.084 J	<0.03461	1.1	--	--	--	0.13	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-2	11/22/13	0.077	<0.030955	0.75	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-2	2/13/14	<4.086	<0.032465	<0.10	--	--	--	<20.0	--	--	--	<5.0	<1.0	<1.0	<3.0	<4.0	<2.0	--
MW-3	11/17/11	<0.285	<0.0715	1.1	--	--	--	0.76	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-3	3/1/12	<0.095	<0.0715	57.8	--	--	--	44.4	--	--	--	--	--	--	--	--	--	--
MW-3	5/14/12	<9.6 ⁽³⁾	<3.624 ⁽⁵⁾	91.8	--	--	--	102	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-3	8/28/12	<0.297	0.074745	9.7	--	--	--	12.2	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-3	11/7/12	<4.0	<0.03096	4.5	--	--	--	3.9	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-3	2/8/13	<4.086	<0.032465	2	--	--	--	1.7	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-3	5/6/13	<4.086	<0.032465	3.4	--	--	--	1.3	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-3	8/16/13	<4.092	<0.03473	7	--	--	--	5	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-3	11/26/13	<4.086	<0.032465	4.1	--	--	--	2.6	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-3	2/10/14	_(6)	<0.03322	3.2	--	--	--	1.9	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
MW-4	11/17/11	<0.285	<0.0715	6.3	--	--	--	<0.10	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-4	3/1/12	<0.094	<0.071	14.0	--	--	--	3.9	--	--	--	--	--	--	--	--	--	--
MW-4	5/14/12	<10.2 ⁽³⁾	<3.8505 ⁽⁵⁾	3.8	--	--	--	0.53	--	--	--	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	--
MW-4	8/28/12	0.46	0.071725	5.6	--	--	--	0.27	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-4	11/7/12	<4.0	<0.03096	1.5	--	--	--	0.5	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-4	2/8/13	<4.084	<0.03171	2	--	--	--	0.66	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-4	5/6/13	<4.086	<0.032465	4.1	--	--	--	0.74	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-4	8/16/13	<4.086	<0.032465	3	--	--	--	0.78	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-4	11/26/13	<4.088	<0.03322	6.4	--	--	--	1.3	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-4	2/10/14	_(6)	<0.03171	2.3	--	--	--	0.55	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
MW-5	11/17/11	<0.285	<0.0715	4.3	--	--	--	1.2	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-5	3/1/12	<0.096	<0.0725	5.2	--	--	--	2.1	--	--	--	--	--	--	--	--	--	--
MW-5	5/14/12	<10.4	<3.926 ⁽⁵⁾	3.2	--	--	--	0.49	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-5	8/28/12	<0.30	0.0755	4.4	--	--	--	1.6	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-5	11/7/12	<4.0	<0.03096	5.3	--	--	--	0.9	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-5	2/7/13	<4.086	<0.032465	5.4	--	--	--	2.3	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-5	5/6/13	<4.094	<0.035485	4.8	--	--	--	2.7	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-5	8/16/13	<4.090	<0.033975	4.6	--	--	--	0.78	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-5	11/26/13	<4.088	<0.03322	3.7	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-5	2/10/14	0.051 J	<0.03322	5.3	--	--	--	1.5	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
MW-6	11/16/11	<0.291	<0.071	8.0	--	--	--	1.6	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-6	3/1/12	0.44	<0.0715	7.7	--	--	--	0.17	--	--	--	--	--	--	--	--	--	--

ADDITIONAL GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	SEMI-VOLATILES		METALS								VOCs					PCBs	
		Naphthalenes 160 ⁽¹⁴⁾	cPAHs 0.1 ⁽¹²⁾	Arsenic 5	Barium NE	Cadmium 5	Chromium 50	Lead 15	Mercury 2	Selenium NE	Silver NE	Methylene Chloride 5	PCE 5	TCE 5	Vinyl Chloride 0.2	EDB 0.01	EDC 5	AROCLORs 0.1
	MTCA Method A Screening Levels:	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-6	5/14/12	<10.6 ⁽³⁾	<4.0015 ⁽⁵⁾	8.3	--	--	--	0.10	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-6	8/28/12	<0.30	0.0755	6	--	--	--	0.64	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-6	11/7/12	<4.0	<0.03171	7.5	--	--	--	0.14	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-6	2/7/13	<4.086	<0.032465	8.2	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-6	5/6/13	<4.086	<0.032465	8.4	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-6	8/16/13	<4.086	<0.032465	6	--	--	--	0.29	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-6	11/26/13	<4.088	<0.03322	8.1	--	--	--	0.2	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-6	2/10/14	.. ⁽⁶⁾	<0.030955	8.4	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
MW-7	11/15/11	425	<0.0715	38.8	--	--	--	1.6	--	--	--	12.2	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-7	3/1/12	1098.3	<0.071	38.6	--	--	--	7.6	--	--	--	12.3	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-7	5/9/12	685 ⁽⁸⁾	<3.624 ⁽⁵⁾	52.4	--	--	--	13.6	--	--	--	<200	<50.0	<50.0	<20.0	<50.0	<50.0	--
MW-7	8/23/12	269.4	0.0755	61.0	--	--	--	4.4	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-7	11/6/12	464	<0.03247	58.6	--	--	--	1.9	--	--	--	<80.0	<20.0	<20.0	<8.0	<20.0	<20.0	--
MW-7	2/7/13	793.9	<0.033975	40	--	--	--	4.5	--	--	--	<200	<50.0	<50.0	<10.0	<50.0	<100	--
MW-7	4/29/13	1,011	<0.033975	37	--	--	--	4.8	--	--	--	<200	<50.0	<50.0	<10.0	<50.0	<100	--
MW-7	8/13/13	669.5 J	<0.033975	71.6	--	--	--	2.1	--	--	--	<200	<50.0	<20.0	<10.0	<50.0	<100	--
MW-7	11/18/13	456.3	<0.032465	67.6	--	--	--	8.5	--	--	--	<200	<50.0	<20.0	<10.0	<50.0	<100	--
MW-7	2/5/14	606.5	<0.03473	42.3	--	--	--	4.1	--	--	--	<80.0 J	<20.0 J	<8.0 J	<4.0 J	<20.0 J	<20.0 J	--
MW-7 (DUP)	2/5/14	646.5	<0.032465	42	--	--	--	4.1	--	--	--	<80.0	<20.0	<8.0	<4.0	<20.0	<20.0	--
MW-8	11/15/11	110.5	<0.0715	16.4	--	--	--	1.8	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-8	2/22/12	110	<0.0725	23.6	--	--	--	1.6	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-8	5/10/12	299.8 ⁽⁸⁾	<3.5485 ⁽⁵⁾	31.6	--	--	--	0.64	--	--	--	<100	<25.0	<25.0	<10.0	<25.0	<25.0	--
MW-8 (DUP)	5/10/12	291.8 ⁽⁸⁾	<3.8505 ⁽⁵⁾	31.4	--	--	--	0.63	--	--	--	<20.0	<5.0	<5.0	<2.0	<5.0	<5.0	--
MW-8	8/23/12	256.9	0.0755	43.0	--	--	--	0.89	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-8	11/6/12	83.8	<0.03171	32.7	--	--	--	0.53	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-8	1/29/13	253	<0.035485	42.3	--	--	--	0.54	--	--	--	<20.0	<5.0	<5.0	<1.0	<5.0	<10.0	--
MW-8	4/29/13	278.3	<0.034992	37.1	--	--	--	9.3	--	--	--	<200	<50.0	<50.0	<10.0	<50.0	<100	--
MW-8	8/13/13	433.9 J	<0.03322	60	--	--	--	2.9	--	--	--	<200	<50.0	<20.0	<10.0	<50.0	<100	--
MW-8	11/19/13	135	<0.032465	42.6	--	--	--	0.36	--	--	--	<200	<50.0	<20.0	<10.0	<50.0	<100	--
MW-8	2/4/14	309.7	<0.03322	39.5	--	--	--	0.26	--	--	--	<200	<50.0	<20.0	<10.0	<50.0	<50.0	--
MW-8 (DUP)	2/4/14	337.6	<0.032465	38.1	--	--	--	0.22	--	--	--	<100	<25.0	<10.0	<5.0	<25.0	<25.0	--
MW-9	11/16/11	133.4	<0.083	27.6	--	--	--	1.2	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-9	2/22/12	83.8	<0.0715	31.7	--	--	--	4.01	--	--	--	<5.0 J	<1.0 J	<1.0 J	<0.20 J	<1.0 J	<1.0 J	--
MW-9 (DUP)	2/22/12	84.0	0.143	38.8	--	--	--	19.3 J	--	--	--	<5.0 J	<1.0 J	<1.0 J	<0.20 J	<1.0 J	<1.0 J	--
MW-9	5/9/12	88.0 ⁽³⁾	<3.624 ⁽⁵⁾	31.8	--	--	--	0.55	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-9	8/24/12	98.1	0.0755	41.2	--	--	--	1.2	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-9	11/15/12	31.5	<0.03582	19	--	--	--	0.89	--	--	--	<8.0	<2.0	<1.0	<0.80	<2.0	<2.0	--
MW-9	1/31/13	53.3	<0.033975	15.8	--	--	--	19.3	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-9	4/30/13	306.7 J	<0.032465	18	--	--	--	0.64	--	--	--	<40.0	<10.0	<10.0	<2.0	<10.0	<20.0	--
MW-9	8/13/13	531 J	<0.03322	43.6	--	--	--	0.74	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-9	11/18/13	212.5	0.077844	11.5	--	--	--	3.4	--	--	--	<8.0	<2.0	<0.80	<0.40	<2.0	<4.0	--
MW-9	2/4/14	258.7	<0.033975	35.3	--	--	--	18.7	--	--	--	<20.0	<5.0	<2.0	<1.0	<5.0	<5.0	--
MW-10	11/17/11	0.62 J	<0.0725	6.4	--	--	--	0.49	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-10 (DUP)	11/17/11	0.99 J	<0.0715	7.5	--	--	--	0.46	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-10	2/28/12	1.8	<0.0715	0.56	--	--	--	0.1	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-10	5/10/12	<10.2 ⁽³⁾	<3.8505 ⁽⁵⁾	6.4	--	--	--	1.7	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-10	8/29/12	2.55	0.073235	8.1	--	--	--	0.13	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-10	11/9/12	<4.0	<0.03171	12.8	--	--	--	0.52	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--

ADDITIONAL GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	SEMI-VOLATILES		METALS								VOCs					PCBs	
		Naphthalenes 160 ⁽¹⁾	cPAHs 0.1 ⁽²⁾	Arsenic 5	Barium NE	Cadmium 5	Chromium 50	Lead 15	Mercury 2	Selenium NE	Silver NE	Methylene Chloride 5	PCE 5	TCE 5	Vinyl Chloride 0.2	EDB 0.01	EDC 5	AROCLORs 0.1
MTCA Method A Screening Levels:		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-10	2/1/13	4.451	<0.036995	3.4	--	--	--	0.4	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-10	4/30/13	1.9 J	<0.030955	4.9	--	--	--	0.14	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-10	8/20/13	1.6	<0.037225	11.4	--	--	--	0.53	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-10	11/18/13	1.4	<0.030955	7.6	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-10	2/4/14	1.1	<0.032465	10.1	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-11	2/29/12	0.1	<0.071	9.1	--	--	--	4.0	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-11	5/16/12	<0.60	<0.0755	6.0	--	--	--	0.95	--	--	--	<5.0	<1.0	<1.0	<3.0	<1.0	<1.0	--
MW-11	8/29/12	0.49	0.074745	7.1	--	--	--	0.67	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-11	11/16/12	<4.0	<0.03247	<2.5	--	--	--	8.4	--	--	--	<4.0	<1.0	<50.0	<0.40	<1.0	<1.0	--
MW-11	2/6/13	<4.092	<0.03473	2.2	--	--	--	0.26	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-11	5/7/13	<4.086	<0.035815	2.9	--	--	--	0.3	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-11	8/21/13	0.202 J	<0.03473	13.8	--	--	--	44.3	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-11	11/26/13	<4.082	<0.030955	4.4	--	--	--	0.12	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-11	2/6/14	<4.088	<0.03322	2.1	--	--	--	0.18	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
MW-12	2/29/12	<1.0	<0.0715	7.2	--	--	--	0.65	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-12	5/16/12	<0.30	<0.0755	7.3	--	--	--	0.75	--	--	--	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	--
MW-12	8/29/12	<0.285	0.071725	10.6	--	--	--	0.72	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-12	11/14/12	<4.0	<0.03322	9.7	--	--	--	1.5	--	--	--	<4.0	<1.0	<2.0	<0.40	<1.0	<1.0	--
MW-12	5/7/13	<4.088	<0.03652	7.5	--	--	--	0.39	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-12	8/21/13	<4.090	<0.033975	8.8	--	--	--	0.18	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-12	11/26/13	<4.082	<0.030955	9.3	--	--	--	0.32	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-12	2/3/14	<4.086	<0.032465	10.1	--	--	--	0.14	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
MW-13	2/29/12	0.12	<0.0715	26.1	--	--	--	1.6	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-13	5/16/12	<0.30	<0.0755	3.4	--	--	--	1.5	--	--	--	<5.0 ^(M1)	<1.0 ^(M1)	<1.0 ^(M1)	<1.0 ^(M1)	<1.0 ^(M1)	<1.0 ^(M1)	--
MW-13	9/5/12	<0.33	0.08305	9.1	--	--	--	0.54	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-13	11/14/12	<4.0	<0.03549	0.89	--	--	--	0.39	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-13	2/6/13	<4.086	<0.032465	<0.50	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-13	5/8/13	<4.090	<0.033975	5.9	--	--	--	0.57	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-13	8/21/13	<4.088	<0.03322	2.9	--	--	--	0.29	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-13	11/26/13	<4.086	<0.032465	14.7	--	--	--	1.1	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-13	2/6/14	<4.086	<0.032465	0.88	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
MW-14	11/21/11	263.6 J	<0.071 J	33.5 J	--	--	--	11.6 J	--	--	--	29.3 J	<1.0 J	<1.0 J	<0.20 J	<1.0 J	<1.0 J	--
MW-14	2/28/12	838.8	<0.0715	29.2	--	--	--	6.6	--	--	--	25.1 J	<1.0 J	<1.0 J	<0.20 J	<1.0 J	<1.0 J	--
MW-14	5/14/12	643	<3.624 ⁽⁵⁾	43.7	--	--	--	17.7	--	--	--	<50.0	<1.0	<1.0	<2.0	<10.0	<10.0	--
MW-14	11/16/12	509	<0.037	48.2	--	--	--	15.6	--	--	--	<200	<50.0	<1.0	<20.0	<50.0	<50.0	--
MW-14	2/6/13	662.3	<0.03473	30.2	--	--	--	4.7	--	--	--	<400	<100	<100	<20.0	<100	<200	--
MW-14	5/2/13	669.3	<0.037225	27.4	--	--	--	5	--	--	--	<400	<100	<100	<20.0	<100	<200	--
MW-14	8/23/13	946.4 J	<0.033905	34.9	--	--	--	5.4	--	--	--	<400	<100	<40.0	<20.0	<100	<200	--
MW-14	11/18/13	1,075	<0.032465	33.6	--	--	--	4.4	--	--	--	<80.0	<20.0	8.0	<4.0	<20.0	<40.0	--
MW-14	2/12/14	780.8	<0.030955	35.8	--	--	--	14.4	--	--	--	<400	<100	<40.0	<20.0	<100	<100	--
MW-15	11/21/11	0.62 J	<0.0725 J	41 J	--	--	--	45.2 J	--	--	--	<5.0 J	<1.0 J	<1.0 J	<0.20 J	<1.0 J	<1.0 J	--
MW-15 (DUP)	11/21/11	0.44 J	<0.0725 J	32.5 J	--	--	--	28.2 J	--	--	--	<5.0 J	<1.0 J	<1.0 J	<0.20 J	<1.0 J	<1.0 J	--
MW-15	2/28/12	4.66	<0.0715	8.5	--	--	--	3.6	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-15	5/11/12	<9.6 ⁽³⁾	<3.624 ⁽⁵⁾	10.9	--	--	--	6.3	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-15	8/27/12	5.0	0.08305	12.6	--	--	--	0.16	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-15 (DUP)	8/27/12	4.1	0.0755	12.8	--	--	--	0.26	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-15	11/12/12	<4.0	<0.03582	18.9	--	--	--	14.2	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--

ADDITIONAL GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	SEMI-VOLATILES		METALS								VOCs					PCBs	
		Naphthalenes 160 ⁽¹⁾	cPAHs 0.1 ⁽²⁾	Arsenic 5	Barium NE	Cadmium 5	Chromium 50	Lead 15	Mercury 2	Selenium NE	Silver NE	Methylene Chloride 5	PCE 5	TCE 5	Vinyl Chloride 0.2	EDB 0.01	EDC 5	AROCLORs 0.1
MTCA Method A Screening Levels:		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-15	2/4/13	7.8	<0.032465	8.7	--	--	--	0.19	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-15	5/3/13	13.7	<0.035815	9.3	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-15	8/23/13	13.7 J	<0.030955	15.2	--	--	--	0.76	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-15	11/20/13	14.4	<0.030955	12.3	--	--	--	0.88	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-15	2/7/14	9.9	<0.030955	9.7	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-16	2/29/12	<1.0	<0.0715	2.2	--	--	--	0.59	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-16	5/16/12	<0.285	<0.071725	2.4	--	--	--	0.11	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-16	9/5/12	<0.39	0.09815	5.9	--	--	--	0.17	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-16	11/14/12	<4.0	<0.03096	1.3	--	--	--	0.94	--	--	--	<4.0	<1.0	<2.0	<0.40	<1.0	<1.0	--
MW-16	2/6/13	<4.100	<0.03775	2.1	--	--	--	0.45	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-16	5/8/13	<4.088	<0.03322	1.9	--	--	--	<0.10	--	1.9	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-16	8/21/13	<4.090	<0.033975	6.4	--	--	--	0.72	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-16	11/26/13	<4.088	<0.03322	5.8	--	--	--	0.37	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-16	2/3/14	<4.086	<0.032465	3.2	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
MW-17	9/5/12	<0.30	0.0755	6.7	--	--	--	0.19	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
MW-17	11/16/12	<4.0	<0.03247	5.8	--	--	--	<0.50	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
MW-17	2/6/13	<4.084	<0.03171	5.1	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-17	5/7/13	<4.086	<0.035815	4.9	--	--	--	0.1	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
MW-17	8/21/13	<4.088	<0.03322	5.3	--	--	--	0.14	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-17	11/26/13	<4.086	<0.032465	4.2	--	--	--	<0.10	--	4.2	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
MW-17	2/6/14	<4.084	0.09313	4.4	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
DW-1	11/15/11	0.1	<0.0725	3.6	--	--	--	0.3	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-1	2/28/12	<1.0	<0.0715	5.6	--	--	--	0.28	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-1	5/16/12	<0.288	<0.07248	3.6	--	--	--	<0.10	--	--	--	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	--
DW-1	9/4/12	<0.30	0.0755	3.6	--	--	--	<0.10	--	3.6	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-1	11/13/12	<4.0	<0.03652	2.6	--	--	--	<0.50	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
DW-1	2/5/13	<4.086	<0.032465	3.1	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
DW-1	5/1/13	<4.086	<0.032465	2.9	--	--	--	<0.10	--	2.9	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
DW-1	8/14/13	<4.088	<0.03322	3.8	--	--	--	0.1	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
DW-1	11/22/13	<4.086	<0.032465	3.1	--	--	--	0.18	--	3.1	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
DW-1	2/13/14	<4.088	<0.03322	3.5	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
DW-2	11/16/11	194.1	<0.0715	5.7	--	--	--	2.8	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-2	2/23/12	84.9	<0.0715	7.4	--	--	--	0.41	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-2 (DUP)	2/23/12	75.7	<0.0725	7.4	--	--	--	0.37	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-2	5/9/12	49.8 ⁽⁴⁾	--	7.9	--	--	--	0.22	--	--	--	<8.0	<2.0	<2.0	<0.80	<2.0	<2.0	--
DW-2	8/24/12	20	0.0755	2.9	--	--	--	0.78	--	2.9	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-2	11/6/12	3.3	<0.03398	16.5	--	--	--	4	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
DW-2	1/31/13	17.9	<0.03171	20.8	--	--	--	17	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
DW-2	4/30/13	11	<0.032465	9.5	--	--	--	0.43 J	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
DW-2 (DUP)	4/30/13	10.3	<0.032465	10.1	--	--	--	0.12 J	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
DW-2	8/23/13	19.1 J	<0.035815	9.7	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
DW-2 (DUP)	8/23/13	22.3 J	<0.033905	9.8	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
DW-2	11/21/13	13.9 J	<0.03171	9.2	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
DW-2	2/12/14	9	<0.032465	7.9	--	--	--	0.14	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
DW-3	11/17/11	<0.285	<0.0725	14.9	--	--	--	16	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-3	2/21/12	<1.0	<0.0715	6.7	--	--	--	3.6	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-3	5/15/12	<9.6 ⁽³⁾	<3.624 ⁽⁵⁾	6.1	--	--	--	0.75	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--

ADDITIONAL GROUNDWATER ANALYTICAL DATA
PHILLIPS 66 RENTON TERMINAL
RENTON, WASHINGTON

Sample Location	Date	SEMI-VOLATILES		METALS								VOCs					PCBs	
		Naphthalenes 160 ⁽¹⁾	cPAHs 0.1 ⁽²⁾	Arsenic 5	Barium NE	Cadmium 5	Chromium 50	Lead 15	Mercury 2	Selenium NE	Silver NE	Methylene Chloride 5	PCE 5	TCE 5	Vinyl Chloride 0.2	EDB 0.01	EDC 5	AROCLOrS 0.1
MTCA Method A Screening Levels:		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
DW-3	8/28/12	<0.30	0.0755	5.6	--	--	--	0.14	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-3	11/9/12	<4.0	<0.03322	5.6	--	--	--	0.11	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
DW-3	1/30/13	<4.096	<0.03624	5.9	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
DW-3	5/1/13	<4.086	<0.032465	5.3	--	--	--	0.12	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
DW-3	8/15/13	<4.082	<0.030955	5.9	--	--	--	0.36	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
DW-3	11/19/13	<4.084	<0.03171	5.2	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
DW-3	2/5/14	<4.088	<0.03322	8.9	--	--	--	5.1	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--
DW-4	9/5/12	<0.33	0.08305	<0.50	--	--	--	<0.10	--	--	--	<5.0	<1.0	<1.0	<0.20	<1.0	<1.0	--
DW-4	11/16/12	<4.0	<0.03473	<2.5	--	--	--	<0.50	--	--	--	<4.0	<1.0	<1.0	<0.40	<1.0	<1.0	--
DW-4	2/6/13	<4.094	<0.035485	<0.50	--	--	--	<0.10	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
DW-4	5/7/13	<4.092	<0.03793	<0.50	--	--	--	0.14	--	--	--	<4.0	<1.0	<1.0	<0.20	<1.0	<2.0	--
DW-4	8/21/13	<4.088	0.04296 J	<0.50	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
DW-4	11/26/13	<4.084	<0.03171	<0.50	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<2.0	--
DW-4	2/6/14	<4.090	<0.033975	<0.50	--	--	--	<0.10	--	--	--	<4.0	<1.0	<0.40	<0.20	<1.0	<1.0	--

Notes:

- NA Not analyzed.
- U Not detected above reporting limit.
- J Estimated
- x Extension on well nomenclature signifies well extended by SECOR 07/05
- µg/L micrograms per liter
- (1) Naphthalenes equal the sum of 1-Methylnaphthalene, 2-Methylnaphthalene, and Naphthalene. For sample that were non-detect for one or more of these constituents, the reporting limit was used in the summation
- (2) cPAHs equal the sum of each cPAH analyte multiplied by the MTCA toxicity factor. For non-detect values, half the reporting limit was used in the calculation.
- (3) Only 2-Methylnaphthalene and Naphthalene were analyzed, and therefore were the only constituents used in the calculation.
- (4) Naphthalene analyzed by EPA Method 8260B
- ND PCBs not detected above the method detection limit.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- (5) A lab error resulted in cPAHs being analyzed by method 8270 instead of 8270Sim. Reporting limits do not meet the cleanup standards.
- (6) One or more of the naphthalene parameters was not able to be validated due to outlying laboratory control sample results

Appendix A

Hydraulic Monitoring Field Data

WATER LEVEL RECORD

PROJECT NAME: Plebe Renton Term.

LOCATION: 2423 Lind Ave SW,
Renton, WA

JOB NO.: 020496

DATE: 2/14/14

CLIENT: Plebe

ENGINEER/GEOLOGIST: NH/TM

	OBSERVATION WELL	TOP OF CASING ELEVATION		DEPTH TO WATER		DEPTH TO PRODUCT		WATER LEVEL ELEVATION	
		A		B		C		A-B	
		feet	metres	feet	metres	feet	metres	feet	metres
1	mw-12			6.51					
2	mw-11			3.99					
3	DW-4			3.66					
4	mw-17			0.80					
5	mw-13			5.36					
6	mw-16			6.72					
7	HA-14			7.90					
8	HA-13			5.07					
9	HA-19			3.67					
10	HA-20			7.49					
11	RW-1			4.36					
12	HA-8			5.35					
13	RW-3			4.64					
14	RW-4			5.57					
15	RWX-5			6.71					
16	RW-6			6.76					
17	RWX-7			7.65					
18	HA-5			4.85					
19	HA-16			5.54					
20	HA-15			6.23					
21	HA-17			5.27					
22	HA-16			5.26					
23	HA-18			5.50					
24	HA-7			5.23					

CRA

WATER LEVEL RECORD

PROJECT NAME: P106 Penton Term.

LOCATION: 2423 Lind Ave SW, Penton, WA

JOB NO.: 070494

DATE: 2/14/14

CLIENT: P106

ENGINEER/GEOLOGIST: NH/TM

	OBSERVATION WELL	TOP OF CASING ELEVATION		DEPTH TO WATER		DEPTH TO PRODUCT		WATER LEVEL ELEVATION	
		A		B		C		A-B	
		feet	metres	feet	metres	feet	metres	feet	metres
25	HA-12			5.03					
26	MW-15			6.75					
27	D-1R			7.25					
28	LAI-12			4.04					
29	LAI-11			4.31					
30	LAI-10			3.48					
31	LAI-1			5.62					
32	LAIx-2			7.42					
33	LAIx-3			6.98					
34	DW-1			7.86					
35	MW-3			6.68					
36	MW-4			6.29					
37	MW-5			7.04					
38	MW-6			9.13					
39	LAI-13			6.23					
40	LAI-14			6.79					
41	DW-3			9.00					
42	LAI-15			4.59					
43	LAI-16			6.49					
44	MW-2			7.46					
45	MW-1			7.71					
46	LAI-10			3.54					
47	HA-9			DRY					
48	W-3			5.97					

CRA

WATER LEVEL RECORD

PROJECT NAME: Pule Renton Term.

LOCATION: 2423 Lind Ave SW, Renton, WA

JOB NO.: 070496

DATE: 2/14/14

CLIENT: Pule

ENGINEER/GEOLOGIST: NH/IM

	OBSERVATION WELL	TOP OF CASING ELEVATION		DEPTH TO WATER		DEPTH TO PRODUCT		WATER LEVEL ELEVATION	
		A		B		C		A-B	
		feet	metres	feet	metres	feet	metres	feet	metres
49	W-4	7.26							
50	HA-10	5.65							
51	HA-2	6.25							
52	HA-3	4.68							
53	HA-4	3.65							
54	MW-14	8.28							
55	HA-11	6.45							
56	MW-10	8.39							
57	HA-1	2.12							
58	MW-9	6.41							
59	D-7	5.29							
60	D-10	6.22							
61	B-5	6.97							
62	B-4	6.53							
63	B-2	7.12							
64	B-3A	7.67							
65	W-2	7.60							
66	W-1	8.06							
67	B-6	7.29							
68	D-5R	8.21							
69	D-4R	7.71							
70	B-1	5.45							
71	MW-7	8.81							
72	MW-8	8.41							

CRA

WATER LEVEL RECORD

PROJECT NAME: P66 Renton Term.
 JOB NO.: 070496
 CLIENT: P66

LOCATION: 2423 Lind Ave SW, Renton, WA
 DATE: 2/14/14
 ENGINEER/GEOLOGIST: NH/TM

OBSERVATION WELL	TOP OF CASING ELEVATION		DEPTH TO WATER		DEPTH TO PRODUCT		WATER LEVEL ELEVATION	
	A		B		C		A-B	
	feet	metres	feet	metres	feet	metres	feet	metres
73 DW-2			8.41					
74 TW-3			7.31					
75 TW-4			7.19		7.97			
76 P-2			9.45		7.97			
77 P-1			9.25		7.89			
78 EX-1			9.98		7.76			
79 TW-6			8.64		7.90			
80 TW-5			8.45					
81 TW-7			8.41					
82 TW-8			8.03					
83 TW-1			8.23					
84 TW-2			8.12					
85 AS-1			8.46					
86 SESWG-1			1.525					
87 ESWG-2			0.675					
88 27th Ave Br.			6.04					
89 SWSWG-3			1.275					
90 NWSWG-3			0.725					
91 North Bridge			7.42					
92								
93								
94								
95								
96								

CRA

Appendix B

February 2014 Data Validation and Laboratory Analytical Reports



MEMORANDUM

To: Edwin Turner REF. NO.: 070496

FROM: Jeffrey Cloud/eew/17-NF *JC* DATE: April 30, 2014

CC: Matt Davis

RE: **Analytical Results and Reduced Validation of Report 10256845
Quarterly Groundwater Sampling
ConocoPhillips - Renton Terminal
Renton, Washington
February 2014**

1.0 Introduction

The following document details a reduced validation of analytical results for groundwater samples collected in support of the Quarterly Groundwater Sampling at the Renton Terminal Site in Renton, Washington during February 2014. Samples were submitted to Pace Analytical Services, located in Minneapolis, Minnesota. A sample collection and analysis summary is presented in Table 1. A summary of the analytical methodology is presented in Table 2. The validated analytical results are summarized in Table 3.

Standard Conestoga-Rovers & Associates (CRA) report deliverables were submitted by the laboratory. The final results and supporting quality assurance/quality control (QA/QC) data were assessed. Evaluation of the data was based on information obtained from the chain of custody forms, finished report forms, method blank data, duplicate data, recovery data from surrogate spikes, laboratory control samples (LCS), matrix spikes (MS), and field QC samples.

The QA/QC criteria by which these data have been assessed are outlined in the analytical methods referenced in Table 2 and applicable guidance from the documents entitled:

- i) "USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review", USEPA 540-R-08-01, June 2008
- ii) "USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review", USEPA 540-R-10-011, January 2010

These items will subsequently be referred to as the "Guidelines" in this Memorandum.

2.0 Sample Holding Time and Preservation

The sample holding time criteria for the analyses are summarized in the methods. The sample chain of custody documents and analytical report were used to determine sample holding times. All samples were prepared and analyzed within the required holding times.

All samples were properly preserved, delivered on ice, and stored by the laboratory at the required temperature (<6°C).

3.0 Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures.

For this study, laboratory method blanks were analyzed at a minimum frequency of 1 per 20 investigative samples and/or 1 per analytical batch.

All method blank results were non-detect, indicating that laboratory contamination was not a factor for this investigation with the exceptions of two analytes present at low concentrations. The associated sample result with a concentration similar to the blanks was qualified as non-detect (see Table 4).

4.0 Surrogate Spike Recoveries - Organic Analyses

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for organics are spiked with surrogate compounds prior to sample extraction and/or analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices.

All samples submitted for volatile organic compound (VOC), semi-volatile organic compound (SVOC), gasoline range organics (GRO) and diesel range organics (DRO)/motor oil range organics (ORO) analysis were spiked with the appropriate number of surrogate compounds prior to sample extraction and/or analysis.

Each individual surrogate compound is expected to meet the laboratory (method) control limits with the exception of SVOC analyses. According to the "Guidelines" for SVOC analyses, up to one outlying surrogate in the base/neutral or acid fractions is acceptable as long as the recovery is at least 10 percent.

Surrogate recoveries were assessed against the associated control limits. All surrogate recoveries met the above criteria with a few exceptions. Where high recoveries were found the associated non-detect results would not have been impacted and the associated sample detections were qualified as estimated due to the implied high bias. Where low recoveries were found the associated sample results were qualified as estimated due to the implied low bias. A summary of the qualifications is presented in Table 5.

5.0 Laboratory Control Sample (LCS) Analyses

LCS and/or laboratory control sample duplicates (LCSD) are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision.

For this study, LCS/LCSD were analyzed at a minimum frequency of 1 per 20 investigative samples and/or 1 per analytical batch.

Organic Analyses

The LCS/LCSD contained the compounds specified in the method. All LCS recoveries and RPDs were within the associated control limits, demonstrating acceptable analytical accuracy and precision (where applicable) with a few exceptions. Where high recoveries were found the associated non-detect results would not have been impacted and the associated sample detections were qualified as estimated due to the implied high bias. Where low recoveries were found the associated sample results were qualified as estimated due to the implied low bias. Where extremely low recoveries were found the associated sample detections were qualified as estimated and the associated non-detect results were rejected due to the poor analytical efficiency demonstrated. A summary of the qualifications and exceptions is presented in Table 6.

Inorganic Analyses

The LCS contained all analytes of interest. LCS recoveries were assessed per the "Guidelines". All LCS recoveries were within the control limits, demonstrating acceptable analytical accuracy.

6.0 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analyses

To evaluate the effects of sample matrices on the extraction or digestion process, measurement procedures, and accuracy of a particular analysis, samples are spiked with a known concentration of the analyte of concern and analyzed as MS/MSD samples. The RPD between the MS and MSD is used to assess analytical precision. If the original sample concentration is significantly greater than the spike concentration, the recovery is not assessed.

MS/MSD analyses were performed as specified in Table 1. The laboratory performed additional site-specific MS/MSD analyses internally. If only the MS or MSD recovery was outside of control limits, no qualification of the data was performed based on the acceptable recovery of the companion spike and the acceptable RPD.

Organic Analyses

The MS/MSD samples were spiked with the compounds specified in the method. All percent recoveries and RPD values were within the associated control limits, demonstrating acceptable analytical accuracy and precision with the exceptions of a few high recoveries. The associated sample results were qualified as estimated due to the implied high bias (see Table 7).

Inorganic Analyses

The MS/MSD samples were spiked with the analytes of interest, and the results were evaluated using the "Guidelines". All percent recoveries and RPD values were within the control limits, demonstrating acceptable analytical accuracy and precision.

7.0 Matrix Spike (MS) Analyses

To evaluate the effects of sample matrices on the preparation, measurement procedures, and accuracy of a particular analysis, samples are spiked with a known concentration of the analyte of concern and analyzed as MS samples. For this study, MS samples were prepared and analyzed by the laboratory as specified in Table 1. The laboratory performed additional site-specific MS analyses internally.

The MS results were evaluated per the "Guidelines". In accordance with the "Guidelines", MS recoveries for samples with analyte concentrations significantly greater than the spike concentrations could not be assessed.

All MS analyses performed were acceptable, demonstrating acceptable analytical accuracy with a few exceptions. Where high recoveries were found the associated sample results were non-detect and would not have been impacted by the implied high bias. No qualification of the data was deemed necessary. Where low recoveries were found the associated sample results were qualified as estimated due to the implied low bias (see Table 8)

8.0 Duplicate Sample Analyses

Analytical precision is evaluated based on the analysis of laboratory duplicate samples. For this study, duplicate samples were prepared and analyzed by the laboratory as specified in Table 1. The laboratory performed additional site-specific duplicate analyses internally. The duplicate results were evaluated per the "Guidelines". All duplicate analyses performed were acceptable, demonstrating acceptable analytical precision.

9.0 Field QA/QC Samples

The field QA/QC consisted of eight trip blank samples and two field duplicate sample sets.

Trip Blank Sample Analysis

To evaluate contamination from sample collection, transportation, storage, and analytical activities, eight trip blanks were submitted to the laboratory for analysis. All results were non-detect for the compounds of interest.

Field Duplicate Sample Analysis

To assess the analytical and sampling protocol precision, two field duplicate samples were collected and submitted "blind" to the laboratory, as specified in Table 1. The RPDs associated with these duplicate samples must be less than 50 and 100 percent for water and soil samples, respectively. If the reported concentration in either the investigative sample or its duplicate is less than five times the practical quantitation limit (PQL), the evaluation criteria is one or two times the PQL value for water and soil samples, respectively.

All field duplicate results were within acceptable agreement, demonstrating acceptable sampling and analytical precision.

10.0 Analyte Reporting

The laboratory did not report any detected concentrations below the laboratory's practical quantitation limit (PQL)/reporting limit (RL).

The VOC analysis for sample MW-7 was performed on a vial with notable headspace. The associated sample results were qualified as estimated due to the implied low bias (see Table 9).

11.0 Conclusion

Based on the assessment detailed in the foregoing, the summarized data are acceptable with the specific exceptions and qualifications noted herein.

TABLE 1

SAMPLE COLLECTION AND ANALYSIS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters					Comments
					NWTPH-Dx	NWTPH-Gx	SW6020	SW8260	SW8270SIM	
GW-020314-NH-MW12	MW-12	Water	02/03/2014	13:00	X	X	X	X	X	
GW-020314-NH-MW16	MW-16	Water	02/03/2014	14:15	X	X	X	X	X	DUP - MS-P
GW-020414-NH-MW10	MW-10	Water	02/04/2014	09:45	X	X	X	X	X	DUP
GW-020414-NH-MW9	MW-9	Water	02/04/2014	10:45	X	X	X	X	X	
GW-020414-NH-MW8	MW-8	Water	02/04/2014	11:45	X	X	X	X	X	
GW-020414-NH-FD1	MW-8	Water	02/04/2014	--	X	X	X	X	X	DUP - MS-P
GW-020414-NH-D5R	D-5R	Water	02/04/2014	13:45	X	X	X	X	X	
GW-020414-NH-D4R	D-4R	Water	02/04/2014	14:45	X	X	X	X	X	
Trip Blank	--	Water	02/03/2014	13:00				X		TRIP BLANK
GW-020514-NH-LAI 13	LAI-13	Water	02/05/2014	09:30	X	X		X		DUP - MS-P
GW-020514-NH-LAI 14	LAI-14	Water	02/05/2014	11:00	X	X		X		
GW-020514-NH-DW 3	DW-3	Water	02/05/2014	12:00	X	X	X	X	X	MS-P - MS/MSD-P
GW-020514-NH-LAI 15	LAI-15	Water	02/05/2014	14:00	X	X		X		
GW-020514-TM-B-1	B-1	Water	02/05/2014	09:00	X	X	X	X	X	
GW-020514-TM-MW-7	MW-7	Water	02/05/2014	10:45	X	X	X	X	X	MS-P
GW-020514-TM-W-1	W-1	Water	02/05/2014	12:45	X	X	X	X	X	DUP
GW-020514-TM-B-3A	B-3A	Water	02/05/2014	14:15	X	X	X	X	X	
DUP	MW-7	Water	02/05/2014	--	X	X	X	X	X	
Trip Blank	--	Water	02/05/2014	--				X		TRIP BLANK
GW-020614-NH-MW13	MW-13	Water	02/06/2014	09:30	X	X	X	X	X	DUP
GW-020614-NH-MW11	MW-11	Water	02/06/2014	11:00	X	X	X	X	X	DUP
GW-020614-NH-DW4	DW-4	Water	02/06/2014	13:00	X	X	X	X	X	
GW-020614-NH-MW17	MW-17	Water	02/06/2014	15:00	X	X	X	X	X	
GW-020614-TM-D-7	D-7	Water	02/06/2014	09:00	X	X	X	X	X	
GW-020614-TM-B-5	B-5	Water	02/06/2014	11:00	X	X	X	X	X	
GW-020614-TM-B-2	B-2	Water	02/06/2014	12:15	X	X	X	X	X	
GW-020614-TM-HA-9	HA-9	Water	02/06/2014	13:25	X	X	X	X	X	DUP
Trip Blank	--	Water	02/06/2014	--		X		X		TRIP BLANK
GW-020714-NH-DIR	D-1R	Water	02/07/2014	09:45	X	X	X	X	X	DUP
GW-020714-NH-MW15	MW-15	Water	02/07/2014	11:00	X	X	X	X	X	MS/MSD-P
GW-020714-NH-HA8	HA-8	Water	02/07/2014	12:30	X	X	X	X	X	
GW-020714-NH-HA7	HA-7	Water	02/07/2014	14:00	X	X	X	X	X	MS-P
GW-020714-TM-HA-13	HA-13	Water	02/07/2014	09:15	X	X	X	X	X	
GW-020714-TM-HA-14	HA-14	Water	02/07/2014	10:20	X	X	X	X	X	
GW-020714-TM-HA-6	HA-6	Water	02/07/2014	12:05	X	X	X	X	X	
GW-020714-TM-HA-5	HA-5	Water	02/07/2014	13:30	X	X		X	X	
GW-020714-TM-RWX-5	RWX-5	Water	02/07/2014	14:30	X	X		X		
Trip Blank	--	Water	02/07/2014	--		X		X		TRIP BLANK
GW-021014-TM-HA-2	HA-2	Water	02/10/2014	08:45	X	X	X	X	X	DUP
GW-021014-TM-HA-3	HA-3	Water	02/10/2014	09:45	X	X	X	X	X	MS-P
GW-021014-TM-HA-4	HA-4	Water	02/10/2014	11:45	X	X	X	X	X	
GW-021014-NH-MW 6	MW-6	Water	02/10/2014	12:30	X	X	X	X	X	

TABLE 1

SAMPLE COLLECTION AND ANALYSIS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters					Comments
					NWTPH-DX	NWTPH-GX	SW6020	SW8260	SW8270SIM	
GW-021014-NH-MW 5	MW-5	Water	02/10/2014	13:30	X	X	X	X	X	
GW-021014-NH-MW 4	MW-4	Water	02/10/2014	14:45	X	X	X	X	X	
GW-021014-NH-MW 3	MW-3	Water	02/10/2014	16:00	X	X	X	X	X	DUP
Trip Blank	--	Water	02/10/2014	--				X		TRIP BLANK
GW-021114-NH-RW3	RW-3	Water	02/11/2014	10:45	X	X		X		DUP
GW-021114-NH-D6	D-6	Water	02/11/2014	12:30	X	X	X	X	X	
GW-021114-NH-B6	B-6	Water	02/11/2014	13:45	X	X	X	X	X	DUP
GW-021114-TM-HA-20	HA-20	Water	02/11/2014	10:45	X	X	X	X	X	DUP
GW-021114-TM-RWX-7	RWX-7	Water	02/11/2014	12:20	X	X	X	X	X	MS-P
GW-021114-TM-RW-4	RW-4	Water	02/11/2014	13:30	X	X	X	X	X	
Trip Blank	--	Water	02/11/2014	13:30				X		TRIP BLANK
GW-021114-NH-B4	B-4	Water	02/11/2014	15:30	X	X	X	X	X	MS/MSD-P
GW-021114-TM-HA-16	HA-16	Water	02/11/2014	14:40	X	X	X	X	X	
GW-021214-NH-LAI 12	LAI-12	Water	02/12/2014	09:45	X	X		X		
GW-021214-NH-LAI 11	LAI-11	Water	02/12/2014	11:00	X	X		X		
GW-021214-NH-LAI 10	LAI-10	Water	02/12/2014	12:45	X	X		X		
GW-021214-NH-LAI 1	LAI-1	Water	02/12/2014	14:30	X	X	X	X	X	MS/MSD
GW-021214-TM-HA-1	HA-1	Water	02/12/2014	09:40	X	X	X	X		
GW-021214-TM-MW-14	MW-14	Water	02/12/2014	11:00	X	X	X	X	X	
GW-021214-TM-W-2	W-2	Water	02/12/2014	12:45	X	X	X	X	X	MS-P
GW-021214-TM-DW-2	DW-2	Water	02/12/2014	14:15	X	X	X	X	X	MS/MSD
Trip Blank	--	Water	02/12/2014	--				X		TRIP BLANK
GW-021314-NH-LAIx2	LAIx-2	Water	02/13/2014	09:45	X	X	X	X	X	DUP
GW-021314-NH-LAIx3	LAIx-3	Water	02/13/2014	11:30	X	X	X	X	X	DUP
GW-021314-NH-DW1	DW-1	Water	02/13/2014	13:00	X	X	X	X	X	
GW-021314-NH-HA11	HA-11	Water	02/13/2014	14:00	X	X	X	X	X	
GW-021314-NH-DIR	D-1R	Water	02/13/2014	15:00			X			MS/MSD-P
GW-021314-TM-MW-1	MW-1	Water	02/13/2014	09:30	X	X	X	X	X	
GW-021314-TM-MW-2	MW-2	Water	02/13/2014	11:00	X	X	X	X	X	
GW-021314-TM-LAI-16	LAI-16	Water	02/13/2014	12:45	X	X	X	X		
GW-021314-TM-HA-11	HA-11	Water	02/13/2014	13:35	X	X	X	X	X	
Trip Blank	--	Water	02/13/2014	--		X				TRIP BLANK

Notes:

DUP - Laboratory Duplicate

SIM - Select Ion Monitoring

FD - Field Duplicate Sample of sample in parenthesis

MS-P - Matrix Spike - (Partial parameters)

MS/MSD - Matrix Spike/Matrix Spike Duplicate

MS/MSD-P - Matrix Spike/Matrix Spike Duplicate (Partial parameters)

TABLE 2
ANALYTICAL METHODS
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014

<i>Parameter</i>	<i>Method</i>	<i>Matrix</i>
Volatile Organic Compounds (VOCs)	SW-846 8260B	Water
Semi-Volatile Organic Compounds (SVOCs)	SW-846 8270C	Water
Gasoline Range Organics (GRO)	NWTPH-Gx	Water
Diesel Range Organics (DRO)/Motor Oil Range Organics (ORO)	NWTPH-Dx	Water
Metals	SW-846 6020	Water

Notes:

Method References:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

NWTPH - Referenced from "Washington State Department of Ecology Analytical Methods for Petroleum Hydrocarbons", Publication No. ECY 97-602, June 1997

TABLE 3

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>B-1</i>	<i>B-2</i>	<i>B-3A</i>	<i>B-4</i>	<i>B-5</i>	<i>B-6</i>	
<i>Sample ID:</i>	<i>GW-020514-TM-B-1</i>	<i>GW-020614-TM-B-2</i>	<i>GW-020514-TM-B-3A</i>	<i>GW-021114-NH-B4</i>	<i>GW-020614-TM-B-5</i>	<i>GW-021114-NH-B6</i>	
<i>Sample Date:</i>	<i>2/5/2014</i>	<i>2/6/2014</i>	<i>2/5/2014</i>	<i>2/11/2014</i>	<i>2/6/2014</i>	<i>2/11/2014</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Volatile Organic Compounds</i>							
1,1,1,2-Tetrachloroethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,1,1-Trichloroethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,1,2,2-Tetrachloroethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,1,2-Trichloroethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,1-Dichloroethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,1-Dichloroethene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,1-Dichloropropene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,2,3-Trichlorobenzene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,2,3-Trichloropropane	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
1,2,4-Trichlorobenzene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,2,4-Trimethylbenzene	µg/L	2.0 U	219	1980	186 J	34.6	957
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,2-Dichlorobenzene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,2-Dichloroethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,2-Dichloroethene (total)	µg/L	4.0 U	40.0 U	100 U	2.0 U	10.0 U	20.0 U
1,2-Dichloropropane	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
1,3,5-Trimethylbenzene	µg/L	2.0 U	283	536	26.6 J	50.1	498
1,3-Dichlorobenzene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,3-Dichloropropane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
1,4-Dichlorobenzene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
2,2-Dichloropropane	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	10.0 U	100 U	250 U	6.6 U	25.0 U	50.0 U
2-Chlorotoluene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
2-Hexanone	µg/L	10.0 U	100 U	250 U	5.0 U	25.0 U	50.0 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	2.0 U	20.0 U	50.0 U	2.9	5.0 U	10.0 U
4-Chlorotoluene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	10.0 U	100 U	250 U	5.0 U	25.0 U	50.0 U
Acetone	µg/L	40.0 U	400 U	1000 U	20.0 U	100 U	200 U
Benzene	µg/L	127	4850	28400	110 J	442	3390
Bromobenzene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Bromodichloromethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Bromoform	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
Bromomethane (Methyl bromide)	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
Carbon disulfide	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>B-1</i>	<i>B-2</i>	<i>B-3A</i>	<i>B-4</i>	<i>B-5</i>	<i>B-6</i>	
<i>Sample ID:</i>	<i>GW-020514-TM-B-1</i>	<i>GW-020614-TM-B-2</i>	<i>GW-020514-TM-B-3A</i>	<i>GW-021114-NH-B4</i>	<i>GW-020614-TM-B-5</i>	<i>GW-021114-NH-B6</i>	
<i>Sample Date:</i>	<i>2/5/2014</i>	<i>2/6/2014</i>	<i>2/5/2014</i>	<i>2/11/2014</i>	<i>2/6/2014</i>	<i>2/11/2014</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Volatile Organic Compounds (Continued)</i>							
Carbon tetrachloride	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Chlorobenzene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Chlorobromomethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Chloroethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Chloroform (Trichloromethane)	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Chloromethane (Methyl chloride)	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
cis-1,2-Dichloroethene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
cis-1,3-Dichloropropene	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
Cymene (p-Isopropyltoluene)	µg/L	2.0 U	20.0 U	50.0 U	1.1	5.0 U	10.0 U
Dibromochloromethane	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Dibromomethane	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
Dichlorodifluoromethane (CFC-12)	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Ethylbenzene	µg/L	2.1	216	2790	218 J	88.0	298
Hexachlorobutadiene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Isopropyl benzene	µg/L	2.0 U	20.0 U	74.9	9.9 J	5.0 U	10.3
m&p-Xylenes	µg/L	4.0 U	157	12700	217 J	10.0 U	3650
Methyl tert butyl ether (MTBE)	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Methylene chloride	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
Naphthalene	µg/L	8.0 U	80.0 U	805	117 J	20.0 U	136
N-Butylbenzene	µg/L	2.0 U	21.0	50.0 U	2.9	5.8	10.0 U
N-Propylbenzene	µg/L	2.5	20.0 U	214	24.5 J	5.0 U	17.9
o-Xylene	µg/L	2.0 U	48.2	5780	12.7 J	6.6	2110
Styrene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
tert-Butylbenzene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Tetrachloroethene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Toluene	µg/L	2.0 U	20.0 U	28300	8.6	5.0 U	1740
trans-1,2-Dichloroethene	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
trans-1,3-Dichloropropene	µg/L	8.0 U	80.0 U	200 U	4.0 U	20.0 U	40.0 U
Trichloroethene	µg/L	0.80 U	8.0 U	20.0 U	0.40 U	2.0 U	4.0 U
Trichlorofluoromethane (CFC-11)	µg/L	2.0 U	20.0 U	50.0 U	1.0 U	5.0 U	10.0 U
Vinyl chloride	µg/L	0.40 U	4.0 U	10.0 U	0.20 U	1.0 U	2.0 U
Xylenes (total)	µg/L	6.0 U	205	18400	229 J	15.0 U	5770

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>B-1</i>	<i>B-2</i>	<i>B-3A</i>	<i>B-4</i>	<i>B-5</i>	<i>B-6</i>	
<i>Sample ID:</i>	<i>GW-020514-TM-B-1</i>	<i>GW-020614-TM-B-2</i>	<i>GW-020514-TM-B-3A</i>	<i>GW-021114-NH-B4</i>	<i>GW-020614-TM-B-5</i>	<i>GW-021114-NH-B6</i>	
<i>Sample Date:</i>	<i>2/5/2014</i>	<i>2/6/2014</i>	<i>2/5/2014</i>	<i>2/11/2014</i>	<i>2/6/2014</i>	<i>2/11/2014</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Semi-volatile Organic Compounds - SIM</i>							
1-Methylnaphthalene	µg/L	0.49	14.5	63.8	111	10.4	32.0 J
2-Methylnaphthalene	µg/L	0.99	36.8	176	268	11.9	72.8 J
Acenaphthene	µg/L	0.059	0.58	0.54	1.6	2.6	2.6 J
Acenaphthylene	µg/L	0.041 U	0.15	0.18	0.52	0.27	R
Anthracene	µg/L	0.041 U	0.19	0.12	0.043 U	0.94	0.97 J
Benzo(a)anthracene	µg/L	0.041 U	0.042 U	0.043 U	0.17	0.59	0.48
Benzo(a)pyrene	µg/L	0.062	0.042 U	0.043 U	0.12	0.58	0.45 U
Benzo(b)fluoranthene	µg/L	0.11	0.13	0.043 U	0.16	0.70	0.45 U
Benzo(g,h,i)perylene	µg/L	0.092	0.042 U	0.043 U	0.12	0.36	0.45 U
Benzo(k)fluoranthene	µg/L	0.043	0.042 U	0.043 U	0.088	0.27	0.45 U
Chrysene	µg/L	0.067	0.042 U	0.043 U	0.16	0.58	0.45 U
Dibenz(a,h)anthracene	µg/L	0.041 U	0.042 U	0.043 U	0.061	0.043 U	0.45 U
Fluoranthene	µg/L	0.095	0.25	0.043 U	0.58	2.7	2.5
Fluorene	µg/L	0.063	1.5	1.3	3.6	3.0	2.6 J
Indeno(1,2,3-cd)pyrene	µg/L	0.041 U	0.042 U	0.043 U	0.098	0.31	0.45 U
Naphthalene	µg/L	0.19	35.3	411	384	7.4	84.5 J
Phenanthrene	µg/L	0.054	1.0	1.0	3.8	3.6	4.8 J
Pyrene	µg/L	0.093	0.19	0.043 U	0.64	1.7	1.4 J
<i>Metals</i>							
Arsenic	µg/L	2.7	10.1	34.9	5.1	6.0	2.6
Lead	µg/L	3.2	1.7	7.6	5.1	13.1	10.7
<i>Petroleum Products</i>							
Diesel fuel	mg/L	0.40 U	2.5	3.2	3.8	7.9	1.1
Total Petroleum Hydrocarbons - Gas	µg/L	226 J	8820	200000	17200	4850	28600
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	0.40 U	0.40 U	0.40 U	1.0	0.44

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>D-1R</i>	<i>D-1R</i>	<i>D-4R</i>	<i>D-5R</i>	<i>D-6</i>	<i>D-7</i>
<i>Sample ID:</i>	<i>GW-020714-NH-DIR</i>	<i>GW-021314-NH-DIR</i>	<i>GW-020414-NH-D4R</i>	<i>GW-020414-NH-D5R</i>	<i>GW-021114-NH-D6</i>	<i>GW-020614-TM-D-7</i>
<i>Sample Date:</i>	<i>2/7/2014</i>	<i>2/13/2014</i>	<i>2/4/2014</i>	<i>2/4/2014</i>	<i>2/11/2014</i>	<i>2/6/2014</i>
Parameters:	Units					
Volatile Organic Compounds						
1,1,1,2-Tetrachloroethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,1,1-Trichloroethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,1,2,2-Tetrachloroethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,1,2-Trichloroethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,1-Dichloroethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,1-Dichloroethene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,1-Dichloropropene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,2,3-Trichlorobenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,2,3-Trichloropropane	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
1,2,4-Trichlorobenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,2,4-Trimethylbenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,2-Dichlorobenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,2-Dichloroethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,2-Dichloroethene (total)	µg/L	2.0 U	-	2.0 U	2.0 U	4.0 U
1,2-Dichloropropane	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
1,3,5-Trimethylbenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,3-Dichlorobenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,3-Dichloropropane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
1,4-Dichlorobenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
2,2-Dichloropropane	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	5.0 U	-	5.0 U	5.0 U	10.0 U
2-Chlorotoluene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
2-Hexanone	µg/L	5.0 U	-	5.0 U	5.0 U	10.0 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
4-Chlorotoluene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	5.0 U	-	5.0 U	5.0 U	10.0 U
Acetone	µg/L	20.0 U	-	20.0 U	20.0 U	40.0 U
Benzene	µg/L	1.0 U	-	1.0 U	1.7	260
Bromobenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Bromodichloromethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Bromoform	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
Bromomethane (Methyl bromide)	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
Carbon disulfide	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>D-1R</i>	<i>D-1R</i>	<i>D-4R</i>	<i>D-5R</i>	<i>D-6</i>	<i>D-7</i>
<i>Sample ID:</i>	<i>GW-020714-NH-DIR</i>	<i>GW-021314-NH-DIR</i>	<i>GW-020414-NH-D4R</i>	<i>GW-020414-NH-D5R</i>	<i>GW-021114-NH-D6</i>	<i>GW-020614-TM-D-7</i>
<i>Sample Date:</i>	<i>2/7/2014</i>	<i>2/13/2014</i>	<i>2/4/2014</i>	<i>2/4/2014</i>	<i>2/11/2014</i>	<i>2/6/2014</i>
Parameters:	Units					
<i>Volatile Organic Compounds (Continued)</i>						
Carbon tetrachloride	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Chlorobenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Chlorobromomethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Chloroethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Chloroform (Trichloromethane)	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Chloromethane (Methyl chloride)	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
cis-1,2-Dichloroethene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
cis-1,3-Dichloropropene	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
Cymene (p-Isopropyltoluene)	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Dibromochloromethane	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Dibromomethane	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
Dichlorodifluoromethane (CFC-12)	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Ethylbenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Hexachlorobutadiene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Isopropyl benzene	µg/L	1.0 U	-	1.7	1.0 U	2.4
m&p-Xylenes	µg/L	2.0 U	-	2.0 U	2.0 U	8.7
Methyl tert butyl ether (MTBE)	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Methylene chloride	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
Naphthalene	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
N-Butylbenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
N-Propylbenzene	µg/L	1.0 U	-	3.4	1.0 U	2.8
o-Xylene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Styrene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
tert-Butylbenzene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Tetrachloroethene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Toluene	µg/L	1.0 U	-	1.0 U	1.0 U	4.7
trans-1,2-Dichloroethene	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
trans-1,3-Dichloropropene	µg/L	4.0 U	-	4.0 U	4.0 U	8.0 U
Trichloroethene	µg/L	0.40 U	-	0.40 U	0.40 U	0.80 U
Trichlorofluoromethane (CFC-11)	µg/L	1.0 U	-	1.0 U	1.0 U	2.0 U
Vinyl chloride	µg/L	0.20 U	-	0.20 U	1.3	0.40 U
Xylenes (total)	µg/L	3.0 U	-	3.0 U	3.0 U	8.7

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>D-1R</i>	<i>D-1R</i>	<i>D-4R</i>	<i>D-5R</i>	<i>D-6</i>	<i>D-7</i>	
<i>Sample ID:</i>	<i>GW-020714-NH-DIR</i>	<i>GW-021314-NH-DIR</i>	<i>GW-020414-NH-D4R</i>	<i>GW-020414-NH-D5R</i>	<i>GW-021114-NH-D6</i>	<i>GW-020614-TM-D-7</i>	
<i>Sample Date:</i>	<i>2/7/2014</i>	<i>2/13/2014</i>	<i>2/4/2014</i>	<i>2/4/2014</i>	<i>2/11/2014</i>	<i>2/6/2014</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Semi-volatile Organic Compounds - SIM</i>							
1-Methylnaphthalene	µg/L	0.046	-	0.045 U	0.044 U	R	0.084 U
2-Methylnaphthalene	µg/L	0.043 U	-	0.045 U	0.044 U	R	0.084 U
Acenaphthene	µg/L	0.41	-	0.045 U	0.044 U	R	0.084 U
Acenaphthylene	µg/L	0.076	-	0.045 U	0.044 U	R	0.084 U
Anthracene	µg/L	0.043 U	-	0.045 U	0.044 U	0.043 UJ	0.084 U
Benzo(a)anthracene	µg/L	0.043 U	-	0.045 U	0.044 U	0.043 U	0.084 U
Benzo(a)pyrene	µg/L	0.043 U	-	0.045 U	0.044 U	0.055	0.32
Benzo(b)fluoranthene	µg/L	0.043 U	-	0.045 U	0.044 U	0.098	0.60
Benzo(g,h,i)perylene	µg/L	0.043 U	-	0.045 U	0.044 U	0.12	0.50
Benzo(k)fluoranthene	µg/L	0.043 U	-	0.045 U	0.044 U	0.043 U	0.084 U
Chrysene	µg/L	0.043 U	-	0.045 U	0.044 U	0.043 U	0.32
Dibenz(a,h)anthracene	µg/L	0.043 U	-	0.045 U	0.044 U	0.043 U	0.084 U
Fluoranthene	µg/L	0.043 U	-	0.045 U	0.044 U	0.086	0.63
Fluorene	µg/L	0.11	-	0.045 U	0.044 U	0.043 UJ	0.084 U
Indeno(1,2,3-cd)pyrene	µg/L	0.043 U	-	0.045 U	0.044 U	0.073	0.32
Naphthalene	µg/L	0.071	-	0.045 U	0.044 U	R	0.084 U
Phenanthrene	µg/L	0.043 U	-	0.045 U	0.044 U	0.043 UJ	0.084 U
Pyrene	µg/L	0.043 U	-	0.045 U	0.044 U	0.066 J	0.44
<i>Metals</i>							
Arsenic	µg/L	0.50 U	11.5	16.3	27.0	3.6	12.3
Lead	µg/L	0.20	7.7	0.10 U	0.80	1.1	105
<i>Petroleum Products</i>							
Diesel fuel	mg/L	0.40 U	-	0.40 U	0.43 U	0.40 U	3.8
Total Petroleum Hydrocarbons - Gas	µg/L	388	-	100 U	100 U	100 U	116 J
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	-	0.40 U	0.43 U	0.53	24.9

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>DW-1</i>	<i>DW-2</i>	<i>DW-3</i>	<i>DW-4</i>	<i>HA-1</i>	<i>HA-2</i>	
<i>Sample ID:</i>	<i>GW-021314-NH-DW1</i>	<i>GW-021214-TM-DW-2</i>	<i>GW-020514-NH-DW 3</i>	<i>GW-020614-NH-DW4</i>	<i>GW-021214-TM-HA-1</i>	<i>GW-021014-TM-HA-2</i>	
<i>Sample Date:</i>	<i>2/13/2014</i>	<i>2/12/2014</i>	<i>2/5/2014</i>	<i>2/6/2014</i>	<i>2/12/2014</i>	<i>2/10/2014</i>	
Parameters:	Units						
<i>Volatile Organic Compounds</i>							
1,1,1,2-Tetrachloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,1,1-Trichloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,1,2,2-Tetrachloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,1,2-Trichloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,1-Dichloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,1-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,1-Dichloropropene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,2,3-Trichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,2,3-Trichloropropane	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
1,2,4-Trichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,2,4-Trimethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	1930
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,2-Dichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,2-Dichloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,2-Dichloroethene (total)	µg/L	2.0 U	2.0 U	2.0 U	2.0 U	-	100 U
1,2-Dichloropropane	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
1,3,5-Trimethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	474
1,3-Dichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,3-Dichloropropane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
1,4-Dichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
2,2-Dichloropropane	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	5.0 U	5.0 U	5.0 U	5.0 U	-	250 U
2-Chlorotoluene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
2-Hexanone	µg/L	5.0 U	5.0 U	5.0 U	5.0 U	-	250 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
4-Chlorotoluene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	5.0 U	5.0 U	5.0 U	5.0 U	-	250 U
Acetone	µg/L	20.0 U	20.0 U	20.0 U	20.0 U	-	1000 U
Benzene	µg/L	2.0	1.0 U	1.0 U	1.0 U	1.0 U	5050
Bromobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Bromodichloromethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Bromoform	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
Bromomethane (Methyl bromide)	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
Carbon disulfide	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>DW-1</i>	<i>DW-2</i>	<i>DW-3</i>	<i>DW-4</i>	<i>HA-1</i>	<i>HA-2</i>	
<i>Sample ID:</i>	<i>GW-021314-NH-DW1</i>	<i>GW-021214-TM-DW-2</i>	<i>GW-020514-NH-DW 3</i>	<i>GW-020614-NH-DW4</i>	<i>GW-021214-TM-HA-1</i>	<i>GW-021014-TM-HA-2</i>	
<i>Sample Date:</i>	<i>2/13/2014</i>	<i>2/12/2014</i>	<i>2/5/2014</i>	<i>2/6/2014</i>	<i>2/12/2014</i>	<i>2/10/2014</i>	
Parameters:	Units						
<i>Volatile Organic Compounds (Continued)</i>							
Carbon tetrachloride	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Chlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Chlorobromomethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Chloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Chloroform (Trichloromethane)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Chloromethane (Methyl chloride)	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
cis-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
cis-1,3-Dichloropropene	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
Cymene (p-Isopropyltoluene)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Dibromochloromethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Dibromomethane	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
Dichlorodifluoromethane (CFC-12)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Ethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2500
Hexachlorobutadiene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Isopropyl benzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	80.0
m&p-Xylenes	µg/L	2.0 U	2.0 U	2.0 U	2.0 U	-	9240
Methyl tert butyl ether (MTBE)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	50.0 U
Methylene chloride	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
Naphthalene	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	608
N-Butylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
N-Propylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	210
o-Xylene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	3010
Styrene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
tert-Butylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Tetrachloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Toluene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	802
trans-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
trans-1,3-Dichloropropene	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	-	200 U
Trichloroethene	µg/L	0.40 U	0.40 U	0.40 U	0.40 U	-	20.0 U
Trichlorofluoromethane (CFC-11)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	-	50.0 U
Vinyl chloride	µg/L	0.20 U	0.20 U	0.20 U	0.20 U	-	10.0 U
Xylenes (total)	µg/L	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	12300

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>		<i>DW-1</i>	<i>DW-2</i>	<i>DW-3</i>	<i>DW-4</i>	<i>HA-1</i>	<i>HA-2</i>
<i>Sample ID:</i>		<i>GW-021314-NH-DW1</i>	<i>GW-021214-TM-DW-2</i>	<i>GW-020514-NH-DW 3</i>	<i>GW-020614-NH-DW4</i>	<i>GW-021214-TM-HA-1</i>	<i>GW-021014-TM-HA-2</i>
<i>Sample Date:</i>		<i>2/13/2014</i>	<i>2/12/2014</i>	<i>2/5/2014</i>	<i>2/6/2014</i>	<i>2/12/2014</i>	<i>2/10/2014</i>
<i>Parameters:</i>	<i>Units</i>						
<i>Semi-volatile Organic Compounds - SIM</i>							
1-Methylnaphthalene	µg/L	0.044 U	2.2	0.044 U	0.045 U	-	117 J
2-Methylnaphthalene	µg/L	0.044 U	6.8	0.044 U	0.045 U	-	299 J
Acenaphthene	µg/L	0.044 U	0.050	0.044 U	0.045 U	-	1.7 J
Acenaphthylene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.40 J
Anthracene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.86 J
Benzo(a)anthracene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.31
Benzo(a)pyrene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.22
Benzo(b)fluoranthene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.27
Benzo(g,h,i)perylene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.12
Benzo(k)fluoranthene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.10
Chrysene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.28
Dibenz(a,h)anthracene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.041 U
Fluoranthene	µg/L	0.044 U	0.044	0.044 U	0.045 U	-	1.6
Fluorene	µg/L	0.044 U	0.13	0.044 U	0.045 U	-	3.0 J
Indeno(1,2,3-cd)pyrene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.094
Naphthalene	µg/L	0.044 U	2.1	0.044 U	0.045 U	-	494 J
Phenanthrene	µg/L	0.044 U	0.19	0.044 U	0.045 U	-	5.1 J
Pyrene	µg/L	0.044 U	0.043 U	0.044 U	0.045 U	-	0.83 J
<i>Metals</i>							
Arsenic	µg/L	3.5	7.9	8.9	0.50 U	0.81	14.0
Lead	µg/L	0.10 U	0.14	5.1	0.10 U	1.1	16.7
<i>Petroleum Products</i>							
Diesel fuel	mg/L	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	3.0
Total Petroleum Hydrocarbons - Gas	µg/L	100 U	395	100 U	100 U	100 U	72400
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	0.45	0.40 U	0.40 U	0.40 U	0.65

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>		<i>HA-3</i>	<i>HA-4</i>	<i>HA-5</i>	<i>HA-6</i>	<i>HA-7</i>	<i>HA-8</i>
<i>Sample ID:</i>		<i>GW-021014-TM-HA-3</i>	<i>GW-021014-TM-HA-4</i>	<i>GW-020714-TM-HA-5</i>	<i>GW-020714-TM-HA-6</i>	<i>GW-020714-NH-HA7</i>	<i>GW-020714-NH-HA8</i>
<i>Sample Date:</i>		<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>
<i>Parameters:</i>	<i>Units</i>						
<i>Volatile Organic Compounds</i>							
1,1,1,2-Tetrachloroethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,1,1-Trichloroethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,1-Dichloroethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,1-Dichloroethene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,1-Dichloropropene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,2,3-Trichlorobenzene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,2,3-Trichloropropane	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
1,2,4-Trichlorobenzene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,2,4-Trimethylbenzene	µg/L	11.9 J	1.0 U	-	853	63.2	90.8
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,2-Dichloroethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	2.0 UJ	2.0 U	-	20.0 U	4.0 U	2.0 U
1,2-Dichloropropane	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
1,3,5-Trimethylbenzene	µg/L	3.1 J	1.0 U	-	231	10.2	21.6
1,3-Dichlorobenzene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,3-Dichloropropane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
2,2-Dichloropropane	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	5.0 UJ	5.0 U	-	117	10.0 U	5.0 U
2-Chlorotoluene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
2-Hexanone	µg/L	5.0 UJ	5.0 U	-	50.0 U	10.0 U	5.0 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	1.0 UJ	1.0 U	-	10.0 U	5.6	1.0 U
4-Chlorotoluene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	5.0 UJ	5.0 U	-	50.0 U	10.0 U	5.0 U
Acetone	µg/L	20.0 UJ	20.0 U	-	200 U	40.0 U	20.0 U
Benzene	µg/L	4.5 J	1.0 U	1.0 U	161	89.2	2.0
Bromobenzene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Bromodichloromethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Bromoform	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
Bromomethane (Methyl bromide)	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
Carbon disulfide	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U

TABLE 3

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>HA-3</i>	<i>HA-4</i>	<i>HA-5</i>	<i>HA-6</i>	<i>HA-7</i>	<i>HA-8</i>	
<i>Sample ID:</i>	<i>GW-021014-TM-HA-3</i>	<i>GW-021014-TM-HA-4</i>	<i>GW-020714-TM-HA-5</i>	<i>GW-020714-TM-HA-6</i>	<i>GW-020714-NH-HA7</i>	<i>GW-020714-NH-HA8</i>	
<i>Sample Date:</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Volatile Organic Compounds (Continued)</i>							
Carbon tetrachloride	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Chlorobenzene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Chlorobromomethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Chloroethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Chloroform (Trichloromethane)	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Chloromethane (Methyl chloride)	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
cis-1,2-Dichloroethene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
Cymene (p-Isopropyltoluene)	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Dibromochloromethane	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Dibromomethane	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
Dichlorodifluoromethane (CFC-12)	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Ethylbenzene	µg/L	10.2 J	1.0 U	1.0 U	1870	322	6.4
Hexachlorobutadiene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Isopropyl benzene	µg/L	1.0 UJ	1.0 U	-	50.6	42.2	1.0 U
m&p-Xylenes	µg/L	50.0 J	2.0	-	1100	221	123
Methyl tert butyl ether (MTBE)	µg/L	1.0 UJ	1.0 U	1.0 U	10.0 U	2.0 U	1.0 U
Methylene chloride	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
Naphthalene	µg/L	4.0 UJ	4.0 U	-	393	240	6.6
N-Butylbenzene	µg/L	1.0 UJ	1.0 U	-	10.0 U	11.0	1.0 U
N-Propylbenzene	µg/L	1.1 J	1.0 U	-	146	126	1.0 U
o-Xylene	µg/L	17.8 J	1.0 U	-	61.8	5.0	4.2
Styrene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
tert-Butylbenzene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	13.8
Tetrachloroethene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Toluene	µg/L	5.3 J	1.0 U	1.0 U	137	9.6	1.0 U
trans-1,2-Dichloroethene	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	4.0 UJ	4.0 U	-	40.0 U	8.0 U	4.0 U
Trichloroethene	µg/L	0.40 UJ	0.40 U	-	4.0 U	0.80 U	0.40 U
Trichlorofluoromethane (CFC-11)	µg/L	1.0 UJ	1.0 U	-	10.0 U	2.0 U	1.0 U
Vinyl chloride	µg/L	0.20 UJ	0.20 U	-	2.0 U	0.40 U	0.20 U
Xylenes (total)	µg/L	67.8 J	3.0 U	3.0 U	1160	226	128

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>		<i>HA-3</i>	<i>HA-4</i>	<i>HA-5</i>	<i>HA-6</i>	<i>HA-7</i>	<i>HA-8</i>
<i>Sample ID:</i>		<i>GW-021014-TM-HA-3</i>	<i>GW-021014-TM-HA-4</i>	<i>GW-020714-TM-HA-5</i>	<i>GW-020714-TM-HA-6</i>	<i>GW-020714-NH-HA7</i>	<i>GW-020714-NH-HA8</i>
<i>Sample Date:</i>		<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>
Parameters:	Units						
<i>Semi-volatile Organic Compounds - SIM</i>							
1-Methylnaphthalene	µg/L	R	R	0.042 U	33.1	21.1	0.10 J
2-Methylnaphthalene	µg/L	0.22 J	R	0.042 U	81.9	49.8	0.091 J
Acenaphthene	µg/L	R	R	0.042 U	1.3	0.87	0.042 U
Acenaphthylene	µg/L	R	R	0.042 U	0.20	0.16	0.042 U
Anthracene	µg/L	0.046 UJ	0.040 UJ	0.042 U	0.042 U	0.062	0.042 U
Benzo(a)anthracene	µg/L	0.046 U	0.040 U	0.042 U	0.042 U	0.043 U	0.042 U
Benzo(a)pyrene	µg/L	0.046 U	0.040 U	0.042 U	0.042 U	0.043 U	0.042 U
Benzo(b)fluoranthene	µg/L	0.046 U	0.084	0.042 U	0.042 U	0.043 U	0.042 U
Benzo(g,h,i)perylene	µg/L	0.046 U	0.095	0.042 U	0.042 U	0.043 U	0.042 U
Benzo(k)fluoranthene	µg/L	0.046 U	0.040 U	0.042 U	0.042 U	0.043 U	0.042 U
Chrysene	µg/L	0.046 U	0.040 U	0.042 U	0.042 U	0.043 U	0.042 U
Dibenz(a,h)anthracene	µg/L	0.046 U	0.040 U	0.042 U	0.042 U	0.043 U	0.042 U
Fluoranthene	µg/L	0.046 U	0.040 U	0.042 U	0.042 U	0.043 U	0.042 U
Fluorene	µg/L	0.046 UJ	0.040 UJ	0.042 U	2.0	1.5	0.042 U
Indeno(1,2,3-cd)pyrene	µg/L	0.046 U	0.072	0.042 U	0.042 U	0.043 U	0.042 U
Naphthalene	µg/L	0.26 J	0.067 J	0.042 U	171	109	2.3 J
Phenanthrene	µg/L	0.046 UJ	0.040 UJ	0.042 U	2.1	1.8	0.042 U
Pyrene	µg/L	0.046 UJ	0.040 UJ	0.042 U	0.067	0.045	0.042 U
<i>Metals</i>							
Arsenic	µg/L	3.5	1.8	-	8.2	14.7	1.0
Lead	µg/L	9.4	7.2	-	20.9	7.7	0.12
<i>Petroleum Products</i>							
Diesel fuel	mg/L	0.40 U	0.40 U	0.40 U	1.2	0.76	0.40 U
Total Petroleum Hydrocarbons - Gas	µg/L	315	100 U	100 U	20200	5330	1240
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>HA-9</i>	<i>HA-11</i>	<i>HA-11</i>	<i>HA-13</i>	<i>HA-14</i>	<i>HA-16</i>
<i>Sample ID:</i>	<i>GW-020614-TM-HA-9</i>	<i>GW-021314-NH-HA11</i>	<i>GW-021314-TM-HA-11</i>	<i>GW-020714-TM-HA-13</i>	<i>GW-020714-TM-HA-14</i>	<i>GW-021114-TM-HA-16</i>
<i>Sample Date:</i>	<i>2/6/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	<i>2/11/2014</i>
<i>Parameters:</i>	<i>Units</i>					
<i>Volatile Organic Compounds</i>						
1,1,1,2-Tetrachloroethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,1,1-Trichloroethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,1-Dichloroethene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,1-Dichloropropene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,2,3-Trichloropropane	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
1,2,4-Trichlorobenzene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,2,4-Trimethylbenzene	µg/L	1.0 U	1.0 U	39.0	1.0 U	287
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	2.0 U	2.0 U	4.0 U	2.0 U	2.0 U
1,2-Dichloropropane	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
1,3,5-Trimethylbenzene	µg/L	1.0 U	1.0 U	10.2	1.0 U	97.7
1,3-Dichlorobenzene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,3-Dichloropropane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
2,2-Dichloropropane	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	5.0 U	5.0 U	10.0 U	5.0 U	5.0 U
2-Chlorotoluene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
2-Hexanone	µg/L	5.0 U	5.0 U	10.0 U	5.0 U	5.0 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	2.4	1.0 U	2.0 U	1.0 U	5.5
4-Chlorotoluene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	5.3 J	5.0 U	10.0 U	5.0 U	5.0 U
Acetone	µg/L	21.4	20.0 U	40.0 U	20.0 U	20.0 U
Benzene	µg/L	15.2	1.0 U	53.6	1.0 U	872
Bromobenzene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Bromoform	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
Bromomethane (Methyl bromide)	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
Carbon disulfide	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>HA-9</i>	<i>HA-11</i>	<i>HA-11</i>	<i>HA-13</i>	<i>HA-14</i>	<i>HA-16</i>
<i>Sample ID:</i>	<i>GW-020614-TM-HA-9</i>	<i>GW-021314-NH-HA11</i>	<i>GW-021314-TM-HA-11</i>	<i>GW-020714-TM-HA-13</i>	<i>GW-020714-TM-HA-14</i>	<i>GW-021114-TM-HA-16</i>
<i>Sample Date:</i>	<i>2/6/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	<i>2/11/2014</i>
<i>Parameters:</i>	<i>Units</i>					
<i>Volatile Organic Compounds (Continued)</i>						
Carbon tetrachloride	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Chlorobromomethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Chloroethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Chloroform (Trichloromethane)	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Chloromethane (Methyl chloride)	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
cis-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
Cymene (p-Isopropyltoluene)	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.8
Dibromochloromethane	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Dibromomethane	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
Dichlorodifluoromethane (CFC-12)	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	5.7	1.0 U	42.4	1.0 U	356
Hexachlorobutadiene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Isopropyl benzene	µg/L	3.6	1.0 U	3.0	1.0 U	25.5
m&p-Xylenes	µg/L	2.0 U	2.0 U	74.1	2.0 U	1360
Methyl tert butyl ether (MTBE)	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Methylene chloride	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
Naphthalene	µg/L	33.3	4.0 U	16.8	4.0 U	29.4
N-Butylbenzene	µg/L	2.6	1.0 U	2.0 U	1.0 U	3.1
N-Propylbenzene	µg/L	7.9	1.0 U	6.2	1.0 U	53.7
o-Xylene	µg/L	1.0 U	1.0 U	13.6	1.0 U	398
Styrene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
tert-Butylbenzene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Toluene	µg/L	1.0 U	1.0 U	2.0 U	1.1	1.0 U
trans-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	4.0 U	4.0 U	8.0 U	4.0 U	4.0 U
Trichloroethene	µg/L	0.40 U	0.40 U	0.80 U	0.40 U	0.40 U
Trichlorofluoromethane (CFC-11)	µg/L	1.0 U	1.0 U	2.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U
Xylenes (total)	µg/L	3.0 U	3.0 U	87.7	3.0 U	1760

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>HA-9</i>	<i>HA-11</i>	<i>HA-11</i>	<i>HA-13</i>	<i>HA-14</i>	<i>HA-16</i>	
<i>Sample ID:</i>	<i>GW-020614-TM-HA-9</i>	<i>GW-021314-NH-HA11</i>	<i>GW-021314-TM-HA-11</i>	<i>GW-020714-TM-HA-13</i>	<i>GW-020714-TM-HA-14</i>	<i>GW-021114-TM-HA-16</i>	
<i>Sample Date:</i>	<i>2/6/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>	<i>2/7/2014</i>	<i>2/7/2014</i>	<i>2/11/2014</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Semi-volatile Organic Compounds - SIM</i>							
1-Methylnaphthalene	µg/L	5.7	0.040 U	1.8	0.089 U	0.97	1.9 J
2-Methylnaphthalene	µg/L	0.58	0.040 U	2.9	0.089 U	1.4	4.3 J
Acenaphthene	µg/L	0.41	0.040 U	0.070	0.089 U	0.048 U	0.041 UJ
Acenaphthylene	µg/L	0.049 U	0.040 U	0.046 U	0.089 U	0.048 U	0.041 UJ
Anthracene	µg/L	0.049 U	0.040 U	0.046 U	0.089 U	0.048 U	0.041 UJ
Benzo(a)anthracene	µg/L	0.049 U	0.040 U	0.046 U	0.089 U	0.048 U	0.041 UJ
Benzo(a)pyrene	µg/L	0.049 U	0.043	0.046 U	0.089 U	0.048 U	0.041 UJ
Benzo(b)fluoranthene	µg/L	0.049 U	0.054	0.046	0.089 U	0.048 U	0.049 J
Benzo(g,h,i)perylene	µg/L	0.049 U	0.040 U	0.046 U	0.089 U	0.048 U	0.058 J
Benzo(k)fluoranthene	µg/L	0.049 U	0.040 U	0.046 U	0.089 U	0.048 U	0.041 UJ
Chrysene	µg/L	0.049 U	0.040 U	0.046 U	0.089 U	0.048 U	0.041 UJ
Dibenz(a,h)anthracene	µg/L	0.049 U	0.040 U	0.046 U	0.089 U	0.048 U	0.041 UJ
Fluoranthene	µg/L	0.085	0.079	0.067	0.089 U	0.048 U	0.075 J
Fluorene	µg/L	0.38	0.040 U	0.075	0.089 U	0.048 U	0.041 UJ
Indeno(1,2,3-cd)pyrene	µg/L	0.049 U	0.040 U	0.046 U	0.089 U	0.048 U	0.041 UJ
Naphthalene	µg/L	5.4	0.040 U	10.2	0.089 U	8.3	7.9 J
Phenanthrene	µg/L	0.049 U	0.040 U	0.075	0.089 U	0.048 U	0.061 J
Pyrene	µg/L	0.080	0.057	0.049	0.089 U	0.048 U	0.055 J
<i>Metals</i>							
Arsenic	µg/L	7.4	0.52	6.1	0.61	1.2	6.7
Lead	µg/L	10.5	2.9	4.4	1.7	0.47	0.33
<i>Petroleum Products</i>							
Diesel fuel	mg/L	0.87	0.40 U	0.52	0.40 U	0.40 U	0.40 U
Total Petroleum Hydrocarbons - Gas	µg/L	3020	100 U	3360	100 U	100 U	9950
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>HA-20</i>	<i>LAI-1</i>	<i>LAI-10</i>	<i>LAI-11</i>	<i>LAI-12</i>	<i>LAI-13</i>
<i>Sample ID:</i>	<i>GW-021114-TM-HA-20</i>	<i>GW-021214-NH-LAI 1</i>	<i>GW-021214-NH-LAI 10</i>	<i>GW-021214-NH-LAI 11</i>	<i>GW-021214-NH-LAI 12</i>	<i>GW-020514-NH-LAI 13</i>
<i>Sample Date:</i>	<i>2/11/2014</i>	<i>2/12/2014</i>	<i>2/12/2014</i>	<i>2/12/2014</i>	<i>2/12/2014</i>	<i>2/5/2014</i>
Parameters:	Units					
<i>Volatile Organic Compounds</i>						
1,1,1,2-Tetrachloroethane	µg/L	-	-	-	-	-
1,1,1-Trichloroethane	µg/L	-	-	-	-	-
1,1,2,2-Tetrachloroethane	µg/L	-	-	-	-	-
1,1,2-Trichloroethane	µg/L	-	-	-	-	-
1,1-Dichloroethane	µg/L	-	-	-	-	-
1,1-Dichloroethene	µg/L	-	-	-	-	-
1,1-Dichloropropene	µg/L	-	-	-	-	-
1,2,3-Trichlorobenzene	µg/L	-	-	-	-	-
1,2,3-Trichloropropane	µg/L	-	-	-	-	-
1,2,4-Trichlorobenzene	µg/L	-	-	-	-	-
1,2,4-Trimethylbenzene	µg/L	-	-	-	-	-
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	-	-	-	-	-
1,2-Dibromoethane (Ethylene dibromide)	µg/L	-	-	-	-	-
1,2-Dichlorobenzene	µg/L	-	-	-	-	-
1,2-Dichloroethane	µg/L	-	-	-	-	-
1,2-Dichloroethene (total)	µg/L	-	-	-	-	-
1,2-Dichloropropane	µg/L	-	-	-	-	-
1,3,5-Trimethylbenzene	µg/L	-	-	-	-	-
1,3-Dichlorobenzene	µg/L	-	-	-	-	-
1,3-Dichloropropane	µg/L	-	-	-	-	-
1,4-Dichlorobenzene	µg/L	-	-	-	-	-
2,2-Dichloropropane	µg/L	-	-	-	-	-
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	-	-	-	-	-
2-Chlorotoluene	µg/L	-	-	-	-	-
2-Hexanone	µg/L	-	-	-	-	-
2-Phenylbutane (sec-Butylbenzene)	µg/L	-	-	-	-	-
4-Chlorotoluene	µg/L	-	-	-	-	-
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	-	-	-	-	-
Acetone	µg/L	-	-	-	-	-
Benzene	µg/L	3910	995	1.0 U	1.0 U	1.0 U
Bromobenzene	µg/L	-	-	-	-	-
Bromodichloromethane	µg/L	-	-	-	-	-
Bromoform	µg/L	-	-	-	-	-
Bromomethane (Methyl bromide)	µg/L	-	-	-	-	-
Carbon disulfide	µg/L	-	-	-	-	-

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>HA-20</i>	<i>LAI-1</i>	<i>LAI-10</i>	<i>LAI-11</i>	<i>LAI-12</i>	<i>LAI-13</i>
<i>Sample ID:</i>	<i>GW-021114-TM-HA-20</i>	<i>GW-021214-NH-LAI 1</i>	<i>GW-021214-NH-LAI 10</i>	<i>GW-021214-NH-LAI 11</i>	<i>GW-021214-NH-LAI 12</i>	<i>GW-020514-NH-LAI 13</i>
<i>Sample Date:</i>	<i>2/11/2014</i>	<i>2/12/2014</i>	<i>2/12/2014</i>	<i>2/12/2014</i>	<i>2/12/2014</i>	<i>2/5/2014</i>
Parameters:	Units					
<i>Volatile Organic Compounds (Continued)</i>						
Carbon tetrachloride	µg/L	-	-	-	-	-
Chlorobenzene	µg/L	-	-	-	-	-
Chlorobromomethane	µg/L	-	-	-	-	-
Chloroethane	µg/L	-	-	-	-	-
Chloroform (Trichloromethane)	µg/L	-	-	-	-	-
Chloromethane (Methyl chloride)	µg/L	-	-	-	-	-
cis-1,2-Dichloroethene	µg/L	-	-	-	-	-
cis-1,3-Dichloropropene	µg/L	-	-	-	-	-
Cymene (p-Isopropyltoluene)	µg/L	-	-	-	-	-
Dibromochloromethane	µg/L	-	-	-	-	-
Dibromomethane	µg/L	-	-	-	-	-
Dichlorodifluoromethane (CFC-12)	µg/L	-	-	-	-	-
Ethylbenzene	µg/L	470	2770	1.0 U	1.0 U	1.0 U
Hexachlorobutadiene	µg/L	-	-	-	-	-
Isopropyl benzene	µg/L	-	-	-	-	-
m&p-Xylenes	µg/L	-	-	-	-	-
Methyl tert butyl ether (MTBE)	µg/L	10.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylene chloride	µg/L	-	-	-	-	-
Naphthalene	µg/L	-	-	-	-	-
N-Butylbenzene	µg/L	-	-	-	-	-
N-Propylbenzene	µg/L	-	-	-	-	-
o-Xylene	µg/L	-	-	-	-	-
Styrene	µg/L	-	-	-	-	-
tert-Butylbenzene	µg/L	-	-	-	-	-
Tetrachloroethene	µg/L	-	-	-	-	-
Toluene	µg/L	1550	4430	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	-	-	-	-	-
trans-1,3-Dichloropropene	µg/L	-	-	-	-	-
Trichloroethene	µg/L	-	-	-	-	-
Trichlorofluoromethane (CFC-11)	µg/L	-	-	-	-	-
Vinyl chloride	µg/L	-	-	-	-	-
Xylenes (total)	µg/L	2190	3580	3.0 U	3.0 U	3.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>HA-20</i>	<i>LAI-1</i>	<i>LAI-10</i>	<i>LAI-11</i>	<i>LAI-12</i>	<i>LAI-13</i>
<i>Sample ID:</i>	<i>GW-021114-TM-HA-20</i>	<i>GW-021214-NH-LAI 1</i>	<i>GW-021214-NH-LAI 10</i>	<i>GW-021214-NH-LAI 11</i>	<i>GW-021214-NH-LAI 12</i>	<i>GW-020514-NH-LAI 13</i>
<i>Sample Date:</i>	<i>2/11/2014</i>	<i>2/12/2014</i>	<i>2/12/2014</i>	<i>2/12/2014</i>	<i>2/12/2014</i>	<i>2/5/2014</i>
<i>Parameters:</i>	<i>Units</i>					
<i>Semi-volatile Organic Compounds - SIM</i>						
1-Methylnaphthalene	µg/L	5.3 J	51.3	-	-	-
2-Methylnaphthalene	µg/L	13.6 J	120	-	-	-
Acenaphthene	µg/L	R	0.49	-	-	-
Acenaphthylene	µg/L	R	0.15	-	-	-
Anthracene	µg/L	0.43 UJ	0.052	-	-	-
Benzo(a)anthracene	µg/L	0.43 U	0.050	-	-	-
Benzo(a)pyrene	µg/L	0.43 U	0.055	-	-	-
Benzo(b)fluoranthene	µg/L	0.43 U	0.052	-	-	-
Benzo(g,h,i)perylene	µg/L	0.43 U	0.070	-	-	-
Benzo(k)fluoranthene	µg/L	0.43 U	0.047 U	-	-	-
Chrysene	µg/L	0.43 U	0.047 U	-	-	-
Dibenz(a,h)anthracene	µg/L	0.43 U	0.047 U	-	-	-
Fluoranthene	µg/L	0.43 U	0.097	-	-	-
Fluorene	µg/L	0.43 UJ	0.41	-	-	-
Indeno(1,2,3-cd)pyrene	µg/L	0.43 U	0.058	-	-	-
Naphthalene	µg/L	58.8 J	355	-	-	-
Phenanthrene	µg/L	0.43 UJ	0.23	-	-	-
Pyrene	µg/L	0.43 UJ	0.062	-	-	-
<i>Metals</i>						
Arsenic	µg/L	2.0	2.9	-	-	-
Lead	µg/L	0.64	0.23	-	-	-
<i>Petroleum Products</i>						
Diesel fuel	mg/L	0.60	0.86	0.40 U	0.40 U	0.40 U
Total Petroleum Hydrocarbons - Gas	µg/L	13800	88200	100 U	100 U	100 U
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.44	0.40 U	0.40 U	0.40 U	0.40 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>LAI-14</i>	<i>LAI-15</i>	<i>LAI-16</i>	<i>LAIX-2</i>	<i>LAIX-3</i>	<i>MW-1</i>
<i>Sample ID:</i>	<i>GW-020514-NH-LAI 14</i>	<i>GW-020514-NH-LAI 15</i>	<i>GW-021314-TM-LAI-16</i>	<i>GW-021314-NH-LAIX2</i>	<i>GW-021314-NH-LAIX3</i>	<i>GW-021314-TM-MW-1</i>
<i>Sample Date:</i>	<i>2/5/2014</i>	<i>2/5/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>
<i>Parameters:</i>	<i>Units</i>					
<i>Volatile Organic Compounds</i>						
1,1,1,2-Tetrachloroethane	µg/L	-	-	-	-	1.0 U
1,1,1-Trichloroethane	µg/L	-	-	-	-	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	-	-	-	-	1.0 U
1,1,2-Trichloroethane	µg/L	-	-	-	-	1.0 U
1,1-Dichloroethane	µg/L	-	-	-	-	1.0 U
1,1-Dichloroethene	µg/L	-	-	-	-	1.0 U
1,1-Dichloropropene	µg/L	-	-	-	-	1.0 U
1,2,3-Trichlorobenzene	µg/L	-	-	-	-	1.0 U
1,2,3-Trichloropropane	µg/L	-	-	-	-	4.0 U
1,2,4-Trichlorobenzene	µg/L	-	-	-	-	1.0 U
1,2,4-Trimethylbenzene	µg/L	-	-	-	-	1.0 U
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	-	-	-	-	4.0 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	-	-	-	-	1.0 U
1,2-Dichlorobenzene	µg/L	-	-	-	-	1.0 U
1,2-Dichloroethane	µg/L	-	-	-	-	1.0 U
1,2-Dichloroethene (total)	µg/L	-	-	-	-	2.0 U
1,2-Dichloropropane	µg/L	-	-	-	-	4.0 U
1,3,5-Trimethylbenzene	µg/L	-	-	-	-	1.0 U
1,3-Dichlorobenzene	µg/L	-	-	-	-	1.0 U
1,3-Dichloropropane	µg/L	-	-	-	-	1.0 U
1,4-Dichlorobenzene	µg/L	-	-	-	-	1.0 U
2,2-Dichloropropane	µg/L	-	-	-	-	4.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	-	-	-	-	5.0 U
2-Chlorotoluene	µg/L	-	-	-	-	1.0 U
2-Hexanone	µg/L	-	-	-	-	5.0 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	-	-	-	-	1.0 U
4-Chlorotoluene	µg/L	-	-	-	-	1.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	-	-	-	-	5.0 U
Acetone	µg/L	-	-	-	-	20.0 U
Benzene	µg/L	1.0 U	1.0 U	1.0 U	5540	8840
Bromobenzene	µg/L	-	-	-	-	1.0 U
Bromodichloromethane	µg/L	-	-	-	-	1.0 U
Bromoform	µg/L	-	-	-	-	4.0 U
Bromomethane (Methyl bromide)	µg/L	-	-	-	-	4.0 U
Carbon disulfide	µg/L	-	-	-	-	1.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>LAI-14</i>	<i>LAI-15</i>	<i>LAI-16</i>	<i>LAIX-2</i>	<i>LAIX-3</i>	<i>MW-1</i>
<i>Sample ID:</i>	<i>GW-020514-NH-LAI 14</i>	<i>GW-020514-NH-LAI 15</i>	<i>GW-021314-TM-LAI-16</i>	<i>GW-021314-NH-LAIX2</i>	<i>GW-021314-NH-LAIX3</i>	<i>GW-021314-TM-MW-1</i>
<i>Sample Date:</i>	<i>2/5/2014</i>	<i>2/5/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>
Parameters:	Units					
<i>Volatile Organic Compounds (Continued)</i>						
Carbon tetrachloride	µg/L	-	-	-	-	1.0 U
Chlorobenzene	µg/L	-	-	-	-	1.0 U
Chlorobromomethane	µg/L	-	-	-	-	1.0 U
Chloroethane	µg/L	-	-	-	-	1.0 U
Chloroform (Trichloromethane)	µg/L	-	-	-	-	1.0 U
Chloromethane (Methyl chloride)	µg/L	-	-	-	-	4.0 U
cis-1,2-Dichloroethene	µg/L	-	-	-	-	1.0 U
cis-1,3-Dichloropropene	µg/L	-	-	-	-	4.0 U
Cymene (p-Isopropyltoluene)	µg/L	-	-	-	-	1.0 U
Dibromochloromethane	µg/L	-	-	-	-	1.0 U
Dibromomethane	µg/L	-	-	-	-	4.0 U
Dichlorodifluoromethane (CFC-12)	µg/L	-	-	-	-	1.0 U
Ethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1710	1780
Hexachlorobutadiene	µg/L	-	-	-	-	1.0 U
Isopropyl benzene	µg/L	-	-	-	-	1.0 U
m&p-Xylenes	µg/L	-	-	-	-	2.0 U
Methyl tert butyl ether (MTBE)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Methylene chloride	µg/L	-	-	-	-	4.0 U
Naphthalene	µg/L	-	-	-	-	4.0 U
N-Butylbenzene	µg/L	-	-	-	-	1.0 U
N-Propylbenzene	µg/L	-	-	-	-	1.0 U
o-Xylene	µg/L	-	-	-	-	1.0 U
Styrene	µg/L	-	-	-	-	1.0 U
tert-Butylbenzene	µg/L	-	-	-	-	1.0 U
Tetrachloroethene	µg/L	-	-	-	-	1.0 U
Toluene	µg/L	1.0 U	1.0 U	1.0 U	9610	3540
trans-1,2-Dichloroethene	µg/L	-	-	-	-	1.0 U
trans-1,3-Dichloropropene	µg/L	-	-	-	-	4.0 U
Trichloroethene	µg/L	-	-	-	-	0.40 U
Trichlorofluoromethane (CFC-11)	µg/L	-	-	-	-	1.0 U
Vinyl chloride	µg/L	-	-	-	-	0.20 U
Xylenes (total)	µg/L	3.0 U	3.0 U	3.0 U	8140	6350

TABLE 3

ANALYTICAL RESULTS SUMMARY
 QUARTERLY GROUNDWATER SAMPLING
 CONOCOPHILLIPS - RENTON TERMINAL
 RENTON, WASHINGTON
 FEBRUARY 2014

<i>Sample Location:</i>		<i>LAI-14</i>	<i>LAI-15</i>	<i>LAI-16</i>	<i>LAIX-2</i>	<i>LAIX-3</i>	<i>MW-1</i>
<i>Sample ID:</i>		<i>GW-020514-NH-LAI 14</i>	<i>GW-020514-NH-LAI 15</i>	<i>GW-021314-TM-LAI-16</i>	<i>GW-021314-NH-LAIX2</i>	<i>GW-021314-NH-LAIX3</i>	<i>GW-021314-TM-MW-1</i>
<i>Sample Date:</i>		<i>2/5/2014</i>	<i>2/5/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>	<i>2/13/2014</i>
Parameters:		Units					
Semi-volatile Organic Compounds - SIM							
1-Methylnaphthalene	µg/L	-	-	-	21.1	25.0	0.040 U
2-Methylnaphthalene	µg/L	-	-	-	36.7	38.0	0.040 U
Acenaphthene	µg/L	-	-	-	0.088	0.15	0.040 U
Acenaphthylene	µg/L	-	-	-	0.044	0.053	0.040 U
Anthracene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Benzo(a)anthracene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Benzo(a)pyrene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Benzo(b)fluoranthene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Benzo(g,h,i)perylene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Benzo(k)fluoranthene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Chrysene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Dibenz(a,h)anthracene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Fluoranthene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Fluorene	µg/L	-	-	-	0.086	0.13	0.040 U
Indeno(1,2,3-cd)pyrene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Naphthalene	µg/L	-	-	-	182	178	0.040 U
Phenanthrene	µg/L	-	-	-	0.049	0.11	0.040 U
Pyrene	µg/L	-	-	-	0.043 U	0.044 U	0.040 U
Metals							
Arsenic	µg/L	-	-	2.8	8.1	4.0	12.0
Lead	µg/L	-	-	0.10 U	0.37	0.37	0.62
Petroleum Products							
Diesel fuel	mg/L	0.40 U	0.40 U	0.40 U	1.4	1.4	0.40 U
Total Petroleum Hydrocarbons - Gas	µg/L	100 U	100 U	100 U	67400	47600	100 U
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>MW-2</i>	<i>MW-3</i>	<i>MW-4</i>	<i>MW-5</i>	<i>MW-6</i>	<i>MW-7</i>	
<i>Sample ID:</i>	<i>GW-021314-TM-MW-2</i>	<i>GW-021014-NH-MW 3</i>	<i>GW-021014-NH-MW 4</i>	<i>GW-021014-NH-MW 5</i>	<i>GW-021014-NH-MW 6</i>	<i>DUP</i>	
<i>Sample Date:</i>	<i>2/13/2014</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/5/2014 (Duplicate)</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Volatile Organic Compounds</i>							
1,1,1,2-Tetrachloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,1,1-Trichloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,1,2,2-Tetrachloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,1,2-Trichloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,1-Dichloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,1-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,1-Dichloropropene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,2,3-Trichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,2,3-Trichloropropane	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
1,2,4-Trichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,2,4-Trimethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	397
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,2-Dichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,2-Dichloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,2-Dichloroethene (total)	µg/L	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	40.0 U
1,2-Dichloropropane	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
1,3,5-Trimethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	122
1,3-Dichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,3-Dichloropropane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
1,4-Dichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
2,2-Dichloropropane	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	100 U
2-Chlorotoluene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
2-Hexanone	µg/L	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	100 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
4-Chlorotoluene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	100 U
Acetone	µg/L	20.0 U	20.0 U	20.0 U	20.0 U	20.0 U	400 U
Benzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	6150
Bromobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Bromodichloromethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Bromoform	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
Bromomethane (Methyl bromide)	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
Carbon disulfide	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>MW-2</i>	<i>MW-3</i>	<i>MW-4</i>	<i>MW-5</i>	<i>MW-6</i>	<i>MW-7</i>	
<i>Sample ID:</i>	<i>GW-021314-TM-MW-2</i>	<i>GW-021014-NH-MW 3</i>	<i>GW-021014-NH-MW 4</i>	<i>GW-021014-NH-MW 5</i>	<i>GW-021014-NH-MW 6</i>	<i>DUP</i>	
<i>Sample Date:</i>	<i>2/13/2014</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/5/2014 (Duplicate)</i>	
Parameters:	Units						
<i>Volatile Organic Compounds (Continued)</i>							
Carbon tetrachloride	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Chlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Chlorobromomethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Chloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Chloroform (Trichloromethane)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Chloromethane (Methyl chloride)	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
cis-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
cis-1,3-Dichloropropene	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
Cymene (p-Isopropyltoluene)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Dibromochloromethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Dibromomethane	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
Dichlorodifluoromethane (CFC-12)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Ethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1750
Hexachlorobutadiene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Isopropyl benzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	82.0
m&p-Xylenes	µg/L	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	1180
Methyl tert butyl ether (MTBE)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Methylene chloride	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
Naphthalene	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	544
N-Butylbenzene	µg/L	4.9	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
N-Propylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	197
o-Xylene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	132
Styrene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
tert-Butylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Tetrachloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Toluene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	170
trans-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
trans-1,3-Dichloropropene	µg/L	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	80.0 U
Trichloroethene	µg/L	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	8.0 U
Trichlorofluoromethane (CFC-11)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	20.0 U
Vinyl chloride	µg/L	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	4.0 U
Xylenes (total)	µg/L	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	1310

TABLE 3

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>		<i>MW-2</i>	<i>MW-3</i>	<i>MW-4</i>	<i>MW-5</i>	<i>MW-6</i>	<i>MW-7</i>
<i>Sample ID:</i>		<i>GW-021314-TM-MW-2</i>	<i>GW-021014-NH-MW 3</i>	<i>GW-021014-NH-MW 4</i>	<i>GW-021014-NH-MW 5</i>	<i>GW-021014-NH-MW 6</i>	<i>DUP</i>
<i>Sample Date:</i>		<i>2/13/2014</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/10/2014</i>	<i>2/5/2014</i> <i>(Duplicate)</i>
<i>Parameters:</i>	<i>Units</i>						
<i>Semi-volatile Organic Compounds - SIM</i>							
1-Methylnaphthalene	µg/L	0.043 U	R	R	R	R	32.1
2-Methylnaphthalene	µg/L	0.043 U	R	R	0.051 J	R	70.4
Acenaphthene	µg/L	0.25	R	R	R	R	0.49
Acenaphthylene	µg/L	0.050	R	R	R	R	0.11
Anthracene	µg/L	0.043 U	0.044 UJ	0.042 UJ	0.044 UJ	0.041 UJ	0.043 U
Benzo(a)anthracene	µg/L	0.043 U	0.044 U	0.042 U	0.044 U	0.041 U	0.043 U
Benzo(a)pyrene	µg/L	0.043 U	0.044 U	0.042 U	0.044 U	0.041 U	0.043 U
Benzo(b)fluoranthene	µg/L	0.043 U	0.044 U	0.042 U	0.044 U	0.041 U	0.043 U
Benzo(g,h,i)perylene	µg/L	0.043 U	0.044 U	0.042 U	0.044 U	0.041 U	0.043 U
Benzo(k)fluoranthene	µg/L	0.043 U	0.044 U	0.042 U	0.044 U	0.041 U	0.043 U
Chrysene	µg/L	0.043 U	0.044 U	0.042 U	0.044 U	0.041 U	0.043 U
Dibenz(a,h)anthracene	µg/L	0.043 U	0.044 U	0.042 U	0.044 U	0.041 U	0.043 U
Fluoranthene	µg/L	0.043 U	0.044 U	0.042 U	0.044 U	0.041 U	0.043 U
Fluorene	µg/L	0.096	0.044 UJ	0.042 UJ	0.044 UJ	0.041 UJ	0.88
Indeno(1,2,3-cd)pyrene	µg/L	0.043 U	0.044 U	0.042 U	0.044 U	0.041 U	0.043 U
Naphthalene	µg/L	0.074	R	R	R	R	189
Phenanthrene	µg/L	0.043 U	0.044 UJ	0.042 UJ	0.044 UJ	0.041 UJ	0.66
Pyrene	µg/L	0.043 U	0.044 UJ	0.042 UJ	0.044 UJ	0.041 UJ	0.043 U
<i>Metals</i>							
Arsenic	µg/L	0.93	3.2	2.3	5.3	8.4	42.0
Lead	µg/L	0.10 U	1.9	0.55	1.5	0.10 U	4.1
<i>Petroleum Products</i>							
Diesel fuel	mg/L	0.40 U	0.40 U	0.41 U	0.40 U	0.40 U	1.2
Total Petroleum Hydrocarbons - Gas	µg/L	189	100 U	100 U	100 U	100 U	18900
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	0.40 U	0.41 U	0.40 U	0.40 U	0.40 U

TABLE 3

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>MW-7</i>	<i>MW-8</i>	<i>MW-8</i>	<i>MW-9</i>	<i>MW-10</i>	<i>MW-11</i>	
<i>Sample ID:</i>	<i>GW-020514-TM-MW-7</i>	<i>GW-020414-NH-FD1</i>	<i>GW-020414-NH-MW8</i>	<i>GW-020414-NH-MW9</i>	<i>GW-020414-NH-MW10</i>	<i>GW-020614-NH-MW11</i>	
<i>Sample Date:</i>	<i>2/5/2014</i>	<i>2/4/2014</i> <i>(Duplicate)</i>	<i>2/4/2014</i>	<i>2/4/2014</i>	<i>2/4/2014</i>	<i>2/6/2014</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Volatile Organic Compounds</i>							
1,1,1,2-Tetrachloroethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,1,1-Trichloroethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,1-Dichloroethene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,1-Dichloropropene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,2,3-Trichloropropane	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
1,2,4-Trichlorobenzene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,2,4-Trimethylbenzene	µg/L	360 J	262	269	5.0 U	1.0 U	1.0 U
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	40.0 UJ	50.0 U	100 U	10.0 U	2.0 U	2.0 U
1,2-Dichloropropane	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
1,3,5-Trimethylbenzene	µg/L	108 J	56.1	56.9	5.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,3-Dichloropropane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
2,2-Dichloropropane	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	100 UJ	125 U	250 U	25.0 U	5.0 U	5.0 U
2-Chlorotoluene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
2-Hexanone	µg/L	100 UJ	125 U	250 U	25.0 U	5.0 U	5.0 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.1	1.0 U
4-Chlorotoluene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	100 UJ	125 U	250 U	25.0 U	5.0 U	5.0 U
Acetone	µg/L	400 UJ	500 U	1000 U	100 U	20.0 U	20.0 U
Benzene	µg/L	4760 J	3940	4040	1040	27.4	1.0 U
Bromobenzene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Bromoform	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
Bromomethane (Methyl bromide)	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
Carbon disulfide	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>MW-7</i>	<i>MW-8</i>	<i>MW-8</i>	<i>MW-9</i>	<i>MW-10</i>	<i>MW-11</i>	
<i>Sample ID:</i>	<i>GW-020514-TM-MW-7</i>	<i>GW-020414-NH-FD1</i>	<i>GW-020414-NH-MW8</i>	<i>GW-020414-NH-MW9</i>	<i>GW-020414-NH-MW10</i>	<i>GW-020614-NH-MW11</i>	
<i>Sample Date:</i>	<i>2/5/2014</i>	<i>2/4/2014</i> <i>(uplicate)</i>	<i>2/4/2014</i>	<i>2/4/2014</i>	<i>2/4/2014</i>	<i>2/6/2014</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Volatile Organic Compounds (Continued)</i>							
Carbon tetrachloride	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Chlorobromomethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Chloroethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Chloroform (Trichloromethane)	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Chloromethane (Methyl chloride)	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
cis-1,2-Dichloroethene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
Cymene (p-Isopropyltoluene)	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Dibromochloromethane	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Dibromomethane	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
Dichlorodifluoromethane (CFC-12)	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	1560 J	436	447	6.4	1.0 U	1.0 U
Hexachlorobutadiene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Isopropyl benzene	µg/L	71.1 J	31.8	50.0 U	26.3	1.0 U	1.0 U
m&p-Xylenes	µg/L	1050 J	840	854	10.0 U	2.0 U	2.0 U
Methyl tert butyl ether (MTBE)	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Methylene chloride	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
Naphthalene	µg/L	490 J	250	235	216	4.0 U	4.0 U
N-Butylbenzene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
N-Propylbenzene	µg/L	174 J	80.9	78.1	54.6	1.0 U	1.0 U
o-Xylene	µg/L	114 J	78.1	77.0	5.0 U	1.0 U	1.0 U
Styrene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
tert-Butylbenzene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Toluene	µg/L	148 J	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	80.0 UJ	100 U	200 U	20.0 U	4.0 U	4.0 U
Trichloroethene	µg/L	8.0 UJ	10.0 U	20.0 U	2.0 U	0.40 U	0.40 U
Trichlorofluoromethane (CFC-11)	µg/L	20.0 UJ	25.0 U	50.0 U	5.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	4.0 UJ	5.0 U	10.0 U	1.0 U	0.20 U	0.20 U
Xylenes (total)	µg/L	1170 J	918	931	15.0 U	3.0 U	3.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>		<i>MW-7</i>	<i>MW-8</i>	<i>MW-8</i>	<i>MW-9</i>	<i>MW-10</i>	<i>MW-11</i>
<i>Sample ID:</i>		<i>GW-020514-TM-MW-7</i>	<i>GW-020414-NH-FD1</i>	<i>GW-020414-NH-MW8</i>	<i>GW-020414-NH-MW9</i>	<i>GW-020414-NH-MW10</i>	<i>GW-020614-NH-MW11</i>
<i>Sample Date:</i>		<i>2/5/2014</i>	<i>2/4/2014</i> <i>(Duplicate)</i>	<i>2/4/2014</i>	<i>2/4/2014</i>	<i>2/4/2014</i>	<i>2/6/2014</i>
<i>Parameters:</i>	<i>Units</i>						
<i>Semi-volatile Organic Compounds - SIM</i>							
1-Methylnaphthalene	µg/L	35.5	26.7	22.7	0.45 U	1.1	0.044 U
2-Methylnaphthalene	µg/L	81.0	60.9	52.0	42.7	0.043 U	0.044 U
Acenaphthene	µg/L	0.44	0.37	0.34	0.18	0.27	0.044 U
Acenaphthylene	µg/L	0.098	0.043 U	0.049	0.045 U	0.054	0.044 U
Anthracene	µg/L	0.046 U	0.043 U	0.044 U	0.045 U	0.043 U	0.044 U
Benzo(a)anthracene	µg/L	0.046 U	0.043 U	0.044 U	0.045 U	0.043 U	0.044 U
Benzo(a)pyrene	µg/L	0.046 U	0.043 U	0.044 U	0.045 U	0.043 U	0.044 U
Benzo(b)fluoranthene	µg/L	0.046 U	0.043 U	0.044 U	0.045 U	0.043 U	0.044 U
Benzo(g,h,i)perylene	µg/L	0.046 U	0.043 U	0.044 U	0.045 U	0.043 U	0.044 U
Benzo(k)fluoranthene	µg/L	0.046 U	0.043 U	0.044 U	0.045 U	0.043 U	0.044 U
Chrysene	µg/L	0.046 U	0.043 U	0.044 U	0.045 U	0.043 U	0.044 U
Dibenz(a,h)anthracene	µg/L	0.046 U	0.043 U	0.044 U	0.045 U	0.043 U	0.044 U
Fluoranthene	µg/L	0.046 U	0.058	0.052	0.056	0.043 U	0.044 U
Fluorene	µg/L	0.79	0.36	0.33	0.15	0.48	0.044 U
Indeno(1,2,3-cd)pyrene	µg/L	0.046 U	0.043 U	0.044 U	0.045 U	0.043 U	0.044 U
Naphthalene	µg/L	214	109	104	114	0.12	0.044 U
Phenanthrene	µg/L	0.61	0.42	0.37	0.070	0.043 U	0.044 U
Pyrene	µg/L	0.046 U	0.043 U	0.044 U	0.047	0.043 U	0.044 U
<i>Metals</i>							
Arsenic	µg/L	42.3	38.1	39.5	35.3	10.1	2.1
Lead	µg/L	4.1	0.22	0.26	18.7	0.10 U	0.18
<i>Petroleum Products</i>							
Diesel fuel	mg/L	0.93	0.43 J	0.52 J	0.65 J	0.42 U	0.40 U
Total Petroleum Hydrocarbons - Gas	µg/L	18400	7960	7650	1520	125	100 U
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	0.40 U	0.42 U	0.43 U	0.42 U	0.40 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>MW-12</i>	<i>MW-13</i>	<i>MW-14</i>	<i>MW-15</i>	<i>MW-16</i>	<i>MW-17</i>
<i>Sample ID:</i>	<i>GW-020314-NH-MW12</i>	<i>GW-020614-NH-MW13</i>	<i>GW-021214-TM-MW-14</i>	<i>GW-020714-NH-MW15</i>	<i>GW-020314-NH-MW16</i>	<i>GW-020614-NH-MW17</i>
<i>Sample Date:</i>	<i>2/3/2014</i>	<i>2/6/2014</i>	<i>2/12/2014</i>	<i>2/7/2014</i>	<i>2/3/2014</i>	<i>2/6/2014</i>
<i>Parameters:</i>	<i>Units</i>					
<i>Volatile Organic Compounds</i>						
1,1,1,2-Tetrachloroethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,1,1-Trichloroethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,1-Dichloroethene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,1-Dichloropropene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,2,3-Trichloropropane	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
1,2,4-Trichlorobenzene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,2,4-Trimethylbenzene	µg/L	1.0 U	1.0 U	1390	1.0 U	1.0 U
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	2.0 U	2.0 U	200 U	2.0 U	2.0 U
1,2-Dichloropropane	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
1,3,5-Trimethylbenzene	µg/L	1.0 U	1.0 U	349	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,3-Dichloropropane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
2,2-Dichloropropane	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	5.0 U	5.0 U	500 U	5.0 U	5.0 U
2-Chlorotoluene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
2-Hexanone	µg/L	5.0 U	5.0 U	500 U	5.0 U	5.0 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	1.0 U	1.0 U	100 U	1.5	1.0 U
4-Chlorotoluene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	5.0 U	5.0 U	500 U	5.0 U	5.0 U
Acetone	µg/L	20.0 U	20.0 U	2000 U	20.0 U	20.0 U
Benzene	µg/L	1.0 U	1.0 U	14000	41.1	1.0 U
Bromobenzene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Bromoform	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
Bromomethane (Methyl bromide)	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
Carbon disulfide	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>MW-12</i>	<i>MW-13</i>	<i>MW-14</i>	<i>MW-15</i>	<i>MW-16</i>	<i>MW-17</i>
<i>Sample ID:</i>	<i>GW-020314-NH-MW12</i>	<i>GW-020614-NH-MW13</i>	<i>GW-021214-TM-MW-14</i>	<i>GW-020714-NH-MW15</i>	<i>GW-020314-NH-MW16</i>	<i>GW-020614-NH-MW17</i>
<i>Sample Date:</i>	<i>2/3/2014</i>	<i>2/6/2014</i>	<i>2/12/2014</i>	<i>2/7/2014</i>	<i>2/3/2014</i>	<i>2/6/2014</i>
<i>Parameters:</i>	<i>Units</i>					
<i>Volatile Organic Compounds (Continued)</i>						
Carbon tetrachloride	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Chlorobenzene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Chlorobromomethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Chloroethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Chloroform (Trichloromethane)	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Chloromethane (Methyl chloride)	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
cis-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
Cymene (p-Isopropyltoluene)	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Dibromochloromethane	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Dibromomethane	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
Dichlorodifluoromethane (CFC-12)	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Ethylbenzene	µg/L	1.0 U	1.0 U	1770	1.6	1.0 U
Hexachlorobutadiene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Isopropyl benzene	µg/L	1.0 U	1.0 U	100 U	6.8	1.0 U
m&p-Xylenes	µg/L	2.0 U	2.0 U	7860	2.0 U	2.0 U
Methyl tert butyl ether (MTBE)	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Methylene chloride	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
Naphthalene	µg/L	4.0 U	4.0 U	519	4.0 U	4.0 U
N-Butylbenzene	µg/L	1.0 U	1.0 U	100 U	1.3	1.0 U
N-Propylbenzene	µg/L	1.0 U	1.0 U	164	17.4	1.0 U
o-Xylene	µg/L	1.0 U	1.0 U	2860	1.0 U	1.0 U
Styrene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
tert-Butylbenzene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Toluene	µg/L	1.0 U	1.0 U	11800	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	4.0 U	4.0 U	400 U	4.0 U	4.0 U
Trichloroethene	µg/L	0.40 U	0.40 U	40.0 U	0.40 U	0.40 U
Trichlorofluoromethane (CFC-11)	µg/L	1.0 U	1.0 U	100 U	1.0 U	1.0 U
Vinyl chloride	µg/L	0.20 U	0.20 U	20.0 U	0.20 U	0.20 U
Xylenes (total)	µg/L	3.0 U	3.0 U	10700	3.0 U	3.0 U

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>MW-12</i>	<i>MW-13</i>	<i>MW-14</i>	<i>MW-15</i>	<i>MW-16</i>	<i>MW-17</i>	
<i>Sample ID:</i>	<i>GW-020314-NH-MW12</i>	<i>GW-020614-NH-MW13</i>	<i>GW-021214-TM-MW-14</i>	<i>GW-020714-NH-MW15</i>	<i>GW-020314-NH-MW16</i>	<i>GW-020614-NH-MW17</i>	
<i>Sample Date:</i>	<i>2/3/2014</i>	<i>2/6/2014</i>	<i>2/12/2014</i>	<i>2/7/2014</i>	<i>2/3/2014</i>	<i>2/6/2014</i>	
<i>Parameters:</i>	<i>Units</i>						
<i>Semi-volatile Organic Compounds - SIM</i>							
1-Methylnaphthalene	µg/L	0.043 U	0.043 U	71.8	3.9	0.043 U	0.042 U
2-Methylnaphthalene	µg/L	0.043 U	0.043 U	190	6.0	0.043 U	0.042 U
Acenaphthene	µg/L	0.043 U	0.043 U	0.61	0.16	0.043 U	0.042 U
Acenaphthylene	µg/L	0.043 U	0.043 U	0.17	0.041 U	0.043 U	0.042 U
Anthracene	µg/L	0.043 U	0.043 U	0.090	0.041 U	0.043 U	0.042 U
Benzo(a)anthracene	µg/L	0.043 U	0.043 U	0.041 U	0.041 U	0.043 U	0.066
Benzo(a)pyrene	µg/L	0.043 U	0.043 U	0.041 U	0.041 U	0.043 U	0.068
Benzo(b)fluoranthene	µg/L	0.043 U	0.043 U	0.041 U	0.041 U	0.043 U	0.069
Benzo(g,h,i)perylene	µg/L	0.043 U	0.043 U	0.041 U	0.041 U	0.043 U	0.042
Benzo(k)fluoranthene	µg/L	0.043 U	0.043 U	0.041 U	0.041 U	0.043 U	0.042 U
Chrysene	µg/L	0.043 U	0.043 U	0.041 U	0.041 U	0.043 U	0.053
Dibenz(a,h)anthracene	µg/L	0.043 U	0.043 U	0.041 U	0.041 U	0.043 U	0.042 U
Fluoranthene	µg/L	0.043 U	0.043 U	0.14	0.041 U	0.043 U	0.10
Fluorene	µg/L	0.043 U	0.043 U	1.1	0.094	0.043 U	0.042 U
Indeno(1,2,3-cd)pyrene	µg/L	0.043 U	0.043 U	0.041 U	0.041 U	0.043 U	0.042 U
Naphthalene	µg/L	0.043 U	0.043 U	369	1.6	0.043 U	0.042 U
Phenanthrene	µg/L	0.043 U	0.043 U	1.3	0.041 U	0.043 U	0.050
Pyrene	µg/L	0.043 U	0.043 U	0.11	0.041 U	0.043 U	0.076
<i>Metals</i>							
Arsenic	µg/L	10.1	0.88	35.8	9.7	3.2	4.4
Lead	µg/L	0.14	0.10 U	14.4	0.10 U	0.10 U	0.10 U
<i>Petroleum Products</i>							
Diesel fuel	mg/L	0.40 U	0.40 U	1.4	0.40 U	0.40 U	0.40 U
Total Petroleum Hydrocarbons - Gas	µg/L	100 U	100 U	103000	520	100 U	100 U
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U

TABLE 3

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>		<i>RW-3</i>	<i>RW-4</i>	<i>RWX-5</i>	<i>RWX-7</i>	<i>W-1</i>	<i>W-2</i>
<i>Sample ID:</i>		<i>GW-021114-NH-RW3</i>	<i>GW-021114-TM-RW-4</i>	<i>GW-020714-TM-RWX-5</i>	<i>GW-021114-TM-RWX-7</i>	<i>GW-020514-TM-W-1</i>	<i>GW-021214-TM-W-2</i>
<i>Sample Date:</i>		<i>2/11/2014</i>	<i>2/11/2014</i>	<i>2/7/2014</i>	<i>2/11/2014</i>	<i>2/5/2014</i>	<i>2/12/2014</i>
<i>Parameters:</i>	<i>Units</i>						
<i>Volatile Organic Compounds</i>							
1,1,1,2-Tetrachloroethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,1,1-Trichloroethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,1,2,2-Tetrachloroethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,1,2-Trichloroethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,1-Dichloroethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,1-Dichloroethene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,1-Dichloropropene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,2,3-Trichlorobenzene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,2,3-Trichloropropane	µg/L	-	4.0 U	-	-	80.0 U	100 U
1,2,4-Trichlorobenzene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,2,4-Trimethylbenzene	µg/L	-	1.0 U	-	-	1580	2270
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	-	4.0 U	-	-	80.0 U	100 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,2-Dichlorobenzene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,2-Dichloroethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,2-Dichloroethene (total)	µg/L	-	2.0 U	-	-	40.0 U	50.0 U
1,2-Dichloropropane	µg/L	-	4.0 U	-	-	80.0 U	100 U
1,3,5-Trimethylbenzene	µg/L	-	1.0 U	-	-	788	432
1,3-Dichlorobenzene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,3-Dichloropropane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
1,4-Dichlorobenzene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
2,2-Dichloropropane	µg/L	-	4.0 U	-	-	80.0 U	100 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	-	5.0 U	-	-	100 U	125 U
2-Chlorotoluene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
2-Hexanone	µg/L	-	5.0 U	-	-	100 U	125 U
2-Phenylbutane (sec-Butylbenzene)	µg/L	-	1.0 U	-	-	20.0 U	26.2
4-Chlorotoluene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	-	5.0 U	-	-	100 U	125 U
Acetone	µg/L	-	20.0 U	-	-	400 U	500 U
Benzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	3190	6730
Bromobenzene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Bromodichloromethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Bromoform	µg/L	-	4.0 U	-	-	80.0 U	100 U
Bromomethane (Methyl bromide)	µg/L	-	4.0 U	-	-	80.0 U	100 U
Carbon disulfide	µg/L	-	1.0 U	-	-	20.0 U	25.0 U

TABLE 3

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>	<i>RW-3</i>	<i>RW-4</i>	<i>RWX-5</i>	<i>RWX-7</i>	<i>W-1</i>	<i>W-2</i>	
<i>Sample ID:</i>	<i>GW-021114-NH-RW3</i>	<i>GW-021114-TM-RW-4</i>	<i>GW-020714-TM-RWX-5</i>	<i>GW-021114-TM-RWX-7</i>	<i>GW-020514-TM-W-1</i>	<i>GW-021214-TM-W-2</i>	
<i>Sample Date:</i>	<i>2/11/2014</i>	<i>2/11/2014</i>	<i>2/7/2014</i>	<i>2/11/2014</i>	<i>2/5/2014</i>	<i>2/12/2014</i>	
Parameters:	Units						
<i>Volatile Organic Compounds (Continued)</i>							
Carbon tetrachloride	µg/L	-	1.0 U	-	-	20.0 U	100 U
Chlorobenzene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Chlorobromomethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Chloroethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Chloroform (Trichloromethane)	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Chloromethane (Methyl chloride)	µg/L	-	4.0 U	-	-	80.0 U	100 U
cis-1,2-Dichloroethene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
cis-1,3-Dichloropropene	µg/L	-	4.0 U	-	-	80.0 U	100 U
Cymene (p-Isopropyltoluene)	µg/L	-	1.0 U	-	-	27.6	25.0 U
Dibromochloromethane	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Dibromomethane	µg/L	-	4.0 U	-	-	80.0 U	100 U
Dichlorodifluoromethane (CFC-12)	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Ethylbenzene	µg/L	1.1	1.0 U	1.0 U	1.0 U	274	2330
Hexachlorobutadiene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Isopropyl benzene	µg/L	-	1.0 U	-	-	20.0 U	88.9
m&p-Xylenes	µg/L	-	2.0 U	-	-	3400	1040
Methyl tert butyl ether (MTBE)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	37.0	25.0 U
Methylene chloride	µg/L	-	4.0 U	-	-	80.0 U	100 U
Naphthalene	µg/L	-	4.0 U	-	-	226	849
N-Butylbenzene	µg/L	-	1.0 U	-	-	39.5	28.7
N-Propylbenzene	µg/L	-	1.0 U	-	-	29.3	308
o-Xylene	µg/L	-	1.0 U	-	-	254	30.0
Styrene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
tert-Butylbenzene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Tetrachloroethene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Toluene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	30.3	89.6
trans-1,2-Dichloroethene	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
trans-1,3-Dichloropropene	µg/L	-	4.0 U	-	-	80.0 U	100 U
Trichloroethene	µg/L	-	0.40 U	-	-	8.0 U	10.0 U
Trichlorofluoromethane (CFC-11)	µg/L	-	1.0 U	-	-	20.0 U	25.0 U
Vinyl chloride	µg/L	-	0.20 U	-	-	4.0 U	5.0 U
Xylenes (total)	µg/L	5.9	3.0 U	3.0 U	3.0 U	3650	1070

**ANALYTICAL RESULTS SUMMARY
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014**

<i>Sample Location:</i>		<i>RW-3</i>	<i>RW-4</i>	<i>RWX-5</i>	<i>RWX-7</i>	<i>W-1</i>	<i>W-2</i>
<i>Sample ID:</i>		<i>GW-021114-NH-RW3</i>	<i>GW-021114-TM-RW-4</i>	<i>GW-020714-TM-RWX-5</i>	<i>GW-021114-TM-RWX-7</i>	<i>GW-020514-TM-W-1</i>	<i>GW-021214-TM-W-2</i>
<i>Sample Date:</i>		<i>2/11/2014</i>	<i>2/11/2014</i>	<i>2/7/2014</i>	<i>2/11/2014</i>	<i>2/5/2014</i>	<i>2/12/2014</i>
Parameters:	Units						
Semi-volatile Organic Compounds - SIM							
1-Methylnaphthalene	µg/L	-	R	-	R	25.3	107
2-Methylnaphthalene	µg/L	-	R	-	R	59.8	268
Acenaphthene	µg/L	-	R	-	R	0.75	0.90
Acenaphthylene	µg/L	-	R	-	R	0.17	0.31
Anthracene	µg/L	-	0.041 UJ	-	0.042 UJ	0.050 U	0.16
Benzo(a)anthracene	µg/L	-	0.041 U	-	0.042 U	0.050 U	0.090
Benzo(a)pyrene	µg/L	-	0.041 U	-	0.042 U	0.050 U	0.077
Benzo(b)fluoranthene	µg/L	-	0.041 U	-	0.042 U	0.050 U	0.13
Benzo(g,h,i)perylene	µg/L	-	0.041 U	-	0.042 U	0.050 U	0.081
Benzo(k)fluoranthene	µg/L	-	0.041 U	-	0.042 U	0.050 U	0.046
Chrysene	µg/L	-	0.041 U	-	0.042 U	0.050 U	0.094
Dibenz(a,h)anthracene	µg/L	-	0.041 U	-	0.042 U	0.050 U	0.041 U
Fluoranthene	µg/L	-	0.041 U	-	0.042 U	0.089	0.42
Fluorene	µg/L	-	0.041 UJ	-	0.042 UJ	1.2	2.0
Indeno(1,2,3-cd)pyrene	µg/L	-	0.041 U	-	0.042 U	0.050 U	0.058
Naphthalene	µg/L	-	R	-	R	111	507
Phenanthrene	µg/L	-	0.041 UJ	-	0.042 UJ	0.56	1.9
Pyrene	µg/L	-	0.041 UJ	-	0.042 UJ	0.075	0.23
Metals							
Arsenic	µg/L	-	0.50 U	-	0.86	8.7	11.0
Lead	µg/L	-	0.32	-	0.17	5.3	2.8
Petroleum Products							
Diesel fuel	mg/L	0.40 U	0.40 U	0.40 U	0.42 U	4.3	2.7
Total Petroleum Hydrocarbons - Gas	µg/L	100 U	100 U	100 U	100 U	29600	27100
Total Petroleum Hydrocarbons - Motor Oil	mg/L	0.40 U	0.40 U	0.40 U	0.42 U	0.40 U	0.45

Notes:

- J - Estimated concentration
- U - Not present at or above the associated reporting limit
- UJ - Not detected; associated reporting limit is estimated
- R - Rejected
- - Not analyzed
- SIM - Select Ion Monitoring

TABLE 4

QUALIFIED SAMPLE RESULTS DUE TO ANALYTE CONCENTRATIONS IN THE METHOD BLANKS
 QUARTERLY GROUNDWATER SAMPLING
 CONOCOPHILLIPS - RENTON TERMINAL
 RENTON, WASHINGTON
 FEBRUARY 2014

<i>Parameter</i>	<i>Analyte</i>	<i>Analysis Date</i>	<i>Blank Result *</i>	<i>Sample ID</i>	<i>Original Result</i>	<i>Qualified Result</i>	<i>Units</i>
SW8260	2-Butanone (Methyl ethyl ketone) (MEK)	2/22/2014	5.5	GW-021114-NH-B4	6.6	6.6 U	µg/L

Notes:

* - Blank result adjusted for sample factors where applicable

U - Not detected at the associated reporting limit

TABLE 5

QUALIFIED SAMPLE DATA DUE TO OUTLYING OF SURROGATE RECOVERIES
 QUARTERLY GROUNDWATER SAMPLING
 CONOCOPHILLIPS - RENTON TERMINAL
 RENTON, WASHINGTON
 FEBRUARY 2014

<i>Parameter</i>	<i>Sample ID</i>	<i>Surrogate</i>	<i>Surrogate % Recovery</i>	<i>Control Limits % Recovery</i>	<i>Analyte</i>	<i>Qualified Result</i>	<i>Units</i>
NWTPH-Gx	GW-020514-TM-B-1	a,a,a-Trifluorotoluene	129	70-125	Total Petroleum Hydrocarbons - Gas	226 J	µg/L
	GW-020614-TM-D-7	a,a,a-Trifluorotoluene	131	70-125	Total Petroleum Hydrocarbons - Gas	116 J	µg/L
SW8260	GW-021014-TM-HA-3	1,2-Dichloroethane-d4	74	75-125	Ethylbenzene	10.2 J	µg/L
					Styrene	1.0 UJ	µg/L
					cis-1,3-Dichloropropene	4.0 UJ	µg/L
					trans-1,3-Dichloropropene	4.0 UJ	µg/L
					N-Propylbenzene	1.1 J	µg/L
					N-Butylbenzene	1.0 UJ	µg/L
					4-Chlorotoluene	1.0 UJ	µg/L
					1,4-Dichlorobenzene	1.0 UJ	µg/L
					1,2-Dibromoethane (Ethylene dibromide)	1.0 UJ	µg/L
					1,2-Dichloroethane	1.0 UJ	µg/L
					4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	5.0 UJ	µg/L
					1,3,5-Trimethylbenzene	3.1 J	µg/L
					Bromobenzene	1.0 UJ	µg/L
					Toluene	5.3 J	µg/L
					Chlorobenzene	1.0 UJ	µg/L
					1,2,4-Trichlorobenzene	1.0 UJ	µg/L
					Dibromochloromethane	1.0 UJ	µg/L
					Tetrachloroethene	1.0 UJ	µg/L
					Xylenes (total)	67.8 J	µg/L
					2-Phenylbutane (sec-Butylbenzene)	1.0 UJ	µg/L
					1,3-Dichloropropane	1.0 UJ	µg/L
					cis-1,2-Dichloroethene	1.0 UJ	µg/L
					trans-1,2-Dichloroethene	1.0 UJ	µg/L
					Methyl tert butyl ether (MTBE)	1.0 UJ	µg/L
					1,2-Dichloroethene (total)	2.0 UJ	µg/L
					1,3-Dichlorobenzene	1.0 UJ	µg/L
					Carbon tetrachloride	1.0 UJ	µg/L
					1,1-Dichloropropene	1.0 UJ	µg/L
					2-Hexanone	5.0 UJ	µg/L
					2,2-Dichloropropane	4.0 UJ	µg/L
					1,1,1,2-Tetrachloroethane	1.0 UJ	µg/L
					Acetone	20.0 UJ	µg/L

TABLE 5

QUALIFIED SAMPLE DATA DUE TO OUTLYING OF SURROGATE RECOVERIES
 QUARTERLY GROUNDWATER SAMPLING
 CONOCOPHILLIPS - RENTON TERMINAL
 RENTON, WASHINGTON
 FEBRUARY 2014

<i>Parameter</i>	<i>Sample ID</i>	<i>Surrogate</i>	<i>Surrogate % Recovery</i>	<i>Control Limits % Recovery</i>	<i>Analyte</i>	<i>Qualified Result</i>	<i>Units</i>
SW8260	GW-021014-TM-HA-3	1,2-Dichloroethane-d4	74	75-125	Chloroform (Trichloromethane)	1.0 UJ	µg/L
					Benzene	4.5 J	µg/L
					1,1,1-Trichloroethane	1.0 UJ	µg/L
					Bromomethane (Methyl bromide)	4.0 UJ	µg/L
					Chloromethane (Methyl chloride)	4.0 UJ	µg/L
					Dibromomethane	4.0 UJ	µg/L
					Chlorobromomethane	1.0 UJ	µg/L
					Chloroethane	1.0 UJ	µg/L
					Vinyl chloride	0.20 UJ	µg/L
					Methylene chloride	4.0 UJ	µg/L
					Carbon disulfide	1.0 UJ	µg/L
					Bromoform	4.0 UJ	µg/L
					Bromodichloromethane	1.0 UJ	µg/L
					1,1-Dichloroethane	1.0 UJ	µg/L
					1,1-Dichloroethene	1.0 UJ	µg/L
					Trichlorofluoromethane (CFC-11)	1.0 UJ	µg/L
					Dichlorodifluoromethane (CFC-12)	1.0 UJ	µg/L
					1,2-Dichloropropane	4.0 UJ	µg/L
					2-Butanone (Methyl ethyl ketone) (MEK)	5.0 UJ	µg/L
					1,1,2-Trichloroethane	1.0 UJ	µg/L
					Trichloroethene	0.40 UJ	µg/L
					1,1,2,2-Tetrachloroethane	1.0 UJ	µg/L
					1,2,3-Trichlorobenzene	1.0 UJ	µg/L
					Hexachlorobutadiene	1.0 UJ	µg/L
					Naphthalene	4.0 UJ	µg/L
					o-Xylene	17.8 J	µg/L
					2-Chlorotoluene	1.0 UJ	µg/L
					1,2-Dichlorobenzene	1.0 UJ	µg/L
					1,2,4-Trimethylbenzene	11.9 J	µg/L
					1,2-Dibromo-3-chloropropane (DBCP)	4.0 UJ	µg/L
					1,2,3-Trichloropropane	4.0 UJ	µg/L
					tert-Butylbenzene	1.0 UJ	µg/L
					Isopropyl benzene	1.0 UJ	µg/L
					Cymene (p-Isopropyltoluene)	1.0 UJ	µg/L
					m&p-Xylenes	50.0 J	µg/L

QUALIFIED SAMPLE DATA DUE TO OUTLYING OF SURROGATE RECOVERIES
 QUARTERLY GROUNDWATER SAMPLING
 CONOCOPHILLIPS - RENTON TERMINAL
 RENTON, WASHINGTON
 FEBRUARY 2014

Parameter	Sample ID	Surrogate	Surrogate	Control Limits	Analyte	Qualified Result	Units
			% Recovery	% Recovery			
SW8270SIM	GW-020714-NH-HA8	2-Fluorobiphenyl	152	54.125	1-Methylnaphthalene	0.10 J	µg/L
		Terphenyl-d14	168	68.125	Naphthalene	2.3 J	µg/L
SW8270SIM	GW-021114-TM-HA-16	2-Fluorobiphenyl	51	54-125	2-Methylnaphthalene	0.091 J	µg/L
			53	68-125	Anthracene	0.041 UJ	µg/L
		Terphenyl-d14	Pyrene	0.055 J	µg/L		
			Benzo(g,h,i)perylene	0.058 J	µg/L		
			Indeno(1,2,3-cd)pyrene	0.041 UJ	µg/L		
			Benzo(b)fluoranthene	0.049 J	µg/L		
			Fluoranthene	0.075 J	µg/L		
			Benzo(k)fluoranthene	0.041 UJ	µg/L		
			Acenaphthylene	0.041 UJ	µg/L		
			Chrysene	0.041 UJ	µg/L		
			Benzo(a)pyrene	0.041 UJ	µg/L		
			Dibenz(a,h)anthracene	0.041 UJ	µg/L		
			Benzo(a)anthracene	0.041 UJ	µg/L		
			Acenaphthene	0.041 UJ	µg/L		
			Phenanthrene	0.061 J	µg/L		
			Fluorene	0.041 UJ	µg/L		
1-Methylnaphthalene	1.9 J	µg/L					
Naphthalene	7.9 J	µg/L					
2-Methylnaphthalene	4.3 J	µg/L					

Notes:

J - Estimated Concentration

UJ - Not detected; associated reporting limit is estimated

TABLE 6

QUALIFIED SAMPLE RESULTS DUE TO OUTLYING LABORATORY CONTROL
SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE RESULTS
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014

Parameter	Analyte	LCS Date	LCS % Recovery	LCSD % Recovery	RPD (percent)	Control Limits		Associated Sample ID	Qualified Result	Units							
						% Recovery	RPD										
SW8260	4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	02/12/14	127	--	--	71-125	--	GW-020614-TM-HA-9	5.3 J	µg/L							
SW8270SIM	1-Methylnaphthalene	2/20/2014	4	0	NC	34-125	20	GW-021014-NH-MW 3	R	µg/L							
								GW-021014-NH-MW 4	R	µg/L							
								GW-021014-NH-MW 5	R	µg/L							
								GW-021014-NH-MW 6	R	µg/L							
								GW-021014-TM-HA-2	117 J	µg/L							
								GW-021014-TM-HA-3	R	µg/L							
								GW-021014-TM-HA-4	R	µg/L							
								GW-021114-NH-B6	32.0 J	µg/L							
								GW-021114-NH-D6	R	µg/L							
								GW-021114-TM-HA-20	5.3 J	µg/L							
								GW-021114-TM-RW-4	R	µg/L							
								GW-021114-TM-RWX-7	R	µg/L							
								2-Methylnaphthalene	2/20/2014	3	0	NC	40-125	20	GW-021014-NH-MW 3	R	µg/L
															GW-021014-NH-MW 4	R	µg/L
GW-021014-NH-MW 5	0.051 J	µg/L															
GW-021014-NH-MW 6	R	µg/L															
GW-021014-TM-HA-2	299 J	µg/L															
GW-021014-TM-HA-3	0.22 J	µg/L															
GW-021014-TM-HA-4	R	µg/L															
GW-021114-NH-B6	72.8 J	µg/L															
GW-021114-NH-D6	R	µg/L															
GW-021114-TM-HA-20	13.6 J	µg/L															
GW-021114-TM-RW-4	R	µg/L															
GW-021114-TM-RWX-7	R	µg/L															
Acenaphthene	2/20/2014	22	1	44	46-125	20	GW-021014-NH-MW 3								R	µg/L	
							GW-021014-NH-MW 4								R	µg/L	
							GW-021014-NH-MW 5	R	µg/L								
							GW-021014-NH-MW 6	R	µg/L								
							GW-021014-TM-HA-2	1.7 J	µg/L								

TABLE 6

QUALIFIED SAMPLE RESULTS DUE TO OUTLYING LABORATORY CONTROL
SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE RESULTS
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014

Parameter	Analyte	LCS Date	LCS % Recovery	LCSD % Recovery	RPD (percent)	Control Limits		Associated Sample ID	Qualified Result	Units
						% Recovery	RPD			
SW8270SIM	Acenaphthene	2/20/2014	22	1	44	46-125	20	GW-021014-TM-HA-3	R	µg/L
								GW-021014-TM-HA-4	R	µg/L
								GW-021114-NH-B6	2.6 J	µg/L
								GW-021114-NH-D6	R	µg/L
								GW-021114-TM-HA-20	R	µg/L
								GW-021114-TM-RW-4	R	µg/L
								GW-021114-TM-RWX-7	R	µg/L
	Acenaphthylene	2/20/2014	16	1	NC	45-125	20	GW-021014-NH-MW 3	R	µg/L
								GW-021014-NH-MW 4	R	µg/L
								GW-021014-NH-MW 5	R	µg/L
								GW-021014-NH-MW 6	R	µg/L
								GW-021014-TM-HA-2	0.40 J	µg/L
								GW-021014-TM-HA-3	R	µg/L
								GW-021014-TM-HA-4	R	µg/L
								GW-021114-NH-B6	R	µg/L
								GW-021114-NH-D6	R	µg/L
								GW-021114-TM-HA-20	R	µg/L
								GW-021114-TM-RW-4	R	µg/L
								GW-021114-TM-RWX-7	R	µg/L
								Anthracene	2/20/2014	65
	GW-021014-NH-MW 4	0.042 UJ	µg/L							
	GW-021014-NH-MW 5	0.044 UJ	µg/L							
	GW-021014-NH-MW 6	0.041 UJ	µg/L							
	GW-021014-TM-HA-2	0.86 J	µg/L							
	GW-021014-TM-HA-3	0.046 UJ	µg/L							
	GW-021014-TM-HA-4	0.040 UJ	µg/L							
	GW-021114-NH-B6	0.97 J	µg/L							
	GW-021114-NH-D6	0.043 UJ	µg/L							
	GW-021114-TM-HA-20	0.43 UJ	µg/L							
	GW-021114-TM-RW-4	0.041 UJ	µg/L							
GW-021114-TM-RWX-7	0.042 UJ	µg/L								

TABLE 6

QUALIFIED SAMPLE RESULTS DUE TO OUTLYING LABORATORY CONTROL
SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE RESULTS
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014

Parameter	Analyte	LCS Date	LCS % Recovery	LCSD % Recovery	RPD (percent)	Control Limits		Associated Sample ID	Qualified Result	Units							
						% Recovery	RPD										
SW8270SIM	Fluorene	2/20/2014	49	10	135	52-125	20	GW-021014-NH-MW 3	0.044 UJ	µg/L							
								GW-021014-NH-MW 4	0.042 UJ	µg/L							
								GW-021014-NH-MW 5	0.044 UJ	µg/L							
								GW-021014-NH-MW 6	0.041 UJ	µg/L							
								GW-021014-TM-HA-2	3.0 J	µg/L							
								GW-021014-TM-HA-3	0.046 UJ	µg/L							
								GW-021014-TM-HA-4	0.040 UJ	µg/L							
								GW-021114-NH-B6	2.6 J	µg/L							
								GW-021114-NH-D6	0.043 UJ	µg/L							
								GW-021114-TM-HA-20	0.43 UJ	µg/L							
								GW-021114-TM-RW-4	0.041 UJ	µg/L							
								GW-021114-TM-RWX-7	0.042 UJ	µg/L							
								Naphthalene	2/20/2014	2	0	NC	44-125	20	GW-021014-NH-MW 3	R	µg/L
															GW-021014-NH-MW 4	R	µg/L
	GW-021014-NH-MW 5	R	µg/L														
	GW-021014-NH-MW 6	R	µg/L														
	GW-021014-TM-HA-2	494 J	µg/L														
	GW-021014-TM-HA-3	0.26 J	µg/L														
	GW-021014-TM-HA-4	0.067 J	µg/L														
	GW-021114-NH-B6	84.5 J	µg/L														
	GW-021114-NH-D6	R	µg/L														
	GW-021114-TM-HA-20	58.8 J	µg/L														
	GW-021114-TM-RW-4	R	µg/L														
	GW-021114-TM-RWX-7	R	µg/L														
	Phenanthrene	2/20/2014	66	51	25	55-125	20								GW-021014-NH-MW 3	0.044 UJ	µg/L
															GW-021014-NH-MW 4	0.042 UJ	µg/L
								GW-021014-NH-MW 5	0.044 UJ	µg/L							
								GW-021014-NH-MW 6	0.041 UJ	µg/L							
								GW-021014-TM-HA-2	5.1 J	µg/L							
								GW-021014-TM-HA-3	0.046 UJ	µg/L							
GW-021014-TM-HA-4	0.040 UJ	µg/L															

TABLE 6

QUALIFIED SAMPLE RESULTS DUE TO OUTLYING LABORATORY CONTROL
SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE RESULTS
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014

Parameter	Analyte	LCS Date	LCS % Recovery	LCSD % Recovery	RPD (percent)	Control Limits		Associated Sample ID	Qualified Result	Units
						% Recovery	RPD			
SW8270SIM	Phenanthrene	2/20/2014	66	51	25	55-125	20	GW-021114-NH-B6	4.8 J	µg/L
								GW-021114-NH-D6	0.043 UJ	µg/L
								GW-021114-TM-HA-20	0.43 UJ	µg/L
								GW-021114-TM-RW-4	0.041 UJ	µg/L
								GW-021114-TM-RWX-7	0.042 UJ	µg/L
	Pyrene	2/20/2014	68	64	6	66-125	20	GW-021014-NH-MW 3	0.044 UJ	µg/L
								GW-021014-NH-MW 4	0.042 UJ	µg/L
								GW-021014-NH-MW 5	0.044 UJ	µg/L
								GW-021014-NH-MW 6	0.041 UJ	µg/L
								GW-021014-TM-HA-2	0.83 J	µg/L
								GW-021014-TM-HA-3	0.046 UJ	µg/L
								GW-021014-TM-HA-4	0.040 UJ	µg/L
								GW-021114-NH-B6	1.4 J	µg/L
								GW-021114-NH-D6	0.066 J	µg/L
								GW-021114-TM-HA-20	0.43 UJ	µg/L
								GW-021114-TM-RW-4	0.041 UJ	µg/L
								GW-021114-TM-RWX-7	0.042 UJ	µg/L
								NWTPH-Dx	Diesel fuel	2/7/2014
GW-020414-NH-MW8	0.52 J	mg/L								
GW-020414-NH-MW9	0.65 J	mg/L								

Notes:

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

RPD - Relative Percent Difference

J - Estimated concentration

UJ - Not detected; associated reporting limit is estimated

R - Rejected

SIM - Select Ion Monitoring

TABLE 7

QUALIFIED SAMPLE RESULTS DUE TO OUTLYING MATRIX SPIKE/MATRIX SPIKE DUPLICATE RESULTS
 QUARTERLY GROUNDWATER SAMPLING
 CONOCOPHILLIPS - RENTON TERMINAL
 RENTON, WASHINGTON
 FEBRUARY 2014

Parameter	Sample ID	Analyte	MS	MSD	RPD	Control Limits		Qualified Result	Units
			% Recovery	% Recovery	(percent)	% Recovery	RPD		
SW8260	GW-021114-NH-B4	1,2,4-Trimethylbenzene	793	887	9	72-136	30	186 J	µg/L
		1,3,5-Trimethylbenzene	263	198	15	75-131	30	26.6 J	µg/L
		Benzene	507	558	8	75-129	30	110 J	µg/L
		Ethylbenzene	905	984	7	75-128	30	218 J	µg/L
		Isopropyl benzene	133	162	19	75-131	30	9.9 J	µg/L
		m&p-Xylenes	505	556	8	75-130	30	217 J	µg/L
		Naphthalene	517	603	13	70-132	30	117 J	µg/L
		N-Propylbenzene	194	229	15	72-131	30	24.5 J	µg/L
		o-Xylene	141	169	17	75-128	30	12.7 J	µg/L
		Xylenes (total)	383	427	9	75-129	30	229 J	µg/L

Notes:

MS - Matrix Spike
 MSD - Matrix Spike Duplicate
 RPD - Relative Percent Difference
 J - Estimated concentration

TABLE 8

QUALIFIED SAMPLE DATA DUE TO OUTLYING MATRIX SPIKE RECOVERIES
 QUARTERLY GROUNDWATER SAMPLING
 CONOCOPHILLIPS - RENTON TERMINAL
 RENTON, WASHINGTON
 FEBRUARY 2014

<i>Parameter</i>	<i>Spiked Sample ID</i>	<i>Analyte</i>	<i>MS % Recovery</i>	<u><i>Control Limits % Recovery</i></u>	<i>Associated Sample IDs</i>	<i>Qualified Result</i>	<i>Units</i>
SW8260	GW-020514-NH-DW 3	Hexachlorobutadiene	55	65-144	GW-020514-NH-DW 3	1.0 UJ	µg/L
	GW-021014-TM-HA-3	1,1-Dichloroethane	71	73-132	GW-021014-TM-HA-3	1.0 UJ	µg/L
		1,1-Dichloroethene	67	71-142	GW-021014-TM-HA-3	1.0 UJ	µg/L
		2,2-Dichloropropane	50	58-150	GW-021014-TM-HA-3	4.0 UJ	µg/L
		Benzene	59	75-129	GW-021014-TM-HA-3	4.5 J	µg/L
		Bromomethane (Methyl bromide)	28	30-150	GW-021014-TM-HA-3	4.0 UJ	µg/L
		Carbon disulfide	45	56-140	GW-021014-TM-HA-3	1.0 UJ	µg/L
		Chloroform (Trichloromethane)	73	75-126	GW-021014-TM-HA-3	1.0 UJ	µg/L
		trans-1,2-Dichloroethene	66	70-136	GW-021014-TM-HA-3	1.0 UJ	µg/L

Notes:

MS - Matrix Spike

J - Estimated concentration

UJ - Not detected; associated reporting limit is estimated

TABLE 9
QUALIFIED SAMPLE DATA DUE TO HEADSPACE
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014

<i>Parameter</i>	<i>Sample ID</i>	<i>Analyte</i>	<i>Qualified Result</i>	<i>Units</i>
SW8260	GW-020514-TM-MW-7	Ethylbenzene	1560 J	µg/L
		Styrene	20.0 UJ	µg/L
		cis-1,3-Dichloropropene	80.0 UJ	µg/L
		trans-1,3-Dichloropropene	80.0 UJ	µg/L
		N-Propylbenzene	174 J	µg/L
		N-Butylbenzene	20.0 UJ	µg/L
		4-Chlorotoluene	20.0 UJ	µg/L
		1,4-Dichlorobenzene	20.0 UJ	µg/L
		1,2-Dibromoethane (Ethylene dibromide)	20.0 UJ	µg/L
		1,2-Dichloroethane	20.0 UJ	µg/L
		4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	100 UJ	µg/L
		1,3,5-Trimethylbenzene	108 J	µg/L
		Bromobenzene	20.0 UJ	µg/L
		Toluene	148 J	µg/L
		Chlorobenzene	20.0 UJ	µg/L
		1,2,4-Trichlorobenzene	20.0 UJ	µg/L
		Dibromochloromethane	20.0 UJ	µg/L
		Tetrachloroethene	20.0 UJ	µg/L
		Xylenes (total)	1170 J	µg/L
		2-Phenylbutane (sec-Butylbenzene)	20.0 UJ	µg/L
		1,3-Dichloropropane	20.0 UJ	µg/L
		cis-1,2-Dichloroethene	20.0 UJ	µg/L
		trans-1,2-Dichloroethene	20.0 UJ	µg/L
		Methyl tert butyl ether (MTBE)	20.0 UJ	µg/L
		1,2-Dichloroethene (total)	40.0 UJ	µg/L
		1,3-Dichlorobenzene	20.0 UJ	µg/L
		Carbon tetrachloride	20.0 UJ	µg/L
		1,1-Dichloropropene	20.0 UJ	µg/L
		2-Hexanone	100 UJ	µg/L
		2,2-Dichloropropane	80.0 UJ	µg/L
		1,1,1,2-Tetrachloroethane	20.0 UJ	µg/L
		Acetone	400 UJ	µg/L
		Chloroform (Trichloromethane)	20.0 UJ	µg/L
		Benzene	4760 J	µg/L
		1,1,1-Trichloroethane	20.0 UJ	µg/L
		Bromomethane (Methyl bromide)	80.0 UJ	µg/L
		Chloromethane (Methyl chloride)	80.0 UJ	µg/L
		Dibromomethane	80.0 UJ	µg/L
		Chlorobromomethane	20.0 UJ	µg/L
		Chloroethane	20.0 UJ	µg/L
		Vinyl chloride	4.0 UJ	µg/L
		Methylene chloride	80.0 UJ	µg/L
		Carbon disulfide	20.0 UJ	µg/L
		Bromoform	80.0 UJ	µg/L
		Bromodichloromethane	20.0 UJ	µg/L
		1,1-Dichloroethane	20.0 UJ	µg/L
		1,1-Dichloroethene	20.0 UJ	µg/L
		Trichlorofluoromethane (CFC-11)	20.0 UJ	µg/L

TABLE 9
QUALIFIED SAMPLE DATA DUE TO HEADSPACE
QUARTERLY GROUNDWATER SAMPLING
CONOCOPHILLIPS - RENTON TERMINAL
RENTON, WASHINGTON
FEBRUARY 2014

<i>Parameter</i>	<i>Sample ID</i>	<i>Analyte</i>	<i>Qualified Result</i>	<i>Units</i>
SW8260	GW-020514-TM-MW-7	Dichlorodifluoromethane (CFC-12)	20.0 UJ	µg/L
		1,2-Dichloropropane	80.0 UJ	µg/L
		2-Butanone (Methyl ethyl ketone) (MEK)	100 UJ	µg/L
		1,1,2-Trichloroethane	20.0 UJ	µg/L
		Trichloroethene	8.0 UJ	µg/L
		1,1,2,2-Tetrachloroethane	20.0 UJ	µg/L
		1,2,3-Trichlorobenzene	20.0 UJ	µg/L
		Hexachlorobutadiene	20.0 UJ	µg/L
		Naphthalene	490 J	µg/L
		o-Xylene	114 J	µg/L
		2-Chlorotoluene	20.0 UJ	µg/L
		1,2-Dichlorobenzene	20.0 UJ	µg/L
		1,2,4-Trimethylbenzene	360 J	µg/L
		1,2-Dibromo-3-chloropropane (DBCP)	80.0 UJ	µg/L
		1,2,3-Trichloropropane	80.0 UJ	µg/L
		tert-Butylbenzene	20.0 UJ	µg/L
		Isopropyl benzene	71.1 J	µg/L
		Cymene (p-Isopropyltoluene)	20.0 UJ	µg/L
		m&p-Xylenes	1050 J	µg/L

Notes:

J - Estimated concentration

UJ - Not detected; associated reporting limit is estimated

February 28, 2014

Edwin Turner
CRA_Conoco Phillips
20818 44th Ave. W
Lynnwood, WA 98036


RE: Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Dear Edwin Turner:

Enclosed are the analytical results for sample(s) received by the laboratory between February 04, 2014 and February 13, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross
jennifer.gross@pacelabs.com
Project Manager

Enclosures

cc: Yu Chen, CRA_Conoco Phillips
Jeffrey Cloud, Conestoga-Rovers Association
Matt Davis, CRA_Conoco Phillips
Andrea Schweiter, CRA
Matthew Smith, Conestoga-Rover's Association



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

A2LA Certification #: 2926.01

Alabama Dept of Environmental Management #40770

Alaska Certification #: UST-078

Alaska Certification #MN00064

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: Pace

EPA Region 5 #WD-15J

Florida/NELAP Certification #: E87605

Georgia Certification #: 959

Hawaii Certification #Pace

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Louisiana Certification #: 03086

Louisiana Certification #: LA080009

Maine Certification #: 2007029

Maryland Certification #: 322

Michigan DEQ Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT CERT0092

Nebraska Certification #: Pace

Nevada Certification #: MN_00064

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Dakota Certification #: R-036

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Tennessee Certification #: 02818

Texas Certification #: T104704192

Utah Certification #: MN00064

Virginia/DCLS Certification #: 002521

Virginia/VELAP Certification #: 460163

Washington Certification #: C754

West Virginia Certification #: 382

Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10256845001	GW-020314-NH-MW12	Water	02/03/14 13:00	02/04/14 15:30
10256845002	GW-020314-NH-MW16	Water	02/03/14 14:15	02/04/14 15:30
10256845003	GW-020414-NH-MW10	Water	02/04/14 09:45	02/04/14 15:30
10256845004	GW-020414-NH-MW9	Water	02/04/14 10:45	02/04/14 15:30
10256845005	GW-020414-NH-MW8	Water	02/04/14 11:45	02/04/14 15:30
10256845006	GW-020414-NH-FD1	Water	02/04/14 00:00	02/04/14 15:30
10256845007	GW-020414-NH-D5R	Water	02/04/14 13:45	02/04/14 15:30
10256845008	GW-020414-NH-D4R	Water	02/04/14 14:45	02/04/14 15:30
10256845009	Trip Blank	Water	02/03/14 13:00	02/04/14 15:30
10256845010	GW-020514-NH-LAI 13	Water	02/05/14 09:30	02/05/14 14:50
10256845011	GW-020514-NH-LAI 14	Water	02/05/14 11:00	02/05/14 14:50
10256845012	GW-020514-NH-DW 3	Water	02/05/14 12:00	02/05/14 14:50
10256845013	GW-020514-NH-LAI 15	Water	02/05/14 14:00	02/05/14 14:50
10256845014	GW-020514-TM-B-1	Water	02/05/14 09:00	02/05/14 14:50
10256845015	GW-020514-TM-MW-7	Water	02/05/14 10:45	02/05/14 14:50
10256845016	GW-020514-TM-W-1	Water	02/05/14 12:45	02/05/14 14:50
10256845017	GW-020514-TM-B-3A	Water	02/05/14 14:15	02/05/14 14:50
10256845018	DUP	Water	02/05/14 00:00	02/05/14 14:50
10256845019	Trip Blank	Water	02/05/14 00:00	02/05/14 14:50
10256845020	GW-020614-NH-MW13	Water	02/06/14 09:30	02/06/14 15:30
10256845021	GW-020614-NH-MW11	Water	02/06/14 11:00	02/06/14 15:30
10256845022	GW-020614-NH-DW4	Water	02/06/14 13:00	02/06/14 15:30
10256845023	GW-020614-NH-MW17	Water	02/06/14 15:00	02/06/14 15:30
10256845024	GW-020614-TM-D-7	Water	02/06/14 09:00	02/06/14 15:30
10256845025	GW-020614-TM-B-5	Water	02/06/14 11:00	02/06/14 15:30
10256845026	GW-020614-TM-B-2	Water	02/06/14 12:15	02/06/14 15:30
10256845027	GW-020614-TM-HA-9	Water	02/06/14 13:25	02/06/14 15:30
10256845028	Trip Blank	Water	02/06/14 00:00	02/06/14 15:30
10256845029	GW-020714-NH-DIR	Water	02/07/14 09:45	02/07/14 16:00
10256845030	GW-020714-NH-MW15	Water	02/07/14 11:00	02/07/14 16:00
10256845031	GW-020714-NH-HA8	Water	02/07/14 12:30	02/07/14 16:00
10256845032	GW-020714-NH-HA7	Water	02/07/14 14:00	02/07/14 16:00
10256845033	GW-020714-TM-HA-13	Water	02/07/14 09:15	02/07/14 16:00
10256845034	GW-020714-TM-HA-14	Water	02/07/14 10:20	02/07/14 16:00
10256845035	GW-020714-TM-HA-6	Water	02/07/14 12:05	02/07/14 16:00
10256845036	GW-020714-TM-HA-5	Water	02/07/14 13:30	02/07/14 16:00
10256845037	GW-020714-TM-RWX-5	Water	02/07/14 14:30	02/07/14 16:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10256845038	Trip Blank	Water	02/07/14 00:00	02/07/14 16:00
10256845039	GW-021014-TM-HA-2	Water	02/10/14 08:45	02/10/14 16:00
10256845040	GW-021014-TM-HA-3	Water	02/10/14 09:45	02/10/14 16:00
10256845041	GW-021014-TM-HA-4	Water	02/10/14 11:45	02/10/14 16:00
10256845042	GW-021014-NH-MW 6	Water	02/10/14 12:30	02/10/14 16:00
10256845043	GW-021014-NH-MW 5	Water	02/10/14 13:30	02/10/14 16:00
10256845044	GW-021014-NH-MW 4	Water	02/10/14 14:45	02/10/14 16:00
10256845045	GW-021014-NH-MW 3	Water	02/10/14 16:00	02/10/14 16:01
10256845046	Trip Blank	Water	02/10/14 00:00	02/10/14 16:00
10256845047	GW-021114-NH-RW3	Water	02/11/14 10:45	02/11/14 14:10
10256845048	GW-021114-NH-D6	Water	02/11/14 12:30	02/11/14 14:10
10256845049	GW-021114-NH-B6	Water	02/11/14 13:45	02/11/14 14:10
10256845050	GW-021114-TM-HA-20	Water	02/11/14 10:45	02/11/14 14:10
10256845051	GW-021114-TM-RWX-7	Water	02/11/14 12:20	02/11/14 14:10
10256845052	GW-021114-TM-RW-4	Water	02/11/14 13:30	02/11/14 14:10
10256845053	Trip Blank	Water	02/11/14 13:30	02/11/14 14:10
10256845054	GW-021114-NH-B4	Water	02/11/14 15:30	02/12/14 15:30
10256845055	GW-021114-TM-HA-16	Water	02/11/14 14:40	02/12/14 15:30
10256845056	GW-021214-NH-LAI 12	Water	02/12/14 09:45	02/12/14 15:30
10256845057	GW-021214-NH-LAI 11	Water	02/12/14 11:00	02/12/14 15:30
10256845058	GW-021214-NH-LAI 10	Water	02/12/14 12:45	02/12/14 15:30
10256845059	GW-021214-NH-LAI 1	Water	02/12/14 14:30	02/12/14 15:30
10256845060	GW-021214-TM-HA-1	Water	02/12/14 09:40	02/12/14 15:30
10256845061	GW-021214-TM-MW-14	Water	02/12/14 11:00	02/12/14 15:30
10256845062	GW-021214-TM-W-2	Water	02/12/14 12:45	02/12/14 15:30
10256845063	GW-021214-TM-DW-2	Water	02/12/14 14:15	02/12/14 15:30
10256845064	Trip Blank	Water	02/12/14 00:00	02/12/14 15:30
10256845065	GW-021314-NH-LAIx2	Water	02/13/14 09:45	02/13/14 16:00
10256845066	GW-021314-NH-LAIx3	Water	02/13/14 11:30	02/13/14 16:00
10256845067	GW-021314-NH-DW1	Water	02/13/14 13:00	02/13/14 16:00
10256845068	GW-021314-NH-HA11	Water	02/13/14 14:00	02/13/14 16:00
10256845069	GW-021314-NH-DIR	Water	02/13/14 15:00	02/13/14 16:00
10256845070	GW-021314-TM-MW-1	Water	02/13/14 09:30	02/13/14 16:00
10256845071	GW-021314-TM-MW-2	Water	02/13/14 11:00	02/13/14 16:00
10256845072	GW-021314-TM-LAI-16	Water	02/13/14 12:45	02/13/14 16:00
10256845073	GW-021314-TM-HA-11	Water	02/13/14 13:35	02/13/14 16:00
10256845074	Trip Blank	Water	02/13/14 00:00	02/13/14 16:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10256845001	GW-020314-NH-MW12	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845002	GW-020314-NH-MW16	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845003	GW-020414-NH-MW10	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845004	GW-020414-NH-MW9	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845005	GW-020414-NH-MW8	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845006	GW-020414-NH-FD1	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845007	GW-020414-NH-D5R	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845008	GW-020414-NH-D4R	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845009	Trip Blank	EPA 8260	SH2	8	PASI-M
10256845010	GW-020514-NH-LAI 13	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845011	GW-020514-NH-LAI 14	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845012	GW-020514-NH-DW 3	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845013	GW-020514-NH-LAI 15	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845014	GW-020514-TM-B-1	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845015	GW-020514-TM-MW-7	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845016	GW-020514-TM-W-1	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845017	GW-020514-TM-B-3A	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10256845018	DUP	EPA 8260	LPM	70	PASI-M
		NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
10256845019	Trip Blank	EPA 8260	LPM	70	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845020	GW-020614-NH-MW13	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845021	GW-020614-NH-MW11	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845022	GW-020614-NH-DW4	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845023	GW-020614-NH-MW17	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845024	GW-020614-TM-D-7	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845025	GW-020614-TM-B-5	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10256845026	GW-020614-TM-B-2	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845027	GW-020614-TM-HA-9	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845028	Trip Blank	NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845029	GW-020714-NH-DIR	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845030	GW-020714-NH-MW15	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845031	GW-020714-NH-HA8	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845032	GW-020714-NH-HA7	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845033	GW-020714-TM-HA-13	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10256845034	GW-020714-TM-HA-14	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845035	GW-020714-TM-HA-6	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845036	GW-020714-TM-HA-5	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	8	PASI-M
		NWTPH-Dx	JRH	4	PASI-M
10256845037	GW-020714-TM-RWX-5	NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845038	Trip Blank	NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845039	GW-021014-TM-HA-2	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845040	GW-021014-TM-HA-3	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845041	GW-021014-TM-HA-4	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845042	GW-021014-NH-MW 6	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
1025684503	GW-021014-NH-MW 5	EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
1025684504	GW-021014-NH-MW 4	EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
		NWTPH-Dx	JRH	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
1025684505	GW-021014-NH-MW 3	EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	RJS	2	PASI-M
1025684506	Trip Blank	EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
1025684507	GW-021114-NH-RW3	EPA 8260	SH2	8	PASI-M
1025684508	GW-021114-NH-D6	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
1025684509	GW-021114-NH-B6	EPA 8260	LPM	70	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
10256845050	GW-021114-TM-HA-20	EPA 8260	LPM	70	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
10256845051	GW-021114-TM-RWX-7	EPA 8260	SH2	8	PASI-M
		NWTPH-Dx	MT	4	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10256845052	GW-021114-TM-RW-4	NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	8	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
10256845053	Trip Blank	EPA 8260	LPM	70	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845054	GW-021114-NH-B4	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
10256845055	GW-021114-TM-HA-16	EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
		NWTPH-Dx	MT	4	PASI-M
10256845056	GW-021214-NH-LAI 12	NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
		NWTPH-Dx	MT	4	PASI-M
10256845057	GW-021214-NH-LAI 11	NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
		NWTPH-Dx	MT	4	PASI-M
10256845058	GW-021214-NH-LAI 10	NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 8260	SH2	8	PASI-M
		NWTPH-Dx	MT	4	PASI-M
10256845059	GW-021214-NH-LAI 1	NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	8	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
10256845060	GW-021214-TM-HA-1	EPA 8260	SH2	8	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10256845061	GW-021214-TM-MW-14	EPA 8260	SH2	8	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
10256845062	GW-021214-TM-W-2	EPA 8260	SH2	70	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
10256845063	GW-021214-TM-DW-2	EPA 8260	LPM	70	PASI-M
		NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
10256845064	Trip Blank	EPA 8260	SH2	70	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845065	GW-021314-NH-LA1x2	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845066	GW-021314-NH-LA1x3	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845067	GW-021314-NH-DW1	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845068	GW-021314-NH-HA11	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10256845069	GW-021314-NH-DIR	EPA 6020	TT3	2	PASI-M
10256845070	GW-021314-TM-MW-1	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845071	GW-021314-TM-MW-2	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	LPM	70	PASI-M
10256845072	GW-021314-TM-LAI-16	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8260	SH2	8	PASI-M
10256845073	GW-021314-TM-HA-11	NWTPH-Dx	MT	4	PASI-M
		NWTPH-Gx/8021	LLC	2	PASI-M
		EPA 6020	TT3	2	PASI-M
		EPA 8270 by SIM	AJP	20	PASI-M
		EPA 8260	SH2	70	PASI-M
10256845074	Trip Blank	NWTPH-Gx/8021	LLC	2	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample:	Lab ID:	Collected:	Received:	Matrix:				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: GW-020314-NH-MW12	Lab ID: 10256845001	02/03/14 13:00	02/04/14 15:30	Water				
NWTPH-Dx GCS Silica Gel LV Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 03:51	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 03:51	64742-65-0	
Surrogates								
o-Terphenyl (S)	75 %.		30-125	1	02/10/14 07:37	02/15/14 03:51	84-15-1	
n-Triacontane (S)	89 %.		30-125	1	02/10/14 07:37	02/15/14 03:51	638-68-6	
NWTPH-Gx GCV Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/06/14 20:41		
Surrogates								
a,a,a-Trifluorotoluene (S)	97 %.		70-125	1		02/06/14 20:41	98-08-8	
6020 MET ICPMS Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	10.1 ug/L		0.50	1	02/06/14 09:23	02/07/14 11:19	7440-38-2	
Lead	0.14 ug/L		0.10	1	02/06/14 09:23	02/07/14 11:19	7439-92-1	
8270 MSSV PAH by SIM Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	83-32-9	
Acenaphthylene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	208-96-8	
Anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	207-08-9	
Chrysene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	53-70-3	
Fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	206-44-0	
Fluorene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	193-39-5	
1-Methylnaphthalene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	90-12-0	
2-Methylnaphthalene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	91-57-6	
Naphthalene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	91-20-3	
Phenanthrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	85-01-8	
Pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:11	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	76 %.		54-125	1	02/05/14 07:05	02/11/14 00:11	321-60-8	
Terphenyl-d14 (S)	90 %.		68-125	1	02/05/14 07:05	02/11/14 00:11	1718-51-0	
8260 VOC Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/06/14 11:23	67-64-1	
Benzene	ND ug/L		1.0	1		02/06/14 11:23	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/06/14 11:23	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/06/14 11:23	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/06/14 11:23	75-27-4	
Bromoform	ND ug/L		4.0	1		02/06/14 11:23	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/06/14 11:23	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020314-NH-MW12	Lab ID: 10256845001	Collected: 02/03/14 13:00	Received: 02/04/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND ug/L		5.0	1		02/06/14 11:23	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/06/14 11:23	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/06/14 11:23	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/06/14 11:23	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/06/14 11:23	75-15-0	SS
Carbon tetrachloride	ND ug/L		1.0	1		02/06/14 11:23	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/06/14 11:23	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/06/14 11:23	75-00-3	
Chloroform	ND ug/L		1.0	1		02/06/14 11:23	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/06/14 11:23	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/06/14 11:23	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/06/14 11:23	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/06/14 11:23	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/06/14 11:23	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/06/14 11:23	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/06/14 11:23	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 11:23	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 11:23	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 11:23	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/06/14 11:23	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/06/14 11:23	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/06/14 11:23	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/06/14 11:23	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/06/14 11:23	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/06/14 11:23	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/06/14 11:23	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/06/14 11:23	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/06/14 11:23	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/06/14 11:23	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/06/14 11:23	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/06/14 11:23	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/06/14 11:23	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/06/14 11:23	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/06/14 11:23	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/06/14 11:23	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/06/14 11:23	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/06/14 11:23	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/06/14 11:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/06/14 11:23	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/06/14 11:23	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/06/14 11:23	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/06/14 11:23	103-65-1	
Styrene	ND ug/L		1.0	1		02/06/14 11:23	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/06/14 11:23	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/06/14 11:23	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/06/14 11:23	127-18-4	
Toluene	ND ug/L		1.0	1		02/06/14 11:23	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020314-NH-MW12		Lab ID: 10256845001	Collected: 02/03/14 13:00	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/06/14 11:23	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/06/14 11:23	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/06/14 11:23	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/06/14 11:23	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/06/14 11:23	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/06/14 11:23	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/06/14 11:23	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/06/14 11:23	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/06/14 11:23	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/06/14 11:23	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/06/14 11:23	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/06/14 11:23	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/06/14 11:23	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	103 %.		75-125	1		02/06/14 11:23	17060-07-0	
Toluene-d8 (S)	101 %.		75-125	1		02/06/14 11:23	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	1		02/06/14 11:23	460-00-4	

Sample: GW-020314-NH-MW16		Lab ID: 10256845002	Collected: 02/03/14 14:15	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/05/14 07:07	02/06/14 22:57	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/05/14 07:07	02/06/14 22:57	64742-65-0	
Surrogates								
o-Terphenyl (S)	77 %.		30-125	1	02/05/14 07:07	02/06/14 22:57	84-15-1	
n-Triacontane (S)	86 %.		30-125	1	02/05/14 07:07	02/06/14 22:57	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/06/14 21:41		
Surrogates								
a,a,a-Trifluorotoluene (S)	95 %.		70-125	1		02/06/14 21:41	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	3.2 ug/L		0.50	1	02/06/14 09:23	02/07/14 11:23	7440-38-2	
Lead	ND ug/L		0.10	1	02/06/14 09:23	02/07/14 11:23	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	83-32-9	
Acenaphthylene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	208-96-8	
Anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020314-NH-MW16 **Lab ID: 10256845002** Collected: 02/03/14 14:15 Received: 02/04/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	207-08-9	
Chrysene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	53-70-3	
Fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	206-44-0	
Fluorene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	193-39-5	
1-Methylnaphthalene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	90-12-0	
2-Methylnaphthalene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	91-57-6	
Naphthalene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	91-20-3	
Phenanthrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	85-01-8	
Pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:33	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	85 %.		54-125	1	02/05/14 07:05	02/11/14 00:33	321-60-8	
Terphenyl-d14 (S)	90 %.		68-125	1	02/05/14 07:05	02/11/14 00:33	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/06/14 11:39	67-64-1	
Benzene	ND ug/L		1.0	1		02/06/14 11:39	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/06/14 11:39	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/06/14 11:39	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/06/14 11:39	75-27-4	
Bromoform	ND ug/L		4.0	1		02/06/14 11:39	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/06/14 11:39	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/06/14 11:39	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/06/14 11:39	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/06/14 11:39	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/06/14 11:39	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/06/14 11:39	75-15-0	SS
Carbon tetrachloride	ND ug/L		1.0	1		02/06/14 11:39	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/06/14 11:39	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/06/14 11:39	75-00-3	
Chloroform	ND ug/L		1.0	1		02/06/14 11:39	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/06/14 11:39	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/06/14 11:39	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/06/14 11:39	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/06/14 11:39	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/06/14 11:39	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/06/14 11:39	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/06/14 11:39	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 11:39	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 11:39	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 11:39	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/06/14 11:39	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/06/14 11:39	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/06/14 11:39	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/06/14 11:39	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020314-NH-MW16		Lab ID: 10256845002	Collected: 02/03/14 14:15	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND ug/L		1.0	1		02/06/14 11:39	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/06/14 11:39	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/06/14 11:39	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/06/14 11:39	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/06/14 11:39	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/06/14 11:39	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/06/14 11:39	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/06/14 11:39	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/06/14 11:39	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/06/14 11:39	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/06/14 11:39	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/06/14 11:39	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/06/14 11:39	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/06/14 11:39	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/06/14 11:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/06/14 11:39	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/06/14 11:39	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/06/14 11:39	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/06/14 11:39	103-65-1	
Styrene	ND ug/L		1.0	1		02/06/14 11:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/06/14 11:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/06/14 11:39	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/06/14 11:39	127-18-4	
Toluene	ND ug/L		1.0	1		02/06/14 11:39	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/06/14 11:39	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/06/14 11:39	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/06/14 11:39	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/06/14 11:39	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/06/14 11:39	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/06/14 11:39	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/06/14 11:39	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/06/14 11:39	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/06/14 11:39	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/06/14 11:39	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/06/14 11:39	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/06/14 11:39	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/06/14 11:39	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	102 %.		75-125	1		02/06/14 11:39	17060-07-0	
Toluene-d8 (S)	101 %.		75-125	1		02/06/14 11:39	2037-26-5	
4-Bromofluorobenzene (S)	102 %.		75-125	1		02/06/14 11:39	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Project No.: 10256845

Sample: GW-020414-NH-MW10	Lab ID: 10256845003	Collected: 02/04/14 09:45	Received: 02/04/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.42	1	02/05/14 07:07	02/06/14 23:40	68334-30-5	
Motor Oil Range SG	ND mg/L		0.42	1	02/05/14 07:07	02/06/14 23:40	64742-65-0	
Surrogates								
o-Terphenyl (S)	73 %.		30-125	1	02/05/14 07:07	02/06/14 23:40	84-15-1	
n-Triacontane (S)	80 %.		30-125	1	02/05/14 07:07	02/06/14 23:40	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	125 ug/L		100	1		02/06/14 21:01		
Surrogates								
a,a,a-Trifluorotoluene (S)	98 %.		70-125	1		02/06/14 21:01	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	10.1 ug/L		0.50	1	02/06/14 09:23	02/07/14 11:28	7440-38-2	
Lead	ND ug/L		0.10	1	02/06/14 09:23	02/07/14 11:28	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	0.27 ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	83-32-9	
Acenaphthylene	0.054 ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	208-96-8	
Anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	207-08-9	
Chrysene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	53-70-3	
Fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	206-44-0	
Fluorene	0.48 ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	193-39-5	
1-Methylnaphthalene	1.1 ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	90-12-0	
2-Methylnaphthalene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	91-57-6	
Naphthalene	0.12 ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	91-20-3	
Phenanthrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	85-01-8	
Pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 00:55	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	75 %.		54-125	1	02/05/14 07:05	02/11/14 00:55	321-60-8	
Terphenyl-d14 (S)	89 %.		68-125	1	02/05/14 07:05	02/11/14 00:55	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/06/14 11:54	67-64-1	
Benzene	27.4 ug/L		1.0	1		02/06/14 11:54	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/06/14 11:54	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/06/14 11:54	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/06/14 11:54	75-27-4	
Bromoform	ND ug/L		4.0	1		02/06/14 11:54	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/06/14 11:54	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020414-NH-MW10		Lab ID: 10256845003	Collected: 02/04/14 09:45	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND	ug/L	5.0	1		02/06/14 11:54	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		02/06/14 11:54	104-51-8	
sec-Butylbenzene	1.1	ug/L	1.0	1		02/06/14 11:54	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		02/06/14 11:54	98-06-6	
Carbon disulfide	ND	ug/L	1.0	1		02/06/14 11:54	75-15-0	SS
Carbon tetrachloride	ND	ug/L	1.0	1		02/06/14 11:54	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		02/06/14 11:54	108-90-7	
Chloroethane	ND	ug/L	1.0	1		02/06/14 11:54	75-00-3	
Chloroform	ND	ug/L	1.0	1		02/06/14 11:54	67-66-3	
Chloromethane	ND	ug/L	4.0	1		02/06/14 11:54	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		02/06/14 11:54	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		02/06/14 11:54	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		02/06/14 11:54	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		02/06/14 11:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		02/06/14 11:54	106-93-4	
Dibromomethane	ND	ug/L	4.0	1		02/06/14 11:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		02/06/14 11:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		02/06/14 11:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		02/06/14 11:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		02/06/14 11:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		02/06/14 11:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		02/06/14 11:54	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	2.0	1		02/06/14 11:54	540-59-0	
1,1-Dichloroethene	ND	ug/L	1.0	1		02/06/14 11:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/06/14 11:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/06/14 11:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/06/14 11:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/06/14 11:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/06/14 11:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/06/14 11:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/06/14 11:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/06/14 11:54	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		02/06/14 11:54	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/06/14 11:54	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/06/14 11:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		02/06/14 11:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/06/14 11:54	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/06/14 11:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/06/14 11:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/06/14 11:54	1634-04-4	
Naphthalene	ND	ug/L	4.0	1		02/06/14 11:54	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	1		02/06/14 11:54	103-65-1	
Styrene	ND	ug/L	1.0	1		02/06/14 11:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/06/14 11:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/06/14 11:54	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/06/14 11:54	127-18-4	
Toluene	ND	ug/L	1.0	1		02/06/14 11:54	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020414-NH-MW10		Lab ID: 10256845003	Collected: 02/04/14 09:45	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/06/14 11:54	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/06/14 11:54	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/06/14 11:54	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/06/14 11:54	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/06/14 11:54	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/06/14 11:54	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/06/14 11:54	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/06/14 11:54	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/06/14 11:54	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/06/14 11:54	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/06/14 11:54	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/06/14 11:54	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/06/14 11:54	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	101 %.		75-125	1		02/06/14 11:54	17060-07-0	
Toluene-d8 (S)	102 %.		75-125	1		02/06/14 11:54	2037-26-5	
4-Bromofluorobenzene (S)	99 %.		75-125	1		02/06/14 11:54	460-00-4	

Sample: GW-020414-NH-MW9		Lab ID: 10256845004	Collected: 02/04/14 10:45	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	0.65 mg/L		0.43	1	02/05/14 07:07	02/07/14 00:02	68334-30-5	
Motor Oil Range SG	ND mg/L		0.43	1	02/05/14 07:07	02/07/14 00:02	64742-65-0	
Surrogates								
o-Terphenyl (S)	76 %.		30-125	1	02/05/14 07:07	02/07/14 00:02	84-15-1	
n-Triacontane (S)	86 %.		30-125	1	02/05/14 07:07	02/07/14 00:02	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	1520 ug/L		200	2		02/07/14 00:41		
Surrogates								
a,a,a-Trifluorotoluene (S)	100 %.		70-125	2		02/07/14 00:41	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	35.3 ug/L		0.50	1	02/06/14 09:23	02/07/14 11:32	7440-38-2	
Lead	18.7 ug/L		0.10	1	02/06/14 09:23	02/07/14 11:32	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.18 ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	83-32-9	
Acenaphthylene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	208-96-8	
Anthracene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	120-12-7	
Benzo(a)anthracene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	56-55-3	
Benzo(a)pyrene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020414-NH-MW9 **Lab ID: 10256845004** Collected: 02/04/14 10:45 Received: 02/04/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	207-08-9	
Chrysene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	53-70-3	
Fluoranthene	0.056 ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	206-44-0	
Fluorene	0.15 ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	193-39-5	
1-Methylnaphthalene	ND ug/L		0.45	10	02/05/14 07:05	02/12/14 18:16	90-12-0	
2-Methylnaphthalene	42.7 ug/L		0.45	10	02/05/14 07:05	02/12/14 18:16	91-57-6	
Naphthalene	114 ug/L		2.2	50	02/05/14 07:05	02/12/14 20:07	91-20-3	
Phenanthrene	0.070 ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	85-01-8	
Pyrene	0.047 ug/L		0.045	1	02/05/14 07:05	02/11/14 01:18	129-00-0	

Surrogates

2-Fluorobiphenyl (S)	78 %.		54-125	1	02/05/14 07:05	02/11/14 01:18	321-60-8	
Terphenyl-d14 (S)	87 %.		68-125	1	02/05/14 07:05	02/11/14 01:18	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		100	5		02/06/14 12:41	67-64-1	
Benzene	1040 ug/L		5.0	5		02/06/14 12:41	71-43-2	
Bromobenzene	ND ug/L		5.0	5		02/06/14 12:41	108-86-1	
Bromochloromethane	ND ug/L		5.0	5		02/06/14 12:41	74-97-5	
Bromodichloromethane	ND ug/L		5.0	5		02/06/14 12:41	75-27-4	
Bromoform	ND ug/L		20.0	5		02/06/14 12:41	75-25-2	
Bromomethane	ND ug/L		20.0	5		02/06/14 12:41	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	5		02/06/14 12:41	78-93-3	
n-Butylbenzene	ND ug/L		5.0	5		02/06/14 12:41	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	5		02/06/14 12:41	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	5		02/06/14 12:41	98-06-6	
Carbon disulfide	ND ug/L		5.0	5		02/06/14 12:41	75-15-0	SS
Carbon tetrachloride	ND ug/L		5.0	5		02/06/14 12:41	56-23-5	
Chlorobenzene	ND ug/L		5.0	5		02/06/14 12:41	108-90-7	
Chloroethane	ND ug/L		5.0	5		02/06/14 12:41	75-00-3	
Chloroform	ND ug/L		5.0	5		02/06/14 12:41	67-66-3	
Chloromethane	ND ug/L		20.0	5		02/06/14 12:41	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	5		02/06/14 12:41	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	5		02/06/14 12:41	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		20.0	5		02/06/14 12:41	96-12-8	
Dibromochloromethane	ND ug/L		5.0	5		02/06/14 12:41	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	5		02/06/14 12:41	106-93-4	
Dibromomethane	ND ug/L		20.0	5		02/06/14 12:41	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	5		02/06/14 12:41	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	5		02/06/14 12:41	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	5		02/06/14 12:41	106-46-7	
Dichlorodifluoromethane	ND ug/L		5.0	5		02/06/14 12:41	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	5		02/06/14 12:41	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	5		02/06/14 12:41	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		10.0	5		02/06/14 12:41	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020414-NH-MW9	Lab ID: 10256845004	Collected: 02/04/14 10:45	Received: 02/04/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND	ug/L	5.0	5		02/06/14 12:41	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	5		02/06/14 12:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	5		02/06/14 12:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	20.0	5		02/06/14 12:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	5		02/06/14 12:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	20.0	5		02/06/14 12:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	5		02/06/14 12:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	20.0	5		02/06/14 12:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	20.0	5		02/06/14 12:41	10061-02-6	
Ethylbenzene	6.4	ug/L	5.0	5		02/06/14 12:41	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	5		02/06/14 12:41	87-68-3	
2-Hexanone	ND	ug/L	25.0	5		02/06/14 12:41	591-78-6	
Isopropylbenzene (Cumene)	26.3	ug/L	5.0	5		02/06/14 12:41	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	5		02/06/14 12:41	99-87-6	
Methylene Chloride	ND	ug/L	20.0	5		02/06/14 12:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5		02/06/14 12:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	5.0	5		02/06/14 12:41	1634-04-4	
Naphthalene	216	ug/L	20.0	5		02/06/14 12:41	91-20-3	
n-Propylbenzene	54.6	ug/L	5.0	5		02/06/14 12:41	103-65-1	
Styrene	ND	ug/L	5.0	5		02/06/14 12:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	5		02/06/14 12:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	5		02/06/14 12:41	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	5		02/06/14 12:41	127-18-4	
Toluene	ND	ug/L	5.0	5		02/06/14 12:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	5		02/06/14 12:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	5		02/06/14 12:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	5		02/06/14 12:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	5		02/06/14 12:41	79-00-5	
Trichloroethene	ND	ug/L	2.0	5		02/06/14 12:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	5		02/06/14 12:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	20.0	5		02/06/14 12:41	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	5		02/06/14 12:41	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	5		02/06/14 12:41	108-67-8	
Vinyl chloride	ND	ug/L	1.0	5		02/06/14 12:41	75-01-4	
Xylene (Total)	ND	ug/L	15.0	5		02/06/14 12:41	1330-20-7	
m&p-Xylene	ND	ug/L	10.0	5		02/06/14 12:41	179601-23-1	
o-Xylene	ND	ug/L	5.0	5		02/06/14 12:41	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %		75-125	5		02/06/14 12:41	17060-07-0	
Toluene-d8 (S)	102 %		75-125	5		02/06/14 12:41	2037-26-5	
4-Bromofluorobenzene (S)	99 %		75-125	5		02/06/14 12:41	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020414-NH-MW8	Lab ID: 10256845005	Collected: 02/04/14 11:45	Received: 02/04/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	0.52 mg/L		0.42	1	02/05/14 07:07	02/07/14 00:23	68334-30-5	
Motor Oil Range SG	ND mg/L		0.42	1	02/05/14 07:07	02/07/14 00:23	64742-65-0	
Surrogates								
o-Terphenyl (S)	71 %.		30-125	1	02/05/14 07:07	02/07/14 00:23	84-15-1	
n-Triacontane (S)	81 %.		30-125	1	02/05/14 07:07	02/07/14 00:23	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	7650 ug/L		500	5		02/07/14 01:01		
Surrogates								
a,a,a-Trifluorotoluene (S)	104 %.		70-125	5		02/07/14 01:01	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	39.5 ug/L		0.50	1	02/06/14 09:23	02/07/14 11:36	7440-38-2	
Lead	0.26 ug/L		0.10	1	02/06/14 09:23	02/07/14 11:36	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	0.34 ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	83-32-9	
Acenaphthylene	0.049 ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	208-96-8	
Anthracene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	120-12-7	
Benzo(a)anthracene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	56-55-3	
Benzo(a)pyrene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	207-08-9	
Chrysene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	53-70-3	
Fluoranthene	0.052 ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	206-44-0	
Fluorene	0.33 ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	193-39-5	
1-Methylnaphthalene	22.7 ug/L		0.44	10	02/05/14 07:05	02/12/14 18:38	90-12-0	
2-Methylnaphthalene	52.0 ug/L		0.44	10	02/05/14 07:05	02/12/14 18:38	91-57-6	
Naphthalene	104 ug/L		0.44	10	02/05/14 07:05	02/12/14 18:38	91-20-3	
Phenanthrene	0.37 ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	85-01-8	
Pyrene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 01:40	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	83 %.		54-125	1	02/05/14 07:05	02/11/14 01:40	321-60-8	
Terphenyl-d14 (S)	90 %.		68-125	1	02/05/14 07:05	02/11/14 01:40	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		1000	50		02/06/14 13:14	67-64-1	
Benzene	4040 ug/L		50.0	50		02/06/14 13:14	71-43-2	
Bromobenzene	ND ug/L		50.0	50		02/06/14 13:14	108-86-1	
Bromochloromethane	ND ug/L		50.0	50		02/06/14 13:14	74-97-5	
Bromodichloromethane	ND ug/L		50.0	50		02/06/14 13:14	75-27-4	
Bromoform	ND ug/L		200	50		02/06/14 13:14	75-25-2	
Bromomethane	ND ug/L		200	50		02/06/14 13:14	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020414-NH-MW8	Lab ID: 10256845005	Collected: 02/04/14 11:45	Received: 02/04/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND ug/L		250	50		02/06/14 13:14	78-93-3	
n-Butylbenzene	ND ug/L		50.0	50		02/06/14 13:14	104-51-8	
sec-Butylbenzene	ND ug/L		50.0	50		02/06/14 13:14	135-98-8	
tert-Butylbenzene	ND ug/L		50.0	50		02/06/14 13:14	98-06-6	
Carbon disulfide	ND ug/L		50.0	50		02/06/14 13:14	75-15-0	SS
Carbon tetrachloride	ND ug/L		50.0	50		02/06/14 13:14	56-23-5	
Chlorobenzene	ND ug/L		50.0	50		02/06/14 13:14	108-90-7	
Chloroethane	ND ug/L		50.0	50		02/06/14 13:14	75-00-3	
Chloroform	ND ug/L		50.0	50		02/06/14 13:14	67-66-3	
Chloromethane	ND ug/L		200	50		02/06/14 13:14	74-87-3	
2-Chlorotoluene	ND ug/L		50.0	50		02/06/14 13:14	95-49-8	
4-Chlorotoluene	ND ug/L		50.0	50		02/06/14 13:14	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		200	50		02/06/14 13:14	96-12-8	
Dibromochloromethane	ND ug/L		50.0	50		02/06/14 13:14	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		50.0	50		02/06/14 13:14	106-93-4	
Dibromomethane	ND ug/L		200	50		02/06/14 13:14	74-95-3	
1,2-Dichlorobenzene	ND ug/L		50.0	50		02/06/14 13:14	95-50-1	
1,3-Dichlorobenzene	ND ug/L		50.0	50		02/06/14 13:14	541-73-1	
1,4-Dichlorobenzene	ND ug/L		50.0	50		02/06/14 13:14	106-46-7	
Dichlorodifluoromethane	ND ug/L		50.0	50		02/06/14 13:14	75-71-8	
1,1-Dichloroethane	ND ug/L		50.0	50		02/06/14 13:14	75-34-3	
1,2-Dichloroethane	ND ug/L		50.0	50		02/06/14 13:14	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		100	50		02/06/14 13:14	540-59-0	
1,1-Dichloroethene	ND ug/L		50.0	50		02/06/14 13:14	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		50.0	50		02/06/14 13:14	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		50.0	50		02/06/14 13:14	156-60-5	
1,2-Dichloropropane	ND ug/L		200	50		02/06/14 13:14	78-87-5	
1,3-Dichloropropane	ND ug/L		50.0	50		02/06/14 13:14	142-28-9	
2,2-Dichloropropane	ND ug/L		200	50		02/06/14 13:14	594-20-7	
1,1-Dichloropropene	ND ug/L		50.0	50		02/06/14 13:14	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		200	50		02/06/14 13:14	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		200	50		02/06/14 13:14	10061-02-6	
Ethylbenzene	447 ug/L		50.0	50		02/06/14 13:14	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		50.0	50		02/06/14 13:14	87-68-3	
2-Hexanone	ND ug/L		250	50		02/06/14 13:14	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		50.0	50		02/06/14 13:14	98-82-8	
p-Isopropyltoluene	ND ug/L		50.0	50		02/06/14 13:14	99-87-6	
Methylene Chloride	ND ug/L		200	50		02/06/14 13:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		250	50		02/06/14 13:14	108-10-1	
Methyl-tert-butyl ether	ND ug/L		50.0	50		02/06/14 13:14	1634-04-4	
Naphthalene	235 ug/L		200	50		02/06/14 13:14	91-20-3	
n-Propylbenzene	78.1 ug/L		50.0	50		02/06/14 13:14	103-65-1	
Styrene	ND ug/L		50.0	50		02/06/14 13:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		50.0	50		02/06/14 13:14	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND ug/L		50.0	50		02/06/14 13:14	79-34-5	
Tetrachloroethene	ND ug/L		50.0	50		02/06/14 13:14	127-18-4	
Toluene	ND ug/L		50.0	50		02/06/14 13:14	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020414-NH-MW8		Lab ID: 10256845005	Collected: 02/04/14 11:45	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		50.0	50		02/06/14 13:14	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		50.0	50		02/06/14 13:14	120-82-1	
1,1,1-Trichloroethane	ND ug/L		50.0	50		02/06/14 13:14	71-55-6	
1,1,2-Trichloroethane	ND ug/L		50.0	50		02/06/14 13:14	79-00-5	
Trichloroethene	ND ug/L		20.0	50		02/06/14 13:14	79-01-6	
Trichlorofluoromethane	ND ug/L		50.0	50		02/06/14 13:14	75-69-4	
1,2,3-Trichloropropane	ND ug/L		200	50		02/06/14 13:14	96-18-4	
1,2,4-Trimethylbenzene	269 ug/L		50.0	50		02/06/14 13:14	95-63-6	
1,3,5-Trimethylbenzene	56.9 ug/L		50.0	50		02/06/14 13:14	108-67-8	
Vinyl chloride	ND ug/L		10.0	50		02/06/14 13:14	75-01-4	
Xylene (Total)	931 ug/L		150	50		02/06/14 13:14	1330-20-7	
m&p-Xylene	854 ug/L		100	50		02/06/14 13:14	179601-23-1	
o-Xylene	77.0 ug/L		50.0	50		02/06/14 13:14	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	102 %.		75-125	50		02/06/14 13:14	17060-07-0	
Toluene-d8 (S)	101 %.		75-125	50		02/06/14 13:14	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	50		02/06/14 13:14	460-00-4	

Sample: GW-020414-NH-FD1		Lab ID: 10256845006	Collected: 02/04/14 00:00	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	0.43 mg/L		0.40	1	02/05/14 07:07	02/07/14 01:28	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/05/14 07:07	02/07/14 01:28	64742-65-0	
Surrogates								
o-Terphenyl (S)	56 %.		30-125	1	02/05/14 07:07	02/07/14 01:28	84-15-1	
n-Triacontane (S)	63 %.		30-125	1	02/05/14 07:07	02/07/14 01:28	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	7960 ug/L		1000	10		02/09/14 21:52		
Surrogates								
a,a,a-Trifluorotoluene (S)	105 %.		70-125	10		02/09/14 21:52	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	38.1 ug/L		0.50	1	02/06/14 09:23	02/07/14 12:33	7440-38-2	
Lead	0.22 ug/L		0.10	1	02/06/14 09:23	02/07/14 12:33	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.37 ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	83-32-9	
Acenaphthylene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	208-96-8	
Anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020414-NH-FD1	Lab ID: 10256845006	Collected: 02/04/14 00:00	Received: 02/04/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	207-08-9	
Chrysene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	53-70-3	
Fluoranthene	0.058 ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	206-44-0	
Fluorene	0.36 ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	193-39-5	
1-Methylnaphthalene	26.7 ug/L		0.43	10	02/05/14 07:05	02/12/14 19:00	90-12-0	
2-Methylnaphthalene	60.9 ug/L		0.43	10	02/05/14 07:05	02/12/14 19:00	91-57-6	
Naphthalene	109 ug/L		2.2	50	02/05/14 07:05	02/12/14 19:45	91-20-3	
Phenanthrene	0.42 ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	85-01-8	
Pyrene	ND ug/L		0.043	1	02/05/14 07:05	02/11/14 02:02	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	81 %.		54-125	1	02/05/14 07:05	02/11/14 02:02	321-60-8	
Terphenyl-d14 (S)	87 %.		68-125	1	02/05/14 07:05	02/11/14 02:02	1718-51-0	
8260 VOC		Analytical Method: EPA 8260						
Acetone	ND ug/L		500	25		02/06/14 12:57	67-64-1	
Benzene	3940 ug/L		25.0	25		02/06/14 12:57	71-43-2	M1
Bromobenzene	ND ug/L		25.0	25		02/06/14 12:57	108-86-1	
Bromochloromethane	ND ug/L		25.0	25		02/06/14 12:57	74-97-5	
Bromodichloromethane	ND ug/L		25.0	25		02/06/14 12:57	75-27-4	
Bromoform	ND ug/L		100	25		02/06/14 12:57	75-25-2	
Bromomethane	ND ug/L		100	25		02/06/14 12:57	74-83-9	
2-Butanone (MEK)	ND ug/L		125	25		02/06/14 12:57	78-93-3	
n-Butylbenzene	ND ug/L		25.0	25		02/06/14 12:57	104-51-8	
sec-Butylbenzene	ND ug/L		25.0	25		02/06/14 12:57	135-98-8	
tert-Butylbenzene	ND ug/L		25.0	25		02/06/14 12:57	98-06-6	
Carbon disulfide	ND ug/L		25.0	25		02/06/14 12:57	75-15-0	SS
Carbon tetrachloride	ND ug/L		25.0	25		02/06/14 12:57	56-23-5	
Chlorobenzene	ND ug/L		25.0	25		02/06/14 12:57	108-90-7	
Chloroethane	ND ug/L		25.0	25		02/06/14 12:57	75-00-3	
Chloroform	ND ug/L		25.0	25		02/06/14 12:57	67-66-3	
Chloromethane	ND ug/L		100	25		02/06/14 12:57	74-87-3	R1
2-Chlorotoluene	ND ug/L		25.0	25		02/06/14 12:57	95-49-8	
4-Chlorotoluene	ND ug/L		25.0	25		02/06/14 12:57	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		100	25		02/06/14 12:57	96-12-8	
Dibromochloromethane	ND ug/L		25.0	25		02/06/14 12:57	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		25.0	25		02/06/14 12:57	106-93-4	
Dibromomethane	ND ug/L		100	25		02/06/14 12:57	74-95-3	
1,2-Dichlorobenzene	ND ug/L		25.0	25		02/06/14 12:57	95-50-1	
1,3-Dichlorobenzene	ND ug/L		25.0	25		02/06/14 12:57	541-73-1	
1,4-Dichlorobenzene	ND ug/L		25.0	25		02/06/14 12:57	106-46-7	
Dichlorodifluoromethane	ND ug/L		25.0	25		02/06/14 12:57	75-71-8	
1,1-Dichloroethane	ND ug/L		25.0	25		02/06/14 12:57	75-34-3	
1,2-Dichloroethane	ND ug/L		25.0	25		02/06/14 12:57	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		50.0	25		02/06/14 12:57	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020414-NH-FD1		Lab ID: 10256845006	Collected: 02/04/14 00:00	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND	ug/L	25.0	25		02/06/14 12:57	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	25.0	25		02/06/14 12:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	25		02/06/14 12:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	100	25		02/06/14 12:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	25		02/06/14 12:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	100	25		02/06/14 12:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	25		02/06/14 12:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	100	25		02/06/14 12:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	100	25		02/06/14 12:57	10061-02-6	
Ethylbenzene	436	ug/L	25.0	25		02/06/14 12:57	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	25		02/06/14 12:57	87-68-3	
2-Hexanone	ND	ug/L	125	25		02/06/14 12:57	591-78-6	
Isopropylbenzene (Cumene)	31.8	ug/L	25.0	25		02/06/14 12:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	25		02/06/14 12:57	99-87-6	
Methylene Chloride	ND	ug/L	100	25		02/06/14 12:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	25		02/06/14 12:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	25.0	25		02/06/14 12:57	1634-04-4	
Naphthalene	250	ug/L	100	25		02/06/14 12:57	91-20-3	
n-Propylbenzene	80.9	ug/L	25.0	25		02/06/14 12:57	103-65-1	
Styrene	ND	ug/L	25.0	25		02/06/14 12:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	25		02/06/14 12:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	25		02/06/14 12:57	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	25		02/06/14 12:57	127-18-4	
Toluene	ND	ug/L	25.0	25		02/06/14 12:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	25		02/06/14 12:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	25		02/06/14 12:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	25		02/06/14 12:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	25		02/06/14 12:57	79-00-5	
Trichloroethene	ND	ug/L	10.0	25		02/06/14 12:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	25		02/06/14 12:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	100	25		02/06/14 12:57	96-18-4	
1,2,4-Trimethylbenzene	262	ug/L	25.0	25		02/06/14 12:57	95-63-6	
1,3,5-Trimethylbenzene	56.1	ug/L	25.0	25		02/06/14 12:57	108-67-8	
Vinyl chloride	ND	ug/L	5.0	25		02/06/14 12:57	75-01-4	
Xylene (Total)	918	ug/L	75.0	25		02/06/14 12:57	1330-20-7	
m&p-Xylene	840	ug/L	50.0	25		02/06/14 12:57	179601-23-1	
o-Xylene	78.1	ug/L	25.0	25		02/06/14 12:57	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	100	%	75-125	25		02/06/14 12:57	17060-07-0	
Toluene-d8 (S)	101	%	75-125	25		02/06/14 12:57	2037-26-5	
4-Bromofluorobenzene (S)	100	%	75-125	25		02/06/14 12:57	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020414-NH-D5R	Lab ID: 10256845007	Collected: 02/04/14 13:45	Received: 02/04/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.43	1	02/05/14 07:07	02/07/14 01:50	68334-30-5	
Motor Oil Range SG	ND mg/L		0.43	1	02/05/14 07:07	02/07/14 01:50	64742-65-0	
Surrogates								
o-Terphenyl (S)	72 %.		30-125	1	02/05/14 07:07	02/07/14 01:50	84-15-1	
n-Triacontane (S)	82 %.		30-125	1	02/05/14 07:07	02/07/14 01:50	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/06/14 22:41		
Surrogates								
a,a,a-Trifluorotoluene (S)	113 %.		70-125	1		02/06/14 22:41	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	27.0 ug/L		0.50	1	02/06/14 09:23	02/07/14 12:29	7440-38-2	
Lead	0.80 ug/L		0.10	1	02/06/14 09:23	02/07/14 12:29	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	83-32-9	
Acenaphthylene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	208-96-8	
Anthracene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	120-12-7	
Benzo(a)anthracene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	56-55-3	
Benzo(a)pyrene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	207-08-9	
Chrysene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	53-70-3	
Fluoranthene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	206-44-0	
Fluorene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	193-39-5	
1-Methylnaphthalene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	90-12-0	
2-Methylnaphthalene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	91-57-6	
Naphthalene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	91-20-3	
Phenanthrene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	85-01-8	
Pyrene	ND ug/L		0.044	1	02/05/14 07:05	02/11/14 02:24	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	78 %.		54-125	1	02/05/14 07:05	02/11/14 02:24	321-60-8	
Terphenyl-d14 (S)	86 %.		68-125	1	02/05/14 07:05	02/11/14 02:24	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/06/14 12:10	67-64-1	
Benzene	ND ug/L		1.0	1		02/06/14 12:10	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/06/14 12:10	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/06/14 12:10	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/06/14 12:10	75-27-4	
Bromoform	ND ug/L		4.0	1		02/06/14 12:10	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/06/14 12:10	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020414-NH-D5R		Lab ID: 10256845007	Collected: 02/04/14 13:45	Received: 02/04/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 VOC		Analytical Method: EPA 8260							
2-Butanone (MEK)	ND ug/L		5.0	1		02/06/14 12:10	78-93-3		
n-Butylbenzene	ND ug/L		1.0	1		02/06/14 12:10	104-51-8		
sec-Butylbenzene	ND ug/L		1.0	1		02/06/14 12:10	135-98-8		
tert-Butylbenzene	ND ug/L		1.0	1		02/06/14 12:10	98-06-6		
Carbon disulfide	ND ug/L		1.0	1		02/06/14 12:10	75-15-0	SS	
Carbon tetrachloride	ND ug/L		1.0	1		02/06/14 12:10	56-23-5		
Chlorobenzene	ND ug/L		1.0	1		02/06/14 12:10	108-90-7		
Chloroethane	ND ug/L		1.0	1		02/06/14 12:10	75-00-3		
Chloroform	ND ug/L		1.0	1		02/06/14 12:10	67-66-3		
Chloromethane	ND ug/L		4.0	1		02/06/14 12:10	74-87-3		
2-Chlorotoluene	ND ug/L		1.0	1		02/06/14 12:10	95-49-8		
4-Chlorotoluene	ND ug/L		1.0	1		02/06/14 12:10	106-43-4		
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/06/14 12:10	96-12-8		
Dibromochloromethane	ND ug/L		1.0	1		02/06/14 12:10	124-48-1		
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/06/14 12:10	106-93-4		
Dibromomethane	ND ug/L		4.0	1		02/06/14 12:10	74-95-3		
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 12:10	95-50-1		
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 12:10	541-73-1		
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 12:10	106-46-7		
Dichlorodifluoromethane	ND ug/L		1.0	1		02/06/14 12:10	75-71-8		
1,1-Dichloroethane	ND ug/L		1.0	1		02/06/14 12:10	75-34-3		
1,2-Dichloroethane	ND ug/L		1.0	1		02/06/14 12:10	107-06-2		
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/06/14 12:10	540-59-0		
1,1-Dichloroethene	ND ug/L		1.0	1		02/06/14 12:10	75-35-4		
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/06/14 12:10	156-59-2		
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/06/14 12:10	156-60-5		
1,2-Dichloropropane	ND ug/L		4.0	1		02/06/14 12:10	78-87-5		
1,3-Dichloropropane	ND ug/L		1.0	1		02/06/14 12:10	142-28-9		
2,2-Dichloropropane	ND ug/L		4.0	1		02/06/14 12:10	594-20-7		
1,1-Dichloropropene	ND ug/L		1.0	1		02/06/14 12:10	563-58-6		
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/06/14 12:10	10061-01-5		
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/06/14 12:10	10061-02-6		
Ethylbenzene	ND ug/L		1.0	1		02/06/14 12:10	100-41-4		
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/06/14 12:10	87-68-3		
2-Hexanone	ND ug/L		5.0	1		02/06/14 12:10	591-78-6		
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/06/14 12:10	98-82-8		
p-Isopropyltoluene	ND ug/L		1.0	1		02/06/14 12:10	99-87-6		
Methylene Chloride	ND ug/L		4.0	1		02/06/14 12:10	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/06/14 12:10	108-10-1		
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/06/14 12:10	1634-04-4		
Naphthalene	ND ug/L		4.0	1		02/06/14 12:10	91-20-3		
n-Propylbenzene	ND ug/L		1.0	1		02/06/14 12:10	103-65-1		
Styrene	ND ug/L		1.0	1		02/06/14 12:10	100-42-5		
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/06/14 12:10	630-20-6		
1,1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/06/14 12:10	79-34-5		
Tetrachloroethene	ND ug/L		1.0	1		02/06/14 12:10	127-18-4		
Toluene	ND ug/L		1.0	1		02/06/14 12:10	108-88-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020414-NH-D5R		Lab ID: 10256845007	Collected: 02/04/14 13:45	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/06/14 12:10	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/06/14 12:10	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/06/14 12:10	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/06/14 12:10	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/06/14 12:10	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/06/14 12:10	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/06/14 12:10	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/06/14 12:10	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/06/14 12:10	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/06/14 12:10	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/06/14 12:10	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/06/14 12:10	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/06/14 12:10	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	102 %.		75-125	1		02/06/14 12:10	17060-07-0	
Toluene-d8 (S)	101 %.		75-125	1		02/06/14 12:10	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/06/14 12:10	460-00-4	

Sample: GW-020414-NH-D4R		Lab ID: 10256845008	Collected: 02/04/14 14:45	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/05/14 07:07	02/07/14 02:12	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/05/14 07:07	02/07/14 02:12	64742-65-0	
Surrogates								
o-Terphenyl (S)	75 %.		30-125	1	02/05/14 07:07	02/07/14 02:12	84-15-1	
n-Triacontane (S)	84 %.		30-125	1	02/05/14 07:07	02/07/14 02:12	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/06/14 23:01		
Surrogates								
a,a,a-Trifluorotoluene (S)	97 %.		70-125	1		02/06/14 23:01	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	16.3 ug/L		0.50	1	02/06/14 09:23	02/07/14 12:38	7440-38-2	
Lead	ND ug/L		0.10	1	02/06/14 09:23	02/07/14 12:38	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	83-32-9	
Acenaphthylene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	208-96-8	
Anthracene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	120-12-7	
Benzo(a)anthracene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	56-55-3	
Benzo(a)pyrene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020414-NH-D4R **Lab ID: 10256845008** Collected: 02/04/14 14:45 Received: 02/04/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	207-08-9	
Chrysene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	53-70-3	
Fluoranthene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	206-44-0	
Fluorene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	193-39-5	
1-Methylnaphthalene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	90-12-0	
2-Methylnaphthalene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	91-57-6	
Naphthalene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	91-20-3	
Phenanthrene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	85-01-8	
Pyrene	ND ug/L		0.045	1	02/05/14 07:05	02/11/14 02:46	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	92 %.		54-125	1	02/05/14 07:05	02/11/14 02:46	321-60-8	
Terphenyl-d14 (S)	96 %.		68-125	1	02/05/14 07:05	02/11/14 02:46	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/06/14 12:25	67-64-1	
Benzene	ND ug/L		1.0	1		02/06/14 12:25	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/06/14 12:25	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/06/14 12:25	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/06/14 12:25	75-27-4	
Bromoform	ND ug/L		4.0	1		02/06/14 12:25	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/06/14 12:25	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/06/14 12:25	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/06/14 12:25	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/06/14 12:25	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/06/14 12:25	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/06/14 12:25	75-15-0	SS
Carbon tetrachloride	ND ug/L		1.0	1		02/06/14 12:25	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/06/14 12:25	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/06/14 12:25	75-00-3	
Chloroform	ND ug/L		1.0	1		02/06/14 12:25	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/06/14 12:25	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/06/14 12:25	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/06/14 12:25	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/06/14 12:25	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/06/14 12:25	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/06/14 12:25	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/06/14 12:25	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 12:25	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 12:25	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/06/14 12:25	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/06/14 12:25	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/06/14 12:25	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/06/14 12:25	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/06/14 12:25	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020414-NH-D4R		Lab ID: 10256845008	Collected: 02/04/14 14:45	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND	ug/L	1.0	1		02/06/14 12:25	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/06/14 12:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/06/14 12:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/06/14 12:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/06/14 12:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/06/14 12:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/06/14 12:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/06/14 12:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/06/14 12:25	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		02/06/14 12:25	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/06/14 12:25	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/06/14 12:25	591-78-6	
Isopropylbenzene (Cumene)	1.7	ug/L	1.0	1		02/06/14 12:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/06/14 12:25	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/06/14 12:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/06/14 12:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/06/14 12:25	1634-04-4	
Naphthalene	ND	ug/L	4.0	1		02/06/14 12:25	91-20-3	
n-Propylbenzene	3.4	ug/L	1.0	1		02/06/14 12:25	103-65-1	
Styrene	ND	ug/L	1.0	1		02/06/14 12:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/06/14 12:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/06/14 12:25	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/06/14 12:25	127-18-4	
Toluene	ND	ug/L	1.0	1		02/06/14 12:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		02/06/14 12:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		02/06/14 12:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		02/06/14 12:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		02/06/14 12:25	79-00-5	
Trichloroethene	ND	ug/L	0.40	1		02/06/14 12:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		02/06/14 12:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	1		02/06/14 12:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		02/06/14 12:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		02/06/14 12:25	108-67-8	
Vinyl chloride	ND	ug/L	0.20	1		02/06/14 12:25	75-01-4	
Xylene (Total)	ND	ug/L	3.0	1		02/06/14 12:25	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		02/06/14 12:25	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		02/06/14 12:25	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	101	%	75-125	1		02/06/14 12:25	17060-07-0	
Toluene-d8 (S)	101	%	75-125	1		02/06/14 12:25	2037-26-5	
4-Bromofluorobenzene (S)	99	%	75-125	1		02/06/14 12:25	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: Trip Blank		Lab ID: 10256845009	Collected: 02/03/14 13:00	Received: 02/04/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/07/14 11:02	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/07/14 11:02	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/07/14 11:02	1634-04-4	
Toluene	ND ug/L		1.0	1		02/07/14 11:02	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/07/14 11:02	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	101 %.		75-125	1		02/07/14 11:02	17060-07-0	
Toluene-d8 (S)	101 %.		75-125	1		02/07/14 11:02	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/07/14 11:02	460-00-4	

Sample: GW-020514-NH-LAI 13		Lab ID: 10256845010	Collected: 02/05/14 09:30	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 04:13	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 04:13	64742-65-0	
Surrogates								
o-Terphenyl (S)	81 %.		30-125	1	02/10/14 07:37	02/15/14 04:13	84-15-1	
n-Triacontane (S)	95 %.		30-125	1	02/10/14 07:37	02/15/14 04:13	638-68-6	

NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/09/14 20:32		
Surrogates								
a,a,a-Trifluorotoluene (S)	100 %.		70-125	1		02/09/14 20:32	98-08-8	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/10/14 11:05	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/10/14 11:05	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/10/14 11:05	1634-04-4	
Toluene	ND ug/L		1.0	1		02/10/14 11:05	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/10/14 11:05	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	104 %.		75-125	1		02/10/14 11:05	17060-07-0	
Toluene-d8 (S)	100 %.		75-125	1		02/10/14 11:05	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/10/14 11:05	460-00-4	

Sample: GW-020514-NH-LAI 14		Lab ID: 10256845011	Collected: 02/05/14 11:00	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 20:59	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 20:59	64742-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020514-NH-LAI 14		Lab ID: 10256845011	Collected: 02/05/14 11:00	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Surrogates								
o-Terphenyl (S)	77 %.		30-125	1	02/10/14 07:37	02/14/14 20:59	84-15-1	
n-Triacontane (S)	93 %.		30-125	1	02/10/14 07:37	02/14/14 20:59	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/09/14 18:32		
Surrogates								
a,a,a-Trifluorotoluene (S)	100 %.		70-125	1		02/09/14 18:32	98-08-8	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/10/14 11:21	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/10/14 11:21	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/10/14 11:21	1634-04-4	
Toluene	ND ug/L		1.0	1		02/10/14 11:21	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/10/14 11:21	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	104 %.		75-125	1		02/10/14 11:21	17060-07-0	
Toluene-d8 (S)	101 %.		75-125	1		02/10/14 11:21	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	1		02/10/14 11:21	460-00-4	

Sample: GW-020514-NH-DW 3		Lab ID: 10256845012	Collected: 02/05/14 12:00	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 21:20	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 21:20	64742-65-0	
Surrogates								
o-Terphenyl (S)	84 %.		30-125	1	02/10/14 07:37	02/14/14 21:20	84-15-1	
n-Triacontane (S)	102 %.		30-125	1	02/10/14 07:37	02/14/14 21:20	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/09/14 18:52		
Surrogates								
a,a,a-Trifluorotoluene (S)	98 %.		70-125	1		02/09/14 18:52	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	8.9 ug/L		0.50	1	02/10/14 08:41	02/11/14 15:42	7440-38-2	
Lead	5.1 ug/L		0.10	1	02/10/14 08:41	02/11/14 15:42	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	83-32-9	
Acenaphthylene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	208-96-8	
Anthracene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	120-12-7	
Benzo(a)anthracene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	56-55-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-NH-DW 3 **Lab ID: 10256845012** Collected: 02/05/14 12:00 Received: 02/05/14 14:50 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(a)pyrene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	207-08-9	
Chrysene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	53-70-3	
Fluoranthene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	206-44-0	
Fluorene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	193-39-5	
1-Methylnaphthalene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	90-12-0	
2-Methylnaphthalene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	91-57-6	
Naphthalene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	91-20-3	
Phenanthrene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	85-01-8	
Pyrene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 03:34	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	70 %.		54-125	1	02/10/14 14:22	02/19/14 03:34	321-60-8	
Terphenyl-d14 (S)	83 %.		68-125	1	02/10/14 14:22	02/19/14 03:34	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/12/14 12:30	67-64-1	
Benzene	ND ug/L		1.0	1		02/12/14 12:30	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/12/14 12:30	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/12/14 12:30	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/12/14 12:30	75-27-4	
Bromoform	ND ug/L		4.0	1		02/12/14 12:30	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/12/14 12:30	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/12/14 12:30	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/12/14 12:30	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/12/14 12:30	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/12/14 12:30	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/12/14 12:30	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/12/14 12:30	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/12/14 12:30	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/12/14 12:30	75-00-3	
Chloroform	ND ug/L		1.0	1		02/12/14 12:30	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/12/14 12:30	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/12/14 12:30	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/12/14 12:30	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/12/14 12:30	96-12-8	M1
Dibromochloromethane	ND ug/L		1.0	1		02/12/14 12:30	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/12/14 12:30	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/12/14 12:30	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 12:30	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 12:30	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 12:30	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/12/14 12:30	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/12/14 12:30	75-34-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-NH-DW 3	Lab ID: 10256845012	Collected: 02/05/14 12:00	Received: 02/05/14 14:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2-Dichloroethane	ND ug/L		1.0	1		02/12/14 12:30	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/12/14 12:30	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/12/14 12:30	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 12:30	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 12:30	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 12:30	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/12/14 12:30	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 12:30	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/12/14 12:30	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 12:30	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 12:30	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/12/14 12:30	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/12/14 12:30	87-68-3	M1
2-Hexanone	ND ug/L		5.0	1		02/12/14 12:30	591-78-6	L3,M0
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/12/14 12:30	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/12/14 12:30	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/12/14 12:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/12/14 12:30	108-10-1	L3
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/12/14 12:30	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/12/14 12:30	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/12/14 12:30	103-65-1	
Styrene	ND ug/L		1.0	1		02/12/14 12:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 12:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 12:30	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/12/14 12:30	127-18-4	
Toluene	ND ug/L		1.0	1		02/12/14 12:30	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 12:30	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 12:30	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/12/14 12:30	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/12/14 12:30	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/12/14 12:30	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/12/14 12:30	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/12/14 12:30	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 12:30	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 12:30	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/12/14 12:30	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/12/14 12:30	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/12/14 12:30	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/12/14 12:30	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	85 %.		75-125	1		02/12/14 12:30	17060-07-0	
Toluene-d8 (S)	104 %.		75-125	1		02/12/14 12:30	2037-26-5	
4-Bromofluorobenzene (S)	98 %.		75-125	1		02/12/14 12:30	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-NH-LAI 15		Lab ID: 10256845013	Collected: 02/05/14 14:00	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 21:42	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 21:42	64742-65-0	
Surrogates								
o-Terphenyl (S)	79 %.		30-125	1	02/10/14 07:37	02/14/14 21:42	84-15-1	
n-Triacontane (S)	94 %.		30-125	1	02/10/14 07:37	02/14/14 21:42	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/09/14 19:12		
Surrogates								
a,a,a-Trifluorotoluene (S)	100 %.		70-125	1		02/09/14 19:12	98-08-8	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/10/14 11:38	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/10/14 11:38	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/10/14 11:38	1634-04-4	
Toluene	ND ug/L		1.0	1		02/10/14 11:38	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/10/14 11:38	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	104 %.		75-125	1		02/10/14 11:38	17060-07-0	
Toluene-d8 (S)	101 %.		75-125	1		02/10/14 11:38	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	1		02/10/14 11:38	460-00-4	

Sample: GW-020514-TM-B-1		Lab ID: 10256845014	Collected: 02/05/14 09:00	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 22:04	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 22:04	64742-65-0	
Surrogates								
o-Terphenyl (S)	77 %.		30-125	1	02/10/14 07:37	02/14/14 22:04	84-15-1	
n-Triacontane (S)	88 %.		30-125	1	02/10/14 07:37	02/14/14 22:04	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	226 ug/L		100	1		02/12/14 00:15		
Surrogates								
a,a,a-Trifluorotoluene (S)	129 %.		70-125	1		02/12/14 00:15	98-08-8	3M
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	2.7 ug/L		0.50	1	02/10/14 08:41	02/10/14 17:39	7440-38-2	
Lead	3.2 ug/L		0.10	1	02/10/14 08:41	02/10/14 17:39	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.059 ug/L		0.041	1	02/10/14 14:22	02/19/14 03:56	83-32-9	
Acenaphthylene	ND ug/L		0.041	1	02/10/14 14:22	02/19/14 03:56	208-96-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-TM-B-1	Lab ID: 10256845014	Collected: 02/05/14 09:00	Received: 02/05/14 14:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Anthracene	ND	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	120-12-7	
Benzo(a)anthracene	ND	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	56-55-3	
Benzo(a)pyrene	0.062	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	50-32-8	
Benzo(b)fluoranthene	0.11	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	205-99-2	
Benzo(g,h,i)perylene	0.092	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	191-24-2	
Benzo(k)fluoranthene	0.043	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	207-08-9	
Chrysene	0.067	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	53-70-3	
Fluoranthene	0.095	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	206-44-0	
Fluorene	0.063	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	193-39-5	
1-Methylnaphthalene	0.49	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	90-12-0	
2-Methylnaphthalene	0.99	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	91-57-6	
Naphthalene	0.19	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	91-20-3	
Phenanthrene	0.054	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	85-01-8	
Pyrene	0.093	ug/L	0.041	1	02/10/14 14:22	02/19/14 03:56	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	83 %		54-125	1	02/10/14 14:22	02/19/14 03:56	321-60-8	
Terphenyl-d14 (S)	80 %		68-125	1	02/10/14 14:22	02/19/14 03:56	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND	ug/L	40.0	2		02/12/14 16:35	67-64-1	
Benzene	127	ug/L	2.0	2		02/12/14 16:35	71-43-2	
Bromobenzene	ND	ug/L	2.0	2		02/12/14 16:35	108-86-1	
Bromochloromethane	ND	ug/L	2.0	2		02/12/14 16:35	74-97-5	
Bromodichloromethane	ND	ug/L	2.0	2		02/12/14 16:35	75-27-4	
Bromoform	ND	ug/L	8.0	2		02/12/14 16:35	75-25-2	
Bromomethane	ND	ug/L	8.0	2		02/12/14 16:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	2		02/12/14 16:35	78-93-3	
n-Butylbenzene	ND	ug/L	2.0	2		02/12/14 16:35	104-51-8	
sec-Butylbenzene	ND	ug/L	2.0	2		02/12/14 16:35	135-98-8	
tert-Butylbenzene	ND	ug/L	2.0	2		02/12/14 16:35	98-06-6	
Carbon disulfide	ND	ug/L	2.0	2		02/12/14 16:35	75-15-0	
Carbon tetrachloride	ND	ug/L	2.0	2		02/12/14 16:35	56-23-5	
Chlorobenzene	ND	ug/L	2.0	2		02/12/14 16:35	108-90-7	
Chloroethane	ND	ug/L	2.0	2		02/12/14 16:35	75-00-3	
Chloroform	ND	ug/L	2.0	2		02/12/14 16:35	67-66-3	
Chloromethane	ND	ug/L	8.0	2		02/12/14 16:35	74-87-3	
2-Chlorotoluene	ND	ug/L	2.0	2		02/12/14 16:35	95-49-8	
4-Chlorotoluene	ND	ug/L	2.0	2		02/12/14 16:35	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	8.0	2		02/12/14 16:35	96-12-8	
Dibromochloromethane	ND	ug/L	2.0	2		02/12/14 16:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	2.0	2		02/12/14 16:35	106-93-4	
Dibromomethane	ND	ug/L	8.0	2		02/12/14 16:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	2.0	2		02/12/14 16:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	2.0	2		02/12/14 16:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	2.0	2		02/12/14 16:35	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-TM-B-1	Lab ID: 10256845014	Collected: 02/05/14 09:00	Received: 02/05/14 14:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
Dichlorodifluoromethane	ND ug/L		2.0	2		02/12/14 16:35	75-71-8	
1,1-Dichloroethane	ND ug/L		2.0	2		02/12/14 16:35	75-34-3	
1,2-Dichloroethane	ND ug/L		2.0	2		02/12/14 16:35	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		4.0	2		02/12/14 16:35	540-59-0	
1,1-Dichloroethene	ND ug/L		2.0	2		02/12/14 16:35	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		2.0	2		02/12/14 16:35	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		2.0	2		02/12/14 16:35	156-60-5	
1,2-Dichloropropane	ND ug/L		8.0	2		02/12/14 16:35	78-87-5	
1,3-Dichloropropane	ND ug/L		2.0	2		02/12/14 16:35	142-28-9	
2,2-Dichloropropane	ND ug/L		8.0	2		02/12/14 16:35	594-20-7	
1,1-Dichloropropene	ND ug/L		2.0	2		02/12/14 16:35	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		8.0	2		02/12/14 16:35	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		8.0	2		02/12/14 16:35	10061-02-6	
Ethylbenzene	2.1 ug/L		2.0	2		02/12/14 16:35	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		2.0	2		02/12/14 16:35	87-68-3	
2-Hexanone	ND ug/L		10.0	2		02/12/14 16:35	591-78-6	L3
Isopropylbenzene (Cumene)	ND ug/L		2.0	2		02/12/14 16:35	98-82-8	
p-Isopropyltoluene	ND ug/L		2.0	2		02/12/14 16:35	99-87-6	
Methylene Chloride	ND ug/L		8.0	2		02/12/14 16:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		10.0	2		02/12/14 16:35	108-10-1	L3
Methyl-tert-butyl ether	ND ug/L		2.0	2		02/12/14 16:35	1634-04-4	
Naphthalene	ND ug/L		8.0	2		02/12/14 16:35	91-20-3	
n-Propylbenzene	2.5 ug/L		2.0	2		02/12/14 16:35	103-65-1	
Styrene	ND ug/L		2.0	2		02/12/14 16:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		2.0	2		02/12/14 16:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		2.0	2		02/12/14 16:35	79-34-5	
Tetrachloroethene	ND ug/L		2.0	2		02/12/14 16:35	127-18-4	
Toluene	ND ug/L		2.0	2		02/12/14 16:35	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		2.0	2		02/12/14 16:35	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		2.0	2		02/12/14 16:35	120-82-1	
1,1,1-Trichloroethane	ND ug/L		2.0	2		02/12/14 16:35	71-55-6	
1,1,2-Trichloroethane	ND ug/L		2.0	2		02/12/14 16:35	79-00-5	
Trichloroethene	ND ug/L		0.80	2		02/12/14 16:35	79-01-6	
Trichlorofluoromethane	ND ug/L		2.0	2		02/12/14 16:35	75-69-4	
1,2,3-Trichloropropane	ND ug/L		8.0	2		02/12/14 16:35	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		2.0	2		02/12/14 16:35	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		2.0	2		02/12/14 16:35	108-67-8	
Vinyl chloride	ND ug/L		0.40	2		02/12/14 16:35	75-01-4	
Xylene (Total)	ND ug/L		6.0	2		02/12/14 16:35	1330-20-7	
m&p-Xylene	ND ug/L		4.0	2		02/12/14 16:35	179601-23-1	
o-Xylene	ND ug/L		2.0	2		02/12/14 16:35	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	83 %		75-125	2		02/12/14 16:35	17060-07-0	
Toluene-d8 (S)	103 %		75-125	2		02/12/14 16:35	2037-26-5	
4-Bromofluorobenzene (S)	98 %		75-125	2		02/12/14 16:35	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample:	Lab ID:	Collected:	Received:	Matrix:									
GW-020514-TM-MW-7	10256845015	02/05/14 10:45	02/05/14 14:50	Water	Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV					Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG					0.93	mg/L		0.40	1	02/10/14 07:37	02/14/14 23:09	68334-30-5	
Motor Oil Range SG					ND	mg/L		0.40	1	02/10/14 07:37	02/14/14 23:09	64742-65-0	
Surrogates													
o-Terphenyl (S)					73	%		30-125	1	02/10/14 07:37	02/14/14 23:09	84-15-1	
n-Triacontane (S)					89	%		30-125	1	02/10/14 07:37	02/14/14 23:09	638-68-6	
NWTPH-Gx GCV					Analytical Method: NWTPH-Gx/8021								
TPH as Gas					18400	ug/L		2000	20		02/11/14 19:14		
Surrogates													
a,a,a-Trifluorotoluene (S)					107	%		70-125	20		02/11/14 19:14	98-08-8	
6020 MET ICPMS					Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic					42.3	ug/L		0.50	1	02/10/14 08:41	02/10/14 18:27	7440-38-2	
Lead					4.1	ug/L		0.10	1	02/10/14 08:41	02/10/14 18:27	7439-92-1	
8270 MSSV PAH by SIM					Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene					0.44	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	83-32-9	
Acenaphthylene					0.098	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	208-96-8	
Anthracene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	120-12-7	
Benzo(a)anthracene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	56-55-3	
Benzo(a)pyrene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	50-32-8	
Benzo(b)fluoranthene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	205-99-2	
Benzo(g,h,i)perylene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	191-24-2	
Benzo(k)fluoranthene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	207-08-9	
Chrysene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	218-01-9	
Dibenz(a,h)anthracene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	53-70-3	
Fluoranthene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	206-44-0	
Fluorene					0.79	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	86-73-7	
Indeno(1,2,3-cd)pyrene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	193-39-5	
1-Methylnaphthalene					35.5	ug/L		0.92	20	02/10/14 14:22	02/19/14 17:54	90-12-0	
2-Methylnaphthalene					81.0	ug/L		0.92	20	02/10/14 14:22	02/19/14 17:54	91-57-6	
Naphthalene					214	ug/L		0.92	20	02/10/14 14:22	02/19/14 17:54	91-20-3	
Phenanthrene					0.61	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	85-01-8	
Pyrene					ND	ug/L		0.046	1	02/10/14 14:22	02/19/14 04:19	129-00-0	
Surrogates													
2-Fluorobiphenyl (S)					73	%		54-125	1	02/10/14 14:22	02/19/14 04:19	321-60-8	
Terphenyl-d14 (S)					80	%		68-125	1	02/10/14 14:22	02/19/14 04:19	1718-51-0	
8260 VOC					Analytical Method: EPA 8260								
Acetone					ND	ug/L		400	20		02/12/14 19:32	67-64-1	
Benzene					4760	ug/L		20.0	20		02/12/14 19:32	71-43-2	
Bromobenzene					ND	ug/L		20.0	20		02/12/14 19:32	108-86-1	
Bromochloromethane					ND	ug/L		20.0	20		02/12/14 19:32	74-97-5	
Bromodichloromethane					ND	ug/L		20.0	20		02/12/14 19:32	75-27-4	
Bromoform					ND	ug/L		80.0	20		02/12/14 19:32	75-25-2	
Bromomethane					ND	ug/L		80.0	20		02/12/14 19:32	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-TM-MW-7	Lab ID: 10256845015	Collected: 02/05/14 10:45	Received: 02/05/14 14:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND	ug/L	100	20		02/12/14 19:32	78-93-3	
n-Butylbenzene	ND	ug/L	20.0	20		02/12/14 19:32	104-51-8	
sec-Butylbenzene	ND	ug/L	20.0	20		02/12/14 19:32	135-98-8	
tert-Butylbenzene	ND	ug/L	20.0	20		02/12/14 19:32	98-06-6	
Carbon disulfide	ND	ug/L	20.0	20		02/12/14 19:32	75-15-0	
Carbon tetrachloride	ND	ug/L	20.0	20		02/12/14 19:32	56-23-5	
Chlorobenzene	ND	ug/L	20.0	20		02/12/14 19:32	108-90-7	
Chloroethane	ND	ug/L	20.0	20		02/12/14 19:32	75-00-3	
Chloroform	ND	ug/L	20.0	20		02/12/14 19:32	67-66-3	
Chloromethane	ND	ug/L	80.0	20		02/12/14 19:32	74-87-3	
2-Chlorotoluene	ND	ug/L	20.0	20		02/12/14 19:32	95-49-8	
4-Chlorotoluene	ND	ug/L	20.0	20		02/12/14 19:32	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	80.0	20		02/12/14 19:32	96-12-8	
Dibromochloromethane	ND	ug/L	20.0	20		02/12/14 19:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	20.0	20		02/12/14 19:32	106-93-4	
Dibromomethane	ND	ug/L	80.0	20		02/12/14 19:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	20.0	20		02/12/14 19:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	20.0	20		02/12/14 19:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	20.0	20		02/12/14 19:32	106-46-7	
Dichlorodifluoromethane	ND	ug/L	20.0	20		02/12/14 19:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	20.0	20		02/12/14 19:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	20.0	20		02/12/14 19:32	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	40.0	20		02/12/14 19:32	540-59-0	
1,1-Dichloroethene	ND	ug/L	20.0	20		02/12/14 19:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	20.0	20		02/12/14 19:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	20.0	20		02/12/14 19:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	80.0	20		02/12/14 19:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	20.0	20		02/12/14 19:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	80.0	20		02/12/14 19:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	20.0	20		02/12/14 19:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	80.0	20		02/12/14 19:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	80.0	20		02/12/14 19:32	10061-02-6	
Ethylbenzene	1560	ug/L	20.0	20		02/12/14 19:32	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	20.0	20		02/12/14 19:32	87-68-3	
2-Hexanone	ND	ug/L	100	20		02/12/14 19:32	591-78-6	L3
Isopropylbenzene (Cumene)	71.1	ug/L	20.0	20		02/12/14 19:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	20.0	20		02/12/14 19:32	99-87-6	
Methylene Chloride	ND	ug/L	80.0	20		02/12/14 19:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	100	20		02/12/14 19:32	108-10-1	L3
Methyl-tert-butyl ether	ND	ug/L	20.0	20		02/12/14 19:32	1634-04-4	
Naphthalene	490	ug/L	80.0	20		02/12/14 19:32	91-20-3	
n-Propylbenzene	174	ug/L	20.0	20		02/12/14 19:32	103-65-1	
Styrene	ND	ug/L	20.0	20		02/12/14 19:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	20.0	20		02/12/14 19:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	20.0	20		02/12/14 19:32	79-34-5	
Tetrachloroethene	ND	ug/L	20.0	20		02/12/14 19:32	127-18-4	
Toluene	148	ug/L	20.0	20		02/12/14 19:32	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-TM-MW-7		Lab ID: 10256845015	Collected: 02/05/14 10:45	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		20.0	20		02/12/14 19:32	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		20.0	20		02/12/14 19:32	120-82-1	
1,1,1-Trichloroethane	ND ug/L		20.0	20		02/12/14 19:32	71-55-6	
1,1,2-Trichloroethane	ND ug/L		20.0	20		02/12/14 19:32	79-00-5	
Trichloroethene	ND ug/L		8.0	20		02/12/14 19:32	79-01-6	
Trichlorofluoromethane	ND ug/L		20.0	20		02/12/14 19:32	75-69-4	
1,2,3-Trichloropropane	ND ug/L		80.0	20		02/12/14 19:32	96-18-4	
1,2,4-Trimethylbenzene	360 ug/L		20.0	20		02/12/14 19:32	95-63-6	
1,3,5-Trimethylbenzene	108 ug/L		20.0	20		02/12/14 19:32	108-67-8	
Vinyl chloride	ND ug/L		4.0	20		02/12/14 19:32	75-01-4	
Xylene (Total)	1170 ug/L		60.0	20		02/12/14 19:32	1330-20-7	
m&p-Xylene	1050 ug/L		40.0	20		02/12/14 19:32	179601-23-1	
o-Xylene	114 ug/L		20.0	20		02/12/14 19:32	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	82 %.		75-125	20		02/12/14 19:32	17060-07-0	HS
Toluene-d8 (S)	103 %.		75-125	20		02/12/14 19:32	2037-26-5	
4-Bromofluorobenzene (S)	96 %.		75-125	20		02/12/14 19:32	460-00-4	

Sample: GW-020514-TM-W-1		Lab ID: 10256845016	Collected: 02/05/14 12:45	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	4.3 mg/L		0.40	1	02/10/14 07:37	02/14/14 23:31	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 23:31	64742-65-0	
Surrogates								
o-Terphenyl (S)	82 %.		30-125	1	02/10/14 07:37	02/14/14 23:31	84-15-1	
n-Triacontane (S)	95 %.		30-125	1	02/10/14 07:37	02/14/14 23:31	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	29600 ug/L		5000	50		02/11/14 18:34		
Surrogates								
a,a,a-Trifluorotoluene (S)	101 %.		70-125	50		02/11/14 18:34	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	8.7 ug/L		0.50	1	02/10/14 08:41	02/10/14 18:32	7440-38-2	
Lead	5.3 ug/L		0.10	1	02/10/14 08:41	02/10/14 18:32	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.75 ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	83-32-9	
Acenaphthylene	0.17 ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	208-96-8	
Anthracene	ND ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	120-12-7	
Benzo(a)anthracene	ND ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	56-55-3	
Benzo(a)pyrene	ND ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-TM-W-1 **Lab ID:** 10256845016 Collected: 02/05/14 12:45 Received: 02/05/14 14:50 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	207-08-9	
Chrysene	ND ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	53-70-3	
Fluoranthene	0.089 ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	206-44-0	
Fluorene	1.2 ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	193-39-5	
1-Methylnaphthalene	25.3 ug/L		1.0	20	02/10/14 14:22	02/19/14 18:16	90-12-0	
2-Methylnaphthalene	59.8 ug/L		1.0	20	02/10/14 14:22	02/19/14 18:16	91-57-6	
Naphthalene	111 ug/L		1.0	20	02/10/14 14:22	02/19/14 18:16	91-20-3	
Phenanthrene	0.56 ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	85-01-8	
Pyrene	0.075 ug/L		0.050	1	02/10/14 14:22	02/19/14 04:41	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	79 %.		54-125	1	02/10/14 14:22	02/19/14 04:41	321-60-8	
Terphenyl-d14 (S)	72 %.		68-125	1	02/10/14 14:22	02/19/14 04:41	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		400	20		02/12/14 19:56	67-64-1	
Benzene	3190 ug/L		20.0	20		02/12/14 19:56	71-43-2	
Bromobenzene	ND ug/L		20.0	20		02/12/14 19:56	108-86-1	
Bromochloromethane	ND ug/L		20.0	20		02/12/14 19:56	74-97-5	
Bromodichloromethane	ND ug/L		20.0	20		02/12/14 19:56	75-27-4	
Bromoform	ND ug/L		80.0	20		02/12/14 19:56	75-25-2	
Bromomethane	ND ug/L		80.0	20		02/12/14 19:56	74-83-9	
2-Butanone (MEK)	ND ug/L		100	20		02/12/14 19:56	78-93-3	
n-Butylbenzene	39.5 ug/L		20.0	20		02/12/14 19:56	104-51-8	
sec-Butylbenzene	ND ug/L		20.0	20		02/12/14 19:56	135-98-8	
tert-Butylbenzene	ND ug/L		20.0	20		02/12/14 19:56	98-06-6	
Carbon disulfide	ND ug/L		20.0	20		02/12/14 19:56	75-15-0	
Carbon tetrachloride	ND ug/L		20.0	20		02/12/14 19:56	56-23-5	
Chlorobenzene	ND ug/L		20.0	20		02/12/14 19:56	108-90-7	
Chloroethane	ND ug/L		20.0	20		02/12/14 19:56	75-00-3	
Chloroform	ND ug/L		20.0	20		02/12/14 19:56	67-66-3	
Chloromethane	ND ug/L		80.0	20		02/12/14 19:56	74-87-3	
2-Chlorotoluene	ND ug/L		20.0	20		02/12/14 19:56	95-49-8	
4-Chlorotoluene	ND ug/L		20.0	20		02/12/14 19:56	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		80.0	20		02/12/14 19:56	96-12-8	
Dibromochloromethane	ND ug/L		20.0	20		02/12/14 19:56	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		20.0	20		02/12/14 19:56	106-93-4	
Dibromomethane	ND ug/L		80.0	20		02/12/14 19:56	74-95-3	
1,2-Dichlorobenzene	ND ug/L		20.0	20		02/12/14 19:56	95-50-1	
1,3-Dichlorobenzene	ND ug/L		20.0	20		02/12/14 19:56	541-73-1	
1,4-Dichlorobenzene	ND ug/L		20.0	20		02/12/14 19:56	106-46-7	
Dichlorodifluoromethane	ND ug/L		20.0	20		02/12/14 19:56	75-71-8	
1,1-Dichloroethane	ND ug/L		20.0	20		02/12/14 19:56	75-34-3	
1,2-Dichloroethane	ND ug/L		20.0	20		02/12/14 19:56	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		40.0	20		02/12/14 19:56	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020514-TM-W-1	Lab ID: 10256845016	Collected: 02/05/14 12:45	Received: 02/05/14 14:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND ug/L		20.0	20		02/12/14 19:56	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		20.0	20		02/12/14 19:56	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		20.0	20		02/12/14 19:56	156-60-5	
1,2-Dichloropropane	ND ug/L		80.0	20		02/12/14 19:56	78-87-5	
1,3-Dichloropropane	ND ug/L		20.0	20		02/12/14 19:56	142-28-9	
2,2-Dichloropropane	ND ug/L		80.0	20		02/12/14 19:56	594-20-7	
1,1-Dichloropropene	ND ug/L		20.0	20		02/12/14 19:56	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		80.0	20		02/12/14 19:56	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		80.0	20		02/12/14 19:56	10061-02-6	
Ethylbenzene	274 ug/L		20.0	20		02/12/14 19:56	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		20.0	20		02/12/14 19:56	87-68-3	
2-Hexanone	ND ug/L		100	20		02/12/14 19:56	591-78-6	L3
Isopropylbenzene (Cumene)	ND ug/L		20.0	20		02/12/14 19:56	98-82-8	
p-Isopropyltoluene	27.6 ug/L		20.0	20		02/12/14 19:56	99-87-6	
Methylene Chloride	ND ug/L		80.0	20		02/12/14 19:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		100	20		02/12/14 19:56	108-10-1	L3
Methyl-tert-butyl ether	37.0 ug/L		20.0	20		02/12/14 19:56	1634-04-4	
Naphthalene	226 ug/L		80.0	20		02/12/14 19:56	91-20-3	
n-Propylbenzene	29.3 ug/L		20.0	20		02/12/14 19:56	103-65-1	
Styrene	ND ug/L		20.0	20		02/12/14 19:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		20.0	20		02/12/14 19:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		20.0	20		02/12/14 19:56	79-34-5	
Tetrachloroethene	ND ug/L		20.0	20		02/12/14 19:56	127-18-4	
Toluene	30.3 ug/L		20.0	20		02/12/14 19:56	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		20.0	20		02/12/14 19:56	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		20.0	20		02/12/14 19:56	120-82-1	
1,1,1-Trichloroethane	ND ug/L		20.0	20		02/12/14 19:56	71-55-6	
1,1,2-Trichloroethane	ND ug/L		20.0	20		02/12/14 19:56	79-00-5	
Trichloroethene	ND ug/L		8.0	20		02/12/14 19:56	79-01-6	
Trichlorofluoromethane	ND ug/L		20.0	20		02/12/14 19:56	75-69-4	
1,2,3-Trichloropropane	ND ug/L		80.0	20		02/12/14 19:56	96-18-4	
1,2,4-Trimethylbenzene	1580 ug/L		20.0	20		02/12/14 19:56	95-63-6	
1,3,5-Trimethylbenzene	788 ug/L		20.0	20		02/12/14 19:56	108-67-8	
Vinyl chloride	ND ug/L		4.0	20		02/12/14 19:56	75-01-4	
Xylene (Total)	3650 ug/L		60.0	20		02/12/14 19:56	1330-20-7	
m&p-Xylene	3400 ug/L		40.0	20		02/12/14 19:56	179601-23-1	
o-Xylene	254 ug/L		20.0	20		02/12/14 19:56	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	82 %		75-125	20		02/12/14 19:56	17060-07-0	
Toluene-d8 (S)	101 %		75-125	20		02/12/14 19:56	2037-26-5	
4-Bromofluorobenzene (S)	95 %		75-125	20		02/12/14 19:56	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-TM-B-3A	Lab ID: 10256845017	Collected: 02/05/14 14:15	Received: 02/05/14 14:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	3.2 mg/L		0.40	1	02/10/14 07:37	02/14/14 23:52	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/14/14 23:52	64742-65-0	
Surrogates								
o-Terphenyl (S)	78 %.		30-125	1	02/10/14 07:37	02/14/14 23:52	84-15-1	
n-Triacontane (S)	91 %.		30-125	1	02/10/14 07:37	02/14/14 23:52	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	200000 ug/L		20000	200		02/12/14 01:55		
Surrogates								
a,a,a-Trifluorotoluene (S)	103 %.		70-125	200		02/12/14 01:55	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	34.9 ug/L		0.50	1	02/10/14 08:41	02/10/14 18:37	7440-38-2	
Lead	7.6 ug/L		0.10	1	02/10/14 08:41	02/10/14 18:37	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	0.54 ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	83-32-9	
Acenaphthylene	0.18 ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	208-96-8	
Anthracene	0.12 ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	207-08-9	
Chrysene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	53-70-3	
Fluoranthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	206-44-0	
Fluorene	1.3 ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	193-39-5	
1-Methylnaphthalene	63.8 ug/L		2.2	50	02/10/14 14:22	02/19/14 18:38	90-12-0	
2-Methylnaphthalene	176 ug/L		2.2	50	02/10/14 14:22	02/19/14 18:38	91-57-6	
Naphthalene	411 ug/L		2.2	50	02/10/14 14:22	02/19/14 18:38	91-20-3	
Phenanthrene	1.0 ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	85-01-8	
Pyrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:03	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	84 %.		54-125	1	02/10/14 14:22	02/19/14 05:03	321-60-8	
Terphenyl-d14 (S)	83 %.		68-125	1	02/10/14 14:22	02/19/14 05:03	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		1000	50		02/12/14 20:20	67-64-1	
Benzene	28400 ug/L		250	250		02/14/14 16:44	71-43-2	
Bromobenzene	ND ug/L		50.0	50		02/12/14 20:20	108-86-1	
Bromochloromethane	ND ug/L		50.0	50		02/12/14 20:20	74-97-5	
Bromodichloromethane	ND ug/L		50.0	50		02/12/14 20:20	75-27-4	
Bromoform	ND ug/L		200	50		02/12/14 20:20	75-25-2	
Bromomethane	ND ug/L		200	50		02/12/14 20:20	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020514-TM-B-3A	Lab ID: 10256845017	Collected: 02/05/14 14:15	Received: 02/05/14 14:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND ug/L		250	50		02/12/14 20:20	78-93-3	
n-Butylbenzene	ND ug/L		50.0	50		02/12/14 20:20	104-51-8	
sec-Butylbenzene	ND ug/L		50.0	50		02/12/14 20:20	135-98-8	
tert-Butylbenzene	ND ug/L		50.0	50		02/12/14 20:20	98-06-6	
Carbon disulfide	ND ug/L		50.0	50		02/12/14 20:20	75-15-0	
Carbon tetrachloride	ND ug/L		50.0	50		02/12/14 20:20	56-23-5	
Chlorobenzene	ND ug/L		50.0	50		02/12/14 20:20	108-90-7	
Chloroethane	ND ug/L		50.0	50		02/12/14 20:20	75-00-3	
Chloroform	ND ug/L		50.0	50		02/12/14 20:20	67-66-3	
Chloromethane	ND ug/L		200	50		02/12/14 20:20	74-87-3	
2-Chlorotoluene	ND ug/L		50.0	50		02/12/14 20:20	95-49-8	
4-Chlorotoluene	ND ug/L		50.0	50		02/12/14 20:20	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		200	50		02/12/14 20:20	96-12-8	
Dibromochloromethane	ND ug/L		50.0	50		02/12/14 20:20	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		50.0	50		02/12/14 20:20	106-93-4	
Dibromomethane	ND ug/L		200	50		02/12/14 20:20	74-95-3	
1,2-Dichlorobenzene	ND ug/L		50.0	50		02/12/14 20:20	95-50-1	
1,3-Dichlorobenzene	ND ug/L		50.0	50		02/12/14 20:20	541-73-1	
1,4-Dichlorobenzene	ND ug/L		50.0	50		02/12/14 20:20	106-46-7	
Dichlorodifluoromethane	ND ug/L		50.0	50		02/12/14 20:20	75-71-8	
1,1-Dichloroethane	ND ug/L		50.0	50		02/12/14 20:20	75-34-3	
1,2-Dichloroethane	ND ug/L		50.0	50		02/12/14 20:20	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		100	50		02/12/14 20:20	540-59-0	
1,1-Dichloroethene	ND ug/L		50.0	50		02/12/14 20:20	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		50.0	50		02/12/14 20:20	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		50.0	50		02/12/14 20:20	156-60-5	
1,2-Dichloropropane	ND ug/L		200	50		02/12/14 20:20	78-87-5	
1,3-Dichloropropane	ND ug/L		50.0	50		02/12/14 20:20	142-28-9	
2,2-Dichloropropane	ND ug/L		200	50		02/12/14 20:20	594-20-7	
1,1-Dichloropropene	ND ug/L		50.0	50		02/12/14 20:20	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		200	50		02/12/14 20:20	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		200	50		02/12/14 20:20	10061-02-6	
Ethylbenzene	2790 ug/L		50.0	50		02/12/14 20:20	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		50.0	50		02/12/14 20:20	87-68-3	
2-Hexanone	ND ug/L		250	50		02/12/14 20:20	591-78-6	L3
Isopropylbenzene (Cumene)	74.9 ug/L		50.0	50		02/12/14 20:20	98-82-8	
p-Isopropyltoluene	ND ug/L		50.0	50		02/12/14 20:20	99-87-6	
Methylene Chloride	ND ug/L		200	50		02/12/14 20:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		250	50		02/12/14 20:20	108-10-1	L3
Methyl-tert-butyl ether	ND ug/L		50.0	50		02/12/14 20:20	1634-04-4	
Naphthalene	805 ug/L		200	50		02/12/14 20:20	91-20-3	
n-Propylbenzene	214 ug/L		50.0	50		02/12/14 20:20	103-65-1	
Styrene	ND ug/L		50.0	50		02/12/14 20:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		50.0	50		02/12/14 20:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		50.0	50		02/12/14 20:20	79-34-5	
Tetrachloroethene	ND ug/L		50.0	50		02/12/14 20:20	127-18-4	
Toluene	28300 ug/L		250	250		02/14/14 16:44	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020514-TM-B-3A		Lab ID: 10256845017	Collected: 02/05/14 14:15	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		50.0	50		02/12/14 20:20	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		50.0	50		02/12/14 20:20	120-82-1	
1,1,1-Trichloroethane	ND ug/L		50.0	50		02/12/14 20:20	71-55-6	
1,1,2-Trichloroethane	ND ug/L		50.0	50		02/12/14 20:20	79-00-5	
Trichloroethene	ND ug/L		20.0	50		02/12/14 20:20	79-01-6	
Trichlorofluoromethane	ND ug/L		50.0	50		02/12/14 20:20	75-69-4	
1,2,3-Trichloropropane	ND ug/L		200	50		02/12/14 20:20	96-18-4	
1,2,4-Trimethylbenzene	1980 ug/L		50.0	50		02/12/14 20:20	95-63-6	
1,3,5-Trimethylbenzene	536 ug/L		50.0	50		02/12/14 20:20	108-67-8	
Vinyl chloride	ND ug/L		10.0	50		02/12/14 20:20	75-01-4	
Xylene (Total)	18400 ug/L		150	50		02/12/14 20:20	1330-20-7	
m&p-Xylene	12700 ug/L		100	50		02/12/14 20:20	179601-23-1	
o-Xylene	5780 ug/L		50.0	50		02/12/14 20:20	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	80 %.		75-125	50		02/12/14 20:20	17060-07-0	
Toluene-d8 (S)	97 %.		75-125	50		02/12/14 20:20	2037-26-5	
4-Bromofluorobenzene (S)	98 %.		75-125	50		02/12/14 20:20	460-00-4	

Sample: DUP		Lab ID: 10256845018	Collected: 02/05/14 00:00	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	1.2 mg/L		0.40	1	02/10/14 07:37	02/15/14 00:14	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 00:14	64742-65-0	
Surrogates								
o-Terphenyl (S)	85 %.		30-125	1	02/10/14 07:37	02/15/14 00:14	84-15-1	
n-Triacontane (S)	97 %.		30-125	1	02/10/14 07:37	02/15/14 00:14	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	18900 ug/L		2000	20		02/11/14 21:55		
Surrogates								
a,a,a-Trifluorotoluene (S)	108 %.		70-125	20		02/11/14 21:55	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	42.0 ug/L		0.50	1	02/10/14 08:41	02/10/14 18:41	7440-38-2	
Lead	4.1 ug/L		0.10	1	02/10/14 08:41	02/10/14 18:41	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.49 ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	83-32-9	
Acenaphthylene	0.11 ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	208-96-8	
Anthracene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: DUP **Lab ID: 10256845018** Collected: 02/05/14 00:00 Received: 02/05/14 14:50 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	207-08-9	
Chrysene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	53-70-3	
Fluoranthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	206-44-0	
Fluorene	0.88 ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	193-39-5	
1-Methylnaphthalene	32.1 ug/L		0.85	20	02/10/14 14:22	02/19/14 19:00	90-12-0	
2-Methylnaphthalene	70.4 ug/L		0.85	20	02/10/14 14:22	02/19/14 19:00	91-57-6	
Naphthalene	189 ug/L		0.85	20	02/10/14 14:22	02/19/14 19:00	91-20-3	
Phenanthrene	0.66 ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	85-01-8	
Pyrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:25	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	80 %.		54-125	1	02/10/14 14:22	02/19/14 05:25	321-60-8	
Terphenyl-d14 (S)	83 %.		68-125	1	02/10/14 14:22	02/19/14 05:25	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		400	20		02/12/14 19:07	67-64-1	
Benzene	6150 ug/L		50.0	50		02/13/14 20:57	71-43-2	
Bromobenzene	ND ug/L		20.0	20		02/12/14 19:07	108-86-1	
Bromochloromethane	ND ug/L		20.0	20		02/12/14 19:07	74-97-5	
Bromodichloromethane	ND ug/L		20.0	20		02/12/14 19:07	75-27-4	
Bromoform	ND ug/L		80.0	20		02/12/14 19:07	75-25-2	
Bromomethane	ND ug/L		80.0	20		02/12/14 19:07	74-83-9	
2-Butanone (MEK)	ND ug/L		100	20		02/12/14 19:07	78-93-3	
n-Butylbenzene	ND ug/L		20.0	20		02/12/14 19:07	104-51-8	
sec-Butylbenzene	ND ug/L		20.0	20		02/12/14 19:07	135-98-8	
tert-Butylbenzene	ND ug/L		20.0	20		02/12/14 19:07	98-06-6	
Carbon disulfide	ND ug/L		20.0	20		02/12/14 19:07	75-15-0	
Carbon tetrachloride	ND ug/L		20.0	20		02/12/14 19:07	56-23-5	
Chlorobenzene	ND ug/L		20.0	20		02/12/14 19:07	108-90-7	
Chloroethane	ND ug/L		20.0	20		02/12/14 19:07	75-00-3	
Chloroform	ND ug/L		20.0	20		02/12/14 19:07	67-66-3	
Chloromethane	ND ug/L		80.0	20		02/12/14 19:07	74-87-3	
2-Chlorotoluene	ND ug/L		20.0	20		02/12/14 19:07	95-49-8	
4-Chlorotoluene	ND ug/L		20.0	20		02/12/14 19:07	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		80.0	20		02/12/14 19:07	96-12-8	
Dibromochloromethane	ND ug/L		20.0	20		02/12/14 19:07	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		20.0	20		02/12/14 19:07	106-93-4	
Dibromomethane	ND ug/L		80.0	20		02/12/14 19:07	74-95-3	
1,2-Dichlorobenzene	ND ug/L		20.0	20		02/12/14 19:07	95-50-1	
1,3-Dichlorobenzene	ND ug/L		20.0	20		02/12/14 19:07	541-73-1	
1,4-Dichlorobenzene	ND ug/L		20.0	20		02/12/14 19:07	106-46-7	
Dichlorodifluoromethane	ND ug/L		20.0	20		02/12/14 19:07	75-71-8	
1,1-Dichloroethane	ND ug/L		20.0	20		02/12/14 19:07	75-34-3	
1,2-Dichloroethane	ND ug/L		20.0	20		02/12/14 19:07	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		40.0	20		02/12/14 19:07	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: DUP		Lab ID: 10256845018	Collected: 02/05/14 00:00	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND	ug/L	20.0	20		02/12/14 19:07	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	20.0	20		02/12/14 19:07	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	20.0	20		02/12/14 19:07	156-60-5	
1,2-Dichloropropane	ND	ug/L	80.0	20		02/12/14 19:07	78-87-5	
1,3-Dichloropropane	ND	ug/L	20.0	20		02/12/14 19:07	142-28-9	
2,2-Dichloropropane	ND	ug/L	80.0	20		02/12/14 19:07	594-20-7	
1,1-Dichloropropene	ND	ug/L	20.0	20		02/12/14 19:07	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	80.0	20		02/12/14 19:07	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	80.0	20		02/12/14 19:07	10061-02-6	
Ethylbenzene	1750	ug/L	20.0	20		02/12/14 19:07	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	20.0	20		02/12/14 19:07	87-68-3	
2-Hexanone	ND	ug/L	100	20		02/12/14 19:07	591-78-6	L3
Isopropylbenzene (Cumene)	82.0	ug/L	20.0	20		02/12/14 19:07	98-82-8	
p-Isopropyltoluene	ND	ug/L	20.0	20		02/12/14 19:07	99-87-6	
Methylene Chloride	ND	ug/L	80.0	20		02/12/14 19:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	100	20		02/12/14 19:07	108-10-1	L3
Methyl-tert-butyl ether	ND	ug/L	20.0	20		02/12/14 19:07	1634-04-4	
Naphthalene	544	ug/L	80.0	20		02/12/14 19:07	91-20-3	
n-Propylbenzene	197	ug/L	20.0	20		02/12/14 19:07	103-65-1	
Styrene	ND	ug/L	20.0	20		02/12/14 19:07	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	20.0	20		02/12/14 19:07	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	20.0	20		02/12/14 19:07	79-34-5	
Tetrachloroethene	ND	ug/L	20.0	20		02/12/14 19:07	127-18-4	
Toluene	170	ug/L	20.0	20		02/12/14 19:07	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	20.0	20		02/12/14 19:07	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	20.0	20		02/12/14 19:07	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	20.0	20		02/12/14 19:07	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	20.0	20		02/12/14 19:07	79-00-5	
Trichloroethene	ND	ug/L	8.0	20		02/12/14 19:07	79-01-6	
Trichlorofluoromethane	ND	ug/L	20.0	20		02/12/14 19:07	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	80.0	20		02/12/14 19:07	96-18-4	
1,2,4-Trimethylbenzene	397	ug/L	20.0	20		02/12/14 19:07	95-63-6	
1,3,5-Trimethylbenzene	122	ug/L	20.0	20		02/12/14 19:07	108-67-8	
Vinyl chloride	ND	ug/L	4.0	20		02/12/14 19:07	75-01-4	
Xylene (Total)	1310	ug/L	60.0	20		02/12/14 19:07	1330-20-7	
m&p-Xylene	1180	ug/L	40.0	20		02/12/14 19:07	179601-23-1	
o-Xylene	132	ug/L	20.0	20		02/12/14 19:07	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	82	%	75-125	20		02/12/14 19:07	17060-07-0	
Toluene-d8 (S)	102	%	75-125	20		02/12/14 19:07	2037-26-5	
4-Bromofluorobenzene (S)	98	%	75-125	20		02/12/14 19:07	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: Trip Blank		Lab ID: 10256845019	Collected: 02/05/14 00:00	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
Acetone	ND	ug/L	20.0	1		02/12/14 12:06	67-64-1	
Benzene	ND	ug/L	1.0	1		02/12/14 12:06	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		02/12/14 12:06	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		02/12/14 12:06	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		02/12/14 12:06	75-27-4	
Bromoform	ND	ug/L	4.0	1		02/12/14 12:06	75-25-2	
Bromomethane	ND	ug/L	4.0	1		02/12/14 12:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		02/12/14 12:06	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		02/12/14 12:06	104-51-8	
sec-Butylbenzene	ND	ug/L	1.0	1		02/12/14 12:06	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		02/12/14 12:06	98-06-6	
Carbon disulfide	ND	ug/L	1.0	1		02/12/14 12:06	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		02/12/14 12:06	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		02/12/14 12:06	108-90-7	
Chloroethane	ND	ug/L	1.0	1		02/12/14 12:06	75-00-3	
Chloroform	ND	ug/L	1.0	1		02/12/14 12:06	67-66-3	
Chloromethane	ND	ug/L	4.0	1		02/12/14 12:06	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		02/12/14 12:06	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		02/12/14 12:06	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		02/12/14 12:06	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		02/12/14 12:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		02/12/14 12:06	106-93-4	
Dibromomethane	ND	ug/L	4.0	1		02/12/14 12:06	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		02/12/14 12:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		02/12/14 12:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		02/12/14 12:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		02/12/14 12:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		02/12/14 12:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		02/12/14 12:06	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	2.0	1		02/12/14 12:06	540-59-0	
1,1-Dichloroethene	ND	ug/L	1.0	1		02/12/14 12:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/12/14 12:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/12/14 12:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/12/14 12:06	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/12/14 12:06	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/12/14 12:06	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/12/14 12:06	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/12/14 12:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/12/14 12:06	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		02/12/14 12:06	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/12/14 12:06	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/12/14 12:06	591-78-6	L3
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		02/12/14 12:06	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/12/14 12:06	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/12/14 12:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/12/14 12:06	108-10-1	L3
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/12/14 12:06	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: Trip Blank		Lab ID: 10256845019	Collected: 02/05/14 00:00	Received: 02/05/14 14:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
Naphthalene	ND ug/L		4.0	1		02/12/14 12:06	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/12/14 12:06	103-65-1	
Styrene	ND ug/L		1.0	1		02/12/14 12:06	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 12:06	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 12:06	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/12/14 12:06	127-18-4	
Toluene	ND ug/L		1.0	1		02/12/14 12:06	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 12:06	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 12:06	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/12/14 12:06	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/12/14 12:06	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/12/14 12:06	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/12/14 12:06	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/12/14 12:06	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 12:06	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 12:06	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/12/14 12:06	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/12/14 12:06	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/12/14 12:06	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/12/14 12:06	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	87 %.		75-125	1		02/12/14 12:06	17060-07-0	
Toluene-d8 (S)	102 %.		75-125	1		02/12/14 12:06	2037-26-5	
4-Bromofluorobenzene (S)	97 %.		75-125	1		02/12/14 12:06	460-00-4	

Sample: GW-020614-NH-MW13		Lab ID: 10256845020	Collected: 02/06/14 09:30	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 00:36	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 00:36	64742-65-0	
Surrogates								
o-Terphenyl (S)	82 %.		30-125	1	02/10/14 07:37	02/15/14 00:36	84-15-1	
n-Triacontane (S)	94 %.		30-125	1	02/10/14 07:37	02/15/14 00:36	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/09/14 22:52		
Surrogates								
a,a,a-Trifluorotoluene (S)	101 %.		70-125	1		02/09/14 22:52	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	0.88 ug/L		0.50	1	02/10/14 08:41	02/10/14 18:46	7440-38-2	
Lead	ND ug/L		0.10	1	02/10/14 08:41	02/10/14 18:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-NH-MW13 **Lab ID: 10256845020** Collected: 02/06/14 09:30 Received: 02/06/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Acenaphthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	83-32-9	
Acenaphthylene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	208-96-8	
Anthracene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	207-08-9	
Chrysene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	53-70-3	
Fluoranthene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	206-44-0	
Fluorene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	193-39-5	
1-Methylnaphthalene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	90-12-0	
2-Methylnaphthalene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	91-57-6	
Naphthalene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	91-20-3	
Phenanthrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	85-01-8	
Pyrene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 05:48	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	67 %.		54-125	1	02/10/14 14:22	02/19/14 05:48	321-60-8	
Terphenyl-d14 (S)	80 %.		68-125	1	02/10/14 14:22	02/19/14 05:48	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/12/14 12:55	67-64-1	
Benzene	ND ug/L		1.0	1		02/12/14 12:55	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/12/14 12:55	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/12/14 12:55	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/12/14 12:55	75-27-4	
Bromoform	ND ug/L		4.0	1		02/12/14 12:55	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/12/14 12:55	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/12/14 12:55	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/12/14 12:55	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/12/14 12:55	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/12/14 12:55	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/12/14 12:55	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/12/14 12:55	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/12/14 12:55	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/12/14 12:55	75-00-3	
Chloroform	ND ug/L		1.0	1		02/12/14 12:55	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/12/14 12:55	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/12/14 12:55	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/12/14 12:55	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/12/14 12:55	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/12/14 12:55	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/12/14 12:55	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/12/14 12:55	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 12:55	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020614-NH-MW13	Lab ID: 10256845020	Collected: 02/06/14 09:30	Received: 02/06/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 12:55	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 12:55	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/12/14 12:55	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/12/14 12:55	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/12/14 12:55	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/12/14 12:55	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/12/14 12:55	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 12:55	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 12:55	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 12:55	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/12/14 12:55	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 12:55	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/12/14 12:55	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 12:55	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 12:55	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/12/14 12:55	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/12/14 12:55	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/12/14 12:55	591-78-6	L3
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/12/14 12:55	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/12/14 12:55	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/12/14 12:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/12/14 12:55	108-10-1	L3
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/12/14 12:55	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/12/14 12:55	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/12/14 12:55	103-65-1	
Styrene	ND ug/L		1.0	1		02/12/14 12:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 12:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 12:55	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/12/14 12:55	127-18-4	
Toluene	ND ug/L		1.0	1		02/12/14 12:55	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 12:55	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 12:55	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/12/14 12:55	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/12/14 12:55	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/12/14 12:55	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/12/14 12:55	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/12/14 12:55	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 12:55	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 12:55	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/12/14 12:55	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/12/14 12:55	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/12/14 12:55	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/12/14 12:55	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	86 %.		75-125	1		02/12/14 12:55	17060-07-0	
Toluene-d8 (S)	103 %.		75-125	1		02/12/14 12:55	2037-26-5	
4-Bromofluorobenzene (S)	98 %.		75-125	1		02/12/14 12:55	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample:	Lab ID:	Collected:	Received:	Matrix:				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: GW-020614-NH-MW11	Lab ID: 10256845021	Collected: 02/06/14 11:00	Received: 02/06/14 15:30	Matrix: Water				
NWTPH-Dx GCS Silica Gel LV Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 00:58	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 00:58	64742-65-0	
Surrogates								
o-Terphenyl (S)	87 %.		30-125	1	02/10/14 07:37	02/15/14 00:58	84-15-1	
n-Triacontane (S)	101 %.		30-125	1	02/10/14 07:37	02/15/14 00:58	638-68-6	
NWTPH-Gx GCV Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/09/14 19:52		
Surrogates								
a,a,a-Trifluorotoluene (S)	102 %.		70-125	1		02/09/14 19:52	98-08-8	
6020 MET ICPMS Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	2.1 ug/L		0.50	1	02/10/14 08:41	02/10/14 18:51	7440-38-2	
Lead	0.18 ug/L		0.10	1	02/10/14 08:41	02/10/14 18:51	7439-92-1	
8270 MSSV PAH by SIM Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	83-32-9	
Acenaphthylene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	208-96-8	
Anthracene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	120-12-7	
Benzo(a)anthracene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	56-55-3	
Benzo(a)pyrene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	207-08-9	
Chrysene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	53-70-3	
Fluoranthene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	206-44-0	
Fluorene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	193-39-5	
1-Methylnaphthalene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	90-12-0	
2-Methylnaphthalene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	91-57-6	
Naphthalene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	91-20-3	
Phenanthrene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	85-01-8	
Pyrene	ND ug/L		0.044	1	02/10/14 14:22	02/19/14 06:10	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	74 %.		54-125	1	02/10/14 14:22	02/19/14 06:10	321-60-8	
Terphenyl-d14 (S)	80 %.		68-125	1	02/10/14 14:22	02/19/14 06:10	1718-51-0	
8260 VOC Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/12/14 14:31	67-64-1	
Benzene	ND ug/L		1.0	1		02/12/14 14:31	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/12/14 14:31	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/12/14 14:31	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/12/14 14:31	75-27-4	
Bromoform	ND ug/L		4.0	1		02/12/14 14:31	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/12/14 14:31	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020614-NH-MW11	Lab ID: 10256845021	Collected: 02/06/14 11:00	Received: 02/06/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND ug/L		5.0	1		02/12/14 14:31	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/12/14 14:31	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/12/14 14:31	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/12/14 14:31	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/12/14 14:31	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/12/14 14:31	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/12/14 14:31	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/12/14 14:31	75-00-3	
Chloroform	ND ug/L		1.0	1		02/12/14 14:31	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/12/14 14:31	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/12/14 14:31	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/12/14 14:31	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/12/14 14:31	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/12/14 14:31	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/12/14 14:31	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/12/14 14:31	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 14:31	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 14:31	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 14:31	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/12/14 14:31	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/12/14 14:31	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/12/14 14:31	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/12/14 14:31	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/12/14 14:31	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 14:31	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 14:31	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 14:31	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/12/14 14:31	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 14:31	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/12/14 14:31	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 14:31	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 14:31	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/12/14 14:31	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/12/14 14:31	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/12/14 14:31	591-78-6	L3
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/12/14 14:31	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/12/14 14:31	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/12/14 14:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/12/14 14:31	108-10-1	L3
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/12/14 14:31	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/12/14 14:31	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/12/14 14:31	103-65-1	
Styrene	ND ug/L		1.0	1		02/12/14 14:31	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 14:31	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 14:31	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/12/14 14:31	127-18-4	
Toluene	ND ug/L		1.0	1		02/12/14 14:31	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020614-NH-MW11		Lab ID: 10256845021	Collected: 02/06/14 11:00	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 14:31	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 14:31	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/12/14 14:31	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/12/14 14:31	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/12/14 14:31	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/12/14 14:31	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/12/14 14:31	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 14:31	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 14:31	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/12/14 14:31	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/12/14 14:31	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/12/14 14:31	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/12/14 14:31	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	85 %.		75-125	1		02/12/14 14:31	17060-07-0	
Toluene-d8 (S)	103 %.		75-125	1		02/12/14 14:31	2037-26-5	
4-Bromofluorobenzene (S)	96 %.		75-125	1		02/12/14 14:31	460-00-4	

Sample: GW-020614-NH-DW4		Lab ID: 10256845022	Collected: 02/06/14 13:00	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 01:19	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 01:19	64742-65-0	
Surrogates								
o-Terphenyl (S)	85 %.		30-125	1	02/10/14 07:37	02/15/14 01:19	84-15-1	
n-Triacontane (S)	100 %.		30-125	1	02/10/14 07:37	02/15/14 01:19	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/09/14 19:32		
Surrogates								
a,a,a-Trifluorotoluene (S)	102 %.		70-125	1		02/09/14 19:32	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	ND ug/L		0.50	1	02/10/14 08:41	02/10/14 18:55	7440-38-2	
Lead	ND ug/L		0.10	1	02/10/14 08:41	02/10/14 18:55	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	83-32-9	
Acenaphthylene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	208-96-8	
Anthracene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	120-12-7	
Benzo(a)anthracene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	56-55-3	
Benzo(a)pyrene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-NH-DW4 **Lab ID: 10256845022** Collected: 02/06/14 13:00 Received: 02/06/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	207-08-9	
Chrysene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	53-70-3	
Fluoranthene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	206-44-0	
Fluorene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	193-39-5	
1-Methylnaphthalene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	90-12-0	
2-Methylnaphthalene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	91-57-6	
Naphthalene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	91-20-3	
Phenanthrene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	85-01-8	
Pyrene	ND ug/L		0.045	1	02/10/14 14:22	02/19/14 06:32	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	72 %.		54-125	1	02/10/14 14:22	02/19/14 06:32	321-60-8	
Terphenyl-d14 (S)	80 %.		68-125	1	02/10/14 14:22	02/19/14 06:32	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/12/14 14:56	67-64-1	
Benzene	ND ug/L		1.0	1		02/12/14 14:56	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/12/14 14:56	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/12/14 14:56	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/12/14 14:56	75-27-4	
Bromoform	ND ug/L		4.0	1		02/12/14 14:56	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/12/14 14:56	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/12/14 14:56	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/12/14 14:56	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/12/14 14:56	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/12/14 14:56	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/12/14 14:56	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/12/14 14:56	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/12/14 14:56	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/12/14 14:56	75-00-3	
Chloroform	ND ug/L		1.0	1		02/12/14 14:56	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/12/14 14:56	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/12/14 14:56	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/12/14 14:56	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/12/14 14:56	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/12/14 14:56	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/12/14 14:56	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/12/14 14:56	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 14:56	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 14:56	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 14:56	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/12/14 14:56	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/12/14 14:56	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/12/14 14:56	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/12/14 14:56	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-NH-DW4	Lab ID: 10256845022	Collected: 02/06/14 13:00	Received: 02/06/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND ug/L		1.0	1		02/12/14 14:56	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 14:56	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 14:56	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 14:56	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/12/14 14:56	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 14:56	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/12/14 14:56	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 14:56	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 14:56	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/12/14 14:56	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/12/14 14:56	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/12/14 14:56	591-78-6	L3
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/12/14 14:56	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/12/14 14:56	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/12/14 14:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/12/14 14:56	108-10-1	L3
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/12/14 14:56	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/12/14 14:56	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/12/14 14:56	103-65-1	
Styrene	ND ug/L		1.0	1		02/12/14 14:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 14:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 14:56	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/12/14 14:56	127-18-4	
Toluene	ND ug/L		1.0	1		02/12/14 14:56	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 14:56	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 14:56	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/12/14 14:56	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/12/14 14:56	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/12/14 14:56	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/12/14 14:56	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/12/14 14:56	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 14:56	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 14:56	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/12/14 14:56	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/12/14 14:56	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/12/14 14:56	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/12/14 14:56	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	84 %.		75-125	1		02/12/14 14:56	17060-07-0	
Toluene-d8 (S)	103 %.		75-125	1		02/12/14 14:56	2037-26-5	
4-Bromofluorobenzene (S)	97 %.		75-125	1		02/12/14 14:56	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-NH-MW17	Lab ID: 10256845023	Collected: 02/06/14 15:00	Received: 02/06/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 01:41	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 01:41	64742-65-0	
Surrogates								
o-Terphenyl (S)	61 %.		30-125	1	02/10/14 07:37	02/15/14 01:41	84-15-1	
n-Triacontane (S)	74 %.		30-125	1	02/10/14 07:37	02/15/14 01:41	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/10/14 01:33		
Surrogates								
a,a,a-Trifluorotoluene (S)	99 %.		70-125	1		02/10/14 01:33	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	4.4 ug/L		0.50	1	02/10/14 08:41	02/10/14 19:00	7440-38-2	
Lead	ND ug/L		0.10	1	02/10/14 08:41	02/10/14 19:00	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	83-32-9	
Acenaphthylene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	208-96-8	
Anthracene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	120-12-7	
Benzo(a)anthracene	0.066 ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	56-55-3	
Benzo(a)pyrene	0.068 ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	50-32-8	
Benzo(b)fluoranthene	0.069 ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	205-99-2	
Benzo(g,h,i)perylene	0.042 ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	207-08-9	
Chrysene	0.053 ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	53-70-3	
Fluoranthene	0.10 ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	206-44-0	
Fluorene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	193-39-5	
1-Methylnaphthalene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	90-12-0	
2-Methylnaphthalene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	91-57-6	
Naphthalene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	91-20-3	
Phenanthrene	0.050 ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	85-01-8	
Pyrene	0.076 ug/L		0.042	1	02/10/14 14:22	02/19/14 06:54	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	76 %.		54-125	1	02/10/14 14:22	02/19/14 06:54	321-60-8	
Terphenyl-d14 (S)	84 %.		68-125	1	02/10/14 14:22	02/19/14 06:54	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/12/14 15:20	67-64-1	
Benzene	ND ug/L		1.0	1		02/12/14 15:20	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/12/14 15:20	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/12/14 15:20	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/12/14 15:20	75-27-4	
Bromoform	ND ug/L		4.0	1		02/12/14 15:20	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/12/14 15:20	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020614-NH-MW17	Lab ID: 10256845023	Collected: 02/06/14 15:00	Received: 02/06/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND ug/L		5.0	1		02/12/14 15:20	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/12/14 15:20	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/12/14 15:20	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/12/14 15:20	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/12/14 15:20	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/12/14 15:20	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/12/14 15:20	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/12/14 15:20	75-00-3	
Chloroform	ND ug/L		1.0	1		02/12/14 15:20	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/12/14 15:20	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/12/14 15:20	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/12/14 15:20	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/12/14 15:20	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/12/14 15:20	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/12/14 15:20	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/12/14 15:20	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 15:20	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 15:20	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/12/14 15:20	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/12/14 15:20	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/12/14 15:20	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/12/14 15:20	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/12/14 15:20	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/12/14 15:20	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 15:20	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/12/14 15:20	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 15:20	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/12/14 15:20	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/12/14 15:20	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/12/14 15:20	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 15:20	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/12/14 15:20	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/12/14 15:20	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/12/14 15:20	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/12/14 15:20	591-78-6	L3
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/12/14 15:20	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/12/14 15:20	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/12/14 15:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/12/14 15:20	108-10-1	L3
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/12/14 15:20	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/12/14 15:20	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/12/14 15:20	103-65-1	
Styrene	ND ug/L		1.0	1		02/12/14 15:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 15:20	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/12/14 15:20	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/12/14 15:20	127-18-4	
Toluene	ND ug/L		1.0	1		02/12/14 15:20	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-NH-MW17		Lab ID: 10256845023	Collected: 02/06/14 15:00	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 15:20	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 15:20	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/12/14 15:20	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/12/14 15:20	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/12/14 15:20	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/12/14 15:20	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/12/14 15:20	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 15:20	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 15:20	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/12/14 15:20	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/12/14 15:20	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/12/14 15:20	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/12/14 15:20	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	85 %.		75-125	1		02/12/14 15:20	17060-07-0	
Toluene-d8 (S)	104 %.		75-125	1		02/12/14 15:20	2037-26-5	
4-Bromofluorobenzene (S)	98 %.		75-125	1		02/12/14 15:20	460-00-4	

Sample: GW-020614-TM-D-7		Lab ID: 10256845024	Collected: 02/06/14 09:00	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	3.8 mg/L		2.0	5	02/10/14 07:37	02/14/14 19:54	68334-30-5	
Motor Oil Range SG	24.9 mg/L		2.0	5	02/10/14 07:37	02/14/14 19:54	64742-65-0	
Surrogates								
o-Terphenyl (S)	75 %.		30-125	5	02/10/14 07:37	02/14/14 19:54	84-15-1	
n-Triacontane (S)	94 %.		30-125	5	02/10/14 07:37	02/14/14 19:54	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	116 ug/L		100	1		02/12/14 00:35		
Surrogates								
a,a,a-Trifluorotoluene (S)	131 %.		70-125	1		02/12/14 00:35	98-08-8	3M
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	12.3 ug/L		0.50	1	02/10/14 08:41	02/10/14 19:28	7440-38-2	
Lead	105 ug/L		0.10	1	02/10/14 08:41	02/10/14 19:28	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	83-32-9	
Acenaphthylene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	208-96-8	
Anthracene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	120-12-7	
Benzo(a)anthracene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	56-55-3	
Benzo(a)pyrene	0.32 ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	50-32-8	
Benzo(b)fluoranthene	0.60 ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-TM-D-7 **Lab ID:** 10256845024 Collected: 02/06/14 09:00 Received: 02/06/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	0.50 ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	207-08-9	
Chrysene	0.32 ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	53-70-3	
Fluoranthene	0.63 ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	206-44-0	
Fluorene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	86-73-7	
Indeno(1,2,3-cd)pyrene	0.32 ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	193-39-5	
1-Methylnaphthalene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	90-12-0	
2-Methylnaphthalene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	91-57-6	
Naphthalene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	91-20-3	
Phenanthrene	ND ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	85-01-8	
Pyrene	0.44 ug/L		0.084	1	02/10/14 14:22	02/19/14 07:16	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	84 %.		54-125	1	02/10/14 14:22	02/19/14 07:16	321-60-8	
Terphenyl-d14 (S)	87 %.		68-125	1	02/10/14 14:22	02/19/14 07:16	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		40.0	2		02/12/14 17:06	67-64-1	
Benzene	260 ug/L		2.0	2		02/12/14 17:06	71-43-2	
Bromobenzene	ND ug/L		2.0	2		02/12/14 17:06	108-86-1	
Bromochloromethane	ND ug/L		2.0	2		02/12/14 17:06	74-97-5	
Bromodichloromethane	ND ug/L		2.0	2		02/12/14 17:06	75-27-4	
Bromoform	ND ug/L		8.0	2		02/12/14 17:06	75-25-2	
Bromomethane	ND ug/L		8.0	2		02/12/14 17:06	74-83-9	
2-Butanone (MEK)	ND ug/L		10.0	2		02/12/14 17:06	78-93-3	
n-Butylbenzene	ND ug/L		2.0	2		02/12/14 17:06	104-51-8	
sec-Butylbenzene	ND ug/L		2.0	2		02/12/14 17:06	135-98-8	
tert-Butylbenzene	ND ug/L		2.0	2		02/12/14 17:06	98-06-6	
Carbon disulfide	ND ug/L		2.0	2		02/12/14 17:06	75-15-0	
Carbon tetrachloride	ND ug/L		2.0	2		02/12/14 17:06	56-23-5	
Chlorobenzene	ND ug/L		2.0	2		02/12/14 17:06	108-90-7	
Chloroethane	ND ug/L		2.0	2		02/12/14 17:06	75-00-3	
Chloroform	ND ug/L		2.0	2		02/12/14 17:06	67-66-3	
Chloromethane	ND ug/L		8.0	2		02/12/14 17:06	74-87-3	
2-Chlorotoluene	ND ug/L		2.0	2		02/12/14 17:06	95-49-8	
4-Chlorotoluene	ND ug/L		2.0	2		02/12/14 17:06	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		8.0	2		02/12/14 17:06	96-12-8	
Dibromochloromethane	ND ug/L		2.0	2		02/12/14 17:06	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		2.0	2		02/12/14 17:06	106-93-4	
Dibromomethane	ND ug/L		8.0	2		02/12/14 17:06	74-95-3	
1,2-Dichlorobenzene	ND ug/L		2.0	2		02/12/14 17:06	95-50-1	
1,3-Dichlorobenzene	ND ug/L		2.0	2		02/12/14 17:06	541-73-1	
1,4-Dichlorobenzene	ND ug/L		2.0	2		02/12/14 17:06	106-46-7	
Dichlorodifluoromethane	ND ug/L		2.0	2		02/12/14 17:06	75-71-8	
1,1-Dichloroethane	ND ug/L		2.0	2		02/12/14 17:06	75-34-3	
1,2-Dichloroethane	ND ug/L		2.0	2		02/12/14 17:06	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		4.0	2		02/12/14 17:06	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020614-TM-D-7		Lab ID: 10256845024	Collected: 02/06/14 09:00	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND	ug/L	2.0	2		02/12/14 17:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	2.0	2		02/12/14 17:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	2.0	2		02/12/14 17:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	8.0	2		02/12/14 17:06	78-87-5	
1,3-Dichloropropane	ND	ug/L	2.0	2		02/12/14 17:06	142-28-9	
2,2-Dichloropropane	ND	ug/L	8.0	2		02/12/14 17:06	594-20-7	
1,1-Dichloropropene	ND	ug/L	2.0	2		02/12/14 17:06	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	8.0	2		02/12/14 17:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	8.0	2		02/12/14 17:06	10061-02-6	
Ethylbenzene	ND	ug/L	2.0	2		02/12/14 17:06	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	2.0	2		02/12/14 17:06	87-68-3	
2-Hexanone	ND	ug/L	10.0	2		02/12/14 17:06	591-78-6	L3
Isopropylbenzene (Cumene)	2.4	ug/L	2.0	2		02/12/14 17:06	98-82-8	
p-Isopropyltoluene	ND	ug/L	2.0	2		02/12/14 17:06	99-87-6	
Methylene Chloride	ND	ug/L	8.0	2		02/12/14 17:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	2		02/12/14 17:06	108-10-1	L3
Methyl-tert-butyl ether	ND	ug/L	2.0	2		02/12/14 17:06	1634-04-4	
Naphthalene	ND	ug/L	8.0	2		02/12/14 17:06	91-20-3	
n-Propylbenzene	2.8	ug/L	2.0	2		02/12/14 17:06	103-65-1	
Styrene	ND	ug/L	2.0	2		02/12/14 17:06	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	2.0	2		02/12/14 17:06	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	2.0	2		02/12/14 17:06	79-34-5	
Tetrachloroethene	ND	ug/L	2.0	2		02/12/14 17:06	127-18-4	
Toluene	4.7	ug/L	2.0	2		02/12/14 17:06	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	2.0	2		02/12/14 17:06	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	2.0	2		02/12/14 17:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	2.0	2		02/12/14 17:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	2.0	2		02/12/14 17:06	79-00-5	
Trichloroethene	ND	ug/L	0.80	2		02/12/14 17:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	2.0	2		02/12/14 17:06	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	8.0	2		02/12/14 17:06	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	2.0	2		02/12/14 17:06	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	2.0	2		02/12/14 17:06	108-67-8	
Vinyl chloride	ND	ug/L	0.40	2		02/12/14 17:06	75-01-4	
Xylene (Total)	8.7	ug/L	6.0	2		02/12/14 17:06	1330-20-7	
m&p-Xylene	8.7	ug/L	4.0	2		02/12/14 17:06	179601-23-1	
o-Xylene	ND	ug/L	2.0	2		02/12/14 17:06	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	85 %		75-125	2		02/12/14 17:06	17060-07-0	
Toluene-d8 (S)	102 %		75-125	2		02/12/14 17:06	2037-26-5	
4-Bromofluorobenzene (S)	98 %		75-125	2		02/12/14 17:06	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-TM-B-5	Lab ID: 10256845025	Collected: 02/06/14 11:00	Received: 02/06/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	7.9 mg/L		0.40	1	02/10/14 07:37	02/14/14 20:15	68334-30-5	
Motor Oil Range SG	1.0 mg/L		0.40	1	02/10/14 07:37	02/14/14 20:15	64742-65-0	
Surrogates								
o-Terphenyl (S)	91 %.		30-125	1	02/10/14 07:37	02/14/14 20:15	84-15-1	
n-Triacontane (S)	95 %.		30-125	1	02/10/14 07:37	02/14/14 20:15	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	4850 ug/L		500	5		02/11/14 21:15		
Surrogates								
a,a,a-Trifluorotoluene (S)	107 %.		70-125	5		02/11/14 21:15	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	6.0 ug/L		0.50	1	02/10/14 08:41	02/10/14 19:33	7440-38-2	
Lead	13.1 ug/L		0.10	1	02/10/14 08:41	02/10/14 19:33	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	2.6 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	83-32-9	
Acenaphthylene	0.27 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	208-96-8	
Anthracene	0.94 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	120-12-7	
Benzo(a)anthracene	0.59 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	56-55-3	
Benzo(a)pyrene	0.58 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	50-32-8	
Benzo(b)fluoranthene	0.70 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	205-99-2	
Benzo(g,h,i)perylene	0.36 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	191-24-2	
Benzo(k)fluoranthene	0.27 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	207-08-9	
Chrysene	0.58 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	53-70-3	
Fluoranthene	2.7 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	206-44-0	
Fluorene	3.0 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	86-73-7	
Indeno(1,2,3-cd)pyrene	0.31 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	193-39-5	
1-Methylnaphthalene	10.4 ug/L		0.22	5	02/10/14 14:22	02/19/14 19:22	90-12-0	
2-Methylnaphthalene	11.9 ug/L		0.22	5	02/10/14 14:22	02/19/14 19:22	91-57-6	
Naphthalene	7.4 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	91-20-3	
Phenanthrene	3.6 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	85-01-8	
Pyrene	1.7 ug/L		0.043	1	02/10/14 14:22	02/19/14 07:39	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	68 %.		54-125	1	02/10/14 14:22	02/19/14 07:39	321-60-8	
Terphenyl-d14 (S)	77 %.		68-125	1	02/10/14 14:22	02/19/14 07:39	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		100	5		02/12/14 17:55	67-64-1	
Benzene	442 ug/L		5.0	5		02/12/14 17:55	71-43-2	
Bromobenzene	ND ug/L		5.0	5		02/12/14 17:55	108-86-1	
Bromochloromethane	ND ug/L		5.0	5		02/12/14 17:55	74-97-5	
Bromodichloromethane	ND ug/L		5.0	5		02/12/14 17:55	75-27-4	
Bromoform	ND ug/L		20.0	5		02/12/14 17:55	75-25-2	
Bromomethane	ND ug/L		20.0	5		02/12/14 17:55	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020614-TM-B-5		Lab ID: 10256845025	Collected: 02/06/14 11:00	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND	ug/L	25.0	5		02/12/14 17:55	78-93-3	
n-Butylbenzene	5.8	ug/L	5.0	5		02/12/14 17:55	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	5		02/12/14 17:55	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	5		02/12/14 17:55	98-06-6	
Carbon disulfide	ND	ug/L	5.0	5		02/12/14 17:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	5		02/12/14 17:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	5		02/12/14 17:55	108-90-7	
Chloroethane	ND	ug/L	5.0	5		02/12/14 17:55	75-00-3	
Chloroform	ND	ug/L	5.0	5		02/12/14 17:55	67-66-3	
Chloromethane	ND	ug/L	20.0	5		02/12/14 17:55	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	5		02/12/14 17:55	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	5		02/12/14 17:55	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	20.0	5		02/12/14 17:55	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	5		02/12/14 17:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	5		02/12/14 17:55	106-93-4	
Dibromomethane	ND	ug/L	20.0	5		02/12/14 17:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	5		02/12/14 17:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	5		02/12/14 17:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	5		02/12/14 17:55	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	5		02/12/14 17:55	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	5		02/12/14 17:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	5		02/12/14 17:55	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	10.0	5		02/12/14 17:55	540-59-0	
1,1-Dichloroethene	ND	ug/L	5.0	5		02/12/14 17:55	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	5		02/12/14 17:55	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	5		02/12/14 17:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	20.0	5		02/12/14 17:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	5		02/12/14 17:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	20.0	5		02/12/14 17:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	5		02/12/14 17:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	20.0	5		02/12/14 17:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	20.0	5		02/12/14 17:55	10061-02-6	
Ethylbenzene	88.0	ug/L	5.0	5		02/12/14 17:55	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	5		02/12/14 17:55	87-68-3	
2-Hexanone	ND	ug/L	25.0	5		02/12/14 17:55	591-78-6	L3
Isopropylbenzene (Cumene)	ND	ug/L	5.0	5		02/12/14 17:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	5		02/12/14 17:55	99-87-6	
Methylene Chloride	ND	ug/L	20.0	5		02/12/14 17:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5		02/12/14 17:55	108-10-1	L3
Methyl-tert-butyl ether	ND	ug/L	5.0	5		02/12/14 17:55	1634-04-4	
Naphthalene	ND	ug/L	20.0	5		02/12/14 17:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	5		02/12/14 17:55	103-65-1	
Styrene	ND	ug/L	5.0	5		02/12/14 17:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	5		02/12/14 17:55	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	5		02/12/14 17:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	5		02/12/14 17:55	127-18-4	
Toluene	ND	ug/L	5.0	5		02/12/14 17:55	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020614-TM-B-5		Lab ID: 10256845025	Collected: 02/06/14 11:00	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND	ug/L	5.0	5		02/12/14 17:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	5		02/12/14 17:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	5		02/12/14 17:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	5		02/12/14 17:55	79-00-5	
Trichloroethene	ND	ug/L	2.0	5		02/12/14 17:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	5		02/12/14 17:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	20.0	5		02/12/14 17:55	96-18-4	
1,2,4-Trimethylbenzene	34.6	ug/L	5.0	5		02/12/14 17:55	95-63-6	
1,3,5-Trimethylbenzene	50.1	ug/L	5.0	5		02/12/14 17:55	108-67-8	
Vinyl chloride	ND	ug/L	1.0	5		02/12/14 17:55	75-01-4	
Xylene (Total)	ND	ug/L	15.0	5		02/12/14 17:55	1330-20-7	
m&p-Xylene	ND	ug/L	10.0	5		02/12/14 17:55	179601-23-1	
o-Xylene	6.6	ug/L	5.0	5		02/12/14 17:55	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	83 %		75-125	5		02/12/14 17:55	17060-07-0	
Toluene-d8 (S)	101 %		75-125	5		02/12/14 17:55	2037-26-5	
4-Bromofluorobenzene (S)	96 %		75-125	5		02/12/14 17:55	460-00-4	

Sample: GW-020614-TM-B-2		Lab ID: 10256845026	Collected: 02/06/14 12:15	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	2.5	mg/L	0.40	1	02/10/14 07:37	02/15/14 02:03	68334-30-5	
Motor Oil Range SG	ND	mg/L	0.40	1	02/10/14 07:37	02/15/14 02:03	64742-65-0	
Surrogates								
o-Terphenyl (S)	80 %		30-125	1	02/10/14 07:37	02/15/14 02:03	84-15-1	
n-Triacontane (S)	91 %		30-125	1	02/10/14 07:37	02/15/14 02:03	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	8820	ug/L	2000	20		02/11/14 22:55		
Surrogates								
a,a,a-Trifluorotoluene (S)	107 %		70-125	20		02/11/14 22:55	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	10.1	ug/L	0.50	1	02/10/14 08:41	02/10/14 19:04	7440-38-2	
Lead	1.7	ug/L	0.10	1	02/10/14 08:41	02/10/14 19:04	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.58	ug/L	0.042	1	02/10/14 14:22	02/19/14 08:01	83-32-9	
Acenaphthylene	0.15	ug/L	0.042	1	02/10/14 14:22	02/19/14 08:01	208-96-8	
Anthracene	0.19	ug/L	0.042	1	02/10/14 14:22	02/19/14 08:01	120-12-7	
Benzo(a)anthracene	ND	ug/L	0.042	1	02/10/14 14:22	02/19/14 08:01	56-55-3	
Benzo(a)pyrene	ND	ug/L	0.042	1	02/10/14 14:22	02/19/14 08:01	50-32-8	
Benzo(b)fluoranthene	0.13	ug/L	0.042	1	02/10/14 14:22	02/19/14 08:01	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-TM-B-2 **Lab ID:** 10256845026 Collected: 02/06/14 12:15 Received: 02/06/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 08:01	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 08:01	207-08-9	
Chrysene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 08:01	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 08:01	53-70-3	
Fluoranthene	0.25 ug/L		0.042	1	02/10/14 14:22	02/19/14 08:01	206-44-0	
Fluorene	1.5 ug/L		0.042	1	02/10/14 14:22	02/19/14 08:01	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.042	1	02/10/14 14:22	02/19/14 08:01	193-39-5	
1-Methylnaphthalene	14.5 ug/L		0.42	10	02/10/14 14:22	02/19/14 19:44	90-12-0	
2-Methylnaphthalene	36.8 ug/L		0.42	10	02/10/14 14:22	02/19/14 19:44	91-57-6	
Naphthalene	35.3 ug/L		0.42	10	02/10/14 14:22	02/19/14 19:44	91-20-3	
Phenanthrene	1.0 ug/L		0.042	1	02/10/14 14:22	02/19/14 08:01	85-01-8	
Pyrene	0.19 ug/L		0.042	1	02/10/14 14:22	02/19/14 08:01	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	76 %.		54-125	1	02/10/14 14:22	02/19/14 08:01	321-60-8	
Terphenyl-d14 (S)	63 %.		68-125	1	02/10/14 14:22	02/19/14 08:01	1718-51-0	S5

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		400	20		02/12/14 18:43	67-64-1	
Benzene	4850 ug/L		20.0	20		02/12/14 18:43	71-43-2	
Bromobenzene	ND ug/L		20.0	20		02/12/14 18:43	108-86-1	
Bromochloromethane	ND ug/L		20.0	20		02/12/14 18:43	74-97-5	
Bromodichloromethane	ND ug/L		20.0	20		02/12/14 18:43	75-27-4	
Bromoform	ND ug/L		80.0	20		02/12/14 18:43	75-25-2	
Bromomethane	ND ug/L		80.0	20		02/12/14 18:43	74-83-9	
2-Butanone (MEK)	ND ug/L		100	20		02/12/14 18:43	78-93-3	
n-Butylbenzene	21.0 ug/L		20.0	20		02/12/14 18:43	104-51-8	
sec-Butylbenzene	ND ug/L		20.0	20		02/12/14 18:43	135-98-8	
tert-Butylbenzene	ND ug/L		20.0	20		02/12/14 18:43	98-06-6	
Carbon disulfide	ND ug/L		20.0	20		02/12/14 18:43	75-15-0	
Carbon tetrachloride	ND ug/L		20.0	20		02/12/14 18:43	56-23-5	
Chlorobenzene	ND ug/L		20.0	20		02/12/14 18:43	108-90-7	
Chloroethane	ND ug/L		20.0	20		02/12/14 18:43	75-00-3	
Chloroform	ND ug/L		20.0	20		02/12/14 18:43	67-66-3	
Chloromethane	ND ug/L		80.0	20		02/12/14 18:43	74-87-3	
2-Chlorotoluene	ND ug/L		20.0	20		02/12/14 18:43	95-49-8	
4-Chlorotoluene	ND ug/L		20.0	20		02/12/14 18:43	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		80.0	20		02/12/14 18:43	96-12-8	
Dibromochloromethane	ND ug/L		20.0	20		02/12/14 18:43	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		20.0	20		02/12/14 18:43	106-93-4	
Dibromomethane	ND ug/L		80.0	20		02/12/14 18:43	74-95-3	
1,2-Dichlorobenzene	ND ug/L		20.0	20		02/12/14 18:43	95-50-1	
1,3-Dichlorobenzene	ND ug/L		20.0	20		02/12/14 18:43	541-73-1	
1,4-Dichlorobenzene	ND ug/L		20.0	20		02/12/14 18:43	106-46-7	
Dichlorodifluoromethane	ND ug/L		20.0	20		02/12/14 18:43	75-71-8	
1,1-Dichloroethane	ND ug/L		20.0	20		02/12/14 18:43	75-34-3	
1,2-Dichloroethane	ND ug/L		20.0	20		02/12/14 18:43	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		40.0	20		02/12/14 18:43	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020614-TM-B-2	Lab ID: 10256845026	Collected: 02/06/14 12:15	Received: 02/06/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND ug/L		20.0	20		02/12/14 18:43	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		20.0	20		02/12/14 18:43	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		20.0	20		02/12/14 18:43	156-60-5	
1,2-Dichloropropane	ND ug/L		80.0	20		02/12/14 18:43	78-87-5	
1,3-Dichloropropane	ND ug/L		20.0	20		02/12/14 18:43	142-28-9	
2,2-Dichloropropane	ND ug/L		80.0	20		02/12/14 18:43	594-20-7	
1,1-Dichloropropene	ND ug/L		20.0	20		02/12/14 18:43	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		80.0	20		02/12/14 18:43	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		80.0	20		02/12/14 18:43	10061-02-6	
Ethylbenzene	216 ug/L		20.0	20		02/12/14 18:43	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		20.0	20		02/12/14 18:43	87-68-3	
2-Hexanone	ND ug/L		100	20		02/12/14 18:43	591-78-6	L3
Isopropylbenzene (Cumene)	ND ug/L		20.0	20		02/12/14 18:43	98-82-8	
p-Isopropyltoluene	ND ug/L		20.0	20		02/12/14 18:43	99-87-6	
Methylene Chloride	ND ug/L		80.0	20		02/12/14 18:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		100	20		02/12/14 18:43	108-10-1	L3
Methyl-tert-butyl ether	ND ug/L		20.0	20		02/12/14 18:43	1634-04-4	
Naphthalene	ND ug/L		80.0	20		02/12/14 18:43	91-20-3	
n-Propylbenzene	ND ug/L		20.0	20		02/12/14 18:43	103-65-1	
Styrene	ND ug/L		20.0	20		02/12/14 18:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		20.0	20		02/12/14 18:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		20.0	20		02/12/14 18:43	79-34-5	
Tetrachloroethene	ND ug/L		20.0	20		02/12/14 18:43	127-18-4	
Toluene	ND ug/L		20.0	20		02/12/14 18:43	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		20.0	20		02/12/14 18:43	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		20.0	20		02/12/14 18:43	120-82-1	
1,1,1-Trichloroethane	ND ug/L		20.0	20		02/12/14 18:43	71-55-6	
1,1,2-Trichloroethane	ND ug/L		20.0	20		02/12/14 18:43	79-00-5	
Trichloroethene	ND ug/L		8.0	20		02/12/14 18:43	79-01-6	
Trichlorofluoromethane	ND ug/L		20.0	20		02/12/14 18:43	75-69-4	
1,2,3-Trichloropropane	ND ug/L		80.0	20		02/12/14 18:43	96-18-4	
1,2,4-Trimethylbenzene	219 ug/L		20.0	20		02/12/14 18:43	95-63-6	
1,3,5-Trimethylbenzene	283 ug/L		20.0	20		02/12/14 18:43	108-67-8	
Vinyl chloride	ND ug/L		4.0	20		02/12/14 18:43	75-01-4	
Xylene (Total)	205 ug/L		60.0	20		02/12/14 18:43	1330-20-7	
m&p-Xylene	157 ug/L		40.0	20		02/12/14 18:43	179601-23-1	
o-Xylene	48.2 ug/L		20.0	20		02/12/14 18:43	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	83 %		75-125	20		02/12/14 18:43	17060-07-0	
Toluene-d8 (S)	102 %		75-125	20		02/12/14 18:43	2037-26-5	
4-Bromofluorobenzene (S)	95 %		75-125	20		02/12/14 18:43	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-TM-HA-9	Lab ID: 10256845027	Collected: 02/06/14 13:25	Received: 02/06/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	0.87 mg/L		0.40	1	02/10/14 07:37	02/15/14 03:08	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/10/14 07:37	02/15/14 03:08	64742-65-0	
Surrogates								
o-Terphenyl (S)	80 %.		30-125	1	02/10/14 07:37	02/15/14 03:08	84-15-1	
n-Triacontane (S)	93 %.		30-125	1	02/10/14 07:37	02/15/14 03:08	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	3020 ug/L		500	5		02/11/14 21:35		
Surrogates								
a,a,a-Trifluorotoluene (S)	118 %.		70-125	5		02/11/14 21:35	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	7.4 ug/L		0.50	1	02/10/14 08:41	02/10/14 19:37	7440-38-2	
Lead	10.5 ug/L		0.10	1	02/10/14 08:41	02/10/14 19:37	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	0.41 ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	83-32-9	
Acenaphthylene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	208-96-8	
Anthracene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	120-12-7	
Benzo(a)anthracene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	56-55-3	
Benzo(a)pyrene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	207-08-9	
Chrysene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	53-70-3	
Fluoranthene	0.085 ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	206-44-0	
Fluorene	0.38 ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	193-39-5	
1-Methylnaphthalene	5.7 ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	90-12-0	
2-Methylnaphthalene	0.58 ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	91-57-6	
Naphthalene	5.4 ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	91-20-3	
Phenanthrene	ND ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	85-01-8	
Pyrene	0.080 ug/L		0.049	1	02/10/14 14:22	02/19/14 08:23	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	74 %.		54-125	1	02/10/14 14:22	02/19/14 08:23	321-60-8	
Terphenyl-d14 (S)	82 %.		68-125	1	02/10/14 14:22	02/19/14 08:23	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	21.4 ug/L		20.0	1		02/12/14 16:11	67-64-1	
Benzene	15.2 ug/L		1.0	1		02/12/14 16:11	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/12/14 16:11	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/12/14 16:11	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/12/14 16:11	75-27-4	
Bromoform	ND ug/L		4.0	1		02/12/14 16:11	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/12/14 16:11	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020614-TM-HA-9	Lab ID: 10256845027	Collected: 02/06/14 13:25	Received: 02/06/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND	ug/L	5.0	1		02/12/14 16:11	78-93-3	
n-Butylbenzene	2.6	ug/L	1.0	1		02/12/14 16:11	104-51-8	
sec-Butylbenzene	2.4	ug/L	1.0	1		02/12/14 16:11	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		02/12/14 16:11	98-06-6	
Carbon disulfide	ND	ug/L	1.0	1		02/12/14 16:11	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		02/12/14 16:11	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		02/12/14 16:11	108-90-7	
Chloroethane	ND	ug/L	1.0	1		02/12/14 16:11	75-00-3	
Chloroform	ND	ug/L	1.0	1		02/12/14 16:11	67-66-3	
Chloromethane	ND	ug/L	4.0	1		02/12/14 16:11	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		02/12/14 16:11	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		02/12/14 16:11	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		02/12/14 16:11	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		02/12/14 16:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		02/12/14 16:11	106-93-4	
Dibromomethane	ND	ug/L	4.0	1		02/12/14 16:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		02/12/14 16:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		02/12/14 16:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		02/12/14 16:11	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		02/12/14 16:11	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		02/12/14 16:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		02/12/14 16:11	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	2.0	1		02/12/14 16:11	540-59-0	
1,1-Dichloroethene	ND	ug/L	1.0	1		02/12/14 16:11	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/12/14 16:11	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/12/14 16:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/12/14 16:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/12/14 16:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/12/14 16:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/12/14 16:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/12/14 16:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/12/14 16:11	10061-02-6	
Ethylbenzene	5.7	ug/L	1.0	1		02/12/14 16:11	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/12/14 16:11	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/12/14 16:11	591-78-6	L3
Isopropylbenzene (Cumene)	3.6	ug/L	1.0	1		02/12/14 16:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/12/14 16:11	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/12/14 16:11	75-09-2	
4-Methyl-2-pentanone (MIBK)	5.3	ug/L	5.0	1		02/12/14 16:11	108-10-1	L1
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/12/14 16:11	1634-04-4	
Naphthalene	33.3	ug/L	4.0	1		02/12/14 16:11	91-20-3	
n-Propylbenzene	7.9	ug/L	1.0	1		02/12/14 16:11	103-65-1	
Styrene	ND	ug/L	1.0	1		02/12/14 16:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/12/14 16:11	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/12/14 16:11	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/12/14 16:11	127-18-4	
Toluene	ND	ug/L	1.0	1		02/12/14 16:11	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020614-TM-HA-9		Lab ID: 10256845027	Collected: 02/06/14 13:25	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 16:11	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/12/14 16:11	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/12/14 16:11	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/12/14 16:11	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/12/14 16:11	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/12/14 16:11	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/12/14 16:11	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 16:11	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/12/14 16:11	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/12/14 16:11	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/12/14 16:11	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/12/14 16:11	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/12/14 16:11	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	85 %.		75-125	1		02/12/14 16:11	17060-07-0	
Toluene-d8 (S)	102 %.		75-125	1		02/12/14 16:11	2037-26-5	
4-Bromofluorobenzene (S)	98 %.		75-125	1		02/12/14 16:11	460-00-4	

Sample: Trip Blank		Lab ID: 10256845028	Collected: 02/06/14 00:00	Received: 02/06/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/09/14 18:12		
Surrogates								
a,a,a-Trifluorotoluene (S)	99 %.		70-125	1		02/09/14 18:12	98-08-8	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/10/14 10:49	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/10/14 10:49	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/10/14 10:49	1634-04-4	
Toluene	ND ug/L		1.0	1		02/10/14 10:49	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/10/14 10:49	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	102 %.		75-125	1		02/10/14 10:49	17060-07-0	
Toluene-d8 (S)	100 %.		75-125	1		02/10/14 10:49	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/10/14 10:49	460-00-4	

Sample: GW-020714-NH-DIR		Lab ID: 10256845029	Collected: 02/07/14 09:45	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 14:30	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 14:30	64742-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-NH-DIR	Lab ID: 10256845029	Collected: 02/07/14 09:45	Received: 02/07/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Surrogates								
o-Terphenyl (S)	78 %.		30-125	1	02/11/14 09:30	02/15/14 14:30	84-15-1	
n-Triacontane (S)	87 %.		30-125	1	02/11/14 09:30	02/15/14 14:30	638-68-6	
NWTPH-Gx GCV Analytical Method: NWTPH-Gx/8021								
TPH as Gas	388 ug/L		100	1		02/11/14 17:14		
Surrogates								
a,a,a-Trifluorotoluene (S)	107 %.		70-125	1		02/11/14 17:14	98-08-8	
6020 MET ICPMS Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	ND ug/L		0.50	1	02/18/14 12:57	02/19/14 17:14	7440-38-2	
Lead	0.20 ug/L		0.10	1	02/18/14 12:57	02/19/14 17:14	7439-92-1	
8270 MSSV PAH by SIM Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	0.41 ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	83-32-9	
Acenaphthylene	0.076 ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	208-96-8	
Anthracene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	207-08-9	
Chrysene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	53-70-3	
Fluoranthene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	206-44-0	
Fluorene	0.11 ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	193-39-5	
1-Methylnaphthalene	0.046 ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	90-12-0	
2-Methylnaphthalene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	91-57-6	
Naphthalene	0.071 ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	91-20-3	
Phenanthrene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	85-01-8	
Pyrene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 09:52	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	61 %.		54-125	1	02/11/14 07:17	02/19/14 09:52	321-60-8	
Terphenyl-d14 (S)	70 %.		68-125	1	02/11/14 07:17	02/19/14 09:52	1718-51-0	
8260 VOC Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/17/14 19:33	67-64-1	
Benzene	ND ug/L		1.0	1		02/17/14 19:33	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/17/14 19:33	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/17/14 19:33	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/17/14 19:33	75-27-4	
Bromoform	ND ug/L		4.0	1		02/17/14 19:33	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/17/14 19:33	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/17/14 19:33	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/17/14 19:33	104-51-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020714-NH-DIR	Lab ID: 10256845029	Collected: 02/07/14 09:45	Received: 02/07/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
sec-Butylbenzene	ND ug/L		1.0	1		02/17/14 19:33	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/17/14 19:33	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/17/14 19:33	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/17/14 19:33	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/17/14 19:33	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/17/14 19:33	75-00-3	
Chloroform	ND ug/L		1.0	1		02/17/14 19:33	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/17/14 19:33	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/17/14 19:33	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/17/14 19:33	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/17/14 19:33	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/17/14 19:33	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/17/14 19:33	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/17/14 19:33	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/17/14 19:33	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/17/14 19:33	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/17/14 19:33	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/17/14 19:33	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/17/14 19:33	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/17/14 19:33	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/17/14 19:33	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/17/14 19:33	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/17/14 19:33	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/17/14 19:33	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/17/14 19:33	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/17/14 19:33	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/17/14 19:33	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/17/14 19:33	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/17/14 19:33	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/17/14 19:33	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/17/14 19:33	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/17/14 19:33	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/17/14 19:33	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/17/14 19:33	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/17/14 19:33	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/17/14 19:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/17/14 19:33	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/17/14 19:33	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/17/14 19:33	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/17/14 19:33	103-65-1	
Styrene	ND ug/L		1.0	1		02/17/14 19:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/17/14 19:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/17/14 19:33	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/17/14 19:33	127-18-4	
Toluene	ND ug/L		1.0	1		02/17/14 19:33	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/17/14 19:33	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/17/14 19:33	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-NH-DIR		Lab ID: 10256845029	Collected: 02/07/14 09:45	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/17/14 19:33	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/17/14 19:33	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/17/14 19:33	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/17/14 19:33	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/17/14 19:33	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/17/14 19:33	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/17/14 19:33	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/17/14 19:33	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/17/14 19:33	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/17/14 19:33	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/17/14 19:33	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	108 %.		75-125	1		02/17/14 19:33	17060-07-0	
Toluene-d8 (S)	100 %.		75-125	1		02/17/14 19:33	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	1		02/17/14 19:33	460-00-4	

Sample: GW-020714-NH-MW15		Lab ID: 10256845030	Collected: 02/07/14 11:00	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 15:13	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 15:13	64742-65-0	
Surrogates								
o-Terphenyl (S)	80 %.		30-125	1	02/11/14 09:30	02/15/14 15:13	84-15-1	
n-Triacontane (S)	90 %.		30-125	1	02/11/14 09:30	02/15/14 15:13	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	520 ug/L		100	1		02/11/14 17:34		
Surrogates								
a,a,a-Trifluorotoluene (S)	106 %.		70-125	1		02/11/14 17:34	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	9.7 ug/L		0.50	1	02/12/14 09:01	02/13/14 14:34	7440-38-2	
Lead	ND ug/L		0.10	1	02/12/14 09:01	02/13/14 14:34	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.16 ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	83-32-9	
Acenaphthylene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	208-96-8	
Anthracene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	120-12-7	
Benzo(a)anthracene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	56-55-3	
Benzo(a)pyrene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-NH-MW15 **Lab ID:** 10256845030 Collected: 02/07/14 11:00 Received: 02/07/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Chrysene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	53-70-3	
Fluoranthene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	206-44-0	
Fluorene	0.094 ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	193-39-5	
1-Methylnaphthalene	3.9 ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	90-12-0	
2-Methylnaphthalene	6.0 ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	91-57-6	
Naphthalene	1.6 ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	91-20-3	
Phenanthrene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	85-01-8	
Pyrene	ND ug/L		0.041	1	02/11/14 07:17	02/19/14 10:14	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	77 %.		54-125	1	02/11/14 07:17	02/19/14 10:14	321-60-8	
Terphenyl-d14 (S)	85 %.		68-125	1	02/11/14 07:17	02/19/14 10:14	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/13/14 17:47	67-64-1	
Benzene	41.1 ug/L		1.0	1		02/13/14 17:47	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/13/14 17:47	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/13/14 17:47	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/13/14 17:47	75-27-4	
Bromoform	ND ug/L		4.0	1		02/13/14 17:47	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/13/14 17:47	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/13/14 17:47	78-93-3	
n-Butylbenzene	1.3 ug/L		1.0	1		02/13/14 17:47	104-51-8	
sec-Butylbenzene	1.5 ug/L		1.0	1		02/13/14 17:47	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/13/14 17:47	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/13/14 17:47	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/13/14 17:47	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/13/14 17:47	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/13/14 17:47	75-00-3	
Chloroform	ND ug/L		1.0	1		02/13/14 17:47	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/13/14 17:47	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/13/14 17:47	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/13/14 17:47	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/13/14 17:47	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/13/14 17:47	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/13/14 17:47	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/13/14 17:47	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 17:47	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 17:47	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 17:47	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/13/14 17:47	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/13/14 17:47	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/13/14 17:47	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/13/14 17:47	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/13/14 17:47	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/13/14 17:47	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020714-NH-MW15		Lab ID: 10256845030	Collected: 02/07/14 11:00	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/13/14 17:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 17:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/13/14 17:47	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 17:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/13/14 17:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 17:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 17:47	10061-02-6	
Ethylbenzene	1.6	ug/L	1.0	1		02/13/14 17:47	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/13/14 17:47	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/13/14 17:47	591-78-6	
Isopropylbenzene (Cumene)	6.8	ug/L	1.0	1		02/13/14 17:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/13/14 17:47	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/13/14 17:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/13/14 17:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/13/14 17:47	1634-04-4	
Naphthalene	ND	ug/L	4.0	1		02/13/14 17:47	91-20-3	
n-Propylbenzene	17.4	ug/L	1.0	1		02/13/14 17:47	103-65-1	
Styrene	ND	ug/L	1.0	1		02/13/14 17:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 17:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 17:47	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/13/14 17:47	127-18-4	
Toluene	ND	ug/L	1.0	1		02/13/14 17:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		02/13/14 17:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		02/13/14 17:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		02/13/14 17:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		02/13/14 17:47	79-00-5	
Trichloroethene	ND	ug/L	0.40	1		02/13/14 17:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		02/13/14 17:47	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	1		02/13/14 17:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		02/13/14 17:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		02/13/14 17:47	108-67-8	
Vinyl chloride	ND	ug/L	0.20	1		02/13/14 17:47	75-01-4	
Xylene (Total)	ND	ug/L	3.0	1		02/13/14 17:47	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		02/13/14 17:47	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		02/13/14 17:47	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	99 %		75-125	1		02/13/14 17:47	17060-07-0	
Toluene-d8 (S)	99 %		75-125	1		02/13/14 17:47	2037-26-5	
4-Bromofluorobenzene (S)	100 %		75-125	1		02/13/14 17:47	460-00-4	

Sample: GW-020714-NH-HA8		Lab ID: 10256845031	Collected: 02/07/14 12:30	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND	mg/L	0.40	1	02/11/14 09:30	02/15/14 15:35	68334-30-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-NH-HA8	Lab ID: 10256845031	Collected: 02/07/14 12:30	Received: 02/07/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Motor Oil Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 15:35	64742-65-0	
Surrogates								
o-Terphenyl (S)	59 %.		30-125	1	02/11/14 09:30	02/15/14 15:35	84-15-1	
n-Triacontane (S)	68 %.		30-125	1	02/11/14 09:30	02/15/14 15:35	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	1240 ug/L		100	1		02/11/14 17:54		
Surrogates								
a,a,a-Trifluorotoluene (S)	101 %.		70-125	1		02/11/14 17:54	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	1.0 ug/L		0.50	1	02/12/14 09:01	02/13/14 14:21	7440-38-2	
Lead	0.12 ug/L		0.10	1	02/12/14 09:01	02/13/14 14:21	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	83-32-9	
Acenaphthylene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	208-96-8	
Anthracene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	120-12-7	
Benzo(a)anthracene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	56-55-3	
Benzo(a)pyrene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	207-08-9	
Chrysene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	53-70-3	
Fluoranthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	206-44-0	
Fluorene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	193-39-5	
1-Methylnaphthalene	0.10 ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	90-12-0	
2-Methylnaphthalene	0.091 ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	91-57-6	
Naphthalene	2.3 ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	91-20-3	
Phenanthrene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	85-01-8	
Pyrene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 10:36	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	152 %.		54-125	1	02/11/14 07:17	02/19/14 10:36	321-60-8	P2,S0
Terphenyl-d14 (S)	168 %.		68-125	1	02/11/14 07:17	02/19/14 10:36	1718-51-0	S0
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/13/14 16:21	67-64-1	
Benzene	2.0 ug/L		1.0	1		02/13/14 16:21	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/13/14 16:21	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/13/14 16:21	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/13/14 16:21	75-27-4	
Bromoform	ND ug/L		4.0	1		02/13/14 16:21	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/13/14 16:21	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/13/14 16:21	78-93-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020714-NH-HA8	Lab ID: 10256845031	Collected: 02/07/14 12:30	Received: 02/07/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
n-Butylbenzene	ND	ug/L	1.0	1		02/13/14 16:21	104-51-8	
sec-Butylbenzene	ND	ug/L	1.0	1		02/13/14 16:21	135-98-8	
tert-Butylbenzene	13.8	ug/L	1.0	1		02/13/14 16:21	98-06-6	
Carbon disulfide	ND	ug/L	1.0	1		02/13/14 16:21	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		02/13/14 16:21	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		02/13/14 16:21	108-90-7	
Chloroethane	ND	ug/L	1.0	1		02/13/14 16:21	75-00-3	
Chloroform	ND	ug/L	1.0	1		02/13/14 16:21	67-66-3	
Chloromethane	ND	ug/L	4.0	1		02/13/14 16:21	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		02/13/14 16:21	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		02/13/14 16:21	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		02/13/14 16:21	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		02/13/14 16:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		02/13/14 16:21	106-93-4	
Dibromomethane	ND	ug/L	4.0	1		02/13/14 16:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		02/13/14 16:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		02/13/14 16:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		02/13/14 16:21	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		02/13/14 16:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		02/13/14 16:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		02/13/14 16:21	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	2.0	1		02/13/14 16:21	540-59-0	
1,1-Dichloroethene	ND	ug/L	1.0	1		02/13/14 16:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/13/14 16:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/13/14 16:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 16:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/13/14 16:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 16:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/13/14 16:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 16:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 16:21	10061-02-6	
Ethylbenzene	6.4	ug/L	1.0	1		02/13/14 16:21	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/13/14 16:21	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/13/14 16:21	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		02/13/14 16:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/13/14 16:21	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/13/14 16:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/13/14 16:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/13/14 16:21	1634-04-4	
Naphthalene	6.6	ug/L	4.0	1		02/13/14 16:21	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	1		02/13/14 16:21	103-65-1	
Styrene	ND	ug/L	1.0	1		02/13/14 16:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 16:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 16:21	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/13/14 16:21	127-18-4	
Toluene	ND	ug/L	1.0	1		02/13/14 16:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		02/13/14 16:21	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020714-NH-HA8		Lab ID: 10256845031	Collected: 02/07/14 12:30	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/13/14 16:21	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/13/14 16:21	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/13/14 16:21	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/13/14 16:21	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/13/14 16:21	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/13/14 16:21	96-18-4	
1,2,4-Trimethylbenzene	90.8 ug/L		1.0	1		02/13/14 16:21	95-63-6	
1,3,5-Trimethylbenzene	21.6 ug/L		1.0	1		02/13/14 16:21	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/13/14 16:21	75-01-4	
Xylene (Total)	128 ug/L		3.0	1		02/13/14 16:21	1330-20-7	
m&p-Xylene	123 ug/L		2.0	1		02/13/14 16:21	179601-23-1	
o-Xylene	4.2 ug/L		1.0	1		02/13/14 16:21	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	101 %.		75-125	1		02/13/14 16:21	17060-07-0	
Toluene-d8 (S)	99 %.		75-125	1		02/13/14 16:21	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/13/14 16:21	460-00-4	

Sample: GW-020714-NH-HA7		Lab ID: 10256845032	Collected: 02/07/14 14:00	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	0.76 mg/L		0.40	1	02/11/14 09:30	02/15/14 15:57	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 15:57	64742-65-0	
Surrogates								
o-Terphenyl (S)	75 %.		30-125	1	02/11/14 09:30	02/15/14 15:57	84-15-1	
n-Triacontane (S)	83 %.		30-125	1	02/11/14 09:30	02/15/14 15:57	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	5330 ug/L		1000	10		02/12/14 20:51		
Surrogates								
a,a,a-Trifluorotoluene (S)	101 %.		70-125	10		02/12/14 20:51	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	14.7 ug/L		0.50	1	02/12/14 09:01	02/13/14 14:25	7440-38-2	
Lead	7.7 ug/L		0.10	1	02/12/14 09:01	02/13/14 14:25	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.87 ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	83-32-9	
Acenaphthylene	0.16 ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	208-96-8	
Anthracene	0.062 ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-NH-HA7	Lab ID: 10256845032	Collected: 02/07/14 14:00	Received: 02/07/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	207-08-9	
Chrysene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	53-70-3	
Fluoranthene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	206-44-0	
Fluorene	1.5 ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	193-39-5	
1-Methylnaphthalene	21.1 ug/L		0.86	20	02/11/14 07:17	02/19/14 20:06	90-12-0	
2-Methylnaphthalene	49.8 ug/L		0.86	20	02/11/14 07:17	02/19/14 20:06	91-57-6	
Naphthalene	109 ug/L		0.86	20	02/11/14 07:17	02/19/14 20:06	91-20-3	
Phenanthrene	1.8 ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	85-01-8	
Pyrene	0.045 ug/L		0.043	1	02/11/14 07:17	02/19/14 10:58	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	79 %.		54-125	1	02/11/14 07:17	02/19/14 10:58	321-60-8	
Terphenyl-d14 (S)	83 %.		68-125	1	02/11/14 07:17	02/19/14 10:58	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		40.0	2		02/13/14 18:40	67-64-1	
Benzene	89.2 ug/L		2.0	2		02/13/14 18:40	71-43-2	
Bromobenzene	ND ug/L		2.0	2		02/13/14 18:40	108-86-1	
Bromochloromethane	ND ug/L		2.0	2		02/13/14 18:40	74-97-5	
Bromodichloromethane	ND ug/L		2.0	2		02/13/14 18:40	75-27-4	
Bromoform	ND ug/L		8.0	2		02/13/14 18:40	75-25-2	
Bromomethane	ND ug/L		8.0	2		02/13/14 18:40	74-83-9	
2-Butanone (MEK)	ND ug/L		10.0	2		02/13/14 18:40	78-93-3	
n-Butylbenzene	11.0 ug/L		2.0	2		02/13/14 18:40	104-51-8	
sec-Butylbenzene	5.6 ug/L		2.0	2		02/13/14 18:40	135-98-8	
tert-Butylbenzene	ND ug/L		2.0	2		02/13/14 18:40	98-06-6	
Carbon disulfide	ND ug/L		2.0	2		02/13/14 18:40	75-15-0	
Carbon tetrachloride	ND ug/L		2.0	2		02/13/14 18:40	56-23-5	
Chlorobenzene	ND ug/L		2.0	2		02/13/14 18:40	108-90-7	
Chloroethane	ND ug/L		2.0	2		02/13/14 18:40	75-00-3	
Chloroform	ND ug/L		2.0	2		02/13/14 18:40	67-66-3	
Chloromethane	ND ug/L		8.0	2		02/13/14 18:40	74-87-3	
2-Chlorotoluene	ND ug/L		2.0	2		02/13/14 18:40	95-49-8	
4-Chlorotoluene	ND ug/L		2.0	2		02/13/14 18:40	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		8.0	2		02/13/14 18:40	96-12-8	
Dibromochloromethane	ND ug/L		2.0	2		02/13/14 18:40	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		2.0	2		02/13/14 18:40	106-93-4	
Dibromomethane	ND ug/L		8.0	2		02/13/14 18:40	74-95-3	
1,2-Dichlorobenzene	ND ug/L		2.0	2		02/13/14 18:40	95-50-1	
1,3-Dichlorobenzene	ND ug/L		2.0	2		02/13/14 18:40	541-73-1	
1,4-Dichlorobenzene	ND ug/L		2.0	2		02/13/14 18:40	106-46-7	
Dichlorodifluoromethane	ND ug/L		2.0	2		02/13/14 18:40	75-71-8	
1,1-Dichloroethane	ND ug/L		2.0	2		02/13/14 18:40	75-34-3	
1,2-Dichloroethane	ND ug/L		2.0	2		02/13/14 18:40	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		4.0	2		02/13/14 18:40	540-59-0	
1,1-Dichloroethene	ND ug/L		2.0	2		02/13/14 18:40	75-35-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-NH-HA7		Lab ID: 10256845032	Collected: 02/07/14 14:00	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
cis-1,2-Dichloroethene	ND	ug/L	2.0	2		02/13/14 18:40	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	2.0	2		02/13/14 18:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	8.0	2		02/13/14 18:40	78-87-5	
1,3-Dichloropropane	ND	ug/L	2.0	2		02/13/14 18:40	142-28-9	
2,2-Dichloropropane	ND	ug/L	8.0	2		02/13/14 18:40	594-20-7	
1,1-Dichloropropene	ND	ug/L	2.0	2		02/13/14 18:40	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	8.0	2		02/13/14 18:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	8.0	2		02/13/14 18:40	10061-02-6	
Ethylbenzene	322	ug/L	2.0	2		02/13/14 18:40	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	2.0	2		02/13/14 18:40	87-68-3	
2-Hexanone	ND	ug/L	10.0	2		02/13/14 18:40	591-78-6	
Isopropylbenzene (Cumene)	42.2	ug/L	2.0	2		02/13/14 18:40	98-82-8	
p-Isopropyltoluene	ND	ug/L	2.0	2		02/13/14 18:40	99-87-6	
Methylene Chloride	ND	ug/L	8.0	2		02/13/14 18:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	2		02/13/14 18:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	2.0	2		02/13/14 18:40	1634-04-4	
Naphthalene	240	ug/L	8.0	2		02/13/14 18:40	91-20-3	
n-Propylbenzene	126	ug/L	2.0	2		02/13/14 18:40	103-65-1	
Styrene	ND	ug/L	2.0	2		02/13/14 18:40	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	2.0	2		02/13/14 18:40	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	2.0	2		02/13/14 18:40	79-34-5	
Tetrachloroethene	ND	ug/L	2.0	2		02/13/14 18:40	127-18-4	
Toluene	9.6	ug/L	2.0	2		02/13/14 18:40	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	2.0	2		02/13/14 18:40	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	2.0	2		02/13/14 18:40	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	2.0	2		02/13/14 18:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	2.0	2		02/13/14 18:40	79-00-5	
Trichloroethene	ND	ug/L	0.80	2		02/13/14 18:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	2.0	2		02/13/14 18:40	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	8.0	2		02/13/14 18:40	96-18-4	
1,2,4-Trimethylbenzene	63.2	ug/L	2.0	2		02/13/14 18:40	95-63-6	
1,3,5-Trimethylbenzene	10.2	ug/L	2.0	2		02/13/14 18:40	108-67-8	
Vinyl chloride	ND	ug/L	0.40	2		02/13/14 18:40	75-01-4	
Xylene (Total)	226	ug/L	6.0	2		02/13/14 18:40	1330-20-7	
m&p-Xylene	221	ug/L	4.0	2		02/13/14 18:40	179601-23-1	
o-Xylene	5.0	ug/L	2.0	2		02/13/14 18:40	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %		75-125	2		02/13/14 18:40	17060-07-0	
Toluene-d8 (S)	99 %		75-125	2		02/13/14 18:40	2037-26-5	
4-Bromofluorobenzene (S)	100 %		75-125	2		02/13/14 18:40	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020714-TM-HA-13	Lab ID: 10256845033	Collected: 02/07/14 09:15	Received: 02/07/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 15:29	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 15:29	64742-65-0	
Surrogates								
o-Terphenyl (S)	77 %.		30-125	1	02/18/14 11:18	02/19/14 15:29	84-15-1	
n-Triacontane (S)	86 %.		30-125	1	02/18/14 11:18	02/19/14 15:29	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/11/14 18:14		
Surrogates								
a,a,a-Trifluorotoluene (S)	104 %.		70-125	1		02/11/14 18:14	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	0.61 ug/L		0.50	1	02/12/14 09:01	02/13/14 14:30	7440-38-2	
Lead	1.7 ug/L		0.10	1	02/12/14 09:01	02/13/14 14:30	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	83-32-9	
Acenaphthylene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	208-96-8	
Anthracene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	120-12-7	
Benzo(a)anthracene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	56-55-3	
Benzo(a)pyrene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	207-08-9	
Chrysene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	53-70-3	
Fluoranthene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	206-44-0	
Fluorene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	193-39-5	
1-Methylnaphthalene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	90-12-0	
2-Methylnaphthalene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	91-57-6	
Naphthalene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	91-20-3	
Phenanthrene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	85-01-8	
Pyrene	ND ug/L		0.089	1	02/11/14 07:17	02/19/14 11:20	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	58 %.		54-125	1	02/11/14 07:17	02/19/14 11:20	321-60-8	
Terphenyl-d14 (S)	70 %.		68-125	1	02/11/14 07:17	02/19/14 11:20	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/13/14 18:04	67-64-1	
Benzene	ND ug/L		1.0	1		02/13/14 18:04	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/13/14 18:04	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/13/14 18:04	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/13/14 18:04	75-27-4	
Bromoform	ND ug/L		4.0	1		02/13/14 18:04	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/13/14 18:04	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: **GW-020714-TM-HA-13** Lab ID: **10256845033** Collected: 02/07/14 09:15 Received: 02/07/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND	ug/L	5.0	1		02/13/14 18:04	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		02/13/14 18:04	104-51-8	
sec-Butylbenzene	ND	ug/L	1.0	1		02/13/14 18:04	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		02/13/14 18:04	98-06-6	
Carbon disulfide	ND	ug/L	1.0	1		02/13/14 18:04	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		02/13/14 18:04	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		02/13/14 18:04	108-90-7	
Chloroethane	ND	ug/L	1.0	1		02/13/14 18:04	75-00-3	
Chloroform	ND	ug/L	1.0	1		02/13/14 18:04	67-66-3	
Chloromethane	ND	ug/L	4.0	1		02/13/14 18:04	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		02/13/14 18:04	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		02/13/14 18:04	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		02/13/14 18:04	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		02/13/14 18:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		02/13/14 18:04	106-93-4	
Dibromomethane	ND	ug/L	4.0	1		02/13/14 18:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		02/13/14 18:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		02/13/14 18:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		02/13/14 18:04	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		02/13/14 18:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		02/13/14 18:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		02/13/14 18:04	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	2.0	1		02/13/14 18:04	540-59-0	
1,1-Dichloroethene	ND	ug/L	1.0	1		02/13/14 18:04	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/13/14 18:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/13/14 18:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 18:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/13/14 18:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 18:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/13/14 18:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 18:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 18:04	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		02/13/14 18:04	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/13/14 18:04	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/13/14 18:04	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		02/13/14 18:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/13/14 18:04	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/13/14 18:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/13/14 18:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/13/14 18:04	1634-04-4	
Naphthalene	ND	ug/L	4.0	1		02/13/14 18:04	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	1		02/13/14 18:04	103-65-1	
Styrene	ND	ug/L	1.0	1		02/13/14 18:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 18:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 18:04	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/13/14 18:04	127-18-4	
Toluene	1.1	ug/L	1.0	1		02/13/14 18:04	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-TM-HA-13		Lab ID: 10256845033	Collected: 02/07/14 09:15	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/13/14 18:04	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/13/14 18:04	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/13/14 18:04	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/13/14 18:04	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/13/14 18:04	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/13/14 18:04	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/13/14 18:04	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/13/14 18:04	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/13/14 18:04	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/13/14 18:04	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/13/14 18:04	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/13/14 18:04	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/13/14 18:04	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	99 %.		75-125	1		02/13/14 18:04	17060-07-0	
Toluene-d8 (S)	99 %.		75-125	1		02/13/14 18:04	2037-26-5	
4-Bromofluorobenzene (S)	98 %.		75-125	1		02/13/14 18:04	460-00-4	

Sample: GW-020714-TM-HA-14		Lab ID: 10256845034	Collected: 02/07/14 10:20	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 16:40	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 16:40	64742-65-0	
Surrogates								
o-Terphenyl (S)	73 %.		30-125	1	02/11/14 09:30	02/15/14 16:40	84-15-1	
n-Triacontane (S)	81 %.		30-125	1	02/11/14 09:30	02/15/14 16:40	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/11/14 20:54		
Surrogates								
a,a,a-Trifluorotoluene (S)	104 %.		70-125	1		02/11/14 20:54	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	1.2 ug/L		0.50	1	02/12/14 09:01	02/13/14 04:05	7440-38-2	
Lead	0.47 ug/L		0.10	1	02/12/14 09:01	02/13/14 04:05	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	83-32-9	
Acenaphthylene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	208-96-8	
Anthracene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	120-12-7	
Benzo(a)anthracene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	56-55-3	
Benzo(a)pyrene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-TM-HA-14 **Lab ID: 10256845034** Collected: 02/07/14 10:20 Received: 02/07/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	207-08-9	
Chrysene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	53-70-3	
Fluoranthene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	206-44-0	
Fluorene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	193-39-5	
1-Methylnaphthalene	0.97 ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	90-12-0	
2-Methylnaphthalene	1.4 ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	91-57-6	
Naphthalene	8.3 ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	91-20-3	
Phenanthrene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	85-01-8	
Pyrene	ND ug/L		0.048	1	02/11/14 07:17	02/19/14 11:42	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	77 %.		54-125	1	02/11/14 07:17	02/19/14 11:42	321-60-8	
Terphenyl-d14 (S)	83 %.		68-125	1	02/11/14 07:17	02/19/14 11:42	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/13/14 18:22	67-64-1	
Benzene	6.8 ug/L		1.0	1		02/13/14 18:22	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/13/14 18:22	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/13/14 18:22	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/13/14 18:22	75-27-4	
Bromoform	ND ug/L		4.0	1		02/13/14 18:22	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/13/14 18:22	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/13/14 18:22	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/13/14 18:22	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/13/14 18:22	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/13/14 18:22	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/13/14 18:22	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/13/14 18:22	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/13/14 18:22	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/13/14 18:22	75-00-3	
Chloroform	ND ug/L		1.0	1		02/13/14 18:22	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/13/14 18:22	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/13/14 18:22	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/13/14 18:22	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/13/14 18:22	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/13/14 18:22	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/13/14 18:22	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/13/14 18:22	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 18:22	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 18:22	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 18:22	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/13/14 18:22	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/13/14 18:22	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/13/14 18:22	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/13/14 18:22	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-TM-HA-14		Lab ID: 10256845034	Collected: 02/07/14 10:20	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND	ug/L	1.0	1		02/13/14 18:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/13/14 18:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/13/14 18:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 18:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/13/14 18:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 18:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/13/14 18:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 18:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 18:22	10061-02-6	
Ethylbenzene	19.7	ug/L	1.0	1		02/13/14 18:22	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/13/14 18:22	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/13/14 18:22	591-78-6	
Isopropylbenzene (Cumene)	1.1	ug/L	1.0	1		02/13/14 18:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/13/14 18:22	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/13/14 18:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/13/14 18:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/13/14 18:22	1634-04-4	
Naphthalene	ND	ug/L	4.0	1		02/13/14 18:22	91-20-3	
n-Propylbenzene	3.2	ug/L	1.0	1		02/13/14 18:22	103-65-1	
Styrene	ND	ug/L	1.0	1		02/13/14 18:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 18:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 18:22	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/13/14 18:22	127-18-4	
Toluene	ND	ug/L	1.0	1		02/13/14 18:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		02/13/14 18:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		02/13/14 18:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		02/13/14 18:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		02/13/14 18:22	79-00-5	
Trichloroethene	ND	ug/L	0.40	1		02/13/14 18:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		02/13/14 18:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	1		02/13/14 18:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		02/13/14 18:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		02/13/14 18:22	108-67-8	
Vinyl chloride	ND	ug/L	0.20	1		02/13/14 18:22	75-01-4	
Xylene (Total)	ND	ug/L	3.0	1		02/13/14 18:22	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		02/13/14 18:22	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		02/13/14 18:22	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	99 %		75-125	1		02/13/14 18:22	17060-07-0	
Toluene-d8 (S)	100 %		75-125	1		02/13/14 18:22	2037-26-5	
4-Bromofluorobenzene (S)	101 %		75-125	1		02/13/14 18:22	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-TM-HA-6	Lab ID: 10256845035	Collected: 02/07/14 12:05	Received: 02/07/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	1.2 mg/L		0.40	1	02/11/14 09:30	02/15/14 17:46	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 17:46	64742-65-0	
Surrogates								
o-Terphenyl (S)	79 %.		30-125	1	02/11/14 09:30	02/15/14 17:46	84-15-1	
n-Triacontane (S)	91 %.		30-125	1	02/11/14 09:30	02/15/14 17:46	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	20200 ug/L		2000	20		02/11/14 22:35		
Surrogates								
a,a,a-Trifluorotoluene (S)	113 %.		70-125	20		02/11/14 22:35	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	8.2 ug/L		0.50	1	02/12/14 09:01	02/13/14 04:09	7440-38-2	
Lead	20.9 ug/L		0.10	1	02/12/14 09:01	02/13/14 04:09	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	1.3 ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	83-32-9	
Acenaphthylene	0.20 ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	208-96-8	
Anthracene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	120-12-7	
Benzo(a)anthracene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	56-55-3	
Benzo(a)pyrene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	207-08-9	
Chrysene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	53-70-3	
Fluoranthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	206-44-0	
Fluorene	2.0 ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	193-39-5	
1-Methylnaphthalene	33.1 ug/L		0.83	20	02/11/14 07:17	02/19/14 20:29	90-12-0	
2-Methylnaphthalene	81.9 ug/L		0.83	20	02/11/14 07:17	02/19/14 20:29	91-57-6	
Naphthalene	171 ug/L		0.83	20	02/11/14 07:17	02/19/14 20:29	91-20-3	
Phenanthrene	2.1 ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	85-01-8	
Pyrene	0.067 ug/L		0.042	1	02/11/14 07:17	02/19/14 12:04	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	84 %.		54-125	1	02/11/14 07:17	02/19/14 12:04	321-60-8	
Terphenyl-d14 (S)	79 %.		68-125	1	02/11/14 07:17	02/19/14 12:04	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		200	10		02/13/14 19:15	67-64-1	
Benzene	161 ug/L		10.0	10		02/13/14 19:15	71-43-2	
Bromobenzene	ND ug/L		10.0	10		02/13/14 19:15	108-86-1	
Bromochloromethane	ND ug/L		10.0	10		02/13/14 19:15	74-97-5	
Bromodichloromethane	ND ug/L		10.0	10		02/13/14 19:15	75-27-4	
Bromoform	ND ug/L		40.0	10		02/13/14 19:15	75-25-2	
Bromomethane	ND ug/L		40.0	10		02/13/14 19:15	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-020714-TM-HA-6	Lab ID: 10256845035	Collected: 02/07/14 12:05	Received: 02/07/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	117 ug/L		50.0	10		02/13/14 19:15	78-93-3	
n-Butylbenzene	ND ug/L		10.0	10		02/13/14 19:15	104-51-8	
sec-Butylbenzene	ND ug/L		10.0	10		02/13/14 19:15	135-98-8	
tert-Butylbenzene	ND ug/L		10.0	10		02/13/14 19:15	98-06-6	
Carbon disulfide	ND ug/L		10.0	10		02/13/14 19:15	75-15-0	
Carbon tetrachloride	ND ug/L		10.0	10		02/13/14 19:15	56-23-5	
Chlorobenzene	ND ug/L		10.0	10		02/13/14 19:15	108-90-7	
Chloroethane	ND ug/L		10.0	10		02/13/14 19:15	75-00-3	
Chloroform	ND ug/L		10.0	10		02/13/14 19:15	67-66-3	
Chloromethane	ND ug/L		40.0	10		02/13/14 19:15	74-87-3	
2-Chlorotoluene	ND ug/L		10.0	10		02/13/14 19:15	95-49-8	
4-Chlorotoluene	ND ug/L		10.0	10		02/13/14 19:15	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		40.0	10		02/13/14 19:15	96-12-8	
Dibromochloromethane	ND ug/L		10.0	10		02/13/14 19:15	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		10.0	10		02/13/14 19:15	106-93-4	
Dibromomethane	ND ug/L		40.0	10		02/13/14 19:15	74-95-3	
1,2-Dichlorobenzene	ND ug/L		10.0	10		02/13/14 19:15	95-50-1	
1,3-Dichlorobenzene	ND ug/L		10.0	10		02/13/14 19:15	541-73-1	
1,4-Dichlorobenzene	ND ug/L		10.0	10		02/13/14 19:15	106-46-7	
Dichlorodifluoromethane	ND ug/L		10.0	10		02/13/14 19:15	75-71-8	
1,1-Dichloroethane	ND ug/L		10.0	10		02/13/14 19:15	75-34-3	
1,2-Dichloroethane	ND ug/L		10.0	10		02/13/14 19:15	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		20.0	10		02/13/14 19:15	540-59-0	
1,1-Dichloroethene	ND ug/L		10.0	10		02/13/14 19:15	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		10.0	10		02/13/14 19:15	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		10.0	10		02/13/14 19:15	156-60-5	
1,2-Dichloropropane	ND ug/L		40.0	10		02/13/14 19:15	78-87-5	
1,3-Dichloropropane	ND ug/L		10.0	10		02/13/14 19:15	142-28-9	
2,2-Dichloropropane	ND ug/L		40.0	10		02/13/14 19:15	594-20-7	
1,1-Dichloropropene	ND ug/L		10.0	10		02/13/14 19:15	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		40.0	10		02/13/14 19:15	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		40.0	10		02/13/14 19:15	10061-02-6	
Ethylbenzene	1870 ug/L		10.0	10		02/13/14 19:15	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		10.0	10		02/13/14 19:15	87-68-3	
2-Hexanone	ND ug/L		50.0	10		02/13/14 19:15	591-78-6	
Isopropylbenzene (Cumene)	50.6 ug/L		10.0	10		02/13/14 19:15	98-82-8	
p-Isopropyltoluene	ND ug/L		10.0	10		02/13/14 19:15	99-87-6	
Methylene Chloride	ND ug/L		40.0	10		02/13/14 19:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		50.0	10		02/13/14 19:15	108-10-1	
Methyl-tert-butyl ether	ND ug/L		10.0	10		02/13/14 19:15	1634-04-4	
Naphthalene	393 ug/L		40.0	10		02/13/14 19:15	91-20-3	
n-Propylbenzene	146 ug/L		10.0	10		02/13/14 19:15	103-65-1	
Styrene	ND ug/L		10.0	10		02/13/14 19:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		10.0	10		02/13/14 19:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		10.0	10		02/13/14 19:15	79-34-5	
Tetrachloroethene	ND ug/L		10.0	10		02/13/14 19:15	127-18-4	
Toluene	137 ug/L		10.0	10		02/13/14 19:15	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-TM-HA-6		Lab ID: 10256845035	Collected: 02/07/14 12:05	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		10.0	10		02/13/14 19:15	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		10.0	10		02/13/14 19:15	120-82-1	
1,1,1-Trichloroethane	ND ug/L		10.0	10		02/13/14 19:15	71-55-6	
1,1,2-Trichloroethane	ND ug/L		10.0	10		02/13/14 19:15	79-00-5	
Trichloroethene	ND ug/L		4.0	10		02/13/14 19:15	79-01-6	
Trichlorofluoromethane	ND ug/L		10.0	10		02/13/14 19:15	75-69-4	
1,2,3-Trichloropropane	ND ug/L		40.0	10		02/13/14 19:15	96-18-4	
1,2,4-Trimethylbenzene	853 ug/L		10.0	10		02/13/14 19:15	95-63-6	
1,3,5-Trimethylbenzene	231 ug/L		10.0	10		02/13/14 19:15	108-67-8	
Vinyl chloride	ND ug/L		2.0	10		02/13/14 19:15	75-01-4	
Xylene (Total)	1160 ug/L		30.0	10		02/13/14 19:15	1330-20-7	
m&p-Xylene	1100 ug/L		20.0	10		02/13/14 19:15	179601-23-1	
o-Xylene	61.8 ug/L		10.0	10		02/13/14 19:15	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	99 %.		75-125	10		02/13/14 19:15	17060-07-0	
Toluene-d8 (S)	99 %.		75-125	10		02/13/14 19:15	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	10		02/13/14 19:15	460-00-4	

Sample: GW-020714-TM-HA-5		Lab ID: 10256845036	Collected: 02/07/14 13:30	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 18:07	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/11/14 09:30	02/15/14 18:07	64742-65-0	
Surrogates								
o-Terphenyl (S)	65 %.		30-125	1	02/11/14 09:30	02/15/14 18:07	84-15-1	
n-Triacontane (S)	78 %.		30-125	1	02/11/14 09:30	02/15/14 18:07	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/11/14 20:34		
Surrogates								
a,a,a-Trifluorotoluene (S)	107 %.		70-125	1		02/11/14 20:34	98-08-8	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	83-32-9	
Acenaphthylene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	208-96-8	
Anthracene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	120-12-7	
Benzo(a)anthracene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	56-55-3	
Benzo(a)pyrene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	207-08-9	
Chrysene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	53-70-3	
Fluoranthene	ND ug/L		0.042	1	02/11/14 07:17	02/19/14 12:26	206-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-TM-HA-5 **Lab ID: 10256845036** Collected: 02/07/14 13:30 Received: 02/07/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Fluorene	ND	ug/L	0.042	1	02/11/14 07:17	02/19/14 12:26	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.042	1	02/11/14 07:17	02/19/14 12:26	193-39-5	
1-Methylnaphthalene	ND	ug/L	0.042	1	02/11/14 07:17	02/19/14 12:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	0.042	1	02/11/14 07:17	02/19/14 12:26	91-57-6	
Naphthalene	ND	ug/L	0.042	1	02/11/14 07:17	02/19/14 12:26	91-20-3	
Phenanthrene	ND	ug/L	0.042	1	02/11/14 07:17	02/19/14 12:26	85-01-8	
Pyrene	ND	ug/L	0.042	1	02/11/14 07:17	02/19/14 12:26	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	66 %		54-125	1	02/11/14 07:17	02/19/14 12:26	321-60-8	
Terphenyl-d14 (S)	77 %		68-125	1	02/11/14 07:17	02/19/14 12:26	1718-51-0	

8260 MSV UST Analytical Method: EPA 8260								
Benzene	ND	ug/L	1.0	1		02/18/14 04:17	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		02/18/14 04:17	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/18/14 04:17	1634-04-4	
Toluene	ND	ug/L	1.0	1		02/18/14 04:17	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		02/18/14 04:17	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %		75-125	1		02/18/14 04:17	17060-07-0	
Toluene-d8 (S)	99 %		75-125	1		02/18/14 04:17	2037-26-5	
4-Bromofluorobenzene (S)	99 %		75-125	1		02/18/14 04:17	460-00-4	

Sample: GW-020714-TM-RWX-5 **Lab ID: 10256845037** Collected: 02/07/14 14:30 Received: 02/07/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND	mg/L	0.40	1	02/11/14 09:30	02/15/14 18:29	68334-30-5	
Motor Oil Range SG	ND	mg/L	0.40	1	02/11/14 09:30	02/15/14 18:29	64742-65-0	
Surrogates								
o-Terphenyl (S)	59 %		30-125	1	02/11/14 09:30	02/15/14 18:29	84-15-1	
n-Triacontane (S)	67 %		30-125	1	02/11/14 09:30	02/15/14 18:29	638-68-6	

NWTPH-Gx GCV Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND	ug/L	100	1		02/12/14 23:32		
Surrogates								
a,a,a-Trifluorotoluene (S)	98 %		70-125	1		02/12/14 23:32	98-08-8	

8260 MSV UST Analytical Method: EPA 8260								
Benzene	ND	ug/L	1.0	1		02/18/14 04:34	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		02/18/14 04:34	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/18/14 04:34	1634-04-4	
Toluene	ND	ug/L	1.0	1		02/18/14 04:34	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		02/18/14 04:34	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %		75-125	1		02/18/14 04:34	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-020714-TM-RWX-5		Lab ID: 10256845037	Collected: 02/07/14 14:30	Received: 02/07/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8260 MSV UST

Analytical Method: EPA 8260

Surrogates

Toluene-d8 (S)	99 %.		75-125	1		02/18/14 04:34	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/18/14 04:34	460-00-4	

Sample: Trip Blank

Lab ID: 10256845038

Collected: 02/07/14 00:00

Received: 02/07/14 16:00

Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

NWTPH-Gx GCV

Analytical Method: NWTPH-Gx/8021

TPH as Gas	ND ug/L		100	1		02/11/14 15:41		
Surrogates								
a,a,a-Trifluorotoluene (S)	102 %.		70-125	1		02/11/14 15:41	98-08-8	

8260 MSV UST

Analytical Method: EPA 8260

Benzene	ND ug/L		1.0	1		02/18/14 02:19	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/18/14 02:19	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/18/14 02:19	1634-04-4	
Toluene	ND ug/L		1.0	1		02/18/14 02:19	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/18/14 02:19	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	98 %.		75-125	1		02/18/14 02:19	17060-07-0	
Toluene-d8 (S)	98 %.		75-125	1		02/18/14 02:19	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/18/14 02:19	460-00-4	

Sample: GW-021014-TM-HA-2

Lab ID: 10256845039

Collected: 02/10/14 08:45

Received: 02/10/14 16:00

Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

NWTPH-Dx GCS Silica Gel LV

Analytical Method: NWTPH-Dx Preparation Method: EPA 3510

Diesel Fuel Range SG	3.0 mg/L		0.40	1	02/12/14 10:09	02/18/14 21:23	68334-30-5	
Motor Oil Range SG	0.65 mg/L		0.40	1	02/12/14 10:09	02/18/14 21:23	64742-65-0	
Surrogates								
o-Terphenyl (S)	78 %.		30-125	1	02/12/14 10:09	02/18/14 21:23	84-15-1	
n-Triacontane (S)	85 %.		30-125	1	02/12/14 10:09	02/18/14 21:23	638-68-6	

NWTPH-Gx GCV

Analytical Method: NWTPH-Gx/8021

TPH as Gas	72400 ug/L		10000	100		02/13/14 16:59		
Surrogates								
a,a,a-Trifluorotoluene (S)	103 %.		70-125	100		02/13/14 16:59	98-08-8	

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3020

Arsenic	14.0 ug/L		0.50	1	02/12/14 09:01	02/13/14 04:14	7440-38-2	
Lead	16.7 ug/L		0.10	1	02/12/14 09:01	02/13/14 04:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-TM-HA-2 **Lab ID: 10256845039** Collected: 02/10/14 08:45 Received: 02/10/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	1.7	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	83-32-9	L2
Acenaphthylene	0.40	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	208-96-8	L2
Anthracene	0.86	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	120-12-7	L2
Benzo(a)anthracene	0.31	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	56-55-3	
Benzo(a)pyrene	0.22	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	50-32-8	
Benzo(b)fluoranthene	0.27	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	205-99-2	
Benzo(g,h,i)perylene	0.12	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	191-24-2	
Benzo(k)fluoranthene	0.10	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	207-08-9	
Chrysene	0.28	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	53-70-3	
Fluoranthene	1.6	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	206-44-0	
Fluorene	3.0	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	86-73-7	L2
Indeno(1,2,3-cd)pyrene	0.094	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	193-39-5	
1-Methylnaphthalene	117	ug/L	2.1	50	02/13/14 07:15	02/21/14 22:12	90-12-0	L2
2-Methylnaphthalene	299	ug/L	2.1	50	02/13/14 07:15	02/21/14 22:12	91-57-6	L2
Naphthalene	494	ug/L	2.1	50	02/13/14 07:15	02/21/14 22:12	91-20-3	L2
Phenanthrene	5.1	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	85-01-8	L2
Pyrene	0.83	ug/L	0.041	1	02/13/14 07:15	02/20/14 00:32	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	73	%	54-125	1	02/13/14 07:15	02/20/14 00:32	321-60-8	
Terphenyl-d14 (S)	75	%	68-125	1	02/13/14 07:15	02/20/14 00:32	1718-51-0	

8260 VOC Analytical Method: EPA 8260

Acetone	ND	ug/L	1000	50		02/14/14 21:19	67-64-1	
Benzene	5050	ug/L	50.0	50		02/14/14 21:19	71-43-2	
Bromobenzene	ND	ug/L	50.0	50		02/14/14 21:19	108-86-1	
Bromochloromethane	ND	ug/L	50.0	50		02/14/14 21:19	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	50		02/14/14 21:19	75-27-4	
Bromoform	ND	ug/L	200	50		02/14/14 21:19	75-25-2	
Bromomethane	ND	ug/L	200	50		02/14/14 21:19	74-83-9	L3
2-Butanone (MEK)	ND	ug/L	250	50		02/14/14 21:19	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	50		02/14/14 21:19	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	50		02/14/14 21:19	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	50		02/14/14 21:19	98-06-6	
Carbon disulfide	ND	ug/L	50.0	50		02/14/14 21:19	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	50		02/14/14 21:19	56-23-5	
Chlorobenzene	ND	ug/L	50.0	50		02/14/14 21:19	108-90-7	
Chloroethane	ND	ug/L	50.0	50		02/14/14 21:19	75-00-3	
Chloroform	ND	ug/L	50.0	50		02/14/14 21:19	67-66-3	
Chloromethane	ND	ug/L	200	50		02/14/14 21:19	74-87-3	L3
2-Chlorotoluene	ND	ug/L	50.0	50		02/14/14 21:19	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	50		02/14/14 21:19	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	200	50		02/14/14 21:19	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	50		02/14/14 21:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	50		02/14/14 21:19	106-93-4	
Dibromomethane	ND	ug/L	200	50		02/14/14 21:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	50		02/14/14 21:19	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-TM-HA-2	Lab ID: 10256845039	Collected: 02/10/14 08:45	Received: 02/10/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,3-Dichlorobenzene	ND ug/L		50.0	50		02/14/14 21:19	541-73-1	
1,4-Dichlorobenzene	ND ug/L		50.0	50		02/14/14 21:19	106-46-7	
Dichlorodifluoromethane	ND ug/L		50.0	50		02/14/14 21:19	75-71-8	
1,1-Dichloroethane	ND ug/L		50.0	50		02/14/14 21:19	75-34-3	
1,2-Dichloroethane	ND ug/L		50.0	50		02/14/14 21:19	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		100	50		02/14/14 21:19	540-59-0	
1,1-Dichloroethene	ND ug/L		50.0	50		02/14/14 21:19	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		50.0	50		02/14/14 21:19	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		50.0	50		02/14/14 21:19	156-60-5	
1,2-Dichloropropane	ND ug/L		200	50		02/14/14 21:19	78-87-5	
1,3-Dichloropropane	ND ug/L		50.0	50		02/14/14 21:19	142-28-9	
2,2-Dichloropropane	ND ug/L		200	50		02/14/14 21:19	594-20-7	
1,1-Dichloropropene	ND ug/L		50.0	50		02/14/14 21:19	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		200	50		02/14/14 21:19	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		200	50		02/14/14 21:19	10061-02-6	
Ethylbenzene	2500 ug/L		50.0	50		02/14/14 21:19	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		50.0	50		02/14/14 21:19	87-68-3	
2-Hexanone	ND ug/L		250	50		02/14/14 21:19	591-78-6	
Isopropylbenzene (Cumene)	80.0 ug/L		50.0	50		02/14/14 21:19	98-82-8	
p-Isopropyltoluene	ND ug/L		50.0	50		02/14/14 21:19	99-87-6	
Methylene Chloride	ND ug/L		200	50		02/14/14 21:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		250	50		02/14/14 21:19	108-10-1	
Methyl-tert-butyl ether	ND ug/L		50.0	50		02/14/14 21:19	1634-04-4	
Naphthalene	608 ug/L		200	50		02/14/14 21:19	91-20-3	
n-Propylbenzene	210 ug/L		50.0	50		02/14/14 21:19	103-65-1	
Styrene	ND ug/L		50.0	50		02/14/14 21:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		50.0	50		02/14/14 21:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		50.0	50		02/14/14 21:19	79-34-5	
Tetrachloroethene	ND ug/L		50.0	50		02/14/14 21:19	127-18-4	
Toluene	802 ug/L		50.0	50		02/14/14 21:19	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		50.0	50		02/14/14 21:19	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		50.0	50		02/14/14 21:19	120-82-1	
1,1,1-Trichloroethane	ND ug/L		50.0	50		02/14/14 21:19	71-55-6	
1,1,2-Trichloroethane	ND ug/L		50.0	50		02/14/14 21:19	79-00-5	
Trichloroethene	ND ug/L		20.0	50		02/14/14 21:19	79-01-6	
Trichlorofluoromethane	ND ug/L		50.0	50		02/14/14 21:19	75-69-4	
1,2,3-Trichloropropane	ND ug/L		200	50		02/14/14 21:19	96-18-4	
1,2,4-Trimethylbenzene	1930 ug/L		50.0	50		02/14/14 21:19	95-63-6	
1,3,5-Trimethylbenzene	474 ug/L		50.0	50		02/14/14 21:19	108-67-8	
Vinyl chloride	ND ug/L		10.0	50		02/14/14 21:19	75-01-4	
Xylene (Total)	12300 ug/L		150	50		02/14/14 21:19	1330-20-7	
m&p-Xylene	9240 ug/L		100	50		02/14/14 21:19	179601-23-1	
o-Xylene	3010 ug/L		50.0	50		02/14/14 21:19	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	101 %.		75-125	50		02/14/14 21:19	17060-07-0	
Toluene-d8 (S)	100 %.		75-125	50		02/14/14 21:19	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	50		02/14/14 21:19	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-TM-HA-3	Lab ID: 10256845040	Collected: 02/10/14 09:45	Received: 02/10/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 22:06	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 22:06	64742-65-0	
Surrogates								
o-Terphenyl (S)	73 %.		30-125	1	02/12/14 10:09	02/18/14 22:06	84-15-1	
n-Triacontane (S)	83 %.		30-125	1	02/12/14 10:09	02/18/14 22:06	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	315 ug/L		100	1		02/13/14 08:49		
Surrogates								
a,a,a-Trifluorotoluene (S)	118 %.		70-125	1		02/13/14 08:49	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	3.5 ug/L		0.50	1	02/12/14 09:01	02/13/14 04:19	7440-38-2	
Lead	9.4 ug/L		0.10	1	02/12/14 09:01	02/13/14 04:19	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	83-32-9	L2
Acenaphthylene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	208-96-8	L2
Anthracene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	56-55-3	
Benzo(a)pyrene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	207-08-9	
Chrysene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	53-70-3	
Fluoranthene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	206-44-0	
Fluorene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	86-73-7	L2
Indeno(1,2,3-cd)pyrene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	193-39-5	
1-Methylnaphthalene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	90-12-0	L2
2-Methylnaphthalene	0.22 ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	91-57-6	L2
Naphthalene	0.26 ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	91-20-3	L2
Phenanthrene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	85-01-8	L2
Pyrene	ND ug/L		0.046	1	02/13/14 07:15	02/20/14 00:54	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	45 %.		54-125	1	02/13/14 07:15	02/20/14 00:54	321-60-8	S0
Terphenyl-d14 (S)	73 %.		68-125	1	02/13/14 07:15	02/20/14 00:54	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/13/14 08:02	67-64-1	
Benzene	4.5 ug/L		1.0	1		02/13/14 08:02	71-43-2	M1
Bromobenzene	ND ug/L		1.0	1		02/13/14 08:02	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/13/14 08:02	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/13/14 08:02	75-27-4	
Bromoform	ND ug/L		4.0	1		02/13/14 08:02	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/13/14 08:02	74-83-9	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021014-TM-HA-3	Lab ID: 10256845040	Collected: 02/10/14 09:45	Received: 02/10/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND	ug/L	5.0	1		02/13/14 08:02	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		02/13/14 08:02	104-51-8	
sec-Butylbenzene	ND	ug/L	1.0	1		02/13/14 08:02	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		02/13/14 08:02	98-06-6	
Carbon disulfide	ND	ug/L	1.0	1		02/13/14 08:02	75-15-0	M1
Carbon tetrachloride	ND	ug/L	1.0	1		02/13/14 08:02	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		02/13/14 08:02	108-90-7	
Chloroethane	ND	ug/L	1.0	1		02/13/14 08:02	75-00-3	
Chloroform	ND	ug/L	1.0	1		02/13/14 08:02	67-66-3	M1
Chloromethane	ND	ug/L	4.0	1		02/13/14 08:02	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		02/13/14 08:02	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		02/13/14 08:02	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		02/13/14 08:02	96-12-8	L3
Dibromochloromethane	ND	ug/L	1.0	1		02/13/14 08:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		02/13/14 08:02	106-93-4	
Dibromomethane	ND	ug/L	4.0	1		02/13/14 08:02	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		02/13/14 08:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		02/13/14 08:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		02/13/14 08:02	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		02/13/14 08:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		02/13/14 08:02	75-34-3	M1
1,2-Dichloroethane	ND	ug/L	1.0	1		02/13/14 08:02	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	2.0	1		02/13/14 08:02	540-59-0	
1,1-Dichloroethene	ND	ug/L	1.0	1		02/13/14 08:02	75-35-4	M1
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/13/14 08:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/13/14 08:02	156-60-5	M1
1,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 08:02	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/13/14 08:02	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/13/14 08:02	594-20-7	M1
1,1-Dichloropropene	ND	ug/L	1.0	1		02/13/14 08:02	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 08:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/13/14 08:02	10061-02-6	
Ethylbenzene	10.2	ug/L	1.0	1		02/13/14 08:02	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/13/14 08:02	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/13/14 08:02	591-78-6	L3
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		02/13/14 08:02	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/13/14 08:02	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/13/14 08:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/13/14 08:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/13/14 08:02	1634-04-4	
Naphthalene	ND	ug/L	4.0	1		02/13/14 08:02	91-20-3	
n-Propylbenzene	1.1	ug/L	1.0	1		02/13/14 08:02	103-65-1	
Styrene	ND	ug/L	1.0	1		02/13/14 08:02	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 08:02	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/13/14 08:02	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/13/14 08:02	127-18-4	
Toluene	5.3	ug/L	1.0	1		02/13/14 08:02	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-TM-HA-3		Lab ID: 10256845040	Collected: 02/10/14 09:45	Received: 02/10/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/13/14 08:02	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/13/14 08:02	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/13/14 08:02	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/13/14 08:02	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/13/14 08:02	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/13/14 08:02	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/13/14 08:02	96-18-4	
1,2,4-Trimethylbenzene	11.9 ug/L		1.0	1		02/13/14 08:02	95-63-6	
1,3,5-Trimethylbenzene	3.1 ug/L		1.0	1		02/13/14 08:02	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/13/14 08:02	75-01-4	
Xylene (Total)	67.8 ug/L		3.0	1		02/13/14 08:02	1330-20-7	
m&p-Xylene	50.0 ug/L		2.0	1		02/13/14 08:02	179601-23-1	
o-Xylene	17.8 ug/L		1.0	1		02/13/14 08:02	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	74 %.		75-125	1		02/13/14 08:02	17060-07-0	S2
Toluene-d8 (S)	101 %.		75-125	1		02/13/14 08:02	2037-26-5	
4-Bromofluorobenzene (S)	98 %.		75-125	1		02/13/14 08:02	460-00-4	

Sample: GW-021014-TM-HA-4		Lab ID: 10256845041	Collected: 02/10/14 11:45	Received: 02/10/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 22:28	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 22:28	64742-65-0	
Surrogates								
o-Terphenyl (S)	59 %.		30-125	1	02/12/14 10:09	02/18/14 22:28	84-15-1	
n-Triacontane (S)	67 %.		30-125	1	02/12/14 10:09	02/18/14 22:28	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/13/14 09:09		
Surrogates								
a,a,a-Trifluorotoluene (S)	99 %.		70-125	1		02/13/14 09:09	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	1.8 ug/L		0.50	1	02/12/14 09:01	02/13/14 04:23	7440-38-2	
Lead	7.2 ug/L		0.10	1	02/12/14 09:01	02/13/14 04:23	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	83-32-9	L2
Acenaphthylene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	208-96-8	L2
Anthracene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	56-55-3	
Benzo(a)pyrene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	50-32-8	
Benzo(b)fluoranthene	0.084 ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-TM-HA-4 **Lab ID: 10256845041** Collected: 02/10/14 11:45 Received: 02/10/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	0.095 ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	207-08-9	
Chrysene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	53-70-3	
Fluoranthene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	206-44-0	
Fluorene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	86-73-7	L2
Indeno(1,2,3-cd)pyrene	0.072 ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	193-39-5	
1-Methylnaphthalene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	90-12-0	L2
2-Methylnaphthalene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	91-57-6	L2
Naphthalene	0.067 ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	91-20-3	L2
Phenanthrene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	85-01-8	L2
Pyrene	ND ug/L		0.040	1	02/13/14 07:15	02/20/14 01:16	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	60 %.		54-125	1	02/13/14 07:15	02/20/14 01:16	321-60-8	
Terphenyl-d14 (S)	64 %.		68-125	1	02/13/14 07:15	02/20/14 01:16	1718-51-0	S0

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/14/14 17:34	67-64-1	
Benzene	ND ug/L		1.0	1		02/14/14 17:34	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/14/14 17:34	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/14/14 17:34	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/14/14 17:34	75-27-4	
Bromoform	ND ug/L		4.0	1		02/14/14 17:34	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/14/14 17:34	74-83-9	L3
2-Butanone (MEK)	ND ug/L		5.0	1		02/14/14 17:34	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/14/14 17:34	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/14/14 17:34	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/14/14 17:34	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/14/14 17:34	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/14/14 17:34	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/14/14 17:34	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/14/14 17:34	75-00-3	
Chloroform	ND ug/L		1.0	1		02/14/14 17:34	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/14/14 17:34	74-87-3	L3
2-Chlorotoluene	ND ug/L		1.0	1		02/14/14 17:34	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/14/14 17:34	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/14/14 17:34	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/14/14 17:34	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/14/14 17:34	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/14/14 17:34	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/14/14 17:34	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/14/14 17:34	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/14/14 17:34	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/14/14 17:34	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/14/14 17:34	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/14/14 17:34	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/14/14 17:34	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021014-TM-HA-4		Lab ID: 10256845041	Collected: 02/10/14 11:45	Received: 02/10/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND ug/L		1.0	1		02/14/14 17:34	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/14/14 17:34	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/14/14 17:34	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/14/14 17:34	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/14/14 17:34	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/14/14 17:34	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/14/14 17:34	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/14/14 17:34	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/14/14 17:34	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/14/14 17:34	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/14/14 17:34	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/14/14 17:34	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/14/14 17:34	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/14/14 17:34	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/14/14 17:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/14/14 17:34	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/14/14 17:34	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/14/14 17:34	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/14/14 17:34	103-65-1	
Styrene	ND ug/L		1.0	1		02/14/14 17:34	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/14/14 17:34	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/14/14 17:34	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/14/14 17:34	127-18-4	
Toluene	ND ug/L		1.0	1		02/14/14 17:34	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/14/14 17:34	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/14/14 17:34	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/14/14 17:34	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/14/14 17:34	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/14/14 17:34	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/14/14 17:34	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/14/14 17:34	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/14/14 17:34	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/14/14 17:34	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/14/14 17:34	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/14/14 17:34	1330-20-7	
m&p-Xylene	2.0 ug/L		2.0	1		02/14/14 17:34	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/14/14 17:34	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	102 %.		75-125	1		02/14/14 17:34	17060-07-0	
Toluene-d8 (S)	99 %.		75-125	1		02/14/14 17:34	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/14/14 17:34	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample:	Lab ID:	Collected:	Received:	Matrix:				
GW-021014-NH-MW 6	10256845042	02/10/14 12:30	02/10/14 16:00	Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 22:49	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 22:49	64742-65-0	
Surrogates								
o-Terphenyl (S)	75 %.		30-125	1	02/12/14 10:09	02/18/14 22:49	84-15-1	
n-Triacontane (S)	87 %.		30-125	1	02/12/14 10:09	02/18/14 22:49	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/12/14 19:31		
Surrogates								
a,a,a-Trifluorotoluene (S)	99 %.		70-125	1		02/12/14 19:31	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	8.4 ug/L		0.50	1	02/12/14 09:01	02/13/14 04:28	7440-38-2	
Lead	ND ug/L		0.10	1	02/12/14 09:01	02/13/14 04:28	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	83-32-9	L2
Acenaphthylene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	208-96-8	L2
Anthracene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	56-55-3	
Benzo(a)pyrene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	207-08-9	
Chrysene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	53-70-3	
Fluoranthene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	206-44-0	
Fluorene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	86-73-7	L2
Indeno(1,2,3-cd)pyrene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	193-39-5	
1-Methylnaphthalene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	90-12-0	L2
2-Methylnaphthalene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	91-57-6	L2
Naphthalene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	91-20-3	L2
Phenanthrene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	85-01-8	L2
Pyrene	ND ug/L		0.041	1	02/13/14 07:15	02/20/14 01:38	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	82 %.		54-125	1	02/13/14 07:15	02/20/14 01:38	321-60-8	
Terphenyl-d14 (S)	88 %.		68-125	1	02/13/14 07:15	02/20/14 01:38	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/14/14 17:51	67-64-1	
Benzene	ND ug/L		1.0	1		02/14/14 17:51	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/14/14 17:51	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/14/14 17:51	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/14/14 17:51	75-27-4	
Bromoform	ND ug/L		4.0	1		02/14/14 17:51	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/14/14 17:51	74-83-9	L3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-NH-MW 6 **Lab ID: 10256845042** Collected: 02/10/14 12:30 Received: 02/10/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND	ug/L	5.0	1		02/14/14 17:51	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		02/14/14 17:51	104-51-8	
sec-Butylbenzene	ND	ug/L	1.0	1		02/14/14 17:51	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		02/14/14 17:51	98-06-6	
Carbon disulfide	ND	ug/L	1.0	1		02/14/14 17:51	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		02/14/14 17:51	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		02/14/14 17:51	108-90-7	
Chloroethane	ND	ug/L	1.0	1		02/14/14 17:51	75-00-3	
Chloroform	ND	ug/L	1.0	1		02/14/14 17:51	67-66-3	
Chloromethane	ND	ug/L	4.0	1		02/14/14 17:51	74-87-3	L3
2-Chlorotoluene	ND	ug/L	1.0	1		02/14/14 17:51	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		02/14/14 17:51	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	4.0	1		02/14/14 17:51	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		02/14/14 17:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		02/14/14 17:51	106-93-4	
Dibromomethane	ND	ug/L	4.0	1		02/14/14 17:51	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		02/14/14 17:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		02/14/14 17:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		02/14/14 17:51	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		02/14/14 17:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		02/14/14 17:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		02/14/14 17:51	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	2.0	1		02/14/14 17:51	540-59-0	
1,1-Dichloroethene	ND	ug/L	1.0	1		02/14/14 17:51	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/14/14 17:51	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/14/14 17:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/14/14 17:51	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/14/14 17:51	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/14/14 17:51	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/14/14 17:51	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/14/14 17:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/14/14 17:51	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		02/14/14 17:51	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/14/14 17:51	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/14/14 17:51	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		02/14/14 17:51	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		02/14/14 17:51	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/14/14 17:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/14/14 17:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/14/14 17:51	1634-04-4	
Naphthalene	ND	ug/L	4.0	1		02/14/14 17:51	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	1		02/14/14 17:51	103-65-1	
Styrene	ND	ug/L	1.0	1		02/14/14 17:51	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/14/14 17:51	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/14/14 17:51	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/14/14 17:51	127-18-4	
Toluene	ND	ug/L	1.0	1		02/14/14 17:51	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-NH-MW 6		Lab ID: 10256845042	Collected: 02/10/14 12:30	Received: 02/10/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/14/14 17:51	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/14/14 17:51	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/14/14 17:51	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/14/14 17:51	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/14/14 17:51	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/14/14 17:51	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/14/14 17:51	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/14/14 17:51	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/14/14 17:51	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/14/14 17:51	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/14/14 17:51	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/14/14 17:51	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/14/14 17:51	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	103 %.		75-125	1		02/14/14 17:51	17060-07-0	
Toluene-d8 (S)	99 %.		75-125	1		02/14/14 17:51	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/14/14 17:51	460-00-4	

Sample: GW-021014-NH-MW 5		Lab ID: 10256845043	Collected: 02/10/14 13:30	Received: 02/10/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 23:11	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 23:11	64742-65-0	
Surrogates								
o-Terphenyl (S)	77 %.		30-125	1	02/12/14 10:09	02/18/14 23:11	84-15-1	
n-Triacontane (S)	92 %.		30-125	1	02/12/14 10:09	02/18/14 23:11	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/12/14 19:51		
Surrogates								
a,a,a-Trifluorotoluene (S)	97 %.		70-125	1		02/12/14 19:51	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	5.3 ug/L		0.50	1	02/12/14 09:01	02/13/14 04:32	7440-38-2	
Lead	1.5 ug/L		0.10	1	02/12/14 09:01	02/13/14 04:32	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	83-32-9	L2
Acenaphthylene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	208-96-8	L2
Anthracene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	56-55-3	
Benzo(a)pyrene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-NH-MW 5	Lab ID: 10256845043	Collected: 02/10/14 13:30	Received: 02/10/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	207-08-9	
Chrysene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	53-70-3	
Fluoranthene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	206-44-0	
Fluorene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	86-73-7	L2
Indeno(1,2,3-cd)pyrene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	193-39-5	
1-Methylnaphthalene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	90-12-0	L2
2-Methylnaphthalene	0.051 ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	91-57-6	L2
Naphthalene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	91-20-3	L2
Phenanthrene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	85-01-8	L2
Pyrene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:00	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	89 %.		54-125	1	02/13/14 07:15	02/20/14 02:00	321-60-8	
Terphenyl-d14 (S)	93 %.		68-125	1	02/13/14 07:15	02/20/14 02:00	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/14/14 18:08	67-64-1	
Benzene	ND ug/L		1.0	1		02/14/14 18:08	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/14/14 18:08	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/14/14 18:08	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/14/14 18:08	75-27-4	
Bromoform	ND ug/L		4.0	1		02/14/14 18:08	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/14/14 18:08	74-83-9	L3
2-Butanone (MEK)	ND ug/L		5.0	1		02/14/14 18:08	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/14/14 18:08	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/14/14 18:08	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/14/14 18:08	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/14/14 18:08	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/14/14 18:08	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/14/14 18:08	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/14/14 18:08	75-00-3	
Chloroform	ND ug/L		1.0	1		02/14/14 18:08	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/14/14 18:08	74-87-3	L3
2-Chlorotoluene	ND ug/L		1.0	1		02/14/14 18:08	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/14/14 18:08	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/14/14 18:08	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/14/14 18:08	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/14/14 18:08	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/14/14 18:08	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/14/14 18:08	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/14/14 18:08	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/14/14 18:08	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/14/14 18:08	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/14/14 18:08	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/14/14 18:08	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/14/14 18:08	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021014-NH-MW 5		Lab ID: 10256845043	Collected: 02/10/14 13:30	Received: 02/10/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND ug/L		1.0	1		02/14/14 18:08	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/14/14 18:08	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/14/14 18:08	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/14/14 18:08	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/14/14 18:08	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/14/14 18:08	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/14/14 18:08	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/14/14 18:08	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/14/14 18:08	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/14/14 18:08	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/14/14 18:08	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/14/14 18:08	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/14/14 18:08	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/14/14 18:08	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/14/14 18:08	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/14/14 18:08	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/14/14 18:08	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/14/14 18:08	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/14/14 18:08	103-65-1	
Styrene	ND ug/L		1.0	1		02/14/14 18:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/14/14 18:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/14/14 18:08	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/14/14 18:08	127-18-4	
Toluene	ND ug/L		1.0	1		02/14/14 18:08	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/14/14 18:08	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/14/14 18:08	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/14/14 18:08	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/14/14 18:08	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/14/14 18:08	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/14/14 18:08	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/14/14 18:08	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/14/14 18:08	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/14/14 18:08	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/14/14 18:08	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/14/14 18:08	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/14/14 18:08	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/14/14 18:08	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	103 %.		75-125	1		02/14/14 18:08	17060-07-0	
Toluene-d8 (S)	99 %.		75-125	1		02/14/14 18:08	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	1		02/14/14 18:08	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-NH-MW 4	Lab ID: 10256845044	Collected: 02/10/14 14:45	Received: 02/10/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.41	1	02/20/14 18:23	02/22/14 15:56	68334-30-5	
Motor Oil Range SG	ND mg/L		0.41	1	02/20/14 18:23	02/22/14 15:56	64742-65-0	
Surrogates								
o-Terphenyl (S)	76 %.		30-125	1	02/20/14 18:23	02/22/14 15:56	84-15-1	
n-Triacontane (S)	82 %.		30-125	1	02/20/14 18:23	02/22/14 15:56	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/12/14 22:12		
Surrogates								
a,a,a-Trifluorotoluene (S)	99 %.		70-125	1		02/12/14 22:12	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	2.3 ug/L		0.50	1	02/12/14 09:01	02/13/14 04:37	7440-38-2	
Lead	0.55 ug/L		0.10	1	02/12/14 09:01	02/13/14 04:37	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	83-32-9	L2
Acenaphthylene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	208-96-8	L2
Anthracene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	56-55-3	
Benzo(a)pyrene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	207-08-9	
Chrysene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	53-70-3	
Fluoranthene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	206-44-0	
Fluorene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	86-73-7	L2
Indeno(1,2,3-cd)pyrene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	193-39-5	
1-Methylnaphthalene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	90-12-0	L2
2-Methylnaphthalene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	91-57-6	L2
Naphthalene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	91-20-3	L2
Phenanthrene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	85-01-8	L2
Pyrene	ND ug/L		0.042	1	02/13/14 07:15	02/20/14 02:22	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	61 %.		54-125	1	02/13/14 07:15	02/20/14 02:22	321-60-8	
Terphenyl-d14 (S)	81 %.		68-125	1	02/13/14 07:15	02/20/14 02:22	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/13/14 03:11	67-64-1	
Benzene	ND ug/L		1.0	1		02/13/14 03:11	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/13/14 03:11	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/13/14 03:11	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/13/14 03:11	75-27-4	
Bromoform	ND ug/L		4.0	1		02/13/14 03:11	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/13/14 03:11	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021014-NH-MW 4	Lab ID: 10256845044	Collected: 02/10/14 14:45	Received: 02/10/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND ug/L		5.0	1		02/13/14 03:11	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/13/14 03:11	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/13/14 03:11	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/13/14 03:11	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/13/14 03:11	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/13/14 03:11	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/13/14 03:11	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/13/14 03:11	75-00-3	
Chloroform	ND ug/L		1.0	1		02/13/14 03:11	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/13/14 03:11	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/13/14 03:11	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/13/14 03:11	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/13/14 03:11	96-12-8	L3
Dibromochloromethane	ND ug/L		1.0	1		02/13/14 03:11	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/13/14 03:11	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/13/14 03:11	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 03:11	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 03:11	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 03:11	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/13/14 03:11	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/13/14 03:11	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/13/14 03:11	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/13/14 03:11	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/13/14 03:11	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/13/14 03:11	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/13/14 03:11	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/13/14 03:11	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/13/14 03:11	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/13/14 03:11	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/13/14 03:11	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/13/14 03:11	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/13/14 03:11	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/13/14 03:11	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/13/14 03:11	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/13/14 03:11	591-78-6	L3
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/13/14 03:11	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/13/14 03:11	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/13/14 03:11	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/13/14 03:11	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/13/14 03:11	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/13/14 03:11	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/13/14 03:11	103-65-1	
Styrene	ND ug/L		1.0	1		02/13/14 03:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/13/14 03:11	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/13/14 03:11	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/13/14 03:11	127-18-4	
Toluene	ND ug/L		1.0	1		02/13/14 03:11	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-NH-MW 4		Lab ID: 10256845044	Collected: 02/10/14 14:45	Received: 02/10/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/13/14 03:11	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/13/14 03:11	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/13/14 03:11	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/13/14 03:11	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/13/14 03:11	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/13/14 03:11	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/13/14 03:11	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/13/14 03:11	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/13/14 03:11	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/13/14 03:11	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/13/14 03:11	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/13/14 03:11	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/13/14 03:11	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	78 %.		75-125	1		02/13/14 03:11	17060-07-0	
Toluene-d8 (S)	102 %.		75-125	1		02/13/14 03:11	2037-26-5	
4-Bromofluorobenzene (S)	97 %.		75-125	1		02/13/14 03:11	460-00-4	

Sample: GW-021014-NH-MW 3		Lab ID: 10256845045	Collected: 02/10/14 16:00	Received: 02/10/14 16:01	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 23:32	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/18/14 23:32	64742-65-0	
Surrogates								
o-Terphenyl (S)	78 %.		30-125	1	02/12/14 10:09	02/18/14 23:32	84-15-1	
n-Triacontane (S)	90 %.		30-125	1	02/12/14 10:09	02/18/14 23:32	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/12/14 22:32		
Surrogates								
a,a,a-Trifluorotoluene (S)	97 %.		70-125	1		02/12/14 22:32	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	3.2 ug/L		0.50	1	02/12/14 09:01	02/13/14 04:41	7440-38-2	
Lead	1.9 ug/L		0.10	1	02/12/14 09:01	02/13/14 04:41	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	83-32-9	L2
Acenaphthylene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	208-96-8	L2
Anthracene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	56-55-3	
Benzo(a)pyrene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: **GW-021014-NH-MW 3** Lab ID: **10256845045** Collected: 02/10/14 16:00 Received: 02/10/14 16:01 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	207-08-9	
Chrysene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	53-70-3	
Fluoranthene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	206-44-0	
Fluorene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	86-73-7	L2
Indeno(1,2,3-cd)pyrene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	193-39-5	
1-Methylnaphthalene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	90-12-0	L2
2-Methylnaphthalene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	91-57-6	L2
Naphthalene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	91-20-3	L2
Phenanthrene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	85-01-8	L2
Pyrene	ND ug/L		0.044	1	02/13/14 07:15	02/20/14 02:45	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	71 %.		54-125	1	02/13/14 07:15	02/20/14 02:45	321-60-8	
Terphenyl-d14 (S)	77 %.		68-125	1	02/13/14 07:15	02/20/14 02:45	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/13/14 02:47	67-64-1	
Benzene	ND ug/L		1.0	1		02/13/14 02:47	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/13/14 02:47	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/13/14 02:47	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/13/14 02:47	75-27-4	
Bromoform	ND ug/L		4.0	1		02/13/14 02:47	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/13/14 02:47	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/13/14 02:47	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/13/14 02:47	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/13/14 02:47	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/13/14 02:47	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/13/14 02:47	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/13/14 02:47	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/13/14 02:47	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/13/14 02:47	75-00-3	
Chloroform	ND ug/L		1.0	1		02/13/14 02:47	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/13/14 02:47	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/13/14 02:47	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/13/14 02:47	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/13/14 02:47	96-12-8	L3
Dibromochloromethane	ND ug/L		1.0	1		02/13/14 02:47	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/13/14 02:47	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/13/14 02:47	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 02:47	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 02:47	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/13/14 02:47	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/13/14 02:47	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/13/14 02:47	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/13/14 02:47	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/13/14 02:47	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021014-NH-MW 3		Lab ID: 10256845045	Collected: 02/10/14 16:00	Received: 02/10/14 16:01	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND ug/L		1.0	1		02/13/14 02:47	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/13/14 02:47	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/13/14 02:47	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/13/14 02:47	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/13/14 02:47	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/13/14 02:47	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/13/14 02:47	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/13/14 02:47	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/13/14 02:47	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/13/14 02:47	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/13/14 02:47	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/13/14 02:47	591-78-6	L3
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/13/14 02:47	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/13/14 02:47	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/13/14 02:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/13/14 02:47	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/13/14 02:47	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/13/14 02:47	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/13/14 02:47	103-65-1	
Styrene	ND ug/L		1.0	1		02/13/14 02:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/13/14 02:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/13/14 02:47	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/13/14 02:47	127-18-4	
Toluene	ND ug/L		1.0	1		02/13/14 02:47	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/13/14 02:47	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/13/14 02:47	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/13/14 02:47	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/13/14 02:47	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/13/14 02:47	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/13/14 02:47	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/13/14 02:47	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/13/14 02:47	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/13/14 02:47	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/13/14 02:47	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/13/14 02:47	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/13/14 02:47	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/13/14 02:47	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	80 %		75-125	1		02/13/14 02:47	17060-07-0	
Toluene-d8 (S)	98 %		75-125	1		02/13/14 02:47	2037-26-5	
4-Bromofluorobenzene (S)	96 %		75-125	1		02/13/14 02:47	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: Trip Blank		Lab ID: 10256845046	Collected: 02/10/14 00:00	Received: 02/10/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/18/14 02:36	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/18/14 02:36	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/18/14 02:36	1634-04-4	
Toluene	ND ug/L		1.0	1		02/18/14 02:36	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/18/14 02:36	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	99 %.		75-125	1		02/18/14 02:36	17060-07-0	HS
Toluene-d8 (S)	99 %.		75-125	1		02/18/14 02:36	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/18/14 02:36	460-00-4	

Sample: GW-021114-NH-RW3		Lab ID: 10256845047	Collected: 02/11/14 10:45	Received: 02/11/14 14:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/19/14 00:37	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/19/14 00:37	64742-65-0	
Surrogates								
o-Terphenyl (S)	72 %.		30-125	1	02/12/14 10:09	02/19/14 00:37	84-15-1	
n-Triacontane (S)	77 %.		30-125	1	02/12/14 10:09	02/19/14 00:37	638-68-6	

NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/13/14 15:39		
Surrogates								
a,a,a-Trifluorotoluene (S)	98 %.		70-125	1		02/13/14 15:39	98-08-8	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/18/14 04:51	71-43-2	
Ethylbenzene	1.1 ug/L		1.0	1		02/18/14 04:51	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/18/14 04:51	1634-04-4	
Toluene	ND ug/L		1.0	1		02/18/14 04:51	108-88-3	
Xylene (Total)	5.9 ug/L		3.0	1		02/18/14 04:51	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %.		75-125	1		02/18/14 04:51	17060-07-0	
Toluene-d8 (S)	98 %.		75-125	1		02/18/14 04:51	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	1		02/18/14 04:51	460-00-4	

Sample: GW-021114-NH-D6		Lab ID: 10256845048	Collected: 02/11/14 12:30	Received: 02/11/14 14:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/19/14 01:20	68334-30-5	
Motor Oil Range SG	0.53 mg/L		0.40	1	02/12/14 10:09	02/19/14 01:20	64742-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021114-NH-D6	Lab ID: 10256845048	Collected: 02/11/14 12:30	Received: 02/11/14 14:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Surrogates								
o-Terphenyl (S)	68 %.		30-125	1	02/12/14 10:09	02/19/14 01:20	84-15-1	
n-Triacontane (S)	74 %.		30-125	1	02/12/14 10:09	02/19/14 01:20	638-68-6	
NWTPH-Gx GCV Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/13/14 15:59		
Surrogates								
a,a,a-Trifluorotoluene (S)	103 %.		70-125	1		02/13/14 15:59	98-08-8	
6020 MET ICPMS Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	3.6 ug/L		0.50	1	02/14/14 15:36	02/18/14 11:34	7440-38-2	
Lead	1.1 ug/L		0.10	1	02/14/14 15:36	02/18/14 11:34	7439-92-1	
8270 MSSV PAH by SIM Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	83-32-9	L2
Acenaphthylene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	208-96-8	L2
Anthracene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	56-55-3	
Benzo(a)pyrene	0.055 ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	50-32-8	
Benzo(b)fluoranthene	0.098 ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	205-99-2	
Benzo(g,h,i)perylene	0.12 ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	207-08-9	
Chrysene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	53-70-3	
Fluoranthene	0.086 ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	206-44-0	
Fluorene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	86-73-7	L2
Indeno(1,2,3-cd)pyrene	0.073 ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	193-39-5	
1-Methylnaphthalene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	90-12-0	L2
2-Methylnaphthalene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	91-57-6	L2
Naphthalene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	91-20-3	L2
Phenanthrene	ND ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	85-01-8	L2
Pyrene	0.066 ug/L		0.043	1	02/13/14 07:15	02/20/14 03:07	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	77 %.		54-125	1	02/13/14 07:15	02/20/14 03:07	321-60-8	
Terphenyl-d14 (S)	79 %.		68-125	1	02/13/14 07:15	02/20/14 03:07	1718-51-0	
8260 VOC Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/22/14 04:41	67-64-1	
Benzene	1.7 ug/L		1.0	1		02/22/14 04:41	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/22/14 04:41	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/22/14 04:41	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/22/14 04:41	75-27-4	
Bromoform	ND ug/L		4.0	1		02/22/14 04:41	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/22/14 04:41	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/22/14 04:41	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/22/14 04:41	104-51-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021114-NH-D6	Lab ID: 10256845048	Collected: 02/11/14 12:30	Received: 02/11/14 14:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC								
Analytical Method: EPA 8260								
sec-Butylbenzene	ND ug/L		1.0	1		02/22/14 04:41	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/22/14 04:41	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/22/14 04:41	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/22/14 04:41	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/22/14 04:41	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/22/14 04:41	75-00-3	
Chloroform	ND ug/L		1.0	1		02/22/14 04:41	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/22/14 04:41	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/22/14 04:41	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/22/14 04:41	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/22/14 04:41	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/22/14 04:41	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/22/14 04:41	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/22/14 04:41	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 04:41	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 04:41	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 04:41	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/22/14 04:41	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/22/14 04:41	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/22/14 04:41	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/22/14 04:41	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/22/14 04:41	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 04:41	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 04:41	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/22/14 04:41	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/22/14 04:41	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/22/14 04:41	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/22/14 04:41	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/22/14 04:41	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/22/14 04:41	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/22/14 04:41	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/22/14 04:41	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/22/14 04:41	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/22/14 04:41	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/22/14 04:41	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/22/14 04:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/22/14 04:41	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/22/14 04:41	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/22/14 04:41	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/22/14 04:41	103-65-1	
Styrene	ND ug/L		1.0	1		02/22/14 04:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 04:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 04:41	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/22/14 04:41	127-18-4	
Toluene	ND ug/L		1.0	1		02/22/14 04:41	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 04:41	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 04:41	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021114-NH-D6		Lab ID: 10256845048	Collected: 02/11/14 12:30	Received: 02/11/14 14:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/22/14 04:41	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/22/14 04:41	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/22/14 04:41	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/22/14 04:41	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/22/14 04:41	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/22/14 04:41	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/22/14 04:41	108-67-8	
Vinyl chloride	1.3 ug/L		0.20	1		02/22/14 04:41	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/22/14 04:41	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/22/14 04:41	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/22/14 04:41	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	110 %.		75-125	1		02/22/14 04:41	17060-07-0	
Toluene-d8 (S)	106 %.		75-125	1		02/22/14 04:41	2037-26-5	
4-Bromofluorobenzene (S)	105 %.		75-125	1		02/22/14 04:41	460-00-4	

Sample: GW-021114-NH-B6		Lab ID: 10256845049	Collected: 02/11/14 13:45	Received: 02/11/14 14:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	1.1 mg/L		0.40	1	02/12/14 10:09	02/19/14 01:42	68334-30-5	
Motor Oil Range SG	0.44 mg/L		0.40	1	02/12/14 10:09	02/19/14 01:42	64742-65-0	
Surrogates								
o-Terphenyl (S)	58 %.		30-125	1	02/12/14 10:09	02/19/14 01:42	84-15-1	
n-Triacontane (S)	64 %.		30-125	1	02/12/14 10:09	02/19/14 01:42	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	28600 ug/L		2500	25		02/18/14 16:32		
Surrogates								
a,a,a-Trifluorotoluene (S)	92 %.		70-125	25		02/18/14 16:32	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	2.6 ug/L		0.50	1	02/14/14 15:36	02/18/14 11:38	7440-38-2	
Lead	10.7 ug/L		0.10	1	02/14/14 15:36	02/18/14 11:38	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	2.6 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	83-32-9	L2
Acenaphthylene	ND ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	208-96-8	L2
Anthracene	0.97 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	120-12-7	L2
Benzo(a)anthracene	0.48 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	56-55-3	
Benzo(a)pyrene	ND ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021114-NH-B6	Lab ID: 10256845049	Collected: 02/11/14 13:45	Received: 02/11/14 14:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Chrysene	ND ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	53-70-3	
Fluoranthene	2.5 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	206-44-0	
Fluorene	2.6 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	86-73-7	L2
Indeno(1,2,3-cd)pyrene	ND ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	193-39-5	
1-Methylnaphthalene	32.0 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	90-12-0	L2
2-Methylnaphthalene	72.8 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	91-57-6	L2
Naphthalene	84.5 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	91-20-3	L2
Phenanthrene	4.8 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	85-01-8	L2
Pyrene	1.4 ug/L		0.45	10	02/13/14 07:15	02/21/14 22:34	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	90 %.		54-125	10	02/13/14 07:15	02/21/14 22:34	321-60-8	
Terphenyl-d14 (S)	87 %.		68-125	10	02/13/14 07:15	02/21/14 22:34	1718-51-0	
8260 VOC		Analytical Method: EPA 8260						
Acetone	ND ug/L		200	10		02/22/14 07:51	67-64-1	
Benzene	3390 ug/L		50.0	50		02/23/14 19:57	71-43-2	
Bromobenzene	ND ug/L		10.0	10		02/22/14 07:51	108-86-1	
Bromochloromethane	ND ug/L		10.0	10		02/22/14 07:51	74-97-5	
Bromodichloromethane	ND ug/L		10.0	10		02/22/14 07:51	75-27-4	
Bromoform	ND ug/L		40.0	10		02/22/14 07:51	75-25-2	
Bromomethane	ND ug/L		40.0	10		02/22/14 07:51	74-83-9	
2-Butanone (MEK)	ND ug/L		50.0	10		02/22/14 07:51	78-93-3	
n-Butylbenzene	ND ug/L		10.0	10		02/22/14 07:51	104-51-8	
sec-Butylbenzene	ND ug/L		10.0	10		02/22/14 07:51	135-98-8	
tert-Butylbenzene	ND ug/L		10.0	10		02/22/14 07:51	98-06-6	
Carbon disulfide	ND ug/L		10.0	10		02/22/14 07:51	75-15-0	
Carbon tetrachloride	ND ug/L		10.0	10		02/22/14 07:51	56-23-5	
Chlorobenzene	ND ug/L		10.0	10		02/22/14 07:51	108-90-7	
Chloroethane	ND ug/L		10.0	10		02/22/14 07:51	75-00-3	
Chloroform	ND ug/L		10.0	10		02/22/14 07:51	67-66-3	
Chloromethane	ND ug/L		40.0	10		02/22/14 07:51	74-87-3	
2-Chlorotoluene	ND ug/L		10.0	10		02/22/14 07:51	95-49-8	
4-Chlorotoluene	ND ug/L		10.0	10		02/22/14 07:51	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		40.0	10		02/22/14 07:51	96-12-8	
Dibromochloromethane	ND ug/L		10.0	10		02/22/14 07:51	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		10.0	10		02/22/14 07:51	106-93-4	
Dibromomethane	ND ug/L		40.0	10		02/22/14 07:51	74-95-3	
1,2-Dichlorobenzene	ND ug/L		10.0	10		02/22/14 07:51	95-50-1	
1,3-Dichlorobenzene	ND ug/L		10.0	10		02/22/14 07:51	541-73-1	
1,4-Dichlorobenzene	ND ug/L		10.0	10		02/22/14 07:51	106-46-7	
Dichlorodifluoromethane	ND ug/L		10.0	10		02/22/14 07:51	75-71-8	
1,1-Dichloroethane	ND ug/L		10.0	10		02/22/14 07:51	75-34-3	
1,2-Dichloroethane	ND ug/L		10.0	10		02/22/14 07:51	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		20.0	10		02/22/14 07:51	540-59-0	
1,1-Dichloroethene	ND ug/L		10.0	10		02/22/14 07:51	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		10.0	10		02/22/14 07:51	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021114-NH-B6		Lab ID: 10256845049	Collected: 02/11/14 13:45	Received: 02/11/14 14:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
trans-1,2-Dichloroethene	ND	ug/L	10.0	10		02/22/14 07:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	40.0	10		02/22/14 07:51	78-87-5	
1,3-Dichloropropane	ND	ug/L	10.0	10		02/22/14 07:51	142-28-9	
2,2-Dichloropropane	ND	ug/L	40.0	10		02/22/14 07:51	594-20-7	
1,1-Dichloropropene	ND	ug/L	10.0	10		02/22/14 07:51	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	40.0	10		02/22/14 07:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	40.0	10		02/22/14 07:51	10061-02-6	
Ethylbenzene	298	ug/L	10.0	10		02/22/14 07:51	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	10.0	10		02/22/14 07:51	87-68-3	
2-Hexanone	ND	ug/L	50.0	10		02/22/14 07:51	591-78-6	
Isopropylbenzene (Cumene)	10.3	ug/L	10.0	10		02/22/14 07:51	98-82-8	
p-Isopropyltoluene	ND	ug/L	10.0	10		02/22/14 07:51	99-87-6	
Methylene Chloride	ND	ug/L	40.0	10		02/22/14 07:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	50.0	10		02/22/14 07:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	10.0	10		02/22/14 07:51	1634-04-4	
Naphthalene	136	ug/L	40.0	10		02/22/14 07:51	91-20-3	
n-Propylbenzene	17.9	ug/L	10.0	10		02/22/14 07:51	103-65-1	
Styrene	ND	ug/L	10.0	10		02/22/14 07:51	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	10.0	10		02/22/14 07:51	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	10.0	10		02/22/14 07:51	79-34-5	
Tetrachloroethene	ND	ug/L	10.0	10		02/22/14 07:51	127-18-4	
Toluene	1740	ug/L	10.0	10		02/22/14 07:51	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	10.0	10		02/22/14 07:51	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	10.0	10		02/22/14 07:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	10.0	10		02/22/14 07:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	10.0	10		02/22/14 07:51	79-00-5	
Trichloroethene	ND	ug/L	4.0	10		02/22/14 07:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	10.0	10		02/22/14 07:51	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	40.0	10		02/22/14 07:51	96-18-4	
1,2,4-Trimethylbenzene	957	ug/L	10.0	10		02/22/14 07:51	95-63-6	
1,3,5-Trimethylbenzene	498	ug/L	10.0	10		02/22/14 07:51	108-67-8	
Vinyl chloride	ND	ug/L	2.0	10		02/22/14 07:51	75-01-4	
Xylene (Total)	5770	ug/L	30.0	10		02/22/14 07:51	1330-20-7	
m&p-Xylene	3650	ug/L	20.0	10		02/22/14 07:51	179601-23-1	
o-Xylene	2110	ug/L	10.0	10		02/22/14 07:51	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	107 %		75-125	10		02/22/14 07:51	17060-07-0	
Toluene-d8 (S)	105 %		75-125	10		02/22/14 07:51	2037-26-5	
4-Bromofluorobenzene (S)	105 %		75-125	10		02/22/14 07:51	460-00-4	

Sample: GW-021114-TM-HA-20		Lab ID: 10256845050	Collected: 02/11/14 10:45	Received: 02/11/14 14:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	0.60	mg/L	0.40	1	02/12/14 10:09	02/19/14 02:03	68334-30-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021114-TM-HA-20	Lab ID: 10256845050	Collected: 02/11/14 10:45	Received: 02/11/14 14:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Motor Oil Range SG	0.44 mg/L		0.40	1	02/12/14 10:09	02/19/14 02:03	64742-65-0	
Surrogates								
o-Terphenyl (S)	71 %.		30-125	1	02/12/14 10:09	02/19/14 02:03	84-15-1	
n-Triacontane (S)	80 %.		30-125	1	02/12/14 10:09	02/19/14 02:03	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	13800 ug/L		2000	20		02/18/14 18:53		
Surrogates								
a,a,a-Trifluorotoluene (S)	100 %.		70-125	20		02/18/14 18:53	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	2.0 ug/L		0.50	1	02/14/14 15:36	02/18/14 11:43	7440-38-2	
Lead	0.64 ug/L		0.10	1	02/14/14 15:36	02/18/14 11:43	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	83-32-9	L2
Acenaphthylene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	208-96-8	L2
Anthracene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	56-55-3	
Benzo(a)pyrene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	207-08-9	
Chrysene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	53-70-3	
Fluoranthene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	206-44-0	
Fluorene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	86-73-7	L2
Indeno(1,2,3-cd)pyrene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	193-39-5	
1-Methylnaphthalene	5.3 ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	90-12-0	L2
2-Methylnaphthalene	13.6 ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	91-57-6	L2
Naphthalene	58.8 ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	91-20-3	L2
Phenanthrene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	85-01-8	L2
Pyrene	ND ug/L		0.43	10	02/13/14 07:15	02/21/14 22:56	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	85 %.		54-125	10	02/13/14 07:15	02/21/14 22:56	321-60-8	
Terphenyl-d14 (S)	95 %.		68-125	10	02/13/14 07:15	02/21/14 22:56	1718-51-0	
8260 MSV UST								
Analytical Method: EPA 8260								
Benzene	3910 ug/L		25.0	25		02/18/14 12:33	71-43-2	
Ethylbenzene	470 ug/L		10.0	10		02/18/14 05:42	100-41-4	
Methyl-tert-butyl ether	ND ug/L		10.0	10		02/18/14 05:42	1634-04-4	
Toluene	1550 ug/L		10.0	10		02/18/14 05:42	108-88-3	
Xylene (Total)	2190 ug/L		30.0	10		02/18/14 05:42	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %.		75-125	10		02/18/14 05:42	17060-07-0	
Toluene-d8 (S)	99 %.		75-125	10		02/18/14 05:42	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	10		02/18/14 05:42	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021114-TM-RWX-7	Lab ID: 10256845051	Collected: 02/11/14 12:20	Received: 02/11/14 14:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.42	1	02/12/14 10:09	02/19/14 02:25	68334-30-5	
Motor Oil Range SG	ND mg/L		0.42	1	02/12/14 10:09	02/19/14 02:25	64742-65-0	
Surrogates								
o-Terphenyl (S)	71 %.		30-125	1	02/12/14 10:09	02/19/14 02:25	84-15-1	
n-Triacontane (S)	79 %.		30-125	1	02/12/14 10:09	02/19/14 02:25	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/13/14 16:19		
Surrogates								
a,a,a-Trifluorotoluene (S)	97 %.		70-125	1		02/13/14 16:19	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	0.86 ug/L		0.50	1	02/14/14 15:36	02/18/14 11:47	7440-38-2	
Lead	0.17 ug/L		0.10	1	02/14/14 15:36	02/18/14 11:47	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	83-32-9	L2
Acenaphthylene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	208-96-8	L2
Anthracene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	56-55-3	
Benzo(a)pyrene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	207-08-9	
Chrysene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	53-70-3	
Fluoranthene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	206-44-0	
Fluorene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	86-73-7	L2
Indeno(1,2,3-cd)pyrene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	193-39-5	
1-Methylnaphthalene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	90-12-0	L2
2-Methylnaphthalene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	91-57-6	L2
Naphthalene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	91-20-3	L2
Phenanthrene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	85-01-8	L2
Pyrene	ND ug/L		0.042	1	02/13/14 07:15	02/21/14 19:58	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	21 %.		54-125	1	02/13/14 07:15	02/21/14 19:58	321-60-8	S0
Terphenyl-d14 (S)	81 %.		68-125	1	02/13/14 07:15	02/21/14 19:58	1718-51-0	
8260 MSV UST								
Analytical Method: EPA 8260								
Benzene	ND ug/L		1.0	1		02/18/14 05:08	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/18/14 05:08	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/18/14 05:08	1634-04-4	
Toluene	ND ug/L		1.0	1		02/18/14 05:08	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/18/14 05:08	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %.		75-125	1		02/18/14 05:08	17060-07-0	
Toluene-d8 (S)	99 %.		75-125	1		02/18/14 05:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021114-TM-RWX-7	Lab ID: 10256845051	Collected: 02/11/14 12:20	Received: 02/11/14 14:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST								
Analytical Method: EPA 8260								
Surrogates								
4-Bromofluorobenzene (S)	101 %.		75-125	1		02/18/14 05:08	460-00-4	

Sample: GW-021114-TM-RW-4	Lab ID: 10256845052	Collected: 02/11/14 13:30	Received: 02/11/14 14:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/19/14 02:47	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/12/14 10:09	02/19/14 02:47	64742-65-0	
Surrogates								
o-Terphenyl (S)	72 %.		30-125	1	02/12/14 10:09	02/19/14 02:47	84-15-1	
n-Triacontane (S)	82 %.		30-125	1	02/12/14 10:09	02/19/14 02:47	638-68-6	

NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/13/14 16:39		
Surrogates								
a,a,a-Trifluorotoluene (S)	101 %.		70-125	1		02/13/14 16:39	98-08-8	

6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	ND ug/L		0.50	1	02/14/14 15:36	02/18/14 11:51	7440-38-2	
Lead	0.32 ug/L		0.10	1	02/14/14 15:36	02/18/14 11:51	7439-92-1	

8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	83-32-9	L2
Acenaphthylene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	208-96-8	L2
Anthracene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	120-12-7	L2
Benzo(a)anthracene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	56-55-3	
Benzo(a)pyrene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	207-08-9	
Chrysene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	53-70-3	
Fluoranthene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	206-44-0	
Fluorene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	86-73-7	L2
Indeno(1,2,3-cd)pyrene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	193-39-5	
1-Methylnaphthalene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	90-12-0	L2
2-Methylnaphthalene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	91-57-6	L2
Naphthalene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	91-20-3	L2
Phenanthrene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	85-01-8	L2
Pyrene	ND ug/L		0.041	1	02/13/14 07:15	02/21/14 20:21	129-00-0	L2
Surrogates								
2-Fluorobiphenyl (S)	50 %.		54-125	1	02/13/14 07:15	02/21/14 20:21	321-60-8	S0
Terphenyl-d14 (S)	83 %.		68-125	1	02/13/14 07:15	02/21/14 20:21	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021114-TM-RW-4	Lab ID: 10256845052	Collected: 02/11/14 13:30	Received: 02/11/14 14:10	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
Acetone	ND ug/L		20.0	1		02/22/14 05:29	67-64-1	
Benzene	ND ug/L		1.0	1		02/22/14 05:29	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/22/14 05:29	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/22/14 05:29	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/22/14 05:29	75-27-4	
Bromoform	ND ug/L		4.0	1		02/22/14 05:29	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/22/14 05:29	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/22/14 05:29	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/22/14 05:29	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/22/14 05:29	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/22/14 05:29	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/22/14 05:29	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/22/14 05:29	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/22/14 05:29	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/22/14 05:29	75-00-3	
Chloroform	ND ug/L		1.0	1		02/22/14 05:29	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/22/14 05:29	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/22/14 05:29	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/22/14 05:29	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/22/14 05:29	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/22/14 05:29	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/22/14 05:29	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/22/14 05:29	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 05:29	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 05:29	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 05:29	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/22/14 05:29	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/22/14 05:29	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/22/14 05:29	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/22/14 05:29	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/22/14 05:29	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 05:29	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 05:29	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/22/14 05:29	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/22/14 05:29	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/22/14 05:29	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/22/14 05:29	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/22/14 05:29	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/22/14 05:29	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/22/14 05:29	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/22/14 05:29	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/22/14 05:29	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/22/14 05:29	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/22/14 05:29	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/22/14 05:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/22/14 05:29	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/22/14 05:29	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Project No.: 10256845

Sample: GW-021114-TM-RW-4		Lab ID: 10256845052	Collected: 02/11/14 13:30	Received: 02/11/14 14:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
Naphthalene	ND ug/L		4.0	1		02/22/14 05:29	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/22/14 05:29	103-65-1	
Styrene	ND ug/L		1.0	1		02/22/14 05:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 05:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 05:29	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/22/14 05:29	127-18-4	
Toluene	ND ug/L		1.0	1		02/22/14 05:29	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 05:29	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 05:29	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/22/14 05:29	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/22/14 05:29	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/22/14 05:29	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/22/14 05:29	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/22/14 05:29	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/22/14 05:29	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/22/14 05:29	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/22/14 05:29	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/22/14 05:29	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/22/14 05:29	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/22/14 05:29	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	112 %.		75-125	1		02/22/14 05:29	17060-07-0	
Toluene-d8 (S)	106 %.		75-125	1		02/22/14 05:29	2037-26-5	
4-Bromofluorobenzene (S)	105 %.		75-125	1		02/22/14 05:29	460-00-4	

Sample: Trip Blank		Lab ID: 10256845053	Collected: 02/11/14 13:30	Received: 02/11/14 14:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/18/14 02:52	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/18/14 02:52	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/18/14 02:52	1634-04-4	
Toluene	ND ug/L		1.0	1		02/18/14 02:52	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/18/14 02:52	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	101 %.		75-125	1		02/18/14 02:52	17060-07-0	
Toluene-d8 (S)	98 %.		75-125	1		02/18/14 02:52	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/18/14 02:52	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021114-NH-B4	Lab ID: 10256845054	Collected: 02/11/14 15:30	Received: 02/12/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	3.8 mg/L		0.40	1	02/14/14 10:12	02/18/14 14:13	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 14:13	64742-65-0	
Surrogates								
o-Terphenyl (S)	65 %.		30-125	1	02/14/14 10:12	02/18/14 14:13	84-15-1	
n-Triacontane (S)	74 %.		30-125	1	02/14/14 10:12	02/18/14 14:13	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	17200 ug/L		2500	25		02/18/14 19:33		
Surrogates								
a,a,a-Trifluorotoluene (S)	100 %.		70-125	25		02/18/14 19:33	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	5.1 ug/L		0.50	1	02/14/14 15:36	02/18/14 11:55	7440-38-2	
Lead	5.1 ug/L		0.10	1	02/14/14 15:36	02/18/14 11:55	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	1.6 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	83-32-9	
Acenaphthylene	0.52 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	208-96-8	
Anthracene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	120-12-7	
Benzo(a)anthracene	0.17 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	56-55-3	
Benzo(a)pyrene	0.12 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	50-32-8	
Benzo(b)fluoranthene	0.16 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	205-99-2	
Benzo(g,h,i)perylene	0.12 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	191-24-2	
Benzo(k)fluoranthene	0.088 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	207-08-9	
Chrysene	0.16 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	218-01-9	
Dibenz(a,h)anthracene	0.061 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	53-70-3	
Fluoranthene	0.58 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	206-44-0	
Fluorene	3.6 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	86-73-7	
Indeno(1,2,3-cd)pyrene	0.098 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	193-39-5	
1-Methylnaphthalene	111 ug/L		2.2	50	02/14/14 07:26	02/21/14 20:43	90-12-0	
2-Methylnaphthalene	268 ug/L		2.2	50	02/14/14 07:26	02/21/14 20:43	91-57-6	
Naphthalene	384 ug/L		2.2	50	02/14/14 07:26	02/21/14 20:43	91-20-3	
Phenanthrene	3.8 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	85-01-8	
Pyrene	0.64 ug/L		0.043	1	02/14/14 07:26	02/19/14 20:51	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	84 %.		54-125	1	02/14/14 07:26	02/19/14 20:51	321-60-8	
Terphenyl-d14 (S)	82 %.		68-125	1	02/14/14 07:26	02/19/14 20:51	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/22/14 20:03	67-64-1	
Benzene	110 ug/L		1.0	1		02/22/14 20:03	71-43-2	M1
Bromobenzene	ND ug/L		1.0	1		02/22/14 20:03	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/22/14 20:03	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/22/14 20:03	75-27-4	
Bromoform	ND ug/L		4.0	1		02/22/14 20:03	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/22/14 20:03	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021114-NH-B4	Lab ID: 10256845054	Collected: 02/11/14 15:30	Received: 02/12/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	6.6 ug/L		5.0	1		02/22/14 20:03	78-93-3	B
n-Butylbenzene	2.9 ug/L		1.0	1		02/22/14 20:03	104-51-8	M1
sec-Butylbenzene	2.9 ug/L		1.0	1		02/22/14 20:03	135-98-8	M1
tert-Butylbenzene	ND ug/L		1.0	1		02/22/14 20:03	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/22/14 20:03	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/22/14 20:03	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/22/14 20:03	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/22/14 20:03	75-00-3	
Chloroform	ND ug/L		1.0	1		02/22/14 20:03	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/22/14 20:03	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/22/14 20:03	95-49-8	M1
4-Chlorotoluene	ND ug/L		1.0	1		02/22/14 20:03	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/22/14 20:03	96-12-8	R1
Dibromochloromethane	ND ug/L		1.0	1		02/22/14 20:03	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/22/14 20:03	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/22/14 20:03	74-95-3	M1
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 20:03	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 20:03	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 20:03	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/22/14 20:03	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/22/14 20:03	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/22/14 20:03	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/22/14 20:03	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/22/14 20:03	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 20:03	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 20:03	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/22/14 20:03	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/22/14 20:03	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/22/14 20:03	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/22/14 20:03	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/22/14 20:03	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/22/14 20:03	10061-02-6	
Ethylbenzene	218 ug/L		1.0	1		02/22/14 20:03	100-41-4	M1
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/22/14 20:03	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/22/14 20:03	591-78-6	
Isopropylbenzene (Cumene)	9.9 ug/L		1.0	1		02/22/14 20:03	98-82-8	M1
p-Isopropyltoluene	1.1 ug/L		1.0	1		02/22/14 20:03	99-87-6	M1
Methylene Chloride	ND ug/L		4.0	1		02/22/14 20:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/22/14 20:03	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/22/14 20:03	1634-04-4	M1
Naphthalene	117 ug/L		4.0	1		02/22/14 20:03	91-20-3	M1
n-Propylbenzene	24.5 ug/L		1.0	1		02/22/14 20:03	103-65-1	M1
Styrene	ND ug/L		1.0	1		02/22/14 20:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 20:03	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 20:03	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/22/14 20:03	127-18-4	
Toluene	8.6 ug/L		1.0	1		02/22/14 20:03	108-88-3	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021114-NH-B4		Lab ID: 10256845054	Collected: 02/11/14 15:30	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 20:03	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 20:03	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/22/14 20:03	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/22/14 20:03	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/22/14 20:03	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/22/14 20:03	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/22/14 20:03	96-18-4	
1,2,4-Trimethylbenzene	186 ug/L		1.0	1		02/22/14 20:03	95-63-6	M1
1,3,5-Trimethylbenzene	26.6 ug/L		1.0	1		02/22/14 20:03	108-67-8	M1
Vinyl chloride	ND ug/L		0.20	1		02/22/14 20:03	75-01-4	
Xylene (Total)	229 ug/L		3.0	1		02/22/14 20:03	1330-20-7	MS
m&p-Xylene	217 ug/L		2.0	1		02/22/14 20:03	179601-23-1	M1
o-Xylene	12.7 ug/L		1.0	1		02/22/14 20:03	95-47-6	M1
Surrogates								
1,2-Dichloroethane-d4 (S)	107 %.		75-125	1		02/22/14 20:03	17060-07-0	
Toluene-d8 (S)	103 %.		75-125	1		02/22/14 20:03	2037-26-5	
4-Bromofluorobenzene (S)	105 %.		75-125	1		02/22/14 20:03	460-00-4	

Sample: GW-021114-TM-HA-16		Lab ID: 10256845055	Collected: 02/11/14 14:40	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 14:34	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 14:34	64742-65-0	
Surrogates								
o-Terphenyl (S)	54 %.		30-125	1	02/14/14 10:12	02/18/14 14:34	84-15-1	
n-Triacontane (S)	66 %.		30-125	1	02/14/14 10:12	02/18/14 14:34	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	9950 ug/L		2000	20		02/18/14 19:13		
Surrogates								
a,a,a-Trifluorotoluene (S)	100 %.		70-125	20		02/18/14 19:13	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	6.7 ug/L		0.50	1	02/14/14 15:36	02/18/14 11:59	7440-38-2	
Lead	0.33 ug/L		0.10	1	02/14/14 15:36	02/18/14 11:59	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	83-32-9	
Acenaphthylene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	208-96-8	
Anthracene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	120-12-7	
Benzo(a)anthracene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	56-55-3	
Benzo(a)pyrene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	50-32-8	
Benzo(b)fluoranthene	0.049 ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: **GW-021114-TM-HA-16** Lab ID: **10256845055** Collected: 02/11/14 14:40 Received: 02/12/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Benzo(g,h,i)perylene	0.058 ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	207-08-9	
Chrysene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	53-70-3	
Fluoranthene	0.075 ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	206-44-0	
Fluorene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	193-39-5	
1-Methylnaphthalene	1.9 ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	90-12-0	
2-Methylnaphthalene	4.3 ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	91-57-6	
Naphthalene	7.9 ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	91-20-3	
Phenanthrene	0.061 ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	85-01-8	
Pyrene	0.055 ug/L		0.041	1	02/14/14 07:26	02/19/14 21:13	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	51 %.		54-125	1	02/14/14 07:26	02/19/14 21:13	321-60-8	2M, S5
Terphenyl-d14 (S)	53 %.		68-125	1	02/14/14 07:26	02/19/14 21:13	1718-51-0	S5
8260 VOC		Analytical Method: EPA 8260						
Acetone	ND ug/L		20.0	1		02/23/14 00:01	67-64-1	
Benzene	872 ug/L		5.0	5		02/25/14 17:44	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/23/14 00:01	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/23/14 00:01	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/23/14 00:01	75-27-4	
Bromoform	ND ug/L		4.0	1		02/23/14 00:01	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/23/14 00:01	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/23/14 00:01	78-93-3	
n-Butylbenzene	3.1 ug/L		1.0	1		02/23/14 00:01	104-51-8	
sec-Butylbenzene	5.5 ug/L		1.0	1		02/23/14 00:01	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/23/14 00:01	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/23/14 00:01	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/23/14 00:01	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/23/14 00:01	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/23/14 00:01	75-00-3	
Chloroform	ND ug/L		1.0	1		02/23/14 00:01	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/23/14 00:01	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/23/14 00:01	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/23/14 00:01	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/23/14 00:01	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/23/14 00:01	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/23/14 00:01	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/23/14 00:01	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 00:01	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 00:01	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 00:01	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/23/14 00:01	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/23/14 00:01	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/23/14 00:01	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/23/14 00:01	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021114-TM-HA-16	Lab ID: 10256845055	Collected: 02/11/14 14:40	Received: 02/12/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND	ug/L	1.0	1		02/23/14 00:01	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		02/23/14 00:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		02/23/14 00:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	4.0	1		02/23/14 00:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		02/23/14 00:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	4.0	1		02/23/14 00:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		02/23/14 00:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	4.0	1		02/23/14 00:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	4.0	1		02/23/14 00:01	10061-02-6	
Ethylbenzene	356	ug/L	5.0	5		02/25/14 17:44	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		02/23/14 00:01	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		02/23/14 00:01	591-78-6	
Isopropylbenzene (Cumene)	25.5	ug/L	1.0	1		02/23/14 00:01	98-82-8	
p-Isopropyltoluene	1.8	ug/L	1.0	1		02/23/14 00:01	99-87-6	
Methylene Chloride	ND	ug/L	4.0	1		02/23/14 00:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		02/23/14 00:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/23/14 00:01	1634-04-4	
Naphthalene	29.4	ug/L	4.0	1		02/23/14 00:01	91-20-3	
n-Propylbenzene	53.7	ug/L	1.0	1		02/23/14 00:01	103-65-1	
Styrene	ND	ug/L	1.0	1		02/23/14 00:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		02/23/14 00:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		02/23/14 00:01	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		02/23/14 00:01	127-18-4	
Toluene	705	ug/L	5.0	5		02/25/14 17:44	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		02/23/14 00:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		02/23/14 00:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		02/23/14 00:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		02/23/14 00:01	79-00-5	
Trichloroethene	ND	ug/L	0.40	1		02/23/14 00:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		02/23/14 00:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	4.0	1		02/23/14 00:01	96-18-4	
1,2,4-Trimethylbenzene	287	ug/L	5.0	5		02/25/14 17:44	95-63-6	
1,3,5-Trimethylbenzene	97.7	ug/L	1.0	1		02/23/14 00:01	108-67-8	
Vinyl chloride	ND	ug/L	0.20	1		02/23/14 00:01	75-01-4	
Xylene (Total)	1760	ug/L	15.0	5		02/25/14 17:44	1330-20-7	
m&p-Xylene	1360	ug/L	10.0	5		02/25/14 17:44	179601-23-1	
o-Xylene	398	ug/L	5.0	5		02/25/14 17:44	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	108	%	75-125	1		02/23/14 00:01	17060-07-0	
Toluene-d8 (S)	102	%	75-125	1		02/23/14 00:01	2037-26-5	
4-Bromofluorobenzene (S)	104	%	75-125	1		02/23/14 00:01	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021214-NH-LAI 12		Lab ID: 10256845056	Collected: 02/12/14 09:45	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 14:56	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 14:56	64742-65-0	
Surrogates								
o-Terphenyl (S)	71 %.		30-125	1	02/14/14 10:12	02/18/14 14:56	84-15-1	
n-Triacontane (S)	87 %.		30-125	1	02/14/14 10:12	02/18/14 14:56	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/18/14 16:12		
Surrogates								
a,a,a-Trifluorotoluene (S)	92 %.		70-125	1		02/18/14 16:12	98-08-8	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/18/14 09:44	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/18/14 09:44	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/18/14 09:44	1634-04-4	
Toluene	ND ug/L		1.0	1		02/18/14 09:44	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/18/14 09:44	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	99 %.		75-125	1		02/18/14 09:44	17060-07-0	
Toluene-d8 (S)	100 %.		75-125	1		02/18/14 09:44	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/18/14 09:44	460-00-4	

Sample: GW-021214-NH-LAI 11		Lab ID: 10256845057	Collected: 02/12/14 11:00	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 15:17	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 15:17	64742-65-0	
Surrogates								
o-Terphenyl (S)	72 %.		30-125	1	02/14/14 10:12	02/18/14 15:17	84-15-1	
n-Triacontane (S)	88 %.		30-125	1	02/14/14 10:12	02/18/14 15:17	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/18/14 15:12		
Surrogates								
a,a,a-Trifluorotoluene (S)	101 %.		70-125	1		02/18/14 15:12	98-08-8	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/18/14 09:26	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/18/14 09:26	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/18/14 09:26	1634-04-4	
Toluene	ND ug/L		1.0	1		02/18/14 09:26	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/18/14 09:26	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %.		75-125	1		02/18/14 09:26	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Project No.: 10256845

Sample: GW-021214-NH-LAI 11		Lab ID: 10256845057	Collected: 02/12/14 11:00	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST		Analytical Method: EPA 8260						
Surrogates								
Toluene-d8 (S)	98 %.		75-125	1		02/18/14 09:26	2037-26-5	
4-Bromofluorobenzene (S)	99 %.		75-125	1		02/18/14 09:26	460-00-4	

Sample: GW-021214-NH-LAI 10		Lab ID: 10256845058	Collected: 02/12/14 12:45	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 16:44	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 16:44	64742-65-0	
Surrogates								
o-Terphenyl (S)	73 %.		30-125	1	02/14/14 10:12	02/18/14 16:44	84-15-1	
n-Triacontane (S)	91 %.		30-125	1	02/14/14 10:12	02/18/14 16:44	638-68-6	

NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/18/14 15:32		
Surrogates								
a,a,a-Trifluorotoluene (S)	88 %.		70-125	1		02/18/14 15:32	98-08-8	

8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/18/14 05:25	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/18/14 05:25	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/18/14 05:25	1634-04-4	
Toluene	ND ug/L		1.0	1		02/18/14 05:25	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/18/14 05:25	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %.		75-125	1		02/18/14 05:25	17060-07-0	
Toluene-d8 (S)	98 %.		75-125	1		02/18/14 05:25	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/18/14 05:25	460-00-4	

Sample: GW-021214-NH-LAI 1		Lab ID: 10256845059	Collected: 02/12/14 14:30	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	0.86 mg/L		0.40	1	02/14/14 10:12	02/18/14 15:39	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 15:39	64742-65-0	
Surrogates								
o-Terphenyl (S)	67 %.		30-125	1	02/14/14 10:12	02/18/14 15:39	84-15-1	
n-Triacontane (S)	81 %.		30-125	1	02/14/14 10:12	02/18/14 15:39	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	88200 ug/L		10000	100		02/18/14 17:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021214-NH-LAI 1	Lab ID: 10256845059	Collected: 02/12/14 14:30	Received: 02/12/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
Surrogates								
a,a,a-Trifluorotoluene (S)	103 %.		70-125	100		02/18/14 17:13	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	2.9 ug/L		0.50	1	02/14/14 15:36	02/18/14 12:04	7440-38-2	
Lead	0.23 ug/L		0.10	1	02/14/14 15:36	02/18/14 12:04	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.49 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	83-32-9	
Acenaphthylene	0.15 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	208-96-8	
Anthracene	0.052 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	120-12-7	
Benzo(a)anthracene	0.050 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	56-55-3	
Benzo(a)pyrene	0.055 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	50-32-8	
Benzo(b)fluoranthene	0.052 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	205-99-2	
Benzo(g,h,i)perylene	0.070 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	207-08-9	
Chrysene	ND ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	53-70-3	
Fluoranthene	0.097 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	206-44-0	
Fluorene	0.41 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	86-73-7	
Indeno(1,2,3-cd)pyrene	0.058 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	193-39-5	
1-Methylnaphthalene	51.3 ug/L		0.93	20	02/14/14 07:26	02/21/14 21:05	90-12-0	M1
2-Methylnaphthalene	120 ug/L		0.93	20	02/14/14 07:26	02/21/14 21:05	91-57-6	M1
Naphthalene	355 ug/L		4.7	100	02/14/14 07:26	02/24/14 01:20	91-20-3	M1
Phenanthrene	0.23 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	85-01-8	
Pyrene	0.062 ug/L		0.047	1	02/14/14 07:26	02/19/14 21:35	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	79 %.		54-125	1	02/14/14 07:26	02/19/14 21:35	321-60-8	
Terphenyl-d14 (S)	82 %.		68-125	1	02/14/14 07:26	02/19/14 21:35	1718-51-0	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	995 ug/L		50.0	50		02/25/14 14:38	71-43-2	M1
Ethylbenzene	2770 ug/L		50.0	50		02/25/14 14:38	100-41-4	M1
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/23/14 12:28	1634-04-4	
Toluene	4430 ug/L		50.0	50		02/25/14 14:38	108-88-3	M1
Xylene (Total)	3580 ug/L		3.0	1		02/23/14 12:28	1330-20-7	MS
Surrogates								
1,2-Dichloroethane-d4 (S)	101 %.		75-125	1		02/23/14 12:28	17060-07-0	
Toluene-d8 (S)	92 %.		75-125	1		02/23/14 12:28	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	1		02/23/14 12:28	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Project No.: 10256845

Sample: GW-021214-TM-HA-1		Lab ID: 10256845060	Collected: 02/12/14 09:40	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 17:49	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 17:49	64742-65-0	
Surrogates								
o-Terphenyl (S)	74 %.		30-125	1	02/14/14 10:12	02/18/14 17:49	84-15-1	
n-Triacontane (S)	88 %.		30-125	1	02/14/14 10:12	02/18/14 17:49	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/18/14 15:52		
Surrogates								
a,a,a-Trifluorotoluene (S)	87 %.		70-125	1		02/18/14 15:52	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	0.81 ug/L		0.50	1	02/14/14 15:36	02/18/14 12:47	7440-38-2	
Lead	1.1 ug/L		0.10	1	02/14/14 15:36	02/18/14 12:47	7439-92-1	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/23/14 13:52	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/23/14 13:52	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/23/14 13:52	1634-04-4	
Toluene	ND ug/L		1.0	1		02/23/14 13:52	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/23/14 13:52	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	103 %.		75-125	1		02/23/14 13:52	17060-07-0	
Toluene-d8 (S)	100 %.		75-125	1		02/23/14 13:52	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	1		02/23/14 13:52	460-00-4	

Sample: GW-021214-TM-MW-14		Lab ID: 10256845061	Collected: 02/12/14 11:00	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	1.4 mg/L		0.40	1	02/14/14 10:12	02/18/14 18:10	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 18:10	64742-65-0	
Surrogates								
o-Terphenyl (S)	74 %.		30-125	1	02/14/14 10:12	02/18/14 18:10	84-15-1	
n-Triacontane (S)	93 %.		30-125	1	02/14/14 10:12	02/18/14 18:10	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	103000 ug/L		10000	100		02/18/14 19:53		
Surrogates								
a,a,a-Trifluorotoluene (S)	99 %.		70-125	100		02/18/14 19:53	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	35.8 ug/L		2.5	5	02/14/14 15:36	02/18/14 12:51	7440-38-2	
Lead	14.4 ug/L		0.50	5	02/14/14 15:36	02/18/14 12:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021214-TM-MW-14 **Lab ID:** 10256845061 Collected: 02/12/14 11:00 Received: 02/12/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Acenaphthene	0.61 ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	83-32-9	
Acenaphthylene	0.17 ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	208-96-8	
Anthracene	0.090 ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	120-12-7	
Benzo(a)anthracene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	56-55-3	
Benzo(a)pyrene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	207-08-9	
Chrysene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	53-70-3	
Fluoranthene	0.14 ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	206-44-0	
Fluorene	1.1 ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	193-39-5	
1-Methylnaphthalene	71.8 ug/L		2.1	50	02/14/14 07:26	02/21/14 21:27	90-12-0	
2-Methylnaphthalene	190 ug/L		2.1	50	02/14/14 07:26	02/21/14 21:27	91-57-6	
Naphthalene	369 ug/L		2.1	50	02/14/14 07:26	02/21/14 21:27	91-20-3	
Phenanthrene	1.3 ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	85-01-8	
Pyrene	0.11 ug/L		0.041	1	02/14/14 07:26	02/19/14 22:41	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	77 %.		54-125	1	02/14/14 07:26	02/19/14 22:41	321-60-8	
Terphenyl-d14 (S)	75 %.		68-125	1	02/14/14 07:26	02/19/14 22:41	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		2000	100		02/23/14 01:36	67-64-1	
Benzene	14000 ug/L		100	100		02/23/14 01:36	71-43-2	
Bromobenzene	ND ug/L		100	100		02/23/14 01:36	108-86-1	
Bromochloromethane	ND ug/L		100	100		02/23/14 01:36	74-97-5	
Bromodichloromethane	ND ug/L		100	100		02/23/14 01:36	75-27-4	
Bromoform	ND ug/L		400	100		02/23/14 01:36	75-25-2	
Bromomethane	ND ug/L		400	100		02/23/14 01:36	74-83-9	
2-Butanone (MEK)	ND ug/L		500	100		02/23/14 01:36	78-93-3	
n-Butylbenzene	ND ug/L		100	100		02/23/14 01:36	104-51-8	
sec-Butylbenzene	ND ug/L		100	100		02/23/14 01:36	135-98-8	
tert-Butylbenzene	ND ug/L		100	100		02/23/14 01:36	98-06-6	
Carbon disulfide	ND ug/L		100	100		02/23/14 01:36	75-15-0	
Carbon tetrachloride	ND ug/L		100	100		02/23/14 01:36	56-23-5	
Chlorobenzene	ND ug/L		100	100		02/23/14 01:36	108-90-7	
Chloroethane	ND ug/L		100	100		02/23/14 01:36	75-00-3	
Chloroform	ND ug/L		100	100		02/23/14 01:36	67-66-3	
Chloromethane	ND ug/L		400	100		02/23/14 01:36	74-87-3	
2-Chlorotoluene	ND ug/L		100	100		02/23/14 01:36	95-49-8	
4-Chlorotoluene	ND ug/L		100	100		02/23/14 01:36	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		400	100		02/23/14 01:36	96-12-8	
Dibromochloromethane	ND ug/L		100	100		02/23/14 01:36	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		100	100		02/23/14 01:36	106-93-4	
Dibromomethane	ND ug/L		400	100		02/23/14 01:36	74-95-3	
1,2-Dichlorobenzene	ND ug/L		100	100		02/23/14 01:36	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021214-TM-MW-14	Lab ID: 10256845061	Collected: 02/12/14 11:00	Received: 02/12/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,3-Dichlorobenzene	ND	ug/L	100	100		02/23/14 01:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	100	100		02/23/14 01:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	100	100		02/23/14 01:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	100	100		02/23/14 01:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	100	100		02/23/14 01:36	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	200	100		02/23/14 01:36	540-59-0	
1,1-Dichloroethene	ND	ug/L	100	100		02/23/14 01:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	100	100		02/23/14 01:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	100	100		02/23/14 01:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	400	100		02/23/14 01:36	78-87-5	
1,3-Dichloropropane	ND	ug/L	100	100		02/23/14 01:36	142-28-9	
2,2-Dichloropropane	ND	ug/L	400	100		02/23/14 01:36	594-20-7	
1,1-Dichloropropene	ND	ug/L	100	100		02/23/14 01:36	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	400	100		02/23/14 01:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	400	100		02/23/14 01:36	10061-02-6	
Ethylbenzene	1770	ug/L	100	100		02/23/14 01:36	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	100	100		02/23/14 01:36	87-68-3	
2-Hexanone	ND	ug/L	500	100		02/23/14 01:36	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	100	100		02/23/14 01:36	98-82-8	
p-Isopropyltoluene	ND	ug/L	100	100		02/23/14 01:36	99-87-6	
Methylene Chloride	ND	ug/L	400	100		02/23/14 01:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	100		02/23/14 01:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	100	100		02/23/14 01:36	1634-04-4	
Naphthalene	519	ug/L	400	100		02/23/14 01:36	91-20-3	
n-Propylbenzene	164	ug/L	100	100		02/23/14 01:36	103-65-1	
Styrene	ND	ug/L	100	100		02/23/14 01:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	100	100		02/23/14 01:36	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	100	100		02/23/14 01:36	79-34-5	
Tetrachloroethene	ND	ug/L	100	100		02/23/14 01:36	127-18-4	
Toluene	11800	ug/L	100	100		02/23/14 01:36	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	100	100		02/23/14 01:36	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	100	100		02/23/14 01:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	100	100		02/23/14 01:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	100	100		02/23/14 01:36	79-00-5	
Trichloroethene	ND	ug/L	40.0	100		02/23/14 01:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	100	100		02/23/14 01:36	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	400	100		02/23/14 01:36	96-18-4	
1,2,4-Trimethylbenzene	1390	ug/L	100	100		02/23/14 01:36	95-63-6	
1,3,5-Trimethylbenzene	349	ug/L	100	100		02/23/14 01:36	108-67-8	
Vinyl chloride	ND	ug/L	20.0	100		02/23/14 01:36	75-01-4	
Xylene (Total)	10700	ug/L	300	100		02/23/14 01:36	1330-20-7	
m&p-Xylene	7860	ug/L	200	100		02/23/14 01:36	179601-23-1	
o-Xylene	2860	ug/L	100	100		02/23/14 01:36	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	107	%	75-125	100		02/23/14 01:36	17060-07-0	
Toluene-d8 (S)	106	%	75-125	100		02/23/14 01:36	2037-26-5	
4-Bromofluorobenzene (S)	105	%	75-125	100		02/23/14 01:36	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021214-TM-W-2	Lab ID: 10256845062	Collected: 02/12/14 12:45	Received: 02/12/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV								
Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	2.7 mg/L		0.40	1	02/14/14 10:12	02/18/14 19:36	68334-30-5	
Motor Oil Range SG	0.45 mg/L		0.40	1	02/14/14 10:12	02/18/14 19:36	64742-65-0	
Surrogates								
o-Terphenyl (S)	79 %.		30-125	1	02/14/14 10:12	02/18/14 19:36	84-15-1	
n-Triacontane (S)	93 %.		30-125	1	02/14/14 10:12	02/18/14 19:36	638-68-6	
NWTPH-Gx GCV								
Analytical Method: NWTPH-Gx/8021								
TPH as Gas	27100 ug/L		5000	50		02/25/14 15:10		
Surrogates								
a,a,a-Trifluorotoluene (S)	101 %.		70-125	50		02/25/14 15:10	98-08-8	
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	11.0 ug/L		0.50	1	02/14/14 15:36	02/18/14 12:56	7440-38-2	
Lead	2.8 ug/L		0.10	1	02/14/14 15:36	02/18/14 12:56	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	0.90 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	83-32-9	
Acenaphthylene	0.31 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	208-96-8	
Anthracene	0.16 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	120-12-7	
Benzo(a)anthracene	0.090 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	56-55-3	
Benzo(a)pyrene	0.077 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	50-32-8	
Benzo(b)fluoranthene	0.13 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	205-99-2	
Benzo(g,h,i)perylene	0.081 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	191-24-2	
Benzo(k)fluoranthene	0.046 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	207-08-9	
Chrysene	0.094 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	53-70-3	
Fluoranthene	0.42 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	206-44-0	
Fluorene	2.0 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	86-73-7	
Indeno(1,2,3-cd)pyrene	0.058 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	193-39-5	
1-Methylnaphthalene	107 ug/L		2.1	50	02/14/14 07:26	02/21/14 21:50	90-12-0	
2-Methylnaphthalene	268 ug/L		2.1	50	02/14/14 07:26	02/21/14 21:50	91-57-6	
Naphthalene	507 ug/L		2.1	50	02/14/14 07:26	02/21/14 21:50	91-20-3	
Phenanthrene	1.9 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	85-01-8	
Pyrene	0.23 ug/L		0.041	1	02/14/14 07:26	02/19/14 23:03	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	69 %.		54-125	1	02/14/14 07:26	02/19/14 23:03	321-60-8	
Terphenyl-d14 (S)	64 %.		68-125	1	02/14/14 07:26	02/19/14 23:03	1718-51-0	S5
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		500	25		02/23/14 22:09	67-64-1	
Benzene	6730 ug/L		50.0	50		02/25/14 13:26	71-43-2	
Bromobenzene	ND ug/L		25.0	25		02/23/14 22:09	108-86-1	
Bromochloromethane	ND ug/L		25.0	25		02/23/14 22:09	74-97-5	
Bromodichloromethane	ND ug/L		25.0	25		02/23/14 22:09	75-27-4	
Bromoform	ND ug/L		100	25		02/23/14 22:09	75-25-2	
Bromomethane	ND ug/L		100	25		02/23/14 22:09	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021214-TM-W-2	Lab ID: 10256845062	Collected: 02/12/14 12:45	Received: 02/12/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
2-Butanone (MEK)	ND	ug/L	125	25		02/23/14 22:09	78-93-3	
n-Butylbenzene	28.7	ug/L	25.0	25		02/23/14 22:09	104-51-8	
sec-Butylbenzene	26.2	ug/L	25.0	25		02/23/14 22:09	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	25		02/23/14 22:09	98-06-6	
Carbon disulfide	ND	ug/L	25.0	25		02/23/14 22:09	75-15-0	
Carbon tetrachloride	ND	ug/L	100	25		02/23/14 22:09	56-23-5	
Chlorobenzene	ND	ug/L	25.0	25		02/23/14 22:09	108-90-7	
Chloroethane	ND	ug/L	25.0	25		02/23/14 22:09	75-00-3	
Chloroform	ND	ug/L	25.0	25		02/23/14 22:09	67-66-3	
Chloromethane	ND	ug/L	100	25		02/23/14 22:09	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	25		02/23/14 22:09	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	25		02/23/14 22:09	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	100	25		02/23/14 22:09	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	25		02/23/14 22:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	25		02/23/14 22:09	106-93-4	
Dibromomethane	ND	ug/L	100	25		02/23/14 22:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	25		02/23/14 22:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	25		02/23/14 22:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	25		02/23/14 22:09	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	25		02/23/14 22:09	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	25		02/23/14 22:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	25		02/23/14 22:09	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	50.0	25		02/23/14 22:09	540-59-0	
1,1-Dichloroethene	ND	ug/L	25.0	25		02/23/14 22:09	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	25.0	25		02/23/14 22:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	25		02/23/14 22:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	100	25		02/23/14 22:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	25		02/23/14 22:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	100	25		02/23/14 22:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	25		02/23/14 22:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	100	25		02/23/14 22:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	100	25		02/23/14 22:09	10061-02-6	
Ethylbenzene	2330	ug/L	25.0	25		02/23/14 22:09	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	25		02/23/14 22:09	87-68-3	
2-Hexanone	ND	ug/L	125	25		02/23/14 22:09	591-78-6	
Isopropylbenzene (Cumene)	88.9	ug/L	25.0	25		02/23/14 22:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	25		02/23/14 22:09	99-87-6	
Methylene Chloride	ND	ug/L	100	25		02/23/14 22:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	25		02/23/14 22:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	25.0	25		02/23/14 22:09	1634-04-4	
Naphthalene	849	ug/L	100	25		02/23/14 22:09	91-20-3	
n-Propylbenzene	308	ug/L	25.0	25		02/23/14 22:09	103-65-1	
Styrene	ND	ug/L	25.0	25		02/23/14 22:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	25		02/23/14 22:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	25		02/23/14 22:09	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	25		02/23/14 22:09	127-18-4	
Toluene	89.6	ug/L	25.0	25		02/23/14 22:09	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021214-TM-W-2		Lab ID: 10256845062	Collected: 02/12/14 12:45	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,2,3-Trichlorobenzene	ND ug/L		25.0	25		02/23/14 22:09	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		25.0	25		02/23/14 22:09	120-82-1	
1,1,1-Trichloroethane	ND ug/L		25.0	25		02/23/14 22:09	71-55-6	
1,1,2-Trichloroethane	ND ug/L		25.0	25		02/23/14 22:09	79-00-5	
Trichloroethene	ND ug/L		10.0	25		02/23/14 22:09	79-01-6	
Trichlorofluoromethane	ND ug/L		25.0	25		02/23/14 22:09	75-69-4	
1,2,3-Trichloropropane	ND ug/L		100	25		02/23/14 22:09	96-18-4	
1,2,4-Trimethylbenzene	2270 ug/L		25.0	25		02/23/14 22:09	95-63-6	
1,3,5-Trimethylbenzene	432 ug/L		25.0	25		02/23/14 22:09	108-67-8	
Vinyl chloride	ND ug/L		5.0	25		02/23/14 22:09	75-01-4	
Xylene (Total)	1070 ug/L		75.0	25		02/23/14 22:09	1330-20-7	
m&p-Xylene	1040 ug/L		50.0	25		02/23/14 22:09	179601-23-1	
o-Xylene	30.0 ug/L		25.0	25		02/23/14 22:09	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	108 %.		75-125	25		02/23/14 22:09	17060-07-0	
Toluene-d8 (S)	99 %.		75-125	25		02/23/14 22:09	2037-26-5	
4-Bromofluorobenzene (S)	101 %.		75-125	25		02/23/14 22:09	460-00-4	

Sample: GW-021214-TM-DW-2		Lab ID: 10256845063	Collected: 02/12/14 14:15	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/14/14 10:12	02/18/14 18:31	68334-30-5	
Motor Oil Range SG	0.45 mg/L		0.40	1	02/14/14 10:12	02/18/14 18:31	64742-65-0	
Surrogates								
o-Terphenyl (S)	78 %.		30-125	1	02/14/14 10:12	02/18/14 18:31	84-15-1	
n-Triacontane (S)	93 %.		30-125	1	02/14/14 10:12	02/18/14 18:31	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	395 ug/L		100	1		02/18/14 22:54		
Surrogates								
a,a,a-Trifluorotoluene (S)	109 %.		70-125	1		02/18/14 22:54	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	7.9 ug/L		0.50	1	02/14/14 15:36	02/18/14 13:00	7440-38-2	
Lead	0.14 ug/L		0.10	1	02/14/14 15:36	02/18/14 13:00	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.050 ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	83-32-9	
Acenaphthylene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	208-96-8	
Anthracene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	205-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021214-TM-DW-2 **Lab ID: 10256845063** Collected: 02/12/14 14:15 Received: 02/12/14 15:30 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	207-08-9	
Chrysene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	53-70-3	
Fluoranthene	0.044 ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	206-44-0	
Fluorene	0.13 ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	193-39-5	
1-Methylnaphthalene	2.2 ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	90-12-0	
2-Methylnaphthalene	6.8 ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	91-57-6	M1
Naphthalene	2.1 ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	91-20-3	
Phenanthrene	0.19 ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	85-01-8	
Pyrene	ND ug/L		0.043	1	02/14/14 07:26	02/19/14 23:25	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	84 %.		54-125	1	02/14/14 07:26	02/19/14 23:25	321-60-8	
Terphenyl-d14 (S)	85 %.		68-125	1	02/14/14 07:26	02/19/14 23:25	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND ug/L		20.0	1		02/23/14 17:59	67-64-1	
Benzene	ND ug/L		1.0	1		02/23/14 17:59	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/23/14 17:59	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/23/14 17:59	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/23/14 17:59	75-27-4	
Bromoform	ND ug/L		4.0	1		02/23/14 17:59	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/23/14 17:59	74-83-9	CL
2-Butanone (MEK)	ND ug/L		5.0	1		02/23/14 17:59	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/23/14 17:59	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/23/14 17:59	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/23/14 17:59	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/23/14 17:59	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/23/14 17:59	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/23/14 17:59	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/23/14 17:59	75-00-3	
Chloroform	ND ug/L		1.0	1		02/23/14 17:59	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/23/14 17:59	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/23/14 17:59	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/23/14 17:59	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/23/14 17:59	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/23/14 17:59	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/23/14 17:59	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/23/14 17:59	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 17:59	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 17:59	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 17:59	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/23/14 17:59	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/23/14 17:59	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/23/14 17:59	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/23/14 17:59	540-59-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021214-TM-DW-2	Lab ID: 10256845063	Collected: 02/12/14 14:15	Received: 02/12/14 15:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1-Dichloroethene	ND ug/L		1.0	1		02/23/14 17:59	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/23/14 17:59	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/23/14 17:59	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 17:59	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/23/14 17:59	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 17:59	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/23/14 17:59	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 17:59	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 17:59	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/23/14 17:59	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/23/14 17:59	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/23/14 17:59	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/23/14 17:59	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/23/14 17:59	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/23/14 17:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/23/14 17:59	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/23/14 17:59	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/23/14 17:59	91-20-3	M1
n-Propylbenzene	ND ug/L		1.0	1		02/23/14 17:59	103-65-1	M1
Styrene	ND ug/L		1.0	1		02/23/14 17:59	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 17:59	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 17:59	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/23/14 17:59	127-18-4	
Toluene	ND ug/L		1.0	1		02/23/14 17:59	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 17:59	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 17:59	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/23/14 17:59	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/23/14 17:59	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/23/14 17:59	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/23/14 17:59	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/23/14 17:59	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 17:59	95-63-6	M1
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 17:59	108-67-8	M1
Vinyl chloride	ND ug/L		0.20	1		02/23/14 17:59	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/23/14 17:59	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/23/14 17:59	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/23/14 17:59	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	110 %.		75-125	1		02/23/14 17:59	17060-07-0	
Toluene-d8 (S)	107 %.		75-125	1		02/23/14 17:59	2037-26-5	
4-Bromofluorobenzene (S)	105 %.		75-125	1		02/23/14 17:59	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: Trip Blank		Lab ID: 10256845064	Collected: 02/12/14 00:00	Received: 02/12/14 15:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/23/14 12:12	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/23/14 12:12	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/23/14 12:12	1634-04-4	
Toluene	ND ug/L		1.0	1		02/23/14 12:12	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/23/14 12:12	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	102 %.		75-125	1		02/23/14 12:12	17060-07-0	
Toluene-d8 (S)	100 %.		75-125	1		02/23/14 12:12	2037-26-5	
4-Bromofluorobenzene (S)	100 %.		75-125	1		02/23/14 12:12	460-00-4	
Sample: GW-021314-NH-LA1x2		Lab ID: 10256845065	Collected: 02/13/14 09:45	Received: 02/13/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	1.4 mg/L		0.40	1	02/18/14 11:18	02/19/14 16:12	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 16:12	64742-65-0	
Surrogates								
o-Terphenyl (S)	84 %.		30-125	1	02/18/14 11:18	02/19/14 16:12	84-15-1	
n-Triacontane (S)	97 %.		30-125	1	02/18/14 11:18	02/19/14 16:12	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	67400 ug/L		10000	100		02/20/14 15:16		
Surrogates								
a,a,a-Trifluorotoluene (S)	101 %.		70-125	100		02/20/14 15:16	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	8.1 ug/L		0.50	1	02/18/14 12:57	02/20/14 08:31	7440-38-2	
Lead	0.37 ug/L		0.10	1	02/18/14 12:57	02/20/14 08:31	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.088 ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	83-32-9	
Acenaphthylene	0.044 ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	208-96-8	
Anthracene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	207-08-9	
Chrysene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	53-70-3	
Fluoranthene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	206-44-0	
Fluorene	0.086 ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 20:02	193-39-5	
1-Methylnaphthalene	21.1 ug/L		0.85	20	02/19/14 11:04	02/27/14 15:58	90-12-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021314-NH-LA1x2	Lab ID: 10256845065	Collected: 02/13/14 09:45	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
2-Methylnaphthalene	36.7	ug/L	0.85	20	02/19/14 11:04	02/27/14 15:58	91-57-6	
Naphthalene	182	ug/L	0.85	20	02/19/14 11:04	02/27/14 15:58	91-20-3	
Phenanthrene	0.049	ug/L	0.043	1	02/19/14 11:04	02/25/14 20:02	85-01-8	
Pyrene	ND	ug/L	0.043	1	02/19/14 11:04	02/25/14 20:02	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	89	%	54-125	1	02/19/14 11:04	02/25/14 20:02	321-60-8	
Terphenyl-d14 (S)	94	%	68-125	1	02/19/14 11:04	02/25/14 20:02	1718-51-0	
8260 MSV UST Analytical Method: EPA 8260								
Benzene	5540	ug/L	50.0	50		02/25/14 18:00	71-43-2	
Ethylbenzene	1710	ug/L	50.0	50		02/25/14 18:00	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		02/23/14 14:08	1634-04-4	
Toluene	9610	ug/L	50.0	50		02/25/14 18:00	108-88-3	
Xylene (Total)	8140	ug/L	150	50		02/25/14 18:00	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	101	%	75-125	1		02/23/14 14:08	17060-07-0	
Toluene-d8 (S)	91	%	75-125	1		02/23/14 14:08	2037-26-5	
4-Bromofluorobenzene (S)	97	%	75-125	1		02/23/14 14:08	460-00-4	

Sample: GW-021314-NH-LA1x3	Lab ID: 10256845066	Collected: 02/13/14 11:30	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Diesel Fuel Range SG	1.4	mg/L	0.40	1	02/18/14 11:18	02/19/14 16:55	68334-30-5	
Motor Oil Range SG	ND	mg/L	0.40	1	02/18/14 11:18	02/19/14 16:55	64742-65-0	
Surrogates								
o-Terphenyl (S)	84	%	30-125	1	02/18/14 11:18	02/19/14 16:55	84-15-1	
n-Triacontane (S)	98	%	30-125	1	02/18/14 11:18	02/19/14 16:55	638-68-6	
NWTPH-Gx GCV Analytical Method: NWTPH-Gx/8021								
TPH as Gas	47600	ug/L	10000	100		02/20/14 17:17		
Surrogates								
a,a,a-Trifluorotoluene (S)	95	%	70-125	100		02/20/14 17:17	98-08-8	
6020 MET ICPMS Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	4.0	ug/L	0.50	1	02/18/14 12:57	02/20/14 08:36	7440-38-2	
Lead	0.37	ug/L	0.10	1	02/18/14 12:57	02/20/14 08:36	7439-92-1	
8270 MSSV PAH by SIM Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	0.15	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	83-32-9	
Acenaphthylene	0.053	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	208-96-8	
Anthracene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	120-12-7	
Benzo(a)anthracene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	56-55-3	
Benzo(a)pyrene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	50-32-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021314-NH-LA1x3 **Lab ID: 10256845066** Collected: 02/13/14 11:30 Received: 02/13/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Benzo(b)fluoranthene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	207-08-9	
Chrysene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	53-70-3	
Fluoranthene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	206-44-0	
Fluorene	0.13	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	193-39-5	
1-Methylnaphthalene	25.0	ug/L	0.88	20	02/19/14 11:04	02/27/14 16:19	90-12-0	
2-Methylnaphthalene	38.0	ug/L	0.88	20	02/19/14 11:04	02/27/14 16:19	91-57-6	
Naphthalene	178	ug/L	0.88	20	02/19/14 11:04	02/27/14 16:19	91-20-3	
Phenanthrene	0.11	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	85-01-8	
Pyrene	ND	ug/L	0.044	1	02/19/14 11:04	02/25/14 20:25	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	84	%	54-125	1	02/19/14 11:04	02/25/14 20:25	321-60-8	
Terphenyl-d14 (S)	90	%	68-125	1	02/19/14 11:04	02/25/14 20:25	1718-51-0	

8260 MSV UST

Analytical Method: EPA 8260

Benzene	8840	ug/L	100	100		02/26/14 09:53	71-43-2	
Ethylbenzene	1780	ug/L	20.0	20		02/25/14 23:52	100-41-4	
Methyl-tert-butyl ether	ND	ug/L	20.0	20		02/25/14 23:52	1634-04-4	
Toluene	3540	ug/L	20.0	20		02/25/14 23:52	108-88-3	
Xylene (Total)	6350	ug/L	60.0	20		02/25/14 23:52	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	100	%	75-125	20		02/25/14 23:52	17060-07-0	
Toluene-d8 (S)	99	%	75-125	20		02/25/14 23:52	2037-26-5	
4-Bromofluorobenzene (S)	99	%	75-125	20		02/25/14 23:52	460-00-4	

Sample: GW-021314-NH-DW1 **Lab ID: 10256845067** Collected: 02/13/14 13:00 Received: 02/13/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

NWTPH-Dx GCS Silica Gel LV

Analytical Method: NWTPH-Dx Preparation Method: EPA 3510

Diesel Fuel Range SG	ND	mg/L	0.40	1	02/18/14 11:18	02/19/14 17:17	68334-30-5	
Motor Oil Range SG	ND	mg/L	0.40	1	02/18/14 11:18	02/19/14 17:17	64742-65-0	
Surrogates								
o-Terphenyl (S)	79	%	30-125	1	02/18/14 11:18	02/19/14 17:17	84-15-1	
n-Triacontane (S)	91	%	30-125	1	02/18/14 11:18	02/19/14 17:17	638-68-6	

NWTPH-Gx GCV

Analytical Method: NWTPH-Gx/8021

TPH as Gas	ND	ug/L	100	1		02/20/14 14:16		
Surrogates								
a,a,a-Trifluorotoluene (S)	90	%	70-125	1		02/20/14 14:16	98-08-8	

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3020

Arsenic	3.5	ug/L	0.50	1	02/18/14 12:57	02/20/14 08:40	7440-38-2	
---------	-----	------	------	---	----------------	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021314-NH-DW1	Lab ID: 10256845067	Collected: 02/13/14 13:00	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Lead	ND ug/L		0.10	1	02/18/14 12:57	02/20/14 08:40	7439-92-1	
8270 MSSV PAH by SIM								
Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	83-32-9	
Acenaphthylene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	208-96-8	
Anthracene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	120-12-7	
Benzo(a)anthracene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	56-55-3	
Benzo(a)pyrene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	207-08-9	
Chrysene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	53-70-3	
Fluoranthene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	206-44-0	
Fluorene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	193-39-5	
1-Methylnaphthalene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	90-12-0	
2-Methylnaphthalene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	91-57-6	
Naphthalene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	91-20-3	
Phenanthrene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	85-01-8	
Pyrene	ND ug/L		0.044	1	02/19/14 11:04	02/25/14 20:47	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	82 %.		54-125	1	02/19/14 11:04	02/25/14 20:47	321-60-8	
Terphenyl-d14 (S)	97 %.		68-125	1	02/19/14 11:04	02/25/14 20:47	1718-51-0	
8260 VOC								
Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/23/14 06:45	67-64-1	
Benzene	2.0 ug/L		1.0	1		02/23/14 06:45	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/23/14 06:45	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/23/14 06:45	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/23/14 06:45	75-27-4	
Bromoform	ND ug/L		4.0	1		02/23/14 06:45	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/23/14 06:45	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/23/14 06:45	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/23/14 06:45	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/23/14 06:45	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/23/14 06:45	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/23/14 06:45	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/23/14 06:45	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/23/14 06:45	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/23/14 06:45	75-00-3	
Chloroform	ND ug/L		1.0	1		02/23/14 06:45	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/23/14 06:45	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/23/14 06:45	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/23/14 06:45	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/23/14 06:45	96-12-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021314-NH-DW1	Lab ID: 10256845067	Collected: 02/13/14 13:00	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
Dibromochloromethane	ND ug/L		1.0	1		02/23/14 06:45	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/23/14 06:45	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/23/14 06:45	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 06:45	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 06:45	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 06:45	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/23/14 06:45	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/23/14 06:45	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/23/14 06:45	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/23/14 06:45	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/23/14 06:45	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/23/14 06:45	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/23/14 06:45	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 06:45	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/23/14 06:45	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 06:45	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/23/14 06:45	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 06:45	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 06:45	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/23/14 06:45	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/23/14 06:45	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/23/14 06:45	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/23/14 06:45	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/23/14 06:45	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/23/14 06:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/23/14 06:45	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/23/14 06:45	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/23/14 06:45	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/23/14 06:45	103-65-1	
Styrene	ND ug/L		1.0	1		02/23/14 06:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 06:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 06:45	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/23/14 06:45	127-18-4	
Toluene	ND ug/L		1.0	1		02/23/14 06:45	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 06:45	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 06:45	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/23/14 06:45	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/23/14 06:45	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/23/14 06:45	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/23/14 06:45	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/23/14 06:45	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 06:45	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 06:45	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/23/14 06:45	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/23/14 06:45	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/23/14 06:45	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/23/14 06:45	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021314-NH-DW1	Lab ID: 10256845067	Collected: 02/13/14 13:00	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

8260 VOC

Analytical Method: EPA 8260

Surrogates

1,2-Dichloroethane-d4 (S)	111 %.		75-125	1		02/23/14 06:45	17060-07-0	
Toluene-d8 (S)	105 %.		75-125	1		02/23/14 06:45	2037-26-5	
4-Bromofluorobenzene (S)	105 %.		75-125	1		02/23/14 06:45	460-00-4	

Sample: GW-021314-NH-HA11	Lab ID: 10256845068	Collected: 02/13/14 14:00	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NWTPH-Dx GCS Silica Gel LV

Analytical Method: NWTPH-Dx Preparation Method: EPA 3510

Diesel Fuel Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 17:38	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 17:38	64742-65-0	
Surrogates								
o-Terphenyl (S)	80 %.		30-125	1	02/18/14 11:18	02/19/14 17:38	84-15-1	
n-Triacontane (S)	95 %.		30-125	1	02/18/14 11:18	02/19/14 17:38	638-68-6	

NWTPH-Gx GCV

Analytical Method: NWTPH-Gx/8021

TPH as Gas	ND ug/L		100	1		02/19/14 02:35		
Surrogates								
a,a,a-Trifluorotoluene (S)	105 %.		70-125	1		02/19/14 02:35	98-08-8	

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3020

Arsenic	0.52 ug/L		0.50	1	02/18/14 12:57	02/20/14 08:45	7440-38-2	
Lead	2.9 ug/L		0.10	1	02/18/14 12:57	02/20/14 08:45	7439-92-1	

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Acenaphthene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	83-32-9	
Acenaphthylene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	208-96-8	
Anthracene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	120-12-7	
Benzo(a)anthracene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	56-55-3	
Benzo(a)pyrene	0.043 ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	50-32-8	
Benzo(b)fluoranthene	0.054 ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	207-08-9	
Chrysene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	53-70-3	
Fluoranthene	0.079 ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	206-44-0	
Fluorene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	193-39-5	
1-Methylnaphthalene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	90-12-0	
2-Methylnaphthalene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	91-57-6	
Naphthalene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	91-20-3	
Phenanthrene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	85-01-8	
Pyrene	0.057 ug/L		0.040	1	02/19/14 11:04	02/25/14 21:09	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	81 %.		54-125	1	02/19/14 11:04	02/25/14 21:09	321-60-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021314-NH-HA11	Lab ID: 10256845068	Collected: 02/13/14 14:00	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Surrogates								
Terphenyl-d14 (S)	86 %.		68-125	1	02/19/14 11:04	02/25/14 21:09	1718-51-0	
8260 VOC		Analytical Method: EPA 8260						
Acetone	ND ug/L		20.0	1		02/23/14 07:09	67-64-1	
Benzene	ND ug/L		1.0	1		02/23/14 07:09	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/23/14 07:09	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/23/14 07:09	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/23/14 07:09	75-27-4	
Bromoform	ND ug/L		4.0	1		02/23/14 07:09	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/23/14 07:09	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/23/14 07:09	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/23/14 07:09	104-51-8	
sec-Butylbenzene	ND ug/L		1.0	1		02/23/14 07:09	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/23/14 07:09	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/23/14 07:09	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/23/14 07:09	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/23/14 07:09	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/23/14 07:09	75-00-3	
Chloroform	ND ug/L		1.0	1		02/23/14 07:09	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/23/14 07:09	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/23/14 07:09	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/23/14 07:09	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/23/14 07:09	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/23/14 07:09	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/23/14 07:09	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/23/14 07:09	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 07:09	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 07:09	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 07:09	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/23/14 07:09	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/23/14 07:09	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/23/14 07:09	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/23/14 07:09	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/23/14 07:09	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/23/14 07:09	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/23/14 07:09	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 07:09	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/23/14 07:09	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 07:09	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/23/14 07:09	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 07:09	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 07:09	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/23/14 07:09	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/23/14 07:09	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/23/14 07:09	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/23/14 07:09	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021314-NH-HA11		Lab ID: 10256845068	Collected: 02/13/14 14:00	Received: 02/13/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
p-Isopropyltoluene	ND ug/L		1.0	1		02/23/14 07:09	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/23/14 07:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/23/14 07:09	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/23/14 07:09	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/23/14 07:09	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/23/14 07:09	103-65-1	
Styrene	ND ug/L		1.0	1		02/23/14 07:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 07:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 07:09	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/23/14 07:09	127-18-4	
Toluene	ND ug/L		1.0	1		02/23/14 07:09	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 07:09	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 07:09	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/23/14 07:09	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/23/14 07:09	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/23/14 07:09	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/23/14 07:09	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/23/14 07:09	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 07:09	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 07:09	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/23/14 07:09	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/23/14 07:09	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/23/14 07:09	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/23/14 07:09	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	110 %		75-125	1		02/23/14 07:09	17060-07-0	
Toluene-d8 (S)	105 %		75-125	1		02/23/14 07:09	2037-26-5	
4-Bromofluorobenzene (S)	105 %		75-125	1		02/23/14 07:09	460-00-4	

Sample: GW-021314-NH-DIR		Lab ID: 10256845069	Collected: 02/13/14 15:00	Received: 02/13/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	11.5 ug/L		0.50	1	02/18/14 12:57	02/20/14 08:49	7440-38-2	
Lead	7.7 ug/L		0.10	1	02/18/14 12:57	02/20/14 08:49	7439-92-1	

Sample: GW-021314-TM-MW-1		Lab ID: 10256845070	Collected: 02/13/14 09:30	Received: 02/13/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 18:42	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 18:42	64742-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample:	Lab ID:	Collected:	Received:	Matrix:				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: GW-021314-TM-MW-1	Lab ID: 10256845070	Collected: 02/13/14 09:30	Received: 02/13/14 16:00	Matrix: Water				
NWTPH-Dx GCS Silica Gel LV Analytical Method: NWTPH-Dx Preparation Method: EPA 3510								
Surrogates								
o-Terphenyl (S)	72 %.		30-125	1	02/18/14 11:18	02/19/14 18:42	84-15-1	
n-Triacontane (S)	83 %.		30-125	1	02/18/14 11:18	02/19/14 18:42	638-68-6	
NWTPH-Gx GCV Analytical Method: NWTPH-Gx/8021								
TPH as Gas	ND ug/L		100	1		02/19/14 02:56		
Surrogates								
a,a,a-Trifluorotoluene (S)	104 %.		70-125	1		02/19/14 02:56	98-08-8	
6020 MET ICPMS Analytical Method: EPA 6020 Preparation Method: EPA 3020								
Arsenic	12.0 ug/L		0.50	1	02/18/14 12:57	02/20/14 08:53	7440-38-2	
Lead	0.62 ug/L		0.10	1	02/18/14 12:57	02/20/14 08:53	7439-92-1	
8270 MSSV PAH by SIM Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	83-32-9	
Acenaphthylene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	208-96-8	
Anthracene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	120-12-7	
Benzo(a)anthracene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	56-55-3	
Benzo(a)pyrene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	207-08-9	
Chrysene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	53-70-3	
Fluoranthene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	206-44-0	
Fluorene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	193-39-5	
1-Methylnaphthalene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	90-12-0	
2-Methylnaphthalene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	91-57-6	
Naphthalene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	91-20-3	
Phenanthrene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	85-01-8	
Pyrene	ND ug/L		0.040	1	02/19/14 11:04	02/25/14 21:31	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	82 %.		54-125	1	02/19/14 11:04	02/25/14 21:31	321-60-8	
Terphenyl-d14 (S)	99 %.		68-125	1	02/19/14 11:04	02/25/14 21:31	1718-51-0	
8260 VOC Analytical Method: EPA 8260								
Acetone	ND ug/L		20.0	1		02/23/14 07:33	67-64-1	
Benzene	ND ug/L		1.0	1		02/23/14 07:33	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/23/14 07:33	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/23/14 07:33	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/23/14 07:33	75-27-4	
Bromoform	ND ug/L		4.0	1		02/23/14 07:33	75-25-2	
Bromomethane	ND ug/L		4.0	1		02/23/14 07:33	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/23/14 07:33	78-93-3	
n-Butylbenzene	ND ug/L		1.0	1		02/23/14 07:33	104-51-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021314-TM-MW-1	Lab ID: 10256845070	Collected: 02/13/14 09:30	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
sec-Butylbenzene	ND ug/L		1.0	1		02/23/14 07:33	135-98-8	
tert-Butylbenzene	ND ug/L		1.0	1		02/23/14 07:33	98-06-6	
Carbon disulfide	ND ug/L		1.0	1		02/23/14 07:33	75-15-0	
Carbon tetrachloride	ND ug/L		1.0	1		02/23/14 07:33	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/23/14 07:33	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/23/14 07:33	75-00-3	
Chloroform	ND ug/L		1.0	1		02/23/14 07:33	67-66-3	
Chloromethane	ND ug/L		4.0	1		02/23/14 07:33	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/23/14 07:33	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/23/14 07:33	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		4.0	1		02/23/14 07:33	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/23/14 07:33	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/23/14 07:33	106-93-4	
Dibromomethane	ND ug/L		4.0	1		02/23/14 07:33	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 07:33	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 07:33	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/23/14 07:33	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/23/14 07:33	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/23/14 07:33	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/23/14 07:33	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		2.0	1		02/23/14 07:33	540-59-0	
1,1-Dichloroethene	ND ug/L		1.0	1		02/23/14 07:33	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/23/14 07:33	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/23/14 07:33	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 07:33	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/23/14 07:33	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 07:33	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/23/14 07:33	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 07:33	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 07:33	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/23/14 07:33	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/23/14 07:33	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/23/14 07:33	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/23/14 07:33	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/23/14 07:33	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/23/14 07:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/23/14 07:33	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/23/14 07:33	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/23/14 07:33	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/23/14 07:33	103-65-1	
Styrene	ND ug/L		1.0	1		02/23/14 07:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 07:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 07:33	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/23/14 07:33	127-18-4	
Toluene	ND ug/L		1.0	1		02/23/14 07:33	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 07:33	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 07:33	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021314-TM-MW-1		Lab ID: 10256845070	Collected: 02/13/14 09:30	Received: 02/13/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/23/14 07:33	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/23/14 07:33	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/23/14 07:33	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/23/14 07:33	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/23/14 07:33	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 07:33	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 07:33	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/23/14 07:33	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/23/14 07:33	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/23/14 07:33	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/23/14 07:33	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	112 %.		75-125	1		02/23/14 07:33	17060-07-0	
Toluene-d8 (S)	107 %.		75-125	1		02/23/14 07:33	2037-26-5	
4-Bromofluorobenzene (S)	106 %.		75-125	1		02/23/14 07:33	460-00-4	

Sample: GW-021314-TM-MW-2		Lab ID: 10256845071	Collected: 02/13/14 11:00	Received: 02/13/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 19:04	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 19:04	64742-65-0	
Surrogates								
o-Terphenyl (S)	75 %.		30-125	1	02/18/14 11:18	02/19/14 19:04	84-15-1	
n-Triacontane (S)	87 %.		30-125	1	02/18/14 11:18	02/19/14 19:04	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	189 ug/L		100	1		02/20/14 14:36		
Surrogates								
a,a,a-Trifluorotoluene (S)	96 %.		70-125	1		02/20/14 14:36	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	0.93 ug/L		0.50	1	02/18/14 12:57	02/20/14 08:58	7440-38-2	
Lead	ND ug/L		0.10	1	02/18/14 12:57	02/20/14 08:58	7439-92-1	
8270 MSSV PAH by SIM		Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510						
Acenaphthene	0.25 ug/L		0.043	1	02/19/14 11:04	02/25/14 21:53	83-32-9	
Acenaphthylene	0.050 ug/L		0.043	1	02/19/14 11:04	02/25/14 21:53	208-96-8	
Anthracene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 21:53	120-12-7	
Benzo(a)anthracene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 21:53	56-55-3	
Benzo(a)pyrene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 21:53	50-32-8	
Benzo(b)fluoranthene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 21:53	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 21:53	191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.043	1	02/19/14 11:04	02/25/14 21:53	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample:	Lab ID:	Collected:	Received:	Matrix:									
GW-021314-TM-MW-2	10256845071	02/13/14 11:00	02/13/14 16:00	Water	Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM					Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510								
Chrysene	ND ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	218-01-9							
Dibenz(a,h)anthracene	ND ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	53-70-3							
Fluoranthene	ND ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	206-44-0							
Fluorene	0.096 ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	86-73-7							
Indeno(1,2,3-cd)pyrene	ND ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	193-39-5							
1-Methylnaphthalene	ND ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	90-12-0							
2-Methylnaphthalene	ND ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	91-57-6							
Naphthalene	0.074 ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	91-20-3							
Phenanthrene	ND ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	85-01-8							
Pyrene	ND ug/L	0.043	1	02/19/14 11:04	02/25/14 21:53	129-00-0							
Surrogates													
2-Fluorobiphenyl (S)	95 %.	54-125	1	02/19/14 11:04	02/25/14 21:53	321-60-8							
Terphenyl-d14 (S)	94 %.	68-125	1	02/19/14 11:04	02/25/14 21:53	1718-51-0							
8260 VOC					Analytical Method: EPA 8260								
Acetone	ND ug/L	20.0	1		02/23/14 07:56	67-64-1							
Benzene	ND ug/L	1.0	1		02/23/14 07:56	71-43-2							
Bromobenzene	ND ug/L	1.0	1		02/23/14 07:56	108-86-1							
Bromochloromethane	ND ug/L	1.0	1		02/23/14 07:56	74-97-5							
Bromodichloromethane	ND ug/L	1.0	1		02/23/14 07:56	75-27-4							
Bromoform	ND ug/L	4.0	1		02/23/14 07:56	75-25-2							
Bromomethane	ND ug/L	4.0	1		02/23/14 07:56	74-83-9							
2-Butanone (MEK)	ND ug/L	5.0	1		02/23/14 07:56	78-93-3							
n-Butylbenzene	4.9 ug/L	1.0	1		02/23/14 07:56	104-51-8							
sec-Butylbenzene	ND ug/L	1.0	1		02/23/14 07:56	135-98-8							
tert-Butylbenzene	ND ug/L	1.0	1		02/23/14 07:56	98-06-6							
Carbon disulfide	ND ug/L	1.0	1		02/23/14 07:56	75-15-0							
Carbon tetrachloride	ND ug/L	1.0	1		02/23/14 07:56	56-23-5							
Chlorobenzene	ND ug/L	1.0	1		02/23/14 07:56	108-90-7							
Chloroethane	ND ug/L	1.0	1		02/23/14 07:56	75-00-3							
Chloroform	ND ug/L	1.0	1		02/23/14 07:56	67-66-3							
Chloromethane	ND ug/L	4.0	1		02/23/14 07:56	74-87-3							
2-Chlorotoluene	ND ug/L	1.0	1		02/23/14 07:56	95-49-8							
4-Chlorotoluene	ND ug/L	1.0	1		02/23/14 07:56	106-43-4							
1,2-Dibromo-3-chloropropane	ND ug/L	4.0	1		02/23/14 07:56	96-12-8							
Dibromochloromethane	ND ug/L	1.0	1		02/23/14 07:56	124-48-1							
1,2-Dibromoethane (EDB)	ND ug/L	1.0	1		02/23/14 07:56	106-93-4							
Dibromomethane	ND ug/L	4.0	1		02/23/14 07:56	74-95-3							
1,2-Dichlorobenzene	ND ug/L	1.0	1		02/23/14 07:56	95-50-1							
1,3-Dichlorobenzene	ND ug/L	1.0	1		02/23/14 07:56	541-73-1							
1,4-Dichlorobenzene	ND ug/L	1.0	1		02/23/14 07:56	106-46-7							
Dichlorodifluoromethane	ND ug/L	1.0	1		02/23/14 07:56	75-71-8							
1,1-Dichloroethane	ND ug/L	1.0	1		02/23/14 07:56	75-34-3							
1,2-Dichloroethane	ND ug/L	1.0	1		02/23/14 07:56	107-06-2							
1,2-Dichloroethene (Total)	ND ug/L	2.0	1		02/23/14 07:56	540-59-0							
1,1-Dichloroethene	ND ug/L	1.0	1		02/23/14 07:56	75-35-4							
cis-1,2-Dichloroethene	ND ug/L	1.0	1		02/23/14 07:56	156-59-2							

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021314-TM-MW-2		Lab ID: 10256845071	Collected: 02/13/14 11:00	Received: 02/13/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/23/14 07:56	156-60-5	
1,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 07:56	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/23/14 07:56	142-28-9	
2,2-Dichloropropane	ND ug/L		4.0	1		02/23/14 07:56	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/23/14 07:56	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 07:56	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		4.0	1		02/23/14 07:56	10061-02-6	
Ethylbenzene	ND ug/L		1.0	1		02/23/14 07:56	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/23/14 07:56	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/23/14 07:56	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		1.0	1		02/23/14 07:56	98-82-8	
p-Isopropyltoluene	ND ug/L		1.0	1		02/23/14 07:56	99-87-6	
Methylene Chloride	ND ug/L		4.0	1		02/23/14 07:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/23/14 07:56	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/23/14 07:56	1634-04-4	
Naphthalene	ND ug/L		4.0	1		02/23/14 07:56	91-20-3	
n-Propylbenzene	ND ug/L		1.0	1		02/23/14 07:56	103-65-1	
Styrene	ND ug/L		1.0	1		02/23/14 07:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 07:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/23/14 07:56	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/23/14 07:56	127-18-4	
Toluene	ND ug/L		1.0	1		02/23/14 07:56	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 07:56	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/23/14 07:56	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/23/14 07:56	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/23/14 07:56	79-00-5	
Trichloroethene	ND ug/L		0.40	1		02/23/14 07:56	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/23/14 07:56	75-69-4	
1,2,3-Trichloropropane	ND ug/L		4.0	1		02/23/14 07:56	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 07:56	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		1.0	1		02/23/14 07:56	108-67-8	
Vinyl chloride	ND ug/L		0.20	1		02/23/14 07:56	75-01-4	
Xylene (Total)	ND ug/L		3.0	1		02/23/14 07:56	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/23/14 07:56	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/23/14 07:56	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	109 %.		75-125	1		02/23/14 07:56	17060-07-0	
Toluene-d8 (S)	105 %.		75-125	1		02/23/14 07:56	2037-26-5	
4-Bromofluorobenzene (S)	106 %.		75-125	1		02/23/14 07:56	460-00-4	

Sample: GW-021314-TM-LAI-16		Lab ID: 10256845072	Collected: 02/13/14 12:45	Received: 02/13/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 19:25	68334-30-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021314-TM-LAI-16	Lab ID: 10256845072	Collected: 02/13/14 12:45	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Motor Oil Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 19:25	64742-65-0	
Surrogates								
o-Terphenyl (S)	73 %.		30-125	1	02/18/14 11:18	02/19/14 19:25	84-15-1	
n-Triacontane (S)	83 %.		30-125	1	02/18/14 11:18	02/19/14 19:25	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND ug/L		100	1		02/20/14 14:56		
Surrogates								
a,a,a-Trifluorotoluene (S)	95 %.		70-125	1		02/20/14 14:56	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	2.8 ug/L		0.50	1	02/18/14 12:57	02/20/14 09:21	7440-38-2	
Lead	ND ug/L		0.10	1	02/18/14 12:57	02/20/14 09:21	7439-92-1	
8260 MSV UST		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		02/25/14 23:20	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		02/25/14 23:20	100-41-4	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/25/14 23:20	1634-04-4	
Toluene	ND ug/L		1.0	1		02/25/14 23:20	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		02/25/14 23:20	1330-20-7	
Surrogates								
1,2-Dichloroethane-d4 (S)	101 %.		75-125	1		02/25/14 23:20	17060-07-0	
Toluene-d8 (S)	100 %.		75-125	1		02/25/14 23:20	2037-26-5	
4-Bromofluorobenzene (S)	99 %.		75-125	1		02/25/14 23:20	460-00-4	

Sample: GW-021314-TM-HA-11	Lab ID: 10256845073	Collected: 02/13/14 13:35	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Dx GCS Silica Gel LV		Analytical Method: NWTPH-Dx Preparation Method: EPA 3510						
Diesel Fuel Range SG	0.52 mg/L		0.40	1	02/18/14 11:18	02/19/14 19:47	68334-30-5	
Motor Oil Range SG	ND mg/L		0.40	1	02/18/14 11:18	02/19/14 19:47	64742-65-0	
Surrogates								
o-Terphenyl (S)	80 %.		30-125	1	02/18/14 11:18	02/19/14 19:47	84-15-1	
n-Triacontane (S)	92 %.		30-125	1	02/18/14 11:18	02/19/14 19:47	638-68-6	
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	3360 ug/L		200	2		02/20/14 17:57		
Surrogates								
a,a,a-Trifluorotoluene (S)	107 %.		70-125	2		02/20/14 17:57	98-08-8	
6020 MET ICPMS		Analytical Method: EPA 6020 Preparation Method: EPA 3020						
Arsenic	6.1 ug/L		0.50	1	02/18/14 12:57	02/20/14 09:25	7440-38-2	
Lead	4.4 ug/L		0.10	1	02/18/14 12:57	02/20/14 09:25	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: GW-021314-TM-HA-11 **Lab ID: 10256845073** Collected: 02/13/14 13:35 Received: 02/13/14 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

8270 MSSV PAH by SIM

Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510

Acenaphthene	0.070	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	83-32-9	
Acenaphthylene	ND	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	208-96-8	
Anthracene	ND	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	120-12-7	
Benzo(a)anthracene	ND	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	56-55-3	
Benzo(a)pyrene	ND	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	50-32-8	
Benzo(b)fluoranthene	0.046	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	207-08-9	
Chrysene	ND	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	53-70-3	
Fluoranthene	0.067	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	206-44-0	
Fluorene	0.075	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	86-73-7	
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	193-39-5	
1-Methylnaphthalene	1.8	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	90-12-0	
2-Methylnaphthalene	2.9	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	91-57-6	
Naphthalene	10.2	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	91-20-3	
Phenanthrene	0.075	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	85-01-8	
Pyrene	0.049	ug/L	0.046	1	02/19/14 11:04	02/25/14 22:15	129-00-0	
Surrogates								
2-Fluorobiphenyl (S)	79	%	54-125	1	02/19/14 11:04	02/25/14 22:15	321-60-8	
Terphenyl-d14 (S)	86	%	68-125	1	02/19/14 11:04	02/25/14 22:15	1718-51-0	

8260 VOC

Analytical Method: EPA 8260

Acetone	ND	ug/L	40.0	2		02/25/14 11:12	67-64-1	
Benzene	53.6	ug/L	2.0	2		02/25/14 11:12	71-43-2	
Bromobenzene	ND	ug/L	2.0	2		02/25/14 11:12	108-86-1	
Bromochloromethane	ND	ug/L	2.0	2		02/25/14 11:12	74-97-5	
Bromodichloromethane	ND	ug/L	2.0	2		02/25/14 11:12	75-27-4	
Bromoform	ND	ug/L	8.0	2		02/25/14 11:12	75-25-2	
Bromomethane	ND	ug/L	8.0	2		02/25/14 11:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	2		02/25/14 11:12	78-93-3	
n-Butylbenzene	ND	ug/L	2.0	2		02/25/14 11:12	104-51-8	
sec-Butylbenzene	ND	ug/L	2.0	2		02/25/14 11:12	135-98-8	
tert-Butylbenzene	ND	ug/L	2.0	2		02/25/14 11:12	98-06-6	
Carbon disulfide	ND	ug/L	2.0	2		02/25/14 11:12	75-15-0	
Carbon tetrachloride	ND	ug/L	2.0	2		02/25/14 11:12	56-23-5	
Chlorobenzene	ND	ug/L	2.0	2		02/25/14 11:12	108-90-7	
Chloroethane	ND	ug/L	2.0	2		02/25/14 11:12	75-00-3	
Chloroform	ND	ug/L	2.0	2		02/25/14 11:12	67-66-3	
Chloromethane	ND	ug/L	8.0	2		02/25/14 11:12	74-87-3	
2-Chlorotoluene	ND	ug/L	2.0	2		02/25/14 11:12	95-49-8	
4-Chlorotoluene	ND	ug/L	2.0	2		02/25/14 11:12	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	8.0	2		02/25/14 11:12	96-12-8	
Dibromochloromethane	ND	ug/L	2.0	2		02/25/14 11:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	2.0	2		02/25/14 11:12	106-93-4	
Dibromomethane	ND	ug/L	8.0	2		02/25/14 11:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	2.0	2		02/25/14 11:12	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Sample Project No.: 10256845

Sample: GW-021314-TM-HA-11	Lab ID: 10256845073	Collected: 02/13/14 13:35	Received: 02/13/14 16:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 VOC		Analytical Method: EPA 8260						
1,3-Dichlorobenzene	ND ug/L		2.0	2		02/25/14 11:12	541-73-1	
1,4-Dichlorobenzene	ND ug/L		2.0	2		02/25/14 11:12	106-46-7	
Dichlorodifluoromethane	ND ug/L		2.0	2		02/25/14 11:12	75-71-8	
1,1-Dichloroethane	ND ug/L		2.0	2		02/25/14 11:12	75-34-3	
1,2-Dichloroethane	ND ug/L		2.0	2		02/25/14 11:12	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		4.0	2		02/25/14 11:12	540-59-0	
1,1-Dichloroethene	ND ug/L		2.0	2		02/25/14 11:12	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		2.0	2		02/25/14 11:12	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		2.0	2		02/25/14 11:12	156-60-5	
1,2-Dichloropropane	ND ug/L		8.0	2		02/25/14 11:12	78-87-5	
1,3-Dichloropropane	ND ug/L		2.0	2		02/25/14 11:12	142-28-9	
2,2-Dichloropropane	ND ug/L		8.0	2		02/25/14 11:12	594-20-7	
1,1-Dichloropropene	ND ug/L		2.0	2		02/25/14 11:12	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		8.0	2		02/25/14 11:12	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		8.0	2		02/25/14 11:12	10061-02-6	
Ethylbenzene	42.4 ug/L		2.0	2		02/25/14 11:12	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		2.0	2		02/25/14 11:12	87-68-3	
2-Hexanone	ND ug/L		10.0	2		02/25/14 11:12	591-78-6	
Isopropylbenzene (Cumene)	3.0 ug/L		2.0	2		02/25/14 11:12	98-82-8	
p-Isopropyltoluene	ND ug/L		2.0	2		02/25/14 11:12	99-87-6	
Methylene Chloride	ND ug/L		8.0	2		02/25/14 11:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		10.0	2		02/25/14 11:12	108-10-1	
Methyl-tert-butyl ether	ND ug/L		2.0	2		02/25/14 11:12	1634-04-4	
Naphthalene	16.8 ug/L		8.0	2		02/25/14 11:12	91-20-3	
n-Propylbenzene	6.2 ug/L		2.0	2		02/25/14 11:12	103-65-1	
Styrene	ND ug/L		2.0	2		02/25/14 11:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		2.0	2		02/25/14 11:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		2.0	2		02/25/14 11:12	79-34-5	
Tetrachloroethene	ND ug/L		2.0	2		02/25/14 11:12	127-18-4	
Toluene	ND ug/L		2.0	2		02/25/14 11:12	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		2.0	2		02/25/14 11:12	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		2.0	2		02/25/14 11:12	120-82-1	
1,1,1-Trichloroethane	ND ug/L		2.0	2		02/25/14 11:12	71-55-6	
1,1,2-Trichloroethane	ND ug/L		2.0	2		02/25/14 11:12	79-00-5	
Trichloroethene	ND ug/L		0.80	2		02/25/14 11:12	79-01-6	
Trichlorofluoromethane	ND ug/L		2.0	2		02/25/14 11:12	75-69-4	
1,2,3-Trichloropropane	ND ug/L		8.0	2		02/25/14 11:12	96-18-4	
1,2,4-Trimethylbenzene	39.0 ug/L		2.0	2		02/25/14 11:12	95-63-6	
1,3,5-Trimethylbenzene	10.2 ug/L		2.0	2		02/25/14 11:12	108-67-8	
Vinyl chloride	ND ug/L		0.40	2		02/25/14 11:12	75-01-4	
Xylene (Total)	87.7 ug/L		6.0	2		02/25/14 11:12	1330-20-7	
m&p-Xylene	74.1 ug/L		4.0	2		02/25/14 11:12	179601-23-1	
o-Xylene	13.6 ug/L		2.0	2		02/25/14 11:12	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	100 %.		75-125	2		02/25/14 11:12	17060-07-0	
Toluene-d8 (S)	100 %.		75-125	2		02/25/14 11:12	2037-26-5	
4-Bromofluorobenzene (S)	98 %.		75-125	2		02/25/14 11:12	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Sample: Trip Blank		Lab ID: 10256845074	Collected: 02/13/14 00:00	Received: 02/13/14 16:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NWTPH-Gx GCV		Analytical Method: NWTPH-Gx/8021						
TPH as Gas	ND	ug/L	100	1		02/20/14 13:36		
Surrogates								
a,a,a-Trifluorotoluene (S)	99 %		70-125	1		02/20/14 13:36	98-08-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: GCV/11657 Analysis Method: NWTPH-Gx/8021
 QC Batch Method: NWTPH-Gx/8021 Analysis Description: NWTPH-Gx/8021B Water
 Associated Lab Samples: 10256845001, 10256845002, 10256845003, 10256845004, 10256845005, 10256845007, 10256845008

METHOD BLANK: 1620286 Matrix: Water
 Associated Lab Samples: 10256845001, 10256845002, 10256845003, 10256845004, 10256845005, 10256845007, 10256845008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/06/14 20:21	
a,a,a-Trifluorotoluene (S)	%.	95	70-125	02/06/14 20:21	

LABORATORY CONTROL SAMPLE & LCSD: 1620287 1620288

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1080	1020	108	102	75-125	6	20	
a,a,a-Trifluorotoluene (S)	%.				109	104	70-125			

MATRIX SPIKE SAMPLE: 1622038

Parameter	Units	10256845002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
TPH as Gas	ug/L		ND	1000	1160	116	52-150
a,a,a-Trifluorotoluene (S)	%.					115	70-125

SAMPLE DUPLICATE: 1622039

Parameter	Units	10256845003 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	125	131	5	30	
a,a,a-Trifluorotoluene (S)	%.	98	101	3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: GCV/11662 Analysis Method: NWTPH-Gx/8021
 QC Batch Method: NWTPH-Gx/8021 Analysis Description: NWTPH-Gx/8021B Water
 Associated Lab Samples: 10256845006, 10256845010, 10256845011, 10256845012, 10256845013, 10256845020, 10256845021, 10256845022, 10256845023, 10256845028

METHOD BLANK: 1622025 Matrix: Water
 Associated Lab Samples: 10256845006, 10256845010, 10256845011, 10256845012, 10256845013, 10256845020, 10256845021, 10256845022, 10256845023, 10256845028

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/09/14 17:52	
a,a,a-Trifluorotoluene (S)	%.	97	70-125	02/09/14 17:52	

METHOD BLANK: 1622595 Matrix: Water
 Associated Lab Samples: 10256845006, 10256845010, 10256845011, 10256845012, 10256845013, 10256845020, 10256845021, 10256845022, 10256845023, 10256845028

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/09/14 21:32	
a,a,a-Trifluorotoluene (S)	%.	102	70-125	02/09/14 21:32	

LABORATORY CONTROL SAMPLE & LCSD: 1622026 1622027

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1070	1040	107	104	75-125	4	20	
a,a,a-Trifluorotoluene (S)	%.				116	112	70-125			

MATRIX SPIKE SAMPLE: 1622592

Parameter	Units	10256845010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
TPH as Gas	ug/L	ND	1000	1180	117	52-150	
a,a,a-Trifluorotoluene (S)	%.				120	70-125	

SAMPLE DUPLICATE: 1622593

Parameter	Units	10256845021 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	ND	ND		30	
a,a,a-Trifluorotoluene (S)	%.	102	101	.9		

SAMPLE DUPLICATE: 1622602

Parameter	Units	10256845006 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	7960	7790	2	30	
a,a,a-Trifluorotoluene (S)	%.	105	107	2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

QC Batch: GCV/11669 Analysis Method: NWTPH-Gx/8021
QC Batch Method: NWTPH-Gx/8021 Analysis Description: NWTPH-Gx/8021B Water
Associated Lab Samples: 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845024, 10256845025, 10256845026, 10256845027, 10256845029, 10256845030, 10256845031, 10256845033, 10256845034, 10256845035, 10256845036, 10256845038

METHOD BLANK: 1622659 Matrix: Water
Associated Lab Samples: 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845024, 10256845025, 10256845026, 10256845027, 10256845029, 10256845030, 10256845031, 10256845033, 10256845034, 10256845035, 10256845036, 10256845038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/11/14 15:21	
a,a,a-Trifluorotoluene (S)	%.	101	70-125	02/11/14 15:21	

METHOD BLANK: 1622665 Matrix: Water
Associated Lab Samples: 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845024, 10256845025, 10256845026, 10256845027, 10256845029, 10256845030, 10256845031, 10256845033, 10256845034, 10256845035, 10256845036, 10256845038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/11/14 20:14	
a,a,a-Trifluorotoluene (S)	%.	102	70-125	02/11/14 20:14	

LABORATORY CONTROL SAMPLE & LCSD: 1622660 1622661

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1100	1170	110	117	75-125	7	20	
a,a,a-Trifluorotoluene (S)	%.				115	112	70-125			

MATRIX SPIKE SAMPLE: 1622662

Parameter	Units	10256845015 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
TPH as Gas	ug/L	18400	20000	42400	120	52-150	
a,a,a-Trifluorotoluene (S)	%.				123	70-125	

SAMPLE DUPLICATE: 1622663

Parameter	Units	10256845016 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	29600	28800	3	30	
a,a,a-Trifluorotoluene (S)	%.	101	103	2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1622664

Parameter	Units	10256845018 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	18900	18600	2	30	
a,a,a-Trifluorotoluene (S)	%.	108	108	.04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: GCV/11677 Analysis Method: NWTPH-Gx/8021
 QC Batch Method: NWTPH-Gx/8021 Analysis Description: NWTPH-Gx/8021B Water
 Associated Lab Samples: 10256845032, 10256845037, 10256845040, 10256845041, 10256845042, 10256845043, 10256845044, 10256845045

METHOD BLANK: 1623468 Matrix: Water
 Associated Lab Samples: 10256845032, 10256845037, 10256845040, 10256845041, 10256845042, 10256845043, 10256845044, 10256845045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/12/14 18:11	
a,a,a-Trifluorotoluene (S)	%.	97	70-125	02/12/14 18:11	

METHOD BLANK: 1623472 Matrix: Water
 Associated Lab Samples: 10256845032, 10256845037, 10256845040, 10256845041, 10256845042, 10256845043, 10256845044, 10256845045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/12/14 21:52	
a,a,a-Trifluorotoluene (S)	%.	97	70-125	02/12/14 21:52	

LABORATORY CONTROL SAMPLE & LCSD: 1623469 1623470

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1080	1150	108	115	75-125	6	20	
a,a,a-Trifluorotoluene (S)	%.				109	109	70-125			

MATRIX SPIKE SAMPLE: 1623471

Parameter	Units	10256845032 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
TPH as Gas	ug/L	5330	10000	17300	119	52-150	
a,a,a-Trifluorotoluene (S)	%.				122	70-125	

SAMPLE DUPLICATE: 1624705

Parameter	Units	10257414007 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	ND	ND		30	
a,a,a-Trifluorotoluene (S)	%.	96	91	5		

SAMPLE DUPLICATE: 1624706

Parameter	Units	10256845045 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	ND	ND		30	
a,a,a-Trifluorotoluene (S)	%.	97	98	1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: GCV/11681 Analysis Method: NWTPH-Gx/8021
 QC Batch Method: NWTPH-Gx/8021 Analysis Description: NWTPH-Gx/8021B Water
 Associated Lab Samples: 10256845039, 10256845047, 10256845048, 10256845051, 10256845052

METHOD BLANK: 1624163 Matrix: Water
 Associated Lab Samples: 10256845039, 10256845047, 10256845048, 10256845051, 10256845052

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/13/14 15:19	
a,a,a-Trifluorotoluene (S)	%.	95	70-125	02/13/14 15:19	

LABORATORY CONTROL SAMPLE & LCSD: 1624164

Parameter	Units	1624165								
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1000	1080	100	108	75-125	8	20	
a,a,a-Trifluorotoluene (S)	%.				108	114	70-125			

MATRIX SPIKE SAMPLE: 1624166

Parameter	Units	10257414003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
TPH as Gas	ug/L	9180	20000	32300	116	52-150	
a,a,a-Trifluorotoluene (S)	%.				121	70-125	

SAMPLE DUPLICATE: 1624167

Parameter	Units	10256845039 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	72400	70800	2	30	
a,a,a-Trifluorotoluene (S)	%.	103	101	2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: GCV/11688 Analysis Method: NWTPH-Gx/8021
 QC Batch Method: NWTPH-Gx/8021 Analysis Description: NWTPH-Gx/8021B Water
 Associated Lab Samples: 10256845049, 10256845050, 10256845054, 10256845055, 10256845056, 10256845057, 10256845058, 10256845059, 10256845060, 10256845061

METHOD BLANK: 1624797 Matrix: Water
 Associated Lab Samples: 10256845049, 10256845050, 10256845054, 10256845055, 10256845056, 10256845057, 10256845058, 10256845059, 10256845060, 10256845061

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/18/14 14:52	
a,a,a-Trifluorotoluene (S)	%.	95	70-125	02/18/14 14:52	

LABORATORY CONTROL SAMPLE & LCSD: 1624798 1624799

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1070	1060	107	106	75-125	1	20	
a,a,a-Trifluorotoluene (S)	%.				112	112	70-125			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1624801 1624802

Parameter	Units	10256845059 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH as Gas	ug/L	88200	100000	100000	207000	201000	119	113	52-150	3	30	
a,a,a-Trifluorotoluene (S)	%.						119	120	70-125			

SAMPLE DUPLICATE: 1624800

Parameter	Units	10256845049 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	28600	28700	.4	30	
a,a,a-Trifluorotoluene (S)	%.	92	99	7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: GCV/11698 Analysis Method: NWTPH-Gx/8021
 QC Batch Method: NWTPH-Gx/8021 Analysis Description: NWTPH-Gx/8021B Water
 Associated Lab Samples: 10256845063, 10256845068, 10256845070

METHOD BLANK: 1626227 Matrix: Water

Associated Lab Samples: 10256845063, 10256845068, 10256845070

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/18/14 20:33	
a,a,a-Trifluorotoluene (S)	%.	98	70-125	02/18/14 20:33	

METHOD BLANK: 1626232 Matrix: Water

Associated Lab Samples: 10256845063, 10256845068, 10256845070

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/19/14 00:15	
a,a,a-Trifluorotoluene (S)	%.	101	70-125	02/19/14 00:15	

LABORATORY CONTROL SAMPLE & LCSD: 1626228 1626229

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1070	1170	107	117	75-125	9	20	
a,a,a-Trifluorotoluene (S)	%.				112	113	70-125			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1626230 1626231

Parameter	Units	10256845063 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH as Gas	ug/L	395	1000	1000	1560	1520	116	113	52-150	2	30	
a,a,a-Trifluorotoluene (S)	%.						130	130	70-125			S0

SAMPLE DUPLICATE: 1626576

Parameter	Units	10257890001 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	ND	ND		30	
a,a,a-Trifluorotoluene (S)	%.	100	87	14		

SAMPLE DUPLICATE: 1626577

Parameter	Units	10257890005 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	ND	ND		30	
a,a,a-Trifluorotoluene (S)	%.	103	102	.6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: GCV/11705 Analysis Method: NWTPH-Gx/8021
 QC Batch Method: NWTPH-Gx/8021 Analysis Description: NWTPH-Gx/8021B Water
 Associated Lab Samples: 10256845065, 10256845066, 10256845067, 10256845071, 10256845072, 10256845073, 10256845074

METHOD BLANK: 1627481 Matrix: Water
 Associated Lab Samples: 10256845065, 10256845066, 10256845067, 10256845071, 10256845072, 10256845073, 10256845074

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/20/14 13:16	
a,a,a-Trifluorotoluene (S)	%.	90	70-125	02/20/14 13:16	

METHOD BLANK: 1627487 Matrix: Water
 Associated Lab Samples: 10256845065, 10256845066, 10256845067, 10256845071, 10256845072, 10256845073, 10256845074

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/20/14 16:57	
a,a,a-Trifluorotoluene (S)	%.	96	70-125	02/20/14 16:57	

LABORATORY CONTROL SAMPLE & LCSD: 1627482 1627483

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1060	969	106	97	75-125	9	20	
a,a,a-Trifluorotoluene (S)	%.				113	111	70-125			

MATRIX SPIKE SAMPLE: 1627484

Parameter	Units	10257833005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
TPH as Gas	ug/L	2990	5000	7920	99	52-150	
a,a,a-Trifluorotoluene (S)	%.				144	70-125 3M	

SAMPLE DUPLICATE: 1627485

Parameter	Units	10256845065 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	67400	64800	4	30	
a,a,a-Trifluorotoluene (S)	%.	101	100	1		

SAMPLE DUPLICATE: 1627486

Parameter	Units	10256845066 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	47600	47900	.6	30	
a,a,a-Trifluorotoluene (S)	%.	95	101	6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch:	GCV/11709	Analysis Method:	NWTPH-Gx/8021
QC Batch Method:	NWTPH-Gx/8021	Analysis Description:	NWTPH-Gx/8021B Water
Associated Lab Samples:	10256845062		

METHOD BLANK: 1629171 Matrix: Water

Associated Lab Samples: 10256845062

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	02/25/14 12:05	
a,a,a-Trifluorotoluene (S)	%.	98	70-125	02/25/14 12:05	

LABORATORY CONTROL SAMPLE & LCSD: 1629172

1629173

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1010	933	101	93	75-125	8	20	
a,a,a-Trifluorotoluene (S)	%.				113	112	70-125			

MATRIX SPIKE SAMPLE: 1630266

Parameter	Units	10256845062 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
TPH as Gas	ug/L	27100	50000	85800	117	52-150	
a,a,a-Trifluorotoluene (S)	%.				118	70-125	

SAMPLE DUPLICATE: 1630265

Parameter	Units	10258181007 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	6090	5930	3	30	
a,a,a-Trifluorotoluene (S)	%.	99	99	.3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MPRP/44350 Analysis Method: EPA 6020
 QC Batch Method: EPA 3020 Analysis Description: 6020 MET
 Associated Lab Samples: 10256845001, 10256845002, 10256845003, 10256845004, 10256845005, 10256845006, 10256845007, 10256845008

METHOD BLANK: 1620207 Matrix: Water
 Associated Lab Samples: 10256845001, 10256845002, 10256845003, 10256845004, 10256845005, 10256845006, 10256845007, 10256845008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	ug/L	ND	0.50	02/07/14 10:23	
Lead	ug/L	ND	0.10	02/07/14 10:23	

LABORATORY CONTROL SAMPLE: 1620208

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	80	79.7	100	80-120	
Lead	ug/L	80	82.3	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1620209 1620210

Parameter	Units	10256677001 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	MS Spike Conc.	MSD Spike Conc.	MS Result						
Arsenic	ug/L	ND	80	80	83.2	82.4	104	103	75-125	1	20	
Lead	ug/L	ND	80	80	75.6	75.2	94	94	75-125	.5	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MPRP/44374 Analysis Method: EPA 6020
 QC Batch Method: EPA 3020 Analysis Description: 6020 MET
 Associated Lab Samples: 10256845012, 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845020,
 10256845021, 10256845022, 10256845023, 10256845024, 10256845025, 10256845026, 10256845027

METHOD BLANK: 1622048 Matrix: Water
 Associated Lab Samples: 10256845012, 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845020,
 10256845021, 10256845022, 10256845023, 10256845024, 10256845025, 10256845026, 10256845027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	ug/L	ND	0.50	02/10/14 17:25	
Lead	ug/L	ND	0.10	02/10/14 17:25	

LABORATORY CONTROL SAMPLE: 1622049

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	80	81.2	101	80-120	
Lead	ug/L	80	77.7	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1622050 1622051

Parameter	Units	10256845012		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Arsenic	ug/L	8.9	80	80	86.1	84.9	97	95	75-125	1	20		
Lead	ug/L	5.1	80	80	84.2	83.3	99	98	75-125	1	20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

QC Batch: MPRP/44424 Analysis Method: EPA 6020
QC Batch Method: EPA 3020 Analysis Description: 6020 MET
Associated Lab Samples: 10256845030, 10256845031, 10256845032, 10256845033, 10256845034, 10256845035, 10256845039,
10256845040, 10256845041, 10256845042, 10256845043, 10256845044, 10256845045

METHOD BLANK: 1623294 Matrix: Water
Associated Lab Samples: 10256845030, 10256845031, 10256845032, 10256845033, 10256845034, 10256845035, 10256845039,
10256845040, 10256845041, 10256845042, 10256845043, 10256845044, 10256845045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	ug/L	ND	0.50	02/13/14 14:16	
Lead	ug/L	ND	0.10	02/13/14 14:16	

LABORATORY CONTROL SAMPLE: 1623295

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	80	80.3	100	80-120	
Lead	ug/L	80	85.6	107	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1623296 1623297

Parameter	Units	10256845030 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	ug/L	9.7	80	80	88.1	90.7	98	101	75-125	3	20	
Lead	ug/L	ND	80	80	83.3	85.8	104	107	75-125	3	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MPRP/44453 Analysis Method: EPA 6020
 QC Batch Method: EPA 3020 Analysis Description: 6020 MET
 Associated Lab Samples: 10256845048, 10256845049, 10256845050, 10256845051, 10256845052, 10256845054, 10256845055, 10256845059, 10256845060, 10256845061, 10256845062, 10256845063

METHOD BLANK: 1624601 Matrix: Water
 Associated Lab Samples: 10256845048, 10256845049, 10256845050, 10256845051, 10256845052, 10256845054, 10256845055, 10256845059, 10256845060, 10256845061, 10256845062, 10256845063

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	ug/L	ND	0.50	02/18/14 11:30	
Lead	ug/L	ND	0.10	02/18/14 11:30	

LABORATORY CONTROL SAMPLE: 1624602

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	80	85.5	107	80-120	
Lead	ug/L	80	86.7	108	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1624603 1624604

Parameter	Units	10256845059		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Conc.	Result	Result	% Rec	% Rec				
Arsenic	ug/L	2.9	80	80	87.2	85.6	105	103	75-125	2	20		
Lead	ug/L	0.23	80	80	83.6	83.0	104	103	75-125	.7	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1624605 1624606

Parameter	Units	10256845063		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Conc.	Result	Result	% Rec	% Rec				
Arsenic	ug/L	7.9	80	80	92.8	91.2	106	104	75-125	2	20		
Lead	ug/L	0.14	80	80	81.8	81.7	102	102	75-125	.2	20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MPRP/44476

Analysis Method: EPA 6020

QC Batch Method: EPA 3020

Analysis Description: 6020 MET

Associated Lab Samples: 10256845029, 10256845065, 10256845066, 10256845067, 10256845068, 10256845069, 10256845070, 10256845071, 10256845072, 10256845073

METHOD BLANK: 1625764

Matrix: Water

Associated Lab Samples: 10256845029, 10256845065, 10256845066, 10256845067, 10256845068, 10256845069, 10256845070, 10256845071, 10256845072, 10256845073

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	ug/L	ND	0.50	02/19/14 17:04	
Lead	ug/L	ND	0.10	02/19/14 17:04	

LABORATORY CONTROL SAMPLE: 1625765

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	80	82.9	104	80-120	
Lead	ug/L	80	85.8	107	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1625766 1625767

Parameter	Units	10256845029		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Arsenic	ug/L	ND	80	80	83.8	84.2	104	105	75-125	.5	20		
Lead	ug/L	0.20	80	80	82.6	84.6	103	106	75-125	2	20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26289 Analysis Method: EPA 8260
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 465 W
 Associated Lab Samples: 10256845001, 10256845002, 10256845003, 10256845004, 10256845005, 10256845006, 10256845007, 10256845008

METHOD BLANK: 1619606 Matrix: Water
 Associated Lab Samples: 10256845001, 10256845002, 10256845003, 10256845004, 10256845005, 10256845006, 10256845007, 10256845008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/06/14 09:49	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/06/14 09:49	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/06/14 09:49	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/06/14 09:49	
1,1-Dichloroethane	ug/L	ND	1.0	02/06/14 09:49	
1,1-Dichloroethene	ug/L	ND	1.0	02/06/14 09:49	
1,1-Dichloropropene	ug/L	ND	1.0	02/06/14 09:49	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/06/14 09:49	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/06/14 09:49	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/06/14 09:49	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/06/14 09:49	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/06/14 09:49	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/06/14 09:49	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/06/14 09:49	
1,2-Dichloroethane	ug/L	ND	1.0	02/06/14 09:49	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/06/14 09:49	
1,2-Dichloropropane	ug/L	ND	4.0	02/06/14 09:49	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/06/14 09:49	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/06/14 09:49	
1,3-Dichloropropane	ug/L	ND	1.0	02/06/14 09:49	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/06/14 09:49	
2,2-Dichloropropane	ug/L	ND	4.0	02/06/14 09:49	
2-Butanone (MEK)	ug/L	ND	5.0	02/06/14 09:49	
2-Chlorotoluene	ug/L	ND	1.0	02/06/14 09:49	
2-Hexanone	ug/L	ND	5.0	02/06/14 09:49	
4-Chlorotoluene	ug/L	ND	1.0	02/06/14 09:49	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/06/14 09:49	
Acetone	ug/L	ND	20.0	02/06/14 09:49	
Benzene	ug/L	ND	1.0	02/06/14 09:49	
Bromobenzene	ug/L	ND	1.0	02/06/14 09:49	
Bromochloromethane	ug/L	ND	1.0	02/06/14 09:49	
Bromodichloromethane	ug/L	ND	1.0	02/06/14 09:49	
Bromoform	ug/L	ND	4.0	02/06/14 09:49	
Bromomethane	ug/L	ND	4.0	02/06/14 09:49	
Carbon disulfide	ug/L	ND	1.0	02/06/14 09:49	SS
Carbon tetrachloride	ug/L	ND	1.0	02/06/14 09:49	
Chlorobenzene	ug/L	ND	1.0	02/06/14 09:49	
Chloroethane	ug/L	ND	1.0	02/06/14 09:49	
Chloroform	ug/L	ND	1.0	02/06/14 09:49	
Chloromethane	ug/L	ND	4.0	02/06/14 09:49	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/06/14 09:49	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1619606

Matrix: Water

Associated Lab Samples: 10256845001, 10256845002, 10256845003, 10256845004, 10256845005, 10256845006, 10256845007, 10256845008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/06/14 09:49	
Dibromochloromethane	ug/L	ND	1.0	02/06/14 09:49	
Dibromomethane	ug/L	ND	4.0	02/06/14 09:49	
Dichlorodifluoromethane	ug/L	ND	1.0	02/06/14 09:49	
Ethylbenzene	ug/L	ND	1.0	02/06/14 09:49	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/06/14 09:49	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/06/14 09:49	
m&p-Xylene	ug/L	ND	2.0	02/06/14 09:49	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/06/14 09:49	
Methylene Chloride	ug/L	ND	4.0	02/06/14 09:49	
n-Butylbenzene	ug/L	ND	1.0	02/06/14 09:49	
n-Propylbenzene	ug/L	ND	1.0	02/06/14 09:49	
Naphthalene	ug/L	ND	4.0	02/06/14 09:49	
o-Xylene	ug/L	ND	1.0	02/06/14 09:49	
p-Isopropyltoluene	ug/L	ND	1.0	02/06/14 09:49	
sec-Butylbenzene	ug/L	ND	1.0	02/06/14 09:49	
Styrene	ug/L	ND	1.0	02/06/14 09:49	
tert-Butylbenzene	ug/L	ND	1.0	02/06/14 09:49	
Tetrachloroethene	ug/L	ND	1.0	02/06/14 09:49	
Toluene	ug/L	ND	1.0	02/06/14 09:49	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/06/14 09:49	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/06/14 09:49	
Trichloroethene	ug/L	ND	0.40	02/06/14 09:49	
Trichlorofluoromethane	ug/L	ND	1.0	02/06/14 09:49	
Vinyl chloride	ug/L	ND	0.20	02/06/14 09:49	
Xylene (Total)	ug/L	ND	3.0	02/06/14 09:49	
1,2-Dichloroethane-d4 (S)	%	101	75-125	02/06/14 09:49	
4-Bromofluorobenzene (S)	%	101	75-125	02/06/14 09:49	
Toluene-d8 (S)	%	101	75-125	02/06/14 09:49	

LABORATORY CONTROL SAMPLE: 1619607

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	21.8	109	75-125	
1,1,1-Trichloroethane	ug/L	20	21.5	107	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	21.5	107	74-125	
1,1,2-Trichloroethane	ug/L	20	22.1	110	75-125	
1,1-Dichloroethane	ug/L	20	22.0	110	75-125	
1,1-Dichloroethene	ug/L	20	20.6	103	70-125	
1,1-Dichloropropene	ug/L	20	20.4	102	73-125	
1,2,3-Trichlorobenzene	ug/L	20	21.1	106	75-125	
1,2,3-Trichloropropane	ug/L	20	21.8	109	75-125	
1,2,4-Trichlorobenzene	ug/L	20	21.7	108	75-125	
1,2,4-Trimethylbenzene	ug/L	20	20.9	105	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1619607

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/L	50	56.9	114	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	22.3	112	75-125	
1,2-Dichlorobenzene	ug/L	20	20.6	103	75-125	
1,2-Dichloroethane	ug/L	20	20.8	104	75-125	
1,2-Dichloroethene (Total)	ug/L	40	41.9	105	71-127	
1,2-Dichloropropane	ug/L	20	21.5	107	75-125	
1,3,5-Trimethylbenzene	ug/L	20	21.2	106	75-125	
1,3-Dichlorobenzene	ug/L	20	20.6	103	75-125	
1,3-Dichloropropane	ug/L	20	21.7	109	75-125	
1,4-Dichlorobenzene	ug/L	20	20.4	102	75-125	
2,2-Dichloropropane	ug/L	20	22.2	111	66-130	
2-Butanone (MEK)	ug/L	100	101	101	64-126	
2-Chlorotoluene	ug/L	20	20.5	102	73-125	
2-Hexanone	ug/L	100	108	108	69-127	
4-Chlorotoluene	ug/L	20	21.2	106	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	108	108	71-125	
Acetone	ug/L	100	95.5	95	66-131	
Benzene	ug/L	20	20.4	102	75-125	
Bromobenzene	ug/L	20	21.6	108	75-125	
Bromochloromethane	ug/L	20	20.7	103	75-125	
Bromodichloromethane	ug/L	20	21.0	105	75-125	
Bromoform	ug/L	20	21.9	110	70-125	
Bromomethane	ug/L	20	18.7	93	30-150	
Carbon disulfide	ug/L	20	19.0	95	60-125 SS	
Carbon tetrachloride	ug/L	20	21.4	107	68-129	
Chlorobenzene	ug/L	20	20.9	104	75-125	
Chloroethane	ug/L	20	18.5	92	68-133	
Chloroform	ug/L	20	21.2	106	75-125	
Chloromethane	ug/L	20	17.4	87	57-140	
cis-1,2-Dichloroethene	ug/L	20	21.8	109	75-125	
cis-1,3-Dichloropropene	ug/L	20	21.3	106	75-125	
Dibromochloromethane	ug/L	20	22.4	112	75-125	
Dibromomethane	ug/L	20	20.3	101	75-125	
Dichlorodifluoromethane	ug/L	20	19.4	97	50-134	
Ethylbenzene	ug/L	20	20.9	104	75-125	
Hexachloro-1,3-butadiene	ug/L	20	21.7	108	74-128	
Isopropylbenzene (Cumene)	ug/L	20	20.9	104	73-125	
m&p-Xylene	ug/L	40	42.3	106	75-125	
Methyl-tert-butyl ether	ug/L	20	21.1	105	75-125	
Methylene Chloride	ug/L	20	18.4	92	75-125	
n-Butylbenzene	ug/L	20	21.3	106	73-125	
n-Propylbenzene	ug/L	20	21.2	106	72-125	
Naphthalene	ug/L	20	20.8	104	74-125	
o-Xylene	ug/L	20	20.8	104	75-125	
p-Isopropyltoluene	ug/L	20	21.5	107	74-125	
sec-Butylbenzene	ug/L	20	21.1	105	74-125	
Styrene	ug/L	20	20.9	105	75-125	
tert-Butylbenzene	ug/L	20	20.8	104	74-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1619607

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tetrachloroethene	ug/L	20	21.7	108	71-125	
Toluene	ug/L	20	21.4	107	75-125	
trans-1,2-Dichloroethene	ug/L	20	20.2	101	73-125	
trans-1,3-Dichloropropene	ug/L	20	22.1	110	75-125	
Trichloroethene	ug/L	20	20.6	103	75-125	
Trichlorofluoromethane	ug/L	20	20.7	103	70-128	
Vinyl chloride	ug/L	20	18.9	94	70-130	
Xylene (Total)	ug/L	60	63.0	105	75-125	
1,2-Dichloroethane-d4 (S)	%			103	75-125	
4-Bromofluorobenzene (S)	%			101	75-125	
Toluene-d8 (S)	%			105	75-125	

MATRIX SPIKE SAMPLE: 1619938

Parameter	Units	10256845006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	500	525	105	74-131	
1,1,1-Trichloroethane	ug/L	ND	500	521	104	73-139	
1,1,2,2-Tetrachloroethane	ug/L	ND	500	528	106	72-125	
1,1,2-Trichloroethane	ug/L	ND	500	539	108	75-125	
1,1-Dichloroethane	ug/L	ND	500	529	106	73-132	
1,1-Dichloroethene	ug/L	ND	500	528	106	71-142	
1,1-Dichloropropene	ug/L	ND	500	495	99	73-139	
1,2,3-Trichlorobenzene	ug/L	ND	500	513	103	70-129	
1,2,3-Trichloropropane	ug/L	ND	500	540	108	74-125	
1,2,4-Trichlorobenzene	ug/L	ND	500	521	104	70-129	
1,2,4-Trimethylbenzene	ug/L	262	500	761	100	72-136	
1,2-Dibromo-3-chloropropane	ug/L	ND	1250	1380	110	66-127	
1,2-Dibromoethane (EDB)	ug/L	ND	500	546	109	75-125	
1,2-Dichlorobenzene	ug/L	ND	500	513	103	75-125	
1,2-Dichloroethane	ug/L	ND	500	529	106	68-128	
1,2-Dichloroethene (Total)	ug/L	ND	1000	1070	107	73-129	
1,2-Dichloropropane	ug/L	ND	500	541	108	74-131	
1,3,5-Trimethylbenzene	ug/L	56.1	500	577	104	75-131	
1,3-Dichlorobenzene	ug/L	ND	500	519	104	73-125	
1,3-Dichloropropane	ug/L	ND	500	522	104	75-125	
1,4-Dichlorobenzene	ug/L	ND	500	508	102	73-125	
2,2-Dichloropropane	ug/L	ND	500	513	103	58-150	
2-Butanone (MEK)	ug/L	ND	2500	2720	109	56-140	
2-Chlorotoluene	ug/L	ND	500	515	103	70-130	
2-Hexanone	ug/L	ND	2500	2700	108	63-132	
4-Chlorotoluene	ug/L	ND	500	523	105	73-126	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	2500	2680	107	69-128	
Acetone	ug/L	ND	2500	2780	111	57-143	
Benzene	ug/L	3940	500	4110	33	75-129 M1	
Bromobenzene	ug/L	ND	500	528	106	74-125	
Bromochloromethane	ug/L	ND	500	509	102	75-126	
Bromodichloromethane	ug/L	ND	500	516	103	75-128	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

MATRIX SPIKE SAMPLE:	1619938	10256845006	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Bromoform	ug/L	ND	500	496	99	66-130	
Bromomethane	ug/L	ND	500	451	90	30-150	
Carbon disulfide	ug/L	ND	500	477	95	56-140	SS
Carbon tetrachloride	ug/L	ND	500	507	101	69-148	
Chlorobenzene	ug/L	ND	500	515	103	75-125	
Chloroethane	ug/L	ND	500	472	94	71-143	
Chloroform	ug/L	ND	500	534	107	75-126	
Chloromethane	ug/L	ND	500	638	128	55-150	
cis-1,2-Dichloroethene	ug/L	ND	500	542	108	75-130	
cis-1,3-Dichloropropene	ug/L	ND	500	531	106	72-129	
Dibromochloromethane	ug/L	ND	500	534	107	73-129	
Dibromomethane	ug/L	ND	500	519	104	75-125	
Dichlorodifluoromethane	ug/L	ND	500	500	100	70-150	
Ethylbenzene	ug/L	436	500	908	94	75-128	
Hexachloro-1,3-butadiene	ug/L	ND	500	486	97	65-144	
Isopropylbenzene (Cumene)	ug/L	31.8	500	547	103	75-131	
m&p-Xylene	ug/L	840	1000	1800	96	75-130	
Methyl-tert-butyl ether	ug/L	ND	500	538	107	74-128	
Methylene Chloride	ug/L	ND	500	495	98	69-125	
n-Butylbenzene	ug/L	ND	500	527	104	70-137	
n-Propylbenzene	ug/L	80.9	500	583	100	72-131	
Naphthalene	ug/L	250	500	693	89	70-132	
o-Xylene	ug/L	78.1	500	592	103	75-128	
p-Isopropyltoluene	ug/L	ND	500	534	106	73-133	
sec-Butylbenzene	ug/L	ND	500	517	102	74-133	
Styrene	ug/L	ND	500	525	105	75-128	
tert-Butylbenzene	ug/L	ND	500	510	102	74-130	
Tetrachloroethene	ug/L	ND	500	513	103	68-140	
Toluene	ug/L	ND	500	528	102	75-129	
trans-1,2-Dichloroethene	ug/L	ND	500	527	105	70-136	
trans-1,3-Dichloropropene	ug/L	ND	500	532	106	71-125	
Trichloroethene	ug/L	ND	500	505	101	72-135	
Trichlorofluoromethane	ug/L	ND	500	515	103	75-150	
Vinyl chloride	ug/L	ND	500	457	91	73-150	
Xylene (Total)	ug/L	918	1500	2390	98	75-129	
1,2-Dichloroethane-d4 (S)	%				103	75-125	
4-Bromofluorobenzene (S)	%				99	75-125	
Toluene-d8 (S)	%				101	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26315 Analysis Method: EPA 8260
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 465 W
 Associated Lab Samples: 10256845012, 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845019,
 10256845020, 10256845021, 10256845022, 10256845023, 10256845024, 10256845025, 10256845026,
 10256845027

METHOD BLANK: 1622112 Matrix: Water

Associated Lab Samples: 10256845012, 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845019,
 10256845020, 10256845021, 10256845022, 10256845023, 10256845024, 10256845025, 10256845026,
 10256845027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/12/14 11:13	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/12/14 11:13	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/12/14 11:13	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/12/14 11:13	
1,1-Dichloroethane	ug/L	ND	1.0	02/12/14 11:13	
1,1-Dichloroethene	ug/L	ND	1.0	02/12/14 11:13	
1,1-Dichloropropene	ug/L	ND	1.0	02/12/14 11:13	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/12/14 11:13	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/12/14 11:13	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/12/14 11:13	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/12/14 11:13	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/12/14 11:13	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/12/14 11:13	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/12/14 11:13	
1,2-Dichloroethane	ug/L	ND	1.0	02/12/14 11:13	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/12/14 11:13	
1,2-Dichloropropane	ug/L	ND	4.0	02/12/14 11:13	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/12/14 11:13	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/12/14 11:13	
1,3-Dichloropropane	ug/L	ND	1.0	02/12/14 11:13	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/12/14 11:13	
2,2-Dichloropropane	ug/L	ND	4.0	02/12/14 11:13	
2-Butanone (MEK)	ug/L	ND	5.0	02/12/14 11:13	
2-Chlorotoluene	ug/L	ND	1.0	02/12/14 11:13	
2-Hexanone	ug/L	ND	5.0	02/12/14 11:13	
4-Chlorotoluene	ug/L	ND	1.0	02/12/14 11:13	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/12/14 11:13	
Acetone	ug/L	ND	20.0	02/12/14 11:13	
Benzene	ug/L	ND	1.0	02/12/14 11:13	
Bromobenzene	ug/L	ND	1.0	02/12/14 11:13	
Bromochloromethane	ug/L	ND	1.0	02/12/14 11:13	
Bromodichloromethane	ug/L	ND	1.0	02/12/14 11:13	
Bromoform	ug/L	ND	4.0	02/12/14 11:13	
Bromomethane	ug/L	ND	4.0	02/12/14 11:13	
Carbon disulfide	ug/L	ND	1.0	02/12/14 11:13	
Carbon tetrachloride	ug/L	ND	1.0	02/12/14 11:13	
Chlorobenzene	ug/L	ND	1.0	02/12/14 11:13	
Chloroethane	ug/L	ND	1.0	02/12/14 11:13	
Chloroform	ug/L	ND	1.0	02/12/14 11:13	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1622112

Matrix: Water

Associated Lab Samples: 10256845012, 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845019, 10256845020, 10256845021, 10256845022, 10256845023, 10256845024, 10256845025, 10256845026, 10256845027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloromethane	ug/L	ND	4.0	02/12/14 11:13	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/12/14 11:13	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/12/14 11:13	
Dibromochloromethane	ug/L	ND	1.0	02/12/14 11:13	
Dibromomethane	ug/L	ND	4.0	02/12/14 11:13	
Dichlorodifluoromethane	ug/L	ND	1.0	02/12/14 11:13	
Ethylbenzene	ug/L	ND	1.0	02/12/14 11:13	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/12/14 11:13	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/12/14 11:13	
m&p-Xylene	ug/L	ND	2.0	02/12/14 11:13	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/12/14 11:13	
Methylene Chloride	ug/L	ND	4.0	02/12/14 11:13	
n-Butylbenzene	ug/L	ND	1.0	02/12/14 11:13	
n-Propylbenzene	ug/L	ND	1.0	02/12/14 11:13	
Naphthalene	ug/L	ND	4.0	02/12/14 11:13	
o-Xylene	ug/L	ND	1.0	02/12/14 11:13	
p-Isopropyltoluene	ug/L	ND	1.0	02/12/14 11:13	
sec-Butylbenzene	ug/L	ND	1.0	02/12/14 11:13	
Styrene	ug/L	ND	1.0	02/12/14 11:13	
tert-Butylbenzene	ug/L	ND	1.0	02/12/14 11:13	
Tetrachloroethene	ug/L	ND	1.0	02/12/14 11:13	
Toluene	ug/L	ND	1.0	02/12/14 11:13	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/12/14 11:13	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/12/14 11:13	
Trichloroethene	ug/L	ND	0.40	02/12/14 11:13	
Trichlorofluoromethane	ug/L	ND	1.0	02/12/14 11:13	
Vinyl chloride	ug/L	ND	0.20	02/12/14 11:13	
Xylene (Total)	ug/L	ND	3.0	02/12/14 11:13	
1,2-Dichloroethane-d4 (S)	%	85	75-125	02/12/14 11:13	
4-Bromofluorobenzene (S)	%	98	75-125	02/12/14 11:13	
Toluene-d8 (S)	%	103	75-125	02/12/14 11:13	

LABORATORY CONTROL SAMPLE: 1622113

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.5	102	75-125	
1,1,1-Trichloroethane	ug/L	20	18.0	90	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	18.4	92	74-125	
1,1,2-Trichloroethane	ug/L	20	20.7	103	75-125	
1,1-Dichloroethane	ug/L	20	17.1	86	75-125	
1,1-Dichloroethene	ug/L	20	17.0	85	70-125	
1,1-Dichloropropene	ug/L	20	18.0	90	73-125	
1,2,3-Trichlorobenzene	ug/L	20	20.1	101	75-125	
1,2,3-Trichloropropane	ug/L	20	18.9	95	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1622113

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	20	20.4	102	75-125	
1,2,4-Trimethylbenzene	ug/L	20	20.2	101	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	61.0	122	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	20.7	104	75-125	
1,2-Dichlorobenzene	ug/L	20	18.4	92	75-125	
1,2-Dichloroethane	ug/L	20	17.3	86	75-125	
1,2-Dichloroethene (Total)	ug/L	40	34.2	86	71-127	
1,2-Dichloropropane	ug/L	20	18.8	94	75-125	
1,3,5-Trimethylbenzene	ug/L	20	20.0	100	75-125	
1,3-Dichlorobenzene	ug/L	20	18.7	93	75-125	
1,3-Dichloropropane	ug/L	20	21.3	107	75-125	
1,4-Dichlorobenzene	ug/L	20	18.0	90	75-125	
2,2-Dichloropropane	ug/L	20	18.4	92	66-130	
2-Butanone (MEK)	ug/L	100	99.4	99	64-126	
2-Chlorotoluene	ug/L	20	18.8	94	73-125	
2-Hexanone	ug/L	100	134	134	69-127	L0
4-Chlorotoluene	ug/L	20	19.5	97	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	127	127	71-125	L0
Acetone	ug/L	100	99.0	99	66-131	
Benzene	ug/L	20	17.1	85	75-125	
Bromobenzene	ug/L	20	18.6	93	75-125	
Bromochloromethane	ug/L	20	19.5	98	75-125	
Bromodichloromethane	ug/L	20	20.2	101	75-125	
Bromoform	ug/L	20	19.6	98	70-125	
Bromomethane	ug/L	20	16.5	82	30-150	
Carbon disulfide	ug/L	20	17.9	90	60-125	
Carbon tetrachloride	ug/L	20	19.4	97	68-129	
Chlorobenzene	ug/L	20	18.5	93	75-125	
Chloroethane	ug/L	20	17.4	87	68-133	
Chloroform	ug/L	20	18.0	90	75-125	
Chloromethane	ug/L	20	19.9	100	57-140	
cis-1,2-Dichloroethene	ug/L	20	16.7	84	75-125	
cis-1,3-Dichloropropene	ug/L	20	22.1	111	75-125	
Dibromochloromethane	ug/L	20	20.3	101	75-125	
Dibromomethane	ug/L	20	21.2	106	75-125	
Dichlorodifluoromethane	ug/L	20	19.3	96	50-134	
Ethylbenzene	ug/L	20	18.7	94	75-125	
Hexachloro-1,3-butadiene	ug/L	20	21.0	105	74-128	
Isopropylbenzene (Cumene)	ug/L	20	21.4	107	73-125	
m&p-Xylene	ug/L	40	41.7	104	75-125	
Methyl-tert-butyl ether	ug/L	20	18.8	94	75-125	
Methylene Chloride	ug/L	20	17.5	88	75-125	
n-Butylbenzene	ug/L	20	20.4	102	73-125	
n-Propylbenzene	ug/L	20	19.1	96	72-125	
Naphthalene	ug/L	20	20.7	103	74-125	
o-Xylene	ug/L	20	21.3	107	75-125	
p-Isopropyltoluene	ug/L	20	20.9	105	74-125	
sec-Butylbenzene	ug/L	20	20.5	102	74-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1622113

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Styrene	ug/L	20	21.0	105	75-125	
tert-Butylbenzene	ug/L	20	20.4	102	74-125	
Tetrachloroethene	ug/L	20	20.1	101	71-125	
Toluene	ug/L	20	19.2	96	75-125	
trans-1,2-Dichloroethene	ug/L	20	17.5	87	73-125	
trans-1,3-Dichloropropene	ug/L	20	21.5	107	75-125	
Trichloroethene	ug/L	20	19.7	98	75-125	
Trichlorofluoromethane	ug/L	20	20.1	101	70-128	
Vinyl chloride	ug/L	20	19.5	97	70-130	
Xylene (Total)	ug/L	60	63.0	105	75-125	
1,2-Dichloroethane-d4 (S)	%			88	75-125	
4-Bromofluorobenzene (S)	%			97	75-125	
Toluene-d8 (S)	%			105	75-125	

MATRIX SPIKE SAMPLE: 1624036

Parameter	Units	10256845012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20.6	103	74-131	
1,1,1-Trichloroethane	ug/L	ND	20	18.7	93	73-139	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	19.9	100	72-125	
1,1,2-Trichloroethane	ug/L	ND	20	21.0	105	75-125	
1,1-Dichloroethane	ug/L	ND	20	16.8	84	73-132	
1,1-Dichloroethene	ug/L	ND	20	17.8	89	71-142	
1,1-Dichloropropene	ug/L	ND	20	18.7	93	73-139	
1,2,3-Trichlorobenzene	ug/L	ND	20	21.3	107	70-129	
1,2,3-Trichloropropane	ug/L	ND	20	20.3	101	74-125	
1,2,4-Trichlorobenzene	ug/L	ND	20	21.8	109	70-129	
1,2,4-Trimethylbenzene	ug/L	ND	20	21.2	106	72-136	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	64.9	130	66-127	M1
1,2-Dibromoethane (EDB)	ug/L	ND	20	20.8	104	75-125	
1,2-Dichlorobenzene	ug/L	ND	20	20.0	100	75-125	
1,2-Dichloroethane	ug/L	ND	20	16.7	84	68-128	
1,2-Dichloroethene (Total)	ug/L	ND	40	34.2	86	73-129	
1,2-Dichloropropane	ug/L	ND	20	18.9	95	74-131	
1,3,5-Trimethylbenzene	ug/L	ND	20	20.8	104	75-131	
1,3-Dichlorobenzene	ug/L	ND	20	20.0	100	73-125	
1,3-Dichloropropane	ug/L	ND	20	20.8	104	75-125	
1,4-Dichlorobenzene	ug/L	ND	20	19.6	98	73-125	
2,2-Dichloropropane	ug/L	ND	20	14.7	74	58-150	
2-Butanone (MEK)	ug/L	ND	100	94.2	94	56-140	
2-Chlorotoluene	ug/L	ND	20	19.7	98	70-130	
2-Hexanone	ug/L	ND	100	133	133	63-132	M0
4-Chlorotoluene	ug/L	ND	20	20.2	101	73-126	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	126	126	69-128	
Acetone	ug/L	ND	100	103	103	57-143	
Benzene	ug/L	ND	20	17.0	85	75-129	
Bromobenzene	ug/L	ND	20	20.6	103	74-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

MATRIX SPIKE SAMPLE:	1624036						
Parameter	Units	10256845012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromochloromethane	ug/L	ND	20	20.0	100	75-126	
Bromodichloromethane	ug/L	ND	20	20.2	101	75-128	
Bromoform	ug/L	ND	20	19.5	97	66-130	
Bromomethane	ug/L	ND	20	13.7	68	30-150	
Carbon disulfide	ug/L	ND	20	17.4	87	56-140	
Carbon tetrachloride	ug/L	ND	20	20.8	104	69-148	
Chlorobenzene	ug/L	ND	20	19.8	99	75-125	
Chloroethane	ug/L	ND	20	16.5	82	71-143	
Chloroform	ug/L	ND	20	18.0	90	75-126	
Chloromethane	ug/L	ND	20	17.6	88	55-150	
cis-1,2-Dichloroethene	ug/L	ND	20	16.6	83	75-130	
cis-1,3-Dichloropropene	ug/L	ND	20	20.7	104	72-129	
Dibromochloromethane	ug/L	ND	20	20.1	100	73-129	
Dibromomethane	ug/L	ND	20	21.4	107	75-125	
Dichlorodifluoromethane	ug/L	ND	20	21.8	109	70-150	
Ethylbenzene	ug/L	ND	20	19.7	99	75-128	
Hexachloro-1,3-butadiene	ug/L	ND	20	11.1	55	65-144	M1
Isopropylbenzene (Cumene)	ug/L	ND	20	22.0	110	75-131	
m&p-Xylene	ug/L	ND	40	42.5	106	75-130	
Methyl-tert-butyl ether	ug/L	ND	20	18.0	90	74-128	
Methylene Chloride	ug/L	ND	20	17.3	87	69-125	
n-Butylbenzene	ug/L	ND	20	20.8	104	70-137	
n-Propylbenzene	ug/L	ND	20	20.1	100	72-131	
Naphthalene	ug/L	ND	20	21.8	109	70-132	
o-Xylene	ug/L	ND	20	21.8	109	75-128	
p-Isopropyltoluene	ug/L	ND	20	21.9	109	73-133	
sec-Butylbenzene	ug/L	ND	20	21.3	107	74-133	
Styrene	ug/L	ND	20	21.0	105	75-128	
tert-Butylbenzene	ug/L	ND	20	21.6	108	74-130	
Tetrachloroethene	ug/L	ND	20	22.2	111	68-140	
Toluene	ug/L	ND	20	20.3	101	75-129	
trans-1,2-Dichloroethene	ug/L	ND	20	17.6	88	70-136	
trans-1,3-Dichloropropene	ug/L	ND	20	19.8	99	71-125	
Trichloroethene	ug/L	ND	20	20.9	104	72-135	
Trichlorofluoromethane	ug/L	ND	20	21.8	109	75-150	
Vinyl chloride	ug/L	ND	20	18.6	93	73-150	
Xylene (Total)	ug/L	ND	60	64.3	107	75-129	
1,2-Dichloroethane-d4 (S)	%				83	75-125	
4-Bromofluorobenzene (S)	%				96	75-125	
Toluene-d8 (S)	%				103	75-125	

SAMPLE DUPLICATE: 1624037

Parameter	Units	10256845020 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,1-Trichloroethane	ug/L	ND	ND		30	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1624037

Parameter	Units	10256845020 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,2-Trichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethene	ug/L	ND	ND		30	
1,1-Dichloropropene	ug/L	ND	ND		30	
1,2,3-Trichlorobenzene	ug/L	ND	ND		30	
1,2,3-Trichloropropane	ug/L	ND	ND		30	
1,2,4-Trichlorobenzene	ug/L	ND	ND		30	
1,2,4-Trimethylbenzene	ug/L	ND	ND		30	
1,2-Dibromo-3-chloropropane	ug/L	ND	ND		30	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		30	
1,2-Dichlorobenzene	ug/L	ND	ND		30	
1,2-Dichloroethane	ug/L	ND	ND		30	
1,2-Dichloroethene (Total)	ug/L	ND	ND		30	
1,2-Dichloropropane	ug/L	ND	ND		30	
1,3,5-Trimethylbenzene	ug/L	ND	ND		30	
1,3-Dichlorobenzene	ug/L	ND	ND		30	
1,3-Dichloropropane	ug/L	ND	ND		30	
1,4-Dichlorobenzene	ug/L	ND	ND		30	
2,2-Dichloropropane	ug/L	ND	ND		30	
2-Butanone (MEK)	ug/L	ND	ND		30	
2-Chlorotoluene	ug/L	ND	ND		30	
2-Hexanone	ug/L	ND	ND		30	
4-Chlorotoluene	ug/L	ND	ND		30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		30	
Acetone	ug/L	ND	ND		30	
Benzene	ug/L	ND	ND		30	
Bromobenzene	ug/L	ND	ND		30	
Bromochloromethane	ug/L	ND	ND		30	
Bromodichloromethane	ug/L	ND	ND		30	
Bromoform	ug/L	ND	ND		30	
Bromomethane	ug/L	ND	ND		30	
Carbon disulfide	ug/L	ND	ND		30	
Carbon tetrachloride	ug/L	ND	ND		30	
Chlorobenzene	ug/L	ND	ND		30	
Chloroethane	ug/L	ND	ND		30	
Chloroform	ug/L	ND	ND		30	
Chloromethane	ug/L	ND	ND		30	
cis-1,2-Dichloroethene	ug/L	ND	ND		30	
cis-1,3-Dichloropropene	ug/L	ND	ND		30	
Dibromochloromethane	ug/L	ND	ND		30	
Dibromomethane	ug/L	ND	ND		30	
Dichlorodifluoromethane	ug/L	ND	ND		30	
Ethylbenzene	ug/L	ND	ND		30	
Hexachloro-1,3-butadiene	ug/L	ND	ND		30	
Isopropylbenzene (Cumene)	ug/L	ND	ND		30	
m&p-Xylene	ug/L	ND	ND		30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Methylene Chloride	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1624037

Parameter	Units	10256845020 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Butylbenzene	ug/L	ND	ND		30	
n-Propylbenzene	ug/L	ND	ND		30	
Naphthalene	ug/L	ND	ND		30	
o-Xylene	ug/L	ND	ND		30	
p-Isopropyltoluene	ug/L	ND	ND		30	
sec-Butylbenzene	ug/L	ND	ND		30	
Styrene	ug/L	ND	ND		30	
tert-Butylbenzene	ug/L	ND	ND		30	
Tetrachloroethene	ug/L	ND	ND		30	
Toluene	ug/L	ND	ND		30	
trans-1,2-Dichloroethene	ug/L	ND	ND		30	
trans-1,3-Dichloropropene	ug/L	ND	ND		30	
Trichloroethene	ug/L	ND	ND		30	
Trichlorofluoromethane	ug/L	ND	ND		30	
Vinyl chloride	ug/L	ND	ND		30	
Xylene (Total)	ug/L	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%.	86	85	1		
4-Bromofluorobenzene (S)	%.	98	96	2		
Toluene-d8 (S)	%.	103	104	1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26336 Analysis Method: EPA 8260
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 465 W
 Associated Lab Samples: 10256845030, 10256845031, 10256845032, 10256845033, 10256845034, 10256845035

METHOD BLANK: 1623509 Matrix: Water
 Associated Lab Samples: 10256845030, 10256845031, 10256845032, 10256845033, 10256845034, 10256845035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/13/14 10:23	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/13/14 10:23	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/13/14 10:23	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/13/14 10:23	
1,1-Dichloroethane	ug/L	ND	1.0	02/13/14 10:23	
1,1-Dichloroethene	ug/L	ND	1.0	02/13/14 10:23	
1,1-Dichloropropene	ug/L	ND	1.0	02/13/14 10:23	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/13/14 10:23	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/13/14 10:23	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/13/14 10:23	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/13/14 10:23	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/13/14 10:23	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/13/14 10:23	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/13/14 10:23	
1,2-Dichloroethane	ug/L	ND	1.0	02/13/14 10:23	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/13/14 10:23	
1,2-Dichloropropane	ug/L	ND	4.0	02/13/14 10:23	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/13/14 10:23	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/13/14 10:23	
1,3-Dichloropropane	ug/L	ND	1.0	02/13/14 10:23	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/13/14 10:23	
2,2-Dichloropropane	ug/L	ND	4.0	02/13/14 10:23	
2-Butanone (MEK)	ug/L	ND	5.0	02/13/14 10:23	
2-Chlorotoluene	ug/L	ND	1.0	02/13/14 10:23	
2-Hexanone	ug/L	ND	5.0	02/13/14 10:23	
4-Chlorotoluene	ug/L	ND	1.0	02/13/14 10:23	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/13/14 10:23	
Acetone	ug/L	ND	20.0	02/13/14 10:23	
Benzene	ug/L	ND	1.0	02/13/14 10:23	
Bromobenzene	ug/L	ND	1.0	02/13/14 10:23	
Bromochloromethane	ug/L	ND	1.0	02/13/14 10:23	
Bromodichloromethane	ug/L	ND	1.0	02/13/14 10:23	
Bromoform	ug/L	ND	4.0	02/13/14 10:23	
Bromomethane	ug/L	ND	4.0	02/13/14 10:23	
Carbon disulfide	ug/L	ND	1.0	02/13/14 10:23	
Carbon tetrachloride	ug/L	ND	1.0	02/13/14 10:23	
Chlorobenzene	ug/L	ND	1.0	02/13/14 10:23	
Chloroethane	ug/L	ND	1.0	02/13/14 10:23	
Chloroform	ug/L	ND	1.0	02/13/14 10:23	
Chloromethane	ug/L	ND	4.0	02/13/14 10:23	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/13/14 10:23	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/13/14 10:23	
Dibromochloromethane	ug/L	ND	1.0	02/13/14 10:23	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1623509

Matrix: Water

Associated Lab Samples: 10256845030, 10256845031, 10256845032, 10256845033, 10256845034, 10256845035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/13/14 10:23	
Dichlorodifluoromethane	ug/L	ND	1.0	02/13/14 10:23	
Ethylbenzene	ug/L	ND	1.0	02/13/14 10:23	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/13/14 10:23	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/13/14 10:23	
m&p-Xylene	ug/L	ND	2.0	02/13/14 10:23	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/13/14 10:23	
Methylene Chloride	ug/L	ND	4.0	02/13/14 10:23	
n-Butylbenzene	ug/L	ND	1.0	02/13/14 10:23	
n-Propylbenzene	ug/L	ND	1.0	02/13/14 10:23	
Naphthalene	ug/L	ND	4.0	02/13/14 10:23	
o-Xylene	ug/L	ND	1.0	02/13/14 10:23	
p-Isopropyltoluene	ug/L	ND	1.0	02/13/14 10:23	
sec-Butylbenzene	ug/L	ND	1.0	02/13/14 10:23	
Styrene	ug/L	ND	1.0	02/13/14 10:23	
tert-Butylbenzene	ug/L	ND	1.0	02/13/14 10:23	
Tetrachloroethene	ug/L	ND	1.0	02/13/14 10:23	
Toluene	ug/L	ND	1.0	02/13/14 10:23	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/13/14 10:23	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/13/14 10:23	
Trichloroethene	ug/L	ND	0.40	02/13/14 10:23	
Trichlorofluoromethane	ug/L	ND	1.0	02/13/14 10:23	
Vinyl chloride	ug/L	ND	0.20	02/13/14 10:23	
Xylene (Total)	ug/L	ND	3.0	02/13/14 10:23	
1,2-Dichloroethane-d4 (S)	%	99	75-125	02/13/14 10:23	
4-Bromofluorobenzene (S)	%	100	75-125	02/13/14 10:23	
Toluene-d8 (S)	%	99	75-125	02/13/14 10:23	

LABORATORY CONTROL SAMPLE: 1623510

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.1	100	75-125	
1,1,1-Trichloroethane	ug/L	20	19.7	98	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	19.0	95	74-125	
1,1,2-Trichloroethane	ug/L	20	18.6	93	75-125	
1,1-Dichloroethane	ug/L	20	19.7	99	75-125	
1,1-Dichloroethene	ug/L	20	18.0	90	70-125	
1,1-Dichloropropene	ug/L	20	17.8	89	73-125	
1,2,3-Trichlorobenzene	ug/L	20	18.5	92	75-125	
1,2,3-Trichloropropane	ug/L	20	19.8	99	75-125	
1,2,4-Trichlorobenzene	ug/L	20	18.4	92	75-125	
1,2,4-Trimethylbenzene	ug/L	20	18.2	91	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	48.4	97	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	19.9	99	75-125	
1,2-Dichlorobenzene	ug/L	20	18.6	93	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1623510

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	20	18.9	94	75-125	
1,2-Dichloroethene (Total)	ug/L	40	36.5	91	71-127	
1,2-Dichloropropane	ug/L	20	18.9	95	75-125	
1,3,5-Trimethylbenzene	ug/L	20	18.2	91	75-125	
1,3-Dichlorobenzene	ug/L	20	18.0	90	75-125	
1,3-Dichloropropane	ug/L	20	19.8	99	75-125	
1,4-Dichlorobenzene	ug/L	20	18.9	94	75-125	
2,2-Dichloropropane	ug/L	20	20.4	102	66-130	
2-Butanone (MEK)	ug/L	100	97.3	97	64-126	
2-Chlorotoluene	ug/L	20	18.2	91	73-125	
2-Hexanone	ug/L	100	99.4	99	69-127	
4-Chlorotoluene	ug/L	20	18.4	92	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	97.2	97	71-125	
Acetone	ug/L	100	92.1	92	66-131	
Benzene	ug/L	20	18.0	90	75-125	
Bromobenzene	ug/L	20	19.3	96	75-125	
Bromochloromethane	ug/L	20	18.9	95	75-125	
Bromodichloromethane	ug/L	20	19.7	99	75-125	
Bromoform	ug/L	20	18.7	93	70-125	
Bromomethane	ug/L	20	21.4	107	30-150	
Carbon disulfide	ug/L	20	19.6	98	60-125	
Carbon tetrachloride	ug/L	20	18.4	92	68-129	
Chlorobenzene	ug/L	20	18.7	94	75-125	
Chloroethane	ug/L	20	17.1	86	68-133	
Chloroform	ug/L	20	18.6	93	75-125	
Chloromethane	ug/L	20	19.4	97	57-140	
cis-1,2-Dichloroethene	ug/L	20	18.5	93	75-125	
cis-1,3-Dichloropropene	ug/L	20	19.1	96	75-125	
Dibromochloromethane	ug/L	20	19.6	98	75-125	
Dibromomethane	ug/L	20	19.1	95	75-125	
Dichlorodifluoromethane	ug/L	20	17.4	87	50-134	
Ethylbenzene	ug/L	20	18.3	91	75-125	
Hexachloro-1,3-butadiene	ug/L	20	17.6	88	74-128	
Isopropylbenzene (Cumene)	ug/L	20	18.6	93	73-125	
m&p-Xylene	ug/L	40	36.9	92	75-125	
Methyl-tert-butyl ether	ug/L	20	18.4	92	75-125	
Methylene Chloride	ug/L	20	17.8	89	75-125	
n-Butylbenzene	ug/L	20	18.5	92	73-125	
n-Propylbenzene	ug/L	20	18.5	93	72-125	
Naphthalene	ug/L	20	18.1	91	74-125	
o-Xylene	ug/L	20	18.8	94	75-125	
p-Isopropyltoluene	ug/L	20	19.1	95	74-125	
sec-Butylbenzene	ug/L	20	18.5	93	74-125	
Styrene	ug/L	20	18.6	93	75-125	
tert-Butylbenzene	ug/L	20	18.1	91	74-125	
Tetrachloroethene	ug/L	20	18.4	92	71-125	
Toluene	ug/L	20	18.8	94	75-125	
trans-1,2-Dichloroethene	ug/L	20	18.0	90	73-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1623510

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	20.6	103	75-125	
Trichloroethene	ug/L	20	19.1	95	75-125	
Trichlorofluoromethane	ug/L	20	18.1	90	70-128	
Vinyl chloride	ug/L	20	18.6	93	70-130	
Xylene (Total)	ug/L	60	55.6	93	75-125	
1,2-Dichloroethane-d4 (S)	%			102	75-125	
4-Bromofluorobenzene (S)	%			101	75-125	
Toluene-d8 (S)	%			102	75-125	

MATRIX SPIKE SAMPLE: 1625314

Parameter	Units	10257331001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	20	22.6	113	74-131	
1,1,1-Trichloroethane	ug/L	ND	20	23.5	118	73-139	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	21.1	106	72-125	
1,1,2-Trichloroethane	ug/L	ND	20	21.4	107	75-125	
1,1-Dichloroethane	ug/L	ND	20	23.3	117	73-132	
1,1-Dichloroethene	ug/L	ND	20	24.0	120	71-142	
1,1-Dichloropropene	ug/L	ND	20	23.1	115	73-139	
1,2,3-Trichlorobenzene	ug/L	ND	20	21.6	107	70-129	
1,2,3-Trichloropropane	ug/L	ND	20	21.7	109	74-125	
1,2,4-Trichlorobenzene	ug/L	ND	20	21.0	105	70-129	
1,2,4-Trimethylbenzene	ug/L	ND	20	21.3	106	72-136	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	53.9	108	66-127	
1,2-Dibromoethane (EDB)	ug/L	ND	20	22.8	114	75-125	
1,2-Dichlorobenzene	ug/L	ND	20	21.4	107	75-125	
1,2-Dichloroethane	ug/L	ND	20	22.2	111	68-128	
1,2-Dichloroethene (Total)	ug/L	ND	40	46.6	116	73-129	
1,2-Dichloropropane	ug/L	ND	20	22.3	111	74-131	
1,3,5-Trimethylbenzene	ug/L	ND	20	21.5	108	75-131	
1,3-Dichlorobenzene	ug/L	ND	20	21.0	105	73-125	
1,3-Dichloropropane	ug/L	ND	20	22.4	112	75-125	
1,4-Dichlorobenzene	ug/L	ND	20	21.7	108	73-125	
2,2-Dichloropropane	ug/L	ND	20	23.4	117	58-150	
2-Butanone (MEK)	ug/L	ND	100	109	109	56-140	
2-Chlorotoluene	ug/L	ND	20	21.3	106	70-130	
2-Hexanone	ug/L	ND	100	110	110	63-132	
4-Chlorotoluene	ug/L	ND	20	21.0	105	73-126	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	110	110	69-128	
Acetone	ug/L	ND	100	120	120	57-143	
Benzene	ug/L	ND	20	21.4	107	75-129	
Bromobenzene	ug/L	ND	20	22.0	110	74-125	
Bromochloromethane	ug/L	ND	20	23.3	116	75-126	
Bromodichloromethane	ug/L	ND	20	22.7	113	75-128	
Bromoform	ug/L	ND	20	20.6	103	66-130	
Bromomethane	ug/L	ND	20	20.8	104	30-150	
Carbon disulfide	ug/L	ND	20	22.2	110	56-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

MATRIX SPIKE SAMPLE: 1625314		10257331001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Carbon tetrachloride	ug/L	ND	20	24.0	120	69-148	
Chlorobenzene	ug/L	ND	20	21.3	107	75-125	
Chloroethane	ug/L	ND	20	23.6	118	71-143	
Chloroform	ug/L	ND	20	22.3	112	75-126	
Chloromethane	ug/L	ND	20	27.1	132	55-150	
cis-1,2-Dichloroethene	ug/L	ND	20	23.2	116	75-130	
cis-1,3-Dichloropropene	ug/L	ND	20	22.6	113	72-129	
Dibromochloromethane	ug/L	ND	20	22.1	111	73-129	
Dibromomethane	ug/L	ND	20	22.4	112	75-125	
Dichlorodifluoromethane	ug/L	ND	20	24.6	123	70-150	
Ethylbenzene	ug/L	ND	20	22.2	111	75-128	
Hexachloro-1,3-butadiene	ug/L	ND	20	21.5	107	65-144	
Isopropylbenzene (Cumene)	ug/L	ND	20	21.8	109	75-131	
m&p-Xylene	ug/L	ND	40	43.0	107	75-130	
Methyl-tert-butyl ether	ug/L	ND	20	21.7	108	74-128	
Methylene Chloride	ug/L	ND	20	20.6	103	69-125	
n-Butylbenzene	ug/L	ND	20	21.6	108	70-137	
n-Propylbenzene	ug/L	ND	20	21.6	108	72-131	
Naphthalene	ug/L	ND	20	21.4	106	70-132	
o-Xylene	ug/L	ND	20	22.0	110	75-128	
p-Isopropyltoluene	ug/L	ND	20	21.6	108	73-133	
sec-Butylbenzene	ug/L	ND	20	22.0	110	74-133	
Styrene	ug/L	ND	20	21.4	107	75-128	
tert-Butylbenzene	ug/L	ND	20	21.8	109	74-130	
Tetrachloroethene	ug/L	ND	20	22.3	111	68-140	
Toluene	ug/L	ND	20	22.1	110	75-129	
trans-1,2-Dichloroethene	ug/L	ND	20	23.3	117	70-136	
trans-1,3-Dichloropropene	ug/L	ND	20	22.5	113	71-125	
Trichloroethene	ug/L	ND	20	22.7	114	72-135	
Trichlorofluoromethane	ug/L	ND	20	24.1	120	75-150	
Vinyl chloride	ug/L	ND	20	24.0	120	73-150	
Xylene (Total)	ug/L	ND	60	65.0	108	75-129	
1,2-Dichloroethane-d4 (S)	%				102	75-125	
4-Bromofluorobenzene (S)	%				101	75-125	
Toluene-d8 (S)	%				101	75-125	

SAMPLE DUPLICATE: 1625315

Parameter	Units	10257331003	Dup	RPD	Max	Qualifiers
		Result	Result		RPD	
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,1-Trichloroethane	ug/L	ND	ND		30	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,2-Trichloroethane	ug/L	1.4	1.6	16	30	
1,1-Dichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethene	ug/L	ND	ND		30	
1,1-Dichloropropene	ug/L	ND	ND		30	
1,2,3-Trichlorobenzene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1625315

Parameter	Units	10257331003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,2,3-Trichloropropane	ug/L	ND	ND		30	
1,2,4-Trichlorobenzene	ug/L	ND	ND		30	
1,2,4-Trimethylbenzene	ug/L	36.2	40.4	11	30	
1,2-Dibromo-3-chloropropane	ug/L	ND	ND		30	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		30	
1,2-Dichlorobenzene	ug/L	ND	ND		30	
1,2-Dichloroethane	ug/L	ND	ND		30	
1,2-Dichloroethene (Total)	ug/L	ND	ND		30	
1,2-Dichloropropane	ug/L	ND	ND		30	
1,3,5-Trimethylbenzene	ug/L	2.3	2.2	.9	30	
1,3-Dichlorobenzene	ug/L	ND	ND		30	
1,3-Dichloropropane	ug/L	ND	ND		30	
1,4-Dichlorobenzene	ug/L	ND	ND		30	
2,2-Dichloropropane	ug/L	ND	ND		30	
2-Butanone (MEK)	ug/L	ND	ND		30	
2-Chlorotoluene	ug/L	ND	ND		30	
2-Hexanone	ug/L	ND	ND		30	
4-Chlorotoluene	ug/L	ND	ND		30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		30	
Acetone	ug/L	ND	ND		30	
Benzene	ug/L	3.1	3.6	13	30	
Bromobenzene	ug/L	ND	ND		30	
Bromochloromethane	ug/L	ND	ND		30	
Bromodichloromethane	ug/L	ND	ND		30	
Bromoform	ug/L	ND	ND		30	
Bromomethane	ug/L	ND	ND		30	
Carbon disulfide	ug/L	ND	ND		30	
Carbon tetrachloride	ug/L	ND	ND		30	
Chlorobenzene	ug/L	ND	ND		30	
Chloroethane	ug/L	ND	ND		30	
Chloroform	ug/L	ND	ND		30	
Chloromethane	ug/L	ND	ND		30	
cis-1,2-Dichloroethene	ug/L	ND	ND		30	
cis-1,3-Dichloropropene	ug/L	ND	ND		30	
Dibromochloromethane	ug/L	ND	ND		30	
Dibromomethane	ug/L	ND	ND		30	
Dichlorodifluoromethane	ug/L	ND	ND		30	
Ethylbenzene	ug/L	ND	ND		30	
Hexachloro-1,3-butadiene	ug/L	ND	ND		30	
Isopropylbenzene (Cumene)	ug/L	7.1	8.1	13	30	
m&p-Xylene	ug/L	20.0	21.2	6	30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Methylene Chloride	ug/L	ND	ND		30	
n-Butylbenzene	ug/L	3.8	4.5	18	30	
n-Propylbenzene	ug/L	8.5	9.8	15	30	
Naphthalene	ug/L	11.4	13.6	17	30	
o-Xylene	ug/L	ND	.36J		30	
p-Isopropyltoluene	ug/L	2.4	2.7	12	30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1625315

Parameter	Units	10257331003 Result	Dup Result	RPD	Max RPD	Qualifiers
sec-Butylbenzene	ug/L	9.4	10.9	14	30	
Styrene	ug/L	ND	ND		30	
tert-Butylbenzene	ug/L	ND	1.1		30	
Tetrachloroethene	ug/L	ND	ND		30	
Toluene	ug/L	ND	.25J		30	
trans-1,2-Dichloroethene	ug/L	ND	ND		30	
trans-1,3-Dichloropropene	ug/L	ND	ND		30	
Trichloroethene	ug/L	ND	ND		30	
Trichlorofluoromethane	ug/L	ND	ND		30	
Vinyl chloride	ug/L	ND	ND		30	
Xylene (Total)	ug/L	20.0	21.2	6	30	
1,2-Dichloroethane-d4 (S)	%.	100	100	.4		
4-Bromofluorobenzene (S)	%.	102	101	.6		
Toluene-d8 (S)	%.	102	100	2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26344 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 465 W
Associated Lab Samples: 10256845040, 10256845044, 10256845045

METHOD BLANK: 1623556 Matrix: Water

Associated Lab Samples: 10256845040, 10256845044, 10256845045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/12/14 23:33	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/12/14 23:33	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/12/14 23:33	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/12/14 23:33	
1,1-Dichloroethane	ug/L	ND	1.0	02/12/14 23:33	
1,1-Dichloroethene	ug/L	ND	1.0	02/12/14 23:33	
1,1-Dichloropropene	ug/L	ND	1.0	02/12/14 23:33	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/12/14 23:33	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/12/14 23:33	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/12/14 23:33	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/12/14 23:33	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/12/14 23:33	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/12/14 23:33	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/12/14 23:33	
1,2-Dichloroethane	ug/L	ND	1.0	02/12/14 23:33	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/12/14 23:33	
1,2-Dichloropropane	ug/L	ND	4.0	02/12/14 23:33	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/12/14 23:33	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/12/14 23:33	
1,3-Dichloropropane	ug/L	ND	1.0	02/12/14 23:33	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/12/14 23:33	
2,2-Dichloropropane	ug/L	ND	4.0	02/12/14 23:33	
2-Butanone (MEK)	ug/L	ND	5.0	02/12/14 23:33	
2-Chlorotoluene	ug/L	ND	1.0	02/12/14 23:33	
2-Hexanone	ug/L	ND	5.0	02/12/14 23:33	
4-Chlorotoluene	ug/L	ND	1.0	02/12/14 23:33	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/12/14 23:33	
Acetone	ug/L	ND	20.0	02/12/14 23:33	
Benzene	ug/L	ND	1.0	02/12/14 23:33	
Bromobenzene	ug/L	ND	1.0	02/12/14 23:33	
Bromochloromethane	ug/L	ND	1.0	02/12/14 23:33	
Bromodichloromethane	ug/L	ND	1.0	02/12/14 23:33	
Bromoform	ug/L	ND	4.0	02/12/14 23:33	
Bromomethane	ug/L	ND	4.0	02/12/14 23:33	
Carbon disulfide	ug/L	ND	1.0	02/12/14 23:33	
Carbon tetrachloride	ug/L	ND	1.0	02/12/14 23:33	
Chlorobenzene	ug/L	ND	1.0	02/12/14 23:33	
Chloroethane	ug/L	ND	1.0	02/12/14 23:33	
Chloroform	ug/L	ND	1.0	02/12/14 23:33	
Chloromethane	ug/L	ND	4.0	02/12/14 23:33	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/12/14 23:33	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/12/14 23:33	
Dibromochloromethane	ug/L	ND	1.0	02/12/14 23:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1623556

Matrix: Water

Associated Lab Samples: 10256845040, 10256845044, 10256845045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/12/14 23:33	
Dichlorodifluoromethane	ug/L	ND	1.0	02/12/14 23:33	
Ethylbenzene	ug/L	ND	1.0	02/12/14 23:33	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/12/14 23:33	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/12/14 23:33	
m&p-Xylene	ug/L	ND	2.0	02/12/14 23:33	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/12/14 23:33	
Methylene Chloride	ug/L	ND	4.0	02/12/14 23:33	
n-Butylbenzene	ug/L	ND	1.0	02/12/14 23:33	
n-Propylbenzene	ug/L	ND	1.0	02/12/14 23:33	
Naphthalene	ug/L	ND	4.0	02/12/14 23:33	
o-Xylene	ug/L	ND	1.0	02/12/14 23:33	
p-Isopropyltoluene	ug/L	ND	1.0	02/12/14 23:33	
sec-Butylbenzene	ug/L	ND	1.0	02/12/14 23:33	
Styrene	ug/L	ND	1.0	02/12/14 23:33	
tert-Butylbenzene	ug/L	ND	1.0	02/12/14 23:33	
Tetrachloroethene	ug/L	ND	1.0	02/12/14 23:33	
Toluene	ug/L	ND	1.0	02/12/14 23:33	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/12/14 23:33	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/12/14 23:33	
Trichloroethene	ug/L	ND	0.40	02/12/14 23:33	
Trichlorofluoromethane	ug/L	ND	1.0	02/12/14 23:33	
Vinyl chloride	ug/L	ND	0.20	02/12/14 23:33	
Xylene (Total)	ug/L	ND	3.0	02/12/14 23:33	
1,2-Dichloroethane-d4 (S)	%	80	75-125	02/12/14 23:33	
4-Bromofluorobenzene (S)	%	96	75-125	02/12/14 23:33	
Toluene-d8 (S)	%	102	75-125	02/12/14 23:33	

LABORATORY CONTROL SAMPLE: 1623557

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.4	102	75-125	
1,1,1-Trichloroethane	ug/L	20	17.4	87	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	19.1	96	74-125	
1,1,2-Trichloroethane	ug/L	20	20.3	101	75-125	
1,1-Dichloroethane	ug/L	20	16.3	82	75-125	
1,1-Dichloroethene	ug/L	20	16.8	84	70-125	
1,1-Dichloropropene	ug/L	20	17.7	88	73-125	
1,2,3-Trichlorobenzene	ug/L	20	21.0	105	75-125	
1,2,3-Trichloropropane	ug/L	20	20.3	101	75-125	
1,2,4-Trichlorobenzene	ug/L	20	21.0	105	75-125	
1,2,4-Trimethylbenzene	ug/L	20	20.8	104	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	64.8	130	70-125	L0
1,2-Dibromoethane (EDB)	ug/L	20	21.4	107	75-125	
1,2-Dichlorobenzene	ug/L	20	19.8	99	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1623557

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	20	16.0	80	75-125	
1,2-Dichloroethene (Total)	ug/L	40	33.3	83	71-127	
1,2-Dichloropropane	ug/L	20	18.8	94	75-125	
1,3,5-Trimethylbenzene	ug/L	20	20.4	102	75-125	
1,3-Dichlorobenzene	ug/L	20	19.6	98	75-125	
1,3-Dichloropropane	ug/L	20	21.1	106	75-125	
1,4-Dichlorobenzene	ug/L	20	19.1	96	75-125	
2,2-Dichloropropane	ug/L	20	15.4	77	66-130	
2-Butanone (MEK)	ug/L	100	94.1	94	64-126	
2-Chlorotoluene	ug/L	20	19.2	96	73-125	
2-Hexanone	ug/L	100	144	144	69-127	CH,L0
4-Chlorotoluene	ug/L	20	19.8	99	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	125	125	71-125	
Acetone	ug/L	100	104	104	66-131	
Benzene	ug/L	20	16.3	81	75-125	
Bromobenzene	ug/L	20	19.8	99	75-125	
Bromochloromethane	ug/L	20	19.5	97	75-125	
Bromodichloromethane	ug/L	20	20.1	101	75-125	
Bromoform	ug/L	20	19.0	95	70-125	
Bromomethane	ug/L	20	14.9	75	30-150	
Carbon disulfide	ug/L	20	16.6	83	60-125	
Carbon tetrachloride	ug/L	20	19.3	96	68-129	
Chlorobenzene	ug/L	20	19.3	97	75-125	
Chloroethane	ug/L	20	16.7	84	68-133	
Chloroform	ug/L	20	17.2	86	75-125	
Chloromethane	ug/L	20	18.3	92	57-140	
cis-1,2-Dichloroethene	ug/L	20	16.4	82	75-125	
cis-1,3-Dichloropropene	ug/L	20	21.2	106	75-125	
Dibromochloromethane	ug/L	20	19.9	99	75-125	
Dibromomethane	ug/L	20	22.5	113	75-125	
Dichlorodifluoromethane	ug/L	20	18.1	91	50-134	
Ethylbenzene	ug/L	20	18.7	94	75-125	
Hexachloro-1,3-butadiene	ug/L	20	19.4	97	74-128	
Isopropylbenzene (Cumene)	ug/L	20	21.1	106	73-125	
m&p-Xylene	ug/L	40	41.8	105	75-125	
Methyl-tert-butyl ether	ug/L	20	17.6	88	75-125	
Methylene Chloride	ug/L	20	17.0	85	75-125	
n-Butylbenzene	ug/L	20	20.0	100	73-125	
n-Propylbenzene	ug/L	20	19.4	97	72-125	
Naphthalene	ug/L	20	21.4	107	74-125	
o-Xylene	ug/L	20	21.5	108	75-125	
p-Isopropyltoluene	ug/L	20	21.1	106	74-125	
sec-Butylbenzene	ug/L	20	20.7	103	74-125	
Styrene	ug/L	20	20.9	104	75-125	
tert-Butylbenzene	ug/L	20	20.8	104	74-125	
Tetrachloroethene	ug/L	20	21.4	107	71-125	
Toluene	ug/L	20	19.6	98	75-125	
trans-1,2-Dichloroethene	ug/L	20	17.0	85	73-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1623557

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	20.0	100	75-125	
Trichloroethene	ug/L	20	20.9	105	75-125	
Trichlorofluoromethane	ug/L	20	18.4	92	70-128	
Vinyl chloride	ug/L	20	18.2	91	70-130	
Xylene (Total)	ug/L	60	63.3	106	75-125	
1,2-Dichloroethane-d4 (S)	%			81	75-125	
4-Bromofluorobenzene (S)	%			96	75-125	
Toluene-d8 (S)	%			102	75-125	

MATRIX SPIKE SAMPLE: 1624282

Parameter	Units	10256845040 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L		ND	20	20.0	100	74-131
1,1,1-Trichloroethane	ug/L		ND	20	16.0	80	73-139
1,1,2,2-Tetrachloroethane	ug/L		ND	20	18.7	93	72-125
1,1,2-Trichloroethane	ug/L		ND	20	19.4	97	75-125
1,1-Dichloroethane	ug/L		ND	20	14.2	71	73-132 M1
1,1-Dichloroethene	ug/L		ND	20	13.3	67	71-142 M1
1,1-Dichloropropene	ug/L		ND	20	14.7	74	73-139
1,2,3-Trichlorobenzene	ug/L		ND	20	20.1	100	70-129
1,2,3-Trichloropropane	ug/L		ND	20	18.8	94	74-125
1,2,4-Trichlorobenzene	ug/L		ND	20	20.5	102	70-129
1,2,4-Trimethylbenzene	ug/L	11.9	20	32.3	102	72-136	
1,2-Dibromo-3-chloropropane	ug/L		ND	50	63.5	127	66-127
1,2-Dibromoethane (EDB)	ug/L		ND	20	19.1	95	75-125
1,2-Dichlorobenzene	ug/L		ND	20	18.9	95	75-125
1,2-Dichloroethane	ug/L		ND	20	13.9	69	68-128
1,2-Dichloroethene (Total)	ug/L		ND	40	28.3	71	73-129
1,2-Dichloropropane	ug/L		ND	20	16.9	85	74-131
1,3,5-Trimethylbenzene	ug/L	3.1	20	22.2	96	75-131	
1,3-Dichlorobenzene	ug/L		ND	20	18.5	93	73-125
1,3-Dichloropropane	ug/L		ND	20	18.9	94	75-125
1,4-Dichlorobenzene	ug/L		ND	20	17.7	89	73-125
2,2-Dichloropropane	ug/L		ND	20	10.1	50	58-150 M1
2-Butanone (MEK)	ug/L		ND	100	89.9	90	56-140
2-Chlorotoluene	ug/L		ND	20	18.3	92	70-130
2-Hexanone	ug/L		ND	100	121	121	63-132 CH
4-Chlorotoluene	ug/L		ND	20	18.1	91	73-126
4-Methyl-2-pentanone (MIBK)	ug/L		ND	100	107	107	69-128
Acetone	ug/L		ND	100	108	98	57-143
Benzene	ug/L	4.5	20	18.2	69	75-129 M1	
Bromobenzene	ug/L		ND	20	18.9	95	74-125
Bromochloromethane	ug/L		ND	20	16.8	84	75-126
Bromodichloromethane	ug/L		ND	20	18.4	92	75-128
Bromoform	ug/L		ND	20	18.8	94	66-130
Bromomethane	ug/L		ND	20	5.5	28	30-150 M1
Carbon disulfide	ug/L		ND	20	9.2	45	56-140 M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

MATRIX SPIKE SAMPLE: 1624282		10256845040	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Carbon tetrachloride	ug/L	ND	20	17.3	87	69-148	
Chlorobenzene	ug/L	ND	20	17.9	89	75-125	
Chloroethane	ug/L	ND	20	17.4	87	71-143	
Chloroform	ug/L	ND	20	14.7	73	75-126	M1
Chloromethane	ug/L	ND	20	18.0	90	55-150	
cis-1,2-Dichloroethene	ug/L	ND	20	15.1	75	75-130	
cis-1,3-Dichloropropene	ug/L	ND	20	17.9	90	72-129	
Dibromochloromethane	ug/L	ND	20	19.7	99	73-129	
Dibromomethane	ug/L	ND	20	20.5	103	75-125	
Dichlorodifluoromethane	ug/L	ND	20	23.8	119	70-150	
Ethylbenzene	ug/L	10.2	20	28.2	90	75-128	
Hexachloro-1,3-butadiene	ug/L	ND	20	16.5	83	65-144	
Isopropylbenzene (Cumene)	ug/L	ND	20	20.7	102	75-131	
m&p-Xylene	ug/L	50.0	40	91.6	104	75-130	
Methyl-tert-butyl ether	ug/L	ND	20	15.8	79	74-128	
Methylene Chloride	ug/L	ND	20	14.1	70	69-125	
n-Butylbenzene	ug/L	ND	20	18.6	92	70-137	
n-Propylbenzene	ug/L	1.1	20	19.0	90	72-131	
Naphthalene	ug/L	ND	20	23.5	105	70-132	
o-Xylene	ug/L	17.8	20	39.3	107	75-128	
p-Isopropyltoluene	ug/L	ND	20	20.5	101	73-133	
sec-Butylbenzene	ug/L	ND	20	19.5	96	74-133	
Styrene	ug/L	ND	20	18.3	91	75-128	
tert-Butylbenzene	ug/L	ND	20	20.1	100	74-130	
Tetrachloroethene	ug/L	ND	20	19.1	96	68-140	
Toluene	ug/L	5.3	20	23.5	91	75-129	
trans-1,2-Dichloroethene	ug/L	ND	20	13.2	66	70-136	M1
trans-1,3-Dichloropropene	ug/L	ND	20	17.2	86	71-125	
Trichloroethene	ug/L	ND	20	18.3	92	72-135	
Trichlorofluoromethane	ug/L	ND	20	22.0	110	75-150	
Vinyl chloride	ug/L	ND	20	19.0	95	73-150	
Xylene (Total)	ug/L	67.8	60	131	105	75-129	
1,2-Dichloroethane-d4 (S)	%				75	75-125	
4-Bromofluorobenzene (S)	%				98	75-125	
Toluene-d8 (S)	%				103	75-125	

SAMPLE DUPLICATE: 1624281

Parameter	Units	10257322002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,1-Trichloroethane	ug/L	ND	ND		30	
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,2-Trichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethene	ug/L	ND	ND		30	
1,1-Dichloropropene	ug/L	ND	ND		30	
1,2,3-Trichlorobenzene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1624281

Parameter	Units	10257322002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,2,3-Trichloropropane	ug/L	ND	ND		30	
1,2,4-Trichlorobenzene	ug/L	ND	ND		30	
1,2,4-Trimethylbenzene	ug/L	ND	ND		30	
1,2-Dibromo-3-chloropropane	ug/L	ND	ND		30	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		30	
1,2-Dichlorobenzene	ug/L	ND	ND		30	
1,2-Dichloroethane	ug/L	ND	ND		30	
1,2-Dichloroethene (Total)	ug/L	4.3	4.1	5	30	
1,2-Dichloropropane	ug/L	ND	ND		30	
1,3,5-Trimethylbenzene	ug/L	ND	ND		30	
1,3-Dichlorobenzene	ug/L	ND	ND		30	
1,3-Dichloropropane	ug/L	ND	ND		30	
1,4-Dichlorobenzene	ug/L	ND	ND		30	
2,2-Dichloropropane	ug/L	ND	ND		30	
2-Butanone (MEK)	ug/L	ND	ND		30	
2-Chlorotoluene	ug/L	ND	ND		30	
2-Hexanone	ug/L	ND	ND		30	
4-Chlorotoluene	ug/L	ND	ND		30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		30	
Acetone	ug/L	ND	ND		30	
Benzene	ug/L	ND	ND		30	
Bromobenzene	ug/L	ND	ND		30	
Bromochloromethane	ug/L	ND	ND		30	
Bromodichloromethane	ug/L	ND	ND		30	
Bromoform	ug/L	ND	ND		30	
Bromomethane	ug/L	ND	ND		30	
Carbon disulfide	ug/L	ND	ND		30	
Carbon tetrachloride	ug/L	ND	ND		30	
Chlorobenzene	ug/L	ND	ND		30	
Chloroethane	ug/L	ND	ND		30	
Chloroform	ug/L	ND	ND		30	
Chloromethane	ug/L	ND	ND		30	
cis-1,2-Dichloroethene	ug/L	4.3	4.0	6	30	
cis-1,3-Dichloropropene	ug/L	ND	ND		30	
Dibromochloromethane	ug/L	ND	ND		30	
Dibromomethane	ug/L	ND	ND		30	
Dichlorodifluoromethane	ug/L	ND	ND		30	
Ethylbenzene	ug/L	ND	ND		30	
Hexachloro-1,3-butadiene	ug/L	ND	ND		30	
Isopropylbenzene (Cumene)	ug/L	ND	ND		30	
m&p-Xylene	ug/L	ND	ND		30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Methylene Chloride	ug/L	ND	ND		30	
n-Butylbenzene	ug/L	ND	ND		30	
n-Propylbenzene	ug/L	ND	ND		30	
Naphthalene	ug/L	ND	ND		30	
o-Xylene	ug/L	ND	ND		30	
p-Isopropyltoluene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1624281

Parameter	Units	10257322002 Result	Dup Result	RPD	Max RPD	Qualifiers
sec-Butylbenzene	ug/L	ND	ND		30	
Styrene	ug/L	ND	ND		30	
tert-Butylbenzene	ug/L	ND	ND		30	
Tetrachloroethene	ug/L	ND	.63J		30	
Toluene	ug/L	ND	ND		30	
trans-1,2-Dichloroethene	ug/L	ND	ND		30	
trans-1,3-Dichloropropene	ug/L	ND	ND		30	
Trichloroethene	ug/L	0.64	0.58	10	30	
Trichlorofluoromethane	ug/L	ND	ND		30	
Vinyl chloride	ug/L	ND	ND		30	
Xylene (Total)	ug/L	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%.	75	74	1		S2
4-Bromofluorobenzene (S)	%.	98	97	.9		
Toluene-d8 (S)	%.	101	101	.08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26345 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 465 W
Associated Lab Samples: 10256845039, 10256845041, 10256845042, 10256845043

METHOD BLANK: 1623987 Matrix: Water
Associated Lab Samples: 10256845039, 10256845041, 10256845042, 10256845043

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/14/14 15:52	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/14/14 15:52	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/14/14 15:52	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/14/14 15:52	
1,1-Dichloroethane	ug/L	ND	1.0	02/14/14 15:52	
1,1-Dichloroethene	ug/L	ND	1.0	02/14/14 15:52	
1,1-Dichloropropene	ug/L	ND	1.0	02/14/14 15:52	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/14/14 15:52	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/14/14 15:52	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/14/14 15:52	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/14/14 15:52	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/14/14 15:52	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/14/14 15:52	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/14/14 15:52	
1,2-Dichloroethane	ug/L	ND	1.0	02/14/14 15:52	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/14/14 15:52	
1,2-Dichloropropane	ug/L	ND	4.0	02/14/14 15:52	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/14/14 15:52	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/14/14 15:52	
1,3-Dichloropropane	ug/L	ND	1.0	02/14/14 15:52	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/14/14 15:52	
2,2-Dichloropropane	ug/L	ND	4.0	02/14/14 15:52	
2-Butanone (MEK)	ug/L	ND	5.0	02/14/14 15:52	
2-Chlorotoluene	ug/L	ND	1.0	02/14/14 15:52	
2-Hexanone	ug/L	ND	5.0	02/14/14 15:52	
4-Chlorotoluene	ug/L	ND	1.0	02/14/14 15:52	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/14/14 15:52	
Acetone	ug/L	ND	20.0	02/14/14 15:52	
Benzene	ug/L	ND	1.0	02/14/14 15:52	
Bromobenzene	ug/L	ND	1.0	02/14/14 15:52	
Bromochloromethane	ug/L	ND	1.0	02/14/14 15:52	
Bromodichloromethane	ug/L	ND	1.0	02/14/14 15:52	
Bromoform	ug/L	ND	4.0	02/14/14 15:52	
Bromomethane	ug/L	ND	4.0	02/14/14 15:52	
Carbon disulfide	ug/L	ND	1.0	02/14/14 15:52	
Carbon tetrachloride	ug/L	ND	1.0	02/14/14 15:52	
Chlorobenzene	ug/L	ND	1.0	02/14/14 15:52	
Chloroethane	ug/L	ND	1.0	02/14/14 15:52	
Chloroform	ug/L	ND	1.0	02/14/14 15:52	
Chloromethane	ug/L	ND	4.0	02/14/14 15:52	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/14/14 15:52	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/14/14 15:52	
Dibromochloromethane	ug/L	ND	1.0	02/14/14 15:52	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1623987

Matrix: Water

Associated Lab Samples: 10256845039, 10256845041, 10256845042, 10256845043

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/14/14 15:52	
Dichlorodifluoromethane	ug/L	ND	1.0	02/14/14 15:52	
Ethylbenzene	ug/L	ND	1.0	02/14/14 15:52	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/14/14 15:52	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/14/14 15:52	
m&p-Xylene	ug/L	ND	2.0	02/14/14 15:52	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/14/14 15:52	
Methylene Chloride	ug/L	ND	4.0	02/14/14 15:52	
n-Butylbenzene	ug/L	ND	1.0	02/14/14 15:52	
n-Propylbenzene	ug/L	ND	1.0	02/14/14 15:52	
Naphthalene	ug/L	ND	4.0	02/14/14 15:52	
o-Xylene	ug/L	ND	1.0	02/14/14 15:52	
p-Isopropyltoluene	ug/L	ND	1.0	02/14/14 15:52	
sec-Butylbenzene	ug/L	ND	1.0	02/14/14 15:52	
Styrene	ug/L	ND	1.0	02/14/14 15:52	
tert-Butylbenzene	ug/L	ND	1.0	02/14/14 15:52	
Tetrachloroethene	ug/L	ND	1.0	02/14/14 15:52	
Toluene	ug/L	ND	1.0	02/14/14 15:52	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/14/14 15:52	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/14/14 15:52	
Trichloroethene	ug/L	ND	0.40	02/14/14 15:52	
Trichlorofluoromethane	ug/L	ND	1.0	02/14/14 15:52	
Vinyl chloride	ug/L	ND	0.20	02/14/14 15:52	
Xylene (Total)	ug/L	ND	3.0	02/14/14 15:52	
1,2-Dichloroethane-d4 (S)	%	101	75-125	02/14/14 15:52	
4-Bromofluorobenzene (S)	%	101	75-125	02/14/14 15:52	
Toluene-d8 (S)	%	99	75-125	02/14/14 15:52	

LABORATORY CONTROL SAMPLE: 1623988

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	21.8	109	75-125	
1,1,1-Trichloroethane	ug/L	20	22.2	111	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	20.6	103	74-125	
1,1,2-Trichloroethane	ug/L	20	20.6	103	75-125	
1,1-Dichloroethane	ug/L	20	23.2	116	75-125	
1,1-Dichloroethene	ug/L	20	20.2	101	70-125	
1,1-Dichloropropene	ug/L	20	21.4	107	73-125	
1,2,3-Trichlorobenzene	ug/L	20	20.4	102	75-125	
1,2,3-Trichloropropane	ug/L	20	21.0	105	75-125	
1,2,4-Trichlorobenzene	ug/L	20	20.4	102	75-125	
1,2,4-Trimethylbenzene	ug/L	20	19.7	99	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	52.7	105	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	20.7	104	75-125	
1,2-Dichlorobenzene	ug/L	20	20.3	102	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1623988

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	20	20.1	100	75-125	
1,2-Dichloroethene (Total)	ug/L	40	41.4	104	71-127	
1,2-Dichloropropane	ug/L	20	20.0	100	75-125	
1,3,5-Trimethylbenzene	ug/L	20	20.1	101	75-125	
1,3-Dichlorobenzene	ug/L	20	19.8	99	75-125	
1,3-Dichloropropane	ug/L	20	20.3	101	75-125	
1,4-Dichlorobenzene	ug/L	20	20.0	100	75-125	
2,2-Dichloropropane	ug/L	20	23.8	119	66-130	
2-Butanone (MEK)	ug/L	100	102	102	64-126	
2-Chlorotoluene	ug/L	20	20.7	103	73-125	
2-Hexanone	ug/L	100	105	105	69-127	
4-Chlorotoluene	ug/L	20	20.3	102	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	104	104	71-125	
Acetone	ug/L	100	101	101	66-131	
Benzene	ug/L	20	21.1	106	75-125	
Bromobenzene	ug/L	20	19.5	97	75-125	
Bromochloromethane	ug/L	20	20.8	104	75-125	
Bromodichloromethane	ug/L	20	20.5	102	75-125	
Bromoform	ug/L	20	20.2	101	70-125	
Bromomethane	ug/L	20	30.7	154	30-150	CH,L0,SS
Carbon disulfide	ug/L	20	23.4	117	60-125	
Carbon tetrachloride	ug/L	20	20.6	103	68-129	
Chlorobenzene	ug/L	20	20.8	104	75-125	
Chloroethane	ug/L	20	20.3	102	68-133	
Chloroform	ug/L	20	20.6	103	75-125	
Chloromethane	ug/L	20	30.5	153	57-140	CH,L0,SS
cis-1,2-Dichloroethene	ug/L	20	20.2	101	75-125	
cis-1,3-Dichloropropene	ug/L	20	20.4	102	75-125	
Dibromochloromethane	ug/L	20	19.5	98	75-125	
Dibromomethane	ug/L	20	20.0	100	75-125	
Dichlorodifluoromethane	ug/L	20	22.5	112	50-134	
Ethylbenzene	ug/L	20	19.4	97	75-125	
Hexachloro-1,3-butadiene	ug/L	20	20.2	101	74-128	
Isopropylbenzene (Cumene)	ug/L	20	20.4	102	73-125	
m&p-Xylene	ug/L	40	41.7	104	75-125	
Methyl-tert-butyl ether	ug/L	20	19.3	96	75-125	
Methylene Chloride	ug/L	20	20.5	102	75-125	
n-Butylbenzene	ug/L	20	19.9	99	73-125	
n-Propylbenzene	ug/L	20	20.9	105	72-125	
Naphthalene	ug/L	20	20.1	100	74-125	
o-Xylene	ug/L	20	20.7	104	75-125	
p-Isopropyltoluene	ug/L	20	21.3	106	74-125	
sec-Butylbenzene	ug/L	20	20.7	103	74-125	
Styrene	ug/L	20	20.7	103	75-125	
tert-Butylbenzene	ug/L	20	20.7	103	74-125	
Tetrachloroethene	ug/L	20	21.9	110	71-125	
Toluene	ug/L	20	21.4	107	75-125	
trans-1,2-Dichloroethene	ug/L	20	21.2	106	73-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1623988

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	20.5	102	75-125	
Trichloroethene	ug/L	20	21.1	105	75-125	
Trichlorofluoromethane	ug/L	20	20.6	103	70-128	
Vinyl chloride	ug/L	20	22.5	112	70-130	
Xylene (Total)	ug/L	60	62.4	104	75-125	
1,2-Dichloroethane-d4 (S)	%			105	75-125	
4-Bromofluorobenzene (S)	%			102	75-125	
Toluene-d8 (S)	%			102	75-125	

MATRIX SPIKE SAMPLE: 1625600

Parameter	Units	10257410002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	20	23.2	116	74-131	
1,1,1-Trichloroethane	ug/L	ND	20	23.7	119	73-139	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20.8	104	72-125	
1,1,2-Trichloroethane	ug/L	ND	20	20.8	104	75-125	
1,1-Dichloroethane	ug/L	ND	20	24.7	123	73-132	
1,1-Dichloroethene	ug/L	ND	20	24.2	121	71-142	
1,1-Dichloropropene	ug/L	ND	20	23.4	117	73-139	
1,2,3-Trichlorobenzene	ug/L	ND	20	20.1	99	70-129	
1,2,3-Trichloropropane	ug/L	ND	20	20.8	104	74-125	
1,2,4-Trichlorobenzene	ug/L	ND	20	19.9	98	70-129	
1,2,4-Trimethylbenzene	ug/L	ND	20	20.6	103	72-136	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	52.6	105	66-127	
1,2-Dibromoethane (EDB)	ug/L	ND	20	21.2	106	75-125	
1,2-Dichlorobenzene	ug/L	ND	20	20.9	105	75-125	
1,2-Dichloroethane	ug/L	ND	20	20.9	105	68-128	
1,2-Dichloroethene (Total)	ug/L	ND	40	44.1	110	73-129	
1,2-Dichloropropane	ug/L	ND	20	21.2	106	74-131	
1,3,5-Trimethylbenzene	ug/L	ND	20	20.9	104	75-131	
1,3-Dichlorobenzene	ug/L	ND	20	20.6	102	73-125	
1,3-Dichloropropane	ug/L	ND	20	21.1	106	75-125	
1,4-Dichlorobenzene	ug/L	ND	20	20.8	104	73-125	
2,2-Dichloropropane	ug/L	ND	20	25.6	128	58-150	
2-Butanone (MEK)	ug/L	ND	100	103	101	56-140	
2-Chlorotoluene	ug/L	ND	20	21.5	108	70-130	
2-Hexanone	ug/L	ND	100	105	105	63-132	
4-Chlorotoluene	ug/L	ND	20	21.5	108	73-126	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	107	107	69-128	
Acetone	ug/L	ND	100	127	110	57-143	
Benzene	ug/L	ND	20	22.3	111	75-129	
Bromobenzene	ug/L	ND	20	20.1	100	74-125	
Bromochloromethane	ug/L	ND	20	21.6	108	75-126	
Bromodichloromethane	ug/L	ND	20	21.3	106	75-128	
Bromoform	ug/L	ND	20	20.9	105	66-130	
Bromomethane	ug/L	ND	20	33.1	166	30-150 CH,M0,SS	
Carbon disulfide	ug/L	ND	20	27.6	135	56-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

MATRIX SPIKE SAMPLE: 1625600		10257410002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Carbon tetrachloride	ug/L	ND	20	22.7	113	69-148	
Chlorobenzene	ug/L	ND	20	21.9	110	75-125	
Chloroethane	ug/L	ND	20	24.0	120	71-143	
Chloroform	ug/L	ND	20	21.4	107	75-126	
Chloromethane	ug/L	ND	20	36.3	173	55-150	CH,M0,SS
cis-1,2-Dichloroethene	ug/L	ND	20	21.8	109	75-130	
cis-1,3-Dichloropropene	ug/L	ND	20	21.9	110	72-129	
Dibromochloromethane	ug/L	ND	20	19.5	98	73-129	
Dibromomethane	ug/L	ND	20	20.5	103	75-125	
Dichlorodifluoromethane	ug/L	ND	20	26.3	131	70-150	
Ethylbenzene	ug/L	ND	20	20.4	101	75-128	
Hexachloro-1,3-butadiene	ug/L	ND	20	18.8	93	65-144	
Isopropylbenzene (Cumene)	ug/L	ND	20	21.3	106	75-131	
m&p-Xylene	ug/L	ND	40	43.5	109	75-130	
Methyl-tert-butyl ether	ug/L	ND	20	21.2	106	74-128	
Methylene Chloride	ug/L	ND	20	21.8	109	69-125	
n-Butylbenzene	ug/L	ND	20	20.8	103	70-137	
n-Propylbenzene	ug/L	ND	20	21.9	109	72-131	
Naphthalene	ug/L	ND	20	19.9	98	70-132	
o-Xylene	ug/L	ND	20	21.8	109	75-128	
p-Isopropyltoluene	ug/L	ND	20	22.4	112	73-133	
sec-Butylbenzene	ug/L	ND	20	21.6	108	74-133	
Styrene	ug/L	ND	20	21.7	109	75-128	
tert-Butylbenzene	ug/L	ND	20	21.3	107	74-130	
Tetrachloroethene	ug/L	ND	20	22.9	114	68-140	
Toluene	ug/L	ND	20	22.3	111	75-129	
trans-1,2-Dichloroethene	ug/L	ND	20	22.3	112	70-136	
trans-1,3-Dichloropropene	ug/L	ND	20	21.6	108	71-125	
Trichloroethene	ug/L	ND	20	22.0	110	72-135	
Trichlorofluoromethane	ug/L	ND	20	24.1	121	75-150	
Vinyl chloride	ug/L	ND	20	26.3	131	73-150	
Xylene (Total)	ug/L	ND	60	65.4	109	75-129	
1,2-Dichloroethane-d4 (S)	%				104	75-125	
4-Bromofluorobenzene (S)	%				100	75-125	
Toluene-d8 (S)	%				101	75-125	

SAMPLE DUPLICATE: 1625601

Parameter	Units	10257410003	Dup	RPD	Max	Qualifiers
		Result	Result		RPD	
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,1-Trichloroethane	ug/L	ND	ND		30	
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,2-Trichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethene	ug/L	ND	ND		30	
1,1-Dichloropropene	ug/L	ND	ND		30	
1,2,3-Trichlorobenzene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1625601

Parameter	Units	10257410003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,2,3-Trichloropropane	ug/L	ND	ND		30	
1,2,4-Trichlorobenzene	ug/L	ND	ND		30	
1,2,4-Trimethylbenzene	ug/L	ND	ND		30	
1,2-Dibromo-3-chloropropane	ug/L	ND	ND		30	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		30	
1,2-Dichlorobenzene	ug/L	ND	ND		30	
1,2-Dichloroethane	ug/L	ND	ND		30	
1,2-Dichloroethene (Total)	ug/L	ND	ND		30	
1,2-Dichloropropane	ug/L	ND	ND		30	
1,3,5-Trimethylbenzene	ug/L	ND	ND		30	
1,3-Dichlorobenzene	ug/L	ND	ND		30	
1,3-Dichloropropane	ug/L	ND	ND		30	
1,4-Dichlorobenzene	ug/L	ND	ND		30	
2,2-Dichloropropane	ug/L	ND	ND		30	
2-Butanone (MEK)	ug/L	ND	ND		30	
2-Chlorotoluene	ug/L	ND	ND		30	
2-Hexanone	ug/L	ND	ND		30	
4-Chlorotoluene	ug/L	ND	ND		30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		30	
Acetone	ug/L	ND	20.2		30	
Benzene	ug/L	ND	ND		30	
Bromobenzene	ug/L	ND	ND		30	
Bromochloromethane	ug/L	ND	ND		30	
Bromodichloromethane	ug/L	ND	ND		30	
Bromoform	ug/L	ND	ND		30	
Bromomethane	ug/L	ND	ND		30	
Carbon disulfide	ug/L	ND	.6J		30	
Carbon tetrachloride	ug/L	ND	ND		30	
Chlorobenzene	ug/L	ND	ND		30	
Chloroethane	ug/L	ND	ND		30	
Chloroform	ug/L	ND	ND		30	
Chloromethane	ug/L	ND	ND		30	
cis-1,2-Dichloroethene	ug/L	ND	ND		30	
cis-1,3-Dichloropropene	ug/L	ND	ND		30	
Dibromochloromethane	ug/L	ND	ND		30	
Dibromomethane	ug/L	ND	ND		30	
Dichlorodifluoromethane	ug/L	ND	ND		30	
Ethylbenzene	ug/L	ND	ND		30	
Hexachloro-1,3-butadiene	ug/L	ND	ND		30	
Isopropylbenzene (Cumene)	ug/L	ND	ND		30	
m&p-Xylene	ug/L	ND	ND		30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Methylene Chloride	ug/L	ND	ND		30	
n-Butylbenzene	ug/L	ND	ND		30	
n-Propylbenzene	ug/L	ND	ND		30	
Naphthalene	ug/L	ND	ND		30	
o-Xylene	ug/L	ND	ND		30	
p-Isopropyltoluene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1625601

Parameter	Units	10257410003 Result	Dup Result	RPD	Max RPD	Qualifiers
sec-Butylbenzene	ug/L	ND	ND		30	
Styrene	ug/L	ND	ND		30	
tert-Butylbenzene	ug/L	ND	ND		30	
Tetrachloroethene	ug/L	ND	ND		30	
Toluene	ug/L	ND	ND		30	
trans-1,2-Dichloroethene	ug/L	ND	ND		30	
trans-1,3-Dichloropropene	ug/L	ND	ND		30	
Trichloroethene	ug/L	ND	ND		30	
Trichlorofluoromethane	ug/L	ND	ND		30	
Vinyl chloride	ug/L	ND	ND		30	
Xylene (Total)	ug/L	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%.	102	101	.9		
4-Bromofluorobenzene (S)	%.	101	100	.8		
Toluene-d8 (S)	%.	100	98	1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26354

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV 465 W

Associated Lab Samples: 10256845029

METHOD BLANK: 1625320

Matrix: Water

Associated Lab Samples: 10256845029

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/17/14 18:24	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/17/14 18:24	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/17/14 18:24	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/17/14 18:24	
1,1-Dichloroethane	ug/L	ND	1.0	02/17/14 18:24	
1,1-Dichloroethene	ug/L	ND	1.0	02/17/14 18:24	
1,1-Dichloropropene	ug/L	ND	1.0	02/17/14 18:24	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/17/14 18:24	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/17/14 18:24	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/17/14 18:24	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/17/14 18:24	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/17/14 18:24	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/17/14 18:24	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/17/14 18:24	
1,2-Dichloroethane	ug/L	ND	1.0	02/17/14 18:24	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/17/14 18:24	
1,2-Dichloropropane	ug/L	ND	4.0	02/17/14 18:24	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/17/14 18:24	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/17/14 18:24	
1,3-Dichloropropane	ug/L	ND	1.0	02/17/14 18:24	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/17/14 18:24	
2,2-Dichloropropane	ug/L	ND	4.0	02/17/14 18:24	
2-Butanone (MEK)	ug/L	ND	5.0	02/17/14 18:24	
2-Chlorotoluene	ug/L	ND	1.0	02/17/14 18:24	
2-Hexanone	ug/L	ND	5.0	02/17/14 18:24	
4-Chlorotoluene	ug/L	ND	1.0	02/17/14 18:24	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/17/14 18:24	
Acetone	ug/L	ND	20.0	02/17/14 18:24	
Benzene	ug/L	ND	1.0	02/17/14 18:24	
Bromobenzene	ug/L	ND	1.0	02/17/14 18:24	
Bromochloromethane	ug/L	ND	1.0	02/17/14 18:24	
Bromodichloromethane	ug/L	ND	1.0	02/17/14 18:24	
Bromoform	ug/L	ND	4.0	02/17/14 18:24	
Bromomethane	ug/L	ND	4.0	02/17/14 18:24	
Carbon disulfide	ug/L	ND	1.0	02/17/14 18:24	
Carbon tetrachloride	ug/L	ND	1.0	02/17/14 18:24	
Chlorobenzene	ug/L	ND	1.0	02/17/14 18:24	
Chloroethane	ug/L	ND	1.0	02/17/14 18:24	
Chloroform	ug/L	ND	1.0	02/17/14 18:24	
Chloromethane	ug/L	ND	4.0	02/17/14 18:24	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/17/14 18:24	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/17/14 18:24	
Dibromochloromethane	ug/L	ND	1.0	02/17/14 18:24	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1625320

Matrix: Water

Associated Lab Samples: 10256845029

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/17/14 18:24	
Dichlorodifluoromethane	ug/L	ND	1.0	02/17/14 18:24	
Ethylbenzene	ug/L	ND	1.0	02/17/14 18:24	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/17/14 18:24	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/17/14 18:24	
m&p-Xylene	ug/L	ND	2.0	02/17/14 18:24	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/17/14 18:24	
Methylene Chloride	ug/L	ND	4.0	02/17/14 18:24	
n-Butylbenzene	ug/L	ND	1.0	02/17/14 18:24	
n-Propylbenzene	ug/L	ND	1.0	02/17/14 18:24	
Naphthalene	ug/L	ND	4.0	02/17/14 18:24	
o-Xylene	ug/L	ND	1.0	02/17/14 18:24	
p-Isopropyltoluene	ug/L	ND	1.0	02/17/14 18:24	
sec-Butylbenzene	ug/L	ND	1.0	02/17/14 18:24	
Styrene	ug/L	ND	1.0	02/17/14 18:24	
tert-Butylbenzene	ug/L	ND	1.0	02/17/14 18:24	
Tetrachloroethene	ug/L	ND	1.0	02/17/14 18:24	
Toluene	ug/L	ND	1.0	02/17/14 18:24	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/17/14 18:24	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/17/14 18:24	
Trichloroethene	ug/L	ND	0.40	02/17/14 18:24	
Trichlorofluoromethane	ug/L	ND	1.0	02/17/14 18:24	
Vinyl chloride	ug/L	ND	0.20	02/17/14 18:24	
Xylene (Total)	ug/L	ND	3.0	02/17/14 18:24	
1,2-Dichloroethane-d4 (S)	%	107	75-125	02/17/14 18:24	
4-Bromofluorobenzene (S)	%	101	75-125	02/17/14 18:24	
Toluene-d8 (S)	%	100	75-125	02/17/14 18:24	

LABORATORY CONTROL SAMPLE: 1625321

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	21.4	107	75-125	
1,1,1-Trichloroethane	ug/L	20	22.1	111	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	20.8	104	74-125	
1,1,2-Trichloroethane	ug/L	20	21.0	105	75-125	
1,1-Dichloroethane	ug/L	20	23.3	116	75-125	
1,1-Dichloroethene	ug/L	20	21.4	107	70-125	
1,1-Dichloropropene	ug/L	20	22.5	112	73-125	
1,2,3-Trichlorobenzene	ug/L	20	20.7	104	75-125	
1,2,3-Trichloropropane	ug/L	20	21.2	106	75-125	
1,2,4-Trichlorobenzene	ug/L	20	21.3	107	75-125	
1,2,4-Trimethylbenzene	ug/L	20	20.4	102	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	50.2	100	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	20.8	104	75-125	
1,2-Dichlorobenzene	ug/L	20	20.6	103	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1625321

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	20	21.9	110	75-125	
1,2-Dichloroethene (Total)	ug/L	40	43.7	109	71-127	
1,2-Dichloropropane	ug/L	20	21.0	105	75-125	
1,3,5-Trimethylbenzene	ug/L	20	21.1	105	75-125	
1,3-Dichlorobenzene	ug/L	20	20.7	104	75-125	
1,3-Dichloropropane	ug/L	20	20.6	103	75-125	
1,4-Dichlorobenzene	ug/L	20	20.4	102	75-125	
2,2-Dichloropropane	ug/L	20	22.7	114	66-130	
2-Butanone (MEK)	ug/L	100	110	110	64-126	
2-Chlorotoluene	ug/L	20	21.3	106	73-125	
2-Hexanone	ug/L	100	103	103	69-127	
4-Chlorotoluene	ug/L	20	20.7	104	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	106	106	71-125	
Acetone	ug/L	100	101	101	66-131	
Benzene	ug/L	20	22.0	110	75-125	
Bromobenzene	ug/L	20	20.0	100	75-125	
Bromochloromethane	ug/L	20	22.8	114	75-125	
Bromodichloromethane	ug/L	20	20.6	103	75-125	
Bromoform	ug/L	20	19.2	96	70-125	
Bromomethane	ug/L	20	17.4	87	30-150	SS
Carbon disulfide	ug/L	20	19.1	95	60-125	
Carbon tetrachloride	ug/L	20	21.6	108	68-129	
Chlorobenzene	ug/L	20	20.7	104	75-125	
Chloroethane	ug/L	20	19.9	99	68-133	
Chloroform	ug/L	20	21.7	108	75-125	
Chloromethane	ug/L	20	19.5	97	57-140	SS
cis-1,2-Dichloroethene	ug/L	20	22.1	111	75-125	
cis-1,3-Dichloropropene	ug/L	20	20.9	105	75-125	
Dibromochloromethane	ug/L	20	19.3	96	75-125	
Dibromomethane	ug/L	20	20.9	105	75-125	
Dichlorodifluoromethane	ug/L	20	22.9	115	50-134	
Ethylbenzene	ug/L	20	19.6	98	75-125	
Hexachloro-1,3-butadiene	ug/L	20	21.1	106	74-128	
Isopropylbenzene (Cumene)	ug/L	20	20.4	102	73-125	
m&p-Xylene	ug/L	40	41.6	104	75-125	
Methyl-tert-butyl ether	ug/L	20	21.5	108	75-125	
Methylene Chloride	ug/L	20	21.3	107	75-125	
n-Butylbenzene	ug/L	20	21.1	106	73-125	
n-Propylbenzene	ug/L	20	21.2	106	72-125	
Naphthalene	ug/L	20	19.8	99	74-125	
o-Xylene	ug/L	20	21.0	105	75-125	
p-Isopropyltoluene	ug/L	20	22.6	113	74-125	
sec-Butylbenzene	ug/L	20	21.7	109	74-125	
Styrene	ug/L	20	20.6	103	75-125	
tert-Butylbenzene	ug/L	20	21.3	107	74-125	
Tetrachloroethene	ug/L	20	21.3	107	71-125	
Toluene	ug/L	20	20.8	104	75-125	
trans-1,2-Dichloroethene	ug/L	20	21.6	108	73-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1625321

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	19.9	99	75-125	
Trichloroethene	ug/L	20	20.2	101	75-125	
Trichlorofluoromethane	ug/L	20	21.8	109	70-128	
Vinyl chloride	ug/L	20	21.6	108	70-130	
Xylene (Total)	ug/L	60	62.6	104	75-125	
1,2-Dichloroethane-d4 (S)	%			111	75-125	
4-Bromofluorobenzene (S)	%			102	75-125	
Toluene-d8 (S)	%			102	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1625897 1625898

Parameter	Units	10257623001		MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.								
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	20	23.9	22.8	120	114	74-131	5	30	
1,1,1-Trichloroethane	ug/L	ND	20	20	20	25.9	25.6	130	128	73-139	1	30	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	20	22.3	21.0	112	105	72-125	6	30	
1,1,2-Trichloroethane	ug/L	ND	20	20	20	23.0	21.1	115	106	75-125	8	30	
1,1-Dichloroethane	ug/L	ND	20	20	20	25.5	24.2	125	119	73-132	5	30	
1,1-Dichloroethene	ug/L	ND	20	20	20	27.8	24.4	137	120	71-142	13	30	
1,1-Dichloropropene	ug/L	ND	20	20	20	25.9	24.9	129	125	73-139	4	30	
1,2,3-Trichlorobenzene	ug/L	ND	20	20	20	23.2	22.7	116	114	70-129	2	30	
1,2,3-Trichloropropane	ug/L	ND	20	20	20	22.3	20.9	111	104	74-125	6	30	
1,2,4-Trichlorobenzene	ug/L	ND	20	20	20	23.9	22.6	120	113	70-129	5	30	
1,2,4-Trimethylbenzene	ug/L	ND	20	20	20	22.5	21.9	113	109	72-136	3	30	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	50	55.8	52.4	112	105	66-127	6	30	
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	20	22.6	21.4	113	107	75-125	5	30	
1,2-Dichlorobenzene	ug/L	ND	20	20	20	22.6	21.7	113	109	75-125	4	30	
1,2-Dichloroethane	ug/L	ND	20	20	20	24.4	23.4	122	117	68-128	4	30	
1,2-Dichloroethene (Total)	ug/L	ND	40	40	40	52.9	49.1	128	119	73-129	7	30	
1,2-Dichloropropane	ug/L	ND	20	20	20	23.0	22.0	115	110	74-131	4	30	
1,3,5-Trimethylbenzene	ug/L	ND	20	20	20	23.2	22.6	116	113	75-131	3	30	
1,3-Dichlorobenzene	ug/L	ND	20	20	20	22.7	22.0	114	110	73-125	3	30	
1,3-Dichloropropane	ug/L	ND	20	20	20	22.1	20.8	111	104	75-125	6	30	
1,4-Dichlorobenzene	ug/L	ND	20	20	20	22.4	21.7	112	108	73-125	3	30	
2,2-Dichloropropane	ug/L	ND	20	20	20	26.8	25.8	134	129	58-150	4	30	
2-Butanone (MEK)	ug/L	ND	100	100	100	118	114	118	114	56-140	3	30	
2-Chlorotoluene	ug/L	ND	20	20	20	23.4	22.7	117	113	70-130	3	30	
2-Hexanone	ug/L	ND	100	100	100	113	105	113	105	63-132	7	30	
4-Chlorotoluene	ug/L	ND	20	20	20	22.6	22.0	113	110	73-126	3	30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	100	100	115	107	115	107	69-128	7	30	
Acetone	ug/L	ND	100	100	100	117	114	115	111	57-143	3	30	
Benzene	ug/L	ND	20	20	20	25.2	24.3	126	122	75-129	3	30	
Bromobenzene	ug/L	ND	20	20	20	21.4	21.1	107	105	74-125	1	30	
Bromochloromethane	ug/L	ND	20	20	20	25.1	23.7	125	119	75-126	5	30	
Bromodichloromethane	ug/L	ND	20	20	20	22.8	21.4	114	107	75-128	6	30	
Bromoform	ug/L	ND	20	20	20	20.9	19.6	104	98	66-130	6	30	
Bromomethane	ug/L	ND	20	20	20	20.1	21.4	101	107	30-150	6	30 SS	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Parameter	10257623001		MS		MSD		MS		MSD		% Rec	Limits	RPD	Max	RPD	Qual
	Units	Result	Spike	Conc.	Spike	Conc.	MS	MSD	% Rec	% Rec						
Carbon disulfide	ug/L	ND	20	20	23.2	21.9	115	109	56-140	6	30					
Carbon tetrachloride	ug/L	ND	20	20	25.0	24.9	125	124	69-148	.3	30					
Chlorobenzene	ug/L	ND	20	20	23.0	21.8	115	109	75-125	5	30					
Chloroethane	ug/L	ND	20	20	23.0	21.6	115	108	71-143	6	30					
Chloroform	ug/L	ND	20	20	25.1	23.6	125	118	75-126	6	30					
Chloromethane	ug/L	ND	20	20	29.9	29.6	149	148	55-150	1	30	SS				
cis-1,2-Dichloroethene	ug/L	1.6	20	20	27.3	25.4	128	119	75-130	7	30					
cis-1,3-Dichloropropene	ug/L	ND	20	20	23.1	21.7	115	108	72-129	6	30					
Dibromochloromethane	ug/L	ND	20	20	21.6	19.9	108	99	73-129	8	30					
Dibromomethane	ug/L	ND	20	20	22.7	20.4	113	102	75-125	10	30					
Dichlorodifluoromethane	ug/L	ND	20	20	28.1	28.5	140	142	70-150	1	30					
Ethylbenzene	ug/L	ND	20	20	22.0	21.1	110	105	75-128	4	30					
Hexachloro-1,3-butadiene	ug/L	ND	20	20	24.1	23.6	121	118	65-144	2	30					
Isopropylbenzene (Cumene)	ug/L	ND	20	20	23.4	22.4	117	112	75-131	4	30					
m&p-Xylene	ug/L	ND	40	40	46.5	44.5	116	111	75-130	4	30					
Methyl-tert-butyl ether	ug/L	ND	20	20	24.2	22.6	121	113	74-128	7	30					
Methylene Chloride	ug/L	ND	20	20	23.2	22.1	116	111	69-125	5	30					
n-Butylbenzene	ug/L	ND	20	20	23.7	23.2	118	116	70-137	2	30					
n-Propylbenzene	ug/L	ND	20	20	23.6	23.0	118	115	72-131	3	30					
Naphthalene	ug/L	ND	20	20	23.0	21.8	114	108	70-132	5	30					
o-Xylene	ug/L	ND	20	20	23.1	22.3	116	111	75-128	4	30					
p-Isopropyltoluene	ug/L	ND	20	20	24.5	23.9	122	120	73-133	2	30					
sec-Butylbenzene	ug/L	ND	20	20	24.3	23.7	121	118	74-133	2	30					
Styrene	ug/L	ND	20	20	23.1	22.0	116	110	75-128	5	30					
tert-Butylbenzene	ug/L	ND	20	20	23.8	23.3	119	117	74-130	2	30					
Tetrachloroethene	ug/L	8.0	20	20	32.0	32.2	120	121	68-140	.5	30					
Toluene	ug/L	ND	20	20	23.5	22.5	117	112	75-129	4	30					
trans-1,2-Dichloroethene	ug/L	ND	20	20	25.7	23.7	128	119	70-136	8	30					
trans-1,3-Dichloropropene	ug/L	ND	20	20	22.2	20.4	111	102	71-125	8	30					
Trichloroethene	ug/L	72.7	20	20	92.9	95.1	101	112	72-135	2	30					
Trichlorofluoromethane	ug/L	ND	20	20	25.1	23.3	126	117	75-150	8	30					
Vinyl chloride	ug/L	ND	20	20	25.7	25.1	129	125	73-150	3	30					
Xylene (Total)	ug/L	ND	60	60	69.7	66.8	116	111	75-129	4	30					
1,2-Dichloroethane-d4 (S)	%						112	111	75-125							
4-Bromofluorobenzene (S)	%						102	101	75-125							
Toluene-d8 (S)	%						102	101	75-125							

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch:	MSV/26361	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV 465 W
Associated Lab Samples:	10256845063		

METHOD BLANK: 1625629 Matrix: Water

Associated Lab Samples: 10256845063

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/23/14 17:12	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/23/14 17:12	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/23/14 17:12	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/23/14 17:12	
1,1-Dichloroethane	ug/L	ND	1.0	02/23/14 17:12	
1,1-Dichloroethene	ug/L	ND	1.0	02/23/14 17:12	
1,1-Dichloropropene	ug/L	ND	1.0	02/23/14 17:12	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/23/14 17:12	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/23/14 17:12	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/23/14 17:12	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/23/14 17:12	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/23/14 17:12	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/23/14 17:12	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/23/14 17:12	
1,2-Dichloroethane	ug/L	ND	1.0	02/23/14 17:12	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/23/14 17:12	
1,2-Dichloropropane	ug/L	ND	4.0	02/23/14 17:12	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/23/14 17:12	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/23/14 17:12	
1,3-Dichloropropane	ug/L	ND	1.0	02/23/14 17:12	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/23/14 17:12	
2,2-Dichloropropane	ug/L	ND	4.0	02/23/14 17:12	
2-Butanone (MEK)	ug/L	ND	5.0	02/23/14 17:12	
2-Chlorotoluene	ug/L	ND	1.0	02/23/14 17:12	
2-Hexanone	ug/L	ND	5.0	02/23/14 17:12	
4-Chlorotoluene	ug/L	ND	1.0	02/23/14 17:12	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/23/14 17:12	
Acetone	ug/L	ND	20.0	02/23/14 17:12	
Benzene	ug/L	ND	1.0	02/23/14 17:12	
Bromobenzene	ug/L	ND	1.0	02/23/14 17:12	
Bromochloromethane	ug/L	ND	1.0	02/23/14 17:12	
Bromodichloromethane	ug/L	ND	1.0	02/23/14 17:12	
Bromoform	ug/L	ND	4.0	02/23/14 17:12	
Bromomethane	ug/L	ND	4.0	02/23/14 17:12	CL
Carbon disulfide	ug/L	ND	1.0	02/23/14 17:12	
Carbon tetrachloride	ug/L	ND	1.0	02/23/14 17:12	
Chlorobenzene	ug/L	ND	1.0	02/23/14 17:12	
Chloroethane	ug/L	ND	1.0	02/23/14 17:12	
Chloroform	ug/L	ND	1.0	02/23/14 17:12	
Chloromethane	ug/L	ND	4.0	02/23/14 17:12	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/23/14 17:12	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/23/14 17:12	
Dibromochloromethane	ug/L	ND	1.0	02/23/14 17:12	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1625629

Matrix: Water

Associated Lab Samples: 10256845063

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/23/14 17:12	
Dichlorodifluoromethane	ug/L	ND	1.0	02/23/14 17:12	
Ethylbenzene	ug/L	ND	1.0	02/23/14 17:12	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/23/14 17:12	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/23/14 17:12	
m&p-Xylene	ug/L	ND	2.0	02/23/14 17:12	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/23/14 17:12	
Methylene Chloride	ug/L	ND	4.0	02/23/14 17:12	
n-Butylbenzene	ug/L	ND	1.0	02/23/14 17:12	
n-Propylbenzene	ug/L	ND	1.0	02/23/14 17:12	
Naphthalene	ug/L	ND	4.0	02/23/14 17:12	
o-Xylene	ug/L	ND	1.0	02/23/14 17:12	
p-Isopropyltoluene	ug/L	ND	1.0	02/23/14 17:12	
sec-Butylbenzene	ug/L	ND	1.0	02/23/14 17:12	
Styrene	ug/L	ND	1.0	02/23/14 17:12	
tert-Butylbenzene	ug/L	ND	1.0	02/23/14 17:12	
Tetrachloroethene	ug/L	ND	1.0	02/23/14 17:12	
Toluene	ug/L	ND	1.0	02/23/14 17:12	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/23/14 17:12	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/23/14 17:12	
Trichloroethene	ug/L	ND	0.40	02/23/14 17:12	
Trichlorofluoromethane	ug/L	ND	1.0	02/23/14 17:12	
Vinyl chloride	ug/L	ND	0.20	02/23/14 17:12	
Xylene (Total)	ug/L	ND	3.0	02/23/14 17:12	
1,2-Dichloroethane-d4 (S)	%	109	75-125	02/23/14 17:12	
4-Bromofluorobenzene (S)	%	106	75-125	02/23/14 17:12	
Toluene-d8 (S)	%	105	75-125	02/23/14 17:12	

LABORATORY CONTROL SAMPLE: 1625630

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.2	101	75-125	
1,1,1-Trichloroethane	ug/L	20	19.9	100	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	21.0	105	74-125	
1,1,2-Trichloroethane	ug/L	20	20.5	103	75-125	
1,1-Dichloroethane	ug/L	20	18.2	91	75-125	
1,1-Dichloroethene	ug/L	20	20.1	101	70-125	
1,1-Dichloropropene	ug/L	20	20.0	100	73-125	
1,2,3-Trichlorobenzene	ug/L	20	22.1	111	75-125	
1,2,3-Trichloropropane	ug/L	20	20.8	104	75-125	
1,2,4-Trichlorobenzene	ug/L	20	21.1	106	75-125	
1,2,4-Trimethylbenzene	ug/L	20	22.1	111	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	51.6	103	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	20.6	103	75-125	
1,2-Dichlorobenzene	ug/L	20	21.2	106	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1625630

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	20	18.3	91	75-125	
1,2-Dichloroethene (Total)	ug/L	40	36.9	92	71-127	
1,2-Dichloropropane	ug/L	20	18.4	92	75-125	
1,3,5-Trimethylbenzene	ug/L	20	22.1	110	75-125	
1,3-Dichlorobenzene	ug/L	20	20.4	102	75-125	
1,3-Dichloropropane	ug/L	20	20.5	103	75-125	
1,4-Dichlorobenzene	ug/L	20	19.9	99	75-125	
2,2-Dichloropropane	ug/L	20	18.5	92	66-130	
2-Butanone (MEK)	ug/L	100	88.6	89	64-126	
2-Chlorotoluene	ug/L	20	21.6	108	73-125	
2-Hexanone	ug/L	100	97.8	98	69-127	
4-Chlorotoluene	ug/L	20	21.8	109	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	95.6	96	71-125	
Acetone	ug/L	100	86.2	86	66-131	
Benzene	ug/L	20	18.3	92	75-125	
Bromobenzene	ug/L	20	21.0	105	75-125	
Bromochloromethane	ug/L	20	18.8	94	75-125	
Bromodichloromethane	ug/L	20	18.5	93	75-125	
Bromoform	ug/L	20	19.6	98	70-125	
Bromomethane	ug/L	20	14.4	72	30-150	CL
Carbon disulfide	ug/L	20	18.8	94	60-125	
Carbon tetrachloride	ug/L	20	20.0	100	68-129	
Chlorobenzene	ug/L	20	19.3	97	75-125	
Chloroethane	ug/L	20	19.7	98	68-133	
Chloroform	ug/L	20	19.0	95	75-125	
Chloromethane	ug/L	20	18.7	93	57-140	
cis-1,2-Dichloroethene	ug/L	20	18.3	92	75-125	
cis-1,3-Dichloropropene	ug/L	20	17.8	89	75-125	
Dibromochloromethane	ug/L	20	19.9	99	75-125	
Dibromomethane	ug/L	20	18.5	93	75-125	
Dichlorodifluoromethane	ug/L	20	18.2	91	50-134	
Ethylbenzene	ug/L	20	18.5	93	75-125	
Hexachloro-1,3-butadiene	ug/L	20	22.8	114	74-128	
Isopropylbenzene (Cumene)	ug/L	20	21.0	105	73-125	
m&p-Xylene	ug/L	40	40.8	102	75-125	
Methyl-tert-butyl ether	ug/L	20	17.2	86	75-125	
Methylene Chloride	ug/L	20	18.4	92	75-125	
n-Butylbenzene	ug/L	20	23.3	116	73-125	
n-Propylbenzene	ug/L	20	22.1	110	72-125	
Naphthalene	ug/L	20	22.1	110	74-125	
o-Xylene	ug/L	20	20.4	102	75-125	
p-Isopropyltoluene	ug/L	20	22.4	112	74-125	
sec-Butylbenzene	ug/L	20	22.9	114	74-125	
Styrene	ug/L	20	21.2	106	75-125	
tert-Butylbenzene	ug/L	20	21.9	109	74-125	
Tetrachloroethene	ug/L	20	19.6	98	71-125	
Toluene	ug/L	20	20.1	101	75-125	
trans-1,2-Dichloroethene	ug/L	20	18.6	93	73-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1625630

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	20.4	102	75-125	
Trichloroethene	ug/L	20	17.7	88	75-125	
Trichlorofluoromethane	ug/L	20	22.1	111	70-128	
Vinyl chloride	ug/L	20	18.6	93	70-130	
Xylene (Total)	ug/L	60	61.2	102	75-125	
1,2-Dichloroethane-d4 (S)	%			107	75-125	
4-Bromofluorobenzene (S)	%			105	75-125	
Toluene-d8 (S)	%			106	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1625631 1625632

Parameter	10256845063		MS	MSD	1625631		1625632		% Rec Limits	Max RPD	Qual	
	Units	Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec				
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	18.6	19.8	93	99	74-131	6	30	
1,1,1-Trichloroethane	ug/L	ND	20	20	19.2	20.7	96	104	73-139	7	30	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	19.2	20.4	96	102	72-125	6	30	
1,1,2-Trichloroethane	ug/L	ND	20	20	18.9	20.1	95	100	75-125	6	30	
1,1-Dichloroethane	ug/L	ND	20	20	17.3	18.5	86	93	73-132	7	30	
1,1-Dichloroethene	ug/L	ND	20	20	20.4	21.4	102	107	71-142	5	30	
1,1-Dichloropropene	ug/L	ND	20	20	19.4	21.0	97	105	73-139	8	30	
1,2,3-Trichlorobenzene	ug/L	ND	20	20	20.9	23.2	105	116	70-129	10	30	
1,2,3-Trichloropropane	ug/L	ND	20	20	18.7	20.3	93	101	74-125	8	30	
1,2,4-Trichlorobenzene	ug/L	ND	20	20	20.6	22.8	103	114	70-129	10	30	
1,2,4-Trimethylbenzene	ug/L	ND	20	20	32.3	34.6	161	173	72-136	7	30	M1
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	47.5	50.8	95	102	66-127	7	30	
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	18.8	19.6	94	98	75-125	4	30	
1,2-Dichlorobenzene	ug/L	ND	20	20	19.6	21.1	98	106	75-125	8	30	
1,2-Dichloroethane	ug/L	ND	20	20	16.7	17.2	84	86	68-128	3	30	
1,2-Dichloroethene (Total)	ug/L	ND	40	40	35.5	38.2	89	96	73-129	7	30	
1,2-Dichloropropane	ug/L	ND	20	20	17.5	18.6	87	93	74-131	6	30	
1,3,5-Trimethylbenzene	ug/L	ND	20	20	27.0	28.7	135	144	75-131	6	30	M1
1,3-Dichlorobenzene	ug/L	ND	20	20	19.1	20.7	96	104	73-125	8	30	
1,3-Dichloropropane	ug/L	ND	20	20	18.7	19.6	94	98	75-125	5	30	
1,4-Dichlorobenzene	ug/L	ND	20	20	18.6	19.6	93	98	73-125	5	30	
2,2-Dichloropropane	ug/L	ND	20	20	18.4	19.1	92	96	58-150	4	30	
2-Butanone (MEK)	ug/L	ND	100	100	84.1	86.0	84	86	56-140	2	30	
2-Chlorotoluene	ug/L	ND	20	20	21.1	22.7	105	113	70-130	7	30	
2-Hexanone	ug/L	ND	100	100	88.9	91.1	89	91	63-132	2	30	
4-Chlorotoluene	ug/L	ND	20	20	20.3	21.5	102	108	73-126	6	30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	100	86.9	88.3	87	88	69-128	2	30	
Acetone	ug/L	ND	100	100	81.6	89.7	82	90	57-143	9	30	
Benzene	ug/L	ND	20	20	20.5	21.6	102	108	75-129	5	30	
Bromobenzene	ug/L	ND	20	20	19.4	21.5	97	107	74-125	10	30	
Bromochloromethane	ug/L	ND	20	20	17.4	18.3	87	92	75-126	5	30	
Bromodichloromethane	ug/L	ND	20	20	17.3	18.2	87	91	75-128	5	30	
Bromoform	ug/L	ND	20	20	17.5	18.6	88	93	66-130	6	30	
Bromomethane	ug/L	ND	20	20	16.1	16.6	81	83	30-150	3	30	CL

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Parameter	10256845063		MS		MSD		MS		MSD		% Rec	Limits	RPD	Max RPD	Qual
	Units	Result	Spike Conc.	MS Spike Conc.	MS Result	MSD Result	% Rec	% Rec							
Carbon disulfide	ug/L	ND	20	20	18.7	19.1	94	95	56-140	2	30				
Carbon tetrachloride	ug/L	ND	20	20	19.7	20.9	99	104	69-148	6	30				
Chlorobenzene	ug/L	ND	20	20	18.1	18.9	90	94	75-125	4	30				
Chloroethane	ug/L	ND	20	20	20.6	22.3	103	111	71-143	8	30				
Chloroform	ug/L	ND	20	20	18.2	19.0	91	95	75-126	4	30				
Chloromethane	ug/L	ND	20	20	20.5	21.8	102	109	55-150	6	30				
cis-1,2-Dichloroethene	ug/L	ND	20	20	17.6	18.6	88	93	75-130	5	30				
cis-1,3-Dichloropropene	ug/L	ND	20	20	16.1	16.9	80	85	72-129	5	30				
Dibromochloromethane	ug/L	ND	20	20	18.1	18.4	91	92	73-129	1	30				
Dibromomethane	ug/L	ND	20	20	16.8	17.8	84	89	75-125	6	30				
Dichlorodifluoromethane	ug/L	ND	20	20	19.9	22.7	99	114	70-150	14	30				
Ethylbenzene	ug/L	ND	20	20	17.9	18.8	89	94	75-128	5	30				
Hexachloro-1,3-butadiene	ug/L	ND	20	20	23.0	26.1	115	131	65-144	13	30				
Isopropylbenzene (Cumene)	ug/L	ND	20	20	21.0	22.3	105	112	75-131	6	30				
m&p-Xylene	ug/L	ND	40	40	48.6	50.8	121	127	75-130	4	30				
Methyl-tert-butyl ether	ug/L	ND	20	20	15.7	16.4	78	82	74-128	5	30				
Methylene Chloride	ug/L	ND	20	20	17.6	17.9	80	82	69-125	2	30				
n-Butylbenzene	ug/L	ND	20	20	25.4	27.4	127	137	70-137	7	30				
n-Propylbenzene	ug/L	ND	20	20	25.3	27.0	127	135	72-131	6	30	M1			
Naphthalene	ug/L	ND	20	20	24.6	27.2	123	136	70-132	10	30	M1			
o-Xylene	ug/L	ND	20	20	19.7	20.4	98	102	75-128	4	30				
p-Isopropyltoluene	ug/L	ND	20	20	22.7	24.9	114	125	73-133	9	30				
sec-Butylbenzene	ug/L	ND	20	20	23.0	25.0	115	125	74-133	8	30				
Styrene	ug/L	ND	20	20	19.9	20.6	100	103	75-128	3	30				
tert-Butylbenzene	ug/L	ND	20	20	20.8	22.9	104	114	74-130	10	30				
Tetrachloroethene	ug/L	ND	20	20	18.8	20.0	94	100	68-140	6	30				
Toluene	ug/L	ND	20	20	19.5	20.5	97	102	75-129	5	30				
trans-1,2-Dichloroethene	ug/L	ND	20	20	17.9	19.6	90	98	70-136	9	30				
trans-1,3-Dichloropropene	ug/L	ND	20	20	18.6	19.1	93	96	71-125	3	30				
Trichloroethene	ug/L	ND	20	20	17.3	18.1	87	90	72-135	4	30				
Trichlorofluoromethane	ug/L	ND	20	20	23.9	26.8	120	134	75-150	11	30				
Vinyl chloride	ug/L	ND	20	20	20.0	22.0	100	110	73-150	9	30				
Xylene (Total)	ug/L	ND	60	60	68.2	71.2	114	119	75-129	4	30				
1,2-Dichloroethane-d4 (S)	%						110	107	75-125						
4-Bromofluorobenzene (S)	%						106	107	75-125						
Toluene-d8 (S)	%						107	106	75-125						

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26394 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 465 W
Associated Lab Samples: 10256845048, 10256845049, 10256845052

METHOD BLANK: 1628032 Matrix: Water

Associated Lab Samples: 10256845048, 10256845049, 10256845052

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1-Dichloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1-Dichloroethene	ug/L	ND	1.0	02/22/14 00:19	
1,1-Dichloropropene	ug/L	ND	1.0	02/22/14 00:19	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/22/14 00:19	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/22/14 00:19	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/22/14 00:19	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/22/14 00:19	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
1,2-Dichloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/22/14 00:19	
1,2-Dichloropropane	ug/L	ND	4.0	02/22/14 00:19	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/22/14 00:19	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
1,3-Dichloropropane	ug/L	ND	1.0	02/22/14 00:19	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
2,2-Dichloropropane	ug/L	ND	4.0	02/22/14 00:19	
2-Butanone (MEK)	ug/L	ND	5.0	02/22/14 00:19	
2-Chlorotoluene	ug/L	ND	1.0	02/22/14 00:19	
2-Hexanone	ug/L	ND	5.0	02/22/14 00:19	
4-Chlorotoluene	ug/L	ND	1.0	02/22/14 00:19	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/22/14 00:19	
Acetone	ug/L	ND	20.0	02/22/14 00:19	
Benzene	ug/L	ND	1.0	02/22/14 00:19	
Bromobenzene	ug/L	ND	1.0	02/22/14 00:19	
Bromochloromethane	ug/L	ND	1.0	02/22/14 00:19	
Bromodichloromethane	ug/L	ND	1.0	02/22/14 00:19	
Bromoform	ug/L	ND	4.0	02/22/14 00:19	
Bromomethane	ug/L	ND	4.0	02/22/14 00:19	
Carbon disulfide	ug/L	ND	1.0	02/22/14 00:19	
Carbon tetrachloride	ug/L	ND	1.0	02/22/14 00:19	
Chlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
Chloroethane	ug/L	ND	1.0	02/22/14 00:19	
Chloroform	ug/L	ND	1.0	02/22/14 00:19	
Chloromethane	ug/L	ND	4.0	02/22/14 00:19	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/22/14 00:19	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/22/14 00:19	
Dibromochloromethane	ug/L	ND	1.0	02/22/14 00:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1628032

Matrix: Water

Associated Lab Samples: 10256845048, 10256845049, 10256845052

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/22/14 00:19	
Dichlorodifluoromethane	ug/L	ND	1.0	02/22/14 00:19	
Ethylbenzene	ug/L	ND	1.0	02/22/14 00:19	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/22/14 00:19	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/22/14 00:19	
m&p-Xylene	ug/L	ND	2.0	02/22/14 00:19	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/22/14 00:19	
Methylene Chloride	ug/L	ND	4.0	02/22/14 00:19	
n-Butylbenzene	ug/L	ND	1.0	02/22/14 00:19	
n-Propylbenzene	ug/L	ND	1.0	02/22/14 00:19	
Naphthalene	ug/L	ND	4.0	02/22/14 00:19	
o-Xylene	ug/L	ND	1.0	02/22/14 00:19	
p-Isopropyltoluene	ug/L	ND	1.0	02/22/14 00:19	
sec-Butylbenzene	ug/L	ND	1.0	02/22/14 00:19	
Styrene	ug/L	ND	1.0	02/22/14 00:19	
tert-Butylbenzene	ug/L	ND	1.0	02/22/14 00:19	
Tetrachloroethene	ug/L	ND	1.0	02/22/14 00:19	
Toluene	ug/L	ND	1.0	02/22/14 00:19	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/22/14 00:19	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/22/14 00:19	
Trichloroethene	ug/L	ND	0.40	02/22/14 00:19	
Trichlorofluoromethane	ug/L	ND	1.0	02/22/14 00:19	
Vinyl chloride	ug/L	ND	0.20	02/22/14 00:19	
Xylene (Total)	ug/L	ND	3.0	02/22/14 00:19	
1,2-Dichloroethane-d4 (S)	%	109	75-125	02/22/14 00:19	
4-Bromofluorobenzene (S)	%	105	75-125	02/22/14 00:19	
Toluene-d8 (S)	%	106	75-125	02/22/14 00:19	

LABORATORY CONTROL SAMPLE: 1628033

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.7	103	75-125	
1,1,1-Trichloroethane	ug/L	20	19.8	99	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	21.3	106	74-125	
1,1,2-Trichloroethane	ug/L	20	20.8	104	75-125	
1,1-Dichloroethane	ug/L	20	17.6	88	75-125	
1,1-Dichloroethene	ug/L	20	19.8	99	70-125	
1,1-Dichloropropene	ug/L	20	19.3	96	73-125	
1,2,3-Trichlorobenzene	ug/L	20	23.6	118	75-125	
1,2,3-Trichloropropane	ug/L	20	22.2	111	75-125	
1,2,4-Trichlorobenzene	ug/L	20	21.5	108	75-125	
1,2,4-Trimethylbenzene	ug/L	20	22.4	112	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	54.3	109	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	20.9	104	75-125	
1,2-Dichlorobenzene	ug/L	20	21.9	109	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1628033

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	20	17.5	88	75-125	
1,2-Dichloroethene (Total)	ug/L	40	36.8	92	71-127	
1,2-Dichloropropane	ug/L	20	18.2	91	75-125	
1,3,5-Trimethylbenzene	ug/L	20	22.2	111	75-125	
1,3-Dichlorobenzene	ug/L	20	21.3	107	75-125	
1,3-Dichloropropane	ug/L	20	20.5	102	75-125	
1,4-Dichlorobenzene	ug/L	20	20.5	102	75-125	
2,2-Dichloropropane	ug/L	20	17.2	86	66-130	
2-Butanone (MEK)	ug/L	100	88.6	89	64-126	
2-Chlorotoluene	ug/L	20	21.5	108	73-125	
2-Hexanone	ug/L	100	101	101	69-127	
4-Chlorotoluene	ug/L	20	21.4	107	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	98.6	99	71-125	
Acetone	ug/L	100	83.6	84	66-131	
Benzene	ug/L	20	18.0	90	75-125	
Bromobenzene	ug/L	20	21.5	108	75-125	
Bromochloromethane	ug/L	20	18.6	93	75-125	
Bromodichloromethane	ug/L	20	18.6	93	75-125	
Bromoform	ug/L	20	20.4	102	70-125	
Bromomethane	ug/L	20	19.4	97	30-150	
Carbon disulfide	ug/L	20	17.6	88	60-125	
Carbon tetrachloride	ug/L	20	19.4	97	68-129	
Chlorobenzene	ug/L	20	19.4	97	75-125	
Chloroethane	ug/L	20	19.9	99	68-133	
Chloroform	ug/L	20	19.0	95	75-125	
Chloromethane	ug/L	20	18.7	94	57-140	
cis-1,2-Dichloroethene	ug/L	20	18.6	93	75-125	
cis-1,3-Dichloropropene	ug/L	20	17.5	88	75-125	
Dibromochloromethane	ug/L	20	20.5	103	75-125	
Dibromomethane	ug/L	20	19.0	95	75-125	
Dichlorodifluoromethane	ug/L	20	18.0	90	50-134	
Ethylbenzene	ug/L	20	18.9	94	75-125	
Hexachloro-1,3-butadiene	ug/L	20	23.6	118	74-128	
Isopropylbenzene (Cumene)	ug/L	20	21.5	107	73-125	
m&p-Xylene	ug/L	40	41.5	104	75-125	
Methyl-tert-butyl ether	ug/L	20	16.9	85	75-125	
Methylene Chloride	ug/L	20	18.2	91	75-125	
n-Butylbenzene	ug/L	20	22.9	115	73-125	
n-Propylbenzene	ug/L	20	22.3	111	72-125	
Naphthalene	ug/L	20	22.9	115	74-125	
o-Xylene	ug/L	20	20.8	104	75-125	
p-Isopropyltoluene	ug/L	20	22.6	113	74-125	
sec-Butylbenzene	ug/L	20	23.0	115	74-125	
Styrene	ug/L	20	21.7	108	75-125	
tert-Butylbenzene	ug/L	20	22.9	114	74-125	
Tetrachloroethene	ug/L	20	20.1	101	71-125	
Toluene	ug/L	20	19.9	99	75-125	
trans-1,2-Dichloroethene	ug/L	20	18.2	91	73-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1628033

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	19.8	99	75-125	
Trichloroethene	ug/L	20	18.2	91	75-125	
Trichlorofluoromethane	ug/L	20	22.3	112	70-128	
Vinyl chloride	ug/L	20	18.3	92	70-130	
Xylene (Total)	ug/L	60	62.4	104	75-125	
1,2-Dichloroethane-d4 (S)	%			107	75-125	
4-Bromofluorobenzene (S)	%			104	75-125	
Toluene-d8 (S)	%			107	75-125	

MATRIX SPIKE SAMPLE: 1629154

Parameter	Units	10257962001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	20	19.0	95	74-131	
1,1,1-Trichloroethane	ug/L	ND	20	18.2	91	73-139	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	19.8	99	72-125	
1,1,2-Trichloroethane	ug/L	ND	20	19.9	100	75-125	
1,1-Dichloroethane	ug/L	ND	20	16.6	83	73-132	
1,1-Dichloroethene	ug/L	ND	20	17.5	87	71-142	
1,1-Dichloropropene	ug/L	ND	20	16.7	83	73-139	
1,2,3-Trichlorobenzene	ug/L	ND	20	17.8	89	70-129	
1,2,3-Trichloropropane	ug/L	ND	20	20.4	102	74-125	
1,2,4-Trichlorobenzene	ug/L	ND	20	16.9	85	70-129	
1,2,4-Trimethylbenzene	ug/L	ND	20	18.6	93	72-136	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50.0	100	66-127	
1,2-Dibromoethane (EDB)	ug/L	ND	20	19.3	97	75-125	
1,2-Dichlorobenzene	ug/L	ND	20	18.3	92	75-125	
1,2-Dichloroethane	ug/L	ND	20	16.8	84	68-128	
1,2-Dichloroethene (Total)	ug/L	ND	40	33.0	83	73-129	
1,2-Dichloropropane	ug/L	ND	20	17.5	87	74-131	
1,3,5-Trimethylbenzene	ug/L	ND	20	18.4	92	75-131	
1,3-Dichlorobenzene	ug/L	ND	20	17.5	88	73-125	
1,3-Dichloropropane	ug/L	ND	20	19.1	95	75-125	
1,4-Dichlorobenzene	ug/L	ND	20	16.8	84	73-125	
2,2-Dichloropropane	ug/L	ND	20	14.8	74	58-150	
2-Butanone (MEK)	ug/L	ND	100	88.1	86	56-140	
2-Chlorotoluene	ug/L	ND	20	18.1	90	70-130	
2-Hexanone	ug/L	ND	100	96.7	97	63-132	
4-Chlorotoluene	ug/L	ND	20	18.0	90	73-126	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	95.5	95	69-128	
Acetone	ug/L	ND	100	94.0	80	57-143	
Benzene	ug/L	ND	20	16.4	81	75-129	
Bromobenzene	ug/L	ND	20	18.1	91	74-125	
Bromochloromethane	ug/L	ND	20	17.4	87	75-126	
Bromodichloromethane	ug/L	ND	20	17.6	88	75-128	
Bromoform	ug/L	ND	20	18.8	94	66-130	
Bromomethane	ug/L	ND	20	17.9	89	30-150	
Carbon disulfide	ug/L	ND	20	12.8	64	56-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

MATRIX SPIKE SAMPLE: 1629154		10257962001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Carbon tetrachloride	ug/L	ND	20	17.4	87	69-148	
Chlorobenzene	ug/L	ND	20	16.7	83	75-125	
Chloroethane	ug/L	ND	20	19.2	96	71-143	
Chloroform	ug/L	ND	20	18.0	90	75-126	
Chloromethane	ug/L	ND	20	18.2	91	55-150	
cis-1,2-Dichloroethene	ug/L	ND	20	17.3	86	75-130	
cis-1,3-Dichloropropene	ug/L	ND	20	16.2	81	72-129	
Dibromochloromethane	ug/L	ND	20	19.0	95	73-129	
Dibromomethane	ug/L	ND	20	17.8	89	75-125	
Dichlorodifluoromethane	ug/L	ND	20	19.4	97	70-150	
Ethylbenzene	ug/L	ND	20	16.3	80	75-128	
Hexachloro-1,3-butadiene	ug/L	ND	20	17.2	86	65-144	
Isopropylbenzene (Cumene)	ug/L	ND	20	18.4	92	75-131	
m&p-Xylene	ug/L	ND	40	35.0	87	75-130	
Methyl-tert-butyl ether	ug/L	ND	20	16.7	83	74-128	
Methylene Chloride	ug/L	ND	20	16.8	84	69-125	
n-Butylbenzene	ug/L	ND	20	17.9	89	70-137	
n-Propylbenzene	ug/L	ND	20	18.3	92	72-131	
Naphthalene	ug/L	ND	20	19.7	98	70-132	
o-Xylene	ug/L	ND	20	17.8	89	75-128	
p-Isopropyltoluene	ug/L	ND	20	18.2	91	73-133	
sec-Butylbenzene	ug/L	ND	20	18.8	94	74-133	
Styrene	ug/L	ND	20	18.5	92	75-128	
tert-Butylbenzene	ug/L	ND	20	18.9	95	74-130	
Tetrachloroethene	ug/L	ND	20	17.1	85	68-140	
Toluene	ug/L	ND	20	17.5	86	75-129	
trans-1,2-Dichloroethene	ug/L	ND	20	15.8	79	70-136	
trans-1,3-Dichloropropene	ug/L	ND	20	18.2	91	71-125	
Trichloroethene	ug/L	ND	20	15.6	78	72-135	
Trichlorofluoromethane	ug/L	ND	20	22.4	112	75-150	
Vinyl chloride	ug/L	ND	20	18.3	92	73-150	
Xylene (Total)	ug/L	ND	60	52.8	88	75-129	
1,2-Dichloroethane-d4 (S)	%				106	75-125	1M
4-Bromofluorobenzene (S)	%				103	75-125	
Toluene-d8 (S)	%				106	75-125	

SAMPLE DUPLICATE: 1629155

Parameter	Units	10257962002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,1-Trichloroethane	ug/L	ND	ND		30	
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,2-Trichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethene	ug/L	ND	ND		30	
1,1-Dichloropropene	ug/L	ND	ND		30	
1,2,3-Trichlorobenzene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1629155

Parameter	Units	10257962002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,2,3-Trichloropropane	ug/L	ND	ND		30	
1,2,4-Trichlorobenzene	ug/L	ND	ND		30	
1,2,4-Trimethylbenzene	ug/L	ND	ND		30	
1,2-Dibromo-3-chloropropane	ug/L	ND	ND		30	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		30	
1,2-Dichlorobenzene	ug/L	ND	ND		30	
1,2-Dichloroethane	ug/L	ND	ND		30	
1,2-Dichloroethene (Total)	ug/L	ND	ND		30	
1,2-Dichloropropane	ug/L	ND	ND		30	
1,3,5-Trimethylbenzene	ug/L	ND	ND		30	
1,3-Dichlorobenzene	ug/L	ND	ND		30	
1,3-Dichloropropane	ug/L	ND	ND		30	
1,4-Dichlorobenzene	ug/L	ND	ND		30	
2,2-Dichloropropane	ug/L	ND	ND		30	
2-Butanone (MEK)	ug/L	ND	ND		30	
2-Chlorotoluene	ug/L	ND	ND		30	
2-Hexanone	ug/L	ND	ND		30	
4-Chlorotoluene	ug/L	ND	ND		30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		30	
Acetone	ug/L	ND	ND		30	
Benzene	ug/L	ND	ND		30	
Bromobenzene	ug/L	ND	ND		30	
Bromochloromethane	ug/L	ND	ND		30	
Bromodichloromethane	ug/L	ND	ND		30	
Bromoform	ug/L	ND	ND		30	
Bromomethane	ug/L	ND	ND		30	
Carbon disulfide	ug/L	ND	ND		30	
Carbon tetrachloride	ug/L	ND	ND		30	
Chlorobenzene	ug/L	ND	ND		30	
Chloroethane	ug/L	ND	ND		30	
Chloroform	ug/L	ND	ND		30	
Chloromethane	ug/L	ND	ND		30	
cis-1,2-Dichloroethene	ug/L	ND	ND		30	
cis-1,3-Dichloropropene	ug/L	ND	ND		30	
Dibromochloromethane	ug/L	ND	ND		30	
Dibromomethane	ug/L	ND	ND		30	
Dichlorodifluoromethane	ug/L	ND	ND		30	
Ethylbenzene	ug/L	ND	ND		30	
Hexachloro-1,3-butadiene	ug/L	ND	ND		30	
Isopropylbenzene (Cumene)	ug/L	ND	ND		30	
m&p-Xylene	ug/L	ND	ND		30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Methylene Chloride	ug/L	ND	ND		30	
n-Butylbenzene	ug/L	ND	ND		30	
n-Propylbenzene	ug/L	ND	ND		30	
Naphthalene	ug/L	ND	ND		30	
o-Xylene	ug/L	ND	ND		30	
p-Isopropyltoluene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1629155

Parameter	Units	10257962002 Result	Dup Result	RPD	Max RPD	Qualifiers
sec-Butylbenzene	ug/L	ND	ND		30	
Styrene	ug/L	ND	ND		30	
tert-Butylbenzene	ug/L	ND	ND		30	
Tetrachloroethene	ug/L	ND	ND		30	
Toluene	ug/L	ND	ND		30	
trans-1,2-Dichloroethene	ug/L	ND	ND		30	
trans-1,3-Dichloropropene	ug/L	ND	ND		30	
Trichloroethene	ug/L	ND	ND		30	
Trichlorofluoromethane	ug/L	ND	ND		30	
Vinyl chloride	ug/L	ND	ND		30	
Xylene (Total)	ug/L	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%.	112	112	.006		1M
4-Bromofluorobenzene (S)	%.	105	105	.6		
Toluene-d8 (S)	%.	105	105	.9		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26400 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 465 W
Associated Lab Samples: 10256845054, 10256845055, 10256845061

METHOD BLANK: 1628831 Matrix: Water

Associated Lab Samples: 10256845054, 10256845055, 10256845061

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/22/14 17:35	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/22/14 17:35	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/22/14 17:35	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/22/14 17:35	
1,1-Dichloroethane	ug/L	ND	1.0	02/22/14 17:35	
1,1-Dichloroethene	ug/L	ND	1.0	02/22/14 17:35	
1,1-Dichloropropene	ug/L	ND	1.0	02/22/14 17:35	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/22/14 17:35	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/22/14 17:35	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/22/14 17:35	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/22/14 17:35	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/22/14 17:35	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/22/14 17:35	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/22/14 17:35	
1,2-Dichloroethane	ug/L	ND	1.0	02/22/14 17:35	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/22/14 17:35	
1,2-Dichloropropane	ug/L	ND	4.0	02/22/14 17:35	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/22/14 17:35	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/22/14 17:35	
1,3-Dichloropropane	ug/L	ND	1.0	02/22/14 17:35	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/22/14 17:35	
2,2-Dichloropropane	ug/L	ND	4.0	02/22/14 17:35	
2-Butanone (MEK)	ug/L	5.5	5.0	02/22/14 17:35	
2-Chlorotoluene	ug/L	ND	1.0	02/22/14 17:35	
2-Hexanone	ug/L	ND	5.0	02/22/14 17:35	
4-Chlorotoluene	ug/L	ND	1.0	02/22/14 17:35	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/22/14 17:35	
Acetone	ug/L	ND	20.0	02/22/14 17:35	
Benzene	ug/L	ND	1.0	02/22/14 17:35	
Bromobenzene	ug/L	ND	1.0	02/22/14 17:35	
Bromochloromethane	ug/L	ND	1.0	02/22/14 17:35	
Bromodichloromethane	ug/L	ND	1.0	02/22/14 17:35	
Bromoform	ug/L	ND	4.0	02/22/14 17:35	
Bromomethane	ug/L	ND	4.0	02/22/14 17:35	
Carbon disulfide	ug/L	ND	1.0	02/22/14 17:35	
Carbon tetrachloride	ug/L	ND	1.0	02/22/14 17:35	
Chlorobenzene	ug/L	ND	1.0	02/22/14 17:35	
Chloroethane	ug/L	ND	1.0	02/22/14 17:35	
Chloroform	ug/L	ND	1.0	02/22/14 17:35	
Chloromethane	ug/L	ND	4.0	02/22/14 17:35	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/22/14 17:35	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/22/14 17:35	
Dibromochloromethane	ug/L	ND	1.0	02/22/14 17:35	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1628831

Matrix: Water

Associated Lab Samples: 10256845054, 10256845055, 10256845061

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/22/14 17:35	
Dichlorodifluoromethane	ug/L	ND	1.0	02/22/14 17:35	
Ethylbenzene	ug/L	ND	1.0	02/22/14 17:35	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/22/14 17:35	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/22/14 17:35	
m&p-Xylene	ug/L	ND	2.0	02/22/14 17:35	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/22/14 17:35	
Methylene Chloride	ug/L	ND	4.0	02/22/14 17:35	
n-Butylbenzene	ug/L	ND	1.0	02/22/14 17:35	
n-Propylbenzene	ug/L	ND	1.0	02/22/14 17:35	
Naphthalene	ug/L	ND	4.0	02/22/14 17:35	
o-Xylene	ug/L	ND	1.0	02/22/14 17:35	
p-Isopropyltoluene	ug/L	ND	1.0	02/22/14 17:35	
sec-Butylbenzene	ug/L	ND	1.0	02/22/14 17:35	
Styrene	ug/L	ND	1.0	02/22/14 17:35	
tert-Butylbenzene	ug/L	ND	1.0	02/22/14 17:35	
Tetrachloroethene	ug/L	ND	1.0	02/22/14 17:35	
Toluene	ug/L	ND	1.0	02/22/14 17:35	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/22/14 17:35	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/22/14 17:35	
Trichloroethene	ug/L	ND	0.40	02/22/14 17:35	
Trichlorofluoromethane	ug/L	ND	1.0	02/22/14 17:35	
Vinyl chloride	ug/L	ND	0.20	02/22/14 17:35	
Xylene (Total)	ug/L	ND	3.0	02/22/14 17:35	
1,2-Dichloroethane-d4 (S)	%	113	75-125	02/22/14 17:35	
4-Bromofluorobenzene (S)	%	108	75-125	02/22/14 17:35	
Toluene-d8 (S)	%	105	75-125	02/22/14 17:35	

LABORATORY CONTROL SAMPLE: 1628832

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.7	104	75-125	
1,1,1-Trichloroethane	ug/L	20	19.7	98	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	21.3	106	74-125	
1,1,2-Trichloroethane	ug/L	20	20.9	104	75-125	
1,1-Dichloroethane	ug/L	20	18.2	91	75-125	
1,1-Dichloroethene	ug/L	20	19.4	97	70-125	
1,1-Dichloropropene	ug/L	20	19.0	95	73-125	
1,2,3-Trichlorobenzene	ug/L	20	23.6	118	75-125	
1,2,3-Trichloropropane	ug/L	20	21.9	109	75-125	
1,2,4-Trichlorobenzene	ug/L	20	21.7	109	75-125	
1,2,4-Trimethylbenzene	ug/L	20	22.3	112	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	54.1	108	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	20.7	104	75-125	
1,2-Dichlorobenzene	ug/L	20	21.4	107	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1628832

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	20	18.2	91	75-125	
1,2-Dichloroethene (Total)	ug/L	40	37.3	93	71-127	
1,2-Dichloropropane	ug/L	20	18.2	91	75-125	
1,3,5-Trimethylbenzene	ug/L	20	22.0	110	75-125	
1,3-Dichlorobenzene	ug/L	20	20.9	105	75-125	
1,3-Dichloropropane	ug/L	20	20.7	103	75-125	
1,4-Dichlorobenzene	ug/L	20	20.1	101	75-125	
2,2-Dichloropropane	ug/L	20	18.9	95	66-130	
2-Butanone (MEK)	ug/L	100	90.9	91	64-126	
2-Chlorotoluene	ug/L	20	21.6	108	73-125	
2-Hexanone	ug/L	100	103	103	69-127	
4-Chlorotoluene	ug/L	20	21.7	108	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	99.3	99	71-125	
Acetone	ug/L	100	86.3	86	66-131	
Benzene	ug/L	20	18.2	91	75-125	
Bromobenzene	ug/L	20	21.0	105	75-125	
Bromochloromethane	ug/L	20	18.9	94	75-125	
Bromodichloromethane	ug/L	20	18.5	92	75-125	
Bromoform	ug/L	20	20.2	101	70-125	
Bromomethane	ug/L	20	19.9	99	30-150	
Carbon disulfide	ug/L	20	17.6	88	60-125	
Carbon tetrachloride	ug/L	20	19.3	97	68-129	
Chlorobenzene	ug/L	20	19.1	96	75-125	
Chloroethane	ug/L	20	19.4	97	68-133	
Chloroform	ug/L	20	18.9	94	75-125	
Chloromethane	ug/L	20	18.2	91	57-140	
cis-1,2-Dichloroethene	ug/L	20	18.8	94	75-125	
cis-1,3-Dichloropropene	ug/L	20	18.3	91	75-125	
Dibromochloromethane	ug/L	20	19.9	100	75-125	
Dibromomethane	ug/L	20	18.7	94	75-125	
Dichlorodifluoromethane	ug/L	20	16.3	82	50-134	
Ethylbenzene	ug/L	20	18.7	93	75-125	
Hexachloro-1,3-butadiene	ug/L	20	22.7	114	74-128	
Isopropylbenzene (Cumene)	ug/L	20	21.0	105	73-125	
m&p-Xylene	ug/L	40	40.3	101	75-125	
Methyl-tert-butyl ether	ug/L	20	17.4	87	75-125	
Methylene Chloride	ug/L	20	18.3	91	75-125	
n-Butylbenzene	ug/L	20	23.3	116	73-125	
n-Propylbenzene	ug/L	20	22.0	110	72-125	
Naphthalene	ug/L	20	23.2	116	74-125	
o-Xylene	ug/L	20	20.5	102	75-125	
p-Isopropyltoluene	ug/L	20	22.6	113	74-125	
sec-Butylbenzene	ug/L	20	22.8	114	74-125	
Styrene	ug/L	20	21.1	105	75-125	
tert-Butylbenzene	ug/L	20	22.1	110	74-125	
Tetrachloroethene	ug/L	20	19.9	100	71-125	
Toluene	ug/L	20	19.6	98	75-125	
trans-1,2-Dichloroethene	ug/L	20	18.5	93	73-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1628832

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	20.5	102	75-125	
Trichloroethene	ug/L	20	17.4	87	75-125	
Trichlorofluoromethane	ug/L	20	21.8	109	70-128	
Vinyl chloride	ug/L	20	17.8	89	70-130	
Xylene (Total)	ug/L	60	60.7	101	75-125	
1,2-Dichloroethane-d4 (S)	%			108	75-125	
4-Bromofluorobenzene (S)	%			104	75-125	
Toluene-d8 (S)	%			106	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1628845 1628846

Parameter	10256845054		MS	MSD	MS		MSD		% Rec	Max		Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD	RPD	
1,1,1,2-Tetrachloroethane	ug/L	ND	100	100	81.9	108	82	108	74-131	27	30	
1,1,1-Trichloroethane	ug/L	ND	100	100	87.7	114	88	114	73-139	27	30	
1,1,2,2-Tetrachloroethane	ug/L	ND	100	100	87.0	115	87	115	72-125	27	30	
1,1,2-Trichloroethane	ug/L	ND	100	100	85.0	110	85	110	75-125	26	30	
1,1-Dichloroethane	ug/L	ND	100	100	77.7	100	78	100	73-132	25	30	
1,1-Dichloroethene	ug/L	ND	100	100	88.8	117	89	117	71-142	28	30	
1,1-Dichloropropene	ug/L	ND	100	100	90.1	116	90	116	73-139	25	30	
1,2,3-Trichlorobenzene	ug/L	ND	100	100	99.8	124	100	124	70-129	21	30	
1,2,3-Trichloropropane	ug/L	ND	100	100	84.9	113	85	113	74-125	29	30	
1,2,4-Trichlorobenzene	ug/L	ND	100	100	98.3	126	98	126	70-129	24	30	
1,2,4-Trimethylbenzene	ug/L	186	100	100	980	1070	793	887	72-136	9	30	M1
1,2-Dibromo-3-chloropropane	ug/L	ND	250	250	205	284	82	113	66-127	32	30	R1
1,2-Dibromoethane (EDB)	ug/L	ND	100	100	82.1	107	82	107	75-125	27	30	
1,2-Dichlorobenzene	ug/L	ND	100	100	91.6	116	92	116	75-125	24	30	
1,2-Dichloroethane	ug/L	ND	100	100	75.9	98.6	76	99	68-128	26	30	
1,2-Dichloroethene (Total)	ug/L	ND	200	200	164	214	82	107	73-129	27	30	
1,2-Dichloropropane	ug/L	ND	100	100	76.7	101	77	101	74-131	28	30	
1,3,5-Trimethylbenzene	ug/L	26.6	100	100	225	263	198	236	75-131	15	30	M1
1,3-Dichlorobenzene	ug/L	ND	100	100	89.5	114	89	114	73-125	24	30	
1,3-Dichloropropane	ug/L	ND	100	100	81.3	106	81	106	75-125	27	30	
1,4-Dichlorobenzene	ug/L	ND	100	100	85.1	111	85	111	73-125	26	30	
2,2-Dichloropropane	ug/L	ND	100	100	93.4	117	93	117	58-150	23	30	
2-Butanone (MEK)	ug/L	6.6	500	500	377	512	74	101	56-140	30	30	
2-Chlorotoluene	ug/L	ND	100	100	109	137	109	137	70-130	23	30	M1
2-Hexanone	ug/L	ND	500	500	401	535	80	107	63-132	29	30	
4-Chlorotoluene	ug/L	ND	100	100	92.9	115	93	115	73-126	21	30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	500	500	387	512	77	102	69-128	28	30	
Acetone	ug/L	ND	500	500	379	498	76	100	57-143	27	30	
Benzene	ug/L	110	100	100	617	668	507	558	75-129	8	30	M1
Bromobenzene	ug/L	ND	100	100	87.0	115	87	115	74-125	27	30	
Bromochloromethane	ug/L	ND	100	100	76.1	101	76	101	75-126	28	30	
Bromodichloromethane	ug/L	ND	100	100	77.3	100	77	100	75-128	26	30	
Bromoform	ug/L	ND	100	100	77.4	103	77	103	66-130	28	30	
Bromomethane	ug/L	ND	100	100	104	116	104	116	30-150	10	30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Parameter	10256845054		MS		MSD		MS		MSD		Max	
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD	RPD	Qual
Carbon disulfide	ug/L	ND	100	100	83.4	105	83	105	56-140	23	30	
Carbon tetrachloride	ug/L	ND	100	100	89.7	116	90	116	69-148	25	30	
Chlorobenzene	ug/L	ND	100	100	80.8	105	81	105	75-125	26	30	
Chloroethane	ug/L	ND	100	100	108	111	108	111	71-143	3	30	
Chloroform	ug/L	ND	100	100	83.1	106	83	106	75-126	24	30	
Chloromethane	ug/L	ND	100	100	107	113	107	113	55-150	5	30	
cis-1,2-Dichloroethene	ug/L	ND	100	100	82.4	108	82	108	75-130	26	30	
cis-1,3-Dichloropropene	ug/L	ND	100	100	72.7	96.1	73	96	72-129	28	30	
Dibromochloromethane	ug/L	ND	100	100	79.0	104	79	104	73-129	27	30	
Dibromomethane	ug/L	ND	100	100	73.3	97.6	73	98	75-125	28	30	M1
Dichlorodifluoromethane	ug/L	ND	100	100	107	112	107	112	70-150	5	30	
Ethylbenzene	ug/L	218	100	100	1120	1200	905	984	75-128	7	30	M1
Hexachloro-1,3-butadiene	ug/L	ND	100	100	110	138	110	138	65-144	23	30	
Isopropylbenzene (Cumene)	ug/L	9.9	100	100	142	172	133	162	75-131	19	30	M1
m&p-Xylene	ug/L	217	200	200	1230	1330	505	556	75-130	8	30	M1
Methyl-tert-butyl ether	ug/L	ND	100	100	69.5	91.9	70	92	74-128	28	30	M1
Methylene Chloride	ug/L	ND	100	100	79.5	103	79	102	69-125	26	30	
n-Butylbenzene	ug/L	2.9	100	100	126	154	123	151	70-137	20	30	M1
n-Propylbenzene	ug/L	24.5	100	100	218	253	194	229	72-131	15	30	M1
Naphthalene	ug/L	117	100	100	634	720	517	603	70-132	13	30	M1
o-Xylene	ug/L	12.7	100	100	154	181	141	169	75-128	17	30	M1
p-Isopropyltoluene	ug/L	1.1	100	100	110	140	108	139	73-133	24	30	M1
sec-Butylbenzene	ug/L	2.9	100	100	120	149	117	146	74-133	21	30	M1
Styrene	ug/L	ND	100	100	90.1	117	90	116	75-128	26	30	
tert-Butylbenzene	ug/L	ND	100	100	101	127	101	127	74-130	23	30	
Tetrachloroethene	ug/L	ND	100	100	85.9	109	86	109	68-140	24	30	
Toluene	ug/L	8.6	100	100	126	151	117	142	75-129	18	30	M1
trans-1,2-Dichloroethene	ug/L	ND	100	100	81.2	106	81	106	70-136	27	30	
trans-1,3-Dichloropropene	ug/L	ND	100	100	81.1	104	81	104	71-125	25	30	
Trichloroethene	ug/L	ND	100	100	76.8	99.9	77	100	72-135	26	30	
Trichlorofluoromethane	ug/L	ND	100	100	132	139	132	139	75-150	5	30	
Vinyl chloride	ug/L	ND	100	100	104	109	104	109	73-150	5	30	
Xylene (Total)	ug/L	229	300	300	1380	1510	383	427	75-129	9	30	MS
1,2-Dichloroethane-d4 (S)	%						111	106	75-125			
4-Bromofluorobenzene (S)	%						107	107	75-125			
Toluene-d8 (S)	%						106	105	75-125			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26402 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 465 W
Associated Lab Samples: 10256845067, 10256845068, 10256845070, 10256845071

METHOD BLANK: 1628851 Matrix: Water
Associated Lab Samples: 10256845067, 10256845068, 10256845070, 10256845071

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/23/14 04:22	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/23/14 04:22	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/23/14 04:22	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/23/14 04:22	
1,1-Dichloroethane	ug/L	ND	1.0	02/23/14 04:22	
1,1-Dichloroethene	ug/L	ND	1.0	02/23/14 04:22	
1,1-Dichloropropene	ug/L	ND	1.0	02/23/14 04:22	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/23/14 04:22	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/23/14 04:22	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/23/14 04:22	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/23/14 04:22	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/23/14 04:22	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/23/14 04:22	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/23/14 04:22	
1,2-Dichloroethane	ug/L	ND	1.0	02/23/14 04:22	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/23/14 04:22	
1,2-Dichloropropane	ug/L	ND	4.0	02/23/14 04:22	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/23/14 04:22	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/23/14 04:22	
1,3-Dichloropropane	ug/L	ND	1.0	02/23/14 04:22	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/23/14 04:22	
2,2-Dichloropropane	ug/L	ND	4.0	02/23/14 04:22	
2-Butanone (MEK)	ug/L	ND	5.0	02/23/14 04:22	
2-Chlorotoluene	ug/L	ND	1.0	02/23/14 04:22	
2-Hexanone	ug/L	ND	5.0	02/23/14 04:22	
4-Chlorotoluene	ug/L	ND	1.0	02/23/14 04:22	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/23/14 04:22	
Acetone	ug/L	ND	20.0	02/23/14 04:22	
Benzene	ug/L	ND	1.0	02/23/14 04:22	
Bromobenzene	ug/L	ND	1.0	02/23/14 04:22	
Bromochloromethane	ug/L	ND	1.0	02/23/14 04:22	
Bromodichloromethane	ug/L	ND	1.0	02/23/14 04:22	
Bromoform	ug/L	ND	4.0	02/23/14 04:22	
Bromomethane	ug/L	ND	4.0	02/23/14 04:22	
Carbon disulfide	ug/L	ND	1.0	02/23/14 04:22	
Carbon tetrachloride	ug/L	ND	1.0	02/23/14 04:22	
Chlorobenzene	ug/L	ND	1.0	02/23/14 04:22	
Chloroethane	ug/L	ND	1.0	02/23/14 04:22	
Chloroform	ug/L	ND	1.0	02/23/14 04:22	
Chloromethane	ug/L	ND	4.0	02/23/14 04:22	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/23/14 04:22	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/23/14 04:22	
Dibromochloromethane	ug/L	ND	1.0	02/23/14 04:22	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1628851

Matrix: Water

Associated Lab Samples: 10256845067, 10256845068, 10256845070, 10256845071

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/23/14 04:22	
Dichlorodifluoromethane	ug/L	ND	1.0	02/23/14 04:22	
Ethylbenzene	ug/L	ND	1.0	02/23/14 04:22	
Hexachloro-1,3-butadiene	ug/L	1.0	1.0	02/23/14 04:22	P8
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/23/14 04:22	
m&p-Xylene	ug/L	ND	2.0	02/23/14 04:22	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/23/14 04:22	
Methylene Chloride	ug/L	ND	4.0	02/23/14 04:22	
n-Butylbenzene	ug/L	ND	1.0	02/23/14 04:22	
n-Propylbenzene	ug/L	ND	1.0	02/23/14 04:22	
Naphthalene	ug/L	ND	4.0	02/23/14 04:22	
o-Xylene	ug/L	ND	1.0	02/23/14 04:22	
p-Isopropyltoluene	ug/L	ND	1.0	02/23/14 04:22	
sec-Butylbenzene	ug/L	ND	1.0	02/23/14 04:22	
Styrene	ug/L	ND	1.0	02/23/14 04:22	
tert-Butylbenzene	ug/L	ND	1.0	02/23/14 04:22	
Tetrachloroethene	ug/L	ND	1.0	02/23/14 04:22	
Toluene	ug/L	ND	1.0	02/23/14 04:22	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/23/14 04:22	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/23/14 04:22	
Trichloroethene	ug/L	ND	0.40	02/23/14 04:22	
Trichlorofluoromethane	ug/L	ND	1.0	02/23/14 04:22	
Vinyl chloride	ug/L	ND	0.20	02/23/14 04:22	
Xylene (Total)	ug/L	ND	3.0	02/23/14 04:22	
1,2-Dichloroethane-d4 (S)	%	111	75-125	02/23/14 04:22	
4-Bromofluorobenzene (S)	%	107	75-125	02/23/14 04:22	
Toluene-d8 (S)	%	106	75-125	02/23/14 04:22	

LABORATORY CONTROL SAMPLE: 1628852

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.6	103	75-125	
1,1,1-Trichloroethane	ug/L	20	20.7	103	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	20.5	102	74-125	
1,1,2-Trichloroethane	ug/L	20	20.3	102	75-125	
1,1-Dichloroethane	ug/L	20	18.8	94	75-125	
1,1-Dichloroethene	ug/L	20	20.7	104	70-125	
1,1-Dichloropropene	ug/L	20	20.4	102	73-125	
1,2,3-Trichlorobenzene	ug/L	20	22.7	114	75-125	
1,2,3-Trichloropropane	ug/L	20	21.3	106	75-125	
1,2,4-Trichlorobenzene	ug/L	20	21.3	107	75-125	
1,2,4-Trimethylbenzene	ug/L	20	22.5	113	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	49.2	98	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	20.4	102	75-125	
1,2-Dichlorobenzene	ug/L	20	21.5	108	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1628852

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	20	18.6	93	75-125	
1,2-Dichloroethene (Total)	ug/L	40	38.2	95	71-127	
1,2-Dichloropropane	ug/L	20	18.8	94	75-125	
1,3,5-Trimethylbenzene	ug/L	20	22.3	112	75-125	
1,3-Dichlorobenzene	ug/L	20	21.0	105	75-125	
1,3-Dichloropropane	ug/L	20	20.2	101	75-125	
1,4-Dichlorobenzene	ug/L	20	20.4	102	75-125	
2,2-Dichloropropane	ug/L	20	16.9	85	66-130	
2-Butanone (MEK)	ug/L	100	83.7	84	64-126	
2-Chlorotoluene	ug/L	20	22.1	110	73-125	
2-Hexanone	ug/L	100	93.3	93	69-127	
4-Chlorotoluene	ug/L	20	22.1	111	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	92.3	92	71-125	
Acetone	ug/L	100	85.7	86	66-131	
Benzene	ug/L	20	19.2	96	75-125	
Bromobenzene	ug/L	20	21.2	106	75-125	
Bromochloromethane	ug/L	20	19.1	96	75-125	
Bromodichloromethane	ug/L	20	18.8	94	75-125	
Bromoform	ug/L	20	19.4	97	70-125	
Bromomethane	ug/L	20	22.1	111	30-150	
Carbon disulfide	ug/L	20	18.6	93	60-125	
Carbon tetrachloride	ug/L	20	20.5	102	68-129	
Chlorobenzene	ug/L	20	19.4	97	75-125	
Chloroethane	ug/L	20	20.7	104	68-133	
Chloroform	ug/L	20	19.6	98	75-125	
Chloromethane	ug/L	20	18.8	94	57-140	
cis-1,2-Dichloroethene	ug/L	20	18.9	94	75-125	
cis-1,3-Dichloropropene	ug/L	20	17.7	88	75-125	
Dibromochloromethane	ug/L	20	19.8	99	75-125	
Dibromomethane	ug/L	20	18.5	93	75-125	
Dichlorodifluoromethane	ug/L	20	17.2	86	50-134	
Ethylbenzene	ug/L	20	19.2	96	75-125	
Hexachloro-1,3-butadiene	ug/L	20	23.2	116	74-128	
Isopropylbenzene (Cumene)	ug/L	20	21.0	105	73-125	
m&p-Xylene	ug/L	40	40.9	102	75-125	
Methyl-tert-butyl ether	ug/L	20	17.2	86	75-125	
Methylene Chloride	ug/L	20	18.8	94	75-125	
n-Butylbenzene	ug/L	20	23.5	118	73-125	
n-Propylbenzene	ug/L	20	22.9	114	72-125	
Naphthalene	ug/L	20	21.7	108	74-125	
o-Xylene	ug/L	20	20.6	103	75-125	
p-Isopropyltoluene	ug/L	20	22.9	115	74-125	
sec-Butylbenzene	ug/L	20	23.6	118	74-125	
Styrene	ug/L	20	21.3	106	75-125	
tert-Butylbenzene	ug/L	20	22.7	114	74-125	
Tetrachloroethene	ug/L	20	19.8	99	71-125	
Toluene	ug/L	20	20.1	101	75-125	
trans-1,2-Dichloroethene	ug/L	20	19.3	96	73-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1628852

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	19.5	97	75-125	
Trichloroethene	ug/L	20	18.8	94	75-125	
Trichlorofluoromethane	ug/L	20	23.0	115	70-128	
Vinyl chloride	ug/L	20	18.7	93	70-130	
Xylene (Total)	ug/L	60	61.5	103	75-125	
1,2-Dichloroethane-d4 (S)	%			107	75-125	
4-Bromofluorobenzene (S)	%			104	75-125	
Toluene-d8 (S)	%			105	75-125	

MATRIX SPIKE SAMPLE: 1628857

Parameter	Units	10258222001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	20	21.8	109	74-131	
1,1,1-Trichloroethane	ug/L	ND	20	22.5	113	73-139	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	21.7	108	72-125	
1,1,2-Trichloroethane	ug/L	ND	20	21.5	108	75-125	
1,1-Dichloroethane	ug/L	ND	20	20.4	102	73-132	
1,1-Dichloroethene	ug/L	ND	20	22.7	114	71-142	
1,1-Dichloropropene	ug/L	ND	20	23.1	115	73-139	
1,2,3-Trichlorobenzene	ug/L	ND	20	22.6	113	70-129	
1,2,3-Trichloropropane	ug/L	ND	20	21.8	109	74-125	
1,2,4-Trichlorobenzene	ug/L	ND	20	21.4	107	70-129	
1,2,4-Trimethylbenzene	ug/L	ND	20	23.3	116	72-136	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50.9	102	66-127	
1,2-Dibromoethane (EDB)	ug/L	ND	20	21.2	106	75-125	
1,2-Dichlorobenzene	ug/L	ND	20	22.1	110	75-125	
1,2-Dichloroethane	ug/L	ND	20	19.6	98	68-128	
1,2-Dichloroethene (Total)	ug/L	ND	40	41.7	104	73-129	
1,2-Dichloropropane	ug/L	ND	20	19.9	100	74-131	
1,3,5-Trimethylbenzene	ug/L	ND	20	23.2	116	75-131	
1,3-Dichlorobenzene	ug/L	ND	20	21.5	108	73-125	
1,3-Dichloropropane	ug/L	ND	20	21.8	109	75-125	
1,4-Dichlorobenzene	ug/L	ND	20	20.8	104	73-125	
2,2-Dichloropropane	ug/L	ND	20	19.1	95	58-150	
2-Butanone (MEK)	ug/L	ND	100	86.6	87	56-140	
2-Chlorotoluene	ug/L	ND	20	23.1	116	70-130	
2-Hexanone	ug/L	ND	100	96.9	97	63-132	
4-Chlorotoluene	ug/L	ND	20	23.2	116	73-126	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	94.5	95	69-128	
Acetone	ug/L	ND	100	93.4	93	57-143	
Benzene	ug/L	ND	20	20.4	102	75-129	
Bromobenzene	ug/L	ND	20	22.3	111	74-125	
Bromochloromethane	ug/L	ND	20	20.2	101	75-126	
Bromodichloromethane	ug/L	ND	20	20.0	100	75-128	
Bromoform	ug/L	ND	20	20.0	100	66-130	
Bromomethane	ug/L	ND	20	25.0	125	30-150	
Carbon disulfide	ug/L	ND	20	20.8	104	56-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

MATRIX SPIKE SAMPLE: 1628857		10258222001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Carbon tetrachloride	ug/L	ND	20	22.9	114	69-148	
Chlorobenzene	ug/L	ND	20	20.7	103	75-125	
Chloroethane	ug/L	ND	20	22.2	111	71-143	
Chloroform	ug/L	ND	20	21.2	106	75-126	
Chloromethane	ug/L	ND	20	20.9	105	55-150	
cis-1,2-Dichloroethene	ug/L	ND	20	20.8	104	75-130	
cis-1,3-Dichloropropene	ug/L	ND	20	18.4	92	72-129	
Dibromochloromethane	ug/L	ND	20	21.0	105	73-129	
Dibromomethane	ug/L	ND	20	19.3	96	75-125	
Dichlorodifluoromethane	ug/L	ND	20	21.5	107	70-150	
Ethylbenzene	ug/L	ND	20	20.6	103	75-128	
Hexachloro-1,3-butadiene	ug/L	ND	20	22.2	111	65-144	
Isopropylbenzene (Cumene)	ug/L	ND	20	23.0	115	75-131	
m&p-Xylene	ug/L	ND	40	43.5	109	75-130	
Methyl-tert-butyl ether	ug/L	ND	20	17.6	88	74-128	
Methylene Chloride	ug/L	ND	20	19.9	100	69-125	
n-Butylbenzene	ug/L	ND	20	23.8	119	70-137	
n-Propylbenzene	ug/L	ND	20	24.1	120	72-131	
Naphthalene	ug/L	ND	20	22.0	110	70-132	
o-Xylene	ug/L	ND	20	22.1	110	75-128	
p-Isopropyltoluene	ug/L	ND	20	23.5	117	73-133	
sec-Butylbenzene	ug/L	ND	20	24.6	123	74-133	
Styrene	ug/L	ND	20	22.0	110	75-128	
tert-Butylbenzene	ug/L	ND	20	23.9	120	74-130	
Tetrachloroethene	ug/L	ND	20	21.5	107	68-140	
Toluene	ug/L	ND	20	21.5	108	75-129	
trans-1,2-Dichloroethene	ug/L	ND	20	20.8	104	70-136	
trans-1,3-Dichloropropene	ug/L	ND	20	20.7	103	71-125	
Trichloroethene	ug/L	ND	20	20.0	100	72-135	
Trichlorofluoromethane	ug/L	ND	20	26.9	135	75-150	
Vinyl chloride	ug/L	ND	20	20.8	104	73-150	
Xylene (Total)	ug/L	ND	60	65.6	109	75-129	
1,2-Dichloroethane-d4 (S)	%				105	75-125	
4-Bromofluorobenzene (S)	%				106	75-125	
Toluene-d8 (S)	%				106	75-125	

SAMPLE DUPLICATE: 1628858

Parameter	Units	10258222002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,1-Trichloroethane	ug/L	ND	ND		30	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		30	
1,1,2-Trichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethane	ug/L	ND	ND		30	
1,1-Dichloroethene	ug/L	ND	ND		30	
1,1-Dichloropropene	ug/L	ND	ND		30	
1,2,3-Trichlorobenzene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1628858

Parameter	Units	10258222002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,2,3-Trichloropropane	ug/L	ND	ND		30	
1,2,4-Trichlorobenzene	ug/L	ND	ND		30	
1,2,4-Trimethylbenzene	ug/L	ND	ND		30	
1,2-Dibromo-3-chloropropane	ug/L	ND	ND		30	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		30	
1,2-Dichlorobenzene	ug/L	ND	ND		30	
1,2-Dichloroethane	ug/L	ND	ND		30	
1,2-Dichloroethene (Total)	ug/L	ND	ND		30	
1,2-Dichloropropane	ug/L	ND	ND		30	
1,3,5-Trimethylbenzene	ug/L	ND	ND		30	
1,3-Dichlorobenzene	ug/L	ND	ND		30	
1,3-Dichloropropane	ug/L	ND	ND		30	
1,4-Dichlorobenzene	ug/L	ND	ND		30	
2,2-Dichloropropane	ug/L	ND	ND		30	
2-Butanone (MEK)	ug/L	ND	ND		30	
2-Chlorotoluene	ug/L	ND	ND		30	
2-Hexanone	ug/L	ND	ND		30	
4-Chlorotoluene	ug/L	ND	ND		30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		30	
Acetone	ug/L	ND	ND		30	
Benzene	ug/L	ND	ND		30	
Bromobenzene	ug/L	ND	ND		30	
Bromochloromethane	ug/L	ND	ND		30	
Bromodichloromethane	ug/L	ND	ND		30	
Bromoform	ug/L	ND	ND		30	
Bromomethane	ug/L	ND	ND		30	
Carbon disulfide	ug/L	ND	ND		30	
Carbon tetrachloride	ug/L	ND	ND		30	
Chlorobenzene	ug/L	ND	ND		30	
Chloroethane	ug/L	ND	ND		30	
Chloroform	ug/L	ND	ND		30	
Chloromethane	ug/L	ND	ND		30	
cis-1,2-Dichloroethene	ug/L	ND	ND		30	
cis-1,3-Dichloropropene	ug/L	ND	ND		30	
Dibromochloromethane	ug/L	ND	ND		30	
Dibromomethane	ug/L	ND	ND		30	
Dichlorodifluoromethane	ug/L	ND	ND		30	
Ethylbenzene	ug/L	ND	ND		30	
Hexachloro-1,3-butadiene	ug/L	ND	ND		30	
Isopropylbenzene (Cumene)	ug/L	ND	ND		30	
m&p-Xylene	ug/L	ND	ND		30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Methylene Chloride	ug/L	ND	ND		30	
n-Butylbenzene	ug/L	ND	ND		30	
n-Propylbenzene	ug/L	ND	ND		30	
Naphthalene	ug/L	ND	ND		30	
o-Xylene	ug/L	ND	ND		30	
p-Isopropyltoluene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1628858

Parameter	Units	10258222002 Result	Dup Result	RPD	Max RPD	Qualifiers
sec-Butylbenzene	ug/L	ND	ND		30	
Styrene	ug/L	ND	ND		30	
tert-Butylbenzene	ug/L	ND	ND		30	
Tetrachloroethene	ug/L	ND	ND		30	
Toluene	ug/L	ND	ND		30	
trans-1,2-Dichloroethene	ug/L	ND	ND		30	
trans-1,3-Dichloropropene	ug/L	ND	ND		30	
Trichloroethene	ug/L	ND	ND		30	
Trichlorofluoromethane	ug/L	ND	ND		30	
Vinyl chloride	ug/L	ND	ND		30	
Xylene (Total)	ug/L	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%.	112	112	.5		
4-Bromofluorobenzene (S)	%.	105	105	.4		
Toluene-d8 (S)	%.	106	106	.5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26409

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV 465 W

Associated Lab Samples: 10256845062

METHOD BLANK: 1628902

Matrix: Water

Associated Lab Samples: 10256845062

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/23/14 17:23	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/23/14 17:23	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/23/14 17:23	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/23/14 17:23	
1,1-Dichloroethane	ug/L	ND	1.0	02/23/14 17:23	
1,1-Dichloroethene	ug/L	ND	1.0	02/23/14 17:23	
1,1-Dichloropropene	ug/L	ND	1.0	02/23/14 17:23	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/23/14 17:23	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/23/14 17:23	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/23/14 17:23	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/23/14 17:23	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/23/14 17:23	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/23/14 17:23	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/23/14 17:23	
1,2-Dichloroethane	ug/L	ND	1.0	02/23/14 17:23	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/23/14 17:23	
1,2-Dichloropropane	ug/L	ND	4.0	02/23/14 17:23	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/23/14 17:23	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/23/14 17:23	
1,3-Dichloropropane	ug/L	ND	1.0	02/23/14 17:23	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/23/14 17:23	
2,2-Dichloropropane	ug/L	ND	4.0	02/23/14 17:23	
2-Butanone (MEK)	ug/L	ND	5.0	02/23/14 17:23	
2-Chlorotoluene	ug/L	ND	1.0	02/23/14 17:23	
2-Hexanone	ug/L	ND	5.0	02/23/14 17:23	
4-Chlorotoluene	ug/L	ND	1.0	02/23/14 17:23	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/23/14 17:23	
Acetone	ug/L	ND	20.0	02/23/14 17:23	
Benzene	ug/L	ND	1.0	02/23/14 17:23	
Bromobenzene	ug/L	ND	1.0	02/23/14 17:23	
Bromochloromethane	ug/L	ND	1.0	02/23/14 17:23	
Bromodichloromethane	ug/L	ND	1.0	02/23/14 17:23	
Bromoform	ug/L	ND	4.0	02/23/14 17:23	
Bromomethane	ug/L	ND	4.0	02/23/14 17:23	
Carbon disulfide	ug/L	ND	1.0	02/23/14 17:23	
Carbon tetrachloride	ug/L	ND	4.0	02/23/14 17:23	
Chlorobenzene	ug/L	ND	1.0	02/23/14 17:23	
Chloroethane	ug/L	ND	1.0	02/23/14 17:23	
Chloroform	ug/L	ND	1.0	02/23/14 17:23	
Chloromethane	ug/L	ND	4.0	02/23/14 17:23	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/23/14 17:23	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/23/14 17:23	
Dibromochloromethane	ug/L	ND	1.0	02/23/14 17:23	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1628902

Matrix: Water

Associated Lab Samples: 10256845062

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/23/14 17:23	
Dichlorodifluoromethane	ug/L	ND	1.0	02/23/14 17:23	
Ethylbenzene	ug/L	ND	1.0	02/23/14 17:23	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/23/14 17:23	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/23/14 17:23	
m&p-Xylene	ug/L	ND	2.0	02/23/14 17:23	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/23/14 17:23	
Methylene Chloride	ug/L	ND	4.0	02/23/14 17:23	
n-Butylbenzene	ug/L	ND	1.0	02/23/14 17:23	
n-Propylbenzene	ug/L	ND	1.0	02/23/14 17:23	
Naphthalene	ug/L	ND	4.0	02/23/14 17:23	
o-Xylene	ug/L	ND	1.0	02/23/14 17:23	
p-Isopropyltoluene	ug/L	ND	1.0	02/23/14 17:23	
sec-Butylbenzene	ug/L	ND	1.0	02/23/14 17:23	
Styrene	ug/L	ND	1.0	02/23/14 17:23	
tert-Butylbenzene	ug/L	ND	1.0	02/23/14 17:23	
Tetrachloroethene	ug/L	ND	1.0	02/23/14 17:23	
Toluene	ug/L	ND	1.0	02/23/14 17:23	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/23/14 17:23	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/23/14 17:23	
Trichloroethene	ug/L	ND	0.40	02/23/14 17:23	
Trichlorofluoromethane	ug/L	ND	1.0	02/23/14 17:23	
Vinyl chloride	ug/L	ND	0.20	02/23/14 17:23	
Xylene (Total)	ug/L	ND	3.0	02/23/14 17:23	
1,2-Dichloroethane-d4 (S)	%	109	75-125	02/23/14 17:23	
4-Bromofluorobenzene (S)	%	104	75-125	02/23/14 17:23	
Toluene-d8 (S)	%	101	75-125	02/23/14 17:23	

LABORATORY CONTROL SAMPLE: 1628903

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.2	101	75-125	
1,1,1-Trichloroethane	ug/L	20	22.1	110	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	21.5	107	74-125	
1,1,2-Trichloroethane	ug/L	20	19.7	99	75-125	
1,1-Dichloroethane	ug/L	20	20.6	103	75-125	
1,1-Dichloroethene	ug/L	20	21.3	107	70-125	
1,1-Dichloropropene	ug/L	20	21.7	109	73-125	
1,2,3-Trichlorobenzene	ug/L	20	22.4	112	75-125	
1,2,3-Trichloropropane	ug/L	20	21.6	108	75-125	
1,2,4-Trichlorobenzene	ug/L	20	22.5	113	75-125	
1,2,4-Trimethylbenzene	ug/L	20	23.0	115	75-125	
1,2-Dibromo-3-chloropropane	ug/L	50	51.9	104	70-125	
1,2-Dibromoethane (EDB)	ug/L	20	19.9	100	75-125	
1,2-Dichlorobenzene	ug/L	20	21.3	106	75-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1628903

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	20	19.4	97	75-125	
1,2-Dichloroethene (Total)	ug/L	40	41.3	103	71-127	
1,2-Dichloropropane	ug/L	20	19.5	98	75-125	
1,3,5-Trimethylbenzene	ug/L	20	22.8	114	75-125	
1,3-Dichlorobenzene	ug/L	20	21.3	106	75-125	
1,3-Dichloropropane	ug/L	20	20.7	103	75-125	
1,4-Dichlorobenzene	ug/L	20	20.8	104	75-125	
2,2-Dichloropropane	ug/L	20	20.4	102	66-130	
2-Butanone (MEK)	ug/L	100	96.4	96	64-126	
2-Chlorotoluene	ug/L	20	22.3	111	73-125	
2-Hexanone	ug/L	100	99.3	99	69-127	
4-Chlorotoluene	ug/L	20	22.6	113	75-125	
4-Methyl-2-pentanone (MIBK)	ug/L	100	97.4	97	71-125	
Acetone	ug/L	100	97.8	98	66-131	
Benzene	ug/L	20	19.4	97	75-125	
Bromobenzene	ug/L	20	20.9	105	75-125	
Bromochloromethane	ug/L	20	20.3	101	75-125	
Bromodichloromethane	ug/L	20	19.6	98	75-125	
Bromoform	ug/L	20	16.8	84	70-125	
Bromomethane	ug/L	20	28.7	143	30-150	CH,SS
Carbon disulfide	ug/L	20	19.4	97	60-125	
Carbon tetrachloride	ug/L	20	20.1	101	68-129	
Chlorobenzene	ug/L	20	19.9	99	75-125	
Chloroethane	ug/L	20	21.7	109	68-133	
Chloroform	ug/L	20	20.2	101	75-125	
Chloromethane	ug/L	20	20.0	100	57-140	
cis-1,2-Dichloroethene	ug/L	20	20.1	101	75-125	
cis-1,3-Dichloropropene	ug/L	20	18.5	92	75-125	
Dibromochloromethane	ug/L	20	19.2	96	75-125	
Dibromomethane	ug/L	20	19.6	98	75-125	
Dichlorodifluoromethane	ug/L	20	20.3	102	50-134	
Ethylbenzene	ug/L	20	20.1	101	75-125	
Hexachloro-1,3-butadiene	ug/L	20	24.5	123	74-128	
Isopropylbenzene (Cumene)	ug/L	20	21.7	109	73-125	
m&p-Xylene	ug/L	40	41.6	104	75-125	
Methyl-tert-butyl ether	ug/L	20	17.8	89	75-125	
Methylene Chloride	ug/L	20	19.6	98	75-125	
n-Butylbenzene	ug/L	20	24.0	120	73-125	
n-Propylbenzene	ug/L	20	23.1	116	72-125	
Naphthalene	ug/L	20	18.4	92	74-125	
o-Xylene	ug/L	20	21.3	107	75-125	
p-Isopropyltoluene	ug/L	20	23.4	117	74-125	
sec-Butylbenzene	ug/L	20	23.9	119	74-125	
Styrene	ug/L	20	21.2	106	75-125	
tert-Butylbenzene	ug/L	20	23.0	115	74-125	
Tetrachloroethene	ug/L	20	21.4	107	71-125	
Toluene	ug/L	20	20.5	103	75-125	
trans-1,2-Dichloroethene	ug/L	20	21.2	106	73-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1628903

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	19.7	99	75-125	
Trichloroethene	ug/L	20	19.8	99	75-125	
Trichlorofluoromethane	ug/L	20	19.9	100	70-128	
Vinyl chloride	ug/L	20	22.0	110	70-130	
Xylene (Total)	ug/L	60	62.9	105	75-125	
1,2-Dichloroethane-d4 (S)	%			111	75-125	
4-Bromofluorobenzene (S)	%			105	75-125	
Toluene-d8 (S)	%			104	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1629608 1629609

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10258022011 Result	Spike Conc.	Spike Conc.	MSD Result								
1,1,1,2-Tetrachloroethane	ug/L	ND	100	100	100	95.6	94.1	96	94	74-131	2	30	
1,1,1-Trichloroethane	ug/L	ND	100	100	100	109	103	109	103	73-139	6	30	
1,1,2,2-Tetrachloroethane	ug/L	ND	100	100	100	99.0	101	99	101	72-125	2	30	
1,1,2-Trichloroethane	ug/L	ND	100	100	100	91.4	89.9	91	90	75-125	2	30	
1,1-Dichloroethane	ug/L	ND	100	100	100	100	95.6	100	96	73-132	5	30	
1,1-Dichloroethene	ug/L	ND	100	100	100	107	100	107	100	71-142	6	30	
1,1-Dichloropropene	ug/L	ND	100	100	100	107	103	107	103	73-139	4	30	
1,2,3-Trichlorobenzene	ug/L	ND	100	100	100	108	106	108	106	70-129	2	30	
1,2,3-Trichloropropane	ug/L	ND	100	100	100	98.5	99.4	98	99	74-125	1	30	
1,2,4-Trichlorobenzene	ug/L	ND	100	100	100	106	104	106	104	70-129	2	30	
1,2,4-Trimethylbenzene	ug/L	ND	100	100	100	110	107	110	107	72-136	3	30	
1,2-Dibromo-3-chloropropane	ug/L	ND	250	250	250	226	244	90	97	66-127	7	30	
1,2-Dibromoethane (EDB)	ug/L	ND	100	100	100	91.7	93.4	92	93	75-125	2	30	
1,2-Dichlorobenzene	ug/L	ND	100	100	100	100	100	100	100	75-125	.2	30	
1,2-Dichloroethane	ug/L	ND	100	100	100	92.1	90.3	92	90	68-128	2	30	
1,2-Dichloroethene (Total)	ug/L	44.4	200	200	200	257	238	106	97	73-129	8	30	
1,2-Dichloropropane	ug/L	ND	100	100	100	94.3	91.2	94	91	74-131	3	30	
1,3,5-Trimethylbenzene	ug/L	ND	100	100	100	109	107	109	107	75-131	2	30	
1,3-Dichlorobenzene	ug/L	ND	100	100	100	101	101	101	101	73-125	.5	30	
1,3-Dichloropropane	ug/L	ND	100	100	100	95.2	91.3	95	91	75-125	4	30	
1,4-Dichlorobenzene	ug/L	ND	100	100	100	97.5	97.3	98	97	73-125	.2	30	
2,2-Dichloropropane	ug/L	ND	100	100	100	101	94.8	101	95	58-150	6	30	
2-Butanone (MEK)	ug/L	ND	500	500	500	435	441	87	88	56-140	1	30	
2-Chlorotoluene	ug/L	ND	100	100	100	108	106	108	106	70-130	3	30	
2-Hexanone	ug/L	ND	500	500	500	442	462	88	92	63-132	5	30	
4-Chlorotoluene	ug/L	ND	100	100	100	108	105	108	105	73-126	3	30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	500	500	500	443	463	89	93	69-128	4	30	
Acetone	ug/L	ND	500	500	500	466	474	93	95	57-143	2	30	
Benzene	ug/L	ND	100	100	100	95.8	91.2	96	91	75-129	5	30	
Bromobenzene	ug/L	ND	100	100	100	103	101	103	101	74-125	3	30	
Bromochloromethane	ug/L	ND	100	100	100	95.9	91.5	96	91	75-126	5	30	
Bromodichloromethane	ug/L	ND	100	100	100	93.4	89.6	93	90	75-128	4	30	
Bromoform	ug/L	ND	100	100	100	74.1	73.2	74	73	66-130	1	30	
Bromomethane	ug/L	ND	100	100	100	138	139	138	139	30-150	.6	30	CH,SS

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Parameter	10258022011		MS		MSD		MS		MSD		% Rec	Limits	RPD	Max	RPD	Qual
	Units	Result	Spike	Conc.	Spike	Conc.	Result	Result	% Rec	% Rec						
Carbon disulfide	ug/L	ND	100	100	97.3	100	90.5	97	91	56-140	7	30				
Carbon tetrachloride	ug/L	ND	100	100	99.9	100	93.8	100	94	69-148	6	30				
Chlorobenzene	ug/L	ND	100	100	96.4	100	94.8	96	95	75-125	2	30				
Chloroethane	ug/L	ND	100	100	110	100	105	110	105	71-143	5	30				
Chloroform	ug/L	ND	100	100	99.5	100	93.9	100	94	75-126	6	30				
Chloromethane	ug/L	ND	100	100	101	100	97.4	101	97	55-150	3	30				
cis-1,2-Dichloroethene	ug/L	44.4	100	100	152	100	138	108	93	75-130	10	30				
cis-1,3-Dichloropropene	ug/L	ND	100	100	86.4	100	84.8	86	85	72-129	2	30				
Dibromochloromethane	ug/L	ND	100	100	89.3	100	88.3	89	88	73-129	1	30				
Dibromomethane	ug/L	ND	100	100	90.6	100	91.1	91	91	75-125	.6	30				
Dichlorodifluoromethane	ug/L	ND	100	100	107	100	102	107	102	70-150	5	30				
Ethylbenzene	ug/L	ND	100	100	100	100	97.1	100	97	75-128	3	30				
Hexachloro-1,3-butadiene	ug/L	ND	100	100	119	100	114	119	114	65-144	4	30				
Isopropylbenzene (Cumene)	ug/L	ND	100	100	102	100	101	102	101	75-131	2	30				
m&p-Xylene	ug/L	ND	200	200	202	200	196	101	98	75-130	3	30				
Methyl-tert-butyl ether	ug/L	ND	100	100	84.7	100	83.5	85	84	74-128	1	30				
Methylene Chloride	ug/L	ND	100	100	93.3	100	90.1	93	90	69-125	3	30				
n-Butylbenzene	ug/L	ND	100	100	117	100	112	117	112	70-137	5	30				
n-Propylbenzene	ug/L	ND	100	100	111	100	108	111	108	72-131	3	30				
Naphthalene	ug/L	ND	100	100	85.0	100	86.7	79	80	70-132	2	30				
o-Xylene	ug/L	ND	100	100	101	100	98.4	101	98	75-128	2	30				
p-Isopropyltoluene	ug/L	ND	100	100	113	100	111	113	111	73-133	2	30				
sec-Butylbenzene	ug/L	ND	100	100	115	100	112	115	112	74-133	2	30				
Styrene	ug/L	ND	100	100	101	100	97.3	101	97	75-128	3	30				
tert-Butylbenzene	ug/L	ND	100	100	110	100	108	110	108	74-130	1	30				
Tetrachloroethene	ug/L	665	100	100	752	100	747	86	81	68-140	.6	30				
Toluene	ug/L	ND	100	100	95.8	100	95.7	96	96	75-129	.2	30				
trans-1,2-Dichloroethene	ug/L	ND	100	100	105	100	100	105	100	70-136	5	30				
trans-1,3-Dichloropropene	ug/L	ND	100	100	92.2	100	91.6	92	92	71-125	.6	30				
Trichloroethene	ug/L	43.6	100	100	142	100	137	98	94	72-135	3	30				
Trichlorofluoromethane	ug/L	ND	100	100	109	100	99.2	109	99	75-150	10	30				
Vinyl chloride	ug/L	ND	100	100	115	100	110	115	109	73-150	5	30				
Xylene (Total)	ug/L	ND	300	300	303	300	295	101	98	75-129	3	30				
1,2-Dichloroethane-d4 (S)	%							112	111	75-125						
4-Bromofluorobenzene (S)	%							105	105	75-125						
Toluene-d8 (S)	%							101	102	75-125						

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26440

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV 465 W

Associated Lab Samples: 10256845073

METHOD BLANK: 1630434

Matrix: Water

Associated Lab Samples: 10256845073

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/25/14 10:56	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/25/14 10:56	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/25/14 10:56	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/25/14 10:56	
1,1-Dichloroethane	ug/L	ND	1.0	02/25/14 10:56	
1,1-Dichloroethene	ug/L	ND	1.0	02/25/14 10:56	
1,1-Dichloropropene	ug/L	ND	1.0	02/25/14 10:56	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/25/14 10:56	
1,2,3-Trichloropropane	ug/L	ND	4.0	02/25/14 10:56	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/25/14 10:56	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	02/25/14 10:56	
1,2-Dibromo-3-chloropropane	ug/L	ND	4.0	02/25/14 10:56	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/25/14 10:56	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/25/14 10:56	
1,2-Dichloroethane	ug/L	ND	1.0	02/25/14 10:56	
1,2-Dichloroethene (Total)	ug/L	ND	2.0	02/25/14 10:56	
1,2-Dichloropropane	ug/L	ND	4.0	02/25/14 10:56	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	02/25/14 10:56	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/25/14 10:56	
1,3-Dichloropropane	ug/L	ND	1.0	02/25/14 10:56	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/25/14 10:56	
2,2-Dichloropropane	ug/L	ND	4.0	02/25/14 10:56	
2-Butanone (MEK)	ug/L	ND	5.0	02/25/14 10:56	
2-Chlorotoluene	ug/L	ND	1.0	02/25/14 10:56	
2-Hexanone	ug/L	ND	5.0	02/25/14 10:56	
4-Chlorotoluene	ug/L	ND	1.0	02/25/14 10:56	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/25/14 10:56	
Acetone	ug/L	ND	20.0	02/25/14 10:56	
Benzene	ug/L	ND	1.0	02/25/14 10:56	
Bromobenzene	ug/L	ND	1.0	02/25/14 10:56	
Bromochloromethane	ug/L	ND	1.0	02/25/14 10:56	
Bromodichloromethane	ug/L	ND	1.0	02/25/14 10:56	
Bromoform	ug/L	ND	4.0	02/25/14 10:56	
Bromomethane	ug/L	ND	4.0	02/25/14 10:56	
Carbon disulfide	ug/L	ND	1.0	02/25/14 10:56	
Carbon tetrachloride	ug/L	ND	1.0	02/25/14 10:56	
Chlorobenzene	ug/L	ND	1.0	02/25/14 10:56	
Chloroethane	ug/L	ND	1.0	02/25/14 10:56	
Chloroform	ug/L	ND	1.0	02/25/14 10:56	
Chloromethane	ug/L	ND	4.0	02/25/14 10:56	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/25/14 10:56	
cis-1,3-Dichloropropene	ug/L	ND	4.0	02/25/14 10:56	
Dibromochloromethane	ug/L	ND	1.0	02/25/14 10:56	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

METHOD BLANK: 1630434

Matrix: Water

Associated Lab Samples: 10256845073

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	4.0	02/25/14 10:56	
Dichlorodifluoromethane	ug/L	ND	1.0	02/25/14 10:56	
Ethylbenzene	ug/L	ND	1.0	02/25/14 10:56	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/25/14 10:56	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	02/25/14 10:56	
m&p-Xylene	ug/L	ND	2.0	02/25/14 10:56	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/25/14 10:56	
Methylene Chloride	ug/L	ND	4.0	02/25/14 10:56	
n-Butylbenzene	ug/L	ND	1.0	02/25/14 10:56	
n-Propylbenzene	ug/L	ND	1.0	02/25/14 10:56	
Naphthalene	ug/L	ND	4.0	02/25/14 10:56	
o-Xylene	ug/L	ND	1.0	02/25/14 10:56	
p-Isopropyltoluene	ug/L	ND	1.0	02/25/14 10:56	
sec-Butylbenzene	ug/L	ND	1.0	02/25/14 10:56	
Styrene	ug/L	ND	1.0	02/25/14 10:56	
tert-Butylbenzene	ug/L	ND	1.0	02/25/14 10:56	
Tetrachloroethene	ug/L	ND	1.0	02/25/14 10:56	
Toluene	ug/L	ND	1.0	02/25/14 10:56	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/25/14 10:56	
trans-1,3-Dichloropropene	ug/L	ND	4.0	02/25/14 10:56	
Trichloroethene	ug/L	ND	0.40	02/25/14 10:56	
Trichlorofluoromethane	ug/L	ND	1.0	02/25/14 10:56	
Vinyl chloride	ug/L	ND	0.20	02/25/14 10:56	
Xylene (Total)	ug/L	ND	3.0	02/25/14 10:56	
1,2-Dichloroethane-d4 (S)	%	99	75-125	02/25/14 10:56	
4-Bromofluorobenzene (S)	%	99	75-125	02/25/14 10:56	
Toluene-d8 (S)	%	101	75-125	02/25/14 10:56	

LABORATORY CONTROL SAMPLE & LCSD: 1630435

1630436

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	18.1	18.5	91	92	75-125	2	20	
1,1,1-Trichloroethane	ug/L	20	17.2	18.3	86	91	73-125	6	20	
1,1,2,2-Tetrachloroethane	ug/L	20	17.9	18.0	89	90	74-125	.9	20	
1,1,2-Trichloroethane	ug/L	20	18.8	18.8	94	94	75-125	.3	20	
1,1-Dichloroethane	ug/L	20	16.7	17.6	83	88	75-125	5	20	
1,1-Dichloroethene	ug/L	20	18.5	20.6	93	103	70-125	10	20	
1,1-Dichloropropene	ug/L	20	18.5	19.7	93	99	73-125	6	20	
1,2,3-Trichlorobenzene	ug/L	20	17.4	17.6	87	88	75-125	1	20	
1,2,3-Trichloropropane	ug/L	20	18.7	19.4	94	97	75-125	4	20	
1,2,4-Trichlorobenzene	ug/L	20	18.3	19.0	92	95	75-125	4	20	
1,2,4-Trimethylbenzene	ug/L	20	18.5	18.5	92	93	75-125	.2	20	
1,2-Dibromo-3-chloropropane	ug/L	50	45.4	47.3	91	95	70-125	4	20	
1,2-Dibromoethane (EDB)	ug/L	20	19.0	19.4	95	97	75-125	2	20	
1,2-Dichlorobenzene	ug/L	20	17.5	18.0	87	90	75-125	3	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE & LCSD:		1630435	1630436				% Rec		Max	
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	RPD	Qualifiers
1,2-Dichloroethane	ug/L	20	18.6	18.7	93	94	75-125	.9	20	
1,2-Dichloroethene (Total)	ug/L	40	37.8	39.4	95	99	71-127	4	20	
1,2-Dichloropropane	ug/L	20	17.8	18.2	89	91	75-125	2	20	
1,3,5-Trimethylbenzene	ug/L	20	18.4	18.8	92	94	75-125	2	20	
1,3-Dichlorobenzene	ug/L	20	18.3	18.6	91	93	75-125	2	20	
1,3-Dichloropropane	ug/L	20	18.0	18.2	90	91	75-125	1	20	
1,4-Dichlorobenzene	ug/L	20	17.4	17.7	87	88	75-125	2	20	
2,2-Dichloropropane	ug/L	20	15.4	17.7	77	88	66-130	14	20	
2-Butanone (MEK)	ug/L	100	90.9	92.8	91	93	64-126	2	20	
2-Chlorotoluene	ug/L	20	17.7	18.1	88	90	73-125	2	20	
2-Hexanone	ug/L	100	91.2	92.1	91	92	69-127	1	20	
4-Chlorotoluene	ug/L	20	17.3	17.8	86	89	75-125	3	20	
4-Methyl-2-pentanone (MIBK)	ug/L	100	91.5	92.3	91	92	71-125	.9	20	
Acetone	ug/L	100	91.0	90.4	91	90	66-131	.7	20	
Benzene	ug/L	20	18.2	19.0	91	95	75-125	4	20	
Bromobenzene	ug/L	20	18.2	18.8	91	94	75-125	3	20	
Bromochloromethane	ug/L	20	19.3	19.2	96	96	75-125	.3	20	
Bromodichloromethane	ug/L	20	18.2	18.5	91	92	75-125	2	20	
Bromoform	ug/L	20	17.9	18.7	90	94	70-125	5	20	
Bromomethane	ug/L	20	22.7	25.5	113	127	30-150	12	20	SS
Carbon disulfide	ug/L	20	19.8	21.4	99	107	60-125	8	20	
Carbon tetrachloride	ug/L	20	19.0	20.9	95	104	68-129	10	20	
Chlorobenzene	ug/L	20	17.7	18.1	89	91	75-125	2	20	
Chloroethane	ug/L	20	18.1	20.8	91	104	68-133	14	20	
Chloroform	ug/L	20	17.6	18.2	88	91	75-125	3	20	
Chloromethane	ug/L	20	16.8	22.6	84	113	57-140	29	20	R1
cis-1,2-Dichloroethene	ug/L	20	18.5	19.0	92	95	75-125	3	20	
cis-1,3-Dichloropropene	ug/L	20	17.4	18.2	87	91	75-125	5	20	
Dibromochloromethane	ug/L	20	18.8	19.1	94	95	75-125	2	20	
Dibromomethane	ug/L	20	19.9	19.7	99	99	75-125	.6	20	
Dichlorodifluoromethane	ug/L	20	18.0	19.4	90	97	50-134	8	20	
Ethylbenzene	ug/L	20	17.8	18.6	89	93	75-125	4	20	
Hexachloro-1,3-butadiene	ug/L	20	17.9	19.6	89	98	74-128	9	20	
Isopropylbenzene (Cumene)	ug/L	20	17.9	18.2	90	91	73-125	1	20	
m&p-Xylene	ug/L	40	36.1	37.1	90	93	75-125	3	20	
Methyl-tert-butyl ether	ug/L	20	16.2	17.9	81	90	75-125	10	20	
Methylene Chloride	ug/L	20	18.8	18.2	94	91	75-125	3	20	
n-Butylbenzene	ug/L	20	18.3	18.7	91	94	73-125	2	20	
n-Propylbenzene	ug/L	20	17.9	18.3	89	92	72-125	3	20	
Naphthalene	ug/L	20	18.5	18.8	92	94	74-125	2	20	
o-Xylene	ug/L	20	17.9	18.2	90	91	75-125	2	20	
p-Isopropyltoluene	ug/L	20	17.2	17.7	86	89	74-125	3	20	
sec-Butylbenzene	ug/L	20	17.8	18.4	89	92	74-125	3	20	
Styrene	ug/L	20	18.1	18.3	90	92	75-125	1	20	
tert-Butylbenzene	ug/L	20	17.8	18.3	89	91	74-125	3	20	
Tetrachloroethene	ug/L	20	18.7	19.5	93	98	71-125	5	20	
Toluene	ug/L	20	18.4	19.0	92	95	75-125	3	20	
trans-1,2-Dichloroethene	ug/L	20	19.3	20.4	97	102	73-125	5	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE & LCSD:		1630435	1630436				% Rec		Max	
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	Limits	RPD	RPD	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	17.7	18.1	89	91	75-125	2	20	
Trichloroethene	ug/L	20	17.0	18.2	85	91	75-125	7	20	
Trichlorofluoromethane	ug/L	20	18.1	19.7	91	98	70-128	8	20	
Vinyl chloride	ug/L	20	20.1	22.7	101	114	70-130	12	20	SS
Xylene (Total)	ug/L	60	54.0	55.3	90	92	75-125	2	20	
1,2-Dichloroethane-d4 (S)	%				103	104	75-125			
4-Bromofluorobenzene (S)	%				99	100	75-125			
Toluene-d8 (S)	%				101	100	75-125			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26306 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 10256845009

METHOD BLANK: 1620791 Matrix: Water

Associated Lab Samples: 10256845009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	02/07/14 09:58	
Ethylbenzene	ug/L	ND	1.0	02/07/14 09:58	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/07/14 09:58	
Toluene	ug/L	ND	1.0	02/07/14 09:58	
Xylene (Total)	ug/L	ND	3.0	02/07/14 09:58	
1,2-Dichloroethane-d4 (S)	%	99	75-125	02/07/14 09:58	
4-Bromofluorobenzene (S)	%	99	75-125	02/07/14 09:58	
Toluene-d8 (S)	%	99	75-125	02/07/14 09:58	

LABORATORY CONTROL SAMPLE: 1620792

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	17.9	89	75-125	
Ethylbenzene	ug/L	20	18.2	91	75-125	
Methyl-tert-butyl ether	ug/L	20	20.4	102	75-125	
Toluene	ug/L	20	18.4	92	75-125	
Xylene (Total)	ug/L	60	56.2	94	75-125	
1,2-Dichloroethane-d4 (S)	%			102	75-125	
4-Bromofluorobenzene (S)	%			101	75-125	
Toluene-d8 (S)	%			102	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1620897 1620898

Parameter	Units	10257094004		MS		MSD		MS		MSD		% Rec Limits	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Benzene	ug/L	ND	100	100	84.6	112	85	112	75-129	28	30			
Ethylbenzene	ug/L	ND	100	100	84.3	110	84	110	75-128	26	30			
Methyl-tert-butyl ether	ug/L	ND	100	100	90.0	115	90	115	74-128	25	30			
Toluene	ug/L	ND	100	100	87.6	111	88	111	75-129	24	30			
Xylene (Total)	ug/L	ND	300	300	255	336	85	112	75-129	27	30			
1,2-Dichloroethane-d4 (S)	%						103	105	75-125					
4-Bromofluorobenzene (S)	%						101	99	75-125					
Toluene-d8 (S)	%						102	102	75-125					

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

QC Batch: MSV/26314 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 10256845010, 10256845011, 10256845013, 10256845028

METHOD BLANK: 1622092 Matrix: Water
Associated Lab Samples: 10256845010, 10256845011, 10256845013, 10256845028

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	02/10/14 10:32	
Ethylbenzene	ug/L	ND	1.0	02/10/14 10:32	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/10/14 10:32	
Toluene	ug/L	ND	1.0	02/10/14 10:32	
Xylene (Total)	ug/L	ND	3.0	02/10/14 10:32	
1,2-Dichloroethane-d4 (S)	%	102	75-125	02/10/14 10:32	
4-Bromofluorobenzene (S)	%	99	75-125	02/10/14 10:32	
Toluene-d8 (S)	%	100	75-125	02/10/14 10:32	

LABORATORY CONTROL SAMPLE: 1622093

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	20.6	103	75-125	
Ethylbenzene	ug/L	20	20.9	104	75-125	
Methyl-tert-butyl ether	ug/L	20	21.7	108	75-125	
Toluene	ug/L	20	21.5	107	75-125	
Xylene (Total)	ug/L	60	63.3	105	75-125	
1,2-Dichloroethane-d4 (S)	%			103	75-125	
4-Bromofluorobenzene (S)	%			101	75-125	
Toluene-d8 (S)	%			102	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1622326 1622327

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10257259004 Result	Spike Conc.	Spike Conc.	MS Result						
Benzene	ug/L	ND	100	100	116	114	116	114	75-129	2	30
Ethylbenzene	ug/L	ND	100	100	107	105	107	105	75-128	2	30
Methyl-tert-butyl ether	ug/L	ND	100	100	118	118	118	118	74-128	.05	30
Toluene	ug/L	ND	100	100	110	108	110	108	75-129	2	30
Xylene (Total)	ug/L	ND	300	300	328	323	109	108	75-129	2	30
1,2-Dichloroethane-d4 (S)	%						109	109	75-125		
4-Bromofluorobenzene (S)	%						100	98	75-125		
Toluene-d8 (S)	%						101	100	75-125		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch:	MSV/26357	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV UST-WATER
Associated Lab Samples:	10256845036, 10256845037, 10256845038, 10256845046, 10256845047, 10256845050, 10256845051, 10256845053, 10256845056, 10256845057, 10256845058		

METHOD BLANK: 1625533 Matrix: Water
Associated Lab Samples: 10256845036, 10256845037, 10256845038, 10256845046, 10256845047, 10256845050, 10256845051, 10256845053, 10256845056, 10256845057, 10256845058

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	02/18/14 01:29	
Ethylbenzene	ug/L	ND	1.0	02/18/14 01:29	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/18/14 01:29	
Toluene	ug/L	ND	1.0	02/18/14 01:29	
Xylene (Total)	ug/L	ND	3.0	02/18/14 01:29	
1,2-Dichloroethane-d4 (S)	%	101	75-125	02/18/14 01:29	
4-Bromofluorobenzene (S)	%	100	75-125	02/18/14 01:29	
Toluene-d8 (S)	%	98	75-125	02/18/14 01:29	

LABORATORY CONTROL SAMPLE: 1625534

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	22.5	112	75-125	
Ethylbenzene	ug/L	20	21.7	108	75-125	
Methyl-tert-butyl ether	ug/L	20	22.6	113	75-125	
Toluene	ug/L	20	22.8	114	75-125	
Xylene (Total)	ug/L	60	69.2	115	75-125	
1,2-Dichloroethane-d4 (S)	%			103	75-125	
4-Bromofluorobenzene (S)	%			101	75-125	
Toluene-d8 (S)	%			101	75-125	

MATRIX SPIKE SAMPLE: 1625903

Parameter	Units	10256845051 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	ND	20	20.0	100	75-129	
Ethylbenzene	ug/L	ND	20	19.7	98	75-128	
Methyl-tert-butyl ether	ug/L	ND	20	16.9	85	74-128	
Toluene	ug/L	ND	20	20.7	103	75-129	
Xylene (Total)	ug/L	ND	60	61.8	103	75-129	
1,2-Dichloroethane-d4 (S)	%				103	75-125	
4-Bromofluorobenzene (S)	%				103	75-125	
Toluene-d8 (S)	%				101	75-125	

SAMPLE DUPLICATE: 1625902

Parameter	Units	10256845047 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1625902

Parameter	Units	10256845047 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethylbenzene	ug/L	1.1	1.1	2	30	
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Toluene	ug/L	ND	.49J		30	
Xylene (Total)	ug/L	5.9	6.2	6	30	
1,2-Dichloroethane-d4 (S)	%.	100	101	1		
4-Bromofluorobenzene (S)	%.	101	98	3		
Toluene-d8 (S)	%.	98	99	.7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: MSV/26408 Analysis Method: EPA 8260
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
 Associated Lab Samples: 10256845059, 10256845060, 10256845064, 10256845065

METHOD BLANK: 1628875 Matrix: Water
 Associated Lab Samples: 10256845059, 10256845060, 10256845064, 10256845065

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	02/23/14 11:55	
Ethylbenzene	ug/L	ND	1.0	02/23/14 11:55	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/23/14 11:55	
Toluene	ug/L	ND	1.0	02/23/14 11:55	
Xylene (Total)	ug/L	ND	3.0	02/23/14 11:55	
1,2-Dichloroethane-d4 (S)	%	102	75-125	02/23/14 11:55	
4-Bromofluorobenzene (S)	%	98	75-125	02/23/14 11:55	
Toluene-d8 (S)	%	99	75-125	02/23/14 11:55	

LABORATORY CONTROL SAMPLE: 1628876

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	20.3	102	75-125	
Ethylbenzene	ug/L	20	20.3	102	75-125	
Methyl-tert-butyl ether	ug/L	20	18.4	92	75-125	
Toluene	ug/L	20	21.0	105	75-125	
Xylene (Total)	ug/L	60	60.8	101	75-125	
1,2-Dichloroethane-d4 (S)	%			103	75-125	
4-Bromofluorobenzene (S)	%			100	75-125	
Toluene-d8 (S)	%			103	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1628877 1628878

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		10256845059 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
Benzene	ug/L	995	20	20	775	770	-1100	-1120	75-129	.6	30	E,M1
Ethylbenzene	ug/L	2770	20	20	728	726	-10200	-10200	75-128	.3	30	E,M1
Methyl-tert-butyl ether	ug/L	ND	20	20	18.5	17.9	92	89	74-128	3	30	
Toluene	ug/L	4430	20	20	1340	1330	-15500	-15500	75-129	.6	30	E,M1
Xylene (Total)	ug/L	3580	60	60	3660	3610	136	58	75-129	1	30	ES,MS
1,2-Dichloroethane-d4 (S)	%						104	102	75-125			
4-Bromofluorobenzene (S)	%						100	101	75-125			
Toluene-d8 (S)	%						93	94	75-125			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

QC Batch: MSV/26422 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Associated Lab Samples: 10256845066, 10256845072

METHOD BLANK: 1629341 Matrix: Water
Associated Lab Samples: 10256845066, 10256845072

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	02/25/14 20:31	
Ethylbenzene	ug/L	ND	1.0	02/25/14 20:31	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/25/14 20:31	
Toluene	ug/L	ND	1.0	02/25/14 20:31	
Xylene (Total)	ug/L	ND	3.0	02/25/14 20:31	
1,2-Dichloroethane-d4 (S)	%	100	75-125	02/25/14 20:31	
4-Bromofluorobenzene (S)	%	101	75-125	02/25/14 20:31	
Toluene-d8 (S)	%	100	75-125	02/25/14 20:31	

LABORATORY CONTROL SAMPLE: 1629342

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	21.9	110	75-125	
Ethylbenzene	ug/L	20	22.0	110	75-125	
Methyl-tert-butyl ether	ug/L	20	17.7	88	75-125	
Toluene	ug/L	20	22.5	113	75-125	
Xylene (Total)	ug/L	60	66.1	110	75-125	
1,2-Dichloroethane-d4 (S)	%			101	75-125	
4-Bromofluorobenzene (S)	%			100	75-125	
Toluene-d8 (S)	%			102	75-125	

MATRIX SPIKE SAMPLE: 1629985

Parameter	Units	10258577003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	ND	20	20.2	101	75-129	
Ethylbenzene	ug/L	ND	20	20.5	102	75-128	
Methyl-tert-butyl ether	ug/L	ND	20	15.6	78	74-128	
Toluene	ug/L	ND	20	21.2	106	75-129	
Xylene (Total)	ug/L	ND	60	61.3	102	75-129	
1,2-Dichloroethane-d4 (S)	%				104	75-125	
4-Bromofluorobenzene (S)	%				100	75-125	
Toluene-d8 (S)	%				103	75-125	

SAMPLE DUPLICATE: 1629984

Parameter	Units	10258577002 Result	Dup Result	RPD	Max RPD	Qualifiers
Benzene	ug/L	ND	ND		30	
Ethylbenzene	ug/L	ND	ND		30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

SAMPLE DUPLICATE: 1629984

Parameter	Units	10258577002 Result	Dup Result	RPD	Max RPD	Qualifiers
Methyl-tert-butyl ether	ug/L	ND	ND		30	
Toluene	ug/L	ND	ND		30	
Xylene (Total)	ug/L	ND	ND		30	
1,2-Dichloroethane-d4 (S)	%.	101	100	.8		
4-Bromofluorobenzene (S)	%.	99	98	.7		
Toluene-d8 (S)	%.	101	100	.3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24299 Analysis Method: EPA 8270 by SIM
 QC Batch Method: EPA 3510 Analysis Description: 8270 Water PAH by SIM MSSV
 Associated Lab Samples: 10256845001, 10256845002, 10256845003, 10256845004, 10256845005, 10256845006, 10256845007, 10256845008

METHOD BLANK: 1619503 Matrix: Water
 Associated Lab Samples: 10256845001, 10256845002, 10256845003, 10256845004, 10256845005, 10256845006, 10256845007, 10256845008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	ND	0.040	02/10/14 19:23	
2-Methylnaphthalene	ug/L	ND	0.040	02/10/14 19:23	
Acenaphthene	ug/L	ND	0.040	02/10/14 19:23	
Acenaphthylene	ug/L	ND	0.040	02/10/14 19:23	
Anthracene	ug/L	ND	0.040	02/10/14 19:23	
Benzo(a)anthracene	ug/L	ND	0.040	02/10/14 19:23	
Benzo(a)pyrene	ug/L	ND	0.040	02/10/14 19:23	
Benzo(b)fluoranthene	ug/L	ND	0.040	02/10/14 19:23	
Benzo(g,h,i)perylene	ug/L	ND	0.040	02/10/14 19:23	
Benzo(k)fluoranthene	ug/L	ND	0.040	02/10/14 19:23	
Chrysene	ug/L	ND	0.040	02/10/14 19:23	
Dibenz(a,h)anthracene	ug/L	ND	0.040	02/10/14 19:23	
Fluoranthene	ug/L	ND	0.040	02/10/14 19:23	
Fluorene	ug/L	ND	0.040	02/10/14 19:23	
Indeno(1,2,3-cd)pyrene	ug/L	ND	0.040	02/10/14 19:23	
Naphthalene	ug/L	ND	0.040	02/10/14 19:23	
Phenanthrene	ug/L	ND	0.040	02/10/14 19:23	
Pyrene	ug/L	ND	0.040	02/10/14 19:23	
2-Fluorobiphenyl (S)	%	94	54-125	02/10/14 19:23	
Terphenyl-d14 (S)	%	97	68-125	02/10/14 19:23	

Parameter	Units	1619504		1619505		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCS % Rec						
1-Methylnaphthalene	ug/L	1	0.61	0.69	61	69	34-125	13	20		
2-Methylnaphthalene	ug/L	1	0.81	0.96	81	96	40-125	17	20		
Acenaphthene	ug/L	1	0.76	0.90	76	90	46-125	17	20		
Acenaphthylene	ug/L	1	0.71	0.88	71	88	45-125	21	20	R1	
Anthracene	ug/L	1	0.83	0.87	83	87	54-125	6	20		
Benzo(a)anthracene	ug/L	1	0.72	0.81	72	81	59-125	12	20		
Benzo(a)pyrene	ug/L	1	0.89	0.99	89	99	58-125	11	20		
Benzo(b)fluoranthene	ug/L	1	0.77	0.86	77	86	61-125	12	20		
Benzo(g,h,i)perylene	ug/L	1	0.76	0.83	76	83	55-125	8	20		
Benzo(k)fluoranthene	ug/L	1	0.83	1.0	83	103	63-125	22	20	R1	
Chrysene	ug/L	1	0.91	0.98	91	98	59-125	7	20		
Dibenz(a,h)anthracene	ug/L	1	0.70	0.74	70	74	59-125	6	20		
Fluoranthene	ug/L	1	0.79	0.89	79	89	63-125	12	20		
Fluorene	ug/L	1	0.74	0.91	74	91	52-125	20	20		
Indeno(1,2,3-cd)pyrene	ug/L	1	0.73	0.78	73	78	59-125	7	20		
Naphthalene	ug/L	1	0.78	0.89	78	89	44-125	13	20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE & LCSD:		1619504	1619505				% Rec		Max	
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	Limits	RPD	RPD	Qualifiers
Phenanthrene	ug/L	1	0.75	0.84	75	84	55-125	12	20	
Pyrene	ug/L	1	0.84	0.95	84	95	66-125	12	20	
2-Fluorobiphenyl (S)	%.				85	102	54-125			
Terphenyl-d14 (S)	%.				92	100	68-125			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24342 Analysis Method: EPA 8270 by SIM
 QC Batch Method: EPA 3510 Analysis Description: 8270 Water PAH by SIM MSSV
 Associated Lab Samples: 10256845012, 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845020,
 10256845021, 10256845022, 10256845023, 10256845024, 10256845025, 10256845026, 10256845027

METHOD BLANK: 1622543 Matrix: Water
 Associated Lab Samples: 10256845012, 10256845014, 10256845015, 10256845016, 10256845017, 10256845018, 10256845020,
 10256845021, 10256845022, 10256845023, 10256845024, 10256845025, 10256845026, 10256845027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	ND	0.040	02/19/14 02:28	
2-Methylnaphthalene	ug/L	ND	0.040	02/19/14 02:28	
Acenaphthene	ug/L	ND	0.040	02/19/14 02:28	
Acenaphthylene	ug/L	ND	0.040	02/19/14 02:28	
Anthracene	ug/L	ND	0.040	02/19/14 02:28	
Benzo(a)anthracene	ug/L	ND	0.040	02/19/14 02:28	
Benzo(a)pyrene	ug/L	ND	0.040	02/19/14 02:28	
Benzo(b)fluoranthene	ug/L	ND	0.040	02/19/14 02:28	
Benzo(g,h,i)perylene	ug/L	ND	0.040	02/19/14 02:28	
Benzo(k)fluoranthene	ug/L	ND	0.040	02/19/14 02:28	
Chrysene	ug/L	ND	0.040	02/19/14 02:28	
Dibenz(a,h)anthracene	ug/L	ND	0.040	02/19/14 02:28	
Fluoranthene	ug/L	ND	0.040	02/19/14 02:28	
Fluorene	ug/L	ND	0.040	02/19/14 02:28	
Indeno(1,2,3-cd)pyrene	ug/L	ND	0.040	02/19/14 02:28	
Naphthalene	ug/L	ND	0.040	02/19/14 02:28	
Phenanthrene	ug/L	ND	0.040	02/19/14 02:28	
Pyrene	ug/L	ND	0.040	02/19/14 02:28	
2-Fluorobiphenyl (S)	%	79	54-125	02/19/14 02:28	
Terphenyl-d14 (S)	%	85	68-125	02/19/14 02:28	

Parameter	Units	1622544		1622545		% Rec	% Rec	% Rec	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec						
1-Methylnaphthalene	ug/L	1	0.53	0.57	53	57	34-125	8	20		
2-Methylnaphthalene	ug/L	1	0.74	0.76	74	76	40-125	3	20		
Acenaphthene	ug/L	1	0.67	0.74	67	74	46-125	9	20		
Acenaphthylene	ug/L	1	0.64	0.68	64	68	45-125	7	20		
Anthracene	ug/L	1	0.69	0.74	69	74	54-125	7	20		
Benzo(a)anthracene	ug/L	1	0.72	0.65	72	65	59-125	10	20		
Benzo(a)pyrene	ug/L	1	0.87	0.79	87	79	58-125	9	20		
Benzo(b)fluoranthene	ug/L	1	0.75	0.72	75	72	61-125	4	20		
Benzo(g,h,i)perylene	ug/L	1	0.89	0.80	89	80	55-125	11	20		
Benzo(k)fluoranthene	ug/L	1	0.92	0.83	92	83	63-125	10	20		
Chrysene	ug/L	1	0.89	0.83	89	83	59-125	7	20		
Dibenz(a,h)anthracene	ug/L	1	0.91	0.81	91	81	59-125	12	20		
Fluoranthene	ug/L	1	0.91	0.90	91	90	63-125	2	20		
Fluorene	ug/L	1	0.76	0.78	76	78	52-125	3	20		
Indeno(1,2,3-cd)pyrene	ug/L	1	0.89	0.80	89	80	59-125	11	20		
Naphthalene	ug/L	1	0.66	0.70	66	70	44-125	7	20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE & LCSD: 1622544		1622545									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Phenanthrene	ug/L	1	0.68	0.71	68	71	55-125	4	20		
Pyrene	ug/L	1	0.73	0.66	73	66	66-125	10	20		
2-Fluorobiphenyl (S)	%.				77	86	54-125				
Terphenyl-d14 (S)	%.				87	79	68-125				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24345 Analysis Method: EPA 8270 by SIM
 QC Batch Method: EPA 3510 Analysis Description: 8270 Water PAH by SIM MSSV
 Associated Lab Samples: 10256845029, 10256845030, 10256845031, 10256845032, 10256845033, 10256845034, 10256845035, 10256845036

METHOD BLANK: 1622740 Matrix: Water
 Associated Lab Samples: 10256845029, 10256845030, 10256845031, 10256845032, 10256845033, 10256845034, 10256845035, 10256845036

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	ND	0.040	02/19/14 08:45	
2-Methylnaphthalene	ug/L	ND	0.040	02/19/14 08:45	
Acenaphthene	ug/L	ND	0.040	02/19/14 08:45	
Acenaphthylene	ug/L	ND	0.040	02/19/14 08:45	
Anthracene	ug/L	ND	0.040	02/19/14 08:45	
Benzo(a)anthracene	ug/L	ND	0.040	02/19/14 08:45	
Benzo(a)pyrene	ug/L	ND	0.040	02/19/14 08:45	
Benzo(b)fluoranthene	ug/L	ND	0.040	02/19/14 08:45	
Benzo(g,h,i)perylene	ug/L	ND	0.040	02/19/14 08:45	
Benzo(k)fluoranthene	ug/L	ND	0.040	02/19/14 08:45	
Chrysene	ug/L	ND	0.040	02/19/14 08:45	
Dibenz(a,h)anthracene	ug/L	ND	0.040	02/19/14 08:45	
Fluoranthene	ug/L	ND	0.040	02/19/14 08:45	
Fluorene	ug/L	ND	0.040	02/19/14 08:45	
Indeno(1,2,3-cd)pyrene	ug/L	ND	0.040	02/19/14 08:45	
Naphthalene	ug/L	ND	0.040	02/19/14 08:45	
Phenanthrene	ug/L	ND	0.040	02/19/14 08:45	
Pyrene	ug/L	ND	0.040	02/19/14 08:45	
2-Fluorobiphenyl (S)	%	75	54-125	02/19/14 08:45	
Terphenyl-d14 (S)	%	92	68-125	02/19/14 08:45	

LABORATORY CONTROL SAMPLE & LCSD: 1622741

1622742

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1-Methylnaphthalene	ug/L	1	0.50	0.51	50	51	34-125	2	20	
2-Methylnaphthalene	ug/L	1	0.73	0.70	73	70	40-125	4	20	
Acenaphthene	ug/L	1	0.65	0.63	65	63	46-125	2	20	
Acenaphthylene	ug/L	1	0.62	0.61	62	61	45-125	3	20	
Anthracene	ug/L	1	0.79	0.67	79	67	54-125	16	20	
Benzo(a)anthracene	ug/L	1	0.79	0.73	79	73	59-125	7	20	
Benzo(a)pyrene	ug/L	1	0.92	0.87	92	87	58-125	5	20	
Benzo(b)fluoranthene	ug/L	1	0.80	0.76	80	76	61-125	5	20	
Benzo(g,h,i)perylene	ug/L	1	0.93	0.89	93	89	55-125	5	20	
Benzo(k)fluoranthene	ug/L	1	0.92	0.88	92	88	63-125	5	20	
Chrysene	ug/L	1	0.91	0.87	91	87	59-125	5	20	
Dibenz(a,h)anthracene	ug/L	1	0.92	0.89	92	89	59-125	4	20	
Fluoranthene	ug/L	1	1.0	0.96	102	96	63-125	6	20	
Fluorene	ug/L	1	0.75	0.73	75	73	52-125	3	20	
Indeno(1,2,3-cd)pyrene	ug/L	1	0.93	0.88	93	88	59-125	6	20	
Naphthalene	ug/L	1	0.63	0.61	63	61	44-125	2	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE & LCSD: 1622741		1622742									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Phenanthrene	ug/L	1	0.77	0.74	77	74	55-125	4	20		
Pyrene	ug/L	1	0.75	0.70	75	70	66-125	6	20		
2-Fluorobiphenyl (S)	%.				75	74	54-125				
Terphenyl-d14 (S)	%.				92	88	68-125				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24365 Analysis Method: EPA 8270 by SIM
 QC Batch Method: EPA 3510 Analysis Description: 8270 Water PAH by SIM MSSV
 Associated Lab Samples: 10256845039, 10256845040, 10256845041, 10256845042, 10256845043, 10256845044, 10256845045,
 10256845048, 10256845049, 10256845050, 10256845051, 10256845052

METHOD BLANK: 1623866 Matrix: Water
 Associated Lab Samples: 10256845039, 10256845040, 10256845041, 10256845042, 10256845043, 10256845044, 10256845045,
 10256845048, 10256845049, 10256845050, 10256845051, 10256845052

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	ND	0.040	02/19/14 16:02	
2-Methylnaphthalene	ug/L	ND	0.040	02/19/14 16:02	
Acenaphthene	ug/L	ND	0.040	02/19/14 16:02	
Acenaphthylene	ug/L	ND	0.040	02/19/14 16:02	
Anthracene	ug/L	ND	0.040	02/19/14 16:02	
Benzo(a)anthracene	ug/L	ND	0.040	02/19/14 16:02	
Benzo(a)pyrene	ug/L	ND	0.040	02/19/14 16:02	
Benzo(b)fluoranthene	ug/L	ND	0.040	02/19/14 16:02	
Benzo(g,h,i)perylene	ug/L	ND	0.040	02/19/14 16:02	
Benzo(k)fluoranthene	ug/L	ND	0.040	02/19/14 16:02	
Chrysene	ug/L	ND	0.040	02/19/14 16:02	
Dibenz(a,h)anthracene	ug/L	ND	0.040	02/19/14 16:02	
Fluoranthene	ug/L	ND	0.040	02/19/14 16:02	
Fluorene	ug/L	ND	0.040	02/19/14 16:02	
Indeno(1,2,3-cd)pyrene	ug/L	ND	0.040	02/19/14 16:02	
Naphthalene	ug/L	ND	0.040	02/19/14 16:02	
Phenanthrene	ug/L	ND	0.040	02/19/14 16:02	
Pyrene	ug/L	ND	0.040	02/19/14 16:02	
2-Fluorobiphenyl (S)	%	82	54-125	02/19/14 16:02	
Terphenyl-d14 (S)	%	86	68-125	02/19/14 16:02	

Parameter	Units	1623867		1623868		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCSD Result						
1-Methylnaphthalene	ug/L	1	.037J	ND	4	0	34-125			20	L0
2-Methylnaphthalene	ug/L	1	.027J	ND	3	0	40-125			20	L0
Acenaphthene	ug/L	1	0.22	.014J	22	1	46-125			20	L0
Acenaphthylene	ug/L	1	0.16	ND	16	1	45-125			20	L0
Anthracene	ug/L	1	0.65	0.46	65	46	54-125	35		20	L0,R1
Benzo(a)anthracene	ug/L	1	0.71	0.66	71	66	59-125	9		20	
Benzo(a)pyrene	ug/L	1	0.86	0.84	86	84	58-125	2		20	
Benzo(b)fluoranthene	ug/L	1	0.86	0.87	86	87	61-125	1		20	
Benzo(g,h,i)perylene	ug/L	1	0.88	0.86	88	86	55-125	2		20	
Benzo(k)fluoranthene	ug/L	1	0.93	0.89	93	89	63-125	4		20	
Chrysene	ug/L	1	0.88	0.88	88	88	59-125	.06		20	
Dibenz(a,h)anthracene	ug/L	1	0.89	0.89	89	89	59-125	.2		20	
Fluoranthene	ug/L	1	0.89	0.92	89	92	63-125	3		20	
Fluorene	ug/L	1	0.49	0.096	49	10	52-125	135		20	L0,R1
Indeno(1,2,3-cd)pyrene	ug/L	1	0.87	0.86	87	86	59-125	2		20	
Naphthalene	ug/L	1	.015J	ND	2	0	44-125			20	L0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE & LCSD:		1623867	1623868				% Rec		Max	
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	Limits	RPD	RPD	Qualifiers
Phenanthrene	ug/L	1	0.66	0.51	66	51	55-125	25	20	L0,R1
Pyrene	ug/L	1	0.68	0.64	68	64	66-125	6	20	L0
2-Fluorobiphenyl (S)	%.				9	0	54-125			S0
Terphenyl-d14 (S)	%.				87	84	68-125			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24379 Analysis Method: EPA 8270 by SIM
 QC Batch Method: EPA 3510 Analysis Description: 8270 Water PAH by SIM MSSV
 Associated Lab Samples: 10256845054, 10256845055, 10256845059, 10256845061, 10256845062, 10256845063

METHOD BLANK: 1624521 Matrix: Water
 Associated Lab Samples: 10256845054, 10256845055, 10256845059, 10256845061, 10256845062, 10256845063

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	ND	0.040	02/19/14 17:10	
2-Methylnaphthalene	ug/L	ND	0.040	02/19/14 17:10	
Acenaphthene	ug/L	ND	0.040	02/19/14 17:10	
Acenaphthylene	ug/L	ND	0.040	02/19/14 17:10	
Anthracene	ug/L	ND	0.040	02/19/14 17:10	
Benzo(a)anthracene	ug/L	ND	0.040	02/19/14 17:10	
Benzo(a)pyrene	ug/L	ND	0.040	02/19/14 17:10	
Benzo(b)fluoranthene	ug/L	ND	0.040	02/19/14 17:10	
Benzo(g,h,i)perylene	ug/L	ND	0.040	02/19/14 17:10	
Benzo(k)fluoranthene	ug/L	ND	0.040	02/19/14 17:10	
Chrysene	ug/L	ND	0.040	02/19/14 17:10	
Dibenz(a,h)anthracene	ug/L	ND	0.040	02/19/14 17:10	
Fluoranthene	ug/L	ND	0.040	02/19/14 17:10	
Fluorene	ug/L	ND	0.040	02/19/14 17:10	
Indeno(1,2,3-cd)pyrene	ug/L	ND	0.040	02/19/14 17:10	
Naphthalene	ug/L	ND	0.040	02/19/14 17:10	
Phenanthrene	ug/L	ND	0.040	02/19/14 17:10	
Pyrene	ug/L	ND	0.040	02/19/14 17:10	
2-Fluorobiphenyl (S)	%	89	54-125	02/19/14 17:10	
Terphenyl-d14 (S)	%	90	68-125	02/19/14 17:10	

LABORATORY CONTROL SAMPLE: 1624522

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/L	1	0.62	62	34-125	
2-Methylnaphthalene	ug/L	1	0.83	83	40-125	
Acenaphthene	ug/L	1	0.74	74	46-125	
Acenaphthylene	ug/L	1	0.65	65	45-125	
Anthracene	ug/L	1	0.79	79	54-125	
Benzo(a)anthracene	ug/L	1	0.70	70	59-125	
Benzo(a)pyrene	ug/L	1	0.85	85	58-125	
Benzo(b)fluoranthene	ug/L	1	0.83	83	61-125	
Benzo(g,h,i)perylene	ug/L	1	0.87	87	55-125	
Benzo(k)fluoranthene	ug/L	1	0.96	96	63-125	
Chrysene	ug/L	1	0.89	89	59-125	
Dibenz(a,h)anthracene	ug/L	1	0.89	89	59-125	
Fluoranthene	ug/L	1	1.0	100	63-125	
Fluorene	ug/L	1	0.79	79	52-125	
Indeno(1,2,3-cd)pyrene	ug/L	1	0.87	87	59-125	
Naphthalene	ug/L	1	0.76	76	44-125	
Phenanthrene	ug/L	1	0.78	78	55-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE: 1624522

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Pyrene	ug/L	1	0.68	68	66-125	
2-Fluorobiphenyl (S)	%.			89	54-125	
Terphenyl-d14 (S)	%.			89	68-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1624523 1624524

Parameter	Units	10256845059		MS	MSD	MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
1-Methylnaphthalene	ug/L	51.3	1.1	1	114	121	5810	6840	36-125	6	30	E,M1	
2-Methylnaphthalene	ug/L	120	1.1	1	88.4	88.5	-2930	-3080	39-125	.02	30	E,M1	
Acenaphthene	ug/L	0.49	1.1	1	1.2	1.2	68	74	45-125	2	30		
Acenaphthylene	ug/L	0.15	1.1	1	0.95	0.93	75	76	35-125	2	30		
Anthracene	ug/L	0.052	1.1	1	0.86	0.83	75	76	56-125	4	30		
Benzo(a)anthracene	ug/L	0.050	1.1	1	0.84	0.81	73	74	53-125	4	30		
Benzo(a)pyrene	ug/L	0.055	1.1	1	0.89	0.83	78	76	39-132	7	30		
Benzo(b)fluoranthene	ug/L	0.052	1.1	1	0.82	0.77	71	70	39-131	6	30		
Benzo(g,h,i)perylene	ug/L	0.070	1.1	1	0.85	0.79	72	71	30-137	7	30		
Benzo(k)fluoranthene	ug/L	ND	1.1	1	0.84	0.79	76	74	38-126	7	30		
Chrysene	ug/L	ND	1.1	1	0.89	0.85	81	81	42-125	5	30		
Dibenz(a,h)anthracene	ug/L	ND	1.1	1	0.82	0.76	73	70	30-141	8	30		
Fluoranthene	ug/L	0.097	1.1	1	1.1	1.0	94	92	61-125	7	30		
Fluorene	ug/L	0.41	1.1	1	1.3	1.3	82	85	51-125	1	30		
Indeno(1,2,3-cd)pyrene	ug/L	0.058	1.1	1	0.83	0.77	72	70	30-137	8	30		
Naphthalene	ug/L	355	1.1	1	201	190	-14300	-16200	30-125	6	30	E,M1	
Phenanthrene	ug/L	0.23	1.1	1	0.98	0.96	70	71	54-125	3	30		
Pyrene	ug/L	0.062	1.1	1	0.75	0.72	64	64	43-130	5	30		
2-Fluorobiphenyl (S)	%.						79	80	54-125				
Terphenyl-d14 (S)	%.						82	83	68-125				

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1624525 1624526

Parameter	Units	10256845063		MS	MSD	MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
1-Methylnaphthalene	ug/L	2.2	1	1	3.0	2.7	75	43	36-125	12	30		
2-Methylnaphthalene	ug/L	6.8	1	1	7.8	7.0	99	21	39-125	11	30	M1	
Acenaphthene	ug/L	0.050	1	1	0.80	0.77	73	70	45-125	4	30		
Acenaphthylene	ug/L	ND	1	1	0.74	0.71	69	67	35-125	4	30		
Anthracene	ug/L	ND	1	1	0.81	0.75	76	71	56-125	7	30		
Benzo(a)anthracene	ug/L	ND	1	1	0.77	0.75	75	73	53-125	3	30		
Benzo(a)pyrene	ug/L	ND	1	1	0.87	0.85	84	83	39-132	2	30		
Benzo(b)fluoranthene	ug/L	ND	1	1	0.87	0.79	85	77	39-131	10	30		
Benzo(g,h,i)perylene	ug/L	ND	1	1	0.87	0.84	84	82	30-137	3	30		
Benzo(k)fluoranthene	ug/L	ND	1	1	0.87	0.82	84	80	38-126	6	30		
Chrysene	ug/L	ND	1	1	0.88	0.84	85	82	42-125	4	30		
Dibenz(a,h)anthracene	ug/L	ND	1	1	0.85	0.83	82	81	30-141	2	30		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Parameter	Units	10256845063		1624525		1624526		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
Fluoranthene	ug/L	0.044	1	1	1.1	1.0	98	95	61-125	3	30			
Fluorene	ug/L	0.13	1	1	0.94	0.89	78	74	51-125	4	30			
Indeno(1,2,3-cd)pyrene	ug/L	ND	1	1	0.86	0.84	83	82	30-137	2	30			
Naphthalene	ug/L	2.1	1	1	2.8	2.5	70	44	30-125	10	30			
Phenanthrene	ug/L	0.19	1	1	0.95	0.93	73	71	54-125	3	30			
Pyrene	ug/L	ND	1	1	0.72	0.69	70	67	43-130	4	30			
2-Fluorobiphenyl (S)	%						78	76	54-125					
Terphenyl-d14 (S)	%						83	80	68-125					

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24404 Analysis Method: EPA 8270 by SIM
 QC Batch Method: EPA 3510 Analysis Description: 8270 Water PAH by SIM MSSV
 Associated Lab Samples: 10256845065, 10256845066, 10256845067, 10256845068, 10256845070, 10256845071, 10256845073

METHOD BLANK: 1626629 Matrix: Water
 Associated Lab Samples: 10256845065, 10256845066, 10256845067, 10256845068, 10256845070, 10256845071, 10256845073

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	ND	0.040	02/25/14 18:56	
2-Methylnaphthalene	ug/L	ND	0.040	02/25/14 18:56	
Acenaphthene	ug/L	ND	0.040	02/25/14 18:56	
Acenaphthylene	ug/L	ND	0.040	02/25/14 18:56	
Anthracene	ug/L	ND	0.040	02/25/14 18:56	
Benzo(a)anthracene	ug/L	ND	0.040	02/25/14 18:56	
Benzo(a)pyrene	ug/L	ND	0.040	02/25/14 18:56	
Benzo(b)fluoranthene	ug/L	ND	0.040	02/25/14 18:56	
Benzo(g,h,i)perylene	ug/L	ND	0.040	02/25/14 18:56	
Benzo(k)fluoranthene	ug/L	ND	0.040	02/25/14 18:56	
Chrysene	ug/L	ND	0.040	02/25/14 18:56	
Dibenz(a,h)anthracene	ug/L	ND	0.040	02/25/14 18:56	
Fluoranthene	ug/L	ND	0.040	02/25/14 18:56	
Fluorene	ug/L	ND	0.040	02/25/14 18:56	
Indeno(1,2,3-cd)pyrene	ug/L	ND	0.040	02/25/14 18:56	
Naphthalene	ug/L	ND	0.040	02/25/14 18:56	
Phenanthrene	ug/L	ND	0.040	02/25/14 18:56	
Pyrene	ug/L	ND	0.040	02/25/14 18:56	
2-Fluorobiphenyl (S)	%	77	54-125	02/25/14 18:56	
Terphenyl-d14 (S)	%	89	68-125	02/25/14 18:56	

Parameter	Units	1626630		1626631		% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCSD % Rec				
1-Methylnaphthalene	ug/L	1	0.61	0.66	61	66	34-125	8	20
2-Methylnaphthalene	ug/L	1	0.87	0.95	87	95	40-125	9	20
Acenaphthene	ug/L	1	0.74	0.81	74	81	46-125	8	20
Acenaphthylene	ug/L	1	0.73	0.80	73	80	45-125	9	20
Anthracene	ug/L	1	0.84	0.84	84	84	54-125	.01	20
Benzo(a)anthracene	ug/L	1	0.86	0.83	86	83	59-125	3	20
Benzo(a)pyrene	ug/L	1	1.0	1.0	103	101	58-125	2	20
Benzo(b)fluoranthene	ug/L	1	0.93	0.90	93	90	61-125	4	20
Benzo(g,h,i)perylene	ug/L	1	1.0	1.0	105	102	55-125	3	20
Benzo(k)fluoranthene	ug/L	1	1.0	0.98	101	98	63-125	3	20
Chrysene	ug/L	1	1.0	0.99	101	99	59-125	2	20
Dibenz(a,h)anthracene	ug/L	1	1.0	1.0	104	100	59-125	3	20
Fluoranthene	ug/L	1	1.1	1.0	106	103	63-125	3	20
Fluorene	ug/L	1	0.80	0.87	80	87	52-125	8	20
Indeno(1,2,3-cd)pyrene	ug/L	1	1.0	1.0	102	100	59-125	1	20
Naphthalene	ug/L	1	0.73	0.80	73	80	44-125	10	20
Phenanthrene	ug/L	1	0.74	0.76	74	76	55-125	3	20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

LABORATORY CONTROL SAMPLE & LCSD:		1626630	1626631		LCS	LCSD	% Rec		Max	
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	% Rec	% Rec	% Rec Limits	RPD	RPD	Qualifiers
Pyrene	ug/L	1	0.80	0.79	80	79	66-125	1	20	
2-Fluorobiphenyl (S)	%.				87	93	54-125			
Terphenyl-d14 (S)	%.				98	96	68-125			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24300 Analysis Method: NWTPH-Dx
 QC Batch Method: EPA 3510 Analysis Description: NWTPH-Dx GCS LV SG
 Associated Lab Samples: 10256845002, 10256845003, 10256845004, 10256845005, 10256845006, 10256845007, 10256845008

METHOD BLANK: 1619506 Matrix: Water
 Associated Lab Samples: 10256845002, 10256845003, 10256845004, 10256845005, 10256845006, 10256845007, 10256845008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	mg/L	ND	0.40	02/06/14 17:10	
Motor Oil Range SG	mg/L	ND	0.40	02/06/14 17:10	
n-Triacontane (S)	%	65	30-125	02/06/14 17:10	
o-Terphenyl (S)	%	61	30-125	02/06/14 17:10	

LABORATORY CONTROL SAMPLE & LCSD: 1619507 1619508

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	2	1.5	1.2	77	60	50-150	25	20	R1
Motor Oil Range SG	mg/L	2	1.7	1.3	83	66	50-150	23	20	R1
n-Triacontane (S)	%				85	66	30-125			
o-Terphenyl (S)	%				79	59	30-125			

SAMPLE DUPLICATE: 1619509

Parameter	Units	10256546001 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	ND	.19J		30	
Motor Oil Range SG	mg/L	ND	.21J		30	
n-Triacontane (S)	%	92	95	2		
o-Terphenyl (S)	%	75	79	5		

SAMPLE DUPLICATE: 1619843

Parameter	Units	10256845002 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	ND	.14J		30	
Motor Oil Range SG	mg/L	ND	.057J		30	
n-Triacontane (S)	%	86	37	80		
o-Terphenyl (S)	%	77	35	75		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24335 Analysis Method: NWTPH-Dx
 QC Batch Method: EPA 3510 Analysis Description: NWTPH-Dx GCS LV SG
 Associated Lab Samples: 10256845001, 10256845010, 10256845011, 10256845012, 10256845013, 10256845014, 10256845015,
 10256845016, 10256845017, 10256845018, 10256845020, 10256845021, 10256845022, 10256845023,
 10256845024, 10256845025, 10256845026, 10256845027

METHOD BLANK: 1622084 Matrix: Water
 Associated Lab Samples: 10256845001, 10256845010, 10256845011, 10256845012, 10256845013, 10256845014, 10256845015,
 10256845016, 10256845017, 10256845018, 10256845020, 10256845021, 10256845022, 10256845023,
 10256845024, 10256845025, 10256845026, 10256845027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	mg/L	ND	0.40	02/14/14 18:48	
Motor Oil Range SG	mg/L	ND	0.40	02/14/14 18:48	
n-Triacontane (S)	%	84	30-125	02/14/14 18:48	
o-Terphenyl (S)	%	79	30-125	02/14/14 18:48	

LABORATORY CONTROL SAMPLE & LCSD: 1622085 1622086

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	2	1.7	1.7	85	87	50-150	3	20	
Motor Oil Range SG	mg/L	2	1.9	1.9	95	97	50-150	2	20	
n-Triacontane (S)	%				88	91	30-125			
o-Terphenyl (S)	%				82	89	30-125			

SAMPLE DUPLICATE: 1622087

Parameter	Units	10256845010 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	ND	.21J		30	
Motor Oil Range SG	mg/L	ND	.35J		30	
n-Triacontane (S)	%	95	96	.9		
o-Terphenyl (S)	%	81	84	3		

SAMPLE DUPLICATE: 1622088

Parameter	Units	10256845027 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	0.87	0.92	6	30	
Motor Oil Range SG	mg/L	ND	.23J		30	
n-Triacontane (S)	%	93	91	2		
o-Terphenyl (S)	%	80	79	.9		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24347 Analysis Method: NWTPH-Dx
 QC Batch Method: EPA 3510 Analysis Description: NWTPH-Dx GCS LV SG
 Associated Lab Samples: 10256845029, 10256845030, 10256845031, 10256845032, 10256845034, 10256845035, 10256845036, 10256845037

METHOD BLANK: 1622771 Matrix: Water
 Associated Lab Samples: 10256845029, 10256845030, 10256845031, 10256845032, 10256845034, 10256845035, 10256845036, 10256845037

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	mg/L	ND	0.40	02/15/14 13:25	
Motor Oil Range SG	mg/L	ND	0.40	02/15/14 13:25	
n-Triacontane (S)	%	79	30-125	02/15/14 13:25	
o-Terphenyl (S)	%	76	30-125	02/15/14 13:25	

LABORATORY CONTROL SAMPLE & LCSD: 1622772 1622773

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	2	1.7	1.7	87	85	50-150	2	20	
Motor Oil Range SG	mg/L	2	1.7	1.7	87	86	50-150	1	20	
n-Triacontane (S)	%				90	84	30-125			
o-Terphenyl (S)	%				88	86	30-125			

SAMPLE DUPLICATE: 1622774

Parameter	Units	10256845029 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	ND	.27J		30	
Motor Oil Range SG	mg/L	ND	.23J		30	
n-Triacontane (S)	%	87	89	2		
o-Terphenyl (S)	%	78	77	.5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

QC Batch: OEXT/24360 Analysis Method: NWTPH-Dx
QC Batch Method: EPA 3510 Analysis Description: NWTPH-Dx GCS LV SG
Associated Lab Samples: 10256845039, 10256845040, 10256845041, 10256845042, 10256845043, 10256845045, 10256845047, 10256845048, 10256845049, 10256845050, 10256845051, 10256845052

METHOD BLANK: 1623422 Matrix: Water
Associated Lab Samples: 10256845039, 10256845040, 10256845041, 10256845042, 10256845043, 10256845045, 10256845047, 10256845048, 10256845049, 10256845050, 10256845051, 10256845052

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	mg/L	ND	0.40	02/18/14 20:19	
Motor Oil Range SG	mg/L	ND	0.40	02/18/14 20:19	
n-Triacontane (S)	%	89	30-125	02/18/14 20:19	
o-Terphenyl (S)	%	78	30-125	02/18/14 20:19	

LABORATORY CONTROL SAMPLE & LCSD: 1623423 1623424

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	2	1.6	1.4	79	72	50-150	10	20	
Motor Oil Range SG	mg/L	2	1.7	1.7	86	87	50-150	1	20	
n-Triacontane (S)	%				85	78	30-125			
o-Terphenyl (S)	%				79	72	30-125			

SAMPLE DUPLICATE: 1623425

Parameter	Units	10256845039 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	3.0	2.5	17	30	
Motor Oil Range SG	mg/L	0.65	.18J		30	
n-Triacontane (S)	%	85	81	4		
o-Terphenyl (S)	%	78	75	4		

SAMPLE DUPLICATE: 1623797

Parameter	Units	10256845050 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	0.60	.18J		30	
Motor Oil Range SG	mg/L	0.44	.3J		30	
n-Triacontane (S)	%	80	79	1		
o-Terphenyl (S)	%	71	73	3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24381 Analysis Method: NWTPH-Dx
 QC Batch Method: EPA 3510 Analysis Description: NWTPH-Dx GCS LV SG
 Associated Lab Samples: 10256845054, 10256845055, 10256845056, 10256845057, 10256845058, 10256845059, 10256845060, 10256845061, 10256845062, 10256845063

METHOD BLANK: 1624647 Matrix: Water
 Associated Lab Samples: 10256845054, 10256845055, 10256845056, 10256845057, 10256845058, 10256845059, 10256845060, 10256845061, 10256845062, 10256845063

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	mg/L	ND	0.40	02/18/14 13:30	
Motor Oil Range SG	mg/L	ND	0.40	02/18/14 13:30	
n-Triacontane (S)	%.	76	30-125	02/18/14 13:30	
o-Terphenyl (S)	%.	69	30-125	02/18/14 13:30	

LABORATORY CONTROL SAMPLE: 1624648

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diesel Fuel Range SG	mg/L	2	1.5	75	50-150	
Motor Oil Range SG	mg/L	2	1.6	82	50-150	
n-Triacontane (S)	%.			85	30-125	
o-Terphenyl (S)	%.			76	30-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1624649 1624650

Parameter	Units	10256845059		MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max		Qual
		Result	Conc.	Spike Conc.	Spike Conc.	MS Result	MSD Result				RPD	RPD	
Diesel Fuel Range SG	mg/L	0.86	2	2	2	2.4	2.5	75	81	50-150	5	30	
Motor Oil Range SG	mg/L	ND	2	2	2	1.4	1.9	71	92	50-150	25	30	
n-Triacontane (S)	%.							78	83	30-125			
o-Terphenyl (S)	%.							71	74	30-125			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1624651 1624652

Parameter	Units	10256845063		MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max		Qual
		Result	Conc.	Spike Conc.	Spike Conc.	MS Result	MSD Result				RPD	RPD	
Diesel Fuel Range SG	mg/L	ND	2	2	2	1.6	1.7	64	69	50-150	6	30	
Motor Oil Range SG	mg/L	0.45	2	2	2	1.9	1.8	72	69	50-150	3	30	
n-Triacontane (S)	%.							86	91	30-125			
o-Terphenyl (S)	%.							76	80	30-125			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch: OEXT/24391

Analysis Method: NWTPH-Dx

QC Batch Method: EPA 3510

Analysis Description: NWTPH-Dx GCS LV SG

Associated Lab Samples: 10256845033, 10256845065, 10256845066, 10256845067, 10256845068, 10256845070, 10256845071, 10256845072, 10256845073

METHOD BLANK: 1625918

Matrix: Water

Associated Lab Samples: 10256845033, 10256845065, 10256845066, 10256845067, 10256845068, 10256845070, 10256845071, 10256845072, 10256845073

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	mg/L	ND	0.40	02/19/14 14:25	
Motor Oil Range SG	mg/L	ND	0.40	02/19/14 14:25	
n-Triacontane (S)	%.	82	30-125	02/19/14 14:25	
o-Terphenyl (S)	%.	79	30-125	02/19/14 14:25	

LABORATORY CONTROL SAMPLE & LCSD: 1625919

1625920

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	2	1.8	1.5	88	75	50-150	16	20	
Motor Oil Range SG	mg/L	2	2.0	1.6	98	80	50-150	20	20	
n-Triacontane (S)	%.				89	76	30-125			
o-Terphenyl (S)	%.				87	72	30-125			

SAMPLE DUPLICATE: 1625921

Parameter	Units	10256845065 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	1.4	1.3	8	30	
Motor Oil Range SG	mg/L	ND	.16J		30	
n-Triacontane (S)	%.	97	84	14		
o-Terphenyl (S)	%.	84	76	11		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

QC Batch:	OEXT/24425	Analysis Method:	NWTPH-Dx
QC Batch Method:	EPA 3510	Analysis Description:	NWTPH-Dx GCS LV SG
Associated Lab Samples:	10256845044		

METHOD BLANK: 1627968 Matrix: Water

Associated Lab Samples: 10256845044

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	mg/L	ND	0.40	02/22/14 14:51	
Motor Oil Range SG	mg/L	ND	0.40	02/22/14 14:51	
n-Triacontane (S)	%.	82	30-125	02/22/14 14:51	
o-Terphenyl (S)	%.	78	30-125	02/22/14 14:51	

LABORATORY CONTROL SAMPLE & LCSD: 1627969

1627970

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	2	1.7	1.7	87	86	50-150	1	20	
Motor Oil Range SG	mg/L	2	1.9	1.9	93	95	50-150	2	20	
n-Triacontane (S)	%.				77	76	30-125			
o-Terphenyl (S)	%.				78	77	30-125			

SAMPLE DUPLICATE: 1627971

Parameter	Units	10258181015 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	mg/L	0.60	0.58	3	30	
Motor Oil Range SG	mg/L	ND	.29J		30	
n-Triacontane (S)	%.	81	81	2		
o-Terphenyl (S)	%.	76	77	.4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

BATCH QUALIFIERS

Batch: GCSV/12799

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: GCSV/12832

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: GCSV/12835

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: GCSV/12841

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSSV/10310

[1] Re-extraction or re-analysis could not be performed due to insufficient sample amount.

Batch: GCSV/12853

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: GCSV/12862

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSV/26440

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

ANALYTE QUALIFIERS

1M	Post-analysis pH measurement indicates insufficient VOA sample preservation. Therefore, analysis was conducted outside the recognized method holding time.
2M	Surrogate out due to emulsion.
3M	Surrogate recovery outside laboratory control limits due to matrix interferences.
B	Analyte was detected in the associated method blank.
CH	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
CL	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
ES	The reported result is estimated because one or more of the constituent results are qualified as such.
HS	Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).
L0	Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results may be biased low.
L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
MS	Analyte recovery in the matrix spike was outside QC limits for one or more of the constituent analytes used in the calculated result.
P2	Re-extraction or re-analysis could not be performed due to insufficient sample amount.
P8	Analyte was detected in the method blank. All associated samples had concentrations of at least ten times greater than the blank or were below the reporting limit.
R1	RPD value was outside control limits.
S0	Surrogate recovery outside laboratory control limits.
S2	Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-analysis).
S5	Surrogate recovery outside control limits due to matrix interferences (not confirmed by re-analysis).
SS	This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

METHOD CROSS REFERENCE TABLE

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Parameter	Matrix	Analytical Method	Preparation Method
6020 MET ICPMS	Water	SW-846 6020A	SW-846 3020A
8260 MSV UST	Water	SW-846 8260B/5030B	N/A
8260 VOC	Water	SW-846 8260B/5030B	N/A
8270 MSSV PAH by SIM	Water	SW-846 8270D SIM	SW-846 3510C

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10256845001	GW-020314-NH-MW12	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845002	GW-020314-NH-MW16	EPA 3510	OEXT/24300	NWTPH-Dx	GCSV/12799
10256845003	GW-020414-NH-MW10	EPA 3510	OEXT/24300	NWTPH-Dx	GCSV/12799
10256845004	GW-020414-NH-MW9	EPA 3510	OEXT/24300	NWTPH-Dx	GCSV/12799
10256845005	GW-020414-NH-MW8	EPA 3510	OEXT/24300	NWTPH-Dx	GCSV/12799
10256845006	GW-020414-NH-FD1	EPA 3510	OEXT/24300	NWTPH-Dx	GCSV/12799
10256845007	GW-020414-NH-D5R	EPA 3510	OEXT/24300	NWTPH-Dx	GCSV/12799
10256845008	GW-020414-NH-D4R	EPA 3510	OEXT/24300	NWTPH-Dx	GCSV/12799
10256845010	GW-020514-NH-LAI 13	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845011	GW-020514-NH-LAI 14	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845012	GW-020514-NH-DW 3	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845013	GW-020514-NH-LAI 15	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845014	GW-020514-TM-B-1	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845015	GW-020514-TM-MW-7	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845016	GW-020514-TM-W-1	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845017	GW-020514-TM-B-3A	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845018	DUP	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845020	GW-020614-NH-MW13	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845021	GW-020614-NH-MW11	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845022	GW-020614-NH-DW4	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845023	GW-020614-NH-MW17	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845024	GW-020614-TM-D-7	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845025	GW-020614-TM-B-5	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845026	GW-020614-TM-B-2	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845027	GW-020614-TM-HA-9	EPA 3510	OEXT/24335	NWTPH-Dx	GCSV/12832
10256845029	GW-020714-NH-DIR	EPA 3510	OEXT/24347	NWTPH-Dx	GCSV/12835
10256845030	GW-020714-NH-MW15	EPA 3510	OEXT/24347	NWTPH-Dx	GCSV/12835
10256845031	GW-020714-NH-HA8	EPA 3510	OEXT/24347	NWTPH-Dx	GCSV/12835
10256845032	GW-020714-NH-HA7	EPA 3510	OEXT/24347	NWTPH-Dx	GCSV/12835
10256845033	GW-020714-TM-HA-13	EPA 3510	OEXT/24391	NWTPH-Dx	GCSV/12853
10256845034	GW-020714-TM-HA-14	EPA 3510	OEXT/24347	NWTPH-Dx	GCSV/12835
10256845035	GW-020714-TM-HA-6	EPA 3510	OEXT/24347	NWTPH-Dx	GCSV/12835
10256845036	GW-020714-TM-HA-5	EPA 3510	OEXT/24347	NWTPH-Dx	GCSV/12835
10256845037	GW-020714-TM-RWX-5	EPA 3510	OEXT/24347	NWTPH-Dx	GCSV/12835
10256845039	GW-021014-TM-HA-2	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845040	GW-021014-TM-HA-3	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845041	GW-021014-TM-HA-4	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845042	GW-021014-NH-MW 6	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845043	GW-021014-NH-MW 5	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845044	GW-021014-NH-MW 4	EPA 3510	OEXT/24425	NWTPH-Dx	GCSV/12862
10256845045	GW-021014-NH-MW 3	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845047	GW-021114-NH-RW3	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845048	GW-021114-NH-D6	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845049	GW-021114-NH-B6	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845050	GW-021114-TM-HA-20	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10256845051	GW-021114-TM-RWX-7	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845052	GW-021114-TM-RW-4	EPA 3510	OEXT/24360	NWTPH-Dx	GCSV/12841
10256845054	GW-021114-NH-B4	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845055	GW-021114-TM-HA-16	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845056	GW-021214-NH-LAI 12	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845057	GW-021214-NH-LAI 11	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845058	GW-021214-NH-LAI 10	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845059	GW-021214-NH-LAI 1	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845060	GW-021214-TM-HA-1	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845061	GW-021214-TM-MW-14	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845062	GW-021214-TM-W-2	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845063	GW-021214-TM-DW-2	EPA 3510	OEXT/24381	NWTPH-Dx	GCSV/12842
10256845065	GW-021314-NH-LAIx2	EPA 3510	OEXT/24391	NWTPH-Dx	GCSV/12853
10256845066	GW-021314-NH-LAIx3	EPA 3510	OEXT/24391	NWTPH-Dx	GCSV/12853
10256845067	GW-021314-NH-DW1	EPA 3510	OEXT/24391	NWTPH-Dx	GCSV/12853
10256845068	GW-021314-NH-HA11	EPA 3510	OEXT/24391	NWTPH-Dx	GCSV/12853
10256845070	GW-021314-TM-MW-1	EPA 3510	OEXT/24391	NWTPH-Dx	GCSV/12853
10256845071	GW-021314-TM-MW-2	EPA 3510	OEXT/24391	NWTPH-Dx	GCSV/12853
10256845072	GW-021314-TM-LAI-16	EPA 3510	OEXT/24391	NWTPH-Dx	GCSV/12853
10256845073	GW-021314-TM-HA-11	EPA 3510	OEXT/24391	NWTPH-Dx	GCSV/12853
10256845001	GW-020314-NH-MW12	NWTPH-Gx/8021	GCV/11657		
10256845002	GW-020314-NH-MW16	NWTPH-Gx/8021	GCV/11657		
10256845003	GW-020414-NH-MW10	NWTPH-Gx/8021	GCV/11657		
10256845004	GW-020414-NH-MW9	NWTPH-Gx/8021	GCV/11657		
10256845005	GW-020414-NH-MW8	NWTPH-Gx/8021	GCV/11657		
10256845006	GW-020414-NH-FD1	NWTPH-Gx/8021	GCV/11662		
10256845007	GW-020414-NH-D5R	NWTPH-Gx/8021	GCV/11657		
10256845008	GW-020414-NH-D4R	NWTPH-Gx/8021	GCV/11657		
10256845010	GW-020514-NH-LAI 13	NWTPH-Gx/8021	GCV/11662		
10256845011	GW-020514-NH-LAI 14	NWTPH-Gx/8021	GCV/11662		
10256845012	GW-020514-NH-DW 3	NWTPH-Gx/8021	GCV/11662		
10256845013	GW-020514-NH-LAI 15	NWTPH-Gx/8021	GCV/11662		
10256845014	GW-020514-TM-B-1	NWTPH-Gx/8021	GCV/11669		
10256845015	GW-020514-TM-MW-7	NWTPH-Gx/8021	GCV/11669		
10256845016	GW-020514-TM-W-1	NWTPH-Gx/8021	GCV/11669		
10256845017	GW-020514-TM-B-3A	NWTPH-Gx/8021	GCV/11669		
10256845018	DUP	NWTPH-Gx/8021	GCV/11669		
10256845020	GW-020614-NH-MW13	NWTPH-Gx/8021	GCV/11662		
10256845021	GW-020614-NH-MW11	NWTPH-Gx/8021	GCV/11662		
10256845022	GW-020614-NH-DW4	NWTPH-Gx/8021	GCV/11662		
10256845023	GW-020614-NH-MW17	NWTPH-Gx/8021	GCV/11662		
10256845024	GW-020614-TM-D-7	NWTPH-Gx/8021	GCV/11669		
10256845025	GW-020614-TM-B-5	NWTPH-Gx/8021	GCV/11669		
10256845026	GW-020614-TM-B-2	NWTPH-Gx/8021	GCV/11669		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10256845027	GW-020614-TM-HA-9	NWTPH-Gx/8021	GCV/11669		
10256845028	Trip Blank	NWTPH-Gx/8021	GCV/11662		
10256845029	GW-020714-NH-DIR	NWTPH-Gx/8021	GCV/11669		
10256845030	GW-020714-NH-MW15	NWTPH-Gx/8021	GCV/11669		
10256845031	GW-020714-NH-HA8	NWTPH-Gx/8021	GCV/11669		
10256845032	GW-020714-NH-HA7	NWTPH-Gx/8021	GCV/11677		
10256845033	GW-020714-TM-HA-13	NWTPH-Gx/8021	GCV/11669		
10256845034	GW-020714-TM-HA-14	NWTPH-Gx/8021	GCV/11669		
10256845035	GW-020714-TM-HA-6	NWTPH-Gx/8021	GCV/11669		
10256845036	GW-020714-TM-HA-5	NWTPH-Gx/8021	GCV/11669		
10256845037	GW-020714-TM-RWX-5	NWTPH-Gx/8021	GCV/11677		
10256845038	Trip Blank	NWTPH-Gx/8021	GCV/11669		
10256845039	GW-021014-TM-HA-2	NWTPH-Gx/8021	GCV/11681		
10256845040	GW-021014-TM-HA-3	NWTPH-Gx/8021	GCV/11677		
10256845041	GW-021014-TM-HA-4	NWTPH-Gx/8021	GCV/11677		
10256845042	GW-021014-NH-MW 6	NWTPH-Gx/8021	GCV/11677		
10256845043	GW-021014-NH-MW 5	NWTPH-Gx/8021	GCV/11677		
10256845044	GW-021014-NH-MW 4	NWTPH-Gx/8021	GCV/11677		
10256845045	GW-021014-NH-MW 3	NWTPH-Gx/8021	GCV/11677		
10256845047	GW-021114-NH-RW3	NWTPH-Gx/8021	GCV/11681		
10256845048	GW-021114-NH-D6	NWTPH-Gx/8021	GCV/11681		
10256845049	GW-021114-NH-B6	NWTPH-Gx/8021	GCV/11688		
10256845050	GW-021114-TM-HA-20	NWTPH-Gx/8021	GCV/11688		
10256845051	GW-021114-TM-RWX-7	NWTPH-Gx/8021	GCV/11681		
10256845052	GW-021114-TM-RW-4	NWTPH-Gx/8021	GCV/11681		
10256845054	GW-021114-NH-B4	NWTPH-Gx/8021	GCV/11688		
10256845055	GW-021114-TM-HA-16	NWTPH-Gx/8021	GCV/11688		
10256845056	GW-021214-NH-LAI 12	NWTPH-Gx/8021	GCV/11688		
10256845057	GW-021214-NH-LAI 11	NWTPH-Gx/8021	GCV/11688		
10256845058	GW-021214-NH-LAI 10	NWTPH-Gx/8021	GCV/11688		
10256845059	GW-021214-NH-LAI 1	NWTPH-Gx/8021	GCV/11688		
10256845060	GW-021214-TM-HA-1	NWTPH-Gx/8021	GCV/11688		
10256845061	GW-021214-TM-MW-14	NWTPH-Gx/8021	GCV/11688		
10256845062	GW-021214-TM-W-2	NWTPH-Gx/8021	GCV/11709		
10256845063	GW-021214-TM-DW-2	NWTPH-Gx/8021	GCV/11698		
10256845065	GW-021314-NH-LAIx2	NWTPH-Gx/8021	GCV/11705		
10256845066	GW-021314-NH-LAIx3	NWTPH-Gx/8021	GCV/11705		
10256845067	GW-021314-NH-DW1	NWTPH-Gx/8021	GCV/11705		
10256845068	GW-021314-NH-HA11	NWTPH-Gx/8021	GCV/11698		
10256845070	GW-021314-TM-MW-1	NWTPH-Gx/8021	GCV/11698		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10256845071	GW-021314-TM-MW-2	NWTPH-Gx/8021	GCV/11705		
10256845072	GW-021314-TM-LAI-16	NWTPH-Gx/8021	GCV/11705		
10256845073	GW-021314-TM-HA-11	NWTPH-Gx/8021	GCV/11705		
10256845074	Trip Blank	NWTPH-Gx/8021	GCV/11705		
10256845001	GW-020314-NH-MW12	EPA 3020	MPRP/44350	EPA 6020	ICPM/19169
10256845002	GW-020314-NH-MW16	EPA 3020	MPRP/44350	EPA 6020	ICPM/19169
10256845003	GW-020414-NH-MW10	EPA 3020	MPRP/44350	EPA 6020	ICPM/19169
10256845004	GW-020414-NH-MW9	EPA 3020	MPRP/44350	EPA 6020	ICPM/19169
10256845005	GW-020414-NH-MW8	EPA 3020	MPRP/44350	EPA 6020	ICPM/19169
10256845006	GW-020414-NH-FD1	EPA 3020	MPRP/44350	EPA 6020	ICPM/19169
10256845007	GW-020414-NH-D5R	EPA 3020	MPRP/44350	EPA 6020	ICPM/19169
10256845008	GW-020414-NH-D4R	EPA 3020	MPRP/44350	EPA 6020	ICPM/19169
10256845012	GW-020514-NH-DW 3	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845014	GW-020514-TM-B-1	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845015	GW-020514-TM-MW-7	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845016	GW-020514-TM-W-1	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845017	GW-020514-TM-B-3A	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845018	DUP	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845020	GW-020614-NH-MW13	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845021	GW-020614-NH-MW11	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845022	GW-020614-NH-DW4	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845023	GW-020614-NH-MW17	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845024	GW-020614-TM-D-7	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845025	GW-020614-TM-B-5	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845026	GW-020614-TM-B-2	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845027	GW-020614-TM-HA-9	EPA 3020	MPRP/44374	EPA 6020	ICPM/19184
10256845029	GW-020714-NH-DIR	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845030	GW-020714-NH-MW15	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845031	GW-020714-NH-HA8	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845032	GW-020714-NH-HA7	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845033	GW-020714-TM-HA-13	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845034	GW-020714-TM-HA-14	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845035	GW-020714-TM-HA-6	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845039	GW-021014-TM-HA-2	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845040	GW-021014-TM-HA-3	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845041	GW-021014-TM-HA-4	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845042	GW-021014-NH-MW 6	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845043	GW-021014-NH-MW 5	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845044	GW-021014-NH-MW 4	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845045	GW-021014-NH-MW 3	EPA 3020	MPRP/44424	EPA 6020	ICPM/19203
10256845048	GW-021114-NH-D6	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845049	GW-021114-NH-B6	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845050	GW-021114-TM-HA-20	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845051	GW-021114-TM-RWX-7	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845052	GW-021114-TM-RW-4	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845054	GW-021114-NH-B4	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10256845055	GW-021114-TM-HA-16	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845059	GW-021214-NH-LAI 1	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845060	GW-021214-TM-HA-1	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845061	GW-021214-TM-MW-14	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845062	GW-021214-TM-W-2	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845063	GW-021214-TM-DW-2	EPA 3020	MPRP/44453	EPA 6020	ICPM/19227
10256845065	GW-021314-NH-LAIx2	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845066	GW-021314-NH-LAIx3	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845067	GW-021314-NH-DW1	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845068	GW-021314-NH-HA11	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845069	GW-021314-NH-DIR	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845070	GW-021314-TM-MW-1	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845071	GW-021314-TM-MW-2	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845072	GW-021314-TM-LAI-16	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845073	GW-021314-TM-HA-11	EPA 3020	MPRP/44476	EPA 6020	ICPM/19242
10256845001	GW-020314-NH-MW12	EPA 3510	OEXT/24299	EPA 8270 by SIM	MSSV/10283
10256845002	GW-020314-NH-MW16	EPA 3510	OEXT/24299	EPA 8270 by SIM	MSSV/10283
10256845003	GW-020414-NH-MW10	EPA 3510	OEXT/24299	EPA 8270 by SIM	MSSV/10283
10256845004	GW-020414-NH-MW9	EPA 3510	OEXT/24299	EPA 8270 by SIM	MSSV/10283
10256845005	GW-020414-NH-MW8	EPA 3510	OEXT/24299	EPA 8270 by SIM	MSSV/10283
10256845006	GW-020414-NH-FD1	EPA 3510	OEXT/24299	EPA 8270 by SIM	MSSV/10283
10256845007	GW-020414-NH-D5R	EPA 3510	OEXT/24299	EPA 8270 by SIM	MSSV/10283
10256845008	GW-020414-NH-D4R	EPA 3510	OEXT/24299	EPA 8270 by SIM	MSSV/10283
10256845012	GW-020514-NH-DW 3	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845014	GW-020514-TM-B-1	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845015	GW-020514-TM-MW-7	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845016	GW-020514-TM-W-1	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845017	GW-020514-TM-B-3A	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845018	DUP	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845020	GW-020614-NH-MW13	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845021	GW-020614-NH-MW11	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845022	GW-020614-NH-DW4	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845023	GW-020614-NH-MW17	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845024	GW-020614-TM-D-7	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845025	GW-020614-TM-B-5	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845026	GW-020614-TM-B-2	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845027	GW-020614-TM-HA-9	EPA 3510	OEXT/24342	EPA 8270 by SIM	MSSV/10308
10256845029	GW-020714-NH-DIR	EPA 3510	OEXT/24345	EPA 8270 by SIM	MSSV/10309
10256845030	GW-020714-NH-MW15	EPA 3510	OEXT/24345	EPA 8270 by SIM	MSSV/10309
10256845031	GW-020714-NH-HA8	EPA 3510	OEXT/24345	EPA 8270 by SIM	MSSV/10309
10256845032	GW-020714-NH-HA7	EPA 3510	OEXT/24345	EPA 8270 by SIM	MSSV/10309
10256845033	GW-020714-TM-HA-13	EPA 3510	OEXT/24345	EPA 8270 by SIM	MSSV/10309
10256845034	GW-020714-TM-HA-14	EPA 3510	OEXT/24345	EPA 8270 by SIM	MSSV/10309
10256845035	GW-020714-TM-HA-6	EPA 3510	OEXT/24345	EPA 8270 by SIM	MSSV/10309
10256845036	GW-020714-TM-HA-5	EPA 3510	OEXT/24345	EPA 8270 by SIM	MSSV/10309
10256845039	GW-021014-TM-HA-2	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10256845040	GW-021014-TM-HA-3	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845041	GW-021014-TM-HA-4	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845042	GW-021014-NH-MW 6	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845043	GW-021014-NH-MW 5	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845044	GW-021014-NH-MW 4	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845045	GW-021014-NH-MW 3	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845048	GW-021114-NH-D6	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845049	GW-021114-NH-B6	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845050	GW-021114-TM-HA-20	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845051	GW-021114-TM-RWX-7	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845052	GW-021114-TM-RW-4	EPA 3510	OEXT/24365	EPA 8270 by SIM	MSSV/10310
10256845054	GW-021114-NH-B4	EPA 3510	OEXT/24379	EPA 8270 by SIM	MSSV/10312
10256845055	GW-021114-TM-HA-16	EPA 3510	OEXT/24379	EPA 8270 by SIM	MSSV/10312
10256845059	GW-021214-NH-LAI 1	EPA 3510	OEXT/24379	EPA 8270 by SIM	MSSV/10312
10256845061	GW-021214-TM-MW-14	EPA 3510	OEXT/24379	EPA 8270 by SIM	MSSV/10312
10256845062	GW-021214-TM-W-2	EPA 3510	OEXT/24379	EPA 8270 by SIM	MSSV/10312
10256845063	GW-021214-TM-DW-2	EPA 3510	OEXT/24379	EPA 8270 by SIM	MSSV/10312
10256845065	GW-021314-NH-LAIx2	EPA 3510	OEXT/24404	EPA 8270 by SIM	MSSV/10338
10256845066	GW-021314-NH-LAIx3	EPA 3510	OEXT/24404	EPA 8270 by SIM	MSSV/10338
10256845067	GW-021314-NH-DW1	EPA 3510	OEXT/24404	EPA 8270 by SIM	MSSV/10338
10256845068	GW-021314-NH-HA11	EPA 3510	OEXT/24404	EPA 8270 by SIM	MSSV/10338
10256845070	GW-021314-TM-MW-1	EPA 3510	OEXT/24404	EPA 8270 by SIM	MSSV/10338
10256845071	GW-021314-TM-MW-2	EPA 3510	OEXT/24404	EPA 8270 by SIM	MSSV/10338
10256845073	GW-021314-TM-HA-11	EPA 3510	OEXT/24404	EPA 8270 by SIM	MSSV/10338
10256845001	GW-020314-NH-MW12	EPA 8260	MSV/26289		
10256845002	GW-020314-NH-MW16	EPA 8260	MSV/26289		
10256845003	GW-020414-NH-MW10	EPA 8260	MSV/26289		
10256845004	GW-020414-NH-MW9	EPA 8260	MSV/26289		
10256845005	GW-020414-NH-MW8	EPA 8260	MSV/26289		
10256845006	GW-020414-NH-FD1	EPA 8260	MSV/26289		
10256845007	GW-020414-NH-D5R	EPA 8260	MSV/26289		
10256845008	GW-020414-NH-D4R	EPA 8260	MSV/26289		
10256845012	GW-020514-NH-DW 3	EPA 8260	MSV/26315		
10256845014	GW-020514-TM-B-1	EPA 8260	MSV/26315		
10256845015	GW-020514-TM-MW-7	EPA 8260	MSV/26315		
10256845016	GW-020514-TM-W-1	EPA 8260	MSV/26315		
10256845017	GW-020514-TM-B-3A	EPA 8260	MSV/26315		
10256845018	DUP	EPA 8260	MSV/26315		
10256845019	Trip Blank	EPA 8260	MSV/26315		
10256845020	GW-020614-NH-MW13	EPA 8260	MSV/26315		
10256845021	GW-020614-NH-MW11	EPA 8260	MSV/26315		
10256845022	GW-020614-NH-DW4	EPA 8260	MSV/26315		
10256845023	GW-020614-NH-MW17	EPA 8260	MSV/26315		
10256845024	GW-020614-TM-D-7	EPA 8260	MSV/26315		
10256845025	GW-020614-TM-B-5	EPA 8260	MSV/26315		
10256845026	GW-020614-TM-B-2	EPA 8260	MSV/26315		
10256845027	GW-020614-TM-HA-9	EPA 8260	MSV/26315		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: P66RentonTerminal 070496-2MN00
Pace Project No.: 10256845

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10256845029	GW-020714-NH-DIR	EPA 8260	MSV/26354		
10256845030	GW-020714-NH-MW15	EPA 8260	MSV/26336		
10256845031	GW-020714-NH-HA8	EPA 8260	MSV/26336		
10256845032	GW-020714-NH-HA7	EPA 8260	MSV/26336		
10256845033	GW-020714-TM-HA-13	EPA 8260	MSV/26336		
10256845034	GW-020714-TM-HA-14	EPA 8260	MSV/26336		
10256845035	GW-020714-TM-HA-6	EPA 8260	MSV/26336		
10256845039	GW-021014-TM-HA-2	EPA 8260	MSV/26345		
10256845040	GW-021014-TM-HA-3	EPA 8260	MSV/26344		
10256845041	GW-021014-TM-HA-4	EPA 8260	MSV/26345		
10256845042	GW-021014-NH-MW 6	EPA 8260	MSV/26345		
10256845043	GW-021014-NH-MW 5	EPA 8260	MSV/26345		
10256845044	GW-021014-NH-MW 4	EPA 8260	MSV/26344		
10256845045	GW-021014-NH-MW 3	EPA 8260	MSV/26344		
10256845048	GW-021114-NH-D6	EPA 8260	MSV/26394		
10256845049	GW-021114-NH-B6	EPA 8260	MSV/26394		
10256845052	GW-021114-TM-RW-4	EPA 8260	MSV/26394		
10256845054	GW-021114-NH-B4	EPA 8260	MSV/26400		
10256845055	GW-021114-TM-HA-16	EPA 8260	MSV/26400		
10256845061	GW-021214-TM-MW-14	EPA 8260	MSV/26400		
10256845062	GW-021214-TM-W-2	EPA 8260	MSV/26409		
10256845063	GW-021214-TM-DW-2	EPA 8260	MSV/26361		
10256845067	GW-021314-NH-DW1	EPA 8260	MSV/26402		
10256845068	GW-021314-NH-HA11	EPA 8260	MSV/26402		
10256845070	GW-021314-TM-MW-1	EPA 8260	MSV/26402		
10256845071	GW-021314-TM-MW-2	EPA 8260	MSV/26402		
10256845073	GW-021314-TM-HA-11	EPA 8260	MSV/26440		
10256845009	Trip Blank	EPA 8260	MSV/26306		
10256845010	GW-020514-NH-LAI 13	EPA 8260	MSV/26314		
10256845011	GW-020514-NH-LAI 14	EPA 8260	MSV/26314		
10256845013	GW-020514-NH-LAI 15	EPA 8260	MSV/26314		
10256845028	Trip Blank	EPA 8260	MSV/26314		
10256845036	GW-020714-TM-HA-5	EPA 8260	MSV/26357		
10256845037	GW-020714-TM-RWX-5	EPA 8260	MSV/26357		
10256845038	Trip Blank	EPA 8260	MSV/26357		
10256845046	Trip Blank	EPA 8260	MSV/26357		
10256845047	GW-021114-NH-RW3	EPA 8260	MSV/26357		
10256845050	GW-021114-TM-HA-20	EPA 8260	MSV/26357		
10256845051	GW-021114-TM-RWX-7	EPA 8260	MSV/26357		
10256845053	Trip Blank	EPA 8260	MSV/26357		
10256845056	GW-021214-NH-LAI 12	EPA 8260	MSV/26357		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: P66RentonTerminal 070496-2MN00

Pace Project No.: 10256845

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10256845057	GW-021214-NH-LAI 11	EPA 8260	MSV/26357		
10256845058	GW-021214-NH-LAI 10	EPA 8260	MSV/26357		
10256845059	GW-021214-NH-LAI 1	EPA 8260	MSV/26408		
10256845060	GW-021214-TM-HA-1	EPA 8260	MSV/26408		
10256845064	Trip Blank	EPA 8260	MSV/26408		
10256845065	GW-021314-NH-LAIx2	EPA 8260	MSV/26408		
10256845066	GW-021314-NH-LAIx3	EPA 8260	MSV/26422		
10256845072	GW-021314-TM-LAI-16	EPA 8260	MSV/26422		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CONESTOGA-ROVERS & ASSOCIATES

CHAIN OF CUSTODY RECORD

Address: 732 BROADWAY, TACOMA, WA. 98402

Phone: 253.573.1218

Fax: 253.573.1663

COC NO.: 38719


PAGE 1 OF 1

(See Reverse Side for Instructions)

1153-1155

Project No/Phase/Task Code: <u>070496 - 2 MW00</u>				Laboratory Name: <u>PACE</u>				Lab Location: <u>SEATTLE, WA</u>				SSOW ID:																	
Project Name: <u>P66 - RENTON TERMINAL</u>				Lab Contact: <u>J. GROSS</u>				Lab Quote No:				Cooler No:																	
Project Location: <u>RENTON, WA</u>				CONTAINER QUANTITY & PRESERVATION:				ANALYSIS REQUESTED: (See Back of COC for Definitions)				Carrier:																	
Chemistry Contact: <u>M. DAVIS / J. CLOW</u>				<table border="1"> <tr> <td>Matrix Code (see back of COC)</td> <td>Grab (G) or Comp (C)</td> <td>Unpreserved</td> <td>Hydrochloric Acid (HCl)</td> <td>Nitric Acid (HNO₃)</td> <td>Sulfuric Acid (H₂SO₄)</td> <td>Sodium Hydroxide (NaOH)</td> <td>Methanol/Water (Soil VOC)</td> <td>EnCore 3x5-G, 1x25-g</td> <td>Other:</td> <td>Total Containers/Sample</td> <td>NWTPH DX TSE</td> <td>NWTPH GX</td> <td>VOC's 8260</td> <td>MTBE / MIBK 8260</td> <td>PAH's 8270</td> <td>Pb/As 6620</td> <td>MS/MSD Request</td> </tr> </table>				Matrix Code (see back of COC)	Grab (G) or Comp (C)	Unpreserved	Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methanol/Water (Soil VOC)	EnCore 3x5-G, 1x25-g	Other:	Total Containers/Sample	NWTPH DX TSE	NWTPH GX	VOC's 8260	MTBE / MIBK 8260	PAH's 8270	Pb/As 6620	MS/MSD Request	Airbill No:			
Matrix Code (see back of COC)	Grab (G) or Comp (C)	Unpreserved	Hydrochloric Acid (HCl)					Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methanol/Water (Soil VOC)	EnCore 3x5-G, 1x25-g	Other:	Total Containers/Sample	NWTPH DX TSE	NWTPH GX	VOC's 8260	MTBE / MIBK 8260	PAH's 8270	Pb/As 6620	MS/MSD Request								
Sampler(s): <u>N. WINSBERGER</u>				Date Shipped:				COMMENTS/SPECIAL INSTRUCTIONS:																					
SAMPLE IDENTIFICATION <small>(Containers for each sample may be combined on one line)</small>		DATE <small>(month/day)</small>	TIME <small>(hh:mm)</small>																										
1	<u>GW-020314-NH-MW12</u>	<u>02/03/14</u>	<u>13:00</u>	<u>WG</u>	<u>G</u>		<u>X</u>	<u>X</u>											<u>10251845-001</u>										
2	<u>GW-020314-NH-MW16</u>	<u>02/03/14</u>	<u>14:15</u>	<u>WG</u>	<u>G</u>		<u>X</u>	<u>X</u>											<u>-002</u>										
3	<u>GW-020414-NH-MW10</u>	<u>02/04/14</u>	<u>9:45</u>	<u>WG</u>	<u>G</u>		<u>X</u>	<u>X</u>											<u>-003</u>										
4	<u>GW-020414-NH-MW9</u>	<u>02/04/14</u>	<u>10:45</u>	<u>WG</u>	<u>G</u>		<u>X</u>	<u>X</u>											<u>-004</u>										
5	<u>GW-020414-NH-MW8</u>	<u>02/04/14</u>	<u>11:45</u>	<u>WG</u>	<u>G</u>		<u>X</u>	<u>X</u>											<u>-005</u>										
6	<u>GW-020414-NH-FD1</u>	<u>02/04/14</u>		<u>WG</u>	<u>G</u>		<u>X</u>	<u>X</u>											<u>-006</u>										
7	<u>GW-020414-NH-DEP</u>	<u>02/04/14</u>	<u>13:45</u>	<u>WG</u>	<u>G</u>		<u>X</u>	<u>X</u>											<u>-007</u>										
8	<u>GW-020414-NH-D4R</u>	<u>02/04/14</u>	<u>14:45</u>	<u>WG</u>	<u>G</u>		<u>X</u>	<u>X</u>											<u>-008</u>										
9	<u>TRIP BLANKS</u>									<u>6</u>			<u>X</u>						<u>-009</u>										
10																			<u>1=4.0, 0.9, 1.0</u>										
11																													
12																													
13																													
14																													
15																													
TAT Required in business days (use separate COCs for different TATs): <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 1 Week <input type="checkbox"/> 2 Week <input checked="" type="checkbox"/> Other: <u>STANDARD</u>				Total Number of Containers: <u>86</u>				Notes/ Special Requirements:																					
<input type="checkbox"/> All Samples in Cooler must be on COC																													
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME																						
<u>[Signature]</u>	<u>ORA</u>	<u>02/04/14</u>	<u>15:00</u>	<u>[Signature]</u>	<u>PACE</u>	<u>2/4/14</u>	<u>15:30</u>																						
				<u>[Signature]</u>	<u>Pace</u>	<u>2/5/14</u>	<u>9:35</u>																						
								<u>Temp- 1.7, 4.1, 5.0</u>																					

THE CHAIN OF CUSTODY IS A LEGAL DOCUMENT - ALL FIELDS MUST BE COMPLETED ACCURATELY

Sample Condition Upon Receipt	Client Name: <u>CRA</u>	Project #: WO# : 10256845	
-------------------------------	-------------------------	----------------------------------	--

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: 5779 5331 01876, see SET

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermom. Used: 80512447 72337080 888A912167504 888A9132521491 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

* Cooler Temp Read (°C): 0.9 Cooler Temp Corrected (°C): 0.9 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: TRUE Date and Initials of Person Examining Contents: CMB 2/5/14
 * see SRF

Question	Yes	No	N/A	Comments
Chain of Custody Present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6.
Rush Turn Around Time Requested?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7.
Sufficient Volume?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.
Correct Containers Used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.
-Pace Containers Used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Containers Intact?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.
Filtered Volume Received for Dissolved Tests?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.
Sample Labels Match COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WHT</u>				
All containers needing acid/base preservation have been checked? Noncompliances are noted in 13. All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>12) Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water) DOC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl Sample # Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14. <u>ITD</u>
Trip Blank Present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Pace Trip Blank Lot # (if purchased): _____				

CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: JENNIFER GARRS Date: 02/05/14

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

	Document Name: SCUR Exceptions Form	Document Revised: 16Apr2012 Page 1 of 1
	Document No.: F-MN-L-220-Rev.00	Issuing Authority: Pace Minnesota Quality Office

Workorder #: 10256845

Issue	Sample ID	Container Type/#	
Tracking #	Cooler Temp / Gen #	Correction Factor	Corrected Temp
57795331	0675 4	TRUE	4.0
"	0686 4	"	0.9
"	0697 4	"	1.0



**CONESTOGA-ROVERS
& ASSOCIATES**

CHAIN OF CUSTODY RECORD

Address: 732 BROADWAY, TACOMA, WA - 98402
 Phone: 253.573.1218 Fax: 253.573.1663

1122
1124
1127

COC NO.: 38714

PAGE 1 OF 1

(See Reverse Side for Instructions)

10256895


Project No/Phase/Task Code: <u>070496-2MN00</u>			Laboratory Name: <u>PACE</u>				Lab Location: <u>SEATTLE, WA</u>				SSOW ID:																					
Project Name: <u>P66 - RENTON TERMINAL</u>			Lab Contact: <u>J. GROSS</u>				Lab Quote No:				Cooler No:																					
Project Location: <u>RENTON, WA.</u>			CONTAINER QUANTITY & PRESERVATION				ANALYSIS REQUESTED (See Back of COC for Definitions)				Carrier:																					
Chemistry Contact: <u>M. DAVIS / J. CLOUD</u>			Matrix Code (see back of COC)	Grab (G) or Comp (C)	Unpreserved	Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methanol/Water (Soil VOC)	EnCores 3x5-g, 1x25-g	Other:	Total Containers/Sample	MS/MSD Request	Airbill No:																	
Sampler(s): <u>N. HINSBERGER / T. MULLIN</u>															DATE (mm/dd/yy)		TIME (hh:mm)		Date Shipped:													
SAMPLE IDENTIFICATION (Containers for each sample may be combined on one line)			DATE		TIME		Matrix Code		Grab (G) or Comp (C)		Unpreserved		Hydrochloric Acid (HCl)		Nitric Acid (HNO ₃)		Sulfuric Acid (H ₂ SO ₄)		Sodium Hydroxide (NaOH)		Methanol/Water (Soil VOC)		EnCores 3x5-g, 1x25-g		Other:		Total Containers/Sample		MS/MSD Request		COMMENTS/SPECIAL INSTRUCTIONS	
1	<u>GW-020514-NH-LAI 13</u>		<u>02/05/14</u>	<u>9:30</u>	<u>WG</u>	<u>G</u>		<u>X</u>					<u>8</u>	<u>X</u>	<u>X</u>	<u>X</u>																<u>010</u>
2	<u>GW-020514-NH-LAI 14</u>		<u>02/05/14</u>	<u>11:00</u>	<u>WG</u>	<u>G</u>		<u>X</u>					<u>8</u>	<u>X</u>	<u>X</u>	<u>X</u>																<u>011</u>
3	<u>GW-020514-NH-DW 3</u>		<u>02/05/14</u>	<u>12:00</u>	<u>WG</u>	<u>G</u>		<u>X</u>	<u>X</u>				<u>10</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>														<u>012</u>
4	<u>GW-020514-NH-LAI 15</u>		<u>02/05/14</u>	<u>14:00</u>	<u>WG</u>	<u>G</u>		<u>X</u>					<u>8</u>	<u>X</u>	<u>X</u>	<u>X</u>																<u>013</u>
5	<u>GW-020514-TM-B-1</u>		<u>02/05/14</u>	<u>0900</u>	<u>WG</u>	<u>G</u>	<u>X</u>	<u>X</u>	<u>X</u>				<u>10</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>														<u>014</u>
6	<u>GW-020514-TM-mw-7</u>			<u>1045</u>	<u>WG</u>	<u>G</u>	<u>X</u>	<u>X</u>	<u>X</u>				<u>10</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>														<u>015</u>
7	<u>GW-020514-TM-W-1</u>			<u>1245</u>	<u>WG</u>	<u>G</u>	<u>X</u>	<u>X</u>	<u>X</u>				<u>10</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>														<u>016</u>
8	<u>GW-020514-TM-B-3A</u>			<u>1415</u>	<u>WG</u>	<u>G</u>	<u>X</u>	<u>X</u>	<u>X</u>				<u>10</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>														<u>017</u>
9	<u>DUP</u>		<u>N/A</u>	<u>---</u>	<u>WG</u>	<u>G</u>	<u>X</u>	<u>X</u>	<u>X</u>				<u>10</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>														<u>018</u>
10	<u>TRIP BLANKS</u>												<u>3</u>																			<u>019</u>
TAT Required in business days (use separate COCs for different TATs): <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 1 Week <input type="checkbox"/> 2 Week <input checked="" type="checkbox"/> Other: <u>STANDARD</u>			Total Number of Containers: <u>87</u>				Notes/ Special Requirements: <u>* 4.1, 4.2, 3.9 - IRI</u>				All Samples in Cooler must be on COC																					
RELINQUISHED BY			COMPANY			DATE			TIME			RECEIVED BY			COMPANY			DATE			TIME											
<u>[Signature]</u>			<u>CRA</u>			<u>02/05/14</u>			<u>14:50</u>			<u>Jenny Gross / PACE</u>			<u>PACB</u>			<u>2/5/14</u>			<u>14:50</u>											
												<u>[Signature]</u>						<u>2-6-14</u>			<u>9:52</u>											
																		<u>T = 07, 1, 0, 1, 3</u>														

THE CHAIN OF CUSTODY IS A LEGAL DOCUMENT - ALL FIELDS MUST BE COMPLETED ACCURATELY

Sample Condition Upon Receipt Client Name: CRA Project #: **WO# : 10256845**

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: 5779 5331 ⁰⁰²⁶ ₀₀₁₅



Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermom. Used: 80512447 72337080 888A912167504 888A9132521491 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 0.7, 1.0, 1.8 Cooler Temp Corrected (°C): 0.7, 1.0, 1.0 Biological Tissue Frozen? Yes No N/A

Temp should be above freezing to 6°C Correction Factor: true Date and Initials of Person Examining Contents: 2-7-14/ JAG

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WT</u>		
All containers needing acid/base preservation have been checked? Noncompliances are noted in 13. All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl <2; NaOH >12) Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water) DOC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl Sample # <u>3, 5, 9</u> ₁₁
Headspace In VOA Vials (>6mm)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14. <u>Sample 6 - 1 vial</u>
Trip Blank Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>122313-3A2R</u>		

CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Jenna Goss Date: 02/07/14

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



CONESTOGA-ROVERS & ASSOCIATES

CHAIN OF CUSTODY RECORD

Address: 737 BROADWAY, TACOMA, WA. 98402
 Phone: 253.573.1218 Fax: 253.573.1663 1132-34


10256845 COC NO.: 38715

PAGE 1 OF 1

(See Reverse Side for Instructions)

Project No/Phase/Task Code: <u>070496-2MNOO</u>			Laboratory Name: <u>PACE</u>				Lab Location: <u>SEATTLE, WA.</u>				SSOW ID:																																																																																																																																																																																																																																															
Project Name: <u>766- RENTON TERMINAL</u>			Lab Contact: <u>J. GROSS</u>				Lab Quote No:				Cooler No:																																																																																																																																																																																																																																															
Project Location: <u>RENTON, WA.</u>			CONTAINER QUANTITY & PRESERVATION				ANALYSIS REQUESTED (See Back of COC for Definitions)				Carrier:																																																																																																																																																																																																																																															
Chemistry Contact: <u>M. DAVIS / J. CLOUD</u>			<table border="1"> <tr> <th>SAMPLE TYPE</th> <th>Matrix Code (see back of COC)</th> <th>Grab (G) or Comp (C)</th> <th>Unpreserved</th> <th>Hydrochloric Acid (HCl)</th> <th>Nitric Acid (HNO₃)</th> <th>Sulfuric Acid (H₂SO₄)</th> <th>Sodium Hydroxide (NaOH)</th> <th>Methane/Water (Sell VOC)</th> <th>EnCores 3x5-g, 1x25-g</th> <th>Other:</th> <th>Total Containers/Sample</th> <th>NWTPH DX+50</th> <th>NWTPH GX</th> <th>VOC's 8260</th> <th>BTEX/MTBE 8266</th> <th>PAH's 8270</th> <th>P6/AS 6020</th> <th>TEMP</th> <th>MS/MSD Request</th> </tr> </table>				SAMPLE TYPE	Matrix Code (see back of COC)	Grab (G) or Comp (C)	Unpreserved	Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methane/Water (Sell VOC)	EnCores 3x5-g, 1x25-g	Other:	Total Containers/Sample	NWTPH DX+50	NWTPH GX	VOC's 8260	BTEX/MTBE 8266	PAH's 8270	P6/AS 6020	TEMP	MS/MSD Request	Airbill No:																																																																																																																																																																																																																															
SAMPLE TYPE	Matrix Code (see back of COC)	Grab (G) or Comp (C)					Unpreserved	Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methane/Water (Sell VOC)	EnCores 3x5-g, 1x25-g	Other:	Total Containers/Sample	NWTPH DX+50	NWTPH GX	VOC's 8260	BTEX/MTBE 8266	PAH's 8270	P6/AS 6020	TEMP	MS/MSD Request																																																																																																																																																																																																																																			
Sampler(s): <u>N. HINSPERGER / T. MULLIN</u>			Date Shipped:																																																																																																																																																																																																																																																							
<table border="1"> <thead> <tr> <th>NO.</th> <th>SAMPLE IDENTIFICATION (Containers for each sample may be combined on one line)</th> <th>DATE (mm/dd/yyyy)</th> <th>TIME (hh:mm)</th> <th>Matrix Code</th> <th>Grab (G) or Comp (C)</th> <th>Unpreserved</th> <th>Hydrochloric Acid (HCl)</th> <th>Nitric Acid (HNO₃)</th> <th>Sulfuric Acid (H₂SO₄)</th> <th>Sodium Hydroxide (NaOH)</th> <th>Methane/Water (Sell VOC)</th> <th>EnCores 3x5-g, 1x25-g</th> <th>Other:</th> <th>Total Containers/Sample</th> <th>NWTPH DX+50</th> <th>NWTPH GX</th> <th>VOC's 8260</th> <th>BTEX/MTBE 8266</th> <th>PAH's 8270</th> <th>P6/AS 6020</th> <th>TEMP</th> <th>MS/MSD Request</th> <th>COMMENTS/SPECIAL INSTRUCTIONS</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>GW-020614-NH-MW13</td> <td>02/06/14</td> <td>9:30</td> <td>WG</td> <td>G</td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>020</td> </tr> <tr> <td>2</td> <td>GW-020614-NH-MW11</td> <td>02/06/14</td> <td>11:00</td> <td>WG</td> <td>G</td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>021</td> </tr> <tr> <td>3</td> <td>GW-020614-NH-DW4</td> <td>02/06/14</td> <td>13:00</td> <td>WG</td> <td>G</td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>022</td> </tr> <tr> <td>4</td> <td>GW-020614-NH-MW17</td> <td>02/06/14</td> <td>15:00</td> <td>WG</td> <td>G</td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>023</td> </tr> <tr> <td>5</td> <td>GW-020614-TM-B-5</td> <td></td> <td>1100</td> <td>WG</td> <td>G</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>BTEX/methane part of VOC's 8260's 024</td> </tr> <tr> <td>6</td> <td>GW-020614-TM-B-2</td> <td></td> <td>1215</td> <td>WG</td> <td>G</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>025</td> </tr> <tr> <td>7</td> <td>GW-020614-TM-HA-9</td> <td></td> <td>1325</td> <td>WG</td> <td>G</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>026</td> </tr> <tr> <td>8</td> <td>TEMP</td> <td></td> <td></td> <td>WG</td> <td>-</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td>027</td> </tr> <tr> <td>9</td> <td>TRIP</td> <td></td> <td></td> <td>WG</td> <td>-</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>3</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>028</td> </tr> </tbody> </table>			NO.	SAMPLE IDENTIFICATION (Containers for each sample may be combined on one line)	DATE (mm/dd/yyyy)	TIME (hh:mm)	Matrix Code	Grab (G) or Comp (C)	Unpreserved	Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methane/Water (Sell VOC)	EnCores 3x5-g, 1x25-g	Other:	Total Containers/Sample	NWTPH DX+50	NWTPH GX	VOC's 8260	BTEX/MTBE 8266	PAH's 8270	P6/AS 6020	TEMP	MS/MSD Request	COMMENTS/SPECIAL INSTRUCTIONS	1	GW-020614-NH-MW13	02/06/14	9:30	WG	G		X	X						10	X	X	X	X	X				020	2	GW-020614-NH-MW11	02/06/14	11:00	WG	G		X	X						10	X	X	X	X	X				021	3	GW-020614-NH-DW4	02/06/14	13:00	WG	G		X	X						10	X	X	X	X	X				022	4	GW-020614-NH-MW17	02/06/14	15:00	WG	G		X	X						10	X	X	X	X	X				023	5	GW-020614-TM-B-5		1100	WG	G	X	X	X						10	X	X	X	X	X				BTEX/methane part of VOC's 8260's 024	6	GW-020614-TM-B-2		1215	WG	G	X	X	X						10	X	X	X	X	X				025	7	GW-020614-TM-HA-9		1325	WG	G	X	X	X						10	X	X	X	X	X				026	8	TEMP			WG	-	X								1							X		027	9	TRIP			WG	-		X							3	X	X							028	Total Number of Containers: <u>87</u>				Notes/ Special Requirements:			
NO.	SAMPLE IDENTIFICATION (Containers for each sample may be combined on one line)	DATE (mm/dd/yyyy)	TIME (hh:mm)	Matrix Code	Grab (G) or Comp (C)	Unpreserved	Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methane/Water (Sell VOC)	EnCores 3x5-g, 1x25-g	Other:	Total Containers/Sample	NWTPH DX+50	NWTPH GX	VOC's 8260	BTEX/MTBE 8266	PAH's 8270	P6/AS 6020	TEMP	MS/MSD Request	COMMENTS/SPECIAL INSTRUCTIONS																																																																																																																																																																																																																																			
1	GW-020614-NH-MW13	02/06/14	9:30	WG	G		X	X						10	X	X	X	X	X				020																																																																																																																																																																																																																																			
2	GW-020614-NH-MW11	02/06/14	11:00	WG	G		X	X						10	X	X	X	X	X				021																																																																																																																																																																																																																																			
3	GW-020614-NH-DW4	02/06/14	13:00	WG	G		X	X						10	X	X	X	X	X				022																																																																																																																																																																																																																																			
4	GW-020614-NH-MW17	02/06/14	15:00	WG	G		X	X						10	X	X	X	X	X				023																																																																																																																																																																																																																																			
5	GW-020614-TM-B-5		1100	WG	G	X	X	X						10	X	X	X	X	X				BTEX/methane part of VOC's 8260's 024																																																																																																																																																																																																																																			
6	GW-020614-TM-B-2		1215	WG	G	X	X	X						10	X	X	X	X	X				025																																																																																																																																																																																																																																			
7	GW-020614-TM-HA-9		1325	WG	G	X	X	X						10	X	X	X	X	X				026																																																																																																																																																																																																																																			
8	TEMP			WG	-	X								1							X		027																																																																																																																																																																																																																																			
9	TRIP			WG	-		X							3	X	X							028																																																																																																																																																																																																																																			
TAT Required in business days (use separate COCs for different TATs): <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 1 Week <input type="checkbox"/> 2 Week <input checked="" type="checkbox"/> Other: <u>STANDARD</u>			All Samples in Cooler must be on COC																																																																																																																																																																																																																																																							
RELINQUISHED BY		COMPANY		DATE		TIME		RECEIVED BY		COMPANY		DATE		TIME																																																																																																																																																																																																																																												
1. <u>[Signature]</u>		CRA		02/06/14		15:30		1. <u>[Signature]</u>		PAC		2-6-14		1530																																																																																																																																																																																																																																												
2. <u>[Signature]</u>								2. <u>[Signature]</u>		Pace		TEMP-1.3, 1.8		27/14 952																																																																																																																																																																																																																																												
3. <u>[Signature]</u>								3. <u>[Signature]</u>																																																																																																																																																																																																																																																		

THE CHAIN OF CUSTODY IS A LEGAL DOCUMENT - ALL FIELDS MUST BE COMPLETED ACCURATELY

Sample Condition Upon Receipt	Client Name: <u>ORA</u>	Project #: _____	WO#: 10256845
Courier: <input checked="" type="checkbox"/> Fed Ex <input type="checkbox"/> UPS <input type="checkbox"/> USPS <input type="checkbox"/> Client <input type="checkbox"/> Commercial <input type="checkbox"/> Pace <input type="checkbox"/> Other: _____			 10256845
Tracking Number: <u>5779 5331 0930, 0940</u>			

Custody Seal on Cooler/Box Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Optional: Proj. Due Date: _____ Proj. Name: _____
Packing Material: <input type="checkbox"/> Bubble Wrap <input checked="" type="checkbox"/> Bubble Bags <input type="checkbox"/> None <input type="checkbox"/> Other: _____		Temp Blank? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Thermom. Used: <input type="checkbox"/> 80512447 <input type="checkbox"/> 72337080	<input checked="" type="checkbox"/> 888A912167504 <input type="checkbox"/> 888A9132521491	Type of Ice: <input checked="" type="checkbox"/> Wet <input type="checkbox"/> Blue <input type="checkbox"/> None <input type="checkbox"/> Samples on Ice, cooling process has begun
Cooler Temp Read (°C): <u>0.7, 1.0</u>		Cooler Temp Corrected (°C): <u>1.4, 1.7</u>
Temp should be above freezing to 6°C		Biological Tissue Frozen? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Correction Factor: <u>+0.7</u>		Date and Initials of Person Examining Contents: <u>CMB 2/7/14</u>

Question	Yes	No	N/A	Comments
Chain of Custody Present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.
Sampler Name and/or Signature on COC?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6.
Rush Turn Around Time Requested?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7.
Sufficient Volume?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.
Correct Containers Used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.
-Pace Containers Used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Containers Intact?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.
Filtered Volume Received for Dissolved Tests?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.
Sample Labels Match COC?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WJ</u>				
All containers needing acid/base preservation have been checked? Noncompliances are noted in 13.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>12)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample # 1-8 8/8
Exception: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water) DOC	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	14.
Trip Blank Present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. 3 of 6 TB rec'd partly frozen
Trip Blank Custody Seals Present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Pace Trip Blank Lot # (if purchased):				

CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: JENI STOS Date: 02/09/14

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



CONESTOGA-ROVERS & ASSOCIATES

CHAIN OF CUSTODY RECORD

Address: 732 BROADWAY, TACOMA, WA 98402
Phone: 253.405.6096 Fax: 253.573.1218

COC NO.: 38716
10256845

PAGE 1 OF 1

(See Reverse Side for Instructions)

Project No/ Phase/Task Code: 070496-2MN00				Laboratory Name: PACE					Lab Location: SEATTLE, WA		SSOW ID:														
Project Name: P66-RENTON TERMINAL				Lab Contact: J. GROSS					Lab Quote No:		Cooler No:														
Project Location: RENTON, WA				SAMPLE TYPE	CONTAINER QUANTITY & PRESERVATION					ANALYSIS REQUESTED (See Back of COC for Definitions)		Carrier:													
Chemistry Contact: M. DAVIS / J. CLOUD				Matrix Code (see back of COC)	Grab (G) or Comp (C)	Unpreserved	Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methanol/Water (Sol/VOC)	EnCores 3x5-g, 1x28-g	Other:	Total Containers/Sample	PAH's D-x + SG	PAH's G-X	VOC's 8/260	PAH's 8/260	PAH's 6/270	PAH's 8/270	TEMP	MS/MSD Request	Airbill No:		
Sampler(s): N. H. INSPIERGER / J. MULLIN																							Date Shipped:		
SAMPLE IDENTIFICATION (Containers for each sample may be combined on one line)				DATE:	TIME:	COMMENTS / SPECIAL INSTRUCTIONS																			
1	GW-020714-NH-DIR			02/07/14	9:45	WG	G	X	X					10	X	X	X	X	X	X			029		
2	GW-020714-NH-MW15			02/07/14	11:00	WG	G	X	X					10	X	X	X	X	X	X			030		
3	GW-020714-NH-HA8			02/07/14	12:30	WG	G	X	X					10	X	X	X	X	X	X			031		
4	GW-020714-NH-HA7			02/07/14	14:00	WG	G	X	X					10	X	X	X	X	X	X			032		
5	GW-020714-TM-HA-13			02/07/14	0915	WG	G	X	X	X				10	X	X	X	X	X	X			033 PAH bottle - 1/2 full		
6	GW-020714-TM-HA-14				1020	WG	G	X	X	X				10	X	X	X	X	X	X			034 PAH bottle ~ 1/8 full		
7	GW-020714-TM-HA-6				1205	WG	G	X	X	X				10	X	X	X	X	X	X			035		
8	GW-020714-TM-HA-5				1330	WG	G	X	X	X			TM 2/7/14	9:10	X	X	X		X				036		
9	GW-020714-TM-RLUX-5				1430	WG	G	X	X	X			8:10	X	X	X							037		
10	TRIP					WG	G	X						9	X	X							038		
11	TEMP					WG	G	X						2	X					X					
1															TM 2/7/14										
1																									
1																									
1																									
1																									
1																									
1																									
1																									

TAT Required in business days (use separate COCs for different TATs):
 1 Day 2 Days 3 Days 1 Week 2 Week Other STANDARD

Total Number of Containers: 98
 Notes/ Special Requirements: All Samples in Cooler must be on COC

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
<i>[Signature]</i>	CRS	02/07/14	15:30	J. John Swag	PACE	02/07/14	16:00
<i>[Signature]</i>	PACE	02/07/14	16:25	<i>[Signature]</i>	PACE	2/6/14	027
				T = 0.6, 1.4, 1.2			

THE CHAIN OF CUSTODY IS A LEGAL DOCUMENT - ALL FIELDS MUST BE COMPLETED ACCURATELY

Sample Condition Upon Receipt: **Client Name:** CIA **Project #:** **WO# : 10256845**
Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____
Tracking Number: See SCF



10256845


Custody Seal on Cooler/Box Present? Yes No **Seals Intact?** Yes No **Optional:** **Proj. Due Date:** _____ **Proj. Name:** _____
Packing Material: Bubble Wrap Bubble Bags None Other: _____ **Temp Blank?** Yes No
Thermom. Used: 80512447 72337080 888A912167504 888A9132521491 **Type of Ice:** Wet Blue None Samples on ice, cooling process has begun
Cooler Temp Read (°C): See SCF **Cooler Temp Corrected (°C):** See SCF **Biological Tissue Frozen?** Yes No N/A
Temp should be above freezing to 6°C **Correction Factor:** See SCF **Date and Initials of Person Examining Contents:** CMB 2/10/14

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. Sample #29 is missing a
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2. nitric bottle. Rec'd an
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. empty nitric bottle w/
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4. no label on it
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10. 2 TB rec'd broken
Filtered Volume Received for Dissolved Tests?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WT</u>		
All containers needing acid/base preservation have been checked? Noncompliances are noted in 13.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl < 2; NaOH > 12)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sample # 2-7 6/14
Exceptions: VOA Coliform, TOC, Oil and Grease, WI-DRO (water) DOC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION **Field Data Required?** Yes No
Person Contacted: Jeff Cloud **Date/Time:** 02/10/14 - Email
Comments/Resolution:
Notified Jeff of empty container for lead metals on 10256845-029.

Project Manager Review: [Signature] **Date:** 02/10/14
 Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEMNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Document Name:
SCUR Exceptions Form

Document Revised: 16Apr2012
Page 1 Of 1

Document No.:
F-MN-L-220-Rev.00

Issuing Authority:
Pace Minnesota Quality Office

Workorder #: 10756845

Issue		Sample ID		Container Type/#	
6779.5331	0995	0.10	#4	+6.0	0.10
"	0984	0.7	#1	+0.7	1.4
"	0962	1.2	#4	+0.0	1.2



CONESTOGA-ROVERS & ASSOCIATES

CHAIN OF CUSTODY RECORD

1153-1155

COC NO.: 38717

Address: 732 BROADWAY, TACOMA, WA 98402

PAGE 1 OF 1


Phone: 253-405-6096 Fax: 253-573-1218

10256845

(See Reverse Side for Instructions)

Project No/ Phase/Task Code: 070496			Laboratory Name: PACE				Lab Location: SEATTLE				SSOW ID:				
Project Name: 070496 - Renton Terminal (PUB)			Lab Contact: J. GROSS				Lab Quote No:				Cooler No:				
Project Location: 7106 Renton, WA			SAMPLE TYPE:				CONTAINER QUANTITY & PRESERVATION:				ANALYSIS REQUESTED: (See back of COC for Definitions)				
Chemistry Contact: M. DAVIS / J. CLOUD			Matrix Code (see back of COC)				Grab (G) or Comp (C)				Carrier:				
Sampler(s): NH, TM			Unpreserved				Hydrochloric Acid (HCl)				Airbill No:				
			Nitric Acid (HNO3)				Sulfuric Acid (H2SO4)				Date Shipped:				
			Sodium Hydroxide (NaOH)				Methanol/Water (Boil VOC)				COMMENTS: SPECIAL INSTRUCTIONS:				
			EnCeres 3.5-g, 1.25-g				Other:								
SAMPLE IDENTIFICATION (Containers for each sample to be combined on one line)			DATE (mm/dd/yy)				TIME (hh:mm)								
1	070496 TM	2/10/14													
2	GW-021014-TM-HA-2	2/10/14	0845	WG	G	X	X	X				039 2 3/4 full PAH bottle			
3	GW-021014-TM-HA-3		0945	WG	G	X	X	X				040 2 1/2 full PAH bottle			
4	GW-021014-TM-HA-4		1145	WG	G	X	X	X				041			
5	GW-021014-NH-MW6	02/10/14	12:30	WG	G		X	X				042			
6	GW-021014-NH-MW5	02/10/14	13:30	WG	G		X	X				043			
7	GW-021014-NH-MW4	02/10/14	14:45	WG	G		X	X				044			
8	GW-021014-NH-MW3	02/10/14	16:00	WG	G		X	X				045			
9	TRIP BLANKS											046			
10															
11															
12															
13															
14															
15															
TAT Required in business days (use separate COCs for different TATs): <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 1 Week <input type="checkbox"/> 2 Week <input checked="" type="checkbox"/> Other: Standard				Total Number of Containers: 43				Notes/ Special Requirements:							
All Samples In Cooler must be on COC															
RELINQUISHED BY		COMPANY		DATE		TIME		RECEIVED BY		COMPANY		DATE		TIME	
1. [Signature]		CRA		02/10/14		16:00		1. [Signature]		PACE		2/10/14		16:00	
2.								2. [Signature]		Temp: 4.3, 5.7		2/10/14		16:00	
3.								3.		E-1.5, 2.7					

THE CHAIN OF CUSTODY IS A LEGAL DOCUMENT - ALL FIELDS MUST BE COMPLETED ACCURATELY

	Document Name: Sample Condition Upon Receipt Form	Document Revised: 07Nov2013 Page 1 of 1
	Document No.: F-MN-L-213-rev.08	Issuing Authority: Pace Minnesota Quality Office

Sample Condition
Upon Receipt

Client Name:

Project #:

WO#: 10256845

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____



Tracking Number: 5779 5331 1010, 1020

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermom. Used: 80512447 72337080 888A912167504 888A9132521491 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 1.5, 2.7 Cooler Temp Corrected (°C): 1.5, 2.7 Biological Tissue Frozen? Yes No N/A

Temp should be above freezing to 6°C Correction Factor: TRUE Date and Initials of Person Examining Contents: CMB 2/11/14

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: WJ		
All containers needing acid/base preservation have been checked? Noncompliances are noted in 13.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>12)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (Water) DOC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Headspace in VOA Vials (>6mm)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14. 3 of 6 TB
Trip Blank Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review:

Jenny Gross

Date: 02/11/14

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



CONESTOGA-ROVERS & ASSOCIATES

CHAIN OF CUSTODY RECORD

Address: 732 BROADWAY, TONSONVA, WA 98402 10256845 COC NO.: 38447

Phone: 253.573.1218 Fax: 253.573.1663 W32-1134 PAGE 1 OF 2

(See Reverse Side for Instructions)

Project No/Phase/Task Code: 070496-2M200

Laboratory Name: PACE

Lab Location: SEATTLE, WA

SSOW ID:

Project Name: P66 - REUTON TERMINAL

Lab Contact: J. GROSS

Lab Quote No:

Cooler No:

Project Location: REUTON, WA

Carrier: H. DAVIS / J. GROSS

Airbill No:

Date Shipped:

Chemistry Contact: H. DAVIS / J. GROSS

Matrix Code (see back of COC)

Grab (G) or Comp (C)

MS/MSD Request

Sampler(s): D. HINSPECKER / T. MULLIN

Sample Identification: DATE TIME

Unpreserved

Hydrochloric Acid (HCl)

Nitric Acid (HNO3)

Container/Accessories/Analyte(s) (Indicate on one line)

Sulfuric Acid (H2SO4)

Sodium Hydroxide (NaOH)

Methanol/Water (Boil VOC)

1 GW-021114-NH-RW3

02/11/14 10:45

WG G

X

2 GW-021114-NH-D6

02/11/14 12:30

WG G

X

3 GW-021114-NH-B6

02/11/14 13:45

WG G

X

4 GW-021114-TM-HA-20

2/11/14 10:45

WG G

X

5 GW-021114-TM-RWX-7

2/11/14 12:20

WG G

X

6 GW-021114-TM-RW-4

2/11/14 13:30

WG G

X

7 TRIP BLANKS

8

9

10

11

12

13

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
[Signature]	CRA	02/11/14	1410	[Signature]	PACE	02/11/14	14:10
[Signature]				[Signature]	PACE	02/11/14	14:10
[Signature]				[Signature]	FOIA, I, Z	2/12/14	1030

TAT Required in business days (use separate COCs for different TATs):

1 Day 2 Days 3 Days 1 Week 2 Week Other: STAR 13 DAYS

Total Number of Containers: All Samples in Cooler must be on COC

Distribution: WHITE - Fully Executed Copy (CRA) YELLOW - Receiving Laboratory Copy PINK - Shipper GOLDENROD - Sampling Crew

THE CHAIN OF CUSTODY IS A LEGAL DOCUMENT - ALL FIELDS MUST BE COMPLETED ACCURATELY

Sample Condition
Upon Receipt

Client Name:

CPA

Project #:

WO#: 10256845



Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: 5739

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermom. Used: 80512447 888A9 12167504 888A9 132521491 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 72337080

Cooler Temp Read (°C): 0.1, 1.2 Cooler Temp Corrected (°C): 0.0, 1.2 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: 0.7, 1.0 Date and Initials of Person Examining Contents: CMB 2/12/14

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10. 1 vial for sample 6 was
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11. rec'd broken
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>W4</u>		
All containers needing acid/base preservation have been checked? Noncompliances are noted in 13.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl <2; NaOH >12)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sample # 2-6 515
Exceptions (VOA, Voliform, TOC, Oil and Grease, WI-DRO (water) DOC)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION.

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review:

Jenny Goss

Date: 02/12/14

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



CONESTOGA-ROVERS & ASSOCIATES

CHAIN OF CUSTODY RECORD

Address: 732 BROADWAY, TACOMA, WA. 98402

Phone: 253.573.1218 Fax: 253.573.1663

1130, 1133, 1134
COC NO.: 38448

PAGE 1 OF 1

(See Reverse Side for Instructions)

10256845

Project No/Phase/Task Code: <u>070496-2MND0</u>				Laboratory Name: <u>PAGE</u>				Lab Location: <u>SEATTLE, WA.</u>				SSOW ID:										
Project Name: <u>P66-RENTON TERMINAL</u>				Lab Contact: <u>J. GROSS</u>				Lab Quote No:				Cooler No:										
Project Location: <u>RENTON, WA.</u>				SAMPLE TYPE: <u>CONTAINER QUANTITY & PRESERVATION</u>				ANALYSIS REQUESTED: (See Back of COC for Definitions)				Carrier:										
Chemistry Contact: <u>M. DAVIS / J. CLOND</u>				Matrix Code (see back of COC) Grab (G) or Comp (C) Unpreserved Hydrochloric Acid (HCl) Nitric Acid (HNO ₃) Sulfuric Acid (H ₂ SO ₄) Sodium Hydroxide (NaOH) Methanol/Water (Soil VOC) EnCore 3A5-G, 1x25-G Other: Total Containers/Sample				NUTPH D+SG NUTPH 6X VOC's BTEX BTEX/MTBE BTEX PAH's BTEX P/AS BTEX TEMP MS/MSD Request				Airbill No:										
Sampler(s): <u>N. LINSPIERGER / T. MULLIN</u>												Date Shipped:										
SAMPLE IDENTIFICATION (Containers for each sample may be combined or split)				DATE (mm/dd/yy)		TIME (hh:mm)						COMMENTS/SPECIAL INSTRUCTIONS										
1	GW-02114-NH-B4			02/11/14	15:30	WG	G	X	X	X			10	X	X	X	X	X				054
2	GW-02114-TM-HA-10			02/11/14	14:40	WG	G	X	X	X			10	X	X	X	X	X				055
3	GW-021214-NH-LAI 12			02/12/14	9:45	WG	G	X	X				8	X	X	X						056
4	GW-021214-NH-LAI 11			02/12/14	11:00	WG	G	X	X				8	X	X	X						057
5	GW-021214-NH-LAI 10			02/12/14	12:45	WG	G	X	X				8	X	X	X						058
6	GW-021214-NH-LAI 1			02/12/14	14:30	WG	G	X	X	X			30	X	X	X	X	X		X	MS/MSD	059
7	GW-021214-TM-HA-1			2/12/14	09:40	WG	G	X	X	X			9	X	X	X	X					060
8	GW-021214-TM-MW-14				11:00	WG	G	X	X	X			10	X	X	X	X	X				061
9	GW-021214-TM-WI-2				12:45	WG	G	X	X	X			10	X	X	X	X	X				062
10	GW-021214-TM-DW-2				14:15	WG	G	X	X	X			20	X	X	X	X	X		X	MS/MSD	063
11	TEMP					WG	G	X					2			X						064
12	TRIP BLANKS																					
1																						
2																						
3																						
4																						
5																						
TAT Required in business days (use separate COCs for different TATs): <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 1 Week <input type="checkbox"/> 2 Week <input checked="" type="checkbox"/> Other: STANDARD				Total Number of Containers: <u>133</u>				Notes/ Special Requirements: <u>MS/MSD x 2</u> <u>VOCs includes BTEX/MTBE</u>														
All Samples in Cooler must be on COC																						
RELINQUISHED BY:		COMPANY:		DATE:		TIME:		RECEIVED BY:		COMPANY:		DATE:		TIME:								
1. <u>[Signature]</u>		CRA		02/12/14		1530		1. <u>[Signature]</u>		PAGE		02/12/14		1530								
2.								2. AA/pau T=23,1,4,24		TEMP:		3,2,1,2,3,3										
3.								3.				2/13/14		1032								

THE CHAIN OF CUSTODY IS A LEGAL DOCUMENT - ALL FIELDS MUST BE COMPLETED ACCURATELY



Document Name:
Sample Condition Upon Receipt Form
Document No.:
F-MN-L-213-rev.08

Document Revised: 07Nov2013
Page 1 of 1
Issuing Authority:
Pace Minnesota Quality Office

Sample Condition
Upon Receipt

Client Name:

Project #:

WO#: 10256845

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other:



Tracking Number: 5779 5331 1204, 57745331110, 1215

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags None Other: Temp Blank? Yes No

Thermom. Used: 80512447 72337080 B88A912167504 B88A9132521491 Type of Ice: Wet Blue None Samples on Ice, cooling process has begun

Cooler Temp Read (°C): 2.3, 1.4, 1.4 Cooler Temp Corrected (°C): 2.3, 1.4, 1.4 Biological Tissue Frozen? Yes No N/A
Temp should be above freezing to 6°C Correction Factor: 1.2 Date and Initials of Person Examining Contents: 2/13/14 AA

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix:	WT	
All containers needing acid/base preservation have been checked? Noncompliances are noted in 13.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl > 2; NaOH > 12)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water) DOC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):	NO WT NUMBER	
	<input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl	
	Sample # BA, HA-16, LAI-12, LAI-10, LAI-1, AA-1, MW-14, W-2, DW-1	
	# of added preservative:	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review:

Jenny Gross

Date:

02/13/14

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



CONESTOGA-ROVERS & ASSOCIATES

CHAIN OF CUSTODY RECORD

Address: 732 BROADWAY, TACOMA, WA - 98402
 Phone: 253.573.1218 Fax: 253.573.1663


COC NO.: 38450

PAGE 1 OF 1

1126, 1128, 1129 (See Reverse Side for Instructions)

Project No/ Phase/Task Code: <u>070496 - 2MN00</u>				Laboratory Name: <u>PACE</u>				Lab Location: <u>SEATTLE, WA</u>				SSOW ID:																					
Project Name: <u>P66 - RENTON TERMINAL</u>				Lab Contact: <u>J. GROSS</u>				Lab Quote No:				Cooler No:																					
Project Location: <u>RENTON, WA</u>				CONTAINER QUANTITY & PRESERVATION				ANALYSIS REQUESTED: (See Back of COC for Definitions)				Carrier:																					
Chemistry Contact: <u>M. DAVIS / J. CLOUD</u>				<table border="1" style="width:100%; border-collapse: collapse; font-size: 8px;"> <tr> <th>SAMPLE TYPE</th> <th>Matrix Code (see back of COC)</th> <th>Grab (G) or Comp (C)</th> <th>Unpreserved</th> <th>Hydrochloric Acid (HCl)</th> <th>Nitric Acid (HNO₃)</th> <th>Sulfuric Acid (H₂SO₄)</th> <th>Sodium Hydroxide (NaOH)</th> <th>Methanol/Water (Sell VOC)</th> <th>EnCores 3x5-g, 1x25-g</th> <th>Other:</th> <th>Total Containers/Sample</th> <th>NUTPH DX+SC</th> <th>NUTPH GX</th> <th>VOC's 8260</th> <th>STEX/LUTE 8260</th> <th>PAL'S 8270</th> <th>P6/AS 6050</th> <th>TEMP</th> <th>MSMD Request</th> </tr> </table>				SAMPLE TYPE	Matrix Code (see back of COC)	Grab (G) or Comp (C)	Unpreserved	Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methanol/Water (Sell VOC)	EnCores 3x5-g, 1x25-g	Other:	Total Containers/Sample	NUTPH DX+SC	NUTPH GX	VOC's 8260	STEX/LUTE 8260	PAL'S 8270	P6/AS 6050	TEMP	MSMD Request	Airbill No:				Date Shipped:	
SAMPLE TYPE	Matrix Code (see back of COC)	Grab (G) or Comp (C)	Unpreserved					Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methanol/Water (Sell VOC)	EnCores 3x5-g, 1x25-g	Other:	Total Containers/Sample	NUTPH DX+SC	NUTPH GX	VOC's 8260	STEX/LUTE 8260	PAL'S 8270	P6/AS 6050	TEMP	MSMD Request										
Sampler(s): <u>N. HINSBERGER / T. MULLIN</u>				COMMENTS/SPECIAL INSTRUCTIONS:				10256845 OBS																									
SAMPLE IDENTIFICATION: (Combine COC for each sample, may be combined on one line)			DATE (mm/dd/yyyy)	TIME (hh:mm)	Matrix Code	Grab (G) or Comp (C)	Unpreserved	Hydrochloric Acid (HCl)	Nitric Acid (HNO ₃)	Sulfuric Acid (H ₂ SO ₄)	Sodium Hydroxide (NaOH)	Methanol/Water (Sell VOC)	EnCores 3x5-g, 1x25-g	Other:	Total Containers/Sample	NUTPH DX+SC	NUTPH GX	VOC's 8260	STEX/LUTE 8260	PAL'S 8270	P6/AS 6050	TEMP	MSMD Request										
1	GW-021314-NH-LAI x 2		02/13/14	9:45	WG	G	X	X	X						10	X	X	X	X	X													
2	GW-021314-NH-LAI x 3		02/13/14	11:30	WG	G	X	X	X						10	X	X	X	X	X													
3	GW-021314-NH-DW 1		02/13/14	13:00	WG	G	X	X	X						10	X	X	X	X	X													
4	GW-021314-NH-HA 11		02/13/14	14:00	WG	G	X	X	X						10	X	X	X	X	X													
5	GW-021314-NH-DIR		02/13/14	15:00	WG	G			X						1						X												
6	GW-021314-TM-MW-1		2/13/14	09:30	WG	G	X	X	X						10	X	X	X	X	X	X												
7	GW-021314-TM-MW-2			11:00	WG	G	X	X	X						10	X	X	X	X	X	X												
8	GW-021314-TM-LAI-16			12:45	WG	G		X	X						9	X	X	X	X	X													
9	GW-021314-TM-HA-11			13:35	WG	G	X	X	X						10	X	X	X	X	X	X												
10	TREP														1		X	X															
11	TEMP														1							X											
12																																	
13																																	
14																																	
15																																	
TAT Required in business days (use separate COCs for different TATs):				Total Number of Containers: <u>82</u>				Notes/ Special Requirements: <u>Dispose of 1 broken TPA-d bottle</u> <u>(Thank you!)</u>																									
<input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 1 Week <input type="checkbox"/> 2 Week <input checked="" type="checkbox"/> Other: <u>STANDARD</u>				All Samples in Cooler must be on COC																													
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME																										
1.	CRA	02/13/14	15:00	1.	PACE	02/13/14	16:00																										
2.				2. AA T=5.4, 1.5	Pace	2/14/14	10:03																										
3.				3. Temp	Temp	5.5, 2.4,																											

THE CHAIN OF CUSTODY IS A LEGAL DOCUMENT - ALL FIELDS MUST BE COMPLETED ACCURATELY

	Document Name: Sample Condition Upon Receipt Form	Document Revised: 07Nov2013 Page 1 of 1
	Document No.: F-MN-L-213-rev.08	Issuing Authority: Pace Minnesota Quality Office

Sample Condition Upon Receipt

Client Name: CRA Project #: **WO# : 10256845**

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other:



Tracking Number: 5779 5331 1260, 5779 5331 1259

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: Proj. Name:

Packing Material: Bubble Wrap Bubble Bags None Other: 2 PCC Temp Blank? Yes No

Thermom. Used: 80512447 72337080 888A912167504 888A9132521491 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 5.4, 1.5 Cooler Temp Corrected (°C): 5.4, 1.5 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: 1/1.2 Date and Initials of Person Examining Contents: 2/12/14 ADA

		Comments:	
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.	
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.	
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.	
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.	
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.	
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.	
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.	
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.	
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.	
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.	
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.	
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.	
-Includes Date/Time/ID/Analysis Matrix:	<u>WT</u>		
All containers needing acid/base preservation have been checked? Noncompliances are noted in 13.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.	<input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl <2; NaOH >12)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Sample # <u>1</u>
Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water) DOC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<u>LAI x 2, LAI x 3, DWI, AAI, DIR, MW-</u> <u>MW-2, LAI-16, AAI</u> Lot # of added preservative:
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.	Initial when completed: <u>ADA</u>
Trip Blank Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.	
Trip Blank Custody Seals Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Pace Trip Blank Lot # (if purchased):	<u>NO lot number</u>		

CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Jenni Goff Date: 02/14/14

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Appendix C

Vertical Gradient Calculations

Example Data Calculate
 Save Data Recall Data

Clear
 Go Back

Input Parameters

	Surface Elevation	Depth to Well Screen	Screen Length	Depth to Water
Shallow Well	20.69	4.5	5	4.91
Deep Well	20.69	20	10	7.86

Results

	Magnitude	Flow Direction	
Screen mid-point value	0.1658	down	More information...
Range of Estimates	0.1176 to 0.2810	down; down	
<p>Flow directions can be determined. Shallow well is a water table well. Only submerged length used in calculations.</p>			
<p>Gradient Estimate Between Piezometers (screen lengths equal to zero)</p>			
Piezometers	0.1903	down	

figure C.1
 WELL DW-1
 VERTICAL GRADIENT CALCULATIONS
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington

Input Parameters

	Surface Elevation	Depth to Well Screen	Screen Length	Depth to Water
Shallow Well	21.36	4.5	5	8.15
Deep Well	21.36	20	10	8.41

Results

	Magnitude	Flow Direction	
Screen mid-point value	0.01607	down	More information...
Range of Estimates	0.01190 to 0.0247	down; down	
<p>Flow directions can be determined. Shallow well is a water table well. Only submerged length used in calculations.</p>			
<p>Gradient Estimate Between Piezometers (screen lengths equal to zero)</p>			
Piezometers	0.01677	down	

figure C.2
 WELL DW-2
 VERTICAL GRADIENT CALCULATIONS
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington

Example Data Calculate
Save Data Recall Data

Clear
Go Back

Input Parameters

	Surface Elevation	Depth to Well Screen	Screen Length	Depth to Water
Shallow Well	21.69	3	7	6.79
Deep Well	21.75	20	10	9

Results

	Magnitude	Flow Direction	
Screen mid-point value	0.1299	down	More information...
Range of Estimates	0.09287 to 0.2163	down; down	
<p>Flow directions can be determined. Shallow well is a water table well. Only submerged length used in calculations.</p>			
<p>Gradient Estimate Between Piezometers (screen lengths equal to zero)</p>			
Piezometers	0.1269	down	

figure C.3
WELL DW-3
VERTICAL GRADIENT CALCULATIONS
PHILLIPS 66 RENTON TERMINAL
Renton, Washington

Example Data Calculate
 Save Data Recall Data

Clear
 Go Back

Input Parameters

	Surface Elevation	Depth to Well Screen	Screen Length	Depth to Water
Shallow Well	17.14	5	15	4.33
Deep Well	17.24	20	20	4.29

Results

	Magnitude	Flow Direction	
Screen mid-point value	0.008046	up	More information...
Range of Estimates	0.004011 to 1.400	down; up	
Flow directions can be determined.			
Gradient Estimate Between Piezometers (screen lengths equal to zero)			
Piezometers	0.009396	up	

figure C.4
 WELL DW-4
 VERTICAL GRADIENT CALCULATIONS
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington

Appendix D

Concentration Versus Time Plots





figure D.1
 WELL W-1
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






TPHg



TPHd



BENZENE

figure D.2
 WELL W-2
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington










figure D.3
 WELL B-1
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






TPHg




TPHd




BENZENE

figure D.4
 WELL B-2
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






TPHg



TPHd



BENZENE

figure D.5
 WELL B-3A
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.6
 WELL B-4
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.7
 WELL B-5
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.8
 WELL B-6
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington







figure D.9
 WELL D-1R
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington





Note: Decommissioned in October 2011 and replaced by D-4R

figure D.10
WELL D-4

GROUNDWATER CONCENTRATIONS VS. TIME
PHILLIPS 66 RENTON TERMINAL
Renton, Washington






figure D.11
 WELL D-4R
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.12
 WELL D-5R
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.13
 WELL D-6
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.14
 WELL D-7
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.15
 WELL HA-1
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington








figure D.16
 WELL HA-2
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






TPHg



TPHd



BENZENE

figure D.17
 WELL HA-3
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.18
 WELL HA-4
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.19
 WELL HA-5
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington








figure D.20
 WELL HA-6
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






TPHg




TPHd




BENZENE

figure D.21
 WELL HA-7
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






TPHg



TPHd



BENZENE

figure D.22
 WELL HA-8
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.23
 WELL HA-9
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.24
 WELL HA-10
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.25
 WELL HA-11
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.26
 WELL HA-12
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.27
 WELL HA-13
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.28
 WELL HA-14
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.29
 WELL HA-16
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.30
 WELL HA-19
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.31
 WELL HA-20
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.32
 WELL LAI-1
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington








figure D.33
 WELL LAI-2/LAIx-2
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






TPHg



TPHd



BENZENE

figure D.34
 WELL LAI-3/LAIx-3
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.35
 WELL LAI-10
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.36
 WELL LAI-11
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.37
 WELL LAI-12
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.38
 WELL LAI-13
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.39
 WELL LAI-14
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.40
 WELL LAI-15
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.41
 WELL LAI-16
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.42
 WELL RW-3
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.43
 WELL RW-4
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.44
 WELL RWx-5
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.45
 WELL RWx-7
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.46
 WELL MW-1
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.47
 WELL MW-2
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.48
 WELL MW-3
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.49
 WELL MW-4
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.50
 WELL MW-5
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington








figure D.51
 WELL MW-6
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington








figure D.52
 WELL MW-7
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






TPHg



TPHd



BENZENE

figure D.53
 WELL MW-8
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.54
 WELL MW-9
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington








figure D.55
 WELL MW-10
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.56
 WELL MW-11
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.57
 WELL MW-12
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.58
 WELL MW-13
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.59
 WELL MW-14
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.60
 WELL MW-15
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.61
 WELL MW-16
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.62
 WELL MW-17
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.63
 WELL DW-1
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington








figure D.64
 WELL DW-2
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.65
 WELL DW-3
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington






figure D.66
 WELL DW-4
 GROUNDWATER CONCENTRATIONS VS. TIME
 PHILLIPS 66 RENTON TERMINAL
 Renton, Washington

