




# **Second Quarter 2020 Groundwater Monitoring, Operations and Maintenance Report**

Phillips 66 Renton Terminal  
2423 Lind Avenue Southwest  
Renton, Washington

Agreed Order No. DE 11313  
Facility Site I.D. No. 2070





## Table of Contents

1.	Introduction.....	1
2.	Description of Remediation System and Operational Status.....	1
3.	Second Quarter 2020 Remediation Activities.....	2
4.	Summary of Compliance Sampling.....	3
5.	Summary of System Performance.....	4
6.	System Operation Conclusions.....	5
7.	Second Quarter 2020 Groundwater Monitoring Field Activities.....	5
7.1	Hydraulic Monitoring.....	5
7.2	Groundwater Sampling.....	5
7.3	Investigation Derived Waste.....	5
8.	Groundwater Monitoring Results.....	6
8.1	Groundwater Elevation and LNAPL Thickness Data.....	6
8.1.1	Intermediate Well Elevation Data, Flow Direction, and Gradient.....	6
8.1.2	LNAPL Thicknesses.....	6
9.	Groundwater Monitoring Conclusions.....	6
10.	Other Agreed Order Items.....	7

## Figure Index

Figure 1	Vicinity Map
Figure 2A	Site Plan with Monitoring Locations
Figure 2B	Site Plan with Active Remediation Locations
Figure 3	TPHg Mass Removal vs. Time Graph
Figure 4	Benzene Mass Removal vs. Time Graph
Figure 5	LNAPL Mass Removal vs. Time Graph
Figure 6	Depth to Groundwater and LNAPL Thickness vs Time Graph
Figure 7	Groundwater Elevation Contour Map – June 12, 2020

## Table Index

Table 1	Groundwater Extraction System Analytical Data
Table 2	Groundwater Extraction System Operational Data
Table 3	Soil Vapor Extraction System Analytical Data
Table 4	Soil Vapor Extraction System Operational Data
Table 5	Groundwater Elevation Data



## **Appendix Index**

- Appendix A O&M Laboratory Analytical Reports
- Appendix B King County Self-Monitoring Reports (SMR)
- Appendix C Groundwater Monitoring Field Data Sheets



## 1. Introduction

GHD has prepared this *Second Quarter 2020 Groundwater Monitoring and Operations and Maintenance Report* on behalf of Phillips 66 Company (P66) and BP for the P66 Renton Terminal located at 2423 Lind Avenue Southwest, Renton, Washington (Site, Figure 1).

On September 28, 2015, ExxonMobil, P66, and Ecology entered into an Agreed Order (DE 11313) to implement remedial actions presented in the *Final Cleanup Action Report (CAP)*. The remedial actions included installation of a new Dual-Phase Extraction (DPE) system, Operations and Maintenance (O&M), and performance monitoring. The new DPE system was completed in May 2015, followed by a period of approximately one year of operation when it was shut down until October 2016 to implement system modifications. The modified DPE system operated intermittently between October 2016 and May 2017, and has been operating nearly continuously from May 2017 until the present.

The purpose of this quarterly report is to present the remediation system monitoring results and evaluate the performance of the remedial action during the reporting period from April 1, 2020 to June 30, 2020. Additionally, this report includes groundwater monitoring results from the reporting period. The monitoring locations are presented on Figure 2A. Groundwater monitoring and remediation activities are being conducted in accordance with GHD's *Compliance Monitoring Plan (CMP)* dated October 19, 2016, *Final Cleanup Action Report* dated September 28, 2015, and the *Operations and Maintenance Manual* dated October 2015 (revised January 2017). The groundwater monitoring scope of work was modified beginning with the first quarter 2019 in accordance with the scope approved by the Washington State Department of Ecology (Ecology) in an email dated February 28, 2019.

## 2. Description of Remediation System and Operational Status

Groundwater, light non-aqueous phase liquids (LNAPL), and soil vapors are extracted from DPE wells and treated by a series of unit processes. The groundwater treatment system consists of an oil-water separator (OWS), air stripper, equalization (EQ) tank, sediment filters, and carbon vessels. As part of a system improvement plan to increase continuous operation of the system, the air stripper was bypassed on May 4, 2020 and sediment filter bags were removed on May 22, 2020. In July 2019, select DPE wells were retrofitted with skimmer pumps to emphasize recovery of LNAPL while minimizing groundwater recovery necessary to maintain designed hydraulic containment. Recovered LNAPL, skimmed from the top of the OWS, flows by gravity into a nearby 150-gallon temporary holding tank (PST-5201). A transfer pump (either manually engaged or float actuated) conveys LNAPL from PST-5201 to a 10,000-gallon holding tank (PST-5202) for storage pending periodic off-Site disposal and/or recycling. The 10,000-gallon tank was a former fuel additive tank located within the terminal tank farm that had been permanently out of service for several years. This tank serves to increase the capacity of recovered LNAPL that can be temporarily stored on-Site. Groundwater separated from the recovered LNAPL in the OWS is pumped to the EQ tank where it is stored temporarily before being batch-treated by the carbon vessels. The treated water



effluent is discharged to the sanitary sewer system under King County Discharge Authorization Permit 7910-02. Soil vapor is extracted from the DPE wells under vacuum using four rotary claw blowers. The soil vapor extracted from the DPE wells is treated by the thermal oxidizer. Effluent from the oxidizer is discharged to the atmosphere as authorized by the Puget Sound Clean Air Agency (PSCAA) discharge permit No.11102.

During the current reporting period, the DPE system operated for approximately 1,577 hours between April 1, 2020 and June 30, 2020 with an “up-time” of approximately 97 percent. The following are the notable system shutdowns accounting for approximately 607 hours of down time (492 hours were planned and 115 hours were unplanned) that occurred during the reporting period:

- April 13, 2020 planned system shutdown for critical device checks lasting for approximately 5 hours
- April 20 to May 4, 2020 planned system shutdown for carbon change-out lasting for approximately 361 hours
- May 9 to May 11, 2020 unplanned shutdown due to sediment filter high pressure alarm lasting for approximately 51 hours
- May 20 to May 22, 2020 planned shutdown for tank pump-out and cleaning and modifications to the EQ tank lasting 50 hours
- June 5 to June 8, 2020 unplanned shutdown caused by an area-wide power outage due to a storm lasting for approximately 64 hours. This down-time was not included in the “up-time” calculation
- June 9 to June 12, 2020 planned shutdown for the quarterly groundwater monitoring event and oxidizer repairs lasting approximately 76 hours

During the second quarter 2020, the system processed groundwater and LNAPL extracted from three remediation wells with total fluids pumps (DPE-35, DPE-40 and EX-1) and from seven remediation wells with skimmer pumps (DPE-26, DPE-32, DPE-39, DPE-41, DPE-49, DPE-54, and DPE-56). Soil vapor was extracted from all ten remediation wells. The active remediation wells are presented on Figure 2B. Groundwater extraction system sampling analytical data is provided in Table 1. Groundwater extraction operational data is provided in Table 2. Soil vapor extraction system sampling analytical data is provided in Table 3. Soil vapor extraction operational data is provided in Table 4. GHD anticipates continuing the focused LNAPL removal and increasing the number of DPE wells with total fluids pumps and SVE flow rates during the third quarter of 2020.

### **3. Second Quarter 2020 Remediation Activities**

Remediation activities for the DPE system consist of maintenance, monitoring, monthly compliance sampling, troubleshooting, and repairs. Scheduled visits for routine O&M and monitoring are made once to twice weekly. A summary of the operational data collected for the DPE system is presented in Table 2 and Table 4.

The following routine system maintenance and repair activities were completed during the current reporting period on an as-needed basis:



- Sediment filter bag change-outs (prior to complete removal)
- Cleaning of valves and transfer pumps
- Cleaning and servicing of well pumps
- Air stripper cleaning (prior to air stripper bypass)
- Carbon vessel back flushes
- Air compressor maintenance
- Blower maintenance and cleaning

GHD began implementing a system improvement plan with a carbon-change out of the 15,000 pounds of granular activated carbon (GAC) between April 20 to May 4, 2020. Following the carbon change-out the DPE system was restarted with the air stripper bypassed. A tank pump-out and cleaning event was completed on May 20, 2020 to remove the sediment, bio-growth and iron from the system. GHD and Clearcreek Contractors reconfigured the EQ tank into a secondary separation vessel by installing a new tank outlet (located approximately two and a half feet above the bottom of the tank) and moving the transfer pump shutoff switch to two feet above the new outlet. After completing the tank pump-out and EQ tank reconfiguration, the system was restarted (without sediment filter bags) on May 22, 2020.

## **4. Summary of Compliance Sampling**

The King County Wastewater Treatment Division (King County) discharge permit for the DPE system requires monthly compliance sampling and reporting. Monthly effluent compliance samples were collected during this operational period on April 9, 2020, May 19, 2020 and June 8, 2020. Each effluent compliance sample was analyzed for total petroleum hydrocarbons as gasoline (TPHg) per Ecology Method NWTPH-Gx, total petroleum hydrocarbons as diesel (TPHd) and total petroleum hydrocarbons as motor oil (TPHo) per Ecology Method NWTPH-Dx, benzene, toluene, ethylbenzene, and xylenes (BTEX) per EPA Method 8260, and fats, oils, and grease (FOG) per EPA Method 1664A. The point of compliance for the discharge permit is located at the treated water effluent after all GWE treatment unit processes. Results of analyses of effluent compliance samples during the reporting period demonstrated compliance with the permit conditions. Laboratory analytical reports are presented in Appendix A. Treated groundwater compliance data for this and previous reporting periods are summarized on Table 1. Sampling results were submitted to King County on a monthly basis under King County Permit 7910-02. Copies of the April, May and June 2020 King County Industrial Waste Monthly Self-Monitoring Reports are presented in Appendix B.

The PSCAA air discharge permit for the DPE system requires monthly compliance sampling and analyses of oxidizer influent and effluent for TPHg and BTEX per EPA Method TO-15. Compliance samples were collected on April 9, 2020, May 19, 2020 and June 8, 2020. Laboratory analytical reports are presented in Appendix A. Results of analyses of oxidizer effluent samples collected during the reporting period demonstrate compliance with PSCAA permit conditions. Air compliance sampling and analytical data are summarized on Table 3. The data summarized on Table 4 confirms that oxidizer compliance monitoring results were within the permit limits for operating flow rate less than 1,500 standard cubic feet per minute, maintaining a minimum operating temperature of



1,400 degrees F and achieving a destruction efficiency of greater than 97% when laboratory analyzed inlet concentrations are greater than 200 parts per million (ppm).

## 5. Summary of System Performance

Total combined petroleum mass removal rate for the DPE system as LNAPL, vapor and groundwater dissolved phases during the reporting period was 10,078 pounds per quarter. This rate is higher than historical rates due to the focused LNAPL removal plan and re-application of DPE. The total LNAPL removed during the reporting period was 1,516 gallons. Estimated total mass removal rates and total mass removed during the reporting period and the cumulative mass removed since remediation using DPE began in May 8, 2015 are summarized on Table 2 and Table 4 and are shown graphically on Figure 3 and Figure 4. Cumulative LNAPL mass removal and removal rates from July 2019 to June 2020 are shown graphically on Figure 5. LNAPL removal rates were not calculated prior to implementing the focused LNAPL recovery strategy in July 2019.

During the reporting period, the DPE system operated nearly continuously except for the shutdowns noted in Section 2.0. The process volumes and estimated mass removed for the reporting period are as follows:

Period	Gallons of Water extracted	Pounds of LNAPL Removed (OWS)	Pounds of TPH Removed (Dissolved Liquid Phase)	Pounds of TPH Removed (Vapor Phase)	Total Pounds of TPH Removed
Second Quarter 2020 Operation (April 1, 2020 to June 30, 2020)	312,800	9,308	373	397	10,078
Cumulative Operation (May 8, 2015 to June 30, 2020)*	5,149,357	40,242	2,617	68,824	111,683

\*Previous DPE and GWE system data prior to May 2015 submitted in previous reports  
 Note: density of free product assumed to be density of vehicle gasoline (6.14 lbs/gallon  
["https://www.epa.gov/sites/production/files/2014-01/gallonspoundsconversion.xls"](https://www.epa.gov/sites/production/files/2014-01/gallonspoundsconversion.xls))

The primary purpose of the DPE remediation system is to remove hydrocarbon mass from the subsurface while maintaining hydraulic control on the hydrocarbon-impacted groundwater plume to prevent migration of dissolved-phase petroleum hydrocarbons off-Site. Hydraulic control monitoring was performed during the groundwater gauging activities and is discussed in Section 7. Procedures for monitoring and evaluating the effectiveness of hydraulic control are included in the CMP.

GHD is currently maximizing LNAPL recovery from seven skimmer pumps and total fluids recovery from three DPE wells to prepare and test the groundwater treatment system for vacuum enhanced DPE operation. The increased total fluids pumping has already yielded beneficial results, and has increased the LNAPL recovery rate significantly higher than just operating on the skimmer pumps alone. GHD plans to increase the number of wells utilizing total fluid pumps and increase the



vacuum enhanced operation of the DPE system. GHD will continue to evaluate ways to optimize groundwater recovery and efficient operation of the DPE system.

## **6. System Operation Conclusions**

The DPE system operated at nearly continuous (approximately 97%) up-time during the second quarter 2020 except for the shutdowns noted in Section 2.0. Four planned and two unplanned shutdowns occurred during the reporting period as described in Section 2.0.

The following activities are planned for the third quarter 2020:

- Continue to optimize LNAPL removal and evaluate system performance
- Increase the SVE mass removal with increased vacuum enhanced operation
- Increase groundwater recovery and treatment by increasing the number of wells with total fluids recovery

## **7. Second Quarter 2020 Groundwater Monitoring Field Activities**

### **7.1 Hydraulic Monitoring**

Second quarter 2020 hydraulic monitoring activities were conducted on June 12, 2020. Hydraulic monitoring activities consisted of measuring and recording depth to LNAPL, if present, and depth to groundwater from below the top of the well casing for 19 groundwater monitoring wells and 26 remediation wells. Hydraulic monitoring activities were conducted in accordance with the procedures outlined in Section 4.1 of the CMP and the modifications approved by Ecology in an email correspondence dated February 28, 2019. Wells used in hydraulic monitoring are presented on Table 5. A copy of the field data sheet documenting the hydraulic monitoring data is presented in Appendix C.

### **7.2 Groundwater Sampling**

Groundwater sampling was not conducted during the second quarter 2020. Per modifications approved by Ecology in an email correspondence dated February 28, 2019, groundwater sampling has been reduced to a semi-annual frequency with hydraulic monitoring continuing on a quarterly frequency.

### **7.3 Investigation Derived Waste**

No investigation derived waste was generated during the second quarter 2020 event, with the exception of personal protective equipment (PPE). All PPE was properly decontaminated and/or disposed in an appropriate trash receptacle onsite.



## 8. Groundwater Monitoring Results

### 8.1 Groundwater Elevation and LNAPL Thickness Data

The purpose of the hydraulic monitoring is to evaluate the effects of the DPE system on groundwater flow direction(s) and gradient(s) and to monitor the presence and changing thicknesses of LNAPL on the water table. Current groundwater elevation data and LNAPL thicknesses are presented on Table 5.

Groundwater flow direction(s) are presented on Figure 7.

Historically, monitoring wells have been grouped for evaluation based on screened intervals. The wells are grouped as follows:

- Shallow – Wells screened in the fill material in the top 10 feet below ground surface (bgs)
- Intermediate – Wells screened from 5 to 20 feet bgs
- Deep – Wells screened deeper than 20 feet bgs

Currently, only two of the wells gauged (B-4, and B-6) are considered shallow wells because they are screened entirely within the fill material, and do not span the silt/clay layer at approximately 10 feet bgs. Groundwater elevations in these two wells were consistent with historical data. None of the deep wells were gauged. Groundwater elevation data is presented in Table 5 and Figure 7.

#### 8.1.1 Intermediate Well Elevation Data, Flow Direction, and Gradient

Data collected during the second quarter 2020 indicates that groundwater mounds in the vicinity of the tank farm and in the vicinity of the loading rack, and, as a result, groundwater flows radially away from these locations. Groundwater elevation contours interpreted from the monitoring data are illustrated on Figure 7.

#### 8.1.2 LNAPL Thicknesses

During the second quarter 2020 sampling event, LNAPL was observed in 17 of the remediation wells gauged. The maximum LNAPL thickness (1.88 feet) was detected in well DPE-35. No LNAPL was detected in the groundwater monitoring wells gauged. In-well LNAPL gauging is used to confirm the presence of LNAPL and evaluate mobility by comparing these measurements over time. The maximum LNAPL thickness has reduced significantly since increased LNAPL recovery was initiated. The presence (or absence) of LNAPL will continue to be monitored to evaluate trends in LNAPL occurrence and mobility.

## 9. Groundwater Monitoring Conclusions

Groundwater tends to mound near Tank No. 2 and the loading rack and flow radially in all directions, consistent with historical flow directions and gradients.

The monitoring well network will continue to be monitored and sampled per the CMP to assess the effectiveness of the DPE system. GHD will continue to gauge wells on a quarterly basis to determine



groundwater elevations and monitor LNAPL thickness and will continue to sample select wells on a semi-annual frequency. The next scheduled monitoring event is during the third quarter 2020.

## 10. Other Agreed Order Items

No Agreed Order items occurred during the second quarter 2020.

All of Which is Respectfully Submitted,

GHD

Christina McClelland, LG




CHRISTINA McCLELLAND

Eric Maise



Trevor Atkinson, PE

# Figures



Source: TOPO! CA




PHILLIPS 66 RENTON TERMINAL  
 2423 LIND AVENUE SOUTHWEST  
 RENTON, WASHINGTON

070496.17-7MN00

Jan 6, 2020


VICINITY MAP

FIGURE 1



- LEGEND**
- B-1 ● MONITORING WELL LOCATION
  - D-4 ● ABANDONDED OR DESTROYED MONITORING WELL LOCATION
  - DPE-6 ● VERTICAL RECOVERY WELL (ACTIVELY PUMPING)
  - DPE-25 ● VERTICAL RECOVERY WELL (INACTIVE - NOT PUMPING)
  - LAI-1 ● VERTICAL RECOVERY WELL (INACTIVE - NOT PUMPING)
  - DPE-25 ● VERTICAL RECOVERY WELL (GAUGE ONLY)
  - MW-1 ● MONITORING WELL LOCATION (GAUGE AND SAMPLE)
  - UDPE — UNDERGROUND DUAL PHASE EXTRACTION PIPE
  - ADPE — ABOVEGROUND DUAL PHASE EXTRACTION PIPE

SOURCE: STATEWIDE LAND SURVEYING INC., DATED 01/26/2012.




PHILLIPS 66 RENTON TERMINAL  
2423 LIND AVENUE SOUTHWEST  
RENTON, WASHINGTON

SITE PLAN WITH MONITORING LOCATIONS


070496.17-7MN00  
Jan 6, 2020

FIGURE 2A



- LEGEND**
- B-1 ● MONITORING WELL LOCATION
  - D-4 ● ABANDONED OR DESTROYED MONITORING WELL LOCATION
  - DPE-10 ● VERTICAL RECOVERY WELL (TOTAL FLUIDS EXTRACTION)
  - DPE-32 ● VERTICAL RECOVERY WELL (LNAPL EXTRACTION)
  - DPE-28 ● VERTICAL RECOVERY WELL (INACTIVE - NOT PUMPING)
  - LAI-1 ● VERTICAL RECOVERY WELL (INACTIVE - NOT PUMPING)
  - DPE-1 ● VERTICAL RECOVERY WELL (GAUGE ONLY)
  - MW-1 ● MONITORING WELL LOCATION (GAUGE AND SAMPLE)
  - DPE-26 ● VERTICAL RECOVERY WELL LOCATION (SVE)
  - UDPE — UNDERGROUND DUAL PHASE EXTRACTION PIPE
  - ADPE — ABOVEGROUND DUAL PHASE EXTRACTION PIPE
- NOTE: THIS FIGURE INDICATES THE OPERATIONAL STATUS AS OF JUNE 30, 2020.

SOURCE: STATEWIDE LAND SURVEYING INC., DATED 01/26/2012.




PHILLIPS 66 RENTON TERMINAL  
2423 LIND AVENUE SOUTHWEST  
RENTON, WASHINGTON

070496.17-7MN00  
Jun 29, 2020

SITE PLAN WITH ACTIVE REMEDIATION LOCATIONS

FIGURE 2B




**FIGURE 3**

Phillips 66 Renton Terminal  
 2423 Lind Avenue Southwest  
 Renton, Washington



TPHg MASS REMOVAL VS. TIME




**FIGURE 4**

Phillips 66 Renton Terminal  
 2423 Lind Avenue Southwest  
 Renton, Washington



BENZENE MASS REMOVAL VS. TIME




**FIGURE 5**

Phillips 66 Renton Terminal  
 2423 Lind Avenue Southwest  
 Renton, Washington



LNAPL MASS REMOVAL VS. TIME




**FIGURE 6**

Phillips 66 Renton Terminal  
 2423 Lind Avenue Southwest  
 Renton, Washington



DEPTH TO GROUNDWATER AND LNAPL THICKNESS VS. TIME



- LEGEND**
- ABANDONED OR DESTROYED MONITORING WELL LOCATION
  - / ● FORMER REMEDIATION WELL LOCATION
  - DPE-1 ● VERTICAL RECOVERY WELL (GAUGE ONLY)
  - 13.00 — GROUNDWATER ELEVATION CONTOUR, DASHED WHERE INFERRED
  - (12.68) GROUNDWATER ELEVATION
  - LNAPL (1.31) LIGHT NON-AQUEOUS PHASE LIQUID (THICKNESS IN FEET)
  - ➔ GROUNDWATER FLOW DIRECTION

- NOTES:**
1. GROUNDWATER ELEVATIONS ARE IN FEET ABOVE MEAN SEA LEVEL.
  2. \*GROUNDWATER ELEVATION HAS BEEN ADJUSTED FOR LNAPL THICKNESS.

SOURCE: STATEWIDE LAND SURVEYING INC., DATED 1/26/12.



PHILLIPS 66 RENTON TERMINAL  
 2423 LIND AVENUE SOUTHWEST  
 RENTON, WASHINGTON  
**GROUNDWATER ELEVATION CONTOUR MAP**  
 JUNE 12, 2020

11209385  
 Jul 7, 2020

**FIGURE 7**

# Tables



**Groundwater Extraction System Operational Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Date (mm/dd/yy)	SV-3102 hrs	Total Uptime	Water Extraction				LNAPL Cumulative recovery (gallons)	Influent Conc. (µg/L)	TPHg Removal Rate (ppd)	Cumulative Recovery (pounds)	Influent Conc. (µg/L)	Benzene Removal Rate (ppd)	Cumulative Recovery (pounds)
			Totalizer Reading (gallons)	Cumulative Flow (gallons)	Average Flow Rate (gpd)	Average Flow Rate (gpm)							
05/08/15		NA	0	0	NA	NA	0	393,000	NM	0	13,000	NM	0
05/28/15		NM	42,164	42,164	2,108	1.5	NM	153,000	6.91	0	10,200	0.229	0
06/01/15		NM	119,025	119,025	16,694	11.6	90	NM	21.3	0	NM	1.42	0
06/02/15		NM	130,343	130,343	11,186	7.8	90	NM	14.3	0	NM	0.95	0
06/03/15		NM	143,175	143,175	12,213	8.5	90	NM	15.6	56	NM	1.04	3.5
06/04/15		100%	174,111	174,111	32,517	22.6	90	NM	41.5	98	NM	2.77	6.3
06/05/15		69%	190,602	190,602	19,529	13.6	90	NM	24.9	112	NM	1.66	7.3
06/08/15		83%	248,551	248,551	18,324	12.7	95	NM	23.4	174	NM	1.56	11.4
06/09/15		58%	260,576	260,576	12,025	8.4	97	NM	15.4	183	NM	1.02	12.0
06/10/15		23%	267,688	267,688	8,001	5.6	97	NM	10.2	185	NM	0.68	12.1
06/11/15		5%	NM	NM	NM	NM	100	NM	NM	NM	NM	NM	NM
06/15/15		21%	295,654	295,654	6,645	4.6	105	NM	8.5	193	NM	0.57	12.6
06/16/15		38%	304,658	304,658	10,373	7.2	125	660,000	57.1	212	22,100	1.91	13.3
09/02/15		1%	329,320	329,320	316	0.2	135	NM	1.7	213	NM	0.06	13.3
09/03/15		0%	333,120	333,120	4,800	3.3	135	145,000	5.8	213	8,150	0.33	13.3
09/08/15		2%	337,021	337,021	747	0.5	151	NM	0.9	214	NM	0.05	13.3
09/09/15		22%	343,401	343,401	6,586	4.6	156	NM	8.0	215	NM	0.45	13.4
09/10/15		97%	366,411	366,411	31,557	21.9	160	NM	38.2	242	NM	2.15	14.9
09/16/15		NM	368,733	368,733	374	0.3	160	107,000	0.3	NM	8,440	0.03	NM
09/17/15		18%	394,204	394,204	23,288	16.2	188	NM	20.8	269	NM	1.64	17.1
09/18/15		NM	407,869	407,869	15,869	11.0	204	NM	14.2	NM	NM	1.12	NM
09/22/15		NM	409,896	409,896	486	0.3	219	NM	0.4	NM	NM	0.03	NM
09/24/15		NM	423,762	423,762	7,006	4.9	224	NM	6.3	NM	NM	0.49	NM
09/25/15		35%	430,097	430,097	6,693	4.6	224	NM	6.0	288	NM	0.47	18.5
09/28/15		101%	468,461	468,461	12,962	9.0	254	NM	11.6	323	NM	0.91	21.3
09/28/15		97%	NM	NM	NM	NM	254	NM	NM	NM	NM	NM	NM
11/04/15		NM	472,794	NM	NM	NM	254	NM	NM	NM	NM	NM	NM
11/04/15		NM	472,814	NM	NM	NM	254	NM	NM	NM	NM	NM	NM
01/14/16		NM	472,820	NM	NM	NM	254	NM	NM	NM	NM	NM	NM
01/15/16		NM	475,012	470,653	1,948	1.4	254	NM	NM	NM	NM	NM	NM
01/19/16		NM	476,154	NM	NM	NM	254	NM	NM	NM	NM	NM	NM
01/20/16		NM	477,419	471,918	1,080	0.8	254	NM	NM	NM	NM	NM	NM
01/21/16		NM	489,519	484,018	12,410	8.6	264	80,800	8.4	343	1,540	0.16	21.7
01/26/16		NM	537,500	531,999	10,028	7.0	264	NM	6.8	NM	NM	0.13	NM
01/27/16		100%	549,300	543,799	10,554	7.3	279	NM	7.1	385	NM	0.14	22.5
01/28/16		98%	566,046	560,545	18,722	13.0	284	NM	12.6	396	NM	0.24	22.7
02/01/16		100%	NM	NM	NM	NM	284	NM	NM	NM	NM	NM	NM
02/02/16		100%	649,526	644,025	16,375	11.4	284	NM	11.0	453	NM	0.21	23.8
02/08/16		99%	718,614	713,113	11,628	8.1	284	8,500	0.8	458	762	0.07	24.2
02/10/16		98%	738,027	732,526	9,541	6.6	284	NM	0.7	460	NM	0.06	24.3
02/17/16		68%	779,343	773,842	5,873	4.1	284	NM	0.4	462	NM	0.04	24.5
02/18/16		100%	783,228	777,727	3,872	2.7	284	NM	0.3	462	NM	0.02	24.5
02/19/16		100%	787,922	782,421	5,082	3.5	284	NM	0.4	462	NM	0.03	24.5
02/24/16		100%	800,538	795,037	2,499	1.7	284	NM	0.2	463	NM	0.02	24.6
02/29/16		100%	811,196	805,695	2,162	1.5	284	NM	0.2	464	NM	0.01	24.7
03/03/16		100%	818,810	813,309	2,468	1.7	284	NM	0.2	464	NM	0.02	24.7
03/04/16		98%	822,699	817,198	4,148	2.9	284	69,200	2.4	467	7,730	0.27	25.0
03/08/16		100%	836,974	831,473	3,541	2.5	284	NM	2.0	475	NM	0.23	25.9
03/14/16		99%	858,572	853,071	3,596	2.5	284	NM	2.1	487	NM	0.23	27.3
03/21/16		74%	874,773	869,272	2,313	1.6	284	NM	1.3	494	NM	0.15	28.1
03/31/16	1,637	100%	905,470	899,969	3,057	2.1	284	NM	1.8	512	NM	0.20	30.1
04/07/16	1,948	100%	924,033	918,532	2,668	1.9	284	NM	1.5	523	NM	0.17	31.3
04/11/16	0.841	101%	931,356	925,855	1,812	1.3	NM	16,300	NM	NM	1,400	NM	NM
04/18/16		98%	935,543	930,042	620	0.4	284	NM	0.1	524	NM	0.01	31.3
04/19/16		87%	935,960	930,459	417	0.3	284	NM	0.1	524	NM	0.00	31.3
04/21/16		94%	939,503	934,002	1,890	1.3	286	NM	0.3	524	NM	0.02	31.4
04/25/16		100%	945,414	939,913	1,478	1.0	286	NM	0.2	525	NM	0.02	31.4
05/03/16		90%	960,595	955,094	2,094	1.5	294	NM	0.3	527	NM	0.02	31.6
05/04/16		30%	961,300	955,799	2,820	2.0	294	NM	0.4	527	NM	0.03	31.6
05/10/16		100%	968,802	963,301	1,217	0.8	295	13,400	0.1	528	968	0.01	31.7
05/13/16		100%	972,250	966,749	1,166	0.8	295	NM	0.1	528	NM	0.01	31.7
05/17/16		100%	975,853	970,352	901	0.6	295	NM	0.1	529	NM	0.01	31.8
05/20/16		100%	979,324	973,823	1,190	0.8	295	NM	0.1	529	NM	0.01	31.8
05/23/16		100%	982,934	977,433	1,155	0.8	295	NM	0.1	529	NM	0.01	31.8
05/24/16		100%	984,358	978,857	1,799	1.2	295	NM	0.2	530	NM	0.01	31.8
05/26/16		100%	986,561	981,060	979	0.7	295	NM	0.1	530	NM	0.01	31.8
07/14/16		NA	988,514	983,013	15,624	10.9	NM	NM	1.7	530	NM	0.13	31.9
08/01/16		NA	988,514	983,013	NA	NA	NM	NM	NM	NM	NM	NM	NM
10/10/16		NA	990,903	985,402	NA	NA	295	91,400	NM	NM	6,820	NM	NM
10/24/16		NA	992,031	986,530	NA	NA	295	NM	NM	NM	NM	NM	NM
10/25/16		33%	996,053	990,552	12,066	8.4	295	NM	9.2	533	NM	0.69	32.1
10/26/16	3,154	100%	1,012,766	1,007,265	18,232	12.7	295	NM	13.9	546	NM	1.04	33.0
11/02/16		--	--	--	--	--	--	123,000	NM	NM	4,660	NM	NM
11/08/16	3,453	95%	1,173,110	1,167,609	12,870	8.9	595	NM	13.2	711	NM	0.50	39.3
11/11/16	3,484	52%	1,190,561	1,185,060	13,510	9.4	600	NM	13.9	728	NM	0.53	40.0
11/17/16	3,552	47%	1,218,771	1,213,270	9,956	6.9	623	NM	10.2	757	NM	0.39	41.0
11/18/16	3,569	71%	1,225,541	1,220,040	9,558	6.6	655	NM	9.8	764	NM	0.37	41.3
11/23/16	3,588	16%	1,234,871	1,229,370	11,785	8.2	665	NM	12.1	774	NM	0.46	41.7
11/28/16	3,711	100%	1,249,041	1,243,540	2,765	1.9	670	NM	2.8	788	NM	0.11	42.2
12/02/16	3,780	72%	1,280,241	1,274,740	10,852	7.5	810	NM	11.1	820	NM	0.42	43.4
12/05/16	3,813	46%	1,294,611	1,289,110	10,451	7.3	863	NM	10.7	835	NM	0.41	44.0
12/06/16	3,834	88%	1,294,871	1,289,370	297	0.2	863	168,000	0.4	836	12,200	0.03	44.0
12/15/16	3,869	16%	1,301,001	1,295,500	4,203	2.9	1003	NM	5.9	844	NM	0.43	44.6
12/19/16	3,947	81%	1,328,511	1,323,010	8,465	5.9	1003	NM	11.9	883	NM	0.86	47.4
02/07/17	3,951	0%	1,330,662	1,325,161	12,906	9.0	1003	NM	17.6	886	NM	1.02	47.6
02/10/17	4,011	83%	1,336,888	1,331,387	2,490	1.7	1003	NM	3.4	894	NM	0.20	48.1
02/13/17	4,022	15%	1,341,190	1,335,689	9,386	6.5	1003	NM	12.8	900	NM	0.74	48.4
02/15/17	4,068	96%	1,357,847	1,352,346	8,691	6.0	1023	NM	11.8	923	NM	0.69	49.8
02/27/17	4,162	33%	1,377,574	1,372,073	5,037	3.5	1173	163,000	6.9	949	9,450	0.40	51.3
03/06/17	4,284	73%	1,415,527	1,410,026	7,466	5.2	1173	NM	7.4	987	NM	1.01	56.4
03/07/17	4,310	100%	1,425,028	1,419,527	8,770	6.1	1173	NM	8.6	996	NM	1.19	57.7
03/13/17	4,346	25%	1,443,676	1,438,175	12,432	8.6	1173	NM	12.2	1,015	NM	1.68	60.3

**Groundwater Extraction System Operational Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Date (mm/dd/yy)	SV-3102 hrs	Total Uptime	Water Extraction				LNAPL Cumulative recovery (gallons)	Influent Conc. (µg/L)	TPHg Removal Rate (ppd)	Cumulative Recovery (pounds)	Influent Conc. (µg/L)	Benzene Removal Rate (ppd)	Cumulative Recovery (pounds)
			Totalizer Reading (gallons)	Cumulative Flow (gallons)	Average Flow Rate (gpd)	Average Flow Rate (gpm)							
03/22/17	4,523	82%	1,506,046	1,500,545	8,457	5.9	1173	NM	8.3	1,076	NM	1.14	68.7
03/27/17	4,632	91%	1,542,554	1,537,053	8,038	5.6	1203	118,000	7.9	1,112	16,200	1.09	73.6
03/31/17	4,730	100%	1,571,505	1,566,004	7,090	4.9	1250	NM	7.0	1,140	NM	0.96	77.5
04/03/17	4,797	93%	1,593,739	1,588,238	7,964	5.5	1267	NM	9.6	1,167	NM	1.08	80.6
04/17/17	5,122	97%	1,660,630	1,655,129	4,940	3.4	1472	NM	5.9	1,248	NM	0.67	89.7
04/20/17	5,193	99%	1,683,196	1,677,695	7,628	5.3	1472	144,000	9.2	1,275	16,300	1.04	92.7
04/25/17	5,310	98%	1,725,915	1,720,414	8,763	6.1	1532	NM	10.5	1,326	NM	1.19	98.5
05/02/17	5,419	65%	1,786,988	1,781,487	13,447	9.3	1815	NM	10.4	1,373	NM	0.66	101.5
05/11/17	5,633	99%	1,837,690	1,832,189	5,686	3.9	1825	92,900	4.4	1,413	5,870	0.28	104.0
05/17/17	5,770	95%	1,879,057	1,873,556	7,247	5.0	1825	NM	5.6	1,445	NM	0.35	106.0
05/30/17	6,068	96%	1,934,549	1,929,048	4,469	3.1	1825	NM	3.5	1,488	NM	0.22	108.8
06/05/17	6,192	86%	1,958,982	1,953,481	4,729	3.3	1825	NM	2.0	1,498	NM	0.10	109.3
06/09/17	6,283	95%	1,972,708	1,967,207	3,620	2.5	1825	49,900	1.5	1,504	2,530	0.08	109.6
06/20/17	6,524	91%	2,010,460	2,004,959	3,760	2.6	1825	NM	1.6	1,519	NM	0.08	110.4
06/26/17	6,662	96%	2,024,580	2,019,079	2,456	1.7	1825	NM	1.0	1,525	NM	0.05	110.7
7/6/17 12:00	6,900	100%	2,048,780	2,043,279	2,440	1.7	1825	NM	0.5	1,530	NM	0.03	111.0
7/10/17 10:00	6,994	100%	2,056,292	2,050,791	1,918	1.3	1825	25,000	0.4	1,532	1,530	0.02	111.1
7/17/17 11:20	7,156	99%	2,085,700	2,080,199	4,357	3.0	1825	NM	0.9	1,538	NM	0.06	111.4
7/21/17 12:00	7,252	100%	2,105,609	2,100,108	4,977	3.5	1825	NM	1.0	1,542	NM	0.06	111.7
7/31/17 9:00	7,483	99%	2,180,003	2,174,502	7,729	5.4	1825	NM	1.6	1,558	NM	0.10	112.6
8/7/17 7:30	7,559	46%	2,218,824	2,213,323	12,259	8.5	1825	NM	4.9	1,573	NM	0.70	114.9
8/23/17 8:50	7,570	3%	2,223,756	2,218,255	10,761	7.5	1825	47,700	4.3	1,575	6,880	0.62	115.1
8/30/17 14:15	7,737	99%	2,300,587	2,295,086	11,042	7.7	1825	NM	4.4	1,606	NM	0.63	119.6
9/7/17 8:00	7,870	97%	2,352,720	2,347,219	9,407	6.5	1825	NM	1.1	1,611	NM	0.09	120.0
9/20/17 9:52	8,013	88%	2,411,690	2,406,189	9,897	6.9	1825	13,500	1.1	1,618	1,120	0.09	120.6
9/29/17 9:35	8,183	82%	2,480,603	2,475,102	9,729	6.8	1825	NM	1.1	1,626	NM	0.09	121.2
10/2/17 14:20	8,255	99%	2,504,617	2,499,116	8,005	5.6	1825	NM	1.5	1,630	NM	0.07	121.5
10/10/17 16:30	8,396	78%	2,560,141	2,554,640	9,451	6.6	1825	NM	1.8	1,641	NM	0.09	122.0
10/16/17 9:30	8,535	100%	2,589,277	2,583,776	1,577	1.1	1825	22,500	0.3	1,643	1,080	0.01	122.0
10/20/17 6:30	8,621	92%	2,582,850	2,577,349	3,788	2.6	1825	NM	0.7	1,645	NM	0.03	122.2
11/1/17 14:45	8,860	97%	2,616,164	2,610,663	3,345	2.3	1825	NM	1.1	1,656	NM	0.06	122.8
11/7/17 8:00	8,993	97%	2,638,991	2,633,490	4,119	2.9	1825	NM	1.4	1,664	NM	0.07	123.2
11/20/17 14:25	9,267	88%	2,695,549	2,690,048	4,954	3.4	1825	40,400	1.7	1,683	2,110	0.09	124.1
11/29/17 13:45	9,425	99%	2,725,691	2,720,190	4,579	3.2	1825	NM	1.5	1,693	NM	0.08	124.7
12/4/17 9:15	9,540	100%	2,742,200	2,736,699	3,445	2.4	1825	NM	0.8	1,697	NM	0.04	124.9
12/7/17 11:30	9,612	100%	2,749,640	2,744,139	2,480	1.7	1825	NM	0.6	1,699	NM	0.03	125.0
12/11/17 14:05	9,711	100%	2,759,399	2,753,898	2,366	1.6	1825	28,000	0.6	1,701	1,560	0.03	125.1
12/13/17 8:23	9,754	100%	2,763,143	2,757,642	2,090	1.5	1825	NM	0.5	1,702	NM	0.03	125.2
12/18/17 10:15	9,846	100%	2,770,770	2,765,269	1,990	1.4	1825	NM	0.5	1,704	NM	0.03	125.3
12/20/17 13:30	System off for winterization												
2/9/18 13:00	9,962	100%	2,800,314	2,794,813	6,113	4.2	1825	NM	2.5	1,716	NM	0.31	126.8
2/16/18 13:00	9,978	23%	2,807,927	2,802,426	11,420	7.9	1825	49,800	4.7	1,719	6,050	0.58	127.1
3/1/18 8:10	10,191	99%	2,873,717	2,868,216	7,413	5.1	1825	NM	1.1	1,729	NM	0.01	127.2
3/5/18 9:10	10,279	98%	2,900,156	2,894,655	7,211	5.0	1825	NM	1.1	1,733	NM	0.01	127.3
3/15/18 9:00	10,478	87%	2,990,663	2,985,162	10,915	7.6	1825	18,400	1.7	1,747	186	0.02	127.4
3/19/18 8:00	10,566	100%	3,024,765	3,019,264	9,301	6.5	1825	NM	1.4	1,752	NM	0.01	127.5
4/2/18 7:30	10,723	47%	3,089,084	3,083,583	9,832	6.8	1825	NM	2.3	1,767	NM	0.17	128.6
4/6/18 9:40	10,723	0%	3,091,545	3,086,044	0	0.0	1825	NM	0.0	1,767	NM	0.00	128.6
4/12/18 14:40	10,814	61%	3,122,115	3,116,614	8,062	5.6	1825	NM	1.9	1,774	NM	0.14	129.1
4/17/18 10:15	10,923	94%	3,141,330	3,135,829	4,231	2.9	1825	27,600	1.0	1,779	2,020	0.07	129.4
4/23/18 13:00	11,047	84%	3,166,938	3,161,437	4,956	3.4	1825	NM	1.1	1,785	NM	0.08	129.8
4/30/18 8:00	11,209	99%	3,239,670	3,234,169	10,775	7.5	1825	NM	2.5	1,801	NM	0.18	131.1
5/7/18 8:00	11,348	91%	3,293,595	3,288,094	9,311	6.5	1825	NM	2.2	1,814	NM	0.08	131.5
5/16/18 9:00	11,497	69%	3,349,042	3,343,541	8,931	6.2	1825	27,800	2.1	1,827	1,030	0.08	132.0
5/23/18 15:30	11,667	99%	3,398,479	3,392,978	6,979	4.8	1825	NM	1.6	1,838	NM	0.06	132.4
5/30/18 8:55	11,827	99%	3,434,241	3,428,740	5,364	3.7	1825	NM	1.2	1,847	NM	0.05	132.7
6/6/18 6:30	11,985	95%	29,067	3,457,807	4,415	3.1	1825	NM	1.7	1,858	NM	0.08	133.3
6/8/18 7:20	12,032	96%	46,829	3,475,569	9,070	6.3	1825	NM	3.5	1,864	NM	0.17	133.6
6/13/18 7:30	12,055	97%	52,217	3,480,957	5,622	3.9	1825	45,600	2.1	1,866	2,260	0.11	133.7
6/18/18 9:00	12,177	100%	81,976	3,510,716	5,854	4.1	1825	NM	2.2	1,878	NM	0.11	134.3
6/25/18 8:45	12,340	97%	111,917	3,540,657	4,408	3.1	1825	NM	1.7	1,889	NM	0.08	134.8
7/3/18 6:50	12,526	98%	226,867	3,655,607	14,832	10.3	1825	NM	8.1	1,952	NM	0.72	140.4
7/17/18 9:45	12,853	96%	302,917	3,731,657	5,582	3.9	1962	65,300	3.0	1,993	5,800	0.27	144.1
7/31/18 11:20	13,183	98%	386,950	3,815,690	6,111	4.2	2175	NM	3.3	2,039	NM	0.30	148.2
8/6/18 14:00	13,327	98%	456,417	3,885,157	11,578	8.0	2175	NM	2.2	2,052	NM	0.20	149.4
8/13/18 8:00	13,444	99%	506,417	3,935,157	10,256	7.1	2175	22,500	1.9	2,061	2,070	0.18	150.2
8/20/18 10:05	13,548	100%	545,407	3,974,147	8,998	6.2	2175	NM	1.7	2,069	NM	0.16	150.9
8/23/18 11:00	13,618	96%	574,198	4,002,938	9,871	6.9	2175	NM	1.9	2,074	NM	0.17	151.4
8/30/18 13:30	13,783	100%	611,177	4,039,917	5,379	3.7	2175	NM	1.0	2,081	NM	0.09	152.0
9/5/18 15:00	13,922	99%	653,168	4,081,908	7,250	5.0	2175	NM	1.1	2,088	NM	0.06	152.4
9/12/18 8:00	13,989	100%	682,666	4,111,406	10,566	7.3	2175	19,000	1.7	2,092	963	0.08	152.6
9/24/18 8:20	14,249	90%	774,327	4,203,067	8,461	5.9	2175	NM	1.3	2,107	NM	0.07	153.3
10/8/18 10:00	14,572	96%	856,389	4,285,129	6,097	4.2	2175	12,700	0.81	2,123	1,540	0.06	154.2
10/16/18 11:00	14,686	62%	882,900	4,311,640	5,581	3.9	2175	NM			NM		
10/25/18 9:00	14,885	93%	903,167	4,331,907	2,444	1.7	2175	NM			NM		
10/30/18 12:30	14,991	86%	918,400	4,347,140	3,449	2.4	2175	NM			NM		
11/1/18 7:30	15,035	100%	921,957	4,350,697	1,940	1.3	2175	NM			NM		
11/5/18 8:20	15,132	100%	930,167	4,358,907	2,031	1.4	2175	NM			NM		
11/8/18 8:40	15,205	100%	938,367	4,367,107	2,696	1.9	2175	15,300	0.31	2,137	2,140	0.04	155.6
11/12/18 8:49	15,301	100%	946,787	4,375,527	2,105	1.5	2175	NM			NM		
11/21/18 7:36	15,508	96%	954,927	4,383,667	944	0.7	2175	NM			NM		
11/29/18 8:40	15,627	62%	989,100	4,417,840	6,892	4.8	2175	NM			NM		
12/4/18 8:27	15,744	98%	997,057	4,425,797	1,632	1.1	2175	NM			NM		
12/12/18 7:45	15,932	98%	1,016,647	4,445,387	2,501	1.7	2180	31,600	0.49	2,150	1,460	0.04	156.8
12/													

**Groundwater Extraction System Operational Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Date (mm/dd/yy)	SV-3102 hrs	Total Uptime	Water Extraction				LNAPL Cumulative recovery (gallons)	Influent Conc. (µg/L)	TPHg Removal Rate (ppd)	Cumulative Recovery (pounds)	Influent Conc. (µg/L)	Benzene Removal Rate (ppd)	Cumulative Recovery (pounds)
			Totalizer Reading (gallons)	Cumulative Flow (gallons)	Average Flow Rate (gpd)	Average Flow Rate (gpm)							
2/13/19 12:00	17,290	100%	1,144,347	4,573,087	1,942	1.3	2180	24,500	0.45	2,184	746	0.02	158.6
2/18/19 9:50	17,406	100%	1,158,237	4,586,977	2,874	2.0	2180	NM			NM		
2/25/19 8:10	17,572	100%	1,175,557	4,604,297	2,504	1.7	2180	NM			NM		
3/22/19 8:25	17,827	100%	1,196,417	4,625,157	1,963	1.4	2180	25,200	0.41	2,193	1,600	0.02	159.0
3/29/19 9:23	17,995	99%	1,211,678	4,640,418	2,180	1.5	2180	NM			NM		
4/2/19 7:25	18,086	97%	1,221,777	4,650,517	2,663	1.8	2180	NM			NM		
5/9/19 13:00	18,128	23%	1,224,823	4,653,563	1,741	1.2	2180	NM			NM		
5/13/19 11:30	18,221	100%	1,230,900	4,659,640	1,568	1.1	2180	NM			NM		
5/22/19 8:20	18,435	100%	1,241,317	4,670,057	1,168	0.8	2180	21,600	0.23	2,201	1,860	0.02	159.5
5/28/19 7:10	18,578	100%	1,246,707	4,675,447	905	0.6	2180	NM			NM		
6/12/19 7:30	18,915	99%	1,279,535	4,708,275	2,338	1.6	2180	NM			NM		
6/13/19 7:45	18,938	95%	1,283,200	4,711,940	3,824	2.7	2180	8,550	0.48	2,209	443	0.04	160.1
6/20/19 7:00	19,105	100%	1,301,257	4,729,997	2,595	1.8	2180	NM			NM		
7/15/19 8:10	19,176	100%	1,303,809	4,732,549	863	0.6	2220	NM			NM		
7/23/19 10:15	19,365	100%	1,303,809	4,732,549	0	0.0	2237	37,700	0.00	2,213	4,820	0.00	160.4
8/2/19 7:20	19,561	85%	1,305,193	4,733,933	169	0.1	2431	NM			NM		
8/8/19 7:30	19,706	100%	1,306,182	4,734,922	164	0.1	2510	NM			NM		
8/16/19 7:00	19,885	93%	1,308,382	4,737,122	295	0.2	2593	104,000	0.17	2,215	20,500	0.03	160.7
8/23/19 6:45	20,011	75%	1,309,770	4,738,510	264	0.2	2593	NM			NM		
8/30/19 6:30	20,179	100%	1,310,858	4,739,598	155	0.1	2816	NM			NM		
9/16/19 9:00	20,548	90%	1,311,908	4,740,648	68	0.05	2960	104,000	0.06	2,218	21,000	0.01	161.3
9/30/19 8:30	20,767	100%	1,312,735	4,741,475	91	0.1	3137	NM			NM		
10/7/19 8:55	20,930	99%	1,313,725	4,742,465	114	0.1	3202	NM			NM		
10/11/19 8:15	21,026	100%	1,313,906	4,742,646	45	0.03	3202	111,000	0.07	2,219	23,600	0.01	161.6
10/16/19 11:30	21,097	100%	1,313,987	4,742,727	27	0.02	3309	NM			NM		
10/23/19 8:00	21,258	98%	1,314,008	4,742,748	3	0.002	3309	NM			NM		
10/28/19 7:15	21,387	100%	1,314,859	4,743,599	158	0.11	3515	NM			NM		
11/4/19 8:15	21,547	100%	1,314,859	4,743,599	0	0.00	3629	NM			NM		
11/8/19 8:30	21,644	100%	1,314,900	4,743,640	10	0.01	3629	136,000	0.04	2,221	23,000	0.008	161.9
11/18/19 8:00	21,883	100%	1,315,640	4,744,380	74	0.05	3758	NM			NM		
11/25/19 7:30	22,051	100%	1,315,640	4,744,380	0	0.00	3816	NM			NM		
12/4/19 8:15	22,202	70%	1,315,740	4,744,480	16	0.01	3816	NM			NM		
12/9/19 7:15	22,319	98%	1,315,786	4,744,526	9	0.01	3898	NM			NM		
12/16/19 11:00	22,487	100%	1,316,046	4,744,786	37	0.03	3898	121,000	0.03	2,222	23,900	0.005	162.1
12/30/19 7:30	22,818	100%	1,317,952	4,746,692	138	0.10	4029	NM			NM		
1/6/20 9:30	22,988	100%	1,318,020	4,746,760	10	0.01	4120	NM			NM		
1/16/20 8:35	23,212	97%	1,320,668	4,749,408	284	0.20	4238	181,000	0.15	2,225	23,100	0.023	162.5
1/27/20 7:30	23,410	100%	1,321,247	4,749,987	70	0.05	4336	NM			NM		
2/6/20 9:10	23,650	99%	1,322,111	4,750,851	86	0.06	4361	189,000	0.23	2,228	30,500	0.033	163.0
2/10/20 7:50	23,745	100%	1,322,957	4,751,697	214	0.15	4412	NM			NM		
2/18/20 7:50	23,937	100%	1,323,800	4,752,540	105	0.07	4489	NM			NM		
3/2/20 7:50	24,154	100%	1,325,617	4,754,357	201	0.14	4541	NM			NM		
3/9/20 7:50	24,321	99%	1,327,275	4,756,015	238	0.17	4594	NM			NM		
3/16/20 9:30	24,473	90%	1,341,698	4,770,438	2,277	1.58	4646	136,000	0.71	2,244	10,400	0.089	165.1
3/23/20 11:00	24,580	63%	1,369,220	4,797,960	6,173	4.29	4753	NM			NM		
3/30/20 8:00	24,743	99%	1,407,817	4,836,557	5,683	3.95	5038	NM			NM		
4/9/20 10:00	24,981	98%	1,460,427	4,889,167	5,305	3.68	5397	192,000	6.65	2,322	19,200	0.600	172.4
4/13/20 9:00	25,076	100%	1,478,777	4,907,517	4,636	3.22	5479	NM			NM		
4/20/20 8:45	25,239	97%	1,510,862	4,939,602	4,724	3.28	5565	NM			NM		
5/4/20 12:20	25,288	100%	1,522,473	4,951,213	5,687	3.95	5724	NM			NM		
5/11/20 11:35	25,396	65%	1,548,187	4,976,927	5,714	3.97	5892	NM			NM		
5/19/20 9:30	25,586	100%	1,584,267	5,013,007	4,557	3.16	6044	178,000	7.88	2,505	14,200	0.711	188.9
5/22/20 11:00	25,608	100%	1,589,847	5,018,587	6,087	4.23	6122	NM			NM		
5/26/20 8:30	25,702	100%	1,608,417	5,037,157	4,741	3.29	6201	NM			NM		
6/2/20 7:56	25,870	100%	1,642,557	5,071,297	4,877	3.39	6254	NM			NM		
6/8/20 9:00	25,949	54%	1,659,507	5,088,247	5,149	3.58	6334	149,000	6.93	2,617	17,800	0.679	199.4
6/15/20 8:45	26,040	99%	1,683,767	5,112,507	6,398	4.44	6443	NM			NM		
6/22/20 7:30	26,206	100%	1,720,617	5,149,357	5,328	3.70	6554	NM			NM		
<b>Regulatory Limits:</b>					<72,000	50		<b>Total recovery (pounds):</b>		2,617	<b>Total recovery (pounds):</b>		199.4

**Abbreviations and Notes:**

(mm/dd/yy) = Month/day/year

conc = Concentration

TPPH = Total Purgeable Petroleum Hydrocarbon analyzed by method NWTPHg-X

Benzene analyzed by EPA method 8260

Average Flow Rate (gpm) = (Cumulative Flow - Previous Cumulative Flow)/[(Date Sampled - Previous Date Sampled)\*1440 (minutes/day)]

Removal Rate (pounds/day) = [Influent Concentration (µg/Liter)]\*[Average Flow Rate (gallons/minute)]\*[3.785 (liters/gallon)]\*[1440 (minutes/day)] / (1000000 (ug)\*453.6 (g/lb))

Cumulative Recovery (pounds) = [Previous Cumulative Recovery (pounds)] + [(Removal Rate (pounds/day))

NA = Not applicable

NM = not measured

NS = Not sampled

L = liter

gpm = gallon per minute

µg/L = micrograms per liter

g = grams

cc = cubic centimeter

lb = pound

\*Total Uptime is not 100% accurate due to recording and calculating losses

All readings and data are field collected excluding influent concentrations

Product recovery calculation taken from <http://www.handymath.com/cgi-bin/circleval25.cgi?submit=Entry>

**Soil Vapor Extraction System Analytical Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Date (mm/dd/yy)	Influent					Effluent				
	TPHg Conc. (ppmv)	Benzene Conc. (ppmv)	Toluene Conc. (ppmv)	Ethylbenzene Conc. (ppmv)	Xylenes Conc. (ppmv)	TPHg Conc. (ppmv)	Benzene Conc. (ppmv)	Toluene Conc. (ppmv)	Ethylbenzene Conc. (ppmv)	Xylenes Conc. (ppmv)
05/08/15	1,500	26.2 a	49.0	5.4	29.3	1.4	0.014 a	0.042	0.008	0.049
05/28/15	2,890	40.2 a	54.4	5.3	48.0	4.0	<0.019 a	0.045	<0.019	0.163
06/10/15	830	12.2 a	35.7	2.3	19.8	2.3	<0.018 a	0.049	<0.018	0.143
09/03/15	3,000	84.8 a	68.8	8.7	52.8	2.0	0.035 a	0.081	0.032	0.246
09/16/15	1,310	37.5 a	29.3	3.1	18.5	<1.7	<0.020 a	<0.020	<0.020	<0.040
01/27/16	2.3	0.080 a	0.17	0.019	0.16	<1.4	<0.017 a	<0.017	<0.017	<0.034
02/08/16	8.1	<0.10 a	0.49	0.11	1.13	<8.4	0.067 a	0.50	0.13	1.23
07/14/16	1.1	0.025 a	0.040	<0.0084	<0.0254	2.7	<0.0084 a	<0.0084	<0.0084	<0.0254
10/25/16	3,600	56.2 a	215	34.8	174.9	31.8	0.39 a	1.4	0.22	1.09
11/02/16	<213	<4.5 a	9.5	<1.8	13.0	<0.92	<0.019 a	<0.019	<0.0077	0.02
12/06/16	77.5	1.7 a	8.5	1.7	8.9	1.7	0.0011 a	0.0029	<0.00071	0.0016
01/01/17			SYSTEM OFF					SYSTEM OFF		
02/27/17	64.1	33.4 a	28.5	3.3	21.8	<20.3	<0.085 a	<0.170	<0.170	<0.510
03/27/17	30.7	0.56 a	2.2	0.15	1.35	0.89	0.0032	0.0046	<0.00077	0.0038
04/25/17	712	20.3 a	37.9	4.3	27.6	0.72	0.0084	0.015	0.0016	0.0094
05/11/17	34.3	0.44 a	1.6	0.19	1.76	0.89	0.0007	0.020	<0.00056	0.00248
06/08/17	174	<0.0037 a	9.8	0.89	17.3	4.2	0.0059	0.028	0.021	0.127
07/10/17	318	4.9 a	10.1	2.3	17.8	1.5	0.0051	0.013	0.0042	0.036
08/23/17	143	3.3 a	4.1	0.7	5.1	2.4	0.0060	0.015	0.0034	0.0272
09/22/17	452	4.3 a	3.1	1.2	13.4	2.7	0.0047	0.80	0.0033	0.0225
10/16/17	409	3.7 a	5.4	0.93	7.7	<0.19	0.0035	0.0056	0.0017	0.0094
11/20/17	89.3	1.3 a	2.2	0.32	3.56	2	0.0030	0.0098	0.0043	0.1370
12/11/17	183	15.7 a	16.5	1.2	5.6	0.52	0.011	0.0065	0.00053	0.0025
01/01/18			SYSTEM OFF					SYSTEM OFF		
02/16/18	41.5	7 a	16.2	0.51	11.97	2	0.0048	0.038	0.003	0.0121
03/13/18	61.7	2.1 a	3.5	0.54	3.5	0.87	0.0017	0.0016	<0.00039	0.00167
04/17/18	760	13 a	38.9	12.9	71.8	0.6	0.011	0.04	0.0031	0.0139
05/16/18	423	6.5 a	13.2	4.5	32.8	0.53	0.0038	0.0053	0.017	0.086
06/13/18	929	27.3 a	65.8	11.9	79.3	0.83	0.0066	0.0083	0.0011	0.0055
07/17/18	164	2.12 a	3.17	0.971	9.26	0.751	0.003	0.198	0.0011	0.005
08/13/18	<6.64	0.433 a	0.831	0.132	0.958	<0.241	0.0196	0.0545	0.0103	0.0972
09/12/18	1,880	17 a	20.1	5.66	45.4	1.2	0.0128	0.0114	0.0021	0.015
10/08/18	371	10.1 a	13	2.51	18.96	1.3	0.0118	0.0224	0.0082	0.0658
11/08/18	70.3	4.72 a	3.29	0.823	7.79	0.321	0.003	0.0019	0.00065	0.0048
12/10/18	67.1	1.97 a	4.35	0.716	6.93	0.544	0.00097	0.0021	0.00062	0.0049
01/09/19	19.3	0.415 a	1.23	0.187	1.06	0.642	0.0029	0.0031	<0.00042	0.00232
02/13/19	613	11 a	36.1	5.46	38.58	0.743	0.0014	0.0047	0.0011	0.008
03/22/19	1,190	24.8 a	37.5	7.51	50.4	0.588	0.0027	0.0034	0.0007	0.0045
04/03/19			SYSTEM OFF FOR OXIDIZER REPAIR					SYSTEM OFF FOR OXIDIZER REPAIR		
05/22/19	115	2.3 a	6.2	1.06	7.51	0.693	0.0039	0.0068	0.0013	0.0041
06/13/19	136	0.819 a	3.67	1.10	7.14	2.68	0.0447	0.0434	0.0262	0.0838
07/23/19	104	1.08 a	2.14	0.768	5.15	0.9	0.0018	0.0063	0.00074	0.0056
08/16/19	42.3	0.759 a	0.877	0.187	1.268	2.05	0.004	0.0037	0.001	0.0049
09/16/19	97.1	1.12 a	1.31	0.352	1.893	0.67	0.0032	0.0060	0.00094	0.0073
10/11/19	13.3	0.196 a	0.471	0.155	0.990	1.09	0.0008	0.0171	<0.0004	<0.0012
11/08/19	113	1.610 a	7.17	1.39	9.22	0.093	0.0041	0.0059	0.00075	0.00363
12/16/19	3.01	0.0758 a	0.106	0.0131	0.0825	0.207	0.00071	0.0016	0.00046	0.0019
01/16/20	5.69	0.174 a	0.175	0.0338	0.2238	<0.0402	0.00029	0.0005	<0.00034	0.00081
02/06/20	7.25	0.133 a	0.206	0.0371	0.256	0.270	0.0003	0.00048	<0.00035	<0.00106
03/16/20	31.5	0.696 a	1.240	0.174	1.047	0.124	0.0027	0.0027	<0.00036	0.00167
04/09/20	25.6	0.638 a	1.140	0.133	0.819	0.259	0.0074	0.0059	<0.00035	0.00171
05/19/20	34.9	0.783 a	1.110	0.172	1.003	0.372	0.0054	0.0038	0.00051	0.00314
06/08/20	102	2.620 a	2.960	0.340	1.976	<0.0816	0.0028	0.0018	<0.00034	0.00072
Regulatory Limits (ppmv):			N/A					N/A		

**Soil Vapor Extraction System Analytical Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

**Notes and Abbreviations:**

mm/dd/yy = month/day/year

Conc. = concentration

N/A = not applicable

TPHg = total petroleum hydrocarbons quantified as gasoline

µg/L = micrograms per liter

<X.X = not detected at or below the detection limit indicated

ppmv = parts per million by volume

TBD = Sample taken during this time and are awaiting results

TPHg analyzed by Method TO-14M.

Benzene, toluene, ethylbenzene, and total xylenes analyzed by Method TO-14M.

a = Sample was transferred from a sampling bag into a Summa Canister within 48 hours of collection.

Table 4

Soil Vapor Extraction System Operational Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington

Date (mm/dd/yy)	Oxidizer Hour Meter Reading	Total Uptime	Soil Vapor Extraction				Influent-2 Concentration (Field) (ppmv)	Influent-2 Temperature (°F)	Influent-2 Concentration (Lab) (ppmv)	Oxidizer Temperature (°F)	Stack Temperature (°F)	TPHg				Benzene			
			SVE Influent Vacuum (in. Hg)	SVE Influent Vacuum (in. WC)	Knock Out Vacuum (in. Hg)	Influent-2 Differential Pressure (in. WC)						Flow (scfm)	Removal rate (ppd)	Cumulative Recovery (pounds)	Emission rate (ppd)	Destruction efficiency (%)	Removal rate (ppd)	Recovery (pounds)	Emission rate (ppd)
05/08/15	0.0	NA	NM	NM	NM	NM	NM	1500	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
05/28/15	NM	NM	8.0	108.8	NM	NM	NM	1,360	1,435	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
06/01/15	123	NM	8.5	115.6	10.0	NM	392	143	780	1,452	863	422	2,165	0.58	99.9%	4.6	23	0.0022	
06/02/15	132	37%	6.5	88.4	8.0	NM	393	147	900	1,409	832	424	2,324	0.59	99.9%	4.6	25	0.0022	
06/03/15	141	36%	7.0	95.2	8.0	NM	792	153	1,200	1,425	882	853	2,644	1.18	99.9%	9.3	29	0.0044	
06/04/15	163	96%	6.0	81.6	8.0	NM	809	155	6,400	1,416	867	872	3,443	1.21	99.9%	9.5	37	0.0045	
06/05/15	163	0%	SVE system not running due to problem with transfer pump from air water separator																
06/08/15	163	0%	SVE system not running due to problem with transfer pump from air water separator																
06/09/15	164	1%	12.0	163.2	14.5	NM	602	159	1,300	1,440	863	649	3,470	0.90	99.9%	7.0	38	0.0033	
06/10/15	169	23%	9.0	122.4	10.0	NM	707	151	1,800	1,458	885	219	3,516	0.61	99.7%	2.5	38	0.0037	
06/11/15	171	10%	7.0	95.2	7.0	NM	793	140	1,428	1,432	878	245	3,536	0.68	99.7%	2.8	38	0.0042	
06/15/15	194	23%	9.0	122.4	10.0	NM	681	166	1,500	1,407	857	211	3,739	0.58	99.7%	2.4	41	0.0036	
06/16/15	203	43%	8.0	108.8	9.0	NM	725	150	2,100	1,436	869	225	3,823	0.62	99.7%	2.6	42	0.0038	
09/02/15	215	NA	4.0	54.4	5.0	0.30	467	NM	NM	1,423	854	145	3,895	0.40	99.7%	11.5	47	0.0024	
09/03/15	216	5%	8.0	108.8	9.0	0.50	603	NM	1,800	1,411	844	675	3,923	0.45	99.9%	14.9	48	0.0061	
09/08/15	223	6%	6.5	88.4	7.5	0.30	475	130	2,000	1,403	822	532	4,078	0.35	99.9%	11.7	51	0.0048	
09/09/15	230	30%	6.0	81.6	7.0	0.30	467	150	1,550	1,439	846	523	4,231	0.35	99.9%	11.5	55	0.0048	
09/10/15	248	103%	SVE system turned off due to leaking carbon vessel																
09/16/15	250	1%	6.5	88.4	8.0	0.30	477	125	1,200	1,409	825	233	4,425	0.30	99.9%	5.2	59	0.0028	
09/17/15	276	99%	8	109	9.0	0.40	546	135	1,941	1,441	844	267	4,715	0.35	99.9%	6.0	66	0.0032	
09/22/15	290	12%	7.5	102.0	8.5	0.55	635	145	1,700	1,405	832	310	4,896	0.40	99.9%	6.9	70	0.0037	
09/24/15	NM	NM	NM	NM	NM	0.45	575	NM	NM	1,440	852	281	NM	0.36	99.9%	6.3	NM	0.0033	
09/25/15	338	68%	5.0	68.0	7.0	0.80	763	150	1,600	1,428	856	373	5,641	0.48	99.9%	8.3	86	0.0044	
09/28/15	410	101%	5.5	74.8	6.5	0.80	766	145	900	1,426	867	374	6,765	0.49	99.9%	8.4	111	0.0045	
01/21/16	NM	NM	SVE system turned off to replace fittings.																
01/26/16	419	7%	NM	NM	NM	NM	NM	NM	NM	1,447	759	NM	NM	NM	NM	NM	NM	NM	NM
01/27/16	426	26%	6.0	81.6	7.5	0.03	147	160	22	1,440	842	0.13	6,765	0.04	69.6%	0.0034	111	0.0007	
01/28/16	447	98%	6.0	81.6	7.5	0.03	147	160	68	1,426	849	0.13	6,765	0.04	69.6%	0.0034	111	0.0007	
02/02/16	572	100%	6.0	81.6	7.5	0.04	169	160	48	1,421	847	0.51	6,768	0.27	48.1%	0.0039	111	0.0008	
02/08/16	717	100%	6.0	81.6	7.5	0.04	169	160	12	1,427	846	0.51	6,771	0.27	48.1%	0.0049	111	0.0033	
02/10/16	767	100%	6.5	88.4	7.5	NM	NM	160	96	1,419	845	0.96	6,773	0.00	100.0%	0.0093	112	0.0062	
02/17/16	858	100%	SVE system turned off.																
02/18/16	859	4%	2.0	27.2	4.0	NM	NM	145	1.2	1,461	873	0.96	6,776	0.50	48.1%	0.0093	112	0.0062	
02/19/16	878	100%	3.0	40.8	5.5	0.30	467	150	1.2	1,435	855	1.41	6,777	0.73	48.1%	0.0136	112	0.0091	
02/24/16	880	2%	SVE system turned off.																
07/11/16	07/14/16	System startup and troubleshooting after air stripper installation																	
07/14/16	887	NM	NM	NM	NM	0.1	270	NM	0.7	1,437	887	0.11	6,778	0.50	NA	0.0020	112	0.0003	
08/01/16	890	NM	0.0	0.0	0.0	0.3	471	140	NM	1,448	855	0.19	6,778	0.73	NA	0.0034	112	0.0006	
10/10/16	NM	NM	SVE system turned off.																
10/24/16	907	NA	5.0	68.0	6.0	0.5	603	150	240	1,415	851	0.25	6,778	0.61	NA	0.0044	112	0.0007	
10/25/16	915	33%	5.0	68.0	7.5	0.9	809	150	1,400	1,425	864	1,087	7,140	9.6	99.1%	13.2	116	0.046	
10/26/16	936	100%	5.5	74.8	7.0	0.9	813	145	80.2	1,426	871	1,091	8,095	9.6	99.1%	13.3	128	0.046	
11/02/16	--	--	--	--	--	--	--	--	--	--	--	49	--	0.2	99.6%	0.8	--	0.002	
11/08/16	1,244	98%	6.0	81.6	6.5	0.3	428	--	205	1,431	852	34	8,532	0.1	99.6%	0.6	135	0.001	
11/11/16	1,276	53%	8.0	108.8	8.0	0.4	549	130	406	1,447	864	44	8,590	0.2	99.6%	0.7	136	0.002	
11/17/16	1,345	48%	4.5	61.2	5.0	0.3	473	135	118	1,419	846	38	8,698	0.2	99.6%	0.6	138	0.001	
11/18/16	1,363	75%	11.0	149.6	11.0	0.3	430	140	557	1,414	839	34	8,724	0.1	99.6%	0.6	138	0.001	
11/23/16	1,384	18%	4.5	61.2	3.0	0.4	513	130	112	1,466	865	41	8,759	0.2	99.6%	0.7	139	0.001	
11/28/16	1,509	100%	4.0	54.4	6.0	0.4	544	140	184	1,446	854	43	8,984	0.2	99.6%	0.7	142	0.002	
12/02/16	1,580	74%	9.0	122.4	7.5	0.3	477	125	312	1,436	NM	14	9,025	0.3	97.8%	0.2	143	0.0001	
12/05/16	1,613	46%	7.0	95.2	7.5	0.4	551	125	357	1,425	842	16	9,047	0.3	97.8%	0.3	143	0.0001	
12/06/16	1,634	88%	8.0	108.8	10.5	0.4	546	135	99	1,438	849	16	9,061	0.3	97.8%	0.270	144	0.0001	
12/15/16	1,672	18%	9.5	129.2	10.0	0.5	611	135	638	1,460	873	18	9,089	0.4	97.8%	0.3	144	0.0001	
12/19/16	1,750	81%	NM	NM	NM	NM	NM	NM	NM	NM	NM	18	9,146	0.4	97.8%	0.3	145	0.0001	
02/07/17	1,759	1%	0.0	0.0	0.0	0.3	473	NM	44	1,445	848	11	9,151	1.8	84.2%	4.6	147	0.006	
02/10/17	1,820	85%	3.5	47.6	3.0	0.2	383	145	212	1,420	835	9	9,174	1.5	84.2%	3.7	156	0.005	
02/13/17	1,831	15%	4.0	54.4	5.0	0.2	383	145	140	1,428	NM	9	9,178	1.5	84.2%	3.7	158	0.005	
02/15/17	1,879	100%	5.0	68.0	5.5	0.2	382	150	243	1,418	847	9	9,196	1.4	84.2%	3.7	165	0.005	
02/27/17	1,975	33%	7.5	102.0	8.0	0.2	382	150	181	1,425	838	9	9,233	1.4	84.2%	3.7	180	0.005	
03/06/17	2,100	74%	6.5	88.4	8.5	0.4	549	130	51	1,449	853	6	9,265	0.2	97.1%	0.1	181	0.0005	

Table 4

Soil Vapor Extraction System Operational Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington

Date (mm/dd/yy)	Oxidizer Hour Meter Reading	Total Uptime	SVE Influent Vacuum (in. Hg)	SVE Influent Vacuum (in. WC)	Knock Out Vacuum (in. Hg)	Influent-2 Differential Pressure (in. WC)	Soil Vapor Extraction				TPHg Influent Concentration (Lab) (ppmv)	Oxidizer Temperature (°F)	Stack Temperature (°F)	TPHg				Benzene		
							Influent-2 Flow (scfm)	Influent-2 Temperature (°F)	Influent-2 Concentration (Field) (ppmv)	Influent-2 Concentration (Lab) (ppmv)				Removal rate (ppd)	Cumulative Recovery (pounds)	Emission rate (ppd)	Destruction efficiency (%)	Removal rate (ppd)	Cumulative Recovery (pounds)	Emission rate (ppd)
03/07/17	2,126	100%	9.0	122.4	6.0	0.3	473	135	410	NM	1,435	844	5	9,271	0.2	97.1%	0.1	181	0.0004	
03/13/17	2,165	27%	8.5	115.6	9.5	0.3	471	140	101	NM	1,464	866	5	9,280	0.2	97.1%	0.1	181	0.0004	
03/22/17	2,347	84%	11.0	149.6	10.0	0.1	270	150	132	NM	1,448	863	3	9,304	0.1	97.1%	0.04	181	0.0003	
03/27/17	2,459	93%	8.0	108.8	9.0	0.2	382	148	62	30.7	1,417	837	4	9,324	0.1	97.1%	0.1	181	0.0004	
03/31/17	2,558	100%	5.0	68.0	3.5	0.4	546	135	235	NM	1,428	857	6	9,350	0.2	97.1%	0.1	182	0.0005	
04/03/17	2,628	97%	5.0	68.0	3.5	0.4	546	135	41	NM	1,442	864	145	9,773	0.1	99.9%	3.2	191	0.0013	
04/17/17	2,959	99%	5.0	68.0	6.0	0.4	542	145	183	NM	1,452	856	144	11,758	0.1	99.9%	3.2	235	0.0013	
04/20/17	3,033	100%	4.0	54.4	5.0	0.4	542	145	218	NM	1,445	858	144	12,201	0.1	99.9%	3.2	245	0.0013	
04/25/17	3,152	99%	4.0	54.4	4.0	0.4	540	150	330	712	1,432	846	143	12,912	0.1	99.9%	3.2	261	0.0013	
05/02/17	3,264	67%	5.0	68.0	6.0	0.4	541	147	88	NM	1,422	853	7	12,944	0.2	97.4%	0.1	261	0.0001	
05/11/17	3,482	100%	5.5	74.8	6.5	0.3	469	145	33.2	34	1,423	845	6	12,999	0.2	97.4%	0.1	262	0.0001	
05/17/17	3,622	97%	3.0	40.8	5.5	0.4	551	125	227.5	315.6*	1,413	871	65	13,377	0.2	99.7%	0.1	262	0.0001	
05/30/17	3,925	97%	3.0	40.8	3.5	0.35	522	110	231	322.2*	1,433	847	63	14,169	0.2	99.7%	0.1	263	0.0001	
06/05/17	4,053	89%	2.0	27.2	2.0	0.45	587	120	357	NM	1,432	852	38	14,373	0.9	97.6%	0.00063	263	0.0010	
06/09/17	4,145	96%	2.0	27.2	2.5	0.4	555	116	319	174	1,426	845	36	14,511	0.9	97.6%	0.00060	263	0.0010	
06/20/17	4,391	93%	1.0	13.6	1.5	0.55	643	130	180	NM	1,463	869	42	14,939	1.0	97.6%	0.00069	263	0.0011	
06/26/17	4,532	98%	1.0	13.6	1.0	0.5	616	125	139	NM	1,444	863	40	15,174	1.0	97.6%	0.00066	263	0.0011	
07/06/17	4,775	100%	1.0	13.6	1.0	0.5	619	120	276	NM	1,440	860	73	15,917	0.3	99.5%	0.88205	272	0.0009	
07/10/17	4,871	100%	0.5	6.8	1.0	0.5	619	120	345	318	1,420	849	73	16,210	0.3	99.5%	0.88205	276	0.0009	
07/17/17	5,037	99%	2.5	34.0	2.5	0.40	551	125	406	NM	1,415	826	65	16,662	0.3	99.5%	0.78555	281	0.0008	
07/21/17	5,135	100%	2.5	34.0	2.5	0.40	551	125	571	NM	1,432	835	65	16,929	0.3	99.5%	0.78555	284	0.0008	
07/31/17	5,370	98%	1.0	13.6	3.0	0.35	513	130	600	NM	1,410	810	61	17,525	0.3	99.5%	0.73169	291	0.0008	
08/07/17	5,538	100%	1.0	13.6	1.0	0.40	551	125	NM	NM	1,415	822	29	17,731	0.5	98.3%	0.52904	295	0.0010	
08/23/17	5,913	98%	1.0	13.6	1.5	0.55	646	125	283	143	1,433	845	34	18,270	0.6	98.3%	0.62036	305	0.0011	
08/30/17	6,083	100%	2.0	27.2	2.0	0.50	613	130	325.5	NM	1,430	842	33	18,501	0.5	98.3%	0.58898	309	0.0011	
09/07/17	6,221	96%	2.0	27.2	2.0	0.40	551	125	359	NM	1,411	820	93	19,036	0.6	99.4%	0.68936	313	0.0008	
09/20/17	6,368	92%	NM	NM	2.0	0.50	616	125	333	452	1,418	834	104	19,672	0.6	99.4%	0.77073	318	0.0008	
09/29/17	6,543	84%	NM	NM	2.0	0.50	613	130	227	NM	1,448	843	103	20,426	0.6	99.4%	0.76745	323	0.0008	
10/02/17	6,618	100%	NM	NM	2.0	0.55	646	125	278.1	NM	1,429	843	99	20,734	0.02	100%	0.69555	325	0.0007	
10/10/17	6,766	83%	2.0	27.2	2.0	0.50	613	130	NM	NM	1,440	847	94	21,311	0.02	100%	0.66037	330	0.0006	
10/16/17	6,907	98%	NM	NM	2.0	0.55	646	125	239	409	1,427	840	99	21,890	0.02	100%	0.69555	334	0.0007	
10/20/17	6,995	92%	2.7	36.7	2.5	0.50	616	125	420	NM	1,428	834	94	22,235	0.02	100%	0.66318	336	0.0006	
11/01/17	7,242	100%	2.0	27.2	1.5	0.50	613	130	342	NM	1,452	861	20	22,445	0.46	98%	0.23202	338	0.0005	
11/07/17	7,377	94%	1.5	20.4	1.5	0.50	613	130	199	NM	1,427	844	20	22,560	0.46	98%	0.23202	340	0.0005	
11/20/17	7,659	93%	2.0	27.2	2.0	0.45	579	135	67.8	89	1,435	851	19	22,787	0.43	98%	0.21919	342	0.0005	
11/29/17	7,823	100%	NM	NM	2.0	0.50	613	130	125	NM	1,440	884	20	22,926	0.46	98%	0.23202	344	0.0005	
12/04/17	7,940	98%	2.0	27.2	NM	0.45	579	135	84	NM	1,435	845	40	23,119	0.11	100%	2.64711	357	0.0019	
12/07/17	8,014	100%	2.02	27.5	2.0	0.40	544	140	78	NM	1,431	845	37	23,234	0.11	100%	2.48530	364	0.0017	
12/11/17	8,115	100%	2.0	27.2	2.0	0.45	579	135	188	183	1,420	836	40	23,400	0.11	100%	2.64711	376	0.0019	
12/13/17	8,158	100%	2.0	27.2	NM	0.45	582	130	146	NM	1,426	844	40	23,471	0.11	100%	2.65831	380	0.0019	
12/18/17	8,253	100%	2.0	27.2	2.0	0.45	579	135	88	NM	1,429	850	40	23,628	0.11	100%	2.64711	391	0.0019	
12/20/17	SYSTEM DOWN FOR WINTERIZATION																			
02/09/18	8,374	100%	2.0	27.2	2.0	0.45	577	140	123	NM	1,433	848	9	23,673	0.43	95%	1.17531	397	0.0008	
02/16/18	8,389	21%	2.0	27.2	2.0	0.50	611	135	113	42	1,456	857	9	23,679	0.46	95%	1.24408	398	0.0009	
03/01/18	8,607	99%	2.0	27.2	2.0	0.50	613	130	60.9	NM	1,428	850	14	23,807	0.20	99%	0.37480	401	0.0003	
03/05/18	8,699	100%	2.0	27.2	2.0	0.35	511	135	49.4	NM	1,424	844	12	23,857	0.17	99%	0.31226	402	0.0003	
03/15/18	8,906	90%	2.5	34.0	2.5	0.35	511	135	94.3	61.7	1,416	830	12	23,958	0.17	99%	0.31226	405	0.0003	
03/19/18	8,996	100%	3.0	40.8	3.0	0.35	511	135	403	476.1*	1,425	837	91	24,150	0.17	100%	0.31226	406	0.0003	
04/02/18	9,318	98%	2.0	27.2	2.0	0.30	497	80	195	205.8*	1,422	833	141	25,704	0.11	100%	1.87859	431	0.0016	
04/06/18	9,343	100%	3.5	47.6	3.5	0.30	471	140	615	NM	1,410	827	134	25,847	0.11	100%	1.78219	433	0.0015	
04/12/18	9,435	64%	4.0	54.4	4.0	0.30	471	140	747	NM	1,410	832	134	26,359	0.11	100%	1.78219	440	0.0015	
04/17/18	9,549	95%	3.5	47.6	4.0	0.30	471	140	1,072	760	1,414	842	134	26,993	0.11	100%	1.78219	448	0.0015	
04/23/18	9,675	88%	3.5	47.6	3.5	0.50	611	135	402	NM	1,432	865	173	27,798	0.14	100%	2.31044	461	0.002	

Table 4

Soil Vapor Extraction System Operational Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington

Date (mm/dd/yy)	Oxidizer Hour Meter Reading	Total Uptime	SVE Influent Vacuum (in. Hg)	SVE Influent Vacuum (in. WC)	Knock Out Vacuum (in. Hg)	Influent-2 Differential Pressure (in. WC)	Soil Vapor Extraction				Oxidizer Temperature (°F)	Stack Temperature (°F)	TPHg				Benzene		
							Influent-2 Flow (scfm)	Influent-2 Temperature (°F)	Influent-2 Concentration (Field) (ppmv)	TPHg Influent Concentration (Lab) (ppmv)			Removal rate (ppd)	Cumulative Recovery (pounds)	Emission rate (ppd)	Destruction efficiency (%)	Removal rate (ppd)	Cumulative Recovery (pounds)	Emission rate (ppd)
04/30/18	9,841	99%	4.0	54.4	4.0	0.30	473	135	442	NM	1,411	836	134	28,861	0.11	100%	1.78966	473	0.002
05/07/18	10,009	100%	3.0	40.8	3.0	0.35	509	140	207	NM	1,422	843	80	29,612	0.10	100%	0.96249	480	0.001
05/16/18	10,185	81%	2.0	27.2	2.0	0.50	611	135	280	423	1,450	862	96	30,260	0.12	100%	1.15522	488	0.001
05/23/18	10,359	100%	2.0	27.2	2.0	0.50	611	135	214	NM	1,448	868	96	30,958	0.12	100%	1.15522	496	0.001
05/30/18	10,524	98%	4.0	54.4	4.0	0.40	546	135	203	NM	1,425	844	86	31,586	0.11	100%	1.03326	504	0.001
06/06/18	10,685	96%	3.0	40.8	3.0	0.30	473	135	135	NM	1,406	839	164	32,425	0.15	100%	3.75828	529	0.001
06/08/18	10,734	100%	7.0	95.2	7.0	0.35	509	140	145	NM	1,409	842	176	32,773	0.16	100%	4.04246	537	0.001
06/13/18	10,758	100%	7.0	95.2	7.0	0.30	471	140	151	929	1,421	848	163	32,942	0.15	100%	3.74259	541	0.001
06/18/18	10,881	100%	7.0	95.2	7.0	0.25	428	145	315	NM	1,411	842	148	33,741	0.13	100%	3.40236	558	0.001
06/25/18	11,052	100%	6.0	81.6	6.0	0.35	509	140	112	NM	1,421	848	176	34,898	0.16	100%	4.04246	587	0.001
07/03/18	11,242	100%	6.0	81.6	6.0	0.35	507	145	191	NM	1,122	846	31	35,719	0.14	100%	0.31262	590	0.0004
07/17/18	11,577	100%	3.0	40.8	3.0	0.45	577	140	103	164	1,431	856	35	36,182	0.16	100%	0.35595	594	0.0005
07/31/18	11,913	100%	5.0	68.0	5.0	0.40	540	150	810	NM	1,415	835	33	36,660	0.15	100%	0.33283	599	0.0005
08/06/18	12,063	100%	4.5	61.2	4.5	0.45	575	145	198	NM	1,430	845	42	36,896	0.03	100%	0.07240	600	0.0033
08/13/18	12,225	96%	5.0	68.0	5.0	0.35	509	140	260	<6.64	1,443	860	49	37,206	0.02	100%	0.06412	600	0.0029
08/20/18	12,398	100%	4.5	61.2	4.5	0.35	507	145	425	NM	1,434	857	80	37,673	0.02	100%	0.06385	600	0.0029
08/23/18	12,472	100%	4.5	61.2	4.5	0.40	540	150	398	NM	1,431	866	80	37,921	0.02	100%	0.06798	601	0.0031
08/30/18	12,641	100%	5.0	68.0	5.0	0.45	575	145	295	NM	1,443	856	63	38,425	0.03	100%	0.07240	601	0.0033
09/05/18	12,782	98%	6.0	81.6	6.0	0.40	540	150	455	NM	1,413	838	378	39,723	0.24	100%	2.66894	617	0.0020
09/12/18	12,946	98%	6.0	81.6	6.0	0.30	467	150	405	1880	1,413	832	328	42,135	0.21	100%	2.31137	633	0.0017
09/24/18	13,214	93%	5.0	68.0	5.0	0.30	469	145	139	NM	1,479	893	329	45,802	0.21	100%	2.32090	659	0.0017
10/08/18	13,546	99%	5.5	74.8	5.5	0.35	507	145	120.6	371	1,409	830	213	49,550	0.24	100%	1.99812	686	0.002
10/16/18	13,664	65%	4.5	61.2	3.0	0.45	572	150	NM	NM	1,414	834							
10/25/18	13,866	94%	4.0	54.4	4.0	0.40	542	145	245	NM	1,415	829							
10/30/18	13,976	92%	2.0	27.2	2.5	0.50	603	150	NM	NM	1,430	878							
11/01/18	14,020	92%	3.0	40.8	2.5	0.45	575	145	65	NM	1,407	833							
11/05/18	14,119	100%	3.5	47.6	3.5	0.45	577	140	40.6	NM	1,415	830							
11/08/18	14,193	100%	3.5	47.6	3.0	0.40	546	135	67.2	70	1,418	830	45	53,024	0.17	100%	1.17792	729	0.0012
11/12/18	14,291	100%	3.5	47.6	3.5	0.40	546	135	52	NM	1,416	830							
11/21/18	14,504	99%	2.5	34.0	2.0	0.50	608	140	33.7	NM	1,407	831							
11/29/18	14,625	63%	2.0	27.2	2.0	0.35	505	150	NM	NM	1,414	831							
12/04/18	14,745	100%	3.0	40.8	3.0	0.30	471	140	30.8	NM	1,418	825							
12/12/18	14,937	100%	2.5	34.0	2.5	0.40	544	140	11.3	67	1,419	831	14	53,937	0.09	99%	0.52951	756	0.0003
12/21/18	15,051	98%	2.5	34.0	2.0	0.45	579	135	48.7	NM	1,407	830							
01/02/19	15,343	100%	2.75	37.4	2.25	0.25	432	135	14.7	NM	1,421	824							
01/09/19	15,476	79%	2.5	34.0	2.25	0.45	584	125	14.7	19	1,415	842	9	54,190	0.12	99%	0.18562	764	0.0003
01/14/19	15,598	100%	2.15	29.2	2.25	0.35	520	115	15.2	NM	1,416	841							
01/21/19	15,767	100%	2.5	34.0	2.0	0.50	619	120	32	NM	1,411	850							
01/28/19	15,937	100%	2.5	34.0	2.0	0.50	619	120	8.6	NM	1,414	848							
02/08/19	16,204	100%	2.0	27.2	2.0	0.45	589	115	14.8	NM	1,408	845							
02/13/19	16,348	100%	2.5	34.0	2.0	0.40	553	120	112	613	1,414	843	68	55,591	0.15	100%	0.96441	784	0.0004
02/18/19	16,448	100%	2.5	34.0	2.0	0.45	587	120	1.9	NM	1,410	845							
02/25/19	16,616	100%	2.5	34.0	2.0	0.35	515	125	1.8	NM	1,414	840							
03/22/19	17,124	100%	2.5	34.0	2.0	0.40	551	125	378	1190	1,413	841	186	59,698	0.14	100%	2.87320	846	0.0003
03/29/19	17,296	100%	3.0	40.8	3.0	0.40	551	125	57	NM	1,413	843							
04/02/19	17,389	97%	2.5	34.0	2.0	0.50	616	125	86.2	NM	1,407	840							
05/09/19	17,432	24%	2.5	34.0	3.5	0.40	551	125	NM	NM	1,410	827							
05/13/19	17,526	100%	3.0	40.8	3.5	0.45	572	150	NM	NM	1,408	827							
05/22/19	17,743	100%	2.5	34.0	2.0	0.50	616	125	112.9	115	1,410	844	140	63,899	0.14	100%	2.27176	913	0.0006
05/28/19	17,889	100%	2.5	34.0	2.0	0.50	619	120	76.8	NM	1,414	843							
06/12/19	18,232	95%	2.0	27.2	2.0	0.40	551	125	128	NM	1,408	835							
06/13/19	18,257	100%	2.0	27.2	2.0	0.50	616	125	117	136	1,407	832	28	65,702	0.38	99%	0.27245	940	0.0042
06/20/19	18,426	100%	2.0	27.2	2.0	0.40	551	125	102.1	NM	1,416	830							

Table 4

**Soil Vapor Extraction System Operational Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Date (mm/dd/yy)	Oxidizer Hour Meter Reading	Total Uptime	SVE Influent Vacuum (in. Hg)	SVE Influent Vacuum (in. WC)	Knock Out Vacuum (in. Hg)	Influent-2 Differential Pressure (in. WC)	Soil Vapor Extraction			TPHg Influent Concentration (Lab) (ppmv)	Oxidizer Temperature (°F)	Stack Temperature (°F)	Removal rate (ppd)	TPHg			Removal rate (ppd)	Benzene	
							Influent-2 Flow (scfm)	Influent-2 Temperature (°F)	Influent-2 Concentration (Field) (ppmv)					Cumulative Recovery (pounds)	Emission rate (ppd)	Destruction efficiency (%)		Cumulative Recovery (pounds)	Emission rate (ppd)
07/15/19	18,570	100%	2.0	27.2	1.0	0.60	661	150	37.3	NM	1,408	849							
07/23/19	18,764	100%	2.0	27.2	1.0	0.50	619	120	56.8	104	1,413	843	27	66,288	0.41	99%	0.16897	945	0.0041
08/02/19	18,965	86%	2.0	27.2	2.0	0.50	621	115	40.1	NM	1,408	846							
08/08/19	19,112	100%	2.5	34.0	2.0	0.50	619	120	215.7	NM	1,407	847							
08/16/19	19,295	95%	2.5	34.0	2.0	0.50	619	120	27.3	42	1,413	842	17	66,778	0.34	98%	0.16570	948	0.0005
08/23/19	19,423	76%	2.5	34.0	2.0	0.50	619	120	27.2	NM	1,414	838							
08/30/19	19,594	100%	3.5	47.6	2.5	0.50	621	115	28.6	NM	1,407	836							
09/16/19	19,970	92%	2.8	37.4	2.0	0.50	621	115	19.7	97	1,410	837	16	67,242	0.31	98%	0.16949	953	0.0006
09/30/19	20,192	100%	3.0	40.8	2.5	0.50	619	120	15.4	NM	1,408	845							
10/07/19	20,360	100%	2.5	34.0	2.0	0.45	589	115	13.3	NM	1,409	843							
10/11/19	20,457	100%	2.5	34.0	2.0	0.50	621	115	0.0	13	1,412	843	13	67,533	0.20	98%	0.11731	956	0.0004
10/16/19	20,529	100%	2.0	27.2	2.0	0.50	621	115	33	NM	1,407	844							
10/23/19	20,698	100%	2.5	34.0	2.0	0.20	390	125	22.5	NM	1,412	824							
10/28/19	20,819	100%	2.8	37.4	2.3	0.20	391	120	20.2	NM	1,415	822							
11/04/19	20,992	100%	2.5	34.0	2.0	0.25	437	120	8.4	NM	1,417	828							
11/08/19	21,090	100%	2.5	34.0	2.0	0.20	391	120	42.8	113	1,409	819	11	67,847	0.10	99%	0.12490	959	0.0003
11/18/19	21,334	100%	3.0	40.8	2.5	0.20	390	125	9.5	NM	1,410	819							
11/25/19	21,503	100%	2.5	34.0	2.5	0.20	390	125	9.0	NM	1,419	809							
12/04/19	21,658	72%	2.5	34.0	2.0	0.20	391	120	0.8	NM	1,415	809							
12/09/19	21,777	99%	1.5	20.4	1.0	0.20	390	125	6.5	NM	1,415	810							
12/16/19	21,949	100%	1.75	23.8	1.25	0.20	391	120	0.7	3	1,418	809	8	68,199	0.02	100%	0.09576	963	0.0003
12/30/19	22,285	100%	1.5	20.4	1.0	0.20	391	120	2.9	NM	1,417	810							
01/06/20	22,458	100%	1.5	20.4	1.0	0.20	390	125	1.3	NM	1,413	808							
01/16/20	22,693	98%	1.5	20.4	1.0	0.20	393	115	1.1	6	1,425	811	1	68,340	0.02	97%	0.01422	965	0.0001
01/27/20	22,888	100%	1.5	20.4	1.0	0.20	391	120	1.8	NM	1,420	810							
02/06/20	23,134	100%	1.5	20.4	1.5	0.25	436	125	1.6	7	1,415	810	1	68,355	0.02	98%	0.01816	965	0.00003
02/10/20	23,230	100%	1.5	20.4	1.0	0.25	437	120	NM	NM	1,410	813							
02/18/20	23,425	100%	1.5	20.4	1.0	0.30	479	120	1.8	NM	1,410	815							
03/02/20	23,647	100%	1.5	20.4	1.0	0.25	437	120	0.8	NM	1,410	811							
03/09/20	23,817	100%	1.5	20.4	1.0	0.25	441	110	NM	NM	1,416	811							
03/16/20	23,972	92%	2.0	27.2	3.5	0.20	388	130	10.0	32	1,408	811	3	68,427	0.03	99%	0.05264	966	0.00019
03/23/20	24,081	65%	2.0	27.2	2.0	0.20	388	130	11.6	NM	1,419	817							
03/30/20	24,249	100%	3.0	40.8	3.0	0.35	509	140	14.8	NM	1,406	824							
04/09/20	24,495	100%	3.0	40.8	2.5	0.35	507	145	106.3	26	1,407	824	5	68,513	0.03	99%	0.08693	968	0.00066
04/13/20	24,592	100%	0.0	0.0	0.0	0.30	473	135	NM	NM	1,503	873							
04/20/20	24,758	99%	3.0	40.8	2.5	0.25	430	140	156	NM	1,407	827							
05/04/20	24,809	100%	3.0	40.8	2.5	0.20	385	140	350	NM	1,415	827							
05/11/20	24,920	66%	3.0	40.8	3.0	0.25	430	140	261	NM	1,416	826							
05/19/20	25,113	100%	3.3	44.2	3.0	0.20	383	145	14.2	35	1,412	823	5	68,657	0.05	99%	0.08986	970	0.00081
05/22/20	25,136	100%	3.0	40.8	3.0	0.25	437	120	54.0	NM	1,410	830							
05/26/20	25,231	99%	3.0	40.8	3.0	0.25	437	120	NM	NM	1,406	815							
06/02/20	25,402	100%	3.0	40.8	3.0	0.25	437	120	NM	NM	1,405	817							
06/08/20	25,481	55%	4.0	54.4	4.0	0.25	437	120	35.5	102	1,405	825	11	68,824	0.03	100%	0.21120	973	0.00051
06/15/20	25,576	100%	3.0	40.8	3.0	0.25	437	120	6.8	NM	1,411	838							
06/22/20	25,745	100%	4.0	54.4	4.0	0.25	437	120	6.4	NM	1,408	837							

Regulatory  
Limits (ppmv):

<1,500

>1,400

>97% when inlet  
concentrations  
exceed 200  
ppmv

<0.085

Table 4

Soil Vapor Extraction System Operational Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington

**Abbreviations and Notes:**

(mm/dd/yy) = Month/day/year

ALS = Air liquid separator

SVE = Soil vapor extraction

conc = Concentration

TPPH = Total Purgeable Petroleum Hydrocarbon analyzed by method NWTPHg-X

°F = Degrees Fahrenheit

NA = Not applicable

NM = not measured

NS = Not sampled

L = liter

gpm = gallon per minute

µg/L = micrograms per liter

g = grams

cc = cubic centimeter

lb = pound

All readings and data are field collected excluding influent concentrations

\* = not actual analytical data. These value was estimated by taking 70% of the extrapolated value using historical PID vs. analytical data. This was done to estimate removal rate after air sweep was implemented.

Density: = 0.73 g/cc TPHg

= 0.88 g/cc Benzene

*Italics* = referenced laboratory concentration is non-detect. 50% of reporting limit value used in the equation

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
R-1	1/27/1993	16.94	---	---	0.05	5.22	11.76	---
R-1	3/12/1993	16.94	---	---	0.10	11.80	5.22	---
R-1	6/30/1993	16.94	---	---	0.01	6.88	10.07	---
R-1	12/23/1994	16.94	---	---	---	3.43	13.51	---
R-1	2/3/1995	16.94	---	---	0.10	4.10	12.92	---
R-1	2/22/1995	16.94	---	---	0.13	5.28	11.76	---
R-1	3/24/1995	16.94	---	---	0.40	5.55	11.69	---
R-1	4/27/1995	16.94	---	---	0.32	5.62	11.56	---
R-1	5/15/1995	16.94	---	---	0.47	4.91	12.38	---
R-1	6/16/1995	16.94	---	---	0.44	5.29	11.98	---
R-1	8/25/1995	16.94	---	---	0.20	5.85	11.24	---
R-1	9/26/1995	16.94	---	---	0.19	7.67	9.41	---
R-1	10/20/1995	16.94	---	---	0.02	6.17	10.79	---
R-1	4/4/1996	16.94	---	---	0.15	3.82	13.23	---
R-1	4/16/1996	16.94	---	---	0.14	3.14	13.91	---
R-1	5/10/1996	16.94	---	---	0.11	2.72	14.30	---
R-1	5/15/1996	16.94	---	---	0.06	2.67	14.32	---
R-1	5/22/1996	16.94	---	---	---	7.83	9.11	---
R-1	6/5/1996	16.94	---	---	---	8.62	8.32	---
R-1	6/24/1996	16.94	---	---	---	8.50	8.44	---
R-1	7/15/1996	16.94	---	---	---	8.63	8.31	---
R-1	8/23/1996	16.94	---	---	---	8.53	8.41	---
R-1	9/18/1996	16.94	---	---	---	8.34	8.60	---
R-1	1/3/1997	16.94	---	---	---	3.11	13.83	---
R-1	3/12/1997	16.94	---	---	---	8.91	8.03	---
R-1	4/2/1997	16.94	---	---	0.05	11.04	5.94	---
R-1	7/8/1997	16.94	---	---	---	5.71	11.23	---
R-1	8/26/1997	16.94	---	---	---	11.02	5.92	---
R-1	9/17/1997	16.94	---	---	---	10.84	6.10	---
R-1	4/30/1998	16.94	---	---	0.02	4.60	12.36	---
R-1	5/24/2001	16.94	---	---	---	10.75	6.19	---
R-1	11/24/2002	19.83	---	---	---	5.90	13.93	13.93
R-1	6/29/2007	19.83	---	---	---	5.66	14.17	14.17
R-1	10/22/2007	19.83	---	---	Not Monitored	---	---	NM
R-1	11/28/2007	19.83	---	---	Not Monitored	---	---	NM
R-1	12/13/2007	19.83	---	---	---	9.10	10.73	10.73
R-1	1/21/2008	19.83	---	---	---	6.98	12.85	12.85
R-1	2/24/2008	19.83	---	---	Not Monitored	---	---	---
R-1	3/24/2008	19.83	---	---	---	5.35	14.48	14.48
R-1	8/25/2008	19.83	---	---	Not Monitored	---	---	---
R-1	2/18/2009	19.83	---	---	Not Monitored	---	---	NM
R-1	8/25/2009	19.83	---	---	Not Monitored	---	---	NM
R-1	3/22/2010	16.94	---	---	---	4.75	12.19	12.19
R-1	8/23/2010	16.94	5.35	11.59	0.02	5.37	11.59	11.60
R-1	2/7/2011	16.94	---	---	---	4.56	12.38	---
R-2	1/27/1993	17.52	---	---	---	6.15	11.37	---
R-2	3/12/1993	17.52	---	---	---	7.20	10.32	---
R-2	2/22/1995	17.52	---	---	---	7.66	9.86	---
R-2	5/15/1995	17.52	---	---	---	7.87	9.65	---
R-2	6/16/1995	17.52	---	---	0.01	7.51	10.02	---
R-2	9/26/1995	17.52	---	---	0.01	7.81	9.72	---
R-2	10/20/1995	17.52	---	---	0.06	7.63	9.94	---
R-2	4/4/1996	17.52	---	---	---	5.55	11.97	---
R-2	4/16/1996	17.52	---	---	---	5.29	12.23	---
R-2	5/10/1996	17.52	---	---	---	5.21	12.31	---
R-2	5/15/1996	17.52	---	---	---	5.10	12.42	---
R-2	5/22/1996	17.52	---	---	0.02	7.59	9.95	---
R-2	6/5/1996	17.52	---	---	0.18	7.80	9.86	---
R-2	6/24/1996	17.52	---	---	0.03	7.72	9.82	---
R-2	7/15/1996	17.52	---	---	0.04	7.60	9.95	---
R-2	8/23/1996	17.52	---	---	0.02	7.77	9.77	---
R-2	9/18/1996	17.52	---	---	0.04	7.87	9.68	---
R-2	1/3/1997	17.52	---	---	---	4.25	13.27	---
R-2	3/12/1997	17.52	---	---	0.02	8.02	9.52	---
R-2	4/2/1997	17.52	---	---	0.11	7.72	9.88	---
R-2	7/8/1997	17.52	---	---	---	6.47	11.05	---
R-2	8/19/1997	17.52	---	---	0.02	7.76	9.78	---
R-2	9/17/1997	17.52	---	---	---	7.67	9.85	---
R-2	4/30/1998	17.52	---	---	0.03	6.43	11.11	---
R-2	5/24/2001	17.52	---	---	0.35	8.25	9.53	---
R-2	11/24/2002	20.28	---	---	---	6.69	13.59	13.59
R-2	6/29/2007	20.28	---	---	---	6.72	13.56	13.56
R-2	10/22/2007	20.28	---	---	Not Monitored	---	---	NM
R-2	11/28/2007	20.28	---	---	Not Monitored	---	---	NM
R-2	12/13/2007	20.28	---	---	---	7.76	12.52	12.52
R-2	1/21/2008	20.28	---	---	---	5.83	14.45	14.45
R-2	2/24/2008	20.28	---	---	Not Monitored	---	---	---
R-2	3/24/2008	20.28	---	---	---	6.19	14.09	14.09
R-2	8/25/2008	20.28	---	---	Not Monitored	---	---	---
R-2	2/18/2009	20.28	---	---	Not Monitored	---	---	NM
R-2	8/25/2009	20.28	---	---	Not Monitored	---	---	NM
R-2	3/22/2010	17.52	---	---	---	5.68	11.84	11.84
R-2	8/23/2010	17.52	---	---	---	6.85	10.67	10.67
R-2	2/7/2011	17.52	---	---	---	7.87	9.65	---
W-1	1/27/1993	18.86	---	---	0.19	5.71	13.29	---
W-1	3/12/1993	18.86	---	---	0.06	8.24	10.67	---
W-1	4/14/1993	18.86	---	---	---	8.22	10.64	---
W-1	6/30/1993	18.86	---	---	0.08	8.25	10.67	---
W-1	12/15/1993	18.86	---	---	---	8.60	10.26	---
W-1	2/8/1994	18.86	---	---	0.13	6.51	12.45	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
W-1	7/8/1994	18.86	---	---	---	8.64	10.22	---
W-1	8/12/1994	18.86	---	---	---	8.63	10.23	---
W-1	12/23/1994	18.86	---	---	---	5.48	13.38	---
W-1	2/3/1995	18.86	---	---	---	5.24	13.62	---
W-1	2/22/1995	18.86	---	---	0.03	7.13	11.75	---
W-1	3/24/1995	18.86	---	---	0.14	7.04	11.93	---
W-1	4/27/1995	18.86	---	---	---	6.75	12.11	---
W-1	5/15/1995	18.86	---	---	0.39	6.88	12.27	---
W-1	6/16/1995	18.86	---	---	0.45	7.34	11.86	---
W-1	8/25/1995	18.86	---	---	0.18	7.89	11.11	---
W-1	10/20/1995	18.86	---	---	0.12	8.60	10.35	---
W-1	4/4/1996	18.86	---	---	0.07	5.81	13.10	---
W-1	4/16/1996	18.86	---	---	0.12	5.07	13.88	---
W-1	5/10/1996	18.86	---	---	0.09	4.75	14.18	---
W-1	5/15/1996	18.86	---	---	0.11	4.74	14.20	---
W-1	5/22/1996	18.86	---	---	0.07	8.08	10.83	---
W-1	6/5/1996	18.86	---	---	0.02	8.12	10.76	---
W-1	6/24/1996	18.86	---	---	0.01	8.28	10.59	---
W-1	7/15/1996	18.86	---	---	0.08	8.52	10.40	---
W-1	8/23/1996	18.86	---	---	---	8.63	10.23	---
W-1	9/18/1996	18.86	---	---	---	8.63	10.23	---
W-1	1/3/1997	18.86	---	---	---	4.97	13.89	---
W-1	3/12/1997	18.86	---	---	---	8.08	10.78	---
W-1	4/2/1997	18.86	---	---	0.03	8.14	10.74	---
W-1	5/1/1997	18.86	---	---	---	8.18	10.68	---
W-1	8/19/1997	18.86	---	---	---	8.57	10.29	---
W-1	9/17/1997	18.86	---	---	---	8.20	10.66	---
W-1	4/30/1998	18.86	---	---	0.08	6.70	12.22	---
W-1	7/28/1999	18.86	---	---	0.12	7.18	11.77	---
W-1	5/23/2000	18.86	---	---	---	6.91	11.95	---
W-1	5/24/2001	18.86	---	---	0.01	8.45	10.42	---
W-1	6/5/2002	18.86	---	---	---	6.42	12.44	---
W-1	5/29/2003	18.86	---	---	sheen	7.91	10.95	---
W-1	6/16/2004	18.86	---	---	0.02	7.65	11.23	---
W-1	6/20/2005	18.86	---	---	---	6.31	12.55	---
W-1	6/5/2006	18.86	---	---	---	5.99	12.87	---
W-1	10/23/2006	18.86	---	---	---	8.22	10.64	---
W-1	3/14/2007	21.89	---	---	---	5.41	16.48	---
W-1	9/10/2007	21.89	---	---	---	8.63	13.26	---
W-1	11/28/2007	21.89	---	---	---	8.62	13.27	13.27
W-1	12/13/2007	21.89	---	---	---	6.92	14.97	14.97
W-1	1/21/2008	21.89	---	---	---	8.00	13.89	13.89
W-1	2/24/2008	21.89	---	---	---	6.65	15.24	15.24
W-1	3/24/2008	21.89	---	---	---	7.37	14.52	14.52
W-1	6/2/2008	21.89	---	---	---	8.49	13.40	---
W-1	8/25/2008	21.89	---	---	---	8.61	13.28	13.28
W-1	2/18/2009	21.89	---	---	Not Monitored	---	---	NM
W-1	8/25/2009	21.89	---	---	Not Monitored	---	---	NM
W-1	3/22/2010	21.89	---	---	---	5.35	16.54	16.54
W-1	8/23/2010	21.89	---	---	---	7.40	14.49	14.49
W-1	2/7/2011	21.89	---	---	---	6.60	15.29	---
W-1	5/27/2011	21.89	---	---	---	8.42	13.47	---
W-1	8/16/2011	21.89	---	---	---	8.50	13.39	---
W-1	11/14/2011	21.89	---	---	---	8.61	13.28	---
W-1	2/20/2012	21.89	---	---	---	8.07	13.82	---
W-1	8/22/2012	21.89	---	---	---	7.79	14.10	---
W-1	11/5/2012	21.89	---	---	---	8.61	13.28	---
W-1	1/28/2013	21.89	---	---	---	5.29	16.60	---
W-1	5/9/2013	21.89	---	---	---	8.07	13.82	---
W-1	8/19/2013	21.89	---	---	DRY	---	---	---
W-1	11/25/2013	21.89	---	---	---	8.18	13.71	---
W-1	2/14/2014	21.89	---	---	---	8.06	13.83	---
W-1	5/5/2014	21.89	---	---	---	7.96	13.93	---
W-1	8/19/2014	21.89	---	---	DRY	---	---	---
W-1	11/21/2014	21.89	---	---	---	6.96	14.93	---
W-1	12/11/2017	21.89	---	---	---	4.96	16.93	---
W-1	2/26/2018	21.89	---	---	---	---	---	---
W-1	6/11/2018	21.89	---	---	---	---	---	---
W-2	1/27/1993	18.28	---	---	0.16	5.11	13.29	---
W-2	3/12/1993	18.28	---	---	0.02	7.94	10.36	---
W-2	4/14/1993	18.28	---	---	0.02	7.96	10.34	---
W-2	6/30/1993	18.28	---	---	0.09	7.65	10.70	---
W-2	12/15/1993	18.28	---	---	---	8.04	10.24	---
W-2	2/8/1994	18.28	---	---	0.13	5.93	12.45	---
W-2	7/8/1994	18.28	---	---	---	8.69	9.59	---
W-2	8/12/1994	18.28	---	---	---	8.98	9.30	---
W-2	9/21/1994	18.28	---	---	0.18	9.38	9.04	---
W-2	11/4/1994	18.28	---	---	0.37	9.51	9.05	---
W-2	12/23/1994	18.28	---	---	---	4.92	13.36	---
W-2	2/3/1995	18.28	---	---	---	5.16	13.12	---
W-2	2/22/1995	18.28	---	---	0.06	6.57	11.76	---
W-2	3/24/1995	18.28	---	---	0.14	6.48	11.91	---
W-2	4/27/1995	18.28	---	---	---	5.65	12.63	---
W-2	5/15/1995	18.28	---	---	0.57	6.48	12.23	---
W-2	6/16/1995	18.28	---	---	0.60	6.93	11.80	---
W-2	8/25/1995	18.28	---	---	0.22	7.36	11.09	---
W-2	10/20/1995	18.28	---	---	---	7.67	10.61	---
W-2	4/4/1996	18.28	---	---	0.02	5.19	13.11	---
W-2	4/16/1996	18.28	---	---	---	4.40	13.88	---
W-2	5/10/1996	18.28	---	---	---	4.10	14.18	---
W-2	5/15/1996	18.28	---	---	---	4.08	14.20	---
W-2	5/22/1996	18.28	---	---	---	7.59	10.69	---
W-2	6/5/1996	18.28	---	---	---	7.69	10.59	---
W-2	6/24/1996	18.28	---	---	---	8.08	10.20	---

Table 5

Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
W-2	7/15/1996	18.28	---	---	---	8.45	9.83	---
W-2	8/23/1996	18.28	---	---	---	8.80	9.48	---
W-2	9/18/1996	18.28	---	---	---	8.98	9.30	---
W-2	1/3/1997	18.28	---	---	---	4.48	13.80	---
W-2	3/12/1997	18.28	---	---	---	7.57	10.71	---
W-2	4/2/1997	18.28	---	---	---	7.60	10.68	---
W-2	5/1/1997	18.28	---	---	---	7.72	10.56	---
W-2	8/19/1997	18.28	---	---	---	8.10	10.18	---
W-2	9/18/1997	18.28	---	---	0.07	7.40	10.93	---
W-2	4/30/1998	18.28	---	---	0.07	6.11	12.22	---
W-2	7/29/1999	18.28	---	---	---	6.50	11.78	---
W-2	5/23/2000	18.28	---	---	---	6.33	11.95	---
W-2	5/24/2001	18.28	---	---	---	8.10	10.18	---
W-2	6/5/2002	18.28	---	---	0.02	5.87	12.43	---
W-2	5/28/2003	18.28	---	---	sheen	7.32	10.96	---
W-2	6/15/2004	18.28	---	---	---	8.55	9.73	---
W-2	6/22/2005	18.28	---	---	---	5.71	12.57	---
W-2	6/5/2006	18.28	---	---	---	5.38	12.90	---
W-2	10/23/2006	18.28	---	---	---	7.63	10.65	---
W-2	3/14/2007	21.30	---	---	---	4.82	16.48	---
W-2	9/10/2007	21.30	---	---	---	8.97	12.33	---
W-2	11/28/2007	21.30	---	---	---	8.15	13.15	13.15
W-2	12/13/2007	21.30	---	---	---	7.65	13.65	13.65
W-2	1/21/2008	21.30	---	---	---	7.58	13.72	13.72
W-2	2/24/2008	21.30	---	---	---	6.04	15.26	15.26
W-2	3/24/2008	21.30	---	---	---	6.78	14.52	14.52
W-2	6/2/2008	21.30	---	---	---	8.25	13.05	---
W-2	8/25/2008	21.30	---	---	---	8.51	12.79	12.79
W-2	2/18/2009	21.30	---	---	Not Monitored	---	---	NM
W-2	8/25/2009	21.30	---	---	Not Monitored	---	---	NM
W-2	3/22/2010	21.30	---	---	---	4.78	16.52	16.52
W-2	8/23/2010	21.30	---	---	---	6.79	14.51	14.51
W-2	2/7/2011	21.30	---	---	---	5.99	15.31	---
W-2	5/27/2011	21.30	---	---	---	7.61	13.69	---
W-2	8/8/2011	21.30	---	---	---	8.38	12.92	---
W-2	11/14/2011	21.30	---	---	---	8.46	12.84	---
W-2	2/20/2012	21.30	---	---	---	7.60	13.70	---
W-2	8/22/2012	21.30	---	---	---	7.20	14.10	---
W-2	11/5/2012	21.30	---	---	---	8.39	12.91	---
W-2	5/9/2013	21.30	---	---	---	7.56	13.74	---
W-2	8/19/2013	21.30	---	---	---	8.71	12.59	---
W-2	11/25/2013	21.30	---	---	---	7.72	13.58	---
W-2	2/14/2014	21.30	---	---	---	7.60	13.70	---
W-2	5/5/2014	21.30	---	---	---	7.58	13.72	---
W-2	8/19/2014	21.30	---	---	---	8.91	12.39	---
W-2	11/21/2014	21.30	---	---	---	6.37	14.93	---
W-3	1/27/1993	17.10	---	---	---	5.42	11.68	---
W-3	3/12/1993	17.10	---	---	---	6.11	10.99	---
W-3	4/14/1993	17.10	---	---	---	5.88	11.22	---
W-3	12/15/1993	17.10	---	---	---	5.59	11.51	---
W-3	11/4/1994	17.10	---	---	---	7.72	9.38	---
W-3	2/22/1995	17.10	---	---	---	5.82	11.28	---
W-3	6/16/1995	17.10	---	---	---	6.37	10.73	---
W-3	10/20/1995	17.10	---	---	---	6.17	10.93	---
W-3	4/4/1996	17.10	---	---	---	5.19	11.91	---
W-3	4/16/1996	17.10	---	---	---	4.86	12.24	---
W-3	5/10/1996	17.10	---	---	---	4.83	12.27	---
W-3	5/15/1996	17.10	---	---	---	4.71	12.39	---
W-3	5/22/1996	17.10	---	---	---	5.78	11.32	---
W-3	6/5/1996	17.10	---	---	---	6.07	11.03	---
W-3	6/24/1996	17.10	---	---	---	6.30	10.80	---
W-3	7/15/1996	17.10	---	---	---	6.65	10.45	---
W-3	9/18/1996	17.10	---	---	---	6.37	10.73	---
W-3	1/3/1997	17.10	---	---	---	3.72	13.38	---
W-3	4/2/1997	17.10	---	---	0.04	5.83	11.30	---
W-3	5/1/1997	17.10	---	---	---	5.80	11.30	---
W-3	4/29/1998	17.10	---	---	---	5.81	11.29	---
W-3	7/30/1999	17.10	---	---	---	6.11	10.99	---
W-3	5/23/2000	17.10	---	---	---	5.55	11.55	---
W-3	5/22/2001	17.10	---	---	---	6.10	11.00	---
W-3	6/4/2002	17.10	---	---	---	5.78	11.32	---
W-3	5/28/2003	17.10	---	---	---	6.26	10.84	---
W-3	6/16/2004	17.10	---	---	0.02	6.23	10.89	---
W-3	6/21/2005	17.10	---	---	---	5.75	11.35	---
W-3	6/5/2006	17.10	---	---	---	5.43	11.67	---
W-3	10/23/2006	17.10	---	---	---	6.22	10.88	---
W-3	3/14/2007	19.95	---	---	---	4.74	15.21	---
W-3	9/10/2007	19.95	---	---	---	6.55	13.40	---
W-3	11/28/2007	19.95	---	---	---	8.84	11.11	11.11
W-3	12/13/2007	19.95	---	---	---	5.79	14.16	14.16
W-3	1/21/2008	19.95	---	---	---	5.44	14.51	14.51
W-3	2/24/2008	19.95	---	---	---	5.77	14.18	14.18
W-3	3/24/2008	19.95	---	---	---	5.75	14.20	14.20
W-3	6/2/2008	19.95	---	---	---	6.20	13.75	---
W-3	8/25/2008	19.95	---	---	---	5.79	14.16	14.16
W-3	2/18/2009	19.95	---	---	Not Monitored	---	---	NM
W-3	8/25/2009	19.95	---	---	Not Monitored	---	---	NM
W-3	3/22/2010	19.95	---	---	---	4.61	15.34	15.34
W-3	8/23/2010	19.95	---	---	---	5.84	14.11	14.11
W-3	2/7/2011	19.95	---	---	---	4.69	15.26	---
W-3	5/27/2011	19.95	---	---	Not Monitored	---	---	---
W-3	8/8/2011	19.95	---	---	Dry	---	---	---
W-3	11/14/2011	19.95	---	---	Dry	---	---	---
W-3	2/20/2012	19.95	---	---	Dry	---	---	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
W-3	8/22/2012	19.95			Dry			
W-3	11/5/2012	19.95	---	---	---	4.98	14.97	
W-3	1/28/2013	19.95	---	---	---	4.01	15.94	
W-3	5/9/2013	19.95	DRY					
W-3	8/19/2013	19.95	DRY					
W-3	5/5/2014	19.95	---	---	---	3.61	16.34	
W-3	8/19/2014	19.95	---	---	DRY			
W-3	11/21/2014	19.95	---	---	---	4.59	15.36	
W-4	1/27/1993	18.03	---	---	---	4.43	13.60	
W-4	3/12/1993	18.03	---	---	---	7.43	10.60	---
W-4	4/14/1993	18.03	---	---	---	7.32	10.71	---
W-4	12/15/1993	18.03	---	---	---	6.59	11.44	---
W-4	11/4/1994	18.03	---	---	---	8.20	9.83	---
W-4	2/22/1995	18.03	---	---	---	7.17	10.86	---
W-4	6/16/1995	18.03	---	---	---	7.55	10.48	---
W-4	10/20/1995	18.03	---	---	---	7.67	10.36	---
W-4	4/4/1996	18.03	---	---	---	6.12	11.91	---
W-4	4/16/1996	18.03	---	---	---	5.74	12.29	---
W-4	5/10/1996	18.03	---	---	---	5.99	12.04	---
W-4	5/15/1996	18.03	---	---	---	5.67	12.36	---
W-4	5/22/1996	18.03	---	---	---	7.20	10.83	---
W-4	6/5/1996	18.03	---	---	---	7.41	10.62	---
W-4	6/24/1996	18.03	---	---	---	7.49	10.54	---
W-4	7/15/1996	18.03	---	---	---	7.73	10.30	---
W-4	1/3/1997	18.03	---	---	---	4.80	13.23	---
W-4	4/2/1997	18.03	---	---	---	7.37	10.66	---
W-4	5/1/1997	18.03	---	---	---	7.34	10.69	---
W-4	4/29/1998	18.03	---	---	---	6.84	11.19	---
W-4	7/30/1999	18.03	---	---	---	7.30	10.73	---
W-4	5/23/2001	18.03	---	---	0.03	7.71	10.34	---
W-4	6/4/2002	18.03	---	---	---	6.84	11.19	---
W-4	5/28/2003	18.03	---	---	sheen	7.68	10.35	---
W-4	6/15/2004	18.03	---	---	0.02	7.65	10.40	---
W-4	6/21/2005	18.03	---	---	---	6.78	11.25	---
W-4	6/5/2006	18.03	---	---	---	6.23	11.80	---
W-4	10/23/2006	18.03	---	---	---	7.67	10.36	---
W-4	3/14/2007	20.91	---	---	---	5.70	15.21	---
W-4	9/10/2007	20.91	---	---	---	8.20	12.71	---
W-4	11/28/2007	20.91	---	---	---	7.68	13.23	13.23
W-4	12/13/2007	20.91	---	---	---	7.40	13.51	13.51
W-4	1/21/2008	20.91	---	---	---	6.30	14.61	14.61
W-4	2/24/2008	20.91	---	---	---	6.81	14.10	14.10
W-4	3/24/2008	20.91	---	---	---	6.78	14.13	14.13
W-4	6/2/2008	20.91	---	---	---	7.69	13.22	---
W-4	8/25/2008	20.91	---	---	---	8.00	12.91	12.91
W-4	2/18/2009	20.91	---	---	Not Monitored			NM
W-4	8/25/2009	20.91	---	---	Not Monitored			NM
W-4	3/22/2010	20.91	---	---	---	5.89	15.02	15.02
W-4	8/23/2010	20.91	---	---	---	7.11	13.80	13.80
W-4	2/7/2011	20.91	---	---	---	6.01	14.90	---
W-4	5/27/2011	20.91	---	---	Not Monitored			
W-4	8/8/2011	20.91	---	---	---	7.81	13.1	---
W-4	11/14/2011	20.91	---	---	---	7.89	13.02	---
W-4	2/20/2012	20.91	---	---	---	7.90	13.01	---
W-4	8/22/2012	20.91	---	---	---	7.55	13.36	---
W-4	5/9/2013	20.91	---	---	---	7.86	13.05	---
W-4	5/5/2014	20.91	---	---	---	4.91	16.00	---
W-4	8/19/2014	20.91	---	---	---	7.85	13.06	---
B-1	1/27/1993	18.62	---	---	---	5.55	13.07	---
B-1	3/12/1993	18.62	---	---	---	6.64	11.98	---
B-1	4/14/1993	18.62	---	---	---	5.65	12.97	---
B-1	6/30/1993	18.62	---	---	---	6.81	11.81	---
B-1	12/15/1993	18.62	---	---	---	7.82	10.80	---
B-1	11/4/1994	18.62	---	---	---	8.80	9.82	---
B-1	2/22/1995	18.62	---	---	---	4.54	14.08	---
B-1	5/15/1995	18.62	---	---	---	6.25	12.37	---
B-1	6/16/1995	18.62	---	---	---	7.00	11.62	---
B-1	10/20/1995	18.62	---	---	---	7.75	10.87	---
B-1	4/4/1996	18.62	---	---	---	5.13	13.49	---
B-1	4/16/1996	18.62	---	---	---	4.93	13.69	---
B-1	5/10/1996	18.62	---	---	---	4.73	13.89	---
B-1	5/15/1996	18.62	---	---	---	4.73	13.89	---
B-1	5/22/1996	18.62	---	---	---	5.03	13.59	---
B-1	6/5/1996	18.62	---	---	---	5.88	12.74	---
B-1	6/24/1996	18.62	---	---	---	6.80	11.82	---
B-1	7/15/1996	18.62	---	---	---	7.48	11.14	---
B-1	1/3/1997	18.62	---	---	---	3.55	15.07	---
B-1	3/12/1997	18.62	---	---	---	4.62	14.00	---
B-1	4/2/1997	18.62	---	---	---	4.93	13.69	---
B-1	5/1/1997	18.62	---	---	---	5.52	13.10	---
B-1	8/19/1997	18.62	---	---	---	7.51	11.11	---
B-1	9/17/1997	18.62	---	---	---	6.80	11.82	---
B-1	5/1/1998	18.62	---	---	---	6.42	12.20	---
B-1	5/23/2000	18.62	---	---	---	6.53	12.09	---
B-1	5/24/2001	18.62	---	---	---	6.65	11.97	---
B-1	6/5/2002	18.62	---	---	---	6.52	12.10	---
B-1	5/29/2003	18.62	---	---	---	6.81	11.81	---
B-1	6/15/2004	18.62	---	---	---	7.43	11.19	---
B-1	6/20/2005	18.62	---	---	---	6.43	12.19	---
B-1	6/5/2006	18.62	---	---	---	6.13	12.49	---
B-1	10/23/2006	18.62	---	---	---	7.86	10.76	---
B-1	3/14/2007	21.61	---	---	---	5.00	16.61	---
B-1	9/10/2007	21.61	---	---	---	8.00	13.61	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
B-1	12/13/2007	21.61	---	---	---	5.97	15.64	15.64
B-1	1/21/2008	21.61	---	---	---	5.09	16.52	16.52
B-1	2/24/2008	21.61	---	---	---	5.63	15.98	15.98
B-1	3/24/2008	21.61	---	---	---	6.20	15.41	15.41
B-1	6/2/2008	21.61	---	---	---	7.17	14.44	---
B-1	8/25/2008	21.61	---	---	---	7.95	13.66	13.66
B-1	2/18/2009	21.61	---	---	Not Monitored	---	---	NM
B-1	8/25/2009	21.61	---	---	Not Monitored	---	---	NM
B-1	3/22/2010	21.61	---	---	---	5.09	16.52	16.52
B-1	8/23/2010	21.61	---	---	---	7.50	14.11	14.11
B-1	2/7/2011	21.61	---	---	---	5.00	16.61	---
B-1	5/27/2011	21.61	---	---	---	6.73	14.88	---
B-1	11/14/2011	21.61	---	---	---	7.58	14.03	---
B-1	2/20/2012	21.61	---	---	---	4.82	16.79	---
B-1	8/22/2012	21.61	---	---	---	7.50	14.11	---
B-1	11/5/2012	21.61	---	---	---	7.21	14.40	---
B-1	1/28/2013	21.61	---	---	---	4.93	16.68	---
B-1	5/9/2013	21.61	---	---	---	5.64	15.97	---
B-1	8/19/2013	21.61	---	---	---	7.96	13.65	---
B-1	11/25/2013	21.61	---	---	---	6.03	15.58	---
B-1	2/14/2014	21.61	---	---	---	5.45	16.16	---
B-1	5/5/2014	21.61	---	---	---	4.23	17.38	---
B-1	8/19/2014	21.61	---	---	---	7.75	13.86	---
B-1	11/21/2014	21.61	---	---	---	5.71	15.90	---
B-2	1/27/1993	18.60	---	---	1.08	6.20	13.21	---
B-2	3/12/1993	18.60	---	---	0.24	8.15	10.63	---
B-2	4/14/1993	18.60	---	---	1.25	8.82	10.72	---
B-2	6/30/1993	18.60	---	---	0.75	8.47	10.69	---
B-2	12/15/1993	18.60	---	---	0.21	8.62	10.14	---
B-2	2/8/1994	18.60	---	---	0.50	6.63	12.35	---
B-2	7/8/1994	18.60	---	---	---	8.95	9.65	---
B-2	8/12/1994	18.60	---	---	---	9.34	9.26	---
B-2	9/21/1994	18.60	---	---	0.10	9.70	8.98	---
B-2	11/4/1994	18.60	---	---	0.12	9.68	9.01	---
B-2	12/23/1994	18.60	---	---	---	5.18	13.42	---
B-2	2/3/1995	18.60	---	---	Not Monitored	---	---	---
B-2	2/22/1995	18.60	---	---	0.03	6.03	12.59	---
B-2	5/15/1995	18.60	---	---	0.04	6.46	12.17	---
B-2	6/16/1995	18.60	---	---	---	6.92	11.68	---
B-2	10/20/1995	18.60	---	---	---	8.10	10.50	---
B-2	4/4/1996	18.60	---	---	0.83	5.40	13.82	---
B-2	4/16/1996	18.60	---	---	---	4.80	13.80	---
B-2	5/10/1996	18.60	---	---	0.43	4.88	14.04	---
B-2	5/15/1996	18.60	---	---	0.42	4.85	14.07	---
B-2	5/22/1996	18.60	---	---	0.05	7.14	11.50	---
B-2	6/5/1996	18.60	---	---	---	5.62	12.98	---
B-2	6/24/1996	18.60	---	---	---	8.17	10.43	---
B-2	7/15/1996	18.60	---	---	---	8.65	9.95	---
B-2	8/23/1996	18.60	---	---	---	9.08	9.52	---
B-2	9/18/1996	18.60	---	---	---	9.33	9.27	---
B-2	1/3/1997	18.60	---	---	---	3.91	14.69	---
B-2	3/12/1997	18.60	---	---	---	7.05	11.55	---
B-2	4/2/1997	18.60	---	---	---	7.15	11.45	---
B-2	5/1/1997	18.60	---	---	---	7.49	11.11	---
B-2	7/8/1997	18.60	---	---	0.02	6.03	12.59	---
B-2	8/19/1997	18.60	---	---	---	8.43	10.17	---
B-2	8/26/1997	18.60	---	---	---	8.52	10.08	---
B-2	9/18/1997	18.60	---	---	---	7.70	10.90	---
B-2	4/29/1998	18.60	---	---	---	6.47	12.13	---
B-2	7/30/1999	18.60	---	---	---	7.00	11.60	---
B-2	5/23/2000	18.60	---	---	---	6.67	11.93	---
B-2	5/24/2001	18.60	---	---	0.14	8.24	10.47	---
B-2	6/5/2002	18.60	---	---	0.31	6.56	12.27	---
B-2	5/29/2003	18.60	---	---	---	7.75	10.85	---
B-2	6/15/2004	18.60	---	---	---	8.76	9.84	---
B-2	6/20/2005	18.60	---	---	0.29	6.34	12.48	---
B-2	6/5/2006	18.60	---	---	0.02	8.87	9.75	---
B-2	10/23/2006	18.60	---	---	---	8.15	10.45	---
B-2	3/14/2007	21.82	---	---	---	5.23	16.59	---
B-2	9/10/2007	21.82	---	---	---	9.31	12.51	---
B-2	11/28/2007	21.82	3.85	17.97	1.50	5.35	17.60	18.72
B-2	12/13/2007	21.82	4.16	17.66	3.37	7.53	16.82	19.35
B-2	1/21/2008	21.82	---	---	---	7.08	14.74	14.74
B-2	2/24/2008	21.82	---	---	---	6.48	15.34	15.34
B-2	3/24/2008	21.82	---	---	---	7.19	14.63	14.63
B-2	6/2/2008	21.82	---	---	---	8.47	13.35	---
B-2	8/25/2008	21.82	---	---	---	8.85	12.97	12.97
B-2	2/18/2009	21.82	---	---	Not Monitored	---	---	NM
B-2	8/25/2009	21.82	---	---	Not Monitored	---	---	NM
B-2	3/22/2010	21.82	---	---	---	5.29	16.53	16.53
B-2	8/23/2010	21.82	---	---	---	7.37	14.45	14.45
B-2	2/7/2011	21.82	---	---	---	6.27	15.55	---
B-2	5/27/2011	21.82	---	---	---	7.26	14.56	---
B-2	11/14/2011	21.82	---	---	---	8.71	13.11	---
B-2	2/20/2012	21.82	---	---	---	7.12	14.70	---
B-2	8/22/2012	21.82	---	---	---	7.68	14.14	---
B-2	11/5/2012	21.82	---	---	---	8.78	13.04	---
B-2	1/28/2013	21.82	---	---	---	5.08	16.74	---
B-2	5/9/2013	21.82	---	---	---	7.00	14.82	---
B-2	8/19/2013	21.82	---	---	---	9.02	12.80	---
B-2	11/25/2013	21.82	---	---	---	7.72	14.10	---
B-2	2/14/2014	21.82	---	---	---	7.12	14.70	---
B-2	5/5/2014	21.82	---	---	---	6.77	15.05	---
B-2	8/19/2014	21.82	---	---	---	9.21	12.61	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
B-2	11/21/2014	21.82	---	---	---	6.64	15.18	---
B-3	1/27/1993	18.73	---	---	4.64	10.18	12.03	---
B-3	3/12/1993	18.73	---	---	3.49	11.64	9.71	---
B-3	4/14/1993	18.73	---	---	2.64	10.75	9.96	---
B-3	6/30/1993	18.73	---	---	2.36	11.21	9.29	---
B-3	12/15/1993	18.73	---	---	0.68	11.05	8.19	---
B-3	2/8/1994	18.73	---	---	4.07	11.48	10.30	---
B-3	7/8/1994	18.73	---	---	2.37	11.58	8.93	---
B-3	8/12/1994	18.73	---	---	1.70	11.55	8.46	---
B-3	9/21/1994	18.73	---	---	0.82	11.60	7.75	---
B-3	11/4/1994	18.73	---	---	1.20	11.60	8.03	---
B-3	12/23/1994	18.73	---	---	6.00	11.95	11.28	---
B-3	2/3/1995	18.73	---	---	0.05	5.00	13.77	---
B-3	2/22/1995	18.73	---	---	8.63	13.68	11.52	---
B-3	3/24/1995	18.73	---	---	6.30	11.60	11.86	---
B-3	4/27/1995	18.73	---	---	3.70	9.90	11.61	---
B-3	5/15/1995	18.73	---	---	5.06	11.46	11.07	---
B-3	6/16/1995	18.73	---	---	4.53	11.48	10.65	---
B-3	8/25/1995	18.73	---	---	3.44	11.47	9.84	---
B-3	10/20/1995	18.73	---	---	0.55	9.91	9.23	---
B-3	4/4/1996	18.73	---	---	6.34	11.12	12.37	---
B-3	4/16/1996	18.73	---	---	5.28	10.04	12.65	---
B-3	5/10/1996	18.73	---	---	3.09	7.49	13.56	---
B-3	5/15/1996	18.73	---	---	2.52	6.93	13.69	---
B-3	5/22/1996	18.73	---	---	0.44	7.69	11.37	---
B-3	6/5/1996	18.73	---	---	1.54	9.31	10.58	---
B-3	6/24/1996	18.73	---	---	3.35	11.78	9.46	---
B-3	7/15/1996	18.73	---	---	2.77	11.59	9.22	---
B-3	8/23/1996	18.73	---	---	2.11	11.66	8.65	---
B-3	9/18/1996	18.73	---	---	1.96	11.63	8.57	---
B-3	1/3/1997	18.73	---	---	0.45	5.00	14.07	---
B-3	3/12/1997	18.73	---	---	0.61	8.15	11.04	---
B-3	4/2/1997	18.73	---	---	---	7.62	11.11	---
B-3	5/1/1997	18.73	---	---	1.20	7.93	11.70	---
B-3	7/8/1997	18.73	---	---	5.02	11.00	11.50	---
B-3	8/19/1997	18.73	---	---	2.52	11.12	9.50	---
B-3	8/26/1997	18.73	---	---	2.77	11.57	9.24	---
B-3	9/18/1997	18.73	---	---	0.37	10.28	8.73	---
B-3	4/30/1998	18.73	---	---	5.56	11.59	11.31	---
B-3	7/28/1999	18.73	---	---	4.77	11.63	10.68	---
B-3	5/23/2000	18.73	---	---	3.73	10.63	10.90	---
B-3	5/24/2001	18.73	---	---	2.00	10.81	9.42	---
B-3	6/5/2002	18.73	---	---	5.48	11.45	11.39	---
B-3	5/27/2003	18.73	---	---	3.55	11.42	9.97	---
B-3	6/15/2004	18.73	---	---	2.35	11.50	8.99	---
B-3	6/20/2005	18.73	---	---	3.52	9.30	12.07	---
B-3	6/5/2006	18.73	---	---	0.02	5.82	12.93	---
B-3	10/23/2006	18.73	---	---	0.91	9.05	10.36	---
B-3	3/14/2007	21.77	---	---	0.08	5.56	16.27	---
B-3	9/10/2007	21.77	---	---	0.08	10.21	11.62	---
B-3A	11/28/2007	21.77	---	---	---	8.60	13.17	13.17
B-3A	12/13/2007	21.77	---	---	---	7.96	13.81	13.81
B-3A	1/21/2008	21.77	---	---	---	7.09	14.68	14.68
B-3A	2/24/2008	21.77	---	---	---	6.69	15.08	15.08
B-3A	3/24/2008	21.77	---	---	---	7.38	14.39	14.39
B-3A	6/2/2008	21.85	---	---	---	8.62	13.23	---
B-3A	8/25/2008	21.85	---	---	---	8.93	12.92	12.92
B-3A	2/18/2009	21.85	---	---	Not Monitored	---	---	NM
B-3A	8/25/2009	21.85	---	---	Not Monitored	---	---	NM
B-3A	3/22/2010	21.85	---	---	---	5.31	16.54	16.54
B-3A	8/23/2010	21.85	7.31	14.54	0.23	7.54	14.48	14.66
B-3A	2/7/2011	21.85	---	---	---	6.56	15.29	---
B-3A	5/27/2011	21.85	---	---	---	7.75	14.10	---
B-3A	8/8/2011	21.85	---	---	---	8.61	13.24	---
B-3A	11/14/2011	21.85	---	---	---	8.87	12.98	---
B-3A	2/20/2012	21.85	---	---	---	7.69	14.16	---
B-3A	8/22/2012	21.85	---	---	---	7.79	14.06	---
B-3A	11/5/2012	21.85	---	---	---	9.07	12.78	---
B-3A	1/28/2013	21.85	---	---	---	5.31	16.54	---
B-3A	5/9/2013	21.85	---	---	---	7.54	14.31	---
B-3A	8/19/2013	21.85	9.08	12.77	0.03	9.11	12.76	---
B-3A	11/25/2013	21.85	---	---	---	8.04	13.81	---
B-3A	2/14/2014	21.85	---	---	---	7.67	14.18	---
B-3A	5/5/2014	21.85	---	---	---	7.41	14.44	---
B-3A	8/19/2014	21.85	---	---	---	9.51	12.34	---
B-3A	11/21/2014	21.85	---	---	---	6.79	15.06	---
B-3A	11/14/2016	21.85	---	---	---	5.55	16.30	---
B-3A	11/18/2016	---	---	---	---	---	---	---
B-3A	2/16/2017	21.85	---	---	---	4.43	17.42	---
B-3A	5/25/2017	21.85	---	---	---	5.23	16.62	---
B-3A	9/26/2017	21.85	---	---	---	8.69	13.16	---
B-3A	12/14/2017	21.85	---	---	---	4.97	16.88	---
B-3A	2/26/2018	21.85	---	---	---	5.05	16.80	---
B-3A	6/11/2018	21.85	---	---	---	7.05	14.80	---
B-3A	8/29/2018	21.85	---	---	---	8.58	13.27	---
B-3A	12/17/2018	21.85	---	---	---	5.50	16.35	---
B-4	1/27/1993	18.09	---	---	0.59	5.16	13.37	---
B-4	3/12/1993	18.09	---	---	0.03	7.48	10.63	---
B-4	4/14/1993	18.09	---	---	0.07	7.23	10.91	---
B-4	6/30/1993	18.09	---	---	---	7.20	10.89	---
B-4	12/15/1993	18.09	---	---	0.30	8.01	10.31	---
B-4	2/8/1994	18.09	---	---	0.78	6.29	12.39	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
B-4	7/8/1994	18.09	---	---	---	8.42	9.67	---
B-4	8/12/1994	18.09	---	---	---	8.79	9.30	---
B-4	9/21/1994	18.09	---	---	---	9.07	9.02	---
B-4	11/4/1994	18.09	---	---	---	8.94	9.15	---
B-4	12/23/1994	18.09	---	---	0.34	4.69	13.66	---
B-4	2/3/1995	18.09	---	---	0.90	5.00	13.77	---
B-4	2/22/1995	18.09	---	---	0.64	5.77	12.80	---
B-4	3/24/1995	18.09	---	---	0.90	6.09	12.68	---
B-4	4/27/1995	18.09	---	---	0.50	6.00	12.47	---
B-4	5/15/1995	18.09	---	---	0.44	6.24	12.18	---
B-4	6/16/1995	18.09	---	---	0.03	6.42	11.69	---
B-4	8/25/1995	18.09	---	---	---	7.14	10.95	---
B-4	10/20/1995	18.09	---	---	---	7.12	10.97	---
B-4	4/4/1996	18.09	---	---	---	5.03	13.06	---
B-4	4/16/1996	18.09	---	---	0.49	4.75	13.71	---
B-4	5/10/1996	18.09	---	---	0.92	4.71	14.07	---
B-4	5/15/1996	18.09	---	---	0.87	4.61	14.13	---
B-4	5/22/1996	18.09	---	---	0.68	7.10	11.50	---
B-4	6/5/1996	18.09	---	---	0.10	7.17	11.00	---
B-4	6/24/1996	18.09	---	---	---	7.67	10.42	---
B-4	7/15/1996	18.09	---	---	---	8.13	9.96	---
B-4	8/23/1996	18.09	---	---	---	8.59	9.50	---
B-4	9/18/1996	18.09	---	---	---	8.78	9.31	---
B-4	1/3/1997	18.09	---	---	1.61	4.46	14.84	---
B-4	3/12/1997	18.09	---	---	0.10	6.45	11.72	---
B-4	4/2/1997	18.09	---	---	0.01	6.54	11.56	---
B-4	5/1/1997	18.09	---	---	---	6.87	11.22	---
B-4	8/19/1997	18.09	---	---	---	7.87	10.22	---
B-4	8/26/1997	18.09	---	---	---	8.08	10.01	---
B-4	9/18/1997	18.09	---	---	---	7.40	10.69	---
B-4	4/30/1998	18.09	---	---	0.02	5.93	12.18	---
B-4	7/29/1999	18.09	---	---	---	6.42	11.67	---
B-4	5/23/2000	18.09	---	---	---	6.10	11.99	---
B-4	5/23/2001	18.09	---	---	---	7.46	10.63	---
B-4	6/5/2002	18.09	---	---	0.48	6.18	12.27	---
B-4	5/29/2003	18.09	---	---	sheen	7.10	10.99	---
B-4	6/15/2004	18.09	---	---	0.05	8.20	9.93	---
B-4	6/20/2005	18.09	---	---	0.48	5.95	12.50	---
B-4	6/5/2006	18.09	---	---	0.55	5.67	12.83	---
B-4	10/23/2006	18.09	---	---	0.04	7.60	10.52	---
B-4	3/14/2007	21.28	---	---	0.21	4.66	16.78	---
B-4	9/10/2007	21.28	---	---	---	8.78	12.50	---
B-4	11/28/2007	21.28	---	---	---	7.62	13.66	13.66
B-4	12/13/2007	21.28	---	---	---	6.82	14.46	14.46
B-4	1/21/2008	21.28	---	---	Not Monitored	---	---	---
B-4	2/24/2008	21.28	---	---	---	5.88	15.40	15.40
B-4	3/24/2008	21.28	---	---	---	6.52	14.76	14.76
B-4	6/2/2008	21.28	---	---	---	7.96	13.32	---
B-4	8/25/2008	21.28	---	---	---	8.35	12.93	12.93
B-4	2/18/2009	21.28	---	---	Not Monitored	---	---	NM
B-4	8/25/2009	21.28	---	---	Not Monitored	---	---	NM
B-4	3/22/2010	21.28	4.64	16.64	0.46	5.10	16.53	16.55
B-4	8/23/2010	21.28	6.79	14.49	0.46	7.25	14.38	14.72
B-4	2/7/2011	21.28	5.46	15.82	0.19	5.65	15.77	---
B-4	5/27/2011	21.28	6.72	14.56	0.09	6.81	14.47	---
B-4	2/20/2012	21.28	---	---	---	6.49	14.79	---
B-4	8/22/2012	21.28	---	---	---	7.14	14.14	---
B-4	11/5/2012	21.28	---	---	---	7.91	13.37	---
B-4	1/28/2013	21.28	---	---	---	4.71	16.57	---
B-4	5/9/2013	21.28	6.46	14.82	0.13	6.59	14.79	---
B-4	8/19/2013	21.28	---	---	---	8.51	12.77	---
B-4	11/25/2013	21.28	---	---	---	7.09	14.19	---
B-4	2/14/2014	21.28	---	---	---	6.53	14.75	---
B-4	5/5/2014	21.28	---	---	---	6.78	14.50	---
B-4	8/19/2014	21.28	---	---	---	8.66	12.62	---
B-4	11/21/2014	21.28	---	---	---	6.08	15.20	---
B-4	11/14/2016	21.28	---	---	---	4.52	16.76	---
B-4	11/17/2016	21.28	---	---	---	---	---	---
B-4	2/16/2017	21.28	3.28	18.00	0.80	4.08	17.84	---
B-4	5/24/2017	21.28	4.08	17.20	0.41	4.49	17.12	---
B-4	9/26/2017	21.28	---	---	---	8.22	13.06	---
B-4	12/14/2017	21.28	---	---	---	3.90	17.38	---
B-4	2/26/2018	21.28	---	---	---	4.34	16.94	---
B-4	6/11/2018	21.28	---	---	---	6.70	14.58	---
B-4	8/29/2018	21.28	---	---	---	8.27	13.01	---
B-4	12/17/2018	21.28	---	---	---	4.50	16.78	---
B-4	3/11/2019	21.28	---	---	---	4.59	16.69	---
B-4	6/12/2019	21.28	---	---	---	6.28	15.00	---
B-4	12/4/2019	21.28	---	---	---	5.24	16.04	---
B-4	2/24/2020	21.28	---	---	---	3.71	17.57	---
B-4	6/12/2020	21.28	---	---	---	5.35	15.93	---
B-5	1/27/1993	17.97	---	---	---	4.48	13.49	---
B-5	3/12/1993	17.97	---	---	---	7.98	9.99	---
B-5	4/14/1993	17.97	---	---	---	7.64	10.33	---
B-5	6/30/1993	17.97	---	---	---	7.03	10.94	---
B-5	12/15/1993	17.97	---	---	---	7.35	10.62	---
B-5	2/8/1994	17.97	---	---	0.03	5.40	12.59	---
B-5	7/8/1994	17.97	---	---	0.05	8.58	9.43	---
B-5	8/12/1994	17.97	---	---	0.01	8.78	9.20	---
B-5	9/21/1994	17.97	---	---	0.06	9.02	9.00	---
B-5	11/4/1994	17.97	---	---	0.07	8.96	9.06	---
B-5	12/23/1994	17.97	---	---	0.01	4.23	13.75	---
B-5	2/3/1995	17.97	---	---	0.04	4.30	13.70	---
B-5	2/22/1995	17.97	---	---	0.34	5.74	12.49	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
B-5	3/24/1995	17.97	---	---	0.78	5.93	12.63	---
B-5	4/27/1995	17.97	---	---	0.90	6.00	12.65	---
B-5	5/15/1995	17.97	---	---	0.90	6.30	12.35	---
B-5	6/16/1995	17.97	---	---	0.84	6.73	11.87	---
B-5	8/25/1995	17.97	---	---	0.07	6.87	11.15	---
B-5	10/20/1995	17.97	---	---	---	7.39	10.58	---
B-5	4/4/1996	17.97	---	---	---	4.24	13.73	---
B-5	4/16/1996	17.97	---	---	---	3.85	14.12	---
B-5	5/10/1996	17.97	---	---	---	3.63	14.34	---
B-5	5/15/1996	17.97	---	---	---	3.60	14.37	---
B-5	5/22/1996	17.97	---	---	---	7.46	10.51	---
B-5	6/5/1996	17.97	---	---	0.01	7.77	10.21	---
B-5	6/24/1996	17.97	---	---	---	7.57	10.40	---
B-5	7/15/1996	17.97	---	---	---	8.35	9.62	---
B-5	8/23/1996	17.97	---	---	---	8.62	9.35	---
B-5	9/18/1996	17.97	---	---	---	8.75	9.22	---
B-5	1/3/1997	17.97	---	---	---	2.95	15.02	---
B-5	3/12/1997	17.97	---	---	---	7.38	10.59	---
B-5	4/2/1997	17.97	---	---	---	7.43	10.54	---
B-5	5/1/1997	17.97	---	---	---	7.68	10.29	---
B-5	8/19/1997	17.97	---	---	---	7.56	10.41	---
B-5	8/26/1997	17.97	---	---	---	7.88	10.09	---
B-5	9/17/1997	17.97	---	---	---	7.53	10.44	---
B-5	4/29/1998	17.97	---	---	---	5.61	12.36	---
B-5	7/29/1999	17.97	---	---	---	6.09	11.88	---
B-5	5/23/2000	17.97	---	---	---	5.95	12.02	---
B-5	5/23/2001	17.97	---	---	---	7.95	10.02	---
B-5	6/5/2002	17.97	---	---	---	5.27	12.70	---
B-5	5/29/2003	17.97	---	---	sheen	6.82	11.15	---
B-5	6/15/2004	17.97	---	---	---	7.37	10.60	---
B-5	6/22/2005	17.97	---	---	---	5.29	12.68	---
B-5	6/5/2006	17.97	---	---	---	4.91	13.06	---
B-5	10/23/2006	17.97	---	---	---	7.24	10.73	---
B-5	3/14/2007	20.95	---	---	---	4.16	16.79	---
B-5	9/10/2007	20.95	---	---	---	8.77	12.18	---
B-5	11/28/2007	20.95	3.45	17.50	0.38	3.83	17.41	17.69
B-5	12/13/2007	20.94	---	---	---	7.56	13.38	13.38
B-5	1/21/2008	20.94	---	---	---	6.77	14.17	14.17
B-5	2/24/2008	20.94	---	---	---	5.56	15.38	15.38
B-5	3/24/2008	20.94	---	---	---	6.24	14.70	14.70
B-5	6/2/2008	20.95	---	---	---	8.21	12.74	---
B-5	8/25/2008	20.95	---	---	---	7.86	13.09	13.09
B-5	2/18/2009	20.95	---	---	Not Monitored	---	---	NM
B-5	8/25/2009	20.95	---	---	Not Monitored	---	---	NM
B-5	3/22/2010	20.95	---	---	---	4.25	16.70	16.70
B-5	8/23/2010	20.95	6.38	14.57	0.30	6.68	14.50	14.72
B-5	2/7/2011	20.95	---	---	---	5.41	15.54	---
B-5	5/27/2011	20.95	---	---	---	7.39	13.56	---
B-5	11/14/2011	20.95	---	---	---	8.15	12.80	---
B-5	2/20/2012	20.95	---	---	---	7.13	13.82	---
B-5	8/22/2012	20.95	---	---	---	6.80	14.15	---
B-5	11/5/2012	20.95	---	---	---	7.71	13.24	---
B-5	1/28/2013	20.95	---	---	---	4.03	16.92	---
B-5	5/9/2013	20.95	---	---	---	6.92	14.03	---
B-5	8/19/2013	20.95	8.57	12.38	0.01	8.58	12.38	---
B-5	11/25/2013	20.95	---	---	---	7.69	13.26	---
B-5	2/14/2014	20.95	---	---	---	6.97	13.98	---
B-5	5/5/2014	20.95	---	---	---	6.65	14.30	---
B-5	8/19/2014	20.95	---	---	---	8.67	12.28	---
B-5	11/21/2014	20.95	---	---	---	5.78	15.17	---
B-5	2/16/2017	20.95	2.93	18.02	0.03	2.96	18.01	---
B-6	1/27/1993	17.94	---	---	---	6.15	11.79	---
B-6	3/12/1993	17.94	---	---	---	7.86	10.08	---
B-6	4/14/1993	17.94	---	---	---	7.89	10.05	---
B-6	6/30/1993	17.94	---	---	---	7.26	10.68	---
B-6	12/15/1993	17.94	---	---	---	7.69	10.25	---
B-6	2/8/1994	17.94	---	---	---	5.61	12.33	---
B-6	7/8/1994	17.94	---	---	---	8.52	9.42	---
B-6	8/12/1994	17.94	---	---	0.76	9.38	9.13	---
B-6	9/21/1994	17.94	---	---	1.37	10.08	8.89	---
B-6	11/4/1994	17.94	---	---	1.76	10.48	8.78	---
B-6	12/23/1994	17.94	---	---	---	4.77	13.17	---
B-6	2/3/1995	17.94	---	---	0.05	4.79	13.19	---
B-6	2/22/1995	17.94	---	---	0.01	5.07	12.88	---
B-6	3/24/1995	17.94	---	---	0.77	6.97	11.55	---
B-6	4/27/1995	17.94	---	---	0.10	3.65	14.37	---
B-6	5/15/1995	17.94	---	---	0.46	6.10	12.19	---
B-6	6/16/1995	17.94	---	---	0.69	6.71	11.75	---
B-6	8/25/1995	17.94	---	---	0.37	7.20	11.02	---
B-6	10/20/1995	17.94	---	---	0.18	7.54	10.54	---
B-6	4/4/1996	17.94	---	---	1.46	5.79	13.25	---
B-6	4/16/1996	17.94	---	---	2.24	5.92	13.70	---
B-6	5/10/1996	17.94	---	---	2.20	5.64	13.95	---
B-6	5/15/1996	17.94	---	---	2.33	5.72	13.97	---
B-6	5/17/1996	17.94	---	---	Not Monitored	---	---	---
B-6	5/22/1996	17.94	---	---	---	7.34	10.60	---
B-6	6/5/1996	17.94	---	---	0.41	8.00	10.25	---
B-6	6/24/1996	17.94	---	---	0.25	8.20	9.93	---
B-6	7/15/1996	17.94	---	---	0.59	8.77	9.61	---
B-6	8/23/1996	17.94	---	---	0.92	9.34	9.29	---
B-6	9/18/1996	17.94	---	---	0.91	9.51	9.11	---
B-6	1/3/1997	17.94	---	---	---	3.71	14.23	---
B-6	3/12/1997	17.94	---	---	---	7.01	10.93	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
B-6	4/2/1997	17.94	---	---	---	7.56	10.38	---
B-6	5/1/1997	17.94	---	---	---	7.65	10.29	---
B-6	8/19/1997	17.94	---	---	---	7.81	10.13	---
B-6	9/17/1997	17.94	---	---	---	7.00	10.94	---
B-6	4/29/1998	17.94	---	---	---	5.89	12.05	---
B-6	7/29/1999	17.94	---	---	---	6.15	11.79	---
B-6	5/24/2001	17.94	---	---	---	8.05	9.89	---
B-6	6/5/2002	17.94	---	---	0.10	5.65	12.37	---
B-6	5/29/2003	17.94	---	---	---	7.08	10.86	---
B-6	6/15/2004	17.94	---	---	---	8.42	9.52	---
B-6	6/22/2005	17.94	---	---	---	5.44	12.50	---
B-6	6/5/2006	17.94	---	---	---	5.10	12.84	---
B-6	10/23/2006	17.94	---	---	---	7.34	10.60	---
B-6	3/14/2007	21.00	---	---	---	4.46	16.54	---
B-6	9/10/2007	21.00	---	---	---	8.76	12.24	---
B-6	11/28/2007	21.00	---	---	---	9.50	11.50	11.50
B-6	12/13/2007	21.00	---	---	---	1.79	19.21	19.21
B-6	1/21/2008	21.00	---	---	---	11.60	9.40	9.40
B-6	2/24/2008	21.00	---	---	---	5.78	15.22	15.22
B-6	3/24/2008	21.00	---	---	---	6.47	14.53	14.53
B-6	6/2/2008	21.00	---	---	---	7.99	13.01	---
B-6	8/25/2008	21.00	---	---	---	8.11	12.89	12.89
B-6	2/18/2009	21.00	---	---	Not Monitored	---	---	NM
B-6	8/25/2009	21.00	---	---	Not Monitored	---	---	NM
B-6	3/22/2010	21.00	---	---	---	4.31	16.69	16.69
B-6	8/23/2010	21.00	---	---	---	6.40	14.60	14.60
B-6	2/7/2011	21.00	---	---	---	5.60	15.40	---
B-6	5/27/2011	21.00	---	---	---	7.01	13.99	---
B-6	8/8/2011	21.00	---	---	---	6.24	14.76	---
B-6	11/14/2011	21.00	---	---	---	8.19	12.81	---
B-6	2/20/2012	21.00	---	---	---	7.34	13.66	---
B-6	8/22/2012	21.00	---	---	---	6.92	14.08	---
B-6	11/5/2012	21.00	---	---	---	7.90	13.10	---
B-6	1/28/2013	21.00	---	---	---	4.42	16.58	---
B-6	5/9/2013	21.00	---	---	---	7.26	13.74	---
B-6	8/19/2013	21.00	---	---	---	8.63	12.37	---
B-6	11/25/2013	21.00	---	---	---	7.69	13.31	---
B-6	2/14/2014	21.00	---	---	---	7.29	13.71	---
B-6	5/5/2014	21.00	---	---	---	7.16	13.84	---
B-6	8/19/2014	21.00	---	---	---	8.69	12.31	---
B-6	11/21/2014	21.00	---	---	---	5.96	15.04	---
B-6	11/14/2016	21.00	---	---	---	4.11	16.89	---
B-6	11/17/2016	21.00	---	---	---	---	---	---
B-6	2/16/2017	21.00	---	---	---	3.37	17.63	---
B-6	5/25/2017	21.00	---	---	---	4.38	16.62	---
B-6	9/26/2017	21.00	7.8	13.20	0.05	7.85	13.19	---
B-6	12/14/2017	21.00	---	---	---	4.26	16.74	---
B-6	2/26/2018	21.00	---	---	---	4.30	16.70	---
B-6	6/11/2018	21.00	---	---	---	---	---	---
B-6	8/29/2018	21.00	---	---	---	7.99	13.01	---
B-6	12/17/2018	21.00	---	---	---	4.59	16.41	---
B-6	3/11/2019	21.00	---	---	---	4.59	16.41	---
B-6	6/12/2019	21.00	---	---	---	6.13	14.87	---
B-6	12/4/2019	21.00	---	---	---	5.15	15.85	---
B-6	2/24/2020	21.00	---	---	---	3.96	17.04	---
B-6	6/12/2020	21.00	---	---	---	5.29	15.71	---
D-1	1/27/1993	18.03	---	---	---	5.53	12.50	---
D-1	3/12/1993	18.03	---	---	---	6.65	11.38	---
D-1	4/14/1993	18.03	---	---	---	5.84	12.19	---
D-1	12/15/1993	18.03	---	---	---	6.59	11.44	---
D-1	11/4/1994	18.03	---	---	---	7.55	10.48	---
D-1	2/22/1995	18.03	---	---	---	5.90	12.13	---
D-1	6/16/1995	18.03	---	---	---	6.86	11.17	---
D-1	10/20/1995	18.03	---	---	---	6.60	11.43	---
D-1	4/4/1996	18.03	---	---	---	6.44	11.59	---
D-1	4/16/1996	18.03	---	---	---	6.36	11.67	---
D-1	5/1/1997	18.03	---	---	---	6.06	11.97	---
D-1R	11/14/2011	20.13	---	---	---	8.66	11.47	---
D-1R	2/20/2012	20.13	---	---	---	7.31	12.82	---
D-1R	8/22/2012	20.13	---	---	---	9.49	10.64	---
D-1R	11/5/2012	20.13	---	---	---	7.77	12.36	---
D-1R	1/28/2013	20.13	---	---	---	7.78	12.35	---
D-1R	5/9/2013	20.13	---	---	---	8.33	11.80	---
D-1R	8/19/2013	20.13	---	---	---	10.28	9.85	---
D-1R	11/25/2013	20.13	---	---	---	7.91	12.22	---
D-1R	2/14/2014	20.13	---	---	---	7.25	12.88	---
D-1R	5/5/2014	20.13	---	---	---	6.46	13.67	---
D-1R	8/19/2014	20.13	---	---	---	8.99	11.14	---
D-1R	11/21/2014	20.13	---	---	---	7.61	12.52	---
D-1R	11/14/2016	20.13	---	---	---	7.22	12.91	---
D-1R	11/16/2016	---	---	---	---	---	---	---
D-1R	2/16/2017	20.13	---	---	---	6.68	13.45	---
D-1R	5/24/2017	20.13	---	---	---	7.61	12.52	---
D-1R	9/26/2017	20.13	---	---	---	9.56	10.57	---
D-1R	9/28/2017	---	---	---	---	---	---	---
D-1R	12/14/2017	20.13	---	---	---	7.31	12.82	---
D-1R	2/26/2018	20.13	---	---	---	7.45	12.68	---
D-1R	6/11/2018	20.13	---	---	---	8.86	11.27	---
D-1R	6/27/2018	20.13	---	---	---	9.21	10.92	---
D-1R	8/28/2018	20.13	---	---	---	10.02	10.11	---
D-1R	12/17/2018	20.13	---	---	---	7.24	12.89	---
D-1R	3/14/2019	20.13	---	---	---	7.70	12.43	---
D-1R	6/12/2019	20.13	---	---	---	8.92	11.21	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
D-1R	9/23/2019	20.13	---	---	---	8.01	12.12	---
D-1R	12/4/2019	20.13	---	---	---	7.93	12.20	---
D-1R	2/26/2020	20.13	---	---	---	7.32	12.81	---
D-1R	6/12/2020	20.13	---	---	---	7.93	12.20	---
D-4	11/4/1994	17.82	---	---	---	6.44	11.38	---
D-4	2/22/1995	17.82	---	---	---	3.95	13.87	---
D-4	6/16/1995	17.82	---	---	---	6.37	11.45	---
D-4	10/20/1995	17.82	---	---	---	6.10	11.72	---
D-4	4/4/1996	17.82	---	---	---	5.17	12.65	---
D-4	4/16/1996	17.82	---	---	---	5.40	12.42	---
D-4	4/30/1998	17.82	---	---	---	5.68	12.14	---
D-4	6/5/2002	17.82	---	---	Dry	---	---	---
D-4	5/27/2003	17.82	---	---	Dry	---	---	---
D-4	6/15/2004	17.82	---	---	Dry	---	---	---
D-4	6/21/2005	17.82	---	---	---	5.90	11.92	---
D-4	6/5/2006	17.82	---	---	---	4.77	13.05	---
D-4	10/23/2006	17.82	---	---	---	5.82	DRY	---
D-4	3/14/2007	21.09	---	---	---	5.30	15.79	---
D-4	9/10/2007	21.09	---	---	---	5.57	15.52	---
D-4	11/28/2007	21.09	---	---	---	4.10	16.99	16.99
D-4	12/13/2007	21.09	---	---	---	5.00	16.09	16.09
D-4	1/21/2008	21.09	---	---	---	6.00	15.09	15.09
D-4	2/24/2008	21.09	---	---	---	4.15	16.94	16.94
D-4	3/24/2008	21.09	---	---	---	3.47	17.62	17.62
D-4	6/2/2008	21.09	---	---	Dry	---	---	---
D-4	8/25/2008	21.09	---	---	---	2.89	18.20	18.20
D-4	2/18/2009	21.09	---	---	Not Monitored	---	---	NM
D-4	8/25/2009	21.09	---	---	Not Monitored	---	---	NM
D-4	3/22/2010	21.09	---	---	---	5.41	15.68	15.68
D-4	8/23/2010	21.09	---	---	---	5.75	15.34	15.34
D-4	2/7/2011	21.09	---	---	---	2.93	18.16	---
D-4	5/27/2011	21.09	---	---	---	4.87	16.22	---
D-4	8/8/2011	21.09	---	---	Dry	---	---	---
D-4	10/13/2011	21.09	---	---	Decommissioned Well and Replaced With D-4R	---	---	---
D-4R	11/14/2011	21.27	---	---	---	9.06	12.21	---
D-4R	2/20/2012	21.27	---	---	---	7.85	13.42	---
D-4R	8/22/2012	21.27	---	---	---	10.22	11.05	---
D-4R	11/5/2012	21.27	---	---	---	8.37	12.90	---
D-4R	1/28/2013	21.27	---	---	---	8.11	13.16	---
D-4R	5/9/2013	21.27	---	---	---	8.71	12.56	---
D-4R	8/19/2013	21.27	---	---	---	10.97	10.30	---
D-4R	11/25/2013	21.27	---	---	---	8.38	12.89	---
D-4R	2/14/2014	21.27	---	---	---	7.71	13.56	---
D-4R	5/5/2014	21.27	---	---	---	7.11	14.16	---
D-4R	8/19/2014	21.27	---	---	---	9.56	11.71	---
D-4R	11/21/2014	21.27	---	---	---	7.90	13.37	---
D-4R	11/14/2016	21.27	---	---	---	6.69	14.58	---
D-4R	11/16/2016	---	---	---	---	---	---	---
D-4R	2/16/2017	21.27	---	---	---	5.23	16.04	---
D-4R	5/24/2017	21.27	---	---	---	7.10	14.17	---
D-4R	9/26/2017	21.27	---	---	---	10.23	11.04	---
D-4R	9/27/2017	---	---	---	---	---	---	---
D-4R	12/13/2017	21.27	---	---	---	6.36	14.91	---
D-4R	2/26/2018	21.27	---	---	---	6.99	14.28	---
D-4R	6/11/2018	21.27	---	---	---	8.73	12.54	---
D-4R	6/27/2018	21.27	---	---	---	9.78	11.49	---
D-4R	8/29/2018	21.27	---	---	---	10.84	10.43	---
D-4R	12/17/2018	21.27	---	---	---	6.90	14.37	---
D-5	1/27/1993	18.12	---	---	---	5.51	12.61	---
D-5	4/14/1993	18.12	---	---	---	5.58	12.54	---
D-5	12/15/1993	18.12	---	---	---	6.55	11.57	---
D-5	11/4/1994	18.12	---	---	---	6.56	11.56	---
D-5	2/22/1995	18.12	---	---	---	4.10	14.02	---
D-5	6/16/1995	18.12	---	---	---	6.77	11.35	---
D-5	10/20/1995	18.12	---	---	---	6.55	11.57	---
D-5	4/4/1996	18.12	---	---	---	4.51	13.61	---
D-5	4/16/1996	18.12	---	---	---	4.94	13.18	---
D-5	5/1/1997	18.12	---	---	---	6.50	11.62	---
D-5	4/30/1998	18.12	---	---	---	6.61	11.51	---
D-5	5/27/2003	18.12	---	---	Dry	---	---	---
D-5	6/15/2004	18.12	---	---	Dry	---	---	---
D-5	6/21/2005	18.12	---	---	Dry	---	---	---
D-5	6/5/2006	18.12	---	---	---	6.51	11.61	---
D-5	10/23/2006	18.12	---	---	Dry	---	---	---
D-5	3/14/2007	21.33	---	---	Dry	---	---	---
D-5	9/10/2007	21.33	---	---	Dry	---	---	---
D-5	11/28/2007	21.33	---	---	---	6.74	14.59	14.59
D-5	12/13/2007	21.33	---	---	---	2.30	19.03	19.03
D-5	1/21/2008	21.33	---	---	Not Monitored	---	---	---
D-5	2/24/2008	21.33	---	---	---	6.23	15.10	15.10
D-5	3/24/2008	21.33	---	---	Dry	---	---	---
D-5	6/2/2008	21.33	---	---	Dry	---	---	---
D-5	8/25/2008	21.33	---	---	---	6.91	14.42	14.42
D-5	2/18/2009	21.33	---	---	Not Monitored	---	---	NM
D-5	8/25/2009	21.33	---	---	Not Monitored	---	---	NM
D-5	3/22/2010	21.33	---	---	Dry	---	---	---
D-5	8/23/2010	21.33	---	---	---	6.82	14.51	14.51
D-5	2/7/2011	21.33	---	---	---	6.90	14.43	---
D-5	5/27/2011	21.33	---	---	Not Monitored	---	---	---
D-5	8/8/2011	21.33	---	---	Dry	---	---	---
D-5	10/6/2011	21.33	---	---	Decommissioned Well and Replaced With D-5R	---	---	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
D-5R	11/14/2011	21.45	---	---	---	9.39	12.06	---
D-5R	2/20/2012	21.45	---	---	---	8.33	13.12	---
D-5R	8/22/2012	21.45	---	---	---	10.44	11.01	---
D-5R	11/5/2012	21.45	---	---	---	8.79	12.66	---
D-5R	1/28/2013	21.45	---	---	---	8.83	12.62	---
D-5R	5/9/2013	21.45	---	---	---	9.16	12.29	---
D-5R	8/19/2013	21.45	---	---	---	11.11	10.34	---
D-5R	11/25/2013	21.45	---	---	---	8.80	12.65	---
D-5R	2/14/2014	21.45	---	---	---	8.21	13.24	---
D-5R	5/5/2014	21.45	---	---	---	7.65	13.80	---
D-5R	8/19/2014	21.45	---	---	---	9.72	11.73	---
D-5R	11/21/2014	21.45	---	---	---	8.32	13.13	---
D-5R	11/14/2016	21.45	---	---	---	8.15	13.30	---
D-5R	11/17/2016	21.45	---	---	---	---	---	---
D-5R	11/17/2016	21.45	---	---	---	---	---	---
D-5R	2/16/2017	21.45	---	---	---	7.30	14.15	---
D-5R	5/24/2017	21.45	---	---	---	8.34	13.11	---
D-5R	9/26/2017	21.45	---	---	---	10.24	11.21	---
D-5R	9/27/2017	21.45	---	---	---	---	---	---
D-5R	12/13/2017	21.45	---	---	---	8.10	13.35	---
D-5R	2/26/2018	21.45	---	---	---	8.21	13.24	---
D-5R	6/11/2018	21.45	---	---	---	9.32	12.13	---
D-5R	6/27/2018	21.45	---	---	---	9.91	11.54	---
D-5R	8/29/2018	21.45	---	---	---	10.98	10.47	---
D-5R	12/17/2018	21.45	---	---	---	8.12	13.33	---
D-6	1/27/1993	17.74	---	---	1.00	5.54	12.95	---
D-6	3/12/1993	17.74	---	---	---	6.79	10.95	---
D-6	4/14/1993	17.74	---	---	---	5.68	12.06	---
D-6	6/30/1993	17.74	---	---	---	6.58	11.16	---
D-6	12/15/1993	17.74	---	---	---	7.14	10.60	---
D-6	2/8/1994	17.74	---	---	---	5.27	12.47	---
D-6	7/8/1994	17.74	---	---	---	7.43	10.31	---
D-6	12/23/1994	17.74	---	---	---	5.14	12.60	---
D-6	2/3/1995	17.74	---	---	---	4.34	13.40	---
D-6	2/22/1995	17.74	---	---	---	4.79	12.95	---
D-6	3/24/1995	17.74	---	---	---	4.55	13.19	---
D-6	4/27/1995	17.74	---	---	---	6.64	11.10	---
D-6	5/15/1995	17.74	---	---	---	5.19	12.55	---
D-6	6/16/1995	17.74	---	---	---	5.67	12.07	---
D-6	8/25/1995	17.74	---	---	---	6.42	11.32	---
D-6	10/20/1995	17.74	---	---	---	4.81	12.93	---
D-6	4/4/1996	17.74	---	---	---	1.58	16.16	---
D-6	4/16/1996	17.74	---	---	---	1.21	16.53	---
D-6	5/10/1996	17.74	---	---	---	3.50	14.24	---
D-6	5/15/1996	17.74	---	---	---	3.28	14.46	---
D-6	5/22/1996	17.74	---	---	---	5.59	12.15	---
D-6	6/5/1996	17.74	---	---	---	6.09	11.65	---
D-6	6/24/1996	17.74	---	---	---	6.55	11.19	---
D-6	7/15/1996	17.74	---	---	---	7.10	10.64	---
D-6	8/23/1996	17.74	---	---	---	7.73	10.01	---
D-6	9/18/1996	17.74	---	---	---	7.09	10.65	---
D-6	1/3/1997	17.74	---	---	---	2.77	14.97	---
D-6	3/12/1997	17.74	---	---	---	1.61	16.13	---
D-6	4/2/1997	17.74	---	---	---	5.97	11.77	---
D-6	5/1/1997	17.74	---	---	---	5.89	11.85	---
D-6	8/19/1997	17.74	---	---	---	7.28	10.46	---
D-6	9/17/1997	17.74	---	---	---	7.38	10.36	---
D-6	4/30/1998	17.74	---	---	---	5.49	12.25	---
D-6	5/23/2000	17.74	---	---	---	5.82	11.92	---
D-6	5/23/2001	17.74	---	---	---	6.92	10.82	---
D-6	6/5/2002	17.74	---	---	---	4.67	13.07	---
D-6	5/27/2003	17.74	---	---	---	6.72	11.02	---
D-6	6/15/2004	17.74	---	---	---	8.52	9.22	---
D-6	6/22/2005	17.74	---	---	---	4.67	13.07	---
D-6	6/5/2006	17.74	---	---	---	2.62	15.12	---
D-6	10/23/2006	17.74	---	---	---	6.95	10.79	---
D-6	3/14/2007	20.61	---	---	---	4.62	15.99	---
D-6	9/10/2007	20.61	---	---	---	7.92	12.69	---
D-6	11/28/2007	20.61	---	---	---	7.80	12.81	12.81
D-6	12/13/2007	20.61	---	---	---	6.26	14.35	14.35
D-6	1/21/2008	20.61	---	---	---	6.03	14.58	14.58
D-6	2/24/2008	20.61	---	---	---	5.93	14.68	14.68
D-6	3/24/2008	20.61	---	---	---	5.76	14.85	14.85
D-6	6/2/2008	20.61	---	---	---	6.75	13.86	---
D-6	8/25/2008	20.61	---	---	---	7.51	13.10	13.10
D-6	2/18/2009	20.61	---	---	Not Monitored	---	---	NM
D-6	8/25/2009	20.61	---	---	Not Monitored	---	---	NM
D-6	3/22/2010	20.61	---	---	---	3.85	16.76	16.76
D-6	8/23/2010	20.61	---	---	---	5.99	14.62	14.62
D-6	2/7/2011	20.61	---	---	---	3.50	17.11	---
D-6	5/27/2011	20.61	---	---	---	5.40	15.21	---
D-6	8/8/2011	20.61	---	---	---	7.05	13.56	---
D-6	11/14/2011	20.61	---	---	---	5.95	14.66	---
D-6	2/20/2012	20.61	---	---	---	5.60	15.01	---
D-6	8/22/2012	20.61	---	---	---	6.52	14.09	---
D-6	11/5/2012	20.61	---	---	---	7.26	13.35	---
D-6	5/9/2013	20.61	---	---	---	5.48	15.13	---
D-6	8/19/2013	20.61	---	---	---	7.64	12.97	---
D-6	11/25/2013	20.61	---	---	---	6.26	14.35	---
D-6	2/14/2014	20.61	---	---	---	6.22	14.39	---
D-6	5/5/2014	20.61	---	---	---	4.36	16.25	---
D-6	8/19/2014	20.61	---	---	---	7.69	12.92	---
D-6	11/21/2014	20.61	---	---	---	6.79	13.82	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
D-7	1/27/1993	17.69	---	---	---	5.07	12.62	---
D-7	3/12/1993	17.69	---	---	---	6.38	11.31	---
D-7	4/14/1993	17.69	---	---	---	6.38	11.31	---
D-7	12/15/1993	17.69	---	---	---	7.37	10.32	---
D-7	7/8/1994	17.69	---	---	---	7.14	10.55	---
D-7	8/12/1994	17.69	---	---	---	7.14	10.55	---
D-7	11/4/1994	17.69	---	---	---	7.94	9.75	---
D-7	12/23/1994	17.69	---	---	---	7.14	10.55	---
D-7	2/3/1995	17.69	---	---	---	4.59	13.10	---
D-7	2/22/1995	17.69	---	---	---	5.31	12.38	---
D-7	3/24/1995	17.69	---	---	---	5.35	12.34	---
D-7	4/27/1995	17.69	---	---	---	5.18	12.51	---
D-7	5/15/1995	17.69	---	---	---	5.50	12.19	---
D-7	6/16/1995	17.69	---	---	---	5.95	11.74	---
D-7	8/25/1995	17.69	---	---	---	6.59	11.10	---
D-7	10/20/1995	17.69	---	---	---	6.00	11.69	---
D-7	3/24/1996	17.69	---	---	---	5.35	12.34	---
D-7	4/4/1996	17.69	---	---	---	4.30	13.39	---
D-7	4/16/1996	17.69	---	---	---	4.01	13.68	---
D-7	4/2/1997	17.69	---	---	---	6.04	11.65	---
D-7	5/1/1997	17.69	---	---	---	6.30	11.39	---
D-7	4/30/1998	17.69	---	---	---	5.85	11.84	---
D-7	5/23/2000	17.69	---	---	---	6.11	11.58	---
D-7	5/23/2001	17.69	---	---	---	6.85	10.84	---
D-7	6/4/2002	17.69	---	---	---	5.51	12.18	---
D-7	5/27/2003	17.69	---	---	---	6.36	11.33	---
D-7	6/15/2004	17.69	---	---	---	7.24	10.45	---
D-7	6/22/2005	17.69	---	---	---	5.11	12.58	---
D-7	6/5/2006	17.69	---	---	---	4.74	12.95	---
D-7	10/23/2006	17.69	---	---	---	7.04	10.65	---
D-7	3/14/2007	20.49	---	---	---	3.83	16.66	---
D-7	9/10/2007	20.49	---	---	---	7.67	12.82	---
D-7	11/28/2007	20.49	---	---	---	6.92	13.57	13.57
D-7	12/13/2007	20.49	---	---	---	2.36	18.13	18.13
D-7	1/21/2008	20.49	---	---	---	9.97	10.52	10.52
D-7	2/24/2008	20.49	---	---	---	6.03	14.46	14.46
D-7	3/24/2008	20.49	---	---	Not Monitored	---	---	---
D-7	6/2/2008	20.49	---	---	---	6.25	14.24	---
D-7	8/25/2008	20.49	---	---	---	7.42	13.07	13.07
D-7	2/18/2009	20.49	---	---	Not Monitored	---	---	NM
D-7	8/25/2009	20.49	---	---	Not Monitored	---	---	NM
D-7	3/22/2010	20.49	---	---	---	4.41	16.08	16.08
D-7	8/23/2010	20.49	---	---	---	5.96	14.53	14.53
D-7	2/7/2011	20.49	---	---	---	5.36	15.13	---
D-7	5/27/2011	20.49	---	---	---	5.92	14.57	---
D-7	8/8/2011	20.49	---	---	---	6.85	13.64	---
D-7	11/14/2011	20.49	---	---	---	4.81	15.68	---
D-7	2/20/2012	20.49	---	---	---	5.04	15.45	---
D-7	8/22/2012	20.49	---	---	---	6.73	13.76	---
D-7	11/5/2012	20.49	---	---	---	7.06	13.43	---
D-7	1/28/2013	20.49	---	---	---	3.53	16.96	---
D-7	5/9/2013	20.49	---	---	---	5.85	14.64	---
D-7	8/19/2013	20.49	---	---	---	7.41	13.08	---
D-7	11/25/2013	20.49	---	---	---	6.18	14.31	---
D-7	2/14/2014	20.49	---	---	---	5.29	15.20	---
D-7	5/5/2014	20.49	---	---	---	4.56	15.93	---
D-7	8/19/2014	20.49	---	---	---	7.42	13.07	---
D-7	11/21/2014	20.49	---	---	---	5.30	15.19	---
DPE-1	11/15/2016	---	---	---	---	8.90	---	---
DPE-1	2/16/2017	---	---	---	---	7.73	---	---
DPE-1	5/24/2017	15.46	---	---	---	8.97	6.49	---
DPE-1	7/11/2017	---	---	---	---	11.01	---	---
DPE-1	9/26/2017	25.66	12.4	13.26	0.02	12.42	13.26	---
DPE-1	12/11/2017	25.66	---	---	---	6.88	18.78	---
DPE-1	2/26/2018	25.66	---	---	---	8.86	16.80	---
DPE-1	6/11/2018	25.66	---	---	---	10.67	14.99	---
DPE-1	12/17/2018	25.66	---	---	---	8.73	16.93	---
DPE-1	9/23/2019	25.66	---	---	---	10.96	14.70	---
DPE-2	11/15/2016	---	---	---	---	8.81	---	---
DPE-2	2/16/2017	---	---	---	---	8.14	---	---
DPE-2	5/24/2017	16.28	---	---	---	9.38	6.90	---
DPE-2	7/11/2017	---	---	---	---	11.39	---	---
DPE-2	9/26/2017	25.15	---	---	---	12.37	12.78	---
DPE-2	12/11/2017	25.15	---	---	---	6.21	18.94	---
DPE-2	2/26/2018	25.15	---	---	---	8.79	16.36	---
DPE-2	6/11/2018	25.15	---	---	---	10.77	14.38	---
DPE-2	12/17/2018	25.15	---	---	---	8.98	16.17	---
DPE-2	9/23/2019	25.15	---	---	---	10.73	14.42	---
DPE-3	11/15/2016	---	---	---	---	8.44	---	---
DPE-3	2/16/2017	---	7.95	---	6.26	14.21	---	---
DPE-3	5/15/2017	---	9.24	---	6.09	15.33	---	---
DPE-3	5/24/2017	28.42	8.84	19.58	0.34	9.18	19.51	---
DPE-3	7/11/2017	---	11.42	---	0.01	11.43	---	---
DPE-3	9/26/2017	25.16	13.25	11.91	0.22	13.47	11.87	---
DPE-3	12/11/2017	25.16	---	---	---	9.28	15.88	---
DPE-3	2/26/2018	25.16	11.29	13.87	0.05	11.34	13.86	---
DPE-3	6/11/2018	25.16	14.25	10.91	0.02	14.27	10.91	---
DPE-3	12/17/2018	25.16	---	---	---	9.66	15.50	---
DPE-3	9/23/2019	25.16	---	---	---	10.63	14.53	---
DPE-3	2/24/2020	25.16	---	---	---	8.89	16.27	---
DPE-4	11/15/2016	---	---	---	---	9.94	---	---
DPE-4	2/16/2017	---	---	---	---	8.91	---	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
DPE-4	5/24/2017	17.82	---	---	---	9.48	8.34	---
DPE-4	7/11/2017	---	---	---	---	11.22	---	---
DPE-4	9/26/2017	25.25	---	---	---	12.19	13.06	---
DPE-4	12/11/2017	25.25	---	---	---	7.57	17.68	---
DPE-4	2/26/2018	25.25	---	---	---	9.67	15.58	---
DPE-4	6/11/2018	25.25	---	---	---	10.96	14.29	---
DPE-4	12/17/2018	25.25	---	---	---	9.35	15.90	---
DPE-4	9/23/2019	25.25	---	---	---	10.53	14.72	---
DPE-5	11/15/2016	---	---	---	---	7.01	---	---
DPE-5	2/16/2017	---	---	---	---	8.64	---	---
DPE-5	5/24/2017	17.28	---	---	---	9.83	7.45	---
DPE-5	7/11/2017	---	---	---	---	12.66	---	---
DPE-5	9/26/2017	25.91	---	---	---	13.77	12.14	---
DPE-5	12/11/2017	25.91	---	---	---	7.90	18.01	---
DPE-5	2/26/2018	25.91	---	---	---	10.04	15.87	---
DPE-5	6/11/2018	25.91	---	---	---	12.40	13.51	---
DPE-5	12/17/2018	25.91	---	---	---	9.76	16.15	---
DPE-5	9/23/2019	25.91	---	---	---	12.03	13.88	---
DPE-6	7/11/2017	---	---	---	---	13.98	---	---
DPE-6	6/11/2018	---	---	---	---	13.12	---	---
DPE-6	9/23/2019	---	12.10	---	0.01	12.11	---	---
DPE-7	7/11/2017	---	13.97	---	0.39	14.36	---	---
DPE-7	6/11/2018	---	---	---	---	13.58	---	---
DPE-7	9/23/2019	---	---	---	---	13.01	---	---
DPE-8	7/11/2017	---	---	---	---	18.96	---	---
DPE-8	6/11/2018	---	15.72	---	0.04	15.76	---	---
DPE-8	9/23/2019	---	---	---	---	11.51	---	---
DPE-9	7/11/2017	---	---	---	---	18.39	---	---
DPE-9	6/11/2018	---	---	---	---	16.02	---	---
DPE-9	9/23/2019	---	---	---	---	12.91	---	---
DPE-10	7/11/2017	---	---	---	---	19.01	---	---
DPE-10	6/11/2018	---	---	---	---	16.19	---	---
DPE-10	12/17/2018	---	---	---	---	12.21	---	---
DPE-10	9/23/2019	---	---	---	---	13.00	---	---
DPE-11	11/15/2016	---	11.25	---	0.06	11.31	---	---
DPE-11	2/16/2017	---	11.21	---	0.35	11.56	---	---
DPE-11	5/24/2017	23.12	---	---	---	13.11	10.01	---
DPE-11	7/11/2017	---	---	---	---	12.84	---	---
DPE-11	9/26/2017	25.08	---	---	---	---	---	---
DPE-11	12/11/2017	25.08	---	---	---	10.27	14.81	---
DPE-11	2/26/2018	25.08	---	---	---	11.91	13.17	---
DPE-11	6/11/2018	25.08	---	---	---	17.97	7.11	---
DPE-11	12/17/2018	25.08	---	---	---	10.36	14.72	---
DPE-11	9/23/2019	25.08	---	---	---	12.46	12.62	---
DPE-12	11/15/2016	---	---	---	---	8.91	---	---
DPE-12	2/16/2017	---	7.71	---	0.02	7.73	---	---
DPE-12	5/24/2017	15.46	11.38	4.08	0.33	11.71	4.01	---
DPE-12	7/11/2017	---	---	---	---	10.47	---	---
DPE-12	9/26/2017	24.72	---	---	---	12.85	11.87	---
DPE-12	12/11/2017	24.72	---	---	---	6.15	18.57	---
DPE-12	2/26/2018	24.72	---	---	---	8.88	15.84	---
DPE-12	6/11/2018	24.72	---	---	---	11.01	13.71	---
DPE-12	12/17/2018	24.72	---	---	---	7.98	16.74	---
DPE-12	9/23/2019	24.72	---	---	---	10.23	14.49	---
DPE-13	11/15/2016	---	---	---	---	11.24	---	---
DPE-13	2/16/2017	---	---	---	---	11.28	---	---
DPE-13	5/24/2017	22.56	---	---	---	12.07	10.49	---
DPE-13	7/11/2017	---	---	---	---	13.51	---	---
DPE-13	9/26/2017	24.92	---	---	---	14.28	10.64	---
DPE-13	12/11/2017	24.92	---	---	---	9.69	15.23	---
DPE-13	2/26/2018	24.92	---	---	---	11.65	13.27	---
DPE-13	6/11/2018	24.92	---	---	---	11.40	13.52	---
DPE-13	12/17/2018	24.92	---	---	---	9.07	15.85	---
DPE-13	9/23/2019	24.92	---	---	---	10.68	14.24	---
DPE-14	11/15/2016	---	---	---	---	2.50	---	---
DPE-14	2/16/2017	---	---	---	---	2.56	---	---
DPE-14	5/24/2017	5.12	---	---	---	4.97	0.15	---
DPE-14	7/11/2017	---	---	---	---	7.60	---	---
DPE-14	9/26/2017	20.67	9.45	11.22	0.03	9.48	11.21	---
DPE-14	12/11/2017	20.67	---	---	---	4.77	15.90	---
DPE-14	2/26/2018	20.67	---	---	---	4.45	16.22	---
DPE-14	6/11/2018	20.67	---	---	---	7.06	13.61	---
DPE-14	12/17/2018	20.67	---	---	---	2.31	18.36	---
DPE-14	9/23/2019	20.67	---	---	---	8.93	11.74	---
DPE-15	11/15/2016	---	---	---	---	6.81	---	---
DPE-15	2/16/2017	---	7.04	---	0.04	7.08	---	---
DPE-15	5/24/2017	14.16	7.9	6.26	0.21	8.11	6.22	---
DPE-15	9/26/2017	20.62	9.92	10.7	0.24	10.16	10.65	---
DPE-15	12/11/2017	20.62	7.55	13.07	0.02	7.57	13.07	---
DPE-15	2/26/2018	20.62	7.17	13.45	0.07	7.24	13.38	---
DPE-15	6/11/2018	20.62	8.72	11.9	0.08	8.80	11.88	---
DPE-15	12/17/2018	20.62	---	---	---	7.13	13.49	---
DPE-15	9/23/2019	20.62	8.15	12.47	0.06	8.21	12.46	---
DPE-16	11/15/2016	---	---	---	---	6.84	---	---
DPE-16	2/16/2017	---	---	---	---	5.77	---	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
DPE-16	5/24/2017	11.54	---	---	---	6.81	4.73	---
DPE-16	7/11/2017	---	---	---	---	8.26	---	---
DPE-16	9/26/2017	20.44	---	---	---	8.57	11.87	---
DPE-16	12/11/2017	20.44	---	---	---	4.87	15.57	---
DPE-16	2/26/2018	20.44	---	---	---	4.77	15.67	---
DPE-16	6/11/2018	20.44	---	---	---	6.65	13.79	---
DPE-16	12/17/2018	20.44	---	---	---	5.08	15.36	---
DPE-16	9/23/2019	20.44	---	---	---	6.29	14.15	---
DPE-17	11/15/2016	---	---	---	---	6.71	---	---
DPE-17	2/16/2017	---	---	---	---	6.93	---	---
DPE-17	5/24/2017	13.86	---	---	---	7.86	6.00	---
DPE-17	7/11/2017	---	---	---	---	9.26	---	---
DPE-17	9/26/2017	20.43	---	---	---	9.79	10.64	---
DPE-17	12/11/2017	20.43	---	---	---	7.62	12.81	---
DPE-17	2/26/2018	20.43	---	---	---	7.70	12.73	---
DPE-17	6/11/2018	20.43	---	---	---	8.90	11.53	---
DPE-17	12/17/2018	20.43	---	---	---	7.56	12.87	---
DPE-17	9/23/2019	20.43	---	---	---	8.27	12.16	---
DPE-18	11/15/2016	---	---	---	---	6.30	---	---
DPE-18	2/16/2017	---	6.06	---	0.01	6.07	---	---
DPE-18	5/24/2017	12.14	---	---	---	7.53	4.61	---
DPE-18	9/26/2017	20.18	---	---	---	9.42	10.76	---
DPE-18	12/11/2017	20.18	---	---	---	6.69	13.49	---
DPE-18	2/26/2018	20.18	---	---	---	7.26	12.92	---
DPE-18	6/11/2018	20.18	---	---	---	9.38	10.80	---
DPE-18	12/17/2018	20.18	---	---	---	6.98	13.20	---
DPE-18	9/23/2019	20.18	---	---	---	7.85	12.33	---
DPE-19	11/15/2016	---	---	---	---	7.40	---	---
DPE-19	2/16/2017	---	---	---	---	6.74	---	---
DPE-19	5/24/2017	13.48	---	---	---	8.17	5.31	---
DPE-19	7/11/2017	---	---	---	---	9.62	---	---
DPE-19	9/26/2017	21.98	---	---	---	11.11	10.87	---
DPE-19	12/11/2017	21.98	---	---	---	7.60	14.38	---
DPE-19	2/26/2018	21.98	---	---	---	7.73	14.25	---
DPE-19	6/11/2018	21.98	---	---	---	9.36	12.62	---
DPE-19	12/17/2018	21.98	---	---	---	6.92	15.06	---
DPE-19	9/23/2019	21.98	---	---	---	8.60	13.38	---
DPE-20	11/15/2016	---	---	---	---	7.38	---	---
DPE-20	2/16/2017	---	---	---	---	7.12	---	---
DPE-20	5/24/2017	14.24	---	---	---	8.02	6.22	---
DPE-20	7/11/2017	---	---	---	---	9.40	---	---
DPE-20	9/26/2017	20.49	---	---	---	10.02	10.47	---
DPE-20	12/11/2017	20.49	---	---	---	7.68	12.81	---
DPE-20	2/26/2018	20.49	---	---	---	7.88	12.61	---
DPE-20	6/11/2018	20.49	---	---	---	9.06	11.43	---
DPE-20	12/17/2018	20.49	---	---	---	7.69	12.80	---
DPE-20	9/23/2019	20.49	---	---	---	8.43	12.06	---
DPE-21	7/11/2017	---	---	---	---	8.37	---	---
DPE-21	9/23/2019	---	---	---	---	5.07	---	---
DPE-22	7/11/2017	---	---	---	---	9.39	---	---
DPE-22	6/11/2018	---	---	---	---	9.12	---	---
DPE-22	9/23/2019	---	---	---	---	8.24	---	---
DPE-23	7/11/2017	---	9.93	---	0.01	9.94	---	---
DPE-23	6/11/2018	---	---	---	---	9.52	---	---
DPE-23	9/23/2019	---	---	---	---	8.88	---	---
DPE-24	7/11/2017	---	---	---	---	10.25	---	---
DPE-24	6/11/2018	---	---	---	---	9.80	---	---
DPE-24	9/23/2019	---	---	---	---	8.50	---	---
DPE-25	7/8/2016	---	8.71	---	3.31	12.02	---	---
DPE-25	5/30/2017	---	7.45	---	4.51	11.96	---	---
DPE-25	7/11/2017	---	7.9	---	3.49	11.39	---	---
DPE-25	12/11/2017	---	7.42	---	0.29	7.71	---	---
DPE-25	6/11/2018	---	8.58	---	2.32	10.90	---	---
DPE-25	3/11/2019	---	7.44	---	0.06	7.50	---	---
DPE-25	6/12/2019	---	6.48	---	0.15	6.63	---	---
DPE-25	9/23/2019	---	8.60	---	0.07	8.67	---	---
DPE-25	12/4/2019	---	7.14	---	0.07	7.21	---	---
DPE-25	2/24/2020	---	---	---	---	5.32	---	---
DPE-25	6/12/2020	---	7.12	---	0.39	7.51	---	---
DPE-26	7/8/2016	---	8.7	---	2.49	11.19	---	---
DPE-26	5/30/2017	---	7.42	---	4.44	11.86	---	---
DPE-26	7/11/2017	---	8.1	---	4.66	12.76	---	---
DPE-26	12/11/2017	---	5.08	---	8.03	13.11	---	---
DPE-26	6/11/2018	---	8.35	---	3.44	11.79	---	---
DPE-26	3/11/2019	---	7.46	---	1.2	8.66	---	---
DPE-26	6/12/2019	---	7.88	---	2.62	10.50	---	---
DPE-26	9/23/2019	---	8.07	---	1.85	9.92	---	---
DPE-26	12/4/2019	---	7.75	---	1.11	8.86	---	---
DPE-26	2/24/2020	---	6.27	---	1.45	7.72	---	---
DPE-26	6/12/2020	---	7.66	---	0.54	8.20	---	---
DPE-27	7/8/2016	---	8.89	---	1.72	10.61	---	---
DPE-27	7/11/2017	---	8.14	---	2.68	10.82	---	---
DPE-27	12/11/2017	---	5.28	---	5.02	10.30	---	---
DPE-27	6/11/2018	---	8.63	---	1.62	10.25	---	---
DPE-27	3/11/2019	---	7.30	---	2.04	9.34	---	---
DPE-27	6/12/2019	---	10.62	---	0.18	10.80	---	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
DPE-27	9/23/2019	---	---	---	---	8.44	---	---
DPE-27	12/4/2019	---	7.68	---	0.02	7.70	---	---
DPE-27	2/24/2020	---	7.04	---	0.07	7.11	---	---
DPE-27	6/12/2020	---	7.75	---	0.1	7.85	---	---
DPE-28	7/8/2016	---	8.79	---	1.41	10.20	---	---
DPE-28	7/11/2017	---	7.5	---	2.25	9.75	---	---
DPE-28	12/11/2017	---	4.94	---	0.31	5.25	---	---
DPE-28	6/11/2018	---	8.57	---	0.03	8.60	---	---
DPE-28	9/23/2019	---	---	---	---	8.04	---	---
DPE-28	12/4/2019	---	---	---	---	7.31	---	---
DPE-28	2/24/2020	---	---	---	---	6.36	---	---
DPE-28	6/12/2020	---	---	---	---	7.51	---	---
DPE-29	11/15/2016	---	---	---	---	6.34	---	---
DPE-29	2/16/2017	---	---	---	---	5.80	---	---
DPE-29	5/24/2017	11.60	---	---	---	7.42	4.18	---
DPE-29	7/11/2017	---	---	---	---	7.73	---	---
DPE-29	9/26/2017	20.93	---	---	---	7.33	13.60	---
DPE-29	12/11/2017	20.93	---	---	---	5.82	15.11	---
DPE-29	2/26/2018	20.93	---	---	---	8.31	12.62	---
DPE-29	6/11/2018	20.93	---	---	---	8.60	12.33	---
DPE-29	12/17/2018	20.93	---	---	---	7.41	13.52	---
DPE-29	9/23/2019	20.93	---	---	---	8.10	12.83	---
DPE-30	11/15/2016	---	---	---	---	8.51	---	---
DPE-30	2/16/2017	---	---	---	---	8.14	---	---
DPE-30	5/24/2017	16.28	---	---	---	9.22	7.06	---
DPE-30	7/11/2017	---	---	---	---	10.11	---	---
DPE-30	9/26/2017	22.67	---	---	---	11.53	11.14	---
DPE-30	12/11/2017	22.67	---	---	---	7.32	15.35	---
DPE-30	2/26/2018	22.67	---	---	---	9.34	13.33	---
DPE-30	6/11/2018	22.67	---	---	---	10.44	12.23	---
DPE-30	12/17/2018	22.67	---	---	---	9.40	13.27	---
DPE-30	9/23/2019	22.67	---	---	---	10.20	12.47	---
DPE-31	7/8/2016	---	9.99	---	0.11	10.10	---	---
DPE-31	7/11/2017	---	9.08	---	0.26	9.34	---	---
DPE-31	12/11/2017	---	---	---	---	5.82	---	---
DPE-31	6/11/2018	---	9.80	---	0.01	9.81	---	---
DPE-31	3/11/2019	---	---	---	---	8.20	---	---
DPE-31	12/4/2019	---	---	---	---	8.60	---	---
DPE-31	2/24/2020	---	---	---	---	6.95	---	---
DPE-31	6/12/2020	---	---	---	---	8.50	---	---
DPE-32	7/8/2016	---	9.32	---	2.29	11.61	---	---
DPE-32	5/30/2017	---	7.32	---	4.86	12.18	---	---
DPE-32	7/11/2017	---	8.21	---	4.7	12.91	---	---
DPE-32	12/11/2017	---	5.18	---	7.77	12.95	---	---
DPE-32	6/11/2018	---	9.18	---	2.02	11.20	---	---
DPE-32	3/11/2019	---	---	---	---	7.88	---	---
DPE-32	6/12/2019	---	8.66	---	2.58	11.24	---	---
DPE-32	9/23/2019	---	8.60	---	0.01	8.61	---	---
DPE-32	12/4/2019	---	8.12	---	2.86	10.98	---	---
DPE-32	2/24/2020	---	7.42	---	1.31	8.73	---	---
DPE-32	6/12/2020	---	8.17	---	0.78	8.95	---	---
DPE-33	11/15/2016	---	6.96	---	0.63	7.59	---	---
DPE-33	2/16/2017	---	6.64	---	0.45	7.09	---	---
DPE-33	5/24/2017	14.18	7.85	6.33	0.45	8.30	6.24	---
DPE-33	7/11/2017	---	9.25	---	0.43	9.68	---	---
DPE-33	9/26/2017	21.05	10.09	10.96	0.33	10.42	10.89	---
DPE-33	12/11/2017	21.05	5.55	15.5	0.05	5.60	15.49	---
DPE-33	2/26/2018	21.05	7.86	13.19	0.03	7.89	13.18	---
DPE-33	6/11/2018	21.05	9.16	11.89	0.04	9.20	11.88	---
DPE-33	12/17/2018	21.05	---	---	---	6.49	14.56	---
DPE-33	12/4/2019	21.05	---	---	---	8.35	12.70	---
DPE-33	2/24/2020	21.05	---	---	---	7.18	13.87	---
DPE-33	6/12/2020	21.05	---	---	---	8.41	12.64	---
DPE-34	11/15/2016	---	5.5	---	3.07	8.57	---	---
DPE-34	2/16/2017	---	4.43	---	4.5	8.93	---	---
DPE-34	5/16/2017	---	5.16	---	4.42	9.58	---	---
DPE-34	5/24/2017	17.86	5.69	12.17	4.15	9.84	8.02	---
DPE-34	7/11/2017	---	6.21	---	3.47	9.68	---	---
DPE-34	9/26/2017	20.62	8.72	11.9	0.54	9.26	11.79	---
DPE-34	12/11/2017	20.62	4.02	16.6	0.33	4.35	16.53	---
DPE-34	2/26/2018	20.62	6.14	14.48	0.28	6.42	14.42	---
DPE-34	6/11/2018	20.62	7.50	13.12	0.08	7.58	13.10	---
DPE-34	12/17/2018	20.62	---	---	---	5.68	14.94	---
DPE-34	12/4/2019	20.62	---	---	---	5.84	14.78	---
DPE-34	2/24/2020	20.62	---	---	---	5.04	15.58	---
DPE-34	6/12/2020	20.62	---	---	---	---	---	---
DPE-35	7/11/2016	---	8.82	---	2.48	11.30	---	---
DPE-35	5/30/2017	---	7.38	---	5.42	12.80	---	---
DPE-35	7/11/2017	---	7.93	---	5.56	13.49	---	---
DPE-35	12/11/2017	---	5.03	---	8.49	13.52	---	---
DPE-35	6/11/2018	---	8.60	---	2.92	11.52	---	---
DPE-35	3/11/2019	---	7.22	---	5.34	12.56	---	---
DPE-35	6/12/2019	---	8.43	---	4.75	13.18	---	---
DPE-35	9/23/2019	---	8.00	---	3.85	11.85	---	---
DPE-35	12/4/2019	---	8.20	---	0.31	8.51	---	---
DPE-35	2/24/2020	---	7.06	---	2.34	9.40	---	---
DPE-35	6/12/2020	---	7.87	---	1.88	9.75	---	---
DPE-36	7/11/2016	---	8.94	---	0.77	9.71	---	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
DPE-36	7/11/2017	---	7.69	---	1.69	9.38	---	---
DPE-36	12/11/2017	---	6.15	---	0.06	6.21	---	---
DPE-36	6/11/2018	---	---	---	---	8.66	---	---
DPE-36	3/11/2019	---	7.60	---	0.03	7.63	---	---
DPE-36	12/4/2019	---	---	---	---	7.82	---	---
DPE-36	2/24/2020	---	---	---	---	7.12	---	---
DPE-36	6/12/2020	---	7.79	---	0.02	7.81	---	---
DPE-37	11/15/2016	---	---	---	---	6.62	---	---
DPE-37	2/16/2017	---	---	---	---	6.06	---	---
DPE-37	5/24/2017	12.12	---	---	---	7.11	5.01	---
DPE-37	7/11/2017	---	---	---	---	7.74	---	---
DPE-37	9/26/2017	20.80	---	---	---	9.21	11.59	---
DPE-37	12/11/2017	20.80	---	---	---	3.45	17.35	---
DPE-37	2/26/2018	20.80	---	---	---	6.88	13.92	---
DPE-37	6/11/2018	20.80	---	---	---	8.40	12.40	---
DPE-37	12/17/2018	20.80	---	---	---	7.21	13.59	---
DPE-38	11/15/2016	---	4.65	---	1.7	6.35	---	---
DPE-38	2/16/2017	---	3.43	---	4.17	7.60	---	---
DPE-38	5/16/2017	---	3.69	---	5.66	9.35	---	---
DPE-38	5/24/2017	15.20	4.79	10.41	0.01	4.80	10.41	---
DPE-38	7/11/2017	---	---	---	---	5.32	---	---
DPE-38	9/26/2017	20.28	---	---	---	7.09	13.19	---
DPE-38	12/11/2017	20.28	---	---	---	2.87	17.41	---
DPE-38	2/26/2018	20.28	---	---	---	5.41	14.87	---
DPE-38	6/11/2018	20.28	---	---	---	6.57	13.71	---
DPE-38	12/17/2018	20.28	---	---	---	4.73	15.55	---
DPE-38	12/4/2019	20.28	---	---	---	5.62	14.66	---
DPE-38	2/24/2020	20.28	---	---	---	5.05	15.23	---
DPE-38	6/12/2020	20.28	---	---	---	---	---	---
DPE-39	11/15/2016	---	6.46	---	3.89	10.35	---	---
DPE-39	2/16/2017	---	6	---	5.99	11.99	---	---
DPE-39	5/16/2017	---	6.45	---	5.6	12.05	---	---
DPE-39	5/24/2017	23.98	6.74	17.24	7.36	7.36	14.10	15.77
DPE-39	7/11/2017	---	7.75	---	6.57	14.32	---	---
DPE-39	9/26/2017	20.96	9.82	11.14	2.22	12.04	10.70	---
DPE-39	12/11/2017	20.96	4.85	16.11	8.59	13.44	14.39	---
DPE-39	2/26/2018	20.96	7.06	13.9	5.81	12.87	12.74	---
DPE-39	6/11/2018	20.96	8.66	12.3	3.53	12.19	11.59	---
DPE-39	12/17/2018	20.96	7.30	13.66	3.66	10.96	12.93	---
DPE-39	3/11/2019	20.96	7.31	13.65	6	13.31	12.45	---
DPE-39	6/12/2019	21.69	7.37	14.32	5.03	12.40	13.31	---
DPE-39	9/23/2019	20.96	8.48	12.48	0.65	9.13	12.35	---
DPE-39	12/4/2019	20.96	7.95	13.01	1.67	9.62	12.68	---
DPE-39	2/24/2020	20.96	7.13	13.83	2.86	9.99	13.26	---
DPE-39	6/12/2020	20.96	8.07	12.89	1.58	9.65	12.57	---
DPE-40	7/11/2016	---	8.75	---	1.7	10.45	---	---
DPE-40	7/11/2017	---	7.57	---	3.37	10.94	---	---
DPE-40	12/11/2017	---	4.82	---	6.89	11.71	---	---
DPE-40	6/11/2018	---	8.46	---	1.94	10.40	---	---
DPE-40	3/11/2019	---	7.41	---	3.37	10.78	---	---
DPE-40	6/12/2019	---	8.33	---	4.77	13.10	---	---
DPE-40	9/23/2019	---	8.00	---	1.65	9.65	---	---
DPE-40	12/4/2019	---	7.95	---	0.28	8.23	---	---
DPE-40	2/24/2020	---	6.62	---	3.42	10.04	---	---
DPE-40	6/12/2020	---	7.71	---	1.34	9.05	---	---
DPE-41	7/11/2016	---	9.29	---	1.42	10.71	---	---
DPE-41	7/11/2017	---	7.93	---	3.25	11.18	---	---
DPE-41	12/11/2017	---	5.37	---	6.61	11.98	---	---
DPE-41	6/11/2018	---	8.84	---	2.08	10.92	---	---
DPE-41	3/11/2019	---	7.60	---	3.43	11.03	---	---
DPE-41	6/12/2019	---	8.30	---	3.32	11.62	---	---
DPE-41	9/23/2019	---	8.32	---	2.02	10.34	---	---
DPE-41	12/4/2019	---	8.21	---	0.33	8.54	---	---
DPE-41	2/24/2020	---	7.58	---	0.02	7.60	---	---
DPE-41	6/12/2020	---	8.30	---	0.06	8.36	---	---
DPE-42	11/15/2016	---	---	---	---	5.81	---	---
DPE-42	2/16/2017	---	---	---	---	5.00	---	---
DPE-42	5/24/2017	10.00	---	---	---	6.58	3.42	---
DPE-42	7/11/2017	---	---	---	---	8.78	---	---
DPE-42	9/26/2017	20.94	---	---	---	9.30	11.64	---
DPE-42	12/11/2017	20.94	---	---	---	5.27	15.67	---
DPE-42	2/26/2018	20.94	---	---	---	7.32	13.62	---
DPE-42	6/11/2018	20.94	---	---	---	8.69	12.25	---
DPE-42	12/17/2018	20.94	---	---	---	6.55	14.39	---
DPE-43	11/15/2016	---	5.07	---	2.68	7.75	---	---
DPE-43	2/16/2017	---	4.23	---	4.35	8.58	---	---
DPE-43	5/16/2017	---	4.57	---	5.96	10.53	---	---
DPE-43	5/24/2017	17.16	5.73	11.43	0.63	6.36	11.30	---
DPE-43	7/11/2017	---	6.84	---	0.02	6.86	---	---
DPE-43	9/26/2017	21.15	8.2	12.95	0.07	8.27	12.88	---
DPE-43	12/11/2017	21.15	---	---	---	3.12	18.03	---
DPE-43	2/26/2018	21.15	4.62	16.53	0.06	4.68	16.52	---
DPE-43	6/11/2018	21.15	6.67	14.48	0.13	6.80	14.45	---
DPE-43	12/17/2018	21.15	---	---	---	4.86	16.29	---
DPE-43	12/4/2019	21.15	5.60	15.55	0.38	5.98	15.47	---
DPE-43	2/24/2020	21.15	4.07	17.08	0.25	4.32	17.03	---
DPE-43	6/12/2020	21.15	5.71	15.44	0.42	6.13	15.36	---
DPE-44	7/11/2017	---	---	---	---	6.60	---	---
DPE-44	12/11/2017	---	---	---	---	5.55	---	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
DPE-44	6/11/2018	---	---	---	---	6.12	---	---
DPE-45	11/15/2016	---	6.65	---	0.37	7.02	---	---
DPE-45	2/16/2017	---	6.54	---	0.54	7.08	---	---
DPE-45	5/24/2017	14.16	7.41	6.75	0.79	8.20	6.59	---
DPE-45	7/11/2017	---	8.89	---	0.82	9.71	---	---
DPE-45	9/26/2017	21.10	9.95	11.15	0.68	10.63	11.01	---
DPE-45	12/11/2017	21.10	6.91	14.19	0.25	7.16	14.14	---
DPE-45	2/26/2018	21.10	7.36	13.74	0.6	7.96	13.60	---
DPE-45	6/11/2018	21.10	8.70	12.4	0.43	9.13	12.31	---
DPE-45	12/17/2018	21.10	6.90	14.2	0.31	7.21	14.14	---
DPE-45	12/4/2019	21.10	7.56	13.54	0.36	7.92	13.47	---
DPE-45	2/24/2020	21.10	6.36	14.74	0.35	6.71	14.67	---
DPE-45	6/12/2020	21.10	7.43	13.67	0.35	7.78	13.60	---
DPE-46	7/8/2016	---	9.25	---	9.95	19.20	---	---
DPE-46	5/16/2017	---	7.33	---	6.22	13.55	---	---
DPE-46	7/11/2017	---	9.02	---	1.18	10.20	---	---
DPE-46	12/11/2017	---	5.71	---	0.55	6.26	---	---
DPE-46	6/11/2018	---	---	---	---	9.36	---	---
DPE-46	12/4/2019	---	---	---	---	8.49	---	---
DPE-46	2/24/2020	---	5.70	---	0.03	5.73	---	---
DPE-46	6/12/2020	---	8.38	---	0.01	8.39	---	---
DPE-47	11/15/2016	---	---	---	---	4.75	---	---
DPE-47	2/16/2017	---	---	---	---	3.57	---	---
DPE-47	5/24/2017	7.14	---	---	---	4.68	2.46	---
DPE-47	7/11/2017	---	---	---	---	6.06	---	---
DPE-47	9/26/2017	21.06	---	---	---	7.93	13.13	---
DPE-47	12/11/2017	21.06	---	---	---	3.47	17.59	---
DPE-47	2/26/2018	21.06	---	---	---	4.68	16.38	---
DPE-47	6/11/2018	21.06	---	---	---	6.31	14.75	---
DPE-47	12/17/2018	21.06	---	---	---	4.84	16.22	---
DPE-48	7/8/2016	---	10.3	---	1.45	11.75	---	---
DPE-48	7/11/2017	---	9.96	---	2.19	12.15	---	---
DPE-48	12/11/2017	---	---	---	---	7.42	---	---
DPE-48	6/11/2018	---	---	---	---	10.16	---	---
DPE-48	12/4/2019	---	---	---	---	9.28	---	---
DPE-48	2/24/2020	---	---	---	---	8.60	---	---
DPE-48	6/12/2020	---	---	---	---	9.42	---	---
DPE-49	7/8/2016	---	9.4	---	3.14	12.54	---	---
DPE-49	5/16/2017	---	7.58	---	3.47	11.05	---	---
DPE-49	7/11/2017	---	8.5	---	3.88	12.38	---	---
DPE-49	12/11/2017	---	5.78	---	7.74	13.52	---	---
DPE-49	6/11/2018	---	9.08	---	2.62	11.70	---	---
DPE-49	3/11/2019	---	7.45	---	6.55	14.00	---	---
DPE-49	6/12/2019	---	8.12	---	2.68	10.80	---	---
DPE-49	9/23/2019	---	8.68	---	1.52	10.20	---	---
DPE-49	12/4/2019	---	8.58	---	0.64	9.22	---	---
DPE-49	2/24/2020	---	7.80	---	1.2	9.00	---	---
DPE-49	6/12/2020	---	8.54	---	1.01	9.55	---	---
DPE-50	7/8/2016	---	10.38	---	0.92	11.30	---	---
DPE-50	7/11/2017	---	---	---	---	9.87	---	---
DPE-50	12/11/2017	---	7.31	---	0.02	7.33	---	---
DPE-50	6/11/2018	---	---	---	---	10.26	---	---
DPE-50	12/4/2019	---	---	---	---	9.19	---	---
DPE-50	2/24/2020	---	---	---	---	7.98	---	---
DPE-50	6/12/2020	---	---	---	---	8.98	---	---
DPE-51	7/8/2016	---	10.4	---	0.18	10.58	---	---
DPE-51	7/11/2017	---	9.46	---	0.24	9.70	---	---
DPE-51	6/11/2018	---	10.76	---	0.04	10.80	---	---
DPE-51	12/4/2019	---	---	---	---	9.80	---	---
DPE-51	2/24/2020	---	---	---	---	6.92	---	---
DPE-51	6/12/2020	---	---	---	---	9.25	---	---
DPE-52	7/8/2016	---	9.65	---	2.8	12.45	---	---
DPE-52	5/15/2017	---	7.96	---	3.62	11.58	---	---
DPE-52	7/11/2017	---	9.13	---	0.07	9.20	---	---
DPE-52	12/11/2017	---	6.98	---	0.02	7.00	---	---
DPE-52	6/11/2018	---	10.19	---	0.14	10.33	---	---
DPE-52	12/4/2019	---	8.92	---	0.26	9.18	---	---
DPE-52	2/24/2020	---	8.21	---	0.23	8.44	---	---
DPE-52	6/12/2020	---	8.90	---	0.6	9.50	---	---
DPE-53	11/15/2016	---	---	---	---	7.19	---	---
DPE-53	2/16/2017	---	---	---	---	6.76	---	---
DPE-53	5/24/2017	13.52	---	---	---	7.97	5.55	---
DPE-53	7/11/2017	---	---	---	---	8.37	---	---
DPE-53	9/26/2017	21.15	---	---	---	10.14	11.01	---
DPE-53	12/11/2017	21.15	---	---	---	6.07	15.08	---
DPE-53	2/26/2018	21.15	---	---	---	7.75	13.40	---
DPE-53	6/11/2018	21.15	---	---	---	8.95	12.20	---
DPE-53	12/17/2018	21.15	---	---	---	7.68	13.47	---
DPE-54	7/11/2016	---	9.86	---	2.33	12.19	---	---
DPE-54	5/30/2017	---	8	---	6.03	14.03	---	---
DPE-54	7/11/2017	---	8.86	---	2.87	11.73	---	---
DPE-54	12/11/2017	---	6.94	---	1.88	8.82	---	---
DPE-54	6/11/2018	---	9.92	---	0.09	10.01	---	---
DPE-54	3/11/2019	---	8.89	---	0.13	9.02	---	---
DPE-54	12/4/2019	---	9.11	---	0.15	9.26	---	---
DPE-54	2/24/2020	---	8.11	---	1.06	9.17	---	---
DPE-54	6/12/2020	---	---	---	---	9.16	---	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
DPE-55	11/15/2016	---	---	---	---	6.13	---	---
DPE-55	2/16/2017	---	---	---	---	4.67	---	---
DPE-55	5/24/2017	9.34	---	---	---	7.78	1.56	---
DPE-55	7/11/2017	---	---	---	---	9.75	---	---
DPE-55	9/26/2017	21.62	---	---	---	10.91	10.71	---
DPE-55	12/11/2017	21.62	---	---	---	6.73	14.89	---
DPE-55	2/26/2018	21.62	---	---	---	7.13	14.49	---
DPE-55	6/11/2018	21.62	---	---	---	9.18	12.44	---
DPE-56	7/11/2016	---	9.81	---	3.19	13.00	---	---
DPE-56	5/15/2017	---	7.98	---	5.19	13.17	---	---
DPE-56	7/11/2017	---	9.44	---	0.59	10.03	---	---
DPE-56	12/11/2017	---	7.37	---	0.39	7.76	---	---
DPE-56	6/11/2018	---	10.15	---	0.17	10.32	---	---
DPE-56	12/4/2019	---	8.58	---	3.47	12.05	---	---
DPE-56	2/24/2020	---	8.55	---	0.27	8.82	---	---
DPE-56	6/12/2020	---	9.21	---	0.15	9.36	---	---
DPE-57	11/15/2016	---	6.94	---	2.78	9.72	---	---
DPE-57	2/16/2017	---	6.65	---	3.17	9.82	---	---
DPE-57	5/15/2017	---	7.6	---	3.2	10.80	---	---
DPE-57	5/24/2017	19.64	8.3	11.34	1.38	9.68	11.06	---
DPE-57	7/11/2017	---	---	---	---	8.87	---	---
DPE-57	9/26/2017	21.46	10.01	11.45	0.35	10.36	11.38	---
DPE-57	12/11/2017	21.46	6.48	14.98	0.25	6.73	14.93	---
DPE-57	2/26/2018	21.46	8.19	13.27	0.47	8.66	13.18	---
DPE-57	6/11/2018	21.46	9.40	12.06	0.31	9.71	12.00	---
DPE-57	12/4/2019	21.46	8.49	12.97	0.77	9.26	12.82	---
DPE-57	2/24/2020	21.46	7.77	13.69	0.83	8.60	13.52	---
DPE-57	6/12/2020	21.54	8.43	13.11	0.87	9.30	12.94	---
HA-1	1/27/1993	19.50	---	---	---	5.94	13.56	---
HA-1	3/12/1993	19.50	---	---	---	8.54	10.96	---
HA-1	4/14/1993	19.50	---	---	---	6.47	13.03	---
HA-1	12/15/1993	19.50	---	---	---	5.54	13.96	---
HA-1	11/4/1994	19.50	---	---	---	10.30	9.20	---
HA-1	2/22/1995	19.50	---	---	---	5.11	14.39	---
HA-1	6/16/1995	19.50	---	---	---	8.33	11.17	---
HA-1	10/20/1995	19.50	---	---	---	5.48	14.02	---
HA-1	4/4/1996	19.50	---	---	---	5.81	13.69	---
HA-1	4/16/1996	19.50	---	---	---	5.78	13.72	---
HA-1	5/1/1997	19.50	---	---	---	5.59	13.91	---
HA-1	9/17/1997	19.50	---	---	---	5.50	14.00	---
HA-1	4/29/1998	19.50	---	---	---	5.83	13.67	---
HA-1	5/24/2000	19.50	---	---	---	6.20	13.30	---
HA-1	5/23/2001	19.50	---	---	---	6.30	13.20	---
HA-1	6/4/2002	19.50	---	---	---	6.40	13.10	---
HA-1	5/28/2003	19.50	---	---	---	6.45	13.05	---
HA-1	6/15/2004	19.50	---	---	---	5.80	13.70	---
HA-1	6/22/2005	19.50	---	---	---	5.77	13.73	---
HA-1	6/5/2006	19.50	---	---	---	5.00	14.50	---
HA-1	10/23/2006	19.50	---	---	---	5.97	13.53	---
HA-1	3/14/2007	20.76	---	---	---	3.42	17.34	---
HA-1	9/10/2007	20.76	---	---	---	4.46	16.30	---
HA-1	11/28/2007	20.76	---	---	---	7.32	13.44	13.44
HA-1	12/13/2007	20.76	---	---	---	3.83	16.93	16.93
HA-1	1/21/2008	20.76	---	---	---	3.87	16.89	16.89
HA-1	2/24/2008	20.76	---	---	---	4.46	16.30	16.30
HA-1	3/24/2008	20.76	---	---	---	3.06	17.70	17.70
HA-1	6/2/2008	20.76	---	---	---	4.83	15.93	---
HA-1	8/25/2008	20.76	---	---	---	3.33	17.43	17.43
HA-1	2/18/2009	20.76	---	---	Not Monitored	---	---	NM
HA-1	8/25/2009	20.76	---	---	Not Monitored	---	---	NM
HA-1	3/22/2010	20.76	---	---	---	3.94	16.82	16.82
HA-1	8/23/2010	20.76	---	---	---	6.68	14.08	14.08
HA-1	2/7/2011	20.76	---	---	---	3.88	16.88	---
HA-1	5/27/2011	20.76	---	---	---	3.76	17.00	---
HA-1	8/8/2011	20.76	---	---	---	6.10	14.66	---
HA-1	11/14/2011	20.76	---	---	---	4.01	16.75	---
HA-1	2/20/2012	20.76	---	---	---	3.01	17.75	---
HA-1	8/22/2012	20.76	---	---	---	7.42	13.34	---
HA-1	11/5/2012	20.76	---	---	---	2.98	17.78	---
HA-1	1/28/2013	20.76	---	---	---	3.17	17.59	---
HA-1	5/9/2013	20.76	---	---	---	4.37	16.39	---
HA-1	8/19/2013	20.76	---	---	---	7.83	12.93	---
HA-1	11/25/2013	20.76	---	---	---	3.61	17.15	---
HA-1	2/14/2014	20.76	---	---	---	2.12	18.64	---
HA-1	5/5/2014	20.76	---	---	---	3.24	17.52	---
HA-1	8/19/2014	---	---	---	Decommissioned Well	---	---	---
HA-2	1/27/1993	18.17	---	---	---	5.80	12.37	---
HA-2	4/14/1993	18.17	---	---	---	7.12	11.05	---
HA-2	12/15/1993	18.17	---	---	---	7.84	10.33	---
HA-2	11/4/1994	18.17	---	---	---	8.45	9.72	---
HA-2	2/22/1995	18.17	---	---	---	6.39	11.78	---
HA-2	6/16/1995	18.17	---	---	---	7.03	11.14	---
HA-2	10/20/1995	18.17	---	---	---	7.29	10.88	---
HA-2	4/4/1996	18.17	---	---	---	5.43	12.74	---
HA-2	4/16/1996	18.17	---	---	---	5.17	13.00	---
HA-2	4/2/1997	18.17	---	---	---	6.80	11.37	---
HA-2	5/1/1997	18.17	---	---	---	6.98	11.19	---
HA-2	9/18/1997	18.17	---	---	---	7.34	10.83	---
HA-2	4/30/1998	18.17	---	---	---	6.74	11.43	---
HA-2	7/30/1999	18.17	---	---	---	7.03	11.14	---
HA-2	5/23/2000	18.17	---	---	---	6.94	11.23	---
HA-2	5/23/2001	18.17	---	---	---	7.50	10.67	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-2	6/4/2002	18.17	---	---	---	6.45	11.72	---
HA-2	5/27/2003	18.17	---	---	sheen	7.40	10.77	---
HA-2	6/16/2004	18.17	---	---	---	7.84	10.33	---
HA-2	6/21/2005	18.17	---	---	---	6.41	11.76	---
HA-2	6/5/2006	18.17	---	---	---	6.22	11.95	---
HA-2	10/23/2006	18.17	---	---	---	7.84	10.33	---
HA-2	3/14/2007	21.09	---	---	---	5.69	15.40	---
HA-2	9/10/2007	21.09	---	---	---	7.89	13.20	---
HA-2	11/28/2007	21.09	---	---	---	7.53	13.56	13.56
HA-2	12/13/2007	21.09	6.95	14.14	0.36	7.31	14.05	14.32
HA-2	1/21/2008	21.09	---	---	---	6.35	14.74	14.74
HA-2	2/24/2008	21.09	---	---	---	6.31	14.78	14.78
HA-2	3/24/2008	21.09	---	---	---	6.65	14.44	14.44
HA-2	6/2/2008	21.09	---	---	---	7.12	13.97	---
HA-2	8/25/2008	21.09	---	---	---	7.77	13.32	13.32
HA-2	2/18/2009	21.09	---	---	Not Monitored			NM
HA-2	8/25/2009	21.09	---	---	Not Monitored			NM
HA-2	3/22/2010	21.09	---	---	---	5.93	15.16	15.16
HA-2	8/23/2010	21.09	---	---	---	6.61	14.48	14.48
HA-2	2/7/2011	21.09	---	---	---	6.20	14.89	---
HA-2	5/27/2011	21.09	---	---	---	6.35	14.74	---
HA-2	8/8/2011	21.09	---	---	---	7.22	13.87	---
HA-2	11/14/2011	21.09	---	---	---	7.70	13.39	---
HA-2	2/20/2012	21.09	---	---	---	6.10	14.99	---
HA-2	8/22/2012	21.09	---	---	---	7.29	13.80	---
HA-2	11/5/2012	21.09	---	---	---	7.37	13.72	---
HA-2	1/28/2013	21.09	---	---	---	5.42	15.67	---
HA-2	5/9/2013	21.09	---	---	---	6.54	14.55	---
HA-2	8/19/2013	21.09	---	---	---	7.66	13.43	---
HA-2	11/25/2013	21.09	---	---	---	4.56	16.53	---
HA-2	2/14/2014	21.09	---	---	---	6.25	14.84	---
HA-2	5/5/2014	21.09	---	---	---	5.04	16.05	---
HA-2	8/19/2014				Decommissioned Well			
HA-3	1/27/1993	21.03	---	---	---	8.65	12.38	---
HA-3	3/12/1993	21.03	---	---	---	9.01	12.02	---
HA-3	4/14/1993	21.03	---	---	---	8.61	12.42	---
HA-3	12/15/1993	21.03	---	---	---	9.22	11.81	---
HA-3	11/4/1994	21.03	---	---	---	10.26	10.77	---
HA-3	2/22/1995	21.03	---	---	---	8.35	12.68	---
HA-3	6/16/1995	21.03	---	---	---	9.31	11.72	---
HA-3	10/20/1995	21.03	---	---	---	9.46	11.57	---
HA-3	4/4/1996	21.03	---	---	---	7.95	13.08	---
HA-3	4/16/1996	21.03	---	---	---	8.10	12.93	---
HA-3	4/2/1997	21.03	---	---	---	6.70	14.33	---
HA-3	5/1/1997	21.03	---	---	---	8.44	12.59	---
HA-3	9/18/1997	21.03	---	---	---	9.34	11.69	---
HA-3	4/30/1998	21.03	---	---	---	9.20	11.83	---
HA-3	5/23/2000	21.03	---	---	---	9.25	11.78	---
HA-3	5/23/2001	21.03	---	---	---	9.18	11.85	---
HA-3	6/4/2002	21.03	---	---	---	9.07	11.96	---
HA-3	5/27/2003	21.03	---	---	---	9.30	11.73	---
HA-3	6/22/2005	21.03	---	---	---	8.94	12.09	---
HA-3	6/5/2006	21.03	---	---	---	8.91	12.12	---
HA-3	10/23/2006	21.03	---	---	---	9.66	11.37	---
HA-3	3/14/2007	21.09	---	---	---	5.42	15.67	---
HA-3	9/10/2007	21.09	---	---	---	6.70	14.39	---
HA-3	11/28/2007	21.09	---	---	---	6.91	14.18	14.18
HA-3	12/13/2007	21.09	5.90	15.19	0.90	6.80	14.97	15.64
HA-3	1/21/2008	21.09	---	---	---	5.96	15.13	15.13
HA-3	2/24/2008	21.09	---	---	---	5.77	15.32	15.32
HA-3	3/24/2008	21.09	---	---	---	6.07	15.02	15.02
HA-3	6/2/2008	21.09	---	---	---	6.36	14.73	---
HA-3	8/25/2008	21.09	---	---	---	6.30	14.79	14.79
HA-3	2/18/2009	21.09	---	---	Not Monitored			NM
HA-3	8/25/2009	21.09	---	---	Not Monitored			NM
HA-3	3/22/2010	21.09	---	---	---	5.44	15.65	16.65
HA-3	8/23/2010	21.09	---	---	---	6.34	14.75	14.75
HA-3	2/7/2011	21.09	---	---	---	5.31	15.78	---
HA-3	5/27/2011	21.09	---	---	---	5.67	15.42	---
HA-3	8/8/2011	21.09	---	---	---	6.45	14.64	---
HA-3	11/14/2011	21.09	---	---	---	6.33	14.76	---
HA-3	2/20/2012	21.09	---	---	---	5.20	15.89	---
HA-3	8/22/2012	21.09	---	---	---	6.56	14.53	---
HA-3	11/5/2012	21.09	---	---	---	5.41	15.68	---
HA-3	1/28/2013	21.09	---	---	---	5.47	15.62	---
HA-3	5/9/2013	21.09	---	---	---	5.97	15.12	---
HA-3	8/19/2013	21.09	---	---	---	6.60	14.49	---
HA-3	11/25/2013	21.09	---	---	---	4.07	17.02	---
HA-3	2/14/2014	21.09	---	---	---	4.68	16.41	---
HA-3	5/5/2014	21.09	---	---	---	4.66	16.43	---
HA-3	8/19/2014				Decommissioned Well			
HA-4	1/27/1993	20.24	---	---	---	7.68	12.56	---
HA-4	3/12/1993	20.24	---	---	---	8.56	11.68	---
HA-4	4/14/1993	20.24	---	---	---	8.02	12.22	---
HA-4	12/15/1993	20.24	---	---	---	8.41	11.83	---
HA-4	11/4/1994	20.24	---	---	---	10.14	10.10	---
HA-4	2/22/1995	20.24	---	---	---	7.09	13.15	---
HA-4	6/16/1995	20.24	---	---	---	8.78	11.46	---
HA-4	10/20/1995	20.24	---	---	---	8.54	11.70	---
HA-4	4/4/1996	20.24	---	---	---	7.68	12.56	---
HA-4	4/16/1996	20.24	---	---	---	7.11	13.13	---
HA-4	4/2/1997	20.24	---	---	---	8.00	12.24	---
HA-4	5/1/1997	20.24	---	---	---	5.49	14.75	---
HA-4	9/18/1997	20.24	---	---	---	7.70	12.54	---
HA-4	4/30/1998	20.24	---	---	---	8.67	11.57	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-4	5/23/2000	20.24	---	---	---	7.35	12.89	---
HA-4	5/23/2001	20.24	---	---	---	8.95	11.29	---
HA-4	6/4/2002	20.24	---	---	---	6.45	13.79	---
HA-4	5/27/2003	20.24	---	---	---	8.64	11.60	---
HA-4	6/16/2004	20.24	---	---	---	8.67	11.57	---
HA-4	6/22/2005	20.24	---	---	---	8.58	11.66	---
HA-4	6/5/2006	20.24	---	---	---	8.04	12.20	---
HA-4	10/23/2006	20.24	---	---	---	9.00	11.24	---
HA-4	3/14/2007	21.05	---	---	---	5.06	15.99	---
HA-4	9/10/2007	21.05	---	---	---	6.77	14.28	---
HA-4	11/28/2007	21.05	---	---	---	5.42	15.63	15.63
HA-4	12/13/2007	21.05	---	---	---	6.20	14.85	14.85
HA-4	1/21/2008	21.05	---	---	---	5.08	15.97	15.97
HA-4	2/24/2008	21.05	---	---	---	5.78	15.27	15.27
HA-4	3/24/2008	21.05	---	---	---	5.15	15.90	15.90
HA-4	6/2/2008	21.05	---	---	---	6.37	14.68	---
HA-4	8/25/2008	21.05	---	---	---	4.15	16.90	16.90
HA-4	2/18/2009	21.05	---	---	Not Monitored	---	---	NM
HA-4	8/25/2009	21.05	---	---	Not Monitored	---	---	NM
HA-4	3/22/2010	21.05	---	---	---	5.69	15.36	15.36
HA-4	8/23/2010	21.05	---	---	---	6.75	14.30	14.30
HA-4	2/7/2011	21.05	---	---	---	5.17	15.88	---
HA-4	5/27/2011	21.05	---	---	---	5.61	15.44	---
HA-4	8/8/2011	21.05	---	---	---	6.63	14.42	---
HA-4	11/14/2011	21.05	---	---	---	4.71	16.34	---
HA-4	2/20/2012	21.05	---	---	---	4.90	16.15	---
HA-4	8/22/2012	21.05	---	---	---	10.72	10.33	---
HA-4	11/5/2012	21.05	---	---	---	3.98	17.07	---
HA-4	1/28/2013	21.05	---	---	---	3.54	17.51	---
HA-4	5/9/2013	21.05	---	---	---	6.08	14.97	---
HA-4	8/19/2013	21.05	---	---	---	6.88	14.17	---
HA-4	11/25/2013	21.05	---	---	---	5.83	15.22	---
HA-4	2/14/2014	21.05	---	---	---	3.65	17.40	---
HA-4	5/5/2014	21.05	---	---	---	4.84	16.21	---
HA-4	8/19/2014				Decommissioned Well			
HA-5	1/27/1993	18.07	---	---	---	4.50	13.57	---
HA-5	3/12/1993	18.07	---	---	---	6.22	11.85	---
HA-5	4/14/1993	18.07	---	---	---	5.13	12.94	---
HA-5	12/15/1993	18.07	---	---	---	6.39	11.68	---
HA-5	11/4/1994	18.07	---	---	---	7.86	10.21	---
HA-5	2/22/1995	18.07	---	---	---	3.67	14.40	---
HA-5	6/16/1995	18.07	---	---	---	6.70	11.37	---
HA-5	10/20/1995	18.07	---	---	---	6.41	11.66	---
HA-5	4/4/1996	18.07	---	---	---	4.88	13.19	---
HA-5	4/16/1996	18.07	---	---	---	4.91	13.16	---
HA-5	5/1/1997	18.07	---	---	---	5.04	13.03	---
HA-5	9/18/1997	18.07	---	---	---	5.90	12.17	---
HA-5	5/1/1998	18.07	---	---	---	5.98	12.09	---
HA-5	7/29/1999	18.07	---	---	---	6.53	11.54	---
HA-5	5/23/2000	18.07	---	---	---	6.22	11.85	---
HA-5	5/22/2001	18.07	---	---	---	6.09	11.98	---
HA-5	6/5/2002	18.07	---	---	---	6.08	11.99	---
HA-5	11/24/2002	21.13	---	---	---	6.80	14.33	14.33
HA-5	1/17/2003	21.13	4.37	16.76	0.00	4.37	16.76	16.76
HA-5	1/20/2003	21.13	---	---	---	4.58	16.55	16.55
HA-5	1/31/2003	21.13	---	---	---	4.49	16.64	16.64
HA-5	2/7/2003	21.13	---	---	---	4.46	16.67	16.67
HA-5	2/12/2003	21.13	---	---	---	4.93	16.20	16.20
HA-5	2/18/2003	21.13	---	---	---	5.30	15.83	15.83
HA-5	2/21/2003	21.13	---	---	---	5.14	15.99	15.99
HA-5	2/24/2003	21.13	---	---	---	5.23	15.90	15.90
HA-5	3/4/2003	21.13	---	---	---	5.55	15.58	15.58
HA-5	3/12/2003	21.13	---	---	---	5.24	15.89	15.89
HA-5	3/14/2003	21.13	5.25	15.88	0.01	5.26	15.88	15.89
HA-5	3/26/2003	21.13	---	---	---	4.41	16.72	16.72
HA-5	3/28/2003	21.13	---	---	---	4.98	16.15	16.15
HA-5	4/2/2003	21.13	---	---	---	5.00	16.13	16.13
HA-5	4/4/2003	21.13	---	---	---	5.44	15.69	15.69
HA-5	4/8/2003	21.13	---	---	---	5.49	15.64	15.64
HA-5	4/11/2003	21.13	---	---	---	5.53	15.60	15.60
HA-5	4/15/2003	21.13	---	---	---	5.06	16.07	16.07
HA-5	4/17/2003	21.13	---	---	---	5.70	15.43	15.43
HA-5	4/22/2003	21.13	---	---	---	5.54	15.59	15.59
HA-5	4/25/2003	21.13	---	---	---	5.92	15.21	15.21
HA-5	5/2/2003	21.13	---	---	---	5.98	15.15	15.15
HA-5	5/6/2003	21.13	---	---	---	6.02	15.11	15.11
HA-5	5/9/2003	21.13	---	---	---	6.34	14.79	14.79
HA-5	5/23/2003	21.13	---	---	---	6.95	14.18	14.18
HA-5	5/28/2003	21.13	---	---	---	6.85	14.28	14.28
HA-5	6/13/2003	21.13	---	---	---	7.22	13.91	13.91
HA-5	6/18/2003	21.13	---	---	---	7.16	13.97	13.97
HA-5	6/27/2003	21.13	---	---	---	7.14	13.99	13.99
HA-5	7/7/2003	21.13	---	---	---	7.47	13.66	13.66
HA-5	7/16/2003	21.13	---	---	---	7.57	13.56	13.56
HA-5	7/31/2003	21.13	7.82	13.31	0.01	7.83	13.31	13.32
HA-5	8/5/2003	21.13	---	---	---	7.90	13.23	13.23
HA-5	8/11/2003	21.13	---	---	---	9.01	12.12	12.12
HA-5	8/22/2003	21.13	9.24	11.89	0.01	9.25	11.89	11.90
HA-5	8/26/2003	21.13	---	---	---	8.19	12.94	12.94
HA-5	9/2/2003	21.13	---	---	---	8.48	12.65	12.65
HA-5	9/9/2003	21.13	---	---	---	8.93	12.20	12.20
HA-5	9/19/2003	21.13	8.80	12.33	0.01	8.81	12.33	12.34
HA-5	10/14/2003	21.13	---	---	Not Monitored	---	---	---
HA-5	11/20/2003	21.13	---	---	Not Monitored	---	---	---
HA-5	12/3/2003	21.13	---	---	---	4.44	16.69	16.69
HA-5	1/19/2004	21.13	---	---	---	3.99	17.14	17.14

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-5	2/24/2004	21.13	---	---	---	5.26	15.87	15.87
HA-5	3/15/2004	21.13	---	---	---	6.11	15.02	15.02
HA-5	4/19/2004	21.13	---	---	---	6.62	14.51	14.51
HA-5	5/17/2004	21.13	---	---	---	7.15	13.98	13.98
HA-5	6/16/2004	21.13	---	---	---	7.01	14.12	---
HA-5	6/22/2004	21.13	---	---	---	6.98	14.15	14.15
HA-5	8/18/2004	21.13	8.10	13.03	0.01	8.11	13.03	13.04
HA-5	9/21/2004	21.13	---	---	---	6.97	14.16	14.16
HA-5	10/19/2004	21.13	---	---	---	6.28	14.85	14.85
HA-5	11/23/2004	21.13	---	---	---	6.52	14.61	14.61
HA-5	12/21/2004	21.13	---	---	---	4.56	16.57	16.57
HA-5	1/13/2005	21.13	---	---	---	5.84	15.29	15.29
HA-5	4/28/2005	21.13	---	---	---	4.88	16.25	16.25
HA-5	6/1/2005	21.13	---	---	---	5.17	15.96	15.96
HA-5	6/20/2005	21.13	---	---	---	5.82	15.31	---
HA-5	6/29/2005	21.13	---	---	---	6.59	14.54	14.54
HA-5	7/20/2005	21.13	---	---	---	7.00	14.13	14.13
HA-5	8/22/2005	21.13	---	---	---	7.20	13.93	13.93
HA-5	9/12/2005	21.13	---	---	---	7.82	13.31	13.31
HA-5	10/12/2005	21.13	---	---	---	8.35	12.78	12.78
HA-5	11/21/2005	21.13	6.02	15.11	0.01	6.03	15.11	15.12
HA-5	12/27/2005	21.13	---	---	Not Monitored	---	---	NM
HA-5	1/30/2006	21.13	---	---	---	6.10	15.03	15.03
HA-5	2/16/2006	21.13	---	---	---	3.97	17.16	17.16
HA-5	3/13/2006	21.13	---	---	---	4.94	16.19	16.19
HA-5	4/18/2006	21.13	---	---	---	5.28	15.85	15.85
HA-5	5/12/2006	21.13	---	---	---	5.70	15.43	15.43
HA-5	6/5/2006	21.13	---	---	---	5.42	15.71	---
HA-5	6/9/2006	21.13	---	---	---	5.31	15.82	15.82
HA-5	7/13/2006	21.13	---	---	---	6.39	14.74	14.74
HA-5	8/16/2006	21.13	---	---	---	7.35	13.78	13.78
HA-5	9/19/2006	21.13	---	---	---	7.80	13.33	13.33
HA-5	10/13/2006	21.13	---	---	---	7.52	13.61	13.61
HA-5	10/23/2006	21.13	---	---	---	7.54	13.59	---
HA-5	11/20/2006	21.13	---	---	---	3.70	17.43	17.43
HA-5	12/8/2006	21.13	---	---	---	4.69	16.44	16.44
HA-5	1/19/2007	21.13	---	---	---	3.22	17.91	17.91
HA-5	2/19/2007	21.13	---	---	---	5.25	15.88	15.88
HA-5	3/14/2007	21.13	---	---	---	4.38	16.75	---
HA-5	3/15/2007	21.13	---	---	---	4.31	16.82	16.82
HA-5	4/16/2007	21.13	---	---	---	4.76	16.37	16.37
HA-5	5/14/2007	21.13	---	---	---	6.05	15.08	15.08
HA-5	6/29/2007	21.13	---	---	---	7.17	13.96	13.96
HA-5	7/20/2007	21.13	---	---	---	7.57	13.56	13.56
HA-5	8/21/2007	21.13	---	---	---	8.15	12.98	12.98
HA-5	9/10/2007	21.13	---	---	---	8.24	12.89	12.89
HA-5	10/22/2007	21.13	---	---	---	6.92	14.21	14.21
HA-5	11/28/2007	21.13	---	---	---	6.33	14.80	14.80
HA-5	12/13/2007	21.13	---	---	---	5.08	16.05	16.05
HA-5	1/21/2008	21.13	---	---	---	4.96	16.17	16.17
HA-5	2/24/2008	21.13	---	---	---	5.73	15.40	15.40
HA-5	3/24/2008	21.13	---	---	---	8.99	12.14	12.14
HA-5	6/2/2008	21.13	---	---	---	7.04	14.09	---
HA-5	8/25/2008	21.13	---	---	---	7.65	13.48	13.48
HA-5	2/18/2009	21.13	---	---	Not Monitored	---	---	NM
HA-5	8/25/2009	21.13	---	---	Not Monitored	---	---	NM
HA-5	3/22/2010	21.13	---	---	---	5.56	15.57	15.57
HA-5	8/23/2010	21.13	---	---	---	7.47	13.66	13.66
HA-5	2/7/2011	21.13	---	---	---	6.63	14.50	---
HA-5	5/27/2011	21.13	---	---	Not Monitored	---	---	---
HA-5	8/8/2011	21.13	---	---	---	7.35	13.78	---
HA-5	11/14/2011	21.13	---	---	---	7.03	14.1	---
HA-5	2/20/2012	21.13	---	---	---	4.63	16.5	---
HA-5	8/22/2012	21.13	---	---	---	7.10	14.03	---
HA-5	11/5/2012	21.13	---	---	---	5.78	15.35	---
HA-5	1/28/2013	21.13	---	---	---	4.33	16.80	---
HA-5	5/9/2013	21.13	---	---	---	5.26	15.87	---
HA-5	8/19/2013	21.13	---	---	---	7.81	13.32	---
HA-5	11/25/2013	21.13	---	---	---	5.50	15.63	---
HA-5	2/14/2014	21.13	---	---	---	4.85	16.28	---
HA-5	5/5/2014	21.13	---	---	---	3.78	17.35	---
HA-5	8/19/2014	21.13	---	---	---	7.59	13.54	---
HA-5	11/21/2014	21.13	---	---	---	5.25	15.88	---
HA-6	1/27/1993	18.16	---	---	---	4.58	13.58	---
HA-6	3/12/1993	18.16	---	---	---	6.46	11.70	---
HA-6	4/14/1993	18.16	---	---	---	5.55	12.61	---
HA-6	12/15/1993	18.16	---	---	---	7.15	11.01	---
HA-6	11/4/1994	18.16	---	---	---	8.42	9.74	---
HA-6	2/22/1995	18.16	---	---	---	4.98	13.18	---
HA-6	5/15/1995	18.16	---	---	---	5.86	12.30	---
HA-6	6/16/1995	18.16	---	---	---	6.62	11.54	---
HA-6	10/20/1995	18.16	---	---	---	6.86	11.30	---
HA-6	4/4/1996	18.16	---	---	---	4.68	13.48	---
HA-6	4/16/1996	18.16	---	---	---	4.60	13.56	---
HA-6	5/10/1996	18.16	---	---	---	4.20	13.96	---
HA-6	5/15/1996	18.16	---	---	---	4.02	14.14	---
HA-6	5/22/1996	18.16	---	---	---	4.97	13.19	---
HA-6	6/5/1996	18.16	---	---	---	5.79	12.37	---
HA-6	6/24/1996	18.16	---	---	---	6.78	11.38	---
HA-6	7/15/1996	18.16	---	---	---	7.51	10.65	---
HA-6	8/23/1996	18.16	---	---	---	8.09	10.07	---
HA-6	9/18/1996	18.16	---	---	---	8.37	9.79	---
HA-6	1/3/1997	18.16	---	---	---	2.84	15.32	---
HA-6	3/12/1997	18.16	---	---	---	4.54	13.62	---
HA-6	4/2/1997	18.16	---	---	---	4.85	13.31	---
HA-6	5/1/1997	18.16	---	---	---	5.35	12.81	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-6	8/19/1997	18.16	---	---	---	7.40	10.76	---
HA-6	8/26/1997	18.16	---	---	---	7.60	10.56	---
HA-6	9/17/1997	18.16	---	---	---	6.44	11.72	---
HA-6	5/1/1998	18.16	---	---	---	5.95	12.21	---
HA-6	7/30/1999	18.16	---	---	---	6.54	11.62	---
HA-6	5/22/2000	18.16	---	---	---	6.21	11.95	---
HA-6	5/22/2001	18.16	---	---	---	6.36	11.80	---
HA-6	6/5/2002	18.16	---	---	---	6.00	12.16	---
HA-6	11/24/2002	21.43	---	---	---	7.12	14.31	14.31
HA-6	5/28/2003	21.43	---	---	sheen	6.93	14.50	---
HA-6	6/16/2004	21.43	---	---	---	7.45	13.98	---
HA-6	1/13/2005	21.43	---	---	---	5.56	15.87	15.87
HA-6	4/28/2005	21.43	---	---	---	4.81	16.62	16.62
HA-6	6/1/2005	21.43	---	---	---	5.05	16.38	16.38
HA-6	6/20/2005	21.43	---	---	---	5.76	15.67	---
HA-6	6/29/2005	21.43	---	---	---	6.52	14.91	14.91
HA-6	7/20/2005	21.43	---	---	---	7.21	14.22	14.22
HA-6	8/22/2005	21.43	---	---	---	7.40	14.03	10.76
HA-6	9/12/2005	21.43	---	---	---	7.82	13.61	13.61
HA-6	10/12/2005	21.43	---	---	---	8.62	12.81	12.81
HA-6	11/21/2005	21.43	---	---	---	6.57	14.86	14.86
HA-6	12/27/2005	21.43	---	---	---	5.69	15.74	15.74
HA-6	1/30/2006	21.43	---	---	---	2.46	18.97	18.97
HA-6	2/16/2006	21.43	---	---	---	3.62	17.81	17.81
HA-6	3/13/2006	21.43	---	---	---	4.62	16.81	16.81
HA-6	4/18/2006	21.43	---	---	---	5.01	16.42	16.42
HA-6	5/12/2006	21.43	---	---	---	5.43	16.00	16.00
HA-6	6/5/2006	21.43	---	---	---	5.39	16.04	---
HA-6	6/9/2006	21.43	---	---	---	5.20	16.23	16.23
HA-6	7/13/2006	21.43	---	---	---	6.60	14.83	14.83
HA-6	8/16/2006	21.43	---	---	---	7.35	14.08	14.08
HA-6	9/19/2006	21.43	---	---	---	7.91	13.52	13.52
HA-6	10/13/2006	21.43	---	---	---	7.72	13.71	13.71
HA-6	10/23/2006	21.43	---	---	---	7.72	13.71	---
HA-6	11/20/2006	21.43	---	---	---	4.22	17.21	17.21
HA-6	12/8/2006	21.43	---	---	---	3.59	17.84	17.84
HA-6	1/19/2007	21.43	---	---	---	3.13	18.30	18.30
HA-6	2/19/2007	21.43	---	---	---	5.36	16.07	16.07
HA-6	3/14/2007	21.43	---	---	---	4.37	17.06	---
HA-6	3/15/2007	21.43	---	---	---	4.25	17.18	17.18
HA-6	4/16/2007	21.43	---	---	---	4.50	16.93	16.93
HA-6	5/14/2007	21.43	---	---	---	6.20	15.23	15.23
HA-6	6/29/2007	21.43	---	---	---	7.25	14.18	14.18
HA-6	7/20/2007	21.43	---	---	---	7.71	13.72	13.72
HA-6	8/21/2007	21.43	---	---	---	8.35	13.08	13.08
HA-6	9/10/2007	21.43	---	---	---	8.46	12.97	12.97
HA-6	10/22/2007	21.43	---	---	---	7.55	13.88	13.88
HA-6	11/28/2007	21.43	---	---	---	6.62	14.81	14.81
HA-6	12/13/2007	21.43	---	---	---	5.49	15.94	15.94
HA-6	1/21/2008	21.43	---	---	---	5.21	16.22	16.22
HA-6	2/24/2008	21.43	---	---	---	5.73	15.70	15.70
HA-6	3/24/2008	21.43	---	---	---	6.05	15.38	15.38
HA-6	6/2/2008	21.43	---	---	---	7.24	14.19	---
HA-6	8/25/2008	21.43	---	---	---	8.00	13.43	13.43
HA-6	2/18/2009	21.43	---	---	Not Monitored	---	---	NM
HA-6	8/25/2009	21.43	---	---	Not Monitored	---	---	NM
HA-6	3/22/2010	21.43	---	---	---	4.96	16.47	16.47
HA-6	8/23/2010	21.43	---	---	---	7.32	14.11	14.11
HA-6	2/7/2011	21.43	---	---	---	4.81	16.62	---
HA-6	5/27/2011	21.43	---	---	---	5.64	15.79	---
HA-6	8/8/2011	21.43	---	---	---	7.61	13.82	---
HA-6	11/14/2011	21.43	---	---	---	7.38	14.05	---
HA-6	2/20/2012	21.43	---	---	---	4.80	16.63	---
HA-6	8/22/2012	21.43	---	---	---	7.24	14.19	---
HA-6	11/5/2012	21.43	---	---	---	7.00	14.43	---
HA-6	5/9/2013	21.43	---	---	---	5.52	15.91	---
HA-6	8/19/2013	21.43	---	---	---	8.08	13.35	---
HA-6	11/25/2013	21.43	---	---	---	5.84	15.59	---
HA-6	2/14/2014	21.43	---	---	---	5.26	16.17	---
HA-6	5/5/2014	21.43	---	---	---	4.24	17.19	---
HA-6	8/19/2014				Decommissioned Well			
HA-7	1/27/1993	18.44	---	---	2.22	6.33	13.78	---
HA-7	3/12/1993	18.44	---	---	0.61	7.30	11.60	---
HA-7	4/14/1993	18.44	---	---	1.23	7.00	12.36	---
HA-7	6/30/1993	18.44	---	---	0.84	7.36	11.71	---
HA-7	12/15/99	18.44	---	---	0.55	7.80	11.05	---
HA-7	2/8/1994	18.44	---	---	0.50	6.14	12.68	---
HA-7	8/12/1994	18.44	---	---	0.53	9.09	9.75	---
HA-7	9/21/1994	18.44	---	---	0.47	9.39	9.40	---
HA-7	11/4/1994	18.44	---	---	0.51	9.15	9.67	---
HA-7	12/23/1994	18.44	---	---	0.19	4.07	14.51	---
HA-7	2/3/1995	18.44	---	---	0.40	3.94	14.80	---
HA-7	2/22/1995	18.44	---	---	0.48	4.75	14.05	---
HA-7	3/24/1995	18.44	---	---	0.45	5.30	13.48	---
HA-7	4/27/1995	18.44	---	---	0.50	5.85	12.97	---
HA-7	5/15/1995	18.44	---	---	0.55	6.44	12.41	---
HA-7	6/16/1995	18.44	---	---	0.58	7.16	11.72	---
HA-7	8/25/1995	18.44	---	---	0.42	7.72	11.04	---
HA-7	10/20/1995	18.44	---	---	0.40	7.45	11.29	---
HA-7	4/4/1996	18.44	---	---	0.63	5.38	13.53	---
HA-7	4/16/1996	18.44	---	---	0.62	5.17	13.74	---
HA-7	5/10/1996	18.44	---	---	0.64	4.89	14.03	---
HA-7	5/15/1996	18.44	---	---	0.63	4.62	14.29	---
HA-7	5/22/1996	18.44	---	---	0.86	6.35	12.74	---
HA-7	6/5/1996	18.44	---	---	0.72	6.92	12.06	---
HA-7	6/24/1996	18.44	---	---	0.67	7.72	11.22	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-7	7/15/1996	18.44	---	---	0.57	8.32	10.55	---
HA-7	8/23/1996	18.44	---	---	0.55	8.90	9.95	---
HA-7	9/18/1996	18.44	---	---	0.57	9.19	9.68	---
HA-7	1/3/1997	18.44	---	---	0.66	3.67	15.27	---
HA-7	3/12/1997	18.44	---	---	0.83	5.86	13.20	---
HA-7	4/2/1997	18.44	---	---	0.78	6.17	12.86	---
HA-7	5/1/1997	18.44	---	---	0.83	6.58	12.48	---
HA-7	7/8/1997	18.44	---	---	0.06	5.67	12.82	---
HA-7	8/19/1997	18.44	---	---	---	7.62	10.82	---
HA-7	8/26/1997	18.44	---	---	0.05	7.93	10.55	---
HA-7	9/18/1997	18.44	---	---	0.06	8.70	9.79	---
HA-7	4/30/1998	18.44	---	---	0.08	6.07	12.43	---
HA-7	7/29/1999	18.44	---	---	---	6.82	11.62	---
HA-7	5/22/2000	18.44	---	---	---	6.18	12.26	---
HA-7	5/22/2001	18.44	---	---	---	6.74	11.70	---
HA-7	6/5/2002	18.44	---	---	---	6.11	12.33	---
HA-7	11/24/2002	21.60	---	---	---	7.25	14.35	14.35
HA-7	5/28/2003	21.60	---	---	sheen	7.08	14.52	---
HA-7	6/15/2004	21.60	---	---	---	7.83	13.77	---
HA-7	1/13/2005	21.60	---	---	---	5.70	15.90	15.90
HA-7	4/28/2005	21.60	---	---	Not Monitored			NM
HA-7	6/1/2005	21.60	---	---	Not Monitored			NM
HA-7	6/20/2005	21.60	---	---	---	5.71	15.89	---
HA-7	6/29/2005	21.60	---	---	Not Monitored			NM
HA-7	7/20/2005	21.60	---	---	Not Monitored			NM
HA-7	8/22/2005	21.60	---	---	Not Monitored			NM
HA-7	9/12/2005	21.60	---	---	Not Monitored			NM
HA-7	10/12/2005	21.60	---	---	Not Monitored			NM
HA-7	11/21/2005	21.60	---	---	Not Monitored			NM
HA-7	12/27/2005	21.60	---	---	Not Monitored			NM
HA-7	1/30/2006	21.60	---	---	Not Monitored			NM
HA-7	2/16/2006	21.60	---	---	Not Monitored			NM
HA-7	3/13/2006	21.60	---	---	Not Monitored			NM
HA-7	4/18/2006	21.60	---	---	Not Monitored			NM
HA-7	5/12/2006	21.60	---	---	Not Monitored			NM
HA-7	6/5/2006	21.60	---	---	---	5.28	16.32	---
HA-7	6/9/2006	21.60	---	---	Not Monitored			NM
HA-7	7/13/2006	21.60	---	---	Not Monitored			NM
HA-7	8/16/2006	21.60	---	---	Not Monitored			NM
HA-7	9/19/2006	21.60	---	---	Not Monitored			NM
HA-7	10/13/2006	21.60	---	---	Not Monitored			NM
HA-7	10/23/2006	21.60	---	---	---	7.86	13.74	---
HA-7	11/20/2006	21.60	---	---	Not Monitored			NM
HA-7	12/8/2006	21.60	---	---	Not Monitored			NM
HA-7	1/19/2007	21.60	---	---	Not Monitored			NM
HA-7	1/19/2007	21.60	---	---	Not Monitored			NM
HA-7	1/19/2007	21.60	---	---	Not Monitored			NM
HA-7	1/19/2007	21.60	---	---	Not Monitored			NM
HA-7	3/14/2007	21.60	---	---	---	4.47	17.13	---
HA-7	4/16/2007	21.60	---	---	Not Monitored			NM
HA-7	5/14/2007	21.60	---	---	Not Monitored			NM
HA-7	6/29/2007	21.60	---	---	---	7.35	14.25	14.25
HA-7	7/20/2007	21.60	---	---	Not Monitored			NM
HA-7	8/21/2007	21.60	---	---	Not Monitored			NM
HA-7	9/10/2007	21.60	---	---	---	8.78	12.82	---
HA-7	10/22/2007	21.60	---	---	Not Monitored			NM
HA-7	11/28/2007	21.60	---	---	---	7.02	14.58	14.58
HA-7	12/13/2007	21.60	---	---	Not Monitored			NM
HA-7	1/21/2008	21.60	---	---	---	5.27	16.33	16.33
HA-7	2/24/2008	21.60	---	---	---	5.97	15.63	15.63
HA-7	3/24/2008	21.60	---	---	---	6.34	15.26	15.26
HA-7	6/2/2008	21.60	---	---	---	7.62	13.98	---
HA-7	8/25/2008	21.60	---	---	---	8.27	13.33	13.33
HA-7	2/18/2009	21.60	---	---	Not Monitored			NM
HA-7	8/25/2009	21.60	---	---	Not Monitored			NM
HA-7	3/22/2010	21.60	---	---	---	5.19	16.41	16.41
HA-7	8/23/2010	21.60	---	---	---	7.38	14.22	14.22
HA-7	2/7/2011	21.60	---	---	---	4.97	16.63	---
HA-7	5/27/2011	21.60	---	---	---	5.97	15.63	---
HA-7	8/8/2011	21.60	---	---	---	7.91	13.69	---
HA-7	11/14/2011	21.60	---	---	---	7.68	13.92	---
HA-7	2/20/2012	21.60	---	---	---	5.31	16.29	---
HA-7	8/22/2012	21.60	---	---	---	7.36	14.24	---
HA-7	11/5/2012	21.60	---	---	---	7.19	14.41	---
HA-7	1/28/2013	21.60	---	---	---	4.54	17.06	---
HA-7	5/9/2013	21.60	---	---	---	6.02	15.58	---
HA-7	8/19/2013	21.60	---	---	---	8.41	13.19	---
HA-7	11/25/2013	21.60	---	---	---	6.39	15.21	---
HA-7	2/14/2014	21.60	---	---	---	5.23	16.37	---
HA-7	5/5/2014	21.60	---	---	---	4.74	16.86	---
HA-7	8/19/2014				Decommissioned Well			
HA-8	1/27/1993	18.88	---	---	---	4.60	14.28	---
HA-8	3/12/1993	18.88	---	---	---	6.79	12.09	---
HA-8	4/14/1993	18.88	---	---	---	5.20	13.68	---
HA-8	12/15/1993	18.88	---	---	---	7.18	11.70	---
HA-8	11/4/1994	18.88	---	---	---	8.85	10.03	---
HA-8	2/22/1995	18.88	---	---	---	4.03	14.85	---
HA-8	6/16/1995	18.88	---	---	---	7.13	11.75	---
HA-8	10/20/1995	18.88	---	---	---	7.09	11.79	---
HA-8	4/4/1996	18.88	---	---	---	5.32	13.56	---
HA-8	4/16/1996	18.88	---	---	---	5.18	13.70	---
HA-8	5/1/1997	18.88	---	---	---	5.01	13.87	---
HA-8	8/26/1997	18.88	---	---	---	7.99	10.89	---
HA-8	9/18/1997	18.88	---	---	---	6.90	11.98	---
HA-8	5/1/1998	18.88	---	---	---	6.25	12.63	---
HA-8	7/29/1999	18.88	---	---	---	7.93	10.95	---
HA-8	5/22/2000	18.88	---	---	---	6.10	12.78	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-8	5/22/2001	18.88	---	---	---	6.65	12.23	---
HA-8	6/5/2002	18.88	---	---	---	6.54	12.34	---
HA-8	11/24/2002	21.97	---	---	---	7.40	14.57	14.57
HA-8	1/31/2003	21.97	---	---	---	4.04	17.93	17.93
HA-8	2/7/2003	21.97	---	---	---	4.16	17.81	17.81
HA-8	2/12/2003	21.97	---	---	---	4.71	17.26	17.26
HA-8	2/18/2003	21.97	---	---	---	4.99	16.98	16.98
HA-8	2/21/2003	21.97	---	---	---	5.16	16.81	16.81
HA-8	2/24/2003	21.97	---	---	---	5.21	16.76	16.76
HA-8	3/4/2003	21.97	---	---	---	5.89	16.08	16.08
HA-8	3/12/2003	21.97	---	---	---	5.36	16.61	16.61
HA-8	3/14/2003	21.97	5.21	16.76	0.01	5.22	16.76	16.77
HA-8	3/26/2003	21.97	---	---	---	4.74	17.23	17.23
HA-8	3/28/2003	21.97	---	---	---	5.21	16.76	16.76
HA-8	4/2/2003	21.97	---	---	---	5.25	16.72	16.72
HA-8	4/4/2003	21.97	---	---	---	5.57	16.40	16.40
HA-8	4/8/2003	21.97	---	---	---	5.57	16.40	16.40
HA-8	4/11/2003	21.97	---	---	---	5.77	16.20	16.20
HA-8	4/15/2003	21.97	---	---	---	5.41	16.56	16.56
HA-8	4/17/2003	21.97	---	---	---	5.91	16.06	16.06
HA-8	4/22/2003	21.97	---	---	---	6.07	15.90	15.90
HA-8	4/25/2003	21.97	---	---	---	6.37	15.60	15.60
HA-8	5/2/2003	21.97	---	---	---	6.44	15.53	15.53
HA-8	5/6/2003	21.97	---	---	---	6.62	15.35	15.35
HA-8	5/9/2003	21.97	---	---	---	6.92	15.05	15.05
HA-8	5/23/2003	21.97	---	---	---	7.38	14.59	14.59
HA-8	5/28/2003	21.97	---	---	---	7.34	14.63	14.63
HA-8	6/13/2003	21.97	---	---	---	7.66	14.31	14.31
HA-8	6/18/2003	21.97	---	---	---	7.60	14.37	14.37
HA-8	6/27/2003	21.97	---	---	---	7.65	14.32	14.32
HA-8	7/7/2003	21.97	---	---	---	8.51	13.46	13.46
HA-8	7/16/2003	21.97	---	---	---	8.24	13.73	13.73
HA-8	7/31/2003	21.97	---	---	---	8.61	13.36	13.36
HA-8	8/5/2003	21.97	---	---	---	9.62	12.35	12.35
HA-8	8/11/2003	21.97	---	---	---	9.70	12.27	12.27
HA-8	8/22/2003	21.97	10.02	11.95	0.01	10.03	11.95	11.96
HA-8	8/26/2003	21.97	---	---	---	8.99	12.98	12.98
HA-8	9/2/2003	21.97	---	---	---	9.02	12.95	12.95
HA-8	9/9/2003	21.97	9.51	12.46	0.01	9.52	12.46	12.47
HA-8	9/19/2003	21.97	10.40	11.57	0.10	10.50	11.55	11.62
HA-8	10/14/2003	21.97	---	---	Not Monitored	---	---	---
HA-8	11/20/2003	21.97	7.22	14.75	0.32	7.54	14.67	14.91
HA-8	12/3/2003	21.97	4.65	17.32	0.57	5.22	17.18	17.61
HA-8	1/19/2004	21.97	4.23	17.74	0.55	4.78	17.60	18.02
HA-8	2/24/2004	21.97	5.08	16.89	0.53	5.61	16.76	17.16
HA-8	3/15/2004	21.97	6.15	15.82	0.51	6.66	15.69	16.08
HA-8	4/19/2004	21.97	6.98	14.99	0.50	7.48	14.87	15.24
HA-8	5/17/2004	21.97	7.74	14.23	0.49	8.23	14.11	14.48
HA-8	6/15/2004	21.97	---	---	0.51	8.21	14.14	---
HA-8	6/22/2004	21.97	7.57	14.40	0.51	8.08	14.27	14.66
HA-8	8/18/2004	21.97	8.71	13.26	0.49	9.20	13.14	13.51
HA-8	9/21/2004	21.97	7.67	14.30	0.17	7.84	14.26	14.39
HA-8	10/19/2004	21.97	6.89	15.08	0.16	7.05	15.04	15.16
HA-8	11/23/2004	21.97	6.89	15.08	0.11	7.00	15.05	15.14
HA-8	12/21/2004	21.97	5.08	16.89	0.15	5.23	16.85	16.97
HA-8	1/13/2005	21.97	---	---	---	6.02	15.95	15.95
HA-8	4/28/2005	21.97	---	---	---	8.63	13.34	13.34
HA-8	6/1/2005	21.97	5.55	13.33	0.11	5.66	16.39	16.48
HA-8	6/20/2005	21.97	---	---	0.11	6.27	15.78	---
HA-8	6/29/2005	21.97	7.08	11.80	0.12	7.20	14.86	11.68
HA-8	7/20/2005	21.97	7.55	14.42	0.15	7.70	14.38	14.50
HA-8	8/22/2005	21.97	7.85	14.12	0.05	7.90	14.11	14.15
HA-8	9/12/2005	21.97	---	---	Dry	---	---	0.00
HA-8	10/12/2005	21.97	9.14	12.83	3.61	9.22	15.46	18.17
HA-8	11/21/2005	21.97	7.49	14.48	0.02	7.51	14.48	14.49
HA-8	12/27/2005	21.97	5.04	16.93	0.06	5.10	16.92	16.96
HA-8	1/30/2006	21.97	2.30	19.67	0.06	2.36	19.66	19.70
HA-8	2/16/2006	21.97	4.11	17.86	0.06	4.17	17.85	17.89
HA-8	3/13/2006	21.97	4.98	16.99	0.06	5.04	16.98	17.02
HA-8	4/18/2006	21.97	---	---	---	5.12	16.85	16.85
HA-8	5/12/2006	21.97	---	---	---	5.89	16.08	16.08
HA-8	6/5/2006	21.97	---	---	0.06	5.38	16.64	---
HA-8	6/9/2006	21.97	---	---	---	5.40	16.57	16.57
HA-8	7/13/2006	21.97	---	---	---	6.80	15.17	15.17
HA-8	8/16/2006	21.97	---	---	---	7.80	14.17	14.17
HA-8	9/19/2006	21.97	---	---	---	8.54	13.43	13.43
HA-8	10/13/2006	21.97	---	---	---	8.20	13.77	13.77
HA-8	10/23/2006	21.97	---	---	0.02	8.26	13.73	---
HA-8	11/20/2006	21.97	3.85	18.12	0.03	3.88	18.11	18.14
HA-8	12/8/2006	21.97	3.65	18.32	0.02	3.67	18.32	18.33
HA-8	1/19/2007	21.97	3.22	18.75	0.04	3.24	18.76	18.79
HA-8	2/19/2007	21.97	5.28	16.69	0.03	5.31	16.68	16.71
HA-8	3/15/2007	21.97	4.18	17.79	0.02	4.20	17.79	17.80
HA-8	4/16/2007	21.97	4.88	17.09	0.03	4.91	17.08	17.11
HA-8	5/14/2007	21.97	6.60	15.37	0.05	6.65	15.36	15.40
HA-8	6/29/2007	21.97	---	---	---	7.72	14.25	14.25
HA-8	7/20/2007	21.97	---	---	---	8.13	13.84	13.84
HA-8	8/21/2007	21.97	---	---	---	8.88	13.09	13.09
HA-8	9/10/2007	21.97	---	---	---	8.98	12.99	12.99
HA-8	10/22/2007	21.97	---	---	---	7.83	14.14	14.14
HA-8	11/28/2007	21.97	---	---	---	6.72	15.25	15.25
HA-8	12/13/2007	21.97	---	---	---	5.80	16.17	16.17
HA-8	1/21/2008	21.97	---	---	---	5.76	16.21	16.21
HA-8	2/24/2008	21.97	---	---	---	6.29	15.68	15.68
HA-8	3/24/2008	21.97	---	---	---	6.41	15.56	15.56
HA-8	6/2/2008	21.97	---	---	---	7.64	14.33	---
HA-8	8/25/2008	21.97	---	---	---	8.34	13.63	13.63

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-8	2/18/2009	21.97			Not Monitored			NM
HA-8	8/25/2009	21.97			Not Monitored			NM
HA-8	3/22/2010	21.97	---	---	---	5.80	16.17	16.17
HA-8	8/23/2010	21.97	---	---	---	8.13	13.84	13.84
HA-8	2/7/2011	21.97	---	---	---	4.94	17.03	---
HA-8	5/27/2011	21.97			Not Monitored			
HA-8	8/8/2011	21.97	---	---	---	8.00	13.97	---
HA-8	11/14/2011	21.97	---	---	---	7.72	14.25	---
HA-8	2/20/2012	21.97	---	---	---	5.13	16.84	---
HA-8	8/22/2012	21.97	---	---	---	7.73	14.24	---
HA-8	11/5/2012	21.97	---	---	---	6.80	15.17	---
HA-8	1/28/2013	21.97	---	---	---	4.90	17.07	---
HA-8	5/9/2013	21.97	---	---	---	6.08	15.89	---
HA-8	8/19/2013	21.97	---	---	---	8.50	13.47	---
HA-8	11/25/2013	21.97	---	---	---	6.29	15.68	---
HA-8	2/14/2014	21.97	---	---	---	5.35	16.62	---
HA-8	5/5/2014	21.97	---	---	---	4.43	17.54	---
HA-8	8/19/2014				Decommissioned Well			
HA-9	1/27/1993	19.40	---	---	---	7.00	12.40	---
HA-9	3/12/1993	19.40	---	---	---	7.95	11.45	---
HA-9	4/14/1993	19.40	---	---	---	7.74	11.66	---
HA-9	12/15/1993	19.40	---	---	---	7.82	11.58	---
HA-9	11/4/1994	19.40	---	---	---	9.75	9.65	---
HA-9	2/22/1995	19.40	---	---	---	7.61	11.79	---
HA-9	6/16/1995	19.40	---	---	---	8.17	11.23	---
HA-9	10/20/1995	19.40	---	---	---	8.08	11.32	---
HA-9	4/4/1996	19.40	---	---	---	7.30	12.10	---
HA-9	4/16/1996	19.40	---	---	---	7.28	12.12	---
HA-9	4/2/1997	19.40	---	---	---	7.76	11.64	---
HA-9	5/1/1997	19.40	---	---	---	7.78	11.62	---
HA-9	9/18/1997	19.40	---	---	---	7.95	11.45	---
HA-9	4/29/1998	19.40	---	---	---	7.99	11.41	---
HA-9	7/28/1999	19.40	---	---	---	8.23	11.17	---
HA-9	5/24/2000	19.40	---	---	---	9.25	10.15	---
HA-9	5/23/2001	19.40	---	---	---	7.92	11.48	---
HA-9	6/4/2002	19.40	---	---	---	8.01	11.39	---
HA-9	11/24/2002	21.32	---	---	---	8.20	13.12	13.12
HA-9	5/28/2003	21.32	---	---	sheen	8.05	13.27	---
HA-9	6/17/2004	21.32	---	---	---	8.18	13.14	---
HA-9	6/20/2005	21.32	---	---	---	7.98	13.34	---
HA-9	6/5/2006	21.32	---	---	---	7.62	13.70	---
HA-9	10/23/2006	21.32	---	---	---	8.32	13.00	---
HA-9	3/14/2007	21.32	---	---	---	6.08	15.24	---
HA-9	6/29/2007	21.32	---	---	---	7.04	14.28	14.28
HA-9	7/20/2007	21.32			Not Monitored			NM
HA-9	8/21/2007	21.32			Not Monitored			NM
HA-9	9/10/2007	21.32	---	---	---	7.13	14.19	---
HA-9	10/22/2007	21.32			Not Monitored			NM
HA-9	11/28/2007	21.32			Not Monitored			NM
HA-9	12/13/2007	21.32	---	---	---	6.66	14.66	14.66
HA-9	1/21/2008	21.32	---	---	---	6.35	14.97	14.97
HA-9	2/24/2008	21.32	---	---	---	6.67	14.65	14.65
HA-9	3/24/2008	21.32	---	---	---	6.62	14.70	14.70
HA-9	6/2/2008	21.32	---	---	---	6.90	14.42	---
HA-9	8/25/2008	21.32	---	---	---	7.08	14.24	14.24
HA-9	2/18/2009	21.32			Not Monitored			NM
HA-9	8/25/2009	21.32			Not Monitored			NM
HA-9	3/22/2010	21.32	---	---	---	6.14	15.18	15.18
HA-9	8/23/2010	21.32	---	---	---	7.17	14.15	14.15
HA-9	2/7/2011	21.32	---	---	---	6.03	15.29	---
HA-9	5/27/2011	21.32	---	---	---	7.01	14.31	---
HA-9	8/8/2011	21.32	---	---	---	7.16	14.16	---
HA-9	11/14/2011	21.32	---	---	---	6.96	14.36	---
HA-9	2/20/2012	21.32	---	---	---	6.15	15.17	---
HA-9	8/22/2012	21.32	---	---	---	7.15	14.17	---
HA-9	11/5/2012	21.32	---	---	---	6.50	14.82	---
HA-9	1/28/2013	21.32	---	---	---	4.77	16.55	---
HA-9	5/9/2013	21.32	---	---	---	6.67	14.65	---
HA-9	8/19/2013	21.32	---	---	---	7.24	14.08	---
HA-9	11/25/2013	21.32	---	---	---	6.59	14.73	---
HA-9	2/14/2014	21.32	DRY				21.32	---
HA-9	5/5/2014	21.32	---	---	---	5.34	15.98	---
HA-9	8/19/2014	21.32	---	---	---	7.09	14.23	---
HA-9	11/21/2014	21.32	---	---	---	6.26	15.06	---
HA-10	1/27/1993	19.40	---	---	---	6.88	12.52	---
HA-10	3/12/1993	19.40	---	---	---	8.94	10.46	---
HA-10	4/14/1993	19.40	---	---	---	8.73	10.67	---
HA-10	12/15/1993	19.40	---	---	---	8.05	11.35	---
HA-10	2/22/1995	19.40	---	---	---	8.14	11.26	---
HA-10	6/16/1995	19.40	---	---	---	9.18	10.22	---
HA-10	10/20/1995	19.40	---	---	---	7.83	11.57	---
HA-10	4/4/1996	19.40	---	---	---	7.67	11.73	---
HA-10	4/16/1996	19.40	---	---	---	7.29	12.11	---
HA-10	7/15/1996	19.40	---	---	---	9.40	10.00	---
HA-10	4/2/1997	19.40	---	---	---	8.74	10.66	---
HA-10	5/1/1997	19.40	---	---	---	8.26	11.14	---
HA-10	5/23/2001	19.40	---	---	---	8.86	10.54	---
HA-10	6/6/2002	19.40	---	---	---	9.80	9.60	---
HA-10	11/24/2002	21.15	---	---	---	8.49	12.66	12.66
HA-10	5/27/2003	21.15	---	---	---	9.31	11.84	---
HA-10	6/17/2004	21.15	---	---	---	9.17	11.98	---
HA-10	6/21/2005	21.15	---	---	---	8.58	12.57	---
HA-10	6/5/2006	21.15	---	---	---	7.84	13.31	---
HA-10	10/23/2006	21.15	---	---	---	9.09	12.06	---
HA-10	3/14/2007	21.15	---	---	---	6.21	14.94	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-10	6/29/2007	21.15	---	---	---	7.79	13.36	13.36
HA-10	7/20/2007	21.15	---	---	Not Monitored	---	---	NM
HA-10	8/21/2007	21.15	---	---	Not Monitored	---	---	NM
HA-10	9/10/2007	21.15	---	---	---	8.20	12.95	NM
HA-10	10/22/2007	21.15	---	---	Not Monitored	---	---	NM
HA-10	11/28/2007	21.15	---	---	---	7.50	13.65	13.65
HA-10	12/13/2007	21.15	---	---	---	7.35	13.80	13.80
HA-10	1/21/2008	21.15	---	---	---	6.79	14.36	14.36
HA-10	2/24/2008	21.15	---	---	---	6.70	14.45	14.45
HA-10	3/24/2008	21.15	---	---	---	7.21	13.94	13.94
HA-10	6/2/2008	21.15	---	---	---	7.85	13.30	13.30
HA-10	8/25/2008	21.15	---	---	---	6.51	14.64	14.64
HA-10	2/18/2009	21.15	---	---	Not Monitored	---	---	NM
HA-10	8/25/2009	21.15	---	---	Not Monitored	---	---	NM
HA-10	3/22/2010	21.15	---	---	---	6.32	14.83	14.83
HA-10	8/23/2010	21.15	---	---	---	7.55	13.60	13.60
HA-10	2/7/2011	21.15	---	---	---	7.11	14.04	---
HA-10	5/27/2011	21.15	---	---	---	6.97	14.18	---
HA-10	8/8/2011	21.15	---	---	---	8.07	13.08	---
HA-10	2/20/2012	21.15	---	---	---	6.92	14.23	---
HA-10	8/22/2012	21.15	---	---	---	8.03	13.12	---
HA-10	11/5/2012	21.15	---	---	---	5.61	15.54	---
HA-10	1/28/2013	21.15	---	---	---	5.56	15.59	---
HA-10	5/9/2013	21.15	---	---	---	7.48	13.67	---
HA-10	8/19/2013	21.15	---	---	---	8.31	12.84	---
HA-10	11/25/2013	21.15	---	---	---	7.43	13.72	---
HA-10	2/14/2014	21.15	---	---	---	5.65	15.50	---
HA-10	5/5/2014	21.15	---	---	---	5.41	15.74	---
HA-10	8/19/2014	21.15	---	---	---	7.62	13.53	---
HA-11	1/27/1993	18.51	---	---	---	5.80	12.71	---
HA-11	3/12/1993	18.51	---	---	---	7.97	10.54	---
HA-11	4/14/1993	18.51	---	---	---	7.33	11.18	---
HA-11	12/15/1993	18.51	---	---	---	7.18	11.33	---
HA-11	11/4/1994	18.51	---	---	---	9.77	8.74	---
HA-11	2/22/1995	18.51	---	---	---	7.49	11.02	---
HA-11	6/16/1995	18.51	---	---	---	8.25	10.26	---
HA-11	10/20/1995	18.51	---	---	---	7.62	10.89	---
HA-11	4/4/1996	18.51	---	---	---	6.95	11.56	---
HA-11	4/16/1996	18.51	---	---	---	6.60	11.91	---
HA-11	4/2/1997	18.51	---	---	---	7.95	10.56	---
HA-11	5/1/1997	18.51	---	---	---	7.96	10.55	---
HA-11	4/29/1998	18.51	---	---	---	7.89	10.62	---
HA-11	7/28/1999	18.51	---	---	---	8.08	10.43	---
HA-11	5/24/2000	18.51	---	---	---	7.75	10.76	---
HA-11	5/23/2001	18.51	---	---	---	8.40	10.11	---
HA-11	6/4/2002	18.51	---	---	---	7.77	10.74	---
HA-11	11/24/2002	20.69	---	---	---	8.33	12.36	12.36
HA-11	5/27/2003	20.69	---	---	---	8.33	12.36	---
HA-11	6/21/2005	20.69	---	---	---	7.85	12.84	---
HA-11	6/5/2006	20.69	---	---	---	7.57	13.12	---
HA-11	10/23/2006	20.69	---	---	---	8.60	12.09	---
HA-11	3/14/2007	20.69	---	---	---	6.21	14.48	---
HA-11	6/29/2007	20.69	---	---	---	7.64	13.05	13.05
HA-11	7/20/2007	20.69	---	---	Not Monitored	---	---	NM
HA-11	8/21/2007	20.69	---	---	Not Monitored	---	---	NM
HA-11	9/10/2007	20.69	---	---	---	8.18	12.51	NM
HA-11	10/22/2007	20.69	---	---	Not Monitored	---	---	NM
HA-11	11/28/2007	20.69	---	---	---	7.41	13.28	13.28
HA-11	12/13/2007	20.69	---	---	---	3.94	16.75	16.75
HA-11	1/21/2008	20.69	---	---	---	6.69	14.00	14.00
HA-11	2/24/2008	20.69	---	---	---	6.83	13.86	13.86
HA-11	3/24/2008	20.69	---	---	---	7.06	13.63	13.63
HA-11	6/2/2008	20.69	---	---	---	7.58	13.11	---
HA-11	8/25/2008	20.69	---	---	---	8.09	12.60	12.60
HA-11	2/18/2009	20.69	---	---	Not Monitored	---	---	NM
HA-11	8/25/2009	20.69	---	---	Not Monitored	---	---	NM
HA-11	3/22/2010	20.69	---	---	---	6.55	14.14	14.14
HA-11	8/23/2010	20.69	---	---	---	7.22	13.47	13.47
HA-11	2/7/2011	20.69	---	---	---	6.99	13.70	---
HA-11	5/27/2011	20.69	---	---	---	7.24	13.45	---
HA-11	8/8/2011	20.69	---	---	Dry	---	---	---
HA-11	11/14/2011	20.69	---	---	---	8.72	11.97	---
HA-11	2/20/2012	20.69	---	---	---	6.75	13.94	---
HA-11	8/22/2012	20.69	---	---	---	7.80	12.89	---
HA-11	11/5/2012	20.69	---	---	---	7.03	13.66	---
HA-11	1/28/2013	20.69	---	---	---	6.38	14.31	---
HA-11	5/9/2013	20.69	---	---	---	7.62	13.07	---
HA-11	8/19/2013	20.69	---	---	---	8.06	12.63	---
HA-11	11/25/2013	20.69	---	---	---	7.05	13.64	---
HA-11	2/14/2014	20.69	---	---	---	6.45	14.24	---
HA-11	5/5/2014	20.69	---	---	---	6.17	14.52	---
HA-11	8/19/2014	20.69	---	---	---	7.83	12.86	---
HA-11	11/21/2014	20.69	---	---	DRY	---	---	---
HA-12	1/27/1993	19.91	---	---	---	4.01	15.90	---
HA-12	3/12/1993	19.91	---	---	---	7.36	12.55	---
HA-12	4/14/1993	19.91	---	---	---	5.92	13.99	---
HA-12	12/15/1993	19.91	---	---	---	7.02	12.89	---
HA-12	11/4/1994	19.91	---	---	---	9.06	10.85	---
HA-12	2/22/1995	19.91	---	---	---	3.80	16.11	---
HA-12	6/16/1995	19.91	---	---	---	7.40	12.51	---
HA-12	10/20/1995	19.91	---	---	---	7.40	12.51	---
HA-12	4/4/1996	19.91	---	---	---	5.65	14.26	---
HA-12	4/16/1996	19.91	---	---	---	5.26	14.65	---
HA-12	5/1/1997	19.91	---	---	---	6.13	13.78	---
HA-12	8/26/1997	19.91	---	---	---	8.58	11.33	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
HA-12	9/18/1997	19.91	---	---	---	8.70	11.21	---
HA-12	5/1/1998	19.91	---	---	---	6.65	13.26	---
HA-12	7/29/1999	19.91	---	---	---	7.46	12.45	---
HA-12	5/22/2000	19.91	---	---	---	7.63	12.28	---
HA-12	5/22/2001	19.91	---	---	---	7.29	12.62	---
HA-12	6/5/2002	19.91	---	---	---	7.06	12.85	---
HA-12	11/24/2002	22.47	---	---	---	7.43	15.04	15.04
HA-12	5/28/2003	22.47	---	---	---	7.84	14.63	---
HA-12	6/16/2004	22.47	---	---	---	8.43	14.04	---
HA-12	6/21/2005	22.47	---	---	---	6.67	15.80	---
HA-12	6/5/2006	22.47	---	---	---	5.91	16.56	---
HA-12	10/23/2006	22.47	---	---	---	8.71	13.76	---
HA-12	3/14/2007	22.47	---	---	---	5.11	17.36	---
HA-12	6/29/2007	22.47	---	---	---	8.07	14.40	14.40
HA-12	7/20/2007	22.47	---	---	Not Monitored	---	---	NM
HA-12	8/21/2007	22.47	---	---	Not Monitored	---	---	NM
HA-12	9/10/2007	22.47	---	---	---	9.38	13.09	NM
HA-12	10/22/2007	22.47	---	---	Not Monitored	---	---	NM
HA-12	11/28/2007	22.47	---	---	---	7.50	14.97	14.97
HA-12	12/13/2007	22.47	---	---	Not Monitored	---	---	NM
HA-12	1/21/2008	22.47	---	---	---	4.09	18.38	18.38
HA-12	2/24/2008	22.47	---	---	---	6.81	15.66	15.66
HA-12	3/24/2008	22.47	---	---	---	6.87	15.60	15.60
HA-12	6/2/2008	22.47	---	---	---	8.14	14.33	---
HA-12	8/25/2008	22.47	---	---	---	8.67	13.80	13.80
HA-12	2/18/2009	22.47	---	---	Not Monitored	---	---	NM
HA-12	8/25/2009	22.47	---	---	---	8.67	13.80	NM
HA-12	3/22/2010	22.47	---	---	---	6.00	16.47	16.47
HA-12	8/23/2010	22.47	---	---	Dry	---	---	0.00
HA-12	2/7/2011	22.47	---	---	---	5.46	17.01	---
HA-12	5/27/2011	22.47	---	---	---	6.34	16.13	---
HA-12	8/8/2011	22.47	---	---	---	8.39	14.08	---
HA-12	11/14/2011	22.47	---	---	---	8.05	14.42	---
HA-12	2/20/2012	22.47	---	---	---	5.20	17.27	---
HA-12	8/22/2012	22.47	---	---	---	Dry	---	---
HA-12	11/5/2012	22.47	---	---	---	6.02	16.45	---
HA-12	1/28/2013	22.47	---	---	---	5.32	17.15	---
HA-12	5/9/2013	22.47	---	---	---	6.68	15.79	---
HA-12	8/19/2013	22.47	---	---	---	8.02	14.45	---
HA-12	11/25/2013	22.47	---	---	---	6.83	15.64	---
HA-12	2/14/2014	22.47	---	---	---	5.63	16.84	---
HA-12	5/5/2014	22.47	---	---	---	5.32	17.15	---
HA-12	8/19/2014	22.47	---	---	---	Dry	---	---
HA-13	1/27/1993	19.56	---	---	---	5.32	14.24	---
HA-13	3/12/1993	19.56	---	---	---	8.23	11.33	---
HA-13	4/14/1993	19.56	---	---	---	7.08	12.48	---
HA-13	12/15/1993	19.56	---	---	---	6.34	13.22	---
HA-13	11/4/1994	19.56	---	---	---	8.93	10.63	---
HA-13	2/22/1995	19.56	---	---	---	4.54	15.02	---
HA-13	6/16/1995	19.56	---	---	---	8.83	10.73	---
HA-13	10/20/1995	19.56	---	---	---	8.23	11.33	---
HA-13	4/4/1996	19.56	---	---	---	7.06	12.50	---
HA-13	4/16/1996	19.56	---	---	---	7.31	12.25	---
HA-13	5/1/1997	19.56	---	---	---	7.01	12.55	---
HA-13	9/18/1997	19.56	---	---	---	6.93	12.63	---
HA-13	4/30/1998	19.56	---	---	---	8.26	11.30	---
HA-13	7/28/1999	19.56	---	---	---	8.62	10.94	---
HA-13	5/22/2000	19.56	---	---	---	8.45	11.11	---
HA-13	5/22/2001	19.56	---	---	---	8.20	11.36	---
HA-13	6/4/2002	19.56	---	---	---	8.41	11.15	---
HA-13	11/24/2002	22.73	---	---	---	8.60	14.13	14.13
HA-13	1/17/2003	22.73	---	---	---	6.30	16.43	16.43
HA-13	1/31/2003	22.73	---	---	---	4.49	18.24	18.24
HA-13	2/7/2003	22.73	---	---	---	6.27	16.46	16.46
HA-13	2/12/2003	22.73	---	---	---	6.78	15.95	15.95
HA-13	2/18/2003	22.73	---	---	---	7.13	15.60	15.60
HA-13	2/21/2003	22.73	---	---	---	6.99	15.74	15.74
HA-13	2/24/2003	22.73	---	---	---	6.98	15.75	15.75
HA-13	3/4/2003	22.73	---	---	---	7.49	15.24	15.24
HA-13	3/12/2003	22.73	---	---	---	6.48	16.25	16.25
HA-13	3/14/2003	22.73	---	---	---	5.16	17.57	17.57
HA-13	3/26/2003	22.73	---	---	---	5.65	17.08	17.08
HA-13	3/28/2003	22.73	---	---	---	6.34	16.39	16.39
HA-13	4/2/2003	22.73	---	---	---	6.74	15.99	15.99
HA-13	4/4/2003	22.73	---	---	---	7.08	15.65	15.65
HA-13	4/8/2003	22.73	---	---	---	7.17	15.56	15.56
HA-13	4/11/2003	22.73	---	---	---	7.31	15.42	15.42
HA-13	4/15/2003	22.73	---	---	---	6.93	15.80	15.80
HA-13	4/17/2003	22.73	---	---	---	7.32	15.41	15.41
HA-13	4/22/2003	22.73	---	---	---	7.52	15.21	15.21
HA-13	4/25/2003	22.73	---	---	---	7.81	14.92	14.92
HA-13	5/2/2003	22.73	---	---	---	8.04	14.69	14.69
HA-13	5/6/2003	22.73	---	---	---	8.13	14.60	14.60
HA-13	5/9/2003	22.73	---	---	---	8.36	14.37	14.37
HA-13	5/23/2003	22.73	---	---	---	8.93	13.80	13.80
HA-13	5/27/2003	22.73	---	---	---	8.89	13.84	---
HA-13	5/28/2003	22.73	---	---	---	8.98	13.75	13.75
HA-13	6/13/2003	22.73	---	---	---	6.08	16.65	16.65
HA-13	6/18/2003	22.73	---	---	---	9.12	13.61	13.61
HA-13	6/27/2003	22.73	---	---	---	9.07	13.66	13.66
HA-13	7/7/2003	22.73	---	---	---	9.55	13.18	13.18
HA-13	7/16/2003	22.73	---	---	---	9.42	13.31	13.31
HA-13	7/31/2003	22.73	---	---	---	9.59	13.14	13.14
HA-13	8/5/2003	22.73	---	---	---	9.63	13.10	13.10
HA-13	8/11/2003	22.73	---	---	---	10.75	11.98	11.98
HA-13	8/22/2003	22.73	---	---	---	11.26	11.47	11.47

Table 5

Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-13	8/26/2003	22.73	---	---	---	9.87	12.86	12.86
HA-13	9/2/2003	22.73	---	---	---	10.31	12.42	12.42
HA-13	9/9/2003	22.73	---	---	---	10.46	12.27	12.27
HA-13	9/19/2003	22.73	---	---	---	10.46	12.27	12.27
HA-13	10/14/2003	22.73	---	---	Not Monitored	---	---	---
HA-13	11/20/2003	22.73	---	---	---	5.70	17.03	17.03
HA-13	12/3/2003	22.73	---	---	---	5.91	16.82	16.82
HA-13	1/19/2004	22.73	---	---	---	5.91	16.82	16.82
HA-13	2/24/2004	22.73	---	---	---	6.92	15.81	15.81
HA-13	3/15/2004	22.73	---	---	---	7.81	14.92	14.92
HA-13	4/19/2004	22.73	---	---	---	8.56	14.17	14.17
HA-13	5/17/2004	22.73	---	---	---	9.07	13.66	13.66
HA-13	6/16/2004	22.73	---	---	---	7.99	14.74	---
HA-13	6/22/2004	22.73	---	---	---	8.98	13.75	13.75
HA-13	8/18/2004	22.73	---	---	---	9.79	12.94	12.94
HA-13	9/21/2004	22.73	---	---	---	8.64	14.09	14.09
HA-13	10/19/2004	22.73	---	---	---	8.16	14.57	14.57
HA-13	11/23/2004	22.73	---	---	---	8.62	14.11	14.11
HA-13	12/21/2004	22.73	---	---	---	6.84	15.89	15.89
HA-13	1/13/2005	22.73	---	---	---	7.80	14.93	14.93
HA-13	4/28/2005	22.73	---	---	---	7.07	15.66	15.66
HA-13	6/1/2005	22.73	---	---	---	7.83	14.90	14.90
HA-13	6/21/2005	22.73	---	---	---	8.34	14.39	---
HA-13	6/29/2005	22.73	---	---	---	8.77	13.96	13.96
HA-13	7/20/2005	22.73	---	---	---	9.05	13.68	13.68
HA-13	8/22/2005	22.73	---	---	---	9.28	13.45	13.45
HA-13	9/12/2005	22.73	---	---	---	9.61	13.12	13.12
HA-13	10/12/2005	22.73	---	---	---	9.96	12.77	12.77
HA-13	11/21/2005	22.73	---	---	---	7.78	14.95	14.95
HA-13	12/27/2005	22.73	---	---	---	5.36	17.37	17.37
HA-13	1/30/2006	22.73	---	---	---	3.60	19.13	19.13
HA-13	2/16/2006	22.73	---	---	---	6.05	16.68	16.68
HA-13	3/13/2006	22.73	---	---	---	7.26	15.47	15.47
HA-13	4/18/2006	22.73	---	---	---	7.70	15.03	15.03
HA-13	5/12/2006	22.73	---	---	---	8.21	14.52	14.52
HA-13	6/5/2006	22.73	---	---	---	7.74	14.99	---
HA-13	6/9/2006	22.73	---	---	---	7.80	14.93	14.93
HA-13	7/13/2006	22.73	---	---	---	8.82	13.91	13.91
HA-13	8/16/2006	22.73	---	---	---	9.84	12.89	12.89
HA-13	9/19/2006	22.73	---	---	---	9.70	13.03	13.03
HA-13	10/13/2006	22.73	---	---	---	9.46	13.27	13.27
HA-13	10/23/2006	22.73	---	---	---	9.45	13.28	---
HA-13	11/20/2006	22.73	---	---	---	4.85	17.88	17.88
HA-13	12/8/2006	22.73	---	---	---	5.67	17.06	17.06
HA-13	1/19/2007	22.73	---	---	---	5.08	17.65	17.65
HA-13	2/19/2007	22.73	---	---	---	7.39	15.34	15.34
HA-13	3/14/2007	22.73	---	---	---	6.28	16.45	---
HA-13	3/15/2007	22.73	---	---	---	6.36	16.37	16.37
HA-13	4/16/2007	22.73	---	---	---	7.18	15.55	15.55
HA-13	5/14/2007	22.73	---	---	---	8.40	14.33	14.33
HA-13	6/29/2007	22.73	---	---	---	9.26	13.47	13.47
HA-13	7/20/2007	22.73	---	---	---	9.51	13.22	13.22
HA-13	8/21/2007	22.73	---	---	---	9.89	12.84	12.84
HA-13	9/10/2007	22.73	---	---	---	9.91	12.82	12.82
HA-13	10/22/2007	22.73	---	---	---	8.11	14.62	14.62
HA-13	11/28/2007	22.73	---	---	---	8.22	14.51	14.51
HA-13	12/13/2007	22.73	6.32	16.41	0.01	6.33	16.41	16.42
HA-13	1/21/2008	22.73	---	---	---	6.83	15.90	15.90
HA-13	2/24/2008	22.73	---	---	---	7.55	15.18	15.18
HA-13	3/24/2008	22.73	---	---	---	7.89	14.84	14.84
HA-13	6/2/2008	22.73	---	---	---	9.03	13.70	---
HA-13	8/25/2008	22.73	---	---	---	9.29	13.44	13.44
HA-13	2/18/2009	22.73	---	---	Not Monitored	---	---	NM
HA-13	8/25/2009	22.73	---	---	Not Monitored	---	---	NM
HA-13	3/22/2010	22.73	---	---	---	7.52	15.21	15.21
HA-13	8/23/2010	22.73	---	---	---	9.35	13.38	13.38
HA-13	2/7/2011	22.73	---	---	---	6.48	16.25	---
HA-13	5/27/2011	22.73	---	---	---	7.55	15.18	---
HA-13	8/8/2011	22.73	---	---	---	9.21	13.52	---
HA-13	11/14/2011	22.73	---	---	---	8.69	14.04	---
HA-13	2/20/2012	22.73	---	---	---	5.17	17.56	---
HA-13	8/22/2012	22.73	---	---	---	9.11	13.62	---
HA-13	11/5/2012	22.73	---	---	---	4.28	18.45	---
HA-13	1/28/2013	22.73	---	---	---	6.19	16.54	---
HA-13	5/9/2013	22.73	---	---	---	7.57	15.16	---
HA-13	8/19/2013	22.73	---	---	---	9.51	13.22	---
HA-13	11/25/2013	22.73	---	---	---	7.19	15.54	---
HA-13	2/14/2014	22.73	---	---	---	5.07	17.66	---
HA-13	5/5/2014	22.73	---	---	---	4.48	18.25	---
HA-13	8/19/2014	22.73	---	---	---	9.33	13.40	---
HA-13	11/21/2014	22.73	---	---	---	7.26	15.47	---
HA-14	1/27/1993	20.02	---	---	---	6.10	13.92	---
HA-14	3/12/1993	20.02	---	---	---	8.80	11.22	---
HA-14	4/14/1993	20.02	---	---	---	7.04	12.98	---
HA-14	12/15/1993	20.02	---	---	---	8.56	11.46	---
HA-14	11/4/1994	20.02	---	---	---	8.35	11.67	---
HA-14	2/22/1995	20.02	---	---	---	5.10	14.92	---
HA-14	6/16/1995	20.02	---	---	---	9.51	10.51	---
HA-14	10/20/1995	20.02	---	---	---	8.77	11.25	---
HA-14	4/4/1996	20.02	---	---	---	7.52	12.50	---
HA-14	4/16/1996	20.02	---	---	---	6.01	14.01	---
HA-14	5/1/1997	20.02	---	---	---	6.92	13.10	---
HA-14	9/18/1997	20.02	---	---	---	8.17	11.85	---
HA-14	4/30/1998	20.02	---	---	---	9.05	10.97	---
HA-14	7/29/1999	20.02	---	---	---	9.49	10.53	---
HA-14	5/22/2000	20.02	---	---	---	9.22	10.80	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-14	5/22/2001	20.02	---	---	---	9.03	10.99	---
HA-14	6/4/2002	20.02	---	---	---	8.41	11.61	---
HA-14	11/24/2002	23.47	---	---	---	9.67	13.80	13.80
HA-14	5/27/2003	23.47	---	---	---	9.48	13.99	---
HA-14	6/16/2004	23.47	---	---	---	9.69	13.78	---
HA-14	9/21/2004	23.47	---	---	---	9.24	14.23	14.23
HA-14	6/1/2005	23.47	---	---	---	8.68	14.79	14.79
HA-14	6/21/2005	23.47	---	---	---	9.15	14.32	---
HA-14	6/29/2005	23.47	---	---	---	9.32	14.15	14.15
HA-14	7/20/2005	23.47	---	---	---	9.63	13.84	10.39
HA-14	8/22/2005	23.47	---	---	---	10.50	12.97	13.21
HA-14	9/12/2005	23.47	---	---	Not Monitored	---	---	NM
HA-14	10/12/2005	23.47	---	---	Not Monitored	---	---	NM
HA-14	11/21/2005	23.47	---	---	Not Monitored	---	---	NM
HA-14	12/27/2005	23.47	---	---	Not Monitored	---	---	NM
HA-14	1/30/2006	23.47	---	---	Not Monitored	---	---	NM
HA-14	2/16/2006	23.47	---	---	Not Monitored	---	---	NM
HA-14	3/13/2006	23.47	---	---	Not Monitored	---	---	NM
HA-14	4/18/2006	23.47	---	---	Not Monitored	---	---	NM
HA-14	5/12/2006	23.47	---	---	Not Monitored	---	---	NM
HA-14	6/5/2006	23.47	---	---	---	7.96	15.51	---
HA-14	6/9/2006	23.47	---	---	Not Monitored	---	---	NM
HA-14	7/13/2006	23.47	---	---	Not Monitored	---	---	NM
HA-14	8/16/2006	23.47	---	---	Not Monitored	---	---	NM
HA-14	9/19/2006	23.47	---	---	Not Monitored	---	---	NM
HA-14	10/13/2006	23.47	---	---	---	10.26	13.21	13.21
HA-14	10/23/2006	23.47	---	---	---	10.18	13.29	---
HA-14	11/20/2006	23.47	---	---	---	9.27	14.20	14.20
HA-14	12/8/2006	23.47	---	---	---	5.12	18.35	18.35
HA-14	1/19/2007	23.47	---	---	---	5.01	18.46	18.46
HA-14	2/19/2007	23.47	---	---	---	8.00	15.47	15.47
HA-14	3/14/2007	23.47	---	---	---	7.13	16.34	---
HA-14	3/15/2007	23.47	---	---	---	6.85	16.62	16.62
HA-14	4/16/2007	23.47	---	---	---	7.87	15.60	15.60
HA-14	5/14/2007	23.47	---	---	---	9.10	14.37	14.37
HA-14	6/29/2007	23.47	---	---	---	8.70	14.77	14.77
HA-14	7/20/2007	23.47	---	---	---	10.08	13.39	13.39
HA-14	8/21/2007	23.47	---	---	---	10.12	13.35	13.35
HA-14	9/10/2007	23.47	---	---	---	10.41	13.06	13.06
HA-14	10/22/2007	23.47	---	---	---	8.76	14.71	14.71
HA-14	11/28/2007	23.47	---	---	---	6.79	16.68	16.68
HA-14	12/13/2007	23.47	7.72	15.75	0.07	7.79	15.73	15.79
HA-14	1/21/2008	23.47	---	---	---	6.54	16.93	16.93
HA-14	2/24/2008	23.47	---	---	---	8.21	15.26	15.26
HA-14	3/24/2008	23.47	---	---	---	8.61	14.86	14.86
HA-14	6/2/2008	23.47	---	---	---	9.68	13.79	---
HA-14	8/25/2008	23.47	---	---	---	8.67	14.80	14.80
HA-14	2/18/2009	23.47	---	---	Not Monitored	---	---	NM
HA-14	8/25/2009	23.47	---	---	---	10.41	13.06	NM
HA-14	3/22/2010	23.47	---	---	---	8.15	15.32	15.32
HA-14	8/23/2010	23.47	---	---	---	9.94	13.53	13.53
HA-14	2/7/2011	23.47	---	---	---	7.35	16.12	---
HA-14	5/27/2011	23.47	---	---	---	8.28	15.19	---
HA-14	8/8/2011	23.47	---	---	---	9.89	13.58	---
HA-14	11/14/2011	23.47	---	---	---	10.31	13.16	---
HA-14	2/20/2012	23.47	---	---	---	6.90	16.57	---
HA-14	8/22/2012	23.47	---	---	---	9.83	13.64	---
HA-14	11/5/2012	23.47	---	---	DRY	---	---	---
HA-14	1/28/2013	23.47	---	---	---	7.34	16.13	---
HA-14	5/9/2013	23.47	---	---	---	8.22	15.25	---
HA-14	8/19/2013	23.47	---	---	---	10.15	13.32	---
HA-14	11/25/2013	23.47	---	---	---	8.16	15.31	---
HA-14	2/14/2014	23.47	---	---	---	7.90	15.57	---
HA-14	5/5/2014	23.47	---	---	---	6.91	16.56	---
HA-14	8/19/2014	23.47	---	---	---	9.17	14.30	---
HA-14	11/21/2014	23.47	---	---	---	8.11	15.36	---
HA-15	1/31/2003	22.87	---	---	---	5.56	17.31	---
HA-15	2/7/2003	22.87	---	---	---	5.31	17.56	17.31
HA-15	2/12/2003	22.87	---	---	---	5.64	17.23	17.56
HA-15	2/18/2003	22.87	---	---	---	6.09	16.78	17.23
HA-15	2/21/2003	22.87	---	---	---	7.92	14.95	14.95
HA-15	2/24/2003	22.87	---	---	---	6.04	16.83	16.83
HA-15	3/4/2003	22.87	---	---	---	6.62	16.25	16.25
HA-15	3/12/2003	22.87	---	---	---	6.02	16.85	16.85
HA-15	3/26/2003	22.87	---	---	---	5.46	17.41	17.41
HA-15	3/28/2003	22.87	---	---	---	5.96	16.91	16.91
HA-15	4/2/2003	22.87	---	---	---	5.91	16.96	16.96
HA-15	4/4/2003	22.87	---	---	---	6.22	16.65	16.65
HA-15	4/8/2003	22.87	---	---	---	6.42	16.45	16.45
HA-15	4/11/2003	22.87	---	---	---	6.63	16.24	16.24
HA-15	4/15/2003	22.87	---	---	---	6.28	16.59	16.59
HA-15	4/17/2003	22.87	---	---	---	6.49	16.38	16.38
HA-15	4/22/2003	22.87	---	---	---	6.66	16.21	16.21
HA-15	4/25/2003	22.87	---	---	---	7.07	15.80	15.80
HA-15	5/2/2003	22.87	---	---	---	7.06	15.81	15.81
HA-15	5/6/2003	22.87	---	---	---	7.32	15.55	15.55
HA-15	5/9/2003	22.87	---	---	---	7.52	15.35	15.35
HA-15	5/23/2003	22.87	---	---	---	7.83	15.04	15.04
HA-15	5/28/2003	22.87	---	---	DRY	---	---	Dry
HA-15	6/13/2003	22.87	---	---	DRY	---	---	Dry
HA-15	6/18/2003	22.87	---	---	DRY	---	---	Dry
HA-15	6/27/2003	22.87	---	---	DRY	---	---	Dry
HA-15	7/7/2003	22.87	---	---	DRY	---	---	Dry
HA-15	7/16/2003	22.87	---	---	DRY	---	---	Dry
HA-15	7/31/2003	22.87	---	---	DRY	---	---	Dry
HA-15	8/5/2003	22.87	---	---	DRY	---	---	Dry

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-15	8/11/2003	22.87			DRY			Dry
HA-15	8/22/2003	22.87			DRY			Dry
HA-15	8/26/2003	22.87			DRY			Dry
HA-15	9/2/2003	22.87			DRY			Dry
HA-15	9/9/2003	22.87			DRY			Dry
HA-15	9/19/2003	22.87			DRY			Dry
HA-15	10/14/2003	22.87			DRY			Dry
HA-15	11/20/2003	22.87			DRY			Dry
HA-15	12/3/2003	22.87	---	---	---	6.08	16.79	16.79
HA-15	1/19/2004	22.87	---	---	---	5.49	17.38	17.38
HA-15	2/24/2004	22.87	---	---	---	6.32	16.55	16.55
HA-15	3/15/2004	22.87	---	---	---	7.32	15.55	15.55
HA-15	4/19/2004	22.87	---	---	---	7.80	15.07	15.07
HA-15	5/17/2004	22.87			DRY			0.00
HA-15	6/22/2004	22.87			DRY			0.00
HA-15	8/18/2004	22.87			DRY			0.00
HA-15	9/21/2004	22.87			DRY			0.00
HA-15	10/19/2004	22.87			DRY			0.00
HA-15	11/23/2004	22.87			DRY			0.00
HA-15	12/21/2004	22.87	---	---	---	6.03	16.84	16.84
HA-15	1/13/2005	22.87	---	---	---	6.73	16.14	16.14
HA-15	4/28/2005	22.87	---	---	---	5.93	16.94	16.94
HA-15	6/1/2005	22.87	---	---	---	6.06	16.81	16.81
HA-15	6/29/2005	22.87	---	---	---	7.53	15.34	15.34
HA-15	7/20/2005	22.87			DRY			Dry
HA-15	8/22/2005	22.87			DRY			Dry
HA-15	9/12/2005	22.87			DRY			Dry
HA-15	10/12/2005	22.87			DRY			Dry
HA-15	11/21/2005	22.87	---	---	---	7.65	15.22	15.22
HA-15	12/27/2005	22.87	---	---	---	6.63	16.24	16.24
HA-15	1/30/2006	22.87	---	---	---	3.40	19.47	19.47
HA-15	2/16/2006	22.87	---	---	---	4.91	17.96	17.96
HA-15	3/13/2006	22.87	---	---	---	5.88	16.99	16.99
HA-15	4/18/2006	22.87	---	---	---	6.29	16.58	16.58
HA-15	5/12/2006	22.87	---	---	---	6.67	16.20	16.20
HA-15	6/9/2006	22.87	---	---	---	6.26	16.61	16.61
HA-15	7/13/2006	22.87	---	---	---	7.40	15.47	15.47
HA-15	8/16/2006	22.87			DRY			Dry
HA-15	9/19/2006	22.87			DRY			Dry
HA-15	10/13/2006	22.87			DRY			Dry
HA-15	11/20/2006	22.87	---	---	---	4.87	18.00	18.00
HA-15	12/8/2006	22.87	---	---	---	4.53	18.34	18.34
HA-15	1/19/2007	22.87	---	---	---	4.21	18.66	18.66
HA-15	2/19/2007	22.87	---	---	---	6.55	16.32	16.32
HA-15	3/15/2007	22.87	---	---	---	5.30	17.57	17.57
HA-15	4/16/2007	22.87	---	---	---	5.83	17.04	17.04
HA-15	5/14/2007	22.87	---	---	---	7.30	15.57	15.57
HA-15	6/29/2007	22.87	---	---	---	7.83	15.04	15.04
HA-15	7/20/2007	22.87			DRY			Dry
HA-15	8/21/2007	22.87	---	---	---	7.85	15.02	15.02
HA-15	9/10/2007	22.87			DRY			Dry
HA-15	10/22/2007	22.87			DRY			Dry
HA-15	11/28/2007	22.87	---	---	---	7.62	15.25	15.25
HA-15	12/13/2007	22.87	---	---	---	6.53	16.34	16.34
HA-15	1/21/2008	22.87	---	---	---	6.46	16.41	16.41
HA-15	2/24/2008	22.87	---	---	---	6.95	15.92	15.92
HA-15	3/24/2008	22.87	---	---	---	7.24	15.63	15.63
HA-15	8/25/2008	22.87			DRY			Dry
HA-15	2/18/2009	22.87	---	---	---	7.35	15.52	15.52
HA-15	8/25/2009	22.87			DRY			Dry
HA-15	3/22/2010	22.87	---	---	---	6.26	16.61	16.61
HA-15	8/23/2010	22.87			DRY			Dry
HA-15	2/7/2011	22.87	---	---	---	5.90	16.97	---
HA-15	5/27/2011	22.87			Not Monitored			---
HA-15	8/8/2011	22.87	---	---	---	6.30	16.57	---
HA-15	11/14/2011	22.87			DRY			---
HA-15	2/20/2012	22.87	---	---	---	5.41	17.46	---
HA-15	8/22/2012	22.87	---	---	---	7.81	15.06	---
HA-15	11/5/2012	22.87	---	---	---	7.84	15.03	---
HA-15	1/28/2013	22.87	---	---	---	5.26	17.61	---
HA-15	5/9/2013	22.87	---	---	---	6.58	16.29	---
HA-15	8/19/2013	22.87	---	---	---	7.84	15.03	---
HA-15	11/25/2013	22.87	---	---	---	6.68	16.19	---
HA-15	2/14/2014	22.87	---	---	---	6.23	16.64	---
HA-15	5/5/2014	22.87	---	---	---	5.20	17.67	---
HA-15	8/19/2014				Decommissioned Well			
HA-16	12/5/2002	22.07	7.60	14.47	0.05	7.65	14.46	---
HA-16	12/11/2002	22.07	7.40	14.67	0.68	8.08	14.50	---
HA-16	12/13/2002	22.07	7.33	14.74	0.96	8.29	14.50	14.50
HA-16	12/17/2002	22.07	6.67	15.40	1.54	8.21	15.02	15.01
HA-16	1/2/2003	22.07	5.60	16.47	0.22	5.82	16.42	16.58
HA-16	1/6/2003	22.07	5.08	16.99	0.02	5.10	16.99	17.00
HA-16	1/7/2003	22.07	5.05	17.02	0.02	5.07	17.02	17.03
HA-16	1/8/2003	22.07	4.95	17.12	0.03	4.98	17.11	17.14
HA-16	1/9/2003	22.07	4.92	17.15	0.02	4.94	17.15	17.16
HA-16	1/10/2003	22.07	4.94	17.13	0.02	4.96	17.13	17.14
HA-16	1/14/2003	22.07	3.09	18.98	2.03	5.12	18.47	20.00
HA-16	1/15/2003	22.07	5.00	17.07	0.05	5.05	17.06	17.10
HA-16	1/16/2003	22.07	4.92	17.15	0.04	4.96	17.14	17.17
HA-16	1/17/2003	22.07	4.95	17.12	0.02	4.97	17.12	17.13
HA-16	1/20/2003	22.07	4.98	17.09	0.04	5.02	17.08	17.11
HA-16	5/28/2003	22.07	7.35	14.72	0.77	8.12	14.53	15.11
HA-16	12/21/2004	22.07	---	---	---	5.23	16.84	16.84
HA-16	1/13/2005	22.07	---	---	---	6.10	15.97	15.97
HA-16	4/28/2005	22.07	---	---	---	5.40	16.67	16.67
HA-16	6/1/2005	22.07	---	---	---	5.66	16.41	16.41

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-16	6/29/2005	22.07	---	---	---	7.14	14.93	14.93
HA-16	7/20/2005	22.07	7.77	14.30	0.01	7.78	14.30	14.31
HA-16	8/22/2005	22.07	---	---	---	8.00	14.07	14.07
HA-16	9/12/2005	22.07	---	---	---	8.58	13.49	13.49
HA-16	10/12/2005	22.07	---	---	---	9.29	12.78	12.78
HA-16	11/21/2005	22.07	---	---	---	6.99	15.08	15.08
HA-16	12/27/2005	22.07	---	---	---	6.14	15.93	15.93
HA-16	1/31/2006	22.07	2.75	19.32	0.01	2.76	19.32	19.33
HA-16	2/16/2006	22.07	---	---	---	4.26	17.81	17.81
HA-16	3/13/2006	22.07	---	---	---	5.25	16.82	16.82
HA-16	4/18/2006	22.07	---	---	---	5.71	16.36	16.36
HA-16	5/12/2006	22.07	---	---	---	6.10	15.97	15.97
HA-16	6/9/2006	22.07	---	---	---	5.75	16.32	16.32
HA-16	7/13/2006	22.07	---	---	---	7.00	15.07	15.07
HA-16	8/16/2006	22.07	---	---	---	8.00	14.07	14.07
HA-16	9/19/2006	22.07	---	---	---	8.60	13.47	13.47
HA-16	10/13/2006	22.07	---	---	---	8.36	13.71	13.71
HA-16	11/20/2006	22.07	---	---	---	4.42	17.65	17.65
HA-16	12/8/2006	22.07	---	---	---	3.96	18.11	18.11
HA-16	1/19/2007	22.07	---	---	---	3.66	18.41	18.41
HA-16	2/19/2007	22.07	---	---	---	5.84	16.23	16.23
HA-16	3/15/2007	22.07	---	---	---	4.60	17.47	17.47
HA-16	4/16/2007	22.07	---	---	---	5.13	16.94	16.94
HA-16	5/14/2007	22.07	---	---	---	6.70	15.37	15.37
HA-16	6/29/2007	22.07	---	---	---	7.91	14.16	14.16
HA-16	7/20/2007	22.07	---	---	---	8.37	13.70	13.70
HA-16	8/21/2007	22.07	---	---	---	9.05	13.02	13.02
HA-16	9/10/2007	22.07	---	---	---	9.11	12.96	12.96
HA-16	10/22/2007	22.07	---	---	---	7.95	14.12	14.12
HA-16	11/28/2007	22.07	---	---	---	7.20	14.87	14.87
HA-16	12/13/2007	22.07	5.77	16.30	0.01	5.78	16.30	16.31
HA-16	1/21/2008	22.07	---	---	---	5.75	16.32	16.32
HA-16	2/24/2008	22.07	---	---	---	6.32	15.75	15.75
HA-16	3/24/2008	22.07	---	---	---	6.65	15.42	15.42
HA-16	8/25/2008	22.07	---	---	---	8.60	13.47	13.47
HA-16	2/18/2009	22.07	---	---	---	6.64	15.43	15.43
HA-16	8/25/2009	22.07	---	---	---	9.87	12.20	12.20
HA-16	3/22/2010	22.07	---	---	---	5.53	16.54	16.54
HA-16	8/23/2010	22.07	---	---	---	8.08	13.99	13.99
HA-16	2/7/2011	22.07	---	---	---	5.18	16.89	---
HA-16	5/27/2011	22.07	---	---	---	6.08	15.99	---
HA-16	8/8/2011	22.07	---	---	---	8.15	13.92	---
HA-16	11/14/2011	22.07	---	---	---	7.85	14.22	---
HA-16	2/20/2012	22.07	---	---	---	4.61	17.46	---
HA-16	8/22/2012	22.07	---	---	---	7.85	14.22	---
HA-16	11/5/2012	22.07	---	---	---	7.17	14.90	---
HA-16	1/28/2013	22.07	---	---	---	4.73	17.34	---
HA-16	5/9/2013	22.07	---	---	---	5.89	16.18	---
HA-16	8/19/2013	22.07	---	---	---	8.64	13.43	---
HA-16	11/25/2013	22.07	---	---	---	6.10	15.97	---
HA-16	2/14/2014	22.07	---	---	---	5.54	16.53	---
HA-16	5/5/2014	22.07	---	---	---	3.94	18.13	---
HA-16	8/19/2014				Decommissioned Well			
HA-17	8/11/2003	21.92			DRY			
HA-17	3/15/2004	21.92	---	---	---	6.66	15.26	Dry
HA-17	9/21/2004	21.92	---	---	---	7.75	14.17	15.26
HA-17	12/21/2004	21.92	---	---	---	5.07	16.85	14.17
HA-17	1/13/2005	21.92	---	---	---	5.85	16.07	16.07
HA-17	4/28/2005	21.92	---	---	---	4.85	17.07	17.07
HA-17	6/1/2005	21.92	---	---	---	5.09	16.83	16.83
HA-17	6/29/2005	21.92	---	---	---	6.97	14.95	14.95
HA-17	7/20/2005	21.92	---	---	---	7.63	14.29	14.29
HA-17	8/22/2005	21.92	---	---	---	7.82	14.10	14.10
HA-17	9/12/2005	21.92	---	---	DRY			Dry
HA-17	10/12/2005	21.92	---	---	DRY			Dry
HA-17	11/21/2005	21.92	---	---	---	6.43	15.49	15.49
HA-17	12/27/2005	21.92	---	---	---	5.10	16.82	16.82
HA-17	1/30/2006	21.92	---	---	---	2.81	19.11	19.11
HA-17	2/16/2006	21.92	---	3.68	0.01	3.69	18.24	18.25
HA-17	3/13/2006	21.92	---	---	---	4.63	17.29	17.29
HA-17	4/18/2006	21.92	---	---	---	5.00	16.92	16.92
HA-17	5/12/2006	21.92	---	---	---	5.54	16.38	16.38
HA-17	6/9/2006	21.92	---	---	---	4.97	16.95	16.95
HA-17	7/13/2006	21.92	---	---	---	9.50	12.42	12.42
HA-17	8/16/2006	21.92	---	---	---	7.50	14.42	14.42
HA-17	9/19/2006	21.92	---	---	DRY			Dry
HA-17	10/13/2006	21.92	---	---	DRY			Dry
HA-17	11/20/2006	21.92	---	---	---	4.12	17.80	17.80
HA-17	12/8/2006	21.92	---	---	---	3.48	18.44	18.44
HA-17	1/19/2007	21.92	---	---	---	3.02	18.90	18.90
HA-17	2/19/2007	21.92	---	---	---	5.85	16.07	16.07
HA-17	3/15/2007	21.92	---	---	---	3.97	17.95	17.95
HA-17	4/16/2007	21.92	---	---	---	4.51	17.41	17.41
HA-17	5/14/2007	21.92	---	---	---	6.71	15.21	15.21
HA-17	6/29/2007	21.92	---	---	---	7.58	14.34	14.34
HA-17	7/20/2007	21.92	---	---	DRY			Dry
HA-17	8/21/2007	21.92	---	---	DRY			Dry
HA-17	9/10/2007	21.92	---	---	DRY			Dry
HA-17	10/22/2007	21.82	---	---	---	7.36	14.46	14.46
HA-17	11/28/2007	21.82	---	---	---	6.95	14.87	14.87
HA-17	12/13/2007	21.82	---	---	---	5.89	15.93	15.93
HA-17	1/21/2008	21.82	---	---	---	5.45	16.37	16.37
HA-17	2/24/2008	21.82	---	---	---	6.09	15.73	15.73
HA-17	3/24/2008	21.82	---	---	---	6.41	15.41	15.41
HA-17	8/25/2008	21.82	---	---	DRY			Dry
HA-17	2/18/2009	21.82	---	---	---	6.68	15.14	15.14

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-17	8/25/2009	21.82	---	---	---	8.10	13.72	13.72
HA-17	3/22/2010	21.82	---	---	---	4.92	16.90	16.90
HA-17	8/23/2010	21.82	---	---	DRY	---	---	Dry
HA-17	2/7/2011	21.82	---	---	---	4.89	16.93	---
HA-17	5/27/2011	21.82	---	---	Not Monitored	---	---	---
HA-17	8/8/2011	21.82	---	---	Dry	---	---	---
HA-17	11/14/2011	21.82	---	---	---	7.69	14.13	---
HA-17	2/20/2012	21.82	---	---	---	4.91	16.91	---
HA-17	8/22/2012	21.82	---	---	---	7.61	14.21	---
HA-17	11/5/2012	21.82	---	---	---	7.31	14.51	---
HA-17	1/28/2013	21.82	---	---	---	4.33	17.49	---
HA-17	5/9/2013	21.82	---	---	---	6.00	15.82	---
HA-17	8/19/2013	21.82	---	---	DRY	---	---	---
HA-17	11/25/2013	21.82	---	---	---	6.46	15.36	---
HA-17	2/14/2014	21.82	---	---	---	5.27	16.55	---
HA-17	5/5/2014	21.82	---	---	---	4.68	17.14	---
HA-17	8/19/2014	---	---	---	Decommissioned Well	---	---	---
HA-18	8/11/2003	21.51	---	---	DRY	---	---	---
HA-18	3/15/2004	21.51	6.47	15.04	0.00	6.47	15.04	Dry
HA-18	12/21/2004	21.51	---	---	---	4.98	16.53	15.04
HA-18	1/13/2005	21.51	---	---	---	5.61	15.90	16.53
HA-18	4/28/2005	21.51	---	---	---	4.79	16.72	16.72
HA-18	6/1/2005	21.51	---	---	---	5.00	16.51	16.51
HA-18	6/29/2005	21.51	---	---	---	6.76	14.75	14.75
HA-18	7/20/2005	21.51	---	---	---	7.46	14.05	14.05
HA-18	8/22/2005	21.51	---	---	---	7.45	14.06	14.06
HA-18	9/12/2005	21.51	---	---	---	7.80	13.71	13.71
HA-18	10/12/2005	21.51	---	---	DRY	---	---	Dry
HA-18	11/21/2005	21.51	---	---	---	7.00	14.51	14.51
HA-18	12/27/2005	21.51	---	---	---	5.88	15.63	15.63
HA-18	1/30/2006	21.51	---	---	---	2.52	18.99	18.99
HA-18	2/16/2006	21.51	---	---	---	3.59	17.92	17.92
HA-18	3/13/2006	21.51	---	---	---	4.52	16.99	16.99
HA-18	4/18/2006	21.51	---	---	---	5.11	16.40	16.40
HA-18	5/12/2006	21.51	---	---	---	5.39	16.12	16.12
HA-18	6/9/2006	21.51	---	---	---	5.15	16.36	16.36
HA-18	7/13/2006	21.51	---	---	---	6.21	15.30	15.30
HA-18	8/16/2006	21.51	---	---	---	7.21	14.30	14.30
HA-18	9/19/2006	21.51	---	---	DRY	---	---	Dry
HA-18	10/13/2006	21.51	---	---	---	7.75	13.76	13.76
HA-18	11/20/2006	21.51	---	---	---	4.47	17.04	17.04
HA-18	12/8/2006	21.51	---	---	---	3.58	17.93	17.93
HA-18	1/19/2007	21.51	---	---	---	3.15	18.36	18.36
HA-18	2/19/2007	21.51	---	---	---	5.84	15.67	15.67
HA-18	3/15/2007	21.51	---	---	---	4.32	17.19	17.19
HA-18	4/16/2007	21.51	---	---	---	4.43	17.08	17.08
HA-18	5/14/2007	21.51	---	---	---	6.45	15.06	15.06
HA-18	6/29/2007	21.51	---	---	---	7.27	14.24	14.24
HA-18	7/20/2007	21.51	---	---	---	7.87	13.64	13.64
HA-18	8/21/2007	21.51	---	---	DRY	---	---	Dry
HA-18	9/10/2007	21.51	---	---	DRY	---	---	Dry
HA-18	10/22/2007	21.51	---	---	DRY	---	---	Dry
HA-18	11/28/2007	21.51	---	---	---	6.92	14.59	14.59
HA-18	12/13/2007	21.51	---	---	---	5.86	15.65	15.65
HA-18	1/21/2008	21.51	---	---	---	5.62	15.89	15.89
HA-18	2/24/2008	21.51	---	---	---	4.36	17.15	17.15
HA-18	3/24/2008	21.51	---	---	---	6.29	15.22	15.22
HA-18	8/25/2008	21.51	---	---	---	8.07	13.44	13.44
HA-18	2/18/2009	21.51	---	---	---	6.32	15.19	15.19
HA-18	8/25/2009	21.51	---	---	DRY	---	---	0.00
HA-18	3/22/2010	21.51	---	---	---	4.81	16.70	16.70
HA-18	8/23/2010	21.51	---	---	---	7.26	14.25	14.25
HA-18	2/7/2011	21.51	---	---	---	4.99	16.52	---
HA-18	5/27/2011	21.51	---	---	Not Monitored	---	---	---
HA-18	8/8/2011	21.51	---	---	---	7.76	13.75	---
HA-18	11/14/2011	21.51	---	---	---	7.58	13.93	---
HA-18	2/20/2012	21.51	---	---	---	5.24	16.27	---
HA-18	11/5/2012	21.51	---	---	---	7.74	13.77	---
HA-18	1/28/2013	21.51	---	---	---	4.34	17.17	---
HA-18	8/19/2013	21.51	---	---	---	8.00	13.51	---
HA-18	11/25/2013	21.51	---	---	---	6.22	15.29	---
HA-18	2/14/2014	21.51	---	---	---	5.50	16.01	---
HA-18	5/5/2014	21.51	---	---	---	4.74	16.77	---
HA-18	8/19/2014	---	---	---	Decommissioned Well	---	---	---
HA-19	4/2/2003	22.92	---	---	---	4.61	18.31	---
HA-19	4/4/2003	22.92	7.10	---	---	7.13	15.79	18.31
HA-19	4/8/2003	22.92	6.61	---	---	6.62	16.31	15.79
HA-19	4/11/2003	22.92	5.69	17.23	0.00	5.69	17.23	16.31
HA-19	4/15/2003	22.92	---	---	---	4.26	18.66	18.66
HA-19	4/17/2003	22.92	---	---	---	5.62	17.30	17.30
HA-19	4/22/2003	22.92	7.21	15.71	0.01	7.22	15.71	15.72
HA-19	4/25/2003	22.92	7.23	15.69	0.00	7.23	15.69	15.69
HA-19	5/2/2003	22.92	---	---	---	7.87	15.05	15.05
HA-19	5/6/2003	22.92	---	---	---	7.80	15.12	15.12
HA-19	5/9/2003	22.92	---	---	---	8.00	14.92	14.92
HA-19	5/23/2003	22.92	---	---	DRY	---	---	Dry
HA-19	5/28/2003	22.92	---	---	DRY	---	---	Dry
HA-19	6/13/2003	22.92	---	---	DRY	---	---	Dry
HA-19	6/18/2003	22.92	---	---	DRY	---	---	Dry
HA-19	6/27/2003	22.92	---	---	DRY	---	---	Dry
HA-19	7/7/2003	22.92	---	---	DRY	---	---	Dry
HA-19	7/16/2003	22.92	---	---	DRY	---	---	Dry
HA-19	7/31/2003	22.92	---	---	DRY	---	---	Dry
HA-19	8/5/2003	22.92	---	---	DRY	---	---	Dry
HA-19	8/11/2003	22.92	---	---	DRY	---	---	Dry

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
HA-19	8/22/2003	22.92			DRY			Dry
HA-19	8/26/2003	22.92			DRY			Dry
HA-19	9/2/2003	22.92			DRY			Dry
HA-19	9/9/2003	22.92			DRY			Dry
HA-19	9/19/2003	22.92			DRY			Dry
HA-19	10/14/2003	22.92			DRY			Dry
HA-19	11/20/2003	22.92				4.74	18.18	18.18
HA-19	12/3/2003	22.92				5.35	17.57	17.57
HA-19	1/19/2004	22.92	5.51	17.41	0.005	5.52	17.41	17.41
HA-19	2/24/2004	22.92	7.18	15.74	0.005	7.19	15.74	15.74
HA-19	3/15/2004	22.92				7.94	14.98	14.98
HA-19	4/19/2004	22.92				8.01	14.91	14.91
HA-19	5/17/2004	22.92			DRY			0.00
HA-19	6/22/2004	22.92			DRY			0.00
HA-19	8/18/2004	22.92			DRY			0.00
HA-19	9/21/2004	22.92				6.85	16.07	16.07
HA-19	10/19/2004	22.92				4.21	18.71	18.71
HA-19	11/23/2004	22.92			DRY			0.00
HA-19	12/21/2004	22.92				5.13	17.79	17.79
HA-19	1/13/2005	22.92				7.35	15.57	15.57
HA-19	4/28/2005	22.92				6.97	15.95	15.95
HA-19	6/1/2005	22.92				7.39	15.53	15.53
HA-19	6/29/2005	22.92			DRY			Dry
HA-19	7/20/2005	22.92			DRY			Dry
HA-19	8/22/2005	22.92			DRY			Dry
HA-19	9/12/2005	22.92			DRY			Dry
HA-19	10/12/2005	22.92			DRY			Dry
HA-19	11/21/2005	22.92				8.81	14.11	14.11
HA-19	12/27/2005	22.92				4.17	18.75	18.75
HA-19	1/30/2006	22.92				4.14	18.78	18.78
HA-19	2/16/2006	22.92				6.13	16.79	16.79
HA-19	3/13/2006	22.92				7.16	15.76	15.76
HA-19	4/18/2006	22.92				6.68	16.24	16.24
HA-19	5/12/2006	22.92				7.79	15.13	15.13
HA-19	6/9/2006	22.92				7.33	15.59	15.59
HA-19	7/13/2006	22.92				8.00	14.92	14.92
HA-19	8/16/2006	22.92			DRY			Dry
HA-19	9/19/2006	22.92			DRY			Dry
HA-19	10/16/2006	22.92			DRY			Dry
HA-19	11/20/2006	22.92				4.40	18.52	18.52
HA-19	12/8/2006	22.92				5.54	17.38	17.38
HA-19	1/19/2007	22.92				5.20	17.72	17.72
HA-19	2/19/2007	22.92				7.20	15.72	15.72
HA-19	3/15/2007	22.92				6.09	16.83	16.83
HA-19	4/16/2007	22.92				6.99	15.93	15.93
HA-19	5/14/2007	22.92			DRY			Dry
HA-19	6/29/2007	22.92			DRY			Dry
HA-19	7/20/2007	22.92			DRY			Dry
HA-19	8/21/2007	22.92			DRY			Dry
HA-19	9/10/2007	22.92			DRY			Dry
HA-19	10/22/2007	22.92				3.99	18.93	18.93
HA-19	11/28/2007	22.92				5.71	17.21	17.21
HA-19	12/13/2007	22.92				4.60	18.32	18.32
HA-19	1/21/2008	22.92				6.37	16.55	16.55
HA-19	2/24/2008	22.92				7.41	15.51	15.51
HA-19	3/24/2008	22.92				4.37	18.55	18.55
HA-19	8/25/2008	22.92				6.02	16.90	16.90
HA-19	2/18/2009	22.92				7.75	15.17	15.17
HA-19	8/25/2009	22.92			DRY			Dry
HA-19	3/22/2010	22.92				7.48	15.44	15.44
HA-19	8/23/2010	22.92			DRY			Dry
HA-19	2/7/2011	22.92				6.55	16.37	---
HA-19	2/7/2011	22.92				7.10	15.82	---
HA-19	8/8/2011	22.92			Dry			---
HA-19	11/14/2011	22.92				7.23	15.69	---
HA-19	2/20/2012	22.92				5.58	17.34	---
HA-19	8/22/2012	22.92				Dry	---	---
HA-19	11/5/2012	22.92				4.92	18.00	---
HA-19	1/28/2013	22.92				6.46	16.46	---
HA-19	5/9/2013	22.92				7.34	15.58	---
HA-19	8/19/2013	22.92			DRY			---
HA-19	11/25/2013	22.92				6.12	16.80	---
HA-19	2/14/2014	22.92				3.67	19.25	---
HA-19	5/5/2014	22.92				4.51	18.41	---
HA-19	8/19/2014	22.92			DRY			---
HA-19	11/21/2014	22.92				7.03	15.89	---
HA-20	11/24/2002	23.10				7.49	15.61	15.61
HA-20	11/27/2002	23.10	6.46	16.64	3.51	9.97	15.76	18.40
HA-20	12/5/2002	23.10	6.25	16.85	3.57	9.82	15.96	18.64
HA-20	12/11/2002	23.10	6.25	16.85	3.48	9.73	15.98	18.59
HA-20	12/13/2002	23.10	6.12	16.98	3.55	9.67	16.09	18.76
HA-20	12/17/2002	23.10	5.29	17.81	4.20	9.49	16.76	19.91
HA-20	1/3/2003	23.10	3.26	19.84	4.39	7.65	18.74	22.04
HA-20	1/6/2003	23.10	3.83	19.27	3.10	6.93	18.50	20.82
HA-20	1/7/2003	23.10	4.45	18.65	1.16	5.61	18.36	19.23
HA-20	1/8/2003	23.10	4.22	18.88	1.57	5.79	18.49	19.67
HA-20	1/9/2003	23.10	3.97	19.13	3.11	7.08	18.35	20.69
HA-20	1/10/2003	23.10	4.04	19.06	3.24	7.28	18.25	20.68
HA-20	1/13/2003	23.10	4.75	18.35	0.92	5.67	18.12	18.81
HA-20	1/14/2003	23.10	4.15	18.95	3.47	7.62	18.08	20.69
HA-20	1/15/2003	23.10	4.05	19.05	3.10	7.15	18.28	20.60
HA-20	1/16/2003	23.10	4.15	18.95	2.90	7.05	18.23	20.40
HA-20	1/17/2003	23.10	4.18	18.92	2.82	7.00	18.22	20.33
HA-20	1/20/2003	23.10	4.15	18.95	3.09	7.24	18.18	20.50
HA-20	1/22/2003	23.10	3.30	19.80	6.50	9.80	18.18	23.05
HA-20	1/23/2003	23.10	4.80	18.30	3.78	8.58	17.36	20.19

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
HA-20	1/24/2003	23.10	4.55	18.55	3.66	8.21	17.64	20.38
HA-20	1/27/2003	23.10	3.68	19.42	2.96	6.64	18.68	20.90
HA-20	1/28/2003	23.10	3.82	19.28	3.68	7.50	18.36	21.12
HA-20	1/29/2003	23.10	4.05	19.05	4.44	8.49	17.94	21.27
HA-20	1/30/2003	23.10	4.26	18.84	4.06	8.32	17.83	20.87
HA-20	2/3/2003	23.10	4.33	18.77	3.17	7.50	17.98	20.36
HA-20	2/6/2003	23.10	4.59	18.51	1.80	6.39	18.06	19.41
HA-20	2/11/2003	23.10	6.18	16.92	2.39	8.57	16.32	18.12
HA-20	2/18/2003	23.10	7.40	15.70	0.88	8.28	15.48	16.14
HA-20	2/21/2003	23.10	7.34	15.76	0.73	8.07	15.58	16.13
HA-20	2/26/2003	23.10	6.09	17.01	0.11	6.20	16.98	17.07
HA-20	3/4/2003	23.10	7.47	15.63	1.87	9.34	15.16	16.57
HA-20	3/12/2003	23.10	7.05	16.05	2.63	9.68	15.39	17.37
HA-20	3/14/2003	23.10	7.14	15.96	2.27	9.41	15.39	17.10
HA-20	3/26/2003	23.10	5.64	17.46	3.93	9.57	16.48	19.43
HA-20	3/28/2003	23.10	6.91	16.19	2.50	9.41	15.57	17.44
HA-20	4/2/2003	23.10	6.47	16.63	2.65	9.12	15.97	17.96
HA-20	4/4/2003	23.10	7.01	16.09	2.13	9.14	15.56	17.16
HA-20	4/8/2003	23.10	7.16	15.94	1.49	8.65	15.57	16.69
HA-20	4/11/2003	23.10	7.21	15.89	1.66	8.87	15.48	16.72
HA-20	4/15/2003	23.10	6.91	16.19	0.40	7.31	16.09	16.39
HA-20	4/17/2003	23.10	7.71	15.39	1.00	8.71	15.14	15.89
HA-20	4/22/2003	23.10	7.28	15.82	1.39	8.67	15.47	16.52
HA-20	4/25/2003	23.10	7.72	15.38	1.24	8.96	15.07	16.00
HA-20	5/2/2003	23.10	7.46	15.64	2.41	9.87	15.04	16.85
HA-20	5/6/2003	23.10	7.38	15.72	2.49	9.87	15.10	16.97
HA-20	5/9/2003	23.10	8.05	15.05	1.95	10.00	14.56	16.03
HA-20	5/23/2003	23.10	8.69	14.41	1.76	10.45	13.97	15.29
HA-20	5/28/2003	23.10	8.50	14.60	1.49	9.99	14.23	15.35
HA-20	6/13/2003	23.10	8.75	14.35	1.46	10.21	13.99	15.08
HA-20	6/18/2003	23.10	8.68	14.42	1.57	10.25	14.03	15.21
HA-20	6/27/2003	23.10	8.70	14.40	1.64	10.34	13.99	15.22
HA-20	7/7/2003	23.10	9.64	13.46	0.73	10.37	13.28	13.83
HA-20	7/16/2003	23.10	9.11	13.99	1.43	10.54	13.63	14.71
HA-20	7/31/2003	23.10	9.40	13.70	1.48	10.88	13.33	14.44
HA-20	8/5/2003	23.10	9.50	13.60	1.25	10.75	13.29	14.23
HA-20	8/11/2003	23.10	10.65	12.45	1.37	12.02	12.11	13.14
HA-20	8/22/2003	23.10	10.91	12.19	1.29	12.20	11.87	12.84
HA-20	8/26/2003	23.10	---	---	---	9.81	13.29	13.29
HA-20	9/2/2003	23.10	9.94	13.16	1.33	11.27	12.83	13.83
HA-20	9/9/2003	23.10	10.40	12.70	0.36	10.76	12.61	12.88
HA-20	9/19/2003	23.10	10.38	12.72	0.24	10.62	12.66	12.84
HA-20	10/14/2003	23.10	10.26	12.84	0.75	11.01	12.65	13.22
HA-20	11/20/2003	23.10	---	---	---	7.20	15.90	15.90
HA-20	12/3/2003	23.10	---	---	---	6.21	16.89	16.89
HA-20	1/19/2004	23.10	---	---	---	5.84	17.26	17.26
HA-20	2/24/2004	23.10	---	---	---	7.46	15.64	15.64
HA-20	3/15/2004	23.10	---	---	---	8.44	14.66	14.66
HA-20	4/19/2004	23.10	---	---	---	8.51	14.59	14.59
HA-20	5/17/2004	23.10	---	---	---	8.99	14.11	14.11
HA-20	6/22/2004	23.10	---	---	---	8.83	14.27	14.27
HA-20	8/18/2004	23.10	---	---	---	10.02	13.08	13.08
HA-20	9/21/2004	23.10	---	---	---	9.03	14.07	14.07
HA-20	10/19/2004	23.10	---	---	---	8.17	14.93	14.93
HA-20	11/23/2004	23.10	---	---	---	8.44	14.66	14.66
HA-20	12/21/2004	23.10	---	---	---	6.50	16.60	16.60
HA-20	1/13/2005	23.10	---	---	---	7.35	15.75	15.75
HA-20	4/28/2005	23.10	---	---	---	6.80	16.30	16.30
HA-20	6/1/2005	23.10	---	---	---	7.10	16.00	16.00
HA-20	6/29/2005	23.10	---	---	---	9.72	13.38	13.38
HA-20	7/20/2005	23.10	---	---	---	9.92	13.18	13.18
HA-20	8/22/2005	23.10	---	---	---	9.10	14.00	14.00
HA-20	9/12/2005	23.10	---	---	---	9.73	13.37	13.37
HA-20	10/12/2005	23.10	---	---	---	10.26	12.84	12.84
HA-20	11/21/2005	23.10	---	---	---	8.09	15.01	15.01
HA-20	12/27/2005	23.10	---	---	---	7.20	15.90	15.90
HA-20	1/30/2006	23.10	---	---	---	4.50	18.60	18.60
HA-20	2/16/2006	23.10	6.23	16.87	0.01	6.24	16.87	16.88
HA-20	3/13/2006	23.10	---	---	---	7.14	15.96	15.96
HA-20	4/18/2006	23.10	---	---	---	7.40	15.70	15.70
HA-20	5/12/2006	23.10	---	---	---	7.69	15.41	15.41
HA-20	6/9/2006	23.10	---	---	---	7.38	15.72	15.72
HA-20	7/13/2006	23.10	---	---	---	8.37	14.73	14.73
HA-20	8/16/2006	23.10	---	---	---	9.13	13.97	13.97
HA-20	9/19/2006	23.10	---	---	---	9.75	13.35	13.35
HA-20	10/16/2006	23.10	---	---	---	9.55	13.55	13.55
HA-20	11/20/2006	23.10	---	---	---	5.70	17.40	17.40
HA-20	12/8/2006	23.10	---	---	---	5.71	17.39	17.39
HA-20	1/19/2007	23.10	---	---	---	5.42	17.68	17.68
HA-20	2/19/2007	23.10	---	---	---	7.20	15.90	15.90
HA-20	3/15/2007	23.10	---	---	---	6.37	16.73	16.73
HA-20	4/16/2007	23.10	---	---	---	6.78	16.32	16.32
HA-20	5/14/2007	23.10	---	---	---	8.00	15.10	15.10
HA-20	6/29/2007	23.10	---	---	---	9.11	13.99	13.99
HA-20	7/20/2007	23.10	---	---	---	9.46	13.64	13.64
HA-20	8/21/2007	23.10	---	---	---	10.09	13.01	13.01
HA-20	9/10/2007	23.10	---	---	---	10.13	12.97	12.97
HA-20	10/22/2007	23.10	---	---	---	9.04	14.06	14.06
HA-20	11/28/2007	23.10	---	---	---	8.30	14.80	14.80
HA-20	12/13/2007	23.10	---	---	---	7.10	16.00	16.00
HA-20	1/21/2008	23.10	---	---	---	7.31	15.79	15.79
HA-20	2/24/2008	23.10	---	---	---	7.83	15.27	15.27
HA-20	3/24/2008	23.10	---	---	---	8.08	15.02	15.02
HA-20	8/25/2008	23.10	---	---	---	8.34	14.76	14.76
HA-20	2/18/2009	23.10	---	---	---	7.90	15.20	15.20
HA-20	8/25/2009	23.10	---	---	---	10.30	12.80	12.80
HA-20	3/22/2010	23.10	---	---	---	8.07	15.03	15.03

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
HA-20	8/23/2010	23.10	---	---	---	9.67	13.43	13.43
HA-20	2/7/2011	23.10	---	---	---	0.07	23.03	---
HA-20	5/27/2011	23.10	---	---	---	7.96	15.14	---
HA-20	8/8/2011	23.10	---	---	---	9.32	13.78	---
HA-20	11/14/2011	23.10	---	---	---	9.06	14.04	---
HA-20	2/20/2012	23.10	---	---	---	7.15	15.95	---
HA-20	8/22/2012	23.10	---	---	---	9.08	14.02	---
HA-20	11/5/2012	23.10	---	---	---	8.09	15.01	---
HA-20	1/28/2013	23.10	---	---	---	6.49	16.61	---
HA-20	5/9/2013	23.10	---	---	---	7.48	15.62	---
HA-20	8/19/2013	23.10	---	---	---	9.72	13.38	---
HA-20	11/25/2013	23.10	---	---	---	8.03	15.07	---
HA-20	2/14/2014	23.10	---	---	---	7.49	15.61	---
HA-20	5/5/2014	23.10	---	---	---	6.49	16.61	---
HA-20	8/19/2014				Decommissioned Well			
LAI-1	1/17/2003	20.94	---	---	---	4.17	16.77	---
LAI-1	1/20/2003	20.94	---	---	---	4.18	16.76	---
LAI-1	1/31/2003	20.94	---	---	---	4.28	16.66	16.77
LAI-1	2/7/2003	20.94	4.06	16.88	0.48	4.54	16.76	16.76
LAI-1	2/12/2003	20.94	4.38	16.56	1.08	5.46	16.29	17.10
LAI-1	2/18/2003	20.94	---	---	---	5.40	15.54	15.54
LAI-1	2/21/2003	20.94	---	---	---	5.52	15.42	15.42
LAI-1	2/24/2003	20.94	---	---	---	5.96	14.98	14.98
LAI-1	3/3/2003	20.94	---	---	---	5.76	15.18	15.18
LAI-1	3/12/2003	20.94	---	---	---	5.48	15.46	15.46
LAI-1	3/14/2003	20.94	---	---	---	5.09	15.85	15.85
LAI-1	3/26/2003	20.94	---	---	---	4.76	16.18	16.18
LAI-1	3/28/2003	20.94	---	---	---	4.86	16.08	16.08
LAI-1	4/2/2003	20.94	5.21	15.73	0.01	5.22	15.73	15.74
LAI-1	4/4/2003	20.94	5.19	15.75	0.01	5.20	15.75	15.76
LAI-1	4/8/2003	20.94	5.67	15.27	0.01	5.68	15.27	15.28
LAI-1	4/11/2003	20.94	5.07	15.87	0.01	5.08	15.87	15.88
LAI-1	4/15/2003	20.94	4.62	16.32	0.01	4.63	16.32	16.33
LAI-1	4/17/2003	20.94	6.14	14.80	0.01	6.15	14.80	14.81
LAI-1	4/22/2003	20.94	---	---	---	5.21	15.73	15.73
LAI-1	4/25/2003	20.94	---	---	---	5.43	15.51	15.51
LAI-1	5/2/2003	20.94	---	---	---	5.53	15.41	15.41
LAI-1	5/6/2003	20.94	---	---	---	5.66	15.28	15.28
LAI-1	5/9/2003	20.94	---	---	---	6.15	14.79	14.79
LAI-1	5/16/2003	20.94	---	---	---	6.40	14.54	14.54
LAI-1	5/23/2003	20.94	6.50	14.44	0.01	6.51	14.44	14.45
LAI-1	5/28/2003	20.94	6.45	14.49	0.01	6.46	14.49	14.50
LAI-1	6/13/2003	20.94	6.79	14.15	0.01	6.80	14.15	14.16
LAI-1	6/18/2003	20.94	---	---	---	6.78	14.16	14.16
LAI-1	6/27/2003	20.94	---	---	---	6.81	14.13	14.13
LAI-1	7/7/2003	20.94	---	---	---	7.41	13.53	13.53
LAI-1	7/16/2003	20.94	---	---	---	6.43	14.51	14.51
LAI-1	7/31/2003	20.94	---	---	---	7.49	13.45	13.45
LAI-1	8/5/2003	20.94	---	---	---	7.61	13.33	13.33
LAI-1	8/11/2003	20.94	---	---	---	8.80	12.14	12.14
LAI-1	8/22/2003	20.94	---	---	---	8.98	11.96	11.96
LAI-1	8/26/2003	20.94	---	---	---	7.91	13.03	13.03
LAI-1	9/2/2003	20.94	---	---	---	8.07	12.87	12.87
LAI-1	9/9/2003	20.94	8.39	12.55	0.01	8.40	12.55	12.56
LAI-1	9/19/2003	20.94	---	---	---	8.27	12.67	12.67
LAI-1	10/14/2003	20.94	---	---	---	8.34	12.60	12.60
LAI-1	11/20/2003	20.94	---	---	---	4.63	16.31	16.31
LAI-1	12/3/2003	20.94	---	---	---	4.10	16.84	16.84
LAI-1	1/19/2004	20.94	---	---	---	3.82	17.12	17.12
LAI-1	2/24/2004	20.94	---	---	---	5.22	15.72	15.72
LAI-1	3/15/2004	20.94	---	---	---	6.16	14.78	14.78
LAI-1	4/19/2004	20.94	---	---	---	6.29	14.65	14.65
LAI-1	5/17/2004	20.94	---	---	---	6.81	14.13	14.13
LAI-1	6/22/2004	20.94	---	---	---	6.64	14.30	14.30
LAI-1	8/18/2004	20.94	---	---	---	7.81	13.13	13.13
LAI-1	9/21/2004	20.94	---	---	---	6.90	14.04	14.04
LAI-1	10/19/2004	20.94	---	---	---	6.00	14.94	14.94
LAI-1	11/23/2004	20.94	---	---	---	6.25	14.69	14.69
LAI-1	12/21/2004	20.94	---	---	---	4.38	16.56	16.56
LAI-1	1/13/2005	20.94	---	---	---	5.22	15.72	15.72
LAI-1	4/28/2005	20.94	---	---	---	4.72	16.22	16.22
LAI-1	6/1/2005	20.94	---	---	---	4.98	15.96	15.96
LAI-1	6/29/2005	20.94	---	---	---	6.59	14.35	14.35
LAI-1	7/20/2005	20.94	---	---	---	6.77	14.17	14.17
LAI-1	8/22/2005	20.94	---	---	---	6.95	13.99	13.99
LAI-1	9/12/2005	20.94	---	---	---	7.50	13.44	13.44
LAI-1	10/12/2005	20.94	---	---	---	8.04	12.90	12.90
LAI-1	11/21/2005	20.94	---	---	---	5.89	15.05	15.05
LAI-1	12/27/2005	20.94	---	---	---	4.99	15.95	15.95
LAI-1	1/30/2006	20.94	---	---	---	2.50	18.44	18.44
LAI-1	2/16/2006	20.94	---	---	---	4.27	16.67	16.67
LAI-1	3/13/2006	20.94	---	---	---	5.07	15.87	15.87
LAI-1	4/18/2006	20.94	---	---	---	5.25	15.69	15.69
LAI-1	5/12/2006	20.94	---	---	---	5.52	15.42	15.42
LAI-1	6/9/2006	20.94	---	---	---	5.23	15.71	15.71
LAI-1	7/13/2006	20.94	---	---	---	6.20	14.74	14.74
LAI-1	8/16/2006	20.94	---	---	---	7.00	13.94	13.94
LAI-1	9/19/2006	20.94	---	---	---	7.54	13.40	13.40
LAI-1	10/13/2006	20.94	---	---	---	7.33	13.61	13.61
LAI-1	11/20/2006	20.94	---	---	---	3.62	17.32	17.32
LAI-1	12/8/2006	20.94	---	---	---	3.70	17.24	17.24
LAI-1	1/19/2007	20.94	---	---	---	3.57	17.37	17.37
LAI-1	2/19/2007	20.94	---	---	---	5.05	15.89	15.89
LAI-1	3/15/2007	20.94	---	---	---	4.50	16.44	16.44
LAI-1	4/16/2007	20.94	---	---	---	4.75	16.19	16.19
LAI-1	5/14/2007	20.94	---	---	---	4.82	16.12	16.12

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAI-1	6/29/2007	20.94	---	---	---	6.92	14.02	14.02
LAI-1	7/20/2007	20.94	---	---	---	7.22	13.72	13.72
LAI-1	8/21/2007	20.94	---	---	---	7.88	13.06	13.06
LAI-1	9/10/2007	20.94	---	---	---	7.91	13.03	13.03
LAI-1	10/22/2007	20.94	---	---	---	6.84	14.10	14.10
LAI-1	11/28/2007	20.94	---	---	---	6.11	14.83	14.83
LAI-1	12/13/2007	20.94	---	---	---	4.96	15.98	15.98
LAI-1	1/21/2008	20.94	---	---	---	5.19	15.75	15.75
LAI-1	2/24/2008	20.94	---	---	---	5.66	15.28	15.28
LAI-1	3/24/2008	20.94	---	---	---	5.90	15.04	15.04
LAI-1	8/25/2008	20.94	---	---	---	7.45	13.49	13.49
LAI-1	2/18/2009	20.94	---	---	---	5.89	15.05	15.05
LAI-1	8/25/2009	20.94	---	---	---	8.10	12.84	12.84
LAI-1	3/22/2010	20.94	---	---	---	6.10	14.84	14.84
LAI-1	8/23/2010	20.94	---	---	---	7.52	13.42	13.42
LAI-1	2/7/2011	20.94	---	---	---	4.78	16.16	---
LAI-1	5/27/2011	20.94	---	---	Not Monitored	---	---	---
LAI-1	8/8/2011	20.94	---	---	---	7.13	13.81	---
LAI-1	11/14/2011	20.94	---	---	---	8.50	12.44	---
LAI-1	2/20/2012	20.94	---	---	---	5.47	15.47	---
LAI-1	8/22/2012	20.94	---	---	---	6.91	14.03	---
LAI-1	11/5/2012	20.94	---	---	---	5.84	15.10	---
LAI-1	1/28/2013	20.94	---	---	---	4.59	16.35	---
LAI-1	5/9/2013	20.94	---	---	---	5.57	15.37	---
LAI-1	8/19/2013	20.94	---	---	---	7.55	13.39	---
LAI-1	11/25/2013	20.94	---	---	---	6.08	14.86	---
LAI-1	2/14/2014	20.94	---	---	---	5.62	15.32	---
LAI-1	5/5/2014	20.94	---	---	---	4.68	16.26	---
LAI-1	8/19/2014	20.94	---	---	---	7.33	13.61	---
LAI-1	11/21/2014	20.94	---	---	---	4.87	16.07	---
LAI-2	1/17/2003	20.89	---	---	---	4.14	16.75	---
LAI-2	1/20/2003	20.89	---	---	---	4.25	16.64	16.75
LAI-2	1/31/2003	20.89	---	---	---	4.55	16.34	16.64
LAI-2	2/7/2003	20.89	---	---	---	4.41	16.48	16.34
LAI-2	2/12/2003	20.89	---	---	---	4.71	16.18	16.18
LAI-2	2/18/2003	20.89	---	---	---	5.44	15.45	15.45
LAI-2	2/21/2003	20.89	---	---	---	5.61	15.28	15.28
LAI-2	2/24/2003	20.89	---	---	---	5.89	15.00	15.00
LAI-2	3/3/2003	20.89	---	---	---	5.17	15.72	15.72
LAI-2	3/12/2003	20.89	---	---	---	5.37	15.52	15.52
LAI-2	3/14/2003	20.89	---	---	---	5.24	15.65	15.65
LAI-2	3/26/2003	20.89	---	---	---	4.61	16.28	16.28
LAI-2	3/28/2003	20.89	---	---	---	4.72	16.17	16.17
LAI-2	4/2/2003	20.89	---	---	---	5.51	15.38	15.38
LAI-2	4/4/2003	20.89	---	---	---	5.48	15.41	15.41
LAI-2	4/8/2003	20.89	---	---	---	5.55	15.34	15.34
LAI-2	4/11/2003	20.89	---	---	---	5.19	15.70	15.70
LAI-2	4/15/2003	20.89	---	---	---	4.80	16.09	16.09
LAI-2	4/17/2003	20.89	---	---	---	5.96	14.93	14.93
LAI-2	4/22/2003	20.89	---	---	---	5.33	15.56	15.56
LAI-2	4/25/2003	20.89	---	---	---	5.49	15.40	15.40
LAI-2	5/2/2003	20.89	---	---	---	5.78	15.11	15.11
LAI-2	5/6/2003	20.89	---	---	---	5.42	15.47	15.47
LAI-2	5/9/2003	20.89	---	---	---	6.30	14.59	14.59
LAI-2	5/16/2003	20.89	---	---	---	6.54	14.35	14.35
LAI-2	5/23/2003	20.89	---	---	---	6.63	14.26	14.26
LAI-2	5/28/2003	20.89	---	---	---	6.51	14.38	14.38
LAI-2	6/13/2003	20.89	---	---	---	6.91	13.98	13.98
LAI-2	6/18/2003	20.89	---	---	---	6.86	14.03	14.03
LAI-2	6/27/2003	20.89	---	---	---	6.87	14.02	14.02
LAI-2	7/7/2003	20.89	---	---	---	7.40	13.49	13.49
LAI-2	7/16/2003	20.89	---	---	---	6.52	14.37	14.37
LAI-2	7/31/2003	20.89	---	---	---	7.48	13.41	13.41
LAI-2	8/5/2003	20.89	---	---	---	7.56	13.33	13.33
LAI-2	8/11/2003	20.89	---	---	---	8.81	12.08	12.08
LAI-2	8/22/2003	20.89	---	---	---	8.99	11.90	11.90
LAI-2	8/26/2003	20.89	---	---	---	7.86	13.03	13.03
LAI-2	9/2/2003	20.89	8.03	12.86	0.01	8.04	12.86	12.87
LAI-2	9/9/2003	20.89	---	---	---	8.46	12.43	12.43
LAI-2	9/19/2003	20.89	---	---	---	8.15	12.74	12.74
LAI-2	10/14/2003	20.89	---	---	---	8.25	12.64	12.64
LAI-2	11/20/2003	20.89	---	---	---	4.82	16.07	16.07
LAI-2	12/3/2003	20.89	---	---	---	4.13	16.76	16.76
LAI-2	1/19/2004	20.89	---	---	---	3.80	17.09	17.09
LAI-2	2/24/2004	20.89	---	---	---	5.26	15.63	15.63
LAI-2	3/15/2004	20.89	---	---	---	6.21	14.68	14.68
LAI-2	4/19/2004	20.89	---	---	---	6.31	14.58	14.58
LAI-2	5/17/2004	20.89	---	---	---	6.75	14.14	14.14
LAI-2	6/22/2004	20.89	---	---	---	6.61	14.28	14.28
LAI-2	8/18/2004	20.89	---	---	---	7.82	13.07	13.07
LAI-2	9/21/2004	20.89	---	---	---	6.81	14.08	14.08
LAI-2	10/19/2004	20.89	---	---	---	5.96	14.93	14.93
LAI-2	11/23/2004	20.89	---	---	---	6.34	14.55	14.55
LAI-2	12/21/2004	20.89	---	---	---	4.35	16.54	16.54
LAI-2	1/13/2005	20.89	---	---	---	5.15	15.74	15.74
LAI-2	4/28/2005	20.89	---	---	---	4.68	16.21	16.21
LAI-2	6/1/2005	20.89	---	---	---	4.95	15.94	15.94
LAI-2	6/29/2005	20.89	---	---	---	6.69	14.20	14.20
LAI-2	7/20/2005	20.89	---	---	---	6.80	14.09	14.09
LAI-2	8/22/2005	20.89	---	---	---	6.93	13.96	13.96
LAIx-2	9/12/2005	20.67	---	---	---	10.23	10.44	10.44
LAIx-2	10/12/2005	20.67	---	---	---	9.91	10.76	10.76
LAIx-2	11/21/2005	20.67	---	---	---	8.23	12.44	12.44
LAIx-2	12/27/2005	20.67	---	---	---	6.92	13.75	13.75
LAIx-2	1/30/2006	20.67	---	---	---	5.34	15.33	15.33

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAIx-2	2/16/2006	20.67	7.39	13.28	0.01	7.40	13.28	13.29
LAIx-2	3/13/2006	20.67	---	---	---	7.71	12.96	12.96
LAIx-2	4/18/2006	20.67	---	---	---	7.89	12.78	12.78
LAIx-2	5/12/2006	20.67	---	---	---	8.83	11.84	11.84
LAIx-2	6/9/2006	20.67	---	---	---	8.16	12.51	12.51
LAIx-2	7/13/2006	20.67	---	---	---	9.43	11.24	11.24
LAIx-2	8/16/2006	20.67	---	---	---	10.17	10.50	10.50
LAIx-2	9/19/2006	20.67	---	---	---	9.65	11.02	11.02
LAIx-2	10/13/2006	20.67	---	---	---	9.62	11.05	11.05
LAIx-2	11/20/2006	20.67	---	---	---	5.33	15.34	15.34
LAIx-2	12/8/2006	20.67	---	---	---	6.14	14.53	14.53
LAIx-2	1/19/2007	20.67	---	---	---	5.75	14.92	14.92
LAIx-2	2/19/2007	20.67	---	---	---	7.51	13.16	13.16
LAIx-2	3/15/2007	20.67	---	---	---	6.50	14.17	14.17
LAIx-2	4/16/2007	20.67	---	---	---	7.14	13.53	13.53
LAIx-2	5/14/2007	20.67	---	---	---	8.17	12.50	12.50
LAIx-2	6/29/2007	20.67	---	---	---	8.86	11.81	11.81
LAIx-2	7/20/2007	20.67	---	---	---	9.13	11.54	11.54
LAIx-2	8/21/2007	20.67	---	---	---	9.30	11.37	11.37
LAIx-2	9/10/2007	20.67	---	---	---	9.18	11.49	11.49
LAIx-2	10/22/2007	20.67	---	---	---	7.30	13.37	13.37
LAIx-2	11/28/2007	20.67	---	---	---	6.72	13.95	13.95
LAIx-2	12/13/2007	20.67	---	---	---	4.96	15.71	15.71
LAIx-2	1/21/2008	20.67	---	---	---	5.24	15.43	15.43
LAIx-2	2/24/2008	20.67	---	---	---	5.94	14.73	14.73
LAIx-2	3/24/2008	20.67	---	---	---	6.37	14.30	14.30
LAIx-2	8/25/2008	20.67	---	---	---	7.96	12.71	12.71
LAIx-2	2/18/2009	20.67	---	---	---	6.04	14.63	14.63
LAIx-2	8/25/2009	20.67	---	---	---	8.78	11.89	11.89
LAIx-2	3/22/2010	20.67	---	---	---	6.42	14.25	14.25
LAIx-2	8/23/2010	20.67	---	---	---	8.20	12.47	12.47
LAIx-2	2/7/2011	20.67	---	---	---	4.80	15.87	---
LAIx-2	5/27/2011	20.67	---	---	---	6.65	14.02	---
LAIx-2	8/8/2011	20.67	---	---	---	7.41	13.26	---
LAIx-2	11/14/2011	20.67	---	---	---	6.94	13.73	---
LAIx-2	2/20/2012	20.67	---	---	---	5.54	15.13	---
LAIx-2	8/22/2012	20.67	---	---	---	6.94	13.73	---
LAIx-2	11/5/2012	20.67	---	---	---	5.65	15.02	---
LAIx-2	1/28/2013	20.67	---	---	---	4.64	16.03	---
LAIx-2	5/9/2013	20.67	---	---	---	8.38	12.29	---
LAIx-2	8/19/2013	20.67	---	---	---	10.60	10.07	---
LAIx-2	11/25/2013	20.67	---	---	---	7.92	12.75	---
LAIx-2	2/14/2014	20.67	---	---	---	7.42	13.25	---
LAIx-2	5/5/2014	20.67	---	---	---	6.19	14.48	---
LAIx-2	8/19/2014	20.67	---	---	---	9.12	11.55	---
LAIx-2	11/21/2014	20.67	---	---	---	6.89	13.78	---
LAI-3	1/17/2003	20.74	---	---	---	4.37	16.37	---
LAI-3	1/20/2003	20.74	---	---	---	4.28	16.46	16.37
LAI-3	1/31/2003	20.74	---	---	---	4.94	15.80	16.46
LAI-3	2/7/2003	20.74	---	---	---	4.41	16.33	15.80
LAI-3	2/12/2003	20.74	---	---	---	4.70	16.04	16.04
LAI-3	2/18/2003	20.74	---	---	---	5.21	15.53	15.53
LAI-3	2/21/2003	20.74	---	---	---	5.58	15.16	15.16
LAI-3	2/24/2003	20.74	---	---	---	5.66	15.08	15.08
LAI-3	3/3/2003	20.74	---	---	---	5.13	15.61	15.61
LAI-3	3/12/2003	20.74	---	---	---	5.32	15.42	15.42
LAI-3	3/14/2003	20.74	---	---	---	5.16	15.58	15.58
LAI-3	3/26/2003	20.74	---	---	---	4.65	16.09	16.09
LAI-3	3/28/2003	20.74	---	---	---	4.75	15.99	15.99
LAI-3	4/2/2003	20.74	---	---	---	5.57	15.17	15.17
LAI-3	4/4/2003	20.74	---	---	---	5.53	15.21	15.21
LAI-3	4/8/2003	20.74	---	---	---	5.69	15.05	15.05
LAI-3	4/11/2003	20.74	---	---	---	5.15	15.59	15.59
LAI-3	4/15/2003	20.74	---	---	---	4.75	15.99	15.99
LAI-3	4/17/2003	20.74	---	---	---	6.08	14.66	14.66
LAI-3	4/22/2003	20.74	---	---	---	5.27	15.47	15.47
LAI-3	4/25/2003	20.74	---	---	---	5.45	15.29	15.29
LAI-3	5/2/2003	20.74	---	---	---	5.76	14.98	14.98
LAI-3	5/6/2003	20.74	---	---	---	5.61	15.13	15.13
LAI-3	5/9/2003	20.74	---	---	---	6.30	14.44	14.44
LAI-3	5/16/2003	20.74	---	---	---	6.53	14.21	14.21
LAI-3	5/23/2003	20.74	---	---	---	6.57	14.17	14.17
LAI-3	5/28/2003	20.74	---	---	---	6.44	14.30	14.30
LAI-3	6/13/2003	20.74	---	---	---	6.85	13.89	13.89
LAI-3	6/18/2003	20.74	---	---	---	6.81	13.93	13.93
LAI-3	6/27/2003	20.74	---	---	---	6.83	13.91	13.91
LAI-3	7/7/2003	20.74	---	---	---	7.32	13.42	13.42
LAI-3	7/16/2003	20.74	---	---	---	6.47	14.27	14.27
LAI-3	7/31/2003	20.74	---	---	---	7.37	13.37	13.37
LAI-3	8/5/2003	20.74	---	---	---	7.49	13.25	13.25
LAI-3	8/11/2003	20.74	---	---	---	7.68	13.06	13.06
LAI-3	8/22/2003	20.74	---	---	---	8.74	12.00	12.00
LAI-3	8/26/2003	20.74	---	---	---	7.74	13.00	13.00
LAI-3	9/2/2003	20.74	---	---	---	8.03	12.71	12.71
LAI-3	9/9/2003	20.74	---	---	---	8.45	12.29	12.29
LAI-3	9/19/2003	20.74	---	---	---	8.10	12.64	12.64
LAI-3	10/14/2003	20.74	---	---	---	8.20	12.54	12.54
LAI-3	11/20/2003	20.74	---	---	---	4.77	15.97	15.97
LAI-3	12/3/2003	20.74	---	---	---	4.08	16.66	16.66
LAI-3	1/19/2004	20.74	---	---	---	3.55	17.19	17.19
LAI-3	2/24/2004	20.74	---	---	---	5.23	15.51	15.51
LAI-3	3/15/2004	20.74	---	---	---	6.20	14.54	14.54
LAI-3	4/19/2004	20.74	---	---	---	6.21	14.53	14.53
LAI-3	5/17/2004	20.74	---	---	---	6.66	14.08	14.08
LAI-3	6/22/2004	20.74	---	---	---	6.46	14.28	14.28
LAI-3	8/18/2004	20.74	---	---	---	7.76	12.98	12.98

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
LAI-3	9/21/2004	20.74	---	---	---	6.70	14.04	14.04
LAI-3	10/19/2004	20.74	---	---	---	5.82	14.92	14.92
LAI-3	11/23/2004	20.74	---	---	---	6.14	14.60	14.60
LAI-3	12/21/2004	20.74	---	---	---	4.22	16.52	16.52
LAI-3	1/13/2005	20.74	---	---	---	5.03	15.71	15.71
LAI-3	4/28/2005	20.74	---	---	---	4.55	16.19	16.19
LAI-3	6/1/2005	20.74	---	---	---	4.86	15.88	15.88
LAI-3	6/29/2005	20.74	---	---	---	6.69	14.05	14.05
LAI-3	7/20/2005	20.74	---	---	---	6.71	14.03	14.03
LAI-3	8/22/2005	20.74	---	---	---	6.82	13.92	13.92
LAI-3	5/27/2011	20.74	---	---	Not Monitored	---	---	---
LAIx-3	9/12/2005	20.74	---	---	---	10.31	10.43	10.43
LAIx-3	10/12/2005	20.74	---	---	---	9.99	10.75	10.75
LAIx-3	11/21/2005	20.74	8.31	12.43	0.01	8.32	12.43	12.44
LAIx-3	12/27/2005	20.74	---	---	---	7.15	13.59	13.59
LAIx-3	1/30/2006	20.74	6.00	14.74	0.01	6.01	14.74	14.75
LAIx-3	2/16/2006	20.74	---	---	---	7.85	12.89	12.89
LAIx-3	3/13/2006	20.74	---	---	---	8.18	12.56	12.56
LAIx-3	4/18/2006	20.74	---	---	---	8.36	12.38	12.38
LAIx-3	5/12/2006	20.74	---	---	---	8.87	11.87	11.87
LAIx-3	6/9/2006	20.74	---	---	---	8.65	12.09	12.09
LAIx-3	7/13/2006	20.74	---	---	---	9.90	10.84	10.84
LAIx-3	8/16/2006	20.74	---	---	---	10.63	10.11	10.11
LAIx-3	9/19/2006	20.74	---	---	---	10.25	10.49	10.49
LAIx-3	10/13/2006	20.74	---	---	---	10.28	10.46	10.46
LAIx-3	11/20/2006	20.74	---	---	---	7.14	13.60	13.60
LAIx-3	12/8/2006	20.74	---	---	---	7.84	12.90	12.90
LAIx-3	1/19/2007	20.74	---	---	---	7.61	13.13	13.13
LAIx-3	2/19/2007	20.74	---	---	---	7.86	12.88	12.88
LAIx-3	3/15/2007	20.74	---	---	---	7.34	13.40	13.40
LAIx-3	4/16/2007	20.74	---	---	---	7.86	12.88	12.88
LAIx-3	5/14/2007	20.74	---	---	---	8.61	12.13	12.13
LAIx-3	6/29/2007	20.74	---	---	---	9.27	11.47	11.47
LAIx-3	7/20/2007	20.74	---	---	---	9.59	11.15	11.15
LAIx-3	8/21/2007	20.74	---	---	---	9.80	10.94	10.94
LAIx-3	9/10/2007	20.74	---	---	---	9.92	10.82	10.82
LAIx-3	10/22/2007	20.74	---	---	---	8.48	12.26	12.26
LAIx-3	11/28/2007	20.74	---	---	---	8.10	12.64	12.64
LAIx-3	12/13/2007	20.74	---	---	---	6.13	14.61	14.61
LAIx-3	1/21/2008	20.74	---	---	---	6.73	14.01	14.01
LAIx-3	2/24/2008	20.74	---	---	---	7.31	13.43	13.43
LAIx-3	3/24/2008	20.74	---	---	---	7.45	13.29	13.29
LAIx-3	8/25/2008	20.74	---	---	---	9.91	10.83	10.83
LAIx-3	2/18/2009	20.74	---	---	---	7.68	13.06	13.06
LAIx-3	8/25/2009	20.74	---	---	---	9.83	10.91	10.91
LAIx-3	3/22/2010	20.74	---	---	---	7.60	13.14	13.14
LAIx-3	8/23/2010	20.74	---	---	---	9.31	11.43	11.43
LAIx-3	2/7/2011	20.74	---	---	---	5.73	15.01	---
LAIx-3	5/27/2011	20.74	---	---	Not Monitored	---	---	---
LAIx-3	8/8/2011	20.74	---	---	---	9.06	11.68	---
LAIx-3	11/14/2011	20.74	---	---	---	7.17	13.57	---
LAIx-3	2/20/2012	20.74	---	---	---	7.30	13.44	---
LAIx-3	8/22/2012	20.74	---	---	---	9.11	11.63	---
LAIx-3	11/5/2012	20.74	---	---	---	6.55	14.19	---
LAIx-3	1/28/2013	20.74	---	---	---	6.09	14.65	---
LAIx-3	5/9/2013	20.74	---	---	---	7.02	13.72	---
LAIx-3	8/19/2013	20.74	---	---	---	9.76	10.98	---
LAIx-3	11/25/2013	20.74	---	---	---	7.83	12.91	---
LAIx-3	2/14/2014	20.74	---	---	---	6.98	13.76	---
LAIx-3	5/5/2014	20.74	---	---	---	5.91	14.83	---
LAIx-3	8/19/2014	20.74	---	---	---	8.52	12.22	---
LAIx-3	11/21/2014	20.74	---	---	---	6.34	14.40	---
LAI-4	1/22/2003	22.43	6.87	15.56	0.43	7.30	15.45	---
LAI-4	1/23/2003	22.43	7.48	14.95	0.20	7.68	14.90	15.78
LAI-4	1/24/2003	22.43	6.72	15.71	0.67	7.39	15.54	15.05
LAI-4	1/27/2003	22.43	4.47	17.96	4.67	9.14	16.79	16.05
LAI-4	1/28/2003	22.43	4.97	17.46	4.43	9.40	16.35	19.68
LAI-4	1/29/2003	22.43	7.40	15.03	0.05	7.45	15.02	15.06
LAI-4	1/30/2003	22.43	7.88	14.55	0.06	7.94	14.54	14.58
LAI-4	2/3/2003	22.43	6.25	16.18	2.16	8.41	15.64	17.26
LAI-4	2/6/2003	23.88	6.28	17.60	1.04	7.32	17.34	18.12
LAI-4	2/11/2003	23.88	7.54	16.34	1.44	8.98	15.98	17.06
LAI-4	2/18/2003	23.88	9.28	14.60	0.17	9.45	14.56	14.69
LAI-4	2/21/2003	23.88	9.11	14.77	0.09	9.20	14.75	14.82
LAI-4	2/26/2003	23.88	8.37	15.51	1.35	9.72	15.17	16.19
LAI-4	3/3/2003	23.88	8.57	15.31	0.86	9.43	15.10	15.74
LAI-4	3/12/2003	23.88	8.80	15.08	0.14	8.94	15.05	15.15
LAI-4	3/14/2003	23.88	8.68	15.20	0.14	8.82	15.17	15.27
LAI-4	3/26/2003	23.88	---	---	---	9.06	14.82	14.82
LAI-4	3/28/2003	23.88	---	---	---	9.28	14.60	14.60
LAI-4	4/2/2003	23.88	8.21	15.67	0.08	8.29	15.65	15.71
LAI-4	4/4/2003	23.88	8.58	15.30	0.04	8.62	15.29	15.32
LAI-4	4/8/2003	23.88	8.51	15.37	0.13	8.64	15.34	15.44
LAI-4	4/11/2003	23.88	8.78	15.10	0.14	8.92	15.07	15.17
LAI-4	4/15/2003	23.88	7.86	16.02	0.95	8.81	15.78	16.50
LAI-4	4/17/2003	23.88	9.19	14.69	0.02	9.21	14.69	14.70
LAI-4	4/22/2003	23.88	6.61	17.27	0.19	6.80	17.22	17.37
LAI-4	4/25/2003	23.88	8.96	14.92	0.25	9.21	14.86	15.05
LAI-4	5/2/2003	23.88	9.06	14.82	0.10	9.16	14.80	14.87
LAI-4	5/6/2003	23.88	8.56	15.32	1.85	10.41	14.86	16.25
LAI-4	5/9/2003	23.88	10.96	12.92	0.02	10.98	12.92	12.93
LAI-4	5/23/2003	23.88	10.17	13.71	0.02	10.19	13.71	13.72
LAI-4	5/28/2003	23.88	9.81	14.07	0.03	9.84	14.06	14.09
LAI-4	6/13/2003	23.88	10.09	13.79	0.03	10.12	13.78	13.81
LAI-4	6/18/2003	23.88	10.05	13.83	0.08	10.13	13.81	13.87

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
LAI-4	6/27/2003	23.88	9.92	13.96	0.82	10.74	13.76	14.37
LAI-4	7/7/2003	23.88	10.27	13.61	1.44	11.71	13.25	14.33
LAI-4	7/16/2003	23.88	9.92	13.96	2.10	12.02	13.44	15.01
LAI-4	7/31/2003	23.88	10.58	13.30	1.12	11.70	13.02	13.86
LAI-4	8/5/2003	23.88	10.32	13.56	1.97	12.29	13.07	14.55
LAI-4	8/11/2003	23.88	11.70	12.18	1.09	12.79	11.91	12.73
LAI-4	8/22/2003	23.88	11.96	11.92	1.28	13.24	11.60	12.56
LAI-4	8/26/2003	23.88	11.09	12.79	1.15	12.24	12.50	13.37
LAI-4	9/2/2003	23.88	11.04	12.84	1.32	12.36	12.51	13.50
LAI-4	9/9/2003	23.88	11.10	12.78	2.16	13.26	12.24	13.86
LAI-4	9/19/2003	23.88	11.14	12.74	1.35	12.49	12.40	13.42
LAI-4	10/14/2003	23.88	11.21	12.67	1.59	12.80	12.27	13.47
LAI-4	11/20/2003	23.88	8.21	15.67	0.09	8.30	15.65	15.72
LAI-4	12/3/2003	23.88	7.12	16.76	1.06	8.18	16.50	17.29
LAI-4	1/19/2004	23.88	6.84	17.04	0.72	7.56	16.86	17.40
LAI-4	2/24/2004	23.88	8.25	15.63	0.65	8.90	15.47	15.96
LAI-4	3/15/2004	23.88	9.42	14.46	0.09	9.51	14.44	14.51
LAI-4	4/19/2004	23.88	9.19	14.69	0.01	9.20	14.69	14.70
LAI-4	5/17/2004	23.88	---	---	---	10.05	13.83	13.83
LAI-4	6/22/2004	23.88	---	---	---	9.98	13.90	13.90
LAI-4	8/18/2004	23.88	11.20	12.68	0.05	11.25	12.67	12.71
LAI-4	9/21/2004	23.88	---	---	---	10.05	13.83	13.83
LAI-4	10/19/2004	24.88	---	---	---	9.23	15.65	15.65
LAI-4	11/23/2004	24.88	---	---	---	9.45	15.43	15.43
LAI-4	12/21/2004	24.88	---	---	---	7.60	17.28	17.28
LAI-4	1/13/2005	24.88	---	---	---	8.37	16.51	16.51
LAI-4	4/28/2005	24.88	---	---	---	8.57	16.31	16.31
LAI-4	6/1/2005	24.88	---	---	---	8.15	16.73	16.73
LAI-4	6/29/2005	24.88	---	---	---	10.05	14.83	14.83
LAI-4	7/20/2005	24.88	---	---	---	10.45	14.43	14.43
LAI-4	8/22/2005	24.88	---	---	---	10.12	14.76	14.76
LAI-4	5/27/2011	24.88	---	---	---	---	---	---
Not Monitored								
LAIx-4	9/12/2005	25.50	---	---	---	14.15	11.35	11.35
LAIx-4	10/12/2005	25.50	---	---	---	14.78	10.72	10.72
LAIx-4	11/21/2005	25.50	12.76	12.74	0.01	12.77	12.74	12.75
LAIx-4	12/27/2005	25.50	---	---	---	11.95	13.55	13.55
LAIx-4	1/30/2006	25.50	---	---	---	10.60	14.90	14.90
LAIx-4	2/16/2006	25.50	---	---	---	12.68	12.82	12.82
LAIx-4	3/13/2006	25.50	---	---	---	12.95	12.55	12.55
LAIx-4	4/18/2006	25.50	---	---	---	13.05	12.45	12.45
LAIx-4	5/12/2006	25.50	---	---	---	13.70	11.80	11.80
LAIx-4	6/9/2006	25.50	---	---	---	13.45	12.05	12.05
LAIx-4	7/13/2006	25.50	---	---	---	15.65	9.85	9.85
LAIx-4	8/16/2006	25.50	15.41	10.09	0.02	15.43	10.09	10.10
LAIx-4	9/19/2006	25.50	---	---	---	15.05	10.45	10.45
LAIx-4	10/13/2006	25.50	---	---	---	15.13	10.37	10.37
LAIx-4	11/20/2006	25.50	---	---	---	12.43	13.07	13.07
LAIx-4	12/8/2006	25.50	---	---	---	12.76	12.74	12.74
LAIx-4	1/19/2007	25.50	---	---	---	12.38	13.12	13.12
LAIx-4	2/19/2007	25.50	---	---	---	12.96	12.54	12.54
LAIx-4	3/15/2007	25.50	---	---	---	12.70	12.80	12.80
LAIx-4	4/16/2007	25.50	---	---	---	13.11	12.39	12.39
LAIx-4	5/14/2007	25.50	---	---	---	13.73	11.77	11.77
LAIx-4	6/29/2007	25.50	---	---	---	14.19	11.31	11.31
LAIx-4	7/20/2007	25.50	---	---	---	14.57	10.93	10.93
LAIx-4	8/21/2007	25.50	---	---	---	14.74	10.76	10.76
LAIx-4	9/10/2007	25.50	---	---	---	14.82	10.68	10.68
LAIx-4	10/22/2007	25.50	---	---	---	13.64	11.86	11.86
LAIx-4	11/28/2007	25.50	---	---	---	13.45	12.05	12.05
LAIx-4	12/13/2007	25.50	---	---	---	12.80	12.70	12.70
LAIx-4	1/21/2008	25.50	---	---	---	8.78	16.72	16.72
LAIx-4	2/24/2008	25.50	---	---	---	13.23	12.27	12.27
LAIx-4	3/24/2008	25.50	---	---	---	12.81	12.69	12.69
LAIx-4	8/25/2008	25.50	---	---	---	13.97	11.53	11.53
LAIx-4	2/18/2009	22.50	---	---	---	13.44	9.06	9.06
LAIx-4	8/25/2009	22.50	---	---	---	15.09	7.41	7.41
LAIx-4	3/22/2010	22.50	---	---	---	13.20	9.30	9.30
LAIx-4	8/23/2010	25.50	---	---	---	12.67	12.83	12.83
LAIx-4	2/7/2011	25.50	---	---	---	12.68	12.82	---
LAIx-4	5/27/2011	25.50	---	---	---	---	---	---
Not Monitored								
LAI-5	1/22/2003	23.04	6.55	16.49	4.18	10.73	15.45	18.58
LAI-5	1/23/2003	23.04	6.54	16.50	4.02	10.56	15.50	18.51
LAI-5	1/24/2003	23.04	6.40	16.64	3.92	10.32	15.66	18.60
LAI-5	1/27/2003	23.04	5.51	17.53	3.66	9.17	16.62	19.36
LAI-5	1/28/2003	23.04	6.85	16.19	0.55	7.40	16.05	16.47
LAI-5	1/29/2003	23.04	6.20	16.84	4.20	10.40	15.79	18.94
LAI-5	1/30/2003	23.04	6.31	16.73	4.04	10.35	15.72	18.75
LAI-5	2/3/2003	23.04	6.36	16.68	3.29	9.65	15.86	18.33
LAI-5	2/6/2003	24.52	7.18	17.34	3.57	10.75	16.45	19.13
LAI-5	2/11/2003	24.52	7.53	16.99	3.64	11.17	16.08	18.81
LAI-5	2/18/2003	24.52	6.50	18.02	4.75	11.25	16.83	20.40
LAI-5	2/21/2003	24.52	8.21	16.31	3.30	11.51	15.49	17.96
LAI-5	2/26/2003	24.52	7.78	16.74	3.23	11.01	15.93	18.36
LAI-5	3/4/2003	24.52	7.78	16.74	3.23	11.01	15.93	18.36
LAI-5	3/12/2003	24.52	8.32	16.20	3.36	11.68	15.36	17.88
LAI-5	3/14/2003	24.52	8.36	16.16	3.08	11.44	15.39	17.70
LAI-5	3/26/2003	24.52	---	---	---	10.01	14.51	14.51
LAI-5	3/28/2003	24.52	---	---	---	9.96	14.56	14.56
LAI-5	4/2/2003	24.52	8.52	16.00	0.83	9.35	15.79	16.42
LAI-5	4/4/2003	24.52	8.90	15.62	0.68	9.58	15.45	15.96
LAI-5	4/8/2003	24.52	8.96	15.56	0.55	9.51	15.42	15.84
LAI-5	4/11/2003	24.52	8.72	15.80	1.62	10.34	15.40	16.61
LAI-5	4/15/2003	24.52	8.01	16.51	2.43	10.44	15.90	17.73
LAI-5	4/17/2003	24.52	9.60	14.92	0.16	9.76	14.88	15.00
LAI-5	4/22/2003	24.52	9.04	15.48	0.39	9.43	15.38	15.68

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
LAI-5	4/25/2003	24.52	9.05	15.47	2.10	11.15	14.95	16.52
LAI-5	5/2/2003	24.52	9.48	15.04	0.24	9.72	14.98	15.16
LAI-5	5/6/2003	24.52	8.94	15.58	2.24	11.18	15.02	16.70
LAI-5	5/9/2003	24.52	10.28	14.24	0.07	10.35	14.22	14.28
LAI-5	5/23/2003	24.52	10.65	13.87	0.02	10.67	13.87	13.88
LAI-5	5/28/2003	24.52	10.36	14.16	0.09	10.45	14.14	14.21
LAI-5	6/13/2003	24.52	10.58	13.94	0.05	10.63	13.93	13.97
LAI-5	6/18/2003	24.52	10.51	14.01	0.01	10.52	14.01	14.02
LAI-5	6/27/2003	24.52	10.08	14.44	1.63	11.71	14.03	15.26
LAI-5	7/7/2003	24.52	10.52	14.00	1.85	12.37	13.54	14.93
LAI-5	7/16/2003	24.52	10.30	14.22	2.15	12.45	13.68	15.30
LAI-5	7/31/2003	24.52	10.77	13.75	1.67	12.44	13.33	14.59
LAI-5	8/5/2003	24.52	11.30	13.22	2.35	13.65	12.63	14.40
LAI-5	8/11/2003	24.52	---	---	---	12.22	12.30	12.30
LAI-5	8/22/2003	24.52	---	---	---	12.34	12.18	12.18
LAI-5	8/26/2003	24.52	12.39	12.13	1.29	13.68	11.81	12.78
LAI-5	9/2/2003	24.52	11.57	12.95	0.03	11.60	12.94	12.97
LAI-5	9/9/2003	24.52	11.14	13.38	2.49	13.63	12.76	14.63
LAI-5	9/19/2003	24.52	11.89	12.63	0.57	12.46	12.49	12.92
LAI-5	10/14/2003	24.52	12.13	12.39	0.45	12.58	12.28	12.62
LAI-5	11/20/2003	24.52	---	---	---	8.72	15.80	15.80
LAI-5	12/3/2003	24.52	7.76	16.76	0.33	8.09	16.68	16.93
LAI-5	1/19/2004	24.52	7.38	17.14	0.07	7.45	17.12	17.18
LAI-5	2/24/2004	24.52	8.65	15.87	0.11	8.76	15.84	15.93
LAI-5	3/15/2004	24.52	---	---	---	9.94	14.58	14.58
LAI-5	4/19/2004	24.52	---	---	---	10.19	14.33	14.33
LAI-5	5/17/2004	24.52	---	---	---	11.14	13.38	13.38
LAI-5	6/22/2004	24.52	11.10	13.42	0.01	11.11	13.42	13.43
LAI-5	8/18/2004	24.52	---	---	---	12.17	12.35	12.35
LAI-5	9/21/2004	24.52	---	---	---	11.16	13.36	13.36
LAI-5	10/19/2004	25.52	---	---	---	10.29	15.23	15.23
LAI-5	11/23/2004	25.52	---	---	---	10.48	15.04	15.04
LAI-5	12/21/2004	25.52	---	---	---	8.99	16.53	16.53
LAI-5	1/13/2005	25.52	---	---	---	9.47	16.05	16.05
LAI-5	4/28/2005	25.52	---	---	---	9.32	16.20	16.20
LAI-5	6/1/2005	25.52	---	---	---	9.61	15.91	15.91
LAI-5	6/29/2005	25.52	---	---	---	11.40	14.12	14.12
LAI-5	7/20/2005	25.52	---	---	---	11.47	14.05	14.05
LAI-5	8/22/2005	25.52	---	---	---	11.44	14.08	14.08
LAI-5	5/27/2011	25.52	---	---	---	---	---	---
Not Monitored								
LAIx-5	9/12/2005	25.63	---	---	---	14.18	11.45	11.45
LAIx-5	10/12/2005	25.63	---	---	---	14.58	11.05	11.05
LAIx-5	11/21/2005	25.63	---	---	---	12.08	13.55	13.55
LAIx-5	12/27/2005	25.63	11.10	14.53	0.05	11.15	14.52	14.56
LAIx-5	1/30/2006	25.63	7.33	18.30	2.73	10.06	17.62	19.67
LAIx-5	2/16/2006	25.63	12.10	13.53	0.00	12.10	13.53	13.53
LAIx-5	3/13/2006	25.63	---	---	---	12.71	12.92	12.92
LAIx-5	4/18/2006	25.63	10.60	15.03	2.69	13.29	14.36	16.38
LAIx-5	5/12/2006	25.63	11.10	14.53	3.33	14.43	13.70	16.20
LAIx-5	6/9/2006	25.63	12.54	13.09	0.01	12.55	13.09	13.10
LAIx-5	7/13/2006	25.63	13.10	12.53	0.15	13.25	12.49	12.61
LAIx-5	8/16/2006	25.63	---	---	---	13.80	11.83	11.83
LAIx-5	9/19/2006	25.63	---	---	---	14.35	11.28	11.28
LAIx-5	10/13/2006	25.63	---	---	---	13.80	11.83	11.83
LAIx-5	11/20/2006	25.63	9.82	15.81	0.27	10.09	15.74	15.95
LAIx-5	12/8/2006	25.63	9.92	15.71	0.80	10.72	15.51	16.11
LAIx-5	1/19/2007	25.63	8.94	16.69	1.31	10.25	16.36	17.35
LAIx-5	2/19/2007	25.63	10.04	15.59	0.25	10.29	15.53	15.72
LAIx-5	3/15/2007	25.63	9.29	16.34	0.25	9.54	16.28	16.47
LAIx-5	4/16/2007	25.63	10.46	15.17	0.16	10.62	15.13	15.25
LAIx-5	5/14/2007	25.63	11.63	14.00	0.02	11.65	14.00	14.01
LAIx-5	6/29/2007	25.63	---	---	---	11.88	13.75	13.75
LAIx-5	7/20/2007	25.63	---	---	---	12.59	13.04	13.04
LAIx-5	8/21/2007	25.63	---	---	---	13.18	12.45	12.45
LAIx-5	9/10/2007	25.63	---	---	---	15.47	10.16	10.16
LAIx-5	10/22/2007	25.63	---	---	---	11.95	13.68	13.68
LAIx-5	11/28/2007	25.63	---	---	---	11.37	14.26	14.26
LAIx-5	12/13/2007	25.63	10.82	14.81	0.13	10.95	14.78	14.88
LAIx-5	1/21/2008	25.63	---	---	---	11.68	13.95	13.95
LAIx-5	2/24/2008	25.63	---	---	---	10.13	15.50	15.50
LAIx-5	3/24/2008	25.63	---	---	---	11.11	14.52	14.52
LAIx-5	8/25/2008	25.63	---	---	---	12.30	13.33	13.33
LAIx-5	2/18/2009	25.63	---	---	---	10.65	14.98	14.98
LAIx-5	8/25/2009	25.63	---	---	---	12.92	12.71	12.71
LAIx-5	3/22/2010	25.63	10.79	14.84	0.01	10.80	14.84	14.86
LAIx-5	8/23/2010	25.63	---	---	---	---	---	---
LAIx-5	2/7/2011	25.63	9.80	---	0.05	9.85	15.82	---
LAIx-5	5/27/2011	25.63	---	---	---	---	---	---
Not Monitored								
LAIx-5	11/14/2016	25.63	---	---	---	8.83	16.80	---
LAIx-5	2/17/2017	25.63	---	---	---	7.82	17.81	18.08
LAIx-5	5/24/2017	25.63	---	---	---	8.83	16.80	18.34
LAIx-5	9/26/2017	25.63	---	---	---	11.46	14.17	18.54
LAIx-5	9/28/2017	---	---	---	---	---	---	---
LAIx-5	12/11/2017	25.63	---	---	---	7.02	18.61	---
LAIx-5	2/26/2018	25.63	---	---	---	7.87	17.76	---
LAIx-5	6/11/2018	25.63	---	---	---	10.99	14.64	---
LAIx-5	8/27/2018	25.63	---	---	---	11.78	13.85	---
LAIx-5	12/17/2018	25.63	---	---	---	7.18	18.45	---
LAI-6	1/22/2003	22.86	6.67	16.19	3.78	10.45	15.25	---
LAI-6	1/23/2003	22.86	6.45	16.41	3.85	10.30	15.45	---
LAI-6	1/24/2003	22.86	6.32	16.54	4.00	10.32	15.54	---
LAI-6	1/27/2003	22.86	5.68	17.18	3.37	9.05	16.34	18.87
LAI-6	1/28/2003	22.86	6.91	15.95	0.93	7.84	15.72	16.42
LAI-6	1/29/2003	22.86	6.51	16.35	2.53	9.04	15.72	17.62
LAI-6	1/30/2003	22.86	6.36	16.50	3.60	9.96	15.60	18.30

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAI-6	2/3/2003	22.86	6.27	16.59	3.69	9.96	15.67	18.44
LAI-6	2/6/2003	22.86	5.79	17.07	3.79	9.58	16.12	18.97
LAI-6	2/11/2003	22.86	6.03	16.83	3.61	9.64	15.93	18.64
LAI-6	2/18/2003	22.86	7.98	14.88	0.42	8.40	14.78	15.09
LAI-6	2/21/2003	22.86	7.57	15.29	0.54	8.11	15.16	15.56
LAI-6	2/26/2003	22.86	7.15	15.71	0.47	7.62	15.59	15.95
LAI-6	3/3/2003	22.86	8.01	14.85	0.45	8.46	14.74	15.08
LAI-6	3/12/2003	22.86	7.46	15.40	0.23	7.69	15.34	15.52
LAI-6	3/14/2003	22.86	7.72	15.14	0.19	7.91	15.09	15.24
LAI-6	3/26/2003	22.86	6.37	16.49	1.45	7.82	16.13	17.22
LAI-6	3/28/2003	22.86	7.10	15.76	1.65	8.75	15.35	16.59
LAI-6	4/2/2003	22.86	6.65	16.21	2.15	8.80	15.67	17.29
LAI-6	4/4/2003	22.86	7.06	15.80	1.74	8.80	15.37	16.67
LAI-6	4/8/2003	22.86	7.13	15.73	1.70	8.83	15.31	16.58
LAI-6	4/11/2003	22.86	7.22	15.64	0.88	8.10	15.42	16.08
LAI-6	4/15/2003	22.86	6.56	16.30	1.82	8.38	15.85	17.21
LAI-6	4/17/2003	22.86	7.61	15.25	1.74	9.35	14.82	16.12
LAI-6	4/22/2003	22.86	7.16	15.70	1.65	8.81	15.29	16.53
LAI-6	4/25/2003	22.86	7.70	15.16	0.83	8.53	14.95	15.58
LAI-6	5/2/2003	22.86	7.61	15.25	1.65	9.26	14.84	16.08
LAI-6	5/6/2003	22.86	8.45	14.41	0.99	9.44	14.16	14.91
LAI-6	5/9/2003	22.86	8.00	14.86	1.95	9.95	14.37	15.84
LAI-6	5/23/2003	22.86	8.41	14.45	2.00	10.41	13.95	15.45
LAI-6	5/28/2003	22.86	8.23	14.63	1.78	10.01	14.19	15.52
LAI-6	6/13/2003	22.86	8.50	14.36	2.11	10.61	13.83	15.42
LAI-6	6/18/2003	22.86	8.46	14.40	2.10	10.56	13.88	15.45
LAI-6	6/27/2003	22.86	9.91	12.95	0.77	10.68	12.76	13.34
LAI-6	7/7/2003	22.86	8.98	13.88	2.08	11.06	13.36	14.92
LAI-6	7/16/2003	22.86	8.75	14.11	2.20	10.95	13.56	15.21
LAI-6	7/31/2003	22.86	9.14	13.72	2.06	11.20	13.21	14.75
LAI-6	8/5/2003	22.86	9.15	13.71	2.01	11.16	13.21	14.72
LAI-6	8/11/2003	22.86	10.24	12.62	1.97	12.21	12.13	13.61
LAI-6	8/22/2003	22.86	10.45	12.41	1.90	12.35	11.94	13.36
LAI-6	8/26/2003	22.86	9.78	13.08	0.02	9.80	13.08	13.09
LAI-6	9/2/2003	22.86	10.13	12.73	0.90	11.03	12.51	13.18
LAI-6	9/9/2003	22.86	10.48	12.38	0.79	11.27	12.18	12.78
LAI-6	9/19/2003	22.86	10.44	12.42	0.61	11.05	12.27	12.73
LAI-6	10/14/2003	22.86	9.11	13.75	0.91	10.02	13.52	14.21
LAI-6	11/20/2003	22.86	7.22	15.64	0.01	7.23	15.64	15.65
LAI-6	12/3/2003	22.86	6.30	16.56	0.35	6.65	16.47	16.74
LAI-6	1/19/2004	22.86	5.85	17.01	0.71	6.56	16.83	17.37
LAI-6	2/24/2004	22.86	7.52	15.34	0.11	7.63	15.31	15.40
LAI-6	3/15/2004	22.86	8.32	14.54	0.50	8.82	14.42	14.79
LAI-6	4/19/2004	22.86	8.52	14.34	0.02	8.54	14.34	14.35
LAI-6	5/17/2004	22.86	9.05	13.81	0.03	9.08	13.80	13.83
LAI-6	6/22/2004	22.86	---	---	---	8.85	14.01	14.01
LAI-6	8/18/2004	22.86	---	---	---	10.08	12.78	12.78
LAI-6	9/21/2004	22.86	---	---	---	8.95	13.91	13.91
LAI-6	10/19/2004	22.86	---	---	---	8.08	14.78	14.78
LAI-6	11/23/2004	22.86	---	---	---	8.49	14.37	14.37
LAI-6	12/21/2004	22.86	---	---	---	6.55	16.31	16.31
LAI-6	1/13/2005	22.86	7.26	15.60	0.01	7.27	15.60	15.61
LAI-6	4/28/2005	22.86	---	---	---	7.05	15.81	15.81
LAI-6	6/1/2005	22.86	---	---	---	7.68	15.18	15.18
LAI-6	6/29/2005	22.86	---	---	---	9.20	13.66	13.66
LAI-6	7/20/2005	22.86	---	---	---	9.43	13.43	13.43
LAI-6	8/22/2005	22.86	---	---	---	9.47	13.39	13.39
LAI-6	5/27/2011	22.86	---	---	Not Monitored	---	---	---
LAIx-6	9/12/2005	25.25	---	---	---	11.56	13.69	13.69
LAIx-6	10/12/2005	25.25	---	---	---	12.27	12.98	12.98
LAIx-6	11/21/2005	25.25	---	---	---	10.37	14.88	14.88
LAIx-6	12/27/2005	25.25	---	---	---	9.88	15.37	15.37
LAIx-6	12/21/2004	25.25	---	---	---	9.88	15.37	15.37
LAIx-6	1/30/2006	25.25	7.28	17.97	0.01	7.29	17.97	17.98
LAIx-6	2/16/2006	25.25	---	---	---	8.81	16.44	16.44
LAIx-6	3/13/2006	25.25	9.54	15.71	0.54	10.08	15.58	15.98
LAIx-6	4/18/2006	25.25	---	---	---	9.80	15.45	15.45
LAIx-6	5/12/2006	25.25	---	---	---	10.11	15.14	15.14
LAIx-6	6/9/2006	25.25	---	---	---	9.77	15.48	15.48
LAIx-6	7/13/2006	25.25	---	---	---	10.75	14.50	14.50
LAIx-6	8/16/2006	25.25	---	---	---	11.43	13.82	13.82
LAIx-6	9/19/2006	25.25	---	---	---	12.00	13.25	13.25
LAIx-6	10/13/2006	25.25	---	---	---	11.84	13.41	13.41
LAIx-6	11/20/2006	25.25	---	---	---	8.31	16.94	16.94
LAIx-6	12/8/2006	25.25	---	---	---	8.28	16.97	16.97
LAIx-6	1/19/2007	25.25	---	---	---	7.89	17.36	17.36
LAIx-6	2/19/2007	25.25	---	---	---	9.58	15.67	15.67
LAIx-6	3/15/2007	25.25	---	---	---	8.85	16.40	16.40
LAIx-6	4/16/2007	25.25	---	---	---	9.25	16.00	16.00
LAIx-6	5/14/2007	25.25	---	---	---	10.30	14.95	14.95
LAIx-6	6/29/2007	25.25	---	---	---	11.93	13.32	13.32
LAIx-6	7/20/2007	25.25	---	---	---	12.50	12.75	12.75
LAIx-6	8/21/2007	25.25	---	---	---	12.97	12.28	12.28
LAIx-6	9/10/2007	25.25	---	---	---	13.00	12.25	12.25
LAIx-6	10/22/2007	25.25	---	---	---	11.44	13.81	13.81
LAIx-6	11/28/2007	25.25	---	---	---	10.84	14.41	14.41
LAIx-6	12/13/2007	25.25	---	---	---	10.82	14.43	14.43
LAIx-6	1/21/2008	25.25	---	---	---	10.11	15.14	15.14
LAIx-6	2/24/2008	25.25	---	---	---	10.45	14.80	14.80
LAIx-6	3/24/2008	25.25	---	---	---	10.59	14.66	14.66
LAIx-6	8/25/2008	25.25	---	---	---	11.98	13.27	13.27
LAIx-6	2/18/2009	25.25	---	---	---	10.38	14.87	14.87
LAIx-6	8/25/2009	25.25	---	---	---	12.63	12.62	12.62
LAIx-6	3/22/2010	25.25	---	---	---	10.67	14.58	14.58
LAIx-6	8/23/2010	25.25	---	---	---	10.80	14.45	14.45
LAIx-6	2/7/2011	25.25	---	---	---	9.46	15.79	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
LAIx-6	5/27/2011	25.25			Not Monitored			
LAIx-6	11/14/2016	25.25	---	---	---	8.57	16.68	---
LAIx-6	2/17/2017	25.25	---	---	---	3.90	21.35	14.27
LAIx-6	5/24/2017	25.25	---	---	---	8.10	17.15	14.78
LAIx-6	9/26/2017	25.25	---	---	---	11.39	13.86	16.01
LAIx-6	9/28/2017	25.25	---	---	---	---	---	---
LAIx-6	12/11/2017	25.25	---	---	---	7.31	17.94	---
LAIx-6	2/26/2018	25.25	---	---	---	7.88	17.37	---
LAIx-6	6/11/2018	25.25	---	---	---	9.81	15.44	---
LAIx-6	8/27/2018	25.25	---	---	---	11.39	13.86	---
LAIx-6	12/17/2018	25.25	---	---	---	7.63	17.62	---
LAI-7	1/22/2003	21.82	8.10	13.72	1.10	9.20	13.45	---
LAI-7	1/23/2003	21.82	7.58	14.24	1.07	8.65	13.97	---
LAI-7	1/24/2003	21.82	6.99	14.83	2.36	9.35	14.24	---
LAI-7	1/27/2003	21.82	5.18	16.64	5.30	10.48	15.32	19.29
LAI-7	1/28/2003	21.82	7.08	14.74	0.90	7.98	14.52	15.19
LAI-7	1/29/2003	21.82	7.41	14.41	0.44	7.85	14.30	14.63
LAI-7	1/30/2003	21.82	8.11	13.71	0.26	8.37	13.65	13.84
LAI-7	2/3/2003	21.82	8.90	12.92	0.06	8.96	12.91	12.95
LAI-7	2/6/2003	24.28	7.82	16.46	1.56	9.38	16.07	17.24
LAI-7	2/11/2003	24.28	8.23	16.05	1.56	9.79	15.66	16.83
LAI-7	2/18/2003	24.28	9.45	14.83	0.20	9.65	14.78	14.93
LAI-7	2/21/2003	24.28	8.57	15.71	2.34	10.91	15.13	16.88
LAI-7	2/26/2003	24.28	8.53	15.75	3.18	11.71	14.96	17.34
LAI-7	3/3/2003	24.28	9.53	14.75	0.18	9.71	14.71	14.84
LAI-7	3/12/2003	24.28	8.99	15.29	0.19	9.18	15.24	15.39
LAI-7	3/14/2003	24.28	9.18	15.10	0.18	9.36	15.06	15.19
LAI-7	3/26/2003	24.28	---	---	---	9.97	14.31	14.31
LAI-7	3/28/2003	24.28	---	---	---	9.95	14.33	14.33
LAI-7	4/2/2003	24.28	8.79	15.49	0.08	8.87	15.47	15.53
LAI-7	4/4/2003	24.28	9.04	15.24	0.08	9.12	15.22	15.28
LAI-7	4/8/2003	24.28	8.53	15.75	0.10	8.63	15.73	15.80
LAI-7	4/11/2003	24.28	9.06	15.22	0.17	9.23	15.18	15.31
LAI-7	4/15/2003	24.28	8.41	15.87	0.94	9.35	15.64	16.34
LAI-7	4/17/2003	24.28	9.55	14.73	0.17	9.72	14.69	14.82
LAI-7	4/22/2003	24.28	9.03	15.25	0.34	9.37	15.17	15.42
LAI-7	4/25/2003	24.28	9.00	15.28	0.31	9.31	15.20	15.44
LAI-7	5/2/2003	24.28	9.60	14.68	0.05	9.65	14.67	14.71
LAI-7	5/6/2003	24.28	9.17	15.11	1.19	10.36	14.81	15.71
LAI-7	5/9/2003	24.28	10.04	14.24	0.06	10.10	14.23	14.27
LAI-7	5/23/2003	24.28	10.60	13.68	0.02	10.62	13.68	13.69
LAI-7	5/28/2003	24.28	10.21	14.07	0.01	10.22	14.07	14.08
LAI-7	6/13/2003	24.28	9.90	14.38	0.55	10.45	14.24	14.66
LAI-7	6/18/2003	24.28	10.57	13.71	0.02	10.59	13.71	13.72
LAI-7	6/27/2003	24.28	10.42	13.86	0.63	11.05	13.70	14.18
LAI-7	7/7/2003	24.28	10.85	13.43	0.52	11.37	13.30	13.69
LAI-7	7/16/2003	24.28	10.43	13.85	1.65	12.08	13.44	14.68
LAI-7	7/31/2003	24.28	11.06	13.22	0.31	11.37	13.14	13.38
LAI-7	8/5/2003	24.28	10.66	13.62	0.90	11.56	13.40	14.07
LAI-7	8/11/2003	24.28	12.45	11.83	0.01	12.46	11.83	11.84
LAI-7	8/22/2003	24.28	12.40	11.88	0.20	12.60	11.83	11.98
LAI-7	8/26/2003	24.28	11.32	12.96	1.43	12.75	12.60	13.68
LAI-7	9/2/2003	24.28	11.61	12.67	0.20	11.81	12.62	12.77
LAI-7	9/9/2003	24.28	11.66	12.62	1.64	13.30	12.21	13.44
LAI-7	9/19/2003	24.28	11.66	12.62	1.35	13.01	12.28	13.30
LAI-7	10/14/2003	24.28	11.59	12.69	1.46	13.05	12.33	13.42
LAI-7	11/20/2003	24.28	---	---	---	8.67	15.61	15.61
LAI-7	12/3/2003	24.28	7.98	16.30	0.23	8.21	16.24	16.42
LAI-7	1/19/2004	24.28	7.59	16.69	0.32	7.91	16.61	16.85
LAI-7	2/24/2004	24.28	---	---	---	8.72	15.56	15.56
LAI-7	3/15/2004	24.28	---	---	---	9.71	14.57	14.57
LAI-7	4/19/2004	24.28	---	---	---	9.65	14.63	14.63
LAI-7	5/17/2004	24.28	---	---	---	10.43	13.85	13.85
LAI-7	6/22/2004	24.28	10.33	13.95	0.01	10.34	13.95	13.96
LAI-7	8/18/2004	24.28	11.28	13.00	0.88	12.16	12.78	13.44
LAI-7	9/21/2004	24.28	10.57	13.71	0.23	10.80	13.65	13.83
LAI-7	10/19/2004	24.28	---	---	---	9.53	14.75	14.75
LAI-7	11/23/2004	24.28	9.85	14.43	0.19	10.04	14.38	14.53
LAI-7	12/21/2004	24.28	8.14	16.14	0.52	8.66	16.01	16.40
LAI-7	1/13/2005	24.28	8.83	15.45	0.19	9.02	15.40	15.55
LAI-7	4/28/2005	24.28	---	---	---	8.44	15.84	15.84
LAI-7	6/1/2005	24.28	---	---	---	8.72	15.56	15.56
LAI-7	6/29/2005	24.28	---	---	---	10.41	13.87	13.87
LAI-7	7/20/2005	24.28	---	---	---	10.93	13.35	13.35
LAI-7	8/22/2005	24.28	---	---	---	10.47	13.81	13.81
LAI-7	5/27/2011	24.28	---	---	Not Monitored			
LAIx-7	9/12/2005	25.24	---	---	---	13.81	11.43	11.43
LAIx-7	10/12/2005	25.24	14.46	10.78	0.12	14.58	10.75	10.84
LAIx-7	11/21/2005	25.24	12.00	13.24	2.96	14.96	12.50	14.72
LAIx-7	12/27/2005	25.24	11.08	14.16	2.82	13.90	13.46	15.57
LAIx-7	1/30/2006	25.24	9.69	15.55	3.34	13.03	14.72	17.22
LAIx-7	2/16/2006	25.24	11.52	13.72	3.81	15.33	12.77	15.63
LAIx-7	3/13/2006	25.24	11.09	14.15	4.51	15.60	13.02	16.41
LAIx-7	4/18/2006	25.24	11.98	13.26	1.62	13.60	12.86	14.07
LAIx-7	5/12/2006	25.24	13.22	12.02	0.30	13.52	11.95	12.17
LAIx-7	6/9/2006	25.24	12.94	12.30	0.40	13.34	12.20	12.50
LAIx-7	7/13/2006	25.24	14.14	11.10	0.94	15.08	10.87	11.57
LAIx-7	8/16/2006	25.24	14.95	10.29	0.80	15.75	10.09	10.69
LAIx-7	9/19/2006	25.24	14.55	10.69	0.95	15.50	10.45	11.17
LAIx-7	10/13/2006	25.24	14.60	10.64	1.55	16.15	10.25	11.42
LAIx-7	11/20/2006	25.24	11.89	13.35	0.71	12.60	13.17	13.71
LAIx-7	12/8/2006	25.24	12.13	13.11	0.31	12.44	13.03	13.27
LAIx-7	1/19/2007	25.24	11.75	13.49	1.20	12.95	13.19	14.09
LAIx-7	2/19/2007	25.24	12.52	12.72	0.62	13.14	12.57	13.03
LAIx-7	3/15/2007	25.24	12.14	13.10	0.51	12.65	12.97	13.36

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAIx-7	4/16/2007	25.24	12.58	12.66	0.92	13.50	12.43	13.12
LAIx-7	5/14/2007	25.24	13.25	11.99	0.07	13.32	11.97	12.03
LAIx-7	6/29/2007	25.24	13.68	11.56	0.82	14.50	11.36	11.97
LAIx-7	7/20/2007	25.24	14.20	11.04	0.10	14.30	11.02	11.09
LAIx-7	8/21/2007	25.24	---	---	---	14.20	11.04	11.04
LAIx-7	9/10/2007	25.24	---	---	---	14.47	10.77	10.77
LAIx-7	10/22/2007	25.24	12.72	---	---	15.64	9.60	9.60
LAIx-7	11/28/2007	25.24	12.95	---	---	13.50	11.74	11.74
LAIx-7	12/13/2007	25.24	---	---	---	11.92	13.32	13.32
LAIx-7	1/21/2008	25.24	---	---	---	7.63	17.61	17.61
LAIx-7	2/24/2008	25.24	---	---	---	10.21	15.03	15.03
LAIx-7	3/24/2008	25.24	12.24	13.00	0.22	12.46	12.95	13.11
LAIx-7	8/25/2008	25.24	---	---	---	13.34	11.90	11.90
LAIx-7	2/18/2009	25.24	---	---	---	12.00	13.24	13.24
LAIx-7	8/25/2009	25.24	---	---	---	14.56	10.68	10.68
LAIx-7	3/22/2010	25.24	---	---	---	10.95	14.29	14.29
LAIx-7	8/23/2010	25.24	---	---	---	10.05	15.19	15.19
LAIx-7	2/7/2011	25.24	---	---	---	9.71	15.53	---
LAIx-7	5/27/2011	25.24	---	---	Not Monitored	---	---	---
LAI-8	1/22/2003	23.08	8.10	14.98	0.91	9.01	14.75	15.44
LAI-8	1/23/2003	23.08	7.72	15.36	0.88	8.60	15.14	15.80
LAI-8	1/24/2003	23.08	7.50	15.58	1.55	9.05	15.19	16.36
LAI-8	1/27/2003	23.08	5.34	17.74	5.08	10.42	16.47	20.28
LAI-8	1/28/2003	23.08	6.90	16.18	1.75	8.65	15.74	17.06
LAI-8	1/29/2003	23.08	7.99	15.09	0.31	8.30	15.01	15.25
LAI-8	1/30/2003	23.08	7.90	15.18	0.69	8.59	15.01	15.53
LAI-8	2/3/2003	23.08	8.47	14.61	0.01	8.48	14.61	14.62
LAI-8	2/6/2003	24.50	6.46	18.04	2.95	9.41	17.30	19.52
LAI-8	2/11/2003	24.50	8.45	16.05	1.22	9.67	15.75	16.66
LAI-8	2/18/2003	24.50	6.85	17.65	5.75	12.60	16.21	20.53
LAI-8	2/21/2003	24.50	8.49	16.01	3.16	11.65	15.22	17.59
LAI-8	2/26/2003	24.50	7.92	16.58	4.02	11.94	15.58	18.59
LAI-8	3/4/2003	24.50	7.46	17.04	5.02	12.48	15.79	19.55
LAI-8	3/12/2003	24.50	8.67	15.83	3.03	11.70	15.07	17.35
LAI-8	3/14/2003	24.50	8.88	15.62	2.53	11.41	14.99	16.89
LAI-8	3/26/2003	24.50	8.63	15.87	0.88	9.51	15.65	16.31
LAI-8	3/28/2003	24.50	---	---	---	9.48	15.02	15.02
LAI-8	4/2/2003	24.50	8.97	15.53	0.14	9.11	15.50	15.60
LAI-8	4/4/2003	24.50	9.32	15.18	0.04	9.36	15.17	15.20
LAI-8	4/8/2003	24.50	9.25	15.25	0.03	9.28	15.24	15.27
LAI-8	4/11/2003	24.50	9.21	15.29	0.46	9.67	15.18	15.52
LAI-8	4/15/2003	24.50	8.57	15.93	1.13	9.70	15.65	16.50
LAI-8	4/17/2003	24.50	9.82	14.68	0.08	9.90	14.66	14.72
LAI-8	4/22/2003	24.50	9.28	15.22	0.23	9.51	15.16	15.34
LAI-8	4/25/2003	24.50	9.61	14.89	0.25	9.86	14.83	15.02
LAI-8	5/2/2003	24.50	9.71	14.79	0.40	10.11	14.69	14.99
LAI-8	5/6/2003	24.50	9.36	15.14	1.40	10.76	14.79	15.84
LAI-8	5/9/2003	24.50	---	---	---	10.23	14.27	14.27
LAI-8	5/23/2003	24.50	10.80	13.70	0.01	10.81	13.70	13.71
LAI-8	5/28/2003	24.50	10.51	13.99	0.03	10.54	13.98	14.01
LAI-8	6/13/2003	24.50	10.20	14.30	1.56	11.76	13.91	15.08
LAI-8	6/18/2003	24.50	10.35	14.15	1.85	12.20	13.69	15.08
LAI-8	6/27/2003	24.50	10.62	13.88	0.49	11.11	13.76	14.13
LAI-8	7/7/2003	24.50	10.67	13.83	2.18	12.85	13.29	14.92
LAI-8	7/16/2003	24.50	10.45	14.05	1.37	11.82	13.71	14.74
LAI-8	7/31/2003	24.50	10.96	13.54	1.79	12.75	13.09	14.44
LAI-8	8/5/2003	24.50	10.82	13.68	2.23	13.05	13.12	14.80
LAI-8	8/11/2003	24.50	12.12	12.38	1.57	13.69	11.99	13.17
LAI-8	8/22/2003	24.50	12.40	12.10	1.66	14.06	11.69	12.93
LAI-8	8/26/2003	24.50	11.44	13.06	1.44	12.88	12.70	13.78
LAI-8	9/2/2003	24.50	11.45	13.05	1.78	13.23	12.61	13.94
LAI-8	9/9/2003	24.50	11.54	12.96	1.68	13.22	12.54	13.80
LAI-8	9/19/2003	24.50	11.61	12.89	1.64	13.25	12.48	13.71
LAI-8	10/14/2003	24.50	11.58	12.92	1.60	13.18	12.52	13.72
LAI-8	11/20/2003	24.50	8.87	15.63	0.07	8.94	15.61	15.67
LAI-8	12/3/2003	24.50	8.01	16.49	0.41	8.42	16.39	16.70
LAI-8	1/19/2004	24.50	7.70	16.80	0.44	8.14	16.69	17.02
LAI-8	2/24/2004	24.50	---	---	---	9.15	15.35	15.35
LAI-8	3/15/2004	24.50	---	---	---	9.71	14.79	14.79
LAI-8	4/19/2004	24.50	---	---	---	9.91	14.59	14.59
LAI-8	5/17/2004	24.50	---	---	---	10.59	13.91	13.91
LAI-8	6/22/2004	24.50	10.48	14.02	0.030	10.51	14.01	14.04
LAI-8	8/18/2004	24.50	11.70	12.80	0.010	11.71	12.80	12.81
LAI-8	9/21/2004	24.50	---	---	---	10.60	13.90	13.90
LAI-8	10/19/2004	24.50	---	---	---	9.73	14.77	14.77
LAI-8	11/23/2004	24.50	---	---	---	10.04	14.46	14.46
LAI-8	12/21/2004	24.50	8.31	16.19	0.02	8.33	16.19	16.20
LAI-8	1/13/2005	24.50	---	---	---	8.89	15.61	15.61
LAI-8	4/28/2005	24.50	---	---	---	8.64	15.86	15.86
LAI-8	6/1/2005	24.50	---	---	---	8.88	15.62	15.62
LAI-8	6/29/2005	24.50	---	---	---	10.55	13.95	13.95
LAI-8	7/20/2005	24.50	---	---	---	11.05	13.45	13.45
LAI-8	8/22/2005	24.50	---	---	---	10.65	13.85	13.85
LAI-8	5/27/2011	24.50	---	---	Not Monitored	---	---	---
LAIx-8	9/12/2005	25.59	---	---	---	12.48	13.11	13.11
LAIx-8	10/12/2005	25.59	---	---	---	14.08	11.51	11.51
LAIx-8	11/21/2005	25.59	10.74	14.85	0.01	10.75	14.85	14.86
LAIx-8	12/27/2005	25.59	---	---	---	10.11	15.48	15.48
LAIx-8	1/30/2006	25.59	---	---	---	7.88	17.71	17.71
LAIx-8	2/16/2006	25.59	---	---	---	9.34	16.25	16.25
LAIx-8	3/13/2006	25.59	---	---	---	10.00	15.59	15.59
LAIx-8	4/18/2006	25.59	---	---	---	9.72	15.87	15.87
LAIx-8	5/12/2006	25.59	---	---	---	10.59	15.00	15.00
LAIx-8	12/21/2004	25.59	---	---	---	10.59	15.00	15.00
LAIx-8	6/9/2006	25.59	---	---	---	10.10	15.49	15.49

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
LAIx-8	7/13/2006	25.59	---	---	---	11.30	14.29	14.29
LAIx-8	8/16/2006	25.59	---	---	---	11.95	13.64	13.64
LAIx-8	9/19/2006	25.59	---	---	---	12.49	13.10	13.10
LAIx-8	10/13/2006	25.59	---	---	---	12.30	13.29	13.29
LAIx-8	11/20/2006	25.59	---	---	---	8.90	16.69	16.69
LAIx-8	12/8/2006	25.59	---	---	---	8.92	16.67	16.67
LAIx-8	1/19/2007	25.59	---	---	---	8.57	17.02	17.02
LAIx-8	2/19/2007	25.59	---	---	---	10.06	15.53	15.53
LAIx-8	3/15/2007	25.59	---	---	---	9.35	16.24	16.24
LAIx-8	4/16/2007	25.59	---	---	---	9.75	15.84	15.84
LAIx-8	5/14/2007	25.59	---	---	---	10.77	14.82	14.82
LAIx-8	6/29/2007	25.59	---	---	---	12.07	13.52	13.52
LAIx-8	7/20/2007	25.59	---	---	---	12.52	13.07	13.07
LAIx-8	8/21/2007	25.59	---	---	---	12.97	12.62	12.62
LAIx-8	9/10/2007	25.59	---	---	---	13.24	12.35	12.35
LAIx-8	10/22/2007	25.59	---	---	---	11.91	13.68	13.68
LAIx-8	11/28/2007	25.59	---	---	---	11.50	14.09	14.09
LAIx-8	12/13/2007	25.59	11.55	14.04	0.08	11.63	14.02	14.08
LAIx-8	1/21/2008	25.59	---	---	---	11.04	14.55	14.55
LAIx-8	2/24/2008	25.59	---	---	---	11.19	14.40	14.40
LAIx-8	3/24/2008	25.59	---	---	---	11.15	14.44	14.44
LAIx-8	8/25/2008	25.59	---	---	---	7.67	17.92	17.92
LAIx-8	2/18/2009	25.59	---	---	---	11.02	14.57	14.57
LAIx-8	8/25/2009	25.59	---	---	---	12.95	12.64	12.64
LAIx-8	3/22/2010	25.59	---	---	---	10.86	14.73	14.73
LAIx-8	8/23/2010	25.59	---	---	---	10.18	15.41	15.41
LAIx-8	2/7/2011	25.59	---	---	---	9.73	15.86	---
LAIx-8	5/27/2011	25.59	---	---	Not Monitored	---	---	---
LAI-9	1/22/2003	22.48	---	---	---	7.90	14.58	14.58
LAI-9	1/23/2003	22.48	---	---	---	8.38	14.10	14.10
LAI-9	1/24/2003	22.48	7.10	15.38	0.04	7.14	15.37	15.40
LAI-9	1/27/2003	22.48	5.32	17.16	1.54	6.86	16.78	17.93
LAI-9	1/28/2003	22.48	5.90	16.58	1.50	7.40	16.21	17.33
LAI-9	1/29/2003	22.48	---	---	---	8.44	14.04	14.04
LAI-9	1/30/2003	22.48	---	---	---	8.40	14.08	14.08
LAI-9	2/3/2003	22.48	6.57	15.91	0.70	7.27	15.74	16.26
LAI-9	2/6/2003	23.93	7.53	16.40	0.15	7.68	16.36	16.48
LAI-9	2/11/2003	23.93	7.93	16.00	0.11	8.04	15.97	16.06
LAI-9	2/18/2003	23.93	5.50	18.43	2.50	8.00	17.81	19.68
LAI-9	2/21/2003	23.93	7.63	16.30	3.68	11.31	15.38	18.14
LAI-9	2/26/2003	23.93	6.94	16.99	3.54	10.48	16.11	18.76
LAI-9	3/4/2003	23.93	6.98	16.95	3.94	10.92	15.97	18.92
LAI-9	3/12/2003	23.93	7.82	16.11	3.39	11.21	15.26	17.81
LAI-9	3/14/2003	23.93	8.09	15.84	2.21	10.30	15.29	16.95
LAI-9	3/26/2003	23.93	---	---	---	8.95	14.98	14.98
LAI-9	3/28/2003	23.93	---	---	---	9.04	14.89	14.89
LAI-9	4/2/2003	23.93	8.08	15.85	0.32	8.40	15.77	16.01
LAI-9	4/4/2003	23.93	8.34	15.59	0.48	8.82	15.47	15.83
LAI-9	4/8/2003	23.93	8.10	15.83	0.49	8.59	15.71	16.08
LAI-9	4/11/2003	23.93	8.36	15.57	0.49	8.85	15.45	15.82
LAI-9	4/15/2003	23.93	7.81	16.12	0.21	8.02	16.07	16.23
LAI-9	4/17/2003	23.93	9.11	14.82	0.13	9.24	14.79	14.89
LAI-9	4/22/2003	23.93	8.41	15.52	0.35	8.76	15.43	15.70
LAI-9	4/25/2003	23.93	8.32	15.61	0.80	9.12	15.41	16.01
LAI-9	5/2/2003	23.93	8.99	14.94	0.01	9.00	14.94	14.95
LAI-9	5/6/2003	23.93	8.66	15.27	0.85	9.51	15.06	15.70
LAI-9	5/9/2003	23.93	9.75	14.18	0.02	9.77	14.18	14.19
LAI-9	5/23/2003	23.93	---	---	---	10.10	13.83	13.83
LAI-9	5/28/2003	23.93	10.50	13.43	0.01	10.51	13.43	13.44
LAI-9	6/13/2003	23.93	9.91	14.02	0.37	10.28	13.93	14.21
LAI-9	6/18/2003	23.93	9.81	14.12	0.51	10.32	13.99	14.38
LAI-9	6/27/2003	23.93	9.91	14.02	0.33	10.24	13.94	14.19
LAI-9	7/7/2003	23.93	10.21	13.72	0.83	11.04	13.51	14.14
LAI-9	7/16/2003	23.93	10.03	13.90	0.84	10.87	13.69	14.32
LAI-9	7/31/2003	23.93	10.44	13.49	0.95	11.39	13.25	13.97
LAI-9	8/5/2003	23.93	10.25	13.68	1.19	11.44	13.38	14.28
LAI-9	8/11/2003	23.93	11.89	12.04	0.12	12.01	12.01	12.10
LAI-9	8/22/2003	23.93	11.92	12.01	0.08	12.00	11.99	12.05
LAI-9	8/26/2003	23.93	11.03	12.90	0.64	11.67	12.74	13.22
LAI-9	9/2/2003	23.93	10.96	12.97	1.03	11.99	12.71	13.49
LAI-9	9/9/2003	23.93	11.12	12.81	0.51	11.63	12.68	13.07
LAI-9	9/19/2003	23.93	10.89	13.04	1.58	12.47	12.65	13.83
LAI-9	10/14/2003	23.93	11.75	12.18	1.07	12.82	11.91	12.72
LAI-9	11/20/2003	23.93	---	---	---	8.05	15.88	15.88
LAI-9	12/3/2003	23.93	7.21	16.72	0.01	7.22	16.72	16.73
LAI-9	1/19/2004	23.93	6.83	17.10	0.01	6.84	17.10	17.11
LAI-9	2/24/2004	23.93	---	---	---	8.11	15.82	15.82
LAI-9	3/15/2004	23.93	---	---	---	9.08	14.85	14.85
LAI-9	4/19/2004	23.93	---	---	---	8.85	15.08	15.08
LAI-9	5/17/2004	23.93	---	---	---	9.91	14.02	14.02
LAI-9	8/18/2004	23.93	---	---	---	11.10	12.83	12.83
LAI-9	8/18/2004	23.93	---	---	---	11.10	12.83	12.83
LAI-9	9/21/2004	23.93	10.91	13.02	0.53	11.44	12.89	13.29
LAI-9	10/19/2004	23.93	8.92	9.35	0.43	9.35	14.90	15.23
LAI-9	11/23/2004	23.93	9.03	14.90	0.31	9.34	14.82	15.06
LAI-9	12/21/2004	23.93	7.44	16.49	0.02	7.46	16.49	16.50
LAI-9	1/13/2005	23.93	---	---	---	8.19	15.74	15.74
LAI-9	4/28/2005	23.93	---	---	---	7.73	16.20	16.20
LAI-9	6/1/2005	23.93	---	---	---	8.10	15.83	15.83
LAI-9	6/29/2005	23.93	---	---	---	9.77	14.16	14.16
LAI-9	7/20/2005	23.93	---	---	---	10.10	13.83	13.83
LAI-9	8/22/2005	23.93	---	---	---	9.96	13.97	13.97
LAI-9	5/27/2011	23.93	---	---	Not Monitored	---	---	---
LAIx-9	9/12/2005	25.55	---	---	---	14.13	11.42	11.42
LAIx-9	10/12/2005	25.55	---	---	---	14.79	10.76	10.76

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
LAIx-9	11/21/2005	25.55	---	---	---	12.98	12.57	12.57
LAIx-9	12/27/2005	25.55	---	---	---	11.42	14.13	14.13
LAIx-9	1/30/2006	25.55	---	---	---	10.27	15.28	15.28
LAIx-9	2/16/2006	25.55	12.35	13.20	0.03	12.38	13.19	13.22
LAIx-9	3/13/2006	25.55	---	---	---	12.78	12.77	12.77
LAIx-9	4/18/2006	25.55	---	---	---	12.34	13.21	13.21
LAIx-9	5/12/2006	25.55	---	---	---	13.33	12.22	12.22
LAIx-9	6/9/2006	25.55	---	---	---	12.86	12.69	12.69
LAIx-9	7/13/2006	25.55	14.48	11.07	0.06	14.57	11.03	11.07
LAIx-9	8/16/2006	25.55	---	---	---	15.30	10.25	10.25
LAIx-9	9/19/2006	25.55	---	---	---	14.98	10.57	10.57
LAIx-9	10/13/2006	25.55	---	---	---	15.01	10.54	10.54
LAIx-9	11/20/2006	25.55	---	---	---	11.77	13.78	13.78
LAIx-9	12/8/2006	25.55	11.72	13.83	0.06	11.78	13.82	13.86
LAIx-9	1/19/2007	25.55	11.24	14.31	0.04	11.28	14.30	14.33
LAIx-9	2/19/2007	25.55	12.23	13.32	0.04	12.27	13.31	13.34
LAIx-9	3/15/2007	25.55	12.55	13.00	0.05	12.60	12.99	13.03
LAIx-9	4/16/2007	25.55	12.30	13.25	0.03	12.33	13.24	13.27
LAIx-9	5/14/2007	25.55	---	---	---	13.41	12.14	12.14
LAIx-9	6/29/2007	25.55	---	---	---	13.92	11.63	11.63
LAIx-9	7/20/2007	25.55	---	---	---	14.34	11.21	11.21
LAIx-9	8/21/2007	25.55	---	---	---	14.25	11.30	11.30
LAIx-9	9/10/2007	25.55	---	---	---	14.52	11.03	11.03
LAIx-9	10/22/2007	25.55	---	---	---	13.31	12.24	12.24
LAIx-9	11/28/2007	25.55	---	---	---	12.50	13.05	13.05
LAIx-9	12/13/2007	25.55	---	---	---	11.40	14.15	14.15
LAIx-9	1/21/2008	25.55	---	---	---	8.61	16.94	16.94
LAIx-9	2/24/2008	25.55	---	---	---	12.30	13.25	13.25
LAIx-9	3/24/2008	25.55	---	---	---	12.06	13.49	13.49
LAIx-9	8/25/2008	25.55	---	---	---	13.30	12.25	12.25
LAIx-9	2/18/2009	25.55	---	---	Dry	---	---	Dry
LAIx-9	8/25/2009	25.55	---	---	---	14.23	11.32	11.32
LAIx-9	3/22/2010	25.55	---	---	---	12.25	13.30	13.30
LAIx-9	8/23/2010	25.55	---	---	Dry	---	---	---
LAIx-9	2/7/2011	25.55	---	---	---	11.71	13.84	---
LAIx-9	5/27/2011	25.55	---	---	Not Monitored	---	---	---
LAIx-9	11/14/2016	25.55	---	---	---	9.75	15.80	---
LAIx-9	2/16/2017	25.55	---	---	---	8.57	16.98	15.53
LAIx-9	5/24/2017	25.55	---	---	---	8.28	17.27	15.94
LAIx-9	9/26/2017	25.55	---	---	---	11.83	13.72	15.36
LAIx-9	12/11/2017	25.55	---	---	---	7.50	18.05	---
LAIx-9	2/26/2018	25.55	---	---	---	8.38	17.17	---
LAIx-9	6/11/2018	25.55	---	---	---	11.01	14.54	---
LAIx-9	8/27/2018	25.55	---	---	---	13.03	12.52	---
LAIx-9	12/17/2018	25.55	---	---	---	7.82	17.73	---
LAI-10	1/31/2003	19.87	---	---	---	4.34	15.53	---
LAI-10	2/12/2003	19.87	---	---	---	3.93	15.94	---
LAI-10	2/18/2003	19.87	---	---	---	4.51	15.36	---
LAI-10	2/21/2003	19.87	---	---	---	4.50	15.37	15.37
LAI-10	2/24/2003	19.87	---	---	---	4.48	15.39	15.39
LAI-10	3/3/2003	19.87	---	---	---	4.38	15.49	15.49
LAI-10	3/12/2003	19.87	---	---	---	4.31	15.56	15.56
LAI-10	3/14/2003	19.87	---	---	---	4.08	15.79	15.79
LAI-10	3/26/2003	19.87	---	---	---	4.78	15.09	15.09
LAI-10	3/28/2003	19.87	---	---	---	4.82	15.05	15.05
LAI-10	4/2/2003	19.87	---	---	---	4.25	15.62	15.62
LAI-10	4/4/2003	19.87	---	---	---	4.21	15.66	15.66
LAI-10	4/8/2003	19.87	---	---	---	4.50	15.37	15.37
LAI-10	4/11/2003	19.87	---	---	---	4.48	15.39	15.39
LAI-10	4/15/2003	19.87	---	---	---	4.09	15.78	15.78
LAI-10	4/17/2003	19.87	---	---	---	4.50	15.37	15.37
LAI-10	4/22/2003	19.87	---	---	---	4.45	15.42	15.42
LAI-10	4/25/2003	19.87	---	---	---	4.58	15.29	15.29
LAI-10	5/2/2003	19.87	---	---	---	4.23	15.64	15.64
LAI-10	5/6/2003	19.87	---	---	---	4.86	15.01	15.01
LAI-10	5/9/2003	19.87	---	---	---	5.10	14.77	14.77
LAI-10	5/16/2003	19.87	---	---	---	5.38	14.49	14.49
LAI-10	5/23/2003	19.87	---	---	---	6.50	13.37	13.37
LAI-10	5/28/2003	19.87	---	---	---	5.55	14.32	14.32
LAI-10	6/13/2003	19.87	---	---	---	6.17	13.70	13.70
LAI-10	6/18/2003	19.87	---	---	---	5.86	14.01	14.01
LAI-10	6/27/2003	19.87	---	---	---	5.89	13.98	13.98
LAI-10	7/7/2003	19.87	---	---	---	6.51	13.36	13.36
LAI-10	7/16/2003	19.87	---	---	---	5.53	14.34	14.34
LAI-10	7/31/2003	19.87	---	---	---	6.61	13.26	13.26
LAI-10	8/5/2003	19.87	---	---	---	6.68	13.19	13.19
LAI-10	8/11/2003	19.87	---	---	---	7.15	12.72	12.72
LAI-10	8/22/2003	19.87	---	---	---	8.68	11.19	11.19
LAI-10	8/26/2003	19.87	---	---	---	7.03	12.84	12.84
LAI-10	9/2/2003	19.87	---	---	---	7.15	12.72	12.72
LAI-10	9/9/2003	19.87	7.33	12.54	0.01	7.34	12.54	12.55
LAI-10	9/19/2003	19.87	---	---	---	7.37	12.50	12.50
LAI-10	10/14/2003	19.87	---	---	---	7.75	12.12	12.12
LAI-10	11/20/2003	19.87	---	---	---	4.48	15.39	15.39
LAI-10	12/3/2003	19.87	---	---	---	3.58	16.29	16.29
LAI-10	1/19/2004	19.87	---	---	---	3.29	16.58	16.58
LAI-10	2/24/2004	19.87	---	---	---	4.16	15.71	15.71
LAI-10	3/15/2004	19.87	---	---	---	5.01	14.86	14.86
LAI-10	4/19/2004	19.87	---	---	---	5.30	14.57	14.57
LAI-10	5/17/2004	19.87	---	---	---	5.79	14.08	14.08
LAI-10	6/22/2004	19.87	---	---	---	5.71	14.16	14.16
LAI-10	8/18/2004	19.87	6.71	13.16	0.01	6.72	13.16	13.17
LAI-10	9/21/2004	19.87	---	---	---	6.10	13.77	13.77
LAI-10	10/19/2004	19.87	---	---	---	5.23	14.64	14.64
LAI-10	11/23/2004	19.87	---	---	---	5.45	14.42	14.42
LAI-10	12/21/2004	19.87	---	---	---	3.99	15.88	15.88

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
LAI-10	1/13/2005	19.87	---	---	---	4.64	15.23	15.23
LAI-10	4/28/2005	19.87	---	---	---	4.23	15.64	15.64
LAI-10	6/1/2005	19.87	4.40	13.52	0.03	4.43	15.46	14.30
LAI-10	6/29/2005	19.87	---	---	---	5.45	14.42	12.47
LAI-10	7/20/2005	19.87	---	---	---	5.75	14.12	12.17
LAI-10	8/22/2005	19.87	6.22	13.65	0.01	6.23	13.65	13.66
LAI-10	9/12/2005	19.87	6.62	13.25	0.01	6.61	13.27	13.28
LAI-10	10/12/2005	19.87	---	---	---	7.11	12.76	12.76
LAI-10	11/21/2005	19.87	5.08	14.79	0.01	5.09	14.79	14.80
LAI-10	12/27/2005	19.87	---	---	---	4.14	15.73	15.73
LAI-10	1/30/2006	19.87	---	---	---	2.45	17.42	17.42
LAI-10	2/16/2006	19.87	---	---	---	3.62	16.25	16.25
LAI-10	3/13/2006	19.87	---	---	---	4.37	15.50	15.50
LAI-10	4/18/2006	19.87	---	---	---	4.51	15.36	15.36
LAI-10	5/12/2006	19.87	---	---	---	4.82	15.05	15.05
LAI-10	6/9/2006	19.87	---	---	---	4.57	15.30	15.30
LAI-10	7/13/2006	19.87	---	---	---	5.41	14.46	14.46
LAI-10	8/16/2006	19.87	---	---	---	6.15	13.72	13.72
LAI-10	9/19/2006	19.87	---	---	---	5.80	14.07	14.07
LAI-10	10/13/2006	19.87	---	---	---	6.60	13.27	13.27
LAI-10	11/20/2006	19.87	---	---	---	3.16	16.71	16.71
LAI-10	12/8/2006	19.87	---	---	---	3.29	16.58	16.58
LAI-10	1/19/2007	19.87	---	---	---	3.39	16.48	16.48
LAI-10	2/19/2007	19.87	---	---	---	4.37	15.50	15.50
LAI-10	3/15/2007	19.87	---	---	---	3.90	15.97	15.97
LAI-10	4/16/2007	19.87	---	---	---	4.20	15.67	15.67
LAI-10	5/14/2007	19.87	---	---	---	5.07	14.80	14.80
LAI-10	6/29/2007	19.87	---	---	---	6.06	13.81	13.81
LAI-10	7/20/2007	19.87	---	---	---	6.32	13.55	13.55
LAI-10	8/21/2007	19.87	---	---	---	7.81	12.06	12.06
LAI-10	9/10/2007	19.87	---	---	---	6.92	12.95	12.95
LAI-10	10/22/2007	19.87	---	---	---	5.99	13.88	13.88
LAI-10	11/28/2007	19.87	---	---	---	4.95	14.92	14.92
LAI-10	12/13/2007	19.87	---	---	---	4.32	15.55	15.55
LAI-10	1/21/2008	19.87	---	---	---	4.49	15.38	15.38
LAI-10	2/24/2008	19.87	---	---	---	4.89	14.98	14.98
LAI-10	3/24/2008	19.87	---	---	---	4.96	14.91	14.91
LAI-10	8/25/2008	19.87	---	---	---	5.63	14.24	14.24
LAI-10	2/18/2009	19.87	---	---	---	5.10	14.77	14.77
LAI-10	8/25/2009	19.87	---	---	---	7.22	12.65	12.65
LAI-10	3/22/2010	19.87	---	---	---	4.90	14.97	14.97
LAI-10	8/23/2010	19.87	---	---	---	6.34	13.53	13.53
LAI-10	2/7/2011	19.87	---	---	---	4.21	15.66	---
LAI-10	5/27/2011	19.87	---	---	---	4.78	15.09	---
LAI-10	8/8/2011	19.87	---	---	---	8.15	11.72	---
LAI-10	11/14/2011	19.87	---	---	---	5.73	14.14	---
LAI-10	2/20/2012	19.87	---	---	---	4.25	15.62	---
LAI-10	8/22/2012	19.87	---	---	---	6.09	13.78	---
LAI-10	11/5/2012	19.87	---	---	---	5.43	14.44	---
LAI-10	1/28/2013	19.87	---	---	---	3.89	15.98	---
LAI-10	5/9/2013	19.87	---	---	---	4.54	15.33	---
LAI-10	8/19/2013	19.87	---	---	---	6.69	13.18	---
LAI-10	11/25/2013	19.87	---	---	---	4.91	14.96	---
LAI-10	2/14/2014	19.87	---	---	---	3.48	16.39	---
LAI-10	5/5/2014	19.87	---	---	---	3.37	16.50	---
LAI-10	8/19/2014	19.87	---	---	---	6.47	13.40	---
LAI-10	11/21/2014	19.87	---	---	---	3.75	16.12	---
LAI-11	1/31/2003	20.61	---	---	---	4.55	16.06	---
LAI-11	2/12/2003	20.61	---	---	---	4.92	15.69	16.06
LAI-11	2/18/2003	20.61	---	---	---	5.41	15.20	15.69
LAI-11	2/21/2003	20.61	---	---	---	5.51	15.10	15.20
LAI-11	2/24/2003	20.61	---	---	---	5.48	15.13	15.13
LAI-11	3/3/2003	20.61	---	---	---	5.38	15.23	15.23
LAI-11	3/12/2003	20.61	---	---	---	5.32	15.29	15.29
LAI-11	3/14/2003	20.61	---	---	---	5.19	15.42	15.42
LAI-11	3/26/2003	20.61	---	---	---	4.81	15.80	15.80
LAI-11	3/28/2003	20.61	---	---	---	4.89	15.72	15.72
LAI-11	4/2/2003	20.61	---	---	---	5.28	15.33	15.33
LAI-11	4/4/2003	20.61	---	---	---	5.33	15.28	15.28
LAI-11	4/8/2003	20.61	---	---	---	5.41	15.20	15.20
LAI-11	4/11/2003	20.61	---	---	---	5.42	15.19	15.19
LAI-11	4/15/2003	20.61	---	---	---	5.08	15.53	15.53
LAI-11	4/17/2003	20.61	---	---	---	5.46	15.15	15.15
LAI-11	4/22/2003	20.61	---	---	---	5.47	15.14	15.14
LAI-11	4/25/2003	20.61	---	---	---	5.67	14.94	14.94
LAI-11	5/2/2003	20.61	---	---	---	5.12	15.49	15.49
LAI-11	5/6/2003	20.61	---	---	---	5.81	14.80	14.80
LAI-11	5/9/2003	20.61	---	---	---	6.00	14.61	14.61
LAI-11	5/16/2003	20.61	---	---	---	6.30	14.31	14.31
LAI-11	5/23/2003	20.61	---	---	---	6.58	14.03	14.03
LAI-11	5/28/2003	20.61	---	---	---	6.44	14.17	14.17
LAI-11	6/13/2003	20.61	---	---	---	6.70	13.91	13.91
LAI-11	6/18/2003	20.61	---	---	---	6.80	13.81	13.81
LAI-11	6/27/2003	20.61	---	---	---	6.81	13.80	13.80
LAI-11	7/7/2003	20.61	---	---	---	7.51	13.10	13.10
LAI-11	7/16/2003	20.61	---	---	---	6.42	14.19	14.19
LAI-11	7/31/2003	20.61	---	---	---	8.91	11.70	11.70
LAI-11	8/5/2003	20.61	---	---	---	8.51	12.10	12.10
LAI-11	8/11/2003	20.61	---	---	---	8.79	11.82	11.82
LAI-11	8/22/2003	20.61	---	---	---	8.43	12.18	12.18
LAI-11	8/26/2003	20.61	---	---	---	8.92	11.69	11.69
LAI-11	9/2/2003	20.61	---	---	---	8.95	11.66	11.66
LAI-11	9/9/2003	20.61	---	---	---	9.24	11.37	11.37
LAI-11	9/19/2003	20.61	---	---	---	8.99	11.62	11.62
LAI-11	10/14/2003	20.61	---	---	---	9.15	11.46	11.46
LAI-11	11/20/2003	20.61	---	---	---	5.31	15.30	15.30

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAI-11	12/3/2003	20.61	---	---	---	4.50	16.11	16.11
LAI-11	1/19/2004	20.61	---	---	---	4.33	16.28	16.28
LAI-11	2/24/2004	20.61	---	---	---	5.19	15.42	15.42
LAI-11	3/15/2004	20.61	---	---	---	5.94	14.67	14.67
LAI-11	4/19/2004	20.61	---	---	---	6.23	14.38	14.38
LAI-11	5/17/2004	20.61	---	---	---	6.80	13.81	13.81
LAI-11	6/22/2004	20.61	---	---	---	6.70	13.91	13.91
LAI-11	8/18/2004	20.61	---	---	---	8.19	12.42	12.42
LAI-11	9/21/2004	20.61	---	---	---	7.03	13.58	13.58
LAI-11	10/19/2004	20.61	---	---	---	6.10	14.51	14.51
LAI-11	11/23/2004	20.61	---	---	---	6.35	14.26	14.26
LAI-11	12/21/2004	20.61	---	---	---	4.81	15.80	15.80
LAI-11	1/13/2005	20.61	---	---	---	5.40	15.21	15.21
LAI-11	4/28/2005	20.61	---	---	---	5.13	15.48	15.48
LAI-11	6/1/2005	20.61	---	---	---	5.32	15.29	15.29
LAI-11	6/29/2005	20.61	---	---	---	6.28	14.33	14.33
LAI-11	7/20/2005	20.61	---	---	---	6.55	14.06	14.06
LAI-11	8/22/2005	20.61	6.94	13.67	0.01	6.95	13.67	13.68
LAI-11	9/12/2005	20.61	6.90	13.71	0.46	7.36	13.60	13.94
LAI-11	10/12/2005	20.61	8.185	12.43	0.005	8.19	12.42	12.43
LAI-11	11/21/2005	20.61	---	---	---	5.81	14.80	14.80
LAI-11	12/27/2005	20.61	---	---	---	5.24	15.37	15.37
LAI-11	1/30/2006	20.61	---	---	---	2.99	17.62	17.62
LAI-11	2/16/2006	20.61	---	---	---	4.44	16.17	16.17
LAI-11	3/13/2006	20.61	---	---	---	5.20	15.41	15.41
LAI-11	4/18/2006	20.61	---	---	---	5.43	15.18	15.18
LAI-11	5/12/2006	20.61	---	---	---	5.65	14.96	14.96
LAI-11	6/9/2006	20.61	---	---	---	5.48	15.13	15.13
LAI-11	7/13/2006	20.61	---	---	---	6.25	14.36	14.36
LAI-11	8/16/2006	20.61	---	---	---	7.05	13.56	13.56
LAI-11	9/19/2006	20.61	---	---	---	7.65	12.96	12.96
LAI-11	10/13/2006	20.61	---	---	---	7.46	13.15	13.15
LAI-11	11/20/2006	20.61	---	---	---	4.03	16.58	16.58
LAI-11	12/8/2006	20.61	---	---	---	4.12	16.49	16.49
LAI-11	1/19/2007	20.61	---	---	---	4.16	16.45	16.45
LAI-11	2/19/2007	20.61	---	---	---	5.31	15.30	15.30
LAI-11	3/15/2007	20.61	---	---	---	4.80	15.81	15.81
LAI-11	4/16/2007	20.61	---	---	---	5.10	15.51	15.51
LAI-11	5/14/2007	20.61	---	---	---	5.92	14.69	14.69
LAI-11	6/29/2007	20.61	---	---	---	6.82	13.79	13.79
LAI-11	7/20/2007	20.61	---	---	---	7.12	13.49	13.49
LAI-11	8/21/2007	20.61	---	---	---	7.76	12.85	12.85
LAI-11	9/10/2007	20.61	---	---	---	7.87	12.74	12.74
LAI-11	10/22/2007	20.61	---	---	---	7.26	13.35	13.35
LAI-11	11/28/2007	20.61	---	---	---	6.00	14.61	14.61
LAI-11	12/13/2007	20.61	---	---	---	5.06	15.55	15.55
LAI-11	1/21/2008	20.61	---	---	---	4.38	16.23	16.23
LAI-11	2/24/2008	20.61	---	---	---	5.71	14.90	14.90
LAI-11	3/24/2008	20.61	---	---	---	5.88	14.73	14.73
LAI-11	8/25/2008	20.61	---	---	---	6.40	14.21	14.21
LAI-11	2/18/2009	20.61	---	---	---	5.84	14.77	14.77
LAI-11	8/25/2009	20.61	---	---	---	7.95	12.66	12.66
LAI-11	3/22/2010	20.61	---	---	---	5.56	15.05	15.05
LAI-11	8/23/2010	20.61	---	---	---	7.36	13.25	13.25
LAI-11	2/7/2011	20.61	---	---	---	4.90	15.71	---
LAI-11	5/27/2011	20.61	---	---	Not Monitored	---	---	---
LAI-11	8/8/2011	20.61	---	---	---	6.89	13.72	---
LAI-11	11/14/2011	20.61	---	---	---	6.63	13.98	---
LAI-11	2/20/2012	20.61	---	---	---	4.94	15.67	---
LAI-11	8/22/2012	20.61	---	---	---	6.86	13.75	---
LAI-11	11/5/2012	20.61	---	---	---	6.00	14.61	---
LAI-11	1/28/2013	20.61	---	---	---	4.63	15.98	---
LAI-11	5/9/2013	20.61	---	---	---	5.43	15.18	---
LAI-11	8/19/2013	20.61	---	---	---	7.41	13.20	---
LAI-11	11/25/2013	20.61	---	---	---	5.64	14.97	---
LAI-11	2/14/2014	20.61	---	---	---	4.31	16.30	---
LAI-11	5/5/2014	20.61	---	---	---	3.56	17.05	---
LAI-11	8/19/2014	20.61	---	---	---	7.27	13.34	---
LAI-11	11/21/2014	20.61	---	---	---	5.03	15.58	---
LAI-12	1/31/2003	19.34	---	---	---	3.28	16.06	---
LAI-12	2/12/2003	19.34	---	---	---	3.98	15.36	16.06
LAI-12	2/18/2003	19.34	---	---	---	4.50	14.84	15.36
LAI-12	2/21/2003	19.34	---	---	---	4.60	14.74	14.84
LAI-12	2/24/2003	19.34	---	---	---	4.58	14.76	14.76
LAI-12	3/3/2003	19.34	---	---	---	4.61	14.73	14.73
LAI-12	3/12/2003	19.34	---	---	---	4.38	14.96	14.96
LAI-12	3/14/2003	19.34	---	---	---	4.17	15.17	15.17
LAI-12	3/26/2003	19.34	---	---	---	4.04	15.30	15.30
LAI-12	3/28/2003	19.34	---	---	---	4.10	15.24	15.24
LAI-12	4/2/2003	19.34	---	---	---	4.34	15.00	15.00
LAI-12	4/4/2003	19.34	---	---	---	4.45	14.89	14.89
LAI-12	4/8/2003	19.34	---	---	---	4.58	14.76	14.76
LAI-12	4/11/2003	19.34	---	---	---	4.65	14.69	14.69
LAI-12	4/15/2003	19.34	---	---	---	4.25	15.09	15.09
LAI-12	4/17/2003	19.34	---	---	---	4.69	14.65	14.65
LAI-12	4/22/2003	19.34	---	---	---	4.69	14.65	14.65
LAI-12	4/25/2003	19.34	---	---	---	4.81	14.53	14.53
LAI-12	5/2/2003	19.34	---	---	---	4.98	14.36	14.36
LAI-12	5/6/2003	19.34	---	---	---	5.22	14.12	14.12
LAI-12	5/9/2003	19.34	---	---	---	5.46	13.88	13.88
LAI-12	5/16/2003	19.34	---	---	---	5.74	13.60	13.60
LAI-12	5/23/2003	19.34	---	---	---	5.27	14.07	14.07
LAI-12	5/28/2003	19.34	---	---	---	5.88	13.46	13.46
LAI-12	6/13/2003	19.34	---	---	---	5.45	13.89	13.89
LAI-12	6/18/2003	19.34	---	---	---	6.18	13.16	13.16
LAI-12	6/27/2003	19.34	---	---	---	6.22	13.12	13.12

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAI-12	7/7/2003	19.34	---	---	---	6.95	12.39	12.39
LAI-12	7/16/2003	19.34	---	---	---	5.84	13.50	13.50
LAI-12	7/31/2003	19.34	---	---	---	6.97	12.37	12.37
LAI-12	8/5/2003	19.34	---	---	---	7.05	12.29	12.29
LAI-12	8/11/2003	19.34	---	---	---	6.80	12.54	12.54
LAI-12	8/22/2003	19.34	---	---	---	8.19	11.15	11.15
LAI-12	8/26/2003	19.34	---	---	---	7.33	12.01	12.01
LAI-12	9/2/2003	19.34	---	---	---	7.45	11.89	11.89
LAI-12	9/9/2003	19.34	---	---	---	7.64	11.70	11.70
LAI-12	9/19/2003	19.34	---	---	---	7.93	11.41	11.41
LAI-12	10/14/2003	19.34	---	---	---	7.48	11.86	11.86
LAI-12	11/20/2003	19.34	---	---	---	4.06	15.28	15.28
LAI-12	12/3/2003	19.34	---	---	---	3.37	15.97	15.97
LAI-12	1/19/2004	19.34	---	---	---	3.81	15.53	15.53
LAI-12	2/24/2004	19.34	---	---	---	4.32	15.02	15.02
LAI-12	3/15/2004	19.34	---	---	---	5.13	14.21	14.21
LAI-12	4/19/2004	19.34	---	---	---	5.61	13.73	13.73
LAI-12	5/17/2004	19.34	---	---	---	6.23	13.11	13.11
LAI-12	6/22/2004	19.34	---	---	---	6.14	13.20	13.20
LAI-12	8/18/2004	19.34	---	---	---	7.15	12.19	12.19
LAI-12	9/21/2004	19.34	---	---	---	6.18	13.16	13.16
LAI-12	10/19/2004	19.34	---	---	---	5.39	13.95	13.95
LAI-12	11/23/2004	19.34	---	---	---	5.68	13.66	13.66
LAI-12	12/21/2004	19.34	---	---	---	3.86	15.48	15.48
LAI-12	1/13/2005	19.34	---	---	---	4.95	14.39	14.39
LAI-12	4/28/2005	19.34	---	---	---	4.41	14.93	14.93
LAI-12	6/1/2005	19.34	---	---	---	4.61	14.73	14.73
LAI-12	6/29/2005	19.34	---	---	---	5.77	13.57	13.57
LAI-12	7/20/2005	19.34	9.15	10.19	0.01	9.16	10.19	10.20
LAI-12	8/22/2005	19.34	6.48	12.86	0.01	6.49	12.86	12.87
LAI-12	9/12/2005	19.34	---	---	---	6.90	12.44	12.44
LAI-12	10/12/2005	19.34	7.40	11.94	0.01	7.41	11.94	11.95
LAI-12	11/21/2005	19.34	---	---	---	4.48	14.86	14.86
LAI-12	12/27/2005	19.34	---	---	---	3.95	15.39	15.39
LAI-12	1/30/2006	19.34	---	---	---	2.33	17.01	17.01
LAI-12	2/16/2006	19.34	---	---	---	3.33	16.01	16.01
LAI-12	3/13/2006	19.34	---	---	---	4.34	15.00	15.00
LAI-12	4/18/2006	19.34	---	---	---	4.69	14.65	14.65
LAI-12	5/12/2006	19.34	---	---	---	4.99	14.35	14.35
LAI-12	6/9/2006	19.34	---	---	---	4.61	14.73	14.73
LAI-12	7/13/2006	19.34	---	---	---	5.68	13.66	13.66
LAI-12	8/16/2006	19.34	---	---	---	6.41	12.93	12.93
LAI-12	9/19/2006	19.34	---	---	---	6.98	12.36	12.36
LAI-12	10/13/2006	19.34	---	---	---	6.78	12.56	12.56
LAI-12	11/20/2006	19.34	---	---	---	3.18	16.16	16.16
LAI-12	12/8/2006	19.34	---	---	---	2.89	16.45	16.45
LAI-12	1/19/2007	19.34	---	---	---	2.85	16.49	16.49
LAI-12	2/19/2007	19.34	---	---	---	4.55	14.79	14.79
LAI-12	3/15/2007	19.34	---	---	---	3.73	15.61	15.61
LAI-12	4/16/2007	19.34	---	---	---	4.19	15.15	15.15
LAI-12	5/14/2007	19.34	---	---	---	5.37	13.97	13.97
LAI-12	6/29/2007	19.34	---	---	---	6.30	13.04	13.04
LAI-12	7/20/2007	19.34	---	---	---	6.56	12.78	12.78
LAI-12	8/21/2007	19.34	---	---	---	7.19	12.15	12.15
LAI-12	9/10/2007	19.34	---	---	---	7.21	12.13	12.13
LAI-12	10/22/2007	19.34	---	---	---	6.09	13.25	13.25
LAI-12	11/28/2007	19.34	---	---	---	5.34	14.00	14.00
LAI-12	12/13/2007	19.34	---	---	---	3.97	15.37	15.37
LAI-12	1/21/2008	19.34	---	---	---	5.24	14.10	14.10
LAI-12	2/24/2008	19.34	---	---	---	5.08	14.26	14.26
LAI-12	3/24/2008	19.34	---	---	---	6.25	13.09	13.09
LAI-12	8/25/2008	19.34	---	---	---	6.82	12.52	12.52
LAI-12	2/18/2009	19.34	---	---	---	5.32	14.02	14.02
LAI-12	8/25/2009	19.34	---	---	---	7.44	11.90	11.90
LAI-12	3/22/2010	19.34	---	---	---	4.70	14.64	15.64
LAI-12	8/23/2010	19.34	---	---	---	6.62	12.72	12.72
LAI-12	2/7/2011	19.34	---	---	---	9.65	9.69	---
LAI-12	5/27/2011	19.34	---	---	---	4.63	14.71	---
LAI-12	8/8/2011	19.34	---	---	---	6.39	12.95	---
LAI-12	11/14/2011	19.34	---	---	---	6.19	13.15	---
LAI-12	2/20/2012	19.34	---	---	---	3.86	15.48	---
LAI-12	8/22/2012	19.34	---	---	---	6.29	13.05	---
LAI-12	11/5/2012	19.34	---	---	---	4.71	14.63	---
LAI-12	1/28/2013	19.34	---	---	---	3.73	15.61	---
LAI-12	5/9/2013	19.34	---	---	---	4.57	14.77	---
LAI-12	8/19/2013	19.34	---	---	---	6.82	12.52	---
LAI-12	11/25/2013	19.34	---	---	---	4.75	14.59	---
LAI-12	2/14/2014	19.34	---	---	---	4.04	15.30	---
LAI-12	5/5/2014	19.34	---	---	---	3.12	16.22	---
LAI-12	8/19/2014	19.34	---	---	---	6.71	12.63	---
LAI-12	11/21/2014	19.34	---	---	---	4.09	15.25	---
LAI-13	1/31/2003	21.53	---	---	---	5.25	16.28	---
LAI-13	2/12/2003	21.53	---	---	---	6.28	15.25	16.28
LAI-13	2/18/2003	21.53	---	---	---	6.15	15.38	15.25
LAI-13	2/21/2003	21.53	---	---	---	6.29	15.24	15.38
LAI-13	2/24/2003	21.53	---	---	---	6.65	14.88	14.88
LAI-13	3/3/2003	21.53	---	---	---	6.88	14.65	14.65
LAI-13	3/12/2003	21.53	---	---	---	6.87	14.66	14.66
LAI-13	3/14/2003	21.53	---	---	---	6.62	14.91	14.91
LAI-13	3/26/2003	21.53	6.16	15.37	0.00	6.16	15.37	15.37
LAI-13	3/28/2003	21.53	---	---	---	6.21	15.32	15.32
LAI-13	4/2/2003	21.53	---	---	---	6.25	15.28	15.28
LAI-13	4/4/2003	21.53	---	---	---	6.25	15.28	15.28
LAI-13	4/8/2003	21.53	---	---	---	6.69	14.84	14.84
LAI-13	4/11/2003	21.53	---	---	---	6.69	14.84	14.84
LAI-13	4/15/2003	21.53	---	---	---	6.61	14.92	14.92

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAI-13	4/17/2003	21.53	---	---	---	6.66	14.87	14.87
LAI-13	4/22/2003	21.53	---	---	---	6.87	14.66	14.66
LAI-13	4/25/2003	21.53	---	---	---	6.92	14.61	14.61
LAI-13	5/2/2003	21.53	---	---	---	6.71	14.82	14.82
LAI-13	5/6/2003	21.53	---	---	---	7.25	14.28	14.28
LAI-13	5/9/2003	21.53	---	---	---	7.36	14.17	14.17
LAI-13	5/16/2003	21.53	---	---	---	7.63	13.90	13.90
LAI-13	5/23/2003	21.53	---	---	---	7.78	13.75	13.75
LAI-13	5/28/2003	21.53	---	---	---	7.80	13.73	13.73
LAI-13	6/13/2003	21.53	---	---	---	8.01	13.52	13.52
LAI-13	6/18/2003	21.53	---	---	---	8.02	13.51	13.51
LAI-13	6/27/2003	21.53	---	---	---	8.06	13.47	13.47
LAI-13	7/7/2003	21.53	---	---	---	8.45	13.08	13.08
LAI-13	7/16/2003	21.53	---	---	---	7.71	13.82	13.82
LAI-13	7/31/2003	21.53	---	---	---	8.51	13.02	13.02
LAI-13	8/5/2003	21.53	---	---	---	8.54	12.99	12.99
LAI-13	8/11/2003	21.53	---	---	---	8.62	12.91	12.91
LAI-13	8/22/2003	21.53	---	---	---	9.81	11.72	11.72
LAI-13	8/26/2003	21.53	---	---	---	8.81	12.72	12.72
LAI-13	9/2/2003	21.53	---	---	---	8.88	12.65	12.65
LAI-13	9/9/2003	21.53	---	---	---	8.91	12.62	12.62
LAI-13	9/19/2003	21.53	---	---	---	10.94	10.59	10.59
LAI-13	10/14/2003	21.53	---	---	---	9.08	12.45	12.45
LAI-13	11/20/2003	21.53	---	---	---	5.94	15.59	15.59
LAI-13	12/3/2003	21.53	---	---	---	5.52	16.01	16.01
LAI-13	1/19/2004	21.53	---	---	---	5.39	16.14	16.14
LAI-13	2/24/2004	21.53	---	---	---	5.77	15.76	15.76
LAI-13	3/15/2004	21.53	---	---	---	6.66	14.87	14.87
LAI-13	4/19/2004	21.53	---	---	---	7.58	13.95	13.95
LAI-13	5/17/2004	21.53	---	---	---	8.05	13.48	13.48
LAI-13	6/22/2004	21.53	---	---	---	7.91	13.62	13.62
LAI-13	8/18/2004	21.53	---	---	---	8.57	12.96	12.96
LAI-13	9/21/2004	21.53	---	---	---	7.28	14.25	14.25
LAI-13	10/19/2004	21.53	---	---	---	7.10	14.43	14.43
LAI-13	11/23/2004	21.53	---	---	---	7.39	14.14	14.14
LAI-13	12/21/2004	21.53	---	---	---	5.69	15.84	15.84
LAI-13	1/13/2005	21.53	---	---	---	6.76	14.77	14.77
LAI-13	4/28/2005	21.53	---	---	---	6.71	14.82	14.82
LAI-13	6/1/2005	21.53	---	---	---	6.78	14.75	14.75
LAI-13	6/29/2005	21.53	---	---	---	7.51	14.02	14.02
LAI-13	7/20/2005	21.53	---	---	---	7.80	13.73	13.73
LAI-13	8/22/2005	21.53	---	---	---	8.17	13.36	13.36
LAI-13	9/12/2005	21.53	---	---	---	9.41	12.12	12.12
LAI-13	10/12/2005	21.53	---	---	---	8.63	12.90	12.90
LAI-13	11/21/2005	21.53	---	---	---	7.05	14.48	14.48
LAI-13	12/27/2005	21.53	---	---	---	5.70	15.83	15.83
LAI-13	1/30/2006	21.53	---	---	---	4.63	16.90	16.90
LAI-13	2/16/2006	21.53	---	---	---	5.42	16.11	16.11
LAI-13	3/13/2006	21.53	---	---	---	6.24	15.29	15.29
LAI-13	4/18/2006	21.53	---	---	---	6.82	14.71	14.71
LAI-13	5/12/2006	21.53	---	---	---	7.25	14.28	14.28
LAI-13	6/9/2006	21.53	---	---	---	6.86	14.67	14.67
LAI-13	7/13/2006	21.53	---	---	---	7.71	13.82	13.82
LAI-13	8/16/2006	21.53	---	---	---	8.16	13.37	13.37
LAI-13	9/19/2006	21.53	---	---	---	8.69	12.84	12.84
LAI-13	10/13/2006	21.53	---	---	---	8.37	13.16	13.16
LAI-13	11/20/2006	21.53	---	---	---	4.28	17.25	17.25
LAI-13	12/8/2006	21.53	---	---	---	4.01	17.52	17.52
LAI-13	1/19/2007	21.53	---	---	---	5.02	16.51	16.51
LAI-13	2/19/2007	21.53	---	---	---	6.60	14.93	14.93
LAI-13	3/15/2007	21.53	---	---	---	5.87	15.66	15.66
LAI-13	4/16/2007	21.53	---	---	---	6.35	15.18	15.18
LAI-13	5/14/2007	21.53	---	---	---	7.40	14.13	14.13
LAI-13	6/29/2007	21.53	---	---	---	8.05	13.48	13.48
LAI-13	7/20/2007	21.53	---	---	---	8.05	13.48	13.48
LAI-13	8/21/2007	21.53	---	---	---	8.22	13.31	13.31
LAI-13	9/10/2007	21.53	---	---	---	8.30	13.23	13.23
LAI-13	10/22/2007	21.53	---	---	---	7.27	14.26	14.26
LAI-13	11/28/2007	21.53	---	---	---	6.87	14.66	14.66
LAI-13	12/13/2007	21.53	---	---	---	5.06	16.47	16.47
LAI-13	1/21/2008	21.53	---	---	---	5.36	16.17	16.17
LAI-13	2/24/2008	21.53	---	---	---	6.51	15.02	15.02
LAI-13	3/24/2008	21.53	---	---	---	7.14	14.39	14.39
LAI-13	8/25/2008	21.53	---	---	---	7.89	13.64	13.64
LAI-13	2/18/2009	21.53	---	---	---	6.93	14.60	14.60
LAI-13	8/25/2009	21.53	---	---	---	8.60	12.93	12.93
LAI-13	3/22/2010	21.53	---	---	---	5.95	15.58	15.58
LAI-13	8/23/2010	21.53	---	---	---	7.76	13.77	13.77
LAI-13	2/7/2011	21.53	---	---	---	5.60	15.93	---
LAI-13	5/27/2011	21.53	---	---	Not Monitored	---	---	---
LAI-13	8/8/2011	21.53	---	---	---	7.70	13.83	---
LAI-13	11/14/2011	21.53	---	---	---	7.40	14.13	---
LAI-13	2/20/2012	21.53	---	---	---	5.03	16.5	---
LAI-13	8/22/2012	21.53	---	---	---	7.86	13.67	---
LAI-13	11/5/2012	21.53	---	---	---	5.86	15.67	---
LAI-13	1/28/2013	21.53	---	---	---	5.79	15.74	---
LAI-13	5/9/2013	21.53	---	---	---	6.05	15.48	---
LAI-13	8/19/2013	21.53	---	---	---	8.21	13.32	---
LAI-13	11/25/2013	21.53	---	---	---	6.08	15.45	---
LAI-13	2/14/2014	21.53	---	---	---	6.23	15.30	---
LAI-13	5/5/2014	21.53	---	---	---	5.07	16.46	---
LAI-13	8/19/2014	21.53	---	---	---	7.85	13.68	---
LAI-13	11/21/2014	21.53	---	---	---	5.91	15.62	---
LAI-13	9/23/2019	21.53	---	---	---	7.05	14.48	---
LAI-14	1/31/2003	21.69	---	---	---	6.12	15.57	---
LAI-14	2/12/2003	21.69	---	---	---	7.11	14.58	15.57

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAI-14	2/18/2003	21.69	---	---	---	7.17	14.52	14.58
LAI-14	2/21/2003	21.69	---	---	---	7.25	14.44	14.52
LAI-14	2/24/2003	21.69	---	---	---	7.25	14.44	14.44
LAI-14	3/3/2003	21.69	---	---	---	7.50	14.19	14.19
LAI-14	3/12/2003	21.69	---	---	---	7.40	14.29	14.29
LAI-14	3/14/2003	21.69	---	---	---	7.23	14.46	14.46
LAI-14	3/26/2003	21.69	---	---	---	7.04	14.65	14.65
LAI-14	3/28/2003	21.69	---	---	---	7.07	14.62	14.62
LAI-14	4/2/2003	21.69	---	---	---	7.00	14.69	14.69
LAI-14	4/4/2003	21.69	---	---	---	7.24	14.45	14.45
LAI-14	4/8/2003	21.69	---	---	---	7.41	14.28	14.28
LAI-14	4/11/2003	21.69	---	---	---	7.36	14.33	14.33
LAI-14	4/15/2003	21.69	---	---	---	7.34	14.35	14.35
LAI-14	4/17/2003	21.69	---	---	---	7.39	14.30	14.30
LAI-14	4/22/2003	21.69	---	---	---	7.53	14.16	14.16
LAI-14	4/25/2003	21.69	---	---	---	7.62	14.07	14.07
LAI-14	5/2/2003	21.69	---	---	---	7.20	14.49	14.49
LAI-14	5/6/2003	21.69	---	---	---	7.82	13.87	13.87
LAI-14	5/9/2003	21.69	---	---	---	7.86	13.83	13.83
LAI-14	5/16/2003	21.69	---	---	---	8.00	13.69	13.69
LAI-14	5/23/2003	21.69	---	---	---	8.03	13.66	13.66
LAI-14	5/28/2003	21.69	---	---	---	8.14	13.55	13.55
LAI-14	6/13/2003	21.69	---	---	---	8.30	13.39	13.39
LAI-14	6/18/2003	21.69	---	---	---	8.33	13.36	13.36
LAI-14	6/27/2003	21.69	---	---	---	8.35	13.34	13.34
LAI-14	7/7/2003	21.69	---	---	---	8.65	13.04	13.04
LAI-14	7/16/2003	21.69	---	---	---	7.83	13.86	13.86
LAI-14	7/31/2003	21.69	---	---	---	8.41	13.28	13.28
LAI-14	8/5/2003	21.69	---	---	---	8.73	12.96	12.96
LAI-14	8/11/2003	21.69	---	---	---	8.80	12.89	12.89
LAI-14	8/22/2003	21.69	---	---	---	9.89	11.80	11.80
LAI-14	8/26/2003	21.69	---	---	---	9.04	12.65	12.65
LAI-14	9/2/2003	21.69	---	---	---	9.07	12.62	12.62
LAI-14	9/9/2003	21.69	---	---	---	9.14	12.55	12.55
LAI-14	9/19/2003	21.69	---	---	---	9.14	12.55	12.55
LAI-14	10/14/2003	21.69	---	---	---	9.30	12.39	12.39
LAI-14	11/20/2003	21.69	---	---	---	6.59	15.10	15.10
LAI-14	12/3/2003	21.69	---	---	---	6.53	15.16	15.16
LAI-14	1/19/2004	21.69	---	---	---	6.45	15.24	15.24
LAI-14	2/24/2004	21.69	---	---	---	7.03	14.66	14.66
LAI-14	3/15/2004	21.69	---	---	---	7.52	14.17	14.17
LAI-14	4/19/2004	21.69	---	---	---	8.03	13.66	13.66
LAI-14	5/17/2004	21.69	---	---	---	8.32	13.37	13.37
LAI-14	6/22/2004	21.69	---	---	---	8.26	13.43	13.43
LAI-14	8/18/2004	21.69	---	---	---	8.86	12.83	12.83
LAI-14	9/21/2004	21.69	---	---	---	8.00	13.69	13.69
LAI-14	10/19/2004	21.69	---	---	---	8.00	13.69	13.69
LAI-14	11/23/2004	21.69	---	---	---	8.00	13.69	13.69
LAI-14	12/21/2004	21.69	---	---	---	7.11	14.58	14.58
LAI-14	1/13/2005	21.69	---	---	---	7.68	14.01	14.01
LAI-14	4/28/2005	21.69	---	---	---	7.47	14.22	14.22
LAI-14	6/1/2005	21.69	---	---	---	7.58	14.11	14.11
LAI-14	6/29/2005	21.69	---	---	---	8.02	13.67	13.67
LAI-14	7/20/2005	21.69	8.23	13.46	0.01	8.24	13.46	13.47
LAI-14	8/22/2005	21.69	---	---	---	8.50	13.19	10.79
LAI-14	9/12/2005	21.69	---	---	---	8.63	13.06	10.66
LAI-14	10/12/2005	21.69	---	---	---	8.86	12.83	12.83
LAI-14	11/21/2005	21.69	---	---	---	7.41	14.28	14.28
LAI-14	12/27/2005	21.69	---	---	---	6.48	15.21	15.21
LAI-14	1/30/2006	21.69	---	---	---	4.68	17.01	17.01
LAI-14	2/16/2006	21.69	6.30	15.39	0.07	6.37	15.37	15.43
LAI-14	3/13/2006	21.69	---	---	---	7.43	14.26	14.26
LAI-14	4/18/2006	21.69	---	---	---	7.56	14.13	14.13
LAI-14	5/12/2006	21.69	---	---	---	7.75	13.94	13.94
LAI-14	6/9/2006	21.69	---	---	---	7.58	14.11	14.11
LAI-14	7/13/2006	21.69	---	---	---	8.10	13.59	13.59
LAI-14	8/16/2006	21.69	---	---	---	8.43	13.26	13.26
LAI-14	9/19/2006	21.69	---	---	---	8.70	12.99	12.99
LAI-14	10/13/2006	21.69	---	---	---	8.56	13.13	13.13
LAI-14	11/20/2006	21.69	---	---	---	5.64	16.05	16.05
LAI-14	12/8/2006	21.69	---	---	---	6.12	15.57	15.57
LAI-14	1/19/2007	21.69	---	---	---	6.12	15.57	15.57
LAI-14	2/19/2007	21.69	---	---	---	7.45	14.24	14.24
LAI-14	3/15/2007	21.69	---	---	---	6.95	14.74	14.74
LAI-14	4/16/2007	21.69	---	---	---	7.38	14.31	14.31
LAI-14	5/14/2007	21.69	---	---	---	7.84	13.85	13.85
LAI-14	6/29/2007	21.69	---	---	---	8.27	13.42	13.42
LAI-14	7/20/2007	21.69	---	---	---	8.31	13.38	13.38
LAI-14	8/21/2007	21.69	---	---	---	8.48	13.21	13.21
LAI-14	9/10/2007	21.69	---	---	---	8.59	13.10	13.10
LAI-14	10/22/2007	21.69	---	---	---	7.82	13.87	13.87
LAI-14	11/28/2007	21.69	---	---	---	5.50	16.19	16.19
LAI-14	12/13/2007	21.69	---	---	---	6.45	15.24	15.24
LAI-14	1/21/2008	21.69	---	---	---	6.77	14.92	14.92
LAI-14	2/24/2008	21.69	---	---	---	7.37	14.32	14.32
LAI-14	3/24/2008	21.69	---	---	---	7.59	14.10	14.10
LAI-14	8/25/2008	21.69	---	---	---	8.36	13.33	13.33
LAI-14	2/18/2009	21.69	---	---	---	7.60	14.09	14.09
LAI-14	8/25/2009	21.69	---	---	---	8.78	12.91	12.91
LAI-14	3/22/2010	21.69	---	---	---	7.17	14.52	14.52
LAI-14	8/23/2010	21.69	---	---	---	8.13	13.56	13.56
LAI-14	2/7/2011	21.69	---	---	---	6.71	14.98	---
LAI-14	5/27/2011	21.69	---	---	---	6.98	14.71	---
LAI-14	8/8/2011	21.69	---	---	---	8.06	13.63	---
LAI-14	11/14/2011	21.69	---	---	---	7.91	13.78	---
LAI-14	2/20/2012	21.69	---	---	---	6.39	15.30	---
LAI-14	8/22/2012	21.69	---	---	---	8.15	13.54	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAI-14	11/5/2012	21.69	---	---	---	6.60	15.09	---
LAI-14	1/28/2013	21.69	---	---	---	6.91	14.78	---
LAI-14	5/9/2013	21.69	---	---	---	7.02	14.67	---
LAI-14	8/19/2013	21.69	---	---	---	8.51	13.18	---
LAI-14	11/25/2013	21.69	---	---	---	7.07	14.62	---
LAI-14	2/14/2014	21.69	---	---	---	6.79	14.90	---
LAI-14	5/5/2014	21.69	---	---	---	5.94	15.75	---
LAI-14	11/21/2014	21.69	---	---	---	6.88	14.81	---
LAI-14	9/23/2019	21.69	---	---	---	7.21	14.48	---
LAI-15	1/31/2003	19.76	---	---	---	6.13	13.63	---
LAI-15	2/12/2003	19.76	---	---	---	4.23	15.53	13.63
LAI-15	2/18/2003	19.76	---	---	---	4.51	15.25	15.53
LAI-15	2/21/2003	19.76	---	---	---	4.72	15.04	15.25
LAI-15	2/24/2003	19.76	---	---	---	4.74	15.02	15.02
LAI-15	3/3/2003	19.76	---	---	---	4.96	14.80	14.80
LAI-15	3/12/2003	19.76	---	---	---	4.81	14.95	14.95
LAI-15	3/14/2003	19.76	---	---	---	4.14	15.62	15.62
LAI-15	3/26/2003	19.76	---	---	---	3.82	15.94	15.94
LAI-15	3/28/2003	19.76	---	---	---	3.85	15.91	15.91
LAI-15	4/2/2003	19.76	---	---	---	4.40	15.36	15.36
LAI-15	4/4/2003	19.76	---	---	---	4.49	15.27	15.27
LAI-15	4/8/2003	19.76	---	---	---	4.71	15.05	15.05
LAI-15	4/11/2003	19.76	---	---	---	4.80	14.96	14.96
LAI-15	4/15/2003	19.76	---	---	---	4.75	15.01	15.01
LAI-15	4/17/2003	19.76	---	---	---	4.77	14.99	14.99
LAI-15	4/22/2003	19.76	---	---	---	4.99	14.77	14.77
LAI-15	4/25/2003	19.76	---	---	---	5.09	14.67	14.67
LAI-15	5/2/2003	19.76	---	---	---	5.13	14.63	14.63
LAI-15	5/6/2003	19.76	---	---	---	5.55	14.21	14.21
LAI-15	5/9/2003	19.76	---	---	---	5.68	14.08	14.08
LAI-15	5/16/2003	19.76	---	---	---	4.90	14.86	14.86
LAI-15	5/23/2003	19.76	---	---	---	6.12	13.64	13.64
LAI-15	5/28/2003	19.76	---	---	---	6.13	13.63	13.63
LAI-15	6/13/2003	19.76	---	---	---	6.33	13.43	13.43
LAI-15	6/18/2003	19.76	---	---	---	6.35	13.41	13.41
LAI-15	6/27/2003	19.76	---	---	---	6.39	13.37	13.37
LAI-15	7/7/2003	19.76	---	---	---	6.75	13.01	13.01
LAI-15	7/16/2003	19.76	---	---	---	6.03	13.73	13.73
LAI-15	7/31/2003	19.76	---	---	---	6.83	12.93	12.93
LAI-15	8/5/2003	19.76	---	---	---	6.85	12.91	12.91
LAI-15	8/11/2003	19.76	---	---	---	6.93	12.83	12.83
LAI-15	8/22/2003	19.76	---	---	---	8.04	11.72	11.72
LAI-15	8/26/2003	19.76	---	---	---	7.11	12.65	12.65
LAI-15	9/2/2003	19.76	---	---	---	7.21	12.55	12.55
LAI-15	9/9/2003	19.76	---	---	---	7.23	12.53	12.53
LAI-15	9/19/2003	19.76	---	---	---	---	NM	---
LAI-15	10/14/2003	19.76	---	---	---	7.45	12.31	12.31
LAI-15	11/20/2003	19.76	---	---	---	4.11	15.65	15.65
LAI-15	12/3/2003	19.76	---	---	---	3.65	16.11	16.11
LAI-15	1/19/2004	19.76	---	---	---	3.59	16.17	16.17
LAI-15	2/24/2004	19.76	---	---	---	4.26	15.50	15.50
LAI-15	3/15/2004	19.76	---	---	---	5.19	14.57	14.57
LAI-15	4/19/2004	19.76	---	---	---	5.97	13.79	13.79
LAI-15	5/17/2004	19.76	---	---	---	6.42	13.34	13.34
LAI-15	6/22/2004	19.76	---	---	---	6.09	13.67	13.67
LAI-15	8/18/2004	19.76	---	---	---	6.93	12.83	12.83
LAI-15	9/21/2004	19.76	---	---	---	6.05	13.71	13.71
LAI-15	10/19/2004	19.76	---	---	---	5.75	14.01	14.01
LAI-15	11/23/2004	19.76	---	---	---	5.91	13.85	13.85
LAI-15	12/21/2004	19.76	---	---	---	4.28	15.48	15.48
LAI-15	1/13/2005	19.76	---	---	---	5.32	14.44	14.44
LAI-15	4/28/2005	19.76	---	---	---	4.91	14.85	14.85
LAI-15	6/1/2005	20.03	---	---	---	5.17	14.86	14.86
LAI-15	6/29/2005	20.03	---	---	---	5.67	14.36	14.36
LAI-15	7/20/2005	20.03	---	---	---	6.32	13.71	13.71
LAI-15	8/22/2005	20.03	---	---	---	6.62	13.41	13.41
LAI-15	9/12/2005	20.03	---	---	---	6.82	13.21	13.21
LAI-15	10/12/2005	20.03	---	---	---	7.08	12.95	12.95
LAI-15	11/21/2005	20.03	---	---	---	5.04	14.99	14.99
LAI-15	12/27/2005	20.03	---	---	---	3.84	16.19	16.19
LAI-15	1/30/2006	20.03	---	---	---	1.11	18.92	18.92
LAI-15	2/16/2006	20.03	---	---	---	3.52	16.51	16.51
LAI-15	3/13/2006	20.03	---	---	---	4.92	15.11	15.11
LAI-15	4/18/2006	20.03	---	---	---	5.35	14.68	14.68
LAI-15	5/12/2006	20.03	---	---	---	5.61	14.42	14.42
LAI-15	6/9/2006	20.03	---	---	---	5.32	14.71	14.71
LAI-15	7/13/2006	20.03	---	---	---	6.20	13.83	13.83
LAI-15	8/16/2006	20.03	---	---	---	6.60	13.43	13.43
LAI-15	9/19/2006	20.03	---	---	---	7.05	12.98	12.98
LAI-15	10/13/2006	20.03	---	---	---	6.80	13.23	13.23
LAI-15	11/20/2006	20.03	---	---	---	2.53	17.50	17.50
LAI-15	12/8/2006	20.03	---	---	---	3.11	16.92	16.92
LAI-15	1/19/2007	20.03	---	---	---	3.12	16.91	16.91
LAI-15	2/19/2007	20.03	---	---	---	5.10	14.93	14.93
LAI-15	3/15/2007	20.03	---	---	---	4.32	15.71	15.71
LAI-15	4/16/2007	20.03	---	---	---	4.76	15.27	15.27
LAI-15	5/14/2007	20.03	---	---	---	5.88	14.15	14.15
LAI-15	6/29/2007	20.03	---	---	---	6.44	13.59	13.59
LAI-15	7/20/2007	20.03	---	---	---	6.55	13.48	13.48
LAI-15	8/21/2007	20.03	---	---	---	6.74	13.29	13.29
LAI-15	9/10/2007	20.03	---	---	---	6.84	13.19	13.19
LAI-15	10/22/2007	20.03	---	---	---	6.03	14.00	14.00
LAI-15	11/28/2007	20.03	---	---	---	5.34	14.69	14.69
LAI-15	12/13/2007	20.03	---	---	---	3.50	16.53	16.53
LAI-15	1/21/2008	20.03	---	---	---	4.12	15.91	15.91
LAI-15	2/24/2008	20.03	---	---	---	5.14	14.89	14.89

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
LAI-15	3/24/2008	20.03	---	---	---	5.52	14.51	14.51
LAI-15	8/25/2008	20.03	---	---	---	6.62	13.41	13.41
LAI-15	2/18/2009	20.03	---	---	---	5.50	14.53	14.53
LAI-15	8/25/2009	20.03	---	---	---	6.94	13.09	13.09
LAI-15	3/22/2010	20.03	---	---	---	4.71	15.32	15.32
LAI-15	8/23/2010	20.03	---	---	---	6.36	13.67	13.67
LAI-15	2/7/2011	20.03	---	---	---	4.20	15.83	---
LAI-15	5/27/2011	20.03	---	---	Not Monitored	---	---	---
LAI-15	8/8/2011	20.03	---	---	---	6.30	13.73	---
LAI-15	11/14/2011	20.03	---	---	---	6.05	13.98	---
LAI-15	2/20/2012	20.03	---	---	---	3.88	16.15	---
LAI-15	8/22/2012	20.03	---	---	---	6.40	13.63	---
LAI-15	11/5/2012	20.03	---	---	---	4.71	15.32	---
LAI-15	1/28/2013	20.03	---	---	---	4.41	15.62	---
LAI-15	5/9/2013	20.03	---	---	---	4.79	15.24	---
LAI-15	8/19/2013	20.03	---	---	---	6.69	13.34	---
LAI-15	11/25/2013	20.03	---	---	---	4.86	15.17	---
LAI-15	2/14/2014	20.03	---	---	---	4.59	15.44	---
LAI-15	5/5/2014	20.03	---	---	---	3.56	16.47	---
LAI-15	8/19/2014	20.03	---	---	---	6.50	13.53	---
LAI-15	11/21/2014	20.03	---	---	---	4.43	15.60	---
LAI-16	1/31/2003	20.59	---	---	---	6.28	14.31	---
LAI-16	2/12/2003	20.59	---	---	---	6.65	13.94	14.31
LAI-16	2/18/2003	20.59	---	---	---	6.70	13.89	13.94
LAI-16	2/21/2003	20.59	---	---	---	6.73	13.86	13.89
LAI-16	2/24/2003	20.59	---	---	---	6.74	13.85	13.85
LAI-16	3/3/2003	20.59	---	---	---	6.86	13.73	13.73
LAI-16	3/12/2003	20.59	---	---	---	6.52	14.07	14.07
LAI-16	3/14/2003	20.59	---	---	---	6.39	14.20	14.20
LAI-16	3/26/2003	20.59	---	---	---	6.48	14.11	14.11
LAI-16	3/28/2003	20.59	---	---	---	7.46	13.13	13.13
LAI-16	4/2/2003	20.59	---	---	---	6.63	13.96	13.96
LAI-16	4/4/2003	20.59	---	---	---	6.71	13.88	13.88
LAI-16	4/8/2003	20.59	---	---	---	6.90	13.69	13.69
LAI-16	4/11/2003	20.59	---	---	---	6.75	13.84	13.84
LAI-16	4/15/2003	20.59	---	---	---	6.68	13.91	13.91
LAI-16	4/17/2003	20.59	---	---	---	6.73	13.86	13.86
LAI-16	4/22/2003	20.59	---	---	---	6.87	13.72	13.72
LAI-16	4/25/2003	20.59	---	---	---	6.99	13.60	13.60
LAI-16	5/2/2003	20.59	---	---	---	6.78	13.81	13.81
LAI-16	5/6/2003	20.59	---	---	---	7.26	13.33	13.33
LAI-16	5/9/2003	20.59	---	---	---	7.35	13.24	13.24
LAI-16	5/16/2003	20.59	---	---	---	7.60	12.99	12.99
LAI-16	5/23/2003	20.59	---	---	---	8.08	12.51	12.51
LAI-16	5/28/2003	20.59	---	---	---	7.87	12.72	12.72
LAI-16	6/13/2003	20.59	---	---	---	8.31	12.28	12.28
LAI-16	6/18/2003	20.59	---	---	---	8.45	12.14	12.14
LAI-16	6/27/2003	20.59	---	---	---	8.08	12.51	12.51
LAI-16	7/7/2003	20.59	---	---	Not Monitored	---	---	---
LAI-16	7/16/2003	20.59	---	---	---	8.00	12.59	12.59
LAI-16	7/31/2003	20.59	---	---	Dry	---	---	Dry
LAI-16	8/5/2003	20.59	---	---	Dry	---	---	Dry
LAI-16	8/11/2003	20.59	---	---	Dry	---	---	Dry
LAI-16	8/22/2003	20.59	---	---	Dry	---	---	Dry
LAI-16	8/26/2003	20.59	---	---	Dry	---	---	Dry
LAI-16	9/2/2003	20.59	---	---	Dry	---	---	Dry
LAI-16	9/9/2003	20.59	---	---	Dry	---	---	Dry
LAI-16	9/19/2003	20.59	---	---	Dry	---	---	Dry
LAI-16	10/14/2003	20.59	---	---	Dry	---	---	Dry
LAI-16	11/20/2003	20.59	---	---	---	6.95	13.64	13.64
LAI-16	12/3/2003	20.59	---	---	---	6.68	13.91	13.91
LAI-16	1/19/2004	20.59	---	---	---	6.49	14.10	14.10
LAI-16	2/24/2004	20.59	---	---	---	6.62	13.97	13.97
LAI-16	3/15/2004	20.59	---	---	---	7.02	13.57	13.57
LAI-16	4/19/2004	20.59	---	---	---	7.64	12.95	12.95
LAI-16	5/17/2004	20.59	---	---	---	8.35	12.24	12.24
LAI-16	6/22/2004	20.59	---	---	---	8.52	12.07	12.07
LAI-16	8/18/2004	20.59	---	---	Dry	---	---	Dry
LAI-16	9/21/2004	20.59	---	---	Dry	---	---	Dry
LAI-16	10/19/2004	20.59	---	---	---	9.30	11.29	11.29
LAI-16	11/23/2004	20.59	---	---	---	8.38	12.21	12.21
LAI-16	12/21/2004	20.59	---	---	---	6.87	13.72	13.72
LAI-16	1/13/2005	20.59	---	---	---	7.12	13.47	13.47
LAI-16	4/28/2005	20.59	---	---	---	6.95	13.64	13.64
LAI-16	6/1/2005	20.59	---	---	---	7.35	13.24	13.24
LAI-16	6/29/2005	20.59	---	---	---	7.95	12.64	12.64
LAI-16	7/20/2005	20.59	---	---	---	8.78	11.81	11.81
LAI-16	8/22/2005	20.59	---	---	Dry	---	---	Dry
LAI-16	9/12/2005	20.59	---	---	Dry	---	---	Dry
LAI-16	10/12/2005	20.59	---	---	Dry	---	---	Dry
LAI-16	11/21/2005	20.59	---	---	---	8.48	12.11	10.13
LAI-16	12/27/2005	20.59	---	---	---	6.71	13.88	11.13
LAI-16	1/30/2006	20.59	---	---	Dry	---	---	Dry
LAI-16	2/16/2006	20.59	---	---	---	6.45	14.14	11.13
LAI-16	3/13/2006	20.59	---	---	---	6.75	13.84	11.13
LAI-16	4/18/2006	20.59	---	---	---	7.18	13.41	13.41
LAI-16	5/12/2006	20.59	---	---	---	7.50	13.09	13.09
LAI-16	6/9/2006	20.59	---	---	---	7.62	12.97	12.97
LAI-16	7/13/2006	20.59	---	---	---	6.10	14.49	14.49
LAI-16	8/16/2006	20.59	---	---	Dry	---	---	Dry
LAI-16	9/19/2006	20.59	---	---	Dry	---	---	Dry
LAI-16	10/13/2006	20.59	---	---	Dry	---	---	Dry
LAI-16	11/20/2006	20.59	---	---	---	6.33	14.26	14.26
LAI-16	12/8/2006	20.59	---	---	---	6.45	14.14	14.14
LAI-16	1/19/2007	20.59	---	---	---	6.11	14.48	14.48
LAI-16	2/19/2007	20.59	---	---	---	6.67	13.92	13.92

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
LAI-16	3/15/2007	20.59	---	---	---	6.55	14.04	14.04
LAI-16	4/16/2007	20.59	---	---	---	6.89	13.70	13.70
LAI-16	5/14/2007	20.59	---	---	---	7.54	13.05	13.05
LAI-16	6/29/2007	20.59	---	---	Dry			Dry
LAI-16	7/20/2007	20.59	---	---	Dry			Dry
LAI-16	8/21/2007	20.59	---	---	Dry			Dry
LAI-16	9/10/2007	20.59	---	---	Dry			Dry
LAI-16	10/22/2007	20.59	---	---	Dry			Dry
LAI-16	11/28/2007	20.59	---	---	---	8.41	12.18	12.18
LAI-16	12/13/2007	20.59	---	---	---	6.65	13.94	13.94
LAI-16	1/21/2008	20.59	---	---	---	6.43	14.16	14.16
LAI-16	2/24/2008	20.59	---	---	---	6.87	13.72	13.72
LAI-16	3/24/2008	20.59	---	---	---	6.95	13.64	13.64
LAI-16	8/25/2008	20.59	---	---	---	7.12	13.47	13.47
LAI-16	2/18/2009	20.59	---	---	---	7.00	13.59	13.59
LAI-16	8/25/2009	20.59	---	---	Dry			Dry
LAI-16	3/22/2010	20.59	---	---	---	6.93	13.66	13.66
LAI-16	8/23/2010	20.59	---	---	Dry			0.00
LAI-16	2/7/2011	20.59	---	---	---	6.45	14.14	---
LAI-16	5/27/2011	20.59	---	---	---	6.99	13.60	---
LAI-16	11/14/2011	20.59	---	---	---	9.15	11.44	---
LAI-16	2/20/2012	20.59	---	---	---	6.49	14.10	---
LAI-16	8/22/2012	20.59	---	---	---			Dry
LAI-16	11/5/2012	20.59	---	---	---	9.39	11.20	---
LAI-16	1/28/2013	20.59	---	---	---	6.52	14.07	---
LAI-16	5/9/2013	20.59	---	---	---	6.48	14.11	---
LAI-16	8/19/2013	20.59	---	---	DRY			---
LAI-16	11/25/2013	20.59	---	---	---	6.95	13.64	---
LAI-16	2/14/2014	20.59	---	---	---	6.49	14.10	---
LAI-16	5/5/2014	20.59	---	---	---	6.51	14.08	---
LAI-16	8/19/2014	20.59	---	---	DRY			---
LAI-16	11/21/2014	20.59	---	---	---	6.70	13.89	---
RW-1	11/20/2002	24.60	8.25	16.35	0.95	9.20	16.11	---
RW-1	11/21/2002	24.60	8.25	16.35	1.15	9.40	16.06	16.83
RW-1	11/22/2002	24.60	8.22	16.38	1.20	9.42	16.08	16.93
RW-1	11/24/2002	24.60	8.35	16.25	1.06	9.41	15.99	16.98
RW-1	1/2/2003	24.60	5.61	18.99	0.21	5.82	18.94	19.10
RW-1	1/3/2003	24.60	5.51	19.09	0.21	5.72	19.04	19.20
RW-1	1/6/2003	24.60	5.35	19.25	0.29	5.64	19.18	19.40
RW-1	1/7/2003	24.60	5.68	18.92	0.28	5.96	18.85	19.06
RW-1	1/8/2003	24.60	5.95	18.65	0.28	6.23	18.58	18.79
RW-1	1/9/2003	24.60	6.03	18.57	0.29	6.32	18.50	18.72
RW-1	1/10/2003	24.60	6.20	18.40	0.30	6.50	18.33	18.55
RW-1	1/13/2003	24.60	6.00	18.60	0.32	6.32	18.52	18.76
RW-1	1/14/2003	24.60	5.72	18.88	0.73	6.45	18.70	19.25
RW-1	1/15/2003	24.60	5.99	18.61	0.19	6.18	18.56	18.71
RW-1	1/16/2003	24.60	6.10	18.50	0.30	6.40	18.43	18.65
RW-1	1/17/2003	24.60	6.15	18.45	0.30	6.45	18.38	18.60
RW-1	1/20/2003	24.60	6.34	18.26	0.35	6.69	18.17	18.44
RW-1	1/22/2003	24.60	5.60	19.00	0.29	5.89	18.93	19.15
RW-1	1/23/2003	24.60	5.80	18.80	0.35	6.15	18.71	18.98
RW-1	1/24/2003	24.60	5.37	19.23	0.38	5.75	19.14	19.42
RW-1	1/27/2003	24.60	4.68	19.92	0.47	5.15	19.80	20.16
RW-1	1/28/2003	24.60	4.66	19.94	0.45	5.11	19.83	20.17
RW-1	1/29/2003	24.60	4.67	19.93	0.46	5.13	19.82	20.16
RW-1	1/30/2003	24.60	4.90	19.70	0.44	5.34	19.59	19.92
RW-1	2/3/2003	24.60	5.65	18.95	0.41	6.06	18.85	19.16
RW-1	2/6/2003	24.24	6.76	17.48	0.40	7.16	17.38	17.68
RW-1	2/11/2003	24.24	7.35	16.89	0.42	7.77	16.79	17.10
RW-1	2/18/2003	24.24	---	---	---	6.55	17.69	17.69
RW-1	2/21/2003	24.24	7.90	16.34	0.93	8.83	16.11	16.81
RW-1	2/26/2003	24.24	7.70	16.54	0.81	8.51	16.34	16.95
RW-1	3/4/2003	24.24	7.11	17.13	0.63	7.74	16.97	17.45
RW-1	3/12/2003	24.24	7.30	16.94	0.46	7.76	16.83	17.17
RW-1	3/14/2003	24.24	6.85	17.39	---	7.31	16.93	16.93
RW-1	3/26/2003	24.24	6.39	17.85	0.13	6.52	17.82	17.92
RW-1	3/28/2003	24.24	7.41	16.83	0.15	7.56	16.79	16.91
RW-1	4/2/2003	24.24	7.45	16.79	0.10	7.55	16.77	16.84
RW-1	4/4/2003	24.24	7.70	16.54	0.05	7.75	16.53	16.57
RW-1	4/8/2003	24.24	7.25	16.99	0.02	7.27	16.99	17.00
RW-1	4/11/2003	24.24	7.15	17.09	0.03	7.18	17.08	17.11
RW-1	4/15/2003	24.24	6.57	17.67	0.02	6.59	17.67	17.68
RW-1	4/17/2003	24.24	7.52	16.72	0.02	7.54	16.72	16.73
RW-1	4/22/2003	24.24	7.53	16.71	0.02	7.55	16.71	16.72
RW-1	4/25/2003	24.24	7.42	16.82	0.01	7.43	16.82	16.83
RW-1	5/2/2003	24.24	8.84	15.40	0.01	8.85	15.40	15.41
RW-1	5/6/2003	24.24	---	---	---	9.02	15.22	15.22
RW-1	5/9/2003	24.24	---	---	---	9.21	15.03	15.03
RW-1	5/23/2003	24.24	---	---	---	9.26	14.98	14.98
RW-1	5/28/2003	24.24	9.35	14.89	0.01	9.36	14.89	14.90
RW-1	6/13/2003	24.24	9.52	14.72	0.49	10.01	14.60	14.97
RW-1	6/18/2003	24.24	9.22	15.02	0.91	10.13	14.79	15.48
RW-1	6/27/2003	24.24	---	---	---	9.81	14.43	14.43
RW-1	7/7/2003	24.24	10.26	13.98	0.03	10.29	13.97	14.00
RW-1	7/16/2003	24.24	10.09	14.15	0.26	10.35	14.09	14.28
RW-1	7/31/2003	24.24	10.34	13.90	0.01	10.35	13.90	13.91
RW-1	8/5/2003	24.24	10.32	13.92	0.08	10.40	13.90	13.96
RW-1	8/11/2003	24.24	11.34	12.90	0.01	11.35	12.90	12.91
RW-1	8/22/2003	24.24	11.34	12.90	0.01	11.35	12.90	12.91
RW-1	8/26/2003	24.24	---	---	---	10.36	13.88	13.88
RW-1	9/2/2003	24.24	---	---	---	10.36	13.88	13.88
RW-1	9/9/2003	24.24	10.33	13.91	0.05	10.38	13.90	13.94
RW-1	9/19/2003	24.24	10.33	13.91	0.03	10.36	13.90	13.93
RW-1	10/14/2003	24.24	---	---	---	10.30	13.94	13.94
RW-1	11/20/2003	24.24	---	---	---	5.52	18.72	18.72
RW-1	12/3/2003	24.24	---	---	---	5.44	18.80	18.80

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
RW-1	1/19/2004	24.24	---	---	---	5.57	18.67	18.67
RW-1	2/24/2004	24.24	---	---	---	7.45	16.79	16.79
RW-1	3/15/2004	24.24	---	---	---	8.87	15.37	15.37
RW-1	4/19/2004	24.24	---	---	---	9.56	14.68	14.68
RW-1	5/17/2004	24.24	---	---	---	10.14	14.10	14.10
RW-1	6/22/2004	24.24	---	---	---	9.91	14.33	14.33
RW-1	8/18/2004	24.24	10.30	13.94	0.01	10.31	13.94	13.95
RW-1	9/21/2004	24.24	---	---	---	10.05	14.19	14.19
RW-1	10/19/2004	24.24	---	---	---	9.73	14.51	14.51
RW-1	11/23/2004	24.24	---	---	---	9.50	14.74	14.74
RW-1	12/21/2004	24.24	---	---	---	6.86	17.38	17.38
RW-1	1/13/2005	24.24	---	---	---	8.32	15.92	15.92
RW-1	4/28/2005	24.24	---	---	---	7.15	17.09	17.09
RW-1	6/1/2005	24.24	---	---	---	7.60	16.64	16.64
RW-1	6/29/2005	24.24	---	---	Not Monitored	---	---	NM
RW-1	7/20/2005	24.24	---	---	Not Monitored	---	---	NM
RW-1	8/22/2005	24.24	---	---	---	10.35	13.89	10.97
RW-1	9/12/2005	24.24	---	---	---	10.36	13.88	13.88
RW-1	10/12/2005	24.24	---	---	---	10.40	13.84	13.84
RW-1	11/21/2005	24.24	---	---	---	9.09	15.15	15.15
RW-1	12/27/2005	24.24	---	---	---	5.72	18.52	18.52
RW-1	1/30/2006	24.24	---	---	---	4.34	19.90	19.90
RW-1	2/16/2006	24.24	---	---	---	5.86	18.38	18.38
RW-1	3/13/2006	24.24	---	---	---	7.51	16.73	16.73
RW-1	4/18/2006	24.24	---	---	---	7.05	17.19	17.19
RW-1	5/12/2006	24.24	---	---	---	8.53	15.71	15.71
RW-1	6/9/2006	24.24	---	---	---	7.70	16.54	16.54
RW-1	7/13/2006	24.24	---	---	---	9.44	14.80	14.80
RW-1	8/16/2006	24.24	---	---	---	10.35	13.89	13.89
RW-1	9/19/2006	24.24	---	---	---	10.42	13.82	13.82
RW-1	10/13/2006	24.24	---	---	---	10.45	13.79	13.79
RW-1	11/20/2006	24.24	---	---	---	5.15	19.09	19.09
RW-1	12/8/2006	24.24	---	---	---	5.51	18.73	18.73
RW-1	1/19/2007	24.24	---	---	---	5.02	19.22	19.22
RW-1	2/19/2007	24.24	---	---	---	6.70	17.54	17.54
RW-1	3/15/2007	24.24	---	---	---	5.51	18.73	18.73
RW-1	4/16/2007	24.24	---	---	---	7.32	16.92	16.92
RW-1	5/14/2007	24.24	---	---	---	9.05	15.19	15.19
RW-1	6/29/2007	24.24	---	---	---	10.21	14.03	14.03
RW-1	7/20/2007	24.24	---	---	---	Dry	NM	Dry
RW-1	8/21/2007	24.24	---	---	---	10.35	13.89	13.89
RW-1	9/10/2007	24.24	---	---	---	Dry	NM	Dry
RW-1	10/22/2007	24.24	---	---	---	7.38	16.86	16.86
RW-1	11/28/2007	24.24	---	---	---	7.98	16.26	16.26
RW-1	12/13/2007	24.24	---	---	---	6.57	17.67	17.67
RW-1	1/21/2008	24.24	---	---	---	5.97	18.27	18.27
RW-1	2/24/2008	24.24	---	---	---	8.78	15.46	15.46
RW-1	3/24/2008	24.24	---	---	---	5.95	18.29	18.29
RW-1	8/25/2008	24.24	---	---	---	6.02	18.22	18.22
RW-1	2/18/2009	24.24	---	---	---	9.13	15.11	15.11
RW-1	8/25/2009	24.24	---	---	---	10.39	13.85	13.85
RW-1	3/22/2010	24.24	---	---	---	7.96	16.28	16.28
RW-1	8/23/2010	24.24	---	---	---	10.37	13.87	13.87
RW-1	2/7/2011	24.24	---	---	---	5.69	18.55	---
RW-1	5/27/2011	24.24	---	---	---	7.56	16.68	---
RW-1	8/8/2011	24.24	---	---	Dry	---	---	---
RW-1	11/14/2011	24.24	---	---	---	9.45	14.79	---
RW-1	2/20/2012	24.24	---	---	---	5.53	18.71	---
RW-1	8/22/2012	24.24	---	---	---	10.23	14.01	---
RW-1	11/5/2012	24.24	---	---	---	5.52	18.72	---
RW-1	1/28/2013	24.24	---	---	---	6.16	18.08	---
RW-1	5/9/2013	24.24	---	---	---	8.41	15.83	---
RW-1	8/19/2013	24.24	---	---	---	10.37	13.87	---
RW-1	11/25/2013	24.24	---	---	---	7.47	16.77	---
RW-1	2/14/2014	24.24	---	---	---	4.36	19.88	---
RW-1	5/5/2014	24.24	---	---	---	3.96	20.28	---
RW-1	8/19/2014	24.24	---	---	---	10.43	13.81	---
RW-1	11/21/2014	24.24	---	---	---	5.41	18.83	---
RW-2	11/20/2002	24.58	8.05	16.53	1.35	9.40	16.19	---
RW-2	11/21/2002	24.58	8.00	16.58	1.40	9.40	16.23	17.21
RW-2	11/22/2002	24.58	8.00	16.58	1.41	9.41	16.23	17.28
RW-2	11/24/2002	24.58	8.21	16.37	1.49	9.70	16.00	17.29
RW-2	1/2/2003	24.58	6.11	18.47	2.27	8.38	17.90	19.61
RW-2	1/6/2003	24.58	5.40	19.18	2.78	8.18	18.49	20.57
RW-2	1/7/2003	24.58	6.41	18.17	0.54	6.95	18.04	18.44
RW-2	1/8/2003	24.58	7.67	16.91	0.01	7.68	16.91	16.92
RW-2	1/9/2003	24.58	8.72	15.86	0.01	8.73	15.86	15.87
RW-2	1/10/2003	24.58	6.38	18.20	0.54	6.92	18.07	18.47
RW-2	1/13/2003	24.58	8.42	16.16	0.10	8.52	16.14	16.21
RW-2	1/14/2003	24.58	6.17	18.41	1.32	7.49	18.08	19.07
RW-2	1/15/2003	24.58	5.95	18.63	0.85	6.80	18.42	19.06
RW-2	1/16/2003	24.58	6.51	18.07	1.00	7.51	17.82	18.57
RW-2	1/17/2003	24.58	6.40	18.18	1.12	7.52	17.90	18.74
RW-2	1/20/2003	24.58	6.35	18.23	1.59	7.94	17.83	19.03
RW-2	1/22/2003	24.58	5.86	18.72	2.74	8.60	18.04	20.09
RW-2	1/23/2003	24.58	5.92	18.66	3.23	9.15	17.85	20.28
RW-2	1/24/2003	24.58	5.37	19.21	0.62	5.99	19.06	19.52
RW-2	1/27/2003	24.58	4.69	19.89	0.53	5.22	19.76	20.16
RW-2	1/28/2003	24.58	4.83	19.75	3.71	8.54	18.82	21.61
RW-2	1/29/2003	24.58	4.82	19.76	3.66	8.48	18.85	21.59
RW-2	1/30/2003	24.58	4.95	19.63	0.94	5.89	19.40	20.10
RW-2	2/3/2003	24.58	5.29	19.29	3.82	9.11	18.34	21.20
RW-2	2/6/2003	24.19	6.16	18.03	3.48	9.64	17.16	19.77
RW-2	2/11/2003	24.19	6.61	17.58	3.17	9.78	16.79	19.17
RW-2	2/18/2003	24.19	7.46	16.73	2.72	10.18	16.05	18.09
RW-2	2/21/2003	24.19	7.40	16.79	2.76	10.16	16.10	18.17

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
RW-2	2/26/2003	24.19	7.66	16.53	0.69	8.35	16.36	16.88
RW-2	3/4/2003	24.19	7.15	17.04	1.42	8.57	16.69	17.75
RW-2	3/12/2003	24.19	7.60	16.59	0.02	7.62	16.59	16.60
RW-2	3/14/2003	24.19	7.38	16.81	1.61	8.99	16.41	17.62
RW-2	3/26/2003	24.19	6.85	17.34	0.70	7.55	17.17	17.69
RW-2	3/28/2003	24.19	7.48	16.71	0.87	8.35	16.49	17.15
RW-2	4/2/2003	24.19	7.55	16.64	0.86	8.41	16.43	17.07
RW-2	4/4/2003	24.19	7.95	16.24	0.56	8.51	16.10	16.52
RW-2	4/8/2003	24.19	8.02	16.17	0.03	8.05	16.16	16.19
RW-2	4/11/2003	24.19	8.22	15.97	0.01	8.23	15.97	15.98
RW-2	4/15/2003	24.19	---	---	---	7.68	16.51	16.51
RW-2	4/17/2003	24.19	8.34	15.85	0.06	8.40	15.84	15.88
RW-2	4/22/2003	24.19	8.36	15.83	0.16	8.52	15.79	15.91
RW-2	4/25/2003	24.19	8.30	15.89	0.11	8.41	15.86	15.95
RW-2	5/2/2003	24.19	8.75	15.44	0.31	9.06	15.36	15.60
RW-2	5/6/2003	24.19	8.82	15.37	0.61	9.43	15.22	15.68
RW-2	5/9/2003	24.19	9.16	15.03	0.62	9.78	14.88	15.34
RW-2	5/23/2003	24.19	9.15	15.04	1.42	10.57	14.69	15.75
RW-2	5/28/2003	24.19	8.95	15.24	1.49	10.44	14.87	15.99
RW-2	6/13/2003	24.19	9.24	14.95	1.35	10.59	14.61	15.63
RW-2	6/18/2003	24.19	9.20	14.99	1.31	10.51	14.66	15.65
RW-2	6/27/2003	24.19	9.23	14.96	1.26	10.49	14.65	15.59
RW-2	7/7/2003	24.19	10.01	14.18	0.42	10.43	14.08	14.39
RW-2	7/16/2003	24.19	9.83	14.36	0.71	10.54	14.18	14.72
RW-2	7/31/2003	24.19	10.31	13.88	0.15	10.46	13.84	13.96
RW-2	8/5/2003	24.19	10.28	13.91	0.22	10.50	13.86	14.02
RW-2	8/11/2003	24.19	---	---	---	11.38	12.81	12.81
RW-2	8/22/2003	24.19	---	---	---	11.38	12.81	12.81
RW-2	8/26/2003	24.19	---	---	---	11.26	12.93	12.93
RW-2	9/2/2003	24.19	---	---	---	10.40	13.79	13.79
RW-2	9/9/2003	24.19	10.34	13.85	0.06	10.40	13.84	13.88
RW-2	9/19/2003	24.19	---	---	---	10.70	13.49	13.49
RW-2	10/14/2003	24.19	---	---	---	10.38	13.81	13.81
RW-2	11/20/2003	24.19	---	---	---	7.66	16.53	16.53
RW-2	12/3/2003	24.19	---	---	---	6.65	17.54	17.54
RW-2	1/19/2004	24.19	---	---	---	7.13	17.06	17.06
RW-2	2/24/2004	24.19	---	---	---	7.92	16.27	16.27
RW-2	3/15/2004	24.19	---	---	Not Monitored	---	---	---
RW-2	4/19/2004	24.19	---	NA	---	10.01	14.18	---
RW-2	5/17/2004	24.19	---	---	Not Monitored	---	---	---
RW-2	6/22/2004	24.19	---	NA	---	10.08	14.11	14.11
RW-2	8/18/2004	24.19	---	NA	---	10.44	13.75	13.75
RW-2	9/21/2004	24.19	9.95	14.24	0.18	10.13	14.20	14.33
RW-2	10/19/2004	24.19	9.04	15.15	0.08	9.12	15.13	15.19
RW-2	11/23/2004	24.19	7.82	16.37	0.50	8.32	16.25	16.62
RW-2	12/21/2004	24.19	---	---	---	6.95	17.24	17.24
RW-2	1/13/2005	24.19	---	---	---	8.39	15.80	15.80
RW-2	4/28/2005	24.19	---	---	---	8.20	15.99	15.99
RW-2	6/1/2005	24.19	---	---	---	9.62	14.57	14.57
RW-2	6/29/2005	24.19	---	---	---	10.41	13.78	13.78
RW-2	7/20/2005	24.19	---	---	---	10.90	13.29	13.29
RW-2	8/22/2005	24.19	10.94	13.25	0.04	10.98	13.24	13.27
RW-2	5/27/2011	24.19	---	---	Not Monitored	---	---	---
RWx-2	9/12/2005	26.20	---	---	---	12.55	13.65	13.65
RWx-2	10/12/2005	26.20	13.81	12.39	0.61	14.42	12.24	12.70
RWx-2	11/21/2005	26.20	11.20	15.00	1.13	12.33	14.72	15.57
RWx-2	12/27/2005	26.20	---	---	---	9.50	16.70	16.70
RWx-2	1/30/2006	26.20	---	---	---	6.55	19.65	19.65
RWx-2	2/16/2006	26.20	---	---	---	9.00	17.20	17.20
RWx-2	3/13/2006	26.20	---	---	---	9.85	16.35	16.35
RWx-2	4/18/2006	26.20	---	---	---	10.16	16.04	16.04
RWx-2	5/12/2006	26.20	---	---	---	10.56	15.64	15.64
RWx-2	6/9/2006	26.20	---	---	---	10.13	16.07	16.07
RWx-2	7/13/2006	26.20	---	---	---	12.61	13.59	13.59
RWx-2	8/16/2006	26.20	12.28	13.92	0.62	12.90	13.77	14.23
RWx-2	9/19/2006	26.20	---	---	---	12.95	13.25	13.25
RWx-2	10/13/2006	26.20	12.66	13.54	0.97	13.63	13.30	14.03
RWx-2	11/20/2006	26.20	7.13	19.07	0.37	7.50	18.98	19.26
RWx-2	12/8/2006	26.20	7.83	18.37	0.34	8.17	18.29	18.54
RWx-2	1/19/2007	26.20	7.06	19.14	0.25	7.31	19.08	19.27
RWx-2	2/19/2007	26.20	9.95	16.25	0.30	10.25	16.18	16.40
RWx-2	3/15/2007	26.20	8.50	17.70	0.04	8.54	17.69	17.72
RWx-2	4/16/2007	26.20	---	---	---	9.57	16.63	16.63
RWx-2	5/14/2007	26.20	11.12	15.08	0.00	11.12	15.08	15.08
RWx-2	6/29/2007	26.20	---	---	---	12.04	14.16	14.16
RWx-2	7/20/2007	26.20	---	---	---	12.51	13.69	13.69
RWx-2	8/21/2007	26.20	---	---	---	13.80	12.40	12.40
RWx-2	9/10/2007	26.20	---	---	---	13.84	12.36	12.36
RWx-2	10/22/2007	26.20	---	---	---	12.33	13.87	13.87
RWx-2	11/28/2007	26.20	9.80	16.40	1.00	10.80	16.15	16.90
RWx-2	12/13/2007	26.20	---	---	---	10.56	15.64	15.64
RWx-2	1/21/2008	26.20	10.41	15.79	0.09	10.50	15.77	15.84
RWx-2	2/24/2008	26.20	---	---	---	11.17	15.03	15.03
RWx-2	3/24/2008	26.20	---	---	---	11.10	15.10	15.10
RWx-2	8/25/2008	26.20	12.48	13.72	0.02	12.50	13.72	13.73
RWx-2	2/18/2009	26.20	---	---	---	11.15	15.05	15.05
RWx-2	8/25/2009	26.20	---	---	---	13.81	12.39	12.39
RWx-2	3/22/2010	26.20	---	---	---	9.40	16.80	16.80
RWx-2	8/23/2010	26.20	---	---	---	10.60	15.60	15.60
RWx-2	2/7/2011	26.20	---	---	---	9.21	16.99	---
RWx-2	5/27/2011	26.20	---	---	Not Monitored	---	---	---
RWx-2	11/14/2016	26.20	---	---	---	6.32	19.88	---
RWx-2	11/18/2016	26.20	---	---	---	---	---	13.98
RWx-2	2/17/2017	26.20	6.17	20.03	0.01	6.18	20.03	14.36
RWx-2	5/26/2017	26.20	---	---	---	8.29	17.91	14.49
RWx-2	9/26/2017	26.20	---	---	---	13.84	12.36	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
RWX-2	9/28/2017	---	---	---	---	---	---	---
RWX-2	12/14/2017	26.20	---	---	---	5.78	20.42	---
RWX-2	2/26/2018	26.20	---	---	---	6.82	19.38	---
RWX-2	6/11/2018	26.20	---	---	---	10.49	15.71	---
RWX-2	6/27/2018	26.20	---	---	---	11.09	15.11	---
RWX-2	8/29/2018	26.20	---	---	---	14.19	12.01	---
RWX-2	12/17/2018	26.20	---	---	---	5.39	20.81	---
RW-3	11/20/2002	22.03	8.45	13.58	0.80	9.25	13.38	---
RW-3	11/21/2002	22.03	8.27	13.76	1.20	9.47	13.46	---
RW-3	11/22/2002	22.03	8.18	13.85	1.28	9.46	13.53	---
RW-3	11/24/2002	22.03	7.94	14.09	1.68	9.62	13.67	14.93
RW-3	1/2/2003	22.03	6.52	15.51	0.04	6.56	15.50	15.53
RW-3	1/3/2003	22.03	6.38	15.65	0.23	6.61	15.59	15.77
RW-3	1/6/2003	22.03	5.92	16.11	0.03	5.95	16.10	16.13
RW-3	1/7/2003	22.03	5.81	16.22	0.04	5.85	16.21	16.24
RW-3	1/8/2003	22.03	5.74	16.29	0.05	5.79	16.28	16.32
RW-3	1/9/2003	22.03	5.78	16.25	0.05	5.83	16.24	16.28
RW-3	1/10/2003	22.03	5.88	16.15	0.05	5.93	16.14	16.18
RW-3	1/13/2003	22.03	6.02	16.01	0.08	6.10	15.99	16.05
RW-3	1/14/2003	22.03	5.97	16.06	0.09	6.06	16.04	16.11
RW-3	1/15/2003	22.03	5.87	16.16	0.12	5.99	16.13	16.22
RW-3	1/16/2003	22.03	5.89	16.14	0.09	5.98	16.12	16.19
RW-3	1/17/2003	22.03	5.85	16.18	0.07	5.92	16.16	16.22
RW-3	1/20/2003	22.03	5.98	16.05	0.13	6.11	16.02	16.12
RW-3	1/22/2003	22.03	5.91	16.12	0.09	6.00	16.10	16.17
RW-3	1/23/2003	22.03	6.20	15.83	0.49	6.69	15.71	16.08
RW-3	1/24/2003	22.03	6.02	16.01	0.24	6.26	15.95	16.13
RW-3	1/27/2003	22.03	5.57	16.46	0.08	5.65	16.44	16.50
RW-3	1/28/2003	22.03	5.55	16.48	0.07	5.62	16.46	16.52
RW-3	1/29/2003	22.03	5.44	16.59	0.06	5.50	16.58	16.62
RW-3	1/30/2003	22.03	5.56	16.47	0.06	5.62	16.46	16.50
RW-3	2/3/2003	22.03	5.75	16.28	0.10	5.85	16.26	16.33
RW-3	2/6/2003	22.85	6.44	16.41	0.12	6.56	16.38	16.47
RW-3	2/11/2003	22.85	6.81	16.04	0.32	7.13	15.96	16.20
RW-3	2/18/2003	22.85	7.29	15.56	0.88	8.17	15.34	16.00
RW-3	2/21/2003	22.85	7.19	15.66	0.75	7.94	15.47	16.04
RW-3	2/26/2003	22.85	6.73	16.12	0.31	7.04	16.04	16.28
RW-3	3/4/2003	22.85	6.83	16.02	0.34	7.17	15.94	16.19
RW-3	3/12/2003	22.85	7.38	15.47	0.06	7.44	15.46	15.50
RW-3	3/14/2003	22.85	7.21	15.64	0.07	7.28	15.62	15.68
RW-3	3/26/2003	22.85	6.52	16.33	0.01	6.53	16.33	16.34
RW-3	3/28/2003	22.85	---	---	---	7.09	15.76	15.76
RW-3	4/2/2003	22.85	---	---	---	7.05	15.80	15.80
RW-3	4/4/2003	22.85	---	---	---	7.26	15.59	15.59
RW-3	4/8/2003	22.85	---	---	---	6.90	15.95	15.95
RW-3	4/11/2003	22.85	---	---	---	7.51	15.34	15.34
RW-3	4/15/2003	22.85	---	---	---	6.67	16.18	16.18
RW-3	4/17/2003	22.85	---	---	---	7.61	15.24	15.24
RW-3	4/22/2003	22.85	---	---	---	7.61	15.24	15.24
RW-3	4/25/2003	22.85	---	---	---	7.22	15.63	15.63
RW-3	5/2/2003	22.85	8.21	14.64	0.25	8.46	14.58	14.77
RW-3	5/6/2003	22.85	8.51	14.34	0.24	8.75	14.28	14.46
RW-3	5/9/2003	22.85	8.71	14.14	0.12	8.83	14.11	14.20
RW-3	5/23/2003	22.85	9.74	13.11	0.03	9.77	13.10	13.13
RW-3	5/28/2003	22.85	8.75	14.10	0.01	8.76	14.10	14.11
RW-3	6/13/2003	22.85	9.19	13.66	0.02	9.21	13.66	13.67
RW-3	6/18/2003	22.85	9.16	13.69	0.06	9.22	13.68	13.72
RW-3	6/27/2003	22.85	---	---	---	9.50	13.35	13.35
RW-3	7/7/2003	22.85	10.05	12.80	0.06	10.11	12.79	12.83
RW-3	7/16/2003	22.85	10.02	12.83	0.01	10.03	12.83	12.84
RW-3	7/31/2003	22.85	10.18	12.67	0.11	10.29	12.64	12.73
RW-3	8/5/2003	22.85	---	---	---	Dry	NM	Dry
RW-3	8/11/2003	22.85	11.00	11.85	0.30	11.30	11.78	12.00
RW-3	8/22/2003	22.85	10.98	11.87	0.29	11.27	11.80	12.02
RW-3	8/26/2003	22.85	---	---	---	11.14	11.71	11.71
RW-3	9/2/2003	22.85	---	---	---	10.28	12.57	12.57
RW-3	9/9/2003	22.85	---	---	---	10.29	12.56	12.56
RW-3	9/19/2003	22.85	---	---	---	10.29	12.56	12.56
RW-3	10/14/2003	22.85	---	---	---	10.30	12.55	12.55
RW-3	11/20/2003	22.85	7.16	15.69	1.29	8.45	15.37	16.34
RW-3	12/3/2003	22.85	6.72	16.13	0.05	6.77	16.12	16.16
RW-3	1/19/2004	22.85	---	---	---	6.26	16.59	16.59
RW-3	2/24/2004	22.85	---	---	---	6.72	16.13	16.13
RW-3	3/15/2004	22.85	---	---	---	7.78	15.07	15.07
RW-3	4/19/2004	22.85	---	---	---	8.71	14.14	14.14
RW-3	5/17/2004	22.85	9.73	13.12	0.01	9.74	13.12	13.13
RW-3	6/22/2004	22.85	9.36	13.49	0.02	9.38	13.49	13.50
RW-3	8/18/2004	22.85	---	---	---	10.26	12.59	12.59
RW-3	9/21/2004	22.85	---	---	---	10.00	12.85	12.85
RW-3	10/19/2004	22.85	---	---	---	8.21	14.64	14.64
RW-3	11/23/2004	22.85	---	---	---	9.18	13.67	13.67
RW-3	12/21/2004	22.85	---	---	---	6.71	16.14	16.14
RW-3	1/13/2005	22.85	---	---	---	7.73	15.12	15.12
RW-3	4/28/2005	22.85	---	---	---	6.78	16.07	16.07
RW-3	6/1/2005	22.85	---	---	---	7.10	15.75	15.75
RW-3	6/29/2005	22.85	---	---	---	8.72	14.13	14.13
RW-3	7/20/2005	22.85	---	---	---	9.20	13.65	13.65
RW-3	8/22/2005	22.85	---	---	---	9.50	13.35	13.35
RW-3	9/12/2005	22.85	---	---	---	9.28	13.57	13.57
RW-3	10/12/2005	22.85	---	---	---	9.29	13.56	13.56
RW-3	11/21/2005	22.85	---	---	---	7.25	15.60	15.60
RW-3	12/27/2005	22.85	---	---	---	4.12	18.73	18.73
RW-3	1/30/2006	22.85	---	---	---	2.41	20.44	20.44
RW-3	2/16/2006	22.85	---	---	---	4.69	18.16	18.16
RW-3	3/13/2006	22.85	---	---	---	5.89	16.96	16.96
RW-3	4/18/2006	22.85	---	---	---	6.02	16.83	16.83

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
RW-3	5/12/2006	22.85	---	---	---	6.74	16.11	16.11
RW-3	6/9/2006	22.85	---	---	---	6.28	16.57	16.57
RW-3	7/13/2006	22.85	---	---	---	7.56	15.29	15.29
RW-3	8/16/2006	22.85	---	---	---	8.75	14.10	14.10
RW-3	9/19/2006	22.85	---	---	---	9.30	13.55	13.55
RW-3	10/13/2006	22.85	---	---	---	9.13	13.72	13.72
RW-3	11/20/2006	22.85	---	---	---	3.63	19.22	19.22
RW-3	12/8/2006	22.85	---	---	---	4.01	18.84	18.84
RW-3	1/19/2007	22.85	---	---	---	3.48	19.37	19.37
RW-3	2/19/2007	22.85	---	---	---	6.21	16.64	16.64
RW-3	3/15/2007	22.85	---	---	---	4.97	17.88	17.88
RW-3	4/16/2007	22.85	---	---	---	5.81	17.04	17.04
RW-3	5/14/2007	22.85	---	---	---	7.30	15.55	15.55
RW-3	6/29/2007	22.85	---	---	---	8.57	14.28	14.28
RW-3	7/20/2007	22.85	---	---	---	9.05	13.80	13.80
RW-3	8/21/2007	22.85	---	---	---	9.30	13.55	13.55
RW-3	9/10/2007	22.85	---	---	---	9.29	13.56	13.56
RW-3	10/22/2007	22.85	---	---	---	8.02	14.83	14.83
RW-3	11/28/2007	22.85	---	---	---	7.51	15.34	15.34
RW-3	12/13/2007	22.85	---	---	---	6.82	16.03	16.03
RW-3	1/21/2008	22.85	---	---	---	6.29	16.56	16.56
RW-3	2/24/2008	22.85	---	---	---	7.00	15.85	15.85
RW-3	3/24/2008	22.85	---	---	---	6.68	16.17	16.17
RW-3	8/25/2008	22.85	---	---	---	8.15	14.70	14.70
RW-3	2/18/2009	22.85	---	---	---	7.24	15.61	15.61
RW-3	8/25/2009	22.85	---	---	---	9.33	13.52	13.52
RW-3	3/22/2010	22.85	---	---	---	6.24	16.61	16.61
RW-3	8/23/2010	22.85	---	---	---	8.85	14.00	14.00
RW-3	2/7/2011	22.85	---	---	---	5.16	17.69	---
RW-3	5/27/2011	22.85	---	---	---	6.38	16.47	---
RW-3	8/8/2011	22.85	---	---	---	8.97	13.88	---
RW-3	11/14/2011	22.85	---	---	---	8.10	14.75	---
RW-3	2/20/2012	22.85	---	---	---	4.77	18.08	---
RW-3	8/22/2012	22.85	---	---	---	8.58	14.27	---
RW-3	11/5/2012	22.85	---	---	---	5.12	17.73	---
RW-3	1/28/2013	22.85	---	---	---	4.98	17.87	---
RW-3	5/9/2013	22.85	---	---	---	6.83	16.02	---
RW-3	8/19/2013	22.85	---	---	---	9.31	13.54	---
RW-3	11/25/2013	22.85	---	---	---	6.85	16.00	---
RW-3	2/14/2014	22.85	---	---	---	4.64	18.21	---
RW-3	5/5/2014	22.85	---	---	---	4.14	18.71	---
RW-3	8/19/2014	22.85	---	---	---	9.31	13.54	---
RW-3	11/21/2014	22.85	---	---	---	6.69	16.16	---
RW-4	11/20/2002	23.02	7.50	15.52	2.64	10.14	14.86	---
RW-4	11/21/2002	23.02	7.50	15.52	2.64	10.14	14.86	16.84
RW-4	11/22/2002	23.02	8.37	14.65	0.77	9.14	14.46	16.84
RW-4	11/24/2002	23.02	7.57	15.45	2.52	10.09	14.82	15.04
RW-4	1/3/2003	23.02	6.31	16.71	0.50	6.81	16.59	16.96
RW-4	1/6/2003	23.02	6.02	17.00	0.04	6.06	16.99	17.02
RW-4	1/7/2003	23.02	5.74	17.28	0.18	5.92	17.24	17.37
RW-4	1/8/2003	23.02	5.67	17.35	0.14	5.81	17.32	17.42
RW-4	1/9/2003	23.02	5.67	17.35	0.19	5.86	17.30	17.45
RW-4	1/10/2003	23.02	5.76	17.26	0.25	6.01	17.20	17.39
RW-4	1/13/2003	23.02	5.80	17.22	0.35	6.15	17.13	17.40
RW-4	1/14/2003	23.02	5.85	17.17	0.29	6.14	17.10	17.32
RW-4	1/15/2003	23.02	5.05	17.97	1.80	6.85	17.52	18.87
RW-4	1/16/2003	23.02	5.78	17.24	0.27	6.05	17.17	17.38
RW-4	1/17/2003	23.02	5.72	17.30	0.27	5.99	17.23	17.44
RW-4	1/20/2003	23.02	5.84	17.18	0.30	6.14	17.11	17.33
RW-4	1/22/2003	23.02	5.82	17.20	0.34	6.16	17.12	17.37
RW-4	1/23/2003	23.02	6.12	16.90	0.58	6.70	16.76	17.19
RW-4	1/24/2003	23.02	5.97	17.05	0.38	6.35	16.96	17.24
RW-4	1/27/2003	23.02	5.51	17.51	0.13	5.64	17.48	17.58
RW-4	1/28/2003	23.02	5.50	17.52	0.10	5.60	17.50	17.57
RW-4	1/29/2003	23.02	5.36	17.66	0.07	5.43	17.64	17.70
RW-4	1/30/2003	23.02	5.45	17.57	0.13	5.58	17.54	17.64
RW-4	2/3/2003	23.02	5.66	17.36	0.21	5.87	17.31	17.47
RW-4	2/6/2003	23.78	6.35	17.43	0.28	6.63	17.36	17.57
RW-4	2/11/2003	23.78	6.75	17.03	0.39	7.14	16.93	17.23
RW-4	2/18/2003	23.78	7.22	16.56	1.07	8.29	16.29	17.10
RW-4	2/21/2003	23.78	7.10	16.68	0.97	8.07	16.44	17.17
RW-4	2/26/2003	23.78	6.74	17.04	0.84	7.58	16.83	17.46
RW-4	3/4/2003	23.78	7.08	16.70	0.14	7.22	16.67	16.77
RW-4	3/12/2003	23.78	7.34	16.44	0.41	7.75	16.34	16.65
RW-4	3/14/2003	23.78	7.20	16.58	0.64	7.84	16.42	16.90
RW-4	3/26/2003	23.78	6.61	17.17	0.40	7.01	17.07	17.37
RW-4	3/28/2003	23.78	7.15	16.63	0.47	7.62	16.51	16.87
RW-4	4/2/2003	23.78	7.21	16.57	0.24	7.45	16.51	16.69
RW-4	4/4/2003	23.78	7.52	16.26	0.15	7.67	16.22	16.34
RW-4	4/8/2003	23.78	---	---	---	7.26	16.52	16.52
RW-4	4/11/2003	23.78	7.72	16.06	0.03	7.75	16.05	16.08
RW-4	4/15/2003	23.78	7.14	16.64	0.06	7.20	16.63	16.67
RW-4	4/17/2003	23.78	7.82	15.96	0.08	7.90	15.94	16.00
RW-4	4/22/2003	23.78	7.87	15.91	0.08	7.95	15.89	15.95
RW-4	4/25/2003	23.78	7.91	15.87	0.11	8.02	15.84	15.93
RW-4	5/2/2003	23.78	8.32	15.46	0.13	8.45	15.43	15.53
RW-4	5/6/2003	23.78	8.50	15.28	0.31	8.81	15.20	15.44
RW-4	5/9/2003	23.78	8.72	15.06	0.36	9.08	14.97	15.24
RW-4	5/23/2003	23.78	8.92	14.86	1.11	10.03	14.58	15.42
RW-4	5/28/2003	23.78	8.80	14.98	0.02	8.82	14.98	14.99
RW-4	6/13/2003	23.78	8.90	14.88	1.72	10.62	14.45	15.74
RW-4	6/18/2003	23.78	8.85	14.93	1.96	10.81	14.44	15.91
RW-4	6/27/2003	23.78	9.40	14.38	1.42	10.82	14.03	15.09
RW-4	7/7/2003	23.78	9.54	14.24	1.27	10.81	13.92	14.88
RW-4	7/16/2003	23.78	9.41	14.37	1.40	10.81	14.02	15.07
RW-4	7/31/2003	23.78	9.95	13.83	0.85	10.80	13.62	14.26

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
RW-4	8/5/2003	23.78	9.82	13.96	0.98	10.80	13.72	14.45
RW-4	8/11/2003	23.78	10.84	12.94	0.94	11.78	12.71	13.41
RW-4	8/22/2003	23.78	10.87	12.91	0.92	11.79	12.68	13.37
RW-4	8/26/2003	23.78	10.36	13.42	0.44	10.80	13.31	13.64
RW-4	9/2/2003	23.78	10.22	13.56	0.58	10.80	13.42	13.85
RW-4	9/9/2003	23.78	---	---	---	10.80	12.98	12.98
RW-4	9/19/2003	23.78	---	---	---	10.81	12.97	12.97
RW-4	10/14/2003	23.78	---	---	---	10.80	12.98	12.98
RW-4	11/20/2003	23.78	7.96	15.82	1.54	9.50	15.44	16.59
RW-4	12/3/2003	23.78	6.75	17.03	1.03	7.78	16.77	17.55
RW-4	1/19/2004	23.78	6.18	17.60	0.06	6.24	17.59	17.63
RW-4	2/24/2004	23.78	6.97	16.81	0.06	7.03	16.80	16.84
RW-4	3/15/2004	23.78	---	---	---	8.10	15.68	15.68
RW-4	4/19/2004	23.78	---	---	---	8.71	15.07	15.07
RW-4	5/17/2004	23.78	---	---	---	9.73	14.05	14.05
RW-4	6/22/2004	23.78	---	---	---	9.57	14.21	14.21
RW-4	8/18/2004	23.78	10.35	13.43	0.42	10.77	13.33	13.64
RW-4	9/21/2004	23.78	9.53	14.25	0.19	9.72	14.20	14.35
RW-4	10/19/2004	23.78	8.63	15.15	0.39	9.02	15.05	15.35
RW-4	11/23/2004	23.78	8.94	14.84	0.05	8.99	14.83	14.87
RW-4	12/21/2004	23.78	6.68	17.10	0.08	6.76	17.08	17.14
RW-4	1/13/2005	23.78	---	---	---	7.74	16.04	16.04
RW-4	4/28/2005	23.78	---	---	---	6.77	17.01	17.01
RW-4	6/1/2005	23.78	---	---	---	7.02	16.76	16.76
RW-4	6/29/2005	23.78	---	---	Not Monitored	---	---	NM
RW-4	7/20/2005	23.78	---	---	Not Monitored	---	---	NM
RW-4	8/22/2005	23.78	---	---	---	9.50	14.28	11.18
RW-4	9/12/2005	23.78	---	---	---	10.31	13.47	13.47
RW-4	10/12/2005	23.78	10.69	13.09	0.13	10.82	13.06	13.16
RW-4	11/21/2005	23.78	---	---	---	8.40	15.38	15.38
RW-4	12/27/2005	23.78	---	---	---	5.14	18.64	18.64
RW-4	1/30/2006	23.78	---	---	---	3.40	20.38	20.38
RW-4	2/16/2006	23.78	---	---	---	5.65	18.13	18.13
RW-4	3/13/2006	23.78	---	---	---	6.81	16.97	16.97
RW-4	4/18/2006	23.78	---	---	---	6.95	16.83	16.83
RW-4	5/12/2006	23.78	---	---	---	7.69	16.09	16.09
RW-4	6/9/2006	23.78	---	---	---	7.25	16.53	16.53
RW-4	7/13/2006	23.78	---	---	---	8.56	15.22	15.22
RW-4	8/16/2006	23.78	---	---	---	9.70	14.08	14.08
RW-4	9/19/2006	23.78	---	---	---	10.30	13.48	13.48
RW-4	10/13/2006	23.78	---	---	---	10.05	13.73	13.73
RW-4	11/20/2006	23.78	---	---	---	4.64	19.14	19.14
RW-4	12/8/2006	23.78	---	---	---	5.00	18.78	18.78
RW-4	1/19/2007	23.78	---	---	---	4.47	19.31	19.31
RW-4	2/19/2007	23.78	---	---	---	7.16	16.62	16.62
RW-4	3/15/2007	23.78	---	---	---	5.91	17.87	17.87
RW-4	4/16/2007	23.78	---	---	---	6.75	17.03	17.03
RW-4	5/14/2007	23.78	---	---	---	8.22	15.56	15.56
RW-4	6/29/2007	23.78	---	---	---	9.54	14.24	14.24
RW-4	7/20/2007	23.78	---	---	---	10.02	13.76	13.76
RW-4	8/21/2007	23.78	---	---	---	10.72	13.06	13.06
RW-4	9/10/2007	23.78	---	---	---	10.71	13.07	13.07
RW-4	10/22/2007	23.78	---	---	---	8.88	14.90	14.90
RW-4	11/28/2007	23.78	---	---	Not Monitored	---	---	NM
RW-4	12/13/2007	23.78	---	---	---	7.22	16.56	16.56
RW-4	1/21/2008	23.78	---	---	---	7.22	16.56	16.56
RW-4	2/24/2008	23.78	---	---	---	7.91	15.87	15.87
RW-4	3/24/2008	23.78	---	---	---	7.69	16.09	16.09
RW-4	8/25/2008	23.78	---	---	---	9.18	14.60	14.60
RW-4	2/18/2009	23.78	---	---	---	8.17	15.61	15.61
RW-4	8/25/2009	23.78	---	---	---	10.85	12.93	12.93
RW-4	3/22/2010	23.78	---	---	---	7.17	16.61	16.61
RW-4	8/23/2010	23.78	---	---	---	9.89	13.89	13.89
RW-4	2/7/2011	23.78	---	---	---	6.11	17.67	---
RW-4	5/27/2011	23.78	---	---	Not Monitored	---	---	---
RW-4	8/8/2011	23.78	---	---	---	9.85	13.93	---
RW-4	11/14/2011	23.78	---	---	---	9.06	14.72	---
RW-4	2/20/2012	23.78	---	---	---	5.12	18.66	---
RW-4	8/22/2012	23.78	---	---	---	9.51	14.27	---
RW-4	11/5/2012	23.78	---	---	---	6.07	17.71	---
RW-4	1/28/2013	23.78	---	---	---	5.94	17.84	---
RW-4	5/9/2013	23.78	---	---	---	7.77	16.01	---
RW-4	8/19/2013	23.78	---	---	---	10.37	13.41	---
RW-4	11/25/2013	23.78	---	---	---	7.76	16.02	---
RW-4	2/14/2014	23.78	---	---	---	5.57	18.21	---
RW-4	5/5/2014	23.78	---	---	---	5.08	18.70	---
RW-4	8/19/2014	23.78	---	---	---	10.29	13.49	---
RW-4	11/21/2014	23.78	---	---	---	7.67	16.11	---
RW-5	11/20/2002	23.70	8.65	15.05	0.02	8.67	15.05	---
RW-5	11/21/2002	23.70	8.30	15.40	0.10	8.40	15.38	15.06
RW-5	11/22/2002	23.70	8.46	15.24	0.06	8.52	15.23	15.45
RW-5	11/24/2002	23.70	8.63	15.07	0.28	8.91	15.00	15.27
RW-5	1/2/2003	23.70	6.87	16.83	0.04	6.91	16.82	16.85
RW-5	1/3/2003	23.70	6.77	16.93	0.03	6.80	16.92	16.95
RW-5	1/6/2003	23.70	6.46	17.24	0.04	6.50	17.23	17.26
RW-5	1/7/2003	23.70	6.36	17.34	0.06	6.42	17.33	17.37
RW-5	1/8/2003	23.70	6.13	17.57	0.03	6.16	17.56	17.59
RW-5	1/9/2003	23.70	6.25	17.45	0.03	6.28	17.44	17.47
RW-5	1/10/2003	23.70	6.43	17.27	0.04	6.47	17.26	17.29
RW-5	1/13/2003	23.70	6.48	17.22	0.03	6.51	17.21	17.24
RW-5	1/14/2003	23.70	6.44	17.26	0.05	6.49	17.25	17.29
RW-5	1/15/2003	23.70	6.37	17.33	0.04	6.41	17.32	17.35
RW-5	1/16/2003	23.70	6.40	17.30	0.02	6.42	17.30	17.31
RW-5	1/17/2003	23.70	6.37	17.33	0.04	6.41	17.32	17.35
RW-5	1/20/2003	23.70	6.57	17.13	0.05	6.62	17.12	17.16
RW-5	1/22/2003	23.70	6.60	17.10	0.08	6.68	17.08	17.14

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
RW-5	1/23/2003	23.70	6.83	16.87	0.07	6.90	16.85	16.91
RW-5	1/24/2003	23.70	6.69	17.01	0.03	6.72	17.00	17.03
RW-5	1/27/2003	23.70	5.97	17.73	0.06	6.03	17.72	17.76
RW-5	1/28/2003	23.70	5.95	17.75	0.09	6.04	17.73	17.80
RW-5	1/29/2003	23.70	5.82	17.88	0.12	5.94	17.85	17.94
RW-5	1/30/2003	23.70	5.90	17.80	0.10	6.00	17.78	17.85
RW-5	2/3/2003	23.70	6.34	17.36	0.07	6.41	17.34	17.40
RW-5	2/6/2003	24.44	7.12	17.32	0.06	7.18	17.31	17.35
RW-5	2/11/2003	24.44	7.63	16.81	0.07	7.70	16.79	16.85
RW-5	2/18/2003	24.44	8.11	16.33	0.14	8.25	16.30	16.40
RW-5	2/21/2003	24.44	7.99	16.45	0.03	8.02	16.44	16.47
RW-5	2/26/2003	24.44	7.74	16.70	0.01	7.75	16.70	16.71
RW-5	3/4/2003	24.44	---	---	---	7.59	16.85	16.85
RW-5	3/12/2003	24.44	8.04	16.40	0.01	8.05	16.40	16.41
RW-5	3/14/2003	24.44	7.84	16.60	0.01	7.85	16.60	16.61
RW-5	3/26/2003	24.44	---	---	---	7.19	17.25	17.25
RW-5	3/28/2003	24.44	---	---	---	7.71	16.73	16.73
RW-5	4/2/2003	24.44	---	---	---	7.85	16.59	16.59
RW-5	4/4/2003	24.44	---	---	---	8.16	16.28	16.28
RW-5	4/8/2003	24.44	7.71	16.73	0.00	7.72	16.73	16.73
RW-5	4/11/2003	24.44	---	---	---	7.78	16.66	16.66
RW-5	4/15/2003	24.44	7.44	17.00	0.01	7.45	17.00	17.01
RW-5	4/17/2003	24.44	---	---	---	7.91	16.53	16.53
RW-5	4/22/2003	24.44	---	---	---	7.75	16.69	16.69
RW-5	4/25/2003	24.44	---	---	---	7.84	16.60	16.60
RW-5	5/2/2003	24.44	---	---	---	8.78	15.66	15.66
RW-5	5/6/2003	24.44	9.05	15.39	0.01	9.06	15.39	15.40
RW-5	5/9/2003	24.44	9.06	15.38	0.05	9.11	15.37	15.41
RW-5	5/23/2003	24.44	9.08	15.36	0.01	9.09	15.36	15.37
RW-5	5/28/2003	24.44	9.27	15.17	0.01	9.28	15.17	15.18
RW-5	6/13/2003	24.44	9.85	14.59	0.06	9.91	14.58	14.62
RW-5	6/18/2003	24.44	9.81	14.63	0.08	9.89	14.61	14.67
RW-5	6/27/2003	24.44	9.26	15.18	0.22	9.48	15.13	15.29
RW-5	7/7/2003	24.44	10.51	13.93	0.19	10.70	13.88	14.03
RW-5	7/16/2003	24.44	10.29	14.15	0.16	10.45	14.11	14.23
RW-5	7/31/2003	24.44	---	---	---	10.68	13.76	13.76
RW-5	8/5/2003	24.44	---	---	---	10.68	13.76	13.76
RW-5	8/11/2003	24.44	---	---	---	11.68	12.76	12.76
RW-5	8/22/2003	24.44	11.57	12.87	0.08	11.65	12.85	12.91
RW-5	8/26/2003	24.44	---	---	---	10.68	13.76	13.76
RW-5	9/2/2003	24.44	---	---	---	10.67	13.77	13.77
RW-5	9/9/2003	24.44	---	---	---	10.68	13.76	13.76
RW-5	9/19/2003	24.44	---	---	---	10.68	13.76	13.76
RW-5	10/14/2003	24.44	---	---	---	10.65	13.79	13.79
RW-5	11/20/2003	24.44	---	---	---	8.20	16.24	16.24
RW-5	12/3/2003	24.44	---	---	---	7.15	17.29	17.29
RW-5	1/19/2004	24.44	---	---	---	6.71	17.73	17.73
RW-5	2/24/2004	24.44	---	---	---	7.68	16.76	16.76
RW-5	3/15/2004	24.44	---	---	---	8.58	15.86	15.86
RW-5	4/19/2004	24.44	---	---	---	9.47	14.97	14.97
RW-5	5/17/2004	24.44	---	---	---	10.28	14.16	14.16
RW-5	6/22/2004	24.44	---	---	---	9.76	14.68	14.68
RW-5	8/18/2004	24.44	10.69	13.75	0.01	10.70	13.75	13.76
RW-5	9/21/2004	24.44	---	---	---	9.35	15.09	15.09
RW-5	10/19/2004	24.44	---	---	---	8.55	15.89	15.89
RW-5	11/23/2004	24.44	---	---	---	8.94	15.50	15.50
RW-5	12/21/2004	24.44	---	---	---	7.48	16.96	16.96
RW-5	1/13/2005	24.44	---	---	---	8.38	16.06	16.06
RW-5	4/28/2005	24.44	---	---	---	7.78	16.66	16.66
RW-5	6/1/2005	24.44	---	---	---	8.08	16.36	16.36
RW-5	6/29/2005	24.44	---	---	---	9.28	15.16	15.16
RW-5	7/20/2005	24.44	---	---	Not Monitored	---	---	NM
RW-5	8/22/2005	24.44	---	---	---	10.45	13.99	13.99
RW-5	5/27/2011	24.44	---	---	Not Monitored	---	---	---
RWx-5	9/12/2005	24.97	---	---	---	13.43	11.54	11.54
RWx-5	10/12/2005	24.97	---	---	---	13.32	11.65	11.65
RWx-5	11/21/2005	24.97	10.88	14.09	0.03	10.91	14.08	14.11
RWx-5	12/27/2005	24.97	8.39	16.58	0.21	8.60	16.53	16.69
RWx-5	1/30/2006	24.97	7.85	17.12	0.01	7.86	17.12	17.13
RWx-5	2/16/2006	24.97	7.77	17.20	0.21	7.98	17.15	17.31
RWx-5	3/13/2006	24.97	7.74	17.23	0.07	7.81	17.21	17.27
RWx-5	4/18/2006	24.97	8.95	16.02	0.23	9.18	15.96	16.14
RWx-5	5/12/2006	24.97	9.33	15.64	0.13	9.46	15.61	15.71
RWx-5	6/9/2006	24.97	8.87	16.10	0.03	8.90	16.09	16.12
RWx-5	7/13/2006	24.97	10.05	14.92	0.25	10.30	14.86	15.05
RWx-5	8/16/2006	24.97	11.10	13.87	0.27	11.37	13.80	14.01
RWx-5	9/19/2006	24.97	---	---	---	11.67	13.30	13.30
RWx-5	10/13/2006	24.97	11.45	13.52	0.15	11.60	13.48	13.60
RWx-5	11/20/2006	24.97	---	---	---	6.86	18.11	18.11
RWx-5	12/8/2006	24.97	---	---	---	7.25	17.72	17.72
RWx-5	1/19/2007	24.97	---	---	---	6.60	18.37	18.37
RWx-5	2/19/2007	24.97	---	---	---	8.90	16.07	16.07
RWx-5	3/15/2007	24.97	---	---	---	7.77	17.20	17.20
RWx-5	4/16/2007	24.97	---	---	---	8.35	16.62	16.62
RWx-5	5/14/2007	24.97	---	---	---	9.77	15.20	15.20
RWx-5	6/29/2007	24.97	---	---	---	10.92	14.05	14.05
RWx-5	7/20/2007	24.97	---	---	---	11.37	13.60	13.60
RWx-5	8/21/2007	24.97	---	---	---	12.05	12.92	12.92
RWx-5	9/10/2007	24.97	12.10	---	---	12.11	12.86	12.86
RWx-5	10/22/2007	24.97	---	---	---	10.52	14.45	14.45
RWx-5	11/28/2007	24.97	---	---	---	9.95	15.02	15.02
RWx-5	12/13/2007	24.97	---	---	---	8.71	16.26	16.26
RWx-5	1/21/2008	24.97	---	---	---	8.75	16.22	16.22
RWx-5	2/24/2008	24.97	---	---	---	12.21	12.76	12.76
RWx-5	3/24/2008	24.97	---	---	---	9.36	15.61	15.61
RWx-5	8/25/2008	24.97	---	---	---	11.17	13.80	13.80

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
RWx-5	2/18/2009	24.97	---	---	---	9.92	15.05	15.05
RWx-5	8/25/2009	24.97	---	---	---	12.58	12.39	12.39
RWx-5	3/22/2010	24.97	---	---	---	9.02	15.95	15.95
RWx-5	8/23/2010	24.97	---	---	---	11.57	13.40	13.40
RWx-5	2/7/2011	24.97	---	---	---	8.15	16.82	---
RWx-5	5/27/2011	24.97	---	---	---	9.16	15.81	---
RWx-5	8/8/2011	24.97	---	---	---	11.63	13.34	---
RWx-5	11/14/2011	24.97	---	---	---	10.56	14.41	---
RWx-5	2/20/2012	24.97	---	---	---	8.21	16.76	---
RWx-5	8/22/2012	24.97	---	---	---	11.25	13.72	---
RWx-5	11/5/2012	24.97	---	---	---	8.52	16.45	---
RWx-5	1/28/2013	24.97	---	---	---	8.07	16.90	---
RWx-5	5/9/2013	24.97	---	---	---	10.61	14.36	---
RWx-5	8/19/2013	24.97	---	---	---	12.71	12.26	---
RWx-5	11/25/2013	24.97	---	---	---	9.12	15.85	---
RWx-5	2/14/2014	24.97	---	---	---	6.71	18.26	---
RWx-5	5/5/2014	24.97	---	---	---	6.28	18.69	---
RWx-5	8/19/2014	24.97	---	---	---	11.97	13.00	---
RWx-5	11/21/2014	24.97	---	---	---	9.00	15.97	---
RW-6	11/20/2002	23.43	8.05	15.38	2.05	10.10	14.87	---
RW-6	11/21/2002	23.43	8.40	15.03	0.15	8.55	14.99	16.41
RW-6	11/22/2002	23.43	8.45	14.98	0.24	8.69	14.92	15.11
RW-6	11/24/2002	23.43	8.65	14.78	0.33	8.98	14.70	15.10
RW-6	1/2/2003	23.43	6.70	16.73	0.87	7.57	16.51	17.17
RW-6	1/7/2003	23.43	6.50	16.93	0.26	6.76	16.87	17.06
RW-6	1/8/2003	23.43	6.09	17.34	0.51	6.60	17.21	17.60
RW-6	1/9/2003	23.43	6.28	17.15	0.38	6.66	17.06	17.34
RW-6	1/10/2003	23.43	6.42	17.01	0.23	6.65	16.95	17.13
RW-6	1/13/2003	23.43	8.16	15.27	0.07	8.23	15.25	15.31
RW-6	1/14/2003	23.43	6.73	16.70	0.20	6.93	16.65	16.80
RW-6	1/15/2003	23.43	6.30	17.13	0.60	6.90	16.98	17.43
RW-6	1/16/2003	23.43	6.28	17.15	0.65	6.93	16.99	17.48
RW-6	1/17/2003	23.43	6.29	17.14	0.00	6.29	17.14	17.14
RW-6	1/20/2003	23.43	6.31	17.12	0.63	6.94	16.96	17.44
RW-6	1/22/2003	23.43	6.41	17.02	0.75	7.16	16.83	17.40
RW-6	1/23/2003	23.43	6.60	16.83	0.80	7.40	16.63	17.23
RW-6	1/24/2003	23.43	6.45	16.98	0.76	7.21	16.79	17.36
RW-6	1/27/2003	23.43	5.82	17.61	0.62	6.44	17.46	17.92
RW-6	1/28/2003	23.43	5.90	17.53	0.39	6.29	17.43	17.73
RW-6	1/29/2003	23.43	5.81	17.62	0.35	6.16	17.53	17.80
RW-6	1/30/2003	23.43	5.92	17.51	0.28	6.20	17.44	17.65
RW-6	2/3/2003	23.43	6.25	17.18	0.19	6.44	17.13	17.28
RW-6	2/6/2003	24.18	6.96	17.22	0.18	7.14	17.18	17.31
RW-6	2/11/2003	24.18	7.44	16.74	0.31	7.75	16.66	16.90
RW-6	2/18/2003	24.18	7.90	16.28	0.51	8.41	16.15	16.54
RW-6	2/21/2003	24.18	7.86	16.32	0.47	8.33	16.20	16.56
RW-6	2/26/2003	24.18	7.76	16.42	0.01	7.77	16.42	16.43
RW-6	3/4/2003	24.18	---	---	---	7.46	16.72	16.72
RW-6	3/12/2003	24.18	8.01	16.17	0.01	8.02	16.17	16.18
RW-6	3/14/2003	24.18	---	---	---	7.81	16.37	16.37
RW-6	3/26/2003	24.18	---	---	---	7.02	17.16	17.16
RW-6	3/28/2003	24.18	---	---	---	7.62	16.56	16.56
RW-6	4/2/2003	24.18	---	---	---	7.74	16.44	16.44
RW-6	4/4/2003	24.18	---	---	---	8.07	16.11	16.11
RW-6	4/8/2003	24.18	---	---	---	7.69	16.49	16.49
RW-6	4/11/2003	24.18	7.61	16.57	0.01	7.62	16.57	16.58
RW-6	4/15/2003	24.18	---	---	---	7.29	16.89	16.89
RW-6	4/17/2003	24.18	7.78	16.40	0.01	7.79	16.40	16.41
RW-6	4/22/2003	24.18	---	---	---	7.81	16.37	16.37
RW-6	4/25/2003	24.18	---	---	---	7.75	16.43	16.43
RW-6	5/2/2003	24.18	---	---	---	8.66	15.52	15.52
RW-6	5/6/2003	24.18	8.84	15.34	0.28	9.12	15.27	15.48
RW-6	5/9/2003	24.18	8.82	15.36	0.43	9.25	15.25	15.58
RW-6	5/23/2003	24.18	8.85	15.33	0.86	9.71	15.12	15.76
RW-6	5/28/2003	24.18	8.93	15.25	1.08	10.01	14.98	15.79
RW-6	6/13/2003	24.18	9.28	14.90	0.81	10.09	14.70	15.31
RW-6	6/18/2003	24.18	9.22	14.96	1.53	10.75	14.58	15.73
RW-6	6/27/2003	24.18	9.60	14.58	1.22	10.82	14.28	15.19
RW-6	7/7/2003	24.18	9.90	14.28	0.91	10.81	14.05	14.74
RW-6	7/16/2003	24.18	9.68	14.50	1.08	10.76	14.23	15.04
RW-6	7/31/2003	24.18	10.34	13.84	0.42	10.76	13.74	14.05
RW-6	8/5/2003	24.18	10.30	13.88	0.45	10.75	13.77	14.11
RW-6	8/11/2003	24.18	11.35	12.83	0.39	11.74	12.73	13.03
RW-6	8/22/2003	24.18	11.10	13.08	0.64	11.74	12.92	13.40
RW-6	8/26/2003	24.18	10.71	13.47	0.05	10.76	13.46	13.50
RW-6	9/2/2003	24.18	10.61	13.57	0.14	10.75	13.54	13.64
RW-6	9/9/2003	24.18	---	---	---	10.76	13.42	13.42
RW-6	9/19/2003	24.18	---	---	---	10.76	13.42	13.42
RW-6	10/14/2003	24.18	---	---	---	10.75	13.43	13.43
RW-6	11/20/2003	24.18	---	---	---	8.50	15.68	15.68
RW-6	12/3/2003	24.18	---	---	---	7.08	17.10	17.10
RW-6	1/19/2004	24.18	---	---	---	6.62	17.56	17.56
RW-6	2/24/2004	24.18	---	---	---	7.58	16.60	16.60
RW-6	3/15/2004	24.18	---	---	---	8.57	15.61	15.61
RW-6	4/19/2004	24.18	---	---	---	9.36	14.82	14.82
RW-6	5/17/2004	24.18	---	---	---	10.15	14.03	14.03
RW-6	6/22/2004	24.18	---	---	---	9.91	14.27	14.27
RW-6	8/18/2004	24.18	10.72	13.46	0.01	10.73	13.46	13.47
RW-6	9/21/2004	24.18	---	---	---	9.73	14.45	14.45
RW-6	10/19/2004	24.18	---	---	---	8.83	15.35	15.35
RW-6	11/23/2004	24.18	---	---	---	8.86	15.32	15.32
RW-6	12/21/2004	24.18	---	---	---	7.33	16.85	16.85
RW-6	1/13/2005	24.18	---	---	---	8.22	15.96	15.96
RW-6	4/28/2005	24.18	---	---	---	7.65	16.53	16.53
RW-6	6/1/2005	24.18	---	---	---	7.95	16.23	16.23
RW-6	6/29/2005	24.18	---	---	---	9.21	14.97	14.97

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
RW-6	7/20/2005	24.18	---	---	---	9.81	14.37	14.37
RW-6	8/22/2005	24.18	---	---	---	10.20	13.98	13.98
RW-6	9/12/2005	24.18	---	---	---	10.77	13.41	13.41
RW-6	10/12/2005	24.18	---	---	---	10.77	13.41	13.41
RW-6	11/21/2005	24.18	---	---	---	9.96	14.22	14.22
RW-6	12/27/2005	24.18	---	---	---	7.45	16.73	16.73
RW-6	1/30/2006	24.18	---	---	---	4.72	19.46	19.46
RW-6	2/16/2006	24.18	---	---	---	6.86	17.32	17.32
RW-6	3/13/2006	24.18	---	---	---	7.82	16.36	16.36
RW-6	4/18/2006	24.18	---	---	---	8.04	16.14	16.14
RW-6	5/12/2006	24.18	---	---	---	8.52	15.66	15.66
RW-6	6/9/2006	24.18	---	---	---	8.10	16.08	16.08
RW-6	7/13/2006	24.18	---	---	---	9.26	14.92	14.92
RW-6	8/16/2006	24.18	---	---	---	10.25	13.93	13.93
RW-6	9/19/2006	24.18	---	---	---	10.77	13.41	13.41
RW-6	10/13/2006	24.18	---	---	---	10.56	13.62	13.62
RW-6	11/20/2006	24.18	---	---	---	6.05	18.13	18.13
RW-6	12/8/2006	24.18	---	---	---	6.39	17.79	17.79
RW-6	1/19/2007	24.18	---	---	---	5.68	18.50	18.50
RW-6	2/19/2007	24.18	---	---	---	7.95	16.23	16.23
RW-6	3/15/2007	24.18	---	---	---	6.96	17.22	17.22
RW-6	4/16/2007	24.18	---	---	---	7.61	16.57	16.57
RW-6	5/14/2007	24.18	---	---	---	8.90	15.28	15.28
RW-6	6/29/2007	24.18	---	---	---	10.10	14.08	14.08
RW-6	7/20/2007	24.18	---	---	---	10.53	13.65	13.65
RW-6	8/21/2007	24.18	---	---	---	10.75	13.43	13.43
RW-6	9/10/2007	24.18	---	---	---	10.76	13.42	13.42
RW-6	10/22/2007	24.18	---	---	---	9.22	14.96	14.96
RW-6	11/28/2007	24.18	---	---	---	8.94	15.24	15.24
RW-6	12/13/2007	24.18	---	---	---	7.47	16.71	16.71
RW-6	1/21/2008	24.18	---	---	---	7.79	16.39	16.39
RW-6	2/24/2008	24.18	---	---	---	10.61	13.57	13.57
RW-6	3/24/2008	24.18	---	---	---	8.45	15.73	15.73
RW-6	8/25/2008	24.18	---	---	---	9.80	14.38	14.38
RW-6	2/18/2009	24.18	---	---	---	8.85	15.33	15.33
RW-6	8/25/2009	24.18	---	---	---	10.80	13.38	13.38
RW-6	3/22/2010	24.18	---	---	---	8.19	15.99	15.99
RW-6	8/23/2010	24.18	---	---	---	10.20	13.98	13.98
RW-6	2/7/2011	24.18	---	---	---	7.25	16.93	---
RW-6	5/27/2011	24.18	---	---	Not Monitored	---	---	---
RW-6	8/8/2011	24.18	---	---	---	10.31	13.87	---
RW-6	11/14/2011	24.18	---	---	---	9.56	14.62	---
RW-6	2/20/2012	24.18	---	---	---	7.19	16.99	---
RW-6	8/22/2012	24.18	---	---	---	10.07	14.11	---
RW-6	11/5/2012	24.18	---	---	---	7.63	16.55	---
RW-6	1/28/2013	24.18	---	---	---	7.16	17.02	---
RW-6	5/9/2013	24.18	---	---	---	8.22	15.96	---
RW-6	8/19/2013	24.18	---	---	---	10.80	13.38	---
RW-6	11/25/2013	24.18	---	---	---	8.32	15.86	---
RW-6	11/25/2013	24.18	---	---	---	8.32	15.86	---
RW-6	2/14/2014	24.18	---	---	---	6.76	17.42	---
RW-6	5/5/2014	24.18	---	---	---	5.99	18.19	---
RW-6	8/19/2014	24.18	---	---	---	10.57	13.61	---
RW-6	11/21/2014	24.18	---	---	---	5.54	18.64	---
RW-7	11/20/2002	23.01	7.65	15.36	2.46	10.11	14.75	---
RW-7	11/21/2002	23.01	7.60	15.41	2.51	10.11	14.78	16.59
RW-7	11/22/2002	23.01	8.03	14.98	1.75	9.78	14.54	16.67
RW-7	11/24/2002	23.01	8.23	14.78	1.26	9.49	14.47	15.86
RW-7	1/2/2003	23.01	6.44	16.57	0.40	6.84	16.47	16.77
RW-7	1/3/2003	23.01	6.28	16.73	0.40	6.68	16.63	16.93
RW-7	1/6/2003	23.01	5.93	17.08	0.12	6.05	17.05	17.14
RW-7	1/7/2003	23.01	5.84	17.17	0.20	6.04	17.12	17.27
RW-7	1/8/2003	23.01	5.66	17.35	0.20	5.86	17.30	17.45
RW-7	1/9/2003	23.01	5.72	17.29	0.33	6.05	17.21	17.46
RW-7	1/10/2003	23.01	5.90	17.11	0.25	6.15	17.05	17.24
RW-7	1/13/2003	23.01	5.98	17.03	0.37	6.35	16.94	17.22
RW-7	1/14/2003	23.01	5.97	17.04	0.27	6.24	16.97	17.18
RW-7	1/15/2003	23.01	5.95	17.06	0.30	6.25	16.99	17.21
RW-7	1/16/2003	23.01	5.84	17.17	0.41	6.25	17.07	17.38
RW-7	1/17/2003	23.01	5.85	17.16	0.35	6.20	17.07	17.34
RW-7	1/20/2003	23.01	6.02	16.99	0.53	6.55	16.86	17.26
RW-7	1/22/2003	23.01	6.11	16.90	0.80	6.91	16.70	17.30
RW-7	1/23/2003	23.01	6.25	16.76	1.05	7.30	16.50	17.29
RW-7	1/24/2003	23.01	6.16	16.85	1.03	7.19	16.59	17.37
RW-7	1/27/2003	23.01	5.60	17.41	0.58	6.18	17.27	17.70
RW-7	1/28/2003	23.01	5.65	17.36	0.63	6.28	17.20	17.68
RW-7	1/29/2003	23.01	5.55	17.46	0.65	6.20	17.30	17.79
RW-7	1/30/2003	23.01	5.65	17.36	0.67	6.32	17.19	17.70
RW-7	2/3/2003	23.01	5.91	17.10	0.76	6.67	16.91	17.48
RW-7	2/6/2003	23.78	6.55	17.23	0.79	7.34	17.03	17.63
RW-7	2/11/2003	23.78	6.99	16.79	1.08	8.07	16.52	17.33
RW-7	2/21/2003	23.78	7.42	16.36	0.99	8.41	16.11	16.86
RW-7	2/26/2003	23.78	7.24	16.54	0.04	7.28	16.53	16.56
RW-7	3/4/2003	23.78	---	---	---	6.96	16.82	16.82
RW-7	3/12/2003	23.01	Trace	---	---	7.71	15.30	15.30
RW-7	3/14/2003	23.01	---	---	---	7.51	15.50	15.50
RW-7	3/26/2003	23.01	---	---	---	6.68	16.33	16.33
RW-7	3/28/2003	23.01	---	---	---	7.25	15.76	15.76
RW-7	4/2/2003	23.01	---	---	---	7.42	15.59	15.59
RW-7	4/4/2003	23.01	---	---	---	7.64	15.37	15.37
RW-7	4/8/2003	23.01	---	---	---	7.22	15.79	15.79
RW-7	4/11/2003	23.01	---	---	---	7.16	15.85	15.85
RW-7	4/15/2003	23.01	---	---	---	6.81	16.20	16.20
RW-7	4/17/2003	23.01	---	---	---	7.38	15.63	15.63
RW-7	4/22/2003	23.01	---	---	---	7.34	15.67	15.67
RW-7	4/25/2003	23.01	---	---	---	7.21	15.80	15.80

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
RW-7	5/2/2003	23.01	8.30	14.71	0.03	8.33	14.70	14.73
RW-7	5/6/2003	23.01	8.52	14.49	0.08	8.60	14.47	14.53
RW-7	5/9/2003	23.01	8.54	14.47	0.03	8.57	14.46	14.49
RW-7	5/23/2003	23.01	8.55	14.46	1.03	9.58	14.20	14.98
RW-7	5/28/2003	23.01	8.57	14.44	1.55	10.12	14.05	15.22
RW-7	6/13/2003	23.01	8.92	14.09	1.64	10.56	13.68	14.91
RW-7	6/18/2003	23.01	8.88	14.13	1.87	10.75	13.66	15.07
RW-7	6/27/2003	23.01	9.26	13.75	1.55	10.81	13.36	14.53
RW-7	7/7/2003	23.01	9.54	13.47	1.21	10.75	13.17	14.08
RW-7	7/16/2003	23.01	9.42	13.59	1.30	10.72	13.27	14.24
RW-7	7/31/2003	23.01	9.98	13.03	0.76	10.74	12.84	13.41
RW-7	8/5/2003	23.01	10.88	12.13	0.74	11.62	11.95	12.50
RW-7	8/11/2003	23.01	11.00	12.01	0.69	11.69	11.84	12.36
RW-7	8/22/2003	23.01	10.70	12.31	1.01	11.71	12.06	12.82
RW-7	8/26/2003	23.01	11.28	11.73	0.37	11.65	11.64	11.92
RW-7	9/2/2003	23.01	10.36	12.65	0.36	10.72	12.56	12.83
RW-7	9/9/2003	23.01	10.75	12.26	0.01	10.76	12.26	12.27
RW-7	9/19/2003	23.01	---	---	---	10.76	12.25	12.25
RW-7	10/14/2003	23.01	---	---	---	10.77	12.24	12.24
RW-7	11/20/2003	23.01	---	---	---	8.24	14.77	14.77
RW-7	12/3/2003	23.01	---	---	---	6.79	16.22	16.22
RW-7	1/19/2004	23.01	---	---	---	6.31	16.70	16.70
RW-7	2/24/2004	23.01	---	---	---	7.11	15.90	15.90
RW-7	3/15/2004	23.01	---	---	---	8.20	14.81	14.81
RW-7	4/19/2004	23.01	---	---	---	8.85	14.16	14.16
RW-7	5/17/2004	23.01	---	---	---	9.79	13.22	13.22
RW-7	6/22/2004	23.01	---	---	---	9.57	13.44	13.44
RW-7	8/18/2004	23.01	10.71	12.30	0.01	10.72	12.30	12.31
RW-7	9/21/2004	23.01	---	---	---	10.45	12.56	12.56
RW-7	10/19/2004	23.01	---	---	---	8.73	14.28	14.28
RW-7	11/23/2004	23.01	---	---	---	9.60	13.41	13.41
RW-7	12/21/2004	23.01	---	---	---	7.06	15.95	15.95
RW-7	1/13/2005	23.01	---	---	---	7.93	15.08	15.08
RW-7	4/28/2005	23.01	---	---	---	7.37	15.64	15.64
RW-7	6/1/2005	23.01	---	---	---	7.67	15.34	15.34
RW-7	6/29/2005	23.01	---	---	---	9.05	13.96	13.96
RW-7	7/20/2005	23.01	---	---	---	9.61	13.40	13.40
RW-7	8/22/2005	23.01	---	---	---	9.88	13.13	13.13
RW-7	5/27/2011	23.01	---	---	Not Monitored	---	---	---
RWx-7	9/12/2005	24.71	---	---	---	11.99	12.72	12.72
RWx-7	10/12/2005	24.71	12.54	12.17	0.23	12.77	12.11	12.29
RWx-7	11/21/2005	24.71	9.83	14.88	0.13	9.96	14.85	14.95
RWx-7	12/27/2005	24.71	8.15	16.56	0.02	8.17	16.56	16.57
RWx-7	1/30/2006	24.71	5.31	19.40	0.01	5.32	19.40	19.41
RWx-7	2/16/2006	24.71	7.41	17.30	0.02	7.43	17.30	17.31
RWx-7	3/13/2006	24.71	---	---	---	8.46	16.25	16.25
RWx-7	4/18/2006	24.71	---	---	---	8.71	16.00	16.00
RWx-7	5/12/2006	24.71	---	---	---	9.18	15.53	15.53
RWx-7	6/9/2006	24.71	---	---	---	8.76	15.95	15.95
RWx-7	7/13/2006	24.71	---	---	---	10.10	14.61	14.61
RWx-7	8/16/2006	24.71	11.03	13.68	0.08	11.11	13.66	13.72
RWx-7	9/19/2006	24.71	---	---	---	11.60	13.11	13.11
RWx-7	10/13/2006	24.71	---	---	---	11.31	13.40	13.40
RWx-7	11/20/2006	24.71	---	---	---	6.61	18.10	18.10
RWx-7	12/8/2006	24.71	---	---	---	6.91	17.80	17.80
RWx-7	1/19/2007	24.71	---	---	---	6.22	18.49	18.49
RWx-7	2/19/2007	24.71	---	---	---	8.55	16.16	16.16
RWx-7	3/15/2007	24.71	---	---	---	7.52	17.19	17.19
RWx-7	4/16/2007	24.71	---	---	---	8.22	16.49	16.49
RWx-7	5/14/2007	24.71	---	---	---	9.52	15.19	15.19
RWx-7	6/29/2007	24.71	---	---	---	10.74	13.97	13.97
RWx-7	7/20/2007	24.71	---	---	---	11.16	13.55	13.55
RWx-7	8/21/2007	24.71	---	---	---	11.82	12.89	12.89
RWx-7	9/10/2007	24.71	---	---	---	11.90	12.81	12.81
RWx-7	10/22/2007	24.71	---	---	---	10.01	14.70	14.70
RWx-7	11/28/2007	24.71	---	---	---	9.54	15.17	15.17
RWx-7	12/13/2007	24.71	---	---	---	8.32	16.39	16.39
RWx-7	1/21/2008	24.71	---	---	---	8.34	16.37	16.37
RWx-7	2/24/2008	24.71	---	---	---	8.76	15.95	15.95
RWx-7	3/24/2008	24.71	---	---	---	9.06	15.65	15.65
RWx-7	8/25/2008	24.71	---	---	---	11.00	13.71	13.71
RWx-7	2/18/2009	24.71	---	---	---	9.39	15.32	15.32
RWx-7	8/25/2009	24.71	---	---	---	12.22	12.49	12.49
RWx-7	3/22/2010	24.71	---	---	---	8.80	15.91	15.91
RWx-7	8/23/2010	24.71	---	---	---	11.25	13.46	13.46
RWx-7	2/7/2011	24.71	---	---	---	7.85	16.86	---
RWx-7	5/27/2011	24.71	---	---	---	8.98	15.73	---
RWx-7	8/8/2011	24.71	---	---	---	11.15	13.56	---
RWx-7	11/14/2011	24.71	---	---	---	10.54	14.17	---
RWx-7	2/20/2012	24.71	---	---	---	7.79	16.92	---
RWx-7	8/22/2012	24.71	---	---	---	10.97	13.74	---
RWx-7	11/5/2012	24.71	---	---	---	8.69	16.02	---
RWx-7	1/28/2013	24.71	---	---	---	7.72	16.99	---
RWx-7	5/9/2013	24.71	---	---	---	8.82	15.89	---
RWx-7	8/19/2013	24.71	---	---	---	11.77	12.94	---
RWx-7	11/25/2013	24.71	---	---	---	9.07	15.64	---
RWx-7	2/14/2014	24.71	---	---	---	7.65	17.06	---
RWx-7	5/5/2014	24.71	---	---	---	6.52	18.19	---
RWx-7	8/19/2014	24.71	---	---	---	11.42	13.29	---
RWx-7	11/21/2014	24.71	---	---	---	8.68	16.03	---
RWx-7	11/14/2016	24.71	---	---	---	5.80	18.91	---
RWx-7	11/18/2016	24.71	---	---	---	---	---	---
RWx-7	2/17/2017	24.71	---	---	---	5.58	19.13	15.74
RWx-7	5/26/2017	24.71	---	---	---	8.07	16.64	16.35
RWx-7	9/26/2017	24.71	---	---	---	11.82	12.89	---
RWx-7	9/28/2017	24.71	---	---	---	---	---	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
RWX-7	12/14/2017	24.71	---	---	---	6.86	17.85	---
RWX-7	2/26/2018	24.71	---	---	---	7.67	17.04	---
RWX-7	6/11/2018	24.71	---	---	---	10.11	14.60	---
RWX-7	6/27/2018	24.71	---	---	---	10.85	13.86	---
RWX-7	8/29/2018	24.71	---	---	---	12.19	12.52	---
RWX-7	12/17/2018	24.71	---	---	---	6.84	17.87	---
HW-1East	11/20/2003	20.35	---	---	---	4.61	15.74	---
HW-1East	12/3/2003	20.35	---	---	---	4.00	16.35	---
HW-1East	1/19/2004	20.35	3.56	16.79	0.005	3.57	16.79	---
HW-1East	2/24/2004	20.35	---	---	---	5.46	14.89	16.79
HW-1East	3/15/2004	20.35	---	---	---	5.84	14.51	14.51
HW-1East	4/19/2004	20.35	---	---	---	6.42	13.93	13.93
HW-1East	5/17/2004	20.35	---	---	Not Monitored	---	---	0.00
HW-1East	6/22/2004	20.35	---	---	Not Monitored	---	---	0.00
HW-1East	8/18/2004	20.35	---	---	Dry	---	---	Dry
HW-1East	9/21/2004	20.35	---	---	---	6.92	13.43	13.43
HW-1East	10/19/2004	20.35	---	---	---	6.02	14.33	14.33
HW-1East	11/23/2004	20.35	---	---	---	6.46	13.89	13.89
HW-1East	12/21/2004	20.35	---	---	---	4.45	15.90	15.90
HW-1East	1/13/2005	20.35	---	---	---	5.25	15.10	15.10
HW-1East	4/28/2005	20.35	---	---	---	4.82	15.53	15.53
HW-1East	6/1/2005	20.35	---	---	---	5.09	15.26	15.26
HW-1East	6/29/2005	20.35	---	---	---	6.83	13.52	13.52
HW-1East	7/20/2005	20.35	---	---	---	6.88	13.47	13.47
HW-1East	8/22/2005	20.35	---	---	---	7.03	13.32	13.32
HW-1East	12/21/2004	20.35	---	---	---	7.03	13.32	13.32
HW-1East	5/27/2011	20.35	---	---	Not Monitored	---	---	---
HWx-1East	9/12/2005	20.44	---	---	---	10.27	10.17	10.17
HWx-1East	10/12/2005	20.44	---	---	---	9.57	10.87	10.87
HWx-1East	11/21/2005	20.44	---	---	---	5.71	14.73	14.73
HWx-1East	12/27/2005	20.44	---	---	---	4.51	15.93	15.93
HWx-1East	1/30/2006	20.44	---	---	---	2.23	18.21	18.21
HWx-1East	2/16/2006	20.44	---	---	---	4.10	16.34	16.34
HWx-1East	3/13/2006	20.44	---	---	---	4.94	15.50	15.50
HWx-1East	4/18/2006	20.44	---	---	---	4.95	15.49	15.49
HWx-1East	5/12/2006	20.44	---	---	---	5.23	15.21	15.21
HWx-1East	6/9/2006	20.44	---	---	---	4.96	15.48	15.48
HWx-1East	7/13/2006	20.44	---	---	---	5.45	14.99	14.99
HWx-1East	8/16/2006	20.44	---	---	---	6.75	13.69	13.69
HWx-1East	9/19/2006	20.44	---	---	---	9.20	11.24	11.24
HWx-1East	10/13/2006	20.44	8.65	11.79	2.85	11.50	11.08	13.22
HWx-1East	11/20/2006	20.44	---	---	---	3.25	17.19	17.19
HWx-1East	12/8/2006	20.44	---	---	---	3.40	17.04	17.04
HWx-1East	1/19/2007	20.44	---	---	---	3.07	17.37	17.37
HWx-1East	2/19/2007	20.44	---	---	---	4.74	15.70	15.70
HWx-1East	3/15/2007	20.44	---	---	---	3.91	16.53	16.53
HWx-1East	4/16/2007	20.44	---	---	---	4.42	16.02	16.02
HWx-1East	5/14/2007	20.44	---	---	---	5.45	14.99	14.99
HWx-1East	6/29/2007	20.44	---	---	---	6.58	13.86	13.86
HWx-1East	7/20/2007	20.44	---	---	---	8.38	12.06	12.06
HWx-1East	8/21/2007	20.44	---	---	---	8.79	11.65	11.65
HWx-1East	9/10/2007	20.44	---	---	---	8.95	11.49	11.49
HWx-1East	10/22/2007	20.44	---	---	---	6.45	13.99	13.99
HWx-1East	11/28/2007	20.44	---	---	---	5.72	14.72	14.72
HWx-1East	12/13/2007	20.44	---	---	---	4.68	15.76	15.76
HWx-1East	1/21/2008	20.44	---	---	---	4.88	15.56	15.56
HWx-1East	2/24/2008	20.44	---	---	---	5.17	15.27	15.27
HWx-1East	3/24/2008	20.44	---	---	---	5.54	14.90	14.90
HWx-1East	8/25/2008	20.44	---	---	---	8.95	11.49	11.49
HWx-1East	2/18/2009	20.44	---	---	---	5.15	15.29	15.29
HWx-1East	8/25/2009	20.44	---	---	---	10.05	10.39	10.39
HWx-1East	3/22/2010	20.44	---	---	---	10.45	9.99	9.99
HWx-1East	8/23/2010	20.44	---	---	---	10.20	10.24	10.24
HWx-1East	2/7/2011	20.44	---	---	---	4.60	15.84	---
HWx-1East	5/27/2011	20.44	---	---	Not Monitored	---	---	---
HW-1West	11/20/2003	18.86	---	---	---	4.32	14.54	14.54
HW-1West	12/3/2003	18.86	---	---	---	3.56	15.30	15.30
HW-1West	1/19/2004	18.86	---	---	---	3.28	15.58	15.58
HW-1West	2/24/2004	18.86	---	---	---	4.96	13.90	13.90
HW-1West	3/15/2004	18.86	---	---	---	6.35	12.51	12.51
HW-1West	4/19/2004	18.86	---	---	---	5.90	12.96	12.96
HW-1West	5/17/2004	18.86	---	---	Not Monitored	---	---	0.00
HW-1West	6/22/2004	18.86	---	---	Not Monitored	---	---	0.00
HW-1West	8/18/2004	18.86	7.31	11.55	0.01	7.32	11.55	11.56
HW-1West	9/21/2004	18.86	---	---	---	6.43	12.43	12.43
HW-1West	10/19/2004	18.86	---	---	---	5.56	13.30	13.30
HW-1West	11/23/2004	18.86	---	---	---	5.82	13.04	13.04
HW-1West	12/21/2004	18.86	---	---	---	3.95	14.91	14.91
HW-1West	1/13/2005	18.86	---	---	---	4.66	14.20	14.20
HW-1West	4/28/2005	18.86	---	---	---	4.30	14.56	14.56
HW-1West	6/1/2005	18.86	---	---	---	5.60	13.26	13.26
HW-1West	6/29/2005	18.86	---	---	---	6.34	12.52	12.52
HW-1West	7/20/2005	18.86	---	---	---	6.40	12.46	12.46
HW-1West	8/22/2005	18.86	---	---	---	6.55	12.31	12.31
HW-1West	5/27/2011	18.86	---	---	Not Monitored	---	---	---
HWx-1West	9/12/2005	19.96	---	---	---	10.16	9.80	9.80
HWx-1West	10/12/2005	19.96	9.22	10.74	0.01	9.23	10.74	10.75
HWx-1West	11/21/2005	19.96	5.42	14.54	0.01	5.43	14.54	14.55
HWx-1West	12/27/2005	19.96	---	---	---	4.01	15.95	15.95
HWx-1West	1/30/2006	19.96	---	---	---	1.72	18.24	18.24
HWx-1West	2/16/2006	19.96	3.79	16.17	0.01	3.80	16.17	16.18
HWx-1West	3/13/2006	19.96	---	---	---	4.52	15.44	15.44
HWx-1West	4/18/2006	19.96	---	---	---	4.48	15.48	15.48

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
HWx-1West	5/12/2006	19.96	---	---	---	4.80	15.16	15.16
HWx-1West	6/9/2006	19.96	---	---	---	4.52	15.44	15.44
HWx-1West	7/13/2006	19.96	---	---	---	9.89	10.07	10.07
HWx-1West	8/16/2006	19.96	---	---	---	6.20	13.76	13.76
HWx-1West	9/19/2006	19.96	---	---	---	6.87	13.09	13.09
HWx-1West	10/13/2006	19.96	---	---	---	6.57	13.39	13.39
HWx-1West	11/20/2006	19.96	---	---	---	2.76	17.20	17.20
HWx-1West	12/8/2006	19.96	---	---	---	2.91	17.05	17.05
HWx-1West	1/19/2007	19.96	---	---	---	2.60	17.36	17.36
HWx-1West	2/19/2007	19.96	---	---	---	4.26	15.70	15.70
HWx-1West	3/15/2007	19.96	---	---	---	3.42	16.54	16.54
HWx-1West	4/16/2007	19.96	---	---	---	3.95	16.01	16.01
HWx-1West	5/14/2007	19.96	---	---	---	4.95	15.01	15.01
HWx-1West	6/29/2007	19.96	---	---	---	9.06	10.90	10.90
HWx-1West	7/20/2007	19.96	---	---	---	6.43	13.53	13.53
HWx-1West	8/21/2007	19.96	---	---	---	8.05	11.91	11.91
HWx-1West	9/10/2007	19.96	---	---	---	8.11	11.85	11.85
HWx-1West	10/22/2007	19.96	---	---	---	5.98	13.98	13.98
HWx-1West	11/28/2007	19.96	---	---	---	5.23	14.73	14.73
HWx-1West	12/13/2007	19.96	---	---	---	4.18	15.78	15.78
HWx-1West	1/21/2008	19.96	---	---	---	4.38	15.58	15.58
HWx-1West	2/24/2008	19.96	---	---	---	4.72	15.24	15.24
HWx-1West	3/24/2008	19.96	---	---	---	5.06	14.90	14.90
HWx-1West	8/25/2008	19.96	---	---	---	6.90	13.06	13.06
HWx-1West	2/18/2009	19.96	---	---	---	5.02	14.94	14.94
HWx-1West	8/25/2009	19.96	---	---	---	7.21	12.75	12.75
HWx-1West	3/22/2010	19.96	---	---	---	9.60	10.36	10.36
HWx-1West	8/23/2010	19.96	---	---	---	9.24	10.72	10.72
HWx-1West	2/7/2011	19.96	---	---	---	4.13	15.83	15.83
HWx-1West	5/27/2011	19.96	---	---	Not Monitored			
MW-1	11/14/2011	20.51	---	---	---	8.45	12.06	---
MW-1	2/20/2012	20.51	---	---	---	6.96	13.55	---
MW-1	8/22/2012	20.51	---	---	---	9.60	10.91	---
MW-1	11/5/2012	20.51	---	---	---	7.91	12.60	---
MW-1	1/28/2013	20.51	---	---	---	7.41	13.10	---
MW-1	5/9/2013	20.51	---	---	---	8.24	12.27	---
MW-1	8/19/2013	20.51	---	---	---	10.45	10.06	---
MW-1	11/25/2013	20.51	---	---	---	8.02	12.49	---
MW-1	2/14/2014	20.51	---	---	---	7.71	12.80	---
MW-1	5/5/2014	20.51	---	---	---	7.04	13.47	---
MW-1	8/19/2014	20.51	---	---	---	9.16	11.35	---
MW-1	11/21/2014	20.51	---	---	---	7.97	12.54	---
MW-1	11/14/2016	20.51	---	---	---	7.49	13.02	---
MW-1	11/16/2016	20.51	---	---	---	---	---	---
MW-1	2/16/2017	20.51	---	---	---	7.01	13.50	---
MW-1	5/24/2017	20.51	---	---	---	7.67	12.84	---
MW-1	9/26/2017	20.51	---	---	---	9.49	11.02	---
MW-1	9/27/2017	20.51	---	---	---	---	---	---
MW-1	12/13/2017	20.51	---	---	---	7.32	13.19	---
MW-1	2/26/2018	20.51	---	---	---	7.62	12.89	---
MW-1	6/11/2018	20.51	---	---	---	8.77	11.74	---
MW-1	6/26/2018	20.51	---	---	---	9.32	11.19	---
MW-1	8/28/2018	20.51	---	---	---	10.55	9.96	---
MW-1	12/17/2018	20.51	---	---	---	7.48	13.03	---
MW-1	3/14/2019	20.51	---	---	---	7.70	12.81	---
MW-1	6/12/2019	20.51	---	---	---	8.83	11.68	---
MW-1	9/23/2019	20.51	---	---	---	8.85	11.66	---
MW-1	12/4/2019	20.51	---	---	---	8.90	11.61	---
MW-1	2/25/2020	20.51	---	---	---	7.42	13.09	---
MW-1	6/12/2020	20.51	---	---	---	8.52	11.99	---
MW-2	11/14/2011	20.29	---	---	---	8.71	11.58	---
MW-2	2/20/2012	20.29	---	---	---	7.35	12.94	---
MW-2	8/22/2012	20.29	---	---	---	9.39	10.90	---
MW-2	11/5/2012	20.29	---	---	---	7.71	12.58	---
MW-2	1/28/2013	20.29	---	---	---	7.61	12.68	---
MW-2	5/9/2013	20.29	---	---	---	7.99	12.30	---
MW-2	8/19/2013	20.29	---	---	---	10.22	10.07	---
MW-2	11/25/2013	20.29	---	---	---	7.76	12.53	---
MW-2	2/14/2014	20.29	---	---	---	7.46	12.83	---
MW-2	5/5/2014	20.29	---	---	---	6.72	13.57	---
MW-2	8/19/2014	20.29	---	---	---	8.93	11.36	---
MW-2	11/21/2014	20.29	---	---	---	7.45	12.84	---
MW-2	11/14/2016	20.29	---	---	---	7.30	12.99	---
MW-2	11/16/2016	20.29	---	---	---	---	---	---
MW-2	2/16/2017	20.29	---	---	---	6.96	13.33	---
MW-2	5/24/2017	20.29	---	---	---	7.59	12.70	---
MW-2	9/26/2017	20.29	---	---	---	9.55	10.74	---
MW-2	9/27/2017	20.29	---	---	---	---	---	---
MW-2	12/13/2017	20.29	---	---	---	7.46	12.83	---
MW-2	2/26/2018	20.29	---	---	---	7.51	12.78	---
MW-2	6/11/2018	20.29	---	---	---	8.56	11.73	---
MW-2	6/26/2018	20.29	---	---	---	9.18	11.11	---
MW-2	8/28/2018	20.29	---	---	---	10.08	10.21	---
MW-2	12/17/2018	20.29	---	---	---	7.67	12.62	---
MW-2	3/14/2019	20.29	---	---	---	7.68	12.61	---
MW-2	6/12/2019	20.29	---	---	---	9.07	11.22	---
MW-2	9/23/2019	20.29	---	---	---	8.03	12.26	---
MW-2	12/4/2019	20.29	---	---	---	7.83	12.46	---
MW-2	2/25/2020	20.29	---	---	---	7.16	13.13	---
MW-2	6/12/2020	20.29	---	---	---	7.95	12.34	---
MW-3	11/14/2011	21.21	---	---	---	8.91	12.30	---
MW-3	2/20/2012	21.21	---	---	---	6.09	15.12	---
MW-3	8/22/2012	21.21	---	---	---	10.30	10.91	---
MW-3	11/5/2012	21.21	---	---	---	7.30	13.91	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
MW-3	1/28/2013	21.21	---	---	---	6.10	15.11	---
MW-3	5/9/2013	21.21	---	---	---	7.09	14.12	---
MW-3	8/19/2013	21.21	---	---	---	10.99	10.22	---
MW-3	11/25/2013	21.21	---	---	---	7.15	14.06	---
MW-3	2/14/2014	21.21	---	---	---	6.68	14.53	---
MW-3	5/5/2014	21.21	---	---	---	6.02	15.19	---
MW-3	8/19/2014	21.21	---	---	---	9.71	11.50	---
MW-3	11/21/2014	21.21	---	---	---	7.00	14.21	---
MW-3	11/14/2016	21.21	---	---	---	6.00	15.21	---
MW-3	11/16/2016	21.21	---	---	---	---	---	---
MW-3	2/16/2017	21.21	---	---	---	4.75	16.46	---
MW-3	5/24/2017	21.21	---	---	---	6.50	14.71	---
MW-3	9/26/2017	21.21	---	---	---	10.08	11.13	---
MW-3	9/27/2017	21.21	---	---	---	---	---	---
MW-3	9/27/2017	21.21	---	---	---	---	---	---
MW-3	12/13/2017	21.21	---	---	---	5.74	15.47	---
MW-3	2/26/2018	21.21	---	---	---	5.86	15.35	---
MW-3	6/11/2018	21.21	---	---	---	8.94	12.27	---
MW-3	6/26/2018	21.21	---	---	---	9.85	11.36	---
MW-3	8/28/2018	21.21	---	---	---	10.81	10.40	---
MW-3	12/17/2018	21.21	---	---	---	6.65	14.56	---
MW-3	3/14/2019	21.21	---	---	---	6.44	14.77	---
MW-3	6/12/2019	21.21	---	---	---	9.46	11.75	---
MW-3	9/23/2019	21.21	---	---	---	8.88	12.33	---
MW-3	12/4/2019	21.21	---	---	---	7.24	13.97	---
MW-3	2/25/2020	21.21	---	---	---	5.30	15.91	---
MW-3	6/12/2020	21.21	---	---	---	8.24	12.97	---
MW-4	11/14/2011	20.44	---	---	---	8.31	12.13	---
MW-4	2/20/2012	20.44	---	---	---	7.28	13.16	---
MW-4	8/22/2012	20.44	---	---	---	9.41	11.03	---
MW-4	11/5/2012	20.44	---	---	---	7.52	12.92	---
MW-4	1/28/2013	20.44	---	---	---	7.29	13.15	---
MW-4	5/9/2013	20.44	---	---	---	7.97	12.47	---
MW-4	8/19/2013	20.44	---	---	---	10.11	10.33	---
MW-4	11/25/2013	20.44	---	---	---	7.56	12.88	---
MW-4	2/14/2014	20.44	---	---	---	6.29	14.15	---
MW-4	5/5/2014	20.44	---	---	---	4.91	15.53	---
MW-4	8/19/2014	20.44	---	---	---	8.68	11.76	---
MW-4	11/21/2014	20.44	---	---	---	7.12	13.32	---
MW-4	11/14/2016	20.44	---	---	---	4.72	15.72	---
MW-4	11/16/2016	20.44	---	---	---	---	---	---
MW-4	2/16/2017	20.44	---	---	---	3.95	16.49	---
MW-4	5/24/2017	20.44	---	---	---	5.87	14.57	---
MW-4	9/26/2017	20.44	---	---	---	9.13	11.31	---
MW-4	9/27/2017	20.44	---	---	---	---	---	---
MW-4	12/13/2017	20.44	---	---	---	4.92	15.52	---
MW-4	2/26/2018	20.44	---	---	---	5.02	15.42	---
MW-4	6/11/2018	20.44	---	---	---	8.34	12.10	---
MW-4	6/26/2018	20.44	---	---	---	8.83	11.61	---
MW-4	8/28/2018	20.44	---	---	---	10.02	10.42	---
MW-4	12/17/2018	20.44	---	---	---	5.22	15.22	---
MW-4	3/14/2019	20.44	---	---	---	5.68	14.76	---
MW-4	6/12/2019	20.44	---	---	---	8.69	11.75	---
MW-4	9/23/2019	20.44	---	---	---	6.59	13.85	---
MW-4	12/4/2019	20.44	---	---	---	6.50	13.94	---
MW-4	2/25/2020	20.44	---	---	---	4.49	15.95	---
MW-4	6/12/2020	20.44	---	---	---	6.80	13.64	---
MW-5	11/14/2011	21.32	---	---	---	9.02	12.30	---
MW-5	2/20/2012	21.32	---	---	---	8.21	13.11	---
MW-5	8/22/2012	21.32	---	---	---	10.29	11.03	---
MW-5	11/5/2012	21.32	---	---	---	8.60	12.72	---
MW-5	1/28/2013	21.32	---	---	---	8.45	12.87	---
MW-5	5/9/2013	21.32	---	---	---	8.97	12.35	---
MW-5	8/19/2013	21.32	---	---	---	10.98	10.34	---
MW-5	11/25/2013	21.32	---	---	---	8.59	12.73	---
MW-5	2/14/2014	21.32	---	---	---	7.04	14.28	---
MW-5	5/5/2014	21.32	---	---	---	7.60	13.72	---
MW-5	8/19/2014	21.32	---	---	---	9.58	11.74	---
MW-5	11/21/2014	21.32	---	---	---	8.20	13.12	---
MW-5	11/14/2016	21.32	---	---	---	7.92	13.40	---
MW-5	11/17/2016	21.32	---	---	---	---	---	---
MW-5	2/16/2017	21.32	---	---	---	7.10	14.22	---
MW-5	5/24/2017	21.32	---	---	---	8.27	13.05	---
MW-5	9/26/2017	21.32	---	---	---	9.98	11.34	---
MW-5	9/28/2017	21.32	---	---	---	---	---	---
MW-5	12/13/2017	21.32	---	---	---	7.92	13.40	---
MW-5	2/26/2018	21.32	---	---	---	8.04	13.28	---
MW-5	6/11/2018	21.32	---	---	---	9.14	12.18	---
MW-5	6/26/2018	21.32	---	---	---	9.68	11.64	---
MW-5	8/28/2018	21.32	---	---	---	10.83	10.49	---
MW-5	12/17/2018	21.32	---	---	---	7.94	13.38	---
MW-5	3/11/2019	21.32	---	---	---	8.26	13.06	---
MW-5	6/12/2019	21.32	---	---	---	9.47	11.85	---
MW-5	9/23/2019	21.32	---	---	---	8.81	12.51	---
MW-5	12/4/2019	21.32	---	---	---	8.35	12.97	---
MW-5	2/24/2020	21.32	---	---	---	7.65	13.67	---
MW-5	6/12/2020	21.32	---	---	---	8.30	13.02	---
MW-6	11/14/2011	22.30	---	---	---	10.30	12.00	---
MW-6	2/20/2012	22.30	---	---	---	9.36	12.94	---
MW-6	8/22/2012	22.30	---	---	---	11.30	11.00	---
MW-6	11/5/2012	22.30	---	---	---	9.68	12.62	---
MW-6	1/28/2013	22.30	---	---	---	9.63	12.67	---
MW-6	5/9/2013	22.30	---	---	---	10.09	12.21	---
MW-6	8/19/2013	22.30	---	---	---	11.95	10.35	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
MW-6	11/25/2013	22.30	---	---	---	9.71	12.59	---
MW-6	2/14/2014	22.30	---	---	---	9.13	13.17	---
MW-6	5/5/2014	22.30	---	---	---	8.64	13.66	---
MW-6	8/19/2014	22.30	---	---	---	10.54	11.76	---
MW-6	11/21/2014	22.30	---	---	---	9.28	13.02	---
MW-6	11/14/2016	22.30	---	---	---	9.06	13.24	---
MW-6	11/17/2016	22.30	---	---	---	---	---	---
MW-6	11/17/2016	22.30	---	---	---	---	---	---
MW-6	2/16/2017	22.30	---	---	---	8.23	14.07	---
MW-6	5/24/2017	22.30	---	---	---	9.38	12.92	---
MW-6	9/26/2017	22.30	---	---	---	10.87	11.43	---
MW-6	9/28/2017	22.30	---	---	---	---	---	---
MW-6	12/13/2017	22.30	---	---	---	9.01	13.29	---
MW-6	2/26/2018	22.30	---	---	---	9.21	13.09	---
MW-6	6/11/2018	22.30	---	---	---	10.18	12.12	---
MW-6	6/26/2018	22.30	---	---	---	10.67	11.63	---
MW-6	8/28/2018	22.30	---	---	---	11.82	10.48	---
MW-6	12/17/2018	22.30	---	---	---	9.07	13.23	---
MW-6	3/14/2019	22.30	---	---	---	9.40	12.90	---
MW-6	6/12/2019	22.30	---	---	---	10.50	11.80	---
MW-6	9/23/2019	22.30	---	---	---	9.94	12.36	---
MW-6	12/4/2019	22.30	---	---	---	9.44	12.86	---
MW-6	2/25/2020	22.30	---	---	---	8.81	13.49	---
MW-6	6/12/2020	22.30	---	---	---	9.34	12.96	---
MW-7	11/14/2011	22.10	---	---	---	10.21	11.89	---
MW-7	2/20/2012	22.10	---	---	---	8.96	13.14	---
MW-7	8/22/2012	22.10	---	---	---	11.07	11.03	---
MW-7	11/5/2012	22.10	---	---	---	9.51	12.59	---
MW-7	1/28/2013	22.10	---	---	---	9.12	12.98	---
MW-7	5/9/2013	22.10	---	---	---	9.53	12.57	---
MW-7	8/19/2013	22.10	---	---	---	11.63	10.47	---
MW-7	11/25/2013	22.10	---	---	---	9.32	12.78	---
MW-7	2/14/2014	22.10	---	---	---	8.81	13.29	---
MW-7	5/5/2014	22.10	---	---	---	8.22	13.88	---
MW-7	8/19/2014	22.10	---	---	---	10.48	11.62	---
MW-7	11/14/2016	22.10	---	---	---	8.77	13.33	---
MW-7	11/17/2016	22.10	---	---	---	---	---	---
MW-7	2/16/2017	22.10	---	---	---	7.37	14.73	---
MW-7	5/24/2017	22.10	---	---	---	9.02	13.08	---
MW-7	9/26/2017	22.10	---	---	---	11.67	10.43	---
MW-7	12/13/2017	22.10	---	---	---	8.32	13.78	---
MW-7	2/26/2018	22.10	---	---	---	8.86	13.24	---
MW-7	6/11/2018	22.10	---	---	---	10.17	11.93	---
MW-7	8/29/2018	22.10	---	---	---	11.80	10.30	---
MW-7	12/17/2018	22.10	---	---	---	8.64	13.46	---
MW-7	3/11/2019	22.10	---	---	---	9.21	12.89	---
MW-7	6/12/2019	22.10	---	---	---	10.59	11.51	---
MW-7	12/4/2019	22.10	---	---	---	9.20	12.90	---
MW-7	2/24/2020	22.10	---	---	---	8.49	13.61	---
MW-7	6/12/2020	22.10	---	---	---	9.37	12.73	---
MW-8	11/14/2011	21.54	---	---	---	9.59	11.95	---
MW-8	2/20/2012	21.54	---	---	---	8.39	13.15	---
MW-8	8/22/2012	21.54	---	---	---	10.50	11.04	---
MW-8	11/5/2012	21.54	---	---	---	9.00	12.54	---
MW-8	1/28/2013	21.54	---	---	---	8.78	12.76	---
MW-8	5/9/2013	21.54	---	---	---	9.29	12.25	---
MW-8	8/19/2013	21.54	---	---	---	11.22	10.32	---
MW-8	11/25/2013	21.54	---	---	---	8.95	12.59	---
MW-8	2/14/2014	21.54	---	---	---	8.41	13.13	---
MW-8	5/5/2014	21.54	---	---	---	7.80	13.74	---
MW-8	8/19/2014	21.54	---	---	---	9.88	11.66	---
MW-8	11/14/2016	21.54	---	---	---	7.71	13.83	---
MW-8	11/17/2016	21.54	---	---	---	---	---	---
MW-8	2/16/2017	21.54	---	---	---	7.41	14.13	---
MW-8	5/24/2017	21.54	---	---	---	8.46	13.08	---
MW-8	9/26/2017	21.54	---	---	---	10.91	10.63	---
MW-8	12/13/2017	21.54	---	---	---	8.23	13.31	---
MW-8	2/26/2018	21.54	---	---	---	8.36	13.18	---
MW-8	6/11/2018	21.54	---	---	---	9.47	12.07	---
MW-8	8/29/2018	21.54	---	---	---	11.20	10.34	---
MW-8	12/17/2018	21.54	---	---	---	8.21	13.33	---
MW-8	3/11/2019	21.54	---	---	---	8.54	13.00	---
MW-8	6/12/2019	21.54	---	---	---	10.35	11.19	---
MW-8	12/4/2019	21.54	---	---	---	8.71	12.83	---
MW-8	2/24/2020	21.54	---	---	---	8.05	13.49	---
MW-8	6/12/2020	21.54	---	---	---	8.67	12.87	---
MW-9	11/14/2011	20.82	---	---	---	8.47	12.35	---
MW-9	2/20/2012	20.82	---	---	---	5.90	14.92	---
MW-9	8/22/2012	20.82	---	---	---	7.56	13.26	---
MW-9	11/5/2012	20.82	---	---	---	7.68	13.14	---
MW-9	1/28/2013	20.82	---	---	---	6.45	14.37	---
MW-9	5/9/2013	20.82	---	---	---	7.04	13.78	---
MW-9	8/19/2013	20.82	---	---	---	8.72	12.10	---
MW-9	11/25/2013	20.82	---	---	---	7.54	13.28	---
MW-9	2/14/2014	20.82	---	---	---	6.41	14.41	---
MW-9	5/5/2014	20.82	---	---	---	5.91	14.91	---
MW-9	8/19/2014	20.82	---	---	---	8.44	12.38	---
MW-9	11/21/2014	20.82	---	---	---	6.79	14.03	---
MW-9	11/14/2016	20.82	---	---	---	6.55	14.27	---
MW-9	11/16/2016	20.82	---	---	---	---	---	---
MW-9	2/16/2017	20.82	---	---	---	5.34	15.48	---
MW-9	5/25/2017	20.82	---	---	---	5.23	15.59	---
MW-9	9/26/2017	20.82	---	---	---	8.49	12.33	---
MW-9	9/27/2017	20.82	---	---	---	---	---	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
MW-9	12/13/2017	20.82	---	---	---	5.12	15.70	---
MW-9	2/26/2018	20.82	---	---	---	5.22	15.60	---
MW-9	6/11/2018	20.82	---	---	---	7.10	13.72	---
MW-9	6/27/2018	20.82	---	---	---	7.65	13.17	---
MW-9	8/29/2018	20.82	---	---	---	8.81	12.01	---
MW-9	12/17/2018	20.82	---	---	---	6.01	14.81	---
MW-10	11/14/2011	21.12	---	---	---	9.76	11.36	---
MW-10	2/20/2012	21.12	---	---	---	8.39	12.73	---
MW-10	8/22/2012	21.12	---	---	---	10.49	10.63	---
MW-10	11/5/2012	21.12	---	---	---	8.86	12.26	---
MW-10	1/28/2013	21.12	---	---	---	8.91	12.21	---
MW-10	5/9/2013	21.12	---	---	---	9.46	11.66	---
MW-10	8/19/2013	21.12	---	---	---	11.29	9.83	---
MW-10	11/25/2013	21.12	---	---	---	9.05	12.07	---
MW-10	2/14/2014	21.12	---	---	---	8.39	12.73	---
MW-10	5/5/2014	21.12	---	---	---	7.73	13.39	---
MW-10	8/19/2014	21.12	---	---	---	10.07	11.05	---
MW-10	11/21/2014	21.12	---	---	---	8.81	12.31	---
MW-10	11/14/2016	21.12	---	---	---	7.31	13.81	---
MW-10	11/16/2016	21.12	---	---	---	---	---	---
MW-10	2/16/2017	21.12	---	---	---	5.85	15.27	---
MW-10	5/24/2017	21.12	---	---	---	8.78	12.34	---
MW-10	9/26/2017	21.12	---	---	---	10.59	10.53	---
MW-10	9/28/2017	21.12	---	---	---	---	---	---
MW-10	12/14/2017	21.12	---	---	---	8.52	12.60	---
MW-10	12/14/2017	21.12	---	---	---	8.52	12.60	---
MW-10	2/26/2018	21.12	---	---	---	8.51	12.61	---
MW-10	6/11/2018	21.12	---	---	---	9.75	11.37	---
MW-10	6/27/2018	21.12	---	---	---	10.56	10.56	---
MW-10	8/28/2018	21.12	---	---	---	11.00	10.12	---
MW-10	12/17/2018	21.12	---	---	---	8.16	12.96	---
MW-10	3/14/2019	21.12	---	---	---	8.79	12.33	---
MW-10	6/12/2019	21.12	---	---	---	10.00	11.12	---
MW-10	9/23/2019	21.12	---	---	---	9.07	12.05	---
MW-10	12/4/2019	21.12	---	---	---	9.02	12.10	---
MW-10	2/25/2020	21.12	---	---	---	8.25	12.87	---
MW-10	6/12/2020	21.12	---	---	---	9.01	12.11	---
MW-11	2/20/2012	16.80	---	---	---	3.98	12.82	---
MW-11	8/22/2012	16.80	---	---	---	6.31	10.49	---
MW-11	11/5/2012	16.80	---	---	---	4.75	12.05	---
MW-11	1/28/2013	16.80	---	---	---	4.26	12.54	---
MW-11	5/9/2013	16.80	---	---	---	5.12	11.68	---
MW-11	8/19/2013	16.80	---	---	---	6.89	9.91	---
MW-11	11/25/2013	16.80	---	---	---	4.52	12.28	---
MW-11	2/14/2014	16.80	---	---	---	3.99	12.81	---
MW-11	5/5/2014	16.80	---	---	---	3.21	13.59	---
MW-11	8/19/2014	16.80	---	---	---	5.69	11.11	---
MW-11	11/21/2014	16.80	---	---	---	4.65	12.15	---
MW-11	11/14/2016	16.80	---	---	---	3.88	12.92	---
MW-11	11/18/2016	16.80	---	---	---	---	---	---
MW-11	2/17/2017	16.80	---	---	---	3.45	13.35	---
MW-11	5/25/2017	16.80	---	---	---	4.38	12.42	---
MW-11	9/26/2017	16.80	---	---	---	6.20	10.60	---
MW-11	9/27/2017	16.80	---	---	---	---	---	---
MW-11	12/12/2017	16.80	---	---	---	4.75	12.05	---
MW-11	2/26/2018	16.80	---	---	---	4.38	12.42	---
MW-11	6/11/2018	16.80	---	---	---	5.62	11.18	---
MW-11	6/26/2018	16.80	---	---	---	5.99	10.81	---
MW-11	8/28/2018	16.80	---	---	---	6.66	10.14	---
MW-11	3/14/2019	16.80	---	---	---	4.48	12.32	---
MW-11	6/12/2019	16.80	---	---	---	5.65	11.15	---
MW-11	9/23/2019	16.80	---	---	---	4.76	12.04	---
MW-11	12/4/2019	16.80	---	---	---	4.80	12.00	---
MW-11	2/25/2020	16.80	---	---	---	4.08	12.72	---
MW-11	6/12/2020	16.80	---	---	---	9.70	7.10	---
MW-12	2/20/2012	19.59	---	---	---	7.52	12.07	---
MW-12	8/22/2012	19.59	---	---	---	8.71	10.88	---
MW-12	11/5/2012	19.59	---	---	---	7.16	12.43	---
MW-12	5/9/2013	19.59	---	---	---	7.69	11.90	---
MW-12	8/19/2013	19.59	---	---	---	9.41	10.18	---
MW-12	11/25/2013	19.59	---	---	---	7.27	12.32	---
MW-12	2/14/2014	19.59	---	---	---	6.51	13.08	---
MW-12	5/5/2014	19.59	---	---	---	5.96	13.63	---
MW-12	8/19/2014	19.59	---	---	---	8.18	11.41	---
MW-12	11/21/2014	19.59	---	---	---	7.11	12.48	---
MW-12	11/14/2016	19.59	---	---	---	4.28	15.31	---
MW-12	11/18/2016	19.59	---	---	---	---	---	---
MW-12	2/17/2017	19.59	---	---	---	5.87	13.72	---
MW-12	2/17/2017	19.59	---	---	---	5.87	13.72	---
MW-12	5/25/2017	19.59	---	---	---	6.87	12.72	---
MW-12	9/26/2017	19.59	---	---	---	8.60	10.99	---
MW-12	9/27/2017	19.59	---	---	---	---	---	---
MW-12	12/12/2017	19.59	---	---	---	6.21	13.38	---
MW-12	2/26/2018	19.59	---	---	---	6.83	12.76	---
MW-12	6/11/2018	19.59	---	---	---	7.88	11.71	---
MW-12	6/26/2018	19.59	---	---	---	8.46	11.13	---
MW-12	8/28/2018	19.59	---	---	---	9.30	10.29	---
MW-12	3/14/2019	19.59	---	---	---	6.73	12.86	---
MW-12	6/12/2019	19.59	---	---	---	8.07	11.52	---
MW-12	9/23/2019	19.59	---	---	---	7.38	12.21	---
MW-12	12/4/2019	19.59	---	---	---	7.21	12.38	---
MW-12	2/25/2020	19.59	---	---	---	6.35	13.24	---
MW-12	6/12/2020	19.59	---	---	---	7.18	12.41	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
MW-13	2/20/2012	21.24	---	---	---	5.51	15.73	---
MW-13	8/22/2012	21.24	---	---	---	10.00	11.24	---
MW-13	11/5/2012	21.24	---	---	---	8.35	12.89	---
MW-13	1/28/2013	21.24	---	---	---	5.74	15.50	---
MW-13	5/9/2013	21.24	---	---	---	8.76	12.48	---
MW-13	8/19/2013	21.24	---	---	---	10.78	10.46	---
MW-13	11/25/2013	21.24	---	---	---	7.90	13.34	---
MW-13	2/14/2014	21.24	---	---	---	5.36	15.88	---
MW-13	5/5/2014	21.24	---	---	---	4.73	16.51	---
MW-13	8/19/2014	21.24	---	---	---	9.49	11.75	---
MW-13	11/21/2014	21.24	---	---	---	5.71	15.53	---
MW-13	11/14/2016	21.24	---	---	---	4.92	16.32	---
MW-13	11/17/2016	21.24	---	---	---	---	---	---
MW-13	2/16/2017	21.24	---	---	---	3.74	17.50	---
MW-13	5/25/2017	21.24	---	---	---	5.40	15.84	---
MW-13	9/26/2017	21.24	---	---	---	9.77	11.47	---
MW-13	9/27/2017	21.24	---	---	---	---	---	---
MW-13	12/13/2017	21.24	---	---	---	4.62	16.62	---
MW-13	2/26/2018	21.24	---	---	---	5.27	15.97	---
MW-13	6/11/2018	21.24	---	---	---	8.97	12.27	---
MW-13	6/26/2018	21.24	---	---	---	9.77	11.47	---
MW-13	8/28/2018	21.24	---	---	---	10.88	10.36	---
MW-13	12/17/2018	21.24	---	---	---	5.50	15.74	---
MW-13	3/14/2019	21.24	---	---	---	5.25	15.99	---
MW-13	6/12/2019	21.24	---	---	---	9.25	11.99	---
MW-13	9/23/2019	21.24	---	---	---	8.69	12.55	---
MW-13	12/4/2019	21.24	---	---	---	7.90	13.34	---
MW-13	2/25/2020	21.24	---	---	---	4.51	16.73	---
MW-13	6/12/2020	21.24	---	---	---	7.63	13.61	---
MW-14	11/14/2011	21.54	---	---	---	9.66	11.88	---
MW-14	2/20/2012	21.54	---	---	---	8.33	13.21	---
MW-14	8/22/2012	21.54	---	---	---	10.36	11.18	---
MW-14	11/5/2012	21.54	---	---	---	8.98	12.56	---
MW-14	1/28/2013	21.54	---	---	---	8.75	12.79	---
MW-14	5/9/2013	21.54	---	---	---	9.19	12.35	---
MW-14	8/19/2013	21.54	---	---	---	11.09	10.45	---
MW-14	11/25/2013	21.54	---	---	---	8.86	12.68	---
MW-14	2/14/2014	21.54	---	---	---	8.28	13.26	---
MW-14	5/5/2014	21.54	---	---	---	7.61	13.93	---
MW-14	8/19/2014	21.54	---	---	---	9.86	11.68	---
MW-14	11/21/2014	21.54	---	---	---	8.32	13.22	---
MW-14	11/14/2016	21.54	---	---	---	9.65	11.89	---
MW-14	11/17/2016	21.54	---	---	---	---	---	---
MW-14	2/16/2017	21.54	---	---	---	7.70	13.84	---
MW-14	5/25/2017	21.54	---	---	---	8.35	13.19	---
MW-14	9/26/2017	21.54	---	---	---	10.10	11.44	---
MW-14	12/14/2017	21.54	---	---	---	8.10	13.44	---
MW-14	2/26/2018	21.54	---	---	---	8.13	13.41	---
MW-14	6/11/2018	21.54	---	---	---	9.38	12.16	---
MW-14	8/28/2018	21.54	---	---	---	11.54	10.00	---
MW-14	12/17/2018	21.54	---	---	---	8.19	13.35	---
MW-15	11/14/2011	20.52	---	---	---	8.71	11.81	---
MW-15	2/20/2012	20.52	---	---	---	6.83	13.69	---
MW-15	8/22/2012	20.52	---	---	---	9.46	11.06	---
MW-15	11/5/2012	20.52	---	---	---	7.83	12.69	---
MW-15	1/28/2013	20.52	---	---	---	8.42	12.10	---
MW-15	5/9/2013	20.52	---	---	---	8.14	12.38	---
MW-15	8/19/2013	20.52	---	---	---	10.38	10.14	---
MW-15	11/25/2013	20.52	---	---	---	7.76	12.76	---
MW-15	2/14/2014	20.52	---	---	---	6.75	13.77	---
MW-15	5/5/2014	20.52	---	---	---	5.79	14.73	---
MW-15	8/19/2014	20.52	---	---	---	9.92	10.60	---
MW-15	11/21/2014	20.52	---	---	---	7.21	13.31	---
MW-15	11/14/2016	20.52	---	---	---	6.44	14.08	---
MW-15	11/18/2016	20.52	---	---	---	---	---	---
MW-15	2/17/2017	20.52	---	---	---	5.52	15.00	---
MW-15	5/26/2017	20.52	---	---	---	6.95	13.57	---
MW-15	9/26/2017	20.52	---	---	---	9.55	10.97	---
MW-15	9/28/2017	20.52	---	---	---	---	---	---
MW-15	12/14/2017	20.52	---	---	---	6.92	13.60	---
MW-15	2/26/2018	20.52	---	---	---	7.61	12.91	---
MW-15	6/11/2018	20.52	---	---	---	8.29	12.23	---
MW-15	6/27/2018	20.52	---	---	---	8.87	11.65	---
MW-15	8/29/2018	20.52	---	---	---	9.91	10.61	---
MW-15	12/17/2018	20.52	---	---	---	7.09	13.43	---
MW-15	3/14/2019	20.52	---	---	---	6.65	13.87	---
MW-15	6/12/2019	20.52	---	---	---	8.51	12.01	---
MW-15	9/23/2019	20.52	---	---	---	8.03	12.49	---
MW-15	12/4/2019	20.52	---	---	---	7.95	12.57	---
MW-15	2/26/2020	20.52	---	---	---	7.12	13.40	---
MW-15	6/12/2020	20.52	---	---	---	8.00	12.52	---
MW-16	2/20/2012	21.24	---	---	---	8.23	13.01	---
MW-16	8/22/2012	21.24	---	---	---	10.63	10.61	---
MW-16	11/5/2012	21.24	---	---	---	8.61	12.63	---
MW-16	1/28/2013	21.24	---	---	---	8.54	12.70	---
MW-16	5/9/2013	21.24	---	---	---	8.97	12.27	---
MW-16	8/19/2013	21.24	---	---	---	10.85	10.39	---
MW-16	11/25/2013	21.24	---	---	---	8.54	12.70	---
MW-16	2/14/2014	21.24	---	---	---	6.72	14.52	---
MW-16	5/5/2014	21.24	---	---	---	6.61	14.63	---
MW-16	8/19/2014	21.24	---	---	---	9.55	11.69	---
MW-16	11/21/2014	21.24	---	---	---	8.12	13.12	---
MW-16	11/14/2016	21.24	---	---	---	7.01	14.23	---
MW-16	11/17/2016	21.24	---	---	---	---	---	---

Table 5

**Groundwater Elevation Data  
Phillips 66 Company  
Renton Terminal  
Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
MW-16	2/17/2017	21.24	---	---	---	4.11	17.13	---
MW-16	5/25/2017	21.24	---	---	---	6.89	14.35	---
MW-16	9/26/2017	21.24	---	---	---	9.41	11.83	---
MW-16	9/27/2017	21.24	---	---	---	---	---	---
MW-16	12/13/2017	21.24	---	---	---	6.26	14.98	---
MW-16	2/26/2018	21.24	---	---	---	7.21	14.03	---
MW-16	6/11/2018	21.24	---	---	---	8.88	12.36	---
MW-16	6/26/2018	21.24	---	---	---	9.48	11.76	---
MW-16	8/28/2018	21.24	---	---	---	10.67	10.57	---
MW-16	12/17/2018	21.24	---	---	---	6.75	14.49	---
MW-16	3/14/2019	21.24	---	---	---	7.27	13.97	---
MW-16	6/12/2019	21.24	---	---	---	8.87	12.37	---
MW-16	9/23/2019	21.24	---	---	---	8.15	13.09	---
MW-16	12/4/2019	21.24	---	---	---	7.59	13.65	---
MW-16	2/25/2020	21.24	---	---	---	5.95	15.29	---
MW-16	6/12/2020	21.24	---	---	---	7.83	13.41	---
MW-17	8/22/2012	13.34	---	---	---	2.77	10.57	---
MW-17	11/5/2012	13.34	---	---	---	0.18	13.16	---
MW-17	1/28/2013	13.34	---	---	---	1.31	12.03	---
MW-17	5/9/2013	13.34	---	---	---	1.88	11.46	---
MW-17	8/19/2013	13.34	---	---	---	3.59	9.75	---
MW-17	11/25/2013	13.34	---	---	---	1.49	11.85	---
MW-17	2/14/2014	13.34	---	---	---	0.80	12.54	---
MW-17	5/5/2014	13.34	---	---	---	0.00	13.34	---
MW-17	8/19/2014	13.34	---	---	---	2.41	10.93	---
MW-17	11/21/2014	13.34	---	---	---	1.43	11.91	---
MW-17	11/14/2016	13.34	---	---	---	0.75	12.59	---
MW-17	11/18/2016	13.34	---	---	---	---	---	---
MW-17	2/16/2017	13.34	---	---	---	3.00	10.34	---
MW-17	5/25/2017	13.34	---	---	---	1.27	12.07	---
MW-17	9/26/2017	13.34	---	---	---	2.94	10.40	---
MW-17	9/27/2017	13.34	---	---	---	---	---	---
MW-17	12/12/2017	13.34	---	---	---	1.11	12.23	---
MW-17	2/26/2018	13.34	---	---	---	1.08	12.26	---
MW-17	6/11/2018	13.34	---	---	---	2.21	11.13	---
MW-17	6/26/2018	13.34	---	---	---	2.69	10.65	---
MW-17	8/28/2018	13.34	---	---	---	3.31	10.03	---
MW-17	9/23/2019	13.34	---	---	---	1.55	11.79	---
DW-1	11/14/2011	20.69	---	---	---	8.91	11.78	---
DW-1	2/20/2012	20.69	---	---	---	7.76	12.93	---
DW-1	8/22/2012	20.69	---	---	---	9.79	10.90	---
DW-1	11/5/2012	20.69	---	---	---	8.12	12.57	---
DW-1	1/28/2013	20.69	---	---	---	8.06	12.63	---
DW-1	5/9/2013	20.69	---	---	---	8.46	12.23	---
DW-1	8/19/2013	20.69	---	---	---	10.66	10.03	---
DW-1	11/25/2013	20.69	---	---	---	8.19	12.50	---
DW-1	2/14/2014	20.69	---	---	---	7.86	12.83	---
DW-1	5/5/2014	20.69	---	---	---	7.13	13.56	---
DW-1	8/19/2014	20.69	---	---	---	9.35	11.34	---
DW-1	11/21/2014	20.69	---	---	---	7.84	12.85	---
DW-2	11/14/2011	21.36	---	---	---	9.79	11.57	---
DW-2	2/20/2012	21.36	---	---	---	8.40	12.96	---
DW-2	8/22/2012	21.36	---	---	---	10.45	10.91	---
DW-2	11/5/2012	21.36	---	---	---	8.96	12.40	---
DW-2	1/28/2013	21.36	---	---	---	8.87	12.49	---
DW-2	5/9/2013	21.36	---	---	---	9.36	12.00	---
DW-2	8/19/2013	21.36	---	---	---	10.36	11.00	---
DW-2	11/25/2013	21.36	---	---	---	9.96	11.40	---
DW-2	2/14/2014	21.36	---	---	---	8.41	12.95	---
DW-2	5/5/2014	21.36	---	---	---	8.00	13.36	---
DW-2	8/19/2014	21.36	---	---	---	10.12	11.24	---
DW-2	11/21/2014	21.36	---	---	---	9.21	12.15	---
DW-3	11/14/2011	21.75	---	---	---	10.26	11.49	---
DW-3	2/20/2012	21.75	---	---	---	8.95	12.80	---
DW-3	8/22/2012	21.75	---	---	---	11.01	10.74	---
DW-3	11/5/2012	21.75	---	---	---	9.38	12.37	---
DW-3	1/28/2013	21.75	---	---	---	9.39	12.36	---
DW-3	5/9/2013	21.75	---	---	---	9.87	11.88	---
DW-3	8/19/2013	21.75	---	---	---	11.88	9.87	---
DW-3	11/25/2013	21.75	---	---	---	9.49	12.26	---
DW-3	2/14/2014	21.75	---	---	---	9.00	12.75	---
DW-3	5/5/2014	21.75	---	---	---	8.31	13.44	---
DW-3	11/21/2014	21.75	---	---	---	9.29	12.46	---
DW-3	9/23/2019	21.75	---	---	---	7.60	14.15	---
DW-4	8/22/2012	16.61	---	---	---	5.91	10.70	---
DW-4	11/5/2012	16.61	---	---	---	4.08	12.53	---
DW-4	1/28/2013	16.61	---	---	---	4.69	11.92	---
DW-4	5/9/2013	16.61	---	---	---	4.69	11.92	---
DW-4	8/19/2013	16.61	---	---	---	6.39	10.22	---
DW-4	11/25/2013	16.61	---	---	---	4.41	12.20	---
DW-4	2/14/2014	16.61	---	---	---	3.66	12.95	---
DW-4	5/5/2014	16.61	---	---	---	2.94	13.67	---
DW-4	8/19/2014	16.61	---	---	---	5.44	11.17	---
DW-4	11/21/2014	16.61	---	---	---	4.35	12.26	---
BR-1	11/5/2012	19.55	---	---	---	8.18	11.37	---
BR-1	1/28/2013	19.55	---	---	---	9.60	9.95	---
BR-1	5/9/2013	19.55	---	---	---	10.80	8.75	---
BR-1	8/19/2013	19.55	---	---	---	10.96	8.59	---
BR-1	11/25/2013	19.55	---	---	---	10.03	9.52	---
BR-1	2/14/2014	19.55	---	---	---	7.42	12.13	---
BR-1	5/5/2014	19.55	---	---	---	5.88	13.67	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

Well	Date	Top of Casing Elevation (feet)	Depth to Free Product (feet BTOC)	Elevation of Free Product (feet)	Product Thickness In Well (feet)	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet)	Potentiometric Elevation
BR-1	8/19/2014	19.55	---	---	---	10.58	8.97	---
BR-1	11/21/2014	19.55	---	---	---	9.69	9.86	---
BR-2	11/5/2012	18.08	---	---	---	6.73	11.35	---
BR-2	1/28/2013	18.08	---	---	---	8.02	10.06	---
BR-2	5/9/2013	18.08	---	---	---	9.33	8.75	---
BR-2	8/19/2013	18.08	---	---	---	9.42	8.66	---
BR-2	11/25/2013	18.08	---	---	---	8.55	9.53	---
BR-2	2/14/2014	18.08	---	---	---	6.04	12.04	---
BR-2	5/5/2014	18.08	---	---	---	4.44	13.64	---
BR-2	8/19/2014	18.08	---	---	---	9.05	9.03	---
BR-2	11/21/2014	18.08	---	---	---	7.61	10.47	---
WS-1	1/28/2013	12.24	---	---	DRY	---	---	---
WS-1	5/9/2013	12.24	---	---	DRY	---	---	---
WS-1	8/19/2013	12.24	---	---	DRY	---	---	---
WS-1	11/25/2013	12.24	---	---	DRY	---	---	---
WS-1	2/14/2014	12.24	---	---	---	0.73	12.97	---
WS-1	5/5/2014	12.24	---	---	---	2.30	14.54	---
WS-1	8/19/2014	12.24	---	---	DRY	---	---	---
WS-1	11/21/2014	12.24	---	---	DRY	---	---	---
WS-2		12.03	---	---	---	---	---	---
WS-2	1/28/2013	12.03	---	---	DRY	---	---	---
WS-2	5/9/2013	12.03	---	---	DRY	---	---	---
WS-2	8/19/2013	12.03	---	---	DRY	---	---	---
WS-2	11/25/2013	12.03	---	---	---	0.075	12.11	---
WS-2	2/14/2014	12.03	---	---	---	1.275	13.31	---
WS-2	5/5/2014	12.03	---	---	---	2.55	14.58	---
WS-2	8/19/2014	12.03	---	---	DRY	---	---	---
WS-2	11/21/2014	12.03	---	---	DRY	---	---	---
WS-3		14.11	---	---	---	---	---	---
WS-3	1/28/2013	14.11	---	---	---	2.13	16.24	---
WS-3	5/9/2013	14.11	---	---	---	1.05	15.16	---
WS-3	8/19/2013	14.11	---	---	DRY	---	---	---
WS-3	11/25/2013	14.11	---	---	---	1.05	15.16	---
WS-3	2/14/2014	14.11	---	---	---	1.53	15.64	---
WS-3	5/5/2014	14.11	---	---	---	2.20	16.31	---
WS-3	8/19/2014	14.11	---	---	DRY	---	---	---
WS-3	11/21/2014	14.11	---	---	---	1.15	12.96	---
WS-4		14.92	---	---	---	---	---	---
WS-4	5/9/2013	14.92	---	---	---	0.25	15.17	---
WS-4	8/19/2013	14.92	---	---	DRY	---	---	---
WS-4	2/14/2014	14.92	---	---	---	0.68	15.60	---
WS-4	5/5/2014	14.92	---	---	---	1.38	16.30	---
WS-4	8/19/2014	14.92	---	---	DRY	---	---	---
WS-4	11/21/2014	14.92	---	---	---	0.39	14.53	---
TW-1	5/9/2013	21.4	---	---	---	9.33	12.07	---
TW-1	8/19/2013	21.4	---	---	---	11.07	10.33	---
TW-1	11/25/2013	21.4	---	---	---	8.83	12.57	---
TW-1	2/14/2014	21.4	---	---	---	8.23	13.17	---
TW-1	5/5/2014	21.4	---	---	---	7.52	13.88	---
TW-1	8/19/2014	21.4	---	---	---	9.91	11.49	---
TW-2	5/9/2013	21.19	7.2	---	0.33	7.53	13.91	---
TW-2	8/19/2013	21.19	8.03	---	0.39	8.42	13.06	---
TW-2	11/25/2013	21.19	8.1	---	0.27	8.37	13.02	---
TW-2	2/14/2014	21.19	---	---	---	8.12	13.07	---
TW-2	5/5/2014	21.19	6.04	15.15	0.87	6.91	14.93	---
TW-2	8/19/2014	21.19	7.93	13.26	0.33	8.26	13.18	---
TW-3	5/9/2013	21.2	---	---	---	9.35	11.85	---
TW-3	8/19/2013	21.2	---	---	---	11.09	10.11	---
TW-3	11/25/2013	21.2	---	---	---	8.88	12.32	---
TW-3	2/14/2014	21.2	---	---	---	7.31	13.89	---
TW-3	5/5/2014	21.2	---	---	---	7.52	13.68	---
TW-3	8/19/2014	21.2	---	---	---	9.89	11.31	---
TW-4	5/9/2013	21.27	---	---	---	8.49	12.78	---
TW-4	8/19/2013	21.27	---	---	---	9.16	12.11	---
TW-4	11/25/2013	21.27	---	---	---	8.34	12.93	---
TW-4	2/14/2014	21.27	---	---	---	7.19	14.08	---
TW-4	5/5/2014	21.27	---	---	---	5.42	15.85	---
TW-4	8/19/2014	21.27	---	---	---	8.65	12.62	---
TW-5	5/9/2013	21.35	---	---	---	9.34	12.01	---
TW-5	8/19/2013	21.35	---	---	---	11.29	10.06	---
TW-5	11/25/2013	21.35	---	---	---	9.01	12.34	---
TW-5	2/14/2014	21.35	---	---	---	8.45	12.90	---
TW-5	5/5/2014	21.35	---	---	---	7.69	13.66	---
TW-5	8/19/2014	21.35	---	---	---	10.05	11.30	---
TW-6	5/9/2013	21.35	8.32	---	0.08	8.40	13.01	---
TW-6	8/19/2013	21.35	---	---	---	8.98	12.37	---
TW-6	11/25/2013	21.35	8.29	---	0.27	8.56	12.99	---
TW-6	2/14/2014	21.35	7.9	---	0.64	8.54	13.29	---
TW-6	5/5/2014	21.35	7.39	13.96	1.09	8.48	13.69	---
TW-6	8/19/2014	21.35	---	---	---	8.58	12.77	---
TW-7	5/9/2013	21.31	---	---	---	9.39	11.92	---
TW-7	8/19/2013	21.31	---	---	---	11.23	10.08	---
TW-7	11/25/2013	21.31	---	---	---	8.91	12.40	---
TW-7	2/14/2014	21.31	---	---	---	8.41	12.90	---
TW-7	5/5/2014	21.31	---	---	---	7.91	13.40	---

**Table 5**  
**Groundwater Elevation Data**  
**Phillips 66 Company**  
**Renton Terminal**  
**Renton, Washington**

<i>Well</i>	<i>Date</i>	<i>Top of Casing Elevation (feet)</i>	<i>Depth to Free Product (feet BTOC)</i>	<i>Elevation of Free Product (feet)</i>	<i>Product Thickness In Well (feet)</i>	<i>Depth to Groundwater (feet BTOC)</i>	<i>Groundwater Elevation (feet)</i>	<i>Potentiometric Elevation</i>
TW-7	8/19/2014	21.31	---	---	---	10.00	11.31	---
TW-8	5/9/2013	21.36	---	---	---	8.22	13.14	---
TW-8	8/19/2013	21.36	---	---	---	8.66	12.70	---
TW-8	11/25/2013	21.36	---	---	---	8.68	12.68	---
TW-8	2/14/2014	21.36	---	---	---	8.03	13.33	---
TW-8	5/5/2014	21.36	---	---	---	6.69	14.67	---
TW-8	8/19/2014	21.36	---	---	---	8.29	13.07	---
AS-1	5/9/2013	21.24	---	---	---	9.34	11.90	---
AS-1	8/19/2013	21.24	---	---	---	11.28	9.96	---
AS-1	11/25/2013	21.24	---	---	---	8.98	12.26	---
AS-1	2/14/2014	21.24	---	---	---	8.46	12.78	---
AS-1	5/5/2014	21.24	---	---	---	7.63	13.61	---
AS-1	8/19/2014	21.24	---	---	---	10.01	11.23	---
EX-1	5/9/2013	21.54	8.57	---	1.46	10.03	12.61	---
EX-1	8/19/2013	21.54	10.41	---	0.71	11.12	10.95	---
EX-1	11/25/2013	21.54	8.39	---	1.57	9.96	12.76	---
EX-1	2/14/2014	21.54	7.76	---	2.22	9.98	13.23	---
EX-1	5/5/2014	21.54	7.3	14.24	2.78	10.08	13.55	---
EX-1	8/19/2014	21.54	9.86	11.68	0.41	10.27	11.58	---
EX-1	7/11/2016	---	9.05	---	0.55	9.60	---	---
EX-1	7/11/2017	---	7.8	---	1.91	9.71	---	---
EX-1	12/11/2017	21.54	4.92	16.62	4.72	9.64	15.68	---
EX-1	2/26/2018	21.54	---	---	---	---	---	---
EX-1	6/11/2018	21.54	8.75	12.79	0.63	9.38	12.66	---
EX-1	12/17/2018	21.54	7.38	14.16	1.94	9.32	13.77	---
EX-1	3/11/2019	21.54	7.38	14.16	1.89	9.27	13.78	---
EX-1	6/12/2019	21.54	7.05	14.49	2.21	9.26	14.05	---
EX-1	9/23/2019	21.54	8.30	13.24	0.95	9.25	13.05	---
EX-1	12/4/2019	21.54	7.80	13.74	1.31	9.11	13.48	---
EX-1	2/24/2020	21.54	7.20	14.34	1.27	8.47	14.09	---
EX-1	6/12/2020	21.46	7.92	13.54	0.2	8.12	13.50	---
P-1	5/9/2013	21.47	8.76	---	0.07	8.83	12.69	---
P-1	8/19/2013	21.47	10.38	---	0.41	10.79	10.99	---
P-1	11/25/2013	21.47	8.57	---	0.21	8.78	12.85	---
P-1	2/14/2014	21.47	7.89	---	1.36	9.25	13.24	---
P-1	5/5/2014	21.47	7.3	14.17	2.46	9.76	13.56	---
P-1	8/19/2014	21.47	9.79	11.68	0.42	10.21	11.58	---
P-1	11/14/2016	21.47	---	---	---	9.36	12.11	---
P-1	2/16/2017	21.47	6.19	15.28	3.31	9.50	14.62	---
P-1	5/24/2017	21.47	8.33	13.14	1.08	9.41	12.92	---
P-1	9/26/2017	21.47	10.15	11.32	0.87	11.02	11.15	---
P-1	12/11/2017	21.47	7.65	13.82	1.49	9.14	13.52	---
P-1	2/26/2018	21.47	8.8	12.67	0.62	9.42	12.55	---
P-1	6/11/2018	21.47	9.20	12.27	0.48	9.68	12.17	---
P-1	8/27/2018	21.47	---	---	---	11.09	10.38	---
P-1	12/17/2018	21.47	7.66	13.81	1.98	9.64	13.41	---
P-2	5/9/2013	21.6	8.65	---	1.32	9.97	12.62	---
P-2	8/19/2013	21.6	10.22	---	1.99	12.21	10.88	---
P-2	11/25/2013	21.6	8.46	---	1.4	9.86	12.79	---
P-2	2/14/2014	21.6	7.97	---	1.48	9.45	13.26	---
P-2	5/5/2014	21.6	7.55	14.05	1.87	9.42	13.58	---
P-2	8/19/2014	21.6	9.66	11.94	1.65	11.31	11.53	---
P-2	11/14/2016	21.60	7.71	13.89	1.89	9.60	13.51	---
P-2	2/16/2017	21.60	6.78	14.82	2.27	9.05	14.37	---
P-2	5/24/2017	21.60	7.73	13.87	1.75	9.48	13.52	---
P-2	9/26/2017	21.60	10.32	11.28	1.25	11.57	11.03	---
P-2	12/11/2017	21.60	8.5	13.1	0.61	9.11	12.98	---
P-2	2/26/2018	21.60	9.15	12.45	0.68	9.83	12.31	---
P-2	6/11/2018	21.60	9.60	12	0.97	10.57	11.81	---
P-2	8/27/2018	21.60	10.61	10.99	1.76	12.37	10.64	---
P-2	12/17/2018	21.60	8.35	13.25	1.01	9.36	13.05	---

## Notes:

All measurement are recorded in feet.

--- = Not Applicable, no data

NM = Not Measured

Groundwater elevations adjusted for the presence of separate phase hydrocarbons using a factor of 0.73

# Appendices

# **Appendix A**

## **O&M Laboratory Analytical Reports**

April 21, 2020

Jeff Gaarder  
GHD  
2055 Niagara Falls  
Boulevard Suite #3  
Niagara Falls, NY 14304

RE: Project: 70496  
Pace Project No.: 10514621

Dear Jeff Gaarder:


Enclosed are the analytical results for sample(s) received by the laboratory on April 11, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross  
jennifer.gross@pacelabs.com  
(206)957-2426  
Project Manager

Enclosures

cc: Rosemarie Borths, GHD Services Inc.  
Jeffrey Cloud, GHD Services Inc.  
Eric Maise, GHD Services Inc.  
Christina McClelland, GHD Services, Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 70496  
Pace Project No.: 10514621

---

### **Pace Analytical Services Minneapolis**

A2LA Certification #: 2926.01	Minnesota Dept of Ag Certification #: via MN 027-053-137
Alabama Certification #: 40770	Minnesota Petrofund Certification #: 1240
Alaska Contaminated Sites Certification #: 17-009	Mississippi Certification #: MN00064
Alaska DW Certification #: MN00064	Missouri Certification #: 10100
Arizona Certification #: AZ0014	Montana Certification #: CERT0092
Arkansas DW Certification #: MN00064	Nebraska Certification #: NE-OS-18-06
Arkansas WW Certification #: 88-0680	Nevada Certification #: MN00064
California Certification #: 2929	New Hampshire Certification #: 2081
CNMI Saipan Certification #: MP0003	New Jersey Certification #: MN002
Colorado Certification #: MN00064	New York Certification #: 11647
Connecticut Certification #: PH-0256	North Carolina DW Certification #: 27700
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Carolina WW Certification #: 530
Florida Certification #: E87605	North Dakota Certification #: R-036
Georgia Certification #: 959	Ohio DW Certification #: 41244
Guam EPA Certification #: MN00064	Ohio VAP Certification #: CL101
Hawaii Certification #: MN00064	Oklahoma Certification #: 9507
Idaho Certification #: MN00064	Oregon Primary Certification #: MN300001
Illinois Certification #: 200011	Oregon Secondary Certification #: MN200001
Indiana Certification #: C-MN-01	Pennsylvania Certification #: 68-00563
Iowa Certification #: 368	Puerto Rico Certification #: MN00064
Kansas Certification #: E-10167	South Carolina Certification #: 74003001
Kentucky DW Certification #: 90062	Tennessee Certification #: TN02818
Kentucky WW Certification #: 90062	Texas Certification #: T104704192
Louisiana DEQ Certification #: 03086	Utah Certification #: MN00064
Louisiana DW Certification #: MN00064	Vermont Certification #: VT-027053137
Maine Certification #: MN00064	Virginia Certification #: 460163
Maryland Certification #: 322	Washington Certification #: C486
Massachusetts Certification #: M-MN064	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 70496  
Pace Project No.: 10514621

---

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10514621001	A-040920-JRL-INF	Air	04/09/20 12:50	04/11/20 10:00
10514621003	A-040920-JRL-EFF	Air	04/09/20 12:45	04/11/20 10:00
10514621004	A-040920-JRL-EFF CERT 2083	Air	04/09/20 12:45	04/11/20 10:00

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 70496  
Pace Project No.: 10514621

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10514621001	A-040920-JRL-INF	TO-15	MG2	6	PASI-M
10514621003	A-040920-JRL-EFF	TO-15	MG2	6	PASI-M
10514621004	A-040920-JRL-EFF CERT 2083	TO-15	NCK	5	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10514621

<b>Sample: A-040920-JRL-INF</b>		<b>Lab ID: 10514621001</b>	Collected: 04/09/20 12:50	Received: 04/11/20 10:00	Matrix: Air			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis						
Benzene	<b>638</b>	ppbv	6.9	68.7		04/21/20 00:18	71-43-2	A4
Ethylbenzene	<b>133</b>	ppbv	13.7	68.7		04/21/20 00:18	100-41-4	
THC as Gas	<b>25600</b>	ppbv	3340	68.7		04/21/20 00:18		A4
Toluene	<b>1140</b>	ppbv	13.7	68.7		04/21/20 00:18	108-88-3	
m&p-Xylene	<b>607</b>	ppbv	27.5	68.7		04/21/20 00:18	179601-23-1	
o-Xylene	<b>212</b>	ppbv	13.7	68.7		04/21/20 00:18	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10514621

Sample: <b>A-040920-JRL-EFF</b>		Lab ID: <b>10514621003</b>	Collected: 04/09/20 12:45	Received: 04/11/20 10:00	Matrix: Air			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis						
Benzene	<b>7.4</b>	ppbv	0.17	1.74		04/20/20 23:52	71-43-2	
Ethylbenzene	ND	ppbv	0.35	1.74		04/20/20 23:52	100-41-4	
THC as Gas	<b>259</b>	ppbv	84.6	1.74		04/20/20 23:52		
Toluene	<b>5.9</b>	ppbv	0.35	1.74		04/20/20 23:52	108-88-3	
m&p-Xylene	<b>1.3</b>	ppbv	0.70	1.74		04/20/20 23:52	179601-23-1	
o-Xylene	<b>0.41</b>	ppbv	0.35	1.74		04/20/20 23:52	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10514621

**Sample: A-040920-JRL-EFF CERT 2083**      **Lab ID: 10514621004**      Collected: 04/09/20 12:45      Received: 04/11/20 10:00      Matrix: Air

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Individual Can Certification</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis						
Benzene	ND	ug/m3	0.32	1		03/20/20 10:39	71-43-2	
Ethylbenzene	ND	ug/m3	0.88	1		03/20/20 10:39	100-41-4	
Toluene	ND	ug/m3	0.77	1		03/20/20 10:39	108-88-3	
m&p-Xylene	ND	ug/m3	1.8	1		03/20/20 10:39	179601-23-1	
o-Xylene	ND	ug/m3	0.88	1		03/20/20 10:39	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496  
Pace Project No.: 10514621

QC Batch: 670906	Analysis Method: TO-15
QC Batch Method: TO-15	Analysis Description: TO15 MSV AIR
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10514621001, 10514621003

METHOD BLANK: 3595109 Matrix: Air

Associated Lab Samples: 10514621001, 10514621003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ppbv	ND	0.10	04/20/20 08:57	
Ethylbenzene	ppbv	ND	0.20	04/20/20 08:57	
m&p-Xylene	ppbv	ND	0.40	04/20/20 08:57	
o-Xylene	ppbv	ND	0.20	04/20/20 08:57	
THC as Gas	ppbv	ND	48.6	04/20/20 08:57	
Toluene	ppbv	ND	0.20	04/20/20 08:57	

LABORATORY CONTROL SAMPLE: 3595110

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ppbv	10.3	10.2	98	70-133	
Ethylbenzene	ppbv	10.3	12.3	119	70-142	
m&p-Xylene	ppbv	20.7	24.6	119	70-141	
o-Xylene	ppbv	10.3	12.2	119	70-135	
THC as Gas	ppbv	1170	1220	105	66-145	
Toluene	ppbv	10.3	11.6	113	70-136	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 70496  
Pace Project No.: 10514621

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### SAMPLE QUALIFIERS

Sample: 10514621001

[1] Sample was collected in a sampling bag. Sampling bags are not certified for volatile organic compound concentrations prior to sample collection.

### ANALYTE QUALIFIERS

A4 Sample was transferred from a sampling bag into a Summa Canister within 48 hours of collection.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**


Project: 70496  
Pace Project No.: 10514621

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10514621001	A-040920-JRL-INF	TO-15	670906		
10514621003	A-040920-JRL-EFF	TO-15	670906		
10514621004	A-040920-JRL-EFF CERT 2083	TO-15	669827		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





Document Name:  
Air Sample Condition Upon Receipt

Document Revised: 19Nov2019  
Page 1 of 1

Document No.:  
F-MN-A-106-rev.20

Pace Analytical Services -  
Minneapolis

Air Sample Condition  
Upon Receipt

Client Name:

GHD Service

Project #:

WO#: 10514621

PM: JMG

Due Date: 04/27/20

CLIENT: GHD\_WA

Courier:  Fed Ex  UPS  USPS  Client  
 Pace  Speedee  Commercial  See Exception

Tracking Number: 4434 3734 3968

Custody Seal on Cooler/Box Present?  Yes  No Seals Intact?  Yes  No

Packing Material:  Bubble Wrap  Bubble Bags  Foam  None  Tin Can  Other: Temp Blank rec:  Yes  No

Temp. (TO17 and TO13 samples only) (°C): Corrected Temp (°C):

Thermometer Used:  G87A9170600254  
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: -

Date & Initials of Person Examining Contents: clj 4/11/20

Type of ice Received  Blue  Wet  None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10. <u>clj 4/11/20</u>
Media: <u>Air Can</u> <u>Airbag</u> Filter TDT Passive		11. Individually Certified Cans <input checked="" type="checkbox"/> <input type="checkbox"/> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12. <u>Sample A-040920-SRL-INF No Can used, Tedlar Bag</u>
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge #  10AIR26  10AIR34  10AIR35  4097

Canisters

Canisters

Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
A-040920-SRL-INF	1413	-	0	-					
A-040920-SRL-EPF	2063	-	-1	+10					

CLIENT NOTIFICATION/RESOLUTION

Field Data Required?  Yes  No

Person Contacted: \_\_\_\_\_

Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

Project Manager Review: JENNI GROSS

Date: 04/13/20

Page 12 of 15



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: GHD Services Inc  
 Phone: 734-453-5123

Lab Project Number: 10514621  
 Project Name: 70496

Lab Sample No: 10514621001      ProjSampleNum: 10514621001      Date Collected: 04/09/20 12:50  
 Client Sample ID: A-040920-JRL-INF      Matrix: Air      Date Received: 04/11/20 10:00

Parameters	Results	Units	Report Limit	MDL	Analyzed	CAS No.	Fnote
<b>Air</b>							
TO-15							
Benzene	2070	ug/m3	22.4	9.1	04/21/20 0:18 MG2	71-43-2	A4
Ethylbenzene	587	ug/m3	60.5	9.3	04/21/20 0:18 MG2	100-41-4	
m&p-Xylene	2680	ug/m3	121	23.4	04/21/20 0:18 MG2	179601-23-	
o-Xylene	936	ug/m3	60.5	10.2	04/21/20 0:18 MG2	95-47-6	
THC as Gas	111000	ug/m3	14500	7250	04/21/20 0:18 MG2		A4
Toluene	4370	ug/m3	52.5	11.9	04/21/20 0:18 MG2	108-88-3	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: GHD Services Inc  
 Phone: 734-453-5123

Lab Project Number: 10514621  
 Project Name: 70496

Lab Sample No: 10514621003      ProjSampleNum: 10514621003      Date Collected: 04/09/20 12:45  
 Client Sample ID: A-040920-JRL-EFF      Matrix: Air      Date Received: 04/11/20 10:00

Parameters	Results	Units	Report Limit	MDL	Analyzed	CAS No.	Fnote
<b>Air</b>							
TO-15							
Benzene	24	ug/m3	0.55	0.23	04/20/20 23:52 MG2	71-43-2	
Ethylbenzene	ND	ug/m3	1.5	0.24	04/20/20 23:52 MG2	100-41-4	
m&p-Xylene	5.7	ug/m3	3.1	0.57	04/20/20 23:52 MG2	179601-23-	
o-Xylene	1.8	ug/m3	1.5	0.26	04/20/20 23:52 MG2	95-47-6	
THC as Gas	1120	ug/m3	367	184	04/20/20 23:52 MG2		
Toluene	22.6	ug/m3	1.3	0.3	04/20/20 23:52 MG2	108-88-3	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request



Pace Analytical Services, LLC  
1700 Elm Street, Suite 200  
Minneapolis, MN 55414  
Phone: 612.607.1700  
Fax: 612.607.6444

### ANALYTICAL RESULTS

Client: GHD Services Inc  
Phone: 734-453-5123

Lab Project Number: 10514621  
Project Name: 70496

---

## PARAMETER FOOTNOTES

ND Not detected at or above adjusted reporting limit

NC Not Calculable

J Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

[A4] Sample was transferred from a sampling bag into a Summa Canister within 48 hours of collection.

## SUPPLEMENTAL REPORT

Units Conversion Request

Date: 4/21/2020

Page 3

April 23, 2020

Christina McClelland  
GHD Services, Inc.  
20818 44th Ave W  
Suite 190  
Lynnwood, WA 98036

RE: Project: 70496.17  
Pace Project No.: 10514558

Dear Christina McClelland:


Enclosed are the analytical results for sample(s) received by the laboratory on April 10, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross  
jennifer.gross@pacelabs.com  
(206)957-2426  
Project Manager

Enclosures

cc: Rosemarie Borths, GHD Services Inc.  
Jeffrey Cloud, GHD Services Inc.  
Joe Lewandowski, GHD  
Eric Maise, GHD Services Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 70496.17  
Pace Project No.: 10514558

---

### **Pace Analytical Services Minneapolis**

A2LA Certification #: 2926.01	Minnesota Dept of Ag Certification #: via MN 027-053-137
Alabama Certification #: 40770	Minnesota Petrofund Certification #: 1240
Alaska Contaminated Sites Certification #: 17-009	Mississippi Certification #: MN00064
Alaska DW Certification #: MN00064	Missouri Certification #: 10100
Arizona Certification #: AZ0014	Montana Certification #: CERT0092
Arkansas DW Certification #: MN00064	Nebraska Certification #: NE-OS-18-06
Arkansas WW Certification #: 88-0680	Nevada Certification #: MN00064
California Certification #: 2929	New Hampshire Certification #: 2081
CNMI Saipan Certification #: MP0003	New Jersey Certification #: MN002
Colorado Certification #: MN00064	New York Certification #: 11647
Connecticut Certification #: PH-0256	North Carolina DW Certification #: 27700
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Carolina WW Certification #: 530
Florida Certification #: E87605	North Dakota Certification #: R-036
Georgia Certification #: 959	Ohio DW Certification #: 41244
Guam EPA Certification #: MN00064	Ohio VAP Certification #: CL101
Hawaii Certification #: MN00064	Oklahoma Certification #: 9507
Idaho Certification #: MN00064	Oregon Primary Certification #: MN300001
Illinois Certification #: 200011	Oregon Secondary Certification #: MN200001
Indiana Certification #: C-MN-01	Pennsylvania Certification #: 68-00563
Iowa Certification #: 368	Puerto Rico Certification #: MN00064
Kansas Certification #: E-10167	South Carolina Certification #:74003001
Kentucky DW Certification #: 90062	Tennessee Certification #: TN02818
Kentucky WW Certification #: 90062	Texas Certification #: T104704192
Louisiana DEQ Certification #: 03086	Utah Certification #: MN00064
Louisiana DW Certification #: MN00064	Vermont Certification #: VT-027053137
Maine Certification #: MN00064	Virginia Certification #: 460163
Maryland Certification #: 322	Washington Certification #: C486
Massachusetts Certification #: M-MN064	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 70496.17  
Pace Project No.: 10514558

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10514558001	GW-040920-JRL-INF 1	Water	04/09/20 12:30	04/10/20 08:55
10514558002	GW-040920-JRL-INF 2	Water	04/09/20 12:15	04/10/20 08:55
10514558003	GW-040920-JRL-MID 1	Water	04/09/20 12:00	04/10/20 08:55
10514558004	GW-040920-JRL-MID 2	Water	04/09/20 11:45	04/10/20 08:55
10514558005	GW-040920-JRL-Total EFF	Water	04/09/20 10:45	04/10/20 08:55
10514558006	GW-040920-JRL-Total EFF 1	Water	04/09/20 10:45	04/10/20 08:55
10514558007	GW-040920-JRL-Total EFF 2	Water	04/09/20 11:00	04/10/20 08:55
10514558008	GW-040920-JRL-Total EFF 3	Water	04/09/20 11:15	04/10/20 08:55
10514558009	GW-040920-JRL-Total EFF 4	Water	04/09/20 11:30	04/10/20 08:55
10514558010	GW-040920-JRL-Total EFF 1-4	Water	04/09/20 11:30	04/10/20 08:55
10514558011	GW-040920-JRL-Total EFF 5	Water	04/09/20 10:45	04/10/20 08:55
10514558012	GW-040920-JRL-Total EFF 6	Water	04/09/20 11:00	04/10/20 08:55
10514558013	GW-040920-JRL-Total EFF 7	Water	04/09/20 11:15	04/10/20 08:55
10514558014	GW-040920-JRL-Total EFF 5-7	Water	04/09/20 11:15	04/10/20 08:55
10514558015	Trip Blank	Water	04/09/20 00:00	04/10/20 08:55

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 70496.17

Pace Project No.: 10514558

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10514558001	GW-040920-JRL-INF 1	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ, MM3	7	PASI-M
10514558002	GW-040920-JRL-INF 2	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10514558003	GW-040920-JRL-MID 1	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10514558004	GW-040920-JRL-MID 2	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10514558005	GW-040920-JRL-Total EFF	NWTPH-Dx	JVM	4	PASI-M
10514558010	GW-040920-JRL-Total EFF 1-4	NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10514558014	GW-040920-JRL-Total EFF 5-7	EPA 1664B OG	JER	1	PASI-M
10514558015	Trip Blank	NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496.17  
Pace Project No.: 10514558

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GW-040920-JRL-INF 1</b>								
<b>Lab ID: 10514558001</b>								
Collected: 04/09/20 12:30 Received: 04/10/20 08:55 Matrix: Water								
Analytical Method: NWTPH-Dx Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	<b>2890</b>	ug/L	408	1	04/10/20 17:13	04/13/20 12:13	68334-30-5	
Motor Oil Range SG	ND	ug/L	408	1	04/10/20 17:13	04/13/20 12:13	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	69	%.	50-150	1	04/10/20 17:13	04/13/20 12:13	84-15-1	
n-Triacontane (S)	68	%.	50-150	1	04/10/20 17:13	04/13/20 12:13	638-68-6	
<b>NWTPH-Gx GCV</b>								
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis								
TPH as Gas	<b>192000</b>	ug/L	10000	100		04/13/20 19:28		G+,G-
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	100	%.	50-150	100		04/13/20 19:28	98-08-8	
<b>8260B MSV UST</b>								
Analytical Method: EPA 8260B Pace Analytical Services - Minneapolis								
Benzene	<b>19200</b>	ug/L	100	100		04/17/20 03:01	71-43-2	
Ethylbenzene	<b>1930</b>	ug/L	100	100		04/17/20 03:01	100-41-4	
Toluene	<b>32100</b>	ug/L	250	250		04/23/20 15:31	108-88-3	
Xylene (Total)	<b>16300</b>	ug/L	300	100		04/17/20 03:01	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	102	%.	75-125	100		04/17/20 03:01	17060-07-0	
Toluene-d8 (S)	96	%.	75-125	100		04/17/20 03:01	2037-26-5	
4-Bromofluorobenzene (S)	103	%.	75-125	100		04/17/20 03:01	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17  
Pace Project No.: 10514558

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GW-040920-JRL-INF 2      Lab ID: 10514558002      Collected: 04/09/20 12:15      Received: 04/10/20 08:55      Matrix: Water</b>								
<b>NWTPH-Dx GCS Silica Gel LV</b>								
Analytical Method: NWTPH-Dx    Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	<b>2920</b>	ug/L	400	1	04/10/20 17:13	04/13/20 12:35	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	04/10/20 17:13	04/13/20 12:35	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	70	%.	50-150	1	04/10/20 17:13	04/13/20 12:35	84-15-1	
n-Triacontane (S)	67	%.	50-150	1	04/10/20 17:13	04/13/20 12:35	638-68-6	
<b>NWTPH-Gx GCV</b>								
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis								
TPH as Gas	<b>4220</b>	ug/L	500	5		04/13/20 19:11		G+,G-
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	101	%.	50-150	5		04/13/20 19:11	98-08-8	
<b>8260B MSV UST</b>								
Analytical Method: EPA 8260B Pace Analytical Services - Minneapolis								
Benzene	<b>32.3</b>	ug/L	2.0	2		04/17/20 02:44	71-43-2	
Ethylbenzene	<b>10.9</b>	ug/L	2.0	2		04/17/20 02:44	100-41-4	
Toluene	<b>46.5</b>	ug/L	2.0	2		04/17/20 02:44	108-88-3	
Xylene (Total)	<b>383</b>	ug/L	6.0	2		04/17/20 02:44	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	101	%.	75-125	2		04/17/20 02:44	17060-07-0	
Toluene-d8 (S)	97	%.	75-125	2		04/17/20 02:44	2037-26-5	
4-Bromofluorobenzene (S)	101	%.	75-125	2		04/17/20 02:44	460-00-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10514558

Sample: <b>GW-040920-JRL-MID 1</b>	Lab ID: <b>10514558003</b>	Collected: 04/09/20 12:00	Received: 04/10/20 08:55	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Dx GCS Silica Gel LV</b>								
Analytical Method: NWTPH-Dx Preparation Method: EPA Mod. 3510C								
Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	<b>754</b>	ug/L	400	1	04/14/20 14:33	04/18/20 13:59	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	04/14/20 14:33	04/18/20 13:59	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	74	%.	50-150	1	04/14/20 14:33	04/18/20 13:59	84-15-1	
n-Triacontane (S)	50	%.	50-150	1	04/14/20 14:33	04/18/20 13:59	638-68-6	
<b>NWTPH-Gx GCV</b>								
Analytical Method: NWTPH-Gx								
Pace Analytical Services - Minneapolis								
TPH as Gas	<b>1050</b>	ug/L	100	1		04/13/20 18:37		G+,G-
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	99	%.	50-150	1		04/13/20 18:37	98-08-8	
<b>8260B MSV UST</b>								
Analytical Method: EPA 8260B								
Pace Analytical Services - Minneapolis								
Benzene	<b>17.5</b>	ug/L	1.0	1		04/17/20 02:11	71-43-2	
Ethylbenzene	<b>2.7</b>	ug/L	1.0	1		04/17/20 02:11	100-41-4	
Toluene	<b>12.4</b>	ug/L	1.0	1		04/17/20 02:11	108-88-3	
Xylene (Total)	<b>90.7</b>	ug/L	3.0	1		04/17/20 02:11	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	101	%.	75-125	1		04/17/20 02:11	17060-07-0	
Toluene-d8 (S)	96	%.	75-125	1		04/17/20 02:11	2037-26-5	
4-Bromofluorobenzene (S)	104	%.	75-125	1		04/17/20 02:11	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17  
Pace Project No.: 10514558

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GW-040920-JRL-MID 2      Lab ID: 10514558004      Collected: 04/09/20 11:45      Received: 04/10/20 08:55      Matrix: Water</b>								
<b>NWTPH-Dx GCS Silica Gel LV</b>								
Analytical Method: NWTPH-Dx    Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	ND	ug/L	400	1	04/14/20 14:33	04/15/20 10:23	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	04/14/20 14:33	04/15/20 10:23	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	75	%.	50-150	1	04/14/20 14:33	04/15/20 10:23	84-15-1	
n-Triacontane (S)	73	%.	50-150	1	04/14/20 14:33	04/15/20 10:23	638-68-6	
<b>NWTPH-Gx GCV</b>								
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis								
TPH as Gas	ND	ug/L	100	1		04/13/20 18:54		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	96	%.	50-150	1		04/13/20 18:54	98-08-8	
<b>8260B MSV UST</b>								
Analytical Method: EPA 8260B Pace Analytical Services - Minneapolis								
Benzene	2.9	ug/L	1.0	1		04/17/20 02:28	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		04/17/20 02:28	100-41-4	
Toluene	1.1	ug/L	1.0	1		04/17/20 02:28	108-88-3	
Xylene (Total)	7.2	ug/L	3.0	1		04/17/20 02:28	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	101	%.	75-125	1		04/17/20 02:28	17060-07-0	
Toluene-d8 (S)	97	%.	75-125	1		04/17/20 02:28	2037-26-5	
4-Bromofluorobenzene (S)	103	%.	75-125	1		04/17/20 02:28	460-00-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10514558

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GW-040920-JRL-Total EFF    Lab ID: 10514558005    Collected: 04/09/20 10:45    Received: 04/10/20 08:55    Matrix: Water</b>								
<b>NWTPH-Dx GCS Silica Gel LV</b> Analytical Method: NWTPH-Dx    Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	ND	ug/L	400	1	04/10/20 17:13	04/13/20 13:08	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	04/10/20 17:13	04/13/20 13:08	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	66	%.	50-150	1	04/10/20 17:13	04/13/20 13:08	84-15-1	
n-Triacontane (S)	64	%.	50-150	1	04/10/20 17:13	04/13/20 13:08	638-68-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10514558

**Sample:** GW-040920-JRL-Total EFF 1-4    **Lab ID:** 10514558010    Collected: 04/09/20 11:30    Received: 04/10/20 08:55    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Gx GCV</b>		Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis						
TPH as Gas	ND	ug/L	100	1		04/13/20 18:03		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	99	%.	50-150	1		04/13/20 18:03	98-08-8	
<b>8260B MSV UST</b>		Analytical Method: EPA 8260B Pace Analytical Services - Minneapolis						
Benzene	ND	ug/L	1.0	1		04/16/20 22:50	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		04/16/20 22:50	100-41-4	
Toluene	ND	ug/L	1.0	1		04/16/20 22:50	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		04/16/20 22:50	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	102	%.	75-125	1		04/16/20 22:50	17060-07-0	
Toluene-d8 (S)	98	%.	75-125	1		04/16/20 22:50	2037-26-5	
4-Bromofluorobenzene (S)	102	%.	75-125	1		04/16/20 22:50	460-00-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10514558

---

**Sample:** GW-040920-JRL-Total EFF 5-7    **Lab ID:** 10514558014    Collected: 04/09/20 11:15    Received: 04/10/20 08:55    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>1664B HEM, Oil and Grease</b>	Analytical Method: EPA 1664B OG Pace Analytical Services - Minneapolis							
Oil and Grease	ND	ug/L	6490	1		04/21/20 08:46		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17  
Pace Project No.: 10514558

Sample: Trip Blank		Lab ID: 10514558015	Collected: 04/09/20 00:00	Received: 04/10/20 08:55	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Gx GCV</b>		Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis						
TPH as Gas	ND	ug/L	100	1		04/13/20 20:03		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	102	%.	50-150	1		04/13/20 20:03	98-08-8	
<b>8260B MSV UST</b>		Analytical Method: EPA 8260B Pace Analytical Services - Minneapolis						
Benzene	ND	ug/L	1.0	1		04/16/20 22:34	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		04/16/20 22:34	100-41-4	
Toluene	ND	ug/L	1.0	1		04/16/20 22:34	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		04/16/20 22:34	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	101	%.	75-125	1		04/16/20 22:34	17060-07-0	
Toluene-d8 (S)	98	%.	75-125	1		04/16/20 22:34	2037-26-5	
4-Bromofluorobenzene (S)	102	%.	75-125	1		04/16/20 22:34	460-00-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 70496.17

Pace Project No.: 10514558

QC Batch: 670545 Analysis Method: EPA 8260B  
 QC Batch Method: EPA 8260B Analysis Description: 8260B MSV UST-WATER  
 Laboratory: Pace Analytical Services - Minneapolis  
 Associated Lab Samples: 10514558001, 10514558002, 10514558003, 10514558004, 10514558010, 10514558015

METHOD BLANK: 3592435 Matrix: Water  
 Associated Lab Samples: 10514558001, 10514558002, 10514558003, 10514558004, 10514558010, 10514558015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	04/16/20 22:17	
Ethylbenzene	ug/L	ND	1.0	04/16/20 22:17	
Toluene	ug/L	ND	1.0	04/16/20 22:17	
Xylene (Total)	ug/L	ND	3.0	04/16/20 22:17	
1,2-Dichloroethane-d4 (S)	%	102	75-125	04/16/20 22:17	
4-Bromofluorobenzene (S)	%	102	75-125	04/16/20 22:17	
Toluene-d8 (S)	%	98	75-125	04/16/20 22:17	

LABORATORY CONTROL SAMPLE: 3592436

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	19.5	97	75-125	
Ethylbenzene	ug/L	20	18.9	94	75-125	
Toluene	ug/L	20	18.7	93	75-125	
Xylene (Total)	ug/L	60	56.8	95	75-125	
1,2-Dichloroethane-d4 (S)	%			104	75-125	
4-Bromofluorobenzene (S)	%			102	75-125	
Toluene-d8 (S)	%			98	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3596618 3596619

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10514558010 Result	Spike Conc.	Spike Conc.	Result								
Benzene	ug/L	ND	20	20	20.1	18.4	100	91	63-125	9	30		
Ethylbenzene	ug/L	ND	20	20	19.7	18.0	99	90	66-128	9	30		
Toluene	ug/L	ND	20	20	19.5	17.6	97	88	64-125	10	30		
Xylene (Total)	ug/L	ND	60	60	57.8	53.6	96	89	64-131	8	30		
1,2-Dichloroethane-d4 (S)	%							103	103	75-125			
4-Bromofluorobenzene (S)	%							104	102	75-125			
Toluene-d8 (S)	%							98	97	75-125			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10514558

QC Batch: 669509      Analysis Method: NWTPH-Dx  
QC Batch Method: EPA Mod. 3510C      Analysis Description: NWTPH-Dx GCS LV SG  
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10514558001, 10514558002, 10514558005

METHOD BLANK: 3588632      Matrix: Water

Associated Lab Samples: 10514558001, 10514558002, 10514558005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	ug/L	ND	400	04/13/20 11:40	
Motor Oil Range SG	ug/L	ND	400	04/13/20 11:40	
n-Triacontane (S)	%	80	50-150	04/13/20 11:40	
o-Terphenyl (S)	%	68	50-150	04/13/20 11:40	

LABORATORY CONTROL SAMPLE & LCSD: 3588633

3588634

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	ug/L	2000	1500	1540	75	77	50-150	3	20	
Motor Oil Range SG	ug/L	2000	1760	1820	88	91	50-150	4	20	
n-Triacontane (S)	%				87	84	50-150			
o-Terphenyl (S)	%				83	83	50-150			

SAMPLE DUPLICATE: 3588635

Parameter	Units	10514558001 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	ug/L	2890	2460	16	30	
Motor Oil Range SG	ug/L	ND	ND		30	
n-Triacontane (S)	%	68	64			
o-Terphenyl (S)	%	69	61			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10514558

QC Batch: 670067	Analysis Method: NWTPH-Dx
QC Batch Method: EPA Mod. 3510C	Analysis Description: NWTPH-Dx GCS LV SG
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10514558003, 10514558004

METHOD BLANK: 3590509 Matrix: Water

Associated Lab Samples: 10514558003, 10514558004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	ug/L	ND	400	04/15/20 09:38	
Motor Oil Range SG	ug/L	ND	400	04/15/20 09:38	
n-Triacontane (S)	%.	82	50-150	04/15/20 09:38	
o-Terphenyl (S)	%.	77	50-150	04/15/20 09:38	

LABORATORY CONTROL SAMPLE & LCSD: 3590510

3590511

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	ug/L	2000	1450	1610	72	80	50-150	10	20	
Motor Oil Range SG	ug/L	2000	1770	1990	88	99	50-150	12	20	
n-Triacontane (S)	%.				86	88	50-150			
o-Terphenyl (S)	%.				84	89	50-150			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10514558

QC Batch: 671080	Analysis Method: EPA 1664B OG
QC Batch Method: EPA 1664B OG	Analysis Description: 1664B HEM, Oil and Grease
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10514558014

METHOD BLANK: 3595724 Matrix: Water  
Associated Lab Samples: 10514558014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Oil and Grease	ug/L	ND	5000	04/21/20 08:46	

LABORATORY CONTROL SAMPLE & LCSD: 3595725 3595912

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Oil and Grease	ug/L	40000	33600	33700	84	84	78-114	0	18	

MATRIX SPIKE SAMPLE: 3595726

Parameter	Units	10514340001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Oil and Grease	ug/L	ND	38100	31400	80	78-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 70496.17  
Pace Project No.: 10514558

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### BATCH QUALIFIERS

Batch: 671080

[BE] Batch extracted by solid phase extraction (SPE).

### ANALYTE QUALIFIERS

G+ Late peaks present outside the GRO window.

G- Early peaks present outside the GRO window.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### METHOD CROSS REFERENCE TABLE

Project: 70496.17  
Pace Project No.: 10514558

Parameter	Matrix	Analytical Method	Preparation Method
8260B MSV UST	Water	SW-846 8260B/5030B	N/A

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 70496.17  
Pace Project No.: 10514558

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10514558001	GW-040920-JRL-INF 1	EPA Mod. 3510C	669509	NWTPH-Dx	669730
10514558002	GW-040920-JRL-INF 2	EPA Mod. 3510C	669509	NWTPH-Dx	669730
10514558003	GW-040920-JRL-MID 1	EPA Mod. 3510C	670067	NWTPH-Dx	670188
10514558004	GW-040920-JRL-MID 2	EPA Mod. 3510C	670067	NWTPH-Dx	670188
10514558005	GW-040920-JRL-Total EFF	EPA Mod. 3510C	669509	NWTPH-Dx	669730
10514558001	GW-040920-JRL-INF 1	NWTPH-Gx	669732		
10514558002	GW-040920-JRL-INF 2	NWTPH-Gx	669732		
10514558003	GW-040920-JRL-MID 1	NWTPH-Gx	669732		
10514558004	GW-040920-JRL-MID 2	NWTPH-Gx	669732		
10514558010	GW-040920-JRL-Total EFF 1-4	NWTPH-Gx	669732		
10514558015	Trip Blank	NWTPH-Gx	669732		
10514558001	GW-040920-JRL-INF 1	EPA 8260B	670545		
10514558002	GW-040920-JRL-INF 2	EPA 8260B	670545		
10514558003	GW-040920-JRL-MID 1	EPA 8260B	670545		
10514558004	GW-040920-JRL-MID 2	EPA 8260B	670545		
10514558010	GW-040920-JRL-Total EFF 1-4	EPA 8260B	670545		
10514558015	Trip Blank	EPA 8260B	670545		
10514558014	GW-040920-JRL-Total EFF 5-7	EPA 1664B OG	671080		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	GHD Services, Inc.	Report To:	Christina McClelland	Attention:	Christina McClelland
Address:	20818 44th Avenue West, Suite 190 Lynnwood, WA 98036	Copy To:	Eric Maise and Thuan Bui	Company Name:	GHD Services, Inc.
Email To:	christina.mcclelland@ghd.com, eric.maise@ghd.com, thuan.bui@ghd.com	Purchase Order No.:		Address:	2055 Niagara Falls Boulevard Suite #3, Niagara Falls, New York, 14304
Phone:	(425)563-6502	Client Project ID:	70496.17	Face Quote Reference:	
Requested Due Date(T/A):	Standard	Container Order Number:		Pace Project Manager:	Jennifer Gross
				States / Location:	
				Regulatory/Agency:	

Page: 1 Of 1

**WO#: 10514558**

ITEM#	MATRIX CODE (see valid codes to left)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	PRESERVATIVES										Analyses Test	Residual Chlorine (Y/N)
		START	END			H2SO4	Unpreserved	HNO3	HCl	NaOH	Na2SO3	Methanol	Other	TPHd (NWTPH-D) with Silica Gel	TPHg (NWTPH-GX)		
		DATE	TIME	DATE	TIME	H2SO4	Unpreserved	HNO3	HCl	NaOH	Na2SO3	Methanol	Other	TPHd (NWTPH-D) with Silica Gel	TPHg (NWTPH-GX)	BTEX (EPA 8260)	FOG 1664
1	GW-040920 - JRL - INF 1	4/9/20	1230						X					X	X	X	
2	GW-040920 - JRL - INF 2		1215						X					X	X	X	
3	GW-040920 - JRL - MID 1		1200						X					X	X	X	
4	GW-040920 - JRL - MID 2		1145						X					X	X	X	
5	GW-040920 - JRL - Total EFF		1045						X					X	X	X	
6	GW-040920 - JRL - Total EFF 1		1100						X					X	X	X	
7	GW-040920 - JRL - Total EFF 2		1115						X					X	X	X	
8	GW-040920 - JRL - Total EFF 3		1130						X					X	X	X	
9	GW-040920 - JRL - Total EFF 4		1045						X					X	X	X	
10	GW-040920 - JRL - Total EFF 5		1100						X					X	X	X	
11	GW-040920 - JRL - Total EFF 6		1115						X					X	X	X	
									X					X	X	X	

REMOVED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>[Signature]</i>	4/9/20	1310	<i>[Signature]</i>	4/9/20	1510	Y N Y
<i>[Signature]</i>	4-9-20	176	<i>[Signature]</i>	4/10/20	735	Y Y Y

DATE Signed: 04-09-20

TEMP in C: 2.6

Received on Ice (Y/N): Y

Cooler (Y/N): Y

Custody Sealed (Y/N): Y

Samples Intact (Y/N): Y

<b>Sample Condition Upon Receipt</b>	<b>Client Name:</b> <u>GHD Services, Inc.</u>	<b>Project #:</b> <b>WO# : 10514558</b>
	<b>Courier:</b> <input checked="" type="checkbox"/> Fed Ex <input type="checkbox"/> UPS <input type="checkbox"/> USPS <input type="checkbox"/> Client <input type="checkbox"/> Pace <input type="checkbox"/> Speedee <input type="checkbox"/> Commercial <input type="checkbox"/> See Exceptions	<b>PM:</b> JMG <b>Due Date:</b> 04/23/20 <b>CLIENT:</b> GHD_WA
<b>Tracking Number:</b> <u>1456 2240 4473</u>		
<b>Custody Seal on Cooler/Box Present?</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<b>Seals Intact?</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<b>Biological Tissue Frozen?</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Packing Material:</b> <input type="checkbox"/> Bubble Wrap <input checked="" type="checkbox"/> Bubble Bags <input type="checkbox"/> None <input checked="" type="checkbox"/> Other: <u>PB</u>	<b>Temp Blank?</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<b>Thermometer:</b> <input type="checkbox"/> T1(0461) <input type="checkbox"/> T2(1336) <input type="checkbox"/> T3(0459) <input checked="" type="checkbox"/> T4(0254) <input type="checkbox"/> T5(0489)	<b>Type of Ice:</b> <input checked="" type="checkbox"/> Wet <input type="checkbox"/> Blue <input type="checkbox"/> None <input type="checkbox"/> Dry <input type="checkbox"/> Melted	

<b>Did Samples Originate in West Virginia?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<b>Were All Container Temps Taken?</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Temp should be above freezing to 6°C	<b>Cooler Temp Read w/temp blank:</b> <u>2.5</u> °C
<b>Correction Factor:</b> <u>10.1</u>	<b>Cooler Temp Corrected w/temp blank:</b> <u>2.6</u> °C
<b>Average Corrected Temp (no temp blank only):</b> <input type="checkbox"/> See Exceptions <input type="checkbox"/> 1 Container	

**USDA Regulated Soil:** (  N/A, water sample/Other: \_\_\_\_\_ ) **Date/Initials of Person Examining Contents:** GINZ 4/10/2020

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)?  Yes  No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)?  Yes  No

**If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.**

	COMMENTS:
Chain of Custody Present and Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4.
<b>Short Hold Time Analysis (&lt;72 hr)?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrome <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
<b>Rush Turn Around Time Requested?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Field Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. If no, write ID/ Date/Time on Container Below: <input type="checkbox"/> See Exception
Matrix: <input checked="" type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input type="checkbox"/> Other	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12. Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , <2pH, NaOH >9 Sulfide, NaOH >12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	<input type="checkbox"/> NaOH <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> Zinc Acetate
Exceptions: <u>VOA, Coliform, TOC/DOC, Oil and Grease, BRO/8015 (water) and Dioxin/PFAS</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Positive for Res. Chlorine? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> See Exception
	pH Paper Lot#
	Res. Chlorine 0-6 Roll 0-6 Strip 0-14 Strip
Extra labels present on soil VOA or WIDRO containers? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> See Exception
Headspace in VOA Vials (greater than 6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	<u>NO headspace</u>
Trip Blank Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Custody Seals Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Pace Trip Blank Lot # (if purchased): <u>250174</u>

**CLIENT NOTIFICATION/RESOLUTION**

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

Field Data Required?  Yes  No

**Project Manager Review:** JENNI GROSS **Date:** 04/10/20

Note: Whenever there is a discrepancy affecting compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office ( i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

June 03, 2020

Jeff Gaarder  
GHD  
2055 Niagara Falls  
Boulevard Suite #3  
Niagara Falls, NY 14304

RE: Project: 70496  
Pace Project No.: 10518730

Dear Jeff Gaarder:


Enclosed are the analytical results for sample(s) received by the laboratory on May 21, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross  
jennifer.gross@pacelabs.com  
(206)957-2426  
Project Manager

Enclosures

cc: Rosemarie Borths, GHD Services Inc.  
Jeffrey Cloud, GHD Services Inc.  
Eric Maise, GHD Services Inc.  
Christina McClelland, GHD Services, Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 70496  
Pace Project No.: 10518730

---

### Pace Analytical Services Minneapolis

A2LA Certification #: 2926.01	Minnesota Dept of Ag Certification #: via MN 027-053-137
Alabama Certification #: 40770	Minnesota Petrofund Certification #: 1240
Alaska Contaminated Sites Certification #: 17-009	Mississippi Certification #: MN00064
Alaska DW Certification #: MN00064	Missouri Certification #: 10100
Arizona Certification #: AZ0014	Montana Certification #: CERT0092
Arkansas DW Certification #: MN00064	Nebraska Certification #: NE-OS-18-06
Arkansas WW Certification #: 88-0680	Nevada Certification #: MN00064
California Certification #: 2929	New Hampshire Certification #: 2081
CNMI Saipan Certification #: MP0003	New Jersey Certification #: MN002
Colorado Certification #: MN00064	New York Certification #: 11647
Connecticut Certification #: PH-0256	North Carolina DW Certification #: 27700
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Carolina WW Certification #: 530
Florida Certification #: E87605	North Dakota Certification #: R-036
Georgia Certification #: 959	Ohio DW Certification #: 41244
Guam EPA Certification #: MN00064	Ohio VAP Certification #: CL101
Hawaii Certification #: MN00064	Oklahoma Certification #: 9507
Idaho Certification #: MN00064	Oregon Primary Certification #: MN300001
Illinois Certification #: 200011	Oregon Secondary Certification #: MN200001
Indiana Certification #: C-MN-01	Pennsylvania Certification #: 68-00563
Iowa Certification #: 368	Puerto Rico Certification #: MN00064
Kansas Certification #: E-10167	South Carolina Certification #: 74003001
Kentucky DW Certification #: 90062	Tennessee Certification #: TN02818
Kentucky WW Certification #: 90062	Texas Certification #: T104704192
Louisiana DEQ Certification #: 03086	Utah Certification #: MN00064
Louisiana DW Certification #: MN00064	Vermont Certification #: VT-027053137
Maine Certification #: MN00064	Virginia Certification #: 460163
Maryland Certification #: 322	Washington Certification #: C486
Massachusetts Certification #: M-MN064	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 70496  
Pace Project No.: 10518730

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10518730001	A-051920-JRL-INF	Air	05/19/20 12:15	05/21/20 09:15
10518730002	A-051920-JRL-EFF	Air	05/19/20 12:10	05/21/20 09:15
10518730003	A-051920-JRL-INF CERT#2791	Air	05/19/20 12:15	05/21/20 09:15
10518730004	A-051920-JRL-EFF CERT#1301	Air	05/19/20 12:10	05/21/20 09:15

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 70496  
Pace Project No.: 10518730

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10518730001	A-051920-JRL-INF	TO-15	AC1	6	PASI-M
10518730002	A-051920-JRL-EFF	TO-15	AC1	6	PASI-M
10518730003	A-051920-JRL-INF CERT#2791	TO-15	MLS	5	PASI-M
10518730004	A-051920-JRL-EFF CERT#1301	TO-15	MG2	5	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10518730

<b>Sample: A-051920-JRL-INF</b>		<b>Lab ID: 10518730001</b>	Collected: 05/19/20 12:15	Received: 05/21/20 09:15	Matrix: Air			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis						
Benzene	<b>783</b>	ppbv	5.3	53.1		05/30/20 03:30	71-43-2	
Ethylbenzene	<b>172</b>	ppbv	10.6	53.1		05/30/20 03:30	100-41-4	
THC as Gas	<b>34900</b>	ppbv	2580	53.1		05/30/20 03:30		
Toluene	<b>1110</b>	ppbv	10.6	53.1		05/30/20 03:30	108-88-3	
m&p-Xylene	<b>751</b>	ppbv	21.2	53.1		05/30/20 03:30	179601-23-1	
o-Xylene	<b>252</b>	ppbv	10.6	53.1		05/30/20 03:30	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10518730

Sample: <b>A-051920-JRL-EFF</b>		Lab ID: <b>10518730002</b>	Collected: 05/19/20 12:10	Received: 05/21/20 09:15	Matrix: Air			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis						
Benzene	<b>5.4</b>	ppbv	0.17	1.74		05/30/20 03:02	71-43-2	
Ethylbenzene	<b>0.51</b>	ppbv	0.35	1.74		05/30/20 03:02	100-41-4	
THC as Gas	<b>372</b>	ppbv	84.6	1.74		05/30/20 03:02		
Toluene	<b>3.8</b>	ppbv	0.35	1.74		05/30/20 03:02	108-88-3	
m&p-Xylene	<b>2.3</b>	ppbv	0.70	1.74		05/30/20 03:02	179601-23-1	
o-Xylene	<b>0.84</b>	ppbv	0.35	1.74		05/30/20 03:02	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10518730

<b>Sample:</b> A-051920-JRL-INF CERT#2791	<b>Lab ID:</b> 10518730003	Collected: 05/19/20 12:15	Received: 05/21/20 09:15	Matrix: Air				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**Individual Can Certification**

Analytical Method: TO-15  
Pace Analytical Services - Minneapolis

Benzene	ND	ug/m3	0.32	1		04/17/20 08:31	71-43-2	
Ethylbenzene	ND	ug/m3	0.88	1		04/17/20 08:31	100-41-4	
Toluene	ND	ug/m3	0.77	1		04/17/20 08:31	108-88-3	
m&p-Xylene	ND	ug/m3	1.8	1		04/17/20 08:31	179601-23-1	
o-Xylene	ND	ug/m3	0.88	1		04/17/20 08:31	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10518730

---

**Sample:** A-051920-JRL-EFF      **Lab ID:** 10518730004      Collected: 05/19/20 12:10      Received: 05/21/20 09:15      Matrix: Air  
**CERT#1301**

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Individual Can Certification</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis						
Benzene	ND	ug/m3	0.32	1		04/15/20 23:01	71-43-2	
Ethylbenzene	ND	ug/m3	0.88	1		04/15/20 23:01	100-41-4	
Toluene	ND	ug/m3	0.77	1		04/15/20 23:01	108-88-3	
m&p-Xylene	ND	ug/m3	1.8	1		04/15/20 23:01	179601-23-1	
o-Xylene	ND	ug/m3	0.88	1		04/15/20 23:01	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496  
Pace Project No.: 10518730

QC Batch: 678196	Analysis Method: TO-15
QC Batch Method: TO-15	Analysis Description: TO15 MSV AIR
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10518730001, 10518730002

METHOD BLANK: 3629682 Matrix: Air

Associated Lab Samples: 10518730001, 10518730002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ppbv	ND	0.10	05/29/20 17:32	
Ethylbenzene	ppbv	ND	0.20	05/29/20 17:32	
m&p-Xylene	ppbv	ND	0.40	05/29/20 17:32	
o-Xylene	ppbv	ND	0.20	05/29/20 17:32	
THC as Gas	ppbv	ND	48.6	05/29/20 17:32	
Toluene	ppbv	ND	0.20	05/29/20 17:32	

LABORATORY CONTROL SAMPLE: 3629683

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ppbv	10.3	9.1	88	70-133	
Ethylbenzene	ppbv	10.3	9.3	90	70-142	
m&p-Xylene	ppbv	20.7	18.2	88	70-141	
o-Xylene	ppbv	10.3	9.1	88	70-135	
THC as Gas	ppbv	1170	1140	98	66-145	
Toluene	ppbv	10.3	9.2	90	70-136	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 70496  
Pace Project No.: 10518730

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 70496  
Pace Project No.: 10518730

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10518730001	A-051920-JRL-INF	TO-15	678196		
10518730002	A-051920-JRL-EFF	TO-15	678196		
10518730003	A-051920-JRL-INF CERT#2791	TO-15	678173		
10518730004	A-051920-JRL-EFF CERT#1301	TO-15	678173		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





Document Name:  
Air Sample Condition Upon Receipt

Document Revised: 19Nov2019  
Page 1 of 1

Document No.:  
F-MN-A-106-rev.20

Pace Analytical Services -  
Minneapolis

Air Sample Condition  
Upon Receipt

Client Name:  
GHD-WA

Project #:

WO#: 10518730

PM: JMG

Due Date: 06/05/20

CLIENT: GHD\_WA

Courier:  Fed Ex  UPS  USPS  Client  
 Pace  Speedee  Commercial  See Exception

Tracking Number: 1723 2542 1070

Custody Seal on Cooler/Box Present?  Yes  No  
Seals Intact?  Yes  No

Packing Material:  Bubble Wrap  Bubble Bags  Foam  None  Tin Can  Other: \_\_\_\_\_

Temp Blank rec:  Yes  No

Temp. (TO17 and TO13 samples only) (°C): \_\_\_\_\_ Corrected Temp (°C): \_\_\_\_\_

Thermometer Used:  G87A9170600254  
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: \_\_\_\_\_

Date & Initials of Person Examining Contents: 5-21-20 MJ

Type of ice Received  Blue  Wet  None

		Comments:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH) -Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: Air Can Airbag Filter TDT Passive		11. Individually Certified Cans <input checked="" type="checkbox"/> Y <input type="checkbox"/> N (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13. 2 gauges attached

Gauge #  10AIR26  10AIR34  10AIR35  4097

Canisters

Canisters

Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
Inf	2791	-	-1.5	+10					
EFF	1301	-	-1	+10					

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: \_\_\_\_\_

Field Data Required?  Yes  No

Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

Project Manager Review: JENNI GROSS

Date: 05/21/20



Pace Analytical Services, Inc.  
 1700 Elm Street – Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: GHD Services Inc  
 Phone: 734-453-5123

Lab Project Number: 10518730  
 Project Name: 70496

Lab Sample No: 10518730001 ProjSampleNum: 10518730001 Date Collected: 05/19/20 12:15  
 Client Sample ID: A-051920-JRL-INF Matrix: Air Date Received: 05/21/20 9:15

Parameters	Report Limit ppbv	Results ppbv	Report Limit ug/m3	Results ug/m3	DF	Analyzed	CAS No.
<b>Air</b>							
TO-15							
Benzene	5.3	783	17.2	2540	53.1	05/30/20 3:30 AC1	71-43-2
Ethylbenzene	10.6	172	46.8	759	53.1	05/30/20 3:30 AC1	100-41-4
m&p-Xylene	21.2	751	93.6	3310	53.1	05/30/20 3:30 AC1	179601-23-1
o-Xylene	10.6	252	46.8	1110	53.1	05/30/20 3:30 AC1	95-47-6
THC as Gas	2580	34900	11200	151000	53.1	05/30/20 3:30 AC1	
Toluene	10.6	1110	40.6	4250	53.1	05/30/20 3:30 AC1	108-88-3

Lab Sample No: 10518730002 ProjSampleNum: 10518730002 Date Collected: 05/19/20 12:10  
 Client Sample ID: A-051920-JRL-EFF Matrix: Air Date Received: 05/21/20 9:15

Parameters	Report Limit ppbv	Results ppbv	Report Limit ug/m3	Results ug/m3	DF	Analyzed	CAS No.
<b>Air</b>							
TO-15							
Benzene	0.17	5.4	0.55	17.5	1.74	05/30/20 3:02 AC1	71-43-2
Ethylbenzene	0.35	0.51	1.5	2.3	1.74	05/30/20 3:02 AC1	100-41-4
m&p-Xylene	0.7	2.3	3.1	10.2	1.74	05/30/20 3:02 AC1	179601-23-1
o-Xylene	0.35	0.84	1.5	3.7	1.74	05/30/20 3:02 AC1	95-47-6
THC as Gas	84.6	372	367	1610	1.74	05/30/20 3:02 AC1	
Toluene	0.35	3.8	1.3	14.6	1.74	05/30/20 3:02 AC1	108-88-3

**SUPPLEMENTAL REPORT**

Units Conversion Request

June 04, 2020

Christina McClelland  
GHD Services, Inc.  
20818 44th Ave W  
Suite 190  
Lynnwood, WA 98036

RE: Project: 70496.17  
Pace Project No.: 10518578

Dear Christina McClelland:


Enclosed are the analytical results for sample(s) received by the laboratory on May 20, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross  
jennifer.gross@pacelabs.com  
(206)957-2426  
Project Manager

Enclosures

cc: Rosemarie Borths, GHD Services Inc.  
Jeffrey Cloud, GHD Services Inc.  
Joe Lewandowski, GHD  
Eric Maise, GHD Services Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 70496.17  
Pace Project No.: 10518578

---

### **Pace Analytical Services Minneapolis**

A2LA Certification #: 2926.01	Minnesota Dept of Ag Certification #: via MN 027-053-137
Alabama Certification #: 40770	Minnesota Petrofund Certification #: 1240
Alaska Contaminated Sites Certification #: 17-009	Mississippi Certification #: MN00064
Alaska DW Certification #: MN00064	Missouri Certification #: 10100
Arizona Certification #: AZ0014	Montana Certification #: CERT0092
Arkansas DW Certification #: MN00064	Nebraska Certification #: NE-OS-18-06
Arkansas WW Certification #: 88-0680	Nevada Certification #: MN00064
California Certification #: 2929	New Hampshire Certification #: 2081
CNMI Saipan Certification #: MP0003	New Jersey Certification #: MN002
Colorado Certification #: MN00064	New York Certification #: 11647
Connecticut Certification #: PH-0256	North Carolina DW Certification #: 27700
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Carolina WW Certification #: 530
Florida Certification #: E87605	North Dakota Certification #: R-036
Georgia Certification #: 959	Ohio DW Certification #: 41244
Guam EPA Certification #: MN00064	Ohio VAP Certification #: CL101
Hawaii Certification #: MN00064	Oklahoma Certification #: 9507
Idaho Certification #: MN00064	Oregon Primary Certification #: MN300001
Illinois Certification #: 200011	Oregon Secondary Certification #: MN200001
Indiana Certification #: C-MN-01	Pennsylvania Certification #: 68-00563
Iowa Certification #: 368	Puerto Rico Certification #: MN00064
Kansas Certification #: E-10167	South Carolina Certification #: 74003001
Kentucky DW Certification #: 90062	Tennessee Certification #: TN02818
Kentucky WW Certification #: 90062	Texas Certification #: T104704192
Louisiana DEQ Certification #: 03086	Utah Certification #: MN00064
Louisiana DW Certification #: MN00064	Vermont Certification #: VT-027053137
Maine Certification #: MN00064	Virginia Certification #: 460163
Maryland Certification #: 322	Washington Certification #: C486
Massachusetts Certification #: M-MN064	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 70496.17

Pace Project No.: 10518578

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10518578001	GW-051920-JRL-INF-1	Water	05/19/20 11:45	05/20/20 08:50
10518578002	GW-051920-JRL-INF-2	Water	05/19/20 11:30	05/20/20 08:50
10518578003	GW-051920-JRL-MID-1	Water	05/19/20 11:15	05/20/20 08:50
10518578004	GW-051920-JRL-MID-2	Water	05/19/20 11:00	05/20/20 08:50
10518578005	GW-051920-JRL-Total EFF	Water	05/19/20 10:00	05/20/20 08:50
10518578006	GW-051920-JRL-Total EFF 1	Water	05/19/20 10:00	05/20/20 08:50
10518578007	GW-051920-JRL-Total EFF 2	Water	05/19/20 10:15	05/20/20 08:50
10518578008	GW-051920-JRL-Total EFF 3	Water	05/19/20 10:30	05/20/20 08:50
10518578009	GW-051920-JRL-Total EFF 4	Water	05/19/20 10:45	05/20/20 08:50
10518578010	GW-051920-JRL-Total EFF 5	Water	05/19/20 10:00	05/20/20 08:50
10518578011	GW-051920-JRL-Total EFF 6	Water	05/19/20 10:15	05/20/20 08:50
10518578012	GW-051920-JRL-Total EFF 7	Water	05/19/20 10:30	05/20/20 08:50
10518578013	Trip Blank	Water	05/19/20 00:00	05/20/20 08:50
10518578014	GW-051920-JRL-Total EFF 1-4	Water	05/19/20 10:45	05/20/20 08:50
10518578015	GW-051920-JRL-Total EFF 5-7	Water	05/19/20 10:30	05/20/20 08:50

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 70496.17

Pace Project No.: 10518578

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10518578001	GW-051920-JRL-INF-1	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10518578002	GW-051920-JRL-INF-2	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10518578003	GW-051920-JRL-MID-1	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10518578004	GW-051920-JRL-MID-2	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10518578005	GW-051920-JRL-Total EFF	NWTPH-Dx	JVM	4	PASI-M
10518578013	Trip Blank	NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10518578014	GW-051920-JRL-Total EFF 1-4	NWTPH-Gx	MJD	2	PASI-M
		EPA 8260B	AEZ	7	PASI-M
10518578015	GW-051920-JRL-Total EFF 5-7	EPA 1664B OG	JER	1	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496.17  
Pace Project No.: 10518578

Sample: <b>GW-051920-JRL-INF-1</b>	Lab ID: <b>10518578001</b>	Collected: 05/19/20 11:45	Received: 05/20/20 08:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Dx GCS Silica Gel LV</b>								
Analytical Method: NWTPH-Dx Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	<b>3690</b>	ug/L	400	1	05/21/20 14:15	05/22/20 18:32	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	05/21/20 14:15	05/22/20 18:32	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	82	%.	50-150	1	05/21/20 14:15	05/22/20 18:32	84-15-1	
n-Triacontane (S)	83	%.	50-150	1	05/21/20 14:15	05/22/20 18:32	638-68-6	
<b>NWTPH-Gx GCV</b>								
Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis								
TPH as Gas	<b>178000</b>	ug/L	10000	100		05/27/20 18:14		G-
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	93	%.	50-150	100		05/27/20 18:14	98-08-8	
<b>8260B MSV UST</b>								
Analytical Method: EPA 8260B Pace Analytical Services - Minneapolis								
Benzene	<b>14200</b>	ug/L	100	100		05/23/20 03:14	71-43-2	
Ethylbenzene	<b>1950</b>	ug/L	100	100		05/23/20 03:14	100-41-4	
Toluene	<b>27400</b>	ug/L	250	250		06/01/20 18:29	108-88-3	
Xylene (Total)	<b>15300</b>	ug/L	300	100		05/23/20 03:14	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	97	%.	75-125	100		05/23/20 03:14	17060-07-0	
Toluene-d8 (S)	98	%.	75-125	100		05/23/20 03:14	2037-26-5	
4-Bromofluorobenzene (S)	97	%.	75-125	100		05/23/20 03:14	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496.17  
Pace Project No.: 10518578

Sample: <b>GW-051920-JRL-INF-2</b>	Lab ID: <b>10518578002</b>	Collected: 05/19/20 11:30	Received: 05/20/20 08:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Dx GCS Silica Gel LV</b>								
Analytical Method: NWTPH-Dx Preparation Method: EPA Mod. 3510C								
Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	<b>2690</b>	ug/L	400	1	05/21/20 14:15	05/22/20 18:55	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	05/21/20 14:15	05/22/20 18:55	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	78	%.	50-150	1	05/21/20 14:15	05/22/20 18:55	84-15-1	
n-Triacontane (S)	81	%.	50-150	1	05/21/20 14:15	05/22/20 18:55	638-68-6	
<b>NWTPH-Gx GCV</b>								
Analytical Method: NWTPH-Gx								
Pace Analytical Services - Minneapolis								
TPH as Gas	<b>163000</b>	ug/L	10000	100		05/27/20 17:57		G-
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	91	%.	50-150	100		05/27/20 17:57	98-08-8	
<b>8260B MSV UST</b>								
Analytical Method: EPA 8260B								
Pace Analytical Services - Minneapolis								
Benzene	<b>15800</b>	ug/L	100	100		05/27/20 10:02	71-43-2	
Ethylbenzene	<b>1650</b>	ug/L	100	100		05/27/20 10:02	100-41-4	
Toluene	<b>26300</b>	ug/L	250	250		05/27/20 09:38	108-88-3	
Xylene (Total)	<b>16700</b>	ug/L	750	250		05/27/20 09:38	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	91	%.	75-125	100		05/27/20 10:02	17060-07-0	
Toluene-d8 (S)	100	%.	75-125	100		05/27/20 10:02	2037-26-5	
4-Bromofluorobenzene (S)	99	%.	75-125	100		05/27/20 10:02	460-00-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10518578

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GW-051920-JRL-MID-1</b>								
<b>Lab ID: 10518578003</b>								
Collected: 05/19/20 11:15 Received: 05/20/20 08:50 Matrix: Water								
<b>NWTPH-Dx GCS Silica Gel LV</b> Analytical Method: NWTPH-Dx Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	ND	ug/L	400	1	05/21/20 14:15	05/22/20 19:06	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	05/21/20 14:15	05/22/20 19:06	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	42	%.	50-150	1	05/21/20 14:15	05/22/20 19:06	84-15-1	1M,S0
n-Triacontane (S)	54	%.	50-150	1	05/21/20 14:15	05/22/20 19:06	638-68-6	
<b>NWTPH-Gx GCV</b>								
Analytical Method: NWTPH-Gx								
Pace Analytical Services - Minneapolis								
TPH as Gas	ND	ug/L	100	1		05/22/20 15:20		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	96	%.	50-150	1		05/22/20 15:20	98-08-8	
<b>8260B MSV UST</b>								
Analytical Method: EPA 8260B								
Pace Analytical Services - Minneapolis								
Benzene	ND	ug/L	1.0	1		05/23/20 01:49	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		05/23/20 01:49	100-41-4	
Toluene	ND	ug/L	1.0	1		05/23/20 01:49	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		05/23/20 01:49	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	101	%.	75-125	1		05/23/20 01:49	17060-07-0	
Toluene-d8 (S)	99	%.	75-125	1		05/23/20 01:49	2037-26-5	
4-Bromofluorobenzene (S)	101	%.	75-125	1		05/23/20 01:49	460-00-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10518578

Sample: <b>GW-051920-JRL-MID-2</b>	Lab ID: <b>10518578004</b>	Collected: 05/19/20 11:00	Received: 05/20/20 08:50	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Dx GCS Silica Gel LV</b>								
Analytical Method: NWTPH-Dx Preparation Method: EPA Mod. 3510C								
Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	ND	ug/L	400	1	05/21/20 14:15	05/22/20 19:17	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	05/21/20 14:15	05/22/20 19:17	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	73	%.	50-150	1	05/21/20 14:15	05/22/20 19:17	84-15-1	
n-Triacontane (S)	83	%.	50-150	1	05/21/20 14:15	05/22/20 19:17	638-68-6	
<b>NWTPH-Gx GCV</b>								
Analytical Method: NWTPH-Gx								
Pace Analytical Services - Minneapolis								
TPH as Gas	ND	ug/L	100	1		05/22/20 15:55		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	92	%.	50-150	1		05/22/20 15:55	98-08-8	
<b>8260B MSV UST</b>								
Analytical Method: EPA 8260B								
Pace Analytical Services - Minneapolis								
Benzene	ND	ug/L	1.0	1		05/23/20 00:24	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		05/23/20 00:24	100-41-4	
Toluene	ND	ug/L	1.0	1		05/23/20 00:24	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		05/23/20 00:24	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	101	%.	75-125	1		05/23/20 00:24	17060-07-0	
Toluene-d8 (S)	98	%.	75-125	1		05/23/20 00:24	2037-26-5	
4-Bromofluorobenzene (S)	101	%.	75-125	1		05/23/20 00:24	460-00-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10518578

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GW-051920-JRL-Total EFF    Lab ID: 10518578005    Collected: 05/19/20 10:00    Received: 05/20/20 08:50    Matrix: Water</b>								
<b>NWTPH-Dx GCS Silica Gel LV</b> Analytical Method: NWTPH-Dx    Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	ND	ug/L	400	1	05/21/20 14:15	05/22/20 19:28	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	05/21/20 14:15	05/22/20 19:28	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	76	%.	50-150	1	05/21/20 14:15	05/22/20 19:28	84-15-1	
n-Triacontane (S)	86	%.	50-150	1	05/21/20 14:15	05/22/20 19:28	638-68-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10518578

<b>Sample: Trip Blank</b>		<b>Lab ID: 10518578013</b>	Collected: 05/19/20 00:00	Received: 05/20/20 08:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Gx GCV</b>		Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis						
TPH as Gas	ND	ug/L	100	1		05/22/20 16:47		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	93	%.	50-150	1		05/22/20 16:47	98-08-8	
<b>8260B MSV UST</b>		Analytical Method: EPA 8260B Pace Analytical Services - Minneapolis						
Benzene	ND	ug/L	1.0	1		05/28/20 14:32	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		05/28/20 14:32	100-41-4	
Toluene	ND	ug/L	1.0	1		05/28/20 14:32	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		05/28/20 14:32	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	112	%.	75-125	1		05/28/20 14:32	17060-07-0	
Toluene-d8 (S)	97	%.	75-125	1		05/28/20 14:32	2037-26-5	
4-Bromofluorobenzene (S)	94	%.	75-125	1		05/28/20 14:32	460-00-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10518578

**Sample:** GW-051920-JRL-Total EFF 1-4    **Lab ID:** 10518578014    Collected: 05/19/20 10:45    Received: 05/20/20 08:50    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Gx GCV</b>		Analytical Method: NWTPH-Gx Pace Analytical Services - Minneapolis						
TPH as Gas	ND	ug/L	100	1		05/22/20 16:12		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (S)	93	%	50-150	1		05/22/20 16:12	98-08-8	
<b>8260B MSV UST</b>		Analytical Method: EPA 8260B Pace Analytical Services - Minneapolis						
Benzene	ND	ug/L	1.0	1		05/23/20 00:07	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		05/23/20 00:07	100-41-4	
Toluene	ND	ug/L	1.0	1		05/23/20 00:07	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		05/23/20 00:07	1330-20-7	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	100	%	75-125	1		05/23/20 00:07	17060-07-0	
Toluene-d8 (S)	98	%	75-125	1		05/23/20 00:07	2037-26-5	
4-Bromofluorobenzene (S)	99	%	75-125	1		05/23/20 00:07	460-00-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10518578

---

**Sample:** GW-051920-JRL-Total EFF 5-7    **Lab ID:** 10518578015    Collected: 05/19/20 10:30    Received: 05/20/20 08:50    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>1664B HEM, Oil and Grease</b>								
Analytical Method: EPA 1664B OG Pace Analytical Services - Minneapolis								
Oil and Grease	ND	ug/L	6330	1		05/21/20 09:27		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10518578

QC Batch: 676857      Analysis Method: NWTPH-Gx  
QC Batch Method: NWTPH-Gx      Analysis Description: NWTPH-Gx Water  
Laboratory: Pace Analytical Services - Minneapolis  
Associated Lab Samples: 10518578003, 10518578004, 10518578013, 10518578014

METHOD BLANK: 3623208      Matrix: Water  
Associated Lab Samples: 10518578003, 10518578004, 10518578013, 10518578014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	05/22/20 10:30	
a,a,a-Trifluorotoluene (S)	%.	93	50-150	05/22/20 10:30	

LABORATORY CONTROL SAMPLE & LCSD: 3623209

Parameter	Units	3623210		LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result						
TPH as Gas	ug/L	1000	978	98	89	72-130	10	20	
a,a,a-Trifluorotoluene (S)	%.			106	105	50-150			

SAMPLE DUPLICATE: 3624281

Parameter	Units	10518578003 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	ND	60.5J		30	
a,a,a-Trifluorotoluene (S)	%.	96	94			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10518578

QC Batch: 677528      Analysis Method: NWTPH-Gx  
QC Batch Method: NWTPH-Gx      Analysis Description: NWTPH-Gx Water  
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10518578001, 10518578002

METHOD BLANK: 3626327      Matrix: Water

Associated Lab Samples: 10518578001, 10518578002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH as Gas	ug/L	ND	100	05/27/20 12:55	
a,a,a-Trifluorotoluene (S)	%.	90	50-150	05/27/20 12:55	

LABORATORY CONTROL SAMPLE & LCSD: 3626329      3626330

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	1000	1000	915	100	92	72-130	9	20	
a,a,a-Trifluorotoluene (S)	%.				102	102	50-150			

SAMPLE DUPLICATE: 3626779

Parameter	Units	10518923002 Result	Dup Result	RPD	Max RPD	Qualifiers
TPH as Gas	ug/L	ND	ND		30	
a,a,a-Trifluorotoluene (S)	%.	89	90			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10518578

QC Batch: 677048      Analysis Method: EPA 8260B  
QC Batch Method: EPA 8260B      Analysis Description: 8260B MSV UST-WATER  
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10518578001, 10518578003, 10518578004, 10518578014

METHOD BLANK: 3624154      Matrix: Water  
Associated Lab Samples: 10518578001, 10518578003, 10518578004, 10518578014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	05/22/20 21:34	
Ethylbenzene	ug/L	ND	1.0	05/22/20 21:34	
Toluene	ug/L	ND	1.0	05/22/20 21:34	
Xylene (Total)	ug/L	ND	3.0	05/22/20 21:34	
1,2-Dichloroethane-d4 (S)	%	104	75-125	05/22/20 21:34	
4-Bromofluorobenzene (S)	%	100	75-125	05/22/20 21:34	
Toluene-d8 (S)	%	97	75-125	05/22/20 21:34	

LABORATORY CONTROL SAMPLE: 3624155

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	19.7	98	75-125	
Ethylbenzene	ug/L	20	21.2	106	75-125	
Toluene	ug/L	20	21.2	106	75-125	
Xylene (Total)	ug/L	60	64.9	108	75-125	
1,2-Dichloroethane-d4 (S)	%			102	75-125	
4-Bromofluorobenzene (S)	%			98	75-125	
Toluene-d8 (S)	%			101	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3624156      3624157

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10518336003 Result	Spike Conc.	Spike Conc.	Result								
Benzene	ug/L	ND	20	20	18.4	16.9	91	84	63-125	9	30		
Ethylbenzene	ug/L	ND	20	20	20.5	18.8	103	94	66-128	9	30		
Toluene	ug/L	ND	20	20	20.5	19.0	101	93	64-125	8	30		
Xylene (Total)	ug/L	ND	60	60	61.7	56.7	103	95	64-131	8	30		
1,2-Dichloroethane-d4 (S)	%							101	100	75-125			
4-Bromofluorobenzene (S)	%							97	100	75-125			
Toluene-d8 (S)	%							102	101	75-125			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17

Pace Project No.: 10518578

QC Batch: 677700

Analysis Method: EPA 8260B

QC Batch Method: EPA 8260B

Analysis Description: 8260B MSV UST-WATER

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10518578002

METHOD BLANK: 3627200

Matrix: Water

Associated Lab Samples: 10518578002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	05/27/20 00:42	
Ethylbenzene	ug/L	ND	1.0	05/27/20 00:42	
Toluene	ug/L	ND	1.0	05/27/20 00:42	
Xylene (Total)	ug/L	ND	3.0	05/27/20 00:42	
1,2-Dichloroethane-d4 (S)	%	105	75-125	05/27/20 00:42	
4-Bromofluorobenzene (S)	%	93	75-125	05/27/20 00:42	
Toluene-d8 (S)	%	100	75-125	05/27/20 00:42	

LABORATORY CONTROL SAMPLE: 3627201

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	17.2	86	75-125	
Ethylbenzene	ug/L	20	18.0	90	75-125	
Toluene	ug/L	20	16.7	83	75-125	
Xylene (Total)	ug/L	60	55.5	93	75-125	
1,2-Dichloroethane-d4 (S)	%			91	75-125	
4-Bromofluorobenzene (S)	%			94	75-125	
Toluene-d8 (S)	%			98	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3634953 3634954

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10520016001 Result	Spike Conc.	Spike Conc.	Result								
Benzene	ug/L	ND	20	20	16.0	16.2	80	81	63-125	1	30		
Ethylbenzene	ug/L	ND	20	20	17.3	17.8	86	89	66-128	3	30		
Toluene	ug/L	ND	20	20	15.6	16.0	78	80	64-125	2	30		
Xylene (Total)	ug/L	ND	60	60	53.0	54.2	88	90	64-131	2	30		
1,2-Dichloroethane-d4 (S)	%						90	92	75-125				
4-Bromofluorobenzene (S)	%						91	93	75-125				
Toluene-d8 (S)	%						96	96	75-125				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17

Pace Project No.: 10518578

QC Batch: 677905

Analysis Method: EPA 8260B

QC Batch Method: EPA 8260B

Analysis Description: 8260B MSV UST-WATER

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10518578013

METHOD BLANK: 3628045

Matrix: Water

Associated Lab Samples: 10518578013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	05/28/20 14:07	
Ethylbenzene	ug/L	ND	1.0	05/28/20 14:07	
Toluene	ug/L	ND	1.0	05/28/20 14:07	
Xylene (Total)	ug/L	ND	3.0	05/28/20 14:07	
1,2-Dichloroethane-d4 (S)	%	110	75-125	05/28/20 14:07	
4-Bromofluorobenzene (S)	%	97	75-125	05/28/20 14:07	
Toluene-d8 (S)	%	101	75-125	05/28/20 14:07	

LABORATORY CONTROL SAMPLE: 3628046

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	17.1	86	75-125	
Ethylbenzene	ug/L	20	18.9	94	75-125	
Toluene	ug/L	20	17.2	86	75-125	
Xylene (Total)	ug/L	60	57.2	95	75-125	
1,2-Dichloroethane-d4 (S)	%			89	75-125	
4-Bromofluorobenzene (S)	%			94	75-125	
Toluene-d8 (S)	%			98	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3629595 3629596

Parameter	Units	MS 10519631001		MSD 3629596		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result								
Benzene	ug/L	ND	20	20	15.7	15.9	78	79	63-125	1	30		
Ethylbenzene	ug/L	ND	20	20	16.5	18.0	83	90	66-128	8	30		
Toluene	ug/L	ND	20	20	14.9	16.0	74	80	64-125	7	30		
Xylene (Total)	ug/L	ND	60	60	49.9	53.1	83	89	64-131	6	30		
1,2-Dichloroethane-d4 (S)	%						91	89	75-125				
4-Bromofluorobenzene (S)	%						96	90	75-125				
Toluene-d8 (S)	%						94	95	75-125				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10518578

QC Batch: 676719      Analysis Method: NWTPH-Dx  
QC Batch Method: EPA Mod. 3510C      Analysis Description: NWTPH-Dx GCS LV SG  
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10518578001, 10518578002, 10518578003, 10518578004, 10518578005

METHOD BLANK: 3622438      Matrix: Water  
Associated Lab Samples: 10518578001, 10518578002, 10518578003, 10518578004, 10518578005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	ug/L	ND	400	05/22/20 17:59	
Motor Oil Range SG	ug/L	ND	400	05/22/20 17:59	
n-Triacontane (S)	%	74	50-150	05/22/20 17:59	
o-Terphenyl (S)	%	69	50-150	05/22/20 17:59	

LABORATORY CONTROL SAMPLE & LCSD: 3622439

Parameter	Units	3622440					% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec				
Diesel Fuel Range SG	ug/L	2000	1170	1590	58	80	50-150	31	20	R1
Motor Oil Range SG	ug/L	2000	1270	1740	64	87	50-150	31	20	R1
n-Triacontane (S)	%				64	82	50-150			
o-Terphenyl (S)	%				61	82	50-150			

SAMPLE DUPLICATE: 3622441

Parameter	Units	10518578001		RPD	Max RPD	Qualifiers
		Result	Dup Result			
Diesel Fuel Range SG	ug/L	3690	3030	20	30	
Motor Oil Range SG	ug/L	ND	125J		30	
n-Triacontane (S)	%	83	83			
o-Terphenyl (S)	%	82	76			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10518578

QC Batch: 676608	Analysis Method: EPA 1664B OG
QC Batch Method: EPA 1664B OG	Analysis Description: 1664B HEM, Oil and Grease
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10518578015

METHOD BLANK: 3622080 Matrix: Water  
Associated Lab Samples: 10518578015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Oil and Grease	ug/L	ND	5000	05/21/20 08:26	

LABORATORY CONTROL SAMPLE: 3622081

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Oil and Grease	ug/L	40000	32700	82	78-114	

MATRIX SPIKE SAMPLE: 3622082

Parameter	Units	10518439001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Oil and Grease	ug/L	ND	43500	40000	91	78-114	

SAMPLE DUPLICATE: 3622083

Parameter	Units	10518054001 Result	Dup Result	RPD	Max RPD	Qualifiers
Oil and Grease	ug/L	24.5 mg/L	22500	9	18	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 70496.17  
Pace Project No.: 10518578

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### BATCH QUALIFIERS

Batch: 676608

[BE] Batch extracted by solid phase extraction (SPE).

### ANALYTE QUALIFIERS

1M Surrogate recovery outside laboratory control limits due to emulsion.

G- Early peaks present outside the GRO window.

R1 RPD value was outside control limits.

S0 Surrogate recovery outside laboratory control limits.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### METHOD CROSS REFERENCE TABLE

Project: 70496.17  
Pace Project No.: 10518578

Parameter	Matrix	Analytical Method	Preparation Method
8260B MSV UST	Water	SW-846 8260B/5030B	N/A

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 70496.17  
Pace Project No.: 10518578

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10518578001	GW-051920-JRL-INF-1	EPA Mod. 3510C	676719	NWTPH-Dx	677098
10518578002	GW-051920-JRL-INF-2	EPA Mod. 3510C	676719	NWTPH-Dx	677098
10518578003	GW-051920-JRL-MID-1	EPA Mod. 3510C	676719	NWTPH-Dx	677098
10518578004	GW-051920-JRL-MID-2	EPA Mod. 3510C	676719	NWTPH-Dx	677098
10518578005	GW-051920-JRL-Total EFF	EPA Mod. 3510C	676719	NWTPH-Dx	677098
10518578001	GW-051920-JRL-INF-1	NWTPH-Gx	677528		
10518578002	GW-051920-JRL-INF-2	NWTPH-Gx	677528		
10518578003	GW-051920-JRL-MID-1	NWTPH-Gx	676857		
10518578004	GW-051920-JRL-MID-2	NWTPH-Gx	676857		
10518578013	Trip Blank	NWTPH-Gx	676857		
10518578014	GW-051920-JRL-Total EFF 1-4	NWTPH-Gx	676857		
10518578001	GW-051920-JRL-INF-1	EPA 8260B	677048		
10518578002	GW-051920-JRL-INF-2	EPA 8260B	677700		
10518578003	GW-051920-JRL-MID-1	EPA 8260B	677048		
10518578004	GW-051920-JRL-MID-2	EPA 8260B	677048		
10518578013	Trip Blank	EPA 8260B	677905		
10518578014	GW-051920-JRL-Total EFF 1-4	EPA 8260B	677048		
10518578015	GW-051920-JRL-Total EFF 5-7	EPA 1664B OG	676608		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



	Document Name: <b>Sample Condition Upon Receipt (SCUR) - MN</b>	Document Revised: 27Mar2020 <b>Page 1 of 1</b>
	Document No.: <b>ENV-FRM-MIN4-0150 Rev.00</b>	Pace Analytical Services - <b>Minneapolis</b>

**Sample Condition Upon Receipt**    **Client Name:** GHD Services, Inc    **Project #:** **WO# : 10518578**

**Courier:**  Fed Ex     UPS     USPS     Client  
 Pace     Speedee     Commercial     See Exceptions

**Tracking Number:** 1456 22407770

**Custody Seal on Cooler/Box Present?**  Yes     No    **Seals Intact?**  Yes     No    **Biological Tissue Frozen?**  Yes     No     N/A

**Packing Material:**  Bubble Wrap     Bubble Bags     None     Other: \_\_\_\_\_    **Temp Blank?**  Yes     No

**Thermometer:**  T1(0461)     T2(1336)     T3(0459)  
 T4(0254)     T5(0489)    **Type of Ice:**  Wet     Blue     None     Dry     Melted

**Did Samples Originate in West Virginia?**  Yes     No    **Were All Container Temps Taken?**  Yes     No     N/A

Temp should be above freezing to 6°C    **Cooler Temp Read w/temp blank:** 4.1 °C    **Average Corrected Temp (no temp blank only):**  See Exceptions     1 Container

**Correction Factor:** true    **Cooler Temp Corrected w/temp blank:** 4.1 °C

**USDA Regulated Soil:**  N/A, water sample/Other: \_\_\_\_\_    **Date/Initials of Person Examining Contents:** M 5-20-20

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)?  Yes     No    Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)?  Yes     No

**If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.**

	COMMENTS:
Chain of Custody Present and Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4.
<b>Short Hold Time Analysis (&lt;72 hr)?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrome <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
<b>Rush Turn Around Time Requested?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Field Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. If no, write ID/ Date/Time on Container Below: <input type="checkbox"/> See Exception
Matrix: <input checked="" type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input type="checkbox"/> Other	<u>TB not on coc</u>
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12. Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	<input type="checkbox"/> NaOH <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> Zinc Acetate
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, POC/8015 (water) and Dioxin/PFAS <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Positive for Res. <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> See Exception
	Chlorine? <input type="checkbox"/> No <b>pH Paper Lot#</b> <input type="checkbox"/>
	Res. Chlorine    0-6 Roll    0-6 Strip    0-14 Strip
Extra labels present on soil VOA or WIDRO containers? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> See Exception
Headspace in VOA Vials (greater than 6mm)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Trip Blank Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14. <u>LTB'S</u>
Trip Blank Custody Seals Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Pace Trip Blank Lot # (if purchased): <u>253344</u>

**CLIENT NOTIFICATION/RESOLUTION**    **Field Data Required?**  Yes     No

Person Contacted: \_\_\_\_\_    Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

**Project Manager Review:** \_\_\_\_\_    **Date:** 05/20/20

Note: Whenever there is a discrepancy affecting No JENNI GROSS liance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office ( i.e out of hold, incorrect preservative, out of temp, incorrect containers).

Labeled by: TNCL    Page 24 of 24

June 29, 2020

Jeff Gaarder  
GHD  
2055 Niagara Falls  
Boulevard Suite #3  
Niagara Falls, NY 14304

RE: Project: 70496  
Pace Project No.: 10521364

Dear Jeff Gaarder:


Enclosed are the analytical results for sample(s) received by the laboratory on June 12, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross  
jennifer.gross@pacelabs.com  
(206)957-2426  
Project Manager

Enclosures

cc: Rosemarie Borths, GHD Services Inc.  
Jeffrey Cloud, GHD Services Inc.  
Eric Maise, GHD Services Inc.  
Christina McClelland, GHD Services, Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 70496  
Pace Project No.: 10521364

---

### **Pace Analytical Services Minneapolis**

A2LA Certification #: 2926.01	Minnesota Petrofund Certification #: 1240
Alabama Certification #: 40770	Mississippi Certification #: MN00064
Alaska Contaminated Sites Certification #: 17-009	Missouri Certification #: 10100
Alaska DW Certification #: MN00064	Montana Certification #: CERT0092
Arizona Certification #: AZ0014	Nebraska Certification #: NE-OS-18-06
Arkansas DW Certification #: MN00064	Nevada Certification #: MN00064
Arkansas WW Certification #: 88-0680	New Hampshire Certification #: 2081
California Certification #: 2929	New Jersey Certification #: MN002
CNMI Saipan Certification #: MP0003	New York Certification #: 11647
Colorado Certification #: MN00064	North Carolina DW Certification #: 27700
Connecticut Certification #: PH-0256	North Carolina WW Certification #: 530
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	North Dakota Certification #: R-036
Florida Certification #: E87605	Ohio DW Certification #: 41244
Georgia Certification #: 959	Ohio VAP Certification #: CL101
Guam EPA Certification #: MN00064	Oklahoma Certification #: 9507
Hawaii Certification #: MN00064	Oregon Primary Certification #: MN300001
Idaho Certification #: MN00064	Oregon Secondary Certification #: MN200001
Illinois Certification #: 200011	Pennsylvania Certification #: 68-00563
Indiana Certification #: C-MN-01	Puerto Rico Certification #: MN00064
Iowa Certification #: 368	South Carolina Certification #: 74003001
Kansas Certification #: E-10167	Tennessee Certification #: TN02818
Kentucky DW Certification #: 90062	Texas Certification #: T104704192
Kentucky WW Certification #: 90062	Utah Certification #: MN00064
Louisiana DEQ Certification #: 03086	Vermont Certification #: VT-027053137
Louisiana DW Certification #: MN00064	Virginia Certification #: 460163
Maine Certification #: MN00064	Washington Certification #: C486
Maryland Certification #: 322	West Virginia DEP Certification #: 382
Massachusetts DWP Certification #: via MN 027-053-137	West Virginia DW Certification #: 9952 C
Michigan Certification #: 9909	Wisconsin Certification #: 999407970
Minnesota Certification #: 027-053-137	Wyoming UST Certification #: via A2LA 2926.01
Minnesota Dept of Ag Certification #: via MN 027-053-137	

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 70496  
Pace Project No.: 10521364

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10521364001	A-060820-JRL-INF	Air	06/08/20 12:05	06/12/20 10:30
10521364002	A-060820-JRL-INF Cert#3778	Air	06/08/20 12:05	06/12/20 10:30
10521364003	A-060820-JRL-EFF	Air	06/08/20 12:00	06/12/20 10:30
10521364004	A-060820-JRL-EFF Cert#3960	Air	06/08/20 12:00	06/12/20 10:30

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 70496  
Pace Project No.: 10521364

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10521364001	A-060820-JRL-INF	TO-15	AFV	6	PASI-M
10521364002	A-060820-JRL-INF Cert#3778	TO-15	MG2	5	PASI-M
10521364003	A-060820-JRL-EFF	TO-15	CH1	6	PASI-M
10521364004	A-060820-JRL-EFF Cert#3960	TO-15	MLS	5	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10521364

Sample: <b>A-060820-JRL-INF</b>		Lab ID: <b>10521364001</b>	Collected: 06/08/20 12:05	Received: 06/12/20 10:30	Matrix: Air			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis						
Benzene	<b>2620</b>	ppbv	86.4	864		06/19/20 10:06	71-43-2	
Ethylbenzene	<b>340</b>	ppbv	10.8	54		06/19/20 02:37	100-41-4	
THC as Gas	<b>102000</b>	ppbv	2620	54		06/19/20 02:37		
Toluene	<b>2960</b>	ppbv	173	864		06/19/20 10:06	108-88-3	
m&p-Xylene	<b>1500</b>	ppbv	21.6	54		06/19/20 02:37	179601-23-1	
o-Xylene	<b>476</b>	ppbv	10.8	54		06/19/20 02:37	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10521364

---

**Sample: A-060820-JRL-INF**      **Lab ID: 10521364002**      Collected: 06/08/20 12:05      Received: 06/12/20 10:30      Matrix: Air  
**Cert#3778**

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Individual Can Certification**

Analytical Method: TO-15  
Pace Analytical Services - Minneapolis

Benzene	ND	ug/m3	0.32	1		05/07/20 10:25	71-43-2	
Ethylbenzene	ND	ug/m3	0.88	1		05/07/20 10:25	100-41-4	
Toluene	ND	ug/m3	0.77	1		05/07/20 10:25	108-88-3	
m&p-Xylene	ND	ug/m3	1.8	1		05/07/20 10:25	179601-23-1	
o-Xylene	ND	ug/m3	0.88	1		05/07/20 10:25	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10521364

---

**Sample: A-060820-JRL-EFF**      **Lab ID: 10521364003**      Collected: 06/08/20 12:00      Received: 06/12/20 10:30      Matrix: Air

---

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

---

**TO15 MSV AIR**

Analytical Method: TO-15  
Pace Analytical Services - Minneapolis

Benzene	<b>2.8</b>	ppbv	0.17	1.68		06/19/20 21:24	71-43-2	
Ethylbenzene	ND	ppbv	0.34	1.68		06/19/20 21:24	100-41-4	
THC as Gas	ND	ppbv	81.6	1.68		06/19/20 21:24		
Toluene	<b>1.8</b>	ppbv	0.34	1.68		06/19/20 21:24	108-88-3	
m&p-Xylene	<b>0.72</b>	ppbv	0.67	1.68		06/19/20 21:24	179601-23-1	
o-Xylene	ND	ppbv	0.34	1.68		06/19/20 21:24	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496  
Pace Project No.: 10521364

**Sample: A-060820-JRL-EFF**      **Lab ID: 10521364004**      Collected: 06/08/20 12:00      Received: 06/12/20 10:30      Matrix: Air  
**Cert#3960**

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Individual Can Certification</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis						
Benzene	ND	ug/m3	0.32	1		05/19/20 09:35	71-43-2	
Ethylbenzene	ND	ug/m3	0.88	1		05/19/20 09:35	100-41-4	
Toluene	ND	ug/m3	0.77	1		05/19/20 09:35	108-88-3	
m&p-Xylene	ND	ug/m3	1.8	1		05/19/20 09:35	179601-23-1	
o-Xylene	ND	ug/m3	0.88	1		05/19/20 09:35	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496  
Pace Project No.: 10521364

QC Batch: 681993	Analysis Method: TO-15
QC Batch Method: TO-15	Analysis Description: TO15 MSV AIR
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10521364001

METHOD BLANK: 3649444 Matrix: Air  
Associated Lab Samples: 10521364001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ppbv	ND	0.10	06/18/20 09:31	
Ethylbenzene	ppbv	ND	0.20	06/18/20 09:31	
m&p-Xylene	ppbv	ND	0.40	06/18/20 09:31	
o-Xylene	ppbv	ND	0.20	06/18/20 09:31	
THC as Gas	ppbv	ND	48.6	06/18/20 09:31	
Toluene	ppbv	ND	0.20	06/18/20 09:31	

LABORATORY CONTROL SAMPLE: 3649445

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ppbv	10.3	10.6	103	70-133	
Ethylbenzene	ppbv	10.3	11.0	106	70-142	
m&p-Xylene	ppbv	20.7	21.4	104	70-141	
o-Xylene	ppbv	10.3	10.4	101	70-135	
THC as Gas	ppbv	1170	1230	105	66-145	
Toluene	ppbv	10.3	10.8	105	70-136	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496  
Pace Project No.: 10521364

QC Batch: 682285	Analysis Method: TO-15
QC Batch Method: TO-15	Analysis Description: TO15 MSV AIR
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10521364003

METHOD BLANK: 3650999 Matrix: Air

Associated Lab Samples: 10521364003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ppbv	ND	0.10	06/19/20 09:35	
Ethylbenzene	ppbv	ND	0.20	06/19/20 09:35	
m&p-Xylene	ppbv	ND	0.40	06/19/20 09:35	
o-Xylene	ppbv	ND	0.20	06/19/20 09:35	
THC as Gas	ppbv	ND	48.6	06/19/20 09:35	
Toluene	ppbv	ND	0.20	06/19/20 09:35	

LABORATORY CONTROL SAMPLE: 3651000

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ppbv	10.3	11.0	107	70-133	
Ethylbenzene	ppbv	10.3	11.5	111	70-142	
m&p-Xylene	ppbv	20.7	22.5	109	70-141	
o-Xylene	ppbv	10.3	10.8	105	70-135	
THC as Gas	ppbv	1170	1200	103	66-145	
Toluene	ppbv	10.3	11.5	111	70-136	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 70496  
Pace Project No.: 10521364

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 70496  
Pace Project No.: 10521364

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10521364001	A-060820-JRL-INF	TO-15	681993		
10521364003	A-060820-JRL-EFF	TO-15	682285		
10521364002	A-060820-JRL-INF Cert#3778	TO-15	681015		
10521364004	A-060820-JRL-EFF Cert#3960	TO-15	681015		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**CHAIN-OF-CUSTODY / Analytical Request Document**  
 The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A  
 Required Client Information:  
 Company: GHD Services, Inc.  
 Address: 20818 44th Avenue West, Suite 190  
 Lynnwood, WA 98036  
 Email To: jeff.gaarder@ghd.com, christina.mcclelland@ghd.com  
 Phone: (425)563-6502 | Fax: Standard  
 Requested Due Date/TAT: Standard

Section B  
 Required Project Information:  
 Report To: Jeff Gaarder  
 Copy To: Christina McClelland  
 Purchase Order No.: 70496  
 Client Project ID: 70496  
 Container Order Number:

Section C  
 Invoice Information:  
 Attention: Jeff Gaarder  
 Company Name: GHD Services, Inc.  
 Address: 2055 Niagara Falls Boulevard Suite #3, Niagara Falls, New York, 14304  
 Regulatory Agency:  
 Pace Project Manager: Jennifer Gross  
 Pace Profile #:  
 State/Location:

Page: 1 Of 1

**WO#: 10521364**

**SAMPLE ID**  
 One Character per box.  
 (A-Z, 0-9 / , -)  
 Sample IDs must be unique

- MATRIX  
 Drinking Water  
 Water  
 Waste Water  
 Product  
 Soil/Solid  
 Oil  
 Wipe  
 Air  
 Other  
 Tissue
- CODE  
 DW  
 WT  
 WW  
 P  
 SL  
 OL  
 WP  
 AR  
 OT  
 TS

ITEM #	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G-GRAB C-COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	UNPRESERVED	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test	NMTPH-Gx (TPHg)	BTEX (TO-15)	Residual Chlorine (Y/N)	TEMP in C	Received on Ice (Y/N)	Custody Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)
			START DATE	END DATE																			
1	A-060820-DPL-INF	OT G	6-8-20	1205		1	X								X	X							
2	A-060820-DPL-EFF	OT G	6-8-20	1200		1	X								X	X							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							

*Canister #*  
 3778 007 002  
 3960 003 004

ADDITIONAL COMMENTS: *6-8-20 1215*

REQUISITION SHEET / AFFILIATION: *6-8-20 1215*

ACCEPTED BY / AFFILIATION: *Joe Lewandowski*

DATE SIGNED: *06-08-20*

SAMPLER NAME AND SIGNATURE: *Joe Lewandowski*

PRINT Name of SAMPLER: *Joe Lewandowski*

SIGNATURE of SAMPLER: *[Signature]*



Document Name:  
Air Sample Condition Upon Receipt

Document Revised: 19Nov2019  
Page 1 of 1

Document No.:  
F-MN-A-106-rev.20

Pace Analytical Services -  
Minneapolis

Air Sample Condition  
Upon Receipt

Client Name: **GHD**

Project #:

**WO#: 10521364**

PM: JMG

Due Date: 06/26/20

CLIENT: GHD\_WA

Courier:  Fed Ex  UPS  USPS  Client  
 Pace  Speedee  Commercial  See Exception

Tracking Number: **1723 2542 7354**

Custody Seal on Cooler/Box Present?  Yes  No      Seals Intact?  Yes  No

Packing Material:  Bubble Wrap  Bubble Bags  Foam  None  Tin Can  Other: \_\_\_\_\_      Temp Blank rec:  Yes  No

Temp. (TO17 and TO13 samples only) (°C): \_\_\_\_\_ Corrected Temp (°C): \_\_\_\_\_      Thermometer Used:  G87A9170600254  
 G87A9155100842

Temp should be above freezing to 6°C      Correction Factor: \_\_\_\_\_      Date & Initials of Person Examining Contents: **6/22/20 M**

Type of ice Received  Blue  Wet  None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH) -Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <u>Air Can</u> Airbag Filter TDT Passive		11. Individually Certified Cans <input checked="" type="checkbox"/> N (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12. <i>Gauges used</i>
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge #  10AIR26  10AIR34  10AIR35  4097

Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
<b>INF</b>	<b>3778</b>	-	<b>-2</b>	<b>10</b>					
<b>EFF</b>	<b>3960</b>	-	<b>0</b>	<b>10</b>					

CLIENT NOTIFICATION/RESOLUTION

Field Data Required?  Yes  No

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

Project Manager Review: JENNI GROSS

Date: 06/18/20



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

### ANALYTICAL RESULTS

Client: GHD Services Inc  
 Phone: 734-453-5123

Lab Project Number: 10521364  
 Project Name: 70496

Lab Sample No: 10521364001 ProjSampleNum: 10521364001 Date Collected: 06/08/20 12:05  
 Client Sample ID: A-060820-JRL-INF Matrix: Air Date Received: 06/12/20 10:30

Parameters	Report Limit ppbv	Results ppbv	Report Limit ug/m3	Results ug/m3	DF	Analyzed	CAS No.
<b>Air</b>							
TO-15							
Benzene	86.4	2620	281	8510	864	06/19/20 10:06 AFV	71-43-2
Ethylbenzene	10.8	340	47.7	1500	54	06/19/20 2:37 AFV	100-41-4
m&p-Xylene	21.6	1500	95.3	6620	54	06/19/20 2:37 AFV	179601-23-1
o-Xylene	10.8	476	47.7	2100	54	06/19/20 2:37 AFV	95-47-6
THC as Gas	2620	102000	11400	443000	54	06/19/20 2:37 AFV	
Toluene	173	2960	663	11300	864	06/19/20 10:06 AFV	108-88-3

Lab Sample No: 10521364003 ProjSampleNum: 10521364003 Date Collected: 06/08/20 12:00  
 Client Sample ID: A-060820-JRL-EFF Matrix: Air Date Received: 06/12/20 10:30

Parameters	Report Limit ppbv	Results ppbv	Report Limit ug/m3	Results ug/m3	DF	Analyzed	CAS No.
<b>Air</b>							
TO-15							
Benzene	0.17	2.8	0.55	9.1	1.68	06/19/20 21:24 CH1	71-43-2
Ethylbenzene	0.34	ND	1.5	ND	1.68	06/19/20 21:24 CH1	100-41-4
m&p-Xylene	0.67	0.72	3	3.2	1.68	06/19/20 21:24 CH1	179601-23-1
o-Xylene	0.34	ND	1.5	ND	1.68	06/19/20 21:24 CH1	95-47-6
THC as Gas	81.6	ND	354	ND	1.68	06/19/20 21:24 CH1	
Toluene	0.34	1.8	1.3	6.9	1.68	06/19/20 21:24 CH1	108-88-3

### SUPPLEMENTAL REPORT

Units Conversion Request

June 19, 2020

Christina McClelland  
GHD Services, Inc.  
20818 44th Ave W  
Suite 190  
Lynnwood, WA 98036

RE: Project: 70496.17  
Pace Project No.: 10520811

Dear Christina McClelland:


Enclosed are the analytical results for sample(s) received by the laboratory on June 09, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace National - Mt. Juliet
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Gross  
jennifer.gross@pacelabs.com  
(206)957-2426  
Project Manager

Enclosures

cc: Rosemarie Borths, GHD Services Inc.  
Jeffrey Cloud, GHD Services Inc.  
Joe Lewandowski, GHD  
Eric Maise, GHD Services Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 70496.17  
Pace Project No.: 10520811

---

### Pace Analytical Services Minneapolis

<p>A2LA Certification #: 2926.01 Alabama Certification #: 40770 Alaska Contaminated Sites Certification #: 17-009 Alaska DW Certification #: MN00064 Arizona Certification #: AZ0014 Arkansas DW Certification #: MN00064 Arkansas WW Certification #: 88-0680 California Certification #: 2929 CNMI Saipan Certification #: MP0003 Colorado Certification #: MN00064 Connecticut Certification #: PH-0256 EPA Region 8+Wyoming DW Certification #: via MN 027-053-137 Florida Certification #: E87605 Georgia Certification #: 959 Guam EPA Certification #: MN00064 Hawaii Certification #: MN00064 Idaho Certification #: MN00064 Illinois Certification #: 200011 Indiana Certification #: C-MN-01 Iowa Certification #: 368 Kansas Certification #: E-10167 Kentucky DW Certification #: 90062 Kentucky WW Certification #: 90062 Louisiana DEQ Certification #: 03086 Louisiana DW Certification #: MN00064 Maine Certification #: MN00064 Maryland Certification #: 322 Massachusetts DWP Certification #: via MN 027-053-137 Michigan Certification #: 9909 Minnesota Certification #: 027-053-137 Minnesota Dept of Ag Certification #: via MN 027-053-137</p>	<p>Minnesota Petrofund Certification #: 1240 Mississippi Certification #: MN00064 Missouri Certification #: 10100 Montana Certification #: CERT0092 Nebraska Certification #: NE-OS-18-06 Nevada Certification #: MN00064 New Hampshire Certification #: 2081 New Jersey Certification #: MN002 New York Certification #: 11647 North Carolina DW Certification #: 27700 North Carolina WW Certification #: 530 North Dakota Certification #: R-036 Ohio DW Certification #: 41244 Ohio VAP Certification #: CL101 Oklahoma Certification #: 9507 Oregon Primary Certification #: MN300001 Oregon Secondary Certification #: MN200001 Pennsylvania Certification #: 68-00563 Puerto Rico Certification #: MN00064 South Carolina Certification #: 74003001 Tennessee Certification #: TN02818 Texas Certification #: T104704192 Utah Certification #: MN00064 Vermont Certification #: VT-027053137 Virginia Certification #: 460163 Washington Certification #: C486 West Virginia DEP Certification #: 382 West Virginia DW Certification #: 9952 C Wisconsin Certification #: 999407970 Wyoming UST Certification #: via A2LA 2926.01</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

---

### Pace Analytical Services National

<p>12065 Lebanon Road, Mt. Juliet, TN 37122 Alabama Certification #: 40660 Alaska Certification 17-026 Arizona Certification #: AZ0612 Arkansas Certification #: 88-0469 California Certification #: 2932 Canada Certification #: 1461.01 Colorado Certification #: TN00003 Connecticut Certification #: PH-0197 DOD Certification: #1461.01 EPA# TN00003 Florida Certification #: E87487 Georgia DW Certification #: 923 Georgia Certification: NELAP Idaho Certification #: TN00003 Illinois Certification #: 200008 Indiana Certification #: C-TN-01</p>	<p>Iowa Certification #: 364 Kansas Certification #: E-10277 Kentucky UST Certification #: 16 Kentucky Certification #: 90010 Louisiana Certification #: AI30792 Louisiana DW Certification #: LA180010 Maine Certification #: TN0002 Maryland Certification #: 324 Massachusetts Certification #: M-TN003 Michigan Certification #: 9958 Minnesota Certification #: 047-999-395 Mississippi Certification #: TN00003 Missouri Certification #: 340 Montana Certification #: CERT0086 Nebraska Certification #: NE-OS-15-05 Nevada Certification #: TN-03-2002-34 New Hampshire Certification #: 2975</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 70496.17

Pace Project No.: 10520811

---

### **Pace Analytical Services National**

New Jersey Certification #: TN002

New Mexico DW Certification

New York Certification #: 11742

North Carolina Aquatic Toxicity Certification #: 41

North Carolina Drinking Water Certification #: 21704

North Carolina Environmental Certificate #: 375

North Dakota Certification #: R-140

Ohio VAP Certification #: CL0069

Oklahoma Certification #: 9915

Oregon Certification #: TN200002

Pennsylvania Certification #: 68-02979

Rhode Island Certification #: LAO00356

South Carolina Certification #: 84004

South Dakota Certification

Tennessee DW/Chem/Micro Certification #: 2006

Texas Mold Certification #: LAB0152

Texas Certification #: T 104704245-17-14

USDA Soil Permit #: P330-15-00234

Utah Certification #: TN00003

Virginia Certification #: VT2006

Vermont Dept. of Health: ID# VT-2006

Virginia Certification #: 460132

Washington Certification #: C847

West Virginia Certification #: 233

Wisconsin Certification #: 9980939910

Wyoming UST Certification #: via A2LA 2926.01

A2LA-ISO 17025 Certification #: 1461.01

A2LA-ISO 17025 Certification #: 1461.02

AIHA-LAP/LLC EMLAP Certification #:100789

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 70496.17  
Pace Project No.: 10520811

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10520811001	GW-060820-JRL-INF1	Water	06/08/20 11:30	06/09/20 08:40
10520811002	GW-060820-JRL-MID1	Water	06/08/20 11:15	06/09/20 08:40
10520811003	GW-060820-JRL-MID2	Water	06/08/20 11:00	06/09/20 08:40
10520811004	GW-060820-JRL-Total EFF	Water	06/08/20 10:00	06/09/20 08:40
10520811005	GW-060820-JRL-Total EFF 1	Water	06/08/20 10:00	06/09/20 08:40
10520811006	GW-060820-JRL-Total EFF 2	Water	06/08/20 10:15	06/09/20 08:40
10520811007	GW-060820-JRL-Total EFF 3	Water	06/08/20 10:30	06/09/20 08:40
10520811008	GW-060820-JRL-Total EFF 4	Water	06/08/20 10:45	06/09/20 08:40
10520811009	GW-060820-JRL-Total EFF 1-4	Water	06/08/20 10:45	06/09/20 08:40
10520811010	GW-060820-JRL-Total EFF 5	Water	06/08/20 10:00	06/09/20 08:40
10520811011	GW-060820-JRL-Total EFF 6	Water	06/08/20 10:15	06/09/20 08:40
10520811012	GW-060820-JRL-Total EFF 7	Water	06/08/20 10:30	06/09/20 08:40
10520811013	GW-060820-JRL-Total EFF 5-7	Water	06/08/20 10:30	06/09/20 08:40
10520811014	Trip Blank	Water	06/08/20 00:00	06/09/20 08:40

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 70496.17

Pace Project No.: 10520811

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10520811001	GW-060820-JRL-INF1	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	ACG	2	PAN
		EPA 8260D	JCP, KMC	7	PAN
10520811002	GW-060820-JRL-MID1	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	ACG	2	PAN
		EPA 8260D	JCP	7	PAN
10520811003	GW-060820-JRL-MID2	NWTPH-Dx	JVM	4	PASI-M
		NWTPH-Gx	ACG	2	PAN
		EPA 8260D	JCP	7	PAN
10520811004	GW-060820-JRL-Total EFF	NWTPH-Dx	JVM	4	PASI-M
10520811009	GW-060820-JRL-Total EFF 1-4	NWTPH-Gx	ACG	2	PAN
		EPA 8260D	JCP	7	PAN
10520811013	GW-060820-JRL-Total EFF 5-7	EPA 1664B OG	JER	1	PASI-M
10520811014	Trip Blank	NWTPH-Gx	ACG	2	PAN
		EPA 8260D	JCP	7	PAN

PAN = Pace National - Mt. Juliet

PASI-M = Pace Analytical Services - Minneapolis

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496.17  
Pace Project No.: 10520811

Sample: <b>GW-060820-JRL-INF1</b>	Lab ID: <b>10520811001</b>	Collected: 06/08/20 11:30	Received: 06/09/20 08:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Dx GCS Silica Gel LV</b>								
Analytical Method: NWTPH-Dx Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	<b>2240</b>	ug/L	400	1	06/12/20 13:49	06/15/20 11:45	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	06/12/20 13:49	06/15/20 11:45	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	47	%	50-150	1	06/12/20 13:49	06/15/20 11:45	84-15-1	1M
n-Triacontane (S)	41	%	50-150	1	06/12/20 13:49	06/15/20 11:45	638-68-6	1M
<b>VOA (GC) NWTPHGX</b>								
Analytical Method: NWTPH-Gx Preparation Method: NWTPHGX Pace National - Mt. Juliet								
TPH (C06-C12)	<b>149000</b>	ug/L	2500	25	06/16/20 01:33	06/16/20 01:33		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (FID)	97.2	%	78.0-120	25	06/16/20 01:33	06/16/20 01:33	98-08-8FID	
<b>VOA (GC/MS) 8260D</b>								
Analytical Method: EPA 8260D Preparation Method: 8260D Pace National - Mt. Juliet								
Benzene	<b>17800</b>	ug/L	500	500	06/18/20 20:17	06/18/20 20:17	71-43-2	
Toluene	<b>28700</b>	ug/L	500	500	06/18/20 20:17	06/18/20 20:17	108-88-3	
Ethylbenzene	<b>1970</b>	ug/L	50.0	50	06/14/20 08:11	06/14/20 08:11	100-41-4	
Xylene (Total)	<b>18300</b>	ug/L	1500	500	06/18/20 20:17	06/18/20 20:17	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	104	%	80.0-120	50	06/14/20 08:11	06/14/20 08:11	2037-26-5	
Toluene-d8 (S)	103	%	80.0-120	500	06/18/20 20:17	06/18/20 20:17	2037-26-5	
4-Bromofluorobenzene (S)	100	%	77.0-126	50	06/14/20 08:11	06/14/20 08:11	460-00-4	
4-Bromofluorobenzene (S)	105	%	77.0-126	500	06/18/20 20:17	06/18/20 20:17	460-00-4	
1,2-Dichloroethane-d4 (S)	126	%	70.0-130	50	06/14/20 08:11	06/14/20 08:11	17060-07-0	
1,2-Dichloroethane-d4 (S)	110	%	70.0-130	500	06/18/20 20:17	06/18/20 20:17	17060-07-0	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10520811

Sample: <b>GW-060820-JRL-MID1</b>	Lab ID: <b>10520811002</b>	Collected: 06/08/20 11:15	Received: 06/09/20 08:40	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>NWTPH-Dx GCS Silica Gel LV</b>								
Analytical Method: NWTPH-Dx Preparation Method: EPA Mod. 3510C								
Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	ND	ug/L	400	1	06/12/20 13:49	06/15/20 12:04	68334-30-5	
Motor Oil Range SG	ND	ug/L	400	1	06/12/20 13:49	06/15/20 12:04	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	54	%	50-150	1	06/12/20 13:49	06/15/20 12:04	84-15-1	
n-Triacontane (S)	43	%	50-150	1	06/12/20 13:49	06/15/20 12:04	638-68-6	1M
<b>VOA (GC) NWTPHGX</b>								
Analytical Method: NWTPH-Gx Preparation Method: NWTPHGX								
Pace National - Mt. Juliet								
TPH (C06-C12)	ND	ug/L	100	1	06/16/20 01:54	06/16/20 01:54		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (FID)	107	%	78.0-120	1	06/16/20 01:54	06/16/20 01:54	98-08-8FID	
<b>VOA (GC/MS) 8260D</b>								
Analytical Method: EPA 8260D Preparation Method: 8260D								
Pace National - Mt. Juliet								
Benzene	ND	ug/L	1.00	1	06/14/20 04:51	06/14/20 04:51	71-43-2	
Toluene	ND	ug/L	1.00	1	06/14/20 04:51	06/14/20 04:51	108-88-3	
Ethylbenzene	ND	ug/L	1.00	1	06/14/20 04:51	06/14/20 04:51	100-41-4	
Xylene (Total)	ND	ug/L	3.00	1	06/14/20 04:51	06/14/20 04:51	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	105	%	80.0-120	1	06/14/20 04:51	06/14/20 04:51	2037-26-5	
4-Bromofluorobenzene (S)	103	%	77.0-126	1	06/14/20 04:51	06/14/20 04:51	460-00-4	
1,2-Dichloroethane-d4 (S)	124	%	70.0-130	1	06/14/20 04:51	06/14/20 04:51	17060-07-0	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10520811

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GW-060820-JRL-MID2      Lab ID: 10520811003      Collected: 06/08/20 11:00      Received: 06/09/20 08:40      Matrix: Water</b>								
<b>NWTPH-Dx GCS Silica Gel LV</b>								
Analytical Method: NWTPH-Dx    Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	ND	ug/L	385	1	06/12/20 13:49	06/15/20 12:13	68334-30-5	
Motor Oil Range SG	ND	ug/L	385	1	06/12/20 13:49	06/15/20 12:13	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	65	%	50-150	1	06/12/20 13:49	06/15/20 12:13	84-15-1	
n-Triacontane (S)	71	%	50-150	1	06/12/20 13:49	06/15/20 12:13	638-68-6	
<b>VOA (GC) NWTPHGX</b>								
Analytical Method: NWTPH-Gx    Preparation Method: NWTPHGX Pace National - Mt. Juliet								
TPH (C06-C12)	ND	ug/L	100	1	06/16/20 02:15	06/16/20 02:15		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (FID)	105	%	78.0-120	1	06/16/20 02:15	06/16/20 02:15	98-08-8FID	
<b>VOA (GC/MS) 8260D</b>								
Analytical Method: EPA 8260D    Preparation Method: 8260D Pace National - Mt. Juliet								
Benzene	ND	ug/L	1.00	1	06/14/20 05:11	06/14/20 05:11	71-43-2	
Toluene	ND	ug/L	1.00	1	06/14/20 05:11	06/14/20 05:11	108-88-3	
Ethylbenzene	ND	ug/L	1.00	1	06/14/20 05:11	06/14/20 05:11	100-41-4	
Xylene (Total)	ND	ug/L	3.00	1	06/14/20 05:11	06/14/20 05:11	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	105	%	80.0-120	1	06/14/20 05:11	06/14/20 05:11	2037-26-5	
4-Bromofluorobenzene (S)	97.8	%	77.0-126	1	06/14/20 05:11	06/14/20 05:11	460-00-4	
1,2-Dichloroethane-d4 (S)	126	%	70.0-130	1	06/14/20 05:11	06/14/20 05:11	17060-07-0	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10520811

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GW-060820-JRL-Total EFF    Lab ID: 10520811004    Collected: 06/08/20 10:00    Received: 06/09/20 08:40    Matrix: Water</b>								
<b>NWTPH-Dx GCS Silica Gel LV</b> Analytical Method: NWTPH-Dx    Preparation Method: EPA Mod. 3510C Pace Analytical Services - Minneapolis								
Diesel Fuel Range SG	ND	ug/L	408	1	06/17/20 15:41	06/18/20 11:19	68334-30-5	
Motor Oil Range SG	ND	ug/L	408	1	06/17/20 15:41	06/18/20 11:19	64742-65-0	
<b>Surrogates</b>								
o-Terphenyl (S)	64	%.	50-150	1	06/17/20 15:41	06/18/20 11:19	84-15-1	
n-Triacontane (S)	80	%.	50-150	1	06/17/20 15:41	06/18/20 11:19	638-68-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10520811

**Sample:** GW-060820-JRL-Total EFF 1-4    **Lab ID:** 10520811009    Collected: 06/08/20 10:45    Received: 06/09/20 08:40    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>VOA (GC) NWTPHGX</b>		Analytical Method: NWTPH-Gx Preparation Method: NWTPHGX Pace National - Mt. Juliet						
TPH (C06-C12)	ND	ug/L	100	1	06/16/20 02:35	06/16/20 02:35		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (FID)	105	%	78.0-120	1	06/16/20 02:35	06/16/20 02:35	98-08-8FID	
<b>VOA (GC/MS) 8260D</b>		Analytical Method: EPA 8260D Preparation Method: 8260D Pace National - Mt. Juliet						
Benzene	ND	ug/L	1.00	1	06/14/20 05:31	06/14/20 05:31	71-43-2	
Toluene	ND	ug/L	1.00	1	06/14/20 05:31	06/14/20 05:31	108-88-3	
Ethylbenzene	ND	ug/L	1.00	1	06/14/20 05:31	06/14/20 05:31	100-41-4	
Xylene (Total)	ND	ug/L	3.00	1	06/14/20 05:31	06/14/20 05:31	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	106	%	80.0-120	1	06/14/20 05:31	06/14/20 05:31	2037-26-5	
4-Bromofluorobenzene (S)	98.6	%	77.0-126	1	06/14/20 05:31	06/14/20 05:31	460-00-4	
1,2-Dichloroethane-d4 (S)	127	%	70.0-130	1	06/14/20 05:31	06/14/20 05:31	17060-07-0	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10520811

**Sample:** GW-060820-JRL-Total EFF 5-7    **Lab ID:** 10520811013    Collected: 06/08/20 10:30    Received: 06/09/20 08:40    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>1664B HEM, Oil and Grease</b>	Analytical Method: EPA 1664B OG Pace Analytical Services - Minneapolis							
Oil and Grease	ND	ug/L	6580	1		06/11/20 09:28		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 70496.17

Pace Project No.: 10520811

Sample: Trip Blank	Lab ID: 10520811014		Collected: 06/08/20 00:00	Received: 06/09/20 08:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>VOA (GC) NWTPHGX</b>								
Analytical Method: NWTPH-Gx Preparation Method: NWTPHGX								
Pace National - Mt. Juliet								
TPH (C06-C12)	ND	ug/L	100	1	06/16/20 00:10	06/16/20 00:10		
<b>Surrogates</b>								
a,a,a-Trifluorotoluene (FID)	108	%	78.0-120	1	06/16/20 00:10	06/16/20 00:10	98-08-8FID	
<b>VOA (GC/MS) 8260D</b>								
Analytical Method: EPA 8260D Preparation Method: 8260D								
Pace National - Mt. Juliet								
Benzene	ND	ug/L	1.00	1	06/14/20 02:12	06/14/20 02:12	71-43-2	
Toluene	ND	ug/L	1.00	1	06/14/20 02:12	06/14/20 02:12	108-88-3	
Ethylbenzene	ND	ug/L	1.00	1	06/14/20 02:12	06/14/20 02:12	100-41-4	
Xylene (Total)	ND	ug/L	3.00	1	06/14/20 02:12	06/14/20 02:12	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	107	%	80.0-120	1	06/14/20 02:12	06/14/20 02:12	2037-26-5	
4-Bromofluorobenzene (S)	101	%	77.0-126	1	06/14/20 02:12	06/14/20 02:12	460-00-4	
1,2-Dichloroethane-d4 (S)	120	%	70.0-130	1	06/14/20 02:12	06/14/20 02:12	17060-07-0	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10520811

QC Batch: 1493009      Analysis Method: NWTPH-Gx  
QC Batch Method: NWTPHGX      Analysis Description: VOA (GC) NWTPHGX  
Laboratory: Pace National - Mt. Juliet

Associated Lab Samples: 10520811001, 10520811002, 10520811003, 10520811009, 10520811014

METHOD BLANK: R3539996-2      Matrix: Water  
Associated Lab Samples: 10520811001, 10520811002, 10520811003, 10520811009, 10520811014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH (C06-C12)	ug/L	ND	100	06/15/20 23:25	
a,a,a-Trifluorotoluene (FID)	%	103	78.0-120	06/15/20 23:25	

LABORATORY CONTROL SAMPLE: R3539996-1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH (C06-C12)	ug/L	5500	5470	99.5	70.0-124	
a,a,a-Trifluorotoluene (FID)	%			94.3	78.0-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: R3539996-3      R3539996-4

Parameter	Units	10520811001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH (C06-C12)	ug/L	149000	138000	138000	268000	279000	86.2	94.2	10.0-155	4.02	21	E
a,a,a-Trifluorotoluene (FID)	%						99.5	100	78.0-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17

Pace Project No.: 10520811

QC Batch: 1492289

Analysis Method: EPA 8260D

QC Batch Method: 8260D

Analysis Description: VOA (GC/MS) 8260D

Laboratory: Pace National - Mt. Juliet

Associated Lab Samples: 10520811001, 10520811002, 10520811003, 10520811009, 10520811014

METHOD BLANK: R3540321-3

Matrix: Water

Associated Lab Samples: 10520811001, 10520811002, 10520811003, 10520811009, 10520811014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.00	06/14/20 01:03	
Ethylbenzene	ug/L	ND	1.00	06/14/20 01:03	
Toluene	ug/L	ND	1.00	06/14/20 01:03	
Xylene (Total)	ug/L	ND	3.00	06/14/20 01:03	
Toluene-d8 (S)	%	109	80.0-120	06/14/20 01:03	
4-Bromofluorobenzene (S)	%	98	77.0-126	06/14/20 01:03	
1,2-Dichloroethane-d4 (S)	%	121	70.0-130	06/14/20 01:03	

LABORATORY CONTROL SAMPLE & LCSD: R3540321-1

R3540321-2

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Benzene	ug/L	5.00	4.98	5.26	99.6	105	70.0-123	5.47	20	
Ethylbenzene	ug/L	5.00	4.84	4.86	96.8	97.2	79.0-123	0.412	20	
Toluene	ug/L	5.00	4.73	4.87	94.6	97.4	79.0-120	2.92	20	
Xylene (Total)	ug/L	15.0	14.3	14.8	95.3	98.7	79.0-123	3.44	20	
Toluene-d8 (S)	%				106	106	80.0-120			
4-Bromofluorobenzene (S)	%				98.9	99.6	77.0-126			
1,2-Dichloroethane-d4 (S)	%				126	123	70.0-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10520811

QC Batch: 1495280	Analysis Method: EPA 8260D
QC Batch Method: 8260D	Analysis Description: VOA (GC/MS) 8260D
	Laboratory: Pace National - Mt. Juliet

Associated Lab Samples: 10520811001

METHOD BLANK: R3540764-3 Matrix: Water  
Associated Lab Samples: 10520811001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.00	06/18/20 18:28	
Toluene	ug/L	ND	1.00	06/18/20 18:28	
Xylene (Total)	ug/L	ND	3.00	06/18/20 18:28	
Toluene-d8 (S)	%	108	80.0-120	06/18/20 18:28	
4-Bromofluorobenzene (S)	%	96	77.0-126	06/18/20 18:28	
1,2-Dichloroethane-d4 (S)	%	108	70.0-130	06/18/20 18:28	

Parameter	Units	R3540764-1		R3540764-2		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec						
Benzene	ug/L	5.00	4.91	4.67	98.2	93.4	70.0-123	5.01	20		
Toluene	ug/L	5.00	4.74	4.61	94.8	92.2	79.0-120	2.78	20		
Xylene (Total)	ug/L	15.0	14.8	14.0	98.7	93.3	79.0-123	5.56	20		
Toluene-d8 (S)	%				108	108	80.0-120				
4-Bromofluorobenzene (S)	%				102	99.1	77.0-126				
1,2-Dichloroethane-d4 (S)	%				107	108	70.0-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10520811

QC Batch: 680848 Analysis Method: NWTPH-Dx  
QC Batch Method: EPA Mod. 3510C Analysis Description: NWTPH-Dx GCS LV SG  
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10520811001, 10520811002, 10520811003

METHOD BLANK: 3643345 Matrix: Water

Associated Lab Samples: 10520811001, 10520811002, 10520811003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	ug/L	ND	400	06/15/20 11:17	
Motor Oil Range SG	ug/L	ND	400	06/15/20 11:17	
n-Triacontane (S)	%	77	50-150	06/15/20 11:17	
o-Terphenyl (S)	%	72	50-150	06/15/20 11:17	

LABORATORY CONTROL SAMPLE & LCSD: 3643346

3643347

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	ug/L	2000	1540	1400	77	70	50-150	9	20	
Motor Oil Range SG	ug/L	2000	1720	1580	86	79	50-150	9	20	
n-Triacontane (S)	%				74	69	50-150			
o-Terphenyl (S)	%				78	74	50-150			

SAMPLE DUPLICATE: 3643348

Parameter	Units	10520811001 Result	Dup Result	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	ug/L	2240	2960	28	30	
Motor Oil Range SG	ug/L	ND	ND		30	
n-Triacontane (S)	%	41	36			1M
o-Terphenyl (S)	%	47	55			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10520811

QC Batch: 681691	Analysis Method: NWTPH-Dx
QC Batch Method: EPA Mod. 3510C	Analysis Description: NWTPH-Dx GCS LV SG
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10520811004

METHOD BLANK: 3647974 Matrix: Water

Associated Lab Samples: 10520811004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Fuel Range SG	ug/L	ND	400	06/18/20 10:51	
Motor Oil Range SG	ug/L	ND	400	06/18/20 10:51	
n-Triacontane (S)	%.	81	50-150	06/18/20 10:51	
o-Terphenyl (S)	%.	75	50-150	06/18/20 10:51	

LABORATORY CONTROL SAMPLE & LCSD: 3647975

3647976

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Diesel Fuel Range SG	ug/L	2000	1500	1570	75	78	50-150	5	20	
Motor Oil Range SG	ug/L	2000	1600	1670	80	84	50-150	4	20	
n-Triacontane (S)	%.				73	75	50-150			
o-Terphenyl (S)	%.				77	77	50-150			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 70496.17  
Pace Project No.: 10520811

QC Batch: 680527	Analysis Method: EPA 1664B OG
QC Batch Method: EPA 1664B OG	Analysis Description: 1664B HEM, Oil and Grease
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10520811013

METHOD BLANK: 3641492 Matrix: Water  
Associated Lab Samples: 10520811013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Oil and Grease	ug/L	ND	5000	06/11/20 08:39	

LABORATORY CONTROL SAMPLE & LCSD: 3641493

Parameter	Units	3641493		3641494		% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec				
Oil and Grease	ug/L	40000	38200	31500	96	79	78-114	19	18 R1

MATRIX SPIKE SAMPLE: 3642429

Parameter	Units	10521231001		MS Result	MS % Rec	% Rec Limits	Qualifiers
		Result	Spike Conc.				
Oil and Grease	ug/L	76.1 mg/L	39200	126000	128	78-114	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 70496.17  
Pace Project No.: 10520811

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### BATCH QUALIFIERS

Batch: 680527

[BE] Batch extracted by solid phase extraction (SPE).

### ANALYTE QUALIFIERS

1M Surrogate recovery outside control limits due to emulsion (not confirmed by re-analysis).

E Analyte concentration exceeded the calibration range. The reported result is estimated.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: 70496.17  
Pace Project No.: 10520811

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10520811001	GW-060820-JRL-INF1	EPA Mod. 3510C	680848	NWTPH-Dx	681108
10520811002	GW-060820-JRL-MID1	EPA Mod. 3510C	680848	NWTPH-Dx	681108
10520811003	GW-060820-JRL-MID2	EPA Mod. 3510C	680848	NWTPH-Dx	681108
10520811004	GW-060820-JRL-Total EFF	EPA Mod. 3510C	681691	NWTPH-Dx	681915
10520811001	GW-060820-JRL-INF1	NWTPHGX	1493009	NWTPH-Gx	1493009
10520811002	GW-060820-JRL-MID1	NWTPHGX	1493009	NWTPH-Gx	1493009
10520811003	GW-060820-JRL-MID2	NWTPHGX	1493009	NWTPH-Gx	1493009
10520811009	GW-060820-JRL-Total EFF 1-4	NWTPHGX	1493009	NWTPH-Gx	1493009
10520811014	Trip Blank	NWTPHGX	1493009	NWTPH-Gx	1493009
10520811001	GW-060820-JRL-INF1	8260D	1492289	EPA 8260D	1492289
10520811001	GW-060820-JRL-INF1	8260D	1495280	EPA 8260D	1495280
10520811002	GW-060820-JRL-MID1	8260D	1492289	EPA 8260D	1492289
10520811003	GW-060820-JRL-MID2	8260D	1492289	EPA 8260D	1492289
10520811009	GW-060820-JRL-Total EFF 1-4	8260D	1492289	EPA 8260D	1492289
10520811014	Trip Blank	8260D	1492289	EPA 8260D	1492289
10520811013	GW-060820-JRL-Total EFF 5-7	EPA 1664B OG	680527		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

WO#: 10520811



**CHAIN-OF-CUSTODY /**  
The Chain-of-Custody is a LEGAL DOCUMENT

**Section A**  
**Required Client Information:**  
 Company: GHD Services, Inc.  
 Address: 20818 44th Avenue West, Suite 190  
 Lynnwood, WA 98036  
 Email To: christina.mcclelland@ghd.com, eric.maise@ghd.com, thuan.bui@ghd.com  
 Phone: (425) 563-6502 | Fax: Standard  
 Requested Due Date/TAT: Standard

**Section B**  
**Required Project Information:**  
 Report To: Christina McClelland  
 Copy To: Eric Maise and Thuan Bui  
 Purchase Order No.:  
 Client Project ID: 70496.17  
 Container Order Number:

**Section C**  
**Invoice Information:**  
 Attention: Christina McClelland  
 Company Name: GHD Services, Inc.  
 Address: 2055 Niagara Falls Boulevard Suite #3, Niagara Falls, New York, 14304  
 Regulatory Agency:  
 State / Location:  
 Pace Project Manager: Jennifer Gross  
 Pace Profile #:

ITEM #	MATRIX CODE (A-Z, 0-9 / , -)	MATRIX DESCRIPTION (One Character per box. Sample IDs must be unique)	COLLECTED		DATE	TIME	SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	UNPRESERVED	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test				Residual Chlorine (Y/N)
			START	END														DATE	TIME	TPH (NWTPH-GX)	TPH (NWTPH-DX) with Silica Gel	
1	GW-060820	JNL -INF 1	6/8/20	1130	6/8/20	1130	WT G											X	X	X	X	
2	GW-060820	JNL -MID 1	6/8/20	1115	6/8/20	1115	WT G											X	X	X	X	
3	GW-060820	JNL -MID 2	6/8/20	1100	6/8/20	1100	WT G											X	X	X	X	
4	GW-060820	JNL -Total EFF	6/8/20	1000	6/8/20	1000	WT G											X	X	X	X	
5	GW-060820	JNL -Total EFF 1	6/8/20	1015	6/8/20	1015	WT G											X	X	X	X	
6	GW-060820	JNL -Total EFF 2	6/8/20	1030	6/8/20	1030	WT G											X	X	X	X	
7	GW-060820	JNL -Total EFF 3	6/8/20	1045	6/8/20	1045	WT G											X	X	X	X	
8	GW-060820	JNL -Total EFF 4	6/8/20	1000	6/8/20	1000	WT G											X	X	X	X	
9	GW-060820	JNL -Total EFF 5	6/8/20	1015	6/8/20	1015	WT G											X	X	X	X	
10	GW-060820	JNL -Total EFF 6	6/8/20	1030	6/8/20	1030	WT G											X	X	X	X	
11	GW-060820	JNL -Total EFF 7	6/8/20	1030	6/8/20	1030	WT G											X	X	X	X	

**REQUISITION BY / AFFILIATION:** [Signature] DATE: 6-8-20 TIME: 1215

**ACCEPTED BY / AFFILIATION:** 17-DA-CG DATE: 6/9/20 TIME: 8:40

**SAMPLE CONDITIONS:** Received on Ice (Y/N) Y, Custody Sealed (Y/N) Y, Cooler (Y/N) Y, Samples Intact (Y/N) Y

**TEMP in C:** 2.2

**ADDITIONAL COMMENTS:** GW-MONTHLY

**SAMPLER NAME AND SIGNATURE:** PRINT Name of SAMPLER: JOE LEWANDOWSKI, SIGNATURE of SAMPLER: [Signature], DATE Signed: 06-08-20

**Sample Condition Upon Receipt**

**Client Name:** GHD  
**Project #:** WO# : 10520811  
**Courier:**  Fed Ex  UPS  USPS  Client  
 Pace  SpeedDee  Commercial  See Exceptions  
**Tracking Number:** 1686 7302 6557

**PM:** JMG **Due Date:** 06/22/20  
**CLIENT:** GHD\_WA

**Custody Seal on Cooler/Box Present?**  Yes  No **Seals Intact?**  Yes  No **Biological Tissue Frozen?**  Yes  No  N/A  
**Packing Material:**  Bubble Wrap  Bubble Bags  None  Other: \_\_\_\_\_ **Temp Blank?**  Yes  No  
**Thermometer:**  T1(0461)  T2(1336)  T3(0459)  T4(0254)  T5(0489) **Type of Ice:**  Wet  Blue  None  Dry  Melted

**Did Samples Originate in West Virginia?**  Yes  No **Were All Container Temps Taken?**  Yes  No  N/A  
Temp should be above freezing to 6°C **Cooler Temp Read w/temp blank:** 2.1 °C **Average Corrected Temp (no temp blank only):**  See Exceptions  1 Container  
**Correction Factor:** +0.1 **Cooler Temp Corrected w/temp blank:** 2.2 °C

**USDA Regulated Soil:** ( N/A, water sample/Other: \_\_\_\_\_) **Date/Initials of Person Examining Contents:** 6/9/20 J  
Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)?  Yes  No **Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)?**  Yes  No  
**If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.**

	COMMENTS:
Chain of Custody Present and Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4.
<b>Short Hold Time Analysis (&lt;72 hr)?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrome <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
<b>Rush Turn Around Time Requested?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Field Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. If no, write ID/ Date/Time on Container Below: <input type="checkbox"/> See Exception
Matrix: <input checked="" type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input type="checkbox"/> Other	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12. Sample # <input type="checkbox"/> NaOH <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> Zinc Acetate
All containers needing preservation are found to be in compliance with EPA recommendation? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , <2pH, NaOH >9 Sulfide, NaOH >12 Cyanide)	Positive for Res. <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> See Exception
Exceptions: <u>VOA, Coliform, TOC/DOC Oil and Grease, DRD/8015 (water) and Dioxin/PFAS</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Chlorine? <input type="checkbox"/> Yes <input type="checkbox"/> No <b>pH Paper Lot#</b> <input type="checkbox"/>
Extra labels present on soil VOA or WIDRO containers? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Res. Chlorine <input type="checkbox"/> 0-6 Roll <input type="checkbox"/> 0-6 Strip <input type="checkbox"/> 0-14 Strip
Headspace in VOA Vials (greater than 6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> See Exception
Trip Blank Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14. <u>4 TB's not on COC</u> <input type="checkbox"/>
Trip Blank Custody Seals Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Pace Trip Blank Lot # (if purchased): <u>25747264</u>

**CLIENT NOTIFICATION/RESOLUTION**

Person Contacted: \_\_\_\_\_  
Comments/Resolution: \_\_\_\_\_

**Field Data Required?**  Yes  No

Date/Time: \_\_\_\_\_

**Project Manager Review:** \_\_\_\_\_

*JENNI GRASS*

**Date:** 06/10/20

Note: Whenever there is a discrepancy affecting compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

# Chain of Custody

Samples were sent directly to the Subcontracting Laboratory.

State Of Origin: WA

Cert. Needed:  Yes  No

Workorder: 10520811 Workorder Name: 70496.17

Owner Received Date: 6/9/2020

Results Requested By: 6/23/2020

Report To: Subcontract To

Requested Analysis

Jennifer Gross  
Pace Analytical Seattle  
596 Industry Drive,  
Suite 602  
Tukwila, WA 98188  
Phone (206)957-2426

Pace Analytical National  
12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
615-773-9710

U172858

Preserved Containers

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers	8260 BTEX	NWTPH-Gk Water	Sample is part of a composite	LAB USE ONLY
1	GW-060820-JRL-INF1	PS	6/8/2020 11:30	10520811001	Water	6	X	X		-01
2	GW-060820-JRL-MID1	PS	6/8/2020 11:15	10520811002	Water	6	X	X		-02
3	GW-060820-JRL-MID2	PS	6/8/2020 11:00	10520811003	Water	6	X	X		-03
4	GW-060820-JRL-Total EFF 1	PS	6/8/2020 10:00	10520811005	Water	2		X		
5	GW-060820-JRL-Total EFF 2	PS	6/8/2020 10:15	10520811006	Water	2		X		
6	GW-060820-JRL-Total EFF 3	PS	6/8/2020 10:30	10520811007	Water	2		X		
7	GW-060820-JRL-Total EFF 4	PS	6/8/2020 10:45	10520811008	Water	2		X		
8	GW-060820-JRL-Total EFF 1-4	PS	6/8/2020 10:45	10520811009	Water	0	X	X		-04
9	Trip Blank	PS	6/8/2020 00:00	10520811014	Water	4	X	X		-05

D027

Comments

Lab to composite samples 10520811005, -006, -007, -008 and report as -009.

Date/Time

Received By

Date/Time

Received on ice

Custody Seal

Y or N

Samples Intact

Y or N

\*\*\*In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.  
This chain of custody is considered complete as is since this information is available in the owner laboratory.

.910 = .9 uwy  
A7

RAD SCREEN: <0.5 mR/hr

**Pace Analytical National Center for Testing & Innovation  
Cooler Receipt Form**

Client: <u>YACETWA</u>		<u>61228658</u>		
Cooler Received/Opened On: <u>6 / 12 / 20</u>		Temperature: <u>9</u>		
Received By: <u>joey brent</u>				
Signature: 				
Receipt Check List		NP	Yes	No
COC Seal Present / Intact?			✓	
COC Signed / Accurate?			✓	
Bottles arrive intact?			✓	
Correct bottles used?			✓	
Sufficient volume sent?			✓	
If Applicable				
VOA Zero headspace?			✓	
Preservation Correct / Checked?				

# **Appendix B**

## **King County Self-Monitoring Reports (SMR)**



King County

# Industrial Waste Program Monthly Self-Monitoring Report

Send to: King County Industrial Waste Program  
201 S. Jackson Street, Suite 513  
Seattle, WA 98104-3855  
Phone 206-477-5300 / FAX 206-263-3001  
Email: [info.KCIW@kingcounty.gov](mailto:info.KCIW@kingcounty.gov)

Company Name: Phillips 66 Company - Renton Terminal

Sample Site No. A81491

Permit/DA No.: 7910-02

Please Specify Month & Year: Month: April 2020

This form is available at [www.kingcounty.gov/industrialwaste](http://www.kingcounty.gov/industrialwaste)

All units are mg/l unless otherwise noted.

Sample Date (circle)	Sample Type C (Composite) G (Grab) BC (batch)	pH	Benzene CAS 71-43-2	Ethylbenzene CAS 100-41-4	Toluene CAS 108-88-3	Total Xylenes CAS 1330-20-7	Non Polar Fats, Oils, and Grease (Avg. of 3 grabs)	Daily Flow (GPD) Industrial	Notes (indicate Batch Discharge where applicable)
1									
2									
3									
4									
5									
6									
7									
8									
9	G	7.2	<0.001	<0.001	<0.001	<0.003	<6.49	5,305	
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									
31									

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. I further certify that all data requiring a laboratory analysis were analyzed by a Washington State Department of Ecology accredited laboratory for each parameter tested.

*Paul Solomon*  
Signature of Principal Executive or Authorized Agent  
5/7/2020  
Date

Monthly Min pH 7.2 & Date 4/9/20  
Monthly Max pH 7.2 & Date 4/9/20

Total Monthly Flow (gallons) 103,045  
Maximum Daily Flow 5,305 & Date 4/9/20

PLEASE CIRCLE ALL PERMIT VIOLATIONS

Due Date: Monthly report is due by the 15th each month.



King County

# Industrial Waste Program Monthly Self-Monitoring Report

Send to: King County Industrial Waste Program  
201 S. Jackson Street, Suite 513  
Seattle, WA 98104-3855  
Phone 206-477-5300 / FAX 206-263-3001  
Email: [info.KCIW@kingcounty.gov](mailto:info.KCIW@kingcounty.gov)

Company Name: Phillips 66 Company - Renton Terminal

Sample Site No. A81491

Permit/DA No.: 7910-02

Please Specify Month & Year: Month: May 2020

This form is available at [www.kingcounty.gov/industrialwaste](http://www.kingcounty.gov/industrialwaste)

All units are mg/l unless otherwise noted.

Sample Date (circle)	Sample Type C (Composite) G (Grab) BC (batch)	pH	Benzene CAS 71-43-2	Ethylbenzene CAS 100-41-4	Toluene CAS 108-88-3	Total Xylenes CAS 1330-20-7	Non Polar Fats, Oils, and Grease (Avg. of 3 grabs)	Daily Flow (GPD) Industrial	Notes (indicate Batch Discharge where applicable)
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19	G	7.3	<0.001	<0.001	<0.001	<0.003	<6.33	4,557	
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									
31									

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. I further certify that all data requiring a laboratory analysis were analyzed by a Washington State Department of Ecology accredited laboratory for each parameter tested.

6/9/2020

Date

*Richard Solomon*  
Signature of Principal Executive or Authorized Agent

Monthly Min pH 7.3 & Date 5/19/20  
Monthly Max pH 7.3 & Date 5/19/20

Total Monthly Flow (gallons) 120,084  
Maximum Daily Flow 6,087 & Date 5/22/20

**PLEASE CIRCLE ALL PERMIT VIOLATIONS**

**Due Date:** Monthly report is due by the 15th each month.



King County

# Industrial Waste Program Monthly Self-Monitoring Report

Send to: King County Industrial Waste Program  
201 S. Jackson Street, Suite 513  
Seattle, WA 98104-3855  
Phone 206-477-5300 / FAX 206-263-3001  
Email: [info.KCIW@kingcounty.gov](mailto:info.KCIW@kingcounty.gov)

Company Name: Phillips 66 Company - Renton Terminal

Sample Site No. A81491

Permit/DA No.: 7910-02

Please Specify Month & Year: Month: June 2020

This form is available at [www.kingcounty.gov/industrialwaste](http://www.kingcounty.gov/industrialwaste)

All units are mg/l unless otherwise noted.

Sample Date (circle)	Sample Type C (Composite) G (Grab) BC (batch)	pH	Benzene CAS 71-43-2	Ethylbenzene CAS 100-41-4	Toluene CAS 108-88-3	Total Xylenes CAS 1330-20-7	Non Polar Fats, Oils, and Grease (Avg. of 3 grabs)	Daily Flow (GPD) Industrial	Notes (indicate Batch Discharge where applicable)
1									
2									
3									
4									
5									
6									
7									
8	G	7.5	<0.001	<0.001	<0.001	<0.003	<6.58	5,149	
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									
31									

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. I further certify that all data requiring a laboratory analysis were analyzed by a Washington State Department of Ecology accredited laboratory for each parameter tested.

*Rishi Solman*  
Signature of Principal Executive or Authorized Agent  
Date 7/13/2020

Monthly Min pH 7.5 & Date 6/8/20  
Monthly Max pH 7.5 & Date 6/8/20

Total Monthly Flow (gallons) 128,300  
Maximum Daily Flow 6,398 & Date 6/15/20

PLEASE CIRCLE ALL PERMIT VIOLATIONS

**Due Date:** Monthly report is due by the 15th each month.

# **Appendix C**

## **Groundwater Monitoring Field Data Sheets**

06-12-20 2nd Q.

	DTP	DTW	
MW-1	—	8.52	
2	—	7.95	
3	—	8.24	
4	—	6.80	
5	—	8.30	
6	—	9.34	
7	—	9.37	
8	—	8.67	
10	—	9.01	
11	—	9.70	
12	—	7.18	
13	—	7.63	
15	—	8.00	
16	—	7.83	HEAVY IRON
B-4	—	5.35	
B-6	—	5.29	
D-10	—	7.93	

	DTP	DTW	
DPE-25	7.12	7.51	
26	7.66	8.20	SKIMMER
27	7.75	7.85	
28	<del>7.75</del>	7.57	
31	<del>7.75</del>	8.50	
32	8.17	8.95	SKIMMER
33	—	8.41	
34	<del>7.75</del>	<del>7.75</del>	UNDER TRUCK
35	7.87	9.75	PUMP
36	7.79	7.81	
38	—	—	UNDER TRUCK
39	8.07	9.65	SKIMMER
40	7.71	9.05	PUMP
41	8.30	8.36	SKIMMER
43	5.71	6.13	
45	7.43	7.78	
46	8.38	8.39	SHEEN
48	—	9.42	* LID BROKEN
49	8.54	9.55	SKIMMER
50	—	8.98	
51	—	9.25	
52	8.90	9.50	
54	—	9.16 (SHEEN)	SKIMMER
56	9.21	9.36	SKIMMER
EX-1	7.92	8.12	PUMP
57	6.43	9.30	



## about GHD

GHD is one of the world's leading professional services companies operating in the global markets of water, energy and resources, environment, property and buildings, and transportation. We provide engineering, environmental, and construction services to private and public sector clients.

**Christina McClelland**  
christina.mcclelland@ghd.com  
804 237-0303

**Trevor Atkinson**  
trevor.atkinson@ghd.com  
425 563 6500

[www.ghd.com](http://www.ghd.com)