

ANALYTICAL REPORT

Eurofins TestAmerica, Denver
4955 Yarrow Street
Arvada, CO 80002
Tel: (303)736-0100

Laboratory Job ID: 280-139855-1
Client Project/Site: Hidden Valley LF
Revision: 1

For:
SCS Engineers
2405 140th Avenue NE
Suite 107
Bellevue, Washington 98005-1877

Attn: Mr. Kevin Lakey



Authorized for release by:
2/26/2021 8:58:42 AM

Betsy Sara, Project Manager II
(303)736-0189
Betsy.Sara@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions	3
Case Narrative	4
Detection Summary	6
Method Summary	8
Sample Summary	9
Client Sample Results	10
Surrogate Summary	25
QC Sample Results	26
QC Association	49
Chronicle	55
Subcontract Data	59
Chain of Custody	77
Receipt Checklists	81

Definitions/Glossary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

General Chemistry

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.

Subcontract

Qualifier	Qualifier Description
E	The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate (CLP E-flag).
U	Analyte was not detected and is reported as less than the LOD or as defined by the client. The LOD has been adjusted for any dilution or concentration of the sample.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Job ID: 280-139855-1

Laboratory: Eurofins TestAmerica, Denver

Narrative

CASE NARRATIVE

Client: SCS Engineers

Project: Hidden Valley LF

Report Number: 280-139855-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

Sample Receiving

The samples were received on 08/27/2020; the samples arrived in good condition, properly preserved and on ice. The temperatures of the coolers at receipt were 2.1° C and 5.1° C.

Holding Times

Due to a high Method Blank detection for Total Dissolved Solids (TDS), the sample HVL-082620-15 required reanalysis past the 7-day holding time.

All other holding times were within established control limits.

Method Blanks

Total Dissolved Solids (TDS) Method 2540C (batch 507583) was detected in the Method Blank above the project established reporting limit. All samples were reanalyzed outside of the 7-day holding time. The samples HVL-082620-13, HVL-082620-14, HVL-082620-16, HVL-082620-17 and HVL-082620-18 had similar results and all QC samples within control limits upon reanalysis. Only the original TDS analysis that was performed within the holding time is reported in this submission for the samples HVL-082620-13, HVL-082620-14, HVL-082620-16, HVL-082620-17 and HVL-082620-18. The sample HVL-082620-15 exhibited an anomalously high result upon reanalysis due to a suspected laboratory error, and therefore only the original TDS result is reported in this submission for the sample HVL-082620-15.

All other Method Blanks were within established control limits.

Laboratory Control Samples (LCS)

All Laboratory Control Samples were within established control limits.

Matrix Spike (MS) and Matrix Spike Duplicate (MSD)

The Method 8260B MS/MSD performed on a sample from another client exhibited a RPD result outside the RPD limit for Trichlorofluoromethane. Because the corresponding Matrix Spike and Matrix Spike Duplicate recoveries, Laboratory Control Sample, and Method Blank sample were within control limits, this anomaly is considered to be due to matrix interference and no corrective action was taken.

Case Narrative

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Job ID: 280-139855-1 (Continued)

Laboratory: Eurofins TestAmerica, Denver (Continued)

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) for Method 8260B (batch 508332), however, an LCS/LCSD pair was analyzed to demonstrate method precision and accuracy.

The percent recoveries and/or relative percent difference of the MS/MSD performed on sample HVL-082620-13 were outside control limits for Dissolved Manganese Method 6020 because the sample concentration was greater than four times the spike amount. Because the corresponding Laboratory Control Sample and the Method Blank sample were within control limits, no corrective action was taken.

All other MS and MSD samples were within established control limits.

General Comments

For samples requiring analysis at a dilution, the dilution factor has been multiplied by the Method Detection Limit (MDL) for each analyte and evaluated versus the project-specific reporting limit (PSRL). If the obtained value is below the PSRL, then the PSRL is preserved as the reporting limit for the diluted result, otherwise, the obtained value becomes the reporting limit. This is done in order to maintain the PSRL to meet permit requirements at the request of the client and to report the lowest possible RL for each analyte.

The analysis for Chloride and Sulfate Method 300.0 was performed at the TestAmerica's St. Louis Laboratory.
13715 Rider Trail North
Earth City, MO 63045
Phone: 314-298-8566

The analysis for Dissolved Iron Method 200.8 was performed by Eurofins Frontier Global Sciences, LLC.
Eurofins Frontier Global Sciences, LLC
5755 8th St E
Tacoma, WA 98424
Phone: 253-922-2310

Report Revision

This submission was revised to report the original result for Total Dissolved Solids (TDS) for the sample HVL-082620-15.

Detection Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Client Sample ID: HVL-082620-13

Lab Sample ID: 280-139855-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	10		0.20		mg/L	1		300.0	Total/NA
Chloride - DL	15		1.2		mg/L	20		300.0	Total/NA
Calcium, Dissolved	27		0.20		mg/L	1		6010B	Dissolved
Magnesium, Dissolved	8.2		0.10		mg/L	1		6010B	Dissolved
Potassium, Dissolved	10		2.0		mg/L	1		6010B	Dissolved
Sodium, Dissolved	15		1.0		mg/L	1		6010B	Dissolved
Manganese, Dissolved	1.2		0.0010		mg/L	1		6020	Dissolved
Nitrate as N	0.37		0.20		mg/L	1		300.0	Total/NA
Ammonia	3.1		0.10		mg/L	1		350.1	Total/NA
Alkalinity	120		10		mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	210	B	10		mg/L	1		SM 2540C	Total/NA
Total Organic Carbon - Quad	1.7		1.0		mg/L	1		SM 5310B	Total/NA
Iron	28		10		µg/L	1		LL Diss Fe 200.8 (Eurofins Frontier)	Total/NA

Client Sample ID: HVL-082620-14

Lab Sample ID: 280-139855-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	1.2		0.50		ug/L	1		8260B	Total/NA
Sulfate	8.3		0.20		mg/L	1		300.0	Total/NA
Chloride - DL	5.4		1.2		mg/L	20		300.0	Total/NA
Calcium, Dissolved	20		0.20		mg/L	1		6010B	Dissolved
Magnesium, Dissolved	8.5		0.10		mg/L	1		6010B	Dissolved
Potassium, Dissolved	2.3		2.0		mg/L	1		6010B	Dissolved
Sodium, Dissolved	7.0		1.0		mg/L	1		6010B	Dissolved
Nitrate as N	1.8		0.20		mg/L	1		300.0	Total/NA
Alkalinity	86		10		mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	150	B	10		mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	6.0		4.0		mg/L	1		SM 2540D	Total/NA

Client Sample ID: HVL-082620-15

Lab Sample ID: 280-139855-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.51		0.50		ug/L	1		8260B	Total/NA
Sulfate	11		0.20		mg/L	1		300.0	Total/NA
Chloride - DL	8.8		1.2		mg/L	20		300.0	Total/NA
Calcium, Dissolved	25		0.20		mg/L	1		6010B	Dissolved
Magnesium, Dissolved	10		0.10		mg/L	1		6010B	Dissolved
Potassium, Dissolved	2.9		2.0		mg/L	1		6010B	Dissolved
Sodium, Dissolved	17		1.0		mg/L	1		6010B	Dissolved
Manganese, Dissolved	0.018		0.0010		mg/L	1		6020	Dissolved
Nitrate as N	0.65		0.20		mg/L	1		300.0	Total/NA
Alkalinity	110		10		mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	210	B	10		mg/L	1		SM 2540C	Total/NA

Client Sample ID: HVL-082620-16

Lab Sample ID: 280-139855-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	9.0		0.20		mg/L	1		300.0	Total/NA
Chloride - DL	18		1.2		mg/L	20		300.0	Total/NA
Calcium, Dissolved	26		0.20		mg/L	1		6010B	Dissolved
Magnesium, Dissolved	7.6		0.10		mg/L	1		6010B	Dissolved

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Denver

Detection Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Client Sample ID: HVL-082620-16 (Continued)

Lab Sample ID: 280-139855-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Potassium, Dissolved	6.4		2.0		mg/L	1		6010B	Dissolved
Sodium, Dissolved	18		1.0		mg/L	1		6010B	Dissolved
Manganese, Dissolved	0.0011		0.0010		mg/L	1		6020	Dissolved
Nitrate as N	1.3		0.20		mg/L	1		300.0	Total/NA
Alkalinity	100		10		mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	200	B	10		mg/L	1		SM 2540C	Total/NA

Client Sample ID: HVL-082620-17

Lab Sample ID: 280-139855-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	9.3		0.20		mg/L	1		300.0	Total/NA
Chloride - DL	9.7		1.2		mg/L	20		300.0	Total/NA
Calcium, Dissolved	19		0.20		mg/L	1		6010B	Dissolved
Magnesium, Dissolved	5.8		0.10		mg/L	1		6010B	Dissolved
Potassium, Dissolved	7.2		2.0		mg/L	1		6010B	Dissolved
Sodium, Dissolved	11		1.0		mg/L	1		6010B	Dissolved
Manganese, Dissolved	1.4		0.0010		mg/L	1		6020	Dissolved
Ammonia	3.4		0.10		mg/L	1		350.1	Total/NA
Alkalinity	100		10		mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	180	B	10		mg/L	1		SM 2540C	Total/NA
Total Suspended Solids	6.4		4.0		mg/L	1		SM 2540D	Total/NA
Total Organic Carbon - Quad	1.6		1.0		mg/L	1		SM 5310B	Total/NA
Iron	3590		10		µg/L	1		LL Diss Fe 200.8 (Eurofins Frontier)	Total/NA

Client Sample ID: HVL-082620-18

Lab Sample ID: 280-139855-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	13		0.20		mg/L	1		300.0	Total/NA
Chloride - DL	14		1.2		mg/L	20		300.0	Total/NA
Calcium, Dissolved	21		0.20		mg/L	1		6010B	Dissolved
Magnesium, Dissolved	6.0		0.10		mg/L	1		6010B	Dissolved
Potassium, Dissolved	3.3		2.0		mg/L	1		6010B	Dissolved
Sodium, Dissolved	20		1.0		mg/L	1		6010B	Dissolved
Nitrate as N	1.2		0.20		mg/L	1		300.0	Total/NA
Alkalinity	92		10		mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	190	B	10		mg/L	1		SM 2540C	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 280-139855-7

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Denver

Method Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL DEN
300.0	Anions, Ion Chromatography	MCAWW	TAL SL
6010B	Metals (ICP)	SW846	TAL DEN
6020	Metals (ICP/MS)	SW846	TAL DEN
300.0	Anions, Ion Chromatography	MCAWW	TAL DEN
350.1	Nitrogen, Ammonia	MCAWW	TAL DEN
SM 2320B	Alkalinity	SM	TAL DEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL DEN
SM 2540D	Solids, Total Suspended (TSS)	SM	TAL DEN
SM 5310B	Organic Carbon, Total (TOC)	SM	TAL DEN
Subcontract	LL Diss Fe 200.8 (Eurofins Frontier)	None	Frontier
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL DEN
5030B	Purge and Trap	SW846	TAL DEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

Frontier = Eurofins Frontier Global Sciences LLC, 5755 8th Street E, Tacoma, WA 98424

TAL DEN = Eurofins TestAmerica, Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
280-139855-1	HVL-082620-13	Water	08/26/20 13:05	08/27/20 09:20	
280-139855-2	HVL-082620-14	Water	08/26/20 13:00	08/27/20 09:20	
280-139855-3	HVL-082620-15	Water	08/26/20 13:50	08/27/20 09:20	
280-139855-4	HVL-082620-16	Water	08/26/20 14:02	08/27/20 09:20	
280-139855-5	HVL-082620-17	Water	08/26/20 14:50	08/27/20 09:20	
280-139855-6	HVL-082620-18	Water	08/26/20 15:20	08/27/20 09:20	
280-139855-7	TRIP BLANK	Water	08/26/20 13:00	08/27/20 09:20	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Client Sample ID: HVL-082620-13

Date Collected: 08/26/20 13:05

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 16:09	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/03/20 16:09	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 16:09	1
1,1,2-Trichloroethane	ND		0.50		ug/L			09/03/20 16:09	1
1,1-Dichloroethane	ND		0.50		ug/L			09/03/20 16:09	1
1,1-Dichloroethene	ND		0.50		ug/L			09/03/20 16:09	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/03/20 16:09	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/03/20 16:09	1
1,2-Dibromoethane	ND		1.0		ug/L			09/03/20 16:09	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/03/20 16:09	1
1,2-Dichloroethane	ND		0.50		ug/L			09/03/20 16:09	1
1,2-Dichloropropane	ND		0.50		ug/L			09/03/20 16:09	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/03/20 16:09	1
2-Butanone (MEK)	ND		6.0		ug/L			09/03/20 16:09	1
2-Hexanone	ND		5.0		ug/L			09/03/20 16:09	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/03/20 16:09	1
Acetone	ND		10		ug/L			09/03/20 16:09	1
Acrylonitrile	ND		20		ug/L			09/03/20 16:09	1
Benzene	ND		0.50		ug/L			09/03/20 16:09	1
Bromochloromethane	ND		0.50		ug/L			09/03/20 16:09	1
Bromodichloromethane	ND		0.50		ug/L			09/03/20 16:09	1
Bromoform	ND		0.50		ug/L			09/03/20 16:09	1
Bromomethane	ND		0.50		ug/L			09/03/20 16:09	1
Carbon disulfide	ND		0.50		ug/L			09/03/20 16:09	1
Carbon tetrachloride	ND		0.50		ug/L			09/03/20 16:09	1
Chlorobenzene	ND		0.50		ug/L			09/03/20 16:09	1
Chloroethane	ND		0.50		ug/L			09/03/20 16:09	1
Chloroform	ND		0.50		ug/L			09/03/20 16:09	1
Chloromethane	ND		0.50		ug/L			09/03/20 16:09	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 16:09	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 16:09	1
Dibromochloromethane	ND		0.50		ug/L			09/03/20 16:09	1
Dibromomethane	ND		0.50		ug/L			09/03/20 16:09	1
Dichlorodifluoromethane	ND		2.0		ug/L			09/03/20 16:09	1
Ethylbenzene	ND		1.0		ug/L			09/03/20 16:09	1
Iodomethane	ND		1.0		ug/L			09/03/20 16:09	1
Methylene Chloride	ND		2.0		ug/L			09/03/20 16:09	1
m-Xylene & p-Xylene	ND		0.50		ug/L			09/03/20 16:09	1
o-Xylene	ND		0.50		ug/L			09/03/20 16:09	1
Styrene	ND		0.50		ug/L			09/03/20 16:09	1
Tetrachloroethene	ND		0.50		ug/L			09/03/20 16:09	1
Toluene	ND		0.50		ug/L			09/03/20 16:09	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 16:09	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 16:09	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 16:09	1
Trichloroethene	ND		0.50		ug/L			09/03/20 16:09	1
Trichlorofluoromethane	ND		0.50		ug/L			09/03/20 16:09	1
Vinyl acetate	ND		3.0		ug/L			09/03/20 16:09	1
Vinyl chloride	ND		0.50		ug/L			09/03/20 16:09	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		70 - 127		09/03/20 16:09	1
4-Bromofluorobenzene (Surr)	102		78 - 120		09/03/20 16:09	1
Dibromofluoromethane (Surr)	108		77 - 120		09/03/20 16:09	1
Toluene-d8 (Surr)	99		80 - 125		09/03/20 16:09	1

Client Sample ID: HVL-082620-14

Date Collected: 08/26/20 13:00

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 16:29	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/03/20 16:29	1
1,1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 16:29	1
1,1,2-Trichloroethane	ND		0.50		ug/L			09/03/20 16:29	1
1,1-Dichloroethane	ND		0.50		ug/L			09/03/20 16:29	1
1,1-Dichloroethene	ND		0.50		ug/L			09/03/20 16:29	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/03/20 16:29	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/03/20 16:29	1
1,2-Dibromoethane	ND		1.0		ug/L			09/03/20 16:29	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/03/20 16:29	1
1,2-Dichloroethane	ND		0.50		ug/L			09/03/20 16:29	1
1,2-Dichloropropane	ND		0.50		ug/L			09/03/20 16:29	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/03/20 16:29	1
2-Butanone (MEK)	ND		6.0		ug/L			09/03/20 16:29	1
2-Hexanone	ND		5.0		ug/L			09/03/20 16:29	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/03/20 16:29	1
Acetone	ND		10		ug/L			09/03/20 16:29	1
Acrylonitrile	ND		20		ug/L			09/03/20 16:29	1
Benzene	ND		0.50		ug/L			09/03/20 16:29	1
Bromochloromethane	ND		0.50		ug/L			09/03/20 16:29	1
Bromodichloromethane	ND		0.50		ug/L			09/03/20 16:29	1
Bromoform	ND		0.50		ug/L			09/03/20 16:29	1
Bromomethane	ND		0.50		ug/L			09/03/20 16:29	1
Carbon disulfide	ND		0.50		ug/L			09/03/20 16:29	1
Carbon tetrachloride	ND		0.50		ug/L			09/03/20 16:29	1
Chlorobenzene	ND		0.50		ug/L			09/03/20 16:29	1
Chloroethane	ND		0.50		ug/L			09/03/20 16:29	1
Chloroform	ND		0.50		ug/L			09/03/20 16:29	1
Chloromethane	ND		0.50		ug/L			09/03/20 16:29	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 16:29	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 16:29	1
Dibromochloromethane	ND		0.50		ug/L			09/03/20 16:29	1
Dibromomethane	ND		0.50		ug/L			09/03/20 16:29	1
Dichlorodifluoromethane	ND		2.0		ug/L			09/03/20 16:29	1
Ethylbenzene	ND		1.0		ug/L			09/03/20 16:29	1
Iodomethane	ND		1.0		ug/L			09/03/20 16:29	1
Methylene Chloride	ND		2.0		ug/L			09/03/20 16:29	1
m-Xylene & p-Xylene	ND		0.50		ug/L			09/03/20 16:29	1
o-Xylene	ND		0.50		ug/L			09/03/20 16:29	1
Styrene	ND		0.50		ug/L			09/03/20 16:29	1
Tetrachloroethene	1.2		0.50		ug/L			09/03/20 16:29	1
Toluene	ND		0.50		ug/L			09/03/20 16:29	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 16:29	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: HVL-082620-14

Date Collected: 08/26/20 13:00

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 16:29	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 16:29	1
Trichloroethene	ND		0.50		ug/L			09/03/20 16:29	1
Trichlorofluoromethane	ND		0.50		ug/L			09/03/20 16:29	1
Vinyl acetate	ND		3.0		ug/L			09/03/20 16:29	1
Vinyl chloride	ND		0.50		ug/L			09/03/20 16:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		70 - 127		09/03/20 16:29	1
4-Bromofluorobenzene (Surr)	102		78 - 120		09/03/20 16:29	1
Dibromofluoromethane (Surr)	111		77 - 120		09/03/20 16:29	1
Toluene-d8 (Surr)	102		80 - 125		09/03/20 16:29	1

Client Sample ID: HVL-082620-15

Date Collected: 08/26/20 13:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 16:50	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/03/20 16:50	1
1,1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 16:50	1
1,1,2-Trichloroethane	ND		0.50		ug/L			09/03/20 16:50	1
1,1-Dichloroethane	ND		0.50		ug/L			09/03/20 16:50	1
1,1-Dichloroethene	ND		0.50		ug/L			09/03/20 16:50	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/03/20 16:50	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/03/20 16:50	1
1,2-Dibromoethane	ND		1.0		ug/L			09/03/20 16:50	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/03/20 16:50	1
1,2-Dichloroethane	ND		0.50		ug/L			09/03/20 16:50	1
1,2-Dichloropropane	ND		0.50		ug/L			09/03/20 16:50	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/03/20 16:50	1
2-Butanone (MEK)	ND		6.0		ug/L			09/03/20 16:50	1
2-Hexanone	ND		5.0		ug/L			09/03/20 16:50	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/03/20 16:50	1
Acetone	ND		10		ug/L			09/03/20 16:50	1
Acrylonitrile	ND		20		ug/L			09/03/20 16:50	1
Benzene	ND		0.50		ug/L			09/03/20 16:50	1
Bromochloromethane	ND		0.50		ug/L			09/03/20 16:50	1
Bromodichloromethane	ND		0.50		ug/L			09/03/20 16:50	1
Bromoform	ND		0.50		ug/L			09/03/20 16:50	1
Bromomethane	ND		0.50		ug/L			09/03/20 16:50	1
Carbon disulfide	ND		0.50		ug/L			09/03/20 16:50	1
Carbon tetrachloride	ND		0.50		ug/L			09/03/20 16:50	1
Chlorobenzene	ND		0.50		ug/L			09/03/20 16:50	1
Chloroethane	ND		0.50		ug/L			09/03/20 16:50	1
Chloroform	ND		0.50		ug/L			09/03/20 16:50	1
Chloromethane	ND		0.50		ug/L			09/03/20 16:50	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 16:50	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 16:50	1
Dibromochloromethane	ND		0.50		ug/L			09/03/20 16:50	1
Dibromomethane	ND		0.50		ug/L			09/03/20 16:50	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: HVL-082620-15

Date Collected: 08/26/20 13:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	ND		2.0		ug/L			09/03/20 16:50	1
Ethylbenzene	ND		1.0		ug/L			09/03/20 16:50	1
Iodomethane	ND		1.0		ug/L			09/03/20 16:50	1
Methylene Chloride	ND		2.0		ug/L			09/03/20 16:50	1
m-Xylene & p-Xylene	ND		0.50		ug/L			09/03/20 16:50	1
o-Xylene	ND		0.50		ug/L			09/03/20 16:50	1
Styrene	ND		0.50		ug/L			09/03/20 16:50	1
Tetrachloroethene	0.51		0.50		ug/L			09/03/20 16:50	1
Toluene	ND		0.50		ug/L			09/03/20 16:50	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 16:50	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 16:50	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 16:50	1
Trichloroethene	ND		0.50		ug/L			09/03/20 16:50	1
Trichlorofluoromethane	ND		0.50		ug/L			09/03/20 16:50	1
Vinyl acetate	ND		3.0		ug/L			09/03/20 16:50	1
Vinyl chloride	ND		0.50		ug/L			09/03/20 16:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		70 - 127		09/03/20 16:50	1
4-Bromofluorobenzene (Surr)	101		78 - 120		09/03/20 16:50	1
Dibromofluoromethane (Surr)	103		77 - 120		09/03/20 16:50	1
Toluene-d8 (Surr)	101		80 - 125		09/03/20 16:50	1

Client Sample ID: HVL-082620-16

Date Collected: 08/26/20 14:02

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-4

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 17:11	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/03/20 17:11	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 17:11	1
1,1,2-Trichloroethane	ND		0.50		ug/L			09/03/20 17:11	1
1,1-Dichloroethane	ND		0.50		ug/L			09/03/20 17:11	1
1,1-Dichloroethene	ND		0.50		ug/L			09/03/20 17:11	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/03/20 17:11	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/03/20 17:11	1
1,2-Dibromoethane	ND		1.0		ug/L			09/03/20 17:11	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/03/20 17:11	1
1,2-Dichloroethane	ND		0.50		ug/L			09/03/20 17:11	1
1,2-Dichloropropane	ND		0.50		ug/L			09/03/20 17:11	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/03/20 17:11	1
2-Butanone (MEK)	ND		6.0		ug/L			09/03/20 17:11	1
2-Hexanone	ND		5.0		ug/L			09/03/20 17:11	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/03/20 17:11	1
Acetone	ND		10		ug/L			09/03/20 17:11	1
Acrylonitrile	ND		20		ug/L			09/03/20 17:11	1
Benzene	ND		0.50		ug/L			09/03/20 17:11	1
Bromochloromethane	ND		0.50		ug/L			09/03/20 17:11	1
Bromodichloromethane	ND		0.50		ug/L			09/03/20 17:11	1
Bromoform	ND		0.50		ug/L			09/03/20 17:11	1
Bromomethane	ND		0.50		ug/L			09/03/20 17:11	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: HVL-082620-16

Date Collected: 08/26/20 14:02

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-4

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon disulfide	ND		0.50		ug/L			09/03/20 17:11	1
Carbon tetrachloride	ND		0.50		ug/L			09/03/20 17:11	1
Chlorobenzene	ND		0.50		ug/L			09/03/20 17:11	1
Chloroethane	ND		0.50		ug/L			09/03/20 17:11	1
Chloroform	ND		0.50		ug/L			09/03/20 17:11	1
Chloromethane	ND		0.50		ug/L			09/03/20 17:11	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 17:11	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 17:11	1
Dibromochloromethane	ND		0.50		ug/L			09/03/20 17:11	1
Dibromomethane	ND		0.50		ug/L			09/03/20 17:11	1
Dichlorodifluoromethane	ND		2.0		ug/L			09/03/20 17:11	1
Ethylbenzene	ND		1.0		ug/L			09/03/20 17:11	1
Iodomethane	ND		1.0		ug/L			09/03/20 17:11	1
Methylene Chloride	ND		2.0		ug/L			09/03/20 17:11	1
m-Xylene & p-Xylene	ND		0.50		ug/L			09/03/20 17:11	1
o-Xylene	ND		0.50		ug/L			09/03/20 17:11	1
Styrene	ND		0.50		ug/L			09/03/20 17:11	1
Tetrachloroethene	ND		0.50		ug/L			09/03/20 17:11	1
Toluene	ND		0.50		ug/L			09/03/20 17:11	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 17:11	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 17:11	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 17:11	1
Trichloroethene	ND		0.50		ug/L			09/03/20 17:11	1
Trichlorofluoromethane	ND		0.50		ug/L			09/03/20 17:11	1
Vinyl acetate	ND		3.0		ug/L			09/03/20 17:11	1
Vinyl chloride	ND		0.50		ug/L			09/03/20 17:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		70 - 127		09/03/20 17:11	1
4-Bromofluorobenzene (Surr)	100		78 - 120		09/03/20 17:11	1
Dibromofluoromethane (Surr)	107		77 - 120		09/03/20 17:11	1
Toluene-d8 (Surr)	99		80 - 125		09/03/20 17:11	1

Client Sample ID: HVL-082620-17

Date Collected: 08/26/20 14:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-5

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 17:32	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/03/20 17:32	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 17:32	1
1,1,2-Trichloroethane	ND		0.50		ug/L			09/03/20 17:32	1
1,1-Dichloroethane	ND		0.50		ug/L			09/03/20 17:32	1
1,1-Dichloroethene	ND		0.50		ug/L			09/03/20 17:32	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/03/20 17:32	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/03/20 17:32	1
1,2-Dibromoethane	ND		1.0		ug/L			09/03/20 17:32	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/03/20 17:32	1
1,2-Dichloroethane	ND		0.50		ug/L			09/03/20 17:32	1
1,2-Dichloropropane	ND		0.50		ug/L			09/03/20 17:32	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/03/20 17:32	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: HVL-082620-17

Date Collected: 08/26/20 14:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-5

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Butanone (MEK)	ND		6.0		ug/L			09/03/20 17:32	1
2-Hexanone	ND		5.0		ug/L			09/03/20 17:32	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/03/20 17:32	1
Acetone	ND		10		ug/L			09/03/20 17:32	1
Acrylonitrile	ND		20		ug/L			09/03/20 17:32	1
Benzene	ND		0.50		ug/L			09/03/20 17:32	1
Bromochloromethane	ND		0.50		ug/L			09/03/20 17:32	1
Bromodichloromethane	ND		0.50		ug/L			09/03/20 17:32	1
Bromoform	ND		0.50		ug/L			09/03/20 17:32	1
Bromomethane	ND		0.50		ug/L			09/03/20 17:32	1
Carbon disulfide	ND		0.50		ug/L			09/03/20 17:32	1
Carbon tetrachloride	ND		0.50		ug/L			09/03/20 17:32	1
Chlorobenzene	ND		0.50		ug/L			09/03/20 17:32	1
Chloroethane	ND		0.50		ug/L			09/03/20 17:32	1
Chloroform	ND		0.50		ug/L			09/03/20 17:32	1
Chloromethane	ND		0.50		ug/L			09/03/20 17:32	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 17:32	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 17:32	1
Dibromochloromethane	ND		0.50		ug/L			09/03/20 17:32	1
Dibromomethane	ND		0.50		ug/L			09/03/20 17:32	1
Dichlorodifluoromethane	ND		2.0		ug/L			09/03/20 17:32	1
Ethylbenzene	ND		1.0		ug/L			09/03/20 17:32	1
Iodomethane	ND		1.0		ug/L			09/03/20 17:32	1
Methylene Chloride	ND		2.0		ug/L			09/03/20 17:32	1
m-Xylene & p-Xylene	ND		0.50		ug/L			09/03/20 17:32	1
o-Xylene	ND		0.50		ug/L			09/03/20 17:32	1
Styrene	ND		0.50		ug/L			09/03/20 17:32	1
Tetrachloroethene	ND		0.50		ug/L			09/03/20 17:32	1
Toluene	ND		0.50		ug/L			09/03/20 17:32	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 17:32	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 17:32	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 17:32	1
Trichloroethene	ND		0.50		ug/L			09/03/20 17:32	1
Trichlorofluoromethane	ND		0.50		ug/L			09/03/20 17:32	1
Vinyl acetate	ND		3.0		ug/L			09/03/20 17:32	1
Vinyl chloride	ND		0.50		ug/L			09/03/20 17:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		70 - 127		09/03/20 17:32	1
4-Bromofluorobenzene (Surr)	103		78 - 120		09/03/20 17:32	1
Dibromofluoromethane (Surr)	108		77 - 120		09/03/20 17:32	1
Toluene-d8 (Surr)	101		80 - 125		09/03/20 17:32	1

Client Sample ID: HVL-082620-18

Date Collected: 08/26/20 15:20

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 17:53	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/03/20 17:53	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 17:53	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: HVL-082620-18

Date Collected: 08/26/20 15:20

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,2-Trichloroethane	ND		0.50		ug/L			09/03/20 17:53	1
1,1-Dichloroethane	ND		0.50		ug/L			09/03/20 17:53	1
1,1-Dichloroethene	ND		0.50		ug/L			09/03/20 17:53	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/03/20 17:53	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/03/20 17:53	1
1,2-Dibromoethane	ND		1.0		ug/L			09/03/20 17:53	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/03/20 17:53	1
1,2-Dichloroethane	ND		0.50		ug/L			09/03/20 17:53	1
1,2-Dichloropropane	ND		0.50		ug/L			09/03/20 17:53	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/03/20 17:53	1
2-Butanone (MEK)	ND		6.0		ug/L			09/03/20 17:53	1
2-Hexanone	ND		5.0		ug/L			09/03/20 17:53	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/03/20 17:53	1
Acetone	ND		10		ug/L			09/03/20 17:53	1
Acrylonitrile	ND		20		ug/L			09/03/20 17:53	1
Benzene	ND		0.50		ug/L			09/03/20 17:53	1
Bromochloromethane	ND		0.50		ug/L			09/03/20 17:53	1
Bromodichloromethane	ND		0.50		ug/L			09/03/20 17:53	1
Bromoform	ND		0.50		ug/L			09/03/20 17:53	1
Bromomethane	ND		0.50		ug/L			09/03/20 17:53	1
Carbon disulfide	ND		0.50		ug/L			09/03/20 17:53	1
Carbon tetrachloride	ND		0.50		ug/L			09/03/20 17:53	1
Chlorobenzene	ND		0.50		ug/L			09/03/20 17:53	1
Chloroethane	ND		0.50		ug/L			09/03/20 17:53	1
Chloroform	ND		0.50		ug/L			09/03/20 17:53	1
Chloromethane	ND		0.50		ug/L			09/03/20 17:53	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 17:53	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 17:53	1
Dibromochloromethane	ND		0.50		ug/L			09/03/20 17:53	1
Dibromomethane	ND		0.50		ug/L			09/03/20 17:53	1
Dichlorodifluoromethane	ND		2.0		ug/L			09/03/20 17:53	1
Ethylbenzene	ND		1.0		ug/L			09/03/20 17:53	1
Iodomethane	ND		1.0		ug/L			09/03/20 17:53	1
Methylene Chloride	ND		2.0		ug/L			09/03/20 17:53	1
m-Xylene & p-Xylene	ND		0.50		ug/L			09/03/20 17:53	1
o-Xylene	ND		0.50		ug/L			09/03/20 17:53	1
Styrene	ND		0.50		ug/L			09/03/20 17:53	1
Tetrachloroethene	ND		0.50		ug/L			09/03/20 17:53	1
Toluene	ND		0.50		ug/L			09/03/20 17:53	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 17:53	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 17:53	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 17:53	1
Trichloroethene	ND		0.50		ug/L			09/03/20 17:53	1
Trichlorofluoromethane	ND		0.50		ug/L			09/03/20 17:53	1
Vinyl acetate	ND		3.0		ug/L			09/03/20 17:53	1
Vinyl chloride	ND		0.50		ug/L			09/03/20 17:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		70 - 127		09/03/20 17:53	1
4-Bromofluorobenzene (Surr)	101		78 - 120		09/03/20 17:53	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: HVL-082620-18

Date Collected: 08/26/20 15:20

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	109		77 - 120		09/03/20 17:53	1
Toluene-d8 (Surr)	102		80 - 125		09/03/20 17:53	1

Client Sample ID: TRIP BLANK

Date Collected: 08/26/20 13:00

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-7

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 18:14	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/03/20 18:14	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 18:14	1
1,1,2-Trichloroethane	ND		0.50		ug/L			09/03/20 18:14	1
1,1-Dichloroethane	ND		0.50		ug/L			09/03/20 18:14	1
1,1-Dichloroethene	ND		0.50		ug/L			09/03/20 18:14	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/03/20 18:14	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/03/20 18:14	1
1,2-Dibromoethane	ND		1.0		ug/L			09/03/20 18:14	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/03/20 18:14	1
1,2-Dichloroethane	ND		0.50		ug/L			09/03/20 18:14	1
1,2-Dichloropropane	ND		0.50		ug/L			09/03/20 18:14	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/03/20 18:14	1
2-Butanone (MEK)	ND		6.0		ug/L			09/03/20 18:14	1
2-Hexanone	ND		5.0		ug/L			09/03/20 18:14	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/03/20 18:14	1
Acetone	ND		10		ug/L			09/03/20 18:14	1
Acrylonitrile	ND		20		ug/L			09/03/20 18:14	1
Benzene	ND		0.50		ug/L			09/03/20 18:14	1
Bromochloromethane	ND		0.50		ug/L			09/03/20 18:14	1
Bromodichloromethane	ND		0.50		ug/L			09/03/20 18:14	1
Bromoform	ND		0.50		ug/L			09/03/20 18:14	1
Bromomethane	ND		0.50		ug/L			09/03/20 18:14	1
Carbon disulfide	ND		0.50		ug/L			09/03/20 18:14	1
Carbon tetrachloride	ND		0.50		ug/L			09/03/20 18:14	1
Chlorobenzene	ND		0.50		ug/L			09/03/20 18:14	1
Chloroethane	ND		0.50		ug/L			09/03/20 18:14	1
Chloroform	ND		0.50		ug/L			09/03/20 18:14	1
Chloromethane	ND		0.50		ug/L			09/03/20 18:14	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 18:14	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 18:14	1
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 18:14	1
Dibromochloromethane	ND		0.50		ug/L			09/03/20 18:14	1
Dibromomethane	ND		0.50		ug/L			09/03/20 18:14	1
Dichlorodifluoromethane	ND		2.0		ug/L			09/03/20 18:14	1
Ethylbenzene	ND		1.0		ug/L			09/03/20 18:14	1
Iodomethane	ND		1.0		ug/L			09/03/20 18:14	1
Methylene Chloride	ND		2.0		ug/L			09/03/20 18:14	1
m-Xylene & p-Xylene	ND		0.50		ug/L			09/03/20 18:14	1
o-Xylene	ND		0.50		ug/L			09/03/20 18:14	1
Styrene	ND		0.50		ug/L			09/03/20 18:14	1
Tetrachloroethene	ND		0.50		ug/L			09/03/20 18:14	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: TRIP BLANK

Date Collected: 08/26/20 13:00

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-7

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		0.50		ug/L			09/03/20 18:14	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 18:14	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 18:14	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 18:14	1
Trichloroethene	ND		0.50		ug/L			09/03/20 18:14	1
Trichlorofluoromethane	ND		0.50		ug/L			09/03/20 18:14	1
Vinyl acetate	ND		3.0		ug/L			09/03/20 18:14	1
Vinyl chloride	ND		0.50		ug/L			09/03/20 18:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		70 - 127		09/03/20 18:14	1
4-Bromofluorobenzene (Surr)	102		78 - 120		09/03/20 18:14	1
Dibromofluoromethane (Surr)	111		77 - 120		09/03/20 18:14	1
Toluene-d8 (Surr)	98		80 - 125		09/03/20 18:14	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - RA

Client Sample ID: HVL-082620-13

Date Collected: 08/26/20 13:05

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/04/20 17:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		70 - 127		09/04/20 17:38	1
4-Bromofluorobenzene (Surr)	96		78 - 120		09/04/20 17:38	1
Dibromofluoromethane (Surr)	100		77 - 120		09/04/20 17:38	1
Toluene-d8 (Surr)	96		80 - 125		09/04/20 17:38	1

Client Sample ID: HVL-082620-14

Date Collected: 08/26/20 13:00

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/04/20 17:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		70 - 127		09/04/20 17:59	1
4-Bromofluorobenzene (Surr)	98		78 - 120		09/04/20 17:59	1
Dibromofluoromethane (Surr)	101		77 - 120		09/04/20 17:59	1
Toluene-d8 (Surr)	97		80 - 125		09/04/20 17:59	1

Client Sample ID: HVL-082620-15

Date Collected: 08/26/20 13:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/04/20 18:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		70 - 127		09/04/20 18:20	1
4-Bromofluorobenzene (Surr)	99		78 - 120		09/04/20 18:20	1
Dibromofluoromethane (Surr)	99		77 - 120		09/04/20 18:20	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) - RA (Continued)

Client Sample ID: HVL-082620-15
Date Collected: 08/26/20 13:50
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	98		80 - 125		09/04/20 18:20	1

Client Sample ID: HVL-082620-16
Date Collected: 08/26/20 14:02
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-4
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/04/20 18:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		70 - 127		09/04/20 18:41	1
4-Bromofluorobenzene (Surr)	99		78 - 120		09/04/20 18:41	1
Dibromofluoromethane (Surr)	101		77 - 120		09/04/20 18:41	1
Toluene-d8 (Surr)	96		80 - 125		09/04/20 18:41	1

Client Sample ID: HVL-082620-17
Date Collected: 08/26/20 14:50
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-5
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/04/20 19:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		70 - 127		09/04/20 19:02	1
4-Bromofluorobenzene (Surr)	98		78 - 120		09/04/20 19:02	1
Dibromofluoromethane (Surr)	100		77 - 120		09/04/20 19:02	1
Toluene-d8 (Surr)	99		80 - 125		09/04/20 19:02	1

Client Sample ID: HVL-082620-18
Date Collected: 08/26/20 15:20
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/08/20 23:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		70 - 127		09/08/20 23:31	1
4-Bromofluorobenzene (Surr)	103		78 - 120		09/08/20 23:31	1
Dibromofluoromethane (Surr)	100		77 - 120		09/08/20 23:31	1
Toluene-d8 (Surr)	100		80 - 125		09/08/20 23:31	1

Method: 300.0 - Anions, Ion Chromatography

Client Sample ID: HVL-082620-13
Date Collected: 08/26/20 13:05
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-1
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	10		0.20		mg/L			09/23/20 17:17	1

Client Sample ID: HVL-082620-14
Date Collected: 08/26/20 13:00
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-2
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	8.3		0.20		mg/L			09/23/20 17:49	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 300.0 - Anions, Ion Chromatography

Client Sample ID: HVL-082620-15
Date Collected: 08/26/20 13:50
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	11		0.20		mg/L			09/23/20 18:21	1

Client Sample ID: HVL-082620-16
Date Collected: 08/26/20 14:02
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-4
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	9.0		0.20		mg/L			09/23/20 19:24	1

Client Sample ID: HVL-082620-17
Date Collected: 08/26/20 14:50
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-5
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	9.3		0.20		mg/L			09/15/20 23:17	1

Client Sample ID: HVL-082620-18
Date Collected: 08/26/20 15:20
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	13		0.20		mg/L			09/15/20 23:48	1

Method: 300.0 - Anions, Ion Chromatography - DL

Client Sample ID: HVL-082620-13
Date Collected: 08/26/20 13:05
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-1
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15		1.2		mg/L			09/23/20 17:33	20

Client Sample ID: HVL-082620-14
Date Collected: 08/26/20 13:00
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-2
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.4		1.2		mg/L			09/23/20 18:05	20

Client Sample ID: HVL-082620-15
Date Collected: 08/26/20 13:50
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.8		1.2		mg/L			09/23/20 18:37	20

Client Sample ID: HVL-082620-16
Date Collected: 08/26/20 14:02
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-4
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18		1.2		mg/L			09/23/20 19:40	20

Client Sample ID: HVL-082620-17
Date Collected: 08/26/20 14:50
Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-5
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.7		1.2		mg/L			09/15/20 23:32	20

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 300.0 - Anions, Ion Chromatography - DL

Client Sample ID: HVL-082620-18

Date Collected: 08/26/20 15:20

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.2		mg/L			09/16/20 00:04	20

Method: 6010B - Metals (ICP) - Dissolved

Client Sample ID: HVL-082620-13

Date Collected: 08/26/20 13:05

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium, Dissolved	27		0.20		mg/L		09/01/20 08:11	09/02/20 16:30	1
Magnesium, Dissolved	8.2		0.10		mg/L		09/01/20 08:11	09/02/20 16:30	1
Potassium, Dissolved	10		2.0		mg/L		09/01/20 08:11	09/02/20 16:30	1
Sodium, Dissolved	15		1.0		mg/L		09/01/20 08:11	09/02/20 16:30	1

Client Sample ID: HVL-082620-14

Date Collected: 08/26/20 13:00

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium, Dissolved	20		0.20		mg/L		09/01/20 08:11	09/02/20 16:34	1
Magnesium, Dissolved	8.5		0.10		mg/L		09/01/20 08:11	09/02/20 16:34	1
Potassium, Dissolved	2.3		2.0		mg/L		09/01/20 08:11	09/02/20 16:34	1
Sodium, Dissolved	7.0		1.0		mg/L		09/01/20 08:11	09/02/20 16:34	1

Client Sample ID: HVL-082620-15

Date Collected: 08/26/20 13:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium, Dissolved	25		0.20		mg/L		09/01/20 08:11	09/02/20 16:37	1
Magnesium, Dissolved	10		0.10		mg/L		09/01/20 08:11	09/02/20 16:37	1
Potassium, Dissolved	2.9		2.0		mg/L		09/01/20 08:11	09/02/20 16:37	1
Sodium, Dissolved	17		1.0		mg/L		09/01/20 08:11	09/02/20 16:37	1

Client Sample ID: HVL-082620-16

Date Collected: 08/26/20 14:02

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-4

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium, Dissolved	26		0.20		mg/L		09/01/20 08:11	09/02/20 16:41	1
Magnesium, Dissolved	7.6		0.10		mg/L		09/01/20 08:11	09/02/20 16:41	1
Potassium, Dissolved	6.4		2.0		mg/L		09/01/20 08:11	09/02/20 16:41	1
Sodium, Dissolved	18		1.0		mg/L		09/01/20 08:11	09/02/20 16:41	1

Client Sample ID: HVL-082620-17

Date Collected: 08/26/20 14:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-5

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium, Dissolved	19		0.20		mg/L		09/01/20 08:11	09/02/20 16:58	1
Magnesium, Dissolved	5.8		0.10		mg/L		09/01/20 08:11	09/02/20 16:58	1
Potassium, Dissolved	7.2		2.0		mg/L		09/01/20 08:11	09/02/20 16:58	1
Sodium, Dissolved	11		1.0		mg/L		09/01/20 08:11	09/02/20 16:58	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 6010B - Metals (ICP) - Dissolved

Client Sample ID: HVL-082620-18

Date Collected: 08/26/20 15:20

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium, Dissolved	21		0.20		mg/L		09/01/20 08:11	09/02/20 17:13	1
Magnesium, Dissolved	6.0		0.10		mg/L		09/01/20 08:11	09/02/20 17:13	1
Potassium, Dissolved	3.3		2.0		mg/L		09/01/20 08:11	09/02/20 17:13	1
Sodium, Dissolved	20		1.0		mg/L		09/01/20 08:11	09/02/20 17:13	1

Method: 6020 - Metals (ICP/MS) - Dissolved

Client Sample ID: HVL-082620-13

Date Collected: 08/26/20 13:05

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese, Dissolved	1.2		0.0010		mg/L		08/31/20 15:55	09/01/20 16:59	1

Client Sample ID: HVL-082620-14

Date Collected: 08/26/20 13:00

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese, Dissolved	ND		0.0010		mg/L		08/31/20 15:55	09/01/20 17:24	1

Client Sample ID: HVL-082620-15

Date Collected: 08/26/20 13:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese, Dissolved	0.018		0.0010		mg/L		08/31/20 15:55	09/01/20 17:27	1

Client Sample ID: HVL-082620-16

Date Collected: 08/26/20 14:02

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-4

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese, Dissolved	0.0011		0.0010		mg/L		08/31/20 15:55	09/01/20 17:31	1

Client Sample ID: HVL-082620-17

Date Collected: 08/26/20 14:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-5

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese, Dissolved	1.4		0.0010		mg/L		08/31/20 15:55	09/01/20 17:34	1

Client Sample ID: HVL-082620-18

Date Collected: 08/26/20 15:20

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese, Dissolved	ND		0.0010		mg/L		08/31/20 15:55	09/01/20 17:38	1

General Chemistry

Client Sample ID: HVL-082620-13

Date Collected: 08/26/20 13:05

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.37		0.20		mg/L			08/27/20 19:20	1
Ammonia	3.1		0.10		mg/L			09/12/20 14:06	1
Alkalinity	120		10		mg/L			08/28/20 14:58	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

General Chemistry (Continued)

Client Sample ID: HVL-082620-13

Date Collected: 08/26/20 13:05

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	210	B	10		mg/L			09/01/20 12:47	1
Total Suspended Solids	ND		4.0		mg/L			09/01/20 11:22	1
Total Organic Carbon - Quad	1.7		1.0		mg/L			09/10/20 21:55	1

Client Sample ID: HVL-082620-14

Date Collected: 08/26/20 13:00

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	1.8		0.20		mg/L			08/27/20 19:03	1
Ammonia	ND		0.10		mg/L			09/12/20 14:08	1
Alkalinity	86		10		mg/L			08/28/20 15:03	1
Total Dissolved Solids	150	B	10		mg/L			09/01/20 12:47	1
Total Suspended Solids	6.0		4.0		mg/L			09/01/20 11:22	1
Total Organic Carbon - Quad	ND		1.0		mg/L			09/10/20 22:09	1

Client Sample ID: HVL-082620-15

Date Collected: 08/26/20 13:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.65		0.20		mg/L			08/27/20 20:58	1
Ammonia	ND		0.10		mg/L			09/12/20 14:10	1
Alkalinity	110		10		mg/L			08/28/20 15:08	1
Total Dissolved Solids	210	B	10		mg/L			09/01/20 12:47	1
Total Suspended Solids	ND		4.0		mg/L			09/01/20 11:22	1
Total Organic Carbon - Quad	ND		1.0		mg/L			09/10/20 22:54	1

Client Sample ID: HVL-082620-16

Date Collected: 08/26/20 14:02

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-4

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	1.3		0.20		mg/L			08/27/20 21:31	1
Ammonia	ND		0.10		mg/L			09/12/20 14:45	1
Alkalinity	100		10		mg/L			08/28/20 15:13	1
Total Dissolved Solids	200	B	10		mg/L			09/01/20 12:47	1
Total Suspended Solids	ND		4.0		mg/L			09/01/20 11:22	1
Total Organic Carbon - Quad	ND		1.0		mg/L			09/10/20 23:08	1

Client Sample ID: HVL-082620-17

Date Collected: 08/26/20 14:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-5

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.20		mg/L			08/27/20 21:47	1
Ammonia	3.4		0.10		mg/L			09/12/20 14:47	1
Alkalinity	100		10		mg/L			08/28/20 15:19	1
Total Dissolved Solids	180	B	10		mg/L			09/01/20 12:47	1
Total Suspended Solids	6.4		4.0		mg/L			09/01/20 11:22	1
Total Organic Carbon - Quad	1.6		1.0		mg/L			09/10/20 23:23	1

Eurofins TestAmerica, Denver

Client Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

General Chemistry

Client Sample ID: HVL-082620-18

Date Collected: 08/26/20 15:20

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	1.2		0.20		mg/L			08/27/20 22:04	1
Ammonia	ND		0.10		mg/L			09/12/20 14:49	1
Alkalinity	92		10		mg/L			08/28/20 15:24	1
Total Dissolved Solids	190	B	10		mg/L			09/01/20 12:47	1
Total Suspended Solids	ND		4.0		mg/L			09/01/20 11:22	1
Total Organic Carbon - Quad	ND		1.0		mg/L			09/10/20 23:38	1

Method: LL Diss Fe 200.8 (Eurofins Frontier) - General Subcontract Method

Client Sample ID: HVL-082620-13

Date Collected: 08/26/20 13:05

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	28		10		µg/L		09/14/20 11:13	09/15/20 02:55	1

Client Sample ID: HVL-082620-14

Date Collected: 08/26/20 13:00

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND	U	10		µg/L		09/14/20 11:13	09/15/20 03:00	1

Client Sample ID: HVL-082620-15

Date Collected: 08/26/20 13:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-3

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND	U	10		µg/L		09/14/20 11:13	09/15/20 03:05	1

Client Sample ID: HVL-082620-16

Date Collected: 08/26/20 14:02

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-4

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND	U	10		µg/L		09/14/20 11:13	09/15/20 03:09	1

Client Sample ID: HVL-082620-17

Date Collected: 08/26/20 14:50

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-5

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	3590		10		µg/L		09/14/20 11:13	09/15/20 03:23	1

Client Sample ID: HVL-082620-18

Date Collected: 08/26/20 15:20

Date Received: 08/27/20 09:20

Lab Sample ID: 280-139855-6

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND	U	10		µg/L		09/14/20 11:13	09/15/20 03:28	1

Eurofins TestAmerica, Denver

Surrogate Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-127)	BFB (78-120)	DBFM (77-120)	TOL (80-125)
280-139855-1	HVL-082620-13	113	102	108	99
280-139855-1 - RA	HVL-082620-13	112	96	100	96
280-139855-2	HVL-082620-14	114	102	111	102
280-139855-2 - RA	HVL-082620-14	115	98	101	97
280-139855-3	HVL-082620-15	104	101	103	101
280-139855-3 - RA	HVL-082620-15	109	99	99	98
280-139855-4	HVL-082620-16	112	100	107	99
280-139855-4 - RA	HVL-082620-16	115	99	101	96
280-139855-5	HVL-082620-17	113	103	108	101
280-139855-5 - RA	HVL-082620-17	112	98	100	99
280-139855-6	HVL-082620-18	115	101	109	102
280-139855-6 - RA	HVL-082620-18	101	103	100	100
280-139855-7	TRIP BLANK	112	102	111	98
280-139870-C-23 MS	Matrix Spike	109	105	102	101
280-139870-C-23 MSD	Matrix Spike Duplicate	108	103	102	101
280-140086-A-3 MS	Matrix Spike	110	97	103	96
280-140086-A-3 MSD	Matrix Spike Duplicate	115	98	106	97
LCS 280-507847/4	Lab Control Sample	104	102	102	101
LCS 280-507993/4	Lab Control Sample	111	99	105	98
LCS 280-508332/4	Lab Control Sample	99	99	100	98
LCSD 280-507847/5	Lab Control Sample Dup	106	103	102	102
LCSD 280-508332/5	Lab Control Sample Dup	100	99	101	98
MB 280-507847/9	Method Blank	110	102	105	102
MB 280-507993/8	Method Blank	112	99	99	98
MB 280-508332/9	Method Blank	100	101	100	100

Surrogate Legend

- DCA = 1,2-Dichloroethane-d4 (Surr)
- BFB = 4-Bromofluorobenzene (Surr)
- DBFM = Dibromofluoromethane (Surr)
- TOL = Toluene-d8 (Surr)

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 280-507847/9
Matrix: Water
Analysis Batch: 507847

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 11:15	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/03/20 11:15	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/03/20 11:15	1
1,1,2-Trichloroethane	ND		0.50		ug/L			09/03/20 11:15	1
1,1-Dichloroethane	ND		0.50		ug/L			09/03/20 11:15	1
1,1-Dichloroethene	ND		0.50		ug/L			09/03/20 11:15	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/03/20 11:15	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/03/20 11:15	1
1,2-Dibromoethane	ND		1.0		ug/L			09/03/20 11:15	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/03/20 11:15	1
1,2-Dichloroethane	ND		0.50		ug/L			09/03/20 11:15	1
1,2-Dichloropropane	ND		0.50		ug/L			09/03/20 11:15	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/03/20 11:15	1
2-Butanone (MEK)	ND		6.0		ug/L			09/03/20 11:15	1
2-Hexanone	ND		5.0		ug/L			09/03/20 11:15	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/03/20 11:15	1
Acetone	ND		10		ug/L			09/03/20 11:15	1
Acrylonitrile	ND		20		ug/L			09/03/20 11:15	1
Benzene	ND		0.50		ug/L			09/03/20 11:15	1
Bromochloromethane	ND		0.50		ug/L			09/03/20 11:15	1
Bromodichloromethane	ND		0.50		ug/L			09/03/20 11:15	1
Bromoform	ND		0.50		ug/L			09/03/20 11:15	1
Bromomethane	ND		0.50		ug/L			09/03/20 11:15	1
Carbon disulfide	ND		0.50		ug/L			09/03/20 11:15	1
Carbon tetrachloride	ND		0.50		ug/L			09/03/20 11:15	1
Chlorobenzene	ND		0.50		ug/L			09/03/20 11:15	1
Chloroethane	ND		0.50		ug/L			09/03/20 11:15	1
Chloroform	ND		0.50		ug/L			09/03/20 11:15	1
Chloromethane	ND		0.50		ug/L			09/03/20 11:15	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 11:15	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 11:15	1
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 11:15	1
Dibromochloromethane	ND		0.50		ug/L			09/03/20 11:15	1
Dibromomethane	ND		0.50		ug/L			09/03/20 11:15	1
Dichlorodifluoromethane	ND		2.0		ug/L			09/03/20 11:15	1
Ethylbenzene	ND		1.0		ug/L			09/03/20 11:15	1
Iodomethane	ND		1.0		ug/L			09/03/20 11:15	1
Methylene Chloride	ND		2.0		ug/L			09/03/20 11:15	1
m-Xylene & p-Xylene	ND		0.50		ug/L			09/03/20 11:15	1
o-Xylene	ND		0.50		ug/L			09/03/20 11:15	1
Styrene	ND		0.50		ug/L			09/03/20 11:15	1
Tetrachloroethene	ND		0.50		ug/L			09/03/20 11:15	1
Toluene	ND		0.50		ug/L			09/03/20 11:15	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/03/20 11:15	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/03/20 11:15	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/03/20 11:15	1
Trichloroethene	ND		0.50		ug/L			09/03/20 11:15	1
Trichlorofluoromethane	ND		0.50		ug/L			09/03/20 11:15	1

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 280-507847/9
Matrix: Water
Analysis Batch: 507847

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl acetate	ND		3.0		ug/L			09/03/20 11:15	1
Vinyl chloride	ND		0.50		ug/L			09/03/20 11:15	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		70 - 127					09/03/20 11:15	1
4-Bromofluorobenzene (Surr)	102		78 - 120					09/03/20 11:15	1
Dibromofluoromethane (Surr)	105		77 - 120					09/03/20 11:15	1
Toluene-d8 (Surr)	102		80 - 125					09/03/20 11:15	1

Lab Sample ID: LCS 280-507847/4
Matrix: Water
Analysis Batch: 507847

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	25.0	22.1		ug/L		88	65 - 135
1,1,1-Trichloroethane	25.0	22.9		ug/L		92	65 - 135
1,1,2,2-Tetrachloroethane	25.0	26.4		ug/L		106	58 - 135
1,1,2-Trichloroethane	25.0	24.2		ug/L		97	64 - 135
1,1-Dichloroethane	25.0	22.5		ug/L		90	65 - 135
1,1-Dichloroethene	25.0	18.6		ug/L		75	65 - 136
1,2,3-Trichloropropane	25.0	24.8		ug/L		99	65 - 135
1,2-Dibromo-3-Chloropropane	25.0	19.8		ug/L		79	57 - 135
1,2-Dibromoethane	25.0	24.0		ug/L		96	65 - 135
1,2-Dichlorobenzene	25.0	23.4		ug/L		93	65 - 135
1,2-Dichloroethane	25.0	25.1		ug/L		101	65 - 135
1,2-Dichloropropane	25.0	24.2		ug/L		97	64 - 135
1,4-Dichlorobenzene	25.0	24.9		ug/L		100	65 - 135
2-Butanone (MEK)	100	93.3		ug/L		93	44 - 177
2-Hexanone	100	103		ug/L		103	57 - 139
4-Methyl-2-pentanone (MIBK)	100	94.6		ug/L		95	60 - 150
Acetone	100	98.9		ug/L		99	39 - 156
Acrylonitrile	250	231		ug/L		92	56 - 135
Benzene	25.0	22.0		ug/L		88	65 - 135
Bromochloromethane	25.0	24.2		ug/L		97	65 - 135
Bromodichloromethane	25.0	25.5		ug/L		102	65 - 135
Bromoform	25.0	20.2		ug/L		81	62 - 135
Bromomethane	25.0	25.0		ug/L		100	45 - 135
Carbon disulfide	25.0	15.8		ug/L		63	55 - 143
Carbon tetrachloride	25.0	22.1		ug/L		88	65 - 135
Chlorobenzene	25.0	24.3		ug/L		97	65 - 135
Chloroethane	25.0	22.3		ug/L		89	46 - 136
Chloroform	25.0	23.6		ug/L		94	65 - 135
Chloromethane	25.0	21.1		ug/L		84	34 - 145
cis-1,2-Dichloroethene	25.0	23.3		ug/L		93	65 - 135
cis-1,3-Dichloropropene	25.0	25.5		ug/L		102	65 - 135
Dibromochloromethane	25.0	22.6		ug/L		91	65 - 135
Dibromomethane	25.0	24.3		ug/L		97	65 - 135
Dichlorodifluoromethane	25.0	19.2		ug/L		77	43 - 142

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 280-507847/4
Matrix: Water
Analysis Batch: 507847

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethylbenzene	25.0	24.0		ug/L		96	65 - 135
Iodomethane	25.0	19.9		ug/L		80	65 - 142
Methylene Chloride	25.0	25.0		ug/L		100	54 - 141
m-Xylene & p-Xylene	25.0	24.4		ug/L		98	65 - 135
o-Xylene	25.0	24.4		ug/L		98	65 - 135
Styrene	25.0	25.0		ug/L		100	65 - 135
Tetrachloroethene	25.0	22.0		ug/L		88	65 - 135
Toluene	25.0	22.2		ug/L		89	65 - 135
trans-1,2-Dichloroethene	25.0	21.0		ug/L		84	65 - 135
trans-1,3-Dichloropropene	25.0	19.7		ug/L		79	65 - 135
trans-1,4-Dichloro-2-butene	25.0	24.5		ug/L		98	53 - 135
Trichloroethene	25.0	22.9		ug/L		92	65 - 135
Trichlorofluoromethane	25.0	22.9		ug/L		91	53 - 137
Vinyl acetate	50.0	42.3		ug/L		85	11 - 187
Vinyl chloride	25.0	21.7		ug/L		87	40 - 137

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	104		70 - 127
4-Bromofluorobenzene (Surr)	102		78 - 120
Dibromofluoromethane (Surr)	102		77 - 120
Toluene-d8 (Surr)	101		80 - 125

Lab Sample ID: LCSD 280-507847/5
Matrix: Water
Analysis Batch: 507847

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	25.0	22.4		ug/L		89	65 - 135	1	20
1,1,1-Trichloroethane	25.0	24.4		ug/L		98	65 - 135	6	20
1,1,2,2-Tetrachloroethane	25.0	27.4		ug/L		110	58 - 135	4	20
1,1,2-Trichloroethane	25.0	25.1		ug/L		101	64 - 135	4	27
1,1-Dichloroethane	25.0	24.2		ug/L		97	65 - 135	7	21
1,1-Dichloroethene	25.0	20.8		ug/L		83	65 - 136	11	20
1,2,3-Trichloropropane	25.0	26.3		ug/L		105	65 - 135	6	23
1,2-Dibromo-3-Chloropropane	25.0	21.7		ug/L		87	57 - 135	9	22
1,2-Dibromoethane	25.0	25.3		ug/L		101	65 - 135	5	27
1,2-Dichlorobenzene	25.0	25.1		ug/L		100	65 - 135	7	20
1,2-Dichloroethane	25.0	28.0		ug/L		112	65 - 135	11	20
1,2-Dichloropropane	25.0	26.2		ug/L		105	64 - 135	8	20
1,4-Dichlorobenzene	25.0	26.6		ug/L		106	65 - 135	6	23
2-Butanone (MEK)	100	98.5		ug/L		98	44 - 177	5	32
2-Hexanone	100	107		ug/L		107	57 - 139	3	25
4-Methyl-2-pentanone (MIBK)	100	101		ug/L		101	60 - 150	6	22
Acetone	100	103		ug/L		103	39 - 156	4	23
Acrylonitrile	250	244		ug/L		98	56 - 135	5	30
Benzene	25.0	23.8		ug/L		95	65 - 135	8	20
Bromochloromethane	25.0	23.6		ug/L		95	65 - 135	2	29
Bromodichloromethane	25.0	26.4		ug/L		106	65 - 135	4	20

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 280-507847/5
Matrix: Water
Analysis Batch: 507847

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Bromoform	25.0	20.4		ug/L		81	62 - 135	1	27
Bromomethane	25.0	25.7		ug/L		103	45 - 135	3	33
Carbon disulfide	25.0	16.5		ug/L		66	55 - 143	4	20
Carbon tetrachloride	25.0	24.4		ug/L		98	65 - 135	10	21
Chlorobenzene	25.0	25.2		ug/L		101	65 - 135	4	20
Chloroethane	25.0	26.0		ug/L		104	46 - 136	16	25
Chloroform	25.0	25.2		ug/L		101	65 - 135	7	20
Chloromethane	25.0	22.3		ug/L		89	34 - 145	5	24
cis-1,2-Dichloroethene	25.0	25.5		ug/L		102	65 - 135	9	20
cis-1,3-Dichloropropene	25.0	27.0		ug/L		108	65 - 135	6	26
Dibromochloromethane	25.0	23.7		ug/L		95	65 - 135	4	20
Dibromomethane	25.0	24.6		ug/L		98	65 - 135	1	26
Dichlorodifluoromethane	25.0	19.4		ug/L		78	43 - 142	1	30
Ethylbenzene	25.0	24.4		ug/L		98	65 - 135	2	20
Iodomethane	25.0	21.0		ug/L		84	65 - 142	5	25
Methylene Chloride	25.0	26.9		ug/L		107	54 - 141	7	26
m-Xylene & p-Xylene	25.0	24.7		ug/L		99	65 - 135	1	20
o-Xylene	25.0	25.4		ug/L		102	65 - 135	4	20
Styrene	25.0	26.1		ug/L		104	65 - 135	4	26
Tetrachloroethene	25.0	23.8		ug/L		95	65 - 135	8	20
Toluene	25.0	24.0		ug/L		96	65 - 135	8	20
trans-1,2-Dichloroethene	25.0	23.2		ug/L		93	65 - 135	10	24
trans-1,3-Dichloropropene	25.0	20.4		ug/L		82	65 - 135	3	26
trans-1,4-Dichloro-2-butene	25.0	25.1		ug/L		100	53 - 135	2	25
Trichloroethene	25.0	24.4		ug/L		98	65 - 135	6	20
Trichlorofluoromethane	25.0	26.9		ug/L		108	53 - 137	16	27
Vinyl acetate	50.0	46.4		ug/L		93	11 - 187	9	24
Vinyl chloride	25.0	22.9		ug/L		92	40 - 137	5	24

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
1,2-Dichloroethane-d4 (Surr)	106		70 - 127
4-Bromofluorobenzene (Surr)	103		78 - 120
Dibromofluoromethane (Surr)	102		77 - 120
Toluene-d8 (Surr)	102		80 - 125

Lab Sample ID: 280-139870-C-23 MS
Matrix: Water
Analysis Batch: 507847

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	ND		25.0	21.5		ug/L		86	65 - 135
1,1,1-Trichloroethane	ND		25.0	24.8		ug/L		99	65 - 135
1,1,2,2-Tetrachloroethane	ND		25.0	28.1		ug/L		112	58 - 135
1,1,2-Trichloroethane	ND		25.0	25.4		ug/L		102	64 - 135
1,1-Dichloroethane	ND		25.0	25.9		ug/L		102	65 - 135
1,1-Dichloroethene	1.7		25.0	23.6		ug/L		87	65 - 136
1,2,3-Trichloropropane	ND		25.0	25.9		ug/L		104	65 - 135
1,2-Dibromo-3-Chloropropane	ND		25.0	19.7		ug/L		79	57 - 135

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 280-139870-C-23 MS

Matrix: Water

Analysis Batch: 507847

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2-Dibromoethane	ND		25.0	25.7		ug/L		103	65 - 135
1,2-Dichlorobenzene	ND		25.0	25.7		ug/L		103	65 - 135
1,2-Dichloroethane	ND		25.0	28.8		ug/L		115	65 - 135
1,2-Dichloropropane	ND		25.0	27.0		ug/L		108	64 - 135
1,4-Dichlorobenzene	ND		25.0	27.5		ug/L		110	65 - 135
2-Butanone (MEK)	ND		100	98.2		ug/L		98	44 - 177
2-Hexanone	ND		100	107		ug/L		107	57 - 139
4-Methyl-2-pentanone (MIBK)	ND		100	104		ug/L		104	60 - 150
Acetone	ND		100	106		ug/L		103	39 - 156
Acrylonitrile	ND		250	252		ug/L		101	56 - 135
Benzene	ND		25.0	25.0		ug/L		100	65 - 135
Bromochloromethane	ND		25.0	26.1		ug/L		104	65 - 135
Bromodichloromethane	ND		25.0	27.1		ug/L		108	65 - 135
Bromoform	ND		25.0	18.9		ug/L		76	62 - 135
Bromomethane	ND		25.0	28.9		ug/L		116	45 - 135
Carbon disulfide	ND		25.0	17.1		ug/L		68	55 - 143
Carbon tetrachloride	ND		25.0	23.3		ug/L		93	65 - 135
Chlorobenzene	ND		25.0	26.2		ug/L		105	65 - 135
Chloroethane	ND		25.0	28.8		ug/L		115	46 - 136
Chloroform	ND		25.0	26.8		ug/L		107	65 - 135
Chloromethane	ND		25.0	24.3		ug/L		97	34 - 145
cis-1,2-Dichloroethene	1.1		25.0	27.9		ug/L		107	65 - 135
cis-1,3-Dichloropropene	ND		25.0	25.1		ug/L		100	65 - 135
Dibromochloromethane	ND		25.0	22.6		ug/L		90	65 - 135
Dibromomethane	ND		25.0	25.8		ug/L		103	65 - 135
Dichlorodifluoromethane	ND		25.0	20.1		ug/L		80	43 - 142
Ethylbenzene	ND		25.0	26.7		ug/L		107	65 - 135
Iodomethane	ND		25.0	19.3		ug/L		77	65 - 142
Methylene Chloride	ND		25.0	28.0		ug/L		112	54 - 141
m-Xylene & p-Xylene	ND		25.0	25.7		ug/L		103	65 - 135
o-Xylene	ND		25.0	26.3		ug/L		105	65 - 135
Styrene	ND		25.0	27.0		ug/L		108	65 - 135
Tetrachloroethene	ND		25.0	25.6		ug/L		101	65 - 135
Toluene	ND		25.0	25.4		ug/L		101	65 - 135
trans-1,2-Dichloroethene	ND		25.0	24.5		ug/L		98	65 - 135
trans-1,3-Dichloropropene	ND		25.0	17.4		ug/L		70	65 - 135
trans-1,4-Dichloro-2-butene	ND		25.0	24.9		ug/L		100	53 - 135
Trichloroethene	1.4		25.0	26.7		ug/L		101	65 - 135
Trichlorofluoromethane	ND	F2	25.0	26.8		ug/L		107	53 - 137
Vinyl acetate	ND		50.0	40.9		ug/L		82	11 - 187
Vinyl chloride	ND		25.0	23.4		ug/L		94	40 - 137
	MS MS								
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	109		70 - 127						
4-Bromofluorobenzene (Surr)	105		78 - 120						
Dibromofluoromethane (Surr)	102		77 - 120						
Toluene-d8 (Surr)	101		80 - 125						

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 280-139870-C-23 MSD

Matrix: Water

Analysis Batch: 507847

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1,1,2-Tetrachloroethane	ND		25.0	23.1		ug/L		92	65 - 135	7	20
1,1,1-Trichloroethane	ND		25.0	26.1		ug/L		104	65 - 135	5	20
1,1,2,2-Tetrachloroethane	ND		25.0	28.2		ug/L		113	58 - 135	0	20
1,1,2-Trichloroethane	ND		25.0	25.7		ug/L		103	64 - 135	1	27
1,1-Dichloroethane	ND		25.0	26.1		ug/L		103	65 - 135	1	21
1,1-Dichloroethene	1.7		25.0	23.0		ug/L		85	65 - 136	2	20
1,2,3-Trichloropropane	ND		25.0	28.1		ug/L		112	65 - 135	8	23
1,2-Dibromo-3-Chloropropane	ND		25.0	20.1		ug/L		80	57 - 135	2	22
1,2-Dibromoethane	ND		25.0	26.3		ug/L		105	65 - 135	2	27
1,2-Dichlorobenzene	ND		25.0	25.6		ug/L		102	65 - 135	1	20
1,2-Dichloroethane	ND		25.0	28.5		ug/L		114	65 - 135	1	20
1,2-Dichloropropane	ND		25.0	27.7		ug/L		111	64 - 135	3	20
1,4-Dichlorobenzene	ND		25.0	27.6		ug/L		110	65 - 135	0	23
2-Butanone (MEK)	ND		100	103		ug/L		103	44 - 177	5	32
2-Hexanone	ND		100	114		ug/L		114	57 - 139	6	25
4-Methyl-2-pentanone (MIBK)	ND		100	106		ug/L		106	60 - 150	2	22
Acetone	ND		100	108		ug/L		104	39 - 156	1	23
Acrylonitrile	ND		250	260		ug/L		104	56 - 135	3	30
Benzene	ND		25.0	25.3		ug/L		101	65 - 135	1	20
Bromochloromethane	ND		25.0	25.9		ug/L		104	65 - 135	1	29
Bromodichloromethane	ND		25.0	27.5		ug/L		110	65 - 135	2	20
Bromoform	ND		25.0	20.7		ug/L		83	62 - 135	9	27
Bromomethane	ND		25.0	25.8		ug/L		103	45 - 135	11	33
Carbon disulfide	ND		25.0	17.9		ug/L		71	55 - 143	4	20
Carbon tetrachloride	ND		25.0	24.8		ug/L		99	65 - 135	6	21
Chlorobenzene	ND		25.0	26.6		ug/L		106	65 - 135	1	20
Chloroethane	ND		25.0	22.5		ug/L		90	46 - 136	25	25
Chloroform	ND		25.0	26.2		ug/L		105	65 - 135	2	20
Chloromethane	ND		25.0	23.8		ug/L		95	34 - 145	2	24
cis-1,2-Dichloroethene	1.1		25.0	27.7		ug/L		106	65 - 135	1	20
cis-1,3-Dichloropropene	ND		25.0	25.7		ug/L		103	65 - 135	2	26
Dibromochloromethane	ND		25.0	24.1		ug/L		96	65 - 135	6	20
Dibromomethane	ND		25.0	26.6		ug/L		107	65 - 135	3	26
Dichlorodifluoromethane	ND		25.0	23.7		ug/L		95	43 - 142	16	30
Ethylbenzene	ND		25.0	27.1		ug/L		109	65 - 135	2	20
Iodomethane	ND		25.0	20.8		ug/L		83	65 - 142	7	25
Methylene Chloride	ND		25.0	27.9		ug/L		111	54 - 141	0	26
m-Xylene & p-Xylene	ND		25.0	26.5		ug/L		106	65 - 135	3	20
o-Xylene	ND		25.0	27.5		ug/L		110	65 - 135	5	20
Styrene	ND		25.0	26.9		ug/L		108	65 - 135	0	26
Tetrachloroethene	ND		25.0	25.3		ug/L		99	65 - 135	1	20
Toluene	ND		25.0	25.5		ug/L		102	65 - 135	0	20
trans-1,2-Dichloroethene	ND		25.0	24.7		ug/L		99	65 - 135	1	24
trans-1,3-Dichloropropene	ND		25.0	19.2		ug/L		77	65 - 135	10	26
trans-1,4-Dichloro-2-butene	ND		25.0	24.6		ug/L		98	53 - 135	1	25
Trichloroethene	1.4		25.0	27.7		ug/L		105	65 - 135	4	20
Trichlorofluoromethane	ND	F2	25.0	20.2	F2	ug/L		81	53 - 137	28	27
Vinyl acetate	ND		50.0	43.9		ug/L		88	11 - 187	7	24

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 280-139870-C-23 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 507847

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Vinyl chloride	ND		25.0	26.6		ug/L		106	40 - 137	13	24
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	108		70 - 127								
4-Bromofluorobenzene (Surr)	103		78 - 120								
Dibromofluoromethane (Surr)	102		77 - 120								
Toluene-d8 (Surr)	101		80 - 125								

Lab Sample ID: MB 280-507993/8

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 507993

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/04/20 09:55	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/04/20 09:55	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/04/20 09:55	1
1,1,2-Trichloroethane	ND		0.50		ug/L			09/04/20 09:55	1
1,1-Dichloroethane	ND		0.50		ug/L			09/04/20 09:55	1
1,1-Dichloroethene	ND		0.50		ug/L			09/04/20 09:55	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/04/20 09:55	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/04/20 09:55	1
1,2-Dibromoethane	ND		1.0		ug/L			09/04/20 09:55	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/04/20 09:55	1
1,2-Dichloroethane	ND		0.50		ug/L			09/04/20 09:55	1
1,2-Dichloropropane	ND		0.50		ug/L			09/04/20 09:55	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/04/20 09:55	1
2-Butanone (MEK)	ND		6.0		ug/L			09/04/20 09:55	1
2-Hexanone	ND		5.0		ug/L			09/04/20 09:55	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/04/20 09:55	1
Acetone	ND		10		ug/L			09/04/20 09:55	1
Acrylonitrile	ND		20		ug/L			09/04/20 09:55	1
Benzene	ND		0.50		ug/L			09/04/20 09:55	1
Bromochloromethane	ND		0.50		ug/L			09/04/20 09:55	1
Bromodichloromethane	ND		0.50		ug/L			09/04/20 09:55	1
Bromoform	ND		0.50		ug/L			09/04/20 09:55	1
Bromomethane	ND		0.50		ug/L			09/04/20 09:55	1
Carbon disulfide	ND		0.50		ug/L			09/04/20 09:55	1
Carbon tetrachloride	ND		0.50		ug/L			09/04/20 09:55	1
Chlorobenzene	ND		0.50		ug/L			09/04/20 09:55	1
Chloroethane	ND		0.50		ug/L			09/04/20 09:55	1
Chloroform	ND		0.50		ug/L			09/04/20 09:55	1
Chloromethane	ND		0.50		ug/L			09/04/20 09:55	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/04/20 09:55	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/04/20 09:55	1
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/04/20 09:55	1
Dibromochloromethane	ND		0.50		ug/L			09/04/20 09:55	1
Dibromomethane	ND		0.50		ug/L			09/04/20 09:55	1
Dichlorodifluoromethane	ND		2.0		ug/L			09/04/20 09:55	1

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 280-507993/8
Matrix: Water
Analysis Batch: 507993

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	ND		1.0		ug/L			09/04/20 09:55	1
Methylene Chloride	ND		2.0		ug/L			09/04/20 09:55	1
m-Xylene & p-Xylene	ND		0.50		ug/L			09/04/20 09:55	1
o-Xylene	ND		0.50		ug/L			09/04/20 09:55	1
Styrene	ND		0.50		ug/L			09/04/20 09:55	1
Tetrachloroethene	ND		0.50		ug/L			09/04/20 09:55	1
Toluene	ND		0.50		ug/L			09/04/20 09:55	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/04/20 09:55	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/04/20 09:55	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/04/20 09:55	1
Trichloroethene	ND		0.50		ug/L			09/04/20 09:55	1
Trichlorofluoromethane	ND		0.50		ug/L			09/04/20 09:55	1
Vinyl acetate	ND		3.0		ug/L			09/04/20 09:55	1
Vinyl chloride	ND		0.50		ug/L			09/04/20 09:55	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		70 - 127		09/04/20 09:55	1
4-Bromofluorobenzene (Surr)	99		78 - 120		09/04/20 09:55	1
Dibromofluoromethane (Surr)	99		77 - 120		09/04/20 09:55	1
Toluene-d8 (Surr)	98		80 - 125		09/04/20 09:55	1

Lab Sample ID: LCS 280-507993/4
Matrix: Water
Analysis Batch: 507993

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	25.0	24.0		ug/L		96	65 - 135
1,1,1-Trichloroethane	25.0	26.0		ug/L		104	65 - 135
1,1,2,2-Tetrachloroethane	25.0	24.9		ug/L		100	58 - 135
1,1,2-Trichloroethane	25.0	26.5		ug/L		106	64 - 135
1,1-Dichloroethane	25.0	25.2		ug/L		101	65 - 135
1,1-Dichloroethene	25.0	22.9		ug/L		92	65 - 136
1,2,3-Trichloropropane	25.0	27.6		ug/L		110	65 - 135
1,2-Dibromo-3-Chloropropane	25.0	18.4		ug/L		73	57 - 135
1,2-Dibromoethane	25.0	26.3		ug/L		105	65 - 135
1,2-Dichlorobenzene	25.0	25.0		ug/L		100	65 - 135
1,2-Dichloroethane	25.0	25.9		ug/L		104	65 - 135
1,2-Dichloropropane	25.0	25.6		ug/L		102	64 - 135
1,4-Dichlorobenzene	25.0	25.4		ug/L		102	65 - 135
2-Butanone (MEK)	100	95.0		ug/L		95	44 - 177
2-Hexanone	100	95.2		ug/L		95	57 - 139
4-Methyl-2-pentanone (MIBK)	100	95.6		ug/L		96	60 - 150
Acetone	100	90.3		ug/L		90	39 - 156
Acrylonitrile	250	243		ug/L		97	56 - 135
Benzene	25.0	24.7		ug/L		99	65 - 135
Bromochloromethane	25.0	25.7		ug/L		103	65 - 135
Bromodichloromethane	25.0	25.2		ug/L		101	65 - 135
Bromoform	25.0	17.7		ug/L		71	62 - 135

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 280-507993/4
Matrix: Water
Analysis Batch: 507993

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Bromomethane	25.0	19.3		ug/L		77	45 - 135
Carbon disulfide	25.0	18.1		ug/L		72	55 - 143
Carbon tetrachloride	25.0	20.7		ug/L		83	65 - 135
Chlorobenzene	25.0	25.1		ug/L		100	65 - 135
Chloroethane	25.0	23.6		ug/L		94	46 - 136
Chloroform	25.0	26.6		ug/L		106	65 - 135
Chloromethane	25.0	21.4		ug/L		85	34 - 145
cis-1,2-Dichloroethene	25.0	26.0		ug/L		104	65 - 135
cis-1,3-Dichloropropene	25.0	23.7		ug/L		95	65 - 135
Dibromochloromethane	25.0	20.6		ug/L		82	65 - 135
Dibromomethane	25.0	25.5		ug/L		102	65 - 135
Dichlorodifluoromethane	25.0	15.3		ug/L		61	43 - 142
Ethylbenzene	25.0	24.8		ug/L		99	65 - 135
Methylene Chloride	25.0	24.0		ug/L		96	54 - 141
m-Xylene & p-Xylene	25.0	25.0		ug/L		100	65 - 135
o-Xylene	25.0	25.9		ug/L		104	65 - 135
Styrene	25.0	26.0		ug/L		104	65 - 135
Tetrachloroethene	25.0	25.1		ug/L		100	65 - 135
Toluene	25.0	25.2		ug/L		101	65 - 135
trans-1,2-Dichloroethene	25.0	24.5		ug/L		98	65 - 135
trans-1,3-Dichloropropene	25.0	20.6		ug/L		82	65 - 135
trans-1,4-Dichloro-2-butene	25.0	22.6		ug/L		90	53 - 135
Trichloroethene	25.0	25.8		ug/L		103	65 - 135
Trichlorofluoromethane	25.0	25.5		ug/L		102	53 - 137
Vinyl acetate	50.0	48.9		ug/L		98	11 - 187
Vinyl chloride	25.0	23.7		ug/L		95	40 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	111		70 - 127
4-Bromofluorobenzene (Surr)	99		78 - 120
Dibromofluoromethane (Surr)	105		77 - 120
Toluene-d8 (Surr)	98		80 - 125

Lab Sample ID: 280-140086-A-3 MS
Matrix: Water
Analysis Batch: 507993

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	ND		25.0	23.7		ug/L		95	65 - 135
1,1,1-Trichloroethane	ND		25.0	26.4		ug/L		106	65 - 135
1,1,2,2-Tetrachloroethane	ND		25.0	25.7		ug/L		103	58 - 135
1,1,2-Trichloroethane	ND		25.0	27.2		ug/L		109	64 - 135
1,1-Dichloroethane	ND		25.0	25.8		ug/L		103	65 - 135
1,1-Dichloroethene	ND		25.0	23.7		ug/L		95	65 - 136
1,2,3-Trichloropropane	ND		25.0	29.0		ug/L		116	65 - 135
1,2-Dibromo-3-Chloropropane	ND		25.0	20.3		ug/L		81	57 - 135
1,2-Dibromoethane	ND		25.0	26.3		ug/L		105	65 - 135
1,2-Dichlorobenzene	ND		25.0	24.6		ug/L		98	65 - 135

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 280-140086-A-3 MS

Matrix: Water

Analysis Batch: 507993

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier	Added	Result	Qualifier				
1,2-Dichloroethane	ND		25.0	26.7		ug/L		107	65 - 135
1,2-Dichloropropane	ND		25.0	25.9		ug/L		104	64 - 135
1,4-Dichlorobenzene	ND		25.0	24.4		ug/L		98	65 - 135
2-Butanone (MEK)	ND		100	107		ug/L		102	44 - 177
2-Hexanone	ND		100	105		ug/L		105	57 - 139
4-Methyl-2-pentanone (MIBK)	ND		100	107		ug/L		107	60 - 150
Acetone	15		100	114		ug/L		99	39 - 156
Acrylonitrile	ND		250	259		ug/L		104	56 - 135
Benzene	ND		25.0	25.5		ug/L		100	65 - 135
Bromochloromethane	ND		25.0	25.9		ug/L		104	65 - 135
Bromodichloromethane	ND		25.0	24.8		ug/L		99	65 - 135
Bromoform	ND		25.0	17.0		ug/L		68	62 - 135
Bromomethane	ND		25.0	16.3		ug/L		65	45 - 135
Carbon disulfide	ND		25.0	17.3		ug/L		69	55 - 143
Carbon tetrachloride	ND		25.0	20.7		ug/L		83	65 - 135
Chlorobenzene	ND		25.0	25.5		ug/L		102	65 - 135
Chloroethane	ND		25.0	23.7		ug/L		95	46 - 136
Chloroform	ND		25.0	27.6		ug/L		110	65 - 135
Chloromethane	ND		25.0	20.6		ug/L		82	34 - 145
cis-1,2-Dichloroethene	ND		25.0	25.9		ug/L		104	65 - 135
cis-1,3-Dichloropropene	ND		25.0	22.7		ug/L		91	65 - 135
Dibromochloromethane	ND		25.0	19.4		ug/L		77	65 - 135
Dibromomethane	ND		25.0	26.6		ug/L		106	65 - 135
Dichlorodifluoromethane	ND		25.0	17.4		ug/L		69	43 - 142
Ethylbenzene	ND		25.0	25.2		ug/L		101	65 - 135
Methylene Chloride	ND		25.0	24.6		ug/L		99	54 - 141
m-Xylene & p-Xylene	ND		25.0	24.9		ug/L		99	65 - 135
o-Xylene	ND		25.0	25.6		ug/L		103	65 - 135
Styrene	ND		25.0	25.2		ug/L		101	65 - 135
Tetrachloroethene	ND		25.0	25.0		ug/L		100	65 - 135
Toluene	0.82		25.0	26.6		ug/L		103	65 - 135
trans-1,2-Dichloroethene	ND		25.0	25.1		ug/L		100	65 - 135
trans-1,3-Dichloropropene	ND		25.0	19.6		ug/L		78	65 - 135
trans-1,4-Dichloro-2-butene	ND		25.0	22.7		ug/L		91	53 - 135
Trichloroethene	ND		25.0	26.8		ug/L		106	65 - 135
Trichlorofluoromethane	ND		25.0	26.3		ug/L		105	53 - 137
Vinyl acetate	ND		50.0	47.3		ug/L		95	11 - 187
Vinyl chloride	ND		25.0	23.3		ug/L		93	40 - 137

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		70 - 127
4-Bromofluorobenzene (Surr)	97		78 - 120
Dibromofluoromethane (Surr)	103		77 - 120
Toluene-d8 (Surr)	96		80 - 125

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 280-140086-A-3 MSD

Matrix: Water

Analysis Batch: 507993

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	ND		25.0	25.4		ug/L		102	65 - 135	7	20
1,1,1-Trichloroethane	ND		25.0	29.3		ug/L		117	65 - 135	10	20
1,1,2,2-Tetrachloroethane	ND		25.0	26.3		ug/L		105	58 - 135	2	20
1,1,2-Trichloroethane	ND		25.0	29.1		ug/L		116	64 - 135	7	27
1,1-Dichloroethane	ND		25.0	28.6		ug/L		114	65 - 135	10	21
1,1-Dichloroethene	ND		25.0	25.9		ug/L		104	65 - 136	9	20
1,2,3-Trichloropropane	ND		25.0	28.8		ug/L		115	65 - 135	1	23
1,2-Dibromo-3-Chloropropane	ND		25.0	19.8		ug/L		79	57 - 135	3	22
1,2-Dibromoethane	ND		25.0	27.3		ug/L		109	65 - 135	4	27
1,2-Dichlorobenzene	ND		25.0	26.7		ug/L		107	65 - 135	8	20
1,2-Dichloroethane	ND		25.0	28.7		ug/L		115	65 - 135	7	20
1,2-Dichloropropane	ND		25.0	28.5		ug/L		114	64 - 135	10	20
1,4-Dichlorobenzene	ND		25.0	26.0		ug/L		104	65 - 135	6	23
2-Butanone (MEK)	ND		100	109		ug/L		104	44 - 177	2	32
2-Hexanone	ND		100	107		ug/L		107	57 - 139	2	25
4-Methyl-2-pentanone (MIBK)	ND		100	109		ug/L		109	60 - 150	2	22
Acetone	15		100	118		ug/L		103	39 - 156	4	23
Acrylonitrile	ND		250	271		ug/L		108	56 - 135	4	30
Benzene	ND		25.0	27.4		ug/L		108	65 - 135	7	20
Bromochloromethane	ND		25.0	27.9		ug/L		112	65 - 135	7	29
Bromodichloromethane	ND		25.0	27.7		ug/L		111	65 - 135	11	20
Bromoform	ND		25.0	18.5		ug/L		74	62 - 135	8	27
Bromomethane	ND		25.0	19.8		ug/L		79	45 - 135	20	33
Carbon disulfide	ND		25.0	19.9		ug/L		80	55 - 143	14	20
Carbon tetrachloride	ND		25.0	22.9		ug/L		92	65 - 135	10	21
Chlorobenzene	ND		25.0	26.8		ug/L		107	65 - 135	5	20
Chloroethane	ND		25.0	26.0		ug/L		104	46 - 136	9	25
Chloroform	ND		25.0	29.6		ug/L		118	65 - 135	7	20
Chloromethane	ND		25.0	22.6		ug/L		91	34 - 145	10	24
cis-1,2-Dichloroethene	ND		25.0	28.0		ug/L		112	65 - 135	8	20
cis-1,3-Dichloropropene	ND		25.0	24.5		ug/L		98	65 - 135	7	26
Dibromochloromethane	ND		25.0	21.1		ug/L		84	65 - 135	9	20
Dibromomethane	ND		25.0	28.8		ug/L		115	65 - 135	8	26
Dichlorodifluoromethane	ND		25.0	18.3		ug/L		73	43 - 142	5	30
Ethylbenzene	ND		25.0	27.3		ug/L		109	65 - 135	8	20
Methylene Chloride	ND		25.0	26.5		ug/L		106	54 - 141	7	26
m-Xylene & p-Xylene	ND		25.0	26.4		ug/L		105	65 - 135	6	20
o-Xylene	ND		25.0	27.9		ug/L		111	65 - 135	8	20
Styrene	ND		25.0	27.1		ug/L		108	65 - 135	7	26
Tetrachloroethene	ND		25.0	26.9		ug/L		108	65 - 135	8	20
Toluene	0.82		25.0	28.5		ug/L		111	65 - 135	7	20
trans-1,2-Dichloroethene	ND		25.0	27.2		ug/L		109	65 - 135	8	24
trans-1,3-Dichloropropene	ND		25.0	22.0		ug/L		88	65 - 135	12	26
trans-1,4-Dichloro-2-butene	ND		25.0	23.7		ug/L		95	53 - 135	5	25
Trichloroethene	ND		25.0	28.4		ug/L		113	65 - 135	6	20
Trichlorofluoromethane	ND		25.0	27.8		ug/L		111	53 - 137	5	27
Vinyl acetate	ND		50.0	51.7		ug/L		103	11 - 187	9	24
Vinyl chloride	ND		25.0	25.0		ug/L		100	40 - 137	7	24

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 280-140086-A-3 MSD
Matrix: Water
Analysis Batch: 507993

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	115		70 - 127
4-Bromofluorobenzene (Surr)	98		78 - 120
Dibromofluoromethane (Surr)	106		77 - 120
Toluene-d8 (Surr)	97		80 - 125

Lab Sample ID: MB 280-508332/9
Matrix: Water
Analysis Batch: 508332

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			09/08/20 23:09	1
1,1,1-Trichloroethane	ND		0.50		ug/L			09/08/20 23:09	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			09/08/20 23:09	1
1,1,2-Trichloroethane	ND		0.50		ug/L			09/08/20 23:09	1
1,1-Dichloroethane	ND		0.50		ug/L			09/08/20 23:09	1
1,1-Dichloroethene	ND		0.50		ug/L			09/08/20 23:09	1
1,2,3-Trichloropropane	ND		1.0		ug/L			09/08/20 23:09	1
1,2-Dibromo-3-Chloropropane	ND		2.0		ug/L			09/08/20 23:09	1
1,2-Dibromoethane	ND		1.0		ug/L			09/08/20 23:09	1
1,2-Dichlorobenzene	ND		0.50		ug/L			09/08/20 23:09	1
1,2-Dichloroethane	ND		0.50		ug/L			09/08/20 23:09	1
1,2-Dichloropropane	ND		0.50		ug/L			09/08/20 23:09	1
1,4-Dichlorobenzene	ND		0.50		ug/L			09/08/20 23:09	1
2-Butanone (MEK)	ND		6.0		ug/L			09/08/20 23:09	1
2-Hexanone	ND		5.0		ug/L			09/08/20 23:09	1
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			09/08/20 23:09	1
Acetone	ND		10		ug/L			09/08/20 23:09	1
Acrylonitrile	ND		20		ug/L			09/08/20 23:09	1
Benzene	ND		0.50		ug/L			09/08/20 23:09	1
Bromochloromethane	ND		0.50		ug/L			09/08/20 23:09	1
Bromodichloromethane	ND		0.50		ug/L			09/08/20 23:09	1
Bromoform	ND		0.50		ug/L			09/08/20 23:09	1
Bromomethane	ND		0.50		ug/L			09/08/20 23:09	1
Carbon disulfide	ND		0.50		ug/L			09/08/20 23:09	1
Carbon tetrachloride	ND		0.50		ug/L			09/08/20 23:09	1
Chlorobenzene	ND		0.50		ug/L			09/08/20 23:09	1
Chloroethane	ND		0.50		ug/L			09/08/20 23:09	1
Chloroform	ND		0.50		ug/L			09/08/20 23:09	1
Chloromethane	ND		0.50		ug/L			09/08/20 23:09	1
cis-1,2-Dichloroethene	ND		0.50		ug/L			09/08/20 23:09	1
cis-1,3-Dichloropropene	ND		0.50		ug/L			09/08/20 23:09	1
cis-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/08/20 23:09	1
Dibromochloromethane	ND		0.50		ug/L			09/08/20 23:09	1
Dibromomethane	ND		0.50		ug/L			09/08/20 23:09	1
Dichlorodifluoromethane	ND		2.0		ug/L			09/08/20 23:09	1
Ethylbenzene	ND		1.0		ug/L			09/08/20 23:09	1
Iodomethane	ND		1.0		ug/L			09/08/20 23:09	1
Methylene Chloride	ND		2.0		ug/L			09/08/20 23:09	1

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 280-508332/9
Matrix: Water
Analysis Batch: 508332

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m-Xylene & p-Xylene	ND		0.50		ug/L			09/08/20 23:09	1
o-Xylene	ND		0.50		ug/L			09/08/20 23:09	1
Styrene	ND		0.50		ug/L			09/08/20 23:09	1
Tetrachloroethene	ND		0.50		ug/L			09/08/20 23:09	1
Toluene	ND		0.50		ug/L			09/08/20 23:09	1
trans-1,2-Dichloroethene	ND		0.50		ug/L			09/08/20 23:09	1
trans-1,3-Dichloropropene	ND		0.50		ug/L			09/08/20 23:09	1
trans-1,4-Dichloro-2-butene	ND		3.0		ug/L			09/08/20 23:09	1
Trichloroethene	ND		0.50		ug/L			09/08/20 23:09	1
Trichlorofluoromethane	ND		0.50		ug/L			09/08/20 23:09	1
Vinyl acetate	ND		3.0		ug/L			09/08/20 23:09	1
Vinyl chloride	ND		0.50		ug/L			09/08/20 23:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 127		09/08/20 23:09	1
4-Bromofluorobenzene (Surr)	101		78 - 120		09/08/20 23:09	1
Dibromofluoromethane (Surr)	100		77 - 120		09/08/20 23:09	1
Toluene-d8 (Surr)	100		80 - 125		09/08/20 23:09	1

Lab Sample ID: LCS 280-508332/4
Matrix: Water
Analysis Batch: 508332

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	25.0	26.4		ug/L		106	65 - 135
1,1,1-Trichloroethane	25.0	27.8		ug/L		111	65 - 135
1,1,2,2-Tetrachloroethane	25.0	24.2		ug/L		97	58 - 135
1,1,2-Trichloroethane	25.0	26.0		ug/L		104	64 - 135
1,1-Dichloroethane	25.0	26.1		ug/L		104	65 - 135
1,1-Dichloroethene	25.0	25.6		ug/L		102	65 - 136
1,2,3-Trichloropropane	25.0	24.6		ug/L		99	65 - 135
1,2-Dibromo-3-Chloropropane	25.0	24.6		ug/L		98	57 - 135
1,2-Dibromoethane	25.0	24.9		ug/L		100	65 - 135
1,2-Dichlorobenzene	25.0	25.1		ug/L		100	65 - 135
1,2-Dichloroethane	25.0	26.0		ug/L		104	65 - 135
1,2-Dichloropropane	25.0	27.1		ug/L		109	64 - 135
1,4-Dichlorobenzene	25.0	25.5		ug/L		102	65 - 135
2-Butanone (MEK)	100	90.2		ug/L		90	44 - 177
2-Hexanone	100	94.2		ug/L		94	57 - 139
4-Methyl-2-pentanone (MIBK)	100	96.3		ug/L		96	60 - 150
Acetone	100	97.1		ug/L		97	39 - 156
Acrylonitrile	250	243		ug/L		97	56 - 135
Benzene	25.0	25.7		ug/L		103	65 - 135
Bromochloromethane	25.0	25.2		ug/L		101	65 - 135
Bromodichloromethane	25.0	27.6		ug/L		110	65 - 135
Bromoform	25.0	23.3		ug/L		93	62 - 135
Bromomethane	25.0	28.6		ug/L		115	45 - 135
Carbon disulfide	25.0	24.8		ug/L		99	55 - 143

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 280-508332/4
Matrix: Water
Analysis Batch: 508332

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Carbon tetrachloride	25.0	28.1		ug/L		112	65 - 135
Chlorobenzene	25.0	25.8		ug/L		103	65 - 135
Chloroethane	25.0	26.5		ug/L		106	46 - 136
Chloroform	25.0	26.6		ug/L		106	65 - 135
Chloromethane	25.0	23.6		ug/L		94	34 - 145
cis-1,2-Dichloroethene	25.0	27.1		ug/L		109	65 - 135
cis-1,3-Dichloropropene	25.0	27.3		ug/L		109	65 - 135
Dibromochloromethane	25.0	27.1		ug/L		109	65 - 135
Dibromomethane	25.0	26.1		ug/L		104	65 - 135
Dichlorodifluoromethane	25.0	29.0		ug/L		116	43 - 142
Ethylbenzene	25.0	26.1		ug/L		104	65 - 135
Iodomethane	25.0	21.6		ug/L		86	65 - 142
Methylene Chloride	25.0	24.1		ug/L		96	54 - 141
m-Xylene & p-Xylene	25.0	26.0		ug/L		104	65 - 135
o-Xylene	25.0	25.9		ug/L		104	65 - 135
Styrene	25.0	26.6		ug/L		106	65 - 135
Tetrachloroethene	25.0	27.3		ug/L		109	65 - 135
Toluene	25.0	26.4		ug/L		106	65 - 135
trans-1,2-Dichloroethene	25.0	26.8		ug/L		107	65 - 135
trans-1,3-Dichloropropene	25.0	26.7		ug/L		107	65 - 135
trans-1,4-Dichloro-2-butene	25.0	28.1		ug/L		112	53 - 135
Trichloroethene	25.0	26.1		ug/L		104	65 - 135
Trichlorofluoromethane	25.0	28.7		ug/L		115	53 - 137
Vinyl acetate	50.0	77.0		ug/L		154	11 - 187
Vinyl chloride	25.0	28.0		ug/L		112	40 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		70 - 127
4-Bromofluorobenzene (Surr)	99		78 - 120
Dibromofluoromethane (Surr)	100		77 - 120
Toluene-d8 (Surr)	98		80 - 125

Lab Sample ID: LCSD 280-508332/5
Matrix: Water
Analysis Batch: 508332

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1,1,1,2-Tetrachloroethane	25.0	26.5		ug/L		106	65 - 135	1	20
1,1,1-Trichloroethane	25.0	28.4		ug/L		114	65 - 135	2	20
1,1,1,2,2-Tetrachloroethane	25.0	25.2		ug/L		101	58 - 135	4	20
1,1,2-Trichloroethane	25.0	26.1		ug/L		104	64 - 135	0	27
1,1-Dichloroethane	25.0	26.3		ug/L		105	65 - 135	1	21
1,1-Dichloroethene	25.0	25.4		ug/L		102	65 - 136	1	20
1,2,3-Trichloropropane	25.0	25.5		ug/L		102	65 - 135	3	23
1,2-Dibromo-3-Chloropropane	25.0	25.7		ug/L		103	57 - 135	4	22
1,2-Dibromoethane	25.0	25.2		ug/L		101	65 - 135	1	27
1,2-Dichlorobenzene	25.0	25.0		ug/L		100	65 - 135	0	20
1,2-Dichloroethane	25.0	25.8		ug/L		103	65 - 135	1	20

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 280-508332/5
Matrix: Water
Analysis Batch: 508332

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,2-Dichloropropane	25.0	27.1		ug/L		108	64 - 135	0	20
1,4-Dichlorobenzene	25.0	25.2		ug/L		101	65 - 135	1	23
2-Butanone (MEK)	100	100		ug/L		100	44 - 177	11	32
2-Hexanone	100	107		ug/L		107	57 - 139	12	25
4-Methyl-2-pentanone (MIBK)	100	106		ug/L		106	60 - 150	10	22
Acetone	100	104		ug/L		104	39 - 156	7	23
Acrylonitrile	250	259		ug/L		104	56 - 135	7	30
Benzene	25.0	25.9		ug/L		104	65 - 135	1	20
Bromochloromethane	25.0	25.2		ug/L		101	65 - 135	0	29
Bromodichloromethane	25.0	27.8		ug/L		111	65 - 135	1	20
Bromoform	25.0	23.8		ug/L		95	62 - 135	2	27
Bromomethane	25.0	26.9		ug/L		107	45 - 135	6	33
Carbon disulfide	25.0	24.7		ug/L		99	55 - 143	0	20
Carbon tetrachloride	25.0	28.3		ug/L		113	65 - 135	1	21
Chlorobenzene	25.0	26.3		ug/L		105	65 - 135	2	20
Chloroethane	25.0	26.1		ug/L		104	46 - 136	2	25
Chloroform	25.0	26.4		ug/L		106	65 - 135	1	20
Chloromethane	25.0	23.1		ug/L		93	34 - 145	2	24
cis-1,2-Dichloroethene	25.0	27.3		ug/L		109	65 - 135	1	20
cis-1,3-Dichloropropene	25.0	26.9		ug/L		108	65 - 135	1	26
Dibromochloromethane	25.0	27.0		ug/L		108	65 - 135	0	20
Dibromomethane	25.0	26.4		ug/L		105	65 - 135	1	26
Dichlorodifluoromethane	25.0	28.5		ug/L		114	43 - 142	2	30
Ethylbenzene	25.0	26.5		ug/L		106	65 - 135	1	20
Iodomethane	25.0	22.3		ug/L		89	65 - 142	3	25
Methylene Chloride	25.0	23.9		ug/L		96	54 - 141	1	26
m-Xylene & p-Xylene	25.0	26.1		ug/L		104	65 - 135	1	20
o-Xylene	25.0	26.3		ug/L		105	65 - 135	1	20
Styrene	25.0	26.6		ug/L		106	65 - 135	0	26
Tetrachloroethene	25.0	27.0		ug/L		108	65 - 135	1	20
Toluene	25.0	26.9		ug/L		107	65 - 135	2	20
trans-1,2-Dichloroethene	25.0	27.3		ug/L		109	65 - 135	2	24
trans-1,3-Dichloropropene	25.0	26.4		ug/L		106	65 - 135	1	26
trans-1,4-Dichloro-2-butene	25.0	29.1		ug/L		117	53 - 135	4	25
Trichloroethene	25.0	26.4		ug/L		105	65 - 135	1	20
Trichlorofluoromethane	25.0	27.7		ug/L		111	53 - 137	3	27
Vinyl acetate	50.0	79.7		ug/L		159	11 - 187	4	24
Vinyl chloride	25.0	27.3		ug/L		109	40 - 137	2	24

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
1,2-Dichloroethane-d4 (Surr)	100		70 - 127
4-Bromofluorobenzene (Surr)	99		78 - 120
Dibromofluoromethane (Surr)	101		77 - 120
Toluene-d8 (Surr)	98		80 - 125

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 160-482469/65
Matrix: Water
Analysis Batch: 482469

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		0.20		mg/L			09/16/20 03:31	1
Sulfate	ND		0.20		mg/L			09/16/20 03:31	1

Lab Sample ID: LCS 160-482469/66
Matrix: Water
Analysis Batch: 482469

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	2.00	1.97		mg/L		99	90 - 110
Sulfate	8.00	7.92		mg/L		99	90 - 110

Lab Sample ID: 280-139904-F-4 MS
Matrix: Water
Analysis Batch: 482469

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	ND		2.00	1.95		mg/L		97	90 - 110
Sulfate	ND		4.00	3.90		mg/L		97	90 - 110

Lab Sample ID: 280-139904-F-4 DU
Matrix: Water
Analysis Batch: 482469

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Chloride	ND		ND		mg/L		NC	20
Sulfate	ND		ND		mg/L		NC	20

Lab Sample ID: MB 160-483473/3
Matrix: Water
Analysis Batch: 483473

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		0.20		mg/L			09/23/20 16:45	1
Sulfate	ND		0.20		mg/L			09/23/20 16:45	1

Lab Sample ID: LCS 160-483473/4
Matrix: Water
Analysis Batch: 483473

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	2.00	1.92		mg/L		96	90 - 110
Sulfate	8.00	7.72		mg/L		97	90 - 110

Lab Sample ID: 280-139855-4 MS
Matrix: Water
Analysis Batch: 483473

Client Sample ID: HVL-082620-16
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	9.0		4.00	13.1		mg/L		104	90 - 110

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 280-139855-4 DU
Matrix: Water
Analysis Batch: 483473

Client Sample ID: HVL-082620-16
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Sulfate	9.0		8.92		mg/L		0.4	20

Method: 300.0 - Anions, Ion Chromatography - DL

Lab Sample ID: 280-139855-4 MS
Matrix: Water
Analysis Batch: 483473

Client Sample ID: HVL-082620-16
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride - DL	18		40.0	55.7		mg/L		94	90 - 110

Lab Sample ID: 280-139855-4 DU
Matrix: Water
Analysis Batch: 483473

Client Sample ID: HVL-082620-16
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Chloride - DL	18		18.0		mg/L		1	20

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 280-507251/1-A
Matrix: Water
Analysis Batch: 508493

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 507251

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium, Dissolved	ND		0.20		mg/L		09/01/20 08:11	09/02/20 16:23	1
Magnesium, Dissolved	ND		0.10		mg/L		09/01/20 08:11	09/02/20 16:23	1
Potassium, Dissolved	ND		2.0		mg/L		09/01/20 08:11	09/02/20 16:23	1
Sodium, Dissolved	ND		1.0		mg/L		09/01/20 08:11	09/02/20 16:23	1

Lab Sample ID: LCS 280-507251/2-A
Matrix: Water
Analysis Batch: 508493

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 507251

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Calcium, Dissolved	50.0	51.2		mg/L		102	90 - 111
Magnesium, Dissolved	50.0	50.3		mg/L		101	90 - 113
Potassium, Dissolved	50.0	50.7		mg/L		101	89 - 114
Sodium, Dissolved	50.0	45.1		mg/L		90	90 - 115

Lab Sample ID: 280-139855-5 MS
Matrix: Water
Analysis Batch: 508493

Client Sample ID: HVL-082620-17
Prep Type: Dissolved
Prep Batch: 507251

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Calcium, Dissolved	19		50.0	66.6		mg/L		94	48 - 153
Magnesium, Dissolved	5.8		50.0	53.0		mg/L		94	62 - 146
Potassium, Dissolved	7.2		50.0	54.4		mg/L		94	76 - 132
Sodium, Dissolved	11		50.0	52.6		mg/L		84	70 - 203

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 280-139855-5 MSD
Matrix: Water
Analysis Batch: 508493

Client Sample ID: HVL-082620-17
Prep Type: Dissolved
Prep Batch: 507251

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Calcium, Dissolved	19		50.0	69.2		mg/L		99	48 - 153	4	20
Magnesium, Dissolved	5.8		50.0	55.1		mg/L		98	62 - 146	4	20
Potassium, Dissolved	7.2		50.0	57.0		mg/L		100	76 - 132	5	20
Sodium, Dissolved	11		50.0	54.9		mg/L		88	70 - 203	4	20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 280-507242/1-A
Matrix: Water
Analysis Batch: 507680

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 507242

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Manganese, Dissolved	ND		0.0010		mg/L		08/31/20 15:55	09/01/20 16:52	1

Lab Sample ID: LCS 280-507242/2-A
Matrix: Water
Analysis Batch: 507680

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 507242

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
Manganese, Dissolved	0.0400	0.0419		mg/L		105	85 - 117

Lab Sample ID: 280-139855-1 MS
Matrix: Water
Analysis Batch: 507680

Client Sample ID: HVL-082620-13
Prep Type: Dissolved
Prep Batch: 507242

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				Limits
Manganese, Dissolved	1.2		0.0400	1.21	4	mg/L		120	85 - 117

Lab Sample ID: 280-139855-1 MSD
Matrix: Water
Analysis Batch: 507680

Client Sample ID: HVL-082620-13
Prep Type: Dissolved
Prep Batch: 507242

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Manganese, Dissolved	1.2		0.0400	1.25	4	mg/L		230	85 - 117	4	20

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 280-507064/6
Matrix: Water
Analysis Batch: 507064

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Nitrate as N	ND		0.20		mg/L			08/27/20 11:42	1

Lab Sample ID: LCS 280-507064/4
Matrix: Water
Analysis Batch: 507064

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
Nitrate as N	5.00	4.67		mg/L		93	90 - 110

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 280-507064/5
Matrix: Water
Analysis Batch: 507064

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrate as N	5.00	4.68		mg/L		94	90 - 110	0	10

Lab Sample ID: MRL 280-507064/3
Matrix: Water
Analysis Batch: 507064

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrate as N	0.500	ND		mg/L		96	50 - 150		

Lab Sample ID: 280-139855-1 MS
Matrix: Water
Analysis Batch: 507064

Client Sample ID: HVL-082620-13
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrate as N	0.37		5.00	5.22		mg/L		97	80 - 120		

Lab Sample ID: 280-139855-1 MSD
Matrix: Water
Analysis Batch: 507064

Client Sample ID: HVL-082620-13
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrate as N	0.37		5.00	5.26		mg/L		98	80 - 120	1	20

Lab Sample ID: 280-139855-1 DU
Matrix: Water
Analysis Batch: 507064

Client Sample ID: HVL-082620-13
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	DU Result	DU Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrate as N	0.37		5.00	0.370		mg/L				0	15

Method: 350.1 - Nitrogen, Ammonia

Lab Sample ID: MB 280-508862/19
Matrix: Water
Analysis Batch: 508862

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.10		mg/L			09/12/20 13:18	1

Lab Sample ID: LCS 280-508862/18
Matrix: Water
Analysis Batch: 508862

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ammonia	2.50	2.49		mg/L		100	90 - 110		

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: 350.1 - Nitrogen, Ammonia (Continued)

Lab Sample ID: 280-139851-B-3 MS
Matrix: Water
Analysis Batch: 508862

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	0.64		1.00	1.55		mg/L		91	90 - 110

Lab Sample ID: 280-139851-B-3 MSD
Matrix: Water
Analysis Batch: 508862

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ammonia	0.64		1.00	1.65		mg/L		101	90 - 110	6	10

Method: SM 2320B - Alkalinity

Lab Sample ID: MB 280-507547/5
Matrix: Water
Analysis Batch: 507547

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	ND		10		mg/L			08/28/20 13:35	1

Lab Sample ID: LCS 280-507547/4
Matrix: Water
Analysis Batch: 507547

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	200	183		mg/L		92	89 - 109

Lab Sample ID: 280-139854-A-2 DU
Matrix: Water
Analysis Batch: 507547

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Alkalinity	220		219		mg/L		0.5	10

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 280-507583/25
Matrix: Water
Analysis Batch: 507583

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	43.0		10		mg/L			09/01/20 12:47	1

Lab Sample ID: LCS 280-507583/26
Matrix: Water
Analysis Batch: 507583

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	500	510		mg/L		102	93 - 110

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: 280-139855-1 DU
Matrix: Water
Analysis Batch: 507583

Client Sample ID: HVL-082620-13
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	210	B	219		mg/L		6	10

Method: SM 2540D - Solids, Total Suspended (TSS)

Lab Sample ID: MB 280-507567/1
Matrix: Water
Analysis Batch: 507567

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	ND		4.0		mg/L			09/01/20 11:22	1

Lab Sample ID: LCS 280-507567/2
Matrix: Water
Analysis Batch: 507567

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Suspended Solids	100	82.4		mg/L		82	79 - 114

Lab Sample ID: 280-139894-A-4 DU
Matrix: Water
Analysis Batch: 507567

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Suspended Solids	ND		ND		mg/L		NC	10

Method: SM 5310B - Organic Carbon, Total (TOC)

Lab Sample ID: MB 280-508773/4
Matrix: Water
Analysis Batch: 508773

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon - Quad	ND		1.0		mg/L			09/10/20 16:39	1

Lab Sample ID: LCS 280-508773/3
Matrix: Water
Analysis Batch: 508773

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon - Quad	25.0	24.0		mg/L		96	88 - 112

Lab Sample ID: 280-139904-C-2 MS
Matrix: Water
Analysis Batch: 508773

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon - Quad	ND		25.0	24.3		mg/L		95	88 - 112

Eurofins TestAmerica, Denver

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: SM 5310B - Organic Carbon, Total (TOC) (Continued)

Lab Sample ID: 280-139904-C-2 MSD
Matrix: Water
Analysis Batch: 508773

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Total Organic Carbon - Quad	ND		25.0	24.4		mg/L		95	88 - 112	1	15

Method: LL Diss Fe 200.8 (Eurofins Frontier) - General Subcontract Method

Lab Sample ID: F009359-BLK1
Matrix: Water
Analysis Batch: F009359

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: F009359_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND	U	5		µg/L		09/14/20 11:13	09/14/20 22:01	1

Lab Sample ID: F009359-BLK2
Matrix: Water
Analysis Batch: F009359

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: F009359_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND	U	5		µg/L		09/14/20 11:13	09/14/20 22:06	1

Lab Sample ID: F009359-BS1
Matrix: Water
Analysis Batch: F009359

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: F009359_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	1250	1278		µg/L		102	85 - 115

Lab Sample ID: F009359-BSD1
Matrix: Water
Analysis Batch: F009359

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: F009359_P

Analyte	Spike Added	LCS Dup Result	LCS Dup Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Iron	1250	1266		µg/L		101	85 - 115	0.921	20

Lab Sample ID: F009359-MS1
Matrix: Water
Analysis Batch: F009359

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: F009359_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	2868		1250	4411	E	µg/L		123	70 - 130

Lab Sample ID: F009359-MS2
Matrix: Water
Analysis Batch: F009359

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: F009359_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	ND		2500	2398		µg/L		95.9	70 - 130

QC Sample Results

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Method: LL Diss Fe 200.8 (Eurofins Frontier) - General Subcontract Method (Continued)

Lab Sample ID: F009359-MSD1
Matrix: Water
Analysis Batch: F009359

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: F009359_P

Analyte	Sample Result	Sample Qualifier	Spike Added	ix Spike Dup Result	Matrix Spike D Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Iron	2868		1250	4093	E	µg/L		98	70 - 130	7.49	20

Lab Sample ID: F009359-MSD2
Matrix: Water
Analysis Batch: F009359

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: F009359_P

Analyte	Sample Result	Sample Qualifier	Spike Added	ix Spike Dup Result	Matrix Spike D Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Iron	ND		2500	2424		µg/L		96.9	70 - 130	1.06	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

QC Association Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

GC/MS VOA

Analysis Batch: 507847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	8260B	
280-139855-2	HVL-082620-14	Total/NA	Water	8260B	
280-139855-3	HVL-082620-15	Total/NA	Water	8260B	
280-139855-4	HVL-082620-16	Total/NA	Water	8260B	
280-139855-5	HVL-082620-17	Total/NA	Water	8260B	
280-139855-6	HVL-082620-18	Total/NA	Water	8260B	
280-139855-7	TRIP BLANK	Total/NA	Water	8260B	
MB 280-507847/9	Method Blank	Total/NA	Water	8260B	
LCS 280-507847/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 280-507847/5	Lab Control Sample Dup	Total/NA	Water	8260B	
280-139870-C-23 MS	Matrix Spike	Total/NA	Water	8260B	
280-139870-C-23 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 507993

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1 - RA	HVL-082620-13	Total/NA	Water	8260B	
280-139855-2 - RA	HVL-082620-14	Total/NA	Water	8260B	
280-139855-3 - RA	HVL-082620-15	Total/NA	Water	8260B	
280-139855-4 - RA	HVL-082620-16	Total/NA	Water	8260B	
280-139855-5 - RA	HVL-082620-17	Total/NA	Water	8260B	
MB 280-507993/8	Method Blank	Total/NA	Water	8260B	
LCS 280-507993/4	Lab Control Sample	Total/NA	Water	8260B	
280-140086-A-3 MS	Matrix Spike	Total/NA	Water	8260B	
280-140086-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 508332

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-6 - RA	HVL-082620-18	Total/NA	Water	8260B	
MB 280-508332/9	Method Blank	Total/NA	Water	8260B	
LCS 280-508332/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 280-508332/5	Lab Control Sample Dup	Total/NA	Water	8260B	

HPLC/IC

Analysis Batch: 482469

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-5	HVL-082620-17	Total/NA	Water	300.0	
280-139855-5 - DL	HVL-082620-17	Total/NA	Water	300.0	
280-139855-6	HVL-082620-18	Total/NA	Water	300.0	
280-139855-6 - DL	HVL-082620-18	Total/NA	Water	300.0	
MB 160-482469/65	Method Blank	Total/NA	Water	300.0	
LCS 160-482469/66	Lab Control Sample	Total/NA	Water	300.0	
280-139904-F-4 MS	Matrix Spike	Total/NA	Water	300.0	
280-139904-F-4 DU	Duplicate	Total/NA	Water	300.0	

Analysis Batch: 483473

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	300.0	
280-139855-1 - DL	HVL-082620-13	Total/NA	Water	300.0	
280-139855-2	HVL-082620-14	Total/NA	Water	300.0	
280-139855-2 - DL	HVL-082620-14	Total/NA	Water	300.0	

Eurofins TestAmerica, Denver

QC Association Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

HPLC/IC (Continued)

Analysis Batch: 483473 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-3	HVL-082620-15	Total/NA	Water	300.0	
280-139855-3 - DL	HVL-082620-15	Total/NA	Water	300.0	
280-139855-4	HVL-082620-16	Total/NA	Water	300.0	
280-139855-4 - DL	HVL-082620-16	Total/NA	Water	300.0	
MB 160-483473/3	Method Blank	Total/NA	Water	300.0	
LCS 160-483473/4	Lab Control Sample	Total/NA	Water	300.0	
280-139855-4 MS	HVL-082620-16	Total/NA	Water	300.0	
280-139855-4 MS - DL	HVL-082620-16	Total/NA	Water	300.0	
280-139855-4 DU	HVL-082620-16	Total/NA	Water	300.0	
280-139855-4 DU - DL	HVL-082620-16	Total/NA	Water	300.0	

Metals

Prep Batch: 507242

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Dissolved	Water	3005A	
280-139855-2	HVL-082620-14	Dissolved	Water	3005A	
280-139855-3	HVL-082620-15	Dissolved	Water	3005A	
280-139855-4	HVL-082620-16	Dissolved	Water	3005A	
280-139855-5	HVL-082620-17	Dissolved	Water	3005A	
280-139855-6	HVL-082620-18	Dissolved	Water	3005A	
MB 280-507242/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 280-507242/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
280-139855-1 MS	HVL-082620-13	Dissolved	Water	3005A	
280-139855-1 MSD	HVL-082620-13	Dissolved	Water	3005A	

Prep Batch: 507251

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Dissolved	Water	3005A	
280-139855-2	HVL-082620-14	Dissolved	Water	3005A	
280-139855-3	HVL-082620-15	Dissolved	Water	3005A	
280-139855-4	HVL-082620-16	Dissolved	Water	3005A	
280-139855-5	HVL-082620-17	Dissolved	Water	3005A	
280-139855-6	HVL-082620-18	Dissolved	Water	3005A	
MB 280-507251/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 280-507251/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
280-139855-5 MS	HVL-082620-17	Dissolved	Water	3005A	
280-139855-5 MSD	HVL-082620-17	Dissolved	Water	3005A	

Analysis Batch: 507680

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Dissolved	Water	6020	507242
280-139855-2	HVL-082620-14	Dissolved	Water	6020	507242
280-139855-3	HVL-082620-15	Dissolved	Water	6020	507242
280-139855-4	HVL-082620-16	Dissolved	Water	6020	507242
280-139855-5	HVL-082620-17	Dissolved	Water	6020	507242
280-139855-6	HVL-082620-18	Dissolved	Water	6020	507242
MB 280-507242/1-A	Method Blank	Total Recoverable	Water	6020	507242
LCS 280-507242/2-A	Lab Control Sample	Total Recoverable	Water	6020	507242
280-139855-1 MS	HVL-082620-13	Dissolved	Water	6020	507242
280-139855-1 MSD	HVL-082620-13	Dissolved	Water	6020	507242

Eurofins TestAmerica, Denver

QC Association Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Metals

Analysis Batch: 508493

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Dissolved	Water	6010B	507251
280-139855-2	HVL-082620-14	Dissolved	Water	6010B	507251
280-139855-3	HVL-082620-15	Dissolved	Water	6010B	507251
280-139855-4	HVL-082620-16	Dissolved	Water	6010B	507251
280-139855-5	HVL-082620-17	Dissolved	Water	6010B	507251
280-139855-6	HVL-082620-18	Dissolved	Water	6010B	507251
MB 280-507251/1-A	Method Blank	Total Recoverable	Water	6010B	507251
LCS 280-507251/2-A	Lab Control Sample	Total Recoverable	Water	6010B	507251
280-139855-5 MS	HVL-082620-17	Dissolved	Water	6010B	507251
280-139855-5 MSD	HVL-082620-17	Dissolved	Water	6010B	507251

General Chemistry

Analysis Batch: 507064

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	300.0	
280-139855-2	HVL-082620-14	Total/NA	Water	300.0	
280-139855-3	HVL-082620-15	Total/NA	Water	300.0	
280-139855-4	HVL-082620-16	Total/NA	Water	300.0	
280-139855-5	HVL-082620-17	Total/NA	Water	300.0	
280-139855-6	HVL-082620-18	Total/NA	Water	300.0	
MB 280-507064/6	Method Blank	Total/NA	Water	300.0	
LCS 280-507064/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 280-507064/5	Lab Control Sample Dup	Total/NA	Water	300.0	
MRL 280-507064/3	Lab Control Sample	Total/NA	Water	300.0	
280-139855-1 MS	HVL-082620-13	Total/NA	Water	300.0	
280-139855-1 MSD	HVL-082620-13	Total/NA	Water	300.0	
280-139855-1 DU	HVL-082620-13	Total/NA	Water	300.0	

Analysis Batch: 507547

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	SM 2320B	
280-139855-2	HVL-082620-14	Total/NA	Water	SM 2320B	
280-139855-3	HVL-082620-15	Total/NA	Water	SM 2320B	
280-139855-4	HVL-082620-16	Total/NA	Water	SM 2320B	
280-139855-5	HVL-082620-17	Total/NA	Water	SM 2320B	
280-139855-6	HVL-082620-18	Total/NA	Water	SM 2320B	
MB 280-507547/5	Method Blank	Total/NA	Water	SM 2320B	
LCS 280-507547/4	Lab Control Sample	Total/NA	Water	SM 2320B	
280-139854-A-2 DU	Duplicate	Total/NA	Water	SM 2320B	

Analysis Batch: 507567

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	SM 2540D	
280-139855-2	HVL-082620-14	Total/NA	Water	SM 2540D	
280-139855-3	HVL-082620-15	Total/NA	Water	SM 2540D	
280-139855-4	HVL-082620-16	Total/NA	Water	SM 2540D	
280-139855-5	HVL-082620-17	Total/NA	Water	SM 2540D	
280-139855-6	HVL-082620-18	Total/NA	Water	SM 2540D	
MB 280-507567/1	Method Blank	Total/NA	Water	SM 2540D	
LCS 280-507567/2	Lab Control Sample	Total/NA	Water	SM 2540D	

Eurofins TestAmerica, Denver

QC Association Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

General Chemistry (Continued)

Analysis Batch: 507567 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139894-A-4 DU	Duplicate	Total/NA	Water	SM 2540D	

Analysis Batch: 507583

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	SM 2540C	
280-139855-2	HVL-082620-14	Total/NA	Water	SM 2540C	
280-139855-3	HVL-082620-15	Total/NA	Water	SM 2540C	
280-139855-4	HVL-082620-16	Total/NA	Water	SM 2540C	
280-139855-5	HVL-082620-17	Total/NA	Water	SM 2540C	
280-139855-6	HVL-082620-18	Total/NA	Water	SM 2540C	
MB 280-507583/25	Method Blank	Total/NA	Water	SM 2540C	
LCS 280-507583/26	Lab Control Sample	Total/NA	Water	SM 2540C	
280-139855-1 DU	HVL-082620-13	Total/NA	Water	SM 2540C	

Analysis Batch: 508773

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	SM 5310B	
280-139855-2	HVL-082620-14	Total/NA	Water	SM 5310B	
280-139855-3	HVL-082620-15	Total/NA	Water	SM 5310B	
280-139855-4	HVL-082620-16	Total/NA	Water	SM 5310B	
280-139855-5	HVL-082620-17	Total/NA	Water	SM 5310B	
280-139855-6	HVL-082620-18	Total/NA	Water	SM 5310B	
MB 280-508773/4	Method Blank	Total/NA	Water	SM 5310B	
LCS 280-508773/3	Lab Control Sample	Total/NA	Water	SM 5310B	
280-139904-C-2 MS	Matrix Spike	Total/NA	Water	SM 5310B	
280-139904-C-2 MSD	Matrix Spike Duplicate	Total/NA	Water	SM 5310B	

Analysis Batch: 508862

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	350.1	
280-139855-2	HVL-082620-14	Total/NA	Water	350.1	
280-139855-3	HVL-082620-15	Total/NA	Water	350.1	
280-139855-4	HVL-082620-16	Total/NA	Water	350.1	
280-139855-5	HVL-082620-17	Total/NA	Water	350.1	
280-139855-6	HVL-082620-18	Total/NA	Water	350.1	
MB 280-508862/19	Method Blank	Total/NA	Water	350.1	
LCS 280-508862/18	Lab Control Sample	Total/NA	Water	350.1	
280-139851-B-3 MS	Matrix Spike	Total/NA	Water	350.1	
280-139851-B-3 MSD	Matrix Spike Duplicate	Total/NA	Water	350.1	

Subcontract

Analysis Batch: F009359

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
280-139855-2	HVL-082620-14	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
280-139855-3	HVL-082620-15	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P

Eurofins TestAmerica, Denver

QC Association Summary

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Subcontract (Continued)

Analysis Batch: F009359 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-4	HVL-082620-16	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
280-139855-5	HVL-082620-17	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
280-139855-6	HVL-082620-18	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
F009359-BLK1	Method Blank	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
F009359-BLK2	Method Blank	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
F009359-BS1	Lab Control Sample	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
F009359-BSD1	Lab Control Sample Dup	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
F009359-MS1	Matrix Spike	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
F009359-MS2	Matrix Spike	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
F009359-MSD1	Matrix Spike Duplicate	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P
F009359-MSD2	Matrix Spike Duplicate	Total/NA	Water	LL Diss Fe 200.8 (Eurofins Frontier)	F009359_P

Prep Batch: F009359_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-1	HVL-082620-13	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	F009359_P
280-139855-2	HVL-082620-14	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	F009359_P
280-139855-3	HVL-082620-15	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	F009359_P
280-139855-4	HVL-082620-16	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	F009359_P
280-139855-5	HVL-082620-17	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	F009359_P

Eurofins TestAmerica, Denver

QC Association Summary

Client: SCS Engineers
 Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Subcontract (Continued)

Prep Batch: F009359_P (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
280-139855-6	HVL-082620-18	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	
F009359-BLK1	Method Blank	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	
F009359-BLK2	Method Blank	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	
F009359-BS1	Lab Control Sample	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	
F009359-BSD1	Lab Control Sample Dup	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	
F009359-MS1	Matrix Spike	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	
F009359-MS2	Matrix Spike	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	
F009359-MSD1	Matrix Spike Duplicate	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	
F009359-MSD2	Matrix Spike Duplicate	Total/NA	Water	EFGS SOP2836 Closed Vessel Water Oven Digestion	



Lab Chronicle

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Client Sample ID: HVL-082620-13

Lab Sample ID: 280-139855-1

Date Collected: 08/26/20 13:05

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	507847	09/03/20 16:09	PP	TAL DEN
Total/NA	Analysis	8260B	RA	1	5 mL	5 mL	507993	09/04/20 17:38	AJP	TAL DEN
Total/NA	Analysis	300.0		1			483473	09/23/20 17:17	LTC	TAL SL
Total/NA	Analysis	300.0	DL	20			483473	09/23/20 17:33	LTC	TAL SL
Dissolved	Prep	3005A			50 mL	50 mL	507251	09/01/20 08:11	EAS	TAL DEN
Dissolved	Analysis	6010B		1			508493	09/02/20 16:30	LMT	TAL DEN
Dissolved	Prep	3005A			50 mL	50 mL	507242	08/31/20 15:55	EC	TAL DEN
Dissolved	Analysis	6020		1			507680	09/01/20 16:59	LMT	TAL DEN
Total/NA	Analysis	300.0		1	5 mL	5 mL	507064	08/27/20 19:20	JAP	TAL DEN
Total/NA	Analysis	350.1		1	10 mL	10 mL	508862	09/12/20 14:06	BWH	TAL DEN
Total/NA	Analysis	SM 2320B		1			507547	08/28/20 14:58	RAF	TAL DEN
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	507583	09/01/20 12:47	BAR	TAL DEN
Total/NA	Analysis	SM 2540D		1	250 mL	250 mL	507567	09/01/20 11:22	BAR	TAL DEN
Total/NA	Analysis	SM 5310B		1	20 mL	20 mL	508773	09/10/20 21:55	JMB	TAL DEN
Total/NA	Prep	EFGS SOP2836 Closed Vessel Water Oven Digestion		1			F009359_	09/14/20 11:13		Frontier
Total/NA	Analysis	LL Diss Fe 200.8 (Eurofins Frontier)		1			F009359	09/15/20 02:55	MGS	Frontier

Client Sample ID: HVL-082620-14

Lab Sample ID: 280-139855-2

Date Collected: 08/26/20 13:00

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	507847	09/03/20 16:29	PP	TAL DEN
Total/NA	Analysis	8260B	RA	1	5 mL	5 mL	507993	09/04/20 17:59	AJP	TAL DEN
Total/NA	Analysis	300.0		1			483473	09/23/20 17:49	LTC	TAL SL
Total/NA	Analysis	300.0	DL	20			483473	09/23/20 18:05	LTC	TAL SL
Dissolved	Prep	3005A			50 mL	50 mL	507251	09/01/20 08:11	EAS	TAL DEN
Dissolved	Analysis	6010B		1			508493	09/02/20 16:34	LMT	TAL DEN
Dissolved	Prep	3005A			50 mL	50 mL	507242	08/31/20 15:55	EC	TAL DEN
Dissolved	Analysis	6020		1			507680	09/01/20 17:24	LMT	TAL DEN
Total/NA	Analysis	300.0		1	5 mL	5 mL	507064	08/27/20 19:03	JAP	TAL DEN
Total/NA	Analysis	350.1		1	10 mL	10 mL	508862	09/12/20 14:08	BWH	TAL DEN
Total/NA	Analysis	SM 2320B		1			507547	08/28/20 15:03	RAF	TAL DEN
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	507583	09/01/20 12:47	BAR	TAL DEN
Total/NA	Analysis	SM 2540D		1	250 mL	250 mL	507567	09/01/20 11:22	BAR	TAL DEN
Total/NA	Analysis	SM 5310B		1	20 mL	20 mL	508773	09/10/20 22:09	JMB	TAL DEN

Eurofins TestAmerica, Denver

Lab Chronicle

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Client Sample ID: HVL-082620-14

Lab Sample ID: 280-139855-2

Date Collected: 08/26/20 13:00

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	EFGS SOP2836 Closed Vessel Water Oven Digestion		1			F009359_P	09/14/20 11:13		Frontier
Total/NA	Analysis	LL Diss Fe 200.8 (Eurofins Frontier)		1			F009359	09/15/20 03:00	MGS	Frontier

Client Sample ID: HVL-082620-15

Lab Sample ID: 280-139855-3

Date Collected: 08/26/20 13:50

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	507847	09/03/20 16:50	PP	TAL DEN
Total/NA	Analysis	8260B	RA	1	5 mL	5 mL	507993	09/04/20 18:20	AJP	TAL DEN
Total/NA	Analysis	300.0		1			483473	09/23/20 18:21	LTC	TAL SL
Total/NA	Analysis	300.0	DL	20			483473	09/23/20 18:37	LTC	TAL SL
Dissolved	Prep	3005A			50 mL	50 mL	507251	09/01/20 08:11	EAS	TAL DEN
Dissolved	Analysis	6010B		1			508493	09/02/20 16:37	LMT	TAL DEN
Dissolved	Prep	3005A			50 mL	50 mL	507242	08/31/20 15:55	EC	TAL DEN
Dissolved	Analysis	6020		1			507680	09/01/20 17:27	LMT	TAL DEN
Total/NA	Analysis	300.0		1	5 mL	5 mL	507064	08/27/20 20:58	JAP	TAL DEN
Total/NA	Analysis	350.1		1	10 mL	10 mL	508862	09/12/20 14:10	BWH	TAL DEN
Total/NA	Analysis	SM 2320B		1			507547	08/28/20 15:08	RAF	TAL DEN
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	507583	09/01/20 12:47	BAR	TAL DEN
Total/NA	Analysis	SM 2540D		1	250 mL	250 mL	507567	09/01/20 11:22	BAR	TAL DEN
Total/NA	Analysis	SM 5310B		1	20 mL	20 mL	508773	09/10/20 22:54	JMB	TAL DEN
Total/NA	Prep	EFGS SOP2836 Closed Vessel Water Oven Digestion		1			F009359_P	09/14/20 11:13		Frontier
Total/NA	Analysis	LL Diss Fe 200.8 (Eurofins Frontier)		1			F009359	09/15/20 03:05	MGS	Frontier

Client Sample ID: HVL-082620-16

Lab Sample ID: 280-139855-4

Date Collected: 08/26/20 14:02

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	507847	09/03/20 17:11	PP	TAL DEN
Total/NA	Analysis	8260B	RA	1	5 mL	5 mL	507993	09/04/20 18:41	AJP	TAL DEN
Total/NA	Analysis	300.0		1	5 mL	1.0 mL	483473	09/23/20 19:24	LTC	TAL SL
Total/NA	Analysis	300.0	DL	20			483473	09/23/20 19:40	LTC	TAL SL
Dissolved	Prep	3005A			50 mL	50 mL	507251	09/01/20 08:11	EAS	TAL DEN
Dissolved	Analysis	6010B		1			508493	09/02/20 16:41	LMT	TAL DEN
Dissolved	Prep	3005A			50 mL	50 mL	507242	08/31/20 15:55	EC	TAL DEN
Dissolved	Analysis	6020		1			507680	09/01/20 17:31	LMT	TAL DEN

Eurofins TestAmerica, Denver

Lab Chronicle

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Client Sample ID: HVL-082620-16

Lab Sample ID: 280-139855-4

Date Collected: 08/26/20 14:02

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	5 mL	5 mL	507064	08/27/20 21:31	JAP	TAL DEN
Total/NA	Analysis	350.1		1	10 mL	10 mL	508862	09/12/20 14:45	BWH	TAL DEN
Total/NA	Analysis	SM 2320B		1			507547	08/28/20 15:13	RAF	TAL DEN
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	507583	09/01/20 12:47	BAR	TAL DEN
Total/NA	Analysis	SM 2540D		1	250 mL	250 mL	507567	09/01/20 11:22	BAR	TAL DEN
Total/NA	Analysis	SM 5310B		1	20 mL	20 mL	508773	09/10/20 23:08	JMB	TAL DEN
Total/NA	Prep	EFGS SOP2836 Closed Vessel Water Oven Digestion		1			F009359_P	09/14/20 11:13		Frontier
Total/NA	Analysis	LL Diss Fe 200.8 (Eurofins Frontier)		1			F009359	09/15/20 03:09	MGS	Frontier

Client Sample ID: HVL-082620-17

Lab Sample ID: 280-139855-5

Date Collected: 08/26/20 14:50

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	507847	09/03/20 17:32	PP	TAL DEN
Total/NA	Analysis	8260B	RA	1	5 mL	5 mL	507993	09/04/20 19:02	AJP	TAL DEN
Total/NA	Analysis	300.0		1			482469	09/15/20 23:17	LTC	TAL SL
Total/NA	Analysis	300.0	DL	20			482469	09/15/20 23:32	LTC	TAL SL
Dissolved	Prep	3005A			50 mL	50 mL	507251	09/01/20 08:11	EAS	TAL DEN
Dissolved	Analysis	6010B		1			508493	09/02/20 16:58	LMT	TAL DEN
Dissolved	Prep	3005A			50 mL	50 mL	507242	08/31/20 15:55	EC	TAL DEN
Dissolved	Analysis	6020		1			507680	09/01/20 17:34	LMT	TAL DEN
Total/NA	Analysis	300.0		1	5 mL	5 mL	507064	08/27/20 21:47	JAP	TAL DEN
Total/NA	Analysis	350.1		1	10 mL	10 mL	508862	09/12/20 14:47	BWH	TAL DEN
Total/NA	Analysis	SM 2320B		1			507547	08/28/20 15:19	RAF	TAL DEN
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	507583	09/01/20 12:47	BAR	TAL DEN
Total/NA	Analysis	SM 2540D		1	250 mL	250 mL	507567	09/01/20 11:22	BAR	TAL DEN
Total/NA	Analysis	SM 5310B		1	20 mL	20 mL	508773	09/10/20 23:23	JMB	TAL DEN
Total/NA	Prep	EFGS SOP2836 Closed Vessel Water Oven Digestion		1			F009359_P	09/14/20 11:13		Frontier
Total/NA	Analysis	LL Diss Fe 200.8 (Eurofins Frontier)		1			F009359	09/15/20 03:23	MGS	Frontier

Client Sample ID: HVL-082620-18

Lab Sample ID: 280-139855-6

Date Collected: 08/26/20 15:20

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	507847	09/03/20 17:53	PP	TAL DEN

Eurofins TestAmerica, Denver

Lab Chronicle

Client: SCS Engineers
Project/Site: Hidden Valley LF

Job ID: 280-139855-1

Client Sample ID: HVL-082620-18

Lab Sample ID: 280-139855-6

Date Collected: 08/26/20 15:20

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	RA	1	5 mL	5 mL	508332	09/08/20 23:31	PP	TAL DEN
Total/NA	Analysis	300.0		1			482469	09/15/20 23:48	LTC	TAL SL
Total/NA	Analysis	300.0	DL	20			482469	09/16/20 00:04	LTC	TAL SL
Dissolved	Prep	3005A			50 mL	50 mL	507251	09/01/20 08:11	EAS	TAL DEN
Dissolved	Analysis	6010B		1			508493	09/02/20 17:13	LMT	TAL DEN
Dissolved	Prep	3005A			50 mL	50 mL	507242	08/31/20 15:55	EC	TAL DEN
Dissolved	Analysis	6020		1			507680	09/01/20 17:38	LMT	TAL DEN
Total/NA	Analysis	300.0		1	5 mL	5 mL	507064	08/27/20 22:04	JAP	TAL DEN
Total/NA	Analysis	350.1		1	10 mL	10 mL	508862	09/12/20 14:49	BWH	TAL DEN
Total/NA	Analysis	SM 2320B		1			507547	08/28/20 15:24	RAF	TAL DEN
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	507583	09/01/20 12:47	BAR	TAL DEN
Total/NA	Analysis	SM 2540D		1	250 mL	250 mL	507567	09/01/20 11:22	BAR	TAL DEN
Total/NA	Analysis	SM 5310B		1	20 mL	20 mL	508773	09/10/20 23:38	JMB	TAL DEN
Total/NA	Prep	EFGS SOP2836 Closed Vessel Water Oven Digestion		1			F009359_P	09/14/20 11:13		Frontier
Total/NA	Analysis	LL Diss Fe 200.8 (Eurofins Frontier)		1			F009359	09/15/20 03:28	MGS	Frontier

Client Sample ID: TRIP BLANK

Lab Sample ID: 280-139855-7

Date Collected: 08/26/20 13:00

Matrix: Water

Date Received: 08/27/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	507847	09/03/20 18:14	PP	TAL DEN

Laboratory References:

Frontier = Eurofins Frontier Global Sciences LLC, 5755 8th Street E, Tacoma, WA 98424

TAL DEN = Eurofins TestAmerica, Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



Frontier Global Sciences

5755 8th Street East
Tacoma, WA 98424
Phone: (253) 922-2310

16 September 2020

Betsy Sara
Eurofins Test America - Denver
4955 Yarrow Street
Arvada, CO 80002
RE: 200.8 Metals

Enclosed are the analytical results for samples received by Eurofins Frontier Global Sciences. All quality control measurements are within established control limits and there were no analytical difficulties encountered with the exception of those listed in the case narrative section of this report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Patrick Garcia-Strickland
Business Unit Manager





Eurofins Test America - Denver
4955 Yarrow Street
Arvada CO, 80002

Project: 200.8 Metals
Project Number: 28003580
Project Manager: Betsy Sara

Reported:
16-Sep-20 16:53

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
HVL-082620-13 (280-139855-1)	0I00003-01	Water	26-Aug-20 13:05	01-Sep-20 09:30
HVL-082620-14 (280-139855-2)	0I00003-02	Water	26-Aug-20 13:00	01-Sep-20 09:30
HVL-082620-15 (280-139855-3)	0I00003-03	Water	26-Aug-20 13:50	01-Sep-20 09:30
HVL-082620-16 (280-139855-4)	0I00003-04	Water	26-Aug-20 14:02	01-Sep-20 09:30
HVL-082620-17 (280-139855-5)	0I00003-05	Water	26-Aug-20 14:50	01-Sep-20 09:30
HVL-082620-18 (280-139855-6)	0I00003-06	Water	26-Aug-20 15:20	01-Sep-20 09:30

Eurofins Frontier Global Sciences, LLC

Patrick Garcia-Strickland, Business Unit Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Eurofins Test America - Denver
4955 Yarrow Street
Arvada CO, 80002

Project: 200.8 Metals
Project Number: 28003580
Project Manager: Betsy Sara

Reported:
16-Sep-20 16:53

SAMPLE RECEIPT

Samples were received at Eurofins Frontier Global Sciences (EFGS) on 01-Sep-20 09:30. The samples were received intact

SAMPLE PREPARATION AND ANALYSIS

Samples were prepared and analyzed for total recoverable metals by inductively coupled plasma mass spectrometry (ICP-MS) in accordance with EPA 200.8.

ANALYTICAL AND QUALITY CONTROL ISSUES

Method blanks were prepared for every preparation to assess possible blank contribution from the sample preparation procedure. The method blanks were carried through the entire analytical procedure. All blanks fell within the established acceptance criteria with the exception of any items narrated above or flagged and described in the notes and definitions section of the report.

Liquid spikes, certified reference material (CRM) or a quality control samples (QCS) were prepared for every preparation as a measure of accuracy. All liquid spikes, CRMs and/or QCS samples fell within the established acceptance criteria with the exception of any items narrated above or flagged and described in the notes and definitions section of the report.

As an additional measure of the accuracy of the methods used and to check for matrix interference, matrix spikes (MS) and matrix spike duplicates (MSD) were digested and analyzed. All of the matrix spike recoveries fell within the established acceptance criteria with the exception of any items flagged and described in the notes and definitions section of the report.

A reasonable measure of the precision of the analytical methods is the relative percent difference (RPD) between a matrix spike recovery and a matrix spike duplicate recovery and between laboratory control sample recovery and laboratory control sample duplicate recoveries. All of the relative percent differences fell within established acceptance criteria with the exception of any items flagged and described in the notes and definitions section of the report.

Eurofins Frontier Global Sciences, LLC

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Patrick Garcia-Strickland, Business Unit Manager





Sample Receipt Checklist

Client: TA - Denver Date & Time Received: 9/1/2017 9:20 Date Labeled: 9/1/2017 Labeled By: [Signature]
 Project: water Received By: [Signature] Label Verified By: [Signature]

of Coolers Received: 1 Shipping Service Hand Courier Hand Other (Specify):

Coolant: None/Ambient Loose Ice Gel Ice Dry Ice Coolant Required: Y/N Temp Blank Used: Y/N for Cooler(s):

Notify Project Manager if packages/coolers are received without coolant or with thawed coolant and at a temperature in excess of 6°C. PM notified: Y/N

Cooler Information:	Y/N/NA	Comments
The coolers do not appear to be tampered with:	<u>Y</u>	
Custody Seals are present and intact:	<u>Y</u>	
Custody seals signed:	<u>Y</u>	


TID: <u>8087513</u>	CF: <u>0.4</u> °C	Date/time: <u>9/1/2017 9:20</u>	By: <u>[Signature]</u>
Cooler 1: <u>20.3</u> °C	w/CF: <u>20.3</u> °C	Cooler 4: <u> </u> °C	w/CF: <u> </u> °C
Cooler 2: <u> </u> °C	w/CF: <u> </u> °C	Cooler 5: <u> </u> °C	w/CF: <u> </u> °C
Cooler 3: <u> </u> °C	w/CF: <u> </u> °C	Cooler 6: <u> </u> °C	w/CF: <u> </u> °C

Chain of Custody:	Y/N/NA	Comments
Sample ID/Description:	<u>Y</u>	
Date and time of collection:	<u>Y</u>	
Sampled by:	<u>Y</u>	
Preservation type:	<u>Y</u>	
Requested analyses:	<u>Y</u>	
Required signatures:	<u>Y</u>	
Internal COC required:	<u>NR</u>	

Sample Condition/Integrity:	Y/N/NA	Comments
Sample containers intact/present:	<u>Y</u>	
Sample labels are present and legible:	<u>Y</u>	
Sample ID on container/bag matches COC:	<u>Y</u>	
Correct sample containers used:	<u>Y</u>	
Samples received within holding times:	<u>Y</u>	
Sample volume sufficient for requested analyses:	<u>Y</u>	
Correct preservative used for requested analyses:	<u>NO</u>	

Anomalies/Non-conformances (attach additional pages if needed):

0100003



Chain of Custody Record



010003

Client Information (Sub Contract Lab)		Lab PIV: Sara, Betsy A	Carrier Tracking No(s): COC No: 280-537046-1
Shipping/Receiving		E-Mail: Betsy.Sara@Eurofins.com	Page: Page 1 of 1
Frontier Analytical Laboratory		State of Origin: Washington	
5172 Hillside Circle,		Job #: 280-139855-1	
City: El Dorado Hills	Due Date Requested: 9/15/2020	Analysis Requested	
State, Zip: CA, 95762	TAT Requested (days):	M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Phone:	PO #:	Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
Email:	WO #:	Total Number of containers	
Project Name: Hidden Valley LF	Project #: 28003580	Perform MS/MSD (Yes or No)	
Site:	SSOW#:	Field Filtered Sample (Yes or No)	
Sample Identification - Client ID (Lab ID)		Special Instructions/Note:	
HVL-082620-13 (280-139855-1)	Sample Date: 8/26/20	Sample Time: 13:05 Pacific	Matrix: Water
HVL-082620-14 (280-139855-2)	Sample Date: 8/26/20	Sample Time: 13:00 Pacific	Matrix: Water
HVL-082620-15 (280-139855-3)	Sample Date: 8/26/20	Sample Time: 13:50 Pacific	Matrix: Water
HVL-082620-16 (280-139855-4)	Sample Date: 8/26/20	Sample Time: 14:02 Pacific	Matrix: Water
HVL-082620-17 (280-139855-5)	Sample Date: 8/26/20	Sample Time: 14:50 Pacific	Matrix: Water
HVL-082620-18 (280-139855-6)	Sample Date: 8/26/20	Sample Time: 15:20 Pacific	Matrix: Water
<p>Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.</p>			
Possible Hazard Identification			
<p>Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2 Empty Kit Relinquished by: _____ Relinquished by: <i>Matthew Hall</i> Relinquished by: <i>Matthew Hall</i> Relinquished by: <i>Matthew Hall</i></p>			
<p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements: _____</p>			
<p>Method of Shipment: _____ Date/Time: 8/28/20 13:05 Date/Time: 8/31/20 8:10 Date/Time: _____ Company: Eurofins Company: Eurofins Company: Eurofins</p>			
<p>Cooler Temperature(s) °C and Other Remarks: 20.5 °C</p>			





Environment Testing
America

Shipping Order Form



Eurofins TestAmerica, Denver
4955 Yarrow Street
Arvada, CO 80002
Phone (303) 736-0100 Fax (303) 431-7171

Shipping Order ID: 101678

Ship Via: FedEx Priority Overnight

Due On: 8/28/2020 11:59:00PM

Ship To Information

Project Manager:

Company Name: *Frontier Analytical Laboratory*

Attention: *Shipping/Receiving*

Address 1: *5172 Hillside Circle*

Address 2:

Address 3:

City: *El Dorado Hills*

State: *CA*

Zip: *95762*

Phone #:

Project Ref:

Notes to Bottle/Shipping Department

Shipping Method: **Standard packing**

- Ready to Fill
- Preprinted COC
- Number of COC Copies
- Seals on Bottle
- Seals on Coolers
- Priority
- Return Shipment Labels
- Prepaid Return
- Eurofins TestAmerica, Denver
- Short Hold Times
- Temperature Control
- Rush

250
nitric

Sub

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.
Go to <http://www.testamericainc.com/customer-support/specialized-instructions-for-field-samplers/> for field sampler instructions.

Shipping Order ID: 101678

Page 1 of 2

Printed on 8/28/2020 9:38:17 AM

Page 6 of 18

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



Eurofins Test America - Denver 4955 Yarrow Street Arvada CO, 80002	Project: 200.8 Metals Project Number: 28003580 Project Manager: Betsy Sara	Reported: 16-Sep-20 16:53
--	--	------------------------------

HVL-082620-13 (280-139855-1)
0100003-01

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Sequence	Analyzed	Method	Notes
Sample Preparation: EFGS SOP2836 Closed Vessel Water Oven Digestion											
Iron	28	-	10	µg/L	1	F009359	14-Sep-20	0115014	15-Sep-20	EPA 200.8	

Eurofins Frontier Global Sciences, LLC

Patrick Garcia-Strickland, Business Unit Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Eurofins Test America - Denver 4955 Yarrow Street Arvada CO, 80002	Project: 200.8 Metals Project Number: 28003580 Project Manager: Betsy Sara	Reported: 16-Sep-20 16:53
--	--	------------------------------

HVL-082620-14 (280-139855-2)

0100003-02

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Sequence	Analyzed	Method	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	----------	--------	-------

Sample Preparation: EFGS SOP2836 Closed Vessel Water Oven Digestion

Iron	ND	-	10	µg/L	1	F009359	14-Sep-20	0115014	15-Sep-20	EPA 200.8	U
------	----	---	----	------	---	---------	-----------	---------	-----------	-----------	---

Eurofins Frontier Global Sciences, LLC

Patrick Garcia-Strickland, Business Unit Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Frontier Global Sciences

5755 8th Street East
Tacoma, WA 98424
Phone: (253) 922-2310

Eurofins Test America - Denver 4955 Yarrow Street Arvada CO, 80002	Project: 200.8 Metals Project Number: 28003580 Project Manager: Betsy Sara	Reported: 16-Sep-20 16:53
--	--	------------------------------

HVL-082620-15 (280-139855-3)

0100003-03

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Sequence	Analyzed	Method	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	----------	--------	-------

Sample Preparation: EFGS SOP2836 Closed Vessel Water Oven Digestion

Iron	ND	-	10	µg/L	1	F009359	14-Sep-20	0115014	15-Sep-20	EPA 200.8	U
------	----	---	----	------	---	---------	-----------	---------	-----------	-----------	---

Eurofins Frontier Global Sciences, LLC

Patrick Garcia-Strickland, Business Unit Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Eurofins Test America - Denver 4955 Yarrow Street Arvada CO, 80002	Project: 200.8 Metals Project Number: 28003580 Project Manager: Betsy Sara	Reported: 16-Sep-20 16:53
--	--	------------------------------

HVL-082620-16 (280-139855-4)
0I00003-04

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Sequence	Analyzed	Method	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	----------	--------	-------

Sample Preparation: EFGS SOP2836 Closed Vessel Water Oven Digestion

Iron	ND	-	10	µg/L	1	F009359	14-Sep-20	0115014	15-Sep-20	EPA 200.8	U
------	----	---	----	------	---	---------	-----------	---------	-----------	-----------	---

Eurofins Frontier Global Sciences, LLC

Patrick Garcia-Strickland, Business Unit Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Eurofins Test America - Denver 4955 Yarrow Street Arvada CO, 80002	Project: 200.8 Metals Project Number: 28003580 Project Manager: Betsy Sara	Reported: 16-Sep-20 16:53
--	--	------------------------------

HVL-082620-17 (280-139855-5)
0100003-05

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Sequence	Analyzed	Method	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	----------	--------	-------

Sample Preparation: EFGS SOP2836 Closed Vessel Water Oven Digestion

Iron	3590	-	10	µg/L	1	F009359	14-Sep-20	0115014	15-Sep-20	EPA 200.8	
------	------	---	----	------	---	---------	-----------	---------	-----------	-----------	--

Eurofins Frontier Global Sciences, LLC

Patrick Garcia-Strickland, Business Unit Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Eurofins Test America - Denver 4955 Yarrow Street Arvada CO, 80002	Project: 200.8 Metals Project Number: 28003580 Project Manager: Betsy Sara	Reported: 16-Sep-20 16:53
--	--	------------------------------

HVL-082620-18 (280-139855-6)

0I00003-06

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Sequence	Analyzed	Method	Notes
---------	--------	-----------------	-----------------	-------	----------	-------	----------	----------	----------	--------	-------

Sample Preparation: EFGS SOP2836 Closed Vessel Water Oven Digestion

Iron	ND	-	10	µg/L	1	F009359	14-Sep-20	0115014	15-Sep-20	EPA 200.8	U
------	----	---	----	------	---	---------	-----------	---------	-----------	-----------	---

Eurofins Frontier Global Sciences, LLC

Patrick Garcia-Strickland, Business Unit Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Eurofins Test America - Denver
4955 Yarrow Street
Arvada CO, 80002

Project: 200.8 Metals
Project Number: 28003580
Project Manager: Betsy Sara

Reported:
16-Sep-20 16:53

Quality Control Data

Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0I15014 - F009358

Cal Standard (0I15014-CAL1)					Prepared & Analyzed: 14-Sep-20						
Iron	0.7	-		µg/L	0.50000		135				
Cal Standard (0I15014-CAL2)					Prepared & Analyzed: 14-Sep-20						
Iron	2	-		µg/L	2.0000		107				
Cal Standard (0I15014-CAL3)					Prepared & Analyzed: 14-Sep-20						
Iron	10	-		µg/L	10.000		102				
Cal Standard (0I15014-CAL4)					Prepared & Analyzed: 14-Sep-20						
Iron	20	-		µg/L	20.000		101				
Cal Standard (0I15014-CAL5)					Prepared & Analyzed: 14-Sep-20						
Iron	12	-		µg/L	12.500		99.2				
Cal Standard (0I15014-CAL6)					Prepared & Analyzed: 14-Sep-20						
Iron	25	-		µg/L	25.000		100				
Cal Standard (0I15014-CAL7)					Prepared & Analyzed: 14-Sep-20						
Iron	50	-		µg/L	50.000		99.5				
Cal Standard (0I15014-CAL8)					Prepared & Analyzed: 14-Sep-20						
Iron	102	-		µg/L	100.00		102				
Cal Standard (0I15014-CAL9)					Prepared & Analyzed: 14-Sep-20						
Iron	250	-		µg/L	250.00		99.9				
Cal Standard (0I15014-CALA)					Prepared & Analyzed: 14-Sep-20						
Iron	504	-		µg/L	500.00		101				

Eurofins Frontier Global Sciences, LLC

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Patrick Garcia-Strickland, Business Unit Manager



Eurofins Test America - Denver
4955 Yarrow Street
Arvada CO, 80002

Project: 200.8 Metals
Project Number: 28003580
Project Manager: Betsy Sara

Reported:
16-Sep-20 16:53

Quality Control Data

Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0115014 - F009358

Cal Standard (0115014-CALB)					Prepared & Analyzed: 14-Sep-20						
Iron	996	-		µg/L	1000.0		99.6				
Cal Standard (0115014-CALC)					Prepared & Analyzed: 14-Sep-20						
Iron	2001	-		µg/L	2000.0		100				
Calibration Blank (0115014-CCB1)					Prepared & Analyzed: 14-Sep-20						
Iron	0.09	-		µg/L							
Calibration Blank (0115014-CCB2)					Prepared & Analyzed: 14-Sep-20						
Iron	0.1	-		µg/L							
Calibration Blank (0115014-CCB3)					Prepared: 14-Sep-20 Analyzed: 15-Sep-20						
Iron	0.1	-		µg/L							
Calibration Blank (0115014-CCB4)					Prepared: 14-Sep-20 Analyzed: 15-Sep-20						
Iron	0.09	-		µg/L							
Calibration Blank (0115014-CCB5)					Prepared: 14-Sep-20 Analyzed: 15-Sep-20						
Iron	0.3	-		µg/L							
Calibration Blank (0115014-CCB6)					Prepared: 14-Sep-20 Analyzed: 15-Sep-20						
Iron	0.1	-		µg/L							
Calibration Blank (0115014-CCB7)					Prepared: 14-Sep-20 Analyzed: 15-Sep-20						
Iron	0.1	-		µg/L							
Calibration Blank (0115014-CCB8)					Prepared: 14-Sep-20 Analyzed: 15-Sep-20						
Iron	0.1	-		µg/L							

Eurofins Frontier Global Sciences, LLC

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Patrick Garcia-Strickland, Business Unit Manager



Eurofins Test America - Denver
4955 Yarrow Street
Arvada CO, 80002

Project: 200.8 Metals
Project Number: 28003580
Project Manager: Betsy Sara

Reported:
16-Sep-20 16:53

Quality Control Data

Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0115014 - F009358											
Calibration Check (0115014-CCV1) Prepared & Analyzed: 14-Sep-20											
Iron	249	-		µg/L	250.60		99.5	90-110			
Calibration Check (0115014-CCV2) Prepared & Analyzed: 14-Sep-20											
Iron	252	-		µg/L	250.60		100	90-110			
Calibration Check (0115014-CCV3) Prepared: 14-Sep-20 Analyzed: 15-Sep-20											
Iron	239	-		µg/L	250.60		95.2	90-110			
Calibration Check (0115014-CCV4) Prepared: 14-Sep-20 Analyzed: 15-Sep-20											
Iron	241	-		µg/L	250.60		96.0	90-110			
Calibration Check (0115014-CCV5) Prepared: 14-Sep-20 Analyzed: 15-Sep-20											
Iron	239	-		µg/L	250.60		95.4	90-110			
Calibration Check (0115014-CCV6) Prepared: 14-Sep-20 Analyzed: 15-Sep-20											
Iron	239	-		µg/L	250.60		95.5	90-110			
Calibration Check (0115014-CCV7) Prepared: 14-Sep-20 Analyzed: 15-Sep-20											
Iron	245	-		µg/L	250.60		97.6	90-110			
Calibration Check (0115014-CCV8) Prepared: 14-Sep-20 Analyzed: 15-Sep-20											
Iron	237	-		µg/L	250.60		94.6	90-110			
Initial Cal Blank (0115014-ICB1) Prepared & Analyzed: 14-Sep-20											
Iron	0.1	-		µg/L							
Initial Cal Check (0115014-ICV1) Prepared & Analyzed: 14-Sep-20											
Iron	251	-		µg/L	250.60		100	90-110			



Eurofins Test America - Denver
4955 Yarrow Street
Arvada CO, 80002

Project: 200.8 Metals
Project Number: 28003580
Project Manager: Betsy Sara

Reported:
16-Sep-20 16:53

Quality Control Data

Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0I15014 - F009358

Low Cal Check (0I15014-LCV3) Prepared & Analyzed: 14-Sep-20											
Iron	0.6	-		µg/L	0.50000		122	0-200			
Low Cal Check (0I15014-LCV4) Prepared & Analyzed: 14-Sep-20											
Iron	1	-		µg/L	1.0000		109	0-200			
Low Cal Check (0I15014-LCV5) Prepared & Analyzed: 14-Sep-20											
Iron	2	-		µg/L	2.0000		102	0-200			
Low Cal Check (0I15014-LCV6) Prepared & Analyzed: 14-Sep-20											
Iron	6	-		µg/L	6.2500		101	0-200			
Low Cal Check (0I15014-LCV7) Prepared & Analyzed: 14-Sep-20											
Iron	13	-		µg/L	12.500		100	0-200			

Batch F009359 - EFGS SOP2836 Closed Vessel Water Oven Digestion

Blank (F009359-BLK1) Prepared & Analyzed: 14-Sep-20											
Iron	ND	-	5	µg/L							U
Blank (F009359-BLK2) Prepared & Analyzed: 14-Sep-20											
Iron	ND	-	5	µg/L							U
LCS (F009359-BS1) Prepared & Analyzed: 14-Sep-20											
Iron	1278	-	5	µg/L	1250.0		102	85-115			
LCS Dup (F009359-BSD1) Prepared & Analyzed: 14-Sep-20											
Iron	1266	-	5	µg/L	1250.0		101	85-115	0.921	20	

Eurofins Frontier Global Sciences, LLC

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Patrick Garcia-Strickland, Business Unit Manager



Eurofins Test America - Denver 4955 Yarrow Street Arvada CO, 80002	Project: 200.8 Metals Project Number: 28003580 Project Manager: Betsy Sara	Reported: 16-Sep-20 16:53
--	--	------------------------------

Quality Control Data

Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch F009359 - EFGS SOP2836 Closed Vessel Water Oven Digestion

Matrix Spike (F009359-MS1)		Source: 0100001-01		Prepared: 14-Sep-20 Analyzed: 15-Sep-20							
Iron	4411	-	5	µg/L	1250.0	2868	123	70-130			E
Matrix Spike (F009359-MS2)		Source: 0100002-01		Prepared: 14-Sep-20 Analyzed: 15-Sep-20							
Iron	2398	-	10	µg/L	2500.0	ND	95.9	70-130			
Matrix Spike Dup (F009359-MSD1)		Source: 0100001-01		Prepared: 14-Sep-20 Analyzed: 15-Sep-20							
Iron	4093	-	5	µg/L	1250.0	2868	98.0	70-130	7.49	20	E
Matrix Spike Dup (F009359-MSD2)		Source: 0100002-01		Prepared: 14-Sep-20 Analyzed: 15-Sep-20							
Iron	2424	-	10	µg/L	2500.0	ND	96.9	70-130	1.06	20	

Eurofins Frontier Global Sciences, LLC

Patrick Garcia-Strickland, Business Unit Manager

The results in this report only apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Eurofins Test America - Denver
4955 Yarrow Street
Arvada CO, 80002

Project: 200.8 Metals
Project Number: 28003580
Project Manager: Betsy Sara

Reported:
16-Sep-20 16:53

Notes and Definitions

- U Analyte was not detected and is reported as less than the LOD or as defined by the client. The LOD has been adjusted for any dilution or concentration of the sample.
- QM-12 Continuing calibration verification (CCV) and/or blank spike/blank spike duplicate (BS/BSD) recoveries above upper control limits. All reported sample concentrations were below the reporting limit.
- E The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate (CLP E-flag).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the method detection limit if reported to the MDL or above the reporting limit if reported to the MRL.
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference



Sampler: S6. + A.D. Lab PM: Sara, Betsy A
 Client Contact: 425-766-3362 Phone: 8156 5924 6283
 Company: SCS Engineers E-Mail: betsy.sara@testamericainc.com

Address: 2405 140th Avenue NE Suite 107
 City: Bellevue
 State, Zip: WA, 98005-1877
 Phone: 425-766-3362
 Email: SGrabert@scsengineers.com

Project Name: 28003580-Quarterly Groundwater Wells
 Site: Hidden Valley Landfill
 SOW#: 7

Due Date Requested: Standard
 TAT Requested (days): 7
 PO #: Purchase Order not required
 WO #:

Carrier Tracking No(s): 8156 5924 6283
 Job #: 04220002.03

Analysis Requested: 280-139855 Chain of Custody

Preservation Codes:
 A - HCL
 B - NaOH
 C - Zn Acetate
 D - Nitric Acid
 E - NaHSO4
 F - MeOH
 G - Amchlor
 H - Ascorbic Acid
 I - Ice
 J - DI Water
 K - EDTA
 L - EDA
 Other:

M - Hexane
 N - None
 O - AsNaO2
 P - Na2O4S
 Q - Na2SO3
 R - Na2S2SO3
 S - H2SO4
 T - TSP Dodecahydrate
 U - Acetone
 V - MCAA
 W - ph 4-5
 Z - other (specify)

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=water/soil, BT=BIOS, A=Air)	Field Filtered Sample (Yes or No)		Dissolved Metals (6010B/6020)		Dissolved Iron (Frontier)		TDS/AIks/NO3(C)		CISQ4 (TA St. Louis)		Ammonia/TOC		TSS	Total Number of Containers	Special Instructions/Note:
					A	D	X	X	N	N	S	N	S	N	S	N			
HVL-082620-13	8/26/20	1305	G	W	Y	N	X	X	X	X	X	X	X	X	X	X	X	9	Short Hold: NO3(C)
HVL-082620-14		1300			Y	N	X	X	X	X	X	X	X	X	X	X	X		
HVL-082620-15		1350			Y	N	X	X	X	X	X	X	X	X	X	X	X		
HVL-082620-16		1402			Y	N	X	X	X	X	X	X	X	X	X	X	X		
HVL-082620-17		1450			Y	N	X	X	X	X	X	X	X	X	X	X	X		
HVL-082620-18		1520			Y	N	X	X	X	X	X	X	X	X	X	X	X		
TRIP blank					Y	N	X	X	X	X	X	X	X	X	X	X	X	2	

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Deliverable Requested: I, II, III, IV, Other (specify)

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: _____ Date: 8/26/20 Company: SCS
 Relinquished by: _____ Date: _____ Company: _____
 Relinquished by: _____ Date: _____ Company: _____

Custody Seal Intact: 1387471 1387470 Custody Seal No.: 1387471 1387470
 Δ Yes Δ No

Received by: [Signature] Date/Time: 8-27-20 09:20 Company: FARM
 Received by: _____ Date/Time: _____ Company: _____
 Received by: _____ Date/Time: _____ Company: _____

Cooler Temperature(s) °C and Other Remarks: 5.3, 4.3, 6.1, 11 - 0.2, 12 8-27-20





280-139855 Waybill

ORIGIN ID:SEAA

SHIP DATE: 26AUG20
ACTWGT: 59.60 LB
CAD: /SSFE2110
DIMS: 25x13x14 IN

TO **SAMPLE RECEIVING
TESTAMERICA DENVER
4955 YARROW ST**

56812/7709/8766


ARVADA CO 80002 - 45

(US)

(303) 736-0100
INU:
PO:

REF:

DEPT:



**FedEx
Express**



J2020200714024V

TRK# 8156 5924 6294
0667

**THU - 27 AUG 10:30A
PRIORITY OVERNIGHT**

XH LAAA

**AHS
80002
CO-US DEN**



FedEx M-1578
119686 3/00 RRD

ORIGIN ID:SEAA

SHIP DATE: 16AUG20
ACTWGT: 60.25 LB
CAD: /SSFE2110
DIMS: 25x15x14 IN

99LR/60LL/21R95

TO SAMPLE RECEIVING
TESTAMERICA DENVER
4955 YARROW ST

ARVADA CO 80002-4517

(US)


(303) 736-0100

REF:

DEPT:

INU:

PO:



THU - 27 AUG 10:30A
PRIORITY OVERNIGHT

TRK# 8156 5924 6283
0667

XH LAAA

AHS
80002
CO-US DEN



Chain of Custody Record



Environment Testing
 America



Client Information (Sub Contract Lab)		Lab PM: Sara, Betsy A		Carrier Tracking No(s):	
Client Contact: Shipping/Receiving		E-Mail: Betsy.Sara@Eurofinset.com		State of Origin: Washington	
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): State Program - Washington		COC No: 280-537045.1	
Address: 13715 Rider Trail North,		Due Date Requested: 9/16/2020		Page: Page 1 of 1	
City: Earth City		TAT Requested (days):		Job #: 280-139855-1	
State, Zip: MO., 63045		PO #:		Preservation Codes:	
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		WO #:		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Project Name: Hidden Valley LF		Project #: 28003580		Other:	
Site:		SSOW#:			

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=water/oil, BT=tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform M/MSD (Yes or No)	300 ORGM_28D/ (MOD) Sulfate/Chloride (TA SL) (Louis)	Total Number of Containers	Special Instructions/Note:
HVL-082620-13 (280-139855-1)	8/26/20	13:05 Pacific		Water	X	X		1	
HVL-082620-14 (280-139855-2)	8/26/20	13:00 Pacific		Water	X	X		1	
HVL-082620-15 (280-139855-3)	8/26/20	13:50 Pacific		Water	X	X		1	
HVL-082620-16 (280-139855-4)	8/26/20	14:02 Pacific		Water	X	X		1	
HVL-082620-17 (280-139855-5)	8/26/20	14:50 Pacific		Water	X	X		1	
HVL-082620-18 (280-139855-6)	8/26/20	15:20 Pacific		Water	X	X		1	

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2
 Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: *Scott Hall* Date: 8/29/20
 Relinquished by: **FEDEX** Date: 8/29/20
 Relinquished by: _____ Date: _____
 Custody Seals Intact: _____ Custody Seal No.: _____
 Δ Yes Δ No
 Cooler Temperature(s) °C and Other Remarks:

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements:

Received by: *Scott Hall* Date: 8/29/20
 Received by: *Jay By* Date: 8/29/20 09:10
 Received by: _____ Date: _____
 Company: **ETA Denver**
 Company: **ETA STL**
 Company: _____

Login Sample Receipt Checklist

Client: SCS Engineers

Job Number: 280-139855-1

Login Number: 139855

List Number: 1

Creator: Lubin, Julius C

List Source: Eurofins TestAmerica, Denver

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	False	Refer to job narrative for details
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	



Login Sample Receipt Checklist

Client: SCS Engineers

Job Number: 280-139855-1

Login Number: 139855

List Number: 2

Creator: Boyd, Jacob C

List Source: Eurofins TestAmerica, St. Louis

List Creation: 08/29/20 11:25 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

