

# Cleanup Site Details

Cleanup Site ID: 1007

<b>Cleanup Site ID:</b> 1007	<b>Facility/Site ID:</b> 62984688	<b>UST ID:</b> N/A	<a href="#">Site Page</a>	<a href="#">Site Documents</a>	<a href="#">View Map</a>
<b>Cleanup Site Name:</b> Seattle Public Utilities SW Barton Water					<a href="#">Glossary</a>
<b>Alternate Names:</b> SEATTLE PUBLIC UTILITIES SW BARTON WATER, SPU SW BARTON WATER TOWER					

## LOCATION

<b>Address:</b> 3816 SW BARTON			<b>City:</b> SEATTLE	<b>Zip Code:</b> 98126	<b>County:</b> King
<b>Latitude:</b> 47.52114	<b>Longitude:</b> -122.38091	<b>WRIA:</b> 9	<b>Legislative District:</b> 34	<b>Congressional District:</b> 7	<b>TRS:</b> 24N 3E 35

## DETAIL

<b>Status:</b> Cleanup Started	<b>NFA Received?</b> No	<b>Is PSI site?</b> No
<b>Statute:</b> MTCA	<b>NFA Date:</b> N/A	<b>Current VCP?</b> No <b>Past VCP?</b> Yes
<b>Site Rank:</b> N/A	<b>NFA Reason:</b> N/A	<b>Brownfield?</b> No
<b>Site Manager:</b> Northwest Region	<b>Responsible Unit:</b> Northwest	<b>Active Institutional Control?</b> No

## CLEANUP UNITS

Cleanup Unit Name	Unit Type	Unit Status	Resp Unit	Unit Manager	Current Process
Seattle Public Utilities SW Barton Water	Upland	Cleanup Started	NW	Northwest Region	Independent Action

## ACTIVE INSTITUTIONAL CONTROLS

Instrument Type	Restriction Media	Restrictions/Requirements	Date	Recording Number	Recording County	Tax Parcel
-----------------	-------------------	---------------------------	------	------------------	------------------	------------

There are no current Institutional Controls in effect for this site.

## AFFECTED MEDIA & CONTAMINANTS

MEDIA						
Contaminant	Soil	Groundwater	Surface Water	Sediment	Air	Bedrock
Metals Priority Pollutants	C					

**Key:**  
 B - Below Cleanup Level      C - Confirmed Above Cleanup Level      RA - Remediated-Above  
 S - Suspected                  R - Remediated                  RB - Remediated-Below

## SITE ACTIVITIES

Activity	Status	Start Date	End Date/ Completion Date
Site Discovery/Release Report Received	Completed		12/19/1994
Site Discovery/Release Report Received	Completed		2/2/1999
VCP Opinion on Remedial Investigation Work Plan	Canceled	9/17/1999	1/1/1900