

EIM Help - Bioassay Template

Version 3.11

October 2023

How to Use This Help

Use the [grid below](#) when you fill out your **Bioassay template**. Each row corresponds to a column in the template. Download additional help for [Bioassay Data](#) in the [EIM Help Center](#).

Color Coding

Color coding gives a quick indication of required fields. This information is also in the “Requirements” column.

- **Yellow/Bold** = Required
- **Orange** = Required when Bioassay Category is Test or Reference

Things to Note

- If **Bioassay Category** is **Positive Control**, **Negative Control**, or **Initial**, **don’t** fill out the orange fields (columns B-U)
- Use **Results Template** to submit associated grain size for Test and Reference sample data

Help Field Column Names and Descriptions

- **Column (Col):** Column heading (A, B, C, etc.) in the EIM template
- **Field Name:** EIM field name
- **Description:** EIM field description
- **Requirements:** Indicates if field is required, conditionally required, or optional
- **Type:** Type of data field, like text, number, or date
- **Size:** The maximum number or length of characters allowed
- **Valid Values and Conditions:** Format or accepted values. Longer lists of valid values are at end of document or online.
- **Examples and Comments:** Examples in bulleted list at top

Grid – How to Fill Out Your Bioassay Template

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
A	Study ID	UNIQUE ID to identify the Study in EIM.	Required	Text	20	Must be valid EIM Study ID.	Use "Study ID" from (1) your Study form or (2) a Study already in EIM. Only submit data to one study at a Time To load data to more than one study, use separate templates for each.
B	Location ID	UNIQUE ID to identify the field Location in EIM.	Required for test and reference samples.	Text	15	Must be valid EIM Location ID.	Use the Location IDs you entered into Column A of your Location template. You will commonly have multiple bioassay records associated with the same Location ID. All result records associated with a particular sampling location will use that Location ID.
C	Study Specific Location ID	Unique ID to identify the field location within a particular Study. Only needs to be unique to the Study, not all of EIM. Can be same as Location ID, an abbreviation of Location ID, or something totally different.	Required for test and reference samples.	Text	40	Free text / preferred format. An ID of 8 characters or less will display better on the GIS map.	Ex: If your Location ID for a monitoring well is "USACE-34586-SED-4," your Study-Specific Location ID could be "SED-4." It's often the location identifier that's written on the sample tag or label. Each Location ID must be paired 1-to-1 with a Study-Specific Location ID. This ID also needs to be the same as what you used for chemistry data in your Result spreadsheet. Download more help: How to Name and Describe Field Locations .

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
D	Field Collector	Name or type of organization that collected the data.	Required for test and reference samples.	Text	15	See table of Field Collector valid values (in this document).	
E	Field Collection Start Date	The date that sample collection in the field began.	Required for test and reference samples.	Date	10	Format: MM/DD/YYYY	<ul style="list-style-type: none"> 06/23/1999 <p>Not the date the bioassay was started in the lab. That goes in Bioassay Start Date field.</p>
F	Field Collection Start Time	The time that sample collection in the field began.	Required for test and reference samples if available.	Time	8	Format: 24 hour, local time: <ul style="list-style-type: none"> HH:MM:SS HH:MM 	<ul style="list-style-type: none"> 15:22:14 15:22 <p>Note: Leave blank for unknown time; don't enter zeros. Time of 00:00:00 represents midnight.</p>
G	Field Collection Comment	Comments or descriptive information about the collection of data in the field.	Optional.	Text	2000	Free text	<ul style="list-style-type: none"> Visibility poor due to heavy rain <p>You can only enter ONE comment per Field Collection event. A Field Collection event includes all Results generated from a single location on the same day, at the same time (if time is recorded), with the same matrix and source, and are from the same depth. If a comment pertains specifically to a particular result or group of results within a Field Collection event, enter it as a Result Comment or Result Additional Comment.</p> <p>Download more help: How to Use EIM's Comment fields.</p>

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
H	Field Collection Reference Point	Point from which the collection depth of the field data was measured.	Required for test and reference samples.	Text	30	<ul style="list-style-type: none"> ▪ Land Surface ▪ Water Surface ▪ Sediment Surface ▪ Floor of Structure 	Download more help: Entering Field Collection Depth or Height
I	Field Collection Upper Depth	<p>Distance from the Reference Point to the upper boundary where field data was collected.</p> <p>Positive values represent depths below reference point; negative values represent distance above reference point.</p> <p>If a discrete sample is collected at one depth, Upper and Lower Depth are the same value.</p>	Required for test and reference samples.	Number		Must be a number.	<ul style="list-style-type: none"> ▪ Composite Sample: "5" for soil sample taken between 5 and 7.5 feet below land surface ▪ Discrete Sample: "5" for soil sample taken from 5 feet below land surface <p>Download more help: Entering Field Collection Depth or Height</p>

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
J	Field Collection Lower Depth	<p>Distance from the Reference Point to the lower boundary where field data was collected.</p> <p>Positive values represent depths below reference point; negative values represent distance above reference point.</p> <p>If a discrete sample is collected at one depth, Upper and Lower Depth are the same value.</p>	Required for test and reference samples.	Number		Must be a number.	<p>Ex. Composite Sample "7.5" if you were taking a soil sample between 5 and 7.5 feet below land surface.</p> <p>Ex. Discrete Sample: "5" if you were taking a soil sample from 5 feet below land surface.</p> <p>Download help for "Entering Field Collection Depth or Height."</p>
K	Field Collection Depth Units	Units of measure associated with the Field Collection Upper Depth and Field Collection Lower Depth.	Required for test and reference samples.	Text	10	<ul style="list-style-type: none"> ▪ cm - centimeters ▪ m - meters ▪ in - inches ▪ ft - feet 	

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
L	Sample ID	Primary ID to identify a sample. May be selected by the sampler or assigned by the lab.	Required for test and reference samples.	Text	50	Free text. Must match the corresponding Sample ID used in reports or other documents.	<p>Ex. "1304017-04" or "C1" or "MW1"</p> <p>The laboratory-assigned sample ID is often entered in this field, but not always. For example, cleanup sites commonly use IDs like MW1 to identify the location from which the sample was collected. Check with your data coordinator if you have questions about Sample IDs.</p> <p>Split samples sent to different labs must be assigned the same Sample ID before entry into EIM. Do not enter the data with mismatching lab-assigned sample IDs. This includes bioassay and chemistry data from the same sample.</p> <p>For information on Sample IDs and field replicates, download help for "Entering Field Replicates."</p>

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
M	Sample Field Replicate ID	<p>Secondary ID to identify a field replicate sample.</p> <p>Replicate samples often have separate Sample IDs; however, they may have the same Sample ID in some instances. The Sample Field Replicate ID is necessary to differentiate them in these cases.</p>	Required if Sample has field replicates.	Text	4	Free text / preferred format.	<p>Ex. 1, 2, 3, or FR1, FR2, FR3, etc.</p> <p>Field replicates are separate samples identically collected as close as possible to the same point in space and time as the original sample. They are stored in separate containers, each of which is identically processed and analyzed. Field replicates provide insight into field and laboratory procedure variability (and in some cases contaminant distribution).</p> <p>Download help for "Entering Field Replicates."</p>

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
N	Sample Replicate Flag	<p>Indicates that the sample is a field replicate.</p> <p>Field replicates are separate samples identically collected as close as possible to the same point in space and time as the original sample. They are stored in separate containers, each of which is identically processed and analyzed. Field replicates provide insight into field and laboratory procedure variability (and in some cases contaminant distribution).</p>	Required if sample has field replicates or field splits.	Text	1	<ul style="list-style-type: none"> ▪ Y - Yes ▪ N - No ▪ U - Unknown 	Download help for "Entering Field Replicates."

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
O	Sample Sub ID	<p>Secondary ID to identify a set of field split samples. Mostly used for sediment data.</p> <p>For split samples with the same Sample ID or with different Sample IDs.</p>	Required if sample is a field split and shares a Sample ID with one or more sub-samples.	Text	4	<p>Free text.</p> <p>First split is 1, second is 2, etc., no matter what the Sample ID is.</p>	<p>Ex. 1, 2, 3, or SS1, SS2, SS3, etc.</p> <p>To create a split sample, a single field sample (often created by compositing several samples from the same field location) is split in the field into two or more sub-samples. This is done so different types of analyses can be performed (e.g., toxicity, chemistry) or the same analyses can be performed by different laboratories. Each split or sub-sample is analyzed individually.</p>
P	Sample Composite Flag	Indicates that the sample is a composite created by combining two or more discrete samples collected spatially and/or temporally.	Required for test and reference samples.	Text	1	<ul style="list-style-type: none"> Y - Yes N - No U - Unknown 	<p>Ex. "Y"</p> <p>Download help for "Entering Composite Samples." It contains media-specific examples and more information on how a composite is defined in EIM.</p>
Q	Sample Matrix	Describes the environmental medium which was measured or from which a sample was taken.	Required for test and reference samples.	Text	14	<ul style="list-style-type: none"> Air/Gas Other Liquid Habitat Solid/Sediment Tissue Water 	<p>Ex. "Water"</p> <p>Tip: the matrix for porewater is solid/sediment.</p>
R	Sample Source	Describes the environmental resource which was measured or from which a sample was taken. More specific than Sample Matrix.	Required for test and reference samples.	Text	30	See table of Sample Source valid values (in this document).	Ex. "Fresh/Surface Water."

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
S	Sample Collection Method	Method used to collect the sample.	Optional.	Text	20	Must be valid EIM Method Code. Search for EIM Method valid values (online).	Ex. "BAIL-TEF " (Bailer, Teflon). Download help for learning "About EIM Methods." Need a method added to EIM? Contact us online or ask your Data Coordinator.
T	Sample Preparation Method	Method used to prepare the sample	Optional.	Text	20	Must be valid EIM Method Code. Search for EIM Method valid values (online).	Ex. "SW3010A" (Acid Digestion of Aqueous Samples and Extracts for Total Metals for Analysis by FLAA or ICP Spectroscopy, Revision 1). Download help for learning "About EIM Methods." Need a method added to EIM? Contact us online or ask your Data Coordinator.
U	Sample Method Other	Additional field for collection, preparation, or preservation method.	Optional.	Text	20	Must be valid EIM Method Code. Search for EIM Method valid values (online).	Download help for learning "About EIM Methods." Need a method added to EIM? Contact us online or ask your Data Coordinator.

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
V	Bioassay Category	The category of the Bioassay sample. Bioassay organisms are added to each category of sample.	Required.	Text	10	<ul style="list-style-type: none"> Positive Negative Reference Test Initial See table of Bioassay Category valid value descriptions (in this document).	<p>Tip: If Bioassay Category is “Reference” or “Test,” assign “Reference” or “Test,” respectively, to corresponding chemistry data in the Result Template, Sample Use column.</p> <p>Note: There is no “Background” category for Bioassay. Use “Test” when corresponding chemistry data in the Result Template, Sample Use column is “B” (background).</p>
W	Bioassay Type	The type of Bioassay test. Normally defined by the taxonomic name of the Bioassay organism concatenated with the test duration.	Required.	Text	7	See table of Bioassay Type valid values (in this document).	
X	Bioassay Start Date	The start date of the Bioassay test.	Required.	Date		MM/DD/YYYY.	6/23/1999
Y	Bioassay Start Time	The start time of the Bioassay test.	Required if available.	Time		HH:MM:SS or HH:MM (24 hour) in local Time	<p>Ex. “16:25”</p> <p>Leave blank for unknown time; don’t enter zero. Times of 00:00:00 represent midnight.</p>
Z	Bioassay End Date	The end date of the Bioassay test.	Required.	Date		MM/DD/YYYY.	7/9/2010

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
AA	Bioassay End Time	The end time of the Bioassay test.	Required if available.	Time		HH:MM:SS or HH:MM (24 hour) in local Time	Ex. "20:14" Leave blank for unknown time; don't enter zero. Times of 00:00:00 represent midnight.
AB	Bioassay Batch Number	The number of the Bioassay batch. Formerly called the Analysis Group in SEDQUAL.	Required.	Text	12		1, 2, etc. Batch numbers are typically in a sequential series (1, 2, etc.) but don't have to be. Batch number is an ID, not a count. They might be ID numbers from a lab report. It is very important to group controls, references, and samples into the correct batches. Batches represent tests, references, and controls tested in the same conditions. Typically, bioassay data will consist of more than one batch, indicating that each group of bioassays/samples was tested in a different area or at a different time. Batches are usually identifiable as each begins with a control and reference sample.

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
AC	Bioassay Lab Replicate ID	Additional ID for lab replicate samples with the same primary Sample ID. Bioassay lab replicates are separate analyses of sub-samples created in the lab from a single field sample. They are used to assess error associated with sample heterogeneity, sample treatment, and analytical procedures - or variability of organism responses to toxicity tests.	Required for lab replicates with same Sample ID.	Text	4	Free text / preferred format.	1, 2, etc. Marine bioassays normally have 5 replicates and freshwater bioassays have 8 replicates per sample, test and endpoint.
AD	Bioassay Initial Value	The beginning value for a Bioassay, such as the number of individuals present.	Required.	Number		Must be a positive number or zero.	0, 1.1, 2.88, 100, 11, 209, etc.
AE	Bioassay Final Value	The end value for a Bioassay, such as the number of individuals present.	Required.	Number		Must be a positive number or zero.	0, 53.5, 1.75, 84, 6, 98, etc.

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
AF	Bioassay Value Units	Unit of measure associated with the Bioassay Initial and Final Values.	Required.	Text	3	<ul style="list-style-type: none"> ▪ G - Grams ▪ IND - Individuals ▪ LUM - Luminosity ▪ MG - Milligrams ▪ MI - Milligrams per individual ▪ PCT - Percent 	
AG	Bioassay Endpoint	Attribute looked for at the end of the Bioassay.	Required.	Text	4	<ul style="list-style-type: none"> ▪ ABMO - Normal survivorship ▪ ABNM - Abnormality ▪ BABM - Bioaccumulation – Biomass, total weight of all whole organisms ▪ BAMT - Bioaccumulation – Mortality ▪ BIOM - Biomass, total weight of all individuals ▪ EMRG - Emergence ▪ FERT - Fertilization, successful ▪ GROW - Growth, weight of individual organism ▪ INIT - Initial Value, use only with Bioassay Category of “Initial” ▪ LUM - Luminosity ▪ MORT - Mortality ▪ RBRL - Reburial ▪ REPR - Reproduction, count of young 	
AH	Bioassay Dilution Percent	The percent that the Bioassay sample is diluted.	Required.	Number		0-100. Negative Control samples use 0.	0, 30, 100, etc.

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
AI	Bioassay Basis	The basis on which the bioassay value was reported - either as the sample was received by the lab (wet weight) or adjusted to remove moisture (dry weight).	Required if information was reported by lab.	Text	5	<ul style="list-style-type: none"> ▪ Dry - Bioassay result in dry weight ▪ Wet - Bioassay result in wet weight ▪ AFD - Bioassay result in ash-free (organics free) dry weight 	
AJ	Bioassay Treatment	Additional treatment performed on the Bioassay sample.	Required if information was reported by lab.	Text	2	<ul style="list-style-type: none"> ▪ N - Normal treatment, not purged for ammonia ▪ NS - Non-Standard Protocol (see Bioassay Value Comment) ▪ O - Organic extraction ▪ P - Ammonia purged ▪ RL – Re-suspended larvae ▪ S - Saline extraction ▪ UA - Exposure to ultra-violet light and acclimated to test conditions ▪ UV - Exposure to ultraviolet light ▪ W - Deionized water extraction ▪ X - 100% Microtox porewater 	
AK	Bioassay Data Qualifier	Standard annotations indicating deviations from the Bioassay protocol.	Required if test deviated from protocol (U or D in Bioassay Data Acceptability column).	Text	3	See table of Bioassay Data Qualifier valid values (in this document).	

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
AL	Bioassay Data Acceptability	Rating of the Bioassay data quality.	Required.	Text	3	<ul style="list-style-type: none"> ▪ D - Deviation(s) from protocol occurred but is not expected to influence results. ▪ G - Good, acceptable data. ▪ U - Unusable due to deviation(s) from protocol. ▪ UNK - Legacy data - acceptability unknown. 	
AM	Bioassay Value Comment	Comments about the Bioassay values.	Optional.	Text	2000	Free text / preferred format. For tests and negative controls enter the appropriate LC50 or EC50 values.	Ex: LC50 = 6.67 ug /L of Cadmium.
AN	Bioassay Positive Control Comment	Comments about the Bioassay positive control.	Optional.	Text	2000	Free text / preferred format. For positive controls, enter the chemical name, the chemical formula, the largest concentration used, and the toxicant.	Ex: Cadmium chloride; CdCl ₂ *2.5H ₂ O; 60ug/L; Cadmium.
AO	Bioassay Method	Procedure or method used to derive a result.	Required.	Text	20	<p>Must be a valid EIM Method Code.</p> <p>Search for EIM Method valid values (online).</p>	<p>Ex. PSEP-BIO95 - Puget Sound Estuary Protocols, Laboratory Bioassays on Puget Sound Sediments, Rev. 1995</p> <p>Use UNKNOWN-BIOASSAY for SEDQUAL and non-SEDQUAL legacy data where method is not known.</p> <p>Need a method added to EIM? Contact us online or ask your Data Coordinator.</p>

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
AP	Bioassay Lab Name	The name of the lab that conducted the Bioassay.	Required.	Text	254	Must be valid EIM Lab Name. Search for EIM Lab valid values (online).	Ex. "TestAmerica, Seattle-Tacoma WA" or "North Creek Analytical, Bothell WA (7/17/89-4/30/06)." Some labs have new names due to buyouts or mergers. Please use the name the lab was under when your samples were analyzed. Need a lab added to EIM? Contact us online or ask your Data Coordinator.
AQ	Bioassay QA Level	Third-party expert data validation following 1989 PTI guidance.	Required if applicable.	Text	3	<ul style="list-style-type: none"> ▪ QA1: For sediment bioassay investigations conducted under SMS (Sediment Management Standards) and sediment dredging projects. ▪ QA2: More rigorous bioassay QA for sediment investigations used to develop sediment AET values and SMS numerical chemical criteria. See Bioassay QA Level valid values (in this document).	For bioassay data that were not validated at QA1 or QA2, leave this field blank and specify the QA Assessment Level (1-5) at the Study Level in EIM.
AR	Bioassay Taxon Name	Scientific or common name of the Bioassay organism.	Required.	Text	254	Must be valid EIM Taxon Name. Search for EIM Taxa valid values (online).	Ex. "Daphnia pulex," "Hyaella Azteca." Need a critter added to EIM? Contact us online or ask your Data Coordinator.

Col	Field Name	Description	Requirements	Type	Size	Valid Values and Conditions	Examples and Comments
AS	Bioassay Taxon TSN	Integrated Taxon Identification System (ITIS) Taxonomic Serial Number (TSN) of the Bioassay organism.	Optional.	Text	10	Must be valid EIM Taxon TSN. Search for EIM Taxa valid values (online).	Ex. 83874, 94026.

Valid Value Lists

[Go back to Field Collector help](#)

EIM Field Collector Valid Values

Valid Value	Description
Business	Business, Trained Staff
ConsDistrict	Conservation District
Consultant	Consultant, Professional
Ecology	WA Dept of Ecology
GovFed	Government, Misc. Federal
GovLocal	Government, Misc. Local
GovState	Government, Misc. State
GovTribal	Government, Tribal
HealthLocal	Health Dept., Local
HealthState	Health Dept., State

Valid Value	Description
NGO	Non-Governmental Organization
NOAA	National Oceanic & Atmospheric Administration
University	University
USACE	US Army Corps of Engineers
USEPA	US Environmental Protection Agency
USGS	US Geological Survey
USNPS	US National Parks Service
UtilityPrivate	Utility, Private
UtilityPublic	Utility, Public
Volunteer	Volunteer, Trained
WellDriller	Well Driller
WellOwner	Well Owner
WDFW	WA Dept of Fish & Wildlife
WDNR	WA Dept of Natural Resources

[Go back to Sample Source help](#)

EIM Sample Source Valid Values

Air and Gas

Valid Value	Additional Info
Indoor Air	
Outdoor Air	
Soil Gas	Gaseous elements and compounds in the small spaces between particles of the earth and soil.
Bulk Atmospheric Deposition	Bulk Atmospheric Deposition – Collected during dry periods and precipitation events.

Valid Value	Additional Info
Dry Atmospheric Deposition	Dry Atmospheric Deposition – Collected during dry periods or sheltered from precipitation.
Wet Atmospheric Deposition	Wet Atmospheric Deposition – Collected only during precipitation events.

Animal and Plant

Valid Value	Additional Info
Animal Tissue	
Animal Tissue - Lab Exposure	Animal tissue purposefully exposed to specific contaminants in a lab setting.
Plant Tissue	
Periphyton	Mixture of algae, cyanobacteria, heterotrophic microbes, and other elements that are attached to submerged surfaces in aquatic settings.
Freshwater Taxonomy	Taxonomic information about freshwater organisms. Download help for "Benthic Invertebrate Identification and Counts."
Salt/Marine Taxonomy	Taxonomic information about salt/marine water organisms. Download help for "Benthic Invertebrate Identification and Counts."

Sediment, Porewater, and Elutriate

Valid Value	Additional Info
Freshwater Sediment	
Brackish Sediment	
Salt/Marine Sediment	
Freshwater Porewater	Porewater is the water filling the spaces between grains of sediment.
Brackish Porewater	
Salt/Marine Porewater	
Elutriate	Supernatant of a sediment and lab water mixture (this is not porewater).

Soil and Substrate

Valid Value	Additional Info
Rock/Gravel	
Soil	

Stormwater

[Download help for Stormwater and Combined Sewer Data](#)

Valid Value	Additional Info
CSO Outfall	Combined Sewer Overflow (CSO) outfall.
CSS In-Line	Combined Sewer System (CSS) in-line.
CSS Catch Basin	Combined Sewer System (CSS) catch basin.
Stormwater BMP Effluent	Stormwater, Best Management Practice (BMP) effluent.
Stormwater BMP Mid	Stormwater, Best Management Practice (BMP) treatment zone (like stormwater pond).
Stormwater BMP Influent	Stormwater, Best Management Practice (BMP) influent.
Stormwater Catch Basin	
Stormwater In-Line	Stormwater, in-line conveyance or drainage.
Stormwater Outfall	
Stormwater Sheetflow	
Precipitation	

Water

Valid Value	Additional Info
Fresh/Surface Water	
Brackish Water	
Salt/Marine Water	
Groundwater	
Pit Water	Standing water at bottom of excavation pit or trench, composed of pooled surface water runoff, groundwater seepage, or both. Download help for Entering Pit Water Data.
Precipitation	
Spring/Seep	Spring or Seep. Download help for Spring and Seep Data.

Other

Valid Value	Additional Info
Industrial Discharge	Discharge from an industrial source (permitted).
Landfill Leachate	Leachate sampled from a landfill leachate collection system.
Sewer In-Line	Sewer system, in-line.
Source - Other	Point source or discharge that is not stormwater, industrial, or WWTP.
WWTP Effluent	Wastewater treatment plant effluent.
WWTP Influent	Wastewater treatment plant influent.

[Go back to Bioassay Category help](#)

EIM Bioassay Category Valid Values

Code	Description
Initial	<p>Initial Values - Measurements taken prior to the start of a test. The Bioassay Category = Initial must be used together with Bioassay Endpoint = INIT. The two most common initial measurements for sediment bioassays are initial dry weight or/and ash free dry weight for BIOM and GROW endpoint or stocking density of the test organisms for ABMO endpoint.</p>
Negative	<p>Negative Control Sample - A clean (non-contaminated) sample collected from a known, pristine location outside the study area, with a matrix similar to the native matrix of the test organism. Provides (controls for) normal/natural effects data (e.g. mortality, growth) for the bioassay organism tested.</p> <p>Only certain fields are required for negative controls. Fill out only the YELLOW color-coded fields in your template - and conditional fields if pertinent. The information is also in the Requirements column.</p>
Positive	<p>Positive Control Sample - Laboratory sample containing a known series of concentrations (100%, 50%, 25%...) of a contaminant such as Cadmium Chloride (CdCl₂). Provides information on how sensitive a bioassay organism is to a known contaminant relative to previous populations of that test species. Generally used to reflect the fitness of the bioassay organism test population.</p> <p>Only certain fields are required for positive controls. Fill out only the YELLOW color-coded fields in your template - and conditional fields if pertinent. The information is also in the Requirements column.</p>
Reference	<p>Reference Sample - A clean (non-contaminated) field sample collected from a location with a matrix similar to the Test Sample. Provides non-contaminant-related effects data (e.g. mortality, growth) due to intrinsic matrix conditions which are not native to the selected bioassay organism. In sediments this would include grain size, ammonia, sulfides, TOC ($\leq 5\%$), bacterial and fungal loading, and ionic clay-binding, etc.</p> <p>Fill out the YELLOW and ORANGE color-coded fields in your template. The information is also in the Requirements column.</p>
Test	<p>Test Sample - Field sample from the environment in question. Bioassay organisms are exposed to various dilutions of this sample to measure observable adverse impacts.</p> <p>Fill out the YELLOW and ORANGE color-coded fields in your template. The information is also in the Requirements column.</p>

[Go back to Bioassay Type help](#)

EIM Bioassay Type Valid Values

With typical units, endpoints, and bioassay bases.

Amphipods

Test Name	Bioassay Type	Bioassay Unit	Bioassay End Point(s)	Bioassay Basis
Amphipod 10 day	AMP10	IND	MORT	Wet
		IND	RBRL	Wet
		IND	EMRG	Wet
Hyalella azteca 4 day	HYA04	IND	MORT	Wet
		MI	GROW & INIT	Dry
		MG	BIOM & INIT	Dry
Hyalella azteca 7 day	HYA07	IND	MORT	Wet
		MI	GROW & INIT	Dry
		MG	BIOM & INIT	Dry
Hyalella azteca 10 day	HYA10	IND	MORT	Wet
		MI	GROW & INIT	Dry
		MG	BIOM & INIT	Dry
Hyalella azteca 14 day	HYA14	IND	MORT	Wet
		MI	GROW & INIT	Dry
		MG	BIOM & INIT	Dry
Hyalella azteca 28 day	HYA28	IND	MORT	Wet
		MI	GROW & INIT	Dry
		MG	BIOM & INIT	Dry

Annelid Worms

Test Name	Bioassay Type	Bioassay Unit	Bioassay End Point(s)	Bioassay Basis
Alitta virens 28 day	ALI28	IND	MORT	Wet
Alitta virens 45 day	ALI45	IND	BAMT	Wet
		G	BABM	Wet
Lumbriculus variegatus 35 day	LUM35	MG	BIOM	Wet
Neanthes 20 day	NEANT	IND	MORT	Wet
		MI	GROW & INIT	Dry & AFD *
		MG	BIOM & INIT	Dry & AFD *
Nephtys caecides 45 day	NEP45	IND	BAMT	Wet
		IND	BABM	Wet
		MI	BAGT	Wet

* Projects conducted under Ecology's Toxics Cleanup Program: For Taxon Neanthes, both Dry and AFD results should be entered for GROW, BIOM and INIT endpoints.

Bivalves

Test Name	Bioassay Type	Bioassay Unit	Bioassay End Point	Bioassay Basis
Bivalve larvae 48 hour	BIVLV	IND	ABNM	Wet
		IND	ABMO	Wet
Macoma nasuta 28 day	MAC28	IND	MORT	Wet
Macoma nasuta 45 day	MAC45	IND	BAMT	Wet
		IND	BABM	Wet
		MI	BAGT	Wet

Brachiopods

Test Name	Bioassay Type	Bioassay Unit	Bioassay End Point	Bioassay Basis
Ceriodaphnia dubia 10 day	CDD10	IND	MORT	Wet
		IND	REPR	Wet
Corbicula fluminea 28 day	COR28	IND	MORT	Wet
Daphnia magna 2 day	DAP02	IND	MORT	Wet

Chironomids

Test Name	Bioassay Type	Bioassay Unit	Bioassay End Point(s)	Bioassay Basis
Chironomus tentans 10 day	CHR10	IND	MORT	Wet
		MI	GROW & INIT	AFD
		MG	BIOM & INIT	AFD
Chironomus tentans 20 day	CHR20	IND	MORT	Wet
		MI	GROW & INIT	AFD
		MG	BIOM & INIT	AFD

Echinoderms

Test Name	Bioassay Type	Bioassay Unit	Bioassay End Point	Bioassay Basis
Echinoderm embryo 72 hour	ECHIN	IND	ABNM	Wet
		IND	ABMO	Wet
Purple Sea Urchin fertilization	URFER	PCT	FERT	Wet

Mayflies

Test Name	Bioassay Type	Bioassay Unit	Bioassay End Point	Bioassay Basis
Hexagenia limbata 10 day	HEX10	IND	MORT	Wet

Microtox

Test Name	Bioassay Type	Bioassay Unit	Bioassay End Point	Bioassay Basis
Microtox 5 minute	MICTX5	LUM	LUM	Wet
Microtox 15 minute	MICTX15	LUM	LUM	Wet

Terrestrial

Test Name	Bioassay Type	Bioassay Unit	Bioassay End Point(s)	Bioassay Basis
Lettuce	SEED14	IND	MORT	Wet
		MI	GROW & INIT	Dry
		MG	BIOM & INIT	Dry
Red Earthworm	EARTH14	IND	MORT	Wet
		IND	ABNM	Wet

[Go back to Bioassay Data Qualifier help](#)

EIM Bioassay Data Qualifier Valid Values

Single Codes

Code	Description
AM	Ammonia present at concentrations above method recommendations
C	Deviation from protocol: sediment settling time was increased from 4 hours to 24 hours prior to addition of larvae
D	Duplicate record, explain reasoning in comments
NO	Native organisms present in sample during test
P	Positive control outside control limits
R	Reference sediment does not meet performance standard
SQ	Soil Quality Issues (pH, temperature, or moisture content)
SU	Sulfides present at concentrations above method recommendations.
WQ	Water Quality Issues (pH, temperature, salinity, or dissolved oxygen)

Combo codes

Combo Code	Description
WPS	WQ, P, and SU combination - Water Quality Issues (pH, temperature, salinity, or dissolved oxygen), Positive control outside control limits, and Sulfides present at concentrations above method recommendations.
WQA	WQ and AM combination - Water Quality Issues (pH, temperature, salinity, or dissolved oxygen) and Ammonia present at concentrations above method recommendations.
WQN	WQ and NO combination - Water Quality Issues (pH, temperature, salinity, or dissolved oxygen) and Native organisms present in sample during test.
WQP	WQ and P combination - Water Quality Issues (pH, temperature, salinity, or dissolved oxygen) and Positive control outside control limits.
WQS	WQ and SU combination - Water Quality Issues (pH, temperature, salinity, or dissolved oxygen) and sulfides present at concentrations

Combo Code	Description
	above method recommendations.
WSA	WQ, SU, and AM combination - Water Quality Issues (pH, temperature, salinity, or dissolved oxygen), Sulfides present at concentrations above method recommendations, and Ammonia present at concentrations above method recommendations

[Go back to Bioassay QA Level help](#)

EIM Bioassay QA Level Valid Values

Code	Description
QA1	QA1: Level of quality assurance review acceptable for most sediment bioassay investigations conducted under the Washington State Sediment Management Standards (SMS), as well as for sediment sampling and analyses conducted to determine the suitability of dredged material for unconfined, open-water disposal at a Washington State Dredged Material Management Program (DMMP) site. A QA1 review of bioassay data covers field collection and handling, completeness, data presentation and reporting elements, and evaluates the acceptability of test results for positive controls, negative controls, reference sediment, replicates, and experimental conditions (temperature, salinity, pH, dissolved oxygen). Detailed guidance on QA1 review procedures is provided in PTI (1989a) and is available from Ecology.
QA2	QA2: More vigorous level of quality assurance review appropriate for sediment bioassay data that are to be used for the development of Puget Sound Apparent Effects Threshold (AET) values. Also recommended in cases where the data may be used in litigation. This level of review ensures that the observed bioassay responses are not confounded by extraneous factors such as improper sample collection and processing, variable organism sensitivity, suboptimal experimental conditions, and erroneous endpoint determinations. QA2 review procedures are described in PTI (1989b), also available from Ecology.
Reference	Download Reference: PTI, 1989a. Puget Sound Dredged Disposal Analysis Guidance Manual: Data Quality Evaluation for Proposed Dredged Material Disposal Projects. Prepared for the Washington Department of Ecology, Olympia, WA. PTI Environmental Services, Bellevue, WA.
Reference	Download Reference: PTI, 1989b. Data validation guidance manual for selected sediment variables (QA2). Prepared for the Washington Department of Ecology, Olympia, WA. PTI Environmental Services, Bellevue, WA.

Document Revision History

Revision Date	Revision No.	Summary of Changes	Reviser(s)
9/10/2013	2013.01	Updates related to EIM data model changes.	CN
4/25/2017	2017-4-25		
8/18/2017	2017-8-18	Formatting updates for help system, added NS for non-standard protocol, Bioassay Treatment.	CN
10/2/2017	3.0	Changing versioning system for new help system. Moved to Word/PDF from Excel for accessibility reasons.	CN
4/10/2018	3.01	For Bioassay Taxon Name description, changed Latin name to scientific name to be in keeping with industry standard.	CN
06/11/2019	3.1	Removed Bioassay Type CERIO, fixed typo in Bioassay Endpoint of MO to ABMO, added Bioassay Data Qualifier valid values of C and WQA, updated URLs from fortress.wa.gov/ecy to apps.ecology.wa.gov.	KC
04/06/2020	3.2	Made some accessibility changes, fixed typo.	CN
05/03/2020	3.3	Removed dash from Study-Specific Location ID in Field Name column.	KC
06/16/2020	3.4	Renamed link for “Naming Conventions for EIM Field Locations to “How to Name and Describe Field Locations.”	CN
02/02/2021	3.5	Note about Bioassay Category of “Background” (there is none). Accessibility updates. Updated broken links.	CN
04/21/2021	3.6	Added note at top about grain size data. Added information about formatting to time fields.	KC
11/04/2021	3.7	Clarified that there should only be data for a single study in each bioassay template.	KC
02/01/2022	3.8	Added Bioassay Types MAC28 and ALI28. For bioaccumulation – not for SMS regulatory studies.	CN
01/03/2023	3.9	Added AFD to bioassay basis column for Neanthes GROW & INIT in Annelid Worms table and added footnote about TCP. Removed comment in examples and comments column for Bioassay basis (column AI). Removed valid value of “AF – Ash-free dry weight” from Bioassay Treatment (column AJ). Added Bioassay Types ALI45, LUM35, and COR28 for bioaccumulation and Bioassay Value Units G (Grams).	KC, CN
03/10/2023	3.10	Changed Bioassay Method example from UNKNOWN to UNKNOWN-BIOASSAY.	KC
10/18/2023	3.11	Modified first sentence to add links to Help Grid, additional Bioassay Help and EIM Help Center. Updated heading of “Help Fields” to “Grid – How to Fill Out Your Bioassay Template” to match the Result Template	KC

Revision Date	Revision No.	Summary of Changes	Reviser(s)
		Help. Added comments to the Bioassay Batch Number (AB) field to further explain intent of the field.	