

EIM Help - Adjusted Time-Series Data

Version 1.2
Sept 2017

Overview

Automated field instruments that capture successive measurements over specific time intervals generate time-series environmental monitoring data. These instruments include groundwater level transducers, thermistors, and water quality sondes. For general information on time-series data, see [How to Submit Time-Series Data to EIM](#).

Raw time-series data sometimes require post-deployment adjustment by the user before the data are deemed usable. Examples include:

- Adjusting water level transducer measurements for linear instrument drift using manual water level measurements.
- Adjusting dissolved oxygen (DO) measurements from a multiparameter water quality sonde for drift using Winkler titration samples.

This document applies only to time-series measurements collected in the field. Do not adjust sample data from a lab.

How to Denote Adjusted Time-Series Data in EIM

- Use one of the Result Data Qualifiers listed below and enter a descriptive comment.

Result Data Qualifier (Column S in Time-Series Result Template)	Result Data Qualifier Description	Comment (Example) (Column U in Time-Series Result Template)
IA	Instrument result adjusted; reported result meets study objectives	Result Value adjusted for linear instrument drift identified post deployment.
EST	Measurement value reported is estimated. See comment for additional detail.	Result Value adjusted; considerable instrument drift during deployment, reported result is an estimate and should be used with caution.

- You **MUST** enter a comment (Column U) when using the EST qualifier.
- Enter all manual measurements or samples used to adjust your time series data into EIM. Use the Results template for this, not the Time-Series template. For example, if you adjusted your time series DO measurements using Winkler titration, enter the Winkler sample data into EIM. Do not use the IA or EST result data qualifiers for your Winkler data.
- List the method of adjustment in your report. (The report will get linked to the EIM data online).

Special Case

Groundwater Level Transducer Measurements

For adjusted data, upload your corresponding manual groundwater level measurements to EIM via the Result or the Water Level templates. Ecology staff can also use the Data Editor to do this.

If you adjusted your transducer data AND another factor affected your measurements, that factor supersedes using IA or EST in the Result Data Qualifier field (Column S). For example, use "WLS" to indicate influence from a nearby pumping well. For these records, put the IA or EST qualifier in the Comment field (Column U) along with a comment.

Our upcoming help document for entering groundwater level data will have more information.

Document Revision History

Revision Date	Revision No.	Summary of Changes	Reviser(s)
7/2/15	1.0	Original Document	KC, CN
7/14/16	1.1	No longer using qualifier IAE (Instrument result adjusted; reported result is an estimate). Using EST with comment instead.	CN
09/05/17	1.2	Updated links	KC