

**Addendum to the Permit for
State Waste Discharge Permit No. ST0501319
*Terramar Brewery***

Modification Date: September 1, 2021

1. General Information

Facility: Terramar Brewery
5712 Gilkey Street
Edison, WA 98232

This is an addendum to the permit and fact sheet for the State Waste Discharge Permit No. ST0501319, issued on December 2, 2019. The following change is made to revise the due date for the hydrogeologic study of Special Condition S9.

2. Modification to the Permit

Special Condition S9 required the Permittee to complete the groundwater study based on the scope of work approved by Ecology within 180 days of Ecology approval. Ecology approved the submitted scope of work on February 9, 2021. Therefore, the study must have been completed within 180 days, or by August 31, 2021.

This modification is to extend the completion date of the study to March 31, 2022. And completion of the groundwater network to July 1, 2022.

This modification also updates contact information for Ecology with new address and phone numbers that went into effect on May 17, 2021.

3. Justification

The completion date in the current permit is based on projected operation and growth of the facility as provided by the Permittee in their permit application. The emergence of the COVID-19 pandemic in February 2020, and the subsequent shutdowns and current restrictions on all businesses in the State have severely impacted this business.

Because of the financial impacts of the COVID-19 pandemic the proposed extension is appropriate.

4. Public Process

The proposed change in this modification is a minor modification. Changes do not involve increases in volume or changes in characteristics of discharge beyond those previously authorized that would require a public notice (WAC 173-216-090). Therefore, the changes are not required to be published for a 30-day public comment period.

The primary author of this permit and fact sheet is Chris Martin, LHG

Appendix A --Your Right to Appeal

You have a right to appeal this permit to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of the final permit. The appeal process is governed by chapter 43.21B RCW and chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this permit:

- File your appeal and a copy of this permit with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this permit on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in chapter 43.21B RCW and chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903