



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Southwest Region Office

PO Box 47775, Olympia, WA 98504-7775 • 360-407-6300

July 5, 2023

Bliss Morris
City of Port Townsend
250 Madison Street, Suite 2R
Port Townsend, WA 98368

Re: Application for Renewal of State Waste Discharge Permit Number ST 6127, Port Townsend Biosolids Wastewater Treatment Plant

Dear Bliss Morris:

[Chapter 173-220 Washington Administrative Code \(WAC\)](#) requires a Permittee to file an application for replacement.

Your State Waste Discharge Permit No. ST 6127 expires on June 30, 2024. An electronic copy of the application may be downloaded from the Ecology website at <https://apps.ecology.wa.gov/publications/SummaryPages/ecy040178.html>. Please complete the application and return it no later than **February 1, 2024**, to:

Municipal Permit Administrator
Department of Ecology
Southwest Regional Office – WQ
PO Box 47775
Olympia, WA 98504-7775

In addition to the application, you may also be responsible for compliance with [Chapter 173-30 WAC](#), Biosolids Management, and the statewide General Permit for Biosolids Management. Ecology's Solid Waste and Financial Assistance Program regulates Biosolids management. For questions, please visit the state Biosolids website at: <https://apps.ecology.wa.gov/publications/SummaryPages/ecy040178.html>.

You may also be responsible for compliance with [Chapter 173-350 WAC](#), Solid Waste Handling Standards, for the management of solid wastes. The local health jurisdiction regulates solid waste management. Please contact your local health jurisdiction with any specific questions.

Ecology expects a permit application to be completed and accurate upon submittal. If there are any questions about the application or the permitting process, please contact David Dougherty at david.dougherty@ecy.wa.gov or (564) 999-3586. If needed, a meeting can be arranged.

Sincerely,

Carey Cholski
Municipal Grant/Loan Project Specialist
Water Quality Program
Southwest Regional Office

CC(6127)
Enclosure

SENT ELECTRONICALLY