



**STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY  
Central Region Office**

1250 West Alder St., Union Gap, WA 98903-0009 • 509-575-2490

June 11, 2024

Gary Price  
Tree Top, Inc.  
PO Box 248  
Selah, WA 98942-0248

Sent via email only: [gary.price@treetop.com](mailto:gary.price@treetop.com)

**RE: Issuance of NPDES Waste Discharge Permit No. WA0002437 for Tree Top Inc Selah  
Effective July 1, 2024**

Dear Gary Price:

Your National Pollutant Discharge Elimination System (NPDES) Wastewater Discharge Permit No. WA0002437 is enclosed. This NPDES Permit satisfies the requirements of both federal and state laws. The Department of Ecology (Ecology) issues this permit in accordance with Chapter 90.48 RCW, as amended, and the Federal Water Pollution Control Act, as amended.

**Discharge Monitoring Reports (DMRs) Electronic Reporting**

Your new permit requires you to submit regularly scheduled Discharge Monitoring Reports (DMRs) by using WQWebDMR which is Ecology's electronic data reporting system. To sign up for WQWebDMR (with step-by-step registration instructions and screen shots) at: <https://ecology.wa.gov/Regulations-Permits/Guidance-technical-assistance/Water-quality-permits-guidance/WQWebPortal-guidance>. Please feel free to contact Ecology if you have any questions about WQWebDMR.

If you are unable to submit your DMR electronically, contact the Water Quality Permit Coordinator, Department of Ecology, 1250 West Alder Street, Union Gap, WA 98903-0009, to request a waiver to use WQWebDMR and obtain a paper DMR form.

## **Appeal Process**

You have the right to appeal this permit within 30 days upon receipt of this document. Pursuant to chapter 43.21B RCW, your appeal must be filed with the Pollution Control Hearings Board, and served on the Department of Ecology, within 30 days of the date of your receipt of this document.

If you choose to appeal this action or decision, your notice of appeal must contain:

- (1) A copy of the permit you are appealing, and
- (2) A copy of the application for the permit.

Your appeal must be filed with the Pollution Control Hearings Board:

### **Street Address**

Pollution Control Hearings Board  
1111 Israel Road SW, Suite 301  
Tumwater, WA 98501

### **Mailing Address**

Pollution Control Hearings Board  
PO Box 40903  
Olympia, WA 98504-0903

Your appeal must also be served on the Department of Ecology:

### **Street Address**

Department of Ecology  
Attn: Appeals Processing Desk  
300 Desmond Drive SE  
Lacey, WA 98503

### **Mailing Address**

Department of Ecology  
Attn: Appeals Processing Desk  
PO Box 47608  
Olympia, WA 98504-7608

In addition, please send a copy of your appeal to:

Damon Roberts, Section Manager  
Water Quality Program, Central Region Office  
Department of Ecology  
1250 W. Alder St.  
Union Gap, WA 98903-0009

Tree Top, Inc.  
June 11, 2024  
Page 3

You must file an application for renewal of the enclosed permit with this Department at least 1 year prior to the expiration date of this permit. Any questions or correspondence should be directed to your permit manager, Matt Durkee, at (509) 379-4384 or [matthew.durkee@ecy.wa.gov](mailto:matthew.durkee@ecy.wa.gov).

Sincerely,



Damon G. Roberts  
Section Manager  
Water Quality Program

Enclosures: Permit and Fact Sheet

e-cc: Water Quality Fee Unit, Ecology-Lacey, [wqfeeunit@ecy.wa.gov](mailto:wqfeeunit@ecy.wa.gov)  
Matthew Durkee, Ecology-Union Gap, [matthew.durkee@ecy.wa.gov](mailto:matthew.durkee@ecy.wa.gov)

