



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Southwest Region Office

PO Box 47775, Olympia, WA 98504-7775 • 360-407-6300

April 18, 2025

Phil Steklenski
Simpson Door Co.
400 Simpson Avenue
McCleary, WA 98557

Re: State Waste Discharge Permit Number ST 0006178, Simpson Door Co., 30-Day Public Notice

Dear Phil Steklenski:

We sent a copy of your draft permit and fact sheet to you on March 17, 2025, for factual review. The enclosed draft permit and fact sheet includes the factual changes that we made (if any) following your 15-day review.

Enclosed is a copy of the public notice that will appear in the [Daily World](#) within the next few days, depending on the publishing frequency.

Please review this new draft permit and fact sheet and submit comments on either factual or substantive issues within 30 days of the date of publication of the public notice. Following the 30-day comment period, the Department of Ecology (Ecology) will review all pertinent comments and take appropriate action.

If you have questions on the permit and fact sheet, or if you would like to meet with us to review the permit, please contact Anna Rose Wallace at anna.wallace@ecy.wa.gov, or by phone at 360-522-6216 (cell).

Sincerely,

Gayle Garbush
Permit Administrator
Southwest Region Office
Water Quality Program

GG(0006178)
Enclosures

cc: Kert Brown, Simpson Door Co.
Anna Rose Wallace, Ph.D., Department of Ecology
John Diamant, P.E., Department of Ecology