



Notice of Intent
Industrial Stormwater General Permit

NOI Version: 1

Application Type: ☐ New ☒ Renewal

Permit Number: WAR000191

Application Id: 3336

I. Contact Information

Billing Contact		
Honorific: Mr.	First Name: Jesse	Last Name: Waknitz
Company Name: Port of Port Angeles		Title: Environmental Specialist
Mailing Address: PO Box 1350		
City: Port Angeles	State: WA	Zip Code: 98362-0251
Email: jessew@portofpa.com		
Business Phone: 360-417-3452	Fax:	Cell Phone: 360-460-1364
UBI Number: 054000217		
Legal Responsible Party		
Honorific: Mr.	First Name: Ken	Last Name: O'Hallaren
Company Name: Port Of Port Angeles		Title: Director of Engineering
Mailing Address: PO Box 1350		
City: Port Angeles	State: WA	Zip Code: 98362-0251
Email: chrish@portofpa.com		
Business Phone: 360-457-8527	Fax: 360-452-3959	Cell Phone:
UBI Number: 054000217		
Permittee		
Honorific: Mr.	First Name: Jesse	Last Name: Waknitz
Company Name: Port Of Port Angeles		Title: Environmental Specialist
Mailing Address: PO Box 1350		
City: Port Angeles	State: WA	Zip Code: 98362-0251
Email: jessew@portofpa.com		
Business Phone: 360-417-3450	Fax:	Cell Phone: 360-460-1364
UBI Number: 054000217		
Site Contact		
Honorific: Mr.	First Name: Jesse	Last Name: Waknitz
Company Name: Port Of Port Angeles		Title: Environmental Specialist
Mailing Address: PO Box 1350		
City: Port Angeles	State: WA	Zip Code: 98362-0251
Email: jessew@portofpa.com		
Business Phone: 360-417-3452	Fax:	Cell Phone: 360-460-1364
UBI Number:		

II. Facility Information

Facility Name: PT OF PORT ANGELES MARINE TERM LOG

Street Address: FOOT OF CEDAR

City: Port Angeles

County: Clallam

Zip Code: 98362-0251

Latitude: 48.12092

Longitude: -123.44574

Size of Site: 4 acres

Date facility began or will begin operation:

List all North American Industry Classification System (NAICS) and Standard Industrial Classification (SIC) codes to cover all industrial activities performed at your facility.

NAICS/SIC Code	Description	Is Primary
SIC 2411		Yes
SIC 2499		Yes
NAICS 113310		Yes

Type or Nature of Industrial Activities:

Cargo storage area adjacent to Marine Terminal.

☐ Is this facility a Hazardous Waste Treatment, Storage, and Disposal (TSD) facility regulated under Chapter 17-303 WAC?

For Airport Facilities:

☐ At your airport, do you as a single permittee, or a combination of permitted facilities, use more than 100,000 gallons of glycol-based deicing chemicals and/or 100 tons or more of urea on an average annual basis?

☐ Does your airport have 1,000 or more annual jet departures ("non-propeller aircraft")?

☐ Does the facility discharge wastewater associated with airfield pavement deicing with stormwater?

☐ Do you use urea-containing deicers?

☐ Does your airport meet the definition of a new source ("new airports")?

☐ Does (will) the airport have 10,000 or more annual departures?

☐ Is the airport located in a cold climate zone?

III. Other Permits/Registration

None

IV. Discharge/Receiving Water

Conveyance System

If you discharge to a municipal stormwater system or other stormwater conveyance system (e.g. Kent stormwater drainage system, roadside ditch), identify the system by name or if unnamed, by other identifier (e.g., 145th street ditch)

Location of Discharge into Receiving Water (Outfall)

Outfall Number	Outfall Description	Surface Waterbody Name	Outfall Type	Latitude	Longitude
001	DISCHARGE 001	PORT ANGELES HARBOR	Surface Water Body	48.124488	-123.446403

Location of Discharge Location (Sampling/Monitoring Point)

Monitoring Point Code	Monitoring Point Name	Monitoring Point Type	Outfall Number	Active	Latitude	Longitude
001	DISCHARGE 001	Stormwater	001	Yes	48.124444	-123.446255

V. State Environmental Policy Act (SEPA)

This Notice of Intent (NOI) is incomplete and cannot be approved until the applicable SEPA requirements under Chapter 197-11 WAC are met.

SEPA and Public Notice sections apply only to facilities that began operations after January 1, 2015. If the facility began operations before this date, these sections do not need to be filled out.

Who is the SEPA lead agency on your site?

Has the SEPA lead agency issued a final decision on your checklist? ☐ Yes ☐ No ☐ Exempt

If No: The NOI is incomplete. Ecology will hold the application until a final SEPA decision is made or the Construction Stormwater NOI public comment period ends, whichever is later. **You must notify Ecology once the lead agency has issued a determination.**

If Yes: Type of SEPA decision issued:

Date of final SEPA decision:

Date when all SEPA-related comment & appeal periods are exhausted:

If Exempt:

- ☐ Watershed Restoration & Fish Habitat Enhancement Exemption (RCW 43.21C.0382).
- ☐ Infill Development Exemption (RCW 43.21C.229).
- ☐ Planned Action Exemption (RCW 43.21C.031).
- ☐ Categorical Exemption. Under what section of the SEPA Rule (WAC 197-11-800) is it exempt?

Section: _____

VI. Public Notice

Public Notice applies to facilities that began operations on or after January 1, 2015.

You must publish a public notice at least **once** a week for **two** consecutive weeks with **seven days** between publications, in at least a **single** newspaper of general circulation in the county in which the facility is located. Ecology cannot grant permit coverage sooner than the end of the 30-day public comment period, which begins on the date of the **second** public notice.

VII. Certification of Permittees

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Permittee Signature

7/2/2014

Date