



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47600 • Olympia, WA 98504-7600 • 360-407-6000
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

February 17, 2015

CERTIFIED MAIL 7013 1710 0002 3967 6526

Mr. Mathew Stewart
Jefferson County Public Works
623 Sheridan Street
Port Townsend, WA 98368

Re: Termination of National Pollutant Discharge Elimination System (NPDES) General Permit
Number WAG 50-1126, Jefferson County Public Works - Mount Walker Pit

Dear Mr. Stewart:

The Department of Ecology has received information that the above-mentioned permit no longer applies to your facility for the following reason(s):

- ☐ Facility requires an individual permit.
- ☒ Facility is a closed site according to the definition on Page 45 of the general permit. In situations where the Department of Natural Resources Reclamation Bond has been released because the site has been reclaimed such that the disturbed area is less than three (3) acres, but the site continues to operate, the general permit is still applicable until the entire site is restored.
- ☐ Facility was issued the general permit based on inaccurate information contained in the Application for Coverage.
- ☐ Facility operations or status has changed since issuance of the permit.
- ☐ Facility was issued two permits for the same site.

NPDES General Permit Number WAG 50-1126 will be terminated 30 days from the day you receive this letter in accordance with the provisions of Revised Code of Washington (RCW) 90.48.190 and the Washington Administrative Code (WAC) 173-226-240.

This permit termination may be appealed. Your appeal must be filed within 30 days from the receipt of this notification with the Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal must be sent to the Department of Ecology, P.O. Box 47600, Olympia, Washington 98504-7600.




Mr. Mathew Stewart

Page 2

In the event you anticipate a discharge of wastewater from your facility into either surface or ground waters, you are required to submit an application for a waste discharge permit at least 180 days prior to the anticipated discharge.

If you have any questions regarding this cancellation letter, please telephone Scott Morrison of our Southwest Regional Office at 360-407-6292 or by e-mail at scott.morrison@ecy.wa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Doenges", written over the word "Sincerely,".

Richard Doenges
Southwest Region Manager
Water Quality Program

RD:cc(1126)

cc: Scott Morrison, Ecology
Bev Poston, Ecology