

November 18, 2015

Barry Lovingood  
Pe  
Clark Public Utilities  
PO Box 8900

Vancouver, WA 98668-8900

**Site Name:** Paradise Pont Wellfield  
**Location:** 35306 NW TOENJES RD  
**Permit No:** WAR126042  
**City:** Woodland  
**County:** Clark

**RE: Coverage under the Construction Stormwater General Permit**

Dear Barry Lovingood:

The Washington Department of Ecology (Ecology) has reissued the Construction Stormwater General Permit (permit). A copy of your new permit is enclosed. **Retain this letter with your permit and Stormwater Pollution Prevention Plan. It is the official record of permit coverage for your site.** Ecology issued the final permit November 18, 2015 and it becomes effective January 1, 2016.

#### **Permit Overview**

The new permit has a number of changes that are summarized in the “Summary of Changes” table found on Ecology’s website at:

<http://www.ecy.wa.gov/programs/wq/stormwater/construction/index.html>.

#### **Electronic Discharge Monitoring Reports (WQWebDMR)**

This permit requires that Permittees submit monthly discharge monitoring reports (DMRs) which must be reported electronically using Ecology’s secure Water Quality Permitting Portal (WQWebDMR), unless a waiver from electronic reporting has been granted. You can find more information regarding WQWebDMR on our website at:

<http://www.ecy.wa.gov/programs/wq/permits/paris/webdmr.html>.

If you have technical questions regarding Ecology’s Water Quality Permitting Portal, please contact the portal staff at (800) 633-6193/option 3 or email [WQWebPortal@ecy.wa.gov](mailto:WQWebPortal@ecy.wa.gov).

#### **Your Right to Appeal the Permit**

You have a right to appeal the terms and conditions of this general permit, as they apply to an individual discharger, to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this permit issuance notice. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. “Date of receipt” is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this notice:

- File your appeal and a copy of this notice with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours
- Serve a copy of your appeal and this notice on Ecology in paper form – by mail or in person. E-mail is not accepted.

#### Address and Location Information

Street Addresses	Mailing Addresses
<b>Department of Ecology</b> Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	<b>Department of Ecology</b> Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
<b>Pollution Control Hearings Board</b> 1111 Israel Road SW, Suite 301 Tumwater, WA 98501	<b>Pollution Control Hearings Board</b> PO Box 40903 Olympia, WA 98504-0903

#### Additional Information or Assistance

Ecology is committed to providing assistance to you. For more information, please visit our web page at <http://www.ecy.wa.gov/programs/wq/stormwater/construction/index.html>. For questions about transfers, terminations, and other administrative issues, please contact: Joyce Smith at [josm461@ecy.wa.gov](mailto:josm461@ecy.wa.gov) or (360) 407-6858.

If you have questions regarding stormwater management issues at your site, please contact: Sheila Pendleton-Orme at [shpe461@ecy.wa.gov](mailto:shpe461@ecy.wa.gov) or (360) 690-4787.

#### Questions

If you have questions regarding the permit, please contact Amy Moon at [amy.moon@ecy.wa.gov](mailto:amy.moon@ecy.wa.gov) or (360) 407-6467. You may request hardcopies of the permit, *Summary of Changes*, and other permit-related documents from Dena Jaskar at [dena.jaskar@ecy.wa.gov](mailto:dena.jaskar@ecy.wa.gov) or (360) 407-6401.

Sincerely,



Bill Moore, P.E., Manager  
Program Development Services Section  
Water Quality Program

Enclosure