

Application for Coverage or Modification of Coverage for the Fresh Fruit Packing General Permit

2014 Renewal

INSTRUCTIONS FOR COMPLETING THIS APPLICATION

This application is for coverage under the Washington State Department of Ecology - Fresh Fruit Packing General Permit, which was reissued on July 2, 2009 in accordance with provisions of chapter 90.48 RCW and chapter 173-226 WAC. Please follow these instructions when completing this application.

- All questions must be answered completely
- This form must either be typed or printed in ink
- Identify all chemical additives by manufacturer and brand name
- If there is not enough room to completely answer a question, additional sheets may be attached
- For additional information, contact Cory Hixon by phone at (509) 454-7298 or by email chix461@ecy.wa.gov
- Submit completed applications to: Washington State Department of Ecology - Central Regional Office - 15 W. Yakima Ave, suite 200 - Yakima, WA 98902 - Attention: Cory Hixon

CERTIFICATION STATEMENT AND SIGNATURES

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision. The information submitted is, to the best of my knowledge, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and/or imprisonment.

[Handwritten Signature]

1-24-14

Signature
Grea Townsend
Name (printed)

Date Signed
Compliance Manager
Title

*Application must be signed as follows - Corporations: by a principal executive officer of at least vice-president level; Partnership: by a general partner; Sole Proprietorship: by the proprietor. If these titles do not apply within your organization, the application is to be signed by the person who makes budget decisions for this facility.

FOR OFFICE USE ONLY

Chelan Fruit Coop

1/29/2014

Company Name

Date Received

Ocondo Loop

1/29/2014

Facility Name

Date Accepted

WA643-5137


Cory Hixon

Permit Number

Accepted By

[Handwritten Signature]

To ask about the availability of this document in a version for the visually impaired, call the Water Quality Program at 509-457-7105 (voice) or 711 or 1800-833-6388 (TTY)



SECTION A - GENERAL INFORMATION

1. COMPANY NAME: Chelan Fruit Cooperative

2. FACILITY NAME: Orondo Loop Rd.
(if different from company name)

3. PERMIT NUMBER: WAG 43-5137
(NOTE - new applicants will not have a permit number until application is approved)

4. ADDRESSES:	Mailing	Facility Location
	Street/PO Box: <u>669</u>	Street: <u>8 Orondo Loop Rd.</u>
	City/State/Zip: <u>Chelan WA 98816</u>	City/State/Zip: <u>Orondo WA</u>

5. FACILITY LATITUDE AND LONGITUDE COORDINATES:
(in decimal format only)

N 47.6243
W 120.2253

6. FACILITY CONTACT:
(person responsible for wastewater management at facility)

Name/Title: Greg Townsend Compliance Manager
Phone/Fax: 509 470-2076
Email: gregt@chelanfruit.com

7. FACILITY OWNERSHIP INFORMATION:

Is this facility leased to or from another company or individual?
YES NO

If yes, complete the following information - if no, skip to question 9

LEASED TO : OR LEASED FROM :

Name (company or individual): _____

Mailing address: _____

City/State/Zip: _____

Contact person: _____

Phone/Email: _____

8. Will the company or individual listed in question #7 be responsible for permit compliance and fees? YES NO

9. CONSULTANTS:	Laboratory for wastewater analysis
	Company: _____
	Contact name: _____
	Phone: _____
	Cooling system consultant
	Company: _____
	Contact name: _____
	Phone: _____
	Other consultant or engineer
	Company: _____
	Contact name: _____
	Phone: _____


SECTION B – IDENTIFICATION OF WASTEWATER DISCHARGES

List all of the wastewater discharges and their Treatment/Disposal Methods (TDMs) from this facility. Discharges from the same source having substantially different characteristics should be treated as separate discharges. For example, packing apples and pears on the same line would be considered two separate discharges if a pear float enhancer is used.

For each discharge identify the following:

- Wastewater source (i.e., drencher, pear float tank, apple packing line, Non-Contact Cooling Water {NCCW})
- Treatment/Disposal Method (TDM) used for each wastewater source. Choose only from the following:
 - Lined evaporative lagoon
 - Dust Abatement
 - Land application
 - Publicly-Owned Treatment Works (POTW)
 - Percolation system
 - Surface water
- Chemical additives for each discharge if any are used (i.e., chlorine-based, pear float enhancer, Penbotec®, Scholar®, etc.)

Wastewater Discharge ID Number:	Descriptions of Wastewater Discharges		
	WASTEWATER SOURCE	CHEMICAL ADDITIVES	TDM
001	Combined Packing (Apples) + NCCW	Chlorine Based NCCW Additives	Land Application
002			
003			
004			
005			
006			
007			
008			
009			
010			
011			
012			
013			
014			



SECTION C – WASTEWATER SOURCES

Check "yes" for all operations generating a wastewater discharge at this facility. Complete a separate line in the following tables for each appropriate discharge identified in Section B.

Maximum gallons per day (gal/day) = Maximum gallons discharged in a 24-hour period

Total gallons per year (gal/year) = Total gallons discharged in a 12-month period

1. DRENCHING

Will drenching be done at this facility?

YES NO

If yes, complete one line in the following table for each drencher or combination of drenchers as identified in Section B.

ID Number (Section B)	Drencher Type (truck or bin)	Discharge Volume		For Each Chemical Additive, Identify: > Manufacturer's Name > Brand Name > Maximum Use Concentration
		Maximum gal/day	Maximum gal/year	

2. PRE-SIZING

Will pre-sizing be done at this facility?

YES NO

If yes, complete one line in the following table for each pre-size line discharge as identified in Section B.

ID Number (Section B)	Discharge Volume		For Each Chemical Additive, Identify: > Manufacturer's Name > Brand Name > Maximum Use Concentration
	Maximum gal/day	Maximum gal/year	

3. PACKING

Will packing be done at this facility?

YES NO

If yes, complete one line in the following table for each packing line discharge as identified in Section B:

ID Number (Section B)	Discharge Volume		For Each Chemical Additive, Identify: > Manufacturer's Name > Brand Name > Maximum Use Concentration
	Maximum gal/day	Maximum gal/year	
001	2000	360,000	Pace International Chlorine (De-chlor before dumping) 5-100 ppm

4. STORING

Will storing (CA or regular) be done at this facility?

YES NO

If yes, complete one line in the following table for each Non-Contact Cooling Water (NCCW) discharge identified in Section B.

ID Number (Section B)	Storage Type (CA or regular)	Discharge Volume		For Each Chemical Additive, Identify: > Manufacturer's Name > Brand Name > Maximum Use Concentration
		Maximum gal/day	Maximum gal/year	
001	Reg.	1,300	270,000	CH ₂ O BIO-Trol-20 / Acci-600



5. HYDROCOOLING

Will hydrocooling be done at this facility?

YES NO

If yes, complete one line in the following table for each hydrocooler discharge identified in Section B.

ID Number (Section B)	Fruit Type Being Cooled (i.e., pears and/or cherries)	Discharge Volume		For Each Chemical Additive, Identify: > Manufacturer's Name > Brand Name > Maximum Use Concentration
		Maximum gal/day	Maximum gal/year	

6. OTHER WASTEWATER DISCHARGES

Are there any other wastewater discharges not already specified in Section C being generated at this facility?

YES NO

If yes, complete one line in the following table for each additional discharge identified in Section B.

ID Number (Section B)	Wastewater Source	Discharge Volume		For Each Chemical Additive, Identify: > Manufacturer's Name > Brand Name > Maximum Use Concentration
		Maximum gal/day	Maximum gal/year	

SECTION D – TREATMENT/DISPOSAL METHODS (TDMS)

In the following tables describe each TDM used at this facility (listed in Section B).

1. LINED EVAPORATIVE LAGOONS

Lined evaporative lagoons are imperviously lined and engineered structures that rely upon evaporation and/or sprinkler systems (land application) for water removal. Lined lagoons also include pre-manufactured, aboveground fiberglass or metal tanks. Lagoon geomembrane liners constructed after July 1, 2004, but before July 1, 2009 must meet or exceed the performance specifications of a 40 mil HDPE liner. Lagoon geomembrane liners constructed after July 1, 2009 must meet or exceed the performance specifications of a 60 mil HDPE liner. For the purposes of this general permit, clay liners are not acceptable.

Will a lined evaporative lagoon(s) be used at this facility?


YES NO

If yes, complete a column in the table below for each lagoon.

Available depth = Total lagoon depth – 2 feet freeboard

Usable volume (cubic feet) = length (feet) X width (feet) X available depth (feet)

	Lagoon 1	Lagoon 2	Lagoon 3
ID Number (Section B):	001		
Length of Lagoon:	90'		
Width of Lagoon:	90'		
Available Depth:	8'		
Usable Volume:	240,000		
Type of Liner (i.e., HDPE):	HDPE 60		
Date of Last Liner Inspection:	August 2013		
Results of Last Liner Inspection: (include any actions taken to correct any problems found - attach additional sheets if necessary)	All of the liner looked good no holes		



2. DUST ABATEMENT

Dust abatement is the application of wastewater to unpaved bin storage lots and unpaved roads (orchard roads) for the purpose of dust suppression. Although most wastewater can be discharged via dust abatement, this TDM is intended primarily for the discharge of drencher wastewater and pear float tank wastewater containing a pear float enhancer.

A. Will there be any wastewater discharges to dust abatement at this facility?

YES NO

If yes, complete one column in the table below for each separate dust abatement site.

Site type refers to the different types of application sites such as unpaved bin lots or unpaved orchard roads.

Site location refers to application sites at separate locations.

	Site 1	Site 2	Site 3
ID Number (Section B)			
Site Type: (i.e., bin lot or orchard road)			
Site Location: (briefly describe where the site is located)			
Depth to Groundwater: (feet)			
Surface Area of Application Site: (acres)			
Maximum Application Rate: (gallons/acre/day)			

B. A Road Management Plan (RMP) must be developed for each dust abatement site. See *Special Condition S5.B.4* in the permit for more information. Has an RMP been completed for each dust abatement site?

YES NO - if no, indicate when your facility will complete a RMP(s) _____

C. Is the dust abatement site(s) owned by your company?

YES NO

If no, is there a signed and certified contract(s) or agreement(s) which authorizes the use of this land for the discharge of wastewater for the purposes of dust suppression?

YES NO

3. PUBLICLY-OWNED TREATMENT WORKS (POTW)

A POTW is a municipal or regional wastewater treatment plant.

A. Will there be any wastewater discharges (other than sanitary) from this facility to a POTW?

YES NO

If yes, complete the following table and have the relevant certifications signed by the appropriate authorities.

Name of POTW:	
ID Numbers (Section B):	

B. POTW Certification

If wastewater other than sanitary wastewater is discharged or will be discharged to a POTW, the following certification must be signed by the proper POTW authority.

Name of POTW:	
Address (Street/City/State/Zip):	
POTW Authority Name:	
POTW Authority Title:	
POTW Authority Signature:	
Date Signed:	

Certification Statement for POTW authority - I have reviewed this application and based upon that review, I have determined that the POTW specified above has adequate hydraulic and treatment capacity to accept the flows from this facility as described in this application.

C. Contributory Collection System Certification

A contributory collection system is a system that provides no treatment, but only collects wastewater and then discharges it into a separate wastewater treatment system. An example of such a system is the Union Gap Collection System that discharges to the Yakima Regional Wastewater Treatment System (Yakima POTW). If wastewater other than sanitary wastewater is discharged or will be discharged to a contributory collection system, the following certification must be signed by the proper contributory collection system authority.

Name of Contributory Collection System:	
Address (Street/City/State/Zip):	
Collection System Authority Name:	
Collection System Authority Title:	
Collection System Authority Signature:	
Date Signed:	

Certification Statement for collection system authority - I have reviewed this application and based upon that review, I have determined that the POTW specified above has adequate hydraulic and treatment capacity to accept the flows from this facility as described in this application.



4. LAND APPLICATION

Land application uses an engineered system for applying wastewater to a vegetated land surface. The applied wastewater is treated by the chemical, biological, and physical processes as it flows through the plant-soil matrix. The system consists of the land application site, a distribution system (i.e., sprinklers) for evenly distributing the wastewater, and a lined lagoon (or other Ecology-approved, self-contained storage system) for storing wastewater during periods when it cannot be land applied (i.e., frozen ground).

A. Will there be any wastewater discharges to a land application site at this facility?

YES NO

If yes, complete one column in the table below for each land application site.

Site type refers to different types of application sites, such as irrigated cropland, irrigated orchard land, or un-irrigated non-cropland.

	Site 1	Site 2	Site 3
ID Number (Section B):	001		
Site Type:	un-irrigated row cropland		
Site Location: (give a brief description of where the site is located)	land is located south east of the plant - just below the lagoon		
Depth to Groundwater (feet):	50'		
Surface Area of Application Site (acres):	2		
Maximum Application Rate (gallons/acre/day):	1200 gal/day		

B. Is the land application site(s) owned by your company?

YES NO

If no, is there a signed and certified contract(s) or agreement(s) which authorizes the use of this land for the discharge of wastewater?

YES NO

5. PERCOLATION SYSTEM

A percolation system is an engineered system for the treatment of wastewater as it percolates through the soil matrix. The system is designed to account for hydraulic and nutrient loading rates, wet and dry cycles to maintain aerobic conditions, even wastewater distribution, and other relevant design parameters. Ecology will strictly review plans to discharge wastewater to percolation systems before permitting.

A. Will there be any wastewater discharges to a percolation system at this facility?

YES NO

If yes, complete one column in the table below for each percolation system.

The **wet/dry cycle** refers to the function of the soil type, percolation rates, climate, and dosing cycles.

Application days = number of days per cycle that wastewater is discharged to the system.

Percolation days = number of days per cycle that it takes the applied wastewater to completely percolate into the ground.

Dry days = number of days the system stays dry before the next wastewater application.


		System 1	System 2	System 3
ID Number (Section B):				
Depth to Groundwater (feet):				
Surface Area of System (acres):				
Maximum Application Rate (gallons/acre/day):				
Wet/Dry Cycle	Number of Application Days:			
	Number of Percolation Days:			
	Number of Drying Days:			

B. Is the percolation system(s) owned by your company?

YES NO

If no, is there a signed and certified contract(s) or agreement(s) which authorizes the use of this percolation system(s) for the discharge of wastewater?

YES NO



6. SURFACE WATER

Surface waters include but, are not limited to: lakes, rivers, ponds, streams, creeks, inland waters, wetlands, irrigation canals, return ditches or drains, stormwater and drainage ditches, and all other surface waters and watercourses within the jurisdiction of Washington State.

NOTE – discharges of process wastewater to surface waters require monthly Discharge Monitoring Reports (DMRs). Discharges of NCCW with chemical additives need to pass a WET test for acute toxicity within one year of receiving coverage under the permit or within three months of any changes in chemical additives. See permit *Special Condition S5.F.7* for more information regarding WET tests.

A. Will there be any wastewater discharges to surface waters at this facility?

YES NO

If yes, complete one column in the table below for each discharge outfall.

		Outfall 1	Outfall 2	Outfall 3
ID Number (Section B):				
Name of Receiving Water Body:				
Maximum Discharge Rate (gallons/day):				
Latitude and Longitude Coordinates of Outfall (decimal format)	Latitude:	N	N	N
	Longitude:	W	W	W
Description of Outfall (i.e., submerged 6" pipe to river, open ditch to river, etc.):				

B. Are any of the above discharges to a collection system (i.e., municipal stormwater system, irrigation return canal, stormwater ditch, etc.) that eventually discharge to a surface water?

YES NO

If yes, complete one column in the table below for each discharge.

		Outfall 1	Outfall 2	Outfall 3
ID Number (Section B):				
Name of Collection System:				
Owner of Collection System (i.e., City, County, Irrigation District, etc.):				
Description of Collection System (i.e., open stormwater ditch, closed pipe stormwater system, open irrigation return ditch, etc.):				
Approximate Distance Wastewater Travels in Collection System:				


C. Has the discharge(s) to a collection system been authorized via a signed and certified contract(s) or agreement(s)?

YES NO

SECTION E - FACILITY SITE SKETCH

In the space below or on an attached sheet, sketch a map of this facility. You may also attach a copy of an already existing map. It does not need to be exactly to scale, but should be as close as possible. Within the map, the following items must be labeled:

- All buildings located on property
- Wastewater sources (i.e., packing lines, drenchers, hydrocoolers, engine rooms with NCCW, etc.)
- TDMs (i.e., dust abatement sites such as bin lots, lined lagoons, land application sites, pipes to POTWs or surface waters, etc.) If this facility uses a TDM off-site (i.e., orchard road on the other side of town) sketch an additional map for that TDM site.
- Nearby roads, driveways, and parking lots
- Any nearby surface waters (i.e., creeks, rivers, lakes, irrigation canals and return ditches, etc.)



SECTION F – ADDITIONAL INFORMATION

1. ENVIRONMENTAL COMPLIANCE PLAN (ECP)

Has an ECP containing the following four sections been completed for this facility?

- Treatment/Disposal Methods Operations Plan
- Solid Waste Management Plan
- Spill Prevention Plan
- Stormwater Pollution Prevention Plan

YES NO

If yes, indicate when it was last reviewed and updated. Dec 2013

If no, indicate when your facility will complete an ECP. _____

2. PRODUCTION

In the table below, give approximate annual production numbers.

	Annual Maximum	Annual Average (last 3 years)
Number of Bins Packed:	40,000	30,000
Number of Bins Stored:	1,000	1,000
Number of Bins Drenched:	Ø	Ø

3. USE OF OTHER FACILITIES TO PACK OR STORE

Does this facility currently or have future plans to, rent storage space or packing lines to or from any other company?

YES NO

If yes, complete the following table.

Rental Status (check one):	To <input type="checkbox"/> or From <input type="checkbox"/>	To <input type="checkbox"/> or From <input type="checkbox"/>	To <input type="checkbox"/> or From <input type="checkbox"/>
Type of Rental (check all that apply):	Storage <input type="checkbox"/> or Packing <input type="checkbox"/>	Storage <input type="checkbox"/> or Packing <input type="checkbox"/>	Storage <input type="checkbox"/> or Packing <input type="checkbox"/>
Company Name:			
Address:			
City/State/Zip:			
Phone/Email:			

4. WATER CONSUMPTION

Indicate Water Source(s) (check all that apply):		Private well <input checked="" type="checkbox"/> Surface water <input type="checkbox"/> Public system <input type="checkbox"/> (specify)
Water Right Permit or Certification Number (if applicable):		
Is Water Metered?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Indicate Total Water Usage	Average gal/day:	2000
	Maximum gal/day:	3,500

5. RECYCLING

Is there any water recycling or reclamation processes currently in use that may affect any of the wastewater discharges identified in Section B?

YES NO

If yes, complete the table below.

ID Number (Section B)	Description of Recycling or Reclamation Process	Date Implemented


6. SLUDGE/SOLID WASTE HANDLING

Will any sludge or other solid waste be generated at this facility? This includes but is not limited to, culled fruit (non-juice), rotted fruit, leaves, and sludge from sedimentation basins or lined lagoons.

YES NO

If yes, describe in the table below how they are disposed of.

Description of Solid Waste or Sludge (i.e., leaves, rotted fruit, culled fruit, etc.)	Description of How Solid Waste and/or Sludge is Disposed of (i.e., landfill, permitted composting facility, etc.)
leaves-rotted fruit	Hauled to landfill



7. HAULED DISCHARGES

A. Does this facility haul, or intend to haul, off-site any process wastes, sludge, or wastewater? This can include bin lots or orchard roads located off-site, landfills, and/or permitted composting facilities.

YES NO

B. Will the hauling be done by an outside contract hauler?

YES NO

If yes to either question, complete the table below.

	Hauled Discharge 1	Hauled Discharge 2
Who Will do the Hauling:	Self <input checked="" type="checkbox"/> Contractor <input type="checkbox"/>	Self <input type="checkbox"/> Contractor <input type="checkbox"/>
Type of Waste to be Hauled:	leaves - Rotted fruit Cull Fruit	
Destination of waste material:	land fill	
Contracted Hauler Company Name:		
Contact Name for Contracted Hauler:		
Street Address of Contracted Hauler - Including State/City/Zip:		
Phone Number:		

8. DANGEROUS WASTES

Does this facility produce or store (on-site or off-site) any wastes that are designated as dangerous or extremely hazardous under the provisions of chapter 173-303 WAC, *Dangerous Waste Regulations*?

YES NO

If yes, complete the following table.

Description of Waste(s)	Permit Number

10. SEASONAL WASTEWATER DISCHARGE VARIATIONS

Do any of the wastewater discharges listed in Section B, seasonally vary? In other words, are there any months that your wastewater discharges have reduced flows or zero discharge?

YES NO

If yes, complete the following table by writing:



- "N" in each month that a particular waste stream is discharged at normal flows
- "R" in each month that a particular waste stream is substantially reduced (i.e., less than half of normal flow)
- "0" in each month when there is zero discharge

ID Number (Section B)	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
001	N	N	N	R	R	0	0	0	N	N	N	N
002												
003												
004												
005												
006												
007												
008												
009												
010												
011												
012												
013												
014												






Orondo Loop Road Facility
#8 Loop Road
Orondo WA



11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

Chelan Fruit Cooperative
#8 Orondo Loop Rd.
Orondo WA



Lined Evaporative Lagoon



