



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300  
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

January 9, 2017

Don Bache, Cascade Pole Site Manager  
Port of Olympia  
915 Washington Street NE  
Olympia WA 98501

Dear Mr. Bache:

Re: National Pollutant Discharge Elimination System (NPDES)  
Permit No. WA0040533 noncompliance notification

Our office has completed review of your October 2016, Discharge Monitoring Reports (DMRs). The DMR indicate your discharge did not comply with the effluent limitations and/or monitoring requirements established in your permit. The following was not in compliance:

Outfall Number	Monitoring Parameter	Sample Measurement	Permit Requirement
001	Pentachlorophenol (PCP) Removal Efficiency	97.94%	99.50%

Reports which do not comply with permit limits and/or monitoring requirements are treated as violations. If this letter is incorrect or you have questions or comments, please contact Mohsen Kourehdar, at 360-407-6256.

Ecology acknowledges the reason for the lower removal efficiency was lower concentration than usual of influent PCP during the test day. It is important to state that there were not any violations of permit limit of 6.5 µg/l for PCP.

The effluent limits established in your permit were derived considering the treatment technology employed at your facility, receiving water quality, the environmental impacts of your discharge, and statistical reliability associated with sampling and laboratory procedures.


Compliance Assurance is the goal of the Clean Water Act's self-monitoring program. The DMR is the principle tool used to enforce the self-monitoring program. Be aware of

Don Bache, Cascade Pole Site Manager  
Port of Olympia  
January 9, 2016  
Page 2

the importance the Department of Ecology (Department) places on complete and accurate DMRs and the legal implications they have for your facility. Noncompliance with the limits, monitoring requirements, terms and/or conditions established in your permit may result in formal enforcement action by the Department.

If you have any questions about your permit or need technical assistance with your facility or for completing your monitoring reports, please contact Mohsen Kourehdar, at 360-407-6256.

Sincerely,



Mohsen Kourehdar, P.E.  
Toxic Cleanup Program  
Southwest Regional Office

MK/ksc:Port of Olympia WQ Noncompliance 2014 Notification

By certified mail: ( 91 7199 9991 7037 0280 3244