



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

Northwest Regional Office • 3190 160th Ave SE • Bellevue, WA 98008-5452 • 425-649-7000  
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

February 2, 2017

Mr. Steve Lenz  
8204 288<sup>th</sup> St. NW  
Stanwood, WA 98292

RE: State Waste Discharge Permit No. ST0005174 Groundwater Study

Dear Mr. Lenz:

I received your letter dated January 13, 2017 requesting an extension to the completion date for the permit required groundwater study. In order to ensure a quality product from your consultant Ecology hereby grants an extension of 90 days from the date of this letter for completion of this task.

Ecology has also received your letter report dated January 10, 2017, detailing the steps Schenk Packing has taken to stem potentially contaminated stormwater runoff to Douglas Creek. The actions documented in the text and photographs satisfy the first portion of Immediate Action Order Docket No, 13760. This IAO will remain open until submission and acceptance of the hydrogeologic study and completion of stormwater upgrades. Please note that schematic drawings of the process wastewater and upgraded stormwater systems must be signed and stamped by a Washington licensed professional engineer.

If you have any questions about the forms, please contact me at (425) 649-7110.

Sincerely,

Christopher J. Martin  
Water Quality Section Hydrogeologist

CJM 001-2017

cc: Jerry Shervey  
Biniam Zelelow / IAO File  
Project File

