

**NOTICE: ANNOUNCEMENT OF AVAILABILITY OF DRAFT WASTEWATER DISCHARGE PERMIT**

**Permit No.:** WA0029289

**Applicant:** City of Bremerton

**Facilities:** West Wastewater Treatment Plant  
1600 Oyster Bay Avenue S  
Bremerton, Kitsap County

East Wastewater Treatment Plant  
2475 Stephenson Avenue  
Bremerton, Kitsap County

The City of Bremerton has reapplied for a National Pollutant Discharge Elimination System (NPDES) permit in accordance with the provisions of Chapter 90.48 Revised Code of Washington (RCW), Chapter 173-220 Washington Administrative Code (WAC), and the Federal Clean Water Act.

The City of Bremerton owns, operations and maintains the following two wastewater treatment plants: The West Wastewater Treatment Plant, a year round facility which operates an activated sludge secondary treatment plant and the East Wastewater Treatment Plant which operates only during wet weather periods. The plants are designed to handle a maximum month flow of 11 MGD (May- September) and 15.5 MGD (October-April).

The wastewater, following treatment, must meet the requirements of the Washington State Water Pollution Control Act and applicable regulations for a permit to be issued. Following evaluation of the application and other available information, a draft permit has been developed which would allow the discharge of treated domestic wastewater from the West Plant into the Sinclair Inlet and the East Plant into the Port Washington Narrows.

A tentative determination has been made on the effluent limitations and special permit conditions that will prevent and control pollution. A final determination will not be made until all timely comments received in response to this notice have been evaluated.

**PUBLIC COMMENT AND INFORMATION**

The draft permit and fact sheet may be viewed at the Department of Ecology website: <https://fortress.wa.gov/ecy/paris/PermitSearch.aspx> The application, fact sheet, proposed permit, and other related documents are also available at the Department's Northwest Regional Office for inspection and copying between the hours of 8:00 am and 4:30 pm weekdays. To obtain a copy or to arrange to view copies at the Northwest Regional Office, please call Sally Perkins at (425) 649-7190, email at [sper461@ecy.wa.gov](mailto:sper461@ecy.wa.gov)

Interested persons are invited to submit written comments regarding the proposed permit. All comments must be submitted within 30 days after publication of this notice to be considered for the final determination. Comments should be sent to:

Washington State Department of Ecology  
Northwest Regional Office  
3190 - 160th Avenue SE  
Bellevue, WA 98008-5452  
Attention: Permit Coordinator

Email comments should be sent to: [tmil461@ecy.wa.gov](mailto:tmil461@ecy.wa.gov)

Any interested party may request a public hearing on the proposed permit within 30 days of the publication date of this notice. If a hearing is to be held, public notice will be published at least 30 days in advance of the hearing date. If you require special accommodations or need this document in a format for the visually impaired, call Tricia Miller at (425)649-7201. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

Date of Publication: September 12, 2018 (Public Notice of Draft)