

August 15, 2018

www.varela-engr.com
va@varela-engr.com

Diana Washington, PE
Senior Water Quality Engineer
Washington State Department of Ecology
4601 N Monroe
Spokane, WA 99205-1295

RE: Othello Wastewater Treatment Plant – NPDES Permit No. WA0022357
NPDES Permit Application – 2018 Supplement
Additional Requested Information – ECY Comment Letter of June 19, 2018

Dear Ms. Washington:

On behalf of the City of Othello, Varela and Associates, Inc. is providing you the additional information requested in your comment letter dated June 19, 2018. The additional information and sampling data are contained in this revised permit application. The following revisions have been made:

- Page 10
 - Testing of three – 24 hour composite samples for FOG, TKN, NO₃ + NO₂, Total Phosphorus, and Total Dissolved Solids that were not included with the original application.
 - Supporting calculations for the dissolved oxygen (DO) information is provided under a new tab. Effluent DO is measured five days per week. Effluent DO data from 2016 and 2017 are included with the application.
- Page 11
 - The Application Certification has been completed and the Mayor has signed it.
- Page 12
 - Two additional Priority Pollutant Scans for the Metals, phenols and hardness were performed in order to get a total of three sample events as required by the permit application. This information is included in the revised application.
- Page 14/15
 - Additional organic samples that were not included with the original application are now included. These additional samples were all ND (non-detect) and included: Benzo (r,s,t) penaphene, Dibenzo (a,h) Acridine, Dibenzo (a,j) Acridine, Dibenzo (a,e) Pyrene, Dibenzo (a,h) Pyrene, 3-MethylCholanthrene, and Perylene.
- Page 21
 - It is our understanding that the processing of raw fruit and vegetables into juice is subject to categorical pretreatment standards under 40 CFR Part 407, so we left the information about the industry in the application.

The revised submittal package includes:


- 2018 NPDES Permit Application
 - Anatek/Kuo Labs Sampling Results
 - Supporting calculations for DO
- Copy of the 2013 NPDES Permit Application

Diana Washington, PE
Senior Water Quality Engineer
Washington State Department of Ecology
August 15, 2018
Page 2

We understand that ECY is in the process of preparing the permit and that it may be ready for review within the next two months. The additional information contained in the permit application has been previously sent to ECY to assist with the permit calculations. Thank you for providing the application review comments and we look forward to reviewing the draft permit. Please contact me if you have any questions or require additional information.

Sincerely,

VARELA & ASSOCIATES, INC.



John C. Patrouch, PE
Project Engineer

cc: Shawn Logan, Mayor
Terry Clements, Public Works Director
Allison Esvelt, PE, Esvelt Environmental Engineering
Art Jenkins, PE, Ecology

S:\Project Documents\172 Othello\172-19 Wastewater\NPDES Permit App 2018\NPDES App - August 20



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

June 19, 2018

The Honorable Shawn Logan
City of Othello
500 East Main Street
Othello, WA 99344

RE: City of Othello NPDES Permit WA0022357
Permit Application Received May 14, 2018

Dear Mayor Logan:

I have reviewed the permit application submitted on behalf of the City of Othello on May 14, 2018. The application has been reviewed for completeness and accuracy.

The following items must be resolved and the application resubmitted:

- Page 10: Please complete the sampling required. The directions indicated that at a minimum the testing data must be based on at least three pollutant scans and must be no more than 4.5 years old. The application is missing data for TKN, NO₃, Oil and Grease, Total Phosphorus, and Total Dissolved Solids.
- Page 10: Please provide a data sheet with the information used to estimate the Dissolved Oxygen parameter. Dissolved Oxygen should provide the minimum, not the maximum. The data should use the weekly reading required by the permit and should not use data over 4.5 years old.
- Page 11: Please complete the application certification.
- Page 12: Part D requires that the City collect data based on at least three pollutant scans no more than 4.5 years old. According to the information provided, only one sample was tested. Based on no detection of most of the priority pollutant scan, Ecology will accept testing only for the Metals (Total Recoverable) Cyanide, Phenols, and Hardness. Two more samples must be collected and tested. Please make sure that the tested samples are representative of the flow at the facility.
- Page 21 F.7.b.: A food processor is not a categorical industry so the answer should be No.

I am available for questions or comments at (509) 329-3519 or dwas461@ecy.wa.gov.

Sincerely,

Diana Washington, P.E.
Senior Engineer/Permit Manager

DW:red

cc: Allison Esvelt, Esvelt Engineering LLC
John Patrouch, Varela & Associates, Inc.



FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

This form is equivalent to EPA NPDES Form 3510-2A

FORM
2A
NPDES

NPDES FORM 2A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. **Basic Application Information for all Applicants.** All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. **Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd.** All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. **Certification.** All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. **Expanded Effluent Testing Data.** A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. **Toxicity Testing Data.** A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. **Industrial User Discharges and RCRA/CERCLA Wastes.** A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. **Combined Sewer Systems.** A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

BASIC APPLICATION INFORMATION

PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS:

All treatment works must complete questions A.1 through A.8 of this Basic Application Information Packet.

A.1. Facility Information.

Facility Name City of Othello Wastewater Treatment Plant

Mailing Address 111 North Broadway Avenue, Othello, WA 99344

Facility Address (not P.O. Box) 2302 Cunningham Road, Othello, WA 99344

Location 46 deg, 49' 48"N/119 deg 13' 38"W
(Latitude/Longitude as decimal degrees (NAD83/WGS84)

Telephone Number (509) 488-6997

E-mail address jlaire@othellowa.gov

Contact Person James Laird

Title WWTP Operator

UBI Number 014000005

A.2. Applicant Information. If the applicant is different from the above, provide the following:

Applicant Name N/A

Mailing Address N/A

Telephone Number (N/A) N/A

E-mail address N/A

Contact Person N/A

Title N/A

Is the applicant the owner or operator (or both) of the treatment works? ☒ owner ☒ operator

Indicate whether correspondence regarding this permit should be directed to the facility or the applicant.

☒ facility ☐ applicant

Can the facility obtain broadband internet access for WQWebDMR (<http://www.ecy.wa.gov/programs/wq/permits/paris/webdmr.html>)?

☒ yes ☐ no

A.3. Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits).

NPDES WA-0022357

PSD _____

UIC _____

Other _____

RCRA _____

Other _____

A.4. Collection System Information. Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.).

Name	Population Served	Type of Collection System	Ownership
<u>City of Othello</u>	<u>7,495</u>	<u>Separate</u>	<u>Municipal</u>
<u>Adams Co WD #1</u>	<u>785</u>	<u>Separate</u>	<u>Municipal</u>
<u>Residential Dev.</u>	<u>365</u>	<u>Separate</u>	<u>Municipal</u>
Total population served <u>8,645</u>			

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

A.5. Indian Country.

- a. Is the treatment works located in Indian Country?
☐ Yes ☒ No
- b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country?
☐ Yes ☒ No

A.6. Flow. Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal.

- a. Design flow rate 7.5/2.5 mgd

	<u>Two Years Ago</u>	<u>Last Year</u>	<u>This Year</u>
b. Annual average daily flow rate	<u>0.78</u>	<u>1.18</u>	<u>1.44</u>
c. Maximum daily flow rate	<u>2.98</u>	<u>1.83</u>	<u>1.77</u>

A.7. Collection System. Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each.

- ☒ Separate sanitary sewer 100 %
- ☐ Combined storm and sanitary sewer _____ %

A.8. Discharges and Other Disposal Methods.

- a. Does the treatment works discharge effluent to waters of the U.S.? ☒ Yes ☐ No

If yes, list how many of each of the following types of discharge points the treatment works uses:

- i. Discharges of treated effluent 1
- ii. Discharges of untreated or partially treated effluent 0
- iii. Combined sewer overflow points 0
- iv. Constructed emergency overflows (prior to the headworks) 0
- v. Other _____

- b. Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.? ☐ Yes ☒ No

If yes, provide the following for each surface impoundment:

Location : _____
(Latitude/Longitude as decimal degrees (NAD83/WGS84))

Annual average daily volume discharge to surface impoundment(s) _____ mgd

Is discharge ☐ continuous or ☐ intermittent?

- c. Does the treatment works land-apply treated wastewater? ☐ Yes ☒ No

If yes, provide the following for each land application site:

Location : _____
(Latitude/Longitude as decimal degrees (NAD83/WGS84))

Number of acres: _____

Annual average daily volume applied to site: _____ mgd

Is land application ☐ continuous or ☐ intermittent?

- d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works? ☐ Yes ☒ No

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe).

If transport is by a party other than the applicant, provide:

Transporter Name _____

Mailing Address _____

Contact Person _____

Title _____

Telephone Number (____) _____

For each treatment works that receives this discharge, provide the following:

Name _____

Mailing Address _____

Contact Person _____

Title _____

Telephone Number (____) _____

If known, provide the NPDES permit number of the treatment works that receives this discharge _____

Provide the average daily flow rate from the treatment works into the receiving facility. _____ mgd

- e. Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8. through A.8.d above (e.g., underground percolation, well injection): ☐ Yes ☒ No

If yes, provide the following for each disposal method:

Description of method (including location and size of site(s) if applicable):

Annual daily volume disposed by this method: _____

Is disposal through this method ☐ continuous or ☐ intermittent?

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

A.9. Description of Outfall.

- a. Outfall number 001
- b. Location Owl Creek 99344
(City or town, if applicable) (Zip Code)
Adams WA
(County) (State)
46.830 119.227
(Latitude) Provide these as decimal degrees (NAD83/WGS84) (Longitude)
- c. Distance from shore (if applicable) 0 ft.
- d. Depth below surface (if applicable) 0 ft.
- e. Average daily flow rate 2.0 Dry/7.5 Wet mgd
- f. Does this outfall have either an intermittent or a periodic discharge? ☐ Yes ☒ No (go to A.9.g.)
If yes, provide the following information:
Number of times per year discharge occurs: _____
Average duration of each discharge: _____
Average flow per discharge: _____ mgd
Months in which discharge occurs: _____
- g. Is outfall equipped with a diffuser? ☐ Yes ☒ No

A.10. Description of Receiving Waters.

- a. Name of receiving water Owl Creek to Lower Crab Creek to the Columbia River
- b. Name of watershed (if known) WRIA 41
United States Soil Conservation Service 14-digit watershed code (if known): _____
- c. Name of State Management/River Basin (if known): Lower Crab
United States Geological Survey 8-digit hydrologic cataloging unit code (if known): 17020015
- d. Critical low flow of receiving stream (if applicable)
acute _____ cfs chronic _____ cfs
- e. Total hardness of receiving stream at critical low flow (if applicable): _____ mg/l of CaCO₃

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)**A.11. Description of Treatment**

- a. What level(s) of treatment are provided? Check all that apply.

☒ Primary☒ Secondary☐ Advanced☐ Other. Describe: _____

- b. Indicate the following removal rates (as applicable):

Design BOD5 removal or Design CBOD5 removal 85 %Design SS removal 85 %Design P removal N/A %Design N removal N/A %

Other _____ %

- c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe:

The City adds granular chlorine to the effluent when fecal counts, due to bird waste contamination, begin to rise during spring or fall bird migration periods.

If disinfection is by chlorination is dechlorination used for this outfall?

☐ Yes☒ No

- d. Does the treatment plant have post aeration?

☐ Yes☒ No

A.12. Effluent Testing Information. All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than one and one-half years apart.

Outfall number: 001 (Data for 2016 to 2017)

PARAMETER	MAXIMUM DAILY VALUE		AVERAGE DAILY VALUE					
	Value	Units	Value	Units	Number of Samples			
pH (Minimum)	7.3	s.u.						
pH (Maximum)	10.5	s.u.						
Flow Rate	1.83	MGD	1.31	MGD	24			
Temperature (Winter)	17.7	Deg C	5.64	Deg C	24			
Temperature (Summer)	30.3	Deg C	19.2	Deg C	24			
* For pH please report a minimum and a maximum daily value								
POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML/MDL	
	Conc.	Units	Conc.	Units	Number of Samples			
CONVENTIONAL AND NON CONVENTIONAL COMPOUNDS								
BIOCHEMICAL OXYGEN DEMAND (Report one)	BOD5	47	mg/L	20	mg/L	24	SM5210-B	2
	CBOD5							
FECAL COLIFORM		2419	#/100ml	225	#/100m l	24	SM9221-E	N/A
TOTAL SUSPENDED SOLIDS (TSS)		196	mg/L	31	mg/L	24	SM2540-D	5

**END OF PART A.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE**

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

BASIC APPLICATION INFORMATION

**PART B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER
THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).**

All applicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).

B.1. Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.

350,000-400,000 gpd

Briefly explain any steps underway or planned to minimize inflow and infiltration.

The City is undergoing an I/I study as part of the current Facilities Planning process.

B.2. Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)

- The area surrounding the treatment plant, including all unit processes.
- The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
- Each well where wastewater from the treatment plant is injected underground.
- Wells, springs, other surface water bodies, and drinking water wells that are: 1) within ¼ mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
- Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
- If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where the hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.

B.3. Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.

B.4. Operation/Maintenance Performed by Contractor(s).

Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor? ☐ Yes ☒ No

If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).

Name: _____

Mailing Address: _____

Telephone Number: (____) _____

Responsibilities of Contractor: _____

B.5. Scheduled improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)

- List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.

001 - There is currently no implementation schedule required by the State. The City has initiated the Facilities Planning process to address treatment and collection system deficiencies.

- Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

☐ Yes ☒ No

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

c. If the answer to B.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable).

d. Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, as applicable. Indicate dates as accurately as possible.

Implementation Stage	Schedule MM/DD/YYYY	Actual Completion MM/DD/YYYY
- Begin Construction	/ /	/ /
- End Construction	/ /	/ /
- Begin Discharge	/ /	/ /
- Attain Operational Level	/ /	/ /

e. Have appropriate permits/clearances concerning other Federal/State requirements been obtained? ☐ Yes ☐ No

Describe briefly: _____

B.6. EFFLUENT TESTING DATA (GREATER THAN OR EQUAL TO 0.1 MGD ONLY).

Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods (See attachment A). In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall Number: 001

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Conc.	Units	Number of Samples		
CONVENTIONAL AND NON CONVENTIONAL COMPOUNDS							
AMMONIA (as N)	21.8	mg/L	5.5	mg/L	24	SM4500-NH3-GH	0.3
CHLORINE (TOTAL RESIDUAL, TRC)	ND	ug/L	ND	ug/L	17	4500 Cl G	10
DISSOLVED OXYGEN	0.4	mg/L	5.9	mg/L	436	4500-OC/OG	0.2
TOTAL KJELDAHL NITROGEN (TKN)	13.3	mg/L	11.91	mg/L	3	EPA 351.2	0.15
NITRATE PLUS NITRITE NITROGEN	0.018	mg/L	0.018	mg/L	3	SM 4500 NO3-F-00	0.022
OIL and GREASE	2.34	mg/L	1.77	mg/L	3	EPA 1664A	0.5
PHOSPHORUS (Total)	2.87	mg/L	2.82	mg/L	3	SM 4500-P F/B	0.03
TOTAL DISSOLVED SOLIDS (TDS)	980	mg/L	779	mg/L	3	SM 2540 C-97	14.20
OTHER Alkalinity	440	mg/L	361	mg/L	24	SM2320-B	5

END OF PART B.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

BASIC APPLICATION INFORMATION

PART C. CERTIFICATION

All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.

Indicate which parts of Form 2A you have completed and are submitting:

☒ Basic Application Information packet

Supplemental Application Information packet:

☒ Part D (Expanded Effluent Testing Data)

☐ Part E (Toxicity Testing: Biomonitoring Data)

☒ Part F (Industrial User Discharges and RCRA/CERCLA Wastes)

☐ Part G (Combined Sewer Systems)

ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Permittee

Name and Title of
Responsible Official

SHAWN R LOGAN, Mayor

Signature

Shawn R Logan

Telephone number

(509) 488-5108

E-mail address

slogan@othellowa.gov

Date signed

MAY 8, 2018

Co-Permittee (if applicable)

Name and official title

Signature

Telephone number

()

E-mail address

Date signed

Upon request of the permitting authority, you must submit any other information necessary to assure wastewater treatment practices at the treatment works or identify appropriate permitting requirements.

SEND COMPLETED FORMS TO¹:

¹If unknown, contact an Ecology regional wastewater permit coordinator at: http://www.ecy.wa.gov/programs/wq/permits/permit_coord.html

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old. The applicant should also review Attachment A.

Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
METALS (TOTAL RECOVERABLE), CYANIDE, PHENOLS, AND HARDNESS.											
ANTIMONY	ND	mg/L	ND	g/d	ND	mg/L	ND	g/d	3	EPA 200.8	0.0003
ARSENIC	0.0044	mg/L	12.4	g/d	0.004	mg/L	10.4	g/d	3	EPA 200.8	0.000082
BERYLLIUM	ND	mg/L	ND	g/d	ND	mg/L	ND	g/d	3	EPA 200.8	0.000353
CADMIUM	ND	mg/L	ND	g/d	ND	mg/L	ND	g/d	3	EPA 200.8	0.000039
CHROMIUM	ND	mg/L	ND	g/d	ND	mg/L	ND	g/d	3	EPA 200.8	0.00004
COPPER	0.0032	mg/L	7.48	g/d	0.003	mg/L	6.44	g/d	3	EPA 200.8	0.000065
LEAD	ND	mg/L	ND	g/d	ND	mg/L	ND	g/d	3	EPA 200.8	0.000015
MERCURY	0.0121	ug/L	40.76	g/d	0.008	ug/L	22.9	g/d	3	EPA 245.7	0.0002
NICKEL	0.0012	mg/L	4.08	g/d	0.001	mg/L	3.10	g/d	3	EPA 200.8	0.00018
SELENIUM	ND	mg/L	ND	g/d	ND	mg/L	ND	g/d	3	EPA 200.8	0.00029
SILVER	ND	mg/L	ND	g/d	ND	mg/L	ND	g/d	3	EPA 200.8	0.000066
THALLIUM	ND	mg/L	ND	g/d	ND	mg/L	ND	g/d	3	EPA 200.8	0.000069
ZINC	0.0146	mg/L	41.3	g/d	0.012	mg/L	33.0	g/d	3	EPA 200.8	0.0002
CYANIDE	0.0105	mg/L	19.1	g/d	0.011	mg/L	6.36	g/d	3	EPA 335.4	0.002
TOTAL PHENOLIC COMPOUNDS	ND	mg/L	ND	g/d	ND	mg/L	ND	g/d	3	EPA 420.1	0.015
HARDNESS (AS CaCO3)	414	mg/L	2585	lb/day	266	mg/L	1588	lb/d	3	2340B	1.0
Use this space (or a separate sheet) to provide information on other metals requested by the permit writer											

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
VOLATILE ORGANIC COMPOUNDS											
ACROLEIN	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
ACRYLONITRILE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
BENZENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
BROMOFORM	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
CARBON TETRACHLORIDE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
CHLOROBENZENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
CHLOROBIDBROMO-METHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
CHLOROETHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
2-CHLORO-ETHYLVINYL ETHER	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
CHOLOROFORM	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
DICHLOROBROMO-METHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
1,1-DICHLOROETHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
1,2-DICHLOROETHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
1,2-DICHLOROETHYLE NE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
TRANS-1,2-DICHLORO-ETHYLENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
1,1-DICHLOROETHYLE NE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
1,2-DICHLOROPROPANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
1,3-DICHLOROPROPYLEN E	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
ETHYLBENZENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
METHYL BROMIDE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
METHYL CHLORIDE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
METHYLENE CHLORIDE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
1,1,2,2-TETRACHLORO-ETHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
TETRACHLORO-ETHYLENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
TOLUENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
1,1,1-TRICHLOROETHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
1,1,2-TRICHLOROETHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.5
TRICH LORETHYLENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1
VINYL CHLORIDE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 624	0.1

Use this space (or a separate sheet) to provide information on other metals requested by the permit writer

ACID-EXTRACTABLE COMPOUNDS

P-CHLORO-M-CRESOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
2-CHLOROPHENOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
2,4-DICHLOROPHENOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
2,4-DIMETHYLPHENOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
4,6-DINITRO-O-CRESOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.2
2,4-DINITROPHENOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.2
2-NITROPHENOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.2
4-NITROPHENOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.2
PENTA CHLOROPHENOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
PHENOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
2,4,6-TRICHLORO PHENOL	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1

Use this space (or a separate sheet) to provide information on other metals requested by the permit writer

BASE-NEUTRAL COMPOUNDS

ACENAPHTHENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
ACENAPHTYLENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
ANTHRACENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BENZIDINE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)Outfall number: **001** (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
BENZO(A) ANTHRACENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BENZO(J)FLUORANTHENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BENZO(r,s,t)PENTAPHENE	ND	ug/	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BENZO(A)PYRENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
3,4 BENZO-FLUORANTHENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BENZO(GHI)PERYLENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BENZO(K)FLUORANTHENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BIS (2-CHLOROETHOXY) METHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BIS (2-CHLOROETHYL)-ETHER	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BIS (2-CHLOROISOPROPYL) ETHER	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BIS (2-ETHYLHEXYL) PHTHALATE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.2
4-BROMOPHENYL PHENYL ETHER	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
BUTYL BENZYL PHTHALATE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.2
2-CHLORO NAPHTHALENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
4-CHLOROPHENYL PHENYL ETHER	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
CHRYSENE	ND	ug/L	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
DIBENZO(a,j)ACRIDINE	ND	ug/	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
DIBENZO(a,h)ACRIDINE	ND	ug/	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
DIBENZO(a,e)PYRENE	ND	ug/	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
DIBENZO(a,h)PYRENE	ND	ug/	ND	g/d	ND	ug/L	ND	ug/L	1	EPA 625	0.1
DI-N-BUTYL PHTHALATE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.2
DI-N-OCTYL PHTHALATE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.2
DIBENZO(A,H) ANTHRACENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
1,2-DICHLORO BENZENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)Outfall number: **001** (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
1,3-DICHLORO BENZENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
1,4-DICHLORO BENZENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
3,3-DICHLORO BENZIDINE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
DIETHYL PHTHALATE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.2
DIMETHYL PHTHALATE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.2
2,4-DINITROTOLUENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
2,6-DINITROTOLUENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
1,2-DIPHENYLHYDRAZINE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
FLUORANTHENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
FLUORENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
HEXACHLORO BENZENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
HEXACHLOROBUT ADIENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
HEXACHLOROCYCLO-PENTADIENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
HEXA CHLOROETHANE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
INDENO(1,2,3-CD) PYRENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
ISOPHORONE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
3-METHYL CHOLANTHRENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
NAPHTHALENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
NITROBENZENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
N-NITROSODI-N-PROPYLAMINE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
N-NITROSODI-METHYLAMINE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
N-NITROSODI-PHENYLAMINE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
PERYLENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
PHENANTHRENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
PYRENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1
1,2,4-TRICHLOROBENZENE	ND	ug/L	ND	g/d	ND	ug/L	ND	g/d	1	EPA 625	0.1

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		

Use this space (or a separate sheet) to provide information on other metals requested by the permit writer

--	--	--	--	--	--	--	--	--	--	--	--

END OF PART D.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.

If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to complete.

E.1. Required Tests.

Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years.

☐

chronic

☐

acute

E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported.

Test number: _____

Test number: _____

Test number: _____

a. Test information.

Test Species & test method number			
Age at initiation of test			
Outfall number			
Dates sample collected			
Date test started			
Duration			

b. Give toxicity test methods followed.

Manual title			
Edition number and year of publication			
Page number(s)			

c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used.

24-Hour composite			
Grab			

d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each.)

Before disinfection			
After disinfection			
After dechlorination			

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

Test number: _____

Test number: _____

Test number: _____

e. Describe the point in the treatment process at which the sample was collected.

Sample was collected:

f. For each test, include whether the test was intended to assess chronic toxicity, acute toxicity, or both

Chronic toxicity

Acute toxicity

g. Provide the type of test performed.

Static

Static-renewal

Flow-through

h. Source of dilution water. If laboratory water, specify type; if receiving water, specify source.

Laboratory water

Receiving water

i. Type of dilution water. If salt water, specify "natural" or type of artificial sea salts or brine used.

Fresh water

Salt water

j. Give the percentage effluent used for all concentrations in the test series.

k. Parameters measured during the test. (State whether parameter meets test method specifications)

pH

Salinity

Temperature

Ammonia

Dissolved oxygen

l. Test Results.

Acute:

Percent survival in 100% effluent

%

%

%

LC₅₀

95% C.I.

%

%

%

Control percent survival

%

%

%

Other (describe)

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

Chronic:

NOEC	%	%	%
IC ₂₅	%	%	%
Control percent survival	%	%	%
Other (describe)			

m. Quality Control/Quality Assurance.

Is reference toxicant data available?			
Was reference toxicant test within acceptable bounds?			
What date was reference toxicant test run (MM/DD/YYYY)?	/ /	/ /	/ /
Other (describe)			

E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation?

☐ Yes ☐ No

If yes, describe: _____

E.4. Summary of Submitted Biomonitoring Test Information. If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results.

Date submitted: ____/____/____ (MM/DD/YYYY)

Summary of results: (see instructions)

END OF PART E.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE.

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

SUPPLEMENTAL APPLICATION INFORMATION

PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES

All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete part F.

GENERAL INFORMATION:

F.1. Pretreatment Program. Does the treatment works have, or is subject to, an approved pretreatment program?

☒ Yes ☐ No

F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works.

a. Number of non-categorical SIUs. 1

b. Number of CIUs. _____

SIGNIFICANT INDUSTRIAL USER INFORMATION:

Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU.

F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.

Name: SVZ-USA, Inc.

Mailing Address: P.O. Box 715

Othello, WA 99344

F.4. Industrial Processes. Describe all the industrial processes that affect or contribute to the SIU's discharge.

Production of fruit and vegetable juice concentrates and purees

F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

Principal product(s): fruit and vegetable juice concentrates and purees

Raw material(s): raw fruit and vegetables from the field or frozen storage

F.6. Flow Rate.

a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharge into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.

90,000 gpd (☒ continuous or ☐ intermittent)

b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.

0 gpd (☐ continuous or ☐ intermittent)

F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:

a. Local limits ☒ Yes ☐ No

b. Categorical pretreatment standards ☐ Yes ☒ No

If subject to categorical pretreatment standards, which category and subcategory?

CFR Title 40, Part 407, Subpart F

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

F.8. Problems at the Treatment Works Attributed to Waste Discharge by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years?

☐ Yes ☒ No

If yes, describe each episode.

RCRA HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEDICATED PIPELINE:

F.9. RCRA Waste. Does the treatment works receive or has it in the past three years received RCRA hazardous waste by truck, rail or dedicated pipe?

☐ Yes ☒ No (go to F.12)

F.10. Waste Transport. Method by which RCRA waste is received (check all that apply):

☐ Truck

☐ Rail

☐ Dedicated Pipe

F.11. Waste Description. Give EPA hazardous waste number and amount (volume or mass, specify units).

EPA Hazardous Waste Number

Amount

Units

CERCLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/CORRECTIVE ACTION WASTEWATER, AND OTHER REMEDIAL ACTIVITY WASTEWATER:

F.12. Remediation Waste. Does the treatment works currently (or has it been notified that it will) receive waste from remedial activities?

☐ Yes (complete F.13 through F.15.) ☒ No

F.13. Waste Origin. Describe the site and type of facility at which the CERCLA/RCRA/or other remedial waste originates (or is expected to originate in the next five years).

F.14. Pollutants. List the hazardous constituents that are received (or are expected to be received). Include data on volume and concentration, if known. (Attach additional sheets if necessary.)

F.15. Waste Treatment.

a. Is this waste treated (or will be treated) prior to entering the treatment works?

☐ Yes ☐ No

If yes, describe the treatment (provide information about the removal efficiency):

b. Is the discharge (or will the discharge be) continuous or intermittent?

☐ Continuous

☐ Intermittent

If intermittent, describe discharge schedule.

END OF PART F.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

SUPPLEMENTAL APPLICATION INFORMATION

PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)

- All CSO discharge points.
- Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
- Waters that support threatened and endangered species potentially affected by CSOs.

G.2. System Diagram. Provide a diagram, either in the map provided in G.1 or on a separate drawing, of the combined sewer collection system that includes the following information.

- Location of major sewer trunk lines, both combined and separate sanitary.
- Locations of points where separate sanitary sewers feed into the combined sewer system.
- Locations of in-line and off-line storage structures.
- Locations of flow-regulating devices.
- Locations of pump stations.

CSO OUTFALLS:

Complete questions G.3 through G.6 once for each CSO discharge point.

G.3. Description of Outfall.

- Outfall number _____
- Location _____
(city or town, if applicable) (Zip Code) _____
(County) (State) _____
(Latitude) (Longitude) _____
- Distance from shore (if applicable) _____ ft.
- Depth below surface (if applicable) _____ ft.
- Which of the following were monitored during the last year for this CSO?
☐ Rainfall ☐ CSO pollutant concentrations ☐ CSO frequency
☐ CSO flow volume ☐ Receiving water quality
- How many storm events were monitored during the last year? _____

G.4. CSO Events.

- Give the number of CSO events in the last year.
_____ events (☐ actual or ☐ approx.)
- Give the average duration per CSO event.
_____ hours (☐ actual or ☐ approx.)

FACILITY NAME AND PERMIT NUMBER:

City of Othello WWTP (WA-0022357)

- c. Give the average volume per CSO event.
_____ million gallons (☐ actual or ☐ approx.)
- d. Give the minimum rainfall that caused a CSO event in the last year
_____ Inches of rainfall

G.5. Description of Receiving Waters.

- a. Name of receiving water: _____
- b. Name of watershed/river/stream system: _____
United State Soil Conservation Service 14-digit watershed code (if known): _____
- c. Name of State Management/River Basin: _____
United States Geological Survey 8-digit hydrologic cataloging unit code (if known): _____

G.6. CSO Operations.

Describe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).

END OF PART G.

**REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE.**

Additional information, if provided, will appear on the following pages.

ATTACHMENT A

EFFLUENT CHARACTERIZATION FOR PERMIT APPLICATION

This attachment is used in conjunction with Section V, Parts A, B, and C of EPA Application Form 2C, and Parts A.12, B.6, and D of EPA application Form 2A. It specifies effluent characterization requirements of the Department of Ecology and analytical procedure and detection and quantitation levels for some parameters. For new permit applications, analyze your wastewater for all parameters required by the application and any additional pollutants or groups of pollutants with an X in the left column. Existing Permittees should compile the data from the last year's data for parameters routinely measured. If you are a primary industry category with effluent guidelines you may have some mandatory testing requirements (see Table 2C-2 Form 2C). If you are a municipal POTW, EPA has identified mandatory testing requirements, which depend upon the design flow (see EPA Form 2A).

Ecology added this attachment to the application in order to reduce the number of analytical "non-detects" in required monitoring and to measure effluent concentrations near or below criteria values where possible at a reasonable cost. The applicant must use the specified analytical methods, detection limits (DLs) and quantitation levels (QLs) in the following table for application required monitoring unless:

- Another permit condition specifies other methods, detection levels, or quantitation levels.
- The method used produces measurable results in the sample and EPA has listed it as an EPA-approved method in 40 CFR Part 136.

If the applicant uses an alternative method, as allowed above, it must report the test method, DL, and QL in the application. If the applicant is unable to obtain the required DL and QL in its effluent due to matrix effects, the applicant must submit a matrix-specific detection limit (MDL) and a quantitation limit (QL) to Ecology with appropriate laboratory documentation.

	Form 2C Ref. #	Pollutant & CAS No. (if available)	Recommended Analytical Protocol	Detection (DL) ¹ µg/L unless specified	Quantitation Level (QL) ² µg/L unless specified
10		Conventional (Part A)			
	a.	Biochemical Oxygen Demand	SM5210-B		2 mg/L
		Soluble Biochemical Oxygen Demand	SM5210-B ³		2 mg/L
	b.	Chemical Oxygen Demand	SM5220-D		10 mg/L
	c.	Total Organic Carbon	SM5310-B/C/D		1 mg/L
	d.	Total Suspended Solids	SM2540-D		5 mg/L
	e.	Total Ammonia (as N)	SM4500-NH3-B and C/D/E/G/H		20
	f.	Flow	Calibrated device		
		Dissolved oxygen	SM4500-OC/OG		0.2 mg/L
		Temperature (max. 7-day avg.)	Analog recorder or Use micro-recording devices known as thermistors		0.2° C
	i.	pH	SM4500-H ⁺ B	N/A	N/A
10		Nonconventional (Part B)			
		Total Alkalinity	SM2320-B		5 mg/L as CaCO ₃
	b.	Chlorine, Total Residual	SM4500 Cl G		50.0
	c.	Color	SM2120 B/C/E		10 color units

Form 2C Ref. #	Pollutant & CAS No. (if available)	Recommended Analytical Protocol	Detection (DL) ¹ µg/L unless specified	Quantitation Level (QL) ² µg/L unless specified
d.	Fecal Coliform	SM 9221E,9222	N/A	Specified in method - sample aliquot dependent
e.	Fluoride (16984-48-8)	SM4500-F E	25	100
f.	Nitrate + Nitrite Nitrogen (as N)	SM4500-NO3- E/F/H		100
g.	Nitrogen, Total Kjeldahl (as N)	SM4500-N _{org} B/C and SM4500NH ₃ - B/C/D/EF/G/H		300
	Soluble Reactive Phosphorus (as P)	SM4500-P E/F/G	3	10
i.	Phosphorus, Total (as P)	SM 4500 PB followed by SM4500-PE/PF	3	10
h.	Oil and Grease (HEM) (Hexane Extractable Material)	1664 A or B	1,400	5,000
	Salinity	SM2520-B		3 practical salinity units or scale (PSU or PSS)
	Settleable Solids	SM2540 -F		500 (or 1.0 mL/L)
k.	Sulfate (as mg/L SO ₄)	SM4110-B		0.2 mg/L
l.	Sulfide (as mg/L S)	SM4500- S ² F/D/E/G		0.2 mg/L
m.	Sulfite (as mg/L SO ₃)	SM4500-SO3B		2 mg/L
	Total Coliform	SM 9221B, 9222B, 9223B	N/A	Specified in method - sample aliquot dependent
	Total dissolved solids	SM2540 C		20 mg/L
	Total Hardness	SM2340B		200 as CaCO ₃
o.	Aluminum, Total (7429-90-5)	200.8	2.0	10
p.	Barium Total (7440-39-3)	200.8	0.5	2.0
	BTEX (benzene +toluene + ethylbenzene + m,o,p xylenes)	EPA SW 846 8021/8260	1	2
q.	Boron Total (7440-42-8)	200.8	2.0	10.0
r.	Cobalt, Total (7440-48-4)	200.8	0.05	0.25
s.	Iron, Total (7439-89-6)	200.7	12.5	50
t.	Magnesium, Total (7439-95-4)	200.7	10	50
u.	Molybdenum, Total (7439-98-7)	200.8	0.1	0.5
v.	Manganese, Total (7439-96-5)	200.8	0.1	0.5
	NWTPH Dx ⁴	Ecology NWTPH Dx	250	250
	NWTPH Gx ⁵	Ecology NWTPH Gx	250	250
w.	Tin, Total (7440-31-5)	200.8	0.3	1.5
x.	Titanium, Total (7440-32-6)	200.8	0.5	2.5

	Form 2C Ref. #	Pollutant & CAS No. (if available)	Recommended Analytical Protocol	Detection (DL) ¹ µg/L unless specified	Quantitation Level (QL) ² µg/L unless specified
10		Metals, Cyanide and Total Phenols (Part C)			
	1M.	Antimony, Total (7440-36-0)	200.8	0.3	1.0
	2M.	Arsenic, Total (7440-38-2)	200.8	0.1	0.5
	3M.	Beryllium, Total (7440-41-7)	200.8	0.1	0.5
	4M.	Cadmium, Total (7440-43-9)	200.8	0.05	0.25
		Chromium (hex) dissolved (18540-29-9)	SM3500-Cr EC	0.3	1.2
	5M.	Chromium, Total (7440-47-3)	200.8	0.2	1.0
	6M.	Copper, Total (7440-50-8)	200.8	0.4	2.0
	7M.	Lead, Total (7439-92-1)	200.8	0.1	0.5
	8M.	Mercury, Total (7439-97-6)	1631E	0.0002	0.0005
	9M.	Nickel, Total (7440-02-0)	200.8	0.1	0.5
	10M.	Selenium, Total (7782-49-2)	200.8	1.0	1.0
	11M.	Silver, Total (7440-22-4)	200.8	0.04	0.2
	12M.	Thallium, Total (7440-28-0)	200.8	0.09	0.36
	13M.	Zinc, Total (7440-66-6)	200.8	0.5	2.5
	14M.	Cyanide, Total (57-12-5)	335.4	5	10
		Cyanide, Weak Acid Dissociable	SM4500-CN I	5	10
		Cyanide, Free Amenable to Chlorination (Available Cyanide)	SM4500-CN G	5	10
	15M.	Phenols, Total	EPA 420.1		50
10		Acid Compounds			
	1A.	2-Chlorophenol (95-57-8)	625	1.0	2.0
	2A.	2,4-Dichlorophenol (120-83-2)	625	0.5	1.0
	3A.	2,4-Dimethylphenol (105-67-9)	625	0.5	1.0
	4A.	4,6-dinitro-o-cresol (534-52-1) (2-methyl-4,6-dinitrophenol)	625/1625B	1.0	2.0
	5A.	2,4 dinitrophenol (51-28-5)	625	1.0	2.0
	6A.	2-Nitrophenol (88-75-5)	625	0.5	1.0
	7A.	4-nitrophenol (100-02-7)	625	0.5	1.0
	8A.	Parachlorometa cresol (59-50-7) (4-chloro-3-methylphenol)	625	1.0	2.0
	9A.	Pentachlorophenol (87-86-5)	625	0.5	1.0
	10A.	Phenol (108-95-2)	625	2.0	4.0
	11A.	2,4,6-Trichlorophenol (88-06-2)	625	2.0	4.0
10		Volatile Compounds			
	1V.	Acrolein (107-02-8)	624	5	10
	2V.	Acrylonitrile (107-13-1)	624	1.0	2.0
	3V.	Benzene (71-43-2)	624	1.0	2.0
	5V.	Bromoform (75-25-2)	624	1.0	2.0
	6V.	Carbon tetrachloride (56-23-5)	624/601 or SM6230B	1.0	2.0

	Form 2C Ref. #	Pollutant & CAS No. (if available)	Recommended Analytical Protocol	Detection (DL) ¹ µg/L unless specified	Quantitation Level (QL) ² µg/L unless specified
	7V.	Chlorobenzene (108-90-7)	624	1.0	2.0
	9V.	Chloroethane (75-00-3)	624/601	1.0	2.0
	10V.	2-Chloroethylvinyl Ether (110-75-8)	624	1.0	2.0
	11V.	Chloroform (67-66-3)	624 or SM6210B	1.0	2.0
	8V.	Dibromochloromethane (124-48-1)	624	1.0	2.0
	20B.	1,2-Dichlorobenzene (95-50-1)	624	1.9	7.6
	21B.	1,3-Dichlorobenzene (541-73-1)	624	1.9	7.6
	22B.	1,4-Dichlorobenzene (106-46-7)	624	4.4	17.6
	12V.	Dichlorobromomethane (75-27-4)	624	1.0	2.0
	14V.	1,1-Dichloroethane (75-34-3)	624	1.0	2.0
	15V.	1,2-Dichloroethane (107-06-2)	624	1.0	2.0
	16V.	1,1-Dichloroethylene (75-35-4)	624	1.0	2.0
	17V.	1,2-Dichloropropane (78-87-5)	624	1.0	2.0
	18V.	1,3-dichloropropene (mixed isomers) (1,2- dichloropropylene) (542-75-6) ⁶	624	1.0	2.0
	19V.	Ethylbenzene (100-41-4)	624	1.0	2.0
	20V.	Methyl bromide (74-83-9) (Bromomethane)	624/601	5.0	10.0
	21V.	Methyl chloride (74-87-3) (Chloromethane)	624	1.0	2.0
	22V.	Methylene chloride (75-09-2)	624	5.0	10.0
	23V.	1,1,2,2-Tetrachloroethane (79-34-5)	624	1.9	2.0
	24V.	Tetrachloroethylene (127-18-4)	624	1.0	2.0
	25V.	Toluene (108-88-3)	624	1.0	2.0
	26V.	1,2-Trans-Dichloroethylene (156-60-5) (Ethylene dichloride)	624	1.0	2.0
	27V.	1,1,1-Trichloroethane (71-55-6)	624	1.0	2.0
	28V.	1,1,2-Trichloroethane (79-00-5)	624	1.0	2.0
	29V.	Trichloroethylene (79-01-6)	624	1.0	2.0
	31V.	Vinyl chloride (75-01-4)	624/SM6200B	1.0	2.0
10		Base/Neutral Compounds (compounds in bold are Ecology PBTs)			
	1B.	Acenaphthene (83-32-9)	625	0.2	0.4
	2B.	Acenaphthylene (208-96-8)	625	0.3	0.6
	3B.	Anthracene (120-12-7)	625	0.3	0.6
	4B.	Benzidine (92-87-5)	625	12	24
	15B.	Benzyl butyl phthalate (85-68-7)	625	0.3	0.6
	5B.	Benzo(a)anthracene (56-55-3)	625	0.3	0.6
	7B.	Benzo(b)fluoranthene (3,4-benzofluoranthene) (205-99-2) ⁷	610/625	0.8	1.6
		Benzo(j)fluoranthene (205-82-3) ⁷	625	0.5	1.0

Form 2C Ref. #	Pollutant & CAS No. (if available)	Recommended Analytical Protocol	Detection (DL) ¹ µg/L unless specified	Quantitation Level (QL) ² µg/L unless specified
9B.	Benzo(k)fluoranthene (11,12-benzofluoranthene) (207-08-9) ⁷	610/625	0.8	1.6
	Benzo(r,s,t)pentaphene (189-55-9)	625	0.5	1.0
6B.	Benzo(a)pyrene (50-32-8)	610/625	0.5	1.0
8B.	Benzo(ghi)Perylene (191-24-2)	610/625	0.5	1.0
10B.	Bis(2-chloroethoxy)methane (111-91-1)	625	5.3	21.2
11B.	Bis(2-chloroethyl)ether (111-44-4)	611/625	0.3	1.0
12B.	Bis(2-chloroisopropyl)ether (39638-32-9)	625	0.3	0.6
13B.	Bis(2-ethylhexyl)phthalate (117-81-7)	625	0.1	0.5
14B.	4-Bromophenyl phenyl ether (101-55-3)	625	0.2	0.4
16B.	2-Chloronaphthalene (91-58-7)	625	0.3	0.6
17B.	4-Chlorophenyl phenyl ether (7005-72-3)	625	0.3	0.5
18B.	Chrysene (218-01-9)	610/625	0.3	0.6
	Dibenzo (a,h)acridine (226-36-8)	610M/625M	2.5	10.0
	Dibenzo (a,j)acridine (224-42-0)	610M/625M	2.5	10.0
19B.	Dibenzo(a-h)anthracene (53-70-3)(1,2,5,6-dibenzanthracene)	625	0.8	1.6
	Dibenzo(a,e)pyrene (192-65-4)	610M/625M	2.5	10.0
	Dibenzo(a,h)pyrene (189-64-0)	625M	2.5	10.0
23B.	3,3-Dichlorobenzidine (91-94-1)	605/625	0.5	1.0
24B.	Diethyl phthalate (84-66-2)	625	1.9	7.6
25B.	Dimethyl phthalate (131-11-3)	625	1.6	6.4
26B.	Di-n-butyl phthalate (84-74-2)	625	0.5	1.0
27B.	2,4-dinitrotoluene (121-14-2)	609/625	0.2	0.4
28B.	2,6-dinitrotoluene (606-20-2)	609/625	0.2	0.4
29B.	Di-n-octyl phthalate (117-84-0)	625	0.3	0.6
30B.	1,2-Diphenylhydrazine (as Azobenzene) (122-66-7)	1625B	5.0	20
31B.	Fluoranthene (206-44-0)	625	0.3	0.6
32B.	Fluorene (86-73-7)	625	0.3	0.6
33B.	Hexachlorobenzene (118-74-1)	612/625	0.3	0.6
34B.	Hexachlorobutadiene (87-68-3)	625	0.5	1.0
35B.	Hexachlorocyclopentadiene (77-47-4)	1625B/625	0.5	1.0
36B.	Hexachloroethane (67-72-1)	625	0.5	1.0
37B.	Indeno(1,2,3-cd)Pyrene (193-39-5)	610/625	0.5	1.0
38B.	Isophorone (78-59-1)	625	0.5	1.0
	3-Methyl cholanthrene (56-49-5)	625	2.0	8.0

	Form 2C Ref. #	Pollutant & CAS No. (if available)	Recommended Analytical Protocol	Detection (DL)¹ µg/L unless specified	Quantitation Level (QL)² µg/L unless specified
	39B.	Naphthalene (91-20-3)	625	0.3	0.6
	40B.	Nitrobenzene (98-95-3)	625	0.5	1.0
	41B.	N-Nitrosodimethylamine (62-75-9)	607/625	2.0	4.0
	42B.	N-Nitrosodi-n-propylamine (621-64-7)	607/625	0.5	1.0
	43B.	N-Nitrosodiphenylamine (86-30-6)	625	0.5	1.0
		Perylene (198-55-0)	625	1.9	7.6
	44B.	Phenanthrene (85-01-8)	625	0.3	0.6
	45B.	Pyrene (129-00-0)	625	0.3	0.6
	46B.	1,2,4-Trichlorobenzene (120-82-1)	625	0.3	0.6
10		Dioxin			
		2,3,7,8-Tetra-Chlorodibenzo-P-Dioxin (176-40-16) (2,3,7,8 TCDD)	1613B	1.3 pg/L	5 pg/L
10		Pesticides/PCBs			
	1P.	Aldrin (309-00-2)	608	0.025	0.05
	2P.	alpha-BHC (319-84-6)	608	0.025	0.05
	3P.	beta-BHC (319-85-7)	608	0.025	0.05
	4P.	gamma-BHC (58-89-9)	608	0.025	0.05
	5P.	delta-BHC (319-86-8)	608	0.025	0.05
	6P.	Chlordane (57-74-9) ⁸	608	0.025	0.05
	7P.	4,4'-DDT (50-29-3)	608	0.025	0.05
	8P.	4,4'-DDE (72-55-9)	608	0.025	0.0510
	9P.	4,4' DDD (72-54-8)	608	0.025	0.05
	10P.	Dieldrin (60-57-1)	608	0.025	0.05
	11P.	alpha-Endosulfan (959-98-8)	608	0.025	0.05
	12P.	beta-Endosulfan (33213-65-9)	608	0.025	0.05
	13P.	Endosulfan Sulfate (1031-07-8)	608	0.025	0.05
	14P.	Endrin (72-20-8)	608	0.025	0.05
	15P.	Endrin Aldehyde (7421-93-4)	608	0.025	0.05
	16P.	Heptachlor (76-44-8)	608	0.025	0.05
	17P.	Heptachlor Epoxide (1024-57-3)	608	0.025	0.05
	18P.	PCB-1242 (53469-21-9) ⁹	608	0.25	0.5
	19P.	PCB-1254 (11097-69-1)	608	0.25	0.5
	20P.	PCB-1221 (11104-28-2)	608	0.25	0.5
	21P.	PCB-1232 (11141-16-5)	608	0.25	0.5
	22P.	PCB-1248 (12672-29-6)	608	0.25	0.5
	23P.	PCB-1260 (11096-82-5)	608	0.13	0.5
	24P.	PCB-1016 (12674-11-2) ⁹	608	0.13	0.5
	25P.	Toxaphene (8001-35-2)	608	0.24	0.5

1. Detection level (DL) or detection limit means the minimum concentration of an analyte (substance) that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero as determined by the procedure given in 40 CFR part 136, Appendix B.
2. Quantitation Level (QL) also known as Minimum Level of Quantitation (ML) – The lowest level at which the entire analytical system must give a recognizable signal and acceptable calibration point for the analyte. It is equivalent to the concentration of the lowest calibration standard, assuming that the lab has used all method-specified sample weights, volumes, and cleanup procedures. The QL is calculated by multiplying the MDL by 3.18 and rounding the result to the number nearest to $(1, 2, \text{ or } 5) \times 10^n$, where n is an integer. (64 FR 30417).
ALSO GIVEN AS:
The smallest detectable concentration of analyte greater than the Detection Limit (DL) where the accuracy (precision & bias) achieves the objectives of the intended purpose. (Report of the Federal Advisory Committee on Detection and Quantitation Approaches and Uses in Clean Water Act Programs Submitted to the US Environmental Protection Agency December 2007).
3. Soluble Biochemical Oxygen Demand method note: First, filter the sample through a Millipore Nylon filter (or equivalent) - pore size of 0.45-0.50 um (prep all filters by filtering 250 ml of laboratory grade deionized water through the filter and discard). Then, analyze sample as per method 5210-B.
4. NWTPH Dx - Northwest Total Petroleum Hydrocarbons Diesel Extended Range – see <http://www.ecy.wa.gov/biblio/97602.html>
5. NWTPH Gx - Northwest Total Petroleum Hydrocarbons Gasoline Extended Range – see <http://www.ecy.wa.gov/biblio/97602.html>
6. 1, 3-dichloropropylene (mixed isomers) You may report this parameter as two separate parameters: cis-1, 3-dichloropropene (10061-01-5) and trans-1, 3-dichloropropene (10061-02-6).
7. Total Benzo(a)fluoranthenes - Because Benzo(b)fluoranthene, Benzo(j)fluoranthene and Benzo(k)fluoranthene co-elute you may report these three isomers as total benzo(a)fluoranthenes.
8. Chlordane – You may report alpha-chlordane (5103-71-9) and gamma-chlordane (5103-74-2) in place of chlordane (57-74-9). If you report alpha and gamma-chlordane, the DL/PQLs that apply are 0.025/0.050.
9. PCB 1016 & PCB 1242 – You may report these two PCB compounds as one parameter called PCB 1016/1242.
10. An X placed in this box means you must analyze for all pollutants in the group. This may be in addition to NPDES application requirements.

To request ADA accommodation including materials in a format for the visually impaired, call the Water Quality Program at Ecology, 360-407-6600. Persons with impaired hearing may use the Washington Relay Service at 711. Persons with a speech disability may call TTY at 877-833-6341.

PROCESS DESCRIPTION

The WWTF consists of a facultative lagoon system that discharges to Owl Creek. Figure 1 presents a map of the existing WWTF. The WWTF was first constructed in 1963. The last major facility expansion occurred in 1981 when the City added two primary lagoons to the existing lagoon system. In 1992, the City replaced the outfall channel to Owl Creek with an 18-inch PVC pipe and in March 2006, the City replaced the headworks culvert. Prior to the headworks culvert replacement, water backed up into the influent flow meter causing inaccurate high readings. Since the headworks culvert replacement, the measured influent flow has dropped significantly.

Wastewater flows by gravity from the City to the headworks where an ultrasonic flow meter measures the influent flow in a 12-inch Parshall flume. Flow from the headworks is equally split between the two earthen dike primary lagoons. The primary lagoons have a combined surface area of 50 acres and provide 48 days of retention time at average flow rates. The discharge from the primary lagoons flows over a stair-step cascade aerator to the secondary lagoons, which operate in series. The two 9-acre secondary lagoons provide a combined detention time of 14 days at average flow. Recirculation pumps located at the headworks building can return all the flow from the secondary lagoons back to the primary lagoons if necessary. The secondary lagoons discharge to the 12.3 acre polishing lagoon, which provide 10 days of detention time at average flow.

The discharge from the polishing pond flows through two chlorine contact chambers to Owl Creek through an 18-inch PVC pipe. The City does not currently inject chlorine into the chlorine contact chambers since effluent fecal coliform numbers are less than the permitted limits except during the spring and fall bird migrations. The City adds granular chlorine to the effluent when fecal counts due to bird waste contamination start to rise during spring or fall bird migration periods.

No significant industrial users discharge to the WWTF. Ecology has rated the plant a Class I facility because the WWTF is a facultative lagoon treatment facility.

DESIGN CRITERIA


Table 1 presents the design criteria for the WWTF as presented in the *Wastewater System Engineering Report*, Anderson Perry & Associates, Inc 2005 (2005 Wastewater Report).

TABLE 1
WWTF Design Criteria

Design Flow	
Dry Weather, mgd	2.00
Wet Weather, mgd	7.50
Design Loadings	
Population	13,000
Biochemical Oxygen Demand, lbs/day	2,600
Total Suspended Solids, lbs/day	2,600

Influent Sewage Pipe	
Type, diameter	RCP 30"
Capacity, mgd	8.4
Primary Treatment Lagoons	
Quantity	2
Construction	Earthen Dike and Earthen Lined
Dimensions (mid water), ft	840 x 1400
Average Side Water Depth, ft	5.5
Surface Area, mid water, acre (each)	25
Surface Loading, lb/ac/day	52
Average Freeboard, ft	3.5
Side Slopes	3:1
Detention Time at average flow, days	48
Distribution Ports, Quantity, diameter	4, 8"
Port Velocity, average flow	2.75
Recirculation Ports, Quantity, diameter	6, 10"
Port Velocity, average circulation flow, fps	7.1
Lagoon Recirculation Pump	
Capacity total, mgd	12.5
Pumps, Quantity	2
Pumps, capacity, each, gpm	4,400
Total dynamic head, ft	8
Motor, hp	20
Secondary Treatment Lagoons	
Quantity	2
Construction	Earthen Dike and Earthen Lined
Dimensions (mid water), ft	550 x 700
Average Side Water Depth, ft	5
Surface Area, acre (each)	9
Average Freeboard, ft	2.5
Side Slopes	2.5:1
Detention Time at average flow, days	14
Distribution Ports, Quantity, diameter	2, 8"
Port Velocity, average flow, fps	1.6
Collection Ports, Quantity, diameter	3, 18"
Polishing Lagoon	
Quantity	1
Dimensions (mid water), ft	830 x 640
Construction	Earthen Dike and Earthen Lined
Average Side Water Depth, ft	5
Surface Area, mid water, acre	12.3
Average Freeboard, ft	2.5
Side Slopes	2.5:1
Detention Time at average flow, days	10

Distribution Ports, Quantity, diameter	1, 18"
Port Velocity, average flow, fps	3.2
Collection Ports, Quantity, diameter	1, 24"
Chlorine Contact Chambers	
Quantity	2
Dimension, ft	26 x 58
Average Water Depth, ft	5.87
Detention, average flow, hrs	1.60
Detention, with one basin out of service, hrs	0.8
Chlorination Equipment	
Quantity	2
Capacity, lb/day	500
Chlorination Rate, mg/L	15
Usage, average flow, lb/day	100
Domestic Water Well	
Capacity, gpm	5 gpm @ 60 psi



CITY OF OTHELLO

NPDES PERMIT


FIGURE 1

TOPOGRAPHICAL MAP



Gray & Osborne, Inc.

CONSULTING ENGINEERS



CITY OF OTHELLO

NPDES PERMIT


FIGURE 2

SITE LAYOUT

Gray & Osborne, Inc.
CONSULTING ENGINEERS

Google
2015

W: OTHELLO\13011\FIGURES\SITE




CITY OF OTHELLO
NPDES PERMIT
FIGURE 3
SITE PLAN AND PROCESS
PIPING CONFIGURATION



Gray & Osborne, Inc.
CONSULTING ENGINEERS

NOTE:
FIGURE DEVELOPED BY ANDERSON PERRY &
ASSOCIATES, INC. 2005



PROCESS FLOW DIAGRAM

CITY OF OTHELLO


NPDES PERMIT

FIGURE 4

PROCESS FLOW DIAGRAM



Gray & Osborne, Inc.
CONSULTING ENGINEERS



CITY OF OTHELLO
NPDES PERMIT
FIGURE 5
WELLS NEAR WWTP



City of Othello

Effluent D.O. Concentration Datasheet

Date Prepared: 8/3/2018

Prepared By: Ethan Porter, Varella & Associates

Data taken from City DMR's

2016	January	February	March	April	May	June	July	August	September	October	November	December
Freq.	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week
Date	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1		8.4	5.5	4.3		4.5	2.4	1.1	1.1		6.7	8.5
2		8.0	5.1			4.7			1.0		7.1	8.7
3		7.5	4.9		3.0			2.2		4.5	7.4	
4	9.0	7.1	4.6	4.2				2.0			8.3	
5	9.1	6.8		4.3	2.7		5.6	1.8		3.7		13.5
6	9.6			3.9	2.5	4.4	4.2		1.4	3.8		14.2
7	9.6					4.5	4.0		2.1	3.9	7.7	
8	10.0	6.9	6.0	4.0			4.4	2.1	2.6		8.0	16.5
9		7.5	5.7		4.0		4.4	2.3	2.7		6.0	15.6
10		7.9	5.6		3.5	3.1				3.1	8.7	
11	10.4	7.8	6.1	2.4	4.3			1.1		3.7		
12	12.1	7.4		3.2	3.3		5.0	1.2	0.4	7.4		15.6
13	12.3			3.9	4.8	3.0	4.8		3.8	7.3		14.3
14	7.7		7.0	3.0		1.2	2.9		2.9	6.4	9.4	14.9
15	8.0		6.0	3.2		3.1	3.0		3.0		9.1	14.0
16		6.7	6.3		4.2			1.5	3.1		9.1	14.0
17		7.5				1.8		1.4		5.4	6.8	
18		6.6	6.3	3.1	5.1		3.1	1.5		5.7	9.8	
19	7.8	6.8		3.2	3.6		3.7	1.3	1.3	6.2		13.4
20	7.9			4.1	4.2	1.3			1.4	7.4		13.2
21	7.9			5.0		1.5	1.5		3.6	6.4	10.5	13.2
22	8.0	7.1	6.5	4.7		1.5	3.6	4.4	4.6		9.7	12.3
23			6.2		5.6	1.5		4.2	3.7		8.2	13.1
24			6.3		5.1	2.9				7.0		
25	8.2		6.1	4.3	3.6		3.1	2.8		5.8		
26	9.4	6.9		4.7	5.1		2.2	4.2	3.7	7.0		
27	8.1			4.7		1.7	2.0		4.3	5.7		13.1
28	8.7		3.7	3.7		3.0			3.9	6.2	10.3	11.8
29		6.0	3.1					1.7	4.2		8.4	10.6
30			2.8			2.4		1.2	4.1		9.0	
31			3.3		4.8		1.1	1.3		6.6		
Min.	7.7	6.0	2.8	2.4	2.5	1.2	1.1	1.1	0.4	3.1	6.0	8.5
Avg.	9.1	7.2	5.4	3.9	4.1	2.7	3.4	2.1	2.8	5.7	8.4	13.2

Two Year Samples 2016-2017

Minimum: 0.4 mg/L
 Median: 4.16 mg/L
 Average: 5.9 mg/L
 # Samples: 436

City of Othello

Effluent D.O. Concentration Datasheet

2017	January	February	March	April	May	June	July	August	September	October	November	December
Freq.	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week	1/week
Date	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1		3.8			8.0	2.3		2.7	2.8			
2		4.0	2.9		10.7	3.6		2.7		3.8		
3	9.9	3.6	1.9	10.3	12.6			2.4				
4	9.2		1.4	11.4	11.1			3.8				
5	9.1				8.3	4.0	2.0		2.6			
6	9.0	4.7	4.7	9.7		5.9	3.1		2.8			
7		3.1	3.5	8.9		5.1	3.0	3.3	3.2			
8		2.9	3.6		8.3	2.8		3.0	3.2			
9		2.9	3.4		6.2	2.6		3.1				
10		2.9	3.8	12.6	6.9		5.1	3.3				
11				11.6	3.8		3.8	3.2	3.2			
12	6.4			12.6	2.0	2.9	3.4		3.0			
13	5.7	3.2	2.7	11.3		2.4	3.0		2.7			
14		3.1	3.4	15.6		2.5	2.6	2.6	3.4			
15		3.2	2.9		3.0	2.6		2.8	2.5			
16		3.2	4.0		3.7	2.8		2.7				
17	6.2		3.0	12.3	3.8		3.4					
18				11.3	3.3		3.5	3.3	3.0			
19	5.4			11.3	3.5	3.0	3.1		3.1			
20	4.8		3.1	11.3		2.8	3.4		3.1			
21		2.4	4.2	8.3		3.9	4.2	2.9	2.8			
22		2.9	3.7		1.0	3.2		3.3	3.5			
23	5.3	3.1	4.2		1.8	3.6		3.1				
24	5.4		5.6	5.8	2.5		3.7	2.2				
25	4.4	2.8		5.2	3.1		2.8	2.6	3.7			
26	4.1			5.1	2.9	2.6	3.0		3.5			
27	4.8		5.7	5.3		2.1	5.4		2.9			
28		2.1	4.5	5.2		2.1	5.2	2.5	3.0			
29			4.4			2.3		1.9	2.5			
30	3.8		6.3		2.1	3.4		2.8				
31	4.7		3.2		1.9		2.9	2.3				
Min.	3.8	2.1	1.4	5.1	1.0	2.1	2.0	1.9	2.5	3.8	-	-
Avg.	6.1	3.2	3.7	9.7	5.0	3.1	3.5	2.8	3.0	3.8	-	-



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118

Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436
email: info@kuotestinglabs.com
www.kuotestinglabs.com

SAMPLE SUMMARY REPORT

August 07, 2018

For: City of Othello
111 N. Broadway
Othello, WA 99344

Project: City of Othello-Influent, Effluent
Project Number: Influent, Effluent
Project Manager: Sam Bise

Kuo Testing Laboratories

Denise Williams
Project Manager



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118
Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436



Water Report

Client: City of Othello
111 N. Broadway
Othello, WA 99344

Work Order: 1807066
Project Number: Influent, Effluent

Date Collected: 07/10/2018
Date Received: 07/10/2018
Date Reported: 08/07/2018

Analysis	Result	Flag	Units	MDL	Method	Analyst
1807066-01: Influent (Non-Potable)						
BOD	136.5		mg/L		SM 5210 B	BFHD
Total Suspended Solids	69.0		mg/L	2.87	SM 2540 D-97	DC
1807066-02: Effluent (Non-Potable)						
Total Hardness	194		mg/L	1.66	EPA 200.7	EH
Alkalinity as CaCO ₃	360		mg/L	2.97	SM 2320 B-97	DC
BOD	45.2		mg/L		SM 5210 B	BFHD
Calcium	33.2	B	mg/L	0.17	EPA 200.7	EH
Fecal Coliform	28.5		MPN/100 mL	1.00	SM 9223B	DC
Magnesium	27.1		mg/L	0.30	EPA 200.7	EH
Nitrate as Nitrogen	<0.100	U	mg/L	0.02	SM 4500 NO ₃ -F-00	EH
Nitrite as Nitrogen	<0.0100	U	mg/L	0.002	SM 4500 NO ₃ -F-00	EH
Dissolved Solids	663		mg/L	14.20	SM 2540 C-97	LC
TKN	9.54		mg/L	0.15	EPA 351.2	EH
Total Phosphorus	2.77		mg/L	0.03	SM 4500-P F/B	EH
Total Suspended Solids	101		mg/L	2.87	SM 2540 D-97	DC
Ammonia as Nitrogen	0.160		mg/L	0.04	SM 4500 NH ₃ -D-97	DC

Notes and Definitions

Sample 1807066-02 (Effluent) was analyzed for hardness, because the filtered blank showed slight contamination of calcium, The amount added by contamination would only account for two percent of total which is less than allowable duplicate differences.EH

Item	Description
B	Analyte detected in the method blank
U	Analyte included in the analysis, but not detected



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118

Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436
email: info@kuotestinglabs.com
www.kuotestinglabs.com

SAMPLE SUMMARY REPORT

August 07, 2018

For: City of Othello
111 N. Broadway
Othello, WA 99344

Project: City of Othello-Influent, Effluent
Project Number: Influent, Effluent
Project Manager: Sam Bise

Kuo Testing Laboratories

Denise Williams
Project Manager



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118
Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436



Water Report

Client: City of Othello
111 N. Broadway
Othello, WA 99344

Work Order: 1807154
Project Number: Influent, Effluent

Date Collected: 07/17/2018
Date Received: 07/17/2018
Date Reported: 08/07/2018

Analysis	Result	Flag	Units	MDL	Method	Analyst
1807154-01: Influent (Non-Potable)						
BOD	119.8		mg/L		SM 5120 B	BFHD
Total Suspended Solids	142		mg/L	2.87	SM 2540 D-97	DC
1807154-02: Effluent (Non-Potable)						
Total Hardness	215		mg/L	1.66	EPA 200.7	ICP
Alkalinity as CaCO ₃	356		mg/L	2.97	SM 2320 B-97	DC
BOD	55.1		mg/L		SM 5120 B	BFHD
Calcium	36.1		mg/L	0.17	EPA 200.7	ICP
Fecal Coliform	9.6		MPN/100 mL	1.00	SM 9223B	LC
Magnesium	30.2		mg/L	0.30	EPA 200.7	ICP
Total Suspended Solids	138		mg/L	2.87	SM 2540 D-97	DC
Ammonia as Nitrogen	<0.100	U	mg/L	0.04	SM 4500 NH ₃ -D-97	DC

Notes and Definitions

Item	Description
U	Analyte included in the analysis, but not detected



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118

Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436
email: info@kuotestinglabs.com
www.kuotestinglabs.com

SAMPLE SUMMARY REPORT

July 27, 2018

For: City of Othello
111 N. Broadway
Othello, WA 99344

Project: City of Othello-Influent, Effluent
Project Number: Influent, Effluent
Project Manager: Sam Bise

Kuo Testing Laboratories

Denise Williams
Project Manager



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118
Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436



Water Report

Client: City of Othello
111 N. Broadway
Othello, WA 99344

Work Order: 1807066
Project Number: Influent, Effluent

Date Collected: 07/10/2018
Date Received: 07/10/2018
Date Reported: 07/27/2018

Analysis	Result	Flag	Units	Method	Analyst
1807066-01: Influent (Non-Potable)					
BOD	136.5		mg/L	SM 5210 B	BFHD
Total Suspended Solids	69.0		mg/L	SM 2540 D-97	DC
1807066-02: Effluent (Non-Potable)					
Total Hardness	194		mg/L	EPA 200.7	EH
Alkalinity as CaCO ₃	360		mg/L	SM 2320 B-97	DC
BOD	45.2		mg/L	SM 5210 B	BFHD
Calcium	33.2	B	mg/L	EPA 200.7	EH
Fecal Coliform	28.5		MPN/100 mL	SM 9223B	DC
Magnesium	27.1		mg/L	EPA 200.7	EH
Nitrate as Nitrogen	<0.100	U	mg/L	SM 4500 NO ₃ -F-00	EH
Nitrite as Nitrogen	<0.0100	U	mg/L	SM 4500 NO ₃ -F-00	EH
Dissolved Solids	663		mg/L	SM 2540 C-97	LC
TKN	9.54		mg/L	EPA 351.2	EH
Total Phosphorus	2.77		mg/L	SM 4500-P F/B	EH
Total Suspended Solids	101		mg/L	SM 2540 D-97	DC
Ammonia as Nitrogen	0.160		mg/L	SM 4500 NH ₃ -D-97	DC

Notes and Definitions

Sample 1807066-02 (Effluent) was analyzed for hardness, because the filtered blank showed slight contamination of calcium, The amount added by contamination would only account for two percent of total which is less than allowable duplicate differences.EH

Item	Description
B	Analyte detected in the method blank
U	Analyte included in the analysis, but not detected



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118

Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436
email: info@kuotestinglabs.com
www.kuotestinglabs.com

SAMPLE SUMMARY REPORT

July 26, 2018

For: City of Othello
111 N. Broadway
Othello, WA 99344

Project: City of Othello-Influent, Effluent
Project Number: Influent, Effluent
Project Manager: Sam Bise

Kuo Testing Laboratories

Denise Williams
Project Manager



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118
Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436



Water Report

Client: City of Othello
111 N. Broadway
Othello, WA 99344

Work Order: 1807092
Project Number: Influent, Effluent

Date Collected: 07/11/2018
Date Received: 07/11/2018
Date Reported: 07/26/2018

Analysis	Result	Flag	Units	Method	Analyst
1807092-01: Effluent (Non-Potable)					
Nitrate as Nitrogen	<0.100	U	mg/L	SM 4500 NO3-F-00	EH
Nitrite as Nitrogen	0.0180		mg/L	SM 4500 NO3-F-00	EH
Dissolved Solids	980		mg/L	SM 2540 C-97	LC
TKN	12.9		mg/L	EPA 351.2	EH
Total Phosphorus	2.87		mg/L	SM 4500-P F/B	EH

Notes and Definitions

<u>Item</u>	<u>Description</u>
U	Analyte included in the analysis, but not detected



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118

Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436
email: info@kuotestinglabs.com
www.kuotestinglabs.com

SAMPLE SUMMARY REPORT

July 26, 2018

For: City of Othello
111 N. Broadway
Othello, WA 99344

Project: City of Othello-Influent, Effluent
Project Number: Influent, Effluent
Project Manager: Sam Bise

Kuo Testing Laboratories

Denise Williams
Project Manager



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118
Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436



Water Report

Client: City of Othello
111 N. Broadway
Othello, WA 99344

Work Order: 1807116
Project Number: Influent, Effluent

Date Collected: 07/12/2018
Date Received: 07/12/2018
Date Reported: 07/26/2018

Analysis	Result	Flag	Units	Method	Analyst
1807116-01: Effluent (Non-Potable)					
Nitrate as Nitrogen	<0.100	U	mg/L	SM 4500 NO3-F-00	EH
Nitrite as Nitrogen	<0.0100	U	mg/L	SM 4500 NO3-F-00	EH
Dissolved Solids	694		mg/L	SM 2540 C-97	LC
TKN	13.3		mg/L	EPA 351.2	EH
Total Phosphorus	2.81	B	mg/L	SM 4500-P F/B	ICP

Notes and Definitions

<u>Item</u>	<u>Description</u>
B	Analyte detected in the method blank
U	Analyte included in the analysis, but not detected



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118
Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436
email: info@kuotestinglabs.com
www.kuotestinglabs.com

SAMPLE SUMMARY REPORT

July 27, 2018

For: City of Othello
111 N. Broadway
Othello, WA 99344

Project: City of Othello-Influent, Effluent
Project Number: Influent, Effluent
Project Manager: Sam Bise

Kuo Testing Laboratories

Denise Williams
Project Manager



Main Office: 337 S. 1st Avenue Othello, WA 99344
Tel: (509) 488-0112 □ Fax (509) 488-0118
Oregon: 1300 6th Street, Umatilla, OR 97822
Tel: (541) 922-6435 □ Fax (541) 922-6436



Water Report

Client: City of Othello
111 N. Broadway
Othello, WA 99344

Work Order: 1807154
Project Number: Influent, Effluent

Date Collected: 07/17/2018
Date Received: 07/17/2018
Date Reported: 07/27/2018

Analysis	Result	Flag	Units	Method	Analyst
1807154-01: Influent (Non-Potable)					
BOD	119.8		mg/L	SM 5210 B	BFHD
Total Suspended Solids	142		mg/L	SM 2540 D-97	DC
1807154-02: Effluent (Non-Potable)					
Total Hardness	215		mg/L	EPA 200.7	ICP
Alkalinity as CaCO ₃	356		mg/L	SM 2320 B-97	DC
BOD	55.1		mg/L	SM 5210 B	BFHD
Calcium	36.1		mg/L	EPA 200.7	ICP
Fecal Coliform	9.6		MPN/100 mL	SM 9223B	LC
Magnesium	30.2		mg/L	EPA 200.7	ICP
Total Suspended Solids	138		mg/L	SM 2540 D-97	DC
Ammonia as Nitrogen	<0.100	U	mg/L	SM 4500 NH ₃ -D-97	DC

Notes and Definitions

<u>Item</u>	<u>Description</u>
U	Analyte included in the analysis, but not detected

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC
Address: 601 W MALLON AVE
SPOKANE, WA 99201
Attn: JOHN PATROUCH

Batch #: 180712059
Project Name: OTHELLO WWTP

Analytical Results Report

Sample Number	180712059-001	Sampling Date	7/10/2018	Date/Time Received	7/12/2018 3:25 PM		
Client Sample ID	OTHELLO WWTP EFF (1)	Sampling Time	8:45 AM	Extraction Date	7/24/2018		
Matrix	Water	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Hexane extractable material (HEM)	1.30	mg/L	1	7/24/2018 2:00:00 PM	GGH	EPA 1664A	

Sample Number	180712059-002	Sampling Date	7/11/2018	Date/Time Received	7/12/2018	3:25 PM	
Client Sample ID	OTHELLO WWTP EFF (2)	Sampling Time	8:50 AM	Extraction Date	7/25/2018		
Matrix	Water	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Hexane extractable material (HEM)	1.67	mg/L	1	7/25/2018 10:00:00 AM	GGH	EPA 1664A	

Sample Number	180712059-003	Sampling Date	7/12/2018	Date/Time Received	7/12/2018	3:25 PM
Client Sample ID	OTHELLO WWTP EFF (3)	Sampling Time	8:00 AM	Extraction Date	7/25/2018	
Matrix	Water	Sample Location				
Comments						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method Qualifier
Hexane extractable material (HEM)	2.34	mg/L	1	7/25/2018 10:00:00 AM	GGH	EPA 1664A

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC
Address: 601 W MALLON AVE
SPOKANE, WA 99201
Attn: JOHN PATROUCH


Batch #: 180712059
Project Name: OTHELLO WWTP

Analytical Results Report

Sample Number	180712059-004	Sampling Date	7/12/2018	Date/Time Received	7/12/2018 3:25 PM
Client Sample ID	OTHELLO WWTP EFF (4)	Sampling Time	1:05 PM	Extraction Date	7/16/2018
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
3-Methylcholanthrene	ND	ug/L	0.5	7/28/2018 5:00:00 PM	HSW	EPA 625.1	
Benzo(r,s,t)pentaphene	ND	ug/L	0.5	7/28/2018 5:00:00 PM	HSW	EPA 625.1	
Dibenz(a,e)pyrene	ND	ug/L	0.5	7/28/2018 5:00:00 PM	HSW	EPA 625.1	
Dibenz(a,h)acridine	ND	ug/L	0.5	7/28/2018 5:00:00 PM	HSW	EPA 625.1	
Dibenz(a,h)pyrene	ND	ug/L	0.5	7/28/2018 5:00:00 PM	HSW	EPA 625.1	
Dibenz(a,j)acridine	ND	ug/L	0.5	7/28/2018 5:00:00 PM	HSW	EPA 625.1	
Perylene	ND	ug/L	0.5	7/28/2018 5:00:00 PM	HSW	EPA 625.1	

Authorized Signature


Kathleen A. Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Login Report

Customer Name: VARELA & ASSOCIATES, INC

Order ID: 180712059

601 W MALLON AVE

Order Date: 7/12/2018

SPOKANE

WA

99201

Contact Name: JOHN PATROUCH

Project Name: OTHELLO WWTP

Comment: SAMPLES SUBCONTRACTED TO ANATEK-M

Sample #: 180712059-001 **Customer Sample #:** OTHELLO WWTP EFF (1)

Recv'd: ☒

Matrix: Water

Collector:

Date Collected: 7/10/2018

Quantity: 1

Date Received: 7/12/2018 3:25:00 PM

Time Collected: 8:45 AM

Comment:

Test	Lab	Method	Due Date	Priority
FOG - HEM	M	EPA 1664A	7/24/2018	<u>Normal (~10 Days)</u>

Sample #: 180712059-002 **Customer Sample #:** OTHELLO WWTP EFF (2)

Recv'd: ☒

Matrix: Water

Collector:

Date Collected: 7/11/2018

Quantity: 1

Date Received: 7/12/2018 3:25:00 PM

Time Collected: 8:50 AM

Comment:

Test	Lab	Method	Due Date	Priority
FOG - HEM	M	EPA 1664A	7/24/2018	<u>Normal (~10 Days)</u>

Sample #: 180712059-003 **Customer Sample #:** OTHELLO WWTP EFF (3)

Recv'd: ☒

Matrix: Water

Collector:

Date Collected: 7/12/2018

Quantity: 1

Date Received: 7/12/2018 3:25:00 PM

Time Collected: 8:00 AM

Comment:

Test	Lab	Method	Due Date	Priority
FOG - HEM	M	EPA 1664A	7/24/2018	<u>Normal (~10 Days)</u>

Customer Name: VARELA & ASSOCIATES, INC

601 W MALLON AVE

SPOKANE

WA

99201

Order ID: 180712059

Order Date: 7/12/2018

Contact Name: JOHN PATROUCH

Project Name: OTHELLO WWTP

Comment: SAMPLES SUBCONTRACTED TO ANATEK-M

Sample #: 180712059-004 **Customer Sample #:** OTHELLO WWTP EFF (4)

Recv'd: ☒

Matrix: Water

Collector:

Date Collected: 7/12/2018

Quantity: 2

Date Received: 7/12/2018 3:25:00 PM

Time Collected: 1:05 PM

Comment:

Test	Lab	Method	Due Date	Priority
SEMIVOLATILES 625 WAPP	M	EPA 625.1	7/24/2018	<u>Normal (~10 Days)</u>

SAMPLE CONDITION RECORD

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	13.7/13.8
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Labels and chain agree?	Yes
Total number of containers?	5



Chain of Custody Record

30712 059 VARE 7/24/2018
1st SAMP 7/10/2018 1st RCVD 7/12/2018
C-HELLO WWTP

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
504 E Sprague St D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

Company Name: Varela & Associates		Project Manager: John Petroch	
Address: 601 W Mallon Ave Suite A		Project Name & #: Othello WWTP	
City: Spokane		Email Address: jpetroch@varela-engr.com	
State: WA Zip: 99201		Purchase Order #:	
Phone: (509) 328-6066		Sampler Name & phone: City of Othello	
Fax:			
Provide Sample Description			
All samples are from an effluent grab sample of the City of Othello WWTP			
Lab ID	Sample Identification	Sampling Date/Time	Matrix
1	Othello WWTP Eff	7/10/18 0845	WW
2	Othello WWTP Eff	7/11/18 0850	WW
3	Othello WWTP Eff	7/12/18 0800	WW
4	Othello WWTP Eff	7/12/18 1305	WW
List Analyses Requested			
Preservative:	Sample Volume	# of Containers	625 Etha
Received Intact?	Labels & Chains Agree?	Containers Sealed?	VOC Head-Space?
Y	Y	Y	Y
Inspection Checklist			
Color: Ice/Hand			
Temperature (°C): 13.7 / 13.8 IR #1			
Preservative: HCl P2341-3 <2			
Date & Time: 7-12-18 1610			
Inspected By: M/g			

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC
Address: 601 W MALLON AVE
SPOKANE, WA 99201
Attn: JOHN PATROUCH

Batch #: 180703030
Project Name: OTHELLO WWTP

Analytical Results Report

Sample Number	180703030-001	Sampling Date	7/2/2018	Date/Time Received	7/3/2018 1:35 PM
Client Sample ID	2 OTHELLO WWTP EFFLUENT	Sampling Time	1:30 PM	Digested Date	
Matrix	Wastewater	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Antimony	ND	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Arsenic	0.00363	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Beryllium	ND	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Cadmium	ND	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Chromium	ND	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Copper	0.00222	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Cyanide	ND	mg/L	0.01	7/16/2018 11:55:00 AM	TLM	EPA 335.4	
Hardness	188	mg CaCO3/L	2	7/6/2018 11:00:00 AM	HMD	EPA 130.2	
Lead	ND	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Mercury-CVAFS	0.0121	ug/L	0.01	7/6/2018 2:29:00 PM	SDR	EPA 245.7	
Nickel	0.00121	mg/L	0.001	7/11/2018 5:15:00 PM	KNP	EPA 200.8	
Phenolics	ND	mg/L	0.05	7/6/2018 10:00:00 AM	RPU	EPA 420.1	
Selenium	ND	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Silver	ND	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Thallium	ND	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	
Zinc	0.0117	mg/L	0.001	7/10/2018 4:26:00 PM	KNP	EPA 200.8	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC
Address: 601 W MALLON AVE
SPOKANE, WA 99201
Attn: JOHN PATROUCH

Batch #: 180703030
Project Name: OTHELLO WWTP

Analytical Results Report

Sample Number	180703030-002	Sampling Date	7/3/2018	Date/Time Received	7/3/2018 1:35 PM
Client Sample ID	3 OTHELLO WWTP EFFLUENT	Sampling Time	11:30 AM	Digested Date	
Matrix	Wastewater	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Antimony	ND	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Arsenic	0.00367	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Beryllium	ND	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Cadmium	ND	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Chromium	ND	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Copper	0.00315	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Cyanide	0.0105	mg/L	0.01	7/16/2018 11:58:00 AM	TLM	EPA 335.4	
Hardness	196	mg CaCO ₃ /L	2	7/6/2018 11:00:00 AM	HMD	EPA 130.2	
Lead	ND	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Mercury-CVAFS	0.00733	ug/L	0.01	7/6/2018 2:36:00 PM	SDR	EPA 245.7	J
Nickel	0.00115	mg/L	0.001	7/11/2018 5:18:00 PM	KNP	EPA 200.8	
Phenolics	ND	mg/L	0.05	7/6/2018 10:00:00 AM	RPU	EPA 420.1	
Selenium	ND	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Silver	ND	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Thallium	ND	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	
Zinc	0.0101	mg/L	0.001	7/10/2018 4:29:00 PM	KNP	EPA 200.8	

Authorized Signature


Kathleen A. Sattler, Lab Manager

J The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:Cert0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Login Report

Customer Name: VARELA & ASSOCIATES, INC

Order ID: 180703030

601 W MALLON AVE

Order Date: 7/3/2018

SPOKANE

WA

99201

Contact Name: JOHN PATROUCH

Project Name: OTHELLO WWTP

Comment: HG/PHENOLICS SUBCONTRACTED TO ANATEK-M

Sample #: 180703030-001 **Customer Sample #:** 2 OTHELLO WWTP EFFLUENT

Recv'd: ☒ **Matrix:** Water

Collector:

Date Collected: 7/2/2018

Quantity: 5 **Date Received:** 7/3/2018 1:35:00 PM

Time Collected: 1:30 PM

Comment:

Test	Lab	Method	Due Date	Priority
CYANIDE TOTAL EPA	S	EPA 335.4	7/16/2018	<u>Normal (~10 Days)</u>
HARDNESS EPA 130.2	S	EPA 130.2	7/16/2018	<u>Normal (~10 Days)</u>
PHENOLICS TOTAL	M	EPA 420.1	7/16/2018	<u>Normal (~10 Days)</u>
Antimony	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
BERYLLIUM	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Copper	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	7/16/2018	<u>Normal (~10 Days)</u>
Nickel	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Priority Pollutant Metals	S	N/A	7/16/2018	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Thallium	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Zinc	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>

Customer Name: VARELA & ASSOCIATES, INC

601 W MALLON AVE

SPOKANE

WA

99201

Order ID: 180703030

Order Date: 7/3/2018

Contact Name: JOHN PATROUCH

Project Name: OTHELLO WWTP

Comment: HG/PHENOLICS SUBCONTRACTED TO ANATEK-M

Sample #: 180703030-002 **Customer Sample #:** 3 OTHELLO WWTP EFFLUENT

Rec'd: ☒ **Matrix:** Water

Collector:

Date Collected: 7/3/2018

Quantity: 5

Date Received: 7/3/2018 1:35:00 PM

Time Collected: 11:30 AM

Comment:

Test	Lab	Method	Due Date	Priority
CYANIDE TOTAL EPA	S	EPA 335.4	7/16/2018	<u>Normal (~10 Days)</u>
HARDNESS EPA 130.2	S	EPA 130.2	7/16/2018	<u>Normal (~10 Days)</u>
PHENOLICS TOTAL	M	EPA 420.1	7/16/2018	<u>Normal (~10 Days)</u>
Antimony	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
BERYLLIUM	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Copper	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	7/16/2018	<u>Normal (~10 Days)</u>
Nickel	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Priority Pollutant Metals	S	N/A	7/16/2018	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Thallium	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>
Zinc	S	EPA 200.8	7/16/2018	<u>Normal (~10 Days)</u>

Customer Name: VARELA & ASSOCIATES, INC

601 W MALLON AVE

SPOKANE

WA

99201

Order ID: 180703030

Order Date: 7/3/2018

Contact Name: JOHN PATROUCH

Project Name: OTHELLO WWTP

Comment: HG/PHENOLICS SUBCONTRACTED TO ANATEK-M

SAMPLE CONDITION RECORD

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	8.4/8.5
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Labels and chain agree?	Yes
Total number of containers?	10

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC
Address: 601 W MALLON AVE
SPOKANE, WA 99201
Attn:

Batch #: 180321065
Project Name: OTHELLO WWTP

Analytical Results Report

Sample Number	180321065-001	Sampling Date	3/21/2018	Date/Time Received	3/21/2018 4:15 PM
Client Sample ID	OTHELLO WWTP EFFLUENT	Sampling Time	12:30 PM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Antimony	ND	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
Arsenic	0.00439	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
Beryllium	ND	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
Cadmium	ND	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
Chromium	ND	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
Copper	0.00216	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
Cyanide	ND	mg/L	0.01	3/27/2018 4:34:00 PM	TLM	EPA 335.4	
Lead	ND	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
Mercury-CVAFS	0.00521	ug/L	0.01	3/28/2018	SDR	EPA 245.7	J
Nickel	0.00111	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
4,4-DDD	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
4,4-DDE	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
4,4-DDT	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Aldrin	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
alpha-BHC	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Aroclor 1016 (PCB-1016)	ND	ug/L	0.8	3/29/2018	MAH	EPA 608	
Aroclor 1221 (PCB-1221)	ND	ug/L	0.8	3/29/2018	MAH	EPA 608	
Aroclor 1232 (PCB-1232)	ND	ug/L	0.8	3/29/2018	MAH	EPA 608	
Aroclor 1242 (PCB-1242)	ND	ug/L	0.8	3/29/2018	MAH	EPA 608	
Aroclor 1248 (PCB-1248)	ND	ug/L	0.8	3/29/2018	MAH	EPA 608	
Aroclor 1254 (PCB-1254)	ND	ug/L	0.8	3/29/2018	MAH	EPA 608	
Aroclor 1260 (PCB-1260)	ND	ug/L	0.8	3/29/2018	MAH	EPA 608	
beta-BHC	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Chlordane	ND	ug/L	0.4	3/29/2018	MAH	EPA 608	
delta-BHC	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Dieldrin	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Endosulfan I	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Endosulfan II	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Endosulfan sulfate	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Endrin	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Endrin aldehyde	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Endrin ketone	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
gamma-BHC (Lindane)	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Heptachlor	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC

Batch #: 180321065

Address: 601 W MALLON AVE
SPOKANE, WA 99201

Project Name: OTHELLO WWTP

Attn:

Analytical Results Report

Sample Number	180321065-001	Sampling Date	3/21/2018	Date/Time Received	3/21/2018 4:15 PM
Client Sample ID	OTHELLO WWTP EFFLUENT	Sampling Time	12:30 PM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Heptachlor epoxide	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Methoxychlor	ND	ug/L	0.04	3/29/2018	MAH	EPA 608	
Toxaphene	ND	ug/L	0.4	3/29/2018	MAH	EPA 608	
Phenolics	ND	mg/L	0.05	3/30/2018	MER	EPA 420.1	
Selenium	ND	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
1,2,4-Trichlorobenzene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
1,2-Dichlorobenzene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
1,2-Diphenyl hydrazine	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
1,3-Dichlorobenzene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
1,4-Dichlorobenzene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
1-Methylnaphthalene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2,3,4,6-Tetrachlorophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2,3,5,6-Tetrachlorophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2,4,5-Trichlorophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2,4,6-Trichlorophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2,4-Dichlorophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2,4-Dimethylphenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2,4-Dinitrophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2,4-Dinitrotoluene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2,6-Dinitrotoluene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2-Chloronaphthalene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2-Chlorophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2-Methylnaphthalene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2-Methylphenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2-Nitroaniline	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
2-Nitrophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
3,3'-Dichlorobenzidine	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
3+4-Methylphenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
3-Nitroaniline	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
4,6-Dinitro-2-methylphenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
4-Bromophenyl-phenylether	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
4-Chloro-3-methylphenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
4-Chloroaniline	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
4-Chlorophenyl-phenylether	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
4-Nitroaniline	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC

Batch #: 180321065

Address: 601 W MALLON AVE
SPOKANE, WA 99201

Project Name: OTHELLO WWTP

Attn:

Analytical Results Report

Sample Number	180321065-001	Sampling Date	3/21/2018	Date/Time Received	3/21/2018 4:15 PM
Client Sample ID	OTHELLO WWTP EFFLUENT	Sampling Time	12:30 PM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
4-Nitrophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Acenaphthene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Acenaphthylene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Aniline	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Anthracene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Benzidine	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Benzo(ghi)perylene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Benzo[a]anthracene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Benzo[a]pyrene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Benzo[b]fluoranthene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Benzo[k]fluoranthene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Benzyl alcohol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
bis(2-Chloroethoxy)methane	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
bis(2-Chloroethyl)ether	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
bis(2-chloroisopropyl)ether	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
bis(2-Ethylhexyl)phthalate	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Butylbenzylphthalate	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Carbazole	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Chrysene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Dibenz[a,h]anthracene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Dibenzofuran	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Diethylphthalate	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Dimethylphthalate	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Di-n-butylphthalate	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Di-n-octylphthalate	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Fluoranthene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Fluorene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Hexachlorobenzene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Hexachlorobutadiene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Hexachlorocyclopentadiene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Hexachloroethane	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Indeno[1,2,3-cd]pyrene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Isophorone	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Naphthalene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Nitrobenzene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C595; MT:Cert0095; FL(NELAP): E871099

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC

Batch #: 180321065

Address: 601 W MALLON AVE
SPOKANE, WA 99201

Project Name: OTHELLO WWTP

Attn:

Analytical Results Report

Sample Number	180321065-001	Sampling Date	3/21/2018	Date/Time Received	3/21/2018 4:15 PM
Client Sample ID	OTHELLO WWTP EFFLUENT	Sampling Time	12:30 PM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Nitrosodimethylamine	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
n-Nitroso-di-n-propylamine	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
n-Nitrosodiphenylamine	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Pentachlorophenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Phenanthrene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Phenol	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Pyrene	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Pyridine	ND	ug/L	0.5	3/30/2018 11:56:00 PM	HSW	EPA 625	
Silver	ND	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
Thallium	ND	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	
1,1,1-Trichloroethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
1,1,2-Trichloroethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
1,1-Dichloroethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
1,1-Dichloroethene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
1,2-Dichloroethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
1,2-Dichloropropane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
2-Chloroethyl vinyl ether	ND	ug/L	2.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Acrolein	ND	ug/L	2.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Acrylonitrile	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Benzene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Bromodichloromethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Bromoform	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Bromomethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Carbon Tetrachloride	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Chlorobenzene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Chloroethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Chloroform	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Chloromethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
cis-1,3-Dichloropropene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Dibromochloromethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Ethylbenzene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Methylene chloride	ND	ug/L	2.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Tetrachloroethene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Toluene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC

Batch #: 180321065

Address: 601 W MALLON AVE
SPOKANE, WA 99201

Project Name: OTHELLO WWTP

Attn:

Analytical Results Report

Sample Number	180321065-001	Sampling Date	3/21/2018	Date/Time Received	3/21/2018 4:15 PM
Client Sample ID	OTHELLO WWTP EFFLUENT	Sampling Time	12:30 PM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
trans-1,2-Dichloroethene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
trans-1,3-Dichloropropene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Trichloroethene	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Trichlorofluoromethane	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Vinyl Chloride	ND	ug/L	0.5	3/28/2018 12:15:00 PM	ARY	EPA 624	
Zinc	0.0146	mg/L	0.001	4/4/2018 3:10:00 PM	KNP	EPA 200.8	

Surrogate Data

Sample Number	180321065-001		
Surrogate Standard	Method	Percent Recovery	Control Limits
DCB	EPA 608	80.2	30-130
1,2-Dichlorobenzene-d4	EPA 624	103.0	70-130
4-Bromofluorobenzene	EPA 624	93.4	70-130
Toluene-d8	EPA 624	102.8	70-130
2,4,6-Tribromophenol	EPA 625	107.2	53-125
2-Fluorobiphenyl	EPA 625	83.2	12-116
2-Fluorophenol	EPA 625	75.4	10-139
Nitrobenzene-d5	EPA 625	84.4	49-118
Phenol-d5	EPA 625	88.4	28-154
Terphenyl-d14	EPA 625	51.2	20-137

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC

Batch #: 180321065

Address: 601 W MALLON AVE
SPOKANE, WA 99201

Project Name: OTHELLO WWTP

Attn:

Analytical Results Report

Sample Number	180321065-002	Sampling Date	3/21/2018	Date/Time Received	3/21/2018 4:15 PM
Client Sample ID	TRIP BLANK	Sampling Time		Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1-Trichloroethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
1,1,2-Trichloroethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
1,1-Dichloroethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
1,1-Dichloroethene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
1,2-Dichloroethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
1,2-Dichloropropane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
2-Chloroethyl vinyl ether	ND	ug/L	2.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Acrolein	ND	ug/L	2.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Acrylonitrile	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Benzene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Bromodichloromethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Bromoform	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Bromomethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Carbon Tetrachloride	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Chlorobenzene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Chloroethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Chloroform	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Chloromethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
cis-1,3-Dichloropropene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Dibromochloromethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Ethylbenzene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Methylene chloride	ND	ug/L	2.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Tetrachloroethene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Toluene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
trans-1,2-Dichloroethene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
trans-1,3-Dichloropropene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Trichloroethene	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Trichlorofluoromethane	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	
Vinyl Chloride	ND	ug/L	0.5	3/28/2018 12:49:00 PM	ARY	EPA 624	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: VARELA & ASSOCIATES, INC

Batch #: 180321065

Address: 601 W MALLON AVE
SPOKANE, WA 99201

Project Name: OTHELLO WWTP

Attn:

Analytical Results Report

Sample Number	180321065-002	Sampling Date	3/21/2018	Date/Time Received	3/21/2018 4:15 PM
Client Sample ID	TRIP BLANK	Sampling Time		Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
-----------	--------	-------	-----	---------------	---------	--------	-----------

Surrogate Data

Sample Number	180321065-002			
Surrogate Standard		Method	Percent Recovery	Control Limits
1,2-Dichlorobenzene-d4		EPA 624	103.6	70-130
4-Bromofluorobenzene		EPA 624	92.6	70-130
Toluene-d8		EPA 624	103.8	70-130

Authorized Signature


Kathleen A. Sattler, Lab Manager

J The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Login Report

Customer Name: VARELA & ASSOCIATES, INC

Order ID: 180321065

601 W MALLON AVE

Order Date: 3/21/2018

SPOKANE

WA

99201

Contact Name:

Project Name: OTHELLO WWTP

Comment: 625/608/PHENOLICS/HG SUBCONTRACTED TO ANATEK-M

Sample #: 180321065-001 **Customer Sample #:** OTHELLO WWTP EFFLUENT

Recv'd: ☒

Matrix: Water

Collector:

Date Collected: 3/21/2018

Quantity: 8

Date Received: 3/21/2018 4:15:00 PM

Time Collected: 12:30 PM

Comment:

Test	Lab	Method	Due Date	Priority
CYANIDE TOTAL EPA	S	EPA 335.4	4/2/2018	<u>Normal (~10 Days)</u>
OC PEST/PCB 608	M	EPA 608	4/2/2018	<u>Normal (~10 Days)</u>
PHENOLICS TOTAL	M	EPA 420.1	4/2/2018	<u>Normal (~10 Days)</u>
SEMIVOLATILES 625	M	EPA 625	4/2/2018	<u>Normal (~10 Days)</u>
Volatiles Priority Pollutant	S	EPA 624	4/2/2018	<u>Normal (~10 Days)</u>
Antimony	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
BERYLLIUM	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
Copper	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	4/2/2018	<u>Normal (~10 Days)</u>
Nickel	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
Priority Pollutant Metals	S	N/A	4/2/2018	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
Thallium	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>
Zinc	S	EPA 200.8	4/2/2018	<u>Normal (~10 Days)</u>

Customer Name: VARELA & ASSOCIATES, INC

601 W MALLON AVE

SPOKANE

WA

99201

Order ID: 180321065

Order Date: 3/21/2018

Contact Name:

Project Name: OTHELLO WWTP

Comment: 625/608/PHENOLICS/HG SUBCONTRACTED TO ANATEK-M

Sample #: 180321065-002 Customer Sample #: TRIP BLANK

Recv'd: ☒

Matrix: Water

Collector:

Date Collected: 3/21/2018

Quantity: 2

Date Received: 3/21/2018 4:15:00 PM

Time Collected:

Comment:

Test	Lab	Method	Due Date	Priority
Volatiles Priority Pollutant	S	EPA 624	4/2/2018	<u>Normal (~10 Days)</u>

SAMPLE CONDITION RECORD

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	10.8/10.9
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Is there a trip blank to accompany VOC samples?	Yes
Labels and chain agree?	Yes
Total number of containers?	10



· 30321 065 **VARE** Last Due 4/2/2018
1st SAMP 3/21/2018 1st RCVD 3/21/2018
CTHELLO WWTP

Company Name: _____ Project Manager: _____

Varela & Associates Inc.

Address: 601 W. Mullon Ave.

City: Sookane State: WA Zip: 99201

Phone: 4-

509-328-6066

Fax: _____

Project Manager:

Project Name & #:

Email Address :

Purchase Order #.:

Sampler Name & phone:

Provide Sample Description

All samples are from an effluent grab sample of the Othello WWTP.

Lab ID	Sample Identification	Sampling Date/Time	Matrix
	Offshore WTP Effluent	12/30/04 12:18	Waste Water
	trip blank		

List Analyses Requested

Preservative	# of Containers	Sample Volume
P-1000 / P-1000 P-1000 / P-1000	1	PP - RNA
PP - P-1000	1	PP - P-1000
PP - V01	1	PP - V01
PP - V01	1	PP - V01

	Printed Name	Signature	Company	Date	Time
Relinquished by	Trevin Dismore	Trevin Dismore	Vocals & Associates	9/3/13	4:15 pm
Received by	Andrew Mendez	Andrew Mendez	Antek Labs	3-1-18	16:15
Relinquished by					
Received by					
Relinquished by					
Received by					

Note Special Instructions/Comments

SNBS
M-608, 625, Hg, Phenolics

Inspection Checklist

Received Intar?

Labels & Chains Agree?

Containers Sealed?

VOC Head Space?

Hand, Cooker, Ice

Temperature (°C)

Preservative: HCl 56295

4-5011 P2797-22 04 P16230-71

Date & Time : 3-21-18 1739

Inspected By: W. J. [Signature]