



Request for Coverage

Industrial Stormwater General Permit

NOI Version: 1

Application Type: ☒ New ☐ Renewal

Permit Number:

Application Id: 23875

I. Contact Information

Permittee		
Honorific: Mr.	First Name: Allen	Last Name: Breaux
Organization Name: Henry Products, Inc	Title: Finishing Lead	
Mailing Address: PO Box 80764		
City: Seattle	State: WA	Zip Code: 98108-0764
Email: allen@henrybuilt.com		
Primary Phone: 917-371-1578	Secondary Phone:	
UBI Number: 602141350		

Site Contact		
Honorific: Dr.	First Name: Allen	Last Name: Breaux
Organization Name: Henry Products, Inc	Title: Finishing Lead	
Mailing Address: PO Box 80764		
City: Seattle	State: WA	Zip Code: 98108-0764
Email: allen@henrybuilt.com		
Primary Phone: 917-371-1578	Secondary Phone:	
UBI Number: 602141350		

II. Facility Information

Facility Name: Henrybuilt Seattle

Street Address: 4632 Ohio Ave S

City: Seattle

County: King

Zip Code: 98134

Latitude: 47.561644

Longitude:

Size of Site: 1.5 acres Date facility began or will begin operation: 11/1/2005

List all North American Industry Classification System (NAICS) and Standard Industrial Classification (SIC) codes to cover all industrial activities performed at your facility.

NAICS/SIC	Code	Description	Is Primary
NAICS	337122	Nonupholstered Wood Household Furniture Manufa...	No
NAICS	337110	Wood Kitchen Cabinet and Countertop Manufactur...	Yes
SIC	2511	WOOD HOUSEHOLD FURNITURE	No
SIC	2434	WOOD KITCHEN CABINETS	Yes

☐ Is this facility a Hazardous Waste Treatment, Storage, and Disposal (TSD) facility regulated under Chapter 17-303 WAC?

For Airport Facilities:

☐ At your airport, do you as a single permittee, or a combination of permitted facilities, use more than 100,000 gallons of glycol-based deicing chemicals and/or 100 tons or more of urea on an average annual basis?

- ☐ Does your airport have 1,000 or more annual jet departures (“non-propeller aircraft”)?
- ☐ Does the facility discharge wastewater associated with airfield pavement deicing with stormwater?
- ☐ Do you use urea-containing deicers?
- ☐ Does your airport meet the definition of a new source (“new airports”)?
- ☐ Does (will) the airport have 10,000 or more annual departures?
- ☐ Is the airport located in a cold climate zone?

Please enter the URL that your Stormwater Pollution Prevention Plan (SWPPP) is located at: (optional)

Please attach a site map following the requirements of S3.B.1 of the 2020 ISGP.

III. Other Permits/Registration

None

IV. Discharge/Receiving Water

Conveyance System

If you discharge to a municipal stormwater system or other stormwater conveyance system (e.g. Kent stormwater drainage system, roadside ditch), identify the system by name or if unnamed, by other identifier (e.g., 145th street ditch)

SPU Outfall to Duwamish Waterway

Location of Discharge into Receiving Water (Outfall)

Outfall Number	Outfall Description	Surface Waterbody Name	Outfall Type	Latitude	Longitude
1	SPU Outfall	Duwamish Waterway	Surface Water Body	47.563157	-122.3453

Location of Discharge Location (Sampling/Monitoring Point)

Monitoring Point Code	Monitoring Point Name	Monitoring Point Type	Outfall Number	Active	Latitude / Longitude
DRO	SPU Outfall	Stormwater	1	No	47.563157 -122.3453
CB4	Catch Basin 4	Stormwater	1	No	47.562227 -122.338112
CB1	Catch Basin 1	Stormwater	1	Yes	47.561717 -122.336894
CB2	Catch Basin 2	Stormwater	1	No	47.561557 -122.337994
CB3	Catch Basin 3	Stormwater	1	No	47.561593 -122.338047

V. State Environmental Policy Act (SEPA)

This Notice of Intent (NOI) is incomplete and cannot be approved until the applicable SEPA requirements under Chapter 197-11 WAC are met.

SEPA and Public Notice sections apply only to facilities that began operations after January 1, 2020. If the facility began operations before this date, these sections do not need to be filled out.

Who is the SEPA lead agency on your site?

Has the SEPA lead agency issued a final decision on your checklist? ☐ Yes ☐ No ☐ Exempt

If No: The NOI is incomplete. Ecology will hold the application until a final SEPA decision is made or the Construction Stormwater NOI public comment period ends, whichever is later. **You must notify Ecology once the lead agency has issued a determination.**

If Yes: Type of SEPA decision issued:

Date of final SEPA decision:

Date when all SEPA-related comment & appeal periods ended or will end:

If Exempt:

- ☐ Watershed Restoration & Fish Habitat Enhancement Exemption (RCW 43.21C.0382).
- ☐ Infill Development Exemption (RCW 43.21C.229).
- ☐ Planned Action Exemption (RCW 43.21C.031).
- ☐ Categorical Exemption. Under what section of the SEPA Rule (WAC 197-11-800) is it exempt?

Section: _____

VI. Public Notice

Public Notice applies to facilities that began operations on or after January 1, 2020.

You must publish a public notice at least **once** a week for **two** consecutive weeks with **seven days** between publications, in at least a **single** newspaper of general circulation in the county in which the facility is located. Ecology cannot grant permit coverage sooner than the end of the 30-day public comment period, which begins on the date of the **second** public notice.

Newspaper Name	First Public Notice Date	Second Public Notice Date

VII. Certification of Permittees

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Permittee Signature

6/21/2019

Date