



Notice of Intent

Boat Yard General Permit

NOI Version: 1

Application Type: ☐ New ☒ Renewal

Permit Number: WAG030009

Application Id: 9073

I. Contact Information

Billing Contact		
Honorific: Mr.	First Name: Paul	Last Name: Grove
Company Name: Csr Marine South Inc		Title: Yard Manager
Mailing Address: 22501 Dock Ave S		
City: Des Moines	State: WA	Zip Code: 98198-4620
Email: paul.grove@csrmarine.com		
Business Phone: 206-878-4414	Fax:	Cell Phone:
UBI Number: 602124199		
Site Contact		
Honorific: Mr.	First Name: Paul	Last Name: Grove
Company Name: Csr Marine South Inc		Title: Yard Manager
Mailing Address: 22501 Dock Ave S		
City: Des Moines	State: WA	Zip Code: 98198-4620
Email: paul.grove@csrmarine.com		
Business Phone: 206-878-4414	Fax:	Cell Phone:
UBI Number: 602124199		
Site Operator		
Honorific:	First Name: Paul	Last Name: Grove
Company Name: CSR Marine South, Inc		Title: Yard Manager
Mailing Address: 22501 Dock Ave S		
City: Des Moines	State: WA	Zip Code: 98198-4620
Email: paul.grove@csrmarine.com		
Business Phone: 206-878-4414	Fax:	Cell Phone:
UBI Number: 602124199		
Legal Responsible Party		
Honorific: Mr.	First Name: Scott	Last Name: Anderson
Company Name: Csr Marine South Inc		Title: President
Mailing Address: 22501 Dock Ave S		
City: Des Moines	State: WA	Zip Code: 98198-4620
Email: scott.anderson@csrmarine.com		
Business Phone: 206-632-2001	Fax:	Cell Phone:
UBI Number: 602124199		

Permittee		
Honorific: Mr.	First Name: Scott	Last Name: Anderson
Company Name: Csr Marine South Inc	Title: President	
Mailing Address: 22501 Dock Ave S		
City: Des Moines	State: WA	Zip Code: 98198-4620
Email: scott.anderson@csrmarine.com		
Business Phone: 206-632-2001	Fax:	Cell Phone:
UBI Number: 602124199		
Site Owner		
Honorific: Mr.	First Name: Scott	Last Name: Anderson
Company Name: Csr Marine South Inc	Title: President	
Mailing Address: 22501 Dock Ave S		
City: Des Moines	State: WA	Zip Code: 98198-4620
Email: scott.anderson@csrmarine.com		
Business Phone: 206-632-2001	Fax:	Cell Phone:
UBI Number: 602124199		

II. Facility Information

Facility Name: CSR MARINE SOUTH

Street Address: 22501 DOCK ST S

City: Des Moines **County:** King **Zip Code:** 98198-4620

Latitude: 47.400346 **Longitude:** -122.328692

Date facility began or will begin operation:

List all North American Industry Classification System (NAICS) and Standard Industrial Classification (SIC) codes to cover all industrial activities performed at your facility.

NAICS/SIC Code	Description	Is Primary
SIC 3732	BOAT BUILDING AND REPAIRING	Yes
NAICS 811490	Other Personal and Household Goods Repair and ...	Yes

Identify all of the activities that occur at the facility:

Bottom cleaning
 Engine repair and/or overhaul
 Pump-out of bilge or ballast water
 Vessel repair

For primarily what types and lengths of vessels does the facility provide services?

Types:

Fishing vessels - Recreational
 Pleasure boats - Power
 Pleasure boats - Sail

Lengths:

Less than 25 feet
25 - 40 feet
40 - 65 feet

What types of hull materials does the facility repair, paint, wash, sand or otherwise work on?

Aluminum
Fiberglass
Wood

III. Pressure Washing

Does the facility Pressure wash boat hulls, bottoms, or sides? ☒ Yes ☐ No

Do you plan to upgrade an existing pressure washing system or construct a new system prior to May 31, 2021? ☐ Yes ☒ No

Describe how you contain and collect the pressure wash wastewater:

All water that falls onto the yard drains into an under ground vault and is then pumped into a wash water recycling system. Solids are collected after treatment and the water is reused.

Identify how you dispose of the treated pressure wash wastewater:

Re-use -- Not Disposed

If the facility disposes of the treated pressure wash wastewater to a municipal sewer system, specify the municipality:

Describe how the facility deals with rainwater and stormwater falling or running onto the wash pad:

The wash pad is cleaned after each use, and then a valve is opened that allows clean rainwater to enter the StormwaterRx water treatment system. It then drains to Puget Sound. Some rainwater is collected in the wash water recycling system. When the water volume becomes too high, the excess water is disposed of by an environmental disposal company.

Describe how the facility handles and disposes of sludge generated from treatment of the pressure wash wastewater:

Solids and sludge collected in the wash water recycling system are collected and disposed of by an outside environmental disposal company

IV. Stormwater Information

Does the facility generate stormwater runoff from areas with industrial activity? ☒ Yes ☐ No

Stormwater is contained and discharges to ground through an infiltration trench at least 200 feet from the water's edge? ☐ Yes ☒ No

Stormwater is collected and discharged to a municipal sanitary sewer system? ☐ Yes ☒ No

V. Outfalls/Monitoring Points

Discharge Location/Outfall Information

Will water discharge directly or indirectly (through a storm drain system or roadside ditch) into one or more surface waterbodies (wetlands, creeks, lakes, and all other surface and water courses)?

Yes, direct or indirect discharge to surface waters

Location of Discharge into Receiving Water (Outfall)

Outfall Number	Outfall Description	Surface Waterbody Name	Outfall Type	Latitude	Longitude
S001	S001	S001	Surface Water Body	47.400291	-122.328897

Location of Discharge Location (Sampling/Monitoring Point)

Monitoring Point Code	Monitoring Point Name	Monitoring Point Type	Outfall Number	Active	Latitude/ Longitude
S001	S001	Stormwater	S001	Yes	47.400291/ - 122.328897

VI. State Environmental Policy Act (SEPA)

This Notice of Intent (NOI) is incomplete and cannot be approved until the applicable SEPA requirements under Chapter 197-11 WAC are met.

SEPA and Public Notice sections apply only to facilities that began operations after January 1, 2015. If the facility began operations before this date, these sections do not need to be filled out.

Who is the SEPA lead agency on your site?

Has the SEPA lead agency issued a final decision on your checklist? ☐ Yes ☐ No ☐ Exempt

If No: The NOI is incomplete. Ecology will hold the application until a final SEPA decision is made or the Construction Stormwater NOI public comment period ends, whichever is later. **You must notify Ecology once the lead agency has issued a determination.**

If Yes: Type of SEPA decision issued:

Date of final SEPA decision:

Date when all SEPA-related comment & appeal periods are exhausted:

If Exempt:

- ☐ Watershed Restoration & Fish Habitat Enhancement Exemption (RCW 43.21C.0382).
☐ Infill Development Exemption (RCW 43.21C.229).
☐ Planned Action Exemption (RCW 43.21C.031).
☐ Categorical Exemption. Under what section of the SEPA Rule (WAC 197-11-800) is it exempt?

Section: _____

VI. Public Notice

Public Notice applies to facilities that began operations on or after January 1, 2015.

You must publish a public notice at least **once** a week for **two** consecutive weeks with **seven days** between publications, in at least a **single** newspaper of general circulation in the county in which the facility is located. Ecology cannot grant permit coverage sooner than the end of the 30-day public comment period, which begins on the date of the **second** public notice.

VII. Certification of Permittees

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

12/3/2015

Permittee Signature

Date