



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

*Northwest Regional Office • 3190 160th Avenue SE • Bellevue, Washington 98008-5452 • (425) 649-7000
711 for Washington Relay Service • Persons with a speech disability can call (877) 833-6341*

June 30, 2020

Ricky Ceccanti
Ceccanti, Inc.
4116 Brookdale Rd E.
Tacoma, WA 98446-1613

Amended Order Docket #	18194
Order Docket #	16073
Site Location	West Sammamish River Bridge 68th Ave NE between 170th St and NE 175th St, Kenmore, WA 98028

Re: Amended Administrative Order

Dear Ricky Ceccanti:

The Department of Ecology (Ecology) has issued the enclosed amended Administrative Order (Order) requiring Ceccanti Inc. to comply with:

- Chapter 90.48 Revised Code of Washington (RCW) – State of Washington Water Pollution Control Act.
- Chapter 173-201A Washington Administrative Code (WAC) – Water Quality Standards for Surface Waters of the State of Washington.
- National Pollutant Discharge Elimination System (NPDES) Construction Stormwater General Permit, Permit Number WAR306982.

If you have questions, please contact Mathew Kwartin at 425-649-4484 or by email at mkwa461@ecy.wa.gov.

Sincerely,

A handwritten signature in black ink that reads "Rachel McCrea".

Rachel McCrea
Water Quality Section Manager
Northwest Regional Office

Enclosure: Amended Administrative Order Docket # 18194

Sent by Certified Mail: 9171 9690 0935 0232 6497 08

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

IN THE MATTER OF AN)	AMENDED ADMINISTRATIVE
ADMENDED ADMINISTRATIVE ORDER)	ORDER DOCKET #18194
AGAINST)	AMENDING
Ricky Ceccanti)	ADMINISTRATIVE ORDER
Ceccanti, Inc.)	DOCKET #16073

To: Ricky Ceccanti
Ceccanti, Inc.
4116 Brookdale Rd E.
Tacoma, WA 98446-1613

Amended Order Docket #	18194
Order Docket #	16073
Site Location	West Sammamish River Bridge 68th Ave NE between 170th St and NE 175th St Kenmore, WA 98028

The Department of Ecology (Ecology) has issued this amended Administrative Order (Order) Docket # 18194 to amend Order Docket #16073 dated October 18, 2018 issued to John Vicente with City of Kenmore.

This Order describes the corrective actions required at the location known as West Sammamish River Bridge project located at 68th Ave NE between 170th St and NE 175th St, Kenmore, WA 98028.

ADMINISTRATIVE ORDER AMENDMENTS

Background and associated corrective actions are described in full in the original Administrative Order #16073

After a review of existing and additional laboratory sample data in regards to the West Sammamish Bridge Project, additional contaminants of concern need to be included in the Administrative Order to ensure that this project does not discharge contaminated stormwater/dewatering water to waters of the state. Additional testing and treatment for the contaminants listed in Table 1 (both Table 1 from the original Order and the additional parameters as listed below in Table 1 - Added Parameters) are now required. The original Order and this Amended Order establish indicator levels for the West Sammamish River Bridge project. Indicator Levels express a pollutant concentration used as a threshold, below which a pollutant is considered unlikely to cause a water quality violation, and above which it may. Indicator Levels in this Administrative Order were derived from Chapter 173-201A WAC and the analytical method's minimum quantitation level. All corrective actions and monitoring requirements from Administrative Order #16073 are unchanged and remain in effect.

Table 1 from Administrative Order #16073, dated October 18, 2018, is amended in part by adding the following parameters to Table 1:

Table 1 – Added Parameters

Pollutant & CAS No. (if available)	Sampling Frequency*	Sample Type	Indicator Level, µg/L unless otherwise noted	Required Analytical Protocol	Detection Level, µg/L	Quantitation Level, µg/L
METALS						
Arsenic (7440-38-2)	Batch/Weekly	Grab	360 ^b	200.8	0.1	0.5
Lead (7439-92-1)	Batch/Weekly	Grab	27.47 ^b	200.8	0.1	0.5
VOCs						
Carbon Disulfide (75-15-0)	Batch/Weekly	Grab	10 ^a	624.1	10	10
2-Butanone (MEK) (78-93-3)	Batch/Weekly	Grab	5.0 ^a	EPA 624/8260	5.0	5.0
Trichlorofluoromethane (75-69-4)	Batch/Weekly	Grab	5.0 ^a	8260	5.0	5.0
NOTES						
^a	No applicable surface water criterion; value is laboratory quantitation level.					
^b	Acute – Freshwater Toxic Substances Criteria (WAC 173-201A-240). Based on Hardness of 46.0 mg/L for Hardness Dependent Metals. The Indicator Level for hardness dependent metals is expressed as a dissolved metal value. Meeting the Indicator Level using analytical protocol for total or dissolved metal values meets the intent of this order.					
*	If permission is granted for flow through, sampling will then be weekly.					

No other condition or requirement of Order Docket #16073, including the monitoring requirements and indicator levels for other pollutants, is hereby affected by this amendment.

FAILURE TO COMPLY WITH THIS ORDER

Failure to comply with this Order may result in the issuance of civil penalties or other actions, whether administrative or judicial, to enforce the terms of this Order.

YOUR RIGHT TO APPEAL

You have a right to appeal this Order to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. “Date of receipt” is defined in RCW 43.21B.001(2).

To appeal you must do both of the following within 30 days of the date of receipt of this Order:

- File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Your appeal alone will not stay the effectiveness of this Order. Stay requests must be submitted in accordance with RCW 43.21B.320.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503 Pollution Control Hearings Board 1111 Israel Road SW STE 301 Tumwater, WA 98501	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608 Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

CONTACT INFORMATION

Please direct all questions about this Order to:

Mathew Kwartin
Department of Ecology
Northwest Regional Office
3190 160th Ave SE
Bellevue, WA 98008

Phone: 425-649-4484
Email: Mkwa461@ecy.wa.gov

MORE INFORMATION

- **Pollution Control Hearings Board Website**
<http://www.eluho.wa.gov/Board/PCHB>
- **Chapter 43.21B RCW - Environmental and Land Use Hearings Office – Pollution Control Hearings Board**
<http://app.leg.wa.gov/RCW/default.aspx?cite=43.21B>
- **Chapter 371-08 WAC – Practice and Procedure**
<http://app.leg.wa.gov/WAC/default.aspx?cite=371-08>
- **Chapter 34.05 RCW – Administrative Procedure Act**
<http://app.leg.wa.gov/RCW/default.aspx?cite=34.05>
- **Ecology's Laws, rules, & rulemaking website**
<https://ecology.wa.gov/About-us/How-we-operate/Laws-rules-rulemaking>

SIGNATURE



Rachel McCrea
Water Quality Section Manager
Northwest Regional Office
Washington State Department of Ecology

6/30/2020
Date