



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300  
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

July 21, 2020

Emmett Boyle  
Silver Cloud Inn  
103 118<sup>th</sup> Avenue Southeast, Suite 300  
Bellevue, WA 98005

Re: Application for Renewal of National Pollutant Discharge Elimination System (NPDES)  
Wastewater Discharge Permit Number WA0041084, Silver Cloud Inn

Dear Emmett Boyle:

Chapter 173-220 of the Washington Administrative Code (WAC) requires a Permittee to file an application for replacement.

Your NPDES Waste Discharge Permit No. WA0041084 **expired** on January 31, 2019. We are, therefore, enclosing a new waste discharge permit application. An electronic copy of the application may be downloaded by going to the Environmental Protection Agency (EPA) website <https://www.epa.gov/npdes/npdes-applications-and-forms>. Please complete the application and return it no later than **August 21, 2020**, to:

Morgan Dörner  
Permit Administrator  
Department of Ecology  
Southwest Regional Office  
PO Box 47775  
Olympia, WA 98504-7775

Your permit application is a matter of public record. When the Department of Ecology (Ecology) decides to proceed with re-issuance of your permit, a public notice of application will be issued to a newspaper of local circulation. This will allow the public to comment on Ecology's decision regarding your permit.

NPDES regulations require the submission of sludge information with the re-application for an NPDES permit. The following information is required to determine if additional pretreatment measures are required:

1. The most recent five years of sludge monitoring data for pollutants listed in 40 Code of Federal Regulations (CFR) 503.13 tables 1 and 3.
2. The quality necessary to meet the chosen use and disposal procedures at the facility (i.e., which tables; 1 or 3 of 40 CFR 503.13 are applicable).

Emmett Boyle

Page 2

If you have any questions, please contact John Diamant at [john.diamant@ecy.wa.gov](mailto:john.diamant@ecy.wa.gov), or by phone at 360-407-6289.

Sincerely,

A handwritten signature in cursive script that reads "Carey Cholski".

Carey Cholski  
Permit Administrator  
Water Quality Program  
Southwest Regional Office

CC(0041084)

Enclosure

**SENT VIA EMAIL DUE TO COVID-19**

**From:** [Cholski, Carey \(ECY\)](#)  
**To:** [emmettb@silvercloud.com](mailto:emmettb@silvercloud.com)  
**Cc:** [Diamant, John \(ECY\)](#); [Dorner, Morgan \(ECY\)](#)  
**Subject:** Silver Cloud Inn Application for Permit Renewal  
**Date:** Tuesday, July 21, 2020 1:45:37 PM  
**Attachments:** [Silver Cloud Inn - WA0041084 - Application for Permit Renewal - 7-21-20.pdf](#)

---

This letter is being sent electronically due to COVID-19.

Your permit has been expired since 2019 without a renewal application being received by the Department of Ecology. Please go to the following link and fill out the appropriate application forms.

<https://www.epa.gov/npdes/npdes-applications-and-forms>

Thank you

Carey Cholski  
Permit Administrator  
Southwest Regional Office  
[carey.cholski@ecy.wa.gov](mailto:carey.cholski@ecy.wa.gov)

