

AFFIDAVIT OF PUBLICATION

Tricia Miller
WA ST Dept of Ecology
3190 160th Ave SE
Bellevue WA 98008

STATE OF WASHINGTON, COUNTIES OF KING AND SNOHOMISH

The undersigned, on oath states that he/she is an authorized representative of The Seattle Times Company, publisher of The Seattle Times of general circulation published daily in King and Snohomish Counties, State of Washington. The Seattle Times has been approved as a legal newspaper by others of the Superior Court of King and Snohomish Counties.


The notice, in the exact form annexed, was published in the regular and entire issue of said paper or papers and distributed to its subscribers during all of the said period.

10/28/2020

Agent MAUREEN E DUGGAN Signature Maureen E Duggan

Subscribed and sworn to before me on 11/04/2020
Debbie Collantes
Debbie Collantes
(Notary Signature) Notary Public in and for the State of Washington, residing at Seattle

Publication Cost: \$789.00
Order No: 3221
Customer No: 480
PO #:



**NOTICE: ANNOUNCEMENT OF
AVAILABILITY OF DRAFT
WASTEWATER DISCHARGE PERMIT**

PERMIT NO: WA0031305

APPLICANT: Nucor Steel Seattle Inc.
2424 SW Andover Street
Seattle, King County

Nucor Steel Seattle Inc. has reapplied for a National Pollutant Discharge Elimination System (NPDES) permit in accordance with the provisions of Chapter 90.48 Revised Code of Washington (RCW), Chapter 173-220 Washington Administrative Code (WAC), and the Federal Clean Water Act. The treated discharge water must meet the requirements of the Washington State Water Pollution Control Act and applicable regulations. The Department of Ecology has developed a draft permit to allow the discharge of stormwater and treated wastewater into Elliott Bay.

A tentative determination has been made on the effluent limitations and special permit conditions that will prevent and control pollution. Ecology will make a final determination after evaluating all timely comments received in response to this notice.

**PUBLIC COMMENT
AND INFORMATION**

The draft permit, fact sheet, application and related documents may be viewed at the Department of Ecology website:

<https://apps.ecology.wa.gov/portal/DocumentSearch.aspx> by entering permit number WA0031305. Due to the existing Stay Home, Stay Healthy order and associated building closures, these documents are not available for in-person viewing at this time. To request a hard copy, please call (425) 649-7000.

Interested persons are invited to submit written comments regarding the proposed permit. All comments must be submitted within 30 days after publication of this notice to be considered for the final determination. Comments should be sent to:

Water Quality Permit Coordinator
Department of Ecology
Northwest Regional Office
3190 - 160th Avenue SE
Bellevue, WA 98008-5452

Email comments should be sent to tricia.miller@ecy.wa.gov

Any interested party may request a public hearing on the proposed permit within 30 days of the publication date of this notice. The request for a hearing shall state the interest of the party and the reasons why a hearing is necessary. For Washington Relay Service or TTY call 711 or 877-833-6341 or visit <https://ecology.wa.gov/accessibility>