



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

*PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300  
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341*

January 4, 2021

Nicholas Brooks, Unit Manager  
Weyerhaeuser Raymond Lumber  
51 Ellis Street  
Raymond, WA 98577-1740

**RE: Application Accepted for Renewal of State Waste Discharge Permit No. ST0006167,  
Weyerhaeuser Co Raymond Saw No 2**

Dear Nicholas Brooks:

We hereby acknowledge receipt of the above-referenced application on December 2, 2020. This application is hereby accepted. Your current State Waste Discharge permit had an expiration date of June 30, 2011.

The current permit and its terms and conditions will be administratively extended on June 30, 2021, if Ecology fails to issue a new permit by the expiration date and will remain in effect and enforceable until Ecology issues the new permit for your facility.

During the permit renewal process, Ecology may determine that additional information is necessary to complete the permit. In order to maintain complete application status, Weyerhaeuser Co Raymond Saw No 2 must provide any additional information Ecology may request in a timely manner.

If you have any questions regarding this letter, please contact me at [Hiro.Kusakabe@ecy.wa.gov](mailto:Hiro.Kusakabe@ecy.wa.gov) or by phone at 360-810-1340.

Sincerely,

A handwritten signature in black ink, appearing to read "Hiro Kusakabe".

Hiro Kusakabe  
Permit Manager | Environmental Engineer  
Water Quality Program  
Southwest Regional Office

HK:MD (ST0006167)

**SENT ELECTRONICALLY DUE TO COVID-19**

**From:** [Dorner, Morgan \(ECY\)](#)  
**To:** ["Brooks, Nicholas"](#)  
**Cc:** [Kusakabe, Hiro \(ECY\)](#); [Cholski, Carey \(ECY\)](#)  
**Subject:** State Waste Discharge Permit Renewal Application Accepted for ST0006167 Weyerhaeuser Co Raymond Saw No 2  
**Date:** Monday, January 4, 2021 2:42:25 PM  
**Attachments:** [ST0006167 Weyerhaeuser Co Raymond Saw No 2 - Application Acceptance Letter 1-4-21.pdf](#)  
**Importance:** High

---

Nicholas Brooks, Unit Manager:

Attached is a letter stating the State Waste Discharge Permit renewal application was reviewed and has been officially accepted for Weyerhaeuser Co Raymond Saw No 2 (Permit No. ST0006167).

This letter is being sent electronically due to COVID-19.

Thank you,

**Morgan Dorner**  
**Industrial Permit Coordinator**  
**Water Quality Program | Southwest Regional Office**



**From:** [Microsoft Outlook](#)  
**To:** [Brooks, Nicholas](#)  
**Subject:** Relayed: State Waste Discharge Permit Renewal Application Accepted for ST0006167 Weyerhaeuser Co Raymond Saw No 2  
**Date:** Monday, January 4, 2021 2:42:29 PM  
**Attachments:** [State Waste Discharge Permit Renewal Application Accepted for ST0006167 Weyerhaeuser Co Raymond Saw No 2.msg](#)

---

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:  
Brooks, Nicholas (Nicholas.Brooks@weyerhaeuser.com) <mailto:Nicholas.Brooks@weyerhaeuser.com>  
Subject: State Waste Discharge Permit Renewal Application Accepted for ST0006167 Weyerhaeuser Co Raymond Saw No 2