



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

*Northwest Regional Office • 3190 160th Avenue SE • Bellevue, Washington 98008-5452 • (425) 649-7000
711 for Washington Relay Service • Persons with a speech disability can call (877) 833-6341*

January 15, 2021

Eric Silvers
Regency Centers
1 Independent Drive
Suite 114
Jacksonville, FL 32202-5005

Re: New National Pollutant Discharge Elimination System (NPDES) Application
Permit No. WA0991040, Overlake Retail Shops Former Sears Auto #6119

Dear Eric Silvers:

Thank you for submitting an application for a new NPDES permit. The Department of Ecology (Ecology) acknowledges receiving the application on December 29, 2020 and an initial review shows that your application is complete. Jeanne Tran has been assigned to review and approve your application.

Before Ecology can begin the final review and approval of the application, we need to collect a permit application fee. Attached is the application fee invoice. If you have questions about these fees, please visit our permit fee website at: [Water Quality Permit Fees](#). If you have fee related questions, please contact our Fee Unit at wqfee_unit@ecy.wa.gov or by phone at 800-633-6193.

If you have any questions about our review of the application or the permitting process, please contact Jeanne Tran at Jeanne.tran@ecy.wa.gov or by phone at 425-649-7078.

Sincerely,

Tricia Miller
Permit Coordinator
Northwest Regional Office

Sent via electronic mail: eric silvers@regencycenters.com
Attachment

Ecc: Water Quality Fee Unit (wqfee_unit@ecy.wa.gov)
Ecology Fiscal Office: (ecydlcashiering@ecy.wa.gov)
Jeanne Tran, P.E., Facility Manager (Jeanne.tran@ecy.wa.gov)
PARIS: Overlake Retail Shops Former Sears Auto #6119; WA0991040

Mail Date: January 15, 2021



Application Invoice
Water Quality Program
Hazardous Waste Cleanup Sites

Permit Number: WA0991040

ATTN: Eric Silvers

Overlake Retail Shops - Former Sears Auto #6119

REGENCY CENTERS

1 INDEPENDENT DRIVE, SUITE 114

JACKSONVILLE FL 32202-5005

FY 2021 Annual Fee base	\$10,298.00
FY 2021 Application Fee	\$2,574.50
Remaining Credit	\$0.00
Total Due	\$2,574.50

Fiscal Year	Billed	Paid	Due	Due Date
FY21	\$2,574.50	\$0.00	\$2,574.50	03/01/2021

Application Fee Calculation is 25% of Annual Fee base or \$250 , whichever is greater.

<p>Please send check or money order in US currency payable to</p> <p style="text-align: center;">WASHINGTON STATE DEPARTMENT OF ECOLOGY</p> <p style="text-align: center;">(DO NOT SEND CASH)</p>	<p>Mail the payment with the payment voucher / coupon to:</p> <p>Washington State Department of Ecology Cashiering Unit PO BOX 47611 Olympia, WA 98504-7611</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Please note you can pay via credit card (convenience fees apply) or echeck at <https://apps.ecology.wa.gov/ecoepay/>

Questions? Direct questions regarding the permit fee assessment to the Water Quality Fee Unit at (800) 633-6193 /Option 2 or via email at wqfee_unit@ecy.wa.gov

-----Detach and return this payment voucher with your check or money order. -----

Water Quality Program
Hazardous Waste Cleanup Sites

Invoice Number	21-WA0991040-1
Overlake Retail Shops - Former Sears Auto #6119	

Total Amount Due	\$2,574.50
Coding	176-WWDA-02-86-000197

ATTN: ERIC SILVERS
REGENCY CENTERS
1 INDEPENDENT DRIVE, SUITE 114
JACKSONVILLE FL 32202-5005

Mail payment to
Washington State Department of Ecology
Cashiering Unit
PO BOX 47611
Olympia, WA 98504-7611

You have a right to appeal this action. The appeal process is governed by Chapter 173-224-100 WAC. To appeal, you must do the following:

- Submit your appeal to the Water Quality Fee Unit no later than the fiscal year's first billing due date.
- State the reason(s) you believe the Department's determination is contrary to the requirements of Chapter 90.48.465 RCW and the specific actions you request that are consistent with those requirements.