



STATE OF WASHINGTON  
**DEPARTMENT OF ECOLOGY**

*4601 N. Monroe Street • Spokane, Washington 99205-1295 • (509) 329-3400*

February 26, 2021

Karen LaLande  
Senior Controller  
SGL Composites  
8781 Randolph Road NE  
Moses Lake, WA 98837

RE: Issuance of State Waste Discharge Permit ST0501273

Dear Karen LaLande:

SGL Composites State Wastewater Discharge permit ST0501273 is enclosed. The Department of Ecology (Ecology) issues this permit in accordance with Chapter 90.48 RCW, as amended.

In accordance with WAC 173-216-090, Ecology published a legal notice of draft permit on December 16, 2020 in the Columbia Basin Herald to inform the public that a draft permit was available for review.

**Permit Fees**

Ecology, in response to the passage of Initiative 97 in 1988, has adopted a regulation to recover costs associated with issuing and administering wastewater discharge permits (Chapter 173-224 WAC).

Ecology calculates the annual fee for both industrial and municipal/domestic discharges according to the permit fee schedules contained in WAC 173-224-040. We notify permit holders of fee charges by mailed billing statements. Failure to pay the applicable permit fee may result in the suspension or revocation of the permit, and could result in the issuance of civil penalties or actions to enjoin the activity under the permit.

**Appeal Process**

You have the right to appeal this permit (chapter 43.21B RCW). The Board must RECEIVE your appeal within 30 days of the “receipt” date. Failure to comply with the 30-day filing deadline will result in termination or dismissal of the appeal.

File the original and one copy of the appeal with the Pollution Control Hearings Board by mail or by hand delivery (addresses below). Filing means actual receipt with the PCHB during regular business hours.

**Mailing Address:**

Pollution Control Hearings Board  
P.O. Box 40903  
Lacey, Washington 98504-0903

**Physical Address for hand delivery:**

Pollution Control Hearings Board  
1111 Israel Road Southwest, Suite 301  
Lacey, Washington 98504-0903

Effective February 17, 2015, you can file with the PCHB by e-mail provided you follow-up with required hard copies postmarked the same day they are e-mailed (See WAC 371-08-305(6) and 335(3)).

**PCHB E-filing address:** [PCHB-SHBappeals@elaho.wa.gov](mailto:PCHB-SHBappeals@elaho.wa.gov)

Within 30 days of the receipt of the permit, you must also serve a copy of your appeal with the Department of Ecology Appeals Processor and Eastern Regional Office. Ecology only accepts copies of appeals by hand delivery or by mail. Email is not accepted.

**Appeals Processor**

Department of Ecology  
P.O. Box 47608  
Olympia, Washington 98504


**Eastern Regional Office**

Department of Ecology  
Water Quality Program  
4601 N. Monroe Street  
Spokane, Washington 99205-1265

You must file an application for renewal of the enclosed permit with this Department at least 60 days prior to the expiration date of this permit.

Please direct any questions relating to the permit to Pat Hallinan at (509) 655-9239 or by email at phal461@ecy.wa.gov.

Sincerely,



Adriane P. Bоргias  
Section Manager  
Water Quality Program  
Eastern Regional Office

SJ:sj

Enclosures (2)

cc: David Heller, SGL Composites  
Lee McKinley, SGL Composites  
Don Kersey, Port of Moses Lake  
Michael G. Moro, PE, City of Moses Lake  
Gina Hoff, Bureau of Reclamation  
Jamie Balliet, East Columbia Basin Irrigation District  
Casey Roosma, South Columbia Basin Irrigation District  
Nuthavadee Kukes, Quincy Columbia Basin Irrigation District  
R. Nathan Nofziger, Western Pacific Engineering and Survey, Inc.  
Dan Nelson, PHD, Soiltest Farm Consultants

Pat Hallinan, Ecology Eastern Region  
Art Jenkins, PE, Ecology Eastern Region  
Ecology Permit Fee Unit