



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

March 22, 2021

Jack Carter
Weyerhaeuser Raymond Lumbermill
51 Ellis Street
Raymond, WA 98577

Re: State Waste Discharge Permit No. ST 6167

Dear Jack Carter:

The Department of Ecology (Ecology) has completed processing your state waste discharge permit application. Enclosed for your review are a draft permit and fact sheet. The purpose of sharing these drafts with you at this time is to identify any factual errors prior to the draft permit and fact sheet being released for public comment. Please submit written information on any factual errors you find in these documents no later than **15 days** from the date of this letter to:

Carey Cholski
Permit Administrator
Water Quality Program
Southwest Regional Office
O Box 47775
Olympia, WA 98504-7775

If you would like to meet to discuss permit requirements, or if you have questions on permit requirements and their basis, please e-mail Hiro Kusakabe at hiro.kusakabe@ecy.wa.gov, or call at 360-810-1340 (cell).

Ecology plans to start the formal public comment period on your draft permit approximately 30 days after the date of this letter. At that time, you will receive a copy of the public review draft of the fact sheet and permit. You should carefully review the draft documents and submit comments during the 30-day public review period.

Following the 30-day public review period, Ecology will consider all comments received; we will then prepare a final permit and responsiveness summary to all comments received. The responsiveness summary will become an appendix to the fact sheet which accompanies the final permit. Changes may be made to the draft permit as a result of the public review process.

Sincerely,

A handwritten signature in cursive script that reads "Carey Cholski".

Carey Cholski
Permit Administrator
Water Quality Program
Southwest Regional Office

CC(6167)
Enclosures

SENT ELECTRONICALLY DUE TO COVID-19

From: Cholski, Carey (ECY)
Sent: Monday, March 22, 2021 11:01 AM
To: 'jack.carter@weyerhaeuser.com' <jack.carter@weyerhaeuser.com>
Cc: Hiro Kusakabe (ECY) (hkus461@ECY.WA.GOV) <hkus461@ECY.WA.GOV>; Eberl, Steve (ECY) <SEBE461@ECY.WA.GOV>
Subject: Weyerhaeuser Raymond Lumber Mill - ST 6167 - Draft Permit and Fact Sheet for Entity Review

These documents are being sent electronically due to COVID 19.

Please note that you have 15 days to comment on any factual changes to the Fact Sheet.

Comments regarding the permit can be made during public notice of draft permit.

Thank you and have a great week!

Carey Cholski
Permit Administrator
Southwest Regional Office
carey.cholski@ecy.wa.gov

