



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

May 18, 2021

Nate Nemphill
Antea Group
121 Southwest Salmon Street, Suite 1100
Portland, OR 97204

Re: Entity Review for State Waste Discharge Permit Number ST 6265, Applied Plant Science

Dear Nate Nemphill:

The Department of Ecology (Ecology) has completed processing your State Waste Discharge permit application. Enclosed for your review are a draft permit and fact sheet. The purpose of sharing these drafts with you at this time is to identify any **factual errors** to the fact sheet prior to the draft permit and fact sheet being released for public comment. Please submit written information on any factual errors you find in these documents no later than **15 days** from the date of this letter to Carey Cholski by email at carey.cholski@ecy.wa.gov or by sending them to:

Carey Cholski
Department of Ecology
Southwest Regional Office – WQ
PO Box 47775
Olympia, WA 98504-7775

If you would like to meet to discuss permit requirements, or if you have questions on permit requirements and their basis, please email Jacek Anuszewski at jacek.anuszewski@ecy.wa.gov, or call at (360) 407-6288 (office) or (360) 628-3657 (cell).

Ecology plans to start the formal public comment period on your draft permit approximately 30 days after the date of this letter. At that time, you will receive a copy of the public review draft permit and fact sheet. You should carefully review the draft documents and submit comments during the 30-day public review period.

Following the 30-day public review period, Ecology will consider all comments received; we will then prepare a final permit and responsiveness summary to all comments received. The responsiveness summary will become an appendix to the fact sheet which accompanies the final permit. Changes may be made to the draft permit as a result of the public review process.

Sincerely,

A handwritten signature in cursive script that reads "Carey Cholski".

Carey Cholski
Permit Administrator
Water Quality Program
Southwest Regional Office

CC(6265)
Enclosures

cc: Shauntel Young, Applied Plant Science

SENT ELECTRONICALLY DUE TO COVID-19