



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

Northwest Regional Office • PO Box 330316 • Shoreline, Washington 98133-9716 • (206) 594-0000  
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

November 24, 2021

Jerry McCaslin  
SeaCast Arlington LLC  
18410 – 63<sup>rd</sup> Avenue NE  
Arlington, WA 98223

Re: New State Waste Discharge (SWD) Permit Application  
Permit No. ST0501338, SeaCast Arlington LLC

Dear Jerry McCaslin:

Thank you for submitting an application for a new SWD discharge permit. The Department of Ecology (Ecology) acknowledges receiving the application on November 19, 2021, and an initial review shows that your application is complete. Maia Hoffman has been assigned to review and approve your application.

Before Ecology can begin the final review and approval of the application, we need to collect a permit application fee. Attached is the application fee invoice. If you have questions about these fees, please visit our permit fee website at: [Water Quality Permit Fees](http://www.ecy.wa.gov/permitfees). If you have fee related questions, please contact our Fee Unit at [wqfee\\_unit@ecy.wa.gov](mailto:wqfee_unit@ecy.wa.gov) or by phone at 800-633-6193.

Once Ecology receives the application fee, we will complete the application review. We may send you a temporary permit which will allow you to discharge until we draft a final permit.

If you have any questions about our review of the application or the permitting process, please contact Maia Hoffman at [maia.hoffman@ecy.wa.gov](mailto:maia.hoffman@ecy.wa.gov) or by phone at 206-594-0160.

Sincerely,

A handwritten signature in cursive script that reads "Tricia Miller".

Tricia Miller  
Permit Coordinator  
Northwest Regional Office

Sent via electronic mail: ([jerrym@seacast.com](mailto:jerrym@seacast.com))

Attachment

Ecc: Water Quality Fee Unit ([wqfee\\_unit@ecy.wa.gov](mailto:wqfee_unit@ecy.wa.gov))  
Ecology Fiscal Office: ([ecydlcashing@ecy.wa.gov](mailto:ecydlcashing@ecy.wa.gov))  
Maia Hoffman, Facility Manager ([maia.hoffman@ecy.wa.gov](mailto:maia.hoffman@ecy.wa.gov))  
PARIS: SeaCast Arlington LLC; ST0501338

Mail Date: November 24, 2021



Application Invoice  
Water Quality Program  
Iron and Steel

Permit Number: ST0501338  
ATTN: MIKE ROBINS  
-Arlington  
SEACAST ARLINGTON LLC  
18410 63RD AVENUE NE  
ARLINGTON WA 98223

FY 2022 Annual Fee base	\$22,950.00
FY 2022 Application Fee	\$5,737.50
Remaining Credit	\$0.00
<b>Total Due</b>	<b>\$5,737.50</b>

Invoice Number	Billed	Paid	Due	Due Date
22-ST0501338-1	\$5,737.50	\$0.00	\$5,737.50	12/24/2021

Application Fee Calculation is 25% of Annual Fee base or \$250 , whichever is greater.

<p>Please send check or money order in US currency payable to</p> <p style="text-align: center;"><b>WASHINGTON STATE DEPARTMENT OF ECOLOGY</b></p> <p style="text-align: center;"><b>(DO NOT SEND CASH)</b></p>	<p><b>Mail the payment with the payment voucher / coupon to:</b></p> <p>Washington State Department of Ecology Cashiering Unit PO BOX 47611 Olympia, WA 98504-7611</p>
---	--

Please note you can pay via echeck at <https://apps.ecology.wa.gov/ecoepay/> ( no fee) or by credit card (convenience fees apply)

**Questions?** Direct questions regarding the permit fee assessment to the Water Quality Fee Unit at (800) 633-6193 /Option 2 or via email at [wqfee\\_unit@ecy.wa.gov](mailto:wqfee_unit@ecy.wa.gov)

-----Detach and return this payment voucher with your check or money order. -----

Water Quality Program  
Iron and Steel

Invoice	22-ST0501338-1
-Arlington	

Total Amount Due	\$5,737.50
Coding	176-WWDA-02-86-000197

ATTN: MIKE ROBINS  
SEACAST ARLINGTON LLC  
18410 63RD AVENUE NE  
ARLINGTON WA 98223

**Mail payment to**  
Washington State Department of Ecology  
Cashiering Unit  
PO BOX 47611  
Olympia, WA 98504-7611

You have a right to appeal this action. The appeal process is governed by Chapter 173-224-100 WAC. To appeal, you must do the following:

- Submit your appeal to the Water Quality Fee Unit no later than the fiscal year's first billing due date.
- State the reason(s) you believe the Department's determination is contrary to the requirements of Chapter 90.48.465 RCW and the specific actions you request that are consistent with those requirements.